

Com-Port	3 Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values			Dip-Switch 6-8 auf 0									
Adr. Übernehmen	Set Umax 30000 V															
OekoTube Adresse:	31 ON OFF Auto															
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:34:23	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:34:24	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:34:25	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
20.03.2020 09:34:26	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:34:27	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:34:28	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:34:29	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:34:30	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:34:31	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:34:32	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:34:34	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:34:35	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.3125	2004
20.03.2020 09:34:36	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
20.03.2020 09:34:37	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:34:38	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:34:39	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.9375	2004
20.03.2020 09:34:40	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:34:41	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
20.03.2020 09:34:42	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
20.03.2020 09:34:43	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:34:44	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:34:45	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:34:46	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:34:47	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:34:48	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:34:49	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:34:50	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:34:51	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:34:52	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:34:53	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
20.03.2020 09:34:54	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:34:55	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:34:56	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:34:57	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.375	2004
20.03.2020 09:34:58	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:34:59	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:35:00	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:35:01	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:35:02	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:03	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:04	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:05	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:06	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	20.625	2004
20.03.2020 09:35:07	1	0	1	1	19.5	40.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:35:08	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	20.75	2004
20.03.2020 09:35:09	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:10	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:11	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
20.03.2020 09:35:12	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:14	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:19	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:19	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:19	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:19	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:20	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:21	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:35:22	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:35:23	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:24	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:25	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:26	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:35:27	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:28	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:35:29	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:30	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:31	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:35:32	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:33	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:35:34	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:35	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:36	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:35:37	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:35:38	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
20.03.2020 09:35:39	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:40	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:41	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:35:42	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:35:43	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
20.03.2020 09:35:44	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:45	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	20.5625	2004
20.03.2020 09:35:46	1	0	1	1	19.5	40.5	0	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:35:47	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:48	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:49	1	0	1	1	19.5	37.25	0	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:50	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:51	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:35:53	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:35:54	1	0	1	1	19.5	37.25	0	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:55	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:35:56	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:35:57	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:35:58	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:35:59	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:00	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:36:01	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:02	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:03	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:04	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:36:05	1	0	1	1	19.5	37.25	0	0	0	0	0	30000	0	0	30000	18	2004
20.03.2020 09:36:06	1	0	1	1	19.5	38	0	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:07	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:08	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:36:09	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:36:10	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:36:11	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:36:12	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:36:13	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:14	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:15	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:21	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:21	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:21	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:21	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:21	1	0	1	1	19.5	37.75	0	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:21	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.375	2004
20.03.2020 09:36:22	1	0	1	1	19.5	37.25	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:23	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:36:24	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	20.625	2004
20.03.2020 09:36:25	1	0	1	1	19.5	40.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:26	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:36:27	1	0	1	1	19.5	37.25	0	0	0	0	0	30000	0	0	30000	17.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:36:29	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:30	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:31	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:32	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:33	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:36:34	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:35	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:36	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:37	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	18	2004
20.03.2020 09:36:38	1	0	1	1	19.5	38	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:39	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:36:40	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:36:41	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:42	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:43	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:36:44	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:45	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:46	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:47	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:36:48	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:36:49	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:36:50	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:51	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:52	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:36:53	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:36:54	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:55	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:56	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:36:57	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:36:58	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:36:59	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:37:00	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:37:01	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:37:02	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:37:03	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:37:04	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:37:05	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:37:06	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:37:07	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:37:08	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:37:10	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:37:11	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
20.03.2020 09:37:12	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:37:57	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
20.03.2020 09:37:58	1	0	1	1	20.75	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:37:59	1	0	1	1	20.75	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:00	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:01	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:02	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
20.03.2020 09:38:03	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:04	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:05	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:06	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:07	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:38:08	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:09	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:10	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:11	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:38:12	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:38:13	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:38:14	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:38:15	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:38:16	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:17	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:38:18	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:24	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:24	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:24	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:24	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:24	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:24	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:25	1	0	1	1	22	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:38:26	1	0	1	1	22	37.25	0	0	0	0	30000	0	0	30000	17.9375	2004
20.03.2020 09:38:27	1	0	1	1	22	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:29	1	0	1	1	22	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:38:30	1	0	1	1	22	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:31	1	0	1	1	22	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:32	1	0	1	1	22	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:38:33	1	0	1	1	22	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
20.03.2020 09:38:34	1	0	1	1	22	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:35	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:36	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:37	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:38:38	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
20.03.2020 09:38:39	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:40	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:38:41	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:42	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:43	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:44	1	0	1	1	22.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:45	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:38:46	1	0	1	1	24	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
20.03.2020 09:38:47	1	0	1	1	24	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:48	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:49	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:50	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:51	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:38:52	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:53	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:38:54	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:55	1	0	1	1	25.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:38:56	1	0	1	1	25.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
20.03.2020 09:38:57	1	0	1	1	25.5	37.75	0	0	0	0	30000	0	0	30000	18	2004
20.03.2020 09:38:58	1	0	1	1	25.5	38	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:38:59	1	0	1	1	25.5	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:39:00	1	0	1	1	25.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:39:01	1	0	1	1	25.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
20.03.2020 09:39:02	1	0	1	1	25.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:39:03	1	0	1	1	25.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:39:04	1	0	1	1	25.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:39:05	1	0	1	1	27.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:39:07	1	0	1	1	27.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:39:08	1	0	1	1	27.75	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
20.03.2020 09:39:09	1	0	1	1	27.75	37.5	0	0	0	0	30000	0	0	30000	17.9375	2004
20.03.2020 09:39:10	1	0	1	1	27.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:39:11	1	0	1	1	27.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:39:12	1	0	1	1	27.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:39:13	1	0	1	1	27.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
20.03.2020 09:39:14	1	0	1	1	27.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
20.03.2020 09:39:15	1	0	1	1	30	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
20.03.2020 09:39:16	1	1	1	1	30	37.75	0	10000	64.51612903	644.9596391	30000	0	0	30000	17.75	2004
20.03.2020 09:39:17	1	1	1	1	30	37.75	0	10853.081	68.8172043	723.235398	30000	0	0	30000	18.75	2004
20.03.2020 09:39:18	1	1	1	1	30	38.75	0	11611.374	66.66666667	773.7884924	30000	0	0	30000	17.625	2004
20.03.2020 09:39:19	1	1	1	1	30	37.5	0	12322.275	73.11827957	930.3400103	30000	0	0	30000	17.75	2004
20.03.2020 09:39:20	1	1	1	1	30	37.75	0	13127.962	66.66666667	874.8946811	30000	0	0	30000	17.75	2004
20.03.2020 09:39:26	1	1	1	1	33	37.25	0	17014.218	83.87096774	1426.901856	30000	0	0	30000	18.0625	2004
20.03.2020 09:39:26	1	1	1	1	33	37.25	0	17014.218	83.87096774	1426.901856	30000	0	0	30000	18.0625	2004
20.03.2020 09:39:26	1	1	1	1	33	37.25	0	17014.218	83.87096774	1426.901856	30000	0	0	30000	18.0625	2004
20.03.2020 09:39:26	1	1	1	1	33	37.25	0	17014.218	83.87096774	1426.901856	30000	0	0	30000	18.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:39:26	1	1	1	1	33	37.25	0	17014.218	83.87096774	1426.901856	30000	0	0	30000	18.0625	2004
20.03.2020 09:39:26	1	1	1	1	33	38	0	17772.512	88.17204301	1566.330552	30000	0	0	30000	18.0625	2004
20.03.2020 09:39:27	1	1	1	1	33	38	0	18530.806	105.3763441	1952.001739	30000	0	0	30000	18.0625	2004
20.03.2020 09:39:28	1	1	1	1	33	38	0	19099.526	113.9784946	2176.229174	30000	0	0	30000	17.75	2004
20.03.2020 09:39:29	1	1	1	1	33	37.75	0	20000	129.0322581	2580.653929	30000	0	0	30000	17.75	2004
20.03.2020 09:39:30	1	1	1	1	33	37.75	0	20616.114	144.0860215	3014.432093	30000	0	0	30000	18.5625	2004
20.03.2020 09:39:31	1	1	1	1	33	38.5	0	20853.081	161.2903226	3363.411518	30000	0	0	30000	17.75	2004
20.03.2020 09:39:32	1	1	1	1	33	37.75	0	21563.981	156.9892473	3384.611203	30000	0	0	30000	18.5	2004
20.03.2020 09:39:33	1	1	1	1	33	38.5	0	21563.981	174.1935484	3772.728508	30000	0	0	30000	17.75	2004
20.03.2020 09:39:34	1	1	1	1	33	37.75	0	21753.555	189.2473118	4125.784796	30000	0	0	30000	19.5625	2004
20.03.2020 09:39:35	1	1	1	1	37.25	39.5	0	21895.735	206.4516129	4520.425081	30000	0	0	30000	19.25	2004
20.03.2020 09:39:36	1	1	1	1	37.25	39.25	0	21848.341	206.4516129	4510.640611	30000	0	0	30000	18.4375	2004
20.03.2020 09:39:37	1	1	1	1	37.25	38.25	0	22369.668	219.3548387	4848.204822	30000	0	0	30000	18.0625	2004
20.03.2020 09:39:38	1	1	1	1	37.25	38	0	22796.209	232.2580645	5343.135923	30000	0	0	30000	17.5	2004
20.03.2020 09:39:39	1	1	1	1	37.25	37.5	0	22748.815	247.311828	5626.070176	30000	0	0	30000	18	2004
20.03.2020 09:39:40	1	1	1	1	37.25	38	0	23744.076	266.6666667	6229.445818	30000	0	0	30000	19.75	2004
20.03.2020 09:39:41	1	1	1	1	37.25	39.75	0	24028.436	277.4193548	6665.6701	30000	0	0	30000	18.25	2004
20.03.2020 09:39:42	1	1	1	1	37.25	38.25	0	24407.583	294.6236559	7190.769983	30000	0	0	30000	18.125	2004
20.03.2020 09:39:43	1	1	1	1	37.25	39.5	0	24976.303	316.1290323	7826.760525	30000	0	0	30000	18.125	2004
20.03.2020 09:39:45	1	1	1	1	42.75	38	0	25497.63	346.2365591	8844.345392	30000	0	0	30000	18.1875	2004
20.03.2020 09:39:46	1	1	1	1	42.75	38	0	25260.664	356.9892473	8963.389775	30000	0	0	30000	18.25	2004
20.03.2020 09:39:47	1	1	1	1	42.75	38.25	0	25971.564	369.8924731	9588.780475	30000	0	0	30000	17.75	2004
20.03.2020 09:39:48	1	1	1	1	42.75	37.75	0	24834.123	384.9462366	9541.48887	30000	0	0	30000	18.0625	2004
20.03.2020 09:39:49	1	1	1	1	42.75	38	0	25687.204	400	10329.95407	30000	0	0	30000	17.3125	2004
20.03.2020 09:39:50	1	1	1	1	42.75	37.25	0	24928.91	412.9032258	10293.26231	30000	0	0	30000	18.0625	2004
20.03.2020 09:39:51	1	1	1	1	42.75	38	0	26113.744	427.9569892	11175.49534	30000	0	0	30000	18.375	2004
20.03.2020 09:39:52	1	1	1	1	42.75	38.25	0	27440.758	438.7096774	12278.69432	30000	0	0	30000	17.5	2004
20.03.2020 09:39:53	1	1	1	1	42.75	37.5	0	26208.531	460.2150538	12060.98986	30000	0	0	30000	18.1875	2004
20.03.2020 09:39:54	1	1	1	1	42.75	38	0	26445.498	481.7204301	12454.81477	30000	0	0	30000	17.4375	2004
20.03.2020 09:39:55	1	1	1	1	49.25	37.25	0	26682.464	488.172043	12910.608	30000	0	0	30000	17.4375	2004
20.03.2020 09:39:56	1	1	1	1	49.25	37.25	0	27298.578	496.7741935	13385.15478	30000	0	0	30000	18.25	2004
20.03.2020 09:39:57	1	1	1	1	49.25	38.25	0	25829.384	520.4301075	13386.78553	30000	0	0	30000	17.9375	2004
20.03.2020 09:39:58	1	1	1	1	49.25	37.75	0	27014.218	526.8817204	14257.60335	30000	0	0	30000	18.3125	2004
20.03.2020 09:39:59	1	1	1	1	49.25	38.25	0	26350.711	544.0860215	14336.69448	30000	0	0	30000	18.6875	2004
20.03.2020 09:40:00	1	1	1	1	49.25	38.5	0	24597.156	569.8924731	13911.88541	30000	0	0	30000	19.0625	2004
20.03.2020 09:40:01	1	1	1	1	49.25	39	0	25165.877	584.9462366	14720.73492	30000	0	0	30000	18.6875	2004
20.03.2020 09:40:02	1	1	1	1	49.25	38.5	0	23933.649	572.0430108	13639.551	30000	0	0	30000	19.8125	2004
20.03.2020 09:40:03	1	1	1	1	49.25	39.75	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	18.5	2004
20.03.2020 09:40:04	1	1	1	1	49.25	38.5	0	24597.156	632.2580645	15664.12089	30000	0	0	30000	17.625	2004
20.03.2020 09:40:05	1	1	1	1	57.5	37.5	0	23838.863	666.6666667	15911.99413	30000	0	0	30000	17.5625	2004
20.03.2020 09:40:06	1	1	1	1	57.5	37.5	0	25165.877	634.4086022	15856.5488	30000	0	0	30000	18.25	2004
20.03.2020 09:40:07	1	1	1	1	57.5	38.25	0	25213.27	632.2580645	15856.5488	30000	0	0	30000	18.625	2004
20.03.2020 09:40:08	1	1	1	1	57.5	38.5	0	24170.616	662.3655914	16093.00682	30000	0	0	30000	18.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:40:09	1	1	1	1	57.5	38	0	24881.517	645.1612903	16083.22235	30000	0	0	30000	18.375	2004
20.03.2020 09:40:10	1	1	1	1	57.5	38.25	0	25165.877	627.9569892	16025.33091	30000	0	0	30000	18.125	2004
20.03.2020 09:40:11	1	1	1	1	57.5	38	0	25639.81	621.5053763	16019.6233	30000	0	0	30000	17.5	2004
20.03.2020 09:40:12	1	1	1	1	57.5	37.5	0	23933.649	658.0645161	15801.10347	30000	0	0	30000	18.4375	2004
20.03.2020 09:40:13	1	1	1	1	57.5	38.25	0	26492.891	615.0537634	16151.71364	30000	0	0	30000	18.375	2004
20.03.2020 09:40:14	1	1	1	1	57.5	38.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.125	2004
20.03.2020 09:40:15	1	1	1	1	62.5	38	0	30000	384.9462366	11419.29171	30000	0	0	30000	17.8125	2004
20.03.2020 09:40:16	1	1	1	1	62.5	37.75	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	18.0625	2004
20.03.2020 09:40:17	1	1	1	1	62.5	38	0	30000	481.7204301	14451.662	30000	0	0	30000	17.8125	2004
20.03.2020 09:40:18	1	1	1	1	62.5	37.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	18.5	2004
20.03.2020 09:40:19	1	1	1	1	62.5	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18	2004
20.03.2020 09:40:20	1	1	1	1	62.5	38	0	30000	367.7419355	11096.40421	30000	0	0	30000	17.9375	2004
20.03.2020 09:40:21	1	1	1	1	62.5	37.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	20.0625	2004
20.03.2020 09:40:27	1	1	1	1	69.5	38.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	17.625	2004
20.03.2020 09:40:27	1	1	1	1	69.5	38.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	17.625	2004
20.03.2020 09:40:27	1	1	1	1	69.5	38.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	17.625	2004
20.03.2020 09:40:27	1	1	1	1	69.5	38.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	17.625	2004
20.03.2020 09:40:27	1	1	1	1	69.5	38.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	17.625	2004
20.03.2020 09:40:28	1	1	1	1	69.5	37.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	17.9375	2004
20.03.2020 09:40:29	1	1	1	1	69.5	37.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	17.9375	2004
20.03.2020 09:40:30	1	1	1	1	69.5	37.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	18.4375	2004
20.03.2020 09:40:31	1	1	1	1	69.5	38.25	0	30000	311.827957	9419.182997	30000	0	0	30000	18.5	2004
20.03.2020 09:40:32	1	1	1	1	69.5	38.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	18.0625	2004
20.03.2020 09:40:33	1	1	1	1	69.5	38	0	30000	303.2258065	9160.709918	30000	0	0	30000	18.875	2004
20.03.2020 09:40:34	1	1	1	1	69.5	38.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	18.125	2004
20.03.2020 09:40:35	1	1	1	1	73.25	38	0	30000	279.5698925	8451.335852	30000	0	0	30000	18.5625	2004
20.03.2020 09:40:36	1	1	1	1	73.25	38.5	0	30000	281.7204301	8322.506999	30000	0	0	30000	18.0625	2004
20.03.2020 09:40:37	1	1	1	1	73.25	38	0	30000	268.8172043	7999.619493	30000	0	0	30000	17.9375	2004
20.03.2020 09:40:38	1	1	1	1	73.25	37.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	18.5625	2004
20.03.2020 09:40:39	1	1	1	1	73.25	38.5	0	30000	255.9139785	7741.961786	30000	0	0	30000	18	2004
20.03.2020 09:40:40	1	1	1	1	73.25	38	0	30000	253.7634409	7547.903134	30000	0	0	30000	17.5	2004
20.03.2020 09:40:41	1	1	1	1	73.25	37.5	0	29952.607	245.1612903	7419.07428	30000	0	0	30000	18.0625	2004
20.03.2020 09:40:42	1	1	1	1	73.25	38	0	30000	234.4086022	7031.772348	30000	0	0	30000	17.875	2004
20.03.2020 09:40:43	1	1	1	1	73.25	37.75	0	30000	240.8602151	7096.186775	30000	0	0	30000	17.5625	2004
20.03.2020 09:40:44	1	1	1	1	73.25	37.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	18.0625	2004
20.03.2020 09:40:45	1	1	1	1	76	38	0	30000	227.9569892	6774.114641	30000	0	0	30000	17.8125	2004
20.03.2020 09:40:46	1	1	1	1	76	37.75	0	30000	221.5053763	6709.700215	30000	0	0	30000	18	2004
20.03.2020 09:40:47	1	1	1	1	76	38	0	30000	225.8064516	6644.470416	30000	0	0	30000	17.875	2004
20.03.2020 09:40:48	1	1	1	1	76	37.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	18.0625	2004
20.03.2020 09:40:49	1	1	1	1	76	38	0	30000	212.9032258	6386.812709	30000	0	0	30000	18.125	2004
20.03.2020 09:40:50	1	1	1	1	76	38	0	30000	221.5053763	6644.470416	30000	0	0	30000	17.9375	2004
20.03.2020 09:40:51	1	1	1	1	76	37.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	18.125	2004
20.03.2020 09:40:52	1	1	1	1	76	38	0	30000	225.8064516	6774.114641	30000	0	0	30000	18.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:40:53	1	1	1	1	76	38.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	17.375	2004
20.03.2020 09:40:54	1	1	1	1	76	37.25	0	30000	227.9569892	6644.470416	30000	0	0	30000	18.5625	2004
20.03.2020 09:40:55	1	1	1	1	78.5	38.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	17.8125	2004
20.03.2020 09:40:56	1	1	1	1	78.5	37.75	0	30047.393	234.4086022	7031.772348	30000	0	0	30000	18.5	2004
20.03.2020 09:40:57	1	1	1	1	78.5	38.5	0	30000	236.5591398	7096.186775	30000	0	0	30000	18.4375	2004
20.03.2020 09:40:58	1	1	1	1	78.5	38.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	17.875	2004
20.03.2020 09:40:59	1	1	1	1	78.5	37.75	0	30000	253.7634409	7419.07428	30000	0	0	30000	17.5625	2004
20.03.2020 09:41:00	1	1	1	1	78.5	37.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:01	1	1	1	1	78.5	38	0	30000	255.9139785	7676.731987	30000	0	0	30000	18.1875	2004
20.03.2020 09:41:02	1	1	1	1	78.5	38	0	30000	249.4623656	7483.488707	30000	0	0	30000	18.375	2004
20.03.2020 09:41:03	1	1	1	1	78.5	38.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	20.375	2004
20.03.2020 09:41:04	1	1	1	1	78.5	40.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	18.1875	2004
20.03.2020 09:41:06	1	1	1	1	79.25	38.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	18.6875	2004
20.03.2020 09:41:07	1	1	1	1	79.25	38.5	0	30000	240.8602151	7225.831	30000	0	0	30000	18	2004
20.03.2020 09:41:08	1	1	1	1	79.25	38	0	30000	236.5591398	6838.529068	30000	0	0	30000	17.75	2004
20.03.2020 09:41:09	1	1	1	1	79.25	37.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	17.9375	2004
20.03.2020 09:41:10	1	1	1	1	79.25	37.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	18	2004
20.03.2020 09:41:11	1	1	1	1	79.25	38	0	30000	240.8602151	7009.757291	30000	0	0	30000	17.8125	2004
20.03.2020 09:41:12	1	1	1	1	79.25	37.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:13	1	1	1	1	79.25	38	0	30000	296.7741935	8967.466638	30000	0	0	30000	18.1875	2004
20.03.2020 09:41:14	1	1	1	1	79.25	38	0	30000	270.9677419	8128.448346	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:15	1	1	1	1	80.25	38	0	30000	264.516129	7935.205066	30000	0	0	30000	17.8125	2004
20.03.2020 09:41:16	1	1	1	1	80.25	37.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:17	1	1	1	1	80.25	38	0	29952.607	290.3225806	8838.637784	30000	0	0	30000	18	2004
20.03.2020 09:41:18	1	1	1	1	80.25	38	0	30047.393	283.8709677	8258.092572	30000	0	0	30000	18	2004
20.03.2020 09:41:19	1	1	1	1	80.25	38	0	30047.393	290.3225806	8515.750279	30000	0	0	30000	17.875	2004
20.03.2020 09:41:20	1	1	1	1	80.25	37.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	18.3125	2004
20.03.2020 09:41:21	1	1	1	1	80.25	38.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	18.1875	2004
20.03.2020 09:41:22	1	1	1	1	80.25	38	0	30000	277.4193548	8322.506999	30000	0	0	30000	18.25	2004
20.03.2020 09:41:23	1	1	1	1	80.25	38.25	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	17.6875	2004
20.03.2020 09:41:29	1	1	1	1	80.75	38.75	0	30142.18	264.516129	7935.205066	30000	0	0	30000	18.25	2004
20.03.2020 09:41:29	1	1	1	1	80.75	38.75	0	30142.18	264.516129	7935.205066	30000	0	0	30000	18.25	2004
20.03.2020 09:41:29	1	1	1	1	80.75	38.75	0	30142.18	264.516129	7935.205066	30000	0	0	30000	18.25	2004
20.03.2020 09:41:29	1	1	1	1	80.75	38.75	0	30142.18	264.516129	7935.205066	30000	0	0	30000	18.25	2004
20.03.2020 09:41:29	1	1	1	1	80.75	38.25	0	30000	258.0645161	7524.257332	30000	0	0	30000	18.1875	2004
20.03.2020 09:41:30	1	1	1	1	80.75	38	0	30000	258.0645161	7870.79064	30000	0	0	30000	18.375	2004
20.03.2020 09:41:31	1	1	1	1	80.75	38.25	0	29905.213	281.7204301	8451.335852	30000	0	0	30000	18.9375	2004
20.03.2020 09:41:32	1	1	1	1	80.75	38.75	0	30000	255.9139785	7612.31756	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:33	1	1	1	1	80.75	38	0	30000	240.8602151	7290.245427	30000	0	0	30000	18.125	2004
20.03.2020 09:41:34	1	1	1	1	80.75	38	0	30000	249.4623656	7419.07428	30000	0	0	30000	18.3125	2004
20.03.2020 09:41:35	1	1	1	1	81.5	38.25	0	30000	247.311828	7354.659854	30000	0	0	30000	18.125	2004
20.03.2020 09:41:36	1	1	1	1	81.5	38	0	30000	270.9677419	8192.862773	30000	0	0	30000	17.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:41:37	1	1	1	1	81.5	37.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:38	1	1	1	1	81.5	38	0	30000	258.0645161	7741.961786	30000	0	0	30000	18	2004
20.03.2020 09:41:39	1	1	1	1	81.5	38	0	30000	316.1290323	9548.01185	30000	0	0	30000	17.875	2004
20.03.2020 09:41:40	1	1	1	1	81.5	37.75	0	30000	294.6236559	8774.223358	30000	0	0	30000	18.5	2004
20.03.2020 09:41:41	1	1	1	1	81.5	38.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	19	2004
20.03.2020 09:41:42	1	1	1	1	81.5	39	0	30000	305.3763441	9160.709918	30000	0	0	30000	20.75	2004
20.03.2020 09:41:44	1	1	1	1	81.5	37.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:45	1	1	1	1	82.75	38	0	30000	292.4731183	8708.993559	30000	0	0	30000	17.9375	2004
20.03.2020 09:41:46	1	1	1	1	82.75	37.75	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	18.1875	2004
20.03.2020 09:41:47	1	1	1	1	82.75	38	0	30000	322.5806452	9453.428641	30000	0	0	30000	18	2004
20.03.2020 09:41:48	1	1	1	1	82.75	38	0	30000	305.3763441	9290.354143	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:49	1	1	1	1	82.75	38	0	30000	296.7741935	8903.052211	30000	0	0	30000	18	2004
20.03.2020 09:41:50	1	1	1	1	82.75	38	0	30000	301.0752688	9031.881064	30000	0	0	30000	18.125	2004
20.03.2020 09:41:51	1	1	1	1	82.75	38	0	30000	301.0752688	9096.295491	30000	0	0	30000	18.125	2004
20.03.2020 09:41:52	1	1	1	1	82.75	38	0	30000	275.2688172	8038.757372	30000	0	0	30000	18.125	2004
20.03.2020 09:41:53	1	1	1	1	82.75	38	0	30000	262.3655914	7935.205066	30000	0	0	30000	18	2004
20.03.2020 09:41:54	1	1	1	1	82.75	38	0	30000	247.311828	7419.07428	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:55	1	1	1	1	83	38	0	30000	251.6129032	7612.31756	30000	0	0	30000	17.9375	2004
20.03.2020 09:41:56	1	1	1	1	83	37.75	0	30000	255.9139785	7612.31756	30000	0	0	30000	18	2004
20.03.2020 09:41:57	1	1	1	1	83	38	0	30000	258.0645161	7806.376213	30000	0	0	30000	17.9375	2004
20.03.2020 09:41:58	1	1	1	1	83	37.75	0	29952.607	253.7634409	7676.731987	30000	0	0	30000	18.0625	2004
20.03.2020 09:41:59	1	1	1	1	83	38	0	29952.607	264.516129	7999.619493	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:00	1	1	1	1	83	38	0	30000	270.9677419	8192.862773	30000	0	0	30000	18.125	2004
20.03.2020 09:42:01	1	1	1	1	83	38	0	30000	260.2150538	7806.376213	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:02	1	1	1	1	83	38	0	30000	268.8172043	8064.033919	30000	0	0	30000	18.0625	2004
20.03.2020 09:42:03	1	1	1	1	83	38	0	29905.213	279.5698925	8322.506999	30000	0	0	30000	18.375	2004
20.03.2020 09:42:04	1	1	1	1	83	38.25	0	30000	240.8602151	7225.831	30000	0	0	30000	18.0625	2004
20.03.2020 09:42:05	1	1	1	1	83.25	38	0	30000	243.0107527	7290.245427	30000	0	0	30000	18.0625	2004
20.03.2020 09:42:06	1	1	1	1	83.25	38	0	30000	232.2580645	6967.357921	30000	0	0	30000	18.0625	2004
20.03.2020 09:42:07	1	1	1	1	83.25	38	0	30000	215.0537634	6386.812709	30000	0	0	30000	18.125	2004
20.03.2020 09:42:08	1	1	1	1	83.25	38	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.0625	2004
20.03.2020 09:42:09	1	1	1	1	83.25	38	0	30000	219.3548387	6580.055989	30000	0	0	30000	18.625	2004
20.03.2020 09:42:10	1	1	1	1	83.25	38.5	0	29952.607	217.2043011	6515.641562	30000	0	0	30000	18.3125	2004
20.03.2020 09:42:11	1	1	1	1	83.25	38.25	0	30000	189.2473118	5677.438643	30000	0	0	30000	18.4375	2004
20.03.2020 09:42:12	1	1	1	1	83.25	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.125	2004
20.03.2020 09:42:13	1	1	1	1	83.25	38	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.375	2004
20.03.2020 09:42:14	1	1	1	1	83.25	38.25	0	30000	191.3978495	5659.500448	30000	0	0	30000	18.3125	2004
20.03.2020 09:42:15	1	1	1	1	85.25	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.0625	2004
20.03.2020 09:42:16	1	1	1	1	85.25	39	0	29952.607	206.4516129	6193.569429	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:17	1	1	1	1	85.25	38	0	30000	215.0537634	6386.812709	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:18	1	1	1	1	85.25	38	0	30000	206.4516129	6257.983856	30000	0	0	30000	18	2004
20.03.2020 09:42:19	1	1	1	1	85.25	38	0	30000	208.6021505	6193.569429	30000	0	0	30000	18.25	2004
20.03.2020 09:42:20	1	1	1	1	85.25	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	20	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:42:22	1	1	1	1	85.25	40	0	30000	197.8494624	6193.569429	30000	0	0	30000	18.8125	2004
20.03.2020 09:42:23	1	1	1	1	85.25	40.5	0	30000	217.2043011	6451.227136	30000	0	0	30000	18.25	2004
20.03.2020 09:42:24	1	1	1	1	85.25	38.25	0	30000	212.9032258	6451.227136	30000	0	0	30000	19.375	2004
20.03.2020 09:42:25	1	1	1	1	86.25	39.25	0	30000	219.3548387	6580.055989	30000	0	0	30000	18.5	2004
20.03.2020 09:42:30	1	1	1	1	86.25	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:30	1	1	1	1	86.25	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:30	1	1	1	1	86.25	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:30	1	1	1	1	86.25	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:30	1	1	1	1	86.25	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:31	1	1	1	1	86.25	38	0	29905.213	219.3548387	6774.114641	30000	0	0	30000	18.25	2004
20.03.2020 09:42:32	1	1	1	1	86.25	38.25	0	30047.393	230.1075269	6902.943495	30000	0	0	30000	17.875	2004
20.03.2020 09:42:33	1	1	1	1	86.25	37.75	0	30000	219.3548387	6580.055989	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:34	1	1	1	1	86.25	38	0	30000	219.3548387	6580.055989	30000	0	0	30000	18.875	2004
20.03.2020 09:42:35	1	1	1	1	86.25	38.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	18.3125	2004
20.03.2020 09:42:36	1	1	1	1	86.25	38.25	0	30000	225.8064516	6838.529068	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:37	1	1	1	1	86.25	38	0	30000	230.1075269	7031.772348	30000	0	0	30000	18.125	2004
20.03.2020 09:42:38	1	1	1	1	86.25	38	0	30000	227.9569892	6774.114641	30000	0	0	30000	19	2004
20.03.2020 09:42:39	1	1	1	1	86.25	39	0	30000	234.4086022	7096.186775	30000	0	0	30000	18.1875	2004
20.03.2020 09:42:40	1	1	1	1	86.25	38	0	30000	230.1075269	6774.114641	30000	0	0	30000	18.125	2004
20.03.2020 09:42:41	1	1	1	1	86.25	38	0	30000	230.1075269	6902.943495	30000	0	0	30000	18.4375	2004
20.03.2020 09:42:42	1	1	1	1	86.25	38.25	0	29952.607	212.9032258	6515.641562	30000	0	0	30000	18.75	2004
20.03.2020 09:42:43	1	1	1	1	86.25	38.75	0	30000	212.9032258	6248.199386	30000	0	0	30000	18.4375	2004
20.03.2020 09:42:44	1	1	1	1	86.25	38.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	18.4375	2004
20.03.2020 09:42:45	1	1	1	1	87	38.25	0	30000	212.9032258	6257.983856	30000	0	0	30000	18.25	2004
20.03.2020 09:42:46	1	1	1	1	87	38.25	0	30000	208.6021505	6322.398282	30000	0	0	30000	18.25	2004
20.03.2020 09:42:47	1	1	1	1	87	38.25	0	30000	208.6021505	6257.983856	30000	0	0	30000	18.5625	2004
20.03.2020 09:42:48	1	1	1	1	87	38.5	0	30000	219.3548387	6644.470416	30000	0	0	30000	18.25	2004
20.03.2020 09:42:49	1	1	1	1	87	38.25	0	29952.607	208.6021505	6386.812709	30000	0	0	30000	18.25	2004
20.03.2020 09:42:50	1	1	1	1	87	38.25	0	29905.213	219.3548387	6580.055989	30000	0	0	30000	18.8125	2004
20.03.2020 09:42:51	1	1	1	1	87	38.75	0	29952.607	219.3548387	6644.470416	30000	0	0	30000	18.125	2004
20.03.2020 09:42:52	1	1	1	1	87	38	0	30000	240.8602151	7225.831	30000	0	0	30000	18.125	2004
20.03.2020 09:42:53	1	1	1	1	87	38	0	30000	225.8064516	6838.529068	30000	0	0	30000	18.25	2004
20.03.2020 09:42:54	1	1	1	1	87	38.25	0	29905.213	225.8064516	6774.114641	30000	0	0	30000	18.625	2004
20.03.2020 09:42:55	1	1	1	1	86.75	38.5	0	30000	232.2580645	6902.943495	30000	0	0	30000	18.375	2004
20.03.2020 09:42:56	1	1	1	1	86.75	38.25	0	30000	247.311828	7419.07428	30000	0	0	30000	19.0625	2004
20.03.2020 09:42:57	1	1	1	1	86.75	39	0	30000	262.3655914	7870.79064	30000	0	0	30000	18.0625	2004
20.03.2020 09:42:58	1	1	1	1	86.75	38	0	30000	255.9139785	7676.731987	30000	0	0	30000	18.375	2004
20.03.2020 09:42:59	1	1	1	1	86.75	38.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	21.3125	2004
20.03.2020 09:43:01	1	1	1	1	86.75	41.25	0	30000	264.516129	7999.619493	30000	0	0	30000	18.4375	2004
20.03.2020 09:43:02	1	1	1	1	86.75	38.25	0	30047.393	251.6129032	7547.903134	30000	0	0	30000	19.8125	2004
20.03.2020 09:43:03	1	1	1	1	86.75	38.5	0	30000	260.2150538	7741.961786	30000	0	0	30000	18.5	2004
20.03.2020 09:43:04	1	1	1	1	86.75	38.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	18.5	2004
20.03.2020 09:43:05	1	1	1	1	87	38.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	18.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:43:06	1	1	1	1	87	38	0	29952.607	234.4086022	7225.831	30000	0	0	30000	18.375	2004
20.03.2020 09:43:07	1	1	1	1	87	38.25	0	30000	258.0645161	7870.79064	30000	0	0	30000	18.9375	2004
20.03.2020 09:43:08	1	1	1	1	87	38.75	0	30000	283.8709677	8373.875465	30000	0	0	30000	18.25	2004
20.03.2020 09:43:09	1	1	1	1	87	38.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	18.6875	2004
20.03.2020 09:43:10	1	1	1	1	87	38.5	0	29905.213	253.7634409	7806.376213	30000	0	0	30000	19.75	2004
20.03.2020 09:43:11	1	1	1	1	87	39.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	18.4375	2004
20.03.2020 09:43:12	1	1	1	1	87	38.25	0	29952.607	318.2795699	9548.01185	30000	0	0	30000	18.5	2004
20.03.2020 09:43:13	1	1	1	1	87	38.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	18.3125	2004
20.03.2020 09:43:14	1	1	1	1	87	38.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	18.1875	2004
20.03.2020 09:43:15	1	1	1	1	87	38	0	30000	350.5376344	10515.85899	30000	0	0	30000	18.6875	2004
20.03.2020 09:43:16	1	1	1	1	87	38.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	18.375	2004
20.03.2020 09:43:17	1	1	1	1	87	38.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	18.25	2004
20.03.2020 09:43:18	1	1	1	1	87	38.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	18.5625	2004
20.03.2020 09:43:19	1	1	1	1	87	38.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	18.125	2004
20.03.2020 09:43:20	1	1	1	1	87	38	0	30000	311.827957	9354.76857	30000	0	0	30000	19	2004
20.03.2020 09:43:21	1	1	1	1	87	39	0	30000	326.8817204	9935.313783	30000	0	0	30000	18.5625	2004
20.03.2020 09:43:22	1	1	1	1	87	38.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	19.1875	2004
20.03.2020 09:43:23	1	1	1	1	87	39	0	30000	322.5806452	9612.426277	30000	0	0	30000	18.3125	2004
20.03.2020 09:43:24	1	1	1	1	87	38.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	19.25	2004
20.03.2020 09:43:25	1	1	1	1	88.75	39.25	0	30000	311.827957	9354.76857	30000	0	0	30000	18.3125	2004
20.03.2020 09:43:26	1	1	1	1	88.75	38.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	19	2004
20.03.2020 09:43:32	1	1	1	1	88.75	38.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	18.5	2004
20.03.2020 09:43:32	1	1	1	1	88.75	38.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	18.5	2004
20.03.2020 09:43:32	1	1	1	1	88.75	38.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	18.5	2004
20.03.2020 09:43:32	1	1	1	1	88.75	38.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	18.5	2004
20.03.2020 09:43:32	1	1	1	1	88.75	38.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	19.1875	2004
20.03.2020 09:43:33	1	1	1	1	88.75	39	0	30000	339.7849462	10192.97149	30000	0	0	30000	18.875	2004
20.03.2020 09:43:34	1	1	1	1	88.75	38.75	0	29905.213	333.3333333	10064.14264	30000	0	0	30000	19.4375	2004
20.03.2020 09:43:35	1	1	1	1	89.5	39.25	0	30000	335.483871	10064.14264	30000	0	0	30000	18.4375	2004
20.03.2020 09:43:36	1	1	1	1	89.5	38.25	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	18.625	2004
20.03.2020 09:43:38	1	1	1	1	89.5	38.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	20.75	2004
20.03.2020 09:43:39	1	1	1	1	89.5	38.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	18.5	2004
20.03.2020 09:43:40	1	1	1	1	89.5	38.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	18.6875	2004
20.03.2020 09:43:41	1	1	1	1	89.5	38.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	18.6875	2004
20.03.2020 09:43:42	1	1	1	1	89.5	38.5	0	30000	333.3333333	10080.45009	30000	0	0	30000	19.25	2004
20.03.2020 09:43:43	1	1	1	1	89.5	39.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	18.3125	2004
20.03.2020 09:43:44	1	1	1	1	89.5	38.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	19.8125	2004
20.03.2020 09:43:45	1	1	1	1	91	39.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	19.1875	2004
20.03.2020 09:43:46	1	1	1	1	91	39	0	30000	322.5806452	9517.843068	30000	0	0	30000	19.0625	2004
20.03.2020 09:43:47	1	1	1	1	91	39	0	29905.213	305.3763441	9354.76857	30000	0	0	30000	18.5625	2004
20.03.2020 09:43:48	1	1	1	1	91	38.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	18.625	2004
20.03.2020 09:43:49	1	1	1	1	91	38.5	0	29905.213	288.172043	8644.579132	30000	0	0	30000	18.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:43:50	1	1	1	1	91	38.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	19	2004
20.03.2020 09:43:51	1	1	1	1	91	39	0	29952.607	264.516129	7999.619493	30000	0	0	30000	18.625	2004
20.03.2020 09:43:52	1	1	1	1	91	38.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	18.9375	2004
20.03.2020 09:43:53	1	1	1	1	91	38.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	18.625	2004
20.03.2020 09:43:54	1	1	1	1	91	38.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	18.5	2004
20.03.2020 09:43:55	1	1	1	1	92.75	38.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	19.625	2004
20.03.2020 09:43:56	1	1	1	1	92.75	39.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	18.9375	2004
20.03.2020 09:43:57	1	1	1	1	92.75	38.75	0	30000	283.8709677	8708.993559	30000	0	0	30000	19.3125	2004
20.03.2020 09:43:58	1	1	1	1	92.75	39.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	18.9375	2004
20.03.2020 09:43:59	1	1	1	1	92.75	38.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	18.4375	2004
20.03.2020 09:44:00	1	1	1	1	92.75	38.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	19.0625	2004
20.03.2020 09:44:01	1	1	1	1	92.75	39	0	30000	279.5698925	8386.921425	30000	0	0	30000	19.25	2004
20.03.2020 09:44:02	1	1	1	1	92.75	39.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	18.625	2004
20.03.2020 09:44:03	1	1	1	1	92.75	38.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	19.3125	2004
20.03.2020 09:44:04	1	1	1	1	92.75	39.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	19	2004
20.03.2020 09:44:05	1	1	1	1	94.25	39	0	30000	264.516129	7870.79064	30000	0	0	30000	18.9375	2004
20.03.2020 09:44:06	1	1	1	1	94.25	38.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	18.75	2004
20.03.2020 09:44:07	1	1	1	1	94.25	38.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	19.4375	2004
20.03.2020 09:44:08	1	1	1	1	94.25	39.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	19.0625	2004
20.03.2020 09:44:09	1	1	1	1	94.25	39	0	29952.607	247.311828	7290.245427	30000	0	0	30000	18.625	2004
20.03.2020 09:44:10	1	1	1	1	94.25	38.5	0	30000	240.8602151	7225.831	30000	0	0	30000	18.75	2004
20.03.2020 09:44:11	1	1	1	1	94.25	38.75	0	30000	240.8602151	7160.601201	30000	0	0	30000	19.3125	2004
20.03.2020 09:44:12	1	1	1	1	94.25	39.25	0	30000	234.4086022	6967.357921	30000	0	0	30000	19.25	2004
20.03.2020 09:44:13	1	1	1	1	94.25	39.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	18.8125	2004
20.03.2020 09:44:14	1	1	1	1	94.25	38.75	0	30000	217.2043011	6515.641562	30000	0	0	30000	19.5	2004
20.03.2020 09:44:15	1	1	1	1	95.5	39.5	0	30000	232.2580645	7031.772348	30000	0	0	30000	20.125	2004
20.03.2020 09:44:16	1	1	1	1	95.5	40	0	29952.607	227.9569892	6838.529068	30000	0	0	30000	18.9375	2004
20.03.2020 09:44:17	1	1	1	1	95.5	38.75	0	30000	227.9569892	6838.529068	30000	0	0	30000	19.5	2004
20.03.2020 09:44:19	1	1	1	1	95.5	39.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	19.8125	2004
20.03.2020 09:44:20	1	1	1	1	95.5	39	0	30000	219.3548387	6515.641562	30000	0	0	30000	18.5625	2004
20.03.2020 09:44:21	1	1	1	1	95.5	38.5	0	30000	212.9032258	6515.641562	30000	0	0	30000	19.25	2004
20.03.2020 09:44:22	1	1	1	1	95.5	39.25	0	30000	215.0537634	6451.227136	30000	0	0	30000	18.75	2004
20.03.2020 09:44:23	1	1	1	1	95.5	38.75	0	30000	227.9569892	6838.529068	30000	0	0	30000	18.75	2004
20.03.2020 09:44:24	1	1	1	1	95.5	38.75	0	30000	225.8064516	6774.114641	30000	0	0	30000	18.625	2004
20.03.2020 09:44:25	1	1	1	1	96	38.5	0	30000	219.3548387	6580.055989	30000	0	0	30000	18.625	2004
20.03.2020 09:44:27	1	1	1	1	96	38.5	0	29952.607	212.9032258	6386.812709	30000	0	0	30000	19.625	2004
20.03.2020 09:44:27	1	1	1	1	96	38.5	0	29952.607	212.9032258	6386.812709	30000	0	0	30000	19.625	2004
20.03.2020 09:44:28	1	1	1	1	96	39.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	18.9375	2004
20.03.2020 09:44:34	1	1	1	1	96	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.125	2004
20.03.2020 09:44:34	1	1	1	1	96	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.125	2004
20.03.2020 09:44:34	1	1	1	1	96	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.125	2004
20.03.2020 09:44:34	1	1	1	1	96	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.125	2004
20.03.2020 09:44:34	1	1	1	1	96	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:44:34	1	1	1	1	96	39	0	29952.607	193.5483871	5806.267497	30000	0	0	30000	18.75	2004
20.03.2020 09:44:35	1	1	1	1	95	38.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.75	2004
20.03.2020 09:44:36	1	1	1	1	95	38.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.75	2004
20.03.2020 09:44:37	1	1	1	1	95	39.75	0	29952.607	217.2043011	6580.055989	30000	0	0	30000	19.1875	2004
20.03.2020 09:44:38	1	1	1	1	95	39	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.125	2004
20.03.2020 09:44:39	1	1	1	1	95	39	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.875	2004
20.03.2020 09:44:40	1	1	1	1	95	38.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.875	2004
20.03.2020 09:44:41	1	1	1	1	95	38.75	0	30000	193.5483871	5870.681923	30000	0	0	30000	18.6875	2004
20.03.2020 09:44:42	1	1	1	1	95	38.5	0	30000	206.4516129	5935.09635	30000	0	0	30000	18.875	2004
20.03.2020 09:44:43	1	1	1	1	95	38.75	0	29952.607	206.4516129	6193.569429	30000	0	0	30000	19.8125	2004
20.03.2020 09:44:44	1	1	1	1	95	39.75	0	30047.393	206.4516129	6193.569429	30000	0	0	30000	18.75	2004
20.03.2020 09:44:45	1	1	1	1	95.5	38.75	0	30000	208.6021505	6257.983856	30000	0	0	30000	18.875	2004
20.03.2020 09:44:46	1	1	1	1	95.5	38.75	0	29905.213	208.6021505	6257.983856	30000	0	0	30000	18.75	2004
20.03.2020 09:44:47	1	1	1	1	95.5	38.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.8125	2004
20.03.2020 09:44:48	1	1	1	1	95.5	38.75	0	29952.607	206.4516129	6174.000489	30000	0	0	30000	20.0625	2004
20.03.2020 09:44:49	1	1	1	1	95.5	40	0	30000	210.7526882	6322.398282	30000	0	0	30000	18.8125	2004
20.03.2020 09:44:50	1	1	1	1	95.5	38.75	0	29952.607	206.4516129	6193.569429	30000	0	0	30000	19.6875	2004
20.03.2020 09:44:51	1	1	1	1	95.5	39.5	0	30000	197.8494624	6193.569429	30000	0	0	30000	20.125	2004
20.03.2020 09:44:52	1	1	1	1	95.5	40	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.8125	2004
20.03.2020 09:44:53	1	1	1	1	95.5	38.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.75	2004
20.03.2020 09:44:54	1	1	1	1	95.5	38.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.875	2004
20.03.2020 09:44:55	1	1	1	1	96.5	39.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.1875	2004
20.03.2020 09:44:56	1	1	1	1	96.5	39	0	30000	206.4516129	6193.569429	30000	0	0	30000	20.4375	2004
20.03.2020 09:44:57	1	1	1	1	96.5	40.25	0	30000	193.5483871	5870.681923	30000	0	0	30000	18.5625	2004
20.03.2020 09:44:59	1	1	1	1	96.5	38.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.75	2004
20.03.2020 09:45:00	1	1	1	1	96.5	41.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	20.125	2004
20.03.2020 09:45:01	1	1	1	1	96.5	38.75	0	30000	197.8494624	6193.569429	30000	0	0	30000	18.625	2004
20.03.2020 09:45:02	1	1	1	1	96.5	38.5	0	29952.607	184.9462366	5677.438643	30000	0	0	30000	19.1875	2004
20.03.2020 09:45:03	1	1	1	1	96.5	39	0	30000	206.4516129	5806.267497	30000	0	0	30000	18.75	2004
20.03.2020 09:45:04	1	1	1	1	96.5	38.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	19	2004
20.03.2020 09:45:05	1	1	1	1	97.25	39	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.8125	2004
20.03.2020 09:45:06	1	1	1	1	97.25	38.75	0	30000	191.3978495	5547.794417	30000	0	0	30000	19.0625	2004
20.03.2020 09:45:07	1	1	1	1	97.25	39	0	30000	191.3978495	5806.267497	30000	0	0	30000	18.75	2004
20.03.2020 09:45:08	1	1	1	1	97.25	38.75	0	30000	191.3978495	5741.85307	30000	0	0	30000	18.75	2004
20.03.2020 09:45:09	1	1	1	1	97.25	38.75	0	30000	189.2473118	5677.438643	30000	0	0	30000	18.6875	2004
20.03.2020 09:45:10	1	1	1	1	97.25	38.5	0	29952.607	206.4516129	6193.569429	30000	0	0	30000	18.8125	2004
20.03.2020 09:45:11	1	1	1	1	97.25	38.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	19.0625	2004
20.03.2020 09:45:12	1	1	1	1	97.25	39	0	30000	206.4516129	5870.681923	30000	0	0	30000	18.8125	2004
20.03.2020 09:45:13	1	1	1	1	97.25	38.75	0	30000	191.3978495	5741.85307	30000	0	0	30000	19.375	2004
20.03.2020 09:45:14	1	1	1	1	97.25	39.25	0	30000	195.6989247	5870.681923	30000	0	0	30000	19.125	2004
20.03.2020 09:45:15	1	1	1	1	96.5	39	0	30000	206.4516129	5787.513929	30000	0	0	30000	19.125	2004
20.03.2020 09:45:16	1	1	1	1	96.5	39	0	30000	206.4516129	5926.127252	30000	0	0	30000	19.125	2004
20.03.2020 09:45:17	1	1	1	1	96.5	39	0	30000	191.3978495	5741.85307	30000	0	0	30000	19.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:46:02	1	1	1	1	95.75	38.75	0	29905.213	169.8924731	5096.078058	30000	0	0	30000	20.125	2004
20.03.2020 09:46:03	1	1	1	1	95.75	40	0	29905.213	167.7419355	5031.663632	30000	0	0	30000	19.4375	2004
20.03.2020 09:46:04	1	1	1	1	95.75	39.25	0	30000	163.4408602	4902.834778	30000	0	0	30000	18.875	2004
20.03.2020 09:46:05	1	1	1	1	97.25	38.75	0	30000	163.4408602	4838.420352	30000	0	0	30000	18.875	2004
20.03.2020 09:46:06	1	1	1	1	97.25	38.75	0	30000	159.1397849	4709.591498	30000	0	0	30000	18.875	2004
20.03.2020 09:46:07	1	1	1	1	97.25	38.75	0	30000	163.4408602	4902.834778	30000	0	0	30000	19.0625	2004
20.03.2020 09:46:08	1	1	1	1	97.25	39	0	29952.607	163.4408602	4895.496426	30000	0	0	30000	18.875	2004
20.03.2020 09:46:09	1	1	1	1	97.25	38.75	0	30000	165.5913978	5031.663632	30000	0	0	30000	19	2004
20.03.2020 09:46:10	1	1	1	1	97.25	39	0	30000	169.8924731	5290.136711	30000	0	0	30000	19.25	2004
20.03.2020 09:46:11	1	1	1	1	97.25	39.25	0	30000	178.4946237	5088.739706	30000	0	0	30000	19.625	2004
20.03.2020 09:46:12	1	1	1	1	97.25	39.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	19.625	2004
20.03.2020 09:46:13	1	1	1	1	97.25	39.5	0	30047.393	165.5913978	4579.947273	30000	0	0	30000	19.1875	2004
20.03.2020 09:46:14	1	1	1	1	97.25	39	0	30000	148.3870968	4451.118419	30000	0	0	30000	19.625	2004
20.03.2020 09:46:15	1	1	1	1	97.5	39.5	0	29952.607	152.688172	4579.947273	30000	0	0	30000	19.3125	2004
20.03.2020 09:46:16	1	1	1	1	97.5	39.25	0	30000	163.4408602	4838.420352	30000	0	0	30000	19.6875	2004
20.03.2020 09:46:17	1	1	1	1	97.5	39.5	0	30000	167.7419355	5031.663632	30000	0	0	30000	19.125	2004
20.03.2020 09:46:19	1	1	1	1	97.5	39	0	30000	169.8924731	5096.078058	30000	0	0	30000	22.0625	2004
20.03.2020 09:46:20	1	1	1	1	97.5	42	0	30000	169.8924731	5096.078058	30000	0	0	30000	18.9375	2004
20.03.2020 09:46:21	1	1	1	1	97.5	38.75	0	29952.607	152.688172	4774.005925	30000	0	0	30000	20.4375	2004
20.03.2020 09:46:22	1	1	1	1	97.5	40.25	0	30000	161.2903226	4838.420352	30000	0	0	30000	19.5625	2004
20.03.2020 09:46:23	1	1	1	1	97.5	39.5	0	30047.393	163.4408602	4579.947273	30000	0	0	30000	19.3125	2004
20.03.2020 09:46:24	1	1	1	1	97.5	39.25	0	30000	163.4408602	4902.834778	30000	0	0	30000	19.5625	2004
20.03.2020 09:46:25	1	1	1	1	98.5	39.5	0	29905.213	152.688172	4579.947273	30000	0	0	30000	19.1875	2004
20.03.2020 09:46:26	1	1	1	1	98.5	39	0	30000	159.1397849	4838.420352	30000	0	0	30000	19.375	2004
20.03.2020 09:46:27	1	1	1	1	98.5	39.25	0	29952.607	163.4408602	4902.834778	30000	0	0	30000	19.25	2004
20.03.2020 09:46:28	1	1	1	1	98.5	39.25	0	30000	152.688172	4579.947273	30000	0	0	30000	19.125	2004
20.03.2020 09:46:29	1	1	1	1	98.5	39	0	30000	167.7419355	5031.663632	30000	0	0	30000	19.5	2004
20.03.2020 09:46:30	1	1	1	1	98.5	39.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	19.5	2004
20.03.2020 09:46:31	1	1	1	1	98.5	39.5	0	30000	159.1397849	4902.834778	30000	0	0	30000	19	2004
20.03.2020 09:46:37	1	1	1	1	97.75	39.75	0	29905.213	150.5376344	4579.947273	30000	0	0	30000	20.3125	2004
20.03.2020 09:46:37	1	1	1	1	97.75	39.75	0	29905.213	150.5376344	4579.947273	30000	0	0	30000	20.3125	2004
20.03.2020 09:46:37	1	1	1	1	97.75	39.75	0	29905.213	150.5376344	4579.947273	30000	0	0	30000	20.3125	2004
20.03.2020 09:46:37	1	1	1	1	97.75	39.75	0	29905.213	150.5376344	4579.947273	30000	0	0	30000	20.3125	2004
20.03.2020 09:46:37	1	1	1	1	97.75	39.75	0	29905.213	150.5376344	4579.947273	30000	0	0	30000	20.3125	2004
20.03.2020 09:46:37	1	1	1	1	97.75	40.25	0	30000	163.4408602	4838.420352	30000	0	0	30000	19.1875	2004
20.03.2020 09:46:38	1	1	1	1	97.75	39	0	30000	167.7419355	5031.663632	30000	0	0	30000	19.1875	2004
20.03.2020 09:46:39	1	1	1	1	97.75	39	0	30000	161.2903226	4902.834778	30000	0	0	30000	19.1875	2004
20.03.2020 09:46:40	1	1	1	1	97.75	39	0	30000	167.7419355	4902.834778	30000	0	0	30000	20	2004
20.03.2020 09:46:41	1	1	1	1	97.75	40	0	30000	163.4408602	4902.834778	30000	0	0	30000	20	2004
20.03.2020 09:46:42	1	1	1	1	97.75	40	0	29905.213	152.688172	4709.591498	30000	0	0	30000	18.9375	2004
20.03.2020 09:46:43	1	1	1	1	97.75	38.75	0	29952.607	163.4408602	4902.834778	30000	0	0	30000	19.5	2004
20.03.2020 09:46:44	1	1	1	1	97.75	39.5	0	30000	167.7419355	5031.663632	30000	0	0	30000	19.375	2004
20.03.2020 09:46:45	1	1	1	1	97.25	39.25	0	30000	156.9892473	4709.591498	30000	0	0	30000	19.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:46:46	1	1	1	1	97.25	39.75	0	30000	165.5913978	4967.249205	30000	0	0	30000	19.5	2004
20.03.2020 09:46:47	1	1	1	1	97.25	39.5	0	29952.607	159.1397849	4709.591498	30000	0	0	30000	19.375	2004
20.03.2020 09:46:48	1	1	1	1	97.25	39.25	0	30000	159.1397849	4774.005925	30000	0	0	30000	19.25	2004
20.03.2020 09:46:49	1	1	1	1	97.25	39.25	0	30000	161.2903226	4902.834778	30000	0	0	30000	19	2004
20.03.2020 09:46:50	1	1	1	1	97.25	39	0	30000	156.9892473	4774.005925	30000	0	0	30000	18.9375	2004
20.03.2020 09:46:51	1	1	1	1	97.25	38.75	0	30000	163.4408602	4838.420352	30000	0	0	30000	19.1875	2004
20.03.2020 09:46:52	1	1	1	1	97.25	39	0	30000	169.8924731	5096.078058	30000	0	0	30000	19	2004
20.03.2020 09:46:53	1	1	1	1	97.25	39	0	29905.213	156.9892473	4579.947273	30000	0	0	30000	19.125	2004
20.03.2020 09:46:54	1	1	1	1	97.25	39	0	29905.213	152.688172	4579.947273	30000	0	0	30000	19.625	2004
20.03.2020 09:46:56	1	1	1	1	96.5	39.5	0	29952.607	150.5376344	4515.532846	30000	0	0	30000	19.1875	2004
20.03.2020 09:46:57	1	1	1	1	96.5	39	0	30000	152.688172	4579.947273	30000	0	0	30000	19.375	2004
20.03.2020 09:46:58	1	1	1	1	96.5	39.25	0	30000	152.688172	4579.947273	30000	0	0	30000	19.1875	2004
20.03.2020 09:46:59	1	1	1	1	96.5	40	0	29952.607	152.688172	4579.947273	30000	0	0	30000	19.4375	2004
20.03.2020 09:47:00	1	1	1	1	96.5	39.25	0	30000	150.5376344	4515.532846	30000	0	0	30000	19.0625	2004
20.03.2020 09:47:01	1	1	1	1	96.5	39	0	29905.213	152.688172	4579.947273	30000	0	0	30000	19.875	2004
20.03.2020 09:47:02	1	1	1	1	96.5	39.75	0	30000	150.5376344	4451.118419	30000	0	0	30000	19.625	2004
20.03.2020 09:47:03	1	1	1	1	96.5	39.5	0	29952.607	144.0860215	4322.289566	30000	0	0	30000	19.25	2004
20.03.2020 09:47:04	1	1	1	1	96.5	39.25	0	30000	141.9354839	4193.460713	30000	0	0	30000	19.3125	2004
20.03.2020 09:47:05	1	1	1	1	97.25	39.25	0	30000	144.0860215	4322.289566	30000	0	0	30000	19.5	2004
20.03.2020 09:47:06	1	1	1	1	97.25	39.5	0	30000	137.6344086	4193.460713	30000	0	0	30000	19.75	2004
20.03.2020 09:47:07	1	1	1	1	97.25	39.75	0	30000	141.9354839	4193.460713	30000	0	0	30000	19.125	2004
20.03.2020 09:47:08	1	1	1	1	97.25	39	0	30000	144.0860215	4322.289566	30000	0	0	30000	19.6875	2004
20.03.2020 09:47:09	1	1	1	1	97.25	39.5	0	29952.607	144.0860215	4322.289566	30000	0	0	30000	19.75	2004
20.03.2020 09:47:10	1	1	1	1	97.25	39.75	0	29952.607	137.6344086	4193.460713	30000	0	0	30000	19.5	2004
20.03.2020 09:47:11	1	1	1	1	97.25	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.25	2004
20.03.2020 09:47:12	1	1	1	1	97.25	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.1875	2004
20.03.2020 09:47:13	1	1	1	1	97.25	39	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.3125	2004
20.03.2020 09:47:14	1	1	1	1	97.25	39.25	0	30000	139.7849462	4193.460713	30000	0	0	30000	20	2004
20.03.2020 09:47:15	1	1	1	1	97	40	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.125	2004
20.03.2020 09:47:16	1	1	1	1	97	39	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.6875	2004
20.03.2020 09:47:17	1	1	1	1	97	39.5	0	30000	141.9354839	4193.460713	30000	0	0	30000	19.25	2004
20.03.2020 09:47:18	1	1	1	1	97	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.5625	2004
20.03.2020 09:47:19	1	1	1	1	97	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.4375	2004
20.03.2020 09:47:20	1	1	1	1	97	39.25	0	30047.393	137.6344086	4129.046286	30000	0	0	30000	20	2004
20.03.2020 09:47:21	1	1	1	1	97	40	0	29952.607	122.5806452	4129.046286	30000	0	0	30000	19.5625	2004
20.03.2020 09:47:22	1	1	1	1	97	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.4375	2004
20.03.2020 09:47:23	1	1	1	1	97	39.25	0	30000	126.8817204	3806.15878	30000	0	0	30000	19.3125	2004
20.03.2020 09:47:24	1	1	1	1	97	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.3125	2004
20.03.2020 09:47:25	1	1	1	1	97.5	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.0625	2004
20.03.2020 09:47:26	1	1	1	1	97.5	39	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.3125	2004
20.03.2020 09:47:27	1	1	1	1	97.5	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.3125	2004
20.03.2020 09:47:28	1	1	1	1	97.5	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.375	2004
20.03.2020 09:47:29	1	1	1	1	97.5	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:47:30	1	1	1	1	97.5	39.25	0	29905.213	122.5806452	3806.15878	30000	0	0	30000	19.5625	2004
20.03.2020 09:47:31	1	1	1	1	97.5	39.5	0	29952.607	120.4301075	4129.046286	30000	0	0	30000	19.3125	2004
20.03.2020 09:47:32	1	1	1	1	97.5	39.25	0	30000	126.8817204	3806.15878	30000	0	0	30000	19.4375	2004
20.03.2020 09:47:38	1	1	1	1	98.25	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	21.0625	2004
20.03.2020 09:47:38	1	1	1	1	98.25	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	21.0625	2004
20.03.2020 09:47:38	1	1	1	1	98.25	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	21.0625	2004
20.03.2020 09:47:38	1	1	1	1	98.25	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	21.0625	2004
20.03.2020 09:47:38	1	1	1	1	98.25	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	21.0625	2004
20.03.2020 09:47:39	1	1	1	1	98.25	41	0	30000	129.0322581	3870.573207	30000	0	0	30000	20.0625	2004
20.03.2020 09:47:40	1	1	1	1	98.25	40	0	30000	126.8817204	4129.046286	30000	0	0	30000	21.25	2004
20.03.2020 09:47:41	1	1	1	1	98.25	39.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.5625	2004
20.03.2020 09:47:42	1	1	1	1	98.25	39.5	0	30000	129.0322581	3870.573207	30000	0	0	30000	19.4375	2004
20.03.2020 09:47:43	1	1	1	1	98.25	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.375	2004
20.03.2020 09:47:44	1	1	1	1	98.25	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.75	2004
20.03.2020 09:47:45	1	1	1	1	98	39.75	0	29952.607	129.0322581	4129.046286	30000	0	0	30000	19.1875	2004
20.03.2020 09:47:46	1	1	1	1	98	39	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.6875	2004
20.03.2020 09:47:47	1	1	1	1	98	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.5	2004
20.03.2020 09:47:48	1	1	1	1	98	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.0625	2004
20.03.2020 09:47:49	1	1	1	1	98	39	0	29952.607	122.5806452	3665.09934	30000	0	0	30000	19.375	2004
20.03.2020 09:47:50	1	1	1	1	98	39.25	0	30000	122.5806452	3677.329927	30000	0	0	30000	19.25	2004
20.03.2020 09:47:51	1	1	1	1	98	39.25	0	29952.607	129.0322581	4122.523306	30000	0	0	30000	19.3125	2004
20.03.2020 09:47:52	1	1	1	1	98	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.625	2004
20.03.2020 09:47:53	1	1	1	1	98	39.5	0	29952.607	129.0322581	4129.046286	30000	0	0	30000	19.5625	2004
20.03.2020 09:47:54	1	1	1	1	98	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.3125	2004
20.03.2020 09:47:55	1	1	1	1	98	39.25	0	29905.213	129.0322581	4129.046286	30000	0	0	30000	19.5625	2004
20.03.2020 09:47:56	1	1	1	1	98	39.5	0	29905.213	137.6344086	4129.046286	30000	0	0	30000	19.75	2004
20.03.2020 09:47:57	1	1	1	1	98	39.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.6875	2004
20.03.2020 09:47:58	1	1	1	1	98	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.625	2004
20.03.2020 09:47:59	1	1	1	1	98	39.5	0	30000	126.8817204	3806.15878	30000	0	0	30000	19.5625	2004
20.03.2020 09:48:00	1	1	1	1	98	39.5	0	30000	126.8817204	3741.744354	30000	0	0	30000	19.5625	2004
20.03.2020 09:48:01	1	1	1	1	98	39.5	0	30000	124.7311828	3677.329927	30000	0	0	30000	20.25	2004
20.03.2020 09:48:02	1	1	1	1	98	40.25	0	30000	122.5806452	3677.329927	30000	0	0	30000	19.375	2004
20.03.2020 09:48:03	1	1	1	1	98	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.75	2004
20.03.2020 09:48:04	1	1	1	1	98	39.75	0	29952.607	126.8817204	3806.15878	30000	0	0	30000	19.625	2004
20.03.2020 09:48:05	1	1	1	1	98.75	39.5	0	30000	137.6344086	3870.573207	30000	0	0	30000	19.25	2004
20.03.2020 09:48:06	1	1	1	1	98.75	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.5625	2004
20.03.2020 09:48:07	1	1	1	1	98.75	39.5	0	30000	137.6344086	4116.000326	30000	0	0	30000	19.5625	2004
20.03.2020 09:48:08	1	1	1	1	98.75	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.625	2004
20.03.2020 09:48:09	1	1	1	1	98.75	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.9375	2004
20.03.2020 09:48:10	1	1	1	1	98.75	39.75	0	30000	122.5806452	3677.329927	30000	0	0	30000	19.5625	2004
20.03.2020 09:48:11	1	1	1	1	98.75	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	20.25	2004
20.03.2020 09:48:12	1	1	1	1	98.75	40.25	0	29952.607	124.7311828	3870.573207	30000	0	0	30000	19.625	2004
20.03.2020 09:48:13	1	1	1	1	98.75	39.5	0	29905.213	113.9784946	3612.9155	30000	0	0	30000	19.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:48:14	1	1	1	1	98.75	39.5	0	30000	122.5806452	3677.329927	30000	0	0	30000	19.375	2004
20.03.2020 09:48:15	1	1	1	1	98	39.25	0	30000	120.4301075	3612.9155	30000	0	0	30000	19.8125	2004
20.03.2020 09:48:17	1	1	1	1	98	39.75	0	30000	122.5806452	3612.9155	30000	0	0	30000	20	2004
20.03.2020 09:48:18	1	1	1	1	98	40	0	30000	109.6774194	3418.856848	30000	0	0	30000	19.875	2004
20.03.2020 09:48:19	1	1	1	1	98	39.75	0	30000	113.9784946	3418.856848	30000	0	0	30000	21.125	2004
20.03.2020 09:48:20	1	1	1	1	98	41	0	29952.607	111.827957	3418.856848	30000	0	0	30000	21.1875	2004
20.03.2020 09:48:21	1	1	1	1	98	39.5	0	30000	111.827957	3290.027994	30000	0	0	30000	19.5625	2004
20.03.2020 09:48:22	1	1	1	1	98	39.5	0	30000	113.9784946	3418.856848	30000	0	0	30000	19.8125	2004
20.03.2020 09:48:23	1	1	1	1	98	39.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.625	2004
20.03.2020 09:48:24	1	1	1	1	98	39.5	0	30000	122.5806452	3612.9155	30000	0	0	30000	19.25	2004
20.03.2020 09:48:25	1	1	1	1	98.25	39.25	0	29952.607	120.4301075	3677.329927	30000	0	0	30000	19.5	2004
20.03.2020 09:48:26	1	1	1	1	98.25	39.5	0	30000	124.7311828	3806.15878	30000	0	0	30000	19.4375	2004
20.03.2020 09:48:27	1	1	1	1	98.25	39.25	0	30000	129.0322581	3729.513766	30000	0	0	30000	19.5625	2004
20.03.2020 09:48:28	1	1	1	1	98.25	39.5	0	29905.213	137.6344086	4129.046286	30000	0	0	30000	19.875	2004
20.03.2020 09:48:29	1	1	1	1	98.25	39.75	0	29952.607	137.6344086	4129.046286	30000	0	0	30000	19.3125	2004
20.03.2020 09:48:30	1	1	1	1	98.25	39.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.5625	2004
20.03.2020 09:48:31	1	1	1	1	98.25	39.5	0	30000	139.7849462	4257.875139	30000	0	0	30000	19.875	2004
20.03.2020 09:48:32	1	1	1	1	98.25	39.75	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.375	2004
20.03.2020 09:48:33	1	1	1	1	98.25	40.25	0	30000	144.0860215	4322.289566	30000	0	0	30000	19.5	2004
20.03.2020 09:48:34	1	1	1	1	98.25	39.5	0	30000	144.0860215	4322.289566	30000	0	0	30000	19.8125	2004
20.03.2020 09:48:40	1	1	1	1	98	39.5	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.0625	2004
20.03.2020 09:48:40	1	1	1	1	98	39.5	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.0625	2004
20.03.2020 09:48:40	1	1	1	1	98	39.5	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.0625	2004
20.03.2020 09:48:40	1	1	1	1	98	39.5	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.0625	2004
20.03.2020 09:48:40	1	1	1	1	98	39.5	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.0625	2004
20.03.2020 09:48:40	1	1	1	1	98	40	0	30000	150.5376344	4579.947273	30000	0	0	30000	19.8125	2004
20.03.2020 09:48:41	1	1	1	1	98	39.75	0	30047.393	139.7849462	4193.460713	30000	0	0	30000	20.4375	2004
20.03.2020 09:48:42	1	1	1	1	98	40.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.4375	2004
20.03.2020 09:48:43	1	1	1	1	98	39.25	0	30000	139.7849462	4186.937733	30000	0	0	30000	19.625	2004
20.03.2020 09:48:44	1	1	1	1	98	39.5	0	30000	141.9354839	4322.289566	30000	0	0	30000	20	2004
20.03.2020 09:48:45	1	1	1	1	99.25	40	0	29905.213	139.7849462	4322.289566	30000	0	0	30000	19.8125	2004
20.03.2020 09:48:46	1	1	1	1	99.25	39.75	0	29905.213	144.0860215	4315.766586	30000	0	0	30000	19.9375	2004
20.03.2020 09:48:47	1	1	1	1	99.25	39.75	0	29952.607	137.6344086	4193.460713	30000	0	0	30000	20.1875	2004
20.03.2020 09:48:48	1	1	1	1	99.25	40	0	30000	137.6344086	4129.046286	30000	0	0	30000	20.25	2004
20.03.2020 09:48:49	1	1	1	1	99.25	40.25	0	30000	139.7849462	4193.460713	30000	0	0	30000	19.5625	2004
20.03.2020 09:48:50	1	1	1	1	99.25	39.5	0	30000	139.7849462	4193.460713	30000	0	0	30000	19.625	2004
20.03.2020 09:48:51	1	1	1	1	99.25	39.5	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.0625	2004
20.03.2020 09:48:52	1	1	1	1	99.25	40	0	29952.607	139.7849462	4322.289566	30000	0	0	30000	19.9375	2004
20.03.2020 09:48:53	1	1	1	1	99.25	39.75	0	30000	139.7849462	4193.460713	30000	0	0	30000	19.6875	2004
20.03.2020 09:48:55	1	1	1	1	99.25	39.5	0	30000	141.9354839	4322.289566	30000	0	0	30000	19.625	2004
20.03.2020 09:48:56	1	1	1	1	99.75	39.5	0	29952.607	137.6344086	4122.523306	30000	0	0	30000	20.5	2004
20.03.2020 09:48:57	1	1	1	1	99.75	40.5	0	30000	137.6344086	4135.569266	30000	0	0	30000	22.0625	2004
20.03.2020 09:48:58	1	1	1	1	99.75	42	0	30000	139.7849462	4193.460713	30000	0	0	30000	22.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:48:59	1	1	1	1	99.75	42	0	30000	141.9354839	4193.460713	30000	0	0	30000	20.875	2004
20.03.2020 09:49:00	1	1	1	1	99.75	40.5	0	30000	141.9354839	4328.812546	30000	0	0	30000	19.9375	2004
20.03.2020 09:49:01	1	1	1	1	99.75	39.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	21.0625	2004
20.03.2020 09:49:02	1	1	1	1	99.75	41	0	30000	144.0860215	4451.118419	30000	0	0	30000	20.3125	2004
20.03.2020 09:49:03	1	1	1	1	99.75	40.25	0	30000	144.0860215	4322.289566	30000	0	0	30000	19.9375	2004
20.03.2020 09:49:04	1	1	1	1	99.75	39.75	0	30000	139.7849462	4257.875139	30000	0	0	30000	20.3125	2004
20.03.2020 09:49:05	1	1	1	1	99.75	40.25	0	30000	139.7849462	4193.460713	30000	0	0	30000	19.6875	2004
20.03.2020 09:49:06	1	1	1	1	99.75	39.5	0	30000	144.0860215	4179.59938	30000	0	0	30000	19.6875	2004
20.03.2020 09:49:07	1	1	1	1	99.75	39.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.75	2004
20.03.2020 09:49:08	1	1	1	1	99.75	39.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.5	2004
20.03.2020 09:49:09	1	1	1	1	99.75	39.5	0	29952.607	137.6344086	4129.046286	30000	0	0	30000	20	2004
20.03.2020 09:49:10	1	1	1	1	99.75	40	0	30000	137.6344086	4193.460713	30000	0	0	30000	19.875	2004
20.03.2020 09:49:11	1	1	1	1	99.75	39.75	0	30000	139.7849462	4257.875139	30000	0	0	30000	20.375	2004
20.03.2020 09:49:12	1	1	1	1	99.75	40.25	0	30000	139.7849462	4193.460713	30000	0	0	30000	20.375	2004
20.03.2020 09:49:13	1	1	1	1	99.75	40.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	20.5625	2004
20.03.2020 09:49:14	1	1	1	1	99.75	40.5	0	30000	141.9354839	4257.875139	30000	0	0	30000	20.0625	2004
20.03.2020 09:49:15	1	1	1	1	98.25	40	0	30000	137.6344086	4193.460713	30000	0	0	30000	20	2004
20.03.2020 09:49:16	1	1	1	1	98.25	40	0	30000	144.0860215	4322.289566	30000	0	0	30000	19.9375	2004
20.03.2020 09:49:17	1	1	1	1	98.25	39.75	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.4375	2004
20.03.2020 09:49:18	1	1	1	1	98.25	40.25	0	30000	144.0860215	4322.289566	30000	0	0	30000	19.9375	2004
20.03.2020 09:49:19	1	1	1	1	98.25	39.75	0	30000	144.0860215	4322.289566	30000	0	0	30000	19.75	2004
20.03.2020 09:49:20	1	1	1	1	98.25	39.75	0	30000	141.9354839	4322.289566	30000	0	0	30000	20	2004
20.03.2020 09:49:21	1	1	1	1	98.25	40	0	30000	156.9892473	4579.947273	30000	0	0	30000	20.5	2004
20.03.2020 09:49:22	1	1	1	1	98.25	40.5	0	30000	163.4408602	4967.249205	30000	0	0	30000	19.8125	2004
20.03.2020 09:49:23	1	1	1	1	98.25	39.75	0	30000	167.7419355	5031.663632	30000	0	0	30000	20.25	2004
20.03.2020 09:49:24	1	1	1	1	98.25	40.25	0	30000	163.4408602	4831.081999	30000	0	0	30000	20.0625	2004
20.03.2020 09:49:25	1	1	1	1	97.5	40	0	30000	165.5913978	4967.249205	30000	0	0	30000	19.6875	2004
20.03.2020 09:49:26	1	1	1	1	97.5	39.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.1875	2004
20.03.2020 09:49:27	1	1	1	1	97.5	40	0	30000	167.7419355	4967.249205	30000	0	0	30000	20.625	2004
20.03.2020 09:49:28	1	1	1	1	97.5	40.5	0	30000	167.7419355	5024.325279	30000	0	0	30000	19.8125	2004
20.03.2020 09:49:29	1	1	1	1	97.5	39.75	0	30000	167.7419355	5031.663632	30000	0	0	30000	19.75	2004
20.03.2020 09:49:30	1	1	1	1	97.5	39.75	0	30000	169.8924731	4967.249205	30000	0	0	30000	20.0625	2004
20.03.2020 09:49:31	1	1	1	1	97.5	40	0	30000	167.7419355	5031.663632	30000	0	0	30000	20.0625	2004
20.03.2020 09:49:32	1	1	1	1	97.5	40	0	30000	167.7419355	5096.078058	30000	0	0	30000	19.9375	2004
20.03.2020 09:49:33	1	1	1	1	97.5	39.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	20	2004
20.03.2020 09:49:34	1	1	1	1	97.5	40	0	30000	167.7419355	5031.663632	30000	0	0	30000	20.125	2004
20.03.2020 09:49:36	1	1	1	1	97.75	40	0	30000	174.1935484	5290.136711	30000	0	0	30000	20	2004
20.03.2020 09:49:41	1	1	1	1	97.75	39.75	0	30000	176.344086	5354.551137	30000	0	0	30000	20.1875	2004
20.03.2020 09:49:41	1	1	1	1	97.75	39.75	0	30000	176.344086	5354.551137	30000	0	0	30000	20.1875	2004
20.03.2020 09:49:41	1	1	1	1	97.75	39.75	0	30000	176.344086	5354.551137	30000	0	0	30000	20.1875	2004
20.03.2020 09:49:41	1	1	1	1	97.75	39.75	0	30000	176.344086	5354.551137	30000	0	0	30000	20.1875	2004
20.03.2020 09:49:41	1	1	1	1	97.75	39.75	0	30000	176.344086	5354.551137	30000	0	0	30000	20.1875	2004
20.03.2020 09:49:42	1	1	1	1	97.75	40	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:49:43	1	1	1	1	97.75	40	0	29905.213	169.8924731	5080.585981	30000	0	0	30000	20.3125	2004
20.03.2020 09:49:44	1	1	1	1	97.75	40.25	0	30000	167.7419355	4967.249205	30000	0	0	30000	20.1875	2004
20.03.2020 09:49:45	1	1	1	1	98.5	40	0	30000	169.8924731	5096.078058	30000	0	0	30000	19.6875	2004
20.03.2020 09:49:46	1	1	1	1	98.5	39.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	19.8125	2004
20.03.2020 09:49:47	1	1	1	1	98.5	39.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.4375	2004
20.03.2020 09:49:48	1	1	1	1	98.5	40.25	0	30000	169.8924731	5088.739706	30000	0	0	30000	19.875	2004
20.03.2020 09:49:49	1	1	1	1	98.5	39.75	0	30000	167.7419355	5031.663632	30000	0	0	30000	20.0625	2004
20.03.2020 09:49:50	1	1	1	1	98.5	40	0	30000	167.7419355	5031.663632	30000	0	0	30000	20.0625	2004
20.03.2020 09:49:51	1	1	1	1	98.5	40	0	29952.607	169.8924731	5088.739706	30000	0	0	30000	20.125	2004
20.03.2020 09:49:52	1	1	1	1	98.5	40	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.375	2004
20.03.2020 09:49:53	1	1	1	1	98.5	40.25	0	30000	167.7419355	5031.663632	30000	0	0	30000	20.1875	2004
20.03.2020 09:49:54	1	1	1	1	98.5	40	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.875	2004
20.03.2020 09:49:55	1	1	1	1	98.75	40.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	19.9375	2004
20.03.2020 09:49:56	1	1	1	1	98.75	39.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.4375	2004
20.03.2020 09:49:57	1	1	1	1	98.75	40.25	0	30000	161.2903226	4709.591498	30000	0	0	30000	20.5	2004
20.03.2020 09:49:58	1	1	1	1	98.75	40.5	0	30000	163.4408602	4838.420352	30000	0	0	30000	20.1875	2004
20.03.2020 09:49:59	1	1	1	1	98.75	40	0	30000	163.4408602	4902.834778	30000	0	0	30000	20.3125	2004
20.03.2020 09:50:00	1	1	1	1	98.75	40.25	0	29905.213	167.7419355	4951.757128	30000	0	0	30000	20	2004
20.03.2020 09:50:01	1	1	1	1	98.75	40	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.1875	2004
20.03.2020 09:50:02	1	1	1	1	98.75	40	0	30000	148.3870968	4322.289566	30000	0	0	30000	20.125	2004
20.03.2020 09:50:03	1	1	1	1	98.75	40	0	29952.607	152.688172	4579.947273	30000	0	0	30000	20.125	2004
20.03.2020 09:50:04	1	1	1	1	98.75	40	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.1875	2004
20.03.2020 09:50:05	1	1	1	1	98.75	40	0	30000	152.688172	4579.947273	30000	0	0	30000	20.3125	2004
20.03.2020 09:50:06	1	1	1	1	98.75	40.25	0	30000	152.688172	4579.947273	30000	0	0	30000	20.125	2004
20.03.2020 09:50:07	1	1	1	1	98.75	40	0	29905.213	152.688172	4579.947273	30000	0	0	30000	19.875	2004
20.03.2020 09:50:08	1	1	1	1	98.75	39.75	0	30047.393	148.3870968	4515.532846	30000	0	0	30000	20	2004
20.03.2020 09:50:09	1	1	1	1	98.75	40	0	30000	148.3870968	4322.289566	30000	0	0	30000	20.3125	2004
20.03.2020 09:50:10	1	1	1	1	98.75	40.25	0	30000	144.0860215	4451.118419	30000	0	0	30000	19.9375	2004
20.03.2020 09:50:11	1	1	1	1	98.75	39.75	0	30000	141.9354839	4322.289566	30000	0	0	30000	20.1875	2004
20.03.2020 09:50:12	1	1	1	1	98.75	40	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.125	2004
20.03.2020 09:50:13	1	1	1	1	98.75	40	0	30000	148.3870968	4451.118419	30000	0	0	30000	20.1875	2004
20.03.2020 09:50:15	1	1	1	1	98.75	40	0	30000	139.7849462	4193.460713	30000	0	0	30000	20	2004
20.03.2020 09:50:16	1	1	1	1	99.25	40	0	30000	148.3870968	4322.289566	30000	0	0	30000	20.0625	2004
20.03.2020 09:50:17	1	1	1	1	99.25	40	0	30000	139.7849462	4322.289566	30000	0	0	30000	20.3125	2004
20.03.2020 09:50:18	1	1	1	1	99.25	40.25	0	29952.607	144.0860215	4322.289566	30000	0	0	30000	20.0625	2004
20.03.2020 09:50:19	1	1	1	1	99.25	40	0	30000	141.9354839	4129.046286	30000	0	0	30000	20.9375	2004
20.03.2020 09:50:20	1	1	1	1	99.25	40.75	0	30000	148.3870968	4322.289566	30000	0	0	30000	20.1875	2004
20.03.2020 09:50:21	1	1	1	1	99.25	40.5	0	30000	144.0860215	4116.000326	30000	0	0	30000	20.375	2004
20.03.2020 09:50:22	1	1	1	1	99.25	40.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	20.1875	2004
20.03.2020 09:50:23	1	1	1	1	99.25	40	0	30000	139.7849462	4193.460713	30000	0	0	30000	20.5625	2004
20.03.2020 09:50:24	1	1	1	1	99.25	40.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	20.125	2004
20.03.2020 09:50:25	1	1	1	1	99.5	40	0	30000	137.6344086	4129.046286	30000	0	0	30000	20.125	2004
20.03.2020 09:50:26	1	1	1	1	99.5	40	0	30000	141.9354839	4257.875139	30000	0	0	30000	20.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:50:27	1	1	1	1	99.5	40.25	0	30000	139.7849462	4193.460713	30000	0	0	30000	20.5	2004
20.03.2020 09:50:28	1	1	1	1	99.5	40.5	0	30047.393	137.6344086	4135.569266	30000	0	0	30000	20.4375	2004
20.03.2020 09:50:29	1	1	1	1	99.5	40.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	19.875	2004
20.03.2020 09:50:30	1	1	1	1	99.5	39.75	0	29952.607	137.6344086	4129.046286	30000	0	0	30000	20.25	2004
20.03.2020 09:50:31	1	1	1	1	99.5	40.25	0	30000	139.7849462	4193.460713	30000	0	0	30000	21	2004
20.03.2020 09:50:32	1	1	1	1	99.5	41	0	30000	137.6344086	4129.046286	30000	0	0	30000	20.25	2004
20.03.2020 09:50:33	1	1	1	1	99.5	40.25	0	30000	129.0322581	3870.573207	30000	0	0	30000	20.1875	2004
20.03.2020 09:50:34	1	1	1	1	99.5	40	0	30000	141.9354839	4322.289566	30000	0	0	30000	20	2004
20.03.2020 09:50:35	1	1	1	1	99.25	40	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.5	2004
20.03.2020 09:50:36	1	1	1	1	99.25	40.5	0	29905.213	150.5376344	4509.009866	30000	0	0	30000	20.1875	2004
20.03.2020 09:50:37	1	1	1	1	99.25	40	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.3125	2004
20.03.2020 09:50:43	1	1	1	1	99.25	40.25	0	30047.393	152.688172	4579.947273	30000	0	0	30000	20.4375	2004
20.03.2020 09:50:43	1	1	1	1	99.25	40.25	0	30047.393	152.688172	4579.947273	30000	0	0	30000	20.4375	2004
20.03.2020 09:50:43	1	1	1	1	99.25	40.25	0	30047.393	152.688172	4579.947273	30000	0	0	30000	20.4375	2004
20.03.2020 09:50:43	1	1	1	1	99.25	40.25	0	30047.393	152.688172	4579.947273	30000	0	0	30000	20.4375	2004
20.03.2020 09:50:43	1	1	1	1	99.25	40.25	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.3125	2004
20.03.2020 09:50:43	1	1	1	1	99.25	40.25	0	29905.213	152.688172	4579.947273	30000	0	0	30000	20.1875	2004
20.03.2020 09:50:44	1	1	1	1	99.25	40	0	30000	152.688172	4579.947273	30000	0	0	30000	20.6875	2004
20.03.2020 09:50:45	1	1	1	1	99.25	40.5	0	30000	152.688172	4573.424293	30000	0	0	30000	20.5625	2004
20.03.2020 09:50:46	1	1	1	1	99.25	40.5	0	30000	152.688172	4579.947273	30000	0	0	30000	20.3125	2004
20.03.2020 09:50:47	1	1	1	1	99.25	40.25	0	30000	152.688172	4579.947273	30000	0	0	30000	20.75	2004
20.03.2020 09:50:48	1	1	1	1	99.25	40.75	0	30000	148.3870968	4515.532846	30000	0	0	30000	19.75	2004
20.03.2020 09:50:49	1	1	1	1	99.25	39.75	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.25	2004
20.03.2020 09:50:50	1	1	1	1	99.25	40.25	0	29905.213	144.0860215	4322.289566	30000	0	0	30000	20.0625	2004
20.03.2020 09:50:51	1	1	1	1	99.25	40	0	30000	148.3870968	4322.289566	30000	0	0	30000	20.375	2004
20.03.2020 09:50:52	1	1	1	1	99.25	40.25	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.4375	2004
20.03.2020 09:50:53	1	1	1	1	99.25	40.25	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.25	2004
20.03.2020 09:50:54	1	1	1	1	99.5	40.25	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.25	2004
20.03.2020 09:50:55	1	1	1	1	99.5	40.25	0	30000	152.688172	4579.947273	30000	0	0	30000	21.0625	2004
20.03.2020 09:50:56	1	1	1	1	99.5	41	0	30000	150.5376344	4579.947273	30000	0	0	30000	21.0625	2004
20.03.2020 09:50:57	1	1	1	1	99.5	41	0	30047.393	152.688172	4579.947273	30000	0	0	30000	21.875	2004
20.03.2020 09:50:58	1	1	1	1	99.5	41.75	0	30000	152.688172	4579.947273	30000	0	0	30000	22	2004
20.03.2020 09:50:59	1	1	1	1	99.5	42	0	30000	152.688172	4579.947273	30000	0	0	30000	20.625	2004
20.03.2020 09:51:00	1	1	1	1	99.5	41	0	30000	159.1397849	4838.420352	30000	0	0	30000	20.625	2004
20.03.2020 09:51:01	1	1	1	1	99.5	40.5	0	30000	152.688172	4579.947273	30000	0	0	30000	20.75	2004
20.03.2020 09:51:02	1	1	1	1	99.5	40.75	0	30000	152.688172	4902.834778	30000	0	0	30000	20.5625	2004
20.03.2020 09:51:03	1	1	1	1	99	40.5	0	29952.607	161.2903226	4838.420352	30000	0	0	30000	20.8125	2004
20.03.2020 09:51:04	1	1	1	1	99	40.75	0	30000	152.688172	4579.947273	30000	0	0	30000	20.625	2004
20.03.2020 09:51:05	1	1	1	1	99	40.5	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.9375	2004
20.03.2020 09:51:06	1	1	1	1	99	40.75	0	30000	152.688172	4579.947273	30000	0	0	30000	20.3125	2004
20.03.2020 09:51:07	1	1	1	1	99	40.25	0	29952.607	152.688172	4902.834778	30000	0	0	30000	20.4375	2004
20.03.2020 09:51:08	1	1	1	1	99	40.25	0	30000	152.688172	4709.591498	30000	0	0	30000	20.5	2004
20.03.2020 09:51:09	1	1	1	1	99	40.25	0	30000	152.688172	4709.591498	30000	0	0	30000	20.5	2004
20.03.2020 09:51:10	1	1	1	1	99	40.25	0	30000	152.688172	4709.591498	30000	0	0	30000	20.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:51:11	1	1	1	1	99	40.5	0	30000	165.5913978	4902.834778	30000	0	0	30000	20.875	2004
20.03.2020 09:51:12	1	1	1	1	99	40.75	0	30000	161.2903226	4838.420352	30000	0	0	30000	20.75	2004
20.03.2020 09:51:13	1	1	1	1	99	40.75	0	30000	163.4408602	4902.834778	30000	0	0	30000	20.9375	2004
20.03.2020 09:51:14	1	1	1	1	99	40.75	0	30000	152.688172	4709.591498	30000	0	0	30000	20.5	2004
20.03.2020 09:51:15	1	1	1	1	98.25	40.5	0	29952.607	152.688172	4579.947273	30000	0	0	30000	21.0625	2004
20.03.2020 09:51:16	1	1	1	1	98.25	41	0	29952.607	152.688172	4579.947273	30000	0	0	30000	20.8125	2004
20.03.2020 09:51:17	1	1	1	1	98.25	40.75	0	30000	152.688172	4437.257087	30000	0	0	30000	20.25	2004
20.03.2020 09:51:18	1	1	1	1	98.25	40.25	0	30000	148.3870968	4444.595439	30000	0	0	30000	20.25	2004
20.03.2020 09:51:19	1	1	1	1	98.25	40.25	0	30000	144.0860215	4322.289566	30000	0	0	30000	20.4375	2004
20.03.2020 09:51:20	1	1	1	1	98.25	40.25	0	29905.213	150.5376344	4451.118419	30000	0	0	30000	20.5	2004
20.03.2020 09:51:21	1	1	1	1	98.25	40.5	0	30000	150.5376344	4515.532846	30000	0	0	30000	20.375	2004
20.03.2020 09:51:22	1	1	1	1	98.25	40.25	0	30000	165.5913978	4959.910853	30000	0	0	30000	20.5	2004
20.03.2020 09:51:23	1	1	1	1	98.25	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.375	2004
20.03.2020 09:51:24	1	1	1	1	98.25	40.25	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.1875	2004
20.03.2020 09:51:25	1	1	1	1	98.75	40	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.125	2004
20.03.2020 09:51:26	1	1	1	1	98.75	40	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.75	2004
20.03.2020 09:51:27	1	1	1	1	98.75	40.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.3125	2004
20.03.2020 09:51:28	1	1	1	1	98.75	40.25	0	30000	167.7419355	5031.663632	30000	0	0	30000	20.75	2004
20.03.2020 09:51:29	1	1	1	1	98.75	40.75	0	30000	163.4408602	4902.834778	30000	0	0	30000	20.5	2004
20.03.2020 09:51:30	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.5625	2004
20.03.2020 09:51:31	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.4375	2004
20.03.2020 09:51:32	1	1	1	1	98.75	40.25	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.9375	2004
20.03.2020 09:51:33	1	1	1	1	98.75	40.75	0	29905.213	163.4408602	5096.078058	30000	0	0	30000	20.4375	2004
20.03.2020 09:51:35	1	1	1	1	98.75	40.25	0	30000	167.7419355	5096.078058	30000	0	0	30000	21.3125	2004
20.03.2020 09:51:36	1	1	1	1	98.75	41.25	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.5625	2004
20.03.2020 09:51:37	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	21.6875	2004
20.03.2020 09:51:38	1	1	1	1	98.75	41.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.5625	2004
20.03.2020 09:51:39	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	22.125	2004
20.03.2020 09:51:45	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.625	2004
20.03.2020 09:51:45	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.625	2004
20.03.2020 09:51:45	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.625	2004
20.03.2020 09:51:45	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.625	2004
20.03.2020 09:51:45	1	1	1	1	99.25	40.5	0	29952.607	165.5913978	4967.249205	30000	0	0	30000	20.5	2004
20.03.2020 09:51:46	1	1	1	1	99.25	40.5	0	29952.607	169.8924731	5096.078058	30000	0	0	30000	20.4375	2004
20.03.2020 09:51:47	1	1	1	1	99.25	40.25	0	29952.607	182.7956989	5677.438643	30000	0	0	30000	20.3125	2004
20.03.2020 09:51:48	1	1	1	1	99.25	40.25	0	30000	180.6451613	5418.965564	30000	0	0	30000	20.4375	2004
20.03.2020 09:51:49	1	1	1	1	99.25	40.25	0	29952.607	180.6451613	5483.379991	30000	0	0	30000	20.375	2004
20.03.2020 09:51:50	1	1	1	1	99.25	40.25	0	29905.213	178.4946237	5418.965564	30000	0	0	30000	21	2004
20.03.2020 09:51:51	1	1	1	1	99.25	41	0	30000	189.2473118	5677.438643	30000	0	0	30000	21.0625	2004
20.03.2020 09:51:52	1	1	1	1	99.25	41	0	30000	189.2473118	5677.438643	30000	0	0	30000	20.3125	2004
20.03.2020 09:51:53	1	1	1	1	99.25	40.25	0	30000	182.7956989	5475.226266	30000	0	0	30000	20.5	2004
20.03.2020 09:51:54	1	1	1	1	99.25	40.5	0	30000	178.4946237	5418.965564	30000	0	0	30000	20.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:51:55	1	1	1	1	99.75	40.75	0	30000	174.1935484	5096.078058	30000	0	0	30000	21.5	2004
20.03.2020 09:51:56	1	1	1	1	99.75	41.5	0	29905.213	169.8924731	5354.551137	30000	0	0	30000	20.4375	2004
20.03.2020 09:51:57	1	1	1	1	99.75	40.25	0	30000	178.4946237	5354.551137	30000	0	0	30000	21.4375	2004
20.03.2020 09:51:58	1	1	1	1	99.75	41.25	0	30000	182.7956989	5547.794417	30000	0	0	30000	20.9375	2004
20.03.2020 09:51:59	1	1	1	1	99.75	40.75	0	30000	184.9462366	5547.794417	30000	0	0	30000	21.0625	2004
20.03.2020 09:52:00	1	1	1	1	99.75	41	0	29952.607	189.2473118	5677.438643	30000	0	0	30000	21.25	2004
20.03.2020 09:52:01	1	1	1	1	99.75	41.25	0	29905.213	184.9462366	5677.438643	30000	0	0	30000	20.4375	2004
20.03.2020 09:52:02	1	1	1	1	99.75	40.25	0	30000	184.9462366	5547.794417	30000	0	0	30000	20.3125	2004
20.03.2020 09:52:03	1	1	1	1	99.75	40.25	0	30000	189.2473118	5677.438643	30000	0	0	30000	21.25	2004
20.03.2020 09:52:04	1	1	1	1	99.75	41.25	0	30000	189.2473118	5677.438643	30000	0	0	30000	21.125	2004
20.03.2020 09:52:05	1	1	1	1	100.8	41	0	30000	189.2473118	5677.438643	30000	0	0	30000	20.5	2004
20.03.2020 09:52:06	1	1	1	1	100.8	40.5	0	30000	180.6451613	5354.551137	30000	0	0	30000	20.6875	2004
20.03.2020 09:52:07	1	1	1	1	100.8	40.5	0	30000	178.4946237	5354.551137	30000	0	0	30000	20.5625	2004
20.03.2020 09:52:08	1	1	1	1	100.8	40.5	0	30047.393	182.7956989	5483.379991	30000	0	0	30000	20.375	2004
20.03.2020 09:52:09	1	1	1	1	100.8	40.25	0	30000	189.2473118	5547.794417	30000	0	0	30000	20.75	2004
20.03.2020 09:52:10	1	1	1	1	100.8	40.75	0	30000	189.2473118	5677.438643	30000	0	0	30000	20.5	2004
20.03.2020 09:52:11	1	1	1	1	100.8	40.5	0	30000	189.2473118	5741.85307	30000	0	0	30000	20.6875	2004
20.03.2020 09:52:12	1	1	1	1	100.8	40.5	0	30000	189.2473118	5677.438643	30000	0	0	30000	20.9375	2004
20.03.2020 09:52:13	1	1	1	1	100.8	40.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.75	2004
20.03.2020 09:52:15	1	1	1	1	100.8	41.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	20.625	2004
20.03.2020 09:52:16	1	1	1	1	99.75	40.5	0	30094.787	191.3978495	5741.85307	30000	0	0	30000	20.3125	2004
20.03.2020 09:52:17	1	1	1	1	99.75	40.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	20.625	2004
20.03.2020 09:52:18	1	1	1	1	99.75	40.5	0	29952.607	191.3978495	5806.267497	30000	0	0	30000	20.75	2004
20.03.2020 09:52:19	1	1	1	1	99.75	40.75	0	29952.607	178.4946237	5354.551137	30000	0	0	30000	21.0625	2004
20.03.2020 09:52:20	1	1	1	1	99.75	41	0	30000	178.4946237	5354.551137	30000	0	0	30000	22.1875	2004
20.03.2020 09:52:21	1	1	1	1	99.75	42	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.375	2004
20.03.2020 09:52:22	1	1	1	1	99.75	42.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.5625	2004
20.03.2020 09:52:23	1	1	1	1	99.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.5625	2004
20.03.2020 09:52:24	1	1	1	1	99.75	40.5	0	29952.607	169.8924731	5096.078058	30000	0	0	30000	20.5625	2004
20.03.2020 09:52:25	1	1	1	1	98.75	40.5	0	29952.607	169.8924731	5088.739706	30000	0	0	30000	20.5625	2004
20.03.2020 09:52:26	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	21.75	2004
20.03.2020 09:52:27	1	1	1	1	98.75	41.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.625	2004
20.03.2020 09:52:28	1	1	1	1	98.75	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.9375	2004
20.03.2020 09:52:29	1	1	1	1	98.75	40.75	0	30000	167.7419355	5096.078058	30000	0	0	30000	20.5	2004
20.03.2020 09:52:30	1	1	1	1	98.75	40.5	0	30000	156.9892473	4709.591498	30000	0	0	30000	21.1875	2004
20.03.2020 09:52:31	1	1	1	1	98.75	41	0	30000	163.4408602	4838.420352	30000	0	0	30000	20.5625	2004
20.03.2020 09:52:32	1	1	1	1	98.75	40.5	0	30000	152.688172	4579.947273	30000	0	0	30000	20.75	2004
20.03.2020 09:52:33	1	1	1	1	98.75	40.75	0	30000	152.688172	4579.947273	30000	0	0	30000	20.75	2004
20.03.2020 09:52:34	1	1	1	1	98.75	40.75	0	30000	163.4408602	4902.834778	30000	0	0	30000	20.875	2004
20.03.2020 09:52:35	1	1	1	1	99	40.75	0	29952.607	163.4408602	4902.834778	30000	0	0	30000	20.75	2004
20.03.2020 09:52:36	1	1	1	1	99	40.75	0	29905.213	163.4408602	4902.834778	30000	0	0	30000	20.5	2004
20.03.2020 09:52:37	1	1	1	1	99	40.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	20.625	2004
20.03.2020 09:52:38	1	1	1	1	99	40.5	0	30000	163.4408602	4579.947273	30000	0	0	30000	20.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:52:39	1	1	1	1	99	40.75	0	30000	165.5913978	4902.834778	30000	0	0	30000	20.875	2004
20.03.2020 09:52:40	1	1	1	1	99	40.75	0	30000	167.7419355	5096.078058	30000	0	0	30000	20.6875	2004
20.03.2020 09:52:46	1	1	1	1	98.75	40.75	0	30000	180.6451613	5354.551137	30000	0	0	30000	20.8125	2004
20.03.2020 09:52:46	1	1	1	1	98.75	40.75	0	30000	180.6451613	5354.551137	30000	0	0	30000	20.8125	2004
20.03.2020 09:52:46	1	1	1	1	98.75	40.75	0	30000	180.6451613	5354.551137	30000	0	0	30000	20.8125	2004
20.03.2020 09:52:46	1	1	1	1	98.75	40.75	0	30000	180.6451613	5354.551137	30000	0	0	30000	20.8125	2004
20.03.2020 09:52:46	1	1	1	1	98.75	40.75	0	30000	180.6451613	5354.551137	30000	0	0	30000	20.8125	2004
20.03.2020 09:52:46	1	1	1	1	98.75	40.75	0	30000	182.7956989	5483.379991	30000	0	0	30000	20.75	2004
20.03.2020 09:52:47	1	1	1	1	98.75	40.75	0	29952.607	189.2473118	5677.438643	30000	0	0	30000	21.125	2004
20.03.2020 09:52:48	1	1	1	1	98.75	41	0	30000	178.4946237	5354.551137	30000	0	0	30000	21.375	2004
20.03.2020 09:52:49	1	1	1	1	98.75	41.25	0	30000	176.344086	5225.722284	30000	0	0	30000	20.5	2004
20.03.2020 09:52:50	1	1	1	1	98.75	40.5	0	30000	189.2473118	5483.379991	30000	0	0	30000	20.75	2004
20.03.2020 09:52:52	1	1	1	1	98.75	40.75	0	30000	184.9462366	5547.794417	30000	0	0	30000	20.8125	2004
20.03.2020 09:52:53	1	1	1	1	98.75	40.75	0	30000	189.2473118	5677.438643	30000	0	0	30000	20.6875	2004
20.03.2020 09:52:54	1	1	1	1	98.75	40.5	0	29952.607	178.4946237	5354.551137	30000	0	0	30000	20.75	2004
20.03.2020 09:52:55	1	1	1	1	98.75	40.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	21.875	2004
20.03.2020 09:52:56	1	1	1	1	98.5	41.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.75	2004
20.03.2020 09:52:57	1	1	1	1	98.5	40.75	0	30000	178.4946237	5418.965564	30000	0	0	30000	21.3125	2004
20.03.2020 09:52:58	1	1	1	1	98.5	41.25	0	30000	180.6451613	5483.379991	30000	0	0	30000	23.75	2004
20.03.2020 09:52:59	1	1	1	1	98.5	40.75	0	30000	178.4946237	5418.965564	30000	0	0	30000	20.9375	2004
20.03.2020 09:53:00	1	1	1	1	98.5	40.75	0	30000	182.7956989	5483.379991	30000	0	0	30000	20.5	2004
20.03.2020 09:53:01	1	1	1	1	98.5	40.5	0	30000	184.9462366	5677.438643	30000	0	0	30000	20.75	2004
20.03.2020 09:53:02	1	1	1	1	98.5	40.75	0	30000	178.4946237	5354.551137	30000	0	0	30000	21.125	2004
20.03.2020 09:53:03	1	1	1	1	98.5	41	0	29952.607	178.4946237	5354.551137	30000	0	0	30000	20.75	2004
20.03.2020 09:53:04	1	1	1	1	98.5	40.75	0	30000	180.6451613	5354.551137	30000	0	0	30000	21.4375	2004
20.03.2020 09:53:05	1	1	1	1	97.5	41.25	0	29905.213	180.6451613	5418.965564	30000	0	0	30000	21.25	2004
20.03.2020 09:53:06	1	1	1	1	97.5	41.25	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.6875	2004
20.03.2020 09:53:07	1	1	1	1	97.5	40.5	0	30000	178.4946237	5354.551137	30000	0	0	30000	20.4375	2004
20.03.2020 09:53:08	1	1	1	1	97.5	40.25	0	30000	176.344086	5225.722284	30000	0	0	30000	20.8125	2004
20.03.2020 09:53:09	1	1	1	1	97.5	40.75	0	30000	182.7956989	5483.379991	30000	0	0	30000	22	2004
20.03.2020 09:53:10	1	1	1	1	97.5	42	0	30000	178.4946237	5217.568559	30000	0	0	30000	20.9375	2004
20.03.2020 09:53:11	1	1	1	1	97.5	40.75	0	30000	180.6451613	5483.379991	30000	0	0	30000	21.4375	2004
20.03.2020 09:53:12	1	1	1	1	97.5	41.25	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.625	2004
20.03.2020 09:53:13	1	1	1	1	97.5	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.8125	2004
20.03.2020 09:53:14	1	1	1	1	97.5	40.75	0	30000	169.8924731	5273.013889	30000	0	0	30000	20.5	2004
20.03.2020 09:53:15	1	1	1	1	98	40.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	21	2004
20.03.2020 09:53:16	1	1	1	1	98	41	0	30000	169.8924731	5096.078058	30000	0	0	30000	21.25	2004
20.03.2020 09:53:17	1	1	1	1	98	41.25	0	29952.607	169.8924731	5418.965564	30000	0	0	30000	21.3125	2004
20.03.2020 09:53:18	1	1	1	1	98	41.25	0	30000	180.6451613	5225.722284	30000	0	0	30000	21.375	2004
20.03.2020 09:53:19	1	1	1	1	98	41.25	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.6875	2004
20.03.2020 09:53:20	1	1	1	1	98	40.5	0	30000	180.6451613	5354.551137	30000	0	0	30000	20.6875	2004
20.03.2020 09:53:21	1	1	1	1	98	40.5	0	30000	178.4946237	5354.551137	30000	0	0	30000	21	2004
20.03.2020 09:53:22	1	1	1	1	98	41	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:53:23	1	1	1	1	98	40.5	0	30000	182.7956989	5483.379991	30000	0	0	30000	20.8125	2004
20.03.2020 09:53:24	1	1	1	1	98	40.75	0	30000	178.4946237	5354.551137	30000	0	0	30000	22.25	2004
20.03.2020 09:53:25	1	1	1	1	99	42.25	0	30000	178.4946237	5096.078058	30000	0	0	30000	21.5625	2004
20.03.2020 09:53:26	1	1	1	1	99	41.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	20.75	2004
20.03.2020 09:53:27	1	1	1	1	99	40.75	0	30000	174.1935484	5354.551137	30000	0	0	30000	21	2004
20.03.2020 09:53:28	1	1	1	1	99	41	0	30000	178.4946237	5346.397413	30000	0	0	30000	20.875	2004
20.03.2020 09:53:30	1	1	1	1	99	40.75	0	30000	180.6451613	5354.551137	30000	0	0	30000	20.875	2004
20.03.2020 09:53:31	1	1	1	1	99	40.75	0	30000	180.6451613	5483.379991	30000	0	0	30000	21.3125	2004
20.03.2020 09:53:32	1	1	1	1	99	41.25	0	30000	189.2473118	5677.438643	30000	0	0	30000	21.125	2004
20.03.2020 09:53:33	1	1	1	1	99	41	0	29905.213	180.6451613	5539.640693	30000	0	0	30000	21.3125	2004
20.03.2020 09:53:34	1	1	1	1	99	41.25	0	30000	184.9462366	5483.379991	30000	0	0	30000	21.875	2004
20.03.2020 09:53:35	1	1	1	1	99	41.75	0	29952.607	189.2473118	5668.469546	30000	0	0	30000	22.4375	2004
20.03.2020 09:53:36	1	1	1	1	99.25	42.25	0	29905.213	189.2473118	5668.469546	30000	0	0	30000	21.0625	2004
20.03.2020 09:53:37	1	1	1	1	99.25	41	0	30000	206.4516129	6183.784959	30000	0	0	30000	23.25	2004
20.03.2020 09:53:38	1	1	1	1	99.25	40.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.3125	2004
20.03.2020 09:53:39	1	1	1	1	99.25	41.25	0	30000	184.9462366	5677.438643	30000	0	0	30000	21	2004
20.03.2020 09:53:40	1	1	1	1	99.25	41	0	30000	193.5483871	5741.85307	30000	0	0	30000	21.1875	2004
20.03.2020 09:53:41	1	1	1	1	99.25	41	0	30000	184.9462366	5677.438643	30000	0	0	30000	20.875	2004
20.03.2020 09:53:42	1	1	1	1	99.25	40.75	0	30000	184.9462366	5547.794417	30000	0	0	30000	21.375	2004
20.03.2020 09:53:48	1	1	1	1	99.5	41.75	0	30000	182.7956989	5547.794417	30000	0	0	30000	22.3125	2004
20.03.2020 09:53:48	1	1	1	1	99.5	41.75	0	30000	182.7956989	5547.794417	30000	0	0	30000	22.3125	2004
20.03.2020 09:53:48	1	1	1	1	99.5	41.75	0	30000	182.7956989	5547.794417	30000	0	0	30000	22.3125	2004
20.03.2020 09:53:48	1	1	1	1	99.5	41.75	0	30000	182.7956989	5547.794417	30000	0	0	30000	22.3125	2004
20.03.2020 09:53:48	1	1	1	1	99.5	42.25	0	30000	189.2473118	5677.438643	30000	0	0	30000	21.3125	2004
20.03.2020 09:53:49	1	1	1	1	99.5	41.25	0	30000	193.5483871	5870.681923	30000	0	0	30000	20.9375	2004
20.03.2020 09:53:50	1	1	1	1	99.5	40.75	0	30000	195.6989247	5870.681923	30000	0	0	30000	20.9375	2004
20.03.2020 09:53:51	1	1	1	1	99.5	40.75	0	29905.213	189.2473118	5741.85307	30000	0	0	30000	20.875	2004
20.03.2020 09:53:52	1	1	1	1	99.5	40.75	0	29952.607	193.5483871	5870.681923	30000	0	0	30000	21.6875	2004
20.03.2020 09:53:53	1	1	1	1	99.5	41.5	0	30000	206.4516129	5870.681923	30000	0	0	30000	20.8125	2004
20.03.2020 09:53:54	1	1	1	1	99.5	40.75	0	30000	195.6989247	5806.267497	30000	0	0	30000	21.9375	2004
20.03.2020 09:53:55	1	1	1	1	99.5	41.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.25	2004
20.03.2020 09:53:56	1	1	1	1	99.5	41.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.1875	2004
20.03.2020 09:53:57	1	1	1	1	99.5	41	0	30000	206.4516129	6193.569429	30000	0	0	30000	20.875	2004
20.03.2020 09:53:58	1	1	1	1	99.5	40.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.5625	2004
20.03.2020 09:53:59	1	1	1	1	99.5	41.5	0	30000	191.3978495	5741.85307	30000	0	0	30000	21.375	2004
20.03.2020 09:54:00	1	1	1	1	99.5	41.25	0	30000	206.4516129	5935.09635	30000	0	0	30000	21.4375	2004
20.03.2020 09:54:01	1	1	1	1	99.5	41.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.5	2004
20.03.2020 09:54:02	1	1	1	1	99.5	41.5	0	29952.607	191.3978495	5668.469546	30000	0	0	30000	21.25	2004
20.03.2020 09:54:03	1	1	1	1	99.5	41.25	0	30000	191.3978495	5741.85307	30000	0	0	30000	21.9375	2004
20.03.2020 09:54:04	1	1	1	1	99.5	41.75	0	30000	189.2473118	5677.438643	30000	0	0	30000	21.0625	2004
20.03.2020 09:54:05	1	1	1	1	99.75	41	0	30000	189.2473118	5677.438643	30000	0	0	30000	21.0625	2004
20.03.2020 09:54:06	1	1	1	1	99.75	41	0	30000	189.2473118	5677.438643	30000	0	0	30000	21.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:54:07	1	1	1	1	99.75	41	0	30000	193.5483871	5659.500448	30000	0	0	30000	22.75	2004
20.03.2020 09:54:08	1	1	1	1	99.75	42.75	0	30000	191.3978495	5741.85307	30000	0	0	30000	21.125	2004
20.03.2020 09:54:10	1	1	1	1	99.75	41	0	30000	206.4516129	6193.569429	30000	0	0	30000	20.9375	2004
20.03.2020 09:54:11	1	1	1	1	99.75	40.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.8125	2004
20.03.2020 09:54:12	1	1	1	1	99.75	41.75	0	29952.607	191.3978495	5677.438643	30000	0	0	30000	21.1875	2004
20.03.2020 09:54:13	1	1	1	1	99.75	41	0	30000	191.3978495	5659.500448	30000	0	0	30000	20.875	2004
20.03.2020 09:54:14	1	1	1	1	99.75	40.75	0	30000	191.3978495	5659.500448	30000	0	0	30000	21.9375	2004
20.03.2020 09:54:15	1	1	1	1	99.75	41.75	0	30000	206.4516129	6174.000489	30000	0	0	30000	21.1875	2004
20.03.2020 09:54:16	1	1	1	1	101	41	0	29952.607	206.4516129	6193.569429	30000	0	0	30000	21.5	2004
20.03.2020 09:54:17	1	1	1	1	101	43.25	0	30000	208.6021505	6193.569429	30000	0	0	30000	21.4375	2004
20.03.2020 09:54:18	1	1	1	1	101	41.25	0	30000	210.7526882	6386.812709	30000	0	0	30000	21.375	2004
20.03.2020 09:54:19	1	1	1	1	101	41.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.5625	2004
20.03.2020 09:54:20	1	1	1	1	101	41.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.125	2004
20.03.2020 09:54:21	1	1	1	1	101	41	0	30000	210.7526882	6377.028239	30000	0	0	30000	21.8125	2004
20.03.2020 09:54:22	1	1	1	1	101	41.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	21.5625	2004
20.03.2020 09:54:23	1	1	1	1	101	41.5	0	30000	208.6021505	6257.983856	30000	0	0	30000	22.3125	2004
20.03.2020 09:54:24	1	1	1	1	101	42.25	0	30000	208.6021505	6257.983856	30000	0	0	30000	21.125	2004
20.03.2020 09:54:25	1	1	1	1	101.3	41	0	30000	208.6021505	6257.983856	30000	0	0	30000	21.375	2004
20.03.2020 09:54:26	1	1	1	1	101.3	41.25	0	30000	212.9032258	6386.812709	30000	0	0	30000	21.25	2004
20.03.2020 09:54:27	1	1	1	1	101.3	41.25	0	30000	215.0537634	6174.000489	30000	0	0	30000	21.5	2004
20.03.2020 09:54:28	1	1	1	1	101.3	41.5	0	29905.213	212.9032258	6515.641562	30000	0	0	30000	21.1875	2004
20.03.2020 09:54:29	1	1	1	1	101.3	41	0	30000	217.2043011	6515.641562	30000	0	0	30000	21.25	2004
20.03.2020 09:54:30	1	1	1	1	101.3	41.25	0	30000	219.3548387	6515.641562	30000	0	0	30000	21.625	2004
20.03.2020 09:54:31	1	1	1	1	101.3	41.5	0	30000	212.9032258	6257.983856	30000	0	0	30000	21.5625	2004
20.03.2020 09:54:32	1	1	1	1	101.3	41.5	0	30000	217.2043011	6515.641562	30000	0	0	30000	20.9375	2004
20.03.2020 09:54:33	1	1	1	1	101.3	40.75	0	29905.213	212.9032258	6580.055989	30000	0	0	30000	21.3125	2004
20.03.2020 09:54:34	1	1	1	1	101.3	41.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	21.6875	2004
20.03.2020 09:54:35	1	1	1	1	99.75	41.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	21.25	2004
20.03.2020 09:54:36	1	1	1	1	99.75	41.25	0	30000	219.3548387	6580.055989	30000	0	0	30000	21	2004
20.03.2020 09:54:37	1	1	1	1	99.75	41	0	30000	217.2043011	6515.641562	30000	0	0	30000	21.25	2004
20.03.2020 09:54:38	1	1	1	1	99.75	41.25	0	30000	219.3548387	6580.055989	30000	0	0	30000	21.5	2004
20.03.2020 09:54:39	1	1	1	1	99.75	41.5	0	30000	225.8064516	6709.700215	30000	0	0	30000	21	2004
20.03.2020 09:54:40	1	1	1	1	99.75	41	0	29952.607	217.2043011	6580.055989	30000	0	0	30000	21.75	2004
20.03.2020 09:54:41	1	1	1	1	99.75	41.75	0	30000	223.655914	6644.470416	30000	0	0	30000	20.75	2004
20.03.2020 09:54:42	1	1	1	1	99.75	40.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	21.25	2004
20.03.2020 09:54:43	1	1	1	1	99.75	41.25	0	29905.213	221.5053763	6624.086103	30000	0	0	30000	21.9375	2004
20.03.2020 09:54:49	1	1	1	1	99.5	41.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	21.25	2004
20.03.2020 09:54:49	1	1	1	1	99.5	41.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	21.25	2004
20.03.2020 09:54:49	1	1	1	1	99.5	41.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	21.25	2004
20.03.2020 09:54:49	1	1	1	1	99.5	41.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	21.25	2004
20.03.2020 09:54:49	1	1	1	1	99.5	41.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	21.25	2004
20.03.2020 09:54:50	1	1	1	1	99.5	41.25	0	30000	223.655914	6570.271519	30000	0	0	30000	21.125	2004
20.03.2020 09:54:51	1	1	1	1	99.5	41	0	30000	223.655914	6774.114641	30000	0	0	30000	22.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:54:52	1	1	1	1	99.5	42	0	30000	221.5053763	6634.685946	30000	0	0	30000	22.1875	2004
20.03.2020 09:54:53	1	1	1	1	99.5	42	0	30000	234.4086022	6902.943495	30000	0	0	30000	22.5625	2004
20.03.2020 09:54:54	1	1	1	1	99.5	42.5	0	30047.393	236.5591398	7031.772348	30000	0	0	30000	22.1875	2004
20.03.2020 09:54:55	1	1	1	1	99.5	42	0	30000	234.4086022	6892.343652	30000	0	0	30000	24.125	2004
20.03.2020 09:54:56	1	1	1	1	100	44	0	30000	225.8064516	6709.700215	30000	0	0	30000	22.1875	2004
20.03.2020 09:54:57	1	1	1	1	100	41.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	22.5	2004
20.03.2020 09:54:58	1	1	1	1	100	42.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	22.0625	2004
20.03.2020 09:54:59	1	1	1	1	100	42	0	30000	230.1075269	6902.943495	30000	0	0	30000	21.25	2004
20.03.2020 09:55:00	1	1	1	1	100	41.25	0	30000	243.0107527	7225.831	30000	0	0	30000	22	2004
20.03.2020 09:55:01	1	1	1	1	100	42	0	30000	240.8602151	7096.186775	30000	0	0	30000	20.9375	2004
20.03.2020 09:55:02	1	1	1	1	100	40.75	0	30000	236.5591398	7225.831	30000	0	0	30000	22.4375	2004
20.03.2020 09:55:03	1	1	1	1	100	42.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	21.625	2004
20.03.2020 09:55:04	1	1	1	1	100	41.5	0	30000	230.1075269	6902.943495	30000	0	0	30000	21	2004
20.03.2020 09:55:05	1	1	1	1	99.75	41	0	30000	234.4086022	7031.772348	30000	0	0	30000	21.5	2004
20.03.2020 09:55:06	1	1	1	1	99.75	41.5	0	30000	240.8602151	7096.186775	30000	0	0	30000	21.9375	2004
20.03.2020 09:55:07	1	1	1	1	99.75	41.75	0	30000	232.2580645	7031.772348	30000	0	0	30000	22.75	2004
20.03.2020 09:55:08	1	1	1	1	99.75	42.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	22.9375	2004
20.03.2020 09:55:09	1	1	1	1	99.75	42.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	21.4375	2004
20.03.2020 09:55:10	1	1	1	1	99.75	41.25	0	29952.607	240.8602151	7085.586932	30000	0	0	30000	21.3125	2004
20.03.2020 09:55:11	1	1	1	1	99.75	41.25	0	30000	245.1612903	7290.245427	30000	0	0	30000	21.25	2004
20.03.2020 09:55:12	1	1	1	1	99.75	41.25	0	29905.213	243.0107527	7290.245427	30000	0	0	30000	22.625	2004
20.03.2020 09:55:13	1	1	1	1	99.75	42.5	0	30000	232.2580645	6902.943495	30000	0	0	30000	21.625	2004
20.03.2020 09:55:14	1	1	1	1	99.75	41.5	0	30000	234.4086022	7096.186775	30000	0	0	30000	21.1875	2004
20.03.2020 09:55:15	1	1	1	1	99.75	41	0	30000	247.311828	7419.07428	30000	0	0	30000	21.8125	2004
20.03.2020 09:55:16	1	1	1	1	99.75	41.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	22	2004
20.03.2020 09:55:17	1	1	1	1	99.75	42	0	30000	240.8602151	7290.245427	30000	0	0	30000	21.4375	2004
20.03.2020 09:55:18	1	1	1	1	99.75	41.25	0	30000	245.1612903	7214.415786	30000	0	0	30000	21.5	2004
20.03.2020 09:55:19	1	1	1	1	99.75	41.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	21.6875	2004
20.03.2020 09:55:20	1	1	1	1	99.75	41.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	21.6875	2004
20.03.2020 09:55:21	1	1	1	1	99.75	41.5	0	30000	247.311828	7290.245427	30000	0	0	30000	22.25	2004
20.03.2020 09:55:22	1	1	1	1	99.75	42.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	21.6875	2004
20.03.2020 09:55:23	1	1	1	1	99.75	41.5	0	30000	247.311828	7419.07428	30000	0	0	30000	22.3125	2004
20.03.2020 09:55:24	1	1	1	1	99.75	42.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	21.4375	2004
20.03.2020 09:55:26	1	1	1	1	99.75	41.25	0	30000	249.4623656	7483.488707	30000	0	0	30000	21.9375	2004
20.03.2020 09:55:27	1	1	1	1	99.75	41.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	21.6875	2004
20.03.2020 09:55:28	1	1	1	1	99.75	41.5	0	29905.213	245.1612903	7395.428478	30000	0	0	30000	22.5	2004
20.03.2020 09:55:29	1	1	1	1	99.75	42.5	0	30000	264.516129	7741.961786	30000	0	0	30000	22.125	2004
20.03.2020 09:55:30	1	1	1	1	99.75	42	0	30000	247.311828	7419.07428	30000	0	0	30000	22.0625	2004
20.03.2020 09:55:31	1	1	1	1	99.75	42	0	30000	253.7634409	7676.731987	30000	0	0	30000	21.5625	2004
20.03.2020 09:55:32	1	1	1	1	99.75	41.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	22.8125	2004
20.03.2020 09:55:33	1	1	1	1	99.75	42.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	23.625	2004
20.03.2020 09:55:34	1	1	1	1	99.75	43.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	21.5625	2004
20.03.2020 09:55:35	1	1	1	1	99.5	43	0	30000	251.6129032	7830.837388	30000	0	0	30000	22.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:55:36	1	1	1	1	99.5	42	0	30000	247.311828	7278.830212	30000	0	0	30000	21.75	2004
20.03.2020 09:55:37	1	1	1	1	99.5	41.75	0	30000	240.8602151	7225.831	30000	0	0	30000	22.9375	2004
20.03.2020 09:55:38	1	1	1	1	99.5	42.75	0	29952.607	253.7634409	7536.487919	30000	0	0	30000	21.8125	2004
20.03.2020 09:55:39	1	1	1	1	99.5	41.75	0	30000	247.311828	7419.07428	30000	0	0	30000	21.625	2004
20.03.2020 09:55:40	1	1	1	1	99.5	41.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	21.625	2004
20.03.2020 09:55:41	1	1	1	1	99.5	41.5	0	30047.393	253.7634409	7612.31756	30000	0	0	30000	21.75	2004
20.03.2020 09:55:42	1	1	1	1	99.5	41.75	0	30000	247.311828	7419.07428	30000	0	0	30000	21.9375	2004
20.03.2020 09:55:43	1	1	1	1	99.5	41.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	22.125	2004
20.03.2020 09:55:44	1	1	1	1	99.5	42	0	30000	253.7634409	7547.903134	30000	0	0	30000	21.3125	2004
20.03.2020 09:55:45	1	1	1	1	98.75	41.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	22.9375	2004
20.03.2020 09:55:51	1	1	1	1	98.75	41.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	21.5	2004
20.03.2020 09:55:51	1	1	1	1	98.75	41.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	21.5	2004
20.03.2020 09:55:51	1	1	1	1	98.75	41.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	21.5	2004
20.03.2020 09:55:51	1	1	1	1	98.75	41.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	21.5	2004
20.03.2020 09:55:51	1	1	1	1	98.75	41.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	22	2004
20.03.2020 09:55:54	1	1	1	1	98.75	41.75	0	30000	240.8602151	7225.831	30000	0	0	30000	22.0625	2004
20.03.2020 09:55:54	1	1	1	1	98.75	41.75	0	30000	240.8602151	7225.831	30000	0	0	30000	22.0625	2004
20.03.2020 09:55:54	1	1	1	1	98.75	42	0	30000	243.0107527	7290.245427	30000	0	0	30000	21.125	2004
20.03.2020 09:55:55	1	1	1	1	100.3	41	0	29905.213	240.8602151	7225.831	30000	0	0	30000	21.3125	2004
20.03.2020 09:55:56	1	1	1	1	100.3	41.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	22.1875	2004
20.03.2020 09:55:57	1	1	1	1	100.3	42	0	29952.607	240.8602151	7225.831	30000	0	0	30000	21.75	2004
20.03.2020 09:55:58	1	1	1	1	100.3	41.75	0	30000	247.311828	7419.07428	30000	0	0	30000	21.75	2004
20.03.2020 09:55:59	1	1	1	1	100.3	41.75	0	30000	240.8602151	7031.772348	30000	0	0	30000	21.5	2004
20.03.2020 09:56:00	1	1	1	1	100.3	41.5	0	30000	243.0107527	7225.831	30000	0	0	30000	21.75	2004
20.03.2020 09:56:01	1	1	1	1	100.3	41.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	21.9375	2004
20.03.2020 09:56:02	1	1	1	1	100.3	41.75	0	29952.607	240.8602151	7225.831	30000	0	0	30000	21.5	2004
20.03.2020 09:56:03	1	1	1	1	100.3	41.5	0	30000	247.311828	7430.489495	30000	0	0	30000	21.75	2004
20.03.2020 09:56:04	1	1	1	1	100.3	41.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	22.9375	2004
20.03.2020 09:56:05	1	1	1	1	100.3	42.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	21.9375	2004
20.03.2020 09:56:07	1	1	1	1	100.3	41.75	0	30047.393	251.6129032	7547.903134	30000	0	0	30000	22.4375	2004
20.03.2020 09:56:08	1	1	1	1	100.3	42.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	21.6875	2004
20.03.2020 09:56:09	1	1	1	1	100.3	41.5	0	30000	247.311828	7354.659854	30000	0	0	30000	21.5	2004
20.03.2020 09:56:10	1	1	1	1	100.3	41.5	0	29952.607	234.4086022	7225.831	30000	0	0	30000	21.4375	2004
20.03.2020 09:56:11	1	1	1	1	100.3	41.25	0	30000	240.8602151	7225.831	30000	0	0	30000	23.0625	2004
20.03.2020 09:56:12	1	1	1	1	100.3	43	0	30000	234.4086022	7031.772348	30000	0	0	30000	22.25	2004
20.03.2020 09:56:13	1	1	1	1	100.3	42.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	22.1875	2004
20.03.2020 09:56:14	1	1	1	1	100.3	42	0	30000	236.5591398	7096.186775	30000	0	0	30000	21.375	2004
20.03.2020 09:56:15	1	1	1	1	100.8	43	0	29905.213	249.4623656	7419.07428	30000	0	0	30000	22.375	2004
20.03.2020 09:56:16	1	1	1	1	100.8	42.25	0	30000	240.8602151	7225.831	30000	0	0	30000	21.75	2004
20.03.2020 09:56:17	1	1	1	1	100.8	41.75	0	29952.607	247.311828	7419.07428	30000	0	0	30000	22.8125	2004
20.03.2020 09:56:18	1	1	1	1	100.8	42.75	0	30000	240.8602151	7225.831	30000	0	0	30000	22.1875	2004
20.03.2020 09:56:19	1	1	1	1	100.8	42	0	30000	247.311828	7419.07428	30000	0	0	30000	22.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:56:20	1	1	1	1	100.8	42.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	22.125	2004
20.03.2020 09:56:21	1	1	1	1	100.8	42	0	30000	245.1612903	7290.245427	30000	0	0	30000	23.0625	2004
20.03.2020 09:56:22	1	1	1	1	100.8	43	0	30000	232.2580645	6967.357921	30000	0	0	30000	21.9375	2004
20.03.2020 09:56:23	1	1	1	1	100.8	41.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	22.125	2004
20.03.2020 09:56:24	1	1	1	1	100.8	42	0	30000	240.8602151	7290.245427	30000	0	0	30000	22.5	2004
20.03.2020 09:56:25	1	1	1	1	100	42.5	0	30000	245.1612903	7343.244639	30000	0	0	30000	22.25	2004
20.03.2020 09:56:26	1	1	1	1	100	42.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	22.1875	2004
20.03.2020 09:56:27	1	1	1	1	100	42	0	30000	245.1612903	7354.659854	30000	0	0	30000	22.375	2004
20.03.2020 09:56:28	1	1	1	1	100	42.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	21.75	2004
20.03.2020 09:56:29	1	1	1	1	100	41.75	0	30000	258.0645161	7676.731987	30000	0	0	30000	21.6875	2004
20.03.2020 09:56:30	1	1	1	1	100	41.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	21.5625	2004
20.03.2020 09:56:31	1	1	1	1	100	41.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	21.6875	2004
20.03.2020 09:56:32	1	1	1	1	100	41.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	21.5625	2004
20.03.2020 09:56:33	1	1	1	1	100	41.5	0	30000	249.4623656	7407.659066	30000	0	0	30000	21.8125	2004
20.03.2020 09:56:34	1	1	1	1	100	41.75	0	29905.213	264.516129	7999.619493	30000	0	0	30000	21.625	2004
20.03.2020 09:56:35	1	1	1	1	99	41.5	0	30000	251.6129032	7612.31756	30000	0	0	30000	21.5625	2004
20.03.2020 09:56:36	1	1	1	1	99	41.5	0	29952.607	260.2150538	7794.145626	30000	0	0	30000	22.1875	2004
20.03.2020 09:56:37	1	1	1	1	99	42	0	30000	268.8172043	8064.033919	30000	0	0	30000	22.625	2004
20.03.2020 09:56:38	1	1	1	1	99	42.5	0	30000	273.1182796	8322.506999	30000	0	0	30000	22.375	2004
20.03.2020 09:56:39	1	1	1	1	99	42.25	0	29905.213	266.6666667	8192.862773	30000	0	0	30000	21.5	2004
20.03.2020 09:56:40	1	1	1	1	99	41.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	21.8125	2004
20.03.2020 09:56:41	1	1	1	1	99	41.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	21.75	2004
20.03.2020 09:56:42	1	1	1	1	99	41.75	0	29952.607	270.9677419	8064.033919	30000	0	0	30000	21.875	2004
20.03.2020 09:56:43	1	1	1	1	99	41.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	21.75	2004
20.03.2020 09:56:44	1	1	1	1	99	41.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	22.0625	2004
20.03.2020 09:56:46	1	1	1	1	98.75	42	0	30000	262.3655914	7935.205066	30000	0	0	30000	21.625	2004
20.03.2020 09:56:47	1	1	1	1	98.75	41.5	0	30000	268.8172043	8192.862773	30000	0	0	30000	23.1875	2004
20.03.2020 09:56:52	1	1	1	1	98.75	42	0	30000	277.4193548	8116.217759	30000	0	0	30000	22.8125	2004
20.03.2020 09:56:52	1	1	1	1	98.75	42	0	30000	277.4193548	8116.217759	30000	0	0	30000	22.8125	2004
20.03.2020 09:56:52	1	1	1	1	98.75	42	0	30000	277.4193548	8116.217759	30000	0	0	30000	22.8125	2004
20.03.2020 09:56:52	1	1	1	1	98.75	42	0	30000	277.4193548	8116.217759	30000	0	0	30000	22.8125	2004
20.03.2020 09:56:52	1	1	1	1	98.75	42	0	30000	277.4193548	8116.217759	30000	0	0	30000	22.8125	2004
20.03.2020 09:56:53	1	1	1	1	98.75	42.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	23.1875	2004
20.03.2020 09:56:54	1	1	1	1	98.75	43	0	30000	270.9677419	8128.448346	30000	0	0	30000	22.875	2004
20.03.2020 09:56:55	1	1	1	1	98.75	42.75	0	29952.607	279.5698925	8232.000652	30000	0	0	30000	21.875	2004
20.03.2020 09:56:56	1	1	1	1	99.5	43	0	30000	281.7204301	8451.335852	30000	0	0	30000	22.125	2004
20.03.2020 09:56:57	1	1	1	1	99.5	42	0	29952.607	290.3225806	8774.223358	30000	0	0	30000	21.75	2004
20.03.2020 09:56:58	1	1	1	1	99.5	41.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	22.0625	2004
20.03.2020 09:56:59	1	1	1	1	99.5	42	0	29952.607	279.5698925	8515.750279	30000	0	0	30000	24.0625	2004
20.03.2020 09:57:00	1	1	1	1	99.5	44	0	30000	288.172043	8644.579132	30000	0	0	30000	21.9375	2004
20.03.2020 09:57:01	1	1	1	1	99.5	41.75	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	21.8125	2004
20.03.2020 09:57:02	1	1	1	1	99.5	41.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	21.625	2004
20.03.2020 09:57:03	1	1	1	1	99.5	41.5	0	29952.607	283.8709677	8515.750279	30000	0	0	30000	21.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:57:04	1	1	1	1	99.5	41.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	22.25	2004
20.03.2020 09:57:05	1	1	1	1	98.25	42.25	0	30000	294.6236559	8760.362025	30000	0	0	30000	21.8125	2004
20.03.2020 09:57:06	1	1	1	1	98.25	41.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	22.25	2004
20.03.2020 09:57:07	1	1	1	1	98.25	42.25	0	29952.607	290.3225806	8682.086266	30000	0	0	30000	22.25	2004
20.03.2020 09:57:08	1	1	1	1	98.25	42.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	22.1875	2004
20.03.2020 09:57:09	1	1	1	1	98.25	42	0	30000	286.0215054	8580.164705	30000	0	0	30000	22.75	2004
20.03.2020 09:57:10	1	1	1	1	98.25	42.75	0	29905.213	288.172043	8838.637784	30000	0	0	30000	21.625	2004
20.03.2020 09:57:11	1	1	1	1	98.25	41.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	23.75	2004
20.03.2020 09:57:12	1	1	1	1	98.25	43.75	0	30000	294.6236559	8852.499117	30000	0	0	30000	23.625	2004
20.03.2020 09:57:13	1	1	1	1	98.25	43.5	0	30000	294.6236559	8903.052211	30000	0	0	30000	22.3125	2004
20.03.2020 09:57:14	1	1	1	1	98.25	42.25	0	30000	286.0215054	8708.993559	30000	0	0	30000	22	2004
20.03.2020 09:57:15	1	1	1	1	99	42	0	30000	292.4731183	8838.637784	30000	0	0	30000	21.8125	2004
20.03.2020 09:57:16	1	1	1	1	99	41.75	0	30000	296.7741935	8708.993559	30000	0	0	30000	21.9375	2004
20.03.2020 09:57:17	1	1	1	1	99	41.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	22.375	2004
20.03.2020 09:57:18	1	1	1	1	99	42.25	0	30000	294.6236559	8852.499117	30000	0	0	30000	22	2004
20.03.2020 09:57:19	1	1	1	1	99	42	0	30000	296.7741935	8838.637784	30000	0	0	30000	22.4375	2004
20.03.2020 09:57:20	1	1	1	1	99	42.25	0	29905.213	296.7741935	8838.637784	30000	0	0	30000	21.5625	2004
20.03.2020 09:57:21	1	1	1	1	99	41.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	22.6875	2004
20.03.2020 09:57:23	1	1	1	1	99	42.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	22.375	2004
20.03.2020 09:57:24	1	1	1	1	99	42.25	0	29952.607	290.3225806	8903.052211	30000	0	0	30000	22.5	2004
20.03.2020 09:57:25	1	1	1	1	99	42.5	0	30000	296.7741935	9160.709918	30000	0	0	30000	22.125	2004
20.03.2020 09:57:26	1	1	1	1	98.25	42	0	30000	301.0752688	9096.295491	30000	0	0	30000	22.8125	2004
20.03.2020 09:57:27	1	1	1	1	98.25	42.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	22.25	2004
20.03.2020 09:57:28	1	1	1	1	98.25	42.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	23.25	2004
20.03.2020 09:57:29	1	1	1	1	98.25	43.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	23.0625	2004
20.03.2020 09:57:30	1	1	1	1	98.25	43	0	30000	294.6236559	8903.052211	30000	0	0	30000	22.0625	2004
20.03.2020 09:57:31	1	1	1	1	98.25	42	0	30000	288.172043	8644.579132	30000	0	0	30000	24.1875	2004
20.03.2020 09:57:32	1	1	1	1	98.25	44	0	30000	318.2795699	9548.01185	30000	0	0	30000	21.8125	2004
20.03.2020 09:57:33	1	1	1	1	98.25	41.75	0	30000	294.6236559	8774.223358	30000	0	0	30000	23.1875	2004
20.03.2020 09:57:34	1	1	1	1	98.25	42.5	0	30000	288.172043	8708.993559	30000	0	0	30000	21.8125	2004
20.03.2020 09:57:35	1	1	1	1	99	41.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	22.375	2004
20.03.2020 09:57:36	1	1	1	1	99	42.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	21.875	2004
20.03.2020 09:57:37	1	1	1	1	99	41.75	0	30047.393	296.7741935	8838.637784	30000	0	0	30000	22.5625	2004
20.03.2020 09:57:38	1	1	1	1	99	42.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	22.375	2004
20.03.2020 09:57:39	1	1	1	1	99	42.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	21.8125	2004
20.03.2020 09:57:40	1	1	1	1	99	41.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	22.25	2004
20.03.2020 09:57:41	1	1	1	1	99	42.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	22.625	2004
20.03.2020 09:57:42	1	1	1	1	99	42.5	0	30000	298.9247312	8903.052211	30000	0	0	30000	23.375	2004
20.03.2020 09:57:43	1	1	1	1	99	43.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	22.25	2004
20.03.2020 09:57:44	1	1	1	1	99	42.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	22.5625	2004
20.03.2020 09:57:45	1	1	1	1	99.75	42.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	21.8125	2004
20.03.2020 09:57:46	1	1	1	1	99.75	41.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	23	2004
20.03.2020 09:57:47	1	1	1	1	99.75	43	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	22.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:57:48	1	1	1	1	99.75	42.5	0	30000	307.5268817	9146.848585	30000	0	0	30000	22.3125	2004
20.03.2020 09:57:54	1	1	1	1	99.75	42.75	0	30000	288.172043	8644.579132	30000	0	0	30000	22.0625	2004
20.03.2020 09:57:54	1	1	1	1	99.75	42.75	0	30000	288.172043	8644.579132	30000	0	0	30000	22.0625	2004
20.03.2020 09:57:54	1	1	1	1	99.75	42.75	0	30000	288.172043	8644.579132	30000	0	0	30000	22.0625	2004
20.03.2020 09:57:54	1	1	1	1	99.75	42.75	0	30000	288.172043	8644.579132	30000	0	0	30000	22.0625	2004
20.03.2020 09:57:54	1	1	1	1	99.75	42.75	0	30000	288.172043	8644.579132	30000	0	0	30000	22.0625	2004
20.03.2020 09:57:54	1	1	1	1	99.75	42	0	30000	296.7741935	8967.466638	30000	0	0	30000	22.5625	2004
20.03.2020 09:57:55	1	1	1	1	100	42.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	23	2004
20.03.2020 09:57:56	1	1	1	1	100	43	0	30000	298.9247312	9031.881064	30000	0	0	30000	22.375	2004
20.03.2020 09:57:57	1	1	1	1	100	42.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	22.3125	2004
20.03.2020 09:57:58	1	1	1	1	100	42.25	0	30000	301.0752688	9254.477754	30000	0	0	30000	22.5625	2004
20.03.2020 09:57:59	1	1	1	1	100	42.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	22.6875	2004
20.03.2020 09:58:00	1	1	1	1	100	42.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	22.375	2004
20.03.2020 09:58:01	1	1	1	1	100	42.25	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	22	2004
20.03.2020 09:58:03	1	1	1	1	100	42	0	30000	316.1290323	9483.597423	30000	0	0	30000	21.9375	2004
20.03.2020 09:58:04	1	1	1	1	100	41.75	0	30000	288.172043	8708.993559	30000	0	0	30000	22.4375	2004
20.03.2020 09:58:05	1	1	1	1	100	42.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	22.5625	2004
20.03.2020 09:58:06	1	1	1	1	100	42.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	22.5	2004
20.03.2020 09:58:07	1	1	1	1	100	42.5	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	22.5625	2004
20.03.2020 09:58:08	1	1	1	1	100	42.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	22.25	2004
20.03.2020 09:58:09	1	1	1	1	100	42.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	21.8125	2004
20.03.2020 09:58:10	1	1	1	1	100	41.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	23.375	2004
20.03.2020 09:58:11	1	1	1	1	100	43.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	22.5	2004
20.03.2020 09:58:12	1	1	1	1	100	42.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	23.625	2004
20.03.2020 09:58:13	1	1	1	1	100	43.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	22.4375	2004
20.03.2020 09:58:14	1	1	1	1	100	42.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	23.5625	2004
20.03.2020 09:58:15	1	1	1	1	100.3	43.5	0	29905.213	301.0752688	9096.295491	30000	0	0	30000	22.1875	2004
20.03.2020 09:58:16	1	1	1	1	100.3	42	0	30000	313.9784946	9419.182997	30000	0	0	30000	22	2004
20.03.2020 09:58:17	1	1	1	1	100.3	42	0	30000	303.2258065	9096.295491	30000	0	0	30000	22.1875	2004
20.03.2020 09:58:18	1	1	1	1	100.3	42	0	30000	311.827957	9419.182997	30000	0	0	30000	22.4375	2004
20.03.2020 09:58:19	1	1	1	1	100.3	42.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	22.625	2004
20.03.2020 09:58:20	1	1	1	1	100.3	42.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	22.9375	2004
20.03.2020 09:58:21	1	1	1	1	100.3	42.75	0	30000	326.8817204	9389.014215	30000	0	0	30000	22.6875	2004
20.03.2020 09:58:22	1	1	1	1	100.3	42.5	0	29952.607	305.3763441	9211.263012	30000	0	0	30000	22.625	2004
20.03.2020 09:58:23	1	1	1	1	100.3	42.5	0	30047.393	294.6236559	8838.637784	30000	0	0	30000	22.9375	2004
20.03.2020 09:58:24	1	1	1	1	100.3	42.75	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	22.125	2004
20.03.2020 09:58:25	1	1	1	1	100.3	42	0	30000	301.0752688	9160.709918	30000	0	0	30000	22.1875	2004
20.03.2020 09:58:26	1	1	1	1	100.3	42	0	30000	292.4731183	8708.993559	30000	0	0	30000	21.875	2004
20.03.2020 09:58:27	1	1	1	1	100.3	41.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	22.25	2004
20.03.2020 09:58:28	1	1	1	1	100.3	42.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	22.8125	2004
20.03.2020 09:58:29	1	1	1	1	100.3	42.75	0	30000	298.9247312	8903.052211	30000	0	0	30000	22.75	2004
20.03.2020 09:58:30	1	1	1	1	100.3	42.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	22.125	2004
20.03.2020 09:58:31	1	1	1	1	100.3	42	0	30000	301.0752688	8967.466638	30000	0	0	30000	21.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:58:32	1	1	1	1	100.3	41.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	22.125	2004
20.03.2020 09:58:33	1	1	1	1	100.3	42	0	29952.607	309.6774194	9419.182997	30000	0	0	30000	22.125	2004
20.03.2020 09:58:34	1	1	1	1	100.3	42	0	30000	298.9247312	8838.637784	30000	0	0	30000	22.8125	2004
20.03.2020 09:58:35	1	1	1	1	99.5	42.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	22.3125	2004
20.03.2020 09:58:36	1	1	1	1	99.5	42.25	0	30000	286.0215054	8515.750279	30000	0	0	30000	22.375	2004
20.03.2020 09:58:37	1	1	1	1	99.5	42.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	22.375	2004
20.03.2020 09:58:38	1	1	1	1	99.5	42.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	23.3125	2004
20.03.2020 09:58:39	1	1	1	1	99.5	43.25	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	22.1875	2004
20.03.2020 09:58:40	1	1	1	1	99.5	42	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	23.625	2004
20.03.2020 09:58:42	1	1	1	1	99.5	43.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	23.375	2004
20.03.2020 09:58:43	1	1	1	1	99.5	43.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	22.6875	2004
20.03.2020 09:58:44	1	1	1	1	99.5	42.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	23.375	2004
20.03.2020 09:58:45	1	1	1	1	99.5	43.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	23.1875	2004
20.03.2020 09:58:46	1	1	1	1	99.25	43	0	30000	294.6236559	8838.637784	30000	0	0	30000	22.6875	2004
20.03.2020 09:58:47	1	1	1	1	99.25	42.5	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	23.4375	2004
20.03.2020 09:58:48	1	1	1	1	99.25	43.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	23.375	2004
20.03.2020 09:58:49	1	1	1	1	99.25	43.25	0	30000	283.8709677	8708.993559	30000	0	0	30000	23.0625	2004
20.03.2020 09:58:50	1	1	1	1	99.25	43	0	30000	305.3763441	9160.709918	30000	0	0	30000	24.5	2004
20.03.2020 09:58:56	1	1	1	1	99.25	43	0	30000	322.5806452	9806.484929	30000	0	0	30000	22.375	2004
20.03.2020 09:58:56	1	1	1	1	99.25	43	0	30000	322.5806452	9806.484929	30000	0	0	30000	22.375	2004
20.03.2020 09:58:56	1	1	1	1	99.25	43	0	30000	322.5806452	9806.484929	30000	0	0	30000	22.375	2004
20.03.2020 09:58:56	1	1	1	1	99.25	43	0	30000	322.5806452	9806.484929	30000	0	0	30000	22.375	2004
20.03.2020 09:58:56	1	1	1	1	99.25	43	0	30000	322.5806452	9806.484929	30000	0	0	30000	22.375	2004
20.03.2020 09:58:56	1	1	1	1	99.25	42.25	0	30000	311.827957	9354.76857	30000	0	0	30000	22.4375	2004
20.03.2020 09:58:57	1	1	1	1	99.25	42.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	22.9375	2004
20.03.2020 09:58:58	1	1	1	1	99.25	42.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	22.0625	2004
20.03.2020 09:58:59	1	1	1	1	99.25	42	0	29952.607	298.9247312	8682.086266	30000	0	0	30000	22.6875	2004
20.03.2020 09:59:00	1	1	1	1	99.25	42.5	0	30000	292.4731183	8553.257413	30000	0	0	30000	24.0625	2004
20.03.2020 09:59:01	1	1	1	1	99.25	44	0	30000	313.9784946	9354.76857	30000	0	0	30000	22.625	2004
20.03.2020 09:59:02	1	1	1	1	99.25	42.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	22.625	2004
20.03.2020 09:59:03	1	1	1	1	99.25	42.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	23.625	2004
20.03.2020 09:59:04	1	1	1	1	99.25	43.5	0	30000	296.7741935	8916.913543	30000	0	0	30000	22.625	2004
20.03.2020 09:59:05	1	1	1	1	98.75	42.5	0	30000	311.827957	9354.76857	30000	0	0	30000	22.25	2004
20.03.2020 09:59:06	1	1	1	1	98.75	42.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	23.4375	2004
20.03.2020 09:59:07	1	1	1	1	98.75	43.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	22.5625	2004
20.03.2020 09:59:08	1	1	1	1	98.75	42.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	22.5625	2004
20.03.2020 09:59:09	1	1	1	1	98.75	42.5	0	30000	311.827957	9354.76857	30000	0	0	30000	22	2004
20.03.2020 09:59:10	1	1	1	1	98.75	42	0	30000	305.3763441	9096.295491	30000	0	0	30000	23	2004
20.03.2020 09:59:11	1	1	1	1	98.75	43	0	30000	309.6774194	9354.76857	30000	0	0	30000	22.3125	2004
20.03.2020 09:59:12	1	1	1	1	98.75	42.25	0	30000	307.5268817	9031.881064	30000	0	0	30000	22.875	2004
20.03.2020 09:59:13	1	1	1	1	98.75	42.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	22	2004
20.03.2020 09:59:14	1	1	1	1	98.75	42	0	30000	313.9784946	9483.597423	30000	0	0	30000	22.5	2004
20.03.2020 09:59:15	1	1	1	1	99	42.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	22.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 09:59:16	1	1	1	1	99	42.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	23.125	2004
20.03.2020 09:59:17	1	1	1	1	99	43	0	30047.393	320.4301075	9324.599788	30000	0	0	30000	23	2004
20.03.2020 09:59:18	1	1	1	1	99	43	0	30000	318.2795699	9483.597423	30000	0	0	30000	23.1875	2004
20.03.2020 09:59:19	1	1	1	1	99	43	0	30000	303.2258065	9096.295491	30000	0	0	30000	23.6875	2004
20.03.2020 09:59:21	1	1	1	1	99	43.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	22.25	2004
20.03.2020 09:59:22	1	1	1	1	99	42.25	0	30000	311.827957	9419.182997	30000	0	0	30000	22.125	2004
20.03.2020 09:59:23	1	1	1	1	99	42	0	30047.393	294.6236559	8981.32797	30000	0	0	30000	22.375	2004
20.03.2020 09:59:24	1	1	1	1	99	42.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	23.5625	2004
20.03.2020 09:59:25	1	1	1	1	99	43.5	0	30047.393	318.2795699	9290.354143	30000	0	0	30000	22.6875	2004
20.03.2020 09:59:26	1	1	1	1	98.25	42.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	23.3125	2004
20.03.2020 09:59:27	1	1	1	1	98.25	43.25	0	30000	313.9784946	9707.824858	30000	0	0	30000	23.6875	2004
20.03.2020 09:59:28	1	1	1	1	98.25	43.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	22.5	2004
20.03.2020 09:59:29	1	1	1	1	98.25	42.5	0	29952.607	316.1290323	9612.426277	30000	0	0	30000	24.375	2004
20.03.2020 09:59:30	1	1	1	1	98.25	44.25	0	30000	311.827957	9354.76857	30000	0	0	30000	22.375	2004
20.03.2020 09:59:31	1	1	1	1	98.25	42.25	0	30000	320.4301075	9806.484929	30000	0	0	30000	24.75	2004
20.03.2020 09:59:32	1	1	1	1	98.25	44.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	23.0625	2004
20.03.2020 09:59:33	1	1	1	1	98.25	43	0	30000	316.1290323	9483.597423	30000	0	0	30000	23.625	2004
20.03.2020 09:59:34	1	1	1	1	98.25	44.5	0	30000	307.5268817	9239.801049	30000	0	0	30000	23.5625	2004
20.03.2020 09:59:35	1	1	1	1	98.75	43.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	22.625	2004
20.03.2020 09:59:36	1	1	1	1	98.75	42.5	0	30000	318.2795699	9642.595059	30000	0	0	30000	23.125	2004
20.03.2020 09:59:37	1	1	1	1	98.75	43	0	30000	307.5268817	9225.124344	30000	0	0	30000	23.375	2004
20.03.2020 09:59:38	1	1	1	1	98.75	43.25	0	30047.393	290.3225806	8708.993559	30000	0	0	30000	23.5625	2004
20.03.2020 09:59:39	1	1	1	1	98.75	43.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	23.0625	2004
20.03.2020 09:59:40	1	1	1	1	98.75	43	0	30000	301.0752688	9031.881064	30000	0	0	30000	22.5	2004
20.03.2020 09:59:41	1	1	1	1	98.75	42.5	0	30047.393	305.3763441	9096.295491	30000	0	0	30000	23.25	2004
20.03.2020 09:59:42	1	1	1	1	98.75	43.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	24.375	2004
20.03.2020 09:59:43	1	1	1	1	98.75	44.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	23.125	2004
20.03.2020 09:59:44	1	1	1	1	98.75	43	0	30000	311.827957	9354.76857	30000	0	0	30000	22.375	2004
20.03.2020 09:59:45	1	1	1	1	97.5	42.25	0	30000	318.2795699	9468.920719	30000	0	0	30000	23.5	2004
20.03.2020 09:59:46	1	1	1	1	97.5	43.5	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	22.8125	2004
20.03.2020 09:59:47	1	1	1	1	97.5	42.75	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	22.625	2004
20.03.2020 09:59:48	1	1	1	1	97.5	42.5	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	22.9375	2004
20.03.2020 09:59:49	1	1	1	1	97.5	42.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	22.8125	2004
20.03.2020 09:59:50	1	1	1	1	97.5	42.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	23.875	2004
20.03.2020 09:59:51	1	1	1	1	97.5	43.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	23.4375	2004
20.03.2020 09:59:57	1	1	1	1	97.75	43	0	30000	305.3763441	9160.709918	30000	0	0	30000	22.5625	2004
20.03.2020 09:59:57	1	1	1	1	97.75	43	0	30000	305.3763441	9160.709918	30000	0	0	30000	22.5625	2004
20.03.2020 09:59:57	1	1	1	1	97.75	43	0	30000	305.3763441	9160.709918	30000	0	0	30000	22.5625	2004
20.03.2020 09:59:57	1	1	1	1	97.75	43	0	30000	305.3763441	9160.709918	30000	0	0	30000	22.5625	2004
20.03.2020 09:59:57	1	1	1	1	97.75	43	0	30000	305.3763441	9160.709918	30000	0	0	30000	22.5625	2004
20.03.2020 09:59:57	1	1	1	1	97.75	42.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	23.125	2004
20.03.2020 09:59:58	1	1	1	1	97.75	43	0	30000	316.1290323	9612.426277	30000	0	0	30000	23.9375	2004
20.03.2020 09:59:59	1	1	1	1	97.75	43.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	22.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:00:00	1	1	1	1	97.75	42.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	24.5625	2004
20.03.2020 10:00:02	1	1	1	1	97.75	44.5	0	30047.393	309.6774194	9290.354143	30000	0	0	30000	22.6875	2004
20.03.2020 10:00:03	1	1	1	1	97.75	42.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	23.75	2004
20.03.2020 10:00:04	1	1	1	1	97.75	43.75	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	23.25	2004
20.03.2020 10:00:05	1	1	1	1	97.75	43.25	0	30000	298.9247312	8903.052211	30000	0	0	30000	22.75	2004
20.03.2020 10:00:06	1	1	1	1	97.75	42.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	23.125	2004
20.03.2020 10:00:07	1	1	1	1	97.75	43	0	30000	313.9784946	9354.76857	30000	0	0	30000	24.125	2004
20.03.2020 10:00:08	1	1	1	1	97.75	44	0	30000	309.6774194	9290.354143	30000	0	0	30000	23.6875	2004
20.03.2020 10:00:09	1	1	1	1	97.75	43.5	0	30000	322.5806452	9806.484929	30000	0	0	30000	23.875	2004
20.03.2020 10:00:10	1	1	1	1	97.75	43.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	24.625	2004
20.03.2020 10:00:11	1	1	1	1	97.75	44.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	24.5625	2004
20.03.2020 10:00:12	1	1	1	1	97.75	43.75	0	30000	311.827957	9290.354143	30000	0	0	30000	22.9375	2004
20.03.2020 10:00:13	1	1	1	1	97.75	42.75	0	30000	318.2795699	9498.274128	30000	0	0	30000	22.75	2004
20.03.2020 10:00:14	1	1	1	1	97.75	42.75	0	29952.607	320.4301075	9646.671921	30000	0	0	30000	22.5	2004
20.03.2020 10:00:15	1	1	1	1	98	42.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	22.875	2004
20.03.2020 10:00:16	1	1	1	1	98	42.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	23.375	2004
20.03.2020 10:00:17	1	1	1	1	98	43.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	24.0625	2004
20.03.2020 10:00:18	1	1	1	1	98	44	0	30000	339.7849462	10403.33759	30000	0	0	30000	23.1875	2004
20.03.2020 10:00:19	1	1	1	1	98	43	0	30000	335.483871	10048.65056	30000	0	0	30000	22.625	2004
20.03.2020 10:00:20	1	1	1	1	98	42.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	23.5	2004
20.03.2020 10:00:21	1	1	1	1	98	43.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	22.5625	2004
20.03.2020 10:00:22	1	1	1	1	98	42.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	22.375	2004
20.03.2020 10:00:23	1	1	1	1	98	42.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	22.9375	2004
20.03.2020 10:00:24	1	1	1	1	98	42.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	24.375	2004
20.03.2020 10:00:25	1	1	1	1	97.25	44.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	23.5625	2004
20.03.2020 10:00:26	1	1	1	1	97.25	43.5	0	30047.393	331.1827957	9870.899356	30000	0	0	30000	23.625	2004
20.03.2020 10:00:27	1	1	1	1	97.25	43.5	0	30000	316.1290323	9498.274128	30000	0	0	30000	23.0625	2004
20.03.2020 10:00:28	1	1	1	1	97.25	43	0	30000	320.4301075	9612.426277	30000	0	0	30000	23	2004
20.03.2020 10:00:29	1	1	1	1	97.25	43	0	29952.607	313.9784946	9676.840703	30000	0	0	30000	23.25	2004
20.03.2020 10:00:30	1	1	1	1	97.25	43.25	0	30000	326.8817204	9582.257495	30000	0	0	30000	23.9375	2004
20.03.2020 10:00:31	1	1	1	1	97.25	43.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	23.8125	2004
20.03.2020 10:00:32	1	1	1	1	97.25	43.75	0	30000	316.1290323	9354.76857	30000	0	0	30000	23.125	2004
20.03.2020 10:00:33	1	1	1	1	97.25	43	0	30000	313.9784946	9419.182997	30000	0	0	30000	23.375	2004
20.03.2020 10:00:34	1	1	1	1	97.25	43.25	0	30000	311.827957	9354.76857	30000	0	0	30000	22.9375	2004
20.03.2020 10:00:35	1	1	1	1	96.25	42.75	0	29952.607	326.8817204	9741.25513	30000	0	0	30000	23.75	2004
20.03.2020 10:00:36	1	1	1	1	96.25	43.75	0	29905.213	313.9784946	9548.01185	30000	0	0	30000	22.75	2004
20.03.2020 10:00:37	1	1	1	1	96.25	42.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	22.8125	2004
20.03.2020 10:00:39	1	1	1	1	96.25	42.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	23.5	2004
20.03.2020 10:00:40	1	1	1	1	96.25	43.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	23.4375	2004
20.03.2020 10:00:41	1	1	1	1	96.25	43.25	0	29952.607	324.7311828	9646.671921	30000	0	0	30000	24.0625	2004
20.03.2020 10:00:42	1	1	1	1	96.25	44	0	30000	329.0322581	9870.899356	30000	0	0	30000	23.625	2004
20.03.2020 10:00:43	1	1	1	1	96.25	43.5	0	30000	320.4301075	9597.749572	30000	0	0	30000	24.25	2004
20.03.2020 10:00:44	1	1	1	1	96.25	44.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	23.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:00:45	1	1	1	1	96.25	43.25	0	30047.393	320.4301075	9627.918354	30000	0	0	30000	23.5	2004
20.03.2020 10:00:46	1	1	1	1	97	43.5	0	30000	318.2795699	9453.428641	30000	0	0	30000	22.75	2004
20.03.2020 10:00:47	1	1	1	1	97	42.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	25.1875	2004
20.03.2020 10:00:48	1	1	1	1	97	45	0	30000	320.4301075	9612.426277	30000	0	0	30000	23.5	2004
20.03.2020 10:00:49	1	1	1	1	97	43.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	23.5	2004
20.03.2020 10:00:50	1	1	1	1	97	43.5	0	30047.393	318.2795699	9642.595059	30000	0	0	30000	25.5625	2004
20.03.2020 10:00:51	1	1	1	1	97	45.25	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	23.25	2004
20.03.2020 10:00:52	1	1	1	1	97	43.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	23.125	2004
20.03.2020 10:00:53	1	1	1	1	97	43	0	30000	318.2795699	9483.597423	30000	0	0	30000	22.625	2004
20.03.2020 10:00:59	1	1	1	1	96.5	43.5	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	22.875	2004
20.03.2020 10:00:59	1	1	1	1	96.5	43.5	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	22.875	2004
20.03.2020 10:00:59	1	1	1	1	96.5	43.5	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	22.875	2004
20.03.2020 10:00:59	1	1	1	1	96.5	43.5	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	22.875	2004
20.03.2020 10:00:59	1	1	1	1	96.5	42.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	22.875	2004
20.03.2020 10:01:00	1	1	1	1	96.5	42.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	23.5	2004
20.03.2020 10:01:01	1	1	1	1	96.5	43.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	23.4375	2004
20.03.2020 10:01:02	1	1	1	1	96.5	43.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	23.9375	2004
20.03.2020 10:01:03	1	1	1	1	96.5	43.75	0	29952.607	296.7741935	8874.514174	30000	0	0	30000	23.1875	2004
20.03.2020 10:01:04	1	1	1	1	96.5	43	0	30000	298.9247312	8903.052211	30000	0	0	30000	24.0625	2004
20.03.2020 10:01:05	1	1	1	1	96.75	44	0	30000	316.1290323	9483.597423	30000	0	0	30000	23	2004
20.03.2020 10:01:06	1	1	1	1	96.75	43	0	30000	311.827957	9498.274128	30000	0	0	30000	24.1875	2004
20.03.2020 10:01:07	1	1	1	1	96.75	44	0	30000	296.7741935	9031.881064	30000	0	0	30000	23.25	2004
20.03.2020 10:01:08	1	1	1	1	96.75	43.25	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	22.75	2004
20.03.2020 10:01:09	1	1	1	1	96.75	42.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	23	2004
20.03.2020 10:01:10	1	1	1	1	96.75	43	0	30000	290.3225806	8708.993559	30000	0	0	30000	23.6875	2004
20.03.2020 10:01:11	1	1	1	1	96.75	43.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	24.8125	2004
20.03.2020 10:01:12	1	1	1	1	96.75	44.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	22.6875	2004
20.03.2020 10:01:13	1	1	1	1	96.75	42.5	0	29905.213	311.827957	9389.014215	30000	0	0	30000	24.375	2004
20.03.2020 10:01:14	1	1	1	1	96.75	44.25	0	30000	298.9247312	9175.386622	30000	0	0	30000	23.6875	2004
20.03.2020 10:01:15	1	1	1	1	97	43.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	23.6875	2004
20.03.2020 10:01:17	1	1	1	1	97	43.5	0	30000	307.5268817	9160.709918	30000	0	0	30000	23.1875	2004
20.03.2020 10:01:18	1	1	1	1	97	43	0	30000	301.0752688	9031.881064	30000	0	0	30000	22.6875	2004
20.03.2020 10:01:19	1	1	1	1	97	42.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	23.4375	2004
20.03.2020 10:01:20	1	1	1	1	97	43.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	22.75	2004
20.03.2020 10:01:21	1	1	1	1	97	42.75	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	23.25	2004
20.03.2020 10:01:22	1	1	1	1	97	43.25	0	30047.393	303.2258065	9160.709918	30000	0	0	30000	23.5625	2004
20.03.2020 10:01:23	1	1	1	1	97	43.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	24.4375	2004
20.03.2020 10:01:24	1	1	1	1	97	44.25	0	30000	318.2795699	9354.76857	30000	0	0	30000	24	2004
20.03.2020 10:01:25	1	1	1	1	97	44	0	30047.393	305.3763441	9096.295491	30000	0	0	30000	24.5625	2004
20.03.2020 10:01:26	1	1	1	1	97.75	44.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	24.3125	2004
20.03.2020 10:01:27	1	1	1	1	97.75	44.25	0	30000	320.4301075	9692.332781	30000	0	0	30000	24.3125	2004
20.03.2020 10:01:28	1	1	1	1	97.75	44.25	0	30000	311.827957	9354.76857	30000	0	0	30000	22.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:01:29	1	1	1	1	97.75	42.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	24.75	2004
20.03.2020 10:01:30	1	1	1	1	97.75	43	0	30000	311.827957	9354.76857	30000	0	0	30000	24.375	2004
20.03.2020 10:01:31	1	1	1	1	97.75	44.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	23.75	2004
20.03.2020 10:01:32	1	1	1	1	97.75	43.75	0	29952.607	311.827957	9419.182997	30000	0	0	30000	23.5625	2004
20.03.2020 10:01:33	1	1	1	1	97.75	43.5	0	30000	326.8817204	9711.086348	30000	0	0	30000	23.3125	2004
20.03.2020 10:01:34	1	1	1	1	97.75	43.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	23	2004
20.03.2020 10:01:35	1	1	1	1	97	43	0	30000	316.1290323	9483.597423	30000	0	0	30000	22.9375	2004
20.03.2020 10:01:36	1	1	1	1	97	42.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	23.3125	2004
20.03.2020 10:01:37	1	1	1	1	97	43.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	24.5	2004
20.03.2020 10:01:38	1	1	1	1	97	44.5	0	29952.607	311.827957	9419.182997	30000	0	0	30000	23.125	2004
20.03.2020 10:01:39	1	1	1	1	97	43	0	30000	324.7311828	9741.25513	30000	0	0	30000	24.25	2004
20.03.2020 10:01:40	1	1	1	1	97	44.25	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	23.1875	2004
20.03.2020 10:01:41	1	1	1	1	97	43	0	30000	316.1290323	9517.843068	30000	0	0	30000	23.375	2004
20.03.2020 10:01:42	1	1	1	1	97	43.25	0	30047.393	326.8817204	9806.484929	30000	0	0	30000	25.4375	2004
20.03.2020 10:01:43	1	1	1	1	97	45.25	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	24.3125	2004
20.03.2020 10:01:44	1	1	1	1	97	44.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	23	2004
20.03.2020 10:01:45	1	1	1	1	96.5	43	0	30000	316.1290323	9483.597423	30000	0	0	30000	23.5	2004
20.03.2020 10:01:46	1	1	1	1	96.5	43.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	23.125	2004
20.03.2020 10:01:47	1	1	1	1	96.5	43	0	30000	311.827957	9354.76857	30000	0	0	30000	23	2004
20.03.2020 10:01:48	1	1	1	1	96.5	43	0	30000	326.8817204	9870.899356	30000	0	0	30000	24.25	2004
20.03.2020 10:01:49	1	1	1	1	96.5	44.25	0	29952.607	318.2795699	9806.484929	30000	0	0	30000	24.6875	2004
20.03.2020 10:01:50	1	1	1	1	96.5	44.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	24.1875	2004
20.03.2020 10:01:51	1	1	1	1	96.5	44	0	30000	335.483871	10064.14264	30000	0	0	30000	24.5625	2004
20.03.2020 10:01:52	1	1	1	1	96.5	44.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	24.6875	2004
20.03.2020 10:01:53	1	1	1	1	96.5	44.5	0	30000	305.3763441	9175.386622	30000	0	0	30000	23.0625	2004
20.03.2020 10:01:54	1	1	1	1	96.5	43	0	30000	322.5806452	9741.25513	30000	0	0	30000	23.6875	2004
20.03.2020 10:02:00	1	1	1	1	97	43	0	30000	318.2795699	9548.01185	30000	0	0	30000	24.6875	2004
20.03.2020 10:02:00	1	1	1	1	97	43	0	30000	318.2795699	9548.01185	30000	0	0	30000	24.6875	2004
20.03.2020 10:02:00	1	1	1	1	97	43	0	30000	318.2795699	9548.01185	30000	0	0	30000	24.6875	2004
20.03.2020 10:02:00	1	1	1	1	97	43	0	30000	318.2795699	9548.01185	30000	0	0	30000	24.6875	2004
20.03.2020 10:02:00	1	1	1	1	97	43	0	30000	318.2795699	9548.01185	30000	0	0	30000	24.6875	2004
20.03.2020 10:02:01	1	1	1	1	97	44.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	23.5	2004
20.03.2020 10:02:02	1	1	1	1	97	43.5	0	29905.213	307.5268817	9225.124344	30000	0	0	30000	25.0625	2004
20.03.2020 10:02:03	1	1	1	1	97	45	0	30000	322.5806452	9548.01185	30000	0	0	30000	23.375	2004
20.03.2020 10:02:04	1	1	1	1	97	43.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	23.75	2004
20.03.2020 10:02:05	1	1	1	1	97	43.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	25.375	2004
20.03.2020 10:02:06	1	1	1	1	97	45.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	24.3125	2004
20.03.2020 10:02:07	1	1	1	1	97	44.25	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	23.5625	2004
20.03.2020 10:02:08	1	1	1	1	97	44	0	30000	313.9784946	9419.182997	30000	0	0	30000	25	2004
20.03.2020 10:02:09	1	1	1	1	97	45	0	30000	326.8817204	9806.484929	30000	0	0	30000	22.875	2004
20.03.2020 10:02:10	1	1	1	1	97	42.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	24.125	2004
20.03.2020 10:02:11	1	1	1	1	97	44	0	30000	309.6774194	9225.124344	30000	0	0	30000	23.0625	2004
20.03.2020 10:02:12	1	1	1	1	97	43	0	29952.607	313.9784946	9354.76857	30000	0	0	30000	24.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:02:13	1	1	1	1	97	44.5	0	30000	316.1290323	9468.920719	30000	0	0	30000	23.4375	2004
20.03.2020 10:02:14	1	1	1	1	97	43.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	23.6875	2004
20.03.2020 10:02:15	1	1	1	1	97	43.5	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	25.375	2004
20.03.2020 10:02:16	1	1	1	1	97	45.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	24.125	2004
20.03.2020 10:02:17	1	1	1	1	97	44	0	30000	326.8817204	9806.484929	30000	0	0	30000	24.125	2004
20.03.2020 10:02:18	1	1	1	1	97	44	0	30000	326.8817204	9741.25513	30000	0	0	30000	24	2004
20.03.2020 10:02:19	1	1	1	1	97	44	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	24.125	2004
20.03.2020 10:02:20	1	1	1	1	97	44	0	30000	333.3333333	9999.728209	30000	0	0	30000	23.6875	2004
20.03.2020 10:02:21	1	1	1	1	97	43.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	23.5	2004
20.03.2020 10:02:22	1	1	1	1	97	43.5	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	23.5625	2004
20.03.2020 10:02:23	1	1	1	1	97	43.5	0	30000	335.483871	9935.313783	30000	0	0	30000	24.1875	2004
20.03.2020 10:02:24	1	1	1	1	97	44	0	30000	329.0322581	9870.899356	30000	0	0	30000	24.4375	2004
20.03.2020 10:02:25	1	1	1	1	97.25	44.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	23.5	2004
20.03.2020 10:02:26	1	1	1	1	97.25	43.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	23.9375	2004
20.03.2020 10:02:27	1	1	1	1	97.25	43.75	0	30047.393	331.1827957	9935.313783	30000	0	0	30000	23.875	2004
20.03.2020 10:02:28	1	1	1	1	97.25	43.75	0	30000	329.0322581	10144.86451	30000	0	0	30000	25	2004
20.03.2020 10:02:29	1	1	1	1	97.25	45	0	30000	337.6344086	10128.55706	30000	0	0	30000	23.875	2004
20.03.2020 10:02:30	1	1	1	1	97.25	43.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	22.9375	2004
20.03.2020 10:02:31	1	1	1	1	97.25	42.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	25.375	2004
20.03.2020 10:02:32	1	1	1	1	97.25	45.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	23.625	2004
20.03.2020 10:02:33	1	1	1	1	97.25	43.5	0	29952.607	335.483871	10419.64504	30000	0	0	30000	23.4375	2004
20.03.2020 10:02:34	1	1	1	1	97.25	43.25	0	30000	352.688172	10580.27342	30000	0	0	30000	25.5	2004
20.03.2020 10:02:36	1	1	1	1	97	45.5	0	30000	346.2365591	10225.58639	30000	0	0	30000	23.875	2004
20.03.2020 10:02:37	1	1	1	1	97	43.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	24.3125	2004
20.03.2020 10:02:38	1	1	1	1	97	44.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	24.0625	2004
20.03.2020 10:02:39	1	1	1	1	97	44	0	30000	337.6344086	10128.55706	30000	0	0	30000	23.625	2004
20.03.2020 10:02:40	1	1	1	1	97	43.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	24.25	2004
20.03.2020 10:02:41	1	1	1	1	97	44.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	23.375	2004
20.03.2020 10:02:42	1	1	1	1	97	43.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	25.625	2004
20.03.2020 10:02:43	1	1	1	1	97	45.5	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	23.3125	2004
20.03.2020 10:02:44	1	1	1	1	97	43.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	24.125	2004
20.03.2020 10:02:45	1	1	1	1	97	44	0	30000	354.8387097	10644.68785	30000	0	0	30000	23.4375	2004
20.03.2020 10:02:46	1	1	1	1	97.25	43.25	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	24.0625	2004
20.03.2020 10:02:47	1	1	1	1	97.25	44	0	30000	326.8817204	9806.484929	30000	0	0	30000	23.4375	2004
20.03.2020 10:02:48	1	1	1	1	97.25	43.25	0	30000	335.483871	10064.14264	30000	0	0	30000	24.875	2004
20.03.2020 10:02:49	1	1	1	1	97.25	45.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	24.6875	2004
20.03.2020 10:02:50	1	1	1	1	97.25	44.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	24.6875	2004
20.03.2020 10:02:51	1	1	1	1	97.25	44.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	23.8125	2004
20.03.2020 10:02:52	1	1	1	1	97.25	43.75	0	29952.607	329.0322581	9919.821705	30000	0	0	30000	24.5	2004
20.03.2020 10:02:53	1	1	1	1	97.25	44.5	0	30000	335.483871	10064.14264	30000	0	0	30000	24.625	2004
20.03.2020 10:02:54	1	1	1	1	97.25	44.5	0	30000	326.8817204	9790.992852	30000	0	0	30000	24.6875	2004
20.03.2020 10:02:55	1	1	1	1	97.5	44.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	25.3125	2004
20.03.2020 10:02:56	1	1	1	1	97.5	45.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:03:02	1	1	1	1	97.5	44	0	30000	331.1827957	10144.86451	30000	0	0	30000	24.6875	2004
20.03.2020 10:03:02	1	1	1	1	97.5	44	0	30000	331.1827957	10144.86451	30000	0	0	30000	24.6875	2004
20.03.2020 10:03:02	1	1	1	1	97.5	44	0	30000	331.1827957	10144.86451	30000	0	0	30000	24.6875	2004
20.03.2020 10:03:02	1	1	1	1	97.5	44	0	30000	331.1827957	10144.86451	30000	0	0	30000	24.6875	2004
20.03.2020 10:03:02	1	1	1	1	97.5	44.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	24.25	2004
20.03.2020 10:03:03	1	1	1	1	97.5	44.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	24.625	2004
20.03.2020 10:03:04	1	1	1	1	97.5	44.5	0	30000	335.483871	10128.55706	30000	0	0	30000	24.125	2004
20.03.2020 10:03:05	1	1	1	1	96.25	44	0	30000	344.0860215	10387.03014	30000	0	0	30000	23.9375	2004
20.03.2020 10:03:06	1	1	1	1	96.25	43.75	0	29952.607	335.483871	10128.55706	30000	0	0	30000	24.75	2004
20.03.2020 10:03:07	1	1	1	1	96.25	44.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	24.125	2004
20.03.2020 10:03:08	1	1	1	1	96.25	44	0	30000	326.8817204	9582.257495	30000	0	0	30000	25.4375	2004
20.03.2020 10:03:09	1	1	1	1	96.25	45.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	24.4375	2004
20.03.2020 10:03:10	1	1	1	1	96.25	44.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	24.625	2004
20.03.2020 10:03:11	1	1	1	1	96.25	44.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	23.6875	2004
20.03.2020 10:03:12	1	1	1	1	96.25	43.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	24.4375	2004
20.03.2020 10:03:13	1	1	1	1	96.25	44.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	24.6875	2004
20.03.2020 10:03:15	1	1	1	1	96.25	44.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	25.25	2004
20.03.2020 10:03:16	1	1	1	1	95	45.25	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	23.9375	2004
20.03.2020 10:03:17	1	1	1	1	95	43.75	0	30000	348.3870968	10709.10227	30000	0	0	30000	24.9375	2004
20.03.2020 10:03:18	1	1	1	1	95	44.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	24.6875	2004
20.03.2020 10:03:19	1	1	1	1	95	44.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	24	2004
20.03.2020 10:03:20	1	1	1	1	95	44	0	30000	341.9354839	10257.38592	30000	0	0	30000	25.6875	2004
20.03.2020 10:03:21	1	1	1	1	95	45.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.625	2004
20.03.2020 10:03:22	1	1	1	1	95	44.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	25.375	2004
20.03.2020 10:03:23	1	1	1	1	95	45.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	25.875	2004
20.03.2020 10:03:24	1	1	1	1	95	45.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	23.9375	2004
20.03.2020 10:03:25	1	1	1	1	95	43.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	25.8125	2004
20.03.2020 10:03:26	1	1	1	1	94.25	45.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	25.8125	2004
20.03.2020 10:03:27	1	1	1	1	94.25	45	0	30000	337.6344086	10192.97149	30000	0	0	30000	24.4375	2004
20.03.2020 10:03:28	1	1	1	1	94.25	44.25	0	30000	335.483871	10064.14264	30000	0	0	30000	25.25	2004
20.03.2020 10:03:29	1	1	1	1	94.25	45.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	24.1875	2004
20.03.2020 10:03:30	1	1	1	1	94.25	44	0	30000	337.6344086	10128.55706	30000	0	0	30000	23.3125	2004
20.03.2020 10:03:31	1	1	1	1	94.25	43.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	25.3125	2004
20.03.2020 10:03:32	1	1	1	1	94.25	45.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	24.6875	2004
20.03.2020 10:03:33	1	1	1	1	94.25	44.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	24.0625	2004
20.03.2020 10:03:34	1	1	1	1	94.25	44	0	30000	333.3333333	10064.14264	30000	0	0	30000	24.125	2004
20.03.2020 10:03:35	1	1	1	1	92	44	0	30000	354.8387097	10387.03014	30000	0	0	30000	24.9375	2004
20.03.2020 10:03:36	1	1	1	1	92	44.75	0	30000	356.9892473	10482.42872	30000	0	0	30000	26	2004
20.03.2020 10:03:37	1	1	1	1	92	46	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	24.1875	2004
20.03.2020 10:03:38	1	1	1	1	92	44	0	29952.607	350.5376344	10709.10227	30000	0	0	30000	24	2004
20.03.2020 10:03:39	1	1	1	1	92	44	0	30000	335.483871	9999.728209	30000	0	0	30000	23.9375	2004
20.03.2020 10:03:40	1	1	1	1	92	43.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	24.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:03:41	1	1	1	1	92	44.5	0	30047.393	341.9354839	10273.69337	30000	0	0	30000	24.6875	2004
20.03.2020 10:03:42	1	1	1	1	92	44.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	24.8125	2004
20.03.2020 10:03:43	1	1	1	1	92	44.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	25	2004
20.03.2020 10:03:44	1	1	1	1	92	45	0	30000	326.8817204	9870.899356	30000	0	0	30000	23.8125	2004
20.03.2020 10:03:45	1	1	1	1	91.5	43.75	0	29952.607	339.7849462	10128.55706	30000	0	0	30000	23.75	2004
20.03.2020 10:03:46	1	1	1	1	91.5	43.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	25.5625	2004
20.03.2020 10:03:47	1	1	1	1	91.5	45.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	24.625	2004
20.03.2020 10:03:48	1	1	1	1	91.5	44.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	25.5625	2004
20.03.2020 10:03:49	1	1	1	1	91.5	45.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	24.25	2004
20.03.2020 10:03:51	1	1	1	1	91.5	44.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	24.9375	2004
20.03.2020 10:03:52	1	1	1	1	91.5	44.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	24.375	2004
20.03.2020 10:03:53	1	1	1	1	91.5	44.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	24.4375	2004
20.03.2020 10:03:54	1	1	1	1	91.5	44.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	25.5625	2004
20.03.2020 10:03:55	1	1	1	1	91.5	45.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	24.9375	2004
20.03.2020 10:03:56	1	1	1	1	92.75	44.75	0	30047.393	331.1827957	9999.728209	30000	0	0	30000	25.6875	2004
20.03.2020 10:03:57	1	1	1	1	92.75	45.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	24.875	2004
20.03.2020 10:03:58	1	1	1	1	92.75	44.75	0	30000	348.3870968	10419.64504	30000	0	0	30000	25.5	2004
20.03.2020 10:04:04	1	1	1	1	92.75	46	0	30000	316.1290323	9419.182997	30000	0	0	30000	25.75	2004
20.03.2020 10:04:04	1	1	1	1	92.75	46	0	30000	316.1290323	9419.182997	30000	0	0	30000	25.75	2004
20.03.2020 10:04:04	1	1	1	1	92.75	46	0	30000	316.1290323	9419.182997	30000	0	0	30000	25.75	2004
20.03.2020 10:04:04	1	1	1	1	92.75	46	0	30000	316.1290323	9419.182997	30000	0	0	30000	25.75	2004
20.03.2020 10:04:04	1	1	1	1	92.75	44	0	30000	335.483871	9999.728209	30000	0	0	30000	23.6875	2004
20.03.2020 10:04:05	1	1	1	1	92.75	43.5	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	24.1875	2004
20.03.2020 10:04:06	1	1	1	1	92.75	44	0	30000	322.5806452	9676.840703	30000	0	0	30000	24.625	2004
20.03.2020 10:04:07	1	1	1	1	92.75	44.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	26.0625	2004
20.03.2020 10:04:08	1	1	1	1	92.75	46	0	30000	337.6344086	10192.97149	30000	0	0	30000	25.0625	2004
20.03.2020 10:04:09	1	1	1	1	92.75	45	0	30000	329.0322581	9855.407279	30000	0	0	30000	25.625	2004
20.03.2020 10:04:10	1	1	1	1	92.75	45.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	24.25	2004
20.03.2020 10:04:11	1	1	1	1	92.75	44.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	24.4375	2004
20.03.2020 10:04:12	1	1	1	1	92.75	44.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	24.125	2004
20.03.2020 10:04:13	1	1	1	1	92.75	44	0	29952.607	348.3870968	10435.13712	30000	0	0	30000	25.375	2004
20.03.2020 10:04:14	1	1	1	1	92.75	45.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	23.75	2004
20.03.2020 10:04:15	1	1	1	1	92.75	43.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	23.75	2004
20.03.2020 10:04:16	1	1	1	1	92.75	43.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	24.625	2004
20.03.2020 10:04:17	1	1	1	1	92.75	44.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	25.3125	2004
20.03.2020 10:04:18	1	1	1	1	92.75	45.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	24.6875	2004
20.03.2020 10:04:19	1	1	1	1	92.75	44.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	25.0625	2004
20.03.2020 10:04:20	1	1	1	1	92.75	45	0	30000	341.9354839	10257.38592	30000	0	0	30000	24.8125	2004
20.03.2020 10:04:21	1	1	1	1	92.75	44.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	23.875	2004
20.03.2020 10:04:22	1	1	1	1	92.75	43.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	24.875	2004
20.03.2020 10:04:23	1	1	1	1	92.75	44.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	24.5	2004
20.03.2020 10:04:24	1	1	1	1	92.75	44.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:04:25	1	1	1	1	94	44.5	0	30000	344.0860215	10387.03014	30000	0	0	30000	25.5625	2004
20.03.2020 10:04:26	1	1	1	1	94	45.5	0	30000	346.2365591	10370.72269	30000	0	0	30000	24.3125	2004
20.03.2020 10:04:28	1	1	1	1	94	44.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	24.6875	2004
20.03.2020 10:04:29	1	1	1	1	94	44.5	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	24.25	2004
20.03.2020 10:04:30	1	1	1	1	94	44.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	25.25	2004
20.03.2020 10:04:31	1	1	1	1	94	45.25	0	29905.213	348.3870968	10353.59987	30000	0	0	30000	24.125	2004
20.03.2020 10:04:32	1	1	1	1	94	44	0	29905.213	344.0860215	10387.03014	30000	0	0	30000	24.3125	2004
20.03.2020 10:04:33	1	1	1	1	94	44.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	23.9375	2004
20.03.2020 10:04:34	1	1	1	1	94	43.75	0	30000	344.0860215	10322.61571	30000	0	0	30000	24.9375	2004
20.03.2020 10:04:35	1	1	1	1	94	44.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	23.9375	2004
20.03.2020 10:04:36	1	1	1	1	93.5	43.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	23.6875	2004
20.03.2020 10:04:37	1	1	1	1	93.5	43.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	24.25	2004
20.03.2020 10:04:38	1	1	1	1	93.5	44.25	0	30000	348.3870968	10257.38592	30000	0	0	30000	23.875	2004
20.03.2020 10:04:39	1	1	1	1	93.5	43.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	24.8125	2004
20.03.2020 10:04:40	1	1	1	1	93.5	44.75	0	30047.393	348.3870968	10451.44457	30000	0	0	30000	24.6875	2004
20.03.2020 10:04:41	1	1	1	1	93.5	44.5	0	29952.607	365.5913978	11160.81863	30000	0	0	30000	25.4375	2004
20.03.2020 10:04:42	1	1	1	1	93.5	45.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.75	2004
20.03.2020 10:04:43	1	1	1	1	93.5	44.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	25.6875	2004
20.03.2020 10:04:44	1	1	1	1	93.5	46	0	30000	359.1397849	10773.5167	30000	0	0	30000	24.5625	2004
20.03.2020 10:04:45	1	1	1	1	94.75	44.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.875	2004
20.03.2020 10:04:46	1	1	1	1	94.75	44.75	0	30000	335.483871	10064.14264	30000	0	0	30000	25.8125	2004
20.03.2020 10:04:47	1	1	1	1	94.75	45.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	25	2004
20.03.2020 10:04:48	1	1	1	1	94.75	45	0	30000	341.9354839	10257.38592	30000	0	0	30000	25.9375	2004
20.03.2020 10:04:49	1	1	1	1	94.75	45.75	0	30000	352.688172	10709.10227	30000	0	0	30000	24.5	2004
20.03.2020 10:04:50	1	1	1	1	94.75	44.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	24.25	2004
20.03.2020 10:04:51	1	1	1	1	94.75	44.25	0	29905.213	337.6344086	10192.97149	30000	0	0	30000	24.625	2004
20.03.2020 10:04:52	1	1	1	1	94.75	44.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	23.875	2004
20.03.2020 10:04:53	1	1	1	1	94.75	43.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	23.9375	2004
20.03.2020 10:04:54	1	1	1	1	94.75	43.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.0625	2004
20.03.2020 10:04:55	1	1	1	1	95.75	44	0	30000	361.2903226	10773.5167	30000	0	0	30000	24.1875	2004
20.03.2020 10:04:56	1	1	1	1	95.75	44	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.375	2004
20.03.2020 10:04:57	1	1	1	1	95.75	44.25	0	30000	356.9892473	10580.27342	30000	0	0	30000	24.125	2004
20.03.2020 10:04:58	1	1	1	1	95.75	44	0	30000	346.2365591	10387.03014	30000	0	0	30000	25.5	2004
20.03.2020 10:04:59	1	1	1	1	95.75	45.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	25.1875	2004
20.03.2020 10:05:06	1	1	1	1	94	45.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.375	2004
20.03.2020 10:05:06	1	1	1	1	94	45.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.375	2004
20.03.2020 10:05:06	1	1	1	1	94	45.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.375	2004
20.03.2020 10:05:06	1	1	1	1	94	45.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.375	2004
20.03.2020 10:05:06	1	1	1	1	94	45.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.375	2004
20.03.2020 10:05:06	1	1	1	1	94	45.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.375	2004
20.03.2020 10:05:06	1	1	1	1	94	44.25	0	30000	356.9892473	10515.85899	30000	0	0	30000	25.0625	2004
20.03.2020 10:05:07	1	1	1	1	94	45	0	30000	359.1397849	10773.5167	30000	0	0	30000	24.0625	2004
20.03.2020 10:05:08	1	1	1	1	94	44	0	30000	359.1397849	10773.5167	30000	0	0	30000	25.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:05:09	1	1	1	1	94	45.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	24.75	2004
20.03.2020 10:05:10	1	1	1	1	94	44.75	0	30000	326.8817204	9676.840703	30000	0	0	30000	24.6875	2004
20.03.2020 10:05:12	1	1	1	1	94	44.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	24	2004
20.03.2020 10:05:13	1	1	1	1	94	44	0	30000	331.1827957	9999.728209	30000	0	0	30000	24.375	2004
20.03.2020 10:05:14	1	1	1	1	94	44.25	0	30047.393	339.7849462	10387.03014	30000	0	0	30000	24.375	2004
20.03.2020 10:05:15	1	1	1	1	94	44.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	24.875	2004
20.03.2020 10:05:16	1	1	1	1	93	44.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	25.3125	2004
20.03.2020 10:05:17	1	1	1	1	93	45.25	0	30000	324.7311828	9517.843068	30000	0	0	30000	24.625	2004
20.03.2020 10:05:18	1	1	1	1	93	44.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	25.25	2004
20.03.2020 10:05:19	1	1	1	1	93	45.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	24.0625	2004
20.03.2020 10:05:20	1	1	1	1	93	44	0	30000	329.0322581	9870.899356	30000	0	0	30000	24.9375	2004
20.03.2020 10:05:21	1	1	1	1	93	44.75	0	29952.607	341.9354839	10515.85899	30000	0	0	30000	25.375	2004
20.03.2020 10:05:22	1	1	1	1	93	45.25	0	30000	335.483871	9806.484929	30000	0	0	30000	25.1875	2004
20.03.2020 10:05:23	1	1	1	1	93	45	0	30000	339.7849462	10387.03014	30000	0	0	30000	26.0625	2004
20.03.2020 10:05:24	1	1	1	1	93	46	0	30000	341.9354839	10257.38592	30000	0	0	30000	26.6875	2004
20.03.2020 10:05:25	1	1	1	1	93	46.5	0	29905.213	333.3333333	9999.728209	30000	0	0	30000	25.625	2004
20.03.2020 10:05:26	1	1	1	1	92.75	45.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	24.75	2004
20.03.2020 10:05:27	1	1	1	1	92.75	44.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	25.4375	2004
20.03.2020 10:05:28	1	1	1	1	92.75	44	0	30000	339.7849462	10257.38592	30000	0	0	30000	25.125	2004
20.03.2020 10:05:29	1	1	1	1	92.75	45	0	29952.607	348.3870968	10451.44457	30000	0	0	30000	25.5	2004
20.03.2020 10:05:30	1	1	1	1	92.75	45.5	0	30000	346.2365591	10257.38592	30000	0	0	30000	24.375	2004
20.03.2020 10:05:31	1	1	1	1	92.75	44.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.6875	2004
20.03.2020 10:05:32	1	1	1	1	92.75	44.5	0	30000	335.483871	10064.14264	30000	0	0	30000	25.625	2004
20.03.2020 10:05:33	1	1	1	1	92.75	45.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	24.75	2004
20.03.2020 10:05:34	1	1	1	1	92.75	44.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	25.9375	2004
20.03.2020 10:05:35	1	1	1	1	92	45.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	25.0625	2004
20.03.2020 10:05:36	1	1	1	1	92	45	0	30000	333.3333333	9999.728209	30000	0	0	30000	24.3125	2004
20.03.2020 10:05:37	1	1	1	1	92	44.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	23.875	2004
20.03.2020 10:05:38	1	1	1	1	92	43.75	0	29905.213	350.5376344	10644.68785	30000	0	0	30000	23.9375	2004
20.03.2020 10:05:39	1	1	1	1	92	43.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	25.0625	2004
20.03.2020 10:05:40	1	1	1	1	92	45	0	30000	333.3333333	9999.728209	30000	0	0	30000	24.5625	2004
20.03.2020 10:05:41	1	1	1	1	92	44.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	24.3125	2004
20.03.2020 10:05:42	1	1	1	1	92	44.25	0	30000	341.9354839	10273.69337	30000	0	0	30000	25	2004
20.03.2020 10:05:43	1	1	1	1	92	45	0	30000	359.1397849	10773.5167	30000	0	0	30000	24.5	2004
20.03.2020 10:05:44	1	1	1	1	92	44.5	0	30000	354.8387097	10580.27342	30000	0	0	30000	24.8125	2004
20.03.2020 10:05:45	1	1	1	1	93.25	44.75	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	25.25	2004
20.03.2020 10:05:46	1	1	1	1	93.25	45.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	24.6875	2004
20.03.2020 10:05:47	1	1	1	1	93.25	44.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	25.75	2004
20.03.2020 10:05:48	1	1	1	1	93.25	45.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	26.5	2004
20.03.2020 10:05:49	1	1	1	1	93.25	46.5	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	24.875	2004
20.03.2020 10:05:50	1	1	1	1	93.25	44.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	25.4375	2004
20.03.2020 10:05:52	1	1	1	1	93.25	45.25	0	30000	350.5376344	10435.13712	30000	0	0	30000	25.6875	2004
20.03.2020 10:05:53	1	1	1	1	93.25	45.5	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	25.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:05:54	1	1	1	1	93.25	45.5	0	30000	352.688172	10644.68785	30000	0	0	30000	26.5	2004
20.03.2020 10:05:55	1	1	1	1	93.25	46.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	25.4375	2004
20.03.2020 10:05:56	1	1	1	1	95	45.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	26.1875	2004
20.03.2020 10:05:57	1	1	1	1	95	46	0	29952.607	346.2365591	10644.68785	30000	0	0	30000	25.3125	2004
20.03.2020 10:05:58	1	1	1	1	95	45.25	0	30047.393	354.8387097	10644.68785	30000	0	0	30000	25.3125	2004
20.03.2020 10:05:59	1	1	1	1	95	45.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	24.5	2004
20.03.2020 10:06:00	1	1	1	1	95	44.5	0	30000	346.2365591	10257.38592	30000	0	0	30000	25.4375	2004
20.03.2020 10:06:01	1	1	1	1	95	45.25	0	29905.213	367.7419355	11096.40421	30000	0	0	30000	25.25	2004
20.03.2020 10:06:07	1	1	1	1	94	44.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	24.3125	2004
20.03.2020 10:06:07	1	1	1	1	94	44.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	24.3125	2004
20.03.2020 10:06:07	1	1	1	1	94	44.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	24.3125	2004
20.03.2020 10:06:07	1	1	1	1	94	44.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	24.3125	2004
20.03.2020 10:06:07	1	1	1	1	94	44.25	0	30000	339.7849462	9999.728209	30000	0	0	30000	24.25	2004
20.03.2020 10:06:08	1	1	1	1	94	44.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	25.375	2004
20.03.2020 10:06:09	1	1	1	1	94	45.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	27.125	2004
20.03.2020 10:06:10	1	1	1	1	94	45	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	25.5625	2004
20.03.2020 10:06:11	1	1	1	1	94	45.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	25.375	2004
20.03.2020 10:06:12	1	1	1	1	94	45.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	24.625	2004
20.03.2020 10:06:13	1	1	1	1	94	44.5	0	30000	354.8387097	10370.72269	30000	0	0	30000	25.875	2004
20.03.2020 10:06:14	1	1	1	1	94	45.75	0	30047.393	341.9354839	9839.099829	30000	0	0	30000	26.3125	2004
20.03.2020 10:06:15	1	1	1	1	93.75	46.25	0	30000	335.483871	10128.55706	30000	0	0	30000	25.1875	2004
20.03.2020 10:06:16	1	1	1	1	93.75	45	0	30000	346.2365591	10257.38592	30000	0	0	30000	25.4375	2004
20.03.2020 10:06:17	1	1	1	1	93.75	45.25	0	30047.393	354.8387097	10451.44457	30000	0	0	30000	26.5625	2004
20.03.2020 10:06:18	1	1	1	1	93.75	46.5	0	30000	350.5376344	10644.68785	30000	0	0	30000	25.4375	2004
20.03.2020 10:06:19	1	1	1	1	93.75	45.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	25.6875	2004
20.03.2020 10:06:20	1	1	1	1	93.75	45.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	25.375	2004
20.03.2020 10:06:21	1	1	1	1	93.75	45.25	0	29905.213	341.9354839	10387.03014	30000	0	0	30000	24.875	2004
20.03.2020 10:06:22	1	1	1	1	93.75	44.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	25.125	2004
20.03.2020 10:06:23	1	1	1	1	93.75	45	0	30047.393	350.5376344	10580.27342	30000	0	0	30000	25.375	2004
20.03.2020 10:06:24	1	1	1	1	93.75	45.25	0	29952.607	335.483871	10032.34311	30000	0	0	30000	25.5	2004
20.03.2020 10:06:25	1	1	1	1	94	45.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	24.9375	2004
20.03.2020 10:06:26	1	1	1	1	94	44.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	25.4375	2004
20.03.2020 10:06:27	1	1	1	1	94	45.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	25.75	2004
20.03.2020 10:06:28	1	1	1	1	94	45.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	26.6875	2004
20.03.2020 10:06:29	1	1	1	1	94	46.5	0	30000	346.2365591	10225.58639	30000	0	0	30000	25.75	2004
20.03.2020 10:06:30	1	1	1	1	94	45.75	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	25.375	2004
20.03.2020 10:06:31	1	1	1	1	94	45.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	26	2004
20.03.2020 10:06:33	1	1	1	1	94	46	0	30000	348.3870968	10451.44457	30000	0	0	30000	24.4375	2004
20.03.2020 10:06:34	1	1	1	1	94	44.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	25.375	2004
20.03.2020 10:06:35	1	1	1	1	94	45.25	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	25.5625	2004
20.03.2020 10:06:36	1	1	1	1	94.25	45.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	25.0625	2004
20.03.2020 10:06:37	1	1	1	1	94.25	45	0	30000	365.5913978	10903.16093	30000	0	0	30000	24.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:06:38	1	1	1	1	94.25	44.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	26.4375	2004
20.03.2020 10:06:39	1	1	1	1	94.25	46.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	26.75	2004
20.03.2020 10:06:40	1	1	1	1	94.25	46.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	26.375	2004
20.03.2020 10:06:41	1	1	1	1	94.25	46.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	25.8125	2004
20.03.2020 10:06:42	1	1	1	1	94.25	45.75	0	30000	356.9892473	10482.42872	30000	0	0	30000	24.75	2004
20.03.2020 10:06:43	1	1	1	1	94.25	44.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	25.875	2004
20.03.2020 10:06:44	1	1	1	1	94.25	45.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	24.8125	2004
20.03.2020 10:06:45	1	1	1	1	94.25	44.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	25.75	2004
20.03.2020 10:06:46	1	1	1	1	94.5	45.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	25.8125	2004
20.03.2020 10:06:47	1	1	1	1	94.5	45.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	26.1875	2004
20.03.2020 10:06:48	1	1	1	1	94.5	46	0	30000	359.1397849	10807.76235	30000	0	0	30000	27.25	2004
20.03.2020 10:06:49	1	1	1	1	94.5	46.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	25.25	2004
20.03.2020 10:06:50	1	1	1	1	94.5	45.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.8125	2004
20.03.2020 10:06:51	1	1	1	1	94.5	46.75	0	30047.393	348.3870968	10257.38592	30000	0	0	30000	26.875	2004
20.03.2020 10:06:52	1	1	1	1	94.5	46.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	25.9375	2004
20.03.2020 10:06:53	1	1	1	1	94.5	45.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	24.875	2004
20.03.2020 10:06:54	1	1	1	1	94.5	44.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	25.5	2004
20.03.2020 10:06:55	1	1	1	1	93.75	45.5	0	29905.213	346.2365591	10353.59987	30000	0	0	30000	25.1875	2004
20.03.2020 10:06:56	1	1	1	1	93.75	45	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	24.625	2004
20.03.2020 10:06:57	1	1	1	1	93.75	44.5	0	29952.607	346.2365591	10370.72269	30000	0	0	30000	24.25	2004
20.03.2020 10:06:58	1	1	1	1	93.75	44.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	24.5625	2004
20.03.2020 10:06:59	1	1	1	1	93.75	44.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	25.5	2004
20.03.2020 10:07:00	1	1	1	1	93.75	45.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	25.3125	2004
20.03.2020 10:07:01	1	1	1	1	93.75	45.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	24.4375	2004
20.03.2020 10:07:02	1	1	1	1	93.75	44.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	25.375	2004
20.03.2020 10:07:08	1	1	1	1	92.5	45.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	25.5	2004
20.03.2020 10:07:08	1	1	1	1	92.5	45.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	25.5	2004
20.03.2020 10:07:08	1	1	1	1	92.5	45.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	25.5	2004
20.03.2020 10:07:08	1	1	1	1	92.5	45.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	25.5	2004
20.03.2020 10:07:08	1	1	1	1	92.5	45.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	25.5	2004
20.03.2020 10:07:08	1	1	1	1	92.5	45.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	24.5	2004
20.03.2020 10:07:09	1	1	1	1	92.5	44.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	25.625	2004
20.03.2020 10:07:11	1	1	1	1	92.5	45.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	25.625	2004
20.03.2020 10:07:12	1	1	1	1	92.5	45.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	25.875	2004
20.03.2020 10:07:13	1	1	1	1	92.5	45.75	0	30000	335.483871	10128.55706	30000	0	0	30000	26.3125	2004
20.03.2020 10:07:14	1	1	1	1	92.5	46.25	0	30000	335.483871	10064.14264	30000	0	0	30000	26.3125	2004
20.03.2020 10:07:15	1	1	1	1	92.5	46.25	0	29905.213	329.0322581	9999.728209	30000	0	0	30000	25.375	2004
20.03.2020 10:07:16	1	1	1	1	93	45.25	0	29952.607	335.483871	9967.928682	30000	0	0	30000	25.4375	2004
20.03.2020 10:07:17	1	1	1	1	93	45.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	26.3125	2004
20.03.2020 10:07:18	1	1	1	1	93	46.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	26.5625	2004
20.03.2020 10:07:19	1	1	1	1	93	46.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	26.625	2004
20.03.2020 10:07:21	1	1	1	1	93	45.25	0	30000	326.8817204	9886.391433	30000	0	0	30000	25.625	2004
20.03.2020 10:07:21	1	1	1	1	93	45.25	0	30000	326.8817204	9886.391433	30000	0	0	30000	25.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:07:22	1	1	1	1	93	45.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	25.0625	2004
20.03.2020 10:07:23	1	1	1	1	93	45	0	30000	320.4301075	9741.25513	30000	0	0	30000	25.4375	2004
20.03.2020 10:07:24	1	1	1	1	93	45.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	26.1875	2004
20.03.2020 10:07:25	1	1	1	1	93	46	0	30047.393	331.1827957	9935.313783	30000	0	0	30000	27.0625	2004
20.03.2020 10:07:26	1	1	1	1	92.75	47	0	30000	335.483871	10064.14264	30000	0	0	30000	24.6875	2004
20.03.2020 10:07:27	1	1	1	1	92.75	45.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	25.25	2004
20.03.2020 10:07:28	1	1	1	1	92.75	45.25	0	30000	335.483871	10064.14264	30000	0	0	30000	25.375	2004
20.03.2020 10:07:29	1	1	1	1	92.75	45.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	25.5	2004
20.03.2020 10:07:30	1	1	1	1	92.75	45.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	25.9375	2004
20.03.2020 10:07:31	1	1	1	1	92.75	45.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	24.875	2004
20.03.2020 10:07:32	1	1	1	1	92.75	44.75	0	30000	331.1827957	9950.80586	30000	0	0	30000	24.9375	2004
20.03.2020 10:07:33	1	1	1	1	92.75	44.75	0	29905.213	329.0322581	10064.14264	30000	0	0	30000	25.875	2004
20.03.2020 10:07:34	1	1	1	1	92.75	45.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	25.1875	2004
20.03.2020 10:07:35	1	1	1	1	92.5	45	0	30000	344.0860215	10322.61571	30000	0	0	30000	26.1875	2004
20.03.2020 10:07:36	1	1	1	1	92.5	46	0	30000	318.2795699	9483.597423	30000	0	0	30000	25.9375	2004
20.03.2020 10:07:37	1	1	1	1	92.5	45.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	24.6875	2004
20.03.2020 10:07:38	1	1	1	1	92.5	44.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	25.5625	2004
20.03.2020 10:07:39	1	1	1	1	92.5	45.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	26.125	2004
20.03.2020 10:07:40	1	1	1	1	92.5	46	0	30000	335.483871	10064.14264	30000	0	0	30000	25.4375	2004
20.03.2020 10:07:41	1	1	1	1	92.5	45.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	26.6875	2004
20.03.2020 10:07:42	1	1	1	1	92.5	46.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	25.9375	2004
20.03.2020 10:07:43	1	1	1	1	92.5	45.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	25.875	2004
20.03.2020 10:07:44	1	1	1	1	92.5	45.75	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	24.8125	2004
20.03.2020 10:07:45	1	1	1	1	92	44.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	25	2004
20.03.2020 10:07:46	1	1	1	1	92	45	0	30000	320.4301075	9612.426277	30000	0	0	30000	26.0625	2004
20.03.2020 10:07:47	1	1	1	1	92	46	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	25.9375	2004
20.03.2020 10:07:49	1	1	1	1	92	45.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	25.125	2004
20.03.2020 10:07:50	1	1	1	1	92	45	0	30000	329.0322581	9870.899356	30000	0	0	30000	24.75	2004
20.03.2020 10:07:51	1	1	1	1	92	44.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	26.3125	2004
20.03.2020 10:07:52	1	1	1	1	92	46.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	25.75	2004
20.03.2020 10:07:53	1	1	1	1	92	45.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	25.125	2004
20.03.2020 10:07:54	1	1	1	1	92	45	0	30000	316.1290323	9483.597423	30000	0	0	30000	25.3125	2004
20.03.2020 10:07:55	1	1	1	1	92	45.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	25.1875	2004
20.03.2020 10:07:56	1	1	1	1	91.5	45	0	30000	331.1827957	9999.728209	30000	0	0	30000	25.3125	2004
20.03.2020 10:07:57	1	1	1	1	91.5	45.25	0	30000	320.4301075	9483.597423	30000	0	0	30000	24.9375	2004
20.03.2020 10:07:58	1	1	1	1	91.5	44.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	25.8125	2004
20.03.2020 10:07:59	1	1	1	1	91.5	45.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	26.4375	2004
20.03.2020 10:08:00	1	1	1	1	91.5	46.25	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	26.4375	2004
20.03.2020 10:08:01	1	1	1	1	91.5	46.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	27.125	2004
20.03.2020 10:08:02	1	1	1	1	91.5	47	0	30000	341.9354839	10257.38592	30000	0	0	30000	27.6875	2004
20.03.2020 10:08:03	1	1	1	1	91.5	47.5	0	30000	341.9354839	10192.97149	30000	0	0	30000	27.125	2004
20.03.2020 10:08:04	1	1	1	1	91.5	44.75	0	30000	337.6344086	10209.27894	30000	0	0	30000	25.375	2004
20.03.2020 10:08:10	1	1	1	1	91.75	45.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	26.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:08:10	1	1	1	1	91.75	45.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	26.625	2004
20.03.2020 10:08:10	1	1	1	1	91.75	45.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	26.625	2004
20.03.2020 10:08:10	1	1	1	1	91.75	45.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	26.625	2004
20.03.2020 10:08:10	1	1	1	1	91.75	45.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	26.625	2004
20.03.2020 10:08:10	1	1	1	1	91.75	46.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	27.3125	2004
20.03.2020 10:08:11	1	1	1	1	91.75	47.25	0	30000	335.483871	10128.55706	30000	0	0	30000	26.1875	2004
20.03.2020 10:08:12	1	1	1	1	91.75	46	0	30000	344.0860215	10451.44457	30000	0	0	30000	26.375	2004
20.03.2020 10:08:13	1	1	1	1	91.75	46.25	0	30000	329.0322581	9741.25513	30000	0	0	30000	26.625	2004
20.03.2020 10:08:14	1	1	1	1	91.75	46.5	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	25.6875	2004
20.03.2020 10:08:15	1	1	1	1	91.5	45.5	0	30000	337.6344086	10192.97149	30000	0	0	30000	27.125	2004
20.03.2020 10:08:16	1	1	1	1	91.5	47	0	30000	350.5376344	10644.68785	30000	0	0	30000	26.375	2004
20.03.2020 10:08:17	1	1	1	1	91.5	46.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	25.1875	2004
20.03.2020 10:08:18	1	1	1	1	91.5	45	0	30000	331.1827957	9999.728209	30000	0	0	30000	26.1875	2004
20.03.2020 10:08:19	1	1	1	1	91.5	46	0	30000	335.483871	10128.55706	30000	0	0	30000	25.1875	2004
20.03.2020 10:08:20	1	1	1	1	91.5	45	0	30000	333.3333333	9855.407279	30000	0	0	30000	26.9375	2004
20.03.2020 10:08:21	1	1	1	1	91.5	46.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	27.25	2004
20.03.2020 10:08:22	1	1	1	1	91.5	47.25	0	30000	350.5376344	10387.03014	30000	0	0	30000	25.1875	2004
20.03.2020 10:08:23	1	1	1	1	91.5	45	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	24.9375	2004
20.03.2020 10:08:24	1	1	1	1	91.5	44.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	26.125	2004
20.03.2020 10:08:25	1	1	1	1	91	46	0	30000	333.3333333	9999.728209	30000	0	0	30000	25.125	2004
20.03.2020 10:08:27	1	1	1	1	91	45	0	30000	339.7849462	10128.55706	30000	0	0	30000	26.75	2004
20.03.2020 10:08:28	1	1	1	1	91	46.75	0	30047.393	333.3333333	9935.313783	30000	0	0	30000	25.3125	2004
20.03.2020 10:08:29	1	1	1	1	91	45.25	0	29952.607	346.2365591	10451.44457	30000	0	0	30000	25.75	2004
20.03.2020 10:08:30	1	1	1	1	91	45.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	26.75	2004
20.03.2020 10:08:31	1	1	1	1	91	46.75	0	29952.607	346.2365591	10451.44457	30000	0	0	30000	26.6875	2004
20.03.2020 10:08:32	1	1	1	1	91	46.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	26.875	2004
20.03.2020 10:08:33	1	1	1	1	91	46.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	25.3125	2004
20.03.2020 10:08:34	1	1	1	1	91	45.25	0	29952.607	316.1290323	9324.599788	30000	0	0	30000	25	2004
20.03.2020 10:08:35	1	1	1	1	91	45	0	30000	329.0322581	9999.728209	30000	0	0	30000	26.125	2004
20.03.2020 10:08:36	1	1	1	1	91	46	0	30000	339.7849462	10192.97149	30000	0	0	30000	25.5625	2004
20.03.2020 10:08:37	1	1	1	1	91	45.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	26.25	2004
20.03.2020 10:08:38	1	1	1	1	91	46.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	25.1875	2004
20.03.2020 10:08:39	1	1	1	1	91	45	0	30000	335.483871	10128.55706	30000	0	0	30000	25.875	2004
20.03.2020 10:08:40	1	1	1	1	91	45.75	0	30000	331.1827957	9886.391433	30000	0	0	30000	26.375	2004
20.03.2020 10:08:41	1	1	1	1	91	46.25	0	30000	337.6344086	10192.97149	30000	0	0	30000	27.9375	2004
20.03.2020 10:08:42	1	1	1	1	91	47.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	26.4375	2004
20.03.2020 10:08:43	1	1	1	1	91	45.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	24.875	2004
20.03.2020 10:08:44	1	1	1	1	91	44.75	0	30000	350.5376344	10161.17196	30000	0	0	30000	25.8125	2004
20.03.2020 10:08:45	1	1	1	1	91	45.75	0	29905.213	322.5806452	9935.313783	30000	0	0	30000	25.9375	2004
20.03.2020 10:08:46	1	1	1	1	91	45.75	0	30000	335.483871	10064.14264	30000	0	0	30000	25.625	2004
20.03.2020 10:08:47	1	1	1	1	91	45.5	0	30000	341.9354839	10128.55706	30000	0	0	30000	25.75	2004
20.03.2020 10:08:48	1	1	1	1	91	45.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	26.4375	2004
20.03.2020 10:08:49	1	1	1	1	91	46.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	25.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:08:50	1	1	1	1	91	45.75	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	25.375	2004
20.03.2020 10:08:51	1	1	1	1	91	45.25	0	30000	339.7849462	10177.47941	30000	0	0	30000	25.8125	2004
20.03.2020 10:08:52	1	1	1	1	91	45.75	0	30000	344.0860215	10515.85899	30000	0	0	30000	25.875	2004
20.03.2020 10:08:53	1	1	1	1	91	45.75	0	29905.213	322.5806452	9870.899356	30000	0	0	30000	24.9375	2004
20.03.2020 10:08:54	1	1	1	1	91	44.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	26.5	2004
20.03.2020 10:08:55	1	1	1	1	90.75	46.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	25.5	2004
20.03.2020 10:08:56	1	1	1	1	90.75	45.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	26.375	2004
20.03.2020 10:08:57	1	1	1	1	90.75	46.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	26.3125	2004
20.03.2020 10:08:58	1	1	1	1	90.75	46.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	26.4375	2004
20.03.2020 10:08:59	1	1	1	1	90.75	46.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	25.6875	2004
20.03.2020 10:09:00	1	1	1	1	90.75	45.5	0	29905.213	320.4301075	9806.484929	30000	0	0	30000	27.3125	2004
20.03.2020 10:09:01	1	1	1	1	90.75	47.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	25.5625	2004
20.03.2020 10:09:02	1	1	1	1	90.75	45.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	26.4375	2004
20.03.2020 10:09:03	1	1	1	1	90.75	46.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	26.9375	2004
20.03.2020 10:09:04	1	1	1	1	90.75	46.75	0	30047.393	344.0860215	10273.69337	30000	0	0	30000	25.625	2004
20.03.2020 10:09:06	1	1	1	1	91.75	45.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	26.75	2004
20.03.2020 10:09:11	1	1	1	1	91.75	45.5	0	30000	335.483871	10128.55706	30000	0	0	30000	26.625	2004
20.03.2020 10:09:11	1	1	1	1	91.75	45.5	0	30000	335.483871	10128.55706	30000	0	0	30000	26.625	2004
20.03.2020 10:09:11	1	1	1	1	91.75	45.5	0	30000	335.483871	10128.55706	30000	0	0	30000	26.625	2004
20.03.2020 10:09:11	1	1	1	1	91.75	45.5	0	30000	335.483871	10128.55706	30000	0	0	30000	26.625	2004
20.03.2020 10:09:11	1	1	1	1	91.75	45.5	0	30000	335.483871	10128.55706	30000	0	0	30000	26.625	2004
20.03.2020 10:09:12	1	1	1	1	91.75	46.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	26.25	2004
20.03.2020 10:09:13	1	1	1	1	91.75	46.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	26.1875	2004
20.03.2020 10:09:14	1	1	1	1	91.75	46	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	26.875	2004
20.03.2020 10:09:15	1	1	1	1	91.75	46.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	26	2004
20.03.2020 10:09:16	1	1	1	1	91.75	46	0	30000	326.8817204	9806.484929	30000	0	0	30000	27.25	2004
20.03.2020 10:09:17	1	1	1	1	91.75	47.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	26.5625	2004
20.03.2020 10:09:18	1	1	1	1	91.75	46.5	0	30000	335.483871	9999.728209	30000	0	0	30000	26.1875	2004
20.03.2020 10:09:19	1	1	1	1	91.75	46	0	30047.393	337.6344086	10015.22029	30000	0	0	30000	27.1875	2004
20.03.2020 10:09:20	1	1	1	1	91.75	47	0	30000	335.483871	10064.14264	30000	0	0	30000	26.125	2004
20.03.2020 10:09:21	1	1	1	1	91.75	46	0	30000	318.2795699	9612.426277	30000	0	0	30000	27.3125	2004
20.03.2020 10:09:22	1	1	1	1	91.75	47.25	0	30094.787	320.4301075	9612.426277	30000	0	0	30000	26.25	2004
20.03.2020 10:09:23	1	1	1	1	91.75	46.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	25.5625	2004
20.03.2020 10:09:24	1	1	1	1	91.75	47.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	25.375	2004
20.03.2020 10:09:25	1	1	1	1	91.5	45.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	25.6875	2004
20.03.2020 10:09:26	1	1	1	1	91.5	45.5	0	30000	335.483871	9903.514255	30000	0	0	30000	25.8125	2004
20.03.2020 10:09:27	1	1	1	1	91.5	45.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	27	2004
20.03.2020 10:09:28	1	1	1	1	91.5	47	0	30000	331.1827957	9935.313783	30000	0	0	30000	28	2004
20.03.2020 10:09:29	1	1	1	1	91.5	48	0	30000	335.483871	10064.14264	30000	0	0	30000	26.375	2004
20.03.2020 10:09:30	1	1	1	1	91.5	46.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	25.9375	2004
20.03.2020 10:09:31	1	1	1	1	91.5	45.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	26.0625	2004
20.03.2020 10:09:32	1	1	1	1	91.5	46	0	30047.393	339.7849462	10064.14264	30000	0	0	30000	25.25	2004
20.03.2020 10:09:33	1	1	1	1	91.5	45.25	0	30000	329.0322581	9741.25513	30000	0	0	30000	26.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:09:34	1	1	1	1	91.5	46.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	26.5625	2004
20.03.2020 10:09:35	1	1	1	1	91	46.5	0	29952.607	318.2795699	9483.597423	30000	0	0	30000	26.1875	2004
20.03.2020 10:09:36	1	1	1	1	91	46	0	30000	318.2795699	9612.426277	30000	0	0	30000	27.375	2004
20.03.2020 10:09:37	1	1	1	1	91	47.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	25.75	2004
20.03.2020 10:09:38	1	1	1	1	91	45.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	26.1875	2004
20.03.2020 10:09:39	1	1	1	1	91	46	0	30000	331.1827957	9870.899356	30000	0	0	30000	25.9375	2004
20.03.2020 10:09:40	1	1	1	1	91	45.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	27.0625	2004
20.03.2020 10:09:41	1	1	1	1	91	47	0	30000	331.1827957	9935.313783	30000	0	0	30000	25.375	2004
20.03.2020 10:09:42	1	1	1	1	91	45.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	27.3125	2004
20.03.2020 10:09:43	1	1	1	1	91	47.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	26.6875	2004
20.03.2020 10:09:44	1	1	1	1	91	46.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	25.375	2004
20.03.2020 10:09:45	1	1	1	1	91	45.25	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	26.625	2004
20.03.2020 10:09:46	1	1	1	1	91	46.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	26.625	2004
20.03.2020 10:09:48	1	1	1	1	91	46.5	0	29905.213	313.9784946	9483.597423	30000	0	0	30000	26.375	2004
20.03.2020 10:09:49	1	1	1	1	91	46.25	0	30047.393	329.0322581	9870.899356	30000	0	0	30000	26.125	2004
20.03.2020 10:09:50	1	1	1	1	91	46	0	30000	326.8817204	9806.484929	30000	0	0	30000	26.625	2004
20.03.2020 10:09:51	1	1	1	1	91	46.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	27.75	2004
20.03.2020 10:09:52	1	1	1	1	91	47.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	26.125	2004
20.03.2020 10:09:53	1	1	1	1	91	46	0	30000	316.1290323	9483.597423	30000	0	0	30000	26.5	2004
20.03.2020 10:09:54	1	1	1	1	91	46.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	26	2004
20.03.2020 10:09:55	1	1	1	1	91	46	0	30000	322.5806452	9676.840703	30000	0	0	30000	25.875	2004
20.03.2020 10:09:56	1	1	1	1	90.75	45.75	0	29952.607	322.5806452	9612.426277	30000	0	0	30000	25.8125	2004
20.03.2020 10:09:57	1	1	1	1	90.75	45.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	26.3125	2004
20.03.2020 10:09:58	1	1	1	1	90.75	46.25	0	30000	311.827957	9290.354143	30000	0	0	30000	26.9375	2004
20.03.2020 10:09:59	1	1	1	1	90.75	46.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	27.5625	2004
20.03.2020 10:10:00	1	1	1	1	90.75	47.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	27.75	2004
20.03.2020 10:10:01	1	1	1	1	90.75	47.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	25.5625	2004
20.03.2020 10:10:02	1	1	1	1	90.75	45.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	27	2004
20.03.2020 10:10:03	1	1	1	1	90.75	47	0	30000	322.5806452	9806.484929	30000	0	0	30000	27	2004
20.03.2020 10:10:04	1	1	1	1	90.75	47	0	30000	324.7311828	9741.25513	30000	0	0	30000	28.125	2004
20.03.2020 10:10:05	1	1	1	1	91	48	0	30000	324.7311828	9806.484929	30000	0	0	30000	26.3125	2004
20.03.2020 10:10:06	1	1	1	1	91	46.25	0	30000	337.6344086	9984.236132	30000	0	0	30000	27.4375	2004
20.03.2020 10:10:07	1	1	1	1	91	47.25	0	30000	329.0322581	9935.313783	30000	0	0	30000	26.5625	2004
20.03.2020 10:10:13	1	1	1	1	91	46.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	27.375	2004
20.03.2020 10:10:13	1	1	1	1	91	46.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	27.375	2004
20.03.2020 10:10:13	1	1	1	1	91	46.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	27.375	2004
20.03.2020 10:10:13	1	1	1	1	91	46.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	27.375	2004
20.03.2020 10:10:13	1	1	1	1	91	46.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	27.375	2004
20.03.2020 10:10:13	1	1	1	1	91	47.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	26.9375	2004
20.03.2020 10:10:14	1	1	1	1	91	46.75	0	29905.213	313.9784946	9517.843068	30000	0	0	30000	27.125	2004
20.03.2020 10:10:15	1	1	1	1	89.5	47	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	26.3125	2004
20.03.2020 10:10:16	1	1	1	1	89.5	46.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	25.8125	2004
20.03.2020 10:10:17	1	1	1	1	89.5	45.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	25.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:10:18	1	1	1	1	89.5	45.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	27.75	2004
20.03.2020 10:10:19	1	1	1	1	89.5	47.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	26.375	2004
20.03.2020 10:10:20	1	1	1	1	89.5	46.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	26.4375	2004
20.03.2020 10:10:21	1	1	1	1	89.5	46.25	0	30000	311.827957	9211.263012	30000	0	0	30000	27.1875	2004
20.03.2020 10:10:22	1	1	1	1	89.5	47	0	30000	318.2795699	9483.597423	30000	0	0	30000	26.625	2004
20.03.2020 10:10:23	1	1	1	1	89.5	46.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	26.5	2004
20.03.2020 10:10:24	1	1	1	1	89.5	46.5	0	30047.393	335.483871	9935.313783	30000	0	0	30000	25.375	2004
20.03.2020 10:10:25	1	1	1	1	90	45.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	25.75	2004
20.03.2020 10:10:26	1	1	1	1	90	45.75	0	30000	296.7741935	8953.605305	30000	0	0	30000	26.375	2004
20.03.2020 10:10:28	1	1	1	1	90	46.25	0	30000	311.827957	9354.76857	30000	0	0	30000	25.8125	2004
20.03.2020 10:10:29	1	1	1	1	90	45.75	0	29952.607	324.7311828	9741.25513	30000	0	0	30000	26	2004
20.03.2020 10:10:30	1	1	1	1	90	46	0	30000	331.1827957	9870.899356	30000	0	0	30000	27.8125	2004
20.03.2020 10:10:31	1	1	1	1	90	47.75	0	29905.213	309.6774194	9340.091865	30000	0	0	30000	26.1875	2004
20.03.2020 10:10:32	1	1	1	1	90	46	0	29952.607	311.827957	9419.182997	30000	0	0	30000	28.3125	2004
20.03.2020 10:10:33	1	1	1	1	90	48.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	26.875	2004
20.03.2020 10:10:34	1	1	1	1	90	46.75	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	27.625	2004
20.03.2020 10:10:35	1	1	1	1	90	47.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	27.1875	2004
20.03.2020 10:10:36	1	1	1	1	90.25	47	0	30000	326.8817204	9870.899356	30000	0	0	30000	26.9375	2004
20.03.2020 10:10:37	1	1	1	1	90.25	46.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	26.9375	2004
20.03.2020 10:10:38	1	1	1	1	90.25	46.75	0	30000	326.8817204	10095.94216	30000	0	0	30000	28.0625	2004
20.03.2020 10:10:39	1	1	1	1	90.25	48	0	30000	313.9784946	9548.01185	30000	0	0	30000	27	2004
20.03.2020 10:10:40	1	1	1	1	90.25	47	0	30000	311.827957	9324.599788	30000	0	0	30000	26.625	2004
20.03.2020 10:10:41	1	1	1	1	90.25	46.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	26.4375	2004
20.03.2020 10:10:42	1	1	1	1	90.25	46.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	27.8125	2004
20.03.2020 10:10:43	1	1	1	1	90.25	47.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	26.9375	2004
20.03.2020 10:10:44	1	1	1	1	90.25	46.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	27.875	2004
20.03.2020 10:10:45	1	1	1	1	90.25	47.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	27.5	2004
20.03.2020 10:10:46	1	1	1	1	90.5	47.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	27.6875	2004
20.03.2020 10:10:47	1	1	1	1	90.5	47.5	0	29952.607	361.2903226	11031.98978	30000	0	0	30000	27.4375	2004
20.03.2020 10:10:48	1	1	1	1	90.5	47.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	26.375	2004
20.03.2020 10:10:49	1	1	1	1	90.5	46.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	25.6875	2004
20.03.2020 10:10:50	1	1	1	1	90.5	45.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	26.375	2004
20.03.2020 10:10:51	1	1	1	1	90.5	46.25	0	29952.607	335.483871	10128.55706	30000	0	0	30000	26.1875	2004
20.03.2020 10:10:52	1	1	1	1	90.5	46	0	30000	363.4408602	10903.16093	30000	0	0	30000	27.375	2004
20.03.2020 10:10:53	1	1	1	1	90.5	47.25	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	26	2004
20.03.2020 10:10:54	1	1	1	1	90.5	46	0	30000	352.688172	10644.68785	30000	0	0	30000	25.9375	2004
20.03.2020 10:10:55	1	1	1	1	89.25	45.75	0	30000	341.9354839	10128.55706	30000	0	0	30000	26.9375	2004
20.03.2020 10:10:56	1	1	1	1	89.25	46.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.6875	2004
20.03.2020 10:10:57	1	1	1	1	89.25	46.5	0	30047.393	350.5376344	10661.81067	30000	0	0	30000	26.6875	2004
20.03.2020 10:10:58	1	1	1	1	89.25	46.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	27.375	2004
20.03.2020 10:10:59	1	1	1	1	89.25	47.25	0	30000	335.483871	9999.728209	30000	0	0	30000	25.6875	2004
20.03.2020 10:11:00	1	1	1	1	89.25	45.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	28.125	2004
20.03.2020 10:11:01	1	1	1	1	89.25	48	0	30000	322.5806452	9870.899356	30000	0	0	30000	26.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:11:02	1	1	1	1	89.25	46.25	0	30000	335.483871	10064.14264	30000	0	0	30000	27.5	2004
20.03.2020 10:11:03	1	1	1	1	89.25	47.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	27.0625	2004
20.03.2020 10:11:04	1	1	1	1	89.25	47	0	30000	337.6344086	10048.65056	30000	0	0	30000	26.25	2004
20.03.2020 10:11:05	1	1	1	1	88.75	46.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	28.1875	2004
20.03.2020 10:11:06	1	1	1	1	88.75	48	0	30000	339.7849462	10257.38592	30000	0	0	30000	27.4375	2004
20.03.2020 10:11:08	1	1	1	1	88.75	47.25	0	30000	337.6344086	10096.75754	30000	0	0	30000	25.875	2004
20.03.2020 10:11:09	1	1	1	1	88.75	45.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	27.3125	2004
20.03.2020 10:11:16	1	1	1	1	89	46	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.4375	2004
20.03.2020 10:11:16	1	1	1	1	89	46	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.4375	2004
20.03.2020 10:11:16	1	1	1	1	89	46	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.4375	2004
20.03.2020 10:11:16	1	1	1	1	89	46	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.4375	2004
20.03.2020 10:11:16	1	1	1	1	89	46	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.4375	2004
20.03.2020 10:11:16	1	1	1	1	89	46	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.4375	2004
20.03.2020 10:11:16	1	1	1	1	89	46	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.4375	2004
20.03.2020 10:11:17	1	1	1	1	89	46.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	27.5	2004
20.03.2020 10:11:18	1	1	1	1	89	47.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	26.5625	2004
20.03.2020 10:11:19	1	1	1	1	89	46.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	26.75	2004
20.03.2020 10:11:20	1	1	1	1	89	46.75	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	27.6875	2004
20.03.2020 10:11:21	1	1	1	1	89	47.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	26.125	2004
20.03.2020 10:11:22	1	1	1	1	89	46	0	30000	335.483871	10064.14264	30000	0	0	30000	26.8125	2004
20.03.2020 10:11:23	1	1	1	1	89	46.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	27.375	2004
20.03.2020 10:11:24	1	1	1	1	89	47.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	26.875	2004
20.03.2020 10:11:25	1	1	1	1	89	46.75	0	30000	335.483871	9999.728209	30000	0	0	30000	27.1875	2004
20.03.2020 10:11:26	1	1	1	1	88.5	47	0	30000	344.0860215	10387.03014	30000	0	0	30000	25.875	2004
20.03.2020 10:11:27	1	1	1	1	88.5	45.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	26.4375	2004
20.03.2020 10:11:28	1	1	1	1	88.5	46.25	0	29952.607	359.1397849	10611.25758	30000	0	0	30000	27.75	2004
20.03.2020 10:11:29	1	1	1	1	88.5	47.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	28.3125	2004
20.03.2020 10:11:30	1	1	1	1	88.5	48.5	0	30047.393	348.3870968	10451.44457	30000	0	0	30000	27.5	2004
20.03.2020 10:11:31	1	1	1	1	88.5	47.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	26.3125	2004
20.03.2020 10:11:32	1	1	1	1	88.5	46.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	26.5	2004
20.03.2020 10:11:33	1	1	1	1	88.5	46.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	26.0625	2004
20.03.2020 10:11:34	1	1	1	1	88.5	46	0	30000	335.483871	9999.728209	30000	0	0	30000	27.0625	2004
20.03.2020 10:11:35	1	1	1	1	88.25	47	0	30000	339.7849462	10128.55706	30000	0	0	30000	26.625	2004
20.03.2020 10:11:36	1	1	1	1	88.25	46.5	0	29905.213	335.483871	10064.14264	30000	0	0	30000	27.0625	2004
20.03.2020 10:11:37	1	1	1	1	88.25	47	0	30000	333.3333333	9999.728209	30000	0	0	30000	26.625	2004
20.03.2020 10:11:38	1	1	1	1	88.25	46.5	0	30000	335.483871	10192.97149	30000	0	0	30000	26.6875	2004
20.03.2020 10:11:39	1	1	1	1	88.25	46.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	27.5625	2004
20.03.2020 10:11:40	1	1	1	1	88.25	47.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	28.125	2004
20.03.2020 10:11:41	1	1	1	1	88.25	48	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	26	2004
20.03.2020 10:11:42	1	1	1	1	88.25	46	0	30000	335.483871	10064.14264	30000	0	0	30000	28.5	2004
20.03.2020 10:11:43	1	1	1	1	88.25	48.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	26.3125	2004
20.03.2020 10:11:44	1	1	1	1	88.25	46.25	0	30000	341.9354839	10273.69337	30000	0	0	30000	27.875	2004
20.03.2020 10:11:45	1	1	1	1	88	47.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	27.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:11:46	1	1	1	1	88	47	0	30000	329.0322581	9886.391433	30000	0	0	30000	26.25	2004
20.03.2020 10:11:47	1	1	1	1	88	46.25	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	27.125	2004
20.03.2020 10:11:48	1	1	1	1	88	47	0	30000	333.3333333	9999.728209	30000	0	0	30000	27.875	2004
20.03.2020 10:11:49	1	1	1	1	88	47.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	27.625	2004
20.03.2020 10:11:50	1	1	1	1	88	47.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	26.875	2004
20.03.2020 10:11:52	1	1	1	1	88	46.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	26.8125	2004
20.03.2020 10:11:53	1	1	1	1	88	46.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	26.75	2004
20.03.2020 10:11:54	1	1	1	1	88	46.75	0	30000	356.9892473	10743.34792	30000	0	0	30000	26.6875	2004
20.03.2020 10:11:55	1	1	1	1	88	46.5	0	30000	350.5376344	10387.03014	30000	0	0	30000	27.125	2004
20.03.2020 10:11:56	1	1	1	1	87.75	47	0	30000	337.6344086	10128.55706	30000	0	0	30000	27.375	2004
20.03.2020 10:11:57	1	1	1	1	87.75	47.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	28.3125	2004
20.03.2020 10:11:58	1	1	1	1	87.75	48.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	26.5625	2004
20.03.2020 10:11:59	1	1	1	1	87.75	46.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	27.125	2004
20.03.2020 10:12:00	1	1	1	1	87.75	47	0	30000	337.6344086	10128.55706	30000	0	0	30000	27.9375	2004
20.03.2020 10:12:01	1	1	1	1	87.75	47.75	0	29905.213	331.1827957	9855.407279	30000	0	0	30000	26.25	2004
20.03.2020 10:12:02	1	1	1	1	87.75	46.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	26.8125	2004
20.03.2020 10:12:03	1	1	1	1	87.75	46.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	27.125	2004
20.03.2020 10:12:04	1	1	1	1	87.75	47	0	29905.213	350.5376344	10580.27342	30000	0	0	30000	27.8125	2004
20.03.2020 10:12:05	1	1	1	1	87.75	47.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	25.875	2004
20.03.2020 10:12:06	1	1	1	1	88	45.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	27.1875	2004
20.03.2020 10:12:07	1	1	1	1	88	47	0	30000	341.9354839	10257.38592	30000	0	0	30000	26.4375	2004
20.03.2020 10:12:08	1	1	1	1	88	46.25	0	29905.213	346.2365591	10225.58639	30000	0	0	30000	27.8125	2004
20.03.2020 10:12:09	1	1	1	1	88	47.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	26.625	2004
20.03.2020 10:12:10	1	1	1	1	88	46.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	28.0625	2004
20.03.2020 10:12:16	1	1	1	1	87.75	46	0	30000	341.9354839	10257.38592	30000	0	0	30000	28.0625	2004
20.03.2020 10:12:16	1	1	1	1	87.75	46	0	30000	341.9354839	10257.38592	30000	0	0	30000	28.0625	2004
20.03.2020 10:12:16	1	1	1	1	87.75	46	0	30000	341.9354839	10257.38592	30000	0	0	30000	28.0625	2004
20.03.2020 10:12:16	1	1	1	1	87.75	46	0	30000	341.9354839	10257.38592	30000	0	0	30000	28.0625	2004
20.03.2020 10:12:16	1	1	1	1	87.75	46	0	30000	341.9354839	10257.38592	30000	0	0	30000	28.0625	2004
20.03.2020 10:12:16	1	1	1	1	87.75	48	0	30000	346.2365591	10387.03014	30000	0	0	30000	27.8125	2004
20.03.2020 10:12:17	1	1	1	1	87.75	47.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	27.875	2004
20.03.2020 10:12:18	1	1	1	1	87.75	47.75	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	26	2004
20.03.2020 10:12:19	1	1	1	1	87.75	46	0	30000	356.9892473	10790.63952	30000	0	0	30000	27.5625	2004
20.03.2020 10:12:20	1	1	1	1	87.75	47.5	0	30000	337.6344086	10064.14264	30000	0	0	30000	28.1875	2004
20.03.2020 10:12:21	1	1	1	1	87.75	48	0	30000	352.688172	10515.85899	30000	0	0	30000	27.5	2004
20.03.2020 10:12:22	1	1	1	1	87.75	47.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	27.9375	2004
20.03.2020 10:12:23	1	1	1	1	87.75	47.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	26.9375	2004
20.03.2020 10:12:24	1	1	1	1	87.75	46.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	27	2004
20.03.2020 10:12:25	1	1	1	1	88	47	0	29952.607	346.2365591	10644.68785	30000	0	0	30000	27.875	2004
20.03.2020 10:12:26	1	1	1	1	88	47.75	0	30000	335.483871	9999.728209	30000	0	0	30000	27.3125	2004
20.03.2020 10:12:27	1	1	1	1	88	47.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	27.8125	2004
20.03.2020 10:12:28	1	1	1	1	88	47.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	28.4375	2004
20.03.2020 10:12:29	1	1	1	1	88	48.25	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	27.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:12:30	1	1	1	1	88	47	0	30000	331.1827957	9999.728209	30000	0	0	30000	26.625	2004
20.03.2020 10:12:31	1	1	1	1	88	46.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	26.9375	2004
20.03.2020 10:12:33	1	1	1	1	88	46.75	0	30047.393	337.6344086	10128.55706	30000	0	0	30000	27.9375	2004
20.03.2020 10:12:34	1	1	1	1	88	47.75	0	30047.393	341.9354839	10113.06499	30000	0	0	30000	27.5	2004
20.03.2020 10:12:35	1	1	1	1	88	47.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	26.5625	2004
20.03.2020 10:12:36	1	1	1	1	87.25	46.5	0	30000	335.483871	10064.14264	30000	0	0	30000	28.4375	2004
20.03.2020 10:12:37	1	1	1	1	87.25	48.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	26.125	2004
20.03.2020 10:12:38	1	1	1	1	87.25	46	0	30000	350.5376344	10515.85899	30000	0	0	30000	26.5625	2004
20.03.2020 10:12:39	1	1	1	1	87.25	46.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	27.1875	2004
20.03.2020 10:12:40	1	1	1	1	87.25	47	0	30000	339.7849462	10192.97149	30000	0	0	30000	27	2004
20.03.2020 10:12:41	1	1	1	1	87.25	47	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	26.75	2004
20.03.2020 10:12:42	1	1	1	1	87.25	46.75	0	29905.213	348.3870968	10515.85899	30000	0	0	30000	28.0625	2004
20.03.2020 10:12:43	1	1	1	1	87.25	48	0	30000	346.2365591	10257.38592	30000	0	0	30000	27.5625	2004
20.03.2020 10:12:44	1	1	1	1	87.25	47.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	27.8125	2004
20.03.2020 10:12:45	1	1	1	1	87.25	47.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	28.6875	2004
20.03.2020 10:12:46	1	1	1	1	87	48.5	0	30000	346.2365591	10128.55706	30000	0	0	30000	27.8125	2004
20.03.2020 10:12:47	1	1	1	1	87	47.75	0	29905.213	339.7849462	10257.38592	30000	0	0	30000	28.5	2004
20.03.2020 10:12:48	1	1	1	1	87	48.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	28.375	2004
20.03.2020 10:12:49	1	1	1	1	87	48.25	0	30047.393	341.9354839	10192.97149	30000	0	0	30000	28.4375	2004
20.03.2020 10:12:50	1	1	1	1	87	48.25	0	30000	333.3333333	9806.484929	30000	0	0	30000	28.5	2004
20.03.2020 10:12:51	1	1	1	1	87	48.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	27.3125	2004
20.03.2020 10:12:52	1	1	1	1	87	48.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	27.8125	2004
20.03.2020 10:12:53	1	1	1	1	87	47.75	0	29905.213	337.6344086	10128.55706	30000	0	0	30000	26.9375	2004
20.03.2020 10:12:54	1	1	1	1	87	46.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	28.625	2004
20.03.2020 10:12:55	1	1	1	1	86.75	48.5	0	29952.607	346.2365591	10451.44457	30000	0	0	30000	27.25	2004
20.03.2020 10:12:56	1	1	1	1	86.75	47.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	27.625	2004
20.03.2020 10:12:57	1	1	1	1	86.75	47.5	0	30000	337.6344086	10257.38592	30000	0	0	30000	29	2004
20.03.2020 10:12:58	1	1	1	1	86.75	49	0	30000	350.5376344	10580.27342	30000	0	0	30000	27.625	2004
20.03.2020 10:12:59	1	1	1	1	86.75	47.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	26.5625	2004
20.03.2020 10:13:00	1	1	1	1	86.75	46.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	27.5	2004
20.03.2020 10:13:01	1	1	1	1	86.75	47.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	28.3125	2004
20.03.2020 10:13:02	1	1	1	1	86.75	48.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	27.9375	2004
20.03.2020 10:13:03	1	1	1	1	86.75	47.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	28.625	2004
20.03.2020 10:13:04	1	1	1	1	86.75	48.5	0	30000	352.688172	10644.68785	30000	0	0	30000	27.8125	2004
20.03.2020 10:13:05	1	1	1	1	87.25	47.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	27.6875	2004
20.03.2020 10:13:06	1	1	1	1	87.25	47.5	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	27.0625	2004
20.03.2020 10:13:07	1	1	1	1	87.25	47	0	30000	354.8387097	10644.68785	30000	0	0	30000	27.375	2004
20.03.2020 10:13:08	1	1	1	1	87.25	47.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	26.75	2004
20.03.2020 10:13:09	1	1	1	1	87.25	46.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	27.8125	2004
20.03.2020 10:13:10	1	1	1	1	87.25	47.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	27.9375	2004
20.03.2020 10:13:11	1	1	1	1	87.25	47.75	0	30000	359.1397849	10692.79483	30000	0	0	30000	26.6875	2004
20.03.2020 10:13:18	1	1	1	1	86.5	46.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	27.6875	2004
20.03.2020 10:13:18	1	1	1	1	86.5	46.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	27.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:13:18	1	1	1	1	86.5	46.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	27.6875	2004
20.03.2020 10:13:18	1	1	1	1	86.5	46.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	27.6875	2004
20.03.2020 10:13:18	1	1	1	1	86.5	46.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	27.6875	2004
20.03.2020 10:13:18	1	1	1	1	86.5	46.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	27.6875	2004
20.03.2020 10:13:19	1	1	1	1	86.5	47.5	0	29952.607	352.688172	10773.5167	30000	0	0	30000	27.625	2004
20.03.2020 10:13:20	1	1	1	1	86.5	47.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	27.1875	2004
20.03.2020 10:13:21	1	1	1	1	86.5	47	0	30000	275.2688172	8258.092572	30000	0	0	30000	27.25	2004
20.03.2020 10:13:22	1	1	1	1	86.5	47.25	0	30000	240.8602151	7225.831	30000	0	0	30000	26.3125	2004
20.03.2020 10:13:23	1	1	1	1	86.5	46.25	0	30000	221.5053763	6515.641562	30000	0	0	30000	27.5625	2004
20.03.2020 10:13:24	1	1	1	1	86.5	47.5	0	30000	240.8602151	7225.831	30000	0	0	30000	28	2004
20.03.2020 10:13:25	1	1	1	1	86.5	48	0	30000	251.6129032	7547.903134	30000	0	0	30000	27.4375	2004
20.03.2020 10:13:26	1	1	1	1	86.5	47.25	0	30000	255.9139785	7676.731987	30000	0	0	30000	26.6875	2004
20.03.2020 10:13:27	1	1	1	1	86.5	46.5	0	29905.213	273.1182796	8258.092572	30000	0	0	30000	27.4375	2004
20.03.2020 10:13:28	1	1	1	1	86.5	47.25	0	30000	290.3225806	8644.579132	30000	0	0	30000	27.9375	2004
20.03.2020 10:13:29	1	1	1	1	86.5	47.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	26.6875	2004
20.03.2020 10:13:30	1	1	1	1	86.5	46.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	27.1875	2004
20.03.2020 10:13:31	1	1	1	1	86.5	47	0	30000	316.1290323	9483.597423	30000	0	0	30000	28.1875	2004
20.03.2020 10:13:32	1	1	1	1	86.5	48	0	30000	339.7849462	10177.47941	30000	0	0	30000	27.25	2004
20.03.2020 10:13:33	1	1	1	1	86.5	47.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	28.6875	2004
20.03.2020 10:13:34	1	1	1	1	86.5	48.5	0	30000	490.3225806	14838.14856	30000	0	0	30000	27.0625	2004
20.03.2020 10:13:35	1	1	1	1	86.5	47	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.5	2004
20.03.2020 10:13:36	1	1	1	1	87.5	48.5	0	25734.597	610.7526882	15883.45609	30000	0	0	30000	29	2004
20.03.2020 10:13:37	1	1	1	1	87.5	49	0	25260.664	636.5591398	16025.33091	30000	0	0	30000	29.125	2004
20.03.2020 10:13:38	1	1	1	1	87.5	47.75	0	25450.237	632.2580645	16035.93075	30000	0	0	30000	28.875	2004
20.03.2020 10:13:39	1	1	1	1	87.5	48.75	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	27.125	2004
20.03.2020 10:13:40	1	1	1	1	87.5	47	0	25734.597	621.5053763	15938.90142	30000	0	0	30000	28	2004
20.03.2020 10:13:41	1	1	1	1	87.5	48	0	24834.123	645.1612903	15938.08605	30000	0	0	30000	28	2004
20.03.2020 10:13:42	1	1	1	1	87.5	48	0	24075.829	655.9139785	16030.22314	30000	0	0	30000	28.5625	2004
20.03.2020 10:13:43	1	1	1	1	87.5	48.5	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	28.6875	2004
20.03.2020 10:13:44	1	1	1	1	87.5	48.5	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	27.3125	2004
20.03.2020 10:13:45	1	1	1	1	88.75	47.25	0	25355.45	627.9569892	15976.40856	30000	0	0	30000	27.3125	2004
20.03.2020 10:13:46	1	1	1	1	88.75	47.25	0	24786.73	645.1612903	15938.08605	30000	0	0	30000	27.9375	2004
20.03.2020 10:13:47	1	1	1	1	88.75	47.75	0	23364.929	688.172043	15877.74848	30000	0	0	30000	29.0625	2004
20.03.2020 10:13:48	1	1	1	1	88.75	49	0	24028.436	662.3655914	16050.60745	30000	0	0	30000	27.8125	2004
20.03.2020 10:13:49	1	1	1	1	88.75	47.75	0	25308.057	634.4086022	16194.11301	30000	0	0	30000	28.4375	2004
20.03.2020 10:13:50	1	1	1	1	88.75	48.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	27.5625	2004
20.03.2020 10:13:51	1	1	1	1	88.75	47.5	0	25924.171	617.2043011	15832.903	30000	0	0	30000	29.1875	2004
20.03.2020 10:13:52	1	1	1	1	88.75	49	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	28.375	2004
20.03.2020 10:13:53	1	1	1	1	88.75	48.25	0	21563.981	688.172043	14839.77931	30000	0	0	30000	28.375	2004
20.03.2020 10:13:54	1	1	1	1	88.75	48.25	0	23886.256	688.172043	16148.45215	30000	0	0	30000	28.125	2004
20.03.2020 10:13:55	1	1	1	1	90.5	48	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	28.0625	2004
20.03.2020 10:13:56	1	1	1	1	90.5	48	0	26587.678	602.1505376	16009.02346	30000	0	0	30000	28.0625	2004
20.03.2020 10:13:57	1	1	1	1	90.5	48	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	27.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:13:58	1	1	1	1	90.5	47.75	0	26350.711	604.3010753	16036.74612	30000	0	0	30000	28.25	2004
20.03.2020 10:14:00	1	1	1	1	90.5	48.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	28.3125	2004
20.03.2020 10:14:01	1	1	1	1	90.5	48.25	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	27.6875	2004
20.03.2020 10:14:02	1	1	1	1	90.5	47.5	0	26966.825	587.0967742	15889.97907	30000	0	0	30000	28.1875	2004
20.03.2020 10:14:03	1	1	1	1	90.5	48	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	28.125	2004
20.03.2020 10:14:04	1	1	1	1	90.5	48	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.0625	2004
20.03.2020 10:14:05	1	1	1	1	90.5	47	0	28009.479	576.344086	16203.08211	30000	0	0	30000	29.25	2004
20.03.2020 10:14:06	1	1	1	1	91	49.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	28.3125	2004
20.03.2020 10:14:07	1	1	1	1	91	48.25	0	27440.758	589.2473118	16082.40698	30000	0	0	30000	27.875	2004
20.03.2020 10:14:08	1	1	1	1	91	47.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	27.6875	2004
20.03.2020 10:14:09	1	1	1	1	91	47.5	0	26445.498	595.6989247	16009.02346	30000	0	0	30000	28	2004
20.03.2020 10:14:10	1	1	1	1	91	48	0	25260.664	634.4086022	15916.88636	30000	0	0	30000	28.5625	2004
20.03.2020 10:14:11	1	1	1	1	91	48.5	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	28.5	2004
20.03.2020 10:14:12	1	1	1	1	91	48.5	0	24218.009	664.516129	16040.82298	30000	0	0	30000	28.1875	2004
20.03.2020 10:14:13	1	1	1	1	91	48	0	23933.649	664.516129	15872.85625	30000	0	0	30000	29.0625	2004
20.03.2020 10:14:19	1	1	1	1	91.5	49	0	23838.863	658.0645161	15872.85625	30000	0	0	30000	29.5625	2004
20.03.2020 10:14:19	1	1	1	1	91.5	49	0	23838.863	658.0645161	15872.85625	30000	0	0	30000	29.5625	2004
20.03.2020 10:14:19	1	1	1	1	91.5	49	0	23838.863	658.0645161	15872.85625	30000	0	0	30000	29.5625	2004
20.03.2020 10:14:19	1	1	1	1	91.5	49	0	23838.863	658.0645161	15872.85625	30000	0	0	30000	29.5625	2004
20.03.2020 10:14:19	1	1	1	1	91.5	49	0	23838.863	658.0645161	15872.85625	30000	0	0	30000	29.5625	2004
20.03.2020 10:14:20	1	1	1	1	91.5	49.5	0	24218.009	664.516129	16093.00682	30000	0	0	30000	29.4375	2004
20.03.2020 10:14:21	1	1	1	1	91.5	49.25	0	24123.223	662.3655914	15978.0393	30000	0	0	30000	29.25	2004
20.03.2020 10:14:22	1	1	1	1	91.5	49.25	0	24075.829	662.3655914	15966.62409	30000	0	0	30000	28.5	2004
20.03.2020 10:14:23	1	1	1	1	91.5	48.5	0	24407.583	658.0645161	16009.02346	30000	0	0	30000	29.25	2004
20.03.2020 10:14:24	1	1	1	1	91.5	49.25	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	27.6875	2004
20.03.2020 10:14:25	1	1	1	1	92	47.5	0	24739.336	653.7634409	16204.71285	30000	0	0	30000	28.875	2004
20.03.2020 10:14:26	1	1	1	1	92	48.75	0	24834.123	643.0107527	15991.08526	30000	0	0	30000	28.75	2004
20.03.2020 10:14:27	1	1	1	1	92	48.75	0	24786.73	638.7096774	15831.27225	30000	0	0	30000	28.375	2004
20.03.2020 10:14:28	1	1	1	1	92	48.25	0	24976.303	653.7634409	16052.2382	30000	0	0	30000	27	2004
20.03.2020 10:14:29	1	1	1	1	92	47	0	24834.123	634.4086022	15945.4244	30000	0	0	30000	27.6875	2004
20.03.2020 10:14:30	1	1	1	1	92	47.5	0	24976.303	640.8602151	16120.72949	30000	0	0	30000	27.875	2004
20.03.2020 10:14:31	1	1	1	1	92	47.75	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	29.25	2004
20.03.2020 10:14:32	1	1	1	1	92	49.25	0	24928.91	645.1612903	15891.60982	30000	0	0	30000	28.8125	2004
20.03.2020 10:14:33	1	1	1	1	92	48.75	0	24881.517	638.7096774	15891.60982	30000	0	0	30000	28.4375	2004
20.03.2020 10:14:34	1	1	1	1	92	48.25	0	24976.303	638.7096774	16013.10032	30000	0	0	30000	28.0625	2004
20.03.2020 10:14:35	1	1	1	1	92.25	48	0	25165.877	640.8602151	16181.88242	30000	0	0	30000	27.8125	2004
20.03.2020 10:14:36	1	1	1	1	92.25	47.75	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	28.75	2004
20.03.2020 10:14:37	1	1	1	1	92.25	48.75	0	25260.664	636.5591398	16133.77545	30000	0	0	30000	28.75	2004
20.03.2020 10:14:38	1	1	1	1	92.25	48.75	0	24976.303	643.0107527	15951.94738	30000	0	0	30000	28.5625	2004
20.03.2020 10:14:39	1	1	1	1	92.25	48.5	0	25118.483	634.4086022	16073.43788	30000	0	0	30000	28.6875	2004
20.03.2020 10:14:40	1	1	1	1	92.25	48.5	0	25260.664	636.5591398	15964.99334	30000	0	0	30000	27.4375	2004
20.03.2020 10:14:41	1	1	1	1	92.25	47.25	0	25165.877	632.2580645	15964.99334	30000	0	0	30000	28.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:14:42	1	1	1	1	92.25	48	0	25118.483	640.8602151	16073.43788	30000	0	0	30000	27.25	2004
20.03.2020 10:14:44	1	1	1	1	92.25	47.25	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.8125	2004
20.03.2020 10:14:45	1	1	1	1	92.25	47.75	0	25071.09	632.2580645	16127.25247	30000	0	0	30000	28.5625	2004
20.03.2020 10:14:46	1	1	1	1	92.25	48.5	0	25118.483	638.7096774	16073.43788	30000	0	0	30000	28.8125	2004
20.03.2020 10:14:47	1	1	1	1	92.25	48.75	0	24928.91	640.8602151	16005.76197	30000	0	0	30000	28.5	2004
20.03.2020 10:14:48	1	1	1	1	92.25	48.5	0	24976.303	645.1612903	16059.57655	30000	0	0	30000	29.0625	2004
20.03.2020 10:14:49	1	1	1	1	92.25	49	0	24881.517	640.8602151	15861.44103	30000	0	0	30000	28.1875	2004
20.03.2020 10:14:50	1	1	1	1	92.25	48	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	28.1875	2004
20.03.2020 10:14:51	1	1	1	1	92.25	48	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	28.0625	2004
20.03.2020 10:14:52	1	1	1	1	92.25	48	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	27.8125	2004
20.03.2020 10:14:53	1	1	1	1	92.25	47.75	0	24786.73	645.1612903	15938.08605	30000	0	0	30000	28.1875	2004
20.03.2020 10:14:54	1	1	1	1	92.25	48	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	27.375	2004
20.03.2020 10:14:55	1	1	1	1	92.25	47.25	0	24691.943	645.1612903	15929.93232	30000	0	0	30000	27.5625	2004
20.03.2020 10:14:56	1	1	1	1	92.75	47.5	0	24881.517	645.1612903	16083.22235	30000	0	0	30000	28.375	2004
20.03.2020 10:14:57	1	1	1	1	92.75	48.25	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	27.6875	2004
20.03.2020 10:14:58	1	1	1	1	92.75	47.5	0	24786.73	640.8602151	15831.27225	30000	0	0	30000	28.3125	2004
20.03.2020 10:14:59	1	1	1	1	92.75	48.25	0	25071.09	645.1612903	16059.57655	30000	0	0	30000	26.6875	2004
20.03.2020 10:15:00	1	1	1	1	92.75	46.5	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	28.8125	2004
20.03.2020 10:15:01	1	1	1	1	92.75	48.75	0	24691.943	636.5591398	15664.12089	30000	0	0	30000	28.3125	2004
20.03.2020 10:15:02	1	1	1	1	92.75	48.25	0	24786.73	638.7096774	15801.10347	30000	0	0	30000	28.25	2004
20.03.2020 10:15:03	1	1	1	1	92.75	48.25	0	24834.123	638.7096774	15891.60982	30000	0	0	30000	28.375	2004
20.03.2020 10:15:04	1	1	1	1	92.75	49.25	0	25071.09	640.8602151	16120.72949	30000	0	0	30000	29.0625	2004
20.03.2020 10:15:05	1	1	1	1	93.5	49	0	24834.123	643.0107527	15968.25483	30000	0	0	30000	28.75	2004
20.03.2020 10:15:06	1	1	1	1	93.5	48.75	0	24786.73	634.4086022	15724.45846	30000	0	0	30000	29	2004
20.03.2020 10:15:07	1	1	1	1	93.5	49	0	24976.303	638.7096774	16005.76197	30000	0	0	30000	28.5	2004
20.03.2020 10:15:08	1	1	1	1	93.5	48.5	0	24976.303	643.0107527	16113.39113	30000	0	0	30000	29.125	2004
20.03.2020 10:15:09	1	1	1	1	93.5	49	0	24834.123	643.0107527	15968.25483	30000	0	0	30000	28.3125	2004
20.03.2020 10:15:10	1	1	1	1	93.5	48.25	0	24881.517	643.0107527	15884.27146	30000	0	0	30000	28.4375	2004
20.03.2020 10:15:11	1	1	1	1	93.5	48.25	0	24928.91	640.8602151	15891.60982	30000	0	0	30000	29.3125	2004
20.03.2020 10:15:12	1	1	1	1	93.5	49.25	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	28.625	2004
20.03.2020 10:15:13	1	1	1	1	93.5	48.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	28.75	2004
20.03.2020 10:15:14	1	1	1	1	93.5	48.75	0	24786.73	645.1612903	16044.08447	30000	0	0	30000	28.5	2004
20.03.2020 10:15:21	1	1	1	1	92.75	48.75	0	24786.73	653.7634409	16204.71285	30000	0	0	30000	28.375	2004
20.03.2020 10:15:21	1	1	1	1	92.75	48.75	0	24786.73	653.7634409	16204.71285	30000	0	0	30000	28.375	2004
20.03.2020 10:15:21	1	1	1	1	92.75	48.75	0	24786.73	653.7634409	16204.71285	30000	0	0	30000	28.375	2004
20.03.2020 10:15:21	1	1	1	1	92.75	48.75	0	24786.73	653.7634409	16204.71285	30000	0	0	30000	28.375	2004
20.03.2020 10:15:21	1	1	1	1	92.75	48.75	0	24786.73	653.7634409	16204.71285	30000	0	0	30000	28.375	2004
20.03.2020 10:15:21	1	1	1	1	92.75	48.75	0	24786.73	653.7634409	16204.71285	30000	0	0	30000	28.375	2004
20.03.2020 10:15:21	1	1	1	1	92.75	48.25	0	24786.73	647.311828	16044.08447	30000	0	0	30000	27.1875	2004
20.03.2020 10:15:22	1	1	1	1	92.75	47	0	24786.73	647.311828	16204.71285	30000	0	0	30000	29.4375	2004
20.03.2020 10:15:24	1	1	1	1	92.75	49.25	0	24691.943	647.311828	15982.93154	30000	0	0	30000	28.3125	2004
20.03.2020 10:15:25	1	1	1	1	92.75	48.25	0	24691.943	653.7634409	16080.77623	30000	0	0	30000	28.75	2004
20.03.2020 10:15:26	1	1	1	1	93.25	48.75	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	28.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:15:27	1	1	1	1	93.25	48.25	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	27.1875	2004
20.03.2020 10:15:28	1	1	1	1	93.25	47	0	24691.943	653.7634409	15982.93154	30000	0	0	30000	28.875	2004
20.03.2020 10:15:29	1	1	1	1	93.25	48.75	0	24549.763	645.1612903	15921.7786	30000	0	0	30000	27.8125	2004
20.03.2020 10:15:30	1	1	1	1	93.25	47.75	0	24597.156	653.7634409	15974.77781	30000	0	0	30000	28.875	2004
20.03.2020 10:15:31	1	1	1	1	93.25	48.75	0	24502.37	649.4623656	16018.80793	30000	0	0	30000	29.25	2004
20.03.2020 10:15:32	1	1	1	1	93.25	49.25	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	29	2004
20.03.2020 10:15:33	1	1	1	1	93.25	49	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	28.1875	2004
20.03.2020 10:15:34	1	1	1	1	93.25	48	0	24360.19	653.7634409	15832.903	30000	0	0	30000	28.5	2004
20.03.2020 10:15:35	1	1	1	1	93.25	48.5	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	28.25	2004
20.03.2020 10:15:36	1	1	1	1	94.5	48.25	0	24597.156	653.7634409	16195.74376	30000	0	0	30000	28.6875	2004
20.03.2020 10:15:37	1	1	1	1	94.5	48.5	0	24407.583	653.7634409	15851.65657	30000	0	0	30000	29.125	2004
20.03.2020 10:15:38	1	1	1	1	94.5	49	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	29.375	2004
20.03.2020 10:15:39	1	1	1	1	94.5	49.25	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	28.8125	2004
20.03.2020 10:15:40	1	1	1	1	94.5	48.75	0	24407.583	653.7634409	16018.80793	30000	0	0	30000	28.75	2004
20.03.2020 10:15:41	1	1	1	1	94.5	48.75	0	24502.37	653.7634409	16049.79208	30000	0	0	30000	29.5625	2004
20.03.2020 10:15:42	1	1	1	1	94.5	49.5	0	24502.37	653.7634409	16070.99176	30000	0	0	30000	29.5	2004
20.03.2020 10:15:43	1	1	1	1	94.5	49.5	0	24502.37	653.7634409	15956.83962	30000	0	0	30000	28.625	2004
20.03.2020 10:15:44	1	1	1	1	94.5	48.5	0	24454.976	655.9139785	16070.99176	30000	0	0	30000	28.75	2004
20.03.2020 10:15:45	1	1	1	1	94.5	48.75	0	24454.976	655.9139785	16070.99176	30000	0	0	30000	29.4375	2004
20.03.2020 10:15:46	1	1	1	1	95.75	49.25	0	24407.583	653.7634409	15925.85546	30000	0	0	30000	27.375	2004
20.03.2020 10:15:47	1	1	1	1	95.75	49.5	0	24360.19	658.0645161	15884.27146	30000	0	0	30000	29.4375	2004
20.03.2020 10:15:48	1	1	1	1	95.75	49.25	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	29.125	2004
20.03.2020 10:15:49	1	1	1	1	95.75	49	0	24502.37	653.7634409	16101.97592	30000	0	0	30000	28.1875	2004
20.03.2020 10:15:50	1	1	1	1	95.75	48	0	24549.763	655.9139785	16070.99176	30000	0	0	30000	29.5	2004
20.03.2020 10:15:51	1	1	1	1	95.75	49.5	0	24407.583	658.0645161	16114.20651	30000	0	0	30000	29.3125	2004
20.03.2020 10:15:52	1	1	1	1	95.75	49.25	0	24218.009	655.9139785	15884.27146	30000	0	0	30000	28.625	2004
20.03.2020 10:15:53	1	1	1	1	95.75	48.5	0	24360.19	658.0645161	15978.0393	30000	0	0	30000	28.8125	2004
20.03.2020 10:15:54	1	1	1	1	95.75	48.75	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	29.5625	2004
20.03.2020 10:15:55	1	1	1	1	95.25	49.5	0	24360.19	655.9139785	15947.05515	30000	0	0	30000	28.875	2004
20.03.2020 10:15:56	1	1	1	1	95.25	48.75	0	24360.19	655.9139785	15978.0393	30000	0	0	30000	29	2004
20.03.2020 10:15:57	1	1	1	1	95.25	49	0	24218.009	658.0645161	15988.63914	30000	0	0	30000	28.0625	2004
20.03.2020 10:15:58	1	1	1	1	95.25	48	0	24502.37	664.516129	16070.99176	30000	0	0	30000	29.1875	2004
20.03.2020 10:15:59	1	1	1	1	95.25	49	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	29.125	2004
20.03.2020 10:16:00	1	1	1	1	95.25	49	0	24407.583	647.311828	16070.99176	30000	0	0	30000	29.0625	2004
20.03.2020 10:16:01	1	1	1	1	95.25	49	0	24360.19	655.9139785	16009.02346	30000	0	0	30000	29.125	2004
20.03.2020 10:16:02	1	1	1	1	95.25	49	0	24407.583	655.9139785	16114.20651	30000	0	0	30000	29.5	2004
20.03.2020 10:16:03	1	1	1	1	95.25	49.5	0	24360.19	658.0645161	15832.903	30000	0	0	30000	29.125	2004
20.03.2020 10:16:04	1	1	1	1	95.25	49	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	28.5	2004
20.03.2020 10:16:06	1	1	1	1	96.75	48.5	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	28.625	2004
20.03.2020 10:16:07	1	1	1	1	96.75	48.5	0	24360.19	653.7634409	15978.0393	30000	0	0	30000	28.9375	2004
20.03.2020 10:16:08	1	1	1	1	96.75	48.75	0	24360.19	658.0645161	15947.05515	30000	0	0	30000	27.8125	2004
20.03.2020 10:16:09	1	1	1	1	96.75	47.75	0	24502.37	655.9139785	16070.99176	30000	0	0	30000	29.25	2004
20.03.2020 10:16:10	1	1	1	1	96.75	49.25	0	24502.37	653.7634409	16070.99176	30000	0	0	30000	29.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:16:11	1	1	1	1	96.75	49.25	0	24502.37	655.9139785	16070.99176	30000	0	0	30000	29	2004
20.03.2020 10:16:12	1	1	1	1	96.75	49	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	29.125	2004
20.03.2020 10:16:13	1	1	1	1	96.75	49	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	28.6875	2004
20.03.2020 10:16:14	1	1	1	1	96.75	48.5	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	27.8125	2004
20.03.2020 10:16:15	1	1	1	1	96.75	47.75	0	24502.37	653.7634409	16070.99176	30000	0	0	30000	28.625	2004
20.03.2020 10:16:16	1	1	1	1	96.75	48.5	0	24502.37	660.2150538	16070.99176	30000	0	0	30000	29.5625	2004
20.03.2020 10:16:22	1	1	1	1	96.75	49	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	29.25	2004
20.03.2020 10:16:22	1	1	1	1	96.75	49	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	29.25	2004
20.03.2020 10:16:22	1	1	1	1	96.75	49	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	29.25	2004
20.03.2020 10:16:22	1	1	1	1	96.75	49	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	29.25	2004
20.03.2020 10:16:22	1	1	1	1	96.75	49	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	29.25	2004
20.03.2020 10:16:23	1	1	1	1	96.75	49.25	0	24502.37	653.7634409	15798.65735	30000	0	0	30000	27.5	2004
20.03.2020 10:16:24	1	1	1	1	96.75	47.5	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	28.5625	2004
20.03.2020 10:16:25	1	1	1	1	96.75	48.5	0	24407.583	653.7634409	16018.80793	30000	0	0	30000	28.875	2004
20.03.2020 10:16:26	1	1	1	1	96.5	48.75	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	29.125	2004
20.03.2020 10:16:27	1	1	1	1	96.5	49	0	24454.976	653.7634409	16018.80793	30000	0	0	30000	28.4375	2004
20.03.2020 10:16:28	1	1	1	1	96.5	48.25	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	29.8125	2004
20.03.2020 10:16:29	1	1	1	1	96.5	49.75	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	29.875	2004
20.03.2020 10:16:30	1	1	1	1	96.5	49.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	29.0625	2004
20.03.2020 10:16:31	1	1	1	1	96.5	49	0	24502.37	653.7634409	16070.99176	30000	0	0	30000	28.875	2004
20.03.2020 10:16:32	1	1	1	1	96.5	48.75	0	24407.583	649.4623656	15956.83962	30000	0	0	30000	29.375	2004
20.03.2020 10:16:33	1	1	1	1	96.5	49.25	0	24218.009	653.7634409	15925.85546	30000	0	0	30000	29.25	2004
20.03.2020 10:16:34	1	1	1	1	96.5	49.25	0	24454.976	653.7634409	15956.83962	30000	0	0	30000	28.6875	2004
20.03.2020 10:16:35	1	1	1	1	97	48.5	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	29.75	2004
20.03.2020 10:16:36	1	1	1	1	97	49.75	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	28.9375	2004
20.03.2020 10:16:37	1	1	1	1	97	48.75	0	24597.156	655.9139785	16132.96007	30000	0	0	30000	27.4375	2004
20.03.2020 10:16:38	1	1	1	1	97	47.25	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	28.9375	2004
20.03.2020 10:16:39	1	1	1	1	97	48.75	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	29.1875	2004
20.03.2020 10:16:40	1	1	1	1	97	49	0	24407.583	647.311828	15987.82377	30000	0	0	30000	28.5625	2004
20.03.2020 10:16:41	1	1	1	1	97	48.5	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	29.1875	2004
20.03.2020 10:16:42	1	1	1	1	97	49	0	24407.583	653.7634409	16040.00761	30000	0	0	30000	28.6875	2004
20.03.2020 10:16:43	1	1	1	1	97	48.5	0	24549.763	658.0645161	16018.80793	30000	0	0	30000	28.875	2004
20.03.2020 10:16:44	1	1	1	1	97	48.75	0	24218.009	647.311828	15956.83962	30000	0	0	30000	29.0625	2004
20.03.2020 10:16:45	1	1	1	1	95.75	49	0	24360.19	653.7634409	16166.39035	30000	0	0	30000	29.6875	2004
20.03.2020 10:16:47	1	1	1	1	95.75	49.5	0	24549.763	653.7634409	16018.80793	30000	0	0	30000	29.0625	2004
20.03.2020 10:16:48	1	1	1	1	95.75	49	0	24502.37	647.311828	16018.80793	30000	0	0	30000	29	2004
20.03.2020 10:16:49	1	1	1	1	95.75	49	0	24549.763	653.7634409	15860.62566	30000	0	0	30000	29.625	2004
20.03.2020 10:16:50	1	1	1	1	95.75	49.5	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	29.75	2004
20.03.2020 10:16:51	1	1	1	1	95.75	49.75	0	24502.37	660.2150538	16009.02346	30000	0	0	30000	28.9375	2004
20.03.2020 10:16:52	1	1	1	1	95.75	48.75	0	24454.976	653.7634409	16018.80793	30000	0	0	30000	28.875	2004
20.03.2020 10:16:53	1	1	1	1	95.75	48.75	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	28.5	2004
20.03.2020 10:16:54	1	1	1	1	95.75	48.5	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	29.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:16:55	1	1	1	1	95.75	49.5	0	24502.37	647.311828	16049.79208	30000	0	0	30000	29.5	2004
20.03.2020 10:16:56	1	1	1	1	95	49.5	0	24502.37	645.1612903	16018.80793	30000	0	0	30000	29.6875	2004
20.03.2020 10:16:57	1	1	1	1	95	49.5	0	24786.73	653.7634409	15876.93311	30000	0	0	30000	29.8125	2004
20.03.2020 10:16:58	1	1	1	1	95	49.75	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	28.9375	2004
20.03.2020 10:16:59	1	1	1	1	95	48.75	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	29.75	2004
20.03.2020 10:17:00	1	1	1	1	95	49.75	0	24786.73	647.311828	16044.08447	30000	0	0	30000	29	2004
20.03.2020 10:17:01	1	1	1	1	95	49	0	24786.73	640.8602151	16044.08447	30000	0	0	30000	28.25	2004
20.03.2020 10:17:02	1	1	1	1	95	48.25	0	24739.336	647.311828	15982.93154	30000	0	0	30000	27.75	2004
20.03.2020 10:17:03	1	1	1	1	95	47.75	0	24739.336	645.1612903	16013.91569	30000	0	0	30000	28.9375	2004
20.03.2020 10:17:04	1	1	1	1	95	48.75	0	24786.73	647.311828	16204.71285	30000	0	0	30000	28.6875	2004
20.03.2020 10:17:05	1	1	1	1	95	48.5	0	24597.156	653.7634409	15921.7786	30000	0	0	30000	29.5625	2004
20.03.2020 10:17:06	1	1	1	1	95.25	49.5	0	24691.943	645.1612903	15868.77939	30000	0	0	30000	28.625	2004
20.03.2020 10:17:07	1	1	1	1	95.25	48.5	0	24739.336	645.1612903	15991.08526	30000	0	0	30000	29.4375	2004
20.03.2020 10:17:08	1	1	1	1	95.25	49.25	0	24786.73	653.7634409	16204.71285	30000	0	0	30000	28.5	2004
20.03.2020 10:17:09	1	1	1	1	95.25	48.5	0	24597.156	647.311828	15868.77939	30000	0	0	30000	28.6875	2004
20.03.2020 10:17:10	1	1	1	1	95.25	48.5	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	29.6875	2004
20.03.2020 10:17:11	1	1	1	1	95.25	49.5	0	24786.73	647.311828	16044.08447	30000	0	0	30000	29.5	2004
20.03.2020 10:17:12	1	1	1	1	95.25	49.5	0	24881.517	647.311828	16106.05278	30000	0	0	30000	27.625	2004
20.03.2020 10:17:13	1	1	1	1	95.25	49.25	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	28.4375	2004
20.03.2020 10:17:14	1	1	1	1	95.25	48.25	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	29.125	2004
20.03.2020 10:17:15	1	1	1	1	96.5	49	0	24786.73	645.1612903	16044.08447	30000	0	0	30000	29.9375	2004
20.03.2020 10:17:16	1	1	1	1	96.5	49.75	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	27.9375	2004
20.03.2020 10:17:17	1	1	1	1	96.5	47.75	0	24597.156	647.311828	15921.7786	30000	0	0	30000	29.8125	2004
20.03.2020 10:17:24	1	1	1	1	96.5	48	0	24928.91	647.311828	16297.66532	30000	0	0	30000	28.75	2004
20.03.2020 10:17:24	1	1	1	1	96.5	48	0	24928.91	647.311828	16297.66532	30000	0	0	30000	28.75	2004
20.03.2020 10:17:24	1	1	1	1	96.5	48	0	24928.91	647.311828	16297.66532	30000	0	0	30000	28.75	2004
20.03.2020 10:17:24	1	1	1	1	96.5	48	0	24928.91	647.311828	16297.66532	30000	0	0	30000	28.75	2004
20.03.2020 10:17:24	1	1	1	1	96.5	48	0	24928.91	647.311828	16297.66532	30000	0	0	30000	28.75	2004
20.03.2020 10:17:24	1	1	1	1	96.5	48.75	0	24928.91	645.1612903	16167.20572	30000	0	0	30000	28.9375	2004
20.03.2020 10:17:25	1	1	1	1	97.5	48.75	0	24881.517	643.0107527	15998.42361	30000	0	0	30000	29.0625	2004
20.03.2020 10:17:26	1	1	1	1	97.5	49	0	24786.73	643.0107527	15968.25483	30000	0	0	30000	29.625	2004
20.03.2020 10:17:27	1	1	1	1	97.5	49.5	0	24881.517	638.7096774	16113.39113	30000	0	0	30000	29.5625	2004
20.03.2020 10:17:28	1	1	1	1	97.5	49.5	0	24739.336	638.7096774	15815.78018	30000	0	0	30000	29.25	2004
20.03.2020 10:17:29	1	1	1	1	97.5	49.25	0	24834.123	643.0107527	15968.25483	30000	0	0	30000	30	2004
20.03.2020 10:17:31	1	1	1	1	97.5	50	0	24691.943	645.1612903	15929.93232	30000	0	0	30000	30.0625	2004
20.03.2020 10:17:32	1	1	1	1	97.5	50	0	24834.123	647.311828	16106.05278	30000	0	0	30000	29.5625	2004
20.03.2020 10:17:33	1	1	1	1	97.5	49.5	0	24834.123	647.311828	16044.08447	30000	0	0	30000	27.9375	2004
20.03.2020 10:17:34	1	1	1	1	97.5	47.75	0	24739.336	645.1612903	15929.93232	30000	0	0	30000	29.25	2004
20.03.2020 10:17:35	1	1	1	1	97.5	49.25	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	28.0625	2004
20.03.2020 10:17:36	1	1	1	1	96.5	48	0	24786.73	645.1612903	15960.91648	30000	0	0	30000	30	2004
20.03.2020 10:17:37	1	1	1	1	96.5	50	0	24786.73	647.311828	16013.91569	30000	0	0	30000	29.9375	2004
20.03.2020 10:17:38	1	1	1	1	96.5	49.75	0	24881.517	643.0107527	15998.42361	30000	0	0	30000	30.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:17:39	1	1	1	1	96.5	50	0	24928.91	645.1612903	16029.40777	30000	0	0	30000	30.0625	2004
20.03.2020 10:17:40	1	1	1	1	96.5	50	0	24881.517	645.1612903	16106.05278	30000	0	0	30000	29.8125	2004
20.03.2020 10:17:41	1	1	1	1	96.5	49.75	0	24976.303	645.1612903	16059.57655	30000	0	0	30000	29.6875	2004
20.03.2020 10:17:42	1	1	1	1	96.5	49.5	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	29.6875	2004
20.03.2020 10:17:43	1	1	1	1	96.5	49.5	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	28.875	2004
20.03.2020 10:17:44	1	1	1	1	96.5	48.75	0	24976.303	638.7096774	16390.61778	30000	0	0	30000	29.4375	2004
20.03.2020 10:17:45	1	1	1	1	96.5	49.25	0	25071.09	645.1612903	16120.72949	30000	0	0	30000	30.0625	2004
20.03.2020 10:17:46	1	1	1	1	96.5	50	0	24928.91	645.1612903	16167.20572	30000	0	0	30000	28.75	2004
20.03.2020 10:17:47	1	1	1	1	96.5	48.75	0	24976.303	643.0107527	16228.35866	30000	0	0	30000	29.875	2004
20.03.2020 10:17:48	1	1	1	1	96.5	49.75	0	24976.303	645.1612903	16174.54407	30000	0	0	30000	28.25	2004
20.03.2020 10:17:49	1	1	1	1	96.5	48.25	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	29.875	2004
20.03.2020 10:17:50	1	1	1	1	96.5	49.75	0	24881.517	638.7096774	15891.60982	30000	0	0	30000	28.8125	2004
20.03.2020 10:17:51	1	1	1	1	96.5	48.75	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	29.25	2004
20.03.2020 10:17:52	1	1	1	1	96.5	49.25	0	24834.123	643.0107527	15938.08605	30000	0	0	30000	28.25	2004
20.03.2020 10:17:53	1	1	1	1	96.5	48.25	0	25071.09	645.1612903	16174.54407	30000	0	0	30000	28.75	2004
20.03.2020 10:17:54	1	1	1	1	96.5	48.75	0	25118.483	645.1612903	16205.52823	30000	0	0	30000	29	2004
20.03.2020 10:17:55	1	1	1	1	96.5	49	0	24881.517	640.8602151	15891.60982	30000	0	0	30000	30.3125	2004
20.03.2020 10:17:56	1	1	1	1	97	50.25	0	24976.303	640.8602151	16120.72949	30000	0	0	30000	29.625	2004
20.03.2020 10:17:57	1	1	1	1	97	49.5	0	25071.09	638.7096774	16097.08368	30000	0	0	30000	30.0625	2004
20.03.2020 10:17:58	1	1	1	1	97	50	0	24786.73	636.5591398	15831.27225	30000	0	0	30000	30	2004
20.03.2020 10:17:59	1	1	1	1	97	50	0	24928.91	634.4086022	15814.9648	30000	0	0	30000	29.5625	2004
20.03.2020 10:18:00	1	1	1	1	97	49.5	0	25071.09	638.7096774	16097.08368	30000	0	0	30000	29.5625	2004
20.03.2020 10:18:01	1	1	1	1	97	49.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.875	2004
20.03.2020 10:18:02	1	1	1	1	97	47.75	0	24976.303	634.4086022	16120.72949	30000	0	0	30000	27.75	2004
20.03.2020 10:18:03	1	1	1	1	97	47.75	0	24976.303	643.0107527	15951.94738	30000	0	0	30000	28.75	2004
20.03.2020 10:18:04	1	1	1	1	97	48.75	0	25071.09	638.7096774	15845.13359	30000	0	0	30000	29.5625	2004
20.03.2020 10:18:05	1	1	1	1	95.25	49.5	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	29.875	2004
20.03.2020 10:18:06	1	1	1	1	95.25	49.75	0	25165.877	638.7096774	16127.25247	30000	0	0	30000	29.9375	2004
20.03.2020 10:18:07	1	1	1	1	95.25	49.75	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	29.4375	2004
20.03.2020 10:18:08	1	1	1	1	95.25	49.25	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	28.25	2004
20.03.2020 10:18:09	1	1	1	1	95.25	48.25	0	25260.664	638.7096774	16163.94423	30000	0	0	30000	30.1875	2004
20.03.2020 10:18:10	1	1	1	1	95.25	50	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	29.1875	2004
20.03.2020 10:18:11	1	1	1	1	95.25	49	0	25118.483	638.7096774	16073.43788	30000	0	0	30000	30.1875	2004
20.03.2020 10:18:12	1	1	1	1	95.25	50	0	25355.45	638.7096774	16194.11301	30000	0	0	30000	29.5625	2004
20.03.2020 10:18:14	1	1	1	1	95.25	49.5	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	29.625	2004
20.03.2020 10:18:15	1	1	1	1	95.25	49.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	28.875	2004
20.03.2020 10:18:16	1	1	1	1	96.25	48.75	0	24976.303	638.7096774	16066.9149	30000	0	0	30000	29.6875	2004
20.03.2020 10:18:17	1	1	1	1	96.25	49.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	28.75	2004
20.03.2020 10:18:18	1	1	1	1	96.25	48.75	0	24976.303	636.5591398	16013.10032	30000	0	0	30000	28.6875	2004
20.03.2020 10:18:19	1	1	1	1	96.25	48.5	0	25165.877	640.8602151	16073.43788	30000	0	0	30000	29.3125	2004
20.03.2020 10:18:25	1	1	1	1	96.25	49.25	0	25071.09	638.7096774	15904.65578	30000	0	0	30000	29.9375	2004
20.03.2020 10:18:25	1	1	1	1	96.25	49.25	0	25071.09	638.7096774	15904.65578	30000	0	0	30000	29.9375	2004
20.03.2020 10:18:25	1	1	1	1	96.25	49.25	0	25071.09	638.7096774	15904.65578	30000	0	0	30000	29.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:18:25	1	1	1	1	96.25	49.25	0	25071.09	638.7096774	15904.65578	30000	0	0	30000	29.9375	2004
20.03.2020 10:18:25	1	1	1	1	96.25	49.25	0	25071.09	638.7096774	15904.65578	30000	0	0	30000	29.9375	2004
20.03.2020 10:18:25	1	1	1	1	96.25	49.25	0	25071.09	638.7096774	15904.65578	30000	0	0	30000	29.9375	2004
20.03.2020 10:18:26	1	1	1	1	96.25	49.75	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	29.8125	2004
20.03.2020 10:18:27	1	1	1	1	96.25	49.75	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	29	2004
20.03.2020 10:18:28	1	1	1	1	96.25	49	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	29.6875	2004
20.03.2020 10:18:29	1	1	1	1	96.25	49.5	0	25165.877	645.1612903	15850.84119	30000	0	0	30000	30.1875	2004
20.03.2020 10:18:30	1	1	1	1	96.25	50	0	25165.877	638.7096774	15911.17876	30000	0	0	30000	28.5625	2004
20.03.2020 10:18:31	1	1	1	1	96.25	48.5	0	25213.27	630.1075269	16133.77545	30000	0	0	30000	30.3125	2004
20.03.2020 10:18:32	1	1	1	1	96.25	50.25	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	30.125	2004
20.03.2020 10:18:33	1	1	1	1	96.25	50	0	24976.303	632.2580645	15791.319	30000	0	0	30000	29	2004
20.03.2020 10:18:34	1	1	1	1	96.25	49	0	25308.057	634.4086022	16163.94423	30000	0	0	30000	29.4375	2004
20.03.2020 10:18:35	1	1	1	1	96.25	49.25	0	25260.664	638.7096774	16133.77545	30000	0	0	30000	29.4375	2004
20.03.2020 10:18:36	1	1	1	1	95.75	49.25	0	25165.877	636.5591398	16073.43788	30000	0	0	30000	28.4375	2004
20.03.2020 10:18:37	1	1	1	1	95.75	48.25	0	24976.303	634.4086022	15951.94738	30000	0	0	30000	29.5	2004
20.03.2020 10:18:38	1	1	1	1	95.75	49.5	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	28.75	2004
20.03.2020 10:18:39	1	1	1	1	95.75	48.75	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	30.4375	2004
20.03.2020 10:18:40	1	1	1	1	95.75	49.75	0	25071.09	640.8602151	16013.10032	30000	0	0	30000	28.5	2004
20.03.2020 10:18:41	1	1	1	1	95.75	48.5	0	25165.877	634.4086022	16073.43788	30000	0	0	30000	29.6875	2004
20.03.2020 10:18:42	1	1	1	1	95.75	49.5	0	25260.664	636.5591398	16025.33091	30000	0	0	30000	29.875	2004
20.03.2020 10:18:43	1	1	1	1	95.75	49.75	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	30.125	2004
20.03.2020 10:18:44	1	1	1	1	95.75	50	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	29.8125	2004
20.03.2020 10:18:45	1	1	1	1	95.75	49.75	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	29.6875	2004
20.03.2020 10:18:48	1	1	1	1	95.75	50	0	25308.057	630.1075269	16085.66847	30000	0	0	30000	30.25	2004
20.03.2020 10:18:48	1	1	1	1	95.75	50	0	25308.057	630.1075269	16085.66847	30000	0	0	30000	30.25	2004
20.03.2020 10:18:48	1	1	1	1	95.75	50.25	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	29.5625	2004
20.03.2020 10:18:49	1	1	1	1	95.75	49.5	0	25118.483	638.7096774	15904.65578	30000	0	0	30000	29.5625	2004
20.03.2020 10:18:50	1	1	1	1	95.75	49.5	0	25165.877	632.2580645	15964.99334	30000	0	0	30000	29.8125	2004
20.03.2020 10:18:51	1	1	1	1	95.75	49.75	0	25260.664	634.4086022	16055.49969	30000	0	0	30000	29.25	2004
20.03.2020 10:18:52	1	1	1	1	95.75	49.25	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	29.5	2004
20.03.2020 10:18:53	1	1	1	1	95.75	49.5	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	30	2004
20.03.2020 10:18:54	1	1	1	1	95.75	50	0	25308.057	634.4086022	16085.66847	30000	0	0	30000	27.9375	2004
20.03.2020 10:18:56	1	1	1	1	96	47.75	0	25308.057	634.4086022	16055.49969	30000	0	0	30000	30.125	2004
20.03.2020 10:18:57	1	1	1	1	96	50	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	29.625	2004
20.03.2020 10:18:58	1	1	1	1	96	49.5	0	25402.844	630.1075269	16006.57734	30000	0	0	30000	29.6875	2004
20.03.2020 10:18:59	1	1	1	1	96	49.5	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	28.75	2004
20.03.2020 10:19:00	1	1	1	1	96	48.75	0	25355.45	632.2580645	15946.23977	30000	0	0	30000	29.5625	2004
20.03.2020 10:19:01	1	1	1	1	96	49.5	0	25213.27	630.1075269	15916.88636	30000	0	0	30000	30.1875	2004
20.03.2020 10:19:02	1	1	1	1	96	50	0	25308.057	632.2580645	15946.23977	30000	0	0	30000	29.875	2004
20.03.2020 10:19:03	1	1	1	1	96	49.75	0	25402.844	634.4086022	16145.19066	30000	0	0	30000	29.625	2004
20.03.2020 10:19:04	1	1	1	1	96	49.5	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	28.9375	2004
20.03.2020 10:19:05	1	1	1	1	96	48.75	0	25260.664	632.2580645	15916.88636	30000	0	0	30000	29	2004
20.03.2020 10:19:06	1	1	1	1	96	49	0	25402.844	632.2580645	16145.19066	30000	0	0	30000	29.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:19:07	1	1	1	1	96	49.75	0	25308.057	634.4086022	16025.33091	30000	0	0	30000	30.3125	2004
20.03.2020 10:19:08	1	1	1	1	96	50.25	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	28.5	2004
20.03.2020 10:19:09	1	1	1	1	96	48.5	0	25355.45	627.9569892	16006.57734	30000	0	0	30000	30.5	2004
20.03.2020 10:19:10	1	1	1	1	96	50.5	0	25308.057	625.8064516	15921.7786	30000	0	0	30000	28.125	2004
20.03.2020 10:19:11	1	1	1	1	96	48	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	28.75	2004
20.03.2020 10:19:12	1	1	1	1	96	48.75	0	25402.844	627.9569892	16006.57734	30000	0	0	30000	30	2004
20.03.2020 10:19:13	1	1	1	1	96	50	0	25355.45	627.9569892	15867.14864	30000	0	0	30000	29.25	2004
20.03.2020 10:19:14	1	1	1	1	96	49.25	0	25355.45	627.9569892	15976.40856	30000	0	0	30000	29.25	2004
20.03.2020 10:19:15	1	1	1	1	96	49.25	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	29.0625	2004
20.03.2020 10:19:16	1	1	1	1	95.5	49	0	25450.237	627.9569892	16035.93075	30000	0	0	30000	29.625	2004
20.03.2020 10:19:17	1	1	1	1	95.5	49.5	0	25402.844	632.2580645	16006.57734	30000	0	0	30000	29.125	2004
20.03.2020 10:19:18	1	1	1	1	95.5	49	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	28.8125	2004
20.03.2020 10:19:19	1	1	1	1	95.5	48.75	0	25355.45	623.655914	16006.57734	30000	0	0	30000	29.6875	2004
20.03.2020 10:19:20	1	1	1	1	95.5	49.5	0	25355.45	630.1075269	16006.57734	30000	0	0	30000	28.5	2004
20.03.2020 10:19:27	1	1	1	1	96.25	48.25	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	29	2004
20.03.2020 10:19:27	1	1	1	1	96.25	48.25	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	29	2004
20.03.2020 10:19:27	1	1	1	1	96.25	48.25	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	29	2004
20.03.2020 10:19:27	1	1	1	1	96.25	48.25	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	29	2004
20.03.2020 10:19:27	1	1	1	1	96.25	48.25	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	29	2004
20.03.2020 10:19:27	1	1	1	1	96.25	49	0	25402.844	627.9569892	15897.31742	30000	0	0	30000	29.1875	2004
20.03.2020 10:19:28	1	1	1	1	96.25	49	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	29.625	2004
20.03.2020 10:19:29	1	1	1	1	96.25	49.5	0	25592.417	627.9569892	16155.7905	30000	0	0	30000	30.125	2004
20.03.2020 10:19:30	1	1	1	1	96.25	50	0	25592.417	625.8064516	15986.19303	30000	0	0	30000	30	2004
20.03.2020 10:19:31	1	1	1	1	96.25	50	0	25592.417	630.1075269	16095.45294	30000	0	0	30000	29.125	2004
20.03.2020 10:19:32	1	1	1	1	96.25	49	0	25497.63	625.8064516	15986.19303	30000	0	0	30000	29.3125	2004
20.03.2020 10:19:33	1	1	1	1	96.25	49.25	0	25545.024	627.9569892	16095.45294	30000	0	0	30000	28.25	2004
20.03.2020 10:19:34	1	1	1	1	96.25	48.25	0	25450.237	625.8064516	15897.31742	30000	0	0	30000	29.8125	2004
20.03.2020 10:19:35	1	1	1	1	96.5	49.75	0	25402.844	630.1075269	15897.31742	30000	0	0	30000	30.375	2004
20.03.2020 10:19:36	1	1	1	1	96.5	50.25	0	25687.204	623.655914	16104.42204	30000	0	0	30000	29.5	2004
20.03.2020 10:19:37	1	1	1	1	96.5	49.5	0	25639.81	630.1075269	16155.7905	30000	0	0	30000	29.625	2004
20.03.2020 10:19:38	1	1	1	1	96.5	49.5	0	25545.024	634.4086022	15956.02424	30000	0	0	30000	29.5625	2004
20.03.2020 10:19:40	1	1	1	1	96.5	49.5	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	29.25	2004
20.03.2020 10:19:41	1	1	1	1	96.5	49.25	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	29.6875	2004
20.03.2020 10:19:42	1	1	1	1	96.5	49.5	0	25545.024	625.8064516	15930.7477	30000	0	0	30000	30	2004
20.03.2020 10:19:43	1	1	1	1	96.5	50	0	25402.844	627.9569892	16006.57734	30000	0	0	30000	29.6875	2004
20.03.2020 10:19:44	1	1	1	1	96.5	49.5	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	30.125	2004
20.03.2020 10:19:45	1	1	1	1	96.5	50	0	25450.237	621.5053763	15986.19303	30000	0	0	30000	29.625	2004
20.03.2020 10:19:46	1	1	1	1	96.25	49.5	0	25639.81	625.8064516	15990.26989	30000	0	0	30000	29.625	2004
20.03.2020 10:19:47	1	1	1	1	96.25	49.5	0	25687.204	623.655914	16104.42204	30000	0	0	30000	28.75	2004
20.03.2020 10:19:48	1	1	1	1	96.25	48.75	0	25497.63	625.8064516	15956.02424	30000	0	0	30000	29.5625	2004
20.03.2020 10:19:49	1	1	1	1	96.25	49.5	0	25450.237	619.3548387	15846.76433	30000	0	0	30000	30.1875	2004
20.03.2020 10:19:50	1	1	1	1	96.25	50	0	25734.597	623.655914	16163.94423	30000	0	0	30000	28.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:19:51	1	1	1	1	96.25	48.75	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	29.1875	2004
20.03.2020 10:19:52	1	1	1	1	96.25	49	0	25639.81	623.655914	16044.89985	30000	0	0	30000	29.3125	2004
20.03.2020 10:19:53	1	1	1	1	96.25	49.25	0	25687.204	621.5053763	15824.74927	30000	0	0	30000	29	2004
20.03.2020 10:19:54	1	1	1	1	96.25	49	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	30.125	2004
20.03.2020 10:19:55	1	1	1	1	96.25	50	0	25639.81	621.5053763	16044.89985	30000	0	0	30000	29.75	2004
20.03.2020 10:19:56	1	1	1	1	95.75	49.75	0	25734.597	623.655914	16104.42204	30000	0	0	30000	29.5625	2004
20.03.2020 10:19:57	1	1	1	1	95.75	49.5	0	25687.204	623.655914	16075.06863	30000	0	0	30000	30.1875	2004
20.03.2020 10:19:58	1	1	1	1	95.75	50	0	25734.597	630.1075269	16104.42204	30000	0	0	30000	29.25	2004
20.03.2020 10:19:59	1	1	1	1	95.75	49.25	0	25592.417	621.5053763	15876.11774	30000	0	0	30000	30.375	2004
20.03.2020 10:20:00	1	1	1	1	95.75	50.25	0	25592.417	621.5053763	15905.47115	30000	0	0	30000	30.4375	2004
20.03.2020 10:20:01	1	1	1	1	95.75	50.25	0	25734.597	625.8064516	16159.86737	30000	0	0	30000	28.9375	2004
20.03.2020 10:20:02	1	1	1	1	95.75	48.75	0	25734.597	630.1075269	16104.42204	30000	0	0	30000	29.5625	2004
20.03.2020 10:20:03	1	1	1	1	95.75	49.5	0	25734.597	623.655914	16048.97671	30000	0	0	30000	30.75	2004
20.03.2020 10:20:04	1	1	1	1	95.75	50.75	0	25734.597	617.2043011	15993.53138	30000	0	0	30000	30.125	2004
20.03.2020 10:20:05	1	1	1	1	95.75	48.75	0	25639.81	619.3548387	15934.82456	30000	0	0	30000	29.875	2004
20.03.2020 10:20:06	1	1	1	1	95.75	49.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	29.3125	2004
20.03.2020 10:20:07	1	1	1	1	95.75	49.25	0	25592.417	621.5053763	15960.91648	30000	0	0	30000	28.6875	2004
20.03.2020 10:20:08	1	1	1	1	95.75	48.5	0	25450.237	621.5053763	15901.39429	30000	0	0	30000	29.25	2004
20.03.2020 10:20:09	1	1	1	1	95.75	49.25	0	25639.81	623.655914	16044.89985	30000	0	0	30000	30.4375	2004
20.03.2020 10:20:10	1	1	1	1	95.75	50.25	0	25592.417	625.8064516	15986.19303	30000	0	0	30000	30.0625	2004
20.03.2020 10:20:11	1	1	1	1	95.75	50	0	25734.597	623.655914	16104.42204	30000	0	0	30000	29.125	2004
20.03.2020 10:20:12	1	1	1	1	95.75	49	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	30.375	2004
20.03.2020 10:20:13	1	1	1	1	95.75	50.25	0	25687.204	623.655914	16104.42204	30000	0	0	30000	29.4375	2004
20.03.2020 10:20:14	1	1	1	1	95.75	49.25	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	29.6875	2004
20.03.2020 10:20:15	1	1	1	1	96.25	49.5	0	25545.024	619.3548387	15876.11774	30000	0	0	30000	29.9375	2004
20.03.2020 10:20:16	1	1	1	1	96.25	49.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	29.875	2004
20.03.2020 10:20:17	1	1	1	1	96.25	49.75	0	25734.597	627.9569892	16104.42204	30000	0	0	30000	30.4375	2004
20.03.2020 10:20:18	1	1	1	1	96.25	50.25	0	25687.204	623.655914	15964.17797	30000	0	0	30000	29.0625	2004
20.03.2020 10:20:19	1	1	1	1	96.25	49	0	25687.204	619.3548387	15880.1946	30000	0	0	30000	29.625	2004
20.03.2020 10:20:20	1	1	1	1	96.25	49.5	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	29.625	2004
20.03.2020 10:20:21	1	1	1	1	96.25	49.5	0	25734.597	621.5053763	15854.10268	30000	0	0	30000	30.125	2004
20.03.2020 10:20:28	1	1	1	1	96	49	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	29.0625	2004
20.03.2020 10:20:28	1	1	1	1	96	49	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	29.0625	2004
20.03.2020 10:20:28	1	1	1	1	96	49	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	29.0625	2004
20.03.2020 10:20:28	1	1	1	1	96	49	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	29.0625	2004
20.03.2020 10:20:28	1	1	1	1	96	49	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	29.0625	2004
20.03.2020 10:20:28	1	1	1	1	96	49	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	29.0625	2004
20.03.2020 10:20:29	1	1	1	1	96	49	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	29.5	2004
20.03.2020 10:20:30	1	1	1	1	96	49.5	0	25734.597	623.655914	16163.94423	30000	0	0	30000	30.4375	2004
20.03.2020 10:20:31	1	1	1	1	96	50.25	0	25734.597	623.655914	15993.53138	30000	0	0	30000	30.0625	2004
20.03.2020 10:20:32	1	1	1	1	96	50	0	25687.204	619.3548387	15934.82456	30000	0	0	30000	30.125	2004
20.03.2020 10:20:33	1	1	1	1	96	50	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.4375	2004
20.03.2020 10:20:34	1	1	1	1	96	50.25	0	25876.777	617.2043011	15941.34754	30000	0	0	30000	29.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:20:35	1	1	1	1	96	49.25	0	25829.384	617.2043011	15941.34754	30000	0	0	30000	30.1875	2004
20.03.2020 10:20:36	1	1	1	1	95.75	50	0	25876.777	621.5053763	16026.96165	30000	0	0	30000	29.4375	2004
20.03.2020 10:20:37	1	1	1	1	95.75	49.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	29.0625	2004
20.03.2020 10:20:38	1	1	1	1	95.75	49	0	25924.171	617.2043011	15970.70095	30000	0	0	30000	29.9375	2004
20.03.2020 10:20:39	1	1	1	1	95.75	49.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30.1875	2004
20.03.2020 10:20:40	1	1	1	1	95.75	50	0	25924.171	617.2043011	16056.31506	30000	0	0	30000	29.125	2004
20.03.2020 10:20:41	1	1	1	1	95.75	49	0	26018.957	619.3548387	16170.46721	30000	0	0	30000	28.875	2004
20.03.2020 10:20:42	1	1	1	1	95.75	48.75	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	30.1875	2004
20.03.2020 10:20:43	1	1	1	1	95.75	50	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	29.6875	2004
20.03.2020 10:20:44	1	1	1	1	95.75	49.5	0	25734.597	615.0537634	15883.45609	30000	0	0	30000	29.8125	2004
20.03.2020 10:20:45	1	1	1	1	95.75	49.75	0	25734.597	617.2043011	15941.34754	30000	0	0	30000	30.25	2004
20.03.2020 10:20:46	1	1	1	1	96	50.25	0	26018.957	619.3548387	16000.05436	30000	0	0	30000	31.125	2004
20.03.2020 10:20:47	1	1	1	1	96	51	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	29.25	2004
20.03.2020 10:20:48	1	1	1	1	96	49.25	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	29.625	2004
20.03.2020 10:20:49	1	1	1	1	96	49.5	0	26066.351	619.3548387	15888.34833	30000	0	0	30000	30	2004
20.03.2020 10:20:50	1	1	1	1	96	50	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	28.3125	2004
20.03.2020 10:20:51	1	1	1	1	96	51	0	25876.777	619.3548387	16082.40698	30000	0	0	30000	30.375	2004
20.03.2020 10:20:52	1	1	1	1	96	50.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30.5625	2004
20.03.2020 10:20:53	1	1	1	1	96	50.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	28.5625	2004
20.03.2020 10:20:54	1	1	1	1	96	48.5	0	25924.171	621.5053763	15888.34833	30000	0	0	30000	30.8125	2004
20.03.2020 10:20:55	1	1	1	1	95.75	50.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	29.8125	2004
20.03.2020 10:20:56	1	1	1	1	95.75	49.75	0	26018.957	617.2043011	15888.34833	30000	0	0	30000	29.125	2004
20.03.2020 10:20:57	1	1	1	1	95.75	49	0	25924.171	617.2043011	15970.70095	30000	0	0	30000	30.5625	2004
20.03.2020 10:20:58	1	1	1	1	95.75	50.5	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	30.125	2004
20.03.2020 10:20:59	1	1	1	1	95.75	50	0	25924.171	621.5053763	16000.05436	30000	0	0	30000	29.6875	2004
20.03.2020 10:21:00	1	1	1	1	95.75	49.5	0	25734.597	610.7526882	15717.1201	30000	0	0	30000	29.1875	2004
20.03.2020 10:21:01	1	1	1	1	95.75	49	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	29.25	2004
20.03.2020 10:21:02	1	1	1	1	95.75	49.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	29.625	2004
20.03.2020 10:21:03	1	1	1	1	95.75	49.5	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	30.1875	2004
20.03.2020 10:21:04	1	1	1	1	95.75	50	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	30.3125	2004
20.03.2020 10:21:05	1	1	1	1	95	50.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	28.5	2004
20.03.2020 10:21:06	1	1	1	1	95	48.5	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	29.6875	2004
20.03.2020 10:21:08	1	1	1	1	95	49.5	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	30.5625	2004
20.03.2020 10:21:09	1	1	1	1	95	50.5	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	30.8125	2004
20.03.2020 10:21:10	1	1	1	1	95	50.75	0	25876.777	612.9032258	15888.34833	30000	0	0	30000	31	2004
20.03.2020 10:21:11	1	1	1	1	95	51	0	26066.351	617.2043011	16088.11459	30000	0	0	30000	30.5625	2004
20.03.2020 10:21:12	1	1	1	1	95	50.5	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	30.9375	2004
20.03.2020 10:21:13	1	1	1	1	95	50.75	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	30.3125	2004
20.03.2020 10:21:14	1	1	1	1	95	50.25	0	26018.957	610.7526882	15975.59318	30000	0	0	30000	30.5	2004
20.03.2020 10:21:15	1	1	1	1	95	50.5	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	29.6875	2004
20.03.2020 10:21:16	1	1	1	1	95.5	49.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	29.8125	2004
20.03.2020 10:21:17	1	1	1	1	95.5	49.75	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	30.4375	2004
20.03.2020 10:21:18	1	1	1	1	95.5	50.25	0	26066.351	612.9032258	15777.45767	30000	0	0	30000	30.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:21:19	1	1	1	1	95.5	50.75	0	25924.171	612.9032258	15777.45767	30000	0	0	30000	30.25	2004
20.03.2020 10:21:20	1	1	1	1	95.5	50.25	0	26018.957	612.9032258	16002.50048	30000	0	0	30000	29.4375	2004
20.03.2020 10:21:21	1	1	1	1	95.5	49.25	0	26018.957	615.0537634	16031.85389	30000	0	0	30000	29.6875	2004
20.03.2020 10:21:22	1	1	1	1	95.5	49.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	29.125	2004
20.03.2020 10:21:23	1	1	1	1	95.5	49	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	29.75	2004
20.03.2020 10:21:30	1	1	1	1	93.75	50	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	30.375	2004
20.03.2020 10:21:30	1	1	1	1	93.75	50	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	30.375	2004
20.03.2020 10:21:30	1	1	1	1	93.75	50	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	30.375	2004
20.03.2020 10:21:30	1	1	1	1	93.75	50	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	30.375	2004
20.03.2020 10:21:30	1	1	1	1	93.75	50	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	30.375	2004
20.03.2020 10:21:30	1	1	1	1	93.75	50.25	0	26018.957	610.7526882	16004.94659	30000	0	0	30000	29.3125	2004
20.03.2020 10:21:31	1	1	1	1	93.75	49.25	0	26208.531	615.0537634	16175.35944	30000	0	0	30000	30.3125	2004
20.03.2020 10:21:32	1	1	1	1	93.75	50.25	0	26208.531	612.9032258	16092.19145	30000	0	0	30000	30.25	2004
20.03.2020 10:21:33	1	1	1	1	93.75	50.75	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	28.25	2004
20.03.2020 10:21:34	1	1	1	1	93.75	48.25	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	29.625	2004
20.03.2020 10:21:35	1	1	1	1	92.25	49.5	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	30.6875	2004
20.03.2020 10:21:36	1	1	1	1	92.25	50.5	0	26113.744	615.0537634	16117.468	30000	0	0	30000	30.5	2004
20.03.2020 10:21:37	1	1	1	1	92.25	50.5	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	30.9375	2004
20.03.2020 10:21:38	1	1	1	1	92.25	50.75	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	30.375	2004
20.03.2020 10:21:39	1	1	1	1	92.25	50.25	0	26018.957	612.9032258	15975.59318	30000	0	0	30000	30.5	2004
20.03.2020 10:21:40	1	1	1	1	92.25	50.5	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	29.6875	2004
20.03.2020 10:21:41	1	1	1	1	92.25	49.5	0	26018.957	615.0537634	15944.60903	30000	0	0	30000	30.125	2004
20.03.2020 10:21:42	1	1	1	1	92.25	50	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	31	2004
20.03.2020 10:21:43	1	1	1	1	92.25	51	0	26018.957	615.0537634	15832.903	30000	0	0	30000	30.3125	2004
20.03.2020 10:21:44	1	1	1	1	92.25	50.25	0	26018.957	612.9032258	15975.59318	30000	0	0	30000	30.875	2004
20.03.2020 10:21:45	1	1	1	1	90.75	50.75	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	30.75	2004
20.03.2020 10:21:46	1	1	1	1	90.75	50.75	0	25924.171	615.0537634	15804.36496	30000	0	0	30000	29.375	2004
20.03.2020 10:21:47	1	1	1	1	90.75	49.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	30.25	2004
20.03.2020 10:21:49	1	1	1	1	90.75	50.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	30.875	2004
20.03.2020 10:21:50	1	1	1	1	90.75	50.75	0	26113.744	615.0537634	16117.468	30000	0	0	30000	30.625	2004
20.03.2020 10:21:51	1	1	1	1	90.75	50.5	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	30.5625	2004
20.03.2020 10:21:52	1	1	1	1	90.75	50.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	30.8125	2004
20.03.2020 10:21:53	1	1	1	1	90.75	50.75	0	26018.957	606.4516129	16004.94659	30000	0	0	30000	30.5625	2004
20.03.2020 10:21:54	1	1	1	1	90.75	50.5	0	26018.957	617.2043011	15888.34833	30000	0	0	30000	30.6875	2004
20.03.2020 10:21:55	1	1	1	1	90.75	50.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	30.625	2004
20.03.2020 10:21:56	1	1	1	1	88.75	50.5	0	26018.957	610.7526882	15947.05515	30000	0	0	30000	30.375	2004
20.03.2020 10:21:57	1	1	1	1	88.75	50.25	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	29.9375	2004
20.03.2020 10:21:58	1	1	1	1	88.75	49.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	31.125	2004
20.03.2020 10:21:59	1	1	1	1	88.75	51	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	31	2004
20.03.2020 10:22:00	1	1	1	1	88.75	51	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	30	2004
20.03.2020 10:22:01	1	1	1	1	88.75	50	0	26208.531	615.0537634	16004.94659	30000	0	0	30000	30.8125	2004
20.03.2020 10:22:02	1	1	1	1	88.75	50.75	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	30.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:22:03	1	1	1	1	88.75	50.5	0	26066.351	612.9032258	15947.05515	30000	0	0	30000	30.8125	2004
20.03.2020 10:22:04	1	1	1	1	88.75	50.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	30.375	2004
20.03.2020 10:22:05	1	1	1	1	88.75	50.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	29.75	2004
20.03.2020 10:22:06	1	1	1	1	86.75	49.75	0	26255.924	612.9032258	16062.83804	30000	0	0	30000	30.4375	2004
20.03.2020 10:22:07	1	1	1	1	86.75	50.25	0	25924.171	610.7526882	15947.05515	30000	0	0	30000	29.9375	2004
20.03.2020 10:22:08	1	1	1	1	86.75	49.75	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	30.5625	2004
20.03.2020 10:22:09	1	1	1	1	86.75	50.5	0	26018.957	606.4516129	16061.20729	30000	0	0	30000	31.0625	2004
20.03.2020 10:22:10	1	1	1	1	86.75	51	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	30.8125	2004
20.03.2020 10:22:11	1	1	1	1	86.75	50.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	28.75	2004
20.03.2020 10:22:12	1	1	1	1	86.75	50.25	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	30.25	2004
20.03.2020 10:22:13	1	1	1	1	86.75	50.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	30.875	2004
20.03.2020 10:22:14	1	1	1	1	86.75	50.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	30.1875	2004
20.03.2020 10:22:15	1	1	1	1	86.75	50	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	30.25	2004
20.03.2020 10:22:16	1	1	1	1	86.75	50.25	0	26208.531	610.7526882	15836.16449	30000	0	0	30000	30.375	2004
20.03.2020 10:22:17	1	1	1	1	86.75	50.25	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	30.8125	2004
20.03.2020 10:22:18	1	1	1	1	86.75	50.75	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	30.875	2004
20.03.2020 10:22:19	1	1	1	1	86.75	50.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	29.75	2004
20.03.2020 10:22:20	1	1	1	1	86.75	49.75	0	26113.744	612.9032258	16062.83804	30000	0	0	30000	30.1875	2004
20.03.2020 10:22:21	1	1	1	1	86.75	50	0	26208.531	606.4516129	16177.80556	30000	0	0	30000	30.125	2004
20.03.2020 10:22:22	1	1	1	1	86.75	50	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	30.4375	2004
20.03.2020 10:22:23	1	1	1	1	86.75	50.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	30.8125	2004
20.03.2020 10:22:25	1	1	1	1	86.75	50.75	0	26303.318	610.7526882	16120.72949	30000	0	0	30000	29.3125	2004
20.03.2020 10:22:31	1	1	1	1	88	50.25	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	30.8125	2004
20.03.2020 10:22:31	1	1	1	1	88	50.25	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	30.8125	2004
20.03.2020 10:22:31	1	1	1	1	88	50.25	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	30.8125	2004
20.03.2020 10:22:31	1	1	1	1	88	50.25	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	30.8125	2004
20.03.2020 10:22:31	1	1	1	1	88	50.75	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	30.3125	2004
20.03.2020 10:22:32	1	1	1	1	88	50.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	30.25	2004
20.03.2020 10:22:33	1	1	1	1	88	50.25	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	28.375	2004
20.03.2020 10:22:34	1	1	1	1	88	48.25	0	26303.318	608.6021505	16234.06626	30000	0	0	30000	30.1875	2004
20.03.2020 10:22:35	1	1	1	1	88	50	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	29.75	2004
20.03.2020 10:22:36	1	1	1	1	87.75	49.75	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	29.625	2004
20.03.2020 10:22:37	1	1	1	1	87.75	49.5	0	26255.924	608.6021505	15950.31664	30000	0	0	30000	30.5625	2004
20.03.2020 10:22:38	1	1	1	1	87.75	50.5	0	26303.318	615.0537634	15837.79523	30000	0	0	30000	30.4375	2004
20.03.2020 10:22:39	1	1	1	1	87.75	50.25	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	30.375	2004
20.03.2020 10:22:40	1	1	1	1	87.75	50.25	0	26255.924	606.4516129	15922.59397	30000	0	0	30000	31	2004
20.03.2020 10:22:41	1	1	1	1	87.75	51	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	30.5	2004
20.03.2020 10:22:42	1	1	1	1	87.75	50.5	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	31.1875	2004
20.03.2020 10:22:43	1	1	1	1	87.75	51	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	29.875	2004
20.03.2020 10:22:44	1	1	1	1	87.75	49.75	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	29.8125	2004
20.03.2020 10:22:45	1	1	1	1	87.75	49.75	0	26113.744	610.7526882	15950.31664	30000	0	0	30000	31.25	2004
20.03.2020 10:22:46	1	1	1	1	88.25	51.25	0	26255.924	610.7526882	16035.93075	30000	0	0	30000	31.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:22:47	1	1	1	1	88.25	51	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	30.875	2004
20.03.2020 10:22:48	1	1	1	1	88.25	50.75	0	26113.744	602.1505376	16064.46878	30000	0	0	30000	30.625	2004
20.03.2020 10:22:49	1	1	1	1	88.25	50.5	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	31.3125	2004
20.03.2020 10:22:50	1	1	1	1	88.25	51.25	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	30.4375	2004
20.03.2020 10:22:51	1	1	1	1	88.25	50.5	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	30.625	2004
20.03.2020 10:22:52	1	1	1	1	88.25	50.5	0	26303.318	610.7526882	15894.05593	30000	0	0	30000	30.625	2004
20.03.2020 10:22:53	1	1	1	1	88.25	50.5	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	30.25	2004
20.03.2020 10:22:54	1	1	1	1	88.25	50.25	0	26255.924	606.4516129	15950.31664	30000	0	0	30000	30.9375	2004
20.03.2020 10:22:55	1	1	1	1	88.75	50.75	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	31.25	2004
20.03.2020 10:22:56	1	1	1	1	88.75	51.25	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	31.25	2004
20.03.2020 10:22:57	1	1	1	1	88.75	51.25	0	26303.318	615.0537634	15779.90379	30000	0	0	30000	30.375	2004
20.03.2020 10:22:58	1	1	1	1	88.75	50.25	0	26350.711	606.4516129	15838.61061	30000	0	0	30000	30.875	2004
20.03.2020 10:22:59	1	1	1	1	88.75	50.75	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	31.25	2004
20.03.2020 10:23:00	1	1	1	1	88.75	51.25	0	26113.744	597.8494624	16120.72949	30000	0	0	30000	30.625	2004
20.03.2020 10:23:02	1	1	1	1	88.75	50.5	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	31.125	2004
20.03.2020 10:23:03	1	1	1	1	88.75	51	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	30.6875	2004
20.03.2020 10:23:04	1	1	1	1	88.75	50.5	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	29.625	2004
20.03.2020 10:23:05	1	1	1	1	88.75	49.5	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	31.25	2004
20.03.2020 10:23:06	1	1	1	1	89.5	51.25	0	26445.498	606.4516129	16152.52901	30000	0	0	30000	30.75	2004
20.03.2020 10:23:07	1	1	1	1	89.5	50.75	0	26398.104	610.7526882	16037.56149	30000	0	0	30000	30.9375	2004
20.03.2020 10:23:08	1	1	1	1	89.5	50.75	0	26445.498	610.7526882	16180.25168	30000	0	0	30000	30.4375	2004
20.03.2020 10:23:09	1	1	1	1	89.5	50.25	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	30.8125	2004
20.03.2020 10:23:10	1	1	1	1	89.5	50.75	0	26492.891	606.4516129	16066.09953	30000	0	0	30000	30.25	2004
20.03.2020 10:23:11	1	1	1	1	89.5	50.25	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	30.3125	2004
20.03.2020 10:23:12	1	1	1	1	89.5	50.25	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	30.4375	2004
20.03.2020 10:23:13	1	1	1	1	89.5	50.25	0	26445.498	608.6021505	15951.94738	30000	0	0	30000	29.9375	2004
20.03.2020 10:23:14	1	1	1	1	89.5	49.75	0	26398.104	608.6021505	15951.94738	30000	0	0	30000	30.5625	2004
20.03.2020 10:23:15	1	1	1	1	89.5	50.5	0	26445.498	606.4516129	15895.68668	30000	0	0	30000	29.5625	2004
20.03.2020 10:23:16	1	1	1	1	89	49.5	0	26398.104	606.4516129	16037.56149	30000	0	0	30000	31.1875	2004
20.03.2020 10:23:17	1	1	1	1	89	51	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	30.6875	2004
20.03.2020 10:23:18	1	1	1	1	89	50.5	0	26303.318	606.4516129	15923.40934	30000	0	0	30000	30.25	2004
20.03.2020 10:23:19	1	1	1	1	89	50.25	0	26398.104	604.3010753	16094.63757	30000	0	0	30000	31.25	2004
20.03.2020 10:23:20	1	1	1	1	89	51.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	29.625	2004
20.03.2020 10:23:21	1	1	1	1	89	49.5	0	26540.284	606.4516129	16123.99098	30000	0	0	30000	31.375	2004
20.03.2020 10:23:22	1	1	1	1	89	51.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	29.5	2004
20.03.2020 10:23:23	1	1	1	1	89	49.5	0	26398.104	604.3010753	15838.61061	30000	0	0	30000	31.3125	2004
20.03.2020 10:23:24	1	1	1	1	89	51.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	31.125	2004
20.03.2020 10:23:25	1	1	1	1	89	51	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	31.125	2004
20.03.2020 10:23:26	1	1	1	1	90	51	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	29.75	2004
20.03.2020 10:23:32	1	1	1	1	90	50.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	31.0625	2004
20.03.2020 10:23:32	1	1	1	1	90	50.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	31.0625	2004
20.03.2020 10:23:32	1	1	1	1	90	50.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	31.0625	2004
20.03.2020 10:23:32	1	1	1	1	90	50.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	31.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:23:32	1	1	1	1	90	50.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	31.0625	2004
20.03.2020 10:23:32	1	1	1	1	90	50.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	31.0625	2004
20.03.2020 10:23:33	1	1	1	1	90	51	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	30.875	2004
20.03.2020 10:23:34	1	1	1	1	90	50.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	31.1875	2004
20.03.2020 10:23:35	1	1	1	1	90	51	0	26303.318	604.3010753	15867.14864	30000	0	0	30000	30.6875	2004
20.03.2020 10:23:36	1	1	1	1	90	50.5	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	29.875	2004
20.03.2020 10:23:37	1	1	1	1	90	49.75	0	26350.711	602.1505376	15923.40934	30000	0	0	30000	30.75	2004
20.03.2020 10:23:38	1	1	1	1	90	50.75	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	31.5	2004
20.03.2020 10:23:39	1	1	1	1	90	51.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	30.4375	2004
20.03.2020 10:23:40	1	1	1	1	90	50.25	0	26540.284	604.3010753	16123.99098	30000	0	0	30000	31.4375	2004
20.03.2020 10:23:42	1	1	1	1	90	51.25	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	30.9375	2004
20.03.2020 10:23:43	1	1	1	1	90	50.75	0	26492.891	606.4516129	15810.07257	30000	0	0	30000	30.4375	2004
20.03.2020 10:23:44	1	1	1	1	90	50.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	30.25	2004
20.03.2020 10:23:45	1	1	1	1	90	50.25	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	29.875	2004
20.03.2020 10:23:46	1	1	1	1	89.75	49.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	31.3125	2004
20.03.2020 10:23:47	1	1	1	1	89.75	51.25	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	30.125	2004
20.03.2020 10:23:48	1	1	1	1	89.75	50	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	31.375	2004
20.03.2020 10:23:49	1	1	1	1	89.75	51.25	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	31.25	2004
20.03.2020 10:23:50	1	1	1	1	89.75	51.25	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	31.1875	2004
20.03.2020 10:23:51	1	1	1	1	89.75	51	0	26398.104	602.1505376	16037.56149	30000	0	0	30000	30.5	2004
20.03.2020 10:23:52	1	1	1	1	89.75	50.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	30.5625	2004
20.03.2020 10:23:53	1	1	1	1	89.75	50.5	0	26540.284	602.1505376	15952.76275	30000	0	0	30000	30.6875	2004
20.03.2020 10:23:54	1	1	1	1	89.75	50.5	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	30.625	2004
20.03.2020 10:23:55	1	1	1	1	89.75	50.5	0	26303.318	602.1505376	15894.87131	30000	0	0	30000	31.5625	2004
20.03.2020 10:23:56	1	1	1	1	89.75	51.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	30.9375	2004
20.03.2020 10:23:57	1	1	1	1	89.75	50.75	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	30.4375	2004
20.03.2020 10:23:58	1	1	1	1	89.75	50.25	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	31.3125	2004
20.03.2020 10:23:59	1	1	1	1	89.75	51.25	0	26350.711	602.1505376	15951.94738	30000	0	0	30000	31.5	2004
20.03.2020 10:24:00	1	1	1	1	89.75	51.5	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	29.625	2004
20.03.2020 10:24:01	1	1	1	1	89.75	49.5	0	26350.711	602.1505376	15867.14864	30000	0	0	30000	30.875	2004
20.03.2020 10:24:02	1	1	1	1	89.75	50.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	31.0625	2004
20.03.2020 10:24:03	1	1	1	1	89.75	51	0	26445.498	608.6021505	15895.68668	30000	0	0	30000	30.75	2004
20.03.2020 10:24:04	1	1	1	1	89.75	50.75	0	26540.284	608.6021505	16152.52901	30000	0	0	30000	31	2004
20.03.2020 10:24:05	1	1	1	1	89.75	51	0	26398.104	602.1505376	16180.25168	30000	0	0	30000	30.375	2004
20.03.2020 10:24:06	1	1	1	1	90	50.25	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	30.625	2004
20.03.2020 10:24:07	1	1	1	1	90	50.5	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	30.75	2004
20.03.2020 10:24:08	1	1	1	1	90	50.75	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	31.6875	2004
20.03.2020 10:24:09	1	1	1	1	90	51	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	31.1875	2004
20.03.2020 10:24:10	1	1	1	1	90	51	0	26492.891	604.3010753	16152.52901	30000	0	0	30000	31.375	2004
20.03.2020 10:24:11	1	1	1	1	90	51.25	0	26540.284	606.4516129	16181.06705	30000	0	0	30000	31.25	2004
20.03.2020 10:24:12	1	1	1	1	90	51.25	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	30.9375	2004
20.03.2020 10:24:13	1	1	1	1	90	50.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	30	2004
20.03.2020 10:24:14	1	1	1	1	90	50	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	31.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:24:15	1	1	1	1	91.25	51.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:16	1	1	1	1	91.25	50.5	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	31.4375	2004
20.03.2020 10:24:17	1	1	1	1	91.25	51.25	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:18	1	1	1	1	91.25	50.5	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	30.25	2004
20.03.2020 10:24:19	1	1	1	1	91.25	50.25	0	26445.498	602.1505376	15810.07257	30000	0	0	30000	31	2004
20.03.2020 10:24:20	1	1	1	1	91.25	51	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	31.4375	2004
20.03.2020 10:24:22	1	1	1	1	91.25	51.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	30.9375	2004
20.03.2020 10:24:23	1	1	1	1	91.25	50.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	30.8125	2004
20.03.2020 10:24:24	1	1	1	1	91.25	50.75	0	26492.891	602.1505376	15810.07257	30000	0	0	30000	30.25	2004
20.03.2020 10:24:25	1	1	1	1	91.25	50.25	0	26635.071	602.1505376	16038.37687	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:26	1	1	1	1	91.5	50.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	31.375	2004
20.03.2020 10:24:27	1	1	1	1	91.5	51.25	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	31.4375	2004
20.03.2020 10:24:28	1	1	1	1	91.5	51.25	0	26303.318	602.1505376	15838.61061	30000	0	0	30000	30.375	2004
20.03.2020 10:24:34	1	1	1	1	91.5	50.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:34	1	1	1	1	91.5	50.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:34	1	1	1	1	91.5	50.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:34	1	1	1	1	91.5	50.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:34	1	1	1	1	91.5	50.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:34	1	1	1	1	91.5	50.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:34	1	1	1	1	91.5	50.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	30.6875	2004
20.03.2020 10:24:35	1	1	1	1	91.5	50.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31	2004
20.03.2020 10:24:36	1	1	1	1	91.75	51	0	26492.891	591.3978495	15924.22472	30000	0	0	30000	31.5	2004
20.03.2020 10:24:37	1	1	1	1	91.75	51.5	0	26540.284	600	15752.99649	30000	0	0	30000	31.5	2004
20.03.2020 10:24:38	1	1	1	1	91.75	51.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	31.5625	2004
20.03.2020 10:24:39	1	1	1	1	91.75	51.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	30.5	2004
20.03.2020 10:24:40	1	1	1	1	91.75	50.5	0	26445.498	600	15867.14864	30000	0	0	30000	30.375	2004
20.03.2020 10:24:41	1	1	1	1	91.75	50.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	30.9375	2004
20.03.2020 10:24:42	1	1	1	1	91.75	50.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	31.0625	2004
20.03.2020 10:24:43	1	1	1	1	91.75	51	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	31.25	2004
20.03.2020 10:24:44	1	1	1	1	91.75	51.25	0	26777.251	602.1505376	16152.52901	30000	0	0	30000	30.375	2004
20.03.2020 10:24:45	1	1	1	1	91.75	50.25	0	26587.678	595.6989247	15837.79523	30000	0	0	30000	31.6875	2004
20.03.2020 10:24:46	1	1	1	1	91.5	51.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	31.75	2004
20.03.2020 10:24:47	1	1	1	1	91.5	51.75	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	31.125	2004
20.03.2020 10:24:48	1	1	1	1	91.5	51	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	30.9375	2004
20.03.2020 10:24:49	1	1	1	1	91.5	50.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	30.375	2004
20.03.2020 10:24:50	1	1	1	1	91.5	51.5	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	31.0625	2004
20.03.2020 10:24:51	1	1	1	1	91.5	51	0	26777.251	602.1505376	15894.05593	30000	0	0	30000	30.875	2004
20.03.2020 10:24:52	1	1	1	1	91.5	50.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	30.5625	2004
20.03.2020 10:24:53	1	1	1	1	91.5	50.5	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	31.625	2004
20.03.2020 10:24:54	1	1	1	1	91.5	51.5	0	27061.611	597.8494624	15889.97907	30000	0	0	30000	30.4375	2004
20.03.2020 10:24:55	1	1	1	1	90.5	50.25	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	30.75	2004
20.03.2020 10:24:56	1	1	1	1	90.5	50.75	0	26919.431	600	16179.43631	30000	0	0	30000	31	2004
20.03.2020 10:24:57	1	1	1	1	90.5	51	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	31.5	2004
20.03.2020 10:24:58	1	1	1	1	90.5	51.5	0	26777.251	595.6989247	15779.90379	30000	0	0	30000	30.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:24:59	1	1	1	1	90.5	50.75	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	31.125	2004
20.03.2020 10:25:01	1	1	1	1	90.5	51	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	29.9375	2004
20.03.2020 10:25:02	1	1	1	1	90.5	49.75	0	26682.464	593.5483871	15951.13201	30000	0	0	30000	31.25	2004
20.03.2020 10:25:03	1	1	1	1	90.5	51.25	0	26777.251	602.1505376	16094.63757	30000	0	0	30000	31.75	2004
20.03.2020 10:25:04	1	1	1	1	90.5	51.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	31.5	2004
20.03.2020 10:25:05	1	1	1	1	90.5	51.5	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	31.75	2004
20.03.2020 10:25:06	1	1	1	1	91	51.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	30.6875	2004
20.03.2020 10:25:07	1	1	1	1	91	50.5	0	26682.464	593.5483871	16009.02346	30000	0	0	30000	30.125	2004
20.03.2020 10:25:08	1	1	1	1	91	50	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	31.125	2004
20.03.2020 10:25:09	1	1	1	1	91	51	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	31.625	2004
20.03.2020 10:25:10	1	1	1	1	91	51.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31.6875	2004
20.03.2020 10:25:11	1	1	1	1	91	51.5	0	26824.645	602.1505376	15951.13201	30000	0	0	30000	31.625	2004
20.03.2020 10:25:12	1	1	1	1	91	51.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	31.0625	2004
20.03.2020 10:25:13	1	1	1	1	91	51	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	31.1875	2004
20.03.2020 10:25:14	1	1	1	1	91	51	0	26872.038	597.8494624	16094.63757	30000	0	0	30000	31.625	2004
20.03.2020 10:25:15	1	1	1	1	91	51.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	31.6875	2004
20.03.2020 10:25:16	1	1	1	1	91.75	51.5	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	30.25	2004
20.03.2020 10:25:17	1	1	1	1	91.75	50.25	0	26587.678	600	15894.87131	30000	0	0	30000	30.6875	2004
20.03.2020 10:25:18	1	1	1	1	91.75	50.5	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	31	2004
20.03.2020 10:25:19	1	1	1	1	91.75	51	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	31.375	2004
20.03.2020 10:25:20	1	1	1	1	91.75	51.25	0	26919.431	593.5483871	16065.28416	30000	0	0	30000	31	2004
20.03.2020 10:25:21	1	1	1	1	91.75	51	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	30.5625	2004
20.03.2020 10:25:22	1	1	1	1	91.75	50.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	31	2004
20.03.2020 10:25:23	1	1	1	1	91.75	51	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	31.625	2004
20.03.2020 10:25:24	1	1	1	1	91.75	51.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	30.875	2004
20.03.2020 10:25:25	1	1	1	1	91.75	50.75	0	26682.464	589.2473118	15894.05593	30000	0	0	30000	31.6875	2004
20.03.2020 10:25:26	1	1	1	1	91.75	51.5	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	31.375	2004
20.03.2020 10:25:27	1	1	1	1	91.75	51.25	0	26919.431	593.5483871	16007.39271	30000	0	0	30000	30.4375	2004
20.03.2020 10:25:28	1	1	1	1	91.75	50.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	31.6875	2004
20.03.2020 10:25:29	1	1	1	1	91.75	51.5	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	31.6875	2004
20.03.2020 10:25:35	1	1	1	1	91.75	50.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	30.9375	2004
20.03.2020 10:25:35	1	1	1	1	91.75	50.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	30.9375	2004
20.03.2020 10:25:35	1	1	1	1	91.75	50.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	30.9375	2004
20.03.2020 10:25:35	1	1	1	1	91.75	50.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	30.9375	2004
20.03.2020 10:25:35	1	1	1	1	91.25	50.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	31.0625	2004
20.03.2020 10:25:36	1	1	1	1	91.25	51	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	31.3125	2004
20.03.2020 10:25:37	1	1	1	1	91.25	51.25	0	26919.431	593.5483871	15804.36496	30000	0	0	30000	31.875	2004
20.03.2020 10:25:38	1	1	1	1	91.25	51.75	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	31.75	2004
20.03.2020 10:25:39	1	1	1	1	91.25	51.75	0	26919.431	593.5483871	15949.50126	30000	0	0	30000	31.125	2004
20.03.2020 10:25:41	1	1	1	1	91.25	51	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	31.5	2004
20.03.2020 10:25:42	1	1	1	1	91.25	51.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	30.375	2004
20.03.2020 10:25:43	1	1	1	1	91.25	50.25	0	26919.431	593.5483871	16007.39271	30000	0	0	30000	31.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:25:44	1	1	1	1	91.25	51.5	0	26872.038	593.5483871	16209.60509	30000	0	0	30000	30.125	2004
20.03.2020 10:25:45	1	1	1	1	91.25	50	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	30.9375	2004
20.03.2020 10:25:46	1	1	1	1	91.75	50.75	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	31	2004
20.03.2020 10:25:47	1	1	1	1	91.75	51	0	26919.431	595.6989247	16267.49653	30000	0	0	30000	30.625	2004
20.03.2020 10:25:48	1	1	1	1	91.75	50.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	31.6875	2004
20.03.2020 10:25:49	1	1	1	1	91.75	51.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	30.0625	2004
20.03.2020 10:25:50	1	1	1	1	91.75	50	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	31.875	2004
20.03.2020 10:25:51	1	1	1	1	91.75	51.75	0	26777.251	587.0967742	16036.74612	30000	0	0	30000	31.875	2004
20.03.2020 10:25:52	1	1	1	1	91.75	51.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	29.25	2004
20.03.2020 10:25:53	1	1	1	1	91.75	49.25	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	30.8125	2004
20.03.2020 10:25:54	1	1	1	1	91.75	50.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	31.75	2004
20.03.2020 10:25:55	1	1	1	1	91.75	51.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	31.5625	2004
20.03.2020 10:25:56	1	1	1	1	91.25	51.5	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	30.8125	2004
20.03.2020 10:25:57	1	1	1	1	91.25	50.75	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	31.75	2004
20.03.2020 10:25:58	1	1	1	1	91.25	51.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	31.75	2004
20.03.2020 10:25:59	1	1	1	1	91.25	51.75	0	27014.218	595.6989247	16092.19145	30000	0	0	30000	31.6875	2004
20.03.2020 10:26:00	1	1	1	1	91.25	51.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	31.125	2004
20.03.2020 10:26:01	1	1	1	1	91.25	51	0	27014.218	591.3978495	15832.08763	30000	0	0	30000	31.625	2004
20.03.2020 10:26:02	1	1	1	1	91.25	51.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	31.25	2004
20.03.2020 10:26:03	1	1	1	1	91.25	51.25	0	26872.038	591.3978495	15949.50126	30000	0	0	30000	32	2004
20.03.2020 10:26:04	1	1	1	1	91.25	52	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	30.6875	2004
20.03.2020 10:26:05	1	1	1	1	91.25	50.5	0	26872.038	593.5483871	15978.85467	30000	0	0	30000	31.875	2004
20.03.2020 10:26:06	1	1	1	1	92	51.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	32.1875	2004
20.03.2020 10:26:07	1	1	1	1	92	51.5	0	26824.645	589.2473118	15891.60982	30000	0	0	30000	31.5	2004
20.03.2020 10:26:08	1	1	1	1	92	51.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	30.875	2004
20.03.2020 10:26:09	1	1	1	1	92	50.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	31.5	2004
20.03.2020 10:26:10	1	1	1	1	92	51.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	31.8125	2004
20.03.2020 10:26:11	1	1	1	1	92	51.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	31.5	2004
20.03.2020 10:26:12	1	1	1	1	92	51.5	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	30.8125	2004
20.03.2020 10:26:13	1	1	1	1	92	50.75	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	31.4375	2004
20.03.2020 10:26:14	1	1	1	1	92	51.25	0	26919.431	595.6989247	15920.14785	30000	0	0	30000	31.0625	2004
20.03.2020 10:26:15	1	1	1	1	92	51	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	31.25	2004
20.03.2020 10:26:16	1	1	1	1	92	51.25	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	30.9375	2004
20.03.2020 10:26:17	1	1	1	1	92	50.75	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	30.375	2004
20.03.2020 10:26:18	1	1	1	1	92	50.25	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	30.375	2004
20.03.2020 10:26:20	1	1	1	1	92	50.25	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	30.5625	2004
20.03.2020 10:26:21	1	1	1	1	92	50.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	30.875	2004
20.03.2020 10:26:22	1	1	1	1	92	50.75	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	31.75	2004
20.03.2020 10:26:23	1	1	1	1	92	51.75	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	30.3125	2004
20.03.2020 10:26:24	1	1	1	1	92	50.25	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	31.4375	2004
20.03.2020 10:26:25	1	1	1	1	92	51.25	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	30.5	2004
20.03.2020 10:26:26	1	1	1	1	92.5	50.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	30.5	2004
20.03.2020 10:26:27	1	1	1	1	92.5	50.5	0	26824.645	591.3978495	15949.50126	30000	0	0	30000	31.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:26:28	1	1	1	1	92.5	51	0	26919.431	602.1505376	16007.39271	30000	0	0	30000	31.8125	2004
20.03.2020 10:26:29	1	1	1	1	92.5	51.75	0	26872.038	584.9462366	15920.14785	30000	0	0	30000	31.6875	2004
20.03.2020 10:26:30	1	1	1	1	92.5	51.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	31.0625	2004
20.03.2020 10:26:31	1	1	1	1	92.5	51	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	31.25	2004
20.03.2020 10:26:37	1	1	1	1	92.25	51.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.4375	2004
20.03.2020 10:26:37	1	1	1	1	92.25	51.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.4375	2004
20.03.2020 10:26:37	1	1	1	1	92.25	51.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.4375	2004
20.03.2020 10:26:37	1	1	1	1	92.25	51.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.4375	2004
20.03.2020 10:26:37	1	1	1	1	92.25	51.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.4375	2004
20.03.2020 10:26:37	1	1	1	1	92.25	51.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.4375	2004
20.03.2020 10:26:37	1	1	1	1	92.25	51.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.4375	2004
20.03.2020 10:26:38	1	1	1	1	92.25	51.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	29.875	2004
20.03.2020 10:26:39	1	1	1	1	92.25	49.75	0	27061.611	595.6989247	16148.45215	30000	0	0	30000	31.75	2004
20.03.2020 10:26:40	1	1	1	1	92.25	51.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	31.625	2004
20.03.2020 10:26:41	1	1	1	1	92.25	51.5	0	26777.251	593.5483871	16065.28416	30000	0	0	30000	32.0625	2004
20.03.2020 10:26:42	1	1	1	1	92.25	52	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	30.25	2004
20.03.2020 10:26:43	1	1	1	1	92.25	50.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	31.375	2004
20.03.2020 10:26:44	1	1	1	1	92.25	51.25	0	26872.038	595.6989247	15949.50126	30000	0	0	30000	32.125	2004
20.03.2020 10:26:45	1	1	1	1	92.25	52	0	26966.825	591.3978495	16062.02267	30000	0	0	30000	31.625	2004
20.03.2020 10:26:46	1	1	1	1	92	51.5	0	27014.218	593.5483871	16178.62093	30000	0	0	30000	31.1875	2004
20.03.2020 10:26:47	1	1	1	1	92	51.75	0	26966.825	589.2473118	16295.2192	30000	0	0	30000	31.6875	2004
20.03.2020 10:26:48	1	1	1	1	92	51.5	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	30.8125	2004
20.03.2020 10:26:49	1	1	1	1	92	50.75	0	26777.251	593.5483871	15893.24056	30000	0	0	30000	31.5625	2004
20.03.2020 10:26:50	1	1	1	1	92	51.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	31.625	2004
20.03.2020 10:26:51	1	1	1	1	92	51.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	30.375	2004
20.03.2020 10:26:52	1	1	1	1	92	50.25	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	32.0625	2004
20.03.2020 10:26:53	1	1	1	1	92	52	0	26919.431	593.5483871	15804.36496	30000	0	0	30000	30.5	2004
20.03.2020 10:26:54	1	1	1	1	92	50.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	31.6875	2004
20.03.2020 10:26:55	1	1	1	1	91	51.5	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	32.125	2004
20.03.2020 10:26:56	1	1	1	1	91	52	0	26919.431	593.5483871	16238.14313	30000	0	0	30000	31.5	2004
20.03.2020 10:26:58	1	1	1	1	91	51.5	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	31.875	2004
20.03.2020 10:26:59	1	1	1	1	91	51.75	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	32.125	2004
20.03.2020 10:27:00	1	1	1	1	91	52	0	27061.611	597.8494624	16119.91411	30000	0	0	30000	30.9375	2004
20.03.2020 10:27:01	1	1	1	1	91	50.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	31.75	2004
20.03.2020 10:27:02	1	1	1	1	91	51.75	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	31.375	2004
20.03.2020 10:27:03	1	1	1	1	91	51.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	31.375	2004
20.03.2020 10:27:04	1	1	1	1	91	51.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	31	2004
20.03.2020 10:27:05	1	1	1	1	91	51	0	26919.431	591.3978495	15833.71837	30000	0	0	30000	31	2004
20.03.2020 10:27:06	1	1	1	1	92	51	0	27061.611	595.6989247	16148.45215	30000	0	0	30000	31.875	2004
20.03.2020 10:27:07	1	1	1	1	92	51.75	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	31.875	2004
20.03.2020 10:27:08	1	1	1	1	92	51.75	0	26777.251	587.0967742	15921.7786	30000	0	0	30000	31.625	2004
20.03.2020 10:27:09	1	1	1	1	92	51.5	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	32.0625	2004
20.03.2020 10:27:10	1	1	1	1	92	52	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	31.625	2004
20.03.2020 10:27:11	1	1	1	1	92	51.5	0	27109.005	593.5483871	16352.29527	30000	0	0	30000	31.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:27:12	1	1	1	1	92	51.75	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	31.9375	2004
20.03.2020 10:27:13	1	1	1	1	92	51.75	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	31.5	2004
20.03.2020 10:27:14	1	1	1	1	92	51.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	31.3125	2004
20.03.2020 10:27:15	1	1	1	1	92	51.25	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	32.0625	2004
20.03.2020 10:27:16	1	1	1	1	92.25	52	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	31.9375	2004
20.03.2020 10:27:17	1	1	1	1	92.25	51.75	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	32.125	2004
20.03.2020 10:27:18	1	1	1	1	92.25	52	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	31.875	2004
20.03.2020 10:27:19	1	1	1	1	92.25	51.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	31.625	2004
20.03.2020 10:27:20	1	1	1	1	92.25	51.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	32	2004
20.03.2020 10:27:21	1	1	1	1	92.25	52	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	32.0625	2004
20.03.2020 10:27:22	1	1	1	1	92.25	52	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	32.0625	2004
20.03.2020 10:27:23	1	1	1	1	92.25	52	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.6875	2004
20.03.2020 10:27:24	1	1	1	1	92.25	51.5	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	32	2004
20.03.2020 10:27:25	1	1	1	1	92.25	52	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	32.125	2004
20.03.2020 10:27:26	1	1	1	1	92	52	0	26919.431	593.5483871	15748.10426	30000	0	0	30000	31.5	2004
20.03.2020 10:27:27	1	1	1	1	92	51.5	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	31.5625	2004
20.03.2020 10:27:28	1	1	1	1	92	52	0	26966.825	593.5483871	16150.0829	30000	0	0	30000	31.25	2004
20.03.2020 10:27:29	1	1	1	1	92	51.25	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	31.625	2004
20.03.2020 10:27:30	1	1	1	1	92	51.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	31	2004
20.03.2020 10:27:31	1	1	1	1	92	51	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	31.625	2004
20.03.2020 10:27:32	1	1	1	1	92	51.5	0	27061.611	591.3978495	15975.59318	30000	0	0	30000	31.1875	2004
20.03.2020 10:27:38	1	1	1	1	91.5	51.5	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	31.625	2004
20.03.2020 10:27:38	1	1	1	1	91.5	51.5	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	31.625	2004
20.03.2020 10:27:38	1	1	1	1	91.5	51.5	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	31.625	2004
20.03.2020 10:27:38	1	1	1	1	91.5	51.5	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	31.625	2004
20.03.2020 10:27:38	1	1	1	1	91.5	51.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	31.25	2004
20.03.2020 10:27:40	1	1	1	1	91.5	51.25	0	27061.611	589.2473118	15774.19618	30000	0	0	30000	31.6875	2004
20.03.2020 10:27:41	1	1	1	1	91.5	51.5	0	27061.611	593.5483871	16031.85389	30000	0	0	30000	31.6875	2004
20.03.2020 10:27:42	1	1	1	1	91.5	51.5	0	26966.825	591.3978495	16092.19145	30000	0	0	30000	31.5	2004
20.03.2020 10:27:43	1	1	1	1	91.5	51.5	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	31.75	2004
20.03.2020 10:27:44	1	1	1	1	91.5	51.75	0	26966.825	597.8494624	15978.0393	30000	0	0	30000	31.625	2004
20.03.2020 10:27:45	1	1	1	1	91.5	51.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	32.125	2004
20.03.2020 10:27:46	1	1	1	1	91.5	52	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	31.75	2004
20.03.2020 10:27:47	1	1	1	1	91.5	51.75	0	27061.611	593.5483871	16005.76197	30000	0	0	30000	31.6875	2004
20.03.2020 10:27:48	1	1	1	1	91.5	51.5	0	26966.825	595.6989247	16121.54486	30000	0	0	30000	31	2004
20.03.2020 10:27:49	1	1	1	1	91.5	51	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.1875	2004
20.03.2020 10:27:50	1	1	1	1	91.5	51	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	31.1875	2004
20.03.2020 10:27:51	1	1	1	1	91.5	51	0	26729.858	595.6989247	15894.05593	30000	0	0	30000	31.0625	2004
20.03.2020 10:27:52	1	1	1	1	91.5	51	0	26966.825	591.3978495	15862.25641	30000	0	0	30000	31.75	2004
20.03.2020 10:27:53	1	1	1	1	91.5	51.75	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	31.875	2004
20.03.2020 10:27:54	1	1	1	1	91.5	51.75	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	31.125	2004
20.03.2020 10:27:55	1	1	1	1	91.5	51	0	26872.038	591.3978495	15920.14785	30000	0	0	30000	32.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:27:56	1	1	1	1	90.75	52.25	0	26966.825	593.5483871	16034.3	30000	0	0	30000	30.25	2004
20.03.2020 10:27:57	1	1	1	1	90.75	50.25	0	26777.251	591.3978495	15921.7786	30000	0	0	30000	31	2004
20.03.2020 10:27:58	1	1	1	1	90.75	51	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	31.5	2004
20.03.2020 10:27:59	1	1	1	1	90.75	51.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	32.1875	2004
20.03.2020 10:28:00	1	1	1	1	90.75	52	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.75	2004
20.03.2020 10:28:01	1	1	1	1	90.75	51.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	31.5625	2004
20.03.2020 10:28:02	1	1	1	1	90.75	51.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	31.5	2004
20.03.2020 10:28:03	1	1	1	1	90.75	51.5	0	26919.431	597.8494624	15978.0393	30000	0	0	30000	31.5625	2004
20.03.2020 10:28:04	1	1	1	1	90.75	51.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.6875	2004
20.03.2020 10:28:05	1	1	1	1	90.75	51.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	31.6875	2004
20.03.2020 10:28:06	1	1	1	1	91.25	51.5	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	31.875	2004
20.03.2020 10:28:07	1	1	1	1	91.25	52.5	0	27298.578	593.5483871	16059.57655	30000	0	0	30000	32.125	2004
20.03.2020 10:28:08	1	1	1	1	91.25	52	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	31.375	2004
20.03.2020 10:28:09	1	1	1	1	91.25	51.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	31.1875	2004
20.03.2020 10:28:10	1	1	1	1	91.25	51	0	27061.611	589.2473118	15973.96244	30000	0	0	30000	31.125	2004
20.03.2020 10:28:11	1	1	1	1	91.25	51	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	30.875	2004
20.03.2020 10:28:12	1	1	1	1	91.25	50.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	30.25	2004
20.03.2020 10:28:13	1	1	1	1	91.25	50.25	0	27061.611	591.3978495	16090.5607	30000	0	0	30000	31.8125	2004
20.03.2020 10:28:14	1	1	1	1	91.25	51.75	0	27109.005	587.0967742	16085.66847	30000	0	0	30000	31.75	2004
20.03.2020 10:28:15	1	1	1	1	90.75	51.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	31.9375	2004
20.03.2020 10:28:16	1	1	1	1	90.75	51.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	31.9375	2004
20.03.2020 10:28:17	1	1	1	1	90.75	51.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	30.875	2004
20.03.2020 10:28:19	1	1	1	1	90.75	50.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	31.5	2004
20.03.2020 10:28:20	1	1	1	1	90.75	51.5	0	26872.038	591.3978495	15833.71837	30000	0	0	30000	32.25	2004
20.03.2020 10:28:21	1	1	1	1	90.75	52.25	0	27061.611	589.2473118	16119.91411	30000	0	0	30000	31.125	2004
20.03.2020 10:28:22	1	1	1	1	90.75	51	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	31.5625	2004
20.03.2020 10:28:23	1	1	1	1	90.75	51.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	30.9375	2004
20.03.2020 10:28:24	1	1	1	1	90.75	50.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	31.5625	2004
20.03.2020 10:28:25	1	1	1	1	90.75	51.5	0	27061.611	597.8494624	16148.45215	30000	0	0	30000	30.1875	2004
20.03.2020 10:28:26	1	1	1	1	91	50	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	32.25	2004
20.03.2020 10:28:27	1	1	1	1	91	52.25	0	26919.431	584.9462366	15804.36496	30000	0	0	30000	31.625	2004
20.03.2020 10:28:28	1	1	1	1	91	51.5	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	31.8125	2004
20.03.2020 10:28:29	1	1	1	1	91	51.75	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	30.375	2004
20.03.2020 10:28:30	1	1	1	1	91	50.25	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	30.625	2004
20.03.2020 10:28:31	1	1	1	1	91	50.5	0	26824.645	591.3978495	16065.28416	30000	0	0	30000	30.3125	2004
20.03.2020 10:28:32	1	1	1	1	91	50.25	0	26872.038	593.5483871	16209.60509	30000	0	0	30000	30.8125	2004
20.03.2020 10:28:33	1	1	1	1	91	50.75	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	32.25	2004
20.03.2020 10:28:34	1	1	1	1	91	52.25	0	26777.251	593.5483871	15893.24056	30000	0	0	30000	32.0625	2004
20.03.2020 10:28:40	1	1	1	1	92.5	52.25	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	31.25	2004
20.03.2020 10:28:40	1	1	1	1	92.5	52.25	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	31.25	2004
20.03.2020 10:28:40	1	1	1	1	92.5	52.25	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	31.25	2004
20.03.2020 10:28:40	1	1	1	1	92.5	52.25	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	31.25	2004
20.03.2020 10:28:40	1	1	1	1	92.5	52.25	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	31.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:28:40	1	1	1	1	92.5	51.25	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	30.75	2004
20.03.2020 10:28:41	1	1	1	1	92.5	50.75	0	26777.251	597.8494624	15978.85467	30000	0	0	30000	30.4375	2004
20.03.2020 10:28:42	1	1	1	1	92.5	50.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	30.5	2004
20.03.2020 10:28:43	1	1	1	1	92.5	50.5	0	26872.038	597.8494624	16123.1756	30000	0	0	30000	32.25	2004
20.03.2020 10:28:44	1	1	1	1	92.5	52.25	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	32.625	2004
20.03.2020 10:28:45	1	1	1	1	92.5	52.5	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	32.5	2004
20.03.2020 10:28:46	1	1	1	1	91.75	52.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.75	2004
20.03.2020 10:28:47	1	1	1	1	91.75	51.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	32.125	2004
20.03.2020 10:28:48	1	1	1	1	91.75	52.25	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	32	2004
20.03.2020 10:28:49	1	1	1	1	91.75	52	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	31.75	2004
20.03.2020 10:28:50	1	1	1	1	91.75	51.75	0	27109.005	589.2473118	15829.64151	30000	0	0	30000	32.0625	2004
20.03.2020 10:28:51	1	1	1	1	91.75	52	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	32	2004
20.03.2020 10:28:52	1	1	1	1	91.75	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.1875	2004
20.03.2020 10:28:53	1	1	1	1	91.75	52	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	32.375	2004
20.03.2020 10:28:54	1	1	1	1	91.75	52.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	31.4375	2004
20.03.2020 10:28:55	1	1	1	1	93	51.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.125	2004
20.03.2020 10:28:56	1	1	1	1	93	51	0	26919.431	584.9462366	15947.87052	30000	0	0	30000	32.375	2004
20.03.2020 10:28:58	1	1	1	1	93	52.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	31.6875	2004
20.03.2020 10:28:59	1	1	1	1	93	51.5	0	27109.005	602.1505376	16236.51238	30000	0	0	30000	32.3125	2004
20.03.2020 10:29:00	1	1	1	1	93	52.25	0	26777.251	593.5483871	15835.34912	30000	0	0	30000	31.375	2004
20.03.2020 10:29:01	1	1	1	1	93	51.25	0	26824.645	591.3978495	15949.50126	30000	0	0	30000	32.375	2004
20.03.2020 10:29:02	1	1	1	1	93	52.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	32.375	2004
20.03.2020 10:29:03	1	1	1	1	93	52.25	0	26872.038	593.5483871	15863.88715	30000	0	0	30000	30.3125	2004
20.03.2020 10:29:04	1	1	1	1	93	50.25	0	26777.251	593.5483871	15836.97986	30000	0	0	30000	31.75	2004
20.03.2020 10:29:05	1	1	1	1	93	51.75	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	31.5625	2004
20.03.2020 10:29:06	1	1	1	1	91.5	51.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	31.3125	2004
20.03.2020 10:29:07	1	1	1	1	91.5	51.25	0	26966.825	589.2473118	16148.45215	30000	0	0	30000	32.3125	2004
20.03.2020 10:29:08	1	1	1	1	91.5	52.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	31.8125	2004
20.03.2020 10:29:09	1	1	1	1	91.5	51.75	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	32.4375	2004
20.03.2020 10:29:10	1	1	1	1	91.5	52.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	32.4375	2004
20.03.2020 10:29:11	1	1	1	1	91.5	52.25	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	32.5	2004
20.03.2020 10:29:12	1	1	1	1	91.5	52.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	32.4375	2004
20.03.2020 10:29:13	1	1	1	1	91.5	52.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	31.875	2004
20.03.2020 10:29:14	1	1	1	1	91.5	51.75	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	30.9375	2004
20.03.2020 10:29:15	1	1	1	1	91.5	50.75	0	27298.578	593.5483871	16203.08211	30000	0	0	30000	32.1875	2004
20.03.2020 10:29:16	1	1	1	1	92.75	52	0	26966.825	589.2473118	16004.13122	30000	0	0	30000	32.0625	2004
20.03.2020 10:29:17	1	1	1	1	92.75	52	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	31.0625	2004
20.03.2020 10:29:18	1	1	1	1	92.75	51	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	31.4375	2004
20.03.2020 10:29:19	1	1	1	1	92.75	51.25	0	27109.005	597.8494624	15973.96244	30000	0	0	30000	31.125	2004
20.03.2020 10:29:20	1	1	1	1	92.75	51	0	27061.611	591.3978495	15975.59318	30000	0	0	30000	31.8125	2004
20.03.2020 10:29:21	1	1	1	1	92.75	51.75	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	31.375	2004
20.03.2020 10:29:22	1	1	1	1	92.75	51.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	31.75	2004
20.03.2020 10:29:23	1	1	1	1	92.75	51.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	32.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:29:24	1	1	1	1	92.75	52	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	32.4375	2004
20.03.2020 10:29:25	1	1	1	1	92.75	52.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	30.625	2004
20.03.2020 10:29:26	1	1	1	1	92.25	50.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	32.4375	2004
20.03.2020 10:29:27	1	1	1	1	92.25	51.75	0	26966.825	595.6989247	15889.97907	30000	0	0	30000	31.8125	2004
20.03.2020 10:29:28	1	1	1	1	92.25	51.75	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	32.375	2004
20.03.2020 10:29:29	1	1	1	1	92.25	52.25	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	31.5625	2004
20.03.2020 10:29:30	1	1	1	1	92.25	51.5	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	31.75	2004
20.03.2020 10:29:31	1	1	1	1	92.25	51.75	0	26966.825	589.2473118	16236.51238	30000	0	0	30000	32.4375	2004
20.03.2020 10:29:32	1	1	1	1	92.25	52.25	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	31.75	2004
20.03.2020 10:29:33	1	1	1	1	92.25	51.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	32.5	2004
20.03.2020 10:29:34	1	1	1	1	92.25	52.5	0	26919.431	589.2473118	16063.65341	30000	0	0	30000	32.4375	2004
20.03.2020 10:29:36	1	1	1	1	92.25	52.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	32.0625	2004
20.03.2020 10:29:42	1	1	1	1	92.25	52.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	31.875	2004
20.03.2020 10:29:42	1	1	1	1	92.25	52.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	31.875	2004
20.03.2020 10:29:42	1	1	1	1	92.25	52.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	31.875	2004
20.03.2020 10:29:42	1	1	1	1	92.25	52.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	31.875	2004
20.03.2020 10:29:42	1	1	1	1	92.25	52.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	31.875	2004
20.03.2020 10:29:42	1	1	1	1	92.25	52.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	31.875	2004
20.03.2020 10:29:43	1	1	1	1	92.25	51.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	31.8125	2004
20.03.2020 10:29:44	1	1	1	1	92.25	51.75	0	26919.431	593.5483871	16093.82219	30000	0	0	30000	31.0625	2004
20.03.2020 10:29:45	1	1	1	1	92.25	51	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	32.25	2004
20.03.2020 10:29:46	1	1	1	1	92.25	52.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	32.5	2004
20.03.2020 10:29:47	1	1	1	1	92.25	52.5	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	31.5	2004
20.03.2020 10:29:48	1	1	1	1	92.25	51.5	0	26919.431	595.6989247	16296.03457	30000	0	0	30000	32.375	2004
20.03.2020 10:29:49	1	1	1	1	92.25	52.25	0	26824.645	593.5483871	15778.27304	30000	0	0	30000	32.1875	2004
20.03.2020 10:29:50	1	1	1	1	92.25	52	0	26824.645	595.6989247	15664.93627	30000	0	0	30000	31.75	2004
20.03.2020 10:29:51	1	1	1	1	92.25	51.75	0	26919.431	591.3978495	15775.82692	30000	0	0	30000	30	2004
20.03.2020 10:29:52	1	1	1	1	92.25	50	0	26919.431	589.2473118	16035.93075	30000	0	0	30000	30.75	2004
20.03.2020 10:29:53	1	1	1	1	92.25	50.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.875	2004
20.03.2020 10:29:54	1	1	1	1	92.25	51.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	32.5	2004
20.03.2020 10:29:55	1	1	1	1	92.25	52.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	32.625	2004
20.03.2020 10:29:56	1	1	1	1	90.75	52.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	32.25	2004
20.03.2020 10:29:57	1	1	1	1	90.75	52.25	0	26919.431	589.2473118	15947.87052	30000	0	0	30000	31.3125	2004
20.03.2020 10:29:58	1	1	1	1	90.75	51.25	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	30.375	2004
20.03.2020 10:29:59	1	1	1	1	90.75	50.25	0	26824.645	591.3978495	15949.50126	30000	0	0	30000	32.5625	2004
20.03.2020 10:30:00	1	1	1	1	90.75	52.5	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	32.3125	2004
20.03.2020 10:30:01	1	1	1	1	90.75	52.25	0	27061.611	597.8494624	16119.91411	30000	0	0	30000	31.75	2004
20.03.2020 10:30:02	1	1	1	1	90.75	51.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	32.125	2004
20.03.2020 10:30:03	1	1	1	1	90.75	52	0	26919.431	593.5483871	16005.76197	30000	0	0	30000	31.8125	2004
20.03.2020 10:30:04	1	1	1	1	90.75	51.75	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	32.375	2004
20.03.2020 10:30:05	1	1	1	1	90.75	52.25	0	26824.645	591.3978495	15720.38159	30000	0	0	30000	31.1875	2004
20.03.2020 10:30:06	1	1	1	1	91.5	52.5	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	32.6875	2004
20.03.2020 10:30:07	1	1	1	1	91.5	52.5	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	31.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:30:08	1	1	1	1	91.5	51.75	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	32.6875	2004
20.03.2020 10:30:09	1	1	1	1	91.5	52.5	0	27298.578	595.6989247	16261.78893	30000	0	0	30000	31.5625	2004
20.03.2020 10:30:10	1	1	1	1	91.5	51.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	32.6875	2004
20.03.2020 10:30:11	1	1	1	1	91.5	52.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	31.5	2004
20.03.2020 10:30:12	1	1	1	1	91.5	51.5	0	26966.825	597.8494624	16179.43631	30000	0	0	30000	30.125	2004
20.03.2020 10:30:15	1	1	1	1	91.5	52	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	30.9375	2004
20.03.2020 10:30:15	1	1	1	1	91.5	52	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	30.9375	2004
20.03.2020 10:30:16	1	1	1	1	91.5	50.75	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	30.6875	2004
20.03.2020 10:30:17	1	1	1	1	91.5	50.5	0	26729.858	593.5483871	15951.13201	30000	0	0	30000	31.125	2004
20.03.2020 10:30:18	1	1	1	1	91.5	51	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	32.1875	2004
20.03.2020 10:30:19	1	1	1	1	91.5	52	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	32.1875	2004
20.03.2020 10:30:20	1	1	1	1	91.5	52	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	32.4375	2004
20.03.2020 10:30:21	1	1	1	1	91.5	52.25	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	30.5	2004
20.03.2020 10:30:22	1	1	1	1	91.5	50.5	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	31.875	2004
20.03.2020 10:30:23	1	1	1	1	91.5	51.75	0	26777.251	591.3978495	15893.24056	30000	0	0	30000	32.0625	2004
20.03.2020 10:30:24	1	1	1	1	91.5	52	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	31.875	2004
20.03.2020 10:30:25	1	1	1	1	91.5	51.75	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	32.1875	2004
20.03.2020 10:30:26	1	1	1	1	91.5	52	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	31.6875	2004
20.03.2020 10:30:27	1	1	1	1	91.5	51.5	0	26682.464	591.3978495	15836.97986	30000	0	0	30000	31.6875	2004
20.03.2020 10:30:28	1	1	1	1	91.5	51.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	32.125	2004
20.03.2020 10:30:29	1	1	1	1	91.5	52	0	26966.825	597.8494624	16179.43631	30000	0	0	30000	32.5	2004
20.03.2020 10:30:30	1	1	1	1	91.5	52.5	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	31.5	2004
20.03.2020 10:30:31	1	1	1	1	91.5	51.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	32.5625	2004
20.03.2020 10:30:32	1	1	1	1	91.5	52.5	0	26919.431	597.8494624	16179.43631	30000	0	0	30000	32.5	2004
20.03.2020 10:30:33	1	1	1	1	91.5	52.5	0	26824.645	587.0967742	15949.50126	30000	0	0	30000	31.75	2004
20.03.2020 10:30:34	1	1	1	1	91.5	51.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	30.625	2004
20.03.2020 10:30:35	1	1	1	1	91.5	50.5	0	26966.825	593.5483871	16121.54486	30000	0	0	30000	32.4375	2004
20.03.2020 10:30:36	1	1	1	1	91.5	52.25	0	26966.825	591.3978495	16236.51238	30000	0	0	30000	32.4375	2004
20.03.2020 10:30:37	1	1	1	1	91.5	52.25	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	32.125	2004
20.03.2020 10:30:43	1	1	1	1	91.5	52.75	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	32.0625	2004
20.03.2020 10:30:43	1	1	1	1	91.5	52.75	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	32.0625	2004
20.03.2020 10:30:43	1	1	1	1	91.5	52.75	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	32.0625	2004
20.03.2020 10:30:43	1	1	1	1	91.5	52.75	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	32.0625	2004
20.03.2020 10:30:43	1	1	1	1	91.5	52.75	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	32.0625	2004
20.03.2020 10:30:43	1	1	1	1	91.5	52	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	31.1875	2004
20.03.2020 10:30:44	1	1	1	1	91.5	51.75	0	26966.825	593.5483871	15746.47351	30000	0	0	30000	32.5	2004
20.03.2020 10:30:45	1	1	1	1	91.5	52.5	0	27014.218	593.5483871	16063.65341	30000	0	0	30000	32.6875	2004
20.03.2020 10:30:46	1	1	1	1	91.5	52.5	0	27014.218	597.8494624	16063.65341	30000	0	0	30000	31.9375	2004
20.03.2020 10:30:47	1	1	1	1	91.5	51.75	0	26824.645	589.2473118	15891.60982	30000	0	0	30000	32.75	2004
20.03.2020 10:30:48	1	1	1	1	91.5	52.75	0	27014.218	591.3978495	16119.91411	30000	0	0	30000	32.8125	2004
20.03.2020 10:30:49	1	1	1	1	91.5	52.75	0	27014.218	593.5483871	15863.88715	30000	0	0	30000	30.5625	2004
20.03.2020 10:30:50	1	1	1	1	91.5	50.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	32.1875	2004
20.03.2020 10:30:51	1	1	1	1	91.5	52	0	26777.251	591.3978495	15863.88715	30000	0	0	30000	32.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:30:52	1	1	1	1	91.5	52	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	32.125	2004
20.03.2020 10:30:54	1	1	1	1	91.5	52	0	27109.005	595.6989247	16176.99019	30000	0	0	30000	31.5	2004
20.03.2020 10:30:55	1	1	1	1	91.5	51.5	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	32.4375	2004
20.03.2020 10:30:56	1	1	1	1	91	52.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	32.25	2004
20.03.2020 10:30:57	1	1	1	1	91	52.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	32.5	2004
20.03.2020 10:30:58	1	1	1	1	91	52.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.6875	2004
20.03.2020 10:30:59	1	1	1	1	91	51.5	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	31.9375	2004
20.03.2020 10:31:00	1	1	1	1	91	51.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	32.875	2004
20.03.2020 10:31:01	1	1	1	1	91	52.75	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	32.3125	2004
20.03.2020 10:31:02	1	1	1	1	91	52.25	0	26824.645	591.3978495	15720.38159	30000	0	0	30000	32.75	2004
20.03.2020 10:31:03	1	1	1	1	91	52.75	0	27298.578	595.6989247	16261.78893	30000	0	0	30000	32.875	2004
20.03.2020 10:31:04	1	1	1	1	91	52.75	0	26966.825	591.3978495	16004.13122	30000	0	0	30000	32.5	2004
20.03.2020 10:31:05	1	1	1	1	91	52.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	32.4375	2004
20.03.2020 10:31:06	1	1	1	1	91.75	52.25	0	26966.825	593.5483871	16295.2192	30000	0	0	30000	31.1875	2004
20.03.2020 10:31:07	1	1	1	1	91.75	51	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	32.1875	2004
20.03.2020 10:31:08	1	1	1	1	91.75	52	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	32.625	2004
20.03.2020 10:31:09	1	1	1	1	91.75	52.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	31.4375	2004
20.03.2020 10:31:10	1	1	1	1	91.75	51.25	0	26966.825	593.5483871	16119.91411	30000	0	0	30000	32.0625	2004
20.03.2020 10:31:11	1	1	1	1	91.75	52	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	32.5	2004
20.03.2020 10:31:12	1	1	1	1	91.75	52.5	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	32.375	2004
20.03.2020 10:31:13	1	1	1	1	91.75	52.25	0	26872.038	591.3978495	15863.88715	30000	0	0	30000	31.9375	2004
20.03.2020 10:31:14	1	1	1	1	91.75	51.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	31.4375	2004
20.03.2020 10:31:15	1	1	1	1	91.75	51.25	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	32.6875	2004
20.03.2020 10:31:16	1	1	1	1	91.75	52.5	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	30.875	2004
20.03.2020 10:31:17	1	1	1	1	91.75	50.75	0	26777.251	591.3978495	15891.60982	30000	0	0	30000	32.5625	2004
20.03.2020 10:31:18	1	1	1	1	91.75	52.5	0	26966.825	595.6989247	16295.2192	30000	0	0	30000	32.75	2004
20.03.2020 10:31:19	1	1	1	1	91.75	52.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	31.9375	2004
20.03.2020 10:31:20	1	1	1	1	91.75	51.75	0	26777.251	587.0967742	15835.34912	30000	0	0	30000	32.5625	2004
20.03.2020 10:31:21	1	1	1	1	91.75	52.5	0	27109.005	597.8494624	16119.91411	30000	0	0	30000	32.625	2004
20.03.2020 10:31:22	1	1	1	1	91.75	52.5	0	26824.645	595.6989247	15664.93627	30000	0	0	30000	32.1875	2004
20.03.2020 10:31:23	1	1	1	1	91.75	52	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	33.0625	2004
20.03.2020 10:31:24	1	1	1	1	91.75	53	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	32.375	2004
20.03.2020 10:31:25	1	1	1	1	91.75	52.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	32.6875	2004
20.03.2020 10:31:26	1	1	1	1	91.5	52.5	0	27061.611	591.3978495	15801.91884	30000	0	0	30000	31.75	2004
20.03.2020 10:31:27	1	1	1	1	91.5	51.75	0	27061.611	591.3978495	15774.19618	30000	0	0	30000	32.25	2004
20.03.2020 10:31:28	1	1	1	1	91.5	52.25	0	27061.611	602.1505376	16005.76197	30000	0	0	30000	32.75	2004
20.03.2020 10:31:29	1	1	1	1	91.5	52.75	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	32.375	2004
20.03.2020 10:31:30	1	1	1	1	91.5	52.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	32.375	2004
20.03.2020 10:31:31	1	1	1	1	91.5	52.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	32.1875	2004
20.03.2020 10:31:32	1	1	1	1	91.5	52	0	27109.005	593.5483871	16176.99019	30000	0	0	30000	32.1875	2004
20.03.2020 10:31:33	1	1	1	1	91.5	52	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	32.5	2004
20.03.2020 10:31:35	1	1	1	1	91.5	52.5	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	32.375	2004
20.03.2020 10:31:36	1	1	1	1	92.75	52.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	32.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:31:37	1	1	1	1	92.75	52.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.8125	2004
20.03.2020 10:31:38	1	1	1	1	92.75	52.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.625	2004
20.03.2020 10:31:39	1	1	1	1	92.75	51.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.6875	2004
20.03.2020 10:31:45	1	1	1	1	92.75	52.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	32.375	2004
20.03.2020 10:31:45	1	1	1	1	92.75	52.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	32.375	2004
20.03.2020 10:31:45	1	1	1	1	92.75	52.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	32.375	2004
20.03.2020 10:31:45	1	1	1	1	92.75	52.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	32.375	2004
20.03.2020 10:31:45	1	1	1	1	92.75	52.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	32.375	2004
20.03.2020 10:31:45	1	1	1	1	92.75	52.25	0	26919.431	593.5483871	16007.39271	30000	0	0	30000	32.9375	2004
20.03.2020 10:31:46	1	1	1	1	91.75	52.75	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	32.4375	2004
20.03.2020 10:31:47	1	1	1	1	91.75	52.25	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	32.375	2004
20.03.2020 10:31:48	1	1	1	1	91.75	52.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	32.75	2004
20.03.2020 10:31:49	1	1	1	1	91.75	52.75	0	26824.645	593.5483871	15893.24056	30000	0	0	30000	32.8125	2004
20.03.2020 10:31:50	1	1	1	1	91.75	52.75	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	32.9375	2004
20.03.2020 10:31:51	1	1	1	1	91.75	52.75	0	27014.218	593.5483871	16063.65341	30000	0	0	30000	32.5	2004
20.03.2020 10:31:52	1	1	1	1	91.75	52.5	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	32.6875	2004
20.03.2020 10:31:53	1	1	1	1	91.75	52.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.75	2004
20.03.2020 10:31:54	1	1	1	1	91.75	51.75	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	32.25	2004
20.03.2020 10:31:55	1	1	1	1	91.75	52.25	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	33	2004
20.03.2020 10:31:56	1	1	1	1	92.5	53	0	27156.398	591.3978495	16001.6851	30000	0	0	30000	32.1875	2004
20.03.2020 10:31:57	1	1	1	1	92.5	52	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	32.875	2004
20.03.2020 10:31:58	1	1	1	1	92.5	52.75	0	27061.611	591.3978495	15975.59318	30000	0	0	30000	32.25	2004
20.03.2020 10:31:59	1	1	1	1	92.5	52.25	0	27109.005	593.5483871	16379.20257	30000	0	0	30000	33	2004
20.03.2020 10:32:00	1	1	1	1	92.5	53	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	32.625	2004
20.03.2020 10:32:01	1	1	1	1	92.5	52.5	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	32.625	2004
20.03.2020 10:32:02	1	1	1	1	92.5	52.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.3125	2004
20.03.2020 10:32:03	1	1	1	1	92.5	52.25	0	26872.038	591.3978495	15978.0393	30000	0	0	30000	32.8125	2004
20.03.2020 10:32:04	1	1	1	1	92.5	52.75	0	26824.645	591.3978495	15835.34912	30000	0	0	30000	31.5625	2004
20.03.2020 10:32:05	1	1	1	1	92.5	51.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	32.5	2004
20.03.2020 10:32:06	1	1	1	1	92.5	53	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	32.4375	2004
20.03.2020 10:32:07	1	1	1	1	92.5	52.25	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	32.9375	2004
20.03.2020 10:32:08	1	1	1	1	92.5	52.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	32.1875	2004
20.03.2020 10:32:09	1	1	1	1	92.5	52	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32	2004
20.03.2020 10:32:10	1	1	1	1	92.5	52	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	32.0625	2004
20.03.2020 10:32:11	1	1	1	1	92.5	52	0	26966.825	587.0967742	15947.87052	30000	0	0	30000	32.375	2004
20.03.2020 10:32:13	1	1	1	1	92.5	52.25	0	26966.825	580.6451613	16092.19145	30000	0	0	30000	32.375	2004
20.03.2020 10:32:14	1	1	1	1	92.5	52.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	32.8125	2004
20.03.2020 10:32:15	1	1	1	1	92.5	52.75	0	27156.398	591.3978495	15915.25562	30000	0	0	30000	32.375	2004
20.03.2020 10:32:16	1	1	1	1	93.75	52.25	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	32.6875	2004
20.03.2020 10:32:17	1	1	1	1	93.75	52.5	0	27109.005	587.0967742	16031.85389	30000	0	0	30000	31.25	2004
20.03.2020 10:32:18	1	1	1	1	93.75	51.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	32.8125	2004
20.03.2020 10:32:19	1	1	1	1	93.75	52.75	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	32.3125	2004
20.03.2020 10:32:20	1	1	1	1	93.75	52.25	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	32.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:33:05	1	1	1	1	94.25	52	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	33.0625	2004
20.03.2020 10:33:06	1	1	1	1	94.75	53	0	27061.611	589.2473118	15915.25562	30000	0	0	30000	32.4375	2004
20.03.2020 10:33:07	1	1	1	1	94.75	52.25	0	27061.611	591.3978495	15945.4244	30000	0	0	30000	32.6875	2004
20.03.2020 10:33:08	1	1	1	1	94.75	52.5	0	26872.038	589.2473118	15891.60982	30000	0	0	30000	32.5625	2004
20.03.2020 10:33:09	1	1	1	1	94.75	52.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	32.5625	2004
20.03.2020 10:33:10	1	1	1	1	94.75	52.5	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	33.1875	2004
20.03.2020 10:33:11	1	1	1	1	94.75	53	0	27298.578	580.6451613	16085.66847	30000	0	0	30000	31.875	2004
20.03.2020 10:33:12	1	1	1	1	94.75	51.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	32.375	2004
20.03.2020 10:33:13	1	1	1	1	94.75	52.25	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	32.875	2004
20.03.2020 10:33:14	1	1	1	1	94.75	52.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	32.6875	2004
20.03.2020 10:33:15	1	1	1	1	94.75	52.5	0	27109.005	589.2473118	15829.64151	30000	0	0	30000	33	2004
20.03.2020 10:33:16	1	1	1	1	94.5	53	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	32.3125	2004
20.03.2020 10:33:17	1	1	1	1	94.5	52.25	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	30.9375	2004
20.03.2020 10:33:18	1	1	1	1	94.5	50.75	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	31.875	2004
20.03.2020 10:33:19	1	1	1	1	94.5	51.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	33.1875	2004
20.03.2020 10:33:20	1	1	1	1	94.5	53	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.0625	2004
20.03.2020 10:33:21	1	1	1	1	94.5	53	0	27393.365	589.2473118	16172.09795	30000	0	0	30000	32.25	2004
20.03.2020 10:33:22	1	1	1	1	94.5	52.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	32.5	2004
20.03.2020 10:33:23	1	1	1	1	94.5	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.9375	2004
20.03.2020 10:33:24	1	1	1	1	94.5	53.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	33.25	2004
20.03.2020 10:33:25	1	1	1	1	93.5	53.25	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	32.8125	2004
20.03.2020 10:33:26	1	1	1	1	93.5	52.75	0	27298.578	593.5483871	15792.13437	30000	0	0	30000	33	2004
20.03.2020 10:33:27	1	1	1	1	93.5	53	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.125	2004
20.03.2020 10:33:28	1	1	1	1	93.5	53	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	32.25	2004
20.03.2020 10:33:29	1	1	1	1	93.5	52.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	32.9375	2004
20.03.2020 10:33:31	1	1	1	1	93.5	52.75	0	27298.578	580.6451613	16054.68431	30000	0	0	30000	32.3125	2004
20.03.2020 10:33:32	1	1	1	1	93.5	52.25	0	27109.005	584.9462366	15826.38002	30000	0	0	30000	31.625	2004
20.03.2020 10:33:33	1	1	1	1	93.5	51.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.0625	2004
20.03.2020 10:33:34	1	1	1	1	93.5	52	0	27156.398	580.6451613	16026.96165	30000	0	0	30000	33.125	2004
20.03.2020 10:33:35	1	1	1	1	93.5	53	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.9375	2004
20.03.2020 10:33:36	1	1	1	1	93.25	51.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	32.4375	2004
20.03.2020 10:33:37	1	1	1	1	93.25	52.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.125	2004
20.03.2020 10:33:38	1	1	1	1	93.25	53	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	33.125	2004
20.03.2020 10:33:39	1	1	1	1	93.25	53	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	32.1875	2004
20.03.2020 10:33:40	1	1	1	1	93.25	52	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	30.5625	2004
20.03.2020 10:33:41	1	1	1	1	93.25	50.5	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	32.0625	2004
20.03.2020 10:33:42	1	1	1	1	93.25	52	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	31.1875	2004
20.03.2020 10:33:48	1	1	1	1	92	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	30.6875	2004
20.03.2020 10:33:48	1	1	1	1	92	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	30.6875	2004
20.03.2020 10:33:48	1	1	1	1	92	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	30.6875	2004
20.03.2020 10:33:48	1	1	1	1	92	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	30.6875	2004
20.03.2020 10:33:48	1	1	1	1	92	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	30.6875	2004
20.03.2020 10:33:48	1	1	1	1	92	50.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:33:49	1	1	1	1	92	51.5	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	31.9375	2004
20.03.2020 10:33:50	1	1	1	1	92	51.75	0	27109.005	584.9462366	15909.54801	30000	0	0	30000	32	2004
20.03.2020 10:33:51	1	1	1	1	92	52	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	32.6875	2004
20.03.2020 10:33:52	1	1	1	1	92	52.5	0	27298.578	589.2473118	16113.39113	30000	0	0	30000	32.375	2004
20.03.2020 10:33:53	1	1	1	1	92	52.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	32.625	2004
20.03.2020 10:33:54	1	1	1	1	92	52.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	32.5	2004
20.03.2020 10:33:55	1	1	1	1	92	52.5	0	27156.398	584.9462366	16144.37529	30000	0	0	30000	31.5625	2004
20.03.2020 10:33:56	1	1	1	1	92.25	51.5	0	27109.005	582.7956989	15770.93469	30000	0	0	30000	31.3125	2004
20.03.2020 10:33:57	1	1	1	1	92.25	51.25	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	32.6875	2004
20.03.2020 10:33:58	1	1	1	1	92.25	52.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	31.375	2004
20.03.2020 10:33:59	1	1	1	1	92.25	51.25	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	31.6875	2004
20.03.2020 10:34:00	1	1	1	1	92.25	51.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	32.0625	2004
20.03.2020 10:34:01	1	1	1	1	92.25	52	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	31.875	2004
20.03.2020 10:34:02	1	1	1	1	92.25	52.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	32.875	2004
20.03.2020 10:34:03	1	1	1	1	92.25	52.75	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	32.0625	2004
20.03.2020 10:34:04	1	1	1	1	92.25	52	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	32.8125	2004
20.03.2020 10:34:05	1	1	1	1	92.25	52.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	33	2004
20.03.2020 10:34:06	1	1	1	1	92.25	53	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.375	2004
20.03.2020 10:34:07	1	1	1	1	92.25	53.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	33.1875	2004
20.03.2020 10:34:09	1	1	1	1	92.25	53	0	27061.611	587.0967742	15973.96244	30000	0	0	30000	32.9375	2004
20.03.2020 10:34:10	1	1	1	1	92.25	52.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	31.0625	2004
20.03.2020 10:34:11	1	1	1	1	92.25	51	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	33.1875	2004
20.03.2020 10:34:12	1	1	1	1	92.25	53	0	26919.431	589.2473118	15660.8594	30000	0	0	30000	32.4375	2004
20.03.2020 10:34:13	1	1	1	1	92.25	52.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	33.125	2004
20.03.2020 10:34:14	1	1	1	1	92.25	53	0	26919.431	589.2473118	15862.25641	30000	0	0	30000	32.875	2004
20.03.2020 10:34:15	1	1	1	1	92.25	52.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	32.625	2004
20.03.2020 10:34:16	1	1	1	1	94	52.5	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	32.4375	2004
20.03.2020 10:34:17	1	1	1	1	94	52.25	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	32.3125	2004
20.03.2020 10:34:18	1	1	1	1	94	52.25	0	27156.398	587.0967742	15798.65735	30000	0	0	30000	31.8125	2004
20.03.2020 10:34:19	1	1	1	1	94	51.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	31.6875	2004
20.03.2020 10:34:20	1	1	1	1	94	51.5	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	32.875	2004
20.03.2020 10:34:21	1	1	1	1	94	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.8125	2004
20.03.2020 10:34:22	1	1	1	1	94	52.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	33.1875	2004
20.03.2020 10:34:23	1	1	1	1	94	53	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	32.9375	2004
20.03.2020 10:34:24	1	1	1	1	94	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.3125	2004
20.03.2020 10:34:25	1	1	1	1	94	53.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.625	2004
20.03.2020 10:34:26	1	1	1	1	93.75	52.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	32.875	2004
20.03.2020 10:34:27	1	1	1	1	93.75	52.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	31.5625	2004
20.03.2020 10:34:28	1	1	1	1	93.75	51.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	32.5625	2004
20.03.2020 10:34:29	1	1	1	1	93.75	52.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	32.125	2004
20.03.2020 10:34:30	1	1	1	1	93.75	52	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	32.625	2004
20.03.2020 10:34:31	1	1	1	1	93.75	52.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	32.6875	2004
20.03.2020 10:34:32	1	1	1	1	93.75	52.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	32.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:34:33	1	1	1	1	93.75	52.75	0	27109.005	584.9462366	16031.85389	30000	0	0	30000	33.3125	2004
20.03.2020 10:34:34	1	1	1	1	93.75	53.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	33.3125	2004
20.03.2020 10:34:35	1	1	1	1	93.75	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.9375	2004
20.03.2020 10:34:36	1	1	1	1	93.75	52.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	31.9375	2004
20.03.2020 10:34:37	1	1	1	1	93.75	51.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	31.625	2004
20.03.2020 10:34:38	1	1	1	1	93.75	51.5	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	33.1875	2004
20.03.2020 10:34:39	1	1	1	1	93.75	53	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.5	2004
20.03.2020 10:34:40	1	1	1	1	93.75	53.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.375	2004
20.03.2020 10:34:41	1	1	1	1	93.75	52.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.5	2004
20.03.2020 10:34:42	1	1	1	1	93.75	53.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.75	2004
20.03.2020 10:34:43	1	1	1	1	93.75	51	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	32.9375	2004
20.03.2020 10:34:49	1	1	1	1	94.25	53.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	32.0625	2004
20.03.2020 10:34:49	1	1	1	1	94.25	53.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	32.0625	2004
20.03.2020 10:34:49	1	1	1	1	94.25	53.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	32.0625	2004
20.03.2020 10:34:49	1	1	1	1	94.25	53.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	32.0625	2004
20.03.2020 10:34:49	1	1	1	1	94.25	53.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	32.0625	2004
20.03.2020 10:34:50	1	1	1	1	94.25	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.75	2004
20.03.2020 10:34:51	1	1	1	1	94.25	52.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	32.625	2004
20.03.2020 10:34:52	1	1	1	1	94.25	52.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	32.75	2004
20.03.2020 10:34:53	1	1	1	1	94.25	52.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.75	2004
20.03.2020 10:34:54	1	1	1	1	94.25	51.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.375	2004
20.03.2020 10:34:55	1	1	1	1	94.25	52.25	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	32.5625	2004
20.03.2020 10:34:56	1	1	1	1	94	52.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.3125	2004
20.03.2020 10:34:57	1	1	1	1	94	53.25	0	27440.758	591.3978495	16228.35866	30000	0	0	30000	32.5	2004
20.03.2020 10:34:58	1	1	1	1	94	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.6875	2004
20.03.2020 10:34:59	1	1	1	1	94	51.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.625	2004
20.03.2020 10:35:00	1	1	1	1	94	51.5	0	27345.972	591.3978495	16172.09795	30000	0	0	30000	32.5	2004
20.03.2020 10:35:01	1	1	1	1	94	52.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31.625	2004
20.03.2020 10:35:02	1	1	1	1	94	51.5	0	27345.972	587.0967742	16228.35866	30000	0	0	30000	33.5	2004
20.03.2020 10:35:03	1	1	1	1	94	53.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	32.1875	2004
20.03.2020 10:35:04	1	1	1	1	94	52	0	27156.398	584.9462366	15682.05909	30000	0	0	30000	33.5	2004
20.03.2020 10:35:05	1	1	1	1	94	53.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	32.6875	2004
20.03.2020 10:35:06	1	1	1	1	94.5	52.5	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	33.5625	2004
20.03.2020 10:35:07	1	1	1	1	94.5	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.875	2004
20.03.2020 10:35:08	1	1	1	1	94.5	51.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.625	2004
20.03.2020 10:35:09	1	1	1	1	94.5	51.5	0	27298.578	584.9462366	15682.05909	30000	0	0	30000	32.625	2004
20.03.2020 10:35:10	1	1	1	1	94.5	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.8125	2004
20.03.2020 10:35:11	1	1	1	1	94.5	52.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	31.3125	2004
20.03.2020 10:35:12	1	1	1	1	94.5	51.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.5	2004
20.03.2020 10:35:13	1	1	1	1	94.5	52.5	0	27298.578	587.0967742	16113.39113	30000	0	0	30000	31.5	2004
20.03.2020 10:35:14	1	1	1	1	94.5	51.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	32	2004
20.03.2020 10:35:15	1	1	1	1	94.5	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.75	2004
20.03.2020 10:35:16	1	1	1	1	93.25	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:35:17	1	1	1	1	93.25	51.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.8125	2004
20.03.2020 10:35:18	1	1	1	1	93.25	52.75	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	33.25	2004
20.03.2020 10:35:19	1	1	1	1	93.25	53.25	0	27393.365	587.0967742	16110.12964	30000	0	0	30000	31.875	2004
20.03.2020 10:35:20	1	1	1	1	93.25	51.75	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	33.4375	2004
20.03.2020 10:35:21	1	1	1	1	93.25	53.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	32.5625	2004
20.03.2020 10:35:22	1	1	1	1	93.25	52.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	31.1875	2004
20.03.2020 10:35:23	1	1	1	1	93.25	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.25	2004
20.03.2020 10:35:24	1	1	1	1	93.25	51.25	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	33	2004
20.03.2020 10:35:25	1	1	1	1	92.75	53	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	31.375	2004
20.03.2020 10:35:26	1	1	1	1	92.75	51.25	0	27203.791	589.2473118	16001.6851	30000	0	0	30000	33.375	2004
20.03.2020 10:35:27	1	1	1	1	92.75	53.25	0	27061.611	582.7956989	15887.53295	30000	0	0	30000	32.875	2004
20.03.2020 10:35:28	1	1	1	1	92.75	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.5	2004
20.03.2020 10:35:30	1	1	1	1	92.75	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.1875	2004
20.03.2020 10:35:31	1	1	1	1	92.75	52	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	32.5625	2004
20.03.2020 10:35:32	1	1	1	1	92.75	52.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	32.25	2004
20.03.2020 10:35:33	1	1	1	1	92.75	52.25	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	33.1875	2004
20.03.2020 10:35:34	1	1	1	1	92.75	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.3125	2004
20.03.2020 10:35:35	1	1	1	1	92.75	52.25	0	27298.578	591.3978495	15942.97828	30000	0	0	30000	33.4375	2004
20.03.2020 10:35:36	1	1	1	1	93.75	53.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	32.5	2004
20.03.2020 10:35:37	1	1	1	1	93.75	52.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.0625	2004
20.03.2020 10:35:38	1	1	1	1	93.75	52	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	33.375	2004
20.03.2020 10:35:39	1	1	1	1	93.75	53.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.375	2004
20.03.2020 10:35:40	1	1	1	1	93.75	53.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.5	2004
20.03.2020 10:35:41	1	1	1	1	93.75	53.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33	2004
20.03.2020 10:35:42	1	1	1	1	93.75	53	0	27582.938	589.2473118	16193.29764	30000	0	0	30000	32.3125	2004
20.03.2020 10:35:43	1	1	1	1	93.75	52.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.0625	2004
20.03.2020 10:35:44	1	1	1	1	93.75	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31.3125	2004
20.03.2020 10:35:45	1	1	1	1	93.75	51.25	0	27298.578	589.2473118	16172.09795	30000	0	0	30000	32.4375	2004
20.03.2020 10:35:51	1	1	1	1	95	50.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.75	2004
20.03.2020 10:35:51	1	1	1	1	95	50.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.75	2004
20.03.2020 10:35:51	1	1	1	1	95	50.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.75	2004
20.03.2020 10:35:51	1	1	1	1	95	50.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.75	2004
20.03.2020 10:35:51	1	1	1	1	95	50.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.75	2004
20.03.2020 10:35:51	1	1	1	1	95	52.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.3125	2004
20.03.2020 10:35:52	1	1	1	1	95	53.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.5	2004
20.03.2020 10:35:53	1	1	1	1	95	52.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.4375	2004
20.03.2020 10:35:54	1	1	1	1	95	53.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.6875	2004
20.03.2020 10:35:55	1	1	1	1	95	52.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.0625	2004
20.03.2020 10:35:56	1	1	1	1	94.5	52	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	33.5	2004
20.03.2020 10:35:57	1	1	1	1	94.5	53.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.5	2004
20.03.2020 10:35:58	1	1	1	1	94.5	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.25	2004
20.03.2020 10:35:59	1	1	1	1	94.5	53.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.5	2004
20.03.2020 10:36:00	1	1	1	1	94.5	52.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	32.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:36:01	1	1	1	1	94.5	52.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	33.5	2004
20.03.2020 10:36:02	1	1	1	1	94.5	53.5	0	27298.578	584.9462366	15857.36417	30000	0	0	30000	32.5	2004
20.03.2020 10:36:03	1	1	1	1	94.5	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32	2004
20.03.2020 10:36:04	1	1	1	1	94.5	53	0	27109.005	578.4946237	16144.37529	30000	0	0	30000	32.8125	2004
20.03.2020 10:36:05	1	1	1	1	94.75	52.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.6875	2004
20.03.2020 10:36:06	1	1	1	1	94.75	52.5	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	33.75	2004
20.03.2020 10:36:07	1	1	1	1	94.75	53.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	32.4375	2004
20.03.2020 10:36:08	1	1	1	1	94.75	52.25	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	33.5	2004
20.03.2020 10:36:10	1	1	1	1	94.75	53.5	0	27582.938	587.0967742	16165.57497	30000	0	0	30000	31.75	2004
20.03.2020 10:36:11	1	1	1	1	94.75	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.8125	2004
20.03.2020 10:36:12	1	1	1	1	94.75	51.75	0	27109.005	584.9462366	15654.33642	30000	0	0	30000	32	2004
20.03.2020 10:36:13	1	1	1	1	94.75	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
20.03.2020 10:36:14	1	1	1	1	94.75	51	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	33	2004
20.03.2020 10:36:15	1	1	1	1	94.75	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.25	2004
20.03.2020 10:36:16	1	1	1	1	94.25	53.25	0	27298.578	589.2473118	16113.39113	30000	0	0	30000	32.5625	2004
20.03.2020 10:36:17	1	1	1	1	94.25	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.375	2004
20.03.2020 10:36:18	1	1	1	1	94.25	52.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	32.5	2004
20.03.2020 10:36:19	1	1	1	1	94.25	52.5	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	33.25	2004
20.03.2020 10:36:20	1	1	1	1	94.25	53.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	32.625	2004
20.03.2020 10:36:21	1	1	1	1	94.25	52.5	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	32.1875	2004
20.03.2020 10:36:22	1	1	1	1	94.25	52	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	33.5	2004
20.03.2020 10:36:23	1	1	1	1	94.25	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.0625	2004
20.03.2020 10:36:24	1	1	1	1	94.25	53	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	32.875	2004
20.03.2020 10:36:25	1	1	1	1	94.25	52.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	31.3125	2004
20.03.2020 10:36:26	1	1	1	1	94.75	51.25	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	32.5625	2004
20.03.2020 10:36:27	1	1	1	1	94.75	52.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.3125	2004
20.03.2020 10:36:28	1	1	1	1	94.75	53.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	32.75	2004
20.03.2020 10:36:29	1	1	1	1	94.75	52.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.5625	2004
20.03.2020 10:36:30	1	1	1	1	94.75	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
20.03.2020 10:36:31	1	1	1	1	94.75	52.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	32.3125	2004
20.03.2020 10:36:32	1	1	1	1	94.75	52.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	33.6875	2004
20.03.2020 10:36:33	1	1	1	1	94.75	53.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	30.9375	2004
20.03.2020 10:36:34	1	1	1	1	94.75	50.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	31.9375	2004
20.03.2020 10:36:35	1	1	1	1	94.75	51.75	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	33.3125	2004
20.03.2020 10:36:36	1	1	1	1	95	53.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.4375	2004
20.03.2020 10:36:37	1	1	1	1	95	52.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
20.03.2020 10:36:38	1	1	1	1	95	52.75	0	26966.825	584.9462366	15774.19618	30000	0	0	30000	31.3125	2004
20.03.2020 10:36:39	1	1	1	1	95	51.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.8125	2004
20.03.2020 10:36:40	1	1	1	1	95	51.75	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	32.875	2004
20.03.2020 10:36:41	1	1	1	1	95	52.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	33.8125	2004
20.03.2020 10:36:42	1	1	1	1	95	53.75	0	27298.578	584.9462366	15767.6732	30000	0	0	30000	33.4375	2004
20.03.2020 10:36:43	1	1	1	1	95	53.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.375	2004
20.03.2020 10:36:44	1	1	1	1	95	52.25	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:36:45	1	1	1	1	95	53	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	31.6875	2004
20.03.2020 10:36:46	1	1	1	1	95	51.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	33.6875	2004
20.03.2020 10:36:53	1	1	1	1	95	53.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	30.875	2004
20.03.2020 10:36:53	1	1	1	1	95	53.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	30.875	2004
20.03.2020 10:36:53	1	1	1	1	95	53.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	30.875	2004
20.03.2020 10:36:53	1	1	1	1	95	53.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	30.875	2004
20.03.2020 10:36:53	1	1	1	1	95	50.75	0	27109.005	587.0967742	15654.33642	30000	0	0	30000	32.8125	2004
20.03.2020 10:36:54	1	1	1	1	95	52.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	32.4375	2004
20.03.2020 10:36:55	1	1	1	1	95	52.25	0	26966.825	584.9462366	15832.08763	30000	0	0	30000	33.5625	2004
20.03.2020 10:36:56	1	1	1	1	95.25	53.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	31.625	2004
20.03.2020 10:36:57	1	1	1	1	95.25	51.5	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	31.6875	2004
20.03.2020 10:36:58	1	1	1	1	95.25	51.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	32.3125	2004
20.03.2020 10:36:59	1	1	1	1	95.25	52.25	0	27345.972	587.0967742	16289.51159	30000	0	0	30000	32.625	2004
20.03.2020 10:37:00	1	1	1	1	95.25	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.3125	2004
20.03.2020 10:37:01	1	1	1	1	95.25	53.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	33	2004
20.03.2020 10:37:02	1	1	1	1	95.25	53	0	27109.005	580.6451613	15654.33642	30000	0	0	30000	31.9375	2004
20.03.2020 10:37:03	1	1	1	1	95.25	51.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.4375	2004
20.03.2020 10:37:04	1	1	1	1	95.25	52.25	0	27298.578	582.7956989	15709.78175	30000	0	0	30000	33.125	2004
20.03.2020 10:37:05	1	1	1	1	95.25	53	0	27203.791	587.0967742	16026.96165	30000	0	0	30000	31.9375	2004
20.03.2020 10:37:06	1	1	1	1	94.75	51.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	32.5625	2004
20.03.2020 10:37:07	1	1	1	1	94.75	52.5	0	27109.005	582.7956989	15885.08684	30000	0	0	30000	33.5	2004
20.03.2020 10:37:08	1	1	1	1	94.75	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.375	2004
20.03.2020 10:37:09	1	1	1	1	94.75	53.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31.9375	2004
20.03.2020 10:37:10	1	1	1	1	94.75	51.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	32.375	2004
20.03.2020 10:37:11	1	1	1	1	94.75	52.25	0	27298.578	589.2473118	15909.54801	30000	0	0	30000	31.375	2004
20.03.2020 10:37:12	1	1	1	1	94.75	51.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.4375	2004
20.03.2020 10:37:13	1	1	1	1	94.75	52.25	0	27061.611	584.9462366	15770.93469	30000	0	0	30000	32.6875	2004
20.03.2020 10:37:14	1	1	1	1	94.75	52.5	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	31.5	2004
20.03.2020 10:37:15	1	1	1	1	94.75	51.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	32.1875	2004
20.03.2020 10:37:16	1	1	1	1	94.75	52	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	32.5625	2004
20.03.2020 10:37:17	1	1	1	1	94.75	52.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	32.3125	2004
20.03.2020 10:37:18	1	1	1	1	94.75	52.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	33.1875	2004
20.03.2020 10:37:19	1	1	1	1	94.75	53	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	31.3125	2004
20.03.2020 10:37:20	1	1	1	1	94.75	51.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	33.25	2004
20.03.2020 10:37:21	1	1	1	1	94.75	53.25	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	32.6875	2004
20.03.2020 10:37:22	1	1	1	1	94.75	52.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.4375	2004
20.03.2020 10:37:23	1	1	1	1	94.75	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.75	2004
20.03.2020 10:37:24	1	1	1	1	94.75	52.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.5	2004
20.03.2020 10:37:25	1	1	1	1	95.75	53	0	27345.972	584.9462366	15792.13437	30000	0	0	30000	32.125	2004
20.03.2020 10:37:26	1	1	1	1	95.75	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.625	2004
20.03.2020 10:37:27	1	1	1	1	95.75	53.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	32.5	2004
20.03.2020 10:37:28	1	1	1	1	95.75	52.5	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	31.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:37:29	1	1	1	1	95.75	51.75	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	33.125	2004
20.03.2020 10:37:31	1	1	1	1	95.75	53	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	33.4375	2004
20.03.2020 10:37:32	1	1	1	1	95.75	53.25	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	32.5	2004
20.03.2020 10:37:33	1	1	1	1	95.75	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.8125	2004
20.03.2020 10:37:34	1	1	1	1	95.75	51.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	32.3125	2004
20.03.2020 10:37:35	1	1	1	1	95.75	52.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.5625	2004
20.03.2020 10:37:36	1	1	1	1	95.25	53.5	0	27109.005	580.6451613	15885.08684	30000	0	0	30000	33.75	2004
20.03.2020 10:37:37	1	1	1	1	95.25	53.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	31.4375	2004
20.03.2020 10:37:38	1	1	1	1	95.25	51.25	0	27298.578	589.2473118	15857.36417	30000	0	0	30000	33.625	2004
20.03.2020 10:37:39	1	1	1	1	95.25	53.5	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	33.5625	2004
20.03.2020 10:37:40	1	1	1	1	95.25	53.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	32.8125	2004
20.03.2020 10:37:41	1	1	1	1	95.25	52.75	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	33.125	2004
20.03.2020 10:37:42	1	1	1	1	95.25	53	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	32.1875	2004
20.03.2020 10:37:43	1	1	1	1	95.25	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.75	2004
20.03.2020 10:37:44	1	1	1	1	95.25	52.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.4375	2004
20.03.2020 10:37:45	1	1	1	1	95.25	53.25	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	33.4375	2004
20.03.2020 10:37:46	1	1	1	1	96	53.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	31.875	2004
20.03.2020 10:37:47	1	1	1	1	96	51.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	32.125	2004
20.03.2020 10:37:48	1	1	1	1	96	52	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	32.4375	2004
20.03.2020 10:37:54	1	1	1	1	96	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
20.03.2020 10:37:54	1	1	1	1	96	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
20.03.2020 10:37:54	1	1	1	1	96	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
20.03.2020 10:37:54	1	1	1	1	96	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
20.03.2020 10:37:54	1	1	1	1	96	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.875	2004
20.03.2020 10:37:55	1	1	1	1	96	51.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	32.125	2004
20.03.2020 10:37:56	1	1	1	1	97	52	0	27440.758	593.5483871	16054.68431	30000	0	0	30000	33.625	2004
20.03.2020 10:37:57	1	1	1	1	97	53.5	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	33.25	2004
20.03.2020 10:37:58	1	1	1	1	97	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.8125	2004
20.03.2020 10:37:59	1	1	1	1	97	52.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	31.9375	2004
20.03.2020 10:38:00	1	1	1	1	97	51.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	32.4375	2004
20.03.2020 10:38:01	1	1	1	1	97	52.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.3125	2004
20.03.2020 10:38:02	1	1	1	1	97	54.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.1875	2004
20.03.2020 10:38:03	1	1	1	1	97	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.625	2004
20.03.2020 10:38:04	1	1	1	1	97	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.0625	2004
20.03.2020 10:38:05	1	1	1	1	97.25	53	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	33.0625	2004
20.03.2020 10:38:06	1	1	1	1	97.25	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.5625	2004
20.03.2020 10:38:07	1	1	1	1	97.25	53.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.9375	2004
20.03.2020 10:38:09	1	1	1	1	97.25	52.75	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	32.75	2004
20.03.2020 10:38:10	1	1	1	1	97.25	52.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.75	2004
20.03.2020 10:38:11	1	1	1	1	97.25	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.4375	2004
20.03.2020 10:38:12	1	1	1	1	97.25	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.4375	2004
20.03.2020 10:38:13	1	1	1	1	97.25	53.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	32.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:38:14	1	1	1	1	97.25	52.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	31.5625	2004
20.03.2020 10:38:15	1	1	1	1	97.25	51.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	32.5	2004
20.03.2020 10:38:16	1	1	1	1	96.5	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.4375	2004
20.03.2020 10:38:17	1	1	1	1	96.5	51.25	0	27109.005	582.7956989	15968.25483	30000	0	0	30000	32.6875	2004
20.03.2020 10:38:18	1	1	1	1	96.5	52.5	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	32.625	2004
20.03.2020 10:38:19	1	1	1	1	96.5	52.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	33.1875	2004
20.03.2020 10:38:20	1	1	1	1	96.5	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.1875	2004
20.03.2020 10:38:21	1	1	1	1	96.5	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	31.875	2004
20.03.2020 10:38:22	1	1	1	1	96.5	51.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	33.0625	2004
20.03.2020 10:38:23	1	1	1	1	96.5	53	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	32.8125	2004
20.03.2020 10:38:24	1	1	1	1	96.5	52.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.5625	2004
20.03.2020 10:38:25	1	1	1	1	96.5	51.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.625	2004
20.03.2020 10:38:26	1	1	1	1	95.25	52.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	33.9375	2004
20.03.2020 10:38:27	1	1	1	1	95.25	53.75	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	33.0625	2004
20.03.2020 10:38:28	1	1	1	1	95.25	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.5625	2004
20.03.2020 10:38:29	1	1	1	1	95.25	53.5	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	33.6875	2004
20.03.2020 10:38:30	1	1	1	1	95.25	53.5	0	27109.005	593.5483871	15887.53295	30000	0	0	30000	32.9375	2004
20.03.2020 10:38:31	1	1	1	1	95.25	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.75	2004
20.03.2020 10:38:32	1	1	1	1	95.25	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.25	2004
20.03.2020 10:38:33	1	1	1	1	95.25	52.25	0	27345.972	589.2473118	16085.66847	30000	0	0	30000	31.8125	2004
20.03.2020 10:38:34	1	1	1	1	95.25	51.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.9375	2004
20.03.2020 10:38:35	1	1	1	1	95.25	51.75	0	27440.758	587.0967742	15936.4553	30000	0	0	30000	32.875	2004
20.03.2020 10:38:36	1	1	1	1	95.25	52.75	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	32.4375	2004
20.03.2020 10:38:37	1	1	1	1	95.25	52.25	0	27345.972	589.2473118	16026.96165	30000	0	0	30000	32.4375	2004
20.03.2020 10:38:38	1	1	1	1	95.25	52.25	0	27345.972	587.0967742	16168.83646	30000	0	0	30000	33.75	2004
20.03.2020 10:38:39	1	1	1	1	95.25	53.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.1875	2004
20.03.2020 10:38:40	1	1	1	1	95.25	53	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	31.5625	2004
20.03.2020 10:38:41	1	1	1	1	95.25	51.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	32.9375	2004
20.03.2020 10:38:42	1	1	1	1	95.25	52.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.625	2004
20.03.2020 10:38:43	1	1	1	1	95.25	53.5	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	33.3125	2004
20.03.2020 10:38:44	1	1	1	1	95.25	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
20.03.2020 10:38:45	1	1	1	1	96	52	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	33.375	2004
20.03.2020 10:38:46	1	1	1	1	96	53.25	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	33.4375	2004
20.03.2020 10:38:48	1	1	1	1	96	53.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.4375	2004
20.03.2020 10:38:49	1	1	1	1	96	52.25	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	33.6875	2004
20.03.2020 10:38:50	1	1	1	1	96	53.5	0	27109.005	580.6451613	15857.36417	30000	0	0	30000	33.6875	2004
20.03.2020 10:38:56	1	1	1	1	96	53.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34	2004
20.03.2020 10:38:56	1	1	1	1	96	53.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34	2004
20.03.2020 10:38:56	1	1	1	1	96	53.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34	2004
20.03.2020 10:38:56	1	1	1	1	96	53.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34	2004
20.03.2020 10:38:56	1	1	1	1	96	53.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34	2004
20.03.2020 10:38:56	1	1	1	1	96	54	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.5625	2004
20.03.2020 10:38:57	1	1	1	1	96	53.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:38:58	1	1	1	1	96	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.0625	2004
20.03.2020 10:38:59	1	1	1	1	96	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.0625	2004
20.03.2020 10:39:00	1	1	1	1	96	52	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.6875	2004
20.03.2020 10:39:01	1	1	1	1	96	52.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.125	2004
20.03.2020 10:39:02	1	1	1	1	96	54	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.1875	2004
20.03.2020 10:39:03	1	1	1	1	96	53	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.6875	2004
20.03.2020 10:39:04	1	1	1	1	96	52.5	0	27156.398	580.6451613	15826.38002	30000	0	0	30000	31.8125	2004
20.03.2020 10:39:05	1	1	1	1	96	51.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	31.625	2004
20.03.2020 10:39:06	1	1	1	1	95.75	51.5	0	27298.578	589.2473118	15909.54801	30000	0	0	30000	32.4375	2004
20.03.2020 10:39:07	1	1	1	1	95.75	52.25	0	27109.005	582.7956989	15857.36417	30000	0	0	30000	33.4375	2004
20.03.2020 10:39:08	1	1	1	1	95.75	53.25	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	31.75	2004
20.03.2020 10:39:09	1	1	1	1	95.75	51.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33	2004
20.03.2020 10:39:10	1	1	1	1	95.75	53	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	32.8125	2004
20.03.2020 10:39:11	1	1	1	1	95.75	52.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	33.0625	2004
20.03.2020 10:39:12	1	1	1	1	95.75	53	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	34.1875	2004
20.03.2020 10:39:13	1	1	1	1	95.75	54	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	33.5625	2004
20.03.2020 10:39:14	1	1	1	1	95.75	53.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.3125	2004
20.03.2020 10:39:15	1	1	1	1	95.75	53.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.125	2004
20.03.2020 10:39:16	1	1	1	1	96	54	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.9375	2004
20.03.2020 10:39:17	1	1	1	1	96	52.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.25	2004
20.03.2020 10:39:18	1	1	1	1	96	53.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	31.8125	2004
20.03.2020 10:39:19	1	1	1	1	96	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34	2004
20.03.2020 10:39:20	1	1	1	1	96	54	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.8125	2004
20.03.2020 10:39:21	1	1	1	1	96	53.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:39:22	1	1	1	1	96	53.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.75	2004
20.03.2020 10:39:23	1	1	1	1	96	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.0625	2004
20.03.2020 10:39:24	1	1	1	1	96	53.75	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	34	2004
20.03.2020 10:39:25	1	1	1	1	96.75	54	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	32.0625	2004
20.03.2020 10:39:26	1	1	1	1	96.75	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:39:27	1	1	1	1	96.75	53.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	31.5	2004
20.03.2020 10:39:29	1	1	1	1	96.75	51.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.125	2004
20.03.2020 10:39:30	1	1	1	1	96.75	52	0	27345.972	593.5483871	15995.9775	30000	0	0	30000	32.6875	2004
20.03.2020 10:39:31	1	1	1	1	96.75	52.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.3125	2004
20.03.2020 10:39:32	1	1	1	1	96.75	51.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34	2004
20.03.2020 10:39:33	1	1	1	1	96.75	54	0	27345.972	587.0967742	16082.40698	30000	0	0	30000	32.375	2004
20.03.2020 10:39:34	1	1	1	1	96.75	52.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.25	2004
20.03.2020 10:39:35	1	1	1	1	96.75	53.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.25	2004
20.03.2020 10:39:36	1	1	1	1	96.25	53.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.25	2004
20.03.2020 10:39:37	1	1	1	1	96.25	53.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.375	2004
20.03.2020 10:39:38	1	1	1	1	96.25	52.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	32	2004
20.03.2020 10:39:39	1	1	1	1	96.25	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.4375	2004
20.03.2020 10:39:40	1	1	1	1	96.25	52.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33	2004
20.03.2020 10:39:41	1	1	1	1	96.25	53	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	32.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:39:42	1	1	1	1	96.25	52.25	0	27630.332	587.0967742	16193.29764	30000	0	0	30000	33.5	2004
20.03.2020 10:39:43	1	1	1	1	96.25	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.375	2004
20.03.2020 10:39:44	1	1	1	1	96.25	52.25	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	32.5625	2004
20.03.2020 10:39:45	1	1	1	1	96.25	52.5	0	27298.578	576.344086	15909.54801	30000	0	0	30000	33.625	2004
20.03.2020 10:39:46	1	1	1	1	96.75	53.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	33.375	2004
20.03.2020 10:39:47	1	1	1	1	96.75	53.25	0	27061.611	582.7956989	15915.25562	30000	0	0	30000	33	2004
20.03.2020 10:39:48	1	1	1	1	96.75	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.5	2004
20.03.2020 10:39:49	1	1	1	1	96.75	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.125	2004
20.03.2020 10:39:50	1	1	1	1	96.75	54	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	32.1875	2004
20.03.2020 10:39:51	1	1	1	1	96.75	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.625	2004
20.03.2020 10:39:57	1	1	1	1	98	53.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	32.9375	2004
20.03.2020 10:39:57	1	1	1	1	98	53.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	32.9375	2004
20.03.2020 10:39:57	1	1	1	1	98	53.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	32.9375	2004
20.03.2020 10:39:57	1	1	1	1	98	53.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	32.9375	2004
20.03.2020 10:39:57	1	1	1	1	98	52.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.5	2004
20.03.2020 10:39:58	1	1	1	1	98	53.5	0	27061.611	584.9462366	15857.36417	30000	0	0	30000	32.625	2004
20.03.2020 10:39:59	1	1	1	1	98	52.5	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	32.25	2004
20.03.2020 10:40:00	1	1	1	1	98	52.25	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	32.375	2004
20.03.2020 10:40:01	1	1	1	1	98	52.25	0	27109.005	582.7956989	15857.36417	30000	0	0	30000	33.5	2004
20.03.2020 10:40:02	1	1	1	1	98	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.8125	2004
20.03.2020 10:40:03	1	1	1	1	98	53.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33	2004
20.03.2020 10:40:04	1	1	1	1	98	53.5	0	27156.398	582.7956989	15909.54801	30000	0	0	30000	31.75	2004
20.03.2020 10:40:05	1	1	1	1	97.25	51.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.5	2004
20.03.2020 10:40:07	1	1	1	1	97.25	53.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.3125	2004
20.03.2020 10:40:08	1	1	1	1	97.25	54.25	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	32.3125	2004
20.03.2020 10:40:09	1	1	1	1	97.25	52.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	33.75	2004
20.03.2020 10:40:10	1	1	1	1	97.25	53.75	0	27156.398	580.6451613	15826.38002	30000	0	0	30000	32.875	2004
20.03.2020 10:40:11	1	1	1	1	97.25	52.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.125	2004
20.03.2020 10:40:12	1	1	1	1	97.25	54	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	32.75	2004
20.03.2020 10:40:13	1	1	1	1	97.25	52.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.25	2004
20.03.2020 10:40:14	1	1	1	1	97.25	54.25	0	27109.005	582.7956989	15798.65735	30000	0	0	30000	33.3125	2004
20.03.2020 10:40:15	1	1	1	1	97.25	53.25	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	31.75	2004
20.03.2020 10:40:16	1	1	1	1	97.5	51.75	0	27109.005	578.4946237	15968.25483	30000	0	0	30000	32.75	2004
20.03.2020 10:40:17	1	1	1	1	97.5	52.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	34.0625	2004
20.03.2020 10:40:18	1	1	1	1	97.5	54	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	33.0625	2004
20.03.2020 10:40:19	1	1	1	1	97.5	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.25	2004
20.03.2020 10:40:20	1	1	1	1	97.5	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.25	2004
20.03.2020 10:40:21	1	1	1	1	97.5	54.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.375	2004
20.03.2020 10:40:22	1	1	1	1	97.5	53.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	31.8125	2004
20.03.2020 10:40:23	1	1	1	1	97.5	51.75	0	27156.398	589.2473118	15798.65735	30000	0	0	30000	34.1875	2004
20.03.2020 10:40:24	1	1	1	1	97.5	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
20.03.2020 10:40:25	1	1	1	1	97.5	52.75	0	27298.578	587.0967742	16261.78893	30000	0	0	30000	34.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:40:26	1	1	1	1	97.5	54	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	32.9375	2004
20.03.2020 10:40:27	1	1	1	1	97.5	52.75	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	33.375	2004
20.03.2020 10:40:28	1	1	1	1	97.5	53.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.875	2004
20.03.2020 10:40:29	1	1	1	1	97.5	53.75	0	27298.578	584.9462366	15857.36417	30000	0	0	30000	33.6875	2004
20.03.2020 10:40:30	1	1	1	1	97.5	53.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	33.375	2004
20.03.2020 10:40:31	1	1	1	1	97.5	53.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.9375	2004
20.03.2020 10:40:32	1	1	1	1	97.5	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32	2004
20.03.2020 10:40:33	1	1	1	1	97.5	52	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	32.5	2004
20.03.2020 10:40:34	1	1	1	1	97.5	52.5	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	32.8125	2004
20.03.2020 10:40:35	1	1	1	1	97.5	52.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	33.3125	2004
20.03.2020 10:40:36	1	1	1	1	97.5	53.25	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	34.3125	2004
20.03.2020 10:40:37	1	1	1	1	97.5	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.5625	2004
20.03.2020 10:40:38	1	1	1	1	97.5	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.5625	2004
20.03.2020 10:40:39	1	1	1	1	97.5	53.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	34.4375	2004
20.03.2020 10:40:40	1	1	1	1	97.5	54.25	0	27345.972	595.6989247	16172.09795	30000	0	0	30000	34	2004
20.03.2020 10:40:41	1	1	1	1	97.5	54	0	27298.578	584.9462366	15767.6732	30000	0	0	30000	33.5625	2004
20.03.2020 10:40:42	1	1	1	1	97.5	54.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	31.6875	2004
20.03.2020 10:40:43	1	1	1	1	97.5	51.5	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	34.1875	2004
20.03.2020 10:40:44	1	1	1	1	97.5	54	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	33.125	2004
20.03.2020 10:40:45	1	1	1	1	98.25	53	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	32.5	2004
20.03.2020 10:40:46	1	1	1	1	98.25	52.5	0	27109.005	576.344086	15909.54801	30000	0	0	30000	34.4375	2004
20.03.2020 10:40:47	1	1	1	1	98.25	54.25	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	33.125	2004
20.03.2020 10:40:48	1	1	1	1	98.25	53	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	34.125	2004
20.03.2020 10:40:49	1	1	1	1	98.25	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.8125	2004
20.03.2020 10:40:50	1	1	1	1	98.25	53.75	0	27014.218	587.0967742	15887.53295	30000	0	0	30000	34.1875	2004
20.03.2020 10:40:51	1	1	1	1	98.25	54	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.25	2004
20.03.2020 10:40:52	1	1	1	1	98.25	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.25	2004
20.03.2020 10:40:53	1	1	1	1	98.25	53	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.1875	2004
20.03.2020 10:40:54	1	1	1	1	98.25	53	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.1875	2004
20.03.2020 10:40:55	1	1	1	1	98.25	53	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.1875	2004
20.03.2020 10:40:56	1	1	1	1	98.25	53	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.1875	2004
20.03.2020 10:40:57	1	1	1	1	98.25	53	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.1875	2004
20.03.2020 10:40:58	1	1	1	1	98.25	53	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.1875	2004
20.03.2020 10:40:59	1	1	1	1	98.25	53	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.1875	2004
20.03.2020 10:41:00	1	1	1	1	98.25	53.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.4375	2004
20.03.2020 10:41:01	1	1	1	1	98.25	53.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	32.8125	2004
20.03.2020 10:41:02	1	1	1	1	98.25	52.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	32.6875	2004
20.03.2020 10:41:03	1	1	1	1	98.25	52.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	34.25	2004
20.03.2020 10:41:04	1	1	1	1	98.25	54.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.6875	2004
20.03.2020 10:41:05	1	1	1	1	98.25	53.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34	2004
20.03.2020 10:41:06	1	1	1	1	98.25	54	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.3125	2004
20.03.2020 10:41:07	1	1	1	1	98.25	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.3125	2004
20.03.2020 10:41:08	1	1	1	1	98.25	54.25	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	34.1875	2004
20.03.2020 10:41:09	1	1	1	1	98.25	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:41:10	1	1	1	1	98.25	53.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	33.4375	2004
20.03.2020 10:41:11	1	1	1	1	98.25	53.25	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	33.25	2004
20.03.2020 10:41:12	1	1	1	1	98.25	53.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	32.6875	2004
20.03.2020 10:41:13	1	1	1	1	98.25	52.5	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	33	2004
20.03.2020 10:41:14	1	1	1	1	98.25	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.625	2004
20.03.2020 10:41:15	1	1	1	1	98.25	53.5	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	34.3125	2004
20.03.2020 10:41:16	1	1	1	1	98.5	54.25	0	27061.611	587.0967742	15829.64151	30000	0	0	30000	34.0625	2004
20.03.2020 10:41:17	1	1	1	1	98.5	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.8125	2004
20.03.2020 10:41:18	1	1	1	1	98.5	53.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.125	2004
20.03.2020 10:41:19	1	1	1	1	98.5	54	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	34.25	2004
20.03.2020 10:41:20	1	1	1	1	98.5	54.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	34.0625	2004
20.03.2020 10:41:21	1	1	1	1	98.5	54	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.375	2004
20.03.2020 10:41:23	1	1	1	1	98.5	54.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:41:24	1	1	1	1	98.5	53.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.375	2004
20.03.2020 10:41:25	1	1	1	1	98.5	54.25	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	33.625	2004
20.03.2020 10:41:26	1	1	1	1	98.75	53.5	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	33.75	2004
20.03.2020 10:41:27	1	1	1	1	98.75	53.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.75	2004
20.03.2020 10:41:28	1	1	1	1	98.75	52.75	0	27298.578	595.6989247	16144.37529	30000	0	0	30000	33.625	2004
20.03.2020 10:41:29	1	1	1	1	98.75	53.5	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:41:30	1	1	1	1	98.75	53.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	34.4375	2004
20.03.2020 10:41:31	1	1	1	1	98.75	54.25	0	27156.398	582.7956989	15740.76591	30000	0	0	30000	32.4375	2004
20.03.2020 10:41:32	1	1	1	1	98.75	52.25	0	27345.972	591.3978495	16144.37529	30000	0	0	30000	34.4375	2004
20.03.2020 10:41:33	1	1	1	1	98.75	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.25	2004
20.03.2020 10:41:34	1	1	1	1	98.75	54.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	33.8125	2004
20.03.2020 10:41:35	1	1	1	1	98.75	53.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34.1875	2004
20.03.2020 10:41:36	1	1	1	1	99	54	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	34.375	2004
20.03.2020 10:41:37	1	1	1	1	99	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.75	2004
20.03.2020 10:41:38	1	1	1	1	99	53.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	33.5	2004
20.03.2020 10:41:39	1	1	1	1	99	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.3125	2004
20.03.2020 10:41:42	1	1	1	1	99	53.5	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	33.375	2004
20.03.2020 10:41:42	1	1	1	1	99	53.5	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	33.375	2004
20.03.2020 10:41:42	1	1	1	1	99	53.5	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	33.375	2004
20.03.2020 10:41:43	1	1	1	1	99	53.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	33.9375	2004
20.03.2020 10:41:44	1	1	1	1	99	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.3125	2004
20.03.2020 10:41:45	1	1	1	1	99	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.25	2004
20.03.2020 10:41:46	1	1	1	1	99.5	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.4375	2004
20.03.2020 10:41:47	1	1	1	1	99.5	54.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	33.375	2004
20.03.2020 10:41:48	1	1	1	1	99.5	53.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.0625	2004
20.03.2020 10:41:49	1	1	1	1	99.5	54	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	33.75	2004
20.03.2020 10:41:50	1	1	1	1	99.5	53.75	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	33.8125	2004
20.03.2020 10:41:51	1	1	1	1	99.5	53.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.5625	2004
20.03.2020 10:41:52	1	1	1	1	99.5	53.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34	2004
20.03.2020 10:41:53	1	1	1	1	99.5	54	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	34.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:41:54	1	1	1	1	99.5	54.5	0	27298.578	578.4946237	15850.84119	30000	0	0	30000	33.9375	2004
20.03.2020 10:42:01	1	1	1	1	100	52.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	34.0625	2004
20.03.2020 10:42:01	1	1	1	1	100	52.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	34.0625	2004
20.03.2020 10:42:01	1	1	1	1	100	52.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	34.0625	2004
20.03.2020 10:42:01	1	1	1	1	100	52.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	34.0625	2004
20.03.2020 10:42:01	1	1	1	1	100	52.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	34.0625	2004
20.03.2020 10:42:01	1	1	1	1	100	52.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	34.0625	2004
20.03.2020 10:42:02	1	1	1	1	100	54	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	32.6875	2004
20.03.2020 10:42:03	1	1	1	1	100	52.5	0	27061.611	589.2473118	15973.96244	30000	0	0	30000	32.375	2004
20.03.2020 10:42:04	1	1	1	1	100	52.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.375	2004
20.03.2020 10:42:05	1	1	1	1	100	54.25	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	32.6875	2004
20.03.2020 10:42:06	1	1	1	1	98	52.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	33.5	2004
20.03.2020 10:42:07	1	1	1	1	98	53.5	0	27298.578	578.4946237	16054.68431	30000	0	0	30000	32.75	2004
20.03.2020 10:42:08	1	1	1	1	98	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.0625	2004
20.03.2020 10:42:09	1	1	1	1	98	54	0	27393.365	591.3978495	16172.09795	30000	0	0	30000	34.5625	2004
20.03.2020 10:42:10	1	1	1	1	98	54.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	34.125	2004
20.03.2020 10:42:11	1	1	1	1	98	54	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	34.625	2004
20.03.2020 10:42:12	1	1	1	1	98	54.5	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	33.4375	2004
20.03.2020 10:42:13	1	1	1	1	98	53.25	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	34.4375	2004
20.03.2020 10:42:14	1	1	1	1	98	54.25	0	27109.005	589.2473118	16203.08211	30000	0	0	30000	34.4375	2004
20.03.2020 10:42:15	1	1	1	1	98	54.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:42:16	1	1	1	1	99	53.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.4375	2004
20.03.2020 10:42:17	1	1	1	1	99	54.25	0	27061.611	587.0967742	15945.4244	30000	0	0	30000	33.5625	2004
20.03.2020 10:42:18	1	1	1	1	99	53.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.125	2004
20.03.2020 10:42:19	1	1	1	1	99	53	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	34.4375	2004
20.03.2020 10:42:20	1	1	1	1	99	54.25	0	27298.578	589.2473118	15885.08684	30000	0	0	30000	33.9375	2004
20.03.2020 10:42:21	1	1	1	1	99	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.25	2004
20.03.2020 10:42:22	1	1	1	1	99	53.25	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	34.625	2004
20.03.2020 10:42:23	1	1	1	1	99	54.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	32.875	2004
20.03.2020 10:42:24	1	1	1	1	99	52.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.1875	2004
20.03.2020 10:42:25	1	1	1	1	99	53	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.4375	2004
20.03.2020 10:42:26	1	1	1	1	99.5	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32	2004
20.03.2020 10:42:27	1	1	1	1	99.5	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.25	2004
20.03.2020 10:42:28	1	1	1	1	99.5	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.625	2004
20.03.2020 10:42:29	1	1	1	1	99.5	54.5	0	27109.005	584.9462366	15713.04324	30000	0	0	30000	34.3125	2004
20.03.2020 10:42:30	1	1	1	1	99.5	54.25	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	33.25	2004
20.03.2020 10:42:31	1	1	1	1	99.5	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.8125	2004
20.03.2020 10:42:32	1	1	1	1	99.5	53.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	33.5	2004
20.03.2020 10:42:33	1	1	1	1	99.5	53.5	0	27109.005	595.6989247	15887.53295	30000	0	0	30000	34.125	2004
20.03.2020 10:42:34	1	1	1	1	99.5	54	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	33.25	2004
20.03.2020 10:42:35	1	1	1	1	99.5	53.25	0	27345.972	587.0967742	16289.51159	30000	0	0	30000	34.5625	2004
20.03.2020 10:42:36	1	1	1	1	99	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.6875	2004
20.03.2020 10:42:37	1	1	1	1	99	54.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	33.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:42:38	1	1	1	1	99	53.75	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	34.6875	2004
20.03.2020 10:42:39	1	1	1	1	99	53.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	32.9375	2004
20.03.2020 10:42:41	1	1	1	1	99	52.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	34.375	2004
20.03.2020 10:42:42	1	1	1	1	99	54.25	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	33.5	2004
20.03.2020 10:42:43	1	1	1	1	99	53.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	33.8125	2004
20.03.2020 10:42:44	1	1	1	1	99	53.75	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	34.1875	2004
20.03.2020 10:42:45	1	1	1	1	99	54	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.5	2004
20.03.2020 10:42:46	1	1	1	1	98.25	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.9375	2004
20.03.2020 10:42:47	1	1	1	1	98.25	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:42:48	1	1	1	1	98.25	53.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	34.25	2004
20.03.2020 10:42:49	1	1	1	1	98.25	54.25	0	27156.398	580.6451613	15968.25483	30000	0	0	30000	33.9375	2004
20.03.2020 10:42:50	1	1	1	1	98.25	53.75	0	27109.005	587.0967742	15829.64151	30000	0	0	30000	34.5625	2004
20.03.2020 10:42:51	1	1	1	1	98.25	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:42:52	1	1	1	1	98.25	53.75	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	34.5	2004
20.03.2020 10:42:53	1	1	1	1	98.25	54.5	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	33.8125	2004
20.03.2020 10:42:54	1	1	1	1	98.25	53.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	34.5	2004
20.03.2020 10:42:55	1	1	1	1	98.25	54.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	34.5625	2004
20.03.2020 10:42:56	1	1	1	1	99.75	54.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.4375	2004
20.03.2020 10:43:02	1	1	1	1	99.75	54	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:43:02	1	1	1	1	99.75	54	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:43:02	1	1	1	1	99.75	54	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:43:02	1	1	1	1	99.75	54	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:43:02	1	1	1	1	99.75	54	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:43:02	1	1	1	1	99.75	54	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	33.9375	2004
20.03.2020 10:43:03	1	1	1	1	99.75	53.75	0	27345.972	591.3978495	16228.35866	30000	0	0	30000	34.875	2004
20.03.2020 10:43:04	1	1	1	1	99.75	54.75	0	27014.218	584.9462366	15774.19618	30000	0	0	30000	32.5625	2004
20.03.2020 10:43:05	1	1	1	1	99.75	52.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.125	2004
20.03.2020 10:43:06	1	1	1	1	99.25	54	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	34.1875	2004
20.03.2020 10:43:07	1	1	1	1	99.25	54	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	34.6875	2004
20.03.2020 10:43:08	1	1	1	1	99.25	54.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	34.4375	2004
20.03.2020 10:43:09	1	1	1	1	99.25	54.25	0	27156.398	587.0967742	15798.65735	30000	0	0	30000	32.6875	2004
20.03.2020 10:43:10	1	1	1	1	99.25	52.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	33.4375	2004
20.03.2020 10:43:11	1	1	1	1	99.25	53.25	0	27014.218	578.4946237	15945.4244	30000	0	0	30000	33.875	2004
20.03.2020 10:43:12	1	1	1	1	99.25	53.75	0	27345.972	587.0967742	16172.09795	30000	0	0	30000	34.5625	2004
20.03.2020 10:43:13	1	1	1	1	99.25	54.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	34.375	2004
20.03.2020 10:43:14	1	1	1	1	99.25	54.25	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	35.0625	2004
20.03.2020 10:43:15	1	1	1	1	99.25	55	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	34.8125	2004
20.03.2020 10:43:16	1	1	1	1	100.3	54.75	0	27535.545	584.9462366	16110.12964	30000	0	0	30000	34.875	2004
20.03.2020 10:43:17	1	1	1	1	100.3	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.875	2004
20.03.2020 10:43:19	1	1	1	1	100.3	52.75	0	26919.431	576.344086	15774.19618	30000	0	0	30000	34.5625	2004
20.03.2020 10:43:20	1	1	1	1	100.3	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004
20.03.2020 10:43:21	1	1	1	1	100.3	54.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	33.8125	2004
20.03.2020 10:43:22	1	1	1	1	100.3	53.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:43:23	1	1	1	1	100.3	54	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.5625	2004
20.03.2020 10:43:24	1	1	1	1	100.3	54.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.5625	2004
20.03.2020 10:43:25	1	1	1	1	100.3	54.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.0625	2004
20.03.2020 10:43:26	1	1	1	1	100.3	54	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	34.0625	2004
20.03.2020 10:43:27	1	1	1	1	100.3	54	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	34	2004
20.03.2020 10:43:28	1	1	1	1	100.3	54	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	34.375	2004
20.03.2020 10:43:29	1	1	1	1	100.3	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.75	2004
20.03.2020 10:43:30	1	1	1	1	100.3	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.8125	2004
20.03.2020 10:43:31	1	1	1	1	100.3	54.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.3125	2004
20.03.2020 10:43:32	1	1	1	1	100.3	54.25	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	34.4375	2004
20.03.2020 10:43:33	1	1	1	1	100.3	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34	2004
20.03.2020 10:43:34	1	1	1	1	100.3	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.6875	2004
20.03.2020 10:43:35	1	1	1	1	100.3	54.5	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34.625	2004
20.03.2020 10:43:36	1	1	1	1	99.75	54.5	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	34.125	2004
20.03.2020 10:43:37	1	1	1	1	99.75	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
20.03.2020 10:43:38	1	1	1	1	99.75	54.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	34.625	2004
20.03.2020 10:43:39	1	1	1	1	99.75	54.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	34.3125	2004
20.03.2020 10:43:40	1	1	1	1	99.75	54.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.8125	2004
20.03.2020 10:43:41	1	1	1	1	99.75	54.75	0	27298.578	589.2473118	16001.6851	30000	0	0	30000	34.375	2004
20.03.2020 10:43:42	1	1	1	1	99.75	54.25	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	33.875	2004
20.03.2020 10:43:43	1	1	1	1	99.75	53.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.6875	2004
20.03.2020 10:43:44	1	1	1	1	99.75	54.5	0	27298.578	593.5483871	16031.85389	30000	0	0	30000	33.1875	2004
20.03.2020 10:43:45	1	1	1	1	99.75	53	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	34.5625	2004
20.03.2020 10:43:46	1	1	1	1	100	54.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	33.6875	2004
20.03.2020 10:43:47	1	1	1	1	100	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.1875	2004
20.03.2020 10:43:48	1	1	1	1	100	54	0	27156.398	582.7956989	15826.38002	30000	0	0	30000	34.5625	2004
20.03.2020 10:43:49	1	1	1	1	100	54.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	33.4375	2004
20.03.2020 10:43:50	1	1	1	1	100	53.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34	2004
20.03.2020 10:43:51	1	1	1	1	100	54	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	33.4375	2004
20.03.2020 10:43:52	1	1	1	1	100	53.25	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	33.5	2004
20.03.2020 10:43:53	1	1	1	1	100	53.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.5	2004
20.03.2020 10:43:54	1	1	1	1	100	54.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.5	2004
20.03.2020 10:43:55	1	1	1	1	100	53.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	34.875	2004
20.03.2020 10:43:56	1	1	1	1	100.5	54.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.8125	2004
20.03.2020 10:43:58	1	1	1	1	100.5	54.25	0	27109.005	582.7956989	16026.96165	30000	0	0	30000	33.8125	2004
20.03.2020 10:44:04	1	1	1	1	100.5	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.25	2004
20.03.2020 10:44:04	1	1	1	1	100.5	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.25	2004
20.03.2020 10:44:04	1	1	1	1	100.5	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.25	2004
20.03.2020 10:44:04	1	1	1	1	100.5	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.25	2004
20.03.2020 10:44:04	1	1	1	1	100.5	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.25	2004
20.03.2020 10:44:04	1	1	1	1	100.5	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.25	2004
20.03.2020 10:44:05	1	1	1	1	100.5	54.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	34.75	2004
20.03.2020 10:44:06	1	1	1	1	99.5	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:44:07	1	1	1	1	99.5	52.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.75	2004
20.03.2020 10:44:08	1	1	1	1	99.5	54.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	33.375	2004
20.03.2020 10:44:09	1	1	1	1	99.5	53.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.5	2004
20.03.2020 10:44:10	1	1	1	1	99.5	54.5	0	27345.972	582.7956989	15674.72073	30000	0	0	30000	33.5	2004
20.03.2020 10:44:11	1	1	1	1	99.5	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.75	2004
20.03.2020 10:44:12	1	1	1	1	99.5	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.5625	2004
20.03.2020 10:44:13	1	1	1	1	99.5	54.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.5	2004
20.03.2020 10:44:14	1	1	1	1	99.5	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.8125	2004
20.03.2020 10:44:15	1	1	1	1	99.5	54.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	33.5625	2004
20.03.2020 10:44:16	1	1	1	1	100	53.5	0	27298.578	582.7956989	16054.68431	30000	0	0	30000	34.4375	2004
20.03.2020 10:44:17	1	1	1	1	100	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.3125	2004
20.03.2020 10:44:18	1	1	1	1	100	54.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	33.9375	2004
20.03.2020 10:44:19	1	1	1	1	100	53.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	34.375	2004
20.03.2020 10:44:20	1	1	1	1	100	54.25	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	34.375	2004
20.03.2020 10:44:21	1	1	1	1	100	54.25	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	34.8125	2004
20.03.2020 10:44:22	1	1	1	1	100	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.125	2004
20.03.2020 10:44:23	1	1	1	1	100	54	0	27345.972	584.9462366	15850.84119	30000	0	0	30000	34.6875	2004
20.03.2020 10:44:24	1	1	1	1	100	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.6875	2004
20.03.2020 10:44:25	1	1	1	1	100	54.5	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	33.75	2004
20.03.2020 10:44:26	1	1	1	1	99.75	53.75	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	32.6875	2004
20.03.2020 10:44:27	1	1	1	1	99.75	52.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.3125	2004
20.03.2020 10:44:28	1	1	1	1	99.75	54.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	34.1875	2004
20.03.2020 10:44:29	1	1	1	1	99.75	54	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.125	2004
20.03.2020 10:44:30	1	1	1	1	99.75	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.6875	2004
20.03.2020 10:44:31	1	1	1	1	99.75	54.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.8125	2004
20.03.2020 10:44:32	1	1	1	1	99.75	54.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	34.0625	2004
20.03.2020 10:44:33	1	1	1	1	99.75	54	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	33.1875	2004
20.03.2020 10:44:34	1	1	1	1	99.75	53	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	34.5	2004
20.03.2020 10:44:35	1	1	1	1	99.75	54.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	34.75	2004
20.03.2020 10:44:36	1	1	1	1	97.75	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.8125	2004
20.03.2020 10:44:37	1	1	1	1	97.75	54.75	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	34.6875	2004
20.03.2020 10:44:39	1	1	1	1	97.75	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.875	2004
20.03.2020 10:44:40	1	1	1	1	97.75	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.625	2004
20.03.2020 10:44:41	1	1	1	1	97.75	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.3125	2004
20.03.2020 10:44:42	1	1	1	1	97.75	54.25	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	34.875	2004
20.03.2020 10:44:43	1	1	1	1	97.75	54.75	0	27298.578	591.3978495	15885.08684	30000	0	0	30000	34.5625	2004
20.03.2020 10:44:44	1	1	1	1	97.75	54.5	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	33.375	2004
20.03.2020 10:44:45	1	1	1	1	97.75	53.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.9375	2004
20.03.2020 10:44:46	1	1	1	1	97.25	53.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	33.625	2004
20.03.2020 10:44:47	1	1	1	1	97.25	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.875	2004
20.03.2020 10:44:48	1	1	1	1	97.25	53.75	0	27061.611	584.9462366	15510.83086	30000	0	0	30000	34.8125	2004
20.03.2020 10:44:49	1	1	1	1	97.25	54.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.4375	2004
20.03.2020 10:44:50	1	1	1	1	97.25	54.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:44:51	1	1	1	1	97.25	54.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	34.875	2004
20.03.2020 10:44:52	1	1	1	1	97.25	54.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.3125	2004
20.03.2020 10:44:53	1	1	1	1	97.25	54.25	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	34.625	2004
20.03.2020 10:44:54	1	1	1	1	97.25	54.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	32.875	2004
20.03.2020 10:44:55	1	1	1	1	97.25	52.75	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	35	2004
20.03.2020 10:44:56	1	1	1	1	97.25	55	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.5625	2004
20.03.2020 10:44:57	1	1	1	1	97.25	54.5	0	27298.578	587.0967742	15995.9775	30000	0	0	30000	34.8125	2004
20.03.2020 10:44:58	1	1	1	1	97.25	54.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.5	2004
20.03.2020 10:44:59	1	1	1	1	97.25	54.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.375	2004
20.03.2020 10:45:05	1	1	1	1	97.25	53.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	34.75	2004
20.03.2020 10:45:05	1	1	1	1	97.25	53.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	34.75	2004
20.03.2020 10:45:05	1	1	1	1	97.25	53.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	34.75	2004
20.03.2020 10:45:05	1	1	1	1	97.25	53.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	34.75	2004
20.03.2020 10:45:05	1	1	1	1	97.25	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004
20.03.2020 10:45:06	1	1	1	1	97	54.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	34.5625	2004
20.03.2020 10:45:07	1	1	1	1	97	54.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	34.625	2004
20.03.2020 10:45:08	1	1	1	1	97	54.5	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	34.875	2004
20.03.2020 10:45:09	1	1	1	1	97	54.75	0	27298.578	584.9462366	15970.70095	30000	0	0	30000	34.625	2004
20.03.2020 10:45:10	1	1	1	1	97	54.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	33.875	2004
20.03.2020 10:45:11	1	1	1	1	97	53.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	34.375	2004
20.03.2020 10:45:12	1	1	1	1	97	54.25	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	34.9375	2004
20.03.2020 10:45:13	1	1	1	1	97	54.75	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	34.625	2004
20.03.2020 10:45:14	1	1	1	1	97	54.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.875	2004
20.03.2020 10:45:15	1	1	1	1	97	54.75	0	27345.972	584.9462366	15792.13437	30000	0	0	30000	34.25	2004
20.03.2020 10:45:16	1	1	1	1	97.75	54.25	0	27109.005	582.7956989	15798.65735	30000	0	0	30000	34.5625	2004
20.03.2020 10:45:18	1	1	1	1	97.75	54.5	0	27109.005	578.4946237	15968.25483	30000	0	0	30000	34.1875	2004
20.03.2020 10:45:19	1	1	1	1	97.75	54	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	34.375	2004
20.03.2020 10:45:20	1	1	1	1	97.75	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004
20.03.2020 10:45:21	1	1	1	1	97.75	54.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.125	2004
20.03.2020 10:45:22	1	1	1	1	97.75	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.625	2004
20.03.2020 10:45:23	1	1	1	1	97.75	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.8125	2004
20.03.2020 10:45:24	1	1	1	1	97.75	54.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	34.9375	2004
20.03.2020 10:45:25	1	1	1	1	97.75	54.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	33.75	2004
20.03.2020 10:45:26	1	1	1	1	97.5	53.75	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	34.6875	2004
20.03.2020 10:45:27	1	1	1	1	97.5	54.5	0	27298.578	582.7956989	15826.38002	30000	0	0	30000	35	2004
20.03.2020 10:45:28	1	1	1	1	97.5	55	0	27393.365	587.0967742	15995.9775	30000	0	0	30000	33.9375	2004
20.03.2020 10:45:29	1	1	1	1	97.5	53.75	0	27535.545	587.0967742	16193.29764	30000	0	0	30000	34.5	2004
20.03.2020 10:45:30	1	1	1	1	97.5	54.5	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	34.75	2004
20.03.2020 10:45:31	1	1	1	1	97.5	54.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	34.625	2004
20.03.2020 10:45:32	1	1	1	1	97.5	54.5	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	33.9375	2004
20.03.2020 10:45:33	1	1	1	1	97.5	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.8125	2004
20.03.2020 10:45:34	1	1	1	1	97.5	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:45:35	1	1	1	1	97.5	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.6875	2004
20.03.2020 10:45:36	1	1	1	1	98	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.9375	2004
20.03.2020 10:45:37	1	1	1	1	98	54.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34	2004
20.03.2020 10:45:38	1	1	1	1	98	54	0	27582.938	591.3978495	16312.34202	30000	0	0	30000	33.5625	2004
20.03.2020 10:45:39	1	1	1	1	98	53.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	34.9375	2004
20.03.2020 10:45:40	1	1	1	1	98	54.75	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	35	2004
20.03.2020 10:45:41	1	1	1	1	98	55	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.4375	2004
20.03.2020 10:45:42	1	1	1	1	98	54.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	34.25	2004
20.03.2020 10:45:43	1	1	1	1	98	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.625	2004
20.03.2020 10:45:44	1	1	1	1	98	53.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.9375	2004
20.03.2020 10:45:45	1	1	1	1	98	54.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.4375	2004
20.03.2020 10:45:46	1	1	1	1	98	54.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35	2004
20.03.2020 10:45:47	1	1	1	1	98	55	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	34.8125	2004
20.03.2020 10:45:48	1	1	1	1	98	54.75	0	27109.005	580.6451613	15740.76591	30000	0	0	30000	34.125	2004
20.03.2020 10:45:49	1	1	1	1	98	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5	2004
20.03.2020 10:45:50	1	1	1	1	98	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.875	2004
20.03.2020 10:45:51	1	1	1	1	98	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.875	2004
20.03.2020 10:45:52	1	1	1	1	98	54.75	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	33.5625	2004
20.03.2020 10:45:53	1	1	1	1	98	53.5	0	27156.398	584.9462366	15798.65735	30000	0	0	30000	34.3125	2004
20.03.2020 10:45:54	1	1	1	1	98	54.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	34	2004
20.03.2020 10:45:55	1	1	1	1	98	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34	2004
20.03.2020 10:45:56	1	1	1	1	98.5	54	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	35.1875	2004
20.03.2020 10:45:57	1	1	1	1	98.5	55	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	33.5	2004
20.03.2020 10:45:59	1	1	1	1	98.5	53.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	34.8125	2004
20.03.2020 10:46:00	1	1	1	1	98.5	54.5	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	34.9375	2004
20.03.2020 10:46:01	1	1	1	1	98.5	54.75	0	27109.005	582.7956989	15885.08684	30000	0	0	30000	34.9375	2004
20.03.2020 10:46:07	1	1	1	1	99.5	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34	2004
20.03.2020 10:46:07	1	1	1	1	99.5	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34	2004
20.03.2020 10:46:07	1	1	1	1	99.5	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34	2004
20.03.2020 10:46:07	1	1	1	1	99.5	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34	2004
20.03.2020 10:46:07	1	1	1	1	99.5	54	0	27109.005	580.6451613	15885.08684	30000	0	0	30000	34.5	2004
20.03.2020 10:46:08	1	1	1	1	99.5	54.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	34.625	2004
20.03.2020 10:46:09	1	1	1	1	99.5	54.5	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	34.8125	2004
20.03.2020 10:46:10	1	1	1	1	99.5	54.75	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	34.125	2004
20.03.2020 10:46:11	1	1	1	1	99.5	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.625	2004
20.03.2020 10:46:12	1	1	1	1	99.5	54.5	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	34.75	2004
20.03.2020 10:46:13	1	1	1	1	99.5	54.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35	2004
20.03.2020 10:46:14	1	1	1	1	99.5	55	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	34.75	2004
20.03.2020 10:46:15	1	1	1	1	99.5	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.6875	2004
20.03.2020 10:46:16	1	1	1	1	99.75	54.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.9375	2004
20.03.2020 10:46:17	1	1	1	1	99.75	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35	2004
20.03.2020 10:46:18	1	1	1	1	99.75	55	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	35.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:46:19	1	1	1	1	99.75	55	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.1875	2004
20.03.2020 10:46:20	1	1	1	1	99.75	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.9375	2004
20.03.2020 10:46:21	1	1	1	1	99.75	54.75	0	27156.398	584.9462366	15798.65735	30000	0	0	30000	34.625	2004
20.03.2020 10:46:22	1	1	1	1	99.75	54.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5	2004
20.03.2020 10:46:23	1	1	1	1	99.75	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35	2004
20.03.2020 10:46:24	1	1	1	1	99.75	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.6875	2004
20.03.2020 10:46:25	1	1	1	1	99.75	54.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.5625	2004
20.03.2020 10:46:26	1	1	1	1	99.25	53.5	0	27582.938	587.0967742	16110.12964	30000	0	0	30000	35	2004
20.03.2020 10:46:27	1	1	1	1	99.25	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.625	2004
20.03.2020 10:46:28	1	1	1	1	99.25	54.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	35.125	2004
20.03.2020 10:46:29	1	1	1	1	99.25	55	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.625	2004
20.03.2020 10:46:30	1	1	1	1	99.25	54.5	0	27156.398	582.7956989	15885.08684	30000	0	0	30000	34.875	2004
20.03.2020 10:46:31	1	1	1	1	99.25	54.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.125	2004
20.03.2020 10:46:32	1	1	1	1	99.25	55	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	33.875	2004
20.03.2020 10:46:33	1	1	1	1	99.25	53.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	33.5625	2004
20.03.2020 10:46:34	1	1	1	1	99.25	53.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	33.25	2004
20.03.2020 10:46:35	1	1	1	1	99.25	53.25	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	34.25	2004
20.03.2020 10:46:36	1	1	1	1	99.5	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.5	2004
20.03.2020 10:46:37	1	1	1	1	99.5	55.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.0625	2004
20.03.2020 10:46:39	1	1	1	1	99.5	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.8125	2004
20.03.2020 10:46:40	1	1	1	1	99.5	54.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5625	2004
20.03.2020 10:46:41	1	1	1	1	99.5	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.6875	2004
20.03.2020 10:46:42	1	1	1	1	99.5	53.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.5625	2004
20.03.2020 10:46:43	1	1	1	1	99.5	54.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	34.4375	2004
20.03.2020 10:46:44	1	1	1	1	99.5	54.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.5625	2004
20.03.2020 10:46:45	1	1	1	1	99.5	54.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.8125	2004
20.03.2020 10:46:46	1	1	1	1	100.5	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.9375	2004
20.03.2020 10:46:47	1	1	1	1	100.5	54.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34.9375	2004
20.03.2020 10:46:48	1	1	1	1	100.5	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.0625	2004
20.03.2020 10:46:49	1	1	1	1	100.5	55	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	34.5625	2004
20.03.2020 10:46:50	1	1	1	1	100.5	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.0625	2004
20.03.2020 10:46:51	1	1	1	1	100.5	55	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.0625	2004
20.03.2020 10:46:52	1	1	1	1	100.5	55	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	35.0625	2004
20.03.2020 10:46:53	1	1	1	1	100.5	55	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	34.875	2004
20.03.2020 10:46:54	1	1	1	1	100.5	54.75	0	27109.005	580.6451613	15740.76591	30000	0	0	30000	34.75	2004
20.03.2020 10:46:55	1	1	1	1	100.5	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5625	2004
20.03.2020 10:46:56	1	1	1	1	100.8	54.5	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	34.75	2004
20.03.2020 10:46:57	1	1	1	1	100.8	54.75	0	27298.578	584.9462366	15709.78175	30000	0	0	30000	34.4375	2004
20.03.2020 10:46:58	1	1	1	1	100.8	54.25	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	35.125	2004
20.03.2020 10:46:59	1	1	1	1	100.8	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.8125	2004
20.03.2020 10:47:00	1	1	1	1	100.8	54.75	0	27345.972	589.2473118	16168.83646	30000	0	0	30000	34.5625	2004
20.03.2020 10:47:01	1	1	1	1	100.8	54.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	34.3125	2004
20.03.2020 10:47:02	1	1	1	1	100.8	54.25	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	35.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:47:08	1	1	1	1	101.5	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.625	2004
20.03.2020 10:47:08	1	1	1	1	101.5	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.625	2004
20.03.2020 10:47:08	1	1	1	1	101.5	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.625	2004
20.03.2020 10:47:08	1	1	1	1	101.5	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.625	2004
20.03.2020 10:47:08	1	1	1	1	101.5	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.625	2004
20.03.2020 10:47:08	1	1	1	1	101.5	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.625	2004
20.03.2020 10:47:09	1	1	1	1	101.5	54.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.0625	2004
20.03.2020 10:47:10	1	1	1	1	101.5	54	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.6875	2004
20.03.2020 10:47:11	1	1	1	1	101.5	54.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5	2004
20.03.2020 10:47:12	1	1	1	1	101.5	54.5	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	34.8125	2004
20.03.2020 10:47:13	1	1	1	1	101.5	54.75	0	27440.758	584.9462366	16168.83646	30000	0	0	30000	35.375	2004
20.03.2020 10:47:14	1	1	1	1	101.5	55.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	35.375	2004
20.03.2020 10:47:16	1	1	1	1	101.5	55.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	35	2004
20.03.2020 10:47:17	1	1	1	1	102.8	55	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	34.8125	2004
20.03.2020 10:47:18	1	1	1	1	102.8	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.75	2004
20.03.2020 10:47:19	1	1	1	1	102.8	54.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.4375	2004
20.03.2020 10:47:20	1	1	1	1	102.8	53.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	34	2004
20.03.2020 10:47:21	1	1	1	1	102.8	54	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	35.0625	2004
20.03.2020 10:47:22	1	1	1	1	102.8	55	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.625	2004
20.03.2020 10:47:23	1	1	1	1	102.8	54.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.5625	2004
20.03.2020 10:47:24	1	1	1	1	102.8	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.125	2004
20.03.2020 10:47:25	1	1	1	1	102.8	55	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.3125	2004
20.03.2020 10:47:26	1	1	1	1	103	54.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	34.9375	2004
20.03.2020 10:47:27	1	1	1	1	103	54.75	0	27393.365	587.0967742	16110.12964	30000	0	0	30000	35.125	2004
20.03.2020 10:47:28	1	1	1	1	103	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.9375	2004
20.03.2020 10:47:29	1	1	1	1	103	54.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	35.3125	2004
20.03.2020 10:47:30	1	1	1	1	103	55.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	33.5625	2004
20.03.2020 10:47:31	1	1	1	1	103	53.5	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	34.6875	2004
20.03.2020 10:47:32	1	1	1	1	103	54.5	0	27109.005	578.4946237	15968.25483	30000	0	0	30000	35.1875	2004
20.03.2020 10:47:33	1	1	1	1	103	55	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.4375	2004
20.03.2020 10:47:34	1	1	1	1	103	54.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.1875	2004
20.03.2020 10:47:35	1	1	1	1	103	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.125	2004
20.03.2020 10:47:36	1	1	1	1	102.5	55	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	34.625	2004
20.03.2020 10:47:37	1	1	1	1	102.5	54.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	33.4375	2004
20.03.2020 10:47:38	1	1	1	1	102.5	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.25	2004
20.03.2020 10:47:39	1	1	1	1	102.5	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.6875	2004
20.03.2020 10:47:40	1	1	1	1	102.5	54.5	0	27061.611	589.2473118	15715.48936	30000	0	0	30000	35.1875	2004
20.03.2020 10:47:41	1	1	1	1	102.5	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.25	2004
20.03.2020 10:47:42	1	1	1	1	102.5	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.1875	2004
20.03.2020 10:47:43	1	1	1	1	102.5	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.875	2004
20.03.2020 10:47:44	1	1	1	1	102.5	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.25	2004
20.03.2020 10:47:45	1	1	1	1	102.5	54.25	0	27630.332	589.2473118	16193.29764	30000	0	0	30000	34.75	2004
20.03.2020 10:47:46	1	1	1	1	103.5	54.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	35.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:47:47	1	1	1	1	103.5	55	0	27298.578	589.2473118	15767.6732	30000	0	0	30000	35.125	2004
20.03.2020 10:47:48	1	1	1	1	103.5	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.875	2004
20.03.2020 10:47:49	1	1	1	1	103.5	54.75	0	27156.398	582.7956989	15826.38002	30000	0	0	30000	34.875	2004
20.03.2020 10:47:50	1	1	1	1	103.5	54.75	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	34.9375	2004
20.03.2020 10:47:51	1	1	1	1	103.5	54.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.125	2004
20.03.2020 10:47:52	1	1	1	1	103.5	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.1875	2004
20.03.2020 10:47:53	1	1	1	1	103.5	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.125	2004
20.03.2020 10:47:55	1	1	1	1	103.5	55	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	35.5625	2004
20.03.2020 10:47:56	1	1	1	1	103.5	55.5	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	34.6875	2004
20.03.2020 10:47:57	1	1	1	1	103.8	54.5	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	34.9375	2004
20.03.2020 10:47:58	1	1	1	1	103.8	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.1875	2004
20.03.2020 10:47:59	1	1	1	1	103.8	55	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	34.9375	2004
20.03.2020 10:48:00	1	1	1	1	103.8	54.75	0	27345.972	591.3978495	16054.68431	30000	0	0	30000	35.1875	2004
20.03.2020 10:48:01	1	1	1	1	103.8	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.4375	2004
20.03.2020 10:48:02	1	1	1	1	103.8	54.25	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	35.0625	2004
20.03.2020 10:48:03	1	1	1	1	103.8	55	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	35.0625	2004
20.03.2020 10:48:04	1	1	1	1	103.8	55	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.125	2004
20.03.2020 10:48:10	1	1	1	1	103	54.25	0	27535.545	584.9462366	16165.57497	30000	0	0	30000	34.5	2004
20.03.2020 10:48:10	1	1	1	1	103	54.25	0	27535.545	584.9462366	16165.57497	30000	0	0	30000	34.5	2004
20.03.2020 10:48:10	1	1	1	1	103	54.25	0	27535.545	584.9462366	16165.57497	30000	0	0	30000	34.5	2004
20.03.2020 10:48:10	1	1	1	1	103	54.25	0	27535.545	584.9462366	16165.57497	30000	0	0	30000	34.5	2004
20.03.2020 10:48:10	1	1	1	1	103	54.5	0	27061.611	587.0967742	15715.48936	30000	0	0	30000	34.5625	2004
20.03.2020 10:48:11	1	1	1	1	103	54.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	35.125	2004
20.03.2020 10:48:12	1	1	1	1	103	55	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	35.0625	2004
20.03.2020 10:48:13	1	1	1	1	103	55	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.375	2004
20.03.2020 10:48:14	1	1	1	1	103	55.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.75	2004
20.03.2020 10:48:15	1	1	1	1	103	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.6875	2004
20.03.2020 10:48:16	1	1	1	1	103.3	54.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	34.0625	2004
20.03.2020 10:48:17	1	1	1	1	103.3	54	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	35.0625	2004
20.03.2020 10:48:18	1	1	1	1	103.3	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.125	2004
20.03.2020 10:48:19	1	1	1	1	103.3	54	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.0625	2004
20.03.2020 10:48:20	1	1	1	1	103.3	55	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.125	2004
20.03.2020 10:48:21	1	1	1	1	103.3	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.6875	2004
20.03.2020 10:48:22	1	1	1	1	103.3	54.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	33.5625	2004
20.03.2020 10:48:23	1	1	1	1	103.3	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.9375	2004
20.03.2020 10:48:24	1	1	1	1	103.3	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.1875	2004
20.03.2020 10:48:25	1	1	1	1	103.3	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.4375	2004
20.03.2020 10:48:26	1	1	1	1	102.8	54.25	0	27582.938	584.9462366	16110.12964	30000	0	0	30000	35.3125	2004
20.03.2020 10:48:27	1	1	1	1	102.8	55.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.4375	2004
20.03.2020 10:48:28	1	1	1	1	102.8	54.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.25	2004
20.03.2020 10:48:29	1	1	1	1	102.8	54.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	35.125	2004
20.03.2020 10:48:30	1	1	1	1	102.8	55	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:48:32	1	1	1	1	102.8	55.25	0	27156.398	580.6451613	15767.6732	30000	0	0	30000	35.25	2004
20.03.2020 10:48:33	1	1	1	1	102.8	55.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.0625	2004
20.03.2020 10:48:34	1	1	1	1	102.8	55	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	35.5	2004
20.03.2020 10:48:35	1	1	1	1	102.8	55	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	35.3125	2004
20.03.2020 10:48:36	1	1	1	1	103.3	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.125	2004
20.03.2020 10:48:37	1	1	1	1	103.3	54	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	35.1875	2004
20.03.2020 10:48:38	1	1	1	1	103.3	55	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	35.125	2004
20.03.2020 10:48:39	1	1	1	1	103.3	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.1875	2004
20.03.2020 10:48:40	1	1	1	1	103.3	55	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	34.875	2004
20.03.2020 10:48:41	1	1	1	1	103.3	54.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	35.375	2004
20.03.2020 10:48:42	1	1	1	1	103.3	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.3125	2004
20.03.2020 10:48:43	1	1	1	1	103.3	55.25	0	27298.578	582.7956989	15792.13437	30000	0	0	30000	34.8125	2004
20.03.2020 10:48:44	1	1	1	1	103.3	54.75	0	27345.972	578.4946237	15936.4553	30000	0	0	30000	34.5625	2004
20.03.2020 10:48:45	1	1	1	1	103.3	54.5	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	35.4375	2004
20.03.2020 10:48:46	1	1	1	1	102.5	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.8125	2004
20.03.2020 10:48:47	1	1	1	1	102.5	54.75	0	27298.578	582.7956989	16054.68431	30000	0	0	30000	35.375	2004
20.03.2020 10:48:48	1	1	1	1	102.5	55.25	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	34.5625	2004
20.03.2020 10:48:49	1	1	1	1	102.5	54.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.125	2004
20.03.2020 10:48:50	1	1	1	1	102.5	55	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	35	2004
20.03.2020 10:48:51	1	1	1	1	102.5	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.75	2004
20.03.2020 10:48:52	1	1	1	1	102.5	53.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	34.875	2004
20.03.2020 10:48:53	1	1	1	1	102.5	54.75	0	27582.938	584.9462366	16106.86815	30000	0	0	30000	35.0625	2004
20.03.2020 10:48:54	1	1	1	1	102.5	55	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.8125	2004
20.03.2020 10:48:55	1	1	1	1	102.5	54.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.875	2004
20.03.2020 10:48:56	1	1	1	1	102.8	54.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.0625	2004
20.03.2020 10:48:57	1	1	1	1	102.8	54	0	27440.758	587.0967742	15877.74848	30000	0	0	30000	35.0625	2004
20.03.2020 10:48:58	1	1	1	1	102.8	55	0	27630.332	587.0967742	16280.54249	30000	0	0	30000	35	2004
20.03.2020 10:48:59	1	1	1	1	102.8	55	0	27630.332	587.0967742	16193.29764	30000	0	0	30000	34.9375	2004
20.03.2020 10:49:00	1	1	1	1	102.8	54.75	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	34.25	2004
20.03.2020 10:49:01	1	1	1	1	102.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.875	2004
20.03.2020 10:49:02	1	1	1	1	102.8	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.1875	2004
20.03.2020 10:49:03	1	1	1	1	102.8	55	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.8125	2004
20.03.2020 10:49:04	1	1	1	1	102.8	53.75	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	35	2004
20.03.2020 10:49:05	1	1	1	1	102.8	55	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.0625	2004
20.03.2020 10:49:12	1	1	1	1	102	55.25	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	34.75	2004
20.03.2020 10:49:12	1	1	1	1	102	55.25	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	34.75	2004
20.03.2020 10:49:12	1	1	1	1	102	55.25	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	34.75	2004
20.03.2020 10:49:12	1	1	1	1	102	55.25	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	34.75	2004
20.03.2020 10:49:12	1	1	1	1	102	55.25	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	34.75	2004
20.03.2020 10:49:12	1	1	1	1	102	55.25	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	34.75	2004
20.03.2020 10:49:12	1	1	1	1	102	55.25	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	34.75	2004
20.03.2020 10:49:13	1	1	1	1	102	54.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.3125	2004
20.03.2020 10:49:14	1	1	1	1	102	55.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.4375	2004
20.03.2020 10:49:15	1	1	1	1	102	55.25	0	27298.578	576.344086	15968.25483	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:49:16	1	1	1	1	102	55.25	0	27109.005	576.344086	15709.78175	30000	0	0	30000	35	2004
20.03.2020 10:49:17	1	1	1	1	102.8	55.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34	2004
20.03.2020 10:49:18	1	1	1	1	102.8	54	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.6875	2004
20.03.2020 10:49:19	1	1	1	1	102.8	54.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.1875	2004
20.03.2020 10:49:20	1	1	1	1	102.8	55	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.4375	2004
20.03.2020 10:49:21	1	1	1	1	102.8	54.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	34.0625	2004
20.03.2020 10:49:22	1	1	1	1	102.8	54	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.375	2004
20.03.2020 10:49:23	1	1	1	1	102.8	54.25	0	27440.758	587.0967742	15756.25798	30000	0	0	30000	34.75	2004
20.03.2020 10:49:24	1	1	1	1	102.8	54.75	0	27345.972	582.7956989	16054.68431	30000	0	0	30000	34.75	2004
20.03.2020 10:49:25	1	1	1	1	102.8	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.75	2004
20.03.2020 10:49:26	1	1	1	1	103.3	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.0625	2004
20.03.2020 10:49:27	1	1	1	1	103.3	55	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	35.5625	2004
20.03.2020 10:49:28	1	1	1	1	103.3	55.5	0	27298.578	576.344086	15850.84119	30000	0	0	30000	35	2004
20.03.2020 10:49:29	1	1	1	1	103.3	55	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	35.0625	2004
20.03.2020 10:49:30	1	1	1	1	103.3	55	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	35.3125	2004
20.03.2020 10:49:31	1	1	1	1	103.3	55.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	35.375	2004
20.03.2020 10:49:32	1	1	1	1	103.3	55.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.0625	2004
20.03.2020 10:49:33	1	1	1	1	103.3	55	0	27393.365	589.2473118	16082.40698	30000	0	0	30000	34.6875	2004
20.03.2020 10:49:34	1	1	1	1	103.3	54.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35	2004
20.03.2020 10:49:35	1	1	1	1	103.3	55	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.3125	2004
20.03.2020 10:49:36	1	1	1	1	103.3	55.25	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	35.4375	2004
20.03.2020 10:49:37	1	1	1	1	103.3	55.25	0	27203.791	587.0967742	16026.96165	30000	0	0	30000	35.25	2004
20.03.2020 10:49:38	1	1	1	1	103.3	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.125	2004
20.03.2020 10:49:39	1	1	1	1	103.3	55	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	34.75	2004
20.03.2020 10:49:40	1	1	1	1	103.3	54.75	0	27345.972	589.2473118	15995.9775	30000	0	0	30000	34.8125	2004
20.03.2020 10:49:41	1	1	1	1	103.3	54.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	34.8125	2004
20.03.2020 10:49:42	1	1	1	1	103.3	54.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	35.4375	2004
20.03.2020 10:49:43	1	1	1	1	103.3	55.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	34.5	2004
20.03.2020 10:49:44	1	1	1	1	103.3	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.4375	2004
20.03.2020 10:49:45	1	1	1	1	103.3	55.25	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	35.5	2004
20.03.2020 10:49:46	1	1	1	1	103.3	55.5	0	27440.758	578.4946237	16110.12964	30000	0	0	30000	35	2004
20.03.2020 10:49:47	1	1	1	1	103.3	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.5	2004
20.03.2020 10:49:48	1	1	1	1	103.3	55.5	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	34.6875	2004
20.03.2020 10:49:50	1	1	1	1	103.3	54.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.375	2004
20.03.2020 10:49:51	1	1	1	1	103.3	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.25	2004
20.03.2020 10:49:52	1	1	1	1	103.3	55.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	35.4375	2004
20.03.2020 10:49:53	1	1	1	1	103.3	55.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.75	2004
20.03.2020 10:49:54	1	1	1	1	103.3	54.75	0	27440.758	578.4946237	16047.34596	30000	0	0	30000	35.5	2004
20.03.2020 10:49:55	1	1	1	1	103.3	55.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.4375	2004
20.03.2020 10:49:56	1	1	1	1	104.3	54.25	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	35.25	2004
20.03.2020 10:49:57	1	1	1	1	104.3	55.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.1875	2004
20.03.2020 10:49:58	1	1	1	1	104.3	55	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.3125	2004
20.03.2020 10:49:59	1	1	1	1	104.3	55.25	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:50:00	1	1	1	1	104.3	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.8125	2004
20.03.2020 10:50:01	1	1	1	1	104.3	54.75	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	35.125	2004
20.03.2020 10:50:02	1	1	1	1	104.3	55	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	35.5625	2004
20.03.2020 10:50:03	1	1	1	1	104.3	55.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	34.625	2004
20.03.2020 10:50:04	1	1	1	1	104.3	54.5	0	27582.938	580.6451613	16221.0203	30000	0	0	30000	35.25	2004
20.03.2020 10:50:05	1	1	1	1	104.3	55.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.625	2004
20.03.2020 10:50:06	1	1	1	1	103.3	54.5	0	27345.972	582.7956989	15909.54801	30000	0	0	30000	35.625	2004
20.03.2020 10:50:07	1	1	1	1	103.3	55.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	35	2004
20.03.2020 10:50:13	1	1	1	1	103.3	55.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.0625	2004
20.03.2020 10:50:13	1	1	1	1	103.3	55.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.0625	2004
20.03.2020 10:50:13	1	1	1	1	103.3	55.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.0625	2004
20.03.2020 10:50:13	1	1	1	1	103.3	55.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.0625	2004
20.03.2020 10:50:13	1	1	1	1	103.3	55	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.875	2004
20.03.2020 10:50:14	1	1	1	1	103.3	54.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	35.4375	2004
20.03.2020 10:50:15	1	1	1	1	103.3	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.75	2004
20.03.2020 10:50:16	1	1	1	1	103	54.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.5625	2004
20.03.2020 10:50:17	1	1	1	1	103	55.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.125	2004
20.03.2020 10:50:18	1	1	1	1	103	55	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	34.75	2004
20.03.2020 10:50:19	1	1	1	1	103	54.75	0	27298.578	587.0967742	16203.08211	30000	0	0	30000	35.0625	2004
20.03.2020 10:50:20	1	1	1	1	103	55	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	35.5	2004
20.03.2020 10:50:21	1	1	1	1	103	55.5	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	34.9375	2004
20.03.2020 10:50:22	1	1	1	1	103	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.375	2004
20.03.2020 10:50:23	1	1	1	1	103	55.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	35.5625	2004
20.03.2020 10:50:24	1	1	1	1	103	55.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.8125	2004
20.03.2020 10:50:25	1	1	1	1	103	54.75	0	27298.578	576.344086	15968.25483	30000	0	0	30000	35.1875	2004
20.03.2020 10:50:26	1	1	1	1	104	55	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	35.5625	2004
20.03.2020 10:50:27	1	1	1	1	104	55.5	0	27298.578	582.7956989	15936.4553	30000	0	0	30000	35.5	2004
20.03.2020 10:50:29	1	1	1	1	104	55.5	0	27440.758	593.5483871	16051.42282	30000	0	0	30000	35.875	2004
20.03.2020 10:50:30	1	1	1	1	104	55.75	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	35.125	2004
20.03.2020 10:50:31	1	1	1	1	104	55	0	27109.005	580.6451613	16026.96165	30000	0	0	30000	35.875	2004
20.03.2020 10:50:32	1	1	1	1	104	55.75	0	27582.938	593.5483871	16193.29764	30000	0	0	30000	35.875	2004
20.03.2020 10:50:33	1	1	1	1	104	55.75	0	27156.398	582.7956989	16144.37529	30000	0	0	30000	35.6875	2004
20.03.2020 10:50:34	1	1	1	1	104	54.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.6875	2004
20.03.2020 10:50:35	1	1	1	1	104	55.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.3125	2004
20.03.2020 10:50:36	1	1	1	1	103.8	55.25	0	27298.578	593.5483871	16085.66847	30000	0	0	30000	34.4375	2004
20.03.2020 10:50:37	1	1	1	1	103.8	54.25	0	27156.398	589.2473118	15654.33642	30000	0	0	30000	35.625	2004
20.03.2020 10:50:38	1	1	1	1	103.8	55.5	0	27440.758	593.5483871	16110.12964	30000	0	0	30000	35.1875	2004
20.03.2020 10:50:39	1	1	1	1	103.8	55	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.6875	2004
20.03.2020 10:50:40	1	1	1	1	103.8	54.5	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	35.625	2004
20.03.2020 10:50:41	1	1	1	1	103.8	55.5	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	34.8125	2004
20.03.2020 10:50:42	1	1	1	1	103.8	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.125	2004
20.03.2020 10:50:43	1	1	1	1	103.8	55	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	35.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:50:44	1	1	1	1	103.8	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.5625	2004
20.03.2020 10:50:45	1	1	1	1	103.8	55.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.5	2004
20.03.2020 10:50:46	1	1	1	1	103.5	55.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	35.3125	2004
20.03.2020 10:50:47	1	1	1	1	103.5	55.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.8125	2004
20.03.2020 10:50:48	1	1	1	1	103.5	55.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	35.6875	2004
20.03.2020 10:50:49	1	1	1	1	103.5	55.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.1875	2004
20.03.2020 10:50:50	1	1	1	1	103.5	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.5625	2004
20.03.2020 10:50:51	1	1	1	1	103.5	55.5	0	27630.332	587.0967742	16221.0203	30000	0	0	30000	35.1875	2004
20.03.2020 10:50:52	1	1	1	1	103.5	55	0	27345.972	582.7956989	15991.90063	30000	0	0	30000	34.8125	2004
20.03.2020 10:50:53	1	1	1	1	103.5	54.75	0	27298.578	591.3978495	16203.08211	30000	0	0	30000	35.625	2004
20.03.2020 10:50:54	1	1	1	1	103.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.125	2004
20.03.2020 10:50:55	1	1	1	1	103.5	55	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	35.4375	2004
20.03.2020 10:50:56	1	1	1	1	104	55.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	35.5	2004
20.03.2020 10:50:57	1	1	1	1	104	55.5	0	27298.578	584.9462366	15942.97828	30000	0	0	30000	35.5	2004
20.03.2020 10:50:58	1	1	1	1	104	55.5	0	27535.545	587.0967742	15991.90063	30000	0	0	30000	35.125	2004
20.03.2020 10:50:59	1	1	1	1	104	55	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.3125	2004
20.03.2020 10:51:00	1	1	1	1	104	55.25	0	0	0	0	30000	0	8	30000	32.9375	2004
20.03.2020 10:51:01	1	1	1	1	104	52.75	0	10426.54	0	0	30000	0	0	30000	32.9375	2004
20.03.2020 10:51:02	1	1	1	1	104	52.75	0	11327.014	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:03	1	1	1	1	104	55.5	0	12085.308	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:04	1	1	1	1	104	55.5	0	12843.602	2.150537634	26.90729215	30000	0	0	30000	35.875	2004
20.03.2020 10:51:05	1	1	1	1	104	55.75	0	13554.502	4.301075269	87.24485636	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:06	1	1	1	1	104.5	55.5	0	14407.583	12.90322581	185.9049276	30000	0	0	30000	35.875	2004
20.03.2020 10:51:07	1	1	1	1	104.5	55.75	0	15165.877	19.35483871	326.1489957	30000	0	0	30000	32.9375	2004
20.03.2020 10:51:08	1	1	1	1	104.5	52.75	0	15876.777	30.10752688	512.0539233	30000	0	0	30000	35.875	2004
20.03.2020 10:51:15	1	1	1	1	104.5	55.75	0	20284.36	129.0322581	2567.607969	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:15	1	1	1	1	104.5	55.75	0	20284.36	129.0322581	2567.607969	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:15	1	1	1	1	104.5	55.75	0	20284.36	129.0322581	2567.607969	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:15	1	1	1	1	104.5	55.75	0	20284.36	129.0322581	2567.607969	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:15	1	1	1	1	104.5	55.75	0	20284.36	129.0322581	2567.607969	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:15	1	1	1	1	104.5	55.75	0	20284.36	129.0322581	2567.607969	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:16	1	1	1	1	104.8	55.5	0	20616.114	144.0860215	2970.401979	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:17	1	1	1	1	104.8	55.5	0	21137.441	156.9892473	3409.072378	30000	0	0	30000	35.8125	2004
20.03.2020 10:51:18	1	1	1	1	104.8	55.75	0	21563.981	174.1935484	3663.468595	30000	0	0	30000	35.75	2004
20.03.2020 10:51:19	1	1	1	1	104.8	55.75	0	21848.341	189.2473118	4134.753893	30000	0	0	30000	35.875	2004
20.03.2020 10:51:20	1	1	1	1	104.8	55.75	0	21943.128	206.4516129	4530.209551	30000	0	0	30000	35.0625	2004
20.03.2020 10:51:21	1	1	1	1	104.8	55	0	22748.815	219.3548387	4990.079635	30000	0	0	30000	35.75	2004
20.03.2020 10:51:22	1	1	1	1	104.8	55.75	0	23080.569	234.4086022	5409.996467	30000	0	0	30000	35.625	2004
20.03.2020 10:51:23	1	1	1	1	104.8	55.5	0	23317.536	249.4623656	5766.314245	30000	0	0	30000	35.8125	2004
20.03.2020 10:51:24	1	1	1	1	104.8	55.75	0	23554.502	266.6666667	6280.814285	30000	0	0	30000	35.75	2004
20.03.2020 10:51:25	1	1	1	1	104.8	55.75	0	23554.502	277.4193548	6584.948224	30000	0	0	30000	34.875	2004
20.03.2020 10:51:26	1	1	1	1	104.3	54.75	0	23791.469	294.6236559	7008.941918	30000	0	0	30000	35.75	2004
20.03.2020 10:51:27	1	1	1	1	104.3	55.75	0	23933.649	309.6774194	7411.735928	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:51:28	1	1	1	1	104.3	55.5	0	24123.223	322.5806452	7833.283505	30000	0	0	30000	35.75	2004
20.03.2020 10:51:29	1	1	1	1	104.3	55.75	0	24502.37	339.7849462	8324.953116	30000	0	0	30000	35.75	2004
20.03.2020 10:51:30	1	1	1	1	104.3	55.75	0	24928.91	354.8387097	8862.283587	30000	0	0	30000	35.5625	2004
20.03.2020 10:51:31	1	1	1	1	104.3	55.5	0	24928.91	369.8924731	9167.232898	30000	0	0	30000	35.75	2004
20.03.2020 10:51:32	1	1	1	1	104.3	55.75	0	25165.877	384.9462366	9687.440546	30000	0	0	30000	34.9375	2004
20.03.2020 10:51:33	1	1	1	1	104.3	54.75	0	25355.45	400	10141.60302	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:34	1	1	1	1	104.3	55.5	0	25497.63	415.0537634	10602.28848	30000	0	0	30000	35.625	2004
20.03.2020 10:51:35	1	1	1	1	104.3	55.5	0	25734.597	427.9569892	11053.18947	30000	0	0	30000	35.875	2004
20.03.2020 10:51:36	1	1	1	1	104.8	55.75	0	25876.777	445.1612903	11518.76716	30000	0	0	30000	35.5	2004
20.03.2020 10:51:37	1	1	1	1	104.8	55.5	0	26018.957	460.2150538	11918.29968	30000	0	0	30000	35.875	2004
20.03.2020 10:51:38	1	1	1	1	104.8	55.75	0	26113.744	470.9677419	12625.22762	30000	0	0	30000	35.6875	2004
20.03.2020 10:51:39	1	1	1	1	104.8	55.5	0	26303.318	481.7204301	12670.88848	30000	0	0	30000	35.75	2004
20.03.2020 10:51:40	1	1	1	1	104.8	55.75	0	26350.711	490.3225806	12976.65317	30000	0	0	30000	35.625	2004
20.03.2020 10:51:41	1	1	1	1	104.8	55.5	0	26587.678	503.2258065	13541.7063	30000	0	0	30000	35.8125	2004
20.03.2020 10:51:42	1	1	1	1	104.8	55.75	0	26777.251	522.5806452	13992.60729	30000	0	0	30000	34.375	2004
20.03.2020 10:51:43	1	1	1	1	104.8	54.25	0	26777.251	535.483871	14338.32522	30000	0	0	30000	35.25	2004
20.03.2020 10:51:44	1	1	1	1	104.8	55.25	0	26919.431	550.5376344	14820.21037	30000	0	0	30000	33.875	2004
20.03.2020 10:51:45	1	1	1	1	104.8	53.75	0	27298.578	567.7419355	15359.17158	30000	0	0	30000	35.5625	2004
20.03.2020 10:51:46	1	1	1	1	105	55.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	34.875	2004
20.03.2020 10:51:48	1	1	1	1	105	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.625	2004
20.03.2020 10:51:49	1	1	1	1	105	55.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	35.1875	2004
20.03.2020 10:51:50	1	1	1	1	105	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.0625	2004
20.03.2020 10:51:51	1	1	1	1	105	55	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.125	2004
20.03.2020 10:51:52	1	1	1	1	105	55	0	27440.758	589.2473118	16113.39113	30000	0	0	30000	35.9375	2004
20.03.2020 10:51:53	1	1	1	1	105	55.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.0625	2004
20.03.2020 10:51:54	1	1	1	1	105	55.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.5	2004
20.03.2020 10:51:55	1	1	1	1	105	55.5	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	35.9375	2004
20.03.2020 10:51:56	1	1	1	1	105	55.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.5625	2004
20.03.2020 10:51:57	1	1	1	1	105	55.5	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	35.3125	2004
20.03.2020 10:51:58	1	1	1	1	105	55.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.875	2004
20.03.2020 10:51:59	1	1	1	1	105	55.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	35.5625	2004
20.03.2020 10:52:00	1	1	1	1	105	55.5	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	35.6875	2004
20.03.2020 10:52:01	1	1	1	1	105	55.5	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	35.1875	2004
20.03.2020 10:52:02	1	1	1	1	105	55	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	35.5625	2004
20.03.2020 10:52:03	1	1	1	1	105	55.5	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	35.625	2004
20.03.2020 10:52:04	1	1	1	1	105	55.5	0	27156.398	589.2473118	15798.65735	30000	0	0	30000	35.5625	2004
20.03.2020 10:52:05	1	1	1	1	105	55.5	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	34.4375	2004
20.03.2020 10:52:06	1	1	1	1	104.3	54.25	0	27156.398	587.0967742	15798.65735	30000	0	0	30000	35.8125	2004
20.03.2020 10:52:07	1	1	1	1	104.3	55.75	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	35.5625	2004
20.03.2020 10:52:08	1	1	1	1	104.3	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34	2004
20.03.2020 10:52:09	1	1	1	1	104.3	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.25	2004
20.03.2020 10:52:10	1	1	1	1	104.3	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.75	2004
20.03.2020 10:52:16	1	1	1	1	104.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:52:16	1	1	1	1	104.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004
20.03.2020 10:52:16	1	1	1	1	104.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004
20.03.2020 10:52:16	1	1	1	1	104.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004
20.03.2020 10:52:16	1	1	1	1	104.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004
20.03.2020 10:52:16	1	1	1	1	104.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004
20.03.2020 10:52:17	1	1	1	1	104.5	54.5	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	34.75	2004
20.03.2020 10:52:18	1	1	1	1	104.5	54.75	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	34.9375	2004
20.03.2020 10:52:19	1	1	1	1	104.5	54.75	0	27345.972	587.0967742	15968.25483	30000	0	0	30000	35.1875	2004
20.03.2020 10:52:20	1	1	1	1	104.5	55	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	35.25	2004
20.03.2020 10:52:21	1	1	1	1	104.5	55.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	35.625	2004
20.03.2020 10:52:22	1	1	1	1	104.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.75	2004
20.03.2020 10:52:23	1	1	1	1	104.5	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.4375	2004
20.03.2020 10:52:24	1	1	1	1	104.5	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.1875	2004
20.03.2020 10:52:25	1	1	1	1	104.5	54	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	35.1875	2004
20.03.2020 10:52:26	1	1	1	1	104	55	0	27298.578	587.0967742	16172.09795	30000	0	0	30000	34.125	2004
20.03.2020 10:52:27	1	1	1	1	104	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.6875	2004
20.03.2020 10:52:28	1	1	1	1	104	55.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	34.75	2004
20.03.2020 10:52:29	1	1	1	1	104	54.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	35.75	2004
20.03.2020 10:52:31	1	1	1	1	104	55.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	35.6875	2004
20.03.2020 10:52:32	1	1	1	1	104	55.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.125	2004
20.03.2020 10:52:33	1	1	1	1	104	55	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	35.3125	2004
20.03.2020 10:52:34	1	1	1	1	104	55.25	0	27156.398	584.9462366	15682.05909	30000	0	0	30000	35.125	2004
20.03.2020 10:52:35	1	1	1	1	104	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.875	2004
20.03.2020 10:52:36	1	1	1	1	105.8	54.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.125	2004
20.03.2020 10:52:37	1	1	1	1	105.8	55	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	35.5	2004
20.03.2020 10:52:38	1	1	1	1	105.8	55.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	35.625	2004
20.03.2020 10:52:39	1	1	1	1	105.8	55.5	0	27298.578	584.9462366	15936.4553	30000	0	0	30000	35.75	2004
20.03.2020 10:52:40	1	1	1	1	105.8	55.75	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	35.8125	2004
20.03.2020 10:52:41	1	1	1	1	105.8	55.75	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	34.875	2004
20.03.2020 10:52:42	1	1	1	1	105.8	54.75	0	27440.758	584.9462366	16082.40698	30000	0	0	30000	35.1875	2004
20.03.2020 10:52:43	1	1	1	1	105.8	55	0	27345.972	578.4946237	15760.33485	30000	0	0	30000	35.8125	2004
20.03.2020 10:52:44	1	1	1	1	105.8	55.75	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	34.875	2004
20.03.2020 10:52:45	1	1	1	1	105.8	54.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	35.5625	2004
20.03.2020 10:52:46	1	1	1	1	106	55.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.6875	2004
20.03.2020 10:52:47	1	1	1	1	106	55.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	35.25	2004
20.03.2020 10:52:48	1	1	1	1	106	55.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.8125	2004
20.03.2020 10:52:49	1	1	1	1	106	55.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004
20.03.2020 10:52:50	1	1	1	1	106	55.25	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	35	2004
20.03.2020 10:52:51	1	1	1	1	106	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.9375	2004
20.03.2020 10:52:52	1	1	1	1	106	55.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.625	2004
20.03.2020 10:52:53	1	1	1	1	106	55.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	35.75	2004
20.03.2020 10:52:54	1	1	1	1	106	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.625	2004
20.03.2020 10:52:55	1	1	1	1	106	55.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:52:56	1	1	1	1	106	55.25	0	27156.398	582.7956989	16026.96165	30000	0	0	30000	35.0625	2004
20.03.2020 10:52:57	1	1	1	1	106	55	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	36	2004
20.03.2020 10:52:58	1	1	1	1	106	56	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.8125	2004
20.03.2020 10:52:59	1	1	1	1	106	55.75	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	35.5625	2004
20.03.2020 10:53:00	1	1	1	1	106	55.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	35	2004
20.03.2020 10:53:01	1	1	1	1	106	55	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	35.0625	2004
20.03.2020 10:53:02	1	1	1	1	106	55	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	34.6875	2004
20.03.2020 10:53:03	1	1	1	1	106	54.5	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	35.6875	2004
20.03.2020 10:53:04	1	1	1	1	106	55.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.875	2004
20.03.2020 10:53:05	1	1	1	1	106	54.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	35.875	2004
20.03.2020 10:53:07	1	1	1	1	106.8	55.75	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	35.875	2004
20.03.2020 10:53:09	1	1	1	1	106.8	55.5	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	35.6875	2004
20.03.2020 10:53:09	1	1	1	1	106.8	55.5	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	35.6875	2004
20.03.2020 10:53:10	1	1	1	1	106.8	55.5	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	35.75	2004
20.03.2020 10:53:11	1	1	1	1	106.8	55.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.1875	2004
20.03.2020 10:53:12	1	1	1	1	106.8	55.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	35.25	2004
20.03.2020 10:53:18	1	1	1	1	106.3	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.5	2004
20.03.2020 10:53:18	1	1	1	1	106.3	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.5	2004
20.03.2020 10:53:18	1	1	1	1	106.3	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.5	2004
20.03.2020 10:53:18	1	1	1	1	106.3	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.5	2004
20.03.2020 10:53:18	1	1	1	1	106.3	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.5	2004
20.03.2020 10:53:18	1	1	1	1	106.3	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.5	2004
20.03.2020 10:53:19	1	1	1	1	106.3	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.75	2004
20.03.2020 10:53:20	1	1	1	1	106.3	55.75	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	35.875	2004
20.03.2020 10:53:21	1	1	1	1	106.3	55.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	35.9375	2004
20.03.2020 10:53:22	1	1	1	1	106.3	55.75	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	35.5625	2004
20.03.2020 10:53:23	1	1	1	1	106.3	55.5	0	27298.578	587.0967742	16172.09795	30000	0	0	30000	35.3125	2004
20.03.2020 10:53:24	1	1	1	1	106.3	55.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	34.4375	2004
20.03.2020 10:53:25	1	1	1	1	106.3	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004
20.03.2020 10:53:26	1	1	1	1	106.5	55.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	35.25	2004
20.03.2020 10:53:27	1	1	1	1	106.5	55.25	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	35.6875	2004
20.03.2020 10:53:28	1	1	1	1	106.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.6875	2004
20.03.2020 10:53:29	1	1	1	1	106.5	55.5	0	27345.972	582.7956989	16054.68431	30000	0	0	30000	35.875	2004
20.03.2020 10:53:30	1	1	1	1	106.5	55.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	35.375	2004
20.03.2020 10:53:31	1	1	1	1	106.5	55.25	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	35.875	2004
20.03.2020 10:53:32	1	1	1	1	106.5	55.75	0	27298.578	589.2473118	16113.39113	30000	0	0	30000	35.875	2004
20.03.2020 10:53:33	1	1	1	1	106.5	55.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.4375	2004
20.03.2020 10:53:34	1	1	1	1	106.5	55.25	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	35.8125	2004
20.03.2020 10:53:35	1	1	1	1	106.5	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.375	2004
20.03.2020 10:53:36	1	1	1	1	106	55.25	0	27109.005	587.0967742	15654.33642	30000	0	0	30000	35.125	2004
20.03.2020 10:53:37	1	1	1	1	106	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.5625	2004
20.03.2020 10:53:38	1	1	1	1	106	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.0625	2004
20.03.2020 10:53:39	1	1	1	1	106	56	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:53:40	1	1	1	1	106	55.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	35.875	2004
20.03.2020 10:53:41	1	1	1	1	106	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34	2004
20.03.2020 10:53:42	1	1	1	1	106	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.8125	2004
20.03.2020 10:53:44	1	1	1	1	106	55.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	35.6875	2004
20.03.2020 10:53:45	1	1	1	1	106	55.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	35.625	2004
20.03.2020 10:53:46	1	1	1	1	106	55.5	0	26919.431	589.2473118	15862.25641	30000	0	0	30000	36.25	2004
20.03.2020 10:53:47	1	1	1	1	106.8	56.25	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	35.8125	2004
20.03.2020 10:53:48	1	1	1	1	106.8	55.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.6875	2004
20.03.2020 10:53:49	1	1	1	1	106.8	56.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.75	2004
20.03.2020 10:53:50	1	1	1	1	106.8	55.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.5625	2004
20.03.2020 10:53:51	1	1	1	1	106.8	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.3125	2004
20.03.2020 10:53:52	1	1	1	1	106.8	55.25	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	36.0625	2004
20.03.2020 10:53:53	1	1	1	1	106.8	56	0	27109.005	587.0967742	15859.81029	30000	0	0	30000	34.875	2004
20.03.2020 10:53:54	1	1	1	1	106.8	54.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	35.875	2004
20.03.2020 10:53:55	1	1	1	1	106.8	55.75	0	27109.005	582.7956989	16261.78893	30000	0	0	30000	35	2004
20.03.2020 10:53:56	1	1	1	1	106.5	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.1875	2004
20.03.2020 10:53:57	1	1	1	1	106.5	55	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.875	2004
20.03.2020 10:53:58	1	1	1	1	106.5	55.75	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	35.125	2004
20.03.2020 10:53:59	1	1	1	1	106.5	55	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	35	2004
20.03.2020 10:54:00	1	1	1	1	106.5	55	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	35.3125	2004
20.03.2020 10:54:01	1	1	1	1	106.5	55.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.125	2004
20.03.2020 10:54:02	1	1	1	1	106.5	55	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.8125	2004
20.03.2020 10:54:03	1	1	1	1	106.5	55.75	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	35.75	2004
20.03.2020 10:54:04	1	1	1	1	106.5	55.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.6875	2004
20.03.2020 10:54:05	1	1	1	1	106.5	54.5	0	27109.005	582.7956989	15826.38002	30000	0	0	30000	35.75	2004
20.03.2020 10:54:06	1	1	1	1	106	55.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.4375	2004
20.03.2020 10:54:07	1	1	1	1	106	55.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	35.625	2004
20.03.2020 10:54:08	1	1	1	1	106	55.5	0	27109.005	574.1935484	15826.38002	30000	0	0	30000	36	2004
20.03.2020 10:54:09	1	1	1	1	106	56	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.0625	2004
20.03.2020 10:54:10	1	1	1	1	106	56	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36	2004
20.03.2020 10:54:11	1	1	1	1	106	56	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	35.9375	2004
20.03.2020 10:54:12	1	1	1	1	106	55.75	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	34.875	2004
20.03.2020 10:54:13	1	1	1	1	106	54.75	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	35.3125	2004
20.03.2020 10:54:20	1	1	1	1	106.5	54.75	0	27440.758	587.0967742	16082.40698	30000	0	0	30000	35.5625	2004
20.03.2020 10:54:20	1	1	1	1	106.5	54.75	0	27440.758	587.0967742	16082.40698	30000	0	0	30000	35.5625	2004
20.03.2020 10:54:20	1	1	1	1	106.5	54.75	0	27440.758	587.0967742	16082.40698	30000	0	0	30000	35.5625	2004
20.03.2020 10:54:20	1	1	1	1	106.5	54.75	0	27440.758	587.0967742	16082.40698	30000	0	0	30000	35.5625	2004
20.03.2020 10:54:20	1	1	1	1	106.5	54.75	0	27440.758	587.0967742	16082.40698	30000	0	0	30000	35.5625	2004
20.03.2020 10:54:21	1	1	1	1	106.5	55.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.5	2004
20.03.2020 10:54:22	1	1	1	1	106.5	55.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.75	2004
20.03.2020 10:54:23	1	1	1	1	106.5	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.875	2004
20.03.2020 10:54:24	1	1	1	1	106.5	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:54:25	1	1	1	1	106.5	56.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.75	2004
20.03.2020 10:54:26	1	1	1	1	106.5	55.75	0	27345.972	584.9462366	16113.39113	30000	0	0	30000	35.8125	2004
20.03.2020 10:54:27	1	1	1	1	106.5	55.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.25	2004
20.03.2020 10:54:28	1	1	1	1	106.5	55.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	35.8125	2004
20.03.2020 10:54:29	1	1	1	1	106.5	55.75	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	35.9375	2004
20.03.2020 10:54:30	1	1	1	1	106.5	55.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	35.5625	2004
20.03.2020 10:54:31	1	1	1	1	106.5	55.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.25	2004
20.03.2020 10:54:32	1	1	1	1	106.5	55.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	36	2004
20.03.2020 10:54:33	1	1	1	1	106.5	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.375	2004
20.03.2020 10:54:34	1	1	1	1	106.5	55.25	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	34.9375	2004
20.03.2020 10:54:35	1	1	1	1	106.5	54.75	0	27345.972	591.3978495	16113.39113	30000	0	0	30000	35.8125	2004
20.03.2020 10:54:36	1	1	1	1	107	55.75	0	27203.791	589.2473118	15942.97828	30000	0	0	30000	36.125	2004
20.03.2020 10:54:37	1	1	1	1	107	56	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	35.5625	2004
20.03.2020 10:54:38	1	1	1	1	107	55.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	35.8125	2004
20.03.2020 10:54:39	1	1	1	1	107	55.75	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	35.4375	2004
20.03.2020 10:54:40	1	1	1	1	107	55.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.25	2004
20.03.2020 10:54:41	1	1	1	1	107	56.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.5625	2004
20.03.2020 10:54:42	1	1	1	1	107	55.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.125	2004
20.03.2020 10:54:43	1	1	1	1	107	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36	2004
20.03.2020 10:54:44	1	1	1	1	107	56	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	35.875	2004
20.03.2020 10:54:45	1	1	1	1	107	55.75	0	27109.005	584.9462366	15654.33642	30000	0	0	30000	35.4375	2004
20.03.2020 10:54:46	1	1	1	1	107	55.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	36.125	2004
20.03.2020 10:54:47	1	1	1	1	107	56	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.9375	2004
20.03.2020 10:54:48	1	1	1	1	107	55.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	36.1875	2004
20.03.2020 10:54:49	1	1	1	1	107	56	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	36	2004
20.03.2020 10:54:50	1	1	1	1	107	56	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.6875	2004
20.03.2020 10:54:51	1	1	1	1	107	55.5	0	27345.972	589.2473118	16141.1138	30000	0	0	30000	36	2004
20.03.2020 10:54:52	1	1	1	1	107	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.6875	2004
20.03.2020 10:54:53	1	1	1	1	107	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.125	2004
20.03.2020 10:54:54	1	1	1	1	107	56	0	27109.005	580.6451613	15857.36417	30000	0	0	30000	34.875	2004
20.03.2020 10:54:55	1	1	1	1	107	54.75	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	35.1875	2004
20.03.2020 10:54:56	1	1	1	1	107.5	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004
20.03.2020 10:54:57	1	1	1	1	107.5	55.25	0	27535.545	587.0967742	16051.42282	30000	0	0	30000	36.125	2004
20.03.2020 10:54:58	1	1	1	1	107.5	56	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36	2004
20.03.2020 10:55:00	1	1	1	1	107.5	56	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.75	2004
20.03.2020 10:55:01	1	1	1	1	107.5	55.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	34.8125	2004
20.03.2020 10:55:02	1	1	1	1	107.5	54.75	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	35.75	2004
20.03.2020 10:55:03	1	1	1	1	107.5	55.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.375	2004
20.03.2020 10:55:04	1	1	1	1	107.5	56.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.125	2004
20.03.2020 10:55:05	1	1	1	1	107.5	56	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.25	2004
20.03.2020 10:55:06	1	1	1	1	108	56	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.8125	2004
20.03.2020 10:55:07	1	1	1	1	108	55.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	35.75	2004
20.03.2020 10:55:08	1	1	1	1	108	55.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:55:09	1	1	1	1	108	55	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	35.6875	2004
20.03.2020 10:55:10	1	1	1	1	108	55.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.8125	2004
20.03.2020 10:55:11	1	1	1	1	108	55.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	35.25	2004
20.03.2020 10:55:12	1	1	1	1	108	55.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	35.9375	2004
20.03.2020 10:55:13	1	1	1	1	108	55.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	35.4375	2004
20.03.2020 10:55:14	1	1	1	1	108	55.25	0	27535.545	582.7956989	16051.42282	30000	0	0	30000	35.3125	2004
20.03.2020 10:55:15	1	1	1	1	108	55.25	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	35.6875	2004
20.03.2020 10:55:21	1	1	1	1	108	56	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	35.875	2004
20.03.2020 10:55:21	1	1	1	1	108	56	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	35.875	2004
20.03.2020 10:55:21	1	1	1	1	108	56	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	35.875	2004
20.03.2020 10:55:21	1	1	1	1	108	56	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	35.875	2004
20.03.2020 10:55:21	1	1	1	1	108	55.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	36	2004
20.03.2020 10:55:22	1	1	1	1	108	56	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.125	2004
20.03.2020 10:55:23	1	1	1	1	108	55	0	27582.938	582.7956989	15987.82377	30000	0	0	30000	36.25	2004
20.03.2020 10:55:24	1	1	1	1	108	56.25	0	27630.332	576.344086	16102.79129	30000	0	0	30000	36.125	2004
20.03.2020 10:55:25	1	1	1	1	108	56	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	36.125	2004
20.03.2020 10:55:26	1	1	1	1	108.8	56	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	36.0625	2004
20.03.2020 10:55:27	1	1	1	1	108.8	56	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	35.875	2004
20.03.2020 10:55:28	1	1	1	1	108.8	55.75	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	35.75	2004
20.03.2020 10:55:29	1	1	1	1	108.8	55.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	35.5	2004
20.03.2020 10:55:30	1	1	1	1	108.8	55.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	35.1875	2004
20.03.2020 10:55:31	1	1	1	1	108.8	55	0	27582.938	576.344086	15956.02424	30000	0	0	30000	35.375	2004
20.03.2020 10:55:32	1	1	1	1	108.8	55.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	35.75	2004
20.03.2020 10:55:33	1	1	1	1	108.8	55.75	0	27630.332	576.344086	15956.02424	30000	0	0	30000	35.1875	2004
20.03.2020 10:55:34	1	1	1	1	108.8	55	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	36.1875	2004
20.03.2020 10:55:35	1	1	1	1	108.8	56	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	35.8125	2004
20.03.2020 10:55:36	1	1	1	1	108	55.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	35.25	2004
20.03.2020 10:55:37	1	1	1	1	108	55.25	0	27582.938	580.6451613	15983.74691	30000	0	0	30000	35.75	2004
20.03.2020 10:55:39	1	1	1	1	108	55.75	0	27535.545	576.344086	15956.02424	30000	0	0	30000	35.6875	2004
20.03.2020 10:55:40	1	1	1	1	108	55.5	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	35.375	2004
20.03.2020 10:55:41	1	1	1	1	108	55.25	0	27440.758	576.344086	16252.81983	30000	0	0	30000	34.625	2004
20.03.2020 10:55:42	1	1	1	1	108	54.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	36.5625	2004
20.03.2020 10:55:43	1	1	1	1	108	56.5	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	35	2004
20.03.2020 10:55:44	1	1	1	1	108	55	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	36.125	2004
20.03.2020 10:55:45	1	1	1	1	108	55.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.25	2004
20.03.2020 10:55:46	1	1	1	1	106.8	56.25	0	27440.758	576.344086	15991.90063	30000	0	0	30000	36.1875	2004
20.03.2020 10:55:47	1	1	1	1	106.8	56	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	36.25	2004
20.03.2020 10:55:48	1	1	1	1	106.8	56.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	36.0625	2004
20.03.2020 10:55:49	1	1	1	1	106.8	56	0	27440.758	580.6451613	15877.74848	30000	0	0	30000	35.75	2004
20.03.2020 10:55:50	1	1	1	1	106.8	55.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	36.25	2004
20.03.2020 10:55:51	1	1	1	1	106.8	56.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	36.125	2004
20.03.2020 10:55:52	1	1	1	1	106.8	56	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	36.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:55:53	1	1	1	1	106.8	56	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	36.0625	2004
20.03.2020 10:55:54	1	1	1	1	106.8	56	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	36	2004
20.03.2020 10:55:55	1	1	1	1	106.8	56	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	35.9375	2004
20.03.2020 10:55:56	1	1	1	1	108	55.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	35.875	2004
20.03.2020 10:55:57	1	1	1	1	108	55.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.25	2004
20.03.2020 10:55:58	1	1	1	1	108	56.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	35.6875	2004
20.03.2020 10:55:59	1	1	1	1	108	55.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	35.9375	2004
20.03.2020 10:56:00	1	1	1	1	108	55.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.4375	2004
20.03.2020 10:56:01	1	1	1	1	108	56.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	35.5625	2004
20.03.2020 10:56:02	1	1	1	1	108	55.5	0	27819.905	578.4946237	16212.86658	30000	0	0	30000	35.3125	2004
20.03.2020 10:56:03	1	1	1	1	108	55.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.25	2004
20.03.2020 10:56:04	1	1	1	1	108	56.25	0	27725.118	580.6451613	15983.74691	30000	0	0	30000	34.8125	2004
20.03.2020 10:56:05	1	1	1	1	108	54.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	35.75	2004
20.03.2020 10:56:06	1	1	1	1	108	55.75	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	35.5	2004
20.03.2020 10:56:07	1	1	1	1	108	55.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	36.125	2004
20.03.2020 10:56:08	1	1	1	1	108	56	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	35.625	2004
20.03.2020 10:56:09	1	1	1	1	108	55.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	34.4375	2004
20.03.2020 10:56:10	1	1	1	1	108	54.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	35.6875	2004
20.03.2020 10:56:11	1	1	1	1	108	55.5	0	27630.332	584.9462366	15924.22472	30000	0	0	30000	36	2004
20.03.2020 10:56:12	1	1	1	1	108	56	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	36.1875	2004
20.03.2020 10:56:13	1	1	1	1	108	56	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	35.125	2004
20.03.2020 10:56:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20.03.2020 10:56:16	1	1	1	1	108.5	55.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	36.3125	2004
20.03.2020 10:56:17	1	1	1	1	108.5	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.3125	2004
20.03.2020 10:56:23	1	1	1	1	108.5	56	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	35.125	2004
20.03.2020 10:56:23	1	1	1	1	108.5	56	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	35.125	2004
20.03.2020 10:56:23	1	1	1	1	108.5	56	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	35.125	2004
20.03.2020 10:56:23	1	1	1	1	108.5	56	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	35.125	2004
20.03.2020 10:56:23	1	1	1	1	108.5	56	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	35.125	2004
20.03.2020 10:56:23	1	1	1	1	108.5	56	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	35.125	2004
20.03.2020 10:56:23	1	1	1	1	108.5	56	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	35.125	2004
20.03.2020 10:56:23	1	1	1	1	108.5	56	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	35.125	2004
20.03.2020 10:56:24	1	1	1	1	108.5	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.8125	2004
20.03.2020 10:56:25	1	1	1	1	108.5	55.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	35	2004
20.03.2020 10:56:26	1	1	1	1	110.3	55	0	27630.332	580.6451613	16221.0203	30000	0	0	30000	36.25	2004
20.03.2020 10:56:27	1	1	1	1	110.3	56.25	0	27819.905	576.344086	16212.86658	30000	0	0	30000	36.1875	2004
20.03.2020 10:56:28	1	1	1	1	110.3	56	0	27393.365	580.6451613	15877.74848	30000	0	0	30000	35.75	2004
20.03.2020 10:56:29	1	1	1	1	110.3	55.75	0	27298.578	576.344086	15819.04167	30000	0	0	30000	34.75	2004
20.03.2020 10:56:30	1	1	1	1	110.3	54.75	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	34.875	2004
20.03.2020 10:56:31	1	1	1	1	110.3	54.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.1875	2004
20.03.2020 10:56:32	1	1	1	1	110.3	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.6875	2004
20.03.2020 10:56:33	1	1	1	1	110.3	55.5	0	27440.758	572.0430108	15814.9648	30000	0	0	30000	35.6875	2004
20.03.2020 10:56:34	1	1	1	1	110.3	55.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	35.5625	2004
20.03.2020 10:56:35	1	1	1	1	110.3	55.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36	2004
20.03.2020 10:56:36	1	1	1	1	110	56	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:56:37	1	1	1	1	110	56	0	27630.332	576.344086	16043.2691	30000	0	0	30000	36.1875	2004
20.03.2020 10:56:38	1	1	1	1	110	56	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	36.25	2004
20.03.2020 10:56:39	1	1	1	1	110	56.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.1875	2004
20.03.2020 10:56:40	1	1	1	1	110	55	0	27772.512	578.4946237	16043.2691	30000	0	0	30000	36.0625	2004
20.03.2020 10:56:41	1	1	1	1	110	56	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	36.1875	2004
20.03.2020 10:56:42	1	1	1	1	110	56	0	27867.299	580.6451613	16240.58924	30000	0	0	30000	35.8125	2004
20.03.2020 10:56:43	1	1	1	1	110	55.75	0	27630.332	578.4946237	15897.31742	30000	0	0	30000	36.25	2004
20.03.2020 10:56:44	1	1	1	1	110	56.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	34.75	2004
20.03.2020 10:56:45	1	1	1	1	110	54.75	0	27535.545	578.4946237	15933.19381	30000	0	0	30000	35.25	2004
20.03.2020 10:56:46	1	1	1	1	109	55.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	36.5	2004
20.03.2020 10:56:47	1	1	1	1	109	56.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.375	2004
20.03.2020 10:56:49	1	1	1	1	109	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	35.5625	2004
20.03.2020 10:56:50	1	1	1	1	109	55.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	35.9375	2004
20.03.2020 10:56:51	1	1	1	1	109	55.75	0	27819.905	584.9462366	16043.2691	30000	0	0	30000	35.1875	2004
20.03.2020 10:56:52	1	1	1	1	109	55	0	27772.512	578.4946237	15924.22472	30000	0	0	30000	35.5	2004
20.03.2020 10:56:53	1	1	1	1	109	55.5	0	27772.512	578.4946237	16153.34439	30000	0	0	30000	35.6875	2004
20.03.2020 10:56:54	1	1	1	1	109	55.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	35.9375	2004
20.03.2020 10:56:55	1	1	1	1	109	55.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	36.625	2004
20.03.2020 10:56:56	1	1	1	1	109	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.75	2004
20.03.2020 10:56:57	1	1	1	1	109	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5	2004
20.03.2020 10:56:58	1	1	1	1	109	56.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	36.0625	2004
20.03.2020 10:56:59	1	1	1	1	109	56	0	27630.332	576.344086	16093.00682	30000	0	0	30000	35.875	2004
20.03.2020 10:57:00	1	1	1	1	109	55.75	0	27725.118	576.344086	15983.74691	30000	0	0	30000	36.3125	2004
20.03.2020 10:57:01	1	1	1	1	109	56.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.3125	2004
20.03.2020 10:57:02	1	1	1	1	109	55.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.9375	2004
20.03.2020 10:57:03	1	1	1	1	109	55.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	35.3125	2004
20.03.2020 10:57:04	1	1	1	1	109	55.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.3125	2004
20.03.2020 10:57:05	1	1	1	1	109	55.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.0625	2004
20.03.2020 10:57:06	1	1	1	1	109	55	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	35.875	2004
20.03.2020 10:57:07	1	1	1	1	109	55.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.25	2004
20.03.2020 10:57:08	1	1	1	1	109	56.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.0625	2004
20.03.2020 10:57:09	1	1	1	1	109	56	0	27582.938	574.1935484	15956.02424	30000	0	0	30000	35.75	2004
20.03.2020 10:57:10	1	1	1	1	109	55.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.25	2004
20.03.2020 10:57:11	1	1	1	1	109	56.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36	2004
20.03.2020 10:57:12	1	1	1	1	109	56	0	27630.332	576.344086	15973.96244	30000	0	0	30000	35.1875	2004
20.03.2020 10:57:13	1	1	1	1	109	55	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.8125	2004
20.03.2020 10:57:14	1	1	1	1	109	55.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.875	2004
20.03.2020 10:57:15	1	1	1	1	109	55.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	35.375	2004
20.03.2020 10:57:16	1	1	1	1	109	55.25	0	27772.512	576.344086	15983.74691	30000	0	0	30000	35.375	2004
20.03.2020 10:57:17	1	1	1	1	109	55.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	36.0625	2004
20.03.2020 10:57:18	1	1	1	1	109	56	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	36.25	2004
20.03.2020 10:57:25	1	1	1	1	109	55.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	36.4375	2004
20.03.2020 10:57:25	1	1	1	1	109	55.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	36.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:57:25	1	1	1	1	109	55.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	36.4375	2004
20.03.2020 10:57:25	1	1	1	1	109	55.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	36.4375	2004
20.03.2020 10:57:25	1	1	1	1	109	55.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	36.4375	2004
20.03.2020 10:57:25	1	1	1	1	109	55.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	36.4375	2004
20.03.2020 10:57:25	1	1	1	1	109	56.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.1875	2004
20.03.2020 10:57:26	1	1	1	1	108.5	56	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	35.4375	2004
20.03.2020 10:57:27	1	1	1	1	108.5	55.25	0	27440.758	576.344086	15873.67162	30000	0	0	30000	35.625	2004
20.03.2020 10:57:28	1	1	1	1	108.5	55.5	0	27725.118	580.6451613	15983.74691	30000	0	0	30000	36.375	2004
20.03.2020 10:57:30	1	1	1	1	108.5	56.25	0	27867.299	587.0967742	16153.34439	30000	0	0	30000	35.625	2004
20.03.2020 10:57:31	1	1	1	1	108.5	55.5	0	27582.938	576.344086	15756.25798	30000	0	0	30000	36.4375	2004
20.03.2020 10:57:32	1	1	1	1	108.5	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.875	2004
20.03.2020 10:57:33	1	1	1	1	108.5	55.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.1875	2004
20.03.2020 10:57:34	1	1	1	1	108.5	56	0	27582.938	576.344086	15897.31742	30000	0	0	30000	36.375	2004
20.03.2020 10:57:35	1	1	1	1	108.5	56.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.5	2004
20.03.2020 10:57:36	1	1	1	1	108.5	56.5	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	35.875	2004
20.03.2020 10:57:37	1	1	1	1	108.5	55.75	0	27535.545	576.344086	15956.02424	30000	0	0	30000	36.125	2004
20.03.2020 10:57:38	1	1	1	1	108.5	56	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.4375	2004
20.03.2020 10:57:39	1	1	1	1	108.5	56.25	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	36.1875	2004
20.03.2020 10:57:40	1	1	1	1	108.5	56	0	27962.085	574.1935484	16142.74454	30000	0	0	30000	36.5625	2004
20.03.2020 10:57:41	1	1	1	1	108.5	56.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	35.4375	2004
20.03.2020 10:57:42	1	1	1	1	108.5	55.25	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	35.8125	2004
20.03.2020 10:57:43	1	1	1	1	108.5	55.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.25	2004
20.03.2020 10:57:44	1	1	1	1	108.5	55.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	35	2004
20.03.2020 10:57:45	1	1	1	1	108.5	55	0	27772.512	576.344086	16153.34439	30000	0	0	30000	36.3125	2004
20.03.2020 10:57:46	1	1	1	1	108	56.25	0	27962.085	580.6451613	16175.35944	30000	0	0	30000	36.3125	2004
20.03.2020 10:57:47	1	1	1	1	108	56.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	36.3125	2004
20.03.2020 10:57:48	1	1	1	1	108	56.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.4375	2004
20.03.2020 10:57:49	1	1	1	1	108	55.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	35.375	2004
20.03.2020 10:57:50	1	1	1	1	108	55.25	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	36.5	2004
20.03.2020 10:57:51	1	1	1	1	108	56.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.3125	2004
20.03.2020 10:57:52	1	1	1	1	108	56.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.25	2004
20.03.2020 10:57:53	1	1	1	1	108	56.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.0625	2004
20.03.2020 10:57:54	1	1	1	1	108	55	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	36.1875	2004
20.03.2020 10:57:55	1	1	1	1	108	56	0	28009.479	580.6451613	16022.06942	30000	0	0	30000	36.0625	2004
20.03.2020 10:57:56	1	1	1	1	107.8	56	0	27867.299	578.4946237	16000.86973	30000	0	0	30000	35.6875	2004
20.03.2020 10:57:57	1	1	1	1	107.8	55.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36	2004
20.03.2020 10:57:58	1	1	1	1	107.8	56	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.5	2004
20.03.2020 10:57:59	1	1	1	1	107.8	56.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	35.9375	2004
20.03.2020 10:58:00	1	1	1	1	107.8	55.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.3125	2004
20.03.2020 10:58:01	1	1	1	1	107.8	56.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.25	2004
20.03.2020 10:58:02	1	1	1	1	107.8	55.25	0	27914.692	580.6451613	16027.77702	30000	0	0	30000	36.5625	2004
20.03.2020 10:58:03	1	1	1	1	107.8	56.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	36.125	2004
20.03.2020 10:58:04	1	1	1	1	107.8	56	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:58:05	1	1	1	1	107.8	56	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	36.0625	2004
20.03.2020 10:58:06	1	1	1	1	109	56	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.6875	2004
20.03.2020 10:58:07	1	1	1	1	109	55.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35	2004
20.03.2020 10:58:09	1	1	1	1	109	55	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.5	2004
20.03.2020 10:58:10	1	1	1	1	109	56.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.875	2004
20.03.2020 10:58:11	1	1	1	1	109	55.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	35.0625	2004
20.03.2020 10:58:12	1	1	1	1	109	55	0	28009.479	574.1935484	15995.16212	30000	0	0	30000	36.4375	2004
20.03.2020 10:58:13	1	1	1	1	109	56.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	36.4375	2004
20.03.2020 10:58:14	1	1	1	1	109	56.25	0	27819.905	576.344086	15864.70252	30000	0	0	30000	36.0625	2004
20.03.2020 10:58:15	1	1	1	1	109	56	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	36.5	2004
20.03.2020 10:58:16	1	1	1	1	109	56.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.5	2004
20.03.2020 10:58:17	1	1	1	1	109.3	55.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.125	2004
20.03.2020 10:58:18	1	1	1	1	109.3	56	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	36.5625	2004
20.03.2020 10:58:19	1	1	1	1	109.3	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.375	2004
20.03.2020 10:58:20	1	1	1	1	109.3	56.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.3125	2004
20.03.2020 10:58:26	1	1	1	1	109.3	56	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	35.9375	2004
20.03.2020 10:58:26	1	1	1	1	109.3	56	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	35.9375	2004
20.03.2020 10:58:26	1	1	1	1	109.3	56	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	35.9375	2004
20.03.2020 10:58:26	1	1	1	1	109.3	56	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	35.9375	2004
20.03.2020 10:58:26	1	1	1	1	108.8	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.375	2004
20.03.2020 10:58:26	1	1	1	1	108.8	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.375	2004
20.03.2020 10:58:27	1	1	1	1	108.8	56.25	0	27914.692	572.0430108	15934.82456	30000	0	0	30000	36.1875	2004
20.03.2020 10:58:28	1	1	1	1	108.8	56	0	27914.692	563.4408602	15934.82456	30000	0	0	30000	36.375	2004
20.03.2020 10:58:29	1	1	1	1	108.8	56.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.0625	2004
20.03.2020 10:58:30	1	1	1	1	108.8	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.1875	2004
20.03.2020 10:58:31	1	1	1	1	108.8	56	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	35.875	2004
20.03.2020 10:58:32	1	1	1	1	108.8	55.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	36.5	2004
20.03.2020 10:58:33	1	1	1	1	108.8	56.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	36.375	2004
20.03.2020 10:58:34	1	1	1	1	108.8	56.25	0	27630.332	569.8924731	15827.19539	30000	0	0	30000	35.8125	2004
20.03.2020 10:58:35	1	1	1	1	108.8	55.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.6875	2004
20.03.2020 10:58:36	1	1	1	1	109	56.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.625	2004
20.03.2020 10:58:37	1	1	1	1	109	55.5	0	28009.479	576.344086	16203.08211	30000	0	0	30000	36.625	2004
20.03.2020 10:58:38	1	1	1	1	109	56.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.3125	2004
20.03.2020 10:58:39	1	1	1	1	109	56.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.6875	2004
20.03.2020 10:58:40	1	1	1	1	109	55.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	35.375	2004
20.03.2020 10:58:41	1	1	1	1	109	55.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.5625	2004
20.03.2020 10:58:42	1	1	1	1	109	56.5	0	27535.545	576.344086	15929.11695	30000	0	0	30000	36.4375	2004
20.03.2020 10:58:43	1	1	1	1	109	56.25	0	27630.332	582.7956989	16097.89906	30000	0	0	30000	36.4375	2004
20.03.2020 10:58:44	1	1	1	1	109	56.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	36.5	2004
20.03.2020 10:58:45	1	1	1	1	109	56.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.5625	2004
20.03.2020 10:58:46	1	1	1	1	108.8	56.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.25	2004
20.03.2020 10:58:48	1	1	1	1	108.8	56.25	0	27630.332	582.7956989	16075.06863	30000	0	0	30000	36.5625	2004
20.03.2020 10:58:49	1	1	1	1	108.8	56.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:58:50	1	1	1	1	108.8	55.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	36.375	2004
20.03.2020 10:58:51	1	1	1	1	108.8	56.25	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	36.375	2004
20.03.2020 10:58:52	1	1	1	1	108.8	56.25	0	27440.758	584.9462366	15819.04167	30000	0	0	30000	36.4375	2004
20.03.2020 10:58:53	1	1	1	1	108.8	56.25	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	36.4375	2004
20.03.2020 10:58:54	1	1	1	1	108.8	56.25	0	27725.118	580.6451613	15983.74691	30000	0	0	30000	36	2004
20.03.2020 10:58:55	1	1	1	1	108.8	56	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	35.875	2004
20.03.2020 10:58:56	1	1	1	1	108.8	55.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	36.6875	2004
20.03.2020 10:58:57	1	1	1	1	109.5	56.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	36.3125	2004
20.03.2020 10:58:58	1	1	1	1	109.5	56.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	35.6875	2004
20.03.2020 10:58:59	1	1	1	1	109.5	55.5	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	36.125	2004
20.03.2020 10:59:00	1	1	1	1	109.5	56	0	27440.758	580.6451613	15696.73579	30000	0	0	30000	36.125	2004
20.03.2020 10:59:01	1	1	1	1	109.5	56	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	35.4375	2004
20.03.2020 10:59:02	1	1	1	1	109.5	55.25	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	35.6875	2004
20.03.2020 10:59:03	1	1	1	1	109.5	55.5	0	27867.299	576.344086	16120.72949	30000	0	0	30000	36.3125	2004
20.03.2020 10:59:04	1	1	1	1	109.5	56.25	0	27819.905	578.4946237	16038.37687	30000	0	0	30000	36.4375	2004
20.03.2020 10:59:05	1	1	1	1	109.5	56.25	0	27582.938	576.344086	15897.31742	30000	0	0	30000	36.5	2004
20.03.2020 10:59:06	1	1	1	1	109.3	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.8125	2004
20.03.2020 10:59:07	1	1	1	1	109.3	55.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	36.5625	2004
20.03.2020 10:59:08	1	1	1	1	109.3	56.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.875	2004
20.03.2020 10:59:09	1	1	1	1	109.3	55.75	0	27630.332	576.344086	16033.48463	30000	0	0	30000	36.4375	2004
20.03.2020 10:59:10	1	1	1	1	109.3	56.25	0	27914.692	574.1935484	15941.34754	30000	0	0	30000	36.625	2004
20.03.2020 10:59:11	1	1	1	1	109.3	56.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.1875	2004
20.03.2020 10:59:12	1	1	1	1	109.3	56	0	28009.479	572.0430108	15995.16212	30000	0	0	30000	36.5	2004
20.03.2020 10:59:13	1	1	1	1	109.3	56.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	35.8125	2004
20.03.2020 10:59:14	1	1	1	1	109.3	55.75	0	27582.938	569.8924731	15897.31742	30000	0	0	30000	35.9375	2004
20.03.2020 10:59:15	1	1	1	1	109.3	55.75	0	27867.299	576.344086	16148.45215	30000	0	0	30000	36.5625	2004
20.03.2020 10:59:16	1	1	1	1	109.5	56.5	0	27962.085	578.4946237	16203.08211	30000	0	0	30000	36	2004
20.03.2020 10:59:17	1	1	1	1	109.5	56	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	35.6875	2004
20.03.2020 10:59:18	1	1	1	1	109.5	55.5	0	27582.938	574.1935484	15924.22472	30000	0	0	30000	35.375	2004
20.03.2020 10:59:19	1	1	1	1	109.5	55.25	0	27914.692	580.6451613	16000.86973	30000	0	0	30000	35.8125	2004
20.03.2020 10:59:20	1	1	1	1	109.5	55.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	36.5	2004
20.03.2020 10:59:21	1	1	1	1	109.5	56.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.8125	2004
20.03.2020 10:59:28	1	1	1	1	109	56.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.625	2004
20.03.2020 10:59:28	1	1	1	1	109	56.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.625	2004
20.03.2020 10:59:28	1	1	1	1	109	56.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.625	2004
20.03.2020 10:59:28	1	1	1	1	109	56.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.625	2004
20.03.2020 10:59:28	1	1	1	1	109	56.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.625	2004
20.03.2020 10:59:28	1	1	1	1	109	56.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.625	2004
20.03.2020 10:59:29	1	1	1	1	109	55.5	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	35.5625	2004
20.03.2020 10:59:30	1	1	1	1	109	55.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.5625	2004
20.03.2020 10:59:31	1	1	1	1	109	55.5	0	27914.692	572.0430108	15821.48778	30000	0	0	30000	36.125	2004
20.03.2020 10:59:32	1	1	1	1	109	56	0	27819.905	578.4946237	16038.37687	30000	0	0	30000	35.8125	2004
20.03.2020 10:59:33	1	1	1	1	109	55.75	0	27914.692	576.344086	16027.77702	30000	0	0	30000	35.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 10:59:34	1	1	1	1	109	55.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	36.9375	2004
20.03.2020 10:59:35	1	1	1	1	109	56.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	37	2004
20.03.2020 10:59:36	1	1	1	1	109.3	56.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	36.4375	2004
20.03.2020 10:59:37	1	1	1	1	109.3	56.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	35.375	2004
20.03.2020 10:59:38	1	1	1	1	109.3	55.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	35.125	2004
20.03.2020 10:59:39	1	1	1	1	109.3	55	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	36.5	2004
20.03.2020 10:59:40	1	1	1	1	109.3	56.5	0	27867.299	576.344086	15854.10268	30000	0	0	30000	36.5625	2004
20.03.2020 10:59:41	1	1	1	1	109.3	56.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	36.0625	2004
20.03.2020 10:59:42	1	1	1	1	109.3	56	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36	2004
20.03.2020 10:59:43	1	1	1	1	109.3	56	0	27772.512	572.0430108	15973.96244	30000	0	0	30000	36.125	2004
20.03.2020 10:59:44	1	1	1	1	109.3	56	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	36.4375	2004
20.03.2020 10:59:45	1	1	1	1	109.3	56.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36	2004
20.03.2020 10:59:46	1	1	1	1	109	56	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	36.375	2004
20.03.2020 10:59:47	1	1	1	1	109	56.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.25	2004
20.03.2020 10:59:48	1	1	1	1	109	56.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.3125	2004
20.03.2020 10:59:49	1	1	1	1	109	56.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.5	2004
20.03.2020 10:59:50	1	1	1	1	109	56.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.5625	2004
20.03.2020 10:59:51	1	1	1	1	109	56.5	0	27962.085	574.1935484	15907.91727	30000	0	0	30000	36.5625	2004
20.03.2020 10:59:52	1	1	1	1	109	56.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	36	2004
20.03.2020 10:59:53	1	1	1	1	109	56	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	36.625	2004
20.03.2020 10:59:54	1	1	1	1	109	56.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.4375	2004
20.03.2020 10:59:55	1	1	1	1	109	56.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	36.5	2004
20.03.2020 10:59:56	1	1	1	1	109.3	56.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.25	2004
20.03.2020 10:59:57	1	1	1	1	109.3	56.25	0	27819.905	567.7419355	16000.86973	30000	0	0	30000	36.3125	2004
20.03.2020 10:59:58	1	1	1	1	109.3	56.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	36.4375	2004
20.03.2020 10:59:59	1	1	1	1	109.3	56.25	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	36.5625	2004
20.03.2020 11:00:00	1	1	1	1	109.3	56.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	35.625	2004
20.03.2020 11:00:01	1	1	1	1	109.3	55.5	0	27725.118	569.8924731	15973.96244	30000	0	0	30000	35.9375	2004
20.03.2020 11:00:02	1	1	1	1	109.3	55.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.25	2004
20.03.2020 11:00:04	1	1	1	1	109.3	56.25	0	27867.299	582.7956989	16120.72949	30000	0	0	30000	35.8125	2004
20.03.2020 11:00:05	1	1	1	1	109.3	55.75	0	27725.118	574.1935484	16033.48463	30000	0	0	30000	36.3125	2004
20.03.2020 11:00:06	1	1	1	1	109.3	56.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	35.8125	2004
20.03.2020 11:00:07	1	1	1	1	108.3	55.75	0	27630.332	576.344086	15919.33248	30000	0	0	30000	36.5625	2004
20.03.2020 11:00:08	1	1	1	1	108.3	56.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	36.1875	2004
20.03.2020 11:00:09	1	1	1	1	108.3	56	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	36.6875	2004
20.03.2020 11:00:10	1	1	1	1	108.3	56.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	36.6875	2004
20.03.2020 11:00:11	1	1	1	1	108.3	56.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.9375	2004
20.03.2020 11:00:12	1	1	1	1	108.3	55.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.9375	2004
20.03.2020 11:00:13	1	1	1	1	108.3	56	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.5	2004
20.03.2020 11:00:14	1	1	1	1	108.3	56.5	0	27772.512	574.1935484	15973.96244	30000	0	0	30000	36	2004
20.03.2020 11:00:15	1	1	1	1	108.3	56	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	35.625	2004
20.03.2020 11:00:16	1	1	1	1	108	55.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.3125	2004
20.03.2020 11:00:17	1	1	1	1	108	56.25	0	27962.085	576.344086	16055.49969	30000	0	0	30000	36.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:00:18	1	1	1	1	108	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5	2004
20.03.2020 11:00:19	1	1	1	1	108	56.5	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	35.375	2004
20.03.2020 11:00:20	1	1	1	1	108	55.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	35.875	2004
20.03.2020 11:00:21	1	1	1	1	108	55.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.625	2004
20.03.2020 11:00:22	1	1	1	1	108	56.5	0	27914.692	572.0430108	16000.86973	30000	0	0	30000	36.125	2004
20.03.2020 11:00:23	1	1	1	1	108	56	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.625	2004
20.03.2020 11:00:29	1	1	1	1	108.8	56.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	36.6875	2004
20.03.2020 11:00:29	1	1	1	1	108.8	56.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	36.6875	2004
20.03.2020 11:00:29	1	1	1	1	108.8	56.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	36.6875	2004
20.03.2020 11:00:29	1	1	1	1	108.8	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.75	2004
20.03.2020 11:00:29	1	1	1	1	108.8	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.75	2004
20.03.2020 11:00:29	1	1	1	1	108.8	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.75	2004
20.03.2020 11:00:30	1	1	1	1	108.8	56.75	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	35.9375	2004
20.03.2020 11:00:31	1	1	1	1	108.8	55.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.625	2004
20.03.2020 11:00:32	1	1	1	1	108.8	56.5	0	28246.445	569.8924731	16070.17639	30000	0	0	30000	36	2004
20.03.2020 11:00:33	1	1	1	1	108.8	56	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	36.75	2004
20.03.2020 11:00:34	1	1	1	1	108.8	56.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.8125	2004
20.03.2020 11:00:35	1	1	1	1	108.8	55.75	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	36.625	2004
20.03.2020 11:00:36	1	1	1	1	108.8	56.5	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	36.4375	2004
20.03.2020 11:00:37	1	1	1	1	108.8	56.25	0	28009.479	572.0430108	15995.16212	30000	0	0	30000	36.5	2004
20.03.2020 11:00:38	1	1	1	1	108.8	56.5	0	27867.299	569.8924731	15674.72073	30000	0	0	30000	35.8125	2004
20.03.2020 11:00:39	1	1	1	1	108.8	55.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	36.125	2004
20.03.2020 11:00:40	1	1	1	1	108.8	56	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.3125	2004
20.03.2020 11:00:42	1	1	1	1	108.8	56.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	36.625	2004
20.03.2020 11:00:43	1	1	1	1	108.8	56.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	36.375	2004
20.03.2020 11:00:44	1	1	1	1	108.8	56.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.4375	2004
20.03.2020 11:00:45	1	1	1	1	108.8	56.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.75	2004
20.03.2020 11:00:46	1	1	1	1	108.8	55.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	36.6875	2004
20.03.2020 11:00:47	1	1	1	1	108.3	56.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.4375	2004
20.03.2020 11:00:48	1	1	1	1	108.3	56.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.625	2004
20.03.2020 11:00:49	1	1	1	1	108.3	56.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	36.5625	2004
20.03.2020 11:00:50	1	1	1	1	108.3	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.3125	2004
20.03.2020 11:00:51	1	1	1	1	108.3	56.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	36.125	2004
20.03.2020 11:00:52	1	1	1	1	108.3	56	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	36.5625	2004
20.03.2020 11:00:53	1	1	1	1	108.3	56.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.4375	2004
20.03.2020 11:00:54	1	1	1	1	108.3	56.25	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	36.8125	2004
20.03.2020 11:00:55	1	1	1	1	108.3	56.25	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	36.25	2004
20.03.2020 11:00:56	1	1	1	1	108.8	56.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.75	2004
20.03.2020 11:00:57	1	1	1	1	108.8	56.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.625	2004
20.03.2020 11:00:58	1	1	1	1	108.8	56.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	36.125	2004
20.03.2020 11:00:59	1	1	1	1	108.8	56	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.75	2004
20.03.2020 11:01:00	1	1	1	1	108.8	56.75	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	36.875	2004
20.03.2020 11:01:01	1	1	1	1	108.8	56.75	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	36.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:01:02	1	1	1	1	108.8	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.6875	2004
20.03.2020 11:01:03	1	1	1	1	108.8	56.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	36.625	2004
20.03.2020 11:01:04	1	1	1	1	108.8	56.5	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	35.9375	2004
20.03.2020 11:01:05	1	1	1	1	108.8	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.75	2004
20.03.2020 11:01:06	1	1	1	1	108.3	56.75	0	28199.052	574.1935484	16252.00446	30000	0	0	30000	35.875	2004
20.03.2020 11:01:07	1	1	1	1	108.3	55.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	35.9375	2004
20.03.2020 11:01:08	1	1	1	1	108.3	55.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.8125	2004
20.03.2020 11:01:09	1	1	1	1	108.3	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36	2004
20.03.2020 11:01:10	1	1	1	1	108.3	56	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	36.8125	2004
20.03.2020 11:01:11	1	1	1	1	108.3	56.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	36.75	2004
20.03.2020 11:01:12	1	1	1	1	108.3	56.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.8125	2004
20.03.2020 11:01:13	1	1	1	1	108.3	56.75	0	28009.479	569.8924731	16312.34202	30000	0	0	30000	36.5	2004
20.03.2020 11:01:14	1	1	1	1	108.3	56.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.6875	2004
20.03.2020 11:01:15	1	1	1	1	108.3	56.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.875	2004
20.03.2020 11:01:16	1	1	1	1	108.3	55.75	0	28009.479	576.344086	16191.66689	30000	0	0	30000	36.625	2004
20.03.2020 11:01:17	1	1	1	1	108.3	56.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	36.125	2004
20.03.2020 11:01:18	1	1	1	1	108.3	56	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.1875	2004
20.03.2020 11:01:19	1	1	1	1	108.3	56	0	27914.692	563.4408602	15727.71995	30000	0	0	30000	36.375	2004
20.03.2020 11:01:20	1	1	1	1	108.3	56.25	0	27914.692	565.5913978	15934.82456	30000	0	0	30000	36.875	2004
20.03.2020 11:01:21	1	1	1	1	108.3	56.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	36.375	2004
20.03.2020 11:01:22	1	1	1	1	108.3	56.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.375	2004
20.03.2020 11:01:23	1	1	1	1	108.3	56.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.1875	2004
20.03.2020 11:01:24	1	1	1	1	108.3	56	0	27867.299	567.7419355	15614.38317	30000	0	0	30000	36.0625	2004
20.03.2020 11:01:31	1	1	1	1	108.3	56.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:01:31	1	1	1	1	108.3	56.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:01:31	1	1	1	1	108.3	56.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:01:31	1	1	1	1	108.3	56.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:01:31	1	1	1	1	108.3	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.5625	2004
20.03.2020 11:01:32	1	1	1	1	108.3	55.5	0	27914.692	567.7419355	15961.73185	30000	0	0	30000	36.75	2004
20.03.2020 11:01:33	1	1	1	1	108.3	56.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	37	2004
20.03.2020 11:01:34	1	1	1	1	108.3	57	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.6875	2004
20.03.2020 11:01:35	1	1	1	1	108.3	56.5	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	36.0625	2004
20.03.2020 11:01:36	1	1	1	1	108	55.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.5625	2004
20.03.2020 11:01:37	1	1	1	1	108	56.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.8125	2004
20.03.2020 11:01:38	1	1	1	1	108	56.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	36.6875	2004
20.03.2020 11:01:39	1	1	1	1	108	56.5	0	27867.299	567.7419355	15734.24293	30000	0	0	30000	36.6875	2004
20.03.2020 11:01:40	1	1	1	1	108	56.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	36.5	2004
20.03.2020 11:01:41	1	1	1	1	108	56.5	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	36.375	2004
20.03.2020 11:01:42	1	1	1	1	108	56.25	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	36.875	2004
20.03.2020 11:01:43	1	1	1	1	108	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.375	2004
20.03.2020 11:01:44	1	1	1	1	108	56.25	0	28293.839	572.0430108	16185.14391	30000	0	0	30000	36.1875	2004
20.03.2020 11:01:45	1	1	1	1	108	56	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	35.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:01:46	1	1	1	1	107.5	55.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:01:47	1	1	1	1	107.5	56.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.9375	2004
20.03.2020 11:01:48	1	1	1	1	107.5	56.75	0	28199.052	574.1935484	16070.17639	30000	0	0	30000	36.8125	2004
20.03.2020 11:01:49	1	1	1	1	107.5	56.75	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	35.125	2004
20.03.2020 11:01:50	1	1	1	1	107.5	55	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.875	2004
20.03.2020 11:01:51	1	1	1	1	107.5	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.6875	2004
20.03.2020 11:01:52	1	1	1	1	107.5	56.5	0	28388.626	567.7419355	16266.68116	30000	0	0	30000	36.625	2004
20.03.2020 11:01:53	1	1	1	1	107.5	56.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.625	2004
20.03.2020 11:01:54	1	1	1	1	107.5	55.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.6875	2004
20.03.2020 11:01:55	1	1	1	1	107.5	55.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.875	2004
20.03.2020 11:01:56	1	1	1	1	107.3	56.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	36.375	2004
20.03.2020 11:01:57	1	1	1	1	107.3	56.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	36.875	2004
20.03.2020 11:01:58	1	1	1	1	107.3	56.75	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	36.9375	2004
20.03.2020 11:01:59	1	1	1	1	107.3	56.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.8125	2004
20.03.2020 11:02:00	1	1	1	1	107.3	56.75	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	36.8125	2004
20.03.2020 11:02:01	1	1	1	1	107.3	56.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	35.1875	2004
20.03.2020 11:02:02	1	1	1	1	107.3	55	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.75	2004
20.03.2020 11:02:04	1	1	1	1	107.3	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37	2004
20.03.2020 11:02:05	1	1	1	1	107.3	57	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	36.8125	2004
20.03.2020 11:02:06	1	1	1	1	107.3	56.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.9375	2004
20.03.2020 11:02:07	1	1	1	1	107.3	56.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.9375	2004
20.03.2020 11:02:08	1	1	1	1	107.3	56.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	35.875	2004
20.03.2020 11:02:09	1	1	1	1	107.3	55.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.4375	2004
20.03.2020 11:02:10	1	1	1	1	107.3	56.25	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	36.625	2004
20.03.2020 11:02:11	1	1	1	1	107.3	56.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.375	2004
20.03.2020 11:02:12	1	1	1	1	107.3	56.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	37	2004
20.03.2020 11:02:13	1	1	1	1	107.3	57	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:02:14	1	1	1	1	107.3	57.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	36.375	2004
20.03.2020 11:02:15	1	1	1	1	107.3	56.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	37.0625	2004
20.03.2020 11:02:16	1	1	1	1	107.3	56.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:02:17	1	1	1	1	107.3	56.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.25	2004
20.03.2020 11:02:18	1	1	1	1	107.3	56.25	0	28009.479	565.5913978	16191.66689	30000	0	0	30000	36.25	2004
20.03.2020 11:02:19	1	1	1	1	107.3	56.25	0	28341.232	567.7419355	16009.83883	30000	0	0	30000	36.6875	2004
20.03.2020 11:02:20	1	1	1	1	107.3	56.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	37	2004
20.03.2020 11:02:21	1	1	1	1	107.3	57	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	36.9375	2004
20.03.2020 11:02:22	1	1	1	1	107.3	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	36.625	2004
20.03.2020 11:02:23	1	1	1	1	107.3	56.5	0	28293.839	572.0430108	16070.17639	30000	0	0	30000	36.0625	2004
20.03.2020 11:02:24	1	1	1	1	107.3	56	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	36.8125	2004
20.03.2020 11:02:25	1	1	1	1	107.3	56.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.75	2004
20.03.2020 11:02:26	1	1	1	1	107	56.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	36.6875	2004
20.03.2020 11:02:32	1	1	1	1	107	56.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.75	2004
20.03.2020 11:02:32	1	1	1	1	107	56.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.75	2004
20.03.2020 11:02:32	1	1	1	1	107	56.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:02:32	1	1	1	1	107	56.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.75	2004
20.03.2020 11:02:32	1	1	1	1	107	56.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.75	2004
20.03.2020 11:02:32	1	1	1	1	107	56.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.75	2004
20.03.2020 11:02:33	1	1	1	1	107	56.75	0	28341.232	567.7419355	16009.83883	30000	0	0	30000	36.875	2004
20.03.2020 11:02:34	1	1	1	1	107	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	36.25	2004
20.03.2020 11:02:35	1	1	1	1	107	56.25	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	36.625	2004
20.03.2020 11:02:36	1	1	1	1	107	56.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	36.875	2004
20.03.2020 11:02:37	1	1	1	1	107	56.75	0	28009.479	572.0430108	16103.60666	30000	0	0	30000	36.9375	2004
20.03.2020 11:02:38	1	1	1	1	107	56.75	0	27867.299	567.7419355	15761.15022	30000	0	0	30000	36.6875	2004
20.03.2020 11:02:39	1	1	1	1	107	56.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.125	2004
20.03.2020 11:02:40	1	1	1	1	107	56	0	28199.052	576.344086	15902.20966	30000	0	0	30000	36.8125	2004
20.03.2020 11:02:41	1	1	1	1	107	56.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.8125	2004
20.03.2020 11:02:42	1	1	1	1	107	56.75	0	28151.659	572.0430108	16022.06942	30000	0	0	30000	36.9375	2004
20.03.2020 11:02:44	1	1	1	1	107	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37	2004
20.03.2020 11:02:45	1	1	1	1	107	57	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	36.8125	2004
20.03.2020 11:02:46	1	1	1	1	107	56.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:02:47	1	1	1	1	106.5	56.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	35.9375	2004
20.03.2020 11:02:48	1	1	1	1	106.5	55.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.8125	2004
20.03.2020 11:02:49	1	1	1	1	106.5	56.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	36.9375	2004
20.03.2020 11:02:50	1	1	1	1	106.5	56.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.875	2004
20.03.2020 11:02:51	1	1	1	1	106.5	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.4375	2004
20.03.2020 11:02:52	1	1	1	1	106.5	56.25	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	36.9375	2004
20.03.2020 11:02:53	1	1	1	1	106.5	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.1875	2004
20.03.2020 11:02:54	1	1	1	1	106.5	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.9375	2004
20.03.2020 11:02:55	1	1	1	1	106.5	55.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.875	2004
20.03.2020 11:02:56	1	1	1	1	106	57.25	0	28388.626	567.7419355	16388.98704	30000	0	0	30000	36.875	2004
20.03.2020 11:02:57	1	1	1	1	106	56.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:02:58	1	1	1	1	106	56.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	36.9375	2004
20.03.2020 11:02:59	1	1	1	1	106	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.9375	2004
20.03.2020 11:03:00	1	1	1	1	106	56.75	0	27630.332	567.7419355	15854.10268	30000	0	0	30000	35.8125	2004
20.03.2020 11:03:01	1	1	1	1	106	55.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	37	2004
20.03.2020 11:03:02	1	1	1	1	106	57	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.0625	2004
20.03.2020 11:03:03	1	1	1	1	106	56	0	28009.479	567.7419355	15875.30237	30000	0	0	30000	36	2004
20.03.2020 11:03:04	1	1	1	1	106	56	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	37	2004
20.03.2020 11:03:05	1	1	1	1	106	57	0	28293.839	574.1935484	16097.08368	30000	0	0	30000	36.75	2004
20.03.2020 11:03:06	1	1	1	1	105.5	56.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	36.375	2004
20.03.2020 11:03:07	1	1	1	1	105.5	56.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	35.625	2004
20.03.2020 11:03:08	1	1	1	1	105.5	55.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.8125	2004
20.03.2020 11:03:09	1	1	1	1	105.5	56.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	36.8125	2004
20.03.2020 11:03:10	1	1	1	1	105.5	56.75	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	36.5625	2004
20.03.2020 11:03:11	1	1	1	1	105.5	56.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	37.0625	2004
20.03.2020 11:03:12	1	1	1	1	105.5	57	0	28009.479	569.8924731	16203.08211	30000	0	0	30000	36.8125	2004
20.03.2020 11:03:13	1	1	1	1	105.5	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:03:14	1	1	1	1	105.5	56.5	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	36.5625	2004
20.03.2020 11:03:15	1	1	1	1	105.5	56.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	37	2004
20.03.2020 11:03:16	1	1	1	1	105.3	57	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.125	2004
20.03.2020 11:03:17	1	1	1	1	105.3	57	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.6875	2004
20.03.2020 11:03:18	1	1	1	1	105.3	56.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	36.8125	2004
20.03.2020 11:03:19	1	1	1	1	105.3	56.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.75	2004
20.03.2020 11:03:20	1	1	1	1	105.3	56.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.9375	2004
20.03.2020 11:03:21	1	1	1	1	105.3	56.75	0	28199.052	572.0430108	16103.60666	30000	0	0	30000	37.0625	2004
20.03.2020 11:03:22	1	1	1	1	105.3	57	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	36.25	2004
20.03.2020 11:03:24	1	1	1	1	105.3	56.25	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	36.6875	2004
20.03.2020 11:03:25	1	1	1	1	105.3	56.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	36.4375	2004
20.03.2020 11:03:26	1	1	1	1	105.3	56.25	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:03:27	1	1	1	1	104.5	56.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	36.375	2004
20.03.2020 11:03:28	1	1	1	1	104.5	56.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:03:34	1	1	1	1	104.5	56.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.3125	2004
20.03.2020 11:03:34	1	1	1	1	104.5	56.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.3125	2004
20.03.2020 11:03:34	1	1	1	1	104.5	56.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.3125	2004
20.03.2020 11:03:34	1	1	1	1	104.5	56.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.3125	2004
20.03.2020 11:03:34	1	1	1	1	104.5	56.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.3125	2004
20.03.2020 11:03:34	1	1	1	1	104.5	56.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.3125	2004
20.03.2020 11:03:34	1	1	1	1	104.5	57.25	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	37.3125	2004
20.03.2020 11:03:35	1	1	1	1	104.5	57.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	37.0625	2004
20.03.2020 11:03:36	1	1	1	1	104.8	56.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.875	2004
20.03.2020 11:03:37	1	1	1	1	104.8	56.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.125	2004
20.03.2020 11:03:38	1	1	1	1	104.8	56	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	36.9375	2004
20.03.2020 11:03:39	1	1	1	1	104.8	56.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.8125	2004
20.03.2020 11:03:40	1	1	1	1	104.8	56.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	37.0625	2004
20.03.2020 11:03:41	1	1	1	1	104.8	57	0	28246.445	572.0430108	16185.14391	30000	0	0	30000	37.0625	2004
20.03.2020 11:03:42	1	1	1	1	104.8	57	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	36.4375	2004
20.03.2020 11:03:43	1	1	1	1	104.8	56.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	36.8125	2004
20.03.2020 11:03:44	1	1	1	1	104.8	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.25	2004
20.03.2020 11:03:45	1	1	1	1	104.8	56.25	0	28199.052	572.0430108	16123.99098	30000	0	0	30000	37.125	2004
20.03.2020 11:03:46	1	1	1	1	104	57	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	36.9375	2004
20.03.2020 11:03:47	1	1	1	1	104	56.75	0	28009.479	569.8924731	16252.00446	30000	0	0	30000	36.6875	2004
20.03.2020 11:03:48	1	1	1	1	104	56.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	36.6875	2004
20.03.2020 11:03:49	1	1	1	1	104	56.5	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	37.125	2004
20.03.2020 11:03:50	1	1	1	1	104	57	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.4375	2004
20.03.2020 11:03:51	1	1	1	1	104	56.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.8125	2004
20.03.2020 11:03:52	1	1	1	1	104	56.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	36.9375	2004
20.03.2020 11:03:53	1	1	1	1	104	56.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	36.4375	2004
20.03.2020 11:03:54	1	1	1	1	104	56.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	36.9375	2004
20.03.2020 11:03:55	1	1	1	1	104	56.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	37	2004
20.03.2020 11:03:56	1	1	1	1	104.8	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.8125	2004
20.03.2020 11:03:57	1	1	1	1	104.8	56.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:03:58	1	1	1	1	104.8	57	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.9375	2004
20.03.2020 11:03:59	1	1	1	1	104.8	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37	2004
20.03.2020 11:04:00	1	1	1	1	104.8	57	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.375	2004
20.03.2020 11:04:02	1	1	1	1	104.8	56.25	0	28009.479	563.4408602	16009.83883	30000	0	0	30000	37	2004
20.03.2020 11:04:03	1	1	1	1	104.8	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.0625	2004
20.03.2020 11:04:04	1	1	1	1	104.8	57	0	28199.052	563.4408602	16070.17639	30000	0	0	30000	36.625	2004
20.03.2020 11:04:05	1	1	1	1	104.8	56.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	36.5	2004
20.03.2020 11:04:06	1	1	1	1	104.8	56.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	37.1875	2004
20.03.2020 11:04:07	1	1	1	1	104.8	57	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	36.5	2004
20.03.2020 11:04:08	1	1	1	1	104.8	56.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	36.9375	2004
20.03.2020 11:04:09	1	1	1	1	104.8	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.0625	2004
20.03.2020 11:04:10	1	1	1	1	104.8	57	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.625	2004
20.03.2020 11:04:11	1	1	1	1	104.8	56.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:04:12	1	1	1	1	104.8	56.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.0625	2004
20.03.2020 11:04:13	1	1	1	1	104.8	57	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.0625	2004
20.03.2020 11:04:14	1	1	1	1	104.8	57	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	36.6875	2004
20.03.2020 11:04:15	1	1	1	1	104.8	56.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.0625	2004
20.03.2020 11:04:16	1	1	1	1	104.5	57	0	28199.052	559.1397849	16002.50048	30000	0	0	30000	37	2004
20.03.2020 11:04:17	1	1	1	1	104.5	57	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.5625	2004
20.03.2020 11:04:18	1	1	1	1	104.5	56.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:04:19	1	1	1	1	104.5	56.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	37.125	2004
20.03.2020 11:04:20	1	1	1	1	104.5	57	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.8125	2004
20.03.2020 11:04:21	1	1	1	1	104.5	56.75	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	35.75	2004
20.03.2020 11:04:22	1	1	1	1	104.5	55.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.9375	2004
20.03.2020 11:04:23	1	1	1	1	104.5	56.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.0625	2004
20.03.2020 11:04:24	1	1	1	1	104.5	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.75	2004
20.03.2020 11:04:25	1	1	1	1	104.5	56.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.9375	2004
20.03.2020 11:04:26	1	1	1	1	104.3	56.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.0625	2004
20.03.2020 11:04:27	1	1	1	1	104.3	57	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.875	2004
20.03.2020 11:04:28	1	1	1	1	104.3	56.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.1875	2004
20.03.2020 11:04:29	1	1	1	1	104.3	57	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	36.875	2004
20.03.2020 11:04:35	1	1	1	1	104.3	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37	2004
20.03.2020 11:04:35	1	1	1	1	104.3	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37	2004
20.03.2020 11:04:35	1	1	1	1	104.3	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37	2004
20.03.2020 11:04:35	1	1	1	1	104.3	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37	2004
20.03.2020 11:04:35	1	1	1	1	104.3	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37	2004
20.03.2020 11:04:35	1	1	1	1	104.3	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37	2004
20.03.2020 11:04:38	1	1	1	1	104	56.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	37.3125	2004
20.03.2020 11:04:38	1	1	1	1	104	56.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	37.3125	2004
20.03.2020 11:04:38	1	1	1	1	104	57.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.0625	2004
20.03.2020 11:04:39	1	1	1	1	104	57	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	36.75	2004
20.03.2020 11:04:40	1	1	1	1	104	56.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	36.875	2004
20.03.2020 11:04:41	1	1	1	1	104	56.75	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	36.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:04:43	1	1	1	1	104	56.75	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	36.9375	2004
20.03.2020 11:04:44	1	1	1	1	104	56.75	0	28199.052	567.7419355	15721.19697	30000	0	0	30000	36.5625	2004
20.03.2020 11:04:45	1	1	1	1	104	56.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	36.5625	2004
20.03.2020 11:04:46	1	1	1	1	104	56.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.1875	2004
20.03.2020 11:04:47	1	1	1	1	103.5	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.9375	2004
20.03.2020 11:04:48	1	1	1	1	103.5	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.125	2004
20.03.2020 11:04:49	1	1	1	1	103.5	57	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	37.25	2004
20.03.2020 11:04:50	1	1	1	1	103.5	57.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	36.6875	2004
20.03.2020 11:04:51	1	1	1	1	103.5	56.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	36.9375	2004
20.03.2020 11:04:52	1	1	1	1	103.5	56.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	37.125	2004
20.03.2020 11:04:53	1	1	1	1	103.5	57	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	37.1875	2004
20.03.2020 11:04:54	1	1	1	1	103.5	57	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	37.125	2004
20.03.2020 11:04:55	1	1	1	1	103.5	57	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	37	2004
20.03.2020 11:04:56	1	1	1	1	103.5	57	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	37.0625	2004
20.03.2020 11:04:57	1	1	1	1	104.5	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.3125	2004
20.03.2020 11:04:58	1	1	1	1	104.5	57.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.6875	2004
20.03.2020 11:04:59	1	1	1	1	104.5	56.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	37	2004
20.03.2020 11:05:00	1	1	1	1	104.5	57	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	37.125	2004
20.03.2020 11:05:01	1	1	1	1	104.5	57	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	36.125	2004
20.03.2020 11:05:02	1	1	1	1	104.5	56	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.1875	2004
20.03.2020 11:05:03	1	1	1	1	104.5	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.0625	2004
20.03.2020 11:05:04	1	1	1	1	104.5	57	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	36.4375	2004
20.03.2020 11:05:05	1	1	1	1	104.5	56.25	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	37.125	2004
20.03.2020 11:05:06	1	1	1	1	104	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.6875	2004
20.03.2020 11:05:07	1	1	1	1	104	56.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	37.125	2004
20.03.2020 11:05:08	1	1	1	1	104	57	0	28199.052	561.2903226	16185.14391	30000	0	0	30000	37.25	2004
20.03.2020 11:05:09	1	1	1	1	104	57.25	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	37.1875	2004
20.03.2020 11:05:10	1	1	1	1	104	57	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	36.5625	2004
20.03.2020 11:05:11	1	1	1	1	104	56.5	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	37.1875	2004
20.03.2020 11:05:12	1	1	1	1	104	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.25	2004
20.03.2020 11:05:13	1	1	1	1	104	57.25	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	36.75	2004
20.03.2020 11:05:14	1	1	1	1	104	56.75	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	36.5625	2004
20.03.2020 11:05:15	1	1	1	1	104	56.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	37.0625	2004
20.03.2020 11:05:16	1	1	1	1	104	57	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	37.1875	2004
20.03.2020 11:05:17	1	1	1	1	104	57	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	36.8125	2004
20.03.2020 11:05:18	1	1	1	1	104	56.75	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	36.625	2004
20.03.2020 11:05:19	1	1	1	1	104	56.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	36.4375	2004
20.03.2020 11:05:20	1	1	1	1	104	56.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	37.0625	2004
20.03.2020 11:05:21	1	1	1	1	104	57	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	36.5625	2004
20.03.2020 11:05:23	1	1	1	1	104	56.5	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	37.125	2004
20.03.2020 11:05:24	1	1	1	1	104	57	0	28009.479	561.2903226	16022.06942	30000	0	0	30000	36.875	2004
20.03.2020 11:05:25	1	1	1	1	104	56.75	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	36.75	2004
20.03.2020 11:05:26	1	1	1	1	104	56.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:05:27	1	1	1	1	103.8	56.25	0	28293.839	563.4408602	16063.65341	30000	0	0	30000	36.625	2004
20.03.2020 11:05:28	1	1	1	1	103.8	56.5	0	28199.052	572.0430108	15841.8721	30000	0	0	30000	36.125	2004
20.03.2020 11:05:29	1	1	1	1	103.8	56	0	28199.052	567.7419355	15961.73185	30000	0	0	30000	37.0625	2004
20.03.2020 11:05:30	1	1	1	1	103.8	57	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	37.375	2004
20.03.2020 11:05:31	1	1	1	1	103.8	57.25	0	28009.479	569.8924731	15781.53453	30000	0	0	30000	36.5625	2004
20.03.2020 11:05:37	1	1	1	1	103.8	57	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:05:37	1	1	1	1	103.8	57	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:05:37	1	1	1	1	103.8	57	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:05:37	1	1	1	1	103.8	57	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:05:37	1	1	1	1	103.8	57	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:05:37	1	1	1	1	103.8	57	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.5	2004
20.03.2020 11:05:38	1	1	1	1	103.8	56.5	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	37.25	2004
20.03.2020 11:05:39	1	1	1	1	103.8	57.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	36.5	2004
20.03.2020 11:05:40	1	1	1	1	103.8	56.5	0	28009.479	567.7419355	15982.93154	30000	0	0	30000	36.875	2004
20.03.2020 11:05:41	1	1	1	1	103.8	56.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	36.375	2004
20.03.2020 11:05:42	1	1	1	1	103.8	56.25	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	37.1875	2004
20.03.2020 11:05:43	1	1	1	1	103.8	57	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	37.1875	2004
20.03.2020 11:05:44	1	1	1	1	103.8	57	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	35.5	2004
20.03.2020 11:05:45	1	1	1	1	103.8	55.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	37.3125	2004
20.03.2020 11:05:46	1	1	1	1	103.5	57.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	36.375	2004
20.03.2020 11:05:47	1	1	1	1	103.5	56.25	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	37	2004
20.03.2020 11:05:48	1	1	1	1	103.5	57	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37	2004
20.03.2020 11:05:49	1	1	1	1	103.5	57	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	36.75	2004
20.03.2020 11:05:50	1	1	1	1	103.5	56.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	36.8125	2004
20.03.2020 11:05:51	1	1	1	1	103.5	56.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.6875	2004
20.03.2020 11:05:52	1	1	1	1	103.5	56.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	37.25	2004
20.03.2020 11:05:53	1	1	1	1	103.5	57.25	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	36.3125	2004
20.03.2020 11:05:54	1	1	1	1	103.5	56.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	37.3125	2004
20.03.2020 11:05:55	1	1	1	1	103.5	57.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.9375	2004
20.03.2020 11:05:56	1	1	1	1	102.5	56.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.4375	2004
20.03.2020 11:05:57	1	1	1	1	102.5	56.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.25	2004
20.03.2020 11:05:58	1	1	1	1	102.5	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.125	2004
20.03.2020 11:05:59	1	1	1	1	102.5	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.125	2004
20.03.2020 11:06:00	1	1	1	1	102.5	57	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:06:02	1	1	1	1	102.5	57.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.9375	2004
20.03.2020 11:06:03	1	1	1	1	102.5	56.75	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	37.125	2004
20.03.2020 11:06:04	1	1	1	1	102.5	57	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	36.6875	2004
20.03.2020 11:06:05	1	1	1	1	102.5	56.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.125	2004
20.03.2020 11:06:06	1	1	1	1	102.5	56	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	37.25	2004
20.03.2020 11:06:07	1	1	1	1	102.5	57.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	37.375	2004
20.03.2020 11:06:08	1	1	1	1	102.5	57.25	0	28199.052	565.5913978	16252.00446	30000	0	0	30000	36.625	2004
20.03.2020 11:06:09	1	1	1	1	102.5	56.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.8125	2004
20.03.2020 11:06:10	1	1	1	1	102.5	56.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:06:11	1	1	1	1	102.5	56	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	37.3125	2004
20.03.2020 11:06:12	1	1	1	1	102.5	57.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	35.8125	2004
20.03.2020 11:06:13	1	1	1	1	102.5	55.75	0	28199.052	569.8924731	16185.14391	30000	0	0	30000	36.8125	2004
20.03.2020 11:06:14	1	1	1	1	102.5	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:06:15	1	1	1	1	102.5	57.25	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	37.5	2004
20.03.2020 11:06:16	1	1	1	1	102.5	57.5	0	28009.479	572.0430108	16252.00446	30000	0	0	30000	37.6875	2004
20.03.2020 11:06:17	1	1	1	1	103.5	56.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.0625	2004
20.03.2020 11:06:18	1	1	1	1	103.5	57	0	27962.085	563.4408602	15754.62724	30000	0	0	30000	36.6875	2004
20.03.2020 11:06:19	1	1	1	1	103.5	56.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	36.9375	2004
20.03.2020 11:06:20	1	1	1	1	103.5	56.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.875	2004
20.03.2020 11:06:21	1	1	1	1	103.5	56.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	37.3125	2004
20.03.2020 11:06:22	1	1	1	1	103.5	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:06:23	1	1	1	1	103.5	57.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:24	1	1	1	1	103.5	57	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	36.625	2004
20.03.2020 11:06:25	1	1	1	1	103.5	56.5	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	37.25	2004
20.03.2020 11:06:26	1	1	1	1	102.3	57.25	0	27914.692	565.5913978	15907.91727	30000	0	0	30000	36.6875	2004
20.03.2020 11:06:27	1	1	1	1	102.3	56.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:28	1	1	1	1	102.3	57	0	28009.479	567.7419355	15934.82456	30000	0	0	30000	37.125	2004
20.03.2020 11:06:29	1	1	1	1	102.3	57	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	37.3125	2004
20.03.2020 11:06:30	1	1	1	1	102.3	57.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	37.3125	2004
20.03.2020 11:06:31	1	1	1	1	102.3	57.25	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	36.6875	2004
20.03.2020 11:06:32	1	1	1	1	102.3	56.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:39	1	1	1	1	103	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:39	1	1	1	1	103	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:39	1	1	1	1	103	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:39	1	1	1	1	103	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:39	1	1	1	1	103	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:39	1	1	1	1	103	57	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	37.4375	2004
20.03.2020 11:06:40	1	1	1	1	103	57.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.875	2004
20.03.2020 11:06:41	1	1	1	1	103	56.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	37.3125	2004
20.03.2020 11:06:43	1	1	1	1	103	57.25	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	36.75	2004
20.03.2020 11:06:44	1	1	1	1	103	56.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.4375	2004
20.03.2020 11:06:45	1	1	1	1	103	57.25	0	28199.052	576.344086	16191.66689	30000	0	0	30000	36.6875	2004
20.03.2020 11:06:46	1	1	1	1	103	56.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	37	2004
20.03.2020 11:06:47	1	1	1	1	102.5	57	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	36.625	2004
20.03.2020 11:06:48	1	1	1	1	102.5	56.5	0	27867.299	569.8924731	15734.24293	30000	0	0	30000	36.9375	2004
20.03.2020 11:06:49	1	1	1	1	102.5	56.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.375	2004
20.03.2020 11:06:50	1	1	1	1	102.5	57.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.75	2004
20.03.2020 11:06:51	1	1	1	1	102.5	56.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37	2004
20.03.2020 11:06:52	1	1	1	1	102.5	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.5625	2004
20.03.2020 11:06:53	1	1	1	1	102.5	57.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.375	2004
20.03.2020 11:06:54	1	1	1	1	102.5	57.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:06:55	1	1	1	1	102.5	57.75	0	27819.905	578.4946237	15745.65814	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:56	1	1	1	1	103.5	57	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.375	2004
20.03.2020 11:06:57	1	1	1	1	103.5	56.25	0	27867.299	565.5913978	15821.48778	30000	0	0	30000	37.3125	2004
20.03.2020 11:06:58	1	1	1	1	103.5	57.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.1875	2004
20.03.2020 11:06:59	1	1	1	1	103.5	57	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:00	1	1	1	1	103.5	57.25	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	37.4375	2004
20.03.2020 11:07:01	1	1	1	1	103.5	57.25	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:02	1	1	1	1	103.5	57.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	36.6875	2004
20.03.2020 11:07:03	1	1	1	1	103.5	56.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.1875	2004
20.03.2020 11:07:04	1	1	1	1	103.5	57	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:05	1	1	1	1	103.5	57.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.375	2004
20.03.2020 11:07:06	1	1	1	1	102.5	57.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	37.1875	2004
20.03.2020 11:07:07	1	1	1	1	102.5	57	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	36.875	2004
20.03.2020 11:07:08	1	1	1	1	102.5	56.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:09	1	1	1	1	102.5	57.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	37.125	2004
20.03.2020 11:07:10	1	1	1	1	102.5	57	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.5	2004
20.03.2020 11:07:11	1	1	1	1	102.5	56.5	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	37.125	2004
20.03.2020 11:07:12	1	1	1	1	102.5	57	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	37.0625	2004
20.03.2020 11:07:13	1	1	1	1	102.5	57	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:14	1	1	1	1	102.5	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.375	2004
20.03.2020 11:07:15	1	1	1	1	102.5	56.25	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	37	2004
20.03.2020 11:07:16	1	1	1	1	101.8	57	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.375	2004
20.03.2020 11:07:17	1	1	1	1	101.8	57.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.875	2004
20.03.2020 11:07:18	1	1	1	1	101.8	56.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.875	2004
20.03.2020 11:07:20	1	1	1	1	101.8	56.75	0	27914.692	565.5913978	15934.82456	30000	0	0	30000	37.1875	2004
20.03.2020 11:07:21	1	1	1	1	101.8	57	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.375	2004
20.03.2020 11:07:22	1	1	1	1	101.8	57.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:23	1	1	1	1	101.8	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.8125	2004
20.03.2020 11:07:24	1	1	1	1	101.8	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:07:25	1	1	1	1	101.8	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.25	2004
20.03.2020 11:07:26	1	1	1	1	101.8	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.0625	2004
20.03.2020 11:07:27	1	1	1	1	102.5	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.4375	2004
20.03.2020 11:07:28	1	1	1	1	102.5	57.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:29	1	1	1	1	102.5	57.25	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	37.1875	2004
20.03.2020 11:07:30	1	1	1	1	102.5	57	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	37.375	2004
20.03.2020 11:07:31	1	1	1	1	102.5	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.25	2004
20.03.2020 11:07:32	1	1	1	1	102.5	57.25	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	37.75	2004
20.03.2020 11:07:33	1	1	1	1	102.5	57.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	37.625	2004
20.03.2020 11:07:34	1	1	1	1	102.5	57.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.6875	2004
20.03.2020 11:07:40	1	1	1	1	103.8	56.75	0	28199.052	576.344086	16252.00446	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:40	1	1	1	1	103.8	56.75	0	28199.052	576.344086	16252.00446	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:40	1	1	1	1	103.8	56.75	0	28199.052	576.344086	16252.00446	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:40	1	1	1	1	103.8	56.75	0	28199.052	576.344086	16252.00446	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:07:40	1	1	1	1	103.8	56.75	0	28199.052	576.344086	16252.00446	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:40	1	1	1	1	103.8	56.75	0	28199.052	576.344086	16252.00446	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:41	1	1	1	1	103.8	57.25	0	28009.479	574.1935484	15841.8721	30000	0	0	30000	37.4375	2004
20.03.2020 11:07:42	1	1	1	1	103.8	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.375	2004
20.03.2020 11:07:43	1	1	1	1	103.8	57.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.75	2004
20.03.2020 11:07:44	1	1	1	1	103.8	55.75	0	27867.299	567.7419355	15674.72073	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:45	1	1	1	1	103.8	57.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	36.125	2004
20.03.2020 11:07:46	1	1	1	1	102.5	56	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:47	1	1	1	1	102.5	57.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.5	2004
20.03.2020 11:07:48	1	1	1	1	102.5	56.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	37.375	2004
20.03.2020 11:07:49	1	1	1	1	102.5	57.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.1875	2004
20.03.2020 11:07:50	1	1	1	1	102.5	57	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	37.375	2004
20.03.2020 11:07:51	1	1	1	1	102.5	57.25	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	37.375	2004
20.03.2020 11:07:52	1	1	1	1	102.5	57.25	0	28293.839	569.8924731	16130.51396	30000	0	0	30000	37	2004
20.03.2020 11:07:53	1	1	1	1	102.5	57	0	27962.085	569.8924731	15814.9648	30000	0	0	30000	37.375	2004
20.03.2020 11:07:54	1	1	1	1	102.5	57.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:07:55	1	1	1	1	102.5	57.25	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	37.4375	2004
20.03.2020 11:07:56	1	1	1	1	103	57.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	37.375	2004
20.03.2020 11:07:57	1	1	1	1	103	57.25	0	27772.512	569.8924731	15854.10268	30000	0	0	30000	37.25	2004
20.03.2020 11:07:59	1	1	1	1	103	57.25	0	27914.692	567.7419355	16082.40698	30000	0	0	30000	37.4375	2004
20.03.2020 11:08:00	1	1	1	1	103	57.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	37.25	2004
20.03.2020 11:08:01	1	1	1	1	103	57.25	0	27867.299	569.8924731	15848.39508	30000	0	0	30000	37.3125	2004
20.03.2020 11:08:02	1	1	1	1	103	57.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	36.3125	2004
20.03.2020 11:08:03	1	1	1	1	103	56.25	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	37.3125	2004
20.03.2020 11:08:04	1	1	1	1	103	57.25	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	37.1875	2004
20.03.2020 11:08:05	1	1	1	1	103	57	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	37.3125	2004
20.03.2020 11:08:06	1	1	1	1	103	57.25	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	36.9375	2004
20.03.2020 11:08:07	1	1	1	1	102.3	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.375	2004
20.03.2020 11:08:08	1	1	1	1	102.3	57.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.3125	2004
20.03.2020 11:08:09	1	1	1	1	102.3	57.25	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	37.4375	2004
20.03.2020 11:08:10	1	1	1	1	102.3	57.25	0	28009.479	576.344086	16263.41967	30000	0	0	30000	37.5	2004
20.03.2020 11:08:11	1	1	1	1	102.3	57.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	37.8125	2004
20.03.2020 11:08:12	1	1	1	1	102.3	57.75	0	27867.299	576.344086	15913.62487	30000	0	0	30000	37.375	2004
20.03.2020 11:08:13	1	1	1	1	102.3	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.4375	2004
20.03.2020 11:08:14	1	1	1	1	102.3	57.25	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	37.6875	2004
20.03.2020 11:08:15	1	1	1	1	102.3	57.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	37.0625	2004
20.03.2020 11:08:16	1	1	1	1	102	57	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	37.4375	2004
20.03.2020 11:08:17	1	1	1	1	102	57.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.8125	2004
20.03.2020 11:08:18	1	1	1	1	102	56.75	0	27867.299	576.344086	16027.77702	30000	0	0	30000	37.3125	2004
20.03.2020 11:08:19	1	1	1	1	102	57.25	0	27914.692	574.1935484	16115.83725	30000	0	0	30000	37	2004
20.03.2020 11:08:20	1	1	1	1	102	57	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	37.5	2004
20.03.2020 11:08:21	1	1	1	1	102	57.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	37.5	2004
20.03.2020 11:08:22	1	1	1	1	102	57.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:08:23	1	1	1	1	102	56.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.5	2004
20.03.2020 11:08:24	1	1	1	1	102	57.5	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	37.5	2004
20.03.2020 11:08:25	1	1	1	1	102	57.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	36.75	2004
20.03.2020 11:08:26	1	1	1	1	101	56.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	37.5625	2004
20.03.2020 11:08:27	1	1	1	1	101	57.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.25	2004
20.03.2020 11:08:28	1	1	1	1	101	56.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.375	2004
20.03.2020 11:08:29	1	1	1	1	101	57.25	0	28199.052	576.344086	16191.66689	30000	0	0	30000	37.5625	2004
20.03.2020 11:08:30	1	1	1	1	101	57.5	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	37.5	2004
20.03.2020 11:08:31	1	1	1	1	101	57.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37.5	2004
20.03.2020 11:08:32	1	1	1	1	101	57.5	0	28009.479	574.1935484	15841.8721	30000	0	0	30000	37.375	2004
20.03.2020 11:08:33	1	1	1	1	101	57.25	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	36.625	2004
20.03.2020 11:08:34	1	1	1	1	101	56.5	0	27914.692	569.8924731	16088.11459	30000	0	0	30000	37.625	2004
20.03.2020 11:08:35	1	1	1	1	101	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.25	2004
20.03.2020 11:08:42	1	1	1	1	102	56.75	0	27772.512	576.344086	15983.74691	30000	0	0	30000	36.75	2004
20.03.2020 11:08:42	1	1	1	1	102	56.75	0	27772.512	576.344086	15983.74691	30000	0	0	30000	36.75	2004
20.03.2020 11:08:42	1	1	1	1	102	56.75	0	27772.512	576.344086	15983.74691	30000	0	0	30000	36.75	2004
20.03.2020 11:08:42	1	1	1	1	102	56.75	0	27772.512	576.344086	15983.74691	30000	0	0	30000	36.75	2004
20.03.2020 11:08:42	1	1	1	1	102	56.75	0	27772.512	576.344086	15983.74691	30000	0	0	30000	36.75	2004
20.03.2020 11:08:42	1	1	1	1	102	56.75	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	37.5	2004
20.03.2020 11:08:43	1	1	1	1	102	57.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.25	2004
20.03.2020 11:08:44	1	1	1	1	102	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.5	2004
20.03.2020 11:08:45	1	1	1	1	102	57.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	37	2004
20.03.2020 11:08:46	1	1	1	1	102	57	0	27867.299	576.344086	16061.20729	30000	0	0	30000	37.3125	2004
20.03.2020 11:08:47	1	1	1	1	101.8	57.25	0	27630.332	576.344086	15973.96244	30000	0	0	30000	37.75	2004
20.03.2020 11:08:48	1	1	1	1	101.8	57.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	37.3125	2004
20.03.2020 11:08:49	1	1	1	1	101.8	57.25	0	27819.905	584.9462366	15983.74691	30000	0	0	30000	37.875	2004
20.03.2020 11:08:50	1	1	1	1	101.8	57.75	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	37.5625	2004
20.03.2020 11:08:51	1	1	1	1	101.8	57.5	0	27819.905	574.1935484	15941.34754	30000	0	0	30000	37.6875	2004
20.03.2020 11:08:52	1	1	1	1	101.8	57.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	37.8125	2004
20.03.2020 11:08:53	1	1	1	1	101.8	57.25	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	37.5	2004
20.03.2020 11:08:54	1	1	1	1	101.8	57.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.875	2004
20.03.2020 11:08:55	1	1	1	1	101.8	56.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	36.875	2004
20.03.2020 11:08:56	1	1	1	1	101.5	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.3125	2004
20.03.2020 11:08:57	1	1	1	1	101.5	57.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	37.375	2004
20.03.2020 11:08:58	1	1	1	1	101.5	57.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37.25	2004
20.03.2020 11:08:59	1	1	1	1	101.5	57.25	0	27630.332	567.7419355	15919.33248	30000	0	0	30000	37.125	2004
20.03.2020 11:09:00	1	1	1	1	101.5	57	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	37.625	2004
20.03.2020 11:09:01	1	1	1	1	101.5	57.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:09:02	1	1	1	1	101.5	57.5	0	27962.085	576.344086	16055.49969	30000	0	0	30000	37.3125	2004
20.03.2020 11:09:03	1	1	1	1	101.5	57.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	37.3125	2004
20.03.2020 11:09:04	1	1	1	1	101.5	57.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.25	2004
20.03.2020 11:09:05	1	1	1	1	101.5	57.25	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:06	1	1	1	1	102	57.5	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	37.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:09:07	1	1	1	1	102	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.25	2004
20.03.2020 11:09:08	1	1	1	1	102	57.25	0	27772.512	576.344086	15946.23977	30000	0	0	30000	37.25	2004
20.03.2020 11:09:09	1	1	1	1	102	57.25	0	27772.512	572.0430108	15973.96244	30000	0	0	30000	37.125	2004
20.03.2020 11:09:10	1	1	1	1	102	57	0	27867.299	574.1935484	16055.49969	30000	0	0	30000	36.4375	2004
20.03.2020 11:09:11	1	1	1	1	102	56.25	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:12	1	1	1	1	102	57.5	0	27867.299	565.5913978	16027.77702	30000	0	0	30000	37	2004
20.03.2020 11:09:13	1	1	1	1	102	57	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	37.5	2004
20.03.2020 11:09:15	1	1	1	1	102	57.5	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	37.3125	2004
20.03.2020 11:09:16	1	1	1	1	102	57.25	0	27962.085	576.344086	16055.49969	30000	0	0	30000	36.9375	2004
20.03.2020 11:09:17	1	1	1	1	102.3	56.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	37.4375	2004
20.03.2020 11:09:18	1	1	1	1	102.3	57.25	0	28009.479	574.1935484	16203.08211	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:19	1	1	1	1	102.3	57.5	0	27914.692	576.344086	15973.96244	30000	0	0	30000	37.3125	2004
20.03.2020 11:09:20	1	1	1	1	102.3	57.25	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	36.6875	2004
20.03.2020 11:09:21	1	1	1	1	102.3	56.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	35.9375	2004
20.03.2020 11:09:22	1	1	1	1	102.3	55.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.0625	2004
20.03.2020 11:09:23	1	1	1	1	102.3	57	0	27867.299	580.6451613	15973.96244	30000	0	0	30000	37.25	2004
20.03.2020 11:09:24	1	1	1	1	102.3	57.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	37.5	2004
20.03.2020 11:09:25	1	1	1	1	102.3	57.5	0	27772.512	576.344086	15973.96244	30000	0	0	30000	37.3125	2004
20.03.2020 11:09:26	1	1	1	1	102.3	57.25	0	27867.299	574.1935484	15854.10268	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:27	1	1	1	1	101	57.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	37.625	2004
20.03.2020 11:09:28	1	1	1	1	101	57.5	0	27772.512	574.1935484	16033.48463	30000	0	0	30000	37.875	2004
20.03.2020 11:09:29	1	1	1	1	101	57.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:09:30	1	1	1	1	101	57.25	0	28009.479	576.344086	16323.75724	30000	0	0	30000	37.5	2004
20.03.2020 11:09:31	1	1	1	1	101	57.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	37.3125	2004
20.03.2020 11:09:32	1	1	1	1	101	57.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.1875	2004
20.03.2020 11:09:33	1	1	1	1	101	57	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:34	1	1	1	1	101	57.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.0625	2004
20.03.2020 11:09:35	1	1	1	1	101	57	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:36	1	1	1	1	101.3	57.5	0	27867.299	580.6451613	15913.62487	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:37	1	1	1	1	101.3	57.5	0	28199.052	580.6451613	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:43	1	1	1	1	101.3	57.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:09:43	1	1	1	1	101.3	57.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:09:43	1	1	1	1	101.3	57.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:09:43	1	1	1	1	101.3	57.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:09:43	1	1	1	1	101.3	57.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:09:43	1	1	1	1	101.3	57.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:09:44	1	1	1	1	101.3	57.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	37.375	2004
20.03.2020 11:09:45	1	1	1	1	101.3	57.25	0	27630.332	567.7419355	15686.95132	30000	0	0	30000	37.375	2004
20.03.2020 11:09:46	1	1	1	1	100.8	57.25	0	27914.692	576.344086	16027.77702	30000	0	0	30000	37.75	2004
20.03.2020 11:09:47	1	1	1	1	100.8	57.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	37.5	2004
20.03.2020 11:09:48	1	1	1	1	100.8	57.5	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	37.3125	2004
20.03.2020 11:09:49	1	1	1	1	100.8	57.25	0	27914.692	578.4946237	16027.77702	30000	0	0	30000	37.25	2004
20.03.2020 11:09:50	1	1	1	1	100.8	57.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	37.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:09:51	1	1	1	1	100.8	57	0	27819.905	563.4408602	15794.58049	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:52	1	1	1	1	100.8	57.5	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	37.5	2004
20.03.2020 11:09:53	1	1	1	1	100.8	57.5	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	37.625	2004
20.03.2020 11:09:55	1	1	1	1	100.8	57.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.625	2004
20.03.2020 11:09:56	1	1	1	1	100.8	57.5	0	27630.332	569.8924731	16000.86973	30000	0	0	30000	37.4375	2004
20.03.2020 11:09:57	1	1	1	1	101	57.25	0	28199.052	576.344086	16252.00446	30000	0	0	30000	37.5625	2004
20.03.2020 11:09:58	1	1	1	1	101	57.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.5	2004
20.03.2020 11:09:59	1	1	1	1	101	57.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:00	1	1	1	1	101	57.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:01	1	1	1	1	101	57.25	0	27725.118	576.344086	15973.96244	30000	0	0	30000	36.9375	2004
20.03.2020 11:10:02	1	1	1	1	101	56.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	37.5	2004
20.03.2020 11:10:03	1	1	1	1	101	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.6875	2004
20.03.2020 11:10:04	1	1	1	1	101	57.5	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	37.5625	2004
20.03.2020 11:10:05	1	1	1	1	101	57.5	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:06	1	1	1	1	101	57.25	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	37.125	2004
20.03.2020 11:10:07	1	1	1	1	100.3	57	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	37.3125	2004
20.03.2020 11:10:08	1	1	1	1	100.3	57.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	37.875	2004
20.03.2020 11:10:09	1	1	1	1	100.3	57.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.3125	2004
20.03.2020 11:10:10	1	1	1	1	100.3	57.25	0	27819.905	580.6451613	15924.22472	30000	0	0	30000	37.3125	2004
20.03.2020 11:10:11	1	1	1	1	100.3	57.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.625	2004
20.03.2020 11:10:12	1	1	1	1	100.3	57.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	37.125	2004
20.03.2020 11:10:13	1	1	1	1	100.3	57	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	37.5	2004
20.03.2020 11:10:14	1	1	1	1	100.3	57.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:10:15	1	1	1	1	100.3	57.5	0	27962.085	576.344086	16027.77702	30000	0	0	30000	37.5	2004
20.03.2020 11:10:16	1	1	1	1	100	57.5	0	28009.479	574.1935484	16263.41967	30000	0	0	30000	37.3125	2004
20.03.2020 11:10:17	1	1	1	1	100	57.25	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	37	2004
20.03.2020 11:10:18	1	1	1	1	100	57	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	37.625	2004
20.03.2020 11:10:19	1	1	1	1	100	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:20	1	1	1	1	100	57.25	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:21	1	1	1	1	100	57.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:10:22	1	1	1	1	100	57.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.625	2004
20.03.2020 11:10:23	1	1	1	1	100	57.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37.6875	2004
20.03.2020 11:10:24	1	1	1	1	100	57.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.375	2004
20.03.2020 11:10:25	1	1	1	1	100	57.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:26	1	1	1	1	100.5	57.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37	2004
20.03.2020 11:10:27	1	1	1	1	100.5	57	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.6875	2004
20.03.2020 11:10:28	1	1	1	1	100.5	57.5	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	37.6875	2004
20.03.2020 11:10:29	1	1	1	1	100.5	57.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	37.625	2004
20.03.2020 11:10:30	1	1	1	1	100.5	57.5	0	27867.299	569.8924731	15821.48778	30000	0	0	30000	36.875	2004
20.03.2020 11:10:31	1	1	1	1	100.5	56.75	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	37.625	2004
20.03.2020 11:10:32	1	1	1	1	100.5	57.5	0	28199.052	572.0430108	16082.40698	30000	0	0	30000	37.5	2004
20.03.2020 11:10:34	1	1	1	1	100.5	57.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:35	1	1	1	1	100.5	57.25	0	27914.692	567.7419355	15641.29046	30000	0	0	30000	37.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:10:36	1	1	1	1	100.5	57.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	37.6875	2004
20.03.2020 11:10:37	1	1	1	1	101.5	57.5	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	37.3125	2004
20.03.2020 11:10:38	1	1	1	1	101.5	57.25	0	28009.479	578.4946237	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:10:39	1	1	1	1	101.5	57.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	37.625	2004
20.03.2020 11:10:45	1	1	1	1	101.5	57.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:10:45	1	1	1	1	101.5	57.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:10:45	1	1	1	1	101.5	57.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:10:45	1	1	1	1	101.5	57.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:10:45	1	1	1	1	101.5	57.5	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	37.5	2004
20.03.2020 11:10:46	1	1	1	1	101.5	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.9375	2004
20.03.2020 11:10:47	1	1	1	1	100.8	57.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	37.5625	2004
20.03.2020 11:10:48	1	1	1	1	100.8	57.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.8125	2004
20.03.2020 11:10:49	1	1	1	1	100.8	57.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.6875	2004
20.03.2020 11:10:50	1	1	1	1	100.8	57.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.875	2004
20.03.2020 11:10:51	1	1	1	1	100.8	56.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	37.8125	2004
20.03.2020 11:10:52	1	1	1	1	100.8	57.75	0	27819.905	576.344086	15924.22472	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:53	1	1	1	1	100.8	57.25	0	27725.118	572.0430108	15864.70252	30000	0	0	30000	37.8125	2004
20.03.2020 11:10:54	1	1	1	1	100.8	57.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	37.625	2004
20.03.2020 11:10:55	1	1	1	1	100.8	57.5	0	27914.692	572.0430108	15875.30237	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:56	1	1	1	1	101.3	57.25	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	37.0625	2004
20.03.2020 11:10:57	1	1	1	1	101.3	57	0	27867.299	576.344086	15973.96244	30000	0	0	30000	37.4375	2004
20.03.2020 11:10:58	1	1	1	1	101.3	57.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	37.3125	2004
20.03.2020 11:10:59	1	1	1	1	101.3	57.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37.5	2004
20.03.2020 11:11:00	1	1	1	1	101.3	57.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.3125	2004
20.03.2020 11:11:01	1	1	1	1	101.3	57.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37.4375	2004
20.03.2020 11:11:02	1	1	1	1	101.3	57.25	0	28009.479	576.344086	16203.08211	30000	0	0	30000	37.5625	2004
20.03.2020 11:11:03	1	1	1	1	101.3	57.5	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	36.8125	2004
20.03.2020 11:11:04	1	1	1	1	101.3	56.75	0	27914.692	572.0430108	15734.24293	30000	0	0	30000	36.5625	2004
20.03.2020 11:11:05	1	1	1	1	101.3	56.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	36.875	2004
20.03.2020 11:11:06	1	1	1	1	100.8	56.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.875	2004
20.03.2020 11:11:07	1	1	1	1	100.8	57.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	37.0625	2004
20.03.2020 11:11:08	1	1	1	1	100.8	57	0	28009.479	574.1935484	16203.08211	30000	0	0	30000	37.625	2004
20.03.2020 11:11:09	1	1	1	1	100.8	57.5	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	37.4375	2004
20.03.2020 11:11:11	1	1	1	1	100.8	57.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	37.6875	2004
20.03.2020 11:11:12	1	1	1	1	100.8	57.5	0	28293.839	574.1935484	16191.66689	30000	0	0	30000	37.3125	2004
20.03.2020 11:11:13	1	1	1	1	100.8	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.75	2004
20.03.2020 11:11:14	1	1	1	1	100.8	57.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	37.8125	2004
20.03.2020 11:11:15	1	1	1	1	100.8	57.75	0	28009.479	580.6451613	16082.40698	30000	0	0	30000	37.4375	2004
20.03.2020 11:11:16	1	1	1	1	100.8	57.25	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	37.5	2004
20.03.2020 11:11:17	1	1	1	1	99.75	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.625	2004
20.03.2020 11:11:18	1	1	1	1	99.75	57.5	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	37.75	2004
20.03.2020 11:11:19	1	1	1	1	99.75	57.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	37.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:11:20	1	1	1	1	99.75	57.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	37.4375	2004
20.03.2020 11:11:21	1	1	1	1	99.75	57.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	37.125	2004
20.03.2020 11:11:22	1	1	1	1	99.75	57	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	37.5	2004
20.03.2020 11:11:23	1	1	1	1	99.75	57.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.5625	2004
20.03.2020 11:11:24	1	1	1	1	99.75	57.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:11:25	1	1	1	1	99.75	58	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	38.0625	2004
20.03.2020 11:11:26	1	1	1	1	99.75	58	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	37.6875	2004
20.03.2020 11:11:27	1	1	1	1	101.5	57.5	0	27867.299	574.1935484	15919.33248	30000	0	0	30000	37.9375	2004
20.03.2020 11:11:28	1	1	1	1	101.5	57.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.125	2004
20.03.2020 11:11:29	1	1	1	1	101.5	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.3125	2004
20.03.2020 11:11:30	1	1	1	1	101.5	57.25	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	37.5625	2004
20.03.2020 11:11:31	1	1	1	1	101.5	57.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	37.4375	2004
20.03.2020 11:11:32	1	1	1	1	101.5	57.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.875	2004
20.03.2020 11:11:33	1	1	1	1	101.5	57.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.5	2004
20.03.2020 11:11:34	1	1	1	1	101.5	57.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.3125	2004
20.03.2020 11:11:35	1	1	1	1	101.5	57.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	37.375	2004
20.03.2020 11:11:36	1	1	1	1	102	57.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37.8125	2004
20.03.2020 11:11:37	1	1	1	1	102	57.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.875	2004
20.03.2020 11:11:38	1	1	1	1	102	57.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	37.8125	2004
20.03.2020 11:11:39	1	1	1	1	102	57.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	37.6875	2004
20.03.2020 11:11:40	1	1	1	1	102	57.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37.6875	2004
20.03.2020 11:11:47	1	1	1	1	101.8	57.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.625	2004
20.03.2020 11:11:47	1	1	1	1	101.8	57.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.625	2004
20.03.2020 11:11:47	1	1	1	1	101.8	57.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.625	2004
20.03.2020 11:11:47	1	1	1	1	101.8	57.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.625	2004
20.03.2020 11:11:47	1	1	1	1	101.8	57.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.625	2004
20.03.2020 11:11:47	1	1	1	1	101.8	57.5	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	37.6875	2004
20.03.2020 11:11:49	1	1	1	1	101.8	57.5	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	37	2004
20.03.2020 11:11:50	1	1	1	1	101.8	57	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:11:51	1	1	1	1	101.8	57.5	0	27962.085	574.1935484	16203.08211	30000	0	0	30000	37.8125	2004
20.03.2020 11:11:52	1	1	1	1	101.8	57.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37	2004
20.03.2020 11:11:53	1	1	1	1	101.8	57	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.875	2004
20.03.2020 11:11:54	1	1	1	1	101.8	57.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	37.8125	2004
20.03.2020 11:11:55	1	1	1	1	101.8	57.75	0	27819.905	580.6451613	15973.96244	30000	0	0	30000	37.625	2004
20.03.2020 11:11:56	1	1	1	1	101.8	57.5	0	27962.085	576.344086	16027.77702	30000	0	0	30000	37.4375	2004
20.03.2020 11:11:57	1	1	1	1	101.8	57.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.8125	2004
20.03.2020 11:11:58	1	1	1	1	101.8	57.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37.875	2004
20.03.2020 11:11:59	1	1	1	1	101.8	57.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:12:00	1	1	1	1	101.8	57.5	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	37.3125	2004
20.03.2020 11:12:01	1	1	1	1	101.8	57.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.75	2004
20.03.2020 11:12:02	1	1	1	1	101.8	57.75	0	27725.118	572.0430108	15864.70252	30000	0	0	30000	37.6875	2004
20.03.2020 11:12:03	1	1	1	1	101.8	57.5	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:12:04	1	1	1	1	101.8	57.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:12:05	1	1	1	1	101.8	57.5	0	27962.085	567.7419355	15788.05751	30000	0	0	30000	37.75	2004
20.03.2020 11:12:06	1	1	1	1	100.8	57.75	0	28009.479	576.344086	16312.34202	30000	0	0	30000	37.6875	2004
20.03.2020 11:12:07	1	1	1	1	100.8	57.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	37.8125	2004
20.03.2020 11:12:08	1	1	1	1	100.8	57.75	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	37.8125	2004
20.03.2020 11:12:09	1	1	1	1	100.8	57.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.4375	2004
20.03.2020 11:12:10	1	1	1	1	100.8	57.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.75	2004
20.03.2020 11:12:11	1	1	1	1	100.8	57.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.8125	2004
20.03.2020 11:12:12	1	1	1	1	100.8	57.75	0	27819.905	576.344086	15886.71758	30000	0	0	30000	37.0625	2004
20.03.2020 11:12:13	1	1	1	1	100.8	57	0	27914.692	569.8924731	15995.16212	30000	0	0	30000	37.3125	2004
20.03.2020 11:12:14	1	1	1	1	100.8	57.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.5625	2004
20.03.2020 11:12:15	1	1	1	1	100.8	57.5	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	37.625	2004
20.03.2020 11:12:16	1	1	1	1	102	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.6875	2004
20.03.2020 11:12:17	1	1	1	1	102	57.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:12:18	1	1	1	1	102	57.25	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	37.3125	2004
20.03.2020 11:12:19	1	1	1	1	102	57.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	36.75	2004
20.03.2020 11:12:20	1	1	1	1	102	56.75	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	37.875	2004
20.03.2020 11:12:21	1	1	1	1	102	57.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	37.875	2004
20.03.2020 11:12:22	1	1	1	1	102	57.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.4375	2004
20.03.2020 11:12:23	1	1	1	1	102	57.25	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	37.6875	2004
20.03.2020 11:12:24	1	1	1	1	102	57.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:12:25	1	1	1	1	102	57.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.75	2004
20.03.2020 11:12:26	1	1	1	1	102.3	57.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	37.4375	2004
20.03.2020 11:12:27	1	1	1	1	102.3	57.25	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	37.6875	2004
20.03.2020 11:12:29	1	1	1	1	102.3	57.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	36.8125	2004
20.03.2020 11:12:30	1	1	1	1	102.3	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.0625	2004
20.03.2020 11:12:31	1	1	1	1	102.3	57	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	37.6875	2004
20.03.2020 11:12:32	1	1	1	1	102.3	57.5	0	27867.299	574.1935484	15881.00997	30000	0	0	30000	37.8125	2004
20.03.2020 11:12:33	1	1	1	1	102.3	57.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.8125	2004
20.03.2020 11:12:34	1	1	1	1	102.3	57.75	0	27962.085	569.8924731	16022.06942	30000	0	0	30000	37.8125	2004
20.03.2020 11:12:35	1	1	1	1	102.3	57.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.8125	2004
20.03.2020 11:12:36	1	1	1	1	102.3	57.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	38	2004
20.03.2020 11:12:37	1	1	1	1	102	58	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	37.6875	2004
20.03.2020 11:12:38	1	1	1	1	102	57.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.875	2004
20.03.2020 11:12:39	1	1	1	1	102	57.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	38	2004
20.03.2020 11:12:40	1	1	1	1	102	58	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	37.125	2004
20.03.2020 11:12:41	1	1	1	1	102	57	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	38.375	2004
20.03.2020 11:12:42	1	1	1	1	102	58.25	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	37.75	2004
20.03.2020 11:12:48	1	1	1	1	101.5	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5	2004
20.03.2020 11:12:48	1	1	1	1	101.5	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5	2004
20.03.2020 11:12:48	1	1	1	1	101.5	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5	2004
20.03.2020 11:12:48	1	1	1	1	101.5	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5	2004
20.03.2020 11:12:48	1	1	1	1	101.5	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:12:48	1	1	1	1	101.5	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.5	2004
20.03.2020 11:12:49	1	1	1	1	101.5	57.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	37.9375	2004
20.03.2020 11:12:50	1	1	1	1	101.5	57.75	0	28009.479	569.8924731	16203.08211	30000	0	0	30000	37.8125	2004
20.03.2020 11:12:51	1	1	1	1	101.5	57.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.875	2004
20.03.2020 11:12:52	1	1	1	1	101.5	57.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.4375	2004
20.03.2020 11:12:53	1	1	1	1	101.5	57.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.6875	2004
20.03.2020 11:12:54	1	1	1	1	101.5	57.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.625	2004
20.03.2020 11:12:55	1	1	1	1	101.5	57.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.625	2004
20.03.2020 11:12:56	1	1	1	1	101	57.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.5625	2004
20.03.2020 11:12:57	1	1	1	1	101	57.5	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	37.25	2004
20.03.2020 11:12:58	1	1	1	1	101	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.875	2004
20.03.2020 11:12:59	1	1	1	1	101	57.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	36.4375	2004
20.03.2020 11:13:00	1	1	1	1	101	56.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.4375	2004
20.03.2020 11:13:01	1	1	1	1	101	57.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	37.8125	2004
20.03.2020 11:13:02	1	1	1	1	101	57.75	0	27914.692	576.344086	16061.20729	30000	0	0	30000	37.875	2004
20.03.2020 11:13:03	1	1	1	1	101	57.75	0	27819.905	574.1935484	15941.34754	30000	0	0	30000	36.9375	2004
20.03.2020 11:13:04	1	1	1	1	101	56.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	37.6875	2004
20.03.2020 11:13:06	1	1	1	1	101	57.5	0	28009.479	576.344086	16022.06942	30000	0	0	30000	37.875	2004
20.03.2020 11:13:07	1	1	1	1	100.5	57.75	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	37.5625	2004
20.03.2020 11:13:08	1	1	1	1	100.5	57.5	0	27819.905	574.1935484	15941.34754	30000	0	0	30000	37.6875	2004
20.03.2020 11:13:09	1	1	1	1	100.5	57.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:13:10	1	1	1	1	100.5	57.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	37.875	2004
20.03.2020 11:13:11	1	1	1	1	100.5	57.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.3125	2004
20.03.2020 11:13:12	1	1	1	1	100.5	57.25	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	38	2004
20.03.2020 11:13:13	1	1	1	1	100.5	58	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	37.1875	2004
20.03.2020 11:13:14	1	1	1	1	100.5	57	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:13:15	1	1	1	1	100.5	57.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.3125	2004
20.03.2020 11:13:16	1	1	1	1	100.5	57.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	37.875	2004
20.03.2020 11:13:17	1	1	1	1	100.8	57.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	37.0625	2004
20.03.2020 11:13:18	1	1	1	1	100.8	57	0	27819.905	576.344086	15973.96244	30000	0	0	30000	37.625	2004
20.03.2020 11:13:19	1	1	1	1	100.8	57.5	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	37.3125	2004
20.03.2020 11:13:20	1	1	1	1	100.8	57.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	37.9375	2004
20.03.2020 11:13:21	1	1	1	1	100.8	57.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	37.4375	2004
20.03.2020 11:13:22	1	1	1	1	100.8	57.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	38.3125	2004
20.03.2020 11:13:23	1	1	1	1	100.8	57.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.75	2004
20.03.2020 11:13:24	1	1	1	1	100.8	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	38	2004
20.03.2020 11:13:25	1	1	1	1	100.8	58	0	27914.692	572.0430108	16115.83725	30000	0	0	30000	37.875	2004
20.03.2020 11:13:26	1	1	1	1	101.3	57.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.5	2004
20.03.2020 11:13:27	1	1	1	1	101.3	57.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.875	2004
20.03.2020 11:13:28	1	1	1	1	101.3	57.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	37.9375	2004
20.03.2020 11:13:29	1	1	1	1	101.3	57.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.875	2004
20.03.2020 11:13:30	1	1	1	1	101.3	57.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:13:31	1	1	1	1	101.3	57.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:13:32	1	1	1	1	101.3	57.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	36.75	2004
20.03.2020 11:13:33	1	1	1	1	101.3	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.6875	2004
20.03.2020 11:13:34	1	1	1	1	101.3	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.8125	2004
20.03.2020 11:13:35	1	1	1	1	101.3	57.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.75	2004
20.03.2020 11:13:36	1	1	1	1	100.5	57.75	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	37.6875	2004
20.03.2020 11:13:37	1	1	1	1	100.5	57.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	37.5	2004
20.03.2020 11:13:38	1	1	1	1	100.5	57.5	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	37.9375	2004
20.03.2020 11:13:39	1	1	1	1	100.5	57.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	38	2004
20.03.2020 11:13:40	1	1	1	1	100.5	58	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:13:42	1	1	1	1	100.5	57.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	37.875	2004
20.03.2020 11:13:43	1	1	1	1	100.5	57.75	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	37.9375	2004
20.03.2020 11:13:44	1	1	1	1	100.5	57.75	0	27914.692	565.5913978	15934.82456	30000	0	0	30000	37.875	2004
20.03.2020 11:13:50	1	1	1	1	101	57	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	37.5	2004
20.03.2020 11:13:50	1	1	1	1	101	57	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	37.5	2004
20.03.2020 11:13:50	1	1	1	1	101	57	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	37.5	2004
20.03.2020 11:13:50	1	1	1	1	101	57	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	37.5	2004
20.03.2020 11:13:50	1	1	1	1	101	57	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	37.5	2004
20.03.2020 11:13:50	1	1	1	1	101	57	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	37.5	2004
20.03.2020 11:13:51	1	1	1	1	101	57.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:13:52	1	1	1	1	101	57.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	37.75	2004
20.03.2020 11:13:53	1	1	1	1	101	57.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37.375	2004
20.03.2020 11:13:54	1	1	1	1	101	57.25	0	27914.692	572.0430108	16203.08211	30000	0	0	30000	38	2004
20.03.2020 11:13:55	1	1	1	1	101	58	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.6875	2004
20.03.2020 11:13:56	1	1	1	1	101	56.5	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	37.6875	2004
20.03.2020 11:13:57	1	1	1	1	100.5	57.5	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:13:58	1	1	1	1	100.5	57.75	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	37.1875	2004
20.03.2020 11:13:59	1	1	1	1	100.5	57	0	27630.332	569.8924731	15854.10268	30000	0	0	30000	37.9375	2004
20.03.2020 11:14:00	1	1	1	1	100.5	57.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.5625	2004
20.03.2020 11:14:01	1	1	1	1	100.5	57.5	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	37.6875	2004
20.03.2020 11:14:02	1	1	1	1	100.5	57.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	38	2004
20.03.2020 11:14:03	1	1	1	1	100.5	58	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.9375	2004
20.03.2020 11:14:04	1	1	1	1	100.5	57.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	37.5	2004
20.03.2020 11:14:05	1	1	1	1	100.5	57.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.375	2004
20.03.2020 11:14:06	1	1	1	1	100.8	57.25	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	37.4375	2004
20.03.2020 11:14:07	1	1	1	1	100.8	57.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38	2004
20.03.2020 11:14:08	1	1	1	1	100.8	58	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.75	2004
20.03.2020 11:14:09	1	1	1	1	100.8	57.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.875	2004
20.03.2020 11:14:10	1	1	1	1	100.8	57.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	37.25	2004
20.03.2020 11:14:11	1	1	1	1	100.8	57.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.9375	2004
20.03.2020 11:14:12	1	1	1	1	100.8	57.75	0	28199.052	580.6451613	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:14:13	1	1	1	1	100.8	57.25	0	27962.085	567.7419355	15907.91727	30000	0	0	30000	37.4375	2004
20.03.2020 11:14:14	1	1	1	1	100.8	57.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.9375	2004
20.03.2020 11:14:15	1	1	1	1	100.8	57.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:14:16	1	1	1	1	102.3	57.75	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	37.8125	2004
20.03.2020 11:14:17	1	1	1	1	102.3	57.75	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	38	2004
20.03.2020 11:14:18	1	1	1	1	102.3	58	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	38	2004
20.03.2020 11:14:19	1	1	1	1	102.3	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.125	2004
20.03.2020 11:14:21	1	1	1	1	102.3	58	0	27914.692	576.344086	16115.83725	30000	0	0	30000	37.125	2004
20.03.2020 11:14:22	1	1	1	1	102.3	57	0	27819.905	563.4408602	15941.34754	30000	0	0	30000	38.125	2004
20.03.2020 11:14:23	1	1	1	1	102.3	58	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.0625	2004
20.03.2020 11:14:24	1	1	1	1	102.3	57	0	28199.052	576.344086	16191.66689	30000	0	0	30000	37.6875	2004
20.03.2020 11:14:25	1	1	1	1	102.3	57.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	37.375	2004
20.03.2020 11:14:26	1	1	1	1	102.3	57.25	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	37.875	2004
20.03.2020 11:14:27	1	1	1	1	101	57.75	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	38	2004
20.03.2020 11:14:28	1	1	1	1	101	58	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.9375	2004
20.03.2020 11:14:29	1	1	1	1	101	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.6875	2004
20.03.2020 11:14:30	1	1	1	1	101	57.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:14:31	1	1	1	1	101	57.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	37.6875	2004
20.03.2020 11:14:32	1	1	1	1	101	57.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	38.125	2004
20.03.2020 11:14:33	1	1	1	1	101	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:34	1	1	1	1	101	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:35	1	1	1	1	101	58	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	38	2004
20.03.2020 11:14:36	1	1	1	1	101	58	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	37.875	2004
20.03.2020 11:14:37	1	1	1	1	100.8	57.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	38.3125	2004
20.03.2020 11:14:38	1	1	1	1	100.8	58.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	38	2004
20.03.2020 11:14:39	1	1	1	1	100.8	57.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	37.9375	2004
20.03.2020 11:14:40	1	1	1	1	100.8	57.75	0	27914.692	569.8924731	15848.39508	30000	0	0	30000	37.6875	2004
20.03.2020 11:14:41	1	1	1	1	100.8	57.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	38.125	2004
20.03.2020 11:14:42	1	1	1	1	100.8	58	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	36.8125	2004
20.03.2020 11:14:43	1	1	1	1	100.8	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.875	2004
20.03.2020 11:14:44	1	1	1	1	100.8	57.75	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:45	1	1	1	1	100.8	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:51	1	1	1	1	99.75	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:51	1	1	1	1	99.75	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:51	1	1	1	1	99.75	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:51	1	1	1	1	99.75	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:51	1	1	1	1	99.75	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:51	1	1	1	1	99.75	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:52	1	1	1	1	99.75	58	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.875	2004
20.03.2020 11:14:53	1	1	1	1	99.75	57.75	0	27867.299	563.4408602	15968.25483	30000	0	0	30000	38.0625	2004
20.03.2020 11:14:54	1	1	1	1	99.75	58	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.8125	2004
20.03.2020 11:14:55	1	1	1	1	99.75	57.75	0	28293.839	572.0430108	16273.20414	30000	0	0	30000	38.125	2004
20.03.2020 11:14:56	1	1	1	1	100.8	58	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.5625	2004
20.03.2020 11:14:57	1	1	1	1	100.8	57.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.6875	2004
20.03.2020 11:14:58	1	1	1	1	100.8	57.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.75	2004
20.03.2020 11:15:00	1	1	1	1	100.8	57.75	0	27867.299	569.8924731	16027.77702	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:15:01	1	1	1	1	100.8	57.25	0	28199.052	576.344086	16252.00446	30000	0	0	30000	37.1875	2004
20.03.2020 11:15:02	1	1	1	1	100.8	57	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:03	1	1	1	1	100.8	58	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	37.9375	2004
20.03.2020 11:15:04	1	1	1	1	100.8	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:15:05	1	1	1	1	100.8	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.875	2004
20.03.2020 11:15:06	1	1	1	1	100.8	57.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:07	1	1	1	1	100.8	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.4375	2004
20.03.2020 11:15:08	1	1	1	1	100.8	57.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:15:09	1	1	1	1	100.8	57.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	36.875	2004
20.03.2020 11:15:10	1	1	1	1	100.8	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:11	1	1	1	1	100.8	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.75	2004
20.03.2020 11:15:12	1	1	1	1	100.8	57.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.5625	2004
20.03.2020 11:15:13	1	1	1	1	100.8	57.5	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	38	2004
20.03.2020 11:15:14	1	1	1	1	100.8	58	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.9375	2004
20.03.2020 11:15:15	1	1	1	1	100.8	56.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:16	1	1	1	1	100.8	58	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	37.875	2004
20.03.2020 11:15:17	1	1	1	1	101.8	57.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.75	2004
20.03.2020 11:15:18	1	1	1	1	101.8	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.125	2004
20.03.2020 11:15:19	1	1	1	1	101.8	58	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.1875	2004
20.03.2020 11:15:20	1	1	1	1	101.8	58	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	38.1875	2004
20.03.2020 11:15:21	1	1	1	1	101.8	58	0	28293.839	569.8924731	16130.51396	30000	0	0	30000	37.375	2004
20.03.2020 11:15:22	1	1	1	1	101.8	57.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:23	1	1	1	1	101.8	58	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	37.375	2004
20.03.2020 11:15:24	1	1	1	1	101.8	57.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.9375	2004
20.03.2020 11:15:25	1	1	1	1	101.8	57.75	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	37.8125	2004
20.03.2020 11:15:26	1	1	1	1	100.8	57.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.3125	2004
20.03.2020 11:15:27	1	1	1	1	100.8	57.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	38.125	2004
20.03.2020 11:15:28	1	1	1	1	100.8	58	0	27819.905	567.7419355	15794.58049	30000	0	0	30000	37.75	2004
20.03.2020 11:15:29	1	1	1	1	100.8	57.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:30	1	1	1	1	100.8	58	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	37.5625	2004
20.03.2020 11:15:31	1	1	1	1	100.8	57.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.25	2004
20.03.2020 11:15:32	1	1	1	1	100.8	57.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	38	2004
20.03.2020 11:15:33	1	1	1	1	100.8	58	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	38.1875	2004
20.03.2020 11:15:34	1	1	1	1	100.8	58	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:35	1	1	1	1	100.8	58	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	38.125	2004
20.03.2020 11:15:36	1	1	1	1	101	58	0	27962.085	567.7419355	15788.05751	30000	0	0	30000	37.5625	2004
20.03.2020 11:15:38	1	1	1	1	101	57.5	0	28293.839	572.0430108	16185.14391	30000	0	0	30000	37.8125	2004
20.03.2020 11:15:39	1	1	1	1	101	57.75	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	38.25	2004
20.03.2020 11:15:40	1	1	1	1	101	58.25	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	37.625	2004
20.03.2020 11:15:41	1	1	1	1	101	57.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:42	1	1	1	1	101	58	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:43	1	1	1	1	101	58	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	38.125	2004
20.03.2020 11:15:44	1	1	1	1	101	58	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:15:45	1	1	1	1	101	57.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.0625	2004
20.03.2020 11:15:46	1	1	1	1	101	58	0	27914.692	565.5913978	15934.82456	30000	0	0	30000	38.1875	2004
20.03.2020 11:15:47	1	1	1	1	98.25	58	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	37.6875	2004
20.03.2020 11:15:53	1	1	1	1	98.25	58.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.5625	2004
20.03.2020 11:15:53	1	1	1	1	98.25	58.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.5625	2004
20.03.2020 11:15:53	1	1	1	1	98.25	58.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.5625	2004
20.03.2020 11:15:53	1	1	1	1	98.25	58.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.5625	2004
20.03.2020 11:15:53	1	1	1	1	98.25	58.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.5625	2004
20.03.2020 11:15:53	1	1	1	1	98.25	58.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.5625	2004
20.03.2020 11:15:54	1	1	1	1	98.25	57.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	38.1875	2004
20.03.2020 11:15:55	1	1	1	1	98.25	58	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	38.1875	2004
20.03.2020 11:15:56	1	1	1	1	98.25	58	0	28199.052	576.344086	16191.66689	30000	0	0	30000	38	2004
20.03.2020 11:15:57	1	1	1	1	95.75	58	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	38	2004
20.03.2020 11:15:58	1	1	1	1	95.75	58	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:15:59	1	1	1	1	95.75	57.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.875	2004
20.03.2020 11:16:00	1	1	1	1	95.75	57.75	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	38.375	2004
20.03.2020 11:16:01	1	1	1	1	95.75	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:16:02	1	1	1	1	95.75	57.75	0	28341.232	576.344086	16130.51396	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:05	1	1	1	1	95.75	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:16:05	1	1	1	1	95.75	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:16:05	1	1	1	1	95.75	57.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	37.9375	2004
20.03.2020 11:16:06	1	1	1	1	95.5	57.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.625	2004
20.03.2020 11:16:07	1	1	1	1	95.5	57.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.4375	2004
20.03.2020 11:16:08	1	1	1	1	95.5	57.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:09	1	1	1	1	95.5	58	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	38.0625	2004
20.03.2020 11:16:10	1	1	1	1	95.5	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.8125	2004
20.03.2020 11:16:11	1	1	1	1	95.5	57.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.375	2004
20.03.2020 11:16:12	1	1	1	1	95.5	57.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:16:13	1	1	1	1	95.5	58.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	37.5625	2004
20.03.2020 11:16:14	1	1	1	1	95.5	57.5	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:15	1	1	1	1	95.5	58	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	37.75	2004
20.03.2020 11:16:16	1	1	1	1	93.75	57.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:17	1	1	1	1	93.75	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.25	2004
20.03.2020 11:16:18	1	1	1	1	93.75	58.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	37.8125	2004
20.03.2020 11:16:19	1	1	1	1	93.75	57.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:16:21	1	1	1	1	93.75	57.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.875	2004
20.03.2020 11:16:22	1	1	1	1	93.75	57.75	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	38.0625	2004
20.03.2020 11:16:23	1	1	1	1	93.75	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.875	2004
20.03.2020 11:16:24	1	1	1	1	93.75	57.75	0	27962.085	563.4408602	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:16:25	1	1	1	1	93.75	57.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	38.25	2004
20.03.2020 11:16:26	1	1	1	1	93.75	58.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:27	1	1	1	1	93.75	58	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	38.3125	2004
20.03.2020 11:16:28	1	1	1	1	93.75	58.25	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:16:29	1	1	1	1	93.75	58.25	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	37.5625	2004
20.03.2020 11:16:30	1	1	1	1	93.75	57.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.4375	2004
20.03.2020 11:16:31	1	1	1	1	93.75	57.25	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	38.125	2004
20.03.2020 11:16:32	1	1	1	1	93.75	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.6875	2004
20.03.2020 11:16:33	1	1	1	1	93.75	57.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:34	1	1	1	1	93.75	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.375	2004
20.03.2020 11:16:35	1	1	1	1	93.75	57.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:36	1	1	1	1	93.75	58	0	27630.332	561.2903226	15614.38317	30000	0	0	30000	37.9375	2004
20.03.2020 11:16:37	1	1	1	1	94.25	57.75	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	38.5	2004
20.03.2020 11:16:38	1	1	1	1	94.25	58.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.5	2004
20.03.2020 11:16:39	1	1	1	1	94.25	57.75	0	28009.479	569.8924731	15875.30237	30000	0	0	30000	38.125	2004
20.03.2020 11:16:40	1	1	1	1	94.25	58	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.9375	2004
20.03.2020 11:16:41	1	1	1	1	94.25	57.75	0	27962.085	569.8924731	15875.30237	30000	0	0	30000	37.6875	2004
20.03.2020 11:16:42	1	1	1	1	94.25	57.5	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	38.25	2004
20.03.2020 11:16:43	1	1	1	1	94.25	58.25	0	27962.085	561.2903226	15902.20966	30000	0	0	30000	37.8125	2004
20.03.2020 11:16:44	1	1	1	1	94.25	57.75	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	38	2004
20.03.2020 11:16:45	1	1	1	1	94.25	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.375	2004
20.03.2020 11:16:46	1	1	1	1	95.75	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.8125	2004
20.03.2020 11:16:47	1	1	1	1	95.75	56.75	0	27867.299	567.7419355	15701.62803	30000	0	0	30000	38.3125	2004
20.03.2020 11:16:48	1	1	1	1	95.75	58.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38	2004
20.03.2020 11:16:54	1	1	1	1	95.75	58.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:54	1	1	1	1	95.75	58.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:54	1	1	1	1	95.75	58.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:55	1	1	1	1	95.75	58.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:55	1	1	1	1	95.75	58.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.1875	2004
20.03.2020 11:16:55	1	1	1	1	95.75	58	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	37.875	2004
20.03.2020 11:16:56	1	1	1	1	96.5	57.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	38.25	2004
20.03.2020 11:16:58	1	1	1	1	96.5	58.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.0625	2004
20.03.2020 11:16:59	1	1	1	1	96.5	58	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	37.3125	2004
20.03.2020 11:17:00	1	1	1	1	96.5	57.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.9375	2004
20.03.2020 11:17:01	1	1	1	1	96.5	57.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.8125	2004
20.03.2020 11:17:02	1	1	1	1	96.5	57.75	0	28199.052	569.8924731	15841.8721	30000	0	0	30000	37.75	2004
20.03.2020 11:17:03	1	1	1	1	96.5	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:17:04	1	1	1	1	96.5	56.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.3125	2004
20.03.2020 11:17:05	1	1	1	1	96.5	58.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	36.9375	2004
20.03.2020 11:17:06	1	1	1	1	96.5	56.75	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	38.3125	2004
20.03.2020 11:17:07	1	1	1	1	96	58.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.6875	2004
20.03.2020 11:17:08	1	1	1	1	96	57.5	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	38.0625	2004
20.03.2020 11:17:09	1	1	1	1	96	58	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	38.3125	2004
20.03.2020 11:17:10	1	1	1	1	96	58.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	37.8125	2004
20.03.2020 11:17:11	1	1	1	1	96	57.75	0	27962.085	567.7419355	15907.91727	30000	0	0	30000	38.0625	2004
20.03.2020 11:17:12	1	1	1	1	96	58	0	27867.299	567.7419355	15761.15022	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:17:13	1	1	1	1	96	58	0	27962.085	563.4408602	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:17:14	1	1	1	1	96	57.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	37.8125	2004
20.03.2020 11:17:15	1	1	1	1	96	57.75	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	38.3125	2004
20.03.2020 11:17:16	1	1	1	1	96	58.25	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	38.25	2004
20.03.2020 11:17:17	1	1	1	1	97.75	58.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	38.0625	2004
20.03.2020 11:17:18	1	1	1	1	97.75	58.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.9375	2004
20.03.2020 11:17:19	1	1	1	1	97.75	57.75	0	28341.232	565.5913978	15948.68589	30000	0	0	30000	37.5	2004
20.03.2020 11:17:20	1	1	1	1	97.75	57.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.8125	2004
20.03.2020 11:17:21	1	1	1	1	97.75	57.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.125	2004
20.03.2020 11:17:22	1	1	1	1	97.75	58	0	28009.479	561.2903226	16070.17639	30000	0	0	30000	38.1875	2004
20.03.2020 11:17:23	1	1	1	1	97.75	58	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	37.75	2004
20.03.2020 11:17:24	1	1	1	1	97.75	57.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	38.1875	2004
20.03.2020 11:17:25	1	1	1	1	97.75	58	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	37.5625	2004
20.03.2020 11:17:26	1	1	1	1	96.75	57.5	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	38.25	2004
20.03.2020 11:17:27	1	1	1	1	96.75	58.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	38	2004
20.03.2020 11:17:28	1	1	1	1	96.75	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.375	2004
20.03.2020 11:17:29	1	1	1	1	96.75	58.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.3125	2004
20.03.2020 11:17:30	1	1	1	1	96.75	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.375	2004
20.03.2020 11:17:31	1	1	1	1	96.75	57.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38	2004
20.03.2020 11:17:32	1	1	1	1	96.75	58	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.3125	2004
20.03.2020 11:17:33	1	1	1	1	96.75	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.375	2004
20.03.2020 11:17:34	1	1	1	1	96.75	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.25	2004
20.03.2020 11:17:36	1	1	1	1	96.75	58.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	38.0625	2004
20.03.2020 11:17:37	1	1	1	1	97.25	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.125	2004
20.03.2020 11:17:38	1	1	1	1	97.25	58	0	28199.052	563.4408602	15968.25483	30000	0	0	30000	37.875	2004
20.03.2020 11:17:39	1	1	1	1	97.25	57.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.25	2004
20.03.2020 11:17:40	1	1	1	1	97.25	58.25	0	28341.232	567.7419355	16056.31506	30000	0	0	30000	37.4375	2004
20.03.2020 11:17:41	1	1	1	1	97.25	57.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	37.5	2004
20.03.2020 11:17:42	1	1	1	1	97.25	57.5	0	28009.479	561.2903226	15961.73185	30000	0	0	30000	38.25	2004
20.03.2020 11:17:43	1	1	1	1	97.25	58.25	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	36.875	2004
20.03.2020 11:17:44	1	1	1	1	97.25	56.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	37.3125	2004
20.03.2020 11:17:45	1	1	1	1	97.25	57.25	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	37.6875	2004
20.03.2020 11:17:46	1	1	1	1	97.25	57.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.25	2004
20.03.2020 11:17:47	1	1	1	1	97.25	57.25	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	37.5	2004
20.03.2020 11:17:48	1	1	1	1	97.25	57.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	37.3125	2004
20.03.2020 11:17:49	1	1	1	1	97.25	57.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.125	2004
20.03.2020 11:17:50	1	1	1	1	97.25	58	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.9375	2004
20.03.2020 11:17:56	1	1	1	1	97.25	58.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	37.875	2004
20.03.2020 11:17:56	1	1	1	1	97.25	58.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	37.875	2004
20.03.2020 11:17:56	1	1	1	1	97.25	58.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	37.875	2004
20.03.2020 11:17:56	1	1	1	1	97.25	58.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	37.875	2004
20.03.2020 11:17:56	1	1	1	1	97.25	58.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	37.875	2004
20.03.2020 11:17:56	1	1	1	1	97.25	58.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	37.875	2004
20.03.2020 11:17:56	1	1	1	1	97.25	58.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	37.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:17:57	1	1	1	1	98.25	58.25	0	28199.052	576.344086	16070.17639	30000	0	0	30000	38	2004
20.03.2020 11:17:58	1	1	1	1	98.25	58	0	28199.052	572.0430108	15888.34833	30000	0	0	30000	37.9375	2004
20.03.2020 11:17:59	1	1	1	1	98.25	57.75	0	28199.052	569.8924731	15841.8721	30000	0	0	30000	37.8125	2004
20.03.2020 11:18:00	1	1	1	1	98.25	57.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.3125	2004
20.03.2020 11:18:01	1	1	1	1	98.25	58.25	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	38.25	2004
20.03.2020 11:18:02	1	1	1	1	98.25	58.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	38	2004
20.03.2020 11:18:03	1	1	1	1	98.25	58	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	37.6875	2004
20.03.2020 11:18:04	1	1	1	1	98.25	57.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	37.5625	2004
20.03.2020 11:18:05	1	1	1	1	98.25	57.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:18:06	1	1	1	1	99	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.125	2004
20.03.2020 11:18:07	1	1	1	1	99	58	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	38.25	2004
20.03.2020 11:18:08	1	1	1	1	99	58.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:18:09	1	1	1	1	99	58.25	0	28293.839	563.4408602	16056.31506	30000	0	0	30000	38.5625	2004
20.03.2020 11:18:10	1	1	1	1	99	58.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	37.9375	2004
20.03.2020 11:18:11	1	1	1	1	99	57.75	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	38.4375	2004
20.03.2020 11:18:12	1	1	1	1	99	58.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.875	2004
20.03.2020 11:18:13	1	1	1	1	99	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.3125	2004
20.03.2020 11:18:14	1	1	1	1	99	58.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.9375	2004
20.03.2020 11:18:16	1	1	1	1	99	57.75	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	38	2004
20.03.2020 11:18:17	1	1	1	1	99.25	58	0	28293.839	561.2903226	15968.25483	30000	0	0	30000	38	2004
20.03.2020 11:18:18	1	1	1	1	99.25	58	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	38.5	2004
20.03.2020 11:18:19	1	1	1	1	99.25	58.5	0	28293.839	572.0430108	16009.83883	30000	0	0	30000	38.0625	2004
20.03.2020 11:18:20	1	1	1	1	99.25	58	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	38.125	2004
20.03.2020 11:18:21	1	1	1	1	99.25	58	0	28246.445	565.5913978	16090.5607	30000	0	0	30000	38.25	2004
20.03.2020 11:18:22	1	1	1	1	99.25	58.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.625	2004
20.03.2020 11:18:23	1	1	1	1	99.25	58.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	37.6875	2004
20.03.2020 11:18:24	1	1	1	1	99.25	57.5	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	38.0625	2004
20.03.2020 11:18:25	1	1	1	1	99.25	58	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	37.625	2004
20.03.2020 11:18:26	1	1	1	1	99.25	57.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.75	2004
20.03.2020 11:18:27	1	1	1	1	99.25	57.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38	2004
20.03.2020 11:18:28	1	1	1	1	99.25	58	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38.3125	2004
20.03.2020 11:18:29	1	1	1	1	99.25	58.25	0	28483.412	567.7419355	16232.43552	30000	0	0	30000	37.625	2004
20.03.2020 11:18:30	1	1	1	1	99.25	57.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.0625	2004
20.03.2020 11:18:31	1	1	1	1	99.25	58	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	38.3125	2004
20.03.2020 11:18:32	1	1	1	1	99.25	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.875	2004
20.03.2020 11:18:33	1	1	1	1	99.25	57.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.875	2004
20.03.2020 11:18:34	1	1	1	1	99.25	57.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.125	2004
20.03.2020 11:18:35	1	1	1	1	99.25	58	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	38.375	2004
20.03.2020 11:18:36	1	1	1	1	99.25	58.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	38.3125	2004
20.03.2020 11:18:37	1	1	1	1	99.25	58.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.375	2004
20.03.2020 11:18:38	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38	2004
20.03.2020 11:18:39	1	1	1	1	99.25	58	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.4375	2004
20.03.2020 11:18:40	1	1	1	1	99.25	58.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:18:41	1	1	1	1	99.25	58.25	0	28293.839	561.2903226	15888.34833	30000	0	0	30000	38.375	2004
20.03.2020 11:18:42	1	1	1	1	99.25	58.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:18:43	1	1	1	1	99.25	58.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.3125	2004
20.03.2020 11:18:44	1	1	1	1	99.25	58.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.3125	2004
20.03.2020 11:18:45	1	1	1	1	99.25	58.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	38.375	2004
20.03.2020 11:18:46	1	1	1	1	98.75	58.25	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	38.5	2004
20.03.2020 11:18:47	1	1	1	1	98.75	58.5	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	38.4375	2004
20.03.2020 11:18:48	1	1	1	1	98.75	58.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	37.1875	2004
20.03.2020 11:18:49	1	1	1	1	98.75	57	0	28388.626	569.8924731	15645.36733	30000	0	0	30000	38.3125	2004
20.03.2020 11:18:50	1	1	1	1	98.75	58.25	0	28436.019	565.5913978	16266.68116	30000	0	0	30000	37.9375	2004
20.03.2020 11:18:51	1	1	1	1	98.75	57.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	36.9375	2004
20.03.2020 11:18:58	1	1	1	1	98.75	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:18:58	1	1	1	1	98.75	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:18:58	1	1	1	1	98.75	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:18:58	1	1	1	1	98.75	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:18:58	1	1	1	1	98.75	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:18:58	1	1	1	1	98.75	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:18:58	1	1	1	1	98.75	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:18:59	1	1	1	1	98.75	58.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	37.3125	2004
20.03.2020 11:19:00	1	1	1	1	98.75	57.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	37.875	2004
20.03.2020 11:19:01	1	1	1	1	98.75	57.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.125	2004
20.03.2020 11:19:02	1	1	1	1	98.75	58	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	38.5	2004
20.03.2020 11:19:03	1	1	1	1	98.75	58.5	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	37.6875	2004
20.03.2020 11:19:04	1	1	1	1	98.75	57.5	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	38.375	2004
20.03.2020 11:19:05	1	1	1	1	98.75	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	37.6875	2004
20.03.2020 11:19:06	1	1	1	1	98.75	57.5	0	28341.232	576.344086	15888.34833	30000	0	0	30000	38.0625	2004
20.03.2020 11:19:07	1	1	1	1	99	58	0	28009.479	565.5913978	15781.53453	30000	0	0	30000	38.375	2004
20.03.2020 11:19:08	1	1	1	1	99	58.25	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	38.4375	2004
20.03.2020 11:19:09	1	1	1	1	99	58.25	0	28199.052	567.7419355	15721.19697	30000	0	0	30000	38.4375	2004
20.03.2020 11:19:10	1	1	1	1	99	58.25	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	37.875	2004
20.03.2020 11:19:11	1	1	1	1	99	57.75	0	28199.052	565.5913978	16063.65341	30000	0	0	30000	38.375	2004
20.03.2020 11:19:12	1	1	1	1	99	58.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	38.5625	2004
20.03.2020 11:19:13	1	1	1	1	99	58.5	0	28341.232	565.5913978	15941.34754	30000	0	0	30000	38.6875	2004
20.03.2020 11:19:14	1	1	1	1	99	57.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	38.3125	2004
20.03.2020 11:19:15	1	1	1	1	99	58.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	38.0625	2004
20.03.2020 11:19:16	1	1	1	1	99.75	58	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	38.5625	2004
20.03.2020 11:19:17	1	1	1	1	99.75	58.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	37.875	2004
20.03.2020 11:19:18	1	1	1	1	99.75	57.75	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	37.6875	2004
20.03.2020 11:19:19	1	1	1	1	99.75	57.5	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	38.3125	2004
20.03.2020 11:19:20	1	1	1	1	99.75	58.25	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	38.4375	2004
20.03.2020 11:19:21	1	1	1	1	99.75	58.25	0	28436.019	556.9892473	16022.06942	30000	0	0	30000	38.4375	2004
20.03.2020 11:19:22	1	1	1	1	99.75	58.25	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:19:23	1	1	1	1	99.75	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.4375	2004
20.03.2020 11:19:24	1	1	1	1	99.75	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:19:25	1	1	1	1	99.75	58.25	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	37.75	2004
20.03.2020 11:19:26	1	1	1	1	99.25	57.75	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	38.5	2004
20.03.2020 11:19:27	1	1	1	1	99.25	58.5	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:19:28	1	1	1	1	99.25	58.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	38.375	2004
20.03.2020 11:19:29	1	1	1	1	99.25	58.25	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	37.625	2004
20.03.2020 11:19:30	1	1	1	1	99.25	57.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	38.4375	2004
20.03.2020 11:19:32	1	1	1	1	99.25	58.25	0	28388.626	567.7419355	16177.80556	30000	0	0	30000	38.3125	2004
20.03.2020 11:19:33	1	1	1	1	99.25	58.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	38.375	2004
20.03.2020 11:19:34	1	1	1	1	99.25	58.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	38.5	2004
20.03.2020 11:19:35	1	1	1	1	99.25	58.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.9375	2004
20.03.2020 11:19:36	1	1	1	1	99.25	57.75	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	38.4375	2004
20.03.2020 11:19:37	1	1	1	1	99.75	58.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	37.9375	2004
20.03.2020 11:19:38	1	1	1	1	99.75	57.75	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	38.375	2004
20.03.2020 11:19:39	1	1	1	1	99.75	58.25	0	28199.052	565.5913978	15600.52184	30000	0	0	30000	37.75	2004
20.03.2020 11:19:40	1	1	1	1	99.75	57.75	0	28246.445	563.4408602	16002.50048	30000	0	0	30000	38.125	2004
20.03.2020 11:19:41	1	1	1	1	99.75	58	0	28388.626	565.5913978	15819.85704	30000	0	0	30000	38.3125	2004
20.03.2020 11:19:42	1	1	1	1	99.75	58.25	0	28388.626	567.7419355	16083.22235	30000	0	0	30000	38.125	2004
20.03.2020 11:19:43	1	1	1	1	99.75	58	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	38.3125	2004
20.03.2020 11:19:44	1	1	1	1	99.75	58.25	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	38.625	2004
20.03.2020 11:19:45	1	1	1	1	99.75	58.5	0	28246.445	565.5913978	16063.65341	30000	0	0	30000	38.375	2004
20.03.2020 11:19:46	1	1	1	1	99.75	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	37.875	2004
20.03.2020 11:19:47	1	1	1	1	99.5	57.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.5	2004
20.03.2020 11:19:48	1	1	1	1	99.5	58.5	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	37.5625	2004
20.03.2020 11:19:49	1	1	1	1	99.5	57.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	38.5625	2004
20.03.2020 11:19:50	1	1	1	1	99.5	58.5	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	37.9375	2004
20.03.2020 11:19:51	1	1	1	1	99.5	57.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:19:52	1	1	1	1	99.5	58.5	0	28341.232	565.5913978	16063.65341	30000	0	0	30000	38.3125	2004
20.03.2020 11:19:53	1	1	1	1	99.5	58	0	28293.839	559.1397849	16029.40777	30000	0	0	30000	37.8125	2004
20.03.2020 11:19:59	1	1	1	1	99.75	58.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.125	2004
20.03.2020 11:19:59	1	1	1	1	99.75	58.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.125	2004
20.03.2020 11:19:59	1	1	1	1	99.75	58.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.125	2004
20.03.2020 11:19:59	1	1	1	1	99.75	58.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.125	2004
20.03.2020 11:19:59	1	1	1	1	99.75	58.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.125	2004
20.03.2020 11:19:59	1	1	1	1	99.75	58.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.125	2004
20.03.2020 11:20:00	1	1	1	1	99.75	58	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	37.9375	2004
20.03.2020 11:20:01	1	1	1	1	99.75	57.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	38.125	2004
20.03.2020 11:20:02	1	1	1	1	99.75	58	0	28199.052	565.5913978	15827.19539	30000	0	0	30000	38.5625	2004
20.03.2020 11:20:03	1	1	1	1	99.75	58.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	37.8125	2004
20.03.2020 11:20:04	1	1	1	1	99.75	57.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	38.125	2004
20.03.2020 11:20:05	1	1	1	1	99.75	58	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.4375	2004
20.03.2020 11:20:06	1	1	1	1	98.75	58.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.0625	2004
20.03.2020 11:20:07	1	1	1	1	98.75	58	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	38.625	2004
20.03.2020 11:20:08	1	1	1	1	98.75	58.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	38.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:20:09	1	1	1	1	98.75	58	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	38.5	2004
20.03.2020 11:20:11	1	1	1	1	98.75	58.5	0	28341.232	572.0430108	16212.05121	30000	0	0	30000	37.875	2004
20.03.2020 11:20:12	1	1	1	1	98.75	57.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.375	2004
20.03.2020 11:20:13	1	1	1	1	98.75	58.25	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	37.4375	2004
20.03.2020 11:20:14	1	1	1	1	98.75	57.25	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	37.75	2004
20.03.2020 11:20:15	1	1	1	1	98.75	57.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	38.5625	2004
20.03.2020 11:20:16	1	1	1	1	98.75	58.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.25	2004
20.03.2020 11:20:17	1	1	1	1	99	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.0625	2004
20.03.2020 11:20:18	1	1	1	1	99	58	0	28199.052	556.9892473	16002.50048	30000	0	0	30000	38.625	2004
20.03.2020 11:20:19	1	1	1	1	99	58.5	0	28246.445	565.5913978	16002.50048	30000	0	0	30000	37.9375	2004
20.03.2020 11:20:20	1	1	1	1	99	57.75	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	37.875	2004
20.03.2020 11:20:21	1	1	1	1	99	57.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.25	2004
20.03.2020 11:20:22	1	1	1	1	99	58.25	0	28009.479	563.4408602	15888.34833	30000	0	0	30000	38.4375	2004
20.03.2020 11:20:23	1	1	1	1	99	58.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.5	2004
20.03.2020 11:20:24	1	1	1	1	99	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.25	2004
20.03.2020 11:20:25	1	1	1	1	99	58.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.25	2004
20.03.2020 11:20:26	1	1	1	1	99	58.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.375	2004
20.03.2020 11:20:27	1	1	1	1	99	58.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.75	2004
20.03.2020 11:20:28	1	1	1	1	99	58.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	38.1875	2004
20.03.2020 11:20:29	1	1	1	1	99	58	0	28483.412	567.7419355	16144.37529	30000	0	0	30000	38.8125	2004
20.03.2020 11:20:30	1	1	1	1	99	58.75	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	38.3125	2004
20.03.2020 11:20:31	1	1	1	1	99	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:20:32	1	1	1	1	99	58.5	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	38.5625	2004
20.03.2020 11:20:33	1	1	1	1	99	57.5	0	28009.479	563.4408602	16009.83883	30000	0	0	30000	38.0625	2004
20.03.2020 11:20:34	1	1	1	1	99	58	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	38.5625	2004
20.03.2020 11:20:35	1	1	1	1	99	58.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	38.4375	2004
20.03.2020 11:20:36	1	1	1	1	99	58.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.6875	2004
20.03.2020 11:20:37	1	1	1	1	99	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.5625	2004
20.03.2020 11:20:38	1	1	1	1	99	58.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.6875	2004
20.03.2020 11:20:39	1	1	1	1	99	58.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	38	2004
20.03.2020 11:20:40	1	1	1	1	99	58	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	37.1875	2004
20.03.2020 11:20:41	1	1	1	1	99	57	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	38.5	2004
20.03.2020 11:20:42	1	1	1	1	99	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.25	2004
20.03.2020 11:20:43	1	1	1	1	99	57.25	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	37.875	2004
20.03.2020 11:20:44	1	1	1	1	99	57.75	0	28341.232	567.7419355	16300.11143	30000	0	0	30000	38.4375	2004
20.03.2020 11:20:45	1	1	1	1	99	58.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	38.5625	2004
20.03.2020 11:20:46	1	1	1	1	98.75	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.5	2004
20.03.2020 11:20:47	1	1	1	1	98.75	57.5	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	38	2004
20.03.2020 11:20:49	1	1	1	1	98.75	58	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:20:50	1	1	1	1	98.75	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.4375	2004
20.03.2020 11:20:51	1	1	1	1	98.75	58.25	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	37.875	2004
20.03.2020 11:20:52	1	1	1	1	98.75	57.75	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	38.25	2004
20.03.2020 11:20:53	1	1	1	1	98.75	58.25	0	28293.839	569.8924731	16063.65341	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:20:54	1	1	1	1	98.75	57.25	0	28199.052	565.5913978	15766.85783	30000	0	0	30000	37.9375	2004
20.03.2020 11:20:55	1	1	1	1	98.75	57.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:21:01	1	1	1	1	98.75	58.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:21:01	1	1	1	1	98.75	58.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:21:01	1	1	1	1	98.75	58.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:21:01	1	1	1	1	98.75	58.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:21:01	1	1	1	1	98.75	58.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:21:01	1	1	1	1	98.75	58.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:21:02	1	1	1	1	98.75	58.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.625	2004
20.03.2020 11:21:03	1	1	1	1	98.75	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:21:04	1	1	1	1	98.75	58.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	38.5625	2004
20.03.2020 11:21:05	1	1	1	1	98.75	58.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	38.1875	2004
20.03.2020 11:21:06	1	1	1	1	98.75	58	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	38.25	2004
20.03.2020 11:21:07	1	1	1	1	98.5	58.25	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	38.25	2004
20.03.2020 11:21:08	1	1	1	1	98.5	58.25	0	28009.479	565.5913978	15781.53453	30000	0	0	30000	38.6875	2004
20.03.2020 11:21:09	1	1	1	1	98.5	58.5	0	28341.232	569.8924731	16009.83883	30000	0	0	30000	38.6875	2004
20.03.2020 11:21:10	1	1	1	1	98.5	58.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	38.1875	2004
20.03.2020 11:21:11	1	1	1	1	98.5	58	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	37.8125	2004
20.03.2020 11:21:12	1	1	1	1	98.5	57.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.625	2004
20.03.2020 11:21:13	1	1	1	1	98.5	58.5	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	38.5625	2004
20.03.2020 11:21:14	1	1	1	1	98.5	58.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.0625	2004
20.03.2020 11:21:15	1	1	1	1	98.5	58	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:21:16	1	1	1	1	98.25	58.25	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	38.375	2004
20.03.2020 11:21:17	1	1	1	1	98.25	58.25	0	28388.626	572.0430108	16090.5607	30000	0	0	30000	38.5625	2004
20.03.2020 11:21:18	1	1	1	1	98.25	58.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	38.125	2004
20.03.2020 11:21:19	1	1	1	1	98.25	58	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:21:20	1	1	1	1	98.25	58.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.875	2004
20.03.2020 11:21:21	1	1	1	1	98.25	57.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.5625	2004
20.03.2020 11:21:22	1	1	1	1	98.25	58.5	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	38.0625	2004
20.03.2020 11:21:23	1	1	1	1	98.25	58	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	38.5625	2004
20.03.2020 11:21:24	1	1	1	1	98.25	58.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	38.5625	2004
20.03.2020 11:21:25	1	1	1	1	98.25	58.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.8125	2004
20.03.2020 11:21:27	1	1	1	1	99.25	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.25	2004
20.03.2020 11:21:28	1	1	1	1	99.25	58.25	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	38.25	2004
20.03.2020 11:21:29	1	1	1	1	99.25	58.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.125	2004
20.03.2020 11:21:30	1	1	1	1	99.25	58	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:21:31	1	1	1	1	99.25	58.5	0	28199.052	567.7419355	15721.19697	30000	0	0	30000	38.4375	2004
20.03.2020 11:21:32	1	1	1	1	99.25	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.75	2004
20.03.2020 11:21:33	1	1	1	1	99.25	58.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.5	2004
20.03.2020 11:21:34	1	1	1	1	99.25	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.5625	2004
20.03.2020 11:21:35	1	1	1	1	99.25	58.5	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	38.4375	2004
20.03.2020 11:21:36	1	1	1	1	99.25	58.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	38.1875	2004
20.03.2020 11:21:37	1	1	1	1	98.25	58	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:21:38	1	1	1	1	98.25	58	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	38.75	2004
20.03.2020 11:21:39	1	1	1	1	98.25	58.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	37.9375	2004
20.03.2020 11:21:40	1	1	1	1	98.25	57.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	38.375	2004
20.03.2020 11:21:41	1	1	1	1	98.25	58.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	37.625	2004
20.03.2020 11:21:42	1	1	1	1	98.25	57.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	38.125	2004
20.03.2020 11:21:43	1	1	1	1	98.25	58	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	38.8125	2004
20.03.2020 11:21:44	1	1	1	1	98.25	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.75	2004
20.03.2020 11:21:45	1	1	1	1	98.25	58.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.625	2004
20.03.2020 11:21:46	1	1	1	1	98.25	58.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38.875	2004
20.03.2020 11:21:47	1	1	1	1	98.25	58.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	38.625	2004
20.03.2020 11:21:48	1	1	1	1	98.25	58.5	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	38.5	2004
20.03.2020 11:21:49	1	1	1	1	98.25	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:21:50	1	1	1	1	98.25	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	37.75	2004
20.03.2020 11:21:51	1	1	1	1	98.25	57.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.0625	2004
20.03.2020 11:21:52	1	1	1	1	98.25	58	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.5625	2004
20.03.2020 11:21:53	1	1	1	1	98.25	58.5	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	38.6875	2004
20.03.2020 11:21:54	1	1	1	1	98.25	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	37.9375	2004
20.03.2020 11:21:55	1	1	1	1	98.25	57.75	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	38.625	2004
20.03.2020 11:21:56	1	1	1	1	99	58.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	38	2004
20.03.2020 11:22:02	1	1	1	1	99	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:02	1	1	1	1	99	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:02	1	1	1	1	99	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:02	1	1	1	1	99	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:02	1	1	1	1	99	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:02	1	1	1	1	99	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:03	1	1	1	1	99	58.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	38.3125	2004
20.03.2020 11:22:04	1	1	1	1	99	58.25	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	38.625	2004
20.03.2020 11:22:06	1	1	1	1	99	58.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.5	2004
20.03.2020 11:22:07	1	1	1	1	98.25	58.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.5	2004
20.03.2020 11:22:08	1	1	1	1	98.25	58.5	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	38.5	2004
20.03.2020 11:22:09	1	1	1	1	98.25	58.5	0	28199.052	563.4408602	16090.5607	30000	0	0	30000	38.4375	2004
20.03.2020 11:22:10	1	1	1	1	98.25	58.25	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	38.625	2004
20.03.2020 11:22:11	1	1	1	1	98.25	58.5	0	28009.479	559.1397849	15948.68589	30000	0	0	30000	38.4375	2004
20.03.2020 11:22:12	1	1	1	1	98.25	58.25	0	28341.232	561.2903226	15941.34754	30000	0	0	30000	37.3125	2004
20.03.2020 11:22:13	1	1	1	1	98.25	57.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	37.4375	2004
20.03.2020 11:22:14	1	1	1	1	98.25	57.25	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	37.375	2004
20.03.2020 11:22:15	1	1	1	1	98.25	57.25	0	28246.445	565.5913978	16063.65341	30000	0	0	30000	38.5	2004
20.03.2020 11:22:16	1	1	1	1	98.25	58.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	37.625	2004
20.03.2020 11:22:17	1	1	1	1	98.25	57.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	38.625	2004
20.03.2020 11:22:18	1	1	1	1	98.25	58.5	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	37.75	2004
20.03.2020 11:22:19	1	1	1	1	98.25	57.75	0	28530.806	567.7419355	16225.09717	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:20	1	1	1	1	98.25	58.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.625	2004
20.03.2020 11:22:21	1	1	1	1	98.25	58.5	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:22:22	1	1	1	1	98.25	58.5	0	28341.232	563.4408602	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:23	1	1	1	1	98.25	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.625	2004
20.03.2020 11:22:24	1	1	1	1	98.25	58.5	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	38.4375	2004
20.03.2020 11:22:25	1	1	1	1	98.25	58.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	37.875	2004
20.03.2020 11:22:26	1	1	1	1	98.25	57.75	0	28009.479	563.4408602	15721.19697	30000	0	0	30000	39.125	2004
20.03.2020 11:22:27	1	1	1	1	98.5	59	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	39	2004
20.03.2020 11:22:28	1	1	1	1	98.5	57.75	0	28341.232	565.5913978	15907.10189	30000	0	0	30000	38.5625	2004
20.03.2020 11:22:29	1	1	1	1	98.5	58.5	0	28199.052	567.7419355	16002.50048	30000	0	0	30000	38.0625	2004
20.03.2020 11:22:30	1	1	1	1	98.5	58	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	38.5625	2004
20.03.2020 11:22:31	1	1	1	1	98.5	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:32	1	1	1	1	98.5	58.5	0	28388.626	567.7419355	16177.80556	30000	0	0	30000	38.4375	2004
20.03.2020 11:22:33	1	1	1	1	98.5	58.25	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	38.625	2004
20.03.2020 11:22:34	1	1	1	1	98.5	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.0625	2004
20.03.2020 11:22:35	1	1	1	1	98.5	58	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:36	1	1	1	1	99	58.5	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	37.9375	2004
20.03.2020 11:22:37	1	1	1	1	99	57.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	38.3125	2004
20.03.2020 11:22:38	1	1	1	1	99	58.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.3125	2004
20.03.2020 11:22:39	1	1	1	1	99	58.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	37.5625	2004
20.03.2020 11:22:40	1	1	1	1	99	57.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.25	2004
20.03.2020 11:22:41	1	1	1	1	99	58.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:42	1	1	1	1	99	58.5	0	28009.479	563.4408602	15948.68589	30000	0	0	30000	38.4375	2004
20.03.2020 11:22:43	1	1	1	1	99	58.25	0	28199.052	569.8924731	16312.34202	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:45	1	1	1	1	99	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	37.9375	2004
20.03.2020 11:22:46	1	1	1	1	99	57.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.4375	2004
20.03.2020 11:22:47	1	1	1	1	99	58.25	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	38.125	2004
20.03.2020 11:22:48	1	1	1	1	99	58	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	38.75	2004
20.03.2020 11:22:49	1	1	1	1	99	58.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:50	1	1	1	1	99	58.5	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	38.625	2004
20.03.2020 11:22:51	1	1	1	1	99	58.5	0	28293.839	561.2903226	15934.00919	30000	0	0	30000	38.625	2004
20.03.2020 11:22:52	1	1	1	1	99	58.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.25	2004
20.03.2020 11:22:53	1	1	1	1	99	58.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.6875	2004
20.03.2020 11:22:54	1	1	1	1	99	58.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.8125	2004
20.03.2020 11:22:55	1	1	1	1	99	58.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	37.625	2004
20.03.2020 11:22:56	1	1	1	1	99	57.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.625	2004
20.03.2020 11:22:57	1	1	1	1	99.25	58.5	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	38.125	2004
20.03.2020 11:22:58	1	1	1	1	99.25	58	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	37.9375	2004
20.03.2020 11:23:04	1	1	1	1	99.25	58.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	38.375	2004
20.03.2020 11:23:04	1	1	1	1	99.25	58.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	38.375	2004
20.03.2020 11:23:04	1	1	1	1	99.25	58.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	38.375	2004
20.03.2020 11:23:04	1	1	1	1	99.25	58.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	38.375	2004
20.03.2020 11:23:04	1	1	1	1	99.25	58.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	38.375	2004
20.03.2020 11:23:05	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	16252.00446	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:23:06	1	1	1	1	99.25	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.1875	2004
20.03.2020 11:23:07	1	1	1	1	99	58	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38	2004
20.03.2020 11:23:08	1	1	1	1	99	58	0	28009.479	559.1397849	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:23:09	1	1	1	1	99	58.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	38.8125	2004
20.03.2020 11:23:10	1	1	1	1	99	58.5	0	28293.839	565.5913978	15968.25483	30000	0	0	30000	38.4375	2004
20.03.2020 11:23:11	1	1	1	1	99	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:23:12	1	1	1	1	99	58.25	0	28199.052	561.2903226	16009.83883	30000	0	0	30000	37.6875	2004
20.03.2020 11:23:13	1	1	1	1	99	57.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	38.75	2004
20.03.2020 11:23:14	1	1	1	1	99	58.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	38.5625	2004
20.03.2020 11:23:15	1	1	1	1	99	58.5	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:23:16	1	1	1	1	98.5	58.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	38.8125	2004
20.03.2020 11:23:17	1	1	1	1	98.5	58.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.75	2004
20.03.2020 11:23:18	1	1	1	1	98.5	58.75	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	38.3125	2004
20.03.2020 11:23:19	1	1	1	1	98.5	58.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	37.875	2004
20.03.2020 11:23:20	1	1	1	1	98.5	57.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.1875	2004
20.03.2020 11:23:21	1	1	1	1	98.5	58	0	28246.445	567.7419355	16009.83883	30000	0	0	30000	38.75	2004
20.03.2020 11:23:22	1	1	1	1	98.5	58.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.625	2004
20.03.2020 11:23:23	1	1	1	1	98.5	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.0625	2004
20.03.2020 11:23:25	1	1	1	1	98.5	58	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.5625	2004
20.03.2020 11:23:26	1	1	1	1	98.5	58.5	0	28388.626	569.8924731	16056.31506	30000	0	0	30000	38.5625	2004
20.03.2020 11:23:27	1	1	1	1	98	58.5	0	28436.019	565.5913978	16117.468	30000	0	0	30000	38.6875	2004
20.03.2020 11:23:28	1	1	1	1	98	58.5	0	28293.839	561.2903226	16123.99098	30000	0	0	30000	38.5625	2004
20.03.2020 11:23:29	1	1	1	1	98	58.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	38.5	2004
20.03.2020 11:23:30	1	1	1	1	98	58.5	0	28341.232	572.0430108	16029.40777	30000	0	0	30000	38.25	2004
20.03.2020 11:23:31	1	1	1	1	98	58.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	38	2004
20.03.2020 11:23:32	1	1	1	1	98	58	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	37.875	2004
20.03.2020 11:23:33	1	1	1	1	98	57.75	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	38.4375	2004
20.03.2020 11:23:34	1	1	1	1	98	58.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	38.6875	2004
20.03.2020 11:23:35	1	1	1	1	98	58.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.75	2004
20.03.2020 11:23:36	1	1	1	1	98	58.75	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	38.625	2004
20.03.2020 11:23:37	1	1	1	1	98.25	58.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.75	2004
20.03.2020 11:23:38	1	1	1	1	98.25	58.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	38.4375	2004
20.03.2020 11:23:39	1	1	1	1	98.25	58.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	38.25	2004
20.03.2020 11:23:40	1	1	1	1	98.25	58.25	0	28815.166	563.4408602	16066.9149	30000	0	0	30000	38.875	2004
20.03.2020 11:23:41	1	1	1	1	98.25	58.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	38.625	2004
20.03.2020 11:23:42	1	1	1	1	98.25	58.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	38.25	2004
20.03.2020 11:23:43	1	1	1	1	98.25	58.25	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	38.75	2004
20.03.2020 11:23:44	1	1	1	1	98.25	58.75	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	38.6875	2004
20.03.2020 11:23:45	1	1	1	1	98.25	58.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	38.4375	2004
20.03.2020 11:23:46	1	1	1	1	98.25	58.25	0	28530.806	565.5913978	16109.31427	30000	0	0	30000	38.5625	2004
20.03.2020 11:23:47	1	1	1	1	98.25	58.5	0	28199.052	561.2903226	15706.52026	30000	0	0	30000	38.6875	2004
20.03.2020 11:23:48	1	1	1	1	98.25	58.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	38.6875	2004
20.03.2020 11:23:49	1	1	1	1	98.25	58.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:23:50	1	1	1	1	98.25	58.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	38.625	2004
20.03.2020 11:23:51	1	1	1	1	98.25	58.5	0	28199.052	559.1397849	15827.19539	30000	0	0	30000	38.875	2004
20.03.2020 11:23:52	1	1	1	1	98.25	58.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	38.25	2004
20.03.2020 11:23:53	1	1	1	1	98.25	58.25	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	38.5	2004
20.03.2020 11:23:54	1	1	1	1	98.25	58.5	0	28388.626	563.4408602	16029.40777	30000	0	0	30000	38.1875	2004
20.03.2020 11:23:55	1	1	1	1	98.25	58	0	28341.232	556.9892473	15846.76433	30000	0	0	30000	38.375	2004
20.03.2020 11:23:56	1	1	1	1	99.25	58.25	0	28388.626	556.9892473	16022.06942	30000	0	0	30000	38.3125	2004
20.03.2020 11:23:57	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.75	2004
20.03.2020 11:23:58	1	1	1	1	99.25	58.75	0	28436.019	565.5913978	16144.37529	30000	0	0	30000	38.75	2004
20.03.2020 11:23:59	1	1	1	1	99.25	58.75	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	38.5	2004
20.03.2020 11:24:06	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:06	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:06	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:06	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:06	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:06	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:07	1	1	1	1	99	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.1875	2004
20.03.2020 11:24:08	1	1	1	1	99	58	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.75	2004
20.03.2020 11:24:09	1	1	1	1	99	58.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:24:10	1	1	1	1	99	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.75	2004
20.03.2020 11:24:11	1	1	1	1	99	58.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	38.5625	2004
20.03.2020 11:24:12	1	1	1	1	99	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.625	2004
20.03.2020 11:24:13	1	1	1	1	99	58.5	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	39	2004
20.03.2020 11:24:14	1	1	1	1	99	59	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	38.4375	2004
20.03.2020 11:24:15	1	1	1	1	99	58.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	38.75	2004
20.03.2020 11:24:16	1	1	1	1	99	58.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	38.75	2004
20.03.2020 11:24:17	1	1	1	1	99	58.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	38	2004
20.03.2020 11:24:18	1	1	1	1	99	58	0	28293.839	565.5913978	15888.34833	30000	0	0	30000	37.875	2004
20.03.2020 11:24:19	1	1	1	1	99	57.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:20	1	1	1	1	99	58.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.375	2004
20.03.2020 11:24:21	1	1	1	1	99	58.25	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	38.375	2004
20.03.2020 11:24:22	1	1	1	1	99	58.25	0	28341.232	563.4408602	15758.7041	30000	0	0	30000	38.6875	2004
20.03.2020 11:24:23	1	1	1	1	99	58.5	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	38.9375	2004
20.03.2020 11:24:24	1	1	1	1	99	58.75	0	28341.232	559.1397849	16056.31506	30000	0	0	30000	38.6875	2004
20.03.2020 11:24:25	1	1	1	1	99	58.5	0	28293.839	565.5913978	15888.34833	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:26	1	1	1	1	99	58.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	38.625	2004
20.03.2020 11:24:27	1	1	1	1	98.5	58.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	37.8125	2004
20.03.2020 11:24:28	1	1	1	1	98.5	57.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	38.3125	2004
20.03.2020 11:24:29	1	1	1	1	98.5	58.75	0	28199.052	563.4408602	16009.83883	30000	0	0	30000	38.875	2004
20.03.2020 11:24:30	1	1	1	1	98.5	58.75	0	28483.412	572.0430108	16048.16134	30000	0	0	30000	36.5	2004
20.03.2020 11:24:31	1	1	1	1	98.5	56.5	0	28009.479	563.4408602	15948.68589	30000	0	0	30000	38.625	2004
20.03.2020 11:24:32	1	1	1	1	98.5	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.125	2004
20.03.2020 11:24:33	1	1	1	1	98.5	58	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:24:34	1	1	1	1	98.5	58.5	0	28341.232	576.344086	15948.68589	30000	0	0	30000	38.4375	2004
20.03.2020 11:24:35	1	1	1	1	98.5	58.25	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	38.4375	2004
20.03.2020 11:24:36	1	1	1	1	98.75	58.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	38.75	2004
20.03.2020 11:24:37	1	1	1	1	98.75	58.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:38	1	1	1	1	98.75	58.75	0	28293.839	569.8924731	16002.50048	30000	0	0	30000	38.1875	2004
20.03.2020 11:24:39	1	1	1	1	98.75	58	0	28388.626	572.0430108	16002.50048	30000	0	0	30000	38.4375	2004
20.03.2020 11:24:40	1	1	1	1	98.75	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.3125	2004
20.03.2020 11:24:41	1	1	1	1	98.75	58.25	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	38.9375	2004
20.03.2020 11:24:42	1	1	1	1	98.75	58.75	0	28341.232	569.8924731	15948.68589	30000	0	0	30000	38.625	2004
20.03.2020 11:24:43	1	1	1	1	98.75	58.5	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	38.375	2004
20.03.2020 11:24:45	1	1	1	1	98.75	58.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	38.0625	2004
20.03.2020 11:24:46	1	1	1	1	98.75	58	0	28293.839	567.7419355	15706.52026	30000	0	0	30000	38.9375	2004
20.03.2020 11:24:47	1	1	1	1	99	58.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	38.125	2004
20.03.2020 11:24:48	1	1	1	1	99	58	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.5625	2004
20.03.2020 11:24:49	1	1	1	1	99	58.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	38.4375	2004
20.03.2020 11:24:50	1	1	1	1	99	58.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	38.75	2004
20.03.2020 11:24:51	1	1	1	1	99	58.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	38.5625	2004
20.03.2020 11:24:52	1	1	1	1	99	58.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:24:53	1	1	1	1	99	58.75	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	38.5625	2004
20.03.2020 11:24:54	1	1	1	1	99	58.5	0	28341.232	561.2903226	16056.31506	30000	0	0	30000	38.625	2004
20.03.2020 11:24:55	1	1	1	1	99	58.5	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	37.3125	2004
20.03.2020 11:24:56	1	1	1	1	99	57.25	0	28341.232	567.7419355	15907.10189	30000	0	0	30000	38.875	2004
20.03.2020 11:24:57	1	1	1	1	99	58.75	0	28341.232	565.5913978	16238.9585	30000	0	0	30000	38.875	2004
20.03.2020 11:24:58	1	1	1	1	99	58.75	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	38.875	2004
20.03.2020 11:24:59	1	1	1	1	99	58.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	38.875	2004
20.03.2020 11:25:00	1	1	1	1	99	58.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	38.9375	2004
20.03.2020 11:25:01	1	1	1	1	99	58.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	38.5	2004
20.03.2020 11:25:07	1	1	1	1	99	58.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	39.25	2004
20.03.2020 11:25:07	1	1	1	1	99	58.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	39.25	2004
20.03.2020 11:25:07	1	1	1	1	99	58.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	39.25	2004
20.03.2020 11:25:07	1	1	1	1	99	58.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	39.25	2004
20.03.2020 11:25:07	1	1	1	1	99	58.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	39.25	2004
20.03.2020 11:25:07	1	1	1	1	99	58.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	39.25	2004
20.03.2020 11:25:08	1	1	1	1	99	59.25	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	38.9375	2004
20.03.2020 11:25:09	1	1	1	1	99	59	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	38.125	2004
20.03.2020 11:25:10	1	1	1	1	99	58	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	38.9375	2004
20.03.2020 11:25:11	1	1	1	1	99	58.75	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	38.5	2004
20.03.2020 11:25:12	1	1	1	1	99	58.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	38.75	2004
20.03.2020 11:25:13	1	1	1	1	99	58.75	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	38.75	2004
20.03.2020 11:25:14	1	1	1	1	99	58.75	0	28293.839	565.5913978	16150.89827	30000	0	0	30000	38.875	2004
20.03.2020 11:25:15	1	1	1	1	99	58.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	37.8125	2004
20.03.2020 11:25:16	1	1	1	1	98.75	57.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.4375	2004
20.03.2020 11:25:17	1	1	1	1	98.75	58.25	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:25:18	1	1	1	1	98.75	58.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.6875	2004
20.03.2020 11:25:19	1	1	1	1	98.75	58.5	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	38.625	2004
20.03.2020 11:25:20	1	1	1	1	98.75	58.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.875	2004
20.03.2020 11:25:21	1	1	1	1	98.75	58.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.6875	2004
20.03.2020 11:25:22	1	1	1	1	98.75	58.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	37.9375	2004
20.03.2020 11:25:24	1	1	1	1	98.75	57.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.6875	2004
20.03.2020 11:25:25	1	1	1	1	98.75	58.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.3125	2004
20.03.2020 11:25:26	1	1	1	1	98.75	57.25	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	38.1875	2004
20.03.2020 11:25:27	1	1	1	1	98.5	58	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.875	2004
20.03.2020 11:25:28	1	1	1	1	98.5	58.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.75	2004
20.03.2020 11:25:29	1	1	1	1	98.5	58.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38.8125	2004
20.03.2020 11:25:30	1	1	1	1	98.5	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.5625	2004
20.03.2020 11:25:31	1	1	1	1	98.5	58.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	38.25	2004
20.03.2020 11:25:32	1	1	1	1	98.5	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:25:33	1	1	1	1	98.5	58.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	38.25	2004
20.03.2020 11:25:34	1	1	1	1	98.5	58.25	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	38.625	2004
20.03.2020 11:25:35	1	1	1	1	98.5	58.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.75	2004
20.03.2020 11:25:36	1	1	1	1	98.5	58.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	38.8125	2004
20.03.2020 11:25:37	1	1	1	1	98.25	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.9375	2004
20.03.2020 11:25:38	1	1	1	1	98.25	58.75	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	38.875	2004
20.03.2020 11:25:39	1	1	1	1	98.25	58.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.375	2004
20.03.2020 11:25:40	1	1	1	1	98.25	58.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.8125	2004
20.03.2020 11:25:41	1	1	1	1	98.25	58.75	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	38.6875	2004
20.03.2020 11:25:42	1	1	1	1	98.25	58.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	39	2004
20.03.2020 11:25:43	1	1	1	1	98.25	59	0	28009.479	572.0430108	16043.2691	30000	0	0	30000	38.8125	2004
20.03.2020 11:25:44	1	1	1	1	98.25	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.8125	2004
20.03.2020 11:25:45	1	1	1	1	98.25	58.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	38.8125	2004
20.03.2020 11:25:46	1	1	1	1	98.25	58.75	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	38.5625	2004
20.03.2020 11:25:47	1	1	1	1	98.5	58.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.625	2004
20.03.2020 11:25:48	1	1	1	1	98.5	58.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:25:49	1	1	1	1	98.5	59.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.75	2004
20.03.2020 11:25:50	1	1	1	1	98.5	58.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:25:51	1	1	1	1	98.5	58.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.8125	2004
20.03.2020 11:25:52	1	1	1	1	98.5	58.75	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	38.625	2004
20.03.2020 11:25:53	1	1	1	1	98.5	58.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.875	2004
20.03.2020 11:25:54	1	1	1	1	98.5	58.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	38.8125	2004
20.03.2020 11:25:55	1	1	1	1	98.5	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.1875	2004
20.03.2020 11:25:56	1	1	1	1	97.75	58	0	28388.626	569.8924731	16117.468	30000	0	0	30000	38.625	2004
20.03.2020 11:25:57	1	1	1	1	97.75	58.5	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	39	2004
20.03.2020 11:25:58	1	1	1	1	97.75	59	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	38.6875	2004
20.03.2020 11:25:59	1	1	1	1	97.75	58.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	38.9375	2004
20.03.2020 11:26:00	1	1	1	1	97.75	58.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.375	2004
20.03.2020 11:26:02	1	1	1	1	97.75	58.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:26:03	1	1	1	1	97.75	59	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	38.5625	2004
20.03.2020 11:26:09	1	1	1	1	97.5	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.875	2004
20.03.2020 11:26:09	1	1	1	1	97.5	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.875	2004
20.03.2020 11:26:09	1	1	1	1	97.5	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.875	2004
20.03.2020 11:26:09	1	1	1	1	97.5	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.875	2004
20.03.2020 11:26:09	1	1	1	1	97.5	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.875	2004
20.03.2020 11:26:09	1	1	1	1	97.5	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.875	2004
20.03.2020 11:26:10	1	1	1	1	97.5	58.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39	2004
20.03.2020 11:26:11	1	1	1	1	97.5	59	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	38.25	2004
20.03.2020 11:26:12	1	1	1	1	97.5	58.25	0	28199.052	567.7419355	15827.19539	30000	0	0	30000	38.375	2004
20.03.2020 11:26:13	1	1	1	1	97.5	58.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.6875	2004
20.03.2020 11:26:14	1	1	1	1	97.5	58.5	0	28341.232	565.5913978	15907.10189	30000	0	0	30000	38.375	2004
20.03.2020 11:26:15	1	1	1	1	97.5	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.75	2004
20.03.2020 11:26:16	1	1	1	1	97.5	58.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.3125	2004
20.03.2020 11:26:17	1	1	1	1	98	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.5625	2004
20.03.2020 11:26:18	1	1	1	1	98	58.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38.625	2004
20.03.2020 11:26:19	1	1	1	1	98	58.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39	2004
20.03.2020 11:26:20	1	1	1	1	98	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.625	2004
20.03.2020 11:26:21	1	1	1	1	98	58.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.875	2004
20.03.2020 11:26:22	1	1	1	1	98	58.75	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	38.875	2004
20.03.2020 11:26:23	1	1	1	1	98	58.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	38.9375	2004
20.03.2020 11:26:24	1	1	1	1	98	58.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:26:25	1	1	1	1	98	58.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:26:26	1	1	1	1	98	58.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.4375	2004
20.03.2020 11:26:27	1	1	1	1	98	59	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	38.8125	2004
20.03.2020 11:26:28	1	1	1	1	98	58.75	0	28293.839	572.0430108	16130.51396	30000	0	0	30000	38.8125	2004
20.03.2020 11:26:29	1	1	1	1	98	58.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	38.125	2004
20.03.2020 11:26:30	1	1	1	1	98	58	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.75	2004
20.03.2020 11:26:31	1	1	1	1	98	58.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.5	2004
20.03.2020 11:26:32	1	1	1	1	98	58.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38.8125	2004
20.03.2020 11:26:33	1	1	1	1	98	58.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.5625	2004
20.03.2020 11:26:34	1	1	1	1	98	58.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.875	2004
20.03.2020 11:26:35	1	1	1	1	98	58.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.5	2004
20.03.2020 11:26:36	1	1	1	1	98.75	58.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.875	2004
20.03.2020 11:26:37	1	1	1	1	98.75	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.875	2004
20.03.2020 11:26:38	1	1	1	1	98.75	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:26:39	1	1	1	1	98.75	58.75	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	39.0625	2004
20.03.2020 11:26:40	1	1	1	1	98.75	59	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	39.0625	2004
20.03.2020 11:26:42	1	1	1	1	98.75	59	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	38.5	2004
20.03.2020 11:26:43	1	1	1	1	98.75	58.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.875	2004
20.03.2020 11:26:44	1	1	1	1	98.75	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.0625	2004
20.03.2020 11:26:45	1	1	1	1	98.75	59	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.375	2004
20.03.2020 11:26:46	1	1	1	1	98.75	58.25	0	28199.052	569.8924731	16123.99098	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:26:47	1	1	1	1	98.25	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.9375	2004
20.03.2020 11:26:48	1	1	1	1	98.25	57.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39	2004
20.03.2020 11:26:49	1	1	1	1	98.25	59	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	38.875	2004
20.03.2020 11:26:50	1	1	1	1	98.25	58.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	38.625	2004
20.03.2020 11:26:51	1	1	1	1	98.25	58.5	0	28009.479	569.8924731	16312.34202	30000	0	0	30000	38.75	2004
20.03.2020 11:26:52	1	1	1	1	98.25	58.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	38.9375	2004
20.03.2020 11:26:53	1	1	1	1	98.25	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	39.0625	2004
20.03.2020 11:26:54	1	1	1	1	98.25	59	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:26:55	1	1	1	1	98.25	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.875	2004
20.03.2020 11:26:56	1	1	1	1	98.25	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.1875	2004
20.03.2020 11:26:57	1	1	1	1	99.25	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.5625	2004
20.03.2020 11:26:58	1	1	1	1	99.25	58.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.75	2004
20.03.2020 11:26:59	1	1	1	1	99.25	58.75	0	28009.479	572.0430108	16373.49496	30000	0	0	30000	38.5625	2004
20.03.2020 11:27:00	1	1	1	1	99.25	58.5	0	28246.445	569.8924731	16070.17639	30000	0	0	30000	38.9375	2004
20.03.2020 11:27:01	1	1	1	1	99.25	58.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	39	2004
20.03.2020 11:27:02	1	1	1	1	99.25	59	0	28199.052	559.1397849	15948.68589	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:03	1	1	1	1	99.25	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.8125	2004
20.03.2020 11:27:04	1	1	1	1	99.25	58.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	38.25	2004
20.03.2020 11:27:11	1	1	1	1	99.25	58.5	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:11	1	1	1	1	99.25	58.5	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:11	1	1	1	1	99.25	58.5	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:11	1	1	1	1	99.25	58.5	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:11	1	1	1	1	99.25	58.5	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:11	1	1	1	1	99.25	59	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	38.5	2004
20.03.2020 11:27:12	1	1	1	1	99.25	58.5	0	28388.626	567.7419355	16300.11143	30000	0	0	30000	38.3125	2004
20.03.2020 11:27:13	1	1	1	1	99.25	58.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:27:14	1	1	1	1	99.25	58.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39	2004
20.03.2020 11:27:15	1	1	1	1	99.25	59	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:27:16	1	1	1	1	99.25	58.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39	2004
20.03.2020 11:27:17	1	1	1	1	99.25	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.125	2004
20.03.2020 11:27:18	1	1	1	1	99.25	59	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.4375	2004
20.03.2020 11:27:20	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	16002.50048	30000	0	0	30000	38.8125	2004
20.03.2020 11:27:21	1	1	1	1	99.25	58.75	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	38.9375	2004
20.03.2020 11:27:22	1	1	1	1	99.25	58.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	38.8125	2004
20.03.2020 11:27:23	1	1	1	1	99.25	58.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	39	2004
20.03.2020 11:27:24	1	1	1	1	99.25	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.75	2004
20.03.2020 11:27:25	1	1	1	1	99.25	58.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.9375	2004
20.03.2020 11:27:26	1	1	1	1	99.25	58.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:27	1	1	1	1	99.25	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.9375	2004
20.03.2020 11:27:28	1	1	1	1	99.25	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.25	2004
20.03.2020 11:27:29	1	1	1	1	99.25	58.25	0	28388.626	567.7419355	16117.468	30000	0	0	30000	38.9375	2004
20.03.2020 11:27:32	1	1	1	1	99.25	58	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:27:32	1	1	1	1	99.25	58	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:27:32	1	1	1	1	99.25	58	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:27:33	1	1	1	1	99.25	58.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39	2004
20.03.2020 11:27:34	1	1	1	1	99.25	59	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	38.6875	2004
20.03.2020 11:27:35	1	1	1	1	99.25	58.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.9375	2004
20.03.2020 11:27:36	1	1	1	1	99.25	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.5625	2004
20.03.2020 11:27:37	1	1	1	1	99.25	58.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.5	2004
20.03.2020 11:27:38	1	1	1	1	99.25	58.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.25	2004
20.03.2020 11:27:39	1	1	1	1	99.25	58.25	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	38.9375	2004
20.03.2020 11:27:40	1	1	1	1	99.25	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:27:41	1	1	1	1	99.25	58.75	0	28436.019	567.7419355	16144.37529	30000	0	0	30000	39.125	2004
20.03.2020 11:27:42	1	1	1	1	99.25	59	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	38.375	2004
20.03.2020 11:27:43	1	1	1	1	99.25	58.25	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	38.8125	2004
20.03.2020 11:27:44	1	1	1	1	99.25	58.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	38.875	2004
20.03.2020 11:27:45	1	1	1	1	99.25	58.75	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	38.9375	2004
20.03.2020 11:27:46	1	1	1	1	99.25	58.75	0	28341.232	567.7419355	16117.468	30000	0	0	30000	39.375	2004
20.03.2020 11:27:47	1	1	1	1	99	59.25	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:48	1	1	1	1	99	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38	2004
20.03.2020 11:27:49	1	1	1	1	99	58	0	28293.839	569.8924731	16002.50048	30000	0	0	30000	38.625	2004
20.03.2020 11:27:50	1	1	1	1	99	58.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39	2004
20.03.2020 11:27:51	1	1	1	1	99	59	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	39	2004
20.03.2020 11:27:52	1	1	1	1	99	59	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	38.4375	2004
20.03.2020 11:27:53	1	1	1	1	99	58.25	0	28199.052	561.2903226	16150.89827	30000	0	0	30000	38.875	2004
20.03.2020 11:27:54	1	1	1	1	99	58.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.875	2004
20.03.2020 11:27:55	1	1	1	1	99	58.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:56	1	1	1	1	98	59	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.0625	2004
20.03.2020 11:27:57	1	1	1	1	98	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.4375	2004
20.03.2020 11:27:58	1	1	1	1	98	58.25	0	28009.479	561.2903226	15600.52184	30000	0	0	30000	39.125	2004
20.03.2020 11:27:59	1	1	1	1	98	59	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.3125	2004
20.03.2020 11:28:01	1	1	1	1	98	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.9375	2004
20.03.2020 11:28:02	1	1	1	1	98	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.1875	2004
20.03.2020 11:28:03	1	1	1	1	98	59	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	39.0625	2004
20.03.2020 11:28:04	1	1	1	1	98	59	0	28293.839	567.7419355	15941.34754	30000	0	0	30000	38.6875	2004
20.03.2020 11:28:05	1	1	1	1	98	58.5	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	38.6875	2004
20.03.2020 11:28:06	1	1	1	1	98	58.5	0	28199.052	576.344086	15961.73185	30000	0	0	30000	39.0625	2004
20.03.2020 11:28:12	1	1	1	1	98.25	59	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	39	2004
20.03.2020 11:28:12	1	1	1	1	98.25	59	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	39	2004
20.03.2020 11:28:12	1	1	1	1	98.25	59	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	39	2004
20.03.2020 11:28:12	1	1	1	1	98.25	59	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	39	2004
20.03.2020 11:28:12	1	1	1	1	98.25	59	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	39	2004
20.03.2020 11:28:12	1	1	1	1	98.25	59	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	39	2004
20.03.2020 11:28:12	1	1	1	1	98.25	59	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	39	2004
20.03.2020 11:28:13	1	1	1	1	98.25	59	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	38.875	2004
20.03.2020 11:28:14	1	1	1	1	98.25	58.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:28:15	1	1	1	1	98.25	58.5	0	27914.692	567.7419355	15881.00997	30000	0	0	30000	39.125	2004
20.03.2020 11:28:16	1	1	1	1	98.25	59	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.9375	2004
20.03.2020 11:28:17	1	1	1	1	98.25	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39	2004
20.03.2020 11:28:18	1	1	1	1	98.25	59	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	38.875	2004
20.03.2020 11:28:19	1	1	1	1	98.25	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.125	2004
20.03.2020 11:28:20	1	1	1	1	98.25	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.9375	2004
20.03.2020 11:28:21	1	1	1	1	98.25	58.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	38.4375	2004
20.03.2020 11:28:22	1	1	1	1	98.25	58.25	0	27962.085	563.4408602	15788.05751	30000	0	0	30000	39.1875	2004
20.03.2020 11:28:23	1	1	1	1	98.25	59	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.1875	2004
20.03.2020 11:28:24	1	1	1	1	98.25	59	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.875	2004
20.03.2020 11:28:25	1	1	1	1	98.25	58.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	38.5	2004
20.03.2020 11:28:26	1	1	1	1	98.25	58.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	38.875	2004
20.03.2020 11:28:27	1	1	1	1	98	58.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	38.25	2004
20.03.2020 11:28:28	1	1	1	1	98	58.25	0	28293.839	569.8924731	16150.89827	30000	0	0	30000	39.0625	2004
20.03.2020 11:28:29	1	1	1	1	98	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.125	2004
20.03.2020 11:28:30	1	1	1	1	98	59	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	38.875	2004
20.03.2020 11:28:31	1	1	1	1	98	58.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.25	2004
20.03.2020 11:28:32	1	1	1	1	98	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39	2004
20.03.2020 11:28:33	1	1	1	1	98	59	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	38.875	2004
20.03.2020 11:28:34	1	1	1	1	98	58.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.0625	2004
20.03.2020 11:28:35	1	1	1	1	98	59	0	28341.232	569.8924731	16177.80556	30000	0	0	30000	39.0625	2004
20.03.2020 11:28:36	1	1	1	1	98.25	59	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.125	2004
20.03.2020 11:28:38	1	1	1	1	98.25	59	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	38.5	2004
20.03.2020 11:28:39	1	1	1	1	98.25	58.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.25	2004
20.03.2020 11:28:40	1	1	1	1	98.25	59.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.5625	2004
20.03.2020 11:28:41	1	1	1	1	98.25	58.5	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	38.5625	2004
20.03.2020 11:28:42	1	1	1	1	98.25	58.5	0	28341.232	569.8924731	16070.17639	30000	0	0	30000	38.1875	2004
20.03.2020 11:28:43	1	1	1	1	98.25	58	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.8125	2004
20.03.2020 11:28:44	1	1	1	1	98.25	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:28:45	1	1	1	1	98.25	59	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	39.0625	2004
20.03.2020 11:28:46	1	1	1	1	98.25	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.875	2004
20.03.2020 11:28:47	1	1	1	1	97.75	58.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	38.875	2004
20.03.2020 11:28:48	1	1	1	1	97.75	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.5625	2004
20.03.2020 11:28:49	1	1	1	1	97.75	58.5	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	38.625	2004
20.03.2020 11:28:50	1	1	1	1	97.75	58.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	38.4375	2004
20.03.2020 11:28:51	1	1	1	1	97.75	58.25	0	28151.659	569.8924731	15902.20966	30000	0	0	30000	38.4375	2004
20.03.2020 11:28:52	1	1	1	1	97.75	58.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.1875	2004
20.03.2020 11:28:53	1	1	1	1	97.75	59	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	39	2004
20.03.2020 11:28:54	1	1	1	1	97.75	59	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.0625	2004
20.03.2020 11:28:55	1	1	1	1	97.75	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.0625	2004
20.03.2020 11:28:56	1	1	1	1	97.75	59	0	28436.019	569.8924731	16232.43552	30000	0	0	30000	39	2004
20.03.2020 11:28:57	1	1	1	1	97.5	59	0	28293.839	561.2903226	16029.40777	30000	0	0	30000	38.875	2004
20.03.2020 11:28:58	1	1	1	1	97.5	58.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:28:59	1	1	1	1	97.5	59	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.625	2004
20.03.2020 11:29:00	1	1	1	1	97.5	58.5	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	38.9375	2004
20.03.2020 11:29:01	1	1	1	1	97.5	58.75	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	38.6875	2004
20.03.2020 11:29:02	1	1	1	1	97.5	58.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.0625	2004
20.03.2020 11:29:03	1	1	1	1	97.5	59	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	39.25	2004
20.03.2020 11:29:04	1	1	1	1	97.5	59.25	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	38.75	2004
20.03.2020 11:29:05	1	1	1	1	97.5	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.3125	2004
20.03.2020 11:29:06	1	1	1	1	97.5	59	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	38.3125	2004
20.03.2020 11:29:07	1	1	1	1	97.5	58.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	39.1875	2004
20.03.2020 11:29:13	1	1	1	1	97.5	58.5	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	38.75	2004
20.03.2020 11:29:13	1	1	1	1	97.5	58.5	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	38.75	2004
20.03.2020 11:29:13	1	1	1	1	97.5	58.5	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	38.75	2004
20.03.2020 11:29:13	1	1	1	1	97.5	58.5	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	38.75	2004
20.03.2020 11:29:13	1	1	1	1	97.5	58.5	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	38.75	2004
20.03.2020 11:29:13	1	1	1	1	97.5	58.5	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	38.75	2004
20.03.2020 11:29:14	1	1	1	1	97.5	58.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.0625	2004
20.03.2020 11:29:15	1	1	1	1	97.5	59	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	38.4375	2004
20.03.2020 11:29:16	1	1	1	1	97.25	58.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.125	2004
20.03.2020 11:29:18	1	1	1	1	97.25	59	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	39.0625	2004
20.03.2020 11:29:19	1	1	1	1	97.25	59	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.5	2004
20.03.2020 11:29:20	1	1	1	1	97.25	58.5	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	38.8125	2004
20.03.2020 11:29:21	1	1	1	1	97.25	58.75	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	38.9375	2004
20.03.2020 11:29:22	1	1	1	1	97.25	58.75	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	38.8125	2004
20.03.2020 11:29:23	1	1	1	1	97.25	58.75	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	38.625	2004
20.03.2020 11:29:24	1	1	1	1	97.25	58.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	39	2004
20.03.2020 11:29:25	1	1	1	1	97.25	59	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	39	2004
20.03.2020 11:29:26	1	1	1	1	97.25	59	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:29:27	1	1	1	1	96.5	58.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39	2004
20.03.2020 11:29:28	1	1	1	1	96.5	59	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	39.0625	2004
20.03.2020 11:29:29	1	1	1	1	96.5	59	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	38.375	2004
20.03.2020 11:29:30	1	1	1	1	96.5	58.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.0625	2004
20.03.2020 11:29:31	1	1	1	1	96.5	59	0	28199.052	574.1935484	16022.06942	30000	0	0	30000	39	2004
20.03.2020 11:29:32	1	1	1	1	96.5	59	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	38.875	2004
20.03.2020 11:29:33	1	1	1	1	96.5	58.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.0625	2004
20.03.2020 11:29:34	1	1	1	1	96.5	58	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.6875	2004
20.03.2020 11:29:35	1	1	1	1	96.5	58.5	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	39.0625	2004
20.03.2020 11:29:36	1	1	1	1	96.5	59	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.75	2004
20.03.2020 11:29:37	1	1	1	1	96.5	58.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	39.125	2004
20.03.2020 11:29:38	1	1	1	1	96.5	59	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	39.0625	2004
20.03.2020 11:29:39	1	1	1	1	96.5	59	0	28009.479	569.8924731	16043.2691	30000	0	0	30000	39.125	2004
20.03.2020 11:29:40	1	1	1	1	96.5	59	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	39.25	2004
20.03.2020 11:29:41	1	1	1	1	96.5	59.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.125	2004
20.03.2020 11:29:42	1	1	1	1	96.5	59	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:29:43	1	1	1	1	96.5	59.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.0625	2004
20.03.2020 11:29:44	1	1	1	1	96.5	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:29:45	1	1	1	1	96.5	59	0	28341.232	569.8924731	16177.80556	30000	0	0	30000	39.25	2004
20.03.2020 11:29:46	1	1	1	1	96.75	59.25	0	28199.052	567.7419355	15827.19539	30000	0	0	30000	38.5625	2004
20.03.2020 11:29:47	1	1	1	1	96.75	58.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.625	2004
20.03.2020 11:29:48	1	1	1	1	96.75	58.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.9375	2004
20.03.2020 11:29:49	1	1	1	1	96.75	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39	2004
20.03.2020 11:29:50	1	1	1	1	96.75	59	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	39.1875	2004
20.03.2020 11:29:51	1	1	1	1	96.75	59	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.8125	2004
20.03.2020 11:29:52	1	1	1	1	96.75	58.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	39.0625	2004
20.03.2020 11:29:53	1	1	1	1	96.75	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39	2004
20.03.2020 11:29:54	1	1	1	1	96.75	59	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	39.125	2004
20.03.2020 11:29:56	1	1	1	1	96.75	59	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	39.125	2004
20.03.2020 11:29:57	1	1	1	1	97.5	59	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:29:58	1	1	1	1	97.5	58.75	0	28436.019	561.2903226	16109.31427	30000	0	0	30000	38.875	2004
20.03.2020 11:29:59	1	1	1	1	97.5	58.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.1875	2004
20.03.2020 11:30:00	1	1	1	1	97.5	58	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:01	1	1	1	1	97.5	59	0	28199.052	567.7419355	15902.20966	30000	0	0	30000	38	2004
20.03.2020 11:30:02	1	1	1	1	97.5	58	0	28246.445	567.7419355	16123.99098	30000	0	0	30000	39.125	2004
20.03.2020 11:30:03	1	1	1	1	97.5	59	0	28341.232	556.9892473	16056.31506	30000	0	0	30000	39	2004
20.03.2020 11:30:04	1	1	1	1	97.5	59	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	38.9375	2004
20.03.2020 11:30:05	1	1	1	1	97.5	58.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38	2004
20.03.2020 11:30:06	1	1	1	1	97.5	58	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:07	1	1	1	1	98	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.625	2004
20.03.2020 11:30:08	1	1	1	1	98	58.5	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	39.125	2004
20.03.2020 11:30:09	1	1	1	1	98	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:15	1	1	1	1	98	58.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	38.6875	2004
20.03.2020 11:30:15	1	1	1	1	98	58.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	38.6875	2004
20.03.2020 11:30:15	1	1	1	1	98	58.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	38.6875	2004
20.03.2020 11:30:15	1	1	1	1	98	58.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	38.6875	2004
20.03.2020 11:30:15	1	1	1	1	98	58.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	38.6875	2004
20.03.2020 11:30:16	1	1	1	1	98	58.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	39	2004
20.03.2020 11:30:17	1	1	1	1	97.5	59	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:18	1	1	1	1	97.5	59	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	38.875	2004
20.03.2020 11:30:19	1	1	1	1	97.5	58.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	39.3125	2004
20.03.2020 11:30:20	1	1	1	1	97.5	59.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.0625	2004
20.03.2020 11:30:21	1	1	1	1	97.5	59	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	39.3125	2004
20.03.2020 11:30:22	1	1	1	1	97.5	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.125	2004
20.03.2020 11:30:23	1	1	1	1	97.5	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:30:24	1	1	1	1	97.5	58.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	39.0625	2004
20.03.2020 11:30:25	1	1	1	1	97.5	59	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:26	1	1	1	1	95.75	59	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:30:27	1	1	1	1	95.75	58.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.625	2004
20.03.2020 11:30:28	1	1	1	1	95.75	58.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	39.3125	2004
20.03.2020 11:30:29	1	1	1	1	95.75	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.0625	2004
20.03.2020 11:30:30	1	1	1	1	95.75	59	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	39.0625	2004
20.03.2020 11:30:31	1	1	1	1	95.75	59	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	39.0625	2004
20.03.2020 11:30:32	1	1	1	1	95.75	59	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.5	2004
20.03.2020 11:30:33	1	1	1	1	95.75	58.5	0	28483.412	567.7419355	16171.28258	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:34	1	1	1	1	95.75	59	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	39	2004
20.03.2020 11:30:36	1	1	1	1	95.75	59	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	38.875	2004
20.03.2020 11:30:37	1	1	1	1	96	58.75	0	28009.479	561.2903226	16070.17639	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:38	1	1	1	1	96	59	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	39.0625	2004
20.03.2020 11:30:39	1	1	1	1	96	59	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	39.125	2004
20.03.2020 11:30:40	1	1	1	1	96	59	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:30:41	1	1	1	1	96	59.25	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	38.875	2004
20.03.2020 11:30:42	1	1	1	1	96	58.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:43	1	1	1	1	96	59	0	28483.412	565.5913978	16409.37135	30000	0	0	30000	39.125	2004
20.03.2020 11:30:44	1	1	1	1	96	59	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:45	1	1	1	1	96	59	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	39.125	2004
20.03.2020 11:30:46	1	1	1	1	96	59	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	39	2004
20.03.2020 11:30:47	1	1	1	1	97.25	59	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:48	1	1	1	1	97.25	59	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	38.875	2004
20.03.2020 11:30:49	1	1	1	1	97.25	58.75	0	27962.085	569.8924731	15881.00997	30000	0	0	30000	39.375	2004
20.03.2020 11:30:50	1	1	1	1	97.25	59.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:51	1	1	1	1	97.25	59	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	39	2004
20.03.2020 11:30:52	1	1	1	1	97.25	59	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	39.125	2004
20.03.2020 11:30:53	1	1	1	1	97.25	59	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	39.1875	2004
20.03.2020 11:30:54	1	1	1	1	97.25	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.875	2004
20.03.2020 11:30:55	1	1	1	1	97.25	58.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	39.125	2004
20.03.2020 11:30:56	1	1	1	1	97.25	59	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	39.0625	2004
20.03.2020 11:30:57	1	1	1	1	97.5	59	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	38.875	2004
20.03.2020 11:30:58	1	1	1	1	97.5	58.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	39.125	2004
20.03.2020 11:30:59	1	1	1	1	97.5	59	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	39.4375	2004
20.03.2020 11:31:00	1	1	1	1	97.5	59.25	0	28199.052	563.4408602	16070.17639	30000	0	0	30000	39	2004
20.03.2020 11:31:01	1	1	1	1	97.5	59	0	28009.479	563.4408602	15948.68589	30000	0	0	30000	39	2004
20.03.2020 11:31:02	1	1	1	1	97.5	59	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	39.0625	2004
20.03.2020 11:31:03	1	1	1	1	97.5	59	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	38.75	2004
20.03.2020 11:31:04	1	1	1	1	97.5	58.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	38.9375	2004
20.03.2020 11:31:05	1	1	1	1	97.5	58.75	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	38.6875	2004
20.03.2020 11:31:06	1	1	1	1	96.75	58.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.1875	2004
20.03.2020 11:31:07	1	1	1	1	96.75	59	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	39.25	2004
20.03.2020 11:31:08	1	1	1	1	96.75	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.25	2004
20.03.2020 11:31:09	1	1	1	1	96.75	59.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.3125	2004
20.03.2020 11:31:10	1	1	1	1	96.75	59.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:31:17	1	1	1	1	96.75	59.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39.125	2004
20.03.2020 11:31:17	1	1	1	1	96.75	59.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39.125	2004
20.03.2020 11:31:17	1	1	1	1	96.75	59.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39.125	2004
20.03.2020 11:31:17	1	1	1	1	96.75	59.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39.125	2004
20.03.2020 11:31:17	1	1	1	1	96.75	59.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39.125	2004
20.03.2020 11:31:17	1	1	1	1	96.75	59.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39.125	2004
20.03.2020 11:31:18	1	1	1	1	96.75	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.25	2004
20.03.2020 11:31:19	1	1	1	1	96.75	59.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.75	2004
20.03.2020 11:31:20	1	1	1	1	96.75	58.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	39.125	2004
20.03.2020 11:31:21	1	1	1	1	96.75	59	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	39.25	2004
20.03.2020 11:31:22	1	1	1	1	96.75	59.25	0	28341.232	576.344086	16238.9585	30000	0	0	30000	39.375	2004
20.03.2020 11:31:23	1	1	1	1	96.75	59.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.25	2004
20.03.2020 11:31:24	1	1	1	1	96.75	59.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39	2004
20.03.2020 11:31:25	1	1	1	1	96.75	59	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:31:26	1	1	1	1	96.75	59	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	39.375	2004
20.03.2020 11:31:27	1	1	1	1	97	59.25	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	38.875	2004
20.03.2020 11:31:28	1	1	1	1	97	58.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	39.25	2004
20.03.2020 11:31:29	1	1	1	1	97	59.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38	2004
20.03.2020 11:31:30	1	1	1	1	97	58	0	28199.052	572.0430108	16082.40698	30000	0	0	30000	39.375	2004
20.03.2020 11:31:31	1	1	1	1	97	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39	2004
20.03.2020 11:31:32	1	1	1	1	97	59	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	39.125	2004
20.03.2020 11:31:33	1	1	1	1	97	59	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.1875	2004
20.03.2020 11:31:34	1	1	1	1	97	59	0	28341.232	565.5913978	16177.80556	30000	0	0	30000	38.8125	2004
20.03.2020 11:31:35	1	1	1	1	97	58.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	39.3125	2004
20.03.2020 11:31:36	1	1	1	1	97	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.3125	2004
20.03.2020 11:31:37	1	1	1	1	96.75	59.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.1875	2004
20.03.2020 11:31:38	1	1	1	1	96.75	59	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.5625	2004
20.03.2020 11:31:39	1	1	1	1	96.75	59.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	39.5625	2004
20.03.2020 11:31:40	1	1	1	1	96.75	59.5	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	39.4375	2004
20.03.2020 11:31:41	1	1	1	1	96.75	59.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39.6875	2004
20.03.2020 11:31:42	1	1	1	1	96.75	59	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	38.8125	2004
20.03.2020 11:31:43	1	1	1	1	96.75	58.75	0	28578.199	565.5913978	16040.00761	30000	0	0	30000	39.3125	2004
20.03.2020 11:31:44	1	1	1	1	96.75	59.25	0	28246.445	565.5913978	16002.50048	30000	0	0	30000	38.9375	2004
20.03.2020 11:31:45	1	1	1	1	96.75	58.75	0	28341.232	576.344086	16063.65341	30000	0	0	30000	38.75	2004
20.03.2020 11:31:46	1	1	1	1	96	58.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.125	2004
20.03.2020 11:31:47	1	1	1	1	96	59	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	39	2004
20.03.2020 11:31:48	1	1	1	1	96	59	0	28388.626	563.4408602	16029.40777	30000	0	0	30000	39.25	2004
20.03.2020 11:31:49	1	1	1	1	96	59.25	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	39	2004
20.03.2020 11:31:50	1	1	1	1	96	59	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	39.25	2004
20.03.2020 11:31:51	1	1	1	1	96	59.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.3125	2004
20.03.2020 11:31:53	1	1	1	1	96	59.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.875	2004
20.03.2020 11:31:54	1	1	1	1	96	58.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.5	2004
20.03.2020 11:31:55	1	1	1	1	96	58.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:31:56	1	1	1	1	96	58.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	38.6875	2004
20.03.2020 11:31:57	1	1	1	1	95.5	58.5	0	28293.839	576.344086	16070.17639	30000	0	0	30000	39.0625	2004
20.03.2020 11:31:58	1	1	1	1	95.5	59	0	28341.232	565.5913978	16117.468	30000	0	0	30000	38.0625	2004
20.03.2020 11:31:59	1	1	1	1	95.5	58	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.125	2004
20.03.2020 11:32:00	1	1	1	1	95.5	59	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	39.25	2004
20.03.2020 11:32:01	1	1	1	1	95.5	59.25	0	28009.479	559.1397849	15888.34833	30000	0	0	30000	39.25	2004
20.03.2020 11:32:02	1	1	1	1	95.5	59.25	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	39.375	2004
20.03.2020 11:32:03	1	1	1	1	95.5	59.25	0	28341.232	567.7419355	15968.25483	30000	0	0	30000	39.1875	2004
20.03.2020 11:32:04	1	1	1	1	95.5	59	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	39.25	2004
20.03.2020 11:32:05	1	1	1	1	95.5	59.25	0	28388.626	569.8924731	16117.468	30000	0	0	30000	39.375	2004
20.03.2020 11:32:06	1	1	1	1	95.5	59.25	0	28199.052	572.0430108	15888.34833	30000	0	0	30000	39.1875	2004
20.03.2020 11:32:07	1	1	1	1	96.25	59	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.4375	2004
20.03.2020 11:32:08	1	1	1	1	96.25	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.9375	2004
20.03.2020 11:32:09	1	1	1	1	96.25	58.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:32:10	1	1	1	1	96.25	59	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39	2004
20.03.2020 11:32:11	1	1	1	1	96.25	59	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	38.5	2004
20.03.2020 11:32:12	1	1	1	1	96.25	58.5	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	39.1875	2004
20.03.2020 11:32:18	1	1	1	1	95.5	59.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	39.5625	2004
20.03.2020 11:32:18	1	1	1	1	95.5	59.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	39.5625	2004
20.03.2020 11:32:18	1	1	1	1	95.5	59.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	39.5625	2004
20.03.2020 11:32:18	1	1	1	1	95.5	59.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	39.5625	2004
20.03.2020 11:32:18	1	1	1	1	95.5	59.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	39.5625	2004
20.03.2020 11:32:18	1	1	1	1	95.5	59.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	39.5625	2004
20.03.2020 11:32:19	1	1	1	1	95.5	59.5	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	39.625	2004
20.03.2020 11:32:20	1	1	1	1	95.5	59.5	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	39.3125	2004
20.03.2020 11:32:21	1	1	1	1	95.5	59.25	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	39.0625	2004
20.03.2020 11:32:22	1	1	1	1	95.5	59.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	39.125	2004
20.03.2020 11:32:23	1	1	1	1	95.5	59	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	38.875	2004
20.03.2020 11:32:24	1	1	1	1	95.5	58.75	0	28388.626	569.8924731	16300.11143	30000	0	0	30000	37.875	2004
20.03.2020 11:32:25	1	1	1	1	95.5	57.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	39.125	2004
20.03.2020 11:32:26	1	1	1	1	96	59	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.0625	2004
20.03.2020 11:32:27	1	1	1	1	96	59	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	39.375	2004
20.03.2020 11:32:28	1	1	1	1	96	59.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	39.3125	2004
20.03.2020 11:32:29	1	1	1	1	96	59.25	0	28199.052	567.7419355	15902.20966	30000	0	0	30000	38.4375	2004
20.03.2020 11:32:31	1	1	1	1	96	58.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	39.375	2004
20.03.2020 11:32:32	1	1	1	1	96	59.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	39.375	2004
20.03.2020 11:32:33	1	1	1	1	96	59.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:32:34	1	1	1	1	96	58.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.4375	2004
20.03.2020 11:32:35	1	1	1	1	96	59.25	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	38.875	2004
20.03.2020 11:32:36	1	1	1	1	96	58.75	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:32:37	1	1	1	1	96	59.25	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	39.1875	2004
20.03.2020 11:32:38	1	1	1	1	96	59	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	38.75	2004
20.03.2020 11:32:39	1	1	1	1	96	58.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:32:40	1	1	1	1	96	58.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	39.25	2004
20.03.2020 11:32:41	1	1	1	1	96	59.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	39.0625	2004
20.03.2020 11:32:42	1	1	1	1	96	59	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	39.0625	2004
20.03.2020 11:32:43	1	1	1	1	96	59	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	38.75	2004
20.03.2020 11:32:44	1	1	1	1	96	58.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.0625	2004
20.03.2020 11:32:45	1	1	1	1	96	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39	2004
20.03.2020 11:32:46	1	1	1	1	96	59	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	38.625	2004
20.03.2020 11:32:47	1	1	1	1	95.75	58.5	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	39.125	2004
20.03.2020 11:32:48	1	1	1	1	95.75	59	0	28104.265	565.5913978	15841.8721	30000	0	0	30000	39.125	2004
20.03.2020 11:32:49	1	1	1	1	95.75	59	0	28199.052	556.9892473	16002.50048	30000	0	0	30000	39	2004
20.03.2020 11:32:50	1	1	1	1	95.75	59	0	28341.232	567.7419355	16273.20414	30000	0	0	30000	39.375	2004
20.03.2020 11:32:51	1	1	1	1	95.75	59.25	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	38.625	2004
20.03.2020 11:32:52	1	1	1	1	95.75	58.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.3125	2004
20.03.2020 11:32:53	1	1	1	1	95.75	59.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.0625	2004
20.03.2020 11:32:54	1	1	1	1	95.75	59	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	39.375	2004
20.03.2020 11:32:55	1	1	1	1	95.75	59.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	39.3125	2004
20.03.2020 11:32:56	1	1	1	1	95.75	59.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	39.375	2004
20.03.2020 11:32:57	1	1	1	1	95.75	59.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	39.0625	2004
20.03.2020 11:32:58	1	1	1	1	95.75	59	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	38.5625	2004
20.03.2020 11:32:59	1	1	1	1	95.75	58.5	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	39.5	2004
20.03.2020 11:33:00	1	1	1	1	95.75	59.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	39.0625	2004
20.03.2020 11:33:01	1	1	1	1	95.75	59	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.5	2004
20.03.2020 11:33:02	1	1	1	1	95.75	59	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.125	2004
20.03.2020 11:33:03	1	1	1	1	95.75	59	0	28199.052	567.7419355	15721.19697	30000	0	0	30000	39	2004
20.03.2020 11:33:04	1	1	1	1	95.75	59	0	28199.052	567.7419355	16245.48148	30000	0	0	30000	38.75	2004
20.03.2020 11:33:05	1	1	1	1	95.75	58.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.375	2004
20.03.2020 11:33:06	1	1	1	1	96.25	59.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.5625	2004
20.03.2020 11:33:07	1	1	1	1	96.25	58.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	39.375	2004
20.03.2020 11:33:09	1	1	1	1	96.25	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.5	2004
20.03.2020 11:33:10	1	1	1	1	96.25	59.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	39.4375	2004
20.03.2020 11:33:11	1	1	1	1	96.25	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.9375	2004
20.03.2020 11:33:12	1	1	1	1	96.25	58.75	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	39.375	2004
20.03.2020 11:33:13	1	1	1	1	96.25	59.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	39.375	2004
20.03.2020 11:33:14	1	1	1	1	96.25	59.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	38.5625	2004
20.03.2020 11:33:20	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:33:20	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:33:20	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:33:20	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:33:20	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.25	2004
20.03.2020 11:33:21	1	1	1	1	95.25	58.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	39.375	2004
20.03.2020 11:33:22	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.3125	2004
20.03.2020 11:33:23	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:33:24	1	1	1	1	95.25	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.25	2004
20.03.2020 11:33:25	1	1	1	1	95.25	59.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	39.5	2004
20.03.2020 11:33:26	1	1	1	1	95.25	59.5	0	28293.839	563.4408602	16123.99098	30000	0	0	30000	39.1875	2004
20.03.2020 11:33:27	1	1	1	1	96	59	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	38.875	2004
20.03.2020 11:33:28	1	1	1	1	96	58.75	0	28341.232	567.7419355	16117.468	30000	0	0	30000	39.375	2004
20.03.2020 11:33:29	1	1	1	1	96	59.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	38.5625	2004
20.03.2020 11:33:30	1	1	1	1	96	58.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	39.3125	2004
20.03.2020 11:33:31	1	1	1	1	96	59.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	39.375	2004
20.03.2020 11:33:32	1	1	1	1	96	59.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	39.125	2004
20.03.2020 11:33:33	1	1	1	1	96	59	0	28341.232	565.5913978	16117.468	30000	0	0	30000	39.3125	2004
20.03.2020 11:33:34	1	1	1	1	96	59.25	0	28293.839	574.1935484	16070.17639	30000	0	0	30000	38.875	2004
20.03.2020 11:33:35	1	1	1	1	96	58.75	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:33:36	1	1	1	1	96	59.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	39.4375	2004
20.03.2020 11:33:37	1	1	1	1	95.25	59.25	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:33:38	1	1	1	1	95.25	59.25	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	38.875	2004
20.03.2020 11:33:39	1	1	1	1	95.25	58.75	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	39.4375	2004
20.03.2020 11:33:40	1	1	1	1	95.25	59.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.0625	2004
20.03.2020 11:33:41	1	1	1	1	95.25	59	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	39.75	2004
20.03.2020 11:33:42	1	1	1	1	95.25	59.75	0	28199.052	563.4408602	16070.17639	30000	0	0	30000	39.4375	2004
20.03.2020 11:33:43	1	1	1	1	95.25	58.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	39.125	2004
20.03.2020 11:33:44	1	1	1	1	95.25	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.0625	2004
20.03.2020 11:33:45	1	1	1	1	95.25	58	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.3125	2004
20.03.2020 11:33:46	1	1	1	1	95.5	59.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.6875	2004
20.03.2020 11:33:47	1	1	1	1	95.5	58.5	0	28293.839	559.1397849	16056.31506	30000	0	0	30000	39.4375	2004
20.03.2020 11:33:48	1	1	1	1	95.5	59.25	0	28388.626	567.7419355	16117.468	30000	0	0	30000	39	2004
20.03.2020 11:33:49	1	1	1	1	95.5	59	0	28293.839	565.5913978	16123.99098	30000	0	0	30000	39.3125	2004
20.03.2020 11:33:50	1	1	1	1	95.5	59.25	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	38.875	2004
20.03.2020 11:33:51	1	1	1	1	95.5	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.9375	2004
20.03.2020 11:33:53	1	1	1	1	95.5	58.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.375	2004
20.03.2020 11:33:54	1	1	1	1	95.5	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.75	2004
20.03.2020 11:33:55	1	1	1	1	95.5	58.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	39.1875	2004
20.03.2020 11:33:56	1	1	1	1	95.5	59	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	39.125	2004
20.03.2020 11:33:57	1	1	1	1	95	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.4375	2004
20.03.2020 11:33:58	1	1	1	1	95	59.25	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	39.375	2004
20.03.2020 11:33:59	1	1	1	1	95	59.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	39.375	2004
20.03.2020 11:34:00	1	1	1	1	95	59.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:01	1	1	1	1	95	59.25	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	39.375	2004
20.03.2020 11:34:02	1	1	1	1	95	59.25	0	28483.412	567.7419355	16171.28258	30000	0	0	30000	39.3125	2004
20.03.2020 11:34:03	1	1	1	1	95	59.25	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	38.8125	2004
20.03.2020 11:34:04	1	1	1	1	95	58.75	0	28199.052	576.344086	16070.17639	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:05	1	1	1	1	95	59.25	0	27867.299	567.7419355	16088.11459	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:06	1	1	1	1	95	59.25	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:07	1	1	1	1	95.75	59.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:34:08	1	1	1	1	95.75	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.6875	2004
20.03.2020 11:34:09	1	1	1	1	95.75	58.5	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	39.375	2004
20.03.2020 11:34:10	1	1	1	1	95.75	59.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	39.3125	2004
20.03.2020 11:34:11	1	1	1	1	95.75	59.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	39.5625	2004
20.03.2020 11:34:12	1	1	1	1	95.75	59.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	38.9375	2004
20.03.2020 11:34:13	1	1	1	1	95.75	58.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:14	1	1	1	1	95.75	59.25	0	27772.512	572.0430108	15854.10268	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:15	1	1	1	1	95.75	59.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	39.0625	2004
20.03.2020 11:34:21	1	1	1	1	96.25	59.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:21	1	1	1	1	96.25	59.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:21	1	1	1	1	96.25	59.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:21	1	1	1	1	96.25	59.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:21	1	1	1	1	96.25	59.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:21	1	1	1	1	96.25	59.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:22	1	1	1	1	96.25	59	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.5	2004
20.03.2020 11:34:23	1	1	1	1	96.25	59.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:24	1	1	1	1	96.25	59.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	39.1875	2004
20.03.2020 11:34:25	1	1	1	1	96.25	59	0	28341.232	569.8924731	16063.65341	30000	0	0	30000	39.5625	2004
20.03.2020 11:34:26	1	1	1	1	96.5	59.5	0	28199.052	569.8924731	16312.34202	30000	0	0	30000	38.8125	2004
20.03.2020 11:34:27	1	1	1	1	96.5	58.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	39.125	2004
20.03.2020 11:34:29	1	1	1	1	96.5	59	0	27962.085	563.4408602	15788.05751	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:30	1	1	1	1	96.5	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.3125	2004
20.03.2020 11:34:31	1	1	1	1	96.5	59.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	39.1875	2004
20.03.2020 11:34:32	1	1	1	1	96.5	59	0	28199.052	569.8924731	16123.99098	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:33	1	1	1	1	96.5	59.25	0	28009.479	563.4408602	16009.83883	30000	0	0	30000	38.875	2004
20.03.2020 11:34:34	1	1	1	1	96.5	58.75	0	27819.905	569.8924731	15745.65814	30000	0	0	30000	39.375	2004
20.03.2020 11:34:35	1	1	1	1	96.5	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.1875	2004
20.03.2020 11:34:36	1	1	1	1	96.5	59	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	39.3125	2004
20.03.2020 11:34:37	1	1	1	1	97	59.25	0	27962.085	565.5913978	15814.9648	30000	0	0	30000	38.75	2004
20.03.2020 11:34:38	1	1	1	1	97	58.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.3125	2004
20.03.2020 11:34:39	1	1	1	1	97	59.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:40	1	1	1	1	97	59.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	39.3125	2004
20.03.2020 11:34:41	1	1	1	1	97	59.25	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:42	1	1	1	1	97	59.25	0	28199.052	567.7419355	15827.19539	30000	0	0	30000	39.0625	2004
20.03.2020 11:34:43	1	1	1	1	97	59	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	38.375	2004
20.03.2020 11:34:44	1	1	1	1	97	58.25	0	28009.479	567.7419355	15781.53453	30000	0	0	30000	39.3125	2004
20.03.2020 11:34:45	1	1	1	1	97	59.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	39.3125	2004
20.03.2020 11:34:46	1	1	1	1	97	59.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:47	1	1	1	1	96.75	59.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.3125	2004
20.03.2020 11:34:48	1	1	1	1	96.75	59.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:49	1	1	1	1	96.75	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.8125	2004
20.03.2020 11:34:50	1	1	1	1	96.75	58.75	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	38.625	2004
20.03.2020 11:34:51	1	1	1	1	96.75	58.5	0	28341.232	567.7419355	16123.99098	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:34:52	1	1	1	1	96.75	58.75	0	28009.479	561.2903226	15902.20966	30000	0	0	30000	39.25	2004
20.03.2020 11:34:53	1	1	1	1	96.75	59.25	0	28009.479	576.344086	15961.73185	30000	0	0	30000	38.875	2004
20.03.2020 11:34:54	1	1	1	1	96.75	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.5	2004
20.03.2020 11:34:55	1	1	1	1	96.75	59.5	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	39.6875	2004
20.03.2020 11:34:56	1	1	1	1	96.75	59.5	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:57	1	1	1	1	96.25	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.5625	2004
20.03.2020 11:34:58	1	1	1	1	96.25	59.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.4375	2004
20.03.2020 11:34:59	1	1	1	1	96.25	59.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	39.75	2004
20.03.2020 11:35:00	1	1	1	1	96.25	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.5	2004
20.03.2020 11:35:01	1	1	1	1	96.25	59.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	39.4375	2004
20.03.2020 11:35:02	1	1	1	1	96.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	38.9375	2004
20.03.2020 11:35:03	1	1	1	1	96.25	58.75	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	39.375	2004
20.03.2020 11:35:04	1	1	1	1	96.25	59.25	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	38.875	2004
20.03.2020 11:35:05	1	1	1	1	96.25	58.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	38.9375	2004
20.03.2020 11:35:06	1	1	1	1	95.75	58.75	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	39.25	2004
20.03.2020 11:35:07	1	1	1	1	95.75	59.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	38.875	2004
20.03.2020 11:35:09	1	1	1	1	95.75	58.75	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	39.4375	2004
20.03.2020 11:35:10	1	1	1	1	95.75	59.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.625	2004
20.03.2020 11:35:11	1	1	1	1	95.75	58.5	0	28009.479	559.1397849	16070.17639	30000	0	0	30000	39.3125	2004
20.03.2020 11:35:12	1	1	1	1	95.75	59.25	0	28341.232	565.5913978	16177.80556	30000	0	0	30000	39.3125	2004
20.03.2020 11:35:13	1	1	1	1	95.75	59.25	0	28293.839	563.4408602	15706.52026	30000	0	0	30000	39.125	2004
20.03.2020 11:35:14	1	1	1	1	95.75	59	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	39.5	2004
20.03.2020 11:35:15	1	1	1	1	95.75	59.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	39.3125	2004
20.03.2020 11:35:16	1	1	1	1	95.75	59.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	39.5	2004
20.03.2020 11:35:17	1	1	1	1	95.25	59.5	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	39.375	2004
20.03.2020 11:35:23	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.375	2004
20.03.2020 11:35:23	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.375	2004
20.03.2020 11:35:23	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.375	2004
20.03.2020 11:35:23	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.375	2004
20.03.2020 11:35:23	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.375	2004
20.03.2020 11:35:23	1	1	1	1	95.25	59.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.375	2004
20.03.2020 11:35:24	1	1	1	1	95.25	59.25	0	28388.626	567.7419355	16266.68116	30000	0	0	30000	38.75	2004
20.03.2020 11:35:25	1	1	1	1	95.25	58.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	39.375	2004
20.03.2020 11:35:26	1	1	1	1	95.25	59.25	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	39.1875	2004
20.03.2020 11:35:27	1	1	1	1	96	59	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	39.375	2004
20.03.2020 11:35:28	1	1	1	1	96	59.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	39.3125	2004
20.03.2020 11:35:29	1	1	1	1	96	59.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.375	2004
20.03.2020 11:35:30	1	1	1	1	96	59.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:35:31	1	1	1	1	96	59	0	28388.626	567.7419355	16177.80556	30000	0	0	30000	39.5625	2004
20.03.2020 11:35:32	1	1	1	1	96	59.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.3125	2004
20.03.2020 11:35:33	1	1	1	1	96	59.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.25	2004
20.03.2020 11:35:34	1	1	1	1	96	59.25	0	28436.019	567.7419355	16232.43552	30000	0	0	30000	39.0625	2004
20.03.2020 11:35:35	1	1	1	1	96	59	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:35:36	1	1	1	1	96	59.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.375	2004
20.03.2020 11:35:37	1	1	1	1	96.25	59	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.1875	2004
20.03.2020 11:35:38	1	1	1	1	96.25	59	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	39.5	2004
20.03.2020 11:35:39	1	1	1	1	96.25	59.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	39.375	2004
20.03.2020 11:35:40	1	1	1	1	96.25	59.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	38.8125	2004
20.03.2020 11:35:41	1	1	1	1	96.25	58.75	0	28009.479	561.2903226	15721.19697	30000	0	0	30000	39.375	2004
20.03.2020 11:35:42	1	1	1	1	96.25	59.25	0	28293.839	567.7419355	15827.19539	30000	0	0	30000	38.875	2004
20.03.2020 11:35:44	1	1	1	1	96.25	58.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	38.9375	2004
20.03.2020 11:35:45	1	1	1	1	96.25	58.75	0	28341.232	572.0430108	16300.11143	30000	0	0	30000	38.6875	2004
20.03.2020 11:35:46	1	1	1	1	96.25	58.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	39.3125	2004
20.03.2020 11:35:47	1	1	1	1	96	59.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	38.9375	2004
20.03.2020 11:35:48	1	1	1	1	96	58.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.25	2004
20.03.2020 11:35:49	1	1	1	1	96	59.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.1875	2004
20.03.2020 11:35:50	1	1	1	1	96	59	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:35:51	1	1	1	1	96	59	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	39.25	2004
20.03.2020 11:35:52	1	1	1	1	96	59.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	39.125	2004
20.03.2020 11:35:53	1	1	1	1	96	59	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	39.4375	2004
20.03.2020 11:35:54	1	1	1	1	96	59.25	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	38.8125	2004
20.03.2020 11:35:55	1	1	1	1	96	58.75	0	28009.479	559.1397849	15841.8721	30000	0	0	30000	39.4375	2004
20.03.2020 11:35:56	1	1	1	1	96	59.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:35:57	1	1	1	1	95.75	59	0	28388.626	567.7419355	16117.468	30000	0	0	30000	39.1875	2004
20.03.2020 11:35:58	1	1	1	1	95.75	59	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:35:59	1	1	1	1	95.75	59.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	38.3125	2004
20.03.2020 11:36:00	1	1	1	1	95.75	58.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	39	2004
20.03.2020 11:36:01	1	1	1	1	95.75	59	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	39.25	2004
20.03.2020 11:36:02	1	1	1	1	95.75	59.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.375	2004
20.03.2020 11:36:03	1	1	1	1	95.75	59.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	38.875	2004
20.03.2020 11:36:04	1	1	1	1	95.75	58.75	0	28341.232	567.7419355	15948.68589	30000	0	0	30000	39.375	2004
20.03.2020 11:36:05	1	1	1	1	95.75	59.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:06	1	1	1	1	95.75	59.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	39.375	2004
20.03.2020 11:36:07	1	1	1	1	96.5	59.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.0625	2004
20.03.2020 11:36:08	1	1	1	1	96.5	59	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	39.1875	2004
20.03.2020 11:36:09	1	1	1	1	96.5	59	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.1875	2004
20.03.2020 11:36:10	1	1	1	1	96.5	59	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	39.375	2004
20.03.2020 11:36:11	1	1	1	1	96.5	59.25	0	28199.052	572.0430108	15841.8721	30000	0	0	30000	39.1875	2004
20.03.2020 11:36:12	1	1	1	1	96.5	59	0	28199.052	559.1397849	15888.34833	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:13	1	1	1	1	96.5	59.25	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	39.75	2004
20.03.2020 11:36:14	1	1	1	1	96.5	59.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	38.625	2004
20.03.2020 11:36:15	1	1	1	1	96.5	58.5	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	39.6875	2004
20.03.2020 11:36:16	1	1	1	1	96.25	59.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	39.375	2004
20.03.2020 11:36:17	1	1	1	1	96.25	59.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:18	1	1	1	1	96.25	59.25	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	39.3125	2004
20.03.2020 11:36:25	1	1	1	1	96.25	59.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:36:25	1	1	1	1	96.25	59.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	38.9375	2004
20.03.2020 11:36:25	1	1	1	1	96.25	59.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	38.9375	2004
20.03.2020 11:36:25	1	1	1	1	96.25	59.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	38.9375	2004
20.03.2020 11:36:25	1	1	1	1	96.25	59.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	38.9375	2004
20.03.2020 11:36:25	1	1	1	1	96.25	59.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	38.9375	2004
20.03.2020 11:36:26	1	1	1	1	96.25	58.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:27	1	1	1	1	96	59.25	0	28388.626	559.1397849	15899.76354	30000	0	0	30000	39.1875	2004
20.03.2020 11:36:28	1	1	1	1	96	59	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.0625	2004
20.03.2020 11:36:29	1	1	1	1	96	59	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	39.3125	2004
20.03.2020 11:36:30	1	1	1	1	96	59.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	39.125	2004
20.03.2020 11:36:31	1	1	1	1	96	59	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	39.375	2004
20.03.2020 11:36:32	1	1	1	1	96	59.25	0	28436.019	567.7419355	16144.37529	30000	0	0	30000	39.3125	2004
20.03.2020 11:36:33	1	1	1	1	96	59.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.125	2004
20.03.2020 11:36:34	1	1	1	1	96	59	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	39.3125	2004
20.03.2020 11:36:35	1	1	1	1	96	59.25	0	28293.839	565.5913978	16300.11143	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:36	1	1	1	1	96	59.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.5	2004
20.03.2020 11:36:37	1	1	1	1	96	59.5	0	28199.052	565.5913978	15827.19539	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:38	1	1	1	1	96	59.25	0	28530.806	565.5913978	15987.0084	30000	0	0	30000	38.9375	2004
20.03.2020 11:36:39	1	1	1	1	96	58.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:40	1	1	1	1	96	59.25	0	28341.232	561.2903226	15758.7041	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:41	1	1	1	1	96	59.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	39.375	2004
20.03.2020 11:36:42	1	1	1	1	96	59.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	38.75	2004
20.03.2020 11:36:43	1	1	1	1	96	58.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:44	1	1	1	1	96	59.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	39.5625	2004
20.03.2020 11:36:45	1	1	1	1	96	59.5	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	39.25	2004
20.03.2020 11:36:46	1	1	1	1	96	59.25	0	28341.232	565.5913978	15941.34754	30000	0	0	30000	39.5	2004
20.03.2020 11:36:47	1	1	1	1	96.5	59.5	0	28199.052	567.7419355	16334.35708	30000	0	0	30000	39.0625	2004
20.03.2020 11:36:48	1	1	1	1	96.5	59	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	39.375	2004
20.03.2020 11:36:49	1	1	1	1	96.5	59.25	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	39.1875	2004
20.03.2020 11:36:50	1	1	1	1	96.5	59	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	39.4375	2004
20.03.2020 11:36:51	1	1	1	1	96.5	59.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	39.5	2004
20.03.2020 11:36:52	1	1	1	1	96.5	59.5	0	28436.019	567.7419355	16056.31506	30000	0	0	30000	39.375	2004
20.03.2020 11:36:53	1	1	1	1	96.5	59.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	39.25	2004
20.03.2020 11:36:54	1	1	1	1	96.5	59.25	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	39.125	2004
20.03.2020 11:36:55	1	1	1	1	96.5	59	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	39.5	2004
20.03.2020 11:36:56	1	1	1	1	96	59.5	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	39.3125	2004
20.03.2020 11:36:57	1	1	1	1	96	59.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	39.3125	2004
20.03.2020 11:36:58	1	1	1	1	96	59.25	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	39.3125	2004
20.03.2020 11:36:59	1	1	1	1	96	59.25	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	39.125	2004
20.03.2020 11:37:00	1	1	1	1	96	59	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	39.625	2004
20.03.2020 11:37:02	1	1	1	1	96	59.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	39.4375	2004
20.03.2020 11:37:03	1	1	1	1	96	59.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.5625	2004
20.03.2020 11:37:04	1	1	1	1	96	59.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:37:05	1	1	1	1	96	59.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.25	2004
20.03.2020 11:37:06	1	1	1	1	96	59.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.4375	2004
20.03.2020 11:37:07	1	1	1	1	96	59.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	39.4375	2004
20.03.2020 11:37:08	1	1	1	1	96	59.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:09	1	1	1	1	96	59.25	0	27819.905	567.7419355	15794.58049	30000	0	0	30000	39.5	2004
20.03.2020 11:37:10	1	1	1	1	96	59.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.625	2004
20.03.2020 11:37:11	1	1	1	1	96	59.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:12	1	1	1	1	96	59.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.6875	2004
20.03.2020 11:37:13	1	1	1	1	96	59.5	0	28199.052	561.2903226	16009.83883	30000	0	0	30000	38.9375	2004
20.03.2020 11:37:14	1	1	1	1	96	58.75	0	28388.626	565.5913978	16144.37529	30000	0	0	30000	38.8125	2004
20.03.2020 11:37:15	1	1	1	1	96	58.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.4375	2004
20.03.2020 11:37:16	1	1	1	1	96	59.25	0	28293.839	567.7419355	16177.80556	30000	0	0	30000	39.375	2004
20.03.2020 11:37:17	1	1	1	1	95.5	59.25	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	39.0625	2004
20.03.2020 11:37:18	1	1	1	1	95.5	59	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.4375	2004
20.03.2020 11:37:19	1	1	1	1	95.5	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.8125	2004
20.03.2020 11:37:20	1	1	1	1	95.5	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.75	2004
20.03.2020 11:37:26	1	1	1	1	95.5	59.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:26	1	1	1	1	95.5	59.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:26	1	1	1	1	95.5	59.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:26	1	1	1	1	95.5	59.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:26	1	1	1	1	95.5	59.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:26	1	1	1	1	95.5	59.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:27	1	1	1	1	96	59.25	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:28	1	1	1	1	96	59.25	0	28341.232	561.2903226	16056.31506	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:29	1	1	1	1	96	59.25	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	39.5625	2004
20.03.2020 11:37:30	1	1	1	1	96	59.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.625	2004
20.03.2020 11:37:31	1	1	1	1	96	59.5	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	39.25	2004
20.03.2020 11:37:32	1	1	1	1	96	59.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	39.5	2004
20.03.2020 11:37:33	1	1	1	1	96	59.5	0	28293.839	559.1397849	15819.85704	30000	0	0	30000	39.6875	2004
20.03.2020 11:37:34	1	1	1	1	96	59.5	0	28483.412	554.8387097	16163.12886	30000	0	0	30000	39.125	2004
20.03.2020 11:37:35	1	1	1	1	96	59.75	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	39.5	2004
20.03.2020 11:37:36	1	1	1	1	95.5	59.5	0	28199.052	559.1397849	15827.19539	30000	0	0	30000	38.9375	2004
20.03.2020 11:37:37	1	1	1	1	95.5	58.75	0	28578.199	565.5913978	15925.85546	30000	0	0	30000	39.625	2004
20.03.2020 11:37:38	1	1	1	1	95.5	59.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.5625	2004
20.03.2020 11:37:39	1	1	1	1	95.5	59.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:40	1	1	1	1	95.5	59.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	38.875	2004
20.03.2020 11:37:41	1	1	1	1	95.5	58.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:43	1	1	1	1	95.5	59.25	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	39.5625	2004
20.03.2020 11:37:44	1	1	1	1	95.5	59.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	39.5	2004
20.03.2020 11:37:45	1	1	1	1	95.5	59.5	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	39.5	2004
20.03.2020 11:37:46	1	1	1	1	95.5	59.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	39.375	2004
20.03.2020 11:37:47	1	1	1	1	95.75	59.25	0	28436.019	561.2903226	15925.85546	30000	0	0	30000	39.4375	2004
20.03.2020 11:37:48	1	1	1	1	95.75	59.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:37:49	1	1	1	1	95.75	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.4375	2004
20.03.2020 11:37:50	1	1	1	1	95.75	59.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.1875	2004
20.03.2020 11:37:51	1	1	1	1	95.75	59	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	39.375	2004
20.03.2020 11:37:52	1	1	1	1	95.75	59.25	0	28625.592	556.9892473	16093.82219	30000	0	0	30000	39.5	2004
20.03.2020 11:37:53	1	1	1	1	95.75	59.5	0	28530.806	559.1397849	16013.91569	30000	0	0	30000	38.75	2004
20.03.2020 11:37:54	1	1	1	1	95.75	58.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:55	1	1	1	1	95.75	59.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	39.3125	2004
20.03.2020 11:37:56	1	1	1	1	95.75	59.25	0	28388.626	561.2903226	16056.31506	30000	0	0	30000	39.5	2004
20.03.2020 11:37:57	1	1	1	1	95.5	59.5	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	39.6875	2004
20.03.2020 11:37:58	1	1	1	1	95.5	59.5	0	28483.412	563.4408602	16101.97592	30000	0	0	30000	39.4375	2004
20.03.2020 11:37:59	1	1	1	1	95.5	59.25	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	39.3125	2004
20.03.2020 11:38:00	1	1	1	1	95.5	59.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39	2004
20.03.2020 11:38:01	1	1	1	1	95.5	59	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	39.5625	2004
20.03.2020 11:38:02	1	1	1	1	95.5	59.5	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	39.5	2004
20.03.2020 11:38:03	1	1	1	1	95.5	59.5	0	28815.166	556.9892473	16297.66532	30000	0	0	30000	39.625	2004
20.03.2020 11:38:04	1	1	1	1	95.5	59.5	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	39.6875	2004
20.03.2020 11:38:05	1	1	1	1	95.5	59.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	39.625	2004
20.03.2020 11:38:06	1	1	1	1	95.5	59.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	39.5625	2004
20.03.2020 11:38:07	1	1	1	1	95.75	59.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	38.875	2004
20.03.2020 11:38:08	1	1	1	1	95.75	58.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.5625	2004
20.03.2020 11:38:09	1	1	1	1	95.75	59.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	39.5	2004
20.03.2020 11:38:10	1	1	1	1	95.75	59.5	0	28625.592	559.1397849	15733.42755	30000	0	0	30000	39.5	2004
20.03.2020 11:38:11	1	1	1	1	95.75	59.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	38.875	2004
20.03.2020 11:38:12	1	1	1	1	95.75	58.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	39.625	2004
20.03.2020 11:38:13	1	1	1	1	95.75	59.5	0	28483.412	563.4408602	15864.70252	30000	0	0	30000	39.625	2004
20.03.2020 11:38:14	1	1	1	1	95.75	59.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.6875	2004
20.03.2020 11:38:15	1	1	1	1	95.75	59.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	39.1875	2004
20.03.2020 11:38:16	1	1	1	1	95.5	59.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	38.5	2004
20.03.2020 11:38:17	1	1	1	1	95.5	58.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	39.25	2004
20.03.2020 11:38:18	1	1	1	1	95.5	59.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.5625	2004
20.03.2020 11:38:19	1	1	1	1	95.5	59.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.5	2004
20.03.2020 11:38:20	1	1	1	1	95.5	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5625	2004
20.03.2020 11:38:22	1	1	1	1	95.5	59.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.5	2004
20.03.2020 11:38:28	1	1	1	1	94.75	59.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:38:28	1	1	1	1	94.75	59.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:38:28	1	1	1	1	94.75	59.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:38:28	1	1	1	1	94.75	59.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:38:28	1	1	1	1	94.75	59.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:38:28	1	1	1	1	94.75	59.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:38:29	1	1	1	1	94.75	59.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	39.6875	2004
20.03.2020 11:38:30	1	1	1	1	94.75	59.5	0	28530.806	559.1397849	15803.54959	30000	0	0	30000	39.0625	2004
20.03.2020 11:38:31	1	1	1	1	94.75	59	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	39.5625	2004
20.03.2020 11:38:32	1	1	1	1	94.75	59.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:38:33	1	1	1	1	94.75	59.25	0	28672.986	559.1397849	16173.7287	30000	0	0	30000	39.375	2004
20.03.2020 11:38:34	1	1	1	1	94.75	59.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.5625	2004
20.03.2020 11:38:35	1	1	1	1	94.75	59.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.6875	2004
20.03.2020 11:38:36	1	1	1	1	94.75	59.5	0	28815.166	556.9892473	15917.70174	30000	0	0	30000	39.625	2004
20.03.2020 11:38:37	1	1	1	1	94.75	59.5	0	28578.199	556.9892473	16066.9149	30000	0	0	30000	39.5	2004
20.03.2020 11:38:38	1	1	1	1	94.75	59.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.5	2004
20.03.2020 11:38:39	1	1	1	1	94.75	59.5	0	28578.199	556.9892473	15952.76275	30000	0	0	30000	39.625	2004
20.03.2020 11:38:40	1	1	1	1	94.75	59.5	0	28530.806	556.9892473	15978.85467	30000	0	0	30000	39.4375	2004
20.03.2020 11:38:41	1	1	1	1	94.75	59.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.625	2004
20.03.2020 11:38:42	1	1	1	1	94.75	59.5	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	39.1875	2004
20.03.2020 11:38:43	1	1	1	1	94.75	59	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.0625	2004
20.03.2020 11:38:44	1	1	1	1	94.75	59	0	28862.559	559.1397849	16075.884	30000	0	0	30000	39.75	2004
20.03.2020 11:38:45	1	1	1	1	94.75	59.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	39.3125	2004
20.03.2020 11:38:46	1	1	1	1	94.75	59.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	39.5625	2004
20.03.2020 11:38:47	1	1	1	1	94.75	59.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	38.9375	2004
20.03.2020 11:38:48	1	1	1	1	94.75	58.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	39.375	2004
20.03.2020 11:38:49	1	1	1	1	94.75	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.375	2004
20.03.2020 11:38:50	1	1	1	1	94.75	59.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:38:51	1	1	1	1	94.75	59.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	39.75	2004
20.03.2020 11:38:52	1	1	1	1	94.75	59.75	0	28815.166	556.9892473	15969.88558	30000	0	0	30000	39.125	2004
20.03.2020 11:38:53	1	1	1	1	94.75	59	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.875	2004
20.03.2020 11:38:54	1	1	1	1	94.75	59.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	39.625	2004
20.03.2020 11:38:55	1	1	1	1	94.75	59.25	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	39.625	2004
20.03.2020 11:38:56	1	1	1	1	94.25	59.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.625	2004
20.03.2020 11:38:57	1	1	1	1	94.25	59.5	0	28483.412	554.8387097	15742.39665	30000	0	0	30000	39.75	2004
20.03.2020 11:39:00	1	1	1	1	94.25	59.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	39.5625	2004
20.03.2020 11:39:00	1	1	1	1	94.25	59.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	39.5625	2004
20.03.2020 11:39:00	1	1	1	1	94.25	59.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.4375	2004
20.03.2020 11:39:02	1	1	1	1	94.25	59.25	0	28483.412	554.8387097	15864.70252	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:03	1	1	1	1	94.25	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.625	2004
20.03.2020 11:39:04	1	1	1	1	94.25	59.5	0	28436.019	559.1397849	15777.45767	30000	0	0	30000	39.625	2004
20.03.2020 11:39:05	1	1	1	1	94.25	59.5	0	28530.806	556.9892473	15864.70252	30000	0	0	30000	39.3125	2004
20.03.2020 11:39:06	1	1	1	1	94.25	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.375	2004
20.03.2020 11:39:07	1	1	1	1	94.5	59.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.4375	2004
20.03.2020 11:39:08	1	1	1	1	94.5	59.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.5625	2004
20.03.2020 11:39:09	1	1	1	1	94.5	59.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	39.625	2004
20.03.2020 11:39:10	1	1	1	1	94.5	59.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	39.3125	2004
20.03.2020 11:39:11	1	1	1	1	94.5	59.25	0	28625.592	552.688172	15855.73343	30000	0	0	30000	39.375	2004
20.03.2020 11:39:12	1	1	1	1	94.5	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.0625	2004
20.03.2020 11:39:13	1	1	1	1	94.5	59	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	39.75	2004
20.03.2020 11:39:14	1	1	1	1	94.5	59.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39	2004
20.03.2020 11:39:15	1	1	1	1	94.5	59	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:16	1	1	1	1	94.5	59.5	0	28625.592	559.1397849	15969.88558	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:39:17	1	1	1	1	95.75	59	0	28578.199	559.1397849	15890.79444	30000	0	0	30000	39.625	2004
20.03.2020 11:39:18	1	1	1	1	95.75	59.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	39.3125	2004
20.03.2020 11:39:19	1	1	1	1	95.75	59.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	39.75	2004
20.03.2020 11:39:20	1	1	1	1	95.75	59.75	0	28909.953	561.2903226	16164.7596	30000	0	0	30000	39.375	2004
20.03.2020 11:39:21	1	1	1	1	95.75	59.25	0	28530.806	556.9892473	15925.85546	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:22	1	1	1	1	95.75	59.5	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	39.5	2004
20.03.2020 11:39:23	1	1	1	1	95.75	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.375	2004
20.03.2020 11:39:29	1	1	1	1	95.75	59.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:29	1	1	1	1	95.75	59.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:29	1	1	1	1	95.75	59.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:29	1	1	1	1	95.75	59.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:29	1	1	1	1	95.75	59.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:29	1	1	1	1	95.75	59.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:30	1	1	1	1	95.75	59.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	39.125	2004
20.03.2020 11:39:31	1	1	1	1	95.75	59	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.5625	2004
20.03.2020 11:39:32	1	1	1	1	95.75	59.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	39.1875	2004
20.03.2020 11:39:33	1	1	1	1	95.75	59	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:34	1	1	1	1	95.75	59.5	0	28578.199	567.7419355	15917.70174	30000	0	0	30000	39.75	2004
20.03.2020 11:39:35	1	1	1	1	95.75	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.4375	2004
20.03.2020 11:39:36	1	1	1	1	96	59.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	39.625	2004
20.03.2020 11:39:37	1	1	1	1	96	59.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:38	1	1	1	1	96	59.5	0	28862.559	559.1397849	16075.884	30000	0	0	30000	39.5	2004
20.03.2020 11:39:39	1	1	1	1	96	59.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	38.9375	2004
20.03.2020 11:39:41	1	1	1	1	96	58.75	0	28672.986	559.1397849	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:39:42	1	1	1	1	96	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.1875	2004
20.03.2020 11:39:43	1	1	1	1	96	59	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:44	1	1	1	1	96	59.5	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:45	1	1	1	1	96	59.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	39.625	2004
20.03.2020 11:39:46	1	1	1	1	96	59.5	0	28578.199	552.688172	16049.79208	30000	0	0	30000	39.5625	2004
20.03.2020 11:39:47	1	1	1	1	95.75	59.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:48	1	1	1	1	95.75	59.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:49	1	1	1	1	95.75	59.5	0	28530.806	559.1397849	16013.91569	30000	0	0	30000	39.25	2004
20.03.2020 11:39:50	1	1	1	1	95.75	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.4375	2004
20.03.2020 11:39:51	1	1	1	1	95.75	59.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.5625	2004
20.03.2020 11:39:52	1	1	1	1	95.75	59.5	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	39.625	2004
20.03.2020 11:39:53	1	1	1	1	95.75	59.5	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	39.5625	2004
20.03.2020 11:39:54	1	1	1	1	95.75	59.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.4375	2004
20.03.2020 11:39:55	1	1	1	1	95.75	59.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.5	2004
20.03.2020 11:39:56	1	1	1	1	95.75	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.625	2004
20.03.2020 11:39:57	1	1	1	1	94.5	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.6875	2004
20.03.2020 11:39:58	1	1	1	1	94.5	59.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.625	2004
20.03.2020 11:39:59	1	1	1	1	94.5	59.5	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	39.5625	2004
20.03.2020 11:40:00	1	1	1	1	94.5	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:40:01	1	1	1	1	94.5	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:02	1	1	1	1	94.5	59.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	39.75	2004
20.03.2020 11:40:03	1	1	1	1	94.5	59.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.5	2004
20.03.2020 11:40:04	1	1	1	1	94.5	59.5	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	39.625	2004
20.03.2020 11:40:05	1	1	1	1	94.5	59.5	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	38.6875	2004
20.03.2020 11:40:06	1	1	1	1	94.5	58.5	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	39.5	2004
20.03.2020 11:40:07	1	1	1	1	94.75	59.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:08	1	1	1	1	94.75	59.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	39.625	2004
20.03.2020 11:40:09	1	1	1	1	94.75	59.5	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	39.5	2004
20.03.2020 11:40:10	1	1	1	1	94.75	59.5	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	39.3125	2004
20.03.2020 11:40:11	1	1	1	1	94.75	59.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.25	2004
20.03.2020 11:40:12	1	1	1	1	94.75	59.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:40:13	1	1	1	1	94.75	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:40:14	1	1	1	1	94.75	59.75	0	28578.199	554.8387097	15733.42755	30000	0	0	30000	39.5	2004
20.03.2020 11:40:15	1	1	1	1	94.75	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.3125	2004
20.03.2020 11:40:16	1	1	1	1	94.75	59.25	0	28815.166	563.4408602	16173.7287	30000	0	0	30000	39.625	2004
20.03.2020 11:40:17	1	1	1	1	94.75	59.5	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	39.5	2004
20.03.2020 11:40:19	1	1	1	1	94.75	59.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	39.5	2004
20.03.2020 11:40:20	1	1	1	1	94.75	59.5	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	39.0625	2004
20.03.2020 11:40:21	1	1	1	1	94.75	59	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.5	2004
20.03.2020 11:40:22	1	1	1	1	94.75	59.5	0	28578.199	563.4408602	15864.70252	30000	0	0	30000	39.5625	2004
20.03.2020 11:40:23	1	1	1	1	94.75	59.5	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	39.75	2004
20.03.2020 11:40:24	1	1	1	1	94.75	59.75	0	28530.806	563.4408602	15864.70252	30000	0	0	30000	39.375	2004
20.03.2020 11:40:25	1	1	1	1	94.75	59.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	39.625	2004
20.03.2020 11:40:31	1	1	1	1	94.75	59.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:31	1	1	1	1	94.75	59.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:31	1	1	1	1	94.75	59.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:31	1	1	1	1	94.75	59.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:31	1	1	1	1	94.75	59.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:31	1	1	1	1	94.75	59.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:32	1	1	1	1	94.75	59.5	0	28815.166	559.1397849	16297.66532	30000	0	0	30000	39.3125	2004
20.03.2020 11:40:33	1	1	1	1	94.75	59.25	0	28578.199	554.8387097	16128.88321	30000	0	0	30000	39	2004
20.03.2020 11:40:34	1	1	1	1	94.75	59	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.75	2004
20.03.2020 11:40:35	1	1	1	1	94.75	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:36	1	1	1	1	94.75	59.5	0	28578.199	559.1397849	15742.39665	30000	0	0	30000	39.125	2004
20.03.2020 11:40:37	1	1	1	1	95	59	0	28483.412	559.1397849	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:38	1	1	1	1	95	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.4375	2004
20.03.2020 11:40:39	1	1	1	1	95	59.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.625	2004
20.03.2020 11:40:40	1	1	1	1	95	59.5	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	39.5625	2004
20.03.2020 11:40:41	1	1	1	1	95	59.5	0	28625.592	561.2903226	16101.97592	30000	0	0	30000	39.75	2004
20.03.2020 11:40:42	1	1	1	1	95	59.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	39.125	2004
20.03.2020 11:40:43	1	1	1	1	95	59	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.75	2004
20.03.2020 11:40:44	1	1	1	1	95	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:40:45	1	1	1	1	95	59.75	0	28578.199	556.9892473	15864.70252	30000	0	0	30000	39.75	2004
20.03.2020 11:40:46	1	1	1	1	95	59.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	39.375	2004
20.03.2020 11:40:47	1	1	1	1	95	59.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.5	2004
20.03.2020 11:40:48	1	1	1	1	95	59.5	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	39.625	2004
20.03.2020 11:40:49	1	1	1	1	95	59.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	39.75	2004
20.03.2020 11:40:50	1	1	1	1	95	59.75	0	28578.199	559.1397849	15952.76275	30000	0	0	30000	39.375	2004
20.03.2020 11:40:51	1	1	1	1	95	59.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.9375	2004
20.03.2020 11:40:52	1	1	1	1	95	59.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.6875	2004
20.03.2020 11:40:53	1	1	1	1	95	59.25	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	39.625	2004
20.03.2020 11:40:54	1	1	1	1	95	59.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.75	2004
20.03.2020 11:40:55	1	1	1	1	95	59.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	39.75	2004
20.03.2020 11:40:57	1	1	1	1	96	59.75	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	39.5	2004
20.03.2020 11:40:58	1	1	1	1	96	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.625	2004
20.03.2020 11:40:59	1	1	1	1	96	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:00	1	1	1	1	96	59.5	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:01	1	1	1	1	96	59.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	39.875	2004
20.03.2020 11:41:02	1	1	1	1	96	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:03	1	1	1	1	96	59.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.875	2004
20.03.2020 11:41:04	1	1	1	1	96	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.75	2004
20.03.2020 11:41:05	1	1	1	1	96	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.125	2004
20.03.2020 11:41:06	1	1	1	1	96	59	0	28578.199	559.1397849	15681.24371	30000	0	0	30000	39.625	2004
20.03.2020 11:41:07	1	1	1	1	95.75	59.5	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	39.75	2004
20.03.2020 11:41:08	1	1	1	1	95.75	59.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:09	1	1	1	1	95.75	59.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	39.75	2004
20.03.2020 11:41:10	1	1	1	1	95.75	59.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	39.75	2004
20.03.2020 11:41:11	1	1	1	1	95.75	59.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.4375	2004
20.03.2020 11:41:12	1	1	1	1	95.75	59.25	0	28672.986	556.9892473	16111.76039	30000	0	0	30000	39.625	2004
20.03.2020 11:41:13	1	1	1	1	95.75	59.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	39.75	2004
20.03.2020 11:41:14	1	1	1	1	95.75	59.75	0	28483.412	561.2903226	16101.97592	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:15	1	1	1	1	95.75	59.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	39.5	2004
20.03.2020 11:41:16	1	1	1	1	95.75	59.5	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	39.8125	2004
20.03.2020 11:41:17	1	1	1	1	96.5	59.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	39.75	2004
20.03.2020 11:41:18	1	1	1	1	96.5	59.75	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	39.4375	2004
20.03.2020 11:41:19	1	1	1	1	96.5	59.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	39.625	2004
20.03.2020 11:41:20	1	1	1	1	96.5	59.5	0	28625.592	563.4408602	15855.73343	30000	0	0	30000	39.8125	2004
20.03.2020 11:41:21	1	1	1	1	96.5	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.75	2004
20.03.2020 11:41:22	1	1	1	1	96.5	59.75	0	28436.019	554.8387097	15925.85546	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:23	1	1	1	1	96.5	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:24	1	1	1	1	96.5	59.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.5	2004
20.03.2020 11:41:25	1	1	1	1	96.5	59.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:26	1	1	1	1	96.5	59.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.8125	2004
20.03.2020 11:41:33	1	1	1	1	96	58.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.75	2004
20.03.2020 11:41:33	1	1	1	1	96	58.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:41:33	1	1	1	1	96	58.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.75	2004
20.03.2020 11:41:33	1	1	1	1	96	58.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.75	2004
20.03.2020 11:41:33	1	1	1	1	96	58.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.75	2004
20.03.2020 11:41:33	1	1	1	1	96	58.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.75	2004
20.03.2020 11:41:33	1	1	1	1	96	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:34	1	1	1	1	96	59.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.1875	2004
20.03.2020 11:41:35	1	1	1	1	96	59	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	39.25	2004
20.03.2020 11:41:37	1	1	1	1	95.25	59.25	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	39.75	2004
20.03.2020 11:41:38	1	1	1	1	95.25	59.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	39.75	2004
20.03.2020 11:41:39	1	1	1	1	95.25	59.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	38.8125	2004
20.03.2020 11:41:40	1	1	1	1	95.25	58.75	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:41	1	1	1	1	95.25	59.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	39.875	2004
20.03.2020 11:41:42	1	1	1	1	95.25	59.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	39.75	2004
20.03.2020 11:41:43	1	1	1	1	95.25	59.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.625	2004
20.03.2020 11:41:44	1	1	1	1	95.25	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:41:45	1	1	1	1	95.25	59.75	0	28578.199	565.5913978	16101.97592	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:46	1	1	1	1	95.25	59.5	0	28578.199	563.4408602	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:47	1	1	1	1	95.5	59.5	0	28578.199	561.2903226	15917.70174	30000	0	0	30000	39.75	2004
20.03.2020 11:41:48	1	1	1	1	95.5	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:41:49	1	1	1	1	95.5	59.75	0	28436.019	556.9892473	15899.76354	30000	0	0	30000	39.25	2004
20.03.2020 11:41:50	1	1	1	1	95.5	59.25	0	28483.412	559.1397849	15899.76354	30000	0	0	30000	39.625	2004
20.03.2020 11:41:51	1	1	1	1	95.5	59.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	39	2004
20.03.2020 11:41:52	1	1	1	1	95.5	59	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	39.75	2004
20.03.2020 11:41:53	1	1	1	1	95.5	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.625	2004
20.03.2020 11:41:54	1	1	1	1	95.5	59.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:55	1	1	1	1	95.5	59.5	0	28625.592	556.9892473	15707.33563	30000	0	0	30000	39.75	2004
20.03.2020 11:41:56	1	1	1	1	95.5	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.75	2004
20.03.2020 11:41:57	1	1	1	1	94.25	59.75	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	39.8125	2004
20.03.2020 11:41:58	1	1	1	1	94.25	59.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.6875	2004
20.03.2020 11:41:59	1	1	1	1	94.25	59.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.625	2004
20.03.2020 11:42:00	1	1	1	1	94.25	59.5	0	28483.412	550.5376344	15855.73343	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:01	1	1	1	1	94.25	59.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	39.6875	2004
20.03.2020 11:42:02	1	1	1	1	94.25	59.5	0	28436.019	561.2903226	15838.61061	30000	0	0	30000	39.9375	2004
20.03.2020 11:42:03	1	1	1	1	94.25	59.75	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:42:04	1	1	1	1	94.25	59.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	39.75	2004
20.03.2020 11:42:05	1	1	1	1	94.25	59.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	39.75	2004
20.03.2020 11:42:06	1	1	1	1	94.25	59.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.625	2004
20.03.2020 11:42:07	1	1	1	1	94.5	59.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.5625	2004
20.03.2020 11:42:08	1	1	1	1	94.5	59.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.75	2004
20.03.2020 11:42:09	1	1	1	1	94.5	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.875	2004
20.03.2020 11:42:10	1	1	1	1	94.5	59.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40	2004
20.03.2020 11:42:11	1	1	1	1	94.5	60	0	28341.232	554.8387097	15995.16212	30000	0	0	30000	40.125	2004
20.03.2020 11:42:12	1	1	1	1	94.5	59.75	0	28530.806	563.4408602	16013.91569	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:42:13	1	1	1	1	94.5	59.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	39.625	2004
20.03.2020 11:42:14	1	1	1	1	94.5	59.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	39.5625	2004
20.03.2020 11:42:16	1	1	1	1	94.5	59.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:17	1	1	1	1	94	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.6875	2004
20.03.2020 11:42:18	1	1	1	1	94	59.5	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	39.4375	2004
20.03.2020 11:42:19	1	1	1	1	94	59.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	39.5625	2004
20.03.2020 11:42:20	1	1	1	1	94	59.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	39.5625	2004
20.03.2020 11:42:21	1	1	1	1	94	59.5	0	28483.412	563.4408602	15838.61061	30000	0	0	30000	39.75	2004
20.03.2020 11:42:22	1	1	1	1	94	59.75	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	39.6875	2004
20.03.2020 11:42:23	1	1	1	1	94	59.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	39.9375	2004
20.03.2020 11:42:24	1	1	1	1	94	59.75	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	39.25	2004
20.03.2020 11:42:25	1	1	1	1	94	59.25	0	28483.412	565.5913978	16022.06942	30000	0	0	30000	38.6875	2004
20.03.2020 11:42:26	1	1	1	1	94	58.5	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	39.0625	2004
20.03.2020 11:42:27	1	1	1	1	93.75	59	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:28	1	1	1	1	93.75	59.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:34	1	1	1	1	93.75	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:34	1	1	1	1	93.75	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:34	1	1	1	1	93.75	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:34	1	1	1	1	93.75	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:34	1	1	1	1	93.75	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:34	1	1	1	1	93.75	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:35	1	1	1	1	93.75	59.75	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:36	1	1	1	1	93.75	59.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	39.6875	2004
20.03.2020 11:42:37	1	1	1	1	94.25	59.5	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	39.875	2004
20.03.2020 11:42:38	1	1	1	1	94.25	59.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	39.875	2004
20.03.2020 11:42:39	1	1	1	1	94.25	59.75	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:40	1	1	1	1	94.25	59.75	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:42:41	1	1	1	1	94.25	59.5	0	28341.232	559.1397849	15785.61139	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:42	1	1	1	1	94.25	59.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	39.8125	2004
20.03.2020 11:42:43	1	1	1	1	94.25	59.75	0	28436.019	563.4408602	15987.0084	30000	0	0	30000	39.875	2004
20.03.2020 11:42:44	1	1	1	1	94.25	59.75	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	39.875	2004
20.03.2020 11:42:45	1	1	1	1	94.25	59.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.625	2004
20.03.2020 11:42:46	1	1	1	1	94.25	59.5	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	39.9375	2004
20.03.2020 11:42:47	1	1	1	1	94.5	59.75	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	39.875	2004
20.03.2020 11:42:48	1	1	1	1	94.5	59.75	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	39.75	2004
20.03.2020 11:42:49	1	1	1	1	94.5	59.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	39.625	2004
20.03.2020 11:42:50	1	1	1	1	94.5	59.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.0625	2004
20.03.2020 11:42:51	1	1	1	1	94.5	59	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	39.875	2004
20.03.2020 11:42:52	1	1	1	1	94.5	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.75	2004
20.03.2020 11:42:53	1	1	1	1	94.5	59.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	39.6875	2004
20.03.2020 11:42:54	1	1	1	1	94.5	59.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	40.1875	2004
20.03.2020 11:42:55	1	1	1	1	94.5	58.75	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:42:56	1	1	1	1	94.75	59.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:43:42	1	1	1	1	94.5	59.5	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	39.875	2004
20.03.2020 11:43:43	1	1	1	1	94.5	59.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	39.8125	2004
20.03.2020 11:43:44	1	1	1	1	94.5	59.75	0	28530.806	563.4408602	15864.70252	30000	0	0	30000	39.8125	2004
20.03.2020 11:43:45	1	1	1	1	94.5	59.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	39.875	2004
20.03.2020 11:43:46	1	1	1	1	94.5	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.75	2004
20.03.2020 11:43:47	1	1	1	1	94.5	59.75	0	28341.232	559.1397849	15758.7041	30000	0	0	30000	39.8125	2004
20.03.2020 11:43:48	1	1	1	1	94.5	59.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.875	2004
20.03.2020 11:43:49	1	1	1	1	94.5	59.75	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	39.9375	2004
20.03.2020 11:43:50	1	1	1	1	94.5	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.3125	2004
20.03.2020 11:43:51	1	1	1	1	94.5	59.25	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	40.0625	2004
20.03.2020 11:43:52	1	1	1	1	94.5	60	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	39.875	2004
20.03.2020 11:43:53	1	1	1	1	94.5	59.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	39.9375	2004
20.03.2020 11:43:54	1	1	1	1	94.5	59.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	39.9375	2004
20.03.2020 11:43:55	1	1	1	1	94.5	59.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	39.4375	2004
20.03.2020 11:43:56	1	1	1	1	94.5	59.25	0	28341.232	556.9892473	15907.10189	30000	0	0	30000	39.875	2004
20.03.2020 11:43:57	1	1	1	1	94.75	59.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	39.5625	2004
20.03.2020 11:43:58	1	1	1	1	94.75	59.5	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	39.4375	2004
20.03.2020 11:43:59	1	1	1	1	94.75	59.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	39.75	2004
20.03.2020 11:44:00	1	1	1	1	94.75	59.75	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	39.9375	2004
20.03.2020 11:44:01	1	1	1	1	94.75	59.75	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	39.8125	2004
20.03.2020 11:44:02	1	1	1	1	94.75	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.9375	2004
20.03.2020 11:44:03	1	1	1	1	94.75	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.75	2004
20.03.2020 11:44:04	1	1	1	1	94.75	59.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.875	2004
20.03.2020 11:44:05	1	1	1	1	94.75	59.75	0	28293.839	561.2903226	15827.19539	30000	0	0	30000	39.75	2004
20.03.2020 11:44:06	1	1	1	1	94.75	59.75	0	28530.806	552.688172	15803.54959	30000	0	0	30000	39.875	2004
20.03.2020 11:44:07	1	1	1	1	93.75	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	39.375	2004
20.03.2020 11:44:08	1	1	1	1	93.75	59.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
20.03.2020 11:44:09	1	1	1	1	93.75	59.75	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	39.5	2004
20.03.2020 11:44:10	1	1	1	1	93.75	59.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.75	2004
20.03.2020 11:44:11	1	1	1	1	93.75	59.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.5625	2004
20.03.2020 11:44:12	1	1	1	1	93.75	59.5	0	28388.626	559.1397849	15785.61139	30000	0	0	30000	39.8125	2004
20.03.2020 11:44:13	1	1	1	1	93.75	59.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	39.9375	2004
20.03.2020 11:44:14	1	1	1	1	93.75	59.75	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	39.875	2004
20.03.2020 11:44:15	1	1	1	1	93.75	59.75	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	39.5625	2004
20.03.2020 11:44:16	1	1	1	1	94.25	60.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.875	2004
20.03.2020 11:44:18	1	1	1	1	94.25	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.75	2004
20.03.2020 11:44:19	1	1	1	1	94.25	59.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.5	2004
20.03.2020 11:44:20	1	1	1	1	94.25	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.375	2004
20.03.2020 11:44:21	1	1	1	1	94.25	59.25	0	28625.592	559.1397849	15855.73343	30000	0	0	30000	39.875	2004
20.03.2020 11:44:22	1	1	1	1	94.25	59.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.6875	2004
20.03.2020 11:44:23	1	1	1	1	94.25	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.8125	2004
20.03.2020 11:44:24	1	1	1	1	94.25	59.75	0	28578.199	559.1397849	16101.97592	30000	0	0	30000	39.8125	2004
20.03.2020 11:44:25	1	1	1	1	94.25	59.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:44:26	1	1	1	1	94.25	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	39.3125	2004
20.03.2020 11:44:27	1	1	1	1	94	59.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	39.8125	2004
20.03.2020 11:44:28	1	1	1	1	94	59.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.6875	2004
20.03.2020 11:44:29	1	1	1	1	94	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.75	2004
20.03.2020 11:44:30	1	1	1	1	94	59.75	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	39.625	2004
20.03.2020 11:44:31	1	1	1	1	94	59.5	0	28578.199	554.8387097	15742.39665	30000	0	0	30000	39.875	2004
20.03.2020 11:44:37	1	1	1	1	93.25	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.875	2004
20.03.2020 11:44:37	1	1	1	1	93.25	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.875	2004
20.03.2020 11:44:37	1	1	1	1	93.25	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.875	2004
20.03.2020 11:44:37	1	1	1	1	93.25	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.875	2004
20.03.2020 11:44:37	1	1	1	1	93.25	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.875	2004
20.03.2020 11:44:38	1	1	1	1	93.25	59.75	0	28625.592	567.7419355	16190.03615	30000	0	0	30000	39.625	2004
20.03.2020 11:44:39	1	1	1	1	93.25	59.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	39.75	2004
20.03.2020 11:44:40	1	1	1	1	93.25	59.75	0	28672.986	559.1397849	16111.76039	30000	0	0	30000	40	2004
20.03.2020 11:44:41	1	1	1	1	93.25	60	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:44:42	1	1	1	1	93.25	59.5	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	39.75	2004
20.03.2020 11:44:43	1	1	1	1	93.25	59.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	39.9375	2004
20.03.2020 11:44:44	1	1	1	1	93.25	59.75	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	39.8125	2004
20.03.2020 11:44:45	1	1	1	1	93.25	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.9375	2004
20.03.2020 11:44:46	1	1	1	1	93.25	59.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.875	2004
20.03.2020 11:44:47	1	1	1	1	93.5	59.75	0	28815.166	563.4408602	16235.69701	30000	0	0	30000	39.9375	2004
20.03.2020 11:44:48	1	1	1	1	93.5	59.75	0	28578.199	563.4408602	16048.16134	30000	0	0	30000	39.6875	2004
20.03.2020 11:44:49	1	1	1	1	93.5	59.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40	2004
20.03.2020 11:44:50	1	1	1	1	93.5	60	0	28530.806	561.2903226	15864.70252	30000	0	0	30000	39.875	2004
20.03.2020 11:44:51	1	1	1	1	93.5	59.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.875	2004
20.03.2020 11:44:52	1	1	1	1	93.5	59.75	0	28388.626	563.4408602	15785.61139	30000	0	0	30000	40.1875	2004
20.03.2020 11:44:53	1	1	1	1	93.5	60	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.4375	2004
20.03.2020 11:44:54	1	1	1	1	93.5	59.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.25	2004
20.03.2020 11:44:55	1	1	1	1	93.5	60.25	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	40	2004
20.03.2020 11:44:56	1	1	1	1	93.5	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	39.6875	2004
20.03.2020 11:44:57	1	1	1	1	94.25	60.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	39.9375	2004
20.03.2020 11:44:59	1	1	1	1	94.25	59.75	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	39.875	2004
20.03.2020 11:45:00	1	1	1	1	94.25	59.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.9375	2004
20.03.2020 11:45:01	1	1	1	1	94.25	59.75	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	39.9375	2004
20.03.2020 11:45:02	1	1	1	1	94.25	59.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	39.75	2004
20.03.2020 11:45:03	1	1	1	1	94.25	59.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	39.75	2004
20.03.2020 11:45:04	1	1	1	1	94.25	59.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40	2004
20.03.2020 11:45:05	1	1	1	1	94.25	60	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.625	2004
20.03.2020 11:45:06	1	1	1	1	94.25	59.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	39.75	2004
20.03.2020 11:45:07	1	1	1	1	94.25	59.75	0	28483.412	565.5913978	16163.12886	30000	0	0	30000	39.6875	2004
20.03.2020 11:45:08	1	1	1	1	94.25	59.5	0	28815.166	552.688172	16111.76039	30000	0	0	30000	39.25	2004
20.03.2020 11:45:09	1	1	1	1	94.25	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:45:10	1	1	1	1	94.25	59.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.9375	2004
20.03.2020 11:45:11	1	1	1	1	94.25	59.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.0625	2004
20.03.2020 11:45:12	1	1	1	1	94.25	60	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	39.75	2004
20.03.2020 11:45:13	1	1	1	1	94.25	59.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.8125	2004
20.03.2020 11:45:14	1	1	1	1	94.25	59.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.75	2004
20.03.2020 11:45:15	1	1	1	1	94.25	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	38.25	2004
20.03.2020 11:45:16	1	1	1	1	94.25	58.25	0	28862.559	559.1397849	16075.884	30000	0	0	30000	39.4375	2004
20.03.2020 11:45:17	1	1	1	1	94	59.25	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	39.875	2004
20.03.2020 11:45:18	1	1	1	1	94	59.75	0	28672.986	559.1397849	15925.85546	30000	0	0	30000	39.625	2004
20.03.2020 11:45:19	1	1	1	1	94	59.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.8125	2004
20.03.2020 11:45:20	1	1	1	1	94	59.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	39.75	2004
20.03.2020 11:45:21	1	1	1	1	94	59.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.75	2004
20.03.2020 11:45:22	1	1	1	1	94	59.75	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	39.8125	2004
20.03.2020 11:45:23	1	1	1	1	94	59.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	40.0625	2004
20.03.2020 11:45:24	1	1	1	1	94	60	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	40	2004
20.03.2020 11:45:25	1	1	1	1	94	60	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.875	2004
20.03.2020 11:45:26	1	1	1	1	94	59.75	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	39.75	2004
20.03.2020 11:45:27	1	1	1	1	94.5	59.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.9375	2004
20.03.2020 11:45:28	1	1	1	1	94.5	59.75	0	28625.592	552.688172	15855.73343	30000	0	0	30000	40	2004
20.03.2020 11:45:29	1	1	1	1	94.5	60	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	40	2004
20.03.2020 11:45:30	1	1	1	1	94.5	60	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	39.75	2004
20.03.2020 11:45:31	1	1	1	1	94.5	59.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	39.8125	2004
20.03.2020 11:45:32	1	1	1	1	94.5	59.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	40	2004
20.03.2020 11:45:39	1	1	1	1	93	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.75	2004
20.03.2020 11:45:39	1	1	1	1	93	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.75	2004
20.03.2020 11:45:39	1	1	1	1	93	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.75	2004
20.03.2020 11:45:39	1	1	1	1	93	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.75	2004
20.03.2020 11:45:39	1	1	1	1	93	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.75	2004
20.03.2020 11:45:39	1	1	1	1	93	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.75	2004
20.03.2020 11:45:40	1	1	1	1	93	59.75	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	39.9375	2004
20.03.2020 11:45:41	1	1	1	1	93	59.75	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	39.375	2004
20.03.2020 11:45:42	1	1	1	1	93	59.25	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	39.75	2004
20.03.2020 11:45:43	1	1	1	1	93	59.75	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	40.0625	2004
20.03.2020 11:45:44	1	1	1	1	93	60	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	39.4375	2004
20.03.2020 11:45:45	1	1	1	1	93	59.25	0	28815.166	561.2903226	16111.76039	30000	0	0	30000	40	2004
20.03.2020 11:45:46	1	1	1	1	93	60	0	28199.052	561.2903226	16029.40777	30000	0	0	30000	39.9375	2004
20.03.2020 11:45:47	1	1	1	1	93	59.75	0	28436.019	559.1397849	15925.85546	30000	0	0	30000	39	2004
20.03.2020 11:45:48	1	1	1	1	93	59	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.75	2004
20.03.2020 11:45:49	1	1	1	1	93	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.8125	2004
20.03.2020 11:45:50	1	1	1	1	93	59.75	0	28815.166	552.688172	15801.91884	30000	0	0	30000	40	2004
20.03.2020 11:45:51	1	1	1	1	93	60	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	39.5625	2004
20.03.2020 11:45:52	1	1	1	1	93	59.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	40.0625	2004
20.03.2020 11:45:53	1	1	1	1	93	60	0	28672.986	556.9892473	16111.76039	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:45:54	1	1	1	1	93	59.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.875	2004
20.03.2020 11:45:55	1	1	1	1	93	59.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	40.0625	2004
20.03.2020 11:45:56	1	1	1	1	93	60	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	39.875	2004
20.03.2020 11:45:57	1	1	1	1	93.5	59.75	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	39.75	2004
20.03.2020 11:45:58	1	1	1	1	93.5	59.75	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40	2004
20.03.2020 11:45:59	1	1	1	1	93.5	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40	2004
20.03.2020 11:46:00	1	1	1	1	93.5	60	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	39.875	2004
20.03.2020 11:46:01	1	1	1	1	93.5	59.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:02	1	1	1	1	93.5	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.0625	2004
20.03.2020 11:46:03	1	1	1	1	93.5	60	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:04	1	1	1	1	93.5	59.75	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:05	1	1	1	1	93.5	59.75	0	29052.133	559.1397849	16128.88321	30000	0	0	30000	39.75	2004
20.03.2020 11:46:06	1	1	1	1	93.5	59.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.125	2004
20.03.2020 11:46:07	1	1	1	1	93	60	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	39.6875	2004
20.03.2020 11:46:08	1	1	1	1	93	59.5	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	39.75	2004
20.03.2020 11:46:09	1	1	1	1	93	59.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:10	1	1	1	1	93	59.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	39.8125	2004
20.03.2020 11:46:11	1	1	1	1	93	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.1875	2004
20.03.2020 11:46:12	1	1	1	1	93	60	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	39.6875	2004
20.03.2020 11:46:14	1	1	1	1	93	60.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:15	1	1	1	1	93	59.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.0625	2004
20.03.2020 11:46:16	1	1	1	1	93	60	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	39.875	2004
20.03.2020 11:46:17	1	1	1	1	93.5	59.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:18	1	1	1	1	93.5	59.75	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	40.0625	2004
20.03.2020 11:46:19	1	1	1	1	93.5	60	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.125	2004
20.03.2020 11:46:20	1	1	1	1	93.5	60	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	39.75	2004
20.03.2020 11:46:21	1	1	1	1	93.5	59.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	39.75	2004
20.03.2020 11:46:22	1	1	1	1	93.5	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40	2004
20.03.2020 11:46:23	1	1	1	1	93.5	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40	2004
20.03.2020 11:46:24	1	1	1	1	93.5	60	0	28957.346	550.5376344	16066.09953	30000	0	0	30000	40.0625	2004
20.03.2020 11:46:25	1	1	1	1	93.5	60	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.0625	2004
20.03.2020 11:46:26	1	1	1	1	93.5	60	0	28957.346	552.688172	16004.13122	30000	0	0	30000	39.8125	2004
20.03.2020 11:46:27	1	1	1	1	93.75	59.75	0	28862.559	559.1397849	16075.884	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:28	1	1	1	1	93.75	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.625	2004
20.03.2020 11:46:29	1	1	1	1	93.75	59.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40	2004
20.03.2020 11:46:30	1	1	1	1	93.75	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.125	2004
20.03.2020 11:46:31	1	1	1	1	93.75	60	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	40.1875	2004
20.03.2020 11:46:32	1	1	1	1	93.75	60	0	28530.806	556.9892473	15917.70174	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:33	1	1	1	1	93.75	59.75	0	28909.953	554.8387097	16075.884	30000	0	0	30000	40.25	2004
20.03.2020 11:46:34	1	1	1	1	93.75	60.25	0	29052.133	559.1397849	16004.13122	30000	0	0	30000	39.75	2004
20.03.2020 11:46:41	1	1	1	1	93.25	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.875	2004
20.03.2020 11:46:41	1	1	1	1	93.25	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.875	2004
20.03.2020 11:46:41	1	1	1	1	93.25	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:46:41	1	1	1	1	93.25	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.875	2004
20.03.2020 11:46:41	1	1	1	1	93.25	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.875	2004
20.03.2020 11:46:41	1	1	1	1	93.25	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.875	2004
20.03.2020 11:46:41	1	1	1	1	93.25	59.75	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	39.75	2004
20.03.2020 11:46:42	1	1	1	1	93.25	59.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:43	1	1	1	1	93.25	59.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	39.875	2004
20.03.2020 11:46:44	1	1	1	1	93.25	59.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.1875	2004
20.03.2020 11:46:45	1	1	1	1	93.25	60	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	39.5	2004
20.03.2020 11:46:46	1	1	1	1	93.25	59.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:47	1	1	1	1	93.25	59.75	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	40.0625	2004
20.03.2020 11:46:48	1	1	1	1	93.25	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.625	2004
20.03.2020 11:46:49	1	1	1	1	93.25	59.5	0	28815.166	556.9892473	15855.73343	30000	0	0	30000	40	2004
20.03.2020 11:46:50	1	1	1	1	93.25	60	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:51	1	1	1	1	93.25	59.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39	2004
20.03.2020 11:46:52	1	1	1	1	93.25	59	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.125	2004
20.03.2020 11:46:53	1	1	1	1	93.25	60	0	28957.346	552.688172	16066.09953	30000	0	0	30000	39.875	2004
20.03.2020 11:46:55	1	1	1	1	93.25	59.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:56	1	1	1	1	93.25	59.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:57	1	1	1	1	92.25	59.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	39.75	2004
20.03.2020 11:46:58	1	1	1	1	92.25	59.75	0	28957.346	544.0860215	15905.47115	30000	0	0	30000	39.9375	2004
20.03.2020 11:46:59	1	1	1	1	92.25	59.75	0	28957.346	550.5376344	15817.41092	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:00	1	1	1	1	92.25	60	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40	2004
20.03.2020 11:47:01	1	1	1	1	92.25	60	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:02	1	1	1	1	92.25	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40	2004
20.03.2020 11:47:03	1	1	1	1	92.25	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:04	1	1	1	1	92.25	60	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40	2004
20.03.2020 11:47:05	1	1	1	1	92.25	60	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	39.75	2004
20.03.2020 11:47:06	1	1	1	1	92.25	59.75	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	39.6875	2004
20.03.2020 11:47:07	1	1	1	1	92.75	59.5	0	28578.199	559.1397849	16173.7287	30000	0	0	30000	40.1875	2004
20.03.2020 11:47:08	1	1	1	1	92.75	60	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.9375	2004
20.03.2020 11:47:09	1	1	1	1	92.75	59.75	0	28862.559	556.9892473	16013.91569	30000	0	0	30000	39.9375	2004
20.03.2020 11:47:10	1	1	1	1	92.75	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:11	1	1	1	1	92.75	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.875	2004
20.03.2020 11:47:12	1	1	1	1	92.75	59.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.625	2004
20.03.2020 11:47:13	1	1	1	1	92.75	59.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.8125	2004
20.03.2020 11:47:14	1	1	1	1	92.75	59.75	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	40.25	2004
20.03.2020 11:47:15	1	1	1	1	92.75	60.25	0	28578.199	552.688172	15794.58049	30000	0	0	30000	39.9375	2004
20.03.2020 11:47:16	1	1	1	1	92.75	59.75	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	40	2004
20.03.2020 11:47:17	1	1	1	1	94.25	60	0	28815.166	552.688172	15820.67241	30000	0	0	30000	40.1875	2004
20.03.2020 11:47:18	1	1	1	1	94.25	60	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.125	2004
20.03.2020 11:47:19	1	1	1	1	94.25	60	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	39.9375	2004
20.03.2020 11:47:20	1	1	1	1	94.25	59.75	0	28578.199	552.688172	15742.39665	30000	0	0	30000	40	2004
20.03.2020 11:47:21	1	1	1	1	94.25	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:47:22	1	1	1	1	94.25	60	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.9375	2004
20.03.2020 11:47:23	1	1	1	1	94.25	59.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.9375	2004
20.03.2020 11:47:24	1	1	1	1	94.25	59.75	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	39.625	2004
20.03.2020 11:47:25	1	1	1	1	94.25	59.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	39.8125	2004
20.03.2020 11:47:26	1	1	1	1	94.25	59.75	0	28625.592	554.8387097	15917.70174	30000	0	0	30000	40.125	2004
20.03.2020 11:47:27	1	1	1	1	94	60	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.1875	2004
20.03.2020 11:47:28	1	1	1	1	94	60	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.125	2004
20.03.2020 11:47:29	1	1	1	1	94	60	0	28293.839	559.1397849	15881.00997	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:30	1	1	1	1	94	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	39.6875	2004
20.03.2020 11:47:31	1	1	1	1	94	59.5	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	39.5	2004
20.03.2020 11:47:32	1	1	1	1	94	59.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.3125	2004
20.03.2020 11:47:34	1	1	1	1	94	60.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	39.3125	2004
20.03.2020 11:47:35	1	1	1	1	94	59.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.375	2004
20.03.2020 11:47:36	1	1	1	1	94	59.25	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	40.125	2004
20.03.2020 11:47:42	1	1	1	1	93.75	60	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:42	1	1	1	1	93.75	60	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:42	1	1	1	1	93.75	60	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:42	1	1	1	1	93.75	60	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:42	1	1	1	1	93.75	60	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:42	1	1	1	1	93.75	60	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:43	1	1	1	1	93.75	60	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.625	2004
20.03.2020 11:47:44	1	1	1	1	93.75	59.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.1875	2004
20.03.2020 11:47:45	1	1	1	1	93.75	60	0	28815.166	546.2365591	15951.94738	30000	0	0	30000	39.9375	2004
20.03.2020 11:47:46	1	1	1	1	93.75	59.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.0625	2004
20.03.2020 11:47:47	1	1	1	1	94.25	60	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	39.875	2004
20.03.2020 11:47:48	1	1	1	1	94.25	59.75	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	39.9375	2004
20.03.2020 11:47:49	1	1	1	1	94.25	59.75	0	28625.592	565.5913978	16040.00761	30000	0	0	30000	39.75	2004
20.03.2020 11:47:50	1	1	1	1	94.25	59.75	0	28862.559	554.8387097	15987.82377	30000	0	0	30000	40	2004
20.03.2020 11:47:51	1	1	1	1	94.25	60	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	39.875	2004
20.03.2020 11:47:52	1	1	1	1	94.25	59.75	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	40	2004
20.03.2020 11:47:53	1	1	1	1	94.25	60	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.125	2004
20.03.2020 11:47:54	1	1	1	1	94.25	60	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.8125	2004
20.03.2020 11:47:55	1	1	1	1	94.25	59.75	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	40.125	2004
20.03.2020 11:47:56	1	1	1	1	94.25	60	0	28862.559	565.5913978	16173.7287	30000	0	0	30000	40	2004
20.03.2020 11:47:57	1	1	1	1	94	60	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	39.5	2004
20.03.2020 11:47:58	1	1	1	1	94	59.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.1875	2004
20.03.2020 11:47:59	1	1	1	1	94	60	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	39.625	2004
20.03.2020 11:48:00	1	1	1	1	94	59.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40	2004
20.03.2020 11:48:01	1	1	1	1	94	60	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	39.9375	2004
20.03.2020 11:48:02	1	1	1	1	94	59.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	39.375	2004
20.03.2020 11:48:03	1	1	1	1	94	59.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40	2004
20.03.2020 11:48:04	1	1	1	1	94	60	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	39.1875	2004
20.03.2020 11:48:05	1	1	1	1	94	59	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:48:06	1	1	1	1	94	59.75	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	40.125	2004
20.03.2020 11:48:07	1	1	1	1	94	60	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	39.9375	2004
20.03.2020 11:48:08	1	1	1	1	94	59.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	39.9375	2004
20.03.2020 11:48:09	1	1	1	1	94	59.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	39.875	2004
20.03.2020 11:48:10	1	1	1	1	94	59.75	0	29052.133	546.2365591	15843.50284	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:11	1	1	1	1	94	60	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	39.6875	2004
20.03.2020 11:48:12	1	1	1	1	94	59.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:13	1	1	1	1	94	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.375	2004
20.03.2020 11:48:14	1	1	1	1	94	60.25	0	28862.559	556.9892473	15925.85546	30000	0	0	30000	39.75	2004
20.03.2020 11:48:16	1	1	1	1	94	59.75	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	40.3125	2004
20.03.2020 11:48:17	1	1	1	1	95.5	60	0	29620.853	537.6344086	16078.33012	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:18	1	1	1	1	95.5	60	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	40.25	2004
20.03.2020 11:48:19	1	1	1	1	95.5	60.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	39.875	2004
20.03.2020 11:48:20	1	1	1	1	95.5	59.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	39.9375	2004
20.03.2020 11:48:21	1	1	1	1	95.5	59.75	0	29052.133	554.8387097	15942.16291	30000	0	0	30000	39.75	2004
20.03.2020 11:48:22	1	1	1	1	95.5	59.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	39.1875	2004
20.03.2020 11:48:23	1	1	1	1	95.5	59	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	39.875	2004
20.03.2020 11:48:24	1	1	1	1	95.5	59.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	40.1875	2004
20.03.2020 11:48:25	1	1	1	1	95.5	60	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.125	2004
20.03.2020 11:48:26	1	1	1	1	95.5	60	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:27	1	1	1	1	95.25	60	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40	2004
20.03.2020 11:48:28	1	1	1	1	95.25	60	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	39.9375	2004
20.03.2020 11:48:29	1	1	1	1	95.25	59.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	39.6875	2004
20.03.2020 11:48:30	1	1	1	1	95.25	59.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	39.875	2004
20.03.2020 11:48:31	1	1	1	1	95.25	59.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	40.125	2004
20.03.2020 11:48:32	1	1	1	1	95.25	60	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40	2004
20.03.2020 11:48:33	1	1	1	1	95.25	60	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:34	1	1	1	1	95.25	60	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40	2004
20.03.2020 11:48:35	1	1	1	1	95.25	60	0	29289.1	550.5376344	16213.68195	30000	0	0	30000	40	2004
20.03.2020 11:48:36	1	1	1	1	95.25	60	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.3125	2004
20.03.2020 11:48:37	1	1	1	1	95.25	60.25	0	29052.133	548.3870968	15931.56307	30000	0	0	30000	39.5	2004
20.03.2020 11:48:43	1	1	1	1	95.25	59.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:43	1	1	1	1	95.25	59.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:43	1	1	1	1	95.25	59.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:43	1	1	1	1	95.25	59.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:43	1	1	1	1	95.25	59.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:44	1	1	1	1	95.25	60	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	39.9375	2004
20.03.2020 11:48:45	1	1	1	1	95.25	59.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:46	1	1	1	1	95.25	60	0	29099.526	541.9354839	16108.4989	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:47	1	1	1	1	95	60	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	40.1875	2004
20.03.2020 11:48:48	1	1	1	1	95	60	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.9375	2004
20.03.2020 11:48:49	1	1	1	1	95	59.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:48:50	1	1	1	1	95	60	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:51	1	1	1	1	95	60	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	40.25	2004
20.03.2020 11:48:52	1	1	1	1	95	60.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.0625	2004
20.03.2020 11:48:53	1	1	1	1	95	60	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.875	2004
20.03.2020 11:48:54	1	1	1	1	95	59.75	0	29146.919	546.2365591	16234.06626	30000	0	0	30000	40.125	2004
20.03.2020 11:48:55	1	1	1	1	95	60	0	29099.526	552.688172	16082.40698	30000	0	0	30000	40.3125	2004
20.03.2020 11:48:56	1	1	1	1	95	60.25	0	28625.592	550.5376344	15785.61139	30000	0	0	30000	39.75	2004
20.03.2020 11:48:58	1	1	1	1	95.25	59.75	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	40	2004
20.03.2020 11:48:59	1	1	1	1	95.25	60.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.1875	2004
20.03.2020 11:49:00	1	1	1	1	95.25	60	0	29052.133	552.688172	16004.13122	30000	0	0	30000	40.0625	2004
20.03.2020 11:49:01	1	1	1	1	95.25	60	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	39.6875	2004
20.03.2020 11:49:02	1	1	1	1	95.25	59.5	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.1875	2004
20.03.2020 11:49:03	1	1	1	1	95.25	60	0	28578.199	552.688172	15917.70174	30000	0	0	30000	39.75	2004
20.03.2020 11:49:04	1	1	1	1	95.25	59.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 11:49:05	1	1	1	1	95.25	60	0	28672.986	550.5376344	15925.85546	30000	0	0	30000	39.875	2004
20.03.2020 11:49:06	1	1	1	1	95.25	59.75	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	39.9375	2004
20.03.2020 11:49:07	1	1	1	1	95	59.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 11:49:08	1	1	1	1	95	60	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.125	2004
20.03.2020 11:49:09	1	1	1	1	95	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	39.75	2004
20.03.2020 11:49:10	1	1	1	1	95	59.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	40.25	2004
20.03.2020 11:49:11	1	1	1	1	95	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40	2004
20.03.2020 11:49:12	1	1	1	1	95	60	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.625	2004
20.03.2020 11:49:13	1	1	1	1	95	59.5	0	28483.412	552.688172	15864.70252	30000	0	0	30000	40	2004
20.03.2020 11:49:14	1	1	1	1	95	60	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.75	2004
20.03.2020 11:49:15	1	1	1	1	95	59.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.125	2004
20.03.2020 11:49:16	1	1	1	1	95	60	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40	2004
20.03.2020 11:49:17	1	1	1	1	94.25	60	0	28909.953	552.688172	16004.13122	30000	0	0	30000	39.8125	2004
20.03.2020 11:49:18	1	1	1	1	94.25	59.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	40.3125	2004
20.03.2020 11:49:19	1	1	1	1	94.25	60.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	40.0625	2004
20.03.2020 11:49:20	1	1	1	1	94.25	60	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	40.0625	2004
20.03.2020 11:49:21	1	1	1	1	94.25	60	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.1875	2004
20.03.2020 11:49:22	1	1	1	1	94.25	60	0	28957.346	554.8387097	16207.97434	30000	0	0	30000	40.3125	2004
20.03.2020 11:49:23	1	1	1	1	94.25	60.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	39.125	2004
20.03.2020 11:49:24	1	1	1	1	94.25	59	0	28862.559	559.1397849	16075.884	30000	0	0	30000	39.9375	2004
20.03.2020 11:49:25	1	1	1	1	94.25	59.75	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	40.125	2004
20.03.2020 11:49:26	1	1	1	1	94.25	60	0	28578.199	554.8387097	15820.67241	30000	0	0	30000	40.125	2004
20.03.2020 11:49:27	1	1	1	1	94.75	60	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	39.875	2004
20.03.2020 11:49:28	1	1	1	1	94.75	59.75	0	28625.592	552.688172	15987.82377	30000	0	0	30000	39.9375	2004
20.03.2020 11:49:29	1	1	1	1	94.75	59.75	0	28815.166	554.8387097	15739.95053	30000	0	0	30000	40.125	2004
20.03.2020 11:49:30	1	1	1	1	94.75	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.25	2004
20.03.2020 11:49:31	1	1	1	1	94.75	60.25	0	28862.559	552.688172	15889.97907	30000	0	0	30000	40.0625	2004
20.03.2020 11:49:32	1	1	1	1	94.75	60	0	28815.166	556.9892473	16075.884	30000	0	0	30000	40.25	2004
20.03.2020 11:49:33	1	1	1	1	94.75	60.25	0	28815.166	554.8387097	15801.91884	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:49:34	1	1	1	1	94.75	60	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	40.5625	2004
20.03.2020 11:49:36	1	1	1	1	94.75	60.5	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	40.125	2004
20.03.2020 11:49:37	1	1	1	1	94.75	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	39.9375	2004
20.03.2020 11:49:38	1	1	1	1	95.5	60	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	39.8125	2004
20.03.2020 11:49:39	1	1	1	1	95.5	59.75	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	39.5625	2004
20.03.2020 11:49:45	1	1	1	1	95.5	59.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.25	2004
20.03.2020 11:49:45	1	1	1	1	95.5	59.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.25	2004
20.03.2020 11:49:45	1	1	1	1	95.5	59.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.25	2004
20.03.2020 11:49:45	1	1	1	1	95.5	59.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.25	2004
20.03.2020 11:49:45	1	1	1	1	95.5	59.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.25	2004
20.03.2020 11:49:46	1	1	1	1	95.5	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.1875	2004
20.03.2020 11:49:47	1	1	1	1	95.5	60	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	40.375	2004
20.03.2020 11:49:48	1	1	1	1	95.5	60.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40	2004
20.03.2020 11:49:49	1	1	1	1	95.5	60	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.125	2004
20.03.2020 11:49:50	1	1	1	1	95.5	60	0	28530.806	550.5376344	15882.64072	30000	0	0	30000	40.25	2004
20.03.2020 11:49:51	1	1	1	1	95.5	60.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	40.125	2004
20.03.2020 11:49:52	1	1	1	1	95.5	60	0	28578.199	552.688172	15794.58049	30000	0	0	30000	40	2004
20.03.2020 11:49:53	1	1	1	1	95.5	60	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	40.1875	2004
20.03.2020 11:49:54	1	1	1	1	95.5	60	0	28815.166	552.688172	15610.30631	30000	0	0	30000	40.125	2004
20.03.2020 11:49:55	1	1	1	1	95.5	60	0	28815.166	541.9354839	15863.88715	30000	0	0	30000	39.4375	2004
20.03.2020 11:49:56	1	1	1	1	95.5	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.8125	2004
20.03.2020 11:49:57	1	1	1	1	95.5	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.0625	2004
20.03.2020 11:49:58	1	1	1	1	95.5	60	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.125	2004
20.03.2020 11:49:59	1	1	1	1	95.5	60	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 11:50:00	1	1	1	1	95.5	60	0	28815.166	550.5376344	15801.91884	30000	0	0	30000	39.4375	2004
20.03.2020 11:50:01	1	1	1	1	95.5	59.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40	2004
20.03.2020 11:50:02	1	1	1	1	95.5	60	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.125	2004
20.03.2020 11:50:03	1	1	1	1	95.5	60	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	39.875	2004
20.03.2020 11:50:04	1	1	1	1	95.5	59.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	39.8125	2004
20.03.2020 11:50:05	1	1	1	1	95.5	59.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.3125	2004
20.03.2020 11:50:06	1	1	1	1	95.5	60.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:07	1	1	1	1	95.25	60	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	40.3125	2004
20.03.2020 11:50:08	1	1	1	1	95.25	60.25	0	28578.199	546.2365591	15820.67241	30000	0	0	30000	40.25	2004
20.03.2020 11:50:09	1	1	1	1	95.25	60.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:10	1	1	1	1	95.25	60	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.0625	2004
20.03.2020 11:50:11	1	1	1	1	95.25	60	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.375	2004
20.03.2020 11:50:12	1	1	1	1	95.25	60.25	0	28862.559	550.5376344	16004.13122	30000	0	0	30000	39.5625	2004
20.03.2020 11:50:13	1	1	1	1	95.25	59.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.5	2004
20.03.2020 11:50:15	1	1	1	1	95.25	60.5	0	28909.953	552.688172	15951.94738	30000	0	0	30000	40.375	2004
20.03.2020 11:50:16	1	1	1	1	95.25	60.25	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	40.125	2004
20.03.2020 11:50:17	1	1	1	1	95.25	60	0	28862.559	556.9892473	15951.94738	30000	0	0	30000	40.375	2004
20.03.2020 11:50:18	1	1	1	1	95.25	60	0	28957.346	552.688172	15951.94738	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:50:19	1	1	1	1	95.25	59.75	0	28862.559	544.0860215	16013.91569	30000	0	0	30000	40	2004
20.03.2020 11:50:20	1	1	1	1	95.25	60	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	39.9375	2004
20.03.2020 11:50:21	1	1	1	1	95.25	59.75	0	28815.166	550.5376344	15739.95053	30000	0	0	30000	40.5	2004
20.03.2020 11:50:22	1	1	1	1	95.25	60.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.125	2004
20.03.2020 11:50:23	1	1	1	1	95.25	60	0	28957.346	559.1397849	16190.85152	30000	0	0	30000	40.375	2004
20.03.2020 11:50:24	1	1	1	1	95.25	60.25	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	40.25	2004
20.03.2020 11:50:25	1	1	1	1	95.25	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.8125	2004
20.03.2020 11:50:27	1	1	1	1	95	60	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.25	2004
20.03.2020 11:50:27	1	1	1	1	95	60	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.25	2004
20.03.2020 11:50:28	1	1	1	1	95	60.25	0	29099.526	559.1397849	16093.00682	30000	0	0	30000	40.375	2004
20.03.2020 11:50:29	1	1	1	1	95	60.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:30	1	1	1	1	95	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.25	2004
20.03.2020 11:50:31	1	1	1	1	95	60.25	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:32	1	1	1	1	95	60	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	40	2004
20.03.2020 11:50:33	1	1	1	1	95	60	0	28957.346	552.688172	15879.37923	30000	0	0	30000	40.3125	2004
20.03.2020 11:50:34	1	1	1	1	95	60.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.3125	2004
20.03.2020 11:50:35	1	1	1	1	95	60.25	0	28815.166	552.688172	15739.95053	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:36	1	1	1	1	95	60	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	40.125	2004
20.03.2020 11:50:37	1	1	1	1	96.25	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:38	1	1	1	1	96.25	60	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:39	1	1	1	1	96.25	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.9375	2004
20.03.2020 11:50:40	1	1	1	1	96.25	59.75	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	40.3125	2004
20.03.2020 11:50:47	1	1	1	1	96.25	60.25	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:47	1	1	1	1	96.25	60.25	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:47	1	1	1	1	96.25	60.25	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:47	1	1	1	1	96.25	60.25	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:47	1	1	1	1	96.25	60.25	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:47	1	1	1	1	96.25	60.25	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	40.1875	2004
20.03.2020 11:50:47	1	1	1	1	95.75	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.25	2004
20.03.2020 11:50:48	1	1	1	1	95.75	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.3125	2004
20.03.2020 11:50:49	1	1	1	1	95.75	60.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	40.4375	2004
20.03.2020 11:50:50	1	1	1	1	95.75	60.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.75	2004
20.03.2020 11:50:51	1	1	1	1	95.75	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.4375	2004
20.03.2020 11:50:52	1	1	1	1	95.75	60.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.3125	2004
20.03.2020 11:50:53	1	1	1	1	95.75	60.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.0625	2004
20.03.2020 11:50:54	1	1	1	1	95.75	60	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.25	2004
20.03.2020 11:50:55	1	1	1	1	95.75	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 11:50:56	1	1	1	1	95.75	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.5	2004
20.03.2020 11:50:58	1	1	1	1	96	60.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.5	2004
20.03.2020 11:50:59	1	1	1	1	96	60.5	0	28957.346	559.1397849	16190.85152	30000	0	0	30000	40.5625	2004
20.03.2020 11:51:00	1	1	1	1	96	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.3125	2004
20.03.2020 11:51:01	1	1	1	1	96	60	0	28625.592	552.688172	15759.51947	30000	0	0	30000	40	2004
20.03.2020 11:51:02	1	1	1	1	96	60	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:51:03	1	1	1	1	96	60	0	28625.592	552.688172	15846.76433	30000	0	0	30000	39.8125	2004
20.03.2020 11:51:04	1	1	1	1	96	59.75	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40	2004
20.03.2020 11:51:05	1	1	1	1	96	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.1875	2004
20.03.2020 11:51:06	1	1	1	1	96	60	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	39.875	2004
20.03.2020 11:51:07	1	1	1	1	94.75	59.75	0	28578.199	552.688172	15855.73343	30000	0	0	30000	40.25	2004
20.03.2020 11:51:08	1	1	1	1	94.75	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.875	2004
20.03.2020 11:51:09	1	1	1	1	94.75	59.75	0	28625.592	552.688172	15733.42755	30000	0	0	30000	40.0625	2004
20.03.2020 11:51:10	1	1	1	1	94.75	60	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.3125	2004
20.03.2020 11:51:11	1	1	1	1	94.75	60.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.9375	2004
20.03.2020 11:51:12	1	1	1	1	94.75	59.75	0	28815.166	552.688172	15863.88715	30000	0	0	30000	40.375	2004
20.03.2020 11:51:13	1	1	1	1	94.75	60.25	0	28815.166	546.2365591	15987.82377	30000	0	0	30000	40.3125	2004
20.03.2020 11:51:14	1	1	1	1	94.75	60.25	0	28862.559	552.688172	15925.85546	30000	0	0	30000	40.3125	2004
20.03.2020 11:51:15	1	1	1	1	94.75	60.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	39.6875	2004
20.03.2020 11:51:16	1	1	1	1	94.75	59.5	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	40.3125	2004
20.03.2020 11:51:17	1	1	1	1	94.25	60.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.375	2004
20.03.2020 11:51:18	1	1	1	1	94.25	60.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.1875	2004
20.03.2020 11:51:19	1	1	1	1	94.25	60	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	39.9375	2004
20.03.2020 11:51:20	1	1	1	1	94.25	59.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	39.75	2004
20.03.2020 11:51:21	1	1	1	1	94.25	59.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.125	2004
20.03.2020 11:51:22	1	1	1	1	94.25	60	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.1875	2004
20.03.2020 11:51:23	1	1	1	1	94.25	60	0	28862.559	550.5376344	15925.85546	30000	0	0	30000	40.125	2004
20.03.2020 11:51:24	1	1	1	1	94.25	60	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	39.5625	2004
20.03.2020 11:51:25	1	1	1	1	94.25	59.5	0	28625.592	552.688172	15925.85546	30000	0	0	30000	40.3125	2004
20.03.2020 11:51:26	1	1	1	1	94.25	60.25	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	40.25	2004
20.03.2020 11:51:27	1	1	1	1	94.25	60.25	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	40.375	2004
20.03.2020 11:51:28	1	1	1	1	94.25	60.25	0	28815.166	556.9892473	16137.85231	30000	0	0	30000	40	2004
20.03.2020 11:51:29	1	1	1	1	94.25	60	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	40.375	2004
20.03.2020 11:51:30	1	1	1	1	94.25	60.25	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	40.125	2004
20.03.2020 11:51:31	1	1	1	1	94.25	60	0	28625.592	556.9892473	16066.9149	30000	0	0	30000	40.1875	2004
20.03.2020 11:51:32	1	1	1	1	94.25	60	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.1875	2004
20.03.2020 11:51:33	1	1	1	1	94.25	60	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	40.1875	2004
20.03.2020 11:51:34	1	1	1	1	94.25	60	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.3125	2004
20.03.2020 11:51:35	1	1	1	1	94.25	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.125	2004
20.03.2020 11:51:37	1	1	1	1	94.25	60	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.125	2004
20.03.2020 11:51:38	1	1	1	1	94.75	60	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.3125	2004
20.03.2020 11:51:39	1	1	1	1	94.75	60.25	0	28625.592	556.9892473	15908.73264	30000	0	0	30000	40.25	2004
20.03.2020 11:51:40	1	1	1	1	94.75	60	0	28625.592	556.9892473	15794.58049	30000	0	0	30000	40.3125	2004
20.03.2020 11:51:41	1	1	1	1	94.75	60.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.1875	2004
20.03.2020 11:51:42	1	1	1	1	94.75	60	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	40.375	2004
20.03.2020 11:51:48	1	1	1	1	95.25	59.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	40	2004
20.03.2020 11:51:48	1	1	1	1	95.25	59.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	40	2004
20.03.2020 11:51:48	1	1	1	1	95.25	59.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	40	2004
20.03.2020 11:51:48	1	1	1	1	95.25	59.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:51:48	1	1	1	1	95.25	59.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	40	2004
20.03.2020 11:51:48	1	1	1	1	95.25	59.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	40	2004
20.03.2020 11:51:49	1	1	1	1	95.25	60	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.125	2004
20.03.2020 11:51:50	1	1	1	1	95.25	60	0	28530.806	556.9892473	15803.54959	30000	0	0	30000	40.4375	2004
20.03.2020 11:51:51	1	1	1	1	95.25	60.25	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	40.125	2004
20.03.2020 11:51:52	1	1	1	1	95.25	60	0	28483.412	554.8387097	15742.39665	30000	0	0	30000	40.125	2004
20.03.2020 11:51:53	1	1	1	1	95.25	60	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.625	2004
20.03.2020 11:51:54	1	1	1	1	95.25	59.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	40.125	2004
20.03.2020 11:51:55	1	1	1	1	95.25	60	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	40	2004
20.03.2020 11:51:56	1	1	1	1	95.25	60	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.1875	2004
20.03.2020 11:51:57	1	1	1	1	94.75	60	0	28625.592	552.688172	15987.82377	30000	0	0	30000	39.625	2004
20.03.2020 11:51:58	1	1	1	1	94.75	59.5	0	28862.559	552.688172	16075.884	30000	0	0	30000	40.0625	2004
20.03.2020 11:51:59	1	1	1	1	94.75	60	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.125	2004
20.03.2020 11:52:00	1	1	1	1	94.75	60	0	28483.412	556.9892473	15838.61061	30000	0	0	30000	40.1875	2004
20.03.2020 11:52:01	1	1	1	1	94.75	60	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.9375	2004
20.03.2020 11:52:02	1	1	1	1	94.75	59.75	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	40.1875	2004
20.03.2020 11:52:03	1	1	1	1	94.75	60	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.1875	2004
20.03.2020 11:52:04	1	1	1	1	94.75	60	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	40.1875	2004
20.03.2020 11:52:05	1	1	1	1	94.75	60	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.25	2004
20.03.2020 11:52:06	1	1	1	1	94.75	60.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	40.3125	2004
20.03.2020 11:52:07	1	1	1	1	94.5	60.25	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	40.375	2004
20.03.2020 11:52:08	1	1	1	1	94.5	60.25	0	28530.806	556.9892473	16040.00761	30000	0	0	30000	40.25	2004
20.03.2020 11:52:09	1	1	1	1	94.5	60.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.375	2004
20.03.2020 11:52:10	1	1	1	1	94.5	60.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.9375	2004
20.03.2020 11:52:11	1	1	1	1	94.5	59.75	0	28625.592	552.688172	15882.64072	30000	0	0	30000	40.1875	2004
20.03.2020 11:52:12	1	1	1	1	94.5	60	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	40.125	2004
20.03.2020 11:52:13	1	1	1	1	94.5	60	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.25	2004
20.03.2020 11:52:14	1	1	1	1	94.5	60.25	0	28436.019	556.9892473	15838.61061	30000	0	0	30000	40.5	2004
20.03.2020 11:52:16	1	1	1	1	94.5	60.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.375	2004
20.03.2020 11:52:17	1	1	1	1	94.5	60.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.6875	2004
20.03.2020 11:52:18	1	1	1	1	95.25	60.5	0	28625.592	559.1397849	16190.03615	30000	0	0	30000	40.0625	2004
20.03.2020 11:52:19	1	1	1	1	95.25	60	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	40.5625	2004
20.03.2020 11:52:20	1	1	1	1	95.25	60.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.375	2004
20.03.2020 11:52:21	1	1	1	1	95.25	60.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.375	2004
20.03.2020 11:52:22	1	1	1	1	95.25	60.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.125	2004
20.03.2020 11:52:23	1	1	1	1	95.25	60	0	28436.019	561.2903226	16171.28258	30000	0	0	30000	40.25	2004
20.03.2020 11:52:24	1	1	1	1	95.25	60.25	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	40.3125	2004
20.03.2020 11:52:25	1	1	1	1	95.25	60.25	0	28578.199	565.5913978	15864.70252	30000	0	0	30000	40.1875	2004
20.03.2020 11:52:26	1	1	1	1	95.25	60	0	28625.592	563.4408602	16190.03615	30000	0	0	30000	40.0625	2004
20.03.2020 11:52:27	1	1	1	1	95	60	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	40	2004
20.03.2020 11:52:28	1	1	1	1	95	60	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	40.25	2004
20.03.2020 11:52:29	1	1	1	1	95	60.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.875	2004
20.03.2020 11:52:30	1	1	1	1	95	59.75	0	28625.592	567.7419355	15987.0084	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:52:31	1	1	1	1	95	60	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.75	2004
20.03.2020 11:52:32	1	1	1	1	95	59.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	40.375	2004
20.03.2020 11:52:33	1	1	1	1	95	60.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	40.25	2004
20.03.2020 11:52:34	1	1	1	1	95	60.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	40.0625	2004
20.03.2020 11:52:35	1	1	1	1	95	60	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	40	2004
20.03.2020 11:52:36	1	1	1	1	95	60	0	28578.199	552.688172	15681.24371	30000	0	0	30000	40.25	2004
20.03.2020 11:52:37	1	1	1	1	94.5	60.25	0	28436.019	559.1397849	15872.85625	30000	0	0	30000	40.375	2004
20.03.2020 11:52:38	1	1	1	1	94.5	60.25	0	28483.412	550.5376344	15855.73343	30000	0	0	30000	40.3125	2004
20.03.2020 11:52:39	1	1	1	1	94.5	60.25	0	28530.806	561.2903226	16048.16134	30000	0	0	30000	39.5	2004
20.03.2020 11:52:40	1	1	1	1	94.5	59.5	0	28530.806	561.2903226	15925.85546	30000	0	0	30000	40.25	2004
20.03.2020 11:52:41	1	1	1	1	94.5	60.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	40.25	2004
20.03.2020 11:52:42	1	1	1	1	94.5	60.25	0	28388.626	565.5913978	15960.91648	30000	0	0	30000	40.0625	2004
20.03.2020 11:52:43	1	1	1	1	94.5	60	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	40.125	2004
20.03.2020 11:52:50	1	1	1	1	95	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40	2004
20.03.2020 11:52:50	1	1	1	1	95	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40	2004
20.03.2020 11:52:50	1	1	1	1	95	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40	2004
20.03.2020 11:52:50	1	1	1	1	95	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40	2004
20.03.2020 11:52:50	1	1	1	1	95	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40	2004
20.03.2020 11:52:50	1	1	1	1	95	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40	2004
20.03.2020 11:52:50	1	1	1	1	95	60	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	40.25	2004
20.03.2020 11:52:51	1	1	1	1	95	60.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
20.03.2020 11:52:52	1	1	1	1	95	60	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	40.0625	2004
20.03.2020 11:52:53	1	1	1	1	95	60	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	40.125	2004
20.03.2020 11:52:54	1	1	1	1	95	60	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.375	2004
20.03.2020 11:52:56	1	1	1	1	95	60.25	0	28341.232	552.688172	15934.00919	30000	0	0	30000	40.3125	2004
20.03.2020 11:52:57	1	1	1	1	95	60.25	0	28815.166	561.2903226	16111.76039	30000	0	0	30000	40.625	2004
20.03.2020 11:52:58	1	1	1	1	95.25	60.5	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	40.125	2004
20.03.2020 11:52:59	1	1	1	1	95.25	59.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	40.5	2004
20.03.2020 11:53:00	1	1	1	1	95.25	60.5	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	40.25	2004
20.03.2020 11:53:01	1	1	1	1	95.25	60.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.3125	2004
20.03.2020 11:53:02	1	1	1	1	95.25	60.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.1875	2004
20.03.2020 11:53:03	1	1	1	1	95.25	60	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	40.0625	2004
20.03.2020 11:53:04	1	1	1	1	95.25	60	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	39.25	2004
20.03.2020 11:53:05	1	1	1	1	95.25	59.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	39.75	2004
20.03.2020 11:53:06	1	1	1	1	95.25	59.75	0	28341.232	565.5913978	15934.00919	30000	0	0	30000	39.875	2004
20.03.2020 11:53:07	1	1	1	1	94.75	59.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	40.125	2004
20.03.2020 11:53:08	1	1	1	1	94.75	60	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.5	2004
20.03.2020 11:53:09	1	1	1	1	94.75	60.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.25	2004
20.03.2020 11:53:10	1	1	1	1	94.75	60.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	40.3125	2004
20.03.2020 11:53:11	1	1	1	1	94.75	60.25	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	40.375	2004
20.03.2020 11:53:12	1	1	1	1	94.75	60.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.375	2004
20.03.2020 11:53:13	1	1	1	1	94.75	60.25	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	40.25	2004
20.03.2020 11:53:14	1	1	1	1	94.75	60.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:53:15	1	1	1	1	94.75	59.25	0	28293.839	556.9892473	15968.25483	30000	0	0	30000	39.1875	2004
20.03.2020 11:53:16	1	1	1	1	94.75	59	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	40.1875	2004
20.03.2020 11:53:17	1	1	1	1	94.25	60	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	39.75	2004
20.03.2020 11:53:18	1	1	1	1	94.25	59.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	40.125	2004
20.03.2020 11:53:19	1	1	1	1	94.25	60	0	28483.412	563.4408602	16136.22156	30000	0	0	30000	40.1875	2004
20.03.2020 11:53:20	1	1	1	1	94.25	60	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.4375	2004
20.03.2020 11:53:21	1	1	1	1	94.25	60.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.125	2004
20.03.2020 11:53:22	1	1	1	1	94.25	60	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	40.375	2004
20.03.2020 11:53:23	1	1	1	1	94.25	60.25	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	39.75	2004
20.03.2020 11:53:24	1	1	1	1	94.25	59.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.1875	2004
20.03.2020 11:53:25	1	1	1	1	94.25	60	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	40.375	2004
20.03.2020 11:53:26	1	1	1	1	94.25	60.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	39.9375	2004
20.03.2020 11:53:27	1	1	1	1	94.5	59.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	39.8125	2004
20.03.2020 11:53:28	1	1	1	1	94.5	59.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	40.125	2004
20.03.2020 11:53:29	1	1	1	1	94.5	60	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.375	2004
20.03.2020 11:53:30	1	1	1	1	94.5	60.25	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	39.75	2004
20.03.2020 11:53:31	1	1	1	1	94.5	59.75	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	40.25	2004
20.03.2020 11:53:32	1	1	1	1	94.5	60.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	40.5	2004
20.03.2020 11:53:33	1	1	1	1	94.5	60.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	40.375	2004
20.03.2020 11:53:34	1	1	1	1	94.5	60.25	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	40.125	2004
20.03.2020 11:53:35	1	1	1	1	94.5	60	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	40.25	2004
20.03.2020 11:53:36	1	1	1	1	94.5	60.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	40.25	2004
20.03.2020 11:53:38	1	1	1	1	95.5	60.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
20.03.2020 11:53:39	1	1	1	1	95.5	60	0	28436.019	563.4408602	15838.61061	30000	0	0	30000	40.3125	2004
20.03.2020 11:53:40	1	1	1	1	95.5	60.25	0	28436.019	565.5913978	16205.52823	30000	0	0	30000	39.875	2004
20.03.2020 11:53:41	1	1	1	1	95.5	59.75	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	40.5	2004
20.03.2020 11:53:42	1	1	1	1	95.5	60.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:53:43	1	1	1	1	95.5	60.25	0	28625.592	552.688172	16049.79208	30000	0	0	30000	40.375	2004
20.03.2020 11:53:44	1	1	1	1	95.5	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.3125	2004
20.03.2020 11:53:45	1	1	1	1	95.5	60.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	40.125	2004
20.03.2020 11:53:51	1	1	1	1	95.75	60.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	40.125	2004
20.03.2020 11:53:51	1	1	1	1	95.75	60.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	40.125	2004
20.03.2020 11:53:51	1	1	1	1	95.75	60.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	40.125	2004
20.03.2020 11:53:51	1	1	1	1	95.75	60.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	40.125	2004
20.03.2020 11:53:51	1	1	1	1	95.75	60.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	40.125	2004
20.03.2020 11:53:51	1	1	1	1	95.75	60.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	40.125	2004
20.03.2020 11:53:51	1	1	1	1	95.75	60.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	40.125	2004
20.03.2020 11:53:52	1	1	1	1	95.75	60	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	40.25	2004
20.03.2020 11:53:53	1	1	1	1	95.75	60.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	40.3125	2004
20.03.2020 11:53:54	1	1	1	1	95.75	60.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.5	2004
20.03.2020 11:53:55	1	1	1	1	95.75	60.5	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	39.8125	2004
20.03.2020 11:53:56	1	1	1	1	95.75	59.75	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	40.375	2004
20.03.2020 11:53:57	1	1	1	1	95	60.25	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	40.1875	2004
20.03.2020 11:53:58	1	1	1	1	95	60	0	28341.232	559.1397849	15846.76433	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:53:59	1	1	1	1	95	60	0	28625.592	559.1397849	16297.66532	30000	0	0	30000	39.75	2004
20.03.2020 11:54:00	1	1	1	1	95	59.75	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	40.375	2004
20.03.2020 11:54:01	1	1	1	1	95	60.25	0	28578.199	556.9892473	16049.79208	30000	0	0	30000	40.375	2004
20.03.2020 11:54:02	1	1	1	1	95	60.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:03	1	1	1	1	95	60.25	0	28578.199	559.1397849	16190.03615	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:04	1	1	1	1	95	60.25	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	40.375	2004
20.03.2020 11:54:05	1	1	1	1	95	60.25	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	40.375	2004
20.03.2020 11:54:06	1	1	1	1	95	60.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	40.3125	2004
20.03.2020 11:54:07	1	1	1	1	96	60.25	0	28625.592	561.2903226	15917.70174	30000	0	0	30000	40.3125	2004
20.03.2020 11:54:08	1	1	1	1	96	60.25	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:09	1	1	1	1	96	60.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.5625	2004
20.03.2020 11:54:10	1	1	1	1	96	60.5	0	28436.019	556.9892473	15899.76354	30000	0	0	30000	39.875	2004
20.03.2020 11:54:11	1	1	1	1	96	59.75	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	40.5	2004
20.03.2020 11:54:12	1	1	1	1	96	60.5	0	28483.412	559.1397849	15838.61061	30000	0	0	30000	40.0625	2004
20.03.2020 11:54:13	1	1	1	1	96	60	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.375	2004
20.03.2020 11:54:15	1	1	1	1	96	60.25	0	28246.445	563.4408602	15888.34833	30000	0	0	30000	40.375	2004
20.03.2020 11:54:16	1	1	1	1	96	60.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	39.875	2004
20.03.2020 11:54:17	1	1	1	1	96	59.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	40.25	2004
20.03.2020 11:54:18	1	1	1	1	94.75	60.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 11:54:19	1	1	1	1	94.75	60.75	0	28483.412	556.9892473	16013.91569	30000	0	0	30000	40.25	2004
20.03.2020 11:54:20	1	1	1	1	94.75	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.625	2004
20.03.2020 11:54:21	1	1	1	1	94.75	60.25	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	39.9375	2004
20.03.2020 11:54:22	1	1	1	1	94.75	59.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.8125	2004
20.03.2020 11:54:23	1	1	1	1	94.75	59.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40	2004
20.03.2020 11:54:24	1	1	1	1	94.75	60	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	40.0625	2004
20.03.2020 11:54:25	1	1	1	1	94.75	60	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	40.25	2004
20.03.2020 11:54:26	1	1	1	1	94.75	60.25	0	28483.412	559.1397849	15803.54959	30000	0	0	30000	40.1875	2004
20.03.2020 11:54:27	1	1	1	1	94.5	60	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.9375	2004
20.03.2020 11:54:28	1	1	1	1	94.5	59.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.0625	2004
20.03.2020 11:54:29	1	1	1	1	94.5	60	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	40	2004
20.03.2020 11:54:30	1	1	1	1	94.5	60	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	40.25	2004
20.03.2020 11:54:31	1	1	1	1	94.5	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.3125	2004
20.03.2020 11:54:32	1	1	1	1	94.5	60.25	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	39.875	2004
20.03.2020 11:54:33	1	1	1	1	94.5	59.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.0625	2004
20.03.2020 11:54:34	1	1	1	1	94.5	60	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	40.25	2004
20.03.2020 11:54:35	1	1	1	1	94.5	60.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40	2004
20.03.2020 11:54:36	1	1	1	1	94.5	60	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.5625	2004
20.03.2020 11:54:37	1	1	1	1	94	60.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.5	2004
20.03.2020 11:54:38	1	1	1	1	94	59.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.3125	2004
20.03.2020 11:54:39	1	1	1	1	94	60.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.1875	2004
20.03.2020 11:54:40	1	1	1	1	94	60	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.125	2004
20.03.2020 11:54:41	1	1	1	1	94	60	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:42	1	1	1	1	94	60.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:54:43	1	1	1	1	94	59.75	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:44	1	1	1	1	94	60.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	39.75	2004
20.03.2020 11:54:45	1	1	1	1	94	59.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	40.1875	2004
20.03.2020 11:54:46	1	1	1	1	94	60	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	39.875	2004
20.03.2020 11:54:53	1	1	1	1	94.5	60.25	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:53	1	1	1	1	94.5	60.25	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:53	1	1	1	1	94.5	60.25	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:53	1	1	1	1	94.5	60.25	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:53	1	1	1	1	94.5	60.25	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:53	1	1	1	1	94.5	60.25	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:53	1	1	1	1	94.5	60.25	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	40.4375	2004
20.03.2020 11:54:53	1	1	1	1	94.5	60.25	0	28483.412	554.8387097	15987.0084	30000	0	0	30000	40.375	2004
20.03.2020 11:54:54	1	1	1	1	94.5	60.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.1875	2004
20.03.2020 11:54:56	1	1	1	1	94.5	60	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	40.5625	2004
20.03.2020 11:54:57	1	1	1	1	94.5	60.5	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	40.75	2004
20.03.2020 11:54:58	1	1	1	1	94.25	60.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	39.8125	2004
20.03.2020 11:54:59	1	1	1	1	94.25	59.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.9375	2004
20.03.2020 11:55:00	1	1	1	1	94.25	60.75	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:55:01	1	1	1	1	94.25	60	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.5625	2004
20.03.2020 11:55:02	1	1	1	1	94.25	60.5	0	28862.559	559.1397849	16075.884	30000	0	0	30000	40.1875	2004
20.03.2020 11:55:03	1	1	1	1	94.25	60	0	28578.199	559.1397849	15943.79366	30000	0	0	30000	40.25	2004
20.03.2020 11:55:04	1	1	1	1	94.25	60.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.5	2004
20.03.2020 11:55:05	1	1	1	1	94.25	60.5	0	28436.019	561.2903226	15899.76354	30000	0	0	30000	40.4375	2004
20.03.2020 11:55:06	1	1	1	1	94.25	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.3125	2004
20.03.2020 11:55:07	1	1	1	1	93.5	60.25	0	28862.559	559.1397849	16075.884	30000	0	0	30000	40.3125	2004
20.03.2020 11:55:08	1	1	1	1	93.5	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.875	2004
20.03.2020 11:55:09	1	1	1	1	93.5	59.75	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	40.4375	2004
20.03.2020 11:55:10	1	1	1	1	93.5	60.25	0	28815.166	556.9892473	15882.64072	30000	0	0	30000	40	2004
20.03.2020 11:55:11	1	1	1	1	93.5	60	0	28815.166	559.1397849	15882.64072	30000	0	0	30000	40.375	2004
20.03.2020 11:55:12	1	1	1	1	93.5	60.25	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:55:13	1	1	1	1	93.5	60.25	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	40.3125	2004
20.03.2020 11:55:14	1	1	1	1	93.5	60.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	40.3125	2004
20.03.2020 11:55:15	1	1	1	1	93.5	60.25	0	28815.166	563.4408602	16128.88321	30000	0	0	30000	40.25	2004
20.03.2020 11:55:16	1	1	1	1	93.5	60.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.5625	2004
20.03.2020 11:55:17	1	1	1	1	94	60.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.25	2004
20.03.2020 11:55:18	1	1	1	1	94	60.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.375	2004
20.03.2020 11:55:19	1	1	1	1	94	60.25	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	40.25	2004
20.03.2020 11:55:20	1	1	1	1	94	60.25	0	28530.806	563.4408602	16075.06863	30000	0	0	30000	40.625	2004
20.03.2020 11:55:21	1	1	1	1	94	60.5	0	28578.199	563.4408602	16013.91569	30000	0	0	30000	39.8125	2004
20.03.2020 11:55:22	1	1	1	1	94	59.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	39.9375	2004
20.03.2020 11:55:23	1	1	1	1	94	59.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.9375	2004
20.03.2020 11:55:24	1	1	1	1	94	59.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.0625	2004
20.03.2020 11:55:25	1	1	1	1	94	60	0	28293.839	559.1397849	15846.76433	30000	0	0	30000	40.1875	2004
20.03.2020 11:55:26	1	1	1	1	94	60	0	28483.412	567.7419355	15960.91648	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:55:27	1	1	1	1	93	60.5	0	28530.806	567.7419355	15987.0084	30000	0	0	30000	40.5	2004
20.03.2020 11:55:28	1	1	1	1	93	60.5	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	40.5625	2004
20.03.2020 11:55:29	1	1	1	1	93	60.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	40.1875	2004
20.03.2020 11:55:30	1	1	1	1	93	60	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.5	2004
20.03.2020 11:55:31	1	1	1	1	93	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.3125	2004
20.03.2020 11:55:32	1	1	1	1	93	60.25	0	28246.445	561.2903226	15881.00997	30000	0	0	30000	40.4375	2004
20.03.2020 11:55:34	1	1	1	1	93	60.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	40.3125	2004
20.03.2020 11:55:35	1	1	1	1	93	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.625	2004
20.03.2020 11:55:36	1	1	1	1	93	60.5	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	40	2004
20.03.2020 11:55:37	1	1	1	1	93	60	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.5625	2004
20.03.2020 11:55:38	1	1	1	1	93	60.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.5	2004
20.03.2020 11:55:39	1	1	1	1	93	60.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.5625	2004
20.03.2020 11:55:40	1	1	1	1	93	60.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.625	2004
20.03.2020 11:55:41	1	1	1	1	93	60	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	40.0625	2004
20.03.2020 11:55:42	1	1	1	1	93	60	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	40.25	2004
20.03.2020 11:55:43	1	1	1	1	93	60.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	39.6875	2004
20.03.2020 11:55:44	1	1	1	1	93	59.5	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	40.375	2004
20.03.2020 11:55:45	1	1	1	1	93	60.25	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	40.625	2004
20.03.2020 11:55:46	1	1	1	1	93	60.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	40.125	2004
20.03.2020 11:55:47	1	1	1	1	93	60	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	40.4375	2004
20.03.2020 11:55:48	1	1	1	1	93	60.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.375	2004
20.03.2020 11:55:54	1	1	1	1	93	60.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	40.625	2004
20.03.2020 11:55:54	1	1	1	1	93	60.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	40.625	2004
20.03.2020 11:55:54	1	1	1	1	93	60.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	40.625	2004
20.03.2020 11:55:54	1	1	1	1	93	60.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	40.625	2004
20.03.2020 11:55:54	1	1	1	1	93	60.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	40.625	2004
20.03.2020 11:55:54	1	1	1	1	93	60.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	40.625	2004
20.03.2020 11:55:55	1	1	1	1	93	60.5	0	28436.019	559.1397849	15750.55038	30000	0	0	30000	40.125	2004
20.03.2020 11:55:56	1	1	1	1	93	60	0	28483.412	567.7419355	15960.91648	30000	0	0	30000	39.75	2004
20.03.2020 11:55:57	1	1	1	1	93	59.75	0	28625.592	561.2903226	15917.70174	30000	0	0	30000	40.25	2004
20.03.2020 11:55:58	1	1	1	1	93	60.25	0	28815.166	561.2903226	16297.66532	30000	0	0	30000	40.5625	2004
20.03.2020 11:55:59	1	1	1	1	93	60.5	0	28625.592	565.5913978	16101.97592	30000	0	0	30000	40.6875	2004
20.03.2020 11:56:00	1	1	1	1	93	60.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	40.625	2004
20.03.2020 11:56:01	1	1	1	1	93	60.5	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	39.875	2004
20.03.2020 11:56:02	1	1	1	1	93	59.75	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	40.1875	2004
20.03.2020 11:56:03	1	1	1	1	93	60	0	28293.839	550.5376344	15934.00919	30000	0	0	30000	39.9375	2004
20.03.2020 11:56:04	1	1	1	1	93	59.75	0	28483.412	556.9892473	16040.00761	30000	0	0	30000	40.4375	2004
20.03.2020 11:56:05	1	1	1	1	93	60.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.3125	2004
20.03.2020 11:56:06	1	1	1	1	93	60.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.4375	2004
20.03.2020 11:56:07	1	1	1	1	93.25	60.25	0	28815.166	561.2903226	16111.76039	30000	0	0	30000	40.375	2004
20.03.2020 11:56:08	1	1	1	1	93.25	60.25	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	40.3125	2004
20.03.2020 11:56:09	1	1	1	1	93.25	60.25	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	40.4375	2004
20.03.2020 11:56:10	1	1	1	1	93.25	60.25	0	28436.019	554.8387097	15838.61061	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:56:11	1	1	1	1	93.25	60.5	0	28530.806	563.4408602	16040.00761	30000	0	0	30000	40.25	2004
20.03.2020 11:56:13	1	1	1	1	93.25	60.25	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	40.5	2004
20.03.2020 11:56:14	1	1	1	1	93.25	60.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.625	2004
20.03.2020 11:56:15	1	1	1	1	93.25	60.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	40.6875	2004
20.03.2020 11:56:16	1	1	1	1	93.25	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 11:56:17	1	1	1	1	93.25	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 11:56:18	1	1	1	1	94	60.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.5	2004
20.03.2020 11:56:19	1	1	1	1	94	60.5	0	28578.199	563.4408602	15917.70174	30000	0	0	30000	39.625	2004
20.03.2020 11:56:20	1	1	1	1	94	59.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.5625	2004
20.03.2020 11:56:21	1	1	1	1	94	60.5	0	28815.166	559.1397849	16199.82062	30000	0	0	30000	40.1875	2004
20.03.2020 11:56:22	1	1	1	1	94	60	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:56:23	1	1	1	1	94	60.25	0	28672.986	559.1397849	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 11:56:24	1	1	1	1	94	60.5	0	28388.626	554.8387097	15960.91648	30000	0	0	30000	40.5	2004
20.03.2020 11:56:25	1	1	1	1	94	60.5	0	28578.199	556.9892473	16005.76197	30000	0	0	30000	40.375	2004
20.03.2020 11:56:26	1	1	1	1	94	60.25	0	28578.199	554.8387097	15882.64072	30000	0	0	30000	40.1875	2004
20.03.2020 11:56:27	1	1	1	1	93.25	60	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	40.0625	2004
20.03.2020 11:56:28	1	1	1	1	93.25	60	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	40.375	2004
20.03.2020 11:56:29	1	1	1	1	93.25	60.25	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	40.375	2004
20.03.2020 11:56:30	1	1	1	1	93.25	60.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.5	2004
20.03.2020 11:56:31	1	1	1	1	93.25	60.5	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	40.25	2004
20.03.2020 11:56:32	1	1	1	1	93.25	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.1875	2004
20.03.2020 11:56:33	1	1	1	1	93.25	60	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.6875	2004
20.03.2020 11:56:34	1	1	1	1	93.25	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 11:56:35	1	1	1	1	93.25	60	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	40.4375	2004
20.03.2020 11:56:36	1	1	1	1	93.25	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 11:56:37	1	1	1	1	93.5	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 11:56:38	1	1	1	1	93.5	60.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.1875	2004
20.03.2020 11:56:39	1	1	1	1	93.5	60	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	40.125	2004
20.03.2020 11:56:40	1	1	1	1	93.5	60	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	40.4375	2004
20.03.2020 11:56:41	1	1	1	1	93.5	60.25	0	28815.166	556.9892473	15882.64072	30000	0	0	30000	39.875	2004
20.03.2020 11:56:42	1	1	1	1	93.5	59.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.4375	2004
20.03.2020 11:56:43	1	1	1	1	93.5	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:56:44	1	1	1	1	93.5	60.25	0	28815.166	565.5913978	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:56:45	1	1	1	1	93.5	60.25	0	28815.166	565.5913978	16049.79208	30000	0	0	30000	40.375	2004
20.03.2020 11:56:46	1	1	1	1	93.5	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.25	2004
20.03.2020 11:56:47	1	1	1	1	94.25	60.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.125	2004
20.03.2020 11:56:48	1	1	1	1	94.25	60	0	28530.806	556.9892473	15925.85546	30000	0	0	30000	40.375	2004
20.03.2020 11:56:49	1	1	1	1	94.25	60.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	40.5625	2004
20.03.2020 11:56:56	1	1	1	1	94.25	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.25	2004
20.03.2020 11:56:56	1	1	1	1	94.25	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.25	2004
20.03.2020 11:56:56	1	1	1	1	94.25	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.25	2004
20.03.2020 11:56:56	1	1	1	1	94.25	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.25	2004
20.03.2020 11:56:56	1	1	1	1	94.25	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:56:56	1	1	1	1	94.25	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.25	2004
20.03.2020 11:56:57	1	1	1	1	94.25	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.6875	2004
20.03.2020 11:56:58	1	1	1	1	94.25	60.5	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	40.6875	2004
20.03.2020 11:56:59	1	1	1	1	94.25	59.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.0625	2004
20.03.2020 11:57:00	1	1	1	1	94.25	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 11:57:01	1	1	1	1	94.25	60.5	0	28815.166	567.7419355	16173.7287	30000	0	0	30000	40.3125	2004
20.03.2020 11:57:02	1	1	1	1	94.25	60.25	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	40.5625	2004
20.03.2020 11:57:03	1	1	1	1	94.25	60.5	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	40.5	2004
20.03.2020 11:57:04	1	1	1	1	94.25	60.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	40.125	2004
20.03.2020 11:57:05	1	1	1	1	94.25	60	0	28862.559	559.1397849	16075.884	30000	0	0	30000	40.4375	2004
20.03.2020 11:57:06	1	1	1	1	94.25	60.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	40.6875	2004
20.03.2020 11:57:07	1	1	1	1	94	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.5625	2004
20.03.2020 11:57:08	1	1	1	1	94	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.5	2004
20.03.2020 11:57:09	1	1	1	1	94	60.5	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	40.5	2004
20.03.2020 11:57:10	1	1	1	1	94	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 11:57:11	1	1	1	1	94	60.5	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	40.3125	2004
20.03.2020 11:57:12	1	1	1	1	94	60.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.5	2004
20.03.2020 11:57:13	1	1	1	1	94	60.5	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	39.75	2004
20.03.2020 11:57:14	1	1	1	1	94	59.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	40.375	2004
20.03.2020 11:57:15	1	1	1	1	94	60.25	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:57:16	1	1	1	1	94	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 11:57:17	1	1	1	1	94	60.5	0	28862.559	559.1397849	16199.82062	30000	0	0	30000	40.5	2004
20.03.2020 11:57:18	1	1	1	1	94	60.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.625	2004
20.03.2020 11:57:19	1	1	1	1	94	60.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.3125	2004
20.03.2020 11:57:20	1	1	1	1	94	60.25	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	40.375	2004
20.03.2020 11:57:21	1	1	1	1	94	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.0625	2004
20.03.2020 11:57:22	1	1	1	1	94	60	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 11:57:23	1	1	1	1	94	60.5	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	40.375	2004
20.03.2020 11:57:24	1	1	1	1	94	60.25	0	28625.592	561.2903226	16031.85389	30000	0	0	30000	40.5625	2004
20.03.2020 11:57:25	1	1	1	1	94	60.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	40.5	2004
20.03.2020 11:57:26	1	1	1	1	94	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:57:27	1	1	1	1	94.5	60.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	40.6875	2004
20.03.2020 11:57:28	1	1	1	1	94.5	60.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.0625	2004
20.03.2020 11:57:29	1	1	1	1	94.5	60	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	40.3125	2004
20.03.2020 11:57:31	1	1	1	1	94.5	60.25	0	28578.199	556.9892473	16005.76197	30000	0	0	30000	40.1875	2004
20.03.2020 11:57:32	1	1	1	1	94.5	60	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.25	2004
20.03.2020 11:57:33	1	1	1	1	94.5	60.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	40.4375	2004
20.03.2020 11:57:34	1	1	1	1	94.5	60.25	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	40.25	2004
20.03.2020 11:57:35	1	1	1	1	94.5	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.0625	2004
20.03.2020 11:57:36	1	1	1	1	94.5	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.4375	2004
20.03.2020 11:57:37	1	1	1	1	94.5	60.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.9375	2004
20.03.2020 11:57:38	1	1	1	1	94.5	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:57:39	1	1	1	1	94.5	60.25	0	28815.166	561.2903226	16111.76039	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:57:40	1	1	1	1	94.5	60.5	0	28672.986	554.8387097	15987.82377	30000	0	0	30000	40.8125	2004
20.03.2020 11:57:41	1	1	1	1	94.5	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.3125	2004
20.03.2020 11:57:42	1	1	1	1	94.5	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.375	2004
20.03.2020 11:57:43	1	1	1	1	94.5	60.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.5625	2004
20.03.2020 11:57:44	1	1	1	1	94.5	60.5	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.5	2004
20.03.2020 11:57:45	1	1	1	1	94.5	60.5	0	28578.199	554.8387097	15882.64072	30000	0	0	30000	40.6875	2004
20.03.2020 11:57:46	1	1	1	1	94.5	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.375	2004
20.03.2020 11:57:47	1	1	1	1	94.75	60.25	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	40.3125	2004
20.03.2020 11:57:48	1	1	1	1	94.75	60.25	0	28625.592	559.1397849	16235.69701	30000	0	0	30000	40.25	2004
20.03.2020 11:57:49	1	1	1	1	94.75	60.25	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	39.6875	2004
20.03.2020 11:57:50	1	1	1	1	94.75	59.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	40.25	2004
20.03.2020 11:57:51	1	1	1	1	94.75	60.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.3125	2004
20.03.2020 11:57:58	1	1	1	1	94.25	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.5625	2004
20.03.2020 11:57:58	1	1	1	1	94.25	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.5625	2004
20.03.2020 11:57:58	1	1	1	1	94.25	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.5625	2004
20.03.2020 11:57:58	1	1	1	1	94.25	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.5625	2004
20.03.2020 11:57:58	1	1	1	1	94.25	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.5625	2004
20.03.2020 11:57:58	1	1	1	1	94.25	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:57:59	1	1	1	1	94.25	60.25	0	28483.412	554.8387097	16101.97592	30000	0	0	30000	40.625	2004
20.03.2020 11:58:00	1	1	1	1	94.25	60.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 11:58:01	1	1	1	1	94.25	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.25	2004
20.03.2020 11:58:02	1	1	1	1	94.25	60.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.5625	2004
20.03.2020 11:58:03	1	1	1	1	94.25	60.5	0	28625.592	559.1397849	16128.88321	30000	0	0	30000	40.6875	2004
20.03.2020 11:58:04	1	1	1	1	94.25	60.5	0	28530.806	559.1397849	15925.85546	30000	0	0	30000	40.125	2004
20.03.2020 11:58:05	1	1	1	1	94.25	60	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.375	2004
20.03.2020 11:58:06	1	1	1	1	94.25	60.25	0	28815.166	563.4408602	15820.67241	30000	0	0	30000	40.375	2004
20.03.2020 11:58:07	1	1	1	1	94.5	60.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 11:58:08	1	1	1	1	94.5	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 11:58:09	1	1	1	1	94.5	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.1875	2004
20.03.2020 11:58:10	1	1	1	1	94.5	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.5625	2004
20.03.2020 11:58:11	1	1	1	1	94.5	60.5	0	28483.412	559.1397849	16109.31427	30000	0	0	30000	40.6875	2004
20.03.2020 11:58:13	1	1	1	1	94.5	60.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.125	2004
20.03.2020 11:58:14	1	1	1	1	94.5	60	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.625	2004
20.03.2020 11:58:15	1	1	1	1	94.5	60.5	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	40.625	2004
20.03.2020 11:58:16	1	1	1	1	94.5	60.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41	2004
20.03.2020 11:58:17	1	1	1	1	94.5	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 11:58:18	1	1	1	1	94.25	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 11:58:19	1	1	1	1	94.25	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 11:58:20	1	1	1	1	94.25	60.75	0	28578.199	554.8387097	15768.48857	30000	0	0	30000	40.375	2004
20.03.2020 11:58:21	1	1	1	1	94.25	60.25	0	28530.806	550.5376344	15794.58049	30000	0	0	30000	40.8125	2004
20.03.2020 11:58:22	1	1	1	1	94.25	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:58:23	1	1	1	1	94.25	60.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:58:24	1	1	1	1	94.25	60.5	0	28672.986	561.2903226	15882.64072	30000	0	0	30000	40.3125	2004
20.03.2020 11:58:25	1	1	1	1	94.25	60.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.6875	2004
20.03.2020 11:58:26	1	1	1	1	94.25	60.5	0	28625.592	552.688172	15925.85546	30000	0	0	30000	40.5625	2004
20.03.2020 11:58:27	1	1	1	1	95.5	60.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.6875	2004
20.03.2020 11:58:28	1	1	1	1	95.5	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.375	2004
20.03.2020 11:58:29	1	1	1	1	95.5	60.25	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	40.125	2004
20.03.2020 11:58:30	1	1	1	1	95.5	60	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	39.9375	2004
20.03.2020 11:58:31	1	1	1	1	95.5	59.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 11:58:32	1	1	1	1	95.5	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.8125	2004
20.03.2020 11:58:33	1	1	1	1	95.5	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 11:58:34	1	1	1	1	95.5	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 11:58:35	1	1	1	1	95.5	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:58:36	1	1	1	1	95.5	60.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.375	2004
20.03.2020 11:58:37	1	1	1	1	94.5	60.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.6875	2004
20.03.2020 11:58:38	1	1	1	1	94.5	59.5	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	40.6875	2004
20.03.2020 11:58:39	1	1	1	1	94.5	60.5	0	28672.986	556.9892473	16235.69701	30000	0	0	30000	40.625	2004
20.03.2020 11:58:40	1	1	1	1	94.5	60.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	39.8125	2004
20.03.2020 11:58:41	1	1	1	1	94.5	59.75	0	28862.559	561.2903226	16199.82062	30000	0	0	30000	39.1875	2004
20.03.2020 11:58:42	1	1	1	1	94.5	59	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40	2004
20.03.2020 11:58:43	1	1	1	1	94.5	60	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	40.625	2004
20.03.2020 11:58:44	1	1	1	1	94.5	60.5	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	40.625	2004
20.03.2020 11:58:45	1	1	1	1	94.5	60.5	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.3125	2004
20.03.2020 11:58:46	1	1	1	1	94.5	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 11:58:47	1	1	1	1	93	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.375	2004
20.03.2020 11:58:48	1	1	1	1	93	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 11:58:50	1	1	1	1	93	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 11:58:51	1	1	1	1	93	60	0	28578.199	552.688172	15794.58049	30000	0	0	30000	40.5	2004
20.03.2020 11:58:52	1	1	1	1	93	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 11:58:53	1	1	1	1	93	60.5	0	28578.199	552.688172	15882.64072	30000	0	0	30000	39.1875	2004
20.03.2020 11:58:59	1	1	1	1	94.5	60.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:58:59	1	1	1	1	94.5	60.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:58:59	1	1	1	1	94.5	60.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:58:59	1	1	1	1	94.5	60.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:58:59	1	1	1	1	94.5	60.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:58:59	1	1	1	1	94.5	60.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 11:59:00	1	1	1	1	94.5	60.25	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	40.125	2004
20.03.2020 11:59:01	1	1	1	1	94.5	60	0	28815.166	554.8387097	16173.7287	30000	0	0	30000	40.4375	2004
20.03.2020 11:59:02	1	1	1	1	94.5	60.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	40.8125	2004
20.03.2020 11:59:03	1	1	1	1	94.5	60.75	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	40.875	2004
20.03.2020 11:59:04	1	1	1	1	94.5	60.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	39.6875	2004
20.03.2020 11:59:05	1	1	1	1	94.5	59.5	0	28625.592	554.8387097	16111.76039	30000	0	0	30000	40.5625	2004
20.03.2020 11:59:06	1	1	1	1	94.5	60.5	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	40.625	2004
20.03.2020 11:59:07	1	1	1	1	94	60.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:59:08	1	1	1	1	94	60.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.625	2004
20.03.2020 11:59:09	1	1	1	1	94	60.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	39.875	2004
20.03.2020 11:59:10	1	1	1	1	94	59.75	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	40.5625	2004
20.03.2020 11:59:11	1	1	1	1	94	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 11:59:12	1	1	1	1	94	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.25	2004
20.03.2020 11:59:13	1	1	1	1	94	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.3125	2004
20.03.2020 11:59:14	1	1	1	1	94	60.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	40.75	2004
20.03.2020 11:59:15	1	1	1	1	94	60.75	0	28625.592	552.688172	15943.79366	30000	0	0	30000	40.75	2004
20.03.2020 11:59:16	1	1	1	1	94	60.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.5625	2004
20.03.2020 11:59:17	1	1	1	1	93.75	60.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.1875	2004
20.03.2020 11:59:18	1	1	1	1	93.75	60	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 11:59:19	1	1	1	1	93.75	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 11:59:20	1	1	1	1	93.75	60.5	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	40.6875	2004
20.03.2020 11:59:21	1	1	1	1	93.75	60.5	0	28672.986	552.688172	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 11:59:22	1	1	1	1	93.75	60.5	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.5625	2004
20.03.2020 11:59:23	1	1	1	1	93.75	60.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.5	2004
20.03.2020 11:59:24	1	1	1	1	93.75	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 11:59:25	1	1	1	1	93.75	60.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.0625	2004
20.03.2020 11:59:26	1	1	1	1	93.75	60	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.3125	2004
20.03.2020 11:59:27	1	1	1	1	92.75	60.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	40.125	2004
20.03.2020 11:59:28	1	1	1	1	92.75	60	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.6875	2004
20.03.2020 11:59:30	1	1	1	1	92.75	60.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.75	2004
20.03.2020 11:59:31	1	1	1	1	92.75	60.75	0	28862.559	556.9892473	15863.88715	30000	0	0	30000	39.5	2004
20.03.2020 11:59:32	1	1	1	1	92.75	59.5	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.75	2004
20.03.2020 11:59:33	1	1	1	1	92.75	60.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.6875	2004
20.03.2020 11:59:34	1	1	1	1	92.75	60.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.375	2004
20.03.2020 11:59:35	1	1	1	1	92.75	60.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.125	2004
20.03.2020 11:59:36	1	1	1	1	92.75	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.375	2004
20.03.2020 11:59:37	1	1	1	1	92.75	60.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 11:59:38	1	1	1	1	92.75	60.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.0625	2004
20.03.2020 11:59:39	1	1	1	1	92.75	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 11:59:40	1	1	1	1	92.75	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 11:59:41	1	1	1	1	92.75	60.5	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 11:59:42	1	1	1	1	92.75	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 11:59:43	1	1	1	1	92.75	60.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.625	2004
20.03.2020 11:59:44	1	1	1	1	92.75	60.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.75	2004
20.03.2020 11:59:45	1	1	1	1	92.75	60.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.5	2004
20.03.2020 11:59:46	1	1	1	1	92.75	60.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	40.625	2004
20.03.2020 11:59:47	1	1	1	1	93.5	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 11:59:48	1	1	1	1	93.5	60.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.625	2004
20.03.2020 11:59:49	1	1	1	1	93.5	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 11:59:50	1	1	1	1	93.5	60.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.625	2004
20.03.2020 11:59:51	1	1	1	1	93.5	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 11:59:52	1	1	1	1	93.5	60.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.4375	2004
20.03.2020 11:59:53	1	1	1	1	93.5	60.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	40.625	2004
20.03.2020 11:59:54	1	1	1	1	93.5	60.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.75	2004
20.03.2020 12:00:01	1	1	1	1	92.75	59.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.75	2004
20.03.2020 12:00:01	1	1	1	1	92.75	59.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.75	2004
20.03.2020 12:00:01	1	1	1	1	92.75	59.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.75	2004
20.03.2020 12:00:01	1	1	1	1	92.75	59.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.75	2004
20.03.2020 12:00:01	1	1	1	1	92.75	59.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.75	2004
20.03.2020 12:00:01	1	1	1	1	92.75	59.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.75	2004
20.03.2020 12:00:01	1	1	1	1	92.75	60.75	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.3125	2004
20.03.2020 12:00:02	1	1	1	1	92.75	60.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.5625	2004
20.03.2020 12:00:03	1	1	1	1	92.75	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:00:04	1	1	1	1	92.75	60.75	0	28578.199	552.688172	15794.58049	30000	0	0	30000	40.125	2004
20.03.2020 12:00:05	1	1	1	1	92.75	60	0	28625.592	552.688172	15794.58049	30000	0	0	30000	40.25	2004
20.03.2020 12:00:07	1	1	1	1	92.75	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:00:08	1	1	1	1	92.75	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:00:09	1	1	1	1	92.75	60.75	0	28625.592	552.688172	15925.85546	30000	0	0	30000	40.375	2004
20.03.2020 12:00:10	1	1	1	1	92.75	60.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:00:11	1	1	1	1	92.75	60.5	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	40.75	2004
20.03.2020 12:00:12	1	1	1	1	92.75	60.75	0	28957.346	556.9892473	16190.85152	30000	0	0	30000	40.75	2004
20.03.2020 12:00:13	1	1	1	1	92.75	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.3125	2004
20.03.2020 12:00:14	1	1	1	1	92.75	60.25	0	28578.199	552.688172	15794.58049	30000	0	0	30000	40.1875	2004
20.03.2020 12:00:15	1	1	1	1	92.75	60	0	28862.559	559.1397849	16075.884	30000	0	0	30000	40.5	2004
20.03.2020 12:00:16	1	1	1	1	92.75	60.5	0	28815.166	565.5913978	15917.70174	30000	0	0	30000	40.6875	2004
20.03.2020 12:00:17	1	1	1	1	92.75	60.5	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:00:18	1	1	1	1	93.75	60.5	0	28625.592	554.8387097	16173.7287	30000	0	0	30000	40.3125	2004
20.03.2020 12:00:19	1	1	1	1	93.75	60.25	0	28862.559	554.8387097	15987.82377	30000	0	0	30000	40.5625	2004
20.03.2020 12:00:20	1	1	1	1	93.75	60.5	0	29004.739	556.9892473	16066.09953	30000	0	0	30000	40.625	2004
20.03.2020 12:00:21	1	1	1	1	93.75	60.5	0	28625.592	552.688172	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:00:22	1	1	1	1	93.75	60.5	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	39.6875	2004
20.03.2020 12:00:23	1	1	1	1	93.75	59.5	0	28578.199	550.5376344	15943.79366	30000	0	0	30000	39.5	2004
20.03.2020 12:00:24	1	1	1	1	93.75	59.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:00:25	1	1	1	1	93.75	60.5	0	28436.019	556.9892473	15838.61061	30000	0	0	30000	40.6875	2004
20.03.2020 12:00:26	1	1	1	1	93.75	60.5	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	40.6875	2004
20.03.2020 12:00:27	1	1	1	1	94	60.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.625	2004
20.03.2020 12:00:28	1	1	1	1	94	60.5	0	28815.166	552.688172	15951.94738	30000	0	0	30000	40.125	2004
20.03.2020 12:00:29	1	1	1	1	94	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 12:00:30	1	1	1	1	94	60.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.625	2004
20.03.2020 12:00:31	1	1	1	1	94	60.5	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	40.4375	2004
20.03.2020 12:00:32	1	1	1	1	94	60.25	0	28483.412	559.1397849	15890.79444	30000	0	0	30000	40.6875	2004
20.03.2020 12:00:33	1	1	1	1	94	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:00:34	1	1	1	1	94	60.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.5625	2004
20.03.2020 12:00:35	1	1	1	1	94	60.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:01:20	1	1	1	1	93.75	60.75	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:01:21	1	1	1	1	93.75	60.5	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:01:22	1	1	1	1	93.75	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.125	2004
20.03.2020 12:01:23	1	1	1	1	93.75	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:01:25	1	1	1	1	93.75	60.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.9375	2004
20.03.2020 12:01:26	1	1	1	1	93.75	60.75	0	28815.166	554.8387097	15733.42755	30000	0	0	30000	40.5625	2004
20.03.2020 12:01:27	1	1	1	1	93.75	60.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	40.625	2004
20.03.2020 12:01:28	1	1	1	1	93.5	60.5	0	28483.412	556.9892473	15803.54959	30000	0	0	30000	40.125	2004
20.03.2020 12:01:29	1	1	1	1	93.5	60	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.625	2004
20.03.2020 12:01:30	1	1	1	1	93.5	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:01:31	1	1	1	1	93.5	60.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	41.1875	2004
20.03.2020 12:01:32	1	1	1	1	93.5	61	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	39.8125	2004
20.03.2020 12:01:33	1	1	1	1	93.5	59.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	40.6875	2004
20.03.2020 12:01:34	1	1	1	1	93.5	60.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.75	2004
20.03.2020 12:01:35	1	1	1	1	93.5	60.5	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	40.1875	2004
20.03.2020 12:01:36	1	1	1	1	93.5	60	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.1875	2004
20.03.2020 12:01:37	1	1	1	1	92.5	60	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	40.625	2004
20.03.2020 12:01:38	1	1	1	1	92.5	60.5	0	28578.199	561.2903226	15803.54959	30000	0	0	30000	40.6875	2004
20.03.2020 12:01:39	1	1	1	1	92.5	60.5	0	28815.166	563.4408602	16173.7287	30000	0	0	30000	40.5625	2004
20.03.2020 12:01:40	1	1	1	1	92.5	60.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	40.375	2004
20.03.2020 12:01:41	1	1	1	1	92.5	60.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.25	2004
20.03.2020 12:01:42	1	1	1	1	92.5	60.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	40.6875	2004
20.03.2020 12:01:43	1	1	1	1	92.5	60.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.75	2004
20.03.2020 12:01:44	1	1	1	1	92.5	60.75	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	40.4375	2004
20.03.2020 12:01:45	1	1	1	1	92.5	60.25	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	40.25	2004
20.03.2020 12:01:46	1	1	1	1	92.5	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.6875	2004
20.03.2020 12:01:47	1	1	1	1	92.75	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.5	2004
20.03.2020 12:01:48	1	1	1	1	92.75	60.5	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	39.875	2004
20.03.2020 12:01:49	1	1	1	1	92.75	59.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.125	2004
20.03.2020 12:01:50	1	1	1	1	92.75	60	0	28625.592	561.2903226	16297.66532	30000	0	0	30000	40.6875	2004
20.03.2020 12:01:51	1	1	1	1	92.75	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.75	2004
20.03.2020 12:01:54	1	1	1	1	92.75	60.5	0	28483.412	554.8387097	15742.39665	30000	0	0	30000	40.3125	2004
20.03.2020 12:01:54	1	1	1	1	92.75	60.5	0	28483.412	554.8387097	15742.39665	30000	0	0	30000	40.3125	2004
20.03.2020 12:01:54	1	1	1	1	92.75	60.5	0	28483.412	554.8387097	15742.39665	30000	0	0	30000	40.3125	2004
20.03.2020 12:01:55	1	1	1	1	92.75	60.25	0	28625.592	554.8387097	16111.76039	30000	0	0	30000	40.375	2004
20.03.2020 12:01:56	1	1	1	1	92.75	60.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:01:57	1	1	1	1	91.75	60.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.5625	2004
20.03.2020 12:02:04	1	1	1	1	91.75	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:02:04	1	1	1	1	91.75	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:02:04	1	1	1	1	91.75	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:02:04	1	1	1	1	91.75	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:02:04	1	1	1	1	91.75	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:02:04	1	1	1	1	91.75	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:02:05	1	1	1	1	91.75	60.5	0	28483.412	550.5376344	15864.70252	30000	0	0	30000	40.25	2004
20.03.2020 12:02:06	1	1	1	1	91.75	60.25	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 12:02:07	1	1	1	1	91.75	60.5	0	28530.806	552.688172	15768.48857	30000	0	0	30000	40.5625	2004
20.03.2020 12:02:08	1	1	1	1	92	60.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.5	2004
20.03.2020 12:02:09	1	1	1	1	92	60.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.625	2004
20.03.2020 12:02:10	1	1	1	1	92	60.5	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	40.8125	2004
20.03.2020 12:02:11	1	1	1	1	92	60.75	0	28815.166	556.9892473	16137.85231	30000	0	0	30000	40.9375	2004
20.03.2020 12:02:12	1	1	1	1	92	60.75	0	28578.199	556.9892473	15855.73343	30000	0	0	30000	40.5625	2004
20.03.2020 12:02:13	1	1	1	1	92	60.5	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.5	2004
20.03.2020 12:02:14	1	1	1	1	92	60.75	0	28815.166	552.688172	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 12:02:15	1	1	1	1	92	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:02:16	1	1	1	1	92	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:02:17	1	1	1	1	92.5	60.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	40.625	2004
20.03.2020 12:02:18	1	1	1	1	92.5	60.5	0	28815.166	559.1397849	15969.88558	30000	0	0	30000	40.625	2004
20.03.2020 12:02:19	1	1	1	1	92.5	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5625	2004
20.03.2020 12:02:20	1	1	1	1	92.5	60.5	0	28578.199	552.688172	16173.7287	30000	0	0	30000	40.875	2004
20.03.2020 12:02:21	1	1	1	1	92.5	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:02:22	1	1	1	1	92.5	60.5	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	40.8125	2004
20.03.2020 12:02:23	1	1	1	1	92.5	60.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	40	2004
20.03.2020 12:02:24	1	1	1	1	92.5	60	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.3125	2004
20.03.2020 12:02:25	1	1	1	1	92.5	60.25	0	28625.592	561.2903226	15917.70174	30000	0	0	30000	40.6875	2004
20.03.2020 12:02:26	1	1	1	1	92.5	60.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.75	2004
20.03.2020 12:02:27	1	1	1	1	93.25	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:02:28	1	1	1	1	93.25	60.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.75	2004
20.03.2020 12:02:29	1	1	1	1	93.25	60.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 12:02:30	1	1	1	1	93.25	60.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.375	2004
20.03.2020 12:02:31	1	1	1	1	93.25	60.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	39.8125	2004
20.03.2020 12:02:32	1	1	1	1	93.25	59.75	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	40.875	2004
20.03.2020 12:02:33	1	1	1	1	93.25	60.75	0	28625.592	556.9892473	16066.9149	30000	0	0	30000	40.6875	2004
20.03.2020 12:02:34	1	1	1	1	93.25	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41	2004
20.03.2020 12:02:35	1	1	1	1	93.25	61	0	28530.806	556.9892473	16040.00761	30000	0	0	30000	39.8125	2004
20.03.2020 12:02:36	1	1	1	1	93.25	59.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.6875	2004
20.03.2020 12:02:37	1	1	1	1	92.75	60.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.8125	2004
20.03.2020 12:02:38	1	1	1	1	92.75	60.75	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	40.6875	2004
20.03.2020 12:02:39	1	1	1	1	92.75	60.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.8125	2004
20.03.2020 12:02:40	1	1	1	1	92.75	60.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.8125	2004
20.03.2020 12:02:41	1	1	1	1	92.75	60.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.4375	2004
20.03.2020 12:02:43	1	1	1	1	92.75	60.25	0	28530.806	556.9892473	15917.70174	30000	0	0	30000	40.25	2004
20.03.2020 12:02:44	1	1	1	1	92.75	60.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.625	2004
20.03.2020 12:02:45	1	1	1	1	92.75	60.5	0	28625.592	563.4408602	15917.70174	30000	0	0	30000	40.75	2004
20.03.2020 12:02:46	1	1	1	1	92.75	60.75	0	28625.592	552.688172	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:02:47	1	1	1	1	92.75	60.75	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	40.75	2004
20.03.2020 12:02:48	1	1	1	1	92	60.75	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:02:49	1	1	1	1	92	60.5	0	28625.592	552.688172	15733.42755	30000	0	0	30000	39.75	2004
20.03.2020 12:02:50	1	1	1	1	92	59.75	0	28815.166	554.8387097	16235.69701	30000	0	0	30000	40.375	2004
20.03.2020 12:02:51	1	1	1	1	92	60.25	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.25	2004
20.03.2020 12:02:52	1	1	1	1	92	61.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:02:53	1	1	1	1	92	60.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	40.875	2004
20.03.2020 12:02:54	1	1	1	1	92	61	0	28578.199	546.2365591	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:02:55	1	1	1	1	92	60.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.5	2004
20.03.2020 12:02:56	1	1	1	1	92	60.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.625	2004
20.03.2020 12:02:57	1	1	1	1	92.25	60.5	0	28672.986	559.1397849	16005.76197	30000	0	0	30000	40.9375	2004
20.03.2020 12:02:58	1	1	1	1	92.25	60.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.8125	2004
20.03.2020 12:02:59	1	1	1	1	92.25	60.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	40.9375	2004
20.03.2020 12:03:05	1	1	1	1	92.25	60.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.3125	2004
20.03.2020 12:03:05	1	1	1	1	92.25	60.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.3125	2004
20.03.2020 12:03:05	1	1	1	1	92.25	60.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.3125	2004
20.03.2020 12:03:05	1	1	1	1	92.25	60.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.3125	2004
20.03.2020 12:03:05	1	1	1	1	92.25	60.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.3125	2004
20.03.2020 12:03:05	1	1	1	1	92.25	60.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.3125	2004
20.03.2020 12:03:05	1	1	1	1	92.25	60.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.3125	2004
20.03.2020 12:03:06	1	1	1	1	92.25	60.25	0	28815.166	556.9892473	15820.67241	30000	0	0	30000	40.375	2004
20.03.2020 12:03:07	1	1	1	1	92.25	60.25	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	40.6875	2004
20.03.2020 12:03:08	1	1	1	1	92.25	60.5	0	28483.412	554.8387097	15864.70252	30000	0	0	30000	40.375	2004
20.03.2020 12:03:09	1	1	1	1	92.25	60.25	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	40.5	2004
20.03.2020 12:03:10	1	1	1	1	92.25	60.5	0	28625.592	556.9892473	16235.69701	30000	0	0	30000	40.8125	2004
20.03.2020 12:03:11	1	1	1	1	92.25	60.75	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	40.1875	2004
20.03.2020 12:03:12	1	1	1	1	92.25	60	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:03:13	1	1	1	1	92.25	60.5	0	28625.592	563.4408602	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 12:03:14	1	1	1	1	92.25	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.75	2004
20.03.2020 12:03:15	1	1	1	1	92.25	60.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.5	2004
20.03.2020 12:03:16	1	1	1	1	92.25	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.9375	2004
20.03.2020 12:03:17	1	1	1	1	93	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.5625	2004
20.03.2020 12:03:18	1	1	1	1	93	60.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.8125	2004
20.03.2020 12:03:19	1	1	1	1	93	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:03:20	1	1	1	1	93	60.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 12:03:22	1	1	1	1	93	60	0	28625.592	559.1397849	16190.03615	30000	0	0	30000	40.625	2004
20.03.2020 12:03:23	1	1	1	1	93	60.5	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	40.75	2004
20.03.2020 12:03:24	1	1	1	1	93	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.625	2004
20.03.2020 12:03:25	1	1	1	1	93	59.5	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	40.875	2004
20.03.2020 12:03:26	1	1	1	1	93	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	40.8125	2004
20.03.2020 12:03:27	1	1	1	1	93	60.75	0	28815.166	559.1397849	16235.69701	30000	0	0	30000	40.9375	2004
20.03.2020 12:03:28	1	1	1	1	92	60.75	0	28815.166	565.5913978	16031.85389	30000	0	0	30000	40.25	2004
20.03.2020 12:03:29	1	1	1	1	92	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:03:30	1	1	1	1	92	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	40.875	2004
20.03.2020 12:03:31	1	1	1	1	92	60.75	0	28625.592	552.688172	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:03:32	1	1	1	1	92	60.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:03:33	1	1	1	1	92	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.125	2004
20.03.2020 12:03:34	1	1	1	1	92	60	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.75	2004
20.03.2020 12:03:35	1	1	1	1	92	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:03:36	1	1	1	1	92	60.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.6875	2004
20.03.2020 12:03:37	1	1	1	1	91.75	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:03:38	1	1	1	1	91.75	60.75	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:03:39	1	1	1	1	91.75	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:03:40	1	1	1	1	91.75	60.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	40.5625	2004
20.03.2020 12:03:41	1	1	1	1	91.75	60.5	0	28578.199	552.688172	15855.73343	30000	0	0	30000	41	2004
20.03.2020 12:03:42	1	1	1	1	91.75	61	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	40.875	2004
20.03.2020 12:03:43	1	1	1	1	91.75	60.75	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	40.5	2004
20.03.2020 12:03:44	1	1	1	1	91.75	60.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.9375	2004
20.03.2020 12:03:45	1	1	1	1	91.75	60.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.875	2004
20.03.2020 12:03:46	1	1	1	1	91.75	60.75	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	40.875	2004
20.03.2020 12:03:47	1	1	1	1	91.75	60.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.875	2004
20.03.2020 12:03:48	1	1	1	1	91.75	60.75	0	28672.986	554.8387097	15943.79366	30000	0	0	30000	40.8125	2004
20.03.2020 12:03:49	1	1	1	1	91.75	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 12:03:50	1	1	1	1	91.75	60	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	40.8125	2004
20.03.2020 12:03:51	1	1	1	1	91.75	60.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.375	2004
20.03.2020 12:03:52	1	1	1	1	91.75	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.875	2004
20.03.2020 12:03:53	1	1	1	1	91.75	60.75	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	40.625	2004
20.03.2020 12:03:54	1	1	1	1	91.75	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:03:55	1	1	1	1	91.75	60.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.875	2004
20.03.2020 12:03:56	1	1	1	1	91.75	60.75	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	40.625	2004
20.03.2020 12:03:57	1	1	1	1	92	60.5	0	28862.559	554.8387097	16137.85231	30000	0	0	30000	40.75	2004
20.03.2020 12:03:58	1	1	1	1	92	60.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41	2004
20.03.2020 12:03:59	1	1	1	1	92	61	0	28625.592	552.688172	15794.58049	30000	0	0	30000	40.75	2004
20.03.2020 12:04:00	1	1	1	1	92	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:04:07	1	1	1	1	92	60.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:07	1	1	1	1	92	60.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:07	1	1	1	1	92	60.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:07	1	1	1	1	92	60.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:07	1	1	1	1	92	60.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:07	1	1	1	1	92	60.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:08	1	1	1	1	91	60.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:04:09	1	1	1	1	91	60.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.1875	2004
20.03.2020 12:04:10	1	1	1	1	91	61	0	28815.166	556.9892473	15969.88558	30000	0	0	30000	40.875	2004
20.03.2020 12:04:11	1	1	1	1	91	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:12	1	1	1	1	91	61	0	28957.346	554.8387097	16154.97513	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:13	1	1	1	1	91	60.75	0	28530.806	556.9892473	15917.70174	30000	0	0	30000	40.5625	2004
20.03.2020 12:04:14	1	1	1	1	91	60.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.875	2004
20.03.2020 12:04:15	1	1	1	1	91	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.6875	2004
20.03.2020 12:04:16	1	1	1	1	91	60.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:04:17	1	1	1	1	91.5	60.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:04:18	1	1	1	1	91.5	60.5	0	28815.166	565.5913978	15882.64072	30000	0	0	30000	40.75	2004
20.03.2020 12:04:19	1	1	1	1	91.5	60.75	0	28672.986	554.8387097	15882.64072	30000	0	0	30000	40.875	2004
20.03.2020 12:04:20	1	1	1	1	91.5	60.75	0	28578.199	556.9892473	16101.97592	30000	0	0	30000	40.875	2004
20.03.2020 12:04:21	1	1	1	1	91.5	60.75	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:22	1	1	1	1	91.5	60.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	40.6875	2004
20.03.2020 12:04:23	1	1	1	1	91.5	60.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.9375	2004
20.03.2020 12:04:24	1	1	1	1	91.5	60.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.75	2004
20.03.2020 12:04:25	1	1	1	1	91.5	60.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.5	2004
20.03.2020 12:04:26	1	1	1	1	91.5	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:04:27	1	1	1	1	92.5	60.5	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	40.75	2004
20.03.2020 12:04:28	1	1	1	1	92.5	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:04:29	1	1	1	1	92.5	60.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.9375	2004
20.03.2020 12:04:30	1	1	1	1	92.5	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.5625	2004
20.03.2020 12:04:31	1	1	1	1	92.5	60.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.9375	2004
20.03.2020 12:04:32	1	1	1	1	92.5	60.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41	2004
20.03.2020 12:04:33	1	1	1	1	92.5	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.75	2004
20.03.2020 12:04:34	1	1	1	1	92.5	60.75	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.625	2004
20.03.2020 12:04:35	1	1	1	1	92.5	60.5	0	28957.346	552.688172	16128.88321	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:36	1	1	1	1	92.5	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.4375	2004
20.03.2020 12:04:37	1	1	1	1	92.5	60.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:04:38	1	1	1	1	92.5	60.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.75	2004
20.03.2020 12:04:40	1	1	1	1	92.5	60.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.5625	2004
20.03.2020 12:04:41	1	1	1	1	92.5	60.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.625	2004
20.03.2020 12:04:42	1	1	1	1	92.5	60.5	0	28815.166	556.9892473	16297.66532	30000	0	0	30000	40.5	2004
20.03.2020 12:04:43	1	1	1	1	92.5	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.3125	2004
20.03.2020 12:04:44	1	1	1	1	92.5	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:45	1	1	1	1	92.5	60.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.9375	2004
20.03.2020 12:04:46	1	1	1	1	92.5	60.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.5	2004
20.03.2020 12:04:47	1	1	1	1	92.5	60.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.25	2004
20.03.2020 12:04:48	1	1	1	1	92.75	61.25	0	28815.166	563.4408602	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:04:49	1	1	1	1	92.75	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:04:50	1	1	1	1	92.75	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40	2004
20.03.2020 12:04:51	1	1	1	1	92.75	60	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	40.875	2004
20.03.2020 12:04:52	1	1	1	1	92.75	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:53	1	1	1	1	92.75	60.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.75	2004
20.03.2020 12:04:54	1	1	1	1	92.75	60.75	0	28815.166	556.9892473	16137.85231	30000	0	0	30000	40.125	2004
20.03.2020 12:04:55	1	1	1	1	92.75	60	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:56	1	1	1	1	92.75	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.4375	2004
20.03.2020 12:04:57	1	1	1	1	92.5	60.25	0	28436.019	552.688172	15987.0084	30000	0	0	30000	40.5	2004
20.03.2020 12:04:58	1	1	1	1	92.5	60.5	0	28815.166	561.2903226	16111.76039	30000	0	0	30000	40.8125	2004
20.03.2020 12:04:59	1	1	1	1	92.5	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
20.03.2020 12:05:00	1	1	1	1	92.5	60.75	0	28483.412	554.8387097	15917.70174	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:05:01	1	1	1	1	92.5	60	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	40.8125	2004
20.03.2020 12:05:02	1	1	1	1	92.5	60.75	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	40.6875	2004
20.03.2020 12:05:09	1	1	1	1	92	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:05:09	1	1	1	1	92	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:05:09	1	1	1	1	92	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:05:09	1	1	1	1	92	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:05:09	1	1	1	1	92	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:05:09	1	1	1	1	92	60.5	0	28815.166	552.688172	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:05:10	1	1	1	1	92	60.75	0	28957.346	556.9892473	16075.884	30000	0	0	30000	40.8125	2004
20.03.2020 12:05:11	1	1	1	1	92	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.9375	2004
20.03.2020 12:05:12	1	1	1	1	92	60.75	0	28578.199	556.9892473	15864.70252	30000	0	0	30000	40.3125	2004
20.03.2020 12:05:13	1	1	1	1	92	60.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.375	2004
20.03.2020 12:05:14	1	1	1	1	92	60.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.9375	2004
20.03.2020 12:05:15	1	1	1	1	92	60.75	0	28530.806	552.688172	15917.70174	30000	0	0	30000	40.9375	2004
20.03.2020 12:05:16	1	1	1	1	92	60.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	40.75	2004
20.03.2020 12:05:17	1	1	1	1	92.5	60.75	0	28815.166	550.5376344	16075.884	30000	0	0	30000	40.375	2004
20.03.2020 12:05:18	1	1	1	1	92.5	60.25	0	28483.412	552.688172	15742.39665	30000	0	0	30000	40.9375	2004
20.03.2020 12:05:20	1	1	1	1	92.5	60.75	0	28625.592	559.1397849	15733.42755	30000	0	0	30000	41.0625	2004
20.03.2020 12:05:21	1	1	1	1	92.5	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.75	2004
20.03.2020 12:05:22	1	1	1	1	92.5	60.75	0	28625.592	554.8387097	15671.45924	30000	0	0	30000	40.75	2004
20.03.2020 12:05:23	1	1	1	1	92.5	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:05:24	1	1	1	1	92.5	60.75	0	28625.592	561.2903226	15917.70174	30000	0	0	30000	40.625	2004
20.03.2020 12:05:25	1	1	1	1	92.5	60.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.25	2004
20.03.2020 12:05:26	1	1	1	1	92.5	60.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.0625	2004
20.03.2020 12:05:27	1	1	1	1	92.5	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.875	2004
20.03.2020 12:05:28	1	1	1	1	91.5	60.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.125	2004
20.03.2020 12:05:29	1	1	1	1	91.5	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.875	2004
20.03.2020 12:05:30	1	1	1	1	91.5	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:05:31	1	1	1	1	91.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:05:32	1	1	1	1	91.5	60.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	40.5	2004
20.03.2020 12:05:33	1	1	1	1	91.5	60.5	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	39.125	2004
20.03.2020 12:05:34	1	1	1	1	91.5	59	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	40.4375	2004
20.03.2020 12:05:35	1	1	1	1	91.5	60.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:05:36	1	1	1	1	91.5	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.5	2004
20.03.2020 12:05:37	1	1	1	1	91.75	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:05:38	1	1	1	1	91.75	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.9375	2004
20.03.2020 12:05:39	1	1	1	1	91.75	60.75	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.6875	2004
20.03.2020 12:05:40	1	1	1	1	91.75	60.5	0	28672.986	556.9892473	15987.82377	30000	0	0	30000	40.375	2004
20.03.2020 12:05:41	1	1	1	1	91.75	60.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.125	2004
20.03.2020 12:05:42	1	1	1	1	91.75	60	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	40.875	2004
20.03.2020 12:05:43	1	1	1	1	91.75	60.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.6875	2004
20.03.2020 12:05:44	1	1	1	1	91.75	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:05:45	1	1	1	1	91.75	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.0625	2004
20.03.2020 12:05:46	1	1	1	1	91.75	61	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	40.8125	2004
20.03.2020 12:05:47	1	1	1	1	91.75	60.75	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	40.5625	2004
20.03.2020 12:05:48	1	1	1	1	91.75	60.5	0	28578.199	559.1397849	16128.88321	30000	0	0	30000	40.75	2004
20.03.2020 12:05:49	1	1	1	1	91.75	60.75	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	40.9375	2004
20.03.2020 12:05:50	1	1	1	1	91.75	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.0625	2004
20.03.2020 12:05:51	1	1	1	1	91.75	61	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:05:52	1	1	1	1	91.75	60.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	40.625	2004
20.03.2020 12:05:53	1	1	1	1	91.75	60.5	0	28815.166	556.9892473	15733.42755	30000	0	0	30000	40.875	2004
20.03.2020 12:05:54	1	1	1	1	91.75	60.75	0	28483.412	552.688172	15917.70174	30000	0	0	30000	41.0625	2004
20.03.2020 12:05:55	1	1	1	1	91.75	61	0	28625.592	559.1397849	16359.63363	30000	0	0	30000	40.875	2004
20.03.2020 12:05:56	1	1	1	1	91.75	60.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.875	2004
20.03.2020 12:05:57	1	1	1	1	92	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5	2004
20.03.2020 12:05:59	1	1	1	1	92	60.5	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	39.9375	2004
20.03.2020 12:06:00	1	1	1	1	92	59.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	40.3125	2004
20.03.2020 12:06:01	1	1	1	1	92	60.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.8125	2004
20.03.2020 12:06:02	1	1	1	1	92	60.75	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	40.625	2004
20.03.2020 12:06:03	1	1	1	1	92	60.5	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	40.8125	2004
20.03.2020 12:06:04	1	1	1	1	92	60.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	40.6875	2004
20.03.2020 12:06:10	1	1	1	1	92.5	60.75	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:06:10	1	1	1	1	92.5	60.75	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:06:10	1	1	1	1	92.5	60.75	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:06:10	1	1	1	1	92.5	60.75	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:06:10	1	1	1	1	92.5	60.75	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:06:10	1	1	1	1	92.5	60.75	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:06:11	1	1	1	1	92.5	61	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	40.8125	2004
20.03.2020 12:06:12	1	1	1	1	92.5	60.75	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	40.4375	2004
20.03.2020 12:06:13	1	1	1	1	92.5	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:06:14	1	1	1	1	92.5	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.875	2004
20.03.2020 12:06:15	1	1	1	1	92.5	59.75	0	28862.559	559.1397849	16075.884	30000	0	0	30000	40.5625	2004
20.03.2020 12:06:16	1	1	1	1	92.5	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.6875	2004
20.03.2020 12:06:17	1	1	1	1	93.75	60.5	0	28483.412	559.1397849	16048.16134	30000	0	0	30000	40.75	2004
20.03.2020 12:06:18	1	1	1	1	93.75	60.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	40.6875	2004
20.03.2020 12:06:19	1	1	1	1	93.75	60.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.125	2004
20.03.2020 12:06:20	1	1	1	1	93.75	61	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:06:21	1	1	1	1	93.75	60.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	40.875	2004
20.03.2020 12:06:22	1	1	1	1	93.75	60.75	0	28199.052	554.8387097	15968.25483	30000	0	0	30000	40.9375	2004
20.03.2020 12:06:23	1	1	1	1	93.75	60.75	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	40.9375	2004
20.03.2020 12:06:24	1	1	1	1	93.75	60.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.0625	2004
20.03.2020 12:06:25	1	1	1	1	93.75	61	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	40.4375	2004
20.03.2020 12:06:26	1	1	1	1	93.75	60.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.875	2004
20.03.2020 12:06:27	1	1	1	1	94	60.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	40.5625	2004
20.03.2020 12:06:28	1	1	1	1	94	60.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:06:29	1	1	1	1	94	61	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.9375	2004
20.03.2020 12:06:30	1	1	1	1	94	60.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	40.9375	2004
20.03.2020 12:06:31	1	1	1	1	94	60.75	0	28341.232	565.5913978	15941.34754	30000	0	0	30000	40.5625	2004
20.03.2020 12:06:32	1	1	1	1	94	60.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.125	2004
20.03.2020 12:06:33	1	1	1	1	94	61	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	40.75	2004
20.03.2020 12:06:34	1	1	1	1	94	60.75	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	40.4375	2004
20.03.2020 12:06:36	1	1	1	1	94	60.25	0	28436.019	563.4408602	16171.28258	30000	0	0	30000	40.875	2004
20.03.2020 12:06:37	1	1	1	1	94	60.75	0	28293.839	563.4408602	16090.5607	30000	0	0	30000	40.6875	2004
20.03.2020 12:06:38	1	1	1	1	93	60.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	40.75	2004
20.03.2020 12:06:39	1	1	1	1	93	60.75	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	40.875	2004
20.03.2020 12:06:40	1	1	1	1	93	60.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	40.9375	2004
20.03.2020 12:06:41	1	1	1	1	93	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.6875	2004
20.03.2020 12:06:42	1	1	1	1	93	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.875	2004
20.03.2020 12:06:43	1	1	1	1	93	60.75	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	40.8125	2004
20.03.2020 12:06:44	1	1	1	1	93	60.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.3125	2004
20.03.2020 12:06:45	1	1	1	1	93	61.25	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	40.75	2004
20.03.2020 12:06:46	1	1	1	1	93	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.625	2004
20.03.2020 12:06:47	1	1	1	1	93	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.8125	2004
20.03.2020 12:06:48	1	1	1	1	92.75	60.75	0	28815.166	554.8387097	15820.67241	30000	0	0	30000	40.5625	2004
20.03.2020 12:06:49	1	1	1	1	92.75	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.375	2004
20.03.2020 12:06:50	1	1	1	1	92.75	60.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.875	2004
20.03.2020 12:06:51	1	1	1	1	92.75	60.75	0	28483.412	563.4408602	15838.61061	30000	0	0	30000	40.625	2004
20.03.2020 12:06:52	1	1	1	1	92.75	60.5	0	28436.019	559.1397849	15811.70331	30000	0	0	30000	40.8125	2004
20.03.2020 12:06:53	1	1	1	1	92.75	60.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	40.9375	2004
20.03.2020 12:06:54	1	1	1	1	92.75	60.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	40.8125	2004
20.03.2020 12:06:55	1	1	1	1	92.75	60.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.6875	2004
20.03.2020 12:06:56	1	1	1	1	92.75	60.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	39.625	2004
20.03.2020 12:06:57	1	1	1	1	93	59.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.625	2004
20.03.2020 12:06:58	1	1	1	1	93	60.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.875	2004
20.03.2020 12:06:59	1	1	1	1	93	60.75	0	28341.232	569.8924731	15827.19539	30000	0	0	30000	40.3125	2004
20.03.2020 12:07:00	1	1	1	1	93	60.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	41	2004
20.03.2020 12:07:01	1	1	1	1	93	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.625	2004
20.03.2020 12:07:02	1	1	1	1	93	60.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41	2004
20.03.2020 12:07:03	1	1	1	1	93	61	0	28483.412	552.688172	15978.85467	30000	0	0	30000	40.6875	2004
20.03.2020 12:07:04	1	1	1	1	93	60.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	40.875	2004
20.03.2020 12:07:05	1	1	1	1	93	60.75	0	28293.839	563.4408602	15706.52026	30000	0	0	30000	40.6875	2004
20.03.2020 12:07:12	1	1	1	1	93.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.25	2004
20.03.2020 12:07:12	1	1	1	1	93.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.25	2004
20.03.2020 12:07:12	1	1	1	1	93.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.25	2004
20.03.2020 12:07:12	1	1	1	1	93.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.25	2004
20.03.2020 12:07:12	1	1	1	1	93.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.25	2004
20.03.2020 12:07:12	1	1	1	1	93.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.25	2004
20.03.2020 12:07:12	1	1	1	1	93.75	60.25	0	28246.445	563.4408602	15941.34754	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:07:13	1	1	1	1	93.75	60.75	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	40.6875	2004
20.03.2020 12:07:14	1	1	1	1	93.75	60.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.875	2004
20.03.2020 12:07:15	1	1	1	1	93.75	60.75	0	28199.052	556.9892473	15948.68589	30000	0	0	30000	40.5	2004
20.03.2020 12:07:17	1	1	1	1	93.75	60.5	0	28625.592	567.7419355	16421.60194	30000	0	0	30000	40.9375	2004
20.03.2020 12:07:18	1	1	1	1	93.75	60.75	0	28436.019	556.9892473	16109.31427	30000	0	0	30000	40.875	2004
20.03.2020 12:07:19	1	1	1	1	93.75	60.75	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	40.625	2004
20.03.2020 12:07:20	1	1	1	1	93.75	60.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.9375	2004
20.03.2020 12:07:21	1	1	1	1	93.75	60.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	40.3125	2004
20.03.2020 12:07:22	1	1	1	1	93.75	60.25	0	28341.232	556.9892473	16056.31506	30000	0	0	30000	40.875	2004
20.03.2020 12:07:23	1	1	1	1	93.75	60.75	0	28578.199	567.7419355	16225.09717	30000	0	0	30000	40.5	2004
20.03.2020 12:07:24	1	1	1	1	93.75	60.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.0625	2004
20.03.2020 12:07:25	1	1	1	1	93.75	61	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.0625	2004
20.03.2020 12:07:26	1	1	1	1	93.75	61	0	28341.232	556.9892473	16022.06942	30000	0	0	30000	40.6875	2004
20.03.2020 12:07:27	1	1	1	1	93.75	60.5	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	41.375	2004
20.03.2020 12:07:28	1	1	1	1	93.5	60.75	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	40.375	2004
20.03.2020 12:07:29	1	1	1	1	93.5	60.25	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	40.875	2004
20.03.2020 12:07:30	1	1	1	1	93.5	60.75	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	40.8125	2004
20.03.2020 12:07:31	1	1	1	1	93.5	60.75	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	40.9375	2004
20.03.2020 12:07:32	1	1	1	1	93.5	60.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.875	2004
20.03.2020 12:07:33	1	1	1	1	93.5	60.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41	2004
20.03.2020 12:07:34	1	1	1	1	93.5	61	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	41	2004
20.03.2020 12:07:35	1	1	1	1	93.5	61	0	28483.412	563.4408602	15777.45767	30000	0	0	30000	40.4375	2004
20.03.2020 12:07:36	1	1	1	1	93.5	60.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.8125	2004
20.03.2020 12:07:37	1	1	1	1	93.75	60.75	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	41	2004
20.03.2020 12:07:38	1	1	1	1	93.75	61	0	28862.559	552.688172	15889.97907	30000	0	0	30000	40.875	2004
20.03.2020 12:07:39	1	1	1	1	93.75	60.75	0	28909.953	556.9892473	16075.884	30000	0	0	30000	40.1875	2004
20.03.2020 12:07:40	1	1	1	1	93.75	60	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	41.0625	2004
20.03.2020 12:07:41	1	1	1	1	93.75	61	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.125	2004
20.03.2020 12:07:42	1	1	1	1	93.75	61	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	40.75	2004
20.03.2020 12:07:43	1	1	1	1	93.75	60.75	0	28625.592	561.2903226	16128.88321	30000	0	0	30000	40.6875	2004
20.03.2020 12:07:44	1	1	1	1	93.75	60.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	40.875	2004
20.03.2020 12:07:45	1	1	1	1	93.75	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.875	2004
20.03.2020 12:07:46	1	1	1	1	93.75	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41	2004
20.03.2020 12:07:47	1	1	1	1	93.5	61	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.875	2004
20.03.2020 12:07:48	1	1	1	1	93.5	60.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41	2004
20.03.2020 12:07:49	1	1	1	1	93.5	61	0	28625.592	552.688172	16049.79208	30000	0	0	30000	41.125	2004
20.03.2020 12:07:50	1	1	1	1	93.5	61	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	40.4375	2004
20.03.2020 12:07:51	1	1	1	1	93.5	60.25	0	28483.412	559.1397849	16048.16134	30000	0	0	30000	41	2004
20.03.2020 12:07:52	1	1	1	1	93.5	61	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	40.9375	2004
20.03.2020 12:07:54	1	1	1	1	93.5	60.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	40.875	2004
20.03.2020 12:07:55	1	1	1	1	93.5	60.75	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	40.9375	2004
20.03.2020 12:07:56	1	1	1	1	93.5	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41	2004
20.03.2020 12:07:57	1	1	1	1	93.5	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:07:58	1	1	1	1	93.5	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.0625	2004
20.03.2020 12:07:59	1	1	1	1	93.5	60	0	28009.479	563.4408602	15660.8594	30000	0	0	30000	39.625	2004
20.03.2020 12:08:00	1	1	1	1	93.5	59.5	0	28199.052	565.5913978	15827.19539	30000	0	0	30000	40.9375	2004
20.03.2020 12:08:01	1	1	1	1	93.5	60.75	0	28436.019	567.7419355	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:08:02	1	1	1	1	93.5	61	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	41	2004
20.03.2020 12:08:03	1	1	1	1	93.5	61	0	28957.346	565.5913978	16190.85152	30000	0	0	30000	40.1875	2004
20.03.2020 12:08:04	1	1	1	1	93.5	60	0	28909.953	556.9892473	16075.884	30000	0	0	30000	41.25	2004
20.03.2020 12:08:05	1	1	1	1	93.5	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.8125	2004
20.03.2020 12:08:06	1	1	1	1	93.5	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.875	2004
20.03.2020 12:08:07	1	1	1	1	93.5	60.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	40.75	2004
20.03.2020 12:08:14	1	1	1	1	93.5	60.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.5	2004
20.03.2020 12:08:14	1	1	1	1	93.5	60.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.5	2004
20.03.2020 12:08:14	1	1	1	1	93.5	60.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.5	2004
20.03.2020 12:08:14	1	1	1	1	93.5	60.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.5	2004
20.03.2020 12:08:14	1	1	1	1	93.5	60.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.5	2004
20.03.2020 12:08:14	1	1	1	1	93.5	60.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.5	2004
20.03.2020 12:08:14	1	1	1	1	93.5	60.5	0	28957.346	546.2365591	15931.56307	30000	0	0	30000	40.3125	2004
20.03.2020 12:08:15	1	1	1	1	93.5	60.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41	2004
20.03.2020 12:08:16	1	1	1	1	93.5	61	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.0625	2004
20.03.2020 12:08:17	1	1	1	1	93	61	0	29099.526	548.3870968	15957.65499	30000	0	0	30000	41	2004
20.03.2020 12:08:18	1	1	1	1	93	61	0	29052.133	548.3870968	15942.16291	30000	0	0	30000	40.875	2004
20.03.2020 12:08:19	1	1	1	1	93	60.75	0	29099.526	552.688172	16056.31506	30000	0	0	30000	40.6875	2004
20.03.2020 12:08:20	1	1	1	1	93	60.5	0	29052.133	554.8387097	16145.19066	30000	0	0	30000	40.875	2004
20.03.2020 12:08:21	1	1	1	1	93	60.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.125	2004
20.03.2020 12:08:22	1	1	1	1	93	61	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	40.8125	2004
20.03.2020 12:08:23	1	1	1	1	93	60.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.5625	2004
20.03.2020 12:08:24	1	1	1	1	93	60.5	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	40.625	2004
20.03.2020 12:08:25	1	1	1	1	93	60.5	0	28483.412	556.9892473	16163.12886	30000	0	0	30000	40.8125	2004
20.03.2020 12:08:26	1	1	1	1	93	60.75	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	40.4375	2004
20.03.2020 12:08:27	1	1	1	1	93.25	60.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41	2004
20.03.2020 12:08:28	1	1	1	1	93.25	61	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	40.9375	2004
20.03.2020 12:08:29	1	1	1	1	93.25	60.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	40.875	2004
20.03.2020 12:08:30	1	1	1	1	93.25	60.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	40.9375	2004
20.03.2020 12:08:32	1	1	1	1	93.25	60.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.3125	2004
20.03.2020 12:08:33	1	1	1	1	93.25	60.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.875	2004
20.03.2020 12:08:34	1	1	1	1	93.25	60.75	0	28388.626	567.7419355	16117.468	30000	0	0	30000	41.0625	2004
20.03.2020 12:08:35	1	1	1	1	93.25	61	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	40.5	2004
20.03.2020 12:08:36	1	1	1	1	93.25	60.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	40.9375	2004
20.03.2020 12:08:37	1	1	1	1	93.25	60.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.8125	2004
20.03.2020 12:08:38	1	1	1	1	92.75	60.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	40.5625	2004
20.03.2020 12:08:39	1	1	1	1	92.75	60.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.4375	2004
20.03.2020 12:08:40	1	1	1	1	92.75	60.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	39.625	2004
20.03.2020 12:08:41	1	1	1	1	92.75	59.5	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:08:42	1	1	1	1	92.75	61	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.125	2004
20.03.2020 12:08:43	1	1	1	1	92.75	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.25	2004
20.03.2020 12:08:44	1	1	1	1	92.75	61.25	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	40.9375	2004
20.03.2020 12:08:45	1	1	1	1	92.75	60.75	0	28293.839	561.2903226	16029.40777	30000	0	0	30000	41.0625	2004
20.03.2020 12:08:46	1	1	1	1	92.75	61	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	40.8125	2004
20.03.2020 12:08:47	1	1	1	1	93	61	0	28009.479	565.5913978	15781.53453	30000	0	0	30000	40.9375	2004
20.03.2020 12:08:48	1	1	1	1	93	60.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.0625	2004
20.03.2020 12:08:49	1	1	1	1	93	61	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	40.4375	2004
20.03.2020 12:08:50	1	1	1	1	93	60.25	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.125	2004
20.03.2020 12:08:51	1	1	1	1	93	61	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	40.5	2004
20.03.2020 12:08:52	1	1	1	1	93	60.5	0	27582.938	584.9462366	16106.86815	30000	0	0	30000	40.9375	2004
20.03.2020 12:08:53	1	1	1	1	93	60.75	0	27345.972	576.344086	15991.90063	30000	0	0	30000	40.9375	2004
20.03.2020 12:08:54	1	1	1	1	93	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:08:55	1	1	1	1	93	60.75	0	28578.199	554.8387097	15882.64072	30000	0	0	30000	41	2004
20.03.2020 12:08:56	1	1	1	1	93	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.6875	2004
20.03.2020 12:08:57	1	1	1	1	93.5	60.5	0	28862.559	556.9892473	15951.94738	30000	0	0	30000	40.5625	2004
20.03.2020 12:08:58	1	1	1	1	93.5	60.5	0	28530.806	556.9892473	15917.70174	30000	0	0	30000	41	2004
20.03.2020 12:08:59	1	1	1	1	93.5	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.9375	2004
20.03.2020 12:09:00	1	1	1	1	93.5	60.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:09:01	1	1	1	1	93.5	61	0	28530.806	569.8924731	16109.31427	30000	0	0	30000	40.9375	2004
20.03.2020 12:09:02	1	1	1	1	93.5	60.75	0	28199.052	563.4408602	16245.48148	30000	0	0	30000	40.8125	2004
20.03.2020 12:09:03	1	1	1	1	93.5	60.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.875	2004
20.03.2020 12:09:04	1	1	1	1	93.5	60.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41	2004
20.03.2020 12:09:05	1	1	1	1	93.5	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:09:06	1	1	1	1	93.5	61	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	40.75	2004
20.03.2020 12:09:07	1	1	1	1	93.25	60.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.9375	2004
20.03.2020 12:09:08	1	1	1	1	93.25	60.75	0	27630.332	578.4946237	16033.48463	30000	0	0	30000	40.6875	2004
20.03.2020 12:09:15	1	1	1	1	93.25	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:09:15	1	1	1	1	93.25	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:09:15	1	1	1	1	93.25	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:09:15	1	1	1	1	93.25	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:09:15	1	1	1	1	93.25	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:09:16	1	1	1	1	93.25	60.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.6875	2004
20.03.2020 12:09:17	1	1	1	1	93.25	60.5	0	28246.445	565.5913978	16002.50048	30000	0	0	30000	41.0625	2004
20.03.2020 12:09:18	1	1	1	1	93.75	61	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	40.3125	2004
20.03.2020 12:09:19	1	1	1	1	93.75	60.25	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41	2004
20.03.2020 12:09:20	1	1	1	1	93.75	61	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.9375	2004
20.03.2020 12:09:21	1	1	1	1	93.75	60.75	0	28483.412	563.4408602	16083.22235	30000	0	0	30000	41.125	2004
20.03.2020 12:09:22	1	1	1	1	93.75	61	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	40.875	2004
20.03.2020 12:09:23	1	1	1	1	93.75	60.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41	2004
20.03.2020 12:09:24	1	1	1	1	93.75	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.5	2004
20.03.2020 12:09:25	1	1	1	1	93.75	61.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:09:26	1	1	1	1	93.75	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41	2004
20.03.2020 12:09:27	1	1	1	1	94.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41	2004
20.03.2020 12:09:28	1	1	1	1	94.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.625	2004
20.03.2020 12:09:29	1	1	1	1	94.25	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.5	2004
20.03.2020 12:09:30	1	1	1	1	94.25	60.5	0	28815.166	556.9892473	15855.73343	30000	0	0	30000	40.8125	2004
20.03.2020 12:09:31	1	1	1	1	94.25	60.75	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	40.8125	2004
20.03.2020 12:09:32	1	1	1	1	94.25	60.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.125	2004
20.03.2020 12:09:33	1	1	1	1	94.25	61	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	40.8125	2004
20.03.2020 12:09:34	1	1	1	1	94.25	60.75	0	28483.412	556.9892473	16040.00761	30000	0	0	30000	40.9375	2004
20.03.2020 12:09:35	1	1	1	1	94.25	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.6875	2004
20.03.2020 12:09:36	1	1	1	1	94.25	60.5	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	41.25	2004
20.03.2020 12:09:37	1	1	1	1	93.5	61.25	0	29052.133	554.8387097	16082.40698	30000	0	0	30000	40.9375	2004
20.03.2020 12:09:38	1	1	1	1	93.5	60.75	0	28815.166	550.5376344	15801.91884	30000	0	0	30000	41.125	2004
20.03.2020 12:09:39	1	1	1	1	93.5	61	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	40.875	2004
20.03.2020 12:09:40	1	1	1	1	93.5	60.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.125	2004
20.03.2020 12:09:41	1	1	1	1	93.5	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.0625	2004
20.03.2020 12:09:42	1	1	1	1	93.5	60	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.1875	2004
20.03.2020 12:09:43	1	1	1	1	93.5	61	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.9375	2004
20.03.2020 12:09:44	1	1	1	1	93.5	60.75	0	27914.692	576.344086	15968.25483	30000	0	0	30000	40.8125	2004
20.03.2020 12:09:45	1	1	1	1	93.5	60.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	40.875	2004
20.03.2020 12:09:46	1	1	1	1	93.5	60.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:09:47	1	1	1	1	93.25	61	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.0625	2004
20.03.2020 12:09:48	1	1	1	1	93.25	61	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	40.875	2004
20.03.2020 12:09:50	1	1	1	1	93.25	60.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:09:51	1	1	1	1	93.25	61	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.125	2004
20.03.2020 12:09:52	1	1	1	1	93.25	61	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.0625	2004
20.03.2020 12:09:53	1	1	1	1	93.25	61	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	40.875	2004
20.03.2020 12:09:54	1	1	1	1	93.25	60.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	40.9375	2004
20.03.2020 12:09:55	1	1	1	1	93.25	60.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	40.5625	2004
20.03.2020 12:09:56	1	1	1	1	93.25	60.5	0	28199.052	563.4408602	15841.8721	30000	0	0	30000	40.9375	2004
20.03.2020 12:09:57	1	1	1	1	93.25	60.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	40.5625	2004
20.03.2020 12:09:58	1	1	1	1	92.75	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41	2004
20.03.2020 12:09:59	1	1	1	1	92.75	61	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.0625	2004
20.03.2020 12:10:00	1	1	1	1	92.75	61	0	27962.085	572.0430108	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:10:01	1	1	1	1	92.75	60.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.75	2004
20.03.2020 12:10:02	1	1	1	1	92.75	60.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	40.3125	2004
20.03.2020 12:10:03	1	1	1	1	92.75	60.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:10:04	1	1	1	1	92.75	61	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.25	2004
20.03.2020 12:10:05	1	1	1	1	92.75	61	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	41.0625	2004
20.03.2020 12:10:06	1	1	1	1	92.75	61	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41	2004
20.03.2020 12:10:07	1	1	1	1	93.5	61	0	28341.232	565.5913978	15907.10189	30000	0	0	30000	40.625	2004
20.03.2020 12:10:08	1	1	1	1	93.5	60.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	40.8125	2004
20.03.2020 12:10:09	1	1	1	1	93.5	60.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:10:10	1	1	1	1	93.5	60.75	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	40.5625	2004
20.03.2020 12:10:16	1	1	1	1	93.5	61	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	41	2004
20.03.2020 12:10:16	1	1	1	1	93.5	61	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	41	2004
20.03.2020 12:10:16	1	1	1	1	93.5	61	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	41	2004
20.03.2020 12:10:16	1	1	1	1	93.5	61	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	41	2004
20.03.2020 12:10:16	1	1	1	1	93.5	61	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	41	2004
20.03.2020 12:10:16	1	1	1	1	93.5	61	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	41	2004
20.03.2020 12:10:17	1	1	1	1	93	61	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	40.9375	2004
20.03.2020 12:10:18	1	1	1	1	93	60.75	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	40.625	2004
20.03.2020 12:10:19	1	1	1	1	93	60.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	40.8125	2004
20.03.2020 12:10:20	1	1	1	1	93	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.9375	2004
20.03.2020 12:10:21	1	1	1	1	93	60.75	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:10:22	1	1	1	1	93	60.5	0	28483.412	554.8387097	15978.85467	30000	0	0	30000	40.8125	2004
20.03.2020 12:10:23	1	1	1	1	93	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.125	2004
20.03.2020 12:10:24	1	1	1	1	93	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.9375	2004
20.03.2020 12:10:25	1	1	1	1	93	60.75	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	41	2004
20.03.2020 12:10:26	1	1	1	1	93	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.1875	2004
20.03.2020 12:10:27	1	1	1	1	93.5	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.5625	2004
20.03.2020 12:10:29	1	1	1	1	93.5	60.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.0625	2004
20.03.2020 12:10:30	1	1	1	1	93.5	61	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	40.875	2004
20.03.2020 12:10:31	1	1	1	1	93.5	60.75	0	27630.332	567.7419355	16102.79129	30000	0	0	30000	41.1875	2004
20.03.2020 12:10:32	1	1	1	1	93.5	61	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	40.875	2004
20.03.2020 12:10:33	1	1	1	1	93.5	60.75	0	28957.346	550.5376344	15916.07099	30000	0	0	30000	40.6875	2004
20.03.2020 12:10:34	1	1	1	1	93.5	60.5	0	29526.066	541.9354839	15885.90221	30000	0	0	30000	40.6875	2004
20.03.2020 12:10:35	1	1	1	1	93.5	60.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
20.03.2020 12:10:36	1	1	1	1	93.5	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41	2004
20.03.2020 12:10:37	1	1	1	1	93.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.75	2004
20.03.2020 12:10:38	1	1	1	1	93.5	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.9375	2004
20.03.2020 12:10:39	1	1	1	1	93.5	60.75	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	41	2004
20.03.2020 12:10:40	1	1	1	1	93.5	61	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41	2004
20.03.2020 12:10:41	1	1	1	1	93.5	61	0	28104.265	569.8924731	16070.17639	30000	0	0	30000	41	2004
20.03.2020 12:10:42	1	1	1	1	93.5	61	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	40.875	2004
20.03.2020 12:10:43	1	1	1	1	93.5	60.75	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	40.875	2004
20.03.2020 12:10:44	1	1	1	1	93.5	60.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.9375	2004
20.03.2020 12:10:45	1	1	1	1	93.5	60.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.125	2004
20.03.2020 12:10:46	1	1	1	1	93.5	61	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	40.4375	2004
20.03.2020 12:10:47	1	1	1	1	93.25	60.25	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	41	2004
20.03.2020 12:10:48	1	1	1	1	93.25	61	0	28436.019	554.8387097	16109.31427	30000	0	0	30000	40.875	2004
20.03.2020 12:10:49	1	1	1	1	93.25	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.25	2004
20.03.2020 12:10:50	1	1	1	1	93.25	60.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.75	2004
20.03.2020 12:10:51	1	1	1	1	93.25	60.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	40.625	2004
20.03.2020 12:10:52	1	1	1	1	93.25	60.5	0	28578.199	561.2903226	15855.73343	30000	0	0	30000	41.0625	2004
20.03.2020 12:10:53	1	1	1	1	93.25	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:10:54	1	1	1	1	93.25	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.875	2004
20.03.2020 12:10:55	1	1	1	1	93.25	60.75	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	40.125	2004
20.03.2020 12:10:56	1	1	1	1	93.25	60	0	28436.019	556.9892473	16048.16134	30000	0	0	30000	40.75	2004
20.03.2020 12:10:57	1	1	1	1	93.5	60.75	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	41	2004
20.03.2020 12:10:58	1	1	1	1	93.5	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41	2004
20.03.2020 12:10:59	1	1	1	1	93.5	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41	2004
20.03.2020 12:11:00	1	1	1	1	93.5	61	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	40.5625	2004
20.03.2020 12:11:01	1	1	1	1	93.5	60.5	0	28483.412	559.1397849	16101.97592	30000	0	0	30000	40.625	2004
20.03.2020 12:11:02	1	1	1	1	93.5	60.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.8125	2004
20.03.2020 12:11:03	1	1	1	1	93.5	60.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.4375	2004
20.03.2020 12:11:04	1	1	1	1	93.5	60.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	40.8125	2004
20.03.2020 12:11:05	1	1	1	1	93.5	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:11:06	1	1	1	1	93.5	61	0	27345.972	578.4946237	15933.19381	30000	0	0	30000	40.8125	2004
20.03.2020 12:11:08	1	1	1	1	93.75	60.75	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	41	2004
20.03.2020 12:11:09	1	1	1	1	93.75	61	0	28862.559	561.2903226	16199.82062	30000	0	0	30000	41.1875	2004
20.03.2020 12:11:10	1	1	1	1	93.75	61	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.1875	2004
20.03.2020 12:11:11	1	1	1	1	93.75	61	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	41.25	2004
20.03.2020 12:11:12	1	1	1	1	93.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.125	2004
20.03.2020 12:11:18	1	1	1	1	94	61	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.125	2004
20.03.2020 12:11:18	1	1	1	1	94	61	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.125	2004
20.03.2020 12:11:18	1	1	1	1	94	61	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.125	2004
20.03.2020 12:11:18	1	1	1	1	94	61	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.125	2004
20.03.2020 12:11:18	1	1	1	1	94	61	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.125	2004
20.03.2020 12:11:18	1	1	1	1	94	61	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.125	2004
20.03.2020 12:11:19	1	1	1	1	94	61	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	40.6875	2004
20.03.2020 12:11:20	1	1	1	1	94	60.5	0	27962.085	576.344086	16203.08211	30000	0	0	30000	41.0625	2004
20.03.2020 12:11:21	1	1	1	1	94	61	0	28009.479	567.7419355	15814.9648	30000	0	0	30000	41	2004
20.03.2020 12:11:22	1	1	1	1	94	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.25	2004
20.03.2020 12:11:23	1	1	1	1	94	61.25	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	41.4375	2004
20.03.2020 12:11:24	1	1	1	1	94	61.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.25	2004
20.03.2020 12:11:25	1	1	1	1	94	61.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.125	2004
20.03.2020 12:11:26	1	1	1	1	94	61	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	40.6875	2004
20.03.2020 12:11:27	1	1	1	1	94	60.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	40.8125	2004
20.03.2020 12:11:28	1	1	1	1	94	60.75	0	28341.232	565.5913978	16117.468	30000	0	0	30000	40	2004
20.03.2020 12:11:29	1	1	1	1	94	60	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	40.5	2004
20.03.2020 12:11:30	1	1	1	1	94	60.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.0625	2004
20.03.2020 12:11:31	1	1	1	1	94	61	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	40.75	2004
20.03.2020 12:11:32	1	1	1	1	94	60.75	0	28436.019	569.8924731	15995.16212	30000	0	0	30000	41.125	2004
20.03.2020 12:11:33	1	1	1	1	94	61	0	28293.839	561.2903226	16029.40777	30000	0	0	30000	41.1875	2004
20.03.2020 12:11:34	1	1	1	1	94	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
20.03.2020 12:11:35	1	1	1	1	94	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
20.03.2020 12:11:36	1	1	1	1	94	61	0	28530.806	569.8924731	15987.0084	30000	0	0	30000	41.1875	2004
20.03.2020 12:11:37	1	1	1	1	93	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:11:38	1	1	1	1	93	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.1875	2004
20.03.2020 12:11:39	1	1	1	1	93	61	0	28388.626	556.9892473	15811.70331	30000	0	0	30000	40.9375	2004
20.03.2020 12:11:40	1	1	1	1	93	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.9375	2004
20.03.2020 12:11:41	1	1	1	1	93	60.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.75	2004
20.03.2020 12:11:42	1	1	1	1	93	60.75	0	28578.199	556.9892473	16101.97592	30000	0	0	30000	41.1875	2004
20.03.2020 12:11:43	1	1	1	1	93	61	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.1875	2004
20.03.2020 12:11:44	1	1	1	1	93	61	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.375	2004
20.03.2020 12:11:45	1	1	1	1	93	60.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40	2004
20.03.2020 12:11:46	1	1	1	1	93	60	0	28578.199	559.1397849	15943.79366	30000	0	0	30000	40.1875	2004
20.03.2020 12:11:47	1	1	1	1	93	60	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	41.0625	2004
20.03.2020 12:11:48	1	1	1	1	93	61	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
20.03.2020 12:11:49	1	1	1	1	93	61.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.125	2004
20.03.2020 12:11:51	1	1	1	1	93	61	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.125	2004
20.03.2020 12:11:52	1	1	1	1	93	61	0	28341.232	552.688172	15960.91648	30000	0	0	30000	41.125	2004
20.03.2020 12:11:53	1	1	1	1	93	61	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	40.8125	2004
20.03.2020 12:11:54	1	1	1	1	93	60.75	0	28483.412	561.2903226	16101.97592	30000	0	0	30000	41.125	2004
20.03.2020 12:11:55	1	1	1	1	93	61	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.0625	2004
20.03.2020 12:11:56	1	1	1	1	93	60	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.875	2004
20.03.2020 12:11:57	1	1	1	1	93	60.75	0	28436.019	563.4408602	15872.85625	30000	0	0	30000	41.125	2004
20.03.2020 12:11:58	1	1	1	1	93.25	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.625	2004
20.03.2020 12:11:59	1	1	1	1	93.25	60.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.8125	2004
20.03.2020 12:12:00	1	1	1	1	93.25	60.75	0	28625.592	563.4408602	16163.12886	30000	0	0	30000	41.125	2004
20.03.2020 12:12:01	1	1	1	1	93.25	61	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41	2004
20.03.2020 12:12:02	1	1	1	1	93.25	61	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:12:03	1	1	1	1	93.25	61.25	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.375	2004
20.03.2020 12:12:04	1	1	1	1	93.25	61.25	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	41.5625	2004
20.03.2020 12:12:05	1	1	1	1	93.25	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41	2004
20.03.2020 12:12:06	1	1	1	1	93.25	61	0	27156.398	591.3978495	16203.08211	30000	0	0	30000	40.6875	2004
20.03.2020 12:12:07	1	1	1	1	93.5	60.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41	2004
20.03.2020 12:12:08	1	1	1	1	93.5	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.125	2004
20.03.2020 12:12:09	1	1	1	1	93.5	61	0	29099.526	552.688172	16108.4989	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:10	1	1	1	1	93.5	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	39.9375	2004
20.03.2020 12:12:11	1	1	1	1	93.5	59.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41	2004
20.03.2020 12:12:12	1	1	1	1	93.5	61	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	40.6875	2004
20.03.2020 12:12:13	1	1	1	1	93.5	60.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:20	1	1	1	1	93.75	61	0	27630.332	572.0430108	15627.42913	30000	0	0	30000	40.375	2004
20.03.2020 12:12:20	1	1	1	1	93.75	61	0	27630.332	572.0430108	15627.42913	30000	0	0	30000	40.375	2004
20.03.2020 12:12:20	1	1	1	1	93.75	61	0	27630.332	572.0430108	15627.42913	30000	0	0	30000	40.375	2004
20.03.2020 12:12:20	1	1	1	1	93.75	61	0	27630.332	572.0430108	15627.42913	30000	0	0	30000	40.375	2004
20.03.2020 12:12:20	1	1	1	1	93.75	61	0	27630.332	572.0430108	15627.42913	30000	0	0	30000	40.375	2004
20.03.2020 12:12:20	1	1	1	1	93.75	61	0	27630.332	572.0430108	15627.42913	30000	0	0	30000	40.375	2004
20.03.2020 12:12:20	1	1	1	1	93.75	60.25	0	28199.052	576.344086	16191.66689	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:21	1	1	1	1	93.75	61	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:12:22	1	1	1	1	93.75	61	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	40.5	2004
20.03.2020 12:12:23	1	1	1	1	93.75	60.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	40.625	2004
20.03.2020 12:12:24	1	1	1	1	93.75	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.8125	2004
20.03.2020 12:12:25	1	1	1	1	93.75	60.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.125	2004
20.03.2020 12:12:26	1	1	1	1	93.75	61	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.125	2004
20.03.2020 12:12:27	1	1	1	1	93.5	61	0	28483.412	563.4408602	16083.22235	30000	0	0	30000	41.125	2004
20.03.2020 12:12:28	1	1	1	1	93.5	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.375	2004
20.03.2020 12:12:29	1	1	1	1	93.5	60.25	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:30	1	1	1	1	93.5	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41	2004
20.03.2020 12:12:32	1	1	1	1	93.5	61	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.125	2004
20.03.2020 12:12:33	1	1	1	1	93.5	61	0	28530.806	563.4408602	16075.06863	30000	0	0	30000	41.125	2004
20.03.2020 12:12:34	1	1	1	1	93.5	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.5	2004
20.03.2020 12:12:35	1	1	1	1	93.5	60.5	0	28530.806	563.4408602	16040.00761	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:36	1	1	1	1	93.5	61	0	28436.019	561.2903226	15838.61061	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:37	1	1	1	1	93.5	61	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	40.625	2004
20.03.2020 12:12:38	1	1	1	1	93	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:39	1	1	1	1	93	61	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	40.4375	2004
20.03.2020 12:12:40	1	1	1	1	93	60.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:41	1	1	1	1	93	61	0	28815.166	563.4408602	16297.66532	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:42	1	1	1	1	93	61	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.125	2004
20.03.2020 12:12:43	1	1	1	1	93	61	0	28625.592	565.5913978	16190.03615	30000	0	0	30000	40.875	2004
20.03.2020 12:12:44	1	1	1	1	93	60.75	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	41	2004
20.03.2020 12:12:45	1	1	1	1	93	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
20.03.2020 12:12:46	1	1	1	1	93	61.25	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.375	2004
20.03.2020 12:12:47	1	1	1	1	92.75	61.25	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	40.75	2004
20.03.2020 12:12:48	1	1	1	1	92.75	60.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.25	2004
20.03.2020 12:12:49	1	1	1	1	92.75	61.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.125	2004
20.03.2020 12:12:50	1	1	1	1	92.75	61	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:51	1	1	1	1	92.75	61	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.125	2004
20.03.2020 12:12:52	1	1	1	1	92.75	61	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:53	1	1	1	1	92.75	61	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	41.1875	2004
20.03.2020 12:12:54	1	1	1	1	92.75	61	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	40.75	2004
20.03.2020 12:12:55	1	1	1	1	92.75	60.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	40.8125	2004
20.03.2020 12:12:56	1	1	1	1	92.75	60.75	0	28341.232	567.7419355	16117.468	30000	0	0	30000	41.0625	2004
20.03.2020 12:12:57	1	1	1	1	92.5	61	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	41.0625	2004
20.03.2020 12:12:58	1	1	1	1	92.5	61	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	40.5	2004
20.03.2020 12:12:59	1	1	1	1	92.5	60.5	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	41	2004
20.03.2020 12:13:00	1	1	1	1	92.5	61	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.375	2004
20.03.2020 12:13:01	1	1	1	1	92.5	61.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.125	2004
20.03.2020 12:13:02	1	1	1	1	92.5	61	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:03	1	1	1	1	92.5	61	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.125	2004
20.03.2020 12:13:04	1	1	1	1	92.5	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.25	2004
20.03.2020 12:13:05	1	1	1	1	92.5	61.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:13:06	1	1	1	1	92.5	60.5	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	40.125	2004
20.03.2020 12:13:08	1	1	1	1	91.75	60	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.8125	2004
20.03.2020 12:13:09	1	1	1	1	91.75	60.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	40.875	2004
20.03.2020 12:13:10	1	1	1	1	91.75	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.125	2004
20.03.2020 12:13:11	1	1	1	1	91.75	61	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.125	2004
20.03.2020 12:13:12	1	1	1	1	91.75	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.125	2004
20.03.2020 12:13:13	1	1	1	1	91.75	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.25	2004
20.03.2020 12:13:14	1	1	1	1	91.75	60.25	0	28009.479	569.8924731	15721.19697	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:15	1	1	1	1	91.75	61	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	40.5625	2004
20.03.2020 12:13:21	1	1	1	1	92.25	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.875	2004
20.03.2020 12:13:21	1	1	1	1	92.25	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.875	2004
20.03.2020 12:13:21	1	1	1	1	92.25	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.875	2004
20.03.2020 12:13:21	1	1	1	1	92.25	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.875	2004
20.03.2020 12:13:21	1	1	1	1	92.25	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.875	2004
20.03.2020 12:13:21	1	1	1	1	92.25	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.875	2004
20.03.2020 12:13:24	1	1	1	1	92.25	61.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.5625	2004
20.03.2020 12:13:24	1	1	1	1	92.25	61.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.5625	2004
20.03.2020 12:13:24	1	1	1	1	92.25	60.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.4375	2004
20.03.2020 12:13:25	1	1	1	1	92.25	61.25	0	28151.659	569.8924731	15902.20966	30000	0	0	30000	41.25	2004
20.03.2020 12:13:26	1	1	1	1	92.25	61.25	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	41.125	2004
20.03.2020 12:13:27	1	1	1	1	93	61	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	40.75	2004
20.03.2020 12:13:28	1	1	1	1	93	60.75	0	27535.545	580.6451613	16051.42282	30000	0	0	30000	41	2004
20.03.2020 12:13:29	1	1	1	1	93	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.0625	2004
20.03.2020 12:13:30	1	1	1	1	93	61	0	27582.938	576.344086	15983.74691	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:31	1	1	1	1	93	61	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:32	1	1	1	1	93	61	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:33	1	1	1	1	93	61	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:34	1	1	1	1	93	61	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	41	2004
20.03.2020 12:13:35	1	1	1	1	93	61	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:36	1	1	1	1	93	61	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.375	2004
20.03.2020 12:13:37	1	1	1	1	93.75	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:13:38	1	1	1	1	93.75	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.25	2004
20.03.2020 12:13:39	1	1	1	1	93.75	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:40	1	1	1	1	93.75	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:13:41	1	1	1	1	93.75	60.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:42	1	1	1	1	93.75	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41	2004
20.03.2020 12:13:43	1	1	1	1	93.75	61	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	41.25	2004
20.03.2020 12:13:44	1	1	1	1	93.75	61.25	0	28388.626	567.7419355	16388.98704	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:46	1	1	1	1	93.75	61	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	40.75	2004
20.03.2020 12:13:47	1	1	1	1	93.75	60.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	40.8125	2004
20.03.2020 12:13:48	1	1	1	1	92.25	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.3125	2004
20.03.2020 12:13:49	1	1	1	1	92.25	60.25	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	41.0625	2004
20.03.2020 12:13:50	1	1	1	1	92.25	61	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:13:51	1	1	1	1	92.25	61	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:52	1	1	1	1	92.25	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.1875	2004
20.03.2020 12:13:53	1	1	1	1	92.25	61	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.25	2004
20.03.2020 12:13:54	1	1	1	1	92.25	61.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	40.75	2004
20.03.2020 12:13:55	1	1	1	1	92.25	60.75	0	28246.445	567.7419355	16009.83883	30000	0	0	30000	40.75	2004
20.03.2020 12:13:56	1	1	1	1	92.25	60.75	0	28293.839	563.4408602	16090.5607	30000	0	0	30000	40.875	2004
20.03.2020 12:13:57	1	1	1	1	92.25	60.75	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	40.9375	2004
20.03.2020 12:13:58	1	1	1	1	93	60.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.25	2004
20.03.2020 12:13:59	1	1	1	1	93	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5625	2004
20.03.2020 12:14:00	1	1	1	1	93	61.5	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	41.0625	2004
20.03.2020 12:14:01	1	1	1	1	93	61	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.375	2004
20.03.2020 12:14:02	1	1	1	1	93	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41	2004
20.03.2020 12:14:03	1	1	1	1	93	61	0	29052.133	546.2365591	15817.41092	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:04	1	1	1	1	93	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.125	2004
20.03.2020 12:14:05	1	1	1	1	93	61	0	28578.199	556.9892473	16190.03615	30000	0	0	30000	41	2004
20.03.2020 12:14:06	1	1	1	1	93	61	0	28009.479	561.2903226	15902.20966	30000	0	0	30000	41.25	2004
20.03.2020 12:14:07	1	1	1	1	93.5	61.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.375	2004
20.03.2020 12:14:08	1	1	1	1	93.5	61.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:09	1	1	1	1	93.5	61.25	0	27630.332	569.8924731	15973.96244	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:10	1	1	1	1	93.5	61.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:11	1	1	1	1	93.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.75	2004
20.03.2020 12:14:12	1	1	1	1	93.5	60.75	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	41.125	2004
20.03.2020 12:14:13	1	1	1	1	93.5	61	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	41.1875	2004
20.03.2020 12:14:14	1	1	1	1	93.5	61	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:15	1	1	1	1	93.5	61.25	0	28436.019	567.7419355	16144.37529	30000	0	0	30000	41.375	2004
20.03.2020 12:14:16	1	1	1	1	93.5	61.25	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	41.1875	2004
20.03.2020 12:14:23	1	1	1	1	92.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.375	2004
20.03.2020 12:14:23	1	1	1	1	92.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.375	2004
20.03.2020 12:14:23	1	1	1	1	92.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.375	2004
20.03.2020 12:14:23	1	1	1	1	92.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.375	2004
20.03.2020 12:14:23	1	1	1	1	92.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.375	2004
20.03.2020 12:14:23	1	1	1	1	92.75	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.375	2004
20.03.2020 12:14:23	1	1	1	1	92.75	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
20.03.2020 12:14:25	1	1	1	1	92.75	61.25	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	40.9375	2004
20.03.2020 12:14:26	1	1	1	1	92.75	60.75	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	40.625	2004
20.03.2020 12:14:27	1	1	1	1	92.75	60.5	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	41.4375	2004
20.03.2020 12:14:28	1	1	1	1	92	61.25	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.0625	2004
20.03.2020 12:14:29	1	1	1	1	92	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.125	2004
20.03.2020 12:14:30	1	1	1	1	92	61	0	27962.085	576.344086	16027.77702	30000	0	0	30000	41	2004
20.03.2020 12:14:31	1	1	1	1	92	61	0	27867.299	576.344086	15973.96244	30000	0	0	30000	41.0625	2004
20.03.2020 12:14:32	1	1	1	1	92	61	0	27630.332	578.4946237	15805.18033	30000	0	0	30000	40.6875	2004
20.03.2020 12:14:33	1	1	1	1	92	60.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	41.25	2004
20.03.2020 12:14:34	1	1	1	1	92	61.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:14:35	1	1	1	1	92	61	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:36	1	1	1	1	92	61.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:14:37	1	1	1	1	92	60.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.75	2004
20.03.2020 12:14:38	1	1	1	1	92	60.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:39	1	1	1	1	92	61.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:40	1	1	1	1	92	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
20.03.2020 12:14:41	1	1	1	1	92	61.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.5	2004
20.03.2020 12:14:42	1	1	1	1	92	60.75	0	28341.232	563.4408602	15766.85783	30000	0	0	30000	40.9375	2004
20.03.2020 12:14:43	1	1	1	1	92	60.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.25	2004
20.03.2020 12:14:44	1	1	1	1	92	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	40.6875	2004
20.03.2020 12:14:45	1	1	1	1	92	60.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.25	2004
20.03.2020 12:14:46	1	1	1	1	92	61.25	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	40.6875	2004
20.03.2020 12:14:47	1	1	1	1	92.5	60.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:48	1	1	1	1	92.5	61.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.125	2004
20.03.2020 12:14:49	1	1	1	1	92.5	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.375	2004
20.03.2020 12:14:50	1	1	1	1	92.5	61.25	0	28199.052	574.1935484	16252.00446	30000	0	0	30000	41.25	2004
20.03.2020 12:14:51	1	1	1	1	92.5	61.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:52	1	1	1	1	92.5	61.25	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	40.75	2004
20.03.2020 12:14:53	1	1	1	1	92.5	60.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
20.03.2020 12:14:54	1	1	1	1	92.5	60.5	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	41.3125	2004
20.03.2020 12:14:55	1	1	1	1	92.5	61.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41	2004
20.03.2020 12:14:56	1	1	1	1	92.5	61	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.125	2004
20.03.2020 12:14:57	1	1	1	1	92	61	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	40.4375	2004
20.03.2020 12:14:58	1	1	1	1	92	60.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:14:59	1	1	1	1	92	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.0625	2004
20.03.2020 12:15:00	1	1	1	1	92	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.25	2004
20.03.2020 12:15:01	1	1	1	1	92	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.125	2004
20.03.2020 12:15:02	1	1	1	1	92	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.1875	2004
20.03.2020 12:15:03	1	1	1	1	92	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.8125	2004
20.03.2020 12:15:04	1	1	1	1	92	60.75	0	29099.526	546.2365591	16020.43867	30000	0	0	30000	40.6875	2004
20.03.2020 12:15:05	1	1	1	1	92	60.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.25	2004
20.03.2020 12:15:07	1	1	1	1	92	61.25	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	41.3125	2004
20.03.2020 12:15:08	1	1	1	1	92.25	61.25	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.375	2004
20.03.2020 12:15:09	1	1	1	1	92.25	61.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:15:10	1	1	1	1	92.25	60.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.125	2004
20.03.2020 12:15:11	1	1	1	1	92.25	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.125	2004
20.03.2020 12:15:12	1	1	1	1	92.25	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:15:13	1	1	1	1	92.25	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:15:14	1	1	1	1	92.25	61	0	27630.332	576.344086	16033.48463	30000	0	0	30000	41.375	2004
20.03.2020 12:15:15	1	1	1	1	92.25	61.25	0	28009.479	569.8924731	16203.08211	30000	0	0	30000	40.5	2004
20.03.2020 12:15:16	1	1	1	1	92.25	60.5	0	28625.592	556.9892473	16066.9149	30000	0	0	30000	40.5	2004
20.03.2020 12:15:17	1	1	1	1	92.25	60.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.625	2004
20.03.2020 12:15:18	1	1	1	1	92.25	60.5	0	29052.133	552.688172	15994.34675	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:15:24	1	1	1	1	92.25	60.75	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.5	2004
20.03.2020 12:15:24	1	1	1	1	92.25	60.75	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.5	2004
20.03.2020 12:15:24	1	1	1	1	92.25	60.75	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.5	2004
20.03.2020 12:15:24	1	1	1	1	92.25	60.75	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.5	2004
20.03.2020 12:15:24	1	1	1	1	92.25	60.75	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.5	2004
20.03.2020 12:15:24	1	1	1	1	92.25	60.75	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.5	2004
20.03.2020 12:15:25	1	1	1	1	92.25	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.3125	2004
20.03.2020 12:15:26	1	1	1	1	92.25	60.25	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.3125	2004
20.03.2020 12:15:27	1	1	1	1	91.75	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41	2004
20.03.2020 12:15:28	1	1	1	1	91.75	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.5	2004
20.03.2020 12:15:29	1	1	1	1	91.75	61.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41	2004
20.03.2020 12:15:30	1	1	1	1	91.75	61	0	28957.346	556.9892473	16075.884	30000	0	0	30000	41.125	2004
20.03.2020 12:15:31	1	1	1	1	91.75	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
20.03.2020 12:15:32	1	1	1	1	91.75	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.9375	2004
20.03.2020 12:15:33	1	1	1	1	91.75	60.75	0	28815.166	559.1397849	15917.70174	30000	0	0	30000	40.25	2004
20.03.2020 12:15:34	1	1	1	1	91.75	60.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.0625	2004
20.03.2020 12:15:35	1	1	1	1	91.75	61	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.3125	2004
20.03.2020 12:15:36	1	1	1	1	91.75	61.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.625	2004
20.03.2020 12:15:37	1	1	1	1	91.25	60.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.125	2004
20.03.2020 12:15:38	1	1	1	1	91.25	61	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.6875	2004
20.03.2020 12:15:39	1	1	1	1	91.25	60.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.4375	2004
20.03.2020 12:15:40	1	1	1	1	91.25	60.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.25	2004
20.03.2020 12:15:41	1	1	1	1	91.25	61.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.75	2004
20.03.2020 12:15:42	1	1	1	1	91.25	60.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.0625	2004
20.03.2020 12:15:43	1	1	1	1	91.25	61	0	28199.052	556.9892473	15881.00997	30000	0	0	30000	41.4375	2004
20.03.2020 12:15:44	1	1	1	1	91.25	61.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.125	2004
20.03.2020 12:15:46	1	1	1	1	91.25	61	0	27962.085	578.4946237	16027.77702	30000	0	0	30000	41.25	2004
20.03.2020 12:15:47	1	1	1	1	91.25	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.25	2004
20.03.2020 12:15:48	1	1	1	1	91.75	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.25	2004
20.03.2020 12:15:49	1	1	1	1	91.75	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.3125	2004
20.03.2020 12:15:50	1	1	1	1	91.75	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.125	2004
20.03.2020 12:15:51	1	1	1	1	91.75	61	0	29052.133	559.1397849	16004.13122	30000	0	0	30000	41.4375	2004
20.03.2020 12:15:52	1	1	1	1	91.75	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.125	2004
20.03.2020 12:15:53	1	1	1	1	91.75	60	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.25	2004
20.03.2020 12:15:54	1	1	1	1	91.75	61.25	0	28009.479	559.1397849	16009.83883	30000	0	0	30000	40.6875	2004
20.03.2020 12:15:55	1	1	1	1	91.75	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.3125	2004
20.03.2020 12:15:56	1	1	1	1	91.75	61.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	40.75	2004
20.03.2020 12:15:57	1	1	1	1	91.75	60.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.125	2004
20.03.2020 12:15:58	1	1	1	1	92.25	61	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.625	2004
20.03.2020 12:15:59	1	1	1	1	92.25	60.5	0	28199.052	576.344086	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:16:00	1	1	1	1	92.25	61.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.125	2004
20.03.2020 12:16:01	1	1	1	1	92.25	61	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.375	2004
20.03.2020 12:16:02	1	1	1	1	92.25	61.25	0	28625.592	552.688172	16049.79208	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:16:03	1	1	1	1	92.25	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:04	1	1	1	1	92.25	60.75	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:05	1	1	1	1	92.25	60.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.3125	2004
20.03.2020 12:16:06	1	1	1	1	92.25	61.25	0	28862.559	552.688172	15889.97907	30000	0	0	30000	41.3125	2004
20.03.2020 12:16:07	1	1	1	1	92.25	61.25	0	28483.412	559.1397849	15978.85467	30000	0	0	30000	41.125	2004
20.03.2020 12:16:08	1	1	1	1	92.25	61	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.5	2004
20.03.2020 12:16:09	1	1	1	1	92.25	61.5	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:16:10	1	1	1	1	92.25	61.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.3125	2004
20.03.2020 12:16:11	1	1	1	1	92.25	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41	2004
20.03.2020 12:16:12	1	1	1	1	92.25	61	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.25	2004
20.03.2020 12:16:13	1	1	1	1	92.25	61.25	0	28483.412	563.4408602	16232.43552	30000	0	0	30000	40.5	2004
20.03.2020 12:16:14	1	1	1	1	92.25	60.5	0	28009.479	576.344086	16203.08211	30000	0	0	30000	41.375	2004
20.03.2020 12:16:15	1	1	1	1	92.25	61.25	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:16:16	1	1	1	1	92.25	60.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.3125	2004
20.03.2020 12:16:17	1	1	1	1	91	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41	2004
20.03.2020 12:16:18	1	1	1	1	91	61	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:19	1	1	1	1	91	60.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.4375	2004
20.03.2020 12:16:26	1	1	1	1	91	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:26	1	1	1	1	91	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:26	1	1	1	1	91	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:26	1	1	1	1	91	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:26	1	1	1	1	91	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:26	1	1	1	1	91	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:26	1	1	1	1	91	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:27	1	1	1	1	91	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41	2004
20.03.2020 12:16:28	1	1	1	1	91.5	61	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.1875	2004
20.03.2020 12:16:29	1	1	1	1	91.5	61	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	40.6875	2004
20.03.2020 12:16:30	1	1	1	1	91.5	60.5	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.125	2004
20.03.2020 12:16:31	1	1	1	1	91.5	61	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	40.875	2004
20.03.2020 12:16:32	1	1	1	1	91.5	60.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	40.5625	2004
20.03.2020 12:16:33	1	1	1	1	91.5	60.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.0625	2004
20.03.2020 12:16:34	1	1	1	1	91.5	61	0	28293.839	561.2903226	15827.19539	30000	0	0	30000	41.375	2004
20.03.2020 12:16:35	1	1	1	1	91.5	61.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	41.25	2004
20.03.2020 12:16:36	1	1	1	1	91.5	61.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.0625	2004
20.03.2020 12:16:37	1	1	1	1	91.5	61	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:38	1	1	1	1	91.25	60.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.4375	2004
20.03.2020 12:16:39	1	1	1	1	91.25	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.8125	2004
20.03.2020 12:16:40	1	1	1	1	91.25	60.75	0	28436.019	556.9892473	15864.70252	30000	0	0	30000	41.1875	2004
20.03.2020 12:16:41	1	1	1	1	91.25	61	0	28009.479	559.1397849	15600.52184	30000	0	0	30000	41.3125	2004
20.03.2020 12:16:42	1	1	1	1	91.25	61.25	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	41.1875	2004
20.03.2020 12:16:43	1	1	1	1	91.25	61	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:16:44	1	1	1	1	91.25	61.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.25	2004
20.03.2020 12:16:45	1	1	1	1	91.25	61.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.625	2004
20.03.2020 12:16:46	1	1	1	1	91.25	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:16:47	1	1	1	1	92.25	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.3125	2004
20.03.2020 12:16:48	1	1	1	1	92.25	61.25	0	28625.592	559.1397849	16190.03615	30000	0	0	30000	41.1875	2004
20.03.2020 12:16:49	1	1	1	1	92.25	61	0	28530.806	559.1397849	15925.85546	30000	0	0	30000	41.4375	2004
20.03.2020 12:16:50	1	1	1	1	92.25	61.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.375	2004
20.03.2020 12:16:51	1	1	1	1	92.25	61.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	41.1875	2004
20.03.2020 12:16:52	1	1	1	1	92.25	61	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.5	2004
20.03.2020 12:16:53	1	1	1	1	92.25	61.5	0	28815.166	548.3870968	15801.91884	30000	0	0	30000	41.375	2004
20.03.2020 12:16:54	1	1	1	1	92.25	61.25	0	29004.739	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
20.03.2020 12:16:55	1	1	1	1	92.25	61.25	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	40.625	2004
20.03.2020 12:16:56	1	1	1	1	92.25	60.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.9375	2004
20.03.2020 12:16:57	1	1	1	1	91.25	60.75	0	28530.806	554.8387097	16040.00761	30000	0	0	30000	40.875	2004
20.03.2020 12:16:58	1	1	1	1	91.25	60.75	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.25	2004
20.03.2020 12:16:59	1	1	1	1	91.25	61.25	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	41.5	2004
20.03.2020 12:17:00	1	1	1	1	91.25	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5	2004
20.03.2020 12:17:01	1	1	1	1	91.25	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41	2004
20.03.2020 12:17:02	1	1	1	1	91.25	61	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.1875	2004
20.03.2020 12:17:03	1	1	1	1	91.25	61	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
20.03.2020 12:17:05	1	1	1	1	91.25	61	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.125	2004
20.03.2020 12:17:06	1	1	1	1	91.25	61	0	28530.806	556.9892473	15978.85467	30000	0	0	30000	41.3125	2004
20.03.2020 12:17:07	1	1	1	1	91.25	61.25	0	28909.953	552.688172	15978.0393	30000	0	0	30000	41.1875	2004
20.03.2020 12:17:08	1	1	1	1	91.25	61	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.1875	2004
20.03.2020 12:17:09	1	1	1	1	91.25	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
20.03.2020 12:17:10	1	1	1	1	91.25	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.125	2004
20.03.2020 12:17:11	1	1	1	1	91.25	61	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	41.375	2004
20.03.2020 12:17:12	1	1	1	1	91.25	61.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.25	2004
20.03.2020 12:17:13	1	1	1	1	91.25	61.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.3125	2004
20.03.2020 12:17:14	1	1	1	1	91.25	61.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.4375	2004
20.03.2020 12:17:15	1	1	1	1	91.25	61.25	0	27772.512	576.344086	15973.96244	30000	0	0	30000	41.5	2004
20.03.2020 12:17:16	1	1	1	1	91.25	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.5	2004
20.03.2020 12:17:17	1	1	1	1	91.25	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.0625	2004
20.03.2020 12:17:18	1	1	1	1	92.25	61	0	29052.133	552.688172	16207.97434	30000	0	0	30000	41.375	2004
20.03.2020 12:17:19	1	1	1	1	92.25	61.25	0	28957.346	550.5376344	15916.07099	30000	0	0	30000	41	2004
20.03.2020 12:17:20	1	1	1	1	92.25	61	0	29241.706	552.688172	16124.80635	30000	0	0	30000	41.4375	2004
20.03.2020 12:17:21	1	1	1	1	92.25	61.25	0	28862.559	546.2365591	16075.884	30000	0	0	30000	41.4375	2004
20.03.2020 12:17:27	1	1	1	1	93.25	60.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:17:27	1	1	1	1	93.25	60.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:17:27	1	1	1	1	93.25	60.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:17:27	1	1	1	1	93.25	60.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:17:27	1	1	1	1	93.25	60.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:17:27	1	1	1	1	93.25	60.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:17:28	1	1	1	1	93.25	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:17:29	1	1	1	1	93.25	61.25	0	28957.346	552.688172	15879.37923	30000	0	0	30000	41.25	2004
20.03.2020 12:17:30	1	1	1	1	93.25	61.25	0	28957.346	550.5376344	16030.22314	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:17:31	1	1	1	1	93.25	61.25	0	28957.346	561.2903226	16252.81983	30000	0	0	30000	40.9375	2004
20.03.2020 12:17:32	1	1	1	1	93.25	60.75	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	41.25	2004
20.03.2020 12:17:33	1	1	1	1	93.25	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.375	2004
20.03.2020 12:17:34	1	1	1	1	93.25	61.25	0	28815.166	561.2903226	16297.66532	30000	0	0	30000	41.3125	2004
20.03.2020 12:17:35	1	1	1	1	93.25	61.25	0	28530.806	559.1397849	16013.91569	30000	0	0	30000	41.4375	2004
20.03.2020 12:17:36	1	1	1	1	93.25	61.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:17:37	1	1	1	1	92.75	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.8125	2004
20.03.2020 12:17:38	1	1	1	1	92.75	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:17:39	1	1	1	1	92.75	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:17:40	1	1	1	1	92.75	61.25	0	28815.166	556.9892473	15759.51947	30000	0	0	30000	41.25	2004
20.03.2020 12:17:41	1	1	1	1	92.75	61.25	0	28199.052	569.8924731	16097.08368	30000	0	0	30000	41.125	2004
20.03.2020 12:17:42	1	1	1	1	92.75	61	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	40.8125	2004
20.03.2020 12:17:43	1	1	1	1	92.75	60.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41.3125	2004
20.03.2020 12:17:44	1	1	1	1	92.75	61.25	0	29146.919	552.688172	15983.74691	30000	0	0	30000	41.375	2004
20.03.2020 12:17:46	1	1	1	1	92.75	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.75	2004
20.03.2020 12:17:47	1	1	1	1	92.75	60.75	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	41.3125	2004
20.03.2020 12:17:48	1	1	1	1	93.25	61.25	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	41.25	2004
20.03.2020 12:17:49	1	1	1	1	93.25	61.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	41.25	2004
20.03.2020 12:17:50	1	1	1	1	93.25	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.5	2004
20.03.2020 12:17:51	1	1	1	1	93.25	60.5	0	28293.839	556.9892473	15907.10189	30000	0	0	30000	41.1875	2004
20.03.2020 12:17:52	1	1	1	1	93.25	61	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.3125	2004
20.03.2020 12:17:53	1	1	1	1	93.25	60.25	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	41	2004
20.03.2020 12:17:54	1	1	1	1	93.25	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.375	2004
20.03.2020 12:17:55	1	1	1	1	93.25	61.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.25	2004
20.03.2020 12:17:56	1	1	1	1	93.25	61.25	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.1875	2004
20.03.2020 12:17:57	1	1	1	1	93.25	61	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	40.6875	2004
20.03.2020 12:17:58	1	1	1	1	94.5	60.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.375	2004
20.03.2020 12:17:59	1	1	1	1	94.5	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.0625	2004
20.03.2020 12:18:00	1	1	1	1	94.5	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
20.03.2020 12:18:01	1	1	1	1	94.5	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.75	2004
20.03.2020 12:18:02	1	1	1	1	94.5	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:18:03	1	1	1	1	94.5	61.25	0	28578.199	563.4408602	16109.31427	30000	0	0	30000	41.625	2004
20.03.2020 12:18:04	1	1	1	1	94.5	61.5	0	27962.085	563.4408602	15814.9648	30000	0	0	30000	41.0625	2004
20.03.2020 12:18:05	1	1	1	1	94.5	61.25	0	28436.019	559.1397849	15934.00919	30000	0	0	30000	40.5	2004
20.03.2020 12:18:06	1	1	1	1	94.5	60.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.75	2004
20.03.2020 12:18:07	1	1	1	1	93.25	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
20.03.2020 12:18:08	1	1	1	1	93.25	61.25	0	28909.953	550.5376344	15916.07099	30000	0	0	30000	41.3125	2004
20.03.2020 12:18:09	1	1	1	1	93.25	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.25	2004
20.03.2020 12:18:10	1	1	1	1	93.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
20.03.2020 12:18:11	1	1	1	1	93.25	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
20.03.2020 12:18:12	1	1	1	1	93.25	61.25	0	28436.019	550.5376344	15655.1518	30000	0	0	30000	41.3125	2004
20.03.2020 12:18:13	1	1	1	1	93.25	61.25	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:18:14	1	1	1	1	93.25	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:18:15	1	1	1	1	93.25	60.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.0625	2004
20.03.2020 12:18:16	1	1	1	1	93.25	61	0	28436.019	561.2903226	15995.16212	30000	0	0	30000	41.5	2004
20.03.2020 12:18:17	1	1	1	1	93	61.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.375	2004
20.03.2020 12:18:18	1	1	1	1	93	61.25	0	28199.052	569.8924731	15902.20966	30000	0	0	30000	41.3125	2004
20.03.2020 12:18:19	1	1	1	1	93	61.25	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	40.75	2004
20.03.2020 12:18:20	1	1	1	1	93	60.75	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	41.375	2004
20.03.2020 12:18:22	1	1	1	1	93	61.25	0	29099.526	554.8387097	16234.06626	30000	0	0	30000	41.375	2004
20.03.2020 12:18:23	1	1	1	1	93	61.25	0	29099.526	559.1397849	16207.97434	30000	0	0	30000	41.25	2004
20.03.2020 12:18:29	1	1	1	1	94.25	61.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.5	2004
20.03.2020 12:18:29	1	1	1	1	94.25	61.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.5	2004
20.03.2020 12:18:29	1	1	1	1	94.25	61.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.5	2004
20.03.2020 12:18:29	1	1	1	1	94.25	61.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.5	2004
20.03.2020 12:18:29	1	1	1	1	94.25	61.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.5	2004
20.03.2020 12:18:29	1	1	1	1	94.25	61.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.5	2004
20.03.2020 12:18:30	1	1	1	1	94.25	61.5	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	41.0625	2004
20.03.2020 12:18:31	1	1	1	1	94.25	61	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:18:32	1	1	1	1	94.25	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.375	2004
20.03.2020 12:18:33	1	1	1	1	94.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.3125	2004
20.03.2020 12:18:34	1	1	1	1	94.25	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
20.03.2020 12:18:35	1	1	1	1	94.25	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
20.03.2020 12:18:36	1	1	1	1	94.25	61.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.9375	2004
20.03.2020 12:18:37	1	1	1	1	94.25	60.75	0	28957.346	556.9892473	16190.85152	30000	0	0	30000	41.5625	2004
20.03.2020 12:18:38	1	1	1	1	93.5	61.5	0	29004.739	554.8387097	16004.13122	30000	0	0	30000	41.625	2004
20.03.2020 12:18:39	1	1	1	1	93.5	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.4375	2004
20.03.2020 12:18:40	1	1	1	1	93.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.625	2004
20.03.2020 12:18:41	1	1	1	1	93.5	60.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.5	2004
20.03.2020 12:18:42	1	1	1	1	93.5	61.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.625	2004
20.03.2020 12:18:43	1	1	1	1	93.5	61.5	0	27914.692	569.8924731	15761.15022	30000	0	0	30000	41.4375	2004
20.03.2020 12:18:44	1	1	1	1	93.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.375	2004
20.03.2020 12:18:45	1	1	1	1	93.5	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.875	2004
20.03.2020 12:18:46	1	1	1	1	93.5	60.75	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	41.1875	2004
20.03.2020 12:18:47	1	1	1	1	93.75	61	0	29004.739	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
20.03.2020 12:18:48	1	1	1	1	93.75	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.4375	2004
20.03.2020 12:18:49	1	1	1	1	93.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
20.03.2020 12:18:50	1	1	1	1	93.75	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.3125	2004
20.03.2020 12:18:51	1	1	1	1	93.75	61.25	0	28483.412	554.8387097	15978.85467	30000	0	0	30000	41.375	2004
20.03.2020 12:18:52	1	1	1	1	93.75	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.1875	2004
20.03.2020 12:18:53	1	1	1	1	93.75	61	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41.375	2004
20.03.2020 12:18:54	1	1	1	1	93.75	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:18:55	1	1	1	1	93.75	61.25	0	28625.592	569.8924731	16163.12886	30000	0	0	30000	41.4375	2004
20.03.2020 12:18:56	1	1	1	1	93.75	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.375	2004
20.03.2020 12:18:57	1	1	1	1	93.75	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.375	2004
20.03.2020 12:18:58	1	1	1	1	93.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:18:59	1	1	1	1	93.75	61	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.4375	2004
20.03.2020 12:19:01	1	1	1	1	93.75	61.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.125	2004
20.03.2020 12:19:02	1	1	1	1	93.75	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.5	2004
20.03.2020 12:19:03	1	1	1	1	93.75	61.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.1875	2004
20.03.2020 12:19:04	1	1	1	1	93.75	61	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.25	2004
20.03.2020 12:19:05	1	1	1	1	93.75	61.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.375	2004
20.03.2020 12:19:06	1	1	1	1	93.75	61.25	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	41.5625	2004
20.03.2020 12:19:07	1	1	1	1	93.75	61.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.4375	2004
20.03.2020 12:19:08	1	1	1	1	93.25	61.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	40.8125	2004
20.03.2020 12:19:09	1	1	1	1	93.25	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
20.03.2020 12:19:10	1	1	1	1	93.25	61.25	0	28625.592	563.4408602	16173.7287	30000	0	0	30000	41.1875	2004
20.03.2020 12:19:11	1	1	1	1	93.25	61	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.4375	2004
20.03.2020 12:19:12	1	1	1	1	93.25	61.25	0	28483.412	559.1397849	15716.30473	30000	0	0	30000	41.3125	2004
20.03.2020 12:19:13	1	1	1	1	93.25	61.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.625	2004
20.03.2020 12:19:14	1	1	1	1	93.25	60.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.3125	2004
20.03.2020 12:19:15	1	1	1	1	93.25	61.25	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	41.25	2004
20.03.2020 12:19:16	1	1	1	1	93.25	61.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	40.8125	2004
20.03.2020 12:19:17	1	1	1	1	93.25	60.75	0	29289.1	546.2365591	15935.63993	30000	0	0	30000	41.375	2004
20.03.2020 12:19:18	1	1	1	1	92.5	61.25	0	29099.526	550.5376344	15806.81108	30000	0	0	30000	41.25	2004
20.03.2020 12:19:19	1	1	1	1	92.5	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.0625	2004
20.03.2020 12:19:20	1	1	1	1	92.5	61	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.1875	2004
20.03.2020 12:19:21	1	1	1	1	92.5	61	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.9375	2004
20.03.2020 12:19:22	1	1	1	1	92.5	60.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:19:23	1	1	1	1	92.5	61.25	0	28009.479	563.4408602	15948.68589	30000	0	0	30000	41.375	2004
20.03.2020 12:19:24	1	1	1	1	92.5	61.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.375	2004
20.03.2020 12:19:31	1	1	1	1	93	61	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.25	2004
20.03.2020 12:19:31	1	1	1	1	93	61	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.25	2004
20.03.2020 12:19:31	1	1	1	1	93	61	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.25	2004
20.03.2020 12:19:31	1	1	1	1	93	61	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.25	2004
20.03.2020 12:19:31	1	1	1	1	93	61	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.25	2004
20.03.2020 12:19:31	1	1	1	1	93	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:19:32	1	1	1	1	93	61.25	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
20.03.2020 12:19:33	1	1	1	1	93	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
20.03.2020 12:19:34	1	1	1	1	93	61	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	41.25	2004
20.03.2020 12:19:35	1	1	1	1	93	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
20.03.2020 12:19:36	1	1	1	1	93	61.25	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	41.1875	2004
20.03.2020 12:19:37	1	1	1	1	93.75	61	0	28293.839	572.0430108	16185.14391	30000	0	0	30000	41.3125	2004
20.03.2020 12:19:38	1	1	1	1	93.75	61.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.125	2004
20.03.2020 12:19:39	1	1	1	1	93.75	61	0	28815.166	556.9892473	15863.88715	30000	0	0	30000	41.1875	2004
20.03.2020 12:19:41	1	1	1	1	93.75	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.4375	2004
20.03.2020 12:19:42	1	1	1	1	93.75	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.4375	2004
20.03.2020 12:19:43	1	1	1	1	93.75	61.25	0	29099.526	552.688172	16020.43867	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:19:44	1	1	1	1	93.75	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.9375	2004
20.03.2020 12:19:45	1	1	1	1	93.75	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	41.375	2004
20.03.2020 12:19:46	1	1	1	1	93.75	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.9375	2004
20.03.2020 12:19:47	1	1	1	1	93.75	60.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	41.1875	2004
20.03.2020 12:19:48	1	1	1	1	93.5	61	0	28009.479	576.344086	15961.73185	30000	0	0	30000	40.8125	2004
20.03.2020 12:19:49	1	1	1	1	93.5	60.75	0	28199.052	563.4408602	16070.17639	30000	0	0	30000	41.25	2004
20.03.2020 12:19:50	1	1	1	1	93.5	61.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 12:19:51	1	1	1	1	93.5	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.5	2004
20.03.2020 12:19:52	1	1	1	1	93.5	60.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	40.875	2004
20.03.2020 12:19:53	1	1	1	1	93.5	60.75	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	40.875	2004
20.03.2020 12:19:54	1	1	1	1	93.5	60.75	0	28578.199	554.8387097	15768.48857	30000	0	0	30000	41.5625	2004
20.03.2020 12:19:55	1	1	1	1	93.5	61.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.9375	2004
20.03.2020 12:19:56	1	1	1	1	93.5	60.75	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.375	2004
20.03.2020 12:19:57	1	1	1	1	93.5	61.25	0	28483.412	554.8387097	15777.45767	30000	0	0	30000	41.25	2004
20.03.2020 12:19:58	1	1	1	1	93.5	61.25	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	41.5	2004
20.03.2020 12:19:59	1	1	1	1	93.5	61.5	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:00	1	1	1	1	93.5	61.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
20.03.2020 12:20:01	1	1	1	1	93.5	61.25	0	28341.232	567.7419355	16117.468	30000	0	0	30000	40.875	2004
20.03.2020 12:20:02	1	1	1	1	93.5	60.75	0	28388.626	572.0430108	16361.26437	30000	0	0	30000	41.5	2004
20.03.2020 12:20:03	1	1	1	1	93.5	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.375	2004
20.03.2020 12:20:04	1	1	1	1	93.5	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.1875	2004
20.03.2020 12:20:05	1	1	1	1	93.5	61	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	39.9375	2004
20.03.2020 12:20:06	1	1	1	1	93.5	59.75	0	28815.166	552.688172	16173.7287	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:07	1	1	1	1	93.5	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:20:08	1	1	1	1	93.5	61.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:09	1	1	1	1	93.5	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
20.03.2020 12:20:10	1	1	1	1	93.5	61.5	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41	2004
20.03.2020 12:20:11	1	1	1	1	93.5	61	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.5	2004
20.03.2020 12:20:12	1	1	1	1	93.5	61.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:13	1	1	1	1	93.5	61.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.5	2004
20.03.2020 12:20:14	1	1	1	1	93.5	61.5	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	41.25	2004
20.03.2020 12:20:16	1	1	1	1	93.5	61.25	0	28436.019	563.4408602	15750.55038	30000	0	0	30000	41.5625	2004
20.03.2020 12:20:17	1	1	1	1	93.5	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:18	1	1	1	1	93.5	61.25	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.125	2004
20.03.2020 12:20:19	1	1	1	1	93.5	61	0	28578.199	565.5913978	15978.85467	30000	0	0	30000	41.5625	2004
20.03.2020 12:20:20	1	1	1	1	93.5	61.5	0	28483.412	561.2903226	15716.30473	30000	0	0	30000	41.375	2004
20.03.2020 12:20:21	1	1	1	1	93.5	61.25	0	28293.839	567.7419355	15888.34833	30000	0	0	30000	40.25	2004
20.03.2020 12:20:22	1	1	1	1	93.5	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.3125	2004
20.03.2020 12:20:23	1	1	1	1	93.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:20:24	1	1	1	1	93.5	61.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.3125	2004
20.03.2020 12:20:25	1	1	1	1	93.5	61.25	0	29146.919	556.9892473	16082.40698	30000	0	0	30000	41.3125	2004
20.03.2020 12:20:26	1	1	1	1	93.5	61.25	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	41.375	2004
20.03.2020 12:20:32	1	1	1	1	93.75	61	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:20:32	1	1	1	1	93.75	61	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.5625	2004
20.03.2020 12:20:32	1	1	1	1	93.75	61	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.5625	2004
20.03.2020 12:20:32	1	1	1	1	93.75	61	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.5625	2004
20.03.2020 12:20:32	1	1	1	1	93.75	61	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.5625	2004
20.03.2020 12:20:32	1	1	1	1	93.75	61	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.5625	2004
20.03.2020 12:20:33	1	1	1	1	93.75	61.5	0	27914.692	565.5913978	15848.39508	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:34	1	1	1	1	93.75	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.8125	2004
20.03.2020 12:20:35	1	1	1	1	93.75	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.625	2004
20.03.2020 12:20:36	1	1	1	1	93.75	60.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.375	2004
20.03.2020 12:20:37	1	1	1	1	93.75	61.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	41.1875	2004
20.03.2020 12:20:38	1	1	1	1	93.75	61.25	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	41.25	2004
20.03.2020 12:20:39	1	1	1	1	93.75	61.25	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	41.5	2004
20.03.2020 12:20:40	1	1	1	1	93.75	61.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:41	1	1	1	1	93.75	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	40.5	2004
20.03.2020 12:20:42	1	1	1	1	93.75	60.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.375	2004
20.03.2020 12:20:43	1	1	1	1	93.75	61.25	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	40.9375	2004
20.03.2020 12:20:44	1	1	1	1	93.75	60.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:20:45	1	1	1	1	93.75	61	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.125	2004
20.03.2020 12:20:46	1	1	1	1	93.75	61	0	28293.839	561.2903226	16029.40777	30000	0	0	30000	41.3125	2004
20.03.2020 12:20:47	1	1	1	1	93.75	61.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.375	2004
20.03.2020 12:20:48	1	1	1	1	93.75	61.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.5625	2004
20.03.2020 12:20:49	1	1	1	1	93.75	61.5	0	28862.559	563.4408602	16075.884	30000	0	0	30000	41.0625	2004
20.03.2020 12:20:50	1	1	1	1	93.75	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
20.03.2020 12:20:51	1	1	1	1	93.75	61.25	0	28578.199	565.5913978	16048.16134	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:52	1	1	1	1	93.75	61.25	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:53	1	1	1	1	93.75	61.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	40.75	2004
20.03.2020 12:20:54	1	1	1	1	93.75	60.75	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:55	1	1	1	1	93.75	61.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:57	1	1	1	1	93.75	61.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.25	2004
20.03.2020 12:20:58	1	1	1	1	93.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
20.03.2020 12:20:59	1	1	1	1	93.75	61.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.5	2004
20.03.2020 12:21:00	1	1	1	1	93.75	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 12:21:01	1	1	1	1	93.75	61.5	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41.5625	2004
20.03.2020 12:21:02	1	1	1	1	93.75	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.0625	2004
20.03.2020 12:21:03	1	1	1	1	93.75	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.4375	2004
20.03.2020 12:21:04	1	1	1	1	93.75	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.125	2004
20.03.2020 12:21:05	1	1	1	1	93.75	61	0	29289.1	552.688172	16161.49811	30000	0	0	30000	41.3125	2004
20.03.2020 12:21:06	1	1	1	1	93.75	61.25	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	41.375	2004
20.03.2020 12:21:07	1	1	1	1	93.75	61.25	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	40.5625	2004
20.03.2020 12:21:08	1	1	1	1	94	60.5	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	41.5625	2004
20.03.2020 12:21:09	1	1	1	1	94	61.5	0	28436.019	569.8924731	16205.52823	30000	0	0	30000	41.25	2004
20.03.2020 12:21:10	1	1	1	1	94	61.25	0	28436.019	554.8387097	15716.30473	30000	0	0	30000	40.875	2004
20.03.2020 12:21:11	1	1	1	1	94	60.75	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:21:12	1	1	1	1	94	61.25	0	29004.739	556.9892473	16066.09953	30000	0	0	30000	41.1875	2004
20.03.2020 12:21:13	1	1	1	1	94	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
20.03.2020 12:21:14	1	1	1	1	94	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.3125	2004
20.03.2020 12:21:15	1	1	1	1	94	61.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.5625	2004
20.03.2020 12:21:16	1	1	1	1	94	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.375	2004
20.03.2020 12:21:17	1	1	1	1	94	61.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:21:18	1	1	1	1	92.75	61.75	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	41.4375	2004
20.03.2020 12:21:19	1	1	1	1	92.75	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.625	2004
20.03.2020 12:21:20	1	1	1	1	92.75	61.5	0	28909.953	546.2365591	15942.16291	30000	0	0	30000	41.8125	2004
20.03.2020 12:21:21	1	1	1	1	92.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41	2004
20.03.2020 12:21:22	1	1	1	1	92.75	61	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	41.375	2004
20.03.2020 12:21:23	1	1	1	1	92.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.5625	2004
20.03.2020 12:21:24	1	1	1	1	92.75	60.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.3125	2004
20.03.2020 12:21:25	1	1	1	1	92.75	61.25	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:21:26	1	1	1	1	92.75	61.25	0	28388.626	563.4408602	15881.00997	30000	0	0	30000	40.1875	2004
20.03.2020 12:21:27	1	1	1	1	93	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
20.03.2020 12:21:34	1	1	1	1	93	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:21:34	1	1	1	1	93	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:21:34	1	1	1	1	93	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:21:34	1	1	1	1	93	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:21:34	1	1	1	1	93	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:21:34	1	1	1	1	93	61.5	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	41.375	2004
20.03.2020 12:21:35	1	1	1	1	93	61.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.125	2004
20.03.2020 12:21:36	1	1	1	1	93	61	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:21:38	1	1	1	1	93.25	61	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.25	2004
20.03.2020 12:21:39	1	1	1	1	93.25	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.125	2004
20.03.2020 12:21:40	1	1	1	1	93.25	61	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
20.03.2020 12:21:41	1	1	1	1	93.25	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.4375	2004
20.03.2020 12:21:42	1	1	1	1	93.25	61.25	0	28815.166	554.8387097	16075.884	30000	0	0	30000	41.6875	2004
20.03.2020 12:21:43	1	1	1	1	93.25	61.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.1875	2004
20.03.2020 12:21:44	1	1	1	1	93.25	61	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	40.5625	2004
20.03.2020 12:21:45	1	1	1	1	93.25	60.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.3125	2004
20.03.2020 12:21:46	1	1	1	1	93.25	61.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.8125	2004
20.03.2020 12:21:47	1	1	1	1	93.25	60.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.1875	2004
20.03.2020 12:21:48	1	1	1	1	93.5	61	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.3125	2004
20.03.2020 12:21:49	1	1	1	1	93.5	61.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	41.3125	2004
20.03.2020 12:21:50	1	1	1	1	93.5	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	41.625	2004
20.03.2020 12:21:51	1	1	1	1	93.5	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.375	2004
20.03.2020 12:21:52	1	1	1	1	93.5	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.5625	2004
20.03.2020 12:21:53	1	1	1	1	93.5	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
20.03.2020 12:21:54	1	1	1	1	93.5	61.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.625	2004
20.03.2020 12:21:55	1	1	1	1	93.5	61.5	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:21:56	1	1	1	1	93.5	61	0	28199.052	565.5913978	16185.14391	30000	0	0	30000	41.375	2004
20.03.2020 12:21:57	1	1	1	1	93.5	61.25	0	28578.199	563.4408602	15925.85546	30000	0	0	30000	41.9375	2004
20.03.2020 12:21:58	1	1	1	1	92.5	61.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.3125	2004
20.03.2020 12:21:59	1	1	1	1	92.5	60.75	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.5	2004
20.03.2020 12:22:00	1	1	1	1	92.5	61.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.9375	2004
20.03.2020 12:22:01	1	1	1	1	92.5	60.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
20.03.2020 12:22:02	1	1	1	1	92.5	61.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.4375	2004
20.03.2020 12:22:03	1	1	1	1	92.5	61.25	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	41.5	2004
20.03.2020 12:22:04	1	1	1	1	92.5	61.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.5625	2004
20.03.2020 12:22:05	1	1	1	1	92.5	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.5	2004
20.03.2020 12:22:06	1	1	1	1	92.5	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:22:07	1	1	1	1	92	61.5	0	28530.806	559.1397849	15917.70174	30000	0	0	30000	41.5	2004
20.03.2020 12:22:08	1	1	1	1	92	61.5	0	28815.166	552.688172	16049.79208	30000	0	0	30000	41.4375	2004
20.03.2020 12:22:09	1	1	1	1	92	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.9375	2004
20.03.2020 12:22:10	1	1	1	1	92	60.75	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.5	2004
20.03.2020 12:22:11	1	1	1	1	92	61.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.4375	2004
20.03.2020 12:22:12	1	1	1	1	92	61.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	41.0625	2004
20.03.2020 12:22:13	1	1	1	1	92	61	0	28009.479	572.0430108	16163.94423	30000	0	0	30000	41.25	2004
20.03.2020 12:22:14	1	1	1	1	92	61.25	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	40.5	2004
20.03.2020 12:22:15	1	1	1	1	92	60.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.1875	2004
20.03.2020 12:22:16	1	1	1	1	92	61	0	28625.592	561.2903226	15917.70174	30000	0	0	30000	41.4375	2004
20.03.2020 12:22:18	1	1	1	1	92.5	61.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.5625	2004
20.03.2020 12:22:19	1	1	1	1	92.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
20.03.2020 12:22:20	1	1	1	1	92.5	61.5	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.5	2004
20.03.2020 12:22:21	1	1	1	1	92.5	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.5625	2004
20.03.2020 12:22:22	1	1	1	1	92.5	61.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	41.1875	2004
20.03.2020 12:22:23	1	1	1	1	92.5	61	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.5625	2004
20.03.2020 12:22:24	1	1	1	1	92.5	61.5	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 12:22:25	1	1	1	1	92.5	61.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.4375	2004
20.03.2020 12:22:26	1	1	1	1	92.5	61.25	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	41.5	2004
20.03.2020 12:22:27	1	1	1	1	92.5	61.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:22:28	1	1	1	1	93	61.25	0	28009.479	561.2903226	15827.19539	30000	0	0	30000	41.5	2004
20.03.2020 12:22:29	1	1	1	1	93	61.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:22:35	1	1	1	1	93	60.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.625	2004
20.03.2020 12:22:35	1	1	1	1	93	60.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.625	2004
20.03.2020 12:22:35	1	1	1	1	93	60.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.625	2004
20.03.2020 12:22:35	1	1	1	1	93	60.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.625	2004
20.03.2020 12:22:35	1	1	1	1	93	60.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.625	2004
20.03.2020 12:22:35	1	1	1	1	93	60.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.625	2004
20.03.2020 12:22:36	1	1	1	1	93	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:22:37	1	1	1	1	93	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.6875	2004
20.03.2020 12:22:38	1	1	1	1	93	61.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.3125	2004
20.03.2020 12:22:39	1	1	1	1	93	61.25	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:22:40	1	1	1	1	93	61.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.25	2004
20.03.2020 12:22:41	1	1	1	1	93	61.25	0	28388.626	565.5913978	15934.00919	30000	0	0	30000	41.4375	2004
20.03.2020 12:22:42	1	1	1	1	93	61.25	0	28436.019	556.9892473	15960.91648	30000	0	0	30000	41.125	2004
20.03.2020 12:22:43	1	1	1	1	93	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.5	2004
20.03.2020 12:22:44	1	1	1	1	93	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.0625	2004
20.03.2020 12:22:45	1	1	1	1	93	61	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	41.625	2004
20.03.2020 12:22:46	1	1	1	1	93	61.5	0	27630.332	567.7419355	15973.96244	30000	0	0	30000	41.4375	2004
20.03.2020 12:22:47	1	1	1	1	93.25	61.25	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	41.125	2004
20.03.2020 12:22:48	1	1	1	1	93.25	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5625	2004
20.03.2020 12:22:49	1	1	1	1	93.25	61.5	0	28578.199	572.0430108	16109.31427	30000	0	0	30000	41.5625	2004
20.03.2020 12:22:50	1	1	1	1	93.25	61.5	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.5	2004
20.03.2020 12:22:51	1	1	1	1	93.25	61.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.375	2004
20.03.2020 12:22:52	1	1	1	1	93.25	61.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:22:53	1	1	1	1	93.25	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:22:54	1	1	1	1	93.25	61.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.375	2004
20.03.2020 12:22:55	1	1	1	1	93.25	61.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.5625	2004
20.03.2020 12:22:57	1	1	1	1	93.25	61.5	0	27914.692	567.7419355	15934.82456	30000	0	0	30000	41.625	2004
20.03.2020 12:22:58	1	1	1	1	93.5	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.5	2004
20.03.2020 12:22:59	1	1	1	1	93.5	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.6875	2004
20.03.2020 12:23:00	1	1	1	1	93.5	60.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:23:01	1	1	1	1	93.5	61.25	0	28009.479	563.4408602	16191.66689	30000	0	0	30000	41.3125	2004
20.03.2020 12:23:02	1	1	1	1	93.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.75	2004
20.03.2020 12:23:03	1	1	1	1	93.5	60.75	0	27914.692	576.344086	16175.35944	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:04	1	1	1	1	93.5	61.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:05	1	1	1	1	93.5	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:23:06	1	1	1	1	93.5	61.25	0	28009.479	561.2903226	15948.68589	30000	0	0	30000	41.4375	2004
20.03.2020 12:23:07	1	1	1	1	93.5	61.25	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	41.625	2004
20.03.2020 12:23:08	1	1	1	1	94.5	61.5	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	41.125	2004
20.03.2020 12:23:09	1	1	1	1	94.5	61	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	41.25	2004
20.03.2020 12:23:10	1	1	1	1	94.5	61.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.5	2004
20.03.2020 12:23:11	1	1	1	1	94.5	61.5	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	41.375	2004
20.03.2020 12:23:12	1	1	1	1	94.5	61.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.5	2004
20.03.2020 12:23:13	1	1	1	1	94.5	61.5	0	28388.626	567.7419355	16083.22235	30000	0	0	30000	41.0625	2004
20.03.2020 12:23:14	1	1	1	1	94.5	61	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	40.75	2004
20.03.2020 12:23:15	1	1	1	1	94.5	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:23:16	1	1	1	1	94.5	61.25	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:17	1	1	1	1	94.5	61.5	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	41.8125	2004
20.03.2020 12:23:18	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.3125	2004
20.03.2020 12:23:19	1	1	1	1	93.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.375	2004
20.03.2020 12:23:20	1	1	1	1	93.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:21	1	1	1	1	93.5	61.5	0	28341.232	572.0430108	16029.40777	30000	0	0	30000	41.0625	2004
20.03.2020 12:23:22	1	1	1	1	93.5	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41	2004
20.03.2020 12:23:23	1	1	1	1	93.5	61	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:23:24	1	1	1	1	93.5	61.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.375	2004
20.03.2020 12:23:25	1	1	1	1	93.5	61.25	0	28388.626	569.8924731	15968.25483	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:26	1	1	1	1	93.5	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.75	2004
20.03.2020 12:23:27	1	1	1	1	93.25	60.75	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	40.5	2004
20.03.2020 12:23:28	1	1	1	1	93.25	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:29	1	1	1	1	93.25	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.4375	2004
20.03.2020 12:23:30	1	1	1	1	93.25	61.25	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	41.6875	2004
20.03.2020 12:23:37	1	1	1	1	93.25	61.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:37	1	1	1	1	93.25	61.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:37	1	1	1	1	93.25	61.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:37	1	1	1	1	93.25	61.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:37	1	1	1	1	93.25	61.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:37	1	1	1	1	93.25	61.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:38	1	1	1	1	93.25	61.5	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.5	2004
20.03.2020 12:23:39	1	1	1	1	93.25	61.5	0	28436.019	552.688172	15987.0084	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:40	1	1	1	1	93.25	61.5	0	28341.232	567.7419355	16123.99098	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:41	1	1	1	1	93.25	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.375	2004
20.03.2020 12:23:42	1	1	1	1	93.25	61.25	0	28199.052	552.688172	15907.10189	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:43	1	1	1	1	93.25	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:44	1	1	1	1	93.25	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41	2004
20.03.2020 12:23:45	1	1	1	1	93.25	61	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:46	1	1	1	1	93.25	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.25	2004
20.03.2020 12:23:47	1	1	1	1	93.25	61.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.875	2004
20.03.2020 12:23:48	1	1	1	1	91.75	60.75	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	41.3125	2004
20.03.2020 12:23:49	1	1	1	1	91.75	61.25	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.375	2004
20.03.2020 12:23:50	1	1	1	1	91.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:51	1	1	1	1	91.75	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
20.03.2020 12:23:52	1	1	1	1	91.75	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.375	2004
20.03.2020 12:23:53	1	1	1	1	91.75	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
20.03.2020 12:23:54	1	1	1	1	91.75	61.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.5	2004
20.03.2020 12:23:55	1	1	1	1	91.75	61.5	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:23:56	1	1	1	1	91.75	61.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.5625	2004
20.03.2020 12:23:57	1	1	1	1	91.75	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.9375	2004
20.03.2020 12:23:58	1	1	1	1	92.75	61.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.6875	2004
20.03.2020 12:23:59	1	1	1	1	92.75	60.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.6875	2004
20.03.2020 12:24:00	1	1	1	1	92.75	61.5	0	28483.412	567.7419355	16056.31506	30000	0	0	30000	41.6875	2004
20.03.2020 12:24:01	1	1	1	1	92.75	61.5	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	41.0625	2004
20.03.2020 12:24:02	1	1	1	1	92.75	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.9375	2004
20.03.2020 12:24:03	1	1	1	1	92.75	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.5	2004
20.03.2020 12:24:04	1	1	1	1	92.75	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.125	2004
20.03.2020 12:24:05	1	1	1	1	92.75	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
20.03.2020 12:24:06	1	1	1	1	92.75	61.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.1875	2004
20.03.2020 12:24:07	1	1	1	1	93.25	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:24:08	1	1	1	1	93.25	61.25	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	41.5	2004
20.03.2020 12:24:09	1	1	1	1	93.25	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:24:10	1	1	1	1	93.25	61.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	41.625	2004
20.03.2020 12:24:11	1	1	1	1	93.25	61.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.5625	2004
20.03.2020 12:24:12	1	1	1	1	93.25	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.625	2004
20.03.2020 12:24:13	1	1	1	1	93.25	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.625	2004
20.03.2020 12:24:15	1	1	1	1	93.25	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
20.03.2020 12:24:16	1	1	1	1	93.25	61.25	0	28957.346	556.9892473	16315.60351	30000	0	0	30000	41.0625	2004
20.03.2020 12:24:17	1	1	1	1	93.25	61	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.5	2004
20.03.2020 12:24:18	1	1	1	1	92.75	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:24:19	1	1	1	1	92.75	61.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.625	2004
20.03.2020 12:24:20	1	1	1	1	92.75	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:24:21	1	1	1	1	92.75	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.625	2004
20.03.2020 12:24:22	1	1	1	1	92.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.625	2004
20.03.2020 12:24:23	1	1	1	1	92.75	61.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.6875	2004
20.03.2020 12:24:24	1	1	1	1	92.75	61.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.4375	2004
20.03.2020 12:24:25	1	1	1	1	92.75	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:24:26	1	1	1	1	92.75	61.25	0	27962.085	576.344086	15907.91727	30000	0	0	30000	41.5625	2004
20.03.2020 12:24:27	1	1	1	1	92.75	61.5	0	28199.052	565.5913978	15841.8721	30000	0	0	30000	41.5	2004
20.03.2020 12:24:28	1	1	1	1	93.75	61.5	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:24:29	1	1	1	1	93.75	61.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.25	2004
20.03.2020 12:24:30	1	1	1	1	93.75	61.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	41.75	2004
20.03.2020 12:24:31	1	1	1	1	93.75	61.75	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	41.6875	2004
20.03.2020 12:24:32	1	1	1	1	93.75	61.5	0	28483.412	569.8924731	16083.22235	30000	0	0	30000	41.0625	2004
20.03.2020 12:24:39	1	1	1	1	93.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
20.03.2020 12:24:39	1	1	1	1	93.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
20.03.2020 12:24:39	1	1	1	1	93.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
20.03.2020 12:24:39	1	1	1	1	93.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
20.03.2020 12:24:39	1	1	1	1	93.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
20.03.2020 12:24:39	1	1	1	1	93.75	61.5	0	28530.806	556.9892473	15925.85546	30000	0	0	30000	41.6875	2004
20.03.2020 12:24:40	1	1	1	1	93.75	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
20.03.2020 12:24:41	1	1	1	1	93.75	61.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.5625	2004
20.03.2020 12:24:42	1	1	1	1	93.75	61.5	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	41.3125	2004
20.03.2020 12:24:43	1	1	1	1	93.75	61.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.5625	2004
20.03.2020 12:24:44	1	1	1	1	93.75	61.5	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	41.6875	2004
20.03.2020 12:24:45	1	1	1	1	93.75	61.5	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	41.75	2004
20.03.2020 12:24:46	1	1	1	1	93.75	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.625	2004
20.03.2020 12:24:47	1	1	1	1	93.5	61.5	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	41.5	2004
20.03.2020 12:24:51	1	1	1	1	93.5	61.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.5	2004
20.03.2020 12:24:51	1	1	1	1	93.5	61.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.5	2004
20.03.2020 12:24:51	1	1	1	1	93.5	61.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.5	2004
20.03.2020 12:24:51	1	1	1	1	93.5	61.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:24:52	1	1	1	1	93.5	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.4375	2004
20.03.2020 12:24:54	1	1	1	1	93.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
20.03.2020 12:24:55	1	1	1	1	93.5	61.5	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	41.75	2004
20.03.2020 12:24:56	1	1	1	1	93.5	61.75	0	28483.412	567.7419355	16171.28258	30000	0	0	30000	41.4375	2004
20.03.2020 12:24:57	1	1	1	1	93.5	61.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	40.75	2004
20.03.2020 12:24:58	1	1	1	1	92.75	60.75	0	28578.199	552.688172	16005.76197	30000	0	0	30000	41.4375	2004
20.03.2020 12:24:59	1	1	1	1	92.75	61.25	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.0625	2004
20.03.2020 12:25:00	1	1	1	1	92.75	61	0	28815.166	556.9892473	16297.66532	30000	0	0	30000	41.75	2004
20.03.2020 12:25:01	1	1	1	1	92.75	61.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.125	2004
20.03.2020 12:25:02	1	1	1	1	92.75	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.3125	2004
20.03.2020 12:25:03	1	1	1	1	92.75	61.25	0	28009.479	561.2903226	15827.19539	30000	0	0	30000	41.1875	2004
20.03.2020 12:25:04	1	1	1	1	92.75	61	0	28293.839	559.1397849	15881.00997	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:05	1	1	1	1	92.75	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.3125	2004
20.03.2020 12:25:06	1	1	1	1	92.75	61.25	0	28009.479	574.1935484	16252.00446	30000	0	0	30000	41.5	2004
20.03.2020 12:25:07	1	1	1	1	92.75	61.5	0	28293.839	561.2903226	15968.25483	30000	0	0	30000	41.75	2004
20.03.2020 12:25:08	1	1	1	1	92	61.75	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	41.4375	2004
20.03.2020 12:25:09	1	1	1	1	92	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:10	1	1	1	1	92	61.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:11	1	1	1	1	92	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
20.03.2020 12:25:12	1	1	1	1	92	61.25	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	41.625	2004
20.03.2020 12:25:13	1	1	1	1	92	61.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	41.75	2004
20.03.2020 12:25:14	1	1	1	1	92	61.75	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.1875	2004
20.03.2020 12:25:15	1	1	1	1	92	61	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	42.0625	2004
20.03.2020 12:25:16	1	1	1	1	92	62	0	28199.052	572.0430108	15948.68589	30000	0	0	30000	41.625	2004
20.03.2020 12:25:17	1	1	1	1	92	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42	2004
20.03.2020 12:25:18	1	1	1	1	92.5	62	0	28578.199	563.4408602	15952.76275	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:19	1	1	1	1	92.5	61.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.5	2004
20.03.2020 12:25:20	1	1	1	1	92.5	61.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.6875	2004
20.03.2020 12:25:21	1	1	1	1	92.5	61.5	0	28341.232	559.1397849	15934.00919	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:22	1	1	1	1	92.5	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:25:23	1	1	1	1	92.5	61.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	40.9375	2004
20.03.2020 12:25:24	1	1	1	1	92.5	60.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	41.125	2004
20.03.2020 12:25:25	1	1	1	1	92.5	61	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 12:25:26	1	1	1	1	92.5	61.75	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	40.75	2004
20.03.2020 12:25:27	1	1	1	1	92.5	60.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.6875	2004
20.03.2020 12:25:28	1	1	1	1	92.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:29	1	1	1	1	92.5	61.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.5625	2004
20.03.2020 12:25:30	1	1	1	1	92.5	60.5	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:31	1	1	1	1	92.5	61.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	41.1875	2004
20.03.2020 12:25:33	1	1	1	1	92.5	61	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:25:34	1	1	1	1	92.5	61.25	0	28009.479	572.0430108	15814.9648	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:40	1	1	1	1	92	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:40	1	1	1	1	92	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:25:40	1	1	1	1	92	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:40	1	1	1	1	92	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:40	1	1	1	1	92	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:40	1	1	1	1	92	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:41	1	1	1	1	92	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	40.9375	2004
20.03.2020 12:25:42	1	1	1	1	92	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.5	2004
20.03.2020 12:25:43	1	1	1	1	92	61.5	0	28199.052	572.0430108	15902.20966	30000	0	0	30000	41.5	2004
20.03.2020 12:25:44	1	1	1	1	92	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.4375	2004
20.03.2020 12:25:45	1	1	1	1	92	61.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.3125	2004
20.03.2020 12:25:46	1	1	1	1	92	61.25	0	28009.479	563.4408602	16009.83883	30000	0	0	30000	41.75	2004
20.03.2020 12:25:47	1	1	1	1	92	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:25:48	1	1	1	1	92.25	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.625	2004
20.03.2020 12:25:49	1	1	1	1	92.25	61.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.3125	2004
20.03.2020 12:25:50	1	1	1	1	92.25	61.25	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	41.6875	2004
20.03.2020 12:25:51	1	1	1	1	92.25	61.5	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	41.625	2004
20.03.2020 12:25:52	1	1	1	1	92.25	61.5	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.5	2004
20.03.2020 12:25:53	1	1	1	1	92.25	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41	2004
20.03.2020 12:25:54	1	1	1	1	92.25	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:25:55	1	1	1	1	92.25	61.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	41.125	2004
20.03.2020 12:25:56	1	1	1	1	92.25	62	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	41.75	2004
20.03.2020 12:25:57	1	1	1	1	92.25	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:25:58	1	1	1	1	92.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
20.03.2020 12:25:59	1	1	1	1	92.25	61.75	0	28578.199	556.9892473	16111.76039	30000	0	0	30000	41.1875	2004
20.03.2020 12:26:00	1	1	1	1	92.25	61	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:01	1	1	1	1	92.25	61.5	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	41.6875	2004
20.03.2020 12:26:02	1	1	1	1	92.25	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	40.8125	2004
20.03.2020 12:26:03	1	1	1	1	92.25	60.75	0	28388.626	561.2903226	16083.22235	30000	0	0	30000	41.875	2004
20.03.2020 12:26:04	1	1	1	1	92.25	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5	2004
20.03.2020 12:26:05	1	1	1	1	92.25	61.5	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.125	2004
20.03.2020 12:26:06	1	1	1	1	92.25	61	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	41.6875	2004
20.03.2020 12:26:07	1	1	1	1	92.5	61.5	0	27867.299	569.8924731	15794.58049	30000	0	0	30000	41.75	2004
20.03.2020 12:26:08	1	1	1	1	92.5	61.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:09	1	1	1	1	92.5	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.75	2004
20.03.2020 12:26:11	1	1	1	1	92.5	61.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	40.9375	2004
20.03.2020 12:26:12	1	1	1	1	92.5	60.75	0	28578.199	559.1397849	15742.39665	30000	0	0	30000	41.6875	2004
20.03.2020 12:26:13	1	1	1	1	92.5	61.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:14	1	1	1	1	92.5	61.5	0	28341.232	563.4408602	16238.9585	30000	0	0	30000	41.0625	2004
20.03.2020 12:26:15	1	1	1	1	92.5	61	0	28293.839	569.8924731	16130.51396	30000	0	0	30000	41.5	2004
20.03.2020 12:26:16	1	1	1	1	92.5	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:26:17	1	1	1	1	92.5	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.625	2004
20.03.2020 12:26:18	1	1	1	1	92.5	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.125	2004
20.03.2020 12:26:19	1	1	1	1	92.5	61	0	28436.019	559.1397849	16048.16134	30000	0	0	30000	41.6875	2004
20.03.2020 12:26:20	1	1	1	1	92.5	61.5	0	28483.412	561.2903226	16286.2501	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:26:21	1	1	1	1	92.5	61.5	0	28436.019	559.1397849	16022.06942	30000	0	0	30000	41.3125	2004
20.03.2020 12:26:22	1	1	1	1	92.5	61.25	0	28483.412	572.0430108	16022.06942	30000	0	0	30000	41.6875	2004
20.03.2020 12:26:23	1	1	1	1	92.5	61.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.625	2004
20.03.2020 12:26:24	1	1	1	1	92.5	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:25	1	1	1	1	92.5	61.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	41.1875	2004
20.03.2020 12:26:26	1	1	1	1	92.5	61	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	41.375	2004
20.03.2020 12:26:27	1	1	1	1	92.5	61.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.9375	2004
20.03.2020 12:26:28	1	1	1	1	92.5	60.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.625	2004
20.03.2020 12:26:29	1	1	1	1	92.5	61.5	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	41.6875	2004
20.03.2020 12:26:30	1	1	1	1	92.5	61.5	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41.25	2004
20.03.2020 12:26:31	1	1	1	1	92.5	61.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:32	1	1	1	1	92.5	61.5	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:33	1	1	1	1	92.5	61.5	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	42.0625	2004
20.03.2020 12:26:34	1	1	1	1	92.5	62	0	28436.019	565.5913978	15968.25483	30000	0	0	30000	41.625	2004
20.03.2020 12:26:35	1	1	1	1	92.5	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:42	1	1	1	1	93	61.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:42	1	1	1	1	93	61.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:42	1	1	1	1	93	61.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:42	1	1	1	1	93	61.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:42	1	1	1	1	93	61.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:42	1	1	1	1	93	61.5	0	28530.806	561.2903226	16048.16134	30000	0	0	30000	41.1875	2004
20.03.2020 12:26:43	1	1	1	1	93	61	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.5	2004
20.03.2020 12:26:44	1	1	1	1	93	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 12:26:45	1	1	1	1	93	61.5	0	28009.479	569.8924731	15754.62724	30000	0	0	30000	41	2004
20.03.2020 12:26:46	1	1	1	1	93	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:26:47	1	1	1	1	93.25	61.25	0	28293.839	565.5913978	16009.83883	30000	0	0	30000	41.25	2004
20.03.2020 12:26:48	1	1	1	1	93.25	61.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.625	2004
20.03.2020 12:26:50	1	1	1	1	93.25	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:26:51	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:52	1	1	1	1	93.25	61.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.625	2004
20.03.2020 12:26:53	1	1	1	1	93.25	61.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.625	2004
20.03.2020 12:26:54	1	1	1	1	93.25	61.5	0	28009.479	561.2903226	15841.8721	30000	0	0	30000	41.4375	2004
20.03.2020 12:26:55	1	1	1	1	93.25	61.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.5625	2004
20.03.2020 12:26:56	1	1	1	1	93.25	61.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41	2004
20.03.2020 12:26:57	1	1	1	1	93.25	61	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.625	2004
20.03.2020 12:26:58	1	1	1	1	91.75	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:26:59	1	1	1	1	91.75	61.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.5625	2004
20.03.2020 12:27:00	1	1	1	1	91.75	61.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.3125	2004
20.03.2020 12:27:01	1	1	1	1	91.75	61.25	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:27:02	1	1	1	1	91.75	61.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.4375	2004
20.03.2020 12:27:03	1	1	1	1	91.75	61.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.3125	2004
20.03.2020 12:27:04	1	1	1	1	91.75	61.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:27:05	1	1	1	1	91.75	61.5	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	41.6875	2004
20.03.2020 12:27:06	1	1	1	1	91.75	61.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.625	2004
20.03.2020 12:27:07	1	1	1	1	91.75	61.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	41.625	2004
20.03.2020 12:27:08	1	1	1	1	92.25	61.5	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	41.5625	2004
20.03.2020 12:27:09	1	1	1	1	92.25	61.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:27:10	1	1	1	1	92.25	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.4375	2004
20.03.2020 12:27:11	1	1	1	1	92.25	61.25	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	41.5	2004
20.03.2020 12:27:12	1	1	1	1	92.25	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.625	2004
20.03.2020 12:27:13	1	1	1	1	92.25	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.125	2004
20.03.2020 12:27:14	1	1	1	1	92.25	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:27:15	1	1	1	1	92.25	61.5	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.6875	2004
20.03.2020 12:27:16	1	1	1	1	92.25	61.5	0	28341.232	569.8924731	15941.34754	30000	0	0	30000	41.5625	2004
20.03.2020 12:27:17	1	1	1	1	92.75	61.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.625	2004
20.03.2020 12:27:18	1	1	1	1	92.75	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.8125	2004
20.03.2020 12:27:19	1	1	1	1	92.75	61.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.3125	2004
20.03.2020 12:27:20	1	1	1	1	92.75	61.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.0625	2004
20.03.2020 12:27:21	1	1	1	1	92.75	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:27:22	1	1	1	1	92.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:27:23	1	1	1	1	92.75	61.75	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	41.75	2004
20.03.2020 12:27:24	1	1	1	1	92.75	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:27:25	1	1	1	1	92.75	61.5	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.3125	2004
20.03.2020 12:27:26	1	1	1	1	92.75	61.25	0	28341.232	556.9892473	15934.00919	30000	0	0	30000	41.75	2004
20.03.2020 12:27:27	1	1	1	1	93.5	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:27:29	1	1	1	1	93.5	61.25	0	28436.019	567.7419355	16056.31506	30000	0	0	30000	40.6875	2004
20.03.2020 12:27:30	1	1	1	1	93.5	60.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.25	2004
20.03.2020 12:27:31	1	1	1	1	93.5	61.25	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	41.625	2004
20.03.2020 12:27:32	1	1	1	1	93.5	61.5	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	41.625	2004
20.03.2020 12:27:33	1	1	1	1	93.5	61.5	0	28009.479	578.4946237	16022.06942	30000	0	0	30000	41.0625	2004
20.03.2020 12:27:34	1	1	1	1	93.5	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41	2004
20.03.2020 12:27:35	1	1	1	1	93.5	61	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.3125	2004
20.03.2020 12:27:36	1	1	1	1	93.5	61.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.125	2004
20.03.2020 12:27:37	1	1	1	1	93.5	61	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	41.5625	2004
20.03.2020 12:27:43	1	1	1	1	94.5	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.125	2004
20.03.2020 12:27:43	1	1	1	1	94.5	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.125	2004
20.03.2020 12:27:43	1	1	1	1	94.5	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.125	2004
20.03.2020 12:27:43	1	1	1	1	94.5	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.125	2004
20.03.2020 12:27:43	1	1	1	1	94.5	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.125	2004
20.03.2020 12:27:44	1	1	1	1	94.5	61	0	28199.052	567.7419355	15781.53453	30000	0	0	30000	41.5625	2004
20.03.2020 12:27:45	1	1	1	1	94.5	61.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.125	2004
20.03.2020 12:27:46	1	1	1	1	94.5	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:27:47	1	1	1	1	94.5	61.75	0	28246.445	565.5913978	16002.50048	30000	0	0	30000	41.8125	2004
20.03.2020 12:27:48	1	1	1	1	93.5	61.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:27:49	1	1	1	1	93.5	61.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	40.375	2004
20.03.2020 12:27:50	1	1	1	1	93.5	60.25	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.0625	2004
20.03.2020 12:27:51	1	1	1	1	93.5	61	0	28151.659	572.0430108	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:27:52	1	1	1	1	93.5	60.75	0	27630.332	563.4408602	15854.10268	30000	0	0	30000	42.125	2004
20.03.2020 12:27:53	1	1	1	1	93.5	62	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	42.125	2004
20.03.2020 12:27:54	1	1	1	1	93.5	62	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:27:55	1	1	1	1	93.5	61.5	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.5625	2004
20.03.2020 12:27:56	1	1	1	1	93.5	61.5	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	41.6875	2004
20.03.2020 12:27:57	1	1	1	1	93.5	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.5625	2004
20.03.2020 12:27:58	1	1	1	1	93.5	61.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.625	2004
20.03.2020 12:27:59	1	1	1	1	93.5	61.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 12:28:00	1	1	1	1	93.5	61.5	0	28199.052	561.2903226	16063.65341	30000	0	0	30000	40.75	2004
20.03.2020 12:28:01	1	1	1	1	93.5	60.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	41.625	2004
20.03.2020 12:28:02	1	1	1	1	93.5	61.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.5625	2004
20.03.2020 12:28:03	1	1	1	1	93.5	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.625	2004
20.03.2020 12:28:04	1	1	1	1	93.5	61.5	0	28009.479	569.8924731	16009.83883	30000	0	0	30000	41.6875	2004
20.03.2020 12:28:05	1	1	1	1	93.5	61.5	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.1875	2004
20.03.2020 12:28:07	1	1	1	1	93.5	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.4375	2004
20.03.2020 12:28:08	1	1	1	1	94	61.25	0	28341.232	565.5913978	15907.10189	30000	0	0	30000	41.75	2004
20.03.2020 12:28:09	1	1	1	1	94	61.75	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	41.75	2004
20.03.2020 12:28:10	1	1	1	1	94	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.75	2004
20.03.2020 12:28:11	1	1	1	1	94	61.75	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	41.25	2004
20.03.2020 12:28:12	1	1	1	1	94	61.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.8125	2004
20.03.2020 12:28:13	1	1	1	1	94	61.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:28:14	1	1	1	1	94	61.25	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	41.75	2004
20.03.2020 12:28:15	1	1	1	1	94	61.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.8125	2004
20.03.2020 12:28:16	1	1	1	1	94	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.3125	2004
20.03.2020 12:28:17	1	1	1	1	94	61.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:28:18	1	1	1	1	93	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.375	2004
20.03.2020 12:28:19	1	1	1	1	93	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.1875	2004
20.03.2020 12:28:20	1	1	1	1	93	61	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	41.5	2004
20.03.2020 12:28:21	1	1	1	1	93	61.5	0	28199.052	576.344086	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:28:22	1	1	1	1	93	61.5	0	28341.232	567.7419355	15888.34833	30000	0	0	30000	41.6875	2004
20.03.2020 12:28:23	1	1	1	1	93	61.5	0	28151.659	563.4408602	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:28:24	1	1	1	1	93	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.6875	2004
20.03.2020 12:28:25	1	1	1	1	93	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.75	2004
20.03.2020 12:28:26	1	1	1	1	93	61.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.1875	2004
20.03.2020 12:28:27	1	1	1	1	93	61	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	41.5625	2004
20.03.2020 12:28:28	1	1	1	1	93.25	61.5	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.75	2004
20.03.2020 12:28:29	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:28:30	1	1	1	1	93.25	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.625	2004
20.03.2020 12:28:31	1	1	1	1	93.25	61.5	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	41.875	2004
20.03.2020 12:28:32	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:28:33	1	1	1	1	93.25	60.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.25	2004
20.03.2020 12:28:34	1	1	1	1	93.25	61.5	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	40.0625	2004
20.03.2020 12:28:35	1	1	1	1	93.25	60	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	41.5625	2004
20.03.2020 12:28:36	1	1	1	1	93.25	61.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.6875	2004
20.03.2020 12:28:37	1	1	1	1	93.75	61.5	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	41.8125	2004
20.03.2020 12:28:38	1	1	1	1	93.75	61.75	0	28625.592	563.4408602	15978.85467	30000	0	0	30000	41.5625	2004
20.03.2020 12:28:45	1	1	1	1	93.75	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004
20.03.2020 12:28:45	1	1	1	1	93.75	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004
20.03.2020 12:28:45	1	1	1	1	93.75	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004
20.03.2020 12:28:45	1	1	1	1	93.75	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004
20.03.2020 12:28:45	1	1	1	1	93.75	61.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.625	2004
20.03.2020 12:28:46	1	1	1	1	93.75	61.5	0	28815.166	561.2903226	15969.88558	30000	0	0	30000	41.75	2004
20.03.2020 12:28:47	1	1	1	1	94	61.75	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	41.4375	2004
20.03.2020 12:28:48	1	1	1	1	94	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.6875	2004
20.03.2020 12:28:50	1	1	1	1	94	61.5	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.3125	2004
20.03.2020 12:28:51	1	1	1	1	94	61.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:28:52	1	1	1	1	94	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.75	2004
20.03.2020 12:28:53	1	1	1	1	94	61.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.6875	2004
20.03.2020 12:28:54	1	1	1	1	94	61.5	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	41.8125	2004
20.03.2020 12:28:55	1	1	1	1	94	61.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.625	2004
20.03.2020 12:28:56	1	1	1	1	94	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:28:57	1	1	1	1	94	61.75	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.6875	2004
20.03.2020 12:28:58	1	1	1	1	93.75	61.5	0	28009.479	559.1397849	15841.8721	30000	0	0	30000	41.625	2004
20.03.2020 12:28:59	1	1	1	1	93.75	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.25	2004
20.03.2020 12:29:00	1	1	1	1	93.75	61.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.5	2004
20.03.2020 12:29:01	1	1	1	1	93.75	61.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.5	2004
20.03.2020 12:29:02	1	1	1	1	93.75	61.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	41.5625	2004
20.03.2020 12:29:03	1	1	1	1	93.75	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.625	2004
20.03.2020 12:29:04	1	1	1	1	93.75	61.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.8125	2004
20.03.2020 12:29:05	1	1	1	1	93.75	61.75	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	41.4375	2004
20.03.2020 12:29:06	1	1	1	1	93.75	61.25	0	28199.052	572.0430108	16082.40698	30000	0	0	30000	41.5	2004
20.03.2020 12:29:07	1	1	1	1	93.75	61.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.3125	2004
20.03.2020 12:29:08	1	1	1	1	93.5	61.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.9375	2004
20.03.2020 12:29:09	1	1	1	1	93.5	60.75	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.6875	2004
20.03.2020 12:29:10	1	1	1	1	93.5	61.5	0	28293.839	556.9892473	15585.02976	30000	0	0	30000	41.5	2004
20.03.2020 12:29:11	1	1	1	1	93.5	61.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.6875	2004
20.03.2020 12:29:12	1	1	1	1	93.5	61.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41	2004
20.03.2020 12:29:13	1	1	1	1	93.5	61	0	27819.905	567.7419355	15794.58049	30000	0	0	30000	41.625	2004
20.03.2020 12:29:14	1	1	1	1	93.5	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:29:15	1	1	1	1	93.5	62	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.8125	2004
20.03.2020 12:29:16	1	1	1	1	93.5	60.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:29:17	1	1	1	1	93.5	62	0	28578.199	563.4408602	15925.85546	30000	0	0	30000	41.5625	2004
20.03.2020 12:29:18	1	1	1	1	93	61.75	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
20.03.2020 12:29:19	1	1	1	1	93	61.5	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:29:20	1	1	1	1	93	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:29:21	1	1	1	1	93	61.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.4375	2004
20.03.2020 12:29:22	1	1	1	1	93	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.8125	2004
20.03.2020 12:29:23	1	1	1	1	93	61.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.625	2004
20.03.2020 12:29:24	1	1	1	1	93	61.5	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.5	2004
20.03.2020 12:29:25	1	1	1	1	93	61.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.625	2004
20.03.2020 12:29:26	1	1	1	1	93	61.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.6875	2004
20.03.2020 12:29:27	1	1	1	1	93.25	60.5	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:29:28	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15902.20966	30000	0	0	30000	41.75	2004
20.03.2020 12:29:30	1	1	1	1	93.25	61.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.4375	2004
20.03.2020 12:29:31	1	1	1	1	93.25	61.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.6875	2004
20.03.2020 12:29:32	1	1	1	1	93.25	61.5	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	41.75	2004
20.03.2020 12:29:33	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.1875	2004
20.03.2020 12:29:34	1	1	1	1	93.25	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:29:35	1	1	1	1	93.25	61.5	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	40.4375	2004
20.03.2020 12:29:36	1	1	1	1	93.25	60.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.75	2004
20.03.2020 12:29:37	1	1	1	1	93.25	61.75	0	28341.232	565.5913978	15881.00997	30000	0	0	30000	41.75	2004
20.03.2020 12:29:38	1	1	1	1	93.25	61.75	0	28436.019	563.4408602	16171.28258	30000	0	0	30000	41.6875	2004
20.03.2020 12:29:39	1	1	1	1	93.25	61.5	0	28293.839	569.8924731	15948.68589	30000	0	0	30000	41.5	2004
20.03.2020 12:29:40	1	1	1	1	93.25	61.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.75	2004
20.03.2020 12:29:46	1	1	1	1	93.25	61.75	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	41.375	2004
20.03.2020 12:29:46	1	1	1	1	93.25	61.75	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	41.375	2004
20.03.2020 12:29:46	1	1	1	1	93.25	61.75	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	41.375	2004
20.03.2020 12:29:46	1	1	1	1	93.25	61.75	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	41.375	2004
20.03.2020 12:29:46	1	1	1	1	93.25	61.75	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	41.375	2004
20.03.2020 12:29:46	1	1	1	1	93.25	61.75	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	41.375	2004
20.03.2020 12:29:47	1	1	1	1	93.25	61.25	0	28341.232	559.1397849	16056.31506	30000	0	0	30000	41.6875	2004
20.03.2020 12:29:48	1	1	1	1	91.75	61.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.75	2004
20.03.2020 12:29:49	1	1	1	1	91.75	61.75	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	41.6875	2004
20.03.2020 12:29:50	1	1	1	1	91.75	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:29:51	1	1	1	1	91.75	61.5	0	28293.839	565.5913978	16273.20414	30000	0	0	30000	41.8125	2004
20.03.2020 12:29:52	1	1	1	1	91.75	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.25	2004
20.03.2020 12:29:53	1	1	1	1	91.75	61.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.875	2004
20.03.2020 12:29:54	1	1	1	1	91.75	61.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.5625	2004
20.03.2020 12:29:55	1	1	1	1	91.75	61.5	0	28578.199	563.4408602	15925.85546	30000	0	0	30000	41.9375	2004
20.03.2020 12:29:56	1	1	1	1	91.75	62	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.4375	2004
20.03.2020 12:29:57	1	1	1	1	92.75	61.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.25	2004
20.03.2020 12:29:58	1	1	1	1	92.75	61.25	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	41.75	2004
20.03.2020 12:29:59	1	1	1	1	92.75	61.75	0	27962.085	567.7419355	15907.91727	30000	0	0	30000	41.4375	2004
20.03.2020 12:30:00	1	1	1	1	92.75	61.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:30:01	1	1	1	1	92.75	61	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.625	2004
20.03.2020 12:30:02	1	1	1	1	92.75	61.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.25	2004
20.03.2020 12:30:03	1	1	1	1	92.75	61.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:30:04	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:30:05	1	1	1	1	92.75	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.8125	2004
20.03.2020 12:30:06	1	1	1	1	92.75	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.9375	2004
20.03.2020 12:30:08	1	1	1	1	92.25	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.25	2004
20.03.2020 12:30:09	1	1	1	1	92.25	61.25	0	28199.052	563.4408602	15941.34754	30000	0	0	30000	41.75	2004
20.03.2020 12:30:10	1	1	1	1	92.25	61.75	0	28436.019	559.1397849	15934.00919	30000	0	0	30000	41.4375	2004
20.03.2020 12:30:11	1	1	1	1	92.25	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.8125	2004
20.03.2020 12:30:12	1	1	1	1	92.25	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:30:13	1	1	1	1	92.25	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:30:14	1	1	1	1	92.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:30:15	1	1	1	1	92.25	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.5625	2004
20.03.2020 12:30:16	1	1	1	1	92.25	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:30:17	1	1	1	1	92.25	61.5	0	28388.626	567.7419355	15968.25483	30000	0	0	30000	41.6875	2004
20.03.2020 12:30:18	1	1	1	1	93	61.5	0	28199.052	565.5913978	15841.8721	30000	0	0	30000	41.75	2004
20.03.2020 12:30:19	1	1	1	1	93	61.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.875	2004
20.03.2020 12:30:20	1	1	1	1	93	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.75	2004
20.03.2020 12:30:21	1	1	1	1	93	61.75	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	41.625	2004
20.03.2020 12:30:22	1	1	1	1	93	61.5	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	41.75	2004
20.03.2020 12:30:23	1	1	1	1	93	61.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.625	2004
20.03.2020 12:30:24	1	1	1	1	93	61.5	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	41.375	2004
20.03.2020 12:30:25	1	1	1	1	93	61.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.75	2004
20.03.2020 12:30:26	1	1	1	1	93	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:30:27	1	1	1	1	93	61.75	0	28341.232	561.2903226	15941.34754	30000	0	0	30000	41.3125	2004
20.03.2020 12:30:28	1	1	1	1	92.75	61.25	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.6875	2004
20.03.2020 12:30:29	1	1	1	1	92.75	61.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.875	2004
20.03.2020 12:30:30	1	1	1	1	92.75	61.75	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	41.625	2004
20.03.2020 12:30:31	1	1	1	1	92.75	61.5	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	41.75	2004
20.03.2020 12:30:32	1	1	1	1	92.75	61.75	0	28199.052	576.344086	16218.57419	30000	0	0	30000	42.1875	2004
20.03.2020 12:30:33	1	1	1	1	92.75	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:30:34	1	1	1	1	92.75	61.5	0	28341.232	565.5913978	16123.99098	30000	0	0	30000	41.6875	2004
20.03.2020 12:30:35	1	1	1	1	92.75	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.1875	2004
20.03.2020 12:30:36	1	1	1	1	92.75	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:30:37	1	1	1	1	93.25	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:30:38	1	1	1	1	93.25	61.5	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.5	2004
20.03.2020 12:30:39	1	1	1	1	93.25	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:30:40	1	1	1	1	93.25	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:30:41	1	1	1	1	93.25	61.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.8125	2004
20.03.2020 12:30:48	1	1	1	1	93	61.75	0	28341.232	565.5913978	15766.85783	30000	0	0	30000	41.25	2004
20.03.2020 12:30:48	1	1	1	1	93	61.75	0	28341.232	565.5913978	15766.85783	30000	0	0	30000	41.25	2004
20.03.2020 12:30:48	1	1	1	1	93	61.75	0	28341.232	565.5913978	15766.85783	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:30:48	1	1	1	1	93	61.75	0	28341.232	565.5913978	15766.85783	30000	0	0	30000	41.25	2004
20.03.2020 12:30:48	1	1	1	1	93	61.75	0	28341.232	565.5913978	15766.85783	30000	0	0	30000	41.25	2004
20.03.2020 12:30:48	1	1	1	1	93	61.75	0	28341.232	565.5913978	15766.85783	30000	0	0	30000	41.25	2004
20.03.2020 12:30:49	1	1	1	1	93	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:30:50	1	1	1	1	93	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:30:51	1	1	1	1	93	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.8125	2004
20.03.2020 12:30:52	1	1	1	1	93	61.75	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	41.5625	2004
20.03.2020 12:30:53	1	1	1	1	93	61.5	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	41.8125	2004
20.03.2020 12:30:54	1	1	1	1	93	61.75	0	28246.445	563.4408602	16002.50048	30000	0	0	30000	40.5625	2004
20.03.2020 12:30:55	1	1	1	1	93	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:30:56	1	1	1	1	93	61.5	0	28293.839	572.0430108	16191.66689	30000	0	0	30000	41.8125	2004
20.03.2020 12:30:57	1	1	1	1	93	61.75	0	28009.479	569.8924731	15721.19697	30000	0	0	30000	42	2004
20.03.2020 12:30:58	1	1	1	1	93.5	62	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.8125	2004
20.03.2020 12:30:59	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:31:00	1	1	1	1	93.5	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.5625	2004
20.03.2020 12:31:01	1	1	1	1	93.5	61.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.0625	2004
20.03.2020 12:31:02	1	1	1	1	93.5	61	0	28483.412	565.5913978	16232.43552	30000	0	0	30000	41.8125	2004
20.03.2020 12:31:03	1	1	1	1	93.5	61.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41	2004
20.03.2020 12:31:04	1	1	1	1	93.5	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
20.03.2020 12:31:05	1	1	1	1	93.5	61.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	40.875	2004
20.03.2020 12:31:06	1	1	1	1	93.5	60.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.875	2004
20.03.2020 12:31:07	1	1	1	1	93.5	61.75	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	41.75	2004
20.03.2020 12:31:08	1	1	1	1	93.5	61.75	0	28246.445	572.0430108	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:31:09	1	1	1	1	93.5	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:31:10	1	1	1	1	93.5	61.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.6875	2004
20.03.2020 12:31:11	1	1	1	1	93.5	61.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.4375	2004
20.03.2020 12:31:12	1	1	1	1	93.5	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.875	2004
20.03.2020 12:31:13	1	1	1	1	93.5	61.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.625	2004
20.03.2020 12:31:14	1	1	1	1	93.5	61.5	0	28341.232	565.5913978	15948.68589	30000	0	0	30000	40.8125	2004
20.03.2020 12:31:15	1	1	1	1	93.5	60.75	0	28436.019	565.5913978	15995.16212	30000	0	0	30000	42.125	2004
20.03.2020 12:31:16	1	1	1	1	93.5	62	0	28009.479	569.8924731	16009.83883	30000	0	0	30000	41.5	2004
20.03.2020 12:31:17	1	1	1	1	94	60.75	0	28436.019	567.7419355	15968.25483	30000	0	0	30000	41.3125	2004
20.03.2020 12:31:18	1	1	1	1	94	61.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.75	2004
20.03.2020 12:31:19	1	1	1	1	94	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:31:20	1	1	1	1	94	61.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.5	2004
20.03.2020 12:31:21	1	1	1	1	94	61.5	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	41.9375	2004
20.03.2020 12:31:22	1	1	1	1	94	61.75	0	28815.166	565.5913978	15917.70174	30000	0	0	30000	41.6875	2004
20.03.2020 12:31:23	1	1	1	1	94	61.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	41.75	2004
20.03.2020 12:31:24	1	1	1	1	94	61.75	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:31:25	1	1	1	1	94	61.5	0	28009.479	569.8924731	15814.9648	30000	0	0	30000	41.5	2004
20.03.2020 12:31:27	1	1	1	1	94	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:31:28	1	1	1	1	93.75	61.75	0	28341.232	565.5913978	15941.34754	30000	0	0	30000	41.6875	2004
20.03.2020 12:31:29	1	1	1	1	93.75	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:31:30	1	1	1	1	93.75	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.625	2004
20.03.2020 12:31:31	1	1	1	1	93.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:31:32	1	1	1	1	93.75	61.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.6875	2004
20.03.2020 12:31:33	1	1	1	1	93.75	61.5	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	41.8125	2004
20.03.2020 12:31:34	1	1	1	1	93.75	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.5	2004
20.03.2020 12:31:35	1	1	1	1	93.75	61.5	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.5625	2004
20.03.2020 12:31:36	1	1	1	1	93.75	61.5	0	28341.232	567.7419355	16273.20414	30000	0	0	30000	41.5	2004
20.03.2020 12:31:37	1	1	1	1	93.75	61.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.8125	2004
20.03.2020 12:31:38	1	1	1	1	93	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:31:39	1	1	1	1	93	61.75	0	28009.479	556.9892473	15841.8721	30000	0	0	30000	41.8125	2004
20.03.2020 12:31:40	1	1	1	1	93	61.75	0	28341.232	556.9892473	16056.31506	30000	0	0	30000	41.9375	2004
20.03.2020 12:31:41	1	1	1	1	93	61.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.5625	2004
20.03.2020 12:31:42	1	1	1	1	93	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:31:43	1	1	1	1	93	61.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.75	2004
20.03.2020 12:31:49	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:31:50	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:31:50	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:31:50	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:31:50	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:31:50	1	1	1	1	93.5	61.75	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	41.75	2004
20.03.2020 12:31:51	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:31:52	1	1	1	1	93.5	61.75	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	42.0625	2004
20.03.2020 12:31:53	1	1	1	1	93.5	62	0	28625.592	563.4408602	16163.12886	30000	0	0	30000	41.875	2004
20.03.2020 12:31:54	1	1	1	1	93.5	61.75	0	28436.019	554.8387097	15716.30473	30000	0	0	30000	41.8125	2004
20.03.2020 12:31:55	1	1	1	1	93.5	61.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.1875	2004
20.03.2020 12:31:56	1	1	1	1	93.5	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.8125	2004
20.03.2020 12:31:57	1	1	1	1	92.75	61.75	0	28199.052	572.0430108	16009.83883	30000	0	0	30000	41.25	2004
20.03.2020 12:31:58	1	1	1	1	92.75	61.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:31:59	1	1	1	1	92.75	61.75	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:00	1	1	1	1	92.75	61.75	0	28625.592	563.4408602	16101.97592	30000	0	0	30000	41.6875	2004
20.03.2020 12:32:01	1	1	1	1	92.75	61.5	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	41.75	2004
20.03.2020 12:32:02	1	1	1	1	92.75	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.5625	2004
20.03.2020 12:32:03	1	1	1	1	92.75	60.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.75	2004
20.03.2020 12:32:04	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:32:06	1	1	1	1	92.75	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:32:07	1	1	1	1	92.75	61.5	0	28388.626	563.4408602	16029.40777	30000	0	0	30000	41.75	2004
20.03.2020 12:32:08	1	1	1	1	93.5	61.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:09	1	1	1	1	93.5	61.75	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:32:10	1	1	1	1	93.5	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.6875	2004
20.03.2020 12:32:11	1	1	1	1	93.5	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:32:12	1	1	1	1	93.5	61.75	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	41.75	2004
20.03.2020 12:32:13	1	1	1	1	93.5	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:32:14	1	1	1	1	93.5	61.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:15	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.5625	2004
20.03.2020 12:32:16	1	1	1	1	93.5	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:17	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:18	1	1	1	1	93	61.75	0	28341.232	565.5913978	16117.468	30000	0	0	30000	41.6875	2004
20.03.2020 12:32:19	1	1	1	1	93	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	40.8125	2004
20.03.2020 12:32:20	1	1	1	1	93	60.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:32:21	1	1	1	1	93	61.5	0	27962.085	565.5913978	15814.9648	30000	0	0	30000	41.3125	2004
20.03.2020 12:32:22	1	1	1	1	93	61.25	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	41.75	2004
20.03.2020 12:32:23	1	1	1	1	93	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.3125	2004
20.03.2020 12:32:24	1	1	1	1	93	61.25	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	41.625	2004
20.03.2020 12:32:25	1	1	1	1	93	61.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	41.5	2004
20.03.2020 12:32:26	1	1	1	1	93	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:27	1	1	1	1	93	61.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	40.9375	2004
20.03.2020 12:32:28	1	1	1	1	93.25	60.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.375	2004
20.03.2020 12:32:29	1	1	1	1	93.25	61.25	0	28293.839	569.8924731	16150.89827	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:30	1	1	1	1	93.25	61.75	0	28009.479	578.4946237	15841.8721	30000	0	0	30000	42.1875	2004
20.03.2020 12:32:31	1	1	1	1	93.25	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:32:32	1	1	1	1	93.25	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 12:32:33	1	1	1	1	93.25	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.3125	2004
20.03.2020 12:32:34	1	1	1	1	93.25	61.25	0	27962.085	569.8924731	16142.74454	30000	0	0	30000	41.25	2004
20.03.2020 12:32:35	1	1	1	1	93.25	61.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.9375	2004
20.03.2020 12:32:36	1	1	1	1	93.25	60.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.6875	2004
20.03.2020 12:32:37	1	1	1	1	93.5	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:32:38	1	1	1	1	93.5	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:39	1	1	1	1	93.5	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.0625	2004
20.03.2020 12:32:40	1	1	1	1	93.5	61	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:41	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:32:42	1	1	1	1	93.5	61.75	0	28246.445	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:32:44	1	1	1	1	93.5	61.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:32:45	1	1	1	1	93.5	61.5	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	41.1875	2004
20.03.2020 12:32:51	1	1	1	1	93.75	61.75	0	28246.445	567.7419355	16063.65341	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:51	1	1	1	1	93.75	61.75	0	28246.445	567.7419355	16063.65341	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:51	1	1	1	1	93.75	61.75	0	28246.445	567.7419355	16063.65341	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:51	1	1	1	1	93.75	61.75	0	28246.445	567.7419355	16063.65341	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:51	1	1	1	1	93.75	61.75	0	28246.445	567.7419355	16063.65341	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:51	1	1	1	1	93.75	61.75	0	28246.445	567.7419355	16063.65341	30000	0	0	30000	41.8125	2004
20.03.2020 12:32:52	1	1	1	1	93.75	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:32:53	1	1	1	1	93.75	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:32:54	1	1	1	1	93.75	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.3125	2004
20.03.2020 12:32:55	1	1	1	1	93.75	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.3125	2004
20.03.2020 12:32:56	1	1	1	1	93.75	61.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:32:57	1	1	1	1	93.75	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:32:58	1	1	1	1	93.75	61.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:32:59	1	1	1	1	93.75	61.5	0	28388.626	565.5913978	16117.468	30000	0	0	30000	41.875	2004
20.03.2020 12:33:00	1	1	1	1	93.75	61.75	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	40.8125	2004
20.03.2020 12:33:01	1	1	1	1	93.75	60.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:33:02	1	1	1	1	93.75	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.3125	2004
20.03.2020 12:33:03	1	1	1	1	93.75	61.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	40.75	2004
20.03.2020 12:33:04	1	1	1	1	93.75	60.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.5	2004
20.03.2020 12:33:05	1	1	1	1	93.75	61.5	0	28388.626	569.8924731	16150.89827	30000	0	0	30000	41.25	2004
20.03.2020 12:33:06	1	1	1	1	93.75	61.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:33:07	1	1	1	1	93.75	61.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.75	2004
20.03.2020 12:33:08	1	1	1	1	93.5	61.75	0	28199.052	576.344086	16191.66689	30000	0	0	30000	41.5625	2004
20.03.2020 12:33:09	1	1	1	1	93.5	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.875	2004
20.03.2020 12:33:10	1	1	1	1	93.5	61.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	41.5	2004
20.03.2020 12:33:11	1	1	1	1	93.5	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42	2004
20.03.2020 12:33:12	1	1	1	1	93.5	62	0	28199.052	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:33:13	1	1	1	1	93.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.0625	2004
20.03.2020 12:33:14	1	1	1	1	93.5	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.5	2004
20.03.2020 12:33:15	1	1	1	1	93.5	61.5	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	41.6875	2004
20.03.2020 12:33:16	1	1	1	1	93.5	61.5	0	28246.445	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:33:17	1	1	1	1	93.25	61.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.6875	2004
20.03.2020 12:33:18	1	1	1	1	93.25	61.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:33:19	1	1	1	1	93.25	61.75	0	28104.265	576.344086	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:33:20	1	1	1	1	93.25	61.75	0	28341.232	569.8924731	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:33:21	1	1	1	1	93.25	61.5	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:33:22	1	1	1	1	93.25	61.75	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	41.75	2004
20.03.2020 12:33:23	1	1	1	1	93.25	61.75	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	41.6875	2004
20.03.2020 12:33:25	1	1	1	1	93.25	61.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.5625	2004
20.03.2020 12:33:26	1	1	1	1	93.25	61.5	0	28388.626	572.0430108	16029.40777	30000	0	0	30000	41.75	2004
20.03.2020 12:33:27	1	1	1	1	93.25	61.75	0	28341.232	569.8924731	16090.5607	30000	0	0	30000	41.875	2004
20.03.2020 12:33:28	1	1	1	1	93.25	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:33:29	1	1	1	1	93.25	61.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.6875	2004
20.03.2020 12:33:30	1	1	1	1	93.25	61.5	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:33:31	1	1	1	1	93.25	61.75	0	28341.232	559.1397849	16056.31506	30000	0	0	30000	41.875	2004
20.03.2020 12:33:32	1	1	1	1	93.25	61.75	0	28578.199	572.0430108	16013.91569	30000	0	0	30000	41.75	2004
20.03.2020 12:33:33	1	1	1	1	93.25	61.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.9375	2004
20.03.2020 12:33:34	1	1	1	1	93.25	61.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.75	2004
20.03.2020 12:33:35	1	1	1	1	93.25	61.75	0	28341.232	556.9892473	16117.468	30000	0	0	30000	41.5625	2004
20.03.2020 12:33:36	1	1	1	1	93.25	61.5	0	28483.412	563.4408602	15838.61061	30000	0	0	30000	40.8125	2004
20.03.2020 12:33:37	1	1	1	1	93.25	60.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.75	2004
20.03.2020 12:33:38	1	1	1	1	93.5	61.75	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	41.3125	2004
20.03.2020 12:33:39	1	1	1	1	93.5	61.25	0	28293.839	556.9892473	15941.34754	30000	0	0	30000	41	2004
20.03.2020 12:33:40	1	1	1	1	93.5	61	0	28009.479	559.1397849	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:33:41	1	1	1	1	93.5	61.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:33:42	1	1	1	1	93.5	61	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:33:43	1	1	1	1	93.5	61.5	0	28009.479	561.2903226	15721.19697	30000	0	0	30000	41.875	2004
20.03.2020 12:33:44	1	1	1	1	93.5	61.75	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	42	2004
20.03.2020 12:33:45	1	1	1	1	93.5	62	0	28483.412	563.4408602	16286.2501	30000	0	0	30000	41.875	2004
20.03.2020 12:33:46	1	1	1	1	93.5	61.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.125	2004
20.03.2020 12:33:53	1	1	1	1	93.75	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.9375	2004
20.03.2020 12:33:53	1	1	1	1	93.75	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.9375	2004
20.03.2020 12:33:53	1	1	1	1	93.75	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.9375	2004
20.03.2020 12:33:53	1	1	1	1	93.75	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.9375	2004
20.03.2020 12:33:53	1	1	1	1	93.75	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.9375	2004
20.03.2020 12:33:53	1	1	1	1	93.75	60.75	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	42	2004
20.03.2020 12:33:54	1	1	1	1	93.75	62	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42.1875	2004
20.03.2020 12:33:55	1	1	1	1	93.75	61.75	0	28199.052	561.2903226	16063.65341	30000	0	0	30000	41.9375	2004
20.03.2020 12:33:56	1	1	1	1	93.75	61.75	0	28199.052	572.0430108	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:33:57	1	1	1	1	94.75	61.5	0	28009.479	563.4408602	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:33:58	1	1	1	1	94.75	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.125	2004
20.03.2020 12:33:59	1	1	1	1	94.75	61	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.9375	2004
20.03.2020 12:34:00	1	1	1	1	94.75	61.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.8125	2004
20.03.2020 12:34:01	1	1	1	1	94.75	61.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	41.625	2004
20.03.2020 12:34:02	1	1	1	1	94.75	61.5	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	41.75	2004
20.03.2020 12:34:03	1	1	1	1	94.75	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:34:04	1	1	1	1	94.75	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.25	2004
20.03.2020 12:34:06	1	1	1	1	94.75	61.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:34:07	1	1	1	1	94.75	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.75	2004
20.03.2020 12:34:08	1	1	1	1	94.25	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42	2004
20.03.2020 12:34:09	1	1	1	1	94.25	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:34:10	1	1	1	1	94.25	61.5	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	41.8125	2004
20.03.2020 12:34:11	1	1	1	1	94.25	61.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.4375	2004
20.03.2020 12:34:12	1	1	1	1	94.25	61.25	0	28341.232	569.8924731	16300.11143	30000	0	0	30000	40.9375	2004
20.03.2020 12:34:13	1	1	1	1	94.25	60.75	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.5625	2004
20.03.2020 12:34:14	1	1	1	1	94.25	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:34:15	1	1	1	1	94.25	61.75	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	41.3125	2004
20.03.2020 12:34:16	1	1	1	1	94.25	61.25	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41.875	2004
20.03.2020 12:34:17	1	1	1	1	94.25	61.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:34:18	1	1	1	1	94.75	61.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.5625	2004
20.03.2020 12:34:19	1	1	1	1	94.75	61.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.625	2004
20.03.2020 12:34:20	1	1	1	1	94.75	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:34:21	1	1	1	1	94.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.375	2004
20.03.2020 12:34:22	1	1	1	1	94.75	61.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.3125	2004
20.03.2020 12:34:23	1	1	1	1	94.75	61.25	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	41.9375	2004
20.03.2020 12:34:24	1	1	1	1	94.75	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.5	2004
20.03.2020 12:34:25	1	1	1	1	94.75	61.5	0	28009.479	556.9892473	15841.8721	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:34:26	1	1	1	1	94.75	61.75	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	42	2004
20.03.2020 12:34:27	1	1	1	1	94.75	62	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	41.75	2004
20.03.2020 12:34:28	1	1	1	1	94	61.75	0	28009.479	563.4408602	16009.83883	30000	0	0	30000	41.5625	2004
20.03.2020 12:34:29	1	1	1	1	94	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:34:30	1	1	1	1	94	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.75	2004
20.03.2020 12:34:31	1	1	1	1	94	61.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	41	2004
20.03.2020 12:34:32	1	1	1	1	94	61	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	42.1875	2004
20.03.2020 12:34:33	1	1	1	1	94	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:34:34	1	1	1	1	94	61.75	0	28246.445	569.8924731	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 12:34:35	1	1	1	1	94	61.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.875	2004
20.03.2020 12:34:36	1	1	1	1	94	61.75	0	28293.839	561.2903226	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:34:37	1	1	1	1	94.25	61.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.9375	2004
20.03.2020 12:34:38	1	1	1	1	94.25	61.75	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	41.875	2004
20.03.2020 12:34:39	1	1	1	1	94.25	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:34:40	1	1	1	1	94.25	61.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:34:41	1	1	1	1	94.25	61.75	0	28199.052	554.8387097	15941.34754	30000	0	0	30000	41.625	2004
20.03.2020 12:34:42	1	1	1	1	94.25	61.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.375	2004
20.03.2020 12:34:44	1	1	1	1	94.25	61.25	0	28388.626	569.8924731	16029.40777	30000	0	0	30000	41.8125	2004
20.03.2020 12:34:45	1	1	1	1	94.25	61.75	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41.8125	2004
20.03.2020 12:34:46	1	1	1	1	94.25	61.75	0	28199.052	565.5913978	15841.8721	30000	0	0	30000	41.4375	2004
20.03.2020 12:34:47	1	1	1	1	94.25	61.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:34:48	1	1	1	1	93.5	61.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:34:54	1	1	1	1	93.5	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.3125	2004
20.03.2020 12:34:54	1	1	1	1	93.5	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.3125	2004
20.03.2020 12:34:54	1	1	1	1	93.5	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.3125	2004
20.03.2020 12:34:54	1	1	1	1	93.5	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.3125	2004
20.03.2020 12:34:54	1	1	1	1	93.5	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.3125	2004
20.03.2020 12:34:55	1	1	1	1	93.5	61.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:34:56	1	1	1	1	93.5	61.75	0	28009.479	552.688172	15827.19539	30000	0	0	30000	40.9375	2004
20.03.2020 12:34:57	1	1	1	1	93.5	60.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.875	2004
20.03.2020 12:34:58	1	1	1	1	93.25	61.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:34:59	1	1	1	1	93.25	61.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	41.8125	2004
20.03.2020 12:35:00	1	1	1	1	93.25	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:35:01	1	1	1	1	93.25	61.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.625	2004
20.03.2020 12:35:02	1	1	1	1	93.25	61.5	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	41.875	2004
20.03.2020 12:35:03	1	1	1	1	93.25	61.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.625	2004
20.03.2020 12:35:04	1	1	1	1	93.25	61.5	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	40.625	2004
20.03.2020 12:35:05	1	1	1	1	93.25	60.5	0	28293.839	567.7419355	15975.59318	30000	0	0	30000	41.25	2004
20.03.2020 12:35:06	1	1	1	1	93.25	61.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.375	2004
20.03.2020 12:35:07	1	1	1	1	93.25	61.25	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	41.875	2004
20.03.2020 12:35:08	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.6875	2004
20.03.2020 12:35:09	1	1	1	1	93.5	61.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:35:10	1	1	1	1	93.5	61	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.5	2004
20.03.2020 12:35:11	1	1	1	1	93.5	61.5	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	41	2004
20.03.2020 12:35:12	1	1	1	1	93.5	61	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.9375	2004
20.03.2020 12:35:13	1	1	1	1	93.5	61	0	28246.445	567.7419355	16009.83883	30000	0	0	30000	41.5625	2004
20.03.2020 12:35:14	1	1	1	1	93.5	61.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.75	2004
20.03.2020 12:35:15	1	1	1	1	93.5	61.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.3125	2004
20.03.2020 12:35:16	1	1	1	1	93.5	61.25	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	41.75	2004
20.03.2020 12:35:17	1	1	1	1	92.5	61.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.6875	2004
20.03.2020 12:35:18	1	1	1	1	92.5	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:35:19	1	1	1	1	92.5	61.75	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	41.375	2004
20.03.2020 12:35:20	1	1	1	1	92.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:35:22	1	1	1	1	92.5	61.75	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.5625	2004
20.03.2020 12:35:23	1	1	1	1	92.5	61.5	0	28341.232	567.7419355	16238.9585	30000	0	0	30000	41.8125	2004
20.03.2020 12:35:24	1	1	1	1	92.5	61.75	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	41.3125	2004
20.03.2020 12:35:25	1	1	1	1	92.5	61.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 12:35:26	1	1	1	1	92.5	61.5	0	27725.118	569.8924731	15745.65814	30000	0	0	30000	41.75	2004
20.03.2020 12:35:27	1	1	1	1	92.5	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.9375	2004
20.03.2020 12:35:28	1	1	1	1	92.5	61.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.3125	2004
20.03.2020 12:35:29	1	1	1	1	92.5	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.6875	2004
20.03.2020 12:35:30	1	1	1	1	92.5	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.875	2004
20.03.2020 12:35:31	1	1	1	1	92.5	61.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.25	2004
20.03.2020 12:35:32	1	1	1	1	92.5	61.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.25	2004
20.03.2020 12:35:33	1	1	1	1	92.5	61.25	0	28341.232	567.7419355	16117.468	30000	0	0	30000	41.75	2004
20.03.2020 12:35:34	1	1	1	1	92.5	61.75	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	41.625	2004
20.03.2020 12:35:35	1	1	1	1	92.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:35:36	1	1	1	1	92.5	61.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:35:37	1	1	1	1	92.5	61.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	41.8125	2004
20.03.2020 12:35:38	1	1	1	1	92.5	61.75	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:35:39	1	1	1	1	92.5	61.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.875	2004
20.03.2020 12:35:40	1	1	1	1	92.5	61.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.8125	2004
20.03.2020 12:35:41	1	1	1	1	92.5	61.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.375	2004
20.03.2020 12:35:42	1	1	1	1	92.5	61.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.875	2004
20.03.2020 12:35:43	1	1	1	1	92.5	61.75	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	41.875	2004
20.03.2020 12:35:44	1	1	1	1	92.5	61.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
20.03.2020 12:35:45	1	1	1	1	92.5	61.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.9375	2004
20.03.2020 12:35:46	1	1	1	1	92.5	61.75	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41	2004
20.03.2020 12:35:47	1	1	1	1	92.5	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.625	2004
20.03.2020 12:35:48	1	1	1	1	92.75	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42.25	2004
20.03.2020 12:35:49	1	1	1	1	92.75	62.25	0	28436.019	565.5913978	15960.91648	30000	0	0	30000	41.5625	2004
20.03.2020 12:35:56	1	1	1	1	92.75	61.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:35:56	1	1	1	1	92.75	61.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:35:56	1	1	1	1	92.75	61.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:35:56	1	1	1	1	92.75	61.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:35:56	1	1	1	1	92.75	61.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:35:56	1	1	1	1	92.75	61.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:35:56	1	1	1	1	92.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:35:57	1	1	1	1	93	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:35:58	1	1	1	1	93	61.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:36:00	1	1	1	1	93	61.75	0	28341.232	569.8924731	16002.50048	30000	0	0	30000	41	2004
20.03.2020 12:36:01	1	1	1	1	93	61	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	41.4375	2004
20.03.2020 12:36:02	1	1	1	1	93	61.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:36:03	1	1	1	1	93	61.75	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	41.75	2004
20.03.2020 12:36:04	1	1	1	1	93	61.75	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	41.25	2004
20.03.2020 12:36:05	1	1	1	1	93	61.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:36:06	1	1	1	1	93	61.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:36:07	1	1	1	1	93	61.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	42	2004
20.03.2020 12:36:08	1	1	1	1	93	62	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.4375	2004
20.03.2020 12:36:09	1	1	1	1	93	61.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	42.0625	2004
20.03.2020 12:36:10	1	1	1	1	93	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.75	2004
20.03.2020 12:36:11	1	1	1	1	93	61.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	42	2004
20.03.2020 12:36:12	1	1	1	1	93	62	0	28293.839	565.5913978	16185.14391	30000	0	0	30000	41.8125	2004
20.03.2020 12:36:13	1	1	1	1	93	61.75	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	41.8125	2004
20.03.2020 12:36:14	1	1	1	1	93	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:36:15	1	1	1	1	93	61.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.75	2004
20.03.2020 12:36:18	1	1	1	1	93	62	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:36:18	1	1	1	1	93	62	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:36:18	1	1	1	1	92.25	61.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	42	2004
20.03.2020 12:36:19	1	1	1	1	92.25	62	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.8125	2004
20.03.2020 12:36:20	1	1	1	1	92.25	61.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.8125	2004
20.03.2020 12:36:21	1	1	1	1	92.25	61.75	0	28009.479	569.8924731	15781.53453	30000	0	0	30000	41.625	2004
20.03.2020 12:36:22	1	1	1	1	92.25	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:36:23	1	1	1	1	92.25	61.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.125	2004
20.03.2020 12:36:24	1	1	1	1	92.25	61	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.4375	2004
20.03.2020 12:36:25	1	1	1	1	92.25	61.25	0	28341.232	561.2903226	15637.2136	30000	0	0	30000	42.0625	2004
20.03.2020 12:36:26	1	1	1	1	92.25	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.75	2004
20.03.2020 12:36:27	1	1	1	1	92.25	61.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.9375	2004
20.03.2020 12:36:28	1	1	1	1	92.75	61.75	0	28199.052	563.4408602	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 12:36:29	1	1	1	1	92.75	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:36:30	1	1	1	1	92.75	61.25	0	28246.445	569.8924731	16130.51396	30000	0	0	30000	42.0625	2004
20.03.2020 12:36:31	1	1	1	1	92.75	62.25	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	41.6875	2004
20.03.2020 12:36:32	1	1	1	1	92.75	61.5	0	28293.839	569.8924731	16150.89827	30000	0	0	30000	41.6875	2004
20.03.2020 12:36:33	1	1	1	1	92.75	61.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	42.125	2004
20.03.2020 12:36:34	1	1	1	1	92.75	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:36:35	1	1	1	1	92.75	61.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	41.75	2004
20.03.2020 12:36:36	1	1	1	1	92.75	61.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:36:37	1	1	1	1	92.75	61.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:36:38	1	1	1	1	92.75	61.75	0	28483.412	572.0430108	16109.31427	30000	0	0	30000	41.5625	2004
20.03.2020 12:36:40	1	1	1	1	92.75	61.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:36:41	1	1	1	1	92.75	61.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.9375	2004
20.03.2020 12:36:42	1	1	1	1	92.75	61.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.6875	2004
20.03.2020 12:36:43	1	1	1	1	92.75	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.8125	2004
20.03.2020 12:36:44	1	1	1	1	92.75	61.75	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.75	2004
20.03.2020 12:36:45	1	1	1	1	92.75	61.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	42	2004
20.03.2020 12:36:46	1	1	1	1	92.75	62	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.5625	2004
20.03.2020 12:36:47	1	1	1	1	92.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.875	2004
20.03.2020 12:36:48	1	1	1	1	93.25	60.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.8125	2004
20.03.2020 12:36:49	1	1	1	1	93.25	61.75	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	41.625	2004
20.03.2020 12:36:50	1	1	1	1	93.25	61.5	0	28293.839	567.7419355	16212.05121	30000	0	0	30000	41.625	2004
20.03.2020 12:36:51	1	1	1	1	93.25	61.5	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	41.4375	2004
20.03.2020 12:36:57	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:36:57	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:36:57	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:36:57	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:36:57	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:36:57	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.1875	2004
20.03.2020 12:36:58	1	1	1	1	94.25	61	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:36:59	1	1	1	1	94.25	61.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	41.75	2004
20.03.2020 12:37:00	1	1	1	1	94.25	61.75	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	41.75	2004
20.03.2020 12:37:01	1	1	1	1	94.25	61.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.8125	2004
20.03.2020 12:37:02	1	1	1	1	94.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:37:03	1	1	1	1	94.25	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:37:04	1	1	1	1	94.25	61.5	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:37:05	1	1	1	1	94.25	61.5	0	27914.692	565.5913978	15848.39508	30000	0	0	30000	41.75	2004
20.03.2020 12:37:06	1	1	1	1	94.25	61.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42.1875	2004
20.03.2020 12:37:07	1	1	1	1	94.25	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:37:08	1	1	1	1	94	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:37:09	1	1	1	1	94	62	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	42.1875	2004
20.03.2020 12:37:10	1	1	1	1	94	61.75	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	41.625	2004
20.03.2020 12:37:11	1	1	1	1	94	61.5	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	42	2004
20.03.2020 12:37:12	1	1	1	1	94	62	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.625	2004
20.03.2020 12:37:13	1	1	1	1	94	61.5	0	28199.052	559.1397849	16002.50048	30000	0	0	30000	41.75	2004
20.03.2020 12:37:14	1	1	1	1	94	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:37:15	1	1	1	1	94	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.375	2004
20.03.2020 12:37:16	1	1	1	1	94	61.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.75	2004
20.03.2020 12:37:17	1	1	1	1	94.25	61.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
20.03.2020 12:37:19	1	1	1	1	94.25	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.8125	2004
20.03.2020 12:37:20	1	1	1	1	94.25	60.75	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:37:21	1	1	1	1	94.25	61.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.5625	2004
20.03.2020 12:37:22	1	1	1	1	94.25	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:37:23	1	1	1	1	94.25	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:37:24	1	1	1	1	94.25	61.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:37:25	1	1	1	1	94.25	62	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.8125	2004
20.03.2020 12:37:26	1	1	1	1	94.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.375	2004
20.03.2020 12:37:27	1	1	1	1	94.25	61.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	41.5625	2004
20.03.2020 12:37:28	1	1	1	1	94.5	61.5	0	28341.232	572.0430108	16185.14391	30000	0	0	30000	41.875	2004
20.03.2020 12:37:29	1	1	1	1	94.5	61.75	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:37:30	1	1	1	1	94.5	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.0625	2004
20.03.2020 12:37:31	1	1	1	1	94.5	62	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	42	2004
20.03.2020 12:37:32	1	1	1	1	94.5	62	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	41.75	2004
20.03.2020 12:37:33	1	1	1	1	94.5	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.75	2004
20.03.2020 12:37:34	1	1	1	1	94.5	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.6875	2004
20.03.2020 12:37:35	1	1	1	1	94.5	61.5	0	28009.479	567.7419355	15814.9648	30000	0	0	30000	41.8125	2004
20.03.2020 12:37:36	1	1	1	1	94.5	61.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:37:37	1	1	1	1	94.5	62	0	27867.299	569.8924731	15734.24293	30000	0	0	30000	41.8125	2004
20.03.2020 12:37:38	1	1	1	1	94.25	61.75	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.0625	2004
20.03.2020 12:37:39	1	1	1	1	94.25	62	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 12:37:40	1	1	1	1	94.25	61.75	0	28199.052	556.9892473	16002.50048	30000	0	0	30000	41.375	2004
20.03.2020 12:37:41	1	1	1	1	94.25	61.25	0	27867.299	561.2903226	15875.30237	30000	0	0	30000	42	2004
20.03.2020 12:37:42	1	1	1	1	94.25	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
20.03.2020 12:37:43	1	1	1	1	94.25	62	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.6875	2004
20.03.2020 12:37:44	1	1	1	1	94.25	61.5	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	41.75	2004
20.03.2020 12:37:45	1	1	1	1	94.25	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 12:37:46	1	1	1	1	94.25	61.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.25	2004
20.03.2020 12:37:47	1	1	1	1	94.25	61.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42.125	2004
20.03.2020 12:37:48	1	1	1	1	95	62	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:37:49	1	1	1	1	95	61.5	0	28199.052	561.2903226	16002.50048	30000	0	0	30000	41.5625	2004
20.03.2020 12:37:50	1	1	1	1	95	61.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.6875	2004
20.03.2020 12:37:51	1	1	1	1	95	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.125	2004
20.03.2020 12:37:52	1	1	1	1	95	61	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:37:59	1	1	1	1	94.25	61.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:37:59	1	1	1	1	94.25	61.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:37:59	1	1	1	1	94.25	61.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:37:59	1	1	1	1	94.25	61.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:37:59	1	1	1	1	94.25	61.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:37:59	1	1	1	1	94.25	61.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:38:00	1	1	1	1	94.25	61.5	0	27772.512	574.1935484	15973.96244	30000	0	0	30000	41.6875	2004
20.03.2020 12:38:01	1	1	1	1	94.25	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:38:02	1	1	1	1	94.25	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.125	2004
20.03.2020 12:38:03	1	1	1	1	94.25	61	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	41.3125	2004
20.03.2020 12:38:04	1	1	1	1	94.25	61.25	0	28436.019	569.8924731	16083.22235	30000	0	0	30000	41.8125	2004
20.03.2020 12:38:05	1	1	1	1	94.25	61.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.9375	2004
20.03.2020 12:38:06	1	1	1	1	94.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:38:07	1	1	1	1	94.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:38:08	1	1	1	1	93.75	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.9375	2004
20.03.2020 12:38:09	1	1	1	1	93.75	61.75	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	41.75	2004
20.03.2020 12:38:10	1	1	1	1	93.75	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:38:11	1	1	1	1	93.75	62	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.75	2004
20.03.2020 12:38:12	1	1	1	1	93.75	61.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42.0625	2004
20.03.2020 12:38:13	1	1	1	1	93.75	62	0	27867.299	563.4408602	15907.91727	30000	0	0	30000	41.5	2004
20.03.2020 12:38:14	1	1	1	1	93.75	61.5	0	27819.905	565.5913978	15734.24293	30000	0	0	30000	41.9375	2004
20.03.2020 12:38:15	1	1	1	1	93.75	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:38:16	1	1	1	1	93.75	62	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	42	2004
20.03.2020 12:38:17	1	1	1	1	93.75	62	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:38:18	1	1	1	1	93.75	62	0	28009.479	574.1935484	16252.00446	30000	0	0	30000	41.625	2004
20.03.2020 12:38:19	1	1	1	1	93.75	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.8125	2004
20.03.2020 12:38:20	1	1	1	1	93.75	61.75	0	28341.232	569.8924731	16238.9585	30000	0	0	30000	42	2004
20.03.2020 12:38:21	1	1	1	1	93.75	62	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:38:22	1	1	1	1	93.75	61.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	41.75	2004
20.03.2020 12:38:23	1	1	1	1	93.75	61.75	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	41.875	2004
20.03.2020 12:38:24	1	1	1	1	93.75	61.75	0	28199.052	567.7419355	16002.50048	30000	0	0	30000	42.3125	2004
20.03.2020 12:38:25	1	1	1	1	93.75	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:38:26	1	1	1	1	93.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:38:27	1	1	1	1	93.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:38:28	1	1	1	1	93.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:38:29	1	1	1	1	93.75	61.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.25	2004
20.03.2020 12:38:30	1	1	1	1	93.75	61.25	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	42	2004
20.03.2020 12:38:31	1	1	1	1	93.75	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.8125	2004
20.03.2020 12:38:32	1	1	1	1	93.75	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.625	2004
20.03.2020 12:38:33	1	1	1	1	93.75	61.5	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41.9375	2004
20.03.2020 12:38:35	1	1	1	1	93.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:38:36	1	1	1	1	93.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:38:37	1	1	1	1	93.75	61.75	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	41.875	2004
20.03.2020 12:38:38	1	1	1	1	93.25	61.75	0	28293.839	572.0430108	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:38:39	1	1	1	1	93.25	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:38:40	1	1	1	1	93.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:38:41	1	1	1	1	93.25	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.875	2004
20.03.2020 12:38:42	1	1	1	1	93.25	61.75	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:38:43	1	1	1	1	93.25	61.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.3125	2004
20.03.2020 12:38:44	1	1	1	1	93.25	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:38:45	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:38:46	1	1	1	1	93.25	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
20.03.2020 12:38:47	1	1	1	1	93.25	62	0	27867.299	565.5913978	15788.05751	30000	0	0	30000	41.75	2004
20.03.2020 12:38:48	1	1	1	1	93.5	61.75	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	41.9375	2004
20.03.2020 12:38:49	1	1	1	1	93.5	61.75	0	28199.052	572.0430108	15948.68589	30000	0	0	30000	41.5	2004
20.03.2020 12:38:50	1	1	1	1	93.5	61.5	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:38:51	1	1	1	1	93.5	62	0	27962.085	578.4946237	16088.11459	30000	0	0	30000	41.75	2004
20.03.2020 12:38:52	1	1	1	1	93.5	61.75	0	27914.692	576.344086	15968.25483	30000	0	0	30000	41.875	2004
20.03.2020 12:38:53	1	1	1	1	93.5	61.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	42	2004
20.03.2020 12:38:54	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.1875	2004
20.03.2020 12:39:01	1	1	1	1	94	61.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:39:01	1	1	1	1	94	61.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:39:01	1	1	1	1	94	61.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:39:01	1	1	1	1	94	61.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:39:01	1	1	1	1	94	61.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:39:01	1	1	1	1	94	61.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:39:01	1	1	1	1	94	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.0625	2004
20.03.2020 12:39:02	1	1	1	1	94	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.875	2004
20.03.2020 12:39:03	1	1	1	1	94	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 12:39:04	1	1	1	1	94	62	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	42.375	2004
20.03.2020 12:39:05	1	1	1	1	94	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:39:06	1	1	1	1	94	61.5	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41.75	2004
20.03.2020 12:39:07	1	1	1	1	94	61.75	0	27962.085	569.8924731	15727.71995	30000	0	0	30000	41.5625	2004
20.03.2020 12:39:08	1	1	1	1	94	61.5	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	41.8125	2004
20.03.2020 12:39:09	1	1	1	1	94	61.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:39:11	1	1	1	1	94	61.5	0	28009.479	574.1935484	16163.94423	30000	0	0	30000	41.625	2004
20.03.2020 12:39:12	1	1	1	1	94	61.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	42	2004
20.03.2020 12:39:13	1	1	1	1	94	62	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	41.6875	2004
20.03.2020 12:39:14	1	1	1	1	94	61.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:39:15	1	1	1	1	94	61.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
20.03.2020 12:39:16	1	1	1	1	94	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.625	2004
20.03.2020 12:39:17	1	1	1	1	94	61.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:39:18	1	1	1	1	93.25	62	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	41.9375	2004
20.03.2020 12:39:19	1	1	1	1	93.25	61.75	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	41.9375	2004
20.03.2020 12:39:20	1	1	1	1	93.25	61.75	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	40.9375	2004
20.03.2020 12:39:21	1	1	1	1	93.25	60.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.875	2004
20.03.2020 12:39:22	1	1	1	1	93.25	61.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.625	2004
20.03.2020 12:39:23	1	1	1	1	93.25	61.5	0	28151.659	569.8924731	15948.68589	30000	0	0	30000	42.0625	2004
20.03.2020 12:39:24	1	1	1	1	93.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:39:25	1	1	1	1	93.25	61	0	28151.659	576.344086	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:39:26	1	1	1	1	93.25	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.125	2004
20.03.2020 12:39:27	1	1	1	1	93.25	61	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.4375	2004
20.03.2020 12:39:28	1	1	1	1	92.25	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:39:29	1	1	1	1	92.25	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.75	2004
20.03.2020 12:39:30	1	1	1	1	92.25	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:39:31	1	1	1	1	92.25	61.75	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	41.9375	2004
20.03.2020 12:39:32	1	1	1	1	92.25	61.75	0	28388.626	572.0430108	16002.50048	30000	0	0	30000	41.75	2004
20.03.2020 12:39:33	1	1	1	1	92.25	61.75	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:39:34	1	1	1	1	92.25	61.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:39:35	1	1	1	1	92.25	61	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:39:36	1	1	1	1	92.25	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.625	2004
20.03.2020 12:39:37	1	1	1	1	92.25	60.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	42.0625	2004
20.03.2020 12:39:38	1	1	1	1	92.75	62	0	27914.692	576.344086	16088.11459	30000	0	0	30000	42	2004
20.03.2020 12:39:39	1	1	1	1	92.75	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 12:39:40	1	1	1	1	92.75	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:39:41	1	1	1	1	92.75	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.3125	2004
20.03.2020 12:39:42	1	1	1	1	92.75	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:39:43	1	1	1	1	92.75	62	0	28009.479	574.1935484	16323.75724	30000	0	0	30000	42	2004
20.03.2020 12:39:44	1	1	1	1	92.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.8125	2004
20.03.2020 12:39:45	1	1	1	1	92.75	61.75	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:39:46	1	1	1	1	92.75	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
20.03.2020 12:39:47	1	1	1	1	94	62	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	41.6875	2004
20.03.2020 12:39:48	1	1	1	1	94	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.625	2004
20.03.2020 12:39:50	1	1	1	1	94	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.75	2004
20.03.2020 12:39:51	1	1	1	1	94	61.75	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	41.875	2004
20.03.2020 12:39:52	1	1	1	1	94	61.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.875	2004
20.03.2020 12:39:53	1	1	1	1	94	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.125	2004
20.03.2020 12:39:54	1	1	1	1	94	61	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:39:55	1	1	1	1	94	61.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.0625	2004
20.03.2020 12:39:56	1	1	1	1	94	62	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:02	1	1	1	1	94	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.3125	2004
20.03.2020 12:40:02	1	1	1	1	94	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.3125	2004
20.03.2020 12:40:02	1	1	1	1	94	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.3125	2004
20.03.2020 12:40:02	1	1	1	1	94	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.3125	2004
20.03.2020 12:40:02	1	1	1	1	94	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.3125	2004
20.03.2020 12:40:02	1	1	1	1	94	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.3125	2004
20.03.2020 12:40:02	1	1	1	1	94	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.3125	2004
20.03.2020 12:40:03	1	1	1	1	94	61.25	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	42.0625	2004
20.03.2020 12:40:04	1	1	1	1	94	62	0	28199.052	561.2903226	16063.65341	30000	0	0	30000	41.6875	2004
20.03.2020 12:40:05	1	1	1	1	94	61.5	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:06	1	1	1	1	94	61.75	0	28436.019	563.4408602	16144.37529	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:07	1	1	1	1	94	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:40:08	1	1	1	1	93.75	61.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:09	1	1	1	1	93.75	61.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	42.125	2004
20.03.2020 12:40:10	1	1	1	1	93.75	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42	2004
20.03.2020 12:40:11	1	1	1	1	93.75	62	0	28293.839	554.8387097	16177.80556	30000	0	0	30000	42	2004
20.03.2020 12:40:12	1	1	1	1	93.75	62	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	41.625	2004
20.03.2020 12:40:13	1	1	1	1	93.75	61.5	0	28341.232	563.4408602	15766.85783	30000	0	0	30000	41.4375	2004
20.03.2020 12:40:14	1	1	1	1	93.75	61.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:15	1	1	1	1	93.75	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:40:16	1	1	1	1	93.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:40:17	1	1	1	1	93.75	61.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41.75	2004
20.03.2020 12:40:18	1	1	1	1	93.25	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:40:19	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	42.1875	2004
20.03.2020 12:40:20	1	1	1	1	93.25	62	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 12:40:21	1	1	1	1	93.25	61.75	0	28293.839	569.8924731	16273.20414	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:22	1	1	1	1	93.25	61.75	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	42.0625	2004
20.03.2020 12:40:23	1	1	1	1	93.25	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.625	2004
20.03.2020 12:40:24	1	1	1	1	93.25	61.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:40:25	1	1	1	1	93.25	61.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42	2004
20.03.2020 12:40:26	1	1	1	1	93.25	62	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:40:27	1	1	1	1	92.75	61.5	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:40:29	1	1	1	1	92.75	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:40:30	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:40:31	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:40:32	1	1	1	1	92.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:33	1	1	1	1	92.75	61.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	42.0625	2004
20.03.2020 12:40:34	1	1	1	1	92.75	62	0	28009.479	576.344086	16203.08211	30000	0	0	30000	41.8125	2004
20.03.2020 12:40:35	1	1	1	1	92.75	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:36	1	1	1	1	92.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.0625	2004
20.03.2020 12:40:37	1	1	1	1	92.75	62	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.5	2004
20.03.2020 12:40:38	1	1	1	1	92.5	61.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.5625	2004
20.03.2020 12:40:39	1	1	1	1	92.5	61.5	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:40	1	1	1	1	92.5	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:40:41	1	1	1	1	92.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:40:42	1	1	1	1	92.5	62	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:43	1	1	1	1	92.5	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.8125	2004
20.03.2020 12:40:44	1	1	1	1	92.5	61.75	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	41.4375	2004
20.03.2020 12:40:45	1	1	1	1	92.5	61.25	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	41.9375	2004
20.03.2020 12:40:46	1	1	1	1	92.5	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 12:40:47	1	1	1	1	92.5	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.75	2004
20.03.2020 12:40:48	1	1	1	1	92.75	61.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:40:49	1	1	1	1	92.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:40:50	1	1	1	1	92.75	61.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.4375	2004
20.03.2020 12:40:51	1	1	1	1	92.75	61.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.5	2004
20.03.2020 12:40:52	1	1	1	1	92.75	61.5	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	41.125	2004
20.03.2020 12:40:53	1	1	1	1	92.75	61	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.625	2004
20.03.2020 12:40:54	1	1	1	1	92.75	61.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42.125	2004
20.03.2020 12:40:55	1	1	1	1	92.75	62	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	42.0625	2004
20.03.2020 12:40:56	1	1	1	1	92.75	62	0	28341.232	565.5913978	15941.34754	30000	0	0	30000	41.375	2004
20.03.2020 12:40:57	1	1	1	1	92.75	61.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.875	2004
20.03.2020 12:41:04	1	1	1	1	93.5	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.6875	2004
20.03.2020 12:41:04	1	1	1	1	93.5	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.6875	2004
20.03.2020 12:41:04	1	1	1	1	93.5	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.6875	2004
20.03.2020 12:41:04	1	1	1	1	93.5	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.6875	2004
20.03.2020 12:41:04	1	1	1	1	93.5	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:41:04	1	1	1	1	93.5	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.6875	2004
20.03.2020 12:41:04	1	1	1	1	93.5	62.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.25	2004
20.03.2020 12:41:05	1	1	1	1	93.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.875	2004
20.03.2020 12:41:06	1	1	1	1	93.5	60.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.4375	2004
20.03.2020 12:41:07	1	1	1	1	93.75	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:41:09	1	1	1	1	93.75	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:41:10	1	1	1	1	93.75	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.5	2004
20.03.2020 12:41:11	1	1	1	1	93.75	61.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	41.1875	2004
20.03.2020 12:41:12	1	1	1	1	93.75	61	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	41.5	2004
20.03.2020 12:41:13	1	1	1	1	93.75	61.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.625	2004
20.03.2020 12:41:14	1	1	1	1	93.75	61.5	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	42	2004
20.03.2020 12:41:15	1	1	1	1	93.75	62	0	27725.118	569.8924731	15854.10268	30000	0	0	30000	42	2004
20.03.2020 12:41:16	1	1	1	1	93.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.125	2004
20.03.2020 12:41:17	1	1	1	1	93.75	61	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.75	2004
20.03.2020 12:41:18	1	1	1	1	94.25	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.8125	2004
20.03.2020 12:41:19	1	1	1	1	94.25	61.75	0	27867.299	572.0430108	16148.45215	30000	0	0	30000	41.625	2004
20.03.2020 12:41:20	1	1	1	1	94.25	61.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	42.125	2004
20.03.2020 12:41:21	1	1	1	1	94.25	62	0	27962.085	567.7419355	16082.40698	30000	0	0	30000	40.8125	2004
20.03.2020 12:41:22	1	1	1	1	94.25	60.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.8125	2004
20.03.2020 12:41:23	1	1	1	1	94.25	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.875	2004
20.03.2020 12:41:24	1	1	1	1	94.25	61.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	42	2004
20.03.2020 12:41:25	1	1	1	1	94.25	62	0	28009.479	576.344086	16022.06942	30000	0	0	30000	41.5625	2004
20.03.2020 12:41:26	1	1	1	1	94.25	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:41:27	1	1	1	1	94.25	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:41:28	1	1	1	1	94.5	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:41:29	1	1	1	1	94.5	62	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.8125	2004
20.03.2020 12:41:30	1	1	1	1	94.5	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.0625	2004
20.03.2020 12:41:31	1	1	1	1	94.5	62	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.625	2004
20.03.2020 12:41:32	1	1	1	1	94.5	61.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.75	2004
20.03.2020 12:41:33	1	1	1	1	94.5	61.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	42.0625	2004
20.03.2020 12:41:34	1	1	1	1	94.5	62	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.9375	2004
20.03.2020 12:41:35	1	1	1	1	94.5	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:41:36	1	1	1	1	94.5	61.5	0	28293.839	572.0430108	16191.66689	30000	0	0	30000	40.5625	2004
20.03.2020 12:41:37	1	1	1	1	94.5	60.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.8125	2004
20.03.2020 12:41:38	1	1	1	1	94.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.3125	2004
20.03.2020 12:41:39	1	1	1	1	94.5	62.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
20.03.2020 12:41:40	1	1	1	1	94.5	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:41:41	1	1	1	1	94.5	61.75	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	41.8125	2004
20.03.2020 12:41:42	1	1	1	1	94.5	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
20.03.2020 12:41:43	1	1	1	1	94.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:41:44	1	1	1	1	94.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.1875	2004
20.03.2020 12:41:46	1	1	1	1	94.5	61	0	27962.085	569.8924731	15875.30237	30000	0	0	30000	41.4375	2004
20.03.2020 12:41:47	1	1	1	1	94.5	61.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:41:48	1	1	1	1	94.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41	2004
20.03.2020 12:41:49	1	1	1	1	94.25	61	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:41:50	1	1	1	1	94.25	61.5	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:41:51	1	1	1	1	94.25	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:41:52	1	1	1	1	94.25	61.5	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
20.03.2020 12:41:53	1	1	1	1	94.25	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:41:54	1	1	1	1	94.25	61.25	0	27867.299	561.2903226	15907.91727	30000	0	0	30000	42.125	2004
20.03.2020 12:41:55	1	1	1	1	94.25	62	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	41.1875	2004
20.03.2020 12:41:56	1	1	1	1	94.25	61	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	42.125	2004
20.03.2020 12:41:57	1	1	1	1	94.25	62	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.5	2004
20.03.2020 12:41:58	1	1	1	1	95	61.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.6875	2004
20.03.2020 12:41:59	1	1	1	1	95	61.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	41.625	2004
20.03.2020 12:42:06	1	1	1	1	95	62	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.875	2004
20.03.2020 12:42:06	1	1	1	1	95	62	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.875	2004
20.03.2020 12:42:06	1	1	1	1	95	62	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.875	2004
20.03.2020 12:42:06	1	1	1	1	95	62	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.875	2004
20.03.2020 12:42:06	1	1	1	1	95	62	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.875	2004
20.03.2020 12:42:06	1	1	1	1	95	62	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.875	2004
20.03.2020 12:42:06	1	1	1	1	95	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.9375	2004
20.03.2020 12:42:07	1	1	1	1	95	61.75	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:08	1	1	1	1	95	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:42:09	1	1	1	1	95	62	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	42	2004
20.03.2020 12:42:10	1	1	1	1	95	62	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.8125	2004
20.03.2020 12:42:11	1	1	1	1	95	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:42:12	1	1	1	1	95	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:42:13	1	1	1	1	95	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:14	1	1	1	1	95	62	0	27630.332	578.4946237	16153.34439	30000	0	0	30000	42.1875	2004
20.03.2020 12:42:15	1	1	1	1	95	62	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:42:16	1	1	1	1	95	62	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	42.375	2004
20.03.2020 12:42:17	1	1	1	1	95	62.25	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:18	1	1	1	1	95.75	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:42:19	1	1	1	1	95.75	62	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.9375	2004
20.03.2020 12:42:20	1	1	1	1	95.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:42:21	1	1	1	1	95.75	61.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	41.75	2004
20.03.2020 12:42:22	1	1	1	1	95.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:42:23	1	1	1	1	95.75	61.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:25	1	1	1	1	95.75	62	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.5	2004
20.03.2020 12:42:26	1	1	1	1	95.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:42:27	1	1	1	1	95.75	61.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.875	2004
20.03.2020 12:42:28	1	1	1	1	95.5	61.75	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	42	2004
20.03.2020 12:42:29	1	1	1	1	95.5	62	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:42:30	1	1	1	1	95.5	61.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	41.9375	2004
20.03.2020 12:42:31	1	1	1	1	95.5	61.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:42:32	1	1	1	1	95.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.5	2004
20.03.2020 12:42:33	1	1	1	1	95.5	61.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
20.03.2020 12:42:34	1	1	1	1	95.5	61.5	0	0	0	0	30000	0	8	30000	42.1875	2004
20.03.2020 12:42:35	1	1	1	1	95.5	62	0	10426.54	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 12:42:36	1	1	1	1	95.5	62	0	11327.014	0	0	30000	0	0	30000	42	2004
20.03.2020 12:42:37	1	1	1	1	95.5	62	0	12085.308	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 12:42:38	1	1	1	1	95.5	61.5	0	12843.602	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:39	1	1	1	1	95.5	62	0	13601.896	4.301075269	57.89144674	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:40	1	1	1	1	95.5	62	0	14407.583	10.75268817	154.920773	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:41	1	1	1	1	95.5	62	0	15165.877	15.05376344	195.6893974	30000	0	0	30000	42	2004
20.03.2020 12:42:42	1	1	1	1	95.5	62	0	15876.777	23.65591398	409.3169896	30000	0	0	30000	42	2004
20.03.2020 12:42:43	1	1	1	1	95.5	62	0	16729.858	32.25806452	538.9612154	30000	0	0	30000	42.125	2004
20.03.2020 12:42:44	1	1	1	1	95.5	62	0	17488.152	45.16129032	826.7877042	30000	0	0	30000	41.8125	2004
20.03.2020 12:42:45	1	1	1	1	95.5	61.75	0	18246.445	55.91397849	1020.030984	30000	0	0	30000	42.125	2004
20.03.2020 12:42:46	1	1	1	1	95.5	62	0	18909.953	70.96774194	1341.287745	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:47	1	1	1	1	95.5	62	0	19810.427	81.72043011	1572.038159	30000	0	0	30000	41.875	2004
20.03.2020 12:42:48	1	1	1	1	94	61.75	0	20426.54	103.2258065	1981.355149	30000	0	0	30000	41.9375	2004
20.03.2020 12:42:49	1	1	1	1	94	61.75	0	20995.261	113.9784946	2392.302884	30000	0	0	30000	42.125	2004
20.03.2020 12:42:50	1	1	1	1	94	62	0	21516.588	129.0322581	2757.589759	30000	0	0	30000	42.125	2004
20.03.2020 12:42:51	1	1	1	1	94	62	0	21943.128	141.9354839	3283.505015	30000	0	0	30000	42.125	2004
20.03.2020 12:42:52	1	1	1	1	94	62	0	22748.815	159.1397849	3669.176202	30000	0	0	30000	41.9375	2004
20.03.2020 12:42:53	1	1	1	1	94	61.75	0	22796.209	178.4946237	4068.708722	30000	0	0	30000	42.1875	2004
20.03.2020 12:42:54	1	1	1	1	94	62	0	23033.175	189.2473118	4358.981328	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:55	1	1	1	1	94	62	0	23270.142	206.4516129	4804.174707	30000	0	0	30000	42.3125	2004
20.03.2020 12:42:56	1	1	1	1	94	62	0	24218.009	227.9569892	5572.255592	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:57	1	1	1	1	94	62	0	25165.877	251.6129032	6319.952165	30000	0	0	30000	42.0625	2004
20.03.2020 12:42:58	1	1	1	1	94	62	0	24644.55	264.516129	6531.13364	30000	0	0	30000	42	2004
20.03.2020 12:42:59	1	1	1	1	94	62	0	25118.483	277.4193548	6955.127334	30000	0	0	30000	42	2004
20.03.2020 12:43:01	1	1	1	1	94	62	0	25450.237	294.6236559	7552.795369	30000	0	0	30000	41.9375	2004
20.03.2020 12:43:07	1	1	1	1	94	61.75	0	26682.464	384.9462366	10443.29084	30000	0	0	30000	42	2004
20.03.2020 12:43:07	1	1	1	1	94	61.75	0	26682.464	384.9462366	10443.29084	30000	0	0	30000	42	2004
20.03.2020 12:43:07	1	1	1	1	94	61.75	0	26682.464	384.9462366	10443.29084	30000	0	0	30000	42	2004
20.03.2020 12:43:07	1	1	1	1	94	61.75	0	26682.464	384.9462366	10443.29084	30000	0	0	30000	42	2004
20.03.2020 12:43:07	1	1	1	1	94	61.75	0	26682.464	384.9462366	10443.29084	30000	0	0	30000	42	2004
20.03.2020 12:43:07	1	1	1	1	94	61.75	0	26682.464	384.9462366	10443.29084	30000	0	0	30000	42	2004
20.03.2020 12:43:08	1	1	1	1	94.5	62	0	26587.678	400	10691.97945	30000	0	0	30000	41.875	2004
20.03.2020 12:43:09	1	1	1	1	94.5	61.75	0	26777.251	415.0537634	11074.38915	30000	0	0	30000	42.0625	2004
20.03.2020 12:43:10	1	1	1	1	94.5	62	0	27298.578	427.9569892	11682.65703	30000	0	0	30000	42	2004
20.03.2020 12:43:11	1	1	1	1	94.5	62	0	27345.972	445.1612903	12172.69589	30000	0	0	30000	42	2004
20.03.2020 12:43:12	1	1	1	1	94.5	62	0	27156.398	460.2150538	12563.25932	30000	0	0	30000	41.9375	2004
20.03.2020 12:43:13	1	1	1	1	94.5	61.75	0	27109.005	481.7204301	13059.00579	30000	0	0	30000	41.875	2004
20.03.2020 12:43:14	1	1	1	1	94.5	61.75	0	27535.545	490.3225806	13513.16827	30000	0	0	30000	41.8125	2004
20.03.2020 12:43:15	1	1	1	1	94.5	61.75	0	27630.332	496.7741935	13785.50268	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:43:16	1	1	1	1	94.5	61.75	0	27914.692	520.4301075	14587.01383	30000	0	0	30000	41.6875	2004
20.03.2020 12:43:17	1	1	1	1	94.5	61.5	0	27630.332	535.483871	14736.227	30000	0	0	30000	41.3125	2004
20.03.2020 12:43:18	1	1	1	1	94.25	61.25	0	27630.332	537.6344086	14794.93382	30000	0	0	30000	42	2004
20.03.2020 12:43:19	1	1	1	1	94.25	62	0	27867.299	546.2365591	15368.14068	30000	0	0	30000	41.9375	2004
20.03.2020 12:43:20	1	1	1	1	94.25	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41	2004
20.03.2020 12:43:21	1	1	1	1	94.25	61	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	41.9375	2004
20.03.2020 12:43:22	1	1	1	1	94.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:43:23	1	1	1	1	94.25	62	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:43:24	1	1	1	1	94.25	61.5	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	41.9375	2004
20.03.2020 12:43:25	1	1	1	1	94.25	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:43:26	1	1	1	1	94.25	61.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.875	2004
20.03.2020 12:43:27	1	1	1	1	94.25	61.75	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	41.875	2004
20.03.2020 12:43:28	1	1	1	1	93.75	61.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.5625	2004
20.03.2020 12:43:29	1	1	1	1	93.75	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 12:43:30	1	1	1	1	93.75	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:43:31	1	1	1	1	93.75	62	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	41.875	2004
20.03.2020 12:43:32	1	1	1	1	93.75	61.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.875	2004
20.03.2020 12:43:33	1	1	1	1	93.75	61.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.9375	2004
20.03.2020 12:43:34	1	1	1	1	93.75	61.75	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	41.875	2004
20.03.2020 12:43:35	1	1	1	1	93.75	61.75	0	28009.479	563.4408602	16252.00446	30000	0	0	30000	41.9375	2004
20.03.2020 12:43:36	1	1	1	1	93.75	61.75	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:43:37	1	1	1	1	93.75	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 12:43:38	1	1	1	1	93.5	62	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	42	2004
20.03.2020 12:43:39	1	1	1	1	93.5	61.75	0	28199.052	574.1935484	16009.83883	30000	0	0	30000	41.9375	2004
20.03.2020 12:43:40	1	1	1	1	93.5	61.75	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:43:41	1	1	1	1	93.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:43:43	1	1	1	1	93.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.1875	2004
20.03.2020 12:43:44	1	1	1	1	93.5	62	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:43:45	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:43:46	1	1	1	1	93.5	62	0	28009.479	578.4946237	16022.06942	30000	0	0	30000	41.625	2004
20.03.2020 12:43:47	1	1	1	1	93.5	61.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.5625	2004
20.03.2020 12:43:48	1	1	1	1	95.25	61.5	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	42.0625	2004
20.03.2020 12:43:49	1	1	1	1	95.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.25	2004
20.03.2020 12:43:50	1	1	1	1	95.25	61.25	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	41.75	2004
20.03.2020 12:43:51	1	1	1	1	95.25	61.75	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	41.8125	2004
20.03.2020 12:43:52	1	1	1	1	95.25	61.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.8125	2004
20.03.2020 12:43:53	1	1	1	1	95.25	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.4375	2004
20.03.2020 12:43:54	1	1	1	1	95.25	61.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 12:43:55	1	1	1	1	95.25	61.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.9375	2004
20.03.2020 12:43:56	1	1	1	1	95.25	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.875	2004
20.03.2020 12:43:57	1	1	1	1	95.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:43:58	1	1	1	1	94	61.5	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	41.3125	2004
20.03.2020 12:43:59	1	1	1	1	94	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:44:00	1	1	1	1	94	62	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.9375	2004
20.03.2020 12:44:01	1	1	1	1	94	61.75	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.9375	2004
20.03.2020 12:44:02	1	1	1	1	94	61.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.125	2004
20.03.2020 12:44:09	1	1	1	1	94	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:44:09	1	1	1	1	94	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:44:09	1	1	1	1	94	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:44:09	1	1	1	1	94	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:44:09	1	1	1	1	94	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:44:09	1	1	1	1	94	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
20.03.2020 12:44:09	1	1	1	1	94	61.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	42.0625	2004
20.03.2020 12:44:10	1	1	1	1	94	62	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.875	2004
20.03.2020 12:44:11	1	1	1	1	94	61.75	0	27962.085	565.5913978	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:44:12	1	1	1	1	94	62	0	27914.692	567.7419355	15934.82456	30000	0	0	30000	41.6875	2004
20.03.2020 12:44:13	1	1	1	1	94	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:44:14	1	1	1	1	94	61.5	0	28436.019	567.7419355	16144.37529	30000	0	0	30000	42	2004
20.03.2020 12:44:15	1	1	1	1	94	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:44:16	1	1	1	1	94	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:44:17	1	1	1	1	94	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.25	2004
20.03.2020 12:44:18	1	1	1	1	94.5	62.25	0	28009.479	569.8924731	16252.00446	30000	0	0	30000	41.75	2004
20.03.2020 12:44:19	1	1	1	1	94.5	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:44:20	1	1	1	1	94.5	61.5	0	28293.839	569.8924731	16185.14391	30000	0	0	30000	41.3125	2004
20.03.2020 12:44:21	1	1	1	1	94.5	61.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:44:22	1	1	1	1	94.5	61.5	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:44:24	1	1	1	1	94.5	61.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:44:25	1	1	1	1	94.5	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:44:26	1	1	1	1	94.5	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.0625	2004
20.03.2020 12:44:27	1	1	1	1	94.5	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:44:28	1	1	1	1	93.75	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:44:29	1	1	1	1	93.75	61.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:44:30	1	1	1	1	93.75	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.25	2004
20.03.2020 12:44:31	1	1	1	1	93.75	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.25	2004
20.03.2020 12:44:32	1	1	1	1	93.75	61.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.3125	2004
20.03.2020 12:44:33	1	1	1	1	93.75	61.25	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:44:34	1	1	1	1	93.75	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:44:35	1	1	1	1	93.75	62	0	28009.479	563.4408602	16130.51396	30000	0	0	30000	41.5625	2004
20.03.2020 12:44:36	1	1	1	1	93.75	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:44:37	1	1	1	1	93.75	62	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.875	2004
20.03.2020 12:44:38	1	1	1	1	93.75	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42	2004
20.03.2020 12:44:39	1	1	1	1	93.75	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:44:40	1	1	1	1	93.75	61.5	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:44:41	1	1	1	1	93.75	61.75	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:44:42	1	1	1	1	93.75	61.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.375	2004
20.03.2020 12:44:43	1	1	1	1	93.75	61.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:44:44	1	1	1	1	93.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:44:45	1	1	1	1	93.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:44:46	1	1	1	1	93.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:44:47	1	1	1	1	93.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:44:48	1	1	1	1	93.5	62	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	42	2004
20.03.2020 12:44:49	1	1	1	1	93.5	62	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:44:50	1	1	1	1	93.5	62	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.8125	2004
20.03.2020 12:44:51	1	1	1	1	93.5	61.75	0	28862.559	552.688172	15677.98222	30000	0	0	30000	42	2004
20.03.2020 12:44:52	1	1	1	1	93.5	62	0	29289.1	548.3870968	16061.20729	30000	0	0	30000	42.125	2004
20.03.2020 12:44:53	1	1	1	1	93.5	62	0	28957.346	541.9354839	15942.16291	30000	0	0	30000	41.875	2004
20.03.2020 12:44:54	1	1	1	1	93.5	61.75	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	42.0625	2004
20.03.2020 12:44:55	1	1	1	1	93.5	62	0	28199.052	561.2903226	15881.00997	30000	0	0	30000	41.8125	2004
20.03.2020 12:44:56	1	1	1	1	93.5	61.75	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.8125	2004
20.03.2020 12:44:57	1	1	1	1	93.5	61.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	42	2004
20.03.2020 12:44:58	1	1	1	1	93.5	62	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.8125	2004
20.03.2020 12:44:59	1	1	1	1	93.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:45:00	1	1	1	1	93.5	61.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
20.03.2020 12:45:01	1	1	1	1	93.5	61.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:03	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:45:04	1	1	1	1	93.5	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:45:10	1	1	1	1	94	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:45:10	1	1	1	1	94	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:45:10	1	1	1	1	94	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:45:10	1	1	1	1	94	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:45:10	1	1	1	1	94	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:45:10	1	1	1	1	94	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
20.03.2020 12:45:11	1	1	1	1	94	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.0625	2004
20.03.2020 12:45:12	1	1	1	1	94	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.5625	2004
20.03.2020 12:45:13	1	1	1	1	94	61.5	0	28815.166	550.5376344	16075.884	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:14	1	1	1	1	94	61.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.0625	2004
20.03.2020 12:45:15	1	1	1	1	94	62	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.375	2004
20.03.2020 12:45:16	1	1	1	1	94	61.25	0	28246.445	567.7419355	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:45:17	1	1	1	1	94	62	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	42.125	2004
20.03.2020 12:45:18	1	1	1	1	93.25	62	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.75	2004
20.03.2020 12:45:19	1	1	1	1	93.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004
20.03.2020 12:45:20	1	1	1	1	93.25	60.5	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	42.0625	2004
20.03.2020 12:45:21	1	1	1	1	93.25	62	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:45:22	1	1	1	1	93.25	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:23	1	1	1	1	93.25	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:45:24	1	1	1	1	93.25	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.375	2004
20.03.2020 12:45:25	1	1	1	1	93.25	61.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.875	2004
20.03.2020 12:45:26	1	1	1	1	93.25	61.75	0	27819.905	576.344086	16120.72949	30000	0	0	30000	42.0625	2004
20.03.2020 12:45:27	1	1	1	1	93.25	62	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:45:28	1	1	1	1	92.75	61.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.5	2004
20.03.2020 12:45:29	1	1	1	1	92.75	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:30	1	1	1	1	92.75	61.75	0	27962.085	563.4408602	16022.06942	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:31	1	1	1	1	92.75	61.75	0	27914.692	561.2903226	16022.06942	30000	0	0	30000	41.8125	2004
20.03.2020 12:45:32	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:45:33	1	1	1	1	92.75	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:34	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.1875	2004
20.03.2020 12:45:35	1	1	1	1	92.75	61	0	28341.232	565.5913978	16117.468	30000	0	0	30000	42.25	2004
20.03.2020 12:45:36	1	1	1	1	92.75	62.25	0	27962.085	576.344086	15907.91727	30000	0	0	30000	41.4375	2004
20.03.2020 12:45:37	1	1	1	1	93.5	62	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.875	2004
20.03.2020 12:45:39	1	1	1	1	93.5	61.75	0	28009.479	563.4408602	16082.40698	30000	0	0	30000	42.125	2004
20.03.2020 12:45:40	1	1	1	1	93.5	62	0	28009.479	563.4408602	15721.19697	30000	0	0	30000	41.875	2004
20.03.2020 12:45:41	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:42	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42	2004
20.03.2020 12:45:43	1	1	1	1	93.5	62	0	28199.052	576.344086	16252.00446	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:44	1	1	1	1	93.5	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:45:45	1	1	1	1	93.5	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:46	1	1	1	1	93.5	61.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.4375	2004
20.03.2020 12:45:47	1	1	1	1	93.5	61.25	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	42	2004
20.03.2020 12:45:48	1	1	1	1	93.5	62	0	28388.626	563.4408602	16144.37529	30000	0	0	30000	42.0625	2004
20.03.2020 12:45:49	1	1	1	1	93.5	62	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:50	1	1	1	1	93.5	61.75	0	27867.299	580.6451613	15864.70252	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:51	1	1	1	1	93.5	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:45:52	1	1	1	1	93.5	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.75	2004
20.03.2020 12:45:53	1	1	1	1	93.5	61.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.875	2004
20.03.2020 12:45:54	1	1	1	1	93.5	61.75	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	41.6875	2004
20.03.2020 12:45:55	1	1	1	1	93.5	61.5	0	28862.559	556.9892473	15863.88715	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:56	1	1	1	1	93.5	61.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.9375	2004
20.03.2020 12:45:57	1	1	1	1	93.5	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.875	2004
20.03.2020 12:45:58	1	1	1	1	93.5	61.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.75	2004
20.03.2020 12:45:59	1	1	1	1	93.5	61.75	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:46:00	1	1	1	1	93.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42	2004
20.03.2020 12:46:01	1	1	1	1	93.5	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.375	2004
20.03.2020 12:46:02	1	1	1	1	93.5	61.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.5	2004
20.03.2020 12:46:03	1	1	1	1	93.5	61.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	41.875	2004
20.03.2020 12:46:04	1	1	1	1	93.5	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:46:05	1	1	1	1	93.5	62	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.75	2004
20.03.2020 12:46:12	1	1	1	1	92.75	62	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:12	1	1	1	1	92.75	62	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:12	1	1	1	1	92.75	62	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:12	1	1	1	1	92.75	62	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:12	1	1	1	1	92.75	62	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:12	1	1	1	1	92.75	62	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:46:12	1	1	1	1	92.75	61.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	42.25	2004
20.03.2020 12:46:13	1	1	1	1	92.75	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.9375	2004
20.03.2020 12:46:14	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:46:15	1	1	1	1	92.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:46:17	1	1	1	1	92.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:46:18	1	1	1	1	93.25	62	0	27867.299	576.344086	15973.96244	30000	0	0	30000	41.9375	2004
20.03.2020 12:46:19	1	1	1	1	93.25	61.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	42	2004
20.03.2020 12:46:20	1	1	1	1	93.25	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.5	2004
20.03.2020 12:46:21	1	1	1	1	93.25	61.5	0	28293.839	556.9892473	15907.10189	30000	0	0	30000	41.5	2004
20.03.2020 12:46:22	1	1	1	1	93.25	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:46:23	1	1	1	1	93.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:46:24	1	1	1	1	93.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:46:25	1	1	1	1	93.25	61.75	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	41.625	2004
20.03.2020 12:46:26	1	1	1	1	93.25	61.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:46:27	1	1	1	1	93.25	62	0	28246.445	561.2903226	15827.19539	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:28	1	1	1	1	93.5	61.25	0	28530.806	561.2903226	15864.70252	30000	0	0	30000	41.5625	2004
20.03.2020 12:46:29	1	1	1	1	93.5	61.5	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	41.875	2004
20.03.2020 12:46:30	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:31	1	1	1	1	93.5	61.25	0	27630.332	567.7419355	15800.2881	30000	0	0	30000	41.6875	2004
20.03.2020 12:46:32	1	1	1	1	93.5	61.5	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.75	2004
20.03.2020 12:46:33	1	1	1	1	93.5	61.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.75	2004
20.03.2020 12:46:34	1	1	1	1	93.5	61.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:35	1	1	1	1	93.5	61.25	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:46:36	1	1	1	1	93.5	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.9375	2004
20.03.2020 12:46:37	1	1	1	1	93.5	60.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:38	1	1	1	1	92.75	61.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:46:39	1	1	1	1	92.75	61.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	42	2004
20.03.2020 12:46:40	1	1	1	1	92.75	62	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.125	2004
20.03.2020 12:46:41	1	1	1	1	92.75	61	0	28009.479	574.1935484	16312.34202	30000	0	0	30000	41.875	2004
20.03.2020 12:46:42	1	1	1	1	92.75	61.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	41.5625	2004
20.03.2020 12:46:43	1	1	1	1	92.75	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:46:44	1	1	1	1	92.75	62	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:46:45	1	1	1	1	92.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:46:46	1	1	1	1	92.75	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:46:47	1	1	1	1	92.75	61.25	0	27962.085	569.8924731	15727.71995	30000	0	0	30000	41.6875	2004
20.03.2020 12:46:48	1	1	1	1	93.25	61.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42.125	2004
20.03.2020 12:46:49	1	1	1	1	93.25	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:46:50	1	1	1	1	93.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:46:51	1	1	1	1	93.25	61.75	0	28199.052	569.8924731	16312.34202	30000	0	0	30000	41.75	2004
20.03.2020 12:46:52	1	1	1	1	93.25	61.75	0	28009.479	576.344086	16022.06942	30000	0	0	30000	41.625	2004
20.03.2020 12:46:54	1	1	1	1	93.25	61.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:46:55	1	1	1	1	93.25	62	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:46:56	1	1	1	1	93.25	61.75	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:46:57	1	1	1	1	93.25	62	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	41.5625	2004
20.03.2020 12:46:58	1	1	1	1	93.25	61.5	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	41.625	2004
20.03.2020 12:46:59	1	1	1	1	93.25	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:47:00	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.9375	2004
20.03.2020 12:47:01	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.3125	2004
20.03.2020 12:47:02	1	1	1	1	93.25	61.25	0	27962.085	569.8924731	15668.19776	30000	0	0	30000	41.8125	2004
20.03.2020 12:47:03	1	1	1	1	93.25	61.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:47:04	1	1	1	1	93.25	62	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	42.125	2004
20.03.2020 12:47:05	1	1	1	1	93.25	62	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	42.0625	2004
20.03.2020 12:47:06	1	1	1	1	93.25	62	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	41.75	2004
20.03.2020 12:47:07	1	1	1	1	93.25	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.9375	2004
20.03.2020 12:47:13	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:47:13	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:47:13	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:47:13	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:47:13	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:47:13	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:47:13	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:47:14	1	1	1	1	93.5	61.5	0	27772.512	572.0430108	15805.18033	30000	0	0	30000	42.0625	2004
20.03.2020 12:47:15	1	1	1	1	93.5	62	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	42	2004
20.03.2020 12:47:16	1	1	1	1	93.5	62	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	42.0625	2004
20.03.2020 12:47:17	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:47:18	1	1	1	1	93.25	61.75	0	27962.085	574.1935484	15995.16212	30000	0	0	30000	42.125	2004
20.03.2020 12:47:19	1	1	1	1	93.25	62	0	28009.479	578.4946237	16142.74454	30000	0	0	30000	42	2004
20.03.2020 12:47:20	1	1	1	1	93.25	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.8125	2004
20.03.2020 12:47:21	1	1	1	1	93.25	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.9375	2004
20.03.2020 12:47:22	1	1	1	1	93.25	61.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.75	2004
20.03.2020 12:47:23	1	1	1	1	93.25	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:47:24	1	1	1	1	93.25	62	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:47:25	1	1	1	1	93.25	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:47:26	1	1	1	1	93.25	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.3125	2004
20.03.2020 12:47:27	1	1	1	1	93.25	62.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.375	2004
20.03.2020 12:47:28	1	1	1	1	93.5	61.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.25	2004
20.03.2020 12:47:29	1	1	1	1	93.5	61.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 12:47:30	1	1	1	1	93.5	61.75	0	27819.905	569.8924731	15881.00997	30000	0	0	30000	42.0625	2004
20.03.2020 12:47:32	1	1	1	1	93.5	62	0	27867.299	574.1935484	15854.10268	30000	0	0	30000	41.9375	2004
20.03.2020 12:47:33	1	1	1	1	93.5	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.625	2004
20.03.2020 12:47:34	1	1	1	1	93.5	61.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	41.6875	2004
20.03.2020 12:47:35	1	1	1	1	93.5	61.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:47:36	1	1	1	1	93.5	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:47:37	1	1	1	1	93.5	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.875	2004
20.03.2020 12:47:38	1	1	1	1	93.5	61.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.875	2004
20.03.2020 12:47:39	1	1	1	1	93.5	61.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42.0625	2004
20.03.2020 12:47:40	1	1	1	1	93.5	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:47:41	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:47:42	1	1	1	1	93.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:47:43	1	1	1	1	93.5	61.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	41.4375	2004
20.03.2020 12:47:46	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:47:46	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:47:46	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.0625	2004
20.03.2020 12:47:47	1	1	1	1	93.5	62	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.875	2004
20.03.2020 12:47:48	1	1	1	1	93.75	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:47:49	1	1	1	1	93.75	61.75	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	41.4375	2004
20.03.2020 12:47:50	1	1	1	1	93.75	61.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42.0625	2004
20.03.2020 12:47:51	1	1	1	1	93.75	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.4375	2004
20.03.2020 12:47:52	1	1	1	1	93.75	61.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.6875	2004
20.03.2020 12:47:53	1	1	1	1	93.75	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.6875	2004
20.03.2020 12:47:54	1	1	1	1	93.75	61.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.625	2004
20.03.2020 12:47:55	1	1	1	1	93.75	61.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.8125	2004
20.03.2020 12:47:56	1	1	1	1	93.75	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.75	2004
20.03.2020 12:47:57	1	1	1	1	93.75	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42.0625	2004
20.03.2020 12:47:58	1	1	1	1	93.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:47:59	1	1	1	1	93.5	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.75	2004
20.03.2020 12:48:00	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:48:01	1	1	1	1	93.5	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:48:02	1	1	1	1	93.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.8125	2004
20.03.2020 12:48:03	1	1	1	1	93.5	60.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:48:04	1	1	1	1	93.5	61.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:48:05	1	1	1	1	93.5	62	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.8125	2004
20.03.2020 12:48:06	1	1	1	1	93.5	61.75	0	28199.052	572.0430108	15902.20966	30000	0	0	30000	41.8125	2004
20.03.2020 12:48:07	1	1	1	1	93.5	61.75	0	28341.232	569.8924731	16117.468	30000	0	0	30000	42.125	2004
20.03.2020 12:48:08	1	1	1	1	94.25	62	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.0625	2004
20.03.2020 12:48:15	1	1	1	1	94.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:48:15	1	1	1	1	94.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:48:15	1	1	1	1	94.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:48:15	1	1	1	1	94.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:48:15	1	1	1	1	94.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:48:15	1	1	1	1	94.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:48:16	1	1	1	1	94.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:48:17	1	1	1	1	94.25	61.75	0	27867.299	569.8924731	15761.15022	30000	0	0	30000	42	2004
20.03.2020 12:48:18	1	1	1	1	95.25	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.625	2004
20.03.2020 12:48:19	1	1	1	1	95.25	61.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	42.1875	2004
20.03.2020 12:48:20	1	1	1	1	95.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:48:21	1	1	1	1	95.25	61.75	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	41.9375	2004
20.03.2020 12:48:22	1	1	1	1	95.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:48:23	1	1	1	1	95.25	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:48:24	1	1	1	1	95.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:48:25	1	1	1	1	95.25	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	42	2004
20.03.2020 12:48:26	1	1	1	1	95.25	62	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	41.4375	2004
20.03.2020 12:48:27	1	1	1	1	95.25	61.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:48:28	1	1	1	1	94.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:48:29	1	1	1	1	94.25	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
20.03.2020 12:48:30	1	1	1	1	94.25	62	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	42.1875	2004
20.03.2020 12:48:31	1	1	1	1	94.25	62	0	27962.085	576.344086	16055.49969	30000	0	0	30000	41.4375	2004
20.03.2020 12:48:32	1	1	1	1	94.25	61.25	0	27819.905	569.8924731	15745.65814	30000	0	0	30000	42	2004
20.03.2020 12:48:33	1	1	1	1	94.25	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:48:34	1	1	1	1	94.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:48:35	1	1	1	1	94.25	62	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	41.8125	2004
20.03.2020 12:48:36	1	1	1	1	94.25	61.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	42.0625	2004
20.03.2020 12:48:37	1	1	1	1	94.25	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.25	2004
20.03.2020 12:48:38	1	1	1	1	93.25	61.25	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	41.4375	2004
20.03.2020 12:48:39	1	1	1	1	93.25	61.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.625	2004
20.03.2020 12:48:40	1	1	1	1	93.25	61.5	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.6875	2004
20.03.2020 12:48:41	1	1	1	1	93.25	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.6875	2004
20.03.2020 12:48:42	1	1	1	1	93.25	61.5	0	28009.479	574.1935484	16070.17639	30000	0	0	30000	42.125	2004
20.03.2020 12:48:43	1	1	1	1	93.25	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.1875	2004
20.03.2020 12:48:44	1	1	1	1	93.25	62	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	41.75	2004
20.03.2020 12:48:45	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
20.03.2020 12:48:46	1	1	1	1	93.25	62	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	42.0625	2004
20.03.2020 12:48:47	1	1	1	1	93.25	62	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	42.125	2004
20.03.2020 12:48:48	1	1	1	1	94	62	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	42.125	2004
20.03.2020 12:48:49	1	1	1	1	94	62	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	42.1875	2004
20.03.2020 12:48:50	1	1	1	1	94	62	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:48:52	1	1	1	1	94	62.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:48:53	1	1	1	1	94	61.5	0	27914.692	567.7419355	15875.30237	30000	0	0	30000	42.0625	2004
20.03.2020 12:48:54	1	1	1	1	94	62	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	42.125	2004
20.03.2020 12:48:55	1	1	1	1	94	62	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	41.9375	2004
20.03.2020 12:48:56	1	1	1	1	94	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.6875	2004
20.03.2020 12:48:57	1	1	1	1	94	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:48:58	1	1	1	1	94	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:48:59	1	1	1	1	94	62	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:49:00	1	1	1	1	94	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:49:01	1	1	1	1	94	61.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.6875	2004
20.03.2020 12:49:02	1	1	1	1	94	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:49:03	1	1	1	1	94	62	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:04	1	1	1	1	94	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	42.0625	2004
20.03.2020 12:49:05	1	1	1	1	94	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42.0625	2004
20.03.2020 12:49:06	1	1	1	1	94	62	0	27819.905	574.1935484	15924.22472	30000	0	0	30000	41.9375	2004
20.03.2020 12:49:07	1	1	1	1	94	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.9375	2004
20.03.2020 12:49:08	1	1	1	1	95.25	61.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:49:09	1	1	1	1	95.25	62	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	41.375	2004
20.03.2020 12:49:10	1	1	1	1	95.25	61.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	42	2004
20.03.2020 12:49:17	1	1	1	1	95.25	61.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:17	1	1	1	1	95.25	61.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:17	1	1	1	1	95.25	61.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:17	1	1	1	1	95.25	61.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:17	1	1	1	1	95.25	61.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:17	1	1	1	1	95.25	61.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:17	1	1	1	1	95.25	61.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:17	1	1	1	1	95.25	61.75	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	41.75	2004
20.03.2020 12:49:18	1	1	1	1	94.5	61.75	0	27867.299	578.4946237	16033.48463	30000	0	0	30000	42	2004
20.03.2020 12:49:19	1	1	1	1	94.5	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.1875	2004
20.03.2020 12:49:20	1	1	1	1	94.5	62	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	42	2004
20.03.2020 12:49:21	1	1	1	1	94.5	62	0	28009.479	576.344086	16055.49969	30000	0	0	30000	41.125	2004
20.03.2020 12:49:22	1	1	1	1	94.5	61	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	42.125	2004
20.03.2020 12:49:23	1	1	1	1	94.5	62	0	27772.512	572.0430108	15745.65814	30000	0	0	30000	41.6875	2004
20.03.2020 12:49:24	1	1	1	1	94.5	61.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.875	2004
20.03.2020 12:49:25	1	1	1	1	94.5	61.75	0	27914.692	576.344086	16000.86973	30000	0	0	30000	41.875	2004
20.03.2020 12:49:26	1	1	1	1	94.5	61.75	0	27630.332	576.344086	16038.37687	30000	0	0	30000	41.75	2004
20.03.2020 12:49:27	1	1	1	1	94.5	61.75	0	27962.085	578.4946237	16088.11459	30000	0	0	30000	42.1875	2004
20.03.2020 12:49:28	1	1	1	1	93.75	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.6875	2004
20.03.2020 12:49:29	1	1	1	1	93.75	61.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	42.0625	2004
20.03.2020 12:49:31	1	1	1	1	93.75	62.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	42	2004
20.03.2020 12:49:32	1	1	1	1	93.75	62	0	27630.332	576.344086	15745.65814	30000	0	0	30000	42.125	2004
20.03.2020 12:49:33	1	1	1	1	93.75	62	0	27867.299	576.344086	16093.00682	30000	0	0	30000	42.0625	2004
20.03.2020 12:49:34	1	1	1	1	93.75	62	0	27819.905	584.9462366	15864.70252	30000	0	0	30000	41.6875	2004
20.03.2020 12:49:35	1	1	1	1	93.75	61.5	0	27867.299	576.344086	16027.77702	30000	0	0	30000	41.9375	2004
20.03.2020 12:49:36	1	1	1	1	93.75	61.75	0	27630.332	576.344086	15956.02424	30000	0	0	30000	41.3125	2004
20.03.2020 12:49:37	1	1	1	1	93.75	61.25	0	27725.118	572.0430108	15919.33248	30000	0	0	30000	41.875	2004
20.03.2020 12:49:38	1	1	1	1	94	61.75	0	27819.905	578.4946237	15924.22472	30000	0	0	30000	42.0625	2004
20.03.2020 12:49:39	1	1	1	1	94	62	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	41.4375	2004
20.03.2020 12:49:40	1	1	1	1	94	61.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:41	1	1	1	1	94	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.875	2004
20.03.2020 12:49:42	1	1	1	1	94	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42	2004
20.03.2020 12:49:43	1	1	1	1	94	62	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	41.75	2004
20.03.2020 12:49:44	1	1	1	1	94	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	40.9375	2004
20.03.2020 12:49:45	1	1	1	1	94	60.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	42	2004
20.03.2020 12:49:46	1	1	1	1	94	62	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.5	2004
20.03.2020 12:49:47	1	1	1	1	94	61.5	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	41.9375	2004
20.03.2020 12:49:48	1	1	1	1	94	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:49:49	1	1	1	1	94	61.75	0	28199.052	576.344086	16142.74454	30000	0	0	30000	42.0625	2004
20.03.2020 12:49:50	1	1	1	1	94	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:49:51	1	1	1	1	94	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.4375	2004
20.03.2020 12:49:52	1	1	1	1	94	61.25	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:49:53	1	1	1	1	94	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.875	2004
20.03.2020 12:49:54	1	1	1	1	94	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.0625	2004
20.03.2020 12:49:55	1	1	1	1	94	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:49:56	1	1	1	1	94	61.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.875	2004
20.03.2020 12:49:57	1	1	1	1	94	61.75	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	41.9375	2004
20.03.2020 12:49:58	1	1	1	1	93.5	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.5	2004
20.03.2020 12:49:59	1	1	1	1	93.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5	2004
20.03.2020 12:50:00	1	1	1	1	93.5	61.5	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:50:01	1	1	1	1	93.5	61.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	42	2004
20.03.2020 12:50:02	1	1	1	1	93.5	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:03	1	1	1	1	93.5	61.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	42.125	2004
20.03.2020 12:50:04	1	1	1	1	93.5	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.875	2004
20.03.2020 12:50:05	1	1	1	1	93.5	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:50:06	1	1	1	1	93.5	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.6875	2004
20.03.2020 12:50:07	1	1	1	1	93.5	61.5	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	42.0625	2004
20.03.2020 12:50:08	1	1	1	1	92.75	62	0	27962.085	576.344086	16027.77702	30000	0	0	30000	42.1875	2004
20.03.2020 12:50:10	1	1	1	1	92.75	62	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:11	1	1	1	1	92.75	62	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	42.0625	2004
20.03.2020 12:50:12	1	1	1	1	92.75	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.875	2004
20.03.2020 12:50:18	1	1	1	1	93.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:18	1	1	1	1	93.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:18	1	1	1	1	93.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:18	1	1	1	1	93.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:18	1	1	1	1	93.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:18	1	1	1	1	93.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:19	1	1	1	1	93.25	61.75	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	42.125	2004
20.03.2020 12:50:20	1	1	1	1	93.25	62	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.375	2004
20.03.2020 12:50:21	1	1	1	1	93.25	61.25	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	42.1875	2004
20.03.2020 12:50:22	1	1	1	1	93.25	62	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	42.1875	2004
20.03.2020 12:50:23	1	1	1	1	93.25	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:24	1	1	1	1	93.25	61.75	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	42.1875	2004
20.03.2020 12:50:25	1	1	1	1	93.25	62	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	41.75	2004
20.03.2020 12:50:26	1	1	1	1	93.25	61.75	0	27914.692	576.344086	16027.77702	30000	0	0	30000	41.625	2004
20.03.2020 12:50:27	1	1	1	1	93.25	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.6875	2004
20.03.2020 12:50:28	1	1	1	1	93.75	61.5	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	41.9375	2004
20.03.2020 12:50:29	1	1	1	1	93.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:50:30	1	1	1	1	93.75	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.5	2004
20.03.2020 12:50:31	1	1	1	1	93.75	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:50:32	1	1	1	1	93.75	62	0	28199.052	561.2903226	16063.65341	30000	0	0	30000	42.0625	2004
20.03.2020 12:50:33	1	1	1	1	93.75	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42.125	2004
20.03.2020 12:50:34	1	1	1	1	93.75	62	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	42.0625	2004
20.03.2020 12:50:35	1	1	1	1	93.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 12:50:36	1	1	1	1	93.75	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:50:37	1	1	1	1	93.75	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:38	1	1	1	1	94.25	61.75	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	42.125	2004
20.03.2020 12:50:39	1	1	1	1	94.25	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.0625	2004
20.03.2020 12:50:40	1	1	1	1	94.25	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
20.03.2020 12:50:41	1	1	1	1	94.25	62	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.8125	2004
20.03.2020 12:50:42	1	1	1	1	94.25	61.75	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	41.9375	2004
20.03.2020 12:50:43	1	1	1	1	94.25	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.625	2004
20.03.2020 12:50:44	1	1	1	1	94.25	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.3125	2004
20.03.2020 12:50:45	1	1	1	1	94.25	62.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:50:47	1	1	1	1	94.25	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.5	2004
20.03.2020 12:50:48	1	1	1	1	93.5	62	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	42.1875	2004
20.03.2020 12:50:49	1	1	1	1	93.5	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42.125	2004
20.03.2020 12:50:50	1	1	1	1	93.5	62	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	42.0625	2004
20.03.2020 12:50:51	1	1	1	1	93.5	62	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.0625	2004
20.03.2020 12:50:52	1	1	1	1	93.5	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.75	2004
20.03.2020 12:50:53	1	1	1	1	93.5	61.75	0	27914.692	567.7419355	15968.25483	30000	0	0	30000	42	2004
20.03.2020 12:50:54	1	1	1	1	93.5	62	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.625	2004
20.03.2020 12:50:55	1	1	1	1	93.5	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:50:56	1	1	1	1	93.5	62	0	27819.905	563.4408602	15614.38317	30000	0	0	30000	42.0625	2004
20.03.2020 12:50:57	1	1	1	1	93.5	62	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.875	2004
20.03.2020 12:50:58	1	1	1	1	93.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:50:59	1	1	1	1	93.75	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 12:51:00	1	1	1	1	93.75	62	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:51:01	1	1	1	1	93.75	61.5	0	28009.479	565.5913978	15781.53453	30000	0	0	30000	41.875	2004
20.03.2020 12:51:02	1	1	1	1	93.75	61.75	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	42	2004
20.03.2020 12:51:03	1	1	1	1	93.75	62	0	28483.412	567.7419355	16171.28258	30000	0	0	30000	42.125	2004
20.03.2020 12:51:04	1	1	1	1	93.75	62	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.8125	2004
20.03.2020 12:51:05	1	1	1	1	93.75	61.75	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	42.0625	2004
20.03.2020 12:51:06	1	1	1	1	93.75	62	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:51:07	1	1	1	1	93.75	62	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	41.75	2004
20.03.2020 12:51:08	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:51:09	1	1	1	1	93.5	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:51:10	1	1	1	1	93.5	61.75	0	28436.019	559.1397849	16232.43552	30000	0	0	30000	41.875	2004
20.03.2020 12:51:11	1	1	1	1	93.5	61.75	0	28341.232	556.9892473	16083.22235	30000	0	0	30000	41.9375	2004
20.03.2020 12:51:12	1	1	1	1	93.5	61.75	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	42.125	2004
20.03.2020 12:51:13	1	1	1	1	93.5	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5	2004
20.03.2020 12:51:20	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:51:20	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:51:20	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:51:20	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:51:20	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:51:20	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:51:20	1	1	1	1	92.75	62	0	28009.479	567.7419355	15781.53453	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:51:21	1	1	1	1	92.75	61.75	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:51:22	1	1	1	1	92.75	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.0625	2004
20.03.2020 12:51:24	1	1	1	1	92.75	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.25	2004
20.03.2020 12:51:25	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	16312.34202	30000	0	0	30000	41.9375	2004
20.03.2020 12:51:26	1	1	1	1	92.75	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.5625	2004
20.03.2020 12:51:27	1	1	1	1	92.75	61.5	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 12:51:28	1	1	1	1	92.25	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.875	2004
20.03.2020 12:51:29	1	1	1	1	92.25	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
20.03.2020 12:51:30	1	1	1	1	92.25	62	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	41.6875	2004
20.03.2020 12:51:31	1	1	1	1	92.25	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:51:32	1	1	1	1	92.25	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:51:33	1	1	1	1	92.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:51:34	1	1	1	1	92.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:51:35	1	1	1	1	92.25	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
20.03.2020 12:51:36	1	1	1	1	92.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 12:51:37	1	1	1	1	92.25	61.5	0	28341.232	567.7419355	16117.468	30000	0	0	30000	41.75	2004
20.03.2020 12:51:38	1	1	1	1	92.75	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42.0625	2004
20.03.2020 12:51:39	1	1	1	1	92.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:51:40	1	1	1	1	92.75	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:51:41	1	1	1	1	92.75	61.25	0	28388.626	567.7419355	16063.65341	30000	0	0	30000	42.0625	2004
20.03.2020 12:51:42	1	1	1	1	92.75	62	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	42	2004
20.03.2020 12:51:43	1	1	1	1	92.75	62	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	41.625	2004
20.03.2020 12:51:44	1	1	1	1	92.75	61.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:51:45	1	1	1	1	92.75	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.4375	2004
20.03.2020 12:51:46	1	1	1	1	92.75	61.25	0	28199.052	567.7419355	16090.5607	30000	0	0	30000	41.5	2004
20.03.2020 12:51:47	1	1	1	1	92.75	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:51:48	1	1	1	1	92.25	61.5	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.9375	2004
20.03.2020 12:51:49	1	1	1	1	92.25	61.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:51:50	1	1	1	1	92.25	61.75	0	28341.232	576.344086	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 12:51:51	1	1	1	1	92.25	62	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.6875	2004
20.03.2020 12:51:52	1	1	1	1	92.25	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 12:51:53	1	1	1	1	92.25	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:51:54	1	1	1	1	92.25	61.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.4375	2004
20.03.2020 12:51:55	1	1	1	1	92.25	61.25	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	42	2004
20.03.2020 12:51:56	1	1	1	1	92.25	62	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	42	2004
20.03.2020 12:51:57	1	1	1	1	92.25	62	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.75	2004
20.03.2020 12:51:58	1	1	1	1	92.5	61.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	42.1875	2004
20.03.2020 12:51:59	1	1	1	1	92.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.625	2004
20.03.2020 12:52:00	1	1	1	1	92.5	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42.125	2004
20.03.2020 12:52:01	1	1	1	1	92.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.3125	2004
20.03.2020 12:52:02	1	1	1	1	92.5	61.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42.1875	2004
20.03.2020 12:52:04	1	1	1	1	92.5	62	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	41.1875	2004
20.03.2020 12:52:05	1	1	1	1	92.5	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:52:06	1	1	1	1	92.5	62.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:52:07	1	1	1	1	92.5	61.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.875	2004
20.03.2020 12:52:08	1	1	1	1	92.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.625	2004
20.03.2020 12:52:09	1	1	1	1	92.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:52:10	1	1	1	1	92.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:52:11	1	1	1	1	92.5	62	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:52:12	1	1	1	1	92.5	61.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42.0625	2004
20.03.2020 12:52:13	1	1	1	1	92.5	62	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	41.3125	2004
20.03.2020 12:52:14	1	1	1	1	92.5	61.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42.125	2004
20.03.2020 12:52:15	1	1	1	1	92.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
20.03.2020 12:52:21	1	1	1	1	91.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:52:21	1	1	1	1	91.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:52:21	1	1	1	1	91.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:52:21	1	1	1	1	91.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:52:21	1	1	1	1	91.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:52:21	1	1	1	1	91.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:52:22	1	1	1	1	91.5	62	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	41.9375	2004
20.03.2020 12:52:23	1	1	1	1	91.5	61.75	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	42.1875	2004
20.03.2020 12:52:24	1	1	1	1	91.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5	2004
20.03.2020 12:52:25	1	1	1	1	91.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 12:52:26	1	1	1	1	91.5	61.25	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:52:27	1	1	1	1	91.5	62	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 12:52:28	1	1	1	1	92.5	62	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:52:29	1	1	1	1	92.5	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:52:30	1	1	1	1	92.5	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
20.03.2020 12:52:31	1	1	1	1	92.5	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42	2004
20.03.2020 12:52:32	1	1	1	1	92.5	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.5	2004
20.03.2020 12:52:33	1	1	1	1	92.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.25	2004
20.03.2020 12:52:34	1	1	1	1	92.5	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:52:35	1	1	1	1	92.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:52:36	1	1	1	1	92.5	62	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	42.125	2004
20.03.2020 12:52:37	1	1	1	1	92.5	62	0	28388.626	567.7419355	16117.468	30000	0	0	30000	41.9375	2004
20.03.2020 12:52:38	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 12:52:39	1	1	1	1	93.25	62	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 12:52:41	1	1	1	1	93.25	61.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	42.125	2004
20.03.2020 12:52:42	1	1	1	1	93.25	62	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	42.4375	2004
20.03.2020 12:52:43	1	1	1	1	93.25	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.1875	2004
20.03.2020 12:52:44	1	1	1	1	93.25	62	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	42.0625	2004
20.03.2020 12:52:45	1	1	1	1	93.25	62	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.25	2004
20.03.2020 12:52:46	1	1	1	1	93.25	62.25	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.875	2004
20.03.2020 12:52:47	1	1	1	1	93.25	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.0625	2004
20.03.2020 12:52:48	1	1	1	1	93.25	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42.0625	2004
20.03.2020 12:52:49	1	1	1	1	93.25	62	0	28341.232	572.0430108	15827.19539	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:52:50	1	1	1	1	93.25	62	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:52:51	1	1	1	1	93.25	61.5	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	41.9375	2004
20.03.2020 12:52:52	1	1	1	1	93.25	61.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.1875	2004
20.03.2020 12:52:53	1	1	1	1	93.25	61	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42	2004
20.03.2020 12:52:54	1	1	1	1	93.25	62	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	42.0625	2004
20.03.2020 12:52:55	1	1	1	1	93.25	62	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	41.9375	2004
20.03.2020 12:52:56	1	1	1	1	93.25	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.8125	2004
20.03.2020 12:52:57	1	1	1	1	93.25	61.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.125	2004
20.03.2020 12:52:58	1	1	1	1	92.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:52:59	1	1	1	1	92.5	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 12:53:00	1	1	1	1	92.5	62	0	27630.332	563.4408602	15745.65814	30000	0	0	30000	41.5625	2004
20.03.2020 12:53:01	1	1	1	1	92.5	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:53:02	1	1	1	1	92.5	62	0	28341.232	565.5913978	16117.468	30000	0	0	30000	41.8125	2004
20.03.2020 12:53:03	1	1	1	1	92.5	61.75	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	42.125	2004
20.03.2020 12:53:04	1	1	1	1	92.5	62	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	42	2004
20.03.2020 12:53:05	1	1	1	1	92.5	62	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	41.625	2004
20.03.2020 12:53:06	1	1	1	1	92.5	61.5	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	41.6875	2004
20.03.2020 12:53:07	1	1	1	1	92.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:53:08	1	1	1	1	92.5	62	0	28293.839	569.8924731	16185.14391	30000	0	0	30000	41.8125	2004
20.03.2020 12:53:09	1	1	1	1	92.5	61.75	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	42.125	2004
20.03.2020 12:53:10	1	1	1	1	92.5	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.5625	2004
20.03.2020 12:53:11	1	1	1	1	92.5	61.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.75	2004
20.03.2020 12:53:12	1	1	1	1	92.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:53:13	1	1	1	1	92.5	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.0625	2004
20.03.2020 12:53:14	1	1	1	1	92.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
20.03.2020 12:53:15	1	1	1	1	92.5	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.5625	2004
20.03.2020 12:53:16	1	1	1	1	92.5	61.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42.125	2004
20.03.2020 12:53:23	1	1	1	1	91.75	62	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.75	2004
20.03.2020 12:53:23	1	1	1	1	91.75	62	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.75	2004
20.03.2020 12:53:23	1	1	1	1	91.75	62	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.75	2004
20.03.2020 12:53:23	1	1	1	1	91.75	62	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.75	2004
20.03.2020 12:53:23	1	1	1	1	91.75	62	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.75	2004
20.03.2020 12:53:23	1	1	1	1	91.75	62	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.75	2004
20.03.2020 12:53:24	1	1	1	1	91.75	61.5	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.875	2004
20.03.2020 12:53:25	1	1	1	1	91.75	61.75	0	27867.299	567.7419355	15761.15022	30000	0	0	30000	41.375	2004
20.03.2020 12:53:26	1	1	1	1	91.75	61.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.375	2004
20.03.2020 12:53:27	1	1	1	1	91.75	61.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42	2004
20.03.2020 12:53:28	1	1	1	1	92.25	62	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.875	2004
20.03.2020 12:53:29	1	1	1	1	92.25	61.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42.125	2004
20.03.2020 12:53:30	1	1	1	1	92.25	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42	2004
20.03.2020 12:53:31	1	1	1	1	92.25	62	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42.1875	2004
20.03.2020 12:53:32	1	1	1	1	92.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.625	2004
20.03.2020 12:53:33	1	1	1	1	92.25	61.5	0	28199.052	556.9892473	15948.68589	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:53:34	1	1	1	1	92.25	61.75	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	42	2004
20.03.2020 12:53:35	1	1	1	1	92.25	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.6875	2004
20.03.2020 12:53:36	1	1	1	1	92.25	61.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41	2004
20.03.2020 12:53:37	1	1	1	1	92.25	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:53:38	1	1	1	1	92.75	62	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	42.0625	2004
20.03.2020 12:53:39	1	1	1	1	92.75	62	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:53:40	1	1	1	1	92.75	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.0625	2004
20.03.2020 12:53:41	1	1	1	1	92.75	61	0	27914.692	567.7419355	15814.9648	30000	0	0	30000	42.1875	2004
20.03.2020 12:53:42	1	1	1	1	92.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5625	2004
20.03.2020 12:53:43	1	1	1	1	92.75	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.4375	2004
20.03.2020 12:53:44	1	1	1	1	92.75	61.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:53:45	1	1	1	1	92.75	61.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42.0625	2004
20.03.2020 12:53:46	1	1	1	1	92.75	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:53:47	1	1	1	1	92.75	61.75	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	41.5625	2004
20.03.2020 12:53:48	1	1	1	1	92.75	61.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	41.75	2004
20.03.2020 12:53:49	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:53:50	1	1	1	1	92.75	61.75	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	41.5625	2004
20.03.2020 12:53:51	1	1	1	1	92.75	61.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.8125	2004
20.03.2020 12:53:52	1	1	1	1	92.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:53:53	1	1	1	1	92.75	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.1875	2004
20.03.2020 12:53:54	1	1	1	1	92.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:53:55	1	1	1	1	92.75	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:53:56	1	1	1	1	92.75	62	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	41.5	2004
20.03.2020 12:53:57	1	1	1	1	92.75	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.0625	2004
20.03.2020 12:53:59	1	1	1	1	92.25	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.4375	2004
20.03.2020 12:54:00	1	1	1	1	92.25	62.25	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	42.4375	2004
20.03.2020 12:54:01	1	1	1	1	92.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
20.03.2020 12:54:02	1	1	1	1	92.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:54:03	1	1	1	1	92.25	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.8125	2004
20.03.2020 12:54:04	1	1	1	1	92.25	61.75	0	28009.479	572.0430108	16203.08211	30000	0	0	30000	42	2004
20.03.2020 12:54:05	1	1	1	1	92.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 12:54:06	1	1	1	1	92.25	62	0	28293.839	565.5913978	15888.34833	30000	0	0	30000	41.8125	2004
20.03.2020 12:54:07	1	1	1	1	92.25	61.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	42.125	2004
20.03.2020 12:54:08	1	1	1	1	92.75	62	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	41.8125	2004
20.03.2020 12:54:09	1	1	1	1	92.75	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41	2004
20.03.2020 12:54:10	1	1	1	1	92.75	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.0625	2004
20.03.2020 12:54:11	1	1	1	1	92.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:54:12	1	1	1	1	92.75	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 12:54:13	1	1	1	1	92.75	61.75	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	41.75	2004
20.03.2020 12:54:14	1	1	1	1	92.75	61.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	42	2004
20.03.2020 12:54:15	1	1	1	1	92.75	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.9375	2004
20.03.2020 12:54:16	1	1	1	1	92.75	61.75	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	42.0625	2004
20.03.2020 12:54:17	1	1	1	1	92.75	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:54:18	1	1	1	1	93	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42	2004
20.03.2020 12:54:25	1	1	1	1	93	62	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	42.125	2004
20.03.2020 12:54:25	1	1	1	1	93	62	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	42.125	2004
20.03.2020 12:54:25	1	1	1	1	93	62	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	42.125	2004
20.03.2020 12:54:25	1	1	1	1	93	62	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	42.125	2004
20.03.2020 12:54:25	1	1	1	1	93	62	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	42.125	2004
20.03.2020 12:54:25	1	1	1	1	93	62	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	42.125	2004
20.03.2020 12:54:25	1	1	1	1	93	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42	2004
20.03.2020 12:54:26	1	1	1	1	93	62	0	28341.232	563.4408602	16117.468	30000	0	0	30000	42	2004
20.03.2020 12:54:27	1	1	1	1	93	62	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	42.0625	2004
20.03.2020 12:54:28	1	1	1	1	92	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.875	2004
20.03.2020 12:54:29	1	1	1	1	92	61.75	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	41.875	2004
20.03.2020 12:54:30	1	1	1	1	92	61.75	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	42	2004
20.03.2020 12:54:31	1	1	1	1	92	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42.1875	2004
20.03.2020 12:54:32	1	1	1	1	92	62	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.875	2004
20.03.2020 12:54:33	1	1	1	1	92	61.75	0	27819.905	561.2903226	15881.00997	30000	0	0	30000	42	2004
20.03.2020 12:54:34	1	1	1	1	92	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42	2004
20.03.2020 12:54:35	1	1	1	1	92	62	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:54:36	1	1	1	1	92	62	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.5	2004
20.03.2020 12:54:38	1	1	1	1	92	61.5	0	28293.839	561.2903226	16029.40777	30000	0	0	30000	42	2004
20.03.2020 12:54:39	1	1	1	1	92.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:54:40	1	1	1	1	92.75	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.8125	2004
20.03.2020 12:54:41	1	1	1	1	92.75	61.5	0	28246.445	563.4408602	16002.50048	30000	0	0	30000	41.875	2004
20.03.2020 12:54:42	1	1	1	1	92.75	61.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.0625	2004
20.03.2020 12:54:43	1	1	1	1	92.75	62	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	42.1875	2004
20.03.2020 12:54:44	1	1	1	1	92.75	62	0	27867.299	569.8924731	15848.39508	30000	0	0	30000	42.0625	2004
20.03.2020 12:54:45	1	1	1	1	92.75	62	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.125	2004
20.03.2020 12:54:46	1	1	1	1	92.75	62	0	27962.085	565.5913978	15961.73185	30000	0	0	30000	41.3125	2004
20.03.2020 12:54:47	1	1	1	1	92.75	61.25	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.5	2004
20.03.2020 12:54:48	1	1	1	1	93.25	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42.125	2004
20.03.2020 12:54:49	1	1	1	1	93.25	62	0	28341.232	572.0430108	16273.20414	30000	0	0	30000	41.9375	2004
20.03.2020 12:54:50	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 12:54:51	1	1	1	1	93.25	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.0625	2004
20.03.2020 12:54:52	1	1	1	1	93.25	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:54:53	1	1	1	1	93.25	61.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	42.0625	2004
20.03.2020 12:54:54	1	1	1	1	93.25	62	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	40.8125	2004
20.03.2020 12:54:55	1	1	1	1	93.25	60.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	42	2004
20.03.2020 12:54:56	1	1	1	1	93.25	62	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.75	2004
20.03.2020 12:54:57	1	1	1	1	93.25	61.75	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	41.875	2004
20.03.2020 12:54:58	1	1	1	1	93.5	61.75	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	42	2004
20.03.2020 12:54:59	1	1	1	1	93.5	62	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.9375	2004
20.03.2020 12:55:00	1	1	1	1	93.5	61.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.875	2004
20.03.2020 12:55:01	1	1	1	1	93.5	61.75	0	28388.626	559.1397849	16056.31506	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:55:02	1	1	1	1	93.5	61.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	42	2004
20.03.2020 12:55:03	1	1	1	1	93.5	62	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:55:04	1	1	1	1	93.5	61.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.9375	2004
20.03.2020 12:55:05	1	1	1	1	93.5	61.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42.125	2004
20.03.2020 12:55:06	1	1	1	1	93.5	62	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42.125	2004
20.03.2020 12:55:07	1	1	1	1	93.5	62	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	41.625	2004
20.03.2020 12:55:08	1	1	1	1	93.25	61.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.8125	2004
20.03.2020 12:55:09	1	1	1	1	93.25	61.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	41.9375	2004
20.03.2020 12:55:10	1	1	1	1	93.25	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 12:55:11	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.8125	2004
20.03.2020 12:55:12	1	1	1	1	93.25	61.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.9375	2004
20.03.2020 12:55:13	1	1	1	1	93.25	61.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.375	2004
20.03.2020 12:55:14	1	1	1	1	93.25	61.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:55:16	1	1	1	1	93.25	62	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42	2004
20.03.2020 12:55:17	1	1	1	1	93.25	62	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	42.1875	2004
20.03.2020 12:55:18	1	1	1	1	93.25	62	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.0625	2004
20.03.2020 12:55:19	1	1	1	1	92.75	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42.0625	2004
20.03.2020 12:55:20	1	1	1	1	92.75	62.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42	2004
20.03.2020 12:55:26	1	1	1	1	92.75	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:55:26	1	1	1	1	92.75	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:55:26	1	1	1	1	92.75	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:55:26	1	1	1	1	92.75	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:55:26	1	1	1	1	92.75	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:55:26	1	1	1	1	92.75	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:55:27	1	1	1	1	92.75	61.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.9375	2004
20.03.2020 12:55:28	1	1	1	1	92.25	61.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.75	2004
20.03.2020 12:55:29	1	1	1	1	92.25	61.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	42.0625	2004
20.03.2020 12:55:30	1	1	1	1	92.25	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.0625	2004
20.03.2020 12:55:31	1	1	1	1	92.25	62	0	28293.839	561.2903226	15968.25483	30000	0	0	30000	42.1875	2004
20.03.2020 12:55:32	1	1	1	1	92.25	62	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.0625	2004
20.03.2020 12:55:33	1	1	1	1	92.25	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42.125	2004
20.03.2020 12:55:34	1	1	1	1	92.25	62	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	42	2004
20.03.2020 12:55:35	1	1	1	1	92.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
20.03.2020 12:55:36	1	1	1	1	92.25	61.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42.125	2004
20.03.2020 12:55:37	1	1	1	1	92.25	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:55:38	1	1	1	1	93	61.5	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	42.0625	2004
20.03.2020 12:55:39	1	1	1	1	93	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.8125	2004
20.03.2020 12:55:40	1	1	1	1	93	61.75	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	42	2004
20.03.2020 12:55:41	1	1	1	1	93	62	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.6875	2004
20.03.2020 12:55:42	1	1	1	1	93	61.5	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:55:43	1	1	1	1	93	62	0	28293.839	565.5913978	15888.34833	30000	0	0	30000	42.125	2004
20.03.2020 12:55:44	1	1	1	1	93	62	0	28199.052	563.4408602	16245.48148	30000	0	0	30000	41.5	2004
20.03.2020 12:55:45	1	1	1	1	93	61.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:55:46	1	1	1	1	93	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 12:55:47	1	1	1	1	93	61.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.8125	2004
20.03.2020 12:55:48	1	1	1	1	92.25	61.75	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	42	2004
20.03.2020 12:55:49	1	1	1	1	92.25	62	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:55:50	1	1	1	1	92.25	61.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	42.125	2004
20.03.2020 12:55:51	1	1	1	1	92.25	62	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.375	2004
20.03.2020 12:55:52	1	1	1	1	92.25	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.75	2004
20.03.2020 12:55:53	1	1	1	1	92.25	61.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	42.0625	2004
20.03.2020 12:55:54	1	1	1	1	92.25	62	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.625	2004
20.03.2020 12:55:56	1	1	1	1	92.25	61.5	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42.125	2004
20.03.2020 12:55:57	1	1	1	1	92.25	62	0	28436.019	561.2903226	15872.85625	30000	0	0	30000	42.125	2004
20.03.2020 12:55:58	1	1	1	1	92.25	62	0	28436.019	559.1397849	15925.85546	30000	0	0	30000	41.9375	2004
20.03.2020 12:55:59	1	1	1	1	93	61.75	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	42.1875	2004
20.03.2020 12:56:00	1	1	1	1	93	62.25	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	42.1875	2004
20.03.2020 12:56:01	1	1	1	1	93	62	0	28199.052	567.7419355	16090.5607	30000	0	0	30000	41.9375	2004
20.03.2020 12:56:02	1	1	1	1	93	61.75	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	42.1875	2004
20.03.2020 12:56:03	1	1	1	1	93	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	42.1875	2004
20.03.2020 12:56:04	1	1	1	1	93	62	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.8125	2004
20.03.2020 12:56:05	1	1	1	1	93	61.75	0	28483.412	563.4408602	16136.22156	30000	0	0	30000	42.0625	2004
20.03.2020 12:56:06	1	1	1	1	93	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.0625	2004
20.03.2020 12:56:07	1	1	1	1	93	62	0	28341.232	559.1397849	16056.31506	30000	0	0	30000	41.6875	2004
20.03.2020 12:56:08	1	1	1	1	93.5	61.5	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	42.125	2004
20.03.2020 12:56:09	1	1	1	1	93.5	62	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	42.0625	2004
20.03.2020 12:56:10	1	1	1	1	93.5	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.6875	2004
20.03.2020 12:56:11	1	1	1	1	93.5	61.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.4375	2004
20.03.2020 12:56:12	1	1	1	1	93.5	61.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.1875	2004
20.03.2020 12:56:13	1	1	1	1	93.5	62	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	42	2004
20.03.2020 12:56:14	1	1	1	1	93.5	62	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	41.8125	2004
20.03.2020 12:56:15	1	1	1	1	93.5	61.75	0	28293.839	563.4408602	15766.85783	30000	0	0	30000	41.9375	2004
20.03.2020 12:56:16	1	1	1	1	93.5	61.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.8125	2004
20.03.2020 12:56:17	1	1	1	1	93.5	61.75	0	28388.626	563.4408602	16022.06942	30000	0	0	30000	41.8125	2004
20.03.2020 12:56:18	1	1	1	1	94	61.75	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	42	2004
20.03.2020 12:56:19	1	1	1	1	94	62	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	42	2004
20.03.2020 12:56:20	1	1	1	1	94	62	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	42.125	2004
20.03.2020 12:56:21	1	1	1	1	94	62	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.6875	2004
20.03.2020 12:56:28	1	1	1	1	94	61.75	0	28436.019	567.7419355	16022.06942	30000	0	0	30000	42.125	2004
20.03.2020 12:56:28	1	1	1	1	94	61.75	0	28436.019	567.7419355	16022.06942	30000	0	0	30000	42.125	2004
20.03.2020 12:56:28	1	1	1	1	94	61.75	0	28436.019	567.7419355	16022.06942	30000	0	0	30000	42.125	2004
20.03.2020 12:56:28	1	1	1	1	94	61.75	0	28436.019	567.7419355	16022.06942	30000	0	0	30000	42.125	2004
20.03.2020 12:56:28	1	1	1	1	94	61.75	0	28436.019	567.7419355	16022.06942	30000	0	0	30000	42.125	2004
20.03.2020 12:56:28	1	1	1	1	94	61.75	0	28436.019	567.7419355	16022.06942	30000	0	0	30000	42.125	2004
20.03.2020 12:56:28	1	1	1	1	93.75	62	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.125	2004
20.03.2020 12:56:29	1	1	1	1	93.75	62	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:56:30	1	1	1	1	93.75	61.75	0	28199.052	556.9892473	15941.34754	30000	0	0	30000	42.0625	2004
20.03.2020 12:56:32	1	1	1	1	93.75	62	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	42	2004
20.03.2020 12:56:33	1	1	1	1	93.75	62	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	42.375	2004
20.03.2020 12:56:34	1	1	1	1	93.75	62.25	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.9375	2004
20.03.2020 12:56:35	1	1	1	1	93.75	61.75	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	41.625	2004
20.03.2020 12:56:36	1	1	1	1	93.75	61.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	42.25	2004
20.03.2020 12:56:37	1	1	1	1	93.75	61.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.5625	2004
20.03.2020 12:56:38	1	1	1	1	93.25	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.875	2004
20.03.2020 12:56:39	1	1	1	1	93.25	61.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42.125	2004
20.03.2020 12:56:40	1	1	1	1	93.25	62	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.1875	2004
20.03.2020 12:56:41	1	1	1	1	93.25	61	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.75	2004
20.03.2020 12:56:42	1	1	1	1	93.25	61.75	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	42.125	2004
20.03.2020 12:56:43	1	1	1	1	93.25	62	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	42.1875	2004
20.03.2020 12:56:44	1	1	1	1	93.25	62	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:56:45	1	1	1	1	93.25	62	0	28199.052	565.5913978	16334.35708	30000	0	0	30000	41.9375	2004
20.03.2020 12:56:46	1	1	1	1	93.25	61.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.875	2004
20.03.2020 12:56:47	1	1	1	1	93.25	61.75	0	28199.052	559.1397849	15766.85783	30000	0	0	30000	41.625	2004
20.03.2020 12:56:48	1	1	1	1	92.25	61.5	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.75	2004
20.03.2020 12:56:49	1	1	1	1	92.25	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.125	2004
20.03.2020 12:56:50	1	1	1	1	92.25	62	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	42.25	2004
20.03.2020 12:56:51	1	1	1	1	92.25	62.25	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	42.125	2004
20.03.2020 12:56:52	1	1	1	1	92.25	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42	2004
20.03.2020 12:56:53	1	1	1	1	92.25	62	0	28530.806	563.4408602	16075.06863	30000	0	0	30000	42.1875	2004
20.03.2020 12:56:54	1	1	1	1	92.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:56:55	1	1	1	1	92.25	62	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	42.0625	2004
20.03.2020 12:56:56	1	1	1	1	92.25	62	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	42.1875	2004
20.03.2020 12:56:57	1	1	1	1	92.25	62	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.6875	2004
20.03.2020 12:56:58	1	1	1	1	91.75	61.5	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	42	2004
20.03.2020 12:56:59	1	1	1	1	91.75	62	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.6875	2004
20.03.2020 12:57:00	1	1	1	1	91.75	61.5	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 12:57:01	1	1	1	1	91.75	62	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.6875	2004
20.03.2020 12:57:02	1	1	1	1	91.75	61.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	42.125	2004
20.03.2020 12:57:03	1	1	1	1	91.75	62	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42	2004
20.03.2020 12:57:04	1	1	1	1	91.75	62	0	28199.052	563.4408602	16191.66689	30000	0	0	30000	42.0625	2004
20.03.2020 12:57:05	1	1	1	1	91.75	62	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:57:06	1	1	1	1	91.75	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.0625	2004
20.03.2020 12:57:07	1	1	1	1	91.75	62	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42.125	2004
20.03.2020 12:57:08	1	1	1	1	91.5	62	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	42	2004
20.03.2020 12:57:09	1	1	1	1	91.5	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.625	2004
20.03.2020 12:57:11	1	1	1	1	91.5	61.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.6875	2004
20.03.2020 12:57:12	1	1	1	1	91.5	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.9375	2004
20.03.2020 12:57:13	1	1	1	1	91.5	61.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.875	2004
20.03.2020 12:57:14	1	1	1	1	91.5	61.75	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:57:15	1	1	1	1	91.5	61.5	0	28199.052	563.4408602	16150.89827	30000	0	0	30000	41.9375	2004
20.03.2020 12:57:16	1	1	1	1	91.5	62.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.875	2004
20.03.2020 12:57:17	1	1	1	1	91.5	61.75	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	41.75	2004
20.03.2020 12:57:18	1	1	1	1	92	61.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.6875	2004
20.03.2020 12:57:19	1	1	1	1	92	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:57:20	1	1	1	1	92	61.5	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	42	2004
20.03.2020 12:57:21	1	1	1	1	92	62	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	42.0625	2004
20.03.2020 12:57:22	1	1	1	1	92	62	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	42.0625	2004
20.03.2020 12:57:23	1	1	1	1	92	62	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.6875	2004
20.03.2020 12:57:30	1	1	1	1	92.75	62	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.8125	2004
20.03.2020 12:57:30	1	1	1	1	92.75	62	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.8125	2004
20.03.2020 12:57:30	1	1	1	1	92.75	62	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.8125	2004
20.03.2020 12:57:30	1	1	1	1	92.75	62	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.8125	2004
20.03.2020 12:57:30	1	1	1	1	92.75	62	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.8125	2004
20.03.2020 12:57:30	1	1	1	1	92.75	61.75	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	41.875	2004
20.03.2020 12:57:31	1	1	1	1	92.75	61.75	0	28530.806	563.4408602	16109.31427	30000	0	0	30000	41.9375	2004
20.03.2020 12:57:32	1	1	1	1	92.75	61.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.75	2004
20.03.2020 12:57:33	1	1	1	1	92.75	61.75	0	28341.232	559.1397849	15766.85783	30000	0	0	30000	42	2004
20.03.2020 12:57:34	1	1	1	1	92.75	62	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	42.1875	2004
20.03.2020 12:57:35	1	1	1	1	92.75	62	0	28483.412	561.2903226	15838.61061	30000	0	0	30000	42.1875	2004
20.03.2020 12:57:36	1	1	1	1	92.75	62	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.9375	2004
20.03.2020 12:57:37	1	1	1	1	92.75	61.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.9375	2004
20.03.2020 12:57:38	1	1	1	1	93.5	61.75	0	28483.412	565.5913978	16163.12886	30000	0	0	30000	42	2004
20.03.2020 12:57:39	1	1	1	1	93.5	62	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42.0625	2004
20.03.2020 12:57:40	1	1	1	1	93.5	62	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	42	2004
20.03.2020 12:57:41	1	1	1	1	93.5	62	0	28530.806	561.2903226	16190.03615	30000	0	0	30000	41.6875	2004
20.03.2020 12:57:42	1	1	1	1	93.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	42.1875	2004
20.03.2020 12:57:43	1	1	1	1	93.5	62	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.9375	2004
20.03.2020 12:57:44	1	1	1	1	93.5	61.75	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	42.1875	2004
20.03.2020 12:57:45	1	1	1	1	93.5	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	42.1875	2004
20.03.2020 12:57:46	1	1	1	1	93.5	62	0	28341.232	565.5913978	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:57:47	1	1	1	1	93.5	62	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.875	2004
20.03.2020 12:57:48	1	1	1	1	92.5	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42	2004
20.03.2020 12:57:50	1	1	1	1	92.5	62	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.4375	2004
20.03.2020 12:57:51	1	1	1	1	92.5	61.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	42.25	2004
20.03.2020 12:57:52	1	1	1	1	92.5	62.25	0	28625.592	565.5913978	16040.00761	30000	0	0	30000	41.9375	2004
20.03.2020 12:57:53	1	1	1	1	92.5	61.75	0	28293.839	559.1397849	15907.10189	30000	0	0	30000	42.125	2004
20.03.2020 12:57:54	1	1	1	1	92.5	62	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	42.5625	2004
20.03.2020 12:57:55	1	1	1	1	92.5	62	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.6875	2004
20.03.2020 12:57:56	1	1	1	1	92.5	61.5	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	42.0625	2004
20.03.2020 12:57:57	1	1	1	1	92.5	62	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	41.75	2004
20.03.2020 12:57:58	1	1	1	1	92.25	61.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:57:59	1	1	1	1	92.25	62	0	28483.412	567.7419355	16048.16134	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:00	1	1	1	1	92.25	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:01	1	1	1	1	92.25	62	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.875	2004
20.03.2020 12:58:02	1	1	1	1	92.25	61.75	0	28436.019	565.5913978	15934.00919	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:03	1	1	1	1	92.25	62	0	28009.479	563.4408602	16009.83883	30000	0	0	30000	42.0625	2004
20.03.2020 12:58:04	1	1	1	1	92.25	62	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	42.0625	2004
20.03.2020 12:58:05	1	1	1	1	92.25	62	0	28293.839	565.5913978	15706.52026	30000	0	0	30000	42.125	2004
20.03.2020 12:58:06	1	1	1	1	92.25	62	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42	2004
20.03.2020 12:58:07	1	1	1	1	92.25	62	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	42.0625	2004
20.03.2020 12:58:08	1	1	1	1	92.5	62	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41.6875	2004
20.03.2020 12:58:09	1	1	1	1	92.5	61.5	0	28009.479	563.4408602	15600.52184	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:10	1	1	1	1	92.5	62	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.625	2004
20.03.2020 12:58:11	1	1	1	1	92.5	61.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.6875	2004
20.03.2020 12:58:12	1	1	1	1	92.5	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.9375	2004
20.03.2020 12:58:13	1	1	1	1	92.5	61.75	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:14	1	1	1	1	92.5	62	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:15	1	1	1	1	92.5	62	0	28293.839	559.1397849	15881.00997	30000	0	0	30000	42.125	2004
20.03.2020 12:58:16	1	1	1	1	92.5	62	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.6875	2004
20.03.2020 12:58:17	1	1	1	1	92.5	61.5	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:18	1	1	1	1	92.25	62	0	28199.052	556.9892473	16002.50048	30000	0	0	30000	41.4375	2004
20.03.2020 12:58:19	1	1	1	1	92.25	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:20	1	1	1	1	92.25	62	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:21	1	1	1	1	92.25	62	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	42.125	2004
20.03.2020 12:58:22	1	1	1	1	92.25	62	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:23	1	1	1	1	92.25	62	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42	2004
20.03.2020 12:58:24	1	1	1	1	92.25	62	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.6875	2004
20.03.2020 12:58:31	1	1	1	1	92.5	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.375	2004
20.03.2020 12:58:31	1	1	1	1	92.5	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.375	2004
20.03.2020 12:58:31	1	1	1	1	92.5	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.375	2004
20.03.2020 12:58:31	1	1	1	1	92.5	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.375	2004
20.03.2020 12:58:31	1	1	1	1	92.5	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.375	2004
20.03.2020 12:58:31	1	1	1	1	92.5	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.375	2004
20.03.2020 12:58:31	1	1	1	1	92.5	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.375	2004
20.03.2020 12:58:32	1	1	1	1	92.5	62.25	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
20.03.2020 12:58:33	1	1	1	1	92.5	62	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	42.375	2004
20.03.2020 12:58:34	1	1	1	1	92.5	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.3125	2004
20.03.2020 12:58:35	1	1	1	1	92.5	62.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:36	1	1	1	1	92.5	62	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
20.03.2020 12:58:37	1	1	1	1	92.5	62.25	0	28483.412	554.8387097	15925.85546	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:38	1	1	1	1	93.5	62	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42.0625	2004
20.03.2020 12:58:39	1	1	1	1	93.5	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.3125	2004
20.03.2020 12:58:40	1	1	1	1	93.5	62.25	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	41.9375	2004
20.03.2020 12:58:41	1	1	1	1	93.5	61.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	42	2004
20.03.2020 12:58:42	1	1	1	1	93.5	62	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:58:43	1	1	1	1	93.5	61.75	0	28483.412	550.5376344	15917.70174	30000	0	0	30000	41.6875	2004
20.03.2020 12:58:44	1	1	1	1	93.5	61.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	42.0625	2004
20.03.2020 12:58:45	1	1	1	1	93.5	62	0	28436.019	559.1397849	15811.70331	30000	0	0	30000	41.5625	2004
20.03.2020 12:58:46	1	1	1	1	93.5	61.5	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	42	2004
20.03.2020 12:58:47	1	1	1	1	93.5	62	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	42.0625	2004
20.03.2020 12:58:48	1	1	1	1	92.75	62	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	42	2004
20.03.2020 12:58:49	1	1	1	1	92.75	62	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:50	1	1	1	1	92.75	62	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.75	2004
20.03.2020 12:58:51	1	1	1	1	92.75	61.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42.125	2004
20.03.2020 12:58:52	1	1	1	1	92.75	62	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	42.0625	2004
20.03.2020 12:58:53	1	1	1	1	92.75	62	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.9375	2004
20.03.2020 12:58:54	1	1	1	1	92.75	61.75	0	28388.626	556.9892473	15838.61061	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:55	1	1	1	1	92.75	62	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	42.25	2004
20.03.2020 12:58:56	1	1	1	1	92.75	62.25	0	28578.199	561.2903226	16190.03615	30000	0	0	30000	41.3125	2004
20.03.2020 12:58:57	1	1	1	1	92.75	61.25	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	42.1875	2004
20.03.2020 12:58:58	1	1	1	1	92.75	62	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	42.125	2004
20.03.2020 12:58:59	1	1	1	1	92.75	62	0	28483.412	554.8387097	15742.39665	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:00	1	1	1	1	92.75	62	0	28815.166	552.688172	16111.76039	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:01	1	1	1	1	92.75	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:02	1	1	1	1	92.75	62	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:03	1	1	1	1	92.75	61.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	42	2004
20.03.2020 12:59:04	1	1	1	1	92.75	62	0	28625.592	563.4408602	16101.97592	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:05	1	1	1	1	92.75	61.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:06	1	1	1	1	92.75	61.75	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:07	1	1	1	1	92.75	61.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:08	1	1	1	1	92.75	62	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.8125	2004
20.03.2020 12:59:09	1	1	1	1	92.75	61.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:13	1	1	1	1	92.75	62	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:13	1	1	1	1	92.75	62	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:13	1	1	1	1	92.75	62	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:14	1	1	1	1	92.75	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
20.03.2020 12:59:15	1	1	1	1	92.75	61.25	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:16	1	1	1	1	92.75	62	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	42.125	2004
20.03.2020 12:59:17	1	1	1	1	92.75	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
20.03.2020 12:59:18	1	1	1	1	92.75	61.25	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	41.4375	2004
20.03.2020 12:59:19	1	1	1	1	91.5	62.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.3125	2004
20.03.2020 12:59:20	1	1	1	1	91.5	62.25	0	28388.626	563.4408602	16205.52823	30000	0	0	30000	42.0625	2004
20.03.2020 12:59:21	1	1	1	1	91.5	62	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.5625	2004
20.03.2020 12:59:22	1	1	1	1	91.5	61.5	0	28436.019	565.5913978	16205.52823	30000	0	0	30000	42.0625	2004
20.03.2020 12:59:23	1	1	1	1	91.5	62	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	42.125	2004
20.03.2020 12:59:24	1	1	1	1	91.5	62	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	42	2004
20.03.2020 12:59:25	1	1	1	1	91.5	62	0	28815.166	565.5913978	16297.66532	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:26	1	1	1	1	91.5	62	0	28199.052	561.2903226	15975.59318	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 12:59:32	1	1	1	1	91.5	61.5	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:32	1	1	1	1	91.5	61.5	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:32	1	1	1	1	91.5	61.5	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:32	1	1	1	1	91.5	61.5	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:32	1	1	1	1	91.5	61.5	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:32	1	1	1	1	91.5	61.5	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:33	1	1	1	1	91.5	61.75	0	28483.412	567.7419355	16171.28258	30000	0	0	30000	42.25	2004
20.03.2020 12:59:34	1	1	1	1	91.5	62.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 12:59:35	1	1	1	1	91.5	61.75	0	28293.839	569.8924731	15948.68589	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:36	1	1	1	1	91.5	62	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	41.8125	2004
20.03.2020 12:59:37	1	1	1	1	91.5	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:38	1	1	1	1	92	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 12:59:39	1	1	1	1	92	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.625	2004
20.03.2020 12:59:40	1	1	1	1	92	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:59:41	1	1	1	1	92	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:42	1	1	1	1	92	62	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.125	2004
20.03.2020 12:59:43	1	1	1	1	92	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:44	1	1	1	1	92	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:45	1	1	1	1	92	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:46	1	1	1	1	92	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:47	1	1	1	1	92	62	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	42.25	2004
20.03.2020 12:59:48	1	1	1	1	91.75	62.25	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	42.1875	2004
20.03.2020 12:59:49	1	1	1	1	91.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 12:59:50	1	1	1	1	91.75	62	0	28009.479	569.8924731	15948.68589	30000	0	0	30000	42.0625	2004
20.03.2020 12:59:51	1	1	1	1	91.75	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.6875	2004
20.03.2020 12:59:53	1	1	1	1	91.75	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.5625	2004
20.03.2020 12:59:54	1	1	1	1	91.75	61.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42.0625	2004
20.03.2020 12:59:55	1	1	1	1	91.75	62	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	42.125	2004
20.03.2020 12:59:56	1	1	1	1	91.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.25	2004
20.03.2020 12:59:57	1	1	1	1	91.75	62.25	0	27962.085	565.5913978	15875.30237	30000	0	0	30000	42.25	2004
20.03.2020 12:59:58	1	1	1	1	91.75	62.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.375	2004
20.03.2020 12:59:59	1	1	1	1	92.25	62.25	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 13:00:00	1	1	1	1	92.25	62.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:01	1	1	1	1	92.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
20.03.2020 13:00:02	1	1	1	1	92.25	61.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	42	2004
20.03.2020 13:00:03	1	1	1	1	92.25	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:04	1	1	1	1	92.25	62	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.5	2004
20.03.2020 13:00:05	1	1	1	1	92.25	61.5	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:06	1	1	1	1	92.25	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.8125	2004
20.03.2020 13:00:07	1	1	1	1	92.25	61.75	0	27819.905	567.7419355	15794.58049	30000	0	0	30000	41.0625	2004
20.03.2020 13:00:08	1	1	1	1	92	61	0	28199.052	572.0430108	15948.68589	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:09	1	1	1	1	92	62	0	28246.445	567.7419355	16123.99098	30000	0	0	30000	42	2004
20.03.2020 13:00:10	1	1	1	1	92	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:00:11	1	1	1	1	92	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:12	1	1	1	1	92	62	0	28199.052	567.7419355	15902.20966	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:13	1	1	1	1	92	62	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:14	1	1	1	1	92	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 13:00:15	1	1	1	1	92	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:16	1	1	1	1	92	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.8125	2004
20.03.2020 13:00:17	1	1	1	1	92	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:18	1	1	1	1	92.5	62	0	28341.232	574.1935484	16273.20414	30000	0	0	30000	42	2004
20.03.2020 13:00:19	1	1	1	1	92.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
20.03.2020 13:00:20	1	1	1	1	92.5	62	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 13:00:21	1	1	1	1	92.5	62	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41	2004
20.03.2020 13:00:22	1	1	1	1	92.5	61	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.6875	2004
20.03.2020 13:00:23	1	1	1	1	92.5	61.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.9375	2004
20.03.2020 13:00:24	1	1	1	1	92.5	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
20.03.2020 13:00:25	1	1	1	1	92.5	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:26	1	1	1	1	92.5	62	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.3125	2004
20.03.2020 13:00:27	1	1	1	1	92.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:34	1	1	1	1	93	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:34	1	1	1	1	93	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:34	1	1	1	1	93	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:34	1	1	1	1	93	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:34	1	1	1	1	93	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:34	1	1	1	1	93	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:35	1	1	1	1	93	62	0	27867.299	576.344086	15854.10268	30000	0	0	30000	42.0625	2004
20.03.2020 13:00:36	1	1	1	1	93	62	0	28009.479	580.6451613	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:37	1	1	1	1	93	62	0	28009.479	576.344086	16022.06942	30000	0	0	30000	41.9375	2004
20.03.2020 13:00:38	1	1	1	1	93	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.875	2004
20.03.2020 13:00:39	1	1	1	1	92.75	62	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	42.125	2004
20.03.2020 13:00:40	1	1	1	1	92.75	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:41	1	1	1	1	92.75	62	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:42	1	1	1	1	92.75	62	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	42.375	2004
20.03.2020 13:00:43	1	1	1	1	92.75	62.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:44	1	1	1	1	92.75	62	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 13:00:45	1	1	1	1	92.75	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.9375	2004
20.03.2020 13:00:46	1	1	1	1	92.75	61.75	0	27914.692	563.4408602	15668.19776	30000	0	0	30000	42.125	2004
20.03.2020 13:00:47	1	1	1	1	92.75	62	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42	2004
20.03.2020 13:00:48	1	1	1	1	93.25	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.4375	2004
20.03.2020 13:00:49	1	1	1	1	93.25	61.25	0	27819.905	565.5913978	15614.38317	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:50	1	1	1	1	93.25	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.3125	2004
20.03.2020 13:00:51	1	1	1	1	93.25	62.25	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	42.0625	2004
20.03.2020 13:00:52	1	1	1	1	93.25	62	0	27962.085	567.7419355	15814.9648	30000	0	0	30000	42	2004
20.03.2020 13:00:53	1	1	1	1	93.25	62	0	27914.692	567.7419355	15821.48778	30000	0	0	30000	42	2004
20.03.2020 13:00:54	1	1	1	1	93.25	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:00:55	1	1	1	1	93.25	61.75	0	28199.052	574.1935484	16070.17639	30000	0	0	30000	42.0625	2004
20.03.2020 13:00:56	1	1	1	1	93.25	62	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	42.3125	2004
20.03.2020 13:00:57	1	1	1	1	93.25	62.25	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	42.1875	2004
20.03.2020 13:00:58	1	1	1	1	93	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	42.125	2004
20.03.2020 13:00:59	1	1	1	1	93	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.875	2004
20.03.2020 13:01:00	1	1	1	1	93	61.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.75	2004
20.03.2020 13:01:01	1	1	1	1	93	61.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.8125	2004
20.03.2020 13:01:02	1	1	1	1	93	61.75	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	42.125	2004
20.03.2020 13:01:03	1	1	1	1	93	62	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.5	2004
20.03.2020 13:01:04	1	1	1	1	93	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
20.03.2020 13:01:05	1	1	1	1	93	62	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:06	1	1	1	1	93	62	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 13:01:07	1	1	1	1	93	62	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.6875	2004
20.03.2020 13:01:08	1	1	1	1	92	61.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	42.25	2004
20.03.2020 13:01:09	1	1	1	1	92	62.25	0	27914.692	569.8924731	16027.77702	30000	0	0	30000	41.8125	2004
20.03.2020 13:01:10	1	1	1	1	92	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.25	2004
20.03.2020 13:01:12	1	1	1	1	92	62.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.75	2004
20.03.2020 13:01:13	1	1	1	1	92	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
20.03.2020 13:01:14	1	1	1	1	92	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:15	1	1	1	1	92	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.0625	2004
20.03.2020 13:01:16	1	1	1	1	92	61	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:17	1	1	1	1	92	62	0	28009.479	576.344086	15841.8721	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:18	1	1	1	1	92	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.375	2004
20.03.2020 13:01:19	1	1	1	1	91.75	62.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:20	1	1	1	1	91.75	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:21	1	1	1	1	91.75	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:22	1	1	1	1	91.75	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
20.03.2020 13:01:23	1	1	1	1	91.75	62.25	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	42.25	2004
20.03.2020 13:01:24	1	1	1	1	91.75	62.25	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:25	1	1	1	1	91.75	62	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:26	1	1	1	1	91.75	62	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:27	1	1	1	1	91.75	62	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	42.125	2004
20.03.2020 13:01:28	1	1	1	1	91.75	62	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:29	1	1	1	1	91.75	62	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	42.25	2004
20.03.2020 13:01:36	1	1	1	1	91.75	61.5	0	27630.332	563.4408602	15924.22472	30000	0	0	30000	42.125	2004
20.03.2020 13:01:36	1	1	1	1	91.75	61.5	0	27630.332	563.4408602	15924.22472	30000	0	0	30000	42.125	2004
20.03.2020 13:01:36	1	1	1	1	91.75	62	0	27725.118	569.8924731	15745.65814	30000	0	0	30000	42.3125	2004
20.03.2020 13:01:36	1	1	1	1	91.75	62	0	27725.118	569.8924731	15745.65814	30000	0	0	30000	42.3125	2004
20.03.2020 13:01:36	1	1	1	1	91.75	62	0	27725.118	569.8924731	15745.65814	30000	0	0	30000	42.3125	2004
20.03.2020 13:01:36	1	1	1	1	91.75	62	0	27725.118	569.8924731	15745.65814	30000	0	0	30000	42.3125	2004
20.03.2020 13:01:36	1	1	1	1	91.75	62	0	27725.118	569.8924731	15745.65814	30000	0	0	30000	42.3125	2004
20.03.2020 13:01:36	1	1	1	1	91.75	62	0	27725.118	569.8924731	15745.65814	30000	0	0	30000	42.3125	2004
20.03.2020 13:01:37	1	1	1	1	91.75	62.25	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	42.25	2004
20.03.2020 13:01:38	1	1	1	1	91.75	62.25	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:01:39	1	1	1	1	91.75	62	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	42.25	2004
20.03.2020 13:01:40	1	1	1	1	91.75	62.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:41	1	1	1	1	91.75	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
20.03.2020 13:01:42	1	1	1	1	91.75	62	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.9375	2004
20.03.2020 13:01:43	1	1	1	1	91.75	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.9375	2004
20.03.2020 13:01:44	1	1	1	1	91.75	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:45	1	1	1	1	91.75	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:46	1	1	1	1	91.75	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.125	2004
20.03.2020 13:01:47	1	1	1	1	91.75	62	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:49	1	1	1	1	92	62	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	42	2004
20.03.2020 13:01:50	1	1	1	1	92	62	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	42.0625	2004
20.03.2020 13:01:51	1	1	1	1	92	62	0	28815.166	563.4408602	16049.79208	30000	0	0	30000	42.125	2004
20.03.2020 13:01:52	1	1	1	1	92	62	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	41.75	2004
20.03.2020 13:01:53	1	1	1	1	92	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
20.03.2020 13:01:54	1	1	1	1	92	62	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.25	2004
20.03.2020 13:01:55	1	1	1	1	92	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.125	2004
20.03.2020 13:01:56	1	1	1	1	92	62	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.5	2004
20.03.2020 13:01:57	1	1	1	1	92	62.5	0	28815.166	554.8387097	16075.884	30000	0	0	30000	42.5	2004
20.03.2020 13:01:58	1	1	1	1	91	61.75	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	42.125	2004
20.03.2020 13:01:59	1	1	1	1	91	62	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
20.03.2020 13:02:00	1	1	1	1	91	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:01	1	1	1	1	91	62	0	28625.592	556.9892473	15671.45924	30000	0	0	30000	42.25	2004
20.03.2020 13:02:02	1	1	1	1	91	62.25	0	28957.346	559.1397849	16190.85152	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:03	1	1	1	1	91	62	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:04	1	1	1	1	91	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.125	2004
20.03.2020 13:02:05	1	1	1	1	91	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.0625	2004
20.03.2020 13:02:06	1	1	1	1	91	62	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
20.03.2020 13:02:07	1	1	1	1	91	61.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.625	2004
20.03.2020 13:02:08	1	1	1	1	91.5	61.5	0	28625.592	550.5376344	16173.7287	30000	0	0	30000	42	2004
20.03.2020 13:02:09	1	1	1	1	91.5	62	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:10	1	1	1	1	91.5	62	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:11	1	1	1	1	91.5	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.75	2004
20.03.2020 13:02:12	1	1	1	1	91.5	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.5	2004
20.03.2020 13:02:13	1	1	1	1	91.5	61.5	0	28909.953	554.8387097	16075.884	30000	0	0	30000	41.875	2004
20.03.2020 13:02:14	1	1	1	1	91.5	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42.125	2004
20.03.2020 13:02:15	1	1	1	1	91.5	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.875	2004
20.03.2020 13:02:16	1	1	1	1	91.5	61.75	0	28862.559	559.1397849	16075.884	30000	0	0	30000	42.125	2004
20.03.2020 13:02:17	1	1	1	1	91.5	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.9375	2004
20.03.2020 13:02:18	1	1	1	1	91.25	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
20.03.2020 13:02:19	1	1	1	1	91.25	61.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:20	1	1	1	1	91.25	62	0	28530.806	552.688172	15917.70174	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:21	1	1	1	1	91.25	62	0	28815.166	563.4408602	15987.82377	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:22	1	1	1	1	91.25	62	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:02:23	1	1	1	1	91.25	62	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:24	1	1	1	1	91.25	62	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.9375	2004
20.03.2020 13:02:26	1	1	1	1	91.25	61.75	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	42.0625	2004
20.03.2020 13:02:27	1	1	1	1	91.25	62	0	28483.412	559.1397849	16286.2501	30000	0	0	30000	42.125	2004
20.03.2020 13:02:28	1	1	1	1	91.25	62	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	42.125	2004
20.03.2020 13:02:29	1	1	1	1	91.25	62	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
20.03.2020 13:02:30	1	1	1	1	91.25	61.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	42.0625	2004
20.03.2020 13:02:31	1	1	1	1	91.25	62	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
20.03.2020 13:02:37	1	1	1	1	91.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 13:02:37	1	1	1	1	91.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 13:02:37	1	1	1	1	91.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 13:02:37	1	1	1	1	91.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 13:02:37	1	1	1	1	91.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 13:02:37	1	1	1	1	91.25	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
20.03.2020 13:02:38	1	1	1	1	91	61.75	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41.4375	2004
20.03.2020 13:02:39	1	1	1	1	91	61.25	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	42.3125	2004
20.03.2020 13:02:40	1	1	1	1	91	62.25	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	41.625	2004
20.03.2020 13:02:41	1	1	1	1	91	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 13:02:42	1	1	1	1	91	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:43	1	1	1	1	91	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.125	2004
20.03.2020 13:02:44	1	1	1	1	91	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.75	2004
20.03.2020 13:02:45	1	1	1	1	91	61.75	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	42.125	2004
20.03.2020 13:02:46	1	1	1	1	91	62	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:47	1	1	1	1	91	62	0	28436.019	567.7419355	16205.52823	30000	0	0	30000	41.6875	2004
20.03.2020 13:02:48	1	1	1	1	91	61.5	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	42	2004
20.03.2020 13:02:49	1	1	1	1	91	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.375	2004
20.03.2020 13:02:50	1	1	1	1	91	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:51	1	1	1	1	91	62	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	42.1875	2004
20.03.2020 13:02:52	1	1	1	1	91	62	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.75	2004
20.03.2020 13:02:53	1	1	1	1	91	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42.25	2004
20.03.2020 13:02:54	1	1	1	1	91	62.25	0	27962.085	567.7419355	15788.05751	30000	0	0	30000	41.875	2004
20.03.2020 13:02:55	1	1	1	1	91	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.4375	2004
20.03.2020 13:02:56	1	1	1	1	91	61.25	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	41.875	2004
20.03.2020 13:02:57	1	1	1	1	91	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	42.0625	2004
20.03.2020 13:02:58	1	1	1	1	90.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 13:02:59	1	1	1	1	90.75	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
20.03.2020 13:03:00	1	1	1	1	90.75	62	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	41.9375	2004
20.03.2020 13:03:01	1	1	1	1	90.75	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.25	2004
20.03.2020 13:03:02	1	1	1	1	90.75	62.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	42.1875	2004
20.03.2020 13:03:03	1	1	1	1	90.75	62	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	42.25	2004
20.03.2020 13:03:04	1	1	1	1	90.75	62.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.125	2004
20.03.2020 13:03:05	1	1	1	1	90.75	62	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.8125	2004
20.03.2020 13:03:07	1	1	1	1	90.75	61.75	0	27962.085	572.0430108	15788.05751	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:03:08	1	1	1	1	90.75	61.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.375	2004
20.03.2020 13:03:09	1	1	1	1	91.25	62.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	42.3125	2004
20.03.2020 13:03:10	1	1	1	1	91.25	62.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.3125	2004
20.03.2020 13:03:11	1	1	1	1	91.25	62.25	0	27914.692	580.6451613	15973.96244	30000	0	0	30000	42	2004
20.03.2020 13:03:12	1	1	1	1	91.25	62	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.875	2004
20.03.2020 13:03:13	1	1	1	1	91.25	61.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	42.3125	2004
20.03.2020 13:03:14	1	1	1	1	91.25	62.25	0	28009.479	572.0430108	15875.30237	30000	0	0	30000	42.5625	2004
20.03.2020 13:03:15	1	1	1	1	91.25	62.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.25	2004
20.03.2020 13:03:16	1	1	1	1	91.25	62	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.4375	2004
20.03.2020 13:03:17	1	1	1	1	91.25	61.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.875	2004
20.03.2020 13:03:18	1	1	1	1	90.5	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.9375	2004
20.03.2020 13:03:19	1	1	1	1	90.5	61.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	41.75	2004
20.03.2020 13:03:20	1	1	1	1	90.5	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	42.3125	2004
20.03.2020 13:03:21	1	1	1	1	90.5	62.25	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	42.125	2004
20.03.2020 13:03:22	1	1	1	1	90.5	62	0	27962.085	574.1935484	16022.06942	30000	0	0	30000	42.3125	2004
20.03.2020 13:03:23	1	1	1	1	90.5	62.25	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	42.1875	2004
20.03.2020 13:03:24	1	1	1	1	90.5	62	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	42.25	2004
20.03.2020 13:03:25	1	1	1	1	90.5	62.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	42.25	2004
20.03.2020 13:03:26	1	1	1	1	90.5	62.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	42.1875	2004
20.03.2020 13:03:27	1	1	1	1	90.5	62	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.9375	2004
20.03.2020 13:03:28	1	1	1	1	90.75	61.75	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	42.1875	2004
20.03.2020 13:03:29	1	1	1	1	90.75	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.25	2004
20.03.2020 13:03:30	1	1	1	1	90.75	62.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42	2004
20.03.2020 13:03:31	1	1	1	1	90.75	62	0	27962.085	565.5913978	16082.40698	30000	0	0	30000	41.8125	2004
20.03.2020 13:03:32	1	1	1	1	90.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:03:39	1	1	1	1	91	61.75	0	27819.905	569.8924731	15941.34754	30000	0	0	30000	42.25	2004
20.03.2020 13:03:39	1	1	1	1	91	61.75	0	27819.905	569.8924731	15941.34754	30000	0	0	30000	42.25	2004
20.03.2020 13:03:39	1	1	1	1	91	61.75	0	27819.905	569.8924731	15941.34754	30000	0	0	30000	42.25	2004
20.03.2020 13:03:39	1	1	1	1	91	61.75	0	27819.905	569.8924731	15941.34754	30000	0	0	30000	42.25	2004
20.03.2020 13:03:39	1	1	1	1	91	61.75	0	27819.905	569.8924731	15941.34754	30000	0	0	30000	42.25	2004
20.03.2020 13:03:39	1	1	1	1	91	62.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.25	2004
20.03.2020 13:03:40	1	1	1	1	91	62.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	42	2004
20.03.2020 13:03:41	1	1	1	1	91	62	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.625	2004
20.03.2020 13:03:42	1	1	1	1	91	61.5	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	42.3125	2004
20.03.2020 13:03:43	1	1	1	1	91	62.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.5	2004
20.03.2020 13:03:44	1	1	1	1	91	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
20.03.2020 13:03:46	1	1	1	1	91	62.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:03:47	1	1	1	1	91	62	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	42.0625	2004
20.03.2020 13:03:48	1	1	1	1	91	62	0	27867.299	569.8924731	16027.77702	30000	0	0	30000	41.6875	2004
20.03.2020 13:03:49	1	1	1	1	91.75	61.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	42.125	2004
20.03.2020 13:03:50	1	1	1	1	91.75	62	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	42.1875	2004
20.03.2020 13:03:51	1	1	1	1	91.75	62	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:03:52	1	1	1	1	91.75	62	0	27962.085	572.0430108	15961.73185	30000	0	0	30000	42.625	2004
20.03.2020 13:03:53	1	1	1	1	91.75	62.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.1875	2004
20.03.2020 13:03:54	1	1	1	1	91.75	62	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42.25	2004
20.03.2020 13:03:55	1	1	1	1	91.75	61.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.875	2004
20.03.2020 13:03:56	1	1	1	1	91.75	61.75	0	27867.299	565.5913978	15881.00997	30000	0	0	30000	41.625	2004
20.03.2020 13:03:57	1	1	1	1	91.75	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.25	2004
20.03.2020 13:03:58	1	1	1	1	91.5	62.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:03:59	1	1	1	1	91.5	62	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	42.0625	2004
20.03.2020 13:04:00	1	1	1	1	91.5	62	0	27867.299	576.344086	15973.96244	30000	0	0	30000	42.125	2004
20.03.2020 13:04:01	1	1	1	1	91.5	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	41.8125	2004
20.03.2020 13:04:02	1	1	1	1	91.5	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.9375	2004
20.03.2020 13:04:03	1	1	1	1	91.5	61.75	0	27819.905	576.344086	15854.10268	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:04	1	1	1	1	91.5	62	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:05	1	1	1	1	91.5	62	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:06	1	1	1	1	91.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.6875	2004
20.03.2020 13:04:07	1	1	1	1	91.5	61.5	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	41.875	2004
20.03.2020 13:04:08	1	1	1	1	91.5	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:09	1	1	1	1	91.5	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:10	1	1	1	1	91.5	62	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	42.125	2004
20.03.2020 13:04:11	1	1	1	1	91.5	62	0	27962.085	567.7419355	15995.16212	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:12	1	1	1	1	91.5	62	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:13	1	1	1	1	91.5	62	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	42.3125	2004
20.03.2020 13:04:14	1	1	1	1	91.5	62.25	0	28009.479	572.0430108	16252.00446	30000	0	0	30000	42.125	2004
20.03.2020 13:04:15	1	1	1	1	91.5	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	41.9375	2004
20.03.2020 13:04:16	1	1	1	1	91.5	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:17	1	1	1	1	91.5	62	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	42	2004
20.03.2020 13:04:18	1	1	1	1	92	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
20.03.2020 13:04:19	1	1	1	1	92	62.25	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:20	1	1	1	1	92	62	0	28293.839	572.0430108	16245.48148	30000	0	0	30000	41.5625	2004
20.03.2020 13:04:21	1	1	1	1	92	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
20.03.2020 13:04:23	1	1	1	1	92	62.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42	2004
20.03.2020 13:04:24	1	1	1	1	92	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.125	2004
20.03.2020 13:04:25	1	1	1	1	92	62	0	27914.692	567.7419355	15934.82456	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:26	1	1	1	1	92	62	0	28199.052	576.344086	16191.66689	30000	0	0	30000	41.8125	2004
20.03.2020 13:04:27	1	1	1	1	92	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:28	1	1	1	1	92	62	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:29	1	1	1	1	91.5	62	0	28009.479	578.4946237	15961.73185	30000	0	0	30000	42.3125	2004
20.03.2020 13:04:30	1	1	1	1	91.5	62.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.375	2004
20.03.2020 13:04:31	1	1	1	1	91.5	62.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 13:04:32	1	1	1	1	91.5	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:33	1	1	1	1	91.5	62	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:34	1	1	1	1	91.5	62	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	42.0625	2004
20.03.2020 13:04:41	1	1	1	1	91	62.25	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:04:41	1	1	1	1	91	62.25	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	42.25	2004
20.03.2020 13:04:41	1	1	1	1	91	62.25	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	42.25	2004
20.03.2020 13:04:41	1	1	1	1	91	62.25	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	42.25	2004
20.03.2020 13:04:41	1	1	1	1	91	62.25	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	42.25	2004
20.03.2020 13:04:41	1	1	1	1	91	62.25	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	42.25	2004
20.03.2020 13:04:41	1	1	1	1	91	62.25	0	14407.583	12.90322581	185.9049276	30000	0	0	30000	42.25	2004
20.03.2020 13:04:42	1	1	1	1	91	62.25	0	15165.877	19.35483871	293.5340962	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:43	1	1	1	1	91	62	0	15876.777	30.10752688	443.5626342	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:44	1	1	1	1	91	62	0	16682.464	34.40860215	574.0222325	30000	0	0	30000	42.25	2004
20.03.2020 13:04:45	1	1	1	1	91	62.25	0	17488.152	49.46236559	864.2948387	30000	0	0	30000	42.25	2004
20.03.2020 13:04:46	1	1	1	1	91	62.25	0	18293.839	60.21505376	1059.168864	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:47	1	1	1	1	91	62	0	18909.953	66.66666667	1263.827358	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:48	1	1	1	1	90.75	62	0	19668.246	83.87096774	1656.836898	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:49	1	1	1	1	90.75	62	0	20521.327	103.2258065	2172.152312	30000	0	0	30000	42.25	2004
20.03.2020 13:04:50	1	1	1	1	90.75	62.25	0	21279.621	120.4301075	2562.715734	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:51	1	1	1	1	90.75	62	0	21943.128	144.0860215	3161.199141	30000	0	0	30000	42.3125	2004
20.03.2020 13:04:52	1	1	1	1	90.75	62.25	0	22511.848	159.1397849	3533.824369	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:53	1	1	1	1	90.75	62	0	22890.995	174.1935484	3888.511402	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:54	1	1	1	1	90.75	62	0	22985.782	189.2473118	4358.981328	30000	0	0	30000	42.1875	2004
20.03.2020 13:04:55	1	1	1	1	90.75	62	0	23317.536	206.4516129	4813.959177	30000	0	0	30000	42.375	2004
20.03.2020 13:04:56	1	1	1	1	90.75	62.25	0	23222.749	206.4516129	4804.174707	30000	0	0	30000	42.25	2004
20.03.2020 13:04:57	1	1	1	1	90.75	62.25	0	23080.569	206.4516129	4416.872775	30000	0	0	30000	42.375	2004
20.03.2020 13:04:58	1	1	1	1	90.5	62.25	0	23744.076	219.3548387	5157.230995	30000	0	0	30000	42.3125	2004
20.03.2020 13:04:59	1	1	1	1	90.5	62.25	0	24123.223	236.5591398	5550.240535	30000	0	0	30000	42.25	2004
20.03.2020 13:05:00	1	1	1	1	90.5	62.25	0	24218.009	249.4623656	6093.278613	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:02	1	1	1	1	90.5	62	0	24597.156	264.516129	6505.857092	30000	0	0	30000	42.25	2004
20.03.2020 13:05:03	1	1	1	1	90.5	62.25	0	24834.123	279.5698925	6955.942706	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:04	1	1	1	1	90.5	62	0	25118.483	296.7741935	7386.459381	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:05	1	1	1	1	90.5	62	0	25308.057	309.6774194	7945.804909	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:06	1	1	1	1	90.5	62	0	25545.024	324.7311828	8365.721741	30000	0	0	30000	42.125	2004
20.03.2020 13:05:07	1	1	1	1	90.5	62	0	25734.597	339.7849462	8799.499905	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:08	1	1	1	1	90.5	62	0	25924.171	352.688172	9198.217052	30000	0	0	30000	42.4375	2004
20.03.2020 13:05:09	1	1	1	1	90.5	62.25	0	25924.171	367.7419355	9588.780475	30000	0	0	30000	42.125	2004
20.03.2020 13:05:10	1	1	1	1	90.5	62	0	26587.678	384.9462366	10234.55549	30000	0	0	30000	42.5625	2004
20.03.2020 13:05:11	1	1	1	1	90.5	62.5	0	26635.071	402.1505376	10577.8273	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:12	1	1	1	1	90.5	62	0	26777.251	415.0537634	11074.38915	30000	0	0	30000	42.5	2004
20.03.2020 13:05:13	1	1	1	1	90.5	61.75	0	27345.972	451.6129032	12408.33854	30000	0	0	30000	42.25	2004
20.03.2020 13:05:14	1	1	1	1	90.5	62.25	0	26966.825	458.0645161	12352.07784	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:15	1	1	1	1	90.5	62	0	27156.398	481.7204301	12767.10244	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:16	1	1	1	1	90.5	62	0	27440.758	488.172043	13454.46145	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:17	1	1	1	1	90.5	62	0	27393.365	505.3763441	13702.33468	30000	0	0	30000	41.875	2004
20.03.2020 13:05:18	1	1	1	1	91	61.75	0	27725.118	520.4301075	14477.75392	30000	0	0	30000	41.9375	2004
20.03.2020 13:05:19	1	1	1	1	91	61.75	0	27914.692	535.483871	14947.40847	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:05:20	1	1	1	1	91	62	0	27630.332	537.6344086	14794.93382	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:21	1	1	1	1	91	62	0	27962.085	550.5376344	15394.2326	30000	0	0	30000	41.8125	2004
20.03.2020 13:05:22	1	1	1	1	91	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:23	1	1	1	1	91	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 13:05:24	1	1	1	1	91	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.125	2004
20.03.2020 13:05:25	1	1	1	1	91	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:26	1	1	1	1	91	62	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	42	2004
20.03.2020 13:05:27	1	1	1	1	91	62	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42	2004
20.03.2020 13:05:28	1	1	1	1	90.75	62	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	41.625	2004
20.03.2020 13:05:29	1	1	1	1	90.75	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
20.03.2020 13:05:30	1	1	1	1	90.75	62	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.75	2004
20.03.2020 13:05:31	1	1	1	1	90.75	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.125	2004
20.03.2020 13:05:32	1	1	1	1	90.75	62	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	42	2004
20.03.2020 13:05:33	1	1	1	1	90.75	62	0	28009.479	578.4946237	15934.82456	30000	0	0	30000	41.75	2004
20.03.2020 13:05:34	1	1	1	1	90.75	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
20.03.2020 13:05:35	1	1	1	1	90.75	62	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	42.125	2004
20.03.2020 13:05:42	1	1	1	1	91.75	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:42	1	1	1	1	91.75	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:42	1	1	1	1	91.75	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:42	1	1	1	1	91.75	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:42	1	1	1	1	91.75	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:42	1	1	1	1	91.75	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:43	1	1	1	1	91.75	62	0	27630.332	569.8924731	15854.10268	30000	0	0	30000	41.8125	2004
20.03.2020 13:05:44	1	1	1	1	91.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
20.03.2020 13:05:45	1	1	1	1	91.75	62.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:46	1	1	1	1	91.75	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:47	1	1	1	1	91.75	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.375	2004
20.03.2020 13:05:48	1	1	1	1	91.75	62.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.125	2004
20.03.2020 13:05:49	1	1	1	1	91.75	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42	2004
20.03.2020 13:05:50	1	1	1	1	91.75	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42.125	2004
20.03.2020 13:05:51	1	1	1	1	91.75	61.75	0	29336.493	552.688172	15795.39586	30000	0	0	30000	41.9375	2004
20.03.2020 13:05:52	1	1	1	1	91.75	61.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:53	1	1	1	1	91.75	62	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:54	1	1	1	1	91.75	62	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.0625	2004
20.03.2020 13:05:55	1	1	1	1	91.75	62	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:56	1	1	1	1	91.75	62	0	30000	486.0215054	14580.49085	30000	0	0	30000	41.875	2004
20.03.2020 13:05:57	1	1	1	1	91.75	61.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:58	1	1	1	1	91.5	62	0	30000	509.6774194	15508.38475	30000	0	0	30000	42.1875	2004
20.03.2020 13:05:59	1	1	1	1	91.5	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42	2004
20.03.2020 13:06:00	1	1	1	1	91.5	62	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.8125	2004
20.03.2020 13:06:01	1	1	1	1	91.5	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.9375	2004
20.03.2020 13:06:02	1	1	1	1	91.5	61.75	0	0	0	0	30000	0	8	30000	42.3125	2004
20.03.2020 13:06:03	1	1	1	1	91.5	62.25	0	10142.18	0	0	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:06:04	1	1	1	1	91.5	62.25	0	10853.081	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:05	1	1	1	1	91.5	62	0	11706.161	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:06	1	1	1	1	91.5	62	0	12464.455	0	0	30000	0	0	30000	42.3125	2004
20.03.2020 13:06:07	1	1	1	1	91.5	62.25	0	13222.749	0	0	30000	0	0	30000	42.3125	2004
20.03.2020 13:06:08	1	1	1	1	92.5	62.25	0	14075.829	6.451612903	60.33756421	30000	0	0	30000	42.25	2004
20.03.2020 13:06:09	1	1	1	1	92.5	62.25	0	14786.73	8.602150538	158.9976354	30000	0	0	30000	42.3125	2004
20.03.2020 13:06:10	1	1	1	1	92.5	62.25	0	15497.63	15.05376344	199.7662599	30000	0	0	30000	42.25	2004
20.03.2020 13:06:11	1	1	1	1	92.5	62.25	0	16350.711	17.20430108	281.3035088	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:12	1	1	1	1	92.5	62	0	17014.218	23.65591398	404.4247547	30000	0	0	30000	42.25	2004
20.03.2020 13:06:13	1	1	1	1	92.5	62.25	0	17867.299	34.40860215	575.6529775	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:14	1	1	1	1	92.5	62	0	18530.806	38.70967742	760.7425325	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:15	1	1	1	1	92.5	62	0	19336.493	47.31182796	914.847933	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:16	1	1	1	1	92.5	62	0	20236.967	60.21505376	1218.166499	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:17	1	1	1	1	92.5	62	0	20900.474	64.51612903	1392.656212	30000	0	0	30000	42.25	2004
20.03.2020 13:06:18	1	1	1	1	91.75	62.25	0	21563.981	77.41935484	1637.267959	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:19	1	1	1	1	91.75	62	0	22417.062	98.92473118	2216.997798	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:20	1	1	1	1	91.75	62	0	23270.142	113.9784946	2651.591335	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:22	1	1	1	1	91.75	62	0	23933.649	122.5806452	2939.417824	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:23	1	1	1	1	91.75	62	0	24739.336	137.6344086	3404.995515	30000	0	0	30000	41.9375	2004
20.03.2020 13:06:24	1	1	1	1	91.75	61.75	0	24739.336	144.0860215	3563.993151	30000	0	0	30000	42.125	2004
20.03.2020 13:06:25	1	1	1	1	91.75	62	0	25545.024	156.9892473	4120.077189	30000	0	0	30000	42.125	2004
20.03.2020 13:06:26	1	1	1	1	91.75	62	0	26208.531	176.344086	4565.270568	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:27	1	1	1	1	91.75	62	0	25924.171	189.2473118	4979.479792	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:28	1	1	1	1	91.75	62	0	25639.81	206.4516129	5293.398201	30000	0	0	30000	42.125	2004
20.03.2020 13:06:29	1	1	1	1	91.5	62	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	42.4375	2004
20.03.2020 13:06:30	1	1	1	1	91.5	62.25	0	25308.057	219.3548387	5616.285707	30000	0	0	30000	42.375	2004
20.03.2020 13:06:31	1	1	1	1	91.5	62.25	0	24597.156	236.5591398	5765.498872	30000	0	0	30000	42.375	2004
20.03.2020 13:06:32	1	1	1	1	91.5	62.25	0	25545.024	258.0645161	6592.286576	30000	0	0	30000	41.9375	2004
20.03.2020 13:06:33	1	1	1	1	91.5	61.75	0	25639.81	281.7204301	7278.01484	30000	0	0	30000	42.25	2004
20.03.2020 13:06:34	1	1	1	1	91.5	62.25	0	26208.531	292.4731183	7665.316772	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:35	1	1	1	1	91.5	62	0	26587.678	309.6774194	8290.707472	30000	0	0	30000	42.25	2004
20.03.2020 13:06:36	1	1	1	1	91.5	62.25	0	27014.218	326.8817204	8756.285163	30000	0	0	30000	42.25	2004
20.03.2020 13:06:37	1	1	1	1	91.5	62.25	0	27156.398	339.7849462	9275.677439	30000	0	0	30000	42.25	2004
20.03.2020 13:06:44	1	1	1	1	91.25	62	0	28341.232	415.0537634	11762.56353	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:44	1	1	1	1	91.25	62	0	28341.232	415.0537634	11762.56353	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:44	1	1	1	1	91.25	62	0	28341.232	415.0537634	11762.56353	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:44	1	1	1	1	91.25	62	0	28341.232	415.0537634	11762.56353	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:44	1	1	1	1	91.25	62	0	28341.232	415.0537634	11762.56353	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:44	1	1	1	1	91.25	62	0	28578.199	427.9569892	12352.89321	30000	0	0	30000	42.25	2004
20.03.2020 13:06:45	1	1	1	1	91.25	62.25	0	28815.166	443.0107527	12827.44	30000	0	0	30000	42	2004
20.03.2020 13:06:46	1	1	1	1	91.25	62	0	28815.166	460.2150538	13261.21817	30000	0	0	30000	41.6875	2004
20.03.2020 13:06:47	1	1	1	1	91.25	61.5	0	29052.133	470.9677419	13949.39255	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:06:48	1	1	1	1	90.75	61.5	0	29383.886	490.3225806	14383.98608	30000	0	0	30000	41.375	2004
20.03.2020 13:06:49	1	1	1	1	90.75	61.25	0	29573.46	505.3763441	14945.77773	30000	0	0	30000	41.5625	2004
20.03.2020 13:06:50	1	1	1	1	90.75	61.5	0	29715.64	520.4301075	15464.35463	30000	0	0	30000	41.1875	2004
20.03.2020 13:06:51	1	1	1	1	90.75	61	0	29905.213	520.4301075	15563.0147	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:52	1	1	1	1	90.75	62	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.25	2004
20.03.2020 13:06:53	1	1	1	1	90.75	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.125	2004
20.03.2020 13:06:54	1	1	1	1	90.75	62	0	30000	516.1290323	15548.338	30000	0	0	30000	42.125	2004
20.03.2020 13:06:55	1	1	1	1	90.75	62	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:56	1	1	1	1	90.75	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.3125	2004
20.03.2020 13:06:57	1	1	1	1	90.75	61.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.9375	2004
20.03.2020 13:06:58	1	1	1	1	90.25	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.1875	2004
20.03.2020 13:06:59	1	1	1	1	90.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.125	2004
20.03.2020 13:07:01	1	1	1	1	90.25	62	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.125	2004
20.03.2020 13:07:02	1	1	1	1	90.25	62	0	30000	483.8709677	14580.49085	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:03	1	1	1	1	90.25	62	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.8125	2004
20.03.2020 13:07:04	1	1	1	1	90.25	61.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	42	2004
20.03.2020 13:07:05	1	1	1	1	90.25	62	0	30000	488.172043	14644.90528	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:06	1	1	1	1	90.25	62	0	30000	483.8709677	14493.246	30000	0	0	30000	41.9375	2004
20.03.2020 13:07:07	1	1	1	1	90.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
20.03.2020 13:07:08	1	1	1	1	90.25	62.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	42.125	2004
20.03.2020 13:07:09	1	1	1	1	89.75	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.4375	2004
20.03.2020 13:07:10	1	1	1	1	89.75	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.0625	2004
20.03.2020 13:07:11	1	1	1	1	89.75	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:12	1	1	1	1	89.75	62	0	29952.607	458.0645161	14021.9607	30000	0	0	30000	41.9375	2004
20.03.2020 13:07:13	1	1	1	1	89.75	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:14	1	1	1	1	89.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.75	2004
20.03.2020 13:07:15	1	1	1	1	89.75	61.75	0	30000	445.1612903	13119.34335	30000	0	0	30000	41.0625	2004
20.03.2020 13:07:16	1	1	1	1	89.75	61	0	30047.393	445.1612903	13269.37189	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:17	1	1	1	1	89.75	62	0	30000	438.7096774	13375.37032	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:18	1	1	1	1	88.75	62	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:19	1	1	1	1	88.75	62	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:20	1	1	1	1	88.75	62	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:21	1	1	1	1	88.75	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:22	1	1	1	1	88.75	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
20.03.2020 13:07:23	1	1	1	1	88.75	61.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.8125	2004
20.03.2020 13:07:24	1	1	1	1	88.75	61.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.75	2004
20.03.2020 13:07:25	1	1	1	1	88.75	61.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	41.375	2004
20.03.2020 13:07:26	1	1	1	1	88.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
20.03.2020 13:07:27	1	1	1	1	88.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
20.03.2020 13:07:28	1	1	1	1	87.25	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:29	1	1	1	1	87.25	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42	2004
20.03.2020 13:07:30	1	1	1	1	87.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:31	1	1	1	1	87.25	62	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:07:32	1	1	1	1	87.25	62	0	29905.213	382.7956989	11511.4288	30000	0	0	30000	42	2004
20.03.2020 13:07:33	1	1	1	1	87.25	62	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.0625	2004
20.03.2020 13:07:34	1	1	1	1	87.25	62	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.3125	2004
20.03.2020 13:07:35	1	1	1	1	87.25	62.25	0	30000	378.4946237	11096.40421	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:36	1	1	1	1	87.25	62	0	30000	369.8924731	10967.57535	30000	0	0	30000	42.0625	2004
20.03.2020 13:07:37	1	1	1	1	87.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42	2004
20.03.2020 13:07:38	1	1	1	1	86.25	62	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:45	1	1	1	1	86.25	61.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.75	2004
20.03.2020 13:07:45	1	1	1	1	86.25	61.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.75	2004
20.03.2020 13:07:45	1	1	1	1	86.25	61.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.75	2004
20.03.2020 13:07:45	1	1	1	1	86.25	61.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.75	2004
20.03.2020 13:07:45	1	1	1	1	86.25	61.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.75	2004
20.03.2020 13:07:46	1	1	1	1	86.25	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:47	1	1	1	1	86.25	62	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.4375	2004
20.03.2020 13:07:48	1	1	1	1	86.25	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:49	1	1	1	1	84.75	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42.25	2004
20.03.2020 13:07:50	1	1	1	1	84.75	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.9375	2004
20.03.2020 13:07:51	1	1	1	1	84.75	61.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.0625	2004
20.03.2020 13:07:52	1	1	1	1	84.75	62	0	29905.213	341.9354839	10515.85899	30000	0	0	30000	42.0625	2004
20.03.2020 13:07:53	1	1	1	1	84.75	62	0	29905.213	341.9354839	10515.85899	30000	0	0	30000	42	2004
20.03.2020 13:07:54	1	1	1	1	84.75	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42	2004
20.03.2020 13:07:55	1	1	1	1	84.75	62	0	30000	341.9354839	10128.55706	30000	0	0	30000	41.5	2004
20.03.2020 13:07:56	1	1	1	1	84.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.0625	2004
20.03.2020 13:07:57	1	1	1	1	84.75	62	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.8125	2004
20.03.2020 13:07:58	1	1	1	1	84	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
20.03.2020 13:07:59	1	1	1	1	84	62	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	41.5625	2004
20.03.2020 13:08:00	1	1	1	1	84	61.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	42	2004
20.03.2020 13:08:01	1	1	1	1	84	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.9375	2004
20.03.2020 13:08:02	1	1	1	1	84	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:03	1	1	1	1	84	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.0625	2004
20.03.2020 13:08:04	1	1	1	1	84	62	0	30000	322.5806452	9468.920719	30000	0	0	30000	42	2004
20.03.2020 13:08:05	1	1	1	1	84	62	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:06	1	1	1	1	84	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.375	2004
20.03.2020 13:08:07	1	1	1	1	84	61.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.125	2004
20.03.2020 13:08:08	1	1	1	1	83.25	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.0625	2004
20.03.2020 13:08:09	1	1	1	1	83.25	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.0625	2004
20.03.2020 13:08:10	1	1	1	1	83.25	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.125	2004
20.03.2020 13:08:11	1	1	1	1	83.25	62	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.875	2004
20.03.2020 13:08:12	1	1	1	1	83.25	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.0625	2004
20.03.2020 13:08:13	1	1	1	1	83.25	61	0	29952.607	307.5268817	9354.76857	30000	0	0	30000	42.125	2004
20.03.2020 13:08:14	1	1	1	1	83.25	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.125	2004
20.03.2020 13:08:16	1	1	1	1	83.25	62	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:08:17	1	1	1	1	83.25	61.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.6875	2004
20.03.2020 13:08:18	1	1	1	1	83.25	61.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.125	2004
20.03.2020 13:08:19	1	1	1	1	82.5	62	0	30047.393	309.6774194	9225.124344	30000	0	0	30000	41.625	2004
20.03.2020 13:08:20	1	1	1	1	82.5	61.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:21	1	1	1	1	82.5	62	0	30094.787	316.1290323	9225.124344	30000	0	0	30000	42	2004
20.03.2020 13:08:22	1	1	1	1	82.5	62	0	30000	305.3763441	8953.605305	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:23	1	1	1	1	82.5	62	0	29952.607	301.0752688	9018.019732	30000	0	0	30000	42.125	2004
20.03.2020 13:08:24	1	1	1	1	82.5	62	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.875	2004
20.03.2020 13:08:25	1	1	1	1	82.5	61.75	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	42.4375	2004
20.03.2020 13:08:26	1	1	1	1	82.5	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:27	1	1	1	1	82.5	62	0	29952.607	296.7741935	9031.881064	30000	0	0	30000	42.375	2004
20.03.2020 13:08:28	1	1	1	1	81.25	62.5	0	30000	301.0752688	8903.052211	30000	0	0	30000	41.375	2004
20.03.2020 13:08:29	1	1	1	1	81.25	61.25	0	29905.213	296.7741935	8967.466638	30000	0	0	30000	42.0625	2004
20.03.2020 13:08:30	1	1	1	1	81.25	62	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:31	1	1	1	1	81.25	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.125	2004
20.03.2020 13:08:32	1	1	1	1	81.25	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.3125	2004
20.03.2020 13:08:33	1	1	1	1	81.25	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.5625	2004
20.03.2020 13:08:34	1	1	1	1	81.25	61.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.6875	2004
20.03.2020 13:08:35	1	1	1	1	81.25	61.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.125	2004
20.03.2020 13:08:36	1	1	1	1	81.25	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.8125	2004
20.03.2020 13:08:37	1	1	1	1	81.25	61.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.125	2004
20.03.2020 13:08:38	1	1	1	1	80.5	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:39	1	1	1	1	80.5	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.9375	2004
20.03.2020 13:08:40	1	1	1	1	80.5	61.75	0	29952.607	288.172043	8774.223358	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:47	1	1	1	1	80.5	62	0	30000	286.0215054	8708.993559	30000	0	0	30000	41.125	2004
20.03.2020 13:08:47	1	1	1	1	80.5	62	0	30000	286.0215054	8708.993559	30000	0	0	30000	41.125	2004
20.03.2020 13:08:47	1	1	1	1	80.5	62	0	30000	286.0215054	8708.993559	30000	0	0	30000	41.125	2004
20.03.2020 13:08:47	1	1	1	1	80.5	62	0	30000	286.0215054	8708.993559	30000	0	0	30000	41.125	2004
20.03.2020 13:08:47	1	1	1	1	80.5	62	0	30000	286.0215054	8708.993559	30000	0	0	30000	41.125	2004
20.03.2020 13:08:47	1	1	1	1	80.5	62	0	30000	286.0215054	8708.993559	30000	0	0	30000	41.125	2004
20.03.2020 13:08:47	1	1	1	1	80.5	61	0	30000	290.3225806	8708.993559	30000	0	0	30000	42	2004
20.03.2020 13:08:48	1	1	1	1	80	62	0	30000	288.172043	8631.533172	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:49	1	1	1	1	80	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:50	1	1	1	1	80	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.125	2004
20.03.2020 13:08:51	1	1	1	1	80	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.5	2004
20.03.2020 13:08:52	1	1	1	1	80	61.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.125	2004
20.03.2020 13:08:53	1	1	1	1	80	62	0	29905.213	275.2688172	8373.875465	30000	0	0	30000	42.0625	2004
20.03.2020 13:08:55	1	1	1	1	80	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.9375	2004
20.03.2020 13:08:56	1	1	1	1	80	61.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
20.03.2020 13:08:57	1	1	1	1	80	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.625	2004
20.03.2020 13:08:58	1	1	1	1	80	61.5	0	29905.213	270.9677419	8322.506999	30000	0	0	30000	42.0625	2004
20.03.2020 13:08:59	1	1	1	1	79	62	0	30047.393	277.4193548	8322.506999	30000	0	0	30000	42.125	2004
20.03.2020 13:09:00	1	1	1	1	79	62	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:09:01	1	1	1	1	79	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:02	1	1	1	1	79	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:03	1	1	1	1	79	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:04	1	1	1	1	79	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.3125	2004
20.03.2020 13:09:05	1	1	1	1	79	61.25	0	30047.393	270.9677419	8128.448346	30000	0	0	30000	42.375	2004
20.03.2020 13:09:06	1	1	1	1	79	62.25	0	30000	266.6666667	8051.803332	30000	0	0	30000	42.25	2004
20.03.2020 13:09:07	1	1	1	1	79	62.25	0	29952.607	264.516129	7999.619493	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:08	1	1	1	1	79	62	0	30047.393	268.8172043	8141.494306	30000	0	0	30000	41.25	2004
20.03.2020 13:09:09	1	1	1	1	78.5	62.25	0	30000	270.9677419	7909.928519	30000	0	0	30000	41.3125	2004
20.03.2020 13:09:10	1	1	1	1	78.5	61.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:11	1	1	1	1	78.5	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.5625	2004
20.03.2020 13:09:12	1	1	1	1	78.5	61.5	0	30000	262.3655914	7999.619493	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:13	1	1	1	1	78.5	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:14	1	1	1	1	78.5	62	0	29905.213	264.516129	8064.033919	30000	0	0	30000	41.9375	2004
20.03.2020 13:09:15	1	1	1	1	78.5	61.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:16	1	1	1	1	78.5	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	42	2004
20.03.2020 13:09:17	1	1	1	1	78.5	62	0	30000	268.8172043	8128.448346	30000	0	0	30000	41.375	2004
20.03.2020 13:09:18	1	1	1	1	77.75	61.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:19	1	1	1	1	77.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.9375	2004
20.03.2020 13:09:20	1	1	1	1	77.75	61.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.125	2004
20.03.2020 13:09:21	1	1	1	1	77.75	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:22	1	1	1	1	77.75	62	0	30047.393	277.4193548	8192.862773	30000	0	0	30000	42	2004
20.03.2020 13:09:23	1	1	1	1	77.75	62	0	30000	273.1182796	7987.388905	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:24	1	1	1	1	77.75	62	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:25	1	1	1	1	77.75	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:26	1	1	1	1	77.75	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	42	2004
20.03.2020 13:09:27	1	1	1	1	77.75	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.125	2004
20.03.2020 13:09:28	1	1	1	1	76.75	62	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.125	2004
20.03.2020 13:09:29	1	1	1	1	76.75	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:30	1	1	1	1	76.75	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:31	1	1	1	1	76.75	62	0	30000	270.9677419	8335.552958	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:32	1	1	1	1	76.75	62	0	29952.607	270.9677419	8064.033919	30000	0	0	30000	42.125	2004
20.03.2020 13:09:33	1	1	1	1	76.75	62	0	29952.607	270.9677419	8064.033919	30000	0	0	30000	41.9375	2004
20.03.2020 13:09:34	1	1	1	1	76.75	61.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:35	1	1	1	1	76.75	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.9375	2004
20.03.2020 13:09:37	1	1	1	1	76.75	61.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	41.75	2004
20.03.2020 13:09:38	1	1	1	1	76.75	61.75	0	30000	268.8172043	7999.619493	30000	0	0	30000	41.8125	2004
20.03.2020 13:09:39	1	1	1	1	76.5	61.75	0	30000	264.516129	7935.205066	30000	0	0	30000	42.125	2004
20.03.2020 13:09:40	1	1	1	1	76.5	62	0	29905.213	264.516129	7999.619493	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:41	1	1	1	1	76.5	62	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.125	2004
20.03.2020 13:09:42	1	1	1	1	76.5	62	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:48	1	1	1	1	76.5	61.5	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	42.5625	2004
20.03.2020 13:09:48	1	1	1	1	76.5	61.5	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:09:48	1	1	1	1	76.5	61.5	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	42.5625	2004
20.03.2020 13:09:48	1	1	1	1	76.5	61.5	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	42.5625	2004
20.03.2020 13:09:48	1	1	1	1	76.5	61.5	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	42.5625	2004
20.03.2020 13:09:48	1	1	1	1	76.5	61.5	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	42.5625	2004
20.03.2020 13:09:49	1	1	1	1	76.25	62.5	0	30000	264.516129	7935.205066	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:50	1	1	1	1	76.25	62.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.125	2004
20.03.2020 13:09:51	1	1	1	1	76.25	62	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	41.125	2004
20.03.2020 13:09:52	1	1	1	1	76.25	61	0	30000	262.3655914	7806.376213	30000	0	0	30000	42.125	2004
20.03.2020 13:09:53	1	1	1	1	76.25	62	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.875	2004
20.03.2020 13:09:54	1	1	1	1	76.25	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.5625	2004
20.03.2020 13:09:55	1	1	1	1	76.25	61.5	0	30000	251.6129032	7676.731987	30000	0	0	30000	42.0625	2004
20.03.2020 13:09:56	1	1	1	1	76.25	62	0	30000	258.0645161	7676.731987	30000	0	0	30000	41.625	2004
20.03.2020 13:09:57	1	1	1	1	76.25	61.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	41.4375	2004
20.03.2020 13:09:58	1	1	1	1	75	61.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.1875	2004
20.03.2020 13:09:59	1	1	1	1	75	62	0	30000	247.311828	7419.07428	30000	0	0	30000	42.25	2004
20.03.2020 13:10:00	1	1	1	1	75	62.25	0	30000	249.4623656	7483.488707	30000	0	0	30000	42.0625	2004
20.03.2020 13:10:01	1	1	1	1	75	62	0	29905.213	243.0107527	7419.07428	30000	0	0	30000	41.8125	2004
20.03.2020 13:10:02	1	1	1	1	75	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	41.625	2004
20.03.2020 13:10:03	1	1	1	1	75	61.5	0	30000	247.311828	7612.31756	30000	0	0	30000	42	2004
20.03.2020 13:10:04	1	1	1	1	75	62	0	30000	247.311828	7419.07428	30000	0	0	30000	41.9375	2004
20.03.2020 13:10:05	1	1	1	1	75	61.75	0	30000	247.311828	7354.659854	30000	0	0	30000	42.1875	2004
20.03.2020 13:10:06	1	1	1	1	75	62	0	30000	258.0645161	7547.903134	30000	0	0	30000	41.9375	2004
20.03.2020 13:10:07	1	1	1	1	75	61.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.0625	2004
20.03.2020 13:10:08	1	1	1	1	75	62	0	30000	249.4623656	7419.07428	30000	0	0	30000	41.875	2004
20.03.2020 13:10:09	1	1	1	1	75	61.75	0	30000	247.311828	7483.488707	30000	0	0	30000	42.1875	2004
20.03.2020 13:10:10	1	1	1	1	75	62	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.0625	2004
20.03.2020 13:10:11	1	1	1	1	75	62	0	30000	245.1612903	7419.07428	30000	0	0	30000	41.625	2004
20.03.2020 13:10:12	1	1	1	1	75	61.5	0	30047.393	247.311828	7419.07428	30000	0	0	30000	41.4375	2004
20.03.2020 13:10:13	1	1	1	1	75	61.25	0	29952.607	240.8602151	7290.245427	30000	0	0	30000	41.875	2004
20.03.2020 13:10:14	1	1	1	1	75	61.75	0	30000	247.311828	7354.659854	30000	0	0	30000	41.5625	2004
20.03.2020 13:10:16	1	1	1	1	75	61.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	42.0625	2004
20.03.2020 13:10:17	1	1	1	1	75	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.5	2004
20.03.2020 13:10:18	1	1	1	1	75	61.5	0	30000	247.311828	7419.07428	30000	0	0	30000	42.0625	2004
20.03.2020 13:10:19	1	1	1	1	74.25	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.5	2004
20.03.2020 13:10:20	1	1	1	1	74.25	61.5	0	29952.607	243.0107527	7290.245427	30000	0	0	30000	42.125	2004
20.03.2020 13:10:21	1	1	1	1	74.25	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.0625	2004
20.03.2020 13:10:22	1	1	1	1	74.25	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	41.875	2004
20.03.2020 13:10:23	1	1	1	1	74.25	61.75	0	29952.607	240.8602151	7225.831	30000	0	0	30000	42	2004
20.03.2020 13:10:24	1	1	1	1	74.25	62	0	30000	247.311828	7419.07428	30000	0	0	30000	42.5625	2004
20.03.2020 13:10:25	1	1	1	1	74.25	62.5	0	29952.607	247.311828	7407.659066	30000	0	0	30000	42.125	2004
20.03.2020 13:10:26	1	1	1	1	74.25	62	0	30000	247.311828	7225.831	30000	0	0	30000	42.5	2004
20.03.2020 13:10:27	1	1	1	1	74.25	62.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.25	2004
20.03.2020 13:10:28	1	1	1	1	74.25	62.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:10:29	1	1	1	1	74	62	0	30000	249.4623656	7547.903134	30000	0	0	30000	42	2004
20.03.2020 13:10:30	1	1	1	1	74	62	0	29952.607	249.4623656	7547.903134	30000	0	0	30000	41.6875	2004
20.03.2020 13:10:31	1	1	1	1	74	61.5	0	30000	247.311828	7419.07428	30000	0	0	30000	42.125	2004
20.03.2020 13:10:32	1	1	1	1	74	62	0	30000	247.311828	7419.07428	30000	0	0	30000	41.9375	2004
20.03.2020 13:10:33	1	1	1	1	74	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	42.125	2004
20.03.2020 13:10:34	1	1	1	1	74	62	0	29952.607	243.0107527	7419.07428	30000	0	0	30000	42.125	2004
20.03.2020 13:10:35	1	1	1	1	74	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	42	2004
20.03.2020 13:10:36	1	1	1	1	74	62	0	30000	245.1612903	7366.075069	30000	0	0	30000	42.1875	2004
20.03.2020 13:10:37	1	1	1	1	74	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.875	2004
20.03.2020 13:10:40	1	1	1	1	73	61.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	42	2004
20.03.2020 13:10:40	1	1	1	1	73	61.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	42	2004
20.03.2020 13:10:40	1	1	1	1	73	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.0625	2004
20.03.2020 13:10:41	1	1	1	1	73	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42.0625	2004
20.03.2020 13:10:42	1	1	1	1	73	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
20.03.2020 13:10:43	1	1	1	1	73	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42.0625	2004
20.03.2020 13:10:50	1	1	1	1	72.5	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42	2004
20.03.2020 13:10:50	1	1	1	1	72.5	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42	2004
20.03.2020 13:10:50	1	1	1	1	72.5	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42	2004
20.03.2020 13:10:50	1	1	1	1	72.5	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42	2004
20.03.2020 13:10:50	1	1	1	1	72.5	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42	2004
20.03.2020 13:10:50	1	1	1	1	72.5	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42	2004
20.03.2020 13:10:50	1	1	1	1	72.5	62	0	30000	245.1612903	7419.07428	30000	0	0	30000	42.1875	2004
20.03.2020 13:10:51	1	1	1	1	72.5	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.125	2004
20.03.2020 13:10:52	1	1	1	1	72.5	62	0	30000	240.8602151	7290.245427	30000	0	0	30000	42.1875	2004
20.03.2020 13:10:53	1	1	1	1	72.5	62	0	30000	253.7634409	7547.903134	30000	0	0	30000	42	2004
20.03.2020 13:10:54	1	1	1	1	72.5	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:10:56	1	1	1	1	72.5	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.9375	2004
20.03.2020 13:10:57	1	1	1	1	72.5	61.75	0	30000	251.6129032	7395.428478	30000	0	0	30000	42.25	2004
20.03.2020 13:10:58	1	1	1	1	72.5	62.25	0	30000	247.311828	7419.07428	30000	0	0	30000	41.9375	2004
20.03.2020 13:10:59	1	1	1	1	72.25	61.75	0	30000	245.1612903	7407.659066	30000	0	0	30000	42.125	2004
20.03.2020 13:11:00	1	1	1	1	72.25	62	0	30000	247.311828	7419.07428	30000	0	0	30000	41.9375	2004
20.03.2020 13:11:01	1	1	1	1	72.25	61.75	0	29952.607	245.1612903	7343.244639	30000	0	0	30000	42	2004
20.03.2020 13:11:02	1	1	1	1	72.25	62	0	30000	245.1612903	7419.07428	30000	0	0	30000	41.5625	2004
20.03.2020 13:11:03	1	1	1	1	72.25	61.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	40.8125	2004
20.03.2020 13:11:04	1	1	1	1	72.25	60.75	0	30000	247.311828	7419.07428	30000	0	0	30000	42	2004
20.03.2020 13:11:05	1	1	1	1	72.25	62	0	30000	247.311828	7354.659854	30000	0	0	30000	42.1875	2004
20.03.2020 13:11:06	1	1	1	1	72.25	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.1875	2004
20.03.2020 13:11:07	1	1	1	1	72.25	62	0	30000	245.1612903	7290.245427	30000	0	0	30000	42	2004
20.03.2020 13:11:08	1	1	1	1	72.25	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.1875	2004
20.03.2020 13:11:09	1	1	1	1	72.25	62	0	30000	240.8602151	7419.07428	30000	0	0	30000	42.125	2004
20.03.2020 13:11:10	1	1	1	1	72.25	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.5	2004
20.03.2020 13:11:11	1	1	1	1	72.25	61.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	42	2004
20.03.2020 13:11:12	1	1	1	1	72.25	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:11:13	1	1	1	1	72.25	62	0	30000	243.0107527	7225.831	30000	0	0	30000	42.125	2004
20.03.2020 13:11:14	1	1	1	1	72.25	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.1875	2004
20.03.2020 13:11:15	1	1	1	1	72.25	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42.125	2004
20.03.2020 13:11:16	1	1	1	1	72.25	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.9375	2004
20.03.2020 13:11:17	1	1	1	1	72.25	61.75	0	30000	236.5591398	7225.831	30000	0	0	30000	42.0625	2004
20.03.2020 13:11:18	1	1	1	1	71.25	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.9375	2004
20.03.2020 13:11:19	1	1	1	1	71.25	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
20.03.2020 13:11:20	1	1	1	1	71.25	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.75	2004
20.03.2020 13:11:21	1	1	1	1	71.25	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42.125	2004
20.03.2020 13:11:22	1	1	1	1	71.25	62	0	30000	245.1612903	7214.415786	30000	0	0	30000	41.1875	2004
20.03.2020 13:11:23	1	1	1	1	71.25	61	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.0625	2004
20.03.2020 13:11:24	1	1	1	1	71.25	62	0	30000	243.0107527	7419.07428	30000	0	0	30000	41.6875	2004
20.03.2020 13:11:25	1	1	1	1	71.25	61.5	0	30047.393	247.311828	7419.07428	30000	0	0	30000	42.125	2004
20.03.2020 13:11:26	1	1	1	1	71.25	62	0	29952.607	247.311828	7419.07428	30000	0	0	30000	41.8125	2004
20.03.2020 13:11:27	1	1	1	1	71.25	61.75	0	30000	243.0107527	7354.659854	30000	0	0	30000	41.9375	2004
20.03.2020 13:11:28	1	1	1	1	70	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42.1875	2004
20.03.2020 13:11:29	1	1	1	1	70	62	0	30000	240.8602151	7096.186775	30000	0	0	30000	41.375	2004
20.03.2020 13:11:30	1	1	1	1	70	61.25	0	30000	240.8602151	7225.831	30000	0	0	30000	42.125	2004
20.03.2020 13:11:31	1	1	1	1	70	62	0	30000	236.5591398	7085.586932	30000	0	0	30000	42	2004
20.03.2020 13:11:32	1	1	1	1	70	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42.0625	2004
20.03.2020 13:11:33	1	1	1	1	70	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42.125	2004
20.03.2020 13:11:35	1	1	1	1	70	62	0	29952.607	232.2580645	7225.831	30000	0	0	30000	42	2004
20.03.2020 13:11:36	1	1	1	1	70	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.875	2004
20.03.2020 13:11:37	1	1	1	1	70	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42.125	2004
20.03.2020 13:11:38	1	1	1	1	70	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
20.03.2020 13:11:39	1	1	1	1	69.25	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42.125	2004
20.03.2020 13:11:40	1	1	1	1	69.25	62	0	29952.607	240.8602151	7225.831	30000	0	0	30000	41.375	2004
20.03.2020 13:11:41	1	1	1	1	69.25	61.25	0	29952.607	240.8602151	7225.831	30000	0	0	30000	41.9375	2004
20.03.2020 13:11:42	1	1	1	1	69.25	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
20.03.2020 13:11:43	1	1	1	1	69.25	62	0	29952.607	240.8602151	7225.831	30000	0	0	30000	42.0625	2004
20.03.2020 13:11:44	1	1	1	1	69.25	62	0	30000	240.8602151	7096.186775	30000	0	0	30000	42	2004
20.03.2020 13:11:45	1	1	1	1	69.25	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42.1875	2004
20.03.2020 13:11:51	1	1	1	1	68.75	61.5	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
20.03.2020 13:11:51	1	1	1	1	68.75	61.5	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
20.03.2020 13:11:51	1	1	1	1	68.75	61.5	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
20.03.2020 13:11:51	1	1	1	1	68.75	61.5	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
20.03.2020 13:11:51	1	1	1	1	68.75	61.5	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
20.03.2020 13:11:51	1	1	1	1	68.75	61.5	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
20.03.2020 13:11:52	1	1	1	1	68.75	61.75	0	29952.607	240.8602151	7225.831	30000	0	0	30000	42	2004
20.03.2020 13:11:53	1	1	1	1	68.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.875	2004
20.03.2020 13:11:54	1	1	1	1	68.75	61.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	42.0625	2004
20.03.2020 13:11:55	1	1	1	1	68.75	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.9375	2004
20.03.2020 13:11:56	1	1	1	1	68.75	61.75	0	30000	243.0107527	7225.831	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:11:57	1	1	1	1	68.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42.1875	2004
20.03.2020 13:11:58	1	1	1	1	68	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.9375	2004
20.03.2020 13:11:59	1	1	1	1	68	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
20.03.2020 13:12:00	1	1	1	1	68	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
20.03.2020 13:12:01	1	1	1	1	68	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	42	2004
20.03.2020 13:12:02	1	1	1	1	68	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:03	1	1	1	1	68	62	0	30047.393	240.8602151	7225.831	30000	0	0	30000	41.9375	2004
20.03.2020 13:12:04	1	1	1	1	68	61.75	0	30000	236.5591398	7225.831	30000	0	0	30000	42.125	2004
20.03.2020 13:12:05	1	1	1	1	68	62	0	30000	232.2580645	6967.357921	30000	0	0	30000	41.9375	2004
20.03.2020 13:12:06	1	1	1	1	68	61.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	42.125	2004
20.03.2020 13:12:07	1	1	1	1	68	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
20.03.2020 13:12:08	1	1	1	1	67.75	62	0	30000	234.4086022	6967.357921	30000	0	0	30000	41.625	2004
20.03.2020 13:12:09	1	1	1	1	67.75	61.5	0	30000	240.8602151	7225.831	30000	0	0	30000	42.125	2004
20.03.2020 13:12:10	1	1	1	1	67.75	62	0	30000	240.8602151	7160.601201	30000	0	0	30000	42.1875	2004
20.03.2020 13:12:11	1	1	1	1	67.75	62	0	30000	240.8602151	7237.246215	30000	0	0	30000	41.875	2004
20.03.2020 13:12:13	1	1	1	1	67.75	61.75	0	29952.607	240.8602151	7290.245427	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:14	1	1	1	1	67.75	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.125	2004
20.03.2020 13:12:15	1	1	1	1	67.75	62	0	30000	240.8602151	7290.245427	30000	0	0	30000	42	2004
20.03.2020 13:12:16	1	1	1	1	67.75	62	0	30000	236.5591398	7225.831	30000	0	0	30000	42	2004
20.03.2020 13:12:17	1	1	1	1	67.75	62	0	30000	236.5591398	7096.186775	30000	0	0	30000	41.75	2004
20.03.2020 13:12:18	1	1	1	1	67.75	61.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.5625	2004
20.03.2020 13:12:19	1	1	1	1	66.75	61.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.125	2004
20.03.2020 13:12:20	1	1	1	1	66.75	62	0	30000	245.1612903	7419.07428	30000	0	0	30000	41.8125	2004
20.03.2020 13:12:21	1	1	1	1	66.75	61.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.1875	2004
20.03.2020 13:12:22	1	1	1	1	66.75	62	0	30000	247.311828	7278.830212	30000	0	0	30000	41.25	2004
20.03.2020 13:12:23	1	1	1	1	66.75	61.25	0	30000	247.311828	7354.659854	30000	0	0	30000	41.8125	2004
20.03.2020 13:12:24	1	1	1	1	66.75	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	42	2004
20.03.2020 13:12:25	1	1	1	1	66.75	62	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.1875	2004
20.03.2020 13:12:26	1	1	1	1	66.75	62	0	30000	249.4623656	7483.488707	30000	0	0	30000	42.1875	2004
20.03.2020 13:12:27	1	1	1	1	66.75	62	0	30000	247.311828	7483.488707	30000	0	0	30000	42.375	2004
20.03.2020 13:12:28	1	1	1	1	66.5	62.25	0	30000	247.311828	7419.07428	30000	0	0	30000	41.4375	2004
20.03.2020 13:12:29	1	1	1	1	66.5	61.25	0	29905.213	247.311828	7419.07428	30000	0	0	30000	42	2004
20.03.2020 13:12:30	1	1	1	1	66.5	62	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:12:31	1	1	1	1	66.5	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.4375	2004
20.03.2020 13:12:32	1	1	1	1	66.5	61.25	0	30000	247.311828	7419.07428	30000	0	0	30000	41.9375	2004
20.03.2020 13:12:33	1	1	1	1	66.5	61.75	0	30000	247.311828	7547.903134	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:34	1	1	1	1	66.5	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:12:35	1	1	1	1	66.5	61.75	0	30000	247.311828	7483.488707	30000	0	0	30000	41.875	2004
20.03.2020 13:12:36	1	1	1	1	66.5	61.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:37	1	1	1	1	66.5	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.125	2004
20.03.2020 13:12:38	1	1	1	1	66	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42	2004
20.03.2020 13:12:39	1	1	1	1	66	62	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:12:40	1	1	1	1	66	61.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:12:41	1	1	1	1	66	62	0	30000	251.6129032	7407.659066	30000	0	0	30000	42.125	2004
20.03.2020 13:12:42	1	1	1	1	66	62	0	30000	251.6129032	7612.31756	30000	0	0	30000	42.125	2004
20.03.2020 13:12:43	1	1	1	1	66	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42	2004
20.03.2020 13:12:44	1	1	1	1	66	62	0	29952.607	249.4623656	7483.488707	30000	0	0	30000	41.875	2004
20.03.2020 13:12:45	1	1	1	1	66	61.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:12:46	1	1	1	1	66	61.75	0	29952.607	247.311828	7331.014052	30000	0	0	30000	42.1875	2004
20.03.2020 13:12:53	1	1	1	1	65.75	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:53	1	1	1	1	65.75	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:53	1	1	1	1	65.75	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:53	1	1	1	1	65.75	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:53	1	1	1	1	65.75	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:53	1	1	1	1	65.75	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:54	1	1	1	1	65.75	62	0	29952.607	249.4623656	7395.428478	30000	0	0	30000	42	2004
20.03.2020 13:12:55	1	1	1	1	65.75	62	0	30000	249.4623656	7483.488707	30000	0	0	30000	41.9375	2004
20.03.2020 13:12:56	1	1	1	1	65.75	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	41.75	2004
20.03.2020 13:12:57	1	1	1	1	65.75	61.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	42.0625	2004
20.03.2020 13:12:58	1	1	1	1	65.75	62	0	30000	247.311828	7419.07428	30000	0	0	30000	42	2004
20.03.2020 13:12:59	1	1	1	1	65.25	62	0	30000	247.311828	7419.07428	30000	0	0	30000	41.75	2004
20.03.2020 13:13:00	1	1	1	1	65.25	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	41.75	2004
20.03.2020 13:13:01	1	1	1	1	65.25	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	42	2004
20.03.2020 13:13:02	1	1	1	1	65.25	62	0	30000	249.4623656	7407.659066	30000	0	0	30000	41.3125	2004
20.03.2020 13:13:03	1	1	1	1	65.25	61.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	41.8125	2004
20.03.2020 13:13:04	1	1	1	1	65.25	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	41.875	2004
20.03.2020 13:13:05	1	1	1	1	65.25	61.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.1875	2004
20.03.2020 13:13:06	1	1	1	1	65.25	62	0	29952.607	243.0107527	7419.07428	30000	0	0	30000	41.875	2004
20.03.2020 13:13:07	1	1	1	1	65.25	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	41.625	2004
20.03.2020 13:13:08	1	1	1	1	65	62.5	0	30000	247.311828	7419.07428	30000	0	0	30000	42	2004
20.03.2020 13:13:09	1	1	1	1	65	62	0	30000	245.1612903	7419.07428	30000	0	0	30000	42.0625	2004
20.03.2020 13:13:10	1	1	1	1	65	62	0	30047.393	249.4623656	7483.488707	30000	0	0	30000	42.125	2004
20.03.2020 13:13:11	1	1	1	1	65	62	0	30000	249.4623656	7547.903134	30000	0	0	30000	42	2004
20.03.2020 13:13:12	1	1	1	1	65	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:13:13	1	1	1	1	65	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.8125	2004
20.03.2020 13:13:14	1	1	1	1	65	61.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	42	2004
20.03.2020 13:13:15	1	1	1	1	65	62	0	30000	247.311828	7419.07428	30000	0	0	30000	41.9375	2004
20.03.2020 13:13:16	1	1	1	1	65	61.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	41.9375	2004
20.03.2020 13:13:17	1	1	1	1	65	61.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.125	2004
20.03.2020 13:13:18	1	1	1	1	64.75	62	0	30000	247.311828	7419.07428	30000	0	0	30000	42	2004
20.03.2020 13:13:19	1	1	1	1	64.75	62	0	29905.213	243.0107527	7407.659066	30000	0	0	30000	41.75	2004
20.03.2020 13:13:20	1	1	1	1	64.75	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:13:21	1	1	1	1	64.75	61.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	41.75	2004
20.03.2020 13:13:22	1	1	1	1	64.75	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	42.0625	2004
20.03.2020 13:13:23	1	1	1	1	64.75	62	0	30000	247.311828	7290.245427	30000	0	0	30000	42.0625	2004
20.03.2020 13:13:24	1	1	1	1	64.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:13:25	1	1	1	1	64.75	61.75	0	30000	243.0107527	7278.830212	30000	0	0	30000	41.875	2004
20.03.2020 13:13:26	1	1	1	1	64.75	61.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.0625	2004
20.03.2020 13:13:27	1	1	1	1	64.75	62	0	30000	240.8602151	7290.245427	30000	0	0	30000	41.875	2004
20.03.2020 13:13:28	1	1	1	1	64	61.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.25	2004
20.03.2020 13:13:29	1	1	1	1	64	61.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.8125	2004
20.03.2020 13:13:30	1	1	1	1	64	61.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.0625	2004
20.03.2020 13:13:32	1	1	1	1	64	62	0	29952.607	240.8602151	7290.245427	30000	0	0	30000	42.125	2004
20.03.2020 13:13:33	1	1	1	1	64	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.0625	2004
20.03.2020 13:13:34	1	1	1	1	64	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.125	2004
20.03.2020 13:13:35	1	1	1	1	64	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.875	2004
20.03.2020 13:13:36	1	1	1	1	64	61.75	0	30000	243.0107527	7354.659854	30000	0	0	30000	41.8125	2004
20.03.2020 13:13:37	1	1	1	1	64	61.75	0	30000	247.311828	7419.07428	30000	0	0	30000	41.625	2004
20.03.2020 13:13:38	1	1	1	1	64	61.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:13:39	1	1	1	1	63.75	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.9375	2004
20.03.2020 13:13:40	1	1	1	1	63.75	61.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	41.9375	2004
20.03.2020 13:13:41	1	1	1	1	63.75	61.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	41.8125	2004
20.03.2020 13:13:42	1	1	1	1	63.75	61.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	42	2004
20.03.2020 13:13:43	1	1	1	1	63.75	62	0	30000	251.6129032	7483.488707	30000	0	0	30000	41.8125	2004
20.03.2020 13:13:44	1	1	1	1	63.75	61.75	0	30000	247.311828	7547.903134	30000	0	0	30000	42.1875	2004
20.03.2020 13:13:45	1	1	1	1	63.75	62	0	30000	253.7634409	7419.07428	30000	0	0	30000	42.375	2004
20.03.2020 13:13:46	1	1	1	1	63.75	61.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	41	2004
20.03.2020 13:13:47	1	1	1	1	63.75	61	0	30000	247.311828	7419.07428	30000	0	0	30000	42.125	2004
20.03.2020 13:13:48	1	1	1	1	63.5	62	0	30000	251.6129032	7419.07428	30000	0	0	30000	41.8125	2004
20.03.2020 13:13:55	1	1	1	1	63.5	61.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:13:55	1	1	1	1	63.5	61.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:13:55	1	1	1	1	63.5	61.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:13:55	1	1	1	1	63.5	61.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:13:55	1	1	1	1	63.5	61.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
20.03.2020 13:13:55	1	1	1	1	63.5	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.9375	2004
20.03.2020 13:13:56	1	1	1	1	63.5	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.875	2004
20.03.2020 13:13:57	1	1	1	1	63.5	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	42	2004
20.03.2020 13:13:58	1	1	1	1	62.75	62	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.8125	2004
20.03.2020 13:13:59	1	1	1	1	62.75	61.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.875	2004
20.03.2020 13:14:00	1	1	1	1	62.75	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.625	2004
20.03.2020 13:14:01	1	1	1	1	62.75	61.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	41.4375	2004
20.03.2020 13:14:02	1	1	1	1	62.75	61.25	0	30000	255.9139785	7741.961786	30000	0	0	30000	42.0625	2004
20.03.2020 13:14:03	1	1	1	1	62.75	62	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.875	2004
20.03.2020 13:14:04	1	1	1	1	62.75	61.75	0	29952.607	258.0645161	7612.31756	30000	0	0	30000	41.4375	2004
20.03.2020 13:14:05	1	1	1	1	62.75	61.25	0	29905.213	258.0645161	7741.961786	30000	0	0	30000	41.875	2004
20.03.2020 13:14:06	1	1	1	1	62.75	61.75	0	30000	264.516129	7870.79064	30000	0	0	30000	41.6875	2004
20.03.2020 13:14:07	1	1	1	1	62.75	61.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.875	2004
20.03.2020 13:14:08	1	1	1	1	62	61.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:14:10	1	1	1	1	62	61.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:11	1	1	1	1	62	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:12	1	1	1	1	62	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.3125	2004
20.03.2020 13:14:13	1	1	1	1	62	61.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:14	1	1	1	1	62	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:15	1	1	1	1	62	61.75	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	41.9375	2004
20.03.2020 13:14:16	1	1	1	1	62	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.75	2004
20.03.2020 13:14:17	1	1	1	1	62	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:18	1	1	1	1	62	61.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.75	2004
20.03.2020 13:14:19	1	1	1	1	61.5	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42	2004
20.03.2020 13:14:20	1	1	1	1	61.5	62	0	30000	262.3655914	7935.205066	30000	0	0	30000	41.875	2004
20.03.2020 13:14:21	1	1	1	1	61.5	61.75	0	30000	255.9139785	7741.961786	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:22	1	1	1	1	61.5	61.75	0	30000	262.3655914	7741.961786	30000	0	0	30000	42.1875	2004
20.03.2020 13:14:23	1	1	1	1	61.5	62	0	30000	262.3655914	7741.961786	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:24	1	1	1	1	61.5	61.75	0	30047.393	258.0645161	7547.903134	30000	0	0	30000	42.25	2004
20.03.2020 13:14:25	1	1	1	1	61.5	62.25	0	30000	258.0645161	7883.021227	30000	0	0	30000	41.875	2004
20.03.2020 13:14:26	1	1	1	1	61.5	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.9375	2004
20.03.2020 13:14:27	1	1	1	1	61.5	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.125	2004
20.03.2020 13:14:28	1	1	1	1	61	62	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.3125	2004
20.03.2020 13:14:29	1	1	1	1	61	61.25	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	42.0625	2004
20.03.2020 13:14:30	1	1	1	1	61	62	0	30000	253.7634409	7612.31756	30000	0	0	30000	41.6875	2004
20.03.2020 13:14:31	1	1	1	1	61	61.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	41.625	2004
20.03.2020 13:14:32	1	1	1	1	61	61.5	0	30000	260.2150538	7741.961786	30000	0	0	30000	41.9375	2004
20.03.2020 13:14:33	1	1	1	1	61	61.75	0	30000	258.0645161	7729.731199	30000	0	0	30000	41.9375	2004
20.03.2020 13:14:34	1	1	1	1	61	61.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	41.25	2004
20.03.2020 13:14:35	1	1	1	1	61	61.25	0	29952.607	251.6129032	7676.731987	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:36	1	1	1	1	61	61.75	0	30000	255.9139785	7741.961786	30000	0	0	30000	41.75	2004
20.03.2020 13:14:37	1	1	1	1	61	61.75	0	30000	262.3655914	7794.145626	30000	0	0	30000	41.875	2004
20.03.2020 13:14:38	1	1	1	1	60.75	61.75	0	30000	260.2150538	7741.961786	30000	0	0	30000	42.0625	2004
20.03.2020 13:14:39	1	1	1	1	60.75	62	0	29905.213	258.0645161	7794.145626	30000	0	0	30000	41.9375	2004
20.03.2020 13:14:40	1	1	1	1	60.75	61.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	42	2004
20.03.2020 13:14:41	1	1	1	1	60.75	62	0	30000	258.0645161	7806.376213	30000	0	0	30000	42	2004
20.03.2020 13:14:42	1	1	1	1	60.75	62	0	30000	264.516129	8064.033919	30000	0	0	30000	41.9375	2004
20.03.2020 13:14:43	1	1	1	1	60.75	61.75	0	29952.607	264.516129	8064.033919	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:44	1	1	1	1	60.75	61.75	0	30000	264.516129	7999.619493	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:45	1	1	1	1	60.75	61.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	41.625	2004
20.03.2020 13:14:46	1	1	1	1	60.75	61.5	0	30000	264.516129	7935.205066	30000	0	0	30000	41.375	2004
20.03.2020 13:14:48	1	1	1	1	60.75	61.25	0	30000	264.516129	7999.619493	30000	0	0	30000	41.875	2004
20.03.2020 13:14:49	1	1	1	1	60.5	61.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:50	1	1	1	1	60.5	61.75	0	30000	264.516129	7999.619493	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:56	1	1	1	1	60.5	61.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.875	2004
20.03.2020 13:14:56	1	1	1	1	60.5	61.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.875	2004
20.03.2020 13:14:56	1	1	1	1	60.5	61.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:14:56	1	1	1	1	60.5	61.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.875	2004
20.03.2020 13:14:56	1	1	1	1	60.5	61.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.875	2004
20.03.2020 13:14:56	1	1	1	1	60.5	61.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.875	2004
20.03.2020 13:14:57	1	1	1	1	60.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.8125	2004
20.03.2020 13:14:58	1	1	1	1	60.5	61.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.9375	2004
20.03.2020 13:14:59	1	1	1	1	60	61.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42	2004
20.03.2020 13:15:00	1	1	1	1	60	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.125	2004
20.03.2020 13:15:01	1	1	1	1	60	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.0625	2004
20.03.2020 13:15:02	1	1	1	1	60	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.875	2004
20.03.2020 13:15:03	1	1	1	1	60	60.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:04	1	1	1	1	60	61.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:05	1	1	1	1	60	61.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:06	1	1	1	1	60	61.75	0	29905.213	268.8172043	8192.862773	30000	0	0	30000	41.9375	2004
20.03.2020 13:15:07	1	1	1	1	60	61.75	0	30047.393	275.2688172	8205.908733	30000	0	0	30000	41.9375	2004
20.03.2020 13:15:08	1	1	1	1	59.5	61.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.75	2004
20.03.2020 13:15:09	1	1	1	1	59.5	61.75	0	29952.607	275.2688172	8245.046612	30000	0	0	30000	41.75	2004
20.03.2020 13:15:10	1	1	1	1	59.5	61.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	42	2004
20.03.2020 13:15:11	1	1	1	1	59.5	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.875	2004
20.03.2020 13:15:12	1	1	1	1	59.5	61.75	0	29952.607	275.2688172	8386.921425	30000	0	0	30000	41.9375	2004
20.03.2020 13:15:13	1	1	1	1	59.5	61.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	42	2004
20.03.2020 13:15:14	1	1	1	1	59.5	62	0	30000	273.1182796	8064.033919	30000	0	0	30000	41.875	2004
20.03.2020 13:15:15	1	1	1	1	59.5	61.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	41.75	2004
20.03.2020 13:15:16	1	1	1	1	59.5	61.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	41.625	2004
20.03.2020 13:15:17	1	1	1	1	59.5	61.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	42	2004
20.03.2020 13:15:18	1	1	1	1	59.5	62	0	30000	268.8172043	8128.448346	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:19	1	1	1	1	59.5	61.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:20	1	1	1	1	59.5	61.75	0	29952.607	268.8172043	8051.803332	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:21	1	1	1	1	59.5	61.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	41.25	2004
20.03.2020 13:15:22	1	1	1	1	59.5	61.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:23	1	1	1	1	59.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.875	2004
20.03.2020 13:15:24	1	1	1	1	59.5	61.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	41	2004
20.03.2020 13:15:26	1	1	1	1	59.5	61	0	30000	266.6666667	8064.033919	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:27	1	1	1	1	59.5	61.75	0	30000	264.516129	7935.205066	30000	0	0	30000	41.6875	2004
20.03.2020 13:15:28	1	1	1	1	59.5	61.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.875	2004
20.03.2020 13:15:29	1	1	1	1	59.25	61.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.875	2004
20.03.2020 13:15:30	1	1	1	1	59.25	61.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:31	1	1	1	1	59.25	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.3125	2004
20.03.2020 13:15:32	1	1	1	1	59.25	61.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.6875	2004
20.03.2020 13:15:33	1	1	1	1	59.25	61.5	0	30000	268.8172043	7935.205066	30000	0	0	30000	41.75	2004
20.03.2020 13:15:34	1	1	1	1	59.25	61.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.6875	2004
20.03.2020 13:15:35	1	1	1	1	59.25	61.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:36	1	1	1	1	59.25	61.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.375	2004
20.03.2020 13:15:37	1	1	1	1	59.25	61.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:15:38	1	1	1	1	59.25	61	0	30000	275.2688172	8180.632185	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:39	1	1	1	1	59	61.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
20.03.2020 13:15:40	1	1	1	1	59	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.1875	2004
20.03.2020 13:15:41	1	1	1	1	59	62	0	30000	277.4193548	8451.335852	30000	0	0	30000	42.25	2004
20.03.2020 13:15:42	1	1	1	1	59	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.875	2004
20.03.2020 13:15:43	1	1	1	1	59	61.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	42	2004
20.03.2020 13:15:44	1	1	1	1	59	62	0	29952.607	279.5698925	8515.750279	30000	0	0	30000	41.625	2004
20.03.2020 13:15:45	1	1	1	1	59	61.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.6875	2004
20.03.2020 13:15:46	1	1	1	1	59	61.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.9375	2004
20.03.2020 13:15:47	1	1	1	1	59	61.75	0	29952.607	279.5698925	8515.750279	30000	0	0	30000	41.375	2004
20.03.2020 13:15:48	1	1	1	1	58.5	61.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:49	1	1	1	1	58.5	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.9375	2004
20.03.2020 13:15:50	1	1	1	1	58.5	61.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	41.9375	2004
20.03.2020 13:15:51	1	1	1	1	58.5	61.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.8125	2004
20.03.2020 13:15:58	1	1	1	1	58.5	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.5	2004
20.03.2020 13:15:58	1	1	1	1	58.5	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.5	2004
20.03.2020 13:15:58	1	1	1	1	58.5	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.5	2004
20.03.2020 13:15:58	1	1	1	1	58.5	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.5	2004
20.03.2020 13:15:58	1	1	1	1	58.5	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.5	2004
20.03.2020 13:15:58	1	1	1	1	58.5	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.5	2004
20.03.2020 13:15:58	1	1	1	1	58	61.5	0	30000	286.0215054	8386.921425	30000	0	0	30000	41.5625	2004
20.03.2020 13:15:59	1	1	1	1	58	61.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.75	2004
20.03.2020 13:16:00	1	1	1	1	58	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.9375	2004
20.03.2020 13:16:01	1	1	1	1	58	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42	2004
20.03.2020 13:16:02	1	1	1	1	58	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.9375	2004
20.03.2020 13:16:03	1	1	1	1	58	61.75	0	29905.213	286.0215054	8580.164705	30000	0	0	30000	41.9375	2004
20.03.2020 13:16:04	1	1	1	1	58	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:06	1	1	1	1	58	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:07	1	1	1	1	58	61.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	41.5625	2004
20.03.2020 13:16:08	1	1	1	1	58	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.0625	2004
20.03.2020 13:16:09	1	1	1	1	58	61	0	29952.607	286.0215054	8567.118745	30000	0	0	30000	41.875	2004
20.03.2020 13:16:10	1	1	1	1	58	61.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:11	1	1	1	1	58	61.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	42	2004
20.03.2020 13:16:12	1	1	1	1	58	62	0	30000	281.7204301	8373.875465	30000	0	0	30000	41.875	2004
20.03.2020 13:16:13	1	1	1	1	58	61.75	0	30000	279.5698925	8309.461039	30000	0	0	30000	41.625	2004
20.03.2020 13:16:14	1	1	1	1	58	61.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42	2004
20.03.2020 13:16:15	1	1	1	1	58	62	0	30000	279.5698925	8386.921425	30000	0	0	30000	42	2004
20.03.2020 13:16:16	1	1	1	1	58	62	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.0625	2004
20.03.2020 13:16:17	1	1	1	1	58	62	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:18	1	1	1	1	58	61.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	41.4375	2004
20.03.2020 13:16:19	1	1	1	1	57.75	61.25	0	29952.607	277.4193548	8373.875465	30000	0	0	30000	41.75	2004
20.03.2020 13:16:20	1	1	1	1	57.75	61.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	41.875	2004
20.03.2020 13:16:21	1	1	1	1	57.75	61.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:16:22	1	1	1	1	57.75	61.75	0	30000	277.4193548	8386.921425	30000	0	0	30000	40.625	2004
20.03.2020 13:16:23	1	1	1	1	57.75	60.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.75	2004
20.03.2020 13:16:24	1	1	1	1	57.75	61.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:25	1	1	1	1	57.75	61.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:26	1	1	1	1	57.75	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.75	2004
20.03.2020 13:16:27	1	1	1	1	57.75	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.125	2004
20.03.2020 13:16:28	1	1	1	1	57.5	61	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:29	1	1	1	1	57.5	61.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	42	2004
20.03.2020 13:16:30	1	1	1	1	57.5	62	0	30000	277.4193548	8386.921425	30000	0	0	30000	41.375	2004
20.03.2020 13:16:31	1	1	1	1	57.5	61.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:32	1	1	1	1	57.5	61.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.4375	2004
20.03.2020 13:16:33	1	1	1	1	57.5	61.25	0	29952.607	275.2688172	8386.921425	30000	0	0	30000	41.9375	2004
20.03.2020 13:16:34	1	1	1	1	57.5	61.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	41.9375	2004
20.03.2020 13:16:35	1	1	1	1	57.5	61.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.125	2004
20.03.2020 13:16:36	1	1	1	1	57.5	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:37	1	1	1	1	57.5	61.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	42	2004
20.03.2020 13:16:38	1	1	1	1	57.5	62	0	30000	277.4193548	8192.862773	30000	0	0	30000	41.9375	2004
20.03.2020 13:16:39	1	1	1	1	57.5	61.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.875	2004
20.03.2020 13:16:40	1	1	1	1	57.5	61.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	41.9375	2004
20.03.2020 13:16:41	1	1	1	1	57.5	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.4375	2004
20.03.2020 13:16:42	1	1	1	1	57.5	61.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	41.3125	2004
20.03.2020 13:16:44	1	1	1	1	57.5	61.25	0	29952.607	279.5698925	8580.164705	30000	0	0	30000	41.125	2004
20.03.2020 13:16:45	1	1	1	1	57.5	61	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.875	2004
20.03.2020 13:16:46	1	1	1	1	57.5	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.75	2004
20.03.2020 13:16:47	1	1	1	1	57.5	61.75	0	30000	288.172043	8580.164705	30000	0	0	30000	42	2004
20.03.2020 13:16:48	1	1	1	1	57.5	62	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.6875	2004
20.03.2020 13:16:49	1	1	1	1	57.75	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.875	2004
20.03.2020 13:16:50	1	1	1	1	57.75	61.75	0	30000	286.0215054	8515.750279	30000	0	0	30000	41.9375	2004
20.03.2020 13:16:51	1	1	1	1	57.75	61.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:16:52	1	1	1	1	57.75	61.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.125	2004
20.03.2020 13:16:53	1	1	1	1	57.75	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:00	1	1	1	1	57	61.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:00	1	1	1	1	57	61.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:00	1	1	1	1	57	61.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:00	1	1	1	1	57	61.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:00	1	1	1	1	57	61.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:00	1	1	1	1	57	61.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.875	2004
20.03.2020 13:17:01	1	1	1	1	57	61.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.3125	2004
20.03.2020 13:17:02	1	1	1	1	57	62.25	0	30000	292.4731183	8631.533172	30000	0	0	30000	42.3125	2004
20.03.2020 13:17:03	1	1	1	1	57	61.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	42	2004
20.03.2020 13:17:04	1	1	1	1	57	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.75	2004
20.03.2020 13:17:05	1	1	1	1	57	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:17:06	1	1	1	1	57	61.75	0	30000	288.172043	8644.579132	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:07	1	1	1	1	57	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:08	1	1	1	1	56.75	61.75	0	29905.213	283.8709677	8515.750279	30000	0	0	30000	41.9375	2004
20.03.2020 13:17:09	1	1	1	1	56.75	61.75	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	41.75	2004
20.03.2020 13:17:10	1	1	1	1	56.75	61.75	0	30000	286.0215054	8515.750279	30000	0	0	30000	41.875	2004
20.03.2020 13:17:11	1	1	1	1	56.75	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.625	2004
20.03.2020 13:17:12	1	1	1	1	56.75	61.5	0	30000	290.3225806	8580.164705	30000	0	0	30000	40.8125	2004
20.03.2020 13:17:13	1	1	1	1	56.75	60.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42	2004
20.03.2020 13:17:14	1	1	1	1	56.75	62	0	30000	288.172043	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:15	1	1	1	1	56.75	61.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42	2004
20.03.2020 13:17:16	1	1	1	1	56.75	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42	2004
20.03.2020 13:17:17	1	1	1	1	56.75	62	0	29905.213	286.0215054	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:18	1	1	1	1	56.5	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.75	2004
20.03.2020 13:17:19	1	1	1	1	56.5	61.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:20	1	1	1	1	56.5	61.75	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:21	1	1	1	1	56.5	61.75	0	30047.393	294.6236559	8644.579132	30000	0	0	30000	41.625	2004
20.03.2020 13:17:22	1	1	1	1	56.5	61.5	0	30000	290.3225806	8838.637784	30000	0	0	30000	41.5625	2004
20.03.2020 13:17:23	1	1	1	1	56.5	61.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.6875	2004
20.03.2020 13:17:24	1	1	1	1	56.5	61.5	0	30000	294.6236559	8708.993559	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:26	1	1	1	1	56.5	61.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.6875	2004
20.03.2020 13:17:27	1	1	1	1	56.5	61.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.9375	2004
20.03.2020 13:17:28	1	1	1	1	56.5	61.75	0	30000	288.172043	8644.579132	30000	0	0	30000	41.75	2004
20.03.2020 13:17:29	1	1	1	1	56	61.75	0	29905.213	292.4731183	8708.993559	30000	0	0	30000	41.6875	2004
20.03.2020 13:17:30	1	1	1	1	56	61.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.25	2004
20.03.2020 13:17:31	1	1	1	1	56	61.25	0	30000	288.172043	8708.993559	30000	0	0	30000	41.75	2004
20.03.2020 13:17:32	1	1	1	1	56	61.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.875	2004
20.03.2020 13:17:33	1	1	1	1	56	61.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42	2004
20.03.2020 13:17:34	1	1	1	1	56	62	0	30000	288.172043	8553.257413	30000	0	0	30000	41.6875	2004
20.03.2020 13:17:35	1	1	1	1	56	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:36	1	1	1	1	56	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.5625	2004
20.03.2020 13:17:37	1	1	1	1	56	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.9375	2004
20.03.2020 13:17:38	1	1	1	1	56	61.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.375	2004
20.03.2020 13:17:39	1	1	1	1	55.75	61.25	0	30000	288.172043	8708.993559	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:40	1	1	1	1	55.75	61.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.75	2004
20.03.2020 13:17:41	1	1	1	1	55.75	61.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.4375	2004
20.03.2020 13:17:42	1	1	1	1	55.75	61.25	0	30000	301.0752688	8903.052211	30000	0	0	30000	42.25	2004
20.03.2020 13:17:43	1	1	1	1	55.75	61.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	41.625	2004
20.03.2020 13:17:44	1	1	1	1	55.75	61.5	0	30000	290.3225806	8838.637784	30000	0	0	30000	41.6875	2004
20.03.2020 13:17:45	1	1	1	1	55.75	61.5	0	30000	290.3225806	8838.637784	30000	0	0	30000	41.625	2004
20.03.2020 13:17:46	1	1	1	1	55.75	61.5	0	30000	290.3225806	8424.42856	30000	0	0	30000	41.8125	2004
20.03.2020 13:17:47	1	1	1	1	55.75	61.75	0	30000	296.7741935	8824.776452	30000	0	0	30000	41.4375	2004
20.03.2020 13:17:48	1	1	1	1	55.75	61.25	0	29952.607	281.7204301	8644.579132	30000	0	0	30000	41.5	2004
20.03.2020 13:17:49	1	1	1	1	55.75	61.5	0	30000	288.172043	8580.164705	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:17:50	1	1	1	1	55.75	61.75	0	30000	286.0215054	8515.750279	30000	0	0	30000	41.6875	2004
20.03.2020 13:17:51	1	1	1	1	55.75	61.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.625	2004
20.03.2020 13:17:52	1	1	1	1	55.75	61.5	0	30000	286.0215054	8708.993559	30000	0	0	30000	41.5	2004
20.03.2020 13:17:53	1	1	1	1	55.75	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.6875	2004
20.03.2020 13:17:54	1	1	1	1	55.75	61.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.625	2004
20.03.2020 13:18:01	1	1	1	1	55.5	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.875	2004
20.03.2020 13:18:01	1	1	1	1	55.5	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.875	2004
20.03.2020 13:18:01	1	1	1	1	55.5	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.875	2004
20.03.2020 13:18:01	1	1	1	1	55.5	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.875	2004
20.03.2020 13:18:01	1	1	1	1	55.5	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.875	2004
20.03.2020 13:18:01	1	1	1	1	55.5	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.875	2004
20.03.2020 13:18:01	1	1	1	1	55.5	61.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	41.75	2004
20.03.2020 13:18:02	1	1	1	1	55.5	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.75	2004
20.03.2020 13:18:03	1	1	1	1	55.5	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
20.03.2020 13:18:04	1	1	1	1	55.5	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.5	2004
20.03.2020 13:18:06	1	1	1	1	55.5	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.6875	2004
20.03.2020 13:18:07	1	1	1	1	55.5	61.5	0	29952.607	305.3763441	9096.295491	30000	0	0	30000	41.8125	2004
20.03.2020 13:18:08	1	1	1	1	55.5	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.9375	2004
20.03.2020 13:18:09	1	1	1	1	55.5	60.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	42	2004
20.03.2020 13:18:10	1	1	1	1	55.5	62	0	30000	305.3763441	9067.757454	30000	0	0	30000	41.6875	2004
20.03.2020 13:18:11	1	1	1	1	55.5	61.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.6875	2004
20.03.2020 13:18:12	1	1	1	1	55.5	61.5	0	30000	301.0752688	9160.709918	30000	0	0	30000	41.125	2004
20.03.2020 13:18:13	1	1	1	1	55.5	61	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.875	2004
20.03.2020 13:18:14	1	1	1	1	55.5	61.75	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	41.75	2004
20.03.2020 13:18:15	1	1	1	1	55.5	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.625	2004
20.03.2020 13:18:16	1	1	1	1	55.5	61.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.75	2004
20.03.2020 13:18:17	1	1	1	1	55.5	61.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.625	2004
20.03.2020 13:18:18	1	1	1	1	55.5	61.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.6875	2004
20.03.2020 13:18:19	1	1	1	1	55.75	61.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	41.8125	2004
20.03.2020 13:18:20	1	1	1	1	55.75	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.75	2004
20.03.2020 13:18:21	1	1	1	1	55.75	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.875	2004
20.03.2020 13:18:22	1	1	1	1	55.75	61.75	0	29952.607	311.827957	9354.76857	30000	0	0	30000	41.875	2004
20.03.2020 13:18:23	1	1	1	1	55.75	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.5625	2004
20.03.2020 13:18:24	1	1	1	1	55.75	61.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.875	2004
20.03.2020 13:18:25	1	1	1	1	55.75	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.8125	2004
20.03.2020 13:18:26	1	1	1	1	55.75	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
20.03.2020 13:18:27	1	1	1	1	55.75	62	0	29905.213	305.3763441	9146.848585	30000	0	0	30000	41.75	2004
20.03.2020 13:18:28	1	1	1	1	55.5	61.75	0	30000	303.2258065	9225.124344	30000	0	0	30000	41.625	2004
20.03.2020 13:18:29	1	1	1	1	55.5	61.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.3125	2004
20.03.2020 13:18:30	1	1	1	1	55.5	61.25	0	30000	303.2258065	9175.386622	30000	0	0	30000	41.75	2004
20.03.2020 13:18:31	1	1	1	1	55.5	61.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.8125	2004
20.03.2020 13:18:32	1	1	1	1	55.5	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.75	2004
20.03.2020 13:18:33	1	1	1	1	55.5	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:18:34	1	1	1	1	55.5	61.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	41.8125	2004
20.03.2020 13:18:35	1	1	1	1	55.5	61.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	41.6875	2004
20.03.2020 13:18:36	1	1	1	1	55.5	61.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.4375	2004
20.03.2020 13:18:37	1	1	1	1	55.5	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.6875	2004
20.03.2020 13:18:38	1	1	1	1	55	61.5	0	30047.393	311.827957	9225.124344	30000	0	0	30000	41.3125	2004
20.03.2020 13:18:39	1	1	1	1	55	61.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.9375	2004
20.03.2020 13:18:40	1	1	1	1	55	60.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.625	2004
20.03.2020 13:18:41	1	1	1	1	55	61.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.75	2004
20.03.2020 13:18:42	1	1	1	1	55	60.75	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	41.6875	2004
20.03.2020 13:18:43	1	1	1	1	55	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.3125	2004
20.03.2020 13:18:44	1	1	1	1	55	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.75	2004
20.03.2020 13:18:45	1	1	1	1	55	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.5	2004
20.03.2020 13:18:46	1	1	1	1	55	61.5	0	29952.607	311.827957	9290.354143	30000	0	0	30000	41.4375	2004
20.03.2020 13:18:48	1	1	1	1	55	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.5	2004
20.03.2020 13:18:49	1	1	1	1	55	61.5	0	30000	316.1290323	9132.171881	30000	0	0	30000	41.625	2004
20.03.2020 13:18:50	1	1	1	1	55	61.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.4375	2004
20.03.2020 13:18:51	1	1	1	1	55	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	40.875	2004
20.03.2020 13:18:52	1	1	1	1	55	60.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	41.1875	2004
20.03.2020 13:18:53	1	1	1	1	55	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.6875	2004
20.03.2020 13:18:54	1	1	1	1	55	61.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.875	2004
20.03.2020 13:18:55	1	1	1	1	55	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.6875	2004
20.03.2020 13:18:56	1	1	1	1	55	61.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.6875	2004
20.03.2020 13:19:02	1	1	1	1	54.75	61.75	0	30000	305.3763441	9239.801049	30000	0	0	30000	41.5	2004
20.03.2020 13:19:02	1	1	1	1	54.75	61.75	0	30000	305.3763441	9239.801049	30000	0	0	30000	41.5	2004
20.03.2020 13:19:02	1	1	1	1	54.75	61.75	0	30000	305.3763441	9239.801049	30000	0	0	30000	41.5	2004
20.03.2020 13:19:02	1	1	1	1	54.75	61.75	0	30000	305.3763441	9239.801049	30000	0	0	30000	41.5	2004
20.03.2020 13:19:02	1	1	1	1	54.75	61.75	0	30000	305.3763441	9239.801049	30000	0	0	30000	41.5	2004
20.03.2020 13:19:03	1	1	1	1	54.75	61.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	41.8125	2004
20.03.2020 13:19:04	1	1	1	1	54.75	61.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.875	2004
20.03.2020 13:19:05	1	1	1	1	54.75	61.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	41.375	2004
20.03.2020 13:19:06	1	1	1	1	54.75	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.1875	2004
20.03.2020 13:19:07	1	1	1	1	54.75	62	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	41.375	2004
20.03.2020 13:19:08	1	1	1	1	54.75	61.25	0	30047.393	311.827957	9225.124344	30000	0	0	30000	41.6875	2004
20.03.2020 13:19:09	1	1	1	1	55	61.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	41.8125	2004
20.03.2020 13:19:10	1	1	1	1	55	61.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.8125	2004
20.03.2020 13:19:11	1	1	1	1	55	61.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.6875	2004
20.03.2020 13:19:12	1	1	1	1	55	61.5	0	29952.607	303.2258065	9082.434159	30000	0	0	30000	41.875	2004
20.03.2020 13:19:13	1	1	1	1	55	61.75	0	30000	307.5268817	9160.709918	30000	0	0	30000	41.625	2004
20.03.2020 13:19:14	1	1	1	1	55	61.5	0	30000	307.5268817	9160.709918	30000	0	0	30000	41.3125	2004
20.03.2020 13:19:15	1	1	1	1	55	61.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.625	2004
20.03.2020 13:19:16	1	1	1	1	55	61.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.75	2004
20.03.2020 13:19:17	1	1	1	1	55	61.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:19:18	1	1	1	1	54.75	61.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.4375	2004
20.03.2020 13:19:19	1	1	1	1	54.75	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.8125	2004
20.03.2020 13:19:20	1	1	1	1	54.75	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.625	2004
20.03.2020 13:19:21	1	1	1	1	54.75	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.8125	2004
20.03.2020 13:19:22	1	1	1	1	54.75	61.75	0	30000	311.827957	9419.182997	30000	0	0	30000	41.25	2004
20.03.2020 13:19:23	1	1	1	1	54.75	61.25	0	30000	316.1290323	9354.76857	30000	0	0	30000	41.8125	2004
20.03.2020 13:19:24	1	1	1	1	54.75	61.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.8125	2004
20.03.2020 13:19:25	1	1	1	1	54.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.6875	2004
20.03.2020 13:19:26	1	1	1	1	54.75	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.8125	2004
20.03.2020 13:19:27	1	1	1	1	54.75	61.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.9375	2004
20.03.2020 13:19:28	1	1	1	1	54.5	61.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.25	2004
20.03.2020 13:19:29	1	1	1	1	54.5	61.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.5625	2004
20.03.2020 13:19:30	1	1	1	1	54.5	61.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	40	2004
20.03.2020 13:19:32	1	1	1	1	54.5	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.75	2004
20.03.2020 13:19:33	1	1	1	1	54.5	61.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.875	2004
20.03.2020 13:19:34	1	1	1	1	54.5	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.6875	2004
20.03.2020 13:19:35	1	1	1	1	54.5	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.75	2004
20.03.2020 13:19:36	1	1	1	1	54.5	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.5625	2004
20.03.2020 13:19:37	1	1	1	1	54.5	61.5	0	30000	311.827957	9419.182997	30000	0	0	30000	41.75	2004
20.03.2020 13:19:38	1	1	1	1	54.5	61.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.3125	2004
20.03.2020 13:19:39	1	1	1	1	54.5	61.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.75	2004
20.03.2020 13:19:40	1	1	1	1	54.5	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.8125	2004
20.03.2020 13:19:41	1	1	1	1	54.5	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	40.5625	2004
20.03.2020 13:19:42	1	1	1	1	54.5	60.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.6875	2004
20.03.2020 13:19:43	1	1	1	1	54.5	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.6875	2004
20.03.2020 13:19:44	1	1	1	1	54.5	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.1875	2004
20.03.2020 13:19:45	1	1	1	1	54.5	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.25	2004
20.03.2020 13:19:46	1	1	1	1	54.5	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.9375	2004
20.03.2020 13:19:47	1	1	1	1	54.5	61.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.0625	2004
20.03.2020 13:19:48	1	1	1	1	54.5	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.9375	2004
20.03.2020 13:19:49	1	1	1	1	54	61.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.125	2004
20.03.2020 13:19:50	1	1	1	1	54	62	0	30000	329.0322581	9726.578425	30000	0	0	30000	42.125	2004
20.03.2020 13:19:51	1	1	1	1	54	61.5	0	30000	329.0322581	9999.728209	30000	0	0	30000	41.75	2004
20.03.2020 13:19:52	1	1	1	1	54	61.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.5625	2004
20.03.2020 13:19:53	1	1	1	1	54	61.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.75	2004
20.03.2020 13:19:54	1	1	1	1	54	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.75	2004
20.03.2020 13:19:55	1	1	1	1	54	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.875	2004
20.03.2020 13:19:56	1	1	1	1	54	61.75	0	30000	337.6344086	9999.728209	30000	0	0	30000	41.625	2004
20.03.2020 13:19:57	1	1	1	1	54	61.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.5	2004
20.03.2020 13:20:04	1	1	1	1	53.75	61.75	0	30000	335.483871	9870.899356	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:04	1	1	1	1	53.75	61.75	0	30000	335.483871	9870.899356	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:04	1	1	1	1	53.75	61.75	0	30000	335.483871	9870.899356	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:04	1	1	1	1	53.75	61.75	0	30000	335.483871	9870.899356	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:20:04	1	1	1	1	53.75	61.75	0	30000	335.483871	9870.899356	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:04	1	1	1	1	53.75	61.75	0	30000	335.483871	9870.899356	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:04	1	1	1	1	53.75	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.75	2004
20.03.2020 13:20:05	1	1	1	1	53.75	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.75	2004
20.03.2020 13:20:06	1	1	1	1	53.75	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:07	1	1	1	1	53.75	61.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:08	1	1	1	1	53.75	61.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:09	1	1	1	1	53.75	61.75	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	41.6875	2004
20.03.2020 13:20:10	1	1	1	1	53.75	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.5625	2004
20.03.2020 13:20:12	1	1	1	1	53.75	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.875	2004
20.03.2020 13:20:13	1	1	1	1	53.75	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.375	2004
20.03.2020 13:20:14	1	1	1	1	53.75	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:15	1	1	1	1	53.75	61.75	0	30000	335.483871	9999.728209	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:16	1	1	1	1	53.75	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.75	2004
20.03.2020 13:20:17	1	1	1	1	53.75	61.75	0	29952.607	333.3333333	9935.313783	30000	0	0	30000	41.4375	2004
20.03.2020 13:20:18	1	1	1	1	53.75	61.25	0	30000	337.6344086	9855.407279	30000	0	0	30000	41.0625	2004
20.03.2020 13:20:19	1	1	1	1	53.5	61	0	29952.607	331.1827957	10192.97149	30000	0	0	30000	41.75	2004
20.03.2020 13:20:20	1	1	1	1	53.5	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.3125	2004
20.03.2020 13:20:21	1	1	1	1	53.5	61.25	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:22	1	1	1	1	53.5	61.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.875	2004
20.03.2020 13:20:23	1	1	1	1	53.5	61.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	41	2004
20.03.2020 13:20:24	1	1	1	1	53.5	61	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.1875	2004
20.03.2020 13:20:25	1	1	1	1	53.5	60	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.4375	2004
20.03.2020 13:20:26	1	1	1	1	53.5	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:27	1	1	1	1	53.5	61.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.6875	2004
20.03.2020 13:20:28	1	1	1	1	53.5	61.5	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	41.6875	2004
20.03.2020 13:20:29	1	1	1	1	53.75	61.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.1875	2004
20.03.2020 13:20:30	1	1	1	1	53.75	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.75	2004
20.03.2020 13:20:31	1	1	1	1	53.75	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
20.03.2020 13:20:32	1	1	1	1	53.75	62	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:33	1	1	1	1	53.75	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.6875	2004
20.03.2020 13:20:34	1	1	1	1	53.75	61.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.625	2004
20.03.2020 13:20:35	1	1	1	1	53.75	61.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.75	2004
20.03.2020 13:20:36	1	1	1	1	53.75	61.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.6875	2004
20.03.2020 13:20:37	1	1	1	1	53.75	61.5	0	29952.607	333.3333333	9984.236132	30000	0	0	30000	41.6875	2004
20.03.2020 13:20:38	1	1	1	1	53.75	61.5	0	29905.213	331.1827957	9935.313783	30000	0	0	30000	41.6875	2004
20.03.2020 13:20:39	1	1	1	1	53.75	61.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.9375	2004
20.03.2020 13:20:40	1	1	1	1	53.75	61.75	0	29905.213	326.8817204	9999.728209	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:41	1	1	1	1	53.75	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.4375	2004
20.03.2020 13:20:42	1	1	1	1	53.75	61.25	0	30189.573	326.8817204	9870.899356	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:43	1	1	1	1	53.75	61.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.4375	2004
20.03.2020 13:20:44	1	1	1	1	53.75	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.6875	2004
20.03.2020 13:20:45	1	1	1	1	53.75	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:20:46	1	1	1	1	53.75	61.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.75	2004
20.03.2020 13:20:47	1	1	1	1	53.75	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.5	2004
20.03.2020 13:20:48	1	1	1	1	53.75	61.5	0	30000	331.1827957	9597.749572	30000	0	0	30000	41.6875	2004
20.03.2020 13:20:49	1	1	1	1	53.75	61.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.4375	2004
20.03.2020 13:20:51	1	1	1	1	53.75	61.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.375	2004
20.03.2020 13:20:52	1	1	1	1	53.75	61.25	0	29905.213	329.0322581	9935.313783	30000	0	0	30000	41.8125	2004
20.03.2020 13:20:53	1	1	1	1	53.75	61.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.75	2004
20.03.2020 13:20:54	1	1	1	1	53.75	60.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.875	2004
20.03.2020 13:20:55	1	1	1	1	53.75	61.75	0	30000	329.0322581	9999.728209	30000	0	0	30000	41.1875	2004
20.03.2020 13:20:56	1	1	1	1	53.75	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.625	2004
20.03.2020 13:20:57	1	1	1	1	53.75	61.5	0	29952.607	335.483871	10064.14264	30000	0	0	30000	41.75	2004
20.03.2020 13:20:58	1	1	1	1	53.75	61.75	0	30000	335.483871	9999.728209	30000	0	0	30000	40.8125	2004
20.03.2020 13:20:59	1	1	1	1	53.5	60.75	0	30000	335.483871	9935.313783	30000	0	0	30000	41.75	2004
20.03.2020 13:21:06	1	1	1	1	53.5	61.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	41.75	2004
20.03.2020 13:21:06	1	1	1	1	53.5	61.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	41.75	2004
20.03.2020 13:21:06	1	1	1	1	53.5	61.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	41.75	2004
20.03.2020 13:21:06	1	1	1	1	53.5	61.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	41.75	2004
20.03.2020 13:21:06	1	1	1	1	53.5	61.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	41.75	2004
20.03.2020 13:21:06	1	1	1	1	53.5	61.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	41.75	2004
20.03.2020 13:21:06	1	1	1	1	53.5	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
20.03.2020 13:21:07	1	1	1	1	53.5	61.75	0	30000	333.3333333	10290.00082	30000	0	0	30000	41.25	2004
20.03.2020 13:21:08	1	1	1	1	53.5	61.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.0625	2004
20.03.2020 13:21:09	1	1	1	1	53.75	62	0	29952.607	333.3333333	10128.55706	30000	0	0	30000	42	2004
20.03.2020 13:21:10	1	1	1	1	53.75	62	0	30000	335.483871	9999.728209	30000	0	0	30000	41.9375	2004
20.03.2020 13:21:11	1	1	1	1	53.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.1875	2004
20.03.2020 13:21:12	1	1	1	1	53.75	62	0	30000	335.483871	9999.728209	30000	0	0	30000	41.375	2004
20.03.2020 13:21:13	1	1	1	1	53.75	61.25	0	30000	335.483871	9839.099829	30000	0	0	30000	41.5625	2004
20.03.2020 13:21:14	1	1	1	1	53.75	61.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.75	2004
20.03.2020 13:21:15	1	1	1	1	53.75	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.1875	2004
20.03.2020 13:21:16	1	1	1	1	53.75	61	0	30000	337.6344086	9999.728209	30000	0	0	30000	41.8125	2004
20.03.2020 13:21:17	1	1	1	1	53.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.8125	2004
20.03.2020 13:21:18	1	1	1	1	53.5	61.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.9375	2004
20.03.2020 13:21:19	1	1	1	1	53.5	61.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.75	2004
20.03.2020 13:21:20	1	1	1	1	53.5	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.1875	2004
20.03.2020 13:21:21	1	1	1	1	53.5	61	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.5	2004
20.03.2020 13:21:22	1	1	1	1	53.5	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.125	2004
20.03.2020 13:21:23	1	1	1	1	53.5	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.875	2004
20.03.2020 13:21:24	1	1	1	1	53.5	61.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.625	2004
20.03.2020 13:21:25	1	1	1	1	53.5	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
20.03.2020 13:21:26	1	1	1	1	53.5	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.6875	2004
20.03.2020 13:21:27	1	1	1	1	53.5	61.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.8125	2004
20.03.2020 13:21:28	1	1	1	1	53.5	61.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	41.75	2004
20.03.2020 13:21:29	1	1	1	1	53.5	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:21:30	1	1	1	1	53.5	61.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.875	2004
20.03.2020 13:21:31	1	1	1	1	53.5	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.5625	2004
20.03.2020 13:21:33	1	1	1	1	53.5	61.5	0	30000	337.6344086	10064.14264	30000	0	0	30000	41.5625	2004
20.03.2020 13:21:34	1	1	1	1	53.5	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
20.03.2020 13:21:35	1	1	1	1	53.5	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
20.03.2020 13:21:36	1	1	1	1	53.5	61.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.9375	2004
20.03.2020 13:21:37	1	1	1	1	53.5	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41.625	2004
20.03.2020 13:21:38	1	1	1	1	53.5	61.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	42	2004
20.03.2020 13:21:39	1	1	1	1	53.5	62	0	30000	335.483871	10128.55706	30000	0	0	30000	41.25	2004
20.03.2020 13:21:40	1	1	1	1	53.5	61.25	0	29952.607	335.483871	10128.55706	30000	0	0	30000	40.875	2004
20.03.2020 13:21:41	1	1	1	1	53.5	60.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.375	2004
20.03.2020 13:21:42	1	1	1	1	53.5	61.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.5	2004
20.03.2020 13:21:43	1	1	1	1	53.5	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.625	2004
20.03.2020 13:21:44	1	1	1	1	53.5	61.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.25	2004
20.03.2020 13:21:45	1	1	1	1	53.5	61.25	0	29905.213	337.6344086	10257.38592	30000	0	0	30000	41.75	2004
20.03.2020 13:21:46	1	1	1	1	53.5	61.75	0	30000	350.5376344	10353.59987	30000	0	0	30000	41.6875	2004
20.03.2020 13:21:47	1	1	1	1	53.5	61.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	41.6875	2004
20.03.2020 13:21:48	1	1	1	1	53.5	61.5	0	30000	352.688172	10644.68785	30000	0	0	30000	41.75	2004
20.03.2020 13:21:49	1	1	1	1	53.5	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.6875	2004
20.03.2020 13:21:50	1	1	1	1	53.5	61.5	0	30000	354.8387097	10628.3804	30000	0	0	30000	41.8125	2004
20.03.2020 13:21:51	1	1	1	1	53.5	61.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	41.9375	2004
20.03.2020 13:21:52	1	1	1	1	53.5	61.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.5625	2004
20.03.2020 13:21:53	1	1	1	1	53.5	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
20.03.2020 13:21:54	1	1	1	1	53.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.875	2004
20.03.2020 13:21:55	1	1	1	1	53.5	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.625	2004
20.03.2020 13:21:56	1	1	1	1	53.5	61.5	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	41.625	2004
20.03.2020 13:21:57	1	1	1	1	53.5	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.8125	2004
20.03.2020 13:21:58	1	1	1	1	53.25	61.75	0	29905.213	365.5913978	11031.98978	30000	0	0	30000	41.125	2004
20.03.2020 13:21:59	1	1	1	1	53.25	61	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.3125	2004
20.03.2020 13:22:00	1	1	1	1	53.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.75	2004
20.03.2020 13:22:07	1	1	1	1	53.25	61.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:07	1	1	1	1	53.25	61.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:07	1	1	1	1	53.25	61.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:07	1	1	1	1	53.25	61.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:07	1	1	1	1	53.25	61.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:07	1	1	1	1	53.25	61.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:10	1	1	1	1	53.25	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.75	2004
20.03.2020 13:22:10	1	1	1	1	53.25	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.75	2004
20.03.2020 13:22:10	1	1	1	1	53.25	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.75	2004
20.03.2020 13:22:10	1	1	1	1	53.25	61.75	0	29905.213	352.688172	10709.10227	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:11	1	1	1	1	53.25	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.8125	2004
20.03.2020 13:22:12	1	1	1	1	53.25	61.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:14	1	1	1	1	53.25	61.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:22:15	1	1	1	1	53.25	61.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	41.875	2004
20.03.2020 13:22:16	1	1	1	1	53.25	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.0625	2004
20.03.2020 13:22:17	1	1	1	1	53.25	61	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.8125	2004
20.03.2020 13:22:18	1	1	1	1	53.25	61.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.75	2004
20.03.2020 13:22:19	1	1	1	1	53	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.1875	2004
20.03.2020 13:22:20	1	1	1	1	53	61	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.75	2004
20.03.2020 13:22:21	1	1	1	1	53	61.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.8125	2004
20.03.2020 13:22:22	1	1	1	1	53	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:23	1	1	1	1	53	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.875	2004
20.03.2020 13:22:24	1	1	1	1	53	61.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.8125	2004
20.03.2020 13:22:25	1	1	1	1	53	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:26	1	1	1	1	53	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.75	2004
20.03.2020 13:22:27	1	1	1	1	53	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:28	1	1	1	1	53	61.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:29	1	1	1	1	53	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.5	2004
20.03.2020 13:22:30	1	1	1	1	53	61.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.4375	2004
20.03.2020 13:22:31	1	1	1	1	53	61.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	41.9375	2004
20.03.2020 13:22:32	1	1	1	1	53	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.25	2004
20.03.2020 13:22:33	1	1	1	1	53	61.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42	2004
20.03.2020 13:22:34	1	1	1	1	53	62	0	29905.213	350.5376344	10644.68785	30000	0	0	30000	41.875	2004
20.03.2020 13:22:35	1	1	1	1	53	61.75	0	30000	359.1397849	10611.25758	30000	0	0	30000	41.75	2004
20.03.2020 13:22:36	1	1	1	1	53	61.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.625	2004
20.03.2020 13:22:37	1	1	1	1	53	61.5	0	30000	359.1397849	10967.57535	30000	0	0	30000	41.5625	2004
20.03.2020 13:22:38	1	1	1	1	53.25	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.5625	2004
20.03.2020 13:22:39	1	1	1	1	53.25	61.5	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	41.8125	2004
20.03.2020 13:22:40	1	1	1	1	53.25	61.75	0	30000	363.4408602	10886.03811	30000	0	0	30000	40.9375	2004
20.03.2020 13:22:41	1	1	1	1	53.25	60.75	0	29905.213	365.5913978	11096.40421	30000	0	0	30000	41.5625	2004
20.03.2020 13:22:42	1	1	1	1	53.25	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.75	2004
20.03.2020 13:22:43	1	1	1	1	53.25	61.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:44	1	1	1	1	53.25	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.25	2004
20.03.2020 13:22:45	1	1	1	1	53.25	61.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.625	2004
20.03.2020 13:22:46	1	1	1	1	53.25	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.875	2004
20.03.2020 13:22:47	1	1	1	1	53.25	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.8125	2004
20.03.2020 13:22:48	1	1	1	1	52.75	61.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.5625	2004
20.03.2020 13:22:49	1	1	1	1	52.75	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.625	2004
20.03.2020 13:22:50	1	1	1	1	52.75	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.6875	2004
20.03.2020 13:22:51	1	1	1	1	52.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5625	2004
20.03.2020 13:22:52	1	1	1	1	52.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
20.03.2020 13:22:54	1	1	1	1	52.75	61.25	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:55	1	1	1	1	52.75	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:56	1	1	1	1	52.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:57	1	1	1	1	52.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
20.03.2020 13:22:58	1	1	1	1	52.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:22:59	1	1	1	1	52.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:00	1	1	1	1	52.75	61.5	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.125	2004
20.03.2020 13:23:01	1	1	1	1	52.75	61	0	30000	380.6451613	11354.87729	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:02	1	1	1	1	52.75	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.75	2004
20.03.2020 13:23:08	1	1	1	1	52.75	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:08	1	1	1	1	52.75	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:08	1	1	1	1	52.75	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:08	1	1	1	1	52.75	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:08	1	1	1	1	52.75	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:08	1	1	1	1	52.75	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:09	1	1	1	1	53	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.75	2004
20.03.2020 13:23:10	1	1	1	1	53	61.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.5	2004
20.03.2020 13:23:11	1	1	1	1	53	61.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	41.8125	2004
20.03.2020 13:23:12	1	1	1	1	53	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
20.03.2020 13:23:13	1	1	1	1	53	62	0	29952.607	387.0967742	11612.53499	30000	0	0	30000	41.875	2004
20.03.2020 13:23:14	1	1	1	1	53	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.8125	2004
20.03.2020 13:23:15	1	1	1	1	53	61.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	41.875	2004
20.03.2020 13:23:16	1	1	1	1	53	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.25	2004
20.03.2020 13:23:17	1	1	1	1	53	60.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	41.75	2004
20.03.2020 13:23:18	1	1	1	1	52.75	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:19	1	1	1	1	52.75	61.5	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.375	2004
20.03.2020 13:23:20	1	1	1	1	52.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.875	2004
20.03.2020 13:23:21	1	1	1	1	52.75	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.25	2004
20.03.2020 13:23:22	1	1	1	1	52.75	61.25	0	29905.213	380.6451613	11548.12057	30000	0	0	30000	41.25	2004
20.03.2020 13:23:23	1	1	1	1	52.75	61.25	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	41.75	2004
20.03.2020 13:23:24	1	1	1	1	52.75	61.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.75	2004
20.03.2020 13:23:25	1	1	1	1	52.75	61.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	41.75	2004
20.03.2020 13:23:26	1	1	1	1	52.75	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:27	1	1	1	1	52.75	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.6875	2004
20.03.2020 13:23:28	1	1	1	1	52.5	61.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	41.3125	2004
20.03.2020 13:23:29	1	1	1	1	52.5	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.8125	2004
20.03.2020 13:23:30	1	1	1	1	52.5	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.8125	2004
20.03.2020 13:23:31	1	1	1	1	52.5	61.75	0	30000	389.2473118	11871.00807	30000	0	0	30000	41.1875	2004
20.03.2020 13:23:32	1	1	1	1	52.5	61	0	30000	387.0967742	11612.53499	30000	0	0	30000	41.5625	2004
20.03.2020 13:23:33	1	1	1	1	52.5	61.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.8125	2004
20.03.2020 13:23:34	1	1	1	1	52.5	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.875	2004
20.03.2020 13:23:35	1	1	1	1	52.5	61.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	41.8125	2004
20.03.2020 13:23:37	1	1	1	1	52.5	61.75	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.625	2004
20.03.2020 13:23:38	1	1	1	1	52.5	61.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.875	2004
20.03.2020 13:23:39	1	1	1	1	52.5	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.9375	2004
20.03.2020 13:23:40	1	1	1	1	52.5	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.8125	2004
20.03.2020 13:23:41	1	1	1	1	52.5	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5	2004
20.03.2020 13:23:42	1	1	1	1	52.5	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:23:43	1	1	1	1	52.5	61.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.75	2004
20.03.2020 13:23:44	1	1	1	1	52.5	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.625	2004
20.03.2020 13:23:45	1	1	1	1	52.5	61.5	0	29952.607	384.9462366	11612.53499	30000	0	0	30000	41.875	2004
20.03.2020 13:23:46	1	1	1	1	52.5	61.75	0	30000	384.9462366	11530.18237	30000	0	0	30000	41.8125	2004
20.03.2020 13:23:47	1	1	1	1	52.5	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.4375	2004
20.03.2020 13:23:48	1	1	1	1	52.5	61.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.625	2004
20.03.2020 13:23:49	1	1	1	1	52.75	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.875	2004
20.03.2020 13:23:50	1	1	1	1	52.75	61.75	0	30000	389.2473118	11871.00807	30000	0	0	30000	41.0625	2004
20.03.2020 13:23:51	1	1	1	1	52.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
20.03.2020 13:23:52	1	1	1	1	52.75	61.75	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	41.75	2004
20.03.2020 13:23:53	1	1	1	1	52.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
20.03.2020 13:23:54	1	1	1	1	52.75	61.75	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
20.03.2020 13:23:55	1	1	1	1	52.75	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
20.03.2020 13:23:56	1	1	1	1	52.75	62	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.1875	2004
20.03.2020 13:23:57	1	1	1	1	52.75	62	0	29952.607	395.6989247	11640.25766	30000	0	0	30000	40.9375	2004
20.03.2020 13:23:58	1	1	1	1	52.25	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.8125	2004
20.03.2020 13:23:59	1	1	1	1	52.25	61.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.75	2004
20.03.2020 13:24:00	1	1	1	1	52.25	61.75	0	29952.607	397.8494624	11852.2545	30000	0	0	30000	41.6875	2004
20.03.2020 13:24:01	1	1	1	1	52.25	61.5	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	41.375	2004
20.03.2020 13:24:02	1	1	1	1	52.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.4375	2004
20.03.2020 13:24:03	1	1	1	1	52.25	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.0625	2004
20.03.2020 13:24:10	1	1	1	1	52	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
20.03.2020 13:24:10	1	1	1	1	52	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
20.03.2020 13:24:10	1	1	1	1	52	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
20.03.2020 13:24:10	1	1	1	1	52	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
20.03.2020 13:24:10	1	1	1	1	52	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
20.03.2020 13:24:10	1	1	1	1	52	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
20.03.2020 13:24:10	1	1	1	1	52	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
20.03.2020 13:24:11	1	1	1	1	52	61.5	0	30000	402.1505376	12128.66578	30000	0	0	30000	41.625	2004
20.03.2020 13:24:12	1	1	1	1	52	61.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.875	2004
20.03.2020 13:24:13	1	1	1	1	52	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
20.03.2020 13:24:14	1	1	1	1	52	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
20.03.2020 13:24:15	1	1	1	1	52	61.25	0	29905.213	400	12193.08021	30000	0	0	30000	41.4375	2004
20.03.2020 13:24:17	1	1	1	1	52	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.5	2004
20.03.2020 13:24:18	1	1	1	1	52	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
20.03.2020 13:24:19	1	1	1	1	52	61.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.8125	2004
20.03.2020 13:24:20	1	1	1	1	52	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
20.03.2020 13:24:21	1	1	1	1	52	61.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.75	2004
20.03.2020 13:24:22	1	1	1	1	52	60.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.125	2004
20.03.2020 13:24:23	1	1	1	1	52	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.625	2004
20.03.2020 13:24:24	1	1	1	1	52	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5	2004
20.03.2020 13:24:25	1	1	1	1	52	61.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.9375	2004
20.03.2020 13:24:26	1	1	1	1	52	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:24:27	1	1	1	1	52	61.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.375	2004
20.03.2020 13:24:28	1	1	1	1	52	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.75	2004
20.03.2020 13:24:29	1	1	1	1	52	61.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
20.03.2020 13:24:30	1	1	1	1	52	61.5	0	30000	404.3010753	11916.66893	30000	0	0	30000	41.6875	2004
20.03.2020 13:24:31	1	1	1	1	52	61.5	0	30000	400	12064.25135	30000	0	0	30000	41.75	2004
20.03.2020 13:24:32	1	1	1	1	52	61.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.9375	2004
20.03.2020 13:24:33	1	1	1	1	52	60.75	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	41.6875	2004
20.03.2020 13:24:34	1	1	1	1	52	61.5	0	30000	400	11935.4225	30000	0	0	30000	41.5	2004
20.03.2020 13:24:35	1	1	1	1	52	61.5	0	30000	400	11935.4225	30000	0	0	30000	42.0625	2004
20.03.2020 13:24:36	1	1	1	1	52	62	0	30000	395.6989247	12128.66578	30000	0	0	30000	41.75	2004
20.03.2020 13:24:37	1	1	1	1	52	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.125	2004
20.03.2020 13:24:38	1	1	1	1	52	62	0	30000	397.8494624	11999.83693	30000	0	0	30000	41.625	2004
20.03.2020 13:24:39	1	1	1	1	52	60.75	0	30000	400	11935.4225	30000	0	0	30000	41.75	2004
20.03.2020 13:24:40	1	1	1	1	52	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
20.03.2020 13:24:41	1	1	1	1	52	61.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	41.8125	2004
20.03.2020 13:24:42	1	1	1	1	52	61.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.625	2004
20.03.2020 13:24:43	1	1	1	1	52	61.5	0	30000	400	11999.83693	30000	0	0	30000	41.6875	2004
20.03.2020 13:24:44	1	1	1	1	52	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
20.03.2020 13:24:45	1	1	1	1	52	61.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.5625	2004
20.03.2020 13:24:46	1	1	1	1	52	61.5	0	30000	400	11916.66893	30000	0	0	30000	41.8125	2004
20.03.2020 13:24:47	1	1	1	1	52	61.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.75	2004
20.03.2020 13:24:48	1	1	1	1	51.5	61.75	0	30000	400	12064.25135	30000	0	0	30000	41.8125	2004
20.03.2020 13:24:49	1	1	1	1	51.5	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.75	2004
20.03.2020 13:24:50	1	1	1	1	51.5	61.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.875	2004
20.03.2020 13:24:51	1	1	1	1	51.5	61.75	0	29952.607	400	12128.66578	30000	0	0	30000	41.625	2004
20.03.2020 13:24:52	1	1	1	1	51.5	61.5	0	30000	400	11935.4225	30000	0	0	30000	41	2004
20.03.2020 13:24:53	1	1	1	1	51.5	61	0	29905.213	400	12064.25135	30000	0	0	30000	41.625	2004
20.03.2020 13:24:55	1	1	1	1	51.5	61.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.625	2004
20.03.2020 13:24:56	1	1	1	1	51.5	61.5	0	30000	402.1505376	11916.66893	30000	0	0	30000	41.6875	2004
20.03.2020 13:24:57	1	1	1	1	51.5	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
20.03.2020 13:24:58	1	1	1	1	51.5	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
20.03.2020 13:24:59	1	1	1	1	51.75	61.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.75	2004
20.03.2020 13:25:00	1	1	1	1	51.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
20.03.2020 13:25:01	1	1	1	1	51.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
20.03.2020 13:25:02	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:03	1	1	1	1	51.75	61.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:04	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
20.03.2020 13:25:05	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:11	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
20.03.2020 13:25:11	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
20.03.2020 13:25:11	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
20.03.2020 13:25:11	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
20.03.2020 13:25:11	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:25:11	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
20.03.2020 13:25:12	1	1	1	1	51.75	61.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
20.03.2020 13:25:13	1	1	1	1	51.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
20.03.2020 13:25:14	1	1	1	1	51.75	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:25:15	1	1	1	1	51.75	61.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	40.25	2004
20.03.2020 13:25:16	1	1	1	1	51.75	60.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.0625	2004
20.03.2020 13:25:17	1	1	1	1	51.75	62	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:18	1	1	1	1	51.75	61.5	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	41.625	2004
20.03.2020 13:25:19	1	1	1	1	51.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.875	2004
20.03.2020 13:25:20	1	1	1	1	51.75	61.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.375	2004
20.03.2020 13:25:21	1	1	1	1	51.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
20.03.2020 13:25:22	1	1	1	1	51.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.625	2004
20.03.2020 13:25:23	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
20.03.2020 13:25:24	1	1	1	1	51.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
20.03.2020 13:25:25	1	1	1	1	51.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.4375	2004
20.03.2020 13:25:26	1	1	1	1	51.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
20.03.2020 13:25:27	1	1	1	1	51.75	61.75	0	30000	412.9032258	12471.12222	30000	0	0	30000	41.75	2004
20.03.2020 13:25:28	1	1	1	1	51.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
20.03.2020 13:25:29	1	1	1	1	51.75	61.25	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	41.625	2004
20.03.2020 13:25:30	1	1	1	1	51.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.4375	2004
20.03.2020 13:25:31	1	1	1	1	51.75	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:25:32	1	1	1	1	51.75	61.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:25:33	1	1	1	1	51.75	61.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	41.75	2004
20.03.2020 13:25:34	1	1	1	1	51.75	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.5	2004
20.03.2020 13:25:35	1	1	1	1	51.75	61.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.5	2004
20.03.2020 13:25:36	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
20.03.2020 13:25:38	1	1	1	1	51.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
20.03.2020 13:25:39	1	1	1	1	51.75	61.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.5625	2004
20.03.2020 13:25:40	1	1	1	1	51.75	61.5	0	30000	415.0537634	12709.21099	30000	0	0	30000	41.625	2004
20.03.2020 13:25:41	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:42	1	1	1	1	51.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:43	1	1	1	1	51.75	61.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	41.5	2004
20.03.2020 13:25:44	1	1	1	1	51.75	61.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	40.6875	2004
20.03.2020 13:25:45	1	1	1	1	51.75	60.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.25	2004
20.03.2020 13:25:46	1	1	1	1	51.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
20.03.2020 13:25:47	1	1	1	1	51.75	61.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	41.5625	2004
20.03.2020 13:25:48	1	1	1	1	51.75	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:25:49	1	1	1	1	51.75	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.5	2004
20.03.2020 13:25:50	1	1	1	1	51.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:51	1	1	1	1	51.75	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.625	2004
20.03.2020 13:25:52	1	1	1	1	51.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:53	1	1	1	1	51.75	61.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.625	2004
20.03.2020 13:25:54	1	1	1	1	51.75	61.5	0	30000	415.0537634	12411.60003	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:25:55	1	1	1	1	51.75	61	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.75	2004
20.03.2020 13:25:56	1	1	1	1	51.75	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.75	2004
20.03.2020 13:25:57	1	1	1	1	51.75	61.75	0	29905.213	419.3548387	12431.98434	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:58	1	1	1	1	51.75	61.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.6875	2004
20.03.2020 13:25:59	1	1	1	1	51.75	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.0625	2004
20.03.2020 13:26:00	1	1	1	1	51.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
20.03.2020 13:26:01	1	1	1	1	51.75	61.75	0	30000	415.0537634	12367.56992	30000	0	0	30000	42.125	2004
20.03.2020 13:26:02	1	1	1	1	51.75	62	0	30000	419.3548387	12431.98434	30000	0	0	30000	41.875	2004
20.03.2020 13:26:03	1	1	1	1	51.75	62	0	30000	423.655914	12773.62542	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:04	1	1	1	1	51.75	61.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.625	2004
20.03.2020 13:26:05	1	1	1	1	51.75	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
20.03.2020 13:26:06	1	1	1	1	51.75	61	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	40.9375	2004
20.03.2020 13:26:13	1	1	1	1	51.75	61.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:13	1	1	1	1	51.75	61.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:13	1	1	1	1	51.75	61.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:13	1	1	1	1	51.75	61.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:13	1	1	1	1	51.75	61.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:13	1	1	1	1	51.75	61.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:13	1	1	1	1	51.75	61.5	0	30000	425.8064516	12858.42416	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:14	1	1	1	1	51.75	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.6875	2004
20.03.2020 13:26:15	1	1	1	1	51.75	61.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.625	2004
20.03.2020 13:26:16	1	1	1	1	51.75	61.5	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.6875	2004
20.03.2020 13:26:17	1	1	1	1	51.75	61.5	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	41.1875	2004
20.03.2020 13:26:18	1	1	1	1	51.5	61	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.75	2004
20.03.2020 13:26:19	1	1	1	1	51.5	61.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:26:21	1	1	1	1	51.5	61.75	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	41.8125	2004
20.03.2020 13:26:22	1	1	1	1	51.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.75	2004
20.03.2020 13:26:23	1	1	1	1	51.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:26:24	1	1	1	1	51.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:25	1	1	1	1	51.5	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
20.03.2020 13:26:26	1	1	1	1	51.5	61.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.8125	2004
20.03.2020 13:26:27	1	1	1	1	51.5	61.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.6875	2004
20.03.2020 13:26:28	1	1	1	1	51.5	61.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.5	2004
20.03.2020 13:26:29	1	1	1	1	51.5	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
20.03.2020 13:26:30	1	1	1	1	51.5	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.625	2004
20.03.2020 13:26:31	1	1	1	1	51.5	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.8125	2004
20.03.2020 13:26:32	1	1	1	1	51.5	60.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	41.6875	2004
20.03.2020 13:26:33	1	1	1	1	51.5	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.625	2004
20.03.2020 13:26:34	1	1	1	1	51.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
20.03.2020 13:26:35	1	1	1	1	51.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.875	2004
20.03.2020 13:26:36	1	1	1	1	51.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:37	1	1	1	1	51.5	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.8125	2004
20.03.2020 13:26:38	1	1	1	1	51.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:26:39	1	1	1	1	51	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
20.03.2020 13:26:40	1	1	1	1	51	61.5	0	30000	419.3548387	12387.13886	30000	0	0	30000	41.125	2004
20.03.2020 13:26:41	1	1	1	1	51	61	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.25	2004
20.03.2020 13:26:42	1	1	1	1	51	61.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.875	2004
20.03.2020 13:26:43	1	1	1	1	51	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42	2004
20.03.2020 13:26:44	1	1	1	1	51	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
20.03.2020 13:26:45	1	1	1	1	51	61.5	0	30000	419.3548387	12599.95108	30000	0	0	30000	42.25	2004
20.03.2020 13:26:46	1	1	1	1	51	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
20.03.2020 13:26:47	1	1	1	1	51	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.625	2004
20.03.2020 13:26:48	1	1	1	1	51.5	61.5	0	30047.393	425.8064516	12451.55328	30000	0	0	30000	41.5	2004
20.03.2020 13:26:49	1	1	1	1	51.5	61.5	0	30047.393	419.3548387	12599.95108	30000	0	0	30000	41.6875	2004
20.03.2020 13:26:50	1	1	1	1	51.5	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
20.03.2020 13:26:51	1	1	1	1	51.5	61.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.75	2004
20.03.2020 13:26:52	1	1	1	1	51.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
20.03.2020 13:26:53	1	1	1	1	51.5	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.3125	2004
20.03.2020 13:26:54	1	1	1	1	51.5	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.875	2004
20.03.2020 13:26:55	1	1	1	1	51.5	61.75	0	30000	412.9032258	12348.00098	30000	0	0	30000	41.0625	2004
20.03.2020 13:26:56	1	1	1	1	51.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
20.03.2020 13:26:57	1	1	1	1	51.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.8125	2004
20.03.2020 13:26:58	1	1	1	1	51.25	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.5625	2004
20.03.2020 13:26:59	1	1	1	1	51.25	61.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:00	1	1	1	1	51.25	61.75	0	30000	412.9032258	12174.32664	30000	0	0	30000	41.0625	2004
20.03.2020 13:27:01	1	1	1	1	51.25	61	0	30047.393	412.9032258	12451.55328	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:03	1	1	1	1	51.25	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.875	2004
20.03.2020 13:27:04	1	1	1	1	51.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
20.03.2020 13:27:05	1	1	1	1	51.25	61.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
20.03.2020 13:27:06	1	1	1	1	51.25	61.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.3125	2004
20.03.2020 13:27:07	1	1	1	1	51.25	61.25	0	30000	417.2043011	12348.00098	30000	0	0	30000	41.75	2004
20.03.2020 13:27:08	1	1	1	1	51.25	61.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	41.25	2004
20.03.2020 13:27:15	1	1	1	1	51.25	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:27:15	1	1	1	1	51.25	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:27:15	1	1	1	1	51.25	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:27:15	1	1	1	1	51.25	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
20.03.2020 13:27:15	1	1	1	1	51.25	61.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.125	2004
20.03.2020 13:27:16	1	1	1	1	51.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
20.03.2020 13:27:17	1	1	1	1	51.25	61	0	30000	421.5053763	12794.00973	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:18	1	1	1	1	51.25	61.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.75	2004
20.03.2020 13:27:19	1	1	1	1	51.25	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
20.03.2020 13:27:20	1	1	1	1	51.25	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.6875	2004
20.03.2020 13:27:21	1	1	1	1	51.25	60.5	0	30000	423.655914	12773.62542	30000	0	0	30000	41.6875	2004
20.03.2020 13:27:22	1	1	1	1	51.25	61.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:27:23	1	1	1	1	51.25	61	0	30000	423.655914	12709.21099	30000	0	0	30000	40.6875	2004
20.03.2020 13:27:24	1	1	1	1	51.25	60.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
20.03.2020 13:27:25	1	1	1	1	51.25	61.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.625	2004
20.03.2020 13:27:26	1	1	1	1	51.25	61.5	0	30000	423.655914	12709.21099	30000	0	0	30000	41.875	2004
20.03.2020 13:27:27	1	1	1	1	51.25	61.5	0	30000	423.655914	12709.21099	30000	0	0	30000	41.75	2004
20.03.2020 13:27:28	1	1	1	1	51	61.75	0	30000	419.3548387	12560.8132	30000	0	0	30000	41.75	2004
20.03.2020 13:27:29	1	1	1	1	51	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.625	2004
20.03.2020 13:27:30	1	1	1	1	51	61.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.875	2004
20.03.2020 13:27:31	1	1	1	1	51	61.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:32	1	1	1	1	51	61.75	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	41.6875	2004
20.03.2020 13:27:33	1	1	1	1	51	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:34	1	1	1	1	51	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:35	1	1	1	1	51	61.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.75	2004
20.03.2020 13:27:36	1	1	1	1	51	61.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:37	1	1	1	1	51	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.9375	2004
20.03.2020 13:27:38	1	1	1	1	51	61.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	41.4375	2004
20.03.2020 13:27:39	1	1	1	1	51	61.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.3125	2004
20.03.2020 13:27:40	1	1	1	1	51	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.625	2004
20.03.2020 13:27:41	1	1	1	1	51	61.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.9375	2004
20.03.2020 13:27:42	1	1	1	1	51	61.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	41	2004
20.03.2020 13:27:43	1	1	1	1	51	61	0	29905.213	427.9569892	12798.08659	30000	0	0	30000	41.75	2004
20.03.2020 13:27:45	1	1	1	1	51	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
20.03.2020 13:27:46	1	1	1	1	51	61	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:47	1	1	1	1	51	61.75	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	40.9375	2004
20.03.2020 13:27:48	1	1	1	1	51	60.75	0	30000	438.7096774	13310.95589	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:49	1	1	1	1	51	61.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:50	1	1	1	1	51	61.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	41.8125	2004
20.03.2020 13:27:51	1	1	1	1	51	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
20.03.2020 13:27:52	1	1	1	1	51	61.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.9375	2004
20.03.2020 13:27:53	1	1	1	1	51	61.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.1875	2004
20.03.2020 13:27:54	1	1	1	1	51	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
20.03.2020 13:27:55	1	1	1	1	51	61.75	0	30000	427.9569892	12818.4709	30000	0	0	30000	41	2004
20.03.2020 13:27:56	1	1	1	1	51	61	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.4375	2004
20.03.2020 13:27:57	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:27:58	1	0	1	1	51	61.5	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:27:59	1	0	1	1	50.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:28:00	1	0	1	1	50.75	59	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:28:01	1	0	1	1	50.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:28:02	1	0	1	1	50.75	62	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:28:03	1	0	1	1	50.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:28:04	1	0	1	1	50.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:28:05	1	0	1	1	50.75	62	0	0	0	0	30000	0	0	30000	42.25	2004
20.03.2020 13:28:06	1	0	1	1	50.75	62.25	0	0	0	0	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:28:07	1	0	1	1	50.75	59	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:28:08	1	0	1	1	50.25	60.5	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:28:09	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:28:16	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:28:16	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:28:16	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:28:16	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:28:16	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:28:16	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:28:16	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:28:17	1	0	1	1	50.25	62	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:18	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:28:19	1	0	1	1	51.75	59	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:28:20	1	0	1	1	51.75	59.25	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:28:21	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:28:22	1	0	1	1	51.75	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:28:23	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:28:24	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:26	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:28:27	1	0	1	1	51.75	59.25	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:28:28	1	0	1	1	51.75	59	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:29	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:28:30	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:28:31	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:28:32	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:33	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:28:34	1	0	1	1	52	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:28:35	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:28:36	1	0	1	1	52	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:28:37	1	0	1	1	52	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:38	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:39	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:28:40	1	0	1	1	52	59.25	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:41	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:28:42	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:28:43	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:28:44	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:28:45	1	0	1	1	52	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:46	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:47	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:28:48	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:28:49	1	0	1	1	52	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:28:50	1	0	1	1	52	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:28:51	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:28:52	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:53	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:54	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.3125	2004
20.03.2020 13:28:55	1	0	1	1	52	62.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:28:56	1	0	1	1	52	61.25	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:28:57	1	0	1	1	52	61.75	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:28:58	1	0	1	1	52	59	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:28:59	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:00	1	0	1	1	52	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:01	1	0	1	1	52	61.75	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:02	1	0	1	1	52	59	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:29:03	1	0	1	1	52	59.25	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:04	1	0	1	1	52	59	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:05	1	0	1	1	52	61.75	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:06	1	0	1	1	52	59	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:29:07	1	0	1	1	52	62	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:29:08	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:09	1	0	1	1	51.75	61.75	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:29:10	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:29:17	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:17	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:17	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:17	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:17	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:17	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:18	1	0	1	1	51.75	59	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:29:19	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:29:20	1	0	1	1	51.75	59	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:21	1	0	1	1	51.75	61.75	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:22	1	0	1	1	51.75	59	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:29:23	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:24	1	0	1	1	51.75	59	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:29:25	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:29:26	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:29:27	1	0	1	1	51.75	61.75	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:29:28	1	0	1	1	51.75	62	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:29:29	1	0	1	1	51.25	62	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:29:30	1	0	1	1	51.25	59.25	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:31	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:29:32	1	0	1	1	51.25	59	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:29:33	1	0	1	1	51.25	62	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:29:34	1	0	1	1	51.25	62	0	0	0	0	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:29:35	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:29:36	1	0	1	1	51.25	59	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:29:37	1	0	1	1	51.25	62	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:29:38	1	0	1	1	51.25	62	0	0	0	0	30000	0	0	30000	42.1875	2004
20.03.2020 13:29:39	1	0	1	1	51.25	62	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:40	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:29:41	1	0	1	1	51.25	59	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:29:42	1	0	1	1	51.25	59	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:29:43	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:44	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:29:45	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:29:46	1	0	1	1	51.25	62	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:29:47	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:29:48	1	0	1	1	51.25	59	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:49	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:29:50	1	0	1	1	51.25	59	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:29:51	1	0	1	1	51.25	59	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:29:52	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:29:53	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:29:55	1	0	1	1	51.25	59	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:29:56	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:29:57	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:29:58	1	0	1	1	51.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:29:59	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:30:00	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:30:01	1	0	1	1	50.75	62	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:02	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:30:03	1	0	1	1	50.75	59	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:30:04	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:30:05	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:30:06	1	0	1	1	50.75	62	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:07	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:30:08	1	0	1	1	50.75	59	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:30:09	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:10	1	0	1	1	50.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:30:11	1	0	1	1	50.5	62	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:12	1	0	1	1	50.5	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:30:19	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:30:19	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:30:19	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:30:19	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:30:19	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	42.125	2004
20.03.2020 13:30:19	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:30:19	1	0	1	1	50.75	62	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:30:20	1	0	1	1	50.75	60.5	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:30:21	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:22	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:23	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:30:24	1	0	1	1	50.75	59	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:30:25	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:30:26	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:27	1	0	1	1	50.75	61.75	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:30:28	1	0	1	1	50.25	59	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:30:29	1	0	1	1	50.25	59	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:30:30	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:30:31	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:30:32	1	0	1	1	50.25	60	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:30:34	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:30:35	1	0	1	1	50.25	58.75	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:30:36	1	0	1	1	50.25	59	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:30:37	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:30:38	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:39	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:30:40	1	0	1	1	50.25	59	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:41	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:42	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:30:43	1	0	1	1	50.25	59	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:30:44	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:30:45	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:30:46	1	0	1	1	50.25	59	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:30:47	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:30:48	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:30:49	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:30:50	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:30:51	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:30:52	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:30:53	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:30:54	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:30:55	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
20.03.2020 13:30:56	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:30:57	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:30:58	1	0	1	1	50	59	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:30:59	1	0	1	1	50	61.25	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:31:00	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:31:01	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:31:02	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:31:03	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	38.8125	2004
20.03.2020 13:31:04	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:05	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:31:06	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:31:07	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41	2004
20.03.2020 13:31:08	1	0	1	1	48.5	61	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:31:09	1	0	1	1	48.5	59	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:31:10	1	0	1	1	48.5	59	0	0	0	0	30000	0	0	30000	38.8125	2004
20.03.2020 13:31:12	1	0	1	1	48.5	58.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:31:13	1	0	1	1	48.5	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:31:14	1	0	1	1	48.5	61.75	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:31:20	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:20	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:20	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:20	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:20	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:20	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:20	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:21	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	40.3125	2004
20.03.2020 13:31:22	1	0	1	1	50	60.25	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:23	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:24	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:31:25	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:31:26	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:27	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:31:28	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:31:29	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:30	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:31:31	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:32	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:31:33	1	0	1	1	50	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:34	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	42.0625	2004
20.03.2020 13:31:35	1	0	1	1	50	62	0	0	0	0	30000	0	0	30000	41.625	2004
20.03.2020 13:31:36	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	42	2004
20.03.2020 13:31:37	1	0	1	1	50	62	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:31:38	1	0	1	1	50.25	58.75	0	0	0	0	30000	0	0	30000	41.625	2004
20.03.2020 13:31:39	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
20.03.2020 13:31:40	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:31:41	1	0	1	1	50.25	61.75	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:31:42	1	0	1	1	50.25	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:43	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	38.8125	2004
20.03.2020 13:31:44	1	0	1	1	50.25	58.75	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:31:45	1	0	1	1	50.25	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:46	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:31:47	1	0	1	1	50.25	58.75	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:31:48	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:31:49	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:31:50	1	0	1	1	49.75	58.75	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:31:51	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
20.03.2020 13:31:53	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:31:54	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:31:55	1	0	1	1	49.75	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:31:56	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:31:57	1	0	1	1	49.75	58.75	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:31:58	1	0	1	1	49.75	61.75	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:31:59	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:00	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:01	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:02	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:03	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:32:04	1	0	1	1	49.75	59.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:05	1	0	1	1	49.75	61.25	0	0	0	0	30000	0	0	30000	38.8125	2004
20.03.2020 13:32:06	1	0	1	1	49.75	58.75	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:32:07	1	0	1	1	49.75	58.75	0	0	0	0	30000	0	0	30000	41.625	2004
20.03.2020 13:32:08	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:09	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:10	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:32:11	1	0	1	1	49.75	58.75	0	0	0	0	30000	0	0	30000	41.625	2004
20.03.2020 13:32:12	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
20.03.2020 13:32:13	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.8125	2004
20.03.2020 13:32:14	1	0	1	1	49.75	61.75	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:15	1	0	1	1	49.75	61.5	0	0	0	0	30000	0	0	30000	41.9375	2004
20.03.2020 13:32:22	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:22	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:22	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:22	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:22	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:22	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:22	1	0	1	1	50	61.25	0	0	0	0	30000	0	0	30000	38.6875	2004
20.03.2020 13:32:23	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:24	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:32:25	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	41.625	2004
20.03.2020 13:32:26	1	0	1	1	50	61.5	0	0	0	0	30000	0	0	30000	38.6875	2004
20.03.2020 13:32:27	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:32:28	1	0	1	1	50.25	61.25	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:29	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:30	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:32:31	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:32	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:34	1	0	1	1	50.25	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:35	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:36	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:32:37	1	0	1	1	50.25	58.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:38	1	0	1	1	50.25	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:39	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:40	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:41	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:32:42	1	0	1	1	50.25	61.25	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:43	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:32:44	1	0	1	1	50.25	58.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:45	1	0	1	1	50.25	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:46	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:32:47	1	0	1	1	50.25	61.5	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:32:48	1	0	1	1	50.25	58.5	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:32:49	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:50	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:51	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:52	1	0	1	1	50.5	61.5	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:32:53	1	0	1	1	50.5	58.75	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:32:54	1	0	1	1	50.5	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:55	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:32:56	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:32:57	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:32:58	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:32:59	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.6875	2004
20.03.2020 13:33:00	1	0	1	1	50.5	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:33:01	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.625	2004
20.03.2020 13:33:02	1	0	1	1	50.5	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
20.03.2020 13:33:03	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:33:04	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:05	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.5625	2004
20.03.2020 13:33:06	1	0	1	1	50.5	61.5	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:07	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:08	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:09	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:33:10	1	0	1	1	50.5	58.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:33:11	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:12	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:33:13	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:14	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:33:16	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:33:17	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
20.03.2020 13:33:23	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:23	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:23	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:23	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:23	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:23	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:24	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:33:25	1	0	1	1	50.75	58.5	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:26	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	38.6875	2004
20.03.2020 13:33:27	1	0	1	1	50.75	58.5	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:33:28	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:33:29	1	0	1	1	51	58.5	0	0	0	0	30000	0	0	30000	41.3125	2004
20.03.2020 13:33:30	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:33:31	1	0	1	1	51	58.5	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:32	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:33	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
20.03.2020 13:33:34	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:37	1	0	1	1	51	58.5	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:37	1	0	1	1	51	58.5	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:37	1	0	1	1	51	58.5	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:38	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:33:39	1	0	1	1	51	58.5	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:40	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:41	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:42	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
20.03.2020 13:33:43	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
20.03.2020 13:33:44	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:33:45	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:46	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
20.03.2020 13:33:47	1	0	1	1	51	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:33:48	1	0	1	1	51	61.5	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:49	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:33:50	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:51	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:33:52	1	0	1	1	51.5	58.5	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:53	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:54	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
20.03.2020 13:33:55	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:33:56	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:33:57	1	0	1	1	51.5	58.5	0	0	0	0	30000	0	0	30000	41.1875	2004
20.03.2020 13:33:58	1	0	1	1	51.5	61	0	0	0	0	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:33:59	1	0	1	1	51.5	61	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:34:00	1	0	1	1	51.5	58.5	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:34:02	1	0	1	1	51.5	58.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:03	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:34:04	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	41.125	2004
20.03.2020 13:34:05	1	0	1	1	51.5	61	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:34:06	1	0	1	1	51.5	58.25	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:34:07	1	0	1	1	51.5	58.25	0	0	0	0	30000	0	0	30000	41.3125	2004
20.03.2020 13:34:08	1	0	1	1	51.5	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
20.03.2020 13:34:09	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:10	1	0	1	1	51.25	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:11	1	0	1	1	51.25	61.25	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:34:12	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	41.4375	2004
20.03.2020 13:34:13	1	0	1	1	51.25	61.25	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:34:14	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:34:15	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:16	1	0	1	1	51.25	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:17	1	0	1	1	51.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
20.03.2020 13:34:18	1	0	1	1	51.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
20.03.2020 13:34:25	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:25	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:25	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:25	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:25	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:25	1	0	1	1	51.25	61.25	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:34:26	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:27	1	0	1	1	51.25	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
20.03.2020 13:34:28	1	0	1	1	51.25	61.5	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:34:29	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:34:30	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:34:31	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:34:32	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	41.125	2004
20.03.2020 13:34:33	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:34:34	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:34:35	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:34:36	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:34:37	1	0	1	1	51.25	58.25	0	0	0	0	30000	0	0	30000	41.125	2004
20.03.2020 13:34:38	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:34:39	1	0	1	1	48.75	58.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:34:40	1	0	1	1	48.75	58	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:34:42	1	0	1	1	48.75	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:34:43	1	0	1	1	48.75	58.25	0	0	0	0	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:34:44	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:34:45	1	0	1	1	48.75	58.25	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:46	1	0	1	1	48.75	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
20.03.2020 13:34:47	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:34:48	1	0	1	1	48.75	60.75	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:34:49	1	0	1	1	50.5	58.25	0	0	0	0	30000	0	0	30000	41.125	2004
20.03.2020 13:34:50	1	0	1	1	50.5	61	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:34:51	1	0	1	1	50.5	61.25	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:34:52	1	0	1	1	50.5	60.75	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:34:53	1	0	1	1	50.5	58.25	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:34:54	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:34:55	1	0	1	1	50.5	58.25	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:34:56	1	0	1	1	50.5	60.75	0	0	0	0	30000	0	0	30000	41.0625	2004
20.03.2020 13:34:57	1	0	1	1	50.5	61	0	0	0	0	30000	0	0	30000	41.125	2004
20.03.2020 13:34:58	1	0	1	1	50.5	61	0	0	0	0	30000	0	0	30000	41.1875	2004
20.03.2020 13:34:59	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	41.0625	2004
20.03.2020 13:35:00	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	41.125	2004
20.03.2020 13:35:01	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:35:02	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	41.125	2004
20.03.2020 13:35:03	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	41.0625	2004
20.03.2020 13:35:04	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:35:05	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:35:06	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	41.0625	2004
20.03.2020 13:35:07	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:35:08	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:35:09	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	41.0625	2004
20.03.2020 13:35:10	1	0	1	1	50.75	61	0	0	0	0	30000	0	0	30000	41	2004
20.03.2020 13:35:11	1	0	1	1	50.75	61	0	0	0	0	30000	0	0	30000	41.3125	2004
20.03.2020 13:35:12	1	0	1	1	50.75	61.25	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:35:13	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:35:14	1	0	1	1	50.75	58.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:35:15	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:16	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:35:17	1	0	1	1	50.75	58.25	0	0	0	0	30000	0	0	30000	41.0625	2004
20.03.2020 13:35:18	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:35:19	1	0	1	1	48.75	58.25	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:26	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:26	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:26	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:26	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:26	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:26	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:26	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:26	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:27	1	0	1	1	48.75	58	0	0	0	0	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:35:28	1	0	1	1	48.75	61	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:35:29	1	0	1	1	51	58	0	0	0	0	30000	0	0	30000	41	2004
20.03.2020 13:35:30	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:35:31	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	41.0625	2004
20.03.2020 13:35:32	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:35:33	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:35:34	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	41.1875	2004
20.03.2020 13:35:35	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:35:36	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:35:37	1	0	1	1	51	59.5	0	0	0	0	30000	0	0	30000	38.0625	2004
20.03.2020 13:35:38	1	0	1	1	51	58	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:39	1	0	1	1	51	58	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:35:40	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	41	2004
20.03.2020 13:35:41	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:35:42	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:43	1	0	1	1	51	58	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:35:44	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:45	1	0	1	1	51	58	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:35:46	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	38.0625	2004
20.03.2020 13:35:47	1	0	1	1	51	58	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:35:48	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:35:49	1	0	1	1	51	58	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:35:50	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:35:51	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:35:52	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:35:53	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:35:54	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	41.1875	2004
20.03.2020 13:35:55	1	0	1	1	51	61	0	0	0	0	30000	0	0	30000	41.25	2004
20.03.2020 13:35:56	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	38.8125	2004
20.03.2020 13:35:57	1	0	1	1	51	58.75	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:35:58	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:35:59	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	41	2004
20.03.2020 13:36:00	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:36:01	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:36:02	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:36:03	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	38.0625	2004
20.03.2020 13:36:04	1	0	1	1	51.25	58	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:36:05	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:36:06	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:36:08	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:09	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:36:10	1	0	1	1	51.25	58	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:11	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:36:12	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:36:13	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:36:14	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:36:15	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:16	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:17	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:18	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:36:19	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:36:20	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:21	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	38	2004
20.03.2020 13:36:28	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:36:28	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:36:28	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:36:28	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:36:28	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:36:28	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:28	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:29	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:30	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.8125	2004
20.03.2020 13:36:31	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:32	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:36:33	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	41.0625	2004
20.03.2020 13:36:34	1	0	1	1	51.25	61	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:36:35	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:36	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	41	2004
20.03.2020 13:36:37	1	0	1	1	51.25	57.75	0	0	0	0	30000	0	0	30000	37.9375	2004
20.03.2020 13:36:38	1	0	1	1	51.5	57.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:39	1	0	1	1	51.5	60.75	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:36:40	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:36:41	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:36:42	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	37.9375	2004
20.03.2020 13:36:43	1	0	1	1	51.5	57.75	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:36:44	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:36:45	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	37.9375	2004
20.03.2020 13:36:46	1	0	1	1	51.5	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:36:47	1	0	1	1	51.5	57.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:49	1	0	1	1	51.5	60.75	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:36:50	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:36:51	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:52	1	0	1	1	51.5	60.75	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:36:53	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:36:54	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:36:55	1	0	1	1	51.5	60.75	0	0	0	0	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:36:56	1	0	1	1	51.5	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:36:57	1	0	1	1	51.5	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:36:58	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	37.9375	2004
20.03.2020 13:36:59	1	0	1	1	51.75	57.75	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:37:00	1	0	1	1	51.75	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:37:01	1	0	1	1	51.75	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:37:02	1	0	1	1	51.75	60.75	0	0	0	0	30000	0	0	30000	37.9375	2004
20.03.2020 13:37:03	1	0	1	1	51.75	57.75	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:04	1	0	1	1	51.75	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:37:05	1	0	1	1	51.75	60.75	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:37:06	1	0	1	1	51.75	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:37:07	1	0	1	1	51.75	60.75	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:37:08	1	0	1	1	51.75	57.75	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:37:09	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:37:10	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:37:11	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:12	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:37:13	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:37:14	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:37:15	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:37:16	1	0	1	1	51	59.25	0	0	0	0	30000	0	0	30000	40.875	2004
20.03.2020 13:37:17	1	0	1	1	51	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
20.03.2020 13:37:18	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:37:19	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:20	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:37:21	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:37:22	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:37:29	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:29	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:29	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:29	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:29	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:29	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:30	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:37:31	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:37:32	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:37:33	1	0	1	1	51	57.75	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:37:34	1	0	1	1	51	57.5	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:37:35	1	0	1	1	51	57.5	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:37:36	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:37:37	1	0	1	1	51	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:37:38	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	37.75	2004
20.03.2020 13:37:39	1	0	1	1	51	57.75	0	0	0	0	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:37:40	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:37:41	1	0	1	1	51	57.5	0	0	0	0	30000	0	0	30000	37.75	2004
20.03.2020 13:37:42	1	0	1	1	51	57.75	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:37:43	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
20.03.2020 13:37:44	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:37:45	1	0	1	1	51	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:37:46	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:37:47	1	0	1	1	51	60.5	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:37:48	1	0	1	1	51	57.5	0	0	0	0	30000	0	0	30000	40.3125	2004
20.03.2020 13:37:49	1	0	1	1	49.75	60.25	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:37:50	1	0	1	1	49.75	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:37:51	1	0	1	1	49.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:37:52	1	0	1	1	49.75	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:37:53	1	0	1	1	49.75	60.25	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:37:54	1	0	1	1	49.75	57.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:37:55	1	0	1	1	49.75	60.25	0	0	0	0	30000	0	0	30000	40.3125	2004
20.03.2020 13:37:56	1	0	1	1	49.75	60.25	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:37:57	1	0	1	1	49.75	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:37:58	1	0	1	1	49.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:37:59	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:00	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:38:01	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
20.03.2020 13:38:02	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:38:03	1	0	1	1	51.25	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:04	1	0	1	1	51.25	60.75	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:38:05	1	0	1	1	51.25	57.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:06	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:07	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:38:08	1	0	1	1	51.25	57.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:09	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:10	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:11	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:12	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:13	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:15	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:16	1	0	1	1	51.25	60.25	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:38:17	1	0	1	1	51.25	57.5	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:38:18	1	0	1	1	51.25	57.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:19	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:38:20	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:21	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	37.5	2004
20.03.2020 13:38:22	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:38:23	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:38:24	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.3125	2004
20.03.2020 13:38:31	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:38:31	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:38:31	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:38:31	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:38:31	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:38:31	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:38:32	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:38:33	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	40.3125	2004
20.03.2020 13:38:34	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:38:35	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.5	2004
20.03.2020 13:38:36	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:37	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:38	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:39	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:40	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:38:41	1	0	1	1	51.5	57.5	0	0	0	0	30000	0	0	30000	40.4375	2004
20.03.2020 13:38:42	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:43	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.3125	2004
20.03.2020 13:38:44	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.3125	2004
20.03.2020 13:38:45	1	0	1	1	51.5	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:38:46	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
20.03.2020 13:38:47	1	0	1	1	51.5	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
20.03.2020 13:38:48	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:49	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:38:50	1	0	1	1	51	58.75	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:38:51	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:38:52	1	0	1	1	51	57.5	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:38:53	1	0	1	1	51	57.5	0	0	0	0	30000	0	0	30000	40.3125	2004
20.03.2020 13:38:54	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:55	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:38:57	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:38:58	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
20.03.2020 13:38:59	1	0	1	1	50.75	60.25	0	0	0	0	30000	0	0	30000	37.5	2004
20.03.2020 13:39:00	1	0	1	1	50.75	57.5	0	0	0	0	30000	0	0	30000	40.1875	2004
20.03.2020 13:39:01	1	0	1	1	50.75	60	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:39:02	1	0	1	1	50.75	60.25	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:39:03	1	0	1	1	50.75	60.25	0	0	0	0	30000	0	0	30000	40.1875	2004
20.03.2020 13:39:04	1	0	1	1	50.75	60	0	0	0	0	30000	0	0	30000	37.4375	2004
20.03.2020 13:39:05	1	0	1	1	50.75	57.25	0	0	0	0	30000	0	0	30000	40.1875	2004
20.03.2020 13:39:06	1	0	1	1	50.75	60	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:39:07	1	0	1	1	50.75	57.5	0	0	0	0	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:39:52	1	0	1	1	50	60	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:39:53	1	0	1	1	50	57.25	0	0	0	0	30000	0	0	30000	40.1875	2004
20.03.2020 13:39:54	1	0	1	1	50	60	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:39:55	1	0	1	1	50	59.75	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:39:56	1	0	1	1	50	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:39:57	1	0	1	1	50	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:39:58	1	0	1	1	50	60	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:39:59	1	0	1	1	49.5	60.25	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:40:00	1	0	1	1	49.5	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:40:01	1	0	1	1	49.5	57.25	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:40:02	1	0	1	1	49.5	60.25	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:03	1	0	1	1	49.5	60	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:04	1	0	1	1	49.5	60	0	0	0	0	30000	0	0	30000	40.125	2004
20.03.2020 13:40:05	1	0	1	1	49.5	60	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:40:06	1	0	1	1	49.5	60	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:07	1	0	1	1	49.5	60	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:08	1	0	1	1	49.5	60	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:40:09	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	40.1875	2004
20.03.2020 13:40:10	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	40.3125	2004
20.03.2020 13:40:11	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:40:12	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:13	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:40:14	1	0	1	1	51	57.25	0	0	0	0	30000	0	0	30000	40.125	2004
20.03.2020 13:40:15	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:40:16	1	0	1	1	51	57.25	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:40:17	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:40:18	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	40.125	2004
20.03.2020 13:40:19	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:40:21	1	0	1	1	51	57.25	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:40:22	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:40:23	1	0	1	1	51	57.25	0	0	0	0	30000	0	0	30000	37.25	2004
20.03.2020 13:40:24	1	0	1	1	51	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:40:25	1	0	1	1	51	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:40:26	1	0	1	1	51	57.25	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:40:27	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	37.25	2004
20.03.2020 13:40:33	1	0	1	1	48.5	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:33	1	0	1	1	48.5	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:33	1	0	1	1	48.5	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:33	1	0	1	1	48.5	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:34	1	0	1	1	48.5	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:34	1	0	1	1	48.5	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:34	1	0	1	1	48.5	60	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:40:35	1	0	1	1	48.5	57	0	0	0	0	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:40:36	1	0	1	1	48.5	57	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:40:37	1	0	1	1	48.5	57	0	0	0	0	30000	0	0	30000	37.1875	2004
20.03.2020 13:40:38	1	0	1	1	48.5	57	0	0	0	0	30000	0	0	30000	37.1875	2004
20.03.2020 13:40:39	1	0	1	1	48.5	57	0	0	0	0	30000	0	0	30000	39.875	2004
20.03.2020 13:40:40	1	0	1	1	48.5	59.75	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:40:41	1	0	1	1	48.5	60	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:40:42	1	0	1	1	48.5	60	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:40:43	1	0	1	1	48.5	60	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:40:44	1	0	1	1	48.5	60	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:40:45	1	0	1	1	48.5	57	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:40:46	1	0	1	1	48.5	60	0	0	0	0	30000	0	0	30000	39.875	2004
20.03.2020 13:40:47	1	0	1	1	48.5	59.75	0	0	0	0	30000	0	0	30000	40.125	2004
20.03.2020 13:40:48	1	0	1	1	48.5	60	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:40:49	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:40:50	1	0	1	1	51	57	0	0	0	0	30000	0	0	30000	39.875	2004
20.03.2020 13:40:51	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:40:52	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	40.25	2004
20.03.2020 13:40:53	1	0	1	1	51	60.25	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:40:54	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	40.1875	2004
20.03.2020 13:40:55	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:40:56	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	40.1875	2004
20.03.2020 13:40:57	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:40:58	1	0	1	1	51	57.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:40:59	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:41:00	1	0	1	1	51	57	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:41:01	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:02	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
20.03.2020 13:41:03	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:41:04	1	0	1	1	51	57	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:41:06	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:41:07	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:08	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:41:09	1	0	1	1	49.75	57	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:41:10	1	0	1	1	49.75	57	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:41:11	1	0	1	1	49.75	59.75	0	0	0	0	30000	0	0	30000	37.25	2004
20.03.2020 13:41:12	1	0	1	1	49.75	57.25	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:41:13	1	0	1	1	49.75	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:14	1	0	1	1	49.75	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
20.03.2020 13:41:15	1	0	1	1	49.75	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
20.03.2020 13:41:16	1	0	1	1	49.75	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
20.03.2020 13:41:17	1	0	1	1	49.75	59.75	0	0	0	0	30000	0	0	30000	37	2004
20.03.2020 13:41:18	1	0	1	1	49.75	57	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:19	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	37.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:41:20	1	0	1	1	51.25	57	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:21	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:22	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:41:23	1	0	1	1	51.25	60	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:24	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:25	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:26	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:41:27	1	0	1	1	51.25	57	0	0	0	0	30000	0	0	30000	37.0625	2004
20.03.2020 13:41:28	1	0	1	1	51.25	57	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:35	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	40.125	2004
20.03.2020 13:41:35	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	40.125	2004
20.03.2020 13:41:35	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	40.125	2004
20.03.2020 13:41:35	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	40.125	2004
20.03.2020 13:41:35	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	40.125	2004
20.03.2020 13:41:35	1	0	1	1	51	60	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:41:36	1	0	1	1	51	59	0	0	0	0	30000	0	0	30000	40.0625	2004
20.03.2020 13:41:37	1	0	1	1	51	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:38	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:39	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	37	2004
20.03.2020 13:41:40	1	0	1	1	51.25	57	0	0	0	0	30000	0	0	30000	36.9375	2004
20.03.2020 13:41:41	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:42	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
20.03.2020 13:41:43	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	36.9375	2004
20.03.2020 13:41:45	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.6875	2004
20.03.2020 13:41:46	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:47	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
20.03.2020 13:41:48	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	37.0625	2004
20.03.2020 13:41:49	1	0	1	1	51.25	57	0	0	0	0	30000	0	0	30000	39.6875	2004
20.03.2020 13:41:50	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:51	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:52	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:53	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	36.9375	2004
20.03.2020 13:41:54	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	37	2004
20.03.2020 13:41:55	1	0	1	1	51.25	57	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:56	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:41:57	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	36.9375	2004
20.03.2020 13:41:58	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:41:59	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:00	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:01	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	36.9375	2004
20.03.2020 13:42:02	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:42:03	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:42:04	1	0	1	1	51.25	57	0	0	0	0	30000	0	0	30000	36.875	2004
20.03.2020 13:42:05	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:42:06	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
20.03.2020 13:42:07	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:08	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	37	2004
20.03.2020 13:42:09	1	0	1	1	50	57	0	0	0	0	30000	0	0	30000	37	2004
20.03.2020 13:42:10	1	0	1	1	50	57	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:11	1	0	1	1	50	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:42:12	1	0	1	1	50	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:13	1	0	1	1	50	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:42:14	1	0	1	1	50	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:15	1	0	1	1	50	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:16	1	0	1	1	50	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:17	1	0	1	1	50	59.75	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:42:18	1	0	1	1	50	59	0	0	0	0	30000	0	0	30000	39.6875	2004
20.03.2020 13:42:19	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	40	2004
20.03.2020 13:42:20	1	0	1	1	51.25	60	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:21	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:22	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:42:23	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	36.875	2004
20.03.2020 13:42:24	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:42:25	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.6875	2004
20.03.2020 13:42:27	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	39.6875	2004
20.03.2020 13:42:28	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	36.875	2004
20.03.2020 13:42:29	1	0	1	1	50.5	56.75	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:42:30	1	0	1	1	50.5	58.25	0	0	0	0	30000	0	0	30000	36.9375	2004
20.03.2020 13:42:37	1	0	1	1	50.5	59.75	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:42:37	1	0	1	1	50.5	59.75	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:42:37	1	0	1	1	50.5	59.75	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:42:37	1	0	1	1	50.5	59.75	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:42:37	1	0	1	1	50.5	59.75	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:42:37	1	0	1	1	50.5	59.75	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:42:37	1	0	1	1	50.5	59.75	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:42:38	1	0	1	1	50.5	56.5	0	0	0	0	30000	0	0	30000	36.8125	2004
20.03.2020 13:42:39	1	0	1	1	48.5	56.75	0	0	0	0	30000	0	0	30000	36.8125	2004
20.03.2020 13:42:40	1	0	1	1	48.5	56.75	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:42:41	1	0	1	1	48.5	59.5	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:42:42	1	0	1	1	48.5	59.5	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:42:43	1	0	1	1	48.5	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:42:44	1	0	1	1	48.5	59.5	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:42:45	1	0	1	1	48.5	59.5	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:46	1	0	1	1	48.5	59.75	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:42:47	1	0	1	1	48.5	59.5	0	0	0	0	30000	0	0	30000	36.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:42:48	1	0	1	1	48.5	56.75	0	0	0	0	30000	0	0	30000	39.6875	2004
20.03.2020 13:42:49	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:42:50	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	39.6875	2004
20.03.2020 13:42:51	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:42:52	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:42:53	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:42:54	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:55	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:42:56	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:57	1	0	1	1	51.25	59.75	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:42:58	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:42:59	1	0	1	1	51.75	59.75	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:00	1	0	1	1	51.75	59.25	0	0	0	0	30000	0	0	30000	39.8125	2004
20.03.2020 13:43:01	1	0	1	1	51.75	59.5	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:43:02	1	0	1	1	51.75	56.75	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:43:03	1	0	1	1	51.75	56.75	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:43:04	1	0	1	1	51.75	56.75	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:05	1	0	1	1	51.75	59.25	0	0	0	0	30000	0	0	30000	37.375	2004
20.03.2020 13:43:06	1	0	1	1	51.75	57.25	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:43:07	1	0	1	1	51.75	59.5	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:43:09	1	0	1	1	51.25	59.25	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:43:10	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:43:11	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:43:12	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:43:13	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	36.8125	2004
20.03.2020 13:43:14	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:43:15	1	0	1	1	51.25	56.5	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:43:16	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:43:17	1	0	1	1	51.25	59.5	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:43:18	1	0	1	1	51.25	56.75	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:43:19	1	0	1	1	49	59.5	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:43:20	1	0	1	1	49	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:43:21	1	0	1	1	49	59.5	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:43:22	1	0	1	1	49	59.5	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:43:23	1	0	1	1	49	59.5	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:43:24	1	0	1	1	49	59.25	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:43:25	1	0	1	1	49	59.5	0	0	0	0	30000	0	0	30000	36.75	2004
20.03.2020 13:43:26	1	0	1	1	49	56.75	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:43:27	1	0	1	1	49	56.5	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:43:28	1	0	1	1	49	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:43:29	1	0	1	1	51.5	59.5	0	0	0	0	30000	0	0	30000	36.625	2004
20.03.2020 13:43:30	1	0	1	1	51.5	56.5	0	0	0	0	30000	0	0	30000	36.625	2004
20.03.2020 13:43:31	1	0	1	1	51.5	56.5	0	0	0	0	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:43:38	1	0	1	1	51.5	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:38	1	0	1	1	51.5	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:38	1	0	1	1	51.5	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:38	1	0	1	1	51.5	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:38	1	0	1	1	51.5	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:38	1	0	1	1	51.5	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:38	1	0	1	1	51.5	59.25	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:39	1	0	1	1	51.75	59.25	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:43:40	1	0	1	1	51.75	59.5	0	0	0	0	30000	0	0	30000	39.6875	2004
20.03.2020 13:43:41	1	0	1	1	51.75	59.5	0	0	0	0	30000	0	0	30000	37.0625	2004
20.03.2020 13:43:42	1	0	1	1	51.75	57	0	0	0	0	30000	0	0	30000	39.75	2004
20.03.2020 13:43:43	1	0	1	1	51.75	56.5	0	0	0	0	30000	0	0	30000	36.5625	2004
20.03.2020 13:43:44	1	0	1	1	51.75	56.5	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:43:45	1	0	1	1	51.75	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:43:46	1	0	1	1	51.75	59.5	0	0	0	0	30000	0	0	30000	36.625	2004
20.03.2020 13:43:47	1	0	1	1	51.75	56.5	0	0	0	0	30000	0	0	30000	36.5625	2004
20.03.2020 13:43:49	1	0	1	1	49.25	56.5	0	0	0	0	30000	0	0	30000	36.625	2004
20.03.2020 13:43:50	1	0	1	1	49.25	56.5	0	0	0	0	30000	0	0	30000	36.625	2004
20.03.2020 13:43:51	1	0	1	1	49.25	56.5	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:43:52	1	0	1	1	49.25	59.25	0	0	0	0	30000	0	0	30000	36.625	2004
20.03.2020 13:43:53	1	0	1	1	49.25	56.5	0	0	0	0	30000	0	0	30000	39.5625	2004
20.03.2020 13:43:54	1	0	1	1	49.25	59.5	0	0	0	0	30000	0	0	30000	36.625	2004
20.03.2020 13:43:55	1	0	1	1	49.25	56.5	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:43:56	1	0	1	1	49.25	59.25	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:43:57	1	0	1	1	49.25	59.5	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:43:58	1	0	1	1	49.25	59.25	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:43:59	1	0	1	1	51	59.25	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:44:00	1	0	1	1	51	59.25	0	0	0	0	30000	0	0	30000	36.5625	2004
20.03.2020 13:44:01	1	0	1	1	51	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
20.03.2020 13:44:02	1	0	1	1	51	56.5	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:44:03	1	0	1	1	51	59.25	0	0	0	0	30000	0	0	30000	36.625	2004
20.03.2020 13:44:04	1	0	1	1	51	56.5	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:44:05	1	0	1	1	51	56.25	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:44:06	1	0	1	1	51	59.25	0	0	0	0	30000	0	0	30000	36.5625	2004
20.03.2020 13:44:07	1	0	1	1	51	56.5	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:08	1	0	1	1	51	59.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:09	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:44:10	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:11	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	36.5	2004
20.03.2020 13:44:12	1	0	1	1	50.25	56.5	0	0	0	0	30000	0	0	30000	36.5625	2004
20.03.2020 13:44:13	1	0	1	1	50.25	56.5	0	0	0	0	30000	0	0	30000	36.5625	2004
20.03.2020 13:44:14	1	0	1	1	50.25	56.5	0	0	0	0	30000	0	0	30000	36.5	2004
20.03.2020 13:44:15	1	0	1	1	50.25	56.5	0	0	0	0	30000	0	0	30000	36.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:44:16	1	0	1	1	50.25	56.75	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:44:17	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:18	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:44:19	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:44:20	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:44:21	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:44:22	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:44:23	1	0	1	1	50.25	59.5	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:44:24	1	0	1	1	50.25	59.5	0	0	0	0	30000	0	0	30000	39.625	2004
20.03.2020 13:44:25	1	0	1	1	50.25	59.5	0	0	0	0	30000	0	0	30000	36.5	2004
20.03.2020 13:44:26	1	0	1	1	50.25	56.5	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:44:27	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:44:28	1	0	1	1	51.75	59.25	0	0	0	0	30000	0	0	30000	36.5	2004
20.03.2020 13:44:30	1	0	1	1	51.75	56.5	0	0	0	0	30000	0	0	30000	37.0625	2004
20.03.2020 13:44:31	1	0	1	1	51.75	57	0	0	0	0	30000	0	0	30000	36.5	2004
20.03.2020 13:44:32	1	0	1	1	51.75	56.5	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:33	1	0	1	1	51.75	59.25	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:44:39	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:39	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:39	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:39	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:39	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:39	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:40	1	0	1	1	49.25	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:44:41	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:44:42	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	36.5	2004
20.03.2020 13:44:43	1	0	1	1	49.25	56.5	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:44:44	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:44:45	1	0	1	1	49.25	56.25	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:44:46	1	0	1	1	49.25	59.25	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:44:47	1	0	1	1	49.25	59	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:44:48	1	0	1	1	49.25	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:44:49	1	0	1	1	49.75	56.25	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:44:50	1	0	1	1	49.75	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:44:51	1	0	1	1	49.75	56.25	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:44:52	1	0	1	1	49.75	59	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:44:53	1	0	1	1	49.75	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:44:54	1	0	1	1	49.75	56.25	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:44:55	1	0	1	1	49.75	59	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:44:56	1	0	1	1	49.75	59.25	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:44:57	1	0	1	1	49.75	59	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:44:58	1	0	1	1	49.75	59.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:44:59	1	0	1	1	52	56.25	0	0	0	0	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:45:00	1	0	1	1	52	56.25	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:45:01	1	0	1	1	52	59.25	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:45:04	1	0	1	1	52	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:45:04	1	0	1	1	52	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:45:04	1	0	1	1	52	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:45:05	1	0	1	1	52	57	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:06	1	0	1	1	52	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:45:07	1	0	1	1	52	56.25	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:45:08	1	0	1	1	49.5	59.25	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:45:10	1	0	1	1	49.5	59	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:45:11	1	0	1	1	49.5	59.25	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:45:12	1	0	1	1	49.5	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:45:13	1	0	1	1	49.5	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:14	1	0	1	1	49.5	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:15	1	0	1	1	49.5	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:45:16	1	0	1	1	49.5	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:17	1	0	1	1	49.5	56.25	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:45:18	1	0	1	1	49.5	59	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:45:19	1	0	1	1	50	59	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:45:20	1	0	1	1	50	59	0	0	0	0	30000	0	0	30000	36.4375	2004
20.03.2020 13:45:21	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:22	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:23	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:45:24	1	0	1	1	50	56	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:25	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:26	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:27	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:45:28	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	39.3125	2004
20.03.2020 13:45:29	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:45:30	1	0	1	1	50.25	59	0	0	0	0	30000	0	0	30000	39.25	2004
20.03.2020 13:45:31	1	0	1	1	50.25	59.25	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:32	1	0	1	1	50.25	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:45:33	1	0	1	1	50.25	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:34	1	0	1	1	50.25	56.25	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:45:41	1	0	1	1	51.5	57	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:45:41	1	0	1	1	51.5	57	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:45:41	1	0	1	1	51.5	57	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:45:41	1	0	1	1	51.5	57	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:45:41	1	0	1	1	51.5	57	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:45:41	1	0	1	1	51.5	57	0	0	0	0	30000	0	0	30000	39.4375	2004
20.03.2020 13:45:41	1	0	1	1	51.5	59.25	0	0	0	0	30000	0	0	30000	39.5	2004
20.03.2020 13:45:42	1	0	1	1	51.5	59.5	0	0	0	0	30000	0	0	30000	38.6875	2004
20.03.2020 13:45:43	1	0	1	1	51.5	58.5	0	0	0	0	30000	0	0	30000	36.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:45:44	1	0	1	1	51.5	56.5	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:45:45	1	0	1	1	51.5	59	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:46	1	0	1	1	51.5	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:45:47	1	0	1	1	51.5	56.25	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:48	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:50	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:51	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:52	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:53	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:54	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
20.03.2020 13:45:55	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:45:56	1	0	1	1	50	59	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:45:57	1	0	1	1	50	59	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:58	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:45:59	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:00	1	0	1	1	50	56	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:46:01	1	0	1	1	50	56.25	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:02	1	0	1	1	50	56	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:03	1	0	1	1	50	56	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:46:04	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:05	1	0	1	1	50	56	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:06	1	0	1	1	50	56	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:07	1	0	1	1	50	56	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:08	1	0	1	1	50	56	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:09	1	0	1	1	50.5	56	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:10	1	0	1	1	50.5	56	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:46:11	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:12	1	0	1	1	50.5	56	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:46:13	1	0	1	1	50.5	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:46:14	1	0	1	1	50.5	58.75	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:15	1	0	1	1	50.5	56	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:46:16	1	0	1	1	50.5	56.25	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:46:17	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:46:18	1	0	1	1	50.5	59	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:19	1	0	1	1	52.5	56	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:46:20	1	0	1	1	52.5	59	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:46:21	1	0	1	1	52.5	59	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:46:22	1	0	1	1	52.5	59	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:46:23	1	0	1	1	52.5	59	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:24	1	0	1	1	52.5	56	0	0	0	0	30000	0	0	30000	39.375	2004
20.03.2020 13:46:25	1	0	1	1	52.5	59.25	0	0	0	0	30000	0	0	30000	39.0625	2004
20.03.2020 13:46:26	1	0	1	1	52.5	59	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:46:27	1	0	1	1	52.5	59	0	0	0	0	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:46:28	1	0	1	1	52.75	58.75	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:46:29	1	0	1	1	52.75	56	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:46:31	1	0	1	1	52.75	58.75	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:32	1	0	1	1	52.75	56	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:46:33	1	0	1	1	52.75	56	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:34	1	0	1	1	52.75	56	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:35	1	0	1	1	52.75	56	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:46:36	1	0	1	1	52.75	58.75	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:46:43	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:46:43	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:46:43	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:46:43	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:46:43	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:46:43	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:46:43	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:46:44	1	0	1	1	50.25	58.75	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:46:45	1	0	1	1	50.25	59	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:46:46	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:46:47	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:46:48	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:46:49	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:46:50	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:51	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:46:52	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:53	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:54	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:46:55	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:46:56	1	0	1	1	50.25	56	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:46:57	1	0	1	1	50.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:46:58	1	0	1	1	50.25	58.75	0	0	0	0	30000	0	0	30000	39	2004
20.03.2020 13:46:59	1	0	1	1	50.75	59	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:47:00	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:47:01	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:47:02	1	0	1	1	50.75	58.25	0	0	0	0	30000	0	0	30000	36.625	2004
20.03.2020 13:47:03	1	0	1	1	50.75	56.5	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:47:04	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:47:05	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:47:06	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:47:07	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	37.75	2004
20.03.2020 13:47:08	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	39.1875	2004
20.03.2020 13:47:09	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:10	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:12	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	38.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:47:13	1	0	1	1	50.75	58.5	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:14	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:47:15	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:47:16	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:47:17	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:18	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:19	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	38.9375	2004
20.03.2020 13:47:20	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:47:21	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:47:22	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:47:23	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:24	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:25	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:47:26	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:27	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:28	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:47:29	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:30	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	38.8125	2004
20.03.2020 13:47:31	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:47:32	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:47:33	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:34	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	36	2004
20.03.2020 13:47:35	1	0	1	1	50.75	56	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:36	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:47:37	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:44	1	0	1	1	52	58.5	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:44	1	0	1	1	52	58.5	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:44	1	0	1	1	52	58.5	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:44	1	0	1	1	52	58.5	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:44	1	0	1	1	52	58.5	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:44	1	0	1	1	52	55.75	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:47:45	1	0	1	1	52	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:47:46	1	0	1	1	52	58.75	0	0	0	0	30000	0	0	30000	36.375	2004
20.03.2020 13:47:47	1	0	1	1	52	56.25	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:47:48	1	0	1	1	52	58.75	0	0	0	0	30000	0	0	30000	37.0625	2004
20.03.2020 13:47:49	1	0	1	1	53.25	57	0	0	0	0	30000	0	0	30000	39.125	2004
20.03.2020 13:47:50	1	0	1	1	53.25	55.75	0	0	0	0	30000	0	0	30000	35.8125	2004
20.03.2020 13:47:51	1	0	1	1	53.25	55.75	0	0	0	0	30000	0	0	30000	35.8125	2004
20.03.2020 13:47:52	1	0	1	1	53.25	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:53	1	0	1	1	53.25	55.75	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:47:55	1	0	1	1	53.25	58.5	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:47:56	1	0	1	1	53.25	55.75	0	0	0	0	30000	0	0	30000	35.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:47:57	1	0	1	1	53.25	55.75	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:47:58	1	0	1	1	53.25	56	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:47:59	1	0	1	1	50	55.75	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:48:00	1	0	1	1	50	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:48:01	1	0	1	1	50	55.75	0	0	0	0	30000	0	0	30000	35.8125	2004
20.03.2020 13:48:02	1	0	1	1	50	55.75	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:48:03	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:04	1	0	1	1	50	55.75	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:48:05	1	0	1	1	50	58.75	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:48:06	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:48:07	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	35.875	2004
20.03.2020 13:48:08	1	0	1	1	50	55.75	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:48:09	1	0	1	1	50.25	56.25	0	0	0	0	30000	0	0	30000	35.8125	2004
20.03.2020 13:48:10	1	0	1	1	50.25	55.75	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:11	1	0	1	1	50.25	55.5	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:12	1	0	1	1	50.25	55.75	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:13	1	0	1	1	50.25	55.5	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:48:14	1	0	1	1	50.25	58.5	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:48:15	1	0	1	1	50.25	58.5	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:48:16	1	0	1	1	50.25	58.5	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:17	1	0	1	1	50.25	55.75	0	0	0	0	30000	0	0	30000	37.0625	2004
20.03.2020 13:48:18	1	0	1	1	50.25	57	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:48:19	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:20	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:48:21	1	0	1	1	50.75	58.75	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:22	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:23	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	38.6875	2004
20.03.2020 13:48:24	1	0	1	1	50.75	58.5	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:48:25	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:48:26	1	0	1	1	50.75	58.5	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:27	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:28	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	38.625	2004
20.03.2020 13:48:29	1	0	1	1	52.25	58.5	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:48:30	1	0	1	1	52.25	58.5	0	0	0	0	30000	0	0	30000	38.875	2004
20.03.2020 13:48:31	1	0	1	1	52.25	58.75	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:32	1	0	1	1	52.25	55.75	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:48:33	1	0	1	1	52.25	58.5	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:34	1	0	1	1	52.25	55.75	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:48:36	1	0	1	1	52.25	58.5	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:37	1	0	1	1	52.25	55.5	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:38	1	0	1	1	52.25	55.5	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:39	1	0	1	1	50	55.75	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:45	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	38.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:48:45	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:48:45	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:48:45	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:48:45	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:48:45	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:48:46	1	0	1	1	50	58.25	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:47	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:48	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:48:49	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:50	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:48:51	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:48:52	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:48:53	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:54	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:48:55	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:56	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:48:57	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:48:58	1	0	1	1	50	55.75	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:48:59	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:49:00	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:49:01	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:49:02	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	35.6875	2004
20.03.2020 13:49:03	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:49:04	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:49:05	1	0	1	1	50	58.25	0	0	0	0	30000	0	0	30000	38.6875	2004
20.03.2020 13:49:06	1	0	1	1	50	58.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:49:07	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:49:08	1	0	1	1	50	58.25	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:49:09	1	0	1	1	52.25	58.5	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:49:10	1	0	1	1	52.25	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:49:11	1	0	1	1	52.25	58.25	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:49:12	1	0	1	1	52.25	58.75	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:49:13	1	0	1	1	52.25	58.25	0	0	0	0	30000	0	0	30000	38.75	2004
20.03.2020 13:49:14	1	0	1	1	52.25	58.75	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:49:15	1	0	1	1	52.25	58.5	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:49:16	1	0	1	1	52.25	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:49:17	1	0	1	1	52.25	55.5	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:49:18	1	0	1	1	51.75	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:49:20	1	0	1	1	51.75	58.25	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:49:21	1	0	1	1	51.75	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:49:22	1	0	1	1	51.75	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:49:23	1	0	1	1	51.75	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:49:24	1	0	1	1	51.75	55.5	0	0	0	0	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:49:25	1	0	1	1	51.75	55.25	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:49:26	1	0	1	1	51.75	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
20.03.2020 13:49:27	1	0	1	1	51.75	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:49:28	1	0	1	1	51.75	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:49:29	1	0	1	1	49.75	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:49:30	1	0	1	1	49.75	55.5	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:49:31	1	0	1	1	49.75	55.25	0	0	0	0	30000	0	0	30000	35.5	2004
20.03.2020 13:49:32	1	0	1	1	49.75	55.5	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:49:33	1	0	1	1	49.75	55.25	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:49:34	1	0	1	1	49.75	55.5	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:49:35	1	0	1	1	49.75	55.5	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:49:36	1	0	1	1	49.75	58.25	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:49:37	1	0	1	1	49.75	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
20.03.2020 13:49:38	1	0	1	1	49.75	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
20.03.2020 13:49:39	1	0	1	1	50.25	55.5	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:49:40	1	0	1	1	50.25	58.25	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:49:47	1	0	1	1	50.25	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:49:47	1	0	1	1	50.25	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:49:47	1	0	1	1	50.25	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:49:47	1	0	1	1	50.25	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:49:47	1	0	1	1	50.25	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:49:47	1	0	1	1	50.25	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:49:48	1	0	1	1	50.25	55.25	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:49:49	1	0	1	1	53	58.25	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:49:50	1	0	1	1	53	58.5	0	0	0	0	30000	0	0	30000	36.1875	2004
20.03.2020 13:49:51	1	0	1	1	53	56	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:49:52	1	0	1	1	53	55.25	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:49:53	1	0	1	1	53	55.5	0	0	0	0	30000	0	0	30000	38.5625	2004
20.03.2020 13:49:54	1	0	1	1	53	58.5	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:49:55	1	0	1	1	53	57.75	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:49:56	1	0	1	1	53	58.5	0	0	0	0	30000	0	0	30000	35.75	2004
20.03.2020 13:49:57	1	0	1	1	53	58.5	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:49:58	1	0	1	1	50.75	55.25	0	0	0	0	30000	0	0	30000	35.5	2004
20.03.2020 13:50:00	1	0	1	1	50.75	55.5	0	0	0	0	30000	0	0	30000	35.9375	2004
20.03.2020 13:50:01	1	0	1	1	50.75	55.75	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:02	1	0	1	1	50.75	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:03	1	0	1	1	50.75	55.25	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:50:04	1	0	1	1	50.75	57.5	0	0	0	0	30000	0	0	30000	35.5	2004
20.03.2020 13:50:05	1	0	1	1	50.75	55.5	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:06	1	0	1	1	50.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:50:07	1	0	1	1	50.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:50:08	1	0	1	1	50.75	55.25	0	0	0	0	30000	0	0	30000	35.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:50:09	1	0	1	1	50.5	55.5	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:50:10	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:11	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:50:12	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:13	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:50:14	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.5625	2004
20.03.2020 13:50:15	1	0	1	1	50.5	55.5	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:16	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:17	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:50:18	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:19	1	0	1	1	50	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:20	1	0	1	1	50	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:50:21	1	0	1	1	50	55.25	0	0	0	0	30000	0	0	30000	35.5	2004
20.03.2020 13:50:22	1	0	1	1	50	55.5	0	0	0	0	30000	0	0	30000	35.3125	2004
20.03.2020 13:50:23	1	0	1	1	50	55.25	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:50:24	1	0	1	1	50	58	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:50:25	1	0	1	1	50	58.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:26	1	0	1	1	50	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:27	1	0	1	1	50	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:28	1	0	1	1	50	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:50:29	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
20.03.2020 13:50:30	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	38.4375	2004
20.03.2020 13:50:31	1	0	1	1	50.5	58.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:50:32	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	35.3125	2004
20.03.2020 13:50:33	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	38.0625	2004
20.03.2020 13:50:34	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:50:35	1	0	1	1	50.5	58.25	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:50:36	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	38.5	2004
20.03.2020 13:50:37	1	0	1	1	50.5	58.5	0	0	0	0	30000	0	0	30000	38.375	2004
20.03.2020 13:50:38	1	0	1	1	50.5	58.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:39	1	0	1	1	53	56	0	0	0	0	30000	0	0	30000	35.3125	2004
20.03.2020 13:50:41	1	0	1	1	53	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:50:42	1	0	1	1	53	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
20.03.2020 13:50:48	1	0	1	1	53	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:50:48	1	0	1	1	53	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:50:48	1	0	1	1	53	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:50:48	1	0	1	1	53	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:50:48	1	0	1	1	53	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:50:49	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:50	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
20.03.2020 13:50:51	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:50:52	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:50:53	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
20.03.2020 13:50:54	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
20.03.2020 13:50:55	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:50:56	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:50:57	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:50:58	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
20.03.2020 13:50:59	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:00	1	0	1	1	50.5	55	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:51:01	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:51:02	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:51:03	1	0	1	1	50.5	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:04	1	0	1	1	50.5	55	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:51:05	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:06	1	0	1	1	50.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
20.03.2020 13:51:07	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	38	2004
20.03.2020 13:51:08	1	0	1	1	50.5	58	0	0	0	0	30000	0	0	30000	35.3125	2004
20.03.2020 13:51:09	1	0	1	1	50.75	55.25	0	0	0	0	30000	0	0	30000	38.0625	2004
20.03.2020 13:51:10	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	35.125	2004
20.03.2020 13:51:11	1	0	1	1	50.75	55	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:12	1	0	1	1	50.75	55	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:51:13	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	38	2004
20.03.2020 13:51:14	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	35.3125	2004
20.03.2020 13:51:15	1	0	1	1	50.75	55.25	0	0	0	0	30000	0	0	30000	35.125	2004
20.03.2020 13:51:16	1	0	1	1	50.75	55	0	0	0	0	30000	0	0	30000	38	2004
20.03.2020 13:51:17	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	38	2004
20.03.2020 13:51:18	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:51:19	1	0	1	1	51.75	58.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:51:20	1	0	1	1	51.75	55.25	0	0	0	0	30000	0	0	30000	38.3125	2004
20.03.2020 13:51:21	1	0	1	1	51.75	58.25	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:22	1	0	1	1	51.75	58.25	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:23	1	0	1	1	51.75	55	0	0	0	0	30000	0	0	30000	35.125	2004
20.03.2020 13:51:25	1	0	1	1	51.75	55	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:51:26	1	0	1	1	51.75	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:51:27	1	0	1	1	51.75	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:28	1	0	1	1	51.75	55	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:51:29	1	0	1	1	50.25	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:51:30	1	0	1	1	50.25	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:31	1	0	1	1	50.25	55	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:32	1	0	1	1	50.25	55	0	0	0	0	30000	0	0	30000	35.125	2004
20.03.2020 13:51:33	1	0	1	1	50.25	55	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:34	1	0	1	1	50.25	55	0	0	0	0	30000	0	0	30000	37.9375	2004
20.03.2020 13:51:35	1	0	1	1	50.25	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:36	1	0	1	1	50.25	55	0	0	0	0	30000	0	0	30000	38	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:51:37	1	0	1	1	50.25	58	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:38	1	0	1	1	50.25	55	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:39	1	0	1	1	50.75	55	0	0	0	0	30000	0	0	30000	35.25	2004
20.03.2020 13:51:40	1	0	1	1	50.75	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
20.03.2020 13:51:41	1	0	1	1	50.75	55	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:51:42	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:43	1	0	1	1	50.75	55	0	0	0	0	30000	0	0	30000	35.125	2004
20.03.2020 13:51:50	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:50	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:50	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:50	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:50	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:50	1	0	1	1	50.75	55	0	0	0	0	30000	0	0	30000	38.0625	2004
20.03.2020 13:51:51	1	0	1	1	50.75	58	0	0	0	0	30000	0	0	30000	37.9375	2004
20.03.2020 13:51:52	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:53	1	0	1	1	50.75	55	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:51:54	1	0	1	1	50.75	55	0	0	0	0	30000	0	0	30000	37.9375	2004
20.03.2020 13:51:55	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:51:56	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:51:57	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:51:58	1	0	1	1	50.75	57.75	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:51:59	1	0	1	1	53.25	57.75	0	0	0	0	30000	0	0	30000	37.375	2004
20.03.2020 13:52:00	1	0	1	1	53.25	57.25	0	0	0	0	30000	0	0	30000	38.1875	2004
20.03.2020 13:52:01	1	0	1	1	53.25	58	0	0	0	0	30000	0	0	30000	38.0625	2004
20.03.2020 13:52:02	1	0	1	1	53.25	58	0	0	0	0	30000	0	0	30000	38.25	2004
20.03.2020 13:52:03	1	0	1	1	53.25	55	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:52:04	1	0	1	1	53.25	55	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:52:06	1	0	1	1	53.25	57.75	0	0	0	0	30000	0	0	30000	35	2004
20.03.2020 13:52:07	1	0	1	1	53.25	55	0	0	0	0	30000	0	0	30000	35	2004
20.03.2020 13:52:08	1	0	1	1	53.25	55	0	0	0	0	30000	0	0	30000	37.9375	2004
20.03.2020 13:52:09	1	0	1	1	51	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:52:10	1	0	1	1	51	55	0	0	0	0	30000	0	0	30000	35.125	2004
20.03.2020 13:52:11	1	0	1	1	51	55	0	0	0	0	30000	0	0	30000	35.8125	2004
20.03.2020 13:52:12	1	0	1	1	51	55.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:52:13	1	0	1	1	51	55	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:52:14	1	0	1	1	51	55	0	0	0	0	30000	0	0	30000	35	2004
20.03.2020 13:52:15	1	0	1	1	51	55	0	0	0	0	30000	0	0	30000	35.125	2004
20.03.2020 13:52:16	1	0	1	1	51	55	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:52:17	1	0	1	1	51	57.75	0	0	0	0	30000	0	0	30000	35.125	2004
20.03.2020 13:52:18	1	0	1	1	51	55	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:19	1	0	1	1	51.25	54.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:52:20	1	0	1	1	51.25	55	0	0	0	0	30000	0	0	30000	34.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:52:21	1	0	1	1	51.25	54.75	0	0	0	0	30000	0	0	30000	35	2004
20.03.2020 13:52:22	1	0	1	1	51.25	55	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:52:23	1	0	1	1	51.25	55	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:52:24	1	0	1	1	51.25	55	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:25	1	0	1	1	51.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:26	1	0	1	1	51.25	54.75	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:52:27	1	0	1	1	51.25	57.75	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:52:28	1	0	1	1	51.25	57.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:29	1	0	1	1	51.5	54.75	0	0	0	0	30000	0	0	30000	35	2004
20.03.2020 13:52:30	1	0	1	1	51.5	55	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:52:31	1	0	1	1	51.5	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:52:32	1	0	1	1	51.5	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
20.03.2020 13:52:33	1	0	1	1	51.5	55	0	0	0	0	30000	0	0	30000	35	2004
20.03.2020 13:52:34	1	0	1	1	51.5	55	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:52:35	1	0	1	1	51.5	57.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:36	1	0	1	1	51.5	54.75	0	0	0	0	30000	0	0	30000	35	2004
20.03.2020 13:52:37	1	0	1	1	51.5	55	0	0	0	0	30000	0	0	30000	35.625	2004
20.03.2020 13:52:38	1	0	1	1	51.5	55.5	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:52:39	1	0	1	1	53.25	57.75	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:52:40	1	0	1	1	53.25	57.75	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:52:41	1	0	1	1	53.25	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
20.03.2020 13:52:42	1	0	1	1	53.25	57.75	0	0	0	0	30000	0	0	30000	38.125	2004
20.03.2020 13:52:43	1	0	1	1	53.25	58	0	0	0	0	30000	0	0	30000	38	2004
20.03.2020 13:52:44	1	0	1	1	53.25	55	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:52:51	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:51	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:51	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:51	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:51	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:51	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:51	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:52	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:53	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:52:54	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	35	2004
20.03.2020 13:52:55	1	0	1	1	51.75	55	0	0	0	0	30000	0	0	30000	37.125	2004
20.03.2020 13:52:56	1	0	1	1	51.75	57	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:52:57	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	35	2004
20.03.2020 13:52:58	1	0	1	1	51.75	55	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:52:59	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:53:00	1	0	1	1	51.75	57.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:01	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:02	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	37.75	2004
20.03.2020 13:53:03	1	0	1	1	51.75	57.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:04	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:53:05	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
20.03.2020 13:53:06	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:07	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:53:08	1	0	1	1	51.75	57.5	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:09	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	37.75	2004
20.03.2020 13:53:10	1	0	1	1	51.75	57.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:11	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:53:12	1	0	1	1	51.75	57.5	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:13	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:14	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:53:15	1	0	1	1	51.75	57.5	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:53:16	1	0	1	1	51.75	57.5	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:53:17	1	0	1	1	51.75	57.5	0	0	0	0	30000	0	0	30000	37.75	2004
20.03.2020 13:53:18	1	0	1	1	51.75	57.75	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:53:19	1	0	1	1	54.75	57.5	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:53:20	1	0	1	1	54.75	57.5	0	0	0	0	30000	0	0	30000	36.0625	2004
20.03.2020 13:53:21	1	0	1	1	54.75	56	0	0	0	0	30000	0	0	30000	37.75	2004
20.03.2020 13:53:22	1	0	1	1	54.75	57.75	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:53:23	1	0	1	1	54.75	57.5	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:53:24	1	0	1	1	54.75	57.5	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:53:25	1	0	1	1	54.75	57.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:26	1	0	1	1	54.75	54.75	0	0	0	0	30000	0	0	30000	38	2004
20.03.2020 13:53:28	1	0	1	1	54.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:29	1	0	1	1	52.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:30	1	0	1	1	52.75	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:31	1	0	1	1	52.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:32	1	0	1	1	52.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:33	1	0	1	1	52.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:34	1	0	1	1	52.75	54.75	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:53:35	1	0	1	1	52.75	57.5	0	0	0	0	30000	0	0	30000	36.9375	2004
20.03.2020 13:53:36	1	0	1	1	52.75	56.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:37	1	0	1	1	52.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:38	1	0	1	1	52.75	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:39	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:40	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	37.5625	2004
20.03.2020 13:53:41	1	0	1	1	51.75	57.5	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:42	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:43	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:44	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:45	1	0	1	1	51.75	54.75	0	0	0	0	30000	0	0	30000	37.5	2004
20.03.2020 13:53:46	1	0	1	1	51.75	57.5	0	0	0	0	30000	0	0	30000	34.875	2004
20.03.2020 13:53:53	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:53	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:53:53	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:53	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:53	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:53	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:53	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:53:54	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:53:55	1	0	1	1	52	54.5	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:53:56	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:53:57	1	0	1	1	52	57.5	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:58	1	0	1	1	52	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:53:59	1	0	1	1	52.25	54.75	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:54:00	1	0	1	1	52.25	54.75	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:54:01	1	0	1	1	52.25	57.5	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:54:02	1	0	1	1	52.25	54.75	0	0	0	0	30000	0	0	30000	36.25	2004
20.03.2020 13:54:03	1	0	1	1	52.25	56.25	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:54:04	1	0	1	1	52.25	54.75	0	0	0	0	30000	0	0	30000	37.75	2004
20.03.2020 13:54:05	1	0	1	1	52.25	57.75	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:54:06	1	0	1	1	52.25	57.75	0	0	0	0	30000	0	0	30000	37.3125	2004
20.03.2020 13:54:08	1	0	1	1	52.25	57.25	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:54:09	1	0	1	1	53.25	56.75	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:54:10	1	0	1	1	53.25	54.75	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:54:11	1	0	1	1	53.25	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:54:12	1	0	1	1	53.25	54.75	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:54:13	1	0	1	1	53.25	54.75	0	0	0	0	30000	0	0	30000	37.5	2004
20.03.2020 13:54:14	1	0	1	1	53.25	57.5	0	0	0	0	30000	0	0	30000	37.375	2004
20.03.2020 13:54:15	1	0	1	1	53.25	57.25	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:54:16	1	0	1	1	53.25	54.5	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:54:17	1	0	1	1	53.25	54.75	0	0	0	0	30000	0	0	30000	34.75	2004
20.03.2020 13:54:18	1	0	1	1	53.25	54.75	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:54:19	1	0	1	1	52.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
20.03.2020 13:54:20	1	0	1	1	52.25	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:54:21	1	0	1	1	52.25	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:54:22	1	0	1	1	52.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
20.03.2020 13:54:23	1	0	1	1	52.25	54.5	0	0	0	0	30000	0	0	30000	34.8125	2004
20.03.2020 13:54:24	1	0	1	1	52.25	54.75	0	0	0	0	30000	0	0	30000	37.4375	2004
20.03.2020 13:54:25	1	0	1	1	52.25	57.25	0	0	0	0	30000	0	0	30000	37.4375	2004
20.03.2020 13:54:26	1	0	1	1	52.25	57.25	0	0	0	0	30000	0	0	30000	37.375	2004
20.03.2020 13:54:27	1	0	1	1	52.25	57.25	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:54:28	1	0	1	1	52.25	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
20.03.2020 13:54:29	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:54:30	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:54:31	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:54:32	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:54:33	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
20.03.2020 13:54:34	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
20.03.2020 13:54:35	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
20.03.2020 13:54:36	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
20.03.2020 13:54:37	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
20.03.2020 13:54:38	1	0	1	1	52.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
20.03.2020 13:54:39	1	0	1	1	52.75	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
20.03.2020 13:54:40	1	0	1	1	52.75	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
20.03.2020 13:54:41	1	0	1	1	52.75	54.5	0	0	0	0	30000	0	0	30000	36.125	2004
20.03.2020 13:54:42	1	0	1	1	52.75	56	0	0	0	0	30000	0	0	30000	37.4375	2004
20.03.2020 13:54:43	1	0	1	1	52.75	57.25	0	0	0	0	30000	0	0	30000	37.6875	2004
20.03.2020 13:54:44	1	0	1	1	52.75	57.5	0	0	0	0	30000	0	0	30000	37.4375	2004
20.03.2020 13:54:45	1	0	1	1	52.75	57.25	0	0	0	0	30000	0	0	30000	37.8125	2004
20.03.2020 13:54:46	1	0	1	1	52.75	57.75	0	0	0	0	30000	0	0	30000	37.625	2004
20.03.2020 13:54:48	1	0	1	1	52.75	57.5	0	0	0	0	30000	0	0	30000	36.875	2004
20.03.2020 13:54:54	1	1	1	1	55.25	56.75	0	12227.488	90.32258065	1077.922431	30000	0	0	30000	36.75	2004
20.03.2020 13:54:54	1	1	1	1	55.25	56.75	0	12227.488	90.32258065	1077.922431	30000	0	0	30000	36.75	2004
20.03.2020 13:54:54	1	1	1	1	55.25	56.75	0	12227.488	90.32258065	1077.922431	30000	0	0	30000	36.75	2004
20.03.2020 13:54:54	1	1	1	1	55.25	56.75	0	12227.488	90.32258065	1077.922431	30000	0	0	30000	36.75	2004
20.03.2020 13:54:54	1	1	1	1	55.25	56.75	0	12227.488	90.32258065	1077.922431	30000	0	0	30000	36.75	2004
20.03.2020 13:54:54	1	1	1	1	55.25	56.75	0	12227.488	90.32258065	1077.922431	30000	0	0	30000	36.75	2004
20.03.2020 13:54:55	1	1	1	1	55.25	56.75	0	12985.782	90.32258065	1172.50564	30000	0	0	30000	37.3125	2004
20.03.2020 13:54:56	1	1	1	1	55.25	57.25	0	13744.076	92.47311828	1300.51912	30000	0	0	30000	37.25	2004
20.03.2020 13:54:57	1	1	1	1	55.25	57.25	0	14454.976	96.77419355	1363.302802	30000	0	0	30000	36	2004
20.03.2020 13:54:58	1	1	1	1	55.25	56	0	15308.057	107.5268817	1612.806784	30000	0	0	30000	37.375	2004
20.03.2020 13:54:59	1	1	1	1	54.25	57.25	0	16066.351	103.2258065	1658.467643	30000	0	0	30000	37.25	2004
20.03.2020 13:55:00	1	1	1	1	54.25	57.25	0	16729.858	107.5268817	1845.187943	30000	0	0	30000	37.25	2004
20.03.2020 13:55:01	1	1	1	1	54.25	57.25	0	17535.545	116.1290323	2073.49224	30000	0	0	30000	37.25	2004
20.03.2020 13:55:02	1	1	1	1	54.25	57.25	0	18151.659	129.0322581	2341.749789	30000	0	0	30000	37.1875	2004
20.03.2020 13:55:03	1	1	1	1	54.25	57	0	18578.199	129.0322581	2402.902726	30000	0	0	30000	36.9375	2004
20.03.2020 13:55:04	1	1	1	1	54.25	56.75	0	19526.066	144.0860215	2813.035088	30000	0	0	30000	37.25	2004
20.03.2020 13:55:05	1	1	1	1	54.25	57.25	0	20473.934	161.2903226	3302.258582	30000	0	0	30000	37.1875	2004
20.03.2020 13:55:06	1	1	1	1	54.25	57	0	21374.408	176.344086	3722.990786	30000	0	0	30000	36.5	2004
20.03.2020 13:55:07	1	1	1	1	54.25	56.5	0	22227.488	189.2473118	4188.568478	30000	0	0	30000	37.3125	2004
20.03.2020 13:55:08	1	1	1	1	54.25	57.25	0	22559.242	206.4516129	4696.545539	30000	0	0	30000	36.4375	2004
20.03.2020 13:55:09	1	1	1	1	54.5	56.25	0	23507.109	221.5053763	5105.862528	30000	0	0	30000	37.3125	2004
20.03.2020 13:55:10	1	1	1	1	54.5	57.25	0	24075.829	234.4086022	5654.608214	30000	0	0	30000	36.125	2004
20.03.2020 13:55:11	1	1	1	1	54.5	56	0	24549.763	249.4623656	6124.262767	30000	0	0	30000	37.25	2004
20.03.2020 13:55:12	1	1	1	1	54.5	57.25	0	24881.517	264.516129	6593.917321	30000	0	0	30000	37.3125	2004
20.03.2020 13:55:13	1	1	1	1	54.5	57.25	0	25545.024	279.5698925	7182.616259	30000	0	0	30000	37.3125	2004
20.03.2020 13:55:14	1	1	1	1	54.5	57.25	0	26018.957	294.6236559	7525.888077	30000	0	0	30000	37.25	2004
20.03.2020 13:55:15	1	1	1	1	54.5	57.25	0	26492.891	309.6774194	8218.954692	30000	0	0	30000	37.1875	2004
20.03.2020 13:55:16	1	1	1	1	54.5	57	0	26824.645	326.8817204	8768.51575	30000	0	0	30000	37.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:55:17	1	1	1	1	54.5	57	0	27156.398	335.483871	9275.677439	30000	0	0	30000	36.875	2004
20.03.2020 13:55:18	1	1	1	1	54.5	56.75	0	27440.758	354.8387097	9736.362895	30000	0	0	30000	37.3125	2004
20.03.2020 13:55:19	1	1	1	1	55	57.25	0	27819.905	369.8924731	10290.00082	30000	0	0	30000	37.25	2004
20.03.2020 13:55:20	1	1	1	1	55	57.25	0	28009.479	384.9462366	10781.67043	30000	0	0	30000	36.5625	2004
20.03.2020 13:55:21	1	1	1	1	55	56.5	0	28388.626	400	11721.79491	30000	0	0	30000	37.0625	2004
20.03.2020 13:55:22	1	1	1	1	55	57	0	28815.166	415.0537634	11959.88367	30000	0	0	30000	37	2004
20.03.2020 13:55:23	1	1	1	1	55	57	0	28957.346	427.9569892	12516.78308	30000	0	0	30000	36.6875	2004
20.03.2020 13:55:24	1	1	1	1	55	56.5	0	29289.1	445.1612903	13059.00579	30000	0	0	30000	36.625	2004
20.03.2020 13:55:25	1	1	1	1	55	56.5	0	29573.46	460.2150538	13588.18253	30000	0	0	30000	36.75	2004
20.03.2020 13:55:26	1	1	1	1	55	56.75	0	29715.64	481.7204301	13867.03993	30000	0	0	30000	36.6875	2004
20.03.2020 13:55:28	1	1	1	1	55	56.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.8125	2004
20.03.2020 13:55:29	1	1	1	1	55	56.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	37.375	2004
20.03.2020 13:55:30	1	1	1	1	54.5	57.25	0	30000	481.7204301	14406.00114	30000	0	0	30000	36.625	2004
20.03.2020 13:55:31	1	1	1	1	54.5	56.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	36.3125	2004
20.03.2020 13:55:32	1	1	1	1	54.5	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.3125	2004
20.03.2020 13:55:33	1	1	1	1	54.5	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.8125	2004
20.03.2020 13:55:34	1	1	1	1	54.5	56.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	36.8125	2004
20.03.2020 13:55:35	1	1	1	1	54.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	37	2004
20.03.2020 13:55:36	1	1	1	1	54.5	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
20.03.2020 13:55:37	1	1	1	1	54.5	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
20.03.2020 13:55:38	1	1	1	1	54.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.25	2004
20.03.2020 13:55:39	1	1	1	1	53.75	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
20.03.2020 13:55:40	1	1	1	1	53.75	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5625	2004
20.03.2020 13:55:41	1	1	1	1	53.75	56.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	36.875	2004
20.03.2020 13:55:42	1	1	1	1	53.75	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.875	2004
20.03.2020 13:55:43	1	1	1	1	53.75	56.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.3125	2004
20.03.2020 13:55:44	1	1	1	1	53.75	56.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	35.8125	2004
20.03.2020 13:55:45	1	1	1	1	53.75	55.75	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	35.5	2004
20.03.2020 13:55:46	1	1	1	1	53.75	55.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	35.9375	2004
20.03.2020 13:55:47	1	1	1	1	53.75	55.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.3125	2004
20.03.2020 13:55:48	1	1	1	1	53.75	56.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	37	2004
20.03.2020 13:55:49	1	1	1	1	53.75	57	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.625	2004
20.03.2020 13:55:56	1	1	1	1	53.75	57	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.4375	2004
20.03.2020 13:55:56	1	1	1	1	53.75	57	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.4375	2004
20.03.2020 13:55:56	1	1	1	1	53.75	57	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.4375	2004
20.03.2020 13:55:56	1	1	1	1	53.75	57	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.4375	2004
20.03.2020 13:55:56	1	1	1	1	53.75	57	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.4375	2004
20.03.2020 13:55:56	1	1	1	1	53.75	56.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.5	2004
20.03.2020 13:55:57	1	1	1	1	53.75	56.5	0	30000	458.0645161	13720.27288	30000	0	0	30000	36.8125	2004
20.03.2020 13:55:58	1	1	1	1	53.75	56.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.25	2004
20.03.2020 13:55:59	1	1	1	1	54	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 13:56:00	1	1	1	1	54	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:56:01	1	1	1	1	54	56.5	0	30000	458.0645161	13612.64371	30000	0	0	30000	36.6875	2004
20.03.2020 13:56:02	1	1	1	1	54	56.5	0	30000	455.9139785	13957.54627	30000	0	0	30000	36.6875	2004
20.03.2020 13:56:03	1	1	1	1	54	56.5	0	30000	453.7634409	13569.42897	30000	0	0	30000	36.5	2004
20.03.2020 13:56:04	1	1	1	1	54	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 13:56:05	1	1	1	1	54	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.625	2004
20.03.2020 13:56:06	1	1	1	1	54	56.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	37.1875	2004
20.03.2020 13:56:07	1	1	1	1	54	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.9375	2004
20.03.2020 13:56:08	1	1	1	1	54	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 13:56:09	1	1	1	1	54	57	0	29952.607	451.6129032	13483.81486	30000	0	0	30000	36.9375	2004
20.03.2020 13:56:11	1	1	1	1	54	56.75	0	30000	445.1612903	13741.47256	30000	0	0	30000	37.3125	2004
20.03.2020 13:56:12	1	1	1	1	54	57.25	0	30000	458.0645161	13483.81486	30000	0	0	30000	36.4375	2004
20.03.2020 13:56:13	1	1	1	1	54	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.1875	2004
20.03.2020 13:56:14	1	1	1	1	54	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
20.03.2020 13:56:15	1	1	1	1	54	55.75	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	36.75	2004
20.03.2020 13:56:16	1	1	1	1	54	56.75	0	30000	453.7634409	13591.44402	30000	0	0	30000	36.4375	2004
20.03.2020 13:56:17	1	1	1	1	54	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 13:56:18	1	1	1	1	54	56.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 13:56:19	1	1	1	1	54	56.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 13:56:20	1	1	1	1	54	56.75	0	30000	451.6129032	13548.22928	30000	0	0	30000	36.25	2004
20.03.2020 13:56:21	1	1	1	1	54	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 13:56:22	1	1	1	1	54	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 13:56:23	1	1	1	1	54	56.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.9375	2004
20.03.2020 13:56:24	1	1	1	1	54	56.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	36.4375	2004
20.03.2020 13:56:25	1	1	1	1	54	56.25	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	36.625	2004
20.03.2020 13:56:26	1	1	1	1	54	56.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 13:56:27	1	1	1	1	54	56.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	35.75	2004
20.03.2020 13:56:28	1	1	1	1	54	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37	2004
20.03.2020 13:56:31	1	1	1	1	54	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 13:56:31	1	1	1	1	54	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 13:56:31	1	1	1	1	54	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 13:56:32	1	1	1	1	54	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36	2004
20.03.2020 13:56:33	1	1	1	1	54	56	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.75	2004
20.03.2020 13:56:34	1	1	1	1	54	56.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	35.875	2004
20.03.2020 13:56:35	1	1	1	1	54	55.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	36.75	2004
20.03.2020 13:56:36	1	1	1	1	54	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.4375	2004
20.03.2020 13:56:37	1	1	1	1	54	56.25	0	30000	449.4623656	13483.81486	30000	0	0	30000	36.9375	2004
20.03.2020 13:56:38	1	1	1	1	54	56.75	0	30000	449.4623656	13333.78632	30000	0	0	30000	36.5625	2004
20.03.2020 13:56:39	1	1	1	1	54.5	56.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 13:56:40	1	1	1	1	54.5	56.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.25	2004
20.03.2020 13:56:41	1	1	1	1	54.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.3125	2004
20.03.2020 13:56:42	1	1	1	1	54.5	56.25	0	29952.607	440.8602151	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 13:56:43	1	1	1	1	54.5	56.75	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 13:56:44	1	1	1	1	54.5	56.25	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:56:45	1	1	1	1	54.5	56.5	0	30000	458.0645161	13354.17063	30000	0	0	30000	35.6875	2004
20.03.2020 13:56:46	1	1	1	1	54.5	55.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.5	2004
20.03.2020 13:56:47	1	1	1	1	54.5	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 13:56:48	1	1	1	1	54.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 13:56:49	1	1	1	1	54.25	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 13:56:50	1	1	1	1	54.25	56.5	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 13:56:57	1	1	1	1	54.25	57	0	30000	453.7634409	13548.22928	30000	0	0	30000	35.9375	2004
20.03.2020 13:56:57	1	1	1	1	54.25	57	0	30000	453.7634409	13548.22928	30000	0	0	30000	35.9375	2004
20.03.2020 13:56:57	1	1	1	1	54.25	57	0	30000	453.7634409	13548.22928	30000	0	0	30000	35.9375	2004
20.03.2020 13:56:57	1	1	1	1	54.25	57	0	30000	453.7634409	13548.22928	30000	0	0	30000	35.9375	2004
20.03.2020 13:56:57	1	1	1	1	54.25	57	0	30000	453.7634409	13548.22928	30000	0	0	30000	35.9375	2004
20.03.2020 13:56:58	1	1	1	1	54.25	55.75	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	37	2004
20.03.2020 13:56:59	1	1	1	1	54.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.125	2004
20.03.2020 13:57:00	1	1	1	1	54.75	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 13:57:01	1	1	1	1	54.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 13:57:02	1	1	1	1	54.75	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 13:57:03	1	1	1	1	54.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 13:57:04	1	1	1	1	54.75	56.5	0	30000	451.6129032	13548.22928	30000	0	0	30000	36.625	2004
20.03.2020 13:57:05	1	1	1	1	54.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.125	2004
20.03.2020 13:57:06	1	1	1	1	54.75	56	0	30000	449.4623656	13375.37032	30000	0	0	30000	36.9375	2004
20.03.2020 13:57:07	1	1	1	1	54.75	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 13:57:08	1	1	1	1	54.75	56.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.875	2004
20.03.2020 13:57:09	1	1	1	1	54.25	56.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	35.9375	2004
20.03.2020 13:57:10	1	1	1	1	54.25	55.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	36.25	2004
20.03.2020 13:57:11	1	1	1	1	54.25	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.5625	2004
20.03.2020 13:57:12	1	1	1	1	54.25	56.5	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	36.0625	2004
20.03.2020 13:57:13	1	1	1	1	54.25	56	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.6875	2004
20.03.2020 13:57:14	1	1	1	1	54.25	56.5	0	30000	455.9139785	13677.05814	30000	0	0	30000	36.3125	2004
20.03.2020 13:57:15	1	1	1	1	54.25	56.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	37	2004
20.03.2020 13:57:16	1	1	1	1	54.25	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.375	2004
20.03.2020 13:57:17	1	1	1	1	54.25	56.25	0	29905.213	443.0107527	13483.81486	30000	0	0	30000	37.125	2004
20.03.2020 13:57:18	1	1	1	1	54.25	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004
20.03.2020 13:57:19	1	1	1	1	54.25	56.5	0	29952.607	451.6129032	13483.81486	30000	0	0	30000	36.1875	2004
20.03.2020 13:57:20	1	1	1	1	54.25	56	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.8125	2004
20.03.2020 13:57:21	1	1	1	1	54.25	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.9375	2004
20.03.2020 13:57:22	1	1	1	1	54.25	56.75	0	30000	453.7634409	13312.58663	30000	0	0	30000	36.0625	2004
20.03.2020 13:57:23	1	1	1	1	54.25	56	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.0625	2004
20.03.2020 13:57:24	1	1	1	1	54.25	56	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.625	2004
20.03.2020 13:57:25	1	1	1	1	54.25	56.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 13:57:26	1	1	1	1	54.25	56.75	0	30000	449.4623656	13312.58663	30000	0	0	30000	36.375	2004
20.03.2020 13:57:27	1	1	1	1	54.25	56.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	36.25	2004
20.03.2020 13:57:28	1	1	1	1	54.25	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:57:29	1	1	1	1	54.75	57	0	30000	460.2150538	13741.47256	30000	0	0	30000	35.6875	2004
20.03.2020 13:57:30	1	1	1	1	54.75	55.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.625	2004
20.03.2020 13:57:31	1	1	1	1	54.75	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.3125	2004
20.03.2020 13:57:32	1	1	1	1	54.75	56.25	0	30000	458.0645161	13591.44402	30000	0	0	30000	36.3125	2004
20.03.2020 13:57:33	1	1	1	1	54.75	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 13:57:34	1	1	1	1	54.75	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.8125	2004
20.03.2020 13:57:36	1	1	1	1	54.75	55.75	0	30000	449.4623656	13548.22928	30000	0	0	30000	35.9375	2004
20.03.2020 13:57:37	1	1	1	1	54.75	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.125	2004
20.03.2020 13:57:38	1	1	1	1	54.75	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36	2004
20.03.2020 13:57:39	1	1	1	1	55	55.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	36.6875	2004
20.03.2020 13:57:40	1	1	1	1	55	56.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	36.375	2004
20.03.2020 13:57:41	1	1	1	1	55	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 13:57:42	1	1	1	1	55	57	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 13:57:43	1	1	1	1	55	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 13:57:44	1	1	1	1	55	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.9375	2004
20.03.2020 13:57:45	1	1	1	1	55	56.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.25	2004
20.03.2020 13:57:46	1	1	1	1	55	56.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	35.9375	2004
20.03.2020 13:57:47	1	1	1	1	55	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 13:57:48	1	1	1	1	55	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.8125	2004
20.03.2020 13:57:49	1	1	1	1	55.25	56.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.4375	2004
20.03.2020 13:57:50	1	1	1	1	55.25	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.8125	2004
20.03.2020 13:57:51	1	1	1	1	55.25	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.4375	2004
20.03.2020 13:57:52	1	1	1	1	55.25	56.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 13:57:59	1	1	1	1	55.25	56.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	36.625	2004
20.03.2020 13:57:59	1	1	1	1	55.25	56.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	36.625	2004
20.03.2020 13:57:59	1	1	1	1	55.25	56.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	36.625	2004
20.03.2020 13:57:59	1	1	1	1	55.25	56.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	36.625	2004
20.03.2020 13:57:59	1	1	1	1	55.25	56.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	36.625	2004
20.03.2020 13:57:59	1	1	1	1	55.25	56.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	36.5625	2004
20.03.2020 13:58:00	1	1	1	1	55.25	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 13:58:01	1	1	1	1	55.25	57	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.3125	2004
20.03.2020 13:58:02	1	1	1	1	55.25	56.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	36.6875	2004
20.03.2020 13:58:03	1	1	1	1	55.25	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	37	2004
20.03.2020 13:58:04	1	1	1	1	55.25	57	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 13:58:05	1	1	1	1	55.25	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 13:58:06	1	1	1	1	55.25	56.75	0	30000	445.1612903	13784.6873	30000	0	0	30000	36.75	2004
20.03.2020 13:58:07	1	1	1	1	55.25	56.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 13:58:08	1	1	1	1	55.25	56.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	36.625	2004
20.03.2020 13:58:09	1	1	1	1	55.5	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.8125	2004
20.03.2020 13:58:10	1	1	1	1	55.5	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.875	2004
20.03.2020 13:58:11	1	1	1	1	55.5	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.25	2004
20.03.2020 13:58:12	1	1	1	1	55.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:58:13	1	1	1	1	55.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 13:58:14	1	1	1	1	55.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 13:58:15	1	1	1	1	55.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 13:58:16	1	1	1	1	55.5	56.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 13:58:17	1	1	1	1	55.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.1875	2004
20.03.2020 13:58:18	1	1	1	1	55.5	56	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	36.0625	2004
20.03.2020 13:58:20	1	1	1	1	55.75	56	0	30000	443.0107527	13289.7562	30000	0	0	30000	37	2004
20.03.2020 13:58:21	1	1	1	1	55.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 13:58:22	1	1	1	1	55.75	56.5	0	30000	453.7634409	13763.48762	30000	0	0	30000	36.5	2004
20.03.2020 13:58:23	1	1	1	1	55.75	57	0	30000	449.4623656	13612.64371	30000	0	0	30000	36.5625	2004
20.03.2020 13:58:24	1	1	1	1	55.75	56.5	0	30000	449.4623656	13333.78632	30000	0	0	30000	36.5	2004
20.03.2020 13:58:25	1	1	1	1	55.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 13:58:26	1	1	1	1	55.75	56.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	35.6875	2004
20.03.2020 13:58:27	1	1	1	1	55.75	55.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	35.875	2004
20.03.2020 13:58:28	1	1	1	1	55.75	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 13:58:29	1	1	1	1	56	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.1875	2004
20.03.2020 13:58:30	1	1	1	1	56	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 13:58:31	1	1	1	1	56	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.875	2004
20.03.2020 13:58:32	1	1	1	1	56	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 13:58:33	1	1	1	1	56	57	0	30000	445.1612903	13333.78632	30000	0	0	30000	36.75	2004
20.03.2020 13:58:34	1	1	1	1	56	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004
20.03.2020 13:58:35	1	1	1	1	56	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 13:58:36	1	1	1	1	56	56.75	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 13:58:37	1	1	1	1	56	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
20.03.2020 13:58:38	1	1	1	1	56	56.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	35.75	2004
20.03.2020 13:58:39	1	1	1	1	56	55.75	0	30000	443.0107527	13076.12861	30000	0	0	30000	36.5	2004
20.03.2020 13:58:40	1	1	1	1	56	56.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	36.6875	2004
20.03.2020 13:58:41	1	1	1	1	56	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.5625	2004
20.03.2020 13:58:42	1	1	1	1	56	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
20.03.2020 13:58:43	1	1	1	1	56	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.125	2004
20.03.2020 13:58:44	1	1	1	1	56	56	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.5	2004
20.03.2020 13:58:45	1	1	1	1	56	56.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 13:58:46	1	1	1	1	56	56.25	0	30000	445.1612903	13183.75778	30000	0	0	30000	36.375	2004
20.03.2020 13:58:47	1	1	1	1	56	56.25	0	30000	453.7634409	13483.81486	30000	0	0	30000	36.625	2004
20.03.2020 13:58:48	1	1	1	1	56	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 13:58:49	1	1	1	1	55.75	56.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 13:58:50	1	1	1	1	55.75	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 13:58:51	1	1	1	1	55.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 13:58:52	1	1	1	1	55.75	56.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 13:58:53	1	1	1	1	55.75	56.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	36.4375	2004
20.03.2020 13:59:00	1	1	1	1	55.25	56.25	0	30000	449.4623656	13375.37032	30000	0	0	30000	36.875	2004
20.03.2020 13:59:00	1	1	1	1	55.25	56.25	0	30000	449.4623656	13375.37032	30000	0	0	30000	36.875	2004
20.03.2020 13:59:00	1	1	1	1	55.25	56.25	0	30000	449.4623656	13375.37032	30000	0	0	30000	36.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:59:00	1	1	1	1	55.25	56.25	0	30000	449.4623656	13375.37032	30000	0	0	30000	36.875	2004
20.03.2020 13:59:01	1	1	1	1	55.25	56.25	0	30000	449.4623656	13375.37032	30000	0	0	30000	36.875	2004
20.03.2020 13:59:01	1	1	1	1	55.25	56.25	0	30000	449.4623656	13375.37032	30000	0	0	30000	36.875	2004
20.03.2020 13:59:01	1	1	1	1	55.25	56.25	0	30000	449.4623656	13375.37032	30000	0	0	30000	36.875	2004
20.03.2020 13:59:01	1	1	1	1	55.25	56.75	0	30000	451.6129032	13784.6873	30000	0	0	30000	37	2004
20.03.2020 13:59:02	1	1	1	1	55.25	57	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
20.03.2020 13:59:03	1	1	1	1	55.25	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 13:59:04	1	1	1	1	55.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004
20.03.2020 13:59:06	1	1	1	1	55.25	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.0625	2004
20.03.2020 13:59:07	1	1	1	1	55.25	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.25	2004
20.03.2020 13:59:08	1	1	1	1	55.25	57.25	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	36.375	2004
20.03.2020 13:59:09	1	1	1	1	56	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.9375	2004
20.03.2020 13:59:10	1	1	1	1	56	55.75	0	30000	453.7634409	13483.81486	30000	0	0	30000	36.875	2004
20.03.2020 13:59:11	1	1	1	1	56	56.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.1875	2004
20.03.2020 13:59:12	1	1	1	1	56	56	0	30000	460.2150538	13805.88699	30000	0	0	30000	35.8125	2004
20.03.2020 13:59:13	1	1	1	1	56	55.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	36.375	2004
20.03.2020 13:59:14	1	1	1	1	56	56.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.125	2004
20.03.2020 13:59:15	1	1	1	1	56	57	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.0625	2004
20.03.2020 13:59:16	1	1	1	1	56	56	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.8125	2004
20.03.2020 13:59:17	1	1	1	1	56	56.75	0	30047.393	460.2150538	13741.47256	30000	0	0	30000	36.5	2004
20.03.2020 13:59:18	1	1	1	1	56	56.5	0	29952.607	451.6129032	13935.53122	30000	0	0	30000	36.25	2004
20.03.2020 13:59:19	1	1	1	1	56	56.25	0	29905.213	455.9139785	13870.30142	30000	0	0	30000	36.875	2004
20.03.2020 13:59:20	1	1	1	1	56	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.5625	2004
20.03.2020 13:59:21	1	1	1	1	56	56.5	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	35.8125	2004
20.03.2020 13:59:22	1	1	1	1	56	55.75	0	30000	464.516129	13913.51616	30000	0	0	30000	36.25	2004
20.03.2020 13:59:23	1	1	1	1	56	56.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.5	2004
20.03.2020 13:59:24	1	1	1	1	56	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	36.6875	2004
20.03.2020 13:59:25	1	1	1	1	56	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.75	2004
20.03.2020 13:59:26	1	1	1	1	56	56.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	36.4375	2004
20.03.2020 13:59:27	1	1	1	1	56	56.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	36.75	2004
20.03.2020 13:59:28	1	1	1	1	56	56.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.375	2004
20.03.2020 13:59:29	1	1	1	1	56.5	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.25	2004
20.03.2020 13:59:30	1	1	1	1	56.5	56.25	0	30000	460.2150538	13784.6873	30000	0	0	30000	36.4375	2004
20.03.2020 13:59:31	1	1	1	1	56.5	56.25	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	36.875	2004
20.03.2020 13:59:32	1	1	1	1	56.5	56.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.5625	2004
20.03.2020 13:59:33	1	1	1	1	56.5	56.5	0	30000	464.516129	13805.88699	30000	0	0	30000	36.3125	2004
20.03.2020 13:59:34	1	1	1	1	56.5	56.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.625	2004
20.03.2020 13:59:35	1	1	1	1	56.5	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.25	2004
20.03.2020 13:59:36	1	1	1	1	56.5	56.25	0	30000	464.516129	13999.94564	30000	0	0	30000	35.5	2004
20.03.2020 13:59:37	1	1	1	1	56.5	55.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	35.9375	2004
20.03.2020 13:59:38	1	1	1	1	56.5	55.75	0	30000	466.6666667	14128.7745	30000	0	0	30000	35.8125	2004
20.03.2020 13:59:39	1	1	1	1	56	55.75	0	30000	466.6666667	14064.36007	30000	0	0	30000	36.1875	2004
20.03.2020 13:59:40	1	1	1	1	56	56	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 13:59:41	1	1	1	1	56	56.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	35.5625	2004
20.03.2020 13:59:42	1	1	1	1	56	55.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.1875	2004
20.03.2020 13:59:43	1	1	1	1	56	56	0	30000	466.6666667	13935.53122	30000	0	0	30000	36.25	2004
20.03.2020 13:59:44	1	1	1	1	56	56.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.875	2004
20.03.2020 13:59:45	1	1	1	1	56	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.5625	2004
20.03.2020 13:59:47	1	1	1	1	56	56.5	0	29952.607	464.516129	13999.94564	30000	0	0	30000	36	2004
20.03.2020 13:59:48	1	1	1	1	56	56	0	30000	468.8172043	14064.36007	30000	0	0	30000	36.875	2004
20.03.2020 13:59:49	1	1	1	1	56	56.75	0	29905.213	460.2150538	13977.93058	30000	0	0	30000	36.9375	2004
20.03.2020 13:59:50	1	1	1	1	56.75	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	35.9375	2004
20.03.2020 13:59:51	1	1	1	1	56.75	57.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.8125	2004
20.03.2020 13:59:52	1	1	1	1	56.75	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	37.0625	2004
20.03.2020 13:59:53	1	1	1	1	56.75	57	0	29952.607	464.516129	13935.53122	30000	0	0	30000	36.625	2004
20.03.2020 13:59:54	1	1	1	1	56.75	56.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	36.875	2004
20.03.2020 13:59:55	1	1	1	1	56.75	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	37	2004
20.03.2020 14:00:02	1	1	1	1	56.5	57	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.1875	2004
20.03.2020 14:00:02	1	1	1	1	56.5	57	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.1875	2004
20.03.2020 14:00:02	1	1	1	1	56.5	57	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.1875	2004
20.03.2020 14:00:02	1	1	1	1	56.5	57	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.1875	2004
20.03.2020 14:00:02	1	1	1	1	56.5	57	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.1875	2004
20.03.2020 14:00:02	1	1	1	1	56.5	56	0	30000	464.516129	13935.53122	30000	0	0	30000	36.6875	2004
20.03.2020 14:00:03	1	1	1	1	56.5	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	35.1875	2004
20.03.2020 14:00:04	1	1	1	1	56.5	55	0	30000	464.516129	13999.94564	30000	0	0	30000	36.5	2004
20.03.2020 14:00:05	1	1	1	1	56.5	56.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.3125	2004
20.03.2020 14:00:06	1	1	1	1	56.5	56.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	36.6875	2004
20.03.2020 14:00:07	1	1	1	1	56.5	56.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	35.875	2004
20.03.2020 14:00:08	1	1	1	1	56.5	55.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	36.6875	2004
20.03.2020 14:00:09	1	1	1	1	56	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.8125	2004
20.03.2020 14:00:10	1	1	1	1	56	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	37	2004
20.03.2020 14:00:11	1	1	1	1	56	57	0	30000	464.516129	13935.53122	30000	0	0	30000	36.5	2004
20.03.2020 14:00:12	1	1	1	1	56	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	37.125	2004
20.03.2020 14:00:13	1	1	1	1	56	57	0	29952.607	464.516129	13913.51616	30000	0	0	30000	36.25	2004
20.03.2020 14:00:14	1	1	1	1	56	56.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.875	2004
20.03.2020 14:00:15	1	1	1	1	56	56.75	0	30094.787	468.8172043	13935.53122	30000	0	0	30000	35.75	2004
20.03.2020 14:00:16	1	1	1	1	56	55.75	0	30047.393	481.7204301	13935.53122	30000	0	0	30000	36.5625	2004
20.03.2020 14:00:17	1	1	1	1	56	56.5	0	29905.213	460.2150538	13870.30142	30000	0	0	30000	36.125	2004
20.03.2020 14:00:18	1	1	1	1	56	56	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.375	2004
20.03.2020 14:00:19	1	1	1	1	56.5	56.25	0	30000	460.2150538	13591.44402	30000	0	0	30000	36.625	2004
20.03.2020 14:00:20	1	1	1	1	56.5	56.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.125	2004
20.03.2020 14:00:21	1	1	1	1	56.5	57	0	29905.213	453.7634409	13849.10173	30000	0	0	30000	35.6875	2004
20.03.2020 14:00:22	1	1	1	1	56.5	55.5	0	30000	464.516129	13935.53122	30000	0	0	30000	36.875	2004
20.03.2020 14:00:23	1	1	1	1	56.5	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.125	2004
20.03.2020 14:00:24	1	1	1	1	56.5	56	0	30000	460.2150538	13935.53122	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:00:25	1	1	1	1	56.5	56.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.625	2004
20.03.2020 14:00:27	1	1	1	1	56.5	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 14:00:28	1	1	1	1	56.5	56.75	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	37.3125	2004
20.03.2020 14:00:29	1	1	1	1	56.5	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.25	2004
20.03.2020 14:00:30	1	1	1	1	56.75	56.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.875	2004
20.03.2020 14:00:31	1	1	1	1	56.75	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 14:00:32	1	1	1	1	56.75	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.125	2004
20.03.2020 14:00:33	1	1	1	1	56.75	57	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.25	2004
20.03.2020 14:00:34	1	1	1	1	56.75	56.25	0	30000	455.9139785	13591.44402	30000	0	0	30000	36.5625	2004
20.03.2020 14:00:35	1	1	1	1	56.75	56.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.125	2004
20.03.2020 14:00:36	1	1	1	1	56.75	56	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.3125	2004
20.03.2020 14:00:37	1	1	1	1	56.75	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.75	2004
20.03.2020 14:00:38	1	1	1	1	56.75	55.75	0	30000	464.516129	13612.64371	30000	0	0	30000	37.1875	2004
20.03.2020 14:00:39	1	1	1	1	56.75	57	0	30000	458.0645161	13741.47256	30000	0	0	30000	35.9375	2004
20.03.2020 14:00:40	1	1	1	1	56.75	55.75	0	30000	464.516129	13935.53122	30000	0	0	30000	37.1875	2004
20.03.2020 14:00:41	1	1	1	1	56.75	57	0	29952.607	464.516129	13935.53122	30000	0	0	30000	36.875	2004
20.03.2020 14:00:42	1	1	1	1	56.75	56.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	35.75	2004
20.03.2020 14:00:43	1	1	1	1	56.75	55.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.8125	2004
20.03.2020 14:00:44	1	1	1	1	56.75	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.625	2004
20.03.2020 14:00:45	1	1	1	1	56.75	56.5	0	30000	464.516129	13870.30142	30000	0	0	30000	36.75	2004
20.03.2020 14:00:46	1	1	1	1	56.75	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.3125	2004
20.03.2020 14:00:47	1	1	1	1	56.75	56.25	0	30000	470.9677419	13913.51616	30000	0	0	30000	35.75	2004
20.03.2020 14:00:48	1	1	1	1	56.75	55.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.25	2004
20.03.2020 14:00:49	1	1	1	1	57	56.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.0625	2004
20.03.2020 14:00:50	1	1	1	1	57	57	0	30000	466.6666667	13805.88699	30000	0	0	30000	36.9375	2004
20.03.2020 14:00:51	1	1	1	1	57	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.125	2004
20.03.2020 14:00:52	1	1	1	1	57	57	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.25	2004
20.03.2020 14:00:53	1	1	1	1	57	57.25	0	30000	464.516129	13999.94564	30000	0	0	30000	36.25	2004
20.03.2020 14:00:54	1	1	1	1	57	56.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.8125	2004
20.03.2020 14:00:55	1	1	1	1	57	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.75	2004
20.03.2020 14:00:56	1	1	1	1	57	56.75	0	30000	464.516129	13913.51616	30000	0	0	30000	36.8125	2004
20.03.2020 14:01:03	1	1	1	1	56.75	56.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	36.875	2004
20.03.2020 14:01:03	1	1	1	1	56.75	56.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	36.875	2004
20.03.2020 14:01:03	1	1	1	1	56.75	56.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	36.875	2004
20.03.2020 14:01:03	1	1	1	1	56.75	56.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	36.875	2004
20.03.2020 14:01:03	1	1	1	1	56.75	56.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	36.875	2004
20.03.2020 14:01:03	1	1	1	1	56.75	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.625	2004
20.03.2020 14:01:04	1	1	1	1	56.75	56.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	35.75	2004
20.03.2020 14:01:05	1	1	1	1	56.75	55.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.25	2004
20.03.2020 14:01:07	1	1	1	1	56.75	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36	2004
20.03.2020 14:01:08	1	1	1	1	56.75	56	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.75	2004
20.03.2020 14:01:09	1	1	1	1	56.75	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:01:10	1	1	1	1	57	56.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.4375	2004
20.03.2020 14:01:11	1	1	1	1	57	57.25	0	30142.18	468.8172043	13999.94564	30000	0	0	30000	36.75	2004
20.03.2020 14:01:12	1	1	1	1	57	56.5	0	30000	464.516129	13999.94564	30000	0	0	30000	35.9375	2004
20.03.2020 14:01:13	1	1	1	1	57	55.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.9375	2004
20.03.2020 14:01:14	1	1	1	1	57	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.9375	2004
20.03.2020 14:01:15	1	1	1	1	57	56.75	0	30000	464.516129	13870.30142	30000	0	0	30000	35.8125	2004
20.03.2020 14:01:16	1	1	1	1	57	55.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.625	2004
20.03.2020 14:01:17	1	1	1	1	57	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	35.375	2004
20.03.2020 14:01:18	1	1	1	1	57	55.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	35.625	2004
20.03.2020 14:01:19	1	1	1	1	57.25	55.5	0	30000	460.2150538	14043.97576	30000	0	0	30000	36.8125	2004
20.03.2020 14:01:20	1	1	1	1	57.25	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.6875	2004
20.03.2020 14:01:21	1	1	1	1	57.25	56.5	0	30000	464.516129	13999.94564	30000	0	0	30000	36.125	2004
20.03.2020 14:01:22	1	1	1	1	57.25	56	0	30000	464.516129	13870.30142	30000	0	0	30000	35.0625	2004
20.03.2020 14:01:23	1	1	1	1	57.25	55	0	30000	470.9677419	13999.94564	30000	0	0	30000	36.5	2004
20.03.2020 14:01:24	1	1	1	1	57.25	56.5	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	36.375	2004
20.03.2020 14:01:25	1	1	1	1	57.25	56.25	0	30000	453.7634409	13805.88699	30000	0	0	30000	35.75	2004
20.03.2020 14:01:26	1	1	1	1	57.25	55.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	37.125	2004
20.03.2020 14:01:27	1	1	1	1	57.25	57	0	30000	453.7634409	13805.88699	30000	0	0	30000	36.875	2004
20.03.2020 14:01:28	1	1	1	1	57.25	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.3125	2004
20.03.2020 14:01:29	1	1	1	1	57.25	56.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	36.3125	2004
20.03.2020 14:01:30	1	1	1	1	57.25	56.25	0	30000	464.516129	14108.39018	30000	0	0	30000	37.0625	2004
20.03.2020 14:01:31	1	1	1	1	57.25	57	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.6875	2004
20.03.2020 14:01:32	1	1	1	1	57.25	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	35.125	2004
20.03.2020 14:01:33	1	1	1	1	57.25	55	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	36.1875	2004
20.03.2020 14:01:34	1	1	1	1	57.25	56	0	30047.393	464.516129	13935.53122	30000	0	0	30000	36.75	2004
20.03.2020 14:01:35	1	1	1	1	57.25	56.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	35.875	2004
20.03.2020 14:01:36	1	1	1	1	57.25	55.75	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	36.625	2004
20.03.2020 14:01:37	1	1	1	1	57.25	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	36.5625	2004
20.03.2020 14:01:38	1	1	1	1	57.25	56.5	0	29952.607	460.2150538	13741.47256	30000	0	0	30000	36.5	2004
20.03.2020 14:01:39	1	1	1	1	57.25	56.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.875	2004
20.03.2020 14:01:40	1	1	1	1	57.25	56.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.25	2004
20.03.2020 14:01:41	1	1	1	1	57.25	57.25	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	36.5	2004
20.03.2020 14:01:42	1	1	1	1	57.25	56.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	35.75	2004
20.03.2020 14:01:43	1	1	1	1	57.25	55.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	37.0625	2004
20.03.2020 14:01:44	1	1	1	1	57.25	57	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.0625	2004
20.03.2020 14:01:45	1	1	1	1	57.25	56	0	30000	464.516129	13935.53122	30000	0	0	30000	36.8125	2004
20.03.2020 14:01:46	1	1	1	1	57.25	56.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.0625	2004
20.03.2020 14:01:47	1	1	1	1	57.25	57	0	30000	460.2150538	13935.53122	30000	0	0	30000	36.125	2004
20.03.2020 14:01:48	1	1	1	1	57.25	56	0	30000	464.516129	13870.30142	30000	0	0	30000	36.5625	2004
20.03.2020 14:01:49	1	1	1	1	57.5	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.6875	2004
20.03.2020 14:01:51	1	1	1	1	57.5	55.5	0	30000	464.516129	13935.53122	30000	0	0	30000	36.5	2004
20.03.2020 14:01:52	1	1	1	1	57.5	56.5	0	30000	455.9139785	13720.27288	30000	0	0	30000	35.875	2004
20.03.2020 14:01:53	1	1	1	1	57.5	55.75	0	29952.607	458.0645161	13805.88699	30000	0	0	30000	36.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:01:54	1	1	1	1	57.5	56.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.4375	2004
20.03.2020 14:01:55	1	1	1	1	57.5	56.25	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.625	2004
20.03.2020 14:01:56	1	1	1	1	57.5	56.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.8125	2004
20.03.2020 14:01:57	1	1	1	1	57.5	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.5	2004
20.03.2020 14:01:58	1	1	1	1	57.5	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:02:05	1	1	1	1	57.5	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 14:02:05	1	1	1	1	57.5	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 14:02:05	1	1	1	1	57.5	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 14:02:05	1	1	1	1	57.5	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 14:02:05	1	1	1	1	57.5	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 14:02:05	1	1	1	1	57.5	56.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	36.0625	2004
20.03.2020 14:02:06	1	1	1	1	57.5	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
20.03.2020 14:02:07	1	1	1	1	57.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.125	2004
20.03.2020 14:02:08	1	1	1	1	57.5	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36	2004
20.03.2020 14:02:09	1	1	1	1	57.5	56	0	30000	445.1612903	13375.37032	30000	0	0	30000	36	2004
20.03.2020 14:02:10	1	1	1	1	57.5	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.375	2004
20.03.2020 14:02:11	1	1	1	1	57.5	56.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	37	2004
20.03.2020 14:02:12	1	1	1	1	57.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 14:02:13	1	1	1	1	57.5	56.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	35.375	2004
20.03.2020 14:02:14	1	1	1	1	57.5	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:02:15	1	1	1	1	57.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:02:16	1	1	1	1	57.5	56.5	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	36.3125	2004
20.03.2020 14:02:17	1	1	1	1	57.5	56.25	0	30000	453.7634409	13483.81486	30000	0	0	30000	36.5	2004
20.03.2020 14:02:18	1	1	1	1	57.5	56.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.75	2004
20.03.2020 14:02:19	1	1	1	1	57.5	56.75	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	36.9375	2004
20.03.2020 14:02:20	1	1	1	1	57.5	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.375	2004
20.03.2020 14:02:21	1	1	1	1	57.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:02:22	1	1	1	1	57.5	57	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	35.8125	2004
20.03.2020 14:02:23	1	1	1	1	57.5	55.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	37.0625	2004
20.03.2020 14:02:24	1	1	1	1	57.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:02:25	1	1	1	1	57.5	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 14:02:26	1	1	1	1	57.5	56.75	0	29952.607	449.4623656	13612.64371	30000	0	0	30000	36.4375	2004
20.03.2020 14:02:27	1	1	1	1	57.5	56.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:02:28	1	1	1	1	57.5	56.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.5625	2004
20.03.2020 14:02:29	1	1	1	1	57.75	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.8125	2004
20.03.2020 14:02:30	1	1	1	1	57.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:02:31	1	1	1	1	57.75	57	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.4375	2004
20.03.2020 14:02:33	1	1	1	1	57.75	56.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	37	2004
20.03.2020 14:02:34	1	1	1	1	57.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:02:35	1	1	1	1	57.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.375	2004
20.03.2020 14:02:36	1	1	1	1	57.75	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:02:37	1	1	1	1	57.75	57.25	0	30000	451.6129032	13354.17063	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:02:38	1	1	1	1	57.75	57.25	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:02:39	1	1	1	1	57.75	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.375	2004
20.03.2020 14:02:40	1	1	1	1	57.75	56.75	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:02:41	1	1	1	1	57.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 14:02:42	1	1	1	1	57.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:02:43	1	1	1	1	57.75	56.5	0	30000	445.1612903	13312.58663	30000	0	0	30000	36.5625	2004
20.03.2020 14:02:44	1	1	1	1	57.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:02:45	1	1	1	1	57.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.875	2004
20.03.2020 14:02:46	1	1	1	1	57.75	55.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	37	2004
20.03.2020 14:02:47	1	1	1	1	57.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:02:48	1	1	1	1	57.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.375	2004
20.03.2020 14:02:49	1	1	1	1	57.25	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
20.03.2020 14:02:50	1	1	1	1	57.25	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.5	2004
20.03.2020 14:02:51	1	1	1	1	57.25	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.5625	2004
20.03.2020 14:02:52	1	1	1	1	57.25	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
20.03.2020 14:02:53	1	1	1	1	57.25	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 14:02:54	1	1	1	1	57.25	56.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	36.25	2004
20.03.2020 14:02:55	1	1	1	1	57.25	56.25	0	30000	453.7634409	13763.48762	30000	0	0	30000	36.875	2004
20.03.2020 14:02:56	1	1	1	1	57.25	56.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.375	2004
20.03.2020 14:02:57	1	1	1	1	57.25	56.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	37	2004
20.03.2020 14:02:58	1	1	1	1	57.25	57	0	30000	449.4623656	13483.81486	30000	0	0	30000	37	2004
20.03.2020 14:02:59	1	1	1	1	58	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.125	2004
20.03.2020 14:03:06	1	1	1	1	58	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 14:03:06	1	1	1	1	58	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 14:03:06	1	1	1	1	58	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 14:03:06	1	1	1	1	58	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 14:03:06	1	1	1	1	58	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:03:07	1	1	1	1	58	57	0	30000	445.1612903	13612.64371	30000	0	0	30000	37.0625	2004
20.03.2020 14:03:08	1	1	1	1	58	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:03:09	1	1	1	1	58.25	56.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 14:03:10	1	1	1	1	58.25	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:03:12	1	1	1	1	58.25	56.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	37	2004
20.03.2020 14:03:13	1	1	1	1	58.25	57	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:03:14	1	1	1	1	58.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:03:15	1	1	1	1	58.25	56.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	36.1875	2004
20.03.2020 14:03:16	1	1	1	1	58.25	56	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.0625	2004
20.03.2020 14:03:17	1	1	1	1	58.25	57	0	30000	449.4623656	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 14:03:18	1	1	1	1	58.25	56.75	0	30000	449.4623656	13312.58663	30000	0	0	30000	36.3125	2004
20.03.2020 14:03:19	1	1	1	1	58.25	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.4375	2004
20.03.2020 14:03:20	1	1	1	1	57.5	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.6875	2004
20.03.2020 14:03:21	1	1	1	1	57.5	55.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:03:22	1	1	1	1	57.5	56	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.25	2004
20.03.2020 14:03:23	1	1	1	1	57.5	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	37	2004
20.03.2020 14:03:24	1	1	1	1	57.5	57	0	30000	460.2150538	13612.64371	30000	0	0	30000	37	2004
20.03.2020 14:03:25	1	1	1	1	57.5	57	0	29952.607	451.6129032	13354.17063	30000	0	0	30000	36.125	2004
20.03.2020 14:03:26	1	1	1	1	57.5	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:03:27	1	1	1	1	57.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:03:28	1	1	1	1	57.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:03:29	1	1	1	1	57.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:03:30	1	1	1	1	57.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:03:31	1	1	1	1	57.75	57	0	30000	445.1612903	13548.22928	30000	0	0	30000	36.6875	2004
20.03.2020 14:03:32	1	1	1	1	57.75	56.5	0	30000	449.4623656	13591.44402	30000	0	0	30000	36.9375	2004
20.03.2020 14:03:33	1	1	1	1	57.75	56.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:03:34	1	1	1	1	57.75	56.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	36.375	2004
20.03.2020 14:03:35	1	1	1	1	57.75	56.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	36.6875	2004
20.03.2020 14:03:36	1	1	1	1	57.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 14:03:37	1	1	1	1	57.75	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 14:03:38	1	1	1	1	57.75	56.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	35.75	2004
20.03.2020 14:03:39	1	1	1	1	58	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004
20.03.2020 14:03:40	1	1	1	1	58	56.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:03:41	1	1	1	1	58	56.75	0	30000	445.1612903	13312.58663	30000	0	0	30000	35.8125	2004
20.03.2020 14:03:42	1	1	1	1	58	55.75	0	30000	449.4623656	13548.22928	30000	0	0	30000	36.9375	2004
20.03.2020 14:03:43	1	1	1	1	58	56.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:03:44	1	1	1	1	58	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:03:45	1	1	1	1	58	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.625	2004
20.03.2020 14:03:46	1	1	1	1	58	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:03:47	1	1	1	1	58	56.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.625	2004
20.03.2020 14:03:48	1	1	1	1	58	56.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:03:49	1	1	1	1	58	56.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.8125	2004
20.03.2020 14:03:50	1	1	1	1	58	56.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 14:03:51	1	1	1	1	58	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 14:03:52	1	1	1	1	58	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.125	2004
20.03.2020 14:03:54	1	1	1	1	58	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.25	2004
20.03.2020 14:03:55	1	1	1	1	58	56.25	0	30000	451.6129032	13312.58663	30000	0	0	30000	36.9375	2004
20.03.2020 14:03:56	1	1	1	1	58	56.75	0	30000	453.7634409	13312.58663	30000	0	0	30000	37.1875	2004
20.03.2020 14:03:57	1	1	1	1	58	57	0	30047.393	460.2150538	13612.64371	30000	0	0	30000	36.6875	2004
20.03.2020 14:03:58	1	1	1	1	58	56.5	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	37	2004
20.03.2020 14:03:59	1	1	1	1	58	57	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:04:00	1	1	1	1	58.5	56.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	37.375	2004
20.03.2020 14:04:01	1	1	1	1	58.5	56.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.875	2004
20.03.2020 14:04:08	1	1	1	1	58.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:04:08	1	1	1	1	58.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:04:08	1	1	1	1	58.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:04:08	1	1	1	1	58.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:04:08	1	1	1	1	58.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:04:08	1	1	1	1	58.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:04:08	1	1	1	1	58.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.1875	2004
20.03.2020 14:04:09	1	1	1	1	57.75	56	0	30000	455.9139785	13612.64371	30000	0	0	30000	37.1875	2004
20.03.2020 14:04:10	1	1	1	1	57.75	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.8125	2004
20.03.2020 14:04:11	1	1	1	1	57.75	56.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	37	2004
20.03.2020 14:04:12	1	1	1	1	57.75	57	0	30000	449.4623656	13483.81486	30000	0	0	30000	37.0625	2004
20.03.2020 14:04:13	1	1	1	1	57.75	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.0625	2004
20.03.2020 14:04:14	1	1	1	1	57.75	57	0	30000	453.7634409	13805.88699	30000	0	0	30000	36.0625	2004
20.03.2020 14:04:15	1	1	1	1	57.75	56	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.0625	2004
20.03.2020 14:04:16	1	1	1	1	57.75	56	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.875	2004
20.03.2020 14:04:17	1	1	1	1	57.75	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.0625	2004
20.03.2020 14:04:18	1	1	1	1	57.75	57	0	30000	460.2150538	13935.53122	30000	0	0	30000	36.4375	2004
20.03.2020 14:04:19	1	1	1	1	58	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.625	2004
20.03.2020 14:04:20	1	1	1	1	58	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 14:04:21	1	1	1	1	58	56.75	0	30000	453.7634409	13312.58663	30000	0	0	30000	36.3125	2004
20.03.2020 14:04:22	1	1	1	1	58	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:04:23	1	1	1	1	58	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.3125	2004
20.03.2020 14:04:24	1	1	1	1	58	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.625	2004
20.03.2020 14:04:25	1	1	1	1	58	56.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	37.0625	2004
20.03.2020 14:04:26	1	1	1	1	58	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.9375	2004
20.03.2020 14:04:27	1	1	1	1	58	56.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	37.0625	2004
20.03.2020 14:04:28	1	1	1	1	58	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.4375	2004
20.03.2020 14:04:29	1	1	1	1	58.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:04:30	1	1	1	1	58.5	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.3125	2004
20.03.2020 14:04:31	1	1	1	1	58.5	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.875	2004
20.03.2020 14:04:32	1	1	1	1	58.5	55.75	0	30000	460.2150538	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 14:04:33	1	1	1	1	58.5	56.75	0	30000	453.7634409	13741.47256	30000	0	0	30000	36.5	2004
20.03.2020 14:04:34	1	1	1	1	58.5	56.5	0	30000	451.6129032	13548.22928	30000	0	0	30000	36.8125	2004
20.03.2020 14:04:35	1	1	1	1	58.5	56.75	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	36.8125	2004
20.03.2020 14:04:36	1	1	1	1	58.5	56.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.3125	2004
20.03.2020 14:04:38	1	1	1	1	58.5	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 14:04:39	1	1	1	1	58.5	56.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.5625	2004
20.03.2020 14:04:40	1	1	1	1	59	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.5	2004
20.03.2020 14:04:41	1	1	1	1	59	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.6875	2004
20.03.2020 14:04:42	1	1	1	1	59	56.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	37.5625	2004
20.03.2020 14:04:43	1	1	1	1	59	57.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	37.3125	2004
20.03.2020 14:04:44	1	1	1	1	59	57.25	0	30000	460.2150538	14021.9607	30000	0	0	30000	37	2004
20.03.2020 14:04:45	1	1	1	1	59	57	0	30000	464.516129	13935.53122	30000	0	0	30000	36.875	2004
20.03.2020 14:04:46	1	1	1	1	59	56.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	37.1875	2004
20.03.2020 14:04:47	1	1	1	1	59	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.125	2004
20.03.2020 14:04:48	1	1	1	1	59	57	0	30000	464.516129	13870.30142	30000	0	0	30000	35.875	2004
20.03.2020 14:04:49	1	1	1	1	59.25	55.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	37.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:04:50	1	1	1	1	59.25	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 14:04:51	1	1	1	1	59.25	56.75	0	30000	460.2150538	13612.64371	30000	0	0	30000	36.8125	2004
20.03.2020 14:04:52	1	1	1	1	59.25	56.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	36.0625	2004
20.03.2020 14:04:53	1	1	1	1	59.25	56	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.1875	2004
20.03.2020 14:04:54	1	1	1	1	59.25	56	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.875	2004
20.03.2020 14:04:55	1	1	1	1	59.25	56.75	0	30000	453.7634409	13591.44402	30000	0	0	30000	37.3125	2004
20.03.2020 14:04:56	1	1	1	1	59.25	57.25	0	30000	451.6129032	13354.17063	30000	0	0	30000	35.75	2004
20.03.2020 14:04:57	1	1	1	1	59.25	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.8125	2004
20.03.2020 14:04:58	1	1	1	1	59.25	56.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 14:04:59	1	1	1	1	58.75	56.75	0	29905.213	443.0107527	13269.37189	30000	0	0	30000	36.4375	2004
20.03.2020 14:05:00	1	1	1	1	58.75	56.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	37	2004
20.03.2020 14:05:01	1	1	1	1	58.75	57	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.5	2004
20.03.2020 14:05:02	1	1	1	1	58.75	56.5	0	30000	458.0645161	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 14:05:09	1	1	1	1	58.75	57.25	0	30000	451.6129032	13333.78632	30000	0	0	30000	36.5	2004
20.03.2020 14:05:09	1	1	1	1	58.75	57.25	0	30000	451.6129032	13333.78632	30000	0	0	30000	36.5	2004
20.03.2020 14:05:09	1	1	1	1	58.75	57.25	0	30000	451.6129032	13333.78632	30000	0	0	30000	36.5	2004
20.03.2020 14:05:09	1	1	1	1	58.75	57.25	0	30000	451.6129032	13333.78632	30000	0	0	30000	36.5	2004
20.03.2020 14:05:09	1	1	1	1	58.75	57.25	0	30000	451.6129032	13333.78632	30000	0	0	30000	36.5	2004
20.03.2020 14:05:09	1	1	1	1	58.75	57.25	0	30000	451.6129032	13333.78632	30000	0	0	30000	36.5	2004
20.03.2020 14:05:09	1	1	1	1	58	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
20.03.2020 14:05:10	1	1	1	1	58	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:05:11	1	1	1	1	58	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.1875	2004
20.03.2020 14:05:12	1	1	1	1	58	56	0	30000	453.7634409	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:05:13	1	1	1	1	58	57	0	30000	445.1612903	13375.37032	30000	0	0	30000	36.375	2004
20.03.2020 14:05:14	1	1	1	1	58	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.4375	2004
20.03.2020 14:05:15	1	1	1	1	58	56.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.75	2004
20.03.2020 14:05:16	1	1	1	1	58	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:05:17	1	1	1	1	58	56.5	0	30000	451.6129032	13677.05814	30000	0	0	30000	36.625	2004
20.03.2020 14:05:19	1	1	1	1	58	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:05:20	1	1	1	1	58.75	57	0	29905.213	445.1612903	13483.81486	30000	0	0	30000	37	2004
20.03.2020 14:05:21	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:05:22	1	1	1	1	58.75	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 14:05:23	1	1	1	1	58.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.75	2004
20.03.2020 14:05:24	1	1	1	1	58.75	55.75	0	29952.607	449.4623656	13333.78632	30000	0	0	30000	36.5625	2004
20.03.2020 14:05:25	1	1	1	1	58.75	56.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	37.3125	2004
20.03.2020 14:05:26	1	1	1	1	58.75	57.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	37.5	2004
20.03.2020 14:05:27	1	1	1	1	58.75	55	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:05:28	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:05:29	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 14:05:30	1	1	1	1	58.75	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:05:31	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:05:32	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 14:05:33	1	1	1	1	58.75	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:05:34	1	1	1	1	58.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:05:35	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:05:36	1	1	1	1	58.75	56.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:05:37	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004
20.03.2020 14:05:38	1	1	1	1	58.75	56.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:05:39	1	1	1	1	58.75	57	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:05:40	1	1	1	1	58.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 14:05:41	1	1	1	1	58.75	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:05:42	1	1	1	1	58.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36	2004
20.03.2020 14:05:43	1	1	1	1	58.75	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:05:44	1	1	1	1	58.75	56.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:05:45	1	1	1	1	58.75	57	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:05:46	1	1	1	1	58.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
20.03.2020 14:05:47	1	1	1	1	58.75	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:05:48	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004
20.03.2020 14:05:49	1	1	1	1	58.5	56.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	37	2004
20.03.2020 14:05:50	1	1	1	1	58.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 14:05:51	1	1	1	1	58.5	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:05:52	1	1	1	1	58.5	56.5	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
20.03.2020 14:05:53	1	1	1	1	58.5	55.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	35.75	2004
20.03.2020 14:05:54	1	1	1	1	58.5	55.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	36.8125	2004
20.03.2020 14:05:55	1	1	1	1	58.5	56.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:05:56	1	1	1	1	58.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
20.03.2020 14:05:57	1	1	1	1	58.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:05:58	1	1	1	1	58.5	57.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	36.25	2004
20.03.2020 14:06:00	1	1	1	1	58	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:06:01	1	1	1	1	58	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.1875	2004
20.03.2020 14:06:02	1	1	1	1	58	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.375	2004
20.03.2020 14:06:03	1	1	1	1	58	56.25	0	30000	451.6129032	13548.22928	30000	0	0	30000	37	2004
20.03.2020 14:06:04	1	1	1	1	58	57	0	30000	445.1612903	13612.64371	30000	0	0	30000	36.3125	2004
20.03.2020 14:06:11	1	1	1	1	58.5	57.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:06:11	1	1	1	1	58.5	57.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:06:11	1	1	1	1	58.5	57.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:06:11	1	1	1	1	58.5	57.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:06:11	1	1	1	1	58.5	57.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:06:11	1	1	1	1	58.5	57.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:06:11	1	1	1	1	58.5	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:06:12	1	1	1	1	58.5	57.25	0	29905.213	451.6129032	13569.42897	30000	0	0	30000	36.625	2004
20.03.2020 14:06:13	1	1	1	1	58.5	56.5	0	30000	449.4623656	13483.81486	30000	0	0	30000	36.9375	2004
20.03.2020 14:06:14	1	1	1	1	58.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:06:15	1	1	1	1	58.5	57	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.5625	2004
20.03.2020 14:06:16	1	1	1	1	58.5	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 14:06:17	1	1	1	1	58.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:06:18	1	1	1	1	58.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:06:19	1	1	1	1	58.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:06:20	1	1	1	1	58.5	57	0	30000	445.1612903	13269.37189	30000	0	0	30000	36.4375	2004
20.03.2020 14:06:21	1	1	1	1	58.5	56.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:06:22	1	1	1	1	58.5	56.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:06:23	1	1	1	1	58.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 14:06:24	1	1	1	1	58.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:06:25	1	1	1	1	58.5	56.75	0	29905.213	445.1612903	13312.58663	30000	0	0	30000	36.375	2004
20.03.2020 14:06:26	1	1	1	1	58.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36	2004
20.03.2020 14:06:27	1	1	1	1	58.5	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 14:06:28	1	1	1	1	58.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 14:06:29	1	1	1	1	58.25	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.375	2004
20.03.2020 14:06:30	1	1	1	1	58.25	56.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:06:31	1	1	1	1	58.25	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:06:32	1	1	1	1	58.25	57	0	30000	445.1612903	13333.78632	30000	0	0	30000	35.9375	2004
20.03.2020 14:06:33	1	1	1	1	58.25	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:06:34	1	1	1	1	58.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:06:35	1	1	1	1	58.25	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 14:06:36	1	1	1	1	58.25	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 14:06:37	1	1	1	1	58.25	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 14:06:38	1	1	1	1	58.25	56.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.125	2004
20.03.2020 14:06:39	1	1	1	1	58.5	56	0	30000	449.4623656	13354.17063	30000	0	0	30000	35.9375	2004
20.03.2020 14:06:41	1	1	1	1	58.5	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.0625	2004
20.03.2020 14:06:42	1	1	1	1	58.5	57	0	30000	451.6129032	13612.64371	30000	0	0	30000	37	2004
20.03.2020 14:06:43	1	1	1	1	58.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 14:06:44	1	1	1	1	58.5	56.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	36.875	2004
20.03.2020 14:06:45	1	1	1	1	58.5	56.75	0	30000	445.1612903	13312.58663	30000	0	0	30000	37.6875	2004
20.03.2020 14:06:46	1	1	1	1	58.5	57.5	0	30000	445.1612903	13612.64371	30000	0	0	30000	37.25	2004
20.03.2020 14:06:47	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:06:48	1	1	1	1	58.5	56.5	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:06:49	1	1	1	1	58.75	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:06:50	1	1	1	1	58.75	56.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.25	2004
20.03.2020 14:06:51	1	1	1	1	58.75	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.4375	2004
20.03.2020 14:06:52	1	1	1	1	58.75	56.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:06:53	1	1	1	1	58.75	56.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.3125	2004
20.03.2020 14:06:54	1	1	1	1	58.75	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.25	2004
20.03.2020 14:06:55	1	1	1	1	58.75	57.25	0	30000	438.7096774	12798.08659	30000	0	0	30000	36.375	2004
20.03.2020 14:06:56	1	1	1	1	58.75	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
20.03.2020 14:06:57	1	1	1	1	58.75	57.25	0	29952.607	434.4086022	13332.15557	30000	0	0	30000	36.6875	2004
20.03.2020 14:06:58	1	1	1	1	58.75	56.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.25	2004
20.03.2020 14:06:59	1	1	1	1	59	57.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	36.8125	2004
20.03.2020 14:07:00	1	1	1	1	59	56.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	37	2004
20.03.2020 14:07:01	1	1	1	1	59	57	0	30000	434.4086022	13160.92735	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:07:02	1	1	1	1	59	57	0	30000	432.2580645	13032.0985	30000	0	0	30000	35.75	2004
20.03.2020 14:07:03	1	1	1	1	59	55.75	0	29905.213	427.9569892	12818.4709	30000	0	0	30000	36.625	2004
20.03.2020 14:07:04	1	1	1	1	59	56.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.6875	2004
20.03.2020 14:07:05	1	1	1	1	59	56.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.625	2004
20.03.2020 14:07:12	1	1	1	1	58.75	56.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.6875	2004
20.03.2020 14:07:12	1	1	1	1	58.75	56.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.6875	2004
20.03.2020 14:07:12	1	1	1	1	58.75	56.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.6875	2004
20.03.2020 14:07:12	1	1	1	1	58.75	56.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.6875	2004
20.03.2020 14:07:12	1	1	1	1	58.75	56.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.6875	2004
20.03.2020 14:07:12	1	1	1	1	58.75	56.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.75	2004
20.03.2020 14:07:13	1	1	1	1	58.75	56.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.3125	2004
20.03.2020 14:07:14	1	1	1	1	58.75	57.25	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	36.8125	2004
20.03.2020 14:07:15	1	1	1	1	58.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:07:16	1	1	1	1	58.75	56.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.875	2004
20.03.2020 14:07:18	1	1	1	1	58.75	56.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 14:07:19	1	1	1	1	58.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:07:20	1	1	1	1	58.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:07:21	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 14:07:22	1	1	1	1	58.5	56.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	36.75	2004
20.03.2020 14:07:23	1	1	1	1	58.5	56.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	37	2004
20.03.2020 14:07:24	1	1	1	1	58.5	57	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.3125	2004
20.03.2020 14:07:25	1	1	1	1	58.5	57.25	0	30000	440.8602151	13160.92735	30000	0	0	30000	37.375	2004
20.03.2020 14:07:26	1	1	1	1	58.5	56.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:07:27	1	1	1	1	58.5	57	0	29952.607	427.9569892	13096.51292	30000	0	0	30000	36.0625	2004
20.03.2020 14:07:28	1	1	1	1	58.5	56	0	30000	434.4086022	13096.51292	30000	0	0	30000	36.3125	2004
20.03.2020 14:07:29	1	1	1	1	58.75	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
20.03.2020 14:07:30	1	1	1	1	58.75	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.25	2004
20.03.2020 14:07:31	1	1	1	1	58.75	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37	2004
20.03.2020 14:07:32	1	1	1	1	58.75	57	0	30000	434.4086022	13160.92735	30000	0	0	30000	37.25	2004
20.03.2020 14:07:33	1	1	1	1	58.75	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.6875	2004
20.03.2020 14:07:34	1	1	1	1	58.75	56.5	0	30000	436.5591398	13076.12861	30000	0	0	30000	36.1875	2004
20.03.2020 14:07:35	1	1	1	1	58.75	56	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.0625	2004
20.03.2020 14:07:36	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.25	2004
20.03.2020 14:07:37	1	1	1	1	58.75	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:07:38	1	1	1	1	58.75	57	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.0625	2004
20.03.2020 14:07:39	1	1	1	1	58.25	57	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	36.5	2004
20.03.2020 14:07:40	1	1	1	1	58.25	56.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.3125	2004
20.03.2020 14:07:41	1	1	1	1	58.25	56.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.25	2004
20.03.2020 14:07:42	1	1	1	1	58.25	57.25	0	30000	438.7096774	13140.54304	30000	0	0	30000	36.0625	2004
20.03.2020 14:07:43	1	1	1	1	58.25	56	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.25	2004
20.03.2020 14:07:44	1	1	1	1	58.25	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.3125	2004
20.03.2020 14:07:45	1	1	1	1	58.25	57.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:07:46	1	1	1	1	58.25	56.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.4375	2004
20.03.2020 14:07:47	1	1	1	1	58.25	56.25	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	37.3125	2004
20.03.2020 14:07:48	1	1	1	1	58.25	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.3125	2004
20.03.2020 14:07:49	1	1	1	1	58.25	56.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	37	2004
20.03.2020 14:07:50	1	1	1	1	58.25	57	0	30000	445.1612903	13375.37032	30000	0	0	30000	36.875	2004
20.03.2020 14:07:51	1	1	1	1	58.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:07:52	1	1	1	1	58.25	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:07:53	1	1	1	1	58.25	56.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.0625	2004
20.03.2020 14:07:54	1	1	1	1	58.25	57	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.375	2004
20.03.2020 14:07:55	1	1	1	1	58.25	57.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:07:59	1	1	1	1	58.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:07:59	1	1	1	1	58.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:07:59	1	1	1	1	58.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:08:00	1	1	1	1	58	56.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.3125	2004
20.03.2020 14:08:01	1	1	1	1	58	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:02	1	1	1	1	58	57.25	0	30000	440.8602151	13160.92735	30000	0	0	30000	37.6875	2004
20.03.2020 14:08:03	1	1	1	1	58	57.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.75	2004
20.03.2020 14:08:04	1	1	1	1	58	56.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:05	1	1	1	1	58	57.25	0	30000	438.7096774	12967.68407	30000	0	0	30000	36.4375	2004
20.03.2020 14:08:06	1	1	1	1	58	57.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:07	1	1	1	1	58	57.25	0	30000	438.7096774	13119.34335	30000	0	0	30000	36.4375	2004
20.03.2020 14:08:14	1	1	1	1	58.5	56.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:14	1	1	1	1	58.5	56.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:14	1	1	1	1	58.5	56.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:14	1	1	1	1	58.5	56.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:14	1	1	1	1	58.5	56.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:14	1	1	1	1	58.5	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.0625	2004
20.03.2020 14:08:15	1	1	1	1	58.5	57	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	36.8125	2004
20.03.2020 14:08:16	1	1	1	1	58.5	56.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	36.5625	2004
20.03.2020 14:08:17	1	1	1	1	58.5	56.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.25	2004
20.03.2020 14:08:18	1	1	1	1	58.5	56.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	36.75	2004
20.03.2020 14:08:19	1	1	1	1	58.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:08:20	1	1	1	1	58.25	56.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.375	2004
20.03.2020 14:08:21	1	1	1	1	58.25	57.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:22	1	1	1	1	58.25	57.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:08:23	1	1	1	1	58.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:08:24	1	1	1	1	58.25	56.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	36.625	2004
20.03.2020 14:08:25	1	1	1	1	58.25	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:08:26	1	1	1	1	58.25	57.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	35.9375	2004
20.03.2020 14:08:27	1	1	1	1	58.25	55.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.875	2004
20.03.2020 14:08:28	1	1	1	1	58.25	56.75	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:08:29	1	1	1	1	58	57	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:08:30	1	1	1	1	58	56.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.375	2004
20.03.2020 14:08:31	1	1	1	1	58	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.75	2004
20.03.2020 14:08:32	1	1	1	1	58	56.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	36.8125	2004
20.03.2020 14:08:33	1	1	1	1	58	56.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.0625	2004
20.03.2020 14:08:34	1	1	1	1	58	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:08:36	1	1	1	1	58	56.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.4375	2004
20.03.2020 14:08:37	1	1	1	1	58	56.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:38	1	1	1	1	58	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:08:39	1	1	1	1	58	57	0	30000	436.5591398	13160.92735	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:40	1	1	1	1	57.5	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.375	2004
20.03.2020 14:08:41	1	1	1	1	57.5	57.25	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	37.375	2004
20.03.2020 14:08:42	1	1	1	1	57.5	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.5	2004
20.03.2020 14:08:43	1	1	1	1	57.5	57.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:44	1	1	1	1	57.5	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.3125	2004
20.03.2020 14:08:45	1	1	1	1	57.5	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.75	2004
20.03.2020 14:08:46	1	1	1	1	57.5	57.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.375	2004
20.03.2020 14:08:47	1	1	1	1	57.5	56.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	36.75	2004
20.03.2020 14:08:48	1	1	1	1	57.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.375	2004
20.03.2020 14:08:49	1	1	1	1	58	57.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	36.5	2004
20.03.2020 14:08:50	1	1	1	1	58	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:08:51	1	1	1	1	58	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:08:52	1	1	1	1	58	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:08:53	1	1	1	1	58	56.75	0	30047.393	453.7634409	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:08:54	1	1	1	1	58	57	0	30000	449.4623656	13183.75778	30000	0	0	30000	37.25	2004
20.03.2020 14:08:55	1	1	1	1	58	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:08:56	1	1	1	1	58	56.75	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	36.0625	2004
20.03.2020 14:08:57	1	1	1	1	58	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
20.03.2020 14:08:58	1	1	1	1	58	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:08:59	1	1	1	1	57.75	57.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	37.1875	2004
20.03.2020 14:09:00	1	1	1	1	57.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:09:01	1	1	1	1	57.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:09:02	1	1	1	1	57.75	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:09:03	1	1	1	1	57.75	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.25	2004
20.03.2020 14:09:04	1	1	1	1	57.75	57.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.25	2004
20.03.2020 14:09:05	1	1	1	1	57.75	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:09:06	1	1	1	1	57.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:09:07	1	1	1	1	57.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:09:08	1	1	1	1	57.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:09:15	1	1	1	1	58	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.9375	2004
20.03.2020 14:09:15	1	1	1	1	58	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.9375	2004
20.03.2020 14:09:15	1	1	1	1	58	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.9375	2004
20.03.2020 14:09:15	1	1	1	1	58	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.9375	2004
20.03.2020 14:09:15	1	1	1	1	58	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:09:16	1	1	1	1	58	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:09:16	1	1	1	1	58	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:09:17	1	1	1	1	58	56.75	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	37.1875	2004
20.03.2020 14:09:18	1	1	1	1	58	57	0	30000	451.6129032	13483.81486	30000	0	0	30000	37.25	2004
20.03.2020 14:09:19	1	1	1	1	58	57.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	37	2004
20.03.2020 14:09:20	1	1	1	1	58	57	0	30000	458.0645161	13805.88699	30000	0	0	30000	37.25	2004
20.03.2020 14:09:21	1	1	1	1	58	57.25	0	30000	449.4623656	13483.81486	30000	0	0	30000	37.1875	2004
20.03.2020 14:09:22	1	1	1	1	58	57	0	30000	449.4623656	13462.61517	30000	0	0	30000	37.625	2004
20.03.2020 14:09:23	1	1	1	1	58	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
20.03.2020 14:09:24	1	1	1	1	58	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.5625	2004
20.03.2020 14:09:25	1	1	1	1	58	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:09:26	1	1	1	1	58	57.25	0	30000	445.1612903	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 14:09:27	1	1	1	1	58	56.75	0	30000	445.1612903	13269.37189	30000	0	0	30000	37.375	2004
20.03.2020 14:09:28	1	1	1	1	58	57.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	36.75	2004
20.03.2020 14:09:29	1	1	1	1	58.5	56.75	0	30000	445.1612903	13140.54304	30000	0	0	30000	36.5	2004
20.03.2020 14:09:30	1	1	1	1	58.5	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:09:31	1	1	1	1	58.5	56.75	0	30094.787	455.9139785	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:09:32	1	1	1	1	58.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:09:33	1	1	1	1	58.5	57	0	30000	445.1612903	13119.34335	30000	0	0	30000	36.875	2004
20.03.2020 14:09:34	1	1	1	1	58.5	56.75	0	30000	438.7096774	13375.37032	30000	0	0	30000	36.875	2004
20.03.2020 14:09:35	1	1	1	1	58.5	56.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	36.75	2004
20.03.2020 14:09:36	1	1	1	1	58.5	56.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.125	2004
20.03.2020 14:09:37	1	1	1	1	58.5	57	0	30000	440.8602151	13289.7562	30000	0	0	30000	36.8125	2004
20.03.2020 14:09:38	1	1	1	1	58.5	56.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	37.0625	2004
20.03.2020 14:09:39	1	1	1	1	58.25	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:09:40	1	1	1	1	58.25	57	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.875	2004
20.03.2020 14:09:41	1	1	1	1	58.25	56.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	35.9375	2004
20.03.2020 14:09:42	1	1	1	1	58.25	55.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	37.0625	2004
20.03.2020 14:09:43	1	1	1	1	58.25	57	0	30000	440.8602151	13289.7562	30000	0	0	30000	37.125	2004
20.03.2020 14:09:44	1	1	1	1	58.25	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:09:45	1	1	1	1	58.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:09:46	1	1	1	1	58.25	57	0	30047.393	445.1612903	13054.92893	30000	0	0	30000	36.75	2004
20.03.2020 14:09:47	1	1	1	1	58.25	56.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.0625	2004
20.03.2020 14:09:48	1	1	1	1	58.25	57	0	30000	440.8602151	13225.34178	30000	0	0	30000	36.875	2004
20.03.2020 14:09:49	1	1	1	1	58.5	56.75	0	30000	443.0107527	13204.95746	30000	0	0	30000	37.0625	2004
20.03.2020 14:09:50	1	1	1	1	58.5	57	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.3125	2004
20.03.2020 14:09:51	1	1	1	1	58.5	57.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	37.125	2004
20.03.2020 14:09:52	1	1	1	1	58.5	57	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.375	2004
20.03.2020 14:09:53	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:09:54	1	1	1	1	58.5	57.25	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:09:55	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:09:56	1	1	1	1	58.5	57	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.0625	2004
20.03.2020 14:09:57	1	1	1	1	58.5	57	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:09:59	1	1	1	1	58.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.4375	2004
20.03.2020 14:10:00	1	1	1	1	58.75	57.25	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 14:10:01	1	1	1	1	58.75	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:02	1	1	1	1	58.75	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.6875	2004
20.03.2020 14:10:03	1	1	1	1	58.75	57.5	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	37.25	2004
20.03.2020 14:10:04	1	1	1	1	58.75	57.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.5625	2004
20.03.2020 14:10:05	1	1	1	1	58.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.375	2004
20.03.2020 14:10:06	1	1	1	1	58.75	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.6875	2004
20.03.2020 14:10:07	1	1	1	1	58.75	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:10:08	1	1	1	1	58.75	56.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:10:09	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.125	2004
20.03.2020 14:10:10	1	1	1	1	58.5	56	0	29952.607	436.5591398	13160.92735	30000	0	0	30000	37.375	2004
20.03.2020 14:10:17	1	1	1	1	58.5	57	0	30000	436.5591398	13096.51292	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:17	1	1	1	1	58.5	57	0	30000	436.5591398	13096.51292	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:17	1	1	1	1	58.5	57	0	30000	436.5591398	13096.51292	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:17	1	1	1	1	58.5	57	0	30000	436.5591398	13096.51292	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:17	1	1	1	1	58.5	57	0	30000	436.5591398	13096.51292	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:17	1	1	1	1	58.5	57.25	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	37.125	2004
20.03.2020 14:10:18	1	1	1	1	58.5	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.5	2004
20.03.2020 14:10:19	1	1	1	1	58.75	56.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.375	2004
20.03.2020 14:10:20	1	1	1	1	58.75	57.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	36.8125	2004
20.03.2020 14:10:21	1	1	1	1	58.75	56.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:22	1	1	1	1	58.75	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
20.03.2020 14:10:23	1	1	1	1	58.75	56.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.5625	2004
20.03.2020 14:10:24	1	1	1	1	58.75	56.5	0	30000	443.0107527	13375.37032	30000	0	0	30000	37.0625	2004
20.03.2020 14:10:25	1	1	1	1	58.75	57	0	30000	438.7096774	13289.7562	30000	0	0	30000	37.375	2004
20.03.2020 14:10:26	1	1	1	1	58.75	57.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:10:27	1	1	1	1	58.75	56.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:28	1	1	1	1	58.75	57.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	37.375	2004
20.03.2020 14:10:29	1	1	1	1	58.5	57.25	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	37.25	2004
20.03.2020 14:10:30	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
20.03.2020 14:10:31	1	1	1	1	58.5	56.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:32	1	1	1	1	58.5	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.9375	2004
20.03.2020 14:10:33	1	1	1	1	58.5	56.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.6875	2004
20.03.2020 14:10:34	1	1	1	1	58.5	56.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:10:35	1	1	1	1	58.5	57	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:36	1	1	1	1	58.5	57.25	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	36.8125	2004
20.03.2020 14:10:37	1	1	1	1	58.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:10:38	1	1	1	1	58.5	57	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:39	1	1	1	1	59	57.25	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	36.625	2004
20.03.2020 14:10:40	1	1	1	1	59	56.5	0	30000	440.8602151	13160.92735	30000	0	0	30000	36.25	2004
20.03.2020 14:10:42	1	1	1	1	59	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:10:43	1	1	1	1	59	57.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.375	2004
20.03.2020 14:10:44	1	1	1	1	59	57.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.4375	2004
20.03.2020 14:10:45	1	1	1	1	59	56.25	0	30000	438.7096774	12818.4709	30000	0	0	30000	37.25	2004
20.03.2020 14:10:46	1	1	1	1	59	57.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	36.75	2004
20.03.2020 14:10:47	1	1	1	1	59	56.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	37.5625	2004
20.03.2020 14:10:48	1	1	1	1	59	57.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.625	2004
20.03.2020 14:10:49	1	1	1	1	59	56.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	36.1875	2004
20.03.2020 14:10:50	1	1	1	1	59.5	56	0	29952.607	436.5591398	13160.92735	30000	0	0	30000	37.0625	2004
20.03.2020 14:10:51	1	1	1	1	59.5	57	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.6875	2004
20.03.2020 14:10:52	1	1	1	1	59.5	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.6875	2004
20.03.2020 14:10:53	1	1	1	1	59.5	56.75	0	29952.607	443.0107527	13160.92735	30000	0	0	30000	37.1875	2004
20.03.2020 14:10:54	1	1	1	1	59.5	57	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	36	2004
20.03.2020 14:10:55	1	1	1	1	59.5	56	0	30047.393	443.0107527	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:10:56	1	1	1	1	59.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:10:57	1	1	1	1	59.5	57	0	30000	453.7634409	13312.58663	30000	0	0	30000	36.875	2004
20.03.2020 14:10:58	1	1	1	1	59.5	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.875	2004
20.03.2020 14:10:59	1	1	1	1	58.75	56.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	37.625	2004
20.03.2020 14:11:00	1	1	1	1	58.75	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.5	2004
20.03.2020 14:11:01	1	1	1	1	58.75	57.5	0	29905.213	445.1612903	13333.78632	30000	0	0	30000	37.375	2004
20.03.2020 14:11:02	1	1	1	1	58.75	57.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	37.25	2004
20.03.2020 14:11:03	1	1	1	1	58.75	57.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.375	2004
20.03.2020 14:11:04	1	1	1	1	58.75	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	37.5	2004
20.03.2020 14:11:05	1	1	1	1	58.75	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
20.03.2020 14:11:06	1	1	1	1	58.75	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
20.03.2020 14:11:07	1	1	1	1	58.75	57	0	30000	443.0107527	13375.37032	30000	0	0	30000	36.375	2004
20.03.2020 14:11:08	1	1	1	1	58.75	56.25	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:11:09	1	1	1	1	58.5	57	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	36.9375	2004
20.03.2020 14:11:10	1	1	1	1	58.5	56.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.1875	2004
20.03.2020 14:11:11	1	1	1	1	58.5	57	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:11:18	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:11:18	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:11:18	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:11:18	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:11:18	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:11:18	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.5	2004
20.03.2020 14:11:19	1	1	1	1	58.5	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:11:20	1	1	1	1	58.5	57	0	30000	443.0107527	13375.37032	30000	0	0	30000	37.375	2004
20.03.2020 14:11:21	1	1	1	1	58.5	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.4375	2004
20.03.2020 14:11:22	1	1	1	1	58.5	57.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.3125	2004
20.03.2020 14:11:24	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:11:25	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:11:26	1	1	1	1	58.5	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
20.03.2020 14:11:27	1	1	1	1	58.5	57.25	0	30000	449.4623656	13333.78632	30000	0	0	30000	37	2004
20.03.2020 14:11:28	1	1	1	1	58.5	57	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.25	2004
20.03.2020 14:11:29	1	1	1	1	58.5	57.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.5	2004
20.03.2020 14:11:30	1	1	1	1	59	57.5	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	37.875	2004
20.03.2020 14:11:31	1	1	1	1	59	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
20.03.2020 14:11:32	1	1	1	1	59	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.4375	2004
20.03.2020 14:11:33	1	1	1	1	59	57.25	0	29905.213	445.1612903	13333.78632	30000	0	0	30000	37.3125	2004
20.03.2020 14:11:34	1	1	1	1	59	56.25	0	29905.213	443.0107527	13248.17221	30000	0	0	30000	37.25	2004
20.03.2020 14:11:35	1	1	1	1	59	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
20.03.2020 14:11:36	1	1	1	1	59	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:11:37	1	1	1	1	59	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
20.03.2020 14:11:38	1	1	1	1	59	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
20.03.2020 14:11:39	1	1	1	1	58.5	57	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.25	2004
20.03.2020 14:11:40	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.375	2004
20.03.2020 14:11:41	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.375	2004
20.03.2020 14:11:42	1	1	1	1	58.5	57.25	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	37.3125	2004
20.03.2020 14:11:43	1	1	1	1	58.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004