



NOTICE OF REVIEW

CLEAN WATER ACT SECTION 401

CERTIFICATION

Alaska Department of Environmental Conservation (DEC)
Wastewater Discharge Authorization Program
555 Cordova Street
Anchorage, Alaska 99501

FINAL RESPONSE TO COMMENTS

CLEAN WATER ACT SECTION 401 CERTIFICATION

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

SKAGWAY WASTEWATER TREATMENT PLANT

Following the close of the 45-day public notice of Clean Water Act Section 401 Certificate of Reasonable Assurance for the draft Municipality of Skagway Borough Wastewater Treatment Plant NPDES Permit AK0020010 renewal, DEC has prepared responses for the comments received. DEC's Final Response to Comments can be accessed at DEC's Wastewater Discharge Authorization Program web page at: <http://www.dec.state.ak.us/water/wastewater/>. Comments were accepted during Public Notice and will not be accepted during this review period.

Final Response to Comments Review

Start Date: March 15, 2024

End Date: April 15, 2024

NPDES Permit No.: AK0020010

Nature of Activity and Location:

The Environmental Protection Agency (EPA) public noticed the draft Municipality of Skagway Borough Wastewater Treatment Plant NPDES Permit No. AK0020010 on July 28, 2023 for 45-days and requested DEC provide the draft permit a Clean Water Act Section 401 certification. The permit is a renewal of the Municipality of Skagway Borough's Clean Water Act Section 301(h) modified AK0020010 permit issued by EPA in 2002.

DEC's Draft Certificate of Reasonable of Assurance was public noticed concurrently with the draft NPDES Municipality of Skagway Borough Wastewater Treatment Plant permit. DEC received comments on the Draft Certificate of Reasonable Assurance and has prepared a Final Response to Comments document.

The activity is located at 59.448523° north latitude, 135.326580° west longitude, near Skagway, Alaska with discharge of primary treated domestic wastewater to Taiya Inlet.

Determination:

DEC has issued a Final Certificate of Reasonable Assurance for NPDES Permit No. AK0020010.

DEC Contact: Marie Klingman
907-451-2101
marie.klingman@alaska.gov

Informal Reviews and Adjudicatory Hearings:

A person authorized under a provision of 18 AAC 15 may request an informal review of a contested decision by the Division Director in accordance with 18 AAC 15.185 and/or an adjudicatory hearing in accordance with 18 AAC 15.195 – 18 AAC 15.340. See DEC’s “Appeal a DEC Decision” web page <https://dec.alaska.gov/commish/review-guidance/> for access to the required forms and guidance on the appeal process. Please provide a courtesy copy of the adjudicatory hearing request in an electronic format to the parties required to be served under 18 AAC 15.200.

Requests must be submitted no later than the deadline specified in 18 AAC 15 based on the date of this notice.

Administrative Record:

The Final Response to Comments and associated documents are available for public review at the DEC offices located in Anchorage, Fairbanks, Juneau, Soldotna, and Wasilla. Please contact the office of your choice to arrange for hard copies of the documents to be available for your review.

555 Cordova Street Anchorage , AK 99501 907-269-6285	610 University Avenue Fairbanks , AK 99709 907-451-2100	P.O. Box 111800 Juneau , AK 99811-1800 Location: 333 Willoughby Avenue Juneau , AK 907-465-5300
43335 Kalifornsky Beach Road Soldotna , AK 99615 907-262-5210	1700 E Bogard Road #B, Suite #103 Wasilla , AK 99654 907-376-1850	

The documents are also accessible from the ADEC website at:
<http://www.dec.state.ak.us/water/wastewater/>

Disability Reasonable Accommodation Notice

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a reasonable accommodation in order to participate in this public process, please contact Megan Kohler at 907-269-4198 or TDD Relay Service 1-800-770-8973/TTY or dial 711 to ensure that any necessary accommodations can be provided in a timely manner.