

Com-Port	3 Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values			Dip-Switch 6-8 auf 0									
Adr. Übernehmen	Set Umax 30000 V															
OekoTube Adresse:	31 ON OFF Auto															
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:21:10	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:21:11	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:21:12	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:13	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:14	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:21:15	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:16	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:21:18	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:21:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:21:20	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:21:22	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:23	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:21:24	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:21:25	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:26	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:21:27	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:21:28	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:21:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	21.25	2004
29.01.2020 08:21:30	1	0	1	1	18.75	41.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:21:31	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:32	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:21:33	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:21:34	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:21:35	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:36	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:21:37	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:21:39	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:21:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:21:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:42	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:43	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:44	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:21:45	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:21:46	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:21:47	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:21:48	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:21:49	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:50	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:51	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:21:52	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:53	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:21:54	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:21:55	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:21:56	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:21:57	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:21:58	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:21:59	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:22:01	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:22:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:22:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:22:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:22:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:22:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:22:08	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	20.1875	2004
29.01.2020 08:22:09	1	0	1	1	18.75	40	0	0	0	0	30000	0	0	30000	20.0625	2004
29.01.2020 08:22:10	1	0	1	1	18.75	40	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:11	1	0	1	1	18.75	40.5	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:22:12	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:13	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:22:14	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:22:15	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:22:16	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:22:17	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:22:18	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:22:19	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:20	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:22:21	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:22	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:23	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:22:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:22:25	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:22:26	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:27	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:22:28	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:30	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:22:31	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:22:32	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:22:33	1	0	1	1	18.75	39.5	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:34	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:22:35	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:22:36	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:37	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:39	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:22:40	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:41	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:42	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:22:43	1	0	1	1	18.75	39.5	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:22:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:45	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:22:47	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.6875	2004
29.01.2020 08:22:48	1	0	1	1	19	39.5	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:22:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	22.125	2004
29.01.2020 08:22:50	1	0	1	1	19	42	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:22:51	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:52	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:22:53	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:22:54	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:22:55	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:22:56	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:57	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:22:58	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:22:59	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:00	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:01	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:02	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:09	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:23:09	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:23:09	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:23:09	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:23:09	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:23:09	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:23:10	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:23:11	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:23:12	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:23:13	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:23:14	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:23:15	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:23:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:23:18	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:23:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:23:20	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:23:21	1	0	1	1	18.75	39.5	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:22	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:23:23	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:24	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:23:25	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:23:26	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	20	2004
29.01.2020 08:23:27	1	0	1	1	19	40	0	0	0	0	30000	0	0	30000	20.625	2004
29.01.2020 08:23:28	1	0	1	1	19	40.5	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:23:29	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	21.6875	2004
29.01.2020 08:23:30	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:31	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:23:32	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:23:34	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:35	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:23:36	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:23:37	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:23:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:39	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:23:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:23:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:23:42	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:43	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:23:44	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:23:45	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:23:46	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:23:47	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:48	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:23:49	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:23:50	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:23:51	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:52	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:53	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:23:54	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:23:56	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:23:57	1	0	1	1	18.75	39.5	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:23:58	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:23:59	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:24:00	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:24:01	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:24:02	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:24:03	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:24:04	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:24:11	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:24:11	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:24:11	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:24:11	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:24:11	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:24:11	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:24:11	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:24:12	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:24:13	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:24:14	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:24:15	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:24:16	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:24:17	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:24:18	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:24:19	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:24:20	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:24:21	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:24:22	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:24:23	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:24:24	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:24:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:24:26	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:24:27	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:24:28	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:24:29	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:24:30	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:24:31	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:24:32	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:24:33	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:24:35	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:24:36	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:24:37	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:24:38	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:24:39	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:24:40	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:24:41	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:24:42	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:24:43	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:25:28	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:25:29	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:25:30	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:25:31	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:25:32	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:25:33	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:34	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:35	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:25:36	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:37	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:25:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:39	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:25:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:42	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:45	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:25:45	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:25:47	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:48	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:25:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:25:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:25:51	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:25:52	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:25:53	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:25:55	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:25:56	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:25:57	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:25:58	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:25:59	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:00	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:01	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:26:02	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:26:03	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:26:04	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	20.1875	2004
29.01.2020 08:26:05	1	0	1	1	18.75	40	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:26:06	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	21.4375	2004
29.01.2020 08:26:07	1	0	1	1	18.75	39.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:26:14	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:26:14	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:26:14	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:26:14	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:26:14	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:26:14	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:26:14	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:26:15	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:26:16	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:17	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:26:18	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:26:19	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:20	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:21	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:26:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:26:23	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:24	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:26:25	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:26:26	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:26:27	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:26:28	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:26:29	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:30	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:26:31	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:26:32	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:26:34	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:35	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:26:36	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:26:37	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:38	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:26:39	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:26:40	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:26:41	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:26:42	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:43	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	20.625	2004
29.01.2020 08:26:44	1	0	1	1	18.75	40.5	0	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:26:45	1	0	1	1	18.75	39.5	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:26:46	1	0	1	1	18.75	40.25	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:26:47	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:26:48	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:49	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:26:50	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:26:51	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:26:52	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:26:53	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:26:54	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:26:55	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:26:56	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:26:57	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:26:58	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:26:59	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:27:00	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:27:01	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:02	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:27:03	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:27:04	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:05	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:27:06	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:27:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:27:08	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:16	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:27:18	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:27:19	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:27:20	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:21	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.6875	2004
29.01.2020 08:27:22	1	0	1	1	18.75	39.5	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:27:23	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	21.6875	2004
29.01.2020 08:27:24	1	0	1	1	19	41.5	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:25	1	0	1	1	19	40.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:27:26	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:27:27	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:27:28	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:27:29	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:27:30	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:27:31	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:27:32	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:27:33	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:27:34	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:27:35	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:27:36	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:27:37	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:38	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:27:39	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:27:40	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:41	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:42	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:27:43	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:27:44	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:45	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:27:46	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:47	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:27:48	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:27:49	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:27:50	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:51	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:27:52	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:27:54	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:55	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:56	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:27:57	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:27:58	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:27:59	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:28:00	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:28:01	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:28:02	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:28:03	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:28:04	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:28:05	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:06	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:07	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:08	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.5625	2004
29.01.2020 08:28:09	1	0	1	1	18.75	39.5	0	0	0	0	0	30000	0	0	30000	19.875	2004
29.01.2020 08:28:10	1	0	1	1	18.75	39.75	0	0	0	0	0	30000	0	0	30000	20.6875	2004
29.01.2020 08:28:17	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:28:17	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:28:17	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:28:17	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:28:17	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:28:17	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:28:17	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:28:18	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:28:19	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:28:20	1	0	1	1	18.75	39.5	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:28:21	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:28:22	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:28:23	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:28:24	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:28:25	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:28:26	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:28:27	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:28:28	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:30	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:31	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:28:32	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:28:33	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:28:34	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:28:35	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:37	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:28:38	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:28:39	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:28:40	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:41	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:28:42	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:28:43	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:28:44	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:28:45	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:28:46	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:47	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:28:48	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:28:49	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	20.5625	2004
29.01.2020 08:28:50	1	0	1	1	18.75	40.5	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:51	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:28:52	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:28:53	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:28:54	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:28:55	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:28:56	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:28:57	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:28:58	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:28:59	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:29:00	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:01	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:02	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:03	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:29:04	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:29:05	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:29:06	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:29:08	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:29:09	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:29:10	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:29:11	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:29:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:18	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:18	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:18	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:18	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:19	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:20	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:29:21	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:29:22	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:23	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:29:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:25	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:26	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:29:27	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:29:28	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	20	2004
29.01.2020 08:29:29	1	0	1	1	18.75	40	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:29:30	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:31	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:29:32	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:29:34	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:29:35	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:29:36	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:37	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:29:38	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:29:39	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:29:40	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:29:41	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:42	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:29:43	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:29:44	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:45	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:29:46	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:47	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:48	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:49	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:50	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:29:51	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:29:52	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:29:53	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:29:55	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:29:56	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:29:57	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:29:58	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:29:59	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:00	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:30:01	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:02	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:30:03	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:04	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:30:05	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:30:06	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:30:08	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:09	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	20.8125	2004
29.01.2020 08:30:10	1	0	1	1	18.75	40.75	0	0	0	0	30000	0	0	30000	20.9375	2004
29.01.2020 08:30:11	1	0	1	1	18.75	40.75	0	0	0	0	30000	0	0	30000	22.3125	2004
29.01.2020 08:30:12	1	0	1	1	18.75	41.5	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:13	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:30:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:30:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:30:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:30:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:30:19	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:30:20	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:21	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:22	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:23	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:30:25	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:30:26	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:30:27	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:30:28	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:30:30	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:30:31	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:32	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:30:33	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:34	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:30:36	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:30:37	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:30:38	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:30:39	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:40	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:30:41	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:42	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:43	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:44	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:45	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:30:46	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:30:47	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:30:48	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:30:49	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:50	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	20.3125	2004
29.01.2020 08:30:51	1	0	1	1	18.75	40.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:30:52	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:30:53	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:54	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:30:55	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:30:56	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:30:57	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:30:58	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:30:59	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:31:00	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:01	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:31:02	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:31:03	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:04	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:05	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:31:06	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:31:07	1	0	1	1	18.75	39.5	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:11	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:11	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:11	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:11	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:31:12	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:13	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:31:14	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:31:20	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:20	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:20	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:20	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:20	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:31:21	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:31:22	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:31:23	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:31:24	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:25	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:26	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:31:27	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:28	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:31:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:31:30	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	20.375	2004
29.01.2020 08:31:31	1	0	1	1	18.75	40.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:32	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	21.375	2004
29.01.2020 08:31:33	1	0	1	1	18.75	41.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:31:34	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:31:35	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:36	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:31:37	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:31:38	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:31:39	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:40	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:31:41	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:31:42	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:31:43	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:31:44	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:31:45	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:31:46	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:47	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:31:48	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:31:49	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:31:50	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:31:51	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:52	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:31:53	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:31:54	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:31:55	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:31:57	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:31:58	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:31:59	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:32:00	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:32:01	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:02	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:32:03	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:32:04	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:32:05	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:06	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:32:07	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:08	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:09	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	20.875	2004
29.01.2020 08:32:10	1	0	1	1	18.75	40.75	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:32:11	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.9375	2004
29.01.2020 08:32:12	1	0	1	1	18.75	39.75	0	0	0	0	0	30000	0	0	30000	22	2004
29.01.2020 08:32:13	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:14	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:15	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:16	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:32:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:23	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:32:24	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:25	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:26	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:27	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:32:28	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:32:29	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:30	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:31	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:32	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:32:33	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:35	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:36	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:37	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:38	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:32:39	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:32:40	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:32:41	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:32:42	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:43	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:44	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:32:45	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:32:46	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:32:47	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:32:48	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:32:49	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:32:50	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	20.625	2004
29.01.2020 08:32:51	1	0	1	1	18.75	40.5	0	0	0	0	30000	0	0	30000	20.25	2004
29.01.2020 08:32:52	1	0	1	1	18.75	40.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:53	1	0	1	1	18.75	40.5	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:54	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:55	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:32:56	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:32:57	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:32:58	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:32:59	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:33:00	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:33:01	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:33:02	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:03	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:04	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:05	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:06	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:33:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:33:08	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:09	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:10	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:33:11	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:12	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:14	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:16	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:33:18	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:33:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:33:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:33:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:33:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:33:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:33:25	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:26	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:27	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:33:28	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	20.125	2004
29.01.2020 08:33:29	1	0	1	1	18.75	40	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:30	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:31	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:33:32	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:33:33	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:33:34	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:33:35	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:33:36	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:33:37	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:38	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:39	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:40	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:41	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:42	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:43	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:33:44	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:45	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:46	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:33:47	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:33:48	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:33:49	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:33:50	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:33:52	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:33:53	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:33:54	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:33:55	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:33:56	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:33:57	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:33:58	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:33:59	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:34:00	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:01	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:02	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:03	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:34:04	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:05	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:34:06	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	20.6875	2004
29.01.2020 08:34:08	1	0	1	1	18.75	40.5	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:09	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	20.25	2004
29.01.2020 08:34:10	1	0	1	1	18.75	40.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:34:11	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:34:12	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:13	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:34:14	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:16	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:34:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:18	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:26	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:27	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:28	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:29	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:31	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:32	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:34:33	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:34	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:34:35	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:36	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:37	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:34:38	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:39	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:40	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:41	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:42	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:43	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	21.5	2004
29.01.2020 08:34:45	1	0	1	1	19	41.5	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	20.125	2004
29.01.2020 08:34:47	1	0	1	1	19	40	0	0	0	0	30000	0	0	30000	20.125	2004
29.01.2020 08:34:48	1	0	1	1	19	40	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:49	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:34:51	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:34:52	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:53	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:34:54	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:55	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:34:56	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:34:57	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:34:58	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:34:59	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:00	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:35:01	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:35:02	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:35:03	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:04	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:35:05	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:35:06	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:35:07	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:08	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:35:10	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:35:11	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:12	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:13	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:35:14	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:35:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:35:16	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:35:18	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:35:20	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:35:21	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:27	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:27	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:27	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:27	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:27	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:27	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:28	1	0	1	1	18.75	40.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:35:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:30	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:31	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:35:32	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:34	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:35:35	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:35:36	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:37	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:35:39	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:35:40	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:35:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:42	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:43	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:44	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:35:45	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:46	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:47	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:49	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:35:50	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:51	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:52	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:35:53	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:35:54	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:35:55	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:35:56	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:57	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:58	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:35:59	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:00	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:36:01	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:02	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:03	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:04	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	20.5	2004
29.01.2020 08:36:05	1	0	1	1	18.75	40.5	0	0	0	0	30000	0	0	30000	19.8125	2004
29.01.2020 08:36:06	1	0	1	1	18.75	39.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:36:07	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:08	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:09	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:36:10	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:36:11	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:12	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:36:13	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:14	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:16	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:36:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:36:18	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:36:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:36:20	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:21	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:36:22	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:36:30	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:31	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:36:32	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:33	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:34	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:36:35	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:36	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:37	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:38	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:36:39	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:40	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:41	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:36:42	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:36:43	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:36:44	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:36:45	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:36:46	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:47	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	20.5625	2004
29.01.2020 08:36:48	1	0	1	1	18.75	40.5	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:49	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	20.5	2004
29.01.2020 08:36:50	1	0	1	1	18.75	40.5	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:36:51	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:36:52	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:36:53	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:54	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:55	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:56	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:36:57	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:36:58	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:36:59	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:37:00	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:01	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:02	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:37:03	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:37:04	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:05	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:37:06	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:37:08	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:37:09	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:10	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:37:11	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:12	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:37:13	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	19.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:37:14	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:16	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:37:18	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:37:19	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:20	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:21	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:37:22	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:23	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:37:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	22.3125	2004
29.01.2020 08:37:30	1	0	1	1	18.75	41.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:30	1	0	1	1	18.75	41.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:30	1	0	1	1	18.75	41.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:30	1	0	1	1	18.75	41.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:30	1	0	1	1	18.75	41.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:30	1	0	1	1	18.75	41.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:30	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:31	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:37:32	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:37:33	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:34	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:35	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:36	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:37	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:37:38	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:39	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:37:40	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	18.6875	2004
29.01.2020 08:37:41	1	0	1	1	18.75	38.5	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:42	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:37:43	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:37:44	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:37:45	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:37:47	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:37:48	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:37:49	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:37:50	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:51	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:37:52	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:37:53	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:37:54	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:37:55	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:37:56	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:37:57	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:38:42	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:38:43	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	20.8125	2004
29.01.2020 08:38:44	1	0	1	1	18.75	40.75	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:38:45	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:38:46	1	0	1	1	18.75	40.25	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:38:47	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:38:48	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:38:49	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:38:50	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:38:51	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:38:52	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:38:53	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:38:54	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:38:55	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:38:56	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:38:57	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:38:58	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:38:59	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:39:00	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:39:01	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:39:02	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:04	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:05	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:39:06	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:39:07	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:39:08	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	18.75	2004
29.01.2020 08:39:09	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:10	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:39:11	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:12	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:39:13	1	0	1	1	18.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:14	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:39:15	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:39:16	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:39:17	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:39:18	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:39:19	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:39:20	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:39:21	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	20.75	2004
29.01.2020 08:39:23	1	0	1	1	19	40.75	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:39:24	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	20.3125	2004
29.01.2020 08:39:25	1	0	1	1	19	41.5	0	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:39:26	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:39:27	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:39:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:39:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:39:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:39:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:39:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:39:33	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:39:34	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:39:35	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:39:36	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:39:37	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:39:38	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:39:39	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:39:40	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:39:41	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:43	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:39:44	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:39:45	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:39:48	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:39:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:39:50	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:39:51	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:39:52	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:39:53	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:39:54	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:39:55	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:39:56	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:39:57	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:39:58	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:39:59	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:00	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:40:01	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.9375	2004
29.01.2020 08:40:02	1	0	1	1	18.75	39.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:40:03	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	20.5	2004
29.01.2020 08:40:04	1	0	1	1	19	40.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:40:05	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:06	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:40:07	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:08	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:40:09	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:40:10	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:40:11	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:12	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:13	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:14	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:16	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:40:17	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:18	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:20	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:21	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:23	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:24	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:25	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:40:26	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:40:27	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:40:28	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:40:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:40:35	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.6875	2004
29.01.2020 08:40:35	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.6875	2004
29.01.2020 08:40:35	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.6875	2004
29.01.2020 08:40:35	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.6875	2004
29.01.2020 08:40:35	1	0	1	1	19	38.5	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:40:36	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:40:37	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:40:39	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:40:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:42	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	20.8125	2004
29.01.2020 08:40:43	1	0	1	1	19	40.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:40:44	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:45	1	0	1	1	18.75	39.5	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:40:46	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:40:47	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:40:48	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:49	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:40:50	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:51	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:40:52	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:53	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:40:54	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:55	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:40:56	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:40:57	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:40:58	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:40:59	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:41:00	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:41:01	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:41:03	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:41:04	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:05	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:41:06	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:41:07	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:41:08	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:41:09	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:41:10	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:11	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:41:12	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:41:13	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:41:14	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:41:15	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:41:16	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:41:17	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:41:18	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:41:19	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	20	2004
29.01.2020 08:41:20	1	0	1	1	19	40	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:21	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	22.25	2004
29.01.2020 08:41:22	1	0	1	1	19	42.25	0	0	0	0	0	30000	0	0	30000	20.25	2004
29.01.2020 08:41:23	1	0	1	1	19	40.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:24	1	0	1	1	19	40.5	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:41:25	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:41:26	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:27	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:41:28	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:41:29	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:41:30	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:41:36	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:36	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:36	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:36	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:36	1	0	1	1	18.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:36	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:37	1	0	1	1	18.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:41:38	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:41:40	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:41:41	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:41:42	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:41:43	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:41:44	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:41:45	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:41:46	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:41:47	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:41:48	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:41:49	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:41:50	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:41:51	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:41:52	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:41:53	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:41:54	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:55	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:41:56	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:41:57	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:41:58	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:41:59	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	22.1875	2004
29.01.2020 08:42:00	1	0	1	1	19	42	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:01	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:02	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:03	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:42:04	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:42:05	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:06	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:42:07	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:42:08	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:42:09	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:42:10	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:42:11	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:12	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:13	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:42:14	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:42:15	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:42:16	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:42:18	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:42:19	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:20	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:21	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:22	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:42:23	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:24	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:42:26	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:42:27	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:42:28	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:42:29	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:42:30	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:42:31	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:42:32	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:42:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:40	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:40	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:40	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:42	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:45	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:48	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:42:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:51	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:42:52	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:42:53	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:54	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:55	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:57	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:42:58	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:42:59	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:43:00	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:43:01	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:02	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:43:03	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:43:04	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:43:05	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:43:06	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:43:07	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:43:08	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:43:09	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:43:10	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:11	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:43:12	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:13	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:43:14	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:43:15	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.625	2004
29.01.2020 08:43:16	1	0	1	1	18.75	39.5	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:43:17	1	0	1	1	18.75	39.5	0	0	0	0	30000	0	0	30000	20.125	2004
29.01.2020 08:43:18	1	0	1	1	18.75	40	0	0	0	0	30000	0	0	30000	21.3125	2004
29.01.2020 08:43:19	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:43:20	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:43:21	1	0	1	1	18.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:43:22	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:43:23	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:43:24	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:43:25	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:43:26	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:43:27	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:43:28	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:29	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:43:30	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:43:31	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:43:32	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:43:42	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:42	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:43:43	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:43:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:43:45	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:43:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:43:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:43:48	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:43:49	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:43:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:43:51	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:43:52	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:43:53	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:43:54	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:43:55	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:43:56	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.625	2004
29.01.2020 08:43:57	1	0	1	1	19	39.5	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:43:58	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.625	2004
29.01.2020 08:43:59	1	0	1	1	19	39.5	0	0	0	0	0	30000	0	0	30000	19.8125	2004
29.01.2020 08:44:00	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:01	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:02	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:44:03	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:44:04	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:05	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:44:06	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:07	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:44:08	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:44:09	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:10	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:44:11	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:12	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:44:13	1	0	1	1	19	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:14	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:15	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:44:16	1	0	1	1	19	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:18	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:19	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:20	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:21	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:22	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:23	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:24	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:25	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:26	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:27	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:44:28	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:29	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:30	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:31	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:32	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:33	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:34	1	0	1	1	19	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:44:35	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:41	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:41	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:41	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:41	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:41	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:44:42	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:45	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:44:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:48	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:44:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:51	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:52	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:44:53	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:44:55	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:44:56	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:44:57	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:44:58	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:44:59	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:00	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:45:01	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:02	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:03	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:45:04	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:45:05	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:45:06	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:45:07	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:45:08	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:09	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:45:10	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:45:11	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:12	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:45:13	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:45:14	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:15	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:45:16	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.875	2004
29.01.2020 08:45:17	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:45:18	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:45:19	1	0	1	1	19	40.5	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:45:20	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:45:21	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:45:22	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:45:23	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:45:24	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:45:26	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:45:27	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:45:28	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:45:29	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:45:30	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:45:31	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:45:32	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:45:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:45:35	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:45:36	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:45:37	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:45:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:45:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:45:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:45:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:45:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:45:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:45:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:45:44	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:45	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:45:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:45:48	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:45:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:45:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:45:51	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:45:52	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:45:53	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:45:54	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:45:55	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	22	2004
29.01.2020 08:45:56	1	0	1	1	19	42	0	0	0	0	30000	0	0	30000	19.9375	2004
29.01.2020 08:45:57	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:45:58	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	20.0625	2004
29.01.2020 08:45:59	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:46:00	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:46:01	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:46:02	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:46:03	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:04	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:46:05	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:46:06	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:07	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:46:08	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:46:09	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:46:10	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:46:11	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:46:13	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:46:14	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:46:15	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:46:16	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:46:17	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:46:18	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:46:19	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:46:20	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:46:21	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:46:22	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:46:23	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:46:24	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:46:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:46:26	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:46:27	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:28	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:29	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:46:30	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:46:31	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:46:32	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:46:33	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:46:34	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	20.4375	2004
29.01.2020 08:46:35	1	0	1	1	19	40.25	0	0	0	0	30000	0	0	30000	20.8125	2004
29.01.2020 08:46:36	1	0	1	1	19	40.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:46:37	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:46:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:46:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:44	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:45	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:46:46	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:46:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:48	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:46:49	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:46:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:46:52	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:53	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:54	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:46:55	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:46:56	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:57	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:58	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:46:59	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:00	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:47:01	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:02	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:47:03	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:47:04	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:05	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:06	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:47:07	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:08	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:09	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:10	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:11	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:47:12	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	20.6875	2004
29.01.2020 08:47:13	1	0	1	1	19	40.5	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:14	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.75	2004
29.01.2020 08:47:15	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:16	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:47:17	1	0	1	1	19	39.5	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:18	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:19	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:47:20	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:21	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:47:22	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:47:23	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:24	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:47:26	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:47:27	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:28	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:47:29	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:30	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:47:31	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:33	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:47:34	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:35	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:47:36	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:47:37	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:39	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:47:40	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:47:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:46	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:47:48	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:47:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:47:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:47:51	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:52	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:47:53	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:54	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:55	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:47:56	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.625	2004
29.01.2020 08:47:57	1	0	1	1	19	39.5	0	0	0	0	30000	0	0	30000	20	2004
29.01.2020 08:47:58	1	0	1	1	19	40	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:47:59	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:00	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:01	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:48:02	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:48:03	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:48:04	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:05	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:06	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:07	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:48:08	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:09	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:48:10	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:12	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:48:13	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:14	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:15	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:48:16	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:17	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:18	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:19	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:48:20	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:48:21	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:22	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:48:23	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:48:24	1	0	1	1	18.75	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:48:25	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:48:26	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:27	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:48:28	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:29	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:30	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:48:31	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:32	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:33	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:34	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:48:35	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.875	2004
29.01.2020 08:48:36	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:48:37	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	20.8125	2004
29.01.2020 08:48:38	1	0	1	1	19	40.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:39	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	20.625	2004
29.01.2020 08:48:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:48:41	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:47	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:48:48	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:48:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:48:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:48:51	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:48:52	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:54	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:48:55	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:48:56	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:48:57	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:48:58	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:48:59	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:49:00	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:01	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:02	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:49:03	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:49:04	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:05	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:49:06	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:49:07	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:49:08	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:09	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:10	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:49:11	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:12	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:49:13	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:14	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:15	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:16	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:17	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.875	2004
29.01.2020 08:49:18	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	20.3125	2004
29.01.2020 08:49:19	1	0	1	1	19	40.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:20	1	0	1	1	19	40.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:21	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:49:22	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:49:23	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:24	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:25	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:49:26	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:49:27	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:28	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:29	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:49:30	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:32	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:49:33	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:49:34	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:49:35	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:36	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:49:37	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:49:38	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:49:39	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:40	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:49:42	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:49:43	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:49:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:49:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:49:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:49:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:49:49	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:49:49	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:50	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:49:51	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:49:52	1	0	1	1	19	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:49:53	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:54	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:49:55	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	20.5625	2004
29.01.2020 08:49:56	1	0	1	1	19	40.5	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:49:57	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:49:58	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:49:59	1	0	1	1	19	39.5	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:00	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:01	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:50:02	1	0	1	1	19	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:03	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:04	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:50:05	1	0	1	1	19.25	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:06	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:07	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:08	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:50:10	1	0	1	1	19.25	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:11	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:50:12	1	0	1	1	19.25	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:50:13	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:50:14	1	0	1	1	19.25	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:50:15	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:50:16	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:50:17	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:50:18	1	0	1	1	19.25	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:50:19	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:50:20	1	0	1	1	19.25	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:50:21	1	0	1	1	19.25	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:22	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:23	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:50:24	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:50:25	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:50:26	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:50:27	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:50:28	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:50:29	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:30	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:31	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:32	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:50:33	1	0	1	1	19.25	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:34	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	20.6875	2004
29.01.2020 08:50:35	1	0	1	1	19.25	40.5	0	0	0	0	0	30000	0	0	30000	20.6875	2004
29.01.2020 08:50:36	1	0	1	1	19.25	40.5	0	0	0	0	0	30000	0	0	30000	19.5625	2004
29.01.2020 08:50:37	1	0	1	1	19.25	40.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:38	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:50:39	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:40	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:50:41	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:42	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:50:43	1	0	1	1	19.25	39.25	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:50:44	1	0	1	1	19.25	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:50:50	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:50	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:50	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:50	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:50	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:50:51	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:52	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:50:53	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:50:54	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:50:55	1	0	1	1	19.25	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:50:56	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:50:57	1	0	1	1	19.25	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:50:58	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:50:59	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:51:00	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:51:01	1	0	1	1	19.25	38.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:51:02	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:03	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:51:04	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:51:05	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:51:06	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:51:07	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:08	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:09	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:10	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:11	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:51:12	1	0	1	1	19.5	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:51:13	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:14	1	0	1	1	19.25	40.5	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:51:15	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:51:16	1	0	1	1	19.25	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:17	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:51:18	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:19	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:20	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:21	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:22	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:23	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:24	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:26	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:27	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:28	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:51:29	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:51:30	1	0	1	1	19.25	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:31	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:51:32	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:33	1	0	1	1	19.25	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:51:34	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:51:35	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:51:36	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:37	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:51:38	1	0	1	1	19.5	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:51:39	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:51:40	1	0	1	1	19.5	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:51:41	1	0	1	1	19.5	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:51:42	1	0	1	1	19.5	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:51:43	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:44	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:51:45	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:51:46	1	0	1	1	19.5	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:52	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	20.5	2004
29.01.2020 08:51:52	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	20.5	2004
29.01.2020 08:51:52	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	20.5	2004
29.01.2020 08:51:52	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	20.5	2004
29.01.2020 08:51:52	1	0	1	1	19.5	40.5	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:51:53	1	0	1	1	19.5	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:51:54	1	0	1	1	19.5	41	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:55	1	0	1	1	19.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:51:56	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:57	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:51:58	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:51:59	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:52:00	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:52:01	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:02	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:52:03	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:52:04	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:06	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:07	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:08	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:52:09	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:52:10	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:11	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:12	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:13	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:14	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:52:15	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:52:16	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:17	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:52:18	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:19	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:52:20	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:21	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:52:22	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:52:23	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:52:24	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:52:25	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:26	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:52:27	1	0	1	1	19.25	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:28	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:52:29	1	0	1	1	19.25	39.5	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:30	1	0	1	1	19.25	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:52:31	1	0	1	1	19.25	38.75	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:52:32	1	0	1	1	19.25	39.25	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:52:33	1	0	1	1	19.25	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:52:34	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:35	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:52:36	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:37	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:38	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:52:39	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:52:40	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:52:41	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:42	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:43	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:45	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:46	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:52:47	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:52:48	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:54	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:54	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:54	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:54	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:54	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:54	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:52:55	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:52:56	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:57	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:52:58	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:52:59	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:00	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:01	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:02	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:03	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:53:04	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:05	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:06	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:07	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:08	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:53:09	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:10	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:11	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:12	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.8125	2004
29.01.2020 08:53:13	1	0	1	1	19.5	39.75	0	0	0	0	0	30000	0	0	30000	21	2004
29.01.2020 08:53:14	1	0	1	1	19.5	41	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:15	1	0	1	1	19.5	39.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:16	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:17	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:18	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:53:19	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:53:20	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:21	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:22	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:53:24	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:53:25	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:26	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:53:27	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:28	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:53:29	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:30	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:31	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:53:32	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:33	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:53:34	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:53:35	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:53:36	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:53:37	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:38	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:39	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:40	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:53:41	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:42	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:53:43	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:53:44	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:53:45	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:53:46	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:47	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:48	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:49	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:55	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:55	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:55	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:55	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:55	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:53:56	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:57	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:53:58	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:53:59	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:54:00	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:54:02	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:54:03	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:54:04	1	0	1	1	19.5	38.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:54:05	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:54:08	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:08	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:08	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:54:09	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:54:10	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:54:11	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:54:12	1	0	1	1	19.5	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:13	1	0	1	1	19.5	39	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:54:14	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:54:15	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:54:16	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:54:17	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:54:18	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:54:19	1	0	1	1	19.75	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:54:20	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:54:21	1	0	1	1	19.75	39.25	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:54:22	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:54:23	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:24	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:54:25	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:26	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:54:27	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.6875	2004
29.01.2020 08:54:28	1	0	1	1	19.75	39.5	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:29	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.625	2004
29.01.2020 08:54:30	1	0	1	1	19.75	40.75	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:54:31	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:54:32	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:54:33	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:54:34	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:54:35	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:54:36	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:37	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:54:38	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:54:40	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:54:41	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:42	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:43	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:54:44	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:54:45	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:54:46	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:54:47	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:54:48	1	0	1	1	19.75	39.5	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:54:49	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:54:50	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:54:51	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:54:57	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:54:57	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:57	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:57	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:57	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:57	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:54:58	1	0	1	1	19.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:54:59	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:55:00	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:55:01	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:55:02	1	0	1	1	19.75	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:55:03	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:55:04	1	0	1	1	19.75	39.25	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:55:05	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:55:06	1	0	1	1	19.75	39.25	0	0	0	0	0	30000	0	0	30000	21.5625	2004
29.01.2020 08:55:07	1	0	1	1	19.75	41.5	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:55:08	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	21.625	2004
29.01.2020 08:55:09	1	0	1	1	19.75	41.5	0	0	0	0	0	30000	0	0	30000	20.875	2004
29.01.2020 08:55:10	1	0	1	1	19.75	40.75	0	0	0	0	0	30000	0	0	30000	19.5625	2004
29.01.2020 08:55:11	1	0	1	1	19.75	40	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:55:12	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:13	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:55:14	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:15	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:16	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:55:17	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:55:19	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:55:20	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:55:21	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:55:22	1	0	1	1	20	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:55:23	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:55:24	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:25	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:55:26	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:55:27	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:55:28	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:55:29	1	0	1	1	20	39.25	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:55:30	1	0	1	1	20	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:55:31	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:55:32	1	0	1	1	20	39.25	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:55:33	1	0	1	1	20	39.25	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:55:34	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:55:35	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:36	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:55:37	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:55:38	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:55:39	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:55:40	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:41	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:55:42	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:55:43	1	0	1	1	20	39.25	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:55:44	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.5625	2004
29.01.2020 08:55:45	1	0	1	1	19.75	39.5	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:55:46	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	20.875	2004
29.01.2020 08:55:47	1	0	1	1	19.75	40.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:55:48	1	0	1	1	19.75	39.75	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:55:49	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:55:50	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:55:51	1	0	1	1	19.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:55:52	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:55:58	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:58	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:58	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:58	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:58	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:55:59	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:56:00	1	0	1	1	19.75	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:56:01	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:56:02	1	0	1	1	19.75	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:56:03	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:56:04	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:56:05	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:56:06	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:56:07	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:08	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:09	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:56:10	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:56:11	1	0	1	1	20	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:12	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:56:13	1	0	1	1	20	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:56:14	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:56:15	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:16	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:56:17	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:56:18	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:19	1	0	1	1	19.75	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:56:20	1	0	1	1	19.75	38.75	0	0	0	0	0	30000	0	0	30000	19.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:56:21	1	0	1	1	19.75	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:56:22	1	0	1	1	19.75	39.25	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:56:23	1	0	1	1	19.75	39.5	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:56:24	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.625	2004
29.01.2020 08:56:25	1	0	1	1	20	39.5	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:26	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:56:27	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:56:28	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:56:29	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:56:30	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:56:31	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:56:32	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:33	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:56:35	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:56:36	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:56:37	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:56:38	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:39	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:40	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:56:41	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:42	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:56:43	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:56:44	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:45	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:56:46	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:56:47	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:56:48	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:56:49	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:56:50	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	18.6875	2004
29.01.2020 08:56:51	1	0	1	1	20	38.5	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:56:52	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:53	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:56:54	1	0	1	1	19.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:57:00	1	0	1	1	19.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:57:00	1	0	1	1	19.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:57:00	1	0	1	1	19.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:57:00	1	0	1	1	19.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:57:00	1	0	1	1	19.75	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:57:01	1	0	1	1	19.75	38.75	0	0	0	0	30000	0	0	30000	19.75	2004
29.01.2020 08:57:02	1	0	1	1	19.75	39.75	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:57:03	1	0	1	1	19.75	39.5	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:57:04	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	20.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:57:05	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:57:06	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:57:07	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:57:08	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:57:09	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:57:10	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:57:11	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:57:13	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:57:14	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:57:15	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:57:16	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:17	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:57:18	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:57:19	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:57:20	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:57:21	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:57:22	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:23	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:24	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:57:25	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:57:26	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:57:27	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:57:28	1	0	1	1	20	39.5	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:29	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:57:30	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:57:31	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:57:32	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:57:33	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:57:34	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:57:35	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:57:36	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:57:37	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:38	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:39	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:57:40	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:41	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.9375	2004
29.01.2020 08:57:42	1	0	1	1	20	39.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:43	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:44	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:45	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:46	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:57:47	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:57:48	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:57:49	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:50	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:57:52	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:57:53	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:57:54	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:57:55	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:57:56	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:58:02	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:58:02	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:58:02	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:58:02	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:58:02	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:58:02	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:58:03	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:58:04	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:58:05	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:06	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:58:07	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:58:08	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:58:09	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:58:10	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:58:11	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:58:12	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:13	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:58:14	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:58:15	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:58:16	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:58:17	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:58:18	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:19	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:58:20	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:58:21	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	20.75	2004
29.01.2020 08:58:22	1	0	1	1	20	40.75	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:58:23	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:58:24	1	0	1	1	20.25	42.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:58:25	1	0	1	1	20.25	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:58:26	1	0	1	1	20.25	38.75	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:58:27	1	0	1	1	20.25	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:58:28	1	0	1	1	20.25	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:29	1	0	1	1	20.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:58:30	1	0	1	1	20.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:58:32	1	0	1	1	20.25	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:58:33	1	0	1	1	20.25	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 08:58:34	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:58:35	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:58:36	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:58:37	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:38	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:58:39	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:58:40	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:58:41	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:42	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:58:43	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:58:44	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:58:45	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:58:46	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:58:47	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:48	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:49	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:50	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:58:51	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:58:52	1	0	1	1	20	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:58:53	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:58:54	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:58:55	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 08:58:56	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:58:57	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:59:03	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:03	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:03	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:03	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:03	1	0	1	1	20	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:03	1	0	1	1	20	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:04	1	0	1	1	20.25	39	0	0	0	0	30000	0	0	30000	19.6875	2004
29.01.2020 08:59:05	1	0	1	1	20.25	39.5	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 08:59:06	1	0	1	1	20.25	39.5	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:59:07	1	0	1	1	20.25	41	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:59:08	1	0	1	1	20.25	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:59:09	1	0	1	1	20.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:10	1	0	1	1	20.25	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:59:11	1	0	1	1	20.25	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:13	1	0	1	1	20.25	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:59:14	1	0	1	1	20.5	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:59:15	1	0	1	1	20.5	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:16	1	0	1	1	20.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:17	1	0	1	1	20.5	39	0	0	0	0	30000	0	0	30000	19.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 08:59:18	1	0	1	1	20.5	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:59:19	1	0	1	1	20.5	39.25	0	0	0	0	0	30000	0	0	30000	18.75	2004
29.01.2020 08:59:20	1	0	1	1	20.5	38.75	0	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 08:59:21	1	0	1	1	20.5	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:59:22	1	0	1	1	20.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:59:23	1	0	1	1	20.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:59:24	1	0	1	1	21	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:25	1	0	1	1	21	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:59:26	1	0	1	1	21	39	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:59:27	1	0	1	1	21	39.25	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:59:28	1	0	1	1	21	38.75	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:59:29	1	0	1	1	21	39.25	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:59:30	1	0	1	1	21	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:31	1	0	1	1	21	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:59:32	1	0	1	1	21	39.25	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:59:33	1	0	1	1	21	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:59:34	1	0	1	1	21.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:35	1	0	1	1	21.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:59:36	1	0	1	1	21.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:59:37	1	0	1	1	21.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:38	1	0	1	1	21.5	39	0	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:59:39	1	0	1	1	21.5	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:40	1	0	1	1	21.5	39	0	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 08:59:41	1	0	1	1	21.5	39.25	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:59:42	1	0	1	1	21.5	38.75	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:59:43	1	0	1	1	21.5	39.25	0	0	0	0	0	30000	0	0	30000	20.4375	2004
29.01.2020 08:59:44	1	0	1	1	21.75	38.75	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 08:59:45	1	0	1	1	21.75	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:59:46	1	0	1	1	21.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:47	1	0	1	1	21.75	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:48	1	0	1	1	21.75	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 08:59:49	1	0	1	1	21.75	39.25	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 08:59:51	1	0	1	1	21.75	39.25	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:52	1	0	1	1	21.75	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:53	1	0	1	1	21.75	39	0	0	0	0	0	30000	0	0	30000	18.75	2004
29.01.2020 08:59:54	1	0	1	1	22.5	38.75	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 08:59:55	1	0	1	1	22.5	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 08:59:56	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 08:59:57	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 08:59:58	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 08:59:59	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:00:05	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:00:05	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 09:00:05	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:00:05	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:00:05	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:00:05	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:00:06	1	0	1	1	22.5	39.25	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 09:00:07	1	0	1	1	22.5	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:08	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:09	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:00:10	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:00:11	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 09:00:12	1	0	1	1	22.5	38.75	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:13	1	0	1	1	22.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:14	1	0	1	1	23	39	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:00:15	1	0	1	1	23	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:00:16	1	0	1	1	23	38.75	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:00:17	1	0	1	1	23	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:00:18	1	0	1	1	23	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:00:19	1	0	1	1	23	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:20	1	0	1	1	23	39	0	0	0	0	0	30000	0	0	30000	20.125	2004
29.01.2020 09:00:21	1	0	1	1	23	40	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:00:22	1	0	1	1	23	39	0	0	0	0	0	30000	0	0	30000	21.3125	2004
29.01.2020 09:00:23	1	0	1	1	23.5	40	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:00:24	1	0	1	1	23.5	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:00:25	1	0	1	1	23.5	39	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:00:26	1	0	1	1	23.5	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:00:27	1	0	1	1	23.5	39	0	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:00:28	1	0	1	1	23.5	39.25	0	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 09:00:30	1	0	1	1	23.5	38.75	0	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:00:31	1	0	1	1	23.5	38.75	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:00:32	1	0	1	1	23.5	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:00:33	1	0	1	1	23.5	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:34	1	0	1	1	24	39	0	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:00:35	1	0	1	1	24	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:36	1	0	1	1	24	39	0	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 09:00:37	1	0	1	1	24	39.25	0	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:00:38	1	0	1	1	24	39.25	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:00:39	1	0	1	1	24	39	0	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:40	1	0	1	1	24	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 09:00:41	1	0	1	1	24	38.75	0	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:00:42	1	0	1	1	24	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:00:43	1	0	1	1	24	39	0	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:00:44	1	0	1	1	24.5	39	0	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 09:00:45	1	0	1	1	24.5	38.75	0	0	0	0	0	30000	0	0	30000	19	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:00:46	1	0	1	1	24.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:00:47	1	0	1	1	24.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:00:48	1	0	1	1	24.5	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:00:49	1	0	1	1	24.5	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:00:50	1	0	1	1	24.5	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:00:51	1	0	1	1	24.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:00:52	1	0	1	1	24.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:53	1	0	1	1	24.5	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 09:00:54	1	0	1	1	25.25	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:55	1	0	1	1	25.25	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:00:56	1	0	1	1	25.25	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:57	1	0	1	1	25.25	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:00:58	1	0	1	1	25.25	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:00:59	1	0	1	1	25.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:00	1	0	1	1	25.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:06	1	0	1	1	26	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:06	1	0	1	1	26	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:06	1	0	1	1	26	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:06	1	0	1	1	26	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:06	1	0	1	1	26	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:06	1	0	1	1	26	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:07	1	0	1	1	26	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:01:08	1	0	1	1	26	39.25	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 09:01:09	1	0	1	1	26	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:10	1	0	1	1	26	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:12	1	0	1	1	26	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:01:13	1	0	1	1	26	38.75	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:14	1	0	1	1	26.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:15	1	0	1	1	26.5	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:01:16	1	0	1	1	26.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:17	1	0	1	1	26.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:18	1	0	1	1	26.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:19	1	0	1	1	26.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:20	1	0	1	1	26.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:01:21	1	0	1	1	26.5	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:22	1	0	1	1	26.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:23	1	0	1	1	26.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:24	1	0	1	1	27.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:01:25	1	0	1	1	27.25	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:26	1	0	1	1	27.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:27	1	0	1	1	27.25	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:01:28	1	0	1	1	27.25	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:29	1	0	1	1	27.25	39	0	0	0	0	30000	0	0	30000	18.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:01:30	1	0	1	1	27.25	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:31	1	0	1	1	27.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:32	1	0	1	1	27.25	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:01:33	1	0	1	1	27.25	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:34	1	0	1	1	27.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:35	1	0	1	1	27.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:36	1	0	1	1	27.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 09:01:37	1	0	1	1	27.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:38	1	0	1	1	27.75	39	0	0	0	0	30000	0	0	30000	21	2004
29.01.2020 09:01:39	1	0	1	1	27.75	41	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:01:40	1	0	1	1	27.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:01:41	1	0	1	1	27.75	39.25	0	0	0	0	30000	0	0	30000	19.75	2004
29.01.2020 09:01:42	1	0	1	1	27.75	39.75	0	0	0	0	30000	0	0	30000	20.1875	2004
29.01.2020 09:01:43	1	0	1	1	27.75	40	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:44	1	0	1	1	28.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:01:45	1	0	1	1	28.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:46	1	0	1	1	28.5	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:01:48	1	0	1	1	28.5	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:49	1	0	1	1	28.5	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:01:50	1	0	1	1	28.5	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:01:51	1	0	1	1	28.5	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:01:52	1	0	1	1	28.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:53	1	0	1	1	28.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:54	1	0	1	1	28.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:01:55	1	0	1	1	28.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:01:56	1	0	1	1	28.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:01:57	1	0	1	1	28.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:58	1	0	1	1	28.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:01:59	1	0	1	1	28.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:02:00	1	0	1	1	28.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:02:01	1	0	1	1	28.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:02	1	0	1	1	28.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:09	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:09	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:09	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:09	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:09	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:09	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:02:09	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:10	1	0	1	1	29.5	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:11	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:02:12	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:13	1	0	1	1	29.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:02:14	1	0	1	1	30.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:15	1	0	1	1	30.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:16	1	0	1	1	30.25	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:02:17	1	0	1	1	30.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:02:18	1	0	1	1	30.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:19	1	0	1	1	30.25	39	0	0	0	0	30000	0	0	30000	20.9375	2004
29.01.2020 09:02:20	1	0	1	1	30.25	40.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:21	1	0	1	1	30.25	39	0	0	0	0	30000	0	0	30000	19.4375	2004
29.01.2020 09:02:22	1	0	1	1	30.25	41.5	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:02:23	1	0	1	1	30.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:24	1	0	1	1	30.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:02:26	1	0	1	1	30.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:27	1	0	1	1	30.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:02:28	1	0	1	1	30.5	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:02:29	1	0	1	1	30.5	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:02:30	1	0	1	1	30.5	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:02:31	1	0	1	1	30.5	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:02:32	1	0	1	1	30.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:33	1	0	1	1	30.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:02:34	1	0	1	1	31	39.25	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:02:35	1	0	1	1	31	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:36	1	0	1	1	31	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:37	1	0	1	1	31	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 09:02:38	1	0	1	1	31	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:02:39	1	0	1	1	31	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:02:40	1	0	1	1	31	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:02:41	1	0	1	1	31	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:02:42	1	0	1	1	31	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:43	1	0	1	1	31	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:44	1	0	1	1	31.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:45	1	0	1	1	31.75	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:02:46	1	0	1	1	31.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:02:47	1	0	1	1	31.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:48	1	0	1	1	31.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:02:49	1	0	1	1	31.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:02:50	1	0	1	1	31.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:02:51	1	0	1	1	31.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:02:52	1	0	1	1	31.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:02:53	1	0	1	1	31.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:02:54	1	0	1	1	32	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:55	1	0	1	1	32	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:56	1	0	1	1	32	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:02:57	1	0	1	1	32	39	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:02:58	1	0	1	1	32	39	0	0	0	0	30000	0	0	30000	20.75	2004
29.01.2020 09:02:59	1	0	1	1	32	40.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:00	1	0	1	1	32	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:03:01	1	0	1	1	32	40.5	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:02	1	0	1	1	32	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:03	1	0	1	1	32.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:10	1	0	1	1	32.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:10	1	0	1	1	32.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:10	1	0	1	1	32.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:10	1	0	1	1	32.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:10	1	0	1	1	32.5	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:03:11	1	0	1	1	32.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:12	1	0	1	1	32.5	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:13	1	0	1	1	32.5	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:14	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:15	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:03:16	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:03:17	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:03:18	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:03:19	1	0	1	1	33	38.75	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 09:03:20	1	0	1	1	33	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:03:21	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:22	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:03:23	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:03:24	1	0	1	1	33	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:03:25	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:26	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:03:27	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:28	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:29	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:30	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:31	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:32	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:03:33	1	0	1	1	33	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:34	1	0	1	1	33.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:03:35	1	0	1	1	33.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:36	1	0	1	1	33.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:37	1	0	1	1	33.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:38	1	0	1	1	33.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:03:39	1	0	1	1	33.75	39	0	0	0	0	30000	0	0	30000	19.75	2004
29.01.2020 09:03:40	1	0	1	1	33.75	39.75	0	0	0	0	30000	0	0	30000	22.1875	2004
29.01.2020 09:03:41	1	0	1	1	33.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:03:42	1	0	1	1	33.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:44	1	0	1	1	34.25	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:45	1	0	1	1	34.25	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:46	1	0	1	1	34.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:03:47	1	0	1	1	34.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:03:48	1	0	1	1	34.25	39	0	0	0	0	30000	0	0	30000	18.8125	2004
29.01.2020 09:03:49	1	0	1	1	34.25	38.75	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:50	1	0	1	1	34.25	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:03:51	1	0	1	1	34.25	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:52	1	0	1	1	34.25	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:53	1	0	1	1	34.25	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:54	1	0	1	1	34.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:03:55	1	0	1	1	34.5	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:56	1	0	1	1	34.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:03:57	1	0	1	1	34.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:03:58	1	0	1	1	34.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:03:59	1	0	1	1	34.5	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:04:00	1	0	1	1	34.5	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:04:01	1	0	1	1	34.5	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:04:02	1	0	1	1	34.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:03	1	0	1	1	34.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:04:04	1	0	1	1	34.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:05	1	0	1	1	34.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:11	1	0	1	1	34.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:04:11	1	0	1	1	34.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:04:11	1	0	1	1	34.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:04:11	1	0	1	1	34.75	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:04:11	1	0	1	1	34.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:04:12	1	0	1	1	34.75	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 09:04:13	1	0	1	1	34.75	38.75	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:04:14	1	0	1	1	35.5	38.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:04:15	1	0	1	1	35.5	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:04:16	1	0	1	1	35.5	39	0	0	0	0	30000	0	0	30000	21.9375	2004
29.01.2020 09:04:17	1	0	1	1	35.5	41.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:18	1	0	1	1	35.5	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:04:19	1	0	1	1	35.5	39.25	0	0	0	0	30000	0	0	30000	19.5	2004
29.01.2020 09:04:20	1	0	1	1	35.5	40	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:04:21	1	0	1	1	35.5	39.25	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 09:04:22	1	0	1	1	35.5	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:04:24	1	0	1	1	36	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:25	1	0	1	1	36	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:04:26	1	0	1	1	36	39.25	0	0	0	0	30000	0	0	30000	19.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:04:27	1	0	1	1	36	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:04:28	1	0	1	1	36	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:29	1	0	1	1	36	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:04:30	1	0	1	1	36	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:04:31	1	0	1	1	36	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:32	1	0	1	1	36	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:04:33	1	0	1	1	36	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:04:34	1	0	1	1	36.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:04:35	1	0	1	1	36.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:04:36	1	0	1	1	36.5	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:37	1	0	1	1	36.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:04:38	1	0	1	1	36.5	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:04:39	1	0	1	1	36.5	39.25	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:04:40	1	0	1	1	36.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:04:41	1	0	1	1	36.5	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:42	1	0	1	1	36.5	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 09:04:43	1	0	1	1	36.5	38.75	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:04:44	1	0	1	1	37	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:45	1	0	1	1	37	39	0	0	0	0	30000	0	0	30000	18.875	2004
29.01.2020 09:04:46	1	0	1	1	37	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:04:47	1	0	1	1	37	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:48	1	0	1	1	37	39	0	0	0	0	30000	0	0	30000	19.5625	2004
29.01.2020 09:04:49	1	0	1	1	37	39.5	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:04:50	1	0	1	1	37	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:04:51	1	0	1	1	37	38.75	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:04:52	1	0	1	1	37	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:04:53	1	0	1	1	37	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:04:54	1	0	1	1	37.25	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:04:55	1	0	1	1	37.25	38.75	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:04:56	1	0	1	1	37.25	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:04:57	1	0	1	1	37.25	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:04:58	1	0	1	1	37.25	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:04:59	1	0	1	1	37.25	40	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:05:00	1	0	1	1	37.25	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:05:02	1	0	1	1	37.25	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:03	1	0	1	1	37.25	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:04	1	0	1	1	37.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:05:05	1	0	1	1	37.75	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:05:06	1	0	1	1	37.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:05:07	1	0	1	1	37.75	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:05:13	1	0	1	1	37.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:13	1	0	1	1	37.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:13	1	0	1	1	37.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:05:13	1	0	1	1	37.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:13	1	0	1	1	37.75	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:13	1	0	1	1	37.75	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:05:14	1	0	1	1	38	39	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:05:15	1	0	1	1	38	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:05:16	1	0	1	1	38	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:17	1	0	1	1	38	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:18	1	0	1	1	38	39	0	0	0	0	30000	0	0	30000	18.9375	2004
29.01.2020 09:05:19	1	0	1	1	38	38.75	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:05:20	1	0	1	1	38	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:21	1	0	1	1	38	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:22	1	0	1	1	38	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:23	1	0	1	1	38	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:05:24	1	0	1	1	38.5	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:25	1	0	1	1	38.5	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:26	1	0	1	1	38.5	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:27	1	0	1	1	38.5	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:05:28	1	0	1	1	38.5	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:05:29	1	0	1	1	38.5	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:30	1	0	1	1	38.5	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:31	1	0	1	1	38.5	39	0	0	0	0	30000	0	0	30000	19	2004
29.01.2020 09:05:35	1	0	1	1	38.75	39.25	0	0	0	0	30000	0	0	30000	19.9375	2004
29.01.2020 09:05:35	1	0	1	1	38.75	39.25	0	0	0	0	30000	0	0	30000	19.9375	2004
29.01.2020 09:05:35	1	0	1	1	38.75	39.25	0	0	0	0	30000	0	0	30000	19.9375	2004
29.01.2020 09:05:35	1	0	1	1	38.75	39.75	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 09:05:36	1	0	1	1	38.75	39.25	0	0	0	0	30000	0	0	30000	21.625	2004
29.01.2020 09:05:37	1	0	1	1	38.75	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:05:38	1	0	1	1	38.75	39	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 09:05:40	1	0	1	1	38.75	39.25	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:41	1	0	1	1	38.75	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:42	1	0	1	1	38.75	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:43	1	0	1	1	38.75	39.25	0	0	0	0	30000	0	0	30000	19.375	2004
29.01.2020 09:05:44	1	0	1	1	39	39.25	0	0	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:05:45	1	0	1	1	39	39	0	0	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:46	1	0	1	1	39	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:05:47	1	0	1	1	39	39	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:05:48	1	0	1	1	39	39	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:49	1	0	1	1	39	39.25	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:05:50	1	0	1	1	39	39.25	0	0	0	0	30000	0	0	30000	19.25	2004
29.01.2020 09:05:51	1	0	1	1	39	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:05:52	1	0	1	1	39	39	0	0	0	0	30000	0	0	30000	19.3125	2004
29.01.2020 09:05:53	1	0	1	1	39	39.25	0	0	0	0	30000	0	0	30000	19.1875	2004
29.01.2020 09:05:54	1	0	1	1	39.5	39	0	0	0	0	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:05:55	1	1	1	1	39.5	39	0	10236.967	0	0	30000	0	0	30000	19.0625	2004
29.01.2020 09:05:56	1	1	1	1	39.5	39	0	11042.654	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:57	1	1	1	1	39.5	39	0	11753.555	0	0	30000	0	0	30000	19.125	2004
29.01.2020 09:05:58	1	1	1	1	39.5	39	0	12464.455	0	0	30000	0	0	30000	19.375	2004
29.01.2020 09:05:59	1	1	1	1	39.5	39.25	0	13270.142	4.301075269	28.53803713	30000	0	0	30000	19.0625	2004
29.01.2020 09:06:00	1	1	1	1	39.5	39	0	14123.223	8.602150538	90.50634632	30000	0	0	30000	19.25	2004
29.01.2020 09:06:01	1	1	1	1	39.5	39.25	0	14834.123	15.05376344	222.5966896	30000	0	0	30000	18.8125	2004
29.01.2020 09:06:02	1	1	1	1	39.5	38.75	0	15592.417	21.50537634	301.6878211	30000	0	0	30000	19.0625	2004
29.01.2020 09:06:03	1	1	1	1	39.5	39	0	16350.711	25.80645161	421.547577	30000	0	0	30000	18.9375	2004
29.01.2020 09:06:04	1	1	1	1	39.5	38.75	0	17156.398	36.55913978	627.0214443	30000	0	0	30000	19.4375	2004
29.01.2020 09:06:05	1	1	1	1	39.5	39.25	0	17914.692	45.16129032	847.1720164	30000	0	0	30000	19.25	2004
29.01.2020 09:06:06	1	1	1	1	39.5	39.25	0	18672.986	55.91397849	1001.277417	30000	0	0	30000	18.6875	2004
29.01.2020 09:06:07	1	1	1	1	39.5	38.5	0	19383.886	60.21505376	1211.643519	30000	0	0	30000	19.1875	2004
29.01.2020 09:06:08	1	1	1	1	39.5	39	0	20236.967	75.2688172	1523.11581	30000	0	0	30000	19.125	2004
29.01.2020 09:06:14	1	1	1	1	39.5	39	0	23744.076	144.0860215	3427.825945	30000	0	0	30000	20.25	2004
29.01.2020 09:06:14	1	1	1	1	39.5	39	0	23744.076	144.0860215	3427.825945	30000	0	0	30000	20.25	2004
29.01.2020 09:06:14	1	1	1	1	39.5	39	0	23744.076	144.0860215	3427.825945	30000	0	0	30000	20.25	2004
29.01.2020 09:06:14	1	1	1	1	39.5	39	0	23744.076	144.0860215	3427.825945	30000	0	0	30000	20.25	2004
29.01.2020 09:06:14	1	1	1	1	39.5	39	0	23744.076	144.0860215	3427.825945	30000	0	0	30000	20.25	2004
29.01.2020 09:06:14	1	1	1	1	40	40.25	0	24549.763	161.2903226	3906.449596	30000	0	0	30000	19.5	2004
29.01.2020 09:06:15	1	1	1	1	40	39.5	0	25260.664	174.1935484	4291.305411	30000	0	0	30000	19.875	2004
29.01.2020 09:06:16	1	1	1	1	40	40.25	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	19.25	2004
29.01.2020 09:06:18	1	1	1	1	40	39.25	0	25639.81	206.4516129	5293.398201	30000	0	0	30000	18.8125	2004
29.01.2020 09:06:19	1	1	1	1	40	38.75	0	26208.531	219.3548387	5727.991738	30000	0	0	30000	18.8125	2004
29.01.2020 09:06:20	1	1	1	1	40	38.75	0	26777.251	234.4086022	6287.337265	30000	0	0	30000	19.5	2004
29.01.2020 09:06:21	1	1	1	1	40	39.5	0	26208.531	251.6129032	6593.917321	30000	0	0	30000	19.25	2004
29.01.2020 09:06:22	1	1	1	1	40	39.25	0	26682.464	264.516129	7229.907863	30000	0	0	30000	19.3125	2004
29.01.2020 09:06:23	1	1	1	1	40	39.25	0	27109.005	279.5698925	7578.887288	30000	0	0	30000	18.9375	2004
29.01.2020 09:06:24	1	1	1	1	40.25	38.75	0	27440.758	296.7741935	8056.695567	30000	0	0	30000	19.375	2004
29.01.2020 09:06:25	1	1	1	1	40.25	39.25	0	27630.332	309.6774194	8556.518903	30000	0	0	30000	19.25	2004
29.01.2020 09:06:26	1	1	1	1	40.25	39.25	0	28483.412	322.5806452	9248.770146	30000	0	0	30000	19.3125	2004
29.01.2020 09:06:27	1	1	1	1	40.25	39.25	0	28483.412	339.7849462	9616.503139	30000	0	0	30000	20	2004
29.01.2020 09:06:28	1	1	1	1	40.25	40	0	28815.166	354.8387097	10348.70763	30000	0	0	30000	18.9375	2004
29.01.2020 09:06:29	1	1	1	1	40.25	38.75	0	28862.559	369.8924731	10472.64425	30000	0	0	30000	19.4375	2004
29.01.2020 09:06:30	1	1	1	1	40.25	39.25	0	28957.346	378.4946237	11201.58726	30000	0	0	30000	19.4375	2004
29.01.2020 09:06:31	1	1	1	1	40.25	39.25	0	29383.886	400	11772.348	30000	0	0	30000	19.375	2004
29.01.2020 09:06:32	1	1	1	1	40.25	39.25	0	29905.213	415.0537634	12411.60003	30000	0	0	30000	19.0625	2004
29.01.2020 09:06:33	1	1	1	1	40.25	39	0	30000	419.3548387	12773.62542	30000	0	0	30000	19.5625	2004
29.01.2020 09:06:34	1	1	1	1	40.5	39.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	19.5625	2004
29.01.2020 09:06:35	1	1	1	1	40.5	39.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.5625	2004
29.01.2020 09:06:36	1	1	1	1	40.5	39.5	0	30000	432.2580645	13032.0985	30000	0	0	30000	19.5625	2004
29.01.2020 09:06:37	1	1	1	1	40.5	39.5	0	30000	427.9569892	13032.0985	30000	0	0	30000	19.5625	2004
29.01.2020 09:06:38	1	1	1	1	40.5	39.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:06:39	1	1	1	1	40.5	39.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.1875	2004
29.01.2020 09:06:40	1	1	1	1	40.5	39	0	30000	423.655914	12838.03984	30000	0	0	30000	19.3125	2004
29.01.2020 09:06:41	1	1	1	1	40.5	39.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	19.375	2004
29.01.2020 09:06:42	1	1	1	1	40.5	39.25	0	30000	421.5053763	12709.21099	30000	0	0	30000	19.3125	2004
29.01.2020 09:06:43	1	1	1	1	40.5	39.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	18.9375	2004
29.01.2020 09:06:44	1	1	1	1	41	38.75	0	30000	427.9569892	12818.4709	30000	0	0	30000	19.5	2004
29.01.2020 09:06:45	1	1	1	1	41	39.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	19.5	2004
29.01.2020 09:06:46	1	1	1	1	41	39.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	19.5	2004
29.01.2020 09:06:47	1	1	1	1	41	39.5	0	30000	412.9032258	12174.32664	30000	0	0	30000	19.625	2004
29.01.2020 09:06:48	1	1	1	1	41	39.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	18.875	2004
29.01.2020 09:06:49	1	1	1	1	41	38.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	19.375	2004
29.01.2020 09:06:50	1	1	1	1	41	39.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	19.375	2004
29.01.2020 09:06:51	1	1	1	1	41	39.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	20.125	2004
29.01.2020 09:06:52	1	1	1	1	41	40.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.0625	2004
29.01.2020 09:06:54	1	1	1	1	41.75	39	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.4375	2004
29.01.2020 09:06:55	1	1	1	1	41.75	39.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	19.0625	2004
29.01.2020 09:06:56	1	1	1	1	41.75	39	0	30000	432.2580645	13096.51292	30000	0	0	30000	19.25	2004
29.01.2020 09:06:57	1	1	1	1	41.75	39.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	19.4375	2004
29.01.2020 09:06:58	1	1	1	1	41.75	39.25	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	19.5625	2004
29.01.2020 09:06:59	1	1	1	1	41.75	39.5	0	29857.82	481.7204301	14039.08352	30000	0	0	30000	19.625	2004
29.01.2020 09:07:00	1	1	1	1	41.75	39.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.1875	2004
29.01.2020 09:07:01	1	1	1	1	41.75	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.4375	2004
29.01.2020 09:07:02	1	1	1	1	41.75	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.5625	2004
29.01.2020 09:07:03	1	1	1	1	41.75	39.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	18.9375	2004
29.01.2020 09:07:04	1	1	1	1	42.25	38.75	0	29952.607	423.655914	12773.62542	30000	0	0	30000	19.1875	2004
29.01.2020 09:07:05	1	1	1	1	42.25	39	0	30000	419.3548387	12709.21099	30000	0	0	30000	19.6875	2004
29.01.2020 09:07:06	1	1	1	1	42.25	39.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.5	2004
29.01.2020 09:07:07	1	1	1	1	42.25	39.5	0	30000	415.0537634	12515.96771	30000	0	0	30000	19.1875	2004
29.01.2020 09:07:08	1	1	1	1	42.25	39	0	29905.213	423.655914	12540.42889	30000	0	0	30000	19.5	2004
29.01.2020 09:07:09	1	1	1	1	42.25	39.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	19.25	2004
29.01.2020 09:07:10	1	1	1	1	42.25	39.25	0	29952.607	395.6989247	12064.25135	30000	0	0	30000	19.125	2004
29.01.2020 09:07:16	1	1	1	1	43	39.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	19.6875	2004
29.01.2020 09:07:16	1	1	1	1	43	39.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	19.6875	2004
29.01.2020 09:07:16	1	1	1	1	43	39.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	19.6875	2004
29.01.2020 09:07:16	1	1	1	1	43	39.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	19.6875	2004
29.01.2020 09:07:16	1	1	1	1	43	39.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	19.6875	2004
29.01.2020 09:07:16	1	1	1	1	43	39.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	19.6875	2004
29.01.2020 09:07:17	1	1	1	1	43	39.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.5	2004
29.01.2020 09:07:18	1	1	1	1	43	39.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	19.4375	2004
29.01.2020 09:07:19	1	1	1	1	43	39.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	19.625	2004
29.01.2020 09:07:20	1	1	1	1	43	39.5	0	30000	419.3548387	12729.5953	30000	0	0	30000	19.625	2004
29.01.2020 09:07:21	1	1	1	1	43	39.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	19.625	2004
29.01.2020 09:07:22	1	1	1	1	43	39.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:07:23	1	1	1	1	43	39.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	19.3125	2004
29.01.2020 09:07:24	1	1	1	1	43.25	39.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	19.8125	2004
29.01.2020 09:07:25	1	1	1	1	43.25	39.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	19.5	2004
29.01.2020 09:07:26	1	1	1	1	43.25	39.5	0	29952.607	458.0645161	13805.88699	30000	0	0	30000	19.625	2004
29.01.2020 09:07:27	1	1	1	1	43.25	39.5	0	30000	445.1612903	13375.37032	30000	0	0	30000	19.625	2004
29.01.2020 09:07:28	1	1	1	1	43.25	39.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.375	2004
29.01.2020 09:07:29	1	1	1	1	43.25	39.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	18.9375	2004
29.01.2020 09:07:30	1	1	1	1	43.25	38.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.25	2004
29.01.2020 09:07:31	1	1	1	1	43.25	39.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	19.75	2004
29.01.2020 09:07:32	1	1	1	1	43.25	39.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	20.0625	2004
29.01.2020 09:07:33	1	1	1	1	43.25	40	0	30000	443.0107527	13225.34178	30000	0	0	30000	19.6875	2004
29.01.2020 09:07:34	1	1	1	1	43.5	39.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	19.5625	2004
29.01.2020 09:07:36	1	1	1	1	43.5	40.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.625	2004
29.01.2020 09:07:37	1	1	1	1	43.5	39.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	19.4375	2004
29.01.2020 09:07:38	1	1	1	1	43.5	39.25	0	30000	400	11935.4225	30000	0	0	30000	19.8125	2004
29.01.2020 09:07:39	1	1	1	1	43.5	39.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	19.5	2004
29.01.2020 09:07:40	1	1	1	1	43.5	39.5	0	30000	406.4516129	12193.08021	30000	0	0	30000	19.375	2004
29.01.2020 09:07:41	1	1	1	1	43.5	39.25	0	30000	395.6989247	11954.17607	30000	0	0	30000	19.625	2004
29.01.2020 09:07:42	1	1	1	1	43.5	39.5	0	30000	423.655914	12580.38214	30000	0	0	30000	19.4375	2004
29.01.2020 09:07:43	1	1	1	1	43.5	39.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	19.25	2004
29.01.2020 09:07:44	1	1	1	1	43.75	39.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	19.5625	2004
29.01.2020 09:07:45	1	1	1	1	43.75	39.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	19.5	2004
29.01.2020 09:07:46	1	1	1	1	43.75	39.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	19.25	2004
29.01.2020 09:07:47	1	1	1	1	43.75	39.25	0	29952.607	436.5591398	13140.54304	30000	0	0	30000	19.75	2004
29.01.2020 09:07:48	1	1	1	1	43.75	39.75	0	29952.607	443.0107527	13204.95746	30000	0	0	30000	19.6875	2004
29.01.2020 09:07:49	1	1	1	1	43.75	39.5	0	30000	438.7096774	12967.68407	30000	0	0	30000	19.5625	2004
29.01.2020 09:07:50	1	1	1	1	43.75	39.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.5	2004
29.01.2020 09:07:51	1	1	1	1	43.75	39.5	0	30000	445.1612903	13289.7562	30000	0	0	30000	19.75	2004
29.01.2020 09:07:52	1	1	1	1	43.75	39.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.5625	2004
29.01.2020 09:07:53	1	1	1	1	43.75	39.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	19.5	2004
29.01.2020 09:07:54	1	1	1	1	45	39.5	0	30000	421.5053763	12838.03984	30000	0	0	30000	19.25	2004
29.01.2020 09:07:55	1	1	1	1	45	39.25	0	30047.393	417.2043011	12451.55328	30000	0	0	30000	19.75	2004
29.01.2020 09:07:56	1	1	1	1	45	39.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	19.3125	2004
29.01.2020 09:07:57	1	1	1	1	45	39.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	19.75	2004
29.01.2020 09:07:58	1	1	1	1	45	39.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.75	2004
29.01.2020 09:07:59	1	1	1	1	45	39.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.4375	2004
29.01.2020 09:08:00	1	1	1	1	45	39.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.6875	2004
29.01.2020 09:08:01	1	1	1	1	45	39.5	0	30000	445.1612903	13225.34178	30000	0	0	30000	19.4375	2004
29.01.2020 09:08:02	1	1	1	1	45	39.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:03	1	1	1	1	45	39.75	0	30000	445.1612903	13396.57	30000	0	0	30000	19.5	2004
29.01.2020 09:08:04	1	1	1	1	46	39.5	0	30000	464.516129	13935.53122	30000	0	0	30000	20	2004
29.01.2020 09:08:05	1	1	1	1	46	40	0	30094.787	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
29.01.2020 09:08:06	1	1	1	1	46	39.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	19.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:08:07	1	1	1	1	46	39.75	0	30000	464.516129	13569.42897	30000	0	0	30000	19.75	2004
29.01.2020 09:08:08	1	1	1	1	46	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20	2004
29.01.2020 09:08:09	1	1	1	1	46	40	0	29905.213	445.1612903	13591.44402	30000	0	0	30000	20.625	2004
29.01.2020 09:08:10	1	1	1	1	46	40.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	20.1875	2004
29.01.2020 09:08:11	1	1	1	1	46	40	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.75	2004
29.01.2020 09:08:18	1	1	1	1	47.25	39.5	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:18	1	1	1	1	47.25	39.5	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:18	1	1	1	1	47.25	39.5	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:18	1	1	1	1	47.25	39.5	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:18	1	1	1	1	47.25	39.75	0	30000	449.4623656	13633.84339	30000	0	0	30000	19.5	2004
29.01.2020 09:08:19	1	1	1	1	47.25	39.5	0	30000	458.0645161	13698.25782	30000	0	0	30000	19.625	2004
29.01.2020 09:08:20	1	1	1	1	47.25	39.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.6875	2004
29.01.2020 09:08:21	1	1	1	1	47.25	39.5	0	30000	464.516129	13805.88699	30000	0	0	30000	19.75	2004
29.01.2020 09:08:22	1	1	1	1	47.25	39.75	0	29905.213	458.0645161	13955.10015	30000	0	0	30000	19.625	2004
29.01.2020 09:08:23	1	1	1	1	47.25	39.5	0	30000	458.0645161	13870.30142	30000	0	0	30000	19.375	2004
29.01.2020 09:08:24	1	1	1	1	47.5	39.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:25	1	1	1	1	47.5	39.75	0	30000	423.655914	12794.00973	30000	0	0	30000	19.25	2004
29.01.2020 09:08:26	1	1	1	1	47.5	39.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	19.875	2004
29.01.2020 09:08:27	1	1	1	1	47.5	39.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	19.75	2004
29.01.2020 09:08:28	1	1	1	1	47.5	39.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	19.375	2004
29.01.2020 09:08:29	1	1	1	1	47.5	39.25	0	30000	438.7096774	13182.12704	30000	0	0	30000	19.875	2004
29.01.2020 09:08:30	1	1	1	1	47.5	39.75	0	30047.393	440.8602151	13225.34178	30000	0	0	30000	19.875	2004
29.01.2020 09:08:31	1	1	1	1	47.5	39.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	19.6875	2004
29.01.2020 09:08:32	1	1	1	1	47.5	39.5	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	20.3125	2004
29.01.2020 09:08:33	1	1	1	1	47.5	40.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.4375	2004
29.01.2020 09:08:34	1	1	1	1	48.25	39.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	20	2004
29.01.2020 09:08:35	1	1	1	1	48.25	40	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.5	2004
29.01.2020 09:08:36	1	1	1	1	48.25	39.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.75	2004
29.01.2020 09:08:37	1	1	1	1	48.25	39.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	19.75	2004
29.01.2020 09:08:38	1	1	1	1	48.25	39.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	19.9375	2004
29.01.2020 09:08:39	1	1	1	1	48.25	39.75	0	30000	445.1612903	13312.58663	30000	0	0	30000	19.1875	2004
29.01.2020 09:08:40	1	1	1	1	48.25	39	0	30000	438.7096774	13225.34178	30000	0	0	30000	20	2004
29.01.2020 09:08:41	1	1	1	1	48.25	40	0	30000	455.9139785	13612.64371	30000	0	0	30000	19.9375	2004
29.01.2020 09:08:42	1	1	1	1	48.25	39.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.75	2004
29.01.2020 09:08:43	1	1	1	1	48.25	39.75	0	30000	425.8064516	13160.92735	30000	0	0	30000	19.875	2004
29.01.2020 09:08:44	1	1	1	1	49	39.75	0	30000	440.8602151	13204.95746	30000	0	0	30000	19.875	2004
29.01.2020 09:08:45	1	1	1	1	49	39.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:46	1	1	1	1	49	39.75	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:47	1	1	1	1	49	39.75	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	19.4375	2004
29.01.2020 09:08:48	1	1	1	1	49	39.25	0	29952.607	423.655914	12773.62542	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:49	1	1	1	1	49	39.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.4375	2004
29.01.2020 09:08:50	1	1	1	1	49	39.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	20.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:08:51	1	1	1	1	49	40.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	20.375	2004
29.01.2020 09:08:52	1	1	1	1	49	40.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.6875	2004
29.01.2020 09:08:53	1	1	1	1	49	39.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	20.9375	2004
29.01.2020 09:08:55	1	1	1	1	49.75	39.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:56	1	1	1	1	49.75	39.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
29.01.2020 09:08:57	1	1	1	1	49.75	39.5	0	30000	488.172043	14644.90528	30000	0	0	30000	19.8125	2004
29.01.2020 09:08:58	1	1	1	1	49.75	39.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	19.875	2004
29.01.2020 09:08:59	1	1	1	1	49.75	39.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:00	1	1	1	1	49.75	39.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.75	2004
29.01.2020 09:09:01	1	1	1	1	49.75	39.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:02	1	1	1	1	49.75	39.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	19.1875	2004
29.01.2020 09:09:03	1	1	1	1	49.75	39	0	30000	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
29.01.2020 09:09:04	1	1	1	1	50	39.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:05	1	1	1	1	50	39.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	20	2004
29.01.2020 09:09:06	1	1	1	1	50	40	0	30000	468.8172043	14128.7745	30000	0	0	30000	19.6875	2004
29.01.2020 09:09:07	1	1	1	1	50	39.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:08	1	1	1	1	50	39.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	20.1875	2004
29.01.2020 09:09:09	1	1	1	1	50	40	0	30000	501.0752688	15096.62164	30000	0	0	30000	19.9375	2004
29.01.2020 09:09:10	1	1	1	1	50	39.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	19.375	2004
29.01.2020 09:09:11	1	1	1	1	50	39.25	0	30000	492.4731183	14797.37994	30000	0	0	30000	19.9375	2004
29.01.2020 09:09:12	1	1	1	1	50	39.75	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:13	1	1	1	1	50	39.75	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	20.1875	2004
29.01.2020 09:09:19	1	1	1	1	50.75	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.125	2004
29.01.2020 09:09:19	1	1	1	1	50.75	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.125	2004
29.01.2020 09:09:19	1	1	1	1	50.75	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.125	2004
29.01.2020 09:09:19	1	1	1	1	50.75	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.125	2004
29.01.2020 09:09:19	1	1	1	1	50.75	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.125	2004
29.01.2020 09:09:20	1	1	1	1	50.75	40	0	30000	464.516129	13935.53122	30000	0	0	30000	19.9375	2004
29.01.2020 09:09:21	1	1	1	1	50.75	39.75	0	29905.213	466.6666667	13955.10015	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:22	1	1	1	1	50.75	39.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	20.1875	2004
29.01.2020 09:09:23	1	1	1	1	50.75	40	0	30000	481.7204301	14451.662	30000	0	0	30000	20.1875	2004
29.01.2020 09:09:24	1	1	1	1	51.75	40	0	30000	490.3225806	14644.90528	30000	0	0	30000	20.25	2004
29.01.2020 09:09:25	1	1	1	1	51.75	40.25	0	30000	488.172043	14644.90528	30000	0	0	30000	19.875	2004
29.01.2020 09:09:26	1	1	1	1	51.75	39.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	20.3125	2004
29.01.2020 09:09:27	1	1	1	1	51.75	40.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	19.875	2004
29.01.2020 09:09:28	1	1	1	1	51.75	39.75	0	30000	488.172043	14644.90528	30000	0	0	30000	21.5625	2004
29.01.2020 09:09:29	1	1	1	1	51.75	41.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:30	1	1	1	1	51.75	39.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.625	2004
29.01.2020 09:09:32	1	1	1	1	51.75	41.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	20.25	2004
29.01.2020 09:09:33	1	1	1	1	51.75	40.25	0	30000	511.827957	15289.86492	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:34	1	1	1	1	52.5	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.3125	2004
29.01.2020 09:09:35	1	1	1	1	52.5	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:09:36	1	1	1	1	52.5	40.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.875	2004
29.01.2020 09:09:37	1	1	1	1	52.5	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:38	1	1	1	1	52.5	39.75	0	30000	466.6666667	13891.5011	30000	0	0	30000	20.4375	2004
29.01.2020 09:09:39	1	1	1	1	52.5	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.5	2004
29.01.2020 09:09:40	1	1	1	1	52.5	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.1875	2004
29.01.2020 09:09:41	1	1	1	1	52.5	40	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5	2004
29.01.2020 09:09:42	1	1	1	1	52.5	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.875	2004
29.01.2020 09:09:43	1	1	1	1	52.5	39.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	19.9375	2004
29.01.2020 09:09:44	1	1	1	1	53	39.75	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	20.0625	2004
29.01.2020 09:09:45	1	1	1	1	53	40	0	30000	507.5268817	15225.45049	30000	0	0	30000	20.1875	2004
29.01.2020 09:09:46	1	1	1	1	53	40	0	29905.213	520.4301075	15435.00122	30000	0	0	30000	19.8125	2004
29.01.2020 09:09:47	1	1	1	1	53	39.75	0	30000	518.2795699	15483.92357	30000	0	0	30000	20	2004
29.01.2020 09:09:48	1	1	1	1	53	40	0	30000	505.3763441	15161.03607	30000	0	0	30000	20.375	2004
29.01.2020 09:09:49	1	1	1	1	53	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.4375	2004
29.01.2020 09:09:50	1	1	1	1	53	40.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.25	2004
29.01.2020 09:09:51	1	1	1	1	53	40.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	20	2004
29.01.2020 09:09:52	1	1	1	1	53	40	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.0625	2004
29.01.2020 09:09:53	1	1	1	1	53	40	0	30000	481.7204301	14451.662	30000	0	0	30000	20.1875	2004
29.01.2020 09:09:54	1	1	1	1	54	40	0	30000	464.516129	13935.53122	30000	0	0	30000	20.375	2004
29.01.2020 09:09:55	1	1	1	1	54	40.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	20.1875	2004
29.01.2020 09:09:56	1	1	1	1	54	40	0	30000	488.172043	14622.07485	30000	0	0	30000	20.25	2004
29.01.2020 09:09:57	1	1	1	1	54	40.25	0	30000	488.172043	14709.31971	30000	0	0	30000	20.4375	2004
29.01.2020 09:09:58	1	1	1	1	54	40.25	0	30000	488.172043	14428.83157	30000	0	0	30000	20.25	2004
29.01.2020 09:09:59	1	1	1	1	54	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.375	2004
29.01.2020 09:10:00	1	1	1	1	54	40.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	19.9375	2004
29.01.2020 09:10:01	1	1	1	1	54	39.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	20.125	2004
29.01.2020 09:10:02	1	1	1	1	54	40	0	30000	486.0215054	14580.49085	30000	0	0	30000	20.1875	2004
29.01.2020 09:10:03	1	1	1	1	54	40	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.5625	2004
29.01.2020 09:10:04	1	1	1	1	54.5	40.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.25	2004
29.01.2020 09:10:05	1	1	1	1	54.5	40.25	0	30000	511.827957	15483.92357	30000	0	0	30000	20.375	2004
29.01.2020 09:10:06	1	1	1	1	54.5	40.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.25	2004
29.01.2020 09:10:07	1	1	1	1	54.5	40.25	0	30000	511.827957	15483.92357	30000	0	0	30000	20.5625	2004
29.01.2020 09:10:08	1	1	1	1	54.5	40.5	0	30047.393	501.0752688	15032.20721	30000	0	0	30000	20.875	2004
29.01.2020 09:10:09	1	1	1	1	54.5	40.75	0	30000	509.6774194	15314.32609	30000	0	0	30000	20.3125	2004
29.01.2020 09:10:11	1	1	1	1	54.5	42.25	0	30000	511.827957	15266.21912	30000	0	0	30000	19.6875	2004
29.01.2020 09:10:12	1	1	1	1	54.5	39.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.3125	2004
29.01.2020 09:10:13	1	1	1	1	54.5	40.25	0	29905.213	516.1290323	15548.338	30000	0	0	30000	20.1875	2004
29.01.2020 09:10:14	1	1	1	1	55.75	40	0	30000	518.2795699	15572.79917	30000	0	0	30000	20.5	2004
29.01.2020 09:10:15	1	1	1	1	55.75	40.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	20.125	2004
29.01.2020 09:10:21	1	1	1	1	55.75	40	0	30000	509.6774194	15354.27935	30000	0	0	30000	20.3125	2004
29.01.2020 09:10:21	1	1	1	1	55.75	40	0	30000	509.6774194	15354.27935	30000	0	0	30000	20.3125	2004
29.01.2020 09:10:21	1	1	1	1	55.75	40	0	30000	509.6774194	15354.27935	30000	0	0	30000	20.3125	2004
29.01.2020 09:10:21	1	1	1	1	55.75	40	0	30000	509.6774194	15354.27935	30000	0	0	30000	20.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:10:21	1	1	1	1	55.75	40	0	30000	509.6774194	15354.27935	30000	0	0	30000	20.3125	2004
29.01.2020 09:10:21	1	1	1	1	55.75	40.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	20.25	2004
29.01.2020 09:10:22	1	1	1	1	55.75	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20	2004
29.01.2020 09:10:23	1	1	1	1	55.75	40	0	29952.607	507.5268817	15354.27935	30000	0	0	30000	20.25	2004
29.01.2020 09:10:24	1	1	1	1	56.25	40.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.375	2004
29.01.2020 09:10:25	1	1	1	1	56.25	40.25	0	29905.213	503.2258065	15354.27935	30000	0	0	30000	20.8125	2004
29.01.2020 09:10:26	1	1	1	1	56.25	40.75	0	30000	505.3763441	15096.62164	30000	0	0	30000	19.875	2004
29.01.2020 09:10:27	1	1	1	1	56.25	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.4375	2004
29.01.2020 09:10:28	1	1	1	1	56.25	40.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	20	2004
29.01.2020 09:10:29	1	1	1	1	56.25	40	0	30000	492.4731183	14644.90528	30000	0	0	30000	20.0625	2004
29.01.2020 09:10:30	1	1	1	1	56.25	40	0	30000	509.6774194	15289.86492	30000	0	0	30000	20.6875	2004
29.01.2020 09:10:31	1	1	1	1	56.25	40.5	0	30000	492.4731183	14750.9037	30000	0	0	30000	20.375	2004
29.01.2020 09:10:32	1	1	1	1	56.25	40.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	20.5625	2004
29.01.2020 09:10:33	1	1	1	1	56.25	40.5	0	30000	488.172043	14644.90528	30000	0	0	30000	20.0625	2004
29.01.2020 09:10:34	1	1	1	1	57	40	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.375	2004
29.01.2020 09:10:35	1	1	1	1	57	40.25	0	30000	488.172043	14644.90528	30000	0	0	30000	20.4375	2004
29.01.2020 09:10:36	1	1	1	1	57	40.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	20.375	2004
29.01.2020 09:10:37	1	1	1	1	57	40.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	20.375	2004
29.01.2020 09:10:38	1	1	1	1	57	40.25	0	30000	488.172043	14580.49085	30000	0	0	30000	20.5	2004
29.01.2020 09:10:39	1	1	1	1	57	40.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	20.375	2004
29.01.2020 09:10:40	1	1	1	1	57	40.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	20.5	2004
29.01.2020 09:10:41	1	1	1	1	57	40.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	20.6875	2004
29.01.2020 09:10:42	1	1	1	1	57	40.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.625	2004
29.01.2020 09:10:43	1	1	1	1	57	40.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	20.375	2004
29.01.2020 09:10:44	1	1	1	1	58.25	40.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	20.3125	2004
29.01.2020 09:10:45	1	1	1	1	58.25	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.8125	2004
29.01.2020 09:10:46	1	1	1	1	58.25	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20	2004
29.01.2020 09:10:47	1	1	1	1	58.25	40	0	30094.787	496.7741935	14644.90528	30000	0	0	30000	20.375	2004
29.01.2020 09:10:49	1	1	1	1	58.25	40.25	0	29952.607	466.6666667	14128.7745	30000	0	0	30000	20.375	2004
29.01.2020 09:10:50	1	1	1	1	58.25	40.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	19.6875	2004
29.01.2020 09:10:51	1	1	1	1	58.25	39.5	0	30094.787	481.7204301	14128.7745	30000	0	0	30000	20.4375	2004
29.01.2020 09:10:52	1	1	1	1	58.25	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5	2004
29.01.2020 09:10:53	1	1	1	1	58.25	40.5	0	30000	481.7204301	14083.92901	30000	0	0	30000	20.5625	2004
29.01.2020 09:10:54	1	1	1	1	58.25	40.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.1875	2004
29.01.2020 09:10:55	1	1	1	1	58.25	40	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.3125	2004
29.01.2020 09:10:56	1	1	1	1	58.25	40.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.5625	2004
29.01.2020 09:10:57	1	1	1	1	58.25	40.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	20.1875	2004
29.01.2020 09:10:58	1	1	1	1	58.25	40	0	30000	481.7204301	14451.662	30000	0	0	30000	19.8125	2004
29.01.2020 09:10:59	1	1	1	1	58.25	39.75	0	30000	488.172043	14644.90528	30000	0	0	30000	19.6875	2004
29.01.2020 09:11:00	1	1	1	1	58.25	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5	2004
29.01.2020 09:11:01	1	1	1	1	58.25	40.5	0	29905.213	505.3763441	15161.03607	30000	0	0	30000	20.5	2004
29.01.2020 09:11:02	1	1	1	1	58.25	40.5	0	29952.607	486.0215054	14516.07643	30000	0	0	30000	20.4375	2004
29.01.2020 09:11:03	1	1	1	1	58.25	40.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:11:04	1	1	1	1	59	40.25	0	29952.607	505.3763441	15354.27935	30000	0	0	30000	20.3125	2004
29.01.2020 09:11:05	1	1	1	1	59	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.5625	2004
29.01.2020 09:11:06	1	1	1	1	59	40.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.5	2004
29.01.2020 09:11:07	1	1	1	1	59	40.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	20.375	2004
29.01.2020 09:11:08	1	1	1	1	59	40.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	20.375	2004
29.01.2020 09:11:09	1	1	1	1	59	40.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.625	2004
29.01.2020 09:11:10	1	1	1	1	59	40.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.5625	2004
29.01.2020 09:11:11	1	1	1	1	59	40.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	20.625	2004
29.01.2020 09:11:12	1	1	1	1	59	40.5	0	30000	507.5268817	15096.62164	30000	0	0	30000	20.3125	2004
29.01.2020 09:11:13	1	1	1	1	59	40.25	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	20.5625	2004
29.01.2020 09:11:14	1	1	1	1	60	40.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	20.625	2004
29.01.2020 09:11:15	1	1	1	1	60	40.5	0	30000	520.4301075	15548.338	30000	0	0	30000	20.1875	2004
29.01.2020 09:11:16	1	1	1	1	60	40	0	30000	511.827957	15483.92357	30000	0	0	30000	20.8125	2004
29.01.2020 09:11:22	1	1	1	1	60	40.25	0	30000	507.5268817	15137.39026	30000	0	0	30000	20.375	2004
29.01.2020 09:11:22	1	1	1	1	60	40.25	0	30000	507.5268817	15137.39026	30000	0	0	30000	20.375	2004
29.01.2020 09:11:22	1	1	1	1	60	40.25	0	30000	507.5268817	15137.39026	30000	0	0	30000	20.375	2004
29.01.2020 09:11:22	1	1	1	1	60	40.25	0	30000	507.5268817	15137.39026	30000	0	0	30000	20.375	2004
29.01.2020 09:11:22	1	1	1	1	60	40.25	0	30000	507.5268817	15137.39026	30000	0	0	30000	20.375	2004
29.01.2020 09:11:22	1	1	1	1	60	40.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	20.6875	2004
29.01.2020 09:11:23	1	1	1	1	60	40.5	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	20.375	2004
29.01.2020 09:11:24	1	1	1	1	60.75	40.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	20.5625	2004
29.01.2020 09:11:25	1	1	1	1	60.75	40.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	20.75	2004
29.01.2020 09:11:26	1	1	1	1	60.75	40.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.5625	2004
29.01.2020 09:11:27	1	1	1	1	60.75	40.5	0	30000	488.172043	14644.90528	30000	0	0	30000	21.0625	2004
29.01.2020 09:11:28	1	1	1	1	60.75	41	0	30000	481.7204301	14451.662	30000	0	0	30000	20.4375	2004
29.01.2020 09:11:29	1	1	1	1	60.75	40.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.9375	2004
29.01.2020 09:11:31	1	1	1	1	60.75	41.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	21.3125	2004
29.01.2020 09:11:32	1	1	1	1	60.75	41.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	21	2004
29.01.2020 09:11:33	1	1	1	1	60.75	41.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.6875	2004
29.01.2020 09:11:34	1	1	1	1	61.25	40.5	0	30189.573	496.7741935	15055.85302	30000	0	0	30000	20.875	2004
29.01.2020 09:11:35	1	1	1	1	61.25	40.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	20.625	2004
29.01.2020 09:11:36	1	1	1	1	61.25	40.5	0	30000	507.5268817	15096.62164	30000	0	0	30000	20.6875	2004
29.01.2020 09:11:37	1	1	1	1	61.25	40.5	0	30000	494.6236559	14791.67233	30000	0	0	30000	21.1875	2004
29.01.2020 09:11:38	1	1	1	1	61.25	41	0	30000	481.7204301	14451.662	30000	0	0	30000	20.6875	2004
29.01.2020 09:11:39	1	1	1	1	61.25	40.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	21	2004
29.01.2020 09:11:40	1	1	1	1	61.25	41	0	30000	481.7204301	14451.662	30000	0	0	30000	20.625	2004
29.01.2020 09:11:41	1	1	1	1	61.25	40.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.375	2004
29.01.2020 09:11:42	1	1	1	1	61.25	40.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	20.625	2004
29.01.2020 09:11:43	1	1	1	1	61.25	40.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	20.5	2004
29.01.2020 09:11:44	1	1	1	1	62	40.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	20.625	2004
29.01.2020 09:11:45	1	1	1	1	62	40.5	0	30000	492.4731183	14644.90528	30000	0	0	30000	20.6875	2004
29.01.2020 09:11:46	1	1	1	1	62	40.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	21	2004
29.01.2020 09:11:47	1	1	1	1	62	41	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:11:48	1	1	1	1	62	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.875	2004
29.01.2020 09:11:49	1	1	1	1	62	40.75	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	21.0625	2004
29.01.2020 09:11:50	1	1	1	1	62	41	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.5625	2004
29.01.2020 09:11:51	1	1	1	1	62	40.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	20.4375	2004
29.01.2020 09:11:52	1	1	1	1	62	40.25	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	20.6875	2004
29.01.2020 09:11:53	1	1	1	1	62	40.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.6875	2004
29.01.2020 09:11:54	1	1	1	1	62.75	40.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	20.5	2004
29.01.2020 09:11:55	1	1	1	1	62.75	40.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	21.0625	2004
29.01.2020 09:11:56	1	1	1	1	62.75	41	0	30000	494.6236559	14838.14856	30000	0	0	30000	20.4375	2004
29.01.2020 09:11:57	1	1	1	1	62.75	40.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	20.625	2004
29.01.2020 09:11:58	1	1	1	1	62.75	40.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.6875	2004
29.01.2020 09:11:59	1	1	1	1	62.75	40.5	0	30000	524.7311828	15701.62803	30000	0	0	30000	20.5625	2004
29.01.2020 09:12:00	1	1	1	1	62.75	40.5	0	29905.213	496.7741935	14984.10024	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:01	1	1	1	1	62.75	40.75	0	30000	520.4301075	15548.338	30000	0	0	30000	20.5625	2004
29.01.2020 09:12:02	1	1	1	1	62.75	40.5	0	30000	518.2795699	15741.58128	30000	0	0	30000	20.875	2004
29.01.2020 09:12:03	1	1	1	1	62.75	40.75	0	30047.393	524.7311828	15741.58128	30000	0	0	30000	20.875	2004
29.01.2020 09:12:04	1	1	1	1	63.25	40.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	21.1875	2004
29.01.2020 09:12:05	1	1	1	1	63.25	41	0	30000	511.827957	15483.92357	30000	0	0	30000	20.875	2004
29.01.2020 09:12:06	1	1	1	1	63.25	40.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	21.0625	2004
29.01.2020 09:12:07	1	1	1	1	63.25	41	0	30000	533.3333333	16000.05436	30000	0	0	30000	20.75	2004
29.01.2020 09:12:08	1	1	1	1	63.25	40.75	0	30000	524.7311828	15563.0147	30000	0	0	30000	20.9375	2004
29.01.2020 09:12:09	1	1	1	1	63.25	40.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	20.625	2004
29.01.2020 09:12:11	1	1	1	1	63.25	40.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.5	2004
29.01.2020 09:12:12	1	1	1	1	63.25	41.5	0	30000	511.827957	15289.86492	30000	0	0	30000	20.875	2004
29.01.2020 09:12:13	1	1	1	1	63.25	40.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	20.6875	2004
29.01.2020 09:12:14	1	1	1	1	64.25	40.5	0	29905.213	505.3763441	15418.69377	30000	0	0	30000	20.625	2004
29.01.2020 09:12:15	1	1	1	1	64.25	40.5	0	29905.213	511.827957	15289.86492	30000	0	0	30000	20.6875	2004
29.01.2020 09:12:16	1	1	1	1	64.25	40.5	0	30000	501.0752688	15120.26744	30000	0	0	30000	20.5	2004
29.01.2020 09:12:17	1	1	1	1	64.25	40.5	0	30000	526.8817204	15870.41013	30000	0	0	30000	20.1875	2004
29.01.2020 09:12:18	1	1	1	1	64.25	40	0	30000	509.6774194	15289.86492	30000	0	0	30000	20.875	2004
29.01.2020 09:12:24	1	1	1	1	64.25	40.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	20.625	2004
29.01.2020 09:12:24	1	1	1	1	64.25	40.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	20.625	2004
29.01.2020 09:12:24	1	1	1	1	64.25	40.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	20.625	2004
29.01.2020 09:12:24	1	1	1	1	64.25	40.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	20.625	2004
29.01.2020 09:12:24	1	1	1	1	64.25	40.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	20.625	2004
29.01.2020 09:12:24	1	1	1	1	64.75	40.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	21	2004
29.01.2020 09:12:25	1	1	1	1	64.75	41	0	30047.393	496.7741935	14967.79279	30000	0	0	30000	21.0625	2004
29.01.2020 09:12:26	1	1	1	1	64.75	41	0	30000	481.7204301	14451.662	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:27	1	1	1	1	64.75	40.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	21.0625	2004
29.01.2020 09:12:28	1	1	1	1	64.75	41	0	30000	498.9247312	15032.20721	30000	0	0	30000	20.625	2004
29.01.2020 09:12:29	1	1	1	1	64.75	40.5	0	29952.607	505.3763441	15096.62164	30000	0	0	30000	20.75	2004
29.01.2020 09:12:30	1	1	1	1	64.75	40.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	20.875	2004
29.01.2020 09:12:31	1	1	1	1	64.75	40.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	21	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:12:32	1	1	1	1	64.75	41	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	20.875	2004
29.01.2020 09:12:33	1	1	1	1	64.75	40.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.9375	2004
29.01.2020 09:12:34	1	1	1	1	65.5	40.75	0	30000	511.827957	15289.86492	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:35	1	1	1	1	65.5	40.75	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	20.6875	2004
29.01.2020 09:12:36	1	1	1	1	65.5	40.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	20.875	2004
29.01.2020 09:12:37	1	1	1	1	65.5	40.75	0	30000	488.172043	14644.90528	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:38	1	1	1	1	65.5	40.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.875	2004
29.01.2020 09:12:39	1	1	1	1	65.5	40.75	0	30000	516.1290323	15330.63354	30000	0	0	30000	21	2004
29.01.2020 09:12:40	1	1	1	1	65.5	41	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.125	2004
29.01.2020 09:12:41	1	1	1	1	65.5	41	0	29952.607	511.827957	15418.69377	30000	0	0	30000	21.25	2004
29.01.2020 09:12:42	1	1	1	1	65.5	41.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	20.75	2004
29.01.2020 09:12:43	1	1	1	1	65.5	40.75	0	30000	511.827957	15370.5868	30000	0	0	30000	20.9375	2004
29.01.2020 09:12:44	1	1	1	1	66	40.75	0	30000	509.6774194	15532.84592	30000	0	0	30000	20.9375	2004
29.01.2020 09:12:45	1	1	1	1	66	40.75	0	30000	516.1290323	15548.338	30000	0	0	30000	20.75	2004
29.01.2020 09:12:46	1	1	1	1	66	40.75	0	29905.213	526.8817204	16013.10032	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:47	1	1	1	1	66	40.75	0	30000	520.4301075	15548.338	30000	0	0	30000	21.5	2004
29.01.2020 09:12:49	1	1	1	1	66	41.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	22.0625	2004
29.01.2020 09:12:50	1	1	1	1	66	42	0	30000	516.1290323	15241.75794	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:51	1	1	1	1	66	41.25	0	30047.393	494.6236559	14902.56299	30000	0	0	30000	20.6875	2004
29.01.2020 09:12:52	1	1	1	1	66	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:53	1	1	1	1	66	40.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	21.25	2004
29.01.2020 09:12:54	1	1	1	1	66.5	41.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:55	1	1	1	1	66.5	40.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	21	2004
29.01.2020 09:12:56	1	1	1	1	66.5	41	0	30000	490.3225806	14773.73413	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:57	1	1	1	1	66.5	40.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	21.125	2004
29.01.2020 09:12:58	1	1	1	1	66.5	41	0	30000	488.172043	14644.90528	30000	0	0	30000	20.8125	2004
29.01.2020 09:12:59	1	1	1	1	66.5	40.75	0	30000	501.0752688	15161.03607	30000	0	0	30000	20.8125	2004
29.01.2020 09:13:00	1	1	1	1	66.5	40.75	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	20.75	2004
29.01.2020 09:13:01	1	1	1	1	66.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21.5625	2004
29.01.2020 09:13:02	1	1	1	1	66.5	41.5	0	30000	488.172043	14773.73413	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:03	1	1	1	1	66.5	41	0	30000	490.3225806	14773.73413	30000	0	0	30000	20.9375	2004
29.01.2020 09:13:04	1	1	1	1	67	40.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.4375	2004
29.01.2020 09:13:05	1	1	1	1	67	41.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	21	2004
29.01.2020 09:13:06	1	1	1	1	67	41	0	30000	505.3763441	15225.45049	30000	0	0	30000	21	2004
29.01.2020 09:13:07	1	1	1	1	67	41	0	30000	488.172043	14644.90528	30000	0	0	30000	20.875	2004
29.01.2020 09:13:08	1	1	1	1	67	40.75	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:09	1	1	1	1	67	41	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.875	2004
29.01.2020 09:13:10	1	1	1	1	67	40.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:11	1	1	1	1	67	41	0	30000	481.7204301	14451.662	30000	0	0	30000	21	2004
29.01.2020 09:13:12	1	1	1	1	67	41	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.875	2004
29.01.2020 09:13:13	1	1	1	1	67	40.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.5625	2004
29.01.2020 09:13:14	1	1	1	1	67.5	40.5	0	29952.607	511.827957	15726.90457	30000	0	0	30000	21	2004
29.01.2020 09:13:15	1	1	1	1	67.5	41	0	29952.607	505.3763441	15289.86492	30000	0	0	30000	21	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:13:16	1	1	1	1	67.5	41	0	30000	511.827957	15289.86492	30000	0	0	30000	21.125	2004
29.01.2020 09:13:17	1	1	1	1	67.5	41	0	30000	516.1290323	15548.338	30000	0	0	30000	21.1875	2004
29.01.2020 09:13:18	1	1	1	1	67.5	41	0	30000	518.2795699	15483.92357	30000	0	0	30000	21.25	2004
29.01.2020 09:13:19	1	1	1	1	67.5	41.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.125	2004
29.01.2020 09:13:26	1	1	1	1	67.75	42	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.125	2004
29.01.2020 09:13:26	1	1	1	1	67.75	42	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.125	2004
29.01.2020 09:13:26	1	1	1	1	67.75	42	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.125	2004
29.01.2020 09:13:26	1	1	1	1	67.75	41	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.5625	2004
29.01.2020 09:13:26	1	1	1	1	67.75	41	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.5625	2004
29.01.2020 09:13:26	1	1	1	1	67.75	41	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.5625	2004
29.01.2020 09:13:27	1	1	1	1	67.75	41.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	22.125	2004
29.01.2020 09:13:28	1	1	1	1	67.75	42	0	30000	511.827957	15354.27935	30000	0	0	30000	21.25	2004
29.01.2020 09:13:29	1	1	1	1	67.75	41.75	0	30000	496.7741935	14856.08676	30000	0	0	30000	21.8125	2004
29.01.2020 09:13:30	1	1	1	1	67.75	41.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:31	1	1	1	1	67.75	41	0	30000	507.5268817	15225.45049	30000	0	0	30000	21.375	2004
29.01.2020 09:13:32	1	1	1	1	67.75	41.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.6875	2004
29.01.2020 09:13:33	1	1	1	1	67.75	40.5	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	21.5	2004
29.01.2020 09:13:34	1	1	1	1	69	41.5	0	30000	494.6236559	14598.42905	30000	0	0	30000	21.375	2004
29.01.2020 09:13:35	1	1	1	1	69	41.25	0	30000	488.172043	14709.31971	30000	0	0	30000	21.125	2004
29.01.2020 09:13:36	1	1	1	1	69	41	0	30000	490.3225806	14644.90528	30000	0	0	30000	20.875	2004
29.01.2020 09:13:37	1	1	1	1	69	40.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:38	1	1	1	1	69	41	0	30000	492.4731183	14838.14856	30000	0	0	30000	21.125	2004
29.01.2020 09:13:39	1	1	1	1	69	41	0	30000	507.5268817	15161.03607	30000	0	0	30000	21.5	2004
29.01.2020 09:13:40	1	1	1	1	69	41.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.3125	2004
29.01.2020 09:13:41	1	1	1	1	69	41.25	0	29952.607	488.172043	14750.9037	30000	0	0	30000	20.9375	2004
29.01.2020 09:13:42	1	1	1	1	69	40.75	0	30000	492.4731183	14838.14856	30000	0	0	30000	21.25	2004
29.01.2020 09:13:43	1	1	1	1	69	41.25	0	30000	488.172043	14516.07643	30000	0	0	30000	21.375	2004
29.01.2020 09:13:44	1	1	1	1	69.5	41.25	0	30000	488.172043	14580.49085	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:45	1	1	1	1	69.5	41	0	29952.607	516.1290323	15677.16685	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:46	1	1	1	1	69.5	41	0	30047.393	507.5268817	14902.56299	30000	0	0	30000	20.9375	2004
29.01.2020 09:13:47	1	1	1	1	69.5	40.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	21.3125	2004
29.01.2020 09:13:48	1	1	1	1	69.5	41.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:49	1	1	1	1	69.5	41	0	30000	503.2258065	15096.62164	30000	0	0	30000	21.5	2004
29.01.2020 09:13:50	1	1	1	1	69.5	41.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.9375	2004
29.01.2020 09:13:51	1	1	1	1	69.5	40.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:52	1	1	1	1	69.5	41	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:53	1	1	1	1	69.5	41	0	30000	494.6236559	14902.56299	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:54	1	1	1	1	70	41	0	30000	503.2258065	15032.20721	30000	0	0	30000	20.9375	2004
29.01.2020 09:13:55	1	1	1	1	70	40.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.3125	2004
29.01.2020 09:13:56	1	1	1	1	70	41.25	0	30000	490.3225806	14469.6002	30000	0	0	30000	21.0625	2004
29.01.2020 09:13:57	1	1	1	1	70	41	0	30000	483.8709677	14516.07643	30000	0	0	30000	21.4375	2004
29.01.2020 09:13:58	1	1	1	1	70	41.25	0	29905.213	481.7204301	14580.49085	30000	0	0	30000	21.1875	2004
29.01.2020 09:13:59	1	1	1	1	70	41	0	30000	490.3225806	14644.90528	30000	0	0	30000	21	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:14:00	1	1	1	1	70	41	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.9375	2004
29.01.2020 09:14:01	1	1	1	1	70	40.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.9375	2004
29.01.2020 09:14:02	1	1	1	1	70	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21.125	2004
29.01.2020 09:14:04	1	1	1	1	70	41	0	29952.607	481.7204301	14451.662	30000	0	0	30000	21.5	2004
29.01.2020 09:14:05	1	1	1	1	70.75	41.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.875	2004
29.01.2020 09:14:06	1	1	1	1	70.75	41.25	0	30000	481.7204301	14451.662	30000	0	0	30000	21.125	2004
29.01.2020 09:14:07	1	1	1	1	70.75	41	0	30000	481.7204301	14428.83157	30000	0	0	30000	20.875	2004
29.01.2020 09:14:08	1	1	1	1	70.75	40.75	0	29905.213	481.7204301	14538.90686	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:09	1	1	1	1	70.75	41.25	0	30000	501.0752688	15249.91167	30000	0	0	30000	21.3125	2004
29.01.2020 09:14:10	1	1	1	1	70.75	41.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	21.5625	2004
29.01.2020 09:14:11	1	1	1	1	70.75	41.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	21.3125	2004
29.01.2020 09:14:12	1	1	1	1	70.75	41.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:13	1	1	1	1	70.75	41.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	21.5	2004
29.01.2020 09:14:14	1	1	1	1	71.5	41.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	21.5625	2004
29.01.2020 09:14:15	1	1	1	1	71.5	41.5	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:16	1	1	1	1	71.5	41.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	21.375	2004
29.01.2020 09:14:17	1	1	1	1	71.5	41.25	0	30000	531.1827957	15805.99571	30000	0	0	30000	20.625	2004
29.01.2020 09:14:18	1	1	1	1	71.5	40.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.375	2004
29.01.2020 09:14:19	1	1	1	1	71.5	41.25	0	29952.607	490.3225806	14662.84348	30000	0	0	30000	21.375	2004
29.01.2020 09:14:20	1	1	1	1	71.5	41.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:21	1	1	1	1	71.5	41.25	0	30000	481.7204301	14451.662	30000	0	0	30000	21.1875	2004
29.01.2020 09:14:27	1	1	1	1	72	41	0	30000	516.1290323	15418.69377	30000	0	0	30000	21.3125	2004
29.01.2020 09:14:27	1	1	1	1	72	41	0	30000	516.1290323	15418.69377	30000	0	0	30000	21.3125	2004
29.01.2020 09:14:27	1	1	1	1	72	41	0	30000	516.1290323	15418.69377	30000	0	0	30000	21.3125	2004
29.01.2020 09:14:27	1	1	1	1	72	41	0	30000	516.1290323	15418.69377	30000	0	0	30000	21.3125	2004
29.01.2020 09:14:27	1	1	1	1	72	41.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:28	1	1	1	1	72	41.25	0	30000	501.0752688	15225.45049	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:29	1	1	1	1	72	41.25	0	30000	496.7741935	14598.42905	30000	0	0	30000	21.5	2004
29.01.2020 09:14:30	1	1	1	1	72	41.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	21.6875	2004
29.01.2020 09:14:31	1	1	1	1	72	41.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	21.25	2004
29.01.2020 09:14:32	1	1	1	1	72	41.25	0	30047.393	507.5268817	15225.45049	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:33	1	1	1	1	72	41.25	0	30000	496.7741935	15184.68187	30000	0	0	30000	21.3125	2004
29.01.2020 09:14:34	1	1	1	1	72.5	41.25	0	30000	507.5268817	15314.32609	30000	0	0	30000	20.9375	2004
29.01.2020 09:14:35	1	1	1	1	72.5	40.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	21.125	2004
29.01.2020 09:14:36	1	1	1	1	72.5	41	0	29905.213	486.0215054	14773.73413	30000	0	0	30000	21.625	2004
29.01.2020 09:14:37	1	1	1	1	72.5	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:38	1	1	1	1	72.5	41.25	0	30000	481.7204301	14451.662	30000	0	0	30000	21.3125	2004
29.01.2020 09:14:40	1	1	1	1	72.5	41.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	21.6875	2004
29.01.2020 09:14:41	1	1	1	1	72.5	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	21.6875	2004
29.01.2020 09:14:42	1	1	1	1	72.5	41.5	0	30000	509.6774194	15354.27935	30000	0	0	30000	21.25	2004
29.01.2020 09:14:43	1	1	1	1	72.5	41.75	0	30000	488.172043	14644.90528	30000	0	0	30000	21.375	2004
29.01.2020 09:14:44	1	1	1	1	73.25	41.25	0	29905.213	455.9139785	13935.53122	30000	0	0	30000	21.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:14:45	1	1	1	1	73.25	41.5	0	30000	488.172043	14644.90528	30000	0	0	30000	21.75	2004
29.01.2020 09:14:46	1	1	1	1	73.25	41.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21.625	2004
29.01.2020 09:14:47	1	1	1	1	73.25	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	21.1875	2004
29.01.2020 09:14:48	1	1	1	1	73.25	41	0	29952.607	488.172043	14926.20879	30000	0	0	30000	21.9375	2004
29.01.2020 09:14:49	1	1	1	1	73.25	41.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:50	1	1	1	1	73.25	41.25	0	30000	516.1290323	15459.4624	30000	0	0	30000	21.125	2004
29.01.2020 09:14:51	1	1	1	1	73.25	41	0	30000	518.2795699	15483.92357	30000	0	0	30000	21.5625	2004
29.01.2020 09:14:52	1	1	1	1	73.25	41.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	21.4375	2004
29.01.2020 09:14:53	1	1	1	1	73.25	41.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	22.1875	2004
29.01.2020 09:14:54	1	1	1	1	73.5	42	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.5	2004
29.01.2020 09:14:55	1	1	1	1	73.5	41.5	0	30000	488.172043	14644.90528	30000	0	0	30000	22.1875	2004
29.01.2020 09:14:56	1	1	1	1	73.5	42	0	30000	488.172043	14644.90528	30000	0	0	30000	21.6875	2004
29.01.2020 09:14:57	1	1	1	1	73.5	41.5	0	29905.213	492.4731183	14879.73256	30000	0	0	30000	21.625	2004
29.01.2020 09:14:58	1	1	1	1	73.5	41.5	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	21.625	2004
29.01.2020 09:14:59	1	1	1	1	73.5	41.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.625	2004
29.01.2020 09:15:00	1	1	1	1	73.5	41.5	0	30000	516.1290323	15548.338	30000	0	0	30000	21.9375	2004
29.01.2020 09:15:01	1	1	1	1	73.5	41.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	21.6875	2004
29.01.2020 09:15:02	1	1	1	1	73.5	41.5	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	22.0625	2004
29.01.2020 09:15:03	1	1	1	1	73.5	42	0	30000	533.3333333	15910.36338	30000	0	0	30000	21.875	2004
29.01.2020 09:15:04	1	1	1	1	74	41.75	0	30000	511.827957	15289.86492	30000	0	0	30000	21.5625	2004
29.01.2020 09:15:05	1	1	1	1	74	41.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.5625	2004
29.01.2020 09:15:06	1	1	1	1	74	41.5	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	21.625	2004
29.01.2020 09:15:07	1	1	1	1	74	41.5	0	29715.64	535.483871	16090.5607	30000	0	0	30000	21.375	2004
29.01.2020 09:15:08	1	1	1	1	74	41.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	21.8125	2004
29.01.2020 09:15:09	1	1	1	1	74	41.75	0	29905.213	537.6344086	15949.50126	30000	0	0	30000	21.3125	2004
29.01.2020 09:15:10	1	1	1	1	74	41.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	21.75	2004
29.01.2020 09:15:11	1	1	1	1	74	41.75	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	21.6875	2004
29.01.2020 09:15:12	1	1	1	1	74	41.5	0	29857.82	533.3333333	15795.39586	30000	0	0	30000	21.6875	2004
29.01.2020 09:15:13	1	1	1	1	74	41.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	21.875	2004
29.01.2020 09:15:14	1	1	1	1	74.5	41.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	21.5625	2004
29.01.2020 09:15:15	1	1	1	1	74.5	41.5	0	29810.427	533.3333333	16090.5607	30000	0	0	30000	22.125	2004
29.01.2020 09:15:16	1	1	1	1	74.5	42	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	21.875	2004
29.01.2020 09:15:18	1	1	1	1	74.5	41.75	0	29810.427	539.7849462	15911.99413	30000	0	0	30000	22.125	2004
29.01.2020 09:15:19	1	1	1	1	74.5	42	0	29810.427	535.483871	15962.54722	30000	0	0	30000	21.8125	2004
29.01.2020 09:15:20	1	1	1	1	74.5	41.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	21.8125	2004
29.01.2020 09:15:21	1	1	1	1	74.5	41.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	22.1875	2004
29.01.2020 09:15:22	1	1	1	1	74.5	42	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	22.25	2004
29.01.2020 09:15:23	1	1	1	1	74.5	42	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	22.25	2004
29.01.2020 09:15:29	1	1	1	1	75.25	42	0	29905.213	533.3333333	15859.81029	30000	0	0	30000	22.625	2004
29.01.2020 09:15:29	1	1	1	1	75.25	42	0	29905.213	533.3333333	15859.81029	30000	0	0	30000	22.625	2004
29.01.2020 09:15:29	1	1	1	1	75.25	42	0	29905.213	533.3333333	15859.81029	30000	0	0	30000	22.625	2004
29.01.2020 09:15:29	1	1	1	1	75.25	42	0	29905.213	533.3333333	15859.81029	30000	0	0	30000	22.625	2004
29.01.2020 09:15:29	1	1	1	1	75.25	42	0	29905.213	533.3333333	15859.81029	30000	0	0	30000	22.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:15:29	1	1	1	1	75.25	42.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.9375	2004
29.01.2020 09:15:30	1	1	1	1	75.25	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.0625	2004
29.01.2020 09:15:31	1	1	1	1	75.25	42	0	30047.393	526.8817204	15855.73343	30000	0	0	30000	21.3125	2004
29.01.2020 09:15:32	1	1	1	1	75.25	41.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	21.875	2004
29.01.2020 09:15:33	1	1	1	1	75.25	41.75	0	30000	511.827957	15354.27935	30000	0	0	30000	21.8125	2004
29.01.2020 09:15:34	1	1	1	1	75.5	41.75	0	30000	522.5806452	15741.58128	30000	0	0	30000	21.3125	2004
29.01.2020 09:15:35	1	1	1	1	75.5	41.25	0	30000	535.483871	15974.77781	30000	0	0	30000	21.5625	2004
29.01.2020 09:15:36	1	1	1	1	75.5	41.5	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	22.4375	2004
29.01.2020 09:15:37	1	1	1	1	75.5	42.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	21.875	2004
29.01.2020 09:15:38	1	1	1	1	75.5	41.75	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	21.75	2004
29.01.2020 09:15:39	1	1	1	1	75.5	41.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	22.1875	2004
29.01.2020 09:15:40	1	1	1	1	75.5	42	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	21.9375	2004
29.01.2020 09:15:41	1	1	1	1	75.5	41.75	0	30000	535.483871	16064.46878	30000	0	0	30000	22.25	2004
29.01.2020 09:15:42	1	1	1	1	75.5	42.25	0	30000	533.3333333	15949.50126	30000	0	0	30000	21.9375	2004
29.01.2020 09:15:43	1	1	1	1	75.5	41.75	0	30000	531.1827957	16064.46878	30000	0	0	30000	21.75	2004
29.01.2020 09:15:44	1	1	1	1	75.75	41.75	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	22.0625	2004
29.01.2020 09:15:45	1	1	1	1	75.75	42	0	29905.213	535.483871	16077.51474	30000	0	0	30000	22.1875	2004
29.01.2020 09:15:46	1	1	1	1	75.75	42	0	29668.246	546.2365591	15988.63914	30000	0	0	30000	21.875	2004
29.01.2020 09:15:47	1	1	1	1	75.75	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	21.6875	2004
29.01.2020 09:15:48	1	1	1	1	75.75	41.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	22	2004
29.01.2020 09:15:49	1	1	1	1	75.75	42	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.3125	2004
29.01.2020 09:15:50	1	1	1	1	75.75	42.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	21.8125	2004
29.01.2020 09:15:51	1	1	1	1	75.75	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22	2004
29.01.2020 09:15:52	1	1	1	1	75.75	42	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.8125	2004
29.01.2020 09:15:53	1	1	1	1	75.75	42.75	0	29857.82	529.0322581	15834.53374	30000	0	0	30000	22.375	2004
29.01.2020 09:15:54	1	1	1	1	76.25	42.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.9375	2004
29.01.2020 09:15:55	1	1	1	1	76.25	41.75	0	29715.64	537.6344086	16001.6851	30000	0	0	30000	22.0625	2004
29.01.2020 09:15:56	1	1	1	1	76.25	42	0	29905.213	535.483871	16013.10032	30000	0	0	30000	21.8125	2004
29.01.2020 09:15:58	1	1	1	1	76.25	41.75	0	29668.246	541.9354839	15925.04009	30000	0	0	30000	21.75	2004
29.01.2020 09:15:59	1	1	1	1	76.25	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.3125	2004
29.01.2020 09:16:00	1	1	1	1	76.25	42.25	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	22.125	2004
29.01.2020 09:16:01	1	1	1	1	76.25	42	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	22.1875	2004
29.01.2020 09:16:02	1	1	1	1	76.25	42	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	22.0625	2004
29.01.2020 09:16:03	1	1	1	1	76.25	42	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	21.9375	2004
29.01.2020 09:16:04	1	1	1	1	77	42.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.3125	2004
29.01.2020 09:16:05	1	1	1	1	77	42.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	22.625	2004
29.01.2020 09:16:06	1	1	1	1	77	42.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	22.1875	2004
29.01.2020 09:16:07	1	1	1	1	77	42	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	22.3125	2004
29.01.2020 09:16:08	1	1	1	1	77	42.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	22.375	2004
29.01.2020 09:16:09	1	1	1	1	77	42.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22	2004
29.01.2020 09:16:10	1	1	1	1	77	42	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	22.0625	2004
29.01.2020 09:16:11	1	1	1	1	77	42	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	21.9375	2004
29.01.2020 09:16:12	1	1	1	1	77	41.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	22.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:16:13	1	1	1	1	77	42.25	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	21.875	2004
29.01.2020 09:16:14	1	1	1	1	77.25	41.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	22.25	2004
29.01.2020 09:16:15	1	1	1	1	77.25	42.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	21.875	2004
29.01.2020 09:16:16	1	1	1	1	77.25	41.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	21.9375	2004
29.01.2020 09:16:17	1	1	1	1	77.25	41.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	21.8125	2004
29.01.2020 09:16:18	1	1	1	1	77.25	41.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	22	2004
29.01.2020 09:16:19	1	1	1	1	77.25	42	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	22.4375	2004
29.01.2020 09:16:20	1	1	1	1	77.25	42.25	0	29526.066	535.483871	15925.04009	30000	0	0	30000	21.75	2004
29.01.2020 09:16:21	1	1	1	1	77.25	41.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	21.8125	2004
29.01.2020 09:16:22	1	1	1	1	77.25	41.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.8125	2004
29.01.2020 09:16:23	1	1	1	1	77.25	41.75	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	22.3125	2004
29.01.2020 09:16:24	1	1	1	1	77.75	42.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	21.75	2004
29.01.2020 09:16:30	1	1	1	1	77.75	41.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	22.0625	2004
29.01.2020 09:16:30	1	1	1	1	77.75	41.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	22.0625	2004
29.01.2020 09:16:30	1	1	1	1	77.75	41.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	22.0625	2004
29.01.2020 09:16:30	1	1	1	1	77.75	41.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	22.0625	2004
29.01.2020 09:16:30	1	1	1	1	77.75	41.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	22.0625	2004
29.01.2020 09:16:30	1	1	1	1	77.75	42	0	29857.82	535.483871	15987.82377	30000	0	0	30000	21.8125	2004
29.01.2020 09:16:31	1	1	1	1	77.75	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	21.9375	2004
29.01.2020 09:16:32	1	1	1	1	77.75	41.75	0	29573.46	537.6344086	15810.07257	30000	0	0	30000	22.1875	2004
29.01.2020 09:16:33	1	1	1	1	77.75	42	0	29620.853	544.0860215	15925.04009	30000	0	0	30000	22.1875	2004
29.01.2020 09:16:34	1	1	1	1	77.25	42	0	30000	533.3333333	15934.82456	30000	0	0	30000	22.625	2004
29.01.2020 09:16:35	1	1	1	1	77.25	42.5	0	30000	529.0322581	15781.53453	30000	0	0	30000	21.8125	2004
29.01.2020 09:16:36	1	1	1	1	77.25	41.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.375	2004
29.01.2020 09:16:38	1	1	1	1	77.25	42.25	0	29905.213	518.2795699	15627.42913	30000	0	0	30000	21.75	2004
29.01.2020 09:16:39	1	1	1	1	77.25	41.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.375	2004
29.01.2020 09:16:40	1	1	1	1	77.25	42.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	22.75	2004
29.01.2020 09:16:41	1	1	1	1	77.25	42.75	0	30000	518.2795699	15483.92357	30000	0	0	30000	22.6875	2004
29.01.2020 09:16:42	1	1	1	1	77.25	42.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	22	2004
29.01.2020 09:16:43	1	1	1	1	77.25	42	0	30000	524.7311828	15741.58128	30000	0	0	30000	22.0625	2004
29.01.2020 09:16:44	1	1	1	1	78	42	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	21.875	2004
29.01.2020 09:16:45	1	1	1	1	78	41.75	0	30000	518.2795699	15548.338	30000	0	0	30000	22	2004
29.01.2020 09:16:46	1	1	1	1	78	42	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.1875	2004
29.01.2020 09:16:47	1	1	1	1	78	42	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	22.375	2004
29.01.2020 09:16:48	1	1	1	1	78	42.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	22.3125	2004
29.01.2020 09:16:49	1	1	1	1	78	42.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	22.25	2004
29.01.2020 09:16:50	1	1	1	1	78	42.25	0	30000	503.2258065	15225.45049	30000	0	0	30000	21.875	2004
29.01.2020 09:16:51	1	1	1	1	78	41.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.0625	2004
29.01.2020 09:16:52	1	1	1	1	78	42	0	30000	524.7311828	15677.16685	30000	0	0	30000	21.9375	2004
29.01.2020 09:16:53	1	1	1	1	78	41.75	0	30000	520.4301075	15548.338	30000	0	0	30000	22	2004
29.01.2020 09:16:54	1	1	1	1	78.25	42	0	29952.607	509.6774194	15483.92357	30000	0	0	30000	22	2004
29.01.2020 09:16:55	1	1	1	1	78.25	42	0	30000	516.1290323	15548.338	30000	0	0	30000	21.9375	2004
29.01.2020 09:16:56	1	1	1	1	78.25	41.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	22.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:16:57	1	1	1	1	78.25	42.5	0	30000	518.2795699	15612.75243	30000	0	0	30000	22.1875	2004
29.01.2020 09:16:58	1	1	1	1	78.25	42	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	22.125	2004
29.01.2020 09:16:59	1	1	1	1	78.25	42	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.0625	2004
29.01.2020 09:17:00	1	1	1	1	78.25	42	0	29857.82	533.3333333	15898.94817	30000	0	0	30000	22.1875	2004
29.01.2020 09:17:03	1	1	1	1	78.25	42.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	22.375	2004
29.01.2020 09:17:03	1	1	1	1	78.25	42.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	22.375	2004
29.01.2020 09:17:03	1	1	1	1	78.25	42.25	0	30000	529.0322581	15677.16685	30000	0	0	30000	22	2004
29.01.2020 09:17:04	1	1	1	1	79.5	42	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	22.625	2004
29.01.2020 09:17:05	1	1	1	1	79.5	42.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.0625	2004
29.01.2020 09:17:06	1	1	1	1	79.5	42	0	29857.82	535.483871	16013.10032	30000	0	0	30000	22.5625	2004
29.01.2020 09:17:07	1	1	1	1	79.5	42.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	21.9375	2004
29.01.2020 09:17:08	1	1	1	1	79.5	41.75	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	22.25	2004
29.01.2020 09:17:09	1	1	1	1	79.5	42.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.875	2004
29.01.2020 09:17:10	1	1	1	1	79.5	42.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	22.0625	2004
29.01.2020 09:17:11	1	1	1	1	79.5	42	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	23	2004
29.01.2020 09:17:12	1	1	1	1	79.5	43	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	22.125	2004
29.01.2020 09:17:14	1	1	1	1	79.5	42	0	29668.246	537.6344086	15606.22945	30000	0	0	30000	21.8125	2004
29.01.2020 09:17:15	1	1	1	1	79.75	41.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	22.0625	2004
29.01.2020 09:17:16	1	1	1	1	79.75	42	0	29715.64	535.483871	16167.20572	30000	0	0	30000	23.125	2004
29.01.2020 09:17:17	1	1	1	1	79.75	43	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23	2004
29.01.2020 09:17:18	1	1	1	1	79.75	43	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	22.375	2004
29.01.2020 09:17:19	1	1	1	1	79.75	42.25	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	23.9375	2004
29.01.2020 09:17:20	1	1	1	1	79.75	42.25	0	29810.427	535.483871	16052.2382	30000	0	0	30000	22.8125	2004
29.01.2020 09:17:21	1	1	1	1	79.75	42.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	22.625	2004
29.01.2020 09:17:22	1	1	1	1	79.75	42.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.9375	2004
29.01.2020 09:17:23	1	1	1	1	79.75	42.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.375	2004
29.01.2020 09:17:24	1	1	1	1	80.25	42.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	22.5625	2004
29.01.2020 09:17:25	1	1	1	1	80.25	42.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	22.8125	2004
29.01.2020 09:17:26	1	1	1	1	80.25	42.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.625	2004
29.01.2020 09:17:32	1	1	1	1	80.25	42.75	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	22.5	2004
29.01.2020 09:17:32	1	1	1	1	80.25	42.75	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	22.5	2004
29.01.2020 09:17:32	1	1	1	1	80.25	42.75	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	22.5	2004
29.01.2020 09:17:32	1	1	1	1	80.25	42.75	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	22.5	2004
29.01.2020 09:17:32	1	1	1	1	80.25	42.75	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	22.5	2004
29.01.2020 09:17:32	1	1	1	1	80.25	42.75	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	22.5	2004
29.01.2020 09:17:33	1	1	1	1	80.25	42.5	0	30000	522.5806452	15612.75243	30000	0	0	30000	22.875	2004
29.01.2020 09:17:34	1	1	1	1	80.25	42.75	0	30000	533.3333333	15974.77781	30000	0	0	30000	22.6875	2004
29.01.2020 09:17:35	1	1	1	1	80.25	42.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	22.1875	2004
29.01.2020 09:17:36	1	1	1	1	80.25	42	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.5	2004
29.01.2020 09:17:37	1	1	1	1	80.25	42.5	0	29763.033	535.483871	15911.99413	30000	0	0	30000	23	2004
29.01.2020 09:17:38	1	1	1	1	80.25	43	0	30000	518.2795699	15612.75243	30000	0	0	30000	22.3125	2004
29.01.2020 09:17:39	1	1	1	1	80.25	42.25	0	30000	531.1827957	15805.99571	30000	0	0	30000	21.875	2004
29.01.2020 09:17:40	1	1	1	1	80.25	41.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	22.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:17:41	1	1	1	1	80.25	42.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	22.3125	2004
29.01.2020 09:17:42	1	1	1	1	80.25	42.25	0	29905.213	533.3333333	16052.2382	30000	0	0	30000	22.5	2004
29.01.2020 09:17:43	1	1	1	1	80.25	42.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	22.375	2004
29.01.2020 09:17:44	1	1	1	1	80.25	42.25	0	30000	533.3333333	15805.99571	30000	0	0	30000	22.3125	2004
29.01.2020 09:17:45	1	1	1	1	80.25	42.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.1875	2004
29.01.2020 09:17:46	1	1	1	1	80.25	42	0	29952.607	518.2795699	15548.338	30000	0	0	30000	22.9375	2004
29.01.2020 09:17:47	1	1	1	1	80.25	42.75	0	30000	518.2795699	15548.338	30000	0	0	30000	22.5	2004
29.01.2020 09:17:48	1	1	1	1	80.25	42.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.75	2004
29.01.2020 09:17:49	1	1	1	1	80.25	42.75	0	30000	522.5806452	15612.75243	30000	0	0	30000	22.5	2004
29.01.2020 09:17:50	1	1	1	1	80.25	42.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	22	2004
29.01.2020 09:17:51	1	1	1	1	80.25	42	0	29810.427	535.483871	15962.54722	30000	0	0	30000	23	2004
29.01.2020 09:17:52	1	1	1	1	80.25	43	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	22	2004
29.01.2020 09:17:54	1	1	1	1	80.25	42	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	22.625	2004
29.01.2020 09:17:55	1	1	1	1	80.75	42.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.875	2004
29.01.2020 09:17:56	1	1	1	1	80.75	42.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	22.4375	2004
29.01.2020 09:17:57	1	1	1	1	80.75	42.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	22.625	2004
29.01.2020 09:17:58	1	1	1	1	80.75	42.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	22.5	2004
29.01.2020 09:17:59	1	1	1	1	80.75	43	0	29857.82	533.3333333	15859.81029	30000	0	0	30000	22.8125	2004
29.01.2020 09:18:00	1	1	1	1	80.75	42.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	22.9375	2004
29.01.2020 09:18:01	1	1	1	1	80.75	42.75	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	22.5625	2004
29.01.2020 09:18:02	1	1	1	1	80.75	42.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.1875	2004
29.01.2020 09:18:03	1	1	1	1	80.75	42	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.5625	2004
29.01.2020 09:18:04	1	1	1	1	81	42.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	22.375	2004
29.01.2020 09:18:05	1	1	1	1	81	42.25	0	29905.213	533.3333333	15934.82456	30000	0	0	30000	22.9375	2004
29.01.2020 09:18:06	1	1	1	1	81	42.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	22.6875	2004
29.01.2020 09:18:07	1	1	1	1	81	42.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	22.125	2004
29.01.2020 09:18:08	1	1	1	1	81	42	0	29763.033	535.483871	15962.54722	30000	0	0	30000	22.5625	2004
29.01.2020 09:18:09	1	1	1	1	81	42.5	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	23.125	2004
29.01.2020 09:18:10	1	1	1	1	81	43	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	22.5625	2004
29.01.2020 09:18:11	1	1	1	1	81	42.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	23.375	2004
29.01.2020 09:18:12	1	1	1	1	81	43.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	22.9375	2004
29.01.2020 09:18:13	1	1	1	1	81	42.75	0	30000	537.6344086	16257.71206	30000	0	0	30000	22.75	2004
29.01.2020 09:18:14	1	1	1	1	81.5	42.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	22.4375	2004
29.01.2020 09:18:15	1	1	1	1	81.5	42.25	0	29810.427	535.483871	15924.22472	30000	0	0	30000	22.75	2004
29.01.2020 09:18:16	1	1	1	1	81.5	42.75	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	22.8125	2004
29.01.2020 09:18:17	1	1	1	1	81.5	42.75	0	29715.64	533.3333333	15823.11853	30000	0	0	30000	22.9375	2004
29.01.2020 09:18:18	1	1	1	1	81.5	42.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.75	2004
29.01.2020 09:18:19	1	1	1	1	81.5	42.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.6875	2004
29.01.2020 09:18:20	1	1	1	1	81.5	42.5	0	29810.427	535.483871	15898.94817	30000	0	0	30000	22.875	2004
29.01.2020 09:18:21	1	1	1	1	81.5	42.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	23.6875	2004
29.01.2020 09:18:22	1	1	1	1	81.5	43.5	0	29715.64	541.9354839	15975.59318	30000	0	0	30000	23.125	2004
29.01.2020 09:18:23	1	1	1	1	81.5	43	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	23.5625	2004
29.01.2020 09:18:24	1	1	1	1	82.5	43.5	0	30000	535.483871	16039.19224	30000	0	0	30000	22.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:18:25	1	1	1	1	82.5	42.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	22.5625	2004
29.01.2020 09:18:26	1	1	1	1	82.5	42.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	22.375	2004
29.01.2020 09:18:27	1	1	1	1	82.5	42.25	0	29715.64	529.0322581	15911.99413	30000	0	0	30000	22.625	2004
29.01.2020 09:18:33	1	1	1	1	82.5	42.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	22.75	2004
29.01.2020 09:18:33	1	1	1	1	82.5	42.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	22.75	2004
29.01.2020 09:18:33	1	1	1	1	82.5	42.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	22.75	2004
29.01.2020 09:18:33	1	1	1	1	82.5	42.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	22.75	2004
29.01.2020 09:18:33	1	1	1	1	82.5	42.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	22.75	2004
29.01.2020 09:18:33	1	1	1	1	82.5	42.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	22.375	2004
29.01.2020 09:18:35	1	1	1	1	82.25	42.25	0	29620.853	539.7849462	16040.00761	30000	0	0	30000	22.8125	2004
29.01.2020 09:18:36	1	1	1	1	82.25	42.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	23.1875	2004
29.01.2020 09:18:37	1	1	1	1	82.25	43	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.5625	2004
29.01.2020 09:18:38	1	1	1	1	82.25	43.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	23.0625	2004
29.01.2020 09:18:39	1	1	1	1	82.25	43	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	22.5625	2004
29.01.2020 09:18:40	1	1	1	1	82.25	43.25	0	29620.853	535.483871	15911.99413	30000	0	0	30000	22.75	2004
29.01.2020 09:18:41	1	1	1	1	82.25	42.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	22.8125	2004
29.01.2020 09:18:42	1	1	1	1	82.25	42.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	22.9375	2004
29.01.2020 09:18:43	1	1	1	1	82.25	42.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	22.9375	2004
29.01.2020 09:18:44	1	1	1	1	82	42.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	23.25	2004
29.01.2020 09:18:45	1	1	1	1	82	43.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.9375	2004
29.01.2020 09:18:46	1	1	1	1	82	42.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.1875	2004
29.01.2020 09:18:47	1	1	1	1	82	43	0	29620.853	537.6344086	15772.56543	30000	0	0	30000	22.9375	2004
29.01.2020 09:18:48	1	1	1	1	82	42.75	0	29526.066	541.9354839	15722.01234	30000	0	0	30000	23	2004
29.01.2020 09:18:49	1	1	1	1	82	43	0	29952.607	537.6344086	16128.88321	30000	0	0	30000	23.1875	2004
29.01.2020 09:18:50	1	1	1	1	82	43	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	23.4375	2004
29.01.2020 09:18:51	1	1	1	1	82	43.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	23.375	2004
29.01.2020 09:18:52	1	1	1	1	82	43.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.125	2004
29.01.2020 09:18:53	1	1	1	1	82	42	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23.0625	2004
29.01.2020 09:18:54	1	1	1	1	81.5	43	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	22.625	2004
29.01.2020 09:18:55	1	1	1	1	81.5	42.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	22.75	2004
29.01.2020 09:18:56	1	1	1	1	81.5	42.75	0	29668.246	535.483871	15861.44103	30000	0	0	30000	23.0625	2004
29.01.2020 09:18:57	1	1	1	1	81.5	43	0	29668.246	535.483871	15925.04009	30000	0	0	30000	23.0625	2004
29.01.2020 09:18:58	1	1	1	1	81.5	43	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23.1875	2004
29.01.2020 09:18:59	1	1	1	1	81.5	43	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	23.3125	2004
29.01.2020 09:19:00	1	1	1	1	81.5	43.25	0	29620.853	537.6344086	15899.76354	30000	0	0	30000	22.875	2004
29.01.2020 09:19:01	1	1	1	1	81.5	42.75	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	23.3125	2004
29.01.2020 09:19:02	1	1	1	1	81.5	43.25	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	23	2004
29.01.2020 09:19:03	1	1	1	1	81.5	43	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	22.9375	2004
29.01.2020 09:19:04	1	1	1	1	82.25	42.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	23.125	2004
29.01.2020 09:19:05	1	1	1	1	82.25	43	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	22.875	2004
29.01.2020 09:19:06	1	1	1	1	82.25	42.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	22.625	2004
29.01.2020 09:19:07	1	1	1	1	82.25	42.5	0	29620.853	539.7849462	15747.28889	30000	0	0	30000	22.9375	2004
29.01.2020 09:19:08	1	1	1	1	82.25	42.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:19:09	1	1	1	1	82.25	43	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	22.75	2004
29.01.2020 09:19:10	1	1	1	1	82.25	42.75	0	29431.28	544.0860215	15960.91648	30000	0	0	30000	23.125	2004
29.01.2020 09:19:11	1	1	1	1	82.25	43	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	22.9375	2004
29.01.2020 09:19:12	1	1	1	1	82.25	42.75	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	23.1875	2004
29.01.2020 09:19:13	1	1	1	1	82.25	43	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23.75	2004
29.01.2020 09:19:14	1	1	1	1	81.75	43.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.3125	2004
29.01.2020 09:19:16	1	1	1	1	81.75	43.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	23.5	2004
29.01.2020 09:19:17	1	1	1	1	81.75	43.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	22.75	2004
29.01.2020 09:19:18	1	1	1	1	81.75	42.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23	2004
29.01.2020 09:19:19	1	1	1	1	81.75	43	0	29526.066	541.9354839	15988.63914	30000	0	0	30000	22.5625	2004
29.01.2020 09:19:20	1	1	1	1	81.75	42.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	23.9375	2004
29.01.2020 09:19:21	1	1	1	1	81.75	43.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	23.625	2004
29.01.2020 09:19:22	1	1	1	1	81.75	43.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.875	2004
29.01.2020 09:19:23	1	1	1	1	81.75	42.25	0	29620.853	537.6344086	15975.59318	30000	0	0	30000	22.9375	2004
29.01.2020 09:19:24	1	1	1	1	82	42.75	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	22.6875	2004
29.01.2020 09:19:25	1	1	1	1	82	42.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.5625	2004
29.01.2020 09:19:26	1	1	1	1	82	43.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	23.4375	2004
29.01.2020 09:19:27	1	1	1	1	82	43.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	23.5	2004
29.01.2020 09:19:28	1	1	1	1	82	43.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	23.4375	2004
29.01.2020 09:19:29	1	1	1	1	82	43.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	23.1875	2004
29.01.2020 09:19:36	1	1	1	1	83	43.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	22.875	2004
29.01.2020 09:19:36	1	1	1	1	83	43.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	22.875	2004
29.01.2020 09:19:36	1	1	1	1	83	43.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	22.875	2004
29.01.2020 09:19:36	1	1	1	1	83	43.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	22.875	2004
29.01.2020 09:19:36	1	1	1	1	83	43.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	22.875	2004
29.01.2020 09:19:36	1	1	1	1	83	43.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	22.875	2004
29.01.2020 09:19:36	1	1	1	1	83	42.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.3125	2004
29.01.2020 09:19:37	1	1	1	1	83	43.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	23.4375	2004
29.01.2020 09:19:38	1	1	1	1	83	43.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	23.0625	2004
29.01.2020 09:19:39	1	1	1	1	83	43	0	29668.246	541.9354839	16167.20572	30000	0	0	30000	22.625	2004
29.01.2020 09:19:40	1	1	1	1	83	42.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	23.5625	2004
29.01.2020 09:19:41	1	1	1	1	83	43.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	22.875	2004
29.01.2020 09:19:42	1	1	1	1	83	42.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	23.25	2004
29.01.2020 09:19:43	1	1	1	1	83	43.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	23.3125	2004
29.01.2020 09:19:44	1	1	1	1	82	43.25	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	23.25	2004
29.01.2020 09:19:45	1	1	1	1	82	43.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23.3125	2004
29.01.2020 09:19:46	1	1	1	1	82	43.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	23.4375	2004
29.01.2020 09:19:47	1	1	1	1	82	43.25	0	29763.033	537.6344086	15848.39508	30000	0	0	30000	23.5	2004
29.01.2020 09:19:48	1	1	1	1	82	43.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	23.4375	2004
29.01.2020 09:19:49	1	1	1	1	82	43.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	23.25	2004
29.01.2020 09:19:50	1	1	1	1	82	43.25	0	29668.246	541.9354839	16167.20572	30000	0	0	30000	23.8125	2004
29.01.2020 09:19:51	1	1	1	1	82	43.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	23.3125	2004
29.01.2020 09:19:52	1	1	1	1	82	43.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	23.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:19:53	1	1	1	1	82	43.25	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	23.625	2004
29.01.2020 09:19:54	1	1	1	1	82	43.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23	2004
29.01.2020 09:19:56	1	1	1	1	82	43	0	29431.28	537.6344086	16064.46878	30000	0	0	30000	22.9375	2004
29.01.2020 09:19:57	1	1	1	1	82	42.75	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	23.625	2004
29.01.2020 09:19:58	1	1	1	1	82	43.5	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	22.9375	2004
29.01.2020 09:19:59	1	1	1	1	82	42.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	24	2004
29.01.2020 09:20:00	1	1	1	1	82	44	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	23.3125	2004
29.01.2020 09:20:01	1	1	1	1	82	43.25	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	23.9375	2004
29.01.2020 09:20:02	1	1	1	1	82	43.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	23.9375	2004
29.01.2020 09:20:03	1	1	1	1	82	43.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	22.9375	2004
29.01.2020 09:20:04	1	1	1	1	82.25	42.75	0	29146.919	544.0860215	15972.33169	30000	0	0	30000	23.3125	2004
29.01.2020 09:20:05	1	1	1	1	82.25	43.25	0	29431.28	550.5376344	16139.48305	30000	0	0	30000	23.0625	2004
29.01.2020 09:20:06	1	1	1	1	82.25	43	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	22.5625	2004
29.01.2020 09:20:07	1	1	1	1	82.25	42.5	0	29668.246	541.9354839	16141.92917	30000	0	0	30000	23.25	2004
29.01.2020 09:20:08	1	1	1	1	82.25	43.25	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	22.9375	2004
29.01.2020 09:20:09	1	1	1	1	82.25	42.75	0	29241.706	541.9354839	15858.17955	30000	0	0	30000	23.375	2004
29.01.2020 09:20:10	1	1	1	1	82.25	43.25	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	23.25	2004
29.01.2020 09:20:11	1	1	1	1	82.25	43.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	23.4375	2004
29.01.2020 09:20:12	1	1	1	1	82.25	43.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	24	2004
29.01.2020 09:20:13	1	1	1	1	82.25	44	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	22.9375	2004
29.01.2020 09:20:14	1	1	1	1	82.5	42.75	0	29146.919	546.2365591	16276.46563	30000	0	0	30000	23.625	2004
29.01.2020 09:20:15	1	1	1	1	82.5	43.5	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	24.125	2004
29.01.2020 09:20:16	1	1	1	1	82.5	44	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	23.625	2004
29.01.2020 09:20:17	1	1	1	1	82.5	43.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	23.625	2004
29.01.2020 09:20:18	1	1	1	1	82.5	43.5	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	23.375	2004
29.01.2020 09:20:19	1	1	1	1	82.5	43.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	23.6875	2004
29.01.2020 09:20:20	1	1	1	1	82.5	43.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	23.5	2004
29.01.2020 09:20:21	1	1	1	1	82.5	43.5	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	24.1875	2004
29.01.2020 09:20:22	1	1	1	1	82.5	44	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	23.5625	2004
29.01.2020 09:20:23	1	1	1	1	82.5	43.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	24.25	2004
29.01.2020 09:20:24	1	1	1	1	83.5	44.25	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	23.5	2004
29.01.2020 09:20:25	1	1	1	1	83.5	43.5	0	29715.64	541.9354839	16078.33012	30000	0	0	30000	22.875	2004
29.01.2020 09:20:26	1	1	1	1	83.5	42.75	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	23.875	2004
29.01.2020 09:20:27	1	1	1	1	83.5	43.75	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	22.9375	2004
29.01.2020 09:20:28	1	1	1	1	83.5	42.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	23.0625	2004
29.01.2020 09:20:29	1	1	1	1	83.5	43	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23.125	2004
29.01.2020 09:20:30	1	1	1	1	83.5	43	0	29620.853	537.6344086	15836.16449	30000	0	0	30000	23.75	2004
29.01.2020 09:20:37	1	1	1	1	82.5	43.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	24	2004
29.01.2020 09:20:37	1	1	1	1	82.5	43.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	24	2004
29.01.2020 09:20:37	1	1	1	1	82.5	43.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	24	2004
29.01.2020 09:20:37	1	1	1	1	82.5	44	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23	2004
29.01.2020 09:20:37	1	1	1	1	82.5	44	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23	2004
29.01.2020 09:20:37	1	1	1	1	82.5	44	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:20:38	1	1	1	1	82.5	43	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	23.6875	2004
29.01.2020 09:20:39	1	1	1	1	82.5	43.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	24.5	2004
29.01.2020 09:20:40	1	1	1	1	82.5	44.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	22.9375	2004
29.01.2020 09:20:41	1	1	1	1	82.5	42.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	23.1875	2004
29.01.2020 09:20:42	1	1	1	1	82.5	43	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	23.5625	2004
29.01.2020 09:20:43	1	1	1	1	82.5	43.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	22.9375	2004
29.01.2020 09:20:44	1	1	1	1	83.25	42.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	23.25	2004
29.01.2020 09:20:45	1	1	1	1	83.25	43.25	0	29810.427	535.483871	15975.59318	30000	0	0	30000	23.125	2004
29.01.2020 09:20:46	1	1	1	1	83.25	43	0	29810.427	535.483871	15962.54722	30000	0	0	30000	23.1875	2004
29.01.2020 09:20:47	1	1	1	1	83.25	43	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	23.5625	2004
29.01.2020 09:20:48	1	1	1	1	83.25	43.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23	2004
29.01.2020 09:20:49	1	1	1	1	83.25	43	0	29715.64	537.6344086	15861.44103	30000	0	0	30000	23.3125	2004
29.01.2020 09:20:50	1	1	1	1	83.25	43.25	0	29478.673	535.483871	15759.51947	30000	0	0	30000	23.75	2004
29.01.2020 09:20:51	1	1	1	1	83.25	43.75	0	29905.213	537.6344086	16026.96165	30000	0	0	30000	22.9375	2004
29.01.2020 09:20:52	1	1	1	1	83.25	42.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	23.375	2004
29.01.2020 09:20:53	1	1	1	1	83.25	43.25	0	29715.64	546.2365591	16295.2192	30000	0	0	30000	23.5	2004
29.01.2020 09:20:54	1	1	1	1	82.5	43.5	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	23.0625	2004
29.01.2020 09:20:55	1	1	1	1	82.5	43	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	23.375	2004
29.01.2020 09:20:56	1	1	1	1	82.5	43.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.875	2004
29.01.2020 09:20:57	1	1	1	1	82.5	43.75	0	29431.28	535.483871	15975.59318	30000	0	0	30000	23.3125	2004
29.01.2020 09:20:58	1	1	1	1	82.5	43.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	23.3125	2004
29.01.2020 09:20:59	1	1	1	1	82.5	43.25	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	23	2004
29.01.2020 09:21:00	1	1	1	1	82.5	43	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	23.4375	2004
29.01.2020 09:21:01	1	1	1	1	82.5	43.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	23.25	2004
29.01.2020 09:21:02	1	1	1	1	82.5	43.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	23.875	2004
29.01.2020 09:21:03	1	1	1	1	82.5	43.75	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	23.875	2004
29.01.2020 09:21:04	1	1	1	1	83.25	43.75	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	23.6875	2004
29.01.2020 09:21:05	1	1	1	1	83.25	43.5	0	29668.246	546.2365591	16231.62015	30000	0	0	30000	24.25	2004
29.01.2020 09:21:06	1	1	1	1	83.25	44.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.125	2004
29.01.2020 09:21:07	1	1	1	1	83.25	43	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	22.9375	2004
29.01.2020 09:21:08	1	1	1	1	83.25	42.75	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	23.625	2004
29.01.2020 09:21:09	1	1	1	1	83.25	43.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	24.125	2004
29.01.2020 09:21:10	1	1	1	1	83.25	44	0	29431.28	537.6344086	15911.99413	30000	0	0	30000	23.9375	2004
29.01.2020 09:21:11	1	1	1	1	83.25	43.75	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	23.375	2004
29.01.2020 09:21:13	1	1	1	1	83.25	43.25	0	29431.28	550.5376344	16075.884	30000	0	0	30000	24.1875	2004
29.01.2020 09:21:14	1	1	1	1	83.25	44	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	23.125	2004
29.01.2020 09:21:15	1	1	1	1	83.5	43	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	23.875	2004
29.01.2020 09:21:16	1	1	1	1	83.5	43.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	23.25	2004
29.01.2020 09:21:17	1	1	1	1	83.5	43.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	24.5	2004
29.01.2020 09:21:18	1	1	1	1	83.5	44.5	0	29099.526	544.0860215	15858.17955	30000	0	0	30000	23.1875	2004
29.01.2020 09:21:19	1	1	1	1	83.5	43	0	29431.28	546.2365591	16024.51553	30000	0	0	30000	23.75	2004
29.01.2020 09:21:20	1	1	1	1	83.5	44.5	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	24.0625	2004
29.01.2020 09:21:21	1	1	1	1	83.5	44	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:21:22	1	1	1	1	83.5	43.75	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	23.8125	2004
29.01.2020 09:21:23	1	1	1	1	83.5	43.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	24.125	2004
29.01.2020 09:21:24	1	1	1	1	84.25	44	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	24.0625	2004
29.01.2020 09:21:25	1	1	1	1	84.25	44	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	24.9375	2004
29.01.2020 09:21:26	1	1	1	1	84.25	44.75	0	28957.346	546.2365591	15868.77939	30000	0	0	30000	23.875	2004
29.01.2020 09:21:27	1	1	1	1	84.25	43.75	0	29478.673	550.5376344	16165.57497	30000	0	0	30000	24.1875	2004
29.01.2020 09:21:28	1	1	1	1	84.25	44	0	29478.673	550.5376344	16318.04963	30000	0	0	30000	24.5625	2004
29.01.2020 09:21:29	1	1	1	1	84.25	44.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	24.0625	2004
29.01.2020 09:21:30	1	1	1	1	84.25	44	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.5	2004
29.01.2020 09:21:31	1	1	1	1	84.25	43.5	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	24.0625	2004
29.01.2020 09:21:32	1	1	1	1	84.25	44	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.875	2004
29.01.2020 09:21:38	1	1	1	1	84.5	44.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	23.8125	2004
29.01.2020 09:21:38	1	1	1	1	84.5	44.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	23.8125	2004
29.01.2020 09:21:38	1	1	1	1	84.5	44.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	23.8125	2004
29.01.2020 09:21:38	1	1	1	1	84.5	44.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	23.8125	2004
29.01.2020 09:21:38	1	1	1	1	84.5	44.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	23.8125	2004
29.01.2020 09:21:38	1	1	1	1	84.5	43.75	0	29241.706	541.9354839	16150.89827	30000	0	0	30000	23.8125	2004
29.01.2020 09:21:39	1	1	1	1	84.5	43.75	0	29099.526	544.0860215	15832.08763	30000	0	0	30000	24	2004
29.01.2020 09:21:40	1	1	1	1	84.5	44	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	24	2004
29.01.2020 09:21:41	1	1	1	1	84.5	44	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	24.5625	2004
29.01.2020 09:21:42	1	1	1	1	84.5	44.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	23.375	2004
29.01.2020 09:21:43	1	1	1	1	84.5	43.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	23.8125	2004
29.01.2020 09:21:44	1	1	1	1	84.75	43.75	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	24.1875	2004
29.01.2020 09:21:45	1	1	1	1	84.75	44	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	23.9375	2004
29.01.2020 09:21:46	1	1	1	1	84.75	43.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	24.75	2004
29.01.2020 09:21:47	1	1	1	1	84.75	44.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	23.625	2004
29.01.2020 09:21:48	1	1	1	1	84.75	43.5	0	29526.066	541.9354839	16038.37687	30000	0	0	30000	24	2004
29.01.2020 09:21:49	1	1	1	1	84.75	44	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	23.9375	2004
29.01.2020 09:21:50	1	1	1	1	84.75	43.75	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	23.9375	2004
29.01.2020 09:21:52	1	1	1	1	84.75	43.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	24.1875	2004
29.01.2020 09:21:53	1	1	1	1	84.75	44	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	23.625	2004
29.01.2020 09:21:54	1	1	1	1	84.75	43.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23.9375	2004
29.01.2020 09:21:55	1	1	1	1	84.5	43.75	0	29620.853	535.483871	15988.63914	30000	0	0	30000	23.9375	2004
29.01.2020 09:21:56	1	1	1	1	84.5	43.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	24.5	2004
29.01.2020 09:21:57	1	1	1	1	84.5	44.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	24.1875	2004
29.01.2020 09:21:58	1	1	1	1	84.5	44	0	29431.28	550.5376344	15949.50126	30000	0	0	30000	24.25	2004
29.01.2020 09:21:59	1	1	1	1	84.5	44.25	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	23.625	2004
29.01.2020 09:22:00	1	1	1	1	84.5	44	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	24	2004
29.01.2020 09:22:01	1	1	1	1	84.5	44	0	29431.28	541.9354839	15911.99413	30000	0	0	30000	23.9375	2004
29.01.2020 09:22:02	1	1	1	1	84.5	43.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	24.5	2004
29.01.2020 09:22:03	1	1	1	1	84.5	44.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	24	2004
29.01.2020 09:22:04	1	1	1	1	85.25	44	0	29478.673	539.7849462	16128.06784	30000	0	0	30000	24.4375	2004
29.01.2020 09:22:05	1	1	1	1	85.25	44.25	0	29526.066	539.7849462	15823.11853	30000	0	0	30000	24.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:22:06	1	1	1	1	85.25	44.25	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	23.9375	2004
29.01.2020 09:22:07	1	1	1	1	85.25	43.75	0	29573.46	550.5376344	16307.44979	30000	0	0	30000	24.0625	2004
29.01.2020 09:22:08	1	1	1	1	85.25	44	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	24.0625	2004
29.01.2020 09:22:09	1	1	1	1	85.25	44	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	24.625	2004
29.01.2020 09:22:10	1	1	1	1	85.25	44.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.5	2004
29.01.2020 09:22:11	1	1	1	1	85.25	43.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	23.5625	2004
29.01.2020 09:22:12	1	1	1	1	85.25	43.5	0	29620.853	546.2365591	16000.86973	30000	0	0	30000	24.9375	2004
29.01.2020 09:22:13	1	1	1	1	85.25	44.75	0	29146.919	552.688172	15920.96323	30000	0	0	30000	24.75	2004
29.01.2020 09:22:14	1	1	1	1	85.5	44.75	0	29336.493	541.9354839	16075.884	30000	0	0	30000	23.625	2004
29.01.2020 09:22:15	1	1	1	1	85.5	43.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	24.25	2004
29.01.2020 09:22:16	1	1	1	1	85.5	44.25	0	29526.066	546.2365591	16101.97592	30000	0	0	30000	24.0625	2004
29.01.2020 09:22:17	1	1	1	1	85.5	44	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	24.3125	2004
29.01.2020 09:22:18	1	1	1	1	85.5	44.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	24.625	2004
29.01.2020 09:22:19	1	1	1	1	85.5	44.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	24.1875	2004
29.01.2020 09:22:20	1	1	1	1	85.5	44	0	29620.853	550.5376344	15899.76354	30000	0	0	30000	24.6875	2004
29.01.2020 09:22:21	1	1	1	1	85.5	44.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	24.9375	2004
29.01.2020 09:22:22	1	1	1	1	85.5	44.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.5	2004
29.01.2020 09:22:23	1	1	1	1	85.5	44.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	24.25	2004
29.01.2020 09:22:24	1	1	1	1	86.25	44.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	23.8125	2004
29.01.2020 09:22:25	1	1	1	1	86.25	43.75	0	29383.886	544.0860215	16075.884	30000	0	0	30000	24.8125	2004
29.01.2020 09:22:26	1	1	1	1	86.25	44.75	0	29289.1	539.7849462	15809.2572	30000	0	0	30000	24.8125	2004
29.01.2020 09:22:27	1	1	1	1	86.25	44.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.5625	2004
29.01.2020 09:22:28	1	1	1	1	86.25	44.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	23.9375	2004
29.01.2020 09:22:30	1	1	1	1	86.25	43.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	24.6875	2004
29.01.2020 09:22:31	1	1	1	1	86.25	44.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.0625	2004
29.01.2020 09:22:32	1	1	1	1	86.25	44	0	29336.493	546.2365591	15835.34912	30000	0	0	30000	24.3125	2004
29.01.2020 09:22:33	1	1	1	1	86.25	44.25	0	29478.673	546.2365591	16128.06784	30000	0	0	30000	23.6875	2004
29.01.2020 09:22:34	1	1	1	1	86.25	43.5	0	29478.673	550.5376344	16229.17403	30000	0	0	30000	24	2004
29.01.2020 09:22:40	1	1	1	1	86.25	44.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.4375	2004
29.01.2020 09:22:40	1	1	1	1	86.25	44.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.4375	2004
29.01.2020 09:22:40	1	1	1	1	86.25	44.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.4375	2004
29.01.2020 09:22:40	1	1	1	1	86.25	44.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.4375	2004
29.01.2020 09:22:40	1	1	1	1	86.25	44.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.4375	2004
29.01.2020 09:22:40	1	1	1	1	86.25	44.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.4375	2004
29.01.2020 09:22:41	1	1	1	1	86.25	44.25	0	29241.706	539.7849462	15658.41329	30000	0	0	30000	24.0625	2004
29.01.2020 09:22:42	1	1	1	1	86.25	44	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	24.5625	2004
29.01.2020 09:22:43	1	1	1	1	86.25	44.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	24.125	2004
29.01.2020 09:22:44	1	1	1	1	86.75	44	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	24.6875	2004
29.01.2020 09:22:45	1	1	1	1	86.75	44.5	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	25	2004
29.01.2020 09:22:46	1	1	1	1	86.75	45	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.9375	2004
29.01.2020 09:22:47	1	1	1	1	86.75	43.75	0	29146.919	537.6344086	15983.74691	30000	0	0	30000	24.125	2004
29.01.2020 09:22:48	1	1	1	1	86.75	44	0	29336.493	552.688172	16098.71443	30000	0	0	30000	23.5625	2004
29.01.2020 09:22:49	1	1	1	1	86.75	43.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	23.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:22:50	1	1	1	1	86.75	43.75	0	29431.28	550.5376344	16229.17403	30000	0	0	30000	24.5	2004
29.01.2020 09:22:51	1	1	1	1	86.75	44.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	24.625	2004
29.01.2020 09:22:52	1	1	1	1	86.75	44.5	0	29241.706	546.2365591	16061.20729	30000	0	0	30000	24.375	2004
29.01.2020 09:22:53	1	1	1	1	86.75	44.25	0	29289.1	544.0860215	15972.33169	30000	0	0	30000	24.625	2004
29.01.2020 09:22:54	1	1	1	1	87.25	44.5	0	29146.919	544.0860215	15795.39586	30000	0	0	30000	24.375	2004
29.01.2020 09:22:55	1	1	1	1	87.25	44.25	0	29526.066	546.2365591	16101.97592	30000	0	0	30000	24.4375	2004
29.01.2020 09:22:56	1	1	1	1	87.25	44.25	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	24.0625	2004
29.01.2020 09:22:57	1	1	1	1	87.25	44	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.25	2004
29.01.2020 09:22:58	1	1	1	1	87.25	44.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.75	2004
29.01.2020 09:22:59	1	1	1	1	87.25	44.75	0	28957.346	544.0860215	15994.34675	30000	0	0	30000	24.6875	2004
29.01.2020 09:23:00	1	1	1	1	87.25	44.5	0	29099.526	544.0860215	15832.08763	30000	0	0	30000	24.9375	2004
29.01.2020 09:23:01	1	1	1	1	87.25	44.75	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	23.8125	2004
29.01.2020 09:23:02	1	1	1	1	87.25	43.75	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	24.25	2004
29.01.2020 09:23:03	1	1	1	1	87.25	44.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	24.625	2004
29.01.2020 09:23:04	1	1	1	1	87.25	44.5	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	24.375	2004
29.01.2020 09:23:05	1	1	1	1	87.25	44.25	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	24.25	2004
29.01.2020 09:23:06	1	1	1	1	87.25	44.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	24.375	2004
29.01.2020 09:23:07	1	1	1	1	87.25	44.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	24.5625	2004
29.01.2020 09:23:08	1	1	1	1	87.25	44.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	24.3125	2004
29.01.2020 09:23:10	1	1	1	1	87.25	44.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	25.125	2004
29.01.2020 09:23:11	1	1	1	1	87.25	45	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	24.5625	2004
29.01.2020 09:23:12	1	1	1	1	87.25	44.5	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	24.3125	2004
29.01.2020 09:23:13	1	1	1	1	87.25	44.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.625	2004
29.01.2020 09:23:14	1	1	1	1	87.25	44.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	24.4375	2004
29.01.2020 09:23:15	1	1	1	1	87.75	44.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	24.6875	2004
29.01.2020 09:23:16	1	1	1	1	87.75	44.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	25.6875	2004
29.01.2020 09:23:17	1	1	1	1	87.75	45.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.3125	2004
29.01.2020 09:23:18	1	1	1	1	87.75	44.25	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	24.8125	2004
29.01.2020 09:23:19	1	1	1	1	87.75	45	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	24.6875	2004
29.01.2020 09:23:20	1	1	1	1	87.75	44.5	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	24.4375	2004
29.01.2020 09:23:21	1	1	1	1	87.75	44.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	24.5	2004
29.01.2020 09:23:22	1	1	1	1	87.75	44.5	0	29383.886	546.2365591	16075.884	30000	0	0	30000	23.6875	2004
29.01.2020 09:23:23	1	1	1	1	87.75	43.5	0	29099.526	550.5376344	16234.06626	30000	0	0	30000	24	2004
29.01.2020 09:23:24	1	1	1	1	88	44	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.0625	2004
29.01.2020 09:23:25	1	1	1	1	88	44	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	24.8125	2004
29.01.2020 09:23:26	1	1	1	1	88	44.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	24.875	2004
29.01.2020 09:23:27	1	1	1	1	88	44.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	24.6875	2004
29.01.2020 09:23:28	1	1	1	1	88	44.5	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	24.9375	2004
29.01.2020 09:23:29	1	1	1	1	88	44.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	24	2004
29.01.2020 09:23:30	1	1	1	1	88	44	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	24.375	2004
29.01.2020 09:23:31	1	1	1	1	88	44.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	25.0625	2004
29.01.2020 09:23:32	1	1	1	1	88	45	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	24.375	2004
29.01.2020 09:23:33	1	1	1	1	88	44.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	25.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:23:34	1	1	1	1	88	45.25	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	24.4375	2004
29.01.2020 09:23:35	1	1	1	1	88	44.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	25.25	2004
29.01.2020 09:23:41	1	1	1	1	88	44.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	25.25	2004
29.01.2020 09:23:41	1	1	1	1	88	44.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	25.25	2004
29.01.2020 09:23:41	1	1	1	1	88	44.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	25.25	2004
29.01.2020 09:23:41	1	1	1	1	88	44.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	25.25	2004
29.01.2020 09:23:41	1	1	1	1	88	44.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	25.25	2004
29.01.2020 09:23:41	1	1	1	1	88	44.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	25.25	2004
29.01.2020 09:23:42	1	1	1	1	88	45.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	25.1875	2004
29.01.2020 09:23:43	1	1	1	1	88	45	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	25.375	2004
29.01.2020 09:23:44	1	1	1	1	88.75	45.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	24.5	2004
29.01.2020 09:23:45	1	1	1	1	88.75	44.5	0	28957.346	550.5376344	16030.22314	30000	0	0	30000	25.3125	2004
29.01.2020 09:23:46	1	1	1	1	88.75	45.25	0	28957.346	544.0860215	15754.62724	30000	0	0	30000	25	2004
29.01.2020 09:23:48	1	1	1	1	88.75	45	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.125	2004
29.01.2020 09:23:49	1	1	1	1	88.75	44	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	24.625	2004
29.01.2020 09:23:50	1	1	1	1	88.75	44.5	0	29146.919	552.688172	16161.49811	30000	0	0	30000	25.375	2004
29.01.2020 09:23:51	1	1	1	1	88.75	45.25	0	29241.706	546.2365591	16046.53059	30000	0	0	30000	24.6875	2004
29.01.2020 09:23:52	1	1	1	1	88.75	44.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	24.8125	2004
29.01.2020 09:23:53	1	1	1	1	88.75	44.75	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	25.5	2004
29.01.2020 09:23:54	1	1	1	1	88.75	45.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.625	2004
29.01.2020 09:23:55	1	1	1	1	88.75	44.5	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	24.625	2004
29.01.2020 09:23:56	1	1	1	1	88.75	44.5	0	29289.1	546.2365591	16329.46484	30000	0	0	30000	25.375	2004
29.01.2020 09:23:57	1	1	1	1	88.75	44.25	0	29241.706	546.2365591	16061.20729	30000	0	0	30000	24.375	2004
29.01.2020 09:23:58	1	1	1	1	88.75	44.25	0	29146.919	541.9354839	15972.33169	30000	0	0	30000	24.9375	2004
29.01.2020 09:23:59	1	1	1	1	88.75	44.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	24.5	2004
29.01.2020 09:24:00	1	1	1	1	88.75	44.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	24.375	2004
29.01.2020 09:24:01	1	1	1	1	88.75	44.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	24.75	2004
29.01.2020 09:24:02	1	1	1	1	88.75	44.75	0	29336.493	544.0860215	16050.60745	30000	0	0	30000	24.9375	2004
29.01.2020 09:24:03	1	1	1	1	88.75	44.75	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	25	2004
29.01.2020 09:24:04	1	1	1	1	88.5	45	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	24.6875	2004
29.01.2020 09:24:05	1	1	1	1	88.5	44.5	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	25	2004
29.01.2020 09:24:06	1	1	1	1	88.5	45	0	29099.526	546.2365591	16020.43867	30000	0	0	30000	24.4375	2004
29.01.2020 09:24:07	1	1	1	1	88.5	44.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	25.125	2004
29.01.2020 09:24:08	1	1	1	1	88.5	45	0	29052.133	550.5376344	16108.4989	30000	0	0	30000	25.375	2004
29.01.2020 09:24:09	1	1	1	1	88.5	45.25	0	29526.066	550.5376344	16064.46878	30000	0	0	30000	24.9375	2004
29.01.2020 09:24:10	1	1	1	1	88.5	44.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	24.125	2004
29.01.2020 09:24:11	1	1	1	1	88.5	44	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	25.375	2004
29.01.2020 09:24:12	1	1	1	1	88.5	45.25	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	24.3125	2004
29.01.2020 09:24:13	1	1	1	1	88.5	44.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	24.9375	2004
29.01.2020 09:24:14	1	1	1	1	89.25	44.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.5625	2004
29.01.2020 09:24:15	1	1	1	1	89.25	44.5	0	29289.1	544.0860215	16150.89827	30000	0	0	30000	24.8125	2004
29.01.2020 09:24:16	1	1	1	1	89.25	44.75	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	24.3125	2004
29.01.2020 09:24:17	1	1	1	1	89.25	44.25	0	29052.133	544.0860215	15692.65893	30000	0	0	30000	24.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:24:18	1	1	1	1	89.25	44.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.3125	2004
29.01.2020 09:24:19	1	1	1	1	89.25	44.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	24.75	2004
29.01.2020 09:24:20	1	1	1	1	89.25	44.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	25.375	2004
29.01.2020 09:24:21	1	1	1	1	89.25	45.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	24.875	2004
29.01.2020 09:24:22	1	1	1	1	89.25	44.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.125	2004
29.01.2020 09:24:23	1	1	1	1	89.25	45	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.125	2004
29.01.2020 09:24:24	1	1	1	1	89.5	45	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	25.1875	2004
29.01.2020 09:24:26	1	1	1	1	89.5	45	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.6875	2004
29.01.2020 09:24:27	1	1	1	1	89.5	44.5	0	29099.526	546.2365591	15931.56307	30000	0	0	30000	24.9375	2004
29.01.2020 09:24:28	1	1	1	1	89.5	44.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	24.5625	2004
29.01.2020 09:24:29	1	1	1	1	89.5	44.5	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	24.875	2004
29.01.2020 09:24:30	1	1	1	1	89.5	44.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	25.3125	2004
29.01.2020 09:24:31	1	1	1	1	89.5	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.1875	2004
29.01.2020 09:24:32	1	1	1	1	89.5	44	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	25.125	2004
29.01.2020 09:24:33	1	1	1	1	89.5	45	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.125	2004
29.01.2020 09:24:34	1	1	1	1	89.5	45	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	25.125	2004
29.01.2020 09:24:35	1	1	1	1	89.5	45	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	25	2004
29.01.2020 09:24:36	1	1	1	1	89.5	45	0	28862.559	546.2365591	15916.07099	30000	0	0	30000	25.6875	2004
29.01.2020 09:24:37	1	1	1	1	89.5	44.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	24.8125	2004
29.01.2020 09:24:43	1	1	1	1	89.5	45	0	29146.919	552.688172	16108.4989	30000	0	0	30000	25.3125	2004
29.01.2020 09:24:43	1	1	1	1	89.5	45	0	29146.919	552.688172	16108.4989	30000	0	0	30000	25.3125	2004
29.01.2020 09:24:43	1	1	1	1	89.5	45	0	29146.919	552.688172	16108.4989	30000	0	0	30000	25.3125	2004
29.01.2020 09:24:43	1	1	1	1	89.5	45	0	29146.919	552.688172	16108.4989	30000	0	0	30000	25.3125	2004
29.01.2020 09:24:43	1	1	1	1	89.5	45.25	0	28862.559	546.2365591	16004.13122	30000	0	0	30000	24.875	2004
29.01.2020 09:24:44	1	1	1	1	89.5	44.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.5	2004
29.01.2020 09:24:45	1	1	1	1	89.5	45.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	25.0625	2004
29.01.2020 09:24:46	1	1	1	1	89.5	45	0	28957.346	552.688172	16066.09953	30000	0	0	30000	24.625	2004
29.01.2020 09:24:47	1	1	1	1	89.5	44.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	25.1875	2004
29.01.2020 09:24:48	1	1	1	1	89.5	45	0	29052.133	552.688172	16056.31506	30000	0	0	30000	25.1875	2004
29.01.2020 09:24:49	1	1	1	1	89.5	45	0	29099.526	550.5376344	15983.74691	30000	0	0	30000	24.875	2004
29.01.2020 09:24:50	1	1	1	1	89.5	44.75	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	24.8125	2004
29.01.2020 09:24:51	1	1	1	1	89.5	44.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.5625	2004
29.01.2020 09:24:52	1	1	1	1	89.5	45.5	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	25.125	2004
29.01.2020 09:24:53	1	1	1	1	89.5	45	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	25.3125	2004
29.01.2020 09:24:54	1	1	1	1	90.5	45.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	25.3125	2004
29.01.2020 09:24:55	1	1	1	1	90.5	45.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.625	2004
29.01.2020 09:24:56	1	1	1	1	90.5	45.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	25.3125	2004
29.01.2020 09:24:57	1	1	1	1	90.5	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.125	2004
29.01.2020 09:24:58	1	1	1	1	90.5	45	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	25.375	2004
29.01.2020 09:24:59	1	1	1	1	90.5	45.25	0	28909.953	554.8387097	16013.91569	30000	0	0	30000	25.1875	2004
29.01.2020 09:25:00	1	1	1	1	90.5	45	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	25.25	2004
29.01.2020 09:25:01	1	1	1	1	90.5	45.25	0	28625.592	552.688172	15987.82377	30000	0	0	30000	24.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:25:02	1	1	1	1	90.5	44.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.125	2004
29.01.2020 09:25:03	1	1	1	1	90.5	45	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.25	2004
29.01.2020 09:25:04	1	1	1	1	90.75	45.25	0	28957.346	552.688172	16066.09953	30000	0	0	30000	25.3125	2004
29.01.2020 09:25:05	1	1	1	1	90.75	45.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	24.5625	2004
29.01.2020 09:25:06	1	1	1	1	90.75	44.5	0	28815.166	552.688172	15987.82377	30000	0	0	30000	25.5625	2004
29.01.2020 09:25:08	1	1	1	1	90.75	45.5	0	29052.133	552.688172	16004.13122	30000	0	0	30000	25.0625	2004
29.01.2020 09:25:09	1	1	1	1	90.75	45	0	29052.133	552.688172	16004.13122	30000	0	0	30000	25.5	2004
29.01.2020 09:25:10	1	1	1	1	90.75	45.5	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	24.875	2004
29.01.2020 09:25:11	1	1	1	1	90.75	44.75	0	28483.412	554.8387097	16013.91569	30000	0	0	30000	25	2004
29.01.2020 09:25:12	1	1	1	1	90.75	45	0	28672.986	554.8387097	15846.76433	30000	0	0	30000	25.3125	2004
29.01.2020 09:25:13	1	1	1	1	90.75	45.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.375	2004
29.01.2020 09:25:14	1	1	1	1	90.75	45.25	0	29052.133	554.8387097	15817.41092	30000	0	0	30000	25.875	2004
29.01.2020 09:25:15	1	1	1	1	91	45.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	25.1875	2004
29.01.2020 09:25:16	1	1	1	1	91	45	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	26.0625	2004
29.01.2020 09:25:17	1	1	1	1	91	46	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	24.8125	2004
29.01.2020 09:25:18	1	1	1	1	91	44.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	25.0625	2004
29.01.2020 09:25:19	1	1	1	1	91	45	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25	2004
29.01.2020 09:25:20	1	1	1	1	91	45	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.25	2004
29.01.2020 09:25:21	1	1	1	1	91	45.25	0	28957.346	552.688172	15942.16291	30000	0	0	30000	24.875	2004
29.01.2020 09:25:22	1	1	1	1	91	44.75	0	28957.346	552.688172	15951.94738	30000	0	0	30000	24.6875	2004
29.01.2020 09:25:23	1	1	1	1	91	44.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	25.375	2004
29.01.2020 09:25:24	1	1	1	1	91	45.25	0	29099.526	554.8387097	15942.16291	30000	0	0	30000	25.5	2004
29.01.2020 09:25:25	1	1	1	1	91	45.5	0	29146.919	556.9892473	16296.84994	30000	0	0	30000	25.6875	2004
29.01.2020 09:25:26	1	1	1	1	91	45.5	0	28957.346	559.1397849	16004.13122	30000	0	0	30000	25.375	2004
29.01.2020 09:25:27	1	1	1	1	91	45.25	0	28672.986	550.5376344	15925.85546	30000	0	0	30000	26.125	2004
29.01.2020 09:25:28	1	1	1	1	91	46	0	28957.346	554.8387097	16252.81983	30000	0	0	30000	25.3125	2004
29.01.2020 09:25:29	1	1	1	1	91	45.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	25.375	2004
29.01.2020 09:25:30	1	1	1	1	91	45.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.25	2004
29.01.2020 09:25:31	1	1	1	1	91	45.25	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	25.625	2004
29.01.2020 09:25:32	1	1	1	1	91	45.5	0	28578.199	552.688172	15855.73343	30000	0	0	30000	25.375	2004
29.01.2020 09:25:33	1	1	1	1	91	45.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	25.5	2004
29.01.2020 09:25:34	1	1	1	1	92	45.5	0	28862.559	552.688172	15889.97907	30000	0	0	30000	25.25	2004
29.01.2020 09:25:35	1	1	1	1	92	45.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	25.5	2004
29.01.2020 09:25:36	1	1	1	1	92	45.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	25.3125	2004
29.01.2020 09:25:37	1	1	1	1	92	45.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.125	2004
29.01.2020 09:25:38	1	1	1	1	92	45	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	24.875	2004
29.01.2020 09:25:44	1	1	1	1	92	45.75	0	29052.133	552.688172	16108.4989	30000	0	0	30000	25.3125	2004
29.01.2020 09:25:44	1	1	1	1	92	45.75	0	29052.133	552.688172	16108.4989	30000	0	0	30000	25.3125	2004
29.01.2020 09:25:44	1	1	1	1	91.5	45.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	24.8125	2004
29.01.2020 09:25:44	1	1	1	1	91.5	45.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	24.8125	2004
29.01.2020 09:25:44	1	1	1	1	91.5	45.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	24.8125	2004
29.01.2020 09:25:44	1	1	1	1	91.5	45.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	24.8125	2004
29.01.2020 09:25:45	1	1	1	1	91.5	44.75	0	28957.346	552.688172	16128.88321	30000	0	0	30000	26.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:25:46	1	1	1	1	91.5	46.25	0	28862.559	554.8387097	16190.85152	30000	0	0	30000	25.25	2004
29.01.2020 09:25:47	1	1	1	1	91.5	45.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	25.875	2004
29.01.2020 09:25:49	1	1	1	1	91.5	45.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	25	2004
29.01.2020 09:25:50	1	1	1	1	91.5	45	0	28862.559	552.688172	15951.94738	30000	0	0	30000	25.1875	2004
29.01.2020 09:25:51	1	1	1	1	91.5	45	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.375	2004
29.01.2020 09:25:52	1	1	1	1	91.5	45.25	0	28815.166	552.688172	16049.79208	30000	0	0	30000	25.0625	2004
29.01.2020 09:25:53	1	1	1	1	91.5	45	0	28625.592	554.8387097	15671.45924	30000	0	0	30000	25.875	2004
29.01.2020 09:25:54	1	1	1	1	91.5	45.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	26	2004
29.01.2020 09:25:55	1	1	1	1	92	46	0	28625.592	552.688172	15820.67241	30000	0	0	30000	25.625	2004
29.01.2020 09:25:56	1	1	1	1	92	45.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	24.75	2004
29.01.2020 09:25:57	1	1	1	1	92	44.75	0	28862.559	550.5376344	16128.88321	30000	0	0	30000	25.9375	2004
29.01.2020 09:25:58	1	1	1	1	92	45.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.125	2004
29.01.2020 09:25:59	1	1	1	1	92	45	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.1875	2004
29.01.2020 09:26:00	1	1	1	1	92	45	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	25.3125	2004
29.01.2020 09:26:01	1	1	1	1	92	45.25	0	28815.166	556.9892473	15882.64072	30000	0	0	30000	24.9375	2004
29.01.2020 09:26:02	1	1	1	1	92	44.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	25.3125	2004
29.01.2020 09:26:03	1	1	1	1	92	45.25	0	28862.559	556.9892473	16261.78893	30000	0	0	30000	25	2004
29.01.2020 09:26:04	1	1	1	1	91.25	45	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	24.6875	2004
29.01.2020 09:26:05	1	1	1	1	91.25	44.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	25.375	2004
29.01.2020 09:26:06	1	1	1	1	91.25	45.25	0	28625.592	565.5913978	15742.39665	30000	0	0	30000	25.5	2004
29.01.2020 09:26:07	1	1	1	1	91.25	45.5	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	25.0625	2004
29.01.2020 09:26:08	1	1	1	1	91.25	45	0	28815.166	546.2365591	16235.69701	30000	0	0	30000	25.25	2004
29.01.2020 09:26:09	1	1	1	1	91.25	45.25	0	28625.592	552.688172	15855.73343	30000	0	0	30000	24.9375	2004
29.01.2020 09:26:10	1	1	1	1	91.25	44.75	0	28672.986	554.8387097	15846.76433	30000	0	0	30000	24.75	2004
29.01.2020 09:26:11	1	1	1	1	91.25	44.75	0	28483.412	554.8387097	15987.0084	30000	0	0	30000	25.25	2004
29.01.2020 09:26:12	1	1	1	1	91.25	45.25	0	28909.953	561.2903226	16137.85231	30000	0	0	30000	25.25	2004
29.01.2020 09:26:13	1	1	1	1	91.25	45.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	25.3125	2004
29.01.2020 09:26:14	1	1	1	1	91.5	45.25	0	28862.559	556.9892473	16164.7596	30000	0	0	30000	25.75	2004
29.01.2020 09:26:15	1	1	1	1	91.5	45.75	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	25.4375	2004
29.01.2020 09:26:16	1	1	1	1	91.5	45.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	25.5	2004
29.01.2020 09:26:17	1	1	1	1	91.5	45.5	0	28672.986	554.8387097	15969.88558	30000	0	0	30000	24.9375	2004
29.01.2020 09:26:18	1	1	1	1	91.5	44.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	25.8125	2004
29.01.2020 09:26:19	1	1	1	1	91.5	45.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.75	2004
29.01.2020 09:26:20	1	1	1	1	91.5	45.75	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	25.5	2004
29.01.2020 09:26:21	1	1	1	1	91.5	45.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.4375	2004
29.01.2020 09:26:22	1	1	1	1	91.5	45.25	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	25.4375	2004
29.01.2020 09:26:23	1	1	1	1	91.5	45.25	0	28815.166	554.8387097	15677.98222	30000	0	0	30000	25.5	2004
29.01.2020 09:26:24	1	1	1	1	92.25	45.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	25.6875	2004
29.01.2020 09:26:26	1	1	1	1	92.25	45.5	0	29146.919	556.9892473	16171.28258	30000	0	0	30000	25.0625	2004
29.01.2020 09:26:27	1	1	1	1	92.25	45	0	28815.166	552.688172	15925.85546	30000	0	0	30000	25.0625	2004
29.01.2020 09:26:28	1	1	1	1	92.25	45	0	28672.986	552.688172	15925.85546	30000	0	0	30000	25.4375	2004
29.01.2020 09:26:29	1	1	1	1	92.25	45.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	25	2004
29.01.2020 09:26:30	1	1	1	1	92.25	45	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	25.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:26:31	1	1	1	1	92.25	45.25	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	26.125	2004
29.01.2020 09:26:32	1	1	1	1	92.25	46	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	25.0625	2004
29.01.2020 09:26:33	1	1	1	1	92.25	45	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	25.5625	2004
29.01.2020 09:26:34	1	1	1	1	92.25	45.5	0	28909.953	554.8387097	15951.94738	30000	0	0	30000	25.375	2004
29.01.2020 09:26:35	1	1	1	1	92	45.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.5	2004
29.01.2020 09:26:36	1	1	1	1	92	45.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27	2004
29.01.2020 09:26:37	1	1	1	1	92	47	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	25.375	2004
29.01.2020 09:26:38	1	1	1	1	92	46	0	28672.986	552.688172	15820.67241	30000	0	0	30000	25.8125	2004
29.01.2020 09:26:39	1	1	1	1	92	45.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.4375	2004
29.01.2020 09:26:40	1	1	1	1	92	45.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.75	2004
29.01.2020 09:26:46	1	1	1	1	93	45.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	26.125	2004
29.01.2020 09:26:46	1	1	1	1	93	45.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	26.125	2004
29.01.2020 09:26:46	1	1	1	1	93	45.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	26.125	2004
29.01.2020 09:26:46	1	1	1	1	93	45.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	26.125	2004
29.01.2020 09:26:46	1	1	1	1	93	46	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	25.6875	2004
29.01.2020 09:26:47	1	1	1	1	93	45.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	25.75	2004
29.01.2020 09:26:48	1	1	1	1	93	45.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	25.875	2004
29.01.2020 09:26:49	1	1	1	1	93	45.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	26.375	2004
29.01.2020 09:26:50	1	1	1	1	93	46.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	25.4375	2004
29.01.2020 09:26:51	1	1	1	1	93	45.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	26.375	2004
29.01.2020 09:26:52	1	1	1	1	93	46.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	26.125	2004
29.01.2020 09:26:53	1	1	1	1	93	46	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	26.6875	2004
29.01.2020 09:26:54	1	1	1	1	93	46.5	0	28862.559	554.8387097	16004.13122	30000	0	0	30000	25.9375	2004
29.01.2020 09:26:55	1	1	1	1	93	45.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	26.125	2004
29.01.2020 09:26:56	1	1	1	1	93	46	0	28862.559	554.8387097	15978.0393	30000	0	0	30000	25.5	2004
29.01.2020 09:26:57	1	1	1	1	93	45.5	0	28815.166	544.0860215	15925.85546	30000	0	0	30000	26.0625	2004
29.01.2020 09:26:58	1	1	1	1	93	46	0	28815.166	552.688172	16013.91569	30000	0	0	30000	25.5	2004
29.01.2020 09:26:59	1	1	1	1	93	45.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	26.1875	2004
29.01.2020 09:27:00	1	1	1	1	93	46	0	29052.133	556.9892473	16066.09953	30000	0	0	30000	26.125	2004
29.01.2020 09:27:01	1	1	1	1	93	46	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.9375	2004
29.01.2020 09:27:02	1	1	1	1	93	45.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	25.8125	2004
29.01.2020 09:27:04	1	1	1	1	93	45.75	0	28909.953	559.1397849	16013.91569	30000	0	0	30000	25.375	2004
29.01.2020 09:27:05	1	1	1	1	93.5	45.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	26.1875	2004
29.01.2020 09:27:06	1	1	1	1	93.5	46	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	25.875	2004
29.01.2020 09:27:07	1	1	1	1	93.5	45.75	0	29004.739	554.8387097	16056.31506	30000	0	0	30000	26.0625	2004
29.01.2020 09:27:08	1	1	1	1	93.5	46	0	28672.986	554.8387097	15882.64072	30000	0	0	30000	26.125	2004
29.01.2020 09:27:09	1	1	1	1	93.5	46	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	25.75	2004
29.01.2020 09:27:10	1	1	1	1	93.5	45.75	0	28957.346	556.9892473	15889.97907	30000	0	0	30000	25.875	2004
29.01.2020 09:27:11	1	1	1	1	93.5	45.75	0	29052.133	554.8387097	16145.19066	30000	0	0	30000	26.375	2004
29.01.2020 09:27:12	1	1	1	1	93.5	46.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.625	2004
29.01.2020 09:27:13	1	1	1	1	93.5	45.5	0	28957.346	550.5376344	15889.97907	30000	0	0	30000	26.4375	2004
29.01.2020 09:27:14	1	1	1	1	93.5	46.25	0	28957.346	563.4408602	16075.884	30000	0	0	30000	25.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:27:15	1	1	1	1	93.75	46	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.5	2004
29.01.2020 09:27:16	1	1	1	1	93.75	45.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.25	2004
29.01.2020 09:27:17	1	1	1	1	93.75	45.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	25.8125	2004
29.01.2020 09:27:18	1	1	1	1	93.75	45.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	25.875	2004
29.01.2020 09:27:19	1	1	1	1	93.75	45.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	26.4375	2004
29.01.2020 09:27:20	1	1	1	1	93.75	46.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	26.125	2004
29.01.2020 09:27:21	1	1	1	1	93.75	46	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	26.125	2004
29.01.2020 09:27:22	1	1	1	1	93.75	46	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	26.375	2004
29.01.2020 09:27:23	1	1	1	1	93.75	46.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	26.25	2004
29.01.2020 09:27:24	1	1	1	1	94.25	46.25	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	25.5	2004
29.01.2020 09:27:25	1	1	1	1	94.25	45.5	0	28672.986	554.8387097	15846.76433	30000	0	0	30000	26.6875	2004
29.01.2020 09:27:26	1	1	1	1	94.25	46.5	0	28815.166	554.8387097	15820.67241	30000	0	0	30000	25.75	2004
29.01.2020 09:27:27	1	1	1	1	94.25	45.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	25.4375	2004
29.01.2020 09:27:28	1	1	1	1	94.25	45.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	25.6875	2004
29.01.2020 09:27:29	1	1	1	1	94.25	45.5	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	25.75	2004
29.01.2020 09:27:30	1	1	1	1	94.25	45.75	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	25.9375	2004
29.01.2020 09:27:31	1	1	1	1	94.25	45.75	0	28815.166	556.9892473	16075.884	30000	0	0	30000	26.125	2004
29.01.2020 09:27:32	1	1	1	1	94.25	46	0	28862.559	556.9892473	16252.81983	30000	0	0	30000	25.8125	2004
29.01.2020 09:27:33	1	1	1	1	94.25	45.75	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	25.8125	2004
29.01.2020 09:27:34	1	1	1	1	93	45.75	0	29052.133	556.9892473	16066.09953	30000	0	0	30000	25.75	2004
29.01.2020 09:27:35	1	1	1	1	93	45.75	0	28672.986	548.3870968	15846.76433	30000	0	0	30000	25.375	2004
29.01.2020 09:27:36	1	1	1	1	93	45.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	26.0625	2004
29.01.2020 09:27:37	1	1	1	1	93	46	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	25.875	2004
29.01.2020 09:27:38	1	1	1	1	93	45.75	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	25.125	2004
29.01.2020 09:27:39	1	1	1	1	93	45	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	25.5	2004
29.01.2020 09:27:40	1	1	1	1	93	45.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	25.4375	2004
29.01.2020 09:27:41	1	1	1	1	93	45.25	0	28909.953	554.8387097	15951.94738	30000	0	0	30000	25.375	2004
29.01.2020 09:27:48	1	1	1	1	93.25	45.75	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	25.375	2004
29.01.2020 09:27:48	1	1	1	1	93.25	45.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	25.4375	2004
29.01.2020 09:27:48	1	1	1	1	93.25	45.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	25.4375	2004
29.01.2020 09:27:48	1	1	1	1	93.25	45.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	25.4375	2004
29.01.2020 09:27:48	1	1	1	1	93.25	45.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	25.4375	2004
29.01.2020 09:27:49	1	1	1	1	93.25	45.25	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	25.4375	2004
29.01.2020 09:27:50	1	1	1	1	93.25	46	0	28672.986	552.688172	15925.85546	30000	0	0	30000	26	2004
29.01.2020 09:27:51	1	1	1	1	93.25	46	0	28815.166	554.8387097	15697.55116	30000	0	0	30000	25.875	2004
29.01.2020 09:27:52	1	1	1	1	93.25	45.75	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	25.875	2004
29.01.2020 09:27:53	1	1	1	1	93.25	45.75	0	28530.806	561.2903226	15742.39665	30000	0	0	30000	26.5625	2004
29.01.2020 09:27:54	1	1	1	1	93.25	46.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	26	2004
29.01.2020 09:27:55	1	1	1	1	93.75	46	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	25.5625	2004
29.01.2020 09:27:56	1	1	1	1	93.75	46.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	26.3125	2004
29.01.2020 09:27:57	1	1	1	1	93.75	46.25	0	28625.592	550.5376344	15987.82377	30000	0	0	30000	25.1875	2004
29.01.2020 09:27:58	1	1	1	1	93.75	45	0	28862.559	556.9892473	15987.82377	30000	0	0	30000	25.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:27:59	1	1	1	1	93.75	45.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	25.8125	2004
29.01.2020 09:28:00	1	1	1	1	93.75	45.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	25.875	2004
29.01.2020 09:28:01	1	1	1	1	93.75	45.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	26	2004
29.01.2020 09:28:02	1	1	1	1	93.75	46	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	26.1875	2004
29.01.2020 09:28:03	1	1	1	1	93.75	46	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	26.375	2004
29.01.2020 09:28:04	1	1	1	1	93.5	46.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	26.125	2004
29.01.2020 09:28:05	1	1	1	1	93.5	46	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	26.125	2004
29.01.2020 09:28:06	1	1	1	1	93.5	46	0	28625.592	554.8387097	16111.76039	30000	0	0	30000	26	2004
29.01.2020 09:28:07	1	1	1	1	93.5	46	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.8125	2004
29.01.2020 09:28:08	1	1	1	1	93.5	45.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.8125	2004
29.01.2020 09:28:09	1	1	1	1	93.5	45.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	25.625	2004
29.01.2020 09:28:10	1	1	1	1	93.5	45.5	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	25.1875	2004
29.01.2020 09:28:11	1	1	1	1	93.5	45	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	25.8125	2004
29.01.2020 09:28:12	1	1	1	1	93.5	45.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	26	2004
29.01.2020 09:28:13	1	1	1	1	93.5	46	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	25.625	2004
29.01.2020 09:28:14	1	1	1	1	93.25	45.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	26.125	2004
29.01.2020 09:28:15	1	1	1	1	93.25	46	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	26.3125	2004
29.01.2020 09:28:16	1	1	1	1	93.25	46.25	0	28199.052	552.688172	15907.10189	30000	0	0	30000	26.375	2004
29.01.2020 09:28:17	1	1	1	1	93.25	46.25	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	25.75	2004
29.01.2020 09:28:18	1	1	1	1	93.25	45.75	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	25.9375	2004
29.01.2020 09:28:19	1	1	1	1	93.25	45.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	25.9375	2004
29.01.2020 09:28:20	1	1	1	1	93.25	45.75	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	26.125	2004
29.01.2020 09:28:22	1	1	1	1	93.25	46	0	28578.199	559.1397849	16013.91569	30000	0	0	30000	26.375	2004
29.01.2020 09:28:23	1	1	1	1	93.25	46.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	26.0625	2004
29.01.2020 09:28:24	1	1	1	1	93.25	46	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	25.875	2004
29.01.2020 09:28:25	1	1	1	1	93.5	45.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	26.1875	2004
29.01.2020 09:28:26	1	1	1	1	93.5	46	0	28341.232	554.8387097	16083.22235	30000	0	0	30000	26.3125	2004
29.01.2020 09:28:27	1	1	1	1	93.5	46.25	0	28625.592	559.1397849	16190.03615	30000	0	0	30000	26	2004
29.01.2020 09:28:30	1	1	1	1	93.5	45.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	26.9375	2004
29.01.2020 09:28:30	1	1	1	1	93.5	45.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	26.9375	2004
29.01.2020 09:28:30	1	1	1	1	93.5	45.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	26.9375	2004
29.01.2020 09:28:31	1	1	1	1	93.5	46.75	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	26.4375	2004
29.01.2020 09:28:32	1	1	1	1	93.5	46.25	0	28530.806	563.4408602	15925.85546	30000	0	0	30000	27.25	2004
29.01.2020 09:28:33	1	1	1	1	93.5	47.25	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	25.75	2004
29.01.2020 09:28:34	1	1	1	1	93.75	46.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	26.5	2004
29.01.2020 09:28:35	1	1	1	1	93.75	46.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	25.4375	2004
29.01.2020 09:28:36	1	1	1	1	93.75	45.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	25.9375	2004
29.01.2020 09:28:37	1	1	1	1	93.75	45.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	26.6875	2004
29.01.2020 09:28:38	1	1	1	1	93.75	46.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.875	2004
29.01.2020 09:28:39	1	1	1	1	93.75	45.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	26	2004
29.01.2020 09:28:40	1	1	1	1	93.75	46	0	28436.019	554.8387097	15777.45767	30000	0	0	30000	26.5	2004
29.01.2020 09:28:41	1	1	1	1	93.75	46.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	25.875	2004
29.01.2020 09:28:42	1	1	1	1	93.75	45.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:28:43	1	1	1	1	93.75	46.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	26.5	2004
29.01.2020 09:28:50	1	1	1	1	93.75	46.75	0	28483.412	554.8387097	16040.00761	30000	0	0	30000	26.1875	2004
29.01.2020 09:28:50	1	1	1	1	93.75	46.75	0	28483.412	554.8387097	16040.00761	30000	0	0	30000	26.1875	2004
29.01.2020 09:28:50	1	1	1	1	93.75	46.75	0	28483.412	554.8387097	16040.00761	30000	0	0	30000	26.1875	2004
29.01.2020 09:28:50	1	1	1	1	93.75	46.75	0	28483.412	554.8387097	16040.00761	30000	0	0	30000	26.1875	2004
29.01.2020 09:28:50	1	1	1	1	93.75	46.75	0	28483.412	554.8387097	16040.00761	30000	0	0	30000	26.1875	2004
29.01.2020 09:28:50	1	1	1	1	93.75	46	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	26.3125	2004
29.01.2020 09:28:51	1	1	1	1	93.75	46.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.625	2004
29.01.2020 09:28:52	1	1	1	1	93.75	46.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	26.1875	2004
29.01.2020 09:28:53	1	1	1	1	93.75	46	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	26.875	2004
29.01.2020 09:28:54	1	1	1	1	94.25	46.75	0	28672.986	569.8924731	16154.97513	30000	0	0	30000	26.0625	2004
29.01.2020 09:28:55	1	1	1	1	94.25	46	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	27.0625	2004
29.01.2020 09:28:56	1	1	1	1	94.25	47	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	26.5	2004
29.01.2020 09:28:57	1	1	1	1	94.25	46.5	0	28625.592	556.9892473	16031.85389	30000	0	0	30000	26.0625	2004
29.01.2020 09:28:58	1	1	1	1	94.25	46	0	28815.166	559.1397849	15969.88558	30000	0	0	30000	26.625	2004
29.01.2020 09:28:59	1	1	1	1	94.25	46.5	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	27	2004
29.01.2020 09:29:00	1	1	1	1	94.25	47	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	26.6875	2004
29.01.2020 09:29:02	1	1	1	1	94.25	46.5	0	28530.806	556.9892473	15978.85467	30000	0	0	30000	26.4375	2004
29.01.2020 09:29:03	1	1	1	1	94.25	46.25	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	26.875	2004
29.01.2020 09:29:04	1	1	1	1	94.25	46.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	26.875	2004
29.01.2020 09:29:05	1	1	1	1	94.5	46.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.3125	2004
29.01.2020 09:29:06	1	1	1	1	94.5	46.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	26.25	2004
29.01.2020 09:29:07	1	1	1	1	94.5	46.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	26	2004
29.01.2020 09:29:08	1	1	1	1	94.5	46	0	28578.199	561.2903226	15890.79444	30000	0	0	30000	26.875	2004
29.01.2020 09:29:09	1	1	1	1	94.5	46.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	27.1875	2004
29.01.2020 09:29:10	1	1	1	1	94.5	47	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.6875	2004
29.01.2020 09:29:11	1	1	1	1	94.5	46.5	0	28293.839	561.2903226	15827.19539	30000	0	0	30000	26.5625	2004
29.01.2020 09:29:12	1	1	1	1	94.5	46.5	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	26.8125	2004
29.01.2020 09:29:13	1	1	1	1	94.5	46.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	27.4375	2004
29.01.2020 09:29:14	1	1	1	1	94.5	47.25	0	28578.199	567.7419355	16101.97592	30000	0	0	30000	26.5625	2004
29.01.2020 09:29:15	1	1	1	1	94.5	47.25	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	26.1875	2004
29.01.2020 09:29:16	1	1	1	1	94.5	46	0	28625.592	559.1397849	15969.88558	30000	0	0	30000	26.75	2004
29.01.2020 09:29:17	1	1	1	1	94.5	46.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.9375	2004
29.01.2020 09:29:18	1	1	1	1	94.5	46.75	0	28625.592	563.4408602	16005.76197	30000	0	0	30000	26.8125	2004
29.01.2020 09:29:19	1	1	1	1	94.5	46.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27.25	2004
29.01.2020 09:29:20	1	1	1	1	94.5	47.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	27.125	2004
29.01.2020 09:29:21	1	1	1	1	94.5	47	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	26.5	2004
29.01.2020 09:29:22	1	1	1	1	94.5	46.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27	2004
29.01.2020 09:29:23	1	1	1	1	94.5	47	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.8125	2004
29.01.2020 09:29:24	1	1	1	1	94.5	46.75	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	26.6875	2004
29.01.2020 09:29:25	1	1	1	1	94.5	46.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	26.5625	2004
29.01.2020 09:29:26	1	1	1	1	94.5	46.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	26.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:29:27	1	1	1	1	94.5	46.75	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	26.9375	2004
29.01.2020 09:29:28	1	1	1	1	94.5	46.75	0	28530.806	554.8387097	15917.70174	30000	0	0	30000	26.625	2004
29.01.2020 09:29:29	1	1	1	1	94.5	46.5	0	28815.166	561.2903226	15610.30631	30000	0	0	30000	26	2004
29.01.2020 09:29:30	1	1	1	1	94.5	46	0	28862.559	556.9892473	16075.884	30000	0	0	30000	27.1875	2004
29.01.2020 09:29:31	1	1	1	1	94.5	47	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	26.25	2004
29.01.2020 09:29:32	1	1	1	1	94.5	46.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.5	2004
29.01.2020 09:29:33	1	1	1	1	94.5	46.5	0	28815.166	552.688172	16111.76039	30000	0	0	30000	26.6875	2004
29.01.2020 09:29:34	1	1	1	1	94.5	46.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.5625	2004
29.01.2020 09:29:35	1	1	1	1	94.5	46.5	0	28578.199	559.1397849	15890.79444	30000	0	0	30000	26.8125	2004
29.01.2020 09:29:36	1	1	1	1	94.5	46.75	0	28862.559	559.1397849	16173.7287	30000	0	0	30000	26.6875	2004
29.01.2020 09:29:37	1	1	1	1	94.5	46.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	27.5	2004
29.01.2020 09:29:38	1	1	1	1	94.5	47.5	0	28388.626	559.1397849	15960.91648	30000	0	0	30000	26.1875	2004
29.01.2020 09:29:39	1	1	1	1	94.5	46	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	27.1875	2004
29.01.2020 09:29:40	1	1	1	1	94.5	47	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	26.3125	2004
29.01.2020 09:29:42	1	1	1	1	94.5	46.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.25	2004
29.01.2020 09:29:43	1	1	1	1	94.5	47.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	26.75	2004
29.01.2020 09:29:44	1	1	1	1	94.5	46.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	27.375	2004
29.01.2020 09:29:45	1	1	1	1	95	47.25	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	27.125	2004
29.01.2020 09:29:51	1	1	1	1	95	46.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	26.8125	2004
29.01.2020 09:29:51	1	1	1	1	95	46.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	26.8125	2004
29.01.2020 09:29:51	1	1	1	1	95	46.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	26.8125	2004
29.01.2020 09:29:51	1	1	1	1	95	46.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	26.8125	2004
29.01.2020 09:29:51	1	1	1	1	95	46.75	0	28815.166	556.9892473	15969.88558	30000	0	0	30000	26.3125	2004
29.01.2020 09:29:52	1	1	1	1	95	46.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	26.8125	2004
29.01.2020 09:29:53	1	1	1	1	95	46.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	27.375	2004
29.01.2020 09:29:54	1	1	1	1	95	47.25	0	28672.986	552.688172	15846.76433	30000	0	0	30000	26.5625	2004
29.01.2020 09:29:55	1	1	1	1	95	47.25	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	27.125	2004
29.01.2020 09:29:56	1	1	1	1	95	47	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	27.1875	2004
29.01.2020 09:29:57	1	1	1	1	95	47	0	28815.166	552.688172	15987.82377	30000	0	0	30000	26.4375	2004
29.01.2020 09:29:58	1	1	1	1	95	46.25	0	28672.986	554.8387097	15882.64072	30000	0	0	30000	27.0625	2004
29.01.2020 09:29:59	1	1	1	1	95	47	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	27.125	2004
29.01.2020 09:30:00	1	1	1	1	95	47	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	26.9375	2004
29.01.2020 09:30:01	1	1	1	1	95	46.75	0	28862.559	550.5376344	16128.88321	30000	0	0	30000	27.5	2004
29.01.2020 09:30:02	1	1	1	1	95	47.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	26.6875	2004
29.01.2020 09:30:03	1	1	1	1	95	46.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	26.875	2004
29.01.2020 09:30:04	1	1	1	1	94.75	46.75	0	28578.199	556.9892473	15829.64151	30000	0	0	30000	26.5625	2004
29.01.2020 09:30:05	1	1	1	1	94.75	46.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	26.75	2004
29.01.2020 09:30:06	1	1	1	1	94.75	46.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	27.4375	2004
29.01.2020 09:30:07	1	1	1	1	94.75	47.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.0625	2004
29.01.2020 09:30:08	1	1	1	1	94.75	46	0	28815.166	567.7419355	16173.7287	30000	0	0	30000	27.25	2004
29.01.2020 09:30:09	1	1	1	1	94.75	47.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	26.9375	2004
29.01.2020 09:30:10	1	1	1	1	94.75	46.75	0	28672.986	552.688172	15987.82377	30000	0	0	30000	26.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:30:11	1	1	1	1	94.75	46.75	0	28815.166	556.9892473	16323.75724	30000	0	0	30000	27.3125	2004
29.01.2020 09:30:12	1	1	1	1	94.75	47.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	27.125	2004
29.01.2020 09:30:13	1	1	1	1	94.75	47	0	28815.166	552.688172	15671.45924	30000	0	0	30000	26.5625	2004
29.01.2020 09:30:14	1	1	1	1	94.75	46.5	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	26.8125	2004
29.01.2020 09:30:15	1	1	1	1	94.75	46.75	0	28672.986	552.688172	15987.82377	30000	0	0	30000	26.5	2004
29.01.2020 09:30:16	1	1	1	1	94.75	46.5	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	26.6875	2004
29.01.2020 09:30:17	1	1	1	1	94.75	46.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	26.625	2004
29.01.2020 09:30:18	1	1	1	1	94.75	46.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.625	2004
29.01.2020 09:30:19	1	1	1	1	94.75	46.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	27.0625	2004
29.01.2020 09:30:21	1	1	1	1	94.75	47	0	28815.166	561.2903226	16111.76039	30000	0	0	30000	26.4375	2004
29.01.2020 09:30:22	1	1	1	1	94.75	46.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	27.4375	2004
29.01.2020 09:30:23	1	1	1	1	94.75	47.25	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	27	2004
29.01.2020 09:30:24	1	1	1	1	94.75	47	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	27.3125	2004
29.01.2020 09:30:25	1	1	1	1	94.5	47.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	27.125	2004
29.01.2020 09:30:26	1	1	1	1	94.5	47	0	28909.953	554.8387097	16377.57182	30000	0	0	30000	26.25	2004
29.01.2020 09:30:27	1	1	1	1	94.5	46.25	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	26.5625	2004
29.01.2020 09:30:28	1	1	1	1	94.5	46.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	27.25	2004
29.01.2020 09:30:29	1	1	1	1	94.5	47.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	26.1875	2004
29.01.2020 09:30:30	1	1	1	1	94.5	46	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	26.875	2004
29.01.2020 09:30:31	1	1	1	1	94.5	46.75	0	28815.166	556.9892473	16235.69701	30000	0	0	30000	27.3125	2004
29.01.2020 09:30:32	1	1	1	1	94.5	47.25	0	28862.559	559.1397849	16049.79208	30000	0	0	30000	27.0625	2004
29.01.2020 09:30:33	1	1	1	1	94.5	47	0	28578.199	552.688172	15943.79366	30000	0	0	30000	26.9375	2004
29.01.2020 09:30:34	1	1	1	1	94.5	46.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	28	2004
29.01.2020 09:30:35	1	1	1	1	95	46.5	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	27.0625	2004
29.01.2020 09:30:36	1	1	1	1	95	47	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	27	2004
29.01.2020 09:30:37	1	1	1	1	95	47	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	27.625	2004
29.01.2020 09:30:38	1	1	1	1	95	47.5	0	28625.592	559.1397849	15855.73343	30000	0	0	30000	26	2004
29.01.2020 09:30:39	1	1	1	1	95	46	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	26.9375	2004
29.01.2020 09:30:40	1	1	1	1	95	46.75	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	27	2004
29.01.2020 09:30:41	1	1	1	1	95	47	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	26.9375	2004
29.01.2020 09:30:42	1	1	1	1	95	46.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	27.375	2004
29.01.2020 09:30:43	1	1	1	1	95	47.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	26.625	2004
29.01.2020 09:30:44	1	1	1	1	94.75	46.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	26.5625	2004
29.01.2020 09:30:45	1	1	1	1	94.75	46.5	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	27.1875	2004
29.01.2020 09:30:46	1	1	1	1	94.75	47	0	28625.592	554.8387097	16093.82219	30000	0	0	30000	27.1875	2004
29.01.2020 09:30:53	1	1	1	1	94.75	47	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	27.3125	2004
29.01.2020 09:30:53	1	1	1	1	94.75	47	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	27.3125	2004
29.01.2020 09:30:53	1	1	1	1	94.75	47	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	27.3125	2004
29.01.2020 09:30:53	1	1	1	1	94.75	47	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	27.3125	2004
29.01.2020 09:30:53	1	1	1	1	94.75	47	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	27.3125	2004
29.01.2020 09:30:53	1	1	1	1	94.75	47.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	27.125	2004
29.01.2020 09:30:54	1	1	1	1	95	47	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	26.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:30:55	1	1	1	1	95	46.75	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	26.875	2004
29.01.2020 09:30:56	1	1	1	1	95	46.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	27.625	2004
29.01.2020 09:30:57	1	1	1	1	95	47.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27.75	2004
29.01.2020 09:30:58	1	1	1	1	95	47.75	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	27.1875	2004
29.01.2020 09:31:00	1	1	1	1	95	47	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	27.8125	2004
29.01.2020 09:31:01	1	1	1	1	95	47.75	0	28815.166	556.9892473	16075.884	30000	0	0	30000	27.5	2004
29.01.2020 09:31:02	1	1	1	1	95	47.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	27.6875	2004
29.01.2020 09:31:03	1	1	1	1	95	47.5	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	27.25	2004
29.01.2020 09:31:04	1	1	1	1	95	47.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	27.3125	2004
29.01.2020 09:31:05	1	1	1	1	95	47.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	27.5	2004
29.01.2020 09:31:06	1	1	1	1	95	47.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	27.8125	2004
29.01.2020 09:31:07	1	1	1	1	95	47.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	26.8125	2004
29.01.2020 09:31:08	1	1	1	1	95	46.75	0	28530.806	561.2903226	16075.06863	30000	0	0	30000	26.25	2004
29.01.2020 09:31:09	1	1	1	1	95	46.25	0	28388.626	559.1397849	15838.61061	30000	0	0	30000	26.6875	2004
29.01.2020 09:31:10	1	1	1	1	95	46.5	0	28436.019	569.8924731	16056.31506	30000	0	0	30000	27.3125	2004
29.01.2020 09:31:11	1	1	1	1	95	47.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	26.25	2004
29.01.2020 09:31:12	1	1	1	1	95	46.25	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	28.0625	2004
29.01.2020 09:31:13	1	1	1	1	95	48	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	27.3125	2004
29.01.2020 09:31:14	1	1	1	1	95	47.25	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	27.0625	2004
29.01.2020 09:31:15	1	1	1	1	94.75	47.25	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	26.9375	2004
29.01.2020 09:31:16	1	1	1	1	94.75	46.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	27.25	2004
29.01.2020 09:31:17	1	1	1	1	94.75	47.25	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	27.6875	2004
29.01.2020 09:31:18	1	1	1	1	94.75	47.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	27.1875	2004
29.01.2020 09:31:19	1	1	1	1	94.75	47	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	26.6875	2004
29.01.2020 09:31:20	1	1	1	1	94.75	46.5	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	27.25	2004
29.01.2020 09:31:21	1	1	1	1	94.75	47.25	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	26.8125	2004
29.01.2020 09:31:22	1	1	1	1	94.75	46.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	27.3125	2004
29.01.2020 09:31:23	1	1	1	1	94.75	47.25	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	26.8125	2004
29.01.2020 09:31:24	1	1	1	1	95	46.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	26.9375	2004
29.01.2020 09:31:25	1	1	1	1	95	46.75	0	28436.019	561.2903226	15864.70252	30000	0	0	30000	26	2004
29.01.2020 09:31:26	1	1	1	1	95	46	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	27.625	2004
29.01.2020 09:31:27	1	1	1	1	95	47.5	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	27.875	2004
29.01.2020 09:31:28	1	1	1	1	95	47.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	27.25	2004
29.01.2020 09:31:29	1	1	1	1	95	47.25	0	28530.806	559.1397849	15925.85546	30000	0	0	30000	27.5	2004
29.01.2020 09:31:30	1	1	1	1	95	47.5	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	27.125	2004
29.01.2020 09:31:31	1	1	1	1	95	47	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	27.4375	2004
29.01.2020 09:31:32	1	1	1	1	95	47.25	0	28578.199	559.1397849	15890.79444	30000	0	0	30000	27.5625	2004
29.01.2020 09:31:33	1	1	1	1	95	47.5	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	27.125	2004
29.01.2020 09:31:34	1	1	1	1	95	47	0	28625.592	561.2903226	16340.06469	30000	0	0	30000	27.1875	2004
29.01.2020 09:31:35	1	1	1	1	95	47	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	27.0625	2004
29.01.2020 09:31:36	1	1	1	1	95	47	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	26.8125	2004
29.01.2020 09:31:37	1	1	1	1	95	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.375	2004
29.01.2020 09:31:38	1	1	1	1	95	46.25	0	28672.986	554.8387097	15987.82377	30000	0	0	30000	26.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:31:39	1	1	1	1	95	46.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	27.5625	2004
29.01.2020 09:31:41	1	1	1	1	95	47.5	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	27.125	2004
29.01.2020 09:31:42	1	1	1	1	95	47	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	26.875	2004
29.01.2020 09:31:43	1	1	1	1	95	46.75	0	28483.412	554.8387097	15864.70252	30000	0	0	30000	27.25	2004
29.01.2020 09:31:44	1	1	1	1	95	47.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	27.25	2004
29.01.2020 09:31:45	1	1	1	1	94.75	47.25	0	28625.592	554.8387097	15908.73264	30000	0	0	30000	27.8125	2004
29.01.2020 09:31:46	1	1	1	1	94.75	47.75	0	28625.592	561.2903226	15855.73343	30000	0	0	30000	27.4375	2004
29.01.2020 09:31:47	1	1	1	1	94.75	47.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	26.625	2004
29.01.2020 09:31:48	1	1	1	1	94.75	46.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	27.75	2004
29.01.2020 09:31:54	1	1	1	1	94.75	47.5	0	28530.806	546.2365591	16190.03615	30000	0	0	30000	27.0625	2004
29.01.2020 09:31:54	1	1	1	1	94.75	47.5	0	28530.806	546.2365591	16190.03615	30000	0	0	30000	27.0625	2004
29.01.2020 09:31:54	1	1	1	1	94.75	47.5	0	28530.806	546.2365591	16190.03615	30000	0	0	30000	27.0625	2004
29.01.2020 09:31:54	1	1	1	1	94.75	47.5	0	28530.806	546.2365591	16190.03615	30000	0	0	30000	27.0625	2004
29.01.2020 09:31:54	1	1	1	1	95	47	0	28720.379	556.9892473	15969.88558	30000	0	0	30000	27.625	2004
29.01.2020 09:31:55	1	1	1	1	95	47.5	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	28.4375	2004
29.01.2020 09:31:56	1	1	1	1	95	48.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	27.375	2004
29.01.2020 09:31:57	1	1	1	1	95	47.25	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	27.625	2004
29.01.2020 09:31:58	1	1	1	1	95	47.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	27.375	2004
29.01.2020 09:31:59	1	1	1	1	95	47.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	27.5	2004
29.01.2020 09:32:00	1	1	1	1	95	47.5	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	27.8125	2004
29.01.2020 09:32:01	1	1	1	1	95	47.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	28	2004
29.01.2020 09:32:02	1	1	1	1	95	48	0	28957.346	556.9892473	16190.85152	30000	0	0	30000	27.3125	2004
29.01.2020 09:32:03	1	1	1	1	95	47.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	27.4375	2004
29.01.2020 09:32:04	1	1	1	1	95	47.25	0	28483.412	554.8387097	15864.70252	30000	0	0	30000	27.875	2004
29.01.2020 09:32:05	1	1	1	1	95	47.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.8125	2004
29.01.2020 09:32:06	1	1	1	1	95	47.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27.6875	2004
29.01.2020 09:32:07	1	1	1	1	95	47.5	0	28530.806	556.9892473	15978.85467	30000	0	0	30000	27.8125	2004
29.01.2020 09:32:08	1	1	1	1	95	47.75	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	28.25	2004
29.01.2020 09:32:09	1	1	1	1	95	48.25	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	27.4375	2004
29.01.2020 09:32:10	1	1	1	1	95	47.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	28.5	2004
29.01.2020 09:32:11	1	1	1	1	95	48.5	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	28.0625	2004
29.01.2020 09:32:12	1	1	1	1	95	48	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	27.8125	2004
29.01.2020 09:32:13	1	1	1	1	95	47.75	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	27.125	2004
29.01.2020 09:32:14	1	1	1	1	96	47	0	28341.232	552.688172	15934.00919	30000	0	0	30000	26.75	2004
29.01.2020 09:32:15	1	1	1	1	96	46.75	0	28578.199	563.4408602	16128.88321	30000	0	0	30000	26.8125	2004
29.01.2020 09:32:16	1	1	1	1	96	46.75	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	27.5	2004
29.01.2020 09:32:17	1	1	1	1	96	47.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	27	2004
29.01.2020 09:32:19	1	1	1	1	96	47	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	26.625	2004
29.01.2020 09:32:20	1	1	1	1	96	46.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	27.9375	2004
29.01.2020 09:32:21	1	1	1	1	96	47.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	27.25	2004
29.01.2020 09:32:22	1	1	1	1	96	47.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	27.5625	2004
29.01.2020 09:32:23	1	1	1	1	96	47.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	27.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:32:24	1	1	1	1	96	47.25	0	28625.592	563.4408602	16190.03615	30000	0	0	30000	28	2004
29.01.2020 09:32:25	1	1	1	1	95.25	48	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	27.75	2004
29.01.2020 09:32:26	1	1	1	1	95.25	47.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.25	2004
29.01.2020 09:32:27	1	1	1	1	95.25	47.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	27.625	2004
29.01.2020 09:32:28	1	1	1	1	95.25	47.5	0	28530.806	559.1397849	15952.76275	30000	0	0	30000	27.75	2004
29.01.2020 09:32:29	1	1	1	1	95.25	47.75	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	27.1875	2004
29.01.2020 09:32:30	1	1	1	1	95.25	47	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	28.25	2004
29.01.2020 09:32:31	1	1	1	1	95.25	48.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	27.375	2004
29.01.2020 09:32:32	1	1	1	1	95.25	47.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	27.75	2004
29.01.2020 09:32:33	1	1	1	1	95.25	47.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	26.8125	2004
29.01.2020 09:32:34	1	1	1	1	95.75	46.75	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	27.5625	2004
29.01.2020 09:32:35	1	1	1	1	95.75	47.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	27.625	2004
29.01.2020 09:32:36	1	1	1	1	95.75	47.5	0	28483.412	563.4408602	15925.85546	30000	0	0	30000	27.1875	2004
29.01.2020 09:32:37	1	1	1	1	95.75	47	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	27.625	2004
29.01.2020 09:32:38	1	1	1	1	95.75	47.5	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	27.625	2004
29.01.2020 09:32:39	1	1	1	1	95.75	47.5	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	27.6875	2004
29.01.2020 09:32:40	1	1	1	1	95.75	47.5	0	28625.592	552.688172	15943.79366	30000	0	0	30000	27.3125	2004
29.01.2020 09:32:41	1	1	1	1	95.75	47.25	0	28625.592	554.8387097	15969.88558	30000	0	0	30000	27.25	2004
29.01.2020 09:32:42	1	1	1	1	95.75	47.25	0	28578.199	550.5376344	15917.70174	30000	0	0	30000	28.375	2004
29.01.2020 09:32:43	1	1	1	1	95.75	48.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	27.1875	2004
29.01.2020 09:32:44	1	1	1	1	96	47	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27.3125	2004
29.01.2020 09:32:45	1	1	1	1	96	47.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	27.75	2004
29.01.2020 09:32:46	1	1	1	1	96	47.75	0	28578.199	561.2903226	15803.54959	30000	0	0	30000	27.6875	2004
29.01.2020 09:32:47	1	1	1	1	96	47.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	28	2004
29.01.2020 09:32:48	1	1	1	1	96	48	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	27.75	2004
29.01.2020 09:32:49	1	1	1	1	96	47.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	27.8125	2004
29.01.2020 09:32:56	1	1	1	1	96.5	47	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	27	2004
29.01.2020 09:32:56	1	1	1	1	96.5	47	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	27.75	2004
29.01.2020 09:32:56	1	1	1	1	96.5	47	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	27.75	2004
29.01.2020 09:32:56	1	1	1	1	96.5	47	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	27.75	2004
29.01.2020 09:32:56	1	1	1	1	96.5	47	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	27.75	2004
29.01.2020 09:32:56	1	1	1	1	96.5	47	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	27.75	2004
29.01.2020 09:32:57	1	1	1	1	96.5	47.75	0	28625.592	556.9892473	15908.73264	30000	0	0	30000	27.5625	2004
29.01.2020 09:32:58	1	1	1	1	96.5	47.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27.875	2004
29.01.2020 09:32:59	1	1	1	1	96.5	47.75	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	27.75	2004
29.01.2020 09:33:00	1	1	1	1	96.5	47.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	27.4375	2004
29.01.2020 09:33:01	1	1	1	1	96.5	47.25	0	28625.592	559.1397849	16297.66532	30000	0	0	30000	28.125	2004
29.01.2020 09:33:02	1	1	1	1	96.5	48	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	27.1875	2004
29.01.2020 09:33:03	1	1	1	1	96.5	47	0	28578.199	563.4408602	15917.70174	30000	0	0	30000	28.0625	2004
29.01.2020 09:33:04	1	1	1	1	96.5	48	0	28672.986	559.1397849	16005.76197	30000	0	0	30000	28	2004
29.01.2020 09:33:05	1	1	1	1	96.5	48	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:06	1	1	1	1	96.5	47.75	0	28578.199	559.1397849	15864.70252	30000	0	0	30000	28.0625	2004
29.01.2020 09:33:07	1	1	1	1	96.5	48	0	28483.412	550.5376344	15917.70174	30000	0	0	30000	27.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:33:08	1	1	1	1	96.5	47.5	0	28483.412	556.9892473	16013.91569	30000	0	0	30000	28.3125	2004
29.01.2020 09:33:09	1	1	1	1	96.5	48.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	28.125	2004
29.01.2020 09:33:10	1	1	1	1	96.5	48	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	27.3125	2004
29.01.2020 09:33:11	1	1	1	1	96.5	47.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27.125	2004
29.01.2020 09:33:12	1	1	1	1	96.5	47	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:13	1	1	1	1	96.5	47.75	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	27.875	2004
29.01.2020 09:33:14	1	1	1	1	96.5	47.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:15	1	1	1	1	96.5	47.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	27.75	2004
29.01.2020 09:33:16	1	1	1	1	96.5	47.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	28.0625	2004
29.01.2020 09:33:17	1	1	1	1	96.5	48	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	27.875	2004
29.01.2020 09:33:18	1	1	1	1	96.5	47.75	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	28.0625	2004
29.01.2020 09:33:19	1	1	1	1	96.5	48	0	28578.199	563.4408602	15864.70252	30000	0	0	30000	27.5	2004
29.01.2020 09:33:20	1	1	1	1	96.5	47.5	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	27.3125	2004
29.01.2020 09:33:21	1	1	1	1	96.5	47.25	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	27.6875	2004
29.01.2020 09:33:22	1	1	1	1	96.5	47.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.9375	2004
29.01.2020 09:33:23	1	1	1	1	96.5	47.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.625	2004
29.01.2020 09:33:24	1	1	1	1	96.75	47.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:25	1	1	1	1	96.75	47.75	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	27.625	2004
29.01.2020 09:33:26	1	1	1	1	96.75	47.5	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:27	1	1	1	1	96.75	47.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	28.5625	2004
29.01.2020 09:33:28	1	1	1	1	96.75	48.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:29	1	1	1	1	96.75	47.75	0	28483.412	567.7419355	15960.91648	30000	0	0	30000	27.75	2004
29.01.2020 09:33:30	1	1	1	1	96.75	47.75	0	28388.626	561.2903226	16056.31506	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:31	1	1	1	1	96.75	47.75	0	28436.019	565.5913978	16293.58845	30000	0	0	30000	28	2004
29.01.2020 09:33:32	1	1	1	1	96.75	48	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.5	2004
29.01.2020 09:33:33	1	1	1	1	96.75	48.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	28	2004
29.01.2020 09:33:35	1	1	1	1	97.25	48	0	28341.232	561.2903226	16056.31506	30000	0	0	30000	27.9375	2004
29.01.2020 09:33:36	1	1	1	1	97.25	47.75	0	28578.199	563.4408602	15803.54959	30000	0	0	30000	28.0625	2004
29.01.2020 09:33:37	1	1	1	1	97.25	48	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27.875	2004
29.01.2020 09:33:38	1	1	1	1	97.25	47.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	28.25	2004
29.01.2020 09:33:39	1	1	1	1	97.25	48.25	0	28578.199	554.8387097	16031.85389	30000	0	0	30000	28.125	2004
29.01.2020 09:33:40	1	1	1	1	97.25	48	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	28.25	2004
29.01.2020 09:33:41	1	1	1	1	97.25	48.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:42	1	1	1	1	97.25	47.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:43	1	1	1	1	97.25	47.75	0	28388.626	559.1397849	16083.22235	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:44	1	1	1	1	97.25	47.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	27.6875	2004
29.01.2020 09:33:45	1	1	1	1	97.5	47.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	28.125	2004
29.01.2020 09:33:46	1	1	1	1	97.5	48	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	28.5625	2004
29.01.2020 09:33:47	1	1	1	1	97.5	48.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	27.375	2004
29.01.2020 09:33:48	1	1	1	1	97.5	47.25	0	28578.199	550.5376344	16297.66532	30000	0	0	30000	29	2004
29.01.2020 09:33:49	1	1	1	1	97.5	49	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	28.4375	2004
29.01.2020 09:33:50	1	1	1	1	97.5	48.25	0	28578.199	561.2903226	16093.82219	30000	0	0	30000	27.8125	2004
29.01.2020 09:33:51	1	1	1	1	97.5	47.75	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	28.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:33:57	1	1	1	1	98.25	48.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28	2004
29.01.2020 09:33:57	1	1	1	1	98.25	48.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28	2004
29.01.2020 09:33:57	1	1	1	1	98.25	48.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28	2004
29.01.2020 09:33:57	1	1	1	1	98.25	48.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28	2004
29.01.2020 09:33:57	1	1	1	1	98.25	48.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28	2004
29.01.2020 09:33:57	1	1	1	1	98.25	48.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28	2004
29.01.2020 09:33:58	1	1	1	1	98.25	48	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	27.9375	2004
29.01.2020 09:33:59	1	1	1	1	98.25	47.75	0	28483.412	561.2903226	16163.12886	30000	0	0	30000	28.25	2004
29.01.2020 09:34:00	1	1	1	1	98.25	48.25	0	28293.839	567.7419355	15706.52026	30000	0	0	30000	28	2004
29.01.2020 09:34:01	1	1	1	1	98.25	48	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	28.375	2004
29.01.2020 09:34:02	1	1	1	1	98.25	48.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	28.0625	2004
29.01.2020 09:34:03	1	1	1	1	98.25	48	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	28.3125	2004
29.01.2020 09:34:04	1	1	1	1	98	48.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	27.875	2004
29.01.2020 09:34:05	1	1	1	1	98	47.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	27.625	2004
29.01.2020 09:34:06	1	1	1	1	98	47.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	28.1875	2004
29.01.2020 09:34:07	1	1	1	1	98	48	0	28483.412	567.7419355	16022.06942	30000	0	0	30000	28.75	2004
29.01.2020 09:34:08	1	1	1	1	98	48.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	28.25	2004
29.01.2020 09:34:09	1	1	1	1	98	48.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	28	2004
29.01.2020 09:34:10	1	1	1	1	98	48	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	28.625	2004
29.01.2020 09:34:11	1	1	1	1	98	48.5	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	28.6875	2004
29.01.2020 09:34:12	1	1	1	1	98	48.5	0	28578.199	565.5913978	16109.31427	30000	0	0	30000	28.125	2004
29.01.2020 09:34:13	1	1	1	1	98	48	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	28.875	2004
29.01.2020 09:34:15	1	1	1	1	97.75	48.75	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	28.125	2004
29.01.2020 09:34:16	1	1	1	1	97.75	48	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	28.1875	2004
29.01.2020 09:34:17	1	1	1	1	97.75	48	0	28625.592	565.5913978	16421.60194	30000	0	0	30000	29	2004
29.01.2020 09:34:18	1	1	1	1	97.75	49	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	28.8125	2004
29.01.2020 09:34:19	1	1	1	1	97.75	48.75	0	28341.232	561.2903226	16056.31506	30000	0	0	30000	28.4375	2004
29.01.2020 09:34:20	1	1	1	1	97.75	48.25	0	28436.019	565.5913978	16232.43552	30000	0	0	30000	28.1875	2004
29.01.2020 09:34:21	1	1	1	1	97.75	48	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	28.75	2004
29.01.2020 09:34:22	1	1	1	1	97.75	48.75	0	28341.232	561.2903226	16177.80556	30000	0	0	30000	28.375	2004
29.01.2020 09:34:23	1	1	1	1	97.75	48.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	28.25	2004
29.01.2020 09:34:24	1	1	1	1	97.75	48.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	28.1875	2004
29.01.2020 09:34:25	1	1	1	1	98.5	48	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	28.4375	2004
29.01.2020 09:34:26	1	1	1	1	98.5	48.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	28.3125	2004
29.01.2020 09:34:27	1	1	1	1	98.5	48.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.3125	2004
29.01.2020 09:34:28	1	1	1	1	98.5	48.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	28.5	2004
29.01.2020 09:34:29	1	1	1	1	98.5	48.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	28.375	2004
29.01.2020 09:34:30	1	1	1	1	98.5	48.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	28.125	2004
29.01.2020 09:34:31	1	1	1	1	98.5	48.75	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	27.875	2004
29.01.2020 09:34:32	1	1	1	1	98.5	47.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	28.6875	2004
29.01.2020 09:34:33	1	1	1	1	98.5	48.5	0	28530.806	563.4408602	16075.06863	30000	0	0	30000	28.125	2004
29.01.2020 09:34:34	1	1	1	1	98.25	48	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	28.875	2004
29.01.2020 09:34:35	1	1	1	1	98.25	48.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	29	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:34:36	1	1	1	1	98.25	49	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	29.125	2004
29.01.2020 09:34:37	1	1	1	1	98.25	49	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	28.0625	2004
29.01.2020 09:34:38	1	1	1	1	98.25	48	0	28530.806	563.4408602	16136.22156	30000	0	0	30000	27.625	2004
29.01.2020 09:34:39	1	1	1	1	98.25	47.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	27.5	2004
29.01.2020 09:34:40	1	1	1	1	98.25	47.5	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	27.8125	2004
29.01.2020 09:34:41	1	1	1	1	98.25	47.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.3125	2004
29.01.2020 09:34:42	1	1	1	1	98.25	48.25	0	28341.232	565.5913978	15881.00997	30000	0	0	30000	28.25	2004
29.01.2020 09:34:43	1	1	1	1	98.25	48.25	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	28.5	2004
29.01.2020 09:34:44	1	1	1	1	97.75	48.5	0	28199.052	556.9892473	15827.19539	30000	0	0	30000	28.0625	2004
29.01.2020 09:34:45	1	1	1	1	97.75	48	0	28388.626	563.4408602	16022.06942	30000	0	0	30000	28.4375	2004
29.01.2020 09:34:46	1	1	1	1	97.75	48.25	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	29	2004
29.01.2020 09:34:47	1	1	1	1	97.75	49	0	28293.839	559.1397849	15819.85704	30000	0	0	30000	28.125	2004
29.01.2020 09:34:48	1	1	1	1	97.75	48	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	28.0625	2004
29.01.2020 09:34:49	1	1	1	1	97.75	48	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	28.5	2004
29.01.2020 09:34:50	1	1	1	1	97.75	48.5	0	28862.559	561.2903226	16199.82062	30000	0	0	30000	28.3125	2004
29.01.2020 09:34:51	1	1	1	1	97.75	48.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	28.25	2004
29.01.2020 09:34:53	1	1	1	1	97.75	48.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	28.3125	2004
29.01.2020 09:34:59	1	1	1	1	98.25	48.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	28.8125	2004
29.01.2020 09:34:59	1	1	1	1	98.25	48.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	28.8125	2004
29.01.2020 09:34:59	1	1	1	1	98.25	48.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	28.8125	2004
29.01.2020 09:34:59	1	1	1	1	98.25	48.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	28.8125	2004
29.01.2020 09:34:59	1	1	1	1	98.25	48.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	29.1875	2004
29.01.2020 09:35:00	1	1	1	1	98.25	49	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.6875	2004
29.01.2020 09:35:01	1	1	1	1	98.25	48.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	28.5	2004
29.01.2020 09:35:02	1	1	1	1	98.25	48.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.875	2004
29.01.2020 09:35:03	1	1	1	1	98.25	47.75	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	28.9375	2004
29.01.2020 09:35:04	1	1	1	1	98.25	48.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	28.125	2004
29.01.2020 09:35:05	1	1	1	1	98.5	48	0	28199.052	559.1397849	15827.19539	30000	0	0	30000	28.0625	2004
29.01.2020 09:35:06	1	1	1	1	98.5	48	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	28.4375	2004
29.01.2020 09:35:07	1	1	1	1	98.5	48.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	28.125	2004
29.01.2020 09:35:08	1	1	1	1	98.5	48	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	28.5	2004
29.01.2020 09:35:09	1	1	1	1	98.5	48.25	0	28483.412	561.2903226	16163.12886	30000	0	0	30000	29	2004
29.01.2020 09:35:10	1	1	1	1	98.5	49	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	28.25	2004
29.01.2020 09:35:11	1	1	1	1	98.5	48.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	27.9375	2004
29.01.2020 09:35:12	1	1	1	1	98.5	47.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.25	2004
29.01.2020 09:35:13	1	1	1	1	98.5	48.25	0	28388.626	561.2903226	15811.70331	30000	0	0	30000	28.0625	2004
29.01.2020 09:35:14	1	1	1	1	98	48	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	28.375	2004
29.01.2020 09:35:15	1	1	1	1	98	48.25	0	28672.986	556.9892473	16111.76039	30000	0	0	30000	28.8125	2004
29.01.2020 09:35:16	1	1	1	1	98	48.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	28.125	2004
29.01.2020 09:35:17	1	1	1	1	98	48	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	28.5	2004
29.01.2020 09:35:18	1	1	1	1	98	48.5	0	28578.199	559.1397849	16101.97592	30000	0	0	30000	28.4375	2004
29.01.2020 09:35:19	1	1	1	1	98	48.25	0	28530.806	565.5913978	15925.85546	30000	0	0	30000	28	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:35:20	1	1	1	1	98	48	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	28.0625	2004
29.01.2020 09:35:21	1	1	1	1	98	48	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.375	2004
29.01.2020 09:35:22	1	1	1	1	98	48.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	28.625	2004
29.01.2020 09:35:23	1	1	1	1	98	48.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	28.3125	2004
29.01.2020 09:35:24	1	1	1	1	98.25	48.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	29	2004
29.01.2020 09:35:25	1	1	1	1	98.25	49	0	28578.199	552.688172	16005.76197	30000	0	0	30000	28.75	2004
29.01.2020 09:35:26	1	1	1	1	98.25	48.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	28.125	2004
29.01.2020 09:35:27	1	1	1	1	98.25	48	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	28.6875	2004
29.01.2020 09:35:28	1	1	1	1	98.25	48.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.0625	2004
29.01.2020 09:35:30	1	1	1	1	98.25	48	0	28530.806	559.1397849	15925.85546	30000	0	0	30000	28.375	2004
29.01.2020 09:35:31	1	1	1	1	98.25	48.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	29.125	2004
29.01.2020 09:35:32	1	1	1	1	98.25	49	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	28.3125	2004
29.01.2020 09:35:33	1	1	1	1	98.25	48.25	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	28.125	2004
29.01.2020 09:35:34	1	1	1	1	98.25	48	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	28.6875	2004
29.01.2020 09:35:35	1	1	1	1	98.75	48.5	0	28483.412	552.688172	15864.70252	30000	0	0	30000	29.5625	2004
29.01.2020 09:35:36	1	1	1	1	98.75	49.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27.8125	2004
29.01.2020 09:35:37	1	1	1	1	98.75	47.75	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	28.5625	2004
29.01.2020 09:35:38	1	1	1	1	98.75	48.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	29.25	2004
29.01.2020 09:35:39	1	1	1	1	98.75	49.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28.25	2004
29.01.2020 09:35:40	1	1	1	1	98.75	48.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	27.875	2004
29.01.2020 09:35:41	1	1	1	1	98.75	47.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	28.875	2004
29.01.2020 09:35:42	1	1	1	1	98.75	48.75	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	28.375	2004
29.01.2020 09:35:43	1	1	1	1	98.75	48.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28.9375	2004
29.01.2020 09:35:44	1	1	1	1	98.75	48.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	28.5	2004
29.01.2020 09:35:45	1	1	1	1	99.25	48.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	28.6875	2004
29.01.2020 09:35:46	1	1	1	1	99.25	48.5	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	27.875	2004
29.01.2020 09:35:47	1	1	1	1	99.25	48.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	28.625	2004
29.01.2020 09:35:48	1	1	1	1	99.25	48.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.75	2004
29.01.2020 09:35:49	1	1	1	1	99.25	48.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	28.3125	2004
29.01.2020 09:35:50	1	1	1	1	99.25	48.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	27.9375	2004
29.01.2020 09:35:51	1	1	1	1	99.25	47.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	29	2004
29.01.2020 09:35:52	1	1	1	1	99.25	49	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	28.9375	2004
29.01.2020 09:35:53	1	1	1	1	99.25	48.75	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	28.0625	2004
29.01.2020 09:35:54	1	1	1	1	98.75	48	0	28436.019	565.5913978	16205.52823	30000	0	0	30000	28.1875	2004
29.01.2020 09:36:00	1	1	1	1	98.75	48.75	0	28436.019	565.5913978	16117.468	30000	0	0	30000	28.125	2004
29.01.2020 09:36:00	1	1	1	1	98.75	48.75	0	28436.019	565.5913978	16117.468	30000	0	0	30000	28.125	2004
29.01.2020 09:36:00	1	1	1	1	98.75	48.75	0	28436.019	565.5913978	16117.468	30000	0	0	30000	28.125	2004
29.01.2020 09:36:00	1	1	1	1	98.75	48.75	0	28436.019	565.5913978	16117.468	30000	0	0	30000	28.125	2004
29.01.2020 09:36:00	1	1	1	1	98.75	48.75	0	28436.019	565.5913978	16117.468	30000	0	0	30000	28.125	2004
29.01.2020 09:36:01	1	1	1	1	98.75	48	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	29.1875	2004
29.01.2020 09:36:02	1	1	1	1	98.75	49	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	27.9375	2004
29.01.2020 09:36:03	1	1	1	1	98.75	47.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	27.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:36:04	1	1	1	1	98.75	47.75	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	28.875	2004
29.01.2020 09:36:05	1	1	1	1	98.75	48.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	28.0625	2004
29.01.2020 09:36:06	1	1	1	1	98.75	48	0	28388.626	565.5913978	15968.25483	30000	0	0	30000	28.25	2004
29.01.2020 09:36:07	1	1	1	1	98.75	48.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	27.8125	2004
29.01.2020 09:36:09	1	1	1	1	98.75	47.75	0	28199.052	567.7419355	16252.00446	30000	0	0	30000	28.8125	2004
29.01.2020 09:36:10	1	1	1	1	98.75	48.75	0	28293.839	572.0430108	15827.19539	30000	0	0	30000	28.9375	2004
29.01.2020 09:36:11	1	1	1	1	98.75	48.75	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	28.875	2004
29.01.2020 09:36:12	1	1	1	1	98.75	48.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	28.125	2004
29.01.2020 09:36:13	1	1	1	1	98.75	48	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	27.9375	2004
29.01.2020 09:36:14	1	1	1	1	98.75	47.75	0	28293.839	559.1397849	16029.40777	30000	0	0	30000	28.5625	2004
29.01.2020 09:36:15	1	1	1	1	98.5	48.5	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	28.0625	2004
29.01.2020 09:36:16	1	1	1	1	98.5	48	0	28293.839	561.2903226	16029.40777	30000	0	0	30000	28.25	2004
29.01.2020 09:36:17	1	1	1	1	98.5	48.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	28.9375	2004
29.01.2020 09:36:18	1	1	1	1	98.5	48.75	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	28.8125	2004
29.01.2020 09:36:19	1	1	1	1	98.5	48.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	28.9375	2004
29.01.2020 09:36:20	1	1	1	1	98.5	48.75	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	28.6875	2004
29.01.2020 09:36:21	1	1	1	1	98.5	48.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	28.5	2004
29.01.2020 09:36:22	1	1	1	1	98.5	48.5	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	29.75	2004
29.01.2020 09:36:23	1	1	1	1	98.5	49.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.5625	2004
29.01.2020 09:36:24	1	1	1	1	98.5	48.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	28.9375	2004
29.01.2020 09:36:25	1	1	1	1	99	48.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	28.1875	2004
29.01.2020 09:36:26	1	1	1	1	99	48	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	28.5625	2004
29.01.2020 09:36:27	1	1	1	1	99	48.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	28.5	2004
29.01.2020 09:36:28	1	1	1	1	99	48.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29	2004
29.01.2020 09:36:29	1	1	1	1	99	49	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	29.25	2004
29.01.2020 09:36:30	1	1	1	1	99	49.25	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	28.6875	2004
29.01.2020 09:36:31	1	1	1	1	99	48.5	0	28199.052	563.4408602	16009.83883	30000	0	0	30000	27.9375	2004
29.01.2020 09:36:32	1	1	1	1	99	47.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	28.9375	2004
29.01.2020 09:36:33	1	1	1	1	99	48.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	28.625	2004
29.01.2020 09:36:34	1	1	1	1	98.25	48.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29.625	2004
29.01.2020 09:36:35	1	1	1	1	98.25	49.5	0	28199.052	561.2903226	16009.83883	30000	0	0	30000	28.5625	2004
29.01.2020 09:36:36	1	1	1	1	98.25	48.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	28.25	2004
29.01.2020 09:36:37	1	1	1	1	98.25	48.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	29	2004
29.01.2020 09:36:38	1	1	1	1	98.25	49	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.75	2004
29.01.2020 09:36:39	1	1	1	1	98.25	48.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	28.5625	2004
29.01.2020 09:36:40	1	1	1	1	98.25	48.5	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	29	2004
29.01.2020 09:36:41	1	1	1	1	98.25	49	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.4375	2004
29.01.2020 09:36:42	1	1	1	1	98.25	48.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.375	2004
29.01.2020 09:36:43	1	1	1	1	98.25	48.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	28.875	2004
29.01.2020 09:36:44	1	1	1	1	99	48.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	29.5625	2004
29.01.2020 09:36:45	1	1	1	1	99	49.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	29.0625	2004
29.01.2020 09:36:47	1	1	1	1	99	49	0	28246.445	567.7419355	16070.17639	30000	0	0	30000	28.3125	2004
29.01.2020 09:36:48	1	1	1	1	99	48.25	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	28.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:37:33	1	1	1	1	99.75	49.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	28.8125	2004
29.01.2020 09:37:34	1	1	1	1	99.75	48.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	29.4375	2004
29.01.2020 09:37:35	1	1	1	1	99.25	49.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.625	2004
29.01.2020 09:37:36	1	1	1	1	99.25	48.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	29.0625	2004
29.01.2020 09:37:37	1	1	1	1	99.25	49	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.625	2004
29.01.2020 09:37:38	1	1	1	1	99.25	48.5	0	28293.839	569.8924731	16150.89827	30000	0	0	30000	29.4375	2004
29.01.2020 09:37:39	1	1	1	1	99.25	49.25	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	29.3125	2004
29.01.2020 09:37:40	1	1	1	1	99.25	49.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29.1875	2004
29.01.2020 09:37:41	1	1	1	1	99.25	49	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.375	2004
29.01.2020 09:37:42	1	1	1	1	99.25	49.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.5	2004
29.01.2020 09:37:43	1	1	1	1	99.25	49.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	29.625	2004
29.01.2020 09:37:44	1	1	1	1	99.25	49.5	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	29.3125	2004
29.01.2020 09:37:45	1	1	1	1	100	48.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29.625	2004
29.01.2020 09:37:46	1	1	1	1	100	49.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.375	2004
29.01.2020 09:37:47	1	1	1	1	100	49.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	29.6875	2004
29.01.2020 09:37:48	1	1	1	1	100	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.3125	2004
29.01.2020 09:37:49	1	1	1	1	100	49.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.625	2004
29.01.2020 09:37:50	1	1	1	1	100	49.5	0	28293.839	572.0430108	16070.17639	30000	0	0	30000	29.8125	2004
29.01.2020 09:37:51	1	1	1	1	100	49.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	29.9375	2004
29.01.2020 09:37:52	1	1	1	1	100	49.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	29.8125	2004
29.01.2020 09:37:53	1	1	1	1	100	49.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.4375	2004
29.01.2020 09:37:54	1	1	1	1	100.3	49.25	0	28388.626	569.8924731	16266.68116	30000	0	0	30000	29.4375	2004
29.01.2020 09:37:55	1	1	1	1	100.3	49.25	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	29.0625	2004
29.01.2020 09:37:56	1	1	1	1	100.3	49	0	28341.232	559.1397849	16029.40777	30000	0	0	30000	29.5625	2004
29.01.2020 09:37:57	1	1	1	1	100.3	49.5	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:04	1	1	1	1	100.3	49	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:04	1	1	1	1	100.3	49	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:04	1	1	1	1	100.3	49	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:04	1	1	1	1	100.3	49	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:04	1	1	1	1	100.3	49	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:04	1	1	1	1	100.3	49	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:06	1	1	1	1	100.5	49.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	28.9375	2004
29.01.2020 09:38:06	1	1	1	1	100.5	48.75	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	29.5	2004
29.01.2020 09:38:07	1	1	1	1	100.5	49.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	29.3125	2004
29.01.2020 09:38:08	1	1	1	1	100.5	49.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	29.0625	2004
29.01.2020 09:38:09	1	1	1	1	100.5	49	0	28341.232	561.2903226	15758.7041	30000	0	0	30000	28.3125	2004
29.01.2020 09:38:10	1	1	1	1	100.5	48.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	29.4375	2004
29.01.2020 09:38:11	1	1	1	1	100.5	49.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.125	2004
29.01.2020 09:38:12	1	1	1	1	100.5	49	0	28388.626	565.5913978	15968.25483	30000	0	0	30000	29.25	2004
29.01.2020 09:38:13	1	1	1	1	100.5	49.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29.3125	2004
29.01.2020 09:38:14	1	1	1	1	100.5	49.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:15	1	1	1	1	100.3	49.5	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:16	1	1	1	1	100.3	49.5	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	29.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:38:17	1	1	1	1	100.3	49.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	29.3125	2004
29.01.2020 09:38:18	1	1	1	1	100.3	49.25	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	29.5625	2004
29.01.2020 09:38:19	1	1	1	1	100.3	49.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	29.9375	2004
29.01.2020 09:38:20	1	1	1	1	100.3	49.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	29.3125	2004
29.01.2020 09:38:21	1	1	1	1	100.3	49.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	29.5625	2004
29.01.2020 09:38:22	1	1	1	1	100.3	49.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	30.125	2004
29.01.2020 09:38:23	1	1	1	1	100.3	50	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	28.6875	2004
29.01.2020 09:38:24	1	1	1	1	100	49.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	29.5	2004
29.01.2020 09:38:25	1	1	1	1	100	49.5	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	29.0625	2004
29.01.2020 09:38:26	1	1	1	1	100	49	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	30	2004
29.01.2020 09:38:27	1	1	1	1	100	50	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	28.75	2004
29.01.2020 09:38:28	1	1	1	1	100	48.75	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	29.25	2004
29.01.2020 09:38:29	1	1	1	1	100	49.25	0	28388.626	567.7419355	15934.00919	30000	0	0	30000	28.3125	2004
29.01.2020 09:38:30	1	1	1	1	100	48.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	29.5	2004
29.01.2020 09:38:31	1	1	1	1	100	49.5	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	29.375	2004
29.01.2020 09:38:32	1	1	1	1	100	49.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	29.625	2004
29.01.2020 09:38:33	1	1	1	1	100	49.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	30.1875	2004
29.01.2020 09:38:34	1	1	1	1	100.5	50	0	28388.626	563.4408602	15872.85625	30000	0	0	30000	29.375	2004
29.01.2020 09:38:35	1	1	1	1	100.5	49.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	29.125	2004
29.01.2020 09:38:36	1	1	1	1	100.5	49	0	28199.052	576.344086	15902.20966	30000	0	0	30000	28.8125	2004
29.01.2020 09:38:37	1	1	1	1	100.5	48.75	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	29.125	2004
29.01.2020 09:38:38	1	1	1	1	100.5	49	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	30	2004
29.01.2020 09:38:39	1	1	1	1	100.5	50	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	29.5625	2004
29.01.2020 09:38:40	1	1	1	1	100.5	49.5	0	28009.479	561.2903226	16070.17639	30000	0	0	30000	30.125	2004
29.01.2020 09:38:41	1	1	1	1	100.5	50	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	28.75	2004
29.01.2020 09:38:42	1	1	1	1	100.5	48.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	29.375	2004
29.01.2020 09:38:44	1	1	1	1	100.5	49.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	29.375	2004
29.01.2020 09:38:45	1	1	1	1	101	49.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	30.125	2004
29.01.2020 09:38:46	1	1	1	1	101	50	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	29.3125	2004
29.01.2020 09:38:47	1	1	1	1	101	49.25	0	27867.299	561.2903226	15848.39508	30000	0	0	30000	29.375	2004
29.01.2020 09:38:48	1	1	1	1	101	49.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30	2004
29.01.2020 09:38:49	1	1	1	1	101	50	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.125	2004
29.01.2020 09:38:50	1	1	1	1	101	49	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	29.75	2004
29.01.2020 09:38:51	1	1	1	1	101	49.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	28.6875	2004
29.01.2020 09:38:52	1	1	1	1	101	48.5	0	28341.232	567.7419355	15766.85783	30000	0	0	30000	29.1875	2004
29.01.2020 09:38:53	1	1	1	1	101	49	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.6875	2004
29.01.2020 09:38:54	1	1	1	1	101	49.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	29.1875	2004
29.01.2020 09:38:55	1	1	1	1	100	49	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	29.9375	2004
29.01.2020 09:38:56	1	1	1	1	100	49.75	0	28246.445	565.5913978	16063.65341	30000	0	0	30000	28.875	2004
29.01.2020 09:38:57	1	1	1	1	100	48.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	29.5625	2004
29.01.2020 09:38:58	1	1	1	1	100	49.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30.125	2004
29.01.2020 09:38:59	1	1	1	1	100	50	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	30.0625	2004
29.01.2020 09:39:05	1	1	1	1	101.3	50	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	29.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:39:05	1	1	1	1	101.3	50	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	29.625	2004
29.01.2020 09:39:05	1	1	1	1	101.3	50	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	29.625	2004
29.01.2020 09:39:05	1	1	1	1	101.3	50	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	29.625	2004
29.01.2020 09:39:05	1	1	1	1	101.3	50	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	29.625	2004
29.01.2020 09:39:05	1	1	1	1	101.3	50	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	29.625	2004
29.01.2020 09:39:06	1	1	1	1	101.3	49.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.9375	2004
29.01.2020 09:39:07	1	1	1	1	101.3	48.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	28.5	2004
29.01.2020 09:39:08	1	1	1	1	101.3	48.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	29.625	2004
29.01.2020 09:39:09	1	1	1	1	101.3	49.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	28.8125	2004
29.01.2020 09:39:10	1	1	1	1	101.3	48.75	0	28293.839	576.344086	15948.68589	30000	0	0	30000	29.6875	2004
29.01.2020 09:39:11	1	1	1	1	101.3	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.5625	2004
29.01.2020 09:39:12	1	1	1	1	101.3	49.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	28.25	2004
29.01.2020 09:39:13	1	1	1	1	101.3	48.25	0	28246.445	567.7419355	16070.17639	30000	0	0	30000	29.3125	2004
29.01.2020 09:39:14	1	1	1	1	101	49.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.875	2004
29.01.2020 09:39:15	1	1	1	1	101	48.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.4375	2004
29.01.2020 09:39:16	1	1	1	1	101	49.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	29.5	2004
29.01.2020 09:39:17	1	1	1	1	101	49.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.3125	2004
29.01.2020 09:39:18	1	1	1	1	101	49.25	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	29.6875	2004
29.01.2020 09:39:19	1	1	1	1	101	49.5	0	27962.085	574.1935484	15995.16212	30000	0	0	30000	29.125	2004
29.01.2020 09:39:20	1	1	1	1	101	49	0	27630.332	569.8924731	15913.62487	30000	0	0	30000	29.9375	2004
29.01.2020 09:39:21	1	1	1	1	101	49.75	0	27867.299	567.7419355	15941.34754	30000	0	0	30000	29.25	2004
29.01.2020 09:39:23	1	1	1	1	101	49.25	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	29.625	2004
29.01.2020 09:39:24	1	1	1	1	101	49.5	0	27630.332	572.0430108	15859.81029	30000	0	0	30000	28.6875	2004
29.01.2020 09:39:25	1	1	1	1	100.8	48.5	0	27867.299	576.344086	16027.77702	30000	0	0	30000	28.625	2004
29.01.2020 09:39:26	1	1	1	1	100.8	48.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	29.8125	2004
29.01.2020 09:39:27	1	1	1	1	100.8	49.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	28.5	2004
29.01.2020 09:39:28	1	1	1	1	100.8	48.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	29.0625	2004
29.01.2020 09:39:29	1	1	1	1	100.8	49	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	28.5625	2004
29.01.2020 09:39:30	1	1	1	1	100.8	48.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	29.0625	2004
29.01.2020 09:39:31	1	1	1	1	100.8	49	0	27630.332	576.344086	15983.74691	30000	0	0	30000	28.6875	2004
29.01.2020 09:39:32	1	1	1	1	100.8	48.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	29.375	2004
29.01.2020 09:39:33	1	1	1	1	100.8	49.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	29.3125	2004
29.01.2020 09:39:34	1	1	1	1	100.8	49.25	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	29.5625	2004
29.01.2020 09:39:35	1	1	1	1	100.8	49.5	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	29.1875	2004
29.01.2020 09:39:36	1	1	1	1	100.8	49	0	27914.692	576.344086	15913.62487	30000	0	0	30000	29.5625	2004
29.01.2020 09:39:37	1	1	1	1	100.8	49.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	30.25	2004
29.01.2020 09:39:38	1	1	1	1	100.8	50.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	30	2004
29.01.2020 09:39:39	1	1	1	1	100.8	50	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.8125	2004
29.01.2020 09:39:40	1	1	1	1	100.8	49.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	30.25	2004
29.01.2020 09:39:41	1	1	1	1	100.8	50.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	28.4375	2004
29.01.2020 09:39:42	1	1	1	1	100.8	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.0625	2004
29.01.2020 09:39:43	1	1	1	1	100.8	49	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	30.0625	2004
29.01.2020 09:39:44	1	1	1	1	101.8	50	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	29.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:39:45	1	1	1	1	101.8	49	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	29.875	2004
29.01.2020 09:39:46	1	1	1	1	101.8	49.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	29.8125	2004
29.01.2020 09:39:47	1	1	1	1	101.8	49.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.0625	2004
29.01.2020 09:39:48	1	1	1	1	101.8	50	0	27867.299	563.4408602	15907.91727	30000	0	0	30000	29.4375	2004
29.01.2020 09:39:49	1	1	1	1	101.8	49.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30	2004
29.01.2020 09:39:50	1	1	1	1	101.8	50	0	28009.479	567.7419355	16252.00446	30000	0	0	30000	30.5	2004
29.01.2020 09:39:51	1	1	1	1	101.8	50.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.25	2004
29.01.2020 09:39:52	1	1	1	1	101.8	50.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	29.375	2004
29.01.2020 09:39:53	1	1	1	1	101.8	49.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.4375	2004
29.01.2020 09:39:54	1	1	1	1	101.3	49.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	30.375	2004
29.01.2020 09:39:57	1	1	1	1	101.3	49.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	30.1875	2004
29.01.2020 09:39:57	1	1	1	1	101.3	49.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	30.1875	2004
29.01.2020 09:39:57	1	1	1	1	101.3	50	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	30.125	2004
29.01.2020 09:39:58	1	1	1	1	101.3	50	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.1875	2004
29.01.2020 09:39:59	1	1	1	1	101.3	50	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29	2004
29.01.2020 09:40:00	1	1	1	1	101.3	49	0	28009.479	576.344086	16082.40698	30000	0	0	30000	30.5625	2004
29.01.2020 09:40:07	1	1	1	1	101.8	50	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	30.25	2004
29.01.2020 09:40:07	1	1	1	1	101.8	50	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	30.25	2004
29.01.2020 09:40:07	1	1	1	1	101.8	50	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	30.25	2004
29.01.2020 09:40:07	1	1	1	1	101.8	50	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	30.25	2004
29.01.2020 09:40:07	1	1	1	1	101.8	50.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	29.8125	2004
29.01.2020 09:40:08	1	1	1	1	101.8	49.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	30.1875	2004
29.01.2020 09:40:09	1	1	1	1	101.8	50	0	27867.299	580.6451613	16153.34439	30000	0	0	30000	29.1875	2004
29.01.2020 09:40:10	1	1	1	1	101.8	49	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.1875	2004
29.01.2020 09:40:11	1	1	1	1	101.8	50	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	30.125	2004
29.01.2020 09:40:12	1	1	1	1	101.8	50	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	29.75	2004
29.01.2020 09:40:13	1	1	1	1	101.8	49.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	29.75	2004
29.01.2020 09:40:14	1	1	1	1	101.8	49.75	0	27630.332	576.344086	16093.00682	30000	0	0	30000	29.5	2004
29.01.2020 09:40:15	1	1	1	1	101.5	49.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	29.1875	2004
29.01.2020 09:40:16	1	1	1	1	101.5	49	0	27819.905	576.344086	16240.58924	30000	0	0	30000	29.1875	2004
29.01.2020 09:40:17	1	1	1	1	101.5	49	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	30.4375	2004
29.01.2020 09:40:18	1	1	1	1	101.5	50.25	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	29.3125	2004
29.01.2020 09:40:19	1	1	1	1	101.5	49.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	29.0625	2004
29.01.2020 09:40:20	1	1	1	1	101.5	49	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	30.625	2004
29.01.2020 09:40:21	1	1	1	1	101.5	50.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	30.125	2004
29.01.2020 09:40:22	1	1	1	1	101.5	49.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	29.625	2004
29.01.2020 09:40:23	1	1	1	1	101.5	49.5	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	30.0625	2004
29.01.2020 09:40:24	1	1	1	1	101.5	50	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	29.75	2004
29.01.2020 09:40:25	1	1	1	1	101.5	49.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.625	2004
29.01.2020 09:40:26	1	1	1	1	101.5	49.5	0	27914.692	576.344086	15854.10268	30000	0	0	30000	29.875	2004
29.01.2020 09:40:27	1	1	1	1	101.5	49.75	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	30.25	2004
29.01.2020 09:40:28	1	1	1	1	101.5	50.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:40:29	1	1	1	1	101.5	49	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	30.0625	2004
29.01.2020 09:40:30	1	1	1	1	101.5	50	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	29.6875	2004
29.01.2020 09:40:31	1	1	1	1	101.5	49.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.1875	2004
29.01.2020 09:40:32	1	1	1	1	101.5	50	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.125	2004
29.01.2020 09:40:33	1	1	1	1	101.5	50	0	28009.479	567.7419355	16043.2691	30000	0	0	30000	28.6875	2004
29.01.2020 09:40:34	1	1	1	1	101.5	48.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30	2004
29.01.2020 09:40:35	1	1	1	1	101.5	50	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.9375	2004
29.01.2020 09:40:36	1	1	1	1	101.5	49.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.125	2004
29.01.2020 09:40:37	1	1	1	1	101.5	50	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	29	2004
29.01.2020 09:40:39	1	1	1	1	101.5	49	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.1875	2004
29.01.2020 09:40:40	1	1	1	1	101.5	49	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	30.3125	2004
29.01.2020 09:40:41	1	1	1	1	101.5	50.25	0	28199.052	574.1935484	16022.06942	30000	0	0	30000	30.125	2004
29.01.2020 09:40:42	1	1	1	1	101.5	50	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	29.625	2004
29.01.2020 09:40:43	1	1	1	1	101.5	49.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	29.875	2004
29.01.2020 09:40:44	1	1	1	1	101.5	49.75	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	29.3125	2004
29.01.2020 09:40:45	1	1	1	1	101.3	49.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.4375	2004
29.01.2020 09:40:46	1	1	1	1	101.3	49.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.625	2004
29.01.2020 09:40:47	1	1	1	1	101.3	49.5	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	29.5	2004
29.01.2020 09:40:48	1	1	1	1	101.3	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.125	2004
29.01.2020 09:40:49	1	1	1	1	101.3	49	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.1875	2004
29.01.2020 09:40:50	1	1	1	1	101.3	49	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.0625	2004
29.01.2020 09:40:51	1	1	1	1	101.3	50	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.125	2004
29.01.2020 09:40:52	1	1	1	1	101.3	50	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	29.625	2004
29.01.2020 09:40:53	1	1	1	1	101.3	49.5	0	27772.512	569.8924731	15854.10268	30000	0	0	30000	30.375	2004
29.01.2020 09:40:54	1	1	1	1	101.3	50.25	0	27962.085	572.0430108	16203.08211	30000	0	0	30000	30.0625	2004
29.01.2020 09:40:55	1	1	1	1	101.3	50	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.875	2004
29.01.2020 09:40:56	1	1	1	1	101.3	50.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.75	2004
29.01.2020 09:40:57	1	1	1	1	101.3	49.75	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	30.5625	2004
29.01.2020 09:40:58	1	1	1	1	101.3	50.5	0	27914.692	569.8924731	15995.16212	30000	0	0	30000	30	2004
29.01.2020 09:40:59	1	1	1	1	101.3	50	0	28009.479	576.344086	16082.40698	30000	0	0	30000	30.3125	2004
29.01.2020 09:41:00	1	1	1	1	101.3	50.25	0	27962.085	576.344086	16115.83725	30000	0	0	30000	29.5625	2004
29.01.2020 09:41:01	1	1	1	1	101.3	49.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	30.25	2004
29.01.2020 09:41:02	1	1	1	1	101.3	50.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.0625	2004
29.01.2020 09:41:08	1	1	1	1	101.8	50	0	27867.299	576.344086	15941.34754	30000	0	0	30000	30.4375	2004
29.01.2020 09:41:08	1	1	1	1	101.8	50	0	27867.299	576.344086	15941.34754	30000	0	0	30000	30.4375	2004
29.01.2020 09:41:08	1	1	1	1	101.8	50	0	27867.299	576.344086	15941.34754	30000	0	0	30000	30.4375	2004
29.01.2020 09:41:08	1	1	1	1	101.8	50	0	27867.299	576.344086	15941.34754	30000	0	0	30000	30.4375	2004
29.01.2020 09:41:08	1	1	1	1	101.8	50	0	27867.299	576.344086	15941.34754	30000	0	0	30000	30.4375	2004
29.01.2020 09:41:08	1	1	1	1	101.8	50	0	27867.299	576.344086	15941.34754	30000	0	0	30000	30.4375	2004
29.01.2020 09:41:09	1	1	1	1	101.8	50.25	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	30	2004
29.01.2020 09:41:10	1	1	1	1	101.8	50	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	30.3125	2004
29.01.2020 09:41:11	1	1	1	1	101.8	50.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	30	2004
29.01.2020 09:41:12	1	1	1	1	101.8	50	0	27867.299	576.344086	16061.20729	30000	0	0	30000	30	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:41:13	1	1	1	1	101.8	50	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.5	2004
29.01.2020 09:41:14	1	1	1	1	101.3	49.5	0	27819.905	574.1935484	15745.65814	30000	0	0	30000	29.5625	2004
29.01.2020 09:41:15	1	1	1	1	101.3	49.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	29.375	2004
29.01.2020 09:41:16	1	1	1	1	101.3	49.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	29.875	2004
29.01.2020 09:41:17	1	1	1	1	101.3	49.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.875	2004
29.01.2020 09:41:18	1	1	1	1	101.3	49.75	0	28293.839	576.344086	16191.66689	30000	0	0	30000	30.5	2004
29.01.2020 09:41:19	1	1	1	1	101.3	50.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	29.4375	2004
29.01.2020 09:41:21	1	1	1	1	101.3	49.25	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	30.25	2004
29.01.2020 09:41:22	1	1	1	1	101.3	50.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	30.6875	2004
29.01.2020 09:41:23	1	1	1	1	101.3	50.5	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	29.6875	2004
29.01.2020 09:41:24	1	1	1	1	101.3	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.75	2004
29.01.2020 09:41:25	1	1	1	1	101.3	49.75	0	27819.905	572.0430108	15881.00997	30000	0	0	30000	30.1875	2004
29.01.2020 09:41:26	1	1	1	1	101.3	50	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.5	2004
29.01.2020 09:41:27	1	1	1	1	101.3	50.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.3125	2004
29.01.2020 09:41:28	1	1	1	1	101.3	50.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	29.8125	2004
29.01.2020 09:41:29	1	1	1	1	101.3	49.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	29.9375	2004
29.01.2020 09:41:30	1	1	1	1	101.3	49.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30	2004
29.01.2020 09:41:31	1	1	1	1	101.3	50	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.9375	2004
29.01.2020 09:41:32	1	1	1	1	101.3	49.75	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	30.0625	2004
29.01.2020 09:41:33	1	1	1	1	101.3	50	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.1875	2004
29.01.2020 09:41:34	1	1	1	1	101.3	50	0	27867.299	567.7419355	15854.10268	30000	0	0	30000	30.125	2004
29.01.2020 09:41:35	1	1	1	1	101.8	50	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.1875	2004
29.01.2020 09:41:36	1	1	1	1	101.8	50	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	30.25	2004
29.01.2020 09:41:37	1	1	1	1	101.8	50.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	29.875	2004
29.01.2020 09:41:38	1	1	1	1	101.8	49.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31	2004
29.01.2020 09:41:39	1	1	1	1	101.8	49.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	30.4375	2004
29.01.2020 09:41:40	1	1	1	1	101.8	50.25	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	30.8125	2004
29.01.2020 09:41:41	1	1	1	1	101.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.625	2004
29.01.2020 09:41:42	1	1	1	1	101.8	50.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	30.25	2004
29.01.2020 09:41:43	1	1	1	1	101.8	50.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.6875	2004
29.01.2020 09:41:44	1	1	1	1	101.8	49.5	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	29.875	2004
29.01.2020 09:41:45	1	1	1	1	101.8	49.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.3125	2004
29.01.2020 09:41:46	1	1	1	1	101.8	50.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	30.3125	2004
29.01.2020 09:41:47	1	1	1	1	101.8	50.25	0	27914.692	576.344086	15821.48778	30000	0	0	30000	30.6875	2004
29.01.2020 09:41:48	1	1	1	1	101.8	50.5	0	27914.692	569.8924731	15848.39508	30000	0	0	30000	30.6875	2004
29.01.2020 09:41:49	1	1	1	1	101.8	50.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.25	2004
29.01.2020 09:41:50	1	1	1	1	101.8	50.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	29.6875	2004
29.01.2020 09:41:51	1	1	1	1	101.8	49.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	30.8125	2004
29.01.2020 09:41:52	1	1	1	1	101.8	50.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	30.6875	2004
29.01.2020 09:41:53	1	1	1	1	101.8	50.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	30.5625	2004
29.01.2020 09:41:54	1	1	1	1	101.8	50.5	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	30.25	2004
29.01.2020 09:41:55	1	1	1	1	101.8	50.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	30.625	2004
29.01.2020 09:41:56	1	1	1	1	101.8	50.5	0	27772.512	572.0430108	15745.65814	30000	0	0	30000	30.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:41:58	1	1	1	1	101.8	50	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	29	2004
29.01.2020 09:41:59	1	1	1	1	101.8	49	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	31	2004
29.01.2020 09:42:00	1	1	1	1	101.8	51	0	27962.085	574.1935484	16142.74454	30000	0	0	30000	30.4375	2004
29.01.2020 09:42:01	1	1	1	1	101.8	50.25	0	28009.479	576.344086	16203.08211	30000	0	0	30000	30.3125	2004
29.01.2020 09:42:02	1	1	1	1	101.8	50.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	29.5	2004
29.01.2020 09:42:03	1	1	1	1	101.8	49.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.25	2004
29.01.2020 09:42:04	1	1	1	1	101.8	50.25	0	27725.118	576.344086	15864.70252	30000	0	0	30000	30.6875	2004
29.01.2020 09:42:10	1	1	1	1	101.8	50	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	30.375	2004
29.01.2020 09:42:10	1	1	1	1	101.8	50	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	30.375	2004
29.01.2020 09:42:10	1	1	1	1	101.8	50	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	30.375	2004
29.01.2020 09:42:10	1	1	1	1	101.8	50	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	30.375	2004
29.01.2020 09:42:10	1	1	1	1	101.8	50.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	30.5625	2004
29.01.2020 09:42:11	1	1	1	1	101.8	50.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	30.75	2004
29.01.2020 09:42:12	1	1	1	1	101.8	50.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	30.625	2004
29.01.2020 09:42:13	1	1	1	1	101.8	50.5	0	28009.479	576.344086	16055.49969	30000	0	0	30000	30.625	2004
29.01.2020 09:42:14	1	1	1	1	101.8	50.5	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	30.1875	2004
29.01.2020 09:42:15	1	1	1	1	101.3	50	0	27914.692	567.7419355	15761.15022	30000	0	0	30000	29.875	2004
29.01.2020 09:42:16	1	1	1	1	101.3	49.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	31.375	2004
29.01.2020 09:42:17	1	1	1	1	101.3	51.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	30.5625	2004
29.01.2020 09:42:18	1	1	1	1	101.3	50.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	30.25	2004
29.01.2020 09:42:19	1	1	1	1	101.3	50.25	0	27819.905	580.6451613	15919.33248	30000	0	0	30000	30	2004
29.01.2020 09:42:20	1	1	1	1	101.3	50	0	27962.085	569.8924731	16115.83725	30000	0	0	30000	30.5625	2004
29.01.2020 09:42:21	1	1	1	1	101.3	50.5	0	27867.299	576.344086	16027.77702	30000	0	0	30000	29.9375	2004
29.01.2020 09:42:22	1	1	1	1	101.3	49.75	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	30.625	2004
29.01.2020 09:42:23	1	1	1	1	101.3	50.5	0	28009.479	576.344086	16191.66689	30000	0	0	30000	30.3125	2004
29.01.2020 09:42:24	1	1	1	1	101.5	50.25	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	30.125	2004
29.01.2020 09:42:25	1	1	1	1	101.5	50	0	28009.479	576.344086	16082.40698	30000	0	0	30000	30.125	2004
29.01.2020 09:42:26	1	1	1	1	101.5	50	0	27819.905	576.344086	16153.34439	30000	0	0	30000	30.4375	2004
29.01.2020 09:42:27	1	1	1	1	101.5	50.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.5	2004
29.01.2020 09:42:28	1	1	1	1	101.5	50.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.375	2004
29.01.2020 09:42:29	1	1	1	1	101.5	50.25	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	30.375	2004
29.01.2020 09:42:30	1	1	1	1	101.5	50.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	30.8125	2004
29.01.2020 09:42:31	1	1	1	1	101.5	50.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.25	2004
29.01.2020 09:42:32	1	1	1	1	101.5	50.25	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	30.75	2004
29.01.2020 09:42:33	1	1	1	1	101.5	50.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	30.75	2004
29.01.2020 09:42:34	1	1	1	1	102	50.75	0	27819.905	584.9462366	16093.00682	30000	0	0	30000	31	2004
29.01.2020 09:42:36	1	1	1	1	102	51	0	27772.512	576.344086	15864.70252	30000	0	0	30000	30.5	2004
29.01.2020 09:42:37	1	1	1	1	102	50.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.4375	2004
29.01.2020 09:42:38	1	1	1	1	102	50.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	31.125	2004
29.01.2020 09:42:39	1	1	1	1	102	51	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	30.3125	2004
29.01.2020 09:42:40	1	1	1	1	102	50.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.875	2004
29.01.2020 09:42:41	1	1	1	1	102	50.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	29.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:42:42	1	1	1	1	102	49.75	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	31.125	2004
29.01.2020 09:42:43	1	1	1	1	102	51	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	30.5625	2004
29.01.2020 09:42:44	1	1	1	1	102	50.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	30.25	2004
29.01.2020 09:42:45	1	1	1	1	102	50.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.25	2004
29.01.2020 09:42:46	1	1	1	1	102	51.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.25	2004
29.01.2020 09:42:47	1	1	1	1	102	50.25	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	31.25	2004
29.01.2020 09:42:48	1	1	1	1	102	51.25	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	30.5625	2004
29.01.2020 09:42:49	1	1	1	1	102	50.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.9375	2004
29.01.2020 09:42:50	1	1	1	1	102	49.75	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	30.625	2004
29.01.2020 09:42:51	1	1	1	1	102	50.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.4375	2004
29.01.2020 09:42:52	1	1	1	1	102	50.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.625	2004
29.01.2020 09:42:53	1	1	1	1	102	50.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31	2004
29.01.2020 09:42:54	1	1	1	1	102	51	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	30	2004
29.01.2020 09:42:55	1	1	1	1	102.3	50	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	31.5	2004
29.01.2020 09:42:56	1	1	1	1	102.3	50.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	30.9375	2004
29.01.2020 09:42:57	1	1	1	1	102.3	50.75	0	28009.479	576.344086	16022.06942	30000	0	0	30000	30.875	2004
29.01.2020 09:42:58	1	1	1	1	102.3	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.75	2004
29.01.2020 09:42:59	1	1	1	1	102.3	50.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.8125	2004
29.01.2020 09:43:00	1	1	1	1	102.3	50.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.5625	2004
29.01.2020 09:43:01	1	1	1	1	102.3	50.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.375	2004
29.01.2020 09:43:02	1	1	1	1	102.3	51.25	0	28009.479	576.344086	15961.73185	30000	0	0	30000	30.625	2004
29.01.2020 09:43:03	1	1	1	1	102.3	50.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.5	2004
29.01.2020 09:43:04	1	1	1	1	102.8	50.5	0	27867.299	567.7419355	15761.15022	30000	0	0	30000	30.8125	2004
29.01.2020 09:43:05	1	1	1	1	102.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.5	2004
29.01.2020 09:43:12	1	1	1	1	102.8	50.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31	2004
29.01.2020 09:43:12	1	1	1	1	102.8	50.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31	2004
29.01.2020 09:43:12	1	1	1	1	102.8	50.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31	2004
29.01.2020 09:43:12	1	1	1	1	102.8	50.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31	2004
29.01.2020 09:43:12	1	1	1	1	102.8	50.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31	2004
29.01.2020 09:43:12	1	1	1	1	102.8	50.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31	2004
29.01.2020 09:43:12	1	1	1	1	102.8	51	0	28293.839	578.4946237	16070.17639	30000	0	0	30000	30.625	2004
29.01.2020 09:43:14	1	1	1	1	102.8	50.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.0625	2004
29.01.2020 09:43:15	1	1	1	1	102.8	51	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.25	2004
29.01.2020 09:43:16	1	1	1	1	102.8	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.25	2004
29.01.2020 09:43:17	1	1	1	1	102.8	50.25	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	31.25	2004
29.01.2020 09:43:18	1	1	1	1	102.8	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.6875	2004
29.01.2020 09:43:19	1	1	1	1	102.8	50.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.875	2004
29.01.2020 09:43:20	1	1	1	1	102.8	50.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	29.9375	2004
29.01.2020 09:43:21	1	1	1	1	102.8	49.75	0	28341.232	565.5913978	16238.9585	30000	0	0	30000	30.375	2004
29.01.2020 09:43:22	1	1	1	1	102.8	50.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.25	2004
29.01.2020 09:43:23	1	1	1	1	102.8	50.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	30.25	2004
29.01.2020 09:43:24	1	1	1	1	102.8	50.25	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	31.1875	2004
29.01.2020 09:43:25	1	1	1	1	102.8	51	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:43:26	1	1	1	1	102.8	50.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30.25	2004
29.01.2020 09:43:27	1	1	1	1	102.8	50.25	0	27962.085	565.5913978	15814.9648	30000	0	0	30000	30.0625	2004
29.01.2020 09:43:28	1	1	1	1	102.8	50	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	29.8125	2004
29.01.2020 09:43:29	1	1	1	1	102.8	49.75	0	28009.479	561.2903226	16070.17639	30000	0	0	30000	31.3125	2004
29.01.2020 09:43:30	1	1	1	1	102.8	51.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	31	2004
29.01.2020 09:43:31	1	1	1	1	102.8	51	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.25	2004
29.01.2020 09:43:32	1	1	1	1	102.8	50.25	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	30.75	2004
29.01.2020 09:43:33	1	1	1	1	102.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.0625	2004
29.01.2020 09:43:34	1	1	1	1	102.8	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.625	2004
29.01.2020 09:43:35	1	1	1	1	103	50.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.0625	2004
29.01.2020 09:43:36	1	1	1	1	103	51	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.9375	2004
29.01.2020 09:43:37	1	1	1	1	103	50.75	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	30.5	2004
29.01.2020 09:43:38	1	1	1	1	103	50.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	30.375	2004
29.01.2020 09:43:39	1	1	1	1	103	50.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.875	2004
29.01.2020 09:43:40	1	1	1	1	103	50.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.9375	2004
29.01.2020 09:43:41	1	1	1	1	103	50.75	0	28388.626	572.0430108	16177.80556	30000	0	0	30000	30.25	2004
29.01.2020 09:43:42	1	1	1	1	103	50.25	0	28388.626	576.344086	16123.99098	30000	0	0	30000	30.9375	2004
29.01.2020 09:43:43	1	1	1	1	103	50.75	0	28293.839	574.1935484	16009.83883	30000	0	0	30000	31.0625	2004
29.01.2020 09:43:44	1	1	1	1	102.8	51	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	31.25	2004
29.01.2020 09:43:45	1	1	1	1	102.8	51.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.3125	2004
29.01.2020 09:43:46	1	1	1	1	102.8	51.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.4375	2004
29.01.2020 09:43:47	1	1	1	1	102.8	50.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	30.0625	2004
29.01.2020 09:43:48	1	1	1	1	102.8	50	0	28009.479	565.5913978	15921.7786	30000	0	0	30000	31	2004
29.01.2020 09:43:49	1	1	1	1	102.8	51	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	30.875	2004
29.01.2020 09:43:50	1	1	1	1	102.8	50.75	0	28199.052	572.0430108	16252.00446	30000	0	0	30000	31.4375	2004
29.01.2020 09:43:51	1	1	1	1	102.8	51.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	30.3125	2004
29.01.2020 09:43:52	1	1	1	1	102.8	50.25	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	31.25	2004
29.01.2020 09:43:53	1	1	1	1	102.8	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.3125	2004
29.01.2020 09:43:55	1	1	1	1	102.5	50.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.6875	2004
29.01.2020 09:43:56	1	1	1	1	102.5	49.5	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	31.25	2004
29.01.2020 09:43:57	1	1	1	1	102.5	51.25	0	28341.232	569.8924731	16036.74612	30000	0	0	30000	30.875	2004
29.01.2020 09:43:58	1	1	1	1	102.5	50.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31	2004
29.01.2020 09:43:59	1	1	1	1	102.5	51	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	30.9375	2004
29.01.2020 09:44:00	1	1	1	1	102.5	50.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.0625	2004
29.01.2020 09:44:01	1	1	1	1	102.5	51	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.1875	2004
29.01.2020 09:44:02	1	1	1	1	102.5	50	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.8125	2004
29.01.2020 09:44:03	1	1	1	1	102.5	50.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.375	2004
29.01.2020 09:44:04	1	1	1	1	102.5	50.25	0	28199.052	563.4408602	16130.51396	30000	0	0	30000	31.3125	2004
29.01.2020 09:44:05	1	1	1	1	102.5	51.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	30.25	2004
29.01.2020 09:44:06	1	1	1	1	102.5	50.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.4375	2004
29.01.2020 09:44:07	1	1	1	1	102.5	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.125	2004
29.01.2020 09:44:14	1	1	1	1	102.5	50.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.375	2004
29.01.2020 09:44:14	1	1	1	1	102.5	50.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:44:14	1	1	1	1	102.5	50.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.375	2004
29.01.2020 09:44:14	1	1	1	1	102.5	50.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.375	2004
29.01.2020 09:44:14	1	1	1	1	102.5	50.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.375	2004
29.01.2020 09:44:14	1	1	1	1	102.5	50.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.375	2004
29.01.2020 09:44:14	1	1	1	1	102.5	51.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	31.1875	2004
29.01.2020 09:44:15	1	1	1	1	102.5	51	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	30.8125	2004
29.01.2020 09:44:16	1	1	1	1	102.5	51	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	30.9375	2004
29.01.2020 09:44:17	1	1	1	1	102.5	50.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.1875	2004
29.01.2020 09:44:18	1	1	1	1	102.5	51	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.4375	2004
29.01.2020 09:44:19	1	1	1	1	102.5	50.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31.375	2004
29.01.2020 09:44:20	1	1	1	1	102.5	51.25	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	30.6875	2004
29.01.2020 09:44:21	1	1	1	1	102.5	50.5	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	30.875	2004
29.01.2020 09:44:22	1	1	1	1	102.5	50.75	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	30.8125	2004
29.01.2020 09:44:23	1	1	1	1	102.5	50.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	31.5	2004
29.01.2020 09:44:24	1	1	1	1	102.5	51.5	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	31.3125	2004
29.01.2020 09:44:25	1	1	1	1	102.5	51.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	31	2004
29.01.2020 09:44:26	1	1	1	1	102.5	51	0	28199.052	565.5913978	16191.66689	30000	0	0	30000	31.25	2004
29.01.2020 09:44:27	1	1	1	1	102.5	51.25	0	28341.232	572.0430108	16090.5607	30000	0	0	30000	30.875	2004
29.01.2020 09:44:28	1	1	1	1	102.5	50.75	0	28436.019	565.5913978	15995.16212	30000	0	0	30000	31.25	2004
29.01.2020 09:44:29	1	1	1	1	102.5	51.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	30.8125	2004
29.01.2020 09:44:30	1	1	1	1	102.5	50.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	31.3125	2004
29.01.2020 09:44:31	1	1	1	1	102.5	51.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	31	2004
29.01.2020 09:44:33	1	1	1	1	102.5	51	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	31.125	2004
29.01.2020 09:44:34	1	1	1	1	102.5	51	0	28293.839	563.4408602	16177.80556	30000	0	0	30000	30.5	2004
29.01.2020 09:44:35	1	1	1	1	101.8	50.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	31.0625	2004
29.01.2020 09:44:36	1	1	1	1	101.8	51	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	30.4375	2004
29.01.2020 09:44:37	1	1	1	1	101.8	50.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	30.625	2004
29.01.2020 09:44:38	1	1	1	1	101.8	50.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	31.125	2004
29.01.2020 09:44:39	1	1	1	1	101.8	51	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	30.5625	2004
29.01.2020 09:44:40	1	1	1	1	101.8	50.5	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	31.3125	2004
29.01.2020 09:44:41	1	1	1	1	101.8	51.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	31	2004
29.01.2020 09:44:42	1	1	1	1	101.8	51	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	30.875	2004
29.01.2020 09:44:43	1	1	1	1	101.8	50.75	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	31.5625	2004
29.01.2020 09:44:44	1	1	1	1	101.8	51.5	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	31	2004
29.01.2020 09:44:45	1	1	1	1	101.3	51	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	31	2004
29.01.2020 09:44:46	1	1	1	1	101.3	51	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	30.625	2004
29.01.2020 09:44:47	1	1	1	1	101.3	50.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	31.125	2004
29.01.2020 09:44:48	1	1	1	1	101.3	51	0	28293.839	567.7419355	15827.19539	30000	0	0	30000	30.6875	2004
29.01.2020 09:44:49	1	1	1	1	101.3	50.5	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	31.0625	2004
29.01.2020 09:44:50	1	1	1	1	101.3	51	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	31.25	2004
29.01.2020 09:44:51	1	1	1	1	101.3	51.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	31.5	2004
29.01.2020 09:44:52	1	1	1	1	101.3	51.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	30.75	2004
29.01.2020 09:44:53	1	1	1	1	101.3	50.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	31.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:44:54	1	1	1	1	101.5	50.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	31.0625	2004
29.01.2020 09:44:55	1	1	1	1	101.5	51	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	30.6875	2004
29.01.2020 09:44:56	1	1	1	1	101.5	50.5	0	28199.052	563.4408602	16150.89827	30000	0	0	30000	31.1875	2004
29.01.2020 09:44:57	1	1	1	1	101.5	51	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.375	2004
29.01.2020 09:44:58	1	1	1	1	101.5	51.25	0	28341.232	567.7419355	15827.19539	30000	0	0	30000	30.625	2004
29.01.2020 09:44:59	1	1	1	1	101.5	50.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	31.125	2004
29.01.2020 09:45:00	1	1	1	1	101.5	51	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	30.8125	2004
29.01.2020 09:45:01	1	1	1	1	101.5	50.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.5625	2004
29.01.2020 09:45:02	1	1	1	1	101.5	50.5	0	28199.052	569.8924731	15721.19697	30000	0	0	30000	31.25	2004
29.01.2020 09:45:03	1	1	1	1	101.5	51.25	0	28199.052	567.7419355	15961.73185	30000	0	0	30000	31.3125	2004
29.01.2020 09:45:04	1	1	1	1	102	51.25	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	30.5625	2004
29.01.2020 09:45:05	1	1	1	1	102	50.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.5	2004
29.01.2020 09:45:06	1	1	1	1	102	51.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	30.25	2004
29.01.2020 09:45:07	1	1	1	1	102	50.25	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	30.8125	2004
29.01.2020 09:45:08	1	1	1	1	102	50.75	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	30.5625	2004
29.01.2020 09:45:15	1	1	1	1	101.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.5	2004
29.01.2020 09:45:15	1	1	1	1	101.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.5	2004
29.01.2020 09:45:15	1	1	1	1	101.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.5	2004
29.01.2020 09:45:15	1	1	1	1	101.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.5	2004
29.01.2020 09:45:15	1	1	1	1	101.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.5	2004
29.01.2020 09:45:15	1	1	1	1	101.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.5	2004
29.01.2020 09:45:16	1	1	1	1	101.8	51.5	0	28009.479	567.7419355	15781.53453	30000	0	0	30000	30.8125	2004
29.01.2020 09:45:17	1	1	1	1	101.8	50.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	31.0625	2004
29.01.2020 09:45:18	1	1	1	1	101.8	51	0	27867.299	563.4408602	15788.05751	30000	0	0	30000	31.6875	2004
29.01.2020 09:45:19	1	1	1	1	101.8	51.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.25	2004
29.01.2020 09:45:20	1	1	1	1	101.8	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.125	2004
29.01.2020 09:45:21	1	1	1	1	101.8	51	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	31.375	2004
29.01.2020 09:45:22	1	1	1	1	101.8	51.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31	2004
29.01.2020 09:45:23	1	1	1	1	101.8	51	0	27819.905	565.5913978	15794.58049	30000	0	0	30000	31.0625	2004
29.01.2020 09:45:24	1	1	1	1	101.8	51	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.4375	2004
29.01.2020 09:45:25	1	1	1	1	102.5	51.25	0	27914.692	569.8924731	15788.05751	30000	0	0	30000	30.3125	2004
29.01.2020 09:45:26	1	1	1	1	102.5	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.5625	2004
29.01.2020 09:45:27	1	1	1	1	102.5	50.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.1875	2004
29.01.2020 09:45:28	1	1	1	1	102.5	51	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	31.3125	2004
29.01.2020 09:45:29	1	1	1	1	102.5	51.25	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	31.625	2004
29.01.2020 09:45:30	1	1	1	1	102.5	51.5	0	27630.332	563.4408602	15941.34754	30000	0	0	30000	31	2004
29.01.2020 09:45:31	1	1	1	1	102.5	51	0	27819.905	569.8924731	15794.58049	30000	0	0	30000	31.0625	2004
29.01.2020 09:45:32	1	1	1	1	102.5	50.75	0	27867.299	567.7419355	16148.45215	30000	0	0	30000	31.0625	2004
29.01.2020 09:45:33	1	1	1	1	102.5	51	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.9375	2004
29.01.2020 09:45:34	1	1	1	1	102.8	50.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	31	2004
29.01.2020 09:45:35	1	1	1	1	102.8	51	0	28009.479	578.4946237	15841.8721	30000	0	0	30000	31.6875	2004
29.01.2020 09:45:36	1	1	1	1	102.8	51.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	31.6875	2004
29.01.2020 09:45:37	1	1	1	1	102.8	51.5	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	31	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:45:38	1	1	1	1	102.8	51	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	30.5	2004
29.01.2020 09:45:39	1	1	1	1	102.8	50.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.8125	2004
29.01.2020 09:45:40	1	1	1	1	102.8	50.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.4375	2004
29.01.2020 09:45:41	1	1	1	1	102.8	51.25	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	31.6875	2004
29.01.2020 09:45:42	1	1	1	1	102.8	51.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.9375	2004
29.01.2020 09:45:43	1	1	1	1	102.8	50.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.625	2004
29.01.2020 09:45:44	1	1	1	1	102.5	50.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	30.25	2004
29.01.2020 09:45:45	1	1	1	1	102.5	50.25	0	27962.085	576.344086	16115.83725	30000	0	0	30000	31.125	2004
29.01.2020 09:45:46	1	1	1	1	102.5	51	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.125	2004
29.01.2020 09:45:47	1	1	1	1	102.5	51	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	31.25	2004
29.01.2020 09:45:49	1	1	1	1	102.5	51.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	31.375	2004
29.01.2020 09:45:50	1	1	1	1	102.5	51.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.75	2004
29.01.2020 09:45:51	1	1	1	1	102.5	51.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	30.875	2004
29.01.2020 09:45:52	1	1	1	1	102.5	50.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	31.4375	2004
29.01.2020 09:45:53	1	1	1	1	102.5	51.25	0	27630.332	572.0430108	15913.62487	30000	0	0	30000	31.4375	2004
29.01.2020 09:45:54	1	1	1	1	102.5	51.25	0	27819.905	574.1935484	15913.62487	30000	0	0	30000	31.1875	2004
29.01.2020 09:45:55	1	1	1	1	102.3	51	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	31.75	2004
29.01.2020 09:45:56	1	1	1	1	102.3	51.75	0	27867.299	580.6451613	15973.96244	30000	0	0	30000	31.4375	2004
29.01.2020 09:45:57	1	1	1	1	102.3	51.25	0	27819.905	576.344086	16240.58924	30000	0	0	30000	31.125	2004
29.01.2020 09:45:58	1	1	1	1	102.3	51	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31	2004
29.01.2020 09:45:59	1	1	1	1	102.3	51	0	27630.332	572.0430108	16033.48463	30000	0	0	30000	31.4375	2004
29.01.2020 09:46:00	1	1	1	1	102.3	51.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	30.9375	2004
29.01.2020 09:46:01	1	1	1	1	102.3	50.75	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	31.9375	2004
29.01.2020 09:46:02	1	1	1	1	102.3	51.75	0	27962.085	576.344086	16027.77702	30000	0	0	30000	30.9375	2004
29.01.2020 09:46:03	1	1	1	1	102.3	50.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	31.6875	2004
29.01.2020 09:46:04	1	1	1	1	102.3	51.5	0	27867.299	576.344086	16027.77702	30000	0	0	30000	30.25	2004
29.01.2020 09:46:05	1	1	1	1	102.8	50.25	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	30.9375	2004
29.01.2020 09:46:06	1	1	1	1	102.8	50.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	31.75	2004
29.01.2020 09:46:07	1	1	1	1	102.8	51.75	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	31.625	2004
29.01.2020 09:46:08	1	1	1	1	102.8	51.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	32	2004
29.01.2020 09:46:09	1	1	1	1	102.8	52	0	27630.332	569.8924731	16093.00682	30000	0	0	30000	31.5625	2004
29.01.2020 09:46:10	1	1	1	1	102.8	51.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.8125	2004
29.01.2020 09:46:16	1	1	1	1	103.3	51.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	31.875	2004
29.01.2020 09:46:16	1	1	1	1	103.3	51.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	31.875	2004
29.01.2020 09:46:16	1	1	1	1	103.3	51.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	31.875	2004
29.01.2020 09:46:16	1	1	1	1	103.3	51.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	31.875	2004
29.01.2020 09:46:16	1	1	1	1	103.3	51.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	31.875	2004
29.01.2020 09:46:16	1	1	1	1	103.3	51.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	31.875	2004
29.01.2020 09:46:17	1	1	1	1	103.3	51.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	30.5	2004
29.01.2020 09:46:18	1	1	1	1	103.3	50.5	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	30.5	2004
29.01.2020 09:46:19	1	1	1	1	103.3	50.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	30.6875	2004
29.01.2020 09:46:20	1	1	1	1	103.3	50.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	31	2004
29.01.2020 09:46:21	1	1	1	1	103.3	51	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	31.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:46:22	1	1	1	1	103.3	51	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.25	2004
29.01.2020 09:46:23	1	1	1	1	103.3	51.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	30.8125	2004
29.01.2020 09:46:24	1	1	1	1	103	50.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	30.3125	2004
29.01.2020 09:46:25	1	1	1	1	103	50.25	0	27867.299	576.344086	15794.58049	30000	0	0	30000	31.375	2004
29.01.2020 09:46:26	1	1	1	1	103	51.25	0	27819.905	574.1935484	15919.33248	30000	0	0	30000	31.4375	2004
29.01.2020 09:46:27	1	1	1	1	103	51.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	31.5	2004
29.01.2020 09:46:29	1	1	1	1	103	51.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	30.875	2004
29.01.2020 09:46:30	1	1	1	1	103	50.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	31.4375	2004
29.01.2020 09:46:31	1	1	1	1	103	51.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	31.125	2004
29.01.2020 09:46:32	1	1	1	1	103	51	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	30.8125	2004
29.01.2020 09:46:33	1	1	1	1	103	50.75	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	31.0625	2004
29.01.2020 09:46:34	1	1	1	1	103	51	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	31.125	2004
29.01.2020 09:46:35	1	1	1	1	102.5	51	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	31.375	2004
29.01.2020 09:46:36	1	1	1	1	102.5	51.25	0	28009.479	574.1935484	15814.9648	30000	0	0	30000	32.0625	2004
29.01.2020 09:46:37	1	1	1	1	102.5	52	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	31.6875	2004
29.01.2020 09:46:38	1	1	1	1	102.5	51.5	0	27962.085	578.4946237	16027.77702	30000	0	0	30000	31.0625	2004
29.01.2020 09:46:39	1	1	1	1	102.5	51	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	31.5625	2004
29.01.2020 09:46:40	1	1	1	1	102.5	51.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	32	2004
29.01.2020 09:46:41	1	1	1	1	102.5	52	0	28009.479	576.344086	16203.08211	30000	0	0	30000	30.6875	2004
29.01.2020 09:46:42	1	1	1	1	102.5	50.5	0	28009.479	576.344086	16191.66689	30000	0	0	30000	31.4375	2004
29.01.2020 09:46:43	1	1	1	1	102.5	51.25	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	31.75	2004
29.01.2020 09:46:44	1	1	1	1	102.5	51.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	31.8125	2004
29.01.2020 09:46:45	1	1	1	1	102.8	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.4375	2004
29.01.2020 09:46:46	1	1	1	1	102.8	51.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	32.125	2004
29.01.2020 09:46:47	1	1	1	1	102.8	52	0	28009.479	561.2903226	15961.73185	30000	0	0	30000	31.5625	2004
29.01.2020 09:46:48	1	1	1	1	102.8	51.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.4375	2004
29.01.2020 09:46:49	1	1	1	1	102.8	52.25	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	31.5	2004
29.01.2020 09:46:50	1	1	1	1	102.8	51.5	0	27630.332	569.8924731	15924.22472	30000	0	0	30000	32.1875	2004
29.01.2020 09:46:51	1	1	1	1	102.8	52.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.8125	2004
29.01.2020 09:46:52	1	1	1	1	102.8	51.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	30.875	2004
29.01.2020 09:46:53	1	1	1	1	102.8	50.75	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	31.3125	2004
29.01.2020 09:46:54	1	1	1	1	103	51.25	0	28009.479	576.344086	16203.08211	30000	0	0	30000	31.875	2004
29.01.2020 09:46:55	1	1	1	1	103	51.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	31.625	2004
29.01.2020 09:46:56	1	1	1	1	103	51.5	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	31.5625	2004
29.01.2020 09:46:57	1	1	1	1	103	51.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	31.875	2004
29.01.2020 09:46:58	1	1	1	1	103	51.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	32.1875	2004
29.01.2020 09:46:59	1	1	1	1	103	52	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	31.1875	2004
29.01.2020 09:47:00	1	1	1	1	103	51	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.625	2004
29.01.2020 09:47:01	1	1	1	1	103	51.5	0	28009.479	572.0430108	16203.08211	30000	0	0	30000	31.6875	2004
29.01.2020 09:47:02	1	1	1	1	103	51.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.5625	2004
29.01.2020 09:47:03	1	1	1	1	103	51.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	31.625	2004
29.01.2020 09:47:04	1	1	1	1	103	51.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	31.25	2004
29.01.2020 09:47:06	1	1	1	1	103	51.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	31.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:47:07	1	1	1	1	103	51.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	31.875	2004
29.01.2020 09:47:08	1	1	1	1	103	51.75	0	27819.905	576.344086	15983.74691	30000	0	0	30000	30.875	2004
29.01.2020 09:47:09	1	1	1	1	103	50.75	0	27819.905	574.1935484	15913.62487	30000	0	0	30000	31.875	2004
29.01.2020 09:47:10	1	1	1	1	103	51.75	0	27867.299	574.1935484	15627.42913	30000	0	0	30000	31.125	2004
29.01.2020 09:47:11	1	1	1	1	103	51	0	27914.692	576.344086	16027.77702	30000	0	0	30000	31.8125	2004
29.01.2020 09:47:12	1	1	1	1	103	51.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	31.5	2004
29.01.2020 09:47:18	1	1	1	1	103	51.25	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	31.75	2004
29.01.2020 09:47:18	1	1	1	1	103	51.25	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	31.75	2004
29.01.2020 09:47:18	1	1	1	1	103	51.25	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	31.75	2004
29.01.2020 09:47:18	1	1	1	1	103	51.25	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	31.75	2004
29.01.2020 09:47:18	1	1	1	1	103	51.25	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	31.75	2004
29.01.2020 09:47:18	1	1	1	1	103	51.25	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	31.75	2004
29.01.2020 09:47:19	1	1	1	1	103	51.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.1875	2004
29.01.2020 09:47:20	1	1	1	1	103	52	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	31.75	2004
29.01.2020 09:47:21	1	1	1	1	103	51.75	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	31.5625	2004
29.01.2020 09:47:22	1	1	1	1	103	51.5	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	31.9375	2004
29.01.2020 09:47:23	1	1	1	1	103	51.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.6875	2004
29.01.2020 09:47:24	1	1	1	1	103	51.5	0	28199.052	556.9892473	16212.05121	30000	0	0	30000	31.375	2004
29.01.2020 09:47:25	1	1	1	1	103.3	51.25	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	32	2004
29.01.2020 09:47:26	1	1	1	1	103.3	52	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	31.75	2004
29.01.2020 09:47:27	1	1	1	1	103.3	51.75	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	32.5625	2004
29.01.2020 09:47:28	1	1	1	1	103.3	52.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	31.8125	2004
29.01.2020 09:47:29	1	1	1	1	103.3	51.75	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	32.1875	2004
29.01.2020 09:47:30	1	1	1	1	103.3	51	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	31.6875	2004
29.01.2020 09:47:31	1	1	1	1	103.3	51.5	0	28246.445	567.7419355	16009.83883	30000	0	0	30000	32.1875	2004
29.01.2020 09:47:32	1	1	1	1	103.3	52	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	31.0625	2004
29.01.2020 09:47:33	1	1	1	1	103.3	51	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.8125	2004
29.01.2020 09:47:34	1	1	1	1	103	50.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.625	2004
29.01.2020 09:47:35	1	1	1	1	103	51.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	31.6875	2004
29.01.2020 09:47:36	1	1	1	1	103	51.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.5	2004
29.01.2020 09:47:37	1	1	1	1	103	51.5	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	31.625	2004
29.01.2020 09:47:38	1	1	1	1	103	51.5	0	27867.299	565.5913978	15821.48778	30000	0	0	30000	32	2004
29.01.2020 09:47:39	1	1	1	1	103	52	0	28199.052	576.344086	15961.73185	30000	0	0	30000	31.375	2004
29.01.2020 09:47:40	1	1	1	1	103	51.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	31.5	2004
29.01.2020 09:47:41	1	1	1	1	103	51.5	0	27962.085	561.2903226	15961.73185	30000	0	0	30000	30.8125	2004
29.01.2020 09:47:42	1	1	1	1	103	50.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.875	2004
29.01.2020 09:47:43	1	1	1	1	103	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32	2004
29.01.2020 09:47:44	1	1	1	1	103	52	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	32.125	2004
29.01.2020 09:47:45	1	1	1	1	103	52	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	31.6875	2004
29.01.2020 09:47:47	1	1	1	1	103	51.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.5625	2004
29.01.2020 09:47:48	1	1	1	1	103	51.5	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	32.0625	2004
29.01.2020 09:47:49	1	1	1	1	103	52	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.875	2004
29.01.2020 09:47:50	1	1	1	1	103	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:47:51	1	1	1	1	103	51.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	31.125	2004
29.01.2020 09:47:52	1	1	1	1	103	51	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	32.125	2004
29.01.2020 09:47:53	1	1	1	1	103	52	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	31.375	2004
29.01.2020 09:47:54	1	1	1	1	103	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.25	2004
29.01.2020 09:47:55	1	1	1	1	103.5	52.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	31.5	2004
29.01.2020 09:47:56	1	1	1	1	103.5	51.5	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	30.875	2004
29.01.2020 09:47:57	1	1	1	1	103.5	50.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	31.1875	2004
29.01.2020 09:47:58	1	1	1	1	103.5	51	0	28436.019	567.7419355	16177.80556	30000	0	0	30000	31.875	2004
29.01.2020 09:47:59	1	1	1	1	103.5	51.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	31.4375	2004
29.01.2020 09:48:00	1	1	1	1	103.5	51.25	0	28293.839	554.8387097	16056.31506	30000	0	0	30000	32.3125	2004
29.01.2020 09:48:01	1	1	1	1	103.5	52.25	0	28341.232	563.4408602	15819.85704	30000	0	0	30000	31.8125	2004
29.01.2020 09:48:02	1	1	1	1	103.5	51.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	32.4375	2004
29.01.2020 09:48:03	1	1	1	1	103.5	52.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.3125	2004
29.01.2020 09:48:04	1	1	1	1	103.5	51.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.25	2004
29.01.2020 09:48:05	1	1	1	1	103	51.25	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	32.4375	2004
29.01.2020 09:48:06	1	1	1	1	103	52.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.125	2004
29.01.2020 09:48:07	1	1	1	1	103	52	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	31.625	2004
29.01.2020 09:48:08	1	1	1	1	103	51.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.3125	2004
29.01.2020 09:48:09	1	1	1	1	103	51.25	0	27914.692	569.8924731	16027.77702	30000	0	0	30000	32.6875	2004
29.01.2020 09:48:10	1	1	1	1	103	52.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	32.3125	2004
29.01.2020 09:48:11	1	1	1	1	103	52.25	0	27819.905	574.1935484	15864.70252	30000	0	0	30000	32.125	2004
29.01.2020 09:48:12	1	1	1	1	103	51.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	31.75	2004
29.01.2020 09:48:13	1	1	1	1	103	51.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	32.4375	2004
29.01.2020 09:48:19	1	1	1	1	103.5	51.75	0	27867.299	576.344086	16240.58924	30000	0	0	30000	32.1875	2004
29.01.2020 09:48:19	1	1	1	1	103.5	51.75	0	27867.299	576.344086	16240.58924	30000	0	0	30000	32.1875	2004
29.01.2020 09:48:19	1	1	1	1	103.5	51.75	0	27867.299	576.344086	16240.58924	30000	0	0	30000	32.1875	2004
29.01.2020 09:48:19	1	1	1	1	103.5	51.75	0	27867.299	576.344086	16240.58924	30000	0	0	30000	32.1875	2004
29.01.2020 09:48:19	1	1	1	1	103.5	51.75	0	27867.299	576.344086	16240.58924	30000	0	0	30000	32.1875	2004
29.01.2020 09:48:19	1	1	1	1	103.5	51.75	0	27867.299	576.344086	16240.58924	30000	0	0	30000	32.1875	2004
29.01.2020 09:48:20	1	1	1	1	103.5	52	0	27725.118	576.344086	15924.22472	30000	0	0	30000	32	2004
29.01.2020 09:48:21	1	1	1	1	103.5	52	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	32.375	2004
29.01.2020 09:48:22	1	1	1	1	103.5	52.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	32.4375	2004
29.01.2020 09:48:23	1	1	1	1	103.5	52.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	31.125	2004
29.01.2020 09:48:24	1	1	1	1	103.3	51	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.375	2004
29.01.2020 09:48:26	1	1	1	1	103.3	52.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	32.0625	2004
29.01.2020 09:48:27	1	1	1	1	103.3	52	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	31.125	2004
29.01.2020 09:48:28	1	1	1	1	103.3	51	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	31.6875	2004
29.01.2020 09:48:29	1	1	1	1	103.3	51.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	32.5	2004
29.01.2020 09:48:30	1	1	1	1	103.3	52.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	32	2004
29.01.2020 09:48:31	1	1	1	1	103.3	52	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.25	2004
29.01.2020 09:48:32	1	1	1	1	103.3	52.25	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	32.4375	2004
29.01.2020 09:48:33	1	1	1	1	103.3	52.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.4375	2004
29.01.2020 09:48:34	1	1	1	1	103.3	52.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	32.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:48:35	1	1	1	1	103.5	52	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	30.9375	2004
29.01.2020 09:48:36	1	1	1	1	103.5	50.75	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	32.1875	2004
29.01.2020 09:48:37	1	1	1	1	103.5	52	0	27772.512	580.6451613	16153.34439	30000	0	0	30000	32.25	2004
29.01.2020 09:48:38	1	1	1	1	103.5	52.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:48:39	1	1	1	1	103.5	51.75	0	27630.332	576.344086	16033.48463	30000	0	0	30000	32.125	2004
29.01.2020 09:48:40	1	1	1	1	103.5	52	0	27867.299	580.6451613	16033.48463	30000	0	0	30000	32.375	2004
29.01.2020 09:48:41	1	1	1	1	103.5	52.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	32.25	2004
29.01.2020 09:48:42	1	1	1	1	103.5	52.25	0	27725.118	576.344086	16093.00682	30000	0	0	30000	32	2004
29.01.2020 09:48:43	1	1	1	1	103.5	52	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	31.6875	2004
29.01.2020 09:48:44	1	1	1	1	103.5	51.5	0	27962.085	578.4946237	16027.77702	30000	0	0	30000	31.875	2004
29.01.2020 09:48:45	1	1	1	1	103.8	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.25	2004
29.01.2020 09:48:46	1	1	1	1	103.8	52.25	0	27867.299	578.4946237	15973.96244	30000	0	0	30000	32.5625	2004
29.01.2020 09:48:47	1	1	1	1	103.8	52.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	32.75	2004
29.01.2020 09:48:48	1	1	1	1	103.8	52.75	0	27582.938	576.344086	15956.02424	30000	0	0	30000	32.125	2004
29.01.2020 09:48:49	1	1	1	1	103.8	51.75	0	27630.332	580.6451613	16093.00682	30000	0	0	30000	31.9375	2004
29.01.2020 09:48:50	1	1	1	1	103.8	51.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.25	2004
29.01.2020 09:48:51	1	1	1	1	103.8	52.25	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	32.375	2004
29.01.2020 09:48:52	1	1	1	1	103.8	52.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	31.9375	2004
29.01.2020 09:48:53	1	1	1	1	103.8	51.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	32.4375	2004
29.01.2020 09:48:54	1	1	1	1	103.8	52.25	0	27772.512	576.344086	16093.00682	30000	0	0	30000	31.9375	2004
29.01.2020 09:48:55	1	1	1	1	103.8	51.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.25	2004
29.01.2020 09:48:56	1	1	1	1	103.8	52.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.5	2004
29.01.2020 09:48:57	1	1	1	1	103.8	52.5	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	31.9375	2004
29.01.2020 09:48:58	1	1	1	1	103.8	51.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.25	2004
29.01.2020 09:48:59	1	1	1	1	103.8	52.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.125	2004
29.01.2020 09:49:00	1	1	1	1	103.8	52	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	32.25	2004
29.01.2020 09:49:01	1	1	1	1	103.8	52.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.75	2004
29.01.2020 09:49:02	1	1	1	1	103.8	51.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	32.4375	2004
29.01.2020 09:49:04	1	1	1	1	103.8	52.25	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	32.375	2004
29.01.2020 09:49:05	1	1	1	1	103.5	52.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	31.625	2004
29.01.2020 09:49:06	1	1	1	1	103.5	51.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	32.1875	2004
29.01.2020 09:49:07	1	1	1	1	103.5	52	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	31.9375	2004
29.01.2020 09:49:08	1	1	1	1	103.5	51.75	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	32.4375	2004
29.01.2020 09:49:09	1	1	1	1	103.5	52.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	32.75	2004
29.01.2020 09:49:10	1	1	1	1	103.5	52.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	31.875	2004
29.01.2020 09:49:11	1	1	1	1	103.5	51.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	32.1875	2004
29.01.2020 09:49:12	1	1	1	1	103.5	52	0	27440.758	576.344086	15869.59476	30000	0	0	30000	32	2004
29.01.2020 09:49:13	1	1	1	1	103.5	52	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	32.25	2004
29.01.2020 09:49:14	1	1	1	1	103.5	52.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.25	2004
29.01.2020 09:49:15	1	1	1	1	103.8	52.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	32.625	2004
29.01.2020 09:49:21	1	1	1	1	103.8	51.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:49:21	1	1	1	1	103.8	51.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:49:21	1	1	1	1	103.8	51.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	31.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:49:21	1	1	1	1	103.8	51.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:49:21	1	1	1	1	103.8	51.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:49:21	1	1	1	1	103.8	51.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:49:22	1	1	1	1	103.8	51.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.625	2004
29.01.2020 09:49:23	1	1	1	1	103.8	52.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	32.3125	2004
29.01.2020 09:49:24	1	1	1	1	103.8	52.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	32.375	2004
29.01.2020 09:49:25	1	1	1	1	104	52.25	0	27630.332	576.344086	16212.86658	30000	0	0	30000	32.125	2004
29.01.2020 09:49:26	1	1	1	1	104	52	0	27819.905	576.344086	16033.48463	30000	0	0	30000	32.1875	2004
29.01.2020 09:49:27	1	1	1	1	104	52	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	32.375	2004
29.01.2020 09:49:28	1	1	1	1	104	52.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	32.4375	2004
29.01.2020 09:49:29	1	1	1	1	104	52.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	31.5625	2004
29.01.2020 09:49:30	1	1	1	1	104	51.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	32.625	2004
29.01.2020 09:49:31	1	1	1	1	104	52.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	31.8125	2004
29.01.2020 09:49:32	1	1	1	1	104	51.75	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	32.1875	2004
29.01.2020 09:49:33	1	1	1	1	104	52	0	27582.938	589.2473118	15991.90063	30000	0	0	30000	32.5	2004
29.01.2020 09:49:34	1	1	1	1	104	52.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.25	2004
29.01.2020 09:49:35	1	1	1	1	104	52.25	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	32.4375	2004
29.01.2020 09:49:36	1	1	1	1	104	52.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	31.625	2004
29.01.2020 09:49:37	1	1	1	1	104	51.5	0	27393.365	580.6451613	15877.74848	30000	0	0	30000	31.9375	2004
29.01.2020 09:49:38	1	1	1	1	104	51.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	32.375	2004
29.01.2020 09:49:39	1	1	1	1	104	52.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.75	2004
29.01.2020 09:49:40	1	1	1	1	104	52.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	32.6875	2004
29.01.2020 09:49:41	1	1	1	1	104	52.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	31.9375	2004
29.01.2020 09:49:42	1	1	1	1	104	51.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	32.375	2004
29.01.2020 09:49:44	1	1	1	1	104	52.25	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	32.3125	2004
29.01.2020 09:49:45	1	1	1	1	103.8	52.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	32.625	2004
29.01.2020 09:49:46	1	1	1	1	103.8	52.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	32.25	2004
29.01.2020 09:49:47	1	1	1	1	103.8	52.25	0	27440.758	576.344086	15756.25798	30000	0	0	30000	32.3125	2004
29.01.2020 09:49:48	1	1	1	1	103.8	52.25	0	27535.545	576.344086	15756.25798	30000	0	0	30000	31.1875	2004
29.01.2020 09:49:49	1	1	1	1	103.8	51	0	27867.299	578.4946237	16148.45215	30000	0	0	30000	32.0625	2004
29.01.2020 09:49:50	1	1	1	1	103.8	52	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.875	2004
29.01.2020 09:49:51	1	1	1	1	103.8	51.75	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	32.4375	2004
29.01.2020 09:49:52	1	1	1	1	103.8	52.25	0	27630.332	580.6451613	16093.00682	30000	0	0	30000	32.3125	2004
29.01.2020 09:49:53	1	1	1	1	103.8	52.25	0	27725.118	576.344086	15745.65814	30000	0	0	30000	32.5	2004
29.01.2020 09:49:54	1	1	1	1	103.8	52.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.5625	2004
29.01.2020 09:49:55	1	1	1	1	104	52.5	0	27819.905	574.1935484	15794.58049	30000	0	0	30000	31.875	2004
29.01.2020 09:49:56	1	1	1	1	104	51.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	32.75	2004
29.01.2020 09:49:57	1	1	1	1	104	52.75	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	32.5	2004
29.01.2020 09:49:58	1	1	1	1	104	52.5	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	32.25	2004
29.01.2020 09:49:59	1	1	1	1	104	52.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.25	2004
29.01.2020 09:50:00	1	1	1	1	104	51.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	31.875	2004
29.01.2020 09:50:01	1	1	1	1	104	51.75	0	27630.332	576.344086	15745.65814	30000	0	0	30000	31.1875	2004
29.01.2020 09:50:02	1	1	1	1	104	51	0	27914.692	578.4946237	16235.69701	30000	0	0	30000	31.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:50:03	1	1	1	1	104	51.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.1875	2004
29.01.2020 09:50:04	1	1	1	1	104	52	0	27819.905	576.344086	16093.00682	30000	0	0	30000	32.5	2004
29.01.2020 09:50:05	1	1	1	1	103.8	52.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	32.5	2004
29.01.2020 09:50:06	1	1	1	1	103.8	52.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.25	2004
29.01.2020 09:50:07	1	1	1	1	103.8	52.25	0	27582.938	574.1935484	15897.31742	30000	0	0	30000	32.6875	2004
29.01.2020 09:50:08	1	1	1	1	103.8	52.5	0	27819.905	576.344086	15983.74691	30000	0	0	30000	32.1875	2004
29.01.2020 09:50:09	1	1	1	1	103.8	52	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.3125	2004
29.01.2020 09:50:10	1	1	1	1	103.8	52.25	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	32.5	2004
29.01.2020 09:50:11	1	1	1	1	103.8	51.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.3125	2004
29.01.2020 09:50:12	1	1	1	1	103.8	51.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	30.75	2004
29.01.2020 09:50:13	1	1	1	1	103.8	50.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	32.125	2004
29.01.2020 09:50:14	1	1	1	1	103.8	52	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.6875	2004
29.01.2020 09:50:15	1	1	1	1	103.8	52.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	32.4375	2004
29.01.2020 09:50:16	1	1	1	1	103.8	52.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	31.25	2004
29.01.2020 09:50:23	1	1	1	1	103.8	52	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.5	2004
29.01.2020 09:50:23	1	1	1	1	103.8	52	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.5	2004
29.01.2020 09:50:23	1	1	1	1	103.8	52	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.5	2004
29.01.2020 09:50:23	1	1	1	1	103.8	52	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.5	2004
29.01.2020 09:50:23	1	1	1	1	103.8	52	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.5	2004
29.01.2020 09:50:23	1	1	1	1	103.8	52	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.5	2004
29.01.2020 09:50:24	1	1	1	1	103.8	52.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	32.4375	2004
29.01.2020 09:50:25	1	1	1	1	103.5	52.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.625	2004
29.01.2020 09:50:26	1	1	1	1	103.5	52.5	0	27914.692	572.0430108	16203.08211	30000	0	0	30000	31.8125	2004
29.01.2020 09:50:27	1	1	1	1	103.5	51.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	32.25	2004
29.01.2020 09:50:28	1	1	1	1	103.5	52.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.8125	2004
29.01.2020 09:50:29	1	1	1	1	103.5	52.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	31.4375	2004
29.01.2020 09:50:30	1	1	1	1	103.5	51.25	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	32.125	2004
29.01.2020 09:50:31	1	1	1	1	103.5	52	0	27867.299	576.344086	16061.20729	30000	0	0	30000	31.5	2004
29.01.2020 09:50:32	1	1	1	1	103.5	51.5	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	32.4375	2004
29.01.2020 09:50:33	1	1	1	1	103.5	52.25	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	31.9375	2004
29.01.2020 09:50:34	1	1	1	1	103.5	51.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.0625	2004
29.01.2020 09:50:35	1	1	1	1	103.5	52	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	32.125	2004
29.01.2020 09:50:36	1	1	1	1	103.5	52	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32.4375	2004
29.01.2020 09:50:37	1	1	1	1	103.5	52.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.1875	2004
29.01.2020 09:50:38	1	1	1	1	103.5	51	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	32	2004
29.01.2020 09:50:39	1	1	1	1	103.5	52	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	32.8125	2004
29.01.2020 09:50:40	1	1	1	1	103.5	52.75	0	27914.692	569.8924731	15848.39508	30000	0	0	30000	32.0625	2004
29.01.2020 09:50:41	1	1	1	1	103.5	52	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	31.6875	2004
29.01.2020 09:50:42	1	1	1	1	103.5	51.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	31.375	2004
29.01.2020 09:50:43	1	1	1	1	103.5	51.25	0	27867.299	574.1935484	16093.00682	30000	0	0	30000	32.375	2004
29.01.2020 09:50:44	1	1	1	1	103.5	52.25	0	27867.299	565.5913978	16027.77702	30000	0	0	30000	32.375	2004
29.01.2020 09:50:45	1	1	1	1	103.3	52.25	0	27914.692	574.1935484	15941.34754	30000	0	0	30000	32.9375	2004
29.01.2020 09:50:46	1	1	1	1	103.3	52.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:50:47	1	1	1	1	103.3	53	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	32.5625	2004
29.01.2020 09:50:48	1	1	1	1	103.3	52.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.875	2004
29.01.2020 09:50:49	1	1	1	1	103.3	52.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.25	2004
29.01.2020 09:50:50	1	1	1	1	103.3	52.25	0	27962.085	576.344086	15995.16212	30000	0	0	30000	32.4375	2004
29.01.2020 09:50:51	1	1	1	1	103.3	52.25	0	27962.085	569.8924731	16055.49969	30000	0	0	30000	32.75	2004
29.01.2020 09:50:52	1	1	1	1	103.3	52.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	33	2004
29.01.2020 09:50:53	1	1	1	1	103.3	53	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	32.4375	2004
29.01.2020 09:50:54	1	1	1	1	103.8	52.25	0	27867.299	576.344086	16027.77702	30000	0	0	30000	32.9375	2004
29.01.2020 09:50:55	1	1	1	1	103.8	52.75	0	27867.299	574.1935484	15881.00997	30000	0	0	30000	32.5	2004
29.01.2020 09:50:56	1	1	1	1	103.8	52.5	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	32.8125	2004
29.01.2020 09:50:57	1	1	1	1	103.8	52.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	32.0625	2004
29.01.2020 09:50:58	1	1	1	1	103.8	52	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	32.9375	2004
29.01.2020 09:50:59	1	1	1	1	103.8	52.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	32.5625	2004
29.01.2020 09:51:01	1	1	1	1	103.8	52.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	32.5625	2004
29.01.2020 09:51:02	1	1	1	1	103.8	52.5	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	33.125	2004
29.01.2020 09:51:03	1	1	1	1	103.8	53	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.875	2004
29.01.2020 09:51:04	1	1	1	1	103.8	52.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	32.625	2004
29.01.2020 09:51:05	1	1	1	1	103.8	52.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	32.75	2004
29.01.2020 09:51:06	1	1	1	1	103.8	52.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.4375	2004
29.01.2020 09:51:07	1	1	1	1	103.8	52.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.1875	2004
29.01.2020 09:51:08	1	1	1	1	103.8	52	0	27962.085	572.0430108	15961.73185	30000	0	0	30000	31.8125	2004
29.01.2020 09:51:09	1	1	1	1	103.8	51.75	0	27867.299	574.1935484	15734.24293	30000	0	0	30000	32.25	2004
29.01.2020 09:51:10	1	1	1	1	103.8	52.25	0	27867.299	578.4946237	15913.62487	30000	0	0	30000	32.4375	2004
29.01.2020 09:51:11	1	1	1	1	103.8	52.25	0	27962.085	576.344086	15907.91727	30000	0	0	30000	32.125	2004
29.01.2020 09:51:12	1	1	1	1	103.8	52	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.6875	2004
29.01.2020 09:51:13	1	1	1	1	103.8	52.5	0	27630.332	574.1935484	15919.33248	30000	0	0	30000	32.6875	2004
29.01.2020 09:51:14	1	1	1	1	103.8	52.5	0	28199.052	576.344086	16252.00446	30000	0	0	30000	32.25	2004
29.01.2020 09:51:15	1	1	1	1	103.5	52.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.5625	2004
29.01.2020 09:51:16	1	1	1	1	103.5	52.5	0	27867.299	561.2903226	15907.91727	30000	0	0	30000	31.4375	2004
29.01.2020 09:51:17	1	1	1	1	103.5	51.25	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	31.3125	2004
29.01.2020 09:51:18	1	1	1	1	103.5	51.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	32.4375	2004
29.01.2020 09:51:24	1	1	1	1	103.5	52.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.8125	2004
29.01.2020 09:51:24	1	1	1	1	103.5	52.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.8125	2004
29.01.2020 09:51:24	1	1	1	1	103.5	52.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.8125	2004
29.01.2020 09:51:24	1	1	1	1	103.5	51.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	32.875	2004
29.01.2020 09:51:24	1	1	1	1	103.5	51.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	32.875	2004
29.01.2020 09:51:24	1	1	1	1	103.5	51.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	32.875	2004
29.01.2020 09:51:27	1	1	1	1	103.5	52	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	31.8125	2004
29.01.2020 09:51:27	1	1	1	1	103.5	52	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	31.8125	2004
29.01.2020 09:51:27	1	1	1	1	103.5	53.25	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	31.4375	2004
29.01.2020 09:51:28	1	1	1	1	103.5	51.25	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	32.25	2004
29.01.2020 09:51:29	1	1	1	1	103.5	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.0625	2004
29.01.2020 09:51:30	1	1	1	1	103.5	52	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:51:31	1	1	1	1	103.5	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.4375	2004
29.01.2020 09:51:32	1	1	1	1	103.5	51.25	0	28436.019	576.344086	16177.80556	30000	0	0	30000	32.8125	2004
29.01.2020 09:51:33	1	1	1	1	103.5	52.75	0	28199.052	567.7419355	15827.19539	30000	0	0	30000	32.4375	2004
29.01.2020 09:51:34	1	1	1	1	102.8	52.25	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	32.0625	2004
29.01.2020 09:51:35	1	1	1	1	102.8	52	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	32.75	2004
29.01.2020 09:51:36	1	1	1	1	102.8	52.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	32.8125	2004
29.01.2020 09:51:37	1	1	1	1	102.8	52.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	32.5	2004
29.01.2020 09:51:39	1	1	1	1	102.8	52.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32.625	2004
29.01.2020 09:51:40	1	1	1	1	102.8	52.5	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	32.8125	2004
29.01.2020 09:51:41	1	1	1	1	102.8	52.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.4375	2004
29.01.2020 09:51:42	1	1	1	1	102.8	52.25	0	28009.479	567.7419355	15934.82456	30000	0	0	30000	31.875	2004
29.01.2020 09:51:43	1	1	1	1	102.8	51.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	33.0625	2004
29.01.2020 09:51:44	1	1	1	1	102.8	53	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.0625	2004
29.01.2020 09:51:45	1	1	1	1	103.5	53	0	28293.839	572.0430108	15948.68589	30000	0	0	30000	33.3125	2004
29.01.2020 09:51:46	1	1	1	1	103.5	53.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	32.9375	2004
29.01.2020 09:51:47	1	1	1	1	103.5	52.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	32.4375	2004
29.01.2020 09:51:48	1	1	1	1	103.5	52.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.625	2004
29.01.2020 09:51:49	1	1	1	1	103.5	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.375	2004
29.01.2020 09:51:50	1	1	1	1	103.5	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.625	2004
29.01.2020 09:51:51	1	1	1	1	103.5	52.5	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	32.6875	2004
29.01.2020 09:51:52	1	1	1	1	103.5	52.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	33	2004
29.01.2020 09:51:53	1	1	1	1	103.5	53	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	32.1875	2004
29.01.2020 09:51:54	1	1	1	1	103.5	52	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	31.75	2004
29.01.2020 09:51:55	1	1	1	1	103.3	51.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.25	2004
29.01.2020 09:51:56	1	1	1	1	103.3	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.6875	2004
29.01.2020 09:51:57	1	1	1	1	103.3	52.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	32.9375	2004
29.01.2020 09:51:58	1	1	1	1	103.3	52.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.125	2004
29.01.2020 09:51:59	1	1	1	1	103.3	53	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.9375	2004
29.01.2020 09:52:00	1	1	1	1	103.3	52.75	0	27914.692	567.7419355	16055.49969	30000	0	0	30000	32.1875	2004
29.01.2020 09:52:01	1	1	1	1	103.3	52	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	32.875	2004
29.01.2020 09:52:02	1	1	1	1	103.3	52.75	0	27914.692	565.5913978	16082.40698	30000	0	0	30000	32.3125	2004
29.01.2020 09:52:03	1	1	1	1	103.3	52.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	33	2004
29.01.2020 09:52:04	1	1	1	1	103.3	52.25	0	27819.905	567.7419355	16027.77702	30000	0	0	30000	32.75	2004
29.01.2020 09:52:05	1	1	1	1	103.3	52.75	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	32.75	2004
29.01.2020 09:52:06	1	1	1	1	103.3	52.75	0	27867.299	576.344086	16148.45215	30000	0	0	30000	32.8125	2004
29.01.2020 09:52:07	1	1	1	1	103.3	52.75	0	27630.332	576.344086	16102.79129	30000	0	0	30000	31.75	2004
29.01.2020 09:52:08	1	1	1	1	103.3	51.75	0	27630.332	576.344086	16093.00682	30000	0	0	30000	33.125	2004
29.01.2020 09:52:09	1	1	1	1	103.3	53	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.5625	2004
29.01.2020 09:52:10	1	1	1	1	103.3	52.5	0	27819.905	582.7956989	16153.34439	30000	0	0	30000	31.6875	2004
29.01.2020 09:52:11	1	1	1	1	103.3	51.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	32.25	2004
29.01.2020 09:52:12	1	1	1	1	103.3	52.25	0	27725.118	578.4946237	15864.70252	30000	0	0	30000	31.9375	2004
29.01.2020 09:52:13	1	1	1	1	103.3	51.75	0	27630.332	569.8924731	16153.34439	30000	0	0	30000	32.125	2004
29.01.2020 09:52:14	1	1	1	1	103	52	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:52:15	1	1	1	1	103	52.25	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	32.25	2004
29.01.2020 09:52:16	1	1	1	1	103	52.25	0	27298.578	576.344086	15733.42755	30000	0	0	30000	32.25	2004
29.01.2020 09:52:18	1	1	1	1	103	52.25	0	27772.512	576.344086	16093.00682	30000	0	0	30000	32.75	2004
29.01.2020 09:52:19	1	1	1	1	103	52.75	0	27630.332	589.2473118	15983.74691	30000	0	0	30000	31.125	2004
29.01.2020 09:52:20	1	1	1	1	103	51	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	31.875	2004
29.01.2020 09:52:26	1	1	1	1	103	53.25	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	32.3125	2004
29.01.2020 09:52:26	1	1	1	1	103	53.25	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	32.3125	2004
29.01.2020 09:52:26	1	1	1	1	103	53.25	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	32.3125	2004
29.01.2020 09:52:26	1	1	1	1	103	53.25	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	32.3125	2004
29.01.2020 09:52:26	1	1	1	1	103	53.25	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	32.3125	2004
29.01.2020 09:52:26	1	1	1	1	103	53.25	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	32.3125	2004
29.01.2020 09:52:27	1	1	1	1	103	52.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32.75	2004
29.01.2020 09:52:28	1	1	1	1	103	52.75	0	27725.118	576.344086	16038.37687	30000	0	0	30000	32.25	2004
29.01.2020 09:52:29	1	1	1	1	103	52.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	31.9375	2004
29.01.2020 09:52:30	1	1	1	1	103	51.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	32.4375	2004
29.01.2020 09:52:31	1	1	1	1	103	52.25	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	31.8125	2004
29.01.2020 09:52:32	1	1	1	1	103	51.75	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	32.375	2004
29.01.2020 09:52:33	1	1	1	1	103	52.25	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	32.1875	2004
29.01.2020 09:52:34	1	1	1	1	103	52	0	27867.299	559.1397849	15821.48778	30000	0	0	30000	33.0625	2004
29.01.2020 09:52:35	1	1	1	1	103.3	53	0	27630.332	563.4408602	15627.42913	30000	0	0	30000	31.875	2004
29.01.2020 09:52:36	1	1	1	1	103.3	51.75	0	28009.479	574.1935484	15934.82456	30000	0	0	30000	31.625	2004
29.01.2020 09:52:37	1	1	1	1	103.3	51.5	0	28009.479	574.1935484	16203.08211	30000	0	0	30000	32.8125	2004
29.01.2020 09:52:38	1	1	1	1	103.3	52.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	31.3125	2004
29.01.2020 09:52:39	1	1	1	1	103.3	51.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	31.4375	2004
29.01.2020 09:52:40	1	1	1	1	103.3	51.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	32.8125	2004
29.01.2020 09:52:41	1	1	1	1	103.3	52.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.8125	2004
29.01.2020 09:52:42	1	1	1	1	103.3	52.75	0	27914.692	578.4946237	15881.00997	30000	0	0	30000	32.3125	2004
29.01.2020 09:52:43	1	1	1	1	103.3	52.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.75	2004
29.01.2020 09:52:44	1	1	1	1	103.3	51.75	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	31.875	2004
29.01.2020 09:52:45	1	1	1	1	103	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.125	2004
29.01.2020 09:52:46	1	1	1	1	103	53	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.3125	2004
29.01.2020 09:52:47	1	1	1	1	103	52.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	31.625	2004
29.01.2020 09:52:48	1	1	1	1	103	51.5	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	33.25	2004
29.01.2020 09:52:49	1	1	1	1	103	53.25	0	28009.479	572.0430108	15995.16212	30000	0	0	30000	32.4375	2004
29.01.2020 09:52:50	1	1	1	1	103	52.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	31.5	2004
29.01.2020 09:52:51	1	1	1	1	103	51.5	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	32.375	2004
29.01.2020 09:52:52	1	1	1	1	103	52.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.875	2004
29.01.2020 09:52:53	1	1	1	1	103	51.75	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	32.25	2004
29.01.2020 09:52:54	1	1	1	1	103.3	52.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	32.875	2004
29.01.2020 09:52:55	1	1	1	1	103.3	52.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.6875	2004
29.01.2020 09:52:57	1	1	1	1	103.3	52.5	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	32.625	2004
29.01.2020 09:52:58	1	1	1	1	103.3	52.5	0	27962.085	565.5913978	15788.05751	30000	0	0	30000	32.9375	2004
29.01.2020 09:52:59	1	1	1	1	103.3	52.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	33.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:53:00	1	1	1	1	103.3	53	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	32.25	2004
29.01.2020 09:53:01	1	1	1	1	103.3	52.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	31.75	2004
29.01.2020 09:53:02	1	1	1	1	103.3	51.75	0	28009.479	574.1935484	16203.08211	30000	0	0	30000	33.375	2004
29.01.2020 09:53:03	1	1	1	1	103.3	53.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.25	2004
29.01.2020 09:53:04	1	1	1	1	103.3	53.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.4375	2004
29.01.2020 09:53:05	1	1	1	1	103.5	52.25	0	27962.085	569.8924731	15875.30237	30000	0	0	30000	32.625	2004
29.01.2020 09:53:06	1	1	1	1	103.5	52.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.125	2004
29.01.2020 09:53:07	1	1	1	1	103.5	53	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	32.4375	2004
29.01.2020 09:53:08	1	1	1	1	103.5	52.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	32.375	2004
29.01.2020 09:53:09	1	1	1	1	103.5	52.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	33.1875	2004
29.01.2020 09:53:10	1	1	1	1	103.5	53	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	32.5625	2004
29.01.2020 09:53:11	1	1	1	1	103.5	52.5	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	32.1875	2004
29.01.2020 09:53:12	1	1	1	1	103.5	52	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.5625	2004
29.01.2020 09:53:13	1	1	1	1	103.5	51.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	32.625	2004
29.01.2020 09:53:14	1	1	1	1	103.5	52.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.6875	2004
29.01.2020 09:53:15	1	1	1	1	103.3	52.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	32.3125	2004
29.01.2020 09:53:16	1	1	1	1	103.3	52.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.3125	2004
29.01.2020 09:53:17	1	1	1	1	103.3	53.25	0	27772.512	576.344086	16066.09953	30000	0	0	30000	31.5625	2004
29.01.2020 09:53:18	1	1	1	1	103.3	51.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	31.9375	2004
29.01.2020 09:53:19	1	1	1	1	103.3	51.75	0	27819.905	578.4946237	15924.22472	30000	0	0	30000	32.6875	2004
29.01.2020 09:53:20	1	1	1	1	103.3	52.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	33	2004
29.01.2020 09:53:21	1	1	1	1	103.3	53	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32.75	2004
29.01.2020 09:53:28	1	1	1	1	103.3	52	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:53:28	1	1	1	1	103.3	52	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:53:28	1	1	1	1	103.3	52	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:53:28	1	1	1	1	103.3	52	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:53:28	1	1	1	1	103.3	52	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	31.875	2004
29.01.2020 09:53:28	1	1	1	1	103.3	51.75	0	27962.085	574.1935484	16203.08211	30000	0	0	30000	31.75	2004
29.01.2020 09:53:29	1	1	1	1	103.3	51.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	32.625	2004
29.01.2020 09:53:30	1	1	1	1	103.3	52.5	0	27867.299	576.344086	16148.45215	30000	0	0	30000	33.5	2004
29.01.2020 09:53:31	1	1	1	1	103.3	53.5	0	27914.692	574.1935484	15907.91727	30000	0	0	30000	31.875	2004
29.01.2020 09:53:32	1	1	1	1	103.3	51.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	31.8125	2004
29.01.2020 09:53:33	1	1	1	1	103.3	51.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31.875	2004
29.01.2020 09:53:35	1	1	1	1	102.5	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.6875	2004
29.01.2020 09:53:36	1	1	1	1	102.5	52.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	32.3125	2004
29.01.2020 09:53:37	1	1	1	1	102.5	52.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.5625	2004
29.01.2020 09:53:38	1	1	1	1	102.5	53.5	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	32.4375	2004
29.01.2020 09:53:39	1	1	1	1	102.5	52.25	0	27772.512	578.4946237	15924.22472	30000	0	0	30000	32	2004
29.01.2020 09:53:40	1	1	1	1	102.5	52	0	27867.299	569.8924731	15973.96244	30000	0	0	30000	32.1875	2004
29.01.2020 09:53:41	1	1	1	1	102.5	52	0	27819.905	569.8924731	16061.20729	30000	0	0	30000	33.4375	2004
29.01.2020 09:53:42	1	1	1	1	102.5	53.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	32.75	2004
29.01.2020 09:53:43	1	1	1	1	102.5	52.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	31.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:53:44	1	1	1	1	102.5	51.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	32.5625	2004
29.01.2020 09:53:45	1	1	1	1	102.8	52.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.5625	2004
29.01.2020 09:53:46	1	1	1	1	102.8	52.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.125	2004
29.01.2020 09:53:47	1	1	1	1	102.8	53	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32.25	2004
29.01.2020 09:53:48	1	1	1	1	102.8	52.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.25	2004
29.01.2020 09:53:49	1	1	1	1	102.8	52.25	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	33.5	2004
29.01.2020 09:53:50	1	1	1	1	102.8	53.5	0	27630.332	576.344086	16273.20414	30000	0	0	30000	32.625	2004
29.01.2020 09:53:51	1	1	1	1	102.8	52.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	32.25	2004
29.01.2020 09:53:52	1	1	1	1	102.8	52.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	32.5625	2004
29.01.2020 09:53:53	1	1	1	1	102.8	52.5	0	27819.905	572.0430108	15919.33248	30000	0	0	30000	32.25	2004
29.01.2020 09:53:54	1	1	1	1	102.8	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.25	2004
29.01.2020 09:53:55	1	1	1	1	103	52.25	0	27914.692	569.8924731	15848.39508	30000	0	0	30000	32.4375	2004
29.01.2020 09:53:56	1	1	1	1	103	52.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	32.4375	2004
29.01.2020 09:53:57	1	1	1	1	103	52.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	32.6875	2004
29.01.2020 09:53:58	1	1	1	1	103	52.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.9375	2004
29.01.2020 09:53:59	1	1	1	1	103	52.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	33.375	2004
29.01.2020 09:54:00	1	1	1	1	103	53.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	31.9375	2004
29.01.2020 09:54:01	1	1	1	1	103	52.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	30.875	2004
29.01.2020 09:54:02	1	1	1	1	103	50.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	32.1875	2004
29.01.2020 09:54:03	1	1	1	1	103	52	0	27867.299	576.344086	16088.11459	30000	0	0	30000	33.25	2004
29.01.2020 09:54:04	1	1	1	1	103.3	53.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	32.4375	2004
29.01.2020 09:54:05	1	1	1	1	103.3	52.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	32.25	2004
29.01.2020 09:54:06	1	1	1	1	103.3	52.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32	2004
29.01.2020 09:54:07	1	1	1	1	103.3	52	0	27819.905	576.344086	16000.86973	30000	0	0	30000	31.5	2004
29.01.2020 09:54:08	1	1	1	1	103.3	51.5	0	27772.512	572.0430108	15973.96244	30000	0	0	30000	31.3125	2004
29.01.2020 09:54:09	1	1	1	1	103.3	51.25	0	27914.692	574.1935484	15734.24293	30000	0	0	30000	31.875	2004
29.01.2020 09:54:10	1	1	1	1	103.3	51.75	0	27867.299	576.344086	16328.64947	30000	0	0	30000	32.5	2004
29.01.2020 09:54:11	1	1	1	1	103.3	52.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	33.125	2004
29.01.2020 09:54:13	1	1	1	1	103.3	53	0	27725.118	574.1935484	15919.33248	30000	0	0	30000	32.875	2004
29.01.2020 09:54:14	1	1	1	1	103.3	52.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.9375	2004
29.01.2020 09:54:15	1	1	1	1	103	52.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	32.8125	2004
29.01.2020 09:54:16	1	1	1	1	103	52.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.25	2004
29.01.2020 09:54:17	1	1	1	1	103	53.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.375	2004
29.01.2020 09:54:18	1	1	1	1	103	53.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	32.3125	2004
29.01.2020 09:54:19	1	1	1	1	103	52.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	32.75	2004
29.01.2020 09:54:20	1	1	1	1	103	52.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	33.8125	2004
29.01.2020 09:54:21	1	1	1	1	103	53.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.1875	2004
29.01.2020 09:54:22	1	1	1	1	103	53	0	27535.545	574.1935484	15929.11695	30000	0	0	30000	32.6875	2004
29.01.2020 09:54:23	1	1	1	1	103	52.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.875	2004
29.01.2020 09:54:29	1	1	1	1	103.5	52	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.75	2004
29.01.2020 09:54:29	1	1	1	1	103.5	52	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.75	2004
29.01.2020 09:54:29	1	1	1	1	103.5	52	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.75	2004
29.01.2020 09:54:29	1	1	1	1	103.5	52	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:54:29	1	1	1	1	103.5	52	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.75	2004
29.01.2020 09:54:29	1	1	1	1	103.5	52	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.75	2004
29.01.2020 09:54:30	1	1	1	1	103.5	53.75	0	27630.332	567.7419355	15864.70252	30000	0	0	30000	33	2004
29.01.2020 09:54:31	1	1	1	1	103.5	53	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	33.0625	2004
29.01.2020 09:54:32	1	1	1	1	103.5	53	0	27867.299	578.4946237	16000.86973	30000	0	0	30000	32.9375	2004
29.01.2020 09:54:33	1	1	1	1	103.5	52.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	32.75	2004
29.01.2020 09:54:34	1	1	1	1	103.5	52.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	32.5625	2004
29.01.2020 09:54:35	1	1	1	1	103.3	52.5	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	32.625	2004
29.01.2020 09:54:36	1	1	1	1	103.3	52.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	31.4375	2004
29.01.2020 09:54:37	1	1	1	1	103.3	51.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.4375	2004
29.01.2020 09:54:38	1	1	1	1	103.3	52.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.8125	2004
29.01.2020 09:54:39	1	1	1	1	103.3	52.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	33.3125	2004
29.01.2020 09:54:40	1	1	1	1	103.3	52.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	33.625	2004
29.01.2020 09:54:41	1	1	1	1	103.3	53.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	32.1875	2004
29.01.2020 09:54:42	1	1	1	1	103.3	52	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	33.25	2004
29.01.2020 09:54:43	1	1	1	1	103.3	53.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.25	2004
29.01.2020 09:54:44	1	1	1	1	102.8	52.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.5625	2004
29.01.2020 09:54:45	1	1	1	1	102.8	52.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.9375	2004
29.01.2020 09:54:46	1	1	1	1	102.8	52.75	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	32.75	2004
29.01.2020 09:54:47	1	1	1	1	102.8	52.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32	2004
29.01.2020 09:54:48	1	1	1	1	102.8	52	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
29.01.2020 09:54:49	1	1	1	1	102.8	53.5	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	32.9375	2004
29.01.2020 09:54:51	1	1	1	1	102.8	52.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.0625	2004
29.01.2020 09:54:52	1	1	1	1	102.8	53	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32.75	2004
29.01.2020 09:54:53	1	1	1	1	102.8	52.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	32.25	2004
29.01.2020 09:54:54	1	1	1	1	102.8	52.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.75	2004
29.01.2020 09:54:55	1	1	1	1	103.3	51.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.8125	2004
29.01.2020 09:54:56	1	1	1	1	103.3	52.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.75	2004
29.01.2020 09:54:57	1	1	1	1	103.3	52.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	32.5	2004
29.01.2020 09:54:58	1	1	1	1	103.3	52.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32.9375	2004
29.01.2020 09:54:59	1	1	1	1	103.3	52.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	33.25	2004
29.01.2020 09:55:00	1	1	1	1	103.3	53.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.125	2004
29.01.2020 09:55:01	1	1	1	1	103.3	53	0	28199.052	574.1935484	15902.20966	30000	0	0	30000	32.4375	2004
29.01.2020 09:55:02	1	1	1	1	103.3	52.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.0625	2004
29.01.2020 09:55:03	1	1	1	1	103.3	53	0	27819.905	567.7419355	15881.00997	30000	0	0	30000	32.5	2004
29.01.2020 09:55:04	1	1	1	1	103.3	52.5	0	27867.299	572.0430108	15567.90694	30000	0	0	30000	33.0625	2004
29.01.2020 09:55:05	1	1	1	1	103	53	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	32.4375	2004
29.01.2020 09:55:06	1	1	1	1	103	52.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.8125	2004
29.01.2020 09:55:07	1	1	1	1	103	52.75	0	27867.299	578.4946237	16033.48463	30000	0	0	30000	33.75	2004
29.01.2020 09:55:08	1	1	1	1	103	53.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	33.6875	2004
29.01.2020 09:55:09	1	1	1	1	103	53.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	33.9375	2004
29.01.2020 09:55:10	1	1	1	1	103	53.75	0	27867.299	580.6451613	15946.23977	30000	0	0	30000	32.4375	2004
29.01.2020 09:55:11	1	1	1	1	103	52.25	0	27772.512	576.344086	16093.00682	30000	0	0	30000	32.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:55:12	1	1	1	1	103	52.25	0	27582.938	580.6451613	16162.31348	30000	0	0	30000	32.6875	2004
29.01.2020 09:55:13	1	1	1	1	103	52.5	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	31.8125	2004
29.01.2020 09:55:14	1	1	1	1	103	51.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	32.4375	2004
29.01.2020 09:55:15	1	1	1	1	102.5	52.25	0	27772.512	580.6451613	16043.2691	30000	0	0	30000	33.25	2004
29.01.2020 09:55:16	1	1	1	1	102.5	53.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.4375	2004
29.01.2020 09:55:17	1	1	1	1	102.5	53.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	32.25	2004
29.01.2020 09:55:18	1	1	1	1	102.5	52.25	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	33.375	2004
29.01.2020 09:55:19	1	1	1	1	102.5	53.25	0	27867.299	580.6451613	16212.86658	30000	0	0	30000	32.5625	2004
29.01.2020 09:55:20	1	1	1	1	102.5	52.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.6875	2004
29.01.2020 09:55:21	1	1	1	1	102.5	52.75	0	27630.332	576.344086	16038.37687	30000	0	0	30000	33.375	2004
29.01.2020 09:55:22	1	1	1	1	102.5	53.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.4375	2004
29.01.2020 09:55:23	1	1	1	1	102.5	52.25	0	27440.758	572.0430108	15873.67162	30000	0	0	30000	32.8125	2004
29.01.2020 09:55:24	1	1	1	1	103.8	52.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.4375	2004
29.01.2020 09:55:31	1	1	1	1	103.8	53.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32.875	2004
29.01.2020 09:55:31	1	1	1	1	103.8	53.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32.875	2004
29.01.2020 09:55:31	1	1	1	1	103.8	53.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32.875	2004
29.01.2020 09:55:31	1	1	1	1	103.8	53.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32.875	2004
29.01.2020 09:55:31	1	1	1	1	103.8	53.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32.875	2004
29.01.2020 09:55:31	1	1	1	1	103.8	53.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32.875	2004
29.01.2020 09:55:32	1	1	1	1	103.8	52.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	32.125	2004
29.01.2020 09:55:33	1	1	1	1	103.8	52	0	27535.545	576.344086	15873.67162	30000	0	0	30000	32.875	2004
29.01.2020 09:55:34	1	1	1	1	103.8	52.75	0	27819.905	576.344086	15983.74691	30000	0	0	30000	32.6875	2004
29.01.2020 09:55:35	1	1	1	1	103.5	52.5	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	32.5625	2004
29.01.2020 09:55:36	1	1	1	1	103.5	52.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.1875	2004
29.01.2020 09:55:37	1	1	1	1	103.5	53	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	31.9375	2004
29.01.2020 09:55:38	1	1	1	1	103.5	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.5	2004
29.01.2020 09:55:39	1	1	1	1	103.5	52.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	32.875	2004
29.01.2020 09:55:40	1	1	1	1	103.5	52.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	33.4375	2004
29.01.2020 09:55:41	1	1	1	1	103.5	53.25	0	27867.299	576.344086	15913.62487	30000	0	0	30000	33.75	2004
29.01.2020 09:55:42	1	1	1	1	103.5	53.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	33.9375	2004
29.01.2020 09:55:43	1	1	1	1	103.5	53.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	33.4375	2004
29.01.2020 09:55:44	1	1	1	1	103.5	53.25	0	27630.332	578.4946237	15805.18033	30000	0	0	30000	33.5625	2004
29.01.2020 09:55:45	1	1	1	1	103	53.5	0	27772.512	576.344086	16033.48463	30000	0	0	30000	33.4375	2004
29.01.2020 09:55:46	1	1	1	1	103	53.25	0	27819.905	578.4946237	16066.09953	30000	0	0	30000	32.875	2004
29.01.2020 09:55:47	1	1	1	1	103	52.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	33.3125	2004
29.01.2020 09:55:48	1	1	1	1	103	53.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	32.6875	2004
29.01.2020 09:55:49	1	1	1	1	103	52.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	33.375	2004
29.01.2020 09:55:50	1	1	1	1	103	53.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.5	2004
29.01.2020 09:55:51	1	1	1	1	103	53.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	33.5625	2004
29.01.2020 09:55:52	1	1	1	1	103	53.5	0	27772.512	580.6451613	16093.00682	30000	0	0	30000	33	2004
29.01.2020 09:55:53	1	1	1	1	103	53	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.875	2004
29.01.2020 09:55:54	1	1	1	1	103	53.75	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	33.8125	2004
29.01.2020 09:55:55	1	1	1	1	104	53.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	32.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:55:56	1	1	1	1	104	52.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.75	2004
29.01.2020 09:55:57	1	1	1	1	104	53.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.25	2004
29.01.2020 09:55:58	1	1	1	1	104	53.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	33.1875	2004
29.01.2020 09:55:59	1	1	1	1	104	53	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	33.375	2004
29.01.2020 09:56:00	1	1	1	1	104	53.75	0	27772.512	576.344086	16212.86658	30000	0	0	30000	32.625	2004
29.01.2020 09:56:01	1	1	1	1	104	52.5	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	33.6875	2004
29.01.2020 09:56:02	1	1	1	1	104	53.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.75	2004
29.01.2020 09:56:03	1	1	1	1	104	53.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.5	2004
29.01.2020 09:56:04	1	1	1	1	104.5	53.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.3125	2004
29.01.2020 09:56:05	1	1	1	1	104.5	53.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	33.125	2004
29.01.2020 09:56:06	1	1	1	1	104.5	53	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	33.5	2004
29.01.2020 09:56:07	1	1	1	1	104.5	53.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.125	2004
29.01.2020 09:56:08	1	1	1	1	104.5	52	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	31.75	2004
29.01.2020 09:56:10	1	1	1	1	104.5	51.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.0625	2004
29.01.2020 09:56:11	1	1	1	1	104.5	52	0	27819.905	576.344086	16093.00682	30000	0	0	30000	32.875	2004
29.01.2020 09:56:12	1	1	1	1	104.5	52.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	32.25	2004
29.01.2020 09:56:13	1	1	1	1	104.5	52.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.125	2004
29.01.2020 09:56:14	1	1	1	1	104.5	52	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.3125	2004
29.01.2020 09:56:15	1	1	1	1	103.8	53.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.8125	2004
29.01.2020 09:56:16	1	1	1	1	103.8	53.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	33.125	2004
29.01.2020 09:56:17	1	1	1	1	103.8	53	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	32.75	2004
29.01.2020 09:56:18	1	1	1	1	103.8	52.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.875	2004
29.01.2020 09:56:19	1	1	1	1	103.8	53.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	33.8125	2004
29.01.2020 09:56:20	1	1	1	1	103.8	53.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.5	2004
29.01.2020 09:56:21	1	1	1	1	103.8	52.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.25	2004
29.01.2020 09:56:22	1	1	1	1	103.8	52.25	0	27582.938	576.344086	15897.31742	30000	0	0	30000	32.4375	2004
29.01.2020 09:56:23	1	1	1	1	103.8	52.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	32.75	2004
29.01.2020 09:56:24	1	1	1	1	103.8	52.75	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	31.875	2004
29.01.2020 09:56:25	1	1	1	1	103.8	51.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	32.625	2004
29.01.2020 09:56:26	1	1	1	1	103.8	52.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	33.1875	2004
29.01.2020 09:56:32	1	1	1	1	103.8	53	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.625	2004
29.01.2020 09:56:32	1	1	1	1	103.8	53	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.625	2004
29.01.2020 09:56:32	1	1	1	1	103.8	53	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.625	2004
29.01.2020 09:56:32	1	1	1	1	103.8	53	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.625	2004
29.01.2020 09:56:32	1	1	1	1	103.8	53	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.625	2004
29.01.2020 09:56:32	1	1	1	1	103.8	53	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.625	2004
29.01.2020 09:56:32	1	1	1	1	103.8	53	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.625	2004
29.01.2020 09:56:33	1	1	1	1	103.8	52.5	0	27819.905	576.344086	16212.86658	30000	0	0	30000	33.625	2004
29.01.2020 09:56:34	1	1	1	1	103.8	53.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	33.6875	2004
29.01.2020 09:56:35	1	1	1	1	104.5	53.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.125	2004
29.01.2020 09:56:36	1	1	1	1	104.5	54	0	27772.512	576.344086	15924.22472	30000	0	0	30000	33.8125	2004
29.01.2020 09:56:37	1	1	1	1	104.5	53.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	32.625	2004
29.01.2020 09:56:38	1	1	1	1	104.5	52.5	0	27725.118	574.1935484	15973.96244	30000	0	0	30000	33.875	2004
29.01.2020 09:56:39	1	1	1	1	104.5	53.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	34.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:56:40	1	1	1	1	104.5	54	0	27725.118	576.344086	15864.70252	30000	0	0	30000	32.5625	2004
29.01.2020 09:56:41	1	1	1	1	104.5	52.5	0	27772.512	580.6451613	15924.22472	30000	0	0	30000	33.6875	2004
29.01.2020 09:56:42	1	1	1	1	104.5	53.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34	2004
29.01.2020 09:56:43	1	1	1	1	104.5	54	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	32.875	2004
29.01.2020 09:56:44	1	1	1	1	103.5	52.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.125	2004
29.01.2020 09:56:45	1	1	1	1	103.5	53	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.125	2004
29.01.2020 09:56:47	1	1	1	1	103.5	53	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	34.1875	2004
29.01.2020 09:56:48	1	1	1	1	103.5	54	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	33.6875	2004
29.01.2020 09:56:49	1	1	1	1	103.5	53.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.8125	2004
29.01.2020 09:56:50	1	1	1	1	103.5	53.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.625	2004
29.01.2020 09:56:51	1	1	1	1	103.5	53.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	32.9375	2004
29.01.2020 09:56:52	1	1	1	1	103.5	52.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	32.375	2004
29.01.2020 09:56:53	1	1	1	1	103.5	52.25	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	34.125	2004
29.01.2020 09:56:54	1	1	1	1	103.5	54	0	27582.938	576.344086	15897.31742	30000	0	0	30000	34	2004
29.01.2020 09:56:55	1	1	1	1	103.8	54	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.75	2004
29.01.2020 09:56:56	1	1	1	1	103.8	53.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.75	2004
29.01.2020 09:56:57	1	1	1	1	103.8	51.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.625	2004
29.01.2020 09:56:58	1	1	1	1	103.8	53.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	33.4375	2004
29.01.2020 09:56:59	1	1	1	1	103.8	53.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	34.0625	2004
29.01.2020 09:57:00	1	1	1	1	103.8	54	0	27819.905	576.344086	16038.37687	30000	0	0	30000	33.5625	2004
29.01.2020 09:57:01	1	1	1	1	103.8	53.5	0	27962.085	578.4946237	15821.48778	30000	0	0	30000	34.125	2004
29.01.2020 09:57:02	1	1	1	1	103.8	54	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	33.625	2004
29.01.2020 09:57:03	1	1	1	1	103.8	53.5	0	27819.905	576.344086	16153.34439	30000	0	0	30000	33.8125	2004
29.01.2020 09:57:04	1	1	1	1	103.8	53.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32.5	2004
29.01.2020 09:57:05	1	1	1	1	103.5	52.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.9375	2004
29.01.2020 09:57:06	1	1	1	1	103.5	52.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.3125	2004
29.01.2020 09:57:07	1	1	1	1	103.5	54.25	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	32.75	2004
29.01.2020 09:57:08	1	1	1	1	103.5	52.75	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	34	2004
29.01.2020 09:57:09	1	1	1	1	103.5	54	0	27819.905	572.0430108	16061.20729	30000	0	0	30000	32.625	2004
29.01.2020 09:57:10	1	1	1	1	103.5	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.0625	2004
29.01.2020 09:57:11	1	1	1	1	103.5	54	0	28009.479	574.1935484	16027.77702	30000	0	0	30000	34.125	2004
29.01.2020 09:57:12	1	1	1	1	103.5	54	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	32.5	2004
29.01.2020 09:57:13	1	1	1	1	103.5	52.5	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	33.625	2004
29.01.2020 09:57:14	1	1	1	1	103.5	53.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	33.9375	2004
29.01.2020 09:57:15	1	1	1	1	103.5	53.75	0	28009.479	576.344086	16252.00446	30000	0	0	30000	33.5625	2004
29.01.2020 09:57:16	1	1	1	1	103.5	53.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	32.9375	2004
29.01.2020 09:57:17	1	1	1	1	103.5	52.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	33.0625	2004
29.01.2020 09:57:18	1	1	1	1	103.5	53	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.8125	2004
29.01.2020 09:57:19	1	1	1	1	103.5	52.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.875	2004
29.01.2020 09:57:20	1	1	1	1	103.5	53.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	34.375	2004
29.01.2020 09:57:21	1	1	1	1	103.5	54.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.75	2004
29.01.2020 09:57:22	1	1	1	1	103.5	53.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.75	2004
29.01.2020 09:57:23	1	1	1	1	103.5	53.75	0	27819.905	572.0430108	15627.42913	30000	0	0	30000	33.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:57:24	1	1	1	1	103.5	53	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	33.875	2004
29.01.2020 09:57:25	1	1	1	1	103.5	53.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	33.625	2004
29.01.2020 09:57:26	1	1	1	1	103.5	53.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	33.9375	2004
29.01.2020 09:57:27	1	1	1	1	103.5	53.75	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	34.0625	2004
29.01.2020 09:57:34	1	1	1	1	103.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
29.01.2020 09:57:34	1	1	1	1	103.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
29.01.2020 09:57:34	1	1	1	1	103.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
29.01.2020 09:57:34	1	1	1	1	103.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
29.01.2020 09:57:34	1	1	1	1	103.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
29.01.2020 09:57:34	1	1	1	1	103.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
29.01.2020 09:57:34	1	1	1	1	103.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
29.01.2020 09:57:35	1	1	1	1	104	53.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	33.4375	2004
29.01.2020 09:57:36	1	1	1	1	104	53.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.25	2004
29.01.2020 09:57:37	1	1	1	1	104	54.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	33.1875	2004
29.01.2020 09:57:38	1	1	1	1	104	53	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33	2004
29.01.2020 09:57:39	1	1	1	1	104	53	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	34.125	2004
29.01.2020 09:57:40	1	1	1	1	104	54	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	34.3125	2004
29.01.2020 09:57:41	1	1	1	1	104	54.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	34.1875	2004
29.01.2020 09:57:42	1	1	1	1	104	54	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	34.1875	2004
29.01.2020 09:57:43	1	1	1	1	104	54	0	27962.085	576.344086	16027.77702	30000	0	0	30000	34.125	2004
29.01.2020 09:57:44	1	1	1	1	104	54	0	27867.299	576.344086	16181.06705	30000	0	0	30000	34.1875	2004
29.01.2020 09:57:45	1	1	1	1	103.5	54	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	33.9375	2004
29.01.2020 09:57:46	1	1	1	1	103.5	53.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	33.875	2004
29.01.2020 09:57:47	1	1	1	1	103.5	53.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	32.6875	2004
29.01.2020 09:57:48	1	1	1	1	103.5	52.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.375	2004
29.01.2020 09:57:49	1	1	1	1	103.5	53.25	0	27914.692	587.0967742	16120.72949	30000	0	0	30000	34.3125	2004
29.01.2020 09:57:50	1	1	1	1	103.5	54.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	33.8125	2004
29.01.2020 09:57:51	1	1	1	1	103.5	53.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.0625	2004
29.01.2020 09:57:52	1	1	1	1	103.5	54	0	27819.905	572.0430108	15734.24293	30000	0	0	30000	33.75	2004
29.01.2020 09:57:53	1	1	1	1	103.5	53.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	34.5	2004
29.01.2020 09:57:54	1	1	1	1	103.5	54.5	0	27772.512	572.0430108	15805.18033	30000	0	0	30000	33.625	2004
29.01.2020 09:57:55	1	1	1	1	103.8	53.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34	2004
29.01.2020 09:57:56	1	1	1	1	103.8	54	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	33.375	2004
29.01.2020 09:57:57	1	1	1	1	103.8	53.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34	2004
29.01.2020 09:57:58	1	1	1	1	103.8	54	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.6875	2004
29.01.2020 09:57:59	1	1	1	1	103.8	53.5	0	27867.299	576.344086	16120.72949	30000	0	0	30000	33.25	2004
29.01.2020 09:58:00	1	1	1	1	103.8	53.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.6875	2004
29.01.2020 09:58:01	1	1	1	1	103.8	53.5	0	27630.332	567.7419355	15854.10268	30000	0	0	30000	34.375	2004
29.01.2020 09:58:02	1	1	1	1	103.8	54.25	0	27867.299	567.7419355	15821.48778	30000	0	0	30000	34.375	2004
29.01.2020 09:58:03	1	1	1	1	103.8	54.25	0	27914.692	576.344086	16027.77702	30000	0	0	30000	33.25	2004
29.01.2020 09:58:04	1	1	1	1	104	53.25	0	27772.512	580.6451613	16066.09953	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:05	1	1	1	1	104	53.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.0625	2004
29.01.2020 09:58:07	1	1	1	1	104	54	0	27630.332	576.344086	15837.79523	30000	0	0	30000	34.3125	2004
29.01.2020 09:58:08	1	1	1	1	104	54.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	34.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:58:09	1	1	1	1	104	54.25	0	27867.299	578.4946237	16268.31191	30000	0	0	30000	33.125	2004
29.01.2020 09:58:10	1	1	1	1	104	53	0	27725.118	576.344086	15924.22472	30000	0	0	30000	33.375	2004
29.01.2020 09:58:11	1	1	1	1	104	53.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:12	1	1	1	1	104	53.5	0	27725.118	580.6451613	16273.20414	30000	0	0	30000	33.625	2004
29.01.2020 09:58:13	1	1	1	1	104	53.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.3125	2004
29.01.2020 09:58:14	1	1	1	1	104	54.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.3125	2004
29.01.2020 09:58:15	1	1	1	1	103.5	54.25	0	27819.905	576.344086	15924.22472	30000	0	0	30000	33.1875	2004
29.01.2020 09:58:16	1	1	1	1	103.5	53	0	27867.299	576.344086	16061.20729	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:17	1	1	1	1	103.5	53.5	0	27867.299	584.9462366	16093.00682	30000	0	0	30000	34.375	2004
29.01.2020 09:58:18	1	1	1	1	103.5	54.25	0	27962.085	576.344086	16115.83725	30000	0	0	30000	33.25	2004
29.01.2020 09:58:19	1	1	1	1	103.5	53.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	32.875	2004
29.01.2020 09:58:20	1	1	1	1	103.5	52.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	32.8125	2004
29.01.2020 09:58:21	1	1	1	1	103.5	52.75	0	27914.692	569.8924731	16115.83725	30000	0	0	30000	33.875	2004
29.01.2020 09:58:22	1	1	1	1	103.5	53.75	0	27582.938	578.4946237	15696.73579	30000	0	0	30000	34.25	2004
29.01.2020 09:58:23	1	1	1	1	103.5	54.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	33.8125	2004
29.01.2020 09:58:24	1	1	1	1	103.5	53.75	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	34.125	2004
29.01.2020 09:58:25	1	1	1	1	103.8	54	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.3125	2004
29.01.2020 09:58:26	1	1	1	1	103.8	54.25	0	27867.299	578.4946237	16033.48463	30000	0	0	30000	34.1875	2004
29.01.2020 09:58:27	1	1	1	1	103.8	54	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.1875	2004
29.01.2020 09:58:28	1	1	1	1	103.8	54	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:29	1	1	1	1	103.8	53.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.3125	2004
29.01.2020 09:58:35	1	1	1	1	103.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:35	1	1	1	1	103.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:35	1	1	1	1	103.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:35	1	1	1	1	103.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:35	1	1	1	1	103.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:35	1	1	1	1	103.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:35	1	1	1	1	103.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:36	1	1	1	1	103.8	53.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	33.875	2004
29.01.2020 09:58:37	1	1	1	1	103.8	53.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	34.3125	2004
29.01.2020 09:58:38	1	1	1	1	103.8	54.25	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
29.01.2020 09:58:39	1	1	1	1	103.8	53.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.1875	2004
29.01.2020 09:58:40	1	1	1	1	103.8	54	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	33.625	2004
29.01.2020 09:58:41	1	1	1	1	103.8	53.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	34.4375	2004
29.01.2020 09:58:42	1	1	1	1	103.8	54.25	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	34.125	2004
29.01.2020 09:58:43	1	1	1	1	103.8	54	0	27867.299	569.8924731	15794.58049	30000	0	0	30000	34.1875	2004
29.01.2020 09:58:44	1	1	1	1	104	54	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.4375	2004
29.01.2020 09:58:45	1	1	1	1	104	54.25	0	27867.299	569.8924731	15627.42913	30000	0	0	30000	34	2004
29.01.2020 09:58:47	1	1	1	1	104	54	0	27819.905	565.5913978	15734.24293	30000	0	0	30000	34.4375	2004
29.01.2020 09:58:48	1	1	1	1	104	54.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.1875	2004
29.01.2020 09:58:49	1	1	1	1	104	54	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	33.9375	2004
29.01.2020 09:58:50	1	1	1	1	104	53.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	34.0625	2004
29.01.2020 09:58:51	1	1	1	1	104	54	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.1875	2004
29.01.2020 09:58:52	1	1	1	1	104	54	0	28009.479	572.0430108	15875.30237	30000	0	0	30000	34.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:58:53	1	1	1	1	104	54.25	0	28199.052	574.1935484	16252.00446	30000	0	0	30000	34.125	2004
29.01.2020 09:58:54	1	1	1	1	104	54	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	33.875	2004
29.01.2020 09:58:55	1	1	1	1	104	53.75	0	27819.905	572.0430108	15745.65814	30000	0	0	30000	33.5625	2004
29.01.2020 09:58:56	1	1	1	1	104	53.5	0	27914.692	574.1935484	15941.34754	30000	0	0	30000	33.875	2004
29.01.2020 09:58:57	1	1	1	1	104	53.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	33.9375	2004
29.01.2020 09:58:58	1	1	1	1	104	53.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	33.9375	2004
29.01.2020 09:58:59	1	1	1	1	104	53.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	33.5625	2004
29.01.2020 09:59:00	1	1	1	1	104	53.5	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	34.125	2004
29.01.2020 09:59:01	1	1	1	1	104	54	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	34	2004
29.01.2020 09:59:02	1	1	1	1	104	54	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.125	2004
29.01.2020 09:59:03	1	1	1	1	104	54	0	27867.299	569.8924731	16027.77702	30000	0	0	30000	34.375	2004
29.01.2020 09:59:04	1	1	1	1	104	54.25	0	27962.085	576.344086	16088.11459	30000	0	0	30000	34.5	2004
29.01.2020 09:59:05	1	1	1	1	104.3	54.5	0	27867.299	576.344086	16120.72949	30000	0	0	30000	33.9375	2004
29.01.2020 09:59:06	1	1	1	1	104.3	53.75	0	27725.118	572.0430108	15805.18033	30000	0	0	30000	34.0625	2004
29.01.2020 09:59:07	1	1	1	1	104.3	54	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	33.6875	2004
29.01.2020 09:59:08	1	1	1	1	104.3	53.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	33.6875	2004
29.01.2020 09:59:09	1	1	1	1	104.3	53.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	34.25	2004
29.01.2020 09:59:10	1	1	1	1	104.3	54.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.8125	2004
29.01.2020 09:59:11	1	1	1	1	104.3	53.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.0625	2004
29.01.2020 09:59:12	1	1	1	1	104.3	54	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.4375	2004
29.01.2020 09:59:13	1	1	1	1	104.3	54.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.8125	2004
29.01.2020 09:59:14	1	1	1	1	104.3	53.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	33.9375	2004
29.01.2020 09:59:15	1	1	1	1	103.8	53.75	0	27725.118	572.0430108	15913.62487	30000	0	0	30000	34.6875	2004
29.01.2020 09:59:16	1	1	1	1	103.8	54.5	0	27772.512	567.7419355	15973.96244	30000	0	0	30000	34.4375	2004
29.01.2020 09:59:17	1	1	1	1	103.8	54.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	34.5	2004
29.01.2020 09:59:18	1	1	1	1	103.8	54.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.4375	2004
29.01.2020 09:59:19	1	1	1	1	103.8	53.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	34.0625	2004
29.01.2020 09:59:20	1	1	1	1	103.8	54	0	27725.118	576.344086	15924.22472	30000	0	0	30000	34	2004
29.01.2020 09:59:21	1	1	1	1	103.8	54	0	27819.905	576.344086	16093.00682	30000	0	0	30000	34.1875	2004
29.01.2020 09:59:22	1	1	1	1	103.8	54	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	33.9375	2004
29.01.2020 09:59:23	1	1	1	1	103.8	53.75	0	27819.905	567.7419355	16088.11459	30000	0	0	30000	33.8125	2004
29.01.2020 09:59:24	1	1	1	1	103.3	53.75	0	27772.512	574.1935484	15973.96244	30000	0	0	30000	34.5	2004
29.01.2020 09:59:25	1	1	1	1	103.3	54.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	34.3125	2004
29.01.2020 09:59:26	1	1	1	1	103.3	54.25	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	34.1875	2004
29.01.2020 09:59:28	1	1	1	1	103.3	54	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.4375	2004
29.01.2020 09:59:29	1	1	1	1	103.3	54.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	34.3125	2004
29.01.2020 09:59:30	1	1	1	1	103.3	54.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	34.4375	2004
29.01.2020 09:59:31	1	1	1	1	103.3	54.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	33.9375	2004
29.01.2020 09:59:37	1	1	1	1	103.3	54	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.125	2004
29.01.2020 09:59:37	1	1	1	1	103.3	54	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.125	2004
29.01.2020 09:59:37	1	1	1	1	103.3	54	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.125	2004
29.01.2020 09:59:37	1	1	1	1	103.3	54	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.125	2004
29.01.2020 09:59:37	1	1	1	1	103.3	54	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 09:59:37	1	1	1	1	103.3	54	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.125	2004
29.01.2020 09:59:38	1	1	1	1	103.3	54	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	33.9375	2004
29.01.2020 09:59:39	1	1	1	1	103.3	53.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	34	2004
29.01.2020 09:59:40	1	1	1	1	103.3	54	0	27819.905	576.344086	16033.48463	30000	0	0	30000	33.6875	2004
29.01.2020 09:59:41	1	1	1	1	103.3	53.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.5	2004
29.01.2020 09:59:42	1	1	1	1	103.3	54.5	0	27440.758	576.344086	15837.79523	30000	0	0	30000	34.125	2004
29.01.2020 09:59:43	1	1	1	1	103.3	54	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	34.5	2004
29.01.2020 09:59:44	1	1	1	1	103.3	54.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.6875	2004
29.01.2020 09:59:45	1	1	1	1	103.8	53.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	33.1875	2004
29.01.2020 09:59:46	1	1	1	1	103.8	53	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.1875	2004
29.01.2020 09:59:47	1	1	1	1	103.8	54	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.3125	2004
29.01.2020 09:59:48	1	1	1	1	103.8	54.25	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	34.125	2004
29.01.2020 09:59:49	1	1	1	1	103.8	54	0	27914.692	576.344086	16088.11459	30000	0	0	30000	34.375	2004
29.01.2020 09:59:50	1	1	1	1	103.8	54.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	34.5	2004
29.01.2020 09:59:51	1	1	1	1	103.8	54.5	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	34.375	2004
29.01.2020 09:59:52	1	1	1	1	103.8	54.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.125	2004
29.01.2020 09:59:53	1	1	1	1	103.8	54	0	27772.512	574.1935484	15973.96244	30000	0	0	30000	33.75	2004
29.01.2020 09:59:54	1	1	1	1	103.8	53.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	33.875	2004
29.01.2020 09:59:55	1	1	1	1	103.8	53.75	0	27867.299	576.344086	16093.00682	30000	0	0	30000	33.3125	2004
29.01.2020 09:59:56	1	1	1	1	103.8	53.25	0	27630.332	576.344086	16038.37687	30000	0	0	30000	34.3125	2004
29.01.2020 09:59:57	1	1	1	1	103.8	54.25	0	27772.512	582.7956989	16212.86658	30000	0	0	30000	34	2004
29.01.2020 09:59:58	1	1	1	1	103.8	53.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34	2004
29.01.2020 09:59:59	1	1	1	1	103.8	54	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.4375	2004
29.01.2020 10:00:00	1	1	1	1	103.8	54.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.1875	2004
29.01.2020 10:00:01	1	1	1	1	103.8	54	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.0625	2004
29.01.2020 10:00:02	1	1	1	1	103.8	54	0	27819.905	576.344086	16038.37687	30000	0	0	30000	34.375	2004
29.01.2020 10:00:03	1	1	1	1	103.8	54.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	33.75	2004
29.01.2020 10:00:04	1	1	1	1	103.8	53.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.1875	2004
29.01.2020 10:00:05	1	1	1	1	103.8	54	0	27819.905	576.344086	16093.00682	30000	0	0	30000	34.3125	2004
29.01.2020 10:00:07	1	1	1	1	103.8	54.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.5	2004
29.01.2020 10:00:08	1	1	1	1	103.8	54.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.6875	2004
29.01.2020 10:00:09	1	1	1	1	103.8	53.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	34.0625	2004
29.01.2020 10:00:10	1	1	1	1	103.8	54	0	27819.905	576.344086	15946.23977	30000	0	0	30000	34.625	2004
29.01.2020 10:00:11	1	1	1	1	103.8	54.5	0	27819.905	576.344086	15924.22472	30000	0	0	30000	34.125	2004
29.01.2020 10:00:12	1	1	1	1	103.8	54	0	27582.938	574.1935484	15924.22472	30000	0	0	30000	34.1875	2004
29.01.2020 10:00:13	1	1	1	1	103.8	54	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	34.625	2004
29.01.2020 10:00:14	1	1	1	1	103.8	54.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	33.75	2004
29.01.2020 10:00:15	1	1	1	1	103.8	53.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	34.6875	2004
29.01.2020 10:00:16	1	1	1	1	103.8	54.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.375	2004
29.01.2020 10:00:17	1	1	1	1	103.8	54.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	34.0625	2004
29.01.2020 10:00:18	1	1	1	1	103.8	54	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.25	2004
29.01.2020 10:00:19	1	1	1	1	103.8	54.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.6875	2004
29.01.2020 10:00:20	1	1	1	1	103.8	54.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	34.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:00:21	1	1	1	1	103.8	54	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	34.3125	2004
29.01.2020 10:00:22	1	1	1	1	103.8	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.3125	2004
29.01.2020 10:00:23	1	1	1	1	103.8	54.25	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	34.375	2004
29.01.2020 10:00:24	1	1	1	1	103.8	54.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	34.0625	2004
29.01.2020 10:00:25	1	1	1	1	103.5	54	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	34.375	2004
29.01.2020 10:00:26	1	1	1	1	103.5	54.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.5	2004
29.01.2020 10:00:27	1	1	1	1	103.5	54.5	0	27962.085	569.8924731	16055.49969	30000	0	0	30000	33.8125	2004
29.01.2020 10:00:28	1	1	1	1	103.5	53.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	34.3125	2004
29.01.2020 10:00:29	1	1	1	1	103.5	54.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.6875	2004
29.01.2020 10:00:30	1	1	1	1	103.5	54.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	34.3125	2004
29.01.2020 10:00:31	1	1	1	1	103.5	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.1875	2004
29.01.2020 10:00:32	1	1	1	1	103.5	54	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.5625	2004
29.01.2020 10:00:38	1	1	1	1	104	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.8125	2004
29.01.2020 10:00:38	1	1	1	1	104	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.8125	2004
29.01.2020 10:00:38	1	1	1	1	104	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.8125	2004
29.01.2020 10:00:38	1	1	1	1	104	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.8125	2004
29.01.2020 10:00:38	1	1	1	1	104	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.8125	2004
29.01.2020 10:00:38	1	1	1	1	104	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.8125	2004
29.01.2020 10:00:39	1	1	1	1	104	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.4375	2004
29.01.2020 10:00:40	1	1	1	1	104	54	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	33.9375	2004
29.01.2020 10:00:41	1	1	1	1	104	53.75	0	28199.052	574.1935484	16009.83883	30000	0	0	30000	34.125	2004
29.01.2020 10:00:42	1	1	1	1	104	54	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	34.5	2004
29.01.2020 10:00:43	1	1	1	1	104	54.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.375	2004
29.01.2020 10:00:44	1	1	1	1	103.5	54.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.75	2004
29.01.2020 10:00:45	1	1	1	1	103.5	54.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.3125	2004
29.01.2020 10:00:47	1	1	1	1	103.5	54.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.625	2004
29.01.2020 10:00:48	1	1	1	1	103.5	54.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.75	2004
29.01.2020 10:00:49	1	1	1	1	103.5	54.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	34.625	2004
29.01.2020 10:00:50	1	1	1	1	103.5	54.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	34.1875	2004
29.01.2020 10:00:51	1	1	1	1	103.5	54	0	28009.479	576.344086	16142.74454	30000	0	0	30000	34.5	2004
29.01.2020 10:00:52	1	1	1	1	103.5	54.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	34	2004
29.01.2020 10:00:53	1	1	1	1	103.5	54	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	34.625	2004
29.01.2020 10:00:54	1	1	1	1	103.5	54.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	34.625	2004
29.01.2020 10:00:55	1	1	1	1	104.3	54.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	34.1875	2004
29.01.2020 10:00:56	1	1	1	1	104.3	54	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	33.625	2004
29.01.2020 10:00:57	1	1	1	1	104.3	53.5	0	28009.479	563.4408602	16082.40698	30000	0	0	30000	34.6875	2004
29.01.2020 10:00:58	1	1	1	1	104.3	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34	2004
29.01.2020 10:00:59	1	1	1	1	104.3	54	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	34.625	2004
29.01.2020 10:01:00	1	1	1	1	104.3	54.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.5	2004
29.01.2020 10:01:01	1	1	1	1	104.3	54.5	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	34.375	2004
29.01.2020 10:01:02	1	1	1	1	104.3	54.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.5	2004
29.01.2020 10:01:03	1	1	1	1	104.3	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.625	2004
29.01.2020 10:01:04	1	1	1	1	104.3	54.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:01:05	1	1	1	1	103.8	54.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	34.5625	2004
29.01.2020 10:01:06	1	1	1	1	103.8	54.5	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	34.0625	2004
29.01.2020 10:01:07	1	1	1	1	103.8	54	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	34.5	2004
29.01.2020 10:01:08	1	1	1	1	103.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.4375	2004
29.01.2020 10:01:09	1	1	1	1	103.8	54.25	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	34.75	2004
29.01.2020 10:01:10	1	1	1	1	103.8	54.75	0	27914.692	567.7419355	15961.73185	30000	0	0	30000	34.5625	2004
29.01.2020 10:01:11	1	1	1	1	103.8	54.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.625	2004
29.01.2020 10:01:12	1	1	1	1	103.8	54.5	0	27914.692	574.1935484	16296.03457	30000	0	0	30000	33.5625	2004
29.01.2020 10:01:13	1	1	1	1	103.8	53.5	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	34.0625	2004
29.01.2020 10:01:14	1	1	1	1	103.8	54	0	27962.085	563.4408602	15961.73185	30000	0	0	30000	33.5625	2004
29.01.2020 10:01:15	1	1	1	1	103.8	53.5	0	27630.332	569.8924731	15913.62487	30000	0	0	30000	34.25	2004
29.01.2020 10:01:16	1	1	1	1	103.8	54.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.75	2004
29.01.2020 10:01:17	1	1	1	1	103.8	54.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	34.1875	2004
29.01.2020 10:01:18	1	1	1	1	103.8	54	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:19	1	1	1	1	103.8	54.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:20	1	1	1	1	103.8	54.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	34.4375	2004
29.01.2020 10:01:21	1	1	1	1	103.8	54.25	0	27867.299	565.5913978	15788.05751	30000	0	0	30000	34.3125	2004
29.01.2020 10:01:22	1	1	1	1	103.8	54.25	0	27867.299	567.7419355	15674.72073	30000	0	0	30000	34.5	2004
29.01.2020 10:01:23	1	1	1	1	103.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.9375	2004
29.01.2020 10:01:24	1	1	1	1	103.8	53.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.625	2004
29.01.2020 10:01:25	1	1	1	1	103.8	54.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.625	2004
29.01.2020 10:01:26	1	1	1	1	103.8	54.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.25	2004
29.01.2020 10:01:28	1	1	1	1	103.8	54.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	34.5625	2004
29.01.2020 10:01:29	1	1	1	1	103.8	54.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:30	1	1	1	1	103.8	54.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	34.0625	2004
29.01.2020 10:01:31	1	1	1	1	103.8	54	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	34.0625	2004
29.01.2020 10:01:32	1	1	1	1	103.8	54	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:33	1	1	1	1	103.8	54.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.75	2004
29.01.2020 10:01:34	1	1	1	1	103.8	54.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	34.3125	2004
29.01.2020 10:01:40	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:40	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:40	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:40	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:40	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:40	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:41	1	1	1	1	103.8	54.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.75	2004
29.01.2020 10:01:42	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.125	2004
29.01.2020 10:01:43	1	1	1	1	103.8	54	0	27914.692	572.0430108	15934.82456	30000	0	0	30000	34.25	2004
29.01.2020 10:01:44	1	1	1	1	103.8	54.25	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	34.3125	2004
29.01.2020 10:01:45	1	1	1	1	103.5	54.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	34.5	2004
29.01.2020 10:01:46	1	1	1	1	103.5	54.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.75	2004
29.01.2020 10:01:47	1	1	1	1	103.5	53.75	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	34.625	2004
29.01.2020 10:01:48	1	1	1	1	103.5	54.5	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	34.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:01:49	1	1	1	1	103.5	54.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	34.0625	2004
29.01.2020 10:01:50	1	1	1	1	103.5	54	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:51	1	1	1	1	103.5	54.5	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	34.8125	2004
29.01.2020 10:01:52	1	1	1	1	103.5	54.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	34.6875	2004
29.01.2020 10:01:53	1	1	1	1	103.5	54.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	34.875	2004
29.01.2020 10:01:54	1	1	1	1	103.5	54.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	33.9375	2004
29.01.2020 10:01:55	1	1	1	1	103.8	53.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	34.875	2004
29.01.2020 10:01:56	1	1	1	1	103.8	54.75	0	28009.479	580.6451613	16115.83725	30000	0	0	30000	34.9375	2004
29.01.2020 10:01:57	1	1	1	1	103.8	54.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	34.4375	2004
29.01.2020 10:01:58	1	1	1	1	103.8	54.25	0	27725.118	574.1935484	15924.22472	30000	0	0	30000	34.875	2004
29.01.2020 10:01:59	1	1	1	1	103.8	54.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	34.5	2004
29.01.2020 10:02:00	1	1	1	1	103.8	54.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	34.875	2004
29.01.2020 10:02:01	1	1	1	1	103.8	54.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	34.5625	2004
29.01.2020 10:02:03	1	1	1	1	103.8	54.5	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	34.4375	2004
29.01.2020 10:02:04	1	1	1	1	103.8	54.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.3125	2004
29.01.2020 10:02:05	1	1	1	1	103.8	54.25	0	27867.299	572.0430108	16061.20729	30000	0	0	30000	34.9375	2004
29.01.2020 10:02:06	1	1	1	1	103.8	54.75	0	27725.118	576.344086	15973.96244	30000	0	0	30000	34.875	2004
29.01.2020 10:02:07	1	1	1	1	103.8	54.75	0	27772.512	576.344086	16033.48463	30000	0	0	30000	34.9375	2004
29.01.2020 10:02:08	1	1	1	1	103.8	54.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.3125	2004
29.01.2020 10:02:09	1	1	1	1	103.8	54.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	34.9375	2004
29.01.2020 10:02:10	1	1	1	1	103.8	54.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	35.0625	2004
29.01.2020 10:02:11	1	1	1	1	103.8	55	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	34.6875	2004
29.01.2020 10:02:12	1	1	1	1	103.8	54.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	34.4375	2004
29.01.2020 10:02:13	1	1	1	1	103.8	54.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.3125	2004
29.01.2020 10:02:14	1	1	1	1	103.8	54.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.6875	2004
29.01.2020 10:02:15	1	1	1	1	103.8	54.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	33	2004
29.01.2020 10:02:16	1	1	1	1	103.8	53	0	27867.299	576.344086	15973.96244	30000	0	0	30000	34.0625	2004
29.01.2020 10:02:17	1	1	1	1	103.8	54	0	27962.085	580.6451613	16000.86973	30000	0	0	30000	34.375	2004
29.01.2020 10:02:18	1	1	1	1	103.8	54.25	0	27867.299	569.8924731	16061.20729	30000	0	0	30000	34.1875	2004
29.01.2020 10:02:19	1	1	1	1	103.8	54	0	27772.512	576.344086	15924.22472	30000	0	0	30000	34.6875	2004
29.01.2020 10:02:20	1	1	1	1	103.8	54.5	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	34.8125	2004
29.01.2020 10:02:21	1	1	1	1	103.8	54.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	35	2004
29.01.2020 10:02:22	1	1	1	1	103.8	55	0	27867.299	572.0430108	15821.48778	30000	0	0	30000	34.5625	2004
29.01.2020 10:02:23	1	1	1	1	103.8	54.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.875	2004
29.01.2020 10:02:24	1	1	1	1	103.8	54.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.1875	2004
29.01.2020 10:02:25	1	1	1	1	103.5	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.875	2004
29.01.2020 10:02:26	1	1	1	1	103.5	54.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	34.75	2004
29.01.2020 10:02:27	1	1	1	1	103.5	54.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.75	2004
29.01.2020 10:02:28	1	1	1	1	103.5	54.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.5	2004
29.01.2020 10:02:29	1	1	1	1	103.5	54.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.625	2004
29.01.2020 10:02:30	1	1	1	1	103.5	54.5	0	27772.512	578.4946237	16097.89906	30000	0	0	30000	34.3125	2004
29.01.2020 10:02:31	1	1	1	1	103.5	54.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	35.0625	2004
29.01.2020 10:02:32	1	1	1	1	103.5	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:02:33	1	1	1	1	103.5	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.8125	2004
29.01.2020 10:02:34	1	1	1	1	104.3	54.75	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	34.9375	2004
29.01.2020 10:02:35	1	1	1	1	104.3	54.75	0	27819.905	569.8924731	16093.00682	30000	0	0	30000	34.9375	2004
29.01.2020 10:02:42	1	1	1	1	104.3	54.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.125	2004
29.01.2020 10:02:42	1	1	1	1	104.3	54.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.125	2004
29.01.2020 10:02:42	1	1	1	1	104.3	54.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.125	2004
29.01.2020 10:02:42	1	1	1	1	104.3	54.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.125	2004
29.01.2020 10:02:42	1	1	1	1	104.3	54.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.125	2004
29.01.2020 10:02:42	1	1	1	1	104.3	54.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.125	2004
29.01.2020 10:02:42	1	1	1	1	104.3	54.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.125	2004
29.01.2020 10:02:43	1	1	1	1	104.3	55	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	35.0625	2004
29.01.2020 10:02:44	1	1	1	1	104.3	55	0	27630.332	576.344086	16093.00682	30000	0	0	30000	34.8125	2004
29.01.2020 10:02:45	1	1	1	1	104	54.75	0	27914.692	576.344086	16027.77702	30000	0	0	30000	35	2004
29.01.2020 10:02:46	1	1	1	1	104	55	0	27819.905	565.5913978	16000.86973	30000	0	0	30000	35.125	2004
29.01.2020 10:02:47	1	1	1	1	104	55	0	27962.085	567.7419355	16022.06942	30000	0	0	30000	34.375	2004
29.01.2020 10:02:48	1	1	1	1	104	54.25	0	28199.052	572.0430108	15841.8721	30000	0	0	30000	35.0625	2004
29.01.2020 10:02:49	1	1	1	1	104	55	0	28009.479	576.344086	16082.40698	30000	0	0	30000	33.9375	2004
29.01.2020 10:02:50	1	1	1	1	104	53.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.875	2004
29.01.2020 10:02:51	1	1	1	1	104	54.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	34.875	2004
29.01.2020 10:02:54	1	1	1	1	104	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.8125	2004
29.01.2020 10:02:54	1	1	1	1	104	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.8125	2004
29.01.2020 10:02:54	1	1	1	1	104	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.8125	2004
29.01.2020 10:02:55	1	1	1	1	104.3	54.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	35.1875	2004
29.01.2020 10:02:56	1	1	1	1	104.3	55	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	34.3125	2004
29.01.2020 10:02:57	1	1	1	1	104.3	54.25	0	28009.479	574.1935484	16070.17639	30000	0	0	30000	34.25	2004
29.01.2020 10:02:58	1	1	1	1	104.3	54.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	34.75	2004
29.01.2020 10:02:59	1	1	1	1	104.3	54.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	34.875	2004
29.01.2020 10:03:00	1	1	1	1	104.3	54.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:01	1	1	1	1	104.3	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.4375	2004
29.01.2020 10:03:02	1	1	1	1	104.3	54.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.125	2004
29.01.2020 10:03:03	1	1	1	1	104.3	55	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:04	1	1	1	1	104.3	55	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	34.6875	2004
29.01.2020 10:03:05	1	1	1	1	104	54.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	35.3125	2004
29.01.2020 10:03:06	1	1	1	1	104	55.25	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	34.875	2004
29.01.2020 10:03:07	1	1	1	1	104	54.75	0	27914.692	574.1935484	15995.16212	30000	0	0	30000	34.9375	2004
29.01.2020 10:03:08	1	1	1	1	104	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.875	2004
29.01.2020 10:03:09	1	1	1	1	104	54.75	0	28009.479	580.6451613	16022.06942	30000	0	0	30000	35.4375	2004
29.01.2020 10:03:10	1	1	1	1	104	55.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.8125	2004
29.01.2020 10:03:11	1	1	1	1	104	54.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	34.6875	2004
29.01.2020 10:03:12	1	1	1	1	104	55	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.1875	2004
29.01.2020 10:03:13	1	1	1	1	104	55	0	27914.692	576.344086	15907.91727	30000	0	0	30000	34.4375	2004
29.01.2020 10:03:14	1	1	1	1	104	54.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	34.6875	2004
29.01.2020 10:03:15	1	1	1	1	104	54.5	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	34.875	2004
29.01.2020 10:03:16	1	1	1	1	104	54.75	0	27819.905	567.7419355	16000.86973	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:03:18	1	1	1	1	104	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:19	1	1	1	1	104	55	0	28009.479	576.344086	16082.40698	30000	0	0	30000	35	2004
29.01.2020 10:03:20	1	1	1	1	104	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.125	2004
29.01.2020 10:03:21	1	1	1	1	104	55	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.75	2004
29.01.2020 10:03:22	1	1	1	1	104	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.4375	2004
29.01.2020 10:03:23	1	1	1	1	104	54.25	0	28009.479	574.1935484	16252.00446	30000	0	0	30000	34.125	2004
29.01.2020 10:03:24	1	1	1	1	104	54	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	35.125	2004
29.01.2020 10:03:25	1	1	1	1	104.3	55	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.75	2004
29.01.2020 10:03:26	1	1	1	1	104.3	54.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:27	1	1	1	1	104.3	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.75	2004
29.01.2020 10:03:28	1	1	1	1	104.3	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.5625	2004
29.01.2020 10:03:29	1	1	1	1	104.3	54.5	0	28341.232	569.8924731	16177.80556	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:30	1	1	1	1	104.3	55	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:31	1	1	1	1	104.3	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.375	2004
29.01.2020 10:03:32	1	1	1	1	104.3	55.25	0	28199.052	576.344086	16082.40698	30000	0	0	30000	35.125	2004
29.01.2020 10:03:33	1	1	1	1	104.3	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.4375	2004
29.01.2020 10:03:34	1	1	1	1	104.3	54.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	34.875	2004
29.01.2020 10:03:35	1	1	1	1	103.8	54.75	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	35.1875	2004
29.01.2020 10:03:36	1	1	1	1	103.8	55	0	27867.299	567.7419355	15854.10268	30000	0	0	30000	35	2004
29.01.2020 10:03:37	1	1	1	1	103.8	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35	2004
29.01.2020 10:03:43	1	1	1	1	103.8	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:43	1	1	1	1	103.8	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:43	1	1	1	1	103.8	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:43	1	1	1	1	103.8	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:43	1	1	1	1	103.8	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:43	1	1	1	1	103.8	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:03:44	1	1	1	1	103.8	55	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	35.25	2004
29.01.2020 10:03:45	1	1	1	1	103.3	55.25	0	28199.052	576.344086	16191.66689	30000	0	0	30000	34.875	2004
29.01.2020 10:03:46	1	1	1	1	103.3	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.3125	2004
29.01.2020 10:03:47	1	1	1	1	103.3	54.25	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	35.25	2004
29.01.2020 10:03:48	1	1	1	1	103.3	55.25	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	34.875	2004
29.01.2020 10:03:49	1	1	1	1	103.3	54.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	35.1875	2004
29.01.2020 10:03:50	1	1	1	1	103.3	55	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	34.875	2004
29.01.2020 10:03:51	1	1	1	1	103.3	55	0	27725.118	572.0430108	15859.81029	30000	0	0	30000	35.375	2004
29.01.2020 10:03:52	1	1	1	1	103.3	55.25	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	35.1875	2004
29.01.2020 10:03:53	1	1	1	1	103.3	55	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	34.875	2004
29.01.2020 10:03:54	1	1	1	1	103.5	54.75	0	27819.905	572.0430108	15805.18033	30000	0	0	30000	35.125	2004
29.01.2020 10:03:55	1	1	1	1	103.5	55	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	35.125	2004
29.01.2020 10:03:56	1	1	1	1	103.5	55	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	35.1875	2004
29.01.2020 10:03:58	1	1	1	1	103.5	55	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.9375	2004
29.01.2020 10:03:59	1	1	1	1	103.5	54.75	0	27725.118	576.344086	16033.48463	30000	0	0	30000	34.9375	2004
29.01.2020 10:04:00	1	1	1	1	103.5	54.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	35.3125	2004
29.01.2020 10:04:01	1	1	1	1	103.5	55.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:04:02	1	1	1	1	103.5	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35	2004
29.01.2020 10:04:03	1	1	1	1	103.5	55	0	27725.118	576.344086	15924.22472	30000	0	0	30000	35.125	2004
29.01.2020 10:04:04	1	1	1	1	103.5	55	0	27819.905	582.7956989	15924.22472	30000	0	0	30000	34.4375	2004
29.01.2020 10:04:05	1	1	1	1	103.5	54.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35	2004
29.01.2020 10:04:06	1	1	1	1	103.5	55	0	27867.299	576.344086	16120.72949	30000	0	0	30000	35.3125	2004
29.01.2020 10:04:07	1	1	1	1	103.5	55.25	0	27630.332	576.344086	16102.79129	30000	0	0	30000	35	2004
29.01.2020 10:04:08	1	1	1	1	103.5	55	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.0625	2004
29.01.2020 10:04:09	1	1	1	1	103.5	55	0	27867.299	576.344086	16061.20729	30000	0	0	30000	34.875	2004
29.01.2020 10:04:10	1	1	1	1	103.5	54.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	35.125	2004
29.01.2020 10:04:11	1	1	1	1	103.5	55	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	35.0625	2004
29.01.2020 10:04:12	1	1	1	1	103.5	55	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	35.25	2004
29.01.2020 10:04:13	1	1	1	1	103.5	55.25	0	27962.085	576.344086	16203.08211	30000	0	0	30000	34.6875	2004
29.01.2020 10:04:14	1	1	1	1	103.5	54.5	0	28009.479	576.344086	16263.41967	30000	0	0	30000	35.4375	2004
29.01.2020 10:04:15	1	1	1	1	103.8	55.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.9375	2004
29.01.2020 10:04:16	1	1	1	1	103.8	54.75	0	28009.479	574.1935484	15841.8721	30000	0	0	30000	34.6875	2004
29.01.2020 10:04:17	1	1	1	1	103.8	54.5	0	27962.085	576.344086	15907.91727	30000	0	0	30000	35.25	2004
29.01.2020 10:04:18	1	1	1	1	103.8	55.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.8125	2004
29.01.2020 10:04:19	1	1	1	1	103.8	54.75	0	28009.479	574.1935484	15848.39508	30000	0	0	30000	34.6875	2004
29.01.2020 10:04:20	1	1	1	1	103.8	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.8125	2004
29.01.2020 10:04:21	1	1	1	1	103.8	54.75	0	28199.052	576.344086	16022.06942	30000	0	0	30000	34.75	2004
29.01.2020 10:04:22	1	1	1	1	103.8	54.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	35.5625	2004
29.01.2020 10:04:23	1	1	1	1	103.8	55.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	34.8125	2004
29.01.2020 10:04:24	1	1	1	1	103.8	54.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	34.8125	2004
29.01.2020 10:04:25	1	1	1	1	103.8	54.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	35	2004
29.01.2020 10:04:26	1	1	1	1	103.8	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.3125	2004
29.01.2020 10:04:27	1	1	1	1	103.8	55.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.6875	2004
29.01.2020 10:04:28	1	1	1	1	103.8	54.5	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	34.4375	2004
29.01.2020 10:04:29	1	1	1	1	103.8	54.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.875	2004
29.01.2020 10:04:30	1	1	1	1	103.8	54.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	34.9375	2004
29.01.2020 10:04:31	1	1	1	1	103.8	54.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	35.125	2004
29.01.2020 10:04:32	1	1	1	1	103.8	55	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	35.375	2004
29.01.2020 10:04:33	1	1	1	1	103.8	55.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	35.0625	2004
29.01.2020 10:04:34	1	1	1	1	103.3	55	0	27914.692	567.7419355	15788.05751	30000	0	0	30000	35.1875	2004
29.01.2020 10:04:35	1	1	1	1	103.3	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.4375	2004
29.01.2020 10:04:36	1	1	1	1	103.3	55.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.125	2004
29.01.2020 10:04:38	1	1	1	1	103.3	55	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	35	2004
29.01.2020 10:04:39	1	1	1	1	103.3	55	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	35.0625	2004
29.01.2020 10:04:45	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.0625	2004
29.01.2020 10:04:45	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.0625	2004
29.01.2020 10:04:45	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.0625	2004
29.01.2020 10:04:45	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.0625	2004
29.01.2020 10:04:45	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.0625	2004
29.01.2020 10:04:45	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:04:46	1	1	1	1	103.8	55	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	35.125	2004
29.01.2020 10:04:47	1	1	1	1	103.8	55	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.4375	2004
29.01.2020 10:04:48	1	1	1	1	103.8	54.25	0	28009.479	574.1935484	16312.34202	30000	0	0	30000	34.75	2004
29.01.2020 10:04:49	1	1	1	1	103.8	54.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	34.9375	2004
29.01.2020 10:04:50	1	1	1	1	103.8	54.75	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	35.375	2004
29.01.2020 10:04:51	1	1	1	1	103.8	55.25	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	35.3125	2004
29.01.2020 10:04:52	1	1	1	1	103.8	55.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	35.5625	2004
29.01.2020 10:04:53	1	1	1	1	103.8	55.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.125	2004
29.01.2020 10:04:54	1	1	1	1	103.8	55	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	34.75	2004
29.01.2020 10:04:55	1	1	1	1	104	54.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	35.125	2004
29.01.2020 10:04:56	1	1	1	1	104	55	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	34.75	2004
29.01.2020 10:04:57	1	1	1	1	104	54.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	35.125	2004
29.01.2020 10:04:58	1	1	1	1	104	55	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	35.25	2004
29.01.2020 10:04:59	1	1	1	1	104	55.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	34.875	2004
29.01.2020 10:05:00	1	1	1	1	104	54.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	35.1875	2004
29.01.2020 10:05:01	1	1	1	1	104	55	0	27819.905	569.8924731	15734.24293	30000	0	0	30000	35.0625	2004
29.01.2020 10:05:02	1	1	1	1	104	55	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.1875	2004
29.01.2020 10:05:03	1	1	1	1	104	55	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	35.25	2004
29.01.2020 10:05:04	1	1	1	1	104	55.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	35.375	2004
29.01.2020 10:05:05	1	1	1	1	104	55.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.5	2004
29.01.2020 10:05:06	1	1	1	1	104	55.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.0625	2004
29.01.2020 10:05:07	1	1	1	1	104	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.1875	2004
29.01.2020 10:05:08	1	1	1	1	104	55	0	28009.479	576.344086	16082.40698	30000	0	0	30000	35.1875	2004
29.01.2020 10:05:09	1	1	1	1	104	55	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.375	2004
29.01.2020 10:05:10	1	1	1	1	104	55.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.5625	2004
29.01.2020 10:05:11	1	1	1	1	104	55	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.1875	2004
29.01.2020 10:05:12	1	1	1	1	104	55	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	35.0625	2004
29.01.2020 10:05:13	1	1	1	1	104	55	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	35.375	2004
29.01.2020 10:05:14	1	1	1	1	104	55.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35	2004
29.01.2020 10:05:15	1	1	1	1	104	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.25	2004
29.01.2020 10:05:17	1	1	1	1	104	55.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	35	2004
29.01.2020 10:05:18	1	1	1	1	104	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.375	2004
29.01.2020 10:05:19	1	1	1	1	104	55.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.25	2004
29.01.2020 10:05:20	1	1	1	1	104	55.25	0	27582.938	569.8924731	15897.31742	30000	0	0	30000	35.375	2004
29.01.2020 10:05:21	1	1	1	1	104	55.25	0	27725.118	580.6451613	15983.74691	30000	0	0	30000	34.9375	2004
29.01.2020 10:05:22	1	1	1	1	104	54.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	35.5	2004
29.01.2020 10:05:23	1	1	1	1	104	55.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.4375	2004
29.01.2020 10:05:24	1	1	1	1	104	55.25	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	35	2004
29.01.2020 10:05:25	1	1	1	1	104	55	0	27630.332	572.0430108	16043.2691	30000	0	0	30000	34.9375	2004
29.01.2020 10:05:26	1	1	1	1	104	54.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.25	2004
29.01.2020 10:05:27	1	1	1	1	104	55.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.625	2004
29.01.2020 10:05:28	1	1	1	1	104	55.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	34.875	2004
29.01.2020 10:05:29	1	1	1	1	104	54.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:05:30	1	1	1	1	104	54.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	35	2004
29.01.2020 10:05:31	1	1	1	1	104	55	0	27440.758	576.344086	15814.9648	30000	0	0	30000	35.4375	2004
29.01.2020 10:05:32	1	1	1	1	104	55.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	34.75	2004
29.01.2020 10:05:33	1	1	1	1	104	54.75	0	27867.299	580.6451613	16120.72949	30000	0	0	30000	35.5	2004
29.01.2020 10:05:34	1	1	1	1	104	55.5	0	27535.545	578.4946237	15756.25798	30000	0	0	30000	34.875	2004
29.01.2020 10:05:35	1	1	1	1	103.5	54.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	35.4375	2004
29.01.2020 10:05:36	1	1	1	1	103.5	55.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.0625	2004
29.01.2020 10:05:37	1	1	1	1	103.5	55	0	27914.692	576.344086	16148.45215	30000	0	0	30000	35.4375	2004
29.01.2020 10:05:38	1	1	1	1	103.5	55.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	35.3125	2004
29.01.2020 10:05:39	1	1	1	1	103.5	55.25	0	27867.299	569.8924731	15734.24293	30000	0	0	30000	35.4375	2004
29.01.2020 10:05:40	1	1	1	1	103.5	55.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:05:46	1	1	1	1	103.3	55.25	0	27914.692	574.1935484	15907.91727	30000	0	0	30000	34.875	2004
29.01.2020 10:05:46	1	1	1	1	103.3	55.25	0	27914.692	574.1935484	15907.91727	30000	0	0	30000	34.875	2004
29.01.2020 10:05:46	1	1	1	1	103.3	55.25	0	27914.692	574.1935484	15907.91727	30000	0	0	30000	34.875	2004
29.01.2020 10:05:46	1	1	1	1	103.3	55.25	0	27914.692	574.1935484	15907.91727	30000	0	0	30000	34.875	2004
29.01.2020 10:05:46	1	1	1	1	103.3	55.25	0	27914.692	574.1935484	15907.91727	30000	0	0	30000	34.875	2004
29.01.2020 10:05:46	1	1	1	1	103.3	55.25	0	27914.692	574.1935484	15907.91727	30000	0	0	30000	34.875	2004
29.01.2020 10:05:46	1	1	1	1	103.3	55.25	0	27914.692	574.1935484	15907.91727	30000	0	0	30000	34.875	2004
29.01.2020 10:05:47	1	1	1	1	103.3	54.75	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	35.25	2004
29.01.2020 10:05:48	1	1	1	1	103.3	55.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	35.125	2004
29.01.2020 10:05:49	1	1	1	1	103.3	55	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.6875	2004
29.01.2020 10:05:50	1	1	1	1	103.3	55.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.375	2004
29.01.2020 10:05:51	1	1	1	1	103.3	55.25	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	35.125	2004
29.01.2020 10:05:52	1	1	1	1	103.3	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.125	2004
29.01.2020 10:05:53	1	1	1	1	103.3	55	0	27867.299	574.1935484	15881.00997	30000	0	0	30000	35.625	2004
29.01.2020 10:05:54	1	1	1	1	103.8	55.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	35.625	2004
29.01.2020 10:05:55	1	1	1	1	103.8	55.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	35.4375	2004
29.01.2020 10:05:57	1	1	1	1	103.8	55.25	0	27867.299	572.0430108	16148.45215	30000	0	0	30000	35.4375	2004
29.01.2020 10:05:58	1	1	1	1	103.8	55.25	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	34.9375	2004
29.01.2020 10:05:59	1	1	1	1	103.8	54.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	35	2004
29.01.2020 10:06:00	1	1	1	1	103.8	55	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	35.25	2004
29.01.2020 10:06:01	1	1	1	1	103.8	55.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.5625	2004
29.01.2020 10:06:02	1	1	1	1	103.8	55.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	35.5625	2004
29.01.2020 10:06:03	1	1	1	1	103.8	55.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.375	2004
29.01.2020 10:06:04	1	1	1	1	103.8	55.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.6875	2004
29.01.2020 10:06:05	1	1	1	1	103.3	55.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.375	2004
29.01.2020 10:06:06	1	1	1	1	103.3	55.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.0625	2004
29.01.2020 10:06:07	1	1	1	1	103.3	55	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.1875	2004
29.01.2020 10:06:08	1	1	1	1	103.3	55	0	27867.299	565.5913978	16148.45215	30000	0	0	30000	35.5	2004
29.01.2020 10:06:09	1	1	1	1	103.3	55.5	0	27725.118	578.4946237	16033.48463	30000	0	0	30000	35.4375	2004
29.01.2020 10:06:10	1	1	1	1	103.3	55.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.6875	2004
29.01.2020 10:06:11	1	1	1	1	103.3	55.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.75	2004
29.01.2020 10:06:12	1	1	1	1	103.3	54.75	0	27819.905	576.344086	16006.57734	30000	0	0	30000	35.6875	2004
29.01.2020 10:06:13	1	1	1	1	103.3	55.5	0	27867.299	574.1935484	15881.00997	30000	0	0	30000	35.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:06:14	1	1	1	1	103.3	55.25	0	27962.085	576.344086	16115.83725	30000	0	0	30000	35.25	2004
29.01.2020 10:06:15	1	1	1	1	103.3	55.25	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	35.3125	2004
29.01.2020 10:06:16	1	1	1	1	103.3	55.25	0	27630.332	576.344086	15805.18033	30000	0	0	30000	35.25	2004
29.01.2020 10:06:17	1	1	1	1	103.3	55.25	0	27914.692	576.344086	16148.45215	30000	0	0	30000	35.4375	2004
29.01.2020 10:06:18	1	1	1	1	103.3	55.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	34.6875	2004
29.01.2020 10:06:19	1	1	1	1	103.3	54.5	0	27819.905	567.7419355	15794.58049	30000	0	0	30000	34.8125	2004
29.01.2020 10:06:20	1	1	1	1	103.3	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.5625	2004
29.01.2020 10:06:21	1	1	1	1	103.3	55.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.375	2004
29.01.2020 10:06:22	1	1	1	1	103.3	55.25	0	27725.118	567.7419355	15854.10268	30000	0	0	30000	35.3125	2004
29.01.2020 10:06:23	1	1	1	1	103.3	55.25	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	35.125	2004
29.01.2020 10:06:24	1	1	1	1	103.3	55	0	28009.479	567.7419355	15875.30237	30000	0	0	30000	35.375	2004
29.01.2020 10:06:25	1	1	1	1	103.3	55.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	35.4375	2004
29.01.2020 10:06:26	1	1	1	1	103.3	55.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	35.375	2004
29.01.2020 10:06:27	1	1	1	1	103.3	55.25	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	35.75	2004
29.01.2020 10:06:28	1	1	1	1	103.3	55.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.0625	2004
29.01.2020 10:06:29	1	1	1	1	103.3	56	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.875	2004
29.01.2020 10:06:30	1	1	1	1	103.3	54.5	0	28199.052	574.1935484	16070.17639	30000	0	0	30000	35.375	2004
29.01.2020 10:06:31	1	1	1	1	103.3	55.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	35.125	2004
29.01.2020 10:06:32	1	1	1	1	103.3	55	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	35.625	2004
29.01.2020 10:06:34	1	1	1	1	103.3	55.5	0	27867.299	565.5913978	15761.15022	30000	0	0	30000	35.4375	2004
29.01.2020 10:06:35	1	1	1	1	103.5	55.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	35.625	2004
29.01.2020 10:06:36	1	1	1	1	103.5	55.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.5625	2004
29.01.2020 10:06:37	1	1	1	1	103.5	55.5	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	35.5625	2004
29.01.2020 10:06:38	1	1	1	1	103.5	55.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	34.9375	2004
29.01.2020 10:06:39	1	1	1	1	103.5	54.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.375	2004
29.01.2020 10:06:40	1	1	1	1	103.5	55.25	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	35.4375	2004
29.01.2020 10:06:41	1	1	1	1	103.5	55.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.625	2004
29.01.2020 10:06:42	1	1	1	1	103.5	55.5	0	27962.085	567.7419355	16022.06942	30000	0	0	30000	35.3125	2004
29.01.2020 10:06:48	1	1	1	1	103.5	55.5	0	27630.332	572.0430108	15913.62487	30000	0	0	30000	35.625	2004
29.01.2020 10:06:48	1	1	1	1	103.5	55.5	0	27630.332	572.0430108	15913.62487	30000	0	0	30000	35.625	2004
29.01.2020 10:06:48	1	1	1	1	103.5	55.5	0	27630.332	572.0430108	15913.62487	30000	0	0	30000	35.625	2004
29.01.2020 10:06:48	1	1	1	1	103.5	55.5	0	27630.332	572.0430108	15913.62487	30000	0	0	30000	35.625	2004
29.01.2020 10:06:48	1	1	1	1	103.5	55.5	0	27630.332	572.0430108	15913.62487	30000	0	0	30000	35.625	2004
29.01.2020 10:06:48	1	1	1	1	103.5	55.5	0	27630.332	572.0430108	15913.62487	30000	0	0	30000	35.625	2004
29.01.2020 10:06:49	1	1	1	1	103.5	55.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	35.3125	2004
29.01.2020 10:06:50	1	1	1	1	103.5	55.25	0	28009.479	576.344086	16055.49969	30000	0	0	30000	35.1875	2004
29.01.2020 10:06:51	1	1	1	1	103.5	55	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	35.5625	2004
29.01.2020 10:06:52	1	1	1	1	103.5	55.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	35.5	2004
29.01.2020 10:06:53	1	1	1	1	103.5	55.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	35.3125	2004
29.01.2020 10:06:54	1	1	1	1	103.5	55.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.625	2004
29.01.2020 10:06:55	1	1	1	1	103.5	55.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.8125	2004
29.01.2020 10:06:56	1	1	1	1	103.5	54.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	35.6875	2004
29.01.2020 10:06:57	1	1	1	1	103.5	55.5	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	35.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:06:58	1	1	1	1	103.5	55.5	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	35.3125	2004
29.01.2020 10:06:59	1	1	1	1	103.5	55.25	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	35.5	2004
29.01.2020 10:07:00	1	1	1	1	103.5	55.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.6875	2004
29.01.2020 10:07:01	1	1	1	1	103.5	55.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.125	2004
29.01.2020 10:07:02	1	1	1	1	103.5	55	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.4375	2004
29.01.2020 10:07:03	1	1	1	1	103.5	55.25	0	27867.299	574.1935484	15854.10268	30000	0	0	30000	35.5	2004
29.01.2020 10:07:04	1	1	1	1	103.5	55.5	0	27867.299	574.1935484	16207.97434	30000	0	0	30000	35.4375	2004
29.01.2020 10:07:05	1	1	1	1	103.8	55.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	35.25	2004
29.01.2020 10:07:06	1	1	1	1	103.8	55.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	35.125	2004
29.01.2020 10:07:07	1	1	1	1	103.8	55	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	35.5	2004
29.01.2020 10:07:08	1	1	1	1	103.8	55.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.8125	2004
29.01.2020 10:07:09	1	1	1	1	103.8	54.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	35.5625	2004
29.01.2020 10:07:10	1	1	1	1	103.8	55.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.6875	2004
29.01.2020 10:07:11	1	1	1	1	103.8	55.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.3125	2004
29.01.2020 10:07:12	1	1	1	1	103.8	55.25	0	27630.332	565.5913978	15946.23977	30000	0	0	30000	35.375	2004
29.01.2020 10:07:14	1	1	1	1	103.8	55.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	35.25	2004
29.01.2020 10:07:15	1	1	1	1	104	55.25	0	27962.085	576.344086	16055.49969	30000	0	0	30000	35.8125	2004
29.01.2020 10:07:16	1	1	1	1	104	55.75	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	35.6875	2004
29.01.2020 10:07:17	1	1	1	1	104	55.5	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	35.75	2004
29.01.2020 10:07:18	1	1	1	1	104	55.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.6875	2004
29.01.2020 10:07:19	1	1	1	1	104	55.5	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	35.5625	2004
29.01.2020 10:07:20	1	1	1	1	104	55.5	0	27772.512	578.4946237	16097.89906	30000	0	0	30000	35.125	2004
29.01.2020 10:07:21	1	1	1	1	104	55	0	27630.332	572.0430108	16033.48463	30000	0	0	30000	35.875	2004
29.01.2020 10:07:22	1	1	1	1	104	55.75	0	27914.692	584.9462366	15854.10268	30000	0	0	30000	35.6875	2004
29.01.2020 10:07:23	1	1	1	1	104	55.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.1875	2004
29.01.2020 10:07:24	1	1	1	1	104	55	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	35.5625	2004
29.01.2020 10:07:25	1	1	1	1	104	55.5	0	27867.299	569.8924731	15794.58049	30000	0	0	30000	35.5	2004
29.01.2020 10:07:26	1	1	1	1	104	55.5	0	27962.085	576.344086	16055.49969	30000	0	0	30000	35.375	2004
29.01.2020 10:07:27	1	1	1	1	104	55.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	35.875	2004
29.01.2020 10:07:28	1	1	1	1	104	55.75	0	27914.692	574.1935484	16175.35944	30000	0	0	30000	35.5	2004
29.01.2020 10:07:29	1	1	1	1	104	55.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.25	2004
29.01.2020 10:07:30	1	1	1	1	104	55.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.6875	2004
29.01.2020 10:07:31	1	1	1	1	104	55.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	35.375	2004
29.01.2020 10:07:32	1	1	1	1	104	55.25	0	27630.332	567.7419355	15864.70252	30000	0	0	30000	35.5	2004
29.01.2020 10:07:33	1	1	1	1	104	55.5	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	35.75	2004
29.01.2020 10:07:34	1	1	1	1	104	55.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	35	2004
29.01.2020 10:07:35	1	1	1	1	103.8	55	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	35.375	2004
29.01.2020 10:07:36	1	1	1	1	103.8	55.25	0	28009.479	578.4946237	16312.34202	30000	0	0	30000	35.625	2004
29.01.2020 10:07:37	1	1	1	1	103.8	55.5	0	27867.299	567.7419355	15821.48778	30000	0	0	30000	35.125	2004
29.01.2020 10:07:38	1	1	1	1	103.8	55	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	35.75	2004
29.01.2020 10:07:39	1	1	1	1	103.8	55.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.0625	2004
29.01.2020 10:07:40	1	1	1	1	103.8	55	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	35.1875	2004
29.01.2020 10:07:41	1	1	1	1	103.8	55	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	36.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:07:42	1	1	1	1	103.8	56	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.9375	2004
29.01.2020 10:07:43	1	1	1	1	103.8	54.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.0625	2004
29.01.2020 10:07:50	1	1	1	1	103.8	55.5	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	35.9375	2004
29.01.2020 10:07:50	1	1	1	1	103.8	55.5	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	35.9375	2004
29.01.2020 10:07:50	1	1	1	1	103.8	55.5	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	35.9375	2004
29.01.2020 10:07:50	1	1	1	1	103.8	55.5	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	35.9375	2004
29.01.2020 10:07:50	1	1	1	1	103.8	55.5	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	35.9375	2004
29.01.2020 10:07:50	1	1	1	1	103.8	55.5	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	35.9375	2004
29.01.2020 10:07:50	1	1	1	1	103.8	55.75	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	35.375	2004
29.01.2020 10:07:52	1	1	1	1	103.8	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.1875	2004
29.01.2020 10:07:53	1	1	1	1	103.8	55	0	27914.692	567.7419355	16055.49969	30000	0	0	30000	34.875	2004
29.01.2020 10:07:54	1	1	1	1	103.8	54.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.875	2004
29.01.2020 10:07:55	1	1	1	1	103.3	54.75	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	35.625	2004
29.01.2020 10:07:56	1	1	1	1	103.3	55.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	35.8125	2004
29.01.2020 10:07:57	1	1	1	1	103.3	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.9375	2004
29.01.2020 10:07:58	1	1	1	1	103.3	55.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.625	2004
29.01.2020 10:07:59	1	1	1	1	103.3	55.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	35.6875	2004
29.01.2020 10:08:00	1	1	1	1	103.3	55.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	35.875	2004
29.01.2020 10:08:01	1	1	1	1	103.3	55.75	0	27819.905	574.1935484	15854.10268	30000	0	0	30000	35.75	2004
29.01.2020 10:08:02	1	1	1	1	103.3	55.75	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	35.375	2004
29.01.2020 10:08:03	1	1	1	1	103.3	55.25	0	27867.299	576.344086	16088.11459	30000	0	0	30000	35.75	2004
29.01.2020 10:08:04	1	1	1	1	103.3	55.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.625	2004
29.01.2020 10:08:05	1	1	1	1	103.5	55.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.9375	2004
29.01.2020 10:08:06	1	1	1	1	103.5	55.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	35.0625	2004
29.01.2020 10:08:07	1	1	1	1	103.5	55	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	35.8125	2004
29.01.2020 10:08:08	1	1	1	1	103.5	55.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	35.4375	2004
29.01.2020 10:08:09	1	1	1	1	103.5	55.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.875	2004
29.01.2020 10:08:10	1	1	1	1	103.5	55.75	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	34.9375	2004
29.01.2020 10:08:11	1	1	1	1	103.5	54.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	35.5	2004
29.01.2020 10:08:12	1	1	1	1	103.5	55.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.8125	2004
29.01.2020 10:08:13	1	1	1	1	103.5	55.75	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	35.25	2004
29.01.2020 10:08:14	1	1	1	1	103.5	55.25	0	27867.299	576.344086	16088.11459	30000	0	0	30000	35.75	2004
29.01.2020 10:08:15	1	1	1	1	103.3	55.75	0	27819.905	572.0430108	16120.72949	30000	0	0	30000	35.5	2004
29.01.2020 10:08:16	1	1	1	1	103.3	55.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	35.5	2004
29.01.2020 10:08:17	1	1	1	1	103.3	55.5	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	35.75	2004
29.01.2020 10:08:18	1	1	1	1	103.3	55.75	0	27914.692	576.344086	16061.20729	30000	0	0	30000	35.4375	2004
29.01.2020 10:08:19	1	1	1	1	103.3	55.25	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	35.3125	2004
29.01.2020 10:08:20	1	1	1	1	103.3	55.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	35.1875	2004
29.01.2020 10:08:21	1	1	1	1	103.3	55	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	35.6875	2004
29.01.2020 10:08:22	1	1	1	1	103.3	55.5	0	27962.085	576.344086	16115.83725	30000	0	0	30000	35.625	2004
29.01.2020 10:08:23	1	1	1	1	103.3	55.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.75	2004
29.01.2020 10:08:24	1	1	1	1	103.3	55.75	0	27725.118	569.8924731	15973.96244	30000	0	0	30000	35.5	2004
29.01.2020 10:08:25	1	1	1	1	103.8	55.5	0	27725.118	576.344086	15973.96244	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:08:26	1	1	1	1	103.8	55.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	35.8125	2004
29.01.2020 10:08:27	1	1	1	1	103.8	55.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.9375	2004
29.01.2020 10:08:28	1	1	1	1	103.8	55.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	35.8125	2004
29.01.2020 10:08:29	1	1	1	1	103.8	55.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.8125	2004
29.01.2020 10:08:31	1	1	1	1	103.8	55.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.0625	2004
29.01.2020 10:08:32	1	1	1	1	103.8	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.5	2004
29.01.2020 10:08:33	1	1	1	1	103.8	55.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.875	2004
29.01.2020 10:08:34	1	1	1	1	103.8	55.75	0	27819.905	576.344086	15919.33248	30000	0	0	30000	36.0625	2004
29.01.2020 10:08:35	1	1	1	1	103.3	56	0	27867.299	574.1935484	16055.49969	30000	0	0	30000	35.375	2004
29.01.2020 10:08:36	1	1	1	1	103.3	55.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.8125	2004
29.01.2020 10:08:37	1	1	1	1	103.3	55.75	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	35.625	2004
29.01.2020 10:08:38	1	1	1	1	103.3	55.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.625	2004
29.01.2020 10:08:39	1	1	1	1	103.3	55.5	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	35.625	2004
29.01.2020 10:08:40	1	1	1	1	103.3	55.5	0	27867.299	576.344086	16027.77702	30000	0	0	30000	35.6875	2004
29.01.2020 10:08:41	1	1	1	1	103.3	55.5	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	35.6875	2004
29.01.2020 10:08:42	1	1	1	1	103.3	55.5	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	35.6875	2004
29.01.2020 10:08:43	1	1	1	1	103.3	55.5	0	27819.905	569.8924731	16061.20729	30000	0	0	30000	35.9375	2004
29.01.2020 10:08:44	1	1	1	1	103.3	55.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	35.75	2004
29.01.2020 10:08:45	1	1	1	1	104	55.75	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	35.4375	2004
29.01.2020 10:08:51	1	1	1	1	104	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.75	2004
29.01.2020 10:08:51	1	1	1	1	104	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.75	2004
29.01.2020 10:08:51	1	1	1	1	104	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.75	2004
29.01.2020 10:08:51	1	1	1	1	104	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.75	2004
29.01.2020 10:08:51	1	1	1	1	104	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.75	2004
29.01.2020 10:08:51	1	1	1	1	104	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.75	2004
29.01.2020 10:08:51	1	1	1	1	104	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.75	2004
29.01.2020 10:08:52	1	1	1	1	104	55.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	36.125	2004
29.01.2020 10:08:53	1	1	1	1	104	56	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	35.9375	2004
29.01.2020 10:08:54	1	1	1	1	104	55.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.4375	2004
29.01.2020 10:08:55	1	1	1	1	103.8	55.25	0	27867.299	569.8924731	15821.48778	30000	0	0	30000	35.875	2004
29.01.2020 10:08:56	1	1	1	1	103.8	55.75	0	27819.905	567.7419355	16000.86973	30000	0	0	30000	35.875	2004
29.01.2020 10:08:57	1	1	1	1	103.8	55.75	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	35.375	2004
29.01.2020 10:08:58	1	1	1	1	103.8	55.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.8125	2004
29.01.2020 10:08:59	1	1	1	1	103.8	55.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	35.4375	2004
29.01.2020 10:09:00	1	1	1	1	103.8	55.25	0	27772.512	576.344086	15627.42913	30000	0	0	30000	35.8125	2004
29.01.2020 10:09:01	1	1	1	1	103.8	55.75	0	27914.692	576.344086	16088.11459	30000	0	0	30000	36.0625	2004
29.01.2020 10:09:02	1	1	1	1	103.8	56	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	35.5	2004
29.01.2020 10:09:03	1	1	1	1	103.8	55.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:04	1	1	1	1	103.8	55.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.3125	2004
29.01.2020 10:09:05	1	1	1	1	103.3	55.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.0625	2004
29.01.2020 10:09:06	1	1	1	1	103.3	56	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	36.4375	2004
29.01.2020 10:09:07	1	1	1	1	103.3	56.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.75	2004
29.01.2020 10:09:08	1	1	1	1	103.3	55.75	0	27914.692	576.344086	16000.86973	30000	0	0	30000	36.125	2004
29.01.2020 10:09:09	1	1	1	1	103.3	55.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	35.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:09:10	1	1	1	1	103.3	55.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	35.6875	2004
29.01.2020 10:09:11	1	1	1	1	103.3	55.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	36.0625	2004
29.01.2020 10:09:13	1	1	1	1	103.3	56	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	35.9375	2004
29.01.2020 10:09:14	1	1	1	1	103.3	55.75	0	27819.905	574.1935484	15859.81029	30000	0	0	30000	34.8125	2004
29.01.2020 10:09:15	1	1	1	1	103.8	54.75	0	27772.512	572.0430108	15745.65814	30000	0	0	30000	35.1875	2004
29.01.2020 10:09:16	1	1	1	1	103.8	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36	2004
29.01.2020 10:09:17	1	1	1	1	103.8	56	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	35.1875	2004
29.01.2020 10:09:18	1	1	1	1	103.8	55	0	27914.692	576.344086	16088.11459	30000	0	0	30000	35.9375	2004
29.01.2020 10:09:19	1	1	1	1	103.8	55.75	0	27914.692	578.4946237	16088.11459	30000	0	0	30000	35.875	2004
29.01.2020 10:09:20	1	1	1	1	103.8	55.75	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	36.0625	2004
29.01.2020 10:09:21	1	1	1	1	103.8	56	0	27819.905	569.8924731	15881.00997	30000	0	0	30000	35.9375	2004
29.01.2020 10:09:22	1	1	1	1	103.8	55.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	35.375	2004
29.01.2020 10:09:23	1	1	1	1	103.8	55.25	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	35.8125	2004
29.01.2020 10:09:24	1	1	1	1	103.8	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:25	1	1	1	1	103.8	55.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	36.125	2004
29.01.2020 10:09:26	1	1	1	1	103.8	56	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.9375	2004
29.01.2020 10:09:27	1	1	1	1	103.8	55.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	35.4375	2004
29.01.2020 10:09:28	1	1	1	1	103.8	55.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:29	1	1	1	1	103.8	55.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:30	1	1	1	1	103.8	55.5	0	27725.118	567.7419355	16000.86973	30000	0	0	30000	36.0625	2004
29.01.2020 10:09:31	1	1	1	1	103.8	56	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36	2004
29.01.2020 10:09:32	1	1	1	1	103.8	56	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	36.0625	2004
29.01.2020 10:09:33	1	1	1	1	103.8	56	0	27630.332	572.0430108	15854.10268	30000	0	0	30000	35.875	2004
29.01.2020 10:09:34	1	1	1	1	103.8	55.75	0	27819.905	567.7419355	16000.86973	30000	0	0	30000	35.875	2004
29.01.2020 10:09:35	1	1	1	1	103.8	55.75	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	35.875	2004
29.01.2020 10:09:36	1	1	1	1	103.8	55.75	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	35.6875	2004
29.01.2020 10:09:37	1	1	1	1	103.8	55.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.75	2004
29.01.2020 10:09:38	1	1	1	1	103.8	55.75	0	27962.085	576.344086	15907.91727	30000	0	0	30000	36	2004
29.01.2020 10:09:39	1	1	1	1	103.8	56	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.5	2004
29.01.2020 10:09:40	1	1	1	1	103.8	55.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:41	1	1	1	1	103.8	55.5	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	35.8125	2004
29.01.2020 10:09:42	1	1	1	1	103.8	55.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.8125	2004
29.01.2020 10:09:43	1	1	1	1	103.8	55.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.9375	2004
29.01.2020 10:09:44	1	1	1	1	103.8	55.75	0	27630.332	565.5913978	15800.2881	30000	0	0	30000	35.75	2004
29.01.2020 10:09:45	1	1	1	1	103.5	55.75	0	27914.692	572.0430108	15701.62803	30000	0	0	30000	36.0625	2004
29.01.2020 10:09:46	1	1	1	1	103.5	56	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	35.375	2004
29.01.2020 10:09:53	1	1	1	1	103.5	55.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:53	1	1	1	1	103.5	55.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:53	1	1	1	1	103.5	55.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:53	1	1	1	1	103.5	55.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:53	1	1	1	1	103.5	55.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:53	1	1	1	1	103.5	55.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	35.5625	2004
29.01.2020 10:09:54	1	1	1	1	103.5	55.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:09:55	1	1	1	1	103.3	55.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.875	2004
29.01.2020 10:09:56	1	1	1	1	103.3	55.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	36.125	2004
29.01.2020 10:09:57	1	1	1	1	103.3	56	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	35.8125	2004
29.01.2020 10:09:58	1	1	1	1	103.3	55.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	35.875	2004
29.01.2020 10:09:59	1	1	1	1	103.3	55.75	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	36.0625	2004
29.01.2020 10:10:00	1	1	1	1	103.3	56	0	27819.905	567.7419355	15794.58049	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:01	1	1	1	1	103.3	55.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	35.3125	2004
29.01.2020 10:10:02	1	1	1	1	103.3	55.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	36.3125	2004
29.01.2020 10:10:03	1	1	1	1	103.3	56.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	35.75	2004
29.01.2020 10:10:04	1	1	1	1	103.3	55.75	0	27867.299	567.7419355	16027.77702	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:05	1	1	1	1	103.3	55.75	0	27819.905	572.0430108	15800.2881	30000	0	0	30000	36.0625	2004
29.01.2020 10:10:06	1	1	1	1	103.3	56	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	35.875	2004
29.01.2020 10:10:07	1	1	1	1	103.3	55.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	35.875	2004
29.01.2020 10:10:08	1	1	1	1	103.3	55.75	0	27819.905	572.0430108	15941.34754	30000	0	0	30000	36.125	2004
29.01.2020 10:10:09	1	1	1	1	103.3	56	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	36.0625	2004
29.01.2020 10:10:10	1	1	1	1	103.3	56	0	28199.052	576.344086	16252.00446	30000	0	0	30000	36.1875	2004
29.01.2020 10:10:11	1	1	1	1	103.3	56	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	36.125	2004
29.01.2020 10:10:12	1	1	1	1	103.3	56	0	27867.299	569.8924731	15794.58049	30000	0	0	30000	36.25	2004
29.01.2020 10:10:13	1	1	1	1	103.3	56.25	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	36.1875	2004
29.01.2020 10:10:14	1	1	1	1	103.3	56	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.5625	2004
29.01.2020 10:10:15	1	1	1	1	103.5	55.5	0	27772.512	565.5913978	15854.10268	30000	0	0	30000	36.125	2004
29.01.2020 10:10:16	1	1	1	1	103.5	56	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.25	2004
29.01.2020 10:10:17	1	1	1	1	103.5	56.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	35.875	2004
29.01.2020 10:10:18	1	1	1	1	103.5	55.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	35.9375	2004
29.01.2020 10:10:19	1	1	1	1	103.5	55.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:20	1	1	1	1	103.5	55.75	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:21	1	1	1	1	103.5	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.1875	2004
29.01.2020 10:10:22	1	1	1	1	103.5	56	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	36.1875	2004
29.01.2020 10:10:23	1	1	1	1	103.5	56	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	36	2004
29.01.2020 10:10:24	1	1	1	1	103.5	56	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	35.9375	2004
29.01.2020 10:10:25	1	1	1	1	103.8	55.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	35.9375	2004
29.01.2020 10:10:26	1	1	1	1	103.8	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.5	2004
29.01.2020 10:10:27	1	1	1	1	103.8	55.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	35.9375	2004
29.01.2020 10:10:28	1	1	1	1	103.8	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.9375	2004
29.01.2020 10:10:29	1	1	1	1	103.8	55.75	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	35.9375	2004
29.01.2020 10:10:30	1	1	1	1	103.8	55.75	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	36.0625	2004
29.01.2020 10:10:31	1	1	1	1	103.8	55.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	35.6875	2004
29.01.2020 10:10:33	1	1	1	1	103.8	55.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.1875	2004
29.01.2020 10:10:34	1	1	1	1	103.8	56	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36	2004
29.01.2020 10:10:35	1	1	1	1	103.5	56	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	35.625	2004
29.01.2020 10:10:36	1	1	1	1	103.5	55.5	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	35.875	2004
29.01.2020 10:10:37	1	1	1	1	103.5	55.75	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	36.0625	2004
29.01.2020 10:10:38	1	1	1	1	103.5	56	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	35.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:10:39	1	1	1	1	103.5	55.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	36.25	2004
29.01.2020 10:10:40	1	1	1	1	103.5	56.25	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	36	2004
29.01.2020 10:10:41	1	1	1	1	103.5	56	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.25	2004
29.01.2020 10:10:42	1	1	1	1	103.5	56.25	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:43	1	1	1	1	103.5	55.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.0625	2004
29.01.2020 10:10:44	1	1	1	1	103.5	56	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	35.875	2004
29.01.2020 10:10:45	1	1	1	1	103.8	55.75	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	35.6875	2004
29.01.2020 10:10:46	1	1	1	1	103.8	55.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	35.75	2004
29.01.2020 10:10:47	1	1	1	1	103.8	55.75	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	36.125	2004
29.01.2020 10:10:48	1	1	1	1	103.8	56	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	35.875	2004
29.01.2020 10:10:54	1	1	1	1	103.8	55.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:54	1	1	1	1	103.8	55.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:54	1	1	1	1	103.8	55.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:54	1	1	1	1	103.8	55.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:54	1	1	1	1	103.8	55.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:54	1	1	1	1	103.8	55.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	35.8125	2004
29.01.2020 10:10:55	1	1	1	1	103.5	55.75	0	27630.332	569.8924731	15854.10268	30000	0	0	30000	35.75	2004
29.01.2020 10:10:56	1	1	1	1	103.5	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36	2004
29.01.2020 10:10:57	1	1	1	1	103.5	56	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	36.0625	2004
29.01.2020 10:10:58	1	1	1	1	103.5	56	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	36.375	2004
29.01.2020 10:10:59	1	1	1	1	103.5	56.25	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	35.25	2004
29.01.2020 10:11:00	1	1	1	1	103.5	55.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	36.125	2004
29.01.2020 10:11:01	1	1	1	1	103.5	56	0	28009.479	576.344086	16115.83725	30000	0	0	30000	36.25	2004
29.01.2020 10:11:02	1	1	1	1	103.5	56.25	0	27914.692	576.344086	16027.77702	30000	0	0	30000	36.125	2004
29.01.2020 10:11:03	1	1	1	1	103.5	56	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.125	2004
29.01.2020 10:11:04	1	1	1	1	103.5	56	0	27630.332	576.344086	16093.00682	30000	0	0	30000	35.9375	2004
29.01.2020 10:11:05	1	1	1	1	103.5	55.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	36.75	2004
29.01.2020 10:11:06	1	1	1	1	103.5	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.4375	2004
29.01.2020 10:11:07	1	1	1	1	103.5	56.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.8125	2004
29.01.2020 10:11:08	1	1	1	1	103.5	55.75	0	27962.085	576.344086	16027.77702	30000	0	0	30000	36.5625	2004
29.01.2020 10:11:09	1	1	1	1	103.5	55.75	0	27725.118	576.344086	16033.48463	30000	0	0	30000	36.125	2004
29.01.2020 10:11:11	1	1	1	1	103.5	56	0	27630.332	567.7419355	15924.22472	30000	0	0	30000	35.625	2004
29.01.2020 10:11:12	1	1	1	1	103.5	55.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.4375	2004
29.01.2020 10:11:13	1	1	1	1	103.5	55.25	0	27914.692	574.1935484	16115.83725	30000	0	0	30000	35.9375	2004
29.01.2020 10:11:14	1	1	1	1	103.5	55.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	35.5	2004
29.01.2020 10:11:15	1	1	1	1	103.5	55.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	36.0625	2004
29.01.2020 10:11:16	1	1	1	1	103.5	56	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.25	2004
29.01.2020 10:11:17	1	1	1	1	103.5	55.25	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	35.8125	2004
29.01.2020 10:11:18	1	1	1	1	103.5	55.75	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	36.3125	2004
29.01.2020 10:11:19	1	1	1	1	103.5	56.25	0	28009.479	578.4946237	16203.08211	30000	0	0	30000	36.0625	2004
29.01.2020 10:11:20	1	1	1	1	103.5	56	0	27772.512	569.8924731	15973.96244	30000	0	0	30000	35.125	2004
29.01.2020 10:11:21	1	1	1	1	103.5	55	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	36	2004
29.01.2020 10:11:22	1	1	1	1	103.5	56	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:11:23	1	1	1	1	103.5	55.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	36.3125	2004
29.01.2020 10:11:24	1	1	1	1	103.5	56.25	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	36.4375	2004
29.01.2020 10:11:25	1	1	1	1	103.5	56.25	0	28009.479	576.344086	15961.73185	30000	0	0	30000	36.375	2004
29.01.2020 10:11:26	1	1	1	1	103.5	56.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	36	2004
29.01.2020 10:11:27	1	1	1	1	103.5	56	0	27772.512	569.8924731	15973.96244	30000	0	0	30000	36.125	2004
29.01.2020 10:11:28	1	1	1	1	103.5	56	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.25	2004
29.01.2020 10:11:29	1	1	1	1	103.5	56.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	35.9375	2004
29.01.2020 10:11:30	1	1	1	1	103.5	55.75	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	36.25	2004
29.01.2020 10:11:31	1	1	1	1	103.5	56.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	36.1875	2004
29.01.2020 10:11:32	1	1	1	1	103.5	56	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	36.4375	2004
29.01.2020 10:11:33	1	1	1	1	103.5	56.25	0	28009.479	567.7419355	15781.53453	30000	0	0	30000	35.9375	2004
29.01.2020 10:11:34	1	1	1	1	103.5	55.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	36.25	2004
29.01.2020 10:11:35	1	1	1	1	104	56.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	36.25	2004
29.01.2020 10:11:36	1	1	1	1	104	56.25	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	36.3125	2004
29.01.2020 10:11:37	1	1	1	1	104	56.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.3125	2004
29.01.2020 10:11:38	1	1	1	1	104	56.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	35.5625	2004
29.01.2020 10:11:39	1	1	1	1	104	55.5	0	28199.052	567.7419355	15721.19697	30000	0	0	30000	36.4375	2004
29.01.2020 10:11:40	1	1	1	1	104	56.25	0	27819.905	567.7419355	15794.58049	30000	0	0	30000	36.0625	2004
29.01.2020 10:11:41	1	1	1	1	104	56	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	36.375	2004
29.01.2020 10:11:42	1	1	1	1	104	56.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	36.1875	2004
29.01.2020 10:11:43	1	1	1	1	104	56	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.375	2004
29.01.2020 10:11:44	1	1	1	1	104	56.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	35.75	2004
29.01.2020 10:11:45	1	1	1	1	104	55.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	36.3125	2004
29.01.2020 10:11:46	1	1	1	1	104	56.25	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	35.1875	2004
29.01.2020 10:11:47	1	1	1	1	104	55	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	36.25	2004
29.01.2020 10:11:48	1	1	1	1	104	56.25	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	36.125	2004
29.01.2020 10:11:50	1	1	1	1	104	56	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	36.375	2004
29.01.2020 10:11:56	1	1	1	1	104	56.5	0	28009.479	565.5913978	16252.00446	30000	0	0	30000	36.375	2004
29.01.2020 10:11:56	1	1	1	1	104	56.5	0	28009.479	565.5913978	16252.00446	30000	0	0	30000	36.375	2004
29.01.2020 10:11:56	1	1	1	1	104	56.5	0	28009.479	565.5913978	16252.00446	30000	0	0	30000	36.375	2004
29.01.2020 10:11:56	1	1	1	1	104	56.5	0	28009.479	565.5913978	16252.00446	30000	0	0	30000	36.375	2004
29.01.2020 10:11:56	1	1	1	1	104	56.5	0	28009.479	565.5913978	16252.00446	30000	0	0	30000	36.375	2004
29.01.2020 10:11:56	1	1	1	1	104	56.5	0	28009.479	565.5913978	16252.00446	30000	0	0	30000	36.375	2004
29.01.2020 10:11:57	1	1	1	1	104	56.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	36.5	2004
29.01.2020 10:11:58	1	1	1	1	104	56.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	36.0625	2004
29.01.2020 10:11:59	1	1	1	1	104	56	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	36.4375	2004
29.01.2020 10:12:00	1	1	1	1	104	56.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	36.4375	2004
29.01.2020 10:12:01	1	1	1	1	104	56.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.3125	2004
29.01.2020 10:12:02	1	1	1	1	104	56.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.125	2004
29.01.2020 10:12:03	1	1	1	1	104	56	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	35.8125	2004
29.01.2020 10:12:04	1	1	1	1	104	55.75	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	36.1875	2004
29.01.2020 10:12:05	1	1	1	1	104	56	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	36.4375	2004
29.01.2020 10:12:06	1	1	1	1	104	56.25	0	27819.905	565.5913978	15941.34754	30000	0	0	30000	36.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:12:07	1	1	1	1	104	56.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.0625	2004
29.01.2020 10:12:08	1	1	1	1	104	56	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	36.0625	2004
29.01.2020 10:12:09	1	1	1	1	104	56	0	27914.692	567.7419355	15881.00997	30000	0	0	30000	36.25	2004
29.01.2020 10:12:10	1	1	1	1	104	56.25	0	28199.052	578.4946237	16130.51396	30000	0	0	30000	36.1875	2004
29.01.2020 10:12:11	1	1	1	1	104	56	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	36	2004
29.01.2020 10:12:12	1	1	1	1	104	56	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	35.8125	2004
29.01.2020 10:12:13	1	1	1	1	104	55.75	0	27867.299	567.7419355	15495.33879	30000	0	0	30000	36.25	2004
29.01.2020 10:12:14	1	1	1	1	104	56.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	36.375	2004
29.01.2020 10:12:15	1	1	1	1	103.8	56.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	36.4375	2004
29.01.2020 10:12:16	1	1	1	1	103.8	56.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.375	2004
29.01.2020 10:12:17	1	1	1	1	103.8	56.25	0	28009.479	572.0430108	16203.08211	30000	0	0	30000	36.25	2004
29.01.2020 10:12:18	1	1	1	1	103.8	56.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.8125	2004
29.01.2020 10:12:19	1	1	1	1	103.8	55.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	36.5625	2004
29.01.2020 10:12:20	1	1	1	1	103.8	56.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.3125	2004
29.01.2020 10:12:21	1	1	1	1	103.8	56.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	36.375	2004
29.01.2020 10:12:22	1	1	1	1	103.8	56.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	36.6875	2004
29.01.2020 10:12:23	1	1	1	1	103.8	56.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.1875	2004
29.01.2020 10:12:24	1	1	1	1	103.8	56	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.5	2004
29.01.2020 10:12:26	1	1	1	1	104.5	56.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.75	2004
29.01.2020 10:12:27	1	1	1	1	104.5	56	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.625	2004
29.01.2020 10:12:28	1	1	1	1	104.5	56.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.1875	2004
29.01.2020 10:12:29	1	1	1	1	104.5	56	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	36.375	2004
29.01.2020 10:12:30	1	1	1	1	104.5	56.25	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	36.375	2004
29.01.2020 10:12:31	1	1	1	1	104.5	56.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	36.4375	2004
29.01.2020 10:12:32	1	1	1	1	104.5	56.25	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	36.0625	2004
29.01.2020 10:12:33	1	1	1	1	104.5	56	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	36.125	2004
29.01.2020 10:12:34	1	1	1	1	104.5	56	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.4375	2004
29.01.2020 10:12:35	1	1	1	1	104.5	56.25	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	36.375	2004
29.01.2020 10:12:36	1	1	1	1	104.5	56.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	36.5	2004
29.01.2020 10:12:37	1	1	1	1	104.5	56.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.1875	2004
29.01.2020 10:12:38	1	1	1	1	104.5	56	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.5625	2004
29.01.2020 10:12:39	1	1	1	1	104.5	56.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.4375	2004
29.01.2020 10:12:40	1	1	1	1	104.5	56.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.0625	2004
29.01.2020 10:12:41	1	1	1	1	104.5	56	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	36.125	2004
29.01.2020 10:12:42	1	1	1	1	104.5	56	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.75	2004
29.01.2020 10:12:43	1	1	1	1	104.5	56.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	36.0625	2004
29.01.2020 10:12:44	1	1	1	1	104.5	56	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	36.375	2004
29.01.2020 10:12:45	1	1	1	1	104.5	56.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	36.5	2004
29.01.2020 10:12:46	1	1	1	1	104.5	56.5	0	28009.479	569.8924731	16312.34202	30000	0	0	30000	36.3125	2004
29.01.2020 10:12:47	1	1	1	1	104.5	56.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.8125	2004
29.01.2020 10:12:48	1	1	1	1	104.5	55.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.4375	2004
29.01.2020 10:12:49	1	1	1	1	104.5	56.25	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	36.1875	2004
29.01.2020 10:12:50	1	1	1	1	104.5	56	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	36.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:12:51	1	1	1	1	104.5	56	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	36.25	2004
29.01.2020 10:12:57	1	1	1	1	104.8	56	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	36.5625	2004
29.01.2020 10:12:57	1	1	1	1	104.8	56	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	36.5625	2004
29.01.2020 10:12:57	1	1	1	1	104.8	56	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	36.5625	2004
29.01.2020 10:12:57	1	1	1	1	104.8	56	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	36.5625	2004
29.01.2020 10:12:57	1	1	1	1	104.8	56	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	36.5625	2004
29.01.2020 10:12:57	1	1	1	1	104.8	56	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	36.5625	2004
29.01.2020 10:12:58	1	1	1	1	104.8	56.5	0	27962.085	576.344086	16115.83725	30000	0	0	30000	36.25	2004
29.01.2020 10:12:59	1	1	1	1	104.8	56.25	0	27867.299	567.7419355	16027.77702	30000	0	0	30000	36.25	2004
29.01.2020 10:13:00	1	1	1	1	104.8	56.25	0	27914.692	576.344086	16181.06705	30000	0	0	30000	36.8125	2004
29.01.2020 10:13:01	1	1	1	1	104.8	56.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	36.5625	2004
29.01.2020 10:13:02	1	1	1	1	104.8	56.5	0	27867.299	574.1935484	16207.97434	30000	0	0	30000	36.9375	2004
29.01.2020 10:13:03	1	1	1	1	104.8	56.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	36.8125	2004
29.01.2020 10:13:05	1	1	1	1	104.8	56.75	0	27819.905	572.0430108	15886.71758	30000	0	0	30000	36.5	2004
29.01.2020 10:13:06	1	1	1	1	105	56	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.125	2004
29.01.2020 10:13:07	1	1	1	1	105	56	0	27914.692	578.4946237	16000.86973	30000	0	0	30000	36.3125	2004
29.01.2020 10:13:08	1	1	1	1	105	56.25	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	36.25	2004
29.01.2020 10:13:09	1	1	1	1	105	56.25	0	27819.905	574.1935484	15805.18033	30000	0	0	30000	36.3125	2004
29.01.2020 10:13:10	1	1	1	1	105	56.25	0	27867.299	567.7419355	16000.86973	30000	0	0	30000	36.5	2004
29.01.2020 10:13:11	1	1	1	1	105	56.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	36.3125	2004
29.01.2020 10:13:12	1	1	1	1	105	56.25	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	36.4375	2004
29.01.2020 10:13:13	1	1	1	1	105	56.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	36.25	2004
29.01.2020 10:13:14	1	1	1	1	105	56.25	0	28009.479	574.1935484	16203.08211	30000	0	0	30000	36.75	2004
29.01.2020 10:13:15	1	1	1	1	105.3	56.75	0	27962.085	576.344086	16027.77702	30000	0	0	30000	36.375	2004
29.01.2020 10:13:16	1	1	1	1	105.3	56.25	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	36.8125	2004
29.01.2020 10:13:17	1	1	1	1	105.3	56.75	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	36.375	2004
29.01.2020 10:13:18	1	1	1	1	105.3	56.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.3125	2004
29.01.2020 10:13:19	1	1	1	1	105.3	56.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	36.6875	2004
29.01.2020 10:13:20	1	1	1	1	105.3	56.5	0	28151.659	572.0430108	16191.66689	30000	0	0	30000	36.5625	2004
29.01.2020 10:13:21	1	1	1	1	105.3	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.5	2004
29.01.2020 10:13:22	1	1	1	1	105.3	56.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	35.875	2004
29.01.2020 10:13:23	1	1	1	1	105.3	55.75	0	27914.692	574.1935484	16148.45215	30000	0	0	30000	36.25	2004
29.01.2020 10:13:24	1	1	1	1	105.3	56.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.3125	2004
29.01.2020 10:13:25	1	1	1	1	105	56.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.25	2004
29.01.2020 10:13:26	1	1	1	1	105	56.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	36.5625	2004
29.01.2020 10:13:27	1	1	1	1	105	56.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.25	2004
29.01.2020 10:13:28	1	1	1	1	105	56.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	36.5625	2004
29.01.2020 10:13:29	1	1	1	1	105	56.5	0	27914.692	580.6451613	15913.62487	30000	0	0	30000	36.1875	2004
29.01.2020 10:13:30	1	1	1	1	105	56	0	27867.299	569.8924731	16088.11459	30000	0	0	30000	36.5	2004
29.01.2020 10:13:31	1	1	1	1	105	56.5	0	28009.479	576.344086	16055.49969	30000	0	0	30000	36.5625	2004
29.01.2020 10:13:32	1	1	1	1	105	56.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	36.4375	2004
29.01.2020 10:13:33	1	1	1	1	105	56.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.3125	2004
29.01.2020 10:13:34	1	1	1	1	105	56.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:13:35	1	1	1	1	105	56.5	0	27867.299	576.344086	16120.72949	30000	0	0	30000	35.875	2004
29.01.2020 10:13:36	1	1	1	1	105	55.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.4375	2004
29.01.2020 10:13:37	1	1	1	1	105	56.25	0	27867.299	576.344086	15913.62487	30000	0	0	30000	36.375	2004
29.01.2020 10:13:38	1	1	1	1	105	56.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	36.5	2004
29.01.2020 10:13:39	1	1	1	1	105	56.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.25	2004
29.01.2020 10:13:40	1	1	1	1	105	56.25	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	36.125	2004
29.01.2020 10:13:41	1	1	1	1	105	56	0	27630.332	569.8924731	16006.57734	30000	0	0	30000	36.125	2004
29.01.2020 10:13:43	1	1	1	1	105	56	0	27962.085	576.344086	16088.11459	30000	0	0	30000	36.75	2004
29.01.2020 10:13:44	1	1	1	1	105	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.5625	2004
29.01.2020 10:13:45	1	1	1	1	105.3	55.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	36.5625	2004
29.01.2020 10:13:46	1	1	1	1	105.3	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.4375	2004
29.01.2020 10:13:47	1	1	1	1	105.3	56.25	0	27962.085	576.344086	16115.83725	30000	0	0	30000	35.6875	2004
29.01.2020 10:13:48	1	1	1	1	105.3	55.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.8125	2004
29.01.2020 10:13:49	1	1	1	1	105.3	56.75	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	36.125	2004
29.01.2020 10:13:50	1	1	1	1	105.3	56	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	36.0625	2004
29.01.2020 10:13:51	1	1	1	1	105.3	56	0	27914.692	576.344086	16148.45215	30000	0	0	30000	36.6875	2004
29.01.2020 10:13:52	1	1	1	1	105.3	56.5	0	27772.512	576.344086	15913.62487	30000	0	0	30000	36.375	2004
29.01.2020 10:13:53	1	1	1	1	105.3	56.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.9375	2004
29.01.2020 10:13:59	1	1	1	1	105.8	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.4375	2004
29.01.2020 10:13:59	1	1	1	1	105.8	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.4375	2004
29.01.2020 10:13:59	1	1	1	1	105.8	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.4375	2004
29.01.2020 10:13:59	1	1	1	1	105.8	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.4375	2004
29.01.2020 10:13:59	1	1	1	1	105.8	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.4375	2004
29.01.2020 10:14:00	1	1	1	1	105.8	56.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.375	2004
29.01.2020 10:14:01	1	1	1	1	105.8	56.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	36.4375	2004
29.01.2020 10:14:02	1	1	1	1	105.8	56.25	0	27772.512	576.344086	15924.22472	30000	0	0	30000	36.375	2004
29.01.2020 10:14:03	1	1	1	1	105.8	56.25	0	27630.332	582.7956989	16212.86658	30000	0	0	30000	36.625	2004
29.01.2020 10:14:04	1	1	1	1	105.8	56.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.375	2004
29.01.2020 10:14:05	1	1	1	1	106	56.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	36.6875	2004
29.01.2020 10:14:06	1	1	1	1	106	56.5	0	27440.758	576.344086	16075.06863	30000	0	0	30000	36.375	2004
29.01.2020 10:14:07	1	1	1	1	106	56.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	36.4375	2004
29.01.2020 10:14:08	1	1	1	1	106	56.25	0	27582.938	582.7956989	16015.54644	30000	0	0	30000	36.5625	2004
29.01.2020 10:14:09	1	1	1	1	106	56.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	36.4375	2004
29.01.2020 10:14:10	1	1	1	1	106	56.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	36.4375	2004
29.01.2020 10:14:11	1	1	1	1	106	56.25	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	36.6875	2004
29.01.2020 10:14:12	1	1	1	1	106	56.5	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	36.3125	2004
29.01.2020 10:14:13	1	1	1	1	106	56.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	35.6875	2004
29.01.2020 10:14:14	1	1	1	1	106	55.5	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	36.0625	2004
29.01.2020 10:14:15	1	1	1	1	105.8	56	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	36.5625	2004
29.01.2020 10:14:16	1	1	1	1	105.8	56.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.5625	2004
29.01.2020 10:14:17	1	1	1	1	105.8	56.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.75	2004
29.01.2020 10:14:18	1	1	1	1	105.8	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:14:21	1	1	1	1	105.8	56.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	36.1875	2004
29.01.2020 10:14:21	1	1	1	1	105.8	56.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	36.1875	2004
29.01.2020 10:14:22	1	1	1	1	105.8	56	0	27819.905	582.7956989	16240.58924	30000	0	0	30000	37.0625	2004
29.01.2020 10:14:23	1	1	1	1	105.8	56	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	36.5	2004
29.01.2020 10:14:24	1	1	1	1	105.8	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.5625	2004
29.01.2020 10:14:25	1	1	1	1	105.8	56.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.5	2004
29.01.2020 10:14:26	1	1	1	1	105.8	56.5	0	27819.905	574.1935484	15913.62487	30000	0	0	30000	36.75	2004
29.01.2020 10:14:27	1	1	1	1	105.8	56.75	0	27819.905	578.4946237	16212.86658	30000	0	0	30000	36.75	2004
29.01.2020 10:14:28	1	1	1	1	105.8	56.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	36.5625	2004
29.01.2020 10:14:29	1	1	1	1	105.8	56.5	0	27582.938	576.344086	15956.02424	30000	0	0	30000	36.4375	2004
29.01.2020 10:14:30	1	1	1	1	105.8	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.5	2004
29.01.2020 10:14:31	1	1	1	1	105.8	56.5	0	27630.332	584.9462366	16185.14391	30000	0	0	30000	36.6875	2004
29.01.2020 10:14:32	1	1	1	1	105.8	56.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	35.9375	2004
29.01.2020 10:14:33	1	1	1	1	105.8	55.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	36.375	2004
29.01.2020 10:14:34	1	1	1	1	105.8	56.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	36.625	2004
29.01.2020 10:14:35	1	1	1	1	106	56.5	0	27630.332	578.4946237	15837.79523	30000	0	0	30000	36.625	2004
29.01.2020 10:14:36	1	1	1	1	106	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5625	2004
29.01.2020 10:14:37	1	1	1	1	106	56.5	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	36.6875	2004
29.01.2020 10:14:38	1	1	1	1	106	56.5	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	36.125	2004
29.01.2020 10:14:39	1	1	1	1	106	56	0	27819.905	578.4946237	16181.06705	30000	0	0	30000	36.6875	2004
29.01.2020 10:14:40	1	1	1	1	106	56.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.5	2004
29.01.2020 10:14:41	1	1	1	1	106	56.5	0	27914.692	576.344086	16061.20729	30000	0	0	30000	36.6875	2004
29.01.2020 10:14:42	1	1	1	1	106	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.8125	2004
29.01.2020 10:14:43	1	1	1	1	106	56.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	36.875	2004
29.01.2020 10:14:44	1	1	1	1	106	56.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.25	2004
29.01.2020 10:14:45	1	1	1	1	105.8	56.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	36.4375	2004
29.01.2020 10:14:46	1	1	1	1	105.8	56.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	36.1875	2004
29.01.2020 10:14:47	1	1	1	1	105.8	56	0	27772.512	574.1935484	16093.00682	30000	0	0	30000	36.75	2004
29.01.2020 10:14:48	1	1	1	1	105.8	56.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.4375	2004
29.01.2020 10:14:49	1	1	1	1	105.8	56.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.625	2004
29.01.2020 10:14:50	1	1	1	1	105.8	56.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.1875	2004
29.01.2020 10:14:51	1	1	1	1	105.8	56	0	27819.905	576.344086	15983.74691	30000	0	0	30000	36.625	2004
29.01.2020 10:14:52	1	1	1	1	105.8	56.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.4375	2004
29.01.2020 10:14:53	1	1	1	1	105.8	56.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.5	2004
29.01.2020 10:14:54	1	1	1	1	105.8	56.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	36	2004
29.01.2020 10:15:01	1	1	1	1	105.8	57	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	36.625	2004
29.01.2020 10:15:01	1	1	1	1	105.8	57	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	36.625	2004
29.01.2020 10:15:01	1	1	1	1	105.8	57	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	36.625	2004
29.01.2020 10:15:01	1	1	1	1	105.8	57	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	36.625	2004
29.01.2020 10:15:01	1	1	1	1	105.8	57	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	36.625	2004
29.01.2020 10:15:01	1	1	1	1	105.8	57	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	36.625	2004
29.01.2020 10:15:02	1	1	1	1	105.8	56.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	36.25	2004
29.01.2020 10:15:03	1	1	1	1	105.8	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:15:04	1	1	1	1	105.8	56.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	36.4375	2004
29.01.2020 10:15:05	1	1	1	1	106.3	56.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	36.1875	2004
29.01.2020 10:15:06	1	1	1	1	106.3	56	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.9375	2004
29.01.2020 10:15:07	1	1	1	1	106.3	56.75	0	27535.545	584.9462366	15933.19381	30000	0	0	30000	36.625	2004
29.01.2020 10:15:08	1	1	1	1	106.3	56.5	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	36.625	2004
29.01.2020 10:15:09	1	1	1	1	106.3	56.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	36.5625	2004
29.01.2020 10:15:10	1	1	1	1	106.3	56.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	36.25	2004
29.01.2020 10:15:11	1	1	1	1	106.3	56.25	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	36.5	2004
29.01.2020 10:15:12	1	1	1	1	106.3	56.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	36.875	2004
29.01.2020 10:15:13	1	1	1	1	106.3	56.75	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	36.9375	2004
29.01.2020 10:15:14	1	1	1	1	106.3	56.75	0	27725.118	578.4946237	16043.2691	30000	0	0	30000	36.9375	2004
29.01.2020 10:15:15	1	1	1	1	106.3	56.75	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	36.75	2004
29.01.2020 10:15:16	1	1	1	1	106.3	56.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.0625	2004
29.01.2020 10:15:17	1	1	1	1	106.3	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.125	2004
29.01.2020 10:15:18	1	1	1	1	106.3	56	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.75	2004
29.01.2020 10:15:19	1	1	1	1	106.3	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5625	2004
29.01.2020 10:15:20	1	1	1	1	106.3	56.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	36.75	2004
29.01.2020 10:15:21	1	1	1	1	106.3	56.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.875	2004
29.01.2020 10:15:22	1	1	1	1	106.3	55.75	0	27535.545	582.7956989	16134.59082	30000	0	0	30000	36.9375	2004
29.01.2020 10:15:23	1	1	1	1	106.3	56.75	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	36.875	2004
29.01.2020 10:15:24	1	1	1	1	106.3	56.75	0	27582.938	580.6451613	15756.25798	30000	0	0	30000	36.625	2004
29.01.2020 10:15:25	1	1	1	1	106.5	56.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	36.9375	2004
29.01.2020 10:15:26	1	1	1	1	106.5	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.0625	2004
29.01.2020 10:15:27	1	1	1	1	106.5	57	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.9375	2004
29.01.2020 10:15:28	1	1	1	1	106.5	56.75	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	36.25	2004
29.01.2020 10:15:29	1	1	1	1	106.5	56.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37	2004
29.01.2020 10:15:30	1	1	1	1	106.5	57	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.6875	2004
29.01.2020 10:15:31	1	1	1	1	106.5	56.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	36.5625	2004
29.01.2020 10:15:32	1	1	1	1	106.5	56.5	0	27535.545	576.344086	15956.02424	30000	0	0	30000	36.5625	2004
29.01.2020 10:15:33	1	1	1	1	106.5	56.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.625	2004
29.01.2020 10:15:34	1	1	1	1	106.5	56.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.6875	2004
29.01.2020 10:15:35	1	1	1	1	106.5	56.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.0625	2004
29.01.2020 10:15:36	1	1	1	1	106.5	57	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5	2004
29.01.2020 10:15:37	1	1	1	1	106.5	56.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	36.8125	2004
29.01.2020 10:15:39	1	1	1	1	106.5	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.8125	2004
29.01.2020 10:15:40	1	1	1	1	106.5	56.75	0	27630.332	576.344086	16033.48463	30000	0	0	30000	36.1875	2004
29.01.2020 10:15:41	1	1	1	1	106.5	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5625	2004
29.01.2020 10:15:42	1	1	1	1	106.5	56.5	0	27819.905	580.6451613	16033.48463	30000	0	0	30000	36.3125	2004
29.01.2020 10:15:43	1	1	1	1	106.5	56.25	0	27819.905	574.1935484	15745.65814	30000	0	0	30000	36.8125	2004
29.01.2020 10:15:44	1	1	1	1	106.5	56.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.875	2004
29.01.2020 10:15:45	1	1	1	1	106.3	56.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.9375	2004
29.01.2020 10:15:46	1	1	1	1	106.3	56.75	0	27867.299	576.344086	16093.00682	30000	0	0	30000	36.5625	2004
29.01.2020 10:15:47	1	1	1	1	106.3	56.5	0	27867.299	572.0430108	15794.58049	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:15:48	1	1	1	1	106.3	56.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.375	2004
29.01.2020 10:15:49	1	1	1	1	106.3	56.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	36.8125	2004
29.01.2020 10:15:50	1	1	1	1	106.3	56.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.0625	2004
29.01.2020 10:15:51	1	1	1	1	106.3	56	0	27725.118	574.1935484	16033.48463	30000	0	0	30000	36.375	2004
29.01.2020 10:15:52	1	1	1	1	106.3	56.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.8125	2004
29.01.2020 10:15:53	1	1	1	1	106.3	55.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.375	2004
29.01.2020 10:15:54	1	1	1	1	106.3	56.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	37	2004
29.01.2020 10:15:55	1	1	1	1	106.5	57	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.625	2004
29.01.2020 10:15:56	1	1	1	1	106.5	56.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.0625	2004
29.01.2020 10:16:02	1	1	1	1	106.5	56.75	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	36.25	2004
29.01.2020 10:16:02	1	1	1	1	106.5	56.75	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	36.25	2004
29.01.2020 10:16:02	1	1	1	1	106.5	56.75	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	36.25	2004
29.01.2020 10:16:02	1	1	1	1	106.5	56.75	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	36.25	2004
29.01.2020 10:16:02	1	1	1	1	106.5	56.75	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	36.25	2004
29.01.2020 10:16:02	1	1	1	1	106.5	56.75	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	36.25	2004
29.01.2020 10:16:03	1	1	1	1	106.5	56.25	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	36.6875	2004
29.01.2020 10:16:04	1	1	1	1	106.5	56.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36	2004
29.01.2020 10:16:05	1	1	1	1	106.5	56	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.5625	2004
29.01.2020 10:16:06	1	1	1	1	106.5	56.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.8125	2004
29.01.2020 10:16:07	1	1	1	1	106.5	56.75	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	36.625	2004
29.01.2020 10:16:08	1	1	1	1	106.5	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.6875	2004
29.01.2020 10:16:09	1	1	1	1	106.5	56.5	0	27867.299	576.344086	15864.70252	30000	0	0	30000	36.4375	2004
29.01.2020 10:16:10	1	1	1	1	106.5	56.25	0	27914.692	576.344086	15941.34754	30000	0	0	30000	36.625	2004
29.01.2020 10:16:11	1	1	1	1	106.5	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.5625	2004
29.01.2020 10:16:12	1	1	1	1	106.5	56.5	0	27582.938	578.4946237	15897.31742	30000	0	0	30000	36.6875	2004
29.01.2020 10:16:13	1	1	1	1	106.5	56.5	0	27630.332	576.344086	16043.2691	30000	0	0	30000	36.625	2004
29.01.2020 10:16:14	1	1	1	1	106.5	56.5	0	27535.545	576.344086	15814.9648	30000	0	0	30000	36.8125	2004
29.01.2020 10:16:15	1	1	1	1	106.5	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.25	2004
29.01.2020 10:16:17	1	1	1	1	106.5	57.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.5	2004
29.01.2020 10:16:18	1	1	1	1	106.5	56.5	0	27914.692	578.4946237	16175.35944	30000	0	0	30000	36.375	2004
29.01.2020 10:16:19	1	1	1	1	106.5	56.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	37.3125	2004
29.01.2020 10:16:20	1	1	1	1	106.5	56.5	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	37.0625	2004
29.01.2020 10:16:21	1	1	1	1	106.5	57	0	27725.118	572.0430108	15745.65814	30000	0	0	30000	37	2004
29.01.2020 10:16:22	1	1	1	1	106.5	57	0	27582.938	574.1935484	15864.70252	30000	0	0	30000	36.9375	2004
29.01.2020 10:16:23	1	1	1	1	106.5	56.75	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	36.875	2004
29.01.2020 10:16:24	1	1	1	1	106.5	56.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37	2004
29.01.2020 10:16:25	1	1	1	1	107	57	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.625	2004
29.01.2020 10:16:26	1	1	1	1	107	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.125	2004
29.01.2020 10:16:27	1	1	1	1	107	57	0	27630.332	569.8924731	16093.00682	30000	0	0	30000	36.6875	2004
29.01.2020 10:16:28	1	1	1	1	107	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.9375	2004
29.01.2020 10:16:29	1	1	1	1	107	55.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37	2004
29.01.2020 10:16:30	1	1	1	1	107	57	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	36.4375	2004
29.01.2020 10:16:31	1	1	1	1	107	56.25	0	27630.332	582.7956989	16157.42125	30000	0	0	30000	37.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:16:32	1	1	1	1	107	57	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	36.8125	2004
29.01.2020 10:16:33	1	1	1	1	107	56.75	0	27725.118	576.344086	16066.09953	30000	0	0	30000	37	2004
29.01.2020 10:16:34	1	1	1	1	107	57	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	36.3125	2004
29.01.2020 10:16:35	1	1	1	1	106.5	56.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	37	2004
29.01.2020 10:16:36	1	1	1	1	106.5	57	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	36.5	2004
29.01.2020 10:16:37	1	1	1	1	106.5	56.5	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	36.625	2004
29.01.2020 10:16:38	1	1	1	1	106.5	56.5	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	36.625	2004
29.01.2020 10:16:39	1	1	1	1	106.5	56.5	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	36.5	2004
29.01.2020 10:16:40	1	1	1	1	106.5	56.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	36.8125	2004
29.01.2020 10:16:41	1	1	1	1	106.5	56.75	0	27630.332	578.4946237	15897.31742	30000	0	0	30000	36.25	2004
29.01.2020 10:16:42	1	1	1	1	106.5	56.25	0	27772.512	576.344086	15924.22472	30000	0	0	30000	36.625	2004
29.01.2020 10:16:43	1	1	1	1	106.5	56.5	0	27725.118	580.6451613	16093.00682	30000	0	0	30000	36.3125	2004
29.01.2020 10:16:44	1	1	1	1	106.5	56.25	0	27819.905	576.344086	15745.65814	30000	0	0	30000	36.625	2004
29.01.2020 10:16:45	1	1	1	1	107	56.5	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	36.625	2004
29.01.2020 10:16:46	1	1	1	1	107	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.0625	2004
29.01.2020 10:16:47	1	1	1	1	107	57	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.75	2004
29.01.2020 10:16:48	1	1	1	1	107	56.75	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	36.5625	2004
29.01.2020 10:16:49	1	1	1	1	107	56.5	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	36.875	2004
29.01.2020 10:16:50	1	1	1	1	107	56.75	0	27630.332	574.1935484	16212.86658	30000	0	0	30000	37.25	2004
29.01.2020 10:16:51	1	1	1	1	107	57.25	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	36.5	2004
29.01.2020 10:16:52	1	1	1	1	107	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.0625	2004
29.01.2020 10:16:53	1	1	1	1	107	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.1875	2004
29.01.2020 10:16:54	1	1	1	1	107	57	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.5625	2004
29.01.2020 10:16:56	1	1	1	1	106.8	56.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.5625	2004
29.01.2020 10:16:57	1	1	1	1	106.8	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.3125	2004
29.01.2020 10:16:58	1	1	1	1	106.8	56.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.4375	2004
29.01.2020 10:17:04	1	1	1	1	106.8	56.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.4375	2004
29.01.2020 10:17:04	1	1	1	1	106.8	56.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.4375	2004
29.01.2020 10:17:04	1	1	1	1	106.8	56.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.4375	2004
29.01.2020 10:17:04	1	1	1	1	106.8	56.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.4375	2004
29.01.2020 10:17:04	1	1	1	1	106.8	56.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.4375	2004
29.01.2020 10:17:04	1	1	1	1	106.8	56.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.4375	2004
29.01.2020 10:17:05	1	1	1	1	106.8	56.25	0	27393.365	584.9462366	15991.90063	30000	0	0	30000	36.75	2004
29.01.2020 10:17:06	1	1	1	1	106.8	56.75	0	27345.972	580.6451613	15792.13437	30000	0	0	30000	36.1875	2004
29.01.2020 10:17:07	1	1	1	1	106.8	56	0	27345.972	584.9462366	15964.17797	30000	0	0	30000	37	2004
29.01.2020 10:17:08	1	1	1	1	106.8	57	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.75	2004
29.01.2020 10:17:09	1	1	1	1	106.8	56.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.5	2004
29.01.2020 10:17:10	1	1	1	1	106.8	56.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	36.4375	2004
29.01.2020 10:17:11	1	1	1	1	106.8	56.25	0	27582.938	587.0967742	15991.90063	30000	0	0	30000	36.8125	2004
29.01.2020 10:17:12	1	1	1	1	106.8	56.75	0	27630.332	584.9462366	16075.06863	30000	0	0	30000	37	2004
29.01.2020 10:17:13	1	1	1	1	106.8	57	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.375	2004
29.01.2020 10:17:14	1	1	1	1	106.8	56.25	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	36.8125	2004
29.01.2020 10:17:15	1	1	1	1	107	56.75	0	27440.758	584.9462366	16075.06863	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:17:16	1	1	1	1	107	56.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.0625	2004
29.01.2020 10:17:17	1	1	1	1	107	57	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	36.75	2004
29.01.2020 10:17:18	1	1	1	1	107	56.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	37	2004
29.01.2020 10:17:19	1	1	1	1	107	57	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	36.75	2004
29.01.2020 10:17:20	1	1	1	1	107	56.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.875	2004
29.01.2020 10:17:21	1	1	1	1	107	56.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	36.25	2004
29.01.2020 10:17:22	1	1	1	1	107	56.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	36.5625	2004
29.01.2020 10:17:23	1	1	1	1	107	56.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.125	2004
29.01.2020 10:17:24	1	1	1	1	107	57	0	27582.938	584.9462366	15873.67162	30000	0	0	30000	36.8125	2004
29.01.2020 10:17:25	1	1	1	1	107.3	56.75	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	37	2004
29.01.2020 10:17:26	1	1	1	1	107.3	57	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	36.5625	2004
29.01.2020 10:17:27	1	1	1	1	107.3	56.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.75	2004
29.01.2020 10:17:28	1	1	1	1	107.3	56.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	36.375	2004
29.01.2020 10:17:29	1	1	1	1	107.3	56.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.9375	2004
29.01.2020 10:17:30	1	1	1	1	107.3	56.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	37	2004
29.01.2020 10:17:31	1	1	1	1	107.3	57	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	36.9375	2004
29.01.2020 10:17:32	1	1	1	1	107.3	56.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.4375	2004
29.01.2020 10:17:34	1	1	1	1	107.3	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.1875	2004
29.01.2020 10:17:35	1	1	1	1	107.3	57	0	27156.398	584.9462366	15682.05909	30000	0	0	30000	37.1875	2004
29.01.2020 10:17:36	1	1	1	1	106.8	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.625	2004
29.01.2020 10:17:37	1	1	1	1	106.8	56.5	0	27109.005	580.6451613	15909.54801	30000	0	0	30000	36.9375	2004
29.01.2020 10:17:38	1	1	1	1	106.8	56.75	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	36.6875	2004
29.01.2020 10:17:39	1	1	1	1	106.8	56.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.8125	2004
29.01.2020 10:17:40	1	1	1	1	106.8	56.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	37	2004
29.01.2020 10:17:41	1	1	1	1	106.8	57	0	27345.972	591.3978495	15995.9775	30000	0	0	30000	37	2004
29.01.2020 10:17:42	1	1	1	1	106.8	57	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	36.625	2004
29.01.2020 10:17:43	1	1	1	1	106.8	56.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	36.0625	2004
29.01.2020 10:17:44	1	1	1	1	106.8	56	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37	2004
29.01.2020 10:17:45	1	1	1	1	107	57	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	36.625	2004
29.01.2020 10:17:46	1	1	1	1	107	56.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36.9375	2004
29.01.2020 10:17:47	1	1	1	1	107	56.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.1875	2004
29.01.2020 10:17:48	1	1	1	1	107	57	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	36.875	2004
29.01.2020 10:17:49	1	1	1	1	107	56.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	37.25	2004
29.01.2020 10:17:50	1	1	1	1	107	57.25	0	27440.758	580.6451613	15987.82377	30000	0	0	30000	37.3125	2004
29.01.2020 10:17:51	1	1	1	1	107	57.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	36.5	2004
29.01.2020 10:17:52	1	1	1	1	107	56.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37	2004
29.01.2020 10:17:53	1	1	1	1	107	57	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	37.1875	2004
29.01.2020 10:17:54	1	1	1	1	107	57	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.1875	2004
29.01.2020 10:17:55	1	1	1	1	107.3	57	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.1875	2004
29.01.2020 10:17:56	1	1	1	1	107.3	57	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37	2004
29.01.2020 10:17:57	1	1	1	1	107.3	57	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.25	2004
29.01.2020 10:17:58	1	1	1	1	107.3	57.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	36.9375	2004
29.01.2020 10:17:59	1	1	1	1	107.3	56.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:18:06	1	1	1	1	106.8	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.875	2004
29.01.2020 10:18:06	1	1	1	1	106.8	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.875	2004
29.01.2020 10:18:06	1	1	1	1	106.8	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.875	2004
29.01.2020 10:18:06	1	1	1	1	106.8	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.875	2004
29.01.2020 10:18:06	1	1	1	1	106.8	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.875	2004
29.01.2020 10:18:06	1	1	1	1	106.8	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.875	2004
29.01.2020 10:18:06	1	1	1	1	106.8	56.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37.3125	2004
29.01.2020 10:18:07	1	1	1	1	106.8	57.25	0	27488.152	580.6451613	16015.54644	30000	0	0	30000	37.25	2004
29.01.2020 10:18:08	1	1	1	1	106.8	57.25	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	37.1875	2004
29.01.2020 10:18:09	1	1	1	1	106.8	57	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.0625	2004
29.01.2020 10:18:10	1	1	1	1	106.8	57	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	37.0625	2004
29.01.2020 10:18:11	1	1	1	1	106.8	57	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	36.9375	2004
29.01.2020 10:18:13	1	1	1	1	106.8	56.75	0	27630.332	584.9462366	16212.86658	30000	0	0	30000	37.125	2004
29.01.2020 10:18:14	1	1	1	1	106.8	57	0	27582.938	578.4946237	15696.73579	30000	0	0	30000	36.75	2004
29.01.2020 10:18:15	1	1	1	1	106.8	56.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	37.0625	2004
29.01.2020 10:18:16	1	1	1	1	107	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5625	2004
29.01.2020 10:18:17	1	1	1	1	107	56.5	0	27630.332	576.344086	16043.2691	30000	0	0	30000	37.0625	2004
29.01.2020 10:18:18	1	1	1	1	107	57	0	27630.332	576.344086	16033.48463	30000	0	0	30000	37	2004
29.01.2020 10:18:19	1	1	1	1	107	57	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5	2004
29.01.2020 10:18:20	1	1	1	1	107	56.5	0	27725.118	576.344086	15983.74691	30000	0	0	30000	36.9375	2004
29.01.2020 10:18:21	1	1	1	1	107	56.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	36.9375	2004
29.01.2020 10:18:22	1	1	1	1	107	56.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	37.3125	2004
29.01.2020 10:18:23	1	1	1	1	107	57.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	36.8125	2004
29.01.2020 10:18:24	1	1	1	1	107	56.75	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	36.5625	2004
29.01.2020 10:18:25	1	1	1	1	106.8	56.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.375	2004
29.01.2020 10:18:26	1	1	1	1	106.8	56.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.9375	2004
29.01.2020 10:18:27	1	1	1	1	106.8	55.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	37.3125	2004
29.01.2020 10:18:28	1	1	1	1	106.8	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.625	2004
29.01.2020 10:18:29	1	1	1	1	106.8	56.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.1875	2004
29.01.2020 10:18:30	1	1	1	1	106.8	57	0	27630.332	576.344086	16043.2691	30000	0	0	30000	36.875	2004
29.01.2020 10:18:31	1	1	1	1	106.8	56.75	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	37.125	2004
29.01.2020 10:18:32	1	1	1	1	106.8	57	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.125	2004
29.01.2020 10:18:33	1	1	1	1	106.8	57	0	27630.332	582.7956989	16212.86658	30000	0	0	30000	36.875	2004
29.01.2020 10:18:34	1	1	1	1	106.8	56.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.75	2004
29.01.2020 10:18:35	1	1	1	1	106.8	56.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	37.0625	2004
29.01.2020 10:18:36	1	1	1	1	106.8	57	0	27582.938	576.344086	15873.67162	30000	0	0	30000	35.875	2004
29.01.2020 10:18:37	1	1	1	1	106.8	55.75	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	36.0625	2004
29.01.2020 10:18:38	1	1	1	1	106.8	56	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.125	2004
29.01.2020 10:18:39	1	1	1	1	106.8	57	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	36.9375	2004
29.01.2020 10:18:40	1	1	1	1	106.8	56.75	0	27772.512	580.6451613	16212.86658	30000	0	0	30000	37.3125	2004
29.01.2020 10:18:41	1	1	1	1	106.8	57.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.6875	2004
29.01.2020 10:18:42	1	1	1	1	106.8	56.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	37	2004
29.01.2020 10:18:43	1	1	1	1	106.8	57	0	27440.758	576.344086	15873.67162	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:18:44	1	1	1	1	106.8	57	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	37	2004
29.01.2020 10:18:45	1	1	1	1	106.8	57	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	37.25	2004
29.01.2020 10:18:46	1	1	1	1	106.8	57.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	37.0625	2004
29.01.2020 10:18:47	1	1	1	1	106.8	57	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.3125	2004
29.01.2020 10:18:48	1	1	1	1	106.8	57.25	0	27867.299	584.9462366	16093.00682	30000	0	0	30000	37.0625	2004
29.01.2020 10:18:49	1	1	1	1	106.8	57	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	36.8125	2004
29.01.2020 10:18:50	1	1	1	1	106.8	56.75	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	37.5	2004
29.01.2020 10:18:51	1	1	1	1	106.8	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.3125	2004
29.01.2020 10:18:53	1	1	1	1	106.8	56.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.3125	2004
29.01.2020 10:18:54	1	1	1	1	106.8	57.25	0	27582.938	580.6451613	15983.74691	30000	0	0	30000	37.4375	2004
29.01.2020 10:18:55	1	1	1	1	106.8	57.25	0	27725.118	580.6451613	16097.89906	30000	0	0	30000	37.125	2004
29.01.2020 10:18:56	1	1	1	1	106.8	57	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.375	2004
29.01.2020 10:18:57	1	1	1	1	106.8	57.25	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	36.125	2004
29.01.2020 10:18:58	1	1	1	1	106.8	56	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.4375	2004
29.01.2020 10:18:59	1	1	1	1	106.8	57.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	37.3125	2004
29.01.2020 10:19:00	1	1	1	1	106.8	57.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	36.375	2004
29.01.2020 10:19:01	1	1	1	1	106.8	56.25	0	27582.938	578.4946237	16102.79129	30000	0	0	30000	36.6875	2004
29.01.2020 10:19:07	1	1	1	1	106.8	57.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.4375	2004
29.01.2020 10:19:07	1	1	1	1	106.8	57.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.4375	2004
29.01.2020 10:19:07	1	1	1	1	106.8	57.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.4375	2004
29.01.2020 10:19:07	1	1	1	1	106.8	57.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.4375	2004
29.01.2020 10:19:07	1	1	1	1	106.8	57.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.4375	2004
29.01.2020 10:19:07	1	1	1	1	106.8	57.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.4375	2004
29.01.2020 10:19:08	1	1	1	1	106.8	57.25	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	37.25	2004
29.01.2020 10:19:09	1	1	1	1	106.8	57.25	0	27630.332	584.9462366	16134.59082	30000	0	0	30000	37.0625	2004
29.01.2020 10:19:10	1	1	1	1	106.8	57	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36.875	2004
29.01.2020 10:19:11	1	1	1	1	106.8	56.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.8125	2004
29.01.2020 10:19:12	1	1	1	1	106.8	56.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.125	2004
29.01.2020 10:19:13	1	1	1	1	106.8	57	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.1875	2004
29.01.2020 10:19:14	1	1	1	1	106.8	57	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	37.25	2004
29.01.2020 10:19:15	1	1	1	1	106.8	57.25	0	27630.332	584.9462366	16212.86658	30000	0	0	30000	37.3125	2004
29.01.2020 10:19:16	1	1	1	1	106.8	57.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37	2004
29.01.2020 10:19:17	1	1	1	1	106.8	57	0	27630.332	584.9462366	16134.59082	30000	0	0	30000	36.375	2004
29.01.2020 10:19:18	1	1	1	1	106.8	56.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	36.3125	2004
29.01.2020 10:19:19	1	1	1	1	106.8	56.25	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	37	2004
29.01.2020 10:19:20	1	1	1	1	106.8	57	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.125	2004
29.01.2020 10:19:21	1	1	1	1	106.8	57	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	36.875	2004
29.01.2020 10:19:22	1	1	1	1	106.8	56.75	0	27298.578	578.4946237	15850.84119	30000	0	0	30000	37.375	2004
29.01.2020 10:19:23	1	1	1	1	106.8	57.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37.4375	2004
29.01.2020 10:19:24	1	1	1	1	106.8	57.25	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	36.375	2004
29.01.2020 10:19:25	1	1	1	1	107.5	56.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37	2004
29.01.2020 10:19:26	1	1	1	1	107.5	57	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	37.4375	2004
29.01.2020 10:19:27	1	1	1	1	107.5	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:19:28	1	1	1	1	107.5	56.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.3125	2004
29.01.2020 10:19:30	1	1	1	1	107.5	57.25	0	27440.758	578.4946237	16075.06863	30000	0	0	30000	37.5625	2004
29.01.2020 10:19:31	1	1	1	1	107.5	57.5	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	37.5	2004
29.01.2020 10:19:32	1	1	1	1	107.5	57.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.125	2004
29.01.2020 10:19:33	1	1	1	1	107.5	57	0	27440.758	580.6451613	15936.4553	30000	0	0	30000	37.8125	2004
29.01.2020 10:19:34	1	1	1	1	107.5	57.75	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	37.0625	2004
29.01.2020 10:19:35	1	1	1	1	107.3	56.25	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	37.25	2004
29.01.2020 10:19:36	1	1	1	1	107.3	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.5625	2004
29.01.2020 10:19:37	1	1	1	1	107.3	57.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.6875	2004
29.01.2020 10:19:38	1	1	1	1	107.3	56.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.3125	2004
29.01.2020 10:19:39	1	1	1	1	107.3	57.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	36.75	2004
29.01.2020 10:19:40	1	1	1	1	107.3	56.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37	2004
29.01.2020 10:19:41	1	1	1	1	107.3	57	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	37	2004
29.01.2020 10:19:42	1	1	1	1	107.3	57	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	37.0625	2004
29.01.2020 10:19:43	1	1	1	1	107.3	57	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	37	2004
29.01.2020 10:19:44	1	1	1	1	107.3	57	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	37.3125	2004
29.01.2020 10:19:45	1	1	1	1	107	57.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37	2004
29.01.2020 10:19:46	1	1	1	1	107	57	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	37.375	2004
29.01.2020 10:19:47	1	1	1	1	107	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37	2004
29.01.2020 10:19:48	1	1	1	1	107	57	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	36.8125	2004
29.01.2020 10:19:49	1	1	1	1	107	56.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.3125	2004
29.01.2020 10:19:50	1	1	1	1	107	57.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.375	2004
29.01.2020 10:19:51	1	1	1	1	107	57.25	0	27298.578	584.9462366	15936.4553	30000	0	0	30000	37.3125	2004
29.01.2020 10:19:52	1	1	1	1	107	57.25	0	27440.758	589.2473118	15991.90063	30000	0	0	30000	37.375	2004
29.01.2020 10:19:53	1	1	1	1	107	57.25	0	27345.972	576.344086	16228.35866	30000	0	0	30000	36.9375	2004
29.01.2020 10:19:54	1	1	1	1	107	56.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.0625	2004
29.01.2020 10:19:55	1	1	1	1	106.5	57	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.6875	2004
29.01.2020 10:19:56	1	1	1	1	106.5	56.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	37.1875	2004
29.01.2020 10:19:57	1	1	1	1	106.5	57	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	36.9375	2004
29.01.2020 10:19:58	1	1	1	1	106.5	56.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36.875	2004
29.01.2020 10:19:59	1	1	1	1	106.5	56.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37.4375	2004
29.01.2020 10:20:00	1	1	1	1	106.5	57.25	0	27393.365	584.9462366	15819.04167	30000	0	0	30000	36.9375	2004
29.01.2020 10:20:01	1	1	1	1	106.5	56.75	0	27582.938	591.3978495	16051.42282	30000	0	0	30000	37	2004
29.01.2020 10:20:02	1	1	1	1	106.5	57	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:09	1	1	1	1	107	56.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	37.875	2004
29.01.2020 10:20:09	1	1	1	1	107	56.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	37.875	2004
29.01.2020 10:20:09	1	1	1	1	107	56.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	37.875	2004
29.01.2020 10:20:09	1	1	1	1	107	56.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	37.875	2004
29.01.2020 10:20:09	1	1	1	1	107	56.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	37.875	2004
29.01.2020 10:20:09	1	1	1	1	107	56.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	37.875	2004
29.01.2020 10:20:10	1	1	1	1	107	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
29.01.2020 10:20:11	1	1	1	1	107	57	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36	2004
29.01.2020 10:20:12	1	1	1	1	107	56	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:20:13	1	1	1	1	107	57.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:14	1	1	1	1	107	57.25	0	27345.972	580.6451613	16051.42282	30000	0	0	30000	36.9375	2004
29.01.2020 10:20:15	1	1	1	1	107	56.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:16	1	1	1	1	107	57.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37	2004
29.01.2020 10:20:17	1	1	1	1	107	57	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	37.25	2004
29.01.2020 10:20:18	1	1	1	1	107	57.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.4375	2004
29.01.2020 10:20:19	1	1	1	1	107	57.25	0	27298.578	582.7956989	16054.68431	30000	0	0	30000	36.8125	2004
29.01.2020 10:20:20	1	1	1	1	107	56.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	36.875	2004
29.01.2020 10:20:21	1	1	1	1	107	56.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:22	1	1	1	1	107	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:23	1	1	1	1	107	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.75	2004
29.01.2020 10:20:24	1	1	1	1	107	56.75	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	37.5625	2004
29.01.2020 10:20:25	1	1	1	1	107	57.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	37.125	2004
29.01.2020 10:20:26	1	1	1	1	107	57	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.375	2004
29.01.2020 10:20:27	1	1	1	1	107	57.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	37.1875	2004
29.01.2020 10:20:28	1	1	1	1	107	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.375	2004
29.01.2020 10:20:29	1	1	1	1	107	57.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:30	1	1	1	1	107	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:31	1	1	1	1	107	57.25	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:32	1	1	1	1	107	57.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	37.1875	2004
29.01.2020 10:20:33	1	1	1	1	107	57	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.5	2004
29.01.2020 10:20:34	1	1	1	1	107	57.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.4375	2004
29.01.2020 10:20:35	1	1	1	1	107.5	57.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:36	1	1	1	1	107.5	57.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	37.1875	2004
29.01.2020 10:20:37	1	1	1	1	107.5	57	0	27298.578	584.9462366	15936.4553	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:38	1	1	1	1	107.5	57.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	37	2004
29.01.2020 10:20:39	1	1	1	1	107.5	57	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	37.1875	2004
29.01.2020 10:20:40	1	1	1	1	107.5	57	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.375	2004
29.01.2020 10:20:41	1	1	1	1	107.5	57.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
29.01.2020 10:20:42	1	1	1	1	107.5	57.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	37.4375	2004
29.01.2020 10:20:43	1	1	1	1	107.5	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.375	2004
29.01.2020 10:20:44	1	1	1	1	107.5	57.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	37.5625	2004
29.01.2020 10:20:45	1	1	1	1	107.3	57.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.5	2004
29.01.2020 10:20:47	1	1	1	1	107.3	57.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	35.9375	2004
29.01.2020 10:20:48	1	1	1	1	107.3	55.75	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	37.25	2004
29.01.2020 10:20:49	1	1	1	1	107.3	57.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	37.6875	2004
29.01.2020 10:20:50	1	1	1	1	107.3	57.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	37.5	2004
29.01.2020 10:20:51	1	1	1	1	107.3	57.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:52	1	1	1	1	107.3	57.25	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	37	2004
29.01.2020 10:20:53	1	1	1	1	107.3	57.25	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	37.3125	2004
29.01.2020 10:20:54	1	1	1	1	107.3	57.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	36.5625	2004
29.01.2020 10:20:55	1	1	1	1	107.5	56.5	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	36.875	2004
29.01.2020 10:20:56	1	1	1	1	107.5	56.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	36.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:20:57	1	1	1	1	107.5	56.5	0	27535.545	580.6451613	16134.59082	30000	0	0	30000	37.625	2004
29.01.2020 10:20:58	1	1	1	1	107.5	57.5	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	37	2004
29.01.2020 10:20:59	1	1	1	1	107.5	57	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.3125	2004
29.01.2020 10:21:00	1	1	1	1	107.5	57.25	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	36.9375	2004
29.01.2020 10:21:01	1	1	1	1	107.5	56.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	37.125	2004
29.01.2020 10:21:02	1	1	1	1	107.5	57	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.5	2004
29.01.2020 10:21:03	1	1	1	1	107.5	57.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	37.4375	2004
29.01.2020 10:21:04	1	1	1	1	107.5	57.25	0	27582.938	576.344086	16102.79129	30000	0	0	30000	37.5625	2004
29.01.2020 10:21:10	1	1	1	1	106.8	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.25	2004
29.01.2020 10:21:10	1	1	1	1	106.8	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.25	2004
29.01.2020 10:21:10	1	1	1	1	106.8	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.25	2004
29.01.2020 10:21:10	1	1	1	1	106.8	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.25	2004
29.01.2020 10:21:10	1	1	1	1	106.8	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.25	2004
29.01.2020 10:21:10	1	1	1	1	106.8	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.25	2004
29.01.2020 10:21:11	1	1	1	1	106.8	57.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	37.25	2004
29.01.2020 10:21:12	1	1	1	1	106.8	57.25	0	27061.611	578.4946237	15829.64151	30000	0	0	30000	37.125	2004
29.01.2020 10:21:13	1	1	1	1	106.8	57	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	36.6875	2004
29.01.2020 10:21:14	1	1	1	1	106.8	56.5	0	27535.545	587.0967742	16165.57497	30000	0	0	30000	37.375	2004
29.01.2020 10:21:15	1	1	1	1	107	57.25	0	27298.578	589.2473118	15909.54801	30000	0	0	30000	37.6875	2004
29.01.2020 10:21:16	1	1	1	1	107	57.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	37.125	2004
29.01.2020 10:21:17	1	1	1	1	107	57	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	37.3125	2004
29.01.2020 10:21:18	1	1	1	1	107	57.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	37.375	2004
29.01.2020 10:21:19	1	1	1	1	107	57.25	0	27535.545	582.7956989	16075.06863	30000	0	0	30000	37.4375	2004
29.01.2020 10:21:20	1	1	1	1	107	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.1875	2004
29.01.2020 10:21:21	1	1	1	1	107	57	0	27630.332	576.344086	16102.79129	30000	0	0	30000	37.125	2004
29.01.2020 10:21:22	1	1	1	1	107	57	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	36.8125	2004
29.01.2020 10:21:23	1	1	1	1	107	56.75	0	27630.332	587.0967742	16102.79129	30000	0	0	30000	37.4375	2004
29.01.2020 10:21:24	1	1	1	1	107	57.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.5625	2004
29.01.2020 10:21:25	1	1	1	1	107.3	57.5	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	36.875	2004
29.01.2020 10:21:26	1	1	1	1	107.3	56.75	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	37.5625	2004
29.01.2020 10:21:27	1	1	1	1	107.3	57.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.5625	2004
29.01.2020 10:21:29	1	1	1	1	107.3	57.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37	2004
29.01.2020 10:21:30	1	1	1	1	107.3	57	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	37	2004
29.01.2020 10:21:31	1	1	1	1	107.3	57	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	37.3125	2004
29.01.2020 10:21:32	1	1	1	1	107.3	57.25	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	37.1875	2004
29.01.2020 10:21:33	1	1	1	1	107.3	57	0	27345.972	578.4946237	15936.4553	30000	0	0	30000	37.125	2004
29.01.2020 10:21:34	1	1	1	1	107.3	57.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.0625	2004
29.01.2020 10:21:35	1	1	1	1	107	57	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	37.0625	2004
29.01.2020 10:21:36	1	1	1	1	107	57	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	37.3125	2004
29.01.2020 10:21:37	1	1	1	1	107	57.25	0	27440.758	580.6451613	16019.6233	30000	0	0	30000	37.3125	2004
29.01.2020 10:21:38	1	1	1	1	107	57.25	0	27345.972	578.4946237	15936.4553	30000	0	0	30000	37.1875	2004
29.01.2020 10:21:39	1	1	1	1	107	57	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.25	2004
29.01.2020 10:21:40	1	1	1	1	107	57.25	0	27582.938	582.7956989	16134.59082	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:21:41	1	1	1	1	107	56.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.3125	2004
29.01.2020 10:21:42	1	1	1	1	107	57.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	36.75	2004
29.01.2020 10:21:43	1	1	1	1	107	56.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	35.9375	2004
29.01.2020 10:21:44	1	1	1	1	107	55.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.4375	2004
29.01.2020 10:21:45	1	1	1	1	106.5	57.25	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	36.9375	2004
29.01.2020 10:21:46	1	1	1	1	106.5	56.75	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	37.625	2004
29.01.2020 10:21:47	1	1	1	1	106.5	57.5	0	27535.545	582.7956989	15873.67162	30000	0	0	30000	37.625	2004
29.01.2020 10:21:48	1	1	1	1	106.5	57.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.5625	2004
29.01.2020 10:21:49	1	1	1	1	106.5	57.5	0	27582.938	580.6451613	16047.34596	30000	0	0	30000	37	2004
29.01.2020 10:21:50	1	1	1	1	106.5	57	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.375	2004
29.01.2020 10:21:51	1	1	1	1	106.5	57.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	37.625	2004
29.01.2020 10:21:52	1	1	1	1	106.5	57.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	37.375	2004
29.01.2020 10:21:53	1	1	1	1	106.5	57.25	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	37.5625	2004
29.01.2020 10:21:54	1	1	1	1	106.5	57.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.3125	2004
29.01.2020 10:21:55	1	1	1	1	106.8	57.25	0	27440.758	576.344086	15933.19381	30000	0	0	30000	36.9375	2004
29.01.2020 10:21:56	1	1	1	1	106.8	56.75	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	37.1875	2004
29.01.2020 10:21:57	1	1	1	1	106.8	57	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	37.625	2004
29.01.2020 10:21:58	1	1	1	1	106.8	57.5	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	37.5	2004
29.01.2020 10:21:59	1	1	1	1	106.8	57.5	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	36.75	2004
29.01.2020 10:22:00	1	1	1	1	106.8	56.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	37	2004
29.01.2020 10:22:01	1	1	1	1	106.8	57	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.125	2004
29.01.2020 10:22:02	1	1	1	1	106.8	57	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	37.625	2004
29.01.2020 10:22:03	1	1	1	1	106.8	57.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	37.625	2004
29.01.2020 10:22:04	1	1	1	1	106.8	57.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	37.75	2004
29.01.2020 10:22:05	1	1	1	1	106.8	57.75	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	37.75	2004
29.01.2020 10:22:12	1	1	1	1	106.8	57	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.75	2004
29.01.2020 10:22:12	1	1	1	1	106.8	57	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.75	2004
29.01.2020 10:22:12	1	1	1	1	106.8	57	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.75	2004
29.01.2020 10:22:12	1	1	1	1	106.8	57	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.75	2004
29.01.2020 10:22:12	1	1	1	1	106.8	57	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.75	2004
29.01.2020 10:22:12	1	1	1	1	106.8	57	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.75	2004
29.01.2020 10:22:12	1	1	1	1	106.8	57	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.75	2004
29.01.2020 10:22:12	1	1	1	1	106.8	57	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.75	2004
29.01.2020 10:22:13	1	1	1	1	106.8	57.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.8125	2004
29.01.2020 10:22:14	1	1	1	1	106.8	57	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	37.6875	2004
29.01.2020 10:22:15	1	1	1	1	106.8	57.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.25	2004
29.01.2020 10:22:16	1	1	1	1	106.8	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.4375	2004
29.01.2020 10:22:17	1	1	1	1	106.8	57.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.0625	2004
29.01.2020 10:22:18	1	1	1	1	106.8	57	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	37.6875	2004
29.01.2020 10:22:19	1	1	1	1	106.8	57.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37.375	2004
29.01.2020 10:22:20	1	1	1	1	106.8	57.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37.875	2004
29.01.2020 10:22:21	1	1	1	1	106.8	57.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.625	2004
29.01.2020 10:22:22	1	1	1	1	106.8	57.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	37.25	2004
29.01.2020 10:22:23	1	1	1	1	106.8	57.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.125	2004
29.01.2020 10:22:24	1	1	1	1	106.8	57	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	36.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:22:25	1	1	1	1	106.3	56.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.1875	2004
29.01.2020 10:22:26	1	1	1	1	106.3	57	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.375	2004
29.01.2020 10:22:27	1	1	1	1	106.3	57.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37.375	2004
29.01.2020 10:22:28	1	1	1	1	106.3	57.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37.625	2004
29.01.2020 10:22:29	1	1	1	1	106.3	57.5	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	37.25	2004
29.01.2020 10:22:30	1	1	1	1	106.3	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.375	2004
29.01.2020 10:22:31	1	1	1	1	106.3	57.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	37.6875	2004
29.01.2020 10:22:32	1	1	1	1	106.3	57.5	0	27582.938	580.6451613	15983.74691	30000	0	0	30000	37.1875	2004
29.01.2020 10:22:33	1	1	1	1	106.3	57	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	37.5	2004
29.01.2020 10:22:34	1	1	1	1	106.3	57.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	37.625	2004
29.01.2020 10:22:35	1	1	1	1	106.3	57.5	0	27440.758	578.4946237	15901.39429	30000	0	0	30000	37.3125	2004
29.01.2020 10:22:36	1	1	1	1	106.3	57.25	0	27630.332	584.9462366	16047.34596	30000	0	0	30000	37.5625	2004
29.01.2020 10:22:37	1	1	1	1	106.3	57.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.5	2004
29.01.2020 10:22:38	1	1	1	1	106.3	57.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.5	2004
29.01.2020 10:22:39	1	1	1	1	106.3	57.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.5	2004
29.01.2020 10:22:40	1	1	1	1	106.3	57.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.5	2004
29.01.2020 10:22:41	1	1	1	1	106.3	57.5	0	27630.332	576.344086	16162.31348	30000	0	0	30000	37.25	2004
29.01.2020 10:22:42	1	1	1	1	106.3	57.25	0	27725.118	580.6451613	16212.86658	30000	0	0	30000	37.625	2004
29.01.2020 10:22:43	1	1	1	1	106.3	57.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	37.6875	2004
29.01.2020 10:22:45	1	1	1	1	106.3	57.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.625	2004
29.01.2020 10:22:46	1	1	1	1	106	57.5	0	27440.758	580.6451613	16015.54644	30000	0	0	30000	37.5625	2004
29.01.2020 10:22:47	1	1	1	1	106	57.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	37.625	2004
29.01.2020 10:22:48	1	1	1	1	106	57.5	0	27440.758	576.344086	15933.19381	30000	0	0	30000	37.5625	2004
29.01.2020 10:22:49	1	1	1	1	106	57.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.3125	2004
29.01.2020 10:22:50	1	1	1	1	106	57.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	37.6875	2004
29.01.2020 10:22:51	1	1	1	1	106	57.5	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	37.8125	2004
29.01.2020 10:22:52	1	1	1	1	106	57.5	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	36.875	2004
29.01.2020 10:22:53	1	1	1	1	106	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.5625	2004
29.01.2020 10:22:54	1	1	1	1	106	57.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.4375	2004
29.01.2020 10:22:55	1	1	1	1	106.5	57.25	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	37.0625	2004
29.01.2020 10:22:56	1	1	1	1	106.5	57	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.1875	2004
29.01.2020 10:22:57	1	1	1	1	106.5	57	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.9375	2004
29.01.2020 10:22:58	1	1	1	1	106.5	56.75	0	27582.938	582.7956989	16134.59082	30000	0	0	30000	37.8125	2004
29.01.2020 10:22:59	1	1	1	1	106.5	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.5625	2004
29.01.2020 10:23:00	1	1	1	1	106.5	56.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.6875	2004
29.01.2020 10:23:01	1	1	1	1	106.5	57.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	36.8125	2004
29.01.2020 10:23:02	1	1	1	1	106.5	56.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.875	2004
29.01.2020 10:23:03	1	1	1	1	106.5	57.75	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	37.25	2004
29.01.2020 10:23:04	1	1	1	1	106.5	57.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	37.5625	2004
29.01.2020 10:23:05	1	1	1	1	106.8	57.5	0	27298.578	584.9462366	15674.72073	30000	0	0	30000	37.5	2004
29.01.2020 10:23:06	1	1	1	1	106.8	57.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.8125	2004
29.01.2020 10:23:07	1	1	1	1	106.8	57.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	37.125	2004
29.01.2020 10:23:13	1	1	1	1	106.8	57.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	37.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:23:13	1	1	1	1	106.8	57.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	37.125	2004
29.01.2020 10:23:13	1	1	1	1	106.8	57.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	37.125	2004
29.01.2020 10:23:13	1	1	1	1	106.8	57.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	37.125	2004
29.01.2020 10:23:13	1	1	1	1	106.8	57.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	37.125	2004
29.01.2020 10:23:13	1	1	1	1	106.8	57.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	37.125	2004
29.01.2020 10:23:14	1	1	1	1	106.8	57	0	27440.758	587.0967742	15933.19381	30000	0	0	30000	37.75	2004
29.01.2020 10:23:15	1	1	1	1	106.3	57.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	37.5625	2004
29.01.2020 10:23:16	1	1	1	1	106.3	57.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.8125	2004
29.01.2020 10:23:17	1	1	1	1	106.3	57.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	37.625	2004
29.01.2020 10:23:18	1	1	1	1	106.3	57.5	0	27582.938	584.9462366	16051.42282	30000	0	0	30000	37.3125	2004
29.01.2020 10:23:19	1	1	1	1	106.3	57.25	0	27535.545	584.9462366	16075.06863	30000	0	0	30000	37.5625	2004
29.01.2020 10:23:20	1	1	1	1	106.3	57.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.9375	2004
29.01.2020 10:23:22	1	1	1	1	106.3	56.75	0	27582.938	587.0967742	16110.12964	30000	0	0	30000	37.125	2004
29.01.2020 10:23:23	1	1	1	1	106.3	57	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	37.875	2004
29.01.2020 10:23:24	1	1	1	1	106.3	57.75	0	27440.758	582.7956989	16047.34596	30000	0	0	30000	37.9375	2004
29.01.2020 10:23:25	1	1	1	1	106.3	57.75	0	27440.758	576.344086	15933.19381	30000	0	0	30000	37.4375	2004
29.01.2020 10:23:26	1	1	1	1	106.8	57.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.4375	2004
29.01.2020 10:23:27	1	1	1	1	106.8	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.625	2004
29.01.2020 10:23:28	1	1	1	1	106.8	57.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.3125	2004
29.01.2020 10:23:29	1	1	1	1	106.8	57.25	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	37.625	2004
29.01.2020 10:23:30	1	1	1	1	106.8	57.5	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	37.3125	2004
29.01.2020 10:23:31	1	1	1	1	106.8	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.4375	2004
29.01.2020 10:23:32	1	1	1	1	106.8	57.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.625	2004
29.01.2020 10:23:33	1	1	1	1	106.8	57.5	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	37.3125	2004
29.01.2020 10:23:34	1	1	1	1	106.8	57.25	0	27819.905	582.7956989	16185.14391	30000	0	0	30000	37.8125	2004
29.01.2020 10:23:35	1	1	1	1	106.8	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.5	2004
29.01.2020 10:23:36	1	1	1	1	106.8	57.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.875	2004
29.01.2020 10:23:37	1	1	1	1	106.8	57.75	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	37.625	2004
29.01.2020 10:23:38	1	1	1	1	106.8	57.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	37.375	2004
29.01.2020 10:23:39	1	1	1	1	106.8	57.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.0625	2004
29.01.2020 10:23:40	1	1	1	1	106.8	57	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	37.5625	2004
29.01.2020 10:23:41	1	1	1	1	106.8	57.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	36.9375	2004
29.01.2020 10:23:42	1	1	1	1	106.8	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.875	2004
29.01.2020 10:23:43	1	1	1	1	106.8	56.75	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	37.3125	2004
29.01.2020 10:23:44	1	1	1	1	106.8	57.25	0	27535.545	578.4946237	15696.73579	30000	0	0	30000	37.9375	2004
29.01.2020 10:23:45	1	1	1	1	106	57.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	37.75	2004
29.01.2020 10:23:46	1	1	1	1	106	57.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	37.875	2004
29.01.2020 10:23:47	1	1	1	1	106	57.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	37.625	2004
29.01.2020 10:23:48	1	1	1	1	106	57.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.875	2004
29.01.2020 10:23:49	1	1	1	1	106	57.75	0	27582.938	576.344086	15956.02424	30000	0	0	30000	37	2004
29.01.2020 10:23:50	1	1	1	1	106	57	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.75	2004
29.01.2020 10:23:51	1	1	1	1	106	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.3125	2004
29.01.2020 10:23:52	1	1	1	1	106	57.25	0	27772.512	578.4946237	16033.48463	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:23:53	1	1	1	1	106	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.3125	2004
29.01.2020 10:23:54	1	1	1	1	106	57.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.75	2004
29.01.2020 10:23:55	1	1	1	1	106.3	57.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.5625	2004
29.01.2020 10:23:56	1	1	1	1	106.3	57.5	0	27819.905	584.9462366	16273.20414	30000	0	0	30000	37.8125	2004
29.01.2020 10:23:57	1	1	1	1	106.3	57.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.3125	2004
29.01.2020 10:23:58	1	1	1	1	106.3	57.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	37.625	2004
29.01.2020 10:23:59	1	1	1	1	106.3	57.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	37.875	2004
29.01.2020 10:24:00	1	1	1	1	106.3	57.75	0	27535.545	587.0967742	16051.42282	30000	0	0	30000	37.5625	2004
29.01.2020 10:24:01	1	1	1	1	106.3	57.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.375	2004
29.01.2020 10:24:03	1	1	1	1	106.3	57.25	0	27156.398	582.7956989	15798.65735	30000	0	0	30000	37.375	2004
29.01.2020 10:24:04	1	1	1	1	106.3	57.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	37.875	2004
29.01.2020 10:24:05	1	1	1	1	106.3	57.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	37.4375	2004
29.01.2020 10:24:06	1	1	1	1	106.5	57.25	0	27582.938	584.9462366	16162.31348	30000	0	0	30000	37.4375	2004
29.01.2020 10:24:07	1	1	1	1	106.5	57.25	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	38.125	2004
29.01.2020 10:24:08	1	1	1	1	106.5	57.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	37.4375	2004
29.01.2020 10:24:09	1	1	1	1	106.5	57.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.875	2004
29.01.2020 10:24:16	1	1	1	1	106.3	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.5	2004
29.01.2020 10:24:16	1	1	1	1	106.3	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.5	2004
29.01.2020 10:24:16	1	1	1	1	106.3	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.5	2004
29.01.2020 10:24:16	1	1	1	1	106.3	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.5	2004
29.01.2020 10:24:16	1	1	1	1	106.3	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.5	2004
29.01.2020 10:24:16	1	1	1	1	106.3	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.5	2004
29.01.2020 10:24:16	1	1	1	1	106.3	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.5	2004
29.01.2020 10:24:16	1	1	1	1	106.3	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.5	2004
29.01.2020 10:24:17	1	1	1	1	106.3	57.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.5625	2004
29.01.2020 10:24:18	1	1	1	1	106.3	57.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37.8125	2004
29.01.2020 10:24:19	1	1	1	1	106.3	57.75	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	37.0625	2004
29.01.2020 10:24:20	1	1	1	1	106.3	57	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	37.6875	2004
29.01.2020 10:24:21	1	1	1	1	106.3	57.5	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	37.75	2004
29.01.2020 10:24:22	1	1	1	1	106.3	57.75	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	37.625	2004
29.01.2020 10:24:23	1	1	1	1	106.3	57.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	37.9375	2004
29.01.2020 10:24:24	1	1	1	1	106.3	57.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	37.375	2004
29.01.2020 10:24:25	1	1	1	1	106.3	57.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	37.375	2004
29.01.2020 10:24:26	1	1	1	1	106.3	57.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	37.0625	2004
29.01.2020 10:24:27	1	1	1	1	106.3	57	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.6875	2004
29.01.2020 10:24:28	1	1	1	1	106.3	57.5	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	36.6875	2004
29.01.2020 10:24:29	1	1	1	1	106.3	56.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	37.4375	2004
29.01.2020 10:24:30	1	1	1	1	106.3	57.25	0	27440.758	580.6451613	15819.04167	30000	0	0	30000	37.375	2004
29.01.2020 10:24:31	1	1	1	1	106.3	57.25	0	27440.758	584.9462366	15819.04167	30000	0	0	30000	37.8125	2004
29.01.2020 10:24:32	1	1	1	1	106.3	57.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	37.125	2004
29.01.2020 10:24:33	1	1	1	1	106.3	57	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.875	2004
29.01.2020 10:24:34	1	1	1	1	106.3	57.75	0	27440.758	578.4946237	16102.79129	30000	0	0	30000	37.6875	2004
29.01.2020 10:24:35	1	1	1	1	106.8	57.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.875	2004
29.01.2020 10:24:36	1	1	1	1	106.8	57.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:24:37	1	1	1	1	106.8	57.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	37.6875	2004
29.01.2020 10:24:38	1	1	1	1	106.8	57.5	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	37.8125	2004
29.01.2020 10:24:39	1	1	1	1	106.8	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.5	2004
29.01.2020 10:24:41	1	1	1	1	106.8	57.5	0	27819.905	582.7956989	16102.79129	30000	0	0	30000	37.875	2004
29.01.2020 10:24:42	1	1	1	1	106.8	57.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38	2004
29.01.2020 10:24:43	1	1	1	1	106.8	58	0	27867.299	580.6451613	16212.86658	30000	0	0	30000	37.8125	2004
29.01.2020 10:24:44	1	1	1	1	106.8	57.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.875	2004
29.01.2020 10:24:45	1	1	1	1	106.8	57.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.1875	2004
29.01.2020 10:24:46	1	1	1	1	106.5	58	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	37.125	2004
29.01.2020 10:24:47	1	1	1	1	106.5	57	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37.6875	2004
29.01.2020 10:24:48	1	1	1	1	106.5	57.75	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	37.5	2004
29.01.2020 10:24:49	1	1	1	1	106.5	57.5	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	37.6875	2004
29.01.2020 10:24:50	1	1	1	1	106.5	57.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.375	2004
29.01.2020 10:24:51	1	1	1	1	106.5	57.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37.8125	2004
29.01.2020 10:24:52	1	1	1	1	106.5	57.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.4375	2004
29.01.2020 10:24:53	1	1	1	1	106.5	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.0625	2004
29.01.2020 10:24:54	1	1	1	1	106.5	57	0	27440.758	578.4946237	15819.04167	30000	0	0	30000	37.6875	2004
29.01.2020 10:24:55	1	1	1	1	106.5	57.5	0	27298.578	580.6451613	15877.74848	30000	0	0	30000	37.3125	2004
29.01.2020 10:24:56	1	1	1	1	106.5	57.25	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	37.5625	2004
29.01.2020 10:24:57	1	1	1	1	106.5	57.5	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	37.4375	2004
29.01.2020 10:24:58	1	1	1	1	106.5	57.25	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	37.375	2004
29.01.2020 10:24:59	1	1	1	1	106.5	57.25	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	38	2004
29.01.2020 10:25:00	1	1	1	1	106.5	58	0	27440.758	580.6451613	16015.54644	30000	0	0	30000	37.8125	2004
29.01.2020 10:25:01	1	1	1	1	106.5	57.75	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.5625	2004
29.01.2020 10:25:02	1	1	1	1	106.5	57.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.4375	2004
29.01.2020 10:25:03	1	1	1	1	106.5	57.25	0	27440.758	580.6451613	15760.33485	30000	0	0	30000	37.625	2004
29.01.2020 10:25:04	1	1	1	1	106.5	57.5	0	27630.332	582.7956989	15756.25798	30000	0	0	30000	37.125	2004
29.01.2020 10:25:05	1	1	1	1	106	57	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	37.9375	2004
29.01.2020 10:25:06	1	1	1	1	106	57.75	0	27725.118	580.6451613	16212.86658	30000	0	0	30000	37.5625	2004
29.01.2020 10:25:07	1	1	1	1	106	57.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.5	2004
29.01.2020 10:25:08	1	1	1	1	106	57.5	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	37.6875	2004
29.01.2020 10:25:09	1	1	1	1	106	57.5	0	27440.758	580.6451613	16015.54644	30000	0	0	30000	37.875	2004
29.01.2020 10:25:10	1	1	1	1	106	57.75	0	27440.758	574.1935484	15933.19381	30000	0	0	30000	37.5	2004
29.01.2020 10:25:17	1	1	1	1	106.3	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:25:17	1	1	1	1	106.3	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:25:17	1	1	1	1	106.3	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:25:17	1	1	1	1	106.3	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:25:17	1	1	1	1	106.3	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:25:17	1	1	1	1	106.3	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:25:17	1	1	1	1	106.3	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:25:17	1	1	1	1	106.3	58	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	38.125	2004
29.01.2020 10:25:19	1	1	1	1	106.3	58	0	27535.545	580.6451613	16051.42282	30000	0	0	30000	37.875	2004
29.01.2020 10:25:20	1	1	1	1	106.3	57.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	37.875	2004
29.01.2020 10:25:21	1	1	1	1	106.3	57.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:25:22	1	1	1	1	106.3	57.25	0	27535.545	582.7956989	16047.34596	30000	0	0	30000	37.8125	2004
29.01.2020 10:25:23	1	1	1	1	106.3	57.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37.875	2004
29.01.2020 10:25:24	1	1	1	1	106.3	57.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	37.875	2004
29.01.2020 10:25:25	1	1	1	1	106.3	57.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37	2004
29.01.2020 10:25:26	1	1	1	1	106.3	57.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38	2004
29.01.2020 10:25:27	1	1	1	1	106.3	58	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:25:28	1	1	1	1	106.3	58	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	37.75	2004
29.01.2020 10:25:29	1	1	1	1	106.3	57.75	0	27630.332	576.344086	16102.79129	30000	0	0	30000	37.625	2004
29.01.2020 10:25:30	1	1	1	1	106.3	57.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.125	2004
29.01.2020 10:25:31	1	1	1	1	106.3	58	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.5625	2004
29.01.2020 10:25:32	1	1	1	1	106.3	57.5	0	27440.758	576.344086	16051.42282	30000	0	0	30000	38.3125	2004
29.01.2020 10:25:33	1	1	1	1	106.3	58.25	0	27819.905	584.9462366	16273.20414	30000	0	0	30000	38.125	2004
29.01.2020 10:25:34	1	1	1	1	106.3	58	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	38	2004
29.01.2020 10:25:35	1	1	1	1	106.3	58	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.4375	2004
29.01.2020 10:25:36	1	1	1	1	106.3	57.25	0	27630.332	576.344086	15897.31742	30000	0	0	30000	37.375	2004
29.01.2020 10:25:37	1	1	1	1	106.3	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
29.01.2020 10:25:38	1	1	1	1	106.3	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37	2004
29.01.2020 10:25:39	1	1	1	1	106.3	57	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.6875	2004
29.01.2020 10:25:40	1	1	1	1	106.3	57.5	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	38.0625	2004
29.01.2020 10:25:41	1	1	1	1	106.3	58	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	38.0625	2004
29.01.2020 10:25:42	1	1	1	1	106.3	58	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	38	2004
29.01.2020 10:25:43	1	1	1	1	106.3	58	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.3125	2004
29.01.2020 10:25:44	1	1	1	1	106.3	57.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:25:45	1	1	1	1	106.3	58	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	38.125	2004
29.01.2020 10:25:46	1	1	1	1	106.3	58	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	38.0625	2004
29.01.2020 10:25:49	1	1	1	1	106.3	58	0	27630.332	584.9462366	16015.54644	30000	0	0	30000	37.625	2004
29.01.2020 10:25:49	1	1	1	1	106.3	58	0	27630.332	584.9462366	16015.54644	30000	0	0	30000	37.625	2004
29.01.2020 10:25:49	1	1	1	1	106.3	57.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.4375	2004
29.01.2020 10:25:50	1	1	1	1	106.3	57.25	0	27772.512	576.344086	15924.22472	30000	0	0	30000	37.9375	2004
29.01.2020 10:25:51	1	1	1	1	106.3	57.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	38.0625	2004
29.01.2020 10:25:52	1	1	1	1	106.3	58	0	27630.332	567.7419355	16033.48463	30000	0	0	30000	38	2004
29.01.2020 10:25:53	1	1	1	1	106.3	58	0	27867.299	576.344086	16061.20729	30000	0	0	30000	37.5	2004
29.01.2020 10:25:54	1	1	1	1	106.3	57.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	37.625	2004
29.01.2020 10:25:56	1	1	1	1	106.8	57.5	0	27630.332	567.7419355	16093.00682	30000	0	0	30000	37.9375	2004
29.01.2020 10:25:57	1	1	1	1	106.8	57.75	0	27819.905	569.8924731	15973.96244	30000	0	0	30000	37.8125	2004
29.01.2020 10:25:58	1	1	1	1	106.8	57.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	37.4375	2004
29.01.2020 10:25:59	1	1	1	1	106.8	57.25	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	37.4375	2004
29.01.2020 10:26:00	1	1	1	1	106.8	57.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	37.5625	2004
29.01.2020 10:26:01	1	1	1	1	106.8	57.5	0	27725.118	574.1935484	15745.65814	30000	0	0	30000	38.5625	2004
29.01.2020 10:26:02	1	1	1	1	106.8	58.5	0	27962.085	576.344086	16115.83725	30000	0	0	30000	38.125	2004
29.01.2020 10:26:03	1	1	1	1	106.8	58	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37.3125	2004
29.01.2020 10:26:04	1	1	1	1	106.8	57.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	37.9375	2004
29.01.2020 10:26:05	1	1	1	1	107.3	57.75	0	27962.085	576.344086	16027.77702	30000	0	0	30000	38	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:26:06	1	1	1	1	107.3	58	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	37.8125	2004
29.01.2020 10:26:07	1	1	1	1	107.3	57.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.0625	2004
29.01.2020 10:26:08	1	1	1	1	107.3	58	0	27914.692	576.344086	16000.86973	30000	0	0	30000	37.5	2004
29.01.2020 10:26:09	1	1	1	1	107.3	57.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38.0625	2004
29.01.2020 10:26:10	1	1	1	1	107.3	58	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38	2004
29.01.2020 10:26:11	1	1	1	1	107.3	58	0	27819.905	578.4946237	15864.70252	30000	0	0	30000	38	2004
29.01.2020 10:26:12	1	1	1	1	107.3	58	0	27725.118	576.344086	15924.22472	30000	0	0	30000	37.9375	2004
29.01.2020 10:26:18	1	1	1	1	106.8	57.5	0	27535.545	569.8924731	15924.22472	30000	0	0	30000	38	2004
29.01.2020 10:26:18	1	1	1	1	106.8	57.5	0	27535.545	569.8924731	15924.22472	30000	0	0	30000	38	2004
29.01.2020 10:26:18	1	1	1	1	106.8	57.5	0	27535.545	569.8924731	15924.22472	30000	0	0	30000	38	2004
29.01.2020 10:26:18	1	1	1	1	106.8	57.5	0	27535.545	569.8924731	15924.22472	30000	0	0	30000	38	2004
29.01.2020 10:26:18	1	1	1	1	106.8	57.5	0	27535.545	569.8924731	15924.22472	30000	0	0	30000	38	2004
29.01.2020 10:26:18	1	1	1	1	106.8	57.5	0	27535.545	569.8924731	15924.22472	30000	0	0	30000	38	2004
29.01.2020 10:26:19	1	1	1	1	106.8	58	0	27630.332	578.4946237	16066.09953	30000	0	0	30000	37.625	2004
29.01.2020 10:26:20	1	1	1	1	106.8	57.5	0	27535.545	574.1935484	15837.79523	30000	0	0	30000	38	2004
29.01.2020 10:26:21	1	1	1	1	106.8	58	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	38	2004
29.01.2020 10:26:22	1	1	1	1	106.8	58	0	28009.479	572.0430108	16263.41967	30000	0	0	30000	38	2004
29.01.2020 10:26:23	1	1	1	1	106.8	58	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	37.9375	2004
29.01.2020 10:26:24	1	1	1	1	106.8	57.75	0	27630.332	569.8924731	15864.70252	30000	0	0	30000	38.25	2004
29.01.2020 10:26:25	1	1	1	1	106.8	58.25	0	27819.905	576.344086	16300.92681	30000	0	0	30000	37.625	2004
29.01.2020 10:26:26	1	1	1	1	106.8	57.5	0	27819.905	576.344086	16061.20729	30000	0	0	30000	38.0625	2004
29.01.2020 10:26:27	1	1	1	1	106.8	58	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.625	2004
29.01.2020 10:26:28	1	1	1	1	106.8	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.5625	2004
29.01.2020 10:26:29	1	1	1	1	106.8	57.5	0	27867.299	580.6451613	16181.06705	30000	0	0	30000	37.5625	2004
29.01.2020 10:26:30	1	1	1	1	106.8	57.5	0	27535.545	576.344086	15873.67162	30000	0	0	30000	37.5	2004
29.01.2020 10:26:31	1	1	1	1	106.8	57.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
29.01.2020 10:26:32	1	1	1	1	106.8	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
29.01.2020 10:26:34	1	1	1	1	106.8	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
29.01.2020 10:26:35	1	1	1	1	106.8	58	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38	2004
29.01.2020 10:26:36	1	1	1	1	106.8	58	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.25	2004
29.01.2020 10:26:37	1	1	1	1	106.8	58.25	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	38	2004
29.01.2020 10:26:38	1	1	1	1	106.8	58	0	27630.332	587.0967742	16102.79129	30000	0	0	30000	38	2004
29.01.2020 10:26:39	1	1	1	1	106.8	58	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	38.1875	2004
29.01.2020 10:26:40	1	1	1	1	106.8	58	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.5625	2004
29.01.2020 10:26:41	1	1	1	1	106.8	57.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.25	2004
29.01.2020 10:26:42	1	1	1	1	106.8	57.25	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	38.375	2004
29.01.2020 10:26:43	1	1	1	1	106.8	58.25	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	37.4375	2004
29.01.2020 10:26:44	1	1	1	1	106.8	57.25	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	36.5625	2004
29.01.2020 10:26:45	1	1	1	1	106.5	56.5	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	37.9375	2004
29.01.2020 10:26:46	1	1	1	1	106.5	57.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.875	2004
29.01.2020 10:26:47	1	1	1	1	106.5	57.75	0	27582.938	576.344086	16102.79129	30000	0	0	30000	37.9375	2004
29.01.2020 10:26:48	1	1	1	1	106.5	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.8125	2004
29.01.2020 10:26:49	1	1	1	1	106.5	57.75	0	27582.938	576.344086	15956.02424	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:26:50	1	1	1	1	106.5	58	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.1875	2004
29.01.2020 10:26:51	1	1	1	1	106.5	58	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	38.125	2004
29.01.2020 10:26:52	1	1	1	1	106.5	58	0	27440.758	576.344086	15873.67162	30000	0	0	30000	37.375	2004
29.01.2020 10:26:53	1	1	1	1	106.5	57.25	0	27725.118	576.344086	16033.48463	30000	0	0	30000	37.875	2004
29.01.2020 10:26:54	1	1	1	1	106.5	57.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	37.6875	2004
29.01.2020 10:26:55	1	1	1	1	107	57.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.0625	2004
29.01.2020 10:26:56	1	1	1	1	107	58	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	37.375	2004
29.01.2020 10:26:57	1	1	1	1	107	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.375	2004
29.01.2020 10:26:58	1	1	1	1	107	58.25	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	37.875	2004
29.01.2020 10:26:59	1	1	1	1	107	57.75	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	37.5625	2004
29.01.2020 10:27:00	1	1	1	1	107	57.5	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	37.6875	2004
29.01.2020 10:27:01	1	1	1	1	107	57.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37	2004
29.01.2020 10:27:02	1	1	1	1	107	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:03	1	1	1	1	107	57.75	0	27725.118	578.4946237	16038.37687	30000	0	0	30000	38.4375	2004
29.01.2020 10:27:04	1	1	1	1	107	58.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	38	2004
29.01.2020 10:27:05	1	1	1	1	106.8	58	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.1875	2004
29.01.2020 10:27:06	1	1	1	1	106.8	58	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38	2004
29.01.2020 10:27:07	1	1	1	1	106.8	58	0	27582.938	576.344086	15956.02424	30000	0	0	30000	38	2004
29.01.2020 10:27:08	1	1	1	1	106.8	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.3125	2004
29.01.2020 10:27:09	1	1	1	1	106.8	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:11	1	1	1	1	106.8	57.75	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	37.6875	2004
29.01.2020 10:27:12	1	1	1	1	106.8	57.5	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	37.3125	2004
29.01.2020 10:27:13	1	1	1	1	106.8	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.75	2004
29.01.2020 10:27:14	1	1	1	1	106.8	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.5625	2004
29.01.2020 10:27:20	1	1	1	1	106.8	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:20	1	1	1	1	106.8	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:20	1	1	1	1	106.8	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:20	1	1	1	1	106.8	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:20	1	1	1	1	106.8	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:20	1	1	1	1	106.8	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:21	1	1	1	1	106.8	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.375	2004
29.01.2020 10:27:22	1	1	1	1	106.8	58.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38	2004
29.01.2020 10:27:23	1	1	1	1	106.8	58	0	27440.758	576.344086	15873.67162	30000	0	0	30000	37.875	2004
29.01.2020 10:27:24	1	1	1	1	106.8	57.75	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	38.1875	2004
29.01.2020 10:27:25	1	1	1	1	107.5	58	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	37.375	2004
29.01.2020 10:27:26	1	1	1	1	107.5	57.25	0	27345.972	576.344086	15933.19381	30000	0	0	30000	38	2004
29.01.2020 10:27:27	1	1	1	1	107.5	58	0	27582.938	580.6451613	15756.25798	30000	0	0	30000	37.875	2004
29.01.2020 10:27:28	1	1	1	1	107.5	57.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.75	2004
29.01.2020 10:27:29	1	1	1	1	107.5	57.75	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	37.1875	2004
29.01.2020 10:27:30	1	1	1	1	107.5	57	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.4375	2004
29.01.2020 10:27:31	1	1	1	1	107.5	57.25	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	37.875	2004
29.01.2020 10:27:32	1	1	1	1	107.5	57.75	0	27440.758	578.4946237	15756.25798	30000	0	0	30000	38.25	2004
29.01.2020 10:27:33	1	1	1	1	107.5	58.25	0	27440.758	576.344086	15873.67162	30000	0	0	30000	38.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:27:34	1	1	1	1	107.5	58	0	27630.332	576.344086	16043.2691	30000	0	0	30000	38.0625	2004
29.01.2020 10:27:35	1	1	1	1	106.8	58	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	36.4375	2004
29.01.2020 10:27:36	1	1	1	1	106.8	56.25	0	27630.332	578.4946237	15691.84356	30000	0	0	30000	38.3125	2004
29.01.2020 10:27:37	1	1	1	1	106.8	58.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.8125	2004
29.01.2020 10:27:38	1	1	1	1	106.8	57.75	0	27440.758	578.4946237	15638.02897	30000	0	0	30000	37.5	2004
29.01.2020 10:27:39	1	1	1	1	106.8	57.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.3125	2004
29.01.2020 10:27:40	1	1	1	1	106.8	58.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	38.125	2004
29.01.2020 10:27:41	1	1	1	1	106.8	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.375	2004
29.01.2020 10:27:42	1	1	1	1	106.8	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.75	2004
29.01.2020 10:27:43	1	1	1	1	106.8	57.75	0	27440.758	576.344086	15956.02424	30000	0	0	30000	38.0625	2004
29.01.2020 10:27:44	1	1	1	1	106.8	58	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	37.6875	2004
29.01.2020 10:27:45	1	1	1	1	107.3	57.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.1875	2004
29.01.2020 10:27:46	1	1	1	1	107.3	58	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:47	1	1	1	1	107.3	57.75	0	27582.938	582.7956989	15873.67162	30000	0	0	30000	37	2004
29.01.2020 10:27:49	1	1	1	1	107.3	57	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	37.8125	2004
29.01.2020 10:27:50	1	1	1	1	107.3	57.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.375	2004
29.01.2020 10:27:51	1	1	1	1	107.3	58.25	0	27393.365	589.2473118	15877.74848	30000	0	0	30000	38.3125	2004
29.01.2020 10:27:52	1	1	1	1	107.3	58.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	37.625	2004
29.01.2020 10:27:53	1	1	1	1	107.3	57.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	38.0625	2004
29.01.2020 10:27:54	1	1	1	1	107.3	58	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.375	2004
29.01.2020 10:27:55	1	1	1	1	107.3	58.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	38.1875	2004
29.01.2020 10:27:56	1	1	1	1	106.8	58	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.9375	2004
29.01.2020 10:27:57	1	1	1	1	106.8	57.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.4375	2004
29.01.2020 10:27:58	1	1	1	1	106.8	58.25	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	38.25	2004
29.01.2020 10:27:59	1	1	1	1	106.8	58.25	0	27488.152	580.6451613	15991.90063	30000	0	0	30000	38	2004
29.01.2020 10:28:00	1	1	1	1	106.8	58	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.8125	2004
29.01.2020 10:28:01	1	1	1	1	106.8	57.75	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	38.1875	2004
29.01.2020 10:28:02	1	1	1	1	106.8	58	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	37.8125	2004
29.01.2020 10:28:03	1	1	1	1	106.8	57.75	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	38	2004
29.01.2020 10:28:04	1	1	1	1	106.8	58	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.375	2004
29.01.2020 10:28:05	1	1	1	1	107	58.25	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	38.25	2004
29.01.2020 10:28:06	1	1	1	1	107	58.25	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	37.3125	2004
29.01.2020 10:28:07	1	1	1	1	107	57.25	0	27298.578	578.4946237	15850.84119	30000	0	0	30000	37.9375	2004
29.01.2020 10:28:08	1	1	1	1	107	57.75	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	37.1875	2004
29.01.2020 10:28:09	1	1	1	1	107	57	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	38.125	2004
29.01.2020 10:28:10	1	1	1	1	107	58	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.5625	2004
29.01.2020 10:28:11	1	1	1	1	107	57.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	38.125	2004
29.01.2020 10:28:12	1	1	1	1	107	58	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.5	2004
29.01.2020 10:28:13	1	1	1	1	107	58.5	0	27298.578	580.6451613	15624.16764	30000	0	0	30000	38.3125	2004
29.01.2020 10:28:14	1	1	1	1	107	58.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38.0625	2004
29.01.2020 10:28:15	1	1	1	1	107	58	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	38	2004
29.01.2020 10:28:22	1	1	1	1	107	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.625	2004
29.01.2020 10:28:22	1	1	1	1	107	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:28:22	1	1	1	1	107	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.625	2004
29.01.2020 10:28:22	1	1	1	1	107	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.625	2004
29.01.2020 10:28:22	1	1	1	1	107	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.625	2004
29.01.2020 10:28:22	1	1	1	1	107	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.625	2004
29.01.2020 10:28:22	1	1	1	1	107	57.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38	2004
29.01.2020 10:28:23	1	1	1	1	107	58	0	27345.972	580.6451613	15760.33485	30000	0	0	30000	37.8125	2004
29.01.2020 10:28:24	1	1	1	1	107	57.75	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	38.3125	2004
29.01.2020 10:28:25	1	1	1	1	106.8	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.75	2004
29.01.2020 10:28:26	1	1	1	1	106.8	57.75	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	38.3125	2004
29.01.2020 10:28:27	1	1	1	1	106.8	58.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.1875	2004
29.01.2020 10:28:29	1	1	1	1	106.8	58	0	27109.005	580.6451613	15740.76591	30000	0	0	30000	37.9375	2004
29.01.2020 10:28:30	1	1	1	1	106.8	57.75	0	27298.578	576.344086	15936.4553	30000	0	0	30000	38.25	2004
29.01.2020 10:28:31	1	1	1	1	106.8	58.25	0	27582.938	584.9462366	15814.9648	30000	0	0	30000	37.625	2004
29.01.2020 10:28:32	1	1	1	1	106.8	57.5	0	27393.365	587.0967742	16051.42282	30000	0	0	30000	38.1875	2004
29.01.2020 10:28:33	1	1	1	1	106.8	58	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.25	2004
29.01.2020 10:28:34	1	1	1	1	106.8	58.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.375	2004
29.01.2020 10:28:35	1	1	1	1	106.8	58.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	38.75	2004
29.01.2020 10:28:36	1	1	1	1	107	58.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38	2004
29.01.2020 10:28:37	1	1	1	1	107	58.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.375	2004
29.01.2020 10:28:38	1	1	1	1	107	58.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.5	2004
29.01.2020 10:28:39	1	1	1	1	107	58.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.25	2004
29.01.2020 10:28:40	1	1	1	1	107	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.4375	2004
29.01.2020 10:28:41	1	1	1	1	107	58.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38.125	2004
29.01.2020 10:28:42	1	1	1	1	107	58	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	38.125	2004
29.01.2020 10:28:43	1	1	1	1	107	58	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	38.3125	2004
29.01.2020 10:28:44	1	1	1	1	107	58.25	0	27345.972	580.6451613	16172.09795	30000	0	0	30000	38.5	2004
29.01.2020 10:28:45	1	1	1	1	107	58.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38	2004
29.01.2020 10:28:46	1	1	1	1	107	58	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	38.4375	2004
29.01.2020 10:28:47	1	1	1	1	107	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38	2004
29.01.2020 10:28:48	1	1	1	1	107	58	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.0625	2004
29.01.2020 10:28:49	1	1	1	1	107	58	0	27582.938	578.4946237	16193.29764	30000	0	0	30000	38.125	2004
29.01.2020 10:28:50	1	1	1	1	107	58	0	27535.545	582.7956989	16106.86815	30000	0	0	30000	37.8125	2004
29.01.2020 10:28:51	1	1	1	1	107	57.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.375	2004
29.01.2020 10:28:52	1	1	1	1	107	58.25	0	27582.938	587.0967742	16051.42282	30000	0	0	30000	38.375	2004
29.01.2020 10:28:53	1	1	1	1	107	58.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	38.4375	2004
29.01.2020 10:28:54	1	1	1	1	107	58.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.9375	2004
29.01.2020 10:28:55	1	1	1	1	107	57.75	0	27819.905	582.7956989	16102.79129	30000	0	0	30000	38.0625	2004
29.01.2020 10:28:56	1	1	1	1	107	58	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	38.3125	2004
29.01.2020 10:28:57	1	1	1	1	107	58.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.125	2004
29.01.2020 10:28:58	1	1	1	1	107	58	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	38.3125	2004
29.01.2020 10:28:59	1	1	1	1	107	58.25	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	38.375	2004
29.01.2020 10:29:00	1	1	1	1	107	58.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.5	2004
29.01.2020 10:29:01	1	1	1	1	107	58.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:29:02	1	1	1	1	107	58.25	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	37.6875	2004
29.01.2020 10:29:03	1	1	1	1	107	57.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.4375	2004
29.01.2020 10:29:04	1	1	1	1	107	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.875	2004
29.01.2020 10:29:06	1	1	1	1	106.8	57.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	38.3125	2004
29.01.2020 10:29:07	1	1	1	1	106.8	58.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38	2004
29.01.2020 10:29:08	1	1	1	1	106.8	58	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	38.5625	2004
29.01.2020 10:29:09	1	1	1	1	106.8	58.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.0625	2004
29.01.2020 10:29:10	1	1	1	1	106.8	58	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.375	2004
29.01.2020 10:29:11	1	1	1	1	106.8	57.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.0625	2004
29.01.2020 10:29:12	1	1	1	1	106.8	58	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	38.625	2004
29.01.2020 10:29:13	1	1	1	1	106.8	58.5	0	27535.545	582.7956989	15987.82377	30000	0	0	30000	37.9375	2004
29.01.2020 10:29:14	1	1	1	1	106.8	57.75	0	27298.578	578.4946237	15819.04167	30000	0	0	30000	37.625	2004
29.01.2020 10:29:15	1	1	1	1	106.8	57.5	0	27488.152	584.9462366	16047.34596	30000	0	0	30000	37.8125	2004
29.01.2020 10:29:16	1	1	1	1	107	58.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.375	2004
29.01.2020 10:29:17	1	1	1	1	107	58.25	0	27440.758	584.9462366	15819.04167	30000	0	0	30000	37.625	2004
29.01.2020 10:29:23	1	1	1	1	107	58	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
29.01.2020 10:29:23	1	1	1	1	107	58	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
29.01.2020 10:29:23	1	1	1	1	107	58	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
29.01.2020 10:29:23	1	1	1	1	107	58	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
29.01.2020 10:29:23	1	1	1	1	107	58	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
29.01.2020 10:29:23	1	1	1	1	107	58	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
29.01.2020 10:29:24	1	1	1	1	107	57.75	0	27440.758	580.6451613	15987.82377	30000	0	0	30000	38.625	2004
29.01.2020 10:29:25	1	1	1	1	107	58.5	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	38	2004
29.01.2020 10:29:26	1	1	1	1	107	58	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	38.3125	2004
29.01.2020 10:29:27	1	1	1	1	107	58.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.1875	2004
29.01.2020 10:29:28	1	1	1	1	107	58	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	38.375	2004
29.01.2020 10:29:29	1	1	1	1	107	58.25	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	38.375	2004
29.01.2020 10:29:30	1	1	1	1	107	58.25	0	27582.938	580.6451613	16134.59082	30000	0	0	30000	38.5	2004
29.01.2020 10:29:31	1	1	1	1	107	58.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.4375	2004
29.01.2020 10:29:32	1	1	1	1	107	58.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.9375	2004
29.01.2020 10:29:33	1	1	1	1	107	57.75	0	27582.938	578.4946237	16134.59082	30000	0	0	30000	38.375	2004
29.01.2020 10:29:34	1	1	1	1	107	58.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.5	2004
29.01.2020 10:29:35	1	1	1	1	107.3	58.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.125	2004
29.01.2020 10:29:36	1	1	1	1	107.3	58	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	38.375	2004
29.01.2020 10:29:37	1	1	1	1	107.3	58.25	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	38.5	2004
29.01.2020 10:29:38	1	1	1	1	107.3	58.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.75	2004
29.01.2020 10:29:39	1	1	1	1	107.3	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.75	2004
29.01.2020 10:29:40	1	1	1	1	107.3	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.25	2004
29.01.2020 10:29:41	1	1	1	1	107.3	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38	2004
29.01.2020 10:29:42	1	1	1	1	107.3	58	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	38.125	2004
29.01.2020 10:29:44	1	1	1	1	107.3	58	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38	2004
29.01.2020 10:29:45	1	1	1	1	107.3	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.5	2004
29.01.2020 10:29:46	1	1	1	1	106.8	57.5	0	27630.332	582.7956989	15956.02424	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:29:47	1	1	1	1	106.8	57.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.1875	2004
29.01.2020 10:29:48	1	1	1	1	106.8	58	0	27819.905	580.6451613	16181.06705	30000	0	0	30000	38.5625	2004
29.01.2020 10:29:49	1	1	1	1	106.8	58.5	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	38.5	2004
29.01.2020 10:29:50	1	1	1	1	106.8	58.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.625	2004
29.01.2020 10:29:51	1	1	1	1	106.8	58.5	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	38.6875	2004
29.01.2020 10:29:52	1	1	1	1	106.8	58.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.125	2004
29.01.2020 10:29:53	1	1	1	1	106.8	57.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.5	2004
29.01.2020 10:29:54	1	1	1	1	106.8	58.5	0	27488.152	576.344086	15873.67162	30000	0	0	30000	38	2004
29.01.2020 10:29:55	1	1	1	1	107	58	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.9375	2004
29.01.2020 10:29:56	1	1	1	1	107	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.9375	2004
29.01.2020 10:29:57	1	1	1	1	107	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.375	2004
29.01.2020 10:29:58	1	1	1	1	107	58.25	0	27819.905	580.6451613	16273.20414	30000	0	0	30000	37.5	2004
29.01.2020 10:29:59	1	1	1	1	107	57.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.4375	2004
29.01.2020 10:30:00	1	1	1	1	107	58.25	0	27582.938	580.6451613	15869.59476	30000	0	0	30000	37.875	2004
29.01.2020 10:30:01	1	1	1	1	107	57.75	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	38.1875	2004
29.01.2020 10:30:02	1	1	1	1	107	58	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:03	1	1	1	1	107	58.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	38.1875	2004
29.01.2020 10:30:04	1	1	1	1	107	58	0	27440.758	582.7956989	16047.34596	30000	0	0	30000	38.4375	2004
29.01.2020 10:30:05	1	1	1	1	107.3	58.25	0	27582.938	587.0967742	16047.34596	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:06	1	1	1	1	107.3	58.5	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	38.25	2004
29.01.2020 10:30:07	1	1	1	1	107.3	58.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	38.25	2004
29.01.2020 10:30:08	1	1	1	1	107.3	58.25	0	27535.545	580.6451613	15696.73579	30000	0	0	30000	37.9375	2004
29.01.2020 10:30:09	1	1	1	1	107.3	57.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:10	1	1	1	1	107.3	58.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	38.4375	2004
29.01.2020 10:30:11	1	1	1	1	107.3	58.25	0	27582.938	580.6451613	15756.25798	30000	0	0	30000	38	2004
29.01.2020 10:30:12	1	1	1	1	107.3	58	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	37.9375	2004
29.01.2020 10:30:13	1	1	1	1	107.3	57.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	37.375	2004
29.01.2020 10:30:14	1	1	1	1	107.3	57.25	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	37.5625	2004
29.01.2020 10:30:15	1	1	1	1	106.5	57.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	38.5	2004
29.01.2020 10:30:16	1	1	1	1	106.5	58.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	38.1875	2004
29.01.2020 10:30:17	1	1	1	1	106.5	58	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	37.9375	2004
29.01.2020 10:30:18	1	1	1	1	106.5	57.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.5	2004
29.01.2020 10:30:25	1	1	1	1	106.5	58	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:25	1	1	1	1	106.5	58	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:25	1	1	1	1	106.5	58	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:25	1	1	1	1	106.5	58	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:25	1	1	1	1	106.5	58	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:25	1	1	1	1	106.5	58	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:26	1	1	1	1	106.5	58.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.375	2004
29.01.2020 10:30:27	1	1	1	1	106.5	58.25	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	38.75	2004
29.01.2020 10:30:28	1	1	1	1	106.5	58.75	0	27156.398	580.6451613	15909.54801	30000	0	0	30000	38.0625	2004
29.01.2020 10:30:29	1	1	1	1	106.5	58	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.8125	2004
29.01.2020 10:30:30	1	1	1	1	106.5	58.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:30:31	1	1	1	1	106.5	58.5	0	27440.758	582.7956989	16110.12964	30000	0	0	30000	37.3125	2004
29.01.2020 10:30:32	1	1	1	1	106.5	57.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.625	2004
29.01.2020 10:30:33	1	1	1	1	106.5	58.5	0	27298.578	582.7956989	16054.68431	30000	0	0	30000	38.1875	2004
29.01.2020 10:30:34	1	1	1	1	106.5	58	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.5	2004
29.01.2020 10:30:35	1	1	1	1	107.3	58.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38.1875	2004
29.01.2020 10:30:36	1	1	1	1	107.3	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38	2004
29.01.2020 10:30:37	1	1	1	1	107.3	58	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	38.375	2004
29.01.2020 10:30:38	1	1	1	1	107.3	58.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.5	2004
29.01.2020 10:30:39	1	1	1	1	107.3	58.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.9375	2004
29.01.2020 10:30:40	1	1	1	1	107.3	57.75	0	27109.005	587.0967742	15826.38002	30000	0	0	30000	38.5	2004
29.01.2020 10:30:41	1	1	1	1	107.3	58.5	0	27440.758	587.0967742	16165.57497	30000	0	0	30000	38	2004
29.01.2020 10:30:42	1	1	1	1	107.3	58	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	37.5625	2004
29.01.2020 10:30:43	1	1	1	1	107.3	57.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.375	2004
29.01.2020 10:30:44	1	1	1	1	107.3	58.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	38.5	2004
29.01.2020 10:30:45	1	1	1	1	106.5	58.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	38.6875	2004
29.01.2020 10:30:46	1	1	1	1	106.5	58.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	38.1875	2004
29.01.2020 10:30:47	1	1	1	1	106.5	58	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.3125	2004
29.01.2020 10:30:48	1	1	1	1	106.5	58.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.1875	2004
29.01.2020 10:30:49	1	1	1	1	106.5	58	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	38.5	2004
29.01.2020 10:30:50	1	1	1	1	106.5	58.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.5625	2004
29.01.2020 10:30:51	1	1	1	1	106.5	58.5	0	27535.545	582.7956989	16280.54249	30000	0	0	30000	38.3125	2004
29.01.2020 10:30:52	1	1	1	1	106.5	58.25	0	27630.332	584.9462366	16193.29764	30000	0	0	30000	38.0625	2004
29.01.2020 10:30:53	1	1	1	1	106.5	58	0	27345.972	580.6451613	15933.19381	30000	0	0	30000	38.5	2004
29.01.2020 10:30:54	1	1	1	1	106.5	58.5	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	38.0625	2004
29.01.2020 10:30:55	1	1	1	1	106.5	58	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	38.5	2004
29.01.2020 10:30:56	1	1	1	1	106.5	58.5	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	38.625	2004
29.01.2020 10:30:57	1	1	1	1	106.5	58.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	38.3125	2004
29.01.2020 10:30:58	1	1	1	1	106.5	58.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.9375	2004
29.01.2020 10:30:59	1	1	1	1	106.5	57.75	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	38.3125	2004
29.01.2020 10:31:01	1	1	1	1	106.5	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.75	2004
29.01.2020 10:31:02	1	1	1	1	106.5	58.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.6875	2004
29.01.2020 10:31:03	1	1	1	1	106.5	58.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	38.25	2004
29.01.2020 10:31:04	1	1	1	1	106.5	58.25	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	38.375	2004
29.01.2020 10:31:05	1	1	1	1	106.5	58.25	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	38.25	2004
29.01.2020 10:31:06	1	1	1	1	106.3	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38	2004
29.01.2020 10:31:07	1	1	1	1	106.3	58	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	38.6875	2004
29.01.2020 10:31:08	1	1	1	1	106.3	58.5	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	38.5	2004
29.01.2020 10:31:09	1	1	1	1	106.3	58.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.1875	2004
29.01.2020 10:31:10	1	1	1	1	106.3	58	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.75	2004
29.01.2020 10:31:11	1	1	1	1	106.3	58.75	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	38.625	2004
29.01.2020 10:31:12	1	1	1	1	106.3	58.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.125	2004
29.01.2020 10:31:13	1	1	1	1	106.3	57.75	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	38.4375	2004
29.01.2020 10:31:14	1	1	1	1	106.3	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:31:15	1	1	1	1	106	58.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	38.125	2004
29.01.2020 10:31:16	1	1	1	1	106	58	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.625	2004
29.01.2020 10:31:17	1	1	1	1	106	58.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	38.25	2004
29.01.2020 10:31:18	1	1	1	1	106	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.625	2004
29.01.2020 10:31:19	1	1	1	1	106	58.5	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	38.0625	2004
29.01.2020 10:31:20	1	1	1	1	106	58	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.75	2004
29.01.2020 10:31:27	1	1	1	1	106	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.5	2004
29.01.2020 10:31:27	1	1	1	1	106	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.5	2004
29.01.2020 10:31:27	1	1	1	1	106	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.5	2004
29.01.2020 10:31:27	1	1	1	1	106	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.5	2004
29.01.2020 10:31:27	1	1	1	1	106	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.5	2004
29.01.2020 10:31:27	1	1	1	1	106	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.5	2004
29.01.2020 10:31:28	1	1	1	1	106	58.5	0	27440.758	569.8924731	15869.59476	30000	0	0	30000	38.875	2004
29.01.2020 10:31:29	1	1	1	1	106	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.6875	2004
29.01.2020 10:31:30	1	1	1	1	106	58.5	0	27582.938	574.1935484	15983.74691	30000	0	0	30000	38.3125	2004
29.01.2020 10:31:31	1	1	1	1	106	58.25	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	38.5	2004
29.01.2020 10:31:32	1	1	1	1	106	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.9375	2004
29.01.2020 10:31:33	1	1	1	1	106	57.75	0	27582.938	578.4946237	15869.59476	30000	0	0	30000	38.6875	2004
29.01.2020 10:31:34	1	1	1	1	106	58.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.5625	2004
29.01.2020 10:31:35	1	1	1	1	106.5	58.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.375	2004
29.01.2020 10:31:36	1	1	1	1	106.5	58.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.625	2004
29.01.2020 10:31:37	1	1	1	1	106.5	58.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.0625	2004
29.01.2020 10:31:38	1	1	1	1	106.5	58	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38	2004
29.01.2020 10:31:39	1	1	1	1	106.5	58	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.8125	2004
29.01.2020 10:31:41	1	1	1	1	106.5	58.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.5	2004
29.01.2020 10:31:42	1	1	1	1	106.5	58.5	0	27582.938	576.344086	15897.31742	30000	0	0	30000	38.4375	2004
29.01.2020 10:31:43	1	1	1	1	106.5	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.6875	2004
29.01.2020 10:31:44	1	1	1	1	106.5	57.5	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	38.375	2004
29.01.2020 10:31:45	1	1	1	1	106.5	58.25	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	38.625	2004
29.01.2020 10:31:46	1	1	1	1	106.5	58.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	38.5625	2004
29.01.2020 10:31:47	1	1	1	1	106.5	58.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.75	2004
29.01.2020 10:31:48	1	1	1	1	106.5	57.75	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	38	2004
29.01.2020 10:31:49	1	1	1	1	106.5	58	0	27772.512	574.1935484	15973.96244	30000	0	0	30000	38.625	2004
29.01.2020 10:31:50	1	1	1	1	106.5	58.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38.375	2004
29.01.2020 10:31:51	1	1	1	1	106.5	58.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	38.25	2004
29.01.2020 10:31:52	1	1	1	1	106.5	58.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	38.375	2004
29.01.2020 10:31:53	1	1	1	1	106.5	58.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	38.75	2004
29.01.2020 10:31:54	1	1	1	1	106.5	58.75	0	27962.085	576.344086	16323.75724	30000	0	0	30000	37.5	2004
29.01.2020 10:31:55	1	1	1	1	107	57.5	0	27772.512	578.4946237	16038.37687	30000	0	0	30000	38.5	2004
29.01.2020 10:31:56	1	1	1	1	107	58.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.3125	2004
29.01.2020 10:31:57	1	1	1	1	107	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.8125	2004
29.01.2020 10:31:58	1	1	1	1	107	58.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:31:59	1	1	1	1	107	58.5	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	38.75	2004
29.01.2020 10:32:00	1	1	1	1	107	58.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	37.8125	2004
29.01.2020 10:32:01	1	1	1	1	107	57.75	0	27819.905	576.344086	16153.34439	30000	0	0	30000	38.5625	2004
29.01.2020 10:32:02	1	1	1	1	107	58.5	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	38.0625	2004
29.01.2020 10:32:03	1	1	1	1	107	58	0	27819.905	576.344086	16093.00682	30000	0	0	30000	38.5	2004
29.01.2020 10:32:04	1	1	1	1	107	58.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.5	2004
29.01.2020 10:32:05	1	1	1	1	106.8	58.5	0	27630.332	576.344086	15973.96244	30000	0	0	30000	37.6875	2004
29.01.2020 10:32:06	1	1	1	1	106.8	57.5	0	27535.545	576.344086	15873.67162	30000	0	0	30000	38.4375	2004
29.01.2020 10:32:07	1	1	1	1	106.8	58.25	0	27867.299	578.4946237	16181.06705	30000	0	0	30000	38.4375	2004
29.01.2020 10:32:08	1	1	1	1	106.8	58.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	38.75	2004
29.01.2020 10:32:09	1	1	1	1	106.8	58.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	37.8125	2004
29.01.2020 10:32:10	1	1	1	1	106.8	57.75	0	27630.332	576.344086	16066.09953	30000	0	0	30000	38.5625	2004
29.01.2020 10:32:11	1	1	1	1	106.8	58.5	0	27772.512	576.344086	15983.74691	30000	0	0	30000	38.8125	2004
29.01.2020 10:32:12	1	1	1	1	106.8	58.75	0	27630.332	584.9462366	15924.22472	30000	0	0	30000	38.875	2004
29.01.2020 10:32:13	1	1	1	1	106.8	58.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	38.6875	2004
29.01.2020 10:32:14	1	1	1	1	106.8	58.5	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	38.5	2004
29.01.2020 10:32:15	1	1	1	1	106.5	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.8125	2004
29.01.2020 10:32:16	1	1	1	1	106.5	58.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.4375	2004
29.01.2020 10:32:17	1	1	1	1	106.5	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.5625	2004
29.01.2020 10:32:18	1	1	1	1	106.5	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.4375	2004
29.01.2020 10:32:19	1	1	1	1	106.5	58.25	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	38.5625	2004
29.01.2020 10:32:21	1	1	1	1	106.5	58.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	38.375	2004
29.01.2020 10:32:22	1	1	1	1	106.5	58.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.875	2004
29.01.2020 10:32:28	1	1	1	1	106.8	58.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	38.875	2004
29.01.2020 10:32:28	1	1	1	1	106.8	58.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	38.875	2004
29.01.2020 10:32:28	1	1	1	1	106.8	58.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	38.875	2004
29.01.2020 10:32:28	1	1	1	1	106.8	58.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	38.875	2004
29.01.2020 10:32:28	1	1	1	1	106.8	58.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	38.875	2004
29.01.2020 10:32:28	1	1	1	1	106.8	58.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	38.875	2004
29.01.2020 10:32:29	1	1	1	1	106.8	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.25	2004
29.01.2020 10:32:30	1	1	1	1	106.8	58.25	0	27440.758	578.4946237	15929.11695	30000	0	0	30000	38.9375	2004
29.01.2020 10:32:31	1	1	1	1	106.8	58.75	0	27440.758	580.6451613	16193.29764	30000	0	0	30000	39.0625	2004
29.01.2020 10:32:32	1	1	1	1	106.8	59	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	38.4375	2004
29.01.2020 10:32:33	1	1	1	1	106.8	58.25	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	38.6875	2004
29.01.2020 10:32:34	1	1	1	1	106.8	58.5	0	27535.545	578.4946237	16047.34596	30000	0	0	30000	38.1875	2004
29.01.2020 10:32:35	1	1	1	1	106.8	58	0	27440.758	580.6451613	15819.04167	30000	0	0	30000	38.625	2004
29.01.2020 10:32:36	1	1	1	1	106.8	58.5	0	27630.332	589.2473118	16102.79129	30000	0	0	30000	38.375	2004
29.01.2020 10:32:37	1	1	1	1	106.8	58.25	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	38.625	2004
29.01.2020 10:32:38	1	1	1	1	106.8	58.5	0	27582.938	582.7956989	16015.54644	30000	0	0	30000	38.3125	2004
29.01.2020 10:32:39	1	1	1	1	106.8	58.25	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	38.375	2004
29.01.2020 10:32:40	1	1	1	1	106.8	58.25	0	27345.972	578.4946237	15873.67162	30000	0	0	30000	38.0625	2004
29.01.2020 10:32:41	1	1	1	1	106.8	58	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.75	2004
29.01.2020 10:32:42	1	1	1	1	106.8	58.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:32:43	1	1	1	1	106.8	58.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	38.625	2004
29.01.2020 10:32:44	1	1	1	1	106.8	58.5	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	38.75	2004
29.01.2020 10:32:45	1	1	1	1	106.5	58.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	37.875	2004
29.01.2020 10:32:46	1	1	1	1	106.5	57.75	0	27630.332	582.7956989	16075.06863	30000	0	0	30000	38.75	2004
29.01.2020 10:32:47	1	1	1	1	106.5	58.75	0	27535.545	582.7956989	16047.34596	30000	0	0	30000	37.75	2004
29.01.2020 10:32:48	1	1	1	1	106.5	57.75	0	27630.332	582.7956989	15956.02424	30000	0	0	30000	38.8125	2004
29.01.2020 10:32:49	1	1	1	1	106.5	58.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.75	2004
29.01.2020 10:32:50	1	1	1	1	106.5	58.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.5625	2004
29.01.2020 10:32:51	1	1	1	1	106.5	58.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.75	2004
29.01.2020 10:32:52	1	1	1	1	106.5	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.625	2004
29.01.2020 10:32:53	1	1	1	1	106.5	58.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	38.8125	2004
29.01.2020 10:32:54	1	1	1	1	106.5	58.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.375	2004
29.01.2020 10:32:55	1	1	1	1	107	58.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	38.9375	2004
29.01.2020 10:32:56	1	1	1	1	107	58.75	0	27440.758	576.344086	15991.90063	30000	0	0	30000	38.75	2004
29.01.2020 10:32:57	1	1	1	1	107	58.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.375	2004
29.01.2020 10:32:59	1	1	1	1	107	58.25	0	27535.545	578.4946237	16075.06863	30000	0	0	30000	38.75	2004
29.01.2020 10:33:00	1	1	1	1	107	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.875	2004
29.01.2020 10:33:01	1	1	1	1	107	58.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	38.75	2004
29.01.2020 10:33:02	1	1	1	1	107	58.75	0	27535.545	582.7956989	16047.34596	30000	0	0	30000	38.5625	2004
29.01.2020 10:33:03	1	1	1	1	107	58.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.875	2004
29.01.2020 10:33:04	1	1	1	1	107	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.4375	2004
29.01.2020 10:33:05	1	1	1	1	107	58.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.9375	2004
29.01.2020 10:33:06	1	1	1	1	106.8	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.4375	2004
29.01.2020 10:33:07	1	1	1	1	106.8	58.25	0	27582.938	576.344086	16075.06863	30000	0	0	30000	38.0625	2004
29.01.2020 10:33:08	1	1	1	1	106.8	58	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.625	2004
29.01.2020 10:33:09	1	1	1	1	106.8	58.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	38.75	2004
29.01.2020 10:33:10	1	1	1	1	106.8	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	37.8125	2004
29.01.2020 10:33:11	1	1	1	1	106.8	57.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.9375	2004
29.01.2020 10:33:12	1	1	1	1	106.8	58.75	0	27298.578	584.9462366	15936.4553	30000	0	0	30000	38.4375	2004
29.01.2020 10:33:13	1	1	1	1	106.8	58.25	0	27582.938	587.0967742	15991.90063	30000	0	0	30000	38.6875	2004
29.01.2020 10:33:14	1	1	1	1	106.8	58.5	0	27440.758	589.2473118	15991.90063	30000	0	0	30000	38.8125	2004
29.01.2020 10:33:15	1	1	1	1	106.8	58.75	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	38.6875	2004
29.01.2020 10:33:16	1	1	1	1	106.8	58.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	38.875	2004
29.01.2020 10:33:17	1	1	1	1	106.8	58.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.6875	2004
29.01.2020 10:33:18	1	1	1	1	106.8	58.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.25	2004
29.01.2020 10:33:19	1	1	1	1	106.8	58.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.75	2004
29.01.2020 10:33:20	1	1	1	1	106.8	58.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.4375	2004
29.01.2020 10:33:21	1	1	1	1	106.8	58.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.6875	2004
29.01.2020 10:33:22	1	1	1	1	106.8	58.5	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	38.8125	2004
29.01.2020 10:33:23	1	1	1	1	106.8	58.75	0	27535.545	582.7956989	16075.06863	30000	0	0	30000	38.75	2004
29.01.2020 10:33:30	1	1	1	1	106.8	58	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.4375	2004
29.01.2020 10:33:30	1	1	1	1	106.8	58	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.4375	2004
29.01.2020 10:33:30	1	1	1	1	106.8	58	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:33:30	1	1	1	1	106.8	58	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.4375	2004
29.01.2020 10:33:30	1	1	1	1	106.8	58	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.4375	2004
29.01.2020 10:33:30	1	1	1	1	106.8	58	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.4375	2004
29.01.2020 10:33:30	1	1	1	1	106.8	58.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.9375	2004
29.01.2020 10:33:31	1	1	1	1	106.8	58.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	38.625	2004
29.01.2020 10:33:32	1	1	1	1	106.8	58.5	0	27109.005	582.7956989	15798.65735	30000	0	0	30000	38.8125	2004
29.01.2020 10:33:33	1	1	1	1	106.8	58.75	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	38.875	2004
29.01.2020 10:33:34	1	1	1	1	106.8	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.625	2004
29.01.2020 10:33:35	1	1	1	1	106.8	58.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.625	2004
29.01.2020 10:33:36	1	1	1	1	106.8	58.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.9375	2004
29.01.2020 10:33:38	1	1	1	1	106.8	58.75	0	27582.938	587.0967742	16134.59082	30000	0	0	30000	39	2004
29.01.2020 10:33:39	1	1	1	1	106.8	59	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	38.5	2004
29.01.2020 10:33:40	1	1	1	1	106.8	58.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.875	2004
29.01.2020 10:33:41	1	1	1	1	106.8	58.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	38.75	2004
29.01.2020 10:33:42	1	1	1	1	106.8	58.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	38.75	2004
29.01.2020 10:33:43	1	1	1	1	106.8	58.75	0	27440.758	576.344086	16075.06863	30000	0	0	30000	38.8125	2004
29.01.2020 10:33:44	1	1	1	1	106.8	58.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	38.9375	2004
29.01.2020 10:33:45	1	1	1	1	106.8	58.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	38.9375	2004
29.01.2020 10:33:46	1	1	1	1	107	58.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.875	2004
29.01.2020 10:33:47	1	1	1	1	107	58.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	38.9375	2004
29.01.2020 10:33:48	1	1	1	1	107	58.75	0	27582.938	582.7956989	16015.54644	30000	0	0	30000	39.0625	2004
29.01.2020 10:33:49	1	1	1	1	107	59	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.5	2004
29.01.2020 10:33:50	1	1	1	1	107	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.1875	2004
29.01.2020 10:33:51	1	1	1	1	107	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.0625	2004
29.01.2020 10:33:52	1	1	1	1	107	59	0	27630.332	569.8924731	16093.00682	30000	0	0	30000	38.625	2004
29.01.2020 10:33:53	1	1	1	1	107	58.5	0	27725.118	584.9462366	15983.74691	30000	0	0	30000	38.75	2004
29.01.2020 10:33:54	1	1	1	1	107	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.375	2004
29.01.2020 10:33:55	1	1	1	1	107	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
29.01.2020 10:33:56	1	1	1	1	107	58	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.5625	2004
29.01.2020 10:33:57	1	1	1	1	107	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.75	2004
29.01.2020 10:33:58	1	1	1	1	107	58.75	0	27535.545	576.344086	15814.9648	30000	0	0	30000	39.0625	2004
29.01.2020 10:33:59	1	1	1	1	107	59	0	27535.545	576.344086	15956.02424	30000	0	0	30000	37.8125	2004
29.01.2020 10:34:00	1	1	1	1	107	57.75	0	27345.972	578.4946237	15760.33485	30000	0	0	30000	38.3125	2004
29.01.2020 10:34:01	1	1	1	1	107	58.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.125	2004
29.01.2020 10:34:02	1	1	1	1	107	59	0	27582.938	576.344086	15756.25798	30000	0	0	30000	38.375	2004
29.01.2020 10:34:03	1	1	1	1	107	58.25	0	27725.118	580.6451613	16153.34439	30000	0	0	30000	39.0625	2004
29.01.2020 10:34:04	1	1	1	1	107	59	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.8125	2004
29.01.2020 10:34:05	1	1	1	1	106.8	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.875	2004
29.01.2020 10:34:06	1	1	1	1	106.8	58.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.875	2004
29.01.2020 10:34:07	1	1	1	1	106.8	58.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	38.4375	2004
29.01.2020 10:34:08	1	1	1	1	106.8	58.25	0	27535.545	576.344086	15873.67162	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:09	1	1	1	1	106.8	58.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:10	1	1	1	1	106.8	58.5	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:34:11	1	1	1	1	106.8	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	39	2004
29.01.2020 10:34:12	1	1	1	1	106.8	59	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	38.5625	2004
29.01.2020 10:34:13	1	1	1	1	106.8	58.5	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	38.8125	2004
29.01.2020 10:34:14	1	1	1	1	106.8	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.75	2004
29.01.2020 10:34:15	1	1	1	1	106.5	58.75	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	38.125	2004
29.01.2020 10:34:16	1	1	1	1	106.5	58	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	38.8125	2004
29.01.2020 10:34:18	1	1	1	1	106.5	58.75	0	27440.758	584.9462366	16075.06863	30000	0	0	30000	38.75	2004
29.01.2020 10:34:19	1	1	1	1	106.5	58.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.8125	2004
29.01.2020 10:34:20	1	1	1	1	106.5	58.75	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	38.625	2004
29.01.2020 10:34:21	1	1	1	1	106.5	58.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	38.3125	2004
29.01.2020 10:34:22	1	1	1	1	106.5	58.25	0	27440.758	576.344086	15991.90063	30000	0	0	30000	38.5625	2004
29.01.2020 10:34:23	1	1	1	1	106.5	58.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	38.5625	2004
29.01.2020 10:34:24	1	1	1	1	106.5	58.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.75	2004
29.01.2020 10:34:25	1	1	1	1	106.5	58.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	38.75	2004
29.01.2020 10:34:31	1	1	1	1	106.8	59	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:31	1	1	1	1	106.8	59	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:31	1	1	1	1	106.8	59	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:31	1	1	1	1	106.8	59	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:31	1	1	1	1	106.8	59	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:31	1	1	1	1	106.8	59	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:31	1	1	1	1	106.8	59	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:32	1	1	1	1	106.8	58.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	38.875	2004
29.01.2020 10:34:33	1	1	1	1	106.8	58.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.625	2004
29.01.2020 10:34:34	1	1	1	1	106.8	58.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.0625	2004
29.01.2020 10:34:35	1	1	1	1	107.3	59	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.75	2004
29.01.2020 10:34:36	1	1	1	1	107.3	58.75	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	38.8125	2004
29.01.2020 10:34:37	1	1	1	1	107.3	58.75	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	38.8125	2004
29.01.2020 10:34:38	1	1	1	1	107.3	58.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.3125	2004
29.01.2020 10:34:39	1	1	1	1	107.3	58.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	39	2004
29.01.2020 10:34:40	1	1	1	1	107.3	59	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.625	2004
29.01.2020 10:34:41	1	1	1	1	107.3	58.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.9375	2004
29.01.2020 10:34:42	1	1	1	1	107.3	58.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	39	2004
29.01.2020 10:34:43	1	1	1	1	107.3	59	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	38.9375	2004
29.01.2020 10:34:44	1	1	1	1	107.3	58.75	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	38.75	2004
29.01.2020 10:34:45	1	1	1	1	107	58.75	0	27345.972	587.0967742	15968.25483	30000	0	0	30000	38.5	2004
29.01.2020 10:34:46	1	1	1	1	107	58.5	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	38.875	2004
29.01.2020 10:34:47	1	1	1	1	107	58.75	0	27440.758	589.2473118	15991.90063	30000	0	0	30000	38.5625	2004
29.01.2020 10:34:48	1	1	1	1	107	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.25	2004
29.01.2020 10:34:49	1	1	1	1	107	58.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.0625	2004
29.01.2020 10:34:50	1	1	1	1	107	59	0	27440.758	584.9462366	15877.74848	30000	0	0	30000	38.875	2004
29.01.2020 10:34:51	1	1	1	1	107	58.75	0	27440.758	584.9462366	16228.35866	30000	0	0	30000	39	2004
29.01.2020 10:34:52	1	1	1	1	107	59	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.375	2004
29.01.2020 10:34:53	1	1	1	1	107	58.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:54	1	1	1	1	107	58.5	0	27393.365	580.6451613	16051.42282	30000	0	0	30000	38.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:34:55	1	1	1	1	106.5	58	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.5625	2004
29.01.2020 10:34:56	1	1	1	1	106.5	58.5	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	38.875	2004
29.01.2020 10:34:58	1	1	1	1	106.5	58.75	0	27582.938	587.0967742	16165.57497	30000	0	0	30000	38.6875	2004
29.01.2020 10:34:59	1	1	1	1	106.5	58.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.625	2004
29.01.2020 10:35:00	1	1	1	1	106.5	58.5	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	38.9375	2004
29.01.2020 10:35:01	1	1	1	1	106.5	58.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.8125	2004
29.01.2020 10:35:02	1	1	1	1	106.5	58.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	38.375	2004
29.01.2020 10:35:03	1	1	1	1	106.5	58.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.5625	2004
29.01.2020 10:35:04	1	1	1	1	106.5	58.5	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	38.8125	2004
29.01.2020 10:35:05	1	1	1	1	106.5	58.75	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	38.6875	2004
29.01.2020 10:35:06	1	1	1	1	107.3	58.5	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	39	2004
29.01.2020 10:35:07	1	1	1	1	107.3	59	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.25	2004
29.01.2020 10:35:08	1	1	1	1	107.3	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.3125	2004
29.01.2020 10:35:09	1	1	1	1	107.3	59.25	0	27535.545	587.0967742	16165.57497	30000	0	0	30000	39.125	2004
29.01.2020 10:35:10	1	1	1	1	107.3	58.5	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	38.75	2004
29.01.2020 10:35:11	1	1	1	1	107.3	58.75	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	38.9375	2004
29.01.2020 10:35:12	1	1	1	1	107.3	58.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.8125	2004
29.01.2020 10:35:13	1	1	1	1	107.3	58.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.875	2004
29.01.2020 10:35:14	1	1	1	1	107.3	58.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	38.5625	2004
29.01.2020 10:35:15	1	1	1	1	107	58.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.625	2004
29.01.2020 10:35:16	1	1	1	1	107	58.5	0	27440.758	582.7956989	15936.4553	30000	0	0	30000	38.75	2004
29.01.2020 10:35:17	1	1	1	1	107	58.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	39	2004
29.01.2020 10:35:18	1	1	1	1	107	59	0	27535.545	587.0967742	16165.57497	30000	0	0	30000	38.9375	2004
29.01.2020 10:35:19	1	1	1	1	107	58.75	0	27156.398	580.6451613	15850.84119	30000	0	0	30000	38.75	2004
29.01.2020 10:35:20	1	1	1	1	107	58.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	38.9375	2004
29.01.2020 10:35:21	1	1	1	1	107	58.75	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	39	2004
29.01.2020 10:35:22	1	1	1	1	107	59	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	39.0625	2004
29.01.2020 10:35:23	1	1	1	1	107	59	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.75	2004
29.01.2020 10:35:24	1	1	1	1	107	58.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.75	2004
29.01.2020 10:35:25	1	1	1	1	107.3	58.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.1875	2004
29.01.2020 10:35:26	1	1	1	1	107.3	58	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.125	2004
29.01.2020 10:35:33	1	1	1	1	107.3	58.5	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	39	2004
29.01.2020 10:35:33	1	1	1	1	107.3	58.5	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	39	2004
29.01.2020 10:35:33	1	1	1	1	107.3	58.5	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	39	2004
29.01.2020 10:35:33	1	1	1	1	107.3	58.5	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	39	2004
29.01.2020 10:35:33	1	1	1	1	107.3	58.5	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	39	2004
29.01.2020 10:35:33	1	1	1	1	107.3	58.5	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	39	2004
29.01.2020 10:35:34	1	1	1	1	107.3	59	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	39.0625	2004
29.01.2020 10:35:35	1	1	1	1	107.3	59	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.625	2004
29.01.2020 10:35:36	1	1	1	1	107	58.5	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	38.75	2004
29.01.2020 10:35:37	1	1	1	1	107	58.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39	2004
29.01.2020 10:35:38	1	1	1	1	107	59	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.125	2004
29.01.2020 10:35:39	1	1	1	1	107	59	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:35:40	1	1	1	1	107	59	0	27298.578	582.7956989	15674.72073	30000	0	0	30000	38.5625	2004
29.01.2020 10:35:41	1	1	1	1	107	58.5	0	27298.578	580.6451613	15995.9775	30000	0	0	30000	38.3125	2004
29.01.2020 10:35:42	1	1	1	1	107	58.25	0	27440.758	584.9462366	15819.04167	30000	0	0	30000	38.6875	2004
29.01.2020 10:35:43	1	1	1	1	107	58.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.75	2004
29.01.2020 10:35:44	1	1	1	1	107	58.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.875	2004
29.01.2020 10:35:45	1	1	1	1	107	58.75	0	27440.758	582.7956989	16015.54644	30000	0	0	30000	38.9375	2004
29.01.2020 10:35:46	1	1	1	1	107.5	58.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.375	2004
29.01.2020 10:35:47	1	1	1	1	107.5	59.25	0	27582.938	582.7956989	16015.54644	30000	0	0	30000	38.625	2004
29.01.2020 10:35:48	1	1	1	1	107.5	58.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39	2004
29.01.2020 10:35:49	1	1	1	1	107.5	59	0	27440.758	578.4946237	15987.82377	30000	0	0	30000	39	2004
29.01.2020 10:35:50	1	1	1	1	107.5	59	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.6875	2004
29.01.2020 10:35:51	1	1	1	1	107.5	58.5	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	38.75	2004
29.01.2020 10:35:52	1	1	1	1	107.5	58.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	38.8125	2004
29.01.2020 10:35:53	1	1	1	1	107.5	58.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	39.0625	2004
29.01.2020 10:35:54	1	1	1	1	107.5	59	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.6875	2004
29.01.2020 10:35:55	1	1	1	1	107.5	58.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.8125	2004
29.01.2020 10:35:56	1	1	1	1	107.5	58.75	0	27440.758	574.1935484	15873.67162	30000	0	0	30000	38.625	2004
29.01.2020 10:35:57	1	1	1	1	107.5	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.0625	2004
29.01.2020 10:35:58	1	1	1	1	107.5	59	0	27535.545	572.0430108	16102.79129	30000	0	0	30000	38.6875	2004
29.01.2020 10:35:59	1	1	1	1	107.5	58.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:00	1	1	1	1	107.5	59	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	39.125	2004
29.01.2020 10:36:01	1	1	1	1	107.5	59	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39	2004
29.01.2020 10:36:02	1	1	1	1	107.5	59	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	38.9375	2004
29.01.2020 10:36:03	1	1	1	1	107.5	58.75	0	27582.938	578.4946237	16102.79129	30000	0	0	30000	38.6875	2004
29.01.2020 10:36:04	1	1	1	1	107.5	58.5	0	27582.938	589.2473118	15991.90063	30000	0	0	30000	39.125	2004
29.01.2020 10:36:05	1	1	1	1	107.3	59	0	27345.972	578.4946237	15873.67162	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:06	1	1	1	1	107.3	59	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	38.75	2004
29.01.2020 10:36:07	1	1	1	1	107.3	58.75	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	38.75	2004
29.01.2020 10:36:08	1	1	1	1	107.3	58.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:09	1	1	1	1	107.3	59	0	27298.578	580.6451613	15767.6732	30000	0	0	30000	39.1875	2004
29.01.2020 10:36:10	1	1	1	1	107.3	59	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	38.9375	2004
29.01.2020 10:36:11	1	1	1	1	107.3	58.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	39.125	2004
29.01.2020 10:36:13	1	1	1	1	107.3	59	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.875	2004
29.01.2020 10:36:14	1	1	1	1	107.3	58.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.8125	2004
29.01.2020 10:36:15	1	1	1	1	107.3	58.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.1875	2004
29.01.2020 10:36:16	1	1	1	1	107.3	59	0	27440.758	578.4946237	15819.04167	30000	0	0	30000	38.6875	2004
29.01.2020 10:36:17	1	1	1	1	107.3	58.5	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	39.125	2004
29.01.2020 10:36:18	1	1	1	1	107.3	59	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	38.9375	2004
29.01.2020 10:36:19	1	1	1	1	107.3	58.75	0	27345.972	584.9462366	16082.40698	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:20	1	1	1	1	107.3	59	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.75	2004
29.01.2020 10:36:21	1	1	1	1	107.3	58.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:22	1	1	1	1	107.3	59	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	38.875	2004
29.01.2020 10:36:23	1	1	1	1	107.3	58.75	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:36:24	1	1	1	1	107.3	59	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.25	2004
29.01.2020 10:36:25	1	1	1	1	107.3	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.875	2004
29.01.2020 10:36:26	1	1	1	1	108	59	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.5	2004
29.01.2020 10:36:27	1	1	1	1	108	58.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.5625	2004
29.01.2020 10:36:28	1	1	1	1	108	58.5	0	27345.972	584.9462366	15733.42755	30000	0	0	30000	38.8125	2004
29.01.2020 10:36:34	1	1	1	1	108	59	0	27393.365	580.6451613	15964.17797	30000	0	0	30000	38.625	2004
29.01.2020 10:36:34	1	1	1	1	108	59	0	27393.365	580.6451613	15964.17797	30000	0	0	30000	38.625	2004
29.01.2020 10:36:34	1	1	1	1	108	59	0	27393.365	580.6451613	15964.17797	30000	0	0	30000	38.625	2004
29.01.2020 10:36:34	1	1	1	1	108	59	0	27393.365	580.6451613	15964.17797	30000	0	0	30000	38.625	2004
29.01.2020 10:36:34	1	1	1	1	108	59	0	27393.365	580.6451613	15964.17797	30000	0	0	30000	38.625	2004
29.01.2020 10:36:35	1	1	1	1	108.3	58.5	0	27440.758	589.2473118	15936.4553	30000	0	0	30000	39.125	2004
29.01.2020 10:36:36	1	1	1	1	108.3	59	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.3125	2004
29.01.2020 10:36:37	1	1	1	1	108.3	59.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	39	2004
29.01.2020 10:36:38	1	1	1	1	108.3	59	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	38.9375	2004
29.01.2020 10:36:39	1	1	1	1	108.3	58.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:40	1	1	1	1	108.3	59	0	27440.758	582.7956989	16252.81983	30000	0	0	30000	38.9375	2004
29.01.2020 10:36:41	1	1	1	1	108.3	58.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.1875	2004
29.01.2020 10:36:42	1	1	1	1	108.3	59	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.9375	2004
29.01.2020 10:36:43	1	1	1	1	108.3	58.75	0	27156.398	576.344086	15909.54801	30000	0	0	30000	39.125	2004
29.01.2020 10:36:44	1	1	1	1	108.3	59	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	38.875	2004
29.01.2020 10:36:45	1	1	1	1	108	58.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	38.6875	2004
29.01.2020 10:36:46	1	1	1	1	108	58.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	39	2004
29.01.2020 10:36:47	1	1	1	1	108	59	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:48	1	1	1	1	108	59	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.0625	2004
29.01.2020 10:36:49	1	1	1	1	108	58	0	27393.365	584.9462366	15991.90063	30000	0	0	30000	38.875	2004
29.01.2020 10:36:51	1	1	1	1	108	58.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:52	1	1	1	1	108	59	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:53	1	1	1	1	108	59	0	27440.758	578.4946237	15756.25798	30000	0	0	30000	39.3125	2004
29.01.2020 10:36:54	1	1	1	1	108	59.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.8125	2004
29.01.2020 10:36:55	1	1	1	1	108	58.75	0	27582.938	584.9462366	16162.31348	30000	0	0	30000	39.25	2004
29.01.2020 10:36:56	1	1	1	1	108.3	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39	2004
29.01.2020 10:36:57	1	1	1	1	108.3	59	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	38.6875	2004
29.01.2020 10:36:58	1	1	1	1	108.3	58.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.0625	2004
29.01.2020 10:36:59	1	1	1	1	108.3	59	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.25	2004
29.01.2020 10:37:00	1	1	1	1	108.3	59.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	39.0625	2004
29.01.2020 10:37:01	1	1	1	1	108.3	59	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	38.75	2004
29.01.2020 10:37:02	1	1	1	1	108.3	58.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.0625	2004
29.01.2020 10:37:03	1	1	1	1	108.3	59	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	38.1875	2004
29.01.2020 10:37:04	1	1	1	1	108.3	58	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.9375	2004
29.01.2020 10:37:05	1	1	1	1	108.3	58.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38.5625	2004
29.01.2020 10:37:06	1	1	1	1	108.8	58.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38.9375	2004
29.01.2020 10:37:07	1	1	1	1	108.8	58.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:37:08	1	1	1	1	108.8	58.75	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	39.0625	2004
29.01.2020 10:37:09	1	1	1	1	108.8	59	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:10	1	1	1	1	108.8	58.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.25	2004
29.01.2020 10:37:11	1	1	1	1	108.8	59.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.3125	2004
29.01.2020 10:37:12	1	1	1	1	108.8	59.25	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	39.1875	2004
29.01.2020 10:37:13	1	1	1	1	108.8	59	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	38.625	2004
29.01.2020 10:37:16	1	1	1	1	108.5	58.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	38.9375	2004
29.01.2020 10:37:16	1	1	1	1	108.5	58.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	38.9375	2004
29.01.2020 10:37:16	1	1	1	1	108.5	58.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	38.9375	2004
29.01.2020 10:37:17	1	1	1	1	108.5	58.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38.9375	2004
29.01.2020 10:37:18	1	1	1	1	108.5	58.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.25	2004
29.01.2020 10:37:19	1	1	1	1	108.5	59.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.1875	2004
29.01.2020 10:37:20	1	1	1	1	108.5	59	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:21	1	1	1	1	108.5	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.5	2004
29.01.2020 10:37:22	1	1	1	1	108.5	58.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	39.4375	2004
29.01.2020 10:37:23	1	1	1	1	108.5	59.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.25	2004
29.01.2020 10:37:24	1	1	1	1	108.5	59.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:25	1	1	1	1	109	58.5	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	38.9375	2004
29.01.2020 10:37:26	1	1	1	1	109	58.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.875	2004
29.01.2020 10:37:27	1	1	1	1	109	58.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:28	1	1	1	1	109	58.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	39.125	2004
29.01.2020 10:37:29	1	1	1	1	109	59	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.25	2004
29.01.2020 10:37:37	1	1	1	1	108.8	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:37	1	1	1	1	108.8	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:37	1	1	1	1	108.8	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:37	1	1	1	1	108.8	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:37	1	1	1	1	108.8	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:37	1	1	1	1	108.8	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:37	1	1	1	1	108.8	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:38	1	1	1	1	108.8	58.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:39	1	1	1	1	108.8	58.5	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	39.0625	2004
29.01.2020 10:37:40	1	1	1	1	108.8	59	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.9375	2004
29.01.2020 10:37:41	1	1	1	1	108.8	58.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.9375	2004
29.01.2020 10:37:42	1	1	1	1	108.8	58.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	39.25	2004
29.01.2020 10:37:43	1	1	1	1	108.8	59.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39	2004
29.01.2020 10:37:44	1	1	1	1	108.8	59	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.25	2004
29.01.2020 10:37:45	1	1	1	1	108.8	59.25	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	39.1875	2004
29.01.2020 10:37:46	1	1	1	1	108.5	59	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	38.5625	2004
29.01.2020 10:37:47	1	1	1	1	108.5	59.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.875	2004
29.01.2020 10:37:48	1	1	1	1	108.5	58.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.3125	2004
29.01.2020 10:37:49	1	1	1	1	108.5	59.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.5	2004
29.01.2020 10:37:50	1	1	1	1	108.5	58.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.375	2004
29.01.2020 10:37:51	1	1	1	1	108.5	58.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:37:52	1	1	1	1	108.5	59.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.8125	2004
29.01.2020 10:37:53	1	1	1	1	108.5	58.75	0	27819.905	584.9462366	16212.86658	30000	0	0	30000	38.6875	2004
29.01.2020 10:37:54	1	1	1	1	108.5	58.5	0	27582.938	578.4946237	16075.06863	30000	0	0	30000	39.1875	2004
29.01.2020 10:37:55	1	1	1	1	108.3	59	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.3125	2004
29.01.2020 10:37:56	1	1	1	1	108.3	59.25	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	39.25	2004
29.01.2020 10:37:57	1	1	1	1	108.3	59.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.25	2004
29.01.2020 10:37:58	1	1	1	1	108.3	59.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.1875	2004
29.01.2020 10:37:59	1	1	1	1	108.3	59	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	39.125	2004
29.01.2020 10:38:00	1	1	1	1	108.3	59	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39	2004
29.01.2020 10:38:01	1	1	1	1	108.3	59	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	37.8125	2004
29.01.2020 10:38:02	1	1	1	1	108.3	57.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.1875	2004
29.01.2020 10:38:03	1	1	1	1	108.3	59	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39	2004
29.01.2020 10:38:04	1	1	1	1	108.3	59	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	38.625	2004
29.01.2020 10:38:05	1	1	1	1	108	58.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.125	2004
29.01.2020 10:38:06	1	1	1	1	108	59	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	39.375	2004
29.01.2020 10:38:07	1	1	1	1	108	59.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	38.875	2004
29.01.2020 10:38:08	1	1	1	1	108	58.75	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	38.8125	2004
29.01.2020 10:38:09	1	1	1	1	108	58.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.375	2004
29.01.2020 10:38:11	1	1	1	1	108	59.25	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	39.0625	2004
29.01.2020 10:38:12	1	1	1	1	108	59	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	39.3125	2004
29.01.2020 10:38:13	1	1	1	1	108	59.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.3125	2004
29.01.2020 10:38:14	1	1	1	1	108	59.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.3125	2004
29.01.2020 10:38:15	1	1	1	1	108	59.25	0	27630.332	584.9462366	16134.59082	30000	0	0	30000	39.25	2004
29.01.2020 10:38:16	1	1	1	1	107.8	59.25	0	27345.972	582.7956989	15933.19381	30000	0	0	30000	39.25	2004
29.01.2020 10:38:17	1	1	1	1	107.8	59.25	0	27440.758	584.9462366	16106.86815	30000	0	0	30000	39.25	2004
29.01.2020 10:38:18	1	1	1	1	107.8	59.25	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	39.1875	2004
29.01.2020 10:38:19	1	1	1	1	107.8	59	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	39.25	2004
29.01.2020 10:38:20	1	1	1	1	107.8	59.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.625	2004
29.01.2020 10:38:21	1	1	1	1	107.8	58.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.9375	2004
29.01.2020 10:38:22	1	1	1	1	107.8	58.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	39	2004
29.01.2020 10:38:23	1	1	1	1	107.8	59	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	38.9375	2004
29.01.2020 10:38:24	1	1	1	1	107.8	59.25	0	27535.545	582.7956989	16106.86815	30000	0	0	30000	39.1875	2004
29.01.2020 10:38:25	1	1	1	1	107.8	59	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.3125	2004
29.01.2020 10:38:26	1	1	1	1	107.8	59.25	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	39.25	2004
29.01.2020 10:38:27	1	1	1	1	107.8	59.25	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	38.9375	2004
29.01.2020 10:38:28	1	1	1	1	107.8	58.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	39.25	2004
29.01.2020 10:38:29	1	1	1	1	107.8	59.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.6875	2004
29.01.2020 10:38:30	1	1	1	1	107.8	58.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.1875	2004
29.01.2020 10:38:31	1	1	1	1	107.8	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.3125	2004
29.01.2020 10:38:38	1	1	1	1	108.5	58.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.125	2004
29.01.2020 10:38:38	1	1	1	1	108.5	58.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.125	2004
29.01.2020 10:38:38	1	1	1	1	108.5	58.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.125	2004
29.01.2020 10:38:38	1	1	1	1	108.5	58.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:38:38	1	1	1	1	108.5	58.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.125	2004
29.01.2020 10:38:38	1	1	1	1	108.5	58.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.125	2004
29.01.2020 10:38:38	1	1	1	1	108.5	59	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.75	2004
29.01.2020 10:38:39	1	1	1	1	108.5	58.75	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	38.8125	2004
29.01.2020 10:38:40	1	1	1	1	108.5	58.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.125	2004
29.01.2020 10:38:41	1	1	1	1	108.5	59	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	39.25	2004
29.01.2020 10:38:42	1	1	1	1	108.5	59.25	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	39.125	2004
29.01.2020 10:38:43	1	1	1	1	108.5	59	0	27440.758	578.4946237	15929.11695	30000	0	0	30000	39.25	2004
29.01.2020 10:38:44	1	1	1	1	108.5	59.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	39.3125	2004
29.01.2020 10:38:45	1	1	1	1	108.3	59.25	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	38.875	2004
29.01.2020 10:38:47	1	1	1	1	108.3	58.75	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	38.9375	2004
29.01.2020 10:38:48	1	1	1	1	108.3	58.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.125	2004
29.01.2020 10:38:49	1	1	1	1	108.3	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.375	2004
29.01.2020 10:38:50	1	1	1	1	108.3	59.25	0	27440.758	582.7956989	15987.82377	30000	0	0	30000	39.25	2004
29.01.2020 10:38:51	1	1	1	1	108.3	59.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.875	2004
29.01.2020 10:38:52	1	1	1	1	108.3	58.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	39.3125	2004
29.01.2020 10:38:53	1	1	1	1	108.3	59.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.25	2004
29.01.2020 10:38:54	1	1	1	1	108.3	59.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	39.375	2004
29.01.2020 10:38:55	1	1	1	1	108.3	59.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	38.9375	2004
29.01.2020 10:38:56	1	1	1	1	108	58.75	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	39.1875	2004
29.01.2020 10:38:57	1	1	1	1	108	59	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.1875	2004
29.01.2020 10:38:58	1	1	1	1	108	59	0	27298.578	574.1935484	15936.4553	30000	0	0	30000	38.5625	2004
29.01.2020 10:38:59	1	1	1	1	108	58.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	38.4375	2004
29.01.2020 10:39:00	1	1	1	1	108	58.25	0	27535.545	582.7956989	15814.9648	30000	0	0	30000	39.25	2004
29.01.2020 10:39:01	1	1	1	1	108	59.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	39.6875	2004
29.01.2020 10:39:02	1	1	1	1	108	59.5	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	39.125	2004
29.01.2020 10:39:03	1	1	1	1	108	59	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.875	2004
29.01.2020 10:39:04	1	1	1	1	108	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.1875	2004
29.01.2020 10:39:05	1	1	1	1	108	59	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.125	2004
29.01.2020 10:39:06	1	1	1	1	108	59	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.3125	2004
29.01.2020 10:39:07	1	1	1	1	108	59.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.25	2004
29.01.2020 10:39:08	1	1	1	1	108	59.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.375	2004
29.01.2020 10:39:09	1	1	1	1	108	59.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.125	2004
29.01.2020 10:39:10	1	1	1	1	108	59	0	27440.758	584.9462366	16287.06547	30000	0	0	30000	39.25	2004
29.01.2020 10:39:11	1	1	1	1	108	59.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.25	2004
29.01.2020 10:39:12	1	1	1	1	108	59.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.0625	2004
29.01.2020 10:39:13	1	1	1	1	108	59	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	39.0625	2004
29.01.2020 10:39:14	1	1	1	1	108	59	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.25	2004
29.01.2020 10:39:15	1	1	1	1	108.3	59.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.4375	2004
29.01.2020 10:39:16	1	1	1	1	108.3	59.25	0	27440.758	584.9462366	16165.57497	30000	0	0	30000	39	2004
29.01.2020 10:39:17	1	1	1	1	108.3	59	0	27440.758	576.344086	15933.19381	30000	0	0	30000	39.4375	2004
29.01.2020 10:39:18	1	1	1	1	108.3	59.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	39.3125	2004
29.01.2020 10:39:19	1	1	1	1	108.3	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:39:20	1	1	1	1	108.3	59.25	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	39.3125	2004
29.01.2020 10:39:21	1	1	1	1	108.3	59.25	0	27440.758	584.9462366	16106.86815	30000	0	0	30000	38.875	2004
29.01.2020 10:39:22	1	1	1	1	108.3	58.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	39.1875	2004
29.01.2020 10:39:23	1	1	1	1	108.3	59	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	38.875	2004
29.01.2020 10:39:24	1	1	1	1	108.3	58.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	38.9375	2004
29.01.2020 10:39:25	1	1	1	1	107.5	58.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39	2004
29.01.2020 10:39:27	1	1	1	1	107.5	59	0	27440.758	584.9462366	16165.57497	30000	0	0	30000	39.1875	2004
29.01.2020 10:39:28	1	1	1	1	107.5	59	0	27440.758	578.4946237	16110.12964	30000	0	0	30000	39.4375	2004
29.01.2020 10:39:29	1	1	1	1	107.5	59.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.5	2004
29.01.2020 10:39:30	1	1	1	1	107.5	58.5	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	39.0625	2004
29.01.2020 10:39:31	1	1	1	1	107.5	59	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.3125	2004
29.01.2020 10:39:32	1	1	1	1	107.5	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.4375	2004
29.01.2020 10:39:33	1	1	1	1	107.5	59.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.1875	2004
29.01.2020 10:39:39	1	1	1	1	108	59	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	39.625	2004
29.01.2020 10:39:39	1	1	1	1	108	59	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	39.625	2004
29.01.2020 10:39:39	1	1	1	1	108	59	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	39.625	2004
29.01.2020 10:39:39	1	1	1	1	108	59	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	39.625	2004
29.01.2020 10:39:39	1	1	1	1	108	59	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	39.625	2004
29.01.2020 10:39:39	1	1	1	1	108	59	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	39.625	2004
29.01.2020 10:39:40	1	1	1	1	108	59.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	39.3125	2004
29.01.2020 10:39:41	1	1	1	1	108	59.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	39.5	2004
29.01.2020 10:39:42	1	1	1	1	108	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	39.25	2004
29.01.2020 10:39:43	1	1	1	1	108	59.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	38.8125	2004
29.01.2020 10:39:44	1	1	1	1	108	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.125	2004
29.01.2020 10:39:45	1	1	1	1	107.8	59	0	27535.545	576.344086	16134.59082	30000	0	0	30000	39.5	2004
29.01.2020 10:39:46	1	1	1	1	107.8	59.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	39.125	2004
29.01.2020 10:39:47	1	1	1	1	107.8	59	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	39.5	2004
29.01.2020 10:39:48	1	1	1	1	107.8	59.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.5625	2004
29.01.2020 10:39:49	1	1	1	1	107.8	58.5	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	39.125	2004
29.01.2020 10:39:50	1	1	1	1	107.8	59	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	38.8125	2004
29.01.2020 10:39:51	1	1	1	1	107.8	58.75	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	39.25	2004
29.01.2020 10:39:52	1	1	1	1	107.8	59.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.5	2004
29.01.2020 10:39:53	1	1	1	1	107.8	59.5	0	27345.972	582.7956989	15991.90063	30000	0	0	30000	39.375	2004
29.01.2020 10:39:54	1	1	1	1	107.8	59.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	39.125	2004
29.01.2020 10:39:55	1	1	1	1	107.5	59	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.375	2004
29.01.2020 10:39:56	1	1	1	1	107.5	59.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.375	2004
29.01.2020 10:39:57	1	1	1	1	107.5	59.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.9375	2004
29.01.2020 10:39:58	1	1	1	1	107.5	58.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.0625	2004
29.01.2020 10:39:59	1	1	1	1	107.5	59	0	27440.758	584.9462366	16106.86815	30000	0	0	30000	39.0625	2004
29.01.2020 10:40:00	1	1	1	1	107.5	59	0	27345.972	591.3978495	16054.68431	30000	0	0	30000	39.25	2004
29.01.2020 10:40:01	1	1	1	1	107.5	59.25	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	39.3125	2004
29.01.2020 10:40:02	1	1	1	1	107.5	59.25	0	27298.578	589.2473118	15909.54801	30000	0	0	30000	39.25	2004
29.01.2020 10:40:03	1	1	1	1	107.5	59.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:40:04	1	1	1	1	107.5	59.25	0	27109.005	580.6451613	15909.54801	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:05	1	1	1	1	107	59.25	0	27535.545	589.2473118	16225.09717	30000	0	0	30000	39.3125	2004
29.01.2020 10:40:07	1	1	1	1	107	59.25	0	27156.398	587.0967742	15857.36417	30000	0	0	30000	39.3125	2004
29.01.2020 10:40:08	1	1	1	1	107	59.25	0	27440.758	591.3978495	16110.12964	30000	0	0	30000	39.3125	2004
29.01.2020 10:40:09	1	1	1	1	107	59.25	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	38.75	2004
29.01.2020 10:40:10	1	1	1	1	107	58.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	39.375	2004
29.01.2020 10:40:11	1	1	1	1	107	59.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.25	2004
29.01.2020 10:40:12	1	1	1	1	107	59.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.375	2004
29.01.2020 10:40:13	1	1	1	1	107	59.25	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	39.1875	2004
29.01.2020 10:40:14	1	1	1	1	107	59	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.875	2004
29.01.2020 10:40:15	1	1	1	1	107	58.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:16	1	1	1	1	106.8	59.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	39.125	2004
29.01.2020 10:40:17	1	1	1	1	106.8	59	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:18	1	1	1	1	106.8	59.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	39.375	2004
29.01.2020 10:40:19	1	1	1	1	106.8	59.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	39.125	2004
29.01.2020 10:40:20	1	1	1	1	106.8	59	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.875	2004
29.01.2020 10:40:21	1	1	1	1	106.8	59.5	0	27109.005	580.6451613	15740.76591	30000	0	0	30000	39.1875	2004
29.01.2020 10:40:22	1	1	1	1	106.8	59	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:23	1	1	1	1	106.8	59.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:24	1	1	1	1	106.8	59.25	0	27109.005	580.6451613	15767.6732	30000	0	0	30000	39.375	2004
29.01.2020 10:40:25	1	1	1	1	107.3	59.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:26	1	1	1	1	107.3	59.25	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	39.25	2004
29.01.2020 10:40:27	1	1	1	1	107.3	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.375	2004
29.01.2020 10:40:28	1	1	1	1	107.3	59.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:29	1	1	1	1	107.3	59.25	0	27298.578	584.9462366	16085.66847	30000	0	0	30000	39	2004
29.01.2020 10:40:30	1	1	1	1	107.3	59	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:31	1	1	1	1	107.3	59.25	0	27298.578	580.6451613	16054.68431	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:32	1	1	1	1	107.3	59.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.5	2004
29.01.2020 10:40:33	1	1	1	1	107.3	59.5	0	27345.972	584.9462366	16228.35866	30000	0	0	30000	38.9375	2004
29.01.2020 10:40:34	1	1	1	1	107.3	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.3125	2004
29.01.2020 10:40:41	1	1	1	1	107	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:41	1	1	1	1	107	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:41	1	1	1	1	107	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:41	1	1	1	1	107	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:41	1	1	1	1	107	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:41	1	1	1	1	107	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:42	1	1	1	1	107	59.25	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	39.375	2004
29.01.2020 10:40:43	1	1	1	1	107	59.25	0	27345.972	584.9462366	16345.77229	30000	0	0	30000	39.5	2004
29.01.2020 10:40:44	1	1	1	1	107	59.5	0	27582.938	584.9462366	16051.42282	30000	0	0	30000	39.3125	2004
29.01.2020 10:40:45	1	1	1	1	107	59.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	39.125	2004
29.01.2020 10:40:46	1	1	1	1	107	59	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.25	2004
29.01.2020 10:40:47	1	1	1	1	107	59.25	0	27440.758	576.344086	15933.19381	30000	0	0	30000	38.9375	2004
29.01.2020 10:40:48	1	1	1	1	107	58.75	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:40:49	1	1	1	1	107	59.25	0	27345.972	578.4946237	15905.47115	30000	0	0	30000	39.125	2004
29.01.2020 10:40:50	1	1	1	1	107	59	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	39.4375	2004
29.01.2020 10:40:51	1	1	1	1	107	59.25	0	27630.332	591.3978495	15991.90063	30000	0	0	30000	39	2004
29.01.2020 10:40:52	1	1	1	1	107	59	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	38.9375	2004
29.01.2020 10:40:53	1	1	1	1	107	58.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39	2004
29.01.2020 10:40:54	1	1	1	1	107	59	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.375	2004
29.01.2020 10:40:55	1	1	1	1	107	59.25	0	27582.938	580.6451613	16047.34596	30000	0	0	30000	39.1875	2004
29.01.2020 10:40:56	1	1	1	1	106.8	59	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	39.75	2004
29.01.2020 10:40:57	1	1	1	1	106.8	59.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	38.8125	2004
29.01.2020 10:40:58	1	1	1	1	106.8	59.25	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	39.5625	2004
29.01.2020 10:40:59	1	1	1	1	106.8	59.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	39.4375	2004
29.01.2020 10:41:00	1	1	1	1	106.8	59.25	0	27440.758	580.6451613	16312.34202	30000	0	0	30000	39.5	2004
29.01.2020 10:41:01	1	1	1	1	106.8	59.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.25	2004
29.01.2020 10:41:02	1	1	1	1	106.8	59.25	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	39.3125	2004
29.01.2020 10:41:03	1	1	1	1	106.8	59.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	39.5	2004
29.01.2020 10:41:04	1	1	1	1	106.8	59.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.0625	2004
29.01.2020 10:41:05	1	1	1	1	106.8	59	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.8125	2004
29.01.2020 10:41:06	1	1	1	1	106.8	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.5	2004
29.01.2020 10:41:07	1	1	1	1	106.8	59.5	0	27156.398	582.7956989	15826.38002	30000	0	0	30000	39.375	2004
29.01.2020 10:41:08	1	1	1	1	106.8	59.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	39.125	2004
29.01.2020 10:41:09	1	1	1	1	106.8	59	0	27298.578	584.9462366	15709.78175	30000	0	0	30000	39.4375	2004
29.01.2020 10:41:10	1	1	1	1	106.8	59.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.4375	2004
29.01.2020 10:41:11	1	1	1	1	106.8	59.25	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	39.25	2004
29.01.2020 10:41:12	1	1	1	1	106.8	59.25	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	39.25	2004
29.01.2020 10:41:13	1	1	1	1	106.8	59.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	38.75	2004
29.01.2020 10:41:14	1	1	1	1	106.8	58.75	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	39.5	2004
29.01.2020 10:41:15	1	1	1	1	107	59.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	39.5625	2004
29.01.2020 10:41:16	1	1	1	1	107	59.5	0	27298.578	584.9462366	15767.6732	30000	0	0	30000	39.5625	2004
29.01.2020 10:41:17	1	1	1	1	107	59.5	0	27345.972	582.7956989	15909.54801	30000	0	0	30000	39.375	2004
29.01.2020 10:41:18	1	1	1	1	107	59.25	0	27630.332	584.9462366	16134.59082	30000	0	0	30000	39.125	2004
29.01.2020 10:41:20	1	1	1	1	107	59	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	39.3125	2004
29.01.2020 10:41:21	1	1	1	1	107	59.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	39.5	2004
29.01.2020 10:41:22	1	1	1	1	107	59.5	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	39.4375	2004
29.01.2020 10:41:23	1	1	1	1	107	59.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	39.375	2004
29.01.2020 10:41:24	1	1	1	1	107	59.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.0625	2004
29.01.2020 10:41:25	1	1	1	1	107	59	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.4375	2004
29.01.2020 10:41:26	1	1	1	1	107.3	59.25	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	39.1875	2004
29.01.2020 10:41:27	1	1	1	1	107.3	59	0	27535.545	584.9462366	16162.31348	30000	0	0	30000	38.875	2004
29.01.2020 10:41:28	1	1	1	1	107.3	58.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.25	2004
29.01.2020 10:41:29	1	1	1	1	107.3	59.25	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	39.25	2004
29.01.2020 10:41:30	1	1	1	1	107.3	59.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.375	2004
29.01.2020 10:41:31	1	1	1	1	107.3	59.25	0	27630.332	582.7956989	16221.0203	30000	0	0	30000	39.25	2004
29.01.2020 10:41:32	1	1	1	1	107.3	59.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:41:33	1	1	1	1	107.3	59.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	39.625	2004
29.01.2020 10:41:34	1	1	1	1	107.3	59.5	0	27630.332	580.6451613	16221.0203	30000	0	0	30000	39.5	2004
29.01.2020 10:41:35	1	1	1	1	107.3	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:41:36	1	1	1	1	106.8	59.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.3125	2004
29.01.2020 10:41:42	1	1	1	1	106.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:41:42	1	1	1	1	106.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:41:42	1	1	1	1	106.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:41:42	1	1	1	1	106.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:41:42	1	1	1	1	106.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:41:42	1	1	1	1	106.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:41:42	1	1	1	1	106.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:41:43	1	1	1	1	106.8	59.5	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	39.4375	2004
29.01.2020 10:41:44	1	1	1	1	106.8	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5625	2004
29.01.2020 10:41:45	1	1	1	1	106.5	59.5	0	27582.938	576.344086	15956.02424	30000	0	0	30000	39.5	2004
29.01.2020 10:41:46	1	1	1	1	106.5	59.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	39.3125	2004
29.01.2020 10:41:47	1	1	1	1	106.5	59.25	0	27630.332	580.6451613	16093.00682	30000	0	0	30000	39.5625	2004
29.01.2020 10:41:48	1	1	1	1	106.5	59.5	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	39.375	2004
29.01.2020 10:41:49	1	1	1	1	106.5	59.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.0625	2004
29.01.2020 10:41:50	1	1	1	1	106.5	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.3125	2004
29.01.2020 10:41:51	1	1	1	1	106.5	59.25	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	39.375	2004
29.01.2020 10:41:52	1	1	1	1	106.5	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.3125	2004
29.01.2020 10:41:53	1	1	1	1	106.5	59.25	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	39.5625	2004
29.01.2020 10:41:54	1	1	1	1	106.5	59.5	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	39.4375	2004
29.01.2020 10:41:56	1	1	1	1	107.3	59.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.6875	2004
29.01.2020 10:41:57	1	1	1	1	107.3	59.5	0	27630.332	574.1935484	16102.79129	30000	0	0	30000	39.3125	2004
29.01.2020 10:41:58	1	1	1	1	107.3	59.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.5	2004
29.01.2020 10:41:59	1	1	1	1	107.3	59.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.1875	2004
29.01.2020 10:42:00	1	1	1	1	107.3	59	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.1875	2004
29.01.2020 10:42:01	1	1	1	1	107.3	59	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.125	2004
29.01.2020 10:42:02	1	1	1	1	107.3	59	0	27440.758	578.4946237	16047.34596	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:03	1	1	1	1	107.3	59.25	0	27440.758	574.1935484	15991.90063	30000	0	0	30000	39.5625	2004
29.01.2020 10:42:04	1	1	1	1	107.3	59.5	0	27440.758	578.4946237	15756.25798	30000	0	0	30000	39.5625	2004
29.01.2020 10:42:05	1	1	1	1	107.3	59.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.375	2004
29.01.2020 10:42:06	1	1	1	1	107	59.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	39	2004
29.01.2020 10:42:07	1	1	1	1	107	59	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.375	2004
29.01.2020 10:42:08	1	1	1	1	107	59.25	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	39.5625	2004
29.01.2020 10:42:09	1	1	1	1	107	59.5	0	27298.578	578.4946237	15674.72073	30000	0	0	30000	39.375	2004
29.01.2020 10:42:10	1	1	1	1	107	59.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	39.5	2004
29.01.2020 10:42:11	1	1	1	1	107	59.5	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	39.625	2004
29.01.2020 10:42:12	1	1	1	1	107	59.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	39.6875	2004
29.01.2020 10:42:13	1	1	1	1	107	59.5	0	27772.512	580.6451613	16212.86658	30000	0	0	30000	39.5	2004
29.01.2020 10:42:14	1	1	1	1	107	59.75	0	27630.332	578.4946237	16162.31348	30000	0	0	30000	39.5	2004
29.01.2020 10:42:15	1	1	1	1	107.3	59.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	39.1875	2004
29.01.2020 10:42:16	1	1	1	1	107.3	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:42:17	1	1	1	1	107.3	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:42:18	1	1	1	1	107.3	59.5	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	39.25	2004
29.01.2020 10:42:19	1	1	1	1	107.3	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.1875	2004
29.01.2020 10:42:20	1	1	1	1	107.3	59	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	39.5625	2004
29.01.2020 10:42:21	1	1	1	1	107.3	59.5	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	39.6875	2004
29.01.2020 10:42:22	1	1	1	1	107.3	59.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:42:23	1	1	1	1	107.3	59.5	0	27630.332	578.4946237	16120.72949	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:24	1	1	1	1	107.3	59.25	0	27630.332	576.344086	15745.65814	30000	0	0	30000	39.5625	2004
29.01.2020 10:42:25	1	1	1	1	107	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.1875	2004
29.01.2020 10:42:26	1	1	1	1	107	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:27	1	1	1	1	107	59.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.375	2004
29.01.2020 10:42:28	1	1	1	1	107	59.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.625	2004
29.01.2020 10:42:29	1	1	1	1	107	59.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:30	1	1	1	1	107	59.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	39	2004
29.01.2020 10:42:31	1	1	1	1	107	59	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	39.6875	2004
29.01.2020 10:42:32	1	1	1	1	107	59.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.25	2004
29.01.2020 10:42:33	1	1	1	1	107	59.25	0	27630.332	576.344086	16125.62172	30000	0	0	30000	39.5625	2004
29.01.2020 10:42:34	1	1	1	1	107	59.5	0	27440.758	574.1935484	16221.0203	30000	0	0	30000	39.5	2004
29.01.2020 10:42:36	1	1	1	1	107	59.5	0	27630.332	580.6451613	16093.00682	30000	0	0	30000	39.4375	2004
29.01.2020 10:42:37	1	1	1	1	107	59.25	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	39.5	2004
29.01.2020 10:42:38	1	1	1	1	107	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.1875	2004
29.01.2020 10:42:44	1	1	1	1	107	59.5	0	27535.545	574.1935484	15956.02424	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:44	1	1	1	1	107	59.5	0	27535.545	574.1935484	15956.02424	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:44	1	1	1	1	107	59.5	0	27535.545	574.1935484	15956.02424	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:44	1	1	1	1	107	59.5	0	27535.545	574.1935484	15956.02424	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:44	1	1	1	1	107	59.5	0	27535.545	574.1935484	15956.02424	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:44	1	1	1	1	107	59.5	0	27535.545	574.1935484	15956.02424	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:45	1	1	1	1	107	59.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	39.375	2004
29.01.2020 10:42:46	1	1	1	1	107	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:42:47	1	1	1	1	107	59.5	0	27630.332	580.6451613	15814.9648	30000	0	0	30000	39.125	2004
29.01.2020 10:42:48	1	1	1	1	107	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.5625	2004
29.01.2020 10:42:49	1	1	1	1	107	59.5	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	39.75	2004
29.01.2020 10:42:50	1	1	1	1	107	59.75	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	39.3125	2004
29.01.2020 10:42:51	1	1	1	1	107	59.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	39.5625	2004
29.01.2020 10:42:52	1	1	1	1	107	59.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.8125	2004
29.01.2020 10:42:53	1	1	1	1	107	59.75	0	27440.758	576.344086	15933.19381	30000	0	0	30000	39.9375	2004
29.01.2020 10:42:54	1	1	1	1	107	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.9375	2004
29.01.2020 10:42:55	1	1	1	1	107.5	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5625	2004
29.01.2020 10:42:56	1	1	1	1	107.5	59.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.5	2004
29.01.2020 10:42:57	1	1	1	1	107.5	59.5	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	39.0625	2004
29.01.2020 10:42:58	1	1	1	1	107.5	59	0	27867.299	576.344086	16000.86973	30000	0	0	30000	39	2004
29.01.2020 10:42:59	1	1	1	1	107.5	59	0	27630.332	576.344086	16033.48463	30000	0	0	30000	39.625	2004
29.01.2020 10:43:00	1	1	1	1	107.5	59.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:43:01	1	1	1	1	107.5	59.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.75	2004
29.01.2020 10:43:02	1	1	1	1	107.5	59.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.5	2004
29.01.2020 10:43:03	1	1	1	1	107.5	59.5	0	27867.299	580.6451613	16061.20729	30000	0	0	30000	39.5	2004
29.01.2020 10:43:04	1	1	1	1	107.5	59.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	39.5	2004
29.01.2020 10:43:05	1	1	1	1	107	59.5	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	39.625	2004
29.01.2020 10:43:06	1	1	1	1	107	59.5	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	39.625	2004
29.01.2020 10:43:07	1	1	1	1	107	59.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.625	2004
29.01.2020 10:43:08	1	1	1	1	107	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:09	1	1	1	1	107	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
29.01.2020 10:43:10	1	1	1	1	107	59.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.625	2004
29.01.2020 10:43:11	1	1	1	1	107	59.5	0	27772.512	578.4946237	16273.20414	30000	0	0	30000	39.5	2004
29.01.2020 10:43:12	1	1	1	1	107	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:13	1	1	1	1	107	59.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	39.125	2004
29.01.2020 10:43:15	1	1	1	1	107	59	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	39.625	2004
29.01.2020 10:43:16	1	1	1	1	107	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.5625	2004
29.01.2020 10:43:17	1	1	1	1	107	59.5	0	27725.118	580.6451613	16212.86658	30000	0	0	30000	39.5	2004
29.01.2020 10:43:18	1	1	1	1	107	59.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	39.5	2004
29.01.2020 10:43:19	1	1	1	1	107	59.5	0	27582.938	576.344086	15897.31742	30000	0	0	30000	39.5	2004
29.01.2020 10:43:20	1	1	1	1	107	59.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.375	2004
29.01.2020 10:43:21	1	1	1	1	107	59.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.5	2004
29.01.2020 10:43:22	1	1	1	1	107	59.5	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	39.5	2004
29.01.2020 10:43:23	1	1	1	1	107	59.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:24	1	1	1	1	107	59.5	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	39.75	2004
29.01.2020 10:43:25	1	1	1	1	107	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.5625	2004
29.01.2020 10:43:26	1	1	1	1	107	59.5	0	27630.332	580.6451613	16093.00682	30000	0	0	30000	39.4375	2004
29.01.2020 10:43:27	1	1	1	1	107	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
29.01.2020 10:43:28	1	1	1	1	107	59.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	39.75	2004
29.01.2020 10:43:29	1	1	1	1	107	59.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	39.5	2004
29.01.2020 10:43:30	1	1	1	1	107	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.75	2004
29.01.2020 10:43:31	1	1	1	1	107	59.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	39.75	2004
29.01.2020 10:43:32	1	1	1	1	107	59.75	0	27582.938	574.1935484	15869.59476	30000	0	0	30000	39.625	2004
29.01.2020 10:43:33	1	1	1	1	107	60	0	27772.512	576.344086	15924.22472	30000	0	0	30000	39.0625	2004
29.01.2020 10:43:34	1	1	1	1	107	59	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:35	1	1	1	1	107	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.5625	2004
29.01.2020 10:43:36	1	1	1	1	107	59.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.625	2004
29.01.2020 10:43:37	1	1	1	1	107	59.5	0	27535.545	572.0430108	15897.31742	30000	0	0	30000	39.5625	2004
29.01.2020 10:43:38	1	1	1	1	107	59.5	0	27582.938	578.4946237	16102.79129	30000	0	0	30000	39.625	2004
29.01.2020 10:43:39	1	1	1	1	107	59.5	0	27535.545	572.0430108	16015.54644	30000	0	0	30000	39.5	2004
29.01.2020 10:43:46	1	1	1	1	107	59.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:46	1	1	1	1	107	59.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:46	1	1	1	1	107	59.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:46	1	1	1	1	107	59.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:46	1	1	1	1	107	59.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:43:46	1	1	1	1	107	59.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:46	1	1	1	1	107	59.5	0	27630.332	578.4946237	16097.89906	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:47	1	1	1	1	107	59.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	38.8125	2004
29.01.2020 10:43:48	1	1	1	1	107	58.75	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	39.6875	2004
29.01.2020 10:43:49	1	1	1	1	107	59.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.5625	2004
29.01.2020 10:43:51	1	1	1	1	107	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	39.75	2004
29.01.2020 10:43:52	1	1	1	1	107	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.5625	2004
29.01.2020 10:43:53	1	1	1	1	107	59.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.125	2004
29.01.2020 10:43:54	1	1	1	1	107	59	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	39.125	2004
29.01.2020 10:43:55	1	1	1	1	107	59	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	39.75	2004
29.01.2020 10:43:56	1	1	1	1	106.8	59.75	0	27440.758	580.6451613	15877.74848	30000	0	0	30000	39.0625	2004
29.01.2020 10:43:57	1	1	1	1	106.8	59	0	27535.545	582.7956989	16106.86815	30000	0	0	30000	38.875	2004
29.01.2020 10:43:58	1	1	1	1	106.8	58.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.25	2004
29.01.2020 10:43:59	1	1	1	1	106.8	59.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	39.625	2004
29.01.2020 10:44:00	1	1	1	1	106.8	59.5	0	27582.938	584.9462366	16051.42282	30000	0	0	30000	39.75	2004
29.01.2020 10:44:01	1	1	1	1	106.8	59.75	0	27535.545	587.0967742	16193.29764	30000	0	0	30000	39.6875	2004
29.01.2020 10:44:02	1	1	1	1	106.8	59.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.75	2004
29.01.2020 10:44:03	1	1	1	1	106.8	59.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.5	2004
29.01.2020 10:44:04	1	1	1	1	106.8	59.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	39.6875	2004
29.01.2020 10:44:05	1	1	1	1	106.8	59.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.625	2004
29.01.2020 10:44:06	1	1	1	1	106.8	59.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.75	2004
29.01.2020 10:44:07	1	1	1	1	106.8	59.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	39.8125	2004
29.01.2020 10:44:08	1	1	1	1	106.8	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.8125	2004
29.01.2020 10:44:09	1	1	1	1	106.8	59.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.5625	2004
29.01.2020 10:44:10	1	1	1	1	106.8	59.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.75	2004
29.01.2020 10:44:11	1	1	1	1	106.8	59.25	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	39.5625	2004
29.01.2020 10:44:12	1	1	1	1	106.8	59.5	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	39.5625	2004
29.01.2020 10:44:13	1	1	1	1	106.8	59.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.625	2004
29.01.2020 10:44:14	1	1	1	1	106.8	59.5	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	38.8125	2004
29.01.2020 10:44:15	1	1	1	1	107	58.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.5	2004
29.01.2020 10:44:16	1	1	1	1	107	59.5	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	39.625	2004
29.01.2020 10:44:17	1	1	1	1	107	59.5	0	27582.938	584.9462366	16106.86815	30000	0	0	30000	39.1875	2004
29.01.2020 10:44:18	1	1	1	1	107	59	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.625	2004
29.01.2020 10:44:19	1	1	1	1	107	59.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.375	2004
29.01.2020 10:44:20	1	1	1	1	107	59.25	0	27440.758	589.2473118	16023.70016	30000	0	0	30000	39.625	2004
29.01.2020 10:44:21	1	1	1	1	107	59.5	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	39.6875	2004
29.01.2020 10:44:22	1	1	1	1	107	59.5	0	27298.578	576.344086	15792.13437	30000	0	0	30000	39.3125	2004
29.01.2020 10:44:23	1	1	1	1	107	59.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	39.5	2004
29.01.2020 10:44:24	1	1	1	1	107	59.5	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	39.4375	2004
29.01.2020 10:44:25	1	1	1	1	106.5	59.25	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	39.625	2004
29.01.2020 10:44:26	1	1	1	1	106.5	59.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.8125	2004
29.01.2020 10:44:27	1	1	1	1	106.5	59.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	39.75	2004
29.01.2020 10:44:28	1	1	1	1	106.5	59.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:44:30	1	1	1	1	106.5	59.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.75	2004
29.01.2020 10:44:31	1	1	1	1	106.5	59.75	0	27582.938	584.9462366	16015.54644	30000	0	0	30000	39.75	2004
29.01.2020 10:44:32	1	1	1	1	106.5	59.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.3125	2004
29.01.2020 10:44:33	1	1	1	1	106.5	59.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.25	2004
29.01.2020 10:44:34	1	1	1	1	106.5	59.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.5625	2004
29.01.2020 10:44:35	1	1	1	1	106.5	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.75	2004
29.01.2020 10:44:36	1	1	1	1	106.3	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.75	2004
29.01.2020 10:44:37	1	1	1	1	106.3	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.5	2004
29.01.2020 10:44:38	1	1	1	1	106.3	59.5	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	39.625	2004
29.01.2020 10:44:39	1	1	1	1	106.3	59.5	0	27440.758	578.4946237	16015.54644	30000	0	0	30000	39.625	2004
29.01.2020 10:44:40	1	1	1	1	106.3	59.5	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	38.75	2004
29.01.2020 10:44:41	1	1	1	1	106.3	58.75	0	27535.545	578.4946237	15897.31742	30000	0	0	30000	39.75	2004
29.01.2020 10:44:47	1	1	1	1	106.8	59.25	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	39.4375	2004
29.01.2020 10:44:47	1	1	1	1	106.8	59.25	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	39.4375	2004
29.01.2020 10:44:47	1	1	1	1	106.8	59.25	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	39.4375	2004
29.01.2020 10:44:47	1	1	1	1	106.8	59.25	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	39.4375	2004
29.01.2020 10:44:47	1	1	1	1	106.8	59.25	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	39.4375	2004
29.01.2020 10:44:47	1	1	1	1	106.8	59.25	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	39.4375	2004
29.01.2020 10:44:48	1	1	1	1	106.8	59.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.5	2004
29.01.2020 10:44:49	1	1	1	1	106.8	58.75	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	39.5625	2004
29.01.2020 10:44:50	1	1	1	1	106.8	59.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.1875	2004
29.01.2020 10:44:51	1	1	1	1	106.8	59	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.75	2004
29.01.2020 10:44:52	1	1	1	1	106.8	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.375	2004
29.01.2020 10:44:53	1	1	1	1	106.8	59.25	0	27630.332	587.0967742	16043.2691	30000	0	0	30000	39.4375	2004
29.01.2020 10:44:54	1	1	1	1	106.8	59.25	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	39.1875	2004
29.01.2020 10:44:55	1	1	1	1	106.8	59	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.8125	2004
29.01.2020 10:44:56	1	1	1	1	106.8	59.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	39.5625	2004
29.01.2020 10:44:57	1	1	1	1	106.8	59.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	39.6875	2004
29.01.2020 10:44:58	1	1	1	1	106.8	59.5	0	27867.299	582.7956989	16300.92681	30000	0	0	30000	39.875	2004
29.01.2020 10:44:59	1	1	1	1	106.8	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.625	2004
29.01.2020 10:45:00	1	1	1	1	106.8	59.5	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	39.6875	2004
29.01.2020 10:45:01	1	1	1	1	106.8	59.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.75	2004
29.01.2020 10:45:02	1	1	1	1	106.8	59.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.4375	2004
29.01.2020 10:45:03	1	1	1	1	106.8	59.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.8125	2004
29.01.2020 10:45:04	1	1	1	1	106.8	59.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.6875	2004
29.01.2020 10:45:05	1	1	1	1	106.8	59.5	0	27535.545	584.9462366	16193.29764	30000	0	0	30000	39.5625	2004
29.01.2020 10:45:06	1	1	1	1	106.8	59.5	0	27440.758	589.2473118	15873.67162	30000	0	0	30000	39.75	2004
29.01.2020 10:45:07	1	1	1	1	106.8	59.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	39.25	2004
29.01.2020 10:45:09	1	1	1	1	106.8	59.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	39.75	2004
29.01.2020 10:45:10	1	1	1	1	106.8	59.75	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	39.375	2004
29.01.2020 10:45:11	1	1	1	1	106.8	59.25	0	27298.578	574.1935484	15733.42755	30000	0	0	30000	39.75	2004
29.01.2020 10:45:12	1	1	1	1	106.8	59.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.25	2004
29.01.2020 10:45:13	1	1	1	1	106.8	59.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:45:14	1	1	1	1	106.8	59.25	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	39.6875	2004
29.01.2020 10:45:15	1	1	1	1	106.8	59.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.8125	2004
29.01.2020 10:45:16	1	1	1	1	106.8	59.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	39.375	2004
29.01.2020 10:45:17	1	1	1	1	106.8	59.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	39.75	2004
29.01.2020 10:45:18	1	1	1	1	106.8	59.75	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	39.3125	2004
29.01.2020 10:45:19	1	1	1	1	106.8	59.25	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	39.75	2004
29.01.2020 10:45:20	1	1	1	1	106.8	59.75	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	39.5625	2004
29.01.2020 10:45:21	1	1	1	1	106.8	59.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.75	2004
29.01.2020 10:45:22	1	1	1	1	106.8	59.75	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	39.75	2004
29.01.2020 10:45:23	1	1	1	1	106.8	59.75	0	27582.938	576.344086	16102.79129	30000	0	0	30000	39.6875	2004
29.01.2020 10:45:24	1	1	1	1	106.8	59.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.75	2004
29.01.2020 10:45:25	1	1	1	1	106.8	59.75	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	40.0625	2004
29.01.2020 10:45:26	1	1	1	1	106.8	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.9375	2004
29.01.2020 10:45:27	1	1	1	1	106.8	59.75	0	27582.938	582.7956989	16134.59082	30000	0	0	30000	39.875	2004
29.01.2020 10:45:28	1	1	1	1	106.8	59.5	0	27345.972	580.6451613	16110.12964	30000	0	0	30000	39.75	2004
29.01.2020 10:45:29	1	1	1	1	106.8	59.75	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	39.9375	2004
29.01.2020 10:45:30	1	1	1	1	106.8	59.75	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	39.375	2004
29.01.2020 10:45:31	1	1	1	1	106.8	59.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	39.75	2004
29.01.2020 10:45:32	1	1	1	1	106.8	59.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.75	2004
29.01.2020 10:45:33	1	1	1	1	106.8	59.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.9375	2004
29.01.2020 10:45:34	1	1	1	1	106.8	59.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	39.75	2004
29.01.2020 10:45:35	1	1	1	1	106.8	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.9375	2004
29.01.2020 10:45:36	1	1	1	1	106.8	59.75	0	27630.332	582.7956989	16212.86658	30000	0	0	30000	39.875	2004
29.01.2020 10:45:37	1	1	1	1	106.8	59.75	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	39.75	2004
29.01.2020 10:45:38	1	1	1	1	106.8	59.75	0	27535.545	580.6451613	15756.25798	30000	0	0	30000	39.375	2004
29.01.2020 10:45:39	1	1	1	1	106.8	59.25	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	39.9375	2004
29.01.2020 10:45:40	1	1	1	1	106.8	59.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.625	2004
29.01.2020 10:45:41	1	1	1	1	106.8	59.5	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	39.4375	2004
29.01.2020 10:45:42	1	1	1	1	106.8	59.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.75	2004
29.01.2020 10:45:49	1	1	1	1	106	59.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.625	2004
29.01.2020 10:45:49	1	1	1	1	106	59.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.625	2004
29.01.2020 10:45:49	1	1	1	1	106	59.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.625	2004
29.01.2020 10:45:49	1	1	1	1	106	59.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.625	2004
29.01.2020 10:45:49	1	1	1	1	106	59.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.625	2004
29.01.2020 10:45:50	1	1	1	1	106	59.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.75	2004
29.01.2020 10:45:51	1	1	1	1	106	59.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.5	2004
29.01.2020 10:45:52	1	1	1	1	106	59.5	0	27345.972	584.9462366	16023.70016	30000	0	0	30000	39.5	2004
29.01.2020 10:45:53	1	1	1	1	106	59.5	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	39.75	2004
29.01.2020 10:45:54	1	1	1	1	106	59.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40	2004
29.01.2020 10:45:55	1	1	1	1	106	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.375	2004
29.01.2020 10:45:56	1	1	1	1	106.5	59.25	0	27440.758	584.9462366	15814.9648	30000	0	0	30000	39.75	2004
29.01.2020 10:45:57	1	1	1	1	106.5	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:45:58	1	1	1	1	106.5	59.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	40	2004
29.01.2020 10:45:59	1	1	1	1	106.5	60	0	27345.972	584.9462366	16168.83646	30000	0	0	30000	39.75	2004
29.01.2020 10:46:00	1	1	1	1	106.5	59.75	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	39.25	2004
29.01.2020 10:46:01	1	1	1	1	106.5	59.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	39.75	2004
29.01.2020 10:46:02	1	1	1	1	106.5	59.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.375	2004
29.01.2020 10:46:03	1	1	1	1	106.5	59.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.75	2004
29.01.2020 10:46:04	1	1	1	1	106.5	59.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.625	2004
29.01.2020 10:46:05	1	1	1	1	106.5	59.5	0	27630.332	587.0967742	16162.31348	30000	0	0	30000	39.375	2004
29.01.2020 10:46:06	1	1	1	1	106.5	59.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.3125	2004
29.01.2020 10:46:07	1	1	1	1	106.5	60.25	0	27440.758	582.7956989	15936.4553	30000	0	0	30000	39.625	2004
29.01.2020 10:46:08	1	1	1	1	106.5	59.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.125	2004
29.01.2020 10:46:09	1	1	1	1	106.5	59	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.875	2004
29.01.2020 10:46:10	1	1	1	1	106.5	59.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	39.75	2004
29.01.2020 10:46:11	1	1	1	1	106.5	59.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.875	2004
29.01.2020 10:46:12	1	1	1	1	106.5	59.75	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	39.8125	2004
29.01.2020 10:46:13	1	1	1	1	106.5	59.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	39.875	2004
29.01.2020 10:46:14	1	1	1	1	106.5	59.75	0	27440.758	576.344086	16075.06863	30000	0	0	30000	39.625	2004
29.01.2020 10:46:15	1	1	1	1	106.5	59.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.6875	2004
29.01.2020 10:46:16	1	1	1	1	106.5	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.875	2004
29.01.2020 10:46:17	1	1	1	1	106.5	59.75	0	27298.578	578.4946237	15968.25483	30000	0	0	30000	39.875	2004
29.01.2020 10:46:18	1	1	1	1	106.5	59.75	0	27440.758	578.4946237	16193.29764	30000	0	0	30000	39.5625	2004
29.01.2020 10:46:19	1	1	1	1	106.5	59.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.75	2004
29.01.2020 10:46:20	1	1	1	1	106.5	59.75	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	39.8125	2004
29.01.2020 10:46:21	1	1	1	1	106.5	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.5625	2004
29.01.2020 10:46:22	1	1	1	1	106.5	59.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.75	2004
29.01.2020 10:46:24	1	1	1	1	106.5	59.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.875	2004
29.01.2020 10:46:25	1	1	1	1	106.5	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.9375	2004
29.01.2020 10:46:26	1	1	1	1	106.3	59.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	40	2004
29.01.2020 10:46:27	1	1	1	1	106.3	60	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	39.75	2004
29.01.2020 10:46:28	1	1	1	1	106.3	59.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.6875	2004
29.01.2020 10:46:29	1	1	1	1	106.3	59.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.8125	2004
29.01.2020 10:46:30	1	1	1	1	106.3	59.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.8125	2004
29.01.2020 10:46:31	1	1	1	1	106.3	59.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.1875	2004
29.01.2020 10:46:32	1	1	1	1	106.3	59	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.875	2004
29.01.2020 10:46:33	1	1	1	1	106.3	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.1875	2004
29.01.2020 10:46:34	1	1	1	1	106.3	59	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.875	2004
29.01.2020 10:46:35	1	1	1	1	106.3	59.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.875	2004
29.01.2020 10:46:36	1	1	1	1	106	59.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	39.5	2004
29.01.2020 10:46:37	1	1	1	1	106	59.5	0	27109.005	584.9462366	15826.38002	30000	0	0	30000	39.75	2004
29.01.2020 10:46:38	1	1	1	1	106	59.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	39.8125	2004
29.01.2020 10:46:39	1	1	1	1	106	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.75	2004
29.01.2020 10:46:40	1	1	1	1	106	59.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	40	2004
29.01.2020 10:46:41	1	1	1	1	106	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:46:42	1	1	1	1	106	59.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	40.125	2004
29.01.2020 10:46:43	1	1	1	1	106	60	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	38.9375	2004
29.01.2020 10:46:44	1	1	1	1	106	59.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40	2004
29.01.2020 10:46:52	1	1	1	1	106.3	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40	2004
29.01.2020 10:46:52	1	1	1	1	106.3	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40	2004
29.01.2020 10:46:52	1	1	1	1	106.3	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40	2004
29.01.2020 10:46:52	1	1	1	1	106.3	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40	2004
29.01.2020 10:46:52	1	1	1	1	106.3	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40	2004
29.01.2020 10:46:52	1	1	1	1	106.3	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40	2004
29.01.2020 10:46:52	1	1	1	1	106.3	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40	2004
29.01.2020 10:46:52	1	1	1	1	106.3	60	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.0625	2004
29.01.2020 10:46:53	1	1	1	1	106.3	60	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004
29.01.2020 10:46:54	1	1	1	1	106.3	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.5	2004
29.01.2020 10:46:55	1	1	1	1	106	59.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	39.75	2004
29.01.2020 10:46:56	1	1	1	1	106	59.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	39.8125	2004
29.01.2020 10:46:57	1	1	1	1	106	59.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.875	2004
29.01.2020 10:46:58	1	1	1	1	106	59.75	0	27061.611	591.3978495	15975.59318	30000	0	0	30000	40	2004
29.01.2020 10:46:59	1	1	1	1	106	60	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	39.75	2004
29.01.2020 10:47:00	1	1	1	1	106	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.9375	2004
29.01.2020 10:47:02	1	1	1	1	106	58.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.8125	2004
29.01.2020 10:47:03	1	1	1	1	106	59.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.75	2004
29.01.2020 10:47:04	1	1	1	1	106	59.75	0	27109.005	591.3978495	15915.25562	30000	0	0	30000	40	2004
29.01.2020 10:47:05	1	1	1	1	106	60	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.875	2004
29.01.2020 10:47:06	1	1	1	1	106	59.75	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	39.9375	2004
29.01.2020 10:47:07	1	1	1	1	106	59.75	0	26966.825	591.3978495	16062.02267	30000	0	0	30000	40	2004
29.01.2020 10:47:08	1	1	1	1	106	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.8125	2004
29.01.2020 10:47:09	1	1	1	1	106	59.75	0	27298.578	595.6989247	16059.57655	30000	0	0	30000	39.9375	2004
29.01.2020 10:47:10	1	1	1	1	106	59.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.625	2004
29.01.2020 10:47:11	1	1	1	1	106	59.5	0	27203.791	589.2473118	16144.37529	30000	0	0	30000	39.9375	2004
29.01.2020 10:47:12	1	1	1	1	106	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.6875	2004
29.01.2020 10:47:13	1	1	1	1	106	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.75	2004
29.01.2020 10:47:14	1	1	1	1	106	59.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	39.4375	2004
29.01.2020 10:47:15	1	1	1	1	106	59.25	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	40	2004
29.01.2020 10:47:16	1	1	1	1	106	60	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.75	2004
29.01.2020 10:47:17	1	1	1	1	106	59.75	0	27109.005	595.6989247	16176.99019	30000	0	0	30000	40.1875	2004
29.01.2020 10:47:18	1	1	1	1	106	60	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	40.125	2004
29.01.2020 10:47:19	1	1	1	1	106	60	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	40.4375	2004
29.01.2020 10:47:20	1	1	1	1	106	60.25	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	39.8125	2004
29.01.2020 10:47:21	1	1	1	1	106	59.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.875	2004
29.01.2020 10:47:22	1	1	1	1	106	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.0625	2004
29.01.2020 10:47:23	1	1	1	1	106	60	0	27061.611	584.9462366	15915.25562	30000	0	0	30000	39.625	2004
29.01.2020 10:47:24	1	1	1	1	106	59.5	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	39.5625	2004
29.01.2020 10:47:25	1	1	1	1	105.8	59.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:48:10	1	1	1	1	105	60	0	27061.611	591.3978495	15947.87052	30000	0	0	30000	39.8125	2004
29.01.2020 10:48:11	1	1	1	1	105	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.5625	2004
29.01.2020 10:48:12	1	1	1	1	105	59.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.9375	2004
29.01.2020 10:48:13	1	1	1	1	105	59.75	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	40	2004
29.01.2020 10:48:14	1	1	1	1	105	60	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	39.9375	2004
29.01.2020 10:48:15	1	1	1	1	104.5	59.75	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	39.9375	2004
29.01.2020 10:48:17	1	1	1	1	104.5	59.75	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	40.0625	2004
29.01.2020 10:48:18	1	1	1	1	104.5	60	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.6875	2004
29.01.2020 10:48:19	1	1	1	1	104.5	59.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.375	2004
29.01.2020 10:48:20	1	1	1	1	104.5	59.25	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	40	2004
29.01.2020 10:48:21	1	1	1	1	104.5	60	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	40	2004
29.01.2020 10:48:22	1	1	1	1	104.5	60	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	40	2004
29.01.2020 10:48:23	1	1	1	1	104.5	60	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	40	2004
29.01.2020 10:48:24	1	1	1	1	104.5	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40	2004
29.01.2020 10:48:25	1	1	1	1	104.5	60	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	39.625	2004
29.01.2020 10:48:26	1	1	1	1	104.8	59.5	0	27156.398	593.5483871	16059.57655	30000	0	0	30000	40	2004
29.01.2020 10:48:27	1	1	1	1	104.8	60	0	27061.611	591.3978495	15917.70174	30000	0	0	30000	39.5	2004
29.01.2020 10:48:28	1	1	1	1	104.8	59.5	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	39.8125	2004
29.01.2020 10:48:29	1	1	1	1	104.8	59.75	0	27014.218	589.2473118	15947.87052	30000	0	0	30000	39.875	2004
29.01.2020 10:48:30	1	1	1	1	104.8	59.75	0	26966.825	587.0967742	15889.97907	30000	0	0	30000	39.75	2004
29.01.2020 10:48:31	1	1	1	1	104.8	59.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.75	2004
29.01.2020 10:48:32	1	1	1	1	104.8	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.8125	2004
29.01.2020 10:48:33	1	1	1	1	104.8	59.75	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	40.0625	2004
29.01.2020 10:48:34	1	1	1	1	104.8	60	0	27061.611	582.7956989	15829.64151	30000	0	0	30000	39.75	2004
29.01.2020 10:48:35	1	1	1	1	104.8	59.75	0	27345.972	587.0967742	16230.80477	30000	0	0	30000	40.25	2004
29.01.2020 10:48:36	1	1	1	1	104.8	60.25	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	39.5	2004
29.01.2020 10:48:37	1	1	1	1	104.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.0625	2004
29.01.2020 10:48:38	1	1	1	1	104.8	60	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	40.0625	2004
29.01.2020 10:48:39	1	1	1	1	104.8	60	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	38.75	2004
29.01.2020 10:48:40	1	1	1	1	104.8	58.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.75	2004
29.01.2020 10:48:43	1	1	1	1	104.8	59.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.125	2004
29.01.2020 10:48:43	1	1	1	1	104.8	59.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.125	2004
29.01.2020 10:48:43	1	1	1	1	104.8	59.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.125	2004
29.01.2020 10:48:44	1	1	1	1	104.8	60	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.75	2004
29.01.2020 10:48:45	1	1	1	1	104.3	59.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	40	2004
29.01.2020 10:48:46	1	1	1	1	104.3	60	0	27109.005	582.7956989	16026.96165	30000	0	0	30000	39.75	2004
29.01.2020 10:48:47	1	1	1	1	104.3	59.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	40.1875	2004
29.01.2020 10:48:54	1	1	1	1	104.3	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.9375	2004
29.01.2020 10:48:54	1	1	1	1	104.3	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.9375	2004
29.01.2020 10:48:54	1	1	1	1	104.3	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.9375	2004
29.01.2020 10:48:54	1	1	1	1	104.3	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.9375	2004
29.01.2020 10:48:54	1	1	1	1	104.3	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.9375	2004
29.01.2020 10:48:54	1	1	1	1	104.3	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:48:54	1	1	1	1	104.3	59.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	39.875	2004
29.01.2020 10:48:55	1	1	1	1	104.3	59.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	40	2004
29.01.2020 10:48:57	1	1	1	1	104.3	60	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	40.0625	2004
29.01.2020 10:48:58	1	1	1	1	104.3	60	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.75	2004
29.01.2020 10:48:59	1	1	1	1	104.3	59.75	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	40	2004
29.01.2020 10:49:00	1	1	1	1	104.3	60	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	40	2004
29.01.2020 10:49:01	1	1	1	1	104.3	60	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:02	1	1	1	1	104.3	60	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.8125	2004
29.01.2020 10:49:03	1	1	1	1	104.3	59.75	0	27109.005	584.9462366	16001.6851	30000	0	0	30000	40	2004
29.01.2020 10:49:04	1	1	1	1	104.3	60	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.875	2004
29.01.2020 10:49:05	1	1	1	1	104.3	59.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.75	2004
29.01.2020 10:49:06	1	1	1	1	104.3	59.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	39.5	2004
29.01.2020 10:49:07	1	1	1	1	104.3	59.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	39.75	2004
29.01.2020 10:49:08	1	1	1	1	104.3	59.75	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	40	2004
29.01.2020 10:49:09	1	1	1	1	104.3	60	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40	2004
29.01.2020 10:49:10	1	1	1	1	104.3	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	40.1875	2004
29.01.2020 10:49:11	1	1	1	1	104.3	60	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	39.8125	2004
29.01.2020 10:49:12	1	1	1	1	104.3	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
29.01.2020 10:49:13	1	1	1	1	104.3	59.5	0	27298.578	578.4946237	15936.4553	30000	0	0	30000	39.625	2004
29.01.2020 10:49:14	1	1	1	1	104.3	59.5	0	27440.758	582.7956989	16110.12964	30000	0	0	30000	40.25	2004
29.01.2020 10:49:15	1	1	1	1	104.3	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.9375	2004
29.01.2020 10:49:16	1	1	1	1	103.8	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.1875	2004
29.01.2020 10:49:17	1	1	1	1	103.8	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40	2004
29.01.2020 10:49:18	1	1	1	1	103.8	60	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	39.75	2004
29.01.2020 10:49:19	1	1	1	1	103.8	59.75	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:20	1	1	1	1	103.8	60	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	39.375	2004
29.01.2020 10:49:21	1	1	1	1	103.8	59.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.75	2004
29.01.2020 10:49:22	1	1	1	1	103.8	59.75	0	27630.332	587.0967742	16221.0203	30000	0	0	30000	39.75	2004
29.01.2020 10:49:23	1	1	1	1	103.8	59.75	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	40	2004
29.01.2020 10:49:24	1	1	1	1	103.8	60	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.875	2004
29.01.2020 10:49:25	1	1	1	1	103.8	59.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.1875	2004
29.01.2020 10:49:26	1	1	1	1	103.8	60	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	40.3125	2004
29.01.2020 10:49:27	1	1	1	1	103.8	60.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.1875	2004
29.01.2020 10:49:28	1	1	1	1	103.8	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.25	2004
29.01.2020 10:49:29	1	1	1	1	103.8	60.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:30	1	1	1	1	103.8	60	0	27345.972	589.2473118	16228.35866	30000	0	0	30000	39.9375	2004
29.01.2020 10:49:31	1	1	1	1	103.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.125	2004
29.01.2020 10:49:32	1	1	1	1	103.8	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
29.01.2020 10:49:33	1	1	1	1	103.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.25	2004
29.01.2020 10:49:34	1	1	1	1	103.8	60.25	0	27535.545	589.2473118	16168.83646	30000	0	0	30000	40.1875	2004
29.01.2020 10:49:36	1	1	1	1	104	60	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	40.1875	2004
29.01.2020 10:49:37	1	1	1	1	104	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
29.01.2020 10:49:38	1	1	1	1	104	60	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:49:39	1	1	1	1	104	59.75	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	39.9375	2004
29.01.2020 10:49:40	1	1	1	1	104	59.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	39.75	2004
29.01.2020 10:49:41	1	1	1	1	104	59.75	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:42	1	1	1	1	104	60	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:43	1	1	1	1	104	60	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	40.1875	2004
29.01.2020 10:49:44	1	1	1	1	104	60	0	27298.578	589.2473118	16261.78893	30000	0	0	30000	40.1875	2004
29.01.2020 10:49:45	1	1	1	1	104	60	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	39.5625	2004
29.01.2020 10:49:46	1	1	1	1	103.5	59.5	0	27345.972	591.3978495	16172.09795	30000	0	0	30000	39.875	2004
29.01.2020 10:49:47	1	1	1	1	103.5	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40	2004
29.01.2020 10:49:48	1	1	1	1	103.5	60	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	39.75	2004
29.01.2020 10:49:49	1	1	1	1	103.5	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.125	2004
29.01.2020 10:49:56	1	1	1	1	103.3	60.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:56	1	1	1	1	103.3	60.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:56	1	1	1	1	103.3	60.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:56	1	1	1	1	103.3	60.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:56	1	1	1	1	103.3	60.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:56	1	1	1	1	103.3	60.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:56	1	1	1	1	103.3	60.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:56	1	1	1	1	103.3	60.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.0625	2004
29.01.2020 10:49:57	1	1	1	1	103.3	60	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	40.25	2004
29.01.2020 10:49:58	1	1	1	1	103.3	60.5	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	40	2004
29.01.2020 10:49:59	1	1	1	1	103.3	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.875	2004
29.01.2020 10:50:00	1	1	1	1	103.3	59.75	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	39.9375	2004
29.01.2020 10:50:01	1	1	1	1	103.3	59.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	40.3125	2004
29.01.2020 10:50:02	1	1	1	1	103.3	60.25	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	40.3125	2004
29.01.2020 10:50:03	1	1	1	1	103.3	60.25	0	26966.825	587.0967742	16004.13122	30000	0	0	30000	39.875	2004
29.01.2020 10:50:04	1	1	1	1	103.3	59.75	0	26966.825	591.3978495	16004.13122	30000	0	0	30000	40	2004
29.01.2020 10:50:05	1	1	1	1	103	60	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	40.25	2004
29.01.2020 10:50:06	1	1	1	1	103	60.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	40	2004
29.01.2020 10:50:07	1	1	1	1	103	60	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.4375	2004
29.01.2020 10:50:08	1	1	1	1	103	59.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.9375	2004
29.01.2020 10:50:09	1	1	1	1	103	59.75	0	27109.005	593.5483871	16261.78893	30000	0	0	30000	39.4375	2004
29.01.2020 10:50:10	1	1	1	1	103	59.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.125	2004
29.01.2020 10:50:11	1	1	1	1	103	60	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.25	2004
29.01.2020 10:50:13	1	1	1	1	103	60.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40	2004
29.01.2020 10:50:14	1	1	1	1	103	60	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.125	2004
29.01.2020 10:50:15	1	1	1	1	103	60	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	39.75	2004
29.01.2020 10:50:16	1	1	1	1	103	59.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	40	2004
29.01.2020 10:50:17	1	1	1	1	103	60	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	40.1875	2004
29.01.2020 10:50:18	1	1	1	1	103	60	0	27440.758	589.2473118	16051.42282	30000	0	0	30000	39.8125	2004
29.01.2020 10:50:19	1	1	1	1	103	59.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.125	2004
29.01.2020 10:50:20	1	1	1	1	103	60	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	39.4375	2004
29.01.2020 10:50:21	1	1	1	1	103	59.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.125	2004
29.01.2020 10:50:22	1	1	1	1	103	60	0	27109.005	578.4946237	15826.38002	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:50:23	1	1	1	1	103	59.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.1875	2004
29.01.2020 10:50:24	1	1	1	1	103	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.6875	2004
29.01.2020 10:50:25	1	1	1	1	103	59.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	40.0625	2004
29.01.2020 10:50:26	1	1	1	1	102.3	60	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.125	2004
29.01.2020 10:50:27	1	1	1	1	102.3	60	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	40	2004
29.01.2020 10:50:28	1	1	1	1	102.3	60	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.25	2004
29.01.2020 10:50:29	1	1	1	1	102.3	60.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	39.75	2004
29.01.2020 10:50:30	1	1	1	1	102.3	59.75	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	40.25	2004
29.01.2020 10:50:31	1	1	1	1	102.3	60.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.25	2004
29.01.2020 10:50:32	1	1	1	1	102.3	60.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	40.125	2004
29.01.2020 10:50:33	1	1	1	1	102.3	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.1875	2004
29.01.2020 10:50:34	1	1	1	1	102.3	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.375	2004
29.01.2020 10:50:35	1	1	1	1	102.8	60.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.0625	2004
29.01.2020 10:50:36	1	1	1	1	102.8	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.375	2004
29.01.2020 10:50:37	1	1	1	1	102.8	60.25	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	39.8125	2004
29.01.2020 10:50:38	1	1	1	1	102.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.3125	2004
29.01.2020 10:50:39	1	1	1	1	102.8	60.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
29.01.2020 10:50:40	1	1	1	1	102.8	60	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	39.3125	2004
29.01.2020 10:50:41	1	1	1	1	102.8	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.1875	2004
29.01.2020 10:50:42	1	1	1	1	102.8	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.1875	2004
29.01.2020 10:50:43	1	1	1	1	102.8	60	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	40	2004
29.01.2020 10:50:44	1	1	1	1	102.8	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.3125	2004
29.01.2020 10:50:45	1	1	1	1	102	60.25	0	27582.938	591.3978495	16165.57497	30000	0	0	30000	40	2004
29.01.2020 10:50:46	1	1	1	1	102	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.25	2004
29.01.2020 10:50:47	1	1	1	1	102	60.25	0	27440.758	593.5483871	16110.12964	30000	0	0	30000	39.9375	2004
29.01.2020 10:50:48	1	1	1	1	102	59.75	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	39.8125	2004
29.01.2020 10:50:49	1	1	1	1	102	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
29.01.2020 10:50:51	1	1	1	1	102	60	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	40.0625	2004
29.01.2020 10:50:57	1	1	1	1	101.8	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.8125	2004
29.01.2020 10:50:57	1	1	1	1	101.8	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.8125	2004
29.01.2020 10:50:57	1	1	1	1	101.8	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.8125	2004
29.01.2020 10:50:57	1	1	1	1	101.8	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.8125	2004
29.01.2020 10:50:57	1	1	1	1	101.8	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.8125	2004
29.01.2020 10:50:57	1	1	1	1	101.8	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.8125	2004
29.01.2020 10:50:58	1	1	1	1	101.8	59.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.125	2004
29.01.2020 10:50:59	1	1	1	1	101.8	60	0	27725.118	584.9462366	16162.31348	30000	0	0	30000	39.875	2004
29.01.2020 10:51:00	1	1	1	1	101.8	59.75	0	27867.299	580.6451613	16207.97434	30000	0	0	30000	40.125	2004
29.01.2020 10:51:01	1	1	1	1	101.8	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.0625	2004
29.01.2020 10:51:02	1	1	1	1	101.8	60	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	40.25	2004
29.01.2020 10:51:03	1	1	1	1	101.8	60.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	39.75	2004
29.01.2020 10:51:04	1	1	1	1	101.8	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.25	2004
29.01.2020 10:51:05	1	1	1	1	101.8	60.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.8125	2004
29.01.2020 10:51:06	1	1	1	1	101	59.75	0	27867.299	574.1935484	16148.45215	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:51:07	1	1	1	1	101	60	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	40.3125	2004
29.01.2020 10:51:08	1	1	1	1	101	60.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	39.25	2004
29.01.2020 10:51:09	1	1	1	1	101	59.25	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	40.5625	2004
29.01.2020 10:51:10	1	1	1	1	101	60.5	0	27962.085	563.4408602	15961.73185	30000	0	0	30000	39.75	2004
29.01.2020 10:51:11	1	1	1	1	101	59.75	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	40	2004
29.01.2020 10:51:12	1	1	1	1	101	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.3125	2004
29.01.2020 10:51:13	1	1	1	1	101	60.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	40	2004
29.01.2020 10:51:14	1	1	1	1	101	60	0	27819.905	563.4408602	15881.00997	30000	0	0	30000	39.5625	2004
29.01.2020 10:51:15	1	1	1	1	100.8	59.5	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	40.0625	2004
29.01.2020 10:51:16	1	1	1	1	100.8	60	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.25	2004
29.01.2020 10:51:17	1	1	1	1	100.8	60.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	40.125	2004
29.01.2020 10:51:18	1	1	1	1	100.8	60	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.25	2004
29.01.2020 10:51:19	1	1	1	1	100.8	60.25	0	29336.493	552.688172	16213.68195	30000	0	0	30000	40	2004
29.01.2020 10:51:20	1	1	1	1	100.8	60	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	39.75	2004
29.01.2020 10:51:21	1	1	1	1	100.8	59.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.1875	2004
29.01.2020 10:51:22	1	1	1	1	100.8	60	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.125	2004
29.01.2020 10:51:23	1	1	1	1	100.8	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.125	2004
29.01.2020 10:51:24	1	1	1	1	100.8	60	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
29.01.2020 10:51:25	1	1	1	1	100.3	60	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	39.8125	2004
29.01.2020 10:51:26	1	1	1	1	100.3	59.75	0	28388.626	563.4408602	15758.7041	30000	0	0	30000	39.9375	2004
29.01.2020 10:51:27	1	1	1	1	100.3	59.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	39.875	2004
29.01.2020 10:51:29	1	1	1	1	100.3	59.75	0	28293.839	559.1397849	15968.25483	30000	0	0	30000	39.625	2004
29.01.2020 10:51:30	1	1	1	1	100.3	59.5	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	39.75	2004
29.01.2020 10:51:31	1	1	1	1	100.3	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	40	2004
29.01.2020 10:51:32	1	1	1	1	100.3	60	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40	2004
29.01.2020 10:51:33	1	1	1	1	100.3	60	0	28483.412	554.8387097	16109.31427	30000	0	0	30000	40.375	2004
29.01.2020 10:51:34	1	1	1	1	100.3	60.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	40.3125	2004
29.01.2020 10:51:35	1	1	1	1	100.3	60.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	39.9375	2004
29.01.2020 10:51:36	1	1	1	1	100.3	59.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.9375	2004
29.01.2020 10:51:37	1	1	1	1	100.3	59.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	40.125	2004
29.01.2020 10:51:38	1	1	1	1	100.3	60	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	40.3125	2004
29.01.2020 10:51:39	1	1	1	1	100.3	60.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.9375	2004
29.01.2020 10:51:40	1	1	1	1	100.3	59.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	39.4375	2004
29.01.2020 10:51:41	1	1	1	1	100.3	59.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	40.3125	2004
29.01.2020 10:51:42	1	1	1	1	100.3	60.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	40.3125	2004
29.01.2020 10:51:43	1	1	1	1	100.3	60.25	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	39.875	2004
29.01.2020 10:51:44	1	1	1	1	100.3	59.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.125	2004
29.01.2020 10:51:45	1	1	1	1	100.3	60	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.0625	2004
29.01.2020 10:51:46	1	1	1	1	99.75	60	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	40.3125	2004
29.01.2020 10:51:47	1	1	1	1	99.75	60.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	39.5625	2004
29.01.2020 10:51:48	1	1	1	1	99.75	59.5	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	40.25	2004
29.01.2020 10:51:49	1	1	1	1	99.75	60.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40	2004
29.01.2020 10:51:50	1	1	1	1	99.75	60	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:51:51	1	1	1	1	99.75	60.5	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	39.3125	2004
29.01.2020 10:51:52	1	1	1	1	99.75	59.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.125	2004
29.01.2020 10:51:59	1	1	1	1	99.5	60	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.125	2004
29.01.2020 10:51:59	1	1	1	1	99.5	60	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.125	2004
29.01.2020 10:51:59	1	1	1	1	99.5	60	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.125	2004
29.01.2020 10:51:59	1	1	1	1	99.5	60	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.125	2004
29.01.2020 10:51:59	1	1	1	1	99.5	60	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.125	2004
29.01.2020 10:51:59	1	1	1	1	99.5	60	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	40.0625	2004
29.01.2020 10:52:00	1	1	1	1	99.5	60	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:01	1	1	1	1	99.5	60	0	28436.019	576.344086	16205.52823	30000	0	0	30000	40	2004
29.01.2020 10:52:02	1	1	1	1	99.5	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.375	2004
29.01.2020 10:52:03	1	1	1	1	99.5	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.3125	2004
29.01.2020 10:52:04	1	1	1	1	99.5	60.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.625	2004
29.01.2020 10:52:05	1	1	1	1	98.75	59.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	39.625	2004
29.01.2020 10:52:07	1	1	1	1	98.75	59.5	0	27725.118	569.8924731	15686.95132	30000	0	0	30000	40.25	2004
29.01.2020 10:52:08	1	1	1	1	98.75	60.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	40.0625	2004
29.01.2020 10:52:09	1	1	1	1	98.75	60	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40	2004
29.01.2020 10:52:10	1	1	1	1	98.75	60	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.4375	2004
29.01.2020 10:52:11	1	1	1	1	98.75	60.25	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	39.9375	2004
29.01.2020 10:52:12	1	1	1	1	98.75	59.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	40	2004
29.01.2020 10:52:13	1	1	1	1	98.75	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.3125	2004
29.01.2020 10:52:14	1	1	1	1	98.75	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.125	2004
29.01.2020 10:52:15	1	1	1	1	98.75	60	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	40.0625	2004
29.01.2020 10:52:16	1	1	1	1	98.75	60	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.8125	2004
29.01.2020 10:52:17	1	1	1	1	98.75	59.75	0	28625.592	554.8387097	15925.85546	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:18	1	1	1	1	98.75	60	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.3125	2004
29.01.2020 10:52:19	1	1	1	1	98.75	60.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:20	1	1	1	1	98.75	60	0	28862.559	556.9892473	15951.94738	30000	0	0	30000	40.25	2004
29.01.2020 10:52:21	1	1	1	1	98.75	60.25	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	40.3125	2004
29.01.2020 10:52:22	1	1	1	1	98.75	60.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:23	1	1	1	1	98.75	60	0	29241.706	539.7849462	16024.51553	30000	0	0	30000	39.6875	2004
29.01.2020 10:52:24	1	1	1	1	98.75	59.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:25	1	1	1	1	98.75	60	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:26	1	1	1	1	98.5	60	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.125	2004
29.01.2020 10:52:27	1	1	1	1	98.5	60	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.5	2004
29.01.2020 10:52:28	1	1	1	1	98.5	60.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	40.125	2004
29.01.2020 10:52:29	1	1	1	1	98.5	60	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	39.875	2004
29.01.2020 10:52:30	1	1	1	1	98.5	60.5	0	29289.1	550.5376344	15998.42361	30000	0	0	30000	40.375	2004
29.01.2020 10:52:31	1	1	1	1	98.5	60.25	0	29099.526	544.0860215	16020.43867	30000	0	0	30000	40.25	2004
29.01.2020 10:52:32	1	1	1	1	98.5	60.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40	2004
29.01.2020 10:52:33	1	1	1	1	98.5	60	0	28625.592	552.688172	15925.85546	30000	0	0	30000	40.25	2004
29.01.2020 10:52:34	1	1	1	1	98.5	60.25	0	28862.559	550.5376344	16075.884	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:52:35	1	1	1	1	98.5	60	0	28862.559	556.9892473	15889.97907	30000	0	0	30000	40.0625	2004
29.01.2020 10:52:36	1	1	1	1	98.5	60	0	28909.953	563.4408602	16075.884	30000	0	0	30000	39.75	2004
29.01.2020 10:52:37	1	1	1	1	98.5	59.75	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:38	1	1	1	1	98.5	60	0	28862.559	552.688172	16004.13122	30000	0	0	30000	39.9375	2004
29.01.2020 10:52:39	1	1	1	1	98.5	59.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:40	1	1	1	1	98.5	60	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.4375	2004
29.01.2020 10:52:41	1	1	1	1	98.5	60.25	0	28815.166	552.688172	16049.79208	30000	0	0	30000	40.4375	2004
29.01.2020 10:52:42	1	1	1	1	98.5	60.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	39.75	2004
29.01.2020 10:52:43	1	1	1	1	98.5	59.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.3125	2004
29.01.2020 10:52:44	1	1	1	1	98.5	60.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	39.875	2004
29.01.2020 10:52:46	1	1	1	1	98	59.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.25	2004
29.01.2020 10:52:47	1	1	1	1	98	60.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:48	1	1	1	1	98	60	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.1875	2004
29.01.2020 10:52:49	1	1	1	1	98	60	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	39.9375	2004
29.01.2020 10:52:50	1	1	1	1	98	59.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	40	2004
29.01.2020 10:52:51	1	1	1	1	98	60	0	28009.479	563.4408602	15888.34833	30000	0	0	30000	40	2004
29.01.2020 10:52:52	1	1	1	1	98	60	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.0625	2004
29.01.2020 10:52:53	1	1	1	1	98	60	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	40.125	2004
29.01.2020 10:52:54	1	1	1	1	98	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.125	2004
29.01.2020 10:53:00	1	1	1	1	97.75	59.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.4375	2004
29.01.2020 10:53:00	1	1	1	1	97.75	59.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.4375	2004
29.01.2020 10:53:00	1	1	1	1	97.75	59.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.4375	2004
29.01.2020 10:53:00	1	1	1	1	97.75	59.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.4375	2004
29.01.2020 10:53:00	1	1	1	1	97.75	59.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.4375	2004
29.01.2020 10:53:01	1	1	1	1	97.75	60.25	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	40.0625	2004
29.01.2020 10:53:02	1	1	1	1	97.75	60	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.1875	2004
29.01.2020 10:53:03	1	1	1	1	97.75	60	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	40.25	2004
29.01.2020 10:53:04	1	1	1	1	97.75	60.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	40.3125	2004
29.01.2020 10:53:05	1	1	1	1	97.75	60.25	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	40	2004
29.01.2020 10:53:06	1	1	1	1	97.25	60	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	40.4375	2004
29.01.2020 10:53:07	1	1	1	1	97.25	60.25	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	40.625	2004
29.01.2020 10:53:08	1	1	1	1	97.25	60.5	0	28199.052	565.5913978	15841.8721	30000	0	0	30000	40.5	2004
29.01.2020 10:53:09	1	1	1	1	97.25	60	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.125	2004
29.01.2020 10:53:10	1	1	1	1	97.25	60	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	40.25	2004
29.01.2020 10:53:11	1	1	1	1	97.25	60.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	39.4375	2004
29.01.2020 10:53:12	1	1	1	1	97.25	59.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	40.4375	2004
29.01.2020 10:53:13	1	1	1	1	97.25	60.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.375	2004
29.01.2020 10:53:14	1	1	1	1	97.25	60.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.25	2004
29.01.2020 10:53:15	1	1	1	1	97	60.25	0	28625.592	561.2903226	16128.88321	30000	0	0	30000	40.375	2004
29.01.2020 10:53:16	1	1	1	1	97	60.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	40.3125	2004
29.01.2020 10:53:17	1	1	1	1	97	60.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40	2004
29.01.2020 10:53:18	1	1	1	1	97	60	0	29905.213	511.827957	15354.27935	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:53:19	1	1	1	1	97	59.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.0625	2004
29.01.2020 10:53:20	1	1	1	1	97	60	0	29952.607	511.827957	15289.86492	30000	0	0	30000	40	2004
29.01.2020 10:53:21	1	1	1	1	97	60	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	40	2004
29.01.2020 10:53:23	1	1	1	1	97	60	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.375	2004
29.01.2020 10:53:24	1	1	1	1	97	60.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.5625	2004
29.01.2020 10:53:25	1	1	1	1	97	59.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.875	2004
29.01.2020 10:53:26	1	1	1	1	96.5	59.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.1875	2004
29.01.2020 10:53:27	1	1	1	1	96.5	60	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.375	2004
29.01.2020 10:53:28	1	1	1	1	96.5	60.25	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	40.1875	2004
29.01.2020 10:53:29	1	1	1	1	96.5	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.5	2004
29.01.2020 10:53:30	1	1	1	1	96.5	59.5	0	30000	533.3333333	15870.41013	30000	0	0	30000	39.5	2004
29.01.2020 10:53:31	1	1	1	1	96.5	59.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.1875	2004
29.01.2020 10:53:32	1	1	1	1	96.5	60	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.25	2004
29.01.2020 10:53:33	1	1	1	1	96.5	60.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	40.0625	2004
29.01.2020 10:53:34	1	1	1	1	96.5	60	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	39.8125	2004
29.01.2020 10:53:35	1	1	1	1	96.5	59.75	0	29478.673	535.483871	16000.86973	30000	0	0	30000	40.3125	2004
29.01.2020 10:53:36	1	1	1	1	96.25	60.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	40.125	2004
29.01.2020 10:53:37	1	1	1	1	96.25	60	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	40.1875	2004
29.01.2020 10:53:38	1	1	1	1	96.25	60	0	29336.493	546.2365591	15909.54801	30000	0	0	30000	40.25	2004
29.01.2020 10:53:39	1	1	1	1	96.25	60.25	0	29146.919	541.9354839	15972.33169	30000	0	0	30000	40.375	2004
29.01.2020 10:53:40	1	1	1	1	96.25	60.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40	2004
29.01.2020 10:53:41	1	1	1	1	96.25	60	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	40.4375	2004
29.01.2020 10:53:42	1	1	1	1	96.25	60.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.375	2004
29.01.2020 10:53:43	1	1	1	1	96.25	60.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
29.01.2020 10:53:44	1	1	1	1	96.25	59.75	0	29478.673	550.5376344	16075.884	30000	0	0	30000	40.1875	2004
29.01.2020 10:53:45	1	1	1	1	96.25	60	0	29431.28	544.0860215	16075.884	30000	0	0	30000	40.125	2004
29.01.2020 10:53:46	1	1	1	1	96.25	60	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.25	2004
29.01.2020 10:53:47	1	1	1	1	96.25	60.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40	2004
29.01.2020 10:53:48	1	1	1	1	96.25	60	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.25	2004
29.01.2020 10:53:49	1	1	1	1	96.25	60.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	40.4375	2004
29.01.2020 10:53:50	1	1	1	1	96.25	60.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.125	2004
29.01.2020 10:53:51	1	1	1	1	96.25	60	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	40.375	2004
29.01.2020 10:53:52	1	1	1	1	96.25	60.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	39.875	2004
29.01.2020 10:53:53	1	1	1	1	96.25	59.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.375	2004
29.01.2020 10:53:54	1	1	1	1	96.25	60.25	0	29336.493	539.7849462	15898.1328	30000	0	0	30000	39.8125	2004
29.01.2020 10:53:55	1	1	1	1	95.5	59.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.125	2004
29.01.2020 10:54:02	1	1	1	1	95.5	60.25	0	29478.673	539.7849462	15671.45924	30000	0	0	30000	40.125	2004
29.01.2020 10:54:02	1	1	1	1	95.5	60.25	0	29478.673	539.7849462	15671.45924	30000	0	0	30000	40.125	2004
29.01.2020 10:54:02	1	1	1	1	95.5	60.25	0	29478.673	539.7849462	15671.45924	30000	0	0	30000	40.125	2004
29.01.2020 10:54:02	1	1	1	1	95.5	60.25	0	29478.673	539.7849462	15671.45924	30000	0	0	30000	40.125	2004
29.01.2020 10:54:02	1	1	1	1	95.5	60.25	0	29478.673	539.7849462	15671.45924	30000	0	0	30000	40.125	2004
29.01.2020 10:54:02	1	1	1	1	95.5	60.25	0	29478.673	539.7849462	15671.45924	30000	0	0	30000	40.125	2004
29.01.2020 10:54:03	1	1	1	1	95.5	60	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:54:04	1	1	1	1	95.5	60.25	0	29526.066	537.6344086	15836.16449	30000	0	0	30000	40.3125	2004
29.01.2020 10:54:05	1	1	1	1	95.5	60.25	0	29810.427	535.483871	16116.65262	30000	0	0	30000	40.0625	2004
29.01.2020 10:54:06	1	1	1	1	95.25	60	0	29810.427	533.3333333	16052.2382	30000	0	0	30000	39.75	2004
29.01.2020 10:54:07	1	1	1	1	95.25	59.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.875	2004
29.01.2020 10:54:08	1	1	1	1	95.25	59.75	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	39.75	2004
29.01.2020 10:54:09	1	1	1	1	95.25	59.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	40	2004
29.01.2020 10:54:10	1	1	1	1	95.25	60	0	30000	520.4301075	15637.2136	30000	0	0	30000	40.4375	2004
29.01.2020 10:54:11	1	1	1	1	95.25	60.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	40.5	2004
29.01.2020 10:54:12	1	1	1	1	95.25	60.5	0	29952.607	511.827957	15354.27935	30000	0	0	30000	39.9375	2004
29.01.2020 10:54:13	1	1	1	1	95.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40	2004
29.01.2020 10:54:14	1	1	1	1	95.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
29.01.2020 10:54:15	1	1	1	1	95.25	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
29.01.2020 10:54:16	1	1	1	1	94.75	60	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.1875	2004
29.01.2020 10:54:17	1	1	1	1	94.75	60	0	30000	440.8602151	13225.34178	30000	0	0	30000	39.9375	2004
29.01.2020 10:54:18	1	1	1	1	94.75	59.75	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.3125	2004
29.01.2020 10:54:19	1	1	1	1	94.75	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.0625	2004
29.01.2020 10:54:20	1	1	1	1	94.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
29.01.2020 10:54:21	1	1	1	1	94.75	60	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.3125	2004
29.01.2020 10:54:22	1	1	1	1	94.75	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.375	2004
29.01.2020 10:54:23	1	1	1	1	94.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
29.01.2020 10:54:24	1	1	1	1	94.75	60.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.375	2004
29.01.2020 10:54:25	1	1	1	1	94.5	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.9375	2004
29.01.2020 10:54:26	1	1	1	1	94.5	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.25	2004
29.01.2020 10:54:27	1	1	1	1	94.5	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
29.01.2020 10:54:28	1	1	1	1	94.5	59.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	39.625	2004
29.01.2020 10:54:29	1	1	1	1	94.5	59.5	0	30000	382.7956989	11483.70614	30000	0	0	30000	40.25	2004
29.01.2020 10:54:30	1	1	1	1	94.5	60.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	40.25	2004
29.01.2020 10:54:31	1	1	1	1	94.5	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.4375	2004
29.01.2020 10:54:32	1	1	1	1	94.5	60.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.25	2004
29.01.2020 10:54:33	1	1	1	1	94.5	60.25	0	30000	363.4408602	11031.98978	30000	0	0	30000	39.8125	2004
29.01.2020 10:54:34	1	1	1	1	94.5	59.75	0	29952.607	365.5913978	10886.03811	30000	0	0	30000	40.3125	2004
29.01.2020 10:54:35	1	1	1	1	94.25	60.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	40	2004
29.01.2020 10:54:37	1	1	1	1	94.25	60	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.6875	2004
29.01.2020 10:54:38	1	1	1	1	94.25	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.6875	2004
29.01.2020 10:54:39	1	1	1	1	94.25	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.3125	2004
29.01.2020 10:54:40	1	1	1	1	94.25	60.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	40.25	2004
29.01.2020 10:54:41	1	1	1	1	94.25	60.25	0	30000	425.8064516	12858.42416	30000	0	0	30000	40.375	2004
29.01.2020 10:54:42	1	1	1	1	94.25	60.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.3125	2004
29.01.2020 10:54:43	1	1	1	1	94.25	60.25	0	29905.213	425.8064516	12754.05648	30000	0	0	30000	40.5	2004
29.01.2020 10:54:44	1	1	1	1	94.25	60.5	0	30000	419.3548387	12878.80847	30000	0	0	30000	40.3125	2004
29.01.2020 10:54:45	1	1	1	1	94.25	60.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.0625	2004
29.01.2020 10:54:46	1	1	1	1	94	60	0	30000	419.3548387	12599.95108	30000	0	0	30000	40.25	2004
29.01.2020 10:54:47	1	1	1	1	94	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:54:48	1	1	1	1	94	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.375	2004
29.01.2020 10:54:49	1	1	1	1	94	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.5625	2004
29.01.2020 10:54:50	1	1	1	1	94	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
29.01.2020 10:54:51	1	1	1	1	94	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.625	2004
29.01.2020 10:54:52	1	1	1	1	94	59.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.8125	2004
29.01.2020 10:54:53	1	1	1	1	94	59.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.1875	2004
29.01.2020 10:54:54	1	1	1	1	94	60	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.3125	2004
29.01.2020 10:54:55	1	1	1	1	94	60.25	0	30000	464.516129	13698.25782	30000	0	0	30000	40.6875	2004
29.01.2020 10:54:56	1	1	1	1	93	60.5	0	30000	453.7634409	13548.22928	30000	0	0	30000	40.0625	2004
29.01.2020 10:54:57	1	1	1	1	93	60	0	29952.607	464.516129	13935.53122	30000	0	0	30000	39.8125	2004
29.01.2020 10:55:04	1	1	1	1	93	60.25	0	30000	511.827957	15112.92909	30000	0	0	30000	39.5625	2004
29.01.2020 10:55:04	1	1	1	1	93	60.25	0	30000	511.827957	15112.92909	30000	0	0	30000	39.5625	2004
29.01.2020 10:55:04	1	1	1	1	93	60.25	0	30000	511.827957	15112.92909	30000	0	0	30000	39.5625	2004
29.01.2020 10:55:04	1	1	1	1	93	60.25	0	30000	511.827957	15112.92909	30000	0	0	30000	39.5625	2004
29.01.2020 10:55:04	1	1	1	1	93	60.25	0	30000	511.827957	15112.92909	30000	0	0	30000	39.5625	2004
29.01.2020 10:55:04	1	1	1	1	93	59.5	0	30000	483.8709677	14451.662	30000	0	0	30000	39.8125	2004
29.01.2020 10:55:05	1	1	1	1	92.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
29.01.2020 10:55:06	1	1	1	1	92.75	60.25	0	30000	481.7204301	13999.94564	30000	0	0	30000	40.5625	2004
29.01.2020 10:55:07	1	1	1	1	92.75	60.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.25	2004
29.01.2020 10:55:08	1	1	1	1	92.75	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.4375	2004
29.01.2020 10:55:09	1	1	1	1	92.75	59.25	0	29952.607	488.172043	14622.07485	30000	0	0	30000	40.3125	2004
29.01.2020 10:55:10	1	1	1	1	92.75	60.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.25	2004
29.01.2020 10:55:11	1	1	1	1	92.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
29.01.2020 10:55:12	1	1	1	1	92.75	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
29.01.2020 10:55:13	1	1	1	1	92.75	60.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	40.375	2004
29.01.2020 10:55:14	1	1	1	1	92.75	60.25	0	30000	423.655914	12773.62542	30000	0	0	30000	40.25	2004
29.01.2020 10:55:15	1	1	1	1	92.75	60.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
29.01.2020 10:55:17	1	1	1	1	92.75	59.5	0	30000	423.655914	12773.62542	30000	0	0	30000	40.3125	2004
29.01.2020 10:55:18	1	1	1	1	92.75	60.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.0625	2004
29.01.2020 10:55:19	1	1	1	1	92.75	60	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
29.01.2020 10:55:20	1	1	1	1	92.75	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.875	2004
29.01.2020 10:55:21	1	1	1	1	92.75	59.75	0	29905.213	391.3978495	11871.00807	30000	0	0	30000	40.3125	2004
29.01.2020 10:55:22	1	1	1	1	92.75	60.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	40.4375	2004
29.01.2020 10:55:23	1	1	1	1	92.75	60.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.25	2004
29.01.2020 10:55:24	1	1	1	1	92.75	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.1875	2004
29.01.2020 10:55:25	1	1	1	1	92.75	60	0	30000	391.3978495	11741.36385	30000	0	0	30000	40	2004
29.01.2020 10:55:26	1	1	1	1	92.75	60	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	39.8125	2004
29.01.2020 10:55:27	1	1	1	1	92.75	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.6875	2004
29.01.2020 10:55:28	1	1	1	1	92.75	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.625	2004
29.01.2020 10:55:29	1	1	1	1	92.75	60.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.5625	2004
29.01.2020 10:55:30	1	1	1	1	92.75	60.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.4375	2004
29.01.2020 10:55:31	1	1	1	1	92.75	59.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:55:32	1	1	1	1	92.75	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.375	2004
29.01.2020 10:55:33	1	1	1	1	92.75	60.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.875	2004
29.01.2020 10:55:34	1	1	1	1	92.75	59.75	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	40.0625	2004
29.01.2020 10:55:35	1	1	1	1	92.75	60	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.0625	2004
29.01.2020 10:55:36	1	1	1	1	92.25	60	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.4375	2004
29.01.2020 10:55:37	1	1	1	1	92.25	60.25	0	30000	423.655914	12709.21099	30000	0	0	30000	40	2004
29.01.2020 10:55:38	1	1	1	1	92.25	60	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.3125	2004
29.01.2020 10:55:39	1	1	1	1	92.25	60.25	0	30000	423.655914	12773.62542	30000	0	0	30000	40.5625	2004
29.01.2020 10:55:40	1	1	1	1	92.25	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.875	2004
29.01.2020 10:55:41	1	1	1	1	92.25	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	39.3125	2004
29.01.2020 10:55:42	1	1	1	1	92.25	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
29.01.2020 10:55:43	1	1	1	1	92.25	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40	2004
29.01.2020 10:55:44	1	1	1	1	92.25	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
29.01.2020 10:55:45	1	1	1	1	92.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
29.01.2020 10:55:46	1	1	1	1	92.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
29.01.2020 10:55:47	1	1	1	1	92.25	60.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.25	2004
29.01.2020 10:55:48	1	1	1	1	92.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
29.01.2020 10:55:49	1	1	1	1	92.25	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.125	2004
29.01.2020 10:55:50	1	1	1	1	92.25	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
29.01.2020 10:55:51	1	1	1	1	92.25	60	0	30000	464.516129	13935.53122	30000	0	0	30000	39.625	2004
29.01.2020 10:55:52	1	1	1	1	92.25	59.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.375	2004
29.01.2020 10:55:54	1	1	1	1	92.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
29.01.2020 10:55:55	1	1	1	1	92.25	60	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	40.4375	2004
29.01.2020 10:55:56	1	1	1	1	92.5	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	39.9375	2004
29.01.2020 10:55:57	1	1	1	1	92.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
29.01.2020 10:55:58	1	1	1	1	92.5	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.25	2004
29.01.2020 10:55:59	1	1	1	1	92.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:05	1	1	1	1	92.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:05	1	1	1	1	92.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:05	1	1	1	1	92.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:05	1	1	1	1	92.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:06	1	1	1	1	92.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:06	1	1	1	1	92.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:06	1	1	1	1	92.25	60.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	39.75	2004
29.01.2020 10:56:07	1	1	1	1	92.25	59.75	0	29952.607	526.8817204	15934.82456	30000	0	0	30000	40.5	2004
29.01.2020 10:56:08	1	1	1	1	92.25	60.5	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:09	1	1	1	1	92.25	60.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.625	2004
29.01.2020 10:56:10	1	1	1	1	92.25	60.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.125	2004
29.01.2020 10:56:11	1	1	1	1	92.25	60	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.5	2004
29.01.2020 10:56:12	1	1	1	1	92.25	60.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	40.125	2004
29.01.2020 10:56:13	1	1	1	1	92.25	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.75	2004
29.01.2020 10:56:14	1	1	1	1	92.25	59.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.9375	2004
29.01.2020 10:56:15	1	1	1	1	92.25	59.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:56:16	1	1	1	1	91.5	60	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	40.75	2004
29.01.2020 10:56:17	1	1	1	1	91.5	60.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	40.75	2004
29.01.2020 10:56:18	1	1	1	1	91.5	60.75	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:19	1	1	1	1	91.5	60.5	0	29952.607	537.6344086	16013.10032	30000	0	0	30000	40.125	2004
29.01.2020 10:56:20	1	1	1	1	91.5	60	0	29668.246	535.483871	15950.31664	30000	0	0	30000	40.4375	2004
29.01.2020 10:56:21	1	1	1	1	91.5	60.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.4375	2004
29.01.2020 10:56:22	1	1	1	1	91.5	60.25	0	29763.033	535.483871	15975.59318	30000	0	0	30000	40.375	2004
29.01.2020 10:56:23	1	1	1	1	91.5	60.25	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	40.5	2004
29.01.2020 10:56:24	1	1	1	1	91.5	60.5	0	30000	537.6344086	16064.46878	30000	0	0	30000	40.0625	2004
29.01.2020 10:56:25	1	1	1	1	91.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
29.01.2020 10:56:26	1	1	1	1	91.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
29.01.2020 10:56:27	1	1	1	1	91.75	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:28	1	1	1	1	91.75	60.25	0	29905.213	412.9032258	12773.62542	30000	0	0	30000	40.4375	2004
29.01.2020 10:56:29	1	1	1	1	91.75	60.25	0	30047.393	404.3010753	12148.23472	30000	0	0	30000	40.25	2004
29.01.2020 10:56:30	1	1	1	1	91.75	60.25	0	30000	400	12064.25135	30000	0	0	30000	39.6875	2004
29.01.2020 10:56:31	1	1	1	1	91.75	59.5	0	30000	423.655914	12838.03984	30000	0	0	30000	40.1875	2004
29.01.2020 10:56:33	1	1	1	1	91.75	60	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.4375	2004
29.01.2020 10:56:34	1	1	1	1	91.75	60.25	0	29952.607	423.655914	12709.21099	30000	0	0	30000	40	2004
29.01.2020 10:56:35	1	1	1	1	91.75	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.1875	2004
29.01.2020 10:56:36	1	1	1	1	91.25	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
29.01.2020 10:56:37	1	1	1	1	91.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5625	2004
29.01.2020 10:56:38	1	1	1	1	91.25	60.5	0	29905.213	419.3548387	12733.67217	30000	0	0	30000	40.125	2004
29.01.2020 10:56:39	1	1	1	1	91.25	60	0	30000	423.655914	12773.62542	30000	0	0	30000	40	2004
29.01.2020 10:56:40	1	1	1	1	91.25	60	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.9375	2004
29.01.2020 10:56:41	1	1	1	1	91.25	59.75	0	30000	423.655914	12838.03984	30000	0	0	30000	40.0625	2004
29.01.2020 10:56:42	1	1	1	1	91.25	60	0	30047.393	427.9569892	12709.21099	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:43	1	1	1	1	91.25	60.25	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	40.4375	2004
29.01.2020 10:56:44	1	1	1	1	91.25	60.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.5	2004
29.01.2020 10:56:45	1	1	1	1	91.25	60.5	0	30000	421.5053763	12411.60003	30000	0	0	30000	40.5	2004
29.01.2020 10:56:46	1	1	1	1	90.25	60.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	40.0625	2004
29.01.2020 10:56:47	1	1	1	1	90.25	60	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	40	2004
29.01.2020 10:56:48	1	1	1	1	90.25	60	0	30000	423.655914	12580.38214	30000	0	0	30000	40.1875	2004
29.01.2020 10:56:49	1	1	1	1	90.25	60	0	30000	421.5053763	12560.8132	30000	0	0	30000	40.375	2004
29.01.2020 10:56:50	1	1	1	1	90.25	60.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.375	2004
29.01.2020 10:56:51	1	1	1	1	90.25	60.25	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	40.25	2004
29.01.2020 10:56:52	1	1	1	1	90.25	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.25	2004
29.01.2020 10:56:53	1	1	1	1	90.25	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.375	2004
29.01.2020 10:56:54	1	1	1	1	90.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
29.01.2020 10:56:55	1	1	1	1	90.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
29.01.2020 10:56:56	1	1	1	1	90.25	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.25	2004
29.01.2020 10:56:57	1	1	1	1	90.25	60.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	40.3125	2004
29.01.2020 10:56:58	1	1	1	1	90.25	60.25	0	29905.213	507.5268817	15677.16685	30000	0	0	30000	40.375	2004
29.01.2020 10:56:59	1	1	1	1	90.25	60.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:57:00	1	1	1	1	90.25	60.5	0	29810.427	526.8817204	16013.10032	30000	0	0	30000	39.875	2004
29.01.2020 10:57:07	1	1	1	1	90.25	60.25	0	29905.213	537.6344086	15859.81029	30000	0	0	30000	40.1875	2004
29.01.2020 10:57:07	1	1	1	1	90.25	60.25	0	29905.213	537.6344086	15859.81029	30000	0	0	30000	40.1875	2004
29.01.2020 10:57:07	1	1	1	1	90.25	60.25	0	29905.213	537.6344086	15859.81029	30000	0	0	30000	40.1875	2004
29.01.2020 10:57:07	1	1	1	1	90.25	60.25	0	29905.213	537.6344086	15859.81029	30000	0	0	30000	40.1875	2004
29.01.2020 10:57:07	1	1	1	1	90.25	60.25	0	29905.213	537.6344086	15859.81029	30000	0	0	30000	40.1875	2004
29.01.2020 10:57:07	1	1	1	1	90.25	60	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.3125	2004
29.01.2020 10:57:08	1	1	1	1	90.25	60.25	0	29857.82	537.6344086	15924.22472	30000	0	0	30000	40.5	2004
29.01.2020 10:57:09	1	1	1	1	90.25	60.5	0	29810.427	533.3333333	15834.53374	30000	0	0	30000	40.5	2004
29.01.2020 10:57:10	1	1	1	1	90.25	60.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.5625	2004
29.01.2020 10:57:12	1	1	1	1	90.25	60.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.1875	2004
29.01.2020 10:57:13	1	1	1	1	90.25	60	0	30000	505.3763441	15225.45049	30000	0	0	30000	40.4375	2004
29.01.2020 10:57:14	1	1	1	1	90.25	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40	2004
29.01.2020 10:57:15	1	1	1	1	90.25	60	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	39.875	2004
29.01.2020 10:57:16	1	1	1	1	90	59.75	0	30000	481.7204301	14173.61998	30000	0	0	30000	40.4375	2004
29.01.2020 10:57:17	1	1	1	1	90	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	39.25	2004
29.01.2020 10:57:18	1	1	1	1	90	59.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	39.75	2004
29.01.2020 10:57:19	1	1	1	1	90	59.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
29.01.2020 10:57:20	1	1	1	1	90	60.25	0	30000	455.9139785	13312.58663	30000	0	0	30000	40.5	2004
29.01.2020 10:57:21	1	1	1	1	90	60.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	40.6875	2004
29.01.2020 10:57:22	1	1	1	1	90	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
29.01.2020 10:57:23	1	1	1	1	90	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.25	2004
29.01.2020 10:57:24	1	1	1	1	90	60.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.25	2004
29.01.2020 10:57:25	1	1	1	1	90	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
29.01.2020 10:57:26	1	1	1	1	90.25	60.25	0	30000	481.7204301	14561.73729	30000	0	0	30000	40.375	2004
29.01.2020 10:57:27	1	1	1	1	90.25	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40	2004
29.01.2020 10:57:28	1	1	1	1	90.25	60	0	30000	432.2580645	12838.03984	30000	0	0	30000	40.1875	2004
29.01.2020 10:57:29	1	1	1	1	90.25	60	0	30000	443.0107527	13289.7562	30000	0	0	30000	39.75	2004
29.01.2020 10:57:30	1	1	1	1	90.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
29.01.2020 10:57:31	1	1	1	1	90.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
29.01.2020 10:57:32	1	1	1	1	90.25	60.25	0	30000	507.5268817	15072.97584	30000	0	0	30000	39.5625	2004
29.01.2020 10:57:33	1	1	1	1	90.25	59.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.6875	2004
29.01.2020 10:57:34	1	1	1	1	90.25	60.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.375	2004
29.01.2020 10:57:35	1	1	1	1	90.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
29.01.2020 10:57:36	1	1	1	1	90	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.625	2004
29.01.2020 10:57:37	1	1	1	1	90	60	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
29.01.2020 10:57:38	1	1	1	1	90	60.5	0	30000	516.1290323	15289.86492	30000	0	0	30000	40.25	2004
29.01.2020 10:57:39	1	1	1	1	90	60.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.4375	2004
29.01.2020 10:57:40	1	1	1	1	90	60.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.0625	2004
29.01.2020 10:57:41	1	1	1	1	90	60	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	40.4375	2004
29.01.2020 10:57:42	1	1	1	1	90	60.25	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	40.0625	2004
29.01.2020 10:57:43	1	1	1	1	90	60	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:57:44	1	1	1	1	90	60.25	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	40.3125	2004
29.01.2020 10:57:45	1	1	1	1	90	60.25	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	40.5625	2004
29.01.2020 10:57:46	1	1	1	1	90	60.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.375	2004
29.01.2020 10:57:47	1	1	1	1	90	60.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.625	2004
29.01.2020 10:57:49	1	1	1	1	90	60.5	0	29336.493	550.5376344	15909.54801	30000	0	0	30000	40.5	2004
29.01.2020 10:57:50	1	1	1	1	90	60.5	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	40.375	2004
29.01.2020 10:57:51	1	1	1	1	90	60.25	0	29146.919	554.8387097	15983.74691	30000	0	0	30000	40.625	2004
29.01.2020 10:57:52	1	1	1	1	90	60.5	0	29573.46	550.5376344	16255.26595	30000	0	0	30000	40.0625	2004
29.01.2020 10:57:53	1	1	1	1	90	60	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	39.5	2004
29.01.2020 10:57:54	1	1	1	1	90	59.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.625	2004
29.01.2020 10:57:55	1	1	1	1	90	60.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.625	2004
29.01.2020 10:57:56	1	1	1	1	89.75	60.5	0	29336.493	535.483871	15949.50126	30000	0	0	30000	39.5	2004
29.01.2020 10:57:57	1	1	1	1	89.75	59.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	40.5	2004
29.01.2020 10:57:58	1	1	1	1	89.75	60.5	0	30047.393	507.5268817	15225.45049	30000	0	0	30000	39.875	2004
29.01.2020 10:57:59	1	1	1	1	89.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
29.01.2020 10:58:00	1	1	1	1	89.75	60	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	40.375	2004
29.01.2020 10:58:01	1	1	1	1	89.75	60.25	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	40.5	2004
29.01.2020 10:58:02	1	1	1	1	89.75	60.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	39.8125	2004
29.01.2020 10:58:08	1	1	1	1	89.75	59.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.6875	2004
29.01.2020 10:58:08	1	1	1	1	89.75	59.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.6875	2004
29.01.2020 10:58:08	1	1	1	1	89.75	59.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.6875	2004
29.01.2020 10:58:08	1	1	1	1	89.75	59.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.6875	2004
29.01.2020 10:58:08	1	1	1	1	89.75	59.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.6875	2004
29.01.2020 10:58:08	1	1	1	1	89.75	59.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.6875	2004
29.01.2020 10:58:08	1	1	1	1	89.75	59.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.6875	2004
29.01.2020 10:58:09	1	1	1	1	89.75	60.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.625	2004
29.01.2020 10:58:10	1	1	1	1	89.75	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.3125	2004
29.01.2020 10:58:11	1	1	1	1	89.75	60.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	40	2004
29.01.2020 10:58:12	1	1	1	1	89.75	60	0	30000	524.7311828	15741.58128	30000	0	0	30000	39.875	2004
29.01.2020 10:58:13	1	1	1	1	89.75	59.75	0	30047.393	511.827957	15161.03607	30000	0	0	30000	40.6875	2004
29.01.2020 10:58:14	1	1	1	1	89.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
29.01.2020 10:58:15	1	1	1	1	89.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.3125	2004
29.01.2020 10:58:16	1	1	1	1	89.75	59.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
29.01.2020 10:58:17	1	1	1	1	89.75	60.25	0	29952.607	423.655914	12773.62542	30000	0	0	30000	40.1875	2004
29.01.2020 10:58:18	1	1	1	1	89.75	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	40	2004
29.01.2020 10:58:19	1	1	1	1	89.75	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
29.01.2020 10:58:20	1	1	1	1	89.75	59.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.25	2004
29.01.2020 10:58:21	1	1	1	1	89.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
29.01.2020 10:58:22	1	1	1	1	89.75	60.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	40.3125	2004
29.01.2020 10:58:23	1	1	1	1	89.75	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.75	2004
29.01.2020 10:58:24	1	1	1	1	89.75	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.1875	2004
29.01.2020 10:58:25	1	1	1	1	89.25	60	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
29.01.2020 10:58:26	1	1	1	1	89.25	58.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	40.4375	2004
29.01.2020 10:58:28	1	1	1	1	89.25	60.25	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:58:29	1	1	1	1	89.25	60.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.375	2004
29.01.2020 10:58:30	1	1	1	1	89.25	60.25	0	30000	374.1935484	11031.98978	30000	0	0	30000	40.375	2004
29.01.2020 10:58:31	1	1	1	1	89.25	60.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.8125	2004
29.01.2020 10:58:32	1	1	1	1	89.25	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.625	2004
29.01.2020 10:58:33	1	1	1	1	89.25	60.5	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	40.5	2004
29.01.2020 10:58:34	1	1	1	1	89.25	60.5	0	30000	464.516129	13891.5011	30000	0	0	30000	40.25	2004
29.01.2020 10:58:35	1	1	1	1	89.25	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.0625	2004
29.01.2020 10:58:36	1	1	1	1	89.25	59	0	30047.393	498.9247312	14902.56299	30000	0	0	30000	40	2004
29.01.2020 10:58:37	1	1	1	1	89.25	60	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.5625	2004
29.01.2020 10:58:38	1	1	1	1	89.25	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
29.01.2020 10:58:39	1	1	1	1	89.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
29.01.2020 10:58:40	1	1	1	1	89.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
29.01.2020 10:58:41	1	1	1	1	89.25	59.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.25	2004
29.01.2020 10:58:42	1	1	1	1	89.25	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	39	2004
29.01.2020 10:58:43	1	1	1	1	89.25	59	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
29.01.2020 10:58:44	1	1	1	1	89.25	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.25	2004
29.01.2020 10:58:45	1	1	1	1	89.25	60.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.1875	2004
29.01.2020 10:58:46	1	1	1	1	88.75	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.1875	2004
29.01.2020 10:58:47	1	1	1	1	88.75	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
29.01.2020 10:58:48	1	1	1	1	88.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
29.01.2020 10:58:49	1	1	1	1	88.75	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.25	2004
29.01.2020 10:58:50	1	1	1	1	88.75	60.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	40.9375	2004
29.01.2020 10:58:51	1	1	1	1	88.75	60.75	0	30000	421.5053763	12709.21099	30000	0	0	30000	40.625	2004
29.01.2020 10:58:52	1	1	1	1	88.75	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.875	2004
29.01.2020 10:58:53	1	1	1	1	88.75	60.75	0	30000	481.7204301	14193.18892	30000	0	0	30000	39.625	2004
29.01.2020 10:58:54	1	1	1	1	88.75	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5	2004
29.01.2020 10:58:55	1	1	1	1	88.75	60.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	40.5625	2004
29.01.2020 10:58:56	1	1	1	1	89	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
29.01.2020 10:58:57	1	1	1	1	89	60.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.125	2004
29.01.2020 10:58:58	1	1	1	1	89	60	0	30000	483.8709677	14406.00114	30000	0	0	30000	40	2004
29.01.2020 10:58:59	1	1	1	1	89	60	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.1875	2004
29.01.2020 10:59:00	1	1	1	1	89	60	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.625	2004
29.01.2020 10:59:01	1	1	1	1	89	60.5	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	40.1875	2004
29.01.2020 10:59:02	1	1	1	1	89	60	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.1875	2004
29.01.2020 10:59:03	1	1	1	1	89	60	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.8125	2004
29.01.2020 10:59:10	1	1	1	1	88.75	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.625	2004
29.01.2020 10:59:10	1	1	1	1	88.75	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.625	2004
29.01.2020 10:59:10	1	1	1	1	88.75	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.625	2004
29.01.2020 10:59:10	1	1	1	1	88.75	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.625	2004
29.01.2020 10:59:10	1	1	1	1	88.75	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.625	2004
29.01.2020 10:59:10	1	1	1	1	88.75	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.625	2004
29.01.2020 10:59:11	1	1	1	1	88.75	60.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.0625	2004
29.01.2020 10:59:12	1	1	1	1	88.75	60	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:59:13	1	1	1	1	88.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
29.01.2020 10:59:14	1	1	1	1	88.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
29.01.2020 10:59:15	1	1	1	1	88.75	60	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.4375	2004
29.01.2020 10:59:16	1	1	1	1	88.5	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.5625	2004
29.01.2020 10:59:17	1	1	1	1	88.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
29.01.2020 10:59:18	1	1	1	1	88.5	60.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.3125	2004
29.01.2020 10:59:19	1	1	1	1	88.5	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.3125	2004
29.01.2020 10:59:20	1	1	1	1	88.5	60.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.25	2004
29.01.2020 10:59:21	1	1	1	1	88.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40	2004
29.01.2020 10:59:22	1	1	1	1	88.5	60	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	40.5625	2004
29.01.2020 10:59:23	1	1	1	1	88.5	60.5	0	29905.213	533.3333333	15795.39586	30000	0	0	30000	40.5	2004
29.01.2020 10:59:24	1	1	1	1	88.5	60.5	0	30000	522.5806452	15548.338	30000	0	0	30000	40.0625	2004
29.01.2020 10:59:25	1	1	1	1	88.5	60	0	30000	526.8817204	15741.58128	30000	0	0	30000	40.375	2004
29.01.2020 10:59:26	1	1	1	1	88.5	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.125	2004
29.01.2020 10:59:27	1	1	1	1	88.5	60	0	29952.607	511.827957	15483.92357	30000	0	0	30000	39.8125	2004
29.01.2020 10:59:28	1	1	1	1	88.5	59.75	0	29905.213	529.0322581	15845.94896	30000	0	0	30000	40.5	2004
29.01.2020 10:59:29	1	1	1	1	88.5	60.5	0	30000	516.1290323	15548.338	30000	0	0	30000	40.375	2004
29.01.2020 10:59:30	1	1	1	1	88.5	60.25	0	30000	518.2795699	15548.338	30000	0	0	30000	40.3125	2004
29.01.2020 10:59:31	1	1	1	1	88.5	60.25	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	39.5625	2004
29.01.2020 10:59:32	1	1	1	1	88.5	59.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.4375	2004
29.01.2020 10:59:33	1	1	1	1	88.5	59.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.875	2004
29.01.2020 10:59:34	1	1	1	1	88.5	59.75	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	40.75	2004
29.01.2020 10:59:35	1	1	1	1	88.5	60.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	40.4375	2004
29.01.2020 10:59:36	1	1	1	1	88.5	60.25	0	30000	516.1290323	15241.75794	30000	0	0	30000	40.375	2004
29.01.2020 10:59:37	1	1	1	1	88.5	60.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.125	2004
29.01.2020 10:59:38	1	1	1	1	88.5	60	0	29573.46	537.6344086	15683.68983	30000	0	0	30000	40.3125	2004
29.01.2020 10:59:39	1	1	1	1	88.5	60.25	0	29810.427	537.6344086	16244.6661	30000	0	0	30000	40.25	2004
29.01.2020 10:59:40	1	1	1	1	88.5	60.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	40.625	2004
29.01.2020 10:59:41	1	1	1	1	88.5	60.5	0	29431.28	535.483871	15911.99413	30000	0	0	30000	40.375	2004
29.01.2020 10:59:42	1	1	1	1	88.5	60.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	40.5625	2004
29.01.2020 10:59:43	1	1	1	1	88.5	60.5	0	29620.853	537.6344086	15797.84198	30000	0	0	30000	40.0625	2004
29.01.2020 10:59:44	1	1	1	1	88.5	60	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	39.875	2004
29.01.2020 10:59:45	1	1	1	1	88.75	59.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.5625	2004
29.01.2020 10:59:47	1	1	1	1	88.75	60.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.3125	2004
29.01.2020 10:59:48	1	1	1	1	88.75	60.25	0	29526.066	539.7849462	15899.76354	30000	0	0	30000	40.625	2004
29.01.2020 10:59:49	1	1	1	1	88.75	60.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.4375	2004
29.01.2020 10:59:50	1	1	1	1	88.75	60.25	0	29857.82	537.6344086	15898.94817	30000	0	0	30000	40.5625	2004
29.01.2020 10:59:51	1	1	1	1	88.75	60.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	39.9375	2004
29.01.2020 10:59:52	1	1	1	1	88.75	59.75	0	30000	535.483871	16064.46878	30000	0	0	30000	40.3125	2004
29.01.2020 10:59:53	1	1	1	1	88.75	60.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	40.4375	2004
29.01.2020 10:59:54	1	1	1	1	88.75	60.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
29.01.2020 10:59:55	1	1	1	1	88.75	60.75	0	29952.607	531.1827957	15934.82456	30000	0	0	30000	40.6875	2004
29.01.2020 10:59:56	1	1	1	1	88.25	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 10:59:57	1	1	1	1	88.25	60	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.4375	2004
29.01.2020 10:59:58	1	1	1	1	88.25	59.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5625	2004
29.01.2020 10:59:59	1	1	1	1	88.25	60.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.5	2004
29.01.2020 11:00:00	1	1	1	1	88.25	60.5	0	30047.393	535.483871	15934.82456	30000	0	0	30000	40.1875	2004
29.01.2020 11:00:01	1	1	1	1	88.25	60	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.6875	2004
29.01.2020 11:00:02	1	1	1	1	88.25	60.5	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	40.1875	2004
29.01.2020 11:00:03	1	1	1	1	88.25	60	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	40.5625	2004
29.01.2020 11:00:04	1	1	1	1	88.25	60.5	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	39.75	2004
29.01.2020 11:00:05	1	1	1	1	88.25	59.75	0	29905.213	535.483871	16039.19224	30000	0	0	30000	40.375	2004
29.01.2020 11:00:12	1	1	1	1	88.5	60.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	39.875	2004
29.01.2020 11:00:12	1	1	1	1	88.5	60.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	39.875	2004
29.01.2020 11:00:12	1	1	1	1	88.5	60.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	39.875	2004
29.01.2020 11:00:12	1	1	1	1	88.5	60.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	39.875	2004
29.01.2020 11:00:12	1	1	1	1	88.5	60.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	39.875	2004
29.01.2020 11:00:12	1	1	1	1	88.5	60.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	39.875	2004
29.01.2020 11:00:14	1	1	1	1	88.5	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.6875	2004
29.01.2020 11:00:14	1	1	1	1	88.5	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.6875	2004
29.01.2020 11:00:14	1	1	1	1	88.5	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.6875	2004
29.01.2020 11:00:15	1	1	1	1	88.5	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	40.375	2004
29.01.2020 11:00:16	1	1	1	1	88.25	60.25	0	30000	511.827957	15048.51466	30000	0	0	30000	40.1875	2004
29.01.2020 11:00:17	1	1	1	1	88.25	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.125	2004
29.01.2020 11:00:18	1	1	1	1	88.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
29.01.2020 11:00:19	1	1	1	1	88.25	60	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.4375	2004
29.01.2020 11:00:20	1	1	1	1	88.25	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.4375	2004
29.01.2020 11:00:21	1	1	1	1	88.25	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
29.01.2020 11:00:22	1	1	1	1	88.25	60	0	30000	518.2795699	15548.338	30000	0	0	30000	40.5	2004
29.01.2020 11:00:23	1	1	1	1	88.25	60.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.6875	2004
29.01.2020 11:00:24	1	1	1	1	88.25	60.5	0	29905.213	507.5268817	15225.45049	30000	0	0	30000	40.625	2004
29.01.2020 11:00:25	1	1	1	1	88	60.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.875	2004
29.01.2020 11:00:26	1	1	1	1	88	59.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
29.01.2020 11:00:28	1	1	1	1	88	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.625	2004
29.01.2020 11:00:29	1	1	1	1	88	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.3125	2004
29.01.2020 11:00:30	1	1	1	1	88	60.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.5625	2004
29.01.2020 11:00:31	1	1	1	1	88	60.5	0	30000	505.3763441	15314.32609	30000	0	0	30000	39.75	2004
29.01.2020 11:00:32	1	1	1	1	88	59.75	0	29952.607	516.1290323	15523.87682	30000	0	0	30000	39.6875	2004
29.01.2020 11:00:33	1	1	1	1	88	59.5	0	30000	533.3333333	16064.46878	30000	0	0	30000	40.5625	2004
29.01.2020 11:00:34	1	1	1	1	88	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	40	2004
29.01.2020 11:00:35	1	1	1	1	88	60	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.3125	2004
29.01.2020 11:00:36	1	1	1	1	87.75	60.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.5625	2004
29.01.2020 11:00:37	1	1	1	1	87.75	60.5	0	30000	524.7311828	15934.82456	30000	0	0	30000	40.625	2004
29.01.2020 11:00:38	1	1	1	1	87.75	60.5	0	29952.607	529.0322581	15910.36338	30000	0	0	30000	40.5625	2004
29.01.2020 11:00:39	1	1	1	1	87.75	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
29.01.2020 11:00:40	1	1	1	1	87.75	60.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:00:41	1	1	1	1	87.75	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
29.01.2020 11:00:42	1	1	1	1	87.75	60.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.625	2004
29.01.2020 11:00:43	1	1	1	1	87.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
29.01.2020 11:00:44	1	1	1	1	87.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
29.01.2020 11:00:45	1	1	1	1	87.75	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
29.01.2020 11:00:46	1	1	1	1	87.75	60.5	0	29905.213	490.3225806	14622.07485	30000	0	0	30000	40.5	2004
29.01.2020 11:00:47	1	1	1	1	87.75	60.5	0	30000	490.3225806	14838.14856	30000	0	0	30000	40.4375	2004
29.01.2020 11:00:48	1	1	1	1	87.75	60.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.5625	2004
29.01.2020 11:00:49	1	1	1	1	87.75	60.5	0	30000	507.5268817	15112.92909	30000	0	0	30000	39.5625	2004
29.01.2020 11:00:50	1	1	1	1	87.75	59.5	0	29905.213	516.1290323	15548.338	30000	0	0	30000	40.3125	2004
29.01.2020 11:00:51	1	1	1	1	87.75	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
29.01.2020 11:00:52	1	1	1	1	87.75	60.5	0	29905.213	505.3763441	15354.27935	30000	0	0	30000	39.75	2004
29.01.2020 11:00:53	1	1	1	1	87.75	59.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.8125	2004
29.01.2020 11:00:54	1	1	1	1	87.75	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
29.01.2020 11:00:55	1	1	1	1	88.25	60.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40	2004
29.01.2020 11:00:56	1	1	1	1	88.25	60	0	30000	526.8817204	15756.25798	30000	0	0	30000	40.4375	2004
29.01.2020 11:00:57	1	1	1	1	88.25	60.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.625	2004
29.01.2020 11:00:58	1	1	1	1	88.25	60.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.4375	2004
29.01.2020 11:00:59	1	1	1	1	88.25	60.25	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	40.3125	2004
29.01.2020 11:01:00	1	1	1	1	88.25	60.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.6875	2004
29.01.2020 11:01:01	1	1	1	1	88.25	60.5	0	29526.066	535.483871	15683.68983	30000	0	0	30000	40.3125	2004
29.01.2020 11:01:02	1	1	1	1	88.25	60.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.3125	2004
29.01.2020 11:01:03	1	1	1	1	88.25	60.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.6875	2004
29.01.2020 11:01:05	1	1	1	1	88.25	60.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.4375	2004
29.01.2020 11:01:06	1	1	1	1	87.75	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.3125	2004
29.01.2020 11:01:07	1	1	1	1	87.75	60.25	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.4375	2004
29.01.2020 11:01:13	1	1	1	1	87.75	60.75	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.1875	2004
29.01.2020 11:01:13	1	1	1	1	87.75	60.75	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.1875	2004
29.01.2020 11:01:13	1	1	1	1	87.75	60.75	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.1875	2004
29.01.2020 11:01:13	1	1	1	1	87.75	60.75	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.1875	2004
29.01.2020 11:01:13	1	1	1	1	87.75	60.75	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.1875	2004
29.01.2020 11:01:13	1	1	1	1	87.75	60.75	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.1875	2004
29.01.2020 11:01:14	1	1	1	1	87.75	60	0	29620.853	535.483871	15988.63914	30000	0	0	30000	40.625	2004
29.01.2020 11:01:15	1	1	1	1	87.75	60.5	0	29336.493	535.483871	15860.62566	30000	0	0	30000	40.5	2004
29.01.2020 11:01:16	1	1	1	1	87.5	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.0625	2004
29.01.2020 11:01:17	1	1	1	1	87.5	60	0	29526.066	535.483871	15810.07257	30000	0	0	30000	40	2004
29.01.2020 11:01:18	1	1	1	1	87.5	60	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.3125	2004
29.01.2020 11:01:19	1	1	1	1	87.5	60.25	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	40.375	2004
29.01.2020 11:01:20	1	1	1	1	87.5	60.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.8125	2004
29.01.2020 11:01:21	1	1	1	1	87.5	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.75	2004
29.01.2020 11:01:22	1	1	1	1	87.5	60.75	0	29857.82	535.483871	15834.53374	30000	0	0	30000	40.625	2004
29.01.2020 11:01:23	1	1	1	1	87.5	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.6875	2004
29.01.2020 11:01:24	1	1	1	1	87.5	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:01:25	1	1	1	1	87.5	60.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.0625	2004
29.01.2020 11:01:26	1	1	1	1	88.25	60	0	29905.213	535.483871	15756.25798	30000	0	0	30000	39.6875	2004
29.01.2020 11:01:27	1	1	1	1	88.25	59.5	0	29857.82	531.1827957	15987.82377	30000	0	0	30000	40.4375	2004
29.01.2020 11:01:28	1	1	1	1	88.25	60.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40	2004
29.01.2020 11:01:29	1	1	1	1	88.25	60	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.5625	2004
29.01.2020 11:01:30	1	1	1	1	88.25	60.5	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	40.5	2004
29.01.2020 11:01:31	1	1	1	1	88.25	60.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	40.5625	2004
29.01.2020 11:01:32	1	1	1	1	88.25	60.5	0	29715.64	539.7849462	16411.81747	30000	0	0	30000	40.875	2004
29.01.2020 11:01:33	1	1	1	1	88.25	60.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	40.6875	2004
29.01.2020 11:01:34	1	1	1	1	88.25	60.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	40.8125	2004
29.01.2020 11:01:35	1	1	1	1	88.25	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.5	2004
29.01.2020 11:01:36	1	1	1	1	88.25	60.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.4375	2004
29.01.2020 11:01:37	1	1	1	1	88.25	60.25	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	40.625	2004
29.01.2020 11:01:38	1	1	1	1	88.25	60.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.375	2004
29.01.2020 11:01:39	1	1	1	1	88.25	60.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	40.6875	2004
29.01.2020 11:01:40	1	1	1	1	88.25	60.5	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	40.625	2004
29.01.2020 11:01:41	1	1	1	1	88.25	60.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.5	2004
29.01.2020 11:01:42	1	1	1	1	88.25	60.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	40.5625	2004
29.01.2020 11:01:44	1	1	1	1	88.25	60.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.625	2004
29.01.2020 11:01:45	1	1	1	1	88.25	60.5	0	29620.853	537.6344086	16115.83725	30000	0	0	30000	40.375	2004
29.01.2020 11:01:46	1	1	1	1	88.25	60.25	0	29431.28	546.2365591	16038.37687	30000	0	0	30000	40.5625	2004
29.01.2020 11:01:47	1	1	1	1	88.25	60.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.875	2004
29.01.2020 11:01:48	1	1	1	1	88.25	60.75	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	40.625	2004
29.01.2020 11:01:49	1	1	1	1	88.25	60.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	40.1875	2004
29.01.2020 11:01:50	1	1	1	1	88.25	60	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	39.9375	2004
29.01.2020 11:01:51	1	1	1	1	88.25	59.75	0	29431.28	537.6344086	16064.46878	30000	0	0	30000	40.8125	2004
29.01.2020 11:01:52	1	1	1	1	88.25	60.75	0	29526.066	546.2365591	16000.86973	30000	0	0	30000	40.25	2004
29.01.2020 11:01:53	1	1	1	1	88.25	60.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.4375	2004
29.01.2020 11:01:54	1	1	1	1	88.25	60.25	0	29431.28	544.0860215	15835.34912	30000	0	0	30000	40.625	2004
29.01.2020 11:01:55	1	1	1	1	88.25	60.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.625	2004
29.01.2020 11:01:56	1	1	1	1	87.75	60.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	40.8125	2004
29.01.2020 11:01:57	1	1	1	1	87.75	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.75	2004
29.01.2020 11:01:58	1	1	1	1	87.75	60.75	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	40.5625	2004
29.01.2020 11:01:59	1	1	1	1	87.75	60.5	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	40.125	2004
29.01.2020 11:02:00	1	1	1	1	87.75	60	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.625	2004
29.01.2020 11:02:01	1	1	1	1	87.75	60.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	40	2004
29.01.2020 11:02:02	1	1	1	1	87.75	60	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	40.625	2004
29.01.2020 11:02:03	1	1	1	1	87.75	60.5	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	40.4375	2004
29.01.2020 11:02:04	1	1	1	1	87.75	60.25	0	29478.673	537.6344086	15784.79602	30000	0	0	30000	40.25	2004
29.01.2020 11:02:05	1	1	1	1	87.75	60.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	39.75	2004
29.01.2020 11:02:06	1	1	1	1	87.5	59.75	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	40.6875	2004
29.01.2020 11:02:07	1	1	1	1	87.5	60.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.4375	2004
29.01.2020 11:02:08	1	1	1	1	87.5	60.25	0	29431.28	533.3333333	15911.99413	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:02:15	1	1	1	1	87.5	60.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.625	2004
29.01.2020 11:02:15	1	1	1	1	87.5	60.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.625	2004
29.01.2020 11:02:15	1	1	1	1	87.5	60.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.625	2004
29.01.2020 11:02:15	1	1	1	1	87.5	60.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.625	2004
29.01.2020 11:02:15	1	1	1	1	87.5	60.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.625	2004
29.01.2020 11:02:15	1	1	1	1	88	61	0	29241.706	539.7849462	15846.76433	30000	0	0	30000	40.5	2004
29.01.2020 11:02:16	1	1	1	1	88	60.5	0	29289.1	541.9354839	15846.76433	30000	0	0	30000	40.625	2004
29.01.2020 11:02:17	1	1	1	1	88	60.5	0	29289.1	550.5376344	16087.29921	30000	0	0	30000	40.3125	2004
29.01.2020 11:02:18	1	1	1	1	88	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.125	2004
29.01.2020 11:02:19	1	1	1	1	88	60	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.5	2004
29.01.2020 11:02:20	1	1	1	1	88	60.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	40.625	2004
29.01.2020 11:02:21	1	1	1	1	88	60.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.5	2004
29.01.2020 11:02:22	1	1	1	1	88	60.5	0	29668.246	539.7849462	16167.20572	30000	0	0	30000	40.5625	2004
29.01.2020 11:02:23	1	1	1	1	88	60.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.75	2004
29.01.2020 11:02:24	1	1	1	1	88	60.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.6875	2004
29.01.2020 11:02:26	1	1	1	1	87.5	60.5	0	29383.886	550.5376344	15960.91648	30000	0	0	30000	40.625	2004
29.01.2020 11:02:27	1	1	1	1	87.5	60.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.5625	2004
29.01.2020 11:02:28	1	1	1	1	87.5	60.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	40.5	2004
29.01.2020 11:02:29	1	1	1	1	87.5	60.5	0	29810.427	533.3333333	16026.96165	30000	0	0	30000	40.1875	2004
29.01.2020 11:02:30	1	1	1	1	87.5	60	0	29383.886	539.7849462	16139.48305	30000	0	0	30000	40.5	2004
29.01.2020 11:02:31	1	1	1	1	87.5	60.5	0	29336.493	541.9354839	16176.99019	30000	0	0	30000	40.375	2004
29.01.2020 11:02:32	1	1	1	1	87.5	60.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	40.625	2004
29.01.2020 11:02:33	1	1	1	1	87.5	60.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.6875	2004
29.01.2020 11:02:34	1	1	1	1	87.5	60.5	0	29431.28	541.9354839	15987.0084	30000	0	0	30000	40.125	2004
29.01.2020 11:02:35	1	1	1	1	87.5	60	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	40.625	2004
29.01.2020 11:02:36	1	1	1	1	88	60.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.75	2004
29.01.2020 11:02:37	1	1	1	1	88	60.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	40.25	2004
29.01.2020 11:02:38	1	1	1	1	88	60.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	40.75	2004
29.01.2020 11:02:39	1	1	1	1	88	60.75	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	40.1875	2004
29.01.2020 11:02:40	1	1	1	1	88	60	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.3125	2004
29.01.2020 11:02:41	1	1	1	1	88	60.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	40.6875	2004
29.01.2020 11:02:42	1	1	1	1	88	60.5	0	29620.853	541.9354839	16013.91569	30000	0	0	30000	40.6875	2004
29.01.2020 11:02:43	1	1	1	1	88	60.5	0	29478.673	535.483871	15784.79602	30000	0	0	30000	40.9375	2004
29.01.2020 11:02:44	1	1	1	1	88	60.75	0	29431.28	535.483871	15911.99413	30000	0	0	30000	40.875	2004
29.01.2020 11:02:45	1	1	1	1	88	60.75	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	40.8125	2004
29.01.2020 11:02:46	1	1	1	1	87.75	60.75	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	40.375	2004
29.01.2020 11:02:47	1	1	1	1	87.75	60.25	0	29715.64	541.9354839	15861.44103	30000	0	0	30000	40.5	2004
29.01.2020 11:02:48	1	1	1	1	87.75	60.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	40.3125	2004
29.01.2020 11:02:49	1	1	1	1	87.75	60.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	39.9375	2004
29.01.2020 11:02:50	1	1	1	1	87.75	59.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.75	2004
29.01.2020 11:02:51	1	1	1	1	87.75	60.75	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	40.75	2004
29.01.2020 11:02:52	1	1	1	1	87.75	60.75	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:02:53	1	1	1	1	87.75	60.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	41.1875	2004
29.01.2020 11:02:54	1	1	1	1	87.75	60.5	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	40.4375	2004
29.01.2020 11:02:55	1	1	1	1	87.5	60.25	0	29383.886	548.3870968	16087.29921	30000	0	0	30000	40	2004
29.01.2020 11:02:56	1	1	1	1	87.5	60	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	40.9375	2004
29.01.2020 11:02:57	1	1	1	1	87.5	60.75	0	29052.133	548.3870968	16020.43867	30000	0	0	30000	40.125	2004
29.01.2020 11:02:58	1	1	1	1	87.5	60	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	40.8125	2004
29.01.2020 11:02:59	1	1	1	1	87.5	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.8125	2004
29.01.2020 11:03:00	1	1	1	1	87.5	60.75	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	40.625	2004
29.01.2020 11:03:01	1	1	1	1	87.5	60.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	40.375	2004
29.01.2020 11:03:02	1	1	1	1	87.5	60.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.5625	2004
29.01.2020 11:03:04	1	1	1	1	87.5	60.5	0	29004.739	550.5376344	15942.16291	30000	0	0	30000	40.75	2004
29.01.2020 11:03:05	1	1	1	1	87.5	60.75	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	40.6875	2004
29.01.2020 11:03:06	1	1	1	1	88.25	60.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.3125	2004
29.01.2020 11:03:07	1	1	1	1	88.25	60.25	0	29383.886	546.2365591	16203.08211	30000	0	0	30000	40.5625	2004
29.01.2020 11:03:08	1	1	1	1	88.25	60.5	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	40.625	2004
29.01.2020 11:03:09	1	1	1	1	88.25	60.5	0	29146.919	546.2365591	15607.04482	30000	0	0	30000	40.6875	2004
29.01.2020 11:03:10	1	1	1	1	88.25	60.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	40.5625	2004
29.01.2020 11:03:16	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.375	2004
29.01.2020 11:03:16	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.375	2004
29.01.2020 11:03:16	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.375	2004
29.01.2020 11:03:16	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.375	2004
29.01.2020 11:03:16	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.375	2004
29.01.2020 11:03:16	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.375	2004
29.01.2020 11:03:16	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.375	2004
29.01.2020 11:03:17	1	1	1	1	88.25	60.25	0	29241.706	550.5376344	16108.4989	30000	0	0	30000	40.8125	2004
29.01.2020 11:03:18	1	1	1	1	88.25	60.75	0	29052.133	552.688172	15931.56307	30000	0	0	30000	40.375	2004
29.01.2020 11:03:19	1	1	1	1	88.25	60.25	0	29431.28	546.2365591	16113.39113	30000	0	0	30000	40.25	2004
29.01.2020 11:03:20	1	1	1	1	88.25	60.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	40.75	2004
29.01.2020 11:03:21	1	1	1	1	88.25	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.4375	2004
29.01.2020 11:03:22	1	1	1	1	88.25	60.25	0	29289.1	550.5376344	16087.29921	30000	0	0	30000	40.75	2004
29.01.2020 11:03:23	1	1	1	1	88.25	60.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.9375	2004
29.01.2020 11:03:24	1	1	1	1	88.25	60.75	0	29099.526	544.0860215	15806.81108	30000	0	0	30000	40.875	2004
29.01.2020 11:03:25	1	1	1	1	88.25	60.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.25	2004
29.01.2020 11:03:26	1	1	1	1	88	60.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	39.9375	2004
29.01.2020 11:03:27	1	1	1	1	88	59.75	0	29052.133	544.0860215	15754.62724	30000	0	0	30000	39.875	2004
29.01.2020 11:03:28	1	1	1	1	88	59.75	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	40.1875	2004
29.01.2020 11:03:29	1	1	1	1	88	60	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	40.0625	2004
29.01.2020 11:03:30	1	1	1	1	88	60	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.875	2004
29.01.2020 11:03:31	1	1	1	1	88	60.75	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	40.875	2004
29.01.2020 11:03:32	1	1	1	1	88	60.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.1875	2004
29.01.2020 11:03:33	1	1	1	1	88	60	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.6875	2004
29.01.2020 11:03:34	1	1	1	1	88	61	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	40.625	2004
29.01.2020 11:03:35	1	1	1	1	88	60.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	40.8125	2004
29.01.2020 11:03:36	1	1	1	1	88	60.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:03:37	1	1	1	1	88	60.75	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	40.625	2004
29.01.2020 11:03:38	1	1	1	1	88	60.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	40.125	2004
29.01.2020 11:03:39	1	1	1	1	88	60	0	29383.886	539.7849462	15835.34912	30000	0	0	30000	40.375	2004
29.01.2020 11:03:40	1	1	1	1	88	60.25	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	40.4375	2004
29.01.2020 11:03:41	1	1	1	1	88	60.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.75	2004
29.01.2020 11:03:43	1	1	1	1	88	60.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	40.875	2004
29.01.2020 11:03:44	1	1	1	1	88	60.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	40.25	2004
29.01.2020 11:03:45	1	1	1	1	88	60.25	0	29478.673	548.3870968	16191.66689	30000	0	0	30000	40.625	2004
29.01.2020 11:03:46	1	1	1	1	87.75	60.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	39.6875	2004
29.01.2020 11:03:47	1	1	1	1	87.75	59.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	39.6875	2004
29.01.2020 11:03:48	1	1	1	1	87.75	59.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.3125	2004
29.01.2020 11:03:49	1	1	1	1	87.75	60.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.625	2004
29.01.2020 11:03:50	1	1	1	1	87.75	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.3125	2004
29.01.2020 11:03:51	1	1	1	1	87.75	60.25	0	28957.346	550.5376344	15641.29046	30000	0	0	30000	40.6875	2004
29.01.2020 11:03:52	1	1	1	1	87.75	60.5	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	40.875	2004
29.01.2020 11:03:53	1	1	1	1	87.75	60.75	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	40.5	2004
29.01.2020 11:03:54	1	1	1	1	87.75	60.5	0	29099.526	546.2365591	15832.08763	30000	0	0	30000	40.8125	2004
29.01.2020 11:03:55	1	1	1	1	87.75	60.75	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	40.6875	2004
29.01.2020 11:03:56	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.5	2004
29.01.2020 11:03:57	1	1	1	1	88.25	60.5	0	29052.133	548.3870968	15931.56307	30000	0	0	30000	40.5625	2004
29.01.2020 11:03:58	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.875	2004
29.01.2020 11:03:59	1	1	1	1	88.25	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.6875	2004
29.01.2020 11:04:00	1	1	1	1	88.25	60.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:01	1	1	1	1	88.25	60.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	40.75	2004
29.01.2020 11:04:02	1	1	1	1	88.25	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:03	1	1	1	1	88.25	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.8125	2004
29.01.2020 11:04:04	1	1	1	1	88.25	60.75	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	40.8125	2004
29.01.2020 11:04:05	1	1	1	1	88.25	60.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.75	2004
29.01.2020 11:04:06	1	1	1	1	88.25	60.75	0	29004.739	550.5376344	16056.31506	30000	0	0	30000	40.6875	2004
29.01.2020 11:04:07	1	1	1	1	88.25	60.5	0	28957.346	550.5376344	15817.41092	30000	0	0	30000	40.25	2004
29.01.2020 11:04:08	1	1	1	1	88.25	60.25	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	40.6875	2004
29.01.2020 11:04:09	1	1	1	1	88.25	60.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.1875	2004
29.01.2020 11:04:10	1	1	1	1	88.25	61	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:11	1	1	1	1	88.25	60.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	40.5	2004
29.01.2020 11:04:18	1	1	1	1	88	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:18	1	1	1	1	88	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:18	1	1	1	1	88	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:18	1	1	1	1	88	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:18	1	1	1	1	88	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:18	1	1	1	1	88	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:18	1	1	1	1	88	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:18	1	1	1	1	88	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:18	1	1	1	1	88	60.5	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	40.625	2004
29.01.2020 11:04:19	1	1	1	1	88	60.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.625	2004
29.01.2020 11:04:21	1	1	1	1	88	60.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:04:22	1	1	1	1	88	60.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:23	1	1	1	1	88	60.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	40.8125	2004
29.01.2020 11:04:24	1	1	1	1	88	60.75	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	40.625	2004
29.01.2020 11:04:25	1	1	1	1	88	60.5	0	29526.066	541.9354839	15949.50126	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:26	1	1	1	1	88.25	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.4375	2004
29.01.2020 11:04:27	1	1	1	1	88.25	60.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	40.75	2004
29.01.2020 11:04:28	1	1	1	1	88.25	60.75	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	40.5	2004
29.01.2020 11:04:29	1	1	1	1	88.25	60.5	0	29620.853	546.2365591	16423.23268	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:30	1	1	1	1	88.25	60.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.625	2004
29.01.2020 11:04:31	1	1	1	1	88.25	60.5	0	29289.1	550.5376344	16087.29921	30000	0	0	30000	40.75	2004
29.01.2020 11:04:32	1	1	1	1	88.25	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.1875	2004
29.01.2020 11:04:33	1	1	1	1	88.25	60	0	29431.28	546.2365591	16165.57497	30000	0	0	30000	40.8125	2004
29.01.2020 11:04:34	1	1	1	1	88.25	60.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	40.375	2004
29.01.2020 11:04:35	1	1	1	1	88.25	60.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	40.1875	2004
29.01.2020 11:04:36	1	1	1	1	87.75	60	0	29573.46	548.3870968	16154.15976	30000	0	0	30000	40.9375	2004
29.01.2020 11:04:37	1	1	1	1	87.75	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.6875	2004
29.01.2020 11:04:38	1	1	1	1	87.75	60.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	40.625	2004
29.01.2020 11:04:39	1	1	1	1	87.75	60.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.5	2004
29.01.2020 11:04:40	1	1	1	1	87.75	60.5	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	40.3125	2004
29.01.2020 11:04:41	1	1	1	1	87.75	60.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	40.875	2004
29.01.2020 11:04:42	1	1	1	1	87.75	60.75	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	40.6875	2004
29.01.2020 11:04:43	1	1	1	1	87.75	60.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:44	1	1	1	1	87.75	60.5	0	29099.526	550.5376344	15806.81108	30000	0	0	30000	40.5625	2004
29.01.2020 11:04:45	1	1	1	1	87.75	60.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.625	2004
29.01.2020 11:04:46	1	1	1	1	88	60.5	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	40.75	2004
29.01.2020 11:04:47	1	1	1	1	88	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.3125	2004
29.01.2020 11:04:48	1	1	1	1	88	60.25	0	29052.133	546.2365591	16046.53059	30000	0	0	30000	40.6875	2004
29.01.2020 11:04:49	1	1	1	1	88	60.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	40.8125	2004
29.01.2020 11:04:50	1	1	1	1	88	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.3125	2004
29.01.2020 11:04:51	1	1	1	1	88	60.5	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	40.5	2004
29.01.2020 11:04:52	1	1	1	1	88	60.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.6875	2004
29.01.2020 11:04:53	1	1	1	1	88	60.5	0	29052.133	544.0860215	15567.90694	30000	0	0	30000	40.625	2004
29.01.2020 11:04:54	1	1	1	1	88	60.5	0	29146.919	544.0860215	16161.49811	30000	0	0	30000	40.6875	2004
29.01.2020 11:04:55	1	1	1	1	88	60.5	0	29146.919	548.3870968	15972.33169	30000	0	0	30000	40.75	2004
29.01.2020 11:04:56	1	1	1	1	88	60.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	40.9375	2004
29.01.2020 11:04:58	1	1	1	1	88	60.75	0	29146.919	548.3870968	15920.96323	30000	0	0	30000	40.75	2004
29.01.2020 11:04:59	1	1	1	1	88	60.75	0	29241.706	537.6344086	16124.80635	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:00	1	1	1	1	88	60.75	0	29146.919	541.9354839	15732.61218	30000	0	0	30000	40.875	2004
29.01.2020 11:05:01	1	1	1	1	88	60.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	40.625	2004
29.01.2020 11:05:02	1	1	1	1	88	60.5	0	29241.706	552.688172	16287.06547	30000	0	0	30000	40.6875	2004
29.01.2020 11:05:03	1	1	1	1	88	60.5	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	40.75	2004
29.01.2020 11:05:04	1	1	1	1	88	60.75	0	29383.886	546.2365591	16150.89827	30000	0	0	30000	40.9375	2004
29.01.2020 11:05:05	1	1	1	1	88	60.75	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:05:06	1	1	1	1	88	60.75	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	40.625	2004
29.01.2020 11:05:07	1	1	1	1	88	60.5	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	40.75	2004
29.01.2020 11:05:08	1	1	1	1	88	60.75	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	40.875	2004
29.01.2020 11:05:09	1	1	1	1	88	60.75	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	40.5	2004
29.01.2020 11:05:10	1	1	1	1	88	60.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40.375	2004
29.01.2020 11:05:11	1	1	1	1	88	60.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.1875	2004
29.01.2020 11:05:12	1	1	1	1	88	60	0	29383.886	539.7849462	15987.0084	30000	0	0	30000	40.6875	2004
29.01.2020 11:05:13	1	1	1	1	88	60.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.4375	2004
29.01.2020 11:05:20	1	1	1	1	88.25	60.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:20	1	1	1	1	88.25	60.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:20	1	1	1	1	88.25	60.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:20	1	1	1	1	88.25	60.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:20	1	1	1	1	88.25	60.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:20	1	1	1	1	88.25	60.75	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:21	1	1	1	1	88.25	60.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.375	2004
29.01.2020 11:05:22	1	1	1	1	88.25	60.25	0	29241.706	546.2365591	16087.29921	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:23	1	1	1	1	88.25	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.75	2004
29.01.2020 11:05:24	1	1	1	1	88.25	60.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	40.875	2004
29.01.2020 11:05:25	1	1	1	1	88.25	60.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	40.75	2004
29.01.2020 11:05:26	1	1	1	1	88.25	60.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.625	2004
29.01.2020 11:05:27	1	1	1	1	88.25	60.5	0	29241.706	541.9354839	15972.33169	30000	0	0	30000	40.625	2004
29.01.2020 11:05:28	1	1	1	1	88.25	60.5	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	40.25	2004
29.01.2020 11:05:29	1	1	1	1	88.25	60.25	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	40.25	2004
29.01.2020 11:05:30	1	1	1	1	88.25	60.75	0	29336.493	548.3870968	16024.51553	30000	0	0	30000	41	2004
29.01.2020 11:05:31	1	1	1	1	88.25	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:32	1	1	1	1	88.25	60.75	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	40.75	2004
29.01.2020 11:05:33	1	1	1	1	88.25	60.75	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:34	1	1	1	1	88.25	60.75	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	39.9375	2004
29.01.2020 11:05:35	1	1	1	1	88.25	59.75	0	29146.919	548.3870968	16020.43867	30000	0	0	30000	40.75	2004
29.01.2020 11:05:37	1	1	1	1	88.25	60.75	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	40.75	2004
29.01.2020 11:05:38	1	1	1	1	88.25	60.75	0	29052.133	546.2365591	15879.37923	30000	0	0	30000	40.875	2004
29.01.2020 11:05:39	1	1	1	1	88.25	60.75	0	29146.919	550.5376344	15957.65499	30000	0	0	30000	40.6875	2004
29.01.2020 11:05:40	1	1	1	1	88.25	60.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:41	1	1	1	1	88.25	60.75	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	40.4375	2004
29.01.2020 11:05:42	1	1	1	1	88.25	60.25	0	29099.526	546.2365591	15858.17955	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:43	1	1	1	1	88.25	60.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	40.75	2004
29.01.2020 11:05:44	1	1	1	1	88.25	60.75	0	29146.919	554.8387097	16046.53059	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:45	1	1	1	1	88.25	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.4375	2004
29.01.2020 11:05:46	1	1	1	1	88.25	60.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.9375	2004
29.01.2020 11:05:47	1	1	1	1	88.25	60.75	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	40.75	2004
29.01.2020 11:05:48	1	1	1	1	88.25	60.75	0	29052.133	546.2365591	15832.08763	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:49	1	1	1	1	88.25	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:05:50	1	1	1	1	88.25	60.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.625	2004
29.01.2020 11:05:51	1	1	1	1	88.25	60.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	40.75	2004
29.01.2020 11:05:52	1	1	1	1	88.25	60.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	40.6875	2004
29.01.2020 11:05:53	1	1	1	1	88.25	60.5	0	29241.706	552.688172	16108.4989	30000	0	0	30000	40.8125	2004
29.01.2020 11:05:54	1	1	1	1	88.25	60.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	40.625	2004
29.01.2020 11:05:55	1	1	1	1	88.25	60.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.75	2004
29.01.2020 11:05:56	1	1	1	1	88.5	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.875	2004
29.01.2020 11:05:57	1	1	1	1	88.5	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.6875	2004
29.01.2020 11:05:58	1	1	1	1	88.5	60.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.625	2004
29.01.2020 11:05:59	1	1	1	1	88.5	60.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.8125	2004
29.01.2020 11:06:00	1	1	1	1	88.5	60.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41	2004
29.01.2020 11:06:01	1	1	1	1	88.5	61	0	28957.346	544.0860215	16207.97434	30000	0	0	30000	40.75	2004
29.01.2020 11:06:02	1	1	1	1	88.5	60.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.75	2004
29.01.2020 11:06:03	1	1	1	1	88.5	60.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.625	2004
29.01.2020 11:06:04	1	1	1	1	88.5	60.5	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	40.8125	2004
29.01.2020 11:06:05	1	1	1	1	88.5	60.75	0	28909.953	550.5376344	15889.97907	30000	0	0	30000	41	2004
29.01.2020 11:06:06	1	1	1	1	88.5	61	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.25	2004
29.01.2020 11:06:07	1	1	1	1	88.5	61.25	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:08	1	1	1	1	88.5	61	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.75	2004
29.01.2020 11:06:09	1	1	1	1	88.5	60.75	0	28957.346	546.2365591	16082.40698	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:10	1	1	1	1	88.5	60.5	0	29146.919	552.688172	15983.74691	30000	0	0	30000	40.4375	2004
29.01.2020 11:06:11	1	1	1	1	88.5	60.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.75	2004
29.01.2020 11:06:12	1	1	1	1	88.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:13	1	1	1	1	88.5	60.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:15	1	1	1	1	88.5	60.5	0	29336.493	541.9354839	16087.29921	30000	0	0	30000	40.375	2004
29.01.2020 11:06:21	1	1	1	1	88	60.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:21	1	1	1	1	88	60.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:21	1	1	1	1	88	60.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:21	1	1	1	1	88	60.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:21	1	1	1	1	88	60.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:21	1	1	1	1	88	60.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:21	1	1	1	1	88	60.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:22	1	1	1	1	88	60.5	0	29478.673	544.0860215	15885.90221	30000	0	0	30000	40.375	2004
29.01.2020 11:06:23	1	1	1	1	88	60.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.8125	2004
29.01.2020 11:06:24	1	1	1	1	88	60.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	40.6875	2004
29.01.2020 11:06:25	1	1	1	1	88	60.5	0	29383.886	544.0860215	16075.884	30000	0	0	30000	40.8125	2004
29.01.2020 11:06:26	1	1	1	1	88	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.5	2004
29.01.2020 11:06:27	1	1	1	1	88	60.5	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	40.9375	2004
29.01.2020 11:06:28	1	1	1	1	88	60.75	0	29241.706	544.0860215	15998.42361	30000	0	0	30000	40.3125	2004
29.01.2020 11:06:29	1	1	1	1	88	60.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.875	2004
29.01.2020 11:06:30	1	1	1	1	88	60.75	0	29431.28	546.2365591	16355.55676	30000	0	0	30000	41	2004
29.01.2020 11:06:31	1	1	1	1	88	61	0	29431.28	539.7849462	16075.884	30000	0	0	30000	40.5625	2004
29.01.2020 11:06:32	1	1	1	1	88	60.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	40.5625	2004
29.01.2020 11:06:33	1	1	1	1	88	60.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:06:34	1	1	1	1	88	61	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	40	2004
29.01.2020 11:06:35	1	1	1	1	88	60	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	40.875	2004
29.01.2020 11:06:36	1	1	1	1	88.5	60.75	0	29526.066	537.6344086	16000.86973	30000	0	0	30000	40.9375	2004
29.01.2020 11:06:37	1	1	1	1	88.5	60.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.375	2004
29.01.2020 11:06:38	1	1	1	1	88.5	60.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.875	2004
29.01.2020 11:06:39	1	1	1	1	88.5	60.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	40.75	2004
29.01.2020 11:06:40	1	1	1	1	88.5	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.75	2004
29.01.2020 11:06:41	1	1	1	1	88.5	60.75	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	40.75	2004
29.01.2020 11:06:42	1	1	1	1	88.5	60.75	0	29905.213	522.5806452	16064.46878	30000	0	0	30000	40.8125	2004
29.01.2020 11:06:43	1	1	1	1	88.5	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
29.01.2020 11:06:44	1	1	1	1	88.5	60.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	41	2004
29.01.2020 11:06:45	1	1	1	1	88.5	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.3125	2004
29.01.2020 11:06:46	1	1	1	1	88.25	60.25	0	30000	535.483871	16064.46878	30000	0	0	30000	41.25	2004
29.01.2020 11:06:47	1	1	1	1	88.25	60.5	0	30000	533.3333333	16064.46878	30000	0	0	30000	40.625	2004
29.01.2020 11:06:48	1	1	1	1	88.25	60.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
29.01.2020 11:06:49	1	1	1	1	88.25	60.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	40.875	2004
29.01.2020 11:06:50	1	1	1	1	88.25	60.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	40.3125	2004
29.01.2020 11:06:51	1	1	1	1	88.25	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.75	2004
29.01.2020 11:06:53	1	1	1	1	88.25	60.75	0	29620.853	535.483871	15886.71758	30000	0	0	30000	40.875	2004
29.01.2020 11:06:54	1	1	1	1	88.25	60.75	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41	2004
29.01.2020 11:06:55	1	1	1	1	88.25	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.875	2004
29.01.2020 11:06:56	1	1	1	1	88.25	60.75	0	29573.46	544.0860215	16026.96165	30000	0	0	30000	40.625	2004
29.01.2020 11:06:57	1	1	1	1	88.25	60.5	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	40.625	2004
29.01.2020 11:06:58	1	1	1	1	88.25	60.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.5	2004
29.01.2020 11:06:59	1	1	1	1	88.25	60.5	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	40.6875	2004
29.01.2020 11:07:00	1	1	1	1	88.25	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.9375	2004
29.01.2020 11:07:01	1	1	1	1	88.25	60.75	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	40.8125	2004
29.01.2020 11:07:02	1	1	1	1	88.25	60.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	40.625	2004
29.01.2020 11:07:03	1	1	1	1	88.25	60.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.5625	2004
29.01.2020 11:07:04	1	1	1	1	88.25	60.5	0	29383.886	550.5376344	16203.08211	30000	0	0	30000	40.375	2004
29.01.2020 11:07:05	1	1	1	1	88.25	60.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.75	2004
29.01.2020 11:07:06	1	1	1	1	88.75	60.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	40.5	2004
29.01.2020 11:07:07	1	1	1	1	88.75	60.5	0	29146.919	541.9354839	15909.54801	30000	0	0	30000	40.6875	2004
29.01.2020 11:07:08	1	1	1	1	88.75	60.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.8125	2004
29.01.2020 11:07:09	1	1	1	1	88.75	60.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.5	2004
29.01.2020 11:07:10	1	1	1	1	88.75	60.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41	2004
29.01.2020 11:07:11	1	1	1	1	88.75	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.4375	2004
29.01.2020 11:07:12	1	1	1	1	88.75	60.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	40.5	2004
29.01.2020 11:07:13	1	1	1	1	88.75	60.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	40.9375	2004
29.01.2020 11:07:14	1	1	1	1	88.75	60.75	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	40.6875	2004
29.01.2020 11:07:15	1	1	1	1	88.75	60.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	40.625	2004
29.01.2020 11:07:16	1	1	1	1	88.5	60.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	40.5625	2004
29.01.2020 11:07:23	1	1	1	1	88.5	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:07:23	1	1	1	1	88.5	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40	2004
29.01.2020 11:07:23	1	1	1	1	88.5	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40	2004
29.01.2020 11:07:23	1	1	1	1	88.5	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40	2004
29.01.2020 11:07:23	1	1	1	1	88.5	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40	2004
29.01.2020 11:07:23	1	1	1	1	88.5	60	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41	2004
29.01.2020 11:07:24	1	1	1	1	88.5	60.75	0	29146.919	544.0860215	15832.08763	30000	0	0	30000	40.5	2004
29.01.2020 11:07:25	1	1	1	1	88.25	60.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40.9375	2004
29.01.2020 11:07:26	1	1	1	1	88.25	60.75	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41	2004
29.01.2020 11:07:27	1	1	1	1	88.25	61	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	40.8125	2004
29.01.2020 11:07:28	1	1	1	1	88.25	60.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	40.875	2004
29.01.2020 11:07:29	1	1	1	1	88.25	60.75	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	40.8125	2004
29.01.2020 11:07:31	1	1	1	1	88.25	60.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41	2004
29.01.2020 11:07:32	1	1	1	1	88.25	61	0	28957.346	552.688172	15754.62724	30000	0	0	30000	40.625	2004
29.01.2020 11:07:33	1	1	1	1	88.25	60.5	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	40.8125	2004
29.01.2020 11:07:34	1	1	1	1	88.25	60.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.8125	2004
29.01.2020 11:07:35	1	1	1	1	88.25	60.75	0	29431.28	550.5376344	16075.884	30000	0	0	30000	40.625	2004
29.01.2020 11:07:36	1	1	1	1	88.5	60.5	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	40.1875	2004
29.01.2020 11:07:37	1	1	1	1	88.5	60	0	29289.1	554.8387097	16035.11538	30000	0	0	30000	40.1875	2004
29.01.2020 11:07:38	1	1	1	1	88.5	60	0	29431.28	548.3870968	16139.48305	30000	0	0	30000	40.875	2004
29.01.2020 11:07:39	1	1	1	1	88.5	60.75	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	40.75	2004
29.01.2020 11:07:40	1	1	1	1	88.5	60.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	40.9375	2004
29.01.2020 11:07:41	1	1	1	1	88.5	60.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.6875	2004
29.01.2020 11:07:42	1	1	1	1	88.5	60.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	40.875	2004
29.01.2020 11:07:43	1	1	1	1	88.5	60.75	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	41	2004
29.01.2020 11:07:44	1	1	1	1	88.5	61	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	40.25	2004
29.01.2020 11:07:45	1	1	1	1	88.5	60.25	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	40.6875	2004
29.01.2020 11:07:46	1	1	1	1	88	60.5	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	40.5625	2004
29.01.2020 11:07:47	1	1	1	1	88	60.5	0	29431.28	550.5376344	15987.0084	30000	0	0	30000	40.875	2004
29.01.2020 11:07:48	1	1	1	1	88	60.75	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	40.8125	2004
29.01.2020 11:07:49	1	1	1	1	88	60.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40.5625	2004
29.01.2020 11:07:50	1	1	1	1	88	60.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.6875	2004
29.01.2020 11:07:51	1	1	1	1	88	60.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.625	2004
29.01.2020 11:07:52	1	1	1	1	88	60.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	40.875	2004
29.01.2020 11:07:53	1	1	1	1	88	60.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	40.5625	2004
29.01.2020 11:07:54	1	1	1	1	88	60.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	40.75	2004
29.01.2020 11:07:55	1	1	1	1	88	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.9375	2004
29.01.2020 11:07:56	1	1	1	1	88.75	60.75	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	40.6875	2004
29.01.2020 11:07:57	1	1	1	1	88.75	60.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40.75	2004
29.01.2020 11:07:58	1	1	1	1	88.75	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.6875	2004
29.01.2020 11:07:59	1	1	1	1	88.75	60.5	0	29146.919	550.5376344	15770.11932	30000	0	0	30000	41	2004
29.01.2020 11:08:00	1	1	1	1	88.75	61	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	40.6875	2004
29.01.2020 11:08:01	1	1	1	1	88.75	60.5	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:08:02	1	1	1	1	88.75	60.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.375	2004
29.01.2020 11:08:03	1	1	1	1	88.75	60	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41	2004
29.01.2020 11:08:04	1	1	1	1	88.75	61	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	40.9375	2004
29.01.2020 11:08:05	1	1	1	1	88.5	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.8125	2004
29.01.2020 11:08:06	1	1	1	1	88.5	60.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.875	2004
29.01.2020 11:08:07	1	1	1	1	88.5	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.125	2004
29.01.2020 11:08:08	1	1	1	1	88.5	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5	2004
29.01.2020 11:08:10	1	1	1	1	88.5	60.5	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	41.125	2004
29.01.2020 11:08:11	1	1	1	1	88.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.875	2004
29.01.2020 11:08:12	1	1	1	1	88.5	60.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.125	2004
29.01.2020 11:08:13	1	1	1	1	88.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.1875	2004
29.01.2020 11:08:14	1	1	1	1	88.5	60	0	29099.526	554.8387097	16056.31506	30000	0	0	30000	40.4375	2004
29.01.2020 11:08:15	1	1	1	1	88.5	60.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.4375	2004
29.01.2020 11:08:16	1	1	1	1	88.25	60.25	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	40.875	2004
29.01.2020 11:08:17	1	1	1	1	88.25	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41	2004
29.01.2020 11:08:18	1	1	1	1	88.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.4375	2004
29.01.2020 11:08:24	1	1	1	1	88.25	60.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.6875	2004
29.01.2020 11:08:24	1	1	1	1	88.25	60.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.6875	2004
29.01.2020 11:08:24	1	1	1	1	88.25	60.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.6875	2004
29.01.2020 11:08:24	1	1	1	1	88.25	60.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.6875	2004
29.01.2020 11:08:24	1	1	1	1	88.25	60.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.6875	2004
29.01.2020 11:08:24	1	1	1	1	88.25	60.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.6875	2004
29.01.2020 11:08:25	1	1	1	1	88.25	60.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	40.75	2004
29.01.2020 11:08:26	1	1	1	1	88.25	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
29.01.2020 11:08:27	1	1	1	1	88.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.0625	2004
29.01.2020 11:08:28	1	1	1	1	88.25	61	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	40.625	2004
29.01.2020 11:08:29	1	1	1	1	88.25	60.5	0	28909.953	541.9354839	15754.62724	30000	0	0	30000	40.9375	2004
29.01.2020 11:08:30	1	1	1	1	88.25	60.75	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	40.625	2004
29.01.2020 11:08:31	1	1	1	1	88.25	60.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41	2004
29.01.2020 11:08:32	1	1	1	1	88.25	61	0	29336.493	550.5376344	16161.49811	30000	0	0	30000	41	2004
29.01.2020 11:08:33	1	1	1	1	88.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.125	2004
29.01.2020 11:08:34	1	1	1	1	88.25	61	0	29004.739	546.2365591	15942.16291	30000	0	0	30000	40.4375	2004
29.01.2020 11:08:35	1	1	1	1	88.25	60.25	0	29146.919	550.5376344	16082.40698	30000	0	0	30000	41	2004
29.01.2020 11:08:36	1	1	1	1	88.5	61	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40.9375	2004
29.01.2020 11:08:37	1	1	1	1	88.5	60.75	0	29052.133	546.2365591	15817.41092	30000	0	0	30000	41.1875	2004
29.01.2020 11:08:38	1	1	1	1	88.5	61	0	28957.346	550.5376344	15916.07099	30000	0	0	30000	40.875	2004
29.01.2020 11:08:39	1	1	1	1	88.5	60.75	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41	2004
29.01.2020 11:08:40	1	1	1	1	88.5	61	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.1875	2004
29.01.2020 11:08:41	1	1	1	1	88.5	61	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.375	2004
29.01.2020 11:08:42	1	1	1	1	88.5	61	0	28957.346	541.9354839	15957.65499	30000	0	0	30000	40.875	2004
29.01.2020 11:08:43	1	1	1	1	88.5	60.75	0	28862.559	554.8387097	15863.88715	30000	0	0	30000	40.9375	2004
29.01.2020 11:08:44	1	1	1	1	88.5	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.8125	2004
29.01.2020 11:08:45	1	1	1	1	88.75	60.75	0	28815.166	546.2365591	16075.884	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:09:31	1	1	1	1	88.25	60	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.75	2004
29.01.2020 11:09:32	1	1	1	1	88.25	60.75	0	29336.493	546.2365591	16213.68195	30000	0	0	30000	40.9375	2004
29.01.2020 11:09:33	1	1	1	1	88.25	60.75	0	29526.066	550.5376344	16128.06784	30000	0	0	30000	40.8125	2004
29.01.2020 11:09:34	1	1	1	1	88.25	60.75	0	29383.886	546.2365591	15809.2572	30000	0	0	30000	40.4375	2004
29.01.2020 11:09:35	1	1	1	1	88.25	60.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	40.9375	2004
29.01.2020 11:09:36	1	1	1	1	88.5	60.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.0625	2004
29.01.2020 11:09:37	1	1	1	1	88.5	61	0	29336.493	546.2365591	16113.39113	30000	0	0	30000	41.125	2004
29.01.2020 11:09:38	1	1	1	1	88.5	61	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	40.9375	2004
29.01.2020 11:09:39	1	1	1	1	88.5	60.75	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	40.4375	2004
29.01.2020 11:09:40	1	1	1	1	88.5	60.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.25	2004
29.01.2020 11:09:41	1	1	1	1	88.5	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.75	2004
29.01.2020 11:09:42	1	1	1	1	88.5	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41	2004
29.01.2020 11:09:43	1	1	1	1	88.5	61	0	28957.346	539.7849462	16020.43867	30000	0	0	30000	41	2004
29.01.2020 11:09:44	1	1	1	1	88.5	61	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	40.9375	2004
29.01.2020 11:09:45	1	1	1	1	88.5	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.0625	2004
29.01.2020 11:09:46	1	1	1	1	88.75	61	0	28862.559	550.5376344	15942.16291	30000	0	0	30000	41.25	2004
29.01.2020 11:09:47	1	1	1	1	88.75	61.25	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	41.1875	2004
29.01.2020 11:09:48	1	1	1	1	88.75	61	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41	2004
29.01.2020 11:09:49	1	1	1	1	88.75	61	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	40.875	2004
29.01.2020 11:09:50	1	1	1	1	88.75	60.75	0	28957.346	552.688172	15942.16291	30000	0	0	30000	40.9375	2004
29.01.2020 11:09:51	1	1	1	1	88.75	60.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41	2004
29.01.2020 11:09:52	1	1	1	1	88.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.875	2004
29.01.2020 11:09:53	1	1	1	1	88.75	60.75	0	28815.166	556.9892473	15863.88715	30000	0	0	30000	40.625	2004
29.01.2020 11:09:54	1	1	1	1	88.75	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
29.01.2020 11:09:55	1	1	1	1	88.75	61	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.0625	2004
29.01.2020 11:09:56	1	1	1	1	88.75	61	0	28862.559	550.5376344	16004.13122	30000	0	0	30000	40.75	2004
29.01.2020 11:09:57	1	1	1	1	88.75	60.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.0625	2004
29.01.2020 11:09:58	1	1	1	1	88.75	61	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.125	2004
29.01.2020 11:09:59	1	1	1	1	88.75	60	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.875	2004
29.01.2020 11:10:00	1	1	1	1	88.75	60.75	0	29004.739	550.5376344	16056.31506	30000	0	0	30000	40.625	2004
29.01.2020 11:10:01	1	1	1	1	88.75	60.5	0	28862.559	546.2365591	15942.16291	30000	0	0	30000	40.75	2004
29.01.2020 11:10:02	1	1	1	1	88.75	60.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	40.75	2004
29.01.2020 11:10:03	1	1	1	1	88.75	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.25	2004
29.01.2020 11:10:04	1	1	1	1	88.75	61	0	28957.346	552.688172	15942.16291	30000	0	0	30000	40.75	2004
29.01.2020 11:10:05	1	1	1	1	88.25	60.75	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.1875	2004
29.01.2020 11:10:06	1	1	1	1	88.25	61	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	41.0625	2004
29.01.2020 11:10:08	1	1	1	1	88.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.25	2004
29.01.2020 11:10:09	1	1	1	1	88.25	61.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.75	2004
29.01.2020 11:10:10	1	1	1	1	88.25	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.8125	2004
29.01.2020 11:10:11	1	1	1	1	88.25	60.75	0	28862.559	550.5376344	15703.25877	30000	0	0	30000	41.125	2004
29.01.2020 11:10:12	1	1	1	1	88.25	61	0	29146.919	554.8387097	16234.06626	30000	0	0	30000	41	2004
29.01.2020 11:10:13	1	1	1	1	88.25	61	0	28815.166	546.2365591	15925.85546	30000	0	0	30000	41	2004
29.01.2020 11:10:14	1	1	1	1	88.25	61	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:10:15	1	1	1	1	88.25	61	0	29289.1	550.5376344	16087.29921	30000	0	0	30000	41	2004
29.01.2020 11:10:16	1	1	1	1	88.75	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.6875	2004
29.01.2020 11:10:17	1	1	1	1	88.75	60.5	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41	2004
29.01.2020 11:10:18	1	1	1	1	88.75	61	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	41.125	2004
29.01.2020 11:10:19	1	1	1	1	88.75	61	0	30000	533.3333333	16064.46878	30000	0	0	30000	40.4375	2004
29.01.2020 11:10:20	1	1	1	1	88.75	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.0625	2004
29.01.2020 11:10:21	1	1	1	1	88.75	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.75	2004
29.01.2020 11:10:28	1	1	1	1	88.5	61	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	41.1875	2004
29.01.2020 11:10:28	1	1	1	1	88.5	61	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	41.1875	2004
29.01.2020 11:10:28	1	1	1	1	88.5	61	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	41.1875	2004
29.01.2020 11:10:28	1	1	1	1	88.5	61	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	41.1875	2004
29.01.2020 11:10:28	1	1	1	1	88.5	61	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	41.1875	2004
29.01.2020 11:10:28	1	1	1	1	88.5	61	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	40.5	2004
29.01.2020 11:10:29	1	1	1	1	88.5	60.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.8125	2004
29.01.2020 11:10:30	1	1	1	1	88.5	60.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	40.8125	2004
29.01.2020 11:10:31	1	1	1	1	88.5	60.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	40.9375	2004
29.01.2020 11:10:32	1	1	1	1	88.5	60.75	0	29431.28	537.6344086	15975.59318	30000	0	0	30000	40.875	2004
29.01.2020 11:10:33	1	1	1	1	88.5	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
29.01.2020 11:10:34	1	1	1	1	88.5	60.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	40.8125	2004
29.01.2020 11:10:35	1	1	1	1	88.5	60.75	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	40.625	2004
29.01.2020 11:10:36	1	1	1	1	88	60.5	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.1875	2004
29.01.2020 11:10:37	1	1	1	1	88	61	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	40.9375	2004
29.01.2020 11:10:38	1	1	1	1	88	60.75	0	29715.64	548.3870968	16167.20572	30000	0	0	30000	40.6875	2004
29.01.2020 11:10:39	1	1	1	1	88	60.5	0	29431.28	550.5376344	16139.48305	30000	0	0	30000	40.9375	2004
29.01.2020 11:10:40	1	1	1	1	88	60.75	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
29.01.2020 11:10:41	1	1	1	1	88	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.25	2004
29.01.2020 11:10:42	1	1	1	1	88	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.0625	2004
29.01.2020 11:10:43	1	1	1	1	88	60	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	41.0625	2004
29.01.2020 11:10:44	1	1	1	1	88	61	0	29383.886	541.9354839	16024.51553	30000	0	0	30000	40.75	2004
29.01.2020 11:10:46	1	1	1	1	88.75	60.75	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	41.25	2004
29.01.2020 11:10:47	1	1	1	1	88.75	61.25	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	41.1875	2004
29.01.2020 11:10:48	1	1	1	1	88.75	61	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	40.9375	2004
29.01.2020 11:10:49	1	1	1	1	88.75	60.75	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	41.0625	2004
29.01.2020 11:10:50	1	1	1	1	88.75	61	0	29336.493	537.6344086	15835.34912	30000	0	0	30000	41.3125	2004
29.01.2020 11:10:51	1	1	1	1	88.75	61.25	0	29383.886	537.6344086	15708.96638	30000	0	0	30000	40.3125	2004
29.01.2020 11:10:52	1	1	1	1	88.75	60.25	0	29668.246	541.9354839	16231.62015	30000	0	0	30000	41.0625	2004
29.01.2020 11:10:53	1	1	1	1	88.75	61	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.125	2004
29.01.2020 11:10:54	1	1	1	1	88.75	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.125	2004
29.01.2020 11:10:55	1	1	1	1	88.75	61	0	29668.246	535.483871	16040.00761	30000	0	0	30000	40.875	2004
29.01.2020 11:10:56	1	1	1	1	88	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
29.01.2020 11:10:57	1	1	1	1	88	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.125	2004
29.01.2020 11:10:58	1	1	1	1	88	61	0	29573.46	537.6344086	15873.67162	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:10:59	1	1	1	1	88	60.75	0	29715.64	537.6344086	16065.28416	30000	0	0	30000	40.75	2004
29.01.2020 11:11:00	1	1	1	1	88	60.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.1875	2004
29.01.2020 11:11:01	1	1	1	1	88	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
29.01.2020 11:11:02	1	1	1	1	88	61	0	29526.066	546.2365591	15937.27068	30000	0	0	30000	41.125	2004
29.01.2020 11:11:03	1	1	1	1	88	61	0	29810.427	541.9354839	15911.99413	30000	0	0	30000	40.3125	2004
29.01.2020 11:11:04	1	1	1	1	88	60.25	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	41.0625	2004
29.01.2020 11:11:05	1	1	1	1	88	61	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.0625	2004
29.01.2020 11:11:06	1	1	1	1	88	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.625	2004
29.01.2020 11:11:07	1	1	1	1	88	60.5	0	29715.64	537.6344086	16219.38956	30000	0	0	30000	40.9375	2004
29.01.2020 11:11:08	1	1	1	1	88	60.75	0	29715.64	535.483871	16040.00761	30000	0	0	30000	41.1875	2004
29.01.2020 11:11:09	1	1	1	1	88	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41	2004
29.01.2020 11:11:10	1	1	1	1	88	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
29.01.2020 11:11:11	1	1	1	1	88	61	0	29431.28	539.7849462	15797.84198	30000	0	0	30000	40.9375	2004
29.01.2020 11:11:12	1	1	1	1	88	60.75	0	29478.673	535.483871	15823.11853	30000	0	0	30000	41.125	2004
29.01.2020 11:11:13	1	1	1	1	88	61	0	29810.427	539.7849462	16116.65262	30000	0	0	30000	41	2004
29.01.2020 11:11:14	1	1	1	1	88	61	0	29715.64	535.483871	15783.98065	30000	0	0	30000	40.6875	2004
29.01.2020 11:11:15	1	1	1	1	88	60.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.125	2004
29.01.2020 11:11:16	1	1	1	1	88.75	61	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
29.01.2020 11:11:17	1	1	1	1	88.75	61.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	40.875	2004
29.01.2020 11:11:18	1	1	1	1	88.75	60.75	0	30047.393	516.1290323	15508.38475	30000	0	0	30000	41.1875	2004
29.01.2020 11:11:19	1	1	1	1	88.75	61	0	30000	501.0752688	15161.03607	30000	0	0	30000	41	2004
29.01.2020 11:11:20	1	1	1	1	88.75	61	0	30000	496.7741935	15032.20721	30000	0	0	30000	40.6875	2004
29.01.2020 11:11:21	1	1	1	1	88.75	61.25	0	29952.607	483.8709677	14493.246	30000	0	0	30000	40.9375	2004
29.01.2020 11:11:22	1	1	1	1	88.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
29.01.2020 11:11:29	1	1	1	1	88	60.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.5	2004
29.01.2020 11:11:29	1	1	1	1	88	60.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.5	2004
29.01.2020 11:11:29	1	1	1	1	88	60.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.5	2004
29.01.2020 11:11:29	1	1	1	1	88	60.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.5	2004
29.01.2020 11:11:29	1	1	1	1	88	60.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.5	2004
29.01.2020 11:11:29	1	1	1	1	88	60.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.5	2004
29.01.2020 11:11:29	1	1	1	1	88	60.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.5	2004
29.01.2020 11:11:30	1	1	1	1	88	60.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.6875	2004
29.01.2020 11:11:31	1	1	1	1	88	60.5	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.9375	2004
29.01.2020 11:11:32	1	1	1	1	88	60.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	41	2004
29.01.2020 11:11:33	1	1	1	1	88	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.375	2004
29.01.2020 11:11:34	1	1	1	1	88	60.25	0	29905.213	533.3333333	15730.98144	30000	0	0	30000	40.625	2004
29.01.2020 11:11:35	1	1	1	1	88	60.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.1875	2004
29.01.2020 11:11:36	1	1	1	1	87.5	61	0	29857.82	535.483871	16052.2382	30000	0	0	30000	40.9375	2004
29.01.2020 11:11:37	1	1	1	1	87.5	60.75	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	41	2004
29.01.2020 11:11:38	1	1	1	1	87.5	61	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
29.01.2020 11:11:39	1	1	1	1	87.5	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.4375	2004
29.01.2020 11:11:42	1	1	1	1	87.5	60.75	0	29478.673	539.7849462	15848.39508	30000	0	0	30000	40.75	2004
29.01.2020 11:11:42	1	1	1	1	87.5	60.75	0	29478.673	539.7849462	15848.39508	30000	0	0	30000	40.75	2004
29.01.2020 11:11:42	1	1	1	1	87.5	60.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:11:43	1	1	1	1	87.5	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.5625	2004
29.01.2020 11:11:44	1	1	1	1	87.5	60.5	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.125	2004
29.01.2020 11:11:45	1	1	1	1	87.5	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.125	2004
29.01.2020 11:11:46	1	1	1	1	87.5	61	0	29715.64	550.5376344	16103.60666	30000	0	0	30000	41.0625	2004
29.01.2020 11:11:47	1	1	1	1	87.5	61	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.1875	2004
29.01.2020 11:11:48	1	1	1	1	87.5	61	0	29431.28	544.0860215	15924.22472	30000	0	0	30000	41.1875	2004
29.01.2020 11:11:49	1	1	1	1	87.5	61	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.1875	2004
29.01.2020 11:11:50	1	1	1	1	87.5	61	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	40.9375	2004
29.01.2020 11:11:51	1	1	1	1	87.5	60.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	40.9375	2004
29.01.2020 11:11:52	1	1	1	1	87.5	60.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.0625	2004
29.01.2020 11:11:53	1	1	1	1	87.5	61	0	29431.28	541.9354839	15734.24293	30000	0	0	30000	41.1875	2004
29.01.2020 11:11:54	1	1	1	1	87.5	61	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.125	2004
29.01.2020 11:11:55	1	1	1	1	87.5	61	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	40.5625	2004
29.01.2020 11:11:56	1	1	1	1	88.5	60.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.3125	2004
29.01.2020 11:11:57	1	1	1	1	88.5	61.25	0	29383.886	537.6344086	15885.90221	30000	0	0	30000	40.75	2004
29.01.2020 11:11:58	1	1	1	1	88.5	60.75	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.3125	2004
29.01.2020 11:11:59	1	1	1	1	88.5	61.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	40.9375	2004
29.01.2020 11:12:00	1	1	1	1	88.5	60.75	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41	2004
29.01.2020 11:12:01	1	1	1	1	88.5	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
29.01.2020 11:12:02	1	1	1	1	88.5	61	0	29526.066	544.0860215	16115.83725	30000	0	0	30000	41.125	2004
29.01.2020 11:12:04	1	1	1	1	88.5	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41	2004
29.01.2020 11:12:04	1	1	1	1	88.5	61	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	41.1875	2004
29.01.2020 11:12:06	1	1	1	1	87.5	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.5	2004
29.01.2020 11:12:07	1	1	1	1	87.5	60.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.125	2004
29.01.2020 11:12:08	1	1	1	1	87.5	61	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.125	2004
29.01.2020 11:12:09	1	1	1	1	87.5	61	0	29526.066	537.6344086	16000.86973	30000	0	0	30000	40.6875	2004
29.01.2020 11:12:10	1	1	1	1	87.5	60.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.0625	2004
29.01.2020 11:12:11	1	1	1	1	87.5	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.125	2004
29.01.2020 11:12:12	1	1	1	1	87.5	61	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.9375	2004
29.01.2020 11:12:13	1	1	1	1	87.5	60.75	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
29.01.2020 11:12:14	1	1	1	1	87.5	61.25	0	29715.64	539.7849462	15988.63914	30000	0	0	30000	41	2004
29.01.2020 11:12:15	1	1	1	1	87.5	61	0	29620.853	537.6344086	15899.76354	30000	0	0	30000	40.875	2004
29.01.2020 11:12:16	1	1	1	1	87.5	60.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	41.1875	2004
29.01.2020 11:12:17	1	1	1	1	87.5	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.25	2004
29.01.2020 11:12:18	1	1	1	1	87.5	61.25	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.125	2004
29.01.2020 11:12:19	1	1	1	1	87.5	61	0	30000	533.3333333	15781.53453	30000	0	0	30000	41.1875	2004
29.01.2020 11:12:20	1	1	1	1	87.5	61	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	41.125	2004
29.01.2020 11:12:21	1	1	1	1	87.5	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
29.01.2020 11:12:22	1	1	1	1	87.5	60.5	0	30000	511.827957	15354.27935	30000	0	0	30000	40.75	2004
29.01.2020 11:12:23	1	1	1	1	87.5	60.75	0	29905.213	496.7741935	15032.20721	30000	0	0	30000	41.3125	2004
29.01.2020 11:12:24	1	1	1	1	87.5	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.1875	2004
29.01.2020 11:12:31	1	1	1	1	87.5	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.875	2004
29.01.2020 11:12:31	1	1	1	1	87.5	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:12:31	1	1	1	1	87.5	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.875	2004
29.01.2020 11:12:31	1	1	1	1	87.5	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.875	2004
29.01.2020 11:12:31	1	1	1	1	87.5	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.875	2004
29.01.2020 11:12:31	1	1	1	1	87.5	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.875	2004
29.01.2020 11:12:31	1	1	1	1	87.5	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.875	2004
29.01.2020 11:12:32	1	1	1	1	87.5	60.75	0	29952.607	518.2795699	15548.338	30000	0	0	30000	40.5	2004
29.01.2020 11:12:33	1	1	1	1	87.5	60.5	0	29905.213	511.827957	15483.92357	30000	0	0	30000	41.25	2004
29.01.2020 11:12:34	1	1	1	1	87.5	61.25	0	30000	529.0322581	15960.10111	30000	0	0	30000	41.0625	2004
29.01.2020 11:12:35	1	1	1	1	87.5	61	0	29857.82	533.3333333	15795.39586	30000	0	0	30000	41.0625	2004
29.01.2020 11:12:36	1	1	1	1	87.5	61	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
29.01.2020 11:12:37	1	1	1	1	87.5	61.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	41	2004
29.01.2020 11:12:38	1	1	1	1	87.5	61	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.625	2004
29.01.2020 11:12:39	1	1	1	1	87.5	61.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.1875	2004
29.01.2020 11:12:40	1	1	1	1	87.5	61	0	30000	520.4301075	15548.338	30000	0	0	30000	41.125	2004
29.01.2020 11:12:41	1	1	1	1	87.5	61	0	30000	518.2795699	15548.338	30000	0	0	30000	40.5	2004
29.01.2020 11:12:43	1	1	1	1	87.5	60.5	0	30000	524.7311828	15548.338	30000	0	0	30000	40.75	2004
29.01.2020 11:12:44	1	1	1	1	87.5	60.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	41.0625	2004
29.01.2020 11:12:45	1	1	1	1	87.5	61	0	30000	494.6236559	14838.14856	30000	0	0	30000	41	2004
29.01.2020 11:12:46	1	1	1	1	87.5	61	0	30000	488.172043	14644.90528	30000	0	0	30000	41.125	2004
29.01.2020 11:12:47	1	1	1	1	87.5	61	0	30000	483.8709677	14493.246	30000	0	0	30000	41.125	2004
29.01.2020 11:12:48	1	1	1	1	87.5	61	0	30000	505.3763441	15225.45049	30000	0	0	30000	40.4375	2004
29.01.2020 11:12:49	1	1	1	1	87.5	60.25	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	40.8125	2004
29.01.2020 11:12:50	1	1	1	1	87.5	60.75	0	30000	501.0752688	14879.73256	30000	0	0	30000	41.3125	2004
29.01.2020 11:12:51	1	1	1	1	87.5	61.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.1875	2004
29.01.2020 11:12:52	1	1	1	1	87.5	61	0	30047.393	522.5806452	15483.92357	30000	0	0	30000	41.0625	2004
29.01.2020 11:12:53	1	1	1	1	87.5	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41	2004
29.01.2020 11:12:54	1	1	1	1	87.5	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.75	2004
29.01.2020 11:12:55	1	1	1	1	87.5	60.75	0	29857.82	535.483871	16141.92917	30000	0	0	30000	41.125	2004
29.01.2020 11:12:56	1	1	1	1	86.75	61	0	29857.82	535.483871	16013.10032	30000	0	0	30000	40.75	2004
29.01.2020 11:12:57	1	1	1	1	86.75	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.875	2004
29.01.2020 11:12:58	1	1	1	1	86.75	60.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.75	2004
29.01.2020 11:12:59	1	1	1	1	86.75	60.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	40.9375	2004
29.01.2020 11:13:00	1	1	1	1	86.75	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41	2004
29.01.2020 11:13:01	1	1	1	1	86.75	61	0	29573.46	537.6344086	15873.67162	30000	0	0	30000	41.25	2004
29.01.2020 11:13:02	1	1	1	1	86.75	61.25	0	29478.673	537.6344086	16000.86973	30000	0	0	30000	40.4375	2004
29.01.2020 11:13:03	1	1	1	1	86.75	60.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:04	1	1	1	1	86.75	61	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	41	2004
29.01.2020 11:13:05	1	1	1	1	86.75	61	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41	2004
29.01.2020 11:13:06	1	1	1	1	87.25	61	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
29.01.2020 11:13:07	1	1	1	1	87.25	61.25	0	29146.919	539.7849462	15858.17955	30000	0	0	30000	41.25	2004
29.01.2020 11:13:08	1	1	1	1	87.25	61.25	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	41.1875	2004
29.01.2020 11:13:09	1	1	1	1	87.25	61	0	29099.526	544.0860215	15832.08763	30000	0	0	30000	40.875	2004
29.01.2020 11:13:10	1	1	1	1	87.25	60.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:13:11	1	1	1	1	87.25	60.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	40.875	2004
29.01.2020 11:13:12	1	1	1	1	87.25	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
29.01.2020 11:13:13	1	1	1	1	87.25	61.25	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	41.125	2004
29.01.2020 11:13:14	1	1	1	1	87.25	61	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	41.125	2004
29.01.2020 11:13:15	1	1	1	1	87.25	61	0	29573.46	535.483871	16115.83725	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:16	1	1	1	1	87	61	0	29715.64	535.483871	16040.00761	30000	0	0	30000	41	2004
29.01.2020 11:13:17	1	1	1	1	87	61	0	29810.427	537.6344086	15898.94817	30000	0	0	30000	41.375	2004
29.01.2020 11:13:18	1	1	1	1	87	61.25	0	29905.213	541.9354839	16077.51474	30000	0	0	30000	41.6875	2004
29.01.2020 11:13:19	1	1	1	1	87	61.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.25	2004
29.01.2020 11:13:20	1	1	1	1	87	61.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.625	2004
29.01.2020 11:13:21	1	1	1	1	87	60.75	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	40.6875	2004
29.01.2020 11:13:23	1	1	1	1	87	60.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.1875	2004
29.01.2020 11:13:24	1	1	1	1	87	61	0	29478.673	537.6344086	16064.46878	30000	0	0	30000	40.6875	2004
29.01.2020 11:13:25	1	1	1	1	87	60.5	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	41.375	2004
29.01.2020 11:13:26	1	1	1	1	87	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.1875	2004
29.01.2020 11:13:32	1	1	1	1	87	60.5	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:32	1	1	1	1	87	60.5	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:32	1	1	1	1	87	60.5	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:32	1	1	1	1	87	60.5	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:32	1	1	1	1	87	60.5	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:32	1	1	1	1	87	60.5	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:33	1	1	1	1	87	61	0	30000	535.483871	16064.46878	30000	0	0	30000	41	2004
29.01.2020 11:13:34	1	1	1	1	87	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
29.01.2020 11:13:35	1	1	1	1	87	60.75	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:36	1	1	1	1	86.75	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.125	2004
29.01.2020 11:13:37	1	1	1	1	86.75	61	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	40.9375	2004
29.01.2020 11:13:38	1	1	1	1	86.75	60.75	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:39	1	1	1	1	86.75	61	0	29526.066	535.483871	15810.07257	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:40	1	1	1	1	86.75	61	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	41.25	2004
29.01.2020 11:13:41	1	1	1	1	86.75	61.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	41.3125	2004
29.01.2020 11:13:42	1	1	1	1	86.75	61.25	0	29431.28	533.3333333	15937.27068	30000	0	0	30000	41.125	2004
29.01.2020 11:13:43	1	1	1	1	86.75	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41	2004
29.01.2020 11:13:44	1	1	1	1	86.75	61	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	40.75	2004
29.01.2020 11:13:45	1	1	1	1	86.75	60.75	0	29620.853	541.9354839	16000.86973	30000	0	0	30000	40.9375	2004
29.01.2020 11:13:46	1	1	1	1	87	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.9375	2004
29.01.2020 11:13:47	1	1	1	1	87	60.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	40.9375	2004
29.01.2020 11:13:48	1	1	1	1	87	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.6875	2004
29.01.2020 11:13:49	1	1	1	1	87	60.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.125	2004
29.01.2020 11:13:50	1	1	1	1	87	61	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41	2004
29.01.2020 11:13:51	1	1	1	1	87	61	0	29620.853	537.6344086	15950.31664	30000	0	0	30000	41.25	2004
29.01.2020 11:13:52	1	1	1	1	87	61.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	40.9375	2004
29.01.2020 11:13:53	1	1	1	1	87	60.75	0	29715.64	539.7849462	15886.71758	30000	0	0	30000	41.125	2004
29.01.2020 11:13:54	1	1	1	1	87	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:13:55	1	1	1	1	87	61	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.375	2004
29.01.2020 11:13:56	1	1	1	1	87.5	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.0625	2004
29.01.2020 11:13:57	1	1	1	1	87.5	61.5	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	40.875	2004
29.01.2020 11:13:59	1	1	1	1	87.5	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
29.01.2020 11:14:00	1	1	1	1	87.5	61	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41	2004
29.01.2020 11:14:01	1	1	1	1	87.5	61	0	29478.673	537.6344086	15873.67162	30000	0	0	30000	40.75	2004
29.01.2020 11:14:02	1	1	1	1	87.5	60.75	0	29668.246	539.7849462	15861.44103	30000	0	0	30000	41.1875	2004
29.01.2020 11:14:03	1	1	1	1	87.5	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41	2004
29.01.2020 11:14:04	1	1	1	1	87.5	61	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	40.875	2004
29.01.2020 11:14:05	1	1	1	1	87.5	60.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.25	2004
29.01.2020 11:14:06	1	1	1	1	86.75	61.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.25	2004
29.01.2020 11:14:07	1	1	1	1	86.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
29.01.2020 11:14:08	1	1	1	1	86.75	61	0	29383.886	537.6344086	15885.90221	30000	0	0	30000	41.1875	2004
29.01.2020 11:14:09	1	1	1	1	86.75	61	0	29526.066	539.7849462	15836.16449	30000	0	0	30000	41.25	2004
29.01.2020 11:14:10	1	1	1	1	86.75	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.3125	2004
29.01.2020 11:14:11	1	1	1	1	86.75	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.1875	2004
29.01.2020 11:14:12	1	1	1	1	86.75	61	0	29478.673	550.5376344	16229.17403	30000	0	0	30000	40.9375	2004
29.01.2020 11:14:13	1	1	1	1	86.75	60.75	0	29289.1	550.5376344	15960.91648	30000	0	0	30000	41.125	2004
29.01.2020 11:14:14	1	1	1	1	86.75	61	0	29336.493	550.5376344	15783.98065	30000	0	0	30000	41.1875	2004
29.01.2020 11:14:15	1	1	1	1	86.75	61	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.25	2004
29.01.2020 11:14:16	1	1	1	1	87.25	61.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.0625	2004
29.01.2020 11:14:17	1	1	1	1	87.25	61	0	29241.706	539.7849462	15732.61218	30000	0	0	30000	41.25	2004
29.01.2020 11:14:18	1	1	1	1	87.25	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
29.01.2020 11:14:19	1	1	1	1	87.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.0625	2004
29.01.2020 11:14:20	1	1	1	1	87.25	61	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	41.1875	2004
29.01.2020 11:14:21	1	1	1	1	87.25	61	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	41.125	2004
29.01.2020 11:14:22	1	1	1	1	87.25	61	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
29.01.2020 11:14:23	1	1	1	1	87.25	60.75	0	29620.853	544.0860215	16154.15976	30000	0	0	30000	40.9375	2004
29.01.2020 11:14:24	1	1	1	1	87.25	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
29.01.2020 11:14:25	1	1	1	1	87.25	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
29.01.2020 11:14:26	1	1	1	1	86.75	61.25	0	29857.82	544.0860215	16244.6661	30000	0	0	30000	40.9375	2004
29.01.2020 11:14:27	1	1	1	1	86.75	60.75	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	41.3125	2004
29.01.2020 11:14:34	1	1	1	1	86.75	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
29.01.2020 11:14:34	1	1	1	1	86.75	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
29.01.2020 11:14:34	1	1	1	1	86.75	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
29.01.2020 11:14:34	1	1	1	1	86.75	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
29.01.2020 11:14:34	1	1	1	1	86.75	61.25	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	41.0625	2004
29.01.2020 11:14:35	1	1	1	1	86.75	61	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.375	2004
29.01.2020 11:14:36	1	1	1	1	87	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.4375	2004
29.01.2020 11:14:37	1	1	1	1	87	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
29.01.2020 11:14:38	1	1	1	1	87	61	0	29431.28	550.5376344	15949.50126	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:14:40	1	1	1	1	87	60.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
29.01.2020 11:14:41	1	1	1	1	87	61.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.25	2004
29.01.2020 11:14:42	1	1	1	1	87	61.25	0	29526.066	541.9354839	16281.35787	30000	0	0	30000	41.4375	2004
29.01.2020 11:14:43	1	1	1	1	87	61.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	40.75	2004
29.01.2020 11:14:44	1	1	1	1	87	60.75	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.25	2004
29.01.2020 11:14:45	1	1	1	1	87	61.25	0	29620.853	539.7849462	15836.16449	30000	0	0	30000	41.375	2004
29.01.2020 11:14:46	1	1	1	1	86.75	61.25	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
29.01.2020 11:14:47	1	1	1	1	86.75	61.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	41.3125	2004
29.01.2020 11:14:48	1	1	1	1	86.75	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.875	2004
29.01.2020 11:14:49	1	1	1	1	86.75	60.75	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
29.01.2020 11:14:50	1	1	1	1	86.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.875	2004
29.01.2020 11:14:51	1	1	1	1	86.75	60.75	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.0625	2004
29.01.2020 11:14:52	1	1	1	1	86.75	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.625	2004
29.01.2020 11:14:53	1	1	1	1	86.75	60.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.4375	2004
29.01.2020 11:14:54	1	1	1	1	86.75	60.25	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	40.9375	2004
29.01.2020 11:14:55	1	1	1	1	86.75	60.75	0	29099.526	550.5376344	15806.81108	30000	0	0	30000	40.75	2004
29.01.2020 11:14:56	1	1	1	1	86.5	60.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.1875	2004
29.01.2020 11:14:57	1	1	1	1	86.5	61	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	41.0625	2004
29.01.2020 11:14:58	1	1	1	1	86.5	61	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	41	2004
29.01.2020 11:14:59	1	1	1	1	86.5	61	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.125	2004
29.01.2020 11:15:00	1	1	1	1	86.5	61	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.125	2004
29.01.2020 11:15:01	1	1	1	1	86.5	61	0	29146.919	552.688172	16046.53059	30000	0	0	30000	41	2004
29.01.2020 11:15:02	1	1	1	1	86.5	61	0	28862.559	546.2365591	15889.97907	30000	0	0	30000	41.1875	2004
29.01.2020 11:15:03	1	1	1	1	86.5	61	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	40.75	2004
29.01.2020 11:15:04	1	1	1	1	86.5	60.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.375	2004
29.01.2020 11:15:05	1	1	1	1	86.5	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
29.01.2020 11:15:06	1	1	1	1	87.25	61.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.3125	2004
29.01.2020 11:15:07	1	1	1	1	87.25	61.25	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	41.4375	2004
29.01.2020 11:15:08	1	1	1	1	87.25	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41	2004
29.01.2020 11:15:09	1	1	1	1	87.25	61	0	28815.166	550.5376344	15889.97907	30000	0	0	30000	41.375	2004
29.01.2020 11:15:10	1	1	1	1	87.25	61.25	0	29241.706	546.2365591	16150.89827	30000	0	0	30000	41.1875	2004
29.01.2020 11:15:11	1	1	1	1	87.25	61	0	29289.1	548.3870968	15998.42361	30000	0	0	30000	41.125	2004
29.01.2020 11:15:12	1	1	1	1	87.25	61	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.25	2004
29.01.2020 11:15:13	1	1	1	1	87.25	61.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.25	2004
29.01.2020 11:15:14	1	1	1	1	87.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
29.01.2020 11:15:15	1	1	1	1	87.25	61.5	0	29289.1	548.3870968	15846.76433	30000	0	0	30000	41.3125	2004
29.01.2020 11:15:16	1	1	1	1	87.25	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.9375	2004
29.01.2020 11:15:17	1	1	1	1	87.25	61.25	0	29241.706	552.688172	15983.74691	30000	0	0	30000	41.25	2004
29.01.2020 11:15:18	1	1	1	1	87.25	61.25	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	40.75	2004
29.01.2020 11:15:20	1	1	1	1	87.25	60.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	40.5625	2004
29.01.2020 11:15:21	1	1	1	1	87.25	60.5	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
29.01.2020 11:15:22	1	1	1	1	87.25	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
29.01.2020 11:15:23	1	1	1	1	87.25	61.25	0	29431.28	544.0860215	15885.90221	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:15:24	1	1	1	1	87.25	61	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.1875	2004
29.01.2020 11:15:25	1	1	1	1	87.25	61	0	29857.82	535.483871	16077.51474	30000	0	0	30000	41.25	2004
29.01.2020 11:15:26	1	1	1	1	86.75	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
29.01.2020 11:15:27	1	1	1	1	86.75	60.75	0	29905.213	529.0322581	15820.67241	30000	0	0	30000	41.3125	2004
29.01.2020 11:15:28	1	1	1	1	86.75	61.25	0	30000	535.483871	16064.46878	30000	0	0	30000	41.125	2004
29.01.2020 11:15:29	1	1	1	1	86.75	61	0	30047.393	522.5806452	15701.62803	30000	0	0	30000	40.4375	2004
29.01.2020 11:15:36	1	1	1	1	86.75	60.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.9375	2004
29.01.2020 11:15:36	1	1	1	1	86.75	60.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.9375	2004
29.01.2020 11:15:36	1	1	1	1	86.75	60.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.9375	2004
29.01.2020 11:15:36	1	1	1	1	86.75	60.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.9375	2004
29.01.2020 11:15:36	1	1	1	1	86.75	60.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.9375	2004
29.01.2020 11:15:36	1	1	1	1	86.5	60.75	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	41.1875	2004
29.01.2020 11:15:37	1	1	1	1	86.5	61	0	29857.82	539.7849462	16026.96165	30000	0	0	30000	41.1875	2004
29.01.2020 11:15:38	1	1	1	1	86.5	61	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	41.3125	2004
29.01.2020 11:15:39	1	1	1	1	86.5	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.375	2004
29.01.2020 11:15:40	1	1	1	1	86.5	61.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.25	2004
29.01.2020 11:15:41	1	1	1	1	86.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.0625	2004
29.01.2020 11:15:42	1	1	1	1	86.5	61	0	29668.246	544.0860215	16052.2382	30000	0	0	30000	40.875	2004
29.01.2020 11:15:43	1	1	1	1	86.5	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.25	2004
29.01.2020 11:15:44	1	1	1	1	86.5	61.25	0	29573.46	539.7849462	15836.16449	30000	0	0	30000	41.1875	2004
29.01.2020 11:15:45	1	1	1	1	86.5	61	0	29715.64	535.483871	16026.96165	30000	0	0	30000	41.3125	2004
29.01.2020 11:15:46	1	1	1	1	87	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
29.01.2020 11:15:47	1	1	1	1	87	61	0	29952.607	533.3333333	15820.67241	30000	0	0	30000	41.0625	2004
29.01.2020 11:15:48	1	1	1	1	87	61	0	29905.213	533.3333333	16193.29764	30000	0	0	30000	40.375	2004
29.01.2020 11:15:49	1	1	1	1	87	60.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
29.01.2020 11:15:50	1	1	1	1	87	61.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.0625	2004
29.01.2020 11:15:51	1	1	1	1	87	61	0	30000	522.5806452	15548.338	30000	0	0	30000	40.625	2004
29.01.2020 11:15:52	1	1	1	1	87	60.5	0	30000	511.827957	15354.27935	30000	0	0	30000	41.0625	2004
29.01.2020 11:15:53	1	1	1	1	87	61	0	29952.607	516.1290323	15677.16685	30000	0	0	30000	40.5625	2004
29.01.2020 11:15:54	1	1	1	1	87	60.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.6875	2004
29.01.2020 11:15:55	1	1	1	1	87	61.5	0	30000	511.827957	15354.27935	30000	0	0	30000	41.25	2004
29.01.2020 11:15:56	1	1	1	1	86.75	60.75	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	40.875	2004
29.01.2020 11:15:58	1	1	1	1	86.75	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
29.01.2020 11:15:59	1	1	1	1	86.75	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41	2004
29.01.2020 11:16:00	1	1	1	1	86.75	61	0	29952.607	516.1290323	15548.338	30000	0	0	30000	41	2004
29.01.2020 11:16:01	1	1	1	1	86.75	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.5625	2004
29.01.2020 11:16:02	1	1	1	1	86.75	60.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	40.875	2004
29.01.2020 11:16:03	1	1	1	1	86.75	60.75	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41	2004
29.01.2020 11:16:04	1	1	1	1	86.75	61	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	40.25	2004
29.01.2020 11:16:05	1	1	1	1	86.75	60.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.3125	2004
29.01.2020 11:16:06	1	1	1	1	86.75	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
29.01.2020 11:16:07	1	1	1	1	86.75	61.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:16:08	1	1	1	1	86.75	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.0625	2004
29.01.2020 11:16:09	1	1	1	1	86.75	61	0	29952.607	533.3333333	16193.29764	30000	0	0	30000	41.1875	2004
29.01.2020 11:16:10	1	1	1	1	86.75	61	0	30047.393	522.5806452	15677.16685	30000	0	0	30000	41.5	2004
29.01.2020 11:16:11	1	1	1	1	86.75	61.5	0	30000	516.1290323	15548.338	30000	0	0	30000	40	2004
29.01.2020 11:16:12	1	1	1	1	86.75	60	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41.3125	2004
29.01.2020 11:16:13	1	1	1	1	86.75	61.25	0	30000	535.483871	16064.46878	30000	0	0	30000	41.3125	2004
29.01.2020 11:16:14	1	1	1	1	86.75	61.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.375	2004
29.01.2020 11:16:15	1	1	1	1	86.75	61.25	0	29857.82	533.3333333	16052.2382	30000	0	0	30000	41.4375	2004
29.01.2020 11:16:16	1	1	1	1	87	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.375	2004
29.01.2020 11:16:17	1	1	1	1	87	61.25	0	29620.853	535.483871	15975.59318	30000	0	0	30000	41.1875	2004
29.01.2020 11:16:18	1	1	1	1	87	61	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.25	2004
29.01.2020 11:16:19	1	1	1	1	87	61.25	0	29526.066	535.483871	15861.44103	30000	0	0	30000	41.3125	2004
29.01.2020 11:16:20	1	1	1	1	87	61.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.1875	2004
29.01.2020 11:16:21	1	1	1	1	87	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.0625	2004
29.01.2020 11:16:22	1	1	1	1	87	61	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	40.75	2004
29.01.2020 11:16:23	1	1	1	1	87	60.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	40.8125	2004
29.01.2020 11:16:24	1	1	1	1	87	60.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	40.8125	2004
29.01.2020 11:16:25	1	1	1	1	87	60.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.3125	2004
29.01.2020 11:16:26	1	1	1	1	86.25	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.1875	2004
29.01.2020 11:16:27	1	1	1	1	86.25	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
29.01.2020 11:16:28	1	1	1	1	86.25	61.25	0	30000	516.1290323	15677.16685	30000	0	0	30000	40.8125	2004
29.01.2020 11:16:29	1	1	1	1	86.25	60.75	0	29952.607	526.8817204	16000.05436	30000	0	0	30000	41.4375	2004
29.01.2020 11:16:30	1	1	1	1	86.25	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004
29.01.2020 11:16:37	1	1	1	1	87	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
29.01.2020 11:16:37	1	1	1	1	87	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
29.01.2020 11:16:37	1	1	1	1	87	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
29.01.2020 11:16:37	1	1	1	1	87	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
29.01.2020 11:16:37	1	1	1	1	87	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
29.01.2020 11:16:37	1	1	1	1	87	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
29.01.2020 11:16:38	1	1	1	1	87	61.5	0	29526.066	539.7849462	15848.39508	30000	0	0	30000	40.6875	2004
29.01.2020 11:16:39	1	1	1	1	87	60.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.8125	2004
29.01.2020 11:16:40	1	1	1	1	87	60.75	0	29431.28	544.0860215	15885.90221	30000	0	0	30000	40.75	2004
29.01.2020 11:16:41	1	1	1	1	87	60.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.4375	2004
29.01.2020 11:16:42	1	1	1	1	87	60.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.1875	2004
29.01.2020 11:16:43	1	1	1	1	87	61	0	29715.64	546.2365591	16167.20572	30000	0	0	30000	41.4375	2004
29.01.2020 11:16:44	1	1	1	1	87	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
29.01.2020 11:16:45	1	1	1	1	87	61	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.25	2004
29.01.2020 11:16:46	1	1	1	1	86.5	61.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	40.9375	2004
29.01.2020 11:16:47	1	1	1	1	86.5	60.75	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.25	2004
29.01.2020 11:16:48	1	1	1	1	86.5	61.25	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	40.375	2004
29.01.2020 11:16:49	1	1	1	1	86.5	60.25	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	41.3125	2004
29.01.2020 11:16:50	1	1	1	1	86.5	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.125	2004
29.01.2020 11:16:51	1	1	1	1	86.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:16:52	1	1	1	1	86.5	61.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.0625	2004
29.01.2020 11:16:53	1	1	1	1	86.5	61	0	29004.739	550.5376344	15754.62724	30000	0	0	30000	41.3125	2004
29.01.2020 11:16:54	1	1	1	1	86.5	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.0625	2004
29.01.2020 11:16:55	1	1	1	1	86.5	61	0	29241.706	546.2365591	16124.80635	30000	0	0	30000	40.8125	2004
29.01.2020 11:16:56	1	1	1	1	87	60.75	0	29099.526	548.3870968	15957.65499	30000	0	0	30000	41.1875	2004
29.01.2020 11:16:57	1	1	1	1	87	61	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	41.4375	2004
29.01.2020 11:16:58	1	1	1	1	87	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.125	2004
29.01.2020 11:16:59	1	1	1	1	87	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
29.01.2020 11:17:00	1	1	1	1	87	61	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.125	2004
29.01.2020 11:17:01	1	1	1	1	87	61	0	29383.886	550.5376344	16113.39113	30000	0	0	30000	41.625	2004
29.01.2020 11:17:02	1	1	1	1	87	61.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41	2004
29.01.2020 11:17:03	1	1	1	1	87	61	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.3125	2004
29.01.2020 11:17:04	1	1	1	1	87	61.25	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	41.125	2004
29.01.2020 11:17:05	1	1	1	1	87	61	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.4375	2004
29.01.2020 11:17:06	1	1	1	1	87	61.25	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	41.4375	2004
29.01.2020 11:17:07	1	1	1	1	87	61.25	0	29241.706	544.0860215	15998.42361	30000	0	0	30000	41.4375	2004
29.01.2020 11:17:08	1	1	1	1	87	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.3125	2004
29.01.2020 11:17:09	1	1	1	1	87	61.25	0	29241.706	546.2365591	15732.61218	30000	0	0	30000	41.625	2004
29.01.2020 11:17:11	1	1	1	1	87	60.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	41.3125	2004
29.01.2020 11:17:12	1	1	1	1	87	61.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.125	2004
29.01.2020 11:17:13	1	1	1	1	87	61	0	29383.886	546.2365591	16150.89827	30000	0	0	30000	41.375	2004
29.01.2020 11:17:14	1	1	1	1	87	61.25	0	28957.346	550.5376344	15905.47115	30000	0	0	30000	41.5625	2004
29.01.2020 11:17:15	1	1	1	1	87	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
29.01.2020 11:17:16	1	1	1	1	87	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.125	2004
29.01.2020 11:17:17	1	1	1	1	87	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5625	2004
29.01.2020 11:17:18	1	1	1	1	87	61.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
29.01.2020 11:17:19	1	1	1	1	87	61.5	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	41.375	2004
29.01.2020 11:17:20	1	1	1	1	87	61.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	40.4375	2004
29.01.2020 11:17:21	1	1	1	1	87	60.25	0	29526.066	535.483871	15963.3626	30000	0	0	30000	41.3125	2004
29.01.2020 11:17:22	1	1	1	1	87	61.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.9375	2004
29.01.2020 11:17:23	1	1	1	1	87	60.75	0	29573.46	548.3870968	16090.5607	30000	0	0	30000	41.5625	2004
29.01.2020 11:17:24	1	1	1	1	87	61.5	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	41.25	2004
29.01.2020 11:17:25	1	1	1	1	87	61.25	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	41.375	2004
29.01.2020 11:17:26	1	1	1	1	86.5	61.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
29.01.2020 11:17:27	1	1	1	1	86.5	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
29.01.2020 11:17:28	1	1	1	1	86.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.375	2004
29.01.2020 11:17:29	1	1	1	1	86.5	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41	2004
29.01.2020 11:17:30	1	1	1	1	86.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.4375	2004
29.01.2020 11:17:31	1	1	1	1	86.5	61.25	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	41.3125	2004
29.01.2020 11:17:32	1	1	1	1	86.5	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
29.01.2020 11:17:39	1	1	1	1	86.5	61.25	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	41.375	2004
29.01.2020 11:17:39	1	1	1	1	86.5	61.25	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	41.375	2004
29.01.2020 11:17:39	1	1	1	1	86.5	61.25	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:17:39	1	1	1	1	86.5	61.25	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	41.375	2004
29.01.2020 11:17:39	1	1	1	1	86.5	61.25	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	41.375	2004
29.01.2020 11:17:39	1	1	1	1	86.5	61.25	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	41.375	2004
29.01.2020 11:17:39	1	1	1	1	86.5	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.125	2004
29.01.2020 11:17:40	1	1	1	1	86.5	61	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.3125	2004
29.01.2020 11:17:41	1	1	1	1	86.5	61.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.375	2004
29.01.2020 11:17:42	1	1	1	1	86.5	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.1875	2004
29.01.2020 11:17:43	1	1	1	1	86.5	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.0625	2004
29.01.2020 11:17:44	1	1	1	1	86.5	61	0	30000	492.4731183	14838.14856	30000	0	0	30000	40.9375	2004
29.01.2020 11:17:45	1	1	1	1	86.5	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	41.25	2004
29.01.2020 11:17:46	1	1	1	1	86.75	61.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.25	2004
29.01.2020 11:17:47	1	1	1	1	86.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
29.01.2020 11:17:48	1	1	1	1	86.75	61.25	0	30047.393	488.172043	14538.90686	30000	0	0	30000	39.9375	2004
29.01.2020 11:17:49	1	1	1	1	86.75	59.75	0	30000	494.6236559	14598.42905	30000	0	0	30000	41.625	2004
29.01.2020 11:17:51	1	1	1	1	86.75	61.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	41.1875	2004
29.01.2020 11:17:52	1	1	1	1	86.75	61	0	30000	481.7204301	14644.90528	30000	0	0	30000	41.375	2004
29.01.2020 11:17:53	1	1	1	1	86.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
29.01.2020 11:17:54	1	1	1	1	86.75	60.75	0	29905.213	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
29.01.2020 11:17:55	1	1	1	1	86.75	61	0	30000	464.516129	13957.54627	30000	0	0	30000	41.25	2004
29.01.2020 11:17:56	1	1	1	1	86.75	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
29.01.2020 11:17:57	1	1	1	1	86.75	60.75	0	30000	453.7634409	13805.88699	30000	0	0	30000	41.125	2004
29.01.2020 11:17:58	1	1	1	1	86.75	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
29.01.2020 11:17:59	1	1	1	1	86.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
29.01.2020 11:18:00	1	1	1	1	86.75	61.25	0	30000	455.9139785	13957.54627	30000	0	0	30000	41.25	2004
29.01.2020 11:18:01	1	1	1	1	86.75	61.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	41.125	2004
29.01.2020 11:18:02	1	1	1	1	86.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.375	2004
29.01.2020 11:18:03	1	1	1	1	86.75	61.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.875	2004
29.01.2020 11:18:04	1	1	1	1	86.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
29.01.2020 11:18:05	1	1	1	1	86.75	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.25	2004
29.01.2020 11:18:06	1	1	1	1	86.5	61.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.25	2004
29.01.2020 11:18:07	1	1	1	1	86.5	61.25	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	41.1875	2004
29.01.2020 11:18:08	1	1	1	1	86.5	61	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	40.75	2004
29.01.2020 11:18:09	1	1	1	1	86.5	60.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.25	2004
29.01.2020 11:18:10	1	1	1	1	86.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
29.01.2020 11:18:11	1	1	1	1	86.5	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	41.3125	2004
29.01.2020 11:18:12	1	1	1	1	86.5	61.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.4375	2004
29.01.2020 11:18:13	1	1	1	1	86.5	61.25	0	29952.607	432.2580645	12838.03984	30000	0	0	30000	41.125	2004
29.01.2020 11:18:14	1	1	1	1	86.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
29.01.2020 11:18:15	1	1	1	1	86.5	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
29.01.2020 11:18:16	1	1	1	1	86	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
29.01.2020 11:18:17	1	1	1	1	86	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.9375	2004
29.01.2020 11:18:18	1	1	1	1	86	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
29.01.2020 11:18:19	1	1	1	1	86	61.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:18:20	1	1	1	1	86	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
29.01.2020 11:18:21	1	1	1	1	86	61.25	0	30000	468.8172043	13891.5011	30000	0	0	30000	41.5	2004
29.01.2020 11:18:22	1	1	1	1	86	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
29.01.2020 11:18:23	1	1	1	1	86	61	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.5	2004
29.01.2020 11:18:24	1	1	1	1	86	61.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.25	2004
29.01.2020 11:18:25	1	1	1	1	86	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.5	2004
29.01.2020 11:18:26	1	1	1	1	86.25	61.5	0	29905.213	453.7634409	13633.84339	30000	0	0	30000	40.4375	2004
29.01.2020 11:18:27	1	1	1	1	86.25	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.5	2004
29.01.2020 11:18:29	1	1	1	1	86.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
29.01.2020 11:18:30	1	1	1	1	86.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
29.01.2020 11:18:31	1	1	1	1	86.25	60.75	0	30000	511.827957	15354.27935	30000	0	0	30000	41.25	2004
29.01.2020 11:18:32	1	1	1	1	86.25	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.1875	2004
29.01.2020 11:18:33	1	1	1	1	86.25	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.4375	2004
29.01.2020 11:18:34	1	1	1	1	86.25	61.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	41.375	2004
29.01.2020 11:18:40	1	1	1	1	86	60.75	0	30000	516.1290323	15266.21912	30000	0	0	30000	40.8125	2004
29.01.2020 11:18:40	1	1	1	1	86	60.75	0	30000	516.1290323	15266.21912	30000	0	0	30000	40.8125	2004
29.01.2020 11:18:40	1	1	1	1	86	60.75	0	30000	516.1290323	15266.21912	30000	0	0	30000	40.8125	2004
29.01.2020 11:18:40	1	1	1	1	86	60.75	0	30000	516.1290323	15266.21912	30000	0	0	30000	40.8125	2004
29.01.2020 11:18:40	1	1	1	1	86	60.75	0	30000	516.1290323	15266.21912	30000	0	0	30000	40.8125	2004
29.01.2020 11:18:40	1	1	1	1	86	60.75	0	30000	516.1290323	15266.21912	30000	0	0	30000	40.8125	2004
29.01.2020 11:18:40	1	1	1	1	86	60.75	0	30000	516.1290323	15266.21912	30000	0	0	30000	40.8125	2004
29.01.2020 11:18:41	1	1	1	1	86	60.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.25	2004
29.01.2020 11:18:42	1	1	1	1	86	61.25	0	30047.393	529.0322581	15870.41013	30000	0	0	30000	40.875	2004
29.01.2020 11:18:43	1	1	1	1	86	60.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.25	2004
29.01.2020 11:18:44	1	1	1	1	86	61.25	0	29905.213	529.0322581	16000.05436	30000	0	0	30000	40.9375	2004
29.01.2020 11:18:45	1	1	1	1	86	60.75	0	29905.213	531.1827957	16064.46878	30000	0	0	30000	41.375	2004
29.01.2020 11:18:46	1	1	1	1	86	61.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	41.4375	2004
29.01.2020 11:18:47	1	1	1	1	86	61.25	0	30047.393	526.8817204	15805.99571	30000	0	0	30000	40.875	2004
29.01.2020 11:18:48	1	1	1	1	86	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
29.01.2020 11:18:49	1	1	1	1	86	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.25	2004
29.01.2020 11:18:50	1	1	1	1	86	61.25	0	29952.607	531.1827957	15910.36338	30000	0	0	30000	41.125	2004
29.01.2020 11:18:51	1	1	1	1	86	61	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.3125	2004
29.01.2020 11:18:52	1	1	1	1	86	61.25	0	29952.607	526.8817204	15934.82456	30000	0	0	30000	40.6875	2004
29.01.2020 11:18:53	1	1	1	1	86	60.5	0	30000	516.1290323	15418.69377	30000	0	0	30000	41	2004
29.01.2020 11:18:54	1	1	1	1	86	61	0	30000	516.1290323	15289.86492	30000	0	0	30000	40.5	2004
29.01.2020 11:18:55	1	1	1	1	86	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
29.01.2020 11:18:56	1	1	1	1	85.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.0625	2004
29.01.2020 11:18:57	1	1	1	1	85.75	61	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41.375	2004
29.01.2020 11:18:58	1	1	1	1	85.75	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.9375	2004
29.01.2020 11:18:59	1	1	1	1	85.75	60.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	40.9375	2004
29.01.2020 11:19:00	1	1	1	1	85.75	60.75	0	29905.213	541.9354839	16013.10032	30000	0	0	30000	41.25	2004
29.01.2020 11:19:01	1	1	1	1	85.75	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.3125	2004
29.01.2020 11:19:02	1	1	1	1	85.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.8125	2004
29.01.2020 11:19:03	1	1	1	1	85.75	60.75	0	29668.246	535.483871	15886.71758	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:19:04	1	1	1	1	85.75	61.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.5	2004
29.01.2020 11:19:06	1	1	1	1	85.75	61.5	0	30047.393	541.9354839	15934.82456	30000	0	0	30000	40.875	2004
29.01.2020 11:19:07	1	1	1	1	86	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.5	2004
29.01.2020 11:19:08	1	1	1	1	86	61.5	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41.4375	2004
29.01.2020 11:19:09	1	1	1	1	86	61.25	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	41.125	2004
29.01.2020 11:19:10	1	1	1	1	86	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.8125	2004
29.01.2020 11:19:11	1	1	1	1	86	60.75	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.4375	2004
29.01.2020 11:19:12	1	1	1	1	86	61.25	0	29810.427	535.483871	15911.99413	30000	0	0	30000	41.3125	2004
29.01.2020 11:19:13	1	1	1	1	86	61.25	0	29763.033	537.6344086	16065.28416	30000	0	0	30000	41.375	2004
29.01.2020 11:19:14	1	1	1	1	86	61.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	40.8125	2004
29.01.2020 11:19:15	1	1	1	1	86	60.75	0	29857.82	539.7849462	16206.3436	30000	0	0	30000	41	2004
29.01.2020 11:19:16	1	1	1	1	86	61	0	29952.607	533.3333333	15756.25798	30000	0	0	30000	41	2004
29.01.2020 11:19:17	1	1	1	1	86	61	0	29810.427	535.483871	16013.10032	30000	0	0	30000	41.125	2004
29.01.2020 11:19:18	1	1	1	1	86	61	0	29857.82	529.0322581	15859.81029	30000	0	0	30000	41.5625	2004
29.01.2020 11:19:19	1	1	1	1	86	61.5	0	30000	511.827957	15289.86492	30000	0	0	30000	40.9375	2004
29.01.2020 11:19:20	1	1	1	1	86	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.125	2004
29.01.2020 11:19:21	1	1	1	1	86	61	0	30047.393	468.8172043	14128.7745	30000	0	0	30000	41.3125	2004
29.01.2020 11:19:22	1	1	1	1	86	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
29.01.2020 11:19:23	1	1	1	1	86	61	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	41.3125	2004
29.01.2020 11:19:24	1	1	1	1	86	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
29.01.2020 11:19:25	1	1	1	1	86	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004
29.01.2020 11:19:26	1	1	1	1	86	61.25	0	30094.787	453.7634409	13354.17063	30000	0	0	30000	41.1875	2004
29.01.2020 11:19:27	1	1	1	1	86	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
29.01.2020 11:19:28	1	1	1	1	86	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
29.01.2020 11:19:29	1	1	1	1	86	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
29.01.2020 11:19:30	1	1	1	1	86	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
29.01.2020 11:19:31	1	1	1	1	86	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.3125	2004
29.01.2020 11:19:32	1	1	1	1	86	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
29.01.2020 11:19:33	1	1	1	1	86	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
29.01.2020 11:19:34	1	1	1	1	86	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	41.25	2004
29.01.2020 11:19:35	1	1	1	1	86	61.25	0	30000	509.6774194	14856.08676	30000	0	0	30000	41.25	2004
29.01.2020 11:19:42	1	1	1	1	86	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.5	2004
29.01.2020 11:19:42	1	1	1	1	86	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.5	2004
29.01.2020 11:19:42	1	1	1	1	86	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.5	2004
29.01.2020 11:19:42	1	1	1	1	86	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.5	2004
29.01.2020 11:19:42	1	1	1	1	86	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.5	2004
29.01.2020 11:19:42	1	1	1	1	86	61.5	0	30047.393	531.1827957	15870.41013	30000	0	0	30000	41.4375	2004
29.01.2020 11:19:43	1	1	1	1	86	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
29.01.2020 11:19:44	1	1	1	1	86	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
29.01.2020 11:19:45	1	1	1	1	86	61.25	0	30047.393	539.7849462	16000.05436	30000	0	0	30000	41.875	2004
29.01.2020 11:19:47	1	1	1	1	86	61.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
29.01.2020 11:19:48	1	1	1	1	86	61	0	29857.82	535.483871	16013.10032	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:19:49	1	1	1	1	86	60.75	0	29810.427	544.0860215	16040.00761	30000	0	0	30000	41	2004
29.01.2020 11:19:50	1	1	1	1	86	61	0	29526.066	546.2365591	15848.39508	30000	0	0	30000	41.25	2004
29.01.2020 11:19:51	1	1	1	1	86	61.25	0	29146.919	541.9354839	15732.61218	30000	0	0	30000	41.125	2004
29.01.2020 11:19:52	1	1	1	1	86	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.1875	2004
29.01.2020 11:19:53	1	1	1	1	86	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.4375	2004
29.01.2020 11:19:54	1	1	1	1	86	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
29.01.2020 11:19:55	1	1	1	1	86	61.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.3125	2004
29.01.2020 11:19:56	1	1	1	1	86.25	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.375	2004
29.01.2020 11:19:57	1	1	1	1	86.25	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.3125	2004
29.01.2020 11:19:58	1	1	1	1	86.25	61.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.4375	2004
29.01.2020 11:19:59	1	1	1	1	86.25	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.5625	2004
29.01.2020 11:20:00	1	1	1	1	86.25	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.1875	2004
29.01.2020 11:20:01	1	1	1	1	86.25	61	0	29526.066	544.0860215	16255.26595	30000	0	0	30000	41.0625	2004
29.01.2020 11:20:02	1	1	1	1	86.25	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.8125	2004
29.01.2020 11:20:03	1	1	1	1	86.25	60.75	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	41	2004
29.01.2020 11:20:04	1	1	1	1	86.25	61	0	29383.886	546.2365591	15835.34912	30000	0	0	30000	41.5	2004
29.01.2020 11:20:05	1	1	1	1	86.25	61.5	0	29526.066	546.2365591	16217.75881	30000	0	0	30000	41.5	2004
29.01.2020 11:20:06	1	1	1	1	86	61.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.375	2004
29.01.2020 11:20:07	1	1	1	1	86	61.25	0	29431.28	546.2365591	16101.97592	30000	0	0	30000	40.8125	2004
29.01.2020 11:20:08	1	1	1	1	86	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.25	2004
29.01.2020 11:20:09	1	1	1	1	86	61.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
29.01.2020 11:20:10	1	1	1	1	86	61.25	0	29336.493	546.2365591	16075.884	30000	0	0	30000	41.125	2004
29.01.2020 11:20:11	1	1	1	1	86	61	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.4375	2004
29.01.2020 11:20:12	1	1	1	1	86	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.9375	2004
29.01.2020 11:20:13	1	1	1	1	86	60.75	0	29146.919	544.0860215	16035.11538	30000	0	0	30000	41.625	2004
29.01.2020 11:20:14	1	1	1	1	86	61.5	0	29241.706	541.9354839	15972.33169	30000	0	0	30000	40.6875	2004
29.01.2020 11:20:15	1	1	1	1	86	60.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.25	2004
29.01.2020 11:20:16	1	1	1	1	85.25	61.25	0	29241.706	548.3870968	15998.42361	30000	0	0	30000	41.375	2004
29.01.2020 11:20:17	1	1	1	1	85.25	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.5	2004
29.01.2020 11:20:18	1	1	1	1	85.25	61.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.4375	2004
29.01.2020 11:20:19	1	1	1	1	85.25	61.25	0	29241.706	550.5376344	16108.4989	30000	0	0	30000	41.5	2004
29.01.2020 11:20:20	1	1	1	1	85.25	61.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.5	2004
29.01.2020 11:20:21	1	1	1	1	85.25	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40.875	2004
29.01.2020 11:20:22	1	1	1	1	85.25	60.75	0	29241.706	539.7849462	16150.89827	30000	0	0	30000	41.5625	2004
29.01.2020 11:20:23	1	1	1	1	85.25	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.625	2004
29.01.2020 11:20:24	1	1	1	1	85.25	61.5	0	29289.1	541.9354839	15846.76433	30000	0	0	30000	41.375	2004
29.01.2020 11:20:26	1	1	1	1	85.25	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
29.01.2020 11:20:27	1	1	1	1	84.75	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.625	2004
29.01.2020 11:20:28	1	1	1	1	84.75	61.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:29	1	1	1	1	84.75	61.25	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	41.375	2004
29.01.2020 11:20:30	1	1	1	1	84.75	61.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.4375	2004
29.01.2020 11:20:31	1	1	1	1	84.75	61.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
29.01.2020 11:20:32	1	1	1	1	84.75	61.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:20:33	1	1	1	1	84.75	61.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.5625	2004
29.01.2020 11:20:34	1	1	1	1	84.75	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
29.01.2020 11:20:35	1	1	1	1	84.75	61.5	0	29478.673	539.7849462	15823.11853	30000	0	0	30000	40.9375	2004
29.01.2020 11:20:36	1	1	1	1	84.25	60.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:37	1	1	1	1	84.25	61.25	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	41.8125	2004
29.01.2020 11:20:44	1	1	1	1	84.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:44	1	1	1	1	84.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:44	1	1	1	1	84.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:44	1	1	1	1	84.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:44	1	1	1	1	84.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:44	1	1	1	1	84.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:44	1	1	1	1	84.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:45	1	1	1	1	84.25	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:46	1	1	1	1	83.75	61.25	0	29810.427	546.2365591	15848.39508	30000	0	0	30000	41.75	2004
29.01.2020 11:20:47	1	1	1	1	83.75	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
29.01.2020 11:20:48	1	1	1	1	83.75	61.5	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:49	1	1	1	1	83.75	61.25	0	29810.427	533.3333333	16026.96165	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:50	1	1	1	1	83.75	61.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.5	2004
29.01.2020 11:20:51	1	1	1	1	83.75	61.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.5625	2004
29.01.2020 11:20:52	1	1	1	1	83.75	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.4375	2004
29.01.2020 11:20:53	1	1	1	1	83.75	61.25	0	29763.033	535.483871	15962.54722	30000	0	0	30000	41.25	2004
29.01.2020 11:20:54	1	1	1	1	83.75	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.9375	2004
29.01.2020 11:20:55	1	1	1	1	83.75	60.75	0	29857.82	535.483871	15937.27068	30000	0	0	30000	41.5	2004
29.01.2020 11:20:56	1	1	1	1	83.5	61.5	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	41.3125	2004
29.01.2020 11:20:57	1	1	1	1	83.5	61.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	41.5	2004
29.01.2020 11:20:58	1	1	1	1	83.5	61.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.5625	2004
29.01.2020 11:20:59	1	1	1	1	83.5	61.5	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	41.4375	2004
29.01.2020 11:21:00	1	1	1	1	83.5	61.25	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	41.0625	2004
29.01.2020 11:21:01	1	1	1	1	83.5	61	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.5625	2004
29.01.2020 11:21:02	1	1	1	1	83.5	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.3125	2004
29.01.2020 11:21:04	1	1	1	1	83.5	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	41.5625	2004
29.01.2020 11:21:05	1	1	1	1	83.5	61.5	0	29952.607	518.2795699	15523.87682	30000	0	0	30000	41.5	2004
29.01.2020 11:21:06	1	1	1	1	84.25	60.75	0	30047.393	492.4731183	14644.90528	30000	0	0	30000	41.0625	2004
29.01.2020 11:21:07	1	1	1	1	84.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
29.01.2020 11:21:08	1	1	1	1	84.25	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.4375	2004
29.01.2020 11:21:09	1	1	1	1	84.25	60.25	0	29952.607	488.172043	14622.07485	30000	0	0	30000	41.625	2004
29.01.2020 11:21:10	1	1	1	1	84.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
29.01.2020 11:21:11	1	1	1	1	84.25	61.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
29.01.2020 11:21:12	1	1	1	1	84.25	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
29.01.2020 11:21:13	1	1	1	1	84.25	61.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.8125	2004
29.01.2020 11:21:14	1	1	1	1	84.25	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.9375	2004
29.01.2020 11:21:15	1	1	1	1	84.25	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.9375	2004
29.01.2020 11:21:16	1	1	1	1	84.25	60.75	0	30047.393	505.3763441	15532.84592	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:21:17	1	1	1	1	84.25	61.25	0	30047.393	516.1290323	15032.20721	30000	0	0	30000	41.5	2004
29.01.2020 11:21:18	1	1	1	1	84.25	61.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.125	2004
29.01.2020 11:21:19	1	1	1	1	84.25	61	0	30000	488.172043	14902.56299	30000	0	0	30000	41.375	2004
29.01.2020 11:21:20	1	1	1	1	84.25	61.25	0	30000	511.827957	15483.92357	30000	0	0	30000	41.125	2004
29.01.2020 11:21:21	1	1	1	1	84.25	61	0	30000	490.3225806	14773.73413	30000	0	0	30000	41.375	2004
29.01.2020 11:21:22	1	1	1	1	84.25	61.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.4375	2004
29.01.2020 11:21:23	1	1	1	1	84.25	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.3125	2004
29.01.2020 11:21:24	1	1	1	1	84.25	61.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.625	2004
29.01.2020 11:21:25	1	1	1	1	84.25	61.5	0	29952.607	524.7311828	15523.87682	30000	0	0	30000	41.5625	2004
29.01.2020 11:21:26	1	1	1	1	84.5	61.5	0	30000	511.827957	15266.21912	30000	0	0	30000	41.3125	2004
29.01.2020 11:21:27	1	1	1	1	84.5	61.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.125	2004
29.01.2020 11:21:28	1	1	1	1	84.5	61	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.5	2004
29.01.2020 11:21:29	1	1	1	1	84.5	61.5	0	30000	511.827957	15289.86492	30000	0	0	30000	41.1875	2004
29.01.2020 11:21:30	1	1	1	1	84.5	61	0	29952.607	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
29.01.2020 11:21:31	1	1	1	1	84.5	60.75	0	29952.607	522.5806452	15934.82456	30000	0	0	30000	41.5	2004
29.01.2020 11:21:32	1	1	1	1	84.5	61.5	0	29952.607	518.2795699	15523.87682	30000	0	0	30000	41	2004
29.01.2020 11:21:33	1	1	1	1	84.5	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.4375	2004
29.01.2020 11:21:34	1	1	1	1	84.5	61.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	41.0625	2004
29.01.2020 11:21:35	1	1	1	1	84.5	61	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
29.01.2020 11:21:36	1	1	1	1	84.75	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.3125	2004
29.01.2020 11:21:37	1	1	1	1	84.75	61.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.3125	2004
29.01.2020 11:21:38	1	1	1	1	84.75	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.25	2004
29.01.2020 11:21:45	1	1	1	1	84.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.1875	2004
29.01.2020 11:21:45	1	1	1	1	84.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.1875	2004
29.01.2020 11:21:45	1	1	1	1	84.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.1875	2004
29.01.2020 11:21:45	1	1	1	1	84.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.1875	2004
29.01.2020 11:21:45	1	1	1	1	84.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.1875	2004
29.01.2020 11:21:46	1	1	1	1	85.25	61	0	30047.393	524.7311828	15612.75243	30000	0	0	30000	41.5	2004
29.01.2020 11:21:47	1	1	1	1	85.25	61.5	0	29810.427	533.3333333	16052.2382	30000	0	0	30000	40.75	2004
29.01.2020 11:21:48	1	1	1	1	85.25	60.75	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	41.0625	2004
29.01.2020 11:21:49	1	1	1	1	85.25	61	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.375	2004
29.01.2020 11:21:50	1	1	1	1	85.25	61.25	0	30000	516.1290323	15112.92909	30000	0	0	30000	41.5	2004
29.01.2020 11:21:51	1	1	1	1	85.25	61.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.9375	2004
29.01.2020 11:21:52	1	1	1	1	85.25	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.875	2004
29.01.2020 11:21:53	1	1	1	1	85.25	60.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.5	2004
29.01.2020 11:21:54	1	1	1	1	85.25	61.5	0	30000	505.3763441	15096.62164	30000	0	0	30000	41.4375	2004
29.01.2020 11:21:55	1	1	1	1	85.25	61.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.6875	2004
29.01.2020 11:21:56	1	1	1	1	84.5	61.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.875	2004
29.01.2020 11:21:57	1	1	1	1	84.5	60.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.375	2004
29.01.2020 11:21:58	1	1	1	1	84.5	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.4375	2004
29.01.2020 11:21:59	1	1	1	1	84.5	61.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	41.0625	2004
29.01.2020 11:22:00	1	1	1	1	84.5	61	0	30000	511.827957	15354.27935	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:22:01	1	1	1	1	84.5	61.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.4375	2004
29.01.2020 11:22:02	1	1	1	1	84.5	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	41.3125	2004
29.01.2020 11:22:03	1	1	1	1	84.5	61.25	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
29.01.2020 11:22:04	1	1	1	1	84.5	60.75	0	29857.82	535.483871	16335.17245	30000	0	0	30000	41.375	2004
29.01.2020 11:22:05	1	1	1	1	84.5	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.375	2004
29.01.2020 11:22:06	1	1	1	1	83.5	61.25	0	29857.82	535.483871	15924.22472	30000	0	0	30000	41.3125	2004
29.01.2020 11:22:07	1	1	1	1	83.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.0625	2004
29.01.2020 11:22:08	1	1	1	1	83.5	61	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	41.5625	2004
29.01.2020 11:22:09	1	1	1	1	83.5	61.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.25	2004
29.01.2020 11:22:10	1	1	1	1	83.5	61.25	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	41.625	2004
29.01.2020 11:22:11	1	1	1	1	83.5	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
29.01.2020 11:22:12	1	1	1	1	83.5	61.25	0	29905.213	533.3333333	15987.82377	30000	0	0	30000	41.625	2004
29.01.2020 11:22:13	1	1	1	1	83.5	61.5	0	29715.64	535.483871	15962.54722	30000	0	0	30000	41.375	2004
29.01.2020 11:22:14	1	1	1	1	83.5	61.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.3125	2004
29.01.2020 11:22:15	1	1	1	1	83.5	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
29.01.2020 11:22:16	1	1	1	1	83	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
29.01.2020 11:22:17	1	1	1	1	83	61.5	0	29952.607	537.6344086	16039.19224	30000	0	0	30000	41.375	2004
29.01.2020 11:22:18	1	1	1	1	83	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.9375	2004
29.01.2020 11:22:19	1	1	1	1	83	60.75	0	29573.46	539.7849462	15937.27068	30000	0	0	30000	41	2004
29.01.2020 11:22:20	1	1	1	1	83	61	0	30000	541.9354839	15820.67241	30000	0	0	30000	40.75	2004
29.01.2020 11:22:22	1	1	1	1	83	60.75	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.875	2004
29.01.2020 11:22:23	1	1	1	1	83	61.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.5625	2004
29.01.2020 11:22:24	1	1	1	1	83	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.6875	2004
29.01.2020 11:22:25	1	1	1	1	83	61.5	0	29905.213	531.1827957	16013.10032	30000	0	0	30000	41.5625	2004
29.01.2020 11:22:26	1	1	1	1	83.5	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.5	2004
29.01.2020 11:22:27	1	1	1	1	83.5	61.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.25	2004
29.01.2020 11:22:28	1	1	1	1	83.5	61.25	0	29857.82	526.8817204	16013.10032	30000	0	0	30000	41.5	2004
29.01.2020 11:22:29	1	1	1	1	83.5	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.125	2004
29.01.2020 11:22:30	1	1	1	1	83.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.375	2004
29.01.2020 11:22:31	1	1	1	1	83.5	61.25	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5	2004
29.01.2020 11:22:32	1	1	1	1	83.5	61.5	0	29810.427	539.7849462	15783.98065	30000	0	0	30000	41.1875	2004
29.01.2020 11:22:33	1	1	1	1	83.5	61	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
29.01.2020 11:22:34	1	1	1	1	83.5	61.25	0	29715.64	539.7849462	15783.98065	30000	0	0	30000	41.625	2004
29.01.2020 11:22:35	1	1	1	1	83.5	61.5	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.6875	2004
29.01.2020 11:22:36	1	1	1	1	84.5	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.375	2004
29.01.2020 11:22:37	1	1	1	1	84.5	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.3125	2004
29.01.2020 11:22:38	1	1	1	1	84.5	61.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.125	2004
29.01.2020 11:22:39	1	1	1	1	84.5	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
29.01.2020 11:22:40	1	1	1	1	84.5	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.6875	2004
29.01.2020 11:22:47	1	1	1	1	84.75	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.1875	2004
29.01.2020 11:22:47	1	1	1	1	84.75	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.1875	2004
29.01.2020 11:22:47	1	1	1	1	84.75	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.1875	2004
29.01.2020 11:22:47	1	1	1	1	84.75	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:22:47	1	1	1	1	84.75	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.1875	2004
29.01.2020 11:22:47	1	1	1	1	84.75	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.1875	2004
29.01.2020 11:22:47	1	1	1	1	84.75	61	0	29668.246	539.7849462	15925.04009	30000	0	0	30000	41.5625	2004
29.01.2020 11:22:48	1	1	1	1	84.75	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
29.01.2020 11:22:49	1	1	1	1	84.75	61.75	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	41.3125	2004
29.01.2020 11:22:50	1	1	1	1	84.75	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.125	2004
29.01.2020 11:22:51	1	1	1	1	84.75	61	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.4375	2004
29.01.2020 11:22:52	1	1	1	1	84.75	61.25	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	41.4375	2004
29.01.2020 11:22:53	1	1	1	1	84.75	61.25	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.6875	2004
29.01.2020 11:22:54	1	1	1	1	84.75	61.5	0	29620.853	533.3333333	15797.84198	30000	0	0	30000	41.5625	2004
29.01.2020 11:22:55	1	1	1	1	84.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.9375	2004
29.01.2020 11:22:56	1	1	1	1	85	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
29.01.2020 11:22:57	1	1	1	1	85	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.375	2004
29.01.2020 11:22:59	1	1	1	1	85	61.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.625	2004
29.01.2020 11:23:00	1	1	1	1	85	61.5	0	29715.64	537.6344086	15925.04009	30000	0	0	30000	41.4375	2004
29.01.2020 11:23:01	1	1	1	1	85	61.25	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.625	2004
29.01.2020 11:23:02	1	1	1	1	85	61.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41	2004
29.01.2020 11:23:03	1	1	1	1	85	61	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.625	2004
29.01.2020 11:23:04	1	1	1	1	85	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004
29.01.2020 11:23:05	1	1	1	1	85	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41	2004
29.01.2020 11:23:06	1	1	1	1	84	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.3125	2004
29.01.2020 11:23:09	1	1	1	1	84	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:09	1	1	1	1	84	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:09	1	1	1	1	84	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:10	1	1	1	1	84	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
29.01.2020 11:23:11	1	1	1	1	84	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
29.01.2020 11:23:12	1	1	1	1	84	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.4375	2004
29.01.2020 11:23:13	1	1	1	1	84	61.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.75	2004
29.01.2020 11:23:14	1	1	1	1	84	61.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
29.01.2020 11:23:15	1	1	1	1	84	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
29.01.2020 11:23:16	1	1	1	1	84.25	61.25	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.8125	2004
29.01.2020 11:23:17	1	1	1	1	84.25	61.75	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.5	2004
29.01.2020 11:23:18	1	1	1	1	84.25	61.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.5	2004
29.01.2020 11:23:19	1	1	1	1	84.25	61.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.4375	2004
29.01.2020 11:23:20	1	1	1	1	84.25	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.375	2004
29.01.2020 11:23:21	1	1	1	1	84.25	61.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.5625	2004
29.01.2020 11:23:22	1	1	1	1	84.25	61.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:23	1	1	1	1	84.25	61.5	0	30047.393	522.5806452	15677.16685	30000	0	0	30000	41.625	2004
29.01.2020 11:23:24	1	1	1	1	84.25	61.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.5	2004
29.01.2020 11:23:25	1	1	1	1	84.25	61.5	0	30000	524.7311828	15563.0147	30000	0	0	30000	41.625	2004
29.01.2020 11:23:26	1	1	1	1	85	61.5	0	30047.393	526.8817204	15741.58128	30000	0	0	30000	41.625	2004
29.01.2020 11:23:27	1	1	1	1	85	61.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.5	2004
29.01.2020 11:23:28	1	1	1	1	85	61.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:23:29	1	1	1	1	85	61	0	29905.213	524.7311828	15934.82456	30000	0	0	30000	41.25	2004
29.01.2020 11:23:30	1	1	1	1	85	61.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.5625	2004
29.01.2020 11:23:31	1	1	1	1	85	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:32	1	1	1	1	85	61.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:33	1	1	1	1	85	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.25	2004
29.01.2020 11:23:35	1	1	1	1	85	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.875	2004
29.01.2020 11:23:36	1	1	1	1	85	61.75	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	41.375	2004
29.01.2020 11:23:37	1	1	1	1	85.5	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.5	2004
29.01.2020 11:23:38	1	1	1	1	85.5	61.5	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	41.1875	2004
29.01.2020 11:23:39	1	1	1	1	85.5	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
29.01.2020 11:23:40	1	1	1	1	85.5	61.25	0	29905.213	522.5806452	15805.99571	30000	0	0	30000	41.3125	2004
29.01.2020 11:23:41	1	1	1	1	85.5	61.25	0	29715.64	533.3333333	16026.96165	30000	0	0	30000	41.375	2004
29.01.2020 11:23:42	1	1	1	1	85.5	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:48	1	1	1	1	85.5	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.8125	2004
29.01.2020 11:23:48	1	1	1	1	85.5	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.8125	2004
29.01.2020 11:23:48	1	1	1	1	85.5	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.8125	2004
29.01.2020 11:23:48	1	1	1	1	85.5	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.8125	2004
29.01.2020 11:23:48	1	1	1	1	85.5	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.8125	2004
29.01.2020 11:23:48	1	1	1	1	85.5	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.8125	2004
29.01.2020 11:23:49	1	1	1	1	85.5	61.75	0	29810.427	541.9354839	16219.38956	30000	0	0	30000	41.625	2004
29.01.2020 11:23:50	1	1	1	1	85.5	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.625	2004
29.01.2020 11:23:51	1	1	1	1	85.5	61.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.625	2004
29.01.2020 11:23:52	1	1	1	1	85.5	61.5	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41	2004
29.01.2020 11:23:53	1	1	1	1	85.5	61	0	29289.1	539.7849462	15809.2572	30000	0	0	30000	41.5	2004
29.01.2020 11:23:54	1	1	1	1	85.5	61.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
29.01.2020 11:23:55	1	1	1	1	85.5	61	0	29526.066	535.483871	15988.63914	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:56	1	1	1	1	85.25	61.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.5	2004
29.01.2020 11:23:57	1	1	1	1	85.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:58	1	1	1	1	85.25	61.5	0	29336.493	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
29.01.2020 11:23:59	1	1	1	1	85.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
29.01.2020 11:24:00	1	1	1	1	85.25	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
29.01.2020 11:24:01	1	1	1	1	85.25	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.75	2004
29.01.2020 11:24:02	1	1	1	1	85.25	61.75	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	41.8125	2004
29.01.2020 11:24:03	1	1	1	1	85.25	61.75	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.5625	2004
29.01.2020 11:24:04	1	1	1	1	85.25	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
29.01.2020 11:24:05	1	1	1	1	85.25	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
29.01.2020 11:24:06	1	1	1	1	84.75	61.25	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	41.4375	2004
29.01.2020 11:24:07	1	1	1	1	84.75	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
29.01.2020 11:24:08	1	1	1	1	84.75	61.75	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.6875	2004
29.01.2020 11:24:09	1	1	1	1	84.75	61.5	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	41.6875	2004
29.01.2020 11:24:10	1	1	1	1	84.75	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
29.01.2020 11:24:11	1	1	1	1	84.75	61.25	0	29526.066	550.5376344	16128.06784	30000	0	0	30000	41.6875	2004
29.01.2020 11:24:12	1	1	1	1	84.75	61.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:24:14	1	1	1	1	84.75	61.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.75	2004
29.01.2020 11:24:15	1	1	1	1	84.75	61.75	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.5	2004
29.01.2020 11:24:16	1	1	1	1	84.75	61.5	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	41.8125	2004
29.01.2020 11:24:17	1	1	1	1	85.25	61.75	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	41.5625	2004
29.01.2020 11:24:18	1	1	1	1	85.25	61.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
29.01.2020 11:24:19	1	1	1	1	85.25	60.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.3125	2004
29.01.2020 11:24:20	1	1	1	1	85.25	61.25	0	29905.213	496.7741935	14879.73256	30000	0	0	30000	41.125	2004
29.01.2020 11:24:21	1	1	1	1	85.25	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.9375	2004
29.01.2020 11:24:22	1	1	1	1	85.25	60.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.6875	2004
29.01.2020 11:24:23	1	1	1	1	85.25	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.8125	2004
29.01.2020 11:24:24	1	1	1	1	85.25	60.75	0	30000	494.6236559	14622.07485	30000	0	0	30000	41.0625	2004
29.01.2020 11:24:25	1	1	1	1	85.25	61	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	41.375	2004
29.01.2020 11:24:26	1	1	1	1	84.25	61.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.25	2004
29.01.2020 11:24:27	1	1	1	1	84.25	61.25	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	41.75	2004
29.01.2020 11:24:28	1	1	1	1	84.25	61.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.5	2004
29.01.2020 11:24:29	1	1	1	1	84.25	61.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.375	2004
29.01.2020 11:24:30	1	1	1	1	84.25	61.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.4375	2004
29.01.2020 11:24:31	1	1	1	1	84.25	61.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.5625	2004
29.01.2020 11:24:32	1	1	1	1	84.25	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.625	2004
29.01.2020 11:24:33	1	1	1	1	84.25	61.5	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	41.6875	2004
29.01.2020 11:24:34	1	1	1	1	84.25	61.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.4375	2004
29.01.2020 11:24:35	1	1	1	1	84.25	61.25	0	30000	522.5806452	15612.75243	30000	0	0	30000	41.3125	2004
29.01.2020 11:24:36	1	1	1	1	85	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
29.01.2020 11:24:37	1	1	1	1	85	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.6875	2004
29.01.2020 11:24:38	1	1	1	1	85	61.5	0	30000	516.1290323	15677.16685	30000	0	0	30000	41.6875	2004
29.01.2020 11:24:39	1	1	1	1	85	61.5	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
29.01.2020 11:24:40	1	1	1	1	85	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.625	2004
29.01.2020 11:24:41	1	1	1	1	85	61.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.6875	2004
29.01.2020 11:24:42	1	1	1	1	85	61.5	0	29952.607	468.8172043	14451.662	30000	0	0	30000	41.25	2004
29.01.2020 11:24:43	1	1	1	1	85	61.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	41.0625	2004
29.01.2020 11:24:50	1	1	1	1	85.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
29.01.2020 11:24:50	1	1	1	1	85.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
29.01.2020 11:24:50	1	1	1	1	85.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
29.01.2020 11:24:50	1	1	1	1	85.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
29.01.2020 11:24:50	1	1	1	1	85.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
29.01.2020 11:24:50	1	1	1	1	85.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
29.01.2020 11:24:50	1	1	1	1	85.5	61.25	0	29952.607	518.2795699	15548.338	30000	0	0	30000	41.625	2004
29.01.2020 11:24:52	1	1	1	1	85.5	61.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.5	2004
29.01.2020 11:24:53	1	1	1	1	85.5	61.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.75	2004
29.01.2020 11:24:54	1	1	1	1	85.5	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.8125	2004
29.01.2020 11:24:55	1	1	1	1	85.5	61.75	0	29952.607	507.5268817	15266.21912	30000	0	0	30000	41.5	2004
29.01.2020 11:24:56	1	1	1	1	85.5	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
29.01.2020 11:24:57	1	1	1	1	85.5	61.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:24:58	1	1	1	1	85.5	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
29.01.2020 11:24:59	1	1	1	1	85.5	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.875	2004
29.01.2020 11:25:00	1	1	1	1	85.5	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
29.01.2020 11:25:01	1	1	1	1	85.5	61.25	0	30047.393	535.483871	16000.05436	30000	0	0	30000	41.3125	2004
29.01.2020 11:25:02	1	1	1	1	85.5	61.25	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	41.625	2004
29.01.2020 11:25:03	1	1	1	1	85.5	61.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.9375	2004
29.01.2020 11:25:04	1	1	1	1	85.5	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.75	2004
29.01.2020 11:25:05	1	1	1	1	85.5	61.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.0625	2004
29.01.2020 11:25:06	1	1	1	1	84.75	61	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	41.1875	2004
29.01.2020 11:25:07	1	1	1	1	84.75	61	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.6875	2004
29.01.2020 11:25:08	1	1	1	1	84.75	61.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41.6875	2004
29.01.2020 11:25:09	1	1	1	1	84.75	61.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.4375	2004
29.01.2020 11:25:10	1	1	1	1	84.75	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.75	2004
29.01.2020 11:25:11	1	1	1	1	84.75	61.75	0	29810.427	535.483871	15720.38159	30000	0	0	30000	41.6875	2004
29.01.2020 11:25:12	1	1	1	1	84.75	61.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.6875	2004
29.01.2020 11:25:13	1	1	1	1	84.75	61.5	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.5625	2004
29.01.2020 11:25:14	1	1	1	1	84.75	61.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.6875	2004
29.01.2020 11:25:15	1	1	1	1	84.75	61.5	0	29478.673	535.483871	15658.41329	30000	0	0	30000	41.375	2004
29.01.2020 11:25:16	1	1	1	1	85.25	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.75	2004
29.01.2020 11:25:17	1	1	1	1	85.25	61.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
29.01.2020 11:25:18	1	1	1	1	85.25	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.75	2004
29.01.2020 11:25:19	1	1	1	1	85.25	61.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.6875	2004
29.01.2020 11:25:20	1	1	1	1	85.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.25	2004
29.01.2020 11:25:21	1	1	1	1	85.25	61.25	0	29573.46	537.6344086	16052.2382	30000	0	0	30000	41.9375	2004
29.01.2020 11:25:22	1	1	1	1	85.25	61.75	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.375	2004
29.01.2020 11:25:23	1	1	1	1	85.25	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.75	2004
29.01.2020 11:25:24	1	1	1	1	85.25	61.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
29.01.2020 11:25:25	1	1	1	1	85.25	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.8125	2004
29.01.2020 11:25:26	1	1	1	1	85.75	61.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.5	2004
29.01.2020 11:25:28	1	1	1	1	85.75	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.4375	2004
29.01.2020 11:25:29	1	1	1	1	85.75	61.25	0	29668.246	546.2365591	16167.20572	30000	0	0	30000	41.8125	2004
29.01.2020 11:25:30	1	1	1	1	85.75	61.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.9375	2004
29.01.2020 11:25:31	1	1	1	1	85.75	61.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.5	2004
29.01.2020 11:25:32	1	1	1	1	85.75	61.5	0	29336.493	535.483871	15835.34912	30000	0	0	30000	42.125	2004
29.01.2020 11:25:33	1	1	1	1	85.75	62	0	29289.1	546.2365591	15935.63993	30000	0	0	30000	41.4375	2004
29.01.2020 11:25:34	1	1	1	1	85.75	61	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.8125	2004
29.01.2020 11:25:35	1	1	1	1	85.75	61.75	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.5	2004
29.01.2020 11:25:36	1	1	1	1	85.75	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.75	2004
29.01.2020 11:25:37	1	1	1	1	85.75	61.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.9375	2004
29.01.2020 11:25:38	1	1	1	1	85.75	61.75	0	29431.28	535.483871	15911.99413	30000	0	0	30000	41.5	2004
29.01.2020 11:25:39	1	1	1	1	85.75	61.5	0	29431.28	541.9354839	16101.97592	30000	0	0	30000	41.625	2004
29.01.2020 11:25:40	1	1	1	1	85.75	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.25	2004
29.01.2020 11:25:41	1	1	1	1	85.75	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:25:42	1	1	1	1	85.75	61.75	0	29289.1	550.5376344	15909.54801	30000	0	0	30000	41.6875	2004
29.01.2020 11:25:43	1	1	1	1	85.75	61.5	0	29241.706	544.0860215	15920.96323	30000	0	0	30000	41.625	2004
29.01.2020 11:25:44	1	1	1	1	85.75	61.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.4375	2004
29.01.2020 11:25:45	1	1	1	1	85.75	61.25	0	29146.919	546.2365591	16250.37371	30000	0	0	30000	42.125	2004
29.01.2020 11:25:52	1	1	1	1	86	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.9375	2004
29.01.2020 11:25:52	1	1	1	1	86	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.9375	2004
29.01.2020 11:25:52	1	1	1	1	86	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.9375	2004
29.01.2020 11:25:52	1	1	1	1	86	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.9375	2004
29.01.2020 11:25:52	1	1	1	1	86	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.9375	2004
29.01.2020 11:25:52	1	1	1	1	86	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42	2004
29.01.2020 11:25:53	1	1	1	1	86	62	0	29241.706	554.8387097	16046.53059	30000	0	0	30000	41.5625	2004
29.01.2020 11:25:54	1	1	1	1	86	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42	2004
29.01.2020 11:25:55	1	1	1	1	86	62	0	29052.133	548.3870968	15817.41092	30000	0	0	30000	41.375	2004
29.01.2020 11:25:56	1	1	1	1	86	61.25	0	29289.1	552.688172	16046.53059	30000	0	0	30000	41.4375	2004
29.01.2020 11:25:57	1	1	1	1	86	61.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.5	2004
29.01.2020 11:25:58	1	1	1	1	86	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
29.01.2020 11:25:59	1	1	1	1	86	61.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.8125	2004
29.01.2020 11:26:00	1	1	1	1	86	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.1875	2004
29.01.2020 11:26:01	1	1	1	1	86	61	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42	2004
29.01.2020 11:26:02	1	1	1	1	86	62	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	41.5625	2004
29.01.2020 11:26:03	1	1	1	1	86	61.5	0	29431.28	537.6344086	15911.99413	30000	0	0	30000	41.6875	2004
29.01.2020 11:26:04	1	1	1	1	86	61.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.9375	2004
29.01.2020 11:26:05	1	1	1	1	86	61.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.8125	2004
29.01.2020 11:26:07	1	1	1	1	86	61.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.625	2004
29.01.2020 11:26:08	1	1	1	1	86	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.875	2004
29.01.2020 11:26:09	1	1	1	1	86	61.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5625	2004
29.01.2020 11:26:10	1	1	1	1	86	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.1875	2004
29.01.2020 11:26:11	1	1	1	1	86	62	0	29241.706	541.9354839	15935.63993	30000	0	0	30000	41.3125	2004
29.01.2020 11:26:12	1	1	1	1	86	61.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	41.875	2004
29.01.2020 11:26:13	1	1	1	1	86	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	42	2004
29.01.2020 11:26:14	1	1	1	1	86	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.8125	2004
29.01.2020 11:26:15	1	1	1	1	86	61.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.875	2004
29.01.2020 11:26:16	1	1	1	1	86.75	61.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.6875	2004
29.01.2020 11:26:17	1	1	1	1	86.75	61.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.625	2004
29.01.2020 11:26:18	1	1	1	1	86.75	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.625	2004
29.01.2020 11:26:19	1	1	1	1	86.75	61.5	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	41.6875	2004
29.01.2020 11:26:20	1	1	1	1	86.75	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.875	2004
29.01.2020 11:26:21	1	1	1	1	86.75	61.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.8125	2004
29.01.2020 11:26:22	1	1	1	1	86.75	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
29.01.2020 11:26:23	1	1	1	1	86.75	61.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.75	2004
29.01.2020 11:26:24	1	1	1	1	86.75	61.75	0	29431.28	548.3870968	16013.10032	30000	0	0	30000	41.5625	2004
29.01.2020 11:26:25	1	1	1	1	86.75	61.5	0	29383.886	548.3870968	15835.34912	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:26:26	1	1	1	1	86.75	61.5	0	29478.673	541.9354839	15759.51947	30000	0	0	30000	41.6875	2004
29.01.2020 11:26:27	1	1	1	1	86.75	61.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.9375	2004
29.01.2020 11:26:28	1	1	1	1	86.75	61.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.5625	2004
29.01.2020 11:26:29	1	1	1	1	86.75	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
29.01.2020 11:26:30	1	1	1	1	86.75	61.75	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.8125	2004
29.01.2020 11:26:31	1	1	1	1	86.75	61.75	0	29715.64	535.483871	16040.00761	30000	0	0	30000	41.6875	2004
29.01.2020 11:26:32	1	1	1	1	86.75	61.5	0	29478.673	537.6344086	15848.39508	30000	0	0	30000	41.5625	2004
29.01.2020 11:26:33	1	1	1	1	86.75	61.5	0	29526.066	550.5376344	16038.37687	30000	0	0	30000	41.9375	2004
29.01.2020 11:26:34	1	1	1	1	86.75	61.75	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	42	2004
29.01.2020 11:26:35	1	1	1	1	86.75	62	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	41.8125	2004
29.01.2020 11:26:36	1	1	1	1	86.75	61.75	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	41.9375	2004
29.01.2020 11:26:37	1	1	1	1	86.75	61.75	0	29620.853	541.9354839	16103.60666	30000	0	0	30000	41.5625	2004
29.01.2020 11:26:38	1	1	1	1	86.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
29.01.2020 11:26:39	1	1	1	1	86.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004
29.01.2020 11:26:40	1	1	1	1	86.75	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.75	2004
29.01.2020 11:26:41	1	1	1	1	86.75	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.0625	2004
29.01.2020 11:26:43	1	1	1	1	86.75	62	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.875	2004
29.01.2020 11:26:44	1	1	1	1	86.75	61.75	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	42.0625	2004
29.01.2020 11:26:45	1	1	1	1	86.75	62	0	29573.46	541.9354839	16179.43631	30000	0	0	30000	41.25	2004
29.01.2020 11:26:46	1	1	1	1	86.75	61.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.3125	2004
29.01.2020 11:26:47	1	1	1	1	87	61.25	0	29241.706	552.688172	15920.96323	30000	0	0	30000	42.1875	2004
29.01.2020 11:26:53	1	1	1	1	87	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.125	2004
29.01.2020 11:26:53	1	1	1	1	87	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.125	2004
29.01.2020 11:26:53	1	1	1	1	87	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.125	2004
29.01.2020 11:26:53	1	1	1	1	87	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.125	2004
29.01.2020 11:26:53	1	1	1	1	87	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.125	2004
29.01.2020 11:26:54	1	1	1	1	87	62	0	29431.28	552.688172	16087.29921	30000	0	0	30000	41.6875	2004
29.01.2020 11:26:55	1	1	1	1	87	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.375	2004
29.01.2020 11:26:56	1	1	1	1	87.25	61.25	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.5625	2004
29.01.2020 11:26:57	1	1	1	1	87.25	61.5	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.75	2004
29.01.2020 11:26:58	1	1	1	1	87.25	61.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.5625	2004
29.01.2020 11:26:59	1	1	1	1	87.25	61.5	0	29336.493	541.9354839	15924.22472	30000	0	0	30000	41.625	2004
29.01.2020 11:27:00	1	1	1	1	87.25	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.0625	2004
29.01.2020 11:27:01	1	1	1	1	87.25	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.75	2004
29.01.2020 11:27:02	1	1	1	1	87.25	61.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.75	2004
29.01.2020 11:27:03	1	1	1	1	87.25	61.75	0	29289.1	535.483871	15898.1328	30000	0	0	30000	41.75	2004
29.01.2020 11:27:04	1	1	1	1	87.25	61.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	42.0625	2004
29.01.2020 11:27:05	1	1	1	1	87.25	62	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	41.875	2004
29.01.2020 11:27:06	1	1	1	1	87.25	61.75	0	29431.28	537.6344086	15823.11853	30000	0	0	30000	42.1875	2004
29.01.2020 11:27:07	1	1	1	1	87.25	62	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.75	2004
29.01.2020 11:27:08	1	1	1	1	87.25	61.75	0	29431.28	541.9354839	16128.06784	30000	0	0	30000	41.5	2004
29.01.2020 11:27:09	1	1	1	1	87.25	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:27:10	1	1	1	1	87.25	61.75	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	41.875	2004
29.01.2020 11:27:11	1	1	1	1	87.25	61.75	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	41.875	2004
29.01.2020 11:27:12	1	1	1	1	87.25	61.75	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	41.625	2004
29.01.2020 11:27:13	1	1	1	1	87.25	61.5	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	42	2004
29.01.2020 11:27:14	1	1	1	1	87.25	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.75	2004
29.01.2020 11:27:15	1	1	1	1	87.25	61.75	0	29526.066	541.9354839	15784.79602	30000	0	0	30000	42	2004
29.01.2020 11:27:16	1	1	1	1	87.5	62	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
29.01.2020 11:27:17	1	1	1	1	87.5	61.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	41.75	2004
29.01.2020 11:27:18	1	1	1	1	87.5	61.75	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	41.5625	2004
29.01.2020 11:27:19	1	1	1	1	87.5	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.8125	2004
29.01.2020 11:27:20	1	1	1	1	87.5	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004
29.01.2020 11:27:21	1	1	1	1	87.5	61.5	0	29478.673	537.6344086	15810.07257	30000	0	0	30000	41.875	2004
29.01.2020 11:27:22	1	1	1	1	87.5	61.75	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	41.4375	2004
29.01.2020 11:27:24	1	1	1	1	87.5	61.25	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	41.75	2004
29.01.2020 11:27:25	1	1	1	1	87.5	61.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.9375	2004
29.01.2020 11:27:26	1	1	1	1	87.5	61.75	0	29668.246	537.6344086	15911.99413	30000	0	0	30000	42.0625	2004
29.01.2020 11:27:27	1	1	1	1	88	62	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	41.9375	2004
29.01.2020 11:27:28	1	1	1	1	88	61.75	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	42.1875	2004
29.01.2020 11:27:29	1	1	1	1	88	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.75	2004
29.01.2020 11:27:30	1	1	1	1	88	61.75	0	29905.213	516.1290323	15418.69377	30000	0	0	30000	41.9375	2004
29.01.2020 11:27:31	1	1	1	1	88	61.75	0	30000	490.3225806	14991.43859	30000	0	0	30000	41.75	2004
29.01.2020 11:27:32	1	1	1	1	88	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.8125	2004
29.01.2020 11:27:33	1	1	1	1	88	61.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	41.9375	2004
29.01.2020 11:27:34	1	1	1	1	88	61.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	41.9375	2004
29.01.2020 11:27:35	1	1	1	1	88	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.8125	2004
29.01.2020 11:27:36	1	1	1	1	87.75	61.75	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	41.5	2004
29.01.2020 11:27:37	1	1	1	1	87.75	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.875	2004
29.01.2020 11:27:38	1	1	1	1	87.75	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42	2004
29.01.2020 11:27:39	1	1	1	1	87.75	62	0	30000	503.2258065	14750.9037	30000	0	0	30000	41.8125	2004
29.01.2020 11:27:40	1	1	1	1	87.75	61.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.9375	2004
29.01.2020 11:27:41	1	1	1	1	87.75	60.75	0	30000	509.6774194	15225.45049	30000	0	0	30000	41.8125	2004
29.01.2020 11:27:42	1	1	1	1	87.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.625	2004
29.01.2020 11:27:43	1	1	1	1	87.75	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.125	2004
29.01.2020 11:27:44	1	1	1	1	87.75	62	0	30000	505.3763441	15225.45049	30000	0	0	30000	41.5625	2004
29.01.2020 11:27:45	1	1	1	1	87.75	61.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.75	2004
29.01.2020 11:27:46	1	1	1	1	87.5	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.5	2004
29.01.2020 11:27:47	1	1	1	1	87.5	61.5	0	29905.213	486.0215054	14838.14856	30000	0	0	30000	42	2004
29.01.2020 11:27:48	1	1	1	1	87.5	62	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.875	2004
29.01.2020 11:27:55	1	1	1	1	87.5	61.5	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.875	2004
29.01.2020 11:27:55	1	1	1	1	87.5	61.5	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.875	2004
29.01.2020 11:27:55	1	1	1	1	87.5	61.5	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.875	2004
29.01.2020 11:27:55	1	1	1	1	87.5	61.5	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.875	2004
29.01.2020 11:27:55	1	1	1	1	87.5	61.5	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:27:55	1	1	1	1	87.5	61.5	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.875	2004
29.01.2020 11:27:55	1	1	1	1	87.5	61.75	0	29905.213	529.0322581	16013.10032	30000	0	0	30000	42	2004
29.01.2020 11:27:56	1	1	1	1	87.75	62	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.8125	2004
29.01.2020 11:27:57	1	1	1	1	87.75	61.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.6875	2004
29.01.2020 11:27:58	1	1	1	1	87.75	61.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.5	2004
29.01.2020 11:27:59	1	1	1	1	87.75	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5625	2004
29.01.2020 11:28:00	1	1	1	1	87.75	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42	2004
29.01.2020 11:28:01	1	1	1	1	87.75	62	0	29478.673	535.483871	15810.07257	30000	0	0	30000	41.75	2004
29.01.2020 11:28:03	1	1	1	1	87.75	61.75	0	29952.607	529.0322581	15910.36338	30000	0	0	30000	41.5	2004
29.01.2020 11:28:04	1	1	1	1	87.75	61.5	0	29715.64	533.3333333	15962.54722	30000	0	0	30000	41.75	2004
29.01.2020 11:28:05	1	1	1	1	87.75	61.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.75	2004
29.01.2020 11:28:06	1	1	1	1	87.75	61.75	0	29620.853	537.6344086	15772.56543	30000	0	0	30000	42.1875	2004
29.01.2020 11:28:07	1	1	1	1	87.5	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.5625	2004
29.01.2020 11:28:08	1	1	1	1	87.5	61.5	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:09	1	1	1	1	87.5	61.25	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	42.1875	2004
29.01.2020 11:28:10	1	1	1	1	87.5	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:11	1	1	1	1	87.5	61.75	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	41.875	2004
29.01.2020 11:28:12	1	1	1	1	87.5	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.875	2004
29.01.2020 11:28:13	1	1	1	1	87.5	61.75	0	30000	529.0322581	16064.46878	30000	0	0	30000	42.125	2004
29.01.2020 11:28:14	1	1	1	1	87.5	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:15	1	1	1	1	87.5	61.75	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.8125	2004
29.01.2020 11:28:16	1	1	1	1	88	61.75	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	42.125	2004
29.01.2020 11:28:17	1	1	1	1	88	62	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	42.0625	2004
29.01.2020 11:28:18	1	1	1	1	88	62	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.75	2004
29.01.2020 11:28:19	1	1	1	1	88	61.75	0	29810.427	535.483871	16026.96165	30000	0	0	30000	42	2004
29.01.2020 11:28:20	1	1	1	1	88	62	0	29526.066	541.9354839	16128.06784	30000	0	0	30000	41.3125	2004
29.01.2020 11:28:21	1	1	1	1	88	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42	2004
29.01.2020 11:28:22	1	1	1	1	88	62	0	29526.066	539.7849462	16307.44979	30000	0	0	30000	42	2004
29.01.2020 11:28:23	1	1	1	1	88	62	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	41.875	2004
29.01.2020 11:28:24	1	1	1	1	88	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004
29.01.2020 11:28:25	1	1	1	1	88	61.5	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	42	2004
29.01.2020 11:28:26	1	1	1	1	87.75	62	0	29763.033	537.6344086	15911.99413	30000	0	0	30000	41.8125	2004
29.01.2020 11:28:27	1	1	1	1	87.75	61.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	42.0625	2004
29.01.2020 11:28:28	1	1	1	1	87.75	62	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.75	2004
29.01.2020 11:28:29	1	1	1	1	87.75	61.75	0	29857.82	535.483871	15795.39586	30000	0	0	30000	42	2004
29.01.2020 11:28:30	1	1	1	1	87.75	62	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	41.8125	2004
29.01.2020 11:28:31	1	1	1	1	87.75	61.75	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	41.875	2004
29.01.2020 11:28:32	1	1	1	1	87.75	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42	2004
29.01.2020 11:28:33	1	1	1	1	87.75	62	0	29905.213	535.483871	15987.82377	30000	0	0	30000	41.8125	2004
29.01.2020 11:28:34	1	1	1	1	87.75	61.75	0	30000	522.5806452	15741.58128	30000	0	0	30000	42.125	2004
29.01.2020 11:28:35	1	1	1	1	87.75	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42	2004
29.01.2020 11:28:36	1	1	1	1	88	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:37	1	1	1	1	88	61.75	0	30000	524.7311828	15934.82456	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:28:38	1	1	1	1	88	61.5	0	30000	511.827957	15289.86492	30000	0	0	30000	42.0625	2004
29.01.2020 11:28:40	1	1	1	1	88	62	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.8125	2004
29.01.2020 11:28:41	1	1	1	1	88	61.75	0	30000	526.8817204	15870.41013	30000	0	0	30000	41.625	2004
29.01.2020 11:28:42	1	1	1	1	88	61.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	42	2004
29.01.2020 11:28:43	1	1	1	1	88	62	0	30047.393	526.8817204	15805.99571	30000	0	0	30000	41.8125	2004
29.01.2020 11:28:44	1	1	1	1	88	61.75	0	30000	533.3333333	15870.41013	30000	0	0	30000	42.3125	2004
29.01.2020 11:28:45	1	1	1	1	88	62.25	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	42.25	2004
29.01.2020 11:28:46	1	1	1	1	88	62.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	42.125	2004
29.01.2020 11:28:47	1	1	1	1	88.5	62	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	41.75	2004
29.01.2020 11:28:48	1	1	1	1	88.5	61.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.75	2004
29.01.2020 11:28:49	1	1	1	1	88.5	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.1875	2004
29.01.2020 11:28:50	1	1	1	1	88.5	62	0	29526.066	535.483871	15810.07257	30000	0	0	30000	42.1875	2004
29.01.2020 11:28:56	1	1	1	1	88.5	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:56	1	1	1	1	88.5	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:56	1	1	1	1	88.5	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:56	1	1	1	1	88.5	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:56	1	1	1	1	88.5	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:56	1	1	1	1	88.5	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.9375	2004
29.01.2020 11:28:57	1	1	1	1	88.5	61.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	42.125	2004
29.01.2020 11:28:58	1	1	1	1	88.5	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.75	2004
29.01.2020 11:28:59	1	1	1	1	88.5	61.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41.875	2004
29.01.2020 11:29:00	1	1	1	1	88.5	61.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.0625	2004
29.01.2020 11:29:01	1	1	1	1	88.5	62	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.875	2004
29.01.2020 11:29:02	1	1	1	1	88.5	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.9375	2004
29.01.2020 11:29:03	1	1	1	1	88.5	61.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	41.625	2004
29.01.2020 11:29:04	1	1	1	1	88.5	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:05	1	1	1	1	88.5	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.125	2004
29.01.2020 11:29:06	1	1	1	1	88.75	62	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	42	2004
29.01.2020 11:29:07	1	1	1	1	88.75	62	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	42	2004
29.01.2020 11:29:08	1	1	1	1	88.75	62	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41.9375	2004
29.01.2020 11:29:09	1	1	1	1	88.75	61.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.0625	2004
29.01.2020 11:29:10	1	1	1	1	88.75	62	0	29905.213	529.0322581	16000.05436	30000	0	0	30000	41.875	2004
29.01.2020 11:29:11	1	1	1	1	88.75	61.75	0	30000	526.8817204	15523.87682	30000	0	0	30000	41.375	2004
29.01.2020 11:29:12	1	1	1	1	88.75	61.25	0	29952.607	520.4301075	15741.58128	30000	0	0	30000	42.125	2004
29.01.2020 11:29:13	1	1	1	1	88.75	62	0	29857.82	529.0322581	16013.10032	30000	0	0	30000	41.625	2004
29.01.2020 11:29:14	1	1	1	1	88.75	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.4375	2004
29.01.2020 11:29:15	1	1	1	1	88.75	61.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.75	2004
29.01.2020 11:29:16	1	1	1	1	88.25	61.75	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	41.75	2004
29.01.2020 11:29:17	1	1	1	1	88.25	61.75	0	29383.886	546.2365591	16075.884	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:19	1	1	1	1	88.25	62	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.125	2004
29.01.2020 11:29:20	1	1	1	1	88.25	62	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.125	2004
29.01.2020 11:29:21	1	1	1	1	88.25	62	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:22	1	1	1	1	88.25	62	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:29:23	1	1	1	1	88.25	62	0	29715.64	544.0860215	16103.60666	30000	0	0	30000	42.0625	2004
29.01.2020 11:29:24	1	1	1	1	88.25	62	0	29431.28	544.0860215	16291.95771	30000	0	0	30000	42.375	2004
29.01.2020 11:29:25	1	1	1	1	88.25	62.25	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	41.875	2004
29.01.2020 11:29:26	1	1	1	1	88.25	61.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:27	1	1	1	1	89	62	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.125	2004
29.01.2020 11:29:28	1	1	1	1	89	62	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:29	1	1	1	1	89	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.0625	2004
29.01.2020 11:29:30	1	1	1	1	89	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.5625	2004
29.01.2020 11:29:31	1	1	1	1	89	61.5	0	29241.706	550.5376344	15909.54801	30000	0	0	30000	42.0625	2004
29.01.2020 11:29:32	1	1	1	1	89	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.0625	2004
29.01.2020 11:29:33	1	1	1	1	89	62	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.9375	2004
29.01.2020 11:29:34	1	1	1	1	89	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:35	1	1	1	1	89	62	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	42	2004
29.01.2020 11:29:36	1	1	1	1	88.5	62	0	29052.133	552.688172	16082.40698	30000	0	0	30000	41.5	2004
29.01.2020 11:29:37	1	1	1	1	88.5	61.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:38	1	1	1	1	88.5	62	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.875	2004
29.01.2020 11:29:39	1	1	1	1	88.5	61.75	0	29241.706	550.5376344	16250.37371	30000	0	0	30000	42	2004
29.01.2020 11:29:40	1	1	1	1	88.5	62	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:41	1	1	1	1	88.5	62	0	28862.559	550.5376344	16004.13122	30000	0	0	30000	41.875	2004
29.01.2020 11:29:42	1	1	1	1	88.5	61.75	0	29336.493	550.5376344	16098.71443	30000	0	0	30000	42.3125	2004
29.01.2020 11:29:43	1	1	1	1	88.5	62.25	0	28815.166	552.688172	15951.94738	30000	0	0	30000	42	2004
29.01.2020 11:29:44	1	1	1	1	88.5	62	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	41.375	2004
29.01.2020 11:29:45	1	1	1	1	88.5	61.25	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:46	1	1	1	1	89	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.8125	2004
29.01.2020 11:29:47	1	1	1	1	89	61.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.3125	2004
29.01.2020 11:29:48	1	1	1	1	89	62.25	0	29146.919	552.688172	16046.53059	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:49	1	1	1	1	89	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:50	1	1	1	1	89	62	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.9375	2004
29.01.2020 11:29:51	1	1	1	1	89	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42	2004
29.01.2020 11:29:58	1	1	1	1	89	61.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:58	1	1	1	1	89	61.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:58	1	1	1	1	89	61.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:58	1	1	1	1	89	61.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:58	1	1	1	1	89	61.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
29.01.2020 11:29:59	1	1	1	1	89	62	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.25	2004
29.01.2020 11:30:00	1	1	1	1	89	62.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.375	2004
29.01.2020 11:30:01	1	1	1	1	89	62.25	0	29146.919	552.688172	16082.40698	30000	0	0	30000	42	2004
29.01.2020 11:30:02	1	1	1	1	89	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:03	1	1	1	1	89	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:04	1	1	1	1	89	62	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:05	1	1	1	1	89	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.25	2004
29.01.2020 11:30:06	1	1	1	1	89.5	62.25	0	28862.559	550.5376344	15765.22708	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:30:07	1	1	1	1	89.5	62	0	29099.526	552.688172	16082.40698	30000	0	0	30000	42	2004
29.01.2020 11:30:08	1	1	1	1	89.5	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.25	2004
29.01.2020 11:30:09	1	1	1	1	89.5	62.25	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	42.0625	2004
29.01.2020 11:30:10	1	1	1	1	89.5	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.375	2004
29.01.2020 11:30:11	1	1	1	1	89.5	62.25	0	29052.133	561.2903226	16004.13122	30000	0	0	30000	41.8125	2004
29.01.2020 11:30:12	1	1	1	1	89.5	61.75	0	29099.526	550.5376344	15806.81108	30000	0	0	30000	42	2004
29.01.2020 11:30:13	1	1	1	1	89.5	62	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.125	2004
29.01.2020 11:30:14	1	1	1	1	89.5	62	0	28957.346	548.3870968	15879.37923	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:15	1	1	1	1	89.5	62	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:16	1	1	1	1	89	62	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.125	2004
29.01.2020 11:30:17	1	1	1	1	89	62	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:18	1	1	1	1	89	62	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
29.01.2020 11:30:19	1	1	1	1	89	61.25	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	42.25	2004
29.01.2020 11:30:20	1	1	1	1	89	62.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:21	1	1	1	1	89	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.3125	2004
29.01.2020 11:30:22	1	1	1	1	89	62.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.3125	2004
29.01.2020 11:30:23	1	1	1	1	89	62.25	0	29099.526	544.0860215	15894.87131	30000	0	0	30000	41.9375	2004
29.01.2020 11:30:24	1	1	1	1	89	61.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	42	2004
29.01.2020 11:30:25	1	1	1	1	89	62	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.75	2004
29.01.2020 11:30:26	1	1	1	1	89.25	61.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	42.0625	2004
29.01.2020 11:30:27	1	1	1	1	89.25	62	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	42.125	2004
29.01.2020 11:30:28	1	1	1	1	89.25	62	0	29146.919	546.2365591	15894.87131	30000	0	0	30000	42.25	2004
29.01.2020 11:30:29	1	1	1	1	89.25	62.25	0	29289.1	539.7849462	15960.91648	30000	0	0	30000	41.9375	2004
29.01.2020 11:30:30	1	1	1	1	89.25	61.75	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	42.0625	2004
29.01.2020 11:30:31	1	1	1	1	89.25	62	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.0625	2004
29.01.2020 11:30:32	1	1	1	1	89.25	62	0	29289.1	552.688172	15972.33169	30000	0	0	30000	42.125	2004
29.01.2020 11:30:34	1	1	1	1	89.25	62	0	29431.28	546.2365591	16075.884	30000	0	0	30000	42.125	2004
29.01.2020 11:30:35	1	1	1	1	89.25	62	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:36	1	1	1	1	89.25	62	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:37	1	1	1	1	88.75	62	0	29052.133	554.8387097	16234.06626	30000	0	0	30000	42.375	2004
29.01.2020 11:30:38	1	1	1	1	88.75	62.25	0	29241.706	541.9354839	15607.04482	30000	0	0	30000	42.4375	2004
29.01.2020 11:30:39	1	1	1	1	88.75	62.25	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	41.9375	2004
29.01.2020 11:30:40	1	1	1	1	88.75	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5	2004
29.01.2020 11:30:41	1	1	1	1	88.75	62.5	0	29431.28	550.5376344	16024.51553	30000	0	0	30000	42.125	2004
29.01.2020 11:30:42	1	1	1	1	88.75	62	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	42.25	2004
29.01.2020 11:30:43	1	1	1	1	88.75	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:44	1	1	1	1	88.75	62	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	42.25	2004
29.01.2020 11:30:45	1	1	1	1	88.75	62.25	0	29241.706	546.2365591	16150.89827	30000	0	0	30000	41.9375	2004
29.01.2020 11:30:46	1	1	1	1	88.75	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.3125	2004
29.01.2020 11:30:47	1	1	1	1	88.75	62.25	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	42.25	2004
29.01.2020 11:30:48	1	1	1	1	88.75	62.25	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:49	1	1	1	1	88.75	62	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	42.1875	2004
29.01.2020 11:30:50	1	1	1	1	88.75	62	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:30:51	1	1	1	1	88.75	62	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42	2004
29.01.2020 11:30:52	1	1	1	1	88.75	62	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.125	2004
29.01.2020 11:30:53	1	1	1	1	88.75	62	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	42.1875	2004
29.01.2020 11:31:00	1	1	1	1	88.25	62.25	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	42.25	2004
29.01.2020 11:31:00	1	1	1	1	88.25	62.25	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	42.25	2004
29.01.2020 11:31:00	1	1	1	1	88.25	62.25	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	42.25	2004
29.01.2020 11:31:00	1	1	1	1	88.25	62.25	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	42.25	2004
29.01.2020 11:31:00	1	1	1	1	88.25	62.25	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	42.25	2004
29.01.2020 11:31:00	1	1	1	1	88.25	62.25	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	42.25	2004
29.01.2020 11:31:00	1	1	1	1	88.25	62.25	0	29289.1	548.3870968	16061.20729	30000	0	0	30000	42.125	2004
29.01.2020 11:31:01	1	1	1	1	88.25	62	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	42.375	2004
29.01.2020 11:31:02	1	1	1	1	88.25	62.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:03	1	1	1	1	88.25	62.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	42.1875	2004
29.01.2020 11:31:04	1	1	1	1	88.25	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:05	1	1	1	1	88.25	62.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	42.25	2004
29.01.2020 11:31:06	1	1	1	1	88.75	62.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:07	1	1	1	1	88.75	62.25	0	29526.066	541.9354839	16052.2382	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:08	1	1	1	1	88.75	62.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.9375	2004
29.01.2020 11:31:09	1	1	1	1	88.75	61.75	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	42.375	2004
29.01.2020 11:31:10	1	1	1	1	88.75	62.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.1875	2004
29.01.2020 11:31:11	1	1	1	1	88.75	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.0625	2004
29.01.2020 11:31:12	1	1	1	1	88.75	62	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	42.25	2004
29.01.2020 11:31:14	1	1	1	1	88.75	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.5	2004
29.01.2020 11:31:15	1	1	1	1	88.75	62.5	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	42.4375	2004
29.01.2020 11:31:16	1	1	1	1	88.75	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.4375	2004
29.01.2020 11:31:17	1	1	1	1	88.5	62.25	0	29146.919	541.9354839	16035.11538	30000	0	0	30000	42.0625	2004
29.01.2020 11:31:18	1	1	1	1	88.5	62	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	42.375	2004
29.01.2020 11:31:19	1	1	1	1	88.5	62.25	0	29099.526	539.7849462	15983.74691	30000	0	0	30000	42.5625	2004
29.01.2020 11:31:20	1	1	1	1	88.5	62.5	0	29099.526	544.0860215	15894.87131	30000	0	0	30000	42.5625	2004
29.01.2020 11:31:21	1	1	1	1	88.5	62.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	42.25	2004
29.01.2020 11:31:22	1	1	1	1	88.5	62.25	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	42.375	2004
29.01.2020 11:31:23	1	1	1	1	88.5	62.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:24	1	1	1	1	88.5	62.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:25	1	1	1	1	88.5	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.125	2004
29.01.2020 11:31:26	1	1	1	1	88.25	62	0	30000	492.4731183	15079.49882	30000	0	0	30000	42.1875	2004
29.01.2020 11:31:27	1	1	1	1	88.25	62	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.25	2004
29.01.2020 11:31:28	1	1	1	1	88.25	62.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.1875	2004
29.01.2020 11:31:29	1	1	1	1	88.25	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:30	1	1	1	1	88.25	62.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	42.0625	2004
29.01.2020 11:31:31	1	1	1	1	88.25	62	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.1875	2004
29.01.2020 11:31:32	1	1	1	1	88.25	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.0625	2004
29.01.2020 11:31:33	1	1	1	1	88.25	62	0	30000	516.1290323	15548.338	30000	0	0	30000	42.25	2004
29.01.2020 11:31:34	1	1	1	1	88.25	62.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:31:35	1	1	1	1	88.25	62	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.625	2004
29.01.2020 11:31:36	1	1	1	1	88.5	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:37	1	1	1	1	88.5	62.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:38	1	1	1	1	88.5	62.25	0	30000	511.827957	15289.86492	30000	0	0	30000	42.0625	2004
29.01.2020 11:31:39	1	1	1	1	88.5	62	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.125	2004
29.01.2020 11:31:40	1	1	1	1	88.5	61	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.8125	2004
29.01.2020 11:31:41	1	1	1	1	88.5	61.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	42.25	2004
29.01.2020 11:31:42	1	1	1	1	88.5	62.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.625	2004
29.01.2020 11:31:43	1	1	1	1	88.5	61.5	0	30142.18	488.172043	14714.21194	30000	0	0	30000	42.4375	2004
29.01.2020 11:31:44	1	1	1	1	88.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:45	1	1	1	1	88.5	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.0625	2004
29.01.2020 11:31:46	1	1	1	1	88.25	62	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42.25	2004
29.01.2020 11:31:47	1	1	1	1	88.25	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.25	2004
29.01.2020 11:31:48	1	1	1	1	88.25	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.375	2004
29.01.2020 11:31:49	1	1	1	1	88.25	62.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	42.4375	2004
29.01.2020 11:31:50	1	1	1	1	88.25	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.25	2004
29.01.2020 11:31:51	1	1	1	1	88.25	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
29.01.2020 11:31:52	1	1	1	1	88.25	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:53	1	1	1	1	88.25	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.3125	2004
29.01.2020 11:31:55	1	1	1	1	88.25	62.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:01	1	1	1	1	88.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:01	1	1	1	1	88.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:01	1	1	1	1	88.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:01	1	1	1	1	88.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:01	1	1	1	1	88.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:01	1	1	1	1	88.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:01	1	1	1	1	88.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:01	1	1	1	1	88.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:02	1	1	1	1	88.5	62.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.8125	2004
29.01.2020 11:32:03	1	1	1	1	88.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.25	2004
29.01.2020 11:32:04	1	1	1	1	88.5	62.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.125	2004
29.01.2020 11:32:05	1	1	1	1	88.5	62	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.75	2004
29.01.2020 11:32:06	1	1	1	1	88.5	61.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:07	1	1	1	1	88.5	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
29.01.2020 11:32:08	1	1	1	1	88.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
29.01.2020 11:32:09	1	1	1	1	88.5	61.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.375	2004
29.01.2020 11:32:10	1	1	1	1	88.5	62.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 11:32:11	1	1	1	1	88.5	62	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.75	2004
29.01.2020 11:32:12	1	1	1	1	88.5	61.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.1875	2004
29.01.2020 11:32:13	1	1	1	1	88.5	62	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
29.01.2020 11:32:14	1	1	1	1	88.5	61.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	42.4375	2004
29.01.2020 11:32:15	1	1	1	1	88.5	62.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:16	1	1	1	1	88.25	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
29.01.2020 11:32:17	1	1	1	1	88.25	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.8125	2004
29.01.2020 11:32:18	1	1	1	1	88.25	61.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:32:19	1	1	1	1	88.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.8125	2004
29.01.2020 11:32:20	1	1	1	1	88.25	61.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.25	2004
29.01.2020 11:32:21	1	1	1	1	88.25	62.25	0	30000	389.2473118	11382.59995	30000	0	0	30000	42	2004
29.01.2020 11:32:22	1	1	1	1	88.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:23	1	1	1	1	88.25	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:24	1	1	1	1	88.25	62.25	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	42.375	2004
29.01.2020 11:32:25	1	1	1	1	88.25	62.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.1875	2004
29.01.2020 11:32:26	1	1	1	1	88	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.25	2004
29.01.2020 11:32:27	1	1	1	1	88	62.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42.0625	2004
29.01.2020 11:32:28	1	1	1	1	88	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:29	1	1	1	1	88	62.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
29.01.2020 11:32:30	1	1	1	1	88	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.4375	2004
29.01.2020 11:32:31	1	1	1	1	88	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.75	2004
29.01.2020 11:32:32	1	1	1	1	88	61.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:33	1	1	1	1	88	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.25	2004
29.01.2020 11:32:34	1	1	1	1	88	62.25	0	29952.607	415.0537634	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 11:32:36	1	1	1	1	88	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
29.01.2020 11:32:37	1	1	1	1	88	62	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.875	2004
29.01.2020 11:32:38	1	1	1	1	88	61.75	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	42.375	2004
29.01.2020 11:32:39	1	1	1	1	88	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 11:32:40	1	1	1	1	88	62.25	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 11:32:41	1	1	1	1	88	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 11:32:42	1	1	1	1	88	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 11:32:43	1	1	1	1	88	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
29.01.2020 11:32:44	1	1	1	1	88	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 11:32:45	1	1	1	1	88	62	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 11:32:46	1	1	1	1	88	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
29.01.2020 11:32:47	1	1	1	1	88	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 11:32:48	1	1	1	1	88	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 11:32:49	1	1	1	1	88	62.25	0	30000	412.9032258	12174.32664	30000	0	0	30000	41.875	2004
29.01.2020 11:32:50	1	1	1	1	88	61.75	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.125	2004
29.01.2020 11:32:51	1	1	1	1	88	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 11:32:52	1	1	1	1	88	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 11:32:53	1	1	1	1	88	61.75	0	30000	395.6989247	11954.17607	30000	0	0	30000	42.5	2004
29.01.2020 11:32:54	1	1	1	1	88	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.875	2004
29.01.2020 11:32:55	1	1	1	1	88	61.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.9375	2004
29.01.2020 11:32:56	1	1	1	1	88	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5	2004
29.01.2020 11:33:03	1	1	1	1	88	62	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.5	2004
29.01.2020 11:33:03	1	1	1	1	88	62	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.5	2004
29.01.2020 11:33:03	1	1	1	1	88	62	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.5	2004
29.01.2020 11:33:03	1	1	1	1	88	62	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.5	2004
29.01.2020 11:33:03	1	1	1	1	88	62	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.5	2004
29.01.2020 11:33:03	1	1	1	1	88	62	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:33:03	1	1	1	1	88	62.5	0	30000	458.0645161	13677.05814	30000	0	0	30000	42	2004
29.01.2020 11:33:04	1	1	1	1	88	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.125	2004
29.01.2020 11:33:05	1	1	1	1	88	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.4375	2004
29.01.2020 11:33:06	1	1	1	1	87.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
29.01.2020 11:33:07	1	1	1	1	87.75	62	0	30000	464.516129	13999.94564	30000	0	0	30000	42.0625	2004
29.01.2020 11:33:08	1	1	1	1	87.75	62	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	41.6875	2004
29.01.2020 11:33:09	1	1	1	1	87.75	61.5	0	30000	470.9677419	13977.93058	30000	0	0	30000	42.4375	2004
29.01.2020 11:33:10	1	1	1	1	87.75	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.75	2004
29.01.2020 11:33:11	1	1	1	1	87.75	61.75	0	30000	481.7204301	14580.49085	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:12	1	1	1	1	87.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
29.01.2020 11:33:13	1	1	1	1	87.75	61.75	0	30047.393	464.516129	13957.54627	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:14	1	1	1	1	87.75	62	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:16	1	1	1	1	87.75	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:17	1	1	1	1	87.75	62	0	29905.213	453.7634409	13741.47256	30000	0	0	30000	42.5	2004
29.01.2020 11:33:18	1	1	1	1	87.75	62.5	0	30000	466.6666667	13805.88699	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:19	1	1	1	1	87.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 11:33:20	1	1	1	1	87.75	62.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.4375	2004
29.01.2020 11:33:21	1	1	1	1	87.75	62.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
29.01.2020 11:33:22	1	1	1	1	87.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 11:33:23	1	1	1	1	87.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 11:33:24	1	1	1	1	87.75	62.25	0	30047.393	488.172043	14644.90528	30000	0	0	30000	41.8125	2004
29.01.2020 11:33:25	1	1	1	1	87.75	61.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:26	1	1	1	1	87.75	62.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	41.25	2004
29.01.2020 11:33:27	1	1	1	1	87.75	61.25	0	29952.607	503.2258065	15225.45049	30000	0	0	30000	41.875	2004
29.01.2020 11:33:28	1	1	1	1	87.75	61.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.5625	2004
29.01.2020 11:33:29	1	1	1	1	87.75	62.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.25	2004
29.01.2020 11:33:30	1	1	1	1	87.75	62.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.0625	2004
29.01.2020 11:33:31	1	1	1	1	87.75	62	0	30047.393	509.6774194	15225.45049	30000	0	0	30000	41.9375	2004
29.01.2020 11:33:32	1	1	1	1	87.75	61.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.6875	2004
29.01.2020 11:33:33	1	1	1	1	87.75	61.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.3125	2004
29.01.2020 11:33:34	1	1	1	1	87.75	62.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	42.375	2004
29.01.2020 11:33:35	1	1	1	1	87.75	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.3125	2004
29.01.2020 11:33:36	1	1	1	1	88	62.25	0	30000	516.1290323	15701.62803	30000	0	0	30000	42.0625	2004
29.01.2020 11:33:37	1	1	1	1	88	62	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.625	2004
29.01.2020 11:33:38	1	1	1	1	88	62.5	0	30000	520.4301075	15548.338	30000	0	0	30000	42.4375	2004
29.01.2020 11:33:39	1	1	1	1	88	62.25	0	30000	516.1290323	15548.338	30000	0	0	30000	42.5	2004
29.01.2020 11:33:40	1	1	1	1	88	62.5	0	30000	516.1290323	15548.338	30000	0	0	30000	42.0625	2004
29.01.2020 11:33:41	1	1	1	1	88	62	0	29952.607	507.5268817	15354.27935	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:42	1	1	1	1	88	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
29.01.2020 11:33:43	1	1	1	1	88	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:44	1	1	1	1	88	62	0	30000	526.8817204	15870.41013	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:45	1	1	1	1	88	62	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.4375	2004
29.01.2020 11:33:46	1	1	1	1	87.75	62.25	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:33:47	1	1	1	1	87.75	62	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	42.375	2004
29.01.2020 11:33:48	1	1	1	1	87.75	62.25	0	29573.46	535.483871	15861.44103	30000	0	0	30000	42.5625	2004
29.01.2020 11:33:49	1	1	1	1	87.75	62.5	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	42.625	2004
29.01.2020 11:33:50	1	1	1	1	87.75	62.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.3125	2004
29.01.2020 11:33:51	1	1	1	1	87.75	62.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	42.1875	2004
29.01.2020 11:33:52	1	1	1	1	87.75	62	0	29810.427	544.0860215	16167.20572	30000	0	0	30000	42.5	2004
29.01.2020 11:33:53	1	1	1	1	87.75	62.5	0	29620.853	541.9354839	16013.91569	30000	0	0	30000	42.5	2004
29.01.2020 11:33:55	1	1	1	1	87.75	62.5	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	42.0625	2004
29.01.2020 11:33:56	1	1	1	1	87.75	62	0	29336.493	535.483871	15898.1328	30000	0	0	30000	42	2004
29.01.2020 11:33:57	1	1	1	1	88	62	0	29383.886	537.6344086	15949.50126	30000	0	0	30000	42.625	2004
29.01.2020 11:33:58	1	1	1	1	88	62.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	42.4375	2004
29.01.2020 11:34:04	1	1	1	1	88	62.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.375	2004
29.01.2020 11:34:04	1	1	1	1	88	62.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.375	2004
29.01.2020 11:34:04	1	1	1	1	88	62.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.375	2004
29.01.2020 11:34:04	1	1	1	1	88	62.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.375	2004
29.01.2020 11:34:04	1	1	1	1	88	62.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.375	2004
29.01.2020 11:34:04	1	1	1	1	88	62.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.375	2004
29.01.2020 11:34:05	1	1	1	1	88	62.25	0	29526.066	533.3333333	15925.04009	30000	0	0	30000	41.625	2004
29.01.2020 11:34:06	1	1	1	1	87.5	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.6875	2004
29.01.2020 11:34:07	1	1	1	1	87.5	61.5	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	42.5625	2004
29.01.2020 11:34:08	1	1	1	1	87.5	62.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.5	2004
29.01.2020 11:34:09	1	1	1	1	87.5	62.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	42	2004
29.01.2020 11:34:10	1	1	1	1	87.5	62	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	42.5	2004
29.01.2020 11:34:11	1	1	1	1	87.5	62.5	0	29478.673	548.3870968	16139.48305	30000	0	0	30000	42.4375	2004
29.01.2020 11:34:12	1	1	1	1	87.5	62.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.125	2004
29.01.2020 11:34:13	1	1	1	1	87.5	62	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	42	2004
29.01.2020 11:34:14	1	1	1	1	87.5	62	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.375	2004
29.01.2020 11:34:15	1	1	1	1	87.5	62.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	42.375	2004
29.01.2020 11:34:16	1	1	1	1	88.25	62.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	42.25	2004
29.01.2020 11:34:17	1	1	1	1	88.25	62.25	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	42.625	2004
29.01.2020 11:34:18	1	1	1	1	88.25	62.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.875	2004
29.01.2020 11:34:19	1	1	1	1	88.25	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.4375	2004
29.01.2020 11:34:20	1	1	1	1	88.25	62.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	42.6875	2004
29.01.2020 11:34:21	1	1	1	1	88.25	62.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.625	2004
29.01.2020 11:34:22	1	1	1	1	88.25	62.5	0	29478.673	535.483871	15810.07257	30000	0	0	30000	42.375	2004
29.01.2020 11:34:23	1	1	1	1	88.25	62.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.5625	2004
29.01.2020 11:34:24	1	1	1	1	88.25	62.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.3125	2004
29.01.2020 11:34:25	1	1	1	1	88.25	62.25	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	42.375	2004
29.01.2020 11:34:26	1	1	1	1	88	62.25	0	29810.427	535.483871	15911.99413	30000	0	0	30000	42.3125	2004
29.01.2020 11:34:27	1	1	1	1	88	62.25	0	29810.427	535.483871	15911.99413	30000	0	0	30000	41.875	2004
29.01.2020 11:34:28	1	1	1	1	88	61.75	0	29715.64	537.6344086	16026.96165	30000	0	0	30000	41.875	2004
29.01.2020 11:34:29	1	1	1	1	88	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.3125	2004
29.01.2020 11:34:30	1	1	1	1	88	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:34:31	1	1	1	1	88	62	0	30047.393	539.7849462	16000.05436	30000	0	0	30000	42.375	2004
29.01.2020 11:34:32	1	1	1	1	88	62.25	0	29905.213	524.7311828	16000.05436	30000	0	0	30000	42.5625	2004
29.01.2020 11:34:34	1	1	1	1	88	62.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	42.5625	2004
29.01.2020 11:34:37	1	1	1	1	88.25	62	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	41.75	2004
29.01.2020 11:34:37	1	1	1	1	88.25	62	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	41.75	2004
29.01.2020 11:34:37	1	1	1	1	88.25	62	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	41.75	2004
29.01.2020 11:34:38	1	1	1	1	88.25	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.625	2004
29.01.2020 11:34:39	1	1	1	1	88.25	62.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.6875	2004
29.01.2020 11:34:40	1	1	1	1	88.25	62.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.5	2004
29.01.2020 11:34:41	1	1	1	1	88.25	62.5	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	42.75	2004
29.01.2020 11:34:42	1	1	1	1	88.25	62.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.375	2004
29.01.2020 11:34:43	1	1	1	1	88.25	62.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	42.8125	2004
29.01.2020 11:34:44	1	1	1	1	88.25	62.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	42.5	2004
29.01.2020 11:34:45	1	1	1	1	88.25	62.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	42.375	2004
29.01.2020 11:34:46	1	1	1	1	88.5	62.25	0	29620.853	541.9354839	16103.60666	30000	0	0	30000	42.625	2004
29.01.2020 11:34:47	1	1	1	1	88.5	62.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.625	2004
29.01.2020 11:34:48	1	1	1	1	88.5	62.5	0	29668.246	535.483871	16013.91569	30000	0	0	30000	42.25	2004
29.01.2020 11:34:49	1	1	1	1	88.5	62.25	0	29763.033	541.9354839	16154.97513	30000	0	0	30000	42.5	2004
29.01.2020 11:34:50	1	1	1	1	88.5	62.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.5625	2004
29.01.2020 11:34:51	1	1	1	1	88.5	62.5	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	42.1875	2004
29.01.2020 11:34:52	1	1	1	1	88.5	62	0	29336.493	539.7849462	15898.1328	30000	0	0	30000	41.9375	2004
29.01.2020 11:34:53	1	1	1	1	88.5	61.75	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	42.375	2004
29.01.2020 11:34:54	1	1	1	1	88.5	62.25	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	42.5625	2004
29.01.2020 11:34:55	1	1	1	1	88.5	62.5	0	29526.066	541.9354839	16038.37687	30000	0	0	30000	42.5625	2004
29.01.2020 11:34:56	1	1	1	1	87.75	62.5	0	29478.673	546.2365591	16229.17403	30000	0	0	30000	42.5625	2004
29.01.2020 11:34:57	1	1	1	1	87.75	62.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.5	2004
29.01.2020 11:34:58	1	1	1	1	87.75	62.5	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	42.375	2004
29.01.2020 11:34:59	1	1	1	1	87.75	62.25	0	29810.427	550.5376344	16103.60666	30000	0	0	30000	42.6875	2004
29.01.2020 11:35:06	1	1	1	1	87.75	62.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.5625	2004
29.01.2020 11:35:06	1	1	1	1	87.75	62.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.5625	2004
29.01.2020 11:35:06	1	1	1	1	87.75	62.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.5625	2004
29.01.2020 11:35:06	1	1	1	1	87.75	62.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.5625	2004
29.01.2020 11:35:06	1	1	1	1	87.75	62.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.5625	2004
29.01.2020 11:35:06	1	1	1	1	87.75	62.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.5625	2004
29.01.2020 11:35:06	1	1	1	1	87.5	62.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.4375	2004
29.01.2020 11:35:07	1	1	1	1	87.5	62.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	42.8125	2004
29.01.2020 11:35:08	1	1	1	1	87.5	62.75	0	29241.706	552.688172	16161.49811	30000	0	0	30000	42.5	2004
29.01.2020 11:35:10	1	1	1	1	87.5	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.1875	2004
29.01.2020 11:35:11	1	1	1	1	87.5	62	0	29336.493	539.7849462	15987.0084	30000	0	0	30000	42.625	2004
29.01.2020 11:35:12	1	1	1	1	87.5	62.5	0	28909.953	546.2365591	15765.22708	30000	0	0	30000	42.625	2004
29.01.2020 11:35:13	1	1	1	1	87.5	62.5	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	42.4375	2004
29.01.2020 11:35:14	1	1	1	1	87.5	62.25	0	29052.133	546.2365591	16046.53059	30000	0	0	30000	42.8125	2004
29.01.2020 11:35:15	1	1	1	1	87.5	62.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:35:16	1	1	1	1	87.5	61.5	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	42.5	2004
29.01.2020 11:35:17	1	1	1	1	87	62.5	0	29478.673	546.2365591	16191.66689	30000	0	0	30000	42.125	2004
29.01.2020 11:35:18	1	1	1	1	87	62	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.9375	2004
29.01.2020 11:35:19	1	1	1	1	87	62.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	42.6875	2004
29.01.2020 11:35:20	1	1	1	1	87	62.5	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	42.375	2004
29.01.2020 11:35:21	1	1	1	1	87	62.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	42.5	2004
29.01.2020 11:35:22	1	1	1	1	87	62.5	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	42.625	2004
29.01.2020 11:35:23	1	1	1	1	87	62.5	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	42.6875	2004
29.01.2020 11:35:24	1	1	1	1	87	62.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	42.5	2004
29.01.2020 11:35:25	1	1	1	1	87	62.5	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	42.375	2004
29.01.2020 11:35:26	1	1	1	1	87.75	62.25	0	29289.1	537.6344086	15898.1328	30000	0	0	30000	42.6875	2004
29.01.2020 11:35:27	1	1	1	1	87.75	62.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	42.5	2004
29.01.2020 11:35:28	1	1	1	1	87.75	62.5	0	29336.493	548.3870968	15935.63993	30000	0	0	30000	42.625	2004
29.01.2020 11:35:29	1	1	1	1	87.75	62.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	42.5625	2004
29.01.2020 11:35:30	1	1	1	1	87.75	62.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.5	2004
29.01.2020 11:35:31	1	1	1	1	87.75	62.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	42.3125	2004
29.01.2020 11:35:32	1	1	1	1	87.75	62.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.625	2004
29.01.2020 11:35:33	1	1	1	1	87.75	62.5	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	42.4375	2004
29.01.2020 11:35:34	1	1	1	1	87.75	62.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.625	2004
29.01.2020 11:35:35	1	1	1	1	87.75	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.5	2004
29.01.2020 11:35:36	1	1	1	1	88	62.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.3125	2004
29.01.2020 11:35:37	1	1	1	1	88	62.25	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	42.625	2004
29.01.2020 11:35:38	1	1	1	1	88	62.5	0	29620.853	544.0860215	15963.3626	30000	0	0	30000	42.625	2004
29.01.2020 11:35:39	1	1	1	1	88	62.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.6875	2004
29.01.2020 11:35:40	1	1	1	1	88	62.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.25	2004
29.01.2020 11:35:41	1	1	1	1	88	62.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	42.6875	2004
29.01.2020 11:35:42	1	1	1	1	88	62.5	0	29289.1	548.3870968	15909.54801	30000	0	0	30000	42.5	2004
29.01.2020 11:35:43	1	1	1	1	88	62.5	0	29431.28	541.9354839	16101.97592	30000	0	0	30000	42.6875	2004
29.01.2020 11:35:44	1	1	1	1	88	62.5	0	29289.1	544.0860215	15998.42361	30000	0	0	30000	42.625	2004
29.01.2020 11:35:45	1	1	1	1	88	62.5	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	42.75	2004
29.01.2020 11:35:46	1	1	1	1	88	62.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	42.375	2004
29.01.2020 11:35:48	1	1	1	1	88	62.25	0	29383.886	546.2365591	15835.34912	30000	0	0	30000	42.625	2004
29.01.2020 11:35:49	1	1	1	1	88	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.625	2004
29.01.2020 11:35:50	1	1	1	1	88	62.5	0	29431.28	539.7849462	16101.97592	30000	0	0	30000	42.4375	2004
29.01.2020 11:35:51	1	1	1	1	88	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5	2004
29.01.2020 11:35:52	1	1	1	1	88	62.5	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	42.75	2004
29.01.2020 11:35:53	1	1	1	1	88	62.75	0	29241.706	546.2365591	15783.98065	30000	0	0	30000	42.5	2004
29.01.2020 11:35:54	1	1	1	1	88	62.5	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	42.125	2004
29.01.2020 11:35:55	1	1	1	1	88	62	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	43.0625	2004
29.01.2020 11:35:56	1	1	1	1	88	63	0	29431.28	535.483871	16000.86973	30000	0	0	30000	42.3125	2004
29.01.2020 11:35:57	1	1	1	1	88	62.25	0	29336.493	550.5376344	16113.39113	30000	0	0	30000	42.6875	2004
29.01.2020 11:35:58	1	1	1	1	88	62.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.6875	2004
29.01.2020 11:35:59	1	1	1	1	88	62.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:36:00	1	1	1	1	88	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
29.01.2020 11:36:01	1	1	1	1	88	61.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	42.0625	2004
29.01.2020 11:36:08	1	1	1	1	87.75	62.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:08	1	1	1	1	87.75	62.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:08	1	1	1	1	87.75	62.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:08	1	1	1	1	87.75	62.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:08	1	1	1	1	87.75	62.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:08	1	1	1	1	87.75	62.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:08	1	1	1	1	87.75	62.5	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	42.625	2004
29.01.2020 11:36:09	1	1	1	1	87.75	62.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.375	2004
29.01.2020 11:36:10	1	1	1	1	87.75	62.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	42.75	2004
29.01.2020 11:36:11	1	1	1	1	87.75	62.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:12	1	1	1	1	87.75	62.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.3125	2004
29.01.2020 11:36:13	1	1	1	1	87.75	62.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:14	1	1	1	1	87.75	62.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:15	1	1	1	1	87.75	62.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:16	1	1	1	1	87.75	62.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	42.375	2004
29.01.2020 11:36:17	1	1	1	1	87.75	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.5	2004
29.01.2020 11:36:18	1	1	1	1	87.75	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:19	1	1	1	1	87.75	62.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	42	2004
29.01.2020 11:36:20	1	1	1	1	87.75	62	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:21	1	1	1	1	87.75	62.5	0	29952.607	526.8817204	16000.05436	30000	0	0	30000	42.125	2004
29.01.2020 11:36:22	1	1	1	1	87.75	62	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.25	2004
29.01.2020 11:36:23	1	1	1	1	87.75	62.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.75	2004
29.01.2020 11:36:24	1	1	1	1	87.75	61.75	0	29857.82	526.8817204	15885.08684	30000	0	0	30000	42.4375	2004
29.01.2020 11:36:25	1	1	1	1	87.75	62.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:26	1	1	1	1	87.25	62.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.3125	2004
29.01.2020 11:36:28	1	1	1	1	87.25	62.25	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	42.4375	2004
29.01.2020 11:36:29	1	1	1	1	87.25	62.25	0	29383.886	539.7849462	15708.96638	30000	0	0	30000	42.5625	2004
29.01.2020 11:36:30	1	1	1	1	87.25	62.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:31	1	1	1	1	87.25	62.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:32	1	1	1	1	87.25	62.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:33	1	1	1	1	87.25	62.75	0	29573.46	529.0322581	15861.44103	30000	0	0	30000	42.0625	2004
29.01.2020 11:36:34	1	1	1	1	87.25	62	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	42.875	2004
29.01.2020 11:36:35	1	1	1	1	87.25	62.75	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	43.1875	2004
29.01.2020 11:36:36	1	1	1	1	87.25	63	0	29620.853	541.9354839	16040.00761	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:37	1	1	1	1	88	62.75	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	42.375	2004
29.01.2020 11:36:38	1	1	1	1	88	62.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.75	2004
29.01.2020 11:36:39	1	1	1	1	88	62.75	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	42.4375	2004
29.01.2020 11:36:40	1	1	1	1	88	62.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	42.5625	2004
29.01.2020 11:36:41	1	1	1	1	88	62.5	0	29668.246	535.483871	15886.71758	30000	0	0	30000	42.75	2004
29.01.2020 11:36:42	1	1	1	1	88	62.75	0	29905.213	526.8817204	16039.19224	30000	0	0	30000	42.75	2004
29.01.2020 11:36:43	1	1	1	1	88	62.75	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:36:44	1	1	1	1	88	62.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:45	1	1	1	1	88	62.75	0	29857.82	535.483871	16232.43552	30000	0	0	30000	41.9375	2004
29.01.2020 11:36:46	1	1	1	1	88.25	61.75	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	42.375	2004
29.01.2020 11:36:47	1	1	1	1	88.25	62.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.4375	2004
29.01.2020 11:36:48	1	1	1	1	88.25	62.25	0	29715.64	541.9354839	15861.44103	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:49	1	1	1	1	88.25	62.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	42.5625	2004
29.01.2020 11:36:50	1	1	1	1	88.25	62.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.625	2004
29.01.2020 11:36:51	1	1	1	1	88.25	62.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42.5625	2004
29.01.2020 11:36:52	1	1	1	1	88.25	62.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:53	1	1	1	1	88.25	62.75	0	29431.28	541.9354839	15911.99413	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:54	1	1	1	1	88.25	62.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.8125	2004
29.01.2020 11:36:55	1	1	1	1	88.25	62.75	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	42.6875	2004
29.01.2020 11:36:56	1	1	1	1	88.25	62.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.875	2004
29.01.2020 11:36:57	1	1	1	1	88.25	62.75	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	42.9375	2004
29.01.2020 11:36:58	1	1	1	1	88.25	62.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.5625	2004
29.01.2020 11:36:59	1	1	1	1	88.25	62.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.625	2004
29.01.2020 11:37:00	1	1	1	1	88.25	62.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.8125	2004
29.01.2020 11:37:01	1	1	1	1	88.25	62.75	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	42.5	2004
29.01.2020 11:37:02	1	1	1	1	88.25	62.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.6875	2004
29.01.2020 11:37:09	1	1	1	1	88	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.875	2004
29.01.2020 11:37:09	1	1	1	1	88	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.875	2004
29.01.2020 11:37:09	1	1	1	1	88	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.875	2004
29.01.2020 11:37:09	1	1	1	1	88	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.875	2004
29.01.2020 11:37:09	1	1	1	1	88	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.875	2004
29.01.2020 11:37:09	1	1	1	1	88	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.875	2004
29.01.2020 11:37:10	1	1	1	1	88	62.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	42.9375	2004
29.01.2020 11:37:11	1	1	1	1	88	62.75	0	29620.853	535.483871	15886.71758	30000	0	0	30000	42.5625	2004
29.01.2020 11:37:12	1	1	1	1	88	62.5	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	42.375	2004
29.01.2020 11:37:13	1	1	1	1	88	62.25	0	29715.64	537.6344086	16026.96165	30000	0	0	30000	43.1875	2004
29.01.2020 11:37:14	1	1	1	1	88	63	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	42.875	2004
29.01.2020 11:37:15	1	1	1	1	88	62.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.75	2004
29.01.2020 11:37:16	1	1	1	1	88	62.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	42.5625	2004
29.01.2020 11:37:17	1	1	1	1	88	62.5	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	42.6875	2004
29.01.2020 11:37:18	1	1	1	1	88	62.5	0	29952.607	537.6344086	16103.60666	30000	0	0	30000	42.3125	2004
29.01.2020 11:37:19	1	1	1	1	88	62.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.9375	2004
29.01.2020 11:37:20	1	1	1	1	88	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.75	2004
29.01.2020 11:37:21	1	1	1	1	88	62.75	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	42.1875	2004
29.01.2020 11:37:22	1	1	1	1	88	62	0	30000	535.483871	16000.05436	30000	0	0	30000	42.875	2004
29.01.2020 11:37:23	1	1	1	1	88	62.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.6875	2004
29.01.2020 11:37:24	1	1	1	1	88	62.5	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	41.9375	2004
29.01.2020 11:37:25	1	1	1	1	88	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.8125	2004
29.01.2020 11:37:26	1	1	1	1	88.25	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.625	2004
29.01.2020 11:37:27	1	1	1	1	88.25	62.5	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:37:28	1	1	1	1	88.25	62.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	42.75	2004
29.01.2020 11:37:29	1	1	1	1	88.25	62.75	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	42.6875	2004
29.01.2020 11:37:30	1	1	1	1	88.25	62.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.625	2004
29.01.2020 11:37:31	1	1	1	1	88.25	62.5	0	29952.607	520.4301075	15805.99571	30000	0	0	30000	42.5625	2004
29.01.2020 11:37:32	1	1	1	1	88.25	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.6875	2004
29.01.2020 11:37:33	1	1	1	1	88.25	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.375	2004
29.01.2020 11:37:34	1	1	1	1	88.25	62.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.1875	2004
29.01.2020 11:37:35	1	1	1	1	88.25	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.25	2004
29.01.2020 11:37:36	1	1	1	1	87.75	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.25	2004
29.01.2020 11:37:37	1	1	1	1	87.75	62.25	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	42.4375	2004
29.01.2020 11:37:38	1	1	1	1	87.75	62.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	42.1875	2004
29.01.2020 11:37:39	1	1	1	1	87.75	62	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	42.6875	2004
29.01.2020 11:37:40	1	1	1	1	87.75	62.5	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	42.75	2004
29.01.2020 11:37:41	1	1	1	1	87.75	62.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.125	2004
29.01.2020 11:37:43	1	1	1	1	87.75	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.8125	2004
29.01.2020 11:37:44	1	1	1	1	87.75	62.75	0	29857.82	526.8817204	16077.51474	30000	0	0	30000	42.6875	2004
29.01.2020 11:37:45	1	1	1	1	87.75	62.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.9375	2004
29.01.2020 11:37:46	1	1	1	1	87.75	62.75	0	30094.787	537.6344086	16000.05436	30000	0	0	30000	42.1875	2004
29.01.2020 11:37:47	1	1	1	1	87.5	62	0	29715.64	537.6344086	16090.5607	30000	0	0	30000	42.1875	2004
29.01.2020 11:37:48	1	1	1	1	87.5	62	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.75	2004
29.01.2020 11:37:49	1	1	1	1	87.5	62.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	42.625	2004
29.01.2020 11:37:50	1	1	1	1	87.5	62.5	0	29905.213	531.1827957	15974.77781	30000	0	0	30000	42.5	2004
29.01.2020 11:37:51	1	1	1	1	87.5	62.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.6875	2004
29.01.2020 11:37:52	1	1	1	1	87.5	62.5	0	30000	535.483871	16039.19224	30000	0	0	30000	42.4375	2004
29.01.2020 11:37:53	1	1	1	1	87.5	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
29.01.2020 11:37:54	1	1	1	1	87.5	62.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.8125	2004
29.01.2020 11:37:55	1	1	1	1	87.5	62.5	0	30047.393	533.3333333	16025.33091	30000	0	0	30000	42.75	2004
29.01.2020 11:37:56	1	1	1	1	87.5	62.75	0	30000	516.1290323	15548.338	30000	0	0	30000	42.625	2004
29.01.2020 11:37:57	1	1	1	1	87.5	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.8125	2004
29.01.2020 11:37:58	1	1	1	1	87.5	62.75	0	30000	507.5268817	15008.56141	30000	0	0	30000	42.9375	2004
29.01.2020 11:37:59	1	1	1	1	87.5	62.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	42.5625	2004
29.01.2020 11:38:00	1	1	1	1	87.5	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.75	2004
29.01.2020 11:38:01	1	1	1	1	87.5	62.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.75	2004
29.01.2020 11:38:02	1	1	1	1	87.5	62.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.8125	2004
29.01.2020 11:38:03	1	1	1	1	87.5	62.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.1875	2004
29.01.2020 11:38:04	1	1	1	1	87.5	62	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	42.8125	2004
29.01.2020 11:38:11	1	1	1	1	87.75	62.5	0	30000	498.9247312	14727.2579	30000	0	0	30000	42.125	2004
29.01.2020 11:38:11	1	1	1	1	87.75	62.5	0	30000	498.9247312	14727.2579	30000	0	0	30000	42.125	2004
29.01.2020 11:38:11	1	1	1	1	87.75	62.5	0	30000	498.9247312	14727.2579	30000	0	0	30000	42.125	2004
29.01.2020 11:38:11	1	1	1	1	87.75	62.5	0	30000	498.9247312	14727.2579	30000	0	0	30000	42.125	2004
29.01.2020 11:38:11	1	1	1	1	87.75	62.5	0	30000	498.9247312	14727.2579	30000	0	0	30000	42.125	2004
29.01.2020 11:38:11	1	1	1	1	87.75	62.5	0	30000	498.9247312	14727.2579	30000	0	0	30000	42.125	2004
29.01.2020 11:38:11	1	1	1	1	87.75	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:38:12	1	1	1	1	87.75	62.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.375	2004
29.01.2020 11:38:13	1	1	1	1	87.75	62.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.9375	2004
29.01.2020 11:38:14	1	1	1	1	87.75	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.5	2004
29.01.2020 11:38:15	1	1	1	1	87.75	62.5	0	30000	496.7741935	15079.49882	30000	0	0	30000	42.1875	2004
29.01.2020 11:38:16	1	1	1	1	87.5	62	0	30000	496.7741935	14838.14856	30000	0	0	30000	42.75	2004
29.01.2020 11:38:17	1	1	1	1	87.5	62.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.4375	2004
29.01.2020 11:38:18	1	1	1	1	87.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
29.01.2020 11:38:19	1	1	1	1	87.5	62.75	0	30000	501.0752688	15225.45049	30000	0	0	30000	42.625	2004
29.01.2020 11:38:20	1	1	1	1	87.5	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 11:38:22	1	1	1	1	87.5	62.25	0	30094.787	460.2150538	13741.47256	30000	0	0	30000	42.875	2004
29.01.2020 11:38:23	1	1	1	1	87.5	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.3125	2004
29.01.2020 11:38:24	1	1	1	1	87.5	62.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.75	2004
29.01.2020 11:38:25	1	1	1	1	87.5	62.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.4375	2004
29.01.2020 11:38:26	1	1	1	1	87.5	62.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.75	2004
29.01.2020 11:38:27	1	1	1	1	87.25	61.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	42.6875	2004
29.01.2020 11:38:28	1	1	1	1	87.25	62.5	0	29952.607	505.3763441	15289.86492	30000	0	0	30000	42.875	2004
29.01.2020 11:38:29	1	1	1	1	87.25	62.75	0	30000	511.827957	15354.27935	30000	0	0	30000	42.5625	2004
29.01.2020 11:38:30	1	1	1	1	87.25	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.625	2004
29.01.2020 11:38:31	1	1	1	1	87.25	62.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	43.125	2004
29.01.2020 11:38:32	1	1	1	1	87.25	63	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.375	2004
29.01.2020 11:38:33	1	1	1	1	87.25	62.25	0	30000	464.516129	14128.7745	30000	0	0	30000	42.5625	2004
29.01.2020 11:38:34	1	1	1	1	87.25	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
29.01.2020 11:38:35	1	1	1	1	87.25	62.75	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	42.75	2004
29.01.2020 11:38:36	1	1	1	1	87.75	62.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.875	2004
29.01.2020 11:38:37	1	1	1	1	87.75	62.75	0	30047.393	520.4301075	15483.92357	30000	0	0	30000	42.875	2004
29.01.2020 11:38:38	1	1	1	1	87.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 11:38:39	1	1	1	1	87.75	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.8125	2004
29.01.2020 11:38:40	1	1	1	1	87.75	62.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.6875	2004
29.01.2020 11:38:41	1	1	1	1	87.75	62.5	0	29952.607	526.8817204	15756.25798	30000	0	0	30000	42.5625	2004
29.01.2020 11:38:42	1	1	1	1	87.75	62.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.625	2004
29.01.2020 11:38:43	1	1	1	1	87.75	62.5	0	30000	533.3333333	15910.36338	30000	0	0	30000	42.75	2004
29.01.2020 11:38:44	1	1	1	1	87.75	62.75	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	42	2004
29.01.2020 11:38:45	1	1	1	1	87.75	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.8125	2004
29.01.2020 11:38:46	1	1	1	1	87.75	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004
29.01.2020 11:38:47	1	1	1	1	87.75	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.75	2004
29.01.2020 11:38:48	1	1	1	1	87.75	62.75	0	29952.607	535.483871	15974.77781	30000	0	0	30000	43	2004
29.01.2020 11:38:49	1	1	1	1	87.75	63	0	29810.427	529.0322581	15987.82377	30000	0	0	30000	42.9375	2004
29.01.2020 11:38:50	1	1	1	1	87.75	62.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.875	2004
29.01.2020 11:38:51	1	1	1	1	87.75	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.875	2004
29.01.2020 11:38:52	1	1	1	1	87.75	62.75	0	30000	526.8817204	15741.58128	30000	0	0	30000	42.625	2004
29.01.2020 11:38:53	1	1	1	1	87.75	62.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.3125	2004
29.01.2020 11:38:54	1	1	1	1	87.75	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.4375	2004
29.01.2020 11:38:55	1	1	1	1	87.75	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:38:56	1	1	1	1	87.5	62.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.8125	2004
29.01.2020 11:38:57	1	1	1	1	87.5	62.75	0	30000	526.8817204	15677.16685	30000	0	0	30000	42.5625	2004
29.01.2020 11:38:58	1	1	1	1	87.5	62.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.875	2004
29.01.2020 11:38:59	1	1	1	1	87.5	62.75	0	29857.82	533.3333333	15962.54722	30000	0	0	30000	42.875	2004
29.01.2020 11:39:00	1	1	1	1	87.5	62.75	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	42.6875	2004
29.01.2020 11:39:02	1	1	1	1	87.5	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.875	2004
29.01.2020 11:39:03	1	1	1	1	87.5	62.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	42.9375	2004
29.01.2020 11:39:04	1	1	1	1	87.5	62.75	0	30000	531.1827957	15805.99571	30000	0	0	30000	42.875	2004
29.01.2020 11:39:05	1	1	1	1	87.5	62.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.125	2004
29.01.2020 11:39:06	1	1	1	1	87.5	63	0	29620.853	529.0322581	16040.00761	30000	0	0	30000	42.875	2004
29.01.2020 11:39:12	1	1	1	1	88.25	62.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.875	2004
29.01.2020 11:39:12	1	1	1	1	88.25	62.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.875	2004
29.01.2020 11:39:12	1	1	1	1	88.25	62.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.875	2004
29.01.2020 11:39:12	1	1	1	1	88.25	62.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.875	2004
29.01.2020 11:39:12	1	1	1	1	88.25	62.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.875	2004
29.01.2020 11:39:12	1	1	1	1	88.25	62.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.875	2004
29.01.2020 11:39:13	1	1	1	1	88.25	62.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.4375	2004
29.01.2020 11:39:14	1	1	1	1	88.25	62.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.4375	2004
29.01.2020 11:39:15	1	1	1	1	88.25	62.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.75	2004
29.01.2020 11:39:16	1	1	1	1	88	62.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	42.875	2004
29.01.2020 11:39:17	1	1	1	1	88	62.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	42.9375	2004
29.01.2020 11:39:18	1	1	1	1	88	62.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.75	2004
29.01.2020 11:39:19	1	1	1	1	88	62.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	43	2004
29.01.2020 11:39:20	1	1	1	1	88	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
29.01.2020 11:39:21	1	1	1	1	88	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
29.01.2020 11:39:22	1	1	1	1	88	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
29.01.2020 11:39:23	1	1	1	1	88	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
29.01.2020 11:39:24	1	1	1	1	88	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
29.01.2020 11:39:25	1	1	1	1	88	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 11:39:26	1	1	1	1	88	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
29.01.2020 11:39:27	1	1	1	1	88	63	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.8125	2004
29.01.2020 11:39:28	1	1	1	1	88	62.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.0625	2004
29.01.2020 11:39:29	1	1	1	1	88	63	0	30000	516.1290323	15548.338	30000	0	0	30000	42.4375	2004
29.01.2020 11:39:30	1	1	1	1	88	62.25	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.9375	2004
29.01.2020 11:39:31	1	1	1	1	88	62.75	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	42.9375	2004
29.01.2020 11:39:32	1	1	1	1	88	62.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 11:39:33	1	1	1	1	88	62.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.125	2004
29.01.2020 11:39:34	1	1	1	1	88	63	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.0625	2004
29.01.2020 11:39:35	1	1	1	1	88	63	0	30000	518.2795699	15548.338	30000	0	0	30000	43	2004
29.01.2020 11:39:36	1	1	1	1	87.5	63	0	30000	511.827957	15289.86492	30000	0	0	30000	42.8125	2004
29.01.2020 11:39:37	1	1	1	1	87.5	62.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.8125	2004
29.01.2020 11:39:38	1	1	1	1	87.5	62.75	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	42.875	2004
29.01.2020 11:39:39	1	1	1	1	87.5	62.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:39:41	1	1	1	1	87.5	63	0	29905.213	503.2258065	15289.86492	30000	0	0	30000	42.75	2004
29.01.2020 11:39:42	1	1	1	1	87.5	62.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.0625	2004
29.01.2020 11:39:43	1	1	1	1	87.5	62	0	30000	518.2795699	15612.75243	30000	0	0	30000	42.6875	2004
29.01.2020 11:39:44	1	1	1	1	87.5	62.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42.8125	2004
29.01.2020 11:39:45	1	1	1	1	87.5	62.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	42.3125	2004
29.01.2020 11:39:46	1	1	1	1	87.5	62.25	0	30000	522.5806452	15652.70568	30000	0	0	30000	42.75	2004
29.01.2020 11:39:47	1	1	1	1	87.5	62.75	0	29952.607	520.4301075	15548.338	30000	0	0	30000	42.75	2004
29.01.2020 11:39:48	1	1	1	1	87.5	62.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.25	2004
29.01.2020 11:39:49	1	1	1	1	87.5	62.25	0	30047.393	503.2258065	15096.62164	30000	0	0	30000	43.1875	2004
29.01.2020 11:39:50	1	1	1	1	87.5	63	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.0625	2004
29.01.2020 11:39:51	1	1	1	1	87.5	63	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	42.0625	2004
29.01.2020 11:39:52	1	1	1	1	87.5	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.5625	2004
29.01.2020 11:39:53	1	1	1	1	87.5	62.5	0	30000	509.6774194	15354.27935	30000	0	0	30000	43	2004
29.01.2020 11:39:54	1	1	1	1	87.5	63	0	30000	520.4301075	15548.338	30000	0	0	30000	43.0625	2004
29.01.2020 11:39:55	1	1	1	1	87.5	63	0	30000	520.4301075	15612.75243	30000	0	0	30000	42.625	2004
29.01.2020 11:39:56	1	1	1	1	87.75	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.6875	2004
29.01.2020 11:39:57	1	1	1	1	87.75	62.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
29.01.2020 11:39:58	1	1	1	1	87.75	62.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	42.875	2004
29.01.2020 11:39:59	1	1	1	1	87.75	62.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.625	2004
29.01.2020 11:40:00	1	1	1	1	87.75	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.5	2004
29.01.2020 11:40:01	1	1	1	1	87.75	62.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.9375	2004
29.01.2020 11:40:02	1	1	1	1	87.75	62.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	42.75	2004
29.01.2020 11:40:03	1	1	1	1	87.75	62.75	0	29952.607	522.5806452	15741.58128	30000	0	0	30000	42.3125	2004
29.01.2020 11:40:04	1	1	1	1	87.75	62.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.8125	2004
29.01.2020 11:40:05	1	1	1	1	87.75	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.375	2004
29.01.2020 11:40:06	1	1	1	1	87.5	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.375	2004
29.01.2020 11:40:07	1	1	1	1	87.5	62.25	0	29905.213	518.2795699	15677.16685	30000	0	0	30000	42.75	2004
29.01.2020 11:40:14	1	1	1	1	87.5	62.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43	2004
29.01.2020 11:40:14	1	1	1	1	87.5	62.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43	2004
29.01.2020 11:40:14	1	1	1	1	87.5	62.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43	2004
29.01.2020 11:40:14	1	1	1	1	87.5	62.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43	2004
29.01.2020 11:40:14	1	1	1	1	87.5	62.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43	2004
29.01.2020 11:40:14	1	1	1	1	87.5	63	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.9375	2004
29.01.2020 11:40:16	1	1	1	1	87.5	62.75	0	30000	505.3763441	15032.20721	30000	0	0	30000	42.9375	2004
29.01.2020 11:40:17	1	1	1	1	87.5	62.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.3125	2004
29.01.2020 11:40:18	1	1	1	1	87.5	62.25	0	30047.393	468.8172043	13999.94564	30000	0	0	30000	43	2004
29.01.2020 11:40:19	1	1	1	1	87.5	63	0	30000	464.516129	13935.53122	30000	0	0	30000	42.25	2004
29.01.2020 11:40:20	1	1	1	1	87.5	62.25	0	30000	458.0645161	13677.05814	30000	0	0	30000	42.625	2004
29.01.2020 11:40:21	1	1	1	1	87.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
29.01.2020 11:40:22	1	1	1	1	87.5	63	0	30000	464.516129	13935.53122	30000	0	0	30000	43.125	2004
29.01.2020 11:40:23	1	1	1	1	87.5	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.625	2004
29.01.2020 11:40:24	1	1	1	1	87.5	62.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:40:25	1	1	1	1	87.5	62.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.9375	2004
29.01.2020 11:40:26	1	1	1	1	87.5	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.25	2004
29.01.2020 11:40:27	1	1	1	1	87.25	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
29.01.2020 11:40:28	1	1	1	1	87.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
29.01.2020 11:40:29	1	1	1	1	87.25	63	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.875	2004
29.01.2020 11:40:30	1	1	1	1	87.25	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.875	2004
29.01.2020 11:40:31	1	1	1	1	87.25	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
29.01.2020 11:40:32	1	1	1	1	87.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.875	2004
29.01.2020 11:40:33	1	1	1	1	87.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
29.01.2020 11:40:34	1	1	1	1	87.25	63	0	30000	425.8064516	12580.38214	30000	0	0	30000	43	2004
29.01.2020 11:40:35	1	1	1	1	87.25	63	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	42.9375	2004
29.01.2020 11:40:36	1	1	1	1	87.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
29.01.2020 11:40:37	1	1	1	1	87.75	63	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.9375	2004
29.01.2020 11:40:38	1	1	1	1	87.75	62.75	0	30000	423.655914	12580.38214	30000	0	0	30000	42.75	2004
29.01.2020 11:40:39	1	1	1	1	87.75	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43	2004
29.01.2020 11:40:40	1	1	1	1	87.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
29.01.2020 11:40:41	1	1	1	1	87.75	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.9375	2004
29.01.2020 11:40:42	1	1	1	1	87.75	62.75	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	42.6875	2004
29.01.2020 11:40:43	1	1	1	1	87.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
29.01.2020 11:40:44	1	1	1	1	87.75	63	0	29952.607	488.172043	14493.246	30000	0	0	30000	43	2004
29.01.2020 11:40:45	1	1	1	1	87.75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 11:40:46	1	1	1	1	87.25	62.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	42.9375	2004
29.01.2020 11:40:47	1	1	1	1	87.25	62.75	0	30047.393	486.0215054	14580.49085	30000	0	0	30000	43.0625	2004
29.01.2020 11:40:48	1	1	1	1	87.25	63	0	30000	494.6236559	14815.31813	30000	0	0	30000	42.75	2004
29.01.2020 11:40:49	1	1	1	1	87.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
29.01.2020 11:40:50	1	1	1	1	87.25	63	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.6875	2004
29.01.2020 11:40:51	1	1	1	1	87.25	62.5	0	30047.393	501.0752688	14902.56299	30000	0	0	30000	42.6875	2004
29.01.2020 11:40:52	1	1	1	1	87.25	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.0625	2004
29.01.2020 11:40:53	1	1	1	1	87.25	63	0	30000	490.3225806	14773.73413	30000	0	0	30000	42.5	2004
29.01.2020 11:40:54	1	1	1	1	87.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
29.01.2020 11:40:56	1	1	1	1	87.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
29.01.2020 11:40:57	1	1	1	1	87.75	63	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	42.4375	2004
29.01.2020 11:40:58	1	1	1	1	87.75	62.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.75	2004
29.01.2020 11:40:59	1	1	1	1	87.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 11:41:00	1	1	1	1	87.75	62.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
29.01.2020 11:41:01	1	1	1	1	87.75	62.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	43	2004
29.01.2020 11:41:02	1	1	1	1	87.75	63	0	30000	486.0215054	14580.49085	30000	0	0	30000	42.9375	2004
29.01.2020 11:41:03	1	1	1	1	87.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
29.01.2020 11:41:04	1	1	1	1	87.75	63	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.1875	2004
29.01.2020 11:41:05	1	1	1	1	87.75	63	0	29952.607	481.7204301	14083.92901	30000	0	0	30000	43	2004
29.01.2020 11:41:06	1	1	1	1	87.75	63	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.625	2004
29.01.2020 11:41:07	1	1	1	1	87.75	62.5	0	30000	481.7204301	13891.5011	30000	0	0	30000	42.6875	2004
29.01.2020 11:41:08	1	1	1	1	87.75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:41:09	1	1	1	1	87.75	63	0	30000	503.2258065	15161.03607	30000	0	0	30000	42.5	2004
29.01.2020 11:41:16	1	1	1	1	87.75	62.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	43.125	2004
29.01.2020 11:41:16	1	1	1	1	87.75	62.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	43.125	2004
29.01.2020 11:41:16	1	1	1	1	87.75	62.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	43.125	2004
29.01.2020 11:41:16	1	1	1	1	87.75	62.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	43.125	2004
29.01.2020 11:41:16	1	1	1	1	87.75	62.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	43.125	2004
29.01.2020 11:41:16	1	1	1	1	87.75	62.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	43.125	2004
29.01.2020 11:41:16	1	1	1	1	87.5	63	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.0625	2004
29.01.2020 11:41:17	1	1	1	1	87.5	63	0	29952.607	434.4086022	12967.68407	30000	0	0	30000	43.0625	2004
29.01.2020 11:41:18	1	1	1	1	87.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
29.01.2020 11:41:19	1	1	1	1	87.5	63	0	30000	391.3978495	11676.94942	30000	0	0	30000	43	2004
29.01.2020 11:41:20	1	1	1	1	87.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
29.01.2020 11:41:21	1	1	1	1	87.5	63.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
29.01.2020 11:41:22	1	1	1	1	87.5	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
29.01.2020 11:41:23	1	1	1	1	87.5	62.75	0	30000	427.9569892	13138.09692	30000	0	0	30000	43.0625	2004
29.01.2020 11:41:24	1	1	1	1	87.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
29.01.2020 11:41:25	1	1	1	1	87.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
29.01.2020 11:41:26	1	1	1	1	87.75	63	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.8125	2004
29.01.2020 11:41:27	1	1	1	1	87.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
29.01.2020 11:41:28	1	1	1	1	87.75	63	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	42.9375	2004
29.01.2020 11:41:29	1	1	1	1	87.75	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43	2004
29.01.2020 11:41:30	1	1	1	1	87.75	63	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
29.01.2020 11:41:31	1	1	1	1	87.75	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.875	2004
29.01.2020 11:41:32	1	1	1	1	87.75	62.75	0	29952.607	455.9139785	13591.44402	30000	0	0	30000	42.9375	2004
29.01.2020 11:41:33	1	1	1	1	87.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
29.01.2020 11:41:35	1	1	1	1	87.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
29.01.2020 11:41:36	1	1	1	1	87.75	62.75	0	30000	438.7096774	13119.34335	30000	0	0	30000	43.25	2004
29.01.2020 11:41:37	1	1	1	1	87.75	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
29.01.2020 11:41:38	1	1	1	1	87.75	63	0	30000	438.7096774	13054.92893	30000	0	0	30000	42.8125	2004
29.01.2020 11:41:39	1	1	1	1	87.75	62.75	0	30000	423.655914	12773.62542	30000	0	0	30000	43.25	2004
29.01.2020 11:41:40	1	1	1	1	87.75	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
29.01.2020 11:41:41	1	1	1	1	87.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
29.01.2020 11:41:42	1	1	1	1	87.75	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	43	2004
29.01.2020 11:41:43	1	1	1	1	87.75	63	0	29905.213	464.516129	13913.51616	30000	0	0	30000	42.875	2004
29.01.2020 11:41:44	1	1	1	1	87.75	62.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.9375	2004
29.01.2020 11:41:45	1	1	1	1	87.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
29.01.2020 11:41:46	1	1	1	1	87.75	63.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.625	2004
29.01.2020 11:41:47	1	1	1	1	87.5	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.375	2004
29.01.2020 11:41:48	1	1	1	1	87.5	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.125	2004
29.01.2020 11:41:49	1	1	1	1	87.5	63	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.875	2004
29.01.2020 11:41:50	1	1	1	1	87.5	62.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.5	2004
29.01.2020 11:41:51	1	1	1	1	87.5	62.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.875	2004
29.01.2020 11:41:52	1	1	1	1	87.5	62.75	0	30000	511.827957	15483.92357	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:41:53	1	1	1	1	87.5	63	0	30000	522.5806452	15741.58128	30000	0	0	30000	42.375	2004
29.01.2020 11:41:54	1	1	1	1	87.5	62.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.0625	2004
29.01.2020 11:41:55	1	1	1	1	87.5	63	0	30000	507.5268817	15354.27935	30000	0	0	30000	42.875	2004
29.01.2020 11:41:56	1	1	1	1	87.25	62.75	0	30000	507.5268817	15008.56141	30000	0	0	30000	42.5625	2004
29.01.2020 11:41:57	1	1	1	1	87.25	62.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.0625	2004
29.01.2020 11:41:58	1	1	1	1	87.25	63	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.6875	2004
29.01.2020 11:41:59	1	1	1	1	87.25	62.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	42.875	2004
29.01.2020 11:42:00	1	1	1	1	87.25	62.75	0	30000	518.2795699	15548.338	30000	0	0	30000	42.25	2004
29.01.2020 11:42:01	1	1	1	1	87.25	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.8125	2004
29.01.2020 11:42:02	1	1	1	1	87.25	62.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	43.1875	2004
29.01.2020 11:42:03	1	1	1	1	87.25	63	0	30000	520.4301075	15612.75243	30000	0	0	30000	43	2004
29.01.2020 11:42:04	1	1	1	1	87.25	63	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	42.875	2004
29.01.2020 11:42:05	1	1	1	1	87.25	62.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	43.125	2004
29.01.2020 11:42:06	1	1	1	1	87.25	63	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	43	2004
29.01.2020 11:42:07	1	1	1	1	87.25	63	0	29715.64	535.483871	15669.8285	30000	0	0	30000	43.125	2004
29.01.2020 11:42:08	1	1	1	1	87.25	63	0	30000	537.6344086	16064.46878	30000	0	0	30000	43.1875	2004
29.01.2020 11:42:09	1	1	1	1	87.25	63	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.5	2004
29.01.2020 11:42:10	1	1	1	1	87.25	62.5	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	43.125	2004
29.01.2020 11:42:17	1	1	1	1	87	62.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:17	1	1	1	1	87	62.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:17	1	1	1	1	87	62.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:17	1	1	1	1	87	62.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:17	1	1	1	1	87	62.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:17	1	1	1	1	87	62.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:18	1	1	1	1	87	63	0	30000	516.1290323	15548.338	30000	0	0	30000	43.3125	2004
29.01.2020 11:42:19	1	1	1	1	87	63.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43	2004
29.01.2020 11:42:20	1	1	1	1	87	63	0	30000	524.7311828	16115.02188	30000	0	0	30000	42.8125	2004
29.01.2020 11:42:21	1	1	1	1	87	62.75	0	29668.246	535.483871	15669.8285	30000	0	0	30000	42.8125	2004
29.01.2020 11:42:22	1	1	1	1	87	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.1875	2004
29.01.2020 11:42:23	1	1	1	1	87	63	0	29763.033	533.3333333	15783.98065	30000	0	0	30000	42.8125	2004
29.01.2020 11:42:24	1	1	1	1	87	62.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.8125	2004
29.01.2020 11:42:25	1	1	1	1	87	62.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	42.5	2004
29.01.2020 11:42:26	1	1	1	1	87	62.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	43.25	2004
29.01.2020 11:42:27	1	1	1	1	87.25	63.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	43.375	2004
29.01.2020 11:42:28	1	1	1	1	87.25	63.25	0	29905.213	535.483871	16064.46878	30000	0	0	30000	42.1875	2004
29.01.2020 11:42:29	1	1	1	1	87.25	62	0	29763.033	537.6344086	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:42:30	1	1	1	1	87.25	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.25	2004
29.01.2020 11:42:31	1	1	1	1	87.25	63.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.1875	2004
29.01.2020 11:42:32	1	1	1	1	87.25	63	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	43.25	2004
29.01.2020 11:42:33	1	1	1	1	87.25	63.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43	2004
29.01.2020 11:42:34	1	1	1	1	87.25	63	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43	2004
29.01.2020 11:42:35	1	1	1	1	87.25	63	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:36	1	1	1	1	87.75	63	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:42:37	1	1	1	1	87.75	62.5	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	43.25	2004
29.01.2020 11:42:38	1	1	1	1	87.75	63.25	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	42.6875	2004
29.01.2020 11:42:39	1	1	1	1	87.75	62.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.25	2004
29.01.2020 11:42:40	1	1	1	1	87.75	63.25	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	43.25	2004
29.01.2020 11:42:41	1	1	1	1	87.75	63.25	0	29431.28	539.7849462	15708.96638	30000	0	0	30000	43.25	2004
29.01.2020 11:42:42	1	1	1	1	87.75	63.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	43.25	2004
29.01.2020 11:42:43	1	1	1	1	87.75	63.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:44	1	1	1	1	87.75	63	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.25	2004
29.01.2020 11:42:45	1	1	1	1	87.75	63.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.3125	2004
29.01.2020 11:42:46	1	1	1	1	88	63.25	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:47	1	1	1	1	88	63	0	29526.066	541.9354839	15848.39508	30000	0	0	30000	42.9375	2004
29.01.2020 11:42:48	1	1	1	1	88	62.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:50	1	1	1	1	88	63	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:51	1	1	1	1	88	63	0	29289.1	546.2365591	15795.39586	30000	0	0	30000	43.1875	2004
29.01.2020 11:42:52	1	1	1	1	88	63	0	29241.706	541.9354839	15960.91648	30000	0	0	30000	42.6875	2004
29.01.2020 11:42:53	1	1	1	1	88	62.5	0	29241.706	537.6344086	15935.63993	30000	0	0	30000	43	2004
29.01.2020 11:42:54	1	1	1	1	88	63	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	43.125	2004
29.01.2020 11:42:55	1	1	1	1	88	63	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.6875	2004
29.01.2020 11:42:56	1	1	1	1	88	62.5	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	43.375	2004
29.01.2020 11:42:57	1	1	1	1	87.75	63.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.0625	2004
29.01.2020 11:42:58	1	1	1	1	87.75	63	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	42.4375	2004
29.01.2020 11:42:59	1	1	1	1	87.75	62.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	42.625	2004
29.01.2020 11:43:00	1	1	1	1	87.75	62.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.8125	2004
29.01.2020 11:43:01	1	1	1	1	87.75	62.75	0	29431.28	541.9354839	16101.97592	30000	0	0	30000	43	2004
29.01.2020 11:43:02	1	1	1	1	87.75	63	0	29052.133	544.0860215	15894.87131	30000	0	0	30000	43	2004
29.01.2020 11:43:03	1	1	1	1	87.75	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.625	2004
29.01.2020 11:43:04	1	1	1	1	87.75	62.5	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	43.1875	2004
29.01.2020 11:43:05	1	1	1	1	87.75	63.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42.6875	2004
29.01.2020 11:43:06	1	1	1	1	87.5	62.5	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	43.0625	2004
29.01.2020 11:43:07	1	1	1	1	87.5	63	0	29241.706	546.2365591	16124.80635	30000	0	0	30000	42.625	2004
29.01.2020 11:43:08	1	1	1	1	87.5	62.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.0625	2004
29.01.2020 11:43:09	1	1	1	1	87.5	63	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	43.1875	2004
29.01.2020 11:43:10	1	1	1	1	87.5	63	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.125	2004
29.01.2020 11:43:11	1	1	1	1	87.5	63	0	29289.1	550.5376344	15783.98065	30000	0	0	30000	43.25	2004
29.01.2020 11:43:12	1	1	1	1	87.5	63.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	43.25	2004
29.01.2020 11:43:19	1	1	1	1	87.75	63.25	0	29526.066	554.8387097	16101.97592	30000	0	0	30000	43.0625	2004
29.01.2020 11:43:19	1	1	1	1	87.75	63.25	0	29526.066	554.8387097	16101.97592	30000	0	0	30000	43.0625	2004
29.01.2020 11:43:19	1	1	1	1	87.75	63.25	0	29526.066	554.8387097	16101.97592	30000	0	0	30000	43.0625	2004
29.01.2020 11:43:19	1	1	1	1	87.75	63.25	0	29526.066	554.8387097	16101.97592	30000	0	0	30000	43.0625	2004
29.01.2020 11:43:19	1	1	1	1	87.75	63	0	29431.28	548.3870968	15960.91648	30000	0	0	30000	43.3125	2004
29.01.2020 11:43:20	1	1	1	1	87.75	63.25	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:43:21	1	1	1	1	87.75	63.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.3125	2004
29.01.2020 11:43:22	1	1	1	1	87.75	63.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	43.125	2004
29.01.2020 11:43:23	1	1	1	1	87.75	63	0	29526.066	544.0860215	16013.10032	30000	0	0	30000	43.3125	2004
29.01.2020 11:43:24	1	1	1	1	87.75	63.25	0	29336.493	546.2365591	15809.2572	30000	0	0	30000	43.3125	2004
29.01.2020 11:43:25	1	1	1	1	87.75	63.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.375	2004
29.01.2020 11:43:26	1	1	1	1	87.75	63.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.125	2004
29.01.2020 11:43:27	1	1	1	1	87.75	63	0	29715.64	535.483871	16040.00761	30000	0	0	30000	43.25	2004
29.01.2020 11:43:28	1	1	1	1	87.75	63.25	0	29573.46	541.9354839	16243.03536	30000	0	0	30000	41.75	2004
29.01.2020 11:43:30	1	1	1	1	87.75	61.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.1875	2004
29.01.2020 11:43:31	1	1	1	1	87.75	63	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.6875	2004
29.01.2020 11:43:32	1	1	1	1	87.75	62.5	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	43.25	2004
29.01.2020 11:43:33	1	1	1	1	87.75	63.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43	2004
29.01.2020 11:43:34	1	1	1	1	87.75	63	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.875	2004
29.01.2020 11:43:35	1	1	1	1	87.75	62.75	0	29431.28	539.7849462	16000.86973	30000	0	0	30000	43.375	2004
29.01.2020 11:43:36	1	1	1	1	87.75	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.125	2004
29.01.2020 11:43:37	1	1	1	1	87.5	63	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.25	2004
29.01.2020 11:43:38	1	1	1	1	87.5	63.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	42.625	2004
29.01.2020 11:43:39	1	1	1	1	87.5	62.5	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	43	2004
29.01.2020 11:43:40	1	1	1	1	87.5	63	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.3125	2004
29.01.2020 11:43:41	1	1	1	1	87.5	63.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	43.1875	2004
29.01.2020 11:43:42	1	1	1	1	87.5	63	0	29431.28	539.7849462	15911.99413	30000	0	0	30000	43.1875	2004
29.01.2020 11:43:43	1	1	1	1	87.5	63	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	42.8125	2004
29.01.2020 11:43:44	1	1	1	1	87.5	62.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43	2004
29.01.2020 11:43:45	1	1	1	1	87.5	63	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.0625	2004
29.01.2020 11:43:46	1	1	1	1	88.25	63	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.125	2004
29.01.2020 11:43:47	1	1	1	1	88.25	63	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.0625	2004
29.01.2020 11:43:48	1	1	1	1	88.25	63	0	29431.28	546.2365591	15771.75006	30000	0	0	30000	43.1875	2004
29.01.2020 11:43:49	1	1	1	1	88.25	63	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	42.375	2004
29.01.2020 11:43:50	1	1	1	1	88.25	62.25	0	29620.853	550.5376344	16307.44979	30000	0	0	30000	43.375	2004
29.01.2020 11:43:51	1	1	1	1	88.25	63.25	0	29573.46	539.7849462	16243.03536	30000	0	0	30000	43.4375	2004
29.01.2020 11:43:52	1	1	1	1	88.25	63.25	0	29478.673	544.0860215	15823.11853	30000	0	0	30000	43.125	2004
29.01.2020 11:43:53	1	1	1	1	88.25	63	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:43:54	1	1	1	1	88.25	63.25	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	43.125	2004
29.01.2020 11:43:55	1	1	1	1	88.25	63	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	43.125	2004
29.01.2020 11:43:56	1	1	1	1	88	63	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.375	2004
29.01.2020 11:43:57	1	1	1	1	88	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.25	2004
29.01.2020 11:43:58	1	1	1	1	88	63.25	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	42.9375	2004
29.01.2020 11:43:59	1	1	1	1	88	62.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	43	2004
29.01.2020 11:44:00	1	1	1	1	88	63	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.1875	2004
29.01.2020 11:44:01	1	1	1	1	88	63	0	29478.673	546.2365591	16255.26595	30000	0	0	30000	43.5	2004
29.01.2020 11:44:02	1	1	1	1	88	63.5	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:03	1	1	1	1	88	63.25	0	29289.1	541.9354839	16024.51553	30000	0	0	30000	43.5	2004
29.01.2020 11:44:04	1	1	1	1	88	63.5	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:44:05	1	1	1	1	88	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.125	2004
29.01.2020 11:44:06	1	1	1	1	87.25	63	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.0625	2004
29.01.2020 11:44:07	1	1	1	1	87.25	63	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	43.4375	2004
29.01.2020 11:44:08	1	1	1	1	87.25	63.25	0	29241.706	544.0860215	15998.42361	30000	0	0	30000	43	2004
29.01.2020 11:44:10	1	1	1	1	87.25	63	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:11	1	1	1	1	87.25	63.25	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	42.75	2004
29.01.2020 11:44:12	1	1	1	1	87.25	62.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	43.5	2004
29.01.2020 11:44:13	1	1	1	1	87.25	63.5	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	43.0625	2004
29.01.2020 11:44:14	1	1	1	1	87.25	63	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	43.125	2004
29.01.2020 11:44:20	1	1	1	1	87.5	63	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	43.0625	2004
29.01.2020 11:44:20	1	1	1	1	87.5	63	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	43.0625	2004
29.01.2020 11:44:20	1	1	1	1	87.5	63	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	43.0625	2004
29.01.2020 11:44:20	1	1	1	1	87.5	63	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	43.0625	2004
29.01.2020 11:44:20	1	1	1	1	87.5	63	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	43.0625	2004
29.01.2020 11:44:21	1	1	1	1	87.5	63	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.4375	2004
29.01.2020 11:44:22	1	1	1	1	87.5	63.25	0	29620.853	544.0860215	15963.3626	30000	0	0	30000	43.5625	2004
29.01.2020 11:44:23	1	1	1	1	87.5	63.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	43.4375	2004
29.01.2020 11:44:24	1	1	1	1	87.5	63.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	43.1875	2004
29.01.2020 11:44:25	1	1	1	1	87.5	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.375	2004
29.01.2020 11:44:26	1	1	1	1	88	63.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.25	2004
29.01.2020 11:44:27	1	1	1	1	88	63.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.375	2004
29.01.2020 11:44:28	1	1	1	1	88	63.25	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	42.9375	2004
29.01.2020 11:44:29	1	1	1	1	88	62.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.375	2004
29.01.2020 11:44:30	1	1	1	1	88	63.25	0	29620.853	535.483871	15975.59318	30000	0	0	30000	42.875	2004
29.01.2020 11:44:31	1	1	1	1	88	62.75	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:32	1	1	1	1	88	63.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:33	1	1	1	1	88	63.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	43.1875	2004
29.01.2020 11:44:34	1	1	1	1	88	63	0	29905.213	535.483871	16141.92917	30000	0	0	30000	43.375	2004
29.01.2020 11:44:35	1	1	1	1	88	63.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:36	1	1	1	1	87.5	63.25	0	29668.246	541.9354839	16167.20572	30000	0	0	30000	43.375	2004
29.01.2020 11:44:37	1	1	1	1	87.5	63.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	43.375	2004
29.01.2020 11:44:38	1	1	1	1	87.5	63.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.375	2004
29.01.2020 11:44:39	1	1	1	1	87.5	63.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.1875	2004
29.01.2020 11:44:40	1	1	1	1	87.5	63	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	42.75	2004
29.01.2020 11:44:41	1	1	1	1	87.5	62.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.125	2004
29.01.2020 11:44:42	1	1	1	1	87.5	63	0	29763.033	541.9354839	16090.5607	30000	0	0	30000	43.625	2004
29.01.2020 11:44:43	1	1	1	1	87.5	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.375	2004
29.01.2020 11:44:44	1	1	1	1	87.5	63.25	0	29620.853	537.6344086	15899.76354	30000	0	0	30000	43.4375	2004
29.01.2020 11:44:46	1	1	1	1	87.5	63.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	43.1875	2004
29.01.2020 11:44:47	1	1	1	1	87.75	63	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.125	2004
29.01.2020 11:44:48	1	1	1	1	87.75	63	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.4375	2004
29.01.2020 11:44:49	1	1	1	1	87.75	63.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:44:50	1	1	1	1	87.75	63.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:51	1	1	1	1	87.75	63.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.4375	2004
29.01.2020 11:44:52	1	1	1	1	87.75	63.25	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:53	1	1	1	1	87.75	63.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43.5	2004
29.01.2020 11:44:54	1	1	1	1	87.75	63.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:55	1	1	1	1	87.75	63.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:56	1	1	1	1	87.75	63.25	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	43.0625	2004
29.01.2020 11:44:57	1	1	1	1	88.25	63	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:44:58	1	1	1	1	88.25	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43	2004
29.01.2020 11:44:59	1	1	1	1	88.25	63	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	43.0625	2004
29.01.2020 11:45:00	1	1	1	1	88.25	63	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.8125	2004
29.01.2020 11:45:01	1	1	1	1	88.25	63.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.625	2004
29.01.2020 11:45:02	1	1	1	1	88.25	63.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.375	2004
29.01.2020 11:45:03	1	1	1	1	88.25	63.25	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	43	2004
29.01.2020 11:45:04	1	1	1	1	88.25	63	0	28957.346	498.9247312	14384.80146	30000	0	0	30000	42.625	2004
29.01.2020 11:45:05	1	1	1	1	88.25	62.5	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	43.25	2004
29.01.2020 11:45:06	1	1	1	1	88.25	63.25	0	29336.493	546.2365591	16013.10032	30000	0	0	30000	43	2004
29.01.2020 11:45:07	1	1	1	1	88.25	63	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	43.0625	2004
29.01.2020 11:45:08	1	1	1	1	88.25	63	0	29241.706	546.2365591	15935.63993	30000	0	0	30000	43.5	2004
29.01.2020 11:45:09	1	1	1	1	88.25	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43	2004
29.01.2020 11:45:10	1	1	1	1	88.25	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.375	2004
29.01.2020 11:45:11	1	1	1	1	88.25	63.25	0	29336.493	539.7849462	15708.96638	30000	0	0	30000	43.4375	2004
29.01.2020 11:45:12	1	1	1	1	88.25	63.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	42.9375	2004
29.01.2020 11:45:13	1	1	1	1	88.25	62.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.5	2004
29.01.2020 11:45:14	1	1	1	1	88.25	63.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	43.375	2004
29.01.2020 11:45:15	1	1	1	1	88.25	63.25	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	43.4375	2004
29.01.2020 11:45:22	1	1	1	1	88.5	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:22	1	1	1	1	88.5	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:22	1	1	1	1	88.5	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:22	1	1	1	1	88.5	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:22	1	1	1	1	88.5	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:22	1	1	1	1	88.5	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:22	1	1	1	1	88.5	63.25	0	29241.706	537.6344086	15783.98065	30000	0	0	30000	43.375	2004
29.01.2020 11:45:23	1	1	1	1	88.5	63.25	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	43.25	2004
29.01.2020 11:45:24	1	1	1	1	88.5	63.25	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	43.375	2004
29.01.2020 11:45:26	1	1	1	1	88.5	63.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	43.5	2004
29.01.2020 11:45:27	1	1	1	1	88.75	63.5	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	43.25	2004
29.01.2020 11:45:28	1	1	1	1	88.75	63.25	0	29383.886	546.2365591	15898.1328	30000	0	0	30000	43.375	2004
29.01.2020 11:45:29	1	1	1	1	88.75	63.25	0	29715.64	541.9354839	16078.33012	30000	0	0	30000	43.5	2004
29.01.2020 11:45:30	1	1	1	1	88.75	63.5	0	29573.46	535.483871	15925.04009	30000	0	0	30000	43	2004
29.01.2020 11:45:31	1	1	1	1	88.75	63	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.4375	2004
29.01.2020 11:45:32	1	1	1	1	88.75	63.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	43.375	2004
29.01.2020 11:45:33	1	1	1	1	88.75	63.25	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:45:34	1	1	1	1	88.75	63.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:35	1	1	1	1	88.75	63.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	43.1875	2004
29.01.2020 11:45:36	1	1	1	1	88.75	63	0	29905.213	539.7849462	16052.2382	30000	0	0	30000	43.4375	2004
29.01.2020 11:45:37	1	1	1	1	88.5	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.9375	2004
29.01.2020 11:45:38	1	1	1	1	88.5	62.75	0	29810.427	535.483871	16026.96165	30000	0	0	30000	43.5	2004
29.01.2020 11:45:39	1	1	1	1	88.5	63.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.5625	2004
29.01.2020 11:45:40	1	1	1	1	88.5	62.5	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	43.25	2004
29.01.2020 11:45:41	1	1	1	1	88.5	63.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.9375	2004
29.01.2020 11:45:42	1	1	1	1	88.5	62.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.6875	2004
29.01.2020 11:45:43	1	1	1	1	88.5	63.25	0	29668.246	533.3333333	15975.59318	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:44	1	1	1	1	88.5	63.25	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:45	1	1	1	1	88.5	63.25	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	42.4375	2004
29.01.2020 11:45:46	1	1	1	1	88.5	62.25	0	29526.066	541.9354839	16281.35787	30000	0	0	30000	42.75	2004
29.01.2020 11:45:47	1	1	1	1	88.5	62.75	0	29573.46	535.483871	15988.63914	30000	0	0	30000	43.1875	2004
29.01.2020 11:45:48	1	1	1	1	88.5	63	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.8125	2004
29.01.2020 11:45:49	1	1	1	1	88.5	62.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.5	2004
29.01.2020 11:45:50	1	1	1	1	88.5	62.5	0	29431.28	533.3333333	15937.27068	30000	0	0	30000	43.5625	2004
29.01.2020 11:45:51	1	1	1	1	88.5	63.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.375	2004
29.01.2020 11:45:52	1	1	1	1	88.5	63.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.5	2004
29.01.2020 11:45:53	1	1	1	1	88.5	63.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	43.3125	2004
29.01.2020 11:45:54	1	1	1	1	88.5	63.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.25	2004
29.01.2020 11:45:55	1	1	1	1	88.5	63.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	43.0625	2004
29.01.2020 11:45:56	1	1	1	1	88.5	63	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42.8125	2004
29.01.2020 11:45:57	1	1	1	1	88.5	62.75	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	43.1875	2004
29.01.2020 11:45:58	1	1	1	1	88.5	63	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.25	2004
29.01.2020 11:45:59	1	1	1	1	88.5	63.25	0	29478.673	544.0860215	16000.86973	30000	0	0	30000	43.5625	2004
29.01.2020 11:46:00	1	1	1	1	88.5	63.5	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	43.5	2004
29.01.2020 11:46:01	1	1	1	1	88.5	63.5	0	29289.1	537.6344086	15960.91648	30000	0	0	30000	43.4375	2004
29.01.2020 11:46:04	1	1	1	1	88.5	63.5	0	29336.493	548.3870968	16276.46563	30000	0	0	30000	42.9375	2004
29.01.2020 11:46:04	1	1	1	1	88.5	63.5	0	29336.493	548.3870968	16276.46563	30000	0	0	30000	42.9375	2004
29.01.2020 11:46:04	1	1	1	1	88.5	62.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.1875	2004
29.01.2020 11:46:06	1	1	1	1	88.5	63	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.375	2004
29.01.2020 11:46:07	1	1	1	1	88	63.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.1875	2004
29.01.2020 11:46:08	1	1	1	1	88	63	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.5	2004
29.01.2020 11:46:09	1	1	1	1	88	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.5	2004
29.01.2020 11:46:10	1	1	1	1	88	63.5	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	43.3125	2004
29.01.2020 11:46:11	1	1	1	1	88	63.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.4375	2004
29.01.2020 11:46:12	1	1	1	1	88	63.25	0	29336.493	546.2365591	15909.54801	30000	0	0	30000	43.1875	2004
29.01.2020 11:46:13	1	1	1	1	88	63	0	29146.919	537.6344086	15909.54801	30000	0	0	30000	43.5	2004
29.01.2020 11:46:14	1	1	1	1	88	63.5	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	43.25	2004
29.01.2020 11:46:15	1	1	1	1	88	63.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	43.5625	2004
29.01.2020 11:46:16	1	1	1	1	88	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.4375	2004
29.01.2020 11:46:17	1	1	1	1	88.25	63.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:46:24	1	1	1	1	88.25	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.375	2004
29.01.2020 11:46:24	1	1	1	1	88.25	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.375	2004
29.01.2020 11:46:24	1	1	1	1	88.25	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.375	2004
29.01.2020 11:46:24	1	1	1	1	88.25	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.375	2004
29.01.2020 11:46:24	1	1	1	1	88.25	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.375	2004
29.01.2020 11:46:24	1	1	1	1	88.25	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.375	2004
29.01.2020 11:46:24	1	1	1	1	88.25	63.25	0	29952.607	516.1290323	15523.87682	30000	0	0	30000	42.375	2004
29.01.2020 11:46:25	1	1	1	1	88.25	62.25	0	30000	518.2795699	15354.27935	30000	0	0	30000	43	2004
29.01.2020 11:46:26	1	1	1	1	87.25	63	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.375	2004
29.01.2020 11:46:27	1	1	1	1	87.25	63.25	0	29905.213	529.0322581	15795.39586	30000	0	0	30000	43.4375	2004
29.01.2020 11:46:28	1	1	1	1	87.25	63.25	0	29857.82	535.483871	16052.2382	30000	0	0	30000	43.5	2004
29.01.2020 11:46:29	1	1	1	1	87.25	63.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	43.125	2004
29.01.2020 11:46:30	1	1	1	1	87.25	63	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.625	2004
29.01.2020 11:46:31	1	1	1	1	87.25	63.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	43.5	2004
29.01.2020 11:46:32	1	1	1	1	87.25	63.5	0	29763.033	546.2365591	15911.99413	30000	0	0	30000	43.625	2004
29.01.2020 11:46:33	1	1	1	1	87.25	63.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.5	2004
29.01.2020 11:46:34	1	1	1	1	87.25	63.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	43.625	2004
29.01.2020 11:46:35	1	1	1	1	87.25	63.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.0625	2004
29.01.2020 11:46:36	1	1	1	1	86	63	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	43	2004
29.01.2020 11:46:37	1	1	1	1	86	63	0	30000	516.1290323	15330.63354	30000	0	0	30000	43.375	2004
29.01.2020 11:46:38	1	1	1	1	86	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.5625	2004
29.01.2020 11:46:39	1	1	1	1	86	63.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.25	2004
29.01.2020 11:46:40	1	1	1	1	86	63.25	0	30000	511.827957	15330.63354	30000	0	0	30000	43.25	2004
29.01.2020 11:46:41	1	1	1	1	86	63.25	0	29952.607	498.9247312	14984.10024	30000	0	0	30000	43.4375	2004
29.01.2020 11:46:42	1	1	1	1	86	63.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.625	2004
29.01.2020 11:46:43	1	1	1	1	86	63.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.625	2004
29.01.2020 11:46:44	1	1	1	1	86	63.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.625	2004
29.01.2020 11:46:46	1	1	1	1	86	63.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.4375	2004
29.01.2020 11:46:47	1	1	1	1	85.5	63.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.1875	2004
29.01.2020 11:46:48	1	1	1	1	85.5	63	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.25	2004
29.01.2020 11:46:49	1	1	1	1	85.5	63.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	43.5	2004
29.01.2020 11:46:50	1	1	1	1	85.5	63.5	0	30000	505.3763441	15225.45049	30000	0	0	30000	42.875	2004
29.01.2020 11:46:51	1	1	1	1	85.5	62.75	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	43.25	2004
29.01.2020 11:46:52	1	1	1	1	85.5	63.25	0	30000	529.0322581	15677.16685	30000	0	0	30000	43.25	2004
29.01.2020 11:46:53	1	1	1	1	85.5	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.25	2004
29.01.2020 11:46:54	1	1	1	1	85.5	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.75	2004
29.01.2020 11:46:55	1	1	1	1	85.5	62.75	0	30000	518.2795699	15483.92357	30000	0	0	30000	43.375	2004
29.01.2020 11:46:56	1	1	1	1	85.5	63.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	43	2004
29.01.2020 11:46:57	1	1	1	1	85.25	63	0	30000	518.2795699	15459.4624	30000	0	0	30000	43.625	2004
29.01.2020 11:46:58	1	1	1	1	85.25	63.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.625	2004
29.01.2020 11:46:59	1	1	1	1	85.25	63.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	43.1875	2004
29.01.2020 11:47:00	1	1	1	1	85.25	63	0	29952.607	511.827957	15241.75794	30000	0	0	30000	43.8125	2004
29.01.2020 11:47:01	1	1	1	1	85.25	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:47:02	1	1	1	1	85.25	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.25	2004
29.01.2020 11:47:03	1	1	1	1	85.25	63	0	29905.213	501.0752688	14879.73256	30000	0	0	30000	43.125	2004
29.01.2020 11:47:04	1	1	1	1	85.25	63	0	30000	531.1827957	15934.82456	30000	0	0	30000	43.375	2004
29.01.2020 11:47:05	1	1	1	1	85.25	63.25	0	28957.346	466.6666667	13513.16827	30000	0	0	30000	43.0625	2004
29.01.2020 11:47:06	1	1	1	1	85.25	63	0	29905.213	535.483871	16039.19224	30000	0	0	30000	42.4375	2004
29.01.2020 11:47:07	1	1	1	1	85.25	62.25	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	43	2004
29.01.2020 11:47:08	1	1	1	1	85.25	63	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.625	2004
29.01.2020 11:47:09	1	1	1	1	85.25	63.5	0	29715.64	537.6344086	16219.38956	30000	0	0	30000	42.875	2004
29.01.2020 11:47:10	1	1	1	1	85.25	62.75	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	43.1875	2004
29.01.2020 11:47:11	1	1	1	1	85.25	63	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.5625	2004
29.01.2020 11:47:12	1	1	1	1	85.25	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.3125	2004
29.01.2020 11:47:13	1	1	1	1	85.25	63.25	0	29810.427	537.6344086	15898.94817	30000	0	0	30000	43.125	2004
29.01.2020 11:47:14	1	1	1	1	85.25	63	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	43.5625	2004
29.01.2020 11:47:15	1	1	1	1	85.25	63.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.25	2004
29.01.2020 11:47:16	1	1	1	1	86.75	63.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	42.375	2004
29.01.2020 11:47:17	1	1	1	1	86.75	62.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.4375	2004
29.01.2020 11:47:18	1	1	1	1	86.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.375	2004
29.01.2020 11:47:25	1	1	1	1	86.75	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.25	2004
29.01.2020 11:47:25	1	1	1	1	86.75	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.25	2004
29.01.2020 11:47:25	1	1	1	1	86.75	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.25	2004
29.01.2020 11:47:25	1	1	1	1	86.75	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.25	2004
29.01.2020 11:47:25	1	1	1	1	86.75	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.25	2004
29.01.2020 11:47:25	1	1	1	1	86.75	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.25	2004
29.01.2020 11:47:25	1	1	1	1	86.75	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.25	2004
29.01.2020 11:47:26	1	1	1	1	86.75	62.25	0	29905.213	501.0752688	14984.10024	30000	0	0	30000	43.3125	2004
29.01.2020 11:47:27	1	1	1	1	87	63.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.8125	2004
29.01.2020 11:47:28	1	1	1	1	87	63.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.0625	2004
29.01.2020 11:47:29	1	1	1	1	87	63	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	42.9375	2004
29.01.2020 11:47:30	1	1	1	1	87	62.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.5625	2004
29.01.2020 11:47:31	1	1	1	1	87	63.5	0	29857.82	533.3333333	15962.54722	30000	0	0	30000	43.5625	2004
29.01.2020 11:47:32	1	1	1	1	87	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.6875	2004
29.01.2020 11:47:33	1	1	1	1	87	63.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	43	2004
29.01.2020 11:47:34	1	1	1	1	87	63	0	29857.82	535.483871	15962.54722	30000	0	0	30000	43.625	2004
29.01.2020 11:47:35	1	1	1	1	87	63.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.0625	2004
29.01.2020 11:47:36	1	1	1	1	87	63	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	43.0625	2004
29.01.2020 11:47:37	1	1	1	1	87.5	63	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	43.6875	2004
29.01.2020 11:47:38	1	1	1	1	87.5	63.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	43.8125	2004
29.01.2020 11:47:39	1	1	1	1	87.5	63.75	0	29905.213	535.483871	16141.92917	30000	0	0	30000	43.5	2004
29.01.2020 11:47:40	1	1	1	1	87.5	63.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.625	2004
29.01.2020 11:47:41	1	1	1	1	87.5	63.5	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	43.1875	2004
29.01.2020 11:47:42	1	1	1	1	87.5	63	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43	2004
29.01.2020 11:47:43	1	1	1	1	87.5	63	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	43.1875	2004
29.01.2020 11:47:44	1	1	1	1	87.5	63	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43.3125	2004
29.01.2020 11:47:45	1	1	1	1	87.5	63.25	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:47:46	1	1	1	1	87.75	63.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.1875	2004
29.01.2020 11:47:47	1	1	1	1	87.75	63	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	43.6875	2004
29.01.2020 11:47:48	1	1	1	1	87.75	63.5	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	43.5625	2004
29.01.2020 11:47:49	1	1	1	1	87.75	63.5	0	29383.886	537.6344086	15582.58364	30000	0	0	30000	43.3125	2004
29.01.2020 11:47:50	1	1	1	1	87.75	63.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	43.5	2004
29.01.2020 11:47:51	1	1	1	1	87.75	63.5	0	29573.46	535.483871	15836.16449	30000	0	0	30000	43.5625	2004
29.01.2020 11:47:52	1	1	1	1	87.75	63.5	0	29620.853	535.483871	15988.63914	30000	0	0	30000	43.4375	2004
29.01.2020 11:47:53	1	1	1	1	87.75	63.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.875	2004
29.01.2020 11:47:54	1	1	1	1	87.75	62.75	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	43.5	2004
29.01.2020 11:47:55	1	1	1	1	87.75	63.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	43.375	2004
29.01.2020 11:47:56	1	1	1	1	88.25	63.25	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	43.25	2004
29.01.2020 11:47:57	1	1	1	1	88.25	63.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	43.5625	2004
29.01.2020 11:47:58	1	1	1	1	88.25	63.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	43.5	2004
29.01.2020 11:47:59	1	1	1	1	88.25	63.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	43.0625	2004
29.01.2020 11:48:01	1	1	1	1	88.25	63	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	43.625	2004
29.01.2020 11:48:02	1	1	1	1	88.25	63.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.4375	2004
29.01.2020 11:48:03	1	1	1	1	88.25	63.25	0	29431.28	544.0860215	15975.59318	30000	0	0	30000	43.5625	2004
29.01.2020 11:48:04	1	1	1	1	88.25	63.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	43.375	2004
29.01.2020 11:48:05	1	1	1	1	88.25	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.6875	2004
29.01.2020 11:48:06	1	1	1	1	88.25	62.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.5625	2004
29.01.2020 11:48:07	1	1	1	1	87.75	63.5	0	26113.744	496.7741935	13019.05254	30000	0	0	30000	43.1875	2004
29.01.2020 11:48:08	1	1	1	1	87.75	63	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	43.75	2004
29.01.2020 11:48:09	1	1	1	1	87.75	63.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:10	1	1	1	1	87.75	63.5	0	29431.28	544.0860215	15797.84198	30000	0	0	30000	43.4375	2004
29.01.2020 11:48:11	1	1	1	1	87.75	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.375	2004
29.01.2020 11:48:12	1	1	1	1	87.75	63.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.5	2004
29.01.2020 11:48:13	1	1	1	1	87.75	63.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.625	2004
29.01.2020 11:48:14	1	1	1	1	87.75	63.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.25	2004
29.01.2020 11:48:15	1	1	1	1	87.75	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:16	1	1	1	1	87.75	63.5	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	43.5	2004
29.01.2020 11:48:17	1	1	1	1	88.25	63.5	0	29478.673	541.9354839	15759.51947	30000	0	0	30000	43.625	2004
29.01.2020 11:48:18	1	1	1	1	88.25	63.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	43.25	2004
29.01.2020 11:48:19	1	1	1	1	88.25	63.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.8125	2004
29.01.2020 11:48:20	1	1	1	1	88.25	63.75	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:27	1	1	1	1	88.25	63.75	0	29526.066	550.5376344	16064.46878	30000	0	0	30000	43.3125	2004
29.01.2020 11:48:27	1	1	1	1	88.25	63.75	0	29526.066	550.5376344	16064.46878	30000	0	0	30000	43.3125	2004
29.01.2020 11:48:27	1	1	1	1	88.25	63.75	0	29526.066	550.5376344	16064.46878	30000	0	0	30000	43.3125	2004
29.01.2020 11:48:27	1	1	1	1	88.25	63.75	0	29526.066	550.5376344	16064.46878	30000	0	0	30000	43.3125	2004
29.01.2020 11:48:27	1	1	1	1	88.25	63.75	0	29526.066	550.5376344	16064.46878	30000	0	0	30000	43.3125	2004
29.01.2020 11:48:27	1	1	1	1	88.25	63.75	0	29526.066	550.5376344	16064.46878	30000	0	0	30000	43.3125	2004
29.01.2020 11:48:27	1	1	1	1	88.25	63.25	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	43.625	2004
29.01.2020 11:48:28	1	1	1	1	88.25	63.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:29	1	1	1	1	88.25	63.5	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:48:30	1	1	1	1	88.25	63	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.25	2004
29.01.2020 11:48:31	1	1	1	1	88.25	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.625	2004
29.01.2020 11:48:32	1	1	1	1	88.25	63.5	0	29478.673	535.483871	15911.99413	30000	0	0	30000	43.875	2004
29.01.2020 11:48:33	1	1	1	1	88.25	63.75	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	43.5	2004
29.01.2020 11:48:34	1	1	1	1	88.25	63.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.3125	2004
29.01.2020 11:48:35	1	1	1	1	88.25	63.25	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:36	1	1	1	1	88.75	63.5	0	29383.886	546.2365591	15835.34912	30000	0	0	30000	43.5	2004
29.01.2020 11:48:37	1	1	1	1	88.75	63.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.625	2004
29.01.2020 11:48:38	1	1	1	1	88.75	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.3125	2004
29.01.2020 11:48:39	1	1	1	1	88.75	63.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:41	1	1	1	1	88.75	63.5	0	29146.919	554.8387097	16082.40698	30000	0	0	30000	43.5625	2004
29.01.2020 11:48:42	1	1	1	1	88.75	63.5	0	29099.526	552.688172	16108.4989	30000	0	0	30000	43.5	2004
29.01.2020 11:48:43	1	1	1	1	88.75	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:44	1	1	1	1	88.75	63.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	43.125	2004
29.01.2020 11:48:45	1	1	1	1	88.75	63	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	43.375	2004
29.01.2020 11:48:46	1	1	1	1	88.75	63.25	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	43.625	2004
29.01.2020 11:48:47	1	1	1	1	88.25	63.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.5625	2004
29.01.2020 11:48:48	1	1	1	1	88.25	63.5	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	43.5625	2004
29.01.2020 11:48:49	1	1	1	1	88.25	63.5	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	42.6875	2004
29.01.2020 11:48:50	1	1	1	1	88.25	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.5625	2004
29.01.2020 11:48:51	1	1	1	1	88.25	63.5	0	29146.919	541.9354839	15846.76433	30000	0	0	30000	43.4375	2004
29.01.2020 11:48:52	1	1	1	1	88.25	63.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.5625	2004
29.01.2020 11:48:53	1	1	1	1	88.25	63.5	0	29383.886	546.2365591	16150.89827	30000	0	0	30000	43.5625	2004
29.01.2020 11:48:54	1	1	1	1	88.25	63.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
29.01.2020 11:48:55	1	1	1	1	88.25	63.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:56	1	1	1	1	88.25	63.5	0	29289.1	548.3870968	16035.11538	30000	0	0	30000	43.875	2004
29.01.2020 11:48:57	1	1	1	1	88.5	63.75	0	29431.28	544.0860215	16075.884	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:58	1	1	1	1	88.5	63.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	43.6875	2004
29.01.2020 11:48:59	1	1	1	1	88.5	63.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	43.9375	2004
29.01.2020 11:49:00	1	1	1	1	88.5	63.75	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	44.125	2004
29.01.2020 11:49:01	1	1	1	1	88.5	63.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	43.25	2004
29.01.2020 11:49:02	1	1	1	1	88.5	63.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.5625	2004
29.01.2020 11:49:03	1	1	1	1	88.5	62.5	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	43.8125	2004
29.01.2020 11:49:04	1	1	1	1	88.5	63.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.875	2004
29.01.2020 11:49:05	1	1	1	1	88.5	63.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.75	2004
29.01.2020 11:49:06	1	1	1	1	88.25	63.75	0	29004.739	552.688172	16004.13122	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:07	1	1	1	1	88.25	63.5	0	29146.919	548.3870968	15957.65499	30000	0	0	30000	43.9375	2004
29.01.2020 11:49:08	1	1	1	1	88.25	63.75	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	43.625	2004
29.01.2020 11:49:09	1	1	1	1	88.25	63.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
29.01.2020 11:49:10	1	1	1	1	88.25	63.25	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	43.5625	2004
29.01.2020 11:49:11	1	1	1	1	88.25	63.5	0	29289.1	544.0860215	15846.76433	30000	0	0	30000	43.8125	2004
29.01.2020 11:49:12	1	1	1	1	88.25	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.75	2004
29.01.2020 11:49:13	1	1	1	1	88.25	63.75	0	29146.919	539.7849462	15972.33169	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:49:14	1	1	1	1	88.25	63.5	0	29383.886	544.0860215	16087.29921	30000	0	0	30000	43.625	2004
29.01.2020 11:49:15	1	1	1	1	88.25	63.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
29.01.2020 11:49:16	1	1	1	1	88	63.75	0	29336.493	548.3870968	15998.42361	30000	0	0	30000	43.875	2004
29.01.2020 11:49:17	1	1	1	1	88	63.75	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	43.75	2004
29.01.2020 11:49:18	1	1	1	1	88	63.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.25	2004
29.01.2020 11:49:19	1	1	1	1	88	63.25	0	29431.28	546.2365591	16265.86579	30000	0	0	30000	43.0625	2004
29.01.2020 11:49:21	1	1	1	1	88	63	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	43.25	2004
29.01.2020 11:49:22	1	1	1	1	88	63.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.4375	2004
29.01.2020 11:49:29	1	1	1	1	88.5	63.5	0	26682.464	481.7204301	12830.70149	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:29	1	1	1	1	88.5	63.5	0	26682.464	481.7204301	12830.70149	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:29	1	1	1	1	88.5	63.5	0	26682.464	481.7204301	12830.70149	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:29	1	1	1	1	88.5	63.5	0	26682.464	481.7204301	12830.70149	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:29	1	1	1	1	88.5	63.5	0	26682.464	481.7204301	12830.70149	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:29	1	1	1	1	88.5	63.5	0	26682.464	481.7204301	12830.70149	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:29	1	1	1	1	88.5	63.5	0	26682.464	481.7204301	12830.70149	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:30	1	1	1	1	88.5	63.5	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:31	1	1	1	1	88.5	63.5	0	29857.82	529.0322581	16270.75802	30000	0	0	30000	43.8125	2004
29.01.2020 11:49:32	1	1	1	1	88.5	63.75	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	43.8125	2004
29.01.2020 11:49:33	1	1	1	1	88.5	63.75	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	43.25	2004
29.01.2020 11:49:34	1	1	1	1	88.5	63.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.75	2004
29.01.2020 11:49:35	1	1	1	1	88.5	63.75	0	29431.28	537.6344086	15759.51947	30000	0	0	30000	43.75	2004
29.01.2020 11:49:36	1	1	1	1	88.5	63.75	0	29478.673	535.483871	15784.79602	30000	0	0	30000	43	2004
29.01.2020 11:49:37	1	1	1	1	88.75	63	0	29763.033	541.9354839	16167.20572	30000	0	0	30000	43.9375	2004
29.01.2020 11:49:38	1	1	1	1	88.75	63.75	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	43.375	2004
29.01.2020 11:49:39	1	1	1	1	88.75	63.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	43.5	2004
29.01.2020 11:49:40	1	1	1	1	88.75	62.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	43.625	2004
29.01.2020 11:49:41	1	1	1	1	88.75	63.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43.1875	2004
29.01.2020 11:49:42	1	1	1	1	88.75	63	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	43.8125	2004
29.01.2020 11:49:43	1	1	1	1	88.75	63.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43	2004
29.01.2020 11:49:44	1	1	1	1	88.75	63	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.5625	2004
29.01.2020 11:49:45	1	1	1	1	88.75	63.5	0	29620.853	550.5376344	16000.86973	30000	0	0	30000	43.4375	2004
29.01.2020 11:49:46	1	1	1	1	89	63.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.5625	2004
29.01.2020 11:49:47	1	1	1	1	89	63.5	0	29289.1	537.6344086	15835.34912	30000	0	0	30000	43.75	2004
29.01.2020 11:49:48	1	1	1	1	89	63.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	43.4375	2004
29.01.2020 11:49:49	1	1	1	1	89	63.25	0	29146.919	541.9354839	16061.20729	30000	0	0	30000	42.9375	2004
29.01.2020 11:49:50	1	1	1	1	89	62.75	0	29620.853	544.0860215	16167.20572	30000	0	0	30000	43.75	2004
29.01.2020 11:49:51	1	1	1	1	89	63.75	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	43	2004
29.01.2020 11:49:52	1	1	1	1	89	63	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	43.8125	2004
29.01.2020 11:49:53	1	1	1	1	89	63.75	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:54	1	1	1	1	89	63.5	0	29526.066	544.0860215	16115.83725	30000	0	0	30000	43.25	2004
29.01.2020 11:49:55	1	1	1	1	89	63.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	43.6875	2004
29.01.2020 11:49:56	1	1	1	1	88.25	63.5	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	42.9375	2004
29.01.2020 11:49:57	1	1	1	1	88.25	62.75	0	29478.673	548.3870968	16165.57497	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:49:58	1	1	1	1	88.25	63.75	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	43.8125	2004
29.01.2020 11:49:59	1	1	1	1	88.25	63.75	0	29241.706	548.3870968	15983.74691	30000	0	0	30000	43.75	2004
29.01.2020 11:50:00	1	1	1	1	88.25	63.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:02	1	1	1	1	88.25	63.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	43.4375	2004
29.01.2020 11:50:03	1	1	1	1	88.25	63.25	0	29241.706	539.7849462	15960.91648	30000	0	0	30000	43.4375	2004
29.01.2020 11:50:04	1	1	1	1	88.25	63.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43.875	2004
29.01.2020 11:50:05	1	1	1	1	88.25	63.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.875	2004
29.01.2020 11:50:06	1	1	1	1	88.25	63.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.75	2004
29.01.2020 11:50:07	1	1	1	1	88.75	63.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	43.75	2004
29.01.2020 11:50:08	1	1	1	1	88.75	63.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.375	2004
29.01.2020 11:50:09	1	1	1	1	88.75	63.25	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:10	1	1	1	1	88.75	63.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.625	2004
29.01.2020 11:50:11	1	1	1	1	88.75	63.5	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	43.9375	2004
29.01.2020 11:50:12	1	1	1	1	88.75	63.75	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:13	1	1	1	1	88.75	63.5	0	29526.066	546.2365591	16026.96165	30000	0	0	30000	43.5	2004
29.01.2020 11:50:14	1	1	1	1	88.75	63.5	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:15	1	1	1	1	88.75	63.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	43.125	2004
29.01.2020 11:50:16	1	1	1	1	88.75	63	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.0625	2004
29.01.2020 11:50:17	1	1	1	1	88.75	63	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44	2004
29.01.2020 11:50:18	1	1	1	1	88.75	64	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	43.75	2004
29.01.2020 11:50:19	1	1	1	1	88.75	63.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	43.5	2004
29.01.2020 11:50:20	1	1	1	1	88.75	63.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:21	1	1	1	1	88.75	63.5	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:22	1	1	1	1	88.75	63.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.8125	2004
29.01.2020 11:50:23	1	1	1	1	88.75	63.75	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	42.9375	2004
29.01.2020 11:50:30	1	1	1	1	88.5	63.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.75	2004
29.01.2020 11:50:30	1	1	1	1	88.5	63.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.75	2004
29.01.2020 11:50:30	1	1	1	1	88.5	63.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.75	2004
29.01.2020 11:50:30	1	1	1	1	88.5	63.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.75	2004
29.01.2020 11:50:30	1	1	1	1	88.5	63.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.75	2004
29.01.2020 11:50:30	1	1	1	1	88.5	63.75	0	28957.346	464.516129	13451.19996	30000	0	0	30000	43.625	2004
29.01.2020 11:50:31	1	1	1	1	88.5	63.5	0	29952.607	518.2795699	15498.60028	30000	0	0	30000	43.75	2004
29.01.2020 11:50:32	1	1	1	1	88.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
29.01.2020 11:50:33	1	1	1	1	88.5	62.75	0	30000	464.516129	13999.94564	30000	0	0	30000	43.75	2004
29.01.2020 11:50:34	1	1	1	1	88.5	63.75	0	29952.607	432.2580645	13225.34178	30000	0	0	30000	43.5	2004
29.01.2020 11:50:35	1	1	1	1	88.5	63.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	43.5625	2004
29.01.2020 11:50:36	1	1	1	1	88.75	63.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	43.625	2004
29.01.2020 11:50:37	1	1	1	1	88.75	63.5	0	30000	464.516129	13935.53122	30000	0	0	30000	43.4375	2004
29.01.2020 11:50:38	1	1	1	1	88.75	63.25	0	30000	466.6666667	14451.662	30000	0	0	30000	43.5625	2004
29.01.2020 11:50:40	1	1	1	1	88.75	63.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.1875	2004
29.01.2020 11:50:41	1	1	1	1	88.75	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.75	2004
29.01.2020 11:50:42	1	1	1	1	88.75	63.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:50:43	1	1	1	1	88.75	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.75	2004
29.01.2020 11:50:44	1	1	1	1	88.75	63.75	0	30000	511.827957	15483.92357	30000	0	0	30000	43.375	2004
29.01.2020 11:50:45	1	1	1	1	88.75	63.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:46	1	1	1	1	88.75	63.5	0	30000	509.6774194	15225.45049	30000	0	0	30000	43.875	2004
29.01.2020 11:50:47	1	1	1	1	88.75	63.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.875	2004
29.01.2020 11:50:48	1	1	1	1	88.75	63.75	0	30000	488.172043	14516.07643	30000	0	0	30000	43.625	2004
29.01.2020 11:50:49	1	1	1	1	88.75	63.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:50	1	1	1	1	88.75	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.625	2004
29.01.2020 11:50:51	1	1	1	1	88.75	63.5	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:52	1	1	1	1	88.75	63.5	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	43.8125	2004
29.01.2020 11:50:53	1	1	1	1	88.75	63.75	0	30000	511.827957	15289.86492	30000	0	0	30000	43.875	2004
29.01.2020 11:50:54	1	1	1	1	88.75	63.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.6875	2004
29.01.2020 11:50:55	1	1	1	1	88.75	63.5	0	29952.607	507.5268817	15483.92357	30000	0	0	30000	42.75	2004
29.01.2020 11:50:56	1	1	1	1	88.75	62.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.5	2004
29.01.2020 11:50:57	1	1	1	1	89	63.5	0	30000	516.1290323	15289.86492	30000	0	0	30000	44.1875	2004
29.01.2020 11:50:58	1	1	1	1	89	64	0	30000	535.483871	16064.46878	30000	0	0	30000	43.3125	2004
29.01.2020 11:50:59	1	1	1	1	89	63.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.625	2004
29.01.2020 11:51:00	1	1	1	1	89	63.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43.125	2004
29.01.2020 11:51:01	1	1	1	1	89	63	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	43.25	2004
29.01.2020 11:51:02	1	1	1	1	89	63.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.6875	2004
29.01.2020 11:51:03	1	1	1	1	89	63.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	43.3125	2004
29.01.2020 11:51:04	1	1	1	1	89	63.25	0	30000	520.4301075	15548.338	30000	0	0	30000	43.375	2004
29.01.2020 11:51:05	1	1	1	1	89	63.25	0	29905.213	496.7741935	14879.73256	30000	0	0	30000	43.5625	2004
29.01.2020 11:51:06	1	1	1	1	88.25	63.5	0	30000	507.5268817	15137.39026	30000	0	0	30000	43.4375	2004
29.01.2020 11:51:07	1	1	1	1	88.25	63.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.5625	2004
29.01.2020 11:51:08	1	1	1	1	88.25	63.5	0	29952.607	520.4301075	15435.00122	30000	0	0	30000	43.0625	2004
29.01.2020 11:51:09	1	1	1	1	88.25	63	0	29952.607	537.6344086	16039.19224	30000	0	0	30000	43.8125	2004
29.01.2020 11:51:10	1	1	1	1	88.25	63.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.4375	2004
29.01.2020 11:51:11	1	1	1	1	88.25	63.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.25	2004
29.01.2020 11:51:12	1	1	1	1	88.25	63.25	0	29905.213	541.9354839	15987.82377	30000	0	0	30000	43.75	2004
29.01.2020 11:51:13	1	1	1	1	88.25	63.75	0	30000	522.5806452	15741.58128	30000	0	0	30000	43.4375	2004
29.01.2020 11:51:14	1	1	1	1	88.25	63.25	0	29620.853	520.4301075	15479.03134	30000	0	0	30000	43.8125	2004
29.01.2020 11:51:15	1	1	1	1	88.25	63.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	43.0625	2004
29.01.2020 11:51:16	1	1	1	1	88.25	63	0	26919.431	466.6666667	12562.44394	30000	0	0	30000	43.9375	2004
29.01.2020 11:51:17	1	1	1	1	88.25	63.75	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	43	2004
29.01.2020 11:51:19	1	1	1	1	88.25	63	0	29715.64	481.7204301	14360.34028	30000	0	0	30000	43.75	2004
29.01.2020 11:51:20	1	1	1	1	88.25	63.75	0	30000	529.0322581	15677.16685	30000	0	0	30000	43.625	2004
29.01.2020 11:51:21	1	1	1	1	88.25	63.5	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	43.6875	2004
29.01.2020 11:51:22	1	1	1	1	88.25	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.8125	2004
29.01.2020 11:51:23	1	1	1	1	88.25	63.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.5	2004
29.01.2020 11:51:24	1	1	1	1	88.25	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.5625	2004
29.01.2020 11:51:25	1	1	1	1	88.25	63.5	0	29383.886	539.7849462	16013.10032	30000	0	0	30000	43.75	2004
29.01.2020 11:51:31	1	1	1	1	88	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:51:31	1	1	1	1	88	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.5	2004
29.01.2020 11:51:31	1	1	1	1	88	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.5	2004
29.01.2020 11:51:31	1	1	1	1	88	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.5	2004
29.01.2020 11:51:31	1	1	1	1	88	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.5	2004
29.01.2020 11:51:31	1	1	1	1	88	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.5	2004
29.01.2020 11:51:32	1	1	1	1	88	63.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.875	2004
29.01.2020 11:51:33	1	1	1	1	88	63.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.5	2004
29.01.2020 11:51:34	1	1	1	1	88	63.5	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	43.125	2004
29.01.2020 11:51:35	1	1	1	1	88	63	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.8125	2004
29.01.2020 11:51:36	1	1	1	1	88	63.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	43.5	2004
29.01.2020 11:51:37	1	1	1	1	88	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.875	2004
29.01.2020 11:51:38	1	1	1	1	88	64	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	43.5625	2004
29.01.2020 11:51:39	1	1	1	1	88	63.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	43.8125	2004
29.01.2020 11:51:40	1	1	1	1	88	63.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.9375	2004
29.01.2020 11:51:41	1	1	1	1	88	63.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	43.6875	2004
29.01.2020 11:51:42	1	1	1	1	88	63.5	0	29431.28	541.9354839	16075.884	30000	0	0	30000	43.75	2004
29.01.2020 11:51:43	1	1	1	1	88	63.75	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	43.875	2004
29.01.2020 11:51:44	1	1	1	1	88	63.75	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	43.25	2004
29.01.2020 11:51:45	1	1	1	1	88	63.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.5625	2004
29.01.2020 11:51:46	1	1	1	1	88.25	63.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.8125	2004
29.01.2020 11:51:47	1	1	1	1	88.25	63.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.3125	2004
29.01.2020 11:51:48	1	1	1	1	88.25	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.9375	2004
29.01.2020 11:51:49	1	1	1	1	88.25	63.75	0	29336.493	544.0860215	15809.2572	30000	0	0	30000	43.125	2004
29.01.2020 11:51:50	1	1	1	1	88.25	63	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.625	2004
29.01.2020 11:51:51	1	1	1	1	88.25	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.8125	2004
29.01.2020 11:51:52	1	1	1	1	88.25	63.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.875	2004
29.01.2020 11:51:53	1	1	1	1	88.25	63.75	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	43.375	2004
29.01.2020 11:51:54	1	1	1	1	88.25	63.25	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	43.4375	2004
29.01.2020 11:51:55	1	1	1	1	88.25	63.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.0625	2004
29.01.2020 11:51:57	1	1	1	1	88.25	64	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	43.8125	2004
29.01.2020 11:51:58	1	1	1	1	88.25	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.9375	2004
29.01.2020 11:51:59	1	1	1	1	88.25	63.75	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	43.1875	2004
29.01.2020 11:52:00	1	1	1	1	88.25	63	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.75	2004
29.01.2020 11:52:01	1	1	1	1	88.25	63.75	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:02	1	1	1	1	88.25	63.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	43.1875	2004
29.01.2020 11:52:03	1	1	1	1	88.25	63	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	43.375	2004
29.01.2020 11:52:04	1	1	1	1	88.25	63.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	43.4375	2004
29.01.2020 11:52:05	1	1	1	1	88.25	63.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	43.5625	2004
29.01.2020 11:52:06	1	1	1	1	88.25	63.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:07	1	1	1	1	88.5	63.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	43.4375	2004
29.01.2020 11:52:08	1	1	1	1	88.5	63.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.875	2004
29.01.2020 11:52:09	1	1	1	1	88.5	63.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.0625	2004
29.01.2020 11:52:10	1	1	1	1	88.5	63	0	29573.46	541.9354839	15810.07257	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:52:11	1	1	1	1	88.5	63.75	0	29668.246	539.7849462	15733.42755	30000	0	0	30000	43.375	2004
29.01.2020 11:52:12	1	1	1	1	88.5	63.25	0	29763.033	535.483871	15911.99413	30000	0	0	30000	43.9375	2004
29.01.2020 11:52:13	1	1	1	1	88.5	63.75	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	43.875	2004
29.01.2020 11:52:14	1	1	1	1	88.5	63.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	44.0625	2004
29.01.2020 11:52:15	1	1	1	1	88.5	64	0	29715.64	535.483871	16090.5607	30000	0	0	30000	43.875	2004
29.01.2020 11:52:16	1	1	1	1	88.75	64.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.9375	2004
29.01.2020 11:52:17	1	1	1	1	88.75	63.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.375	2004
29.01.2020 11:52:18	1	1	1	1	88.75	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.625	2004
29.01.2020 11:52:19	1	1	1	1	88.75	63.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.8125	2004
29.01.2020 11:52:20	1	1	1	1	88.75	62.75	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	43.375	2004
29.01.2020 11:52:21	1	1	1	1	88.75	63.25	0	29620.853	537.6344086	15950.31664	30000	0	0	30000	43.875	2004
29.01.2020 11:52:22	1	1	1	1	88.75	63.75	0	29715.64	535.483871	16040.00761	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:23	1	1	1	1	88.75	63.75	0	29857.82	533.3333333	15885.08684	30000	0	0	30000	43	2004
29.01.2020 11:52:24	1	1	1	1	88.75	63	0	29763.033	541.9354839	16129.69858	30000	0	0	30000	44	2004
29.01.2020 11:52:25	1	1	1	1	88.75	64	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.9375	2004
29.01.2020 11:52:26	1	1	1	1	88	63.75	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	44.125	2004
29.01.2020 11:52:33	1	1	1	1	88	63.75	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:33	1	1	1	1	88	63.75	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:33	1	1	1	1	88	63.75	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:33	1	1	1	1	88	63.75	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:33	1	1	1	1	88	63.75	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:33	1	1	1	1	88	63.75	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:33	1	1	1	1	88	63.75	0	29620.853	535.483871	15925.04009	30000	0	0	30000	44	2004
29.01.2020 11:52:35	1	1	1	1	88	64	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.9375	2004
29.01.2020 11:52:36	1	1	1	1	88	63.75	0	29810.427	533.3333333	16013.10032	30000	0	0	30000	43.5625	2004
29.01.2020 11:52:37	1	1	1	1	88	63.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	43.6875	2004
29.01.2020 11:52:38	1	1	1	1	88	63.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	43.9375	2004
29.01.2020 11:52:39	1	1	1	1	88	63.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.875	2004
29.01.2020 11:52:40	1	1	1	1	88	63.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	44	2004
29.01.2020 11:52:41	1	1	1	1	88	64	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	43.3125	2004
29.01.2020 11:52:42	1	1	1	1	88	63.25	0	27867.299	481.7204301	13529.47572	30000	0	0	30000	43.9375	2004
29.01.2020 11:52:43	1	1	1	1	88	63.75	0	29763.033	481.7204301	14314.67942	30000	0	0	30000	43.875	2004
29.01.2020 11:52:44	1	1	1	1	88	63.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.5	2004
29.01.2020 11:52:45	1	1	1	1	88	63.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.75	2004
29.01.2020 11:52:46	1	1	1	1	88	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.8125	2004
29.01.2020 11:52:47	1	1	1	1	87.5	63.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.75	2004
29.01.2020 11:52:48	1	1	1	1	87.5	63.75	0	29146.919	488.172043	14228.24994	30000	0	0	30000	43.875	2004
29.01.2020 11:52:49	1	1	1	1	87.5	63.75	0	30000	494.6236559	14815.31813	30000	0	0	30000	43.5	2004
29.01.2020 11:52:50	1	1	1	1	87.5	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.6875	2004
29.01.2020 11:52:51	1	1	1	1	87.5	63.5	0	29810.427	481.7204301	14423.93934	30000	0	0	30000	43.75	2004
29.01.2020 11:52:52	1	1	1	1	87.5	63.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.75	2004
29.01.2020 11:52:53	1	1	1	1	87.5	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.625	2004
29.01.2020 11:52:54	1	1	1	1	87.5	63.5	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:53:39	1	1	1	1	87.5	63.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.875	2004
29.01.2020 11:53:40	1	1	1	1	87.5	63.75	0	29573.46	544.0860215	16000.86973	30000	0	0	30000	44	2004
29.01.2020 11:53:41	1	1	1	1	87.5	64	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44	2004
29.01.2020 11:53:42	1	1	1	1	87.5	64	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.8125	2004
29.01.2020 11:53:43	1	1	1	1	87.5	63.75	0	29573.46	546.2365591	16026.96165	30000	0	0	30000	43.8125	2004
29.01.2020 11:53:44	1	1	1	1	87.5	63.75	0	29241.706	501.0752688	14715.02731	30000	0	0	30000	43.5	2004
29.01.2020 11:53:45	1	1	1	1	87.5	63.5	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	43.5625	2004
29.01.2020 11:53:46	1	1	1	1	88.25	63.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
29.01.2020 11:53:47	1	1	1	1	88.25	63.75	0	29526.066	546.2365591	16255.26595	30000	0	0	30000	43.8125	2004
29.01.2020 11:53:48	1	1	1	1	88.25	63.75	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	43.75	2004
29.01.2020 11:53:49	1	1	1	1	88.25	63.75	0	29336.493	537.6344086	15960.91648	30000	0	0	30000	44	2004
29.01.2020 11:53:51	1	1	1	1	88.25	64	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	43.9375	2004
29.01.2020 11:53:52	1	1	1	1	88.25	63.75	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	43.9375	2004
29.01.2020 11:53:53	1	1	1	1	88.25	63.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44	2004
29.01.2020 11:53:54	1	1	1	1	88.25	64	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	44.0625	2004
29.01.2020 11:53:55	1	1	1	1	88.25	64	0	28909.953	546.2365591	15827.19539	30000	0	0	30000	43.875	2004
29.01.2020 11:53:56	1	1	1	1	88.25	63.75	0	29289.1	546.2365591	15935.63993	30000	0	0	30000	44.0625	2004
29.01.2020 11:53:57	1	1	1	1	88	64	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.875	2004
29.01.2020 11:53:58	1	1	1	1	88	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	43.9375	2004
29.01.2020 11:53:59	1	1	1	1	88	63.75	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	43.6875	2004
29.01.2020 11:54:00	1	1	1	1	88	63.5	0	29336.493	546.2365591	16113.39113	30000	0	0	30000	43.75	2004
29.01.2020 11:54:01	1	1	1	1	88	63.75	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	43.9375	2004
29.01.2020 11:54:02	1	1	1	1	88	63.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43.875	2004
29.01.2020 11:54:03	1	1	1	1	88	63.75	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	44	2004
29.01.2020 11:54:04	1	1	1	1	88	64	0	26018.957	496.7741935	12925.2847	30000	0	0	30000	43.625	2004
29.01.2020 11:54:05	1	1	1	1	88	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.8125	2004
29.01.2020 11:54:06	1	1	1	1	88	62.75	0	29099.526	550.5376344	15983.74691	30000	0	0	30000	43.75	2004
29.01.2020 11:54:07	1	1	1	1	88	63.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.5	2004
29.01.2020 11:54:08	1	1	1	1	88	63.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.125	2004
29.01.2020 11:54:09	1	1	1	1	88	64	0	29241.706	554.8387097	15858.17955	30000	0	0	30000	44.25	2004
29.01.2020 11:54:10	1	1	1	1	88	64.25	0	29336.493	541.9354839	16087.29921	30000	0	0	30000	44.375	2004
29.01.2020 11:54:11	1	1	1	1	88	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.625	2004
29.01.2020 11:54:12	1	1	1	1	88	64	0	29431.28	546.2365591	16176.99019	30000	0	0	30000	43.4375	2004
29.01.2020 11:54:13	1	1	1	1	88	63.25	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	44.125	2004
29.01.2020 11:54:14	1	1	1	1	88	64	0	29099.526	544.0860215	15894.87131	30000	0	0	30000	44.125	2004
29.01.2020 11:54:15	1	1	1	1	88	64	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.9375	2004
29.01.2020 11:54:16	1	1	1	1	88.25	63.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	44.0625	2004
29.01.2020 11:54:17	1	1	1	1	88.25	64	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.0625	2004
29.01.2020 11:54:18	1	1	1	1	88.25	64	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.625	2004
29.01.2020 11:54:19	1	1	1	1	88.25	63.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	43.75	2004
29.01.2020 11:54:20	1	1	1	1	88.25	63.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	43.5	2004
29.01.2020 11:54:21	1	1	1	1	88.25	63.5	0	29810.427	522.5806452	15577.69141	30000	0	0	30000	44.0625	2004
29.01.2020 11:54:22	1	1	1	1	88.25	64	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:54:23	1	1	1	1	88.25	63.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.75	2004
29.01.2020 11:54:24	1	1	1	1	88.25	63.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	43.875	2004
29.01.2020 11:54:25	1	1	1	1	88.25	63.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	43.9375	2004
29.01.2020 11:54:26	1	1	1	1	88	63.75	0	29810.427	486.0215054	14703.6121	30000	0	0	30000	44.0625	2004
29.01.2020 11:54:27	1	1	1	1	88	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.75	2004
29.01.2020 11:54:28	1	1	1	1	88	63.75	0	28483.412	494.6236559	14088.00587	30000	0	0	30000	43.75	2004
29.01.2020 11:54:29	1	1	1	1	88	63.75	0	28815.166	488.172043	13973.85372	30000	0	0	30000	43.9375	2004
29.01.2020 11:54:36	1	1	1	1	88	63.75	0	29857.82	533.3333333	15655.96717	30000	0	0	30000	43.5625	2004
29.01.2020 11:54:36	1	1	1	1	88	63.75	0	29857.82	533.3333333	15655.96717	30000	0	0	30000	43.5625	2004
29.01.2020 11:54:36	1	1	1	1	88	63.75	0	29857.82	533.3333333	15655.96717	30000	0	0	30000	43.5625	2004
29.01.2020 11:54:36	1	1	1	1	88	63.75	0	29857.82	533.3333333	15655.96717	30000	0	0	30000	43.5625	2004
29.01.2020 11:54:36	1	1	1	1	88	63.75	0	29857.82	533.3333333	15655.96717	30000	0	0	30000	43.5625	2004
29.01.2020 11:54:36	1	1	1	1	88	63.75	0	29857.82	533.3333333	15655.96717	30000	0	0	30000	43.5625	2004
29.01.2020 11:54:37	1	1	1	1	87.75	63.5	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	44	2004
29.01.2020 11:54:38	1	1	1	1	87.75	64	0	29857.82	501.0752688	14984.10024	30000	0	0	30000	44	2004
29.01.2020 11:54:39	1	1	1	1	87.75	64	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	43.5	2004
29.01.2020 11:54:40	1	1	1	1	87.75	63.5	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	43.9375	2004
29.01.2020 11:54:41	1	1	1	1	87.75	63.75	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	44	2004
29.01.2020 11:54:42	1	1	1	1	87.75	64	0	29573.46	488.172043	14436.9853	30000	0	0	30000	43.8125	2004
29.01.2020 11:54:43	1	1	1	1	87.75	63.75	0	29810.427	501.0752688	14960.45443	30000	0	0	30000	43.5625	2004
29.01.2020 11:54:44	1	1	1	1	87.75	63.5	0	29668.246	533.3333333	15911.99413	30000	0	0	30000	44.125	2004
29.01.2020 11:54:45	1	1	1	1	87.75	64	0	29668.246	496.7741935	14737.85774	30000	0	0	30000	43.8125	2004
29.01.2020 11:54:46	1	1	1	1	87.75	63.75	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	43.9375	2004
29.01.2020 11:54:47	1	1	1	1	88.75	63.75	0	29620.853	494.6236559	14650.61289	30000	0	0	30000	44.125	2004
29.01.2020 11:54:48	1	1	1	1	88.75	64	0	29810.427	535.483871	16052.2382	30000	0	0	30000	44.125	2004
29.01.2020 11:54:49	1	1	1	1	88.75	64	0	29952.607	539.7849462	15949.50126	30000	0	0	30000	44.0625	2004
29.01.2020 11:54:50	1	1	1	1	88.75	64	0	29715.64	483.8709677	14378.27848	30000	0	0	30000	43.75	2004
29.01.2020 11:54:51	1	1	1	1	88.75	63.75	0	28815.166	458.0645161	13199.24986	30000	0	0	30000	43.9375	2004
29.01.2020 11:54:52	1	1	1	1	88.75	63.75	0	29052.133	460.2150538	13369.66271	30000	0	0	30000	43.9375	2004
29.01.2020 11:54:53	1	1	1	1	88.75	63.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.8125	2004
29.01.2020 11:54:54	1	1	1	1	88.75	64	0	26587.678	481.7204301	12853.53192	30000	0	0	30000	43.6875	2004
29.01.2020 11:54:55	1	1	1	1	88.75	63.5	0	29620.853	468.8172043	13950.20792	30000	0	0	30000	44	2004
29.01.2020 11:54:56	1	1	1	1	87.5	64	0	29810.427	481.7204301	14598.42905	30000	0	0	30000	43.6875	2004
29.01.2020 11:54:57	1	1	1	1	87.5	63.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	44	2004
29.01.2020 11:54:58	1	1	1	1	87.5	64	0	30000	520.4301075	15548.338	30000	0	0	30000	44.0625	2004
29.01.2020 11:54:59	1	1	1	1	87.5	64	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	43.5625	2004
29.01.2020 11:55:00	1	1	1	1	87.5	63.5	0	29715.64	481.7204301	13995.05341	30000	0	0	30000	44.1875	2004
29.01.2020 11:55:01	1	1	1	1	87.5	64	0	28862.559	449.4623656	13220.44954	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:02	1	1	1	1	87.5	64	0	29526.066	464.516129	13800.99475	30000	0	0	30000	43.8125	2004
29.01.2020 11:55:03	1	1	1	1	87.5	63.75	0	30000	520.4301075	15548.338	30000	0	0	30000	43.6875	2004
29.01.2020 11:55:04	1	1	1	1	87.5	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.9375	2004
29.01.2020 11:55:05	1	1	1	1	87.5	63.75	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:06	1	1	1	1	88.25	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:55:07	1	1	1	1	88.25	64	0	30000	501.0752688	15289.86492	30000	0	0	30000	43.3125	2004
29.01.2020 11:55:08	1	1	1	1	88.25	63.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.625	2004
29.01.2020 11:55:10	1	1	1	1	88.25	63.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.8125	2004
29.01.2020 11:55:11	1	1	1	1	88.25	63.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.75	2004
29.01.2020 11:55:12	1	1	1	1	88.25	63.75	0	26777.251	481.7204301	12899.19278	30000	0	0	30000	43.6875	2004
29.01.2020 11:55:13	1	1	1	1	88.25	63.5	0	29763.033	481.7204301	14314.67942	30000	0	0	30000	43.75	2004
29.01.2020 11:55:14	1	1	1	1	88.25	63.75	0	29099.526	455.9139785	13014.97567	30000	0	0	30000	43.4375	2004
29.01.2020 11:55:15	1	1	1	1	88.25	63.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:16	1	1	1	1	88.25	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.6875	2004
29.01.2020 11:55:17	1	1	1	1	87.25	63.5	0	29526.066	483.8709677	14309.78719	30000	0	0	30000	43.9375	2004
29.01.2020 11:55:18	1	1	1	1	87.25	63.75	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	43.875	2004
29.01.2020 11:55:19	1	1	1	1	87.25	63.75	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	44	2004
29.01.2020 11:55:20	1	1	1	1	87.25	64	0	30000	529.0322581	15934.82456	30000	0	0	30000	43.875	2004
29.01.2020 11:55:21	1	1	1	1	87.25	63.75	0	27061.611	445.1612903	12046.31316	30000	0	0	30000	44	2004
29.01.2020 11:55:22	1	1	1	1	87.25	64	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	43.875	2004
29.01.2020 11:55:23	1	1	1	1	87.25	63.75	0	29905.213	486.0215054	14557.66042	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:24	1	1	1	1	87.25	64	0	30000	511.827957	15289.86492	30000	0	0	30000	43.9375	2004
29.01.2020 11:55:25	1	1	1	1	87.25	63.75	0	29526.066	481.7204301	14309.78719	30000	0	0	30000	43.6875	2004
29.01.2020 11:55:26	1	1	1	1	87.25	63.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44	2004
29.01.2020 11:55:27	1	1	1	1	87.5	64	0	29952.607	505.3763441	15289.86492	30000	0	0	30000	43.625	2004
29.01.2020 11:55:28	1	1	1	1	87.5	63.5	0	28815.166	464.516129	13385.15478	30000	0	0	30000	43.75	2004
29.01.2020 11:55:29	1	1	1	1	87.5	63.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.5625	2004
29.01.2020 11:55:30	1	1	1	1	87.5	63.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.75	2004
29.01.2020 11:55:31	1	1	1	1	87.5	63.75	0	28625.592	451.6129032	12742.64126	30000	0	0	30000	44.375	2004
29.01.2020 11:55:38	1	1	1	1	87.25	63.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:38	1	1	1	1	87.25	63.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:38	1	1	1	1	87.25	63.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:38	1	1	1	1	87.25	63.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:38	1	1	1	1	87.25	63.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:38	1	1	1	1	87.25	63.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:38	1	1	1	1	87.25	64	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	43.9375	2004
29.01.2020 11:55:39	1	1	1	1	87.25	63.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.875	2004
29.01.2020 11:55:40	1	1	1	1	87.25	63.75	0	29810.427	541.9354839	15911.99413	30000	0	0	30000	44.125	2004
29.01.2020 11:55:41	1	1	1	1	87.25	64	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.625	2004
29.01.2020 11:55:42	1	1	1	1	87.25	63.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.5625	2004
29.01.2020 11:55:43	1	1	1	1	87.25	63.5	0	28578.199	464.516129	13358.24749	30000	0	0	30000	43.9375	2004
29.01.2020 11:55:44	1	1	1	1	87.25	63.75	0	29905.213	507.5268817	14832.44095	30000	0	0	30000	43.625	2004
29.01.2020 11:55:45	1	1	1	1	87.25	63.5	0	29526.066	535.483871	15810.07257	30000	0	0	30000	44.125	2004
29.01.2020 11:55:46	1	1	1	1	87.75	64	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.875	2004
29.01.2020 11:55:47	1	1	1	1	87.75	63.75	0	29573.46	535.483871	15836.16449	30000	0	0	30000	44	2004
29.01.2020 11:55:49	1	1	1	1	87.75	64	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:50	1	1	1	1	87.75	64	0	29905.213	516.1290323	15459.4624	30000	0	0	30000	43.8125	2004
29.01.2020 11:55:51	1	1	1	1	87.75	63.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:55:52	1	1	1	1	87.75	63.75	0	29905.213	501.0752688	14984.10024	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:53	1	1	1	1	87.75	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:54	1	1	1	1	87.75	64	0	29715.64	481.7204301	14355.44805	30000	0	0	30000	43.5625	2004
29.01.2020 11:55:55	1	1	1	1	87.75	63.5	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.375	2004
29.01.2020 11:55:56	1	1	1	1	87.75	64.25	0	29952.607	516.1290323	15370.5868	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:57	1	1	1	1	88	64	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	44	2004
29.01.2020 11:55:58	1	1	1	1	88	64	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	44.0625	2004
29.01.2020 11:55:59	1	1	1	1	88	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.625	2004
29.01.2020 11:56:00	1	1	1	1	88	63.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	44.0625	2004
29.01.2020 11:56:01	1	1	1	1	88	64	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.75	2004
29.01.2020 11:56:02	1	1	1	1	88	63.75	0	29668.246	496.7741935	14761.50355	30000	0	0	30000	43.25	2004
29.01.2020 11:56:03	1	1	1	1	88	63.25	0	29810.427	537.6344086	16219.38956	30000	0	0	30000	44.0625	2004
29.01.2020 11:56:04	1	1	1	1	88	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.8125	2004
29.01.2020 11:56:05	1	1	1	1	88	63.75	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	44.125	2004
29.01.2020 11:56:06	1	1	1	1	88	64	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.8125	2004
29.01.2020 11:56:07	1	1	1	1	88	63.75	0	27914.692	509.6774194	14251.08037	30000	0	0	30000	44.3125	2004
29.01.2020 11:56:08	1	1	1	1	88	64.25	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	44.125	2004
29.01.2020 11:56:09	1	1	1	1	88	63.75	0	29620.853	537.6344086	15772.56543	30000	0	0	30000	44.0625	2004
29.01.2020 11:56:10	1	1	1	1	88	64	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44	2004
29.01.2020 11:56:11	1	1	1	1	88	64	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44	2004
29.01.2020 11:56:12	1	1	1	1	88	64	0	29715.64	537.6344086	16090.5607	30000	0	0	30000	44.0625	2004
29.01.2020 11:56:13	1	1	1	1	88	64	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.6875	2004
29.01.2020 11:56:14	1	1	1	1	88	63.5	0	29763.033	541.9354839	15848.39508	30000	0	0	30000	44.125	2004
29.01.2020 11:56:15	1	1	1	1	88	64	0	29668.246	535.483871	16167.20572	30000	0	0	30000	43.4375	2004
29.01.2020 11:56:16	1	1	1	1	87.25	63.25	0	29810.427	539.7849462	15911.99413	30000	0	0	30000	43.6875	2004
29.01.2020 11:56:17	1	1	1	1	87.25	63.5	0	26587.678	481.7204301	12864.94714	30000	0	0	30000	44.0625	2004
29.01.2020 11:56:18	1	1	1	1	87.25	64	0	29620.853	533.3333333	15975.59318	30000	0	0	30000	43.6875	2004
29.01.2020 11:56:19	1	1	1	1	87.25	63.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44	2004
29.01.2020 11:56:20	1	1	1	1	87.25	64	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	43.5625	2004
29.01.2020 11:56:21	1	1	1	1	87.25	63.5	0	29715.64	509.6774194	15144.72862	30000	0	0	30000	43.5625	2004
29.01.2020 11:56:22	1	1	1	1	87.25	63.5	0	28199.052	518.2795699	14614.7365	30000	0	0	30000	43.8125	2004
29.01.2020 11:56:23	1	1	1	1	87.25	63.75	0	29810.427	535.483871	16026.96165	30000	0	0	30000	44	2004
29.01.2020 11:56:25	1	1	1	1	87.25	64	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44	2004
29.01.2020 11:56:26	1	1	1	1	87.25	64	0	29763.033	541.9354839	16103.60666	30000	0	0	30000	43.8125	2004
29.01.2020 11:56:27	1	1	1	1	87.75	63.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44	2004
29.01.2020 11:56:28	1	1	1	1	87.75	64	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	44	2004
29.01.2020 11:56:29	1	1	1	1	87.75	64	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	44.125	2004
29.01.2020 11:56:30	1	1	1	1	87.75	64	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.75	2004
29.01.2020 11:56:31	1	1	1	1	87.75	63.75	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	43.6875	2004
29.01.2020 11:56:32	1	1	1	1	87.75	63.5	0	29905.213	535.483871	16077.51474	30000	0	0	30000	43.75	2004
29.01.2020 11:56:33	1	1	1	1	87.75	63.75	0	29905.213	537.6344086	15962.54722	30000	0	0	30000	43.6875	2004
29.01.2020 11:56:39	1	1	1	1	87.75	63.75	0	29383.886	531.1827957	15759.51947	30000	0	0	30000	43.0625	2004
29.01.2020 11:56:39	1	1	1	1	87.75	63.75	0	29383.886	531.1827957	15759.51947	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:56:39	1	1	1	1	87.75	63.75	0	29383.886	531.1827957	15759.51947	30000	0	0	30000	43.0625	2004
29.01.2020 11:56:39	1	1	1	1	87.75	63.75	0	29383.886	531.1827957	15759.51947	30000	0	0	30000	43.0625	2004
29.01.2020 11:56:39	1	1	1	1	87.75	63.75	0	29383.886	531.1827957	15759.51947	30000	0	0	30000	43.0625	2004
29.01.2020 11:56:39	1	1	1	1	87.75	63.75	0	29383.886	531.1827957	15759.51947	30000	0	0	30000	43.0625	2004
29.01.2020 11:56:40	1	1	1	1	87.75	63	0	29526.066	537.6344086	16052.2382	30000	0	0	30000	43.5625	2004
29.01.2020 11:56:41	1	1	1	1	87.75	63.5	0	26018.957	481.7204301	12533.90591	30000	0	0	30000	43.875	2004
29.01.2020 11:56:42	1	1	1	1	87.75	63.75	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	44.125	2004
29.01.2020 11:56:43	1	1	1	1	87.75	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.0625	2004
29.01.2020 11:56:44	1	1	1	1	87.75	64	0	29905.213	537.6344086	16116.65262	30000	0	0	30000	43.8125	2004
29.01.2020 11:56:45	1	1	1	1	87.75	63.75	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	43.375	2004
29.01.2020 11:56:46	1	1	1	1	87.75	63.25	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	43.9375	2004
29.01.2020 11:56:47	1	1	1	1	88.25	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.3125	2004
29.01.2020 11:56:48	1	1	1	1	88.25	63.5	0	29383.886	539.7849462	15949.50126	30000	0	0	30000	43.4375	2004
29.01.2020 11:56:49	1	1	1	1	88.25	63.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	43.9375	2004
29.01.2020 11:56:50	1	1	1	1	88.25	63.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.125	2004
29.01.2020 11:56:51	1	1	1	1	88.25	64	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	43.9375	2004
29.01.2020 11:56:52	1	1	1	1	88.25	63.75	0	29526.066	535.483871	15963.3626	30000	0	0	30000	44.1875	2004
29.01.2020 11:56:53	1	1	1	1	88.25	64	0	29857.82	541.9354839	16154.97513	30000	0	0	30000	43.8125	2004
29.01.2020 11:56:54	1	1	1	1	88.25	63.75	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	43.5625	2004
29.01.2020 11:56:55	1	1	1	1	88.25	63.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	43.75	2004
29.01.2020 11:56:56	1	1	1	1	88.25	63.75	0	29905.213	537.6344086	16116.65262	30000	0	0	30000	43.875	2004
29.01.2020 11:56:57	1	1	1	1	88.25	63.75	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	44.1875	2004
29.01.2020 11:56:58	1	1	1	1	88.25	64	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.25	2004
29.01.2020 11:56:59	1	1	1	1	88.25	64.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.9375	2004
29.01.2020 11:57:00	1	1	1	1	88.25	63.75	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	44.125	2004
29.01.2020 11:57:01	1	1	1	1	88.25	64	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	44.125	2004
29.01.2020 11:57:02	1	1	1	1	88.25	64	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.5625	2004
29.01.2020 11:57:04	1	1	1	1	88.25	63.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	44.125	2004
29.01.2020 11:57:05	1	1	1	1	88.25	64	0	29241.706	546.2365591	16124.80635	30000	0	0	30000	44.1875	2004
29.01.2020 11:57:06	1	1	1	1	88.25	64	0	29146.919	503.2258065	14666.92034	30000	0	0	30000	44.3125	2004
29.01.2020 11:57:07	1	1	1	1	88.25	64.25	0	29526.066	533.3333333	16026.96165	30000	0	0	30000	44.25	2004
29.01.2020 11:57:08	1	1	1	1	88.25	64.25	0	28957.346	533.3333333	15505.93863	30000	0	0	30000	43.6875	2004
29.01.2020 11:57:09	1	1	1	1	88.25	63.5	0	29763.033	518.2795699	15400.75558	30000	0	0	30000	44.375	2004
29.01.2020 11:57:10	1	1	1	1	88.25	64.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	44.0625	2004
29.01.2020 11:57:11	1	1	1	1	88.25	64	0	29620.853	529.0322581	15733.42755	30000	0	0	30000	43.875	2004
29.01.2020 11:57:12	1	1	1	1	88.25	63.75	0	28815.166	494.6236559	14190.7428	30000	0	0	30000	44.1875	2004
29.01.2020 11:57:13	1	1	1	1	88.25	64	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	44.125	2004
29.01.2020 11:57:14	1	1	1	1	88.25	64	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	43.875	2004
29.01.2020 11:57:15	1	1	1	1	88.25	63.75	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	44.125	2004
29.01.2020 11:57:16	1	1	1	1	88.25	64	0	29715.64	524.7311828	15528.76906	30000	0	0	30000	44.1875	2004
29.01.2020 11:57:17	1	1	1	1	88.5	64	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	44.0625	2004
29.01.2020 11:57:18	1	1	1	1	88.5	64	0	29810.427	544.0860215	16219.38956	30000	0	0	30000	43.5	2004
29.01.2020 11:57:19	1	1	1	1	88.5	63.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:57:20	1	1	1	1	88.5	64	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	44.1875	2004
29.01.2020 11:57:21	1	1	1	1	88.5	64	0	28199.052	522.5806452	14785.14935	30000	0	0	30000	43.5	2004
29.01.2020 11:57:22	1	1	1	1	88.5	63.5	0	29526.066	541.9354839	16217.75881	30000	0	0	30000	44.3125	2004
29.01.2020 11:57:23	1	1	1	1	88.5	64.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	44.375	2004
29.01.2020 11:57:24	1	1	1	1	88.5	64.25	0	29573.46	537.6344086	15937.27068	30000	0	0	30000	43	2004
29.01.2020 11:57:25	1	1	1	1	88.5	63	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	43.75	2004
29.01.2020 11:57:26	1	1	1	1	88.25	63.25	0	29099.526	546.2365591	15832.08763	30000	0	0	30000	44.25	2004
29.01.2020 11:57:27	1	1	1	1	88.25	64.25	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	44.1875	2004
29.01.2020 11:57:28	1	1	1	1	88.25	64	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.9375	2004
29.01.2020 11:57:31	1	1	1	1	88.25	64.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	43.875	2004
29.01.2020 11:57:31	1	1	1	1	88.25	64.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	43.875	2004
29.01.2020 11:57:31	1	1	1	1	88.25	63.75	0	29146.919	546.2365591	16161.49811	30000	0	0	30000	43.9375	2004
29.01.2020 11:57:32	1	1	1	1	88.25	63.75	0	29526.066	546.2365591	16191.66689	30000	0	0	30000	43.25	2004
29.01.2020 11:57:33	1	1	1	1	88.25	63.25	0	29431.28	537.6344086	15975.59318	30000	0	0	30000	44.1875	2004
29.01.2020 11:57:34	1	1	1	1	88.25	64	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	44.0625	2004
29.01.2020 11:57:41	1	1	1	1	88.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
29.01.2020 11:57:41	1	1	1	1	88.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
29.01.2020 11:57:41	1	1	1	1	88.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
29.01.2020 11:57:41	1	1	1	1	88.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
29.01.2020 11:57:41	1	1	1	1	88.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
29.01.2020 11:57:41	1	1	1	1	88.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
29.01.2020 11:57:41	1	1	1	1	88.25	63.75	0	29478.673	539.7849462	16064.46878	30000	0	0	30000	43.875	2004
29.01.2020 11:57:43	1	1	1	1	88.25	63.75	0	29857.82	541.9354839	16154.97513	30000	0	0	30000	43.375	2004
29.01.2020 11:57:44	1	1	1	1	88.25	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.125	2004
29.01.2020 11:57:45	1	1	1	1	88.25	64	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	44.0625	2004
29.01.2020 11:57:46	1	1	1	1	88.25	64	0	29289.1	481.7204301	14132.03599	30000	0	0	30000	43.625	2004
29.01.2020 11:57:47	1	1	1	1	88.25	63.5	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.125	2004
29.01.2020 11:57:48	1	1	1	1	88.25	64	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	44.0625	2004
29.01.2020 11:57:49	1	1	1	1	88.25	64	0	29336.493	501.0752688	14699.53524	30000	0	0	30000	44.0625	2004
29.01.2020 11:57:50	1	1	1	1	88.25	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.125	2004
29.01.2020 11:57:51	1	1	1	1	88.25	64	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	43.9375	2004
29.01.2020 11:57:52	1	1	1	1	88.25	63.75	0	29336.493	546.2365591	15909.54801	30000	0	0	30000	43.875	2004
29.01.2020 11:57:53	1	1	1	1	88.25	63.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44	2004
29.01.2020 11:57:54	1	1	1	1	88.25	64	0	29289.1	550.5376344	16213.68195	30000	0	0	30000	44	2004
29.01.2020 11:57:55	1	1	1	1	88.25	64	0	29146.919	544.0860215	15909.54801	30000	0	0	30000	44.25	2004
29.01.2020 11:57:56	1	1	1	1	88.25	64.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	44.0625	2004
29.01.2020 11:57:57	1	1	1	1	88.25	64	0	29241.706	550.5376344	16276.46563	30000	0	0	30000	44	2004
29.01.2020 11:57:58	1	1	1	1	88.25	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.25	2004
29.01.2020 11:57:59	1	1	1	1	88.25	64.25	0	29526.066	522.5806452	15454.57016	30000	0	0	30000	43.625	2004
29.01.2020 11:58:00	1	1	1	1	88.25	63.5	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	44.3125	2004
29.01.2020 11:58:01	1	1	1	1	88.25	64.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.125	2004
29.01.2020 11:58:02	1	1	1	1	88.25	64	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	44.25	2004
29.01.2020 11:58:03	1	1	1	1	88.25	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:58:48	1	1	1	1	87.75	64.25	0	26113.744	232.2580645	5997.880032	30000	0	0	30000	44.375	2004
29.01.2020 11:58:49	1	1	1	1	87.75	64.25	0	27819.905	273.1182796	7597.640856	30000	0	0	30000	44.3125	2004
29.01.2020 11:58:50	1	1	1	1	87.75	64.25	0	26919.431	277.4193548	7454.135297	30000	0	0	30000	44.3125	2004
29.01.2020 11:58:51	1	1	1	1	87.75	64.25	0	27630.332	286.0215054	8002.880983	30000	0	0	30000	44.1875	2004
29.01.2020 11:58:52	1	1	1	1	87.75	64	0	27867.299	277.4193548	7717.500612	30000	0	0	30000	44.1875	2004
29.01.2020 11:58:53	1	1	1	1	87.75	64	0	27819.905	294.6236559	8255.646454	30000	0	0	30000	44.25	2004
29.01.2020 11:58:54	1	1	1	1	87.75	64.25	0	26824.645	292.4731183	7658.793792	30000	0	0	30000	44.1875	2004
29.01.2020 11:58:55	1	1	1	1	87.75	64	0	28009.479	313.9784946	8793.792297	30000	0	0	30000	43.6875	2004
29.01.2020 11:58:56	1	1	1	1	85.75	63.5	0	27630.332	311.827957	8615.225722	30000	0	0	30000	44.0625	2004
29.01.2020 11:58:57	1	1	1	1	85.75	64	0	27867.299	307.5268817	8629.902427	30000	0	0	30000	44.25	2004
29.01.2020 11:58:58	1	1	1	1	85.75	64.25	0	27867.299	296.7741935	8329.845351	30000	0	0	30000	44.25	2004
29.01.2020 11:58:59	1	1	1	1	85.75	64.25	0	28199.052	329.0322581	9278.123556	30000	0	0	30000	44.375	2004
29.01.2020 11:59:00	1	1	1	1	85.75	64.25	0	27867.299	307.5268817	8569.564863	30000	0	0	30000	44.125	2004
29.01.2020 11:59:02	1	1	1	1	85.75	64	0	28199.052	313.9784946	8792.976925	30000	0	0	30000	44.0625	2004
29.01.2020 11:59:03	1	1	1	1	85.75	64	0	27440.758	296.7741935	8202.647243	30000	0	0	30000	44.25	2004
29.01.2020 11:59:04	1	1	1	1	85.75	64.25	0	28009.479	341.9354839	9641.779686	30000	0	0	30000	44.25	2004
29.01.2020 11:59:05	1	1	1	1	85.75	64.25	0	28009.479	339.7849462	9336.015003	30000	0	0	30000	43.6875	2004
29.01.2020 11:59:06	1	1	1	1	85.75	63.5	0	27440.758	320.4301075	8851.683744	30000	0	0	30000	44.0625	2004
29.01.2020 11:59:07	1	1	1	1	88.25	64	0	28009.479	356.9892473	10059.2504	30000	0	0	30000	44.375	2004
29.01.2020 11:59:08	1	1	1	1	88.25	64.25	0	29289.1	378.4946237	10977.35982	30000	0	0	30000	43.8125	2004
29.01.2020 11:59:09	1	1	1	1	88.25	63.75	0	28199.052	372.0430108	10490.58245	30000	0	0	30000	44.125	2004
29.01.2020 11:59:10	1	1	1	1	88.25	64	0	28199.052	384.9462366	10733.56345	30000	0	0	30000	44.25	2004
29.01.2020 11:59:11	1	1	1	1	88.25	64.25	0	28815.166	384.9462366	11110.26554	30000	0	0	30000	44.25	2004
29.01.2020 11:59:12	1	1	1	1	88.25	64.25	0	29241.706	415.0537634	11783.76322	30000	0	0	30000	44.25	2004
29.01.2020 11:59:13	1	1	1	1	88.25	64.25	0	28436.019	389.2473118	11068.68154	30000	0	0	30000	44.1875	2004
29.01.2020 11:59:14	1	1	1	1	88.25	64	0	28199.052	384.9462366	10855.05395	30000	0	0	30000	44.1875	2004
29.01.2020 11:59:15	1	1	1	1	88.25	64	0	27582.938	337.6344086	9205.555405	30000	0	0	30000	44.375	2004
29.01.2020 11:59:16	1	1	1	1	88.25	64.25	0	27867.299	395.6989247	11027.09755	30000	0	0	30000	44.0625	2004
29.01.2020 11:59:17	1	1	1	1	87	64	0	28009.479	384.9462366	10781.67043	30000	0	0	30000	44.0625	2004
29.01.2020 11:59:18	1	1	1	1	87	64	0	28957.346	378.4946237	10942.29881	30000	0	0	30000	43.875	2004
29.01.2020 11:59:19	1	1	1	1	87	63.75	0	28625.592	419.3548387	11984.34485	30000	0	0	30000	43.9375	2004
29.01.2020 11:59:20	1	1	1	1	87	63.75	0	29715.64	427.9569892	12716.54934	30000	0	0	30000	44.3125	2004
29.01.2020 11:59:21	1	1	1	1	87	64.25	0	29526.066	425.8064516	12592.61273	30000	0	0	30000	44.125	2004
29.01.2020 11:59:22	1	1	1	1	87	64	0	25402.844	369.8924731	9323.784416	30000	0	0	30000	44.125	2004
29.01.2020 11:59:23	1	1	1	1	87	64	0	26682.464	369.8924731	9869.268611	30000	0	0	30000	44	2004
29.01.2020 11:59:24	1	1	1	1	87	64	0	29715.64	427.9569892	12716.54934	30000	0	0	30000	44.125	2004
29.01.2020 11:59:25	1	1	1	1	87	64	0	29905.213	438.7096774	13248.17221	30000	0	0	30000	44.0625	2004
29.01.2020 11:59:26	1	1	1	1	87	64	0	27630.332	391.3978495	10814.28533	30000	0	0	30000	44.375	2004
29.01.2020 11:59:27	1	1	1	1	88.75	63.75	0	29857.82	425.8064516	12777.70228	30000	0	0	30000	44.375	2004
29.01.2020 11:59:28	1	1	1	1	88.75	64.25	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	43.875	2004
29.01.2020 11:59:29	1	1	1	1	88.75	63.75	0	29763.033	481.7204301	14314.67942	30000	0	0	30000	44.125	2004
29.01.2020 11:59:30	1	1	1	1	88.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 11:59:31	1	1	1	1	88.75	64	0	29810.427	464.516129	13911.07004	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 11:59:32	1	1	1	1	88.75	64	0	29952.607	496.7741935	14856.08676	30000	0	0	30000	43.3125	2004
29.01.2020 11:59:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 11:59:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 11:59:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 11:59:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 11:59:37	1	1	1	1	89.5	64.25	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 11:59:44	1	1	1	1	89.5	64.25	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 11:59:44	1	1	1	1	89.5	64.25	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 11:59:44	1	1	1	1	89.5	64.25	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 11:59:44	1	1	1	1	89.5	64.25	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 11:59:44	1	1	1	1	89.5	64.25	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 11:59:44	1	1	1	1	89.5	64.25	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 11:59:45	1	1	1	1	89.5	64.5	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 11:59:46	1	1	1	1	88.5	64.25	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 11:59:47	1	1	1	1	88.5	64.25	0	10616.114	0	0	30000	0	0	30000	44.25	2004
29.01.2020 11:59:48	1	1	1	1	88.5	64.25	0	11184.834	0	0	30000	0	0	30000	44.1875	2004
29.01.2020 11:59:49	1	1	1	1	88.5	64	0	12085.308	0	0	30000	0	0	30000	44.375	2004
29.01.2020 11:59:50	1	1	1	1	88.5	64.25	0	12985.782	4.301075269	55.44532927	30000	0	0	30000	44.25	2004
29.01.2020 11:59:51	1	1	1	1	88.5	64.25	0	12180.095	2.150537634	0	30000	0	0	30000	44.3125	2004
29.01.2020 11:59:52	1	1	1	1	88.5	64.25	0	14454.976	15.05376344	216.8890822	30000	0	0	30000	44.1875	2004
29.01.2020 11:59:53	1	1	1	1	88.5	64	0	15308.057	23.65591398	362.0253853	30000	0	0	30000	44.125	2004
29.01.2020 11:59:54	1	1	1	1	88.5	64	0	16066.351	34.40860215	552.8225478	30000	0	0	30000	44.25	2004
29.01.2020 11:59:55	1	1	1	1	88.5	64.25	0	16729.858	40.86021505	723.235398	30000	0	0	30000	44.1875	2004
29.01.2020 11:59:56	1	1	1	1	88	64	0	17582.938	53.76344086	945.0167151	30000	0	0	30000	44.1875	2004
29.01.2020 11:59:57	1	1	1	1	88	64	0	17014.218	51.61290323	914.0325605	30000	0	0	30000	44.1875	2004
29.01.2020 11:59:58	1	1	1	1	88	64	0	19194.313	75.2688172	1444.024679	30000	0	0	30000	44.3125	2004
29.01.2020 11:59:59	1	1	1	1	88	64.25	0	19857.82	88.17204301	1878.618215	30000	0	0	30000	44.1875	2004
29.01.2020 12:00:00	1	1	1	1	88	64	0	20616.114	92.47311828	1906.34088	30000	0	0	30000	43.9375	2004
29.01.2020 12:00:01	1	1	1	1	88	63.75	0	18530.806	94.62365591	1753.050852	30000	0	0	30000	44.1875	2004
29.01.2020 12:00:02	1	1	1	1	88	64	0	22180.095	124.7311828	2819.558068	30000	0	0	30000	44.25	2004
29.01.2020 12:00:03	1	1	1	1	88	64.25	0	22985.782	150.5376344	3445.76414	30000	0	0	30000	44.0625	2004
29.01.2020 12:00:04	1	1	1	1	88	64	0	10094.787	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:00:05	1	1	1	1	88	64.25	0	10331.754	0	0	30000	0	0	30000	44.125	2004
29.01.2020 12:00:06	1	1	1	1	88.75	64	0	11800.948	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:00:07	1	1	1	1	88.75	64.25	0	12606.635	2.150537634	26.90729215	30000	0	0	30000	44.5	2004
29.01.2020 12:00:08	1	1	1	1	88.75	64.5	0	12227.488	4.301075269	0	30000	0	0	30000	44.25	2004
29.01.2020 12:00:09	1	1	1	1	88.75	64.25	0	13601.896	8.602150538	116.598266	30000	0	0	30000	44.1875	2004
29.01.2020 12:00:10	1	1	1	1	88.75	64	0	14928.91	17.20430108	288.6418612	30000	0	0	30000	44.3125	2004
29.01.2020 12:00:11	1	1	1	1	88.75	64.25	0	15687.204	25.80645161	437.8550268	30000	0	0	30000	44.1875	2004
29.01.2020 12:00:12	1	1	1	1	88.75	64	0	15497.63	27.95698925	466.3930639	30000	0	0	30000	44.375	2004
29.01.2020 12:00:13	1	1	1	1	88.75	64.25	0	16682.464	36.55913978	681.6514011	30000	0	0	30000	44.3125	2004
29.01.2020 12:00:14	1	1	1	1	88.75	64.25	0	18009.479	55.91397849	965.4010274	30000	0	0	30000	44.4375	2004
29.01.2020 12:00:15	1	1	1	1	88.75	64.25	0	18720.379	62.3655914	1207.566657	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:00:16	1	1	1	1	87.5	64.25	0	18625.592	66.66666667	1198.597559	30000	0	0	30000	44.625	2004
29.01.2020 12:00:17	1	1	1	1	87.5	64.25	0	18151.659	75.2688172	1326.61104	30000	0	0	30000	44.25	2004
29.01.2020 12:00:19	1	1	1	1	87.5	64.25	0	21042.654	107.5268817	2312.39638	30000	0	0	30000	44.1875	2004
29.01.2020 12:00:20	1	1	1	1	87.5	64	0	21279.621	109.6774194	2333.596064	30000	0	0	30000	44.1875	2004
29.01.2020 12:00:21	1	1	1	1	87.5	64	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	44.3125	2004
29.01.2020 12:00:22	1	1	1	1	87.5	64.25	0	23175.355	150.5376344	3488.163509	30000	0	0	30000	44.1875	2004
29.01.2020 12:00:23	1	1	1	1	87.5	64	0	24123.223	206.4516129	4990.079635	30000	0	0	30000	44.1875	2004
29.01.2020 12:00:24	1	1	1	1	87.5	64	0	24123.223	191.3978495	4616.639035	30000	0	0	30000	44.375	2004
29.01.2020 12:00:25	1	1	1	1	87.5	64.25	0	25687.204	232.2580645	5966.080504	30000	0	0	30000	44.25	2004
29.01.2020 12:00:26	1	1	1	1	86.5	64.25	0	26398.104	247.311828	6527.87215	30000	0	0	30000	44.3125	2004
29.01.2020 12:00:27	1	1	1	1	86.5	64.25	0	27156.398	311.827957	8336.368331	30000	0	0	30000	44.125	2004
29.01.2020 12:00:28	1	1	1	1	86.5	64	0	24976.303	326.8817204	8217.323947	30000	0	0	30000	44.1875	2004
29.01.2020 12:00:29	1	1	1	1	86.5	64	0	24502.37	397.8494624	9747.77811	30000	0	0	30000	43.875	2004
29.01.2020 12:00:30	1	1	1	1	86.5	63.75	0	29478.673	524.7311828	15556.49172	30000	0	0	30000	44.0625	2004
29.01.2020 12:00:31	1	1	1	1	86.5	64	0	29715.64	612.9032258	18212.15992	30000	0	0	30000	44.0625	2004
29.01.2020 12:00:32	1	1	1	1	86.5	64	0	30000	563.4408602	17032.31593	30000	0	0	30000	43.9375	2004
29.01.2020 12:00:33	1	1	1	1	86.5	63.75	0	29857.82	518.2795699	15474.1391	30000	0	0	30000	43.75	2004
29.01.2020 12:00:34	1	1	1	1	86.5	63.75	0	29573.46	509.6774194	15072.97584	30000	0	0	30000	43.875	2004
29.01.2020 12:00:35	1	1	1	1	86.5	63.75	0	29241.706	483.8709677	14040.71427	30000	0	0	30000	43.875	2004
29.01.2020 12:00:36	1	1	1	1	86.25	63.75	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	44.25	2004
29.01.2020 12:00:37	1	1	1	1	86.25	64.25	0	30000	550.5376344	16516.18514	30000	0	0	30000	44.25	2004
29.01.2020 12:00:38	1	1	1	1	86.25	64.25	0	29810.427	608.6021505	18142.03789	30000	0	0	30000	44.0625	2004
29.01.2020 12:00:39	1	1	1	1	86.25	64	0	29810.427	526.8817204	15730.98144	30000	0	0	30000	44.3125	2004
29.01.2020 12:00:46	1	1	1	1	86.25	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:00:46	1	1	1	1	86.25	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:00:46	1	1	1	1	86.25	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:00:46	1	1	1	1	86.25	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:00:46	1	1	1	1	86.25	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:00:46	1	1	1	1	86.25	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:00:46	1	1	1	1	86.5	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:00:47	1	1	1	1	86.5	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:00:48	1	1	1	1	86.5	64.5	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:00:49	1	1	1	1	86.5	64.25	0	0	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:00:50	1	1	1	1	86.5	64.25	0	0	0	0	30000	0	0	30000	44.25	2004
29.01.2020 12:00:51	1	1	1	1	86.5	64.25	0	0	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:00:52	1	1	1	1	86.5	64.25	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 12:00:53	1	1	1	1	86.5	61.5	0	0	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:00:54	1	1	1	1	86.5	64.25	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:00:55	1	1	1	1	86.5	64.25	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:00:56	1	1	1	1	87.75	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:00:57	1	1	1	1	87.75	64.5	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:00:58	1	1	1	1	87.75	64.25	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:00	1	1	1	1	87.75	64.25	0	0	0	0	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:01:01	1	1	1	1	87.75	64.25	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:01:02	1	1	1	1	87.75	64.5	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 12:01:03	1	1	1	1	87.75	61.5	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:04	1	1	1	1	87.75	64.25	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:01:05	1	1	1	1	87.75	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:01:06	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:07	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 12:01:08	1	1	1	1	88	61.75	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:09	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:10	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:11	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:01:12	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:01:13	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:01:14	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:01:15	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:16	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:17	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:18	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:19	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:20	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:21	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:01:22	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:01:23	1	1	1	1	88	64.25	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 12:01:24	1	1	1	1	88	61.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:01:25	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:01:26	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:01:27	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:01:28	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:29	1	1	1	1	87.5	64.25	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:01:30	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:01:31	1	1	1	1	87.5	64.25	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:32	1	1	1	1	87.5	64.25	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:33	1	1	1	1	87.5	64.25	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:01:34	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:01:35	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:36	1	1	1	1	87.5	64.25	0	0	0	0	30000	0	0	30000	44.875	2004
29.01.2020 12:01:37	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:38	1	1	1	1	87.5	64.25	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:01:39	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:41	1	1	1	1	87.5	64.25	0	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:01:47	1	1	1	1	87.25	64	0	13033.175	6.451612903	83.9833664	30000	1	0	30000	44.125	2004
29.01.2020 12:01:47	1	1	1	1	87.25	64	0	13033.175	6.451612903	83.9833664	30000	1	0	30000	44.125	2004
29.01.2020 12:01:47	1	1	1	1	87.25	64	0	13033.175	6.451612903	83.9833664	30000	1	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 12:01:47	1	1	1	1	87.25	64	0	13033.175	6.451612903	83.9833664	30000		1	0	30000	44.125	2004
29.01.2020 12:01:47	1	1	1	1	87.25	64	0	13033.175	6.451612903	83.9833664	30000		1	0	30000	44.125	2004
29.01.2020 12:01:47	1	1	1	1	87.25	64	0	13033.175	6.451612903	83.9833664	30000		1	0	30000	44.125	2004
29.01.2020 12:01:48	1	1	1	1	87.25	64	0	13791.469	10.75268817	177.7512027	30000		1	0	30000	44.125	2004
29.01.2020 12:01:49	1	1	1	1	87.25	64	0	14549.763	19.35483871	281.3035088	30000		1	0	30000	44.125	2004
29.01.2020 12:01:50	1	1	1	1	87.25	64	0	15308.057	23.65591398	397.0864023	30000		1	0	30000	44.25	2004
29.01.2020 12:01:51	1	1	1	1	87.25	64.25	0	16066.351	32.25806452	556.0840377	30000		1	0	30000	44.0625	2004
29.01.2020 12:01:52	1	1	1	1	87.25	64	0	16824.645	47.31182796	836.5721741	30000		1	0	30000	44.25	2004
29.01.2020 12:01:53	1	1	1	1	87.25	64.25	0	17677.725	62.3655914	1064.061099	30000		1	0	30000	44.0625	2004
29.01.2020 12:01:54	1	1	1	1	87.25	64	0	18388.626	70.96774194	1307.857473	30000		1	0	30000	44	2004
29.01.2020 12:01:55	1	1	1	1	87.25	64	0	19194.313	83.87096774	1609.545294	30000		1	0	30000	44.25	2004
29.01.2020 12:01:56	1	1	1	1	86.25	64.25	0	16824.645	70.96774194	1193.705324	30000		1	0	30000	44.25	2004
29.01.2020 12:01:57	1	1	1	1	86.25	64.25	0	20710.9	109.6774194	2321.365477	30000		1	0	30000	44.25	2004
29.01.2020 12:01:58	1	1	1	1	86.25	64.25	0	21279.621	124.7311828	2654.037453	30000		1	0	30000	44.3125	2004
29.01.2020 12:01:59	1	1	1	1	86.25	64.25	0	21279.621	122.5806452	2654.037453	30000		1	0	30000	44.3125	2004
29.01.2020 12:02:00	1	1	1	1	86.25	64.25	0	21279.621	129.0322581	2941.863942	30000		1	0	30000	44.0625	2004
29.01.2020 12:02:01	1	1	1	1	86.25	64	0	18530.806	120.4301075	2151.767999	30000		1	0	30000	44.375	2004
29.01.2020 12:02:02	1	1	1	1	86.25	64.25	0	22417.062	150.5376344	3374.011361	30000		1	0	30000	44.125	2004
29.01.2020 12:02:03	1	1	1	1	86.25	64	0	22559.242	152.688172	3473.486805	30000		1	0	30000	43.25	2004
29.01.2020 12:02:04	1	1	1	1	86.25	63.25	0	19526.066	137.6344086	2687.467725	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:05	1	1	1	1	86.25	64	0	23080.569	169.8924731	3921.126301	30000		1	0	30000	44.125	2004
29.01.2020 12:02:06	1	1	1	1	86	64	0	23412.322	169.8924731	3977.387003	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:07	1	1	1	1	86	64	0	21042.654	152.688172	3303.073954	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:08	1	1	1	1	86	64	0	23649.289	182.7956989	4322.289566	30000		1	0	30000	44.125	2004
29.01.2020 12:02:09	1	1	1	1	86	64	0	23838.863	191.3978495	4562.009078	30000		1	0	30000	44.0625	2004
29.01.2020 12:02:10	1	1	1	1	86	64	0	24123.223	210.7526882	5145.81578	30000		1	0	30000	44	2004
29.01.2020 12:02:11	1	1	1	1	86	64	0	24218.009	212.9032258	5155.60025	30000		1	0	30000	44.125	2004
29.01.2020 12:02:12	1	1	1	1	86	64	0	24407.583	206.4516129	5039.001984	30000		1	0	30000	44.25	2004
29.01.2020 12:02:13	1	1	1	1	86	64.25	0	24549.763	210.7526882	5226.537657	30000		1	0	30000	44.125	2004
29.01.2020 12:02:14	1	1	1	1	86	64	0	24786.73	225.8064516	5703.530563	30000		1	0	30000	44.625	2004
29.01.2020 12:02:15	1	1	1	1	86	64.5	0	25118.483	236.5591398	5941.61933	30000		1	0	30000	44.4375	2004
29.01.2020 12:02:17	1	1	1	1	86.5	64	0	25213.27	240.8602151	6084.309515	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:18	1	1	1	1	86.5	64	0	23981.043	236.5591398	5631.777784	30000		1	0	30000	43.125	2004
29.01.2020 12:02:19	1	1	1	1	86.5	63	0	25924.171	258.0645161	6690.131275	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:20	1	1	1	1	86.5	64	0	26208.531	264.516129	6944.527492	30000		1	0	30000	44.125	2004
29.01.2020 12:02:21	1	1	1	1	86.5	64	0	26587.678	270.9677419	7229.907863	30000		1	0	30000	44.0625	2004
29.01.2020 12:02:22	1	1	1	1	86.5	64	0	26919.431	290.3225806	7815.34531	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:23	1	1	1	1	86.5	64	0	27061.611	292.4731183	7914.820754	30000		1	0	30000	44.3125	2004
29.01.2020 12:02:24	1	1	1	1	86.5	64.25	0	25355.45	270.9677419	6979.588509	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:25	1	1	1	1	86.5	64	0	27156.398	326.8817204	8876.960291	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:26	1	1	1	1	86.5	64	0	27061.611	348.3870968	9486.043541	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:27	1	1	1	1	86.5	64	0	27109.005	341.9354839	9269.154459	30000		1	0	30000	44.125	2004
29.01.2020 12:02:28	1	1	1	1	86.5	64	0	27298.578	341.9354839	9334.384258	30000		1	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 12:02:29	1	1	1	1	86.5	64.25	0	26919.431	356.9892473	9402.875547	30000		1	0	30000	44.3125	2004
29.01.2020 12:02:30	1	1	1	1	86.5	64.25	0	27440.758	369.8924731	10149.75675	30000		1	0	30000	43.8125	2004
29.01.2020 12:02:31	1	1	1	1	86.5	63.75	0	27345.972	378.4946237	10386.21477	30000		1	0	30000	44.25	2004
29.01.2020 12:02:32	1	1	1	1	86.5	64.25	0	28815.166	384.9462366	10968.39073	30000		1	0	30000	44	2004
29.01.2020 12:02:33	1	1	1	1	86.5	64	0	25308.057	350.5376344	8887.560134	30000		1	0	30000	44.0625	2004
29.01.2020 12:02:34	1	1	1	1	86.5	64	0	25545.024	363.4408602	9283.831164	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:35	1	1	1	1	86.5	64	0	28436.019	378.4946237	10762.91686	30000		1	0	30000	44.3125	2004
29.01.2020 12:02:36	1	1	1	1	85.75	64.25	0	27203.791	380.6451613	10391.107	30000		1	0	30000	44.0625	2004
29.01.2020 12:02:37	1	1	1	1	85.75	64	0	27109.005	397.8494624	10860.76156	30000		1	0	30000	44.25	2004
29.01.2020 12:02:38	1	1	1	1	85.75	64.25	0	27440.758	415.0537634	11507.35194	30000		1	0	30000	44.125	2004
29.01.2020 12:02:39	1	1	1	1	85.75	64	0	27535.545	427.9569892	11742.99459	30000		1	0	30000	43.75	2004
29.01.2020 12:02:40	1	1	1	1	85.75	63.75	0	27440.758	445.1612903	12515.96771	30000		1	0	30000	44.1875	2004
29.01.2020 12:02:41	1	1	1	1	85.75	64	0	27440.758	445.1612903	12215.09526	30000		1	0	30000	43.125	2004
29.01.2020 12:02:42	1	1	1	1	85.75	63	0	27819.905	455.9139785	12742.64126	30000		1	0	30000	44.125	2004
29.01.2020 12:02:49	1	1	1	1	85	63.25	0	29383.886	535.483871	15759.51947	30000		1	0	30000	43.8125	2004
29.01.2020 12:02:49	1	1	1	1	85	63.25	0	29383.886	535.483871	15759.51947	30000		1	0	30000	43.8125	2004
29.01.2020 12:02:49	1	1	1	1	85	63.25	0	29383.886	535.483871	15759.51947	30000		1	0	30000	43.8125	2004
29.01.2020 12:02:49	1	1	1	1	85	63.25	0	29383.886	535.483871	15759.51947	30000		1	0	30000	43.8125	2004
29.01.2020 12:02:49	1	1	1	1	85	63.25	0	29383.886	535.483871	15759.51947	30000		1	0	30000	43.8125	2004
29.01.2020 12:02:49	1	1	1	1	85	63.75	0	28815.166	541.9354839	15616.01392	30000		1	0	30000	43.9375	2004
29.01.2020 12:02:50	1	1	1	1	85	63.75	0	29289.1	546.2365591	15972.33169	30000		1	0	30000	44.375	2004
29.01.2020 12:02:51	1	1	1	1	85	64.25	0	29146.919	546.2365591	15920.96323	30000		1	0	30000	44.125	2004
29.01.2020 12:02:52	1	1	1	1	85	64	0	29052.133	554.8387097	16181.06705	30000		1	0	30000	44.25	2004
29.01.2020 12:02:53	1	1	1	1	85	64.5	0	29431.28	546.2365591	16139.48305	30000		1	0	30000	44	2004
29.01.2020 12:02:55	1	1	1	1	85	64	0	29241.706	544.0860215	15972.33169	30000		1	0	30000	44.0625	2004
29.01.2020 12:02:56	1	1	1	1	85.75	64	0	29241.706	550.5376344	15983.74691	30000		1	0	30000	44.125	2004
29.01.2020 12:02:57	1	1	1	1	85.75	64	0	28957.346	550.5376344	16004.13122	30000		1	0	30000	43.5625	2004
29.01.2020 12:02:58	1	1	1	1	85.75	63.5	0	29099.526	548.3870968	15957.65499	30000		1	0	30000	43.875	2004
29.01.2020 12:02:59	1	1	1	1	85.75	63.75	0	29810.427	539.7849462	16154.97513	30000		1	0	30000	43.6875	2004
29.01.2020 12:03:00	1	1	1	1	85.75	63.5	0	29573.46	541.9354839	16115.83725	30000		1	0	30000	43.875	2004
29.01.2020 12:03:01	1	1	1	1	85.75	63.75	0	29478.673	544.0860215	16038.37687	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:02	1	1	1	1	85.75	63.75	0	29336.493	541.9354839	15960.91648	30000		1	0	30000	44.3125	2004
29.01.2020 12:03:03	1	1	1	1	85.75	64.25	0	29336.493	535.483871	16013.10032	30000		1	0	30000	44.125	2004
29.01.2020 12:03:04	1	1	1	1	85.75	64	0	29146.919	550.5376344	15983.74691	30000		1	0	30000	43.5625	2004
29.01.2020 12:03:05	1	1	1	1	85.75	63.5	0	29241.706	550.5376344	16035.11538	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:06	1	1	1	1	85	63.75	0	29620.853	539.7849462	15988.63914	30000		1	0	30000	43.75	2004
29.01.2020 12:03:07	1	1	1	1	85	63.75	0	29431.28	537.6344086	16064.46878	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:08	1	1	1	1	85	63.75	0	29241.706	546.2365591	15983.74691	30000		1	0	30000	43.875	2004
29.01.2020 12:03:09	1	1	1	1	85	63.75	0	29620.853	544.0860215	16090.5607	30000		1	0	30000	44	2004
29.01.2020 12:03:10	1	1	1	1	85	64	0	29857.82	537.6344086	16141.92917	30000		1	0	30000	44	2004
29.01.2020 12:03:11	1	1	1	1	85	64	0	29715.64	541.9354839	16040.00761	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:12	1	1	1	1	85	63.75	0	29478.673	544.0860215	16038.37687	30000		1	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 12:03:13	1	1	1	1	85	63.5	0	29905.213	533.3333333	16013.10032	30000		1	0	30000	43.5625	2004
29.01.2020 12:03:14	1	1	1	1	85	63.5	0	29668.246	537.6344086	16013.91569	30000		1	0	30000	44.375	2004
29.01.2020 12:03:15	1	1	1	1	85	64.25	0	29952.607	533.3333333	16064.46878	30000		1	0	30000	44.25	2004
29.01.2020 12:03:16	1	1	1	1	85.5	64.25	0	30000	507.5268817	15289.86492	30000		1	0	30000	44.125	2004
29.01.2020 12:03:17	1	1	1	1	85.5	64	0	30000	509.6774194	15289.86492	30000		1	0	30000	44.0625	2004
29.01.2020 12:03:18	1	1	1	1	85.5	64	0	27440.758	481.7204301	13218.8188	30000		1	0	30000	43.875	2004
29.01.2020 12:03:19	1	1	1	1	85.5	63.75	0	30000	501.0752688	15032.20721	30000		1	0	30000	43.5625	2004
29.01.2020 12:03:20	1	1	1	1	85.5	63.5	0	29952.607	488.172043	14644.90528	30000		1	0	30000	43.5625	2004
29.01.2020 12:03:21	1	1	1	1	85.5	63.5	0	29952.607	492.4731183	14838.14856	30000		1	0	30000	43.875	2004
29.01.2020 12:03:22	1	1	1	1	85.5	63.75	0	30000	505.3763441	15161.03607	30000		1	0	30000	43.5625	2004
29.01.2020 12:03:23	1	1	1	1	85.5	63.5	0	30000	494.6236559	14838.14856	30000		1	0	30000	43.5	2004
29.01.2020 12:03:24	1	1	1	1	85.5	63.5	0	30000	496.7741935	14902.56299	30000		1	0	30000	44.0625	2004
29.01.2020 12:03:25	1	1	1	1	85.5	64	0	30000	507.5268817	15289.86492	30000		1	0	30000	44.0625	2004
29.01.2020 12:03:26	1	1	1	1	85	64	0	30000	516.1290323	15483.92357	30000		1	0	30000	44	2004
29.01.2020 12:03:27	1	1	1	1	85	64	0	30000	526.8817204	15805.99571	30000		1	0	30000	44.375	2004
29.01.2020 12:03:28	1	1	1	1	85	64.25	0	28815.166	458.0645161	13323.18648	30000		1	0	30000	43.75	2004
29.01.2020 12:03:29	1	1	1	1	85	63.75	0	30000	522.5806452	15677.16685	30000		1	0	30000	44	2004
29.01.2020 12:03:30	1	1	1	1	85	64	0	29573.46	481.7204301	13928.19286	30000		1	0	30000	44.1875	2004
29.01.2020 12:03:31	1	1	1	1	85	64	0	29952.607	511.827957	15459.4624	30000		1	0	30000	44.25	2004
29.01.2020 12:03:33	1	1	1	1	85	64.25	0	29715.64	533.3333333	15911.99413	30000		1	0	30000	43.75	2004
29.01.2020 12:03:34	1	1	1	1	85	63.75	0	29810.427	537.6344086	15962.54722	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:35	1	1	1	1	85	63.75	0	29715.64	520.4301075	15400.75558	30000		1	0	30000	43.5625	2004
29.01.2020 12:03:36	1	1	1	1	85.25	63.5	0	29715.64	537.6344086	15975.59318	30000		1	0	30000	44.3125	2004
29.01.2020 12:03:37	1	1	1	1	85.25	64.25	0	29526.066	541.9354839	15911.99413	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:38	1	1	1	1	85.25	63.75	0	29431.28	544.0860215	16013.10032	30000		1	0	30000	44.0625	2004
29.01.2020 12:03:39	1	1	1	1	85.25	64	0	29431.28	541.9354839	16013.10032	30000		1	0	30000	44	2004
29.01.2020 12:03:40	1	1	1	1	85.25	64	0	29573.46	539.7849462	15988.63914	30000		1	0	30000	44.125	2004
29.01.2020 12:03:41	1	1	1	1	85.25	64	0	29526.066	541.9354839	16000.86973	30000		1	0	30000	43.375	2004
29.01.2020 12:03:42	1	1	1	1	85.25	63.25	0	29289.1	541.9354839	15935.63993	30000		1	0	30000	43.625	2004
29.01.2020 12:03:43	1	1	1	1	85.25	63.5	0	29573.46	541.9354839	15937.27068	30000		1	0	30000	44	2004
29.01.2020 12:03:44	1	1	1	1	85.25	64	0	29478.673	546.2365591	16013.10032	30000		1	0	30000	44.3125	2004
29.01.2020 12:03:51	1	1	1	1	85.5	64	0	28009.479	455.9139785	12709.21099	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:51	1	1	1	1	85.5	64	0	28009.479	455.9139785	12709.21099	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:51	1	1	1	1	85.5	64	0	28009.479	455.9139785	12709.21099	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:51	1	1	1	1	85.5	64	0	28009.479	455.9139785	12709.21099	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:51	1	1	1	1	85.5	64	0	28009.479	455.9139785	12709.21099	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:51	1	1	1	1	85.5	63.75	0	29715.64	541.9354839	16040.00761	30000		1	0	30000	43.75	2004
29.01.2020 12:03:52	1	1	1	1	85.5	63.75	0	29857.82	516.1290323	15498.60028	30000		1	0	30000	44.25	2004
29.01.2020 12:03:53	1	1	1	1	85.5	64.25	0	29905.213	529.0322581	15820.67241	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:54	1	1	1	1	85.5	63.75	0	29620.853	546.2365591	16243.03536	30000		1	0	30000	43.8125	2004
29.01.2020 12:03:55	1	1	1	1	85.5	63.75	0	29478.673	541.9354839	15975.59318	30000		1	0	30000	44.25	2004
29.01.2020 12:03:56	1	1	1	1	85.75	64.25	0	29620.853	535.483871	16103.60666	30000		1	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 12:03:57	1	1	1	1	85.75	64	0	28199.052	524.7311828	14856.90213	30000		1	0	30000	43.9375	2004
29.01.2020 12:03:58	1	1	1	1	85.75	63.75	0	29336.493	524.7311828	15393.41723	30000		1	0	30000	43.875	2004
29.01.2020 12:03:59	1	1	1	1	85.75	63.75	0	29526.066	539.7849462	16307.44979	30000		1	0	30000	44	2004
29.01.2020 12:04:00	1	1	1	1	85.75	64	0	29431.28	544.0860215	16013.10032	30000		1	0	30000	43.9375	2004
29.01.2020 12:04:01	1	1	1	1	85.75	63.75	0	29620.853	539.7849462	16052.2382	30000		1	0	30000	43.8125	2004
29.01.2020 12:04:02	1	1	1	1	85.75	63.75	0	29431.28	544.0860215	16013.10032	30000		1	0	30000	43.6875	2004
29.01.2020 12:04:03	1	1	1	1	85.75	63.5	0	29905.213	533.3333333	15949.50126	30000		1	0	30000	44	2004
29.01.2020 12:04:04	1	1	1	1	85.75	64	0	29431.28	541.9354839	15949.50126	30000		1	0	30000	44	2004
29.01.2020 12:04:05	1	1	1	1	85.75	64	0	29241.706	550.5376344	16035.11538	30000		1	0	30000	43.875	2004
29.01.2020 12:04:06	1	1	1	1	85.25	63.75	0	29241.706	541.9354839	15960.91648	30000		1	0	30000	44.1875	2004
29.01.2020 12:04:07	1	1	1	1	85.25	64	0	29526.066	539.7849462	15937.27068	30000		1	0	30000	44.0625	2004
29.01.2020 12:04:08	1	1	1	1	85.25	64	0	28341.232	488.172043	13811.5946	30000		1	0	30000	44.0625	2004
29.01.2020 12:04:09	1	1	1	1	85.25	64	0	29905.213	522.5806452	15652.70568	30000		1	0	30000	44.1875	2004
29.01.2020 12:04:10	1	1	1	1	85.25	64	0	29478.673	539.7849462	15911.99413	30000		1	0	30000	44.25	2004
29.01.2020 12:04:11	1	1	1	1	85.25	64.25	0	29620.853	539.7849462	15963.3626	30000		1	0	30000	43.9375	2004
29.01.2020 12:04:13	1	1	1	1	85.25	63.5	0	29383.886	539.7849462	16013.10032	30000		1	0	30000	43.875	2004
29.01.2020 12:04:14	1	1	1	1	85.25	63.75	0	29573.46	537.6344086	15963.3626	30000		1	0	30000	43.9375	2004
29.01.2020 12:04:15	1	1	1	1	85.25	63.75	0	29620.853	550.5376344	16115.83725	30000		1	0	30000	44	2004
29.01.2020 12:04:16	1	1	1	1	85.25	64	0	29526.066	533.3333333	15836.16449	30000		1	0	30000	44	2004
29.01.2020 12:04:17	1	1	1	1	85.25	64	0	29715.64	537.6344086	16040.00761	30000		1	0	30000	44.125	2004
29.01.2020 12:04:18	1	1	1	1	85.25	64	0	29810.427	539.7849462	16116.65262	30000		1	0	30000	43.8125	2004
29.01.2020 12:04:19	1	1	1	1	85.25	63.75	0	30000	505.3763441	15225.45049	30000		1	0	30000	43.875	2004
29.01.2020 12:04:20	1	1	1	1	85.25	63.75	0	30000	526.8817204	15805.99571	30000		1	0	30000	44	2004
29.01.2020 12:04:21	1	1	1	1	85.25	64	0	30047.393	522.5806452	15701.62803	30000		1	0	30000	43.75	2004
29.01.2020 12:04:22	1	1	1	1	85.25	63.75	0	30000	507.5268817	15225.45049	30000		1	0	30000	43.25	2004
29.01.2020 12:04:23	1	1	1	1	85.25	63.25	0	30000	526.8817204	15805.99571	30000		1	0	30000	44.0625	2004
29.01.2020 12:04:24	1	1	1	1	85.25	64	0	29478.673	503.2258065	14857.7175	30000		1	0	30000	42.625	2004
29.01.2020 12:04:25	1	1	1	1	85.25	62.5	0	29952.607	516.1290323	15548.338	30000		1	0	30000	44	2004
29.01.2020 12:04:26	1	1	1	1	85.75	64	0	30000	509.6774194	15289.86492	30000		1	0	30000	44	2004
29.01.2020 12:04:27	1	1	1	1	85.75	64	0	30000	481.7204301	14516.07643	30000		1	0	30000	44	2004
29.01.2020 12:04:28	1	1	1	1	85.75	64	0	29905.213	464.516129	13891.5011	30000		1	0	30000	44.0625	2004
29.01.2020 12:04:29	1	1	1	1	85.75	64	0	30000	481.7204301	14451.662	30000		1	0	30000	44.125	2004
29.01.2020 12:04:30	1	1	1	1	85.75	64	0	30000	481.7204301	14451.662	30000		1	0	30000	43.875	2004
29.01.2020 12:04:31	1	1	1	1	85.75	63.75	0	28862.559	391.3978495	11296.17047	30000		1	0	30000	44.125	2004
29.01.2020 12:04:32	1	1	1	1	85.75	64	0	30000	483.8709677	14516.07643	30000		1	0	30000	43.625	2004
29.01.2020 12:04:33	1	1	1	1	85.75	63.5	0	30000	481.7204301	14516.07643	30000		1	0	30000	44.0625	2004
29.01.2020 12:04:34	1	1	1	1	85.75	64	0	30000	496.7741935	14902.56299	30000		1	0	30000	44.1875	2004
29.01.2020 12:04:35	1	1	1	1	85.75	64	0	30000	509.6774194	15483.92357	30000		1	0	30000	43.25	2004
29.01.2020 12:04:36	1	1	1	1	85.75	63.25	0	29857.82	501.0752688	14960.45443	30000		1	0	30000	43.75	2004
29.01.2020 12:04:37	1	1	1	1	85.75	63.75	0	29952.607	501.0752688	15032.20721	30000		1	0	30000	44.125	2004
29.01.2020 12:04:38	1	1	1	1	85.75	64	0	29952.607	492.4731183	14750.9037	30000		1	0	30000	43.9375	2004
29.01.2020 12:04:39	1	1	1	1	85.75	63.75	0	30000	488.172043	14644.90528	30000		1	0	30000	44	2004
29.01.2020 12:04:40	1	1	1	1	85.75	64	0	30000	494.6236559	14773.73413	30000		1	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 12:04:41	1	1	1	1	85.75	63.75	0	29146.919	438.7096774	13016.60642	30000		1	0	30000	43.6875	2004
29.01.2020 12:04:42	1	1	1	1	85.75	63.5	0	30000	481.7204301	14128.7745	30000		1	0	30000	44.0625	2004
29.01.2020 12:04:43	1	1	1	1	85.75	64	0	30000	492.4731183	14773.73413	30000		1	0	30000	44.0625	2004
29.01.2020 12:04:44	1	1	1	1	85.75	64	0	30000	464.516129	13999.94564	30000		1	0	30000	43.625	2004
29.01.2020 12:04:45	1	1	1	1	85.75	63.5	0	30000	483.8709677	14580.49085	30000		1	0	30000	43.3125	2004
29.01.2020 12:04:52	1	1	1	1	85.75	63.75	0	30000	490.3225806	14732.96551	30000		1	0	30000	44.25	2004
29.01.2020 12:04:52	1	1	1	1	85.75	63.75	0	30000	490.3225806	14732.96551	30000		1	0	30000	44.25	2004
29.01.2020 12:04:52	1	1	1	1	85.75	63.75	0	30000	490.3225806	14732.96551	30000		1	0	30000	44.25	2004
29.01.2020 12:04:52	1	1	1	1	85.75	63.75	0	30000	490.3225806	14732.96551	30000		1	0	30000	44.25	2004
29.01.2020 12:04:52	1	1	1	1	85.75	63.75	0	30000	490.3225806	14732.96551	30000		1	0	30000	44.25	2004
29.01.2020 12:04:52	1	1	1	1	85.75	63.75	0	30000	490.3225806	14732.96551	30000		1	0	30000	44.25	2004
29.01.2020 12:04:52	1	1	1	1	85.75	63.75	0	30000	490.3225806	14732.96551	30000		1	0	30000	44.25	2004
29.01.2020 12:04:53	1	1	1	1	85.75	63.5	0	30000	501.0752688	15032.20721	30000		1	0	30000	43.5	2004
29.01.2020 12:04:54	1	1	1	1	85.75	63.5	0	29857.82	481.7204301	14383.17071	30000		1	0	30000	43.8125	2004
29.01.2020 12:04:55	1	1	1	1	85.75	63.75	0	30000	509.6774194	15225.45049	30000		1	0	30000	43.9375	2004
29.01.2020 12:04:56	1	1	1	1	85.75	63.75	0	29478.673	481.7204301	14177.69684	30000		1	0	30000	44.125	2004
29.01.2020 12:04:57	1	1	1	1	85.75	64	0	30000	529.0322581	15870.41013	30000		1	0	30000	44.1875	2004
29.01.2020 12:04:58	1	1	1	1	85.75	64	0	28672.986	451.6129032	13075.31324	30000		1	0	30000	44.1875	2004
29.01.2020 12:04:59	1	1	1	1	85.75	64	0	30000	522.5806452	15677.16685	30000		1	0	30000	44.0625	2004
29.01.2020 12:05:00	1	1	1	1	85.75	64	0	30000	501.0752688	15032.20721	30000		1	0	30000	43.375	2004
29.01.2020 12:05:01	1	1	1	1	85.75	63.25	0	30000	520.4301075	15612.75243	30000		1	0	30000	44	2004
29.01.2020 12:05:02	1	1	1	1	85.75	64	0	29952.607	511.827957	15266.21912	30000		1	0	30000	44.0625	2004
29.01.2020 12:05:03	1	1	1	1	85.75	64	0	29952.607	533.3333333	16013.10032	30000		1	0	30000	43.5625	2004
29.01.2020 12:05:04	1	1	1	1	85.75	63.5	0	29810.427	537.6344086	15911.99413	30000		1	0	30000	43.5625	2004
29.01.2020 12:05:05	1	1	1	1	85.75	63.5	0	29952.607	516.1290323	15435.00122	30000		1	0	30000	44.0625	2004
29.01.2020 12:05:06	1	1	1	1	85.75	64	0	29905.213	516.1290323	15548.338	30000		1	0	30000	43.875	2004
29.01.2020 12:05:07	1	1	1	1	85.75	63.75	0	28483.412	494.6236559	14088.00587	30000		1	0	30000	44.0625	2004
29.01.2020 12:05:08	1	1	1	1	85.75	64	0	30000	526.8817204	15805.99571	30000		1	0	30000	44.25	2004
29.01.2020 12:05:09	1	1	1	1	85.75	64.25	0	30000	503.2258065	15032.20721	30000		1	0	30000	44.1875	2004
29.01.2020 12:05:10	1	1	1	1	85.75	64	0	29952.607	518.2795699	15612.75243	30000		1	0	30000	43.875	2004
29.01.2020 12:05:11	1	1	1	1	85.75	63.75	0	30000	516.1290323	15483.92357	30000		1	0	30000	43.8125	2004
29.01.2020 12:05:12	1	1	1	1	85.75	63.75	0	30000	486.0215054	14516.07643	30000		1	0	30000	44	2004
29.01.2020 12:05:13	1	1	1	1	85.75	64	0	30000	481.7204301	14516.07643	30000		1	0	30000	43.625	2004
29.01.2020 12:05:14	1	1	1	1	85.75	63.5	0	30000	481.7204301	14451.662	30000		1	0	30000	44	2004
29.01.2020 12:05:15	1	1	1	1	85.75	64	0	30000	419.3548387	12580.38214	30000		1	0	30000	44	2004
29.01.2020 12:05:16	1	1	1	1	85.5	64	0	30000	453.7634409	13612.64371	30000		1	0	30000	44	2004
29.01.2020 12:05:17	1	1	1	1	85.5	64	0	29668.246	382.7956989	11438.86065	30000		1	0	30000	44	2004
29.01.2020 12:05:18	1	1	1	1	85.5	64	0	29478.673	359.1397849	10586.7964	30000		1	0	30000	43.75	2004
29.01.2020 12:05:19	1	1	1	1	85.5	63.75	0	29810.427	378.4946237	11346.72356	30000		1	0	30000	44.1875	2004
29.01.2020 12:05:20	1	1	1	1	85.5	64	0	28341.232	329.0322581	9340.091865	30000		1	0	30000	44.125	2004
29.01.2020 12:05:21	1	1	1	1	85.5	64	0	29668.246	395.6989247	11822.08572	30000		1	0	30000	44.1875	2004
29.01.2020 12:05:22	1	1	1	1	85.5	64	0	28815.166	354.8387097	10224.77102	30000		1	0	30000	44.3125	2004
29.01.2020 12:05:23	1	1	1	1	85.5	64.25	0	30000	438.7096774	13096.51292	30000		1	0	30000	43.8125	2004
29.01.2020 12:05:24	1	1	1	1	85.5	63.75	0	30000	440.8602151	13225.34178	30000		1	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 12:05:25	1	1	1	1	85.5	63.25	0	30000	466.6666667	13999.94564	30000		1	0	30000	43.875	2004
29.01.2020 12:05:26	1	1	1	1	85.25	63.75	0	30000	481.7204301	14451.662	30000		1	0	30000	43.875	2004
29.01.2020 12:05:27	1	1	1	1	85.25	63.75	0	30000	507.5268817	15161.03607	30000		1	0	30000	44.3125	2004
29.01.2020 12:05:28	1	1	1	1	85.25	64.25	0	29905.213	481.7204301	14516.07643	30000		1	0	30000	43.9375	2004
29.01.2020 12:05:30	1	1	1	1	85.25	63.75	0	30000	524.7311828	15741.58128	30000		1	0	30000	44.0625	2004
29.01.2020 12:05:31	1	1	1	1	85.25	64	0	30000	524.7311828	15805.99571	30000		1	0	30000	43.625	2004
29.01.2020 12:05:32	1	1	1	1	85.25	63.75	0	30047.393	509.6774194	15289.86492	30000		1	0	30000	44.0625	2004
29.01.2020 12:05:33	1	1	1	1	85.25	64	0	29952.607	533.3333333	15934.82456	30000		1	0	30000	43.8125	2004
29.01.2020 12:05:34	1	1	1	1	85.25	63.75	0	28578.199	453.7634409	12967.68407	30000		1	0	30000	44.0625	2004
29.01.2020 12:05:35	1	1	1	1	85.25	64	0	26066.351	464.516129	12108.28147	30000		1	0	30000	44.25	2004
29.01.2020 12:05:36	1	1	1	1	85.75	64.25	0	29810.427	535.483871	15720.38159	30000		1	0	30000	43.6875	2004
29.01.2020 12:05:37	1	1	1	1	85.75	63.5	0	30000	505.3763441	15225.45049	30000		1	0	30000	44.1875	2004
29.01.2020 12:05:38	1	1	1	1	85.75	64	0	30000	516.1290323	15418.69377	30000		1	0	30000	43.8125	2004
29.01.2020 12:05:39	1	1	1	1	85.75	63.75	0	30000	511.827957	15137.39026	30000		1	0	30000	44	2004
29.01.2020 12:05:40	1	1	1	1	85.75	64	0	29905.213	481.7204301	14383.17071	30000		1	0	30000	44	2004
29.01.2020 12:05:41	1	1	1	1	85.75	64	0	30000	520.4301075	15612.75243	30000		1	0	30000	43.9375	2004
29.01.2020 12:05:42	1	1	1	1	85.75	63.75	0	29905.213	507.5268817	15241.75794	30000		1	0	30000	44	2004
29.01.2020 12:05:43	1	1	1	1	85.75	64	0	29715.64	537.6344086	15911.99413	30000		1	0	30000	44	2004
29.01.2020 12:05:44	1	1	1	1	85.75	64	0	29573.46	537.6344086	15988.63914	30000		1	0	30000	43.75	2004
29.01.2020 12:05:45	1	1	1	1	85.75	63.75	0	29620.853	496.7741935	14714.21194	30000		1	0	30000	43.8125	2004
29.01.2020 12:05:46	1	1	1	1	86	63.75	0	29905.213	533.3333333	16013.10032	30000		1	0	30000	43.8125	2004
29.01.2020 12:05:47	1	1	1	1	86	63.75	0	29715.64	539.7849462	16040.00761	30000		1	0	30000	44	2004
29.01.2020 12:05:54	1	1	1	1	86	64	0	30000	516.1290323	15677.16685	30000		1	0	30000	44.25	2004
29.01.2020 12:05:54	1	1	1	1	86	64	0	30000	516.1290323	15677.16685	30000		1	0	30000	44.25	2004
29.01.2020 12:05:54	1	1	1	1	86	64	0	30000	516.1290323	15677.16685	30000		1	0	30000	44.25	2004
29.01.2020 12:05:54	1	1	1	1	86	64	0	30000	516.1290323	15677.16685	30000		1	0	30000	44.25	2004
29.01.2020 12:05:54	1	1	1	1	86	64	0	30000	516.1290323	15677.16685	30000		1	0	30000	44.25	2004
29.01.2020 12:05:54	1	1	1	1	86	64.25	0	28436.019	498.9247312	14248.63425	30000		1	0	30000	44.125	2004
29.01.2020 12:05:55	1	1	1	1	86	64	0	29857.82	516.1290323	15498.60028	30000		1	0	30000	44.125	2004
29.01.2020 12:05:56	1	1	1	1	86.25	64	0	29857.82	537.6344086	16141.92917	30000		1	0	30000	43.75	2004
29.01.2020 12:05:57	1	1	1	1	86.25	63.75	0	30000	511.827957	15354.27935	30000		1	0	30000	43.9375	2004
29.01.2020 12:05:58	1	1	1	1	86.25	63.75	0	30000	498.9247312	15032.20721	30000		1	0	30000	44.1875	2004
29.01.2020 12:05:59	1	1	1	1	86.25	64	0	30000	507.5268817	15225.45049	30000		1	0	30000	44.125	2004
29.01.2020 12:06:00	1	1	1	1	86.25	64	0	30000	494.6236559	14838.14856	30000		1	0	30000	44.1875	2004
29.01.2020 12:06:01	1	1	1	1	86.25	64	0	30000	496.7741935	15079.49882	30000		1	0	30000	43.3125	2004
29.01.2020 12:06:02	1	1	1	1	86.25	63.25	0	29336.493	464.516129	13690.1041	30000		1	0	30000	44.0625	2004
29.01.2020 12:06:03	1	1	1	1	86.25	64	0	30000	509.6774194	15289.86492	30000		1	0	30000	44.25	2004
29.01.2020 12:06:04	1	1	1	1	86.25	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	43.6875	2004
29.01.2020 12:06:05	1	1	1	1	86.25	63.5	0	29526.066	481.7204301	14246.18813	30000		1	0	30000	43.875	2004
29.01.2020 12:06:06	1	1	1	1	86.25	63.75	0	30000	511.827957	15508.38475	30000		1	0	30000	44.125	2004
29.01.2020 12:06:07	1	1	1	1	86.25	64	0	30000	492.4731183	14773.73413	30000		1	0	30000	44.5	2004
29.01.2020 12:06:09	1	1	1	1	86.25	64.5	0	30000	486.0215054	14644.90528	30000		1	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 12:06:10	1	1	1	1	86.25	64	0	29952.607	481.7204301	14428.83157	30000		1	0	30000	43.75	2004
29.01.2020 12:06:11	1	1	1	1	86.25	63.75	0	28483.412	453.7634409	12924.46933	30000		1	0	30000	43.9375	2004
29.01.2020 12:06:12	1	1	1	1	86.25	63.75	0	30000	466.6666667	13935.53122	30000		1	0	30000	44	2004
29.01.2020 12:06:13	1	1	1	1	86.25	64	0	29146.919	481.7204301	14040.71427	30000		1	0	30000	44.125	2004
29.01.2020 12:06:14	1	1	1	1	86.25	64	0	30000	496.7741935	14902.56299	30000		1	0	30000	44.0625	2004
29.01.2020 12:06:15	1	1	1	1	86.25	64	0	30000	492.4731183	14644.90528	30000		1	0	30000	44	2004
29.01.2020 12:06:16	1	1	1	1	86.25	64	0	30000	496.7741935	15032.20721	30000		1	0	30000	44	2004
29.01.2020 12:06:17	1	1	1	1	86.25	64	0	29431.28	458.0645161	13481.36874	30000		1	0	30000	43.8125	2004
29.01.2020 12:06:18	1	1	1	1	86.25	63.75	0	29857.82	481.7204301	14360.34028	30000		1	0	30000	44.125	2004
29.01.2020 12:06:19	1	1	1	1	86.25	64	0	30000	507.5268817	15225.45049	30000		1	0	30000	43.8125	2004
29.01.2020 12:06:20	1	1	1	1	86.25	63.75	0	30000	511.827957	15289.86492	30000		1	0	30000	43.9375	2004
29.01.2020 12:06:21	1	1	1	1	86.25	63.75	0	26919.431	481.7204301	12990.5145	30000		1	0	30000	43.375	2004
29.01.2020 12:06:22	1	1	1	1	86.25	63.25	0	30000	516.1290323	15548.338	30000		1	0	30000	43.8125	2004
29.01.2020 12:06:23	1	1	1	1	86.25	63.75	0	28862.559	460.2150538	13304.43291	30000		1	0	30000	44.125	2004
29.01.2020 12:06:24	1	1	1	1	86.25	64	0	30000	501.0752688	15032.20721	30000		1	0	30000	44.1875	2004
29.01.2020 12:06:25	1	1	1	1	86.25	64	0	29715.64	537.6344086	16040.00761	30000		1	0	30000	44.1875	2004
29.01.2020 12:06:26	1	1	1	1	85.5	64	0	29857.82	494.6236559	14680.78167	30000		1	0	30000	44.0625	2004
29.01.2020 12:06:27	1	1	1	1	85.5	64	0	29810.427	533.3333333	16026.96165	30000		1	0	30000	44.125	2004
29.01.2020 12:06:28	1	1	1	1	85.5	64	0	29952.607	529.0322581	15934.82456	30000		1	0	30000	43.8125	2004
29.01.2020 12:06:29	1	1	1	1	85.5	63.75	0	29715.64	535.483871	15669.8285	30000		1	0	30000	43.8125	2004
29.01.2020 12:06:30	1	1	1	1	85.5	63.75	0	30000	524.7311828	15677.16685	30000		1	0	30000	44	2004
29.01.2020 12:06:31	1	1	1	1	85.5	64	0	29952.607	522.5806452	15677.16685	30000		1	0	30000	44	2004
29.01.2020 12:06:32	1	1	1	1	85.5	64	0	29952.607	501.0752688	15032.20721	30000		1	0	30000	43.9375	2004
29.01.2020 12:06:33	1	1	1	1	85.5	63.75	0	29952.607	507.5268817	15289.86492	30000		1	0	30000	43.875	2004
29.01.2020 12:06:34	1	1	1	1	85.5	63.75	0	29905.213	533.3333333	16064.46878	30000		1	0	30000	44.125	2004
29.01.2020 12:06:35	1	1	1	1	85.5	64	0	29715.64	537.6344086	16040.00761	30000		1	0	30000	44.125	2004
29.01.2020 12:06:36	1	1	1	1	85.5	64	0	29810.427	481.7204301	14360.34028	30000		1	0	30000	43.9375	2004
29.01.2020 12:06:37	1	1	1	1	85.5	63.75	0	30000	526.8817204	15805.99571	30000		1	0	30000	44.125	2004
29.01.2020 12:06:38	1	1	1	1	85.5	64	0	29905.213	503.2258065	15112.92909	30000		1	0	30000	43.875	2004
29.01.2020 12:06:39	1	1	1	1	85.5	63.75	0	29668.246	481.7204301	14291.84899	30000		1	0	30000	44	2004
29.01.2020 12:06:40	1	1	1	1	85.5	64	0	30000	507.5268817	15225.45049	30000		1	0	30000	43.9375	2004
29.01.2020 12:06:41	1	1	1	1	85.5	63.75	0	30000	516.1290323	15548.338	30000		1	0	30000	44	2004
29.01.2020 12:06:42	1	1	1	1	85.5	64	0	30000	496.7741935	14902.56299	30000		1	0	30000	43.25	2004
29.01.2020 12:06:43	1	1	1	1	85.5	63.25	0	27061.611	455.9139785	12395.29258	30000		1	0	30000	44.3125	2004
29.01.2020 12:06:44	1	1	1	1	85.5	64.25	0	30000	507.5268817	15201.80469	30000		1	0	30000	44.125	2004
29.01.2020 12:06:45	1	1	1	1	85.5	64	0	29857.82	494.6236559	14832.44095	30000		1	0	30000	43.6875	2004
29.01.2020 12:06:46	1	1	1	1	85.5	63.5	0	29478.673	503.2258065	14770.47264	30000		1	0	30000	44.125	2004
29.01.2020 12:06:47	1	1	1	1	85.5	64	0	30000	533.3333333	16000.05436	30000		1	0	30000	43.9375	2004
29.01.2020 12:06:49	1	1	1	1	85.5	63.75	0	29952.607	524.7311828	15741.58128	30000		1	0	30000	44.4375	2004
29.01.2020 12:06:55	1	1	1	1	85.5	64	0	30047.393	535.483871	15934.82456	30000		1	0	30000	44.1875	2004
29.01.2020 12:06:55	1	1	1	1	85.5	64	0	30047.393	535.483871	15934.82456	30000		1	0	30000	44.1875	2004
29.01.2020 12:06:55	1	1	1	1	85.5	64	0	30047.393	535.483871	15934.82456	30000		1	0	30000	44.1875	2004
29.01.2020 12:06:55	1	1	1	1	85.5	64	0	30047.393	535.483871	15934.82456	30000		1	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:06:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:06:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:06:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:06:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:06:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:06:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:07:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:07:01	1	0	1	1	84	20	0	0	0	0	30000	1	0	30000	0	2004
29.01.2020 12:07:02	1	1	1	1	84	61.75	0	0	0	0	30000	1	0	30000	44.4375	2004
29.01.2020 12:07:03	1	1	1	1	84	64.25	0	0	0	0	30000	1	0	30000	44.25	2004
29.01.2020 12:07:04	1	1	1	1	84	64.25	0	0	0	0	30000	1	0	30000	44.5	2004
29.01.2020 12:07:05	1	1	1	1	84	64.5	0	0	0	0	30000	1	0	30000	44.625	2004
29.01.2020 12:07:06	1	1	1	1	84	64.5	0	0	0	0	30000	1	0	30000	44.5	2004
29.01.2020 12:07:07	1	1	1	1	84	64.5	0	0	0	0	30000	1	0	30000	44.375	2004
29.01.2020 12:07:08	1	1	1	1	84	64.25	0	0	0	0	30000	1	0	30000	44.375	2004
29.01.2020 12:07:09	1	1	1	1	84	64.25	0	0	0	0	30000	1	0	30000	44.375	2004
29.01.2020 12:07:10	1	1	1	1	84	64.25	0	0	0	0	30000	1	0	30000	44.4375	2004
29.01.2020 12:07:11	1	1	1	1	86.5	64.25	0	10000	0	0	30000	1	0	30000	44.625	2004
29.01.2020 12:07:12	1	1	1	1	86.5	64.5	0	10853.081	0	0	30000	1	0	30000	44.1875	2004
29.01.2020 12:07:13	1	1	1	1	86.5	64	0	11563.981	0	0	30000	1	0	30000	44.1875	2004
29.01.2020 12:07:14	1	1	1	1	86.5	64	0	12464.455	2.150537634	0	30000	1	0	30000	44.25	2004
29.01.2020 12:07:15	1	1	1	1	86.5	64.25	0	13222.749	4.301075269	84.79873889	30000	1	0	30000	44.0625	2004
29.01.2020 12:07:16	1	1	1	1	86.5	64	0	12654.028	2.150537634	26.90729215	30000	1	0	30000	44.3125	2004
29.01.2020 12:07:17	1	1	1	1	86.5	64.25	0	14691.943	12.90322581	188.351045	30000	0	0	30000	44.375	2004
29.01.2020 12:07:18	1	1	1	1	86.5	64.25	0	15450.237	19.35483871	298.4263311	30000	0	0	30000	44.1875	2004
29.01.2020 12:07:19	1	1	1	1	86.5	64	0	16255.924	25.80645161	383.22507	30000	0	0	30000	44.125	2004
29.01.2020 12:07:20	1	1	1	1	86.5	64	0	17014.218	34.40860215	512.0539233	30000	0	0	30000	44.25	2004
29.01.2020 12:07:21	1	1	1	1	86	64.25	0	17772.512	40.86021505	764.0040225	30000	0	0	30000	44.25	2004
29.01.2020 12:07:22	1	1	1	1	86	64.25	0	16682.464	40.86021505	681.6514011	30000	0	0	30000	44.3125	2004
29.01.2020 12:07:23	1	1	1	1	86	64.25	0	19099.526	55.91397849	1067.322589	30000	0	0	30000	44.4375	2004
29.01.2020 12:07:24	1	1	1	1	86	64.25	0	20047.393	79.56989247	1508.439105	30000	0	0	30000	44.1875	2004
29.01.2020 12:07:25	1	1	1	1	86	64	0	20853.081	88.17204301	1883.51045	30000	0	0	30000	44.3125	2004
29.01.2020 12:07:26	1	1	1	1	86	64.25	0	21563.981	109.6774194	2380.072296	30000	0	0	30000	44.125	2004
29.01.2020 12:07:28	1	1	1	1	86	64	0	22369.668	120.4301075	2693.990705	30000	0	0	30000	44.125	2004
29.01.2020 12:07:29	1	1	1	1	86	64	0	23175.355	137.6344086	3189.737178	30000	0	0	30000	44.5625	2004
29.01.2020 12:07:30	1	1	1	1	86	64.5	0	23981.043	148.3870968	3454.733237	30000	0	0	30000	44.25	2004
29.01.2020 12:07:31	1	1	1	1	86	64.25	0	24691.943	169.8924731	4178.784008	30000	0	0	30000	44.375	2004
29.01.2020 12:07:32	1	1	1	1	86	64.25	0	25450.237	189.2473118	4816.405294	30000	0	0	30000	43.5	2004
29.01.2020 12:07:33	1	1	1	1	86	63.5	0	26303.318	206.4516129	5430.380779	30000	0	0	30000	44.375	2004
29.01.2020 12:07:34	1	1	1	1	86	64.25	0	27061.611	227.9569892	6168.292882	30000	0	0	30000	44.0625	2004
29.01.2020 12:07:35	1	1	1	1	86	64	0	25260.664	221.5053763	5670.915663	30000	0	0	30000	43.75	2004
29.01.2020 12:07:36	1	1	1	1	86	63.75	0	28388.626	356.9892473	10195.41761	30000	0	0	30000	44.1875	2004
29.01.2020 12:07:37	1	1	1	1	86	64	0	29383.886	378.4946237	11103.74256	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:07:38	1	1	1	1	86	63.75	0	29905.213	436.5591398	13160.92735	30000	0	0	30000	44.125	2004
29.01.2020 12:07:39	1	1	1	1	86	64	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.75	2004
29.01.2020 12:07:40	1	1	1	1	86	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.4375	2004
29.01.2020 12:07:41	1	1	1	1	85.75	63.25	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	43.25	2004
29.01.2020 12:07:42	1	1	1	1	85.75	63.25	0	29905.213	453.7634409	13612.64371	30000	0	0	30000	44.375	2004
29.01.2020 12:07:43	1	1	1	1	85.75	64.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.25	2004
29.01.2020 12:07:44	1	1	1	1	85.75	64.25	0	30000	458.0645161	13892.31647	30000	0	0	30000	43.6875	2004
29.01.2020 12:07:45	1	1	1	1	85.75	63.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	44.1875	2004
29.01.2020 12:07:46	1	1	1	1	85.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:07:47	1	1	1	1	85.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
29.01.2020 12:07:48	1	1	1	1	85.75	64	0	29952.607	458.0645161	13935.53122	30000	0	0	30000	44.25	2004
29.01.2020 12:07:49	1	1	1	1	85.75	64.25	0	28862.559	397.8494624	11482.89077	30000	0	0	30000	44.25	2004
29.01.2020 12:07:50	1	1	1	1	85.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
29.01.2020 12:07:57	1	1	1	1	85.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44	2004
29.01.2020 12:07:57	1	1	1	1	85.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44	2004
29.01.2020 12:07:57	1	1	1	1	85.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44	2004
29.01.2020 12:07:57	1	1	1	1	85.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44	2004
29.01.2020 12:07:57	1	1	1	1	85.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44	2004
29.01.2020 12:07:57	1	1	1	1	85.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
29.01.2020 12:07:58	1	1	1	1	85.5	63.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	43.8125	2004
29.01.2020 12:07:59	1	1	1	1	85.5	63.75	0	29715.64	404.3010753	11950.0992	30000	0	0	30000	43.9375	2004
29.01.2020 12:08:00	1	1	1	1	85.5	63.75	0	29715.64	445.1612903	13227.78789	30000	0	0	30000	43.8125	2004
29.01.2020 12:08:01	1	1	1	1	85.5	63.75	0	26966.825	427.9569892	11539.96684	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:02	1	1	1	1	85.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
29.01.2020 12:08:03	1	1	1	1	85.5	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
29.01.2020 12:08:04	1	1	1	1	85.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.625	2004
29.01.2020 12:08:06	1	1	1	1	85.5	63.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.375	2004
29.01.2020 12:08:07	1	1	1	1	85.5	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44	2004
29.01.2020 12:08:08	1	1	1	1	85.5	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.0625	2004
29.01.2020 12:08:09	1	1	1	1	85.5	64	0	29336.493	464.516129	14132.03599	30000	0	0	30000	44.375	2004
29.01.2020 12:08:10	1	1	1	1	85.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:11	1	1	1	1	85.5	64.25	0	30000	486.0215054	14406.00114	30000	0	0	30000	44.125	2004
29.01.2020 12:08:12	1	1	1	1	85.5	64	0	10426.54	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:13	1	1	1	1	85.5	64.25	0	11184.834	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:08:14	1	1	1	1	85.5	64.25	0	11848.341	0	0	30000	0	0	30000	44.25	2004
29.01.2020 12:08:15	1	1	1	1	85.5	64.25	0	12748.815	2.150537634	26.90729215	30000	0	0	30000	44.25	2004
29.01.2020 12:08:16	1	1	1	1	85.5	64.25	0	12464.455	2.150537634	26.09191966	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:17	1	1	1	1	85.5	64.25	0	14265.403	8.602150538	183.4588101	30000	0	0	30000	44.375	2004
29.01.2020 12:08:18	1	1	1	1	85.5	64.25	0	14976.303	15.05376344	289.4572337	30000	0	0	30000	44.375	2004
29.01.2020 12:08:19	1	1	1	1	85.5	64.25	0	15829.384	23.65591398	374.2559726	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:20	1	1	1	1	85.5	64.25	0	16492.891	32.25806452	494.931101	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:21	1	1	1	1	86.5	64.25	0	17345.972	45.16129032	785.2037072	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:08:22	1	1	1	1	86.5	64	0	17251.185	51.61290323	890.3867584	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:23	1	1	1	1	86.5	64.25	0	18862.559	66.66666667	1260.565869	30000	0	0	30000	44.25	2004
29.01.2020 12:08:24	1	1	1	1	86.5	64.25	0	19668.246	75.2688172	1564.699807	30000	0	0	30000	44.4375	2004
29.01.2020 12:08:25	1	1	1	1	86.5	64.25	0	20379.147	94.62365591	1884.325823	30000	0	0	30000	44.375	2004
29.01.2020 12:08:26	1	1	1	1	86.5	64.25	0	21232.227	109.6774194	2231.674503	30000	0	0	30000	44.1875	2004
29.01.2020 12:08:27	1	1	1	1	86.5	64	0	21943.128	124.7311828	2736.390074	30000	0	0	30000	44.1875	2004
29.01.2020 12:08:28	1	1	1	1	86.5	64	0	22748.815	137.6344086	3131.030359	30000	0	0	30000	43.9375	2004
29.01.2020 12:08:29	1	1	1	1	86.5	63.75	0	23459.716	152.688172	3581.931346	30000	0	0	30000	44.125	2004
29.01.2020 12:08:30	1	1	1	1	86.5	64	0	24218.009	182.7956989	4619.085152	30000	0	0	30000	44.25	2004
29.01.2020 12:08:31	1	1	1	1	85.5	64.25	0	24976.303	191.3978495	4779.713532	30000	0	0	30000	44.25	2004
29.01.2020 12:08:32	1	1	1	1	85.5	64.25	0	25734.597	212.9032258	5508.656538	30000	0	0	30000	44.25	2004
29.01.2020 12:08:33	1	1	1	1	85.5	64.25	0	26540.284	227.9569892	5992.987797	30000	0	0	30000	44.4375	2004
29.01.2020 12:08:34	1	1	1	1	85.5	64.25	0	26113.744	210.7526882	5391.242899	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:35	1	1	1	1	85.5	64.25	0	28009.479	303.2258065	8613.594977	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:36	1	1	1	1	85.5	64.25	0	28293.839	316.1290323	8914.467426	30000	0	0	30000	44.125	2004
29.01.2020 12:08:37	1	1	1	1	85.5	64	0	28341.232	316.1290323	8837.007039	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:38	1	1	1	1	85.5	64.25	0	28625.592	354.8387097	10017.6664	30000	0	0	30000	44.1875	2004
29.01.2020 12:08:39	1	1	1	1	85.5	64	0	28199.052	311.827957	8792.976925	30000	0	0	30000	44.3125	2004
29.01.2020 12:08:40	1	1	1	1	85.5	64.25	0	28815.166	350.5376344	10224.77102	30000	0	0	30000	43.5	2004
29.01.2020 12:08:41	1	1	1	1	85.25	63.5	0	29336.493	400	11444.56826	30000	0	0	30000	43.8125	2004
29.01.2020 12:08:42	1	1	1	1	85.25	63.75	0	27867.299	412.9032258	11506.53657	30000	0	0	30000	44.4375	2004
29.01.2020 12:08:44	1	1	1	1	85.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
29.01.2020 12:08:45	1	1	1	1	85.25	64.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
29.01.2020 12:08:46	1	1	1	1	85.25	64.5	0	29905.213	503.2258065	14856.08676	30000	0	0	30000	44.375	2004
29.01.2020 12:08:47	1	1	1	1	85.25	64.25	0	29431.28	481.7204301	14154.86641	30000	0	0	30000	43.875	2004
29.01.2020 12:08:48	1	1	1	1	85.25	63.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	43.8125	2004
29.01.2020 12:08:49	1	1	1	1	85.25	63.75	0	28625.592	455.9139785	13199.24986	30000	0	0	30000	44.375	2004
29.01.2020 12:08:50	1	1	1	1	85.25	64.25	0	29715.64	466.6666667	13567.79822	30000	0	0	30000	43.8125	2004
29.01.2020 12:08:51	1	1	1	1	85	63.75	0	30000	496.7741935	14773.73413	30000	0	0	30000	44.375	2004
29.01.2020 12:08:52	1	1	1	1	85	64.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.0625	2004
29.01.2020 12:08:59	1	1	1	1	85	63.75	0	29715.64	464.516129	13803.44087	30000	0	0	30000	44.0625	2004
29.01.2020 12:08:59	1	1	1	1	85	63.75	0	29715.64	464.516129	13803.44087	30000	0	0	30000	44.0625	2004
29.01.2020 12:08:59	1	1	1	1	85	63.75	0	29715.64	464.516129	13803.44087	30000	0	0	30000	44.0625	2004
29.01.2020 12:08:59	1	1	1	1	85	63.75	0	29715.64	464.516129	13803.44087	30000	0	0	30000	44.0625	2004
29.01.2020 12:08:59	1	1	1	1	85	63.75	0	29715.64	464.516129	13803.44087	30000	0	0	30000	44.0625	2004
29.01.2020 12:08:59	1	1	1	1	85	63.75	0	29715.64	464.516129	13803.44087	30000	0	0	30000	44.0625	2004
29.01.2020 12:09:01	1	1	1	1	84.75	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.8125	2004
29.01.2020 12:09:01	1	1	1	1	84.75	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.8125	2004
29.01.2020 12:09:01	1	1	1	1	84.75	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.8125	2004
29.01.2020 12:09:02	1	1	1	1	84.75	63.75	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.375	2004
29.01.2020 12:09:03	1	1	1	1	84.75	64.25	0	29905.213	486.0215054	14534.01462	30000	0	0	30000	43.9375	2004
29.01.2020 12:09:04	1	1	1	1	84.75	63.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.25	2004
29.01.2020 12:09:05	1	1	1	1	84.75	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:09:06	1	1	1	1	84.75	64	0	29336.493	464.516129	13627.32041	30000	0	0	30000	44.0625	2004
29.01.2020 12:09:07	1	1	1	1	84.75	64	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	44.4375	2004
29.01.2020 12:09:08	1	1	1	1	84.75	64.25	0	29146.919	466.6666667	13601.22849	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:09	1	1	1	1	84.75	64	0	30000	488.172043	14644.90528	30000	0	0	30000	43.8125	2004
29.01.2020 12:09:10	1	1	1	1	84.75	63.75	0	29620.853	494.6236559	14587.01383	30000	0	0	30000	44.375	2004
29.01.2020 12:09:11	1	1	1	1	85	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:12	1	1	1	1	85	64	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	43.9375	2004
29.01.2020 12:09:13	1	1	1	1	85	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:09:14	1	1	1	1	85	64.25	0	30000	464.516129	13999.94564	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:15	1	1	1	1	85	64	0	29336.493	458.0645161	13437.33862	30000	0	0	30000	44.375	2004
29.01.2020 12:09:16	1	1	1	1	85	64.25	0	29857.82	453.7634409	13548.22928	30000	0	0	30000	44	2004
29.01.2020 12:09:17	1	1	1	1	85	64	0	29810.427	481.7204301	13803.44087	30000	0	0	30000	43.6875	2004
29.01.2020 12:09:18	1	1	1	1	85	63.5	0	30000	481.7204301	14644.90528	30000	0	0	30000	44.0625	2004
29.01.2020 12:09:20	1	1	1	1	85	64	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.625	2004
29.01.2020 12:09:21	1	1	1	1	85	64.5	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.5625	2004
29.01.2020 12:09:22	1	1	1	1	85	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.875	2004
29.01.2020 12:09:23	1	1	1	1	85	63.5	0	30000	466.6666667	13977.93058	30000	0	0	30000	44.3125	2004
29.01.2020 12:09:24	1	1	1	1	85	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
29.01.2020 12:09:25	1	1	1	1	85	64.25	0	30000	464.516129	13870.30142	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:26	1	1	1	1	85	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.625	2004
29.01.2020 12:09:27	1	1	1	1	85	63.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.25	2004
29.01.2020 12:09:28	1	1	1	1	85	64.25	0	29668.246	481.7204301	14291.84899	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:29	1	1	1	1	85	64	0	29905.213	488.172043	14644.90528	30000	0	0	30000	44.25	2004
29.01.2020 12:09:30	1	1	1	1	85	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.25	2004
29.01.2020 12:09:31	1	1	1	1	85	64.25	0	30000	496.7741935	14879.73256	30000	0	0	30000	43.875	2004
29.01.2020 12:09:32	1	1	1	1	85	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:33	1	1	1	1	85	64	0	29146.919	466.6666667	13601.22849	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:34	1	1	1	1	85	64	0	29905.213	458.0645161	13698.25782	30000	0	0	30000	43.8125	2004
29.01.2020 12:09:35	1	1	1	1	85	63.75	0	29857.82	412.9032258	12411.60003	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:36	1	1	1	1	85	64	0	30000	483.8709677	14644.90528	30000	0	0	30000	44.3125	2004
29.01.2020 12:09:37	1	1	1	1	85	64.25	0	29431.28	421.5053763	12341.478	30000	0	0	30000	44.0625	2004
29.01.2020 12:09:38	1	1	1	1	85	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.25	2004
29.01.2020 12:09:39	1	1	1	1	85	63.25	0	29715.64	460.2150538	13675.42739	30000	0	0	30000	44.3125	2004
29.01.2020 12:09:40	1	1	1	1	85	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:41	1	1	1	1	85.25	64	0	30000	488.172043	14644.90528	30000	0	0	30000	43.9375	2004
29.01.2020 12:09:42	1	1	1	1	85.25	63.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.625	2004
29.01.2020 12:09:43	1	1	1	1	85.25	63.5	0	30047.393	516.1290323	15354.27935	30000	0	0	30000	44.375	2004
29.01.2020 12:09:44	1	1	1	1	85.25	64.25	0	26682.464	412.9032258	11017.31308	30000	0	0	30000	43.875	2004
29.01.2020 12:09:45	1	1	1	1	85.25	63.75	0	29905.213	464.516129	13891.5011	30000	0	0	30000	43.5	2004
29.01.2020 12:09:46	1	1	1	1	85.25	63.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.125	2004
29.01.2020 12:09:47	1	1	1	1	85.25	64	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.3125	2004
29.01.2020 12:09:48	1	1	1	1	85.25	64.25	0	29383.886	503.2258065	14849.56378	30000	0	0	30000	44.0625	2004
29.01.2020 12:09:49	1	1	1	1	85.25	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:09:50	1	1	1	1	85.25	63.75	0	28341.232	481.7204301	13675.42739	30000	0	0	30000	44.375	2004
29.01.2020 12:09:51	1	1	1	1	85	64.25	0	29905.213	488.172043	14598.42905	30000	0	0	30000	43.625	2004
29.01.2020 12:09:52	1	1	1	1	85	63.5	0	29905.213	492.4731183	14773.73413	30000	0	0	30000	44.1875	2004
29.01.2020 12:09:53	1	1	1	1	85	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.25	2004
29.01.2020 12:10:00	1	1	1	1	85	63.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.3125	2004
29.01.2020 12:10:00	1	1	1	1	85	63.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.3125	2004
29.01.2020 12:10:00	1	1	1	1	85	63.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.3125	2004
29.01.2020 12:10:00	1	1	1	1	85	63.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.3125	2004
29.01.2020 12:10:00	1	1	1	1	85	63.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.3125	2004
29.01.2020 12:10:00	1	1	1	1	85	63.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.3125	2004
29.01.2020 12:10:01	1	1	1	1	85	64.25	0	29715.64	483.8709677	14378.27848	30000	0	0	30000	44.125	2004
29.01.2020 12:10:02	1	1	1	1	85.25	64.5	0	27867.299	481.7204301	13424.29266	30000	0	0	30000	44.3125	2004
29.01.2020 12:10:03	1	1	1	1	85.25	64.25	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.125	2004
29.01.2020 12:10:04	1	1	1	1	85.25	64	0	30000	516.1290323	15225.45049	30000	0	0	30000	43.4375	2004
29.01.2020 12:10:05	1	1	1	1	85.25	63.25	0	30000	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
29.01.2020 12:10:06	1	1	1	1	85.25	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44	2004
29.01.2020 12:10:07	1	1	1	1	85.25	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.8125	2004
29.01.2020 12:10:08	1	1	1	1	85.25	63.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.8125	2004
29.01.2020 12:10:09	1	1	1	1	85.25	63.75	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	43.75	2004
29.01.2020 12:10:10	1	1	1	1	85.25	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	44	2004
29.01.2020 12:10:11	1	1	1	1	85.25	64	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.9375	2004
29.01.2020 12:10:12	1	1	1	1	85.25	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.8125	2004
29.01.2020 12:10:13	1	1	1	1	85.25	63.75	0	29431.28	466.6666667	13649.33547	30000	0	0	30000	44	2004
29.01.2020 12:10:14	1	1	1	1	85.25	64	0	29573.46	481.7204301	14223.3577	30000	0	0	30000	43.9375	2004
29.01.2020 12:10:15	1	1	1	1	85.25	63.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	43.5625	2004
29.01.2020 12:10:16	1	1	1	1	85.25	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
29.01.2020 12:10:17	1	1	1	1	85.25	64.25	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	44.125	2004
29.01.2020 12:10:18	1	1	1	1	85.25	64	0	30000	494.6236559	14644.90528	30000	0	0	30000	43.6875	2004
29.01.2020 12:10:19	1	1	1	1	85.25	63.5	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44	2004
29.01.2020 12:10:20	1	1	1	1	85.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
29.01.2020 12:10:21	1	1	1	1	85.25	64.25	0	29478.673	453.7634409	13354.17063	30000	0	0	30000	44.1875	2004
29.01.2020 12:10:22	1	1	1	1	85.25	64	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	43.5625	2004
29.01.2020 12:10:23	1	1	1	1	85.25	63.5	0	30000	464.516129	13698.25782	30000	0	0	30000	44.125	2004
29.01.2020 12:10:24	1	1	1	1	85.25	64	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.9375	2004
29.01.2020 12:10:25	1	1	1	1	85.25	63.75	0	26398.104	369.8924731	9689.886663	30000	0	0	30000	43.75	2004
29.01.2020 12:10:26	1	1	1	1	85.25	63.75	0	29810.427	365.5913978	10961.86775	30000	0	0	30000	44.25	2004
29.01.2020 12:10:27	1	1	1	1	85.25	64.25	0	29715.64	404.3010753	12013.69826	30000	0	0	30000	44.25	2004
29.01.2020 12:10:28	1	1	1	1	85.25	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.8125	2004
29.01.2020 12:10:29	1	1	1	1	85.25	63.75	0	30000	468.8172043	14451.662	30000	0	0	30000	43.75	2004
29.01.2020 12:10:30	1	1	1	1	85.25	63.75	0	30000	466.6666667	14128.7745	30000	0	0	30000	44.0625	2004
29.01.2020 12:10:31	1	1	1	1	85.5	64	0	30000	481.7204301	14428.83157	30000	0	0	30000	44	2004
29.01.2020 12:10:32	1	1	1	1	85.5	64	0	29905.213	481.7204301	14451.662	30000	0	0	30000	43.25	2004
29.01.2020 12:10:33	1	1	1	1	85.5	63.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:10:35	1	1	1	1	85.5	63.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.375	2004
29.01.2020 12:10:36	1	1	1	1	85.5	64.25	0	30000	423.655914	12580.38214	30000	0	0	30000	44.5625	2004
29.01.2020 12:10:37	1	1	1	1	85.5	64.5	0	29715.64	365.5913978	10799.60862	30000	0	0	30000	43.4375	2004
29.01.2020 12:10:38	1	1	1	1	85.5	64.5	0	29526.066	380.6451613	11365.47713	30000	0	0	30000	43.9375	2004
29.01.2020 12:10:39	1	1	1	1	85.5	63.75	0	29289.1	412.9032258	11884.8694	30000	0	0	30000	44.0625	2004
29.01.2020 12:10:40	1	1	1	1	85.5	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.1875	2004
29.01.2020 12:10:41	1	1	1	1	85.75	64	0	30000	481.7204301	13935.53122	30000	0	0	30000	43.6875	2004
29.01.2020 12:10:42	1	1	1	1	85.75	63.5	0	29905.213	445.1612903	13312.58663	30000	0	0	30000	44.1875	2004
29.01.2020 12:10:43	1	1	1	1	85.75	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.0625	2004
29.01.2020 12:10:44	1	1	1	1	85.75	64	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.75	2004
29.01.2020 12:10:45	1	1	1	1	85.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
29.01.2020 12:10:46	1	1	1	1	85.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
29.01.2020 12:10:47	1	1	1	1	85.75	64	0	30000	468.8172043	14451.662	30000	0	0	30000	44.375	2004
29.01.2020 12:10:48	1	1	1	1	85.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.875	2004
29.01.2020 12:10:49	1	1	1	1	85.75	63.75	0	29289.1	464.516129	13627.32041	30000	0	0	30000	44.3125	2004
29.01.2020 12:10:50	1	1	1	1	85.75	64.25	0	30000	509.6774194	15266.21912	30000	0	0	30000	44.375	2004
29.01.2020 12:10:51	1	1	1	1	85.5	64.25	0	28815.166	445.1612903	13075.31324	30000	0	0	30000	44.125	2004
29.01.2020 12:10:52	1	1	1	1	85.5	64	0	29952.607	488.172043	14622.07485	30000	0	0	30000	43.8125	2004
29.01.2020 12:10:53	1	1	1	1	85.5	63.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	44.1875	2004
29.01.2020 12:10:54	1	1	1	1	85.5	64	0	30000	501.0752688	15096.62164	30000	0	0	30000	43.875	2004
29.01.2020 12:10:55	1	1	1	1	85.5	63.75	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	44.25	2004
29.01.2020 12:11:02	1	1	1	1	85.75	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.1875	2004
29.01.2020 12:11:02	1	1	1	1	85.75	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.1875	2004
29.01.2020 12:11:02	1	1	1	1	85.75	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.1875	2004
29.01.2020 12:11:02	1	1	1	1	85.75	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.1875	2004
29.01.2020 12:11:02	1	1	1	1	85.75	64	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	44.125	2004
29.01.2020 12:11:03	1	1	1	1	85.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.1875	2004
29.01.2020 12:11:04	1	1	1	1	85.75	64	0	28815.166	481.7204301	13903.73169	30000	0	0	30000	44	2004
29.01.2020 12:11:05	1	1	1	1	85.75	64	0	29905.213	468.8172043	14019.51458	30000	0	0	30000	44.125	2004
29.01.2020 12:11:06	1	1	1	1	85.75	64	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.125	2004
29.01.2020 12:11:07	1	1	1	1	85.75	64	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	43.8125	2004
29.01.2020 12:11:08	1	1	1	1	85.75	63.75	0	29952.607	468.8172043	14064.36007	30000	0	0	30000	43.75	2004
29.01.2020 12:11:09	1	1	1	1	85.75	63.75	0	29905.213	516.1290323	15548.338	30000	0	0	30000	44.125	2004
29.01.2020 12:11:10	1	1	1	1	85.75	64	0	29810.427	481.7204301	13930.63898	30000	0	0	30000	44.3125	2004
29.01.2020 12:11:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:11:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:11:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:11:15	1	0	1	1	87.25	20	0	0	0	0	30000	0	0	30000	0	2004
29.01.2020 12:11:16	1	1	1	1	87.25	64.75	0	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:11:17	1	1	1	1	87.25	64.25	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:11:18	1	1	1	1	87.25	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
29.01.2020 12:11:19	1	1	1	1	87.25	64.5	0	0	0	0	0	30000	0	0	30000	44.125	2004
29.01.2020 12:11:20	1	1	1	1	87.25	64	0	0	0	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:11:21	1	1	1	1	87.25	64.5	0	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:11:22	1	1	1	1	87.25	64.5	0	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:11:23	1	1	1	1	87.25	64.5	0	0	0	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:11:24	1	1	1	1	86.25	64.5	0	0	0	0	0	30000	0	0	30000	41.875	2004
29.01.2020 12:11:25	1	1	1	1	86.25	61.75	0	10616.114	0	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:11:26	1	1	1	1	86.25	64.25	0	10947.867	0	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:11:27	1	1	1	1	86.25	64.25	0	11895.735	0	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:11:28	1	1	1	1	86.25	64.25	0	12843.602	2.150537634	26.90729215	30000	0	0	30000	44.25	2004	
29.01.2020 12:11:29	1	1	1	1	86.25	64.25	0	13601.896	6.451612903	87.24485636	30000	0	0	30000	44.4375	2004	
29.01.2020 12:11:30	1	1	1	1	86.25	64.25	0	14407.583	10.75268817	154.920773	30000	0	0	30000	44.25	2004	
29.01.2020 12:11:31	1	1	1	1	86.25	64.25	0	15165.877	12.90322581	228.304297	30000	0	0	30000	44.375	2004	
29.01.2020 12:11:32	1	1	1	1	86.25	64.25	0	15876.777	21.50537634	340.8257005	30000	0	0	30000	44.3125	2004	
29.01.2020 12:11:33	1	1	1	1	86.25	64.25	0	16729.858	36.55913978	466.3930639	30000	0	0	30000	44.4375	2004	
29.01.2020 12:11:34	1	1	1	1	86	64.25	0	17488.152	38.70967742	714.2663007	30000	0	0	30000	44.25	2004	
29.01.2020 12:11:35	1	1	1	1	86	64.25	0	18293.839	53.76344086	980.8931047	30000	0	0	30000	44.375	2004	
29.01.2020 12:11:36	1	1	1	1	86	64.25	0	18957.346	66.66666667	1219.797244	30000	0	0	30000	44.375	2004	
29.01.2020 12:11:37	1	1	1	1	86	64.25	0	19526.066	70.96774194	1382.056369	30000	0	0	30000	44.25	2004	
29.01.2020 12:11:38	1	1	1	1	86	64.25	0	18341.232	77.41935484	1458.701383	30000	0	0	30000	44.375	2004	
29.01.2020 12:11:39	1	1	1	1	86	64.25	0	21374.408	105.3763441	2344.195907	30000	0	0	30000	44.1875	2004	
29.01.2020 12:11:40	1	1	1	1	86	64	0	21943.128	122.5806452	2712.744272	30000	0	0	30000	44.25	2004	
29.01.2020 12:11:41	1	1	1	1	86	64.25	0	19668.246	107.5268817	2156.660234	30000	0	0	30000	44.1875	2004	
29.01.2020 12:11:42	1	1	1	1	86	64	0	23649.289	148.3870968	3407.441633	30000	0	0	30000	44.3125	2004	
29.01.2020 12:11:43	1	1	1	1	86	64.25	0	24454.976	184.9462366	4637.023347	30000	0	0	30000	44.3125	2004	
29.01.2020 12:11:44	1	1	1	1	86	64.25	0	25260.664	208.6021505	5268.937026	30000	0	0	30000	44.3125	2004	
29.01.2020 12:11:45	1	1	1	1	86	64.25	0	25924.171	227.9569892	5909.00443	30000	0	0	30000	44.375	2004	
29.01.2020 12:11:46	1	1	1	1	86	64.25	0	26682.464	249.4623656	6655.88563	30000	0	0	30000	44.25	2004	
29.01.2020 12:11:47	1	1	1	1	86	64.25	0	27440.758	292.4731183	8025.711412	30000	0	0	30000	44.375	2004	
29.01.2020 12:11:48	1	1	1	1	86	64.25	0	25450.237	318.2795699	8059.957057	30000	0	0	30000	44.3125	2004	
29.01.2020 12:11:50	1	1	1	1	86	64.25	0	29004.739	412.9032258	11995.76006	30000	0	0	30000	44.5	2004	
29.01.2020 12:11:51	1	1	1	1	86	64.5	0	29763.033	483.8709677	14360.34028	30000	0	0	30000	44.3125	2004	
29.01.2020 12:11:52	1	1	1	1	86	64.25	0	30000	488.172043	14773.73413	30000	0	0	30000	44.25	2004	
29.01.2020 12:11:53	1	1	1	1	86	64.25	0	30000	544.0860215	16386.54092	30000	0	0	30000	44.1875	2004	
29.01.2020 12:11:54	1	1	1	1	86	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.3125	2004	
29.01.2020 12:11:55	1	1	1	1	85.75	64.25	0	30000	522.5806452	15652.70568	30000	0	0	30000	44.125	2004	
29.01.2020 12:11:56	1	1	1	1	85.75	64	0	29905.213	524.7311828	15627.42913	30000	0	0	30000	44.3125	2004	
29.01.2020 12:11:57	1	1	1	1	85.75	64.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	44.125	2004	
29.01.2020 12:12:04	1	1	1	1	85.5	64.25	0	27914.692	464.516129	12966.8687	30000	0	0	30000	44.125	2004	
29.01.2020 12:12:04	1	1	1	1	85.5	64.25	0	27914.692	464.516129	12966.8687	30000	0	0	30000	44.125	2004	
29.01.2020 12:12:04	1	1	1	1	85.5	64.25	0	27914.692	464.516129	12966.8687	30000	0	0	30000	44.125	2004	
29.01.2020 12:12:04	1	1	1	1	85.5	64.25	0	27914.692	464.516129	12966.8687	30000	0	0	30000	44.125	2004	
29.01.2020 12:12:04	1	1	1	1	85.5	64.25	0	27914.692	464.516129	12966.8687	30000	0	0	30000	44.125	2004	

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:12:04	1	1	1	1	85.5	64.25	0	27914.692	464.516129	12966.8687	30000	0	0	30000	44.125	2004
29.01.2020 12:12:04	1	1	1	1	85.5	64.25	0	27914.692	464.516129	12966.8687	30000	0	0	30000	44.125	2004
29.01.2020 12:12:05	1	1	1	1	85.5	64	0	30000	593.5483871	17585.13848	30000	0	0	30000	43.125	2004
29.01.2020 12:12:06	1	1	1	1	85.5	63	0	24028.436	455.9139785	11005.89786	30000	0	0	30000	44.375	2004
29.01.2020 12:12:07	1	1	1	1	85.5	64.25	0	28483.412	464.516129	13275.0795	30000	0	0	30000	43.875	2004
29.01.2020 12:12:08	1	1	1	1	85.5	63.75	0	30000	550.5376344	16645.014	30000	0	0	30000	43.6875	2004
29.01.2020 12:12:09	1	1	1	1	85.5	63.5	0	29526.066	483.8709677	14286.14139	30000	0	0	30000	44.0625	2004
29.01.2020 12:12:10	1	1	1	1	85.5	64	0	29383.886	494.6236559	14510.36882	30000	0	0	30000	44.25	2004
29.01.2020 12:12:11	1	1	1	1	85.5	64.25	0	30000	546.2365591	16386.54092	30000	0	0	30000	44.125	2004
29.01.2020 12:12:12	1	1	1	1	85.5	64	0	30000	554.8387097	16645.014	30000	0	0	30000	44.25	2004
29.01.2020 12:12:13	1	1	1	1	85.5	64.25	0	29810.427	524.7311828	15642.10584	30000	0	0	30000	43.625	2004
29.01.2020 12:12:14	1	1	1	1	85.25	63.5	0	29905.213	516.1290323	15370.5868	30000	0	0	30000	43.75	2004
29.01.2020 12:12:15	1	1	1	1	85.25	63.75	0	29810.427	501.0752688	14936.80863	30000	0	0	30000	44.0625	2004
29.01.2020 12:12:16	1	1	1	1	85.25	64	0	29952.607	537.6344086	16064.46878	30000	0	0	30000	43.6875	2004
29.01.2020 12:12:17	1	1	1	1	85.25	63.5	0	30000	554.8387097	16709.42842	30000	0	0	30000	44.1875	2004
29.01.2020 12:12:18	1	1	1	1	85.25	64	0	29857.82	466.6666667	13911.07004	30000	0	0	30000	43.5	2004
29.01.2020 12:12:19	1	1	1	1	85.25	63.5	0	30000	488.172043	14622.07485	30000	0	0	30000	44.0625	2004
29.01.2020 12:12:20	1	1	1	1	85.25	64	0	27867.299	455.9139785	12764.65632	30000	0	0	30000	44.3125	2004
29.01.2020 12:12:21	1	1	1	1	85.25	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.25	2004
29.01.2020 12:12:22	1	1	1	1	85.25	64.25	0	30000	550.5376344	16516.18514	30000	0	0	30000	43.6875	2004
29.01.2020 12:12:23	1	1	1	1	85.25	63.5	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	44.4375	2004
29.01.2020 12:12:24	1	1	1	1	85.25	64.25	0	11800.948	36.55913978	441.1165167	30000	0	0	30000	44.25	2004
29.01.2020 12:12:25	1	1	1	1	85.25	64.25	0	10853.081	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:12:26	1	1	1	1	85.25	64.25	0	11563.981	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:12:27	1	1	1	1	85.25	64.25	0	12369.668	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:12:28	1	1	1	1	85.25	64.5	0	13127.962	4.301075269	27.72266464	30000	0	0	30000	44.375	2004
29.01.2020 12:12:29	1	1	1	1	85.25	64.25	0	12938.389	4.301075269	83.16799391	30000	0	0	30000	44.375	2004
29.01.2020 12:12:31	1	1	1	1	85.25	64.25	0	14644.55	17.20430108	220.1505721	30000	0	0	30000	44.3125	2004
29.01.2020 12:12:32	1	1	1	1	85.25	64.25	0	15308.057	23.65591398	363.6561302	30000	0	0	30000	44.375	2004
29.01.2020 12:12:33	1	1	1	1	85.25	64.25	0	16208.531	30.10752688	522.6537657	30000	0	0	30000	44.4375	2004
29.01.2020 12:12:34	1	1	1	1	85.25	64.25	0	16966.825	40.86021505	693.0666159	30000	0	0	30000	44.4375	2004
29.01.2020 12:12:35	1	1	1	1	85.75	64.25	0	17677.725	51.61290323	874.0793086	30000	0	0	30000	43.8125	2004
29.01.2020 12:12:36	1	1	1	1	85.75	63.75	0	18388.626	62.3655914	1149.67521	30000	0	0	30000	44.4375	2004
29.01.2020 12:12:37	1	1	1	1	85.75	64.25	0	19289.1	75.2688172	1448.101541	30000	0	0	30000	44.25	2004
29.01.2020 12:12:38	1	1	1	1	85.75	64.25	0	20000	83.87096774	1677.221211	30000	0	0	30000	44.6875	2004
29.01.2020 12:12:39	1	1	1	1	85.75	64.5	0	20758.294	105.3763441	2186.829016	30000	0	0	30000	44.4375	2004
29.01.2020 12:12:40	1	1	1	1	85.75	64.25	0	21706.161	137.6344086	2735.574702	30000	0	0	30000	44.375	2004
29.01.2020 12:12:41	1	1	1	1	85.75	64.25	0	22369.668	137.6344086	3078.84652	30000	0	0	30000	44.5	2004
29.01.2020 12:12:42	1	1	1	1	85.75	64.5	0	23033.175	152.688172	3524.039899	30000	0	0	30000	44.3125	2004
29.01.2020 12:12:43	1	1	1	1	85.75	64.25	0	23791.469	169.8924731	4049.955155	30000	0	0	30000	44.25	2004
29.01.2020 12:12:44	1	1	1	1	85.75	64.25	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.1875	2004
29.01.2020 12:12:45	1	1	1	1	85.75	64	0	25402.844	223.655914	5626.885549	30000	0	0	30000	44.1875	2004
29.01.2020 12:12:46	1	1	1	1	85.75	64	0	26208.531	247.311828	6457.750116	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:12:47	1	1	1	1	85.75	64.25	0	26682.464	245.1612903	6598.809556	30000	0	0	30000	44.25	2004
29.01.2020 12:12:48	1	1	1	1	85.75	64.25	0	27630.332	333.3333333	9209.632267	30000	0	0	30000	44.5	2004
29.01.2020 12:12:49	1	1	1	1	85.75	64.5	0	28009.479	387.0967742	10855.05395	30000	0	0	30000	44.25	2004
29.01.2020 12:12:50	1	1	1	1	85.75	64.25	0	28388.626	350.5376344	10073.11173	30000	0	0	30000	44.5	2004
29.01.2020 12:12:51	1	1	1	1	85.75	64.5	0	28625.592	415.0537634	11880.79254	30000	0	0	30000	44.375	2004
29.01.2020 12:12:52	1	1	1	1	85.75	64.25	0	28815.166	395.6989247	11402.16889	30000	0	0	30000	44.25	2004
29.01.2020 12:12:53	1	1	1	1	85.75	64.25	0	29241.706	486.0215054	14274.72617	30000	0	0	30000	44.4375	2004
29.01.2020 12:12:54	1	1	1	1	85.5	64.25	0	29620.853	520.4301075	15479.03134	30000	0	0	30000	43.9375	2004
29.01.2020 12:12:55	1	1	1	1	85.5	63.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:12:56	1	1	1	1	85.5	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.9375	2004
29.01.2020 12:12:57	1	1	1	1	85.5	63.75	0	29857.82	535.483871	16141.92917	30000	0	0	30000	44.3125	2004
29.01.2020 12:12:58	1	1	1	1	85.5	64.25	0	29715.64	539.7849462	15925.04009	30000	0	0	30000	43.875	2004
29.01.2020 12:13:05	1	1	1	1	86	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:05	1	1	1	1	86	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:05	1	1	1	1	86	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:05	1	1	1	1	86	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:05	1	1	1	1	86	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:05	1	1	1	1	86	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:05	1	1	1	1	86	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:06	1	1	1	1	86	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:06	1	1	1	1	86	64.25	0	29573.46	533.3333333	16052.2382	30000	0	0	30000	43.375	2004
29.01.2020 12:13:08	1	1	1	1	86	63.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44	2004
29.01.2020 12:13:09	1	1	1	1	86	64	0	29620.853	503.2258065	14969.42353	30000	0	0	30000	43.625	2004
29.01.2020 12:13:10	1	1	1	1	86	63.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44	2004
29.01.2020 12:13:11	1	1	1	1	86	64	0	29715.64	509.6774194	15144.72862	30000	0	0	30000	44.1875	2004
29.01.2020 12:13:12	1	1	1	1	86	64	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.4375	2004
29.01.2020 12:13:13	1	1	1	1	86	64.25	0	29526.066	496.7741935	14691.38151	30000	0	0	30000	43.375	2004
29.01.2020 12:13:14	1	1	1	1	86	63.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:15	1	1	1	1	85.75	64.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	44.125	2004
29.01.2020 12:13:16	1	1	1	1	85.75	64	0	29668.246	537.6344086	15911.99413	30000	0	0	30000	43.625	2004
29.01.2020 12:13:17	1	1	1	1	85.75	63.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	44.4375	2004
29.01.2020 12:13:18	1	1	1	1	85.75	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.4375	2004
29.01.2020 12:13:19	1	1	1	1	85.75	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.875	2004
29.01.2020 12:13:20	1	1	1	1	85.75	63.75	0	30000	511.827957	15289.86492	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:21	1	1	1	1	85.75	63.5	0	28578.199	481.7204301	13721.08825	30000	0	0	30000	43.625	2004
29.01.2020 12:13:22	1	1	1	1	85.75	63.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.25	2004
29.01.2020 12:13:23	1	1	1	1	85.75	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.25	2004
29.01.2020 12:13:24	1	1	1	1	85.5	64.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.375	2004
29.01.2020 12:13:25	1	1	1	1	85.5	63.25	0	29573.46	391.3978495	11575.02786	30000	0	0	30000	44.0625	2004
29.01.2020 12:13:26	1	1	1	1	85.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
29.01.2020 12:13:27	1	1	1	1	85.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:13:28	1	1	1	1	85.5	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.25	2004
29.01.2020 12:13:29	1	1	1	1	85.5	64.25	0	30047.393	494.6236559	14644.90528	30000	0	0	30000	43.75	2004
29.01.2020 12:13:30	1	1	1	1	85.5	63.75	0	29146.919	395.6989247	11407.8765	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:13:31	1	1	1	1	85.5	63.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.0625	2004
29.01.2020 12:13:32	1	1	1	1	85.5	64	0	30000	496.7741935	14750.9037	30000	0	0	30000	44.125	2004
29.01.2020 12:13:33	1	1	1	1	85.5	64	0	30000	533.3333333	15910.36338	30000	0	0	30000	44.4375	2004
29.01.2020 12:13:34	1	1	1	1	85.75	64.25	0	30000	511.827957	15354.27935	30000	0	0	30000	44.125	2004
29.01.2020 12:13:35	1	1	1	1	85.75	64	0	29905.213	535.483871	15949.50126	30000	0	0	30000	43.125	2004
29.01.2020 12:13:36	1	1	1	1	85.75	63	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.25	2004
29.01.2020 12:13:37	1	1	1	1	85.75	64.25	0	30000	516.1290323	15548.338	30000	0	0	30000	44	2004
29.01.2020 12:13:38	1	1	1	1	85.75	64	0	30000	522.5806452	15805.99571	30000	0	0	30000	44.0625	2004
29.01.2020 12:13:39	1	1	1	1	85.75	64	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:40	1	1	1	1	85.75	64.25	0	29857.82	535.483871	16026.96165	30000	0	0	30000	43.875	2004
29.01.2020 12:13:41	1	1	1	1	85.75	63.75	0	29905.213	526.8817204	15730.98144	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:42	1	1	1	1	85.75	64.25	0	29668.246	533.3333333	15823.11853	30000	0	0	30000	43.6875	2004
29.01.2020 12:13:43	1	1	1	1	85.75	63.5	0	30000	533.3333333	16064.46878	30000	0	0	30000	44.375	2004
29.01.2020 12:13:44	1	1	1	1	85.75	64.25	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	44	2004
29.01.2020 12:13:45	1	1	1	1	85.75	64	0	26919.431	488.172043	13164.18884	30000	0	0	30000	44.375	2004
29.01.2020 12:13:47	1	1	1	1	85.75	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:48	1	1	1	1	85.75	64.25	0	29715.64	537.6344086	15783.98065	30000	0	0	30000	44.25	2004
29.01.2020 12:13:49	1	1	1	1	85.75	64.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.4375	2004
29.01.2020 12:13:50	1	1	1	1	85.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44	2004
29.01.2020 12:13:51	1	1	1	1	85.75	64	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	44.125	2004
29.01.2020 12:13:52	1	1	1	1	85.75	64	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.375	2004
29.01.2020 12:13:53	1	1	1	1	85.75	64.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	44.0625	2004
29.01.2020 12:13:54	1	1	1	1	85.75	64	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	44.3125	2004
29.01.2020 12:13:55	1	1	1	1	86.5	64.25	0	29241.706	481.7204301	14040.71427	30000	0	0	30000	44.0625	2004
29.01.2020 12:13:56	1	1	1	1	86.5	64	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.4375	2004
29.01.2020 12:13:57	1	1	1	1	86.5	64.25	0	29857.82	483.8709677	14423.93934	30000	0	0	30000	44	2004
29.01.2020 12:13:58	1	1	1	1	86.5	64	0	29857.82	535.483871	16013.10032	30000	0	0	30000	44.0625	2004
29.01.2020 12:13:59	1	1	1	1	86.5	63.75	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	44.375	2004
29.01.2020 12:14:00	1	1	1	1	86.5	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.1875	2004
29.01.2020 12:14:07	1	1	1	1	86.5	64	0	29952.607	520.4301075	15652.70568	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:07	1	1	1	1	86.5	64	0	29952.607	520.4301075	15652.70568	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:07	1	1	1	1	86.5	64	0	29952.607	520.4301075	15652.70568	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:07	1	1	1	1	86.5	64	0	29952.607	520.4301075	15652.70568	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:07	1	1	1	1	86.5	64	0	29952.607	520.4301075	15652.70568	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:07	1	1	1	1	86.5	64	0	29952.607	520.4301075	15652.70568	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:08	1	1	1	1	86.5	64.25	0	28436.019	511.827957	14468.78482	30000	0	0	30000	43.5625	2004
29.01.2020 12:14:09	1	1	1	1	86.5	63.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
29.01.2020 12:14:10	1	1	1	1	86.5	64.25	0	29810.427	550.5376344	16154.97513	30000	0	0	30000	44	2004
29.01.2020 12:14:11	1	1	1	1	86.5	64	0	29810.427	488.172043	14551.95282	30000	0	0	30000	43.9375	2004
29.01.2020 12:14:12	1	1	1	1	86.5	63.75	0	30000	522.5806452	15548.338	30000	0	0	30000	44.25	2004
29.01.2020 12:14:13	1	1	1	1	86.5	64.25	0	29478.673	535.483871	15784.79602	30000	0	0	30000	44.25	2004
29.01.2020 12:14:14	1	1	1	1	85.5	64.25	0	29715.64	483.8709677	14378.27848	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:14:15	1	1	1	1	85.5	64.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:16	1	1	1	1	85.5	64.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	44.25	2004
29.01.2020 12:14:17	1	1	1	1	85.5	64.25	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	43.8125	2004
29.01.2020 12:14:18	1	1	1	1	85.5	63.75	0	29952.607	511.827957	15266.21912	30000	0	0	30000	44.1875	2004
29.01.2020 12:14:19	1	1	1	1	85.5	64	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	44.375	2004
29.01.2020 12:14:20	1	1	1	1	85.5	64.25	0	29573.46	466.6666667	13800.99475	30000	0	0	30000	43.9375	2004
29.01.2020 12:14:21	1	1	1	1	85.5	63.75	0	29905.213	466.6666667	13977.93058	30000	0	0	30000	43	2004
29.01.2020 12:14:22	1	1	1	1	85.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:23	1	1	1	1	85.5	64.25	0	29857.82	432.2580645	12905.71576	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:24	1	1	1	1	85.75	64.25	0	29715.64	380.6451613	11539.15147	30000	0	0	30000	44.4375	2004
29.01.2020 12:14:25	1	1	1	1	85.75	64.25	0	29952.607	384.9462366	11612.53499	30000	0	0	30000	44.125	2004
29.01.2020 12:14:27	1	1	1	1	85.75	64	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	44.5	2004
29.01.2020 12:14:28	1	1	1	1	85.75	64.5	0	28957.346	350.5376344	9868.453238	30000	0	0	30000	43.8125	2004
29.01.2020 12:14:29	1	1	1	1	85.75	63.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	44.375	2004
29.01.2020 12:14:30	1	1	1	1	85.75	64.25	0	29383.886	372.0430108	10913.76077	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:31	1	1	1	1	85.75	64.25	0	29526.066	427.9569892	12994.59136	30000	0	0	30000	44.25	2004
29.01.2020 12:14:32	1	1	1	1	85.75	64.25	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	44.375	2004
29.01.2020 12:14:33	1	1	1	1	85.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
29.01.2020 12:14:34	1	1	1	1	85.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.875	2004
29.01.2020 12:14:35	1	1	1	1	86	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5	2004
29.01.2020 12:14:36	1	1	1	1	86	64.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	44.25	2004
29.01.2020 12:14:37	1	1	1	1	86	63.75	0	30000	445.1612903	13119.34335	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:38	1	1	1	1	86	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.6875	2004
29.01.2020 12:14:39	1	1	1	1	86	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
29.01.2020 12:14:40	1	1	1	1	86	63.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:41	1	1	1	1	86	64.25	0	29905.213	488.172043	14686.48928	30000	0	0	30000	44.1875	2004
29.01.2020 12:14:42	1	1	1	1	86	64	0	30000	498.9247312	14902.56299	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:43	1	1	1	1	86	64.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.1875	2004
29.01.2020 12:14:44	1	1	1	1	86.25	64	0	30000	494.6236559	14773.73413	30000	0	0	30000	43.25	2004
29.01.2020 12:14:45	1	1	1	1	86.25	63.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	44.25	2004
29.01.2020 12:14:46	1	1	1	1	86.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:14:47	1	1	1	1	86.25	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.9375	2004
29.01.2020 12:14:48	1	1	1	1	86.25	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.5625	2004
29.01.2020 12:14:49	1	1	1	1	86.25	63.5	0	29146.919	455.9139785	13288.12546	30000	0	0	30000	44.375	2004
29.01.2020 12:14:50	1	1	1	1	86.25	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.0625	2004
29.01.2020 12:14:51	1	1	1	1	86.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
29.01.2020 12:14:52	1	1	1	1	86.25	63.75	0	26066.351	458.0645161	12017.77512	30000	0	0	30000	44.375	2004
29.01.2020 12:14:53	1	1	1	1	86.25	64.25	0	29526.066	481.7204301	14246.18813	30000	0	0	30000	44.375	2004
29.01.2020 12:14:54	1	1	1	1	86.5	64.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	43.4375	2004
29.01.2020 12:14:55	1	1	1	1	86.5	63.25	0	29905.213	505.3763441	15161.03607	30000	0	0	30000	44.25	2004
29.01.2020 12:14:56	1	1	1	1	86.5	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.1875	2004
29.01.2020 12:14:57	1	1	1	1	86.5	64	0	30000	483.8709677	14406.00114	30000	0	0	30000	44.25	2004
29.01.2020 12:14:58	1	1	1	1	86.5	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:14:59	1	1	1	1	86.5	64.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	44.375	2004
29.01.2020 12:15:00	1	1	1	1	86.5	64.25	0	29857.82	535.483871	15848.39508	30000	0	0	30000	43.375	2004
29.01.2020 12:15:01	1	1	1	1	86.5	63.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.5625	2004
29.01.2020 12:15:08	1	1	1	1	86.25	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.375	2004
29.01.2020 12:15:08	1	1	1	1	86.25	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.375	2004
29.01.2020 12:15:08	1	1	1	1	86.25	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.375	2004
29.01.2020 12:15:08	1	1	1	1	86.25	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.375	2004
29.01.2020 12:15:08	1	1	1	1	86.25	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.375	2004
29.01.2020 12:15:08	1	1	1	1	86.25	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.375	2004
29.01.2020 12:15:09	1	1	1	1	86.25	64.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	43	2004
29.01.2020 12:15:10	1	1	1	1	86.25	63	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.875	2004
29.01.2020 12:15:11	1	1	1	1	86.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
29.01.2020 12:15:12	1	1	1	1	86.25	64.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.0625	2004
29.01.2020 12:15:13	1	1	1	1	86.25	63	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.75	2004
29.01.2020 12:15:14	1	1	1	1	86.25	64.75	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.75	2004
29.01.2020 12:15:15	1	1	1	1	86.25	64.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.125	2004
29.01.2020 12:15:16	1	1	1	1	86.25	64	0	29952.607	492.4731183	14750.9037	30000	0	0	30000	44.1875	2004
29.01.2020 12:15:17	1	1	1	1	86.25	64	0	30000	516.1290323	15289.86492	30000	0	0	30000	44.25	2004
29.01.2020 12:15:18	1	1	1	1	86.25	64.25	0	28815.166	464.516129	13261.21817	30000	0	0	30000	44.1875	2004
29.01.2020 12:15:19	1	1	1	1	86.25	64	0	30000	526.8817204	15627.42913	30000	0	0	30000	44.125	2004
29.01.2020 12:15:20	1	1	1	1	86.25	64	0	29668.246	537.6344086	15886.71758	30000	0	0	30000	44.1875	2004
29.01.2020 12:15:21	1	1	1	1	86.25	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.375	2004
29.01.2020 12:15:22	1	1	1	1	86.25	64.25	0	29905.213	529.0322581	15885.08684	30000	0	0	30000	44.3125	2004
29.01.2020 12:15:23	1	1	1	1	86.25	64.25	0	29857.82	486.0215054	14446.76977	30000	0	0	30000	44.3125	2004
29.01.2020 12:15:24	1	1	1	1	85.75	64.25	0	30000	511.827957	15289.86492	30000	0	0	30000	43.625	2004
29.01.2020 12:15:25	1	1	1	1	85.75	63.5	0	29952.607	501.0752688	15225.45049	30000	0	0	30000	44	2004
29.01.2020 12:15:26	1	1	1	1	85.75	64	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.125	2004
29.01.2020 12:15:27	1	1	1	1	85.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
29.01.2020 12:15:28	1	1	1	1	85.75	63.75	0	30000	503.2258065	15225.45049	30000	0	0	30000	44.375	2004
29.01.2020 12:15:29	1	1	1	1	85.75	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.0625	2004
29.01.2020 12:15:30	1	1	1	1	85.75	64	0	30000	511.827957	15112.92909	30000	0	0	30000	44.375	2004
29.01.2020 12:15:31	1	1	1	1	85.75	64.25	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	44.4375	2004
29.01.2020 12:15:32	1	1	1	1	85.75	64.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	43.875	2004
29.01.2020 12:15:33	1	1	1	1	85.75	63.75	0	29905.213	505.3763441	15201.80469	30000	0	0	30000	44.125	2004
29.01.2020 12:15:34	1	1	1	1	85.75	64	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.1875	2004
29.01.2020 12:15:35	1	1	1	1	85.75	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.8125	2004
29.01.2020 12:15:36	1	1	1	1	85.75	63.75	0	29857.82	535.483871	16077.51474	30000	0	0	30000	44.3125	2004
29.01.2020 12:15:37	1	1	1	1	85.75	64.25	0	29289.1	546.2365591	15858.17955	30000	0	0	30000	43.75	2004
29.01.2020 12:15:39	1	1	1	1	85.75	63.75	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	44.3125	2004
29.01.2020 12:15:40	1	1	1	1	85.75	64.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	44.0625	2004
29.01.2020 12:15:41	1	1	1	1	85.75	64	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	44.3125	2004
29.01.2020 12:15:42	1	1	1	1	85.75	64.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
29.01.2020 12:15:43	1	1	1	1	85.75	64.25	0	29905.213	537.6344086	16206.3436	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:15:44	1	1	1	1	85.75	64.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	44.5	2004
29.01.2020 12:15:45	1	1	1	1	86.75	64.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	44.1875	2004
29.01.2020 12:15:46	1	1	1	1	86.75	64	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	44.375	2004
29.01.2020 12:15:47	1	1	1	1	86.75	64.25	0	29715.64	535.483871	16103.60666	30000	0	0	30000	44.4375	2004
29.01.2020 12:15:48	1	1	1	1	86.75	64.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	44.5625	2004
29.01.2020 12:15:49	1	1	1	1	86.75	64.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.375	2004
29.01.2020 12:15:50	1	1	1	1	86.75	64.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	43.875	2004
29.01.2020 12:15:51	1	1	1	1	86.75	63.75	0	29857.82	533.3333333	16116.65262	30000	0	0	30000	43.8125	2004
29.01.2020 12:15:52	1	1	1	1	86.75	63.5	0	27345.972	501.0752688	13749.62629	30000	0	0	30000	44.25	2004
29.01.2020 12:15:53	1	1	1	1	86.75	64.25	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44	2004
29.01.2020 12:15:54	1	1	1	1	86.75	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.25	2004
29.01.2020 12:15:55	1	1	1	1	86.75	64.25	0	28625.592	481.7204301	13880.90126	30000	0	0	30000	44.25	2004
29.01.2020 12:15:56	1	1	1	1	86.75	64.25	0	29857.82	533.3333333	16077.51474	30000	0	0	30000	43.4375	2004
29.01.2020 12:15:57	1	1	1	1	86.75	63.25	0	27962.085	507.5268817	14191.55818	30000	0	0	30000	44.3125	2004
29.01.2020 12:15:58	1	1	1	1	86.75	64.25	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	44.0625	2004
29.01.2020 12:15:59	1	1	1	1	86.75	64	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.3125	2004
29.01.2020 12:16:00	1	1	1	1	86.75	64.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	44.3125	2004
29.01.2020 12:16:01	1	1	1	1	86.75	64.25	0	26113.744	490.3225806	12860.0549	30000	0	0	30000	44.4375	2004
29.01.2020 12:16:02	1	1	1	1	86.75	64.25	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	44.5	2004
29.01.2020 12:16:03	1	1	1	1	86.75	64.5	0	29526.066	535.483871	15988.63914	30000	0	0	30000	44.125	2004
29.01.2020 12:16:10	1	1	1	1	86.5	64.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	44.5	2004
29.01.2020 12:16:10	1	1	1	1	86.5	64.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	44.5	2004
29.01.2020 12:16:10	1	1	1	1	86.5	64.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	44.5	2004
29.01.2020 12:16:10	1	1	1	1	86.5	64.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	44.5	2004
29.01.2020 12:16:10	1	1	1	1	86.5	64.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	44.5	2004
29.01.2020 12:16:10	1	1	1	1	86.5	64.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	44.5	2004
29.01.2020 12:16:10	1	1	1	1	86.5	64.5	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	44.4375	2004
29.01.2020 12:16:11	1	1	1	1	86.5	64.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	43.4375	2004
29.01.2020 12:16:12	1	1	1	1	86.5	63.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	44.375	2004
29.01.2020 12:16:13	1	1	1	1	86.5	64.25	0	29620.853	535.483871	16040.00761	30000	0	0	30000	43.1875	2004
29.01.2020 12:16:14	1	1	1	1	85.75	63	0	29857.82	486.0215054	14598.42905	30000	0	0	30000	43.6875	2004
29.01.2020 12:16:15	1	1	1	1	85.75	63.5	0	30000	526.8817204	15781.53453	30000	0	0	30000	43	2004
29.01.2020 12:16:16	1	1	1	1	85.75	63	0	26113.744	460.2150538	12017.77512	30000	0	0	30000	44.1875	2004
29.01.2020 12:16:17	1	1	1	1	85.75	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.0625	2004
29.01.2020 12:16:18	1	1	1	1	85.75	64	0	30000	511.827957	15354.27935	30000	0	0	30000	43.9375	2004
29.01.2020 12:16:20	1	1	1	1	85.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.75	2004
29.01.2020 12:16:21	1	1	1	1	85.75	63.75	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	44.125	2004
29.01.2020 12:16:22	1	1	1	1	85.75	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.0625	2004
29.01.2020 12:16:23	1	1	1	1	85.75	64	0	26635.071	458.0645161	12178.4035	30000	0	0	30000	44	2004
29.01.2020 12:16:24	1	1	1	1	85.75	64	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	43.875	2004
29.01.2020 12:16:25	1	1	1	1	88	63.75	0	26113.744	464.516129	12185.74185	30000	0	0	30000	44.1875	2004
29.01.2020 12:16:26	1	1	1	1	88	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.125	2004
29.01.2020 12:16:27	1	1	1	1	88	64	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:16:28	1	1	1	1	88	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
29.01.2020 12:16:29	1	1	1	1	88	64.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	44.6875	2004
29.01.2020 12:16:30	1	1	1	1	88	64.5	0	30000	505.3763441	15032.20721	30000	0	0	30000	44.125	2004
29.01.2020 12:16:31	1	1	1	1	88	64	0	30000	511.827957	15289.86492	30000	0	0	30000	43.5	2004
29.01.2020 12:16:32	1	1	1	1	88	64.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	44.25	2004
29.01.2020 12:16:33	1	1	1	1	88	64.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.0625	2004
29.01.2020 12:16:34	1	1	1	1	86.5	64	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.375	2004
29.01.2020 12:16:35	1	1	1	1	86.5	64.25	0	29905.213	488.172043	14727.2579	30000	0	0	30000	43.75	2004
29.01.2020 12:16:36	1	1	1	1	86.5	63.75	0	29763.033	494.6236559	14744.38072	30000	0	0	30000	43.625	2004
29.01.2020 12:16:37	1	1	1	1	86.5	63.5	0	30000	520.4301075	15548.338	30000	0	0	30000	43.875	2004
29.01.2020 12:16:38	1	1	1	1	86.5	63.75	0	29952.607	531.1827957	15934.82456	30000	0	0	30000	44.1875	2004
29.01.2020 12:16:39	1	1	1	1	86.5	64	0	26398.104	483.8709677	12772.81005	30000	0	0	30000	44.4375	2004
29.01.2020 12:16:40	1	1	1	1	86.5	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.375	2004
29.01.2020 12:16:41	1	1	1	1	86.5	64.25	0	29620.853	537.6344086	16103.60666	30000	0	0	30000	43.9375	2004
29.01.2020 12:16:42	1	1	1	1	86.5	63.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	44.4375	2004
29.01.2020 12:16:43	1	1	1	1	86.5	64.25	0	29431.28	486.0215054	14366.86326	30000	0	0	30000	44.375	2004
29.01.2020 12:16:44	1	1	1	1	87.25	64.25	0	29715.64	516.1290323	15337.15652	30000	0	0	30000	44.375	2004
29.01.2020 12:16:45	1	1	1	1	87.25	64.25	0	29763.033	516.1290323	15627.42913	30000	0	0	30000	44.375	2004
29.01.2020 12:16:46	1	1	1	1	87.25	64.25	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	44.1875	2004
29.01.2020 12:16:47	1	1	1	1	87.25	64	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.5625	2004
29.01.2020 12:16:48	1	1	1	1	87.25	63.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	44.375	2004
29.01.2020 12:16:49	1	1	1	1	87.25	64.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	44.1875	2004
29.01.2020 12:16:50	1	1	1	1	87.25	64	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	44.4375	2004
29.01.2020 12:16:51	1	1	1	1	87.25	64.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	43.75	2004
29.01.2020 12:16:52	1	1	1	1	87.25	63.75	0	29146.919	541.9354839	15998.42361	30000	0	0	30000	44.25	2004
29.01.2020 12:16:53	1	1	1	1	87.25	64.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.0625	2004
29.01.2020 12:16:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:16:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:16:56	1	0	1	1	88.5	20	0	0	0	0	30000	0	0	0	0	2004
29.01.2020 12:16:58	1	1	1	1	88.5	65	0	0	0	0	30000	0	0	30000	44	2004
29.01.2020 12:16:59	1	1	1	1	88.5	64	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:17:00	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:17:01	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 12:17:02	1	1	1	1	88.5	61.75	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:17:03	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:17:04	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:17:05	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:17:13	1	1	1	1	87.75	64.5	0	13791.469	8.602150538	118.229011	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:13	1	1	1	1	87.75	64.5	0	13791.469	8.602150538	118.229011	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:13	1	1	1	1	87.75	64.5	0	13791.469	8.602150538	118.229011	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:13	1	1	1	1	87.75	64.5	0	13791.469	8.602150538	118.229011	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:13	1	1	1	1	87.75	64.5	0	13791.469	8.602150538	118.229011	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:13	1	1	1	1	87.75	64.5	0	13791.469	8.602150538	118.229011	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:17:13	1	1	1	1	87.75	64.5	0	13791.469	8.602150538	118.229011	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:13	1	1	1	1	87.75	64.25	0	14407.583	15.05376344	216.8890822	30000	0	0	30000	44.25	2004
29.01.2020 12:17:14	1	1	1	1	87.75	64.25	0	15402.844	25.80645161	363.6561302	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:15	1	1	1	1	87.75	64.25	0	16066.351	32.25806452	517.7615307	30000	0	0	30000	44.5	2004
29.01.2020 12:17:16	1	1	1	1	87.75	64.5	0	16872.038	40.86021505	614.790857	30000	0	0	30000	44.5	2004
29.01.2020 12:17:17	1	1	1	1	87	64.5	0	17582.938	53.76344086	945.0167151	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:18	1	1	1	1	87	64.25	0	18388.626	62.3655914	1149.67521	30000	0	0	30000	44.5	2004
29.01.2020 12:17:19	1	1	1	1	87	64.5	0	19241.706	75.2688172	1448.101541	30000	0	0	30000	44.5	2004
29.01.2020 12:17:20	1	1	1	1	87	64.5	0	18909.953	75.2688172	1422.824994	30000	0	0	30000	44.5	2004
29.01.2020 12:17:21	1	1	1	1	87	64.5	0	20758.294	103.2258065	2137.906667	30000	0	0	30000	44.375	2004
29.01.2020 12:17:22	1	1	1	1	87	64.25	0	21516.588	120.4301075	2591.253771	30000	0	0	30000	44.3125	2004
29.01.2020 12:17:23	1	1	1	1	87	64.25	0	22274.882	137.6344086	3065.80056	30000	0	0	30000	44.5	2004
29.01.2020 12:17:24	1	1	1	1	87	64.5	0	23033.175	152.688172	3516.701546	30000	0	0	30000	44.375	2004
29.01.2020 12:17:25	1	1	1	1	87	64.25	0	23270.142	167.7419355	3952.925828	30000	0	0	30000	44.5625	2004
29.01.2020 12:17:26	1	1	1	1	87	64.5	0	22322.275	191.3978495	4281.520941	30000	0	0	30000	44.375	2004
29.01.2020 12:17:27	1	1	1	1	87	64.25	0	25355.45	232.2580645	5943.250075	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:28	1	1	1	1	87	64.25	0	26066.351	255.9139785	6614.301633	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:29	1	1	1	1	87	64.25	0	26824.645	298.9247312	7874.867502	30000	0	0	30000	44.375	2004
29.01.2020 12:17:30	1	1	1	1	87	64.25	0	27630.332	339.7849462	9447.721034	30000	0	0	30000	44.3125	2004
29.01.2020 12:17:31	1	1	1	1	87	64.25	0	28341.232	363.4408602	10299.78529	30000	0	0	30000	44.625	2004
29.01.2020 12:17:32	1	1	1	1	87	64.5	0	29146.919	425.8064516	12410.78466	30000	0	0	30000	44.625	2004
29.01.2020 12:17:33	1	1	1	1	87	64.5	0	29336.493	488.172043	14321.2024	30000	0	0	30000	44.25	2004
29.01.2020 12:17:34	1	1	1	1	87	63.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.8125	2004
29.01.2020 12:17:35	1	1	1	1	87	63.75	0	30000	561.2903226	16967.08613	30000	0	0	30000	44.125	2004
29.01.2020 12:17:36	1	1	1	1	86	64	0	29905.213	522.5806452	15652.70568	30000	0	0	30000	44.1875	2004
29.01.2020 12:17:38	1	1	1	1	86	64	0	26492.891	464.516129	12328.43204	30000	0	0	30000	44.375	2004
29.01.2020 12:17:39	1	1	1	1	86	64.25	0	30000	535.483871	16039.19224	30000	0	0	30000	44.25	2004
29.01.2020 12:17:40	1	1	1	1	86	64.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.25	2004
29.01.2020 12:17:41	1	1	1	1	86	64.25	0	30000	554.8387097	16645.014	30000	0	0	30000	44.3125	2004
29.01.2020 12:17:42	1	1	1	1	86	64.25	0	30000	559.1397849	16838.25728	30000	0	0	30000	44.0625	2004
29.01.2020 12:17:43	1	1	1	1	86	64	0	28815.166	464.516129	13385.15478	30000	0	0	30000	43.875	2004
29.01.2020 12:17:44	1	1	1	1	86	63.75	0	24739.336	481.7204301	11894.65387	30000	0	0	30000	44.375	2004
29.01.2020 12:17:45	1	1	1	1	86	64.25	0	29952.607	556.9892473	16812.16536	30000	0	0	30000	44.375	2004
29.01.2020 12:17:46	1	1	1	1	86	64.25	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44.3125	2004
29.01.2020 12:17:47	1	1	1	1	86	64.25	0	30000	552.688172	16580.59957	30000	0	0	30000	44.1875	2004
29.01.2020 12:17:48	1	1	1	1	86	64	0	30000	572.0430108	17225.55921	30000	0	0	30000	44.25	2004
29.01.2020 12:17:49	1	1	1	1	86	64.25	0	30000	531.1827957	15781.53453	30000	0	0	30000	43.625	2004
29.01.2020 12:17:50	1	1	1	1	86	63.5	0	28388.626	541.9354839	15471.69299	30000	0	0	30000	44.1875	2004
29.01.2020 12:17:51	1	1	1	1	86	64	0	26682.464	526.8817204	14165.46626	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:52	1	1	1	1	86	64.25	0	30000	608.6021505	17943.087	30000	0	0	30000	44.4375	2004
29.01.2020 12:17:53	1	1	1	1	86	64.25	0	30000	567.7419355	16967.08613	30000	0	0	30000	44.1875	2004
29.01.2020 12:17:54	1	1	1	1	86	64	0	30000	561.2903226	16902.6717	30000	0	0	30000	44.3125	2004
29.01.2020 12:17:55	1	1	1	1	86	64.25	0	29952.607	610.7526882	18257.82078	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:17:56	1	1	1	1	86	64.25	0	29336.493	507.5268817	14888.70166	30000	0	0	30000	44.1875	2004
29.01.2020 12:17:57	1	1	1	1	86	64	0	29431.28	503.2258065	14746.82684	30000	0	0	30000	44.3125	2004
29.01.2020 12:17:58	1	1	1	1	86	64.25	0	29905.213	602.1505376	18064.57775	30000	0	0	30000	44.375	2004
29.01.2020 12:17:59	1	1	1	1	86	64.25	0	29763.033	617.2043011	18398.88022	30000	0	0	30000	44.1875	2004
29.01.2020 12:18:00	1	1	1	1	86	64	0	29952.607	589.2473118	17677.27557	30000	0	0	30000	44.0625	2004
29.01.2020 12:18:01	1	1	1	1	86	64	0	29952.607	554.8387097	16683.3365	30000	0	0	30000	43.9375	2004
29.01.2020 12:18:02	1	1	1	1	86	63.75	0	29952.607	580.6451613	17327.48077	30000	0	0	30000	44.0625	2004
29.01.2020 12:18:03	1	1	1	1	86	64	0	30000	595.6989247	17806.10442	30000	0	0	30000	44.125	2004
29.01.2020 12:18:04	1	1	1	1	86	64	0	29905.213	563.4408602	16876.57978	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:05	1	1	1	1	86	64.25	0	29431.28	516.1290323	15126.79042	30000	0	0	30000	43.9375	2004
29.01.2020 12:18:06	1	1	1	1	86	63.75	0	29810.427	587.0967742	17528.87778	30000	0	0	30000	44.25	2004
29.01.2020 12:18:13	1	1	1	1	85.75	64.75	0	14075.829	12.90322581	150.028538	30000	0	0	30000	44.75	2004
29.01.2020 12:18:13	1	1	1	1	85.75	64.75	0	14075.829	12.90322581	150.028538	30000	0	0	30000	44.75	2004
29.01.2020 12:18:13	1	1	1	1	85.75	64.75	0	14075.829	12.90322581	150.028538	30000	0	0	30000	44.75	2004
29.01.2020 12:18:13	1	1	1	1	85.75	64.75	0	14075.829	12.90322581	150.028538	30000	0	0	30000	44.75	2004
29.01.2020 12:18:13	1	1	1	1	85.75	64.75	0	14075.829	12.90322581	150.028538	30000	0	0	30000	44.75	2004
29.01.2020 12:18:13	1	1	1	1	85.75	64.75	0	14075.829	12.90322581	150.028538	30000	0	0	30000	44.75	2004
29.01.2020 12:18:13	1	1	1	1	85.75	64.75	0	14786.73	17.20430108	254.3962167	30000	0	0	30000	44.6875	2004
29.01.2020 12:18:14	1	1	1	1	85.75	64.5	0	15497.63	23.65591398	399.5325198	30000	0	0	30000	44.8125	2004
29.01.2020 12:18:15	1	1	1	1	85.75	64.5	0	16066.351	25.80645161	448.4548691	30000	0	0	30000	44.4375	2004
29.01.2020 12:18:16	1	1	1	1	86.5	64.25	0	17109.005	45.16129032	772.1577474	30000	0	0	30000	44.4375	2004
29.01.2020 12:18:18	1	1	1	1	86.5	64.25	0	17867.299	53.76344086	1037.153806	30000	0	0	30000	44.4375	2004
29.01.2020 12:18:19	1	1	1	1	86.5	64.25	0	18530.806	66.66666667	1235.289321	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:20	1	1	1	1	86.5	64.25	0	18151.659	66.66666667	1210.012774	30000	0	0	30000	44.5	2004
29.01.2020 12:18:21	1	1	1	1	86.5	64.5	0	20142.18	94.62365591	1910.417743	30000	0	0	30000	44.4375	2004
29.01.2020 12:18:22	1	1	1	1	86.5	64.25	0	20853.081	105.3763441	2247.166581	30000	0	0	30000	44.4375	2004
29.01.2020 12:18:23	1	1	1	1	86.5	64.25	0	21753.555	120.4301075	2619.791808	30000	0	0	30000	44.375	2004
29.01.2020 12:18:24	1	1	1	1	86.5	64.25	0	22511.848	137.6344086	3085.3695	30000	0	0	30000	44.0625	2004
29.01.2020 12:18:25	1	1	1	1	86.5	64	0	23175.355	163.4408602	3852.635012	30000	0	0	30000	44.25	2004
29.01.2020 12:18:26	1	1	1	1	86.5	64.25	0	24028.436	180.6451613	4288.859294	30000	0	0	30000	44.375	2004
29.01.2020 12:18:27	1	1	1	1	86.5	64.25	0	24834.123	221.5053763	5617.916451	30000	0	0	30000	44.5	2004
29.01.2020 12:18:28	1	1	1	1	86.5	64.5	0	25165.877	221.5053763	5573.886337	30000	0	0	30000	44.0625	2004
29.01.2020 12:18:29	1	1	1	1	86.5	64	0	26398.104	262.3655914	6938.004512	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:30	1	1	1	1	86.5	64.25	0	27109.005	307.5268817	8336.368331	30000	0	0	30000	44.5625	2004
29.01.2020 12:18:31	1	1	1	1	86.5	64.5	0	27867.299	346.2365591	9664.610116	30000	0	0	30000	44.4375	2004
29.01.2020 12:18:32	1	1	1	1	86.5	64.25	0	25450.237	337.6344086	8592.395293	30000	0	0	30000	44.5	2004
29.01.2020 12:18:33	1	1	1	1	86.5	64.5	0	28530.806	395.6989247	11086.61974	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:34	1	1	1	1	86.5	64.25	0	28815.166	427.9569892	12331.69353	30000	0	0	30000	44.375	2004
29.01.2020 12:18:35	1	1	1	1	86.5	64.25	0	28957.346	466.6666667	13513.16827	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:36	1	1	1	1	86.5	64.25	0	29241.706	481.7204301	14086.37513	30000	0	0	30000	44.1875	2004
29.01.2020 12:18:37	1	1	1	1	86.5	64	0	24976.303	466.6666667	11654.93436	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:38	1	1	1	1	86.5	64.25	0	29905.213	494.6236559	14703.6121	30000	0	0	30000	44.125	2004
29.01.2020 12:18:39	1	1	1	1	86.5	64	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:18:40	1	1	1	1	86.5	64	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	44	2004
29.01.2020 12:18:41	1	1	1	1	86.5	64	0	29146.919	516.1290323	15179.78963	30000	0	0	30000	44.1875	2004
29.01.2020 12:18:42	1	1	1	1	86.5	64	0	29336.493	546.2365591	15898.1328	30000	0	0	30000	44.1875	2004
29.01.2020 12:18:43	1	1	1	1	86.5	64	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:44	1	1	1	1	86.5	64.25	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:45	1	1	1	1	86.5	64.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44.4375	2004
29.01.2020 12:18:46	1	1	1	1	86.5	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:47	1	1	1	1	86.75	64.25	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	44.375	2004
29.01.2020 12:18:48	1	1	1	1	86.75	64.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.9375	2004
29.01.2020 12:18:49	1	1	1	1	86.75	63.75	0	29715.64	541.9354839	16154.97513	30000	0	0	30000	43.9375	2004
29.01.2020 12:18:50	1	1	1	1	86.75	63.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.5	2004
29.01.2020 12:18:51	1	1	1	1	86.75	64.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.8125	2004
29.01.2020 12:18:52	1	1	1	1	86.75	64.5	0	29431.28	544.0860215	15734.24293	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:53	1	1	1	1	86.75	64.25	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	44.3125	2004
29.01.2020 12:18:55	1	1	1	1	86.75	64.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.25	2004
29.01.2020 12:18:56	1	1	1	1	86.75	64.25	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	44.4375	2004
29.01.2020 12:18:57	1	1	1	1	87	64.25	0	29336.493	537.6344086	15898.1328	30000	0	0	30000	44.4375	2004
29.01.2020 12:18:58	1	1	1	1	87	64.25	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	43.875	2004
29.01.2020 12:18:59	1	1	1	1	87	63.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	44.25	2004
29.01.2020 12:19:00	1	1	1	1	87	64.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.25	2004
29.01.2020 12:19:01	1	1	1	1	87	64.25	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	44.3125	2004
29.01.2020 12:19:02	1	1	1	1	87	64.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.25	2004
29.01.2020 12:19:03	1	1	1	1	87	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.75	2004
29.01.2020 12:19:04	1	1	1	1	87	63.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.0625	2004
29.01.2020 12:19:05	1	1	1	1	87	64	0	28815.166	492.4731183	14190.7428	30000	0	0	30000	44.3125	2004
29.01.2020 12:19:06	1	1	1	1	87	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.1875	2004
29.01.2020 12:19:07	1	1	1	1	87.25	64	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.25	2004
29.01.2020 12:19:08	1	1	1	1	87.25	64.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.25	2004
29.01.2020 12:19:15	1	1	1	1	87.25	64.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.1875	2004
29.01.2020 12:19:15	1	1	1	1	87.25	64.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.1875	2004
29.01.2020 12:19:15	1	1	1	1	87.25	64.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.1875	2004
29.01.2020 12:19:15	1	1	1	1	87.25	64.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.1875	2004
29.01.2020 12:19:15	1	1	1	1	87.25	64.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.1875	2004
29.01.2020 12:19:15	1	1	1	1	87.25	64.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.1875	2004
29.01.2020 12:19:16	1	1	1	1	87.25	64	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44	2004
29.01.2020 12:19:17	1	1	1	1	87	64	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.25	2004
29.01.2020 12:19:18	1	1	1	1	87	64.25	0	26587.678	481.7204301	12807.87106	30000	0	0	30000	44	2004
29.01.2020 12:19:19	1	1	1	1	87	64	0	29620.853	516.1290323	15288.23417	30000	0	0	30000	44.375	2004
29.01.2020 12:19:20	1	1	1	1	87	64.25	0	29905.213	509.6774194	15217.29677	30000	0	0	30000	44.125	2004
29.01.2020 12:19:21	1	1	1	1	87	64	0	29715.64	537.6344086	16090.5607	30000	0	0	30000	44.3125	2004
29.01.2020 12:19:22	1	1	1	1	87	64.25	0	29431.28	464.516129	13649.33547	30000	0	0	30000	43.0625	2004
29.01.2020 12:19:23	1	1	1	1	87	63	0	29715.64	535.483871	15975.59318	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:19:24	1	1	1	1	87	64	0	30000	507.5268817	15201.80469	30000	0	0	30000	44.3125	2004
29.01.2020 12:19:25	1	1	1	1	87	64.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	44.4375	2004
29.01.2020 12:19:26	1	1	1	1	87	64.25	0	29952.607	505.3763441	15225.45049	30000	0	0	30000	44.3125	2004
29.01.2020 12:19:27	1	1	1	1	87	64.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.25	2004
29.01.2020 12:19:28	1	1	1	1	87	64.25	0	27867.299	453.7634409	12644.79656	30000	0	0	30000	43.8125	2004
29.01.2020 12:19:29	1	1	1	1	87	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	44.5	2004
29.01.2020 12:19:30	1	1	1	1	87	64.5	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.125	2004
29.01.2020 12:19:31	1	1	1	1	87	64	0	28672.986	481.7204301	13880.90126	30000	0	0	30000	44	2004
29.01.2020 12:19:32	1	1	1	1	87	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.8125	2004
29.01.2020 12:19:34	1	1	1	1	87	63.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	44.25	2004
29.01.2020 12:19:35	1	1	1	1	87	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.9375	2004
29.01.2020 12:19:36	1	1	1	1	87	63.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.625	2004
29.01.2020 12:19:37	1	1	1	1	86.75	64.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.125	2004
29.01.2020 12:19:38	1	1	1	1	86.75	64	0	29952.607	507.5268817	15161.03607	30000	0	0	30000	44	2004
29.01.2020 12:19:39	1	1	1	1	86.75	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.875	2004
29.01.2020 12:19:40	1	1	1	1	86.75	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5	2004
29.01.2020 12:19:41	1	1	1	1	86.75	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.8125	2004
29.01.2020 12:19:42	1	1	1	1	86.75	63.75	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.1875	2004
29.01.2020 12:19:43	1	1	1	1	86.75	64	0	30000	490.3225806	14709.31971	30000	0	0	30000	44.125	2004
29.01.2020 12:19:44	1	1	1	1	86.75	64	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.125	2004
29.01.2020 12:19:45	1	1	1	1	86.75	64	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	44.125	2004
29.01.2020 12:19:46	1	1	1	1	86.75	64	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	43.75	2004
29.01.2020 12:19:47	1	1	1	1	86.75	63.75	0	30000	486.0215054	14406.00114	30000	0	0	30000	44.4375	2004
29.01.2020 12:19:48	1	1	1	1	86.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
29.01.2020 12:19:49	1	1	1	1	86.75	64.25	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.5	2004
29.01.2020 12:19:50	1	1	1	1	86.75	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.25	2004
29.01.2020 12:19:51	1	1	1	1	86.75	64.25	0	29857.82	481.7204301	14039.08352	30000	0	0	30000	43.4375	2004
29.01.2020 12:19:52	1	1	1	1	86.75	63.25	0	29952.607	486.0215054	14622.07485	30000	0	0	30000	44.5	2004
29.01.2020 12:19:53	1	1	1	1	86.75	64.5	0	29810.427	481.7204301	14469.6002	30000	0	0	30000	44.25	2004
29.01.2020 12:19:54	1	1	1	1	86.75	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.0625	2004
29.01.2020 12:19:55	1	1	1	1	86.75	64	0	29905.213	507.5268817	15048.51466	30000	0	0	30000	44.125	2004
29.01.2020 12:19:56	1	1	1	1	86.75	64	0	28388.626	483.8709677	13759.41076	30000	0	0	30000	44.375	2004
29.01.2020 12:19:57	1	1	1	1	86.5	64.25	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	44.375	2004
29.01.2020 12:19:58	1	1	1	1	86.5	64.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	43.8125	2004
29.01.2020 12:19:59	1	1	1	1	86.5	63.75	0	30000	507.5268817	15483.92357	30000	0	0	30000	44.3125	2004
29.01.2020 12:20:00	1	1	1	1	86.5	64.25	0	29715.64	537.6344086	15823.11853	30000	0	0	30000	43.4375	2004
29.01.2020 12:20:01	1	1	1	1	86.5	63.25	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	44.375	2004
29.01.2020 12:20:02	1	1	1	1	86.5	64.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	44.3125	2004
29.01.2020 12:20:03	1	1	1	1	86.5	64.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.3125	2004
29.01.2020 12:20:04	1	1	1	1	86.5	64.25	0	27298.578	492.4731183	13466.69203	30000	0	0	30000	44.4375	2004
29.01.2020 12:20:05	1	1	1	1	86.5	64.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	44.5	2004
29.01.2020 12:20:06	1	1	1	1	86.5	64.5	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	44.125	2004
29.01.2020 12:20:07	1	1	1	1	86.75	64	0	29431.28	494.6236559	14534.01462	30000	0	0	30000	44.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:20:08	1	1	1	1	86.75	64.75	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	44.6875	2004
29.01.2020 12:20:09	1	1	1	1	86.75	64.5	0	29431.28	520.4301075	15316.77221	30000	0	0	30000	44.5	2004
29.01.2020 12:20:16	1	1	1	1	86.75	64.5	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	44.25	2004
29.01.2020 12:20:16	1	1	1	1	86.75	64.5	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	44.25	2004
29.01.2020 12:20:16	1	1	1	1	86.75	64.5	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	44.25	2004
29.01.2020 12:20:16	1	1	1	1	86.75	64.5	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	44.25	2004
29.01.2020 12:20:16	1	1	1	1	86.75	64.5	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	44.25	2004
29.01.2020 12:20:16	1	1	1	1	86.75	64.5	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	44.25	2004
29.01.2020 12:20:17	1	1	1	1	87.25	64.25	0	29431.28	511.827957	15039.54557	30000	0	0	30000	44.5	2004
29.01.2020 12:20:18	1	1	1	1	87.25	64.5	0	29715.64	526.8817204	15770.11932	30000	0	0	30000	44	2004
29.01.2020 12:20:19	1	1	1	1	87.25	64	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	44.3125	2004
29.01.2020 12:20:20	1	1	1	1	87.25	64.25	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	43.625	2004
29.01.2020 12:20:21	1	1	1	1	87.25	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.25	2004
29.01.2020 12:20:22	1	1	1	1	87.25	64.25	0	29146.919	539.7849462	15909.54801	30000	0	0	30000	44.25	2004
29.01.2020 12:20:23	1	1	1	1	87.25	64.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.6875	2004
29.01.2020 12:20:24	1	1	1	1	87.25	63.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	44.25	2004
29.01.2020 12:20:25	1	1	1	1	87.25	64.25	0	28199.052	483.8709677	13584.10567	30000	0	0	30000	44.0625	2004
29.01.2020 12:20:26	1	1	1	1	87.25	64	0	29715.64	535.483871	15911.99413	30000	0	0	30000	44.375	2004
29.01.2020 12:20:29	1	1	1	1	87	64.5	0	29952.607	518.2795699	15548.338	30000	0	0	30000	43.9375	2004
29.01.2020 12:20:29	1	1	1	1	87	64.5	0	29952.607	518.2795699	15548.338	30000	0	0	30000	43.9375	2004
29.01.2020 12:20:29	1	1	1	1	87	63.75	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	44.1875	2004
29.01.2020 12:20:30	1	1	1	1	87	64	0	29526.066	505.3763441	14794.11845	30000	0	0	30000	43.9375	2004
29.01.2020 12:20:31	1	1	1	1	87	63.75	0	29715.64	492.4731183	14269.01856	30000	0	0	30000	43.625	2004
29.01.2020 12:20:32	1	1	1	1	87	63.5	0	29905.213	535.483871	16039.19224	30000	0	0	30000	44.375	2004
29.01.2020 12:20:33	1	1	1	1	87	64.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.375	2004
29.01.2020 12:20:34	1	1	1	1	87	64.25	0	29715.64	483.8709677	14378.27848	30000	0	0	30000	44.375	2004
29.01.2020 12:20:35	1	1	1	1	87	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.125	2004
29.01.2020 12:20:36	1	1	1	1	87	64	0	29857.82	537.6344086	16206.3436	30000	0	0	30000	44.0625	2004
29.01.2020 12:20:37	1	1	1	1	87.25	64	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	44.3125	2004
29.01.2020 12:20:38	1	1	1	1	87.25	64.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.9375	2004
29.01.2020 12:20:39	1	1	1	1	87.25	63.75	0	29715.64	503.2258065	14889.51703	30000	0	0	30000	44.4375	2004
29.01.2020 12:20:40	1	1	1	1	87.25	64.25	0	29857.82	498.9247312	14960.45443	30000	0	0	30000	44	2004
29.01.2020 12:20:41	1	1	1	1	87.25	64	0	29810.427	494.6236559	14744.38072	30000	0	0	30000	44.5	2004
29.01.2020 12:20:42	1	1	1	1	87.25	64.5	0	29857.82	496.7741935	14808.79515	30000	0	0	30000	44.5	2004
29.01.2020 12:20:43	1	1	1	1	87.25	64.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	43.9375	2004
29.01.2020 12:20:44	1	1	1	1	87.25	63.75	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.8125	2004
29.01.2020 12:20:45	1	1	1	1	87.25	64.75	0	27156.398	496.7741935	13619.98206	30000	0	0	30000	44.3125	2004
29.01.2020 12:20:46	1	1	1	1	87.25	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.6875	2004
29.01.2020 12:20:47	1	1	1	1	86.75	64.75	0	29905.213	503.2258065	15048.51466	30000	0	0	30000	44.125	2004
29.01.2020 12:20:48	1	1	1	1	86.75	64	0	29620.853	522.5806452	15479.03134	30000	0	0	30000	44.4375	2004
29.01.2020 12:20:50	1	1	1	1	86.75	64.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
29.01.2020 12:20:51	1	1	1	1	86.75	64.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.75	2004
29.01.2020 12:20:52	1	1	1	1	86.75	63.75	0	28957.346	492.4731183	14198.08116	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:20:53	1	1	1	1	86.75	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.5625	2004
29.01.2020 12:20:54	1	1	1	1	86.75	64.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.25	2004
29.01.2020 12:20:55	1	1	1	1	86.75	64.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	43.9375	2004
29.01.2020 12:20:56	1	1	1	1	86.75	63.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	44.4375	2004
29.01.2020 12:20:57	1	1	1	1	87	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.875	2004
29.01.2020 12:20:58	1	1	1	1	87	63.75	0	29810.427	516.1290323	15386.07887	30000	0	0	30000	44.25	2004
29.01.2020 12:20:59	1	1	1	1	87	64.25	0	30000	509.6774194	15177.34352	30000	0	0	30000	44.25	2004
29.01.2020 12:21:00	1	1	1	1	87	64.25	0	29336.493	494.6236559	14534.01462	30000	0	0	30000	44.3125	2004
29.01.2020 12:21:01	1	1	1	1	87	64.25	0	30000	522.5806452	15805.99571	30000	0	0	30000	44.25	2004
29.01.2020 12:21:02	1	1	1	1	87	64.25	0	29905.213	518.2795699	15498.60028	30000	0	0	30000	44.125	2004
29.01.2020 12:21:03	1	1	1	1	87	64	0	29810.427	550.5376344	16040.00761	30000	0	0	30000	44	2004
29.01.2020 12:21:04	1	1	1	1	87	64	0	29668.246	490.3225806	14482.64616	30000	0	0	30000	44.125	2004
29.01.2020 12:21:05	1	1	1	1	87	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.5625	2004
29.01.2020 12:21:06	1	1	1	1	87	64.5	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	43.6875	2004
29.01.2020 12:21:07	1	1	1	1	87	63.5	0	29763.033	537.6344086	15962.54722	30000	0	0	30000	44.4375	2004
29.01.2020 12:21:08	1	1	1	1	87	64.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.4375	2004
29.01.2020 12:21:09	1	1	1	1	87	64.25	0	26587.678	466.6666667	12407.52317	30000	0	0	30000	44.25	2004
29.01.2020 12:21:10	1	1	1	1	87	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.25	2004
29.01.2020 12:21:11	1	1	1	1	87	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.375	2004
29.01.2020 12:21:18	1	1	1	1	86.5	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	43.875	2004
29.01.2020 12:21:18	1	1	1	1	86.5	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	43.875	2004
29.01.2020 12:21:18	1	1	1	1	86.5	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	43.875	2004
29.01.2020 12:21:18	1	1	1	1	86.5	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	43.875	2004
29.01.2020 12:21:18	1	1	1	1	86.5	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	43.875	2004
29.01.2020 12:21:18	1	1	1	1	86.5	63.75	0	30000	481.7204301	13999.94564	30000	0	0	30000	44.5625	2004
29.01.2020 12:21:19	1	1	1	1	86.5	64.5	0	28578.199	481.7204301	13231.04938	30000	0	0	30000	44.25	2004
29.01.2020 12:21:20	1	1	1	1	86.5	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.875	2004
29.01.2020 12:21:21	1	1	1	1	86.5	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.1875	2004
29.01.2020 12:21:22	1	1	1	1	86.5	64	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.3125	2004
29.01.2020 12:21:23	1	1	1	1	86.5	64.25	0	29905.213	481.7204301	14383.17071	30000	0	0	30000	43.875	2004
29.01.2020 12:21:24	1	1	1	1	86.5	63.75	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	44.375	2004
29.01.2020 12:21:25	1	1	1	1	86.5	64.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	44.625	2004
29.01.2020 12:21:26	1	1	1	1	86.5	64.5	0	29905.213	488.172043	14838.14856	30000	0	0	30000	44.25	2004
29.01.2020 12:21:27	1	1	1	1	86.75	64.25	0	29715.64	458.0645161	13611.01296	30000	0	0	30000	44.5625	2004
29.01.2020 12:21:28	1	1	1	1	86.75	64.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	44.125	2004
29.01.2020 12:21:29	1	1	1	1	86.75	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44	2004
29.01.2020 12:21:31	1	1	1	1	86.75	64	0	30000	464.516129	13935.53122	30000	0	0	30000	44.3125	2004
29.01.2020 12:21:32	1	1	1	1	86.75	64.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	44.25	2004
29.01.2020 12:21:33	1	1	1	1	86.75	64.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
29.01.2020 12:21:34	1	1	1	1	86.75	63.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	44.4375	2004
29.01.2020 12:21:35	1	1	1	1	86.75	64.25	0	29905.213	464.516129	14451.662	30000	0	0	30000	43.9375	2004
29.01.2020 12:21:36	1	1	1	1	86.75	63.75	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:21:37	1	1	1	1	87	64.5	0	30000	443.0107527	12926.10007	30000	0	0	30000	44.375	2004
29.01.2020 12:21:38	1	1	1	1	87	64.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	44.4375	2004
29.01.2020 12:21:39	1	1	1	1	87	64.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.875	2004
29.01.2020 12:21:40	1	1	1	1	87	63.75	0	29857.82	404.3010753	12071.5897	30000	0	0	30000	43.9375	2004
29.01.2020 12:21:41	1	1	1	1	87	63.75	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.25	2004
29.01.2020 12:21:42	1	1	1	1	87	64.25	0	30000	486.0215054	14406.00114	30000	0	0	30000	44.3125	2004
29.01.2020 12:21:43	1	1	1	1	87	64.25	0	29620.853	425.8064516	12612.18166	30000	0	0	30000	44.5625	2004
29.01.2020 12:21:44	1	1	1	1	87	64.5	0	30000	464.516129	13935.53122	30000	0	0	30000	44.4375	2004
29.01.2020 12:21:45	1	1	1	1	87	64.25	0	28009.479	395.6989247	11083.35825	30000	0	0	30000	44.1875	2004
29.01.2020 12:21:46	1	1	1	1	87	64	0	25734.597	378.4946237	9740.439758	30000	0	0	30000	43.875	2004
29.01.2020 12:21:47	1	1	1	1	86.75	63.75	0	29952.607	486.0215054	14773.73413	30000	0	0	30000	44.25	2004
29.01.2020 12:21:48	1	1	1	1	86.75	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	43.9375	2004
29.01.2020 12:21:49	1	1	1	1	86.75	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5625	2004
29.01.2020 12:21:50	1	1	1	1	86.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
29.01.2020 12:21:51	1	1	1	1	86.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
29.01.2020 12:21:52	1	1	1	1	86.75	64	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	43.9375	2004
29.01.2020 12:21:53	1	1	1	1	86.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
29.01.2020 12:21:54	1	1	1	1	86.75	64	0	30000	466.6666667	14128.7745	30000	0	0	30000	44.25	2004
29.01.2020 12:21:55	1	1	1	1	86.75	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.3125	2004
29.01.2020 12:21:56	1	1	1	1	86.75	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	43.5	2004
29.01.2020 12:21:57	1	1	1	1	87	63.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.3125	2004
29.01.2020 12:21:58	1	1	1	1	87	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.3125	2004
29.01.2020 12:21:59	1	1	1	1	87	64.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.1875	2004
29.01.2020 12:22:00	1	1	1	1	87	64	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.25	2004
29.01.2020 12:22:01	1	1	1	1	87	64.25	0	29715.64	481.7204301	14360.34028	30000	0	0	30000	44	2004
29.01.2020 12:22:02	1	1	1	1	87	64	0	29526.066	481.7204301	14246.18813	30000	0	0	30000	44	2004
29.01.2020 12:22:03	1	1	1	1	87	64	0	30000	520.4301075	15483.92357	30000	0	0	30000	43.4375	2004
29.01.2020 12:22:04	1	1	1	1	87	63.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:05	1	1	1	1	87	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	44.375	2004
29.01.2020 12:22:06	1	1	1	1	87	64.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.625	2004
29.01.2020 12:22:07	1	1	1	1	88	64.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:08	1	1	1	1	88	64.25	0	29952.607	507.5268817	15177.34352	30000	0	0	30000	44.5	2004
29.01.2020 12:22:09	1	1	1	1	88	64.5	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	44.125	2004
29.01.2020 12:22:11	1	1	1	1	88	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.4375	2004
29.01.2020 12:22:12	1	1	1	1	88	64.25	0	29905.213	520.4301075	15498.60028	30000	0	0	30000	44.125	2004
29.01.2020 12:22:13	1	1	1	1	88	64	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.4375	2004
29.01.2020 12:22:20	1	1	1	1	87	64.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.9375	2004
29.01.2020 12:22:20	1	1	1	1	87	64.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.9375	2004
29.01.2020 12:22:20	1	1	1	1	87	64.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.9375	2004
29.01.2020 12:22:20	1	1	1	1	87	64.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.9375	2004
29.01.2020 12:22:20	1	1	1	1	87	64.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.9375	2004
29.01.2020 12:22:20	1	1	1	1	87	64.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.9375	2004
29.01.2020 12:22:20	1	1	1	1	87	64.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:22:21	1	1	1	1	87	63.75	0	29905.213	395.6989247	11814.74737	30000	0	0	30000	44.4375	2004
29.01.2020 12:22:22	1	1	1	1	87	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.5625	2004
29.01.2020 12:22:23	1	1	1	1	87	64.5	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:24	1	1	1	1	87	64.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	44.25	2004
29.01.2020 12:22:25	1	1	1	1	87	64.25	0	29905.213	486.0215054	14469.6002	30000	0	0	30000	44.4375	2004
29.01.2020 12:22:26	1	1	1	1	87	64.25	0	30000	516.1290323	15459.4624	30000	0	0	30000	44.1875	2004
29.01.2020 12:22:27	1	1	1	1	87.5	64	0	30000	533.3333333	15805.99571	30000	0	0	30000	44.1875	2004
29.01.2020 12:22:28	1	1	1	1	87.5	64	0	29905.213	507.5268817	15225.45049	30000	0	0	30000	44.375	2004
29.01.2020 12:22:29	1	1	1	1	87.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:30	1	1	1	1	87.5	64.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.9375	2004
29.01.2020 12:22:31	1	1	1	1	87.5	63.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	44.5	2004
29.01.2020 12:22:32	1	1	1	1	87.5	64.5	0	30000	496.7741935	14815.31813	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:33	1	1	1	1	87.5	64.25	0	30000	481.7204301	14691.38151	30000	0	0	30000	44	2004
29.01.2020 12:22:34	1	1	1	1	87.5	64	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	43.5625	2004
29.01.2020 12:22:35	1	1	1	1	87.5	63.5	0	29383.886	453.7634409	13354.17063	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:36	1	1	1	1	87.5	64.25	0	28388.626	363.4408602	10299.78529	30000	0	0	30000	44.375	2004
29.01.2020 12:22:37	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:38	1	1	1	1	87.25	64.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.5	2004
29.01.2020 12:22:39	1	1	1	1	87.25	64.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	44	2004
29.01.2020 12:22:40	1	1	1	1	87.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:41	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
29.01.2020 12:22:42	1	1	1	1	87.25	64.5	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	44.0625	2004
29.01.2020 12:22:43	1	1	1	1	87.25	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:44	1	1	1	1	87.25	64.25	0	28578.199	468.8172043	13789.57954	30000	0	0	30000	44.1875	2004
29.01.2020 12:22:45	1	1	1	1	87.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
29.01.2020 12:22:46	1	1	1	1	87.25	64	0	30000	494.6236559	14838.14856	30000	0	0	30000	44	2004
29.01.2020 12:22:47	1	1	1	1	87.25	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.625	2004
29.01.2020 12:22:48	1	1	1	1	87.25	64.5	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	44.375	2004
29.01.2020 12:22:49	1	1	1	1	87.25	64.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	43.875	2004
29.01.2020 12:22:51	1	1	1	1	87.25	64.5	0	30000	494.6236559	14879.73256	30000	0	0	30000	44.25	2004
29.01.2020 12:22:52	1	1	1	1	87.25	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:53	1	1	1	1	87.25	64.25	0	29905.213	488.172043	14791.67233	30000	0	0	30000	44.0625	2004
29.01.2020 12:22:54	1	1	1	1	87.25	64	0	28293.839	481.7204301	13629.76653	30000	0	0	30000	44.4375	2004
29.01.2020 12:22:55	1	1	1	1	87.25	64.25	0	30000	501.0752688	14879.73256	30000	0	0	30000	44.3125	2004
29.01.2020 12:22:56	1	1	1	1	87.25	64.25	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.125	2004
29.01.2020 12:22:57	1	1	1	1	86.75	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.375	2004
29.01.2020 12:22:58	1	1	1	1	86.75	64.25	0	28909.953	464.516129	13407.16984	30000	0	0	30000	44.1875	2004
29.01.2020 12:22:59	1	1	1	1	86.75	64	0	27867.299	464.516129	12944.85364	30000	0	0	30000	43.625	2004
29.01.2020 12:23:00	1	1	1	1	86.75	63.5	0	28341.232	464.516129	12795.64048	30000	0	0	30000	44	2004
29.01.2020 12:23:01	1	1	1	1	86.75	64	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	44.1875	2004
29.01.2020 12:23:02	1	1	1	1	86.75	64	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.1875	2004
29.01.2020 12:23:03	1	1	1	1	86.75	64	0	29952.607	524.7311828	15627.42913	30000	0	0	30000	44.625	2004
29.01.2020 12:23:04	1	1	1	1	86.75	64.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:23:05	1	1	1	1	86.75	64.25	0	26966.825	481.7204301	12990.5145	30000	0	0	30000	44.625	2004
29.01.2020 12:23:06	1	1	1	1	86.75	64.5	0	29146.919	507.5268817	14792.4877	30000	0	0	30000	44.25	2004
29.01.2020 12:23:07	1	1	1	1	87.5	64.25	0	29857.82	494.6236559	14856.08676	30000	0	0	30000	44.25	2004
29.01.2020 12:23:08	1	1	1	1	87.5	64.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	44.375	2004
29.01.2020 12:23:09	1	1	1	1	87.5	64.25	0	30000	505.3763441	14879.73256	30000	0	0	30000	44.3125	2004
29.01.2020 12:23:10	1	1	1	1	87.5	64.25	0	30000	533.3333333	15805.99571	30000	0	0	30000	44.125	2004
29.01.2020 12:23:11	1	1	1	1	87.5	64	0	29383.886	460.2150538	13522.95274	30000	0	0	30000	44.375	2004
29.01.2020 12:23:12	1	1	1	1	87.5	64.25	0	28862.559	458.0645161	13220.44954	30000	0	0	30000	44.625	2004
29.01.2020 12:23:13	1	1	1	1	87.5	64.5	0	29952.607	509.6774194	15508.38475	30000	0	0	30000	44.1875	2004
29.01.2020 12:23:14	1	1	1	1	87.5	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
29.01.2020 12:23:21	1	1	1	1	87.25	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.5625	2004
29.01.2020 12:23:21	1	1	1	1	87.25	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.5625	2004
29.01.2020 12:23:21	1	1	1	1	87.25	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.5625	2004
29.01.2020 12:23:21	1	1	1	1	87.25	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.5625	2004
29.01.2020 12:23:21	1	1	1	1	87.25	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.5625	2004
29.01.2020 12:23:21	1	1	1	1	87.25	64.5	0	28436.019	326.8817204	9295.246378	30000	0	0	30000	44.1875	2004
29.01.2020 12:23:22	1	1	1	1	87.25	64	0	30000	404.3010753	12128.66578	30000	0	0	30000	44.4375	2004
29.01.2020 12:23:23	1	1	1	1	87.25	64.25	0	29810.427	348.3870968	10448.99845	30000	0	0	30000	44.5625	2004
29.01.2020 12:23:24	1	1	1	1	87.25	64.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.75	2004
29.01.2020 12:23:25	1	1	1	1	87.25	63.75	0	25924.171	329.0322581	8529.611611	30000	0	0	30000	43.9375	2004
29.01.2020 12:23:26	1	1	1	1	87.25	63.75	0	29857.82	372.0430108	11125.75762	30000	0	0	30000	44.5	2004
29.01.2020 12:23:27	1	1	1	1	87.75	64.5	0	29952.607	348.3870968	10418.0143	30000	0	0	30000	44.4375	2004
29.01.2020 12:23:28	1	1	1	1	87.75	64.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	44.4375	2004
29.01.2020 12:23:30	1	1	1	1	87.75	64.5	0	29810.427	380.6451613	11438.86065	30000	0	0	30000	44.5	2004
29.01.2020 12:23:31	1	1	1	1	87.75	64.5	0	25592.417	350.5376344	8970.728128	30000	0	0	30000	44.4375	2004
29.01.2020 12:23:32	1	1	1	1	87.75	64.25	0	29099.526	363.4408602	10655.28769	30000	0	0	30000	44.5	2004
29.01.2020 12:23:33	1	1	1	1	87.75	64.5	0	30000	440.8602151	13096.51292	30000	0	0	30000	44.3125	2004
29.01.2020 12:23:34	1	1	1	1	87.75	64.25	0	29905.213	460.2150538	13891.5011	30000	0	0	30000	43.75	2004
29.01.2020 12:23:35	1	1	1	1	87.75	63.75	0	30000	496.7741935	14838.14856	30000	0	0	30000	44.4375	2004
29.01.2020 12:23:36	1	1	1	1	87.75	64.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.1875	2004
29.01.2020 12:23:37	1	1	1	1	87	64	0	29526.066	464.516129	13588.18253	30000	0	0	30000	44.375	2004
29.01.2020 12:23:38	1	1	1	1	87	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
29.01.2020 12:23:39	1	1	1	1	87	64.25	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	44.5	2004
29.01.2020 12:23:40	1	1	1	1	87	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.125	2004
29.01.2020 12:23:41	1	1	1	1	87	64	0	29857.82	464.516129	13869.48604	30000	0	0	30000	44.25	2004
29.01.2020 12:23:42	1	1	1	1	87	64.25	0	28483.412	468.8172043	13292.20232	30000	0	0	30000	44	2004
29.01.2020 12:23:43	1	1	1	1	87	64	0	26350.711	481.7204301	12716.54934	30000	0	0	30000	44.375	2004
29.01.2020 12:23:44	1	1	1	1	87	64.25	0	29241.706	481.7204301	14132.03599	30000	0	0	30000	44.375	2004
29.01.2020 12:23:45	1	1	1	1	87	64.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.375	2004
29.01.2020 12:23:46	1	1	1	1	87	64.25	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.5625	2004
29.01.2020 12:23:47	1	1	1	1	87	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44	2004
29.01.2020 12:23:48	1	1	1	1	87	64	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:23:49	1	1	1	1	87	64.25	0	29526.066	535.483871	15988.63914	30000	0	0	30000	43.9375	2004
29.01.2020 12:23:50	1	1	1	1	87	63.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.8125	2004
29.01.2020 12:23:51	1	1	1	1	87	63.75	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.4375	2004
29.01.2020 12:23:52	1	1	1	1	87	64.25	0	29905.213	524.7311828	15756.25798	30000	0	0	30000	44.4375	2004
29.01.2020 12:23:53	1	1	1	1	87	64.25	0	29715.64	481.7204301	14378.27848	30000	0	0	30000	44.5625	2004
29.01.2020 12:23:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:23:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:23:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:23:57	1	0	1	1	88.25	20	0	0	0	0	30000	0	0	30000	0	2004
29.01.2020 12:23:58	1	1	1	1	88.25	65	0	0	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:23:59	1	1	1	1	88.25	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:24:00	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:24:01	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:24:02	1	1	1	1	88.25	64.75	0	0	0	0	30000	0	0	30000	44.6875	2004
29.01.2020 12:24:03	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:24:04	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.875	2004
29.01.2020 12:24:05	1	1	1	1	88.25	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
29.01.2020 12:24:06	1	1	1	1	88.25	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
29.01.2020 12:24:07	1	1	1	1	87.5	64.75	0	10331.754	0	0	30000	0	0	30000	42	2004
29.01.2020 12:24:09	1	1	1	1	87.5	62	0	11090.047	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:24:10	1	1	1	1	87.5	64.75	0	11943.128	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:24:11	1	1	1	1	87.5	64.5	0	12369.668	2.150537634	26.09191966	30000	0	0	30000	44.9375	2004
29.01.2020 12:24:12	1	1	1	1	87.5	64.75	0	12369.668	2.150537634	0	30000	0	0	30000	44.75	2004
29.01.2020 12:24:13	1	1	1	1	87.5	64.5	0	14265.403	10.75268817	153.290028	30000	0	0	30000	44.5	2004
29.01.2020 12:24:14	1	1	1	1	87.5	64.5	0	14976.303	15.05376344	225.0428071	30000	0	0	30000	44.625	2004
29.01.2020 12:24:15	1	1	1	1	87.5	64.5	0	15734.597	23.65591398	371.8098551	30000	0	0	30000	44.625	2004
29.01.2020 12:24:16	1	1	1	1	87.5	64.5	0	15497.63	25.80645161	366.1022477	30000	0	0	30000	44.5625	2004
29.01.2020 12:24:23	1	1	1	1	87	64.5	0	21090.047	105.3763441	2221.890033	30000	0	0	30000	44.625	2004
29.01.2020 12:24:23	1	1	1	1	87	64.5	0	21090.047	105.3763441	2221.890033	30000	0	0	30000	44.625	2004
29.01.2020 12:24:23	1	1	1	1	87	64.5	0	21090.047	105.3763441	2221.890033	30000	0	0	30000	44.625	2004
29.01.2020 12:24:23	1	1	1	1	87	64.5	0	21090.047	105.3763441	2221.890033	30000	0	0	30000	44.625	2004
29.01.2020 12:24:23	1	1	1	1	87	64.5	0	21090.047	105.3763441	2221.890033	30000	0	0	30000	44.625	2004
29.01.2020 12:24:23	1	1	1	1	87	64.5	0	21090.047	105.3763441	2221.890033	30000	0	0	30000	44.625	2004
29.01.2020 12:24:23	1	1	1	1	87	64.5	0	21090.047	105.3763441	2221.890033	30000	0	0	30000	44.625	2004
29.01.2020 12:24:23	1	1	1	1	87	64.5	0	21137.441	103.2258065	2237.382111	30000	0	0	30000	44.75	2004
29.01.2020 12:24:24	1	1	1	1	87	64.75	0	22559.242	137.6344086	3098.415459	30000	0	0	30000	44.8125	2004
29.01.2020 12:24:25	1	1	1	1	87	64.75	0	23412.322	152.688172	3574.592993	30000	0	0	30000	44.625	2004
29.01.2020 12:24:26	1	1	1	1	87	64.5	0	24170.616	169.8924731	4106.215856	30000	0	0	30000	44.5	2004
29.01.2020 12:24:27	1	1	1	1	86.75	64.5	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.5	2004
29.01.2020 12:24:28	1	1	1	1	86.75	64.5	0	25687.204	225.8064516	5799.744517	30000	0	0	30000	44.625	2004
29.01.2020 12:24:29	1	1	1	1	86.75	64.5	0	25308.057	212.9032258	5377.381567	30000	0	0	30000	44.6875	2004
29.01.2020 12:24:30	1	1	1	1	86.75	64.5	0	23080.569	236.5591398	5409.996467	30000	0	0	30000	44.5625	2004
29.01.2020 12:24:31	1	1	1	1	86.75	64.5	0	28009.479	337.6344086	9520.289185	30000	0	0	30000	44.5625	2004
29.01.2020 12:24:32	1	1	1	1	86.75	64.5	0	24218.009	283.8709677	6756.991819	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:24:33	1	1	1	1	86.75	64.25	0	29526.066	346.2365591	10222.3249	30000	0	0	30000	43.6875	2004
29.01.2020 12:24:34	1	1	1	1	86.75	63.5	0	29952.607	363.4408602	11096.40421	30000	0	0	30000	44.5625	2004
29.01.2020 12:24:35	1	1	1	1	86.75	64.5	0	29952.607	350.5376344	10482.42872	30000	0	0	30000	44.5	2004
29.01.2020 12:24:36	1	1	1	1	86.75	64.5	0	29905.213	378.4946237	11382.59995	30000	0	0	30000	44.5625	2004
29.01.2020 12:24:37	1	1	1	1	86.75	64.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	44.6875	2004
29.01.2020 12:24:38	1	1	1	1	86.75	64.5	0	29905.213	316.1290323	9646.671921	30000	0	0	30000	44.625	2004
29.01.2020 12:24:39	1	1	1	1	86.75	64.5	0	29810.427	292.4731183	8718.778028	30000	0	0	30000	44.625	2004
29.01.2020 12:24:40	1	1	1	1	86.75	64.5	0	28009.479	288.172043	7997.173375	30000	0	0	30000	44.625	2004
29.01.2020 12:24:41	1	1	1	1	86.75	64.5	0	29952.607	294.6236559	8810.099747	30000	0	0	30000	44.3125	2004
29.01.2020 12:24:42	1	1	1	1	86.75	64.25	0	29715.64	309.6774194	9137.879488	30000	0	0	30000	44.625	2004
29.01.2020 12:24:43	1	1	1	1	86.75	64.5	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	44.375	2004
29.01.2020 12:24:44	1	1	1	1	86.75	64.25	0	29715.64	303.2258065	8818.253472	30000	0	0	30000	44.5	2004
29.01.2020 12:24:45	1	1	1	1	86.75	64.5	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	44.375	2004
29.01.2020 12:24:46	1	1	1	1	86.75	64.25	0	30000	301.0752688	8838.637784	30000	0	0	30000	44.3125	2004
29.01.2020 12:24:48	1	1	1	1	86.5	64.25	0	29905.213	309.6774194	9211.263012	30000	0	0	30000	44.5	2004
29.01.2020 12:24:49	1	1	1	1	86.5	64.5	0	29857.82	288.172043	8682.086266	30000	0	0	30000	44.6875	2004
29.01.2020 12:24:50	1	1	1	1	86.5	64.5	0	29857.82	294.6236559	8563.041883	30000	0	0	30000	43.8125	2004
29.01.2020 12:24:51	1	1	1	1	86.5	63.75	0	29905.213	296.7741935	8874.514174	30000	0	0	30000	44.9375	2004
29.01.2020 12:24:52	1	1	1	1	86.5	64.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	44.625	2004
29.01.2020 12:24:53	1	1	1	1	86.5	64.5	0	29431.28	290.3225806	8544.288316	30000	0	0	30000	44.75	2004
29.01.2020 12:24:54	1	1	1	1	86.5	64.25	0	29336.493	286.0215054	8390.182915	30000	0	0	30000	44.625	2004
29.01.2020 12:24:55	1	1	1	1	86.5	64.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.375	2004
29.01.2020 12:24:56	1	1	1	1	86.5	64.25	0	29620.853	288.172043	8598.918272	30000	0	0	30000	44.5625	2004
29.01.2020 12:24:57	1	1	1	1	86.25	64.5	0	26018.957	270.9677419	7006.495801	30000	0	0	30000	44.5625	2004
29.01.2020 12:24:58	1	1	1	1	86.25	64.5	0	29431.28	262.3655914	7733.808061	30000	0	0	30000	44.625	2004
29.01.2020 12:24:59	1	1	1	1	86.25	64.5	0	29715.64	290.3225806	8691.055364	30000	0	0	30000	44.5625	2004
29.01.2020 12:25:00	1	1	1	1	86.25	64.5	0	29905.213	290.3225806	8668.224934	30000	0	0	30000	43.875	2004
29.01.2020 12:25:01	1	1	1	1	86.25	63.75	0	29715.64	292.4731183	8691.055364	30000	0	0	30000	44.625	2004
29.01.2020 12:25:02	1	1	1	1	86.25	64.5	0	28815.166	286.0215054	8241.785122	30000	0	0	30000	44.375	2004
29.01.2020 12:25:03	1	1	1	1	86.25	64.25	0	28815.166	296.7741935	8627.45631	30000	0	0	30000	44.625	2004
29.01.2020 12:25:04	1	1	1	1	86.25	64.5	0	29620.853	292.4731183	8598.918272	30000	0	0	30000	44.5	2004
29.01.2020 12:25:05	1	1	1	1	86.25	64.5	0	29952.607	305.3763441	9082.434159	30000	0	0	30000	44.5625	2004
29.01.2020 12:25:06	1	1	1	1	86.25	64.5	0	29620.853	326.8817204	9476.259071	30000	0	0	30000	44.5	2004
29.01.2020 12:25:07	1	1	1	1	86.5	64.5	0	26350.711	294.6236559	7834.098878	30000	0	0	30000	44.5625	2004
29.01.2020 12:25:08	1	1	1	1	86.5	64.5	0	10616.114	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:25:09	1	1	1	1	86.5	64.5	0	11232.227	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:25:10	1	1	1	1	86.5	64.5	0	12180.095	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:25:11	1	1	1	1	86.5	64.5	0	12748.815	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:25:12	1	1	1	1	86.5	64.5	0	13601.896	4.301075269	57.89144674	30000	0	0	30000	44.625	2004
29.01.2020 12:25:13	1	1	1	1	86.5	64.5	0	14454.976	8.602150538	123.9366184	30000	0	0	30000	44.5625	2004
29.01.2020 12:25:14	1	1	1	1	86.5	64.5	0	15165.877	15.05376344	195.6893974	30000	0	0	30000	44.4375	2004
29.01.2020 12:25:15	1	1	1	1	86.5	64.25	0	15876.777	21.50537634	306.580056	30000	0	0	30000	44.625	2004
29.01.2020 12:25:16	1	1	1	1	86.5	64.5	0	15497.63	21.50537634	332.6719756	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:25:17	1	1	1	1	86.5	64.5	0	17488.152	32.25806452	563.4223901	30000	0	0	30000	44.625	2004
29.01.2020 12:25:24	1	1	1	1	86.5	64.5	0	22132.701	109.6774194	2427.363901	30000	0	0	30000	44.375	2004
29.01.2020 12:25:24	1	1	1	1	86.5	64.5	0	22132.701	109.6774194	2427.363901	30000	0	0	30000	44.375	2004
29.01.2020 12:25:24	1	1	1	1	86.5	64.5	0	22132.701	109.6774194	2427.363901	30000	0	0	30000	44.375	2004
29.01.2020 12:25:24	1	1	1	1	86.5	64.5	0	22132.701	109.6774194	2427.363901	30000	0	0	30000	44.375	2004
29.01.2020 12:25:24	1	1	1	1	86.5	64.5	0	22132.701	109.6774194	2427.363901	30000	0	0	30000	44.375	2004
29.01.2020 12:25:24	1	1	1	1	86.5	64.5	0	22132.701	109.6774194	2427.363901	30000	0	0	30000	44.375	2004
29.01.2020 12:25:24	1	1	1	1	86.5	64.25	0	22843.602	120.4301075	2701.329057	30000	0	0	30000	44.625	2004
29.01.2020 12:25:25	1	1	1	1	86.5	64.5	0	23459.716	122.5806452	2875.003397	30000	0	0	30000	44.6875	2004
29.01.2020 12:25:26	1	1	1	1	86.5	64.5	0	24454.976	169.8924731	4146.169108	30000	0	0	30000	44.625	2004
29.01.2020 12:25:28	1	1	1	1	86.5	64.5	0	25260.664	193.5483871	4816.405294	30000	0	0	30000	44.5	2004
29.01.2020 12:25:29	1	1	1	1	86.5	64.5	0	25924.171	208.6021505	5407.550349	30000	0	0	30000	44.625	2004
29.01.2020 12:25:30	1	1	1	1	86.5	64.5	0	26682.464	208.6021505	5565.732612	30000	0	0	30000	44.9375	2004
29.01.2020 12:25:31	1	1	1	1	86.5	64.75	0	27440.758	268.8172043	7533.226429	30000	0	0	30000	44.625	2004
29.01.2020 12:25:32	1	1	1	1	86.5	64.5	0	28009.479	296.7741935	8368.167858	30000	0	0	30000	44.5	2004
29.01.2020 12:25:33	1	1	1	1	86.5	64.5	0	27440.758	290.3225806	7907.482402	30000	0	0	30000	43.875	2004
29.01.2020 12:25:34	1	1	1	1	86.5	63.75	0	28293.839	305.3763441	8715.516538	30000	0	0	30000	44.375	2004
29.01.2020 12:25:35	1	1	1	1	86.5	64.25	0	27298.578	309.6774194	8395.07515	30000	0	0	30000	44.5	2004
29.01.2020 12:25:36	1	1	1	1	86.5	64.5	0	29146.919	378.4946237	10843.63874	30000	0	0	30000	44.1875	2004
29.01.2020 12:25:37	1	1	1	1	86.25	64	0	29336.493	331.1827957	9715.16321	30000	0	0	30000	44.625	2004
29.01.2020 12:25:38	1	1	1	1	86.25	64.5	0	29952.607	412.9032258	12090.34327	30000	0	0	30000	44.5625	2004
29.01.2020 12:25:39	1	1	1	1	86.25	64.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	44.25	2004
29.01.2020 12:25:40	1	1	1	1	86.25	64.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	44.5625	2004
29.01.2020 12:25:41	1	1	1	1	86.25	64.5	0	29715.64	423.655914	12588.53586	30000	0	0	30000	44.625	2004
29.01.2020 12:25:42	1	1	1	1	86.25	64.5	0	29526.066	372.0430108	10984.69818	30000	0	0	30000	44.3125	2004
29.01.2020 12:25:43	1	1	1	1	86.25	64.25	0	29905.213	423.655914	12689.64205	30000	0	0	30000	44.625	2004
29.01.2020 12:25:44	1	1	1	1	86.25	64.5	0	29715.64	404.3010753	12077.29731	30000	0	0	30000	44.375	2004
29.01.2020 12:25:45	1	1	1	1	86.25	64.25	0	29857.82	438.7096774	13054.92893	30000	0	0	30000	44.5	2004
29.01.2020 12:25:46	1	1	1	1	86.25	64.5	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	44.375	2004
29.01.2020 12:25:47	1	1	1	1	85.75	64.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	44.0625	2004
29.01.2020 12:25:48	1	1	1	1	85.75	64	0	29810.427	415.0537634	12372.46215	30000	0	0	30000	43.8125	2004
29.01.2020 12:25:49	1	1	1	1	85.75	63.75	0	29905.213	384.9462366	11493.49061	30000	0	0	30000	44.4375	2004
29.01.2020 12:25:50	1	1	1	1	85.75	64.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	44.0625	2004
29.01.2020 12:25:51	1	1	1	1	85.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
29.01.2020 12:25:52	1	1	1	1	85.75	64.25	0	30000	419.3548387	12431.98434	30000	0	0	30000	44.625	2004
29.01.2020 12:25:53	1	1	1	1	85.75	64.5	0	26492.891	359.1397849	9252.847009	30000	0	0	30000	44.3125	2004
29.01.2020 12:25:54	1	1	1	1	85.75	64.25	0	29431.28	434.4086022	12932.62305	30000	0	0	30000	44.5	2004
29.01.2020 12:25:55	1	1	1	1	85.75	64.5	0	29241.706	438.7096774	12786.67138	30000	0	0	30000	44.4375	2004
29.01.2020 12:25:56	1	1	1	1	85.75	64.25	0	29952.607	436.5591398	13160.92735	30000	0	0	30000	44.375	2004
29.01.2020 12:25:57	1	1	1	1	86.25	64.25	0	28625.592	378.4946237	10631.64189	30000	0	0	30000	44.6875	2004
29.01.2020 12:25:58	1	1	1	1	86.25	64.5	0	29905.213	389.2473118	11640.25766	30000	0	0	30000	44.4375	2004
29.01.2020 12:25:59	1	1	1	1	86.25	64.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	44.4375	2004
29.01.2020 12:26:00	1	1	1	1	86.25	64.25	0	29905.213	438.7096774	13119.34335	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:26:01	1	1	1	1	86.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
29.01.2020 12:26:02	1	1	1	1	86.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:26:03	1	1	1	1	86.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:26:04	1	1	1	1	86.25	64	0	29905.213	466.6666667	14406.00114	30000	0	0	30000	44.1875	2004
29.01.2020 12:26:05	1	1	1	1	86.25	64	0	29526.066	387.0967742	11492.67524	30000	0	0	30000	44.375	2004
29.01.2020 12:26:07	1	1	1	1	86.25	64.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:08	1	1	1	1	86.5	64.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.125	2004
29.01.2020 12:26:09	1	1	1	1	86.5	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	44	2004
29.01.2020 12:26:10	1	1	1	1	86.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.6875	2004
29.01.2020 12:26:11	1	1	1	1	86.5	64.5	0	28530.806	468.8172043	13292.20232	30000	0	0	30000	44.375	2004
29.01.2020 12:26:12	1	1	1	1	86.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.75	2004
29.01.2020 12:26:13	1	1	1	1	86.5	63.5	0	29146.919	458.0645161	13350.90914	30000	0	0	30000	44.625	2004
29.01.2020 12:26:14	1	1	1	1	86.5	64.5	0	29905.213	481.7204301	14083.92901	30000	0	0	30000	44.0625	2004
29.01.2020 12:26:15	1	1	1	1	86.5	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.9375	2004
29.01.2020 12:26:16	1	1	1	1	86.5	63.75	0	29857.82	466.6666667	13911.07004	30000	0	0	30000	44.4375	2004
29.01.2020 12:26:17	1	1	1	1	86	64.25	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	43.875	2004
29.01.2020 12:26:18	1	1	1	1	86	63.75	0	29905.213	468.8172043	14019.51458	30000	0	0	30000	44.3125	2004
29.01.2020 12:26:19	1	1	1	1	86	64.25	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	44.625	2004
29.01.2020 12:26:26	1	1	1	1	86	64.5	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:26	1	1	1	1	86	64.5	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:26	1	1	1	1	86	64.5	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:26	1	1	1	1	86	64.5	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:26	1	1	1	1	86	64.5	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:26	1	1	1	1	86	64.5	0	29905.213	501.0752688	15289.86492	30000	0	0	30000	44.1875	2004
29.01.2020 12:26:27	1	1	1	1	86	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.6875	2004
29.01.2020 12:26:28	1	1	1	1	86	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
29.01.2020 12:26:29	1	1	1	1	86	64.5	0	28957.346	466.6666667	13513.16827	30000	0	0	30000	44.1875	2004
29.01.2020 12:26:30	1	1	1	1	86	64	0	28957.346	458.0645161	13263.66428	30000	0	0	30000	44.5	2004
29.01.2020 12:26:31	1	1	1	1	86	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.125	2004
29.01.2020 12:26:32	1	1	1	1	86	64	0	29715.64	481.7204301	13995.05341	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:33	1	1	1	1	86	64.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.375	2004
29.01.2020 12:26:34	1	1	1	1	86	64.25	0	29431.28	466.6666667	13819.74832	30000	0	0	30000	44.1875	2004
29.01.2020 12:26:35	1	1	1	1	86	64	0	29905.213	483.8709677	14383.17071	30000	0	0	30000	44.3125	2004
29.01.2020 12:26:36	1	1	1	1	86	64.25	0	29952.607	501.0752688	14856.08676	30000	0	0	30000	44.4375	2004
29.01.2020 12:26:37	1	1	1	1	85.5	64.25	0	29905.213	509.6774194	15177.34352	30000	0	0	30000	43.875	2004
29.01.2020 12:26:38	1	1	1	1	85.5	63.75	0	29715.64	488.172043	14506.29196	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:39	1	1	1	1	85.5	64.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:40	1	1	1	1	85.5	64.5	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	43.875	2004
29.01.2020 12:26:41	1	1	1	1	85.5	63.75	0	27962.085	438.7096774	12326.80129	30000	0	0	30000	44.1875	2004
29.01.2020 12:26:42	1	1	1	1	85.5	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.375	2004
29.01.2020 12:26:43	1	1	1	1	85.5	64.25	0	0	0	0	30000	0	8	30000	44.3125	2004
29.01.2020 12:26:44	1	1	1	1	85.5	64.25	0	10379.147	0	0	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:26:46	1	1	1	1	85.5	62	0	11184.834	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:47	1	1	1	1	85.5	64.5	0	11943.128	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:26:48	1	1	1	1	84.75	64.5	0	12748.815	2.150537634	54.62995679	30000	0	0	30000	44.875	2004
29.01.2020 12:26:49	1	1	1	1	84.75	64.75	0	13507.109	8.602150538	86.42948387	30000	0	0	30000	44.5	2004
29.01.2020 12:26:50	1	1	1	1	84.75	64.5	0	14218.009	12.90322581	182.6434376	30000	0	0	30000	44.375	2004
29.01.2020 12:26:51	1	1	1	1	84.75	65	0	14976.303	19.35483871	289.4572337	30000	0	0	30000	44.5	2004
29.01.2020 12:26:52	1	1	1	1	84.75	64.5	0	15829.384	25.80645161	441.9318892	30000	0	0	30000	44.625	2004
29.01.2020 12:26:53	1	1	1	1	84.75	64.5	0	16350.711	27.95698925	528.3613731	30000	0	0	30000	44.5625	2004
29.01.2020 12:26:54	1	1	1	1	84.75	64.5	0	17345.972	49.46236559	857.7718588	30000	0	0	30000	44.4375	2004
29.01.2020 12:26:55	1	1	1	1	84.75	64.25	0	16161.137	49.46236559	836.5721741	30000	0	0	30000	44.5	2004
29.01.2020 12:26:56	1	1	1	1	84.75	64.5	0	18151.659	62.3655914	1092.599136	30000	0	0	30000	44.5	2004
29.01.2020 12:26:57	1	1	1	1	85.75	64.5	0	16682.464	66.66666667	1112.168075	30000	0	0	30000	44.625	2004
29.01.2020 12:26:58	1	1	1	1	85.75	64.5	0	19289.1	83.87096774	1617.699019	30000	0	0	30000	44.5	2004
29.01.2020 12:26:59	1	1	1	1	85.75	64.5	0	21137.441	116.1290323	2408.610333	30000	0	0	30000	44.625	2004
29.01.2020 12:27:00	1	1	1	1	85.75	64.5	0	21563.981	126.8817204	2782.050934	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:01	1	1	1	1	85.75	64.5	0	21469.194	126.8817204	2776.343326	30000	0	0	30000	44.5	2004
29.01.2020 12:27:02	1	1	1	1	85.75	64.5	0	21563.981	137.6344086	2967.955861	30000	0	0	30000	44.625	2004
29.01.2020 12:27:03	1	1	1	1	85.75	64.5	0	21943.128	150.5376344	3350.365559	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:04	1	1	1	1	85.75	64.5	0	23270.142	150.5376344	3559.916288	30000	0	0	30000	44.625	2004
29.01.2020 12:27:05	1	1	1	1	85.75	64.5	0	18862.559	122.5806452	2311.581007	30000	0	0	30000	44.6875	2004
29.01.2020 12:27:06	1	1	1	1	85.75	64.5	0	22227.488	141.9354839	3154.676161	30000	0	0	30000	44.5	2004
29.01.2020 12:27:07	1	1	1	1	85.5	64.5	0	22322.275	144.0860215	3215.829098	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:08	1	1	1	1	85.5	64.5	0	22890.995	184.9462366	4233.413965	30000	0	0	30000	44.5	2004
29.01.2020 12:27:09	1	1	1	1	85.5	64.5	0	22748.815	169.8924731	3864.865599	30000	0	0	30000	44.625	2004
29.01.2020 12:27:10	1	1	1	1	85.5	64.5	0	23175.355	176.344086	4136.384638	30000	0	0	30000	44.3125	2004
29.01.2020 12:27:11	1	1	1	1	85.5	64.25	0	23507.109	189.2473118	4347.566113	30000	0	0	30000	44.5	2004
29.01.2020 12:27:12	1	1	1	1	85.5	64.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:13	1	1	1	1	85.5	64.5	0	24502.37	212.9032258	5215.937814	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:14	1	1	1	1	85.5	64.5	0	26018.957	225.8064516	5931.019487	30000	0	0	30000	44.625	2004
29.01.2020 12:27:15	1	1	1	1	85.5	64.5	0	25260.664	243.0107527	6138.1241	30000	0	0	30000	44.625	2004
29.01.2020 12:27:16	1	1	1	1	85.5	64.5	0	23080.569	240.8602151	5481.749246	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:17	1	1	1	1	86.5	64.5	0	25924.171	260.2150538	6857.282635	30000	0	0	30000	44.4375	2004
29.01.2020 12:27:18	1	1	1	1	86.5	64.25	0	22890.995	234.4086022	5365.15098	30000	0	0	30000	44.5	2004
29.01.2020 12:27:19	1	1	1	1	86.5	64.5	0	27630.332	268.8172043	7427.228005	30000	0	0	30000	44.625	2004
29.01.2020 12:27:20	1	1	1	1	86.5	64.5	0	26255.924	281.7204301	7396.243851	30000	0	0	30000	44.625	2004
29.01.2020 12:27:27	1	1	1	1	86.5	64.5	0	27630.332	346.2365591	9684.994428	30000	0	0	30000	44.625	2004
29.01.2020 12:27:27	1	1	1	1	86.5	64.5	0	27630.332	346.2365591	9684.994428	30000	0	0	30000	44.625	2004
29.01.2020 12:27:27	1	1	1	1	86.5	64.5	0	27630.332	346.2365591	9684.994428	30000	0	0	30000	44.625	2004
29.01.2020 12:27:27	1	1	1	1	86.5	64.5	0	27630.332	346.2365591	9684.994428	30000	0	0	30000	44.625	2004
29.01.2020 12:27:27	1	1	1	1	86.5	64.5	0	27630.332	346.2365591	9684.994428	30000	0	0	30000	44.625	2004
29.01.2020 12:27:27	1	1	1	1	86.5	64.5	0	27630.332	346.2365591	9684.994428	30000	0	0	30000	44.625	2004
29.01.2020 12:27:28	1	1	1	1	86.25	64.5	0	27630.332	384.9462366	10576.19656	30000	0	0	30000	44.3125	2004
29.01.2020 12:27:29	1	1	1	1	86.25	64.25	0	24407.583	329.0322581	8135.786699	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:27:30	1	1	1	1	86.25	64.5	0	28009.479	372.0430108	10420.46041	30000	0	0	30000	44.625	2004
29.01.2020 12:27:31	1	1	1	1	86.25	64.5	0	26682.464	337.6344086	9097.926236	30000	0	0	30000	43.9375	2004
29.01.2020 12:27:32	1	1	1	1	86.25	63.75	0	28341.232	395.6989247	11214.63322	30000	0	0	30000	44.625	2004
29.01.2020 12:27:33	1	1	1	1	86.25	64.5	0	27630.332	350.5376344	9684.994428	30000	0	0	30000	44.625	2004
29.01.2020 12:27:34	1	1	1	1	86.25	64.5	0	27582.938	412.9032258	11389.12293	30000	0	0	30000	44.625	2004
29.01.2020 12:27:35	1	1	1	1	86.25	64.5	0	24028.436	378.4946237	9094.664746	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:36	1	1	1	1	86.25	64.5	0	26398.104	412.9032258	10958.60626	30000	0	0	30000	44.6875	2004
29.01.2020 12:27:37	1	1	1	1	84.5	64.5	0	27582.938	382.7956989	10558.25836	30000	0	0	30000	43.75	2004
29.01.2020 12:27:38	1	1	1	1	84.5	63.75	0	29857.82	451.6129032	13569.42897	30000	0	0	30000	44.5	2004
29.01.2020 12:27:39	1	1	1	1	84.5	64.5	0	28341.232	460.2150538	12838.03984	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:40	1	1	1	1	84.5	64.5	0	29857.82	460.2150538	13955.10015	30000	0	0	30000	44.25	2004
29.01.2020 12:27:41	1	1	1	1	84.5	64.25	0	28862.559	481.7204301	13593.07477	30000	0	0	30000	44.5	2004
29.01.2020 12:27:42	1	1	1	1	84.5	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.1875	2004
29.01.2020 12:27:43	1	1	1	1	84.5	64	0	29146.919	458.0645161	13225.34178	30000	0	0	30000	43.875	2004
29.01.2020 12:27:44	1	1	1	1	84.5	63.75	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.5	2004
29.01.2020 12:27:45	1	1	1	1	84.5	64.5	0	29763.033	501.0752688	14936.80863	30000	0	0	30000	44.375	2004
29.01.2020 12:27:46	1	1	1	1	84.5	64.25	0	29431.28	505.3763441	14873.20958	30000	0	0	30000	44.5	2004
29.01.2020 12:27:47	1	1	1	1	84.75	64.5	0	28815.166	516.1290323	14872.39421	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:48	1	1	1	1	84.75	64.5	0	29478.673	518.2795699	15302.09551	30000	0	0	30000	44.3125	2004
29.01.2020 12:27:49	1	1	1	1	84.75	64.25	0	29099.526	496.7741935	14479.38467	30000	0	0	30000	44.5625	2004
29.01.2020 12:27:50	1	1	1	1	84.75	64.5	0	26824.645	481.7204301	12922.02321	30000	0	0	30000	44.4375	2004
29.01.2020 12:27:51	1	1	1	1	84.75	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.4375	2004
29.01.2020 12:27:52	1	1	1	1	84.75	64.25	0	28578.199	464.516129	13275.0795	30000	0	0	30000	43.8125	2004
29.01.2020 12:27:53	1	1	1	1	84.75	63.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	44.5	2004
29.01.2020 12:27:54	1	1	1	1	84.75	64.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44	2004
29.01.2020 12:27:55	1	1	1	1	84.75	64	0	27914.692	516.1290323	14467.15408	30000	0	0	30000	44.1875	2004
29.01.2020 12:27:56	1	1	1	1	84.75	64	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	44.25	2004
29.01.2020 12:27:57	1	1	1	1	85.75	64.25	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.3125	2004
29.01.2020 12:27:58	1	1	1	1	85.75	64.25	0	29336.493	501.0752688	14525.8609	30000	0	0	30000	44.3125	2004
29.01.2020 12:27:59	1	1	1	1	85.75	64.25	0	29526.066	498.9247312	14667.73571	30000	0	0	30000	44.375	2004
29.01.2020 12:28:00	1	1	1	1	85.75	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.5	2004
29.01.2020 12:28:02	1	1	1	1	85.75	64.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.3125	2004
29.01.2020 12:28:03	1	1	1	1	85.75	64.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	44.0625	2004
29.01.2020 12:28:04	1	1	1	1	85.75	64	0	29336.493	550.5376344	15998.42361	30000	0	0	30000	44.5	2004
29.01.2020 12:28:05	1	1	1	1	85.75	64.5	0	29905.213	533.3333333	15910.36338	30000	0	0	30000	44.4375	2004
29.01.2020 12:28:06	1	1	1	1	85.75	64.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	44.3125	2004
29.01.2020 12:28:07	1	1	1	1	85.75	64.25	0	29810.427	511.827957	15257.25002	30000	0	0	30000	44.3125	2004
29.01.2020 12:28:08	1	1	1	1	86.25	64.25	0	29573.46	537.6344086	16026.96165	30000	0	0	30000	43.9375	2004
29.01.2020 12:28:09	1	1	1	1	86.25	63.75	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	44.5	2004
29.01.2020 12:28:10	1	1	1	1	86.25	64.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.1875	2004
29.01.2020 12:28:11	1	1	1	1	86.25	64	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	44.5625	2004
29.01.2020 12:28:12	1	1	1	1	86.25	64.5	0	29620.853	533.3333333	15861.44103	30000	0	0	30000	44.125	2004
29.01.2020 12:28:13	1	1	1	1	86.25	64	0	29952.607	507.5268817	15201.80469	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:28:14	1	1	1	1	86.25	64.5	0	29905.213	507.5268817	15459.4624	30000	0	0	30000	44.375	2004
29.01.2020 12:28:15	1	1	1	1	86.25	64.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	44.3125	2004
29.01.2020 12:28:16	1	1	1	1	86.25	64.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	43.875	2004
29.01.2020 12:28:17	1	1	1	1	86.25	63.75	0	26113.744	464.516129	12130.29652	30000	0	0	30000	44.25	2004
29.01.2020 12:28:18	1	1	1	1	86.25	64.25	0	27867.299	507.5268817	14118.99003	30000	0	0	30000	44.125	2004
29.01.2020 12:28:19	1	1	1	1	86.25	64	0	29905.213	507.5268817	15483.92357	30000	0	0	30000	44.25	2004
29.01.2020 12:28:20	1	1	1	1	86.25	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.1875	2004
29.01.2020 12:28:21	1	1	1	1	86.25	64	0	29857.82	535.483871	16013.10032	30000	0	0	30000	44.4375	2004
29.01.2020 12:28:22	1	1	1	1	86.25	64.25	0	29905.213	529.0322581	15577.69141	30000	0	0	30000	44	2004
29.01.2020 12:28:29	1	1	1	1	85.75	64.25	0	29526.066	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
29.01.2020 12:28:29	1	1	1	1	85.75	64.25	0	29526.066	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
29.01.2020 12:28:29	1	1	1	1	85.75	64.25	0	29526.066	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
29.01.2020 12:28:29	1	1	1	1	85.75	64.25	0	29526.066	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
29.01.2020 12:28:29	1	1	1	1	85.75	64.25	0	29526.066	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
29.01.2020 12:28:29	1	1	1	1	85.75	64.25	0	29905.213	524.7311828	15756.25798	30000	0	0	30000	44.375	2004
29.01.2020 12:28:30	1	1	1	1	85.75	64.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	44.4375	2004
29.01.2020 12:28:31	1	1	1	1	85.75	64.25	0	29526.066	535.483871	16090.5607	30000	0	0	30000	44.375	2004
29.01.2020 12:28:32	1	1	1	1	85.75	64.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	44.1875	2004
29.01.2020 12:28:33	1	1	1	1	85.75	64	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	44.25	2004
29.01.2020 12:28:34	1	1	1	1	85.75	64.25	0	29905.213	488.172043	14791.67233	30000	0	0	30000	44.5625	2004
29.01.2020 12:28:35	1	1	1	1	85.75	64.5	0	29810.427	498.9247312	14808.79515	30000	0	0	30000	44	2004
29.01.2020 12:28:36	1	1	1	1	85.75	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.5	2004
29.01.2020 12:28:37	1	1	1	1	84.75	64.5	0	29905.213	486.0215054	14598.42905	30000	0	0	30000	44.4375	2004
29.01.2020 12:28:38	1	1	1	1	84.75	64.25	0	28957.346	453.7634409	12847.82431	30000	0	0	30000	44.125	2004
29.01.2020 12:28:40	1	1	1	1	84.75	64	0	29952.607	483.8709677	14451.662	30000	0	0	30000	43.0625	2004
29.01.2020 12:28:41	1	1	1	1	84.75	63	0	29905.213	468.8172043	14406.00114	30000	0	0	30000	44.1875	2004
29.01.2020 12:28:42	1	1	1	1	84.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
29.01.2020 12:28:43	1	1	1	1	84.75	64.25	0	29857.82	483.8709677	14446.76977	30000	0	0	30000	44.5	2004
29.01.2020 12:28:44	1	1	1	1	84.75	64.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.125	2004
29.01.2020 12:28:45	1	1	1	1	84.75	64	0	29146.919	460.2150538	13413.69282	30000	0	0	30000	44.3125	2004
29.01.2020 12:28:46	1	1	1	1	84.75	64.25	0	29952.607	468.8172043	13977.93058	30000	0	0	30000	43.9375	2004
29.01.2020 12:28:47	1	1	1	1	84.75	63.75	0	28483.412	466.6666667	13209.03433	30000	0	0	30000	43.875	2004
29.01.2020 12:28:48	1	1	1	1	85.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
29.01.2020 12:28:49	1	1	1	1	85.25	64.25	0	29905.213	481.7204301	14580.49085	30000	0	0	30000	44.375	2004
29.01.2020 12:28:50	1	1	1	1	85.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
29.01.2020 12:28:51	1	1	1	1	85.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
29.01.2020 12:28:52	1	1	1	1	85.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
29.01.2020 12:28:53	1	1	1	1	85.25	64.25	0	28625.592	460.2150538	13089.98994	30000	0	0	30000	44.5	2004
29.01.2020 12:28:54	1	1	1	1	85.25	64.5	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	44.4375	2004
29.01.2020 12:28:55	1	1	1	1	85.25	64.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.6875	2004
29.01.2020 12:28:56	1	1	1	1	85.25	63.5	0	29905.213	488.172043	14469.6002	30000	0	0	30000	43.6875	2004
29.01.2020 12:28:57	1	1	1	1	85.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:28:58	1	1	1	1	85.5	64.25	0	29052.133	481.7204301	14040.71427	30000	0	0	30000	43.5	2004
29.01.2020 12:28:59	1	1	1	1	85.5	63.5	0	29905.213	507.5268817	15354.27935	30000	0	0	30000	44.1875	2004
29.01.2020 12:29:00	1	1	1	1	85.5	64	0	29952.607	507.5268817	15161.03607	30000	0	0	30000	44.3125	2004
29.01.2020 12:29:01	1	1	1	1	85.5	64.25	0	29952.607	503.2258065	15008.56141	30000	0	0	30000	44.125	2004
29.01.2020 12:29:02	1	1	1	1	85.5	64	0	30000	505.3763441	15032.20721	30000	0	0	30000	44.4375	2004
29.01.2020 12:29:03	1	1	1	1	85.5	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.4375	2004
29.01.2020 12:29:04	1	1	1	1	85.5	64.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	44	2004
29.01.2020 12:29:05	1	1	1	1	85.5	64	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	44.4375	2004
29.01.2020 12:29:06	1	1	1	1	85.5	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	43.75	2004
29.01.2020 12:29:07	1	1	1	1	85.75	63.75	0	28009.479	460.2150538	12829.88612	30000	0	0	30000	44.375	2004
29.01.2020 12:29:08	1	1	1	1	85.75	64.25	0	29905.213	494.6236559	14768.02653	30000	0	0	30000	44.5625	2004
29.01.2020 12:29:09	1	1	1	1	85.75	64.5	0	28530.806	466.6666667	13336.23244	30000	0	0	30000	44.0625	2004
29.01.2020 12:29:10	1	1	1	1	85.75	64	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.375	2004
29.01.2020 12:29:11	1	1	1	1	85.75	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.5	2004
29.01.2020 12:29:12	1	1	1	1	85.75	64.5	0	29905.213	466.6666667	13933.0851	30000	0	0	30000	44.5	2004
29.01.2020 12:29:13	1	1	1	1	85.75	64.5	0	29905.213	481.7204301	14493.246	30000	0	0	30000	44.5	2004
29.01.2020 12:29:14	1	1	1	1	85.75	64.5	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	44.5	2004
29.01.2020 12:29:15	1	1	1	1	85.75	64.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	44.4375	2004
29.01.2020 12:29:16	1	1	1	1	85.75	64.25	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	44.1875	2004
29.01.2020 12:29:18	1	1	1	1	86	64	0	29810.427	378.4946237	11283.12451	30000	0	0	30000	44	2004
29.01.2020 12:29:19	1	1	1	1	86	64	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.25	2004
29.01.2020 12:29:20	1	1	1	1	86	64.25	0	24218.009	348.3870968	8645.394504	30000	0	0	30000	44.4375	2004
29.01.2020 12:29:21	1	1	1	1	86	64.25	0	29857.82	440.8602151	13183.75778	30000	0	0	30000	44.4375	2004
29.01.2020 12:29:22	1	1	1	1	86	64.25	0	29952.607	455.9139785	13677.05814	30000	0	0	30000	44.6875	2004
29.01.2020 12:29:23	1	1	1	1	86	64.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	43.6875	2004
29.01.2020 12:29:24	1	1	1	1	86	63.5	0	29857.82	434.4086022	13054.92893	30000	0	0	30000	44.4375	2004
29.01.2020 12:29:31	1	1	1	1	86	64.5	0	29857.82	490.3225806	14575.59862	30000	0	0	30000	44.3125	2004
29.01.2020 12:29:31	1	1	1	1	86	64.5	0	29857.82	490.3225806	14575.59862	30000	0	0	30000	44.3125	2004
29.01.2020 12:29:31	1	1	1	1	86	64.5	0	29857.82	490.3225806	14575.59862	30000	0	0	30000	44.3125	2004
29.01.2020 12:29:31	1	1	1	1	86	64.5	0	29857.82	490.3225806	14575.59862	30000	0	0	30000	44.3125	2004
29.01.2020 12:29:31	1	1	1	1	86	64.5	0	29857.82	490.3225806	14575.59862	30000	0	0	30000	44.3125	2004
29.01.2020 12:29:31	1	1	1	1	86	64.5	0	29857.82	490.3225806	14575.59862	30000	0	0	30000	44.3125	2004
29.01.2020 12:29:31	1	1	1	1	86	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.125	2004
29.01.2020 12:29:32	1	1	1	1	86	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.0625	2004
29.01.2020 12:29:33	1	1	1	1	86	64	0	27298.578	453.7634409	12408.33854	30000	0	0	30000	44.3125	2004
29.01.2020 12:29:34	1	1	1	1	86	64.25	0	29952.607	488.172043	14773.73413	30000	0	0	30000	44.4375	2004
29.01.2020 12:29:35	1	1	1	1	86	64.25	0	28957.346	481.7204301	13903.73169	30000	0	0	30000	44.0625	2004
29.01.2020 12:29:36	1	1	1	1	86	64	0	29905.213	486.0215054	14598.42905	30000	0	0	30000	44.5625	2004
29.01.2020 12:29:37	1	1	1	1	86.5	64.5	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.0625	2004
29.01.2020 12:29:38	1	1	1	1	86.5	64	0	29905.213	486.0215054	14469.6002	30000	0	0	30000	44.5	2004
29.01.2020 12:29:39	1	1	1	1	86.5	64.5	0	29952.607	490.3225806	14686.48928	30000	0	0	30000	44.625	2004
29.01.2020 12:29:40	1	1	1	1	86.5	64.5	0	30000	501.0752688	14879.73256	30000	0	0	30000	44.0625	2004
29.01.2020 12:29:41	1	1	1	1	86.5	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:29:42	1	1	1	1	86.5	64.25	0	27962.085	464.516129	12988.88376	30000	0	0	30000	44.375	2004
29.01.2020 12:29:43	1	1	1	1	86.5	64.25	0	29952.607	488.172043	14598.42905	30000	0	0	30000	44.5	2004
29.01.2020 12:29:44	1	1	1	1	86.5	64.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	44.375	2004
29.01.2020 12:29:45	1	1	1	1	86.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
29.01.2020 12:29:46	1	1	1	1	86.5	63.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44	2004
29.01.2020 12:29:47	1	1	1	1	87	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
29.01.2020 12:29:48	1	1	1	1	87	64	0	28009.479	494.6236559	14008.09937	30000	0	0	30000	44.125	2004
29.01.2020 12:29:49	1	1	1	1	87	64	0	29336.493	466.6666667	13690.1041	30000	0	0	30000	44.1875	2004
29.01.2020 12:29:50	1	1	1	1	87	64	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.0625	2004
29.01.2020 12:29:51	1	1	1	1	87	64	0	28530.806	458.0645161	13046.7752	30000	0	0	30000	44.375	2004
29.01.2020 12:29:52	1	1	1	1	87	64.25	0	29715.64	460.2150538	13718.64213	30000	0	0	30000	44.1875	2004
29.01.2020 12:29:54	1	1	1	1	87	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
29.01.2020 12:29:55	1	1	1	1	87	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:29:56	1	1	1	1	87	64.25	0	29526.066	481.7204301	13756.14927	30000	0	0	30000	44.375	2004
29.01.2020 12:29:57	1	1	1	1	87	64.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.5	2004
29.01.2020 12:29:58	1	1	1	1	87	64.5	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.6875	2004
29.01.2020 12:29:59	1	1	1	1	87	64.5	0	28388.626	481.7204301	13675.42739	30000	0	0	30000	44.5625	2004
29.01.2020 12:30:00	1	1	1	1	87	64.5	0	29952.607	490.3225806	14622.07485	30000	0	0	30000	44.9375	2004
29.01.2020 12:30:01	1	1	1	1	87	64.75	0	26777.251	453.7634409	12107.46609	30000	0	0	30000	44.5	2004
29.01.2020 12:30:02	1	1	1	1	87	64.5	0	29668.246	507.5268817	15144.72862	30000	0	0	30000	44.5625	2004
29.01.2020 12:30:03	1	1	1	1	87	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.8125	2004
29.01.2020 12:30:04	1	1	1	1	87	63.75	0	29526.066	466.6666667	13715.38064	30000	0	0	30000	44.25	2004
29.01.2020 12:30:05	1	1	1	1	87	64.25	0	27345.972	449.4623656	12467.04536	30000	0	0	30000	44.0625	2004
29.01.2020 12:30:06	1	1	1	1	87	64	0	29857.82	490.3225806	14640.01305	30000	0	0	30000	44.375	2004
29.01.2020 12:30:07	1	1	1	1	87	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.5	2004
29.01.2020 12:30:08	1	1	1	1	87	64.5	0	29715.64	481.7204301	14551.95282	30000	0	0	30000	44.1875	2004
29.01.2020 12:30:09	1	1	1	1	87	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
29.01.2020 12:30:10	1	1	1	1	87	64.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	44.4375	2004
29.01.2020 12:30:11	1	1	1	1	87	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.25	2004
29.01.2020 12:30:12	1	1	1	1	87	63.25	0	27867.299	466.6666667	13004.37583	30000	0	0	30000	44.1875	2004
29.01.2020 12:30:13	1	1	1	1	87	64	0	29383.886	481.7204301	14132.03599	30000	0	0	30000	43.8125	2004
29.01.2020 12:30:14	1	1	1	1	87	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
29.01.2020 12:30:15	1	1	1	1	87	64.5	0	30000	492.4731183	15055.85302	30000	0	0	30000	44.625	2004
29.01.2020 12:30:16	1	1	1	1	87	64.5	0	28815.166	464.516129	13261.21817	30000	0	0	30000	44.0625	2004
29.01.2020 12:30:17	1	1	1	1	86.75	64	0	28625.592	395.6989247	11327.15462	30000	0	0	30000	44.5625	2004
29.01.2020 12:30:18	1	1	1	1	86.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
29.01.2020 12:30:19	1	1	1	1	86.75	64.5	0	27819.905	460.2150538	12742.64126	30000	0	0	30000	44.1875	2004
29.01.2020 12:30:20	1	1	1	1	86.75	64	0	29052.133	494.6236559	14455.73886	30000	0	0	30000	44.0625	2004
29.01.2020 12:30:21	1	1	1	1	86.75	64	0	29905.213	468.8172043	13933.0851	30000	0	0	30000	44.625	2004
29.01.2020 12:30:22	1	1	1	1	86.75	64.5	0	29431.28	468.8172043	13883.34738	30000	0	0	30000	44.1875	2004
29.01.2020 12:30:23	1	1	1	1	86.75	64	0	29857.82	490.3225806	14378.27848	30000	0	0	30000	44.125	2004
29.01.2020 12:30:24	1	1	1	1	86.75	64	0	29905.213	466.6666667	13955.10015	30000	0	0	30000	44.0625	2004
29.01.2020 12:30:25	1	1	1	1	86.75	64	0	29905.213	496.7741935	15032.20721	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:30:32	1	1	1	1	87	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.5	2004
29.01.2020 12:30:32	1	1	1	1	87	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.5	2004
29.01.2020 12:30:32	1	1	1	1	87	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.5	2004
29.01.2020 12:30:32	1	1	1	1	87	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.5	2004
29.01.2020 12:30:32	1	1	1	1	87	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.5	2004
29.01.2020 12:30:32	1	1	1	1	87	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.5	2004
29.01.2020 12:30:33	1	1	1	1	87	64.5	0	29620.853	498.9247312	14761.50355	30000	0	0	30000	44.0625	2004
29.01.2020 12:30:34	1	1	1	1	87	64	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44	2004
29.01.2020 12:30:35	1	1	1	1	87	64	0	30000	516.1290323	15418.69377	30000	0	0	30000	44.3125	2004
29.01.2020 12:30:36	1	1	1	1	87	64.25	0	30000	496.7741935	14879.73256	30000	0	0	30000	44.375	2004
29.01.2020 12:30:37	1	1	1	1	87	64.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.625	2004
29.01.2020 12:30:38	1	1	1	1	87.5	64.5	0	29715.64	466.6666667	13867.03993	30000	0	0	30000	44	2004
29.01.2020 12:30:39	1	1	1	1	87.5	64	0	29857.82	483.8709677	14446.76977	30000	0	0	30000	44.625	2004
29.01.2020 12:30:40	1	1	1	1	87.5	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.75	2004
29.01.2020 12:30:41	1	1	1	1	87.5	64.5	0	29905.213	494.6236559	14575.59862	30000	0	0	30000	44.4375	2004
29.01.2020 12:30:42	1	1	1	1	87.5	64.25	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	44	2004
29.01.2020 12:30:43	1	1	1	1	87.5	64	0	29905.213	488.172043	14662.84348	30000	0	0	30000	44.0625	2004
29.01.2020 12:30:44	1	1	1	1	87.5	64	0	29952.607	511.827957	15266.21912	30000	0	0	30000	43.9375	2004
29.01.2020 12:30:45	1	1	1	1	87.5	63.75	0	26113.744	464.516129	12130.29652	30000	0	0	30000	44.625	2004
29.01.2020 12:30:46	1	1	1	1	87.5	64.5	0	28436.019	481.7204301	13698.25782	30000	0	0	30000	43.8125	2004
29.01.2020 12:30:47	1	1	1	1	86	63.75	0	27345.972	453.7634409	12408.33854	30000	0	0	30000	44.625	2004
29.01.2020 12:30:48	1	1	1	1	86	64.5	0	27819.905	481.7204301	13310.14052	30000	0	0	30000	44.4375	2004
29.01.2020 12:30:49	1	1	1	1	86	64.25	0	29336.493	548.3870968	16150.89827	30000	0	0	30000	43.875	2004
29.01.2020 12:30:50	1	1	1	1	86	63.75	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	43.9375	2004
29.01.2020 12:30:51	1	1	1	1	86	63.75	0	28815.166	496.7741935	14314.67942	30000	0	0	30000	43.875	2004
29.01.2020 12:30:52	1	1	1	1	86	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
29.01.2020 12:30:53	1	1	1	1	86	64.5	0	29526.066	524.7311828	15429.29362	30000	0	0	30000	44.625	2004
29.01.2020 12:30:54	1	1	1	1	86	64.5	0	29763.033	498.9247312	14889.51703	30000	0	0	30000	44.625	2004
29.01.2020 12:30:55	1	1	1	1	86	64.5	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	43.875	2004
29.01.2020 12:30:56	1	1	1	1	86	63.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.5625	2004
29.01.2020 12:30:57	1	1	1	1	86.25	64.5	0	28436.019	483.8709677	13782.24119	30000	0	0	30000	44.5	2004
29.01.2020 12:30:58	1	1	1	1	86.25	64.5	0	29952.607	522.5806452	15652.70568	30000	0	0	30000	44.625	2004
29.01.2020 12:30:59	1	1	1	1	86.25	64.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.3125	2004
29.01.2020 12:31:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:31:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:31:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:31:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:31:04	1	1	1	1	84.75	62	0	0	0	0	30000	0	0	30000	44.6875	2004
29.01.2020 12:31:05	1	1	1	1	84.75	64.5	0	0	0	0	30000	0	0	30000	44.8125	2004
29.01.2020 12:31:06	1	1	1	1	84.75	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:31:08	1	1	1	1	84.75	64.5	0	0	0	0	30000	0	0	30000	45.125	2004
29.01.2020 12:31:09	1	1	1	1	84.75	65	0	0	0	0	30000	0	0	30000	44.875	2004
29.01.2020 12:31:10	1	1	1	1	84.75	65	0	0	0	0	30000	0	0	30000	44.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:31:11	1	1	1	1	84.75	64.75	0	0	0	0	0	0	0	30000	44.625	2004
29.01.2020 12:31:12	1	1	1	1	84.75	64.5	0	0	0	0	0	0	0	30000	44.75	2004
29.01.2020 12:31:13	1	1	1	1	86.5	64.75	0	0	0	0	0	0	0	30000	44.8125	2004
29.01.2020 12:31:14	1	1	1	1	86.5	64.75	0	10616.114	0	0	0	0	0	30000	44.5625	2004
29.01.2020 12:31:15	1	1	1	1	86.5	64.5	0	11279.621	0	0	0	0	0	30000	44.3125	2004
29.01.2020 12:31:16	1	1	1	1	86.5	64.25	0	12085.308	0	0	0	0	0	30000	44.4375	2004
29.01.2020 12:31:17	1	1	1	1	86.5	64.25	0	12843.602	4.301075269	54.62995679	30000	0	0	30000	44.5	2004
29.01.2020 12:31:18	1	1	1	1	86.5	64.5	0	12085.308	0	25.27654717	30000	0	0	30000	44.4375	2004
29.01.2020 12:31:19	1	1	1	1	86.5	64.25	0	14407.583	15.05376344	185.9049276	30000	0	0	30000	44.5	2004
29.01.2020 12:31:20	1	1	1	1	86.5	64.5	0	15165.877	19.35483871	293.5340962	30000	0	0	30000	44.5	2004
29.01.2020 12:31:21	1	1	1	1	86.5	64.5	0	15876.777	27.95698925	443.5626342	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:22	1	1	1	1	86.5	64.5	0	16682.464	32.25806452	538.145843	30000	0	0	30000	44.6875	2004
29.01.2020 12:31:23	1	1	1	1	85.75	64.5	0	17440.758	47.31182796	826.7877042	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:24	1	1	1	1	85.75	64.5	0	18151.659	60.21505376	1098.306743	30000	0	0	30000	44.5	2004
29.01.2020 12:31:25	1	1	1	1	85.75	64.5	0	19052.133	70.96774194	1269.534966	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:26	1	1	1	1	85.75	64.5	0	19810.427	81.72043011	1660.913761	30000	0	0	30000	44.5	2004
29.01.2020 12:31:27	1	1	1	1	85.75	64.5	0	20521.327	94.62365591	1941.401897	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:35	1	1	1	1	85.5	64.5	0	25545.024	219.3548387	5438.534504	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:35	1	1	1	1	85.5	64.5	0	25545.024	219.3548387	5438.534504	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:35	1	1	1	1	85.5	64.5	0	25545.024	219.3548387	5438.534504	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:35	1	1	1	1	85.5	64.5	0	25545.024	219.3548387	5438.534504	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:35	1	1	1	1	85.5	64.5	0	25545.024	219.3548387	5438.534504	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:35	1	1	1	1	85.5	64.5	0	25545.024	219.3548387	5438.534504	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:35	1	1	1	1	85.5	64.5	0	24218.009	219.3548387	5155.60025	30000	0	0	30000	44.625	2004
29.01.2020 12:31:36	1	1	1	1	85.5	64.5	0	27440.758	329.0322581	8969.912755	30000	0	0	30000	44.5	2004
29.01.2020 12:31:37	1	1	1	1	85.5	64.5	0	28293.839	350.5376344	10055.98891	30000	0	0	30000	44.5	2004
29.01.2020 12:31:38	1	1	1	1	85.5	64.5	0	29099.526	395.6989247	11595.41217	30000	0	0	30000	44.3125	2004
29.01.2020 12:31:39	1	1	1	1	85.5	64.25	0	29715.64	443.0107527	13227.78789	30000	0	0	30000	44.1875	2004
29.01.2020 12:31:40	1	1	1	1	85.5	64	0	29905.213	464.516129	13891.5011	30000	0	0	30000	44.1875	2004
29.01.2020 12:31:41	1	1	1	1	85.5	64	0	29905.213	466.6666667	14451.662	30000	0	0	30000	43.875	2004
29.01.2020 12:31:42	1	1	1	1	85.5	63.75	0	29905.213	483.8709677	14493.246	30000	0	0	30000	44.5	2004
29.01.2020 12:31:43	1	1	1	1	85.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
29.01.2020 12:31:44	1	1	1	1	85.75	64.25	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.6875	2004
29.01.2020 12:31:45	1	1	1	1	85.75	64.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.5	2004
29.01.2020 12:31:46	1	1	1	1	85.75	64.5	0	29620.853	449.4623656	13185.38852	30000	0	0	30000	44.6875	2004
29.01.2020 12:31:48	1	1	1	1	85.75	64.5	0	29857.82	466.6666667	13869.48604	30000	0	0	30000	44.3125	2004
29.01.2020 12:31:49	1	1	1	1	85.75	64.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.25	2004
29.01.2020 12:31:50	1	1	1	1	85.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:51	1	1	1	1	85.75	64.5	0	29857.82	445.1612903	13312.58663	30000	0	0	30000	44.5	2004
29.01.2020 12:31:52	1	1	1	1	85.75	64.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.4375	2004
29.01.2020 12:31:53	1	1	1	1	85.75	64.25	0	29715.64	464.516129	13803.44087	30000	0	0	30000	44.25	2004
29.01.2020 12:31:56	1	1	1	1	85.75	64	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:31:56	1	1	1	1	85.75	64	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.875	2004
29.01.2020 12:31:56	1	1	1	1	85.75	64	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.875	2004
29.01.2020 12:31:57	1	1	1	1	85.75	63.75	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5	2004
29.01.2020 12:31:58	1	1	1	1	85.75	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.5625	2004
29.01.2020 12:31:59	1	1	1	1	85.75	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.625	2004
29.01.2020 12:32:00	1	1	1	1	85.75	64.5	0	25260.664	415.0537634	10503.62841	30000	0	0	30000	44.4375	2004
29.01.2020 12:32:01	1	1	1	1	85.75	64.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	44.1875	2004
29.01.2020 12:32:02	1	1	1	1	85.75	64	0	29857.82	486.0215054	14446.76977	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:03	1	1	1	1	85.5	64.5	0	30000	505.3763441	15137.39026	30000	0	0	30000	43.5625	2004
29.01.2020 12:32:04	1	1	1	1	85.5	63.5	0	26635.071	445.1612903	11856.33137	30000	0	0	30000	44.625	2004
29.01.2020 12:32:05	1	1	1	1	85.5	64.5	0	28862.559	453.7634409	13096.51292	30000	0	0	30000	44.5	2004
29.01.2020 12:32:06	1	1	1	1	85.5	64.5	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:07	1	1	1	1	85.5	64.5	0	29952.607	498.9247312	14856.08676	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:08	1	1	1	1	85.5	64.5	0	27440.758	449.4623656	12172.69589	30000	0	0	30000	44.4375	2004
29.01.2020 12:32:09	1	1	1	1	85.5	64.25	0	29715.64	494.6236559	14633.49007	30000	0	0	30000	43.75	2004
29.01.2020 12:32:10	1	1	1	1	85.5	63.75	0	29952.607	492.4731183	14727.2579	30000	0	0	30000	44.625	2004
29.01.2020 12:32:11	1	1	1	1	85.5	64.5	0	26540.284	445.1612903	11814.74737	30000	0	0	30000	44.125	2004
29.01.2020 12:32:12	1	1	1	1	85.5	64	0	29668.246	481.7204301	14269.01856	30000	0	0	30000	44.4375	2004
29.01.2020 12:32:13	1	1	1	1	85.5	64.25	0	12227.488	27.95698925	341.641073	30000	0	0	30000	44.4375	2004
29.01.2020 12:32:14	1	1	1	1	85.5	64.25	0	10853.081	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 12:32:15	1	1	1	1	85.5	64.25	0	11563.981	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:32:16	1	1	1	1	85.5	64.25	0	12322.275	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:32:17	1	1	1	1	85.5	64.5	0	13080.569	4.301075269	55.44532927	30000	0	0	30000	44.625	2004
29.01.2020 12:32:18	1	1	1	1	85.5	64.5	0	13222.749	4.301075269	84.79873889	30000	0	0	30000	44.5	2004
29.01.2020 12:32:19	1	1	1	1	85.5	64.5	0	14644.55	15.05376344	220.1505721	30000	0	0	30000	44.625	2004
29.01.2020 12:32:20	1	1	1	1	85.5	64.5	0	15402.844	21.50537634	295.9802136	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:21	1	1	1	1	85.5	64.5	0	16208.531	27.95698925	452.5317316	30000	0	0	30000	44.625	2004
29.01.2020 12:32:22	1	1	1	1	85.5	64.5	0	16303.318	34.40860215	559.3455277	30000	0	0	30000	44.625	2004
29.01.2020 12:32:23	1	1	1	1	86.75	64.5	0	17677.725	51.61290323	912.4018156	30000	0	0	30000	44.6875	2004
29.01.2020 12:32:24	1	1	1	1	86.75	64.5	0	18530.806	66.66666667	1235.289321	30000	0	0	30000	44.5	2004
29.01.2020 12:32:26	1	1	1	1	86.75	64.5	0	19241.706	73.11827957	1406.517544	30000	0	0	30000	44.8125	2004
29.01.2020 12:32:27	1	1	1	1	86.75	64.75	0	19289.1	70.96774194	1492.947028	30000	0	0	30000	44.9375	2004
29.01.2020 12:32:28	1	1	1	1	86.75	64.5	0	20853.081	105.3763441	2197.428859	30000	0	0	30000	44.5	2004
29.01.2020 12:32:29	1	1	1	1	86.75	64.5	0	21658.768	120.4301075	2608.376593	30000	0	0	30000	44.625	2004
29.01.2020 12:32:36	1	1	1	1	86.5	64.5	0	26208.531	232.2580645	6030.494931	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:36	1	1	1	1	86.5	64.5	0	26208.531	232.2580645	6030.494931	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:36	1	1	1	1	86.5	64.5	0	26208.531	232.2580645	6030.494931	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:36	1	1	1	1	86.5	64.5	0	26208.531	232.2580645	6030.494931	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:36	1	1	1	1	86.5	64.5	0	26208.531	232.2580645	6030.494931	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:36	1	1	1	1	86.5	64.5	0	26208.531	232.2580645	6030.494931	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:36	1	1	1	1	86.5	64.5	0	26966.825	249.4623656	6541.733482	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:37	1	1	1	1	86.5	64.5	0	27630.332	313.9784946	9093.849374	30000	0	0	30000	44.4375	2004
29.01.2020 12:32:38	1	1	1	1	86.5	64.25	0	28009.479	322.5806452	9096.295491	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:32:39	1	1	1	1	86.5	64.5	0	28199.052	298.9247312	8489.658359	30000	0	0	30000	44.5	2004
29.01.2020 12:32:40	1	1	1	1	86.5	64.5	0	28625.592	348.3870968	9955.698095	30000	0	0	30000	44.3125	2004
29.01.2020 12:32:41	1	1	1	1	86.5	64.25	0	28957.346	344.0860215	9901.068138	30000	0	0	30000	44.3125	2004
29.01.2020 12:32:42	1	1	1	1	86.5	64.25	0	29052.133	329.0322581	9574.10377	30000	0	0	30000	44.1875	2004
29.01.2020 12:32:43	1	1	1	1	86.25	64	0	28815.166	326.8817204	9419.182997	30000	0	0	30000	44.4375	2004
29.01.2020 12:32:44	1	1	1	1	86.25	64.25	0	29905.213	395.6989247	11814.74737	30000	0	0	30000	44.625	2004
29.01.2020 12:32:45	1	1	1	1	86.25	64.5	0	29763.033	438.7096774	13036.17536	30000	0	0	30000	44.625	2004
29.01.2020 12:32:46	1	1	1	1	86.25	64.5	0	30047.393	481.7204301	13999.94564	30000	0	0	30000	43.625	2004
29.01.2020 12:32:47	1	1	1	1	86.25	63.5	0	29905.213	425.8064516	12798.08659	30000	0	0	30000	43.875	2004
29.01.2020 12:32:48	1	1	1	1	86.25	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	44.3125	2004
29.01.2020 12:32:49	1	1	1	1	86.25	64.25	0	28815.166	369.8924731	10658.54918	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:50	1	1	1	1	86.25	64.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	44.5625	2004
29.01.2020 12:32:51	1	1	1	1	86.25	64.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	44.3125	2004
29.01.2020 12:32:52	1	1	1	1	86.25	64.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	44	2004
29.01.2020 12:32:53	1	1	1	1	86.25	64	0	29573.46	464.516129	13737.3957	30000	0	0	30000	44.3125	2004
29.01.2020 12:32:54	1	1	1	1	86.25	64.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.3125	2004
29.01.2020 12:32:55	1	1	1	1	86.25	64.25	0	28009.479	458.0645161	12829.88612	30000	0	0	30000	44.5	2004
29.01.2020 12:32:56	1	1	1	1	86.25	64.5	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.125	2004
29.01.2020 12:32:57	1	1	1	1	86.25	64	0	29905.213	494.6236559	15096.62164	30000	0	0	30000	44.3125	2004
29.01.2020 12:32:58	1	1	1	1	86.25	64.25	0	29857.82	464.516129	13783.05656	30000	0	0	30000	44.5	2004
29.01.2020 12:32:59	1	1	1	1	86.25	64.5	0	29526.066	464.516129	13693.36559	30000	0	0	30000	43.6875	2004
29.01.2020 12:33:00	1	1	1	1	86.25	63.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.0625	2004
29.01.2020 12:33:01	1	1	1	1	86.25	64	0	30000	501.0752688	14902.56299	30000	0	0	30000	43.875	2004
29.01.2020 12:33:02	1	1	1	1	86.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:03	1	1	1	1	86	64	0	29526.066	481.7204301	14200.52727	30000	0	0	30000	44.625	2004
29.01.2020 12:33:05	1	1	1	1	86	64.5	0	28815.166	468.8172043	13880.90126	30000	0	0	30000	43.8125	2004
29.01.2020 12:33:06	1	1	1	1	86	63.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.625	2004
29.01.2020 12:33:07	1	1	1	1	86	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.375	2004
29.01.2020 12:33:08	1	1	1	1	86	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:33:09	1	1	1	1	86	64.25	0	29952.607	483.8709677	14493.246	30000	0	0	30000	44.25	2004
29.01.2020 12:33:10	1	1	1	1	86	64.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.3125	2004
29.01.2020 12:33:11	1	1	1	1	86	64.25	0	29431.28	488.172043	14516.8918	30000	0	0	30000	43.8125	2004
29.01.2020 12:33:12	1	1	1	1	86	63.75	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.4375	2004
29.01.2020 12:33:13	1	1	1	1	86	64.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	44.375	2004
29.01.2020 12:33:14	1	1	1	1	86	64.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.125	2004
29.01.2020 12:33:15	1	1	1	1	86	64	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:16	1	1	1	1	86	64	0	29383.886	481.7204301	14154.86641	30000	0	0	30000	43.9375	2004
29.01.2020 12:33:17	1	1	1	1	86	63.75	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	44.5	2004
29.01.2020 12:33:18	1	1	1	1	86	64.5	0	30000	518.2795699	15548.338	30000	0	0	30000	44.375	2004
29.01.2020 12:33:19	1	1	1	1	86	64.25	0	29905.213	445.1612903	13312.58663	30000	0	0	30000	44.375	2004
29.01.2020 12:33:20	1	1	1	1	86	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.25	2004
29.01.2020 12:33:21	1	1	1	1	86	64.25	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.3125	2004
29.01.2020 12:33:22	1	1	1	1	86	64.25	0	29431.28	492.4731183	14494.06137	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:33:23	1	1	1	1	85.5	64.5	0	30000	503.2258065	14879.73256	30000	0	0	30000	44.25	2004
29.01.2020 12:33:24	1	1	1	1	85.5	64.25	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44	2004
29.01.2020 12:33:25	1	1	1	1	85.5	64	0	28483.412	460.2150538	13107.92814	30000	0	0	30000	44.0625	2004
29.01.2020 12:33:26	1	1	1	1	85.5	64	0	29905.213	486.0215054	14469.6002	30000	0	0	30000	43.6875	2004
29.01.2020 12:33:27	1	1	1	1	85.5	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.625	2004
29.01.2020 12:33:28	1	1	1	1	85.5	64.5	0	29431.28	483.8709677	14177.69684	30000	0	0	30000	44.125	2004
29.01.2020 12:33:29	1	1	1	1	85.5	64	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.125	2004
29.01.2020 12:33:30	1	1	1	1	85.5	64	0	29478.673	483.8709677	14223.3577	30000	0	0	30000	43.9375	2004
29.01.2020 12:33:38	1	1	1	1	86.75	64.25	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:38	1	1	1	1	86.75	64.25	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:38	1	1	1	1	86.75	64.25	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:38	1	1	1	1	86.75	64.25	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:38	1	1	1	1	86.75	64.25	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:38	1	1	1	1	86.75	64.25	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:38	1	1	1	1	86.75	64.25	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:38	1	1	1	1	86.75	64.25	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:39	1	1	1	1	86.75	64	0	30000	503.2258065	15184.68187	30000	0	0	30000	43.875	2004
29.01.2020 12:33:40	1	1	1	1	86.75	63.75	0	29905.213	488.172043	14902.56299	30000	0	0	30000	44.5	2004
29.01.2020 12:33:41	1	1	1	1	86.75	64.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.4375	2004
29.01.2020 12:33:42	1	1	1	1	86.75	64.25	0	28957.346	453.7634409	13326.44797	30000	0	0	30000	44.625	2004
29.01.2020 12:33:43	1	1	1	1	86.75	64.5	0	28009.479	481.7204301	13584.10567	30000	0	0	30000	44.3125	2004
29.01.2020 12:33:45	1	1	1	1	86.75	64.25	0	27630.332	458.0645161	12715.73397	30000	0	0	30000	44.8125	2004
29.01.2020 12:33:46	1	1	1	1	86.75	64.75	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	44.625	2004
29.01.2020 12:33:47	1	1	1	1	86.75	64.5	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	44.375	2004
29.01.2020 12:33:48	1	1	1	1	86.75	64.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.3125	2004
29.01.2020 12:33:49	1	1	1	1	86.75	64.25	0	29620.853	533.3333333	16040.00761	30000	0	0	30000	43.625	2004
29.01.2020 12:33:50	1	1	1	1	86.75	63.5	0	26113.744	486.0215054	12747.5335	30000	0	0	30000	43.9375	2004
29.01.2020 12:33:51	1	1	1	1	86.75	63.75	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	44.375	2004
29.01.2020 12:33:52	1	1	1	1	86.75	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.4375	2004
29.01.2020 12:33:53	1	1	1	1	87	64.25	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	44.125	2004
29.01.2020 12:33:54	1	1	1	1	87	64	0	28815.166	458.0645161	13199.24986	30000	0	0	30000	44.1875	2004
29.01.2020 12:33:55	1	1	1	1	87	64	0	28862.559	481.7204301	13926.56212	30000	0	0	30000	44.5	2004
29.01.2020 12:33:56	1	1	1	1	87	64.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	44.3125	2004
29.01.2020 12:33:57	1	1	1	1	87	64.25	0	25924.171	496.7741935	12877.9931	30000	0	0	30000	44.4375	2004
29.01.2020 12:33:58	1	1	1	1	87	64.25	0	28483.412	496.7741935	14149.15881	30000	0	0	30000	44.5	2004
29.01.2020 12:33:59	1	1	1	1	87	64.5	0	29715.64	516.1290323	15337.15652	30000	0	0	30000	44.3125	2004
29.01.2020 12:34:00	1	1	1	1	87	64.25	0	29715.64	511.827957	15144.72862	30000	0	0	30000	44.125	2004
29.01.2020 12:34:01	1	1	1	1	87	64	0	28388.626	466.6666667	13247.35683	30000	0	0	30000	44.1875	2004
29.01.2020 12:34:02	1	1	1	1	87	64	0	29383.886	509.6774194	14975.94651	30000	0	0	30000	44.4375	2004
29.01.2020 12:34:03	1	1	1	1	86.75	64.25	0	29905.213	522.5806452	15691.84356	30000	0	0	30000	44.1875	2004
29.01.2020 12:34:04	1	1	1	1	86.75	64	0	29905.213	535.483871	16141.92917	30000	0	0	30000	44.4375	2004
29.01.2020 12:34:05	1	1	1	1	86.75	64.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44	2004
29.01.2020 12:34:06	1	1	1	1	86.75	64	0	28199.052	481.7204301	13584.10567	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:34:07	1	1	1	1	86.75	64	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.25	2004
29.01.2020 12:34:08	1	1	1	1	86.75	64.25	0	29099.526	546.2365591	15994.34675	30000	0	0	30000	43.875	2004
29.01.2020 12:34:09	1	1	1	1	86.75	63.75	0	29431.28	541.9354839	15759.51947	30000	0	0	30000	44.25	2004
29.01.2020 12:34:10	1	1	1	1	86.75	64.25	0	29857.82	524.7311828	15577.69141	30000	0	0	30000	44.1875	2004
29.01.2020 12:34:11	1	1	1	1	86.75	64	0	29431.28	546.2365591	15924.22472	30000	0	0	30000	44.3125	2004
29.01.2020 12:34:12	1	1	1	1	86.75	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.9375	2004
29.01.2020 12:34:13	1	1	1	1	86.25	63.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	44.375	2004
29.01.2020 12:34:14	1	1	1	1	86.25	64.25	0	28009.479	496.7741935	14034.19129	30000	0	0	30000	44.4375	2004
29.01.2020 12:34:15	1	1	1	1	86.25	64.25	0	27630.332	481.7204301	13310.14052	30000	0	0	30000	44.25	2004
29.01.2020 12:34:16	1	1	1	1	86.25	64.25	0	30000	531.1827957	16089.74533	30000	0	0	30000	44.375	2004
29.01.2020 12:34:17	1	1	1	1	86.25	64.25	0	29052.133	509.6774194	14893.59389	30000	0	0	30000	44.3125	2004
29.01.2020 12:34:18	1	1	1	1	86.25	64.25	0	28957.346	509.6774194	14634.30544	30000	0	0	30000	44.125	2004
29.01.2020 12:34:19	1	1	1	1	86.25	64	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.5	2004
29.01.2020 12:34:20	1	1	1	1	86.25	64.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.3125	2004
29.01.2020 12:34:21	1	1	1	1	86.25	64.25	0	28009.479	451.6129032	12709.21099	30000	0	0	30000	44.4375	2004
29.01.2020 12:34:23	1	1	1	1	86.25	64.25	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	44.1875	2004
29.01.2020 12:34:24	1	1	1	1	86.25	64	0	24597.156	464.516129	11575.84323	30000	0	0	30000	44.5625	2004
29.01.2020 12:34:25	1	1	1	1	86.25	64.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.6875	2004
29.01.2020 12:34:26	1	1	1	1	86.25	64.5	0	29810.427	546.2365591	15911.99413	30000	0	0	30000	44.5625	2004
29.01.2020 12:34:27	1	1	1	1	86.25	64.5	0	29905.213	516.1290323	15064.82211	30000	0	0	30000	44.4375	2004
29.01.2020 12:34:28	1	1	1	1	86.25	64.25	0	29905.213	511.827957	15241.75794	30000	0	0	30000	44.25	2004
29.01.2020 12:34:29	1	1	1	1	86.25	64.25	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	44.5	2004
29.01.2020 12:34:30	1	1	1	1	86.25	64.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.5	2004
29.01.2020 12:34:31	1	1	1	1	86.25	64.5	0	29810.427	496.7741935	14808.79515	30000	0	0	30000	44.3125	2004
29.01.2020 12:34:32	1	1	1	1	86.25	64.25	0	29573.46	481.7204301	14246.18813	30000	0	0	30000	44.1875	2004
29.01.2020 12:34:39	1	1	1	1	86.5	64.5	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	43.5625	2004
29.01.2020 12:34:39	1	1	1	1	86.5	64.5	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	43.5625	2004
29.01.2020 12:34:39	1	1	1	1	86.5	64.5	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	43.5625	2004
29.01.2020 12:34:39	1	1	1	1	86.5	64.5	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	43.5625	2004
29.01.2020 12:34:39	1	1	1	1	86.5	64.5	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	43.5625	2004
29.01.2020 12:34:39	1	1	1	1	86.5	63.5	0	29715.64	481.7204301	14269.01856	30000	0	0	30000	44.5	2004
29.01.2020 12:34:40	1	1	1	1	86.5	64.5	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
29.01.2020 12:34:41	1	1	1	1	86.5	64.5	0	28957.346	464.516129	13451.19996	30000	0	0	30000	44.5	2004
29.01.2020 12:34:42	1	1	1	1	86.5	64.5	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	44.5	2004
29.01.2020 12:34:43	1	1	1	1	85.75	64.5	0	29336.493	464.516129	13752.88778	30000	0	0	30000	44.125	2004
29.01.2020 12:34:44	1	1	1	1	85.75	64	0	29289.1	464.516129	13583.2903	30000	0	0	30000	44.375	2004
29.01.2020 12:34:45	1	1	1	1	85.75	64.25	0	29573.46	481.7204301	14269.01856	30000	0	0	30000	44.1875	2004
29.01.2020 12:34:46	1	1	1	1	85.75	64	0	29905.213	509.6774194	15306.17237	30000	0	0	30000	44.1875	2004
29.01.2020 12:34:47	1	1	1	1	85.75	64	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.5625	2004
29.01.2020 12:34:48	1	1	1	1	85.75	64.5	0	28009.479	438.7096774	12287.66341	30000	0	0	30000	44.3125	2004
29.01.2020 12:34:49	1	1	1	1	85.75	64.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	44.375	2004
29.01.2020 12:34:50	1	1	1	1	85.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:34:51	1	1	1	1	85.75	64.25	0	29810.427	516.1290323	15410.54005	30000	0	0	30000	44.375	2004
29.01.2020 12:34:52	1	1	1	1	85.75	64.25	0	30000	535.483871	16064.46878	30000	0	0	30000	44.5	2004
29.01.2020 12:34:53	1	1	1	1	87.25	64.5	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	44.25	2004
29.01.2020 12:34:54	1	1	1	1	87.25	64.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	43.875	2004
29.01.2020 12:34:55	1	1	1	1	87.25	63.75	0	28815.166	488.172043	13942.86957	30000	0	0	30000	44.4375	2004
29.01.2020 12:34:56	1	1	1	1	87.25	64.25	0	29810.427	507.5268817	15129.23654	30000	0	0	30000	44.125	2004
29.01.2020 12:34:57	1	1	1	1	87.25	64	0	26919.431	481.7204301	12944.85364	30000	0	0	30000	44.0625	2004
29.01.2020 12:34:58	1	1	1	1	87.25	64	0	29905.213	520.4301075	15498.60028	30000	0	0	30000	43.4375	2004
29.01.2020 12:34:59	1	1	1	1	87.25	63.25	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	44.25	2004
29.01.2020 12:35:00	1	1	1	1	87.25	64.25	0	26066.351	481.7204301	12612.18166	30000	0	0	30000	44.5625	2004
29.01.2020 12:35:02	1	1	1	1	87.25	64.5	0	29857.82	507.5268817	15177.34352	30000	0	0	30000	44	2004
29.01.2020 12:35:03	1	1	1	1	87.25	64	0	29431.28	466.6666667	13734.13421	30000	0	0	30000	44.3125	2004
29.01.2020 12:35:04	1	1	1	1	85.5	64.25	0	28862.559	483.8709677	14136.11285	30000	0	0	30000	44.3125	2004
29.01.2020 12:35:05	1	1	1	1	85.5	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.625	2004
29.01.2020 12:35:06	1	1	1	1	85.5	64.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	44.5625	2004
29.01.2020 12:35:07	1	1	1	1	85.5	64.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	44.4375	2004
29.01.2020 12:35:08	1	1	1	1	85.5	64.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.3125	2004
29.01.2020 12:35:09	1	1	1	1	85.5	64.25	0	28815.166	529.0322581	15182.23575	30000	0	0	30000	44.375	2004
29.01.2020 12:35:10	1	1	1	1	85.5	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.4375	2004
29.01.2020 12:35:11	1	1	1	1	85.5	64.25	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	44.5	2004
29.01.2020 12:35:12	1	1	1	1	85.5	64.5	0	26066.351	494.6236559	12892.6698	30000	0	0	30000	44.4375	2004
29.01.2020 12:35:13	1	1	1	1	86.25	64.25	0	29905.213	535.483871	15987.82377	30000	0	0	30000	44.4375	2004
29.01.2020 12:35:14	1	1	1	1	86.25	64.25	0	28957.346	488.172043	14136.11285	30000	0	0	30000	44.3125	2004
29.01.2020 12:35:15	1	1	1	1	86.25	64.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.625	2004
29.01.2020 12:35:16	1	1	1	1	86.25	64.5	0	26113.744	481.7204301	12579.56677	30000	0	0	30000	44.5	2004
29.01.2020 12:35:17	1	1	1	1	86.25	64.5	0	29526.066	481.7204301	13883.34738	30000	0	0	30000	44.4375	2004
29.01.2020 12:35:18	1	1	1	1	86.25	64.25	0	29431.28	464.516129	13607.75147	30000	0	0	30000	44.25	2004
29.01.2020 12:35:19	1	1	1	1	86.25	64.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.125	2004
29.01.2020 12:35:20	1	1	1	1	86.25	64	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
29.01.2020 12:35:21	1	1	1	1	86.25	64.25	0	29810.427	539.7849462	16282.98861	30000	0	0	30000	44.4375	2004
29.01.2020 12:35:22	1	1	1	1	86.25	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.5625	2004
29.01.2020 12:35:23	1	1	1	1	86.25	64.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.3125	2004
29.01.2020 12:35:24	1	1	1	1	86.25	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.625	2004
29.01.2020 12:35:25	1	1	1	1	86.25	64.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.1875	2004
29.01.2020 12:35:26	1	1	1	1	86.25	64	0	28815.166	451.6129032	13075.31324	30000	0	0	30000	44.4375	2004
29.01.2020 12:35:27	1	1	1	1	86.25	64.25	0	29810.427	505.3763441	15129.23654	30000	0	0	30000	44.0625	2004
29.01.2020 12:35:28	1	1	1	1	86.25	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.9375	2004
29.01.2020 12:35:29	1	1	1	1	86.25	63.75	0	29383.886	488.172043	14321.2024	30000	0	0	30000	43.375	2004
29.01.2020 12:35:30	1	1	1	1	86.25	63.25	0	29905.213	526.8817204	15756.25798	30000	0	0	30000	44.0625	2004
29.01.2020 12:35:31	1	1	1	1	86.25	64	0	29620.853	503.2258065	14993.06933	30000	0	0	30000	44.5	2004
29.01.2020 12:35:32	1	1	1	1	86.25	64.5	0	29241.706	529.0322581	15406.46319	30000	0	0	30000	44.5625	2004
29.01.2020 12:35:33	1	1	1	1	87	64.5	0	24976.303	481.7204301	12077.29731	30000	0	0	30000	44.375	2004
29.01.2020 12:35:40	1	1	1	1	87	64.5	0	29952.607	524.7311828	15781.53453	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:35:40	1	1	1	1	87	64.5	0	29952.607	524.7311828	15781.53453	30000	0	0	30000	44.375	2004
29.01.2020 12:35:40	1	1	1	1	87	64.5	0	29952.607	524.7311828	15781.53453	30000	0	0	30000	44.375	2004
29.01.2020 12:35:40	1	1	1	1	87	64.5	0	29952.607	524.7311828	15781.53453	30000	0	0	30000	44.375	2004
29.01.2020 12:35:40	1	1	1	1	87	64.5	0	29952.607	524.7311828	15781.53453	30000	0	0	30000	44.375	2004
29.01.2020 12:35:40	1	1	1	1	87	64.5	0	29952.607	524.7311828	15781.53453	30000	0	0	30000	44.375	2004
29.01.2020 12:35:41	1	1	1	1	87	64.25	0	29905.213	522.5806452	15652.70568	30000	0	0	30000	43.9375	2004
29.01.2020 12:35:42	1	1	1	1	87	63.75	0	29857.82	505.3763441	15177.34352	30000	0	0	30000	44.5625	2004
29.01.2020 12:35:43	1	1	1	1	87	64.5	0	29857.82	539.7849462	15962.54722	30000	0	0	30000	44.0625	2004
29.01.2020 12:35:44	1	1	1	1	87	64.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	44.1875	2004
29.01.2020 12:35:45	1	1	1	1	87	64	0	28530.806	490.3225806	14026.85293	30000	0	0	30000	44.1875	2004
29.01.2020 12:35:46	1	1	1	1	87	64	0	29526.066	516.1290323	15175.71277	30000	0	0	30000	44.6875	2004
29.01.2020 12:35:47	1	1	1	1	87	64.5	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	44.125	2004
29.01.2020 12:35:48	1	1	1	1	87	64	0	29668.246	535.483871	16040.00761	30000	0	0	30000	44.4375	2004
29.01.2020 12:35:49	1	1	1	1	87	64.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	44.4375	2004
29.01.2020 12:35:50	1	1	1	1	87	64.25	0	29620.853	486.0215054	14459.81573	30000	0	0	30000	43.4375	2004
29.01.2020 12:35:51	1	1	1	1	87	63.25	0	27298.578	458.0645161	12417.30764	30000	0	0	30000	44.25	2004
29.01.2020 12:35:52	1	1	1	1	87	64.25	0	29857.82	492.4731183	14768.02653	30000	0	0	30000	44.5625	2004
29.01.2020 12:35:53	1	1	1	1	87	64.5	0	29857.82	490.3225806	14727.2579	30000	0	0	30000	44.1875	2004
29.01.2020 12:35:54	1	1	1	1	87	64	0	28483.412	464.516129	13231.04938	30000	0	0	30000	44.3125	2004
29.01.2020 12:35:55	1	1	1	1	87	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.5625	2004
29.01.2020 12:35:56	1	1	1	1	87	64.5	0	28815.166	516.1290323	14896.85538	30000	0	0	30000	43.75	2004
29.01.2020 12:35:57	1	1	1	1	87	63.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	44.5	2004
29.01.2020 12:35:58	1	1	1	1	87	64.5	0	29810.427	501.0752688	14936.80863	30000	0	0	30000	44.5625	2004
29.01.2020 12:35:59	1	1	1	1	87	64.5	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	44.25	2004
29.01.2020 12:36:00	1	1	1	1	87	64.25	0	27725.118	453.7634409	12623.59688	30000	0	0	30000	44.625	2004
29.01.2020 12:36:01	1	1	1	1	87	64.5	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	44.625	2004
29.01.2020 12:36:02	1	1	1	1	87	64.5	0	29620.853	535.483871	16040.00761	30000	0	0	30000	44.125	2004
29.01.2020 12:36:03	1	1	1	1	86.5	64	0	26113.744	460.2150538	12185.74185	30000	0	0	30000	44.375	2004
29.01.2020 12:36:04	1	1	1	1	86.5	64.25	0	29241.706	498.9247312	14549.5067	30000	0	0	30000	44.5	2004
29.01.2020 12:36:05	1	1	1	1	86.5	64.5	0	29146.919	544.0860215	15795.39586	30000	0	0	30000	44.125	2004
29.01.2020 12:36:06	1	1	1	1	86.5	64	0	27867.299	516.1290323	14383.17071	30000	0	0	30000	44	2004
29.01.2020 12:36:07	1	1	1	1	86.5	64	0	29810.427	494.6236559	14680.78167	30000	0	0	30000	44.5	2004
29.01.2020 12:36:08	1	1	1	1	86.5	64.5	0	29052.133	445.1612903	12890.22368	30000	0	0	30000	44.4375	2004
29.01.2020 12:36:09	1	1	1	1	86.5	64.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.125	2004
29.01.2020 12:36:10	1	1	1	1	86.5	64	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.4375	2004
29.01.2020 12:36:11	1	1	1	1	86.5	64.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:12	1	1	1	1	86.5	64.5	0	29620.853	501.0752688	14842.22542	30000	0	0	30000	44.3125	2004
29.01.2020 12:36:13	1	1	1	1	87	64.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.8125	2004
29.01.2020 12:36:14	1	1	1	1	87	63.75	0	29431.28	544.0860215	15924.22472	30000	0	0	30000	44.5	2004
29.01.2020 12:36:15	1	1	1	1	87	64.5	0	29952.607	531.1827957	15910.36338	30000	0	0	30000	44	2004
29.01.2020 12:36:16	1	1	1	1	87	64	0	29526.066	507.5268817	14794.11845	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:17	1	1	1	1	87	64.5	0	29905.213	520.4301075	15209.14304	30000	0	0	30000	44	2004
29.01.2020 12:36:18	1	1	1	1	87	64	0	29336.493	516.1290323	15141.46713	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:36:20	1	1	1	1	87	64.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:21	1	1	1	1	87	64.5	0	29289.1	466.6666667	13646.07398	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:22	1	1	1	1	87	64.5	0	29905.213	498.9247312	14984.10024	30000	0	0	30000	44.6875	2004
29.01.2020 12:36:23	1	1	1	1	87	64.5	0	29146.919	488.172043	14228.24994	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:24	1	1	1	1	87.25	64.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.5	2004
29.01.2020 12:36:25	1	1	1	1	87.25	63.5	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	44.3125	2004
29.01.2020 12:36:26	1	1	1	1	87.25	64.25	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
29.01.2020 12:36:27	1	1	1	1	87.25	64.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.5	2004
29.01.2020 12:36:28	1	1	1	1	87.25	64.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.5	2004
29.01.2020 12:36:29	1	1	1	1	87.25	63.5	0	29952.607	535.483871	15949.50126	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:30	1	1	1	1	87.25	64.5	0	29905.213	511.827957	15306.17237	30000	0	0	30000	44.4375	2004
29.01.2020 12:36:31	1	1	1	1	87.25	64.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	44.1875	2004
29.01.2020 12:36:32	1	1	1	1	87.25	64	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.875	2004
29.01.2020 12:36:33	1	1	1	1	86.5	63.75	0	26350.711	498.9247312	13284.0486	30000	0	0	30000	44.625	2004
29.01.2020 12:36:34	1	1	1	1	86.5	64.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	44.5	2004
29.01.2020 12:36:35	1	1	1	1	86.5	64.5	0	29857.82	529.0322581	15706.52026	30000	0	0	30000	44.375	2004
29.01.2020 12:36:42	1	1	1	1	86.5	64.5	0	28815.166	496.7741935	14096.97497	30000	0	0	30000	44.625	2004
29.01.2020 12:36:42	1	1	1	1	86.5	64.5	0	28815.166	496.7741935	14096.97497	30000	0	0	30000	44.625	2004
29.01.2020 12:36:42	1	1	1	1	86.5	64.5	0	28815.166	496.7741935	14096.97497	30000	0	0	30000	44.625	2004
29.01.2020 12:36:42	1	1	1	1	86.5	64.5	0	28815.166	496.7741935	14096.97497	30000	0	0	30000	44.625	2004
29.01.2020 12:36:42	1	1	1	1	86.5	64.5	0	28815.166	496.7741935	14096.97497	30000	0	0	30000	44.625	2004
29.01.2020 12:36:42	1	1	1	1	86.5	64.5	0	28815.166	496.7741935	14096.97497	30000	0	0	30000	44.625	2004
29.01.2020 12:36:42	1	1	1	1	86.5	64.5	0	28862.559	520.4301075	14958.82369	30000	0	0	30000	44	2004
29.01.2020 12:36:43	1	1	1	1	87.75	64	0	29478.673	544.0860215	15759.51947	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:44	1	1	1	1	87.75	64.5	0	29857.82	535.483871	16206.3436	30000	0	0	30000	44.0625	2004
29.01.2020 12:36:45	1	1	1	1	87.75	64	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.5	2004
29.01.2020 12:36:46	1	1	1	1	87.75	64.5	0	29478.673	546.2365591	16165.57497	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:47	1	1	1	1	87.75	64.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	44.625	2004
29.01.2020 12:36:48	1	1	1	1	87.75	64.5	0	28815.166	498.9247312	14314.67942	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:49	1	1	1	1	87.75	64.5	0	27440.758	494.6236559	13631.39728	30000	0	0	30000	44.6875	2004
29.01.2020 12:36:50	1	1	1	1	87.75	64.5	0	29620.853	533.3333333	15797.84198	30000	0	0	30000	44.375	2004
29.01.2020 12:36:51	1	1	1	1	87.75	64.25	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	44.6875	2004
29.01.2020 12:36:52	1	1	1	1	87.75	64.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	44.5	2004
29.01.2020 12:36:53	1	1	1	1	87.5	64.5	0	29715.64	516.1290323	15400.75558	30000	0	0	30000	44.375	2004
29.01.2020 12:36:54	1	1	1	1	87.5	64.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.875	2004
29.01.2020 12:36:55	1	1	1	1	87.5	63.75	0	29573.46	533.3333333	15772.56543	30000	0	0	30000	44.75	2004
29.01.2020 12:36:56	1	1	1	1	87.5	64.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.5625	2004
29.01.2020 12:36:57	1	1	1	1	87.5	64.5	0	29052.133	533.3333333	15519.79996	30000	0	0	30000	44.4375	2004
29.01.2020 12:36:59	1	1	1	1	87.5	64.25	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	44.5625	2004
29.01.2020 12:37:00	1	1	1	1	87.5	64.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	44.375	2004
29.01.2020 12:37:01	1	1	1	1	87.5	64.25	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	44.5	2004
29.01.2020 12:37:02	1	1	1	1	87.5	64.5	0	29383.886	544.0860215	16075.884	30000	0	0	30000	44.25	2004
29.01.2020 12:37:03	1	1	1	1	87.75	64.25	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:37:04	1	1	1	1	87.75	64.5	0	29857.82	537.6344086	16270.75802	30000	0	0	30000	44.625	2004
29.01.2020 12:37:05	1	1	1	1	87.75	64.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.375	2004
29.01.2020 12:37:06	1	1	1	1	87.75	64.25	0	29715.64	520.4301075	15528.76906	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:07	1	1	1	1	87.75	64.5	0	29526.066	546.2365591	16000.86973	30000	0	0	30000	44.125	2004
29.01.2020 12:37:08	1	1	1	1	87.75	64	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	44.1875	2004
29.01.2020 12:37:09	1	1	1	1	87.75	64	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	44.3125	2004
29.01.2020 12:37:10	1	1	1	1	87.75	64.25	0	28815.166	496.7741935	14314.67942	30000	0	0	30000	44.5625	2004
29.01.2020 12:37:11	1	1	1	1	87.75	64.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.625	2004
29.01.2020 12:37:12	1	1	1	1	87.75	64.5	0	26966.825	483.8709677	13048.40595	30000	0	0	30000	44.5625	2004
29.01.2020 12:37:13	1	1	1	1	87.75	64.5	0	28483.412	481.7204301	13698.25782	30000	0	0	30000	44.5	2004
29.01.2020 12:37:14	1	1	1	1	87.75	64.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	44.4375	2004
29.01.2020 12:37:15	1	1	1	1	87.75	64.25	0	29052.133	464.516129	13557.19838	30000	0	0	30000	43.8125	2004
29.01.2020 12:37:16	1	1	1	1	87.75	63.75	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	44.5625	2004
29.01.2020 12:37:17	1	1	1	1	87.75	64.5	0	24739.336	432.2580645	10766.99372	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:18	1	1	1	1	87.75	64.5	0	29715.64	496.7741935	14633.49007	30000	0	0	30000	44.3125	2004
29.01.2020 12:37:19	1	1	1	1	87.75	64.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.0625	2004
29.01.2020 12:37:20	1	1	1	1	87.75	64	0	30000	533.3333333	16039.19224	30000	0	0	30000	44.625	2004
29.01.2020 12:37:21	1	1	1	1	87.75	64.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	44.4375	2004
29.01.2020 12:37:22	1	1	1	1	87.75	64.25	0	29336.493	494.6236559	14274.72617	30000	0	0	30000	44.4375	2004
29.01.2020 12:37:23	1	1	1	1	86.25	64.25	0	29810.427	518.2795699	15538.55353	30000	0	0	30000	44.125	2004
29.01.2020 12:37:24	1	1	1	1	86.25	64	0	29715.64	516.1290323	15400.75558	30000	0	0	30000	44.1875	2004
29.01.2020 12:37:25	1	1	1	1	86.25	64	0	29336.493	466.6666667	13816.48683	30000	0	0	30000	44.125	2004
29.01.2020 12:37:26	1	1	1	1	86.25	64	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.5	2004
29.01.2020 12:37:27	1	1	1	1	86.25	64.5	0	29952.607	522.5806452	15498.60028	30000	0	0	30000	43.875	2004
29.01.2020 12:37:28	1	1	1	1	86.25	63.75	0	26113.744	483.8709677	12635.01209	30000	0	0	30000	44.1875	2004
29.01.2020 12:37:29	1	1	1	1	86.25	64	0	27298.578	496.7741935	13584.10567	30000	0	0	30000	44.3125	2004
29.01.2020 12:37:30	1	1	1	1	86.25	64.25	0	29099.526	533.3333333	15607.04482	30000	0	0	30000	44.25	2004
29.01.2020 12:37:31	1	1	1	1	86.25	64.25	0	29715.64	505.3763441	14737.85774	30000	0	0	30000	44.75	2004
29.01.2020 12:37:32	1	1	1	1	86.25	64.75	0	29905.213	509.6774194	15241.75794	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:33	1	1	1	1	87.5	64.5	0	29905.213	503.2258065	15112.92909	30000	0	0	30000	44.625	2004
29.01.2020 12:37:34	1	1	1	1	87.5	64.5	0	29905.213	503.2258065	14984.10024	30000	0	0	30000	43.875	2004
29.01.2020 12:37:36	1	1	1	1	87.5	63.75	0	29715.64	516.1290323	15337.15652	30000	0	0	30000	44.625	2004
29.01.2020 12:37:37	1	1	1	1	87.5	64.5	0	29952.607	516.1290323	15523.87682	30000	0	0	30000	44.5625	2004
29.01.2020 12:37:44	1	1	1	1	87.75	64.5	0	28815.166	483.8709677	14004.83788	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:44	1	1	1	1	87.75	64.5	0	28815.166	483.8709677	14004.83788	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:44	1	1	1	1	87.75	64.5	0	28815.166	483.8709677	14004.83788	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:44	1	1	1	1	87.75	64.5	0	28815.166	483.8709677	14004.83788	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:44	1	1	1	1	87.75	64.5	0	28815.166	483.8709677	14004.83788	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:44	1	1	1	1	87.75	64.5	0	28815.166	483.8709677	14004.83788	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:44	1	1	1	1	87.75	64.5	0	28815.166	483.8709677	14004.83788	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:44	1	1	1	1	87.75	64.5	0	28815.166	483.8709677	14004.83788	30000	0	0	30000	44.6875	2004
29.01.2020 12:37:45	1	1	1	1	87.75	64.5	0	29620.853	466.6666667	13737.3957	30000	0	0	30000	44.5625	2004
29.01.2020 12:37:46	1	1	1	1	87.75	64.5	0	26113.744	468.8172043	12579.56677	30000	0	0	30000	44.5	2004
29.01.2020 12:37:47	1	1	1	1	87.75	64.5	0	29905.213	522.5806452	15691.84356	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:37:48	1	1	1	1	87.75	64.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.375	2004
29.01.2020 12:37:49	1	1	1	1	87.75	64.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44.375	2004
29.01.2020 12:37:50	1	1	1	1	87.75	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.25	2004
29.01.2020 12:37:51	1	1	1	1	87.75	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.4375	2004
29.01.2020 12:37:52	1	1	1	1	87.75	64.25	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.625	2004
29.01.2020 12:37:53	1	1	1	1	89.25	64.5	0	29478.673	483.8709677	14286.14139	30000	0	0	30000	44.5625	2004
29.01.2020 12:37:54	1	1	1	1	89.25	64.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.375	2004
29.01.2020 12:37:55	1	1	1	1	89.25	64.25	0	29857.82	516.1290323	15410.54005	30000	0	0	30000	44.5	2004
29.01.2020 12:37:56	1	1	1	1	89.25	64.5	0	28436.019	509.6774194	14493.246	30000	0	0	30000	44.625	2004
29.01.2020 12:37:57	1	1	1	1	89.25	64.5	0	29905.213	498.9247312	15048.51466	30000	0	0	30000	44.5625	2004
29.01.2020 12:37:58	1	1	1	1	89.25	64.5	0	29336.493	507.5268817	14951.48534	30000	0	0	30000	44.75	2004
29.01.2020 12:37:59	1	1	1	1	89.25	64.75	0	29857.82	496.7741935	14856.08676	30000	0	0	30000	44.375	2004
29.01.2020 12:38:00	1	1	1	1	89.25	64.25	0	25924.171	481.7204301	12488.24505	30000	0	0	30000	44	2004
29.01.2020 12:38:01	1	1	1	1	89.25	64	0	27630.332	464.516129	12834.77835	30000	0	0	30000	44.5625	2004
29.01.2020 12:38:02	1	1	1	1	89.25	64.5	0	29905.213	507.5268817	15177.34352	30000	0	0	30000	44.6875	2004
29.01.2020 12:38:03	1	1	1	1	87.75	64.5	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.625	2004
29.01.2020 12:38:04	1	1	1	1	87.75	64.5	0	28625.592	481.7204301	13880.90126	30000	0	0	30000	44.375	2004
29.01.2020 12:38:05	1	1	1	1	87.75	64.25	0	29526.066	509.6774194	15048.51466	30000	0	0	30000	44.75	2004
29.01.2020 12:38:06	1	1	1	1	87.75	64.75	0	29905.213	524.7311828	16000.05436	30000	0	0	30000	44.5	2004
29.01.2020 12:38:07	1	1	1	1	87.75	64.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.5625	2004
29.01.2020 12:38:08	1	1	1	1	87.75	64.5	0	29241.706	481.7204301	14086.37513	30000	0	0	30000	43.9375	2004
29.01.2020 12:38:09	1	1	1	1	87.75	63.75	0	29810.427	490.3225806	14680.78167	30000	0	0	30000	44.1875	2004
29.01.2020 12:38:10	1	1	1	1	87.75	64	0	26540.284	486.0215054	12842.11671	30000	0	0	30000	44.625	2004
29.01.2020 12:38:11	1	1	1	1	87.75	64.5	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	44.625	2004
29.01.2020 12:38:12	1	1	1	1	87.75	64.5	0	28009.479	490.3225806	13672.98127	30000	0	0	30000	44.6875	2004
29.01.2020 12:38:13	1	1	1	1	87.5	64.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	44.375	2004
29.01.2020 12:38:14	1	1	1	1	87.5	64.25	0	29620.853	488.172043	14587.01383	30000	0	0	30000	44.4375	2004
29.01.2020 12:38:15	1	1	1	1	87.5	64.25	0	25118.483	466.6666667	11743.80996	30000	0	0	30000	44.5	2004
29.01.2020 12:38:17	1	1	1	1	87.5	64.5	0	27630.332	483.8709677	13368.84734	30000	0	0	30000	44.5625	2004
29.01.2020 12:38:18	1	1	1	1	87.5	64.5	0	29715.64	501.0752688	14761.50355	30000	0	0	30000	44.5625	2004
29.01.2020 12:38:19	1	1	1	1	87.5	64.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.6875	2004
29.01.2020 12:38:20	1	1	1	1	87.5	64.5	0	29952.607	520.4301075	15627.42913	30000	0	0	30000	44.125	2004
29.01.2020 12:38:21	1	1	1	1	87.5	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.8125	2004
29.01.2020 12:38:22	1	1	1	1	87.5	64	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.1875	2004
29.01.2020 12:38:23	1	1	1	1	87.5	64	0	29526.066	518.2795699	15390.97111	30000	0	0	30000	44.625	2004
29.01.2020 12:38:24	1	1	1	1	87.5	64.5	0	29620.853	526.8817204	15606.22945	30000	0	0	30000	44.375	2004
29.01.2020 12:38:25	1	1	1	1	87.5	64.25	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	44.1875	2004
29.01.2020 12:38:26	1	1	1	1	87.5	64	0	29573.46	494.6236559	14627.78246	30000	0	0	30000	44.625	2004
29.01.2020 12:38:27	1	1	1	1	87.5	64.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.625	2004
29.01.2020 12:38:28	1	1	1	1	87.5	64.5	0	29715.64	505.3763441	15017.53051	30000	0	0	30000	44.5	2004
29.01.2020 12:38:29	1	1	1	1	87.5	64.5	0	27440.758	481.7204301	13218.8188	30000	0	0	30000	44.625	2004
29.01.2020 12:38:30	1	1	1	1	87.5	64.5	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	44.4375	2004
29.01.2020 12:38:31	1	1	1	1	87.5	64.25	0	29810.427	481.7204301	14383.17071	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:38:32	1	1	1	1	87.5	64.25	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	44.5625	2004
29.01.2020 12:38:33	1	1	1	1	87	64.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.1875	2004
29.01.2020 12:38:34	1	1	1	1	87	64	0	29857.82	518.2795699	15627.42913	30000	0	0	30000	44.4375	2004
29.01.2020 12:38:35	1	1	1	1	87	64.25	0	27867.299	488.172043	13699.88857	30000	0	0	30000	44.625	2004
29.01.2020 12:38:36	1	1	1	1	87	64.5	0	29857.82	520.4301075	15474.1391	30000	0	0	30000	44.625	2004
29.01.2020 12:38:37	1	1	1	1	87	64.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.625	2004
29.01.2020 12:38:38	1	1	1	1	87	64.5	0	29952.607	533.3333333	15602.96796	30000	0	0	30000	44.5	2004
29.01.2020 12:38:45	1	1	1	1	87.25	64.5	0	29478.673	546.2365591	15975.59318	30000	0	0	30000	44.75	2004
29.01.2020 12:38:45	1	1	1	1	87.25	64.5	0	29478.673	546.2365591	15975.59318	30000	0	0	30000	44.75	2004
29.01.2020 12:38:45	1	1	1	1	87.25	64.5	0	29478.673	546.2365591	15975.59318	30000	0	0	30000	44.75	2004
29.01.2020 12:38:45	1	1	1	1	87.25	64.5	0	29478.673	546.2365591	15975.59318	30000	0	0	30000	44.75	2004
29.01.2020 12:38:45	1	1	1	1	87.25	64.5	0	29478.673	546.2365591	15975.59318	30000	0	0	30000	44.75	2004
29.01.2020 12:38:45	1	1	1	1	87.25	64.75	0	29620.853	539.7849462	16040.00761	30000	0	0	30000	44.3125	2004
29.01.2020 12:38:46	1	1	1	1	87.25	64.25	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	44.5625	2004
29.01.2020 12:38:47	1	1	1	1	87.25	64.5	0	29952.607	526.8817204	15756.25798	30000	0	0	30000	44.4375	2004
29.01.2020 12:38:48	1	1	1	1	87.25	64.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.3125	2004
29.01.2020 12:38:49	1	1	1	1	87.25	64.25	0	28957.346	486.0215054	14073.32917	30000	0	0	30000	44.6875	2004
29.01.2020 12:38:50	1	1	1	1	87.25	64.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.5	2004
29.01.2020 12:38:51	1	1	1	1	87.25	64.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	44.625	2004
29.01.2020 12:38:52	1	1	1	1	87.25	64.5	0	26540.284	488.172043	13070.421	30000	0	0	30000	44.125	2004
29.01.2020 12:38:53	1	1	1	1	88.75	64	0	29620.853	541.9354839	16141.92917	30000	0	0	30000	44.5625	2004
29.01.2020 12:38:54	1	1	1	1	88.75	64.5	0	28815.166	494.6236559	14190.7428	30000	0	0	30000	44.75	2004
29.01.2020 12:38:55	1	1	1	1	88.75	64.75	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	44.5	2004
29.01.2020 12:38:57	1	1	1	1	88.75	64.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44.5	2004
29.01.2020 12:38:58	1	1	1	1	88.75	64.5	0	29905.213	509.6774194	15241.75794	30000	0	0	30000	45	2004
29.01.2020 12:38:59	1	1	1	1	88.75	65	0	25450.237	453.7634409	11548.12057	30000	0	0	30000	44.3125	2004
29.01.2020 12:39:00	1	1	1	1	88.75	64.25	0	28578.199	516.1290323	14835.70244	30000	0	0	30000	44.5	2004
29.01.2020 12:39:01	1	1	1	1	88.75	64.5	0	29810.427	516.1290323	15627.42913	30000	0	0	30000	44.375	2004
29.01.2020 12:39:02	1	1	1	1	88.75	64.25	0	30000	533.3333333	15756.25798	30000	0	0	30000	44.625	2004
29.01.2020 12:39:03	1	1	1	1	88	64.75	0	29620.853	507.5268817	15288.23417	30000	0	0	30000	44.75	2004
29.01.2020 12:39:04	1	1	1	1	88	64.75	0	29620.853	507.5268817	15033.02259	30000	0	0	30000	44.625	2004
29.01.2020 12:39:05	1	1	1	1	88	64.5	0	26587.678	492.4731183	13093.25143	30000	0	0	30000	44.5	2004
29.01.2020 12:39:06	1	1	1	1	88	64.5	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	44.5625	2004
29.01.2020 12:39:07	1	1	1	1	88	64.5	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	44.625	2004
29.01.2020 12:39:08	1	1	1	1	88	64.5	0	29336.493	492.4731183	14510.36882	30000	0	0	30000	44.6875	2004
29.01.2020 12:39:09	1	1	1	1	88	64.5	0	29620.853	516.1290323	15184.68187	30000	0	0	30000	44.5625	2004
29.01.2020 12:39:10	1	1	1	1	88	64.5	0	26777.251	503.2258065	13556.38301	30000	0	0	30000	44.4375	2004
29.01.2020 12:39:11	1	1	1	1	88	64.25	0	29526.066	505.3763441	14794.11845	30000	0	0	30000	44.5	2004
29.01.2020 12:39:12	1	1	1	1	88	64.5	0	28815.166	488.172043	14066.80619	30000	0	0	30000	44.5	2004
29.01.2020 12:39:13	1	1	1	1	89	64.5	0	27914.692	486.0215054	13650.15084	30000	0	0	30000	44.625	2004
29.01.2020 12:39:14	1	1	1	1	89	64.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	44.5	2004
29.01.2020 12:39:15	1	1	1	1	89	64.5	0	29715.64	516.1290323	15449.67793	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:39:16	1	1	1	1	89	64.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	44.625	2004
29.01.2020 12:39:17	1	1	1	1	89	64.5	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	44.375	2004
29.01.2020 12:39:18	1	1	1	1	89	64.25	0	29383.886	483.8709677	14344.03283	30000	0	0	30000	44.625	2004
29.01.2020 12:39:19	1	1	1	1	89	64.5	0	29810.427	509.6774194	15193.65097	30000	0	0	30000	44.375	2004
29.01.2020 12:39:20	1	1	1	1	89	64.25	0	29715.64	531.1827957	15720.38159	30000	0	0	30000	44.1875	2004
29.01.2020 12:39:21	1	1	1	1	89	64	0	29668.246	481.7204301	14314.67942	30000	0	0	30000	44.25	2004
29.01.2020 12:39:22	1	1	1	1	89	64.25	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.6875	2004
29.01.2020 12:39:23	1	1	1	1	88	64.5	0	25450.237	481.7204301	12314.57071	30000	0	0	30000	44.625	2004
29.01.2020 12:39:24	1	1	1	1	88	64.5	0	29336.493	554.8387097	16150.89827	30000	0	0	30000	44.125	2004
29.01.2020 12:39:25	1	1	1	1	88	64	0	29810.427	520.4301075	15602.96796	30000	0	0	30000	44.125	2004
29.01.2020 12:39:26	1	1	1	1	88	64	0	27440.758	516.1290323	14163.02014	30000	0	0	30000	44.3125	2004
29.01.2020 12:39:27	1	1	1	1	88	64.25	0	29146.919	464.516129	13539.26019	30000	0	0	30000	44.3125	2004
29.01.2020 12:39:28	1	1	1	1	88	64.25	0	29668.246	526.8817204	15655.96717	30000	0	0	30000	44.8125	2004
29.01.2020 12:39:29	1	1	1	1	88	64.75	0	29857.82	533.3333333	15898.94817	30000	0	0	30000	44.5625	2004
29.01.2020 12:39:30	1	1	1	1	88	64.5	0	0	0	0	30000	0	8	30000	45	2004
29.01.2020 12:39:31	1	1	1	1	88	65	0	10426.54	0	0	30000	0	0	30000	44.875	2004
29.01.2020 12:39:32	1	1	1	1	88	64.75	0	11137.441	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:39:33	1	1	1	1	89	64.75	0	10947.867	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:39:35	1	1	1	1	89	64.75	0	12843.602	4.301075269	54.62995679	30000	0	0	30000	44.6875	2004
29.01.2020 12:39:36	1	1	1	1	89	64.5	0	13601.896	10.75268817	145.9516756	30000	0	0	30000	44.75	2004
29.01.2020 12:39:37	1	1	1	1	89	64.75	0	14407.583	15.05376344	216.8890822	30000	0	0	30000	44.8125	2004
29.01.2020 12:39:38	1	1	1	1	89	64.75	0	14644.55	19.35483871	282.9342538	30000	0	0	30000	45.0625	2004
29.01.2020 12:39:39	1	1	1	1	89	65	0	15876.777	27.95698925	443.5626342	30000	0	0	30000	45	2004
29.01.2020 12:39:40	1	1	1	1	89	65	0	16492.891	40.86021505	671.8669312	30000	0	0	30000	45.25	2004
29.01.2020 12:39:47	1	1	1	1	88.5	64.75	0	20995.261	107.5268817	2302.61191	30000	0	0	30000	44.5625	2004
29.01.2020 12:39:47	1	1	1	1	88.5	64.75	0	20995.261	107.5268817	2302.61191	30000	0	0	30000	44.5625	2004
29.01.2020 12:39:47	1	1	1	1	88.5	64.75	0	20995.261	107.5268817	2302.61191	30000	0	0	30000	44.5625	2004
29.01.2020 12:39:47	1	1	1	1	88.5	64.75	0	20995.261	107.5268817	2302.61191	30000	0	0	30000	44.5625	2004
29.01.2020 12:39:47	1	1	1	1	88.5	64.75	0	20995.261	107.5268817	2302.61191	30000	0	0	30000	44.5625	2004
29.01.2020 12:39:47	1	1	1	1	88.5	64.5	0	21563.981	137.6344086	2967.955861	30000	0	0	30000	44.625	2004
29.01.2020 12:39:48	1	1	1	1	88.5	64.5	0	21232.227	124.7311828	2739.651564	30000	0	0	30000	44.875	2004
29.01.2020 12:39:49	1	1	1	1	88.5	64.75	0	20900.474	120.4301075	2511.347267	30000	0	0	30000	44.75	2004
29.01.2020 12:39:50	1	1	1	1	88.5	64.75	0	21706.161	122.5806452	2660.560433	30000	0	0	30000	44.625	2004
29.01.2020 12:39:51	1	1	1	1	88.5	64.5	0	20853.081	137.6344086	2863.588183	30000	0	0	30000	44.6875	2004
29.01.2020 12:39:52	1	1	1	1	88.5	64.5	0	23933.649	152.688172	3653.684125	30000	0	0	30000	44.75	2004
29.01.2020 12:39:53	1	1	1	1	88.25	64.75	0	0	0	0	30000	0	8	30000	44.625	2004
29.01.2020 12:39:54	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	8	30000	44.75	2004
29.01.2020 12:39:55	1	1	1	1	88.25	64.75	0	10616.114	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:39:56	1	1	1	1	88.25	64.5	0	11374.408	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:39:57	1	1	1	1	88.25	64.75	0	11421.801	0	0	30000	0	0	30000	44.6875	2004
29.01.2020 12:39:58	1	1	1	1	88.25	64.5	0	12938.389	4.301075269	27.72266464	30000	0	0	30000	44.75	2004
29.01.2020 12:39:59	1	1	1	1	88.25	64.75	0	13696.682	6.451612903	118.229011	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:40:00	1	1	1	1	88.25	64.75	0	13791.469	12.90322581	177.7512027	30000	0	0	30000	44.75	2004
29.01.2020 12:40:01	1	1	1	1	88.25	64.75	0	15308.057	23.65591398	394.6402848	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:02	1	1	1	1	88.25	64.5	0	15876.777	32.25806452	587.0681923	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:03	1	1	1	1	89	64.5	0	14644.55	30.10752688	440.3011442	30000	0	0	30000	44.75	2004
29.01.2020 12:40:04	1	1	1	1	89	64.75	0	17582.938	58.06451613	1020.846357	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:05	1	1	1	1	89	64.5	0	17867.299	60.21505376	1075.476313	30000	0	0	30000	44.625	2004
29.01.2020 12:40:06	1	1	1	1	89	64.5	0	19052.133	75.2688172	1433.424836	30000	0	0	30000	44.75	2004
29.01.2020 12:40:07	1	1	1	1	89	64.75	0	19857.82	88.17204301	1750.604735	30000	0	0	30000	44.625	2004
29.01.2020 12:40:08	1	1	1	1	89	64.5	0	20379.147	94.62365591	1879.433588	30000	0	0	30000	44.75	2004
29.01.2020 12:40:09	1	1	1	1	89	64.75	0	20853.081	111.827957	2381.703041	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:10	1	1	1	1	89	64.5	0	20853.081	113.9784946	2381.703041	30000	0	0	30000	44.3125	2004
29.01.2020 12:40:11	1	1	1	1	89	64.25	0	21374.408	129.0322581	2954.909901	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:13	1	1	1	1	89	64.5	0	21943.128	144.0860215	3331.611991	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:14	1	1	1	1	89.25	64.5	0	19336.493	122.5806452	2363.764847	30000	0	0	30000	44.625	2004
29.01.2020 12:40:15	1	1	1	1	89.25	64.5	0	23744.076	156.9892473	3610.469383	30000	0	0	30000	44.75	2004
29.01.2020 12:40:16	1	1	1	1	89.25	64.75	0	22985.782	161.2903226	3706.683337	30000	0	0	30000	44.875	2004
29.01.2020 12:40:17	1	1	1	1	89.25	64.75	0	21895.735	161.2903226	3586.008208	30000	0	0	30000	45.1875	2004
29.01.2020 12:40:18	1	1	1	1	89.25	65	0	26303.318	206.4516129	5147.446525	30000	0	0	30000	44.875	2004
29.01.2020 12:40:19	1	1	1	1	89.25	64.75	0	24218.009	191.3978495	4999.864105	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:20	1	1	1	1	89.25	64.5	0	27109.005	232.2580645	6226.999701	30000	0	0	30000	44.75	2004
29.01.2020 12:40:21	1	1	1	1	89.25	64.75	0	22890.995	206.4516129	4725.898948	30000	0	0	30000	44.8125	2004
29.01.2020 12:40:22	1	1	1	1	89.25	64.75	0	27345.972	240.8602151	6527.056777	30000	0	0	30000	44.8125	2004
29.01.2020 12:40:23	1	1	1	1	88.75	64.75	0	22796.209	230.1075269	5245.291224	30000	0	0	30000	44.625	2004
29.01.2020 12:40:24	1	1	1	1	88.75	64.5	0	26255.924	255.9139785	6718.669312	30000	0	0	30000	44.625	2004
29.01.2020 12:40:25	1	1	1	1	88.75	64.5	0	27109.005	251.6129032	6820.590873	30000	0	0	30000	44.625	2004
29.01.2020 12:40:26	1	1	1	1	88.75	64.5	0	26018.957	243.0107527	6266.952953	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:27	1	1	1	1	88.75	64.5	0	24691.943	232.2580645	5787.513929	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:28	1	1	1	1	88.75	64.5	0	27819.905	270.9677419	7477.7811	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:29	1	1	1	1	88.75	64.5	0	26066.351	243.0107527	6345.228712	30000	0	0	30000	44.5625	2004
29.01.2020 12:40:30	1	1	1	1	88.75	64.5	0	26682.464	243.0107527	6598.809556	30000	0	0	30000	44.3125	2004
29.01.2020 12:40:31	1	1	1	1	88.75	64.25	0	27109.005	268.8172043	7158.155084	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:32	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	8	30000	44.75	2004
29.01.2020 12:40:33	1	1	1	1	87.75	64.75	0	9431.2796	0	0	30000	0	0	30000	44.875	2004
29.01.2020 12:40:34	1	1	1	1	87.75	64.75	0	10947.867	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:40:35	1	1	1	1	87.75	64.75	0	11279.621	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:40:36	1	1	1	1	87.75	64.5	0	12464.455	2.150537634	0	30000	0	0	30000	44.8125	2004
29.01.2020 12:40:37	1	1	1	1	87.75	64.75	0	12701.422	2.150537634	26.90729215	30000	0	0	30000	44.625	2004
29.01.2020 12:40:38	1	1	1	1	87.75	64.5	0	13791.469	6.451612903	118.229011	30000	0	0	30000	44.8125	2004
29.01.2020 12:40:39	1	1	1	1	87.75	64.75	0	14786.73	15.05376344	222.5966896	30000	0	0	30000	44.75	2004
29.01.2020 12:40:40	1	1	1	1	87.75	64.75	0	15497.63	23.65591398	366.1022477	30000	0	0	30000	44.8125	2004
29.01.2020 12:40:41	1	1	1	1	87.75	64.75	0	16208.531	25.80645161	452.5317316	30000	0	0	30000	44.625	2004
29.01.2020 12:40:48	1	1	1	1	88.75	64.75	0	19241.706	88.17204301	1695.974778	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:48	1	1	1	1	88.75	64.75	0	19241.706	88.17204301	1695.974778	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:40:48	1	1	1	1	88.75	64.75	0	19241.706	88.17204301	1695.974778	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:48	1	1	1	1	88.75	64.75	0	19241.706	88.17204301	1695.974778	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:48	1	1	1	1	88.75	64.75	0	19241.706	88.17204301	1695.974778	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:48	1	1	1	1	88.75	64.75	0	19241.706	88.17204301	1695.974778	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:48	1	1	1	1	88.75	64.5	0	20900.474	113.9784946	2381.703041	30000	0	0	30000	44.75	2004
29.01.2020 12:40:49	1	1	1	1	88.75	64.75	0	22227.488	137.6344086	3046.23162	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:50	1	1	1	1	88.75	64.5	0	22511.848	137.6344086	3098.415459	30000	0	0	30000	44.8125	2004
29.01.2020 12:40:51	1	1	1	1	88.75	64.75	0	19383.886	116.1290323	2256.135678	30000	0	0	30000	44.625	2004
29.01.2020 12:40:53	1	1	1	1	88.75	64.5	0	23507.109	144.0860215	3387.057321	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:54	1	1	1	1	89	64.5	0	22559.242	144.0860215	3375.642106	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:55	1	1	1	1	89	64.5	0	21042.654	129.0322581	2715.190389	30000	0	0	30000	44.75	2004
29.01.2020 12:40:56	1	1	1	1	89	64.75	0	23601.896	148.3870968	3494.686489	30000	0	0	30000	44.6875	2004
29.01.2020 12:40:57	1	1	1	1	89	64.5	0	23222.749	152.688172	3537.901231	30000	0	0	30000	44.625	2004
29.01.2020 12:40:58	1	1	1	1	89	64.5	0	23601.896	152.688172	3814.312505	30000	0	0	30000	44.875	2004
29.01.2020 12:40:59	1	1	1	1	89	64.5	0	24028.436	195.6989247	4641.100209	30000	0	0	30000	44.75	2004
29.01.2020 12:41:00	1	1	1	1	89	64.75	0	24028.436	206.4516129	4960.726225	30000	0	0	30000	44.5625	2004
29.01.2020 12:41:01	1	1	1	1	89	64.5	0	24123.223	206.4516129	4990.079635	30000	0	0	30000	44.6875	2004
29.01.2020 12:41:02	1	1	1	1	89	64.5	0	25734.597	230.1075269	6010.110619	30000	0	0	30000	44.5625	2004
29.01.2020 12:41:03	1	1	1	1	88.5	64.5	0	26113.744	236.5591398	6121.001277	30000	0	0	30000	44.75	2004
29.01.2020 12:41:04	1	1	1	1	88.5	64.75	0	23270.142	210.7526882	4893.865681	30000	0	0	30000	44.6875	2004
29.01.2020 12:41:05	1	1	1	1	88.5	64.5	0	22748.815	227.9569892	5234.691382	30000	0	0	30000	44.625	2004
29.01.2020 12:41:06	1	1	1	1	88.5	64.5	0	25071.09	253.7634409	6385.997336	30000	0	0	30000	44.75	2004
29.01.2020 12:41:07	1	1	1	1	88.5	64.75	0	21943.128	243.0107527	5331.720708	30000	0	0	30000	44.625	2004
29.01.2020 12:41:08	1	1	1	1	88.5	64.5	0	27156.398	279.5698925	7573.179681	30000	0	0	30000	44.75	2004
29.01.2020 12:41:09	1	1	1	1	88.5	64.75	0	28199.052	329.0322581	9278.123556	30000	0	0	30000	44.4375	2004
29.01.2020 12:41:10	1	1	1	1	88.5	64.25	0	27819.905	316.1290323	8734.270106	30000	0	0	30000	44.4375	2004
29.01.2020 12:41:11	1	1	1	1	88.5	64.25	0	27582.938	301.0752688	8349.414291	30000	0	0	30000	44.5625	2004
29.01.2020 12:41:12	1	1	1	1	88.5	64.5	0	23838.863	262.3655914	6253.906993	30000	0	0	30000	44.6875	2004
29.01.2020 12:41:13	1	1	1	1	87.5	64.5	0	28199.052	341.9354839	9795.885087	30000	0	0	30000	44.625	2004
29.01.2020 12:41:14	1	1	1	1	87.5	64.5	0	27156.398	309.6774194	8453.781969	30000	0	0	30000	44.25	2004
29.01.2020 12:41:15	1	1	1	1	87.5	64.25	0	26540.284	331.1827957	8862.283587	30000	0	0	30000	44.6875	2004
29.01.2020 12:41:16	1	1	1	1	87.5	64.5	0	26018.957	301.0752688	7804.745468	30000	0	0	30000	44.625	2004
29.01.2020 12:41:17	1	1	1	1	87.5	64.5	0	27582.938	309.6774194	8541.842198	30000	0	0	30000	44.75	2004
29.01.2020 12:41:18	1	1	1	1	87.5	64.75	0	27914.692	326.8817204	9124.833528	30000	0	0	30000	44.6875	2004
29.01.2020 12:41:19	1	1	1	1	87.5	64.5	0	28483.412	359.1397849	10228.84788	30000	0	0	30000	44.625	2004
29.01.2020 12:41:20	1	1	1	1	87.5	64.5	0	29146.919	337.6344086	9903.514255	30000	0	0	30000	44.5625	2004
29.01.2020 12:41:21	1	1	1	1	87.5	64.5	0	28293.839	352.688172	9978.528524	30000	0	0	30000	44.625	2004
29.01.2020 12:41:22	1	1	1	1	87.5	64.5	0	28009.479	346.2365591	9697.225016	30000	0	0	30000	44.625	2004
29.01.2020 12:41:23	1	1	1	1	87.75	64.5	0	27725.118	369.8924731	10290.00082	30000	0	0	30000	44.5	2004
29.01.2020 12:41:24	1	1	1	1	87.75	64.5	0	26777.251	348.3870968	9295.246378	30000	0	0	30000	44.4375	2004
29.01.2020 12:41:25	1	1	1	1	87.75	64.25	0	27582.938	354.8387097	9786.915989	30000	0	0	30000	44.625	2004
29.01.2020 12:41:26	1	1	1	1	87.75	64.5	0	27345.972	369.8924731	10114.69573	30000	0	0	30000	44.75	2004
29.01.2020 12:41:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:41:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:41:30	1	0	1	1	85.5	20	0	0	0	0	30000	0	0	0	0	2004
29.01.2020 12:41:31	1	1	1	1	85.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 12:41:32	1	1	1	1	85.5	62	0	0	0	0	30000	0	0	30000	44.9375	2004
29.01.2020 12:41:33	1	1	1	1	85.5	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
29.01.2020 12:41:34	1	1	1	1	85.5	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
29.01.2020 12:41:35	1	1	1	1	85.5	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:41:36	1	1	1	1	85.5	64.75	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 12:41:37	1	1	1	1	85.5	62	0	0	0	0	30000	0	0	30000	44.9375	2004
29.01.2020 12:41:38	1	1	1	1	85.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
29.01.2020 12:41:39	1	1	1	1	85.5	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:41:40	1	1	1	1	88.75	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
29.01.2020 12:41:41	1	1	1	1	88.75	64.75	0	10710.9	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:41:42	1	1	1	1	88.75	64.5	0	10853.081	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:41:43	1	1	1	1	88.75	64.5	0	12180.095	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:41:50	1	1	1	1	88.75	64.5	0	16824.645	34.40860215	578.9144674	30000	0	0	30000	44.625	2004
29.01.2020 12:41:50	1	1	1	1	88.75	64.5	0	16824.645	34.40860215	578.9144674	30000	0	0	30000	44.625	2004
29.01.2020 12:41:50	1	1	1	1	88.75	64.5	0	16824.645	34.40860215	578.9144674	30000	0	0	30000	44.625	2004
29.01.2020 12:41:50	1	1	1	1	88.75	64.5	0	16824.645	34.40860215	578.9144674	30000	0	0	30000	44.625	2004
29.01.2020 12:41:50	1	1	1	1	88.75	64.5	0	16824.645	34.40860215	578.9144674	30000	0	0	30000	44.625	2004
29.01.2020 12:41:50	1	1	1	1	88.75	64.5	0	16824.645	34.40860215	578.9144674	30000	0	0	30000	44.625	2004
29.01.2020 12:41:50	1	1	1	1	87.75	64.5	0	15497.63	30.10752688	499.823336	30000	0	0	30000	44.625	2004
29.01.2020 12:41:51	1	1	1	1	87.75	64.5	0	18293.839	51.61290323	944.2013426	30000	0	0	30000	44.6875	2004
29.01.2020 12:41:52	1	1	1	1	87.75	64.5	0	19194.313	66.66666667	1279.319436	30000	0	0	30000	44.625	2004
29.01.2020 12:41:53	1	1	1	1	87.75	64.5	0	19668.246	73.11827957	1437.501699	30000	0	0	30000	44.625	2004
29.01.2020 12:41:54	1	1	1	1	87.75	64.5	0	20758.294	90.32258065	1829.695866	30000	0	0	30000	44.625	2004
29.01.2020 12:41:55	1	1	1	1	87.75	64.5	0	20995.261	103.2258065	2167.260077	30000	0	0	30000	44.6875	2004
29.01.2020 12:41:56	1	1	1	1	87.75	64.5	0	21232.227	109.6774194	2424.917783	30000	0	0	30000	44.6875	2004
29.01.2020 12:41:57	1	1	1	1	87.75	64.5	0	22322.275	124.7311828	2729.867094	30000	0	0	30000	44.75	2004
29.01.2020 12:41:58	1	1	1	1	87.75	64.75	0	23791.469	150.5376344	3581.115973	30000	0	0	30000	43.9375	2004
29.01.2020 12:41:59	1	1	1	1	87.75	63.75	0	24218.009	193.5483871	4686.761069	30000	0	0	30000	44.5625	2004
29.01.2020 12:42:00	1	1	1	1	88.25	64.5	0	25402.844	221.5053763	5616.285707	30000	0	0	30000	44.8125	2004
29.01.2020 12:42:01	1	1	1	1	88.25	64.75	0	26208.531	243.0107527	6345.228712	30000	0	0	30000	44.75	2004
29.01.2020 12:42:02	1	1	1	1	88.25	64.75	0	26872.038	262.3655914	7049.710543	30000	0	0	30000	44.9375	2004
29.01.2020 12:42:03	1	1	1	1	88.25	64.75	0	27630.332	333.3333333	9209.632267	30000	0	0	30000	44.625	2004
29.01.2020 12:42:04	1	1	1	1	88.25	64.5	0	28436.019	365.5913978	10457.15218	30000	0	0	30000	44.75	2004
29.01.2020 12:42:05	1	1	1	1	88.25	64.75	0	29146.919	423.655914	12410.78466	30000	0	0	30000	44.5	2004
29.01.2020 12:42:06	1	1	1	1	88.25	64.5	0	29052.133	481.7204301	14017.88384	30000	0	0	30000	44.3125	2004
29.01.2020 12:42:07	1	1	1	1	88.25	64.25	0	26113.744	460.2150538	12185.74185	30000	0	0	30000	44.125	2004
29.01.2020 12:42:09	1	1	1	1	88.25	64	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.625	2004
29.01.2020 12:42:10	1	1	1	1	87.75	64.5	0	26113.744	481.7204301	12579.56677	30000	0	0	30000	44.625	2004
29.01.2020 12:42:11	1	1	1	1	87.75	64.5	0	26113.744	481.7204301	12579.56677	30000	0	0	30000	44.1875	2004
29.01.2020 12:42:12	1	1	1	1	87.75	64	0	29905.213	526.8817204	15805.99571	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:42:13	1	1	1	1	87.75	64.25	0	29526.066	494.6236559	14413.33949	30000	0	0	30000	44.625	2004
29.01.2020 12:42:14	1	1	1	1	87.75	64.5	0	28862.559	455.9139785	13451.19996	30000	0	0	30000	42.9375	2004
29.01.2020 12:42:15	1	1	1	1	87.75	62.75	0	29478.673	488.172043	14390.50906	30000	0	0	30000	44.6875	2004
29.01.2020 12:42:16	1	1	1	1	87.75	64.5	0	29857.82	505.3763441	15089.28329	30000	0	0	30000	44.4375	2004
29.01.2020 12:42:17	1	1	1	1	87.75	64.25	0	26919.431	464.516129	12409.96929	30000	0	0	30000	44.4375	2004
29.01.2020 12:42:18	1	1	1	1	87.75	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.625	2004
29.01.2020 12:42:19	1	1	1	1	87.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
29.01.2020 12:42:20	1	1	1	1	87	64.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.5625	2004
29.01.2020 12:42:21	1	1	1	1	87	64.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.125	2004
29.01.2020 12:42:22	1	1	1	1	87	64	0	30000	505.3763441	15072.97584	30000	0	0	30000	43.5	2004
29.01.2020 12:42:23	1	1	1	1	87	63.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.1875	2004
29.01.2020 12:42:24	1	1	1	1	87	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.3125	2004
29.01.2020 12:42:25	1	1	1	1	87	64.25	0	28293.839	464.516129	13142.98916	30000	0	0	30000	44.5	2004
29.01.2020 12:42:26	1	1	1	1	87	64.5	0	30000	483.8709677	14451.662	30000	0	0	30000	44.25	2004
29.01.2020 12:42:27	1	1	1	1	87	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
29.01.2020 12:42:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:42:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:42:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:42:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:42:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:42:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:42:34	1	1	1	1	88.5	65.25	0	0	0	0	30000	0	0	30000	44.9375	2004
29.01.2020 12:42:35	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:42:36	1	1	1	1	88.5	64.25	0	0	0	0	30000	0	0	30000	44.8125	2004
29.01.2020 12:42:37	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
29.01.2020 12:42:38	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
29.01.2020 12:42:39	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 12:42:40	1	1	1	1	88.5	62	0	0	0	0	30000	0	0	30000	44.8125	2004
29.01.2020 12:42:41	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:42:42	1	1	1	1	87.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
29.01.2020 12:42:43	1	1	1	1	87.75	64.75	0	10426.54	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:42:44	1	1	1	1	87.75	64.5	0	11421.801	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:42:52	1	1	1	1	87.75	64.5	0	15876.777	30.10752688	477.8082787	30000	0	0	30000	44.6875	2004
29.01.2020 12:42:52	1	1	1	1	87.75	64.5	0	15876.777	30.10752688	477.8082787	30000	0	0	30000	44.6875	2004
29.01.2020 12:42:52	1	1	1	1	87.75	64.5	0	15876.777	30.10752688	477.8082787	30000	0	0	30000	44.6875	2004
29.01.2020 12:42:52	1	1	1	1	87.75	64.5	0	15876.777	30.10752688	477.8082787	30000	0	0	30000	44.6875	2004
29.01.2020 12:42:52	1	1	1	1	87.75	64.5	0	15876.777	30.10752688	477.8082787	30000	0	0	30000	44.6875	2004
29.01.2020 12:42:52	1	1	1	1	87.75	64.5	0	15876.777	30.10752688	477.8082787	30000	0	0	30000	44.6875	2004
29.01.2020 12:42:52	1	1	1	1	87.75	64.5	0	16824.645	34.40860215	578.9144674	30000	0	0	30000	44.6875	2004
29.01.2020 12:42:53	1	1	1	1	87.25	64.5	0	17393.365	45.16129032	822.7108417	30000	0	0	30000	44.625	2004
29.01.2020 12:42:54	1	1	1	1	87.25	64.5	0	18151.659	60.21505376	1101.568233	30000	0	0	30000	44.625	2004
29.01.2020 12:42:55	1	1	1	1	87.25	64.5	0	19099.526	75.2688172	1437.501699	30000	0	0	30000	44.625	2004
29.01.2020 12:42:56	1	1	1	1	87.25	64.5	0	17393.365	66.66666667	1121.952545	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:42:57	1	1	1	1	87.25	64.5	0	20616.114	96.77419355	2128.122197	30000	0	0	30000	44.8125	2004
29.01.2020 12:42:58	1	1	1	1	87.25	64.75	0	21327.014	105.3763441	2247.166581	30000	0	0	30000	44.625	2004
29.01.2020 12:42:59	1	1	1	1	87.25	64.5	0	22132.701	122.5806452	2712.744272	30000	0	0	30000	44.6875	2004
29.01.2020 12:43:00	1	1	1	1	87.25	64.5	0	22985.782	141.9354839	3199.521648	30000	0	0	30000	44.4375	2004
29.01.2020 12:43:01	1	1	1	1	87.25	64.25	0	23744.076	152.688172	3625.146088	30000	0	0	30000	44.25	2004
29.01.2020 12:43:02	1	1	1	1	87.25	64.25	0	24407.583	195.6989247	5039.001984	30000	0	0	30000	44.625	2004
29.01.2020 12:43:03	1	1	1	1	88.5	64.5	0	24976.303	217.2043011	5424.673172	30000	0	0	30000	44.3125	2004
29.01.2020 12:43:04	1	1	1	1	88.5	64.25	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	44.6875	2004
29.01.2020 12:43:05	1	1	1	1	88.5	64.5	0	25876.777	232.2580645	6244.122523	30000	0	0	30000	44.4375	2004
29.01.2020 12:43:06	1	1	1	1	88.5	64.25	0	27582.938	326.8817204	9016.388987	30000	0	0	30000	44.5	2004
29.01.2020 12:43:07	1	1	1	1	88.5	64.5	0	28293.839	359.1397849	10161.17196	30000	0	0	30000	44.3125	2004
29.01.2020 12:43:08	1	1	1	1	88.5	64.25	0	29099.526	423.655914	12327.61667	30000	0	0	30000	44.625	2004
29.01.2020 12:43:09	1	1	1	1	88.5	64.5	0	29857.82	483.8709677	14469.6002	30000	0	0	30000	44.6875	2004
29.01.2020 12:43:10	1	1	1	1	88.5	64.5	0	27819.905	481.7204301	13401.46223	30000	0	0	30000	44.625	2004
29.01.2020 12:43:11	1	1	1	1	88.5	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.25	2004
29.01.2020 12:43:12	1	1	1	1	88.5	64.25	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	44.75	2004
29.01.2020 12:43:13	1	1	1	1	87	64.75	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.4375	2004
29.01.2020 12:43:14	1	1	1	1	87	64.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	44	2004
29.01.2020 12:43:15	1	1	1	1	87	64	0	29146.919	464.516129	13391.67776	30000	0	0	30000	44.125	2004
29.01.2020 12:43:16	1	1	1	1	87	64	0	28530.806	464.516129	13292.20232	30000	0	0	30000	44.625	2004
29.01.2020 12:43:17	1	1	1	1	87	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
29.01.2020 12:43:18	1	1	1	1	87	64	0	30000	455.9139785	13612.64371	30000	0	0	30000	44.3125	2004
29.01.2020 12:43:19	1	1	1	1	87	64.25	0	29952.607	451.6129032	13333.78632	30000	0	0	30000	44.625	2004
29.01.2020 12:43:20	1	1	1	1	87	64.5	0	27867.299	359.1397849	10144.86451	30000	0	0	30000	44.5	2004
29.01.2020 12:43:24	1	1	1	1	86.75	64.5	0	28957.346	378.4946237	10960.237	30000	0	0	30000	44.625	2004
29.01.2020 12:43:24	1	1	1	1	86.75	64.5	0	28957.346	378.4946237	10960.237	30000	0	0	30000	44.625	2004
29.01.2020 12:43:24	1	1	1	1	86.75	64.5	0	28957.346	378.4946237	10960.237	30000	0	0	30000	44.625	2004
29.01.2020 12:43:25	1	1	1	1	86.75	64.5	0	29715.64	354.8387097	10543.58166	30000	0	0	30000	44.375	2004
29.01.2020 12:43:26	1	1	1	1	86.75	64.25	0	26208.531	309.6774194	8145.571168	30000	0	0	30000	44.625	2004
29.01.2020 12:43:27	1	1	1	1	86.75	64.5	0	29952.607	326.8817204	9790.992852	30000	0	0	30000	44.5625	2004
29.01.2020 12:43:28	1	1	1	1	86.75	64.5	0	30000	369.8924731	10740.08643	30000	0	0	30000	44.625	2004
29.01.2020 12:43:29	1	1	1	1	86.75	64.5	0	25260.664	335.483871	8474.166282	30000	0	0	30000	44.5625	2004
29.01.2020 12:43:30	1	1	1	1	86.75	64.5	0	29715.64	378.4946237	11247.24812	30000	0	0	30000	44.3125	2004
29.01.2020 12:43:31	1	1	1	1	86.75	64.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.5	2004
29.01.2020 12:43:32	1	1	1	1	86.75	64.5	0	29905.213	387.0967742	11612.53499	30000	0	0	30000	44.3125	2004
29.01.2020 12:43:33	1	1	1	1	87.75	64.25	0	29905.213	350.5376344	10546.84315	30000	0	0	30000	44.75	2004
29.01.2020 12:43:34	1	1	1	1	87.75	64.75	0	30000	384.9462366	11676.94942	30000	0	0	30000	44.375	2004
29.01.2020 12:43:35	1	1	1	1	87.75	64.25	0	10284.36	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:43:36	1	1	1	1	87.75	64.5	0	10947.867	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:43:37	1	1	1	1	87.75	64.5	0	11563.981	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:43:38	1	1	1	1	87.75	64.5	0	12464.455	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:43:39	1	1	1	1	87.75	64.5	0	13127.962	4.301075269	27.72266464	30000	0	0	30000	44.625	2004
29.01.2020 12:43:40	1	1	1	1	87.75	64.5	0	14075.829	6.451612903	90.50634632	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:43:41	1	1	1	1	87.75	64.5	0	14928.91	12.90322581	224.2274346	30000	0	0	30000	44.5625	2004
29.01.2020 12:43:42	1	1	1	1	87.75	64.5	0	15639.81	19.35483871	301.6878211	30000	0	0	30000	44.625	2004
29.01.2020 12:43:43	1	1	1	1	87.5	64.5	0	10047.393	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:43:44	1	1	1	1	87.5	64.5	0	10853.081	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:43:45	1	1	1	1	87.5	64.5	0	11706.161	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:43:46	1	1	1	1	87.5	64.5	0	12464.455	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:43:53	1	1	1	1	87.5	65	0	17014.218	40.86021505	694.6973609	30000	0	0	30000	44.625	2004
29.01.2020 12:43:53	1	1	1	1	87.5	65	0	17014.218	40.86021505	694.6973609	30000	0	0	30000	44.625	2004
29.01.2020 12:43:53	1	1	1	1	87.5	65	0	17014.218	40.86021505	694.6973609	30000	0	0	30000	44.625	2004
29.01.2020 12:43:53	1	1	1	1	87.5	65	0	17014.218	40.86021505	694.6973609	30000	0	0	30000	44.625	2004
29.01.2020 12:43:53	1	1	1	1	87.5	65	0	17014.218	40.86021505	694.6973609	30000	0	0	30000	44.625	2004
29.01.2020 12:43:53	1	1	1	1	87.5	64.5	0	17725.118	51.61290323	917.2940505	30000	0	0	30000	45	2004
29.01.2020 12:43:54	1	1	1	1	87.5	65	0	18530.806	60.21505376	1075.476313	30000	0	0	30000	44.625	2004
29.01.2020 12:43:55	1	1	1	1	87.5	64.5	0	19241.706	66.66666667	1279.319436	30000	0	0	30000	44.6875	2004
29.01.2020 12:43:56	1	1	1	1	87.5	64.5	0	20047.393	88.17204301	1766.912184	30000	0	0	30000	44.625	2004
29.01.2020 12:43:57	1	1	1	1	87.5	64.5	0	20853.081	103.2258065	2018.046911	30000	0	0	30000	44.5	2004
29.01.2020 12:43:58	1	1	1	1	87.5	64.5	0	21563.981	116.1290323	2504.008915	30000	0	0	30000	44.5	2004
29.01.2020 12:43:59	1	1	1	1	87.5	64.5	0	22417.062	126.8817204	2892.12622	30000	0	0	30000	44.4375	2004
29.01.2020 12:44:00	1	1	1	1	87.5	64.25	0	23175.355	139.7849462	3239.4749	30000	0	0	30000	44.4375	2004
29.01.2020 12:44:01	1	1	1	1	87.5	64.25	0	22559.242	137.6344086	3131.030359	30000	0	0	30000	44.4375	2004
29.01.2020 12:44:02	1	1	1	1	86.75	64.25	0	24218.009	189.2473118	4583.208763	30000	0	0	30000	44.5625	2004
29.01.2020 12:44:04	1	1	1	1	86.75	64.5	0	25497.63	212.9032258	5373.304705	30000	0	0	30000	44.0625	2004
29.01.2020 12:44:05	1	1	1	1	86.75	64	0	21848.341	193.5483871	4274.997962	30000	0	0	30000	44.75	2004
29.01.2020 12:44:06	1	1	1	1	86.75	64.75	0	26492.891	217.2043011	5754.083657	30000	0	0	30000	44.5	2004
29.01.2020 12:44:07	1	1	1	1	86.75	64.5	0	27156.398	260.2150538	7066.017993	30000	0	0	30000	44.625	2004
29.01.2020 12:44:08	1	1	1	1	86.75	64.5	0	27156.398	290.3225806	7984.127416	30000	0	0	30000	44.6875	2004
29.01.2020 12:44:09	1	1	1	1	86.75	64.5	0	27630.332	318.2795699	8734.270106	30000	0	0	30000	44.75	2004
29.01.2020 12:44:10	1	1	1	1	86.75	64.75	0	27298.578	303.2258065	8395.07515	30000	0	0	30000	44.625	2004
29.01.2020 12:44:11	1	1	1	1	86.75	64.5	0	28009.479	341.9354839	9520.289185	30000	0	0	30000	44.6875	2004
29.01.2020 12:44:12	1	1	1	1	86.75	64.5	0	28199.052	335.483871	9459.951621	30000	0	0	30000	44.5	2004
29.01.2020 12:44:13	1	1	1	1	86.5	64.5	0	28388.626	331.1827957	9401.244802	30000	0	0	30000	44.4375	2004
29.01.2020 12:44:14	1	1	1	1	86.5	64.25	0	28578.199	313.9784946	8911.205936	30000	0	0	30000	44.5625	2004
29.01.2020 12:44:15	1	1	1	1	86.5	64.5	0	28625.592	341.9354839	9976.897779	30000	0	0	30000	44.625	2004
29.01.2020 12:44:16	1	1	1	1	86.5	64.5	0	28862.559	348.3870968	10087.78844	30000	0	0	30000	44.375	2004
29.01.2020 12:44:17	1	1	1	1	86.5	64.25	0	29099.526	363.4408602	10718.07137	30000	0	0	30000	44.625	2004
29.01.2020 12:44:18	1	1	1	1	86.5	64.5	0	28436.019	372.0430108	10543.58166	30000	0	0	30000	44.375	2004
29.01.2020 12:44:19	1	1	1	1	86.5	64.25	0	29146.919	352.688172	10467.75202	30000	0	0	30000	44.5625	2004
29.01.2020 12:44:20	1	1	1	1	86.5	64.5	0	29620.853	397.8494624	11784.57859	30000	0	0	30000	44.625	2004
29.01.2020 12:44:21	1	1	1	1	86.5	64.5	0	29857.82	438.7096774	13119.34335	30000	0	0	30000	44.5625	2004
29.01.2020 12:44:22	1	1	1	1	86.5	64.5	0	30000	419.3548387	12540.42889	30000	0	0	30000	44.4375	2004
29.01.2020 12:44:23	1	1	1	1	86.25	64.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.4375	2004
29.01.2020 12:44:24	1	1	1	1	86.25	64.25	0	30000	494.6236559	14644.90528	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:44:25	1	1	1	1	86.25	64	0	30000	468.8172043	14497.32286	30000	0	0	30000	43.625	2004
29.01.2020 12:44:26	1	1	1	1	86.25	63.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	43.9375	2004
29.01.2020 12:44:27	1	1	1	1	86.25	63.75	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	44.625	2004
29.01.2020 12:44:28	1	1	1	1	86.25	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.125	2004
29.01.2020 12:44:29	1	1	1	1	86.25	64	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.375	2004
29.01.2020 12:44:30	1	1	1	1	86.25	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.25	2004
29.01.2020 12:44:31	1	1	1	1	86.25	64.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	44.375	2004
29.01.2020 12:44:32	1	1	1	1	86.25	64.25	0	29573.46	481.7204301	14459.81573	30000	0	0	30000	44.5625	2004
29.01.2020 12:44:33	1	1	1	1	86	64.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.5	2004
29.01.2020 12:44:34	1	1	1	1	86	64.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.125	2004
29.01.2020 12:44:35	1	1	1	1	86	64	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.5	2004
29.01.2020 12:44:36	1	1	1	1	86	64.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.5	2004
29.01.2020 12:44:37	1	1	1	1	86	64.5	0	30000	464.516129	13935.53122	30000	0	0	30000	44.25	2004
29.01.2020 12:44:38	1	1	1	1	86	64.25	0	30000	494.6236559	15032.20721	30000	0	0	30000	44.5	2004
29.01.2020 12:44:39	1	1	1	1	86	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	43.9375	2004
29.01.2020 12:44:41	1	1	1	1	86	63.75	0	29952.607	481.7204301	13999.94564	30000	0	0	30000	44.5	2004
29.01.2020 12:44:42	1	1	1	1	86	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
29.01.2020 12:44:43	1	1	1	1	86	64.25	0	29620.853	481.7204301	14314.67942	30000	0	0	30000	44.4375	2004
29.01.2020 12:44:44	1	1	1	1	86	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
29.01.2020 12:44:45	1	1	1	1	86	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.25	2004
29.01.2020 12:44:46	1	1	1	1	86	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.5625	2004
29.01.2020 12:44:47	1	1	1	1	86	64.5	0	29905.213	492.4731183	14791.67233	30000	0	0	30000	44.625	2004
29.01.2020 12:44:48	1	1	1	1	86	64.5	0	29952.607	494.6236559	14598.42905	30000	0	0	30000	44.625	2004
29.01.2020 12:44:55	1	1	1	1	85.75	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:44:55	1	1	1	1	85.75	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:44:55	1	1	1	1	85.75	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:44:55	1	1	1	1	85.75	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:44:55	1	1	1	1	85.75	64	0	28957.346	468.8172043	13949.39255	30000	0	0	30000	44.5625	2004
29.01.2020 12:44:56	1	1	1	1	85.75	64.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.6875	2004
29.01.2020 12:44:57	1	1	1	1	85.75	63.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.3125	2004
29.01.2020 12:44:58	1	1	1	1	85.75	64.25	0	29431.28	464.516129	13671.35053	30000	0	0	30000	44.1875	2004
29.01.2020 12:44:59	1	1	1	1	85.75	64	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.375	2004
29.01.2020 12:45:00	1	1	1	1	85.75	64.25	0	26066.351	445.1612903	11603.5659	30000	0	0	30000	43.625	2004
29.01.2020 12:45:01	1	1	1	1	85.75	63.5	0	28009.479	483.8709677	13552.30615	30000	0	0	30000	43.6875	2004
29.01.2020 12:45:02	1	1	1	1	85.75	63.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	44.5	2004
29.01.2020 12:45:03	1	1	1	1	85.75	64.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.625	2004
29.01.2020 12:45:04	1	1	1	1	85.75	64.5	0	29478.673	481.7204301	14223.3577	30000	0	0	30000	44.1875	2004
29.01.2020 12:45:05	1	1	1	1	85.75	64	0	29810.427	483.8709677	14703.6121	30000	0	0	30000	44.625	2004
29.01.2020 12:45:06	1	1	1	1	85.75	64.5	0	30047.393	503.2258065	15096.62164	30000	0	0	30000	44.375	2004
29.01.2020 12:45:07	1	1	1	1	85.75	64.25	0	28815.166	464.516129	13447.12309	30000	0	0	30000	43.6875	2004
29.01.2020 12:45:08	1	1	1	1	85.75	63.5	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:45:09	1	1	1	1	85.75	64.25	0	29668.246	481.7204301	14269.01856	30000	0	0	30000	44.125	2004
29.01.2020 12:45:10	1	1	1	1	85.75	64	0	29620.853	488.172043	14523.41478	30000	0	0	30000	44.5625	2004
29.01.2020 12:45:11	1	1	1	1	85.75	64.5	0	28009.479	460.2150538	13010.89881	30000	0	0	30000	44.4375	2004
29.01.2020 12:45:12	1	1	1	1	85.75	64.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	44.375	2004
29.01.2020 12:45:13	1	1	1	1	86.5	64.25	0	29336.493	496.7741935	14596.7983	30000	0	0	30000	44.5	2004
29.01.2020 12:45:14	1	1	1	1	86.5	64.5	0	30000	488.172043	14469.6002	30000	0	0	30000	44.25	2004
29.01.2020 12:45:15	1	1	1	1	86.5	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.5625	2004
29.01.2020 12:45:16	1	1	1	1	86.5	64.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.25	2004
29.01.2020 12:45:17	1	1	1	1	86.5	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
29.01.2020 12:45:18	1	1	1	1	86.5	64.25	0	29383.886	481.7204301	14132.03599	30000	0	0	30000	44.125	2004
29.01.2020 12:45:19	1	1	1	1	86.5	64	0	29668.246	466.6666667	13845.02487	30000	0	0	30000	44.25	2004
29.01.2020 12:45:20	1	1	1	1	86.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
29.01.2020 12:45:22	1	1	1	1	86.5	64.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	44.625	2004
29.01.2020 12:45:23	1	1	1	1	86.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
29.01.2020 12:45:24	1	1	1	1	86.25	64.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	44	2004
29.01.2020 12:45:25	1	1	1	1	86.25	64	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.75	2004
29.01.2020 12:45:26	1	1	1	1	86.25	64.75	0	29763.033	436.5591398	13077.75936	30000	0	0	30000	44.5	2004
29.01.2020 12:45:27	1	1	1	1	86.25	64.5	0	28862.559	372.0430108	10737.64031	30000	0	0	30000	44.625	2004
29.01.2020 12:45:28	1	1	1	1	86.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
29.01.2020 12:45:29	1	1	1	1	86.25	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.4375	2004
29.01.2020 12:45:30	1	1	1	1	86.25	64.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	43.75	2004
29.01.2020 12:45:31	1	1	1	1	86.25	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5	2004
29.01.2020 12:45:32	1	1	1	1	86.25	64.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.25	2004
29.01.2020 12:45:33	1	1	1	1	86.25	64.25	0	29857.82	453.7634409	13569.42897	30000	0	0	30000	44.625	2004
29.01.2020 12:45:34	1	1	1	1	86.25	64.5	0	29431.28	464.516129	13563.72136	30000	0	0	30000	44.1875	2004
29.01.2020 12:45:35	1	1	1	1	86.25	64	0	28815.166	481.7204301	13571.05971	30000	0	0	30000	44.5625	2004
29.01.2020 12:45:36	1	1	1	1	86.25	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.4375	2004
29.01.2020 12:45:37	1	1	1	1	86.25	64.25	0	29905.213	486.0215054	14644.90528	30000	0	0	30000	44.6875	2004
29.01.2020 12:45:38	1	1	1	1	86.25	64.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	44	2004
29.01.2020 12:45:39	1	1	1	1	86.25	64	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.5625	2004
29.01.2020 12:45:40	1	1	1	1	86.25	64.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.625	2004
29.01.2020 12:45:41	1	1	1	1	86.25	64.5	0	28436.019	481.7204301	13698.25782	30000	0	0	30000	44.625	2004
29.01.2020 12:45:42	1	1	1	1	86.25	64.5	0	29810.427	533.3333333	16026.96165	30000	0	0	30000	44.6875	2004
29.01.2020 12:45:43	1	1	1	1	86.25	64.5	0	28862.559	445.1612903	12972.57631	30000	0	0	30000	44.0625	2004
29.01.2020 12:45:44	1	1	1	1	86.25	64	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.25	2004
29.01.2020 12:45:45	1	1	1	1	86.25	64.25	0	29952.607	520.4301075	15612.75243	30000	0	0	30000	44.3125	2004
29.01.2020 12:45:46	1	1	1	1	86.25	64.25	0	29573.46	453.7634409	13165.00421	30000	0	0	30000	44.4375	2004
29.01.2020 12:45:47	1	1	1	1	86.25	64.25	0	29905.213	507.5268817	15225.45049	30000	0	0	30000	44.5625	2004
29.01.2020 12:45:48	1	1	1	1	86.25	64.5	0	27630.332	483.8709677	13368.84734	30000	0	0	30000	44.5	2004
29.01.2020 12:45:49	1	1	1	1	86.25	64.5	0	28957.346	481.7204301	13637.92026	30000	0	0	30000	44.5625	2004
29.01.2020 12:45:56	1	1	1	1	86.25	64.5	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44.625	2004
29.01.2020 12:45:56	1	1	1	1	86.25	64.5	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44.625	2004
29.01.2020 12:45:56	1	1	1	1	86.25	64.5	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:45:56	1	1	1	1	86.25	64.5	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44.625	2004
29.01.2020 12:45:56	1	1	1	1	86.25	64.5	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44.625	2004
29.01.2020 12:45:56	1	1	1	1	86.25	64.5	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44.625	2004
29.01.2020 12:45:56	1	1	1	1	86.25	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.5	2004
29.01.2020 12:45:57	1	1	1	1	86.25	64.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.375	2004
29.01.2020 12:45:58	1	1	1	1	86.25	64.25	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
29.01.2020 12:45:59	1	1	1	1	86.25	64.25	0	29526.066	458.0645161	13524.58348	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:01	1	1	1	1	86.25	64.5	0	29146.919	466.6666667	13601.22849	30000	0	0	30000	44.1875	2004
29.01.2020 12:46:02	1	1	1	1	86.25	64	0	30000	490.3225806	14644.90528	30000	0	0	30000	44.625	2004
29.01.2020 12:46:03	1	1	1	1	86	64.5	0	30000	509.6774194	14879.73256	30000	0	0	30000	44.5	2004
29.01.2020 12:46:04	1	1	1	1	86	64.5	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	44.625	2004
29.01.2020 12:46:05	1	1	1	1	86	64.5	0	29620.853	483.8709677	14419.0471	30000	0	0	30000	44.8125	2004
29.01.2020 12:46:06	1	1	1	1	86	64.75	0	30000	507.5268817	15032.20721	30000	0	0	30000	44.1875	2004
29.01.2020 12:46:07	1	1	1	1	86	64	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.375	2004
29.01.2020 12:46:08	1	1	1	1	86	64.25	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	44.625	2004
29.01.2020 12:46:09	1	1	1	1	86	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.1875	2004
29.01.2020 12:46:10	1	1	1	1	86	64	0	30000	496.7741935	14879.73256	30000	0	0	30000	44.5	2004
29.01.2020 12:46:11	1	1	1	1	86	64.5	0	29668.246	455.9139785	13611.01296	30000	0	0	30000	44.625	2004
29.01.2020 12:46:12	1	1	1	1	86	64.5	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.3125	2004
29.01.2020 12:46:13	1	1	1	1	86.75	64.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	43.9375	2004
29.01.2020 12:46:14	1	1	1	1	86.75	63.75	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:15	1	1	1	1	86.75	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.625	2004
29.01.2020 12:46:16	1	1	1	1	86.75	63.5	0	26872.038	453.7634409	12193.08021	30000	0	0	30000	43.9375	2004
29.01.2020 12:46:17	1	1	1	1	86.75	63.75	0	29952.607	505.3763441	14920.50118	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:18	1	1	1	1	86.75	64.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.125	2004
29.01.2020 12:46:19	1	1	1	1	86.75	64	0	29905.213	494.6236559	14791.67233	30000	0	0	30000	43.5625	2004
29.01.2020 12:46:20	1	1	1	1	86.75	63.5	0	29431.28	505.3763441	14873.20958	30000	0	0	30000	44	2004
29.01.2020 12:46:21	1	1	1	1	86.75	64	0	30000	529.0322581	15677.16685	30000	0	0	30000	44.625	2004
29.01.2020 12:46:22	1	1	1	1	86.75	64.5	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	44.5	2004
29.01.2020 12:46:23	1	1	1	1	86.25	64.5	0	29146.919	466.6666667	14086.37513	30000	0	0	30000	44.4375	2004
29.01.2020 12:46:24	1	1	1	1	86.25	64.25	0	29763.033	481.7204301	14314.67942	30000	0	0	30000	44.3125	2004
29.01.2020 12:46:25	1	1	1	1	86.25	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.625	2004
29.01.2020 12:46:26	1	1	1	1	86.25	64.5	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:27	1	1	1	1	86.25	64.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:28	1	1	1	1	86.25	64.5	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	44.9375	2004
29.01.2020 12:46:29	1	1	1	1	86.25	64.75	0	29289.1	464.516129	13583.2903	30000	0	0	30000	44.0625	2004
29.01.2020 12:46:30	1	1	1	1	86.25	64.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	44.5	2004
29.01.2020 12:46:31	1	1	1	1	86.25	64.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	44.125	2004
29.01.2020 12:46:32	1	1	1	1	86.75	64	0	30000	490.3225806	14773.73413	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:33	1	1	1	1	86.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
29.01.2020 12:46:34	1	1	1	1	86.75	64	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:36	1	1	1	1	86.75	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
29.01.2020 12:46:37	1	1	1	1	86.75	64.5	0	29336.493	481.7204301	14154.86641	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:46:38	1	1	1	1	86.75	64.25	0	30000	483.8709677	14493.246	30000	0	0	30000	44.625	2004
29.01.2020 12:46:39	1	1	1	1	86.75	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:40	1	1	1	1	86.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.25	2004
29.01.2020 12:46:41	1	1	1	1	86.75	63.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	44.375	2004
29.01.2020 12:46:42	1	1	1	1	86.75	64.25	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:43	1	1	1	1	86.5	64.5	0	29810.427	481.7204301	14406.00114	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:44	1	1	1	1	86.5	64.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.625	2004
29.01.2020 12:46:45	1	1	1	1	86.5	64.5	0	29857.82	522.5806452	15602.96796	30000	0	0	30000	44.4375	2004
29.01.2020 12:46:46	1	1	1	1	86.5	64.25	0	27298.578	481.7204301	13173.15794	30000	0	0	30000	44.25	2004
29.01.2020 12:46:47	1	1	1	1	86.5	64.25	0	28341.232	464.516129	13187.01927	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:48	1	1	1	1	86.5	64.5	0	28862.559	445.1612903	12847.82431	30000	0	0	30000	44.625	2004
29.01.2020 12:46:49	1	1	1	1	86.5	64.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.625	2004
29.01.2020 12:46:50	1	1	1	1	86.5	64.5	0	29526.066	464.516129	13673.79665	30000	0	0	30000	44.3125	2004
29.01.2020 12:46:51	1	1	1	1	86.5	64.25	0	29952.607	505.3763441	15048.51466	30000	0	0	30000	44.5625	2004
29.01.2020 12:46:58	1	1	1	1	87	64.5	0	27345.972	460.2150538	12563.25932	30000	0	0	30000	44.625	2004
29.01.2020 12:46:58	1	1	1	1	87	64.5	0	27345.972	460.2150538	12563.25932	30000	0	0	30000	44.625	2004
29.01.2020 12:46:58	1	1	1	1	87	64.5	0	27345.972	460.2150538	12563.25932	30000	0	0	30000	44.625	2004
29.01.2020 12:46:58	1	1	1	1	87	64.5	0	27345.972	460.2150538	12563.25932	30000	0	0	30000	44.625	2004
29.01.2020 12:46:58	1	1	1	1	87	64.5	0	27345.972	460.2150538	12563.25932	30000	0	0	30000	44.625	2004
29.01.2020 12:46:58	1	1	1	1	87	64.5	0	27345.972	460.2150538	12563.25932	30000	0	0	30000	44.625	2004
29.01.2020 12:46:58	1	1	1	1	87	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.5	2004
29.01.2020 12:46:59	1	1	1	1	87	64.5	0	30000	533.3333333	15805.99571	30000	0	0	30000	44.375	2004
29.01.2020 12:47:00	1	1	1	1	87	64.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.3125	2004
29.01.2020 12:47:01	1	1	1	1	87	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.3125	2004
29.01.2020 12:47:02	1	1	1	1	87	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
29.01.2020 12:47:03	1	1	1	1	85	64.5	0	29810.427	501.0752688	14960.45443	30000	0	0	30000	44	2004
29.01.2020 12:47:04	1	1	1	1	85	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
29.01.2020 12:47:05	1	1	1	1	85	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.375	2004
29.01.2020 12:47:06	1	1	1	1	85	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.5	2004
29.01.2020 12:47:07	1	1	1	1	85	64.5	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.6875	2004
29.01.2020 12:47:08	1	1	1	1	85	64.5	0	29952.607	483.8709677	14580.49085	30000	0	0	30000	43.9375	2004
29.01.2020 12:47:09	1	1	1	1	85	63.75	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.4375	2004
29.01.2020 12:47:10	1	1	1	1	85	64.25	0	30000	494.6236559	14750.9037	30000	0	0	30000	43.875	2004
29.01.2020 12:47:11	1	1	1	1	85	64.25	0	29905.213	464.516129	13762.67225	30000	0	0	30000	44.5625	2004
29.01.2020 12:47:12	1	1	1	1	84.25	64.5	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.0625	2004
29.01.2020 12:47:13	1	1	1	1	84.25	64	0	28009.479	455.9139785	12709.21099	30000	0	0	30000	44.0625	2004
29.01.2020 12:47:14	1	1	1	1	84.25	64	0	30000	529.0322581	15934.82456	30000	0	0	30000	44.3125	2004
29.01.2020 12:47:15	1	1	1	1	84.25	64.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.5625	2004
29.01.2020 12:47:17	1	1	1	1	84.25	64.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	44	2004
29.01.2020 12:47:18	1	1	1	1	84.25	64	0	28625.592	453.7634409	13075.31324	30000	0	0	30000	44.4375	2004
29.01.2020 12:47:19	1	1	1	1	84.25	64.25	0	29620.853	483.8709677	14332.61762	30000	0	0	30000	44.5	2004
29.01.2020 12:47:20	1	1	1	1	84.25	64.5	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.5625	2004
29.01.2020 12:47:21	1	1	1	1	84.25	64.5	0	26587.678	466.6666667	12407.52317	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:47:22	1	1	1	1	84.25	64.5	0	28388.626	520.4301075	14834.88707	30000	0	0	30000	44.1875	2004
29.01.2020 12:47:23	1	1	1	1	85	64	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44	2004
29.01.2020 12:47:24	1	1	1	1	85	64	0	28009.479	518.2795699	14516.07643	30000	0	0	30000	44.4375	2004
29.01.2020 12:47:25	1	1	1	1	85	64.25	0	27345.972	451.6129032	12408.33854	30000	0	0	30000	44.5625	2004
29.01.2020 12:47:26	1	1	1	1	85	64.5	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	44.625	2004
29.01.2020 12:47:27	1	1	1	1	85	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.625	2004
29.01.2020 12:47:28	1	1	1	1	85	64.5	0	29146.919	507.5268817	14706.05822	30000	0	0	30000	44.3125	2004
29.01.2020 12:47:29	1	1	1	1	85	64.25	0	29336.493	539.7849462	15860.62566	30000	0	0	30000	44.8125	2004
29.01.2020 12:47:30	1	1	1	1	85	64.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.5625	2004
29.01.2020 12:47:31	1	1	1	1	85	64.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.4375	2004
29.01.2020 12:47:32	1	1	1	1	85	64.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	44.3125	2004
29.01.2020 12:47:33	1	1	1	1	85.75	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.625	2004
29.01.2020 12:47:34	1	1	1	1	85.75	64.5	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	44.1875	2004
29.01.2020 12:47:35	1	1	1	1	85.75	64	0	28815.166	488.172043	14066.80619	30000	0	0	30000	43.875	2004
29.01.2020 12:47:36	1	1	1	1	85.75	63.75	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	44.625	2004
29.01.2020 12:47:37	1	1	1	1	85.75	64.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	44.5625	2004
29.01.2020 12:47:38	1	1	1	1	85.75	64.5	0	28625.592	529.0322581	15143.91324	30000	0	0	30000	44.5625	2004
29.01.2020 12:47:39	1	1	1	1	85.75	64.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	44.6875	2004
29.01.2020 12:47:40	1	1	1	1	85.75	64.5	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.625	2004
29.01.2020 12:47:41	1	1	1	1	85.75	64.5	0	29810.427	539.7849462	16116.65262	30000	0	0	30000	44.0625	2004
29.01.2020 12:47:42	1	1	1	1	85.75	64	0	29857.82	529.0322581	15730.98144	30000	0	0	30000	44.5625	2004
29.01.2020 12:47:43	1	1	1	1	84.75	64.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.5	2004
29.01.2020 12:47:44	1	1	1	1	84.75	64.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.3125	2004
29.01.2020 12:47:45	1	1	1	1	84.75	64.25	0	29431.28	501.0752688	14746.82684	30000	0	0	30000	44.625	2004
29.01.2020 12:47:46	1	1	1	1	84.75	64.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.625	2004
29.01.2020 12:47:47	1	1	1	1	84.75	64.5	0	29431.28	541.9354839	15860.62566	30000	0	0	30000	44.625	2004
29.01.2020 12:47:48	1	1	1	1	84.75	64.5	0	27061.611	503.2258065	13559.6445	30000	0	0	30000	44.625	2004
29.01.2020 12:47:49	1	1	1	1	84.75	64.5	0	30000	511.827957	15354.27935	30000	0	0	30000	44.5625	2004
29.01.2020 12:47:50	1	1	1	1	84.75	64.5	0	29905.213	539.7849462	15898.94817	30000	0	0	30000	44	2004
29.01.2020 12:47:51	1	1	1	1	84.75	64	0	28436.019	488.172043	13652.59696	30000	0	0	30000	44.625	2004
29.01.2020 12:47:52	1	1	1	1	84.5	64.5	0	27345.972	509.6774194	13937.16196	30000	0	0	30000	44.3125	2004
29.01.2020 12:47:59	1	1	1	1	84.5	64.5	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	44.375	2004
29.01.2020 12:47:59	1	1	1	1	84.5	64.5	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	44.375	2004
29.01.2020 12:47:59	1	1	1	1	84.5	64.5	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	44.375	2004
29.01.2020 12:47:59	1	1	1	1	84.5	64.5	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	44.375	2004
29.01.2020 12:47:59	1	1	1	1	84.5	64.5	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	44.375	2004
29.01.2020 12:47:59	1	1	1	1	84.5	64.5	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	44.375	2004
29.01.2020 12:48:00	1	1	1	1	84.5	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.625	2004
29.01.2020 12:48:01	1	1	1	1	84.5	64.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.375	2004
29.01.2020 12:48:02	1	1	1	1	84.5	64.25	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	44.4375	2004
29.01.2020 12:48:03	1	1	1	1	84.25	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.5625	2004
29.01.2020 12:48:04	1	1	1	1	84.25	64.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.5625	2004
29.01.2020 12:48:05	1	1	1	1	84.25	64.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:48:06	1	1	1	1	84.25	64.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.4375	2004
29.01.2020 12:48:07	1	1	1	1	84.25	64.25	0	29383.886	539.7849462	16013.10032	30000	0	0	30000	44.625	2004
29.01.2020 12:48:08	1	1	1	1	84.25	64.5	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	44.125	2004
29.01.2020 12:48:09	1	1	1	1	84.25	64	0	29383.886	548.3870968	15960.91648	30000	0	0	30000	44.3125	2004
29.01.2020 12:48:10	1	1	1	1	84.25	64.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.875	2004
29.01.2020 12:48:11	1	1	1	1	84.25	63.75	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
29.01.2020 12:48:12	1	1	1	1	84.25	64.25	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	44.3125	2004
29.01.2020 12:48:13	1	1	1	1	85.25	64.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.375	2004
29.01.2020 12:48:14	1	1	1	1	85.25	64.25	0	29810.427	544.0860215	15975.59318	30000	0	0	30000	44.4375	2004
29.01.2020 12:48:15	1	1	1	1	85.25	64.25	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	44.625	2004
29.01.2020 12:48:16	1	1	1	1	85.25	64.5	0	27630.332	466.6666667	12953.00737	30000	0	0	30000	44.375	2004
29.01.2020 12:48:17	1	1	1	1	85.25	64.25	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	44.625	2004
29.01.2020 12:48:18	1	1	1	1	85.25	64.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	44.625	2004
29.01.2020 12:48:19	1	1	1	1	85.25	64.5	0	30000	516.1290323	15459.4624	30000	0	0	30000	44.625	2004
29.01.2020 12:48:20	1	1	1	1	85.25	64.5	0	29905.213	494.6236559	14768.02653	30000	0	0	30000	43.9375	2004
29.01.2020 12:48:21	1	1	1	1	85.25	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.5625	2004
29.01.2020 12:48:22	1	1	1	1	85.25	64.5	0	27962.085	481.7204301	13469.95352	30000	0	0	30000	44.4375	2004
29.01.2020 12:48:23	1	1	1	1	85	64.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	44.9375	2004
29.01.2020 12:48:24	1	1	1	1	85	64.75	0	29905.213	516.1290323	15354.27935	30000	0	0	30000	44.5	2004
29.01.2020 12:48:25	1	1	1	1	85	64.5	0	29526.066	533.3333333	15963.3626	30000	0	0	30000	44.875	2004
29.01.2020 12:48:26	1	1	1	1	85	64.75	0	25497.63	458.0645161	11657.38048	30000	0	0	30000	44.125	2004
29.01.2020 12:48:27	1	1	1	1	85	64	0	29905.213	501.0752688	15048.51466	30000	0	0	30000	44.4375	2004
29.01.2020 12:48:28	1	1	1	1	85	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.3125	2004
29.01.2020 12:48:29	1	1	1	1	85	64.25	0	29620.853	511.827957	15096.62164	30000	0	0	30000	44.25	2004
29.01.2020 12:48:30	1	1	1	1	85	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.1875	2004
29.01.2020 12:48:31	1	1	1	1	85	64	0	28815.166	486.0215054	13880.90126	30000	0	0	30000	44.5	2004
29.01.2020 12:48:32	1	1	1	1	85.75	64.5	0	29905.213	501.0752688	15048.51466	30000	0	0	30000	44.3125	2004
29.01.2020 12:48:33	1	1	1	1	85.75	64.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
29.01.2020 12:48:35	1	1	1	1	85.75	64.5	0	29099.526	516.1290323	15043.62243	30000	0	0	30000	44.4375	2004
29.01.2020 12:48:36	1	1	1	1	85.75	64.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	44.375	2004
29.01.2020 12:48:37	1	1	1	1	85.75	64.25	0	28341.232	494.6236559	13956.7309	30000	0	0	30000	44.4375	2004
29.01.2020 12:48:38	1	1	1	1	85.75	64.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.5	2004
29.01.2020 12:48:39	1	1	1	1	85.75	64.5	0	29620.853	494.6236559	14889.51703	30000	0	0	30000	44.5	2004
29.01.2020 12:48:40	1	1	1	1	85.75	64.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44.5625	2004
29.01.2020 12:48:41	1	1	1	1	85.75	64.5	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	44.5	2004
29.01.2020 12:48:42	1	1	1	1	85.75	64.5	0	28815.166	529.0322581	15244.20406	30000	0	0	30000	44.5625	2004
29.01.2020 12:48:43	1	1	1	1	86.75	64.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44.6875	2004
29.01.2020 12:48:44	1	1	1	1	86.75	64.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.625	2004
29.01.2020 12:48:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:48:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:48:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29.01.2020 12:48:48	1	0	1	1	88.5	20	0	0	0	0	30000	0	0	30000	0	2004
29.01.2020 12:48:49	1	1	1	1	88.5	65.25	0	0	0	0	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:48:50	1	1	1	1	88.5	62	0	0	0	0	30000	0	0	30000	44.875	2004
29.01.2020 12:48:51	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
29.01.2020 12:48:52	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
29.01.2020 12:48:53	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.6875	2004
29.01.2020 12:48:54	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.9375	2004
29.01.2020 12:49:01	1	1	1	1	87.5	64.5	0	11706.161	0	24.46117468	30000	0	0	30000	44.625	2004
29.01.2020 12:49:01	1	1	1	1	87.5	64.5	0	11706.161	0	24.46117468	30000	0	0	30000	44.625	2004
29.01.2020 12:49:01	1	1	1	1	87.5	64.5	0	11706.161	0	24.46117468	30000	0	0	30000	44.625	2004
29.01.2020 12:49:01	1	1	1	1	87.5	64.5	0	11706.161	0	24.46117468	30000	0	0	30000	44.625	2004
29.01.2020 12:49:01	1	1	1	1	87.5	64.5	0	11706.161	0	24.46117468	30000	0	0	30000	44.625	2004
29.01.2020 12:49:01	1	1	1	1	87.5	64.5	0	12464.455	6.451612903	79.90650395	30000	0	0	30000	44.6875	2004
29.01.2020 12:49:02	1	1	1	1	87.5	64.5	0	13222.749	12.90322581	170.4128503	30000	0	0	30000	44.5625	2004
29.01.2020 12:49:03	1	1	1	1	87.5	64.5	0	13033.175	12.90322581	139.4286957	30000	0	0	30000	44.625	2004
29.01.2020 12:49:04	1	1	1	1	87.5	64.5	0	14691.943	25.80645161	379.1482075	30000	0	0	30000	44.625	2004
29.01.2020 12:49:05	1	1	1	1	87.5	64.5	0	15497.63	38.70967742	636.8059142	30000	0	0	30000	44.5625	2004
29.01.2020 12:49:06	1	1	1	1	87.5	64.5	0	14407.583	40.86021505	526.7306281	30000	0	0	30000	44.6875	2004
29.01.2020 12:49:07	1	1	1	1	87.5	64.5	0	16919.431	60.21505376	1055.092001	30000	0	0	30000	44.75	2004
29.01.2020 12:49:08	1	1	1	1	87	64.75	0	17819.905	70.96774194	1264.642731	30000	0	0	30000	44.75	2004
29.01.2020 12:49:09	1	1	1	1	87	64.75	0	18625.592	83.87096774	1554.099965	30000	0	0	30000	44.625	2004
29.01.2020 12:49:10	1	1	1	1	87	64.5	0	19336.493	103.2258065	1991.139619	30000	0	0	30000	44.75	2004
29.01.2020 12:49:11	1	1	1	1	87	64.75	0	17677.725	94.62365591	1672.328976	30000	0	0	30000	45.0625	2004
29.01.2020 12:49:13	1	1	1	1	87	65	0	20900.474	122.5806452	2561.900361	30000	0	0	30000	45.0625	2004
29.01.2020 12:49:14	1	1	1	1	87	65	0	21658.768	137.6344086	2967.955861	30000	0	0	30000	44.625	2004
29.01.2020 12:49:15	1	1	1	1	87	64.5	0	22511.848	137.6344086	3098.415459	30000	0	0	30000	44.6875	2004
29.01.2020 12:49:16	1	1	1	1	87	64.5	0	19289.1	120.4301075	2322.996222	30000	0	0	30000	44.625	2004
29.01.2020 12:49:17	1	1	1	1	87	64.5	0	23838.863	152.688172	3632.48444	30000	0	0	30000	44.625	2004
29.01.2020 12:49:18	1	1	1	1	86.5	64.5	0	22464.455	180.6451613	4009.18653	30000	0	0	30000	44.6875	2004
29.01.2020 12:49:19	1	1	1	1	86.5	64.5	0	25118.483	206.4516129	5249.368086	30000	0	0	30000	44.6875	2004
29.01.2020 12:49:20	1	1	1	1	86.5	64.5	0	25071.09	232.2580645	5822.574946	30000	0	0	30000	44.625	2004
29.01.2020 12:49:21	1	1	1	1	86.5	64.5	0	27014.218	296.7741935	8089.310467	30000	0	0	30000	44.625	2004
29.01.2020 12:49:22	1	1	1	1	86.5	64.5	0	26445.498	324.7311828	8530.426983	30000	0	0	30000	44.6875	2004
29.01.2020 12:49:23	1	1	1	1	86.5	64.5	0	28341.232	404.3010753	11477.18316	30000	0	0	30000	44.125	2004
29.01.2020 12:49:24	1	1	1	1	86.5	64	0	29146.919	453.7634409	13413.69282	30000	0	0	30000	44.5625	2004
29.01.2020 12:49:25	1	1	1	1	86.5	64.5	0	29857.82	503.2258065	14936.80863	30000	0	0	30000	44	2004
29.01.2020 12:49:26	1	1	1	1	86.5	64	0	28862.559	460.2150538	13304.43291	30000	0	0	30000	44.625	2004
29.01.2020 12:49:27	1	1	1	1	86.5	64.5	0	29763.033	481.7204301	14551.95282	30000	0	0	30000	44.625	2004
29.01.2020 12:49:28	1	1	1	1	86.5	64.5	0	29905.213	516.1290323	15306.17237	30000	0	0	30000	44.5625	2004
29.01.2020 12:49:29	1	1	1	1	86.5	64.5	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.625	2004
29.01.2020 12:49:30	1	1	1	1	86.5	64.5	0	27298.578	481.7204301	13150.32751	30000	0	0	30000	44.4375	2004
29.01.2020 12:49:31	1	1	1	1	86.5	64.25	0	29241.706	481.7204301	14086.37513	30000	0	0	30000	44.5	2004
29.01.2020 12:49:32	1	1	1	1	86.5	64.5	0	25924.171	481.7204301	12533.90591	30000	0	0	30000	44.625	2004
29.01.2020 12:49:33	1	1	1	1	86.5	64.5	0	29146.919	494.6236559	14330.1715	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:49:34	1	1	1	1	86.5	64.5	0	24502.37	468.8172043	11803.33216	30000	0	0	30000	44.4375	2004
29.01.2020 12:49:35	1	1	1	1	86.5	64.25	0	29952.607	524.7311828	15756.25798	30000	0	0	30000	44.375	2004
29.01.2020 12:49:36	1	1	1	1	86.5	64.25	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	44.4375	2004
29.01.2020 12:49:37	1	1	1	1	86.5	64.25	0	24786.73	464.516129	11438.04528	30000	0	0	30000	44.1875	2004
29.01.2020 12:49:38	1	1	1	1	85.5	64	0	25450.237	503.2258065	12909.79262	30000	0	0	30000	44.0625	2004
29.01.2020 12:49:39	1	1	1	1	85.5	64	0	27630.332	460.2150538	12834.77835	30000	0	0	30000	44.1875	2004
29.01.2020 12:49:40	1	1	1	1	85.5	64	0	29905.213	526.8817204	15756.25798	30000	0	0	30000	44.625	2004
29.01.2020 12:49:41	1	1	1	1	85.5	64.5	0	25734.597	466.6666667	12008.80602	30000	0	0	30000	44.5	2004
29.01.2020 12:49:42	1	1	1	1	85.5	64.5	0	24218.009	455.9139785	11249.69424	30000	0	0	30000	44.125	2004
29.01.2020 12:49:43	1	1	1	1	85.5	64	0	23791.469	464.516129	11029.54366	30000	0	0	30000	44.6875	2004
29.01.2020 12:49:44	1	1	1	1	85.5	64.5	0	29715.64	511.827957	15209.14304	30000	0	0	30000	44.5	2004
29.01.2020 12:49:45	1	1	1	1	85.5	64.5	0	28436.019	509.6774194	14516.8918	30000	0	0	30000	44.3125	2004
29.01.2020 12:49:46	1	1	1	1	85.5	64.25	0	27630.332	488.172043	13487.89172	30000	0	0	30000	44.25	2004
29.01.2020 12:49:47	1	1	1	1	85.5	64.25	0	29905.213	518.2795699	15498.60028	30000	0	0	30000	44.5	2004
29.01.2020 12:49:48	1	1	1	1	84.75	64.5	0	27914.692	438.7096774	12246.07942	30000	0	0	30000	44.4375	2004
29.01.2020 12:49:49	1	1	1	1	84.75	64.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.4375	2004
29.01.2020 12:49:50	1	1	1	1	84.75	64.25	0	25924.171	453.7634409	11763.3789	30000	0	0	30000	44.5625	2004
29.01.2020 12:49:51	1	1	1	1	84.75	64.5	0	28388.626	522.5806452	14884.62479	30000	0	0	30000	44.9375	2004
29.01.2020 12:49:53	1	1	1	1	84.75	64.75	0	28815.166	464.516129	13447.12309	30000	0	0	30000	44.4375	2004
29.01.2020 12:49:54	1	1	1	1	84.75	64.25	0	29052.133	492.4731183	14260.04947	30000	0	0	30000	44.25	2004
29.01.2020 12:49:55	1	1	1	1	84.75	64.5	0	29146.919	516.1290323	15043.62243	30000	0	0	30000	44.25	2004
29.01.2020 12:49:56	1	1	1	1	84.75	64.25	0	29715.64	486.0215054	14378.27848	30000	0	0	30000	44.3125	2004
29.01.2020 12:50:03	1	1	1	1	85.75	64.75	0	12085.308	0	25.27654717	30000	0	0	30000	44.625	2004
29.01.2020 12:50:03	1	1	1	1	85.75	64.75	0	12085.308	0	25.27654717	30000	0	0	30000	44.625	2004
29.01.2020 12:50:03	1	1	1	1	85.75	64.75	0	12085.308	0	25.27654717	30000	0	0	30000	44.625	2004
29.01.2020 12:50:03	1	1	1	1	85.75	64.75	0	12085.308	0	25.27654717	30000	0	0	30000	44.625	2004
29.01.2020 12:50:03	1	1	1	1	85.75	64.75	0	12085.308	0	25.27654717	30000	0	0	30000	44.625	2004
29.01.2020 12:50:03	1	1	1	1	85.75	64.5	0	13412.322	8.602150538	114.967521	30000	0	0	30000	44.5	2004
29.01.2020 12:50:04	1	1	1	1	85.75	64.5	0	14218.009	15.05376344	213.6275922	30000	0	0	30000	44.625	2004
29.01.2020 12:50:05	1	1	1	1	85.75	64.5	0	14976.303	21.50537634	353.8716604	30000	0	0	30000	44.5625	2004
29.01.2020 12:50:06	1	1	1	1	85.75	64.5	0	15734.597	30.10752688	507.1616884	30000	0	0	30000	44.5625	2004
29.01.2020 12:50:07	1	1	1	1	85.75	64.5	0	16492.891	38.70967742	635.9905417	30000	0	0	30000	44.75	2004
29.01.2020 12:50:08	1	1	1	1	86	64.75	0	17345.972	53.76344086	1006.985024	30000	0	0	30000	44.625	2004
29.01.2020 12:50:09	1	1	1	1	86	64.5	0	17962.085	64.51612903	1158.644307	30000	0	0	30000	44.6875	2004
29.01.2020 12:50:10	1	1	1	1	86	64.5	0	18625.592	66.66666667	1235.289321	30000	0	0	30000	44.8125	2004
29.01.2020 12:50:11	1	1	1	1	86	64.75	0	19668.246	88.17204301	1733.481912	30000	0	0	30000	44.6875	2004
29.01.2020 12:50:12	1	1	1	1	86	64.5	0	20379.147	94.62365591	1928.355937	30000	0	0	30000	44.625	2004
29.01.2020 12:50:13	1	1	1	1	86	64.5	0	21090.047	105.3763441	2318.103987	30000	0	0	30000	44.625	2004
29.01.2020 12:50:14	1	1	1	1	86	64.5	0	22132.701	120.4301075	2665.452668	30000	0	0	30000	44.625	2004
29.01.2020 12:50:15	1	1	1	1	86	64.5	0	22748.815	129.0322581	2935.340962	30000	0	0	30000	44.625	2004
29.01.2020 12:50:16	1	1	1	1	86	64.5	0	19857.82	113.9784946	2257.766423	30000	0	0	30000	44.625	2004
29.01.2020 12:50:17	1	1	1	1	86	64.5	0	23175.355	148.3870968	3338.950344	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:50:18	1	1	1	1	85.75	64.5	0	24976.303	191.3978495	4726.714321	30000	0	0	30000	44.4375	2004
29.01.2020 12:50:19	1	1	1	1	85.75	64.25	0	25734.597	206.4516129	5312.96714	30000	0	0	30000	44.5625	2004
29.01.2020 12:50:20	1	1	1	1	85.75	64.5	0	26445.498	221.5053763	5847.036121	30000	0	0	30000	44.6875	2004
29.01.2020 12:50:21	1	1	1	1	85.75	64.5	0	26540.284	217.2043011	5707.607425	30000	0	0	30000	44.625	2004
29.01.2020 12:50:22	1	1	1	1	85.75	64.5	0	28009.479	301.0752688	8553.257413	30000	0	0	30000	44.625	2004
29.01.2020 12:50:23	1	1	1	1	85.75	64.5	0	27962.085	301.0752688	8223.846927	30000	0	0	30000	44.625	2004
29.01.2020 12:50:24	1	1	1	1	85.75	64.5	0	28341.232	348.3870968	9889.652923	30000	0	0	30000	44.4375	2004
29.01.2020 12:50:25	1	1	1	1	85.75	64.25	0	28625.592	359.1397849	10403.33759	30000	0	0	30000	44.75	2004
29.01.2020 12:50:26	1	1	1	1	85.75	64.75	0	28957.346	402.1505376	11707.1182	30000	0	0	30000	44.625	2004
29.01.2020 12:50:27	1	1	1	1	85.75	64.5	0	29431.28	382.7956989	11184.46444	30000	0	0	30000	44.6875	2004
29.01.2020 12:50:28	1	1	1	1	84.75	64.5	0	29715.64	384.9462366	11374.44623	30000	0	0	30000	44.75	2004
29.01.2020 12:50:29	1	1	1	1	84.75	64.75	0	28483.412	464.516129	13231.04938	30000	0	0	30000	44.625	2004
29.01.2020 12:50:30	1	1	1	1	84.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
29.01.2020 12:50:32	1	1	1	1	84.75	64.5	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.8125	2004
29.01.2020 12:50:33	1	1	1	1	84.75	64.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
29.01.2020 12:50:34	1	1	1	1	84.75	64.75	0	29952.607	449.4623656	13333.78632	30000	0	0	30000	44.5625	2004
29.01.2020 12:50:35	1	1	1	1	84.75	64.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.5625	2004
29.01.2020 12:50:36	1	1	1	1	84.75	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
29.01.2020 12:50:37	1	1	1	1	84.75	64.5	0	29573.46	460.2150538	13737.3957	30000	0	0	30000	44.3125	2004
29.01.2020 12:50:38	1	1	1	1	85.75	64.25	0	29383.886	453.7634409	13311.77126	30000	0	0	30000	44.5	2004
29.01.2020 12:50:39	1	1	1	1	85.75	64.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	44.5	2004
29.01.2020 12:50:40	1	1	1	1	85.75	64.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	44.6875	2004
29.01.2020 12:50:41	1	1	1	1	85.75	64.5	0	30000	464.516129	13935.53122	30000	0	0	30000	44.3125	2004
29.01.2020 12:50:42	1	1	1	1	85.75	64.25	0	29905.213	445.1612903	13312.58663	30000	0	0	30000	43.9375	2004
29.01.2020 12:50:43	1	1	1	1	85.75	63.75	0	0	0	0	30000	0	8	30000	45	2004
29.01.2020 12:50:44	1	1	1	1	85.75	65	0	9668.2464	0	0	30000	0	0	30000	44.9375	2004
29.01.2020 12:50:45	1	1	1	1	85.75	64.75	0	11042.654	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:50:46	1	1	1	1	85.75	64.5	0	11611.374	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:50:47	1	1	1	1	85.75	64.5	0	12464.455	2.150537634	26.90729215	30000	0	0	30000	44.625	2004
29.01.2020 12:50:48	1	1	1	1	85.25	64.5	0	13270.142	6.451612903	85.61411138	30000	0	0	30000	44.6875	2004
29.01.2020 12:50:49	1	1	1	1	85.25	64.5	0	14075.829	10.75268817	150.028538	30000	0	0	30000	44.625	2004
29.01.2020 12:50:50	1	1	1	1	85.25	64.5	0	14834.123	15.05376344	223.4120621	30000	0	0	30000	44.625	2004
29.01.2020 12:50:51	1	1	1	1	85.25	64.5	0	15639.81	21.50537634	332.6719756	30000	0	0	30000	44.625	2004
29.01.2020 12:50:52	1	1	1	1	85.25	64.5	0	16066.351	27.95698925	448.4548691	30000	0	0	30000	44.625	2004
29.01.2020 12:50:53	1	1	1	1	85.25	64.5	0	17014.218	34.40860215	585.4374473	30000	0	0	30000	44.5625	2004
29.01.2020 12:50:54	1	1	1	1	85.25	64.5	0	17914.692	49.46236559	844.7258989	30000	0	0	30000	44.625	2004
29.01.2020 12:50:55	1	1	1	1	85.25	64.5	0	16445.498	47.31182796	777.8653548	30000	0	0	30000	44.5	2004
29.01.2020 12:50:56	1	1	1	1	85.25	64.5	0	19289.1	62.3655914	1247.519909	30000	0	0	30000	44.625	2004
29.01.2020 12:50:57	1	1	1	1	85.25	64.5	0	20142.18	75.2688172	1606.283804	30000	0	0	30000	44.75	2004
29.01.2020 12:51:04	1	1	1	1	85	64.75	0	24028.436	150.5376344	3462.07159	30000	0	0	30000	44.625	2004
29.01.2020 12:51:04	1	1	1	1	85	64.75	0	24028.436	150.5376344	3462.07159	30000	0	0	30000	44.625	2004
29.01.2020 12:51:04	1	1	1	1	85	64.75	0	24028.436	150.5376344	3462.07159	30000	0	0	30000	44.625	2004
29.01.2020 12:51:04	1	1	1	1	85	64.75	0	24028.436	150.5376344	3462.07159	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:51:04	1	1	1	1	85	64.75	0	24028.436	150.5376344	3462.07159	30000	0	0	30000	44.625	2004
29.01.2020 12:51:04	1	1	1	1	85	64.75	0	24028.436	150.5376344	3462.07159	30000	0	0	30000	44.625	2004
29.01.2020 12:51:04	1	1	1	1	85	64.5	0	23412.322	139.7849462	3272.0898	30000	0	0	30000	44.625	2004
29.01.2020 12:51:05	1	1	1	1	85	64.5	0	23601.896	144.0860215	3400.103281	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:06	1	1	1	1	85	64.5	0	23080.569	144.0860215	3325.089011	30000	0	0	30000	44.75	2004
29.01.2020 12:51:07	1	1	1	1	85	64.75	0	23412.322	139.7849462	3329.165874	30000	0	0	30000	44.6875	2004
29.01.2020 12:51:08	1	1	1	1	84.5	64.5	0	24123.223	161.2903226	3838.77368	30000	0	0	30000	44.625	2004
29.01.2020 12:51:10	1	1	1	1	84.5	64.5	0	25213.27	163.4408602	4182.86087	30000	0	0	30000	44.625	2004
29.01.2020 12:51:11	1	1	1	1	84.5	64.5	0	25118.483	174.1935484	4491.887044	30000	0	0	30000	44.6875	2004
29.01.2020 12:51:12	1	1	1	1	84.5	64.5	0	25924.171	191.3978495	4943.603403	30000	0	0	30000	44.9375	2004
29.01.2020 12:51:13	1	1	1	1	84.5	64	0	25687.204	212.9032258	5423.042427	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:14	1	1	1	1	84.5	64.5	0	25734.597	208.6021505	5367.597097	30000	0	0	30000	44.625	2004
29.01.2020 12:51:15	1	1	1	1	84.5	64.5	0	27061.611	221.5053763	5993.803169	30000	0	0	30000	44.75	2004
29.01.2020 12:51:16	1	1	1	1	84.5	64.75	0	0	0	0	30000	0	8	30000	44.75	2004
29.01.2020 12:51:17	1	1	1	1	84.5	64.75	0	10426.54	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:51:18	1	1	1	1	84	64.5	0	11184.834	0	0	30000	0	0	30000	44.625	2004
29.01.2020 12:51:19	1	1	1	1	84	64.5	0	11137.441	0	0	30000	0	0	30000	44.6875	2004
29.01.2020 12:51:20	1	1	1	1	84	64.5	0	12654.028	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:21	1	1	1	1	84	64.5	0	13507.109	4.301075269	28.53803713	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:22	1	1	1	1	84	64.5	0	14170.616	8.602150538	91.32171881	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:23	1	1	1	1	84	64.5	0	14928.91	10.75268817	193.24328	30000	0	0	30000	44.5	2004
29.01.2020 12:51:24	1	1	1	1	84	64.5	0	15734.597	19.35483871	304.1339385	30000	0	0	30000	44.625	2004
29.01.2020 12:51:25	1	1	1	1	84	64.5	0	16492.891	21.50537634	394.6402848	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:26	1	1	1	1	84	64.5	0	17345.972	32.25806452	596.8526622	30000	0	0	30000	44.625	2004
29.01.2020 12:51:27	1	1	1	1	84	64.5	0	18056.872	45.16129032	776.2346098	30000	0	0	30000	44.5	2004
29.01.2020 12:51:28	1	1	1	1	83.75	64.5	0	17677.725	45.16129032	798.2496671	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:29	1	1	1	1	83.75	64.5	0	19620.853	60.21505376	1183.920855	30000	0	0	30000	44.625	2004
29.01.2020 12:51:30	1	1	1	1	83.75	64.5	0	20379.147	75.2688172	1529.63879	30000	0	0	30000	44.6875	2004
29.01.2020 12:51:31	1	1	1	1	83.75	64.5	0	21137.441	90.32258065	1863.126138	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:32	1	1	1	1	83.75	64.5	0	21943.128	103.2258065	2311.581007	30000	0	0	30000	44.625	2004
29.01.2020 12:51:33	1	1	1	1	83.75	64.5	0	22748.815	113.9784946	2522.762482	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:34	1	1	1	1	83.75	64.5	0	23364.929	120.4301075	2863.588183	30000	0	0	30000	44.5	2004
29.01.2020 12:51:35	1	1	1	1	83.75	64.5	0	24028.436	137.6344086	3307.150817	30000	0	0	30000	44.5	2004
29.01.2020 12:51:36	1	1	1	1	83.75	64.5	0	24075.829	122.5806452	2950.833039	30000	0	0	30000	44.625	2004
29.01.2020 12:51:37	1	1	1	1	83.75	64.5	0	22890.995	126.8817204	2953.279156	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:38	1	1	1	1	83.75	64.5	0	24218.009	137.6344086	3124.507379	30000	0	0	30000	44.625	2004
29.01.2020 12:51:39	1	1	1	1	83.75	64.5	0	23744.076	137.6344086	3254.966977	30000	0	0	30000	44.625	2004
29.01.2020 12:51:40	1	1	1	1	83.75	64.5	0	21327.014	122.5806452	2665.452668	30000	0	0	30000	44.625	2004
29.01.2020 12:51:41	1	1	1	1	83.75	64.5	0	24928.91	156.9892473	3912.972576	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:42	1	1	1	1	83.75	64.5	0	22559.242	137.6344086	3131.030359	30000	0	0	30000	44.375	2004
29.01.2020 12:51:43	1	1	1	1	83.75	64.25	0	24407.583	150.5376344	3674.068437	30000	0	0	30000	44.5	2004
29.01.2020 12:51:44	1	1	1	1	83.75	64.5	0	24881.517	144.0860215	3531.378251	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:45	1	1	1	1	83.75	64.5	0	24502.37	152.688172	3899.111244	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:51:46	1	1	1	1	83.75	64.5	0	24597.156	159.1397849	3860.788737	30000	0	0	30000	44.625	2004
29.01.2020 12:51:47	1	1	1	1	83.75	64.5	0	24502.37	169.8924731	4109.477346	30000	0	0	30000	44.4375	2004
29.01.2020 12:51:48	1	1	1	1	84.5	64.25	0	25165.877	178.4946237	4491.887044	30000	0	0	30000	44.4375	2004
29.01.2020 12:51:49	1	1	1	1	84.5	64.25	0	26208.531	206.4516129	5410.811839	30000	0	0	30000	44.25	2004
29.01.2020 12:51:51	1	1	1	1	84.5	64.25	0	26540.284	206.4516129	5459.734189	30000	0	0	30000	44.1875	2004
29.01.2020 12:51:52	1	1	1	1	84.5	64	0	28625.592	232.2580645	6816.514011	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:53	1	1	1	1	84.5	64.75	0	28009.479	230.1075269	6444.704156	30000	0	0	30000	44.5	2004
29.01.2020 12:51:54	1	1	1	1	84.5	64.5	0	25734.597	232.2580645	5921.235018	30000	0	0	30000	44.625	2004
29.01.2020 12:51:55	1	1	1	1	84.5	64.5	0	26398.104	240.8602151	6414.535374	30000	0	0	30000	44.625	2004
29.01.2020 12:51:56	1	1	1	1	84.5	64.5	0	26492.891	232.2580645	6085.124888	30000	0	0	30000	44.625	2004
29.01.2020 12:51:57	1	1	1	1	84.5	64.5	0	27345.972	264.516129	7233.169353	30000	0	0	30000	44.625	2004
29.01.2020 12:51:58	1	1	1	1	82.25	64.5	0	26682.464	249.4623656	6737.422879	30000	0	0	30000	44.5625	2004
29.01.2020 12:51:59	1	1	1	1	82.25	64.5	0	27109.005	264.516129	7220.938766	30000	0	0	30000	44.375	2004
29.01.2020 12:52:06	1	1	1	1	82.25	64.75	0	29431.28	305.3763441	8987.035577	30000	0	0	30000	44.5	2004
29.01.2020 12:52:06	1	1	1	1	82.25	64.75	0	29431.28	305.3763441	8987.035577	30000	0	0	30000	44.5	2004
29.01.2020 12:52:06	1	1	1	1	82.25	64.75	0	29431.28	305.3763441	8987.035577	30000	0	0	30000	44.5	2004
29.01.2020 12:52:06	1	1	1	1	82.25	64.75	0	29431.28	305.3763441	8987.035577	30000	0	0	30000	44.5	2004
29.01.2020 12:52:06	1	1	1	1	82.25	64.75	0	29431.28	305.3763441	8987.035577	30000	0	0	30000	44.5	2004
29.01.2020 12:52:06	1	1	1	1	82.25	64.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	44.4375	2004
29.01.2020 12:52:07	1	1	1	1	82.25	64.25	0	29763.033	309.6774194	9231.647324	30000	0	0	30000	43.875	2004
29.01.2020 12:52:08	1	1	1	1	82.25	63.75	0	29289.1	311.827957	9118.310548	30000	0	0	30000	43.375	2004
29.01.2020 12:52:09	1	1	1	1	82.25	63.25	0	25734.597	296.7741935	7692.224064	30000	0	0	30000	44.4375	2004
29.01.2020 12:52:10	1	1	1	1	82.25	64.25	0	29715.64	326.8817204	9840.730574	30000	0	0	30000	44.625	2004
29.01.2020 12:52:11	1	1	1	1	82.25	64.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	44.625	2004
29.01.2020 12:52:12	1	1	1	1	82.25	64.5	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	44.6875	2004
29.01.2020 12:52:13	1	1	1	1	82.25	64.5	0	29952.607	303.2258065	9146.848585	30000	0	0	30000	44.5625	2004
29.01.2020 12:52:14	1	1	1	1	82.25	64.5	0	28909.953	283.8709677	8406.490365	30000	0	0	30000	44.4375	2004
29.01.2020 12:52:15	1	1	1	1	82.25	64.25	0	29241.706	286.0215054	8516.565651	30000	0	0	30000	44.625	2004
29.01.2020 12:52:16	1	1	1	1	82.25	64.5	0	28815.166	296.7741935	8551.626668	30000	0	0	30000	44.5625	2004
29.01.2020 12:52:17	1	1	1	1	82.25	64.5	0	28815.166	298.9247312	8310.276411	30000	0	0	30000	44.625	2004
29.01.2020 12:52:18	1	1	1	1	79.5	64.5	0	29810.427	320.4301075	9552.088713	30000	0	0	30000	44.1875	2004
29.01.2020 12:52:19	1	1	1	1	79.5	64	0	29336.493	316.1290323	9274.046694	30000	0	0	30000	44.375	2004
29.01.2020 12:52:20	1	1	1	1	79.5	64.25	0	29905.213	326.8817204	9760.008697	30000	0	0	30000	44.625	2004
29.01.2020 12:52:21	1	1	1	1	79.5	64.5	0	29715.64	333.3333333	9682.548311	30000	0	0	30000	44.3125	2004
29.01.2020 12:52:22	1	1	1	1	79.5	64.25	0	29905.213	372.0430108	11125.75762	30000	0	0	30000	44.375	2004
29.01.2020 12:52:23	1	1	1	1	79.5	64.25	0	29715.64	380.6451613	11310.84717	30000	0	0	30000	44.625	2004
29.01.2020 12:52:24	1	1	1	1	79.5	64.5	0	28436.019	378.4946237	10780.85505	30000	0	0	30000	44.4375	2004
29.01.2020 12:52:25	1	1	1	1	79.5	64.25	0	27440.758	365.5913978	10031.52774	30000	0	0	30000	44.625	2004
29.01.2020 12:52:26	1	1	1	1	79.5	64.5	0	29431.28	369.8924731	10949.63716	30000	0	0	30000	44.375	2004
29.01.2020 12:52:28	1	1	1	1	79.5	64.25	0	28625.592	378.4946237	10968.39073	30000	0	0	30000	43.8125	2004
29.01.2020 12:52:29	1	1	1	1	81.5	63.75	0	28862.559	397.8494624	11482.89077	30000	0	0	30000	44.4375	2004
29.01.2020 12:52:30	1	1	1	1	81.5	64.25	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:52:31	1	1	1	1	81.5	64.5	0	26587.678	369.8924731	9834.207594	30000	0	0	30000	44.5625	2004
29.01.2020 12:52:32	1	1	1	1	81.5	64.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	44.6875	2004
29.01.2020 12:52:33	1	1	1	1	81.5	64.5	0	29715.64	453.7634409	13355.80138	30000	0	0	30000	44.375	2004
29.01.2020 12:52:34	1	1	1	1	81.5	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.125	2004
29.01.2020 12:52:35	1	1	1	1	81.5	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
29.01.2020 12:52:36	1	1	1	1	81.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
29.01.2020 12:52:37	1	1	1	1	81.5	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
29.01.2020 12:52:38	1	1	1	1	81.5	64.25	0	28815.166	412.9032258	11650.04213	30000	0	0	30000	44.25	2004
29.01.2020 12:52:39	1	1	1	1	81.5	64.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	44.0625	2004
29.01.2020 12:52:40	1	1	1	1	81.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
29.01.2020 12:52:41	1	1	1	1	81.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
29.01.2020 12:52:42	1	1	1	1	81.5	64.25	0	30047.393	466.6666667	13935.53122	30000	0	0	30000	43.9375	2004
29.01.2020 12:52:43	1	1	1	1	81.5	63.75	0	29905.213	415.0537634	12348.00098	30000	0	0	30000	44.1875	2004
29.01.2020 12:52:44	1	1	1	1	81.5	64	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.375	2004
29.01.2020 12:52:45	1	1	1	1	81.5	64.25	0	26682.464	367.7419355	9812.192537	30000	0	0	30000	44.5	2004
29.01.2020 12:52:46	1	1	1	1	81.5	64.5	0	29952.607	395.6989247	11723.42565	30000	0	0	30000	44.375	2004
29.01.2020 12:52:47	1	1	1	1	81.5	64.25	0	29952.607	412.9032258	12154.7577	30000	0	0	30000	44.4375	2004
29.01.2020 12:52:48	1	1	1	1	81.25	64.25	0	29431.28	384.9462366	11347.53893	30000	0	0	30000	43.4375	2004
29.01.2020 12:52:49	1	1	1	1	81.25	63.25	0	29526.066	378.4946237	10984.69818	30000	0	0	30000	44.375	2004
29.01.2020 12:52:50	1	1	1	1	81.25	64.25	0	30000	415.0537634	12515.96771	30000	0	0	30000	44.4375	2004
29.01.2020 12:52:51	1	1	1	1	81.25	64.25	0	0	0	0	30000	0	8	30000	44.625	2004
29.01.2020 12:52:52	1	1	1	1	81.25	64.5	0	9431.2796	0	0	30000	0	0	30000	44.75	2004
29.01.2020 12:52:53	1	1	1	1	81.25	64.75	0	10853.081	0	0	30000	0	0	30000	44.6875	2004
29.01.2020 12:52:54	1	1	1	1	81.25	64.5	0	11516.588	0	0	30000	0	0	30000	44.5625	2004
29.01.2020 12:52:55	1	1	1	1	81.25	64.5	0	12464.455	2.150537634	26.09191966	30000	0	0	30000	44.625	2004
29.01.2020 12:52:56	1	1	1	1	81.25	64.5	0	12274.882	2.150537634	26.09191966	30000	0	0	30000	44.5625	2004
29.01.2020 12:52:57	1	1	1	1	81.25	64.5	0	13981.043	8.602150538	150.028538	30000	0	0	30000	44.5625	2004
29.01.2020 12:52:58	1	1	1	1	81.75	64.5	0	14786.73	15.05376344	222.5966896	30000	0	0	30000	44.625	2004
29.01.2020 12:52:59	1	1	1	1	81.75	64.5	0	15497.63	19.35483871	368.5483652	30000	0	0	30000	44.5	2004
29.01.2020 12:53:00	1	1	1	1	81.75	64.5	0	16161.137	30.10752688	451.7163591	30000	0	0	30000	44.5	2004
29.01.2020 12:53:07	1	1	1	1	81.75	64.5	0	20758.294	96.77419355	2053.107928	30000	0	0	30000	44.5	2004
29.01.2020 12:53:07	1	1	1	1	81.75	64.5	0	20758.294	96.77419355	2053.107928	30000	0	0	30000	44.5	2004
29.01.2020 12:53:07	1	1	1	1	81.75	64.5	0	20758.294	96.77419355	2053.107928	30000	0	0	30000	44.5	2004
29.01.2020 12:53:07	1	1	1	1	81.75	64.5	0	20758.294	96.77419355	2053.107928	30000	0	0	30000	44.5	2004
29.01.2020 12:53:07	1	1	1	1	81.75	64.5	0	20758.294	96.77419355	2053.107928	30000	0	0	30000	44.5	2004
29.01.2020 12:53:07	1	1	1	1	81.75	64.5	0	20758.294	96.77419355	2053.107928	30000	0	0	30000	44.5	2004
29.01.2020 12:53:07	1	1	1	1	81.75	64.5	0	21563.981	113.9784946	2457.532683	30000	0	0	30000	44.625	2004
29.01.2020 12:53:09	1	1	1	1	81.5	64.5	0	20521.327	105.3763441	2162.367842	30000	0	0	30000	45	2004
29.01.2020 12:53:10	1	1	1	1	81.5	65	0	22748.815	120.4301075	2739.651564	30000	0	0	30000	44.4375	2004
29.01.2020 12:53:11	1	1	1	1	81.5	64.25	0	23981.043	139.7849462	3300.627837	30000	0	0	30000	44.625	2004
29.01.2020 12:53:12	1	1	1	1	81.5	64.5	0	24597.156	139.7849462	3437.610415	30000	0	0	30000	44.8125	2004
29.01.2020 12:53:13	1	1	1	1	81.5	64.5	0	25497.63	169.8924731	4323.104938	30000	0	0	30000	44.5625	2004
29.01.2020 12:53:14	1	1	1	1	81.5	64.5	0	26066.351	180.6451613	4652.515424	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:53:15	1	1	1	1	81.5	64.5	0	26113.744	180.6451613	4885.711956	30000	0	0	30000	44.5625	2004
29.01.2020 12:53:16	1	1	1	1	81.5	64.5	0	27440.758	210.7526882	5782.621694	30000	0	0	30000	44.625	2004
29.01.2020 12:53:17	1	1	1	1	81.5	64.5	0	27156.398	208.6021505	5694.561465	30000	0	0	30000	44.5	2004
29.01.2020 12:53:18	1	1	1	1	81.25	64.5	0	26208.531	206.4516129	5410.811839	30000	0	0	30000	44.5	2004
29.01.2020 12:53:19	1	1	1	1	81.25	64.5	0	26966.825	206.4516129	5567.363357	30000	0	0	30000	44.3125	2004
29.01.2020 12:53:20	1	1	1	1	81.25	64.25	0	27630.332	221.5053763	6179.708097	30000	0	0	30000	44.625	2004
29.01.2020 12:53:21	1	1	1	1	81.25	64.5	0	27109.005	234.4086022	6342.782595	30000	0	0	30000	44.625	2004
29.01.2020 12:53:22	1	1	1	1	81.25	64.5	0	24786.73	212.9032258	5286.875221	30000	0	0	30000	44.625	2004
29.01.2020 12:53:23	1	1	1	1	81.25	64.5	0	25545.024	217.2043011	5547.794417	30000	0	0	30000	44.5	2004
29.01.2020 12:53:24	1	1	1	1	81.25	64.5	0	27345.972	240.8602151	6409.643139	30000	0	0	30000	44.5	2004
29.01.2020 12:53:25	1	1	1	1	81.25	64.5	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	44.625	2004
29.01.2020 12:53:26	1	1	1	1	81.25	64.5	0	28815.166	270.9677419	7746.038649	30000	0	0	30000	44.625	2004
29.01.2020 12:53:27	1	1	1	1	81.25	64.5	0	28957.346	279.5698925	8095.018074	30000	0	0	30000	44.625	2004
29.01.2020 12:53:28	1	1	1	1	81.25	64.5	0	28578.199	275.2688172	7866.713777	30000	0	0	30000	44.5	2004
29.01.2020 12:53:29	1	1	1	1	81.25	64.5	0	29241.706	307.5268817	8991.927812	30000	0	0	30000	44.5	2004
29.01.2020 12:53:30	1	1	1	1	81.25	64.5	0	29857.82	329.0322581	9823.607751	30000	0	0	30000	44.3125	2004
29.01.2020 12:53:31	1	1	1	1	81.25	64.25	0	29952.607	320.4301075	9582.257495	30000	0	0	30000	44.4375	2004
29.01.2020 12:53:32	1	1	1	1	81.25	64.25	0	29905.213	341.9354839	10209.27894	30000	0	0	30000	44.4375	2004
29.01.2020 12:53:33	1	1	1	1	81.25	64.25	0	29620.853	337.6344086	10000.54358	30000	0	0	30000	44.5625	2004
29.01.2020 12:53:34	1	1	1	1	81.25	64.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	44.375	2004
29.01.2020 12:53:35	1	1	1	1	81.25	64.25	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	44.625	2004
29.01.2020 12:53:36	1	1	1	1	81.25	64.5	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	44.1875	2004
29.01.2020 12:53:37	1	1	1	1	81.25	64	0	30000	365.5913978	10967.57535	30000	0	0	30000	44.5625	2004
29.01.2020 12:53:38	1	1	1	1	81	64.5	0	29620.853	337.6344086	9809.746419	30000	0	0	30000	44.375	2004
29.01.2020 12:53:39	1	1	1	1	81	64.25	0	29715.64	363.4408602	10671.59514	30000	0	0	30000	44.5625	2004
29.01.2020 12:53:40	1	1	1	1	81	64.5	0	28625.592	350.5376344	10100.8344	30000	0	0	30000	44.5	2004
29.01.2020 12:53:41	1	1	1	1	81	64.5	0	27156.398	311.827957	8512.488789	30000	0	0	30000	44.3125	2004
29.01.2020 12:53:42	1	1	1	1	81	64.25	0	26208.531	326.8817204	8536.134591	30000	0	0	30000	44.375	2004
29.01.2020 12:53:43	1	1	1	1	81	64.25	0	25213.27	311.827957	7900.959422	30000	0	0	30000	44.5	2004
29.01.2020 12:53:44	1	1	1	1	81	64.5	0	29336.493	352.688172	10283.47784	30000	0	0	30000	44.25	2004
29.01.2020 12:53:45	1	1	1	1	81	64.25	0	30000	372.0430108	11143.69581	30000	0	0	30000	44.625	2004
29.01.2020 12:53:46	1	1	1	1	81	64.5	0	29620.853	369.8924731	10991.22116	30000	0	0	30000	43.25	2004
29.01.2020 12:53:47	1	1	1	1	81	63.25	0	29810.427	359.1397849	10705.84078	30000	0	0	30000	44.75	2004
29.01.2020 12:53:48	1	1	1	1	81	63.25	0	29810.427	359.1397849	10705.84078	30000	0	0	30000	44.75	2004
29.01.2020 12:53:49	1	1	1	1	79.75	64.5	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	44.5	2004
29.01.2020 12:53:50	1	1	1	1	79.75	64.5	0	24075.829	329.0322581	7936.835811	30000	0	0	30000	44.375	2004
29.01.2020 12:53:51	1	1	1	1	79.75	64.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	44.25	2004
29.01.2020 12:53:52	1	1	1	1	79.75	64.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	44.3125	2004
29.01.2020 12:53:53	1	1	1	1	79.75	64.25	0	29526.066	397.8494624	11873.45419	30000	0	0	30000	44.375	2004
29.01.2020 12:53:54	1	1	1	1	79.75	64.25	0	29810.427	369.8924731	11283.12451	30000	0	0	30000	44.1875	2004
29.01.2020 12:53:55	1	1	1	1	79.75	64	0	29383.886	378.4946237	11473.92167	30000	0	0	30000	44.3125	2004
29.01.2020 12:53:56	1	1	1	1	79.75	64.25	0	29668.246	372.0430108	11037.69739	30000	0	0	30000	44.5	2004
29.01.2020 12:53:57	1	1	1	1	79.75	64.5	0	29478.673	346.2365591	10285.92395	30000	0	0	30000	44.25	2004
29.01.2020 12:53:58	1	1	1	1	79.75	64.25	0	24881.517	341.9354839	8523.904003	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:53:59	1	1	1	1	79.75	64.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.5	2004
29.01.2020 12:54:00	1	1	1	1	79.75	64.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	44.5	2004
29.01.2020 12:54:01	1	1	1	1	79.75	64.5	0	29620.853	337.6344086	10144.04914	30000	0	0	30000	44.5	2004
29.01.2020 12:54:02	1	1	1	1	79.75	64.5	0	29905.213	378.4946237	11336.93909	30000	0	0	30000	44.5	2004
29.01.2020 12:54:09	1	1	1	1	79.75	64.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	44.125	2004
29.01.2020 12:54:09	1	1	1	1	79.75	64.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	44.125	2004
29.01.2020 12:54:09	1	1	1	1	79.75	64.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	44.125	2004
29.01.2020 12:54:09	1	1	1	1	79.75	64.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	44.125	2004
29.01.2020 12:54:09	1	1	1	1	79.75	64	0	30000	348.3870968	10451.44457	30000	0	0	30000	44.4375	2004
29.01.2020 12:54:10	1	1	1	1	79.75	64.25	0	29668.246	318.2795699	9521.104558	30000	0	0	30000	44.5	2004
29.01.2020 12:54:11	1	1	1	1	79.75	64.5	0	29952.607	309.6774194	9340.091865	30000	0	0	30000	44.25	2004
29.01.2020 12:54:12	1	1	1	1	79.75	64.25	0	29952.607	313.9784946	9354.76857	30000	0	0	30000	44.4375	2004
29.01.2020 12:54:13	1	1	1	1	79.75	64.25	0	29810.427	281.7204301	8539.396081	30000	0	0	30000	44.5	2004
29.01.2020 12:54:14	1	1	1	1	79.75	64.5	0	29952.607	294.6236559	8760.362025	30000	0	0	30000	44.4375	2004
29.01.2020 12:54:15	1	1	1	1	79.75	64.25	0	29478.673	266.6666667	7861.00617	30000	0	0	30000	44.4375	2004
29.01.2020 12:54:16	1	1	1	1	79.75	64.25	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	44.25	2004
29.01.2020 12:54:17	1	1	1	1	79.75	64.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	44.5625	2004
29.01.2020 12:54:18	1	1	1	1	79.75	64.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	44.5	2004
29.01.2020 12:54:19	1	1	1	1	79.75	64.5	0	29146.919	258.0645161	7446.796945	30000	0	0	30000	44.5	2004
29.01.2020 12:54:20	1	1	1	1	79.75	64.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.875	2004
29.01.2020 12:54:21	1	1	1	1	79.75	63.75	0	30000	288.172043	8580.164705	30000	0	0	30000	44.0625	2004
29.01.2020 12:54:22	1	1	1	1	79.75	64	0	28815.166	262.3655914	7622.10203	30000	0	0	30000	44.3125	2004
29.01.2020 12:54:24	1	1	1	1	79.75	64.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	44.4375	2004
29.01.2020 12:54:25	1	1	1	1	79.75	64.25	0	29857.82	286.0215054	8617.67184	30000	0	0	30000	44.625	2004
29.01.2020 12:54:26	1	1	1	1	79.75	64.5	0	29952.607	309.6774194	9211.263012	30000	0	0	30000	44.625	2004
29.01.2020 12:54:27	1	1	1	1	79.75	64.5	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	44.75	2004
29.01.2020 12:54:28	1	1	1	1	79.75	64.75	0	28862.559	292.4731183	8503.519691	30000	0	0	30000	44.625	2004
29.01.2020 12:54:29	1	1	1	1	79.75	64.5	0	29905.213	320.4301075	9741.25513	30000	0	0	30000	44.3125	2004
29.01.2020 12:54:30	1	1	1	1	79.75	64.25	0	29905.213	316.1290323	9468.920719	30000	0	0	30000	44.4375	2004
29.01.2020 12:54:31	1	1	1	1	79.75	64.25	0	29241.706	329.0322581	9636.887451	30000	0	0	30000	44	2004
29.01.2020 12:54:32	1	1	1	1	79.75	64	0	30000	344.0860215	10257.38592	30000	0	0	30000	44.625	2004
29.01.2020 12:54:33	1	1	1	1	79.75	64.5	0	25260.664	298.9247312	7565.025956	30000	0	0	30000	44.5	2004
29.01.2020 12:54:34	1	1	1	1	79.75	64.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.375	2004
29.01.2020 12:54:35	1	1	1	1	79.75	64.25	0	26919.431	316.1290323	8421.982442	30000	0	0	30000	43.6875	2004
29.01.2020 12:54:36	1	1	1	1	79.75	63.5	0	29905.213	339.7849462	10225.58639	30000	0	0	30000	44.5	2004
29.01.2020 12:54:37	1	1	1	1	79.75	64.5	0	29810.427	341.9354839	10192.97149	30000	0	0	30000	44.4375	2004
29.01.2020 12:54:38	1	1	1	1	79.25	64.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	44.375	2004
29.01.2020 12:54:39	1	1	1	1	79.25	64.25	0	28483.412	322.5806452	9126.464273	30000	0	0	30000	44.0625	2004
29.01.2020 12:54:40	1	1	1	1	79.25	64	0	27440.758	341.9354839	9382.491235	30000	0	0	30000	44	2004
29.01.2020 12:54:41	1	1	1	1	79.25	64	0	28483.412	329.0322581	9310.738456	30000	0	0	30000	44.1875	2004
29.01.2020 12:54:42	1	1	1	1	79.25	64	0	29668.246	378.4946237	11247.24812	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:54:43	1	1	1	1	79.25	64.25	0	29905.213	387.0967742	11548.12057	30000	0	0	30000	44.375	2004
29.01.2020 12:54:44	1	1	1	1	79.25	64.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	44.375	2004
29.01.2020 12:54:45	1	1	1	1	79.25	64.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	44.375	2004
29.01.2020 12:54:46	1	1	1	1	79.25	64.25	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	44.5	2004
29.01.2020 12:54:47	1	1	1	1	79.25	64.5	0	27298.578	346.2365591	9451.797896	30000	0	0	30000	44.1875	2004
29.01.2020 12:54:48	1	1	1	1	79.5	64	0	29905.213	346.2365591	10353.59987	30000	0	0	30000	44.5	2004
29.01.2020 12:54:51	1	1	1	1	79.5	64.25	0	29241.706	333.3333333	9809.746419	30000	0	0	30000	44.375	2004
29.01.2020 12:54:51	1	1	1	1	79.5	64.25	0	29241.706	333.3333333	9809.746419	30000	0	0	30000	44.375	2004
29.01.2020 12:54:51	1	1	1	1	79.5	64.25	0	29241.706	333.3333333	9809.746419	30000	0	0	30000	44.375	2004
29.01.2020 12:54:52	1	1	1	1	79.5	64.25	0	29857.82	344.0860215	10225.58639	30000	0	0	30000	44.0625	2004
29.01.2020 12:54:53	1	1	1	1	79.5	64	0	29620.853	337.6344086	10000.54358	30000	0	0	30000	44.3125	2004
29.01.2020 12:54:54	1	1	1	1	79.5	64.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.4375	2004
29.01.2020 12:54:55	1	1	1	1	79.5	64.25	0	29905.213	346.2365591	10370.72269	30000	0	0	30000	44.5	2004
29.01.2020 12:54:56	1	1	1	1	79.5	64.5	0	29857.82	352.688172	10466.12127	30000	0	0	30000	44.4375	2004
29.01.2020 12:54:57	1	1	1	1	79.5	64.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	44.5	2004
29.01.2020 12:54:58	1	1	1	1	78.75	64.5	0	29905.213	363.4408602	10903.16093	30000	0	0	30000	44.5	2004
29.01.2020 12:54:59	1	1	1	1	78.75	64.5	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:00	1	1	1	1	78.75	64.25	0	29289.1	322.5806452	9525.996793	30000	0	0	30000	44	2004
29.01.2020 12:55:02	1	1	1	1	78.75	64	0	28436.019	320.4301075	9111.787568	30000	0	0	30000	44.375	2004
29.01.2020 12:55:03	1	1	1	1	78.75	64.25	0	28862.559	326.8817204	9496.643383	30000	0	0	30000	44.6875	2004
29.01.2020 12:55:04	1	1	1	1	78.75	64.5	0	29857.82	369.8924731	11026.28217	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:11	1	1	1	1	79.25	64.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.75	2004
29.01.2020 12:55:11	1	1	1	1	79.25	64.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.75	2004
29.01.2020 12:55:11	1	1	1	1	79.25	64.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.75	2004
29.01.2020 12:55:11	1	1	1	1	79.25	64.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.75	2004
29.01.2020 12:55:11	1	1	1	1	79.25	64.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.75	2004
29.01.2020 12:55:11	1	1	1	1	79.25	64.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.75	2004
29.01.2020 12:55:11	1	1	1	1	79.25	63.75	0	29905.213	380.6451613	11447.01438	30000	0	0	30000	43.75	2004
29.01.2020 12:55:12	1	1	1	1	79.25	63.75	0	26966.825	335.483871	8973.174245	30000	0	0	30000	44.25	2004
29.01.2020 12:55:13	1	1	1	1	79.25	64.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.5	2004
29.01.2020 12:55:14	1	1	1	1	79.25	64.5	0	29099.526	356.9892473	10433.50637	30000	0	0	30000	44.3125	2004
29.01.2020 12:55:15	1	1	1	1	79.25	64.25	0	29810.427	354.8387097	10577.8273	30000	0	0	30000	44.375	2004
29.01.2020 12:55:16	1	1	1	1	79.25	64.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:17	1	1	1	1	79.25	64.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.25	2004
29.01.2020 12:55:18	1	1	1	1	78.5	63.25	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	44.0625	2004
29.01.2020 12:55:19	1	1	1	1	78.5	64	0	30000	324.7311828	9612.426277	30000	0	0	30000	44.3125	2004
29.01.2020 12:55:20	1	1	1	1	78.5	64.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	44.375	2004
29.01.2020 12:55:21	1	1	1	1	78.5	64.25	0	29952.607	296.7741935	8810.099747	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:22	1	1	1	1	78.5	64.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	44.125	2004
29.01.2020 12:55:23	1	1	1	1	78.5	64	0	30000	318.2795699	9548.01185	30000	0	0	30000	44.1875	2004
29.01.2020 12:55:24	1	1	1	1	78.5	64	0	29289.1	316.1290323	9243.877912	30000	0	0	30000	44.5	2004
29.01.2020 12:55:25	1	1	1	1	78.5	64.5	0	29905.213	311.827957	9340.091865	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:26	1	1	1	1	78.5	64.25	0	30000	311.827957	9354.76857	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:55:27	1	1	1	1	78.5	64.25	0	27962.085	283.8709677	7877.313619	30000	0	0	30000	44.625	2004
29.01.2020 12:55:28	1	1	1	1	79	64.5	0	29526.066	292.4731183	8790.530807	30000	0	0	30000	44.375	2004
29.01.2020 12:55:29	1	1	1	1	79	64.25	0	29146.919	292.4731183	8461.935694	30000	0	0	30000	44.3125	2004
29.01.2020 12:55:30	1	1	1	1	79	64.25	0	28578.199	292.4731183	8358.383388	30000	0	0	30000	44.3125	2004
29.01.2020 12:55:31	1	1	1	1	79	64.25	0	29857.82	333.3333333	9967.928682	30000	0	0	30000	44.1875	2004
29.01.2020 12:55:32	1	1	1	1	79	64	0	29810.427	311.827957	9423.259859	30000	0	0	30000	44.125	2004
29.01.2020 12:55:33	1	1	1	1	79	64	0	29952.607	329.0322581	9839.099829	30000	0	0	30000	44.25	2004
29.01.2020 12:55:34	1	1	1	1	79	64.25	0	29478.673	329.0322581	9714.347838	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:35	1	1	1	1	79	64.25	0	29715.64	329.0322581	9777.13152	30000	0	0	30000	44.375	2004
29.01.2020 12:55:36	1	1	1	1	79	64.25	0	29905.213	329.0322581	9775.500775	30000	0	0	30000	44.25	2004
29.01.2020 12:55:37	1	1	1	1	79	64.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	44.25	2004
29.01.2020 12:55:38	1	1	1	1	78.5	64.25	0	29099.526	296.7741935	8635.610035	30000	0	0	30000	43.9375	2004
29.01.2020 12:55:40	1	1	1	1	78.5	63.75	0	24786.73	288.172043	7195.662218	30000	0	0	30000	44.375	2004
29.01.2020 12:55:41	1	1	1	1	78.5	64.25	0	29336.493	316.1290323	9274.046694	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:42	1	1	1	1	78.5	64.25	0	29668.246	309.6774194	9265.892969	30000	0	0	30000	43.375	2004
29.01.2020 12:55:43	1	1	1	1	78.5	63.25	0	28815.166	305.3763441	8923.436523	30000	0	0	30000	44.0625	2004
29.01.2020 12:55:44	1	1	1	1	78.5	64	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	44.6875	2004
29.01.2020 12:55:45	1	1	1	1	78.5	64.25	0	30000	335.483871	10128.55706	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:46	1	1	1	1	78.5	64.25	0	28009.479	301.0752688	8478.243144	30000	0	0	30000	44.0625	2004
29.01.2020 12:55:47	1	1	1	1	78.5	64	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:48	1	1	1	1	78.25	64.25	0	29289.1	316.1290323	9336.830375	30000	0	0	30000	44.375	2004
29.01.2020 12:55:49	1	1	1	1	78.25	64.25	0	29905.213	365.5913978	11160.81863	30000	0	0	30000	44.1875	2004
29.01.2020 12:55:50	1	1	1	1	78.25	64	0	29810.427	331.1827957	9936.129155	30000	0	0	30000	44.3125	2004
29.01.2020 12:55:51	1	1	1	1	78.25	64.25	0	28578.199	320.4301075	9095.480119	30000	0	0	30000	44.25	2004
29.01.2020 12:55:52	1	1	1	1	78.25	64.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	44.375	2004
29.01.2020 12:55:53	1	1	1	1	78.25	64.25	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	44.1875	2004
29.01.2020 12:55:54	1	1	1	1	78.25	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.3125	2004
29.01.2020 12:55:55	1	1	1	1	78.25	64.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	44.25	2004
29.01.2020 12:55:56	1	1	1	1	78.25	64.25	0	26018.957	339.7849462	8808.469002	30000	0	0	30000	44.4375	2004
29.01.2020 12:55:57	1	1	1	1	78.25	64.25	0	29336.493	384.9462366	11292.90898	30000	0	0	30000	44.1875	2004
29.01.2020 12:55:58	1	1	1	1	78	64	0	26113.744	354.8387097	9299.323241	30000	0	0	30000	44.625	2004
29.01.2020 12:55:59	1	1	1	1	78	64.5	0	29857.82	404.3010753	12052.02076	30000	0	0	30000	44.375	2004
29.01.2020 12:56:00	1	1	1	1	78	64.25	0	26966.825	350.5376344	9452.613269	30000	0	0	30000	44.3125	2004
29.01.2020 12:56:01	1	1	1	1	78	64.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	44.1875	2004
29.01.2020 12:56:02	1	1	1	1	78	64	0	30000	415.0537634	12451.55328	30000	0	0	30000	44.5	2004
29.01.2020 12:56:03	1	1	1	1	78	64.5	0	29810.427	400	11987.60634	30000	0	0	30000	44.3125	2004
29.01.2020 12:56:04	1	1	1	1	78	64.25	0	29905.213	384.9462366	11723.42565	30000	0	0	30000	43.75	2004
29.01.2020 12:56:05	1	1	1	1	78	63.75	0	29715.64	380.6451613	11310.84717	30000	0	0	30000	44.0625	2004
29.01.2020 12:56:12	1	1	1	1	77	64.25	0	29952.607	335.483871	10048.65056	30000	0	0	30000	44.375	2004
29.01.2020 12:56:12	1	1	1	1	77	64.25	0	29952.607	335.483871	10048.65056	30000	0	0	30000	44.375	2004
29.01.2020 12:56:12	1	1	1	1	77	64.25	0	29952.607	335.483871	10048.65056	30000	0	0	30000	44.375	2004
29.01.2020 12:56:12	1	1	1	1	77	64.25	0	29952.607	335.483871	10048.65056	30000	0	0	30000	44.375	2004
29.01.2020 12:56:12	1	1	1	1	77	64.25	0	29952.607	335.483871	10048.65056	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:56:12	1	1	1	1	77	64.25	0	29952.607	335.483871	10048.65056	30000	0	0	30000	44.375	2004
29.01.2020 12:56:12	1	1	1	1	77	64.25	0	28957.346	316.1290323	9558.611692	30000	0	0	30000	44.0625	2004
29.01.2020 12:56:13	1	1	1	1	77	64	0	29810.427	311.827957	9295.246378	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:14	1	1	1	1	77	64.25	0	29905.213	318.2795699	9453.428641	30000	0	0	30000	44.3125	2004
29.01.2020 12:56:15	1	1	1	1	77	64.25	0	29857.82	322.5806452	9646.671921	30000	0	0	30000	44.3125	2004
29.01.2020 12:56:16	1	1	1	1	77	64.25	0	29857.82	298.9247312	8938.928601	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:17	1	1	1	1	77	64.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.25	2004
29.01.2020 12:56:18	1	1	1	1	77	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	44.5	2004
29.01.2020 12:56:19	1	1	1	1	77	64.5	0	28815.166	296.7741935	8489.658359	30000	0	0	30000	44.25	2004
29.01.2020 12:56:20	1	1	1	1	77	64.25	0	30047.393	303.2258065	9096.295491	30000	0	0	30000	44.125	2004
29.01.2020 12:56:22	1	1	1	1	77	64	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:23	1	1	1	1	77	64.25	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:24	1	1	1	1	77	64.25	0	30000	296.7741935	9031.881064	30000	0	0	30000	44.1875	2004
29.01.2020 12:56:25	1	1	1	1	77	64	0	29905.213	290.3225806	8838.637784	30000	0	0	30000	44.625	2004
29.01.2020 12:56:26	1	1	1	1	77	64.5	0	28578.199	260.2150538	7485.119452	30000	0	0	30000	44.5625	2004
29.01.2020 12:56:27	1	1	1	1	77	64.75	0	29383.886	281.7204301	8264.615552	30000	0	0	30000	44.375	2004
29.01.2020 12:56:28	1	1	1	1	77.25	64.25	0	29763.033	281.7204301	8461.935694	30000	0	0	30000	44.375	2004
29.01.2020 12:56:29	1	1	1	1	77.25	64.25	0	28957.346	275.2688172	7971.081456	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:30	1	1	1	1	77.25	64.25	0	30000	305.3763441	9290.354143	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:31	1	1	1	1	77.25	64.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:32	1	1	1	1	77.25	64.25	0	27535.545	288.172043	7948.251026	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:33	1	1	1	1	77.25	64.25	0	29146.919	286.0215054	8524.719376	30000	0	0	30000	44.25	2004
29.01.2020 12:56:34	1	1	1	1	77.25	64.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.9375	2004
29.01.2020 12:56:35	1	1	1	1	77.25	63.75	0	29905.213	307.5268817	9003.343027	30000	0	0	30000	44.5625	2004
29.01.2020 12:56:36	1	1	1	1	77.25	64.5	0	29810.427	303.2258065	9039.219417	30000	0	0	30000	44.375	2004
29.01.2020 12:56:37	1	1	1	1	77.25	64.25	0	29905.213	292.4731183	8732.639361	30000	0	0	30000	44.1875	2004
29.01.2020 12:56:38	1	1	1	1	76.75	64	0	30000	313.9784946	9419.182997	30000	0	0	30000	44.1875	2004
29.01.2020 12:56:39	1	1	1	1	76.75	64	0	29905.213	311.827957	9324.599788	30000	0	0	30000	44.5625	2004
29.01.2020 12:56:40	1	1	1	1	76.75	64.5	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	44.375	2004
29.01.2020 12:56:41	1	1	1	1	76.75	64.25	0	27630.332	294.6236559	8139.863561	30000	0	0	30000	44.3125	2004
29.01.2020 12:56:42	1	1	1	1	76.75	64.25	0	28436.019	292.4731183	8330.660724	30000	0	0	30000	43.8125	2004
29.01.2020 12:56:43	1	1	1	1	76.75	63.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	44.375	2004
29.01.2020 12:56:44	1	1	1	1	76.75	64.25	0	0	0	0	30000	0	8	30000	44.625	2004
29.01.2020 12:56:45	1	1	1	1	76.75	64.5	0	10426.54	0	0	30000	0	0	30000	44.375	2004
29.01.2020 12:56:46	1	1	1	1	76.75	64.25	0	11232.227	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:56:47	1	1	1	1	76.75	64.5	0	11990.521	0	0	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:48	1	1	1	1	77	64.25	0	12227.488	0	0	30000	0	0	30000	44.5	2004
29.01.2020 12:56:49	1	1	1	1	77	64.5	0	13507.109	6.451612903	86.42948387	30000	0	0	30000	44.25	2004
29.01.2020 12:56:50	1	1	1	1	77	64.25	0	14312.796	12.90322581	184.2741826	30000	0	0	30000	44.3125	2004
29.01.2020 12:56:51	1	1	1	1	77	64.25	0	14976.303	17.20430108	293.5340962	30000	0	0	30000	44.3125	2004
29.01.2020 12:56:52	1	1	1	1	77	64.25	0	15734.597	23.65591398	371.8098551	30000	0	0	30000	44.375	2004
29.01.2020 12:56:53	1	1	1	1	77	64.25	0	16492.891	30.10752688	494.931101	30000	0	0	30000	44.3125	2004
29.01.2020 12:56:54	1	1	1	1	77	64.25	0	17345.972	40.86021505	710.1894382	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:56:55	1	1	1	1	77	64.5	0	18151.659	53.76344086	975.1854972	30000	0	0	30000	44.4375	2004
29.01.2020 12:56:56	1	1	1	1	77	64.25	0	18815.166	58.06451613	1091.783763	30000	0	0	30000	44.375	2004
29.01.2020 12:56:57	1	1	1	1	77	64.25	0	19668.246	70.96774194	1391.840839	30000	0	0	30000	44.5	2004
29.01.2020 12:56:58	1	1	1	1	77	64.5	0	20473.934	83.87096774	1717.174463	30000	0	0	30000	44.4375	2004
29.01.2020 12:57:00	1	1	1	1	77	64.25	0	21232.227	94.62365591	2009.077814	30000	0	0	30000	44.5	2004
29.01.2020 12:57:01	1	1	1	1	77	64.5	0	21943.128	103.2258065	2331.965319	30000	0	0	30000	44.1875	2004
29.01.2020 12:57:02	1	1	1	1	77	64	0	22796.209	113.9784946	2597.776751	30000	0	0	30000	44.625	2004
29.01.2020 12:57:03	1	1	1	1	77	64.5	0	20616.114	107.5268817	2216.182426	30000	0	0	30000	44.25	2004
29.01.2020 12:57:04	1	1	1	1	77	64.25	0	23175.355	129.0322581	2940.233197	30000	0	0	30000	44.625	2004
29.01.2020 12:57:05	1	1	1	1	77	64.5	0	23886.256	141.9354839	3434.348925	30000	0	0	30000	44.8125	2004
29.01.2020 12:57:06	1	1	1	1	77	64.25	0	24597.156	169.8924731	4178.784008	30000	0	0	30000	44.4375	2004
29.01.2020 12:57:07	1	1	1	1	77	64.25	0	24218.009	169.8924731	4114.369581	30000	0	0	30000	44.25	2004
29.01.2020 12:57:14	1	1	1	1	77.5	64.25	0	26824.645	236.5591398	6472.42682	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:14	1	1	1	1	77.5	64.25	0	26824.645	236.5591398	6472.42682	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:14	1	1	1	1	77.5	64.25	0	26824.645	236.5591398	6472.42682	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:14	1	1	1	1	77.5	64.25	0	26824.645	236.5591398	6472.42682	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:14	1	1	1	1	77.5	64.25	0	26824.645	236.5591398	6472.42682	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:14	1	1	1	1	77.5	64.25	0	26824.645	236.5591398	6472.42682	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:14	1	1	1	1	77.5	64.25	0	27819.905	247.311828	6880.113065	30000	0	0	30000	44.25	2004
29.01.2020 12:57:15	1	1	1	1	77.5	64.25	0	29146.919	266.6666667	7985.758161	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:16	1	1	1	1	77.5	64.25	0	29431.28	281.7204301	8290.707472	30000	0	0	30000	43.75	2004
29.01.2020 12:57:17	1	1	1	1	77.5	63.75	0	29668.246	281.7204301	8435.028402	30000	0	0	30000	44.375	2004
29.01.2020 12:57:18	1	1	1	1	77.5	64.25	0	29336.493	268.8172043	7885.467344	30000	0	0	30000	44.375	2004
29.01.2020 12:57:19	1	1	1	1	77.5	64.25	0	28815.166	270.9677419	7808.006958	30000	0	0	30000	44.25	2004
29.01.2020 12:57:20	1	1	1	1	77.5	64.25	0	29715.64	273.1182796	8179.816813	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:21	1	1	1	1	77.5	64.25	0	29146.919	262.3655914	7671.839752	30000	0	0	30000	44.375	2004
29.01.2020 12:57:22	1	1	1	1	77.5	64.25	0	29952.607	264.516129	7999.619493	30000	0	0	30000	44.125	2004
29.01.2020 12:57:23	1	1	1	1	77.5	64	0	30000	262.3655914	7935.205066	30000	0	0	30000	44.1875	2004
29.01.2020 12:57:24	1	1	1	1	77.5	64	0	30047.393	262.3655914	7870.79064	30000	0	0	30000	44.375	2004
29.01.2020 12:57:25	1	1	1	1	77.5	64.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	44.125	2004
29.01.2020 12:57:26	1	1	1	1	77.5	64	0	30000	260.2150538	7806.376213	30000	0	0	30000	44.1875	2004
29.01.2020 12:57:27	1	1	1	1	77.5	64	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:28	1	1	1	1	77	64.25	0	29905.213	260.2150538	7845.514092	30000	0	0	30000	44.25	2004
29.01.2020 12:57:29	1	1	1	1	77	64.25	0	29905.213	268.8172043	8038.757372	30000	0	0	30000	44.375	2004
29.01.2020 12:57:30	1	1	1	1	77	64.25	0	29857.82	270.9677419	8154.540266	30000	0	0	30000	44.375	2004
29.01.2020 12:57:31	1	1	1	1	77	64.25	0	26350.711	264.516129	6787.975974	30000	0	0	30000	44.25	2004
29.01.2020 12:57:32	1	1	1	1	77	64.25	0	28815.166	296.7741935	8365.721741	30000	0	0	30000	44.1875	2004
29.01.2020 12:57:33	1	1	1	1	77	64	0	30000	305.3763441	9160.709918	30000	0	0	30000	44.1875	2004
29.01.2020 12:57:34	1	1	1	1	77	64	0	30000	311.827957	9354.76857	30000	0	0	30000	44.125	2004
29.01.2020 12:57:35	1	1	1	1	77	64	0	29857.82	313.9784946	9453.428641	30000	0	0	30000	44.0625	2004
29.01.2020 12:57:36	1	1	1	1	77	64	0	29478.673	322.5806452	9508.873971	30000	0	0	30000	44.1875	2004
29.01.2020 12:57:38	1	1	1	1	77	64	0	25260.664	283.8709677	7115.755714	30000	0	0	30000	44.4375	2004
29.01.2020 12:57:39	1	1	1	1	76.75	64.25	0	29146.919	335.483871	9840.730574	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:57:40	1	1	1	1	76.75	64.25	0	29905.213	333.3333333	9984.236132	30000	0	0	30000	43.8125	2004
29.01.2020 12:57:41	1	1	1	1	76.75	63.75	0	29620.853	341.9354839	10127.74169	30000	0	0	30000	44.375	2004
29.01.2020 12:57:42	1	1	1	1	76.75	64.25	0	30000	333.3333333	10048.65056	30000	0	0	30000	44.25	2004
29.01.2020 12:57:43	1	1	1	1	76.75	64.25	0	29620.853	307.5268817	8889.190879	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:44	1	1	1	1	76.75	64.25	0	29905.213	329.0322581	9839.099829	30000	0	0	30000	44.25	2004
29.01.2020 12:57:45	1	1	1	1	76.75	64.25	0	29526.066	309.6774194	9094.664746	30000	0	0	30000	44.125	2004
29.01.2020 12:57:46	1	1	1	1	76.75	64.5	0	24502.37	283.8709677	7246.215313	30000	0	0	30000	43.9375	2004
29.01.2020 12:57:47	1	1	1	1	76.75	63.75	0	29905.213	339.7849462	10161.17196	30000	0	0	30000	44.1875	2004
29.01.2020 12:57:48	1	1	1	1	76.5	64	0	29857.82	341.9354839	10353.59987	30000	0	0	30000	44.25	2004
29.01.2020 12:57:49	1	1	1	1	76.5	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.4375	2004
29.01.2020 12:57:50	1	1	1	1	76.5	64.25	0	29905.213	335.483871	10032.34311	30000	0	0	30000	44.375	2004
29.01.2020 12:57:51	1	1	1	1	76.5	64.25	0	29431.28	329.0322581	9698.855761	30000	0	0	30000	43.8125	2004
29.01.2020 12:57:52	1	1	1	1	76.5	63.75	0	28862.559	350.5376344	10100.8344	30000	0	0	30000	44.0625	2004
29.01.2020 12:57:53	1	1	1	1	76.5	64	0	30000	365.5913978	10967.57535	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:54	1	1	1	1	76.5	64.25	0	29905.213	337.6344086	10387.03014	30000	0	0	30000	44.0625	2004
29.01.2020 12:57:55	1	1	1	1	76.5	64	0	29905.213	339.7849462	10161.17196	30000	0	0	30000	44.3125	2004
29.01.2020 12:57:56	1	1	1	1	76.5	64.25	0	29668.246	326.8817204	9698.040388	30000	0	0	30000	44.125	2004
29.01.2020 12:57:57	1	1	1	1	76.5	64	0	29857.82	320.4301075	9423.259859	30000	0	0	30000	44.25	2004
29.01.2020 12:57:58	1	1	1	1	76.75	64.25	0	28341.232	294.6236559	8410.567227	30000	0	0	30000	44.25	2004
29.01.2020 12:57:59	1	1	1	1	76.75	64.25	0	29383.886	350.5376344	10443.29084	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:00	1	1	1	1	76.75	64.25	0	29715.64	326.8817204	9808.115674	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:01	1	1	1	1	76.75	64.25	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	44.4375	2004
29.01.2020 12:58:02	1	1	1	1	76.75	64.25	0	29620.853	341.9354839	10416.38355	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:03	1	1	1	1	76.75	64.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	44.4375	2004
29.01.2020 12:58:04	1	1	1	1	76.75	64.25	0	29857.82	326.8817204	9695.594271	30000	0	0	30000	44	2004
29.01.2020 12:58:05	1	1	1	1	76.75	64	0	28483.412	311.827957	8881.852526	30000	0	0	30000	44.125	2004
29.01.2020 12:58:06	1	1	1	1	76.75	64	0	24739.336	305.3763441	7622.10203	30000	0	0	30000	44	2004
29.01.2020 12:58:07	1	1	1	1	76.75	64	0	29715.64	356.9892473	10543.58166	30000	0	0	30000	44.1875	2004
29.01.2020 12:58:08	1	1	1	1	76.5	64	0	29763.033	359.1397849	10671.59514	30000	0	0	30000	44.375	2004
29.01.2020 12:58:15	1	1	1	1	76.5	64.25	0	29905.213	331.1827957	10064.14264	30000	0	0	30000	44.25	2004
29.01.2020 12:58:15	1	1	1	1	76.5	64.25	0	29905.213	331.1827957	10064.14264	30000	0	0	30000	44.25	2004
29.01.2020 12:58:15	1	1	1	1	76.5	64.25	0	29905.213	331.1827957	10064.14264	30000	0	0	30000	44.25	2004
29.01.2020 12:58:15	1	1	1	1	76.5	64.25	0	29905.213	331.1827957	10064.14264	30000	0	0	30000	44.25	2004
29.01.2020 12:58:15	1	1	1	1	76.5	64.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:16	1	1	1	1	76.5	64.25	0	28625.592	305.3763441	8542.657571	30000	0	0	30000	44.125	2004
29.01.2020 12:58:18	1	1	1	1	76.5	64	0	30000	335.483871	9870.899356	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:19	1	1	1	1	76.5	64.25	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	44.25	2004
29.01.2020 12:58:20	1	1	1	1	76.5	64.25	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:21	1	1	1	1	76.5	64.25	0	29905.213	331.1827957	9903.514255	30000	0	0	30000	44.4375	2004
29.01.2020 12:58:22	1	1	1	1	76.5	64.25	0	30000	329.0322581	9741.25513	30000	0	0	30000	44.25	2004
29.01.2020 12:58:23	1	1	1	1	76.5	64.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:58:24	1	1	1	1	76.5	64.5	0	26540.284	301.0752688	7990.650395	30000	0	0	30000	44.375	2004
29.01.2020 12:58:25	1	1	1	1	76.5	64.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	44.1875	2004
29.01.2020 12:58:26	1	1	1	1	76.5	64	0	30000	313.9784946	9483.597423	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:27	1	1	1	1	76.5	64.25	0	26919.431	275.2688172	7410.105183	30000	0	0	30000	43.875	2004
29.01.2020 12:58:28	1	1	1	1	76.5	63.75	0	26350.711	253.7634409	6868.69785	30000	0	0	30000	44.25	2004
29.01.2020 12:58:29	1	1	1	1	76.5	64.25	0	30000	311.827957	9354.76857	30000	0	0	30000	44.25	2004
29.01.2020 12:58:30	1	1	1	1	76.5	64.25	0	30000	309.6774194	9419.182997	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:31	1	1	1	1	76.5	64.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.375	2004
29.01.2020 12:58:32	1	1	1	1	76.5	63.25	0	29905.213	309.6774194	9354.76857	30000	0	0	30000	44.125	2004
29.01.2020 12:58:33	1	1	1	1	76.5	64	0	30000	292.4731183	8695.947599	30000	0	0	30000	43.9375	2004
29.01.2020 12:58:34	1	1	1	1	76.5	63.75	0	28862.559	290.3225806	8378.7677	30000	0	0	30000	44.0625	2004
29.01.2020 12:58:35	1	1	1	1	76.5	64	0	28483.412	268.8172043	7656.347675	30000	0	0	30000	44.1875	2004
29.01.2020 12:58:36	1	1	1	1	76.5	64	0	29810.427	290.3225806	8668.224934	30000	0	0	30000	44.1875	2004
29.01.2020 12:58:37	1	1	1	1	76.5	64	0	30000	292.4731183	8774.223358	30000	0	0	30000	44.25	2004
29.01.2020 12:58:38	1	1	1	1	76.5	64.25	0	26113.744	281.7204301	7356.290599	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:39	1	1	1	1	76.5	64.25	0	27630.332	294.6236559	8139.863561	30000	0	0	30000	44.125	2004
29.01.2020 12:58:40	1	1	1	1	76.5	64	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
29.01.2020 12:58:41	1	1	1	1	76.5	63.75	0	29241.706	277.4193548	7985.758161	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:42	1	1	1	1	76.5	64.25	0	26303.318	270.9677419	7070.094855	30000	0	0	30000	44	2004
29.01.2020 12:58:43	1	1	1	1	76.5	64	0	27345.972	277.4193548	7573.179681	30000	0	0	30000	44.4375	2004
29.01.2020 12:58:44	1	1	1	1	76.5	64.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	44.3125	2004
29.01.2020 12:58:45	1	1	1	1	76.5	64.25	0	29905.213	288.172043	8617.67184	30000	0	0	30000	44.25	2004
29.01.2020 12:58:46	1	1	1	1	76.5	64.25	0	29668.246	290.3225806	8598.918272	30000	0	0	30000	43.5625	2004
29.01.2020 12:58:47	1	1	1	1	76.5	63.5	0	29526.066	307.5268817	9094.664746	30000	0	0	30000	44	2004
29.01.2020 12:58:48	1	1	1	1	77.5	64	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.875	2004
29.01.2020 12:58:49	1	1	1	1	77.5	63.75	0	29952.607	363.4408602	10804.50086	30000	0	0	30000	44.25	2004
29.01.2020 12:58:50	1	1	1	1	77.5	64.25	0	29905.213	365.5913978	11014.86696	30000	0	0	30000	44.125	2004
29.01.2020 12:58:51	1	1	1	1	77.5	64	0	29573.46	322.5806452	9524.366048	30000	0	0	30000	44	2004
29.01.2020 12:58:52	1	1	1	1	77.5	64	0	29431.28	350.5376344	10316.09274	30000	0	0	30000	44.4375	2004
29.01.2020 12:58:53	1	1	1	1	77.5	64.25	0	29146.919	311.827957	9150.925448	30000	0	0	30000	44.5	2004
29.01.2020 12:58:54	1	1	1	1	77.5	64.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	44.25	2004
29.01.2020 12:58:56	1	1	1	1	77.5	64.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	44.375	2004
29.01.2020 12:58:57	1	1	1	1	77.5	64.25	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	44.375	2004
29.01.2020 12:58:58	1	1	1	1	77.5	64.25	0	29952.607	339.7849462	10177.47941	30000	0	0	30000	44.25	2004
29.01.2020 12:58:59	1	1	1	1	76.75	64.25	0	30000	346.2365591	10580.27342	30000	0	0	30000	44.25	2004
29.01.2020 12:59:00	1	1	1	1	76.75	64.25	0	29810.427	356.9892473	10641.42636	30000	0	0	30000	43.625	2004
29.01.2020 12:59:01	1	1	1	1	76.75	63.5	0	29668.246	354.8387097	10527.27421	30000	0	0	30000	44.625	2004
29.01.2020 12:59:02	1	1	1	1	76.75	64.5	0	30000	346.2365591	10370.72269	30000	0	0	30000	44.1875	2004
29.01.2020 12:59:03	1	1	1	1	76.75	64.25	0	29857.82	348.3870968	10353.59987	30000	0	0	30000	44.125	2004
29.01.2020 12:59:04	1	1	1	1	76.75	64	0	30000	335.483871	10064.14264	30000	0	0	30000	44.25	2004
29.01.2020 12:59:05	1	1	1	1	76.75	64.25	0	28815.166	305.3763441	8675.563286	30000	0	0	30000	44.0625	2004
29.01.2020 12:59:06	1	1	1	1	76.75	64	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	43.125	2004
29.01.2020 12:59:07	1	1	1	1	76.75	63	0	24597.156	288.172043	7141.032262	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:59:08	1	1	1	1	76.5	64.5	0	29336.493	309.6774194	9035.957927	30000	0	0	30000	44.125	2004
29.01.2020 12:59:09	1	1	1	1	76.5	64	0	28436.019	303.2258065	8744.869948	30000	0	0	30000	44.25	2004
29.01.2020 12:59:10	1	1	1	1	76.5	64.25	0	30000	335.483871	10128.55706	30000	0	0	30000	44.375	2004
29.01.2020 12:59:17	1	1	1	1	76.5	64	0	24597.156	329.0322581	8124.371484	30000	0	0	30000	44.4375	2004
29.01.2020 12:59:17	1	1	1	1	76.5	64	0	24597.156	329.0322581	8124.371484	30000	0	0	30000	44.4375	2004
29.01.2020 12:59:17	1	1	1	1	76.5	64	0	24597.156	329.0322581	8124.371484	30000	0	0	30000	44.4375	2004
29.01.2020 12:59:17	1	1	1	1	76.5	64	0	24597.156	329.0322581	8124.371484	30000	0	0	30000	44.4375	2004
29.01.2020 12:59:17	1	1	1	1	76.5	64	0	24597.156	329.0322581	8124.371484	30000	0	0	30000	44.4375	2004
29.01.2020 12:59:17	1	1	1	1	76.5	64	0	24597.156	329.0322581	8124.371484	30000	0	0	30000	44.4375	2004
29.01.2020 12:59:17	1	1	1	1	76.5	64	0	24597.156	329.0322581	8124.371484	30000	0	0	30000	44.4375	2004
29.01.2020 12:59:18	1	1	1	1	76.25	64.25	0	29431.28	326.8817204	9620.580002	30000	0	0	30000	44.375	2004
29.01.2020 12:59:19	1	1	1	1	76.25	64.25	0	29146.919	318.2795699	9088.141766	30000	0	0	30000	44.1875	2004
29.01.2020 12:59:20	1	1	1	1	76.25	64	0	29905.213	333.3333333	9984.236132	30000	0	0	30000	44.25	2004
29.01.2020 12:59:21	1	1	1	1	76.25	64.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	44.375	2004
29.01.2020 12:59:22	1	1	1	1	76.25	64.25	0	30000	352.688172	10515.85899	30000	0	0	30000	44.375	2004
29.01.2020 12:59:23	1	1	1	1	76.25	64.25	0	29810.427	341.9354839	10192.97149	30000	0	0	30000	44.25	2004
29.01.2020 12:59:24	1	1	1	1	76.25	64.25	0	29952.607	329.0322581	9919.821705	30000	0	0	30000	44.4375	2004
29.01.2020 12:59:25	1	1	1	1	76.25	64.25	0	26919.431	307.5268817	8408.936482	30000	0	0	30000	44.25	2004
29.01.2020 12:59:26	1	1	1	1	76.25	64.25	0	30000	352.688172	10580.27342	30000	0	0	30000	44.3125	2004
29.01.2020 12:59:27	1	1	1	1	76.25	64.25	0	28815.166	305.3763441	8737.531596	30000	0	0	30000	44.1875	2004
29.01.2020 12:59:28	1	1	1	1	74.75	64	0	29620.853	313.9784946	9314.815318	30000	0	0	30000	43.5	2004
29.01.2020 12:59:29	1	1	1	1	74.75	63.5	0	29952.607	331.1827957	9870.899356	30000	0	0	30000	44.1875	2004
29.01.2020 12:59:30	1	1	1	1	74.75	64	0	29478.673	313.9784946	9206.370777	30000	0	0	30000	44.25	2004
29.01.2020 12:59:31	1	1	1	1	74.75	64.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	44.125	2004
29.01.2020 12:59:32	1	1	1	1	74.75	64	0	30000	341.9354839	10403.33759	30000	0	0	30000	44.1875	2004
29.01.2020 12:59:34	1	1	1	1	74.75	64	0	30000	326.8817204	9806.484929	30000	0	0	30000	44.3125	2004
29.01.2020 12:59:35	1	1	1	1	74.75	64.25	0	29289.1	331.1827957	9621.395374	30000	0	0	30000	44.375	2004
29.01.2020 12:59:36	1	1	1	1	74.75	64.25	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.625	2004
29.01.2020 12:59:37	1	1	1	1	74.75	63.5	0	29526.066	346.2365591	10239.44772	30000	0	0	30000	44.1875	2004
29.01.2020 12:59:38	1	1	1	1	74.75	64	0	29905.213	337.6344086	10096.75754	30000	0	0	30000	44.0625	2004
29.01.2020 12:59:39	1	1	1	1	76.25	64	0	28815.166	311.827957	8985.404832	30000	0	0	30000	44.5	2004
29.01.2020 12:59:40	1	1	1	1	76.25	64.5	0	29573.46	316.1290323	9363.737667	30000	0	0	30000	43.8125	2004
29.01.2020 12:59:41	1	1	1	1	76.25	64.25	0	29857.82	341.9354839	10225.58639	30000	0	0	30000	44.1875	2004
29.01.2020 12:59:42	1	1	1	1	76.25	64	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.0625	2004
29.01.2020 12:59:43	1	1	1	1	76.25	64	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.4375	2004
29.01.2020 12:59:44	1	1	1	1	76.25	64.25	0	27298.578	301.0752688	8395.07515	30000	0	0	30000	44.125	2004
29.01.2020 12:59:45	1	1	1	1	76.25	64	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.6875	2004
29.01.2020 12:59:46	1	1	1	1	76.25	63.5	0	28815.166	324.7311828	9419.182997	30000	0	0	30000	44.125	2004
29.01.2020 12:59:47	1	1	1	1	76.25	64	0	28341.232	322.5806452	9066.126709	30000	0	0	30000	44.3125	2004
29.01.2020 12:59:48	1	1	1	1	76.25	64.25	0	30000	372.0430108	11031.98978	30000	0	0	30000	44	2004
29.01.2020 12:59:49	1	1	1	1	76.25	64	0	30000	378.4946237	11125.75762	30000	0	0	30000	44	2004
29.01.2020 12:59:50	1	1	1	1	76.25	64	0	29573.46	384.9462366	11384.2307	30000	0	0	30000	44	2004
29.01.2020 12:59:51	1	1	1	1	76.25	64	0	29431.28	350.5376344	10316.09274	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 12:59:52	1	1	1	1	76.25	64.25	0	29857.82	387.0967742	11640.25766	30000	0	0	30000	44.375	2004
29.01.2020 12:59:53	1	1	1	1	76.25	64.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.9375	2004
29.01.2020 12:59:54	1	1	1	1	76.25	63.75	0	26350.711	363.4408602	9593.672709	30000	0	0	30000	44.125	2004
29.01.2020 12:59:55	1	1	1	1	76.25	64	0	30000	395.6989247	11852.2545	30000	0	0	30000	44.3125	2004
29.01.2020 12:59:56	1	1	1	1	76.25	64.25	0	25308.057	341.9354839	8669.855679	30000	0	0	30000	44.1875	2004
29.01.2020 12:59:57	1	1	1	1	76.25	64	0	28815.166	339.7849462	9790.992852	30000	0	0	30000	44.125	2004
29.01.2020 12:59:58	1	1	1	1	76.5	64	0	30000	415.0537634	12387.13886	30000	0	0	30000	44.1875	2004
29.01.2020 12:59:59	1	1	1	1	76.5	64	0	30000	380.6451613	11483.70614	30000	0	0	30000	44.125	2004
29.01.2020 13:00:00	1	1	1	1	76.5	64	0	29905.213	384.9462366	11530.18237	30000	0	0	30000	44.0625	2004
29.01.2020 13:00:01	1	1	1	1	76.5	64	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.3125	2004
29.01.2020 13:00:02	1	1	1	1	76.5	64.25	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	43.9375	2004
29.01.2020 13:00:03	1	1	1	1	76.5	63.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	44.4375	2004
29.01.2020 13:00:04	1	1	1	1	76.5	64.25	0	27630.332	339.7849462	9388.198842	30000	0	0	30000	44.1875	2004
29.01.2020 13:00:05	1	1	1	1	76.5	64	0	30000	369.8924731	11031.98978	30000	0	0	30000	44.125	2004
29.01.2020 13:00:06	1	1	1	1	76.5	64	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	44.0625	2004
29.01.2020 13:00:07	1	1	1	1	76.5	64	0	30000	372.0430108	11160.81863	30000	0	0	30000	44.1875	2004
29.01.2020 13:00:08	1	1	1	1	75.75	64	0	29810.427	335.483871	10064.95801	30000	0	0	30000	44.3125	2004
29.01.2020 13:00:09	1	1	1	1	75.75	64.25	0	30000	333.3333333	9855.407279	30000	0	0	30000	44.1875	2004
29.01.2020 13:00:10	1	1	1	1	75.75	64	0	29905.213	348.3870968	10466.12127	30000	0	0	30000	43.5	2004
29.01.2020 13:00:12	1	1	1	1	75.75	63.5	0	30000	341.9354839	10273.69337	30000	0	0	30000	44.4375	2004
29.01.2020 13:00:19	1	1	1	1	75.75	63.25	0	29905.213	326.8817204	9582.257495	30000	0	0	30000	44.25	2004
29.01.2020 13:00:19	1	1	1	1	75.75	63.25	0	29905.213	326.8817204	9582.257495	30000	0	0	30000	44.25	2004
29.01.2020 13:00:19	1	1	1	1	75.75	63.25	0	29905.213	326.8817204	9582.257495	30000	0	0	30000	44.25	2004
29.01.2020 13:00:19	1	1	1	1	75.75	63.25	0	29905.213	326.8817204	9582.257495	30000	0	0	30000	44.25	2004
29.01.2020 13:00:19	1	1	1	1	75.75	63.25	0	29905.213	326.8817204	9582.257495	30000	0	0	30000	44.25	2004
29.01.2020 13:00:19	1	1	1	1	75.75	64.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	44.1875	2004
29.01.2020 13:00:20	1	1	1	1	75.75	64	0	28815.166	296.7741935	8551.626668	30000	0	0	30000	44.375	2004
29.01.2020 13:00:21	1	1	1	1	75.75	64.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	44.3125	2004
29.01.2020 13:00:22	1	1	1	1	75.75	64.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.875	2004
29.01.2020 13:00:23	1	1	1	1	75.75	63.75	0	29810.427	292.4731183	8718.778028	30000	0	0	30000	44.25	2004
29.01.2020 13:00:24	1	1	1	1	75.75	64.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	44.375	2004
29.01.2020 13:00:25	1	1	1	1	75.75	64.25	0	28815.166	275.2688172	7931.943576	30000	0	0	30000	44	2004
29.01.2020 13:00:26	1	1	1	1	75.75	64	0	30000	294.6236559	8903.052211	30000	0	0	30000	44.25	2004
29.01.2020 13:00:27	1	1	1	1	75.75	64.25	0	30000	294.6236559	8824.776452	30000	0	0	30000	44.25	2004
29.01.2020 13:00:28	1	1	1	1	75.75	64.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	44.1875	2004
29.01.2020 13:00:29	1	1	1	1	75.75	64	0	30000	305.3763441	9225.124344	30000	0	0	30000	44.25	2004
29.01.2020 13:00:30	1	1	1	1	75.75	64.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	44.125	2004
29.01.2020 13:00:31	1	1	1	1	75.75	64	0	30000	303.2258065	9160.709918	30000	0	0	30000	44.3125	2004
29.01.2020 13:00:32	1	1	1	1	75.75	64.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.8125	2004
29.01.2020 13:00:33	1	1	1	1	75.75	63.75	0	29715.64	318.2795699	9393.90645	30000	0	0	30000	44.375	2004
29.01.2020 13:00:34	1	1	1	1	75.75	64.25	0	29952.607	326.8817204	9790.992852	30000	0	0	30000	44.3125	2004
29.01.2020 13:00:35	1	1	1	1	75.75	64.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:00:36	1	1	1	1	75.75	64.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	44.125	2004
29.01.2020 13:00:37	1	1	1	1	75.75	64	0	29905.213	341.9354839	10353.59987	30000	0	0	30000	44.125	2004
29.01.2020 13:00:38	1	1	1	1	75.75	64	0	29905.213	367.7419355	11031.98978	30000	0	0	30000	43.875	2004
29.01.2020 13:00:39	1	1	1	1	75.75	63.75	0	29715.64	329.0322581	9777.13152	30000	0	0	30000	44.25	2004
29.01.2020 13:00:40	1	1	1	1	75.75	64.25	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	44.375	2004
29.01.2020 13:00:41	1	1	1	1	75.75	64.25	0	29952.607	354.8387097	10611.25758	30000	0	0	30000	43.875	2004
29.01.2020 13:00:42	1	1	1	1	75.75	63.75	0	29241.706	320.4301075	9621.395374	30000	0	0	30000	44.375	2004
29.01.2020 13:00:43	1	1	1	1	75.75	64.25	0	28388.626	331.1827957	9340.091865	30000	0	0	30000	43	2004
29.01.2020 13:00:44	1	1	1	1	75.75	63	0	29526.066	333.3333333	9841.545946	30000	0	0	30000	44.0625	2004
29.01.2020 13:00:45	1	1	1	1	75.75	64	0	30000	359.1397849	10773.5167	30000	0	0	30000	44.125	2004
29.01.2020 13:00:46	1	1	1	1	75.75	64	0	29905.213	337.6344086	10096.75754	30000	0	0	30000	43.9375	2004
29.01.2020 13:00:47	1	1	1	1	75.75	63.75	0	29715.64	356.9892473	10607.99609	30000	0	0	30000	44	2004
29.01.2020 13:00:49	1	1	1	1	75.75	64	0	29383.886	341.9354839	10063.32726	30000	0	0	30000	43.875	2004
29.01.2020 13:00:50	1	1	1	1	75.75	63.75	0	29905.213	382.7956989	11382.59995	30000	0	0	30000	44.3125	2004
29.01.2020 13:00:51	1	1	1	1	75.75	64.25	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	44.375	2004
29.01.2020 13:00:52	1	1	1	1	75.75	64.25	0	29810.427	359.1397849	10705.84078	30000	0	0	30000	44.1875	2004
29.01.2020 13:00:53	1	1	1	1	75.75	64	0	29857.82	352.688172	10466.12127	30000	0	0	30000	43.6875	2004
29.01.2020 13:00:54	1	1	1	1	75.75	63.5	0	29573.46	335.483871	9985.051504	30000	0	0	30000	43.75	2004
29.01.2020 13:00:55	1	1	1	1	75.75	63.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.5	2004
29.01.2020 13:00:56	1	1	1	1	75.75	64.5	0	29905.213	356.9892473	10675.672	30000	0	0	30000	44.1875	2004
29.01.2020 13:00:57	1	1	1	1	75.75	64	0	0	0	0	30000	0	8	30000	44.625	2004
29.01.2020 13:00:58	1	1	1	1	75.75	64.75	0	10331.754	0	0	30000	0	0	30000	44.125	2004
29.01.2020 13:00:59	1	1	1	1	75.75	64	0	11090.047	0	0	30000	0	0	30000	44.25	2004
29.01.2020 13:01:00	1	1	1	1	75.75	64.25	0	11848.341	0	0	30000	0	0	30000	44.25	2004
29.01.2020 13:01:01	1	1	1	1	75.75	64.25	0	11753.555	0	0	30000	0	0	30000	44.125	2004
29.01.2020 13:01:02	1	1	1	1	75.75	64	0	13412.322	6.451612903	86.42948387	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:03	1	1	1	1	75.75	64	0	14170.616	10.75268817	151.659283	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:04	1	1	1	1	75.75	64.25	0	14834.123	15.05376344	255.2115892	30000	0	0	30000	43.875	2004
29.01.2020 13:01:05	1	1	1	1	75.75	63.75	0	15734.597	23.65591398	371.8098551	30000	0	0	30000	44.375	2004
29.01.2020 13:01:06	1	1	1	1	75.75	64.25	0	14454.976	19.35483871	279.6727638	30000	0	0	30000	43.9375	2004
29.01.2020 13:01:07	1	1	1	1	75.75	63.75	0	14834.123	21.50537634	384.0404425	30000	0	0	30000	44.25	2004
29.01.2020 13:01:08	1	1	1	1	76	64.25	0	18104.265	47.31182796	853.6949963	30000	0	0	30000	44.0625	2004
29.01.2020 13:01:09	1	1	1	1	76	64	0	18672.986	51.61290323	1006.169652	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:10	1	1	1	1	76	64	0	19573.46	64.51612903	1262.196613	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:11	1	1	1	1	76	64	0	18151.659	62.3655914	1092.599136	30000	0	0	30000	43.6875	2004
29.01.2020 13:01:12	1	1	1	1	76	63.5	0	21042.654	79.56989247	1673.959721	30000	0	0	30000	44.25	2004
29.01.2020 13:01:13	1	1	1	1	76	64.25	0	21895.735	83.87096774	1836.218846	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:20	1	1	1	1	76	64.25	0	25402.844	126.8817204	3277.797407	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:20	1	1	1	1	76	64.25	0	25402.844	126.8817204	3277.797407	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:20	1	1	1	1	76	64.25	0	25402.844	126.8817204	3277.797407	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:20	1	1	1	1	76	64.25	0	25402.844	126.8817204	3277.797407	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:20	1	1	1	1	76	64.25	0	25402.844	126.8817204	3277.797407	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:20	1	1	1	1	76	64.25	0	25402.844	126.8817204	3277.797407	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:20	1	1	1	1	76	64.25	0	25402.844	126.8817204	3277.797407	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:01:20	1	1	1	1	76	64.25	0	25734.597	144.0860215	3727.883021	30000	0	0	30000	44.125	2004
29.01.2020 13:01:21	1	1	1	1	76	64	0	26966.825	159.1397849	4283.967059	30000	0	0	30000	44.125	2004
29.01.2020 13:01:22	1	1	1	1	76	64	0	27772.512	178.4946237	5025.140652	30000	0	0	30000	44.25	2004
29.01.2020 13:01:23	1	1	1	1	76	64.25	0	28388.626	184.9462366	5372.489332	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:24	1	1	1	1	76	64	0	29099.526	206.4516129	6007.664501	30000	0	0	30000	44.375	2004
29.01.2020 13:01:25	1	1	1	1	76	64.25	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:26	1	1	1	1	76	64	0	29241.706	219.3548387	6413.720001	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:28	1	1	1	1	76	64	0	29431.28	219.3548387	6455.303998	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:29	1	1	1	1	75.75	64.25	0	29620.853	219.3548387	6571.086892	30000	0	0	30000	44	2004
29.01.2020 13:01:30	1	1	1	1	75.75	64	0	29715.64	206.4516129	6134.86261	30000	0	0	30000	43.4375	2004
29.01.2020 13:01:31	1	1	1	1	75.75	63.25	0	29857.82	219.3548387	6549.071834	30000	0	0	30000	44.5	2004
29.01.2020 13:01:32	1	1	1	1	75.75	64.5	0	29905.213	236.5591398	7009.757291	30000	0	0	30000	44.5	2004
29.01.2020 13:01:33	1	1	1	1	75.75	64.5	0	29905.213	240.8602151	7203.000571	30000	0	0	30000	44.25	2004
29.01.2020 13:01:34	1	1	1	1	75.75	64.25	0	29952.607	243.0107527	7203.000571	30000	0	0	30000	44.25	2004
29.01.2020 13:01:35	1	1	1	1	75.75	64.25	0	30000	249.4623656	7547.903134	30000	0	0	30000	43.6875	2004
29.01.2020 13:01:36	1	1	1	1	75.75	64	0	30000	251.6129032	7547.903134	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:37	1	1	1	1	75.75	64	0	30000	253.7634409	7612.31756	30000	0	0	30000	44.125	2004
29.01.2020 13:01:38	1	1	1	1	75	64	0	30000	251.6129032	7612.31756	30000	0	0	30000	44.0625	2004
29.01.2020 13:01:39	1	1	1	1	75	64	0	30000	251.6129032	7612.31756	30000	0	0	30000	44.0625	2004
29.01.2020 13:01:40	1	1	1	1	75	64	0	30000	264.516129	7935.205066	30000	0	0	30000	44.0625	2004
29.01.2020 13:01:41	1	1	1	1	75	64	0	30000	262.3655914	7870.79064	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:42	1	1	1	1	75	64	0	30000	258.0645161	7741.961786	30000	0	0	30000	44.0625	2004
29.01.2020 13:01:43	1	1	1	1	75	64	0	30000	253.7634409	7612.31756	30000	0	0	30000	44.0625	2004
29.01.2020 13:01:44	1	1	1	1	75	64	0	30000	240.8602151	7225.831	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:45	1	1	1	1	75	64	0	30000	240.8602151	7214.415786	30000	0	0	30000	43.6875	2004
29.01.2020 13:01:46	1	1	1	1	75	63.5	0	29620.853	232.2580645	6964.911804	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:47	1	1	1	1	75	64.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	43.9375	2004
29.01.2020 13:01:48	1	1	1	1	75.25	63.75	0	30000	234.4086022	7096.186775	30000	0	0	30000	44.125	2004
29.01.2020 13:01:49	1	1	1	1	75.25	64	0	30000	234.4086022	7031.772348	30000	0	0	30000	44.1875	2004
29.01.2020 13:01:50	1	1	1	1	75.25	64	0	30094.787	240.8602151	6967.357921	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:51	1	1	1	1	75.25	64.25	0	29952.607	236.5591398	7203.000571	30000	0	0	30000	43.875	2004
29.01.2020 13:01:52	1	1	1	1	75.25	63.75	0	30000	236.5591398	7021.172506	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:53	1	1	1	1	75.25	64.25	0	28862.559	227.9569892	6765.145544	30000	0	0	30000	44.25	2004
29.01.2020 13:01:54	1	1	1	1	75.25	64.25	0	29905.213	232.2580645	6945.342864	30000	0	0	30000	44.125	2004
29.01.2020 13:01:55	1	1	1	1	75.25	64	0	30000	232.2580645	6967.357921	30000	0	0	30000	44.3125	2004
29.01.2020 13:01:56	1	1	1	1	75.25	64.25	0	28862.559	227.9569892	6641.208926	30000	0	0	30000	44.125	2004
29.01.2020 13:01:57	1	1	1	1	75.25	64	0	30000	236.5591398	7096.186775	30000	0	0	30000	43.875	2004
29.01.2020 13:01:58	1	1	1	1	74.75	63.75	0	29905.213	232.2580645	7021.172506	30000	0	0	30000	44.0625	2004
29.01.2020 13:01:59	1	1	1	1	74.75	64	0	30000	230.1075269	6967.357921	30000	0	0	30000	44.125	2004
29.01.2020 13:02:00	1	1	1	1	74.75	64	0	29905.213	227.9569892	6624.086103	30000	0	0	30000	44	2004
29.01.2020 13:02:01	1	1	1	1	74.75	64	0	29952.607	232.2580645	6967.357921	30000	0	0	30000	44	2004
29.01.2020 13:02:02	1	1	1	1	74.75	64	0	30000	234.4086022	6967.357921	30000	0	0	30000	43.75	2004
29.01.2020 13:02:03	1	1	1	1	74.75	63.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:02:04	1	1	1	1	74.75	64	0	30000	232.2580645	7031.772348	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:05	1	1	1	1	74.75	64	0	29905.213	232.2580645	6956.758079	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:07	1	1	1	1	74.75	64	0	29952.607	234.4086022	7031.772348	30000	0	0	30000	44.125	2004
29.01.2020 13:02:08	1	1	1	1	74.75	64	0	29952.607	232.2580645	6967.357921	30000	0	0	30000	43.4375	2004
29.01.2020 13:02:09	1	1	1	1	74.75	63.25	0	30000	232.2580645	6967.357921	30000	0	0	30000	44.3125	2004
29.01.2020 13:02:10	1	1	1	1	74.75	64.25	0	30000	221.5053763	6774.114641	30000	0	0	30000	44.125	2004
29.01.2020 13:02:11	1	1	1	1	74.75	64	0	30000	221.5053763	6644.470416	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:12	1	1	1	1	74.75	64	0	29715.64	221.5053763	6453.673253	30000	0	0	30000	44.3125	2004
29.01.2020 13:02:13	1	1	1	1	74.75	64.25	0	29952.607	225.8064516	6774.114641	30000	0	0	30000	44.5	2004
29.01.2020 13:02:14	1	1	1	1	74.75	64.5	0	30000	230.1075269	6902.943495	30000	0	0	30000	44.4375	2004
29.01.2020 13:02:15	1	1	1	1	74.75	64.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	44.3125	2004
29.01.2020 13:02:22	1	1	1	1	74.75	64	0	30000	247.311828	7354.659854	30000	0	0	30000	44.25	2004
29.01.2020 13:02:22	1	1	1	1	74.75	64	0	30000	247.311828	7354.659854	30000	0	0	30000	44.25	2004
29.01.2020 13:02:22	1	1	1	1	74.75	64	0	30000	247.311828	7354.659854	30000	0	0	30000	44.25	2004
29.01.2020 13:02:22	1	1	1	1	74.75	64	0	30000	247.311828	7354.659854	30000	0	0	30000	44.25	2004
29.01.2020 13:02:22	1	1	1	1	74.75	64	0	30000	247.311828	7354.659854	30000	0	0	30000	44.25	2004
29.01.2020 13:02:22	1	1	1	1	74.75	64.25	0	29715.64	243.0107527	7220.938766	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:23	1	1	1	1	74.75	64	0	30000	270.9677419	8128.448346	30000	0	0	30000	44.125	2004
29.01.2020 13:02:24	1	1	1	1	74.75	64	0	29857.82	262.3655914	7974.342946	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:25	1	1	1	1	74.75	64	0	28815.166	262.3655914	7560.133721	30000	0	0	30000	43.75	2004
29.01.2020 13:02:26	1	1	1	1	74.75	63.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	44.125	2004
29.01.2020 13:02:27	1	1	1	1	74.75	64	0	29905.213	262.3655914	7781.099666	30000	0	0	30000	44.1875	2004
29.01.2020 13:02:28	1	1	1	1	74.75	64	0	29905.213	264.516129	7922.974479	30000	0	0	30000	44	2004
29.01.2020 13:02:29	1	1	1	1	74.75	64	0	29952.607	264.516129	7922.974479	30000	0	0	30000	44.3125	2004
29.01.2020 13:02:30	1	1	1	1	74.75	64.25	0	29952.607	268.8172043	8038.757372	30000	0	0	30000	44.25	2004
29.01.2020 13:02:31	1	1	1	1	74.75	64.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.875	2004
29.01.2020 13:02:32	1	1	1	1	74.75	63.75	0	29668.246	264.516129	7834.91425	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:33	1	1	1	1	74.75	64	0	29146.919	264.516129	7734.623434	30000	0	0	30000	44.25	2004
29.01.2020 13:02:34	1	1	1	1	74.75	64.25	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	44.125	2004
29.01.2020 13:02:35	1	1	1	1	74.75	64	0	30000	275.2688172	8322.506999	30000	0	0	30000	44.1875	2004
29.01.2020 13:02:36	1	1	1	1	74.75	64	0	30000	288.172043	8644.579132	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:37	1	1	1	1	74.75	64	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:38	1	1	1	1	74	64	0	30000	286.0215054	8515.750279	30000	0	0	30000	43.875	2004
29.01.2020 13:02:39	1	1	1	1	74	63.75	0	29905.213	279.5698925	8232.000652	30000	0	0	30000	44.125	2004
29.01.2020 13:02:40	1	1	1	1	74	64	0	30000	290.3225806	8708.993559	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:41	1	1	1	1	74	64	0	30000	290.3225806	8708.993559	30000	0	0	30000	44.1875	2004
29.01.2020 13:02:42	1	1	1	1	74	64	0	28578.199	262.3655914	7436.197103	30000	0	0	30000	44.125	2004
29.01.2020 13:02:43	1	1	1	1	74	64	0	30000	309.6774194	9354.76857	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:45	1	1	1	1	74	64	0	30000	311.827957	9354.76857	30000	0	0	30000	44.125	2004
29.01.2020 13:02:46	1	1	1	1	74	64	0	29952.607	313.9784946	9468.920719	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:47	1	1	1	1	74	64	0	29336.493	301.0752688	8832.114804	30000	0	0	30000	44	2004
29.01.2020 13:02:48	1	1	1	1	74	64	0	30000	326.8817204	9806.484929	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:02:49	1	1	1	1	74.25	64	0	30000	326.8817204	9806.484929	30000	0	0	30000	44.125	2004
29.01.2020 13:02:50	1	1	1	1	74.25	64	0	28862.559	309.6774194	8938.113228	30000	0	0	30000	44.1875	2004
29.01.2020 13:02:51	1	1	1	1	74.25	64	0	29905.213	329.0322581	9775.500775	30000	0	0	30000	44.1875	2004
29.01.2020 13:02:52	1	1	1	1	74.25	64	0	29857.82	313.9784946	9309.923083	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:53	1	1	1	1	74.25	64	0	30000	337.6344086	10113.06499	30000	0	0	30000	44.25	2004
29.01.2020 13:02:54	1	1	1	1	74.25	64.25	0	29905.213	320.4301075	9646.671921	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:55	1	1	1	1	74.25	64	0	29241.706	346.2365591	10124.4802	30000	0	0	30000	44	2004
29.01.2020 13:02:56	1	1	1	1	74.25	64	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	44.0625	2004
29.01.2020 13:02:57	1	1	1	1	74.25	64	0	24454.976	298.9247312	7348.136874	30000	0	0	30000	44.3125	2004
29.01.2020 13:02:58	1	1	1	1	74.75	64.25	0	28341.232	320.4301075	9096.295491	30000	0	0	30000	43.9375	2004
29.01.2020 13:02:59	1	1	1	1	74.75	63.75	0	29715.64	356.9892473	10607.99609	30000	0	0	30000	44.3125	2004
29.01.2020 13:03:00	1	1	1	1	74.75	64.25	0	28815.166	320.4301075	9109.341451	30000	0	0	30000	43.6875	2004
29.01.2020 13:03:01	1	1	1	1	74.75	63.5	0	29715.64	359.1397849	10671.59514	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:02	1	1	1	1	74.75	64	0	29526.066	333.3333333	9857.853396	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:03	1	1	1	1	74.75	64	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.75	2004
29.01.2020 13:03:04	1	1	1	1	74.75	63.75	0	29952.607	367.7419355	11079.28139	30000	0	0	30000	44.125	2004
29.01.2020 13:03:05	1	1	1	1	74.75	64	0	29810.427	378.4946237	11283.12451	30000	0	0	30000	44	2004
29.01.2020 13:03:06	1	1	1	1	74.75	64	0	27440.758	356.9892473	9795.885087	30000	0	0	30000	43.875	2004
29.01.2020 13:03:07	1	1	1	1	74.75	63.75	0	29620.853	346.2365591	10127.74169	30000	0	0	30000	43.8125	2004
29.01.2020 13:03:08	1	1	1	1	74	63.75	0	29668.246	378.4946237	11247.24812	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:09	1	1	1	1	74	64	0	24218.009	316.1290323	7603.348463	30000	0	0	30000	44	2004
29.01.2020 13:03:10	1	1	1	1	74	64	0	30000	365.5913978	10903.16093	30000	0	0	30000	44.125	2004
29.01.2020 13:03:11	1	1	1	1	74	64	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	44	2004
29.01.2020 13:03:12	1	1	1	1	74	64	0	28625.592	326.8817204	9357.214688	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:13	1	1	1	1	74	64	0	29810.427	354.8387097	10448.99845	30000	0	0	30000	43.6875	2004
29.01.2020 13:03:14	1	1	1	1	74	63.5	0	29857.82	320.4301075	9582.257495	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:15	1	1	1	1	74	64	0	29857.82	322.5806452	9631.179844	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:16	1	1	1	1	74	64	0	29526.066	311.827957	9285.461909	30000	0	0	30000	43.9375	2004
29.01.2020 13:03:23	1	1	1	1	73.25	64	0	30000	273.1182796	8192.862773	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:23	1	1	1	1	73.25	64	0	30000	273.1182796	8192.862773	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:23	1	1	1	1	73.25	64	0	30000	273.1182796	8192.862773	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:23	1	1	1	1	73.25	64	0	30000	273.1182796	8192.862773	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:23	1	1	1	1	73.25	64	0	30000	273.1182796	8192.862773	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:23	1	1	1	1	73.25	64	0	30000	273.1182796	8192.862773	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:24	1	1	1	1	73.25	64	0	29905.213	264.516129	7974.342946	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:25	1	1	1	1	73.25	64	0	29905.213	266.6666667	7974.342946	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:26	1	1	1	1	73.25	64	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	43.6875	2004
29.01.2020 13:03:27	1	1	1	1	73.25	63.5	0	30000	264.516129	8064.033919	30000	0	0	30000	44.3125	2004
29.01.2020 13:03:28	1	1	1	1	73.25	64.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.6875	2004
29.01.2020 13:03:29	1	1	1	1	74	63.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:30	1	1	1	1	74	64	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.875	2004
29.01.2020 13:03:31	1	1	1	1	74	63.75	0	28862.559	262.3655914	7560.133721	30000	0	0	30000	44.125	2004
29.01.2020 13:03:32	1	1	1	1	74	64	0	28957.346	288.172043	8344.522056	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:03:33	1	1	1	1	74	64.25	0	29715.64	296.7741935	8882.667899	30000	0	0	30000	44.5	2004
29.01.2020 13:03:34	1	1	1	1	74	64	0	30000	313.9784946	9433.859702	30000	0	0	30000	43.75	2004
29.01.2020 13:03:35	1	1	1	1	74	63.75	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	44	2004
29.01.2020 13:03:36	1	1	1	1	74	64	0	28815.166	290.3225806	8187.155165	30000	0	0	30000	43.4375	2004
29.01.2020 13:03:37	1	1	1	1	74	63.25	0	29810.427	318.2795699	9487.674286	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:38	1	1	1	1	74.25	64	0	29952.607	322.5806452	9726.578425	30000	0	0	30000	43.5625	2004
29.01.2020 13:03:39	1	1	1	1	74.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	44	2004
29.01.2020 13:03:40	1	1	1	1	74.25	64	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.75	2004
29.01.2020 13:03:41	1	1	1	1	74.25	63.75	0	29146.919	298.9247312	8900.606094	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:42	1	1	1	1	74.25	64	0	30000	307.5268817	9225.124344	30000	0	0	30000	44.125	2004
29.01.2020 13:03:43	1	1	1	1	74.25	64	0	29905.213	301.0752688	8938.928601	30000	0	0	30000	44	2004
29.01.2020 13:03:44	1	1	1	1	74.25	64	0	30000	322.5806452	9676.840703	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:45	1	1	1	1	74.25	64	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.9375	2004
29.01.2020 13:03:46	1	1	1	1	74.25	63.75	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	44.25	2004
29.01.2020 13:03:47	1	1	1	1	74.25	64.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:48	1	1	1	1	74.5	64	0	30000	341.9354839	10257.38592	30000	0	0	30000	44.125	2004
29.01.2020 13:03:49	1	1	1	1	74.5	64	0	29857.82	326.8817204	9760.008697	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:50	1	1	1	1	74.5	64	0	24218.009	292.4731183	7083.140815	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:51	1	1	1	1	74.5	64	0	30000	346.2365591	10451.44457	30000	0	0	30000	43.875	2004
29.01.2020 13:03:52	1	1	1	1	74.5	63.75	0	29952.607	346.2365591	10370.72269	30000	0	0	30000	44	2004
29.01.2020 13:03:53	1	1	1	1	74.5	64	0	29905.213	341.9354839	10241.89384	30000	0	0	30000	43.625	2004
29.01.2020 13:03:54	1	1	1	1	74.5	63.5	0	29905.213	324.7311828	9790.992852	30000	0	0	30000	43.8125	2004
29.01.2020 13:03:55	1	1	1	1	74.5	63.75	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	44.0625	2004
29.01.2020 13:03:56	1	1	1	1	74.5	64	0	30000	341.9354839	10257.38592	30000	0	0	30000	44.1875	2004
29.01.2020 13:03:57	1	1	1	1	74.5	64	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	43.875	2004
29.01.2020 13:03:58	1	1	1	1	73.75	63.75	0	29952.607	326.8817204	9775.500775	30000	0	0	30000	43.8125	2004
29.01.2020 13:03:59	1	1	1	1	73.75	63.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.5625	2004
29.01.2020 13:04:00	1	1	1	1	73.75	63.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.75	2004
29.01.2020 13:04:02	1	1	1	1	73.75	63.75	0	29289.1	320.4301075	9589.595847	30000	0	0	30000	43.75	2004
29.01.2020 13:04:03	1	1	1	1	73.75	63.75	0	29857.82	324.7311828	9680.102193	30000	0	0	30000	44	2004
29.01.2020 13:04:04	1	1	1	1	73.75	64	0	30000	335.483871	9999.728209	30000	0	0	30000	43.0625	2004
29.01.2020 13:04:05	1	1	1	1	73.75	63	0	28862.559	341.9354839	9868.453238	30000	0	0	30000	43.9375	2004
29.01.2020 13:04:06	1	1	1	1	73.75	63.75	0	30000	356.9892473	10692.79483	30000	0	0	30000	43.6875	2004
29.01.2020 13:04:07	1	1	1	1	73.75	63.5	0	29146.919	307.5268817	8837.822412	30000	0	0	30000	43.875	2004
29.01.2020 13:04:08	1	1	1	1	73.75	63.75	0	29905.213	350.5376344	10499.55155	30000	0	0	30000	43.9375	2004
29.01.2020 13:04:09	1	1	1	1	73	63.75	0	30000	350.5376344	10387.03014	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:10	1	1	1	1	73	64	0	30000	339.7849462	10048.65056	30000	0	0	30000	44.3125	2004
29.01.2020 13:04:11	1	1	1	1	73	64.25	0	29857.82	320.4301075	9582.257495	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:12	1	1	1	1	73	64	0	29905.213	322.5806452	9646.671921	30000	0	0	30000	43.5	2004
29.01.2020 13:04:13	1	1	1	1	73	64.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	43.875	2004
29.01.2020 13:04:14	1	1	1	1	73	63.75	0	30000	313.9784946	9369.445275	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:15	1	1	1	1	73	64	0	30000	307.5268817	9290.354143	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:16	1	1	1	1	73	64	0	30000	311.827957	9290.354143	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:04:17	1	1	1	1	73	64	0	29952.607	331.1827957	9919.821705	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:18	1	1	1	1	73	64	0	28862.559	290.3225806	8378.7677	30000	0	0	30000	43.5625	2004
29.01.2020 13:04:25	1	1	1	1	73	64	0	30000	266.6666667	7922.974479	30000	0	0	30000	44.25	2004
29.01.2020 13:04:25	1	1	1	1	73	64	0	30000	266.6666667	7922.974479	30000	0	0	30000	44.25	2004
29.01.2020 13:04:25	1	1	1	1	73	64	0	30000	266.6666667	7922.974479	30000	0	0	30000	44.25	2004
29.01.2020 13:04:25	1	1	1	1	73	64	0	30000	266.6666667	7922.974479	30000	0	0	30000	44.25	2004
29.01.2020 13:04:25	1	1	1	1	73	64	0	30000	266.6666667	7922.974479	30000	0	0	30000	44.25	2004
29.01.2020 13:04:25	1	1	1	1	73	64	0	30000	266.6666667	7922.974479	30000	0	0	30000	44.25	2004
29.01.2020 13:04:25	1	1	1	1	73	64.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:26	1	1	1	1	73	64	0	29952.607	264.516129	7935.205066	30000	0	0	30000	43.75	2004
29.01.2020 13:04:27	1	1	1	1	73	63.75	0	30000	264.516129	7999.619493	30000	0	0	30000	44.125	2004
29.01.2020 13:04:28	1	1	1	1	73	64	0	30000	270.9677419	8064.033919	30000	0	0	30000	44.0625	2004
29.01.2020 13:04:29	1	1	1	1	73	64	0	30000	275.2688172	8245.046612	30000	0	0	30000	44.0625	2004
29.01.2020 13:04:30	1	1	1	1	73	64	0	30000	281.7204301	8580.164705	30000	0	0	30000	43.9375	2004
29.01.2020 13:04:31	1	1	1	1	73	63.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:32	1	1	1	1	73	64	0	30000	296.7741935	8967.466638	30000	0	0	30000	44.125	2004
29.01.2020 13:04:33	1	1	1	1	73	64	0	30000	324.7311828	9870.899356	30000	0	0	30000	44.125	2004
29.01.2020 13:04:34	1	1	1	1	73	64	0	30000	318.2795699	9483.597423	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:35	1	1	1	1	73	64	0	29952.607	326.8817204	9790.992852	30000	0	0	30000	44.5	2004
29.01.2020 13:04:36	1	1	1	1	73	64.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:37	1	1	1	1	73	64	0	29905.213	322.5806452	9676.840703	30000	0	0	30000	43.5625	2004
29.01.2020 13:04:38	1	1	1	1	73.25	63.5	0	29905.213	313.9784946	9676.840703	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:39	1	1	1	1	73.25	64	0	28909.953	288.172043	8330.660724	30000	0	0	30000	44.0625	2004
29.01.2020 13:04:41	1	1	1	1	73.25	64	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.6875	2004
29.01.2020 13:04:42	1	1	1	1	73.25	63.5	0	30000	309.6774194	9211.263012	30000	0	0	30000	44.125	2004
29.01.2020 13:04:43	1	1	1	1	73.25	64	0	28625.592	277.4193548	7993.911885	30000	0	0	30000	43.875	2004
29.01.2020 13:04:44	1	1	1	1	73.25	63.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	44.25	2004
29.01.2020 13:04:45	1	1	1	1	73.25	64.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	44.3125	2004
29.01.2020 13:04:46	1	1	1	1	73.25	64.25	0	30000	309.6774194	9305.030848	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:47	1	1	1	1	73.25	64	0	30000	307.5268817	9225.124344	30000	0	0	30000	44.25	2004
29.01.2020 13:04:48	1	1	1	1	73.25	64.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:49	1	1	1	1	73.5	64	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	43.9375	2004
29.01.2020 13:04:50	1	1	1	1	73.5	63.75	0	28293.839	281.7204301	7984.127416	30000	0	0	30000	44.25	2004
29.01.2020 13:04:51	1	1	1	1	73.5	64.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:52	1	1	1	1	73.5	64	0	30000	292.4731183	8617.67184	30000	0	0	30000	44.1875	2004
29.01.2020 13:04:53	1	1	1	1	73.5	64	0	29952.607	296.7741935	8810.099747	30000	0	0	30000	44.375	2004
29.01.2020 13:04:54	1	1	1	1	73.5	64.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	44.125	2004
29.01.2020 13:04:55	1	1	1	1	73.5	64	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.5	2004
29.01.2020 13:04:56	1	1	1	1	73.5	63.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.4375	2004
29.01.2020 13:04:57	1	1	1	1	73.5	63.25	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	43.875	2004
29.01.2020 13:04:58	1	1	1	1	73.25	63.75	0	30000	303.2258065	9082.434159	30000	0	0	30000	44	2004
29.01.2020 13:04:59	1	1	1	1	73.25	64	0	29905.213	294.6236559	8903.052211	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:00	1	1	1	1	73.25	64	0	29952.607	307.5268817	9211.263012	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:05:01	1	1	1	1	73.25	64	0	30000	320.4301075	9612.426277	30000	0	0	30000	44.25	2004
29.01.2020 13:05:02	1	1	1	1	73.25	64.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:03	1	1	1	1	73.25	64	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.5625	2004
29.01.2020 13:05:04	1	1	1	1	73.25	63.5	0	29526.066	309.6774194	9490.935776	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:05	1	1	1	1	73.25	64	0	29905.213	331.1827957	9903.514255	30000	0	0	30000	44.125	2004
29.01.2020 13:05:06	1	1	1	1	73.25	64	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.8125	2004
29.01.2020 13:05:07	1	1	1	1	73.25	63.75	0	29905.213	322.5806452	9597.749572	30000	0	0	30000	43.375	2004
29.01.2020 13:05:08	1	1	1	1	73.5	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	44	2004
29.01.2020 13:05:09	1	1	1	1	73.5	64	0	30000	309.6774194	9290.354143	30000	0	0	30000	44.125	2004
29.01.2020 13:05:10	1	1	1	1	73.5	64	0	29810.427	294.6236559	8846.791509	30000	0	0	30000	44.125	2004
29.01.2020 13:05:11	1	1	1	1	73.5	64	0	26113.744	275.2688172	7356.290599	30000	0	0	30000	44.25	2004
29.01.2020 13:05:12	1	1	1	1	73.5	64.25	0	30000	296.7741935	8889.190879	30000	0	0	30000	43.75	2004
29.01.2020 13:05:13	1	1	1	1	73.5	63.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:14	1	1	1	1	73.5	64	0	30000	275.2688172	8192.862773	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:15	1	1	1	1	73.5	64	0	29857.82	277.4193548	8295.599706	30000	0	0	30000	44.375	2004
29.01.2020 13:05:16	1	1	1	1	73.5	64.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:18	1	1	1	1	73.5	64	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.125	2004
29.01.2020 13:05:19	1	1	1	1	73.25	64	0	30000	290.3225806	8644.579132	30000	0	0	30000	44.25	2004
29.01.2020 13:05:20	1	1	1	1	73.25	64.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:27	1	1	1	1	73.25	64	0	30000	258.0645161	7600.902346	30000	0	0	30000	44.125	2004
29.01.2020 13:05:27	1	1	1	1	73.25	64	0	30000	258.0645161	7600.902346	30000	0	0	30000	44.125	2004
29.01.2020 13:05:27	1	1	1	1	73.25	64	0	30000	258.0645161	7600.902346	30000	0	0	30000	44.125	2004
29.01.2020 13:05:27	1	1	1	1	73.25	64	0	30000	258.0645161	7600.902346	30000	0	0	30000	44.125	2004
29.01.2020 13:05:27	1	1	1	1	73.25	64	0	30000	258.0645161	7600.902346	30000	0	0	30000	44.125	2004
29.01.2020 13:05:27	1	1	1	1	73.25	64	0	30000	258.0645161	7600.902346	30000	0	0	30000	44.125	2004
29.01.2020 13:05:27	1	1	1	1	73.25	64	0	30000	258.0645161	7600.902346	30000	0	0	30000	44.125	2004
29.01.2020 13:05:28	1	1	1	1	73.25	64	0	30000	260.2150538	7806.376213	30000	0	0	30000	44.5625	2004
29.01.2020 13:05:29	1	1	1	1	72.5	64.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	43.4375	2004
29.01.2020 13:05:30	1	1	1	1	72.5	64	0	30000	251.6129032	7612.31756	30000	0	0	30000	44.125	2004
29.01.2020 13:05:31	1	1	1	1	72.5	64	0	30000	249.4623656	7430.489495	30000	0	0	30000	44.125	2004
29.01.2020 13:05:32	1	1	1	1	72.5	64	0	29952.607	245.1612903	7354.659854	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:33	1	1	1	1	72.5	64	0	29810.427	236.5591398	6901.31275	30000	0	0	30000	43.9375	2004
29.01.2020 13:05:34	1	1	1	1	72.5	63.75	0	30000	240.8602151	7225.831	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:35	1	1	1	1	72.5	64	0	29952.607	240.8602151	7150.001359	30000	0	0	30000	44.25	2004
29.01.2020 13:05:36	1	1	1	1	72.5	64.25	0	30047.393	236.5591398	7237.246215	30000	0	0	30000	43.625	2004
29.01.2020 13:05:37	1	1	1	1	72.5	63.5	0	29952.607	236.5591398	7225.831	30000	0	0	30000	44	2004
29.01.2020 13:05:38	1	1	1	1	72.5	64	0	30000	240.8602151	7096.186775	30000	0	0	30000	44.25	2004
29.01.2020 13:05:39	1	1	1	1	72.5	64.25	0	29905.213	234.4086022	7225.831	30000	0	0	30000	44.25	2004
29.01.2020 13:05:40	1	1	1	1	72.5	64.25	0	28862.559	227.9569892	6517.272307	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:41	1	1	1	1	72.5	64	0	29952.607	236.5591398	7085.586932	30000	0	0	30000	44.0625	2004
29.01.2020 13:05:42	1	1	1	1	72.5	64	0	29810.427	236.5591398	7180.170141	30000	0	0	30000	44.125	2004
29.01.2020 13:05:43	1	1	1	1	72.5	64	0	30000	245.1612903	7354.659854	30000	0	0	30000	44.25	2004
29.01.2020 13:05:44	1	1	1	1	72.5	64.25	0	29146.919	240.8602151	7043.187563	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:05:45	1	1	1	1	72.5	64	0	29526.066	247.311828	7313.891229	30000	0	0	30000	43	2004
29.01.2020 13:05:46	1	1	1	1	72.5	63	0	30000	270.9677419	8128.448346	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:47	1	1	1	1	72.5	64	0	29668.246	266.6666667	7834.91425	30000	0	0	30000	44.3125	2004
29.01.2020 13:05:48	1	1	1	1	73	64.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.75	2004
29.01.2020 13:05:49	1	1	1	1	73	63.75	0	28815.166	262.3655914	7498.165412	30000	0	0	30000	44	2004
29.01.2020 13:05:50	1	1	1	1	73	64	0	29905.213	266.6666667	8038.757372	30000	0	0	30000	44.125	2004
29.01.2020 13:05:51	1	1	1	1	73	64	0	29905.213	268.8172043	7897.697932	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:52	1	1	1	1	73	64	0	30000	273.1182796	8128.448346	30000	0	0	30000	44	2004
29.01.2020 13:05:53	1	1	1	1	73	64	0	29952.607	270.9677419	8180.632185	30000	0	0	30000	44.1875	2004
29.01.2020 13:05:54	1	1	1	1	73	64	0	29905.213	266.6666667	7845.514092	30000	0	0	30000	43.875	2004
29.01.2020 13:05:55	1	1	1	1	73	63.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	44.125	2004
29.01.2020 13:05:57	1	1	1	1	73	64	0	29715.64	262.3655914	7860.190797	30000	0	0	30000	43.375	2004
29.01.2020 13:05:58	1	1	1	1	73	63.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.625	2004
29.01.2020 13:05:59	1	1	1	1	73.5	63.5	0	29431.28	262.3655914	7809.637703	30000	0	0	30000	44.25	2004
29.01.2020 13:06:00	1	1	1	1	73.5	64.25	0	29857.82	260.2150538	7909.928519	30000	0	0	30000	44.125	2004
29.01.2020 13:06:01	1	1	1	1	73.5	64	0	30000	270.9677419	8128.448346	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:02	1	1	1	1	73.5	64	0	29905.213	270.9677419	8192.862773	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:03	1	1	1	1	73.5	64	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	44.125	2004
29.01.2020 13:06:04	1	1	1	1	73.5	64	0	29810.427	268.8172043	7987.388905	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:05	1	1	1	1	73.5	64	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	43.5625	2004
29.01.2020 13:06:06	1	1	1	1	73.5	63.5	0	29099.526	266.6666667	7697.116299	30000	0	0	30000	44.625	2004
29.01.2020 13:06:07	1	1	1	1	73.5	64.5	0	29336.493	301.0752688	8832.114804	30000	0	0	30000	44.0625	2004
29.01.2020 13:06:08	1	1	1	1	73.5	63.75	0	29146.919	301.0752688	8775.03873	30000	0	0	30000	44.125	2004
29.01.2020 13:06:09	1	1	1	1	73.5	64	0	29431.28	322.5806452	9636.072079	30000	0	0	30000	43.9375	2004
29.01.2020 13:06:10	1	1	1	1	73.5	63.75	0	29715.64	331.1827957	9840.730574	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:11	1	1	1	1	73.5	64	0	30000	333.3333333	9999.728209	30000	0	0	30000	44.125	2004
29.01.2020 13:06:12	1	1	1	1	73.5	64	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.75	2004
29.01.2020 13:06:13	1	1	1	1	73.5	63.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	44	2004
29.01.2020 13:06:14	1	1	1	1	73.5	64	0	30000	326.8817204	9870.899356	30000	0	0	30000	44.125	2004
29.01.2020 13:06:15	1	1	1	1	73.5	64	0	0	0	0	30000	0	8	30000	44.5	2004
29.01.2020 13:06:19	1	1	1	1	73.75	64	0	11611.374	0	0	30000	0	0	30000	44.25	2004
29.01.2020 13:06:19	1	1	1	1	73.75	64	0	11611.374	0	0	30000	0	0	30000	44.25	2004
29.01.2020 13:06:19	1	1	1	1	73.75	64	0	11611.374	0	0	30000	0	0	30000	44.25	2004
29.01.2020 13:06:19	1	1	1	1	73.75	64.25	0	12464.455	0	0	30000	0	0	30000	44.3125	2004
29.01.2020 13:06:20	1	1	1	1	73.75	64.25	0	13222.749	0	0	30000	0	0	30000	44.25	2004
29.01.2020 13:06:21	1	1	1	1	73.75	64.25	0	13933.649	2.150537634	29.35340962	30000	0	0	30000	44.25	2004
29.01.2020 13:06:28	1	1	1	1	73.75	64	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	44	2004
29.01.2020 13:06:28	1	1	1	1	73.75	64	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	44	2004
29.01.2020 13:06:28	1	1	1	1	73.75	64	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	44	2004
29.01.2020 13:06:28	1	1	1	1	73.75	64	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	44	2004
29.01.2020 13:06:28	1	1	1	1	73.75	64	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	44	2004
29.01.2020 13:06:28	1	1	1	1	73.75	64	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	44	2004
29.01.2020 13:06:28	1	1	1	1	74	64	0	19336.493	40.86021505	790.0959422	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:06:29	1	1	1	1	74	64.25	0	20047.393	55.91397849	1082.814666	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:30	1	1	1	1	74	64	0	18530.806	51.61290323	953.9858125	30000	0	0	30000	44.3125	2004
29.01.2020 13:06:31	1	1	1	1	74	64.25	0	21658.768	79.56989247	1715.543718	30000	0	0	30000	44.375	2004
29.01.2020 13:06:32	1	1	1	1	74	64.25	0	22417.062	88.17204301	1976.462914	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:34	1	1	1	1	74	64	0	23080.569	96.77419355	2382.518414	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:35	1	1	1	1	74	64	0	23222.749	96.77419355	2251.243443	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:36	1	1	1	1	74	64	0	24028.436	113.9784946	2738.020819	30000	0	0	30000	44.25	2004
29.01.2020 13:06:37	1	1	1	1	74	64.25	0	24786.73	137.6344086	3144.891691	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:38	1	1	1	1	74	64	0	24976.303	144.0860215	3612.100128	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:39	1	1	1	1	74	64	0	25687.204	159.1397849	4039.355312	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:40	1	1	1	1	74	64	0	25687.204	156.9892473	4087.462289	30000	0	0	30000	44.125	2004
29.01.2020 13:06:41	1	1	1	1	74	64	0	26540.284	176.344086	4623.162015	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:42	1	1	1	1	74	64	0	27109.005	189.2473118	5121.354605	30000	0	0	30000	44.1875	2004
29.01.2020 13:06:43	1	1	1	1	74	64	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	44.25	2004
29.01.2020 13:06:44	1	1	1	1	74	64.25	0	28483.412	212.9032258	6002.772266	30000	0	0	30000	44.3125	2004
29.01.2020 13:06:45	1	1	1	1	74	64.25	0	28578.199	219.3548387	6329.736635	30000	0	0	30000	44.25	2004
29.01.2020 13:06:46	1	1	1	1	74	64.25	0	29146.919	225.8064516	6580.871361	30000	0	0	30000	44.625	2004
29.01.2020 13:06:47	1	1	1	1	74	64.5	0	29099.526	249.4623656	7247.030685	30000	0	0	30000	44.125	2004
29.01.2020 13:06:48	1	1	1	1	75	64.25	0	29146.919	245.1612903	7357.105971	30000	0	0	30000	44.0625	2004
29.01.2020 13:06:49	1	1	1	1	75	64	0	29241.706	253.7634409	7419.889653	30000	0	0	30000	44.3125	2004
29.01.2020 13:06:50	1	1	1	1	75	64.25	0	29289.1	251.6129032	7380.751773	30000	0	0	30000	44.25	2004
29.01.2020 13:06:51	1	1	1	1	75	64.25	0	29336.493	249.4623656	7255.18441	30000	0	0	30000	44.125	2004
29.01.2020 13:06:52	1	1	1	1	75	64	0	29336.493	243.0107527	7066.017993	30000	0	0	30000	44.125	2004
29.01.2020 13:06:53	1	1	1	1	75	64	0	29383.886	240.8602151	7013.834153	30000	0	0	30000	43.9375	2004
29.01.2020 13:06:54	1	1	1	1	75	63.75	0	29383.886	236.5591398	6887.451417	30000	0	0	30000	44.125	2004
29.01.2020 13:06:55	1	1	1	1	75	64	0	29383.886	236.5591398	7077.433207	30000	0	0	30000	44.25	2004
29.01.2020 13:06:56	1	1	1	1	75	64.25	0	29478.673	236.5591398	6961.650314	30000	0	0	30000	44.0625	2004
29.01.2020 13:06:57	1	1	1	1	75	64	0	29573.46	264.516129	7822.683663	30000	0	0	30000	44	2004
29.01.2020 13:06:58	1	1	1	1	74	64	0	29526.066	266.6666667	7949.881771	30000	0	0	30000	44	2004
29.01.2020 13:06:59	1	1	1	1	74	64	0	29573.46	277.4193548	8204.277988	30000	0	0	30000	43.875	2004
29.01.2020 13:07:00	1	1	1	1	74	63.75	0	29620.853	279.5698925	8344.522056	30000	0	0	30000	43.875	2004
29.01.2020 13:07:01	1	1	1	1	74	63.75	0	29620.853	294.6236559	8726.931753	30000	0	0	30000	44.1875	2004
29.01.2020 13:07:02	1	1	1	1	74	64	0	29573.46	294.6236559	8854.129862	30000	0	0	30000	44.25	2004
29.01.2020 13:07:03	1	1	1	1	74	64.25	0	29146.919	296.7741935	8649.471367	30000	0	0	30000	43.8125	2004
29.01.2020 13:07:04	1	1	1	1	74	63.75	0	29431.28	296.7741935	8734.270106	30000	0	0	30000	44.125	2004
29.01.2020 13:07:05	1	1	1	1	74	64	0	29620.853	290.3225806	8598.918272	30000	0	0	30000	44.25	2004
29.01.2020 13:07:06	1	1	1	1	74	64.25	0	29715.64	307.5268817	9265.892969	30000	0	0	30000	44	2004
29.01.2020 13:07:07	1	1	1	1	74	64	0	29810.427	322.5806452	9680.102193	30000	0	0	30000	43.9375	2004
29.01.2020 13:07:08	1	1	1	1	72.75	63.75	0	28009.479	286.0215054	8011.034708	30000	0	0	30000	44.125	2004
29.01.2020 13:07:09	1	1	1	1	72.75	64	0	30000	337.6344086	10192.97149	30000	0	0	30000	44.0625	2004
29.01.2020 13:07:10	1	1	1	1	72.75	64	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	44.125	2004
29.01.2020 13:07:11	1	1	1	1	72.75	64	0	29905.213	326.8817204	9839.099829	30000	0	0	30000	43.9375	2004
29.01.2020 13:07:13	1	1	1	1	72.75	63.75	0	29905.213	322.5806452	9582.257495	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:07:14	1	1	1	1	72.75	64	0	30000	318.2795699	9483.597423	30000	0	0	30000	44.0625	2004
29.01.2020 13:07:15	1	1	1	1	72.75	64	0	29905.213	309.6774194	9324.599788	30000	0	0	30000	44	2004
29.01.2020 13:07:16	1	1	1	1	72.75	64	0	29241.706	316.1290323	9243.877912	30000	0	0	30000	44.125	2004
29.01.2020 13:07:17	1	1	1	1	72.75	64	0	29431.28	301.0752688	8860.652842	30000	0	0	30000	44.125	2004
29.01.2020 13:07:18	1	1	1	1	72.75	64	0	30000	320.4301075	9612.426277	30000	0	0	30000	44.0625	2004
29.01.2020 13:07:19	1	1	1	1	71.75	64	0	30047.393	316.1290323	9548.01185	30000	0	0	30000	43.6875	2004
29.01.2020 13:07:20	1	1	1	1	71.75	63.5	0	29905.213	298.9247312	8938.928601	30000	0	0	30000	44.375	2004
29.01.2020 13:07:21	1	1	1	1	71.75	64.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	44.125	2004
29.01.2020 13:07:22	1	1	1	1	71.75	64	0	30000	307.5268817	9290.354143	30000	0	0	30000	44.5625	2004
29.01.2020 13:07:23	1	1	1	1	71.75	64.5	0	29905.213	309.6774194	9483.597423	30000	0	0	30000	44.0625	2004
29.01.2020 13:07:30	1	1	1	1	71.75	64.25	0	10142.18	0	0	30000	0	0	30000	42.625	2004
29.01.2020 13:07:30	1	1	1	1	71.75	64.25	0	10142.18	0	0	30000	0	0	30000	42.625	2004
29.01.2020 13:07:30	1	1	1	1	71.75	64.25	0	10142.18	0	0	30000	0	0	30000	42.625	2004
29.01.2020 13:07:30	1	1	1	1	71.75	64.25	0	10142.18	0	0	30000	0	0	30000	42.625	2004
29.01.2020 13:07:30	1	1	1	1	71.75	64.25	0	10142.18	0	0	30000	0	0	30000	42.625	2004
29.01.2020 13:07:30	1	1	1	1	71.75	64.25	0	10142.18	0	0	30000	0	0	30000	42.625	2004
29.01.2020 13:07:30	1	1	1	1	71.75	62.5	0	10900.474	0	0	30000	0	0	30000	44.125	2004
29.01.2020 13:07:31	1	1	1	1	71.75	64	0	11611.374	0	0	30000	0	0	30000	44.25	2004
29.01.2020 13:07:32	1	1	1	1	71.75	64.25	0	12369.668	0	0	30000	0	0	30000	44.125	2004
29.01.2020 13:07:33	1	1	1	1	71.75	64	0	13127.962	0	0	30000	0	0	30000	44.1875	2004
29.01.2020 13:07:34	1	1	1	1	71.75	64	0	13933.649	4.301075269	0	30000	0	0	30000	44.25	2004
29.01.2020 13:07:35	1	1	1	1	71.75	64.25	0	14691.943	6.451612903	94.58320876	30000	0	0	30000	44.125	2004
29.01.2020 13:07:36	1	1	1	1	71.75	64	0	15450.237	15.05376344	198.9508874	30000	0	0	30000	44.125	2004
29.01.2020 13:07:37	1	1	1	1	71.75	64	0	16208.531	19.35483871	313.1030359	30000	0	0	30000	44.25	2004
29.01.2020 13:07:38	1	1	1	1	72	64.25	0	16966.825	23.65591398	475.3621613	30000	0	0	30000	44	2004
29.01.2020 13:07:39	1	1	1	1	72	64	0	17772.512	34.40860215	611.529367	30000	0	0	30000	44	2004
29.01.2020 13:07:40	1	1	1	1	72	64	0	18530.806	43.01075269	756.6656701	30000	0	0	30000	44.25	2004
29.01.2020 13:07:41	1	1	1	1	72	64.25	0	19194.313	51.61290323	907.5095806	30000	0	0	30000	44.1875	2004
29.01.2020 13:07:42	1	1	1	1	72	64	0	20000	55.91397849	1117.875683	30000	0	0	30000	44.0625	2004
29.01.2020 13:07:43	1	1	1	1	72	64	0	18720.379	62.3655914	1166.798032	30000	0	0	30000	44.1875	2004
29.01.2020 13:07:44	1	1	1	1	72	64	0	21563.981	83.87096774	1913.679232	30000	0	0	30000	44.0625	2004
29.01.2020 13:07:45	1	1	1	1	72	64	0	22369.668	96.77419355	2164.813959	30000	0	0	30000	43.75	2004
29.01.2020 13:07:46	1	1	1	1	72	63.75	0	23175.355	107.5268817	2541.516049	30000	0	0	30000	44.1875	2004
29.01.2020 13:07:47	1	1	1	1	72	64	0	23886.256	120.4301075	2882.34175	30000	0	0	30000	44.0625	2004
29.01.2020 13:07:48	1	1	1	1	72.5	64	0	23459.716	111.827957	2567.607969	30000	0	0	30000	44.1875	2004
29.01.2020 13:07:49	1	1	1	1	72.5	64	0	24976.303	144.0860215	3598.238795	30000	0	0	30000	44.3125	2004
29.01.2020 13:07:50	1	1	1	1	72.5	64.25	0	24976.303	152.688172	3813.497133	30000	0	0	30000	44.3125	2004
29.01.2020 13:07:52	1	1	1	1	72.5	64.25	0	25687.204	169.8924731	4363.873563	30000	0	0	30000	44.125	2004
29.01.2020 13:07:53	1	1	1	1	72.5	64	0	26398.104	189.2473118	4995.787242	30000	0	0	30000	44.25	2004
29.01.2020 13:07:54	1	1	1	1	72.5	64.25	0	27061.611	208.6021505	5761.42201	30000	0	0	30000	44.1875	2004
29.01.2020 13:07:55	1	1	1	1	72.5	64	0	27440.758	217.2043011	5821.759574	30000	0	0	30000	43.9375	2004
29.01.2020 13:07:56	1	1	1	1	72.5	63.75	0	27582.938	221.5053763	6109.586063	30000	0	0	30000	44.3125	2004
29.01.2020 13:07:57	1	1	1	1	72.5	64.25	0	27962.085	234.4086022	6565.379284	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:07:58	1	1	1	1	72.5	63.5	0	28009.479	236.5591398	6565.379284	30000	0	0	30000	44.3125	2004
29.01.2020 13:07:59	1	1	1	1	73	64.25	0	28815.166	249.4623656	7188.323866	30000	0	0	30000	44.3125	2004
29.01.2020 13:08:00	1	1	1	1	73	64.25	0	28578.199	264.516129	7559.318349	30000	0	0	30000	44.0625	2004
29.01.2020 13:08:01	1	1	1	1	73	64	0	28957.346	279.5698925	8095.018074	30000	0	0	30000	44.0625	2004
29.01.2020 13:08:02	1	1	1	1	73	64	0	28957.346	292.4731183	8621.748702	30000	0	0	30000	43.8125	2004
29.01.2020 13:08:03	1	1	1	1	73	63.75	0	29099.526	307.5268817	8948.71307	30000	0	0	30000	43.625	2004
29.01.2020 13:08:04	1	1	1	1	73	63.5	0	29241.706	309.6774194	9118.310548	30000	0	0	30000	44.3125	2004
29.01.2020 13:08:05	1	1	1	1	73	64.25	0	29573.46	326.8817204	9603.457179	30000	0	0	30000	44.25	2004
29.01.2020 13:08:06	1	1	1	1	73	63.75	0	30000	337.6344086	10113.06499	30000	0	0	30000	43.625	2004
29.01.2020 13:08:07	1	1	1	1	73	63.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.5	2004
29.01.2020 13:08:08	1	1	1	1	72.75	63.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.875	2004
29.01.2020 13:08:09	1	1	1	1	72.75	63.75	0	28862.559	348.3870968	9993.205229	30000	0	0	30000	44.125	2004
29.01.2020 13:08:10	1	1	1	1	72.75	64	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.75	2004
29.01.2020 13:08:11	1	1	1	1	72.75	63.75	0	29857.82	331.1827957	9952.436605	30000	0	0	30000	43.9375	2004
29.01.2020 13:08:12	1	1	1	1	72.75	63.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	44.0625	2004
29.01.2020 13:08:13	1	1	1	1	72.75	64	0	29857.82	352.688172	10594.13475	30000	0	0	30000	44	2004
29.01.2020 13:08:14	1	1	1	1	72.75	64	0	30000	352.688172	10644.68785	30000	0	0	30000	44.3125	2004
29.01.2020 13:08:15	1	1	1	1	72.75	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:16	1	1	1	1	72.75	64	0	29715.64	335.483871	9905.145	30000	0	0	30000	43.9375	2004
29.01.2020 13:08:17	1	1	1	1	72.75	63.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	44	2004
29.01.2020 13:08:18	1	1	1	1	72.5	64	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:19	1	1	1	1	72.5	64	0	29952.607	335.483871	10192.97149	30000	0	0	30000	44.125	2004
29.01.2020 13:08:20	1	1	1	1	72.5	64	0	28436.019	296.7741935	8514.119534	30000	0	0	30000	43.9375	2004
29.01.2020 13:08:21	1	1	1	1	72.5	63.75	0	30000	352.688172	10580.27342	30000	0	0	30000	43.9375	2004
29.01.2020 13:08:22	1	1	1	1	72.5	63.75	0	27061.611	316.1290323	8569.564863	30000	0	0	30000	43.875	2004
29.01.2020 13:08:23	1	1	1	1	72.5	63.75	0	29431.28	326.8817204	9636.072079	30000	0	0	30000	43.8125	2004
29.01.2020 13:08:24	1	1	1	1	72.5	63.75	0	29810.427	305.3763441	9039.219417	30000	0	0	30000	43.75	2004
29.01.2020 13:08:32	1	1	1	1	73.25	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:32	1	1	1	1	73.25	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:32	1	1	1	1	73.25	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:32	1	1	1	1	73.25	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:32	1	1	1	1	73.25	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:32	1	1	1	1	73.25	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:32	1	1	1	1	73.25	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:32	1	1	1	1	73.25	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:33	1	1	1	1	73.25	64	0	30000	313.9784946	9419.182997	30000	0	0	30000	44.0625	2004
29.01.2020 13:08:34	1	1	1	1	73.25	64	0	29905.213	303.2258065	9146.848585	30000	0	0	30000	44.125	2004
29.01.2020 13:08:35	1	1	1	1	73.25	64	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.6875	2004
29.01.2020 13:08:36	1	1	1	1	73.25	63.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.1875	2004
29.01.2020 13:08:37	1	1	1	1	73.25	63	0	29241.706	298.9247312	8740.793086	30000	0	0	30000	43.875	2004
29.01.2020 13:08:38	1	1	1	1	73.25	63.75	0	29668.246	311.827957	9236.539559	30000	0	0	30000	43.6875	2004
29.01.2020 13:08:39	1	1	1	1	73.5	63.5	0	25592.417	288.172043	7305.737504	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:40	1	1	1	1	73.5	64	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.9375	2004
29.01.2020 13:08:41	1	1	1	1	73.5	63.75	0	29952.607	335.483871	10257.38592	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:08:42	1	1	1	1	73.5	63.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.625	2004
29.01.2020 13:08:43	1	1	1	1	73.5	63.5	0	29905.213	346.2365591	10482.42872	30000	0	0	30000	44.25	2004
29.01.2020 13:08:44	1	1	1	1	73.5	64.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.875	2004
29.01.2020 13:08:45	1	1	1	1	73.5	64	0	29952.607	359.1397849	10886.03811	30000	0	0	30000	43.6875	2004
29.01.2020 13:08:46	1	1	1	1	73.5	63.5	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	43.6875	2004
29.01.2020 13:08:47	1	1	1	1	73.5	63.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	44.1875	2004
29.01.2020 13:08:48	1	1	1	1	73.25	64	0	29620.853	354.8387097	10366.64583	30000	0	0	30000	43.1875	2004
29.01.2020 13:08:49	1	1	1	1	73.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.9375	2004
29.01.2020 13:08:50	1	1	1	1	73.25	63.75	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	43.875	2004
29.01.2020 13:08:51	1	1	1	1	73.25	63.75	0	27298.578	329.0322581	8982.143342	30000	0	0	30000	44.0625	2004
29.01.2020 13:08:52	1	1	1	1	73.25	64	0	30000	367.7419355	10996.92876	30000	0	0	30000	44.0625	2004
29.01.2020 13:08:53	1	1	1	1	73.25	64	0	29905.213	367.7419355	10932.51434	30000	0	0	30000	43.875	2004
29.01.2020 13:08:54	1	1	1	1	73.25	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
29.01.2020 13:08:55	1	1	1	1	73.25	63.25	0	29857.82	378.4946237	11319.0009	30000	0	0	30000	44.0625	2004
29.01.2020 13:08:56	1	1	1	1	73.25	64	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	44.0625	2004
29.01.2020 13:08:57	1	1	1	1	73.25	64	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.875	2004
29.01.2020 13:08:58	1	1	1	1	73	63.75	0	29715.64	380.6451613	11438.86065	30000	0	0	30000	43.9375	2004
29.01.2020 13:08:59	1	1	1	1	73	63.75	0	29146.919	378.4946237	11031.98978	30000	0	0	30000	43.9375	2004
29.01.2020 13:09:00	1	1	1	1	73	63.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	44	2004
29.01.2020 13:09:01	1	1	1	1	73	64	0	28625.592	329.0322581	9218.601364	30000	0	0	30000	44.0625	2004
29.01.2020 13:09:02	1	1	1	1	73	64	0	29952.607	361.2903226	10757.20925	30000	0	0	30000	44	2004
29.01.2020 13:09:03	1	1	1	1	73	64	0	29905.213	384.9462366	11401.35352	30000	0	0	30000	44.125	2004
29.01.2020 13:09:04	1	1	1	1	73	64	0	29052.133	380.6451613	11058.0817	30000	0	0	30000	44.0625	2004
29.01.2020 13:09:05	1	1	1	1	73	64	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.9375	2004
29.01.2020 13:09:06	1	1	1	1	73	63.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.5	2004
29.01.2020 13:09:07	1	1	1	1	73	63.5	0	29905.213	384.9462366	11548.12057	30000	0	0	30000	44.125	2004
29.01.2020 13:09:08	1	1	1	1	75.5	64	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.875	2004
29.01.2020 13:09:09	1	1	1	1	75.5	63.75	0	29905.213	387.0967742	11640.25766	30000	0	0	30000	44.0625	2004
29.01.2020 13:09:10	1	1	1	1	75.5	64	0	29905.213	384.9462366	11511.4288	30000	0	0	30000	44	2004
29.01.2020 13:09:12	1	1	1	1	75.5	64	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.9375	2004
29.01.2020 13:09:13	1	1	1	1	75.5	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	44.125	2004
29.01.2020 13:09:14	1	1	1	1	75.5	64	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.5625	2004
29.01.2020 13:09:15	1	1	1	1	75.5	63.5	0	28862.559	307.5268817	8813.361237	30000	0	0	30000	43.625	2004
29.01.2020 13:09:16	1	1	1	1	75.5	63.5	0	29715.64	316.1290323	9457.505504	30000	0	0	30000	43.75	2004
29.01.2020 13:09:17	1	1	1	1	75.5	63.75	0	29668.246	313.9784946	9300.138613	30000	0	0	30000	44.0625	2004
29.01.2020 13:09:18	1	1	1	1	75.5	64	0	30000	344.0860215	10370.72269	30000	0	0	30000	44.125	2004
29.01.2020 13:09:19	1	1	1	1	73.5	64	0	29952.607	335.483871	10128.55706	30000	0	0	30000	43.3125	2004
29.01.2020 13:09:20	1	1	1	1	73.5	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.9375	2004
29.01.2020 13:09:21	1	1	1	1	73.5	63.75	0	30000	335.483871	10192.97149	30000	0	0	30000	44.1875	2004
29.01.2020 13:09:22	1	1	1	1	73.5	64	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.9375	2004
29.01.2020 13:09:23	1	1	1	1	73.5	64	0	29905.213	316.1290323	9453.428641	30000	0	0	30000	44.125	2004
29.01.2020 13:09:24	1	1	1	1	73.5	64	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	44	2004
29.01.2020 13:09:25	1	1	1	1	73.5	64	0	30000	326.8817204	9741.25513	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:09:26	1	1	1	1	73.5	64	0	26350.711	281.7204301	7480.227217	30000	0	0	30000	43.75	2004
29.01.2020 13:09:33	1	1	1	1	73.25	64.25	0	29905.213	320.4301075	9582.257495	30000	0	0	30000	43.625	2004
29.01.2020 13:09:33	1	1	1	1	73.25	64.25	0	29905.213	320.4301075	9582.257495	30000	0	0	30000	43.625	2004
29.01.2020 13:09:33	1	1	1	1	73.25	64.25	0	29905.213	320.4301075	9582.257495	30000	0	0	30000	43.625	2004
29.01.2020 13:09:33	1	1	1	1	73.25	64.25	0	29905.213	320.4301075	9582.257495	30000	0	0	30000	43.625	2004
29.01.2020 13:09:33	1	1	1	1	73.25	64.25	0	29905.213	320.4301075	9582.257495	30000	0	0	30000	43.625	2004
29.01.2020 13:09:33	1	1	1	1	73.25	64.25	0	29905.213	320.4301075	9582.257495	30000	0	0	30000	43.625	2004
29.01.2020 13:09:33	1	1	1	1	73.25	64.25	0	29905.213	320.4301075	9582.257495	30000	0	0	30000	43.625	2004
29.01.2020 13:09:34	1	1	1	1	73.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.875	2004
29.01.2020 13:09:35	1	1	1	1	73.25	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
29.01.2020 13:09:36	1	1	1	1	73.25	63.25	0	29905.213	311.827957	9340.091865	30000	0	0	30000	43.75	2004
29.01.2020 13:09:37	1	1	1	1	73.25	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
29.01.2020 13:09:38	1	1	1	1	73.25	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.9375	2004
29.01.2020 13:09:39	1	1	1	1	73.25	63.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	44	2004
29.01.2020 13:09:40	1	1	1	1	73.25	64	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5	2004
29.01.2020 13:09:41	1	1	1	1	73.25	63.5	0	30000	331.1827957	9919.821705	30000	0	0	30000	43.8125	2004
29.01.2020 13:09:42	1	1	1	1	73.25	63.75	0	29905.213	318.2795699	9582.257495	30000	0	0	30000	43.875	2004
29.01.2020 13:09:43	1	1	1	1	73.25	63.75	0	30000	344.0860215	10241.89384	30000	0	0	30000	43.875	2004
29.01.2020 13:09:44	1	1	1	1	73.25	63.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.75	2004
29.01.2020 13:09:45	1	1	1	1	73.25	63.75	0	29383.886	309.6774194	9084.880276	30000	0	0	30000	44	2004
29.01.2020 13:09:46	1	1	1	1	73.25	64	0	29857.82	318.2795699	9423.259859	30000	0	0	30000	43.0625	2004
29.01.2020 13:09:47	1	1	1	1	73.25	63	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.5625	2004
29.01.2020 13:09:48	1	1	1	1	73.25	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.9375	2004
29.01.2020 13:09:50	1	1	1	1	73.25	63.75	0	25355.45	281.7204301	7129.617047	30000	0	0	30000	43.875	2004
29.01.2020 13:09:51	1	1	1	1	73.25	63.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.625	2004
29.01.2020 13:09:52	1	1	1	1	73.25	63.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.625	2004
29.01.2020 13:09:53	1	1	1	1	73.25	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	44	2004
29.01.2020 13:09:54	1	1	1	1	73.25	64	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.875	2004
29.01.2020 13:09:55	1	1	1	1	73.25	63.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.625	2004
29.01.2020 13:09:56	1	1	1	1	73.25	63.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.625	2004
29.01.2020 13:09:57	1	1	1	1	73.25	63.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.4375	2004
29.01.2020 13:09:58	1	1	1	1	73.25	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.9375	2004
29.01.2020 13:09:59	1	1	1	1	73.5	63.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:00	1	1	1	1	73.5	63.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:01	1	1	1	1	73.5	63.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	44.125	2004
29.01.2020 13:10:02	1	1	1	1	73.5	64	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.9375	2004
29.01.2020 13:10:03	1	1	1	1	73.5	63.75	0	29952.607	322.5806452	9662.163999	30000	0	0	30000	44.1875	2004
29.01.2020 13:10:04	1	1	1	1	73.5	64	0	29952.607	311.827957	9404.506292	30000	0	0	30000	44.375	2004
29.01.2020 13:10:05	1	1	1	1	73.5	63.5	0	30094.787	316.1290323	9419.182997	30000	0	0	30000	43.0625	2004
29.01.2020 13:10:06	1	1	1	1	73.5	63	0	29715.64	307.5268817	9137.879488	30000	0	0	30000	43.875	2004
29.01.2020 13:10:07	1	1	1	1	73.5	63.75	0	27582.938	301.0752688	8349.414291	30000	0	0	30000	43.9375	2004
29.01.2020 13:10:08	1	1	1	1	74	63.75	0	29905.213	341.9354839	10225.58639	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:09	1	1	1	1	74	63.75	0	29905.213	339.7849462	10257.38592	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:10:10	1	1	1	1	74	64	0	29952.607	348.3870968	10387.03014	30000	0	0	30000	43.875	2004
29.01.2020 13:10:11	1	1	1	1	74	63.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:12	1	1	1	1	74	63.75	0	28957.346	341.9354839	9901.068138	30000	0	0	30000	44	2004
29.01.2020 13:10:13	1	1	1	1	74	64	0	30000	378.4946237	11548.12057	30000	0	0	30000	44.125	2004
29.01.2020 13:10:14	1	1	1	1	74	64	0	29905.213	348.3870968	10435.13712	30000	0	0	30000	43.4375	2004
29.01.2020 13:10:15	1	1	1	1	74	63.25	0	29905.213	363.4408602	10868.09991	30000	0	0	30000	43.5625	2004
29.01.2020 13:10:16	1	1	1	1	74	63.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:10:17	1	1	1	1	74	63.25	0	29715.64	346.2365591	10255.75517	30000	0	0	30000	43.875	2004
29.01.2020 13:10:18	1	1	1	1	74.25	63.75	0	29905.213	326.8817204	9984.236132	30000	0	0	30000	43.9375	2004
29.01.2020 13:10:19	1	1	1	1	74.25	63.75	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	44	2004
29.01.2020 13:10:20	1	1	1	1	74.25	64	0	25355.45	290.3225806	7361.182834	30000	0	0	30000	43.9375	2004
29.01.2020 13:10:21	1	1	1	1	74.25	63.75	0	29952.607	329.0322581	9935.313783	30000	0	0	30000	43.9375	2004
29.01.2020 13:10:22	1	1	1	1	74.25	63.75	0	28009.479	318.2795699	8854.129862	30000	0	0	30000	43.875	2004
29.01.2020 13:10:23	1	1	1	1	74.25	63.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.5625	2004
29.01.2020 13:10:24	1	1	1	1	74.25	63.5	0	29857.82	333.3333333	10032.34311	30000	0	0	30000	44	2004
29.01.2020 13:10:25	1	1	1	1	74.25	64	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	43.5	2004
29.01.2020 13:10:26	1	1	1	1	74.25	63.5	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	43.5	2004
29.01.2020 13:10:27	1	1	1	1	74.25	63.5	0	30047.393	331.1827957	9935.313783	30000	0	0	30000	43.875	2004
29.01.2020 13:10:35	1	1	1	1	74	64	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:35	1	1	1	1	74	64	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:35	1	1	1	1	74	64	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:35	1	1	1	1	74	64	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:35	1	1	1	1	74	64	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:35	1	1	1	1	74	63.75	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	44	2004
29.01.2020 13:10:36	1	1	1	1	74	64	0	29905.213	305.3763441	9196.586307	30000	0	0	30000	44	2004
29.01.2020 13:10:37	1	1	1	1	74	64	0	29857.82	301.0752688	8925.067268	30000	0	0	30000	43.625	2004
29.01.2020 13:10:38	1	1	1	1	74	63.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.875	2004
29.01.2020 13:10:39	1	1	1	1	74.5	63.75	0	29905.213	335.483871	10419.64504	30000	0	0	30000	43.9375	2004
29.01.2020 13:10:40	1	1	1	1	74.5	63.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.6875	2004
29.01.2020 13:10:41	1	1	1	1	74.5	63.5	0	29715.64	309.6774194	9202.293915	30000	0	0	30000	44.25	2004
29.01.2020 13:10:42	1	1	1	1	74.5	64.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	44.125	2004
29.01.2020 13:10:43	1	1	1	1	74.5	63.75	0	29715.64	309.6774194	9265.892969	30000	0	0	30000	43.4375	2004
29.01.2020 13:10:44	1	1	1	1	74.5	63.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	44	2004
29.01.2020 13:10:45	1	1	1	1	74.5	64	0	28957.346	296.7741935	8593.210665	30000	0	0	30000	42.9375	2004
29.01.2020 13:10:46	1	1	1	1	74.5	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	43.75	2004
29.01.2020 13:10:47	1	1	1	1	74.5	63.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.9375	2004
29.01.2020 13:10:48	1	1	1	1	74.5	63.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.6875	2004
29.01.2020 13:10:49	1	1	1	1	74.5	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.6875	2004
29.01.2020 13:10:50	1	1	1	1	74.5	63.5	0	29952.607	326.8817204	9741.25513	30000	0	0	30000	42.1875	2004
29.01.2020 13:10:51	1	1	1	1	74.5	62	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.875	2004
29.01.2020 13:10:52	1	1	1	1	74.5	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.625	2004
29.01.2020 13:10:53	1	1	1	1	74.5	63.5	0	29715.64	333.3333333	9905.145	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:10:54	1	1	1	1	74.5	63.75	0	29905.213	333.3333333	9967.928682	30000	0	0	30000	43.625	2004
29.01.2020 13:10:55	1	1	1	1	74.5	63.5	0	29810.427	309.6774194	9167.232898	30000	0	0	30000	43.5625	2004
29.01.2020 13:10:56	1	1	1	1	74.5	63.5	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	43.8125	2004
29.01.2020 13:10:57	1	1	1	1	74.5	63.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.5	2004
29.01.2020 13:10:58	1	1	1	1	74.25	63.5	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	43.6875	2004
29.01.2020 13:10:59	1	1	1	1	74.25	63.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.875	2004
29.01.2020 13:11:00	1	1	1	1	74.25	63.75	0	29952.607	350.5376344	10709.10227	30000	0	0	30000	43.75	2004
29.01.2020 13:11:01	1	1	1	1	74.25	63.75	0	30000	348.3870968	10370.72269	30000	0	0	30000	43.5	2004
29.01.2020 13:11:02	1	1	1	1	74.25	63.5	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	43.6875	2004
29.01.2020 13:11:03	1	1	1	1	74.25	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.875	2004
29.01.2020 13:11:04	1	1	1	1	74.25	63.75	0	29715.64	348.3870968	10288.37007	30000	0	0	30000	43.8125	2004
29.01.2020 13:11:05	1	1	1	1	74.25	63.75	0	28009.479	341.9354839	9577.36526	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:06	1	1	1	1	74.25	63.75	0	28483.412	305.3763441	8697.578344	30000	0	0	30000	43.625	2004
29.01.2020 13:11:08	1	1	1	1	74.25	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:09	1	1	1	1	74.75	63.75	0	26066.351	309.6774194	8072.187644	30000	0	0	30000	44.1875	2004
29.01.2020 13:11:10	1	1	1	1	74.75	64	0	28009.479	296.7741935	8489.658359	30000	0	0	30000	43.875	2004
29.01.2020 13:11:11	1	1	1	1	74.75	63.75	0	29857.82	333.3333333	9967.928682	30000	0	0	30000	43.375	2004
29.01.2020 13:11:12	1	1	1	1	74.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	44	2004
29.01.2020 13:11:13	1	1	1	1	74.75	64	0	29952.607	322.5806452	9646.671921	30000	0	0	30000	43.875	2004
29.01.2020 13:11:14	1	1	1	1	74.75	63.75	0	30000	335.483871	10128.55706	30000	0	0	30000	43.8125	2004
29.01.2020 13:11:15	1	1	1	1	74.75	63.75	0	30000	344.0860215	10241.89384	30000	0	0	30000	44	2004
29.01.2020 13:11:16	1	1	1	1	74.75	64	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:17	1	1	1	1	74.75	63.75	0	28815.166	301.0752688	8613.594977	30000	0	0	30000	43.875	2004
29.01.2020 13:11:18	1	1	1	1	74.75	63.75	0	29857.82	311.827957	9324.599788	30000	0	0	30000	44.0625	2004
29.01.2020 13:11:19	1	1	1	1	75	64	0	30000	307.5268817	9225.124344	30000	0	0	30000	44	2004
29.01.2020 13:11:20	1	1	1	1	75	64	0	30000	270.9677419	8192.862773	30000	0	0	30000	44	2004
29.01.2020 13:11:21	1	1	1	1	75	64	0	30000	268.8172043	7999.619493	30000	0	0	30000	44.1875	2004
29.01.2020 13:11:22	1	1	1	1	75	64	0	29905.213	264.516129	7922.974479	30000	0	0	30000	43.8125	2004
29.01.2020 13:11:23	1	1	1	1	75	64	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:24	1	1	1	1	75	63.75	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:25	1	1	1	1	75	63.75	0	29952.607	281.7204301	8424.42856	30000	0	0	30000	43.75	2004
29.01.2020 13:11:26	1	1	1	1	75	63.75	0	30000	322.5806452	9483.597423	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:27	1	1	1	1	75	63.75	0	29905.213	313.9784946	9453.428641	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:28	1	1	1	1	75.25	63.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.625	2004
29.01.2020 13:11:29	1	1	1	1	75.25	63.5	0	29905.213	326.8817204	9726.578425	30000	0	0	30000	44.0625	2004
29.01.2020 13:11:36	1	1	1	1	75.25	64	0	29668.246	318.2795699	9713.532465	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:36	1	1	1	1	75.25	64	0	29668.246	318.2795699	9713.532465	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:36	1	1	1	1	75.25	64	0	29668.246	318.2795699	9713.532465	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:36	1	1	1	1	75.25	64	0	29668.246	318.2795699	9713.532465	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:36	1	1	1	1	75.25	64	0	29668.246	318.2795699	9713.532465	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:36	1	1	1	1	75.25	64	0	29668.246	318.2795699	9713.532465	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:36	1	1	1	1	75.25	63.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.3125	2004
29.01.2020 13:11:37	1	1	1	1	75.25	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:11:38	1	1	1	1	75.25	64	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:39	1	1	1	1	75.25	63.75	0	30000	320.4301075	9741.25513	30000	0	0	30000	43.6875	2004
29.01.2020 13:11:40	1	1	1	1	75.25	63.5	0	30000	339.7849462	10113.06499	30000	0	0	30000	44.0625	2004
29.01.2020 13:11:41	1	1	1	1	75.25	64	0	29715.64	320.4301075	9521.104558	30000	0	0	30000	43.8125	2004
29.01.2020 13:11:42	1	1	1	1	75.25	63.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.8125	2004
29.01.2020 13:11:43	1	1	1	1	75.25	63.75	0	29715.64	350.5376344	10416.38355	30000	0	0	30000	44	2004
29.01.2020 13:11:44	1	1	1	1	75.25	64	0	28957.346	344.0860215	10212.54043	30000	0	0	30000	43.875	2004
29.01.2020 13:11:46	1	1	1	1	75.25	63.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	43.875	2004
29.01.2020 13:11:47	1	1	1	1	75.25	63.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	43.8125	2004
29.01.2020 13:11:48	1	1	1	1	75.25	63.75	0	29952.607	369.8924731	11014.86696	30000	0	0	30000	43.875	2004
29.01.2020 13:11:49	1	1	1	1	75.25	63.75	0	28009.479	316.1290323	8854.129862	30000	0	0	30000	44.0625	2004
29.01.2020 13:11:50	1	1	1	1	75.25	64	0	30000	391.3978495	11676.94942	30000	0	0	30000	44	2004
29.01.2020 13:11:51	1	1	1	1	75.25	64	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	43.5625	2004
29.01.2020 13:11:52	1	1	1	1	75.25	63.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.8125	2004
29.01.2020 13:11:53	1	1	1	1	75.25	63.75	0	29857.82	363.4408602	10740.08643	30000	0	0	30000	44.125	2004
29.01.2020 13:11:54	1	1	1	1	75.25	64	0	29905.213	346.2365591	10337.29242	30000	0	0	30000	43.9375	2004
29.01.2020 13:11:55	1	1	1	1	75.25	63.75	0	29905.213	346.2365591	10353.59987	30000	0	0	30000	43.875	2004
29.01.2020 13:11:56	1	1	1	1	75.25	63.75	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	44	2004
29.01.2020 13:11:57	1	1	1	1	75.25	64	0	27298.578	326.8817204	8923.436523	30000	0	0	30000	44.0625	2004
29.01.2020 13:11:58	1	1	1	1	75.25	64	0	30000	378.4946237	11419.29171	30000	0	0	30000	44.125	2004
29.01.2020 13:11:59	1	1	1	1	75.25	64	0	29857.82	341.9354839	10225.58639	30000	0	0	30000	44.1875	2004
29.01.2020 13:12:00	1	1	1	1	75.25	64	0	29952.607	391.3978495	11676.94942	30000	0	0	30000	44	2004
29.01.2020 13:12:01	1	1	1	1	75.25	64	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.875	2004
29.01.2020 13:12:02	1	1	1	1	75.25	63.75	0	29905.213	356.9892473	10658.54918	30000	0	0	30000	44	2004
29.01.2020 13:12:03	1	1	1	1	75.25	64	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	44	2004
29.01.2020 13:12:04	1	1	1	1	75.25	64	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	44	2004
29.01.2020 13:12:05	1	1	1	1	75.25	64	0	28815.166	329.0322581	9620.580002	30000	0	0	30000	43.875	2004
29.01.2020 13:12:06	1	1	1	1	75.25	63.75	0	29905.213	356.9892473	10740.08643	30000	0	0	30000	43.5625	2004
29.01.2020 13:12:07	1	1	1	1	75.25	63.5	0	29857.82	341.9354839	10353.59987	30000	0	0	30000	43.75	2004
29.01.2020 13:12:08	1	1	1	1	75.25	63.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.9375	2004
29.01.2020 13:12:09	1	1	1	1	75.25	63.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.6875	2004
29.01.2020 13:12:10	1	1	1	1	75.25	63.5	0	30000	378.4946237	11713.64118	30000	0	0	30000	44.0625	2004
29.01.2020 13:12:11	1	1	1	1	75.25	64	0	30000	380.6451613	11419.29171	30000	0	0	30000	44.125	2004
29.01.2020 13:12:12	1	1	1	1	75.25	64	0	30000	367.7419355	11014.86696	30000	0	0	30000	43.8125	2004
29.01.2020 13:12:13	1	1	1	1	75.25	63.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	44	2004
29.01.2020 13:12:14	1	1	1	1	75.25	64	0	29668.246	303.2258065	8917.728916	30000	0	0	30000	43.875	2004
29.01.2020 13:12:15	1	1	1	1	75.25	63.75	0	29905.213	320.4301075	9855.407279	30000	0	0	30000	43.8125	2004
29.01.2020 13:12:16	1	1	1	1	75.25	63.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	44	2004
29.01.2020 13:12:17	1	1	1	1	75.25	64	0	29905.213	273.1182796	8103.171799	30000	0	0	30000	43.4375	2004
29.01.2020 13:12:18	1	1	1	1	75.5	63.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.625	2004
29.01.2020 13:12:19	1	1	1	1	75.5	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.6875	2004
29.01.2020 13:12:20	1	1	1	1	75.5	63.5	0	29715.64	243.0107527	7220.938766	30000	0	0	30000	44	2004
29.01.2020 13:12:21	1	1	1	1	75.5	64	0	30000	262.3655914	7870.79064	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:12:22	1	1	1	1	75.5	63	0	29573.46	268.8172043	7962.112358	30000	0	0	30000	43.1875	2004
29.01.2020 13:12:23	1	1	1	1	75.5	63	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.5625	2004
29.01.2020 13:12:25	1	1	1	1	75.5	63.5	0	29715.64	270.9677419	8115.402386	30000	0	0	30000	43.8125	2004
29.01.2020 13:12:26	1	1	1	1	75.5	63.75	0	29146.919	270.9677419	7897.697932	30000	0	0	30000	43.875	2004
29.01.2020 13:12:27	1	1	1	1	75.5	63.75	0	29810.427	268.8172043	8013.480825	30000	0	0	30000	43.9375	2004
29.01.2020 13:12:28	1	1	1	1	75.5	63.75	0	29715.64	270.9677419	8051.803332	30000	0	0	30000	43.9375	2004
29.01.2020 13:12:29	1	1	1	1	75.5	63.75	0	29052.133	247.311828	7161.416574	30000	0	0	30000	43.75	2004
29.01.2020 13:12:30	1	1	1	1	75.5	63.75	0	29952.607	273.1182796	8180.632185	30000	0	0	30000	43.75	2004
29.01.2020 13:12:31	1	1	1	1	75.5	63.75	0	29857.82	266.6666667	7962.112358	30000	0	0	30000	44	2004
29.01.2020 13:12:38	1	1	1	1	75.5	64	0	30047.393	266.6666667	7935.205066	30000	0	0	30000	43.875	2004
29.01.2020 13:12:38	1	1	1	1	75.5	64	0	30047.393	266.6666667	7935.205066	30000	0	0	30000	43.875	2004
29.01.2020 13:12:38	1	1	1	1	75.5	64	0	30047.393	266.6666667	7935.205066	30000	0	0	30000	43.875	2004
29.01.2020 13:12:38	1	1	1	1	75.5	64	0	30047.393	266.6666667	7935.205066	30000	0	0	30000	43.875	2004
29.01.2020 13:12:38	1	1	1	1	75.5	64	0	30047.393	266.6666667	7935.205066	30000	0	0	30000	43.875	2004
29.01.2020 13:12:38	1	1	1	1	75.5	64	0	30047.393	266.6666667	7935.205066	30000	0	0	30000	43.875	2004
29.01.2020 13:12:38	1	1	1	1	75.5	64	0	30047.393	266.6666667	7935.205066	30000	0	0	30000	43.875	2004
29.01.2020 13:12:39	1	1	1	1	76.25	63.75	0	30000	264.516129	7806.376213	30000	0	0	30000	43.8125	2004
29.01.2020 13:12:40	1	1	1	1	76.25	63.75	0	30047.393	258.0645161	7754.192374	30000	0	0	30000	43.875	2004
29.01.2020 13:12:41	1	1	1	1	76.25	63.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.625	2004
29.01.2020 13:12:42	1	1	1	1	76.25	63.5	0	30047.393	258.0645161	7741.961786	30000	0	0	30000	43.9375	2004
29.01.2020 13:12:43	1	1	1	1	76.25	63.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.75	2004
29.01.2020 13:12:44	1	1	1	1	76.25	63.75	0	30000	236.5591398	7096.186775	30000	0	0	30000	43.9375	2004
29.01.2020 13:12:45	1	1	1	1	76.25	63.75	0	30000	247.311828	7419.07428	30000	0	0	30000	44	2004
29.01.2020 13:12:46	1	1	1	1	76.25	64	0	29715.64	240.8602151	7157.339711	30000	0	0	30000	43.75	2004
29.01.2020 13:12:47	1	1	1	1	76.25	63.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	43.875	2004
29.01.2020 13:12:48	1	1	1	1	76	63.75	0	29952.607	253.7634409	7588.671758	30000	0	0	30000	44	2004
29.01.2020 13:12:49	1	1	1	1	76	64	0	30000	253.7634409	7612.31756	30000	0	0	30000	43.875	2004
29.01.2020 13:12:50	1	1	1	1	76	63.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	44	2004
29.01.2020 13:12:51	1	1	1	1	76	64	0	29952.607	258.0645161	7729.731199	30000	0	0	30000	44.0625	2004
29.01.2020 13:12:52	1	1	1	1	76	64	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.4375	2004
29.01.2020 13:12:53	1	1	1	1	76	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	44	2004
29.01.2020 13:12:54	1	1	1	1	76	64	0	30000	262.3655914	7806.376213	30000	0	0	30000	44.125	2004
29.01.2020 13:12:55	1	1	1	1	76	64	0	30000	260.2150538	7870.79064	30000	0	0	30000	42.625	2004
29.01.2020 13:12:56	1	1	1	1	76	62.5	0	30000	260.2150538	7947.435654	30000	0	0	30000	43.875	2004
29.01.2020 13:12:57	1	1	1	1	76	63.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	44.0625	2004
29.01.2020 13:12:58	1	1	1	1	75.75	64	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.8125	2004
29.01.2020 13:12:59	1	1	1	1	75.75	63.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	44	2004
29.01.2020 13:13:00	1	1	1	1	75.75	64	0	29857.82	245.1612903	7319.598837	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:02	1	1	1	1	75.75	63.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	43.3125	2004
29.01.2020 13:13:03	1	1	1	1	75.75	63.25	0	29857.82	243.0107527	7255.18441	30000	0	0	30000	43.75	2004
29.01.2020 13:13:04	1	1	1	1	75.75	63.75	0	29905.213	243.0107527	7266.599625	30000	0	0	30000	43.8125	2004
29.01.2020 13:13:05	1	1	1	1	75.75	63.75	0	30000	245.1612903	7225.831	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:06	1	1	1	1	75.75	63.75	0	30000	243.0107527	7096.186775	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:13:07	1	1	1	1	75.75	63.75	0	29905.213	240.8602151	7191.585356	30000	0	0	30000	44.125	2004
29.01.2020 13:13:08	1	1	1	1	75.75	64	0	29241.706	236.5591398	7020.357133	30000	0	0	30000	44.1875	2004
29.01.2020 13:13:09	1	1	1	1	76	64	0	28957.346	232.2580645	6725.192292	30000	0	0	30000	44.0625	2004
29.01.2020 13:13:10	1	1	1	1	76	64	0	30000	240.8602151	7225.831	30000	0	0	30000	44.125	2004
29.01.2020 13:13:11	1	1	1	1	76	64	0	30000	247.311828	7354.659854	30000	0	0	30000	44	2004
29.01.2020 13:13:12	1	1	1	1	76	64	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.625	2004
29.01.2020 13:13:13	1	1	1	1	76	63.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.8125	2004
29.01.2020 13:13:14	1	1	1	1	76	63.75	0	30000	264.516129	8064.033919	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:15	1	1	1	1	76	63.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:16	1	1	1	1	76	63.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	44.1875	2004
29.01.2020 13:13:17	1	1	1	1	76	64	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	44.3125	2004
29.01.2020 13:13:18	1	1	1	1	76	63.25	0	29905.213	279.5698925	8451.335852	30000	0	0	30000	43.4375	2004
29.01.2020 13:13:19	1	1	1	1	76	63.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.4375	2004
29.01.2020 13:13:20	1	1	1	1	76	63.25	0	29952.607	279.5698925	8309.461039	30000	0	0	30000	43.75	2004
29.01.2020 13:13:21	1	1	1	1	76	63.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	44	2004
29.01.2020 13:13:22	1	1	1	1	76	64	0	30000	268.8172043	8077.079879	30000	0	0	30000	44	2004
29.01.2020 13:13:23	1	1	1	1	76	64	0	30047.393	279.5698925	8192.862773	30000	0	0	30000	44	2004
29.01.2020 13:13:24	1	1	1	1	76	64	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:25	1	1	1	1	76	63.75	0	30000	266.6666667	7870.79064	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:26	1	1	1	1	76	63.75	0	30000	264.516129	7999.619493	30000	0	0	30000	43.8125	2004
29.01.2020 13:13:27	1	1	1	1	76	63.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.6875	2004
29.01.2020 13:13:28	1	1	1	1	76	63.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:29	1	1	1	1	76	63.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	44.125	2004
29.01.2020 13:13:30	1	1	1	1	76	64	0	30000	277.4193548	8386.921425	30000	0	0	30000	44	2004
29.01.2020 13:13:31	1	1	1	1	76	64	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:32	1	1	1	1	76	63.75	0	29952.607	268.8172043	8116.217759	30000	0	0	30000	43.75	2004
29.01.2020 13:13:39	1	1	1	1	76.25	63.5	0	30047.393	286.0215054	8258.092572	30000	0	0	30000	43.8125	2004
29.01.2020 13:13:39	1	1	1	1	76.25	63.5	0	30047.393	286.0215054	8258.092572	30000	0	0	30000	43.8125	2004
29.01.2020 13:13:39	1	1	1	1	76.25	63.5	0	30047.393	286.0215054	8258.092572	30000	0	0	30000	43.8125	2004
29.01.2020 13:13:39	1	1	1	1	76.25	63.5	0	30047.393	286.0215054	8258.092572	30000	0	0	30000	43.8125	2004
29.01.2020 13:13:39	1	1	1	1	76.25	63.5	0	30047.393	286.0215054	8258.092572	30000	0	0	30000	43.8125	2004
29.01.2020 13:13:39	1	1	1	1	76.25	63.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:40	1	1	1	1	76.25	63.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.4375	2004
29.01.2020 13:13:42	1	1	1	1	76.25	63.25	0	29431.28	307.5268817	9050.634632	30000	0	0	30000	43.3125	2004
29.01.2020 13:13:43	1	1	1	1	76.25	63.25	0	29620.853	288.172043	8535.319218	30000	0	0	30000	43.875	2004
29.01.2020 13:13:44	1	1	1	1	76.25	63.75	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	44.0625	2004
29.01.2020 13:13:45	1	1	1	1	76.25	64	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:46	1	1	1	1	76.25	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:47	1	1	1	1	76.25	63.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.75	2004
29.01.2020 13:13:48	1	1	1	1	76.25	63.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.875	2004
29.01.2020 13:13:49	1	1	1	1	76.25	63.75	0	29857.82	320.4301075	9582.257495	30000	0	0	30000	43.875	2004
29.01.2020 13:13:50	1	1	1	1	76.25	63.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:13:51	1	1	1	1	76.25	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
29.01.2020 13:13:52	1	1	1	1	76.25	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:53	1	1	1	1	76.25	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.875	2004
29.01.2020 13:13:54	1	1	1	1	76.25	63.75	0	29905.213	322.5806452	9711.086348	30000	0	0	30000	44.4375	2004
29.01.2020 13:13:55	1	1	1	1	76.25	64.25	0	30000	365.5913978	10773.5167	30000	0	0	30000	44.375	2004
29.01.2020 13:13:56	1	1	1	1	76.25	63.5	0	28815.166	335.483871	9605.087924	30000	0	0	30000	43.9375	2004
29.01.2020 13:13:57	1	1	1	1	76.25	63.75	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	43.4375	2004
29.01.2020 13:13:58	1	1	1	1	76.25	63.25	0	28862.559	339.7849462	9901.068138	30000	0	0	30000	43.8125	2004
29.01.2020 13:13:59	1	1	1	1	76.25	63.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.875	2004
29.01.2020 13:14:00	1	1	1	1	76.25	63.75	0	28957.346	326.8817204	9402.875547	30000	0	0	30000	43.375	2004
29.01.2020 13:14:01	1	1	1	1	76.25	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	44	2004
29.01.2020 13:14:02	1	1	1	1	76.25	64	0	28436.019	290.3225806	8241.785122	30000	0	0	30000	43.625	2004
29.01.2020 13:14:03	1	1	1	1	76.25	63.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.875	2004
29.01.2020 13:14:04	1	1	1	1	76.25	63.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.875	2004
29.01.2020 13:14:05	1	1	1	1	76.25	63.75	0	30000	341.9354839	10113.06499	30000	0	0	30000	43.6875	2004
29.01.2020 13:14:06	1	1	1	1	76.25	63.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	44	2004
29.01.2020 13:14:07	1	1	1	1	76.25	64	0	29905.213	331.1827957	9903.514255	30000	0	0	30000	43.75	2004
29.01.2020 13:14:08	1	1	1	1	76	63.75	0	29905.213	329.0322581	9839.099829	30000	0	0	30000	43.375	2004
29.01.2020 13:14:09	1	1	1	1	76	63.25	0	30000	337.6344086	9839.099829	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:10	1	1	1	1	76	63.75	0	29620.853	303.2258065	8840.268529	30000	0	0	30000	43.6875	2004
29.01.2020 13:14:11	1	1	1	1	76	63.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:12	1	1	1	1	76	63.75	0	28388.626	260.2150538	7460.658277	30000	0	0	30000	44	2004
29.01.2020 13:14:13	1	1	1	1	76	64	0	30000	281.7204301	8386.921425	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:14	1	1	1	1	76	63.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.8125	2004
29.01.2020 13:14:15	1	1	1	1	76	63.75	0	30000	286.0215054	8438.289892	30000	0	0	30000	43.375	2004
29.01.2020 13:14:17	1	1	1	1	76	63.25	0	30000	290.3225806	8852.499117	30000	0	0	30000	43.6875	2004
29.01.2020 13:14:18	1	1	1	1	76	63.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.375	2004
29.01.2020 13:14:19	1	1	1	1	76.25	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.5	2004
29.01.2020 13:14:20	1	1	1	1	76.25	63.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.75	2004
29.01.2020 13:14:21	1	1	1	1	76.25	63.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	43.875	2004
29.01.2020 13:14:22	1	1	1	1	76.25	63.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.3125	2004
29.01.2020 13:14:23	1	1	1	1	76.25	63.25	0	30000	264.516129	8064.033919	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:24	1	1	1	1	76.25	63.75	0	30000	268.8172043	7935.205066	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:25	1	1	1	1	76.25	63.75	0	30047.393	266.6666667	7999.619493	30000	0	0	30000	43.625	2004
29.01.2020 13:14:26	1	1	1	1	76.25	63.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	44	2004
29.01.2020 13:14:27	1	1	1	1	76.25	64	0	30000	264.516129	7935.205066	30000	0	0	30000	43.8125	2004
29.01.2020 13:14:28	1	1	1	1	76.25	63.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.8125	2004
29.01.2020 13:14:29	1	1	1	1	76.25	63.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.5625	2004
29.01.2020 13:14:30	1	1	1	1	76.25	63.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.8125	2004
29.01.2020 13:14:31	1	1	1	1	76.25	63.75	0	29905.213	264.516129	7974.342946	30000	0	0	30000	43.875	2004
29.01.2020 13:14:32	1	1	1	1	76.25	63.75	0	28957.346	268.8172043	7783.545783	30000	0	0	30000	44.0625	2004
29.01.2020 13:14:33	1	1	1	1	76.25	64	0	29052.133	255.9139785	7434.566358	30000	0	0	30000	44.1875	2004
29.01.2020 13:14:34	1	1	1	1	76.25	64	0	29431.28	277.4193548	8164.324736	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:14:41	1	1	1	1	76.5	63.5	0	29952.607	268.8172043	8038.757372	30000	0	0	30000	43.875	2004
29.01.2020 13:14:41	1	1	1	1	76.5	63.5	0	29952.607	268.8172043	8038.757372	30000	0	0	30000	43.875	2004
29.01.2020 13:14:41	1	1	1	1	76.5	63.5	0	29952.607	268.8172043	8038.757372	30000	0	0	30000	43.875	2004
29.01.2020 13:14:41	1	1	1	1	76.5	63.5	0	29952.607	268.8172043	8038.757372	30000	0	0	30000	43.875	2004
29.01.2020 13:14:41	1	1	1	1	76.5	63.5	0	29952.607	268.8172043	8038.757372	30000	0	0	30000	43.875	2004
29.01.2020 13:14:41	1	1	1	1	76.5	63.5	0	29952.607	268.8172043	8038.757372	30000	0	0	30000	43.875	2004
29.01.2020 13:14:41	1	1	1	1	76.5	63.75	0	30047.393	288.172043	8529.611611	30000	0	0	30000	43.8125	2004
29.01.2020 13:14:42	1	1	1	1	76.5	63.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:43	1	1	1	1	76.5	63.75	0	26777.251	253.7634409	6794.498954	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:44	1	1	1	1	76.5	63.75	0	30000	283.8709677	8529.611611	30000	0	0	30000	43.4375	2004
29.01.2020 13:14:45	1	1	1	1	76.5	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:46	1	1	1	1	76.5	63.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.75	2004
29.01.2020 13:14:47	1	1	1	1	76.5	63.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:48	1	1	1	1	76	63.75	0	29905.213	283.8709677	8515.750279	30000	0	0	30000	43.875	2004
29.01.2020 13:14:49	1	1	1	1	76	63.75	0	29905.213	305.3763441	9196.586307	30000	0	0	30000	44.125	2004
29.01.2020 13:14:50	1	1	1	1	76	64	0	30000	320.4301075	9404.506292	30000	0	0	30000	43.875	2004
29.01.2020 13:14:51	1	1	1	1	76	63.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:52	1	1	1	1	76	63.75	0	27630.332	298.9247312	8021.63455	30000	0	0	30000	43.625	2004
29.01.2020 13:14:53	1	1	1	1	76	63.5	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	43.875	2004
29.01.2020 13:14:54	1	1	1	1	76	63.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.6875	2004
29.01.2020 13:14:56	1	1	1	1	76	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.4375	2004
29.01.2020 13:14:57	1	1	1	1	76	63.25	0	0	0	0	30000	0	8	30000	44.0625	2004
29.01.2020 13:14:58	1	1	1	1	76	64	0	10426.54	0	0	30000	0	0	30000	43.9375	2004
29.01.2020 13:14:59	1	1	1	1	76.25	63.75	0	11327.014	0	0	30000	0	0	30000	44.0625	2004
29.01.2020 13:15:00	1	1	1	1	76.25	64	0	11800.948	0	0	30000	0	0	30000	44	2004
29.01.2020 13:15:01	1	1	1	1	76.25	64	0	12748.815	0	0	30000	0	0	30000	44	2004
29.01.2020 13:15:02	1	1	1	1	76.25	64	0	13554.502	4.301075269	57.89144674	30000	0	0	30000	43.9375	2004
29.01.2020 13:15:03	1	1	1	1	76.25	63.75	0	14312.796	8.602150538	92.13709129	30000	0	0	30000	43.9375	2004
29.01.2020 13:15:04	1	1	1	1	76.25	63.75	0	15165.877	15.05376344	228.304297	30000	0	0	30000	43.875	2004
29.01.2020 13:15:05	1	1	1	1	76.25	63.75	0	15829.384	19.35483871	340.8257005	30000	0	0	30000	43.125	2004
29.01.2020 13:15:06	1	1	1	1	76.25	63	0	16682.464	27.95698925	430.5166744	30000	0	0	30000	43.875	2004
29.01.2020 13:15:07	1	1	1	1	76.25	63.75	0	17488.152	36.55913978	601.7448971	30000	0	0	30000	43.875	2004
29.01.2020 13:15:08	1	1	1	1	76.25	63.75	0	18293.839	45.16129032	825.9723317	30000	0	0	30000	44.0625	2004
29.01.2020 13:15:09	1	1	1	1	76.5	64	0	19004.739	51.61290323	980.8931047	30000	0	0	30000	43.875	2004
29.01.2020 13:15:10	1	1	1	1	76.5	63.75	0	19810.427	60.21505376	1195.336069	30000	0	0	30000	44.5	2004
29.01.2020 13:15:11	1	1	1	1	76.5	64.5	0	20568.72	70.96774194	1551.653847	30000	0	0	30000	43.5625	2004
29.01.2020 13:15:12	1	1	1	1	76.5	63.5	0	21279.621	79.56989247	1692.713288	30000	0	0	30000	43.875	2004
29.01.2020 13:15:13	1	1	1	1	76.5	64.25	0	21943.128	86.02150538	1951.186367	30000	0	0	30000	44.125	2004
29.01.2020 13:15:14	1	1	1	1	76.5	64	0	22890.995	96.77419355	2214.551681	30000	0	0	30000	43.9375	2004
29.01.2020 13:15:15	1	1	1	1	76.5	63.75	0	23554.502	103.2258065	2431.440763	30000	0	0	30000	44	2004
29.01.2020 13:15:16	1	1	1	1	76.5	64	0	24407.583	120.4301075	2991.601663	30000	0	0	30000	44	2004
29.01.2020 13:15:17	1	1	1	1	76.5	64	0	25260.664	137.6344086	3463.702335	30000	0	0	30000	44	2004
29.01.2020 13:15:18	1	1	1	1	76.25	64	0	25687.204	159.1397849	4142.907618	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:15:19	1	1	1	1	76.25	63.5	0	26350.711	178.4946237	4711.222243	30000	0	0	30000	43.875	2004
29.01.2020 13:15:20	1	1	1	1	76.25	63.75	0	27535.545	189.2473118	5278.721496	30000	0	0	30000	44.0625	2004
29.01.2020 13:15:21	1	1	1	1	76.25	64	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	44.125	2004
29.01.2020 13:15:22	1	1	1	1	76.25	64	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	43.625	2004
29.01.2020 13:15:23	1	1	1	1	76.25	63.5	0	28815.166	208.6021505	6010.925991	30000	0	0	30000	43.8125	2004
29.01.2020 13:15:24	1	1	1	1	76.25	63.75	0	28957.346	212.9032258	6165.031392	30000	0	0	30000	44.0625	2004
29.01.2020 13:15:25	1	1	1	1	76.25	64	0	29099.526	227.9569892	6695.838882	30000	0	0	30000	44.0625	2004
29.01.2020 13:15:26	1	1	1	1	76.25	64	0	29146.919	221.5053763	6445.519528	30000	0	0	30000	43.9375	2004
29.01.2020 13:15:27	1	1	1	1	76.25	63.75	0	29241.706	232.2580645	6916.804827	30000	0	0	30000	44	2004
29.01.2020 13:15:28	1	1	1	1	76	64	0	29146.919	230.1075269	6706.438725	30000	0	0	30000	43.875	2004
29.01.2020 13:15:29	1	1	1	1	76	63.75	0	29146.919	232.2580645	6791.237464	30000	0	0	30000	43.9375	2004
29.01.2020 13:15:30	1	1	1	1	76	63.75	0	29146.919	230.1075269	6728.453782	30000	0	0	30000	44.0625	2004
29.01.2020 13:15:31	1	1	1	1	76	64	0	29241.706	232.2580645	6728.453782	30000	0	0	30000	44	2004
29.01.2020 13:15:32	1	1	1	1	76	64	0	29146.919	230.1075269	6728.453782	30000	0	0	30000	44.25	2004
29.01.2020 13:15:34	1	1	1	1	76	64.25	0	29146.919	232.2580645	6769.222406	30000	0	0	30000	44.0625	2004
29.01.2020 13:15:35	1	1	1	1	76	64	0	29146.919	247.311828	7231.538608	30000	0	0	30000	43.9375	2004
29.01.2020 13:15:36	1	1	1	1	76	63.75	0	29241.706	251.6129032	7419.889653	30000	0	0	30000	44	2004
29.01.2020 13:15:43	1	1	1	1	76	63.5	0	29241.706	260.2150538	7671.839752	30000	0	0	30000	43.5	2004
29.01.2020 13:15:43	1	1	1	1	76	63.5	0	29241.706	260.2150538	7671.839752	30000	0	0	30000	43.5	2004
29.01.2020 13:15:43	1	1	1	1	76	63.5	0	29241.706	260.2150538	7671.839752	30000	0	0	30000	43.5	2004
29.01.2020 13:15:43	1	1	1	1	76	63.5	0	29241.706	260.2150538	7671.839752	30000	0	0	30000	43.5	2004
29.01.2020 13:15:43	1	1	1	1	76	63.5	0	29241.706	260.2150538	7671.839752	30000	0	0	30000	43.5	2004
29.01.2020 13:15:43	1	1	1	1	76	63.5	0	29241.706	260.2150538	7671.839752	30000	0	0	30000	43.5	2004
29.01.2020 13:15:43	1	1	1	1	76	63.5	0	29241.706	260.2150538	7671.839752	30000	0	0	30000	43.5	2004
29.01.2020 13:15:44	1	1	1	1	76	63.5	0	29336.493	266.6666667	7759.899981	30000	0	0	30000	44	2004
29.01.2020 13:15:45	1	1	1	1	76	64	0	29289.1	266.6666667	7583.779523	30000	0	0	30000	43.875	2004
29.01.2020 13:15:46	1	1	1	1	76	63.75	0	29241.706	268.8172043	7860.190797	30000	0	0	30000	43.8125	2004
29.01.2020 13:15:47	1	1	1	1	76	63.75	0	29146.919	262.3655914	7936.020439	30000	0	0	30000	43.8125	2004
29.01.2020 13:15:48	1	1	1	1	76	63.75	0	29289.1	270.9677419	7936.020439	30000	0	0	30000	44.3125	2004
29.01.2020 13:15:49	1	1	1	1	75.75	64.25	0	29099.526	262.3655914	7772.130568	30000	0	0	30000	43.9375	2004
29.01.2020 13:15:50	1	1	1	1	75.75	63.75	0	29146.919	266.6666667	7860.190797	30000	0	0	30000	44	2004
29.01.2020 13:15:51	1	1	1	1	75.75	64.25	0	29289.1	266.6666667	7797.407115	30000	0	0	30000	44	2004
29.01.2020 13:15:52	1	1	1	1	75.75	64	0	29289.1	262.3655914	7759.899981	30000	0	0	30000	43.875	2004
29.01.2020 13:15:53	1	1	1	1	75.75	63.75	0	29289.1	262.3655914	7696.300927	30000	0	0	30000	43.8125	2004
29.01.2020 13:15:54	1	1	1	1	75.75	63.75	0	29289.1	260.2150538	7621.286658	30000	0	0	30000	44	2004
29.01.2020 13:15:55	1	1	1	1	75.75	64	0	29336.493	258.0645161	7507.134509	30000	0	0	30000	43.8125	2004
29.01.2020 13:15:56	1	1	1	1	75.75	63.75	0	29289.1	281.7204301	8201.016498	30000	0	0	30000	44	2004
29.01.2020 13:15:57	1	1	1	1	75.75	64	0	29336.493	283.8709677	8327.399234	30000	0	0	30000	43.75	2004
29.01.2020 13:15:58	1	1	1	1	75.5	63.75	0	29336.493	288.172043	8516.565651	30000	0	0	30000	44	2004
29.01.2020 13:15:59	1	1	1	1	75.5	64	0	29383.886	290.3225806	8516.565651	30000	0	0	30000	43.5625	2004
29.01.2020 13:16:00	1	1	1	1	75.5	63.5	0	29336.493	292.4731183	8516.565651	30000	0	0	30000	43.875	2004
29.01.2020 13:16:01	1	1	1	1	75.5	63.75	0	29336.493	290.3225806	8720.408773	30000	0	0	30000	43.9375	2004
29.01.2020 13:16:02	1	1	1	1	75.5	63.75	0	29431.28	292.4731183	8670.671052	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:16:03	1	1	1	1	75.5	63.75	0	29336.493	301.0752688	8832.114804	30000	0	0	30000	43.875	2004
29.01.2020 13:16:04	1	1	1	1	75.5	63.75	0	29336.493	301.0752688	8769.331123	30000	0	0	30000	43.8125	2004
29.01.2020 13:16:05	1	1	1	1	75.5	63.75	0	29383.886	296.7741935	8516.565651	30000	0	0	30000	43.875	2004
29.01.2020 13:16:06	1	1	1	1	75.5	63.75	0	29383.886	292.4731183	8656.809719	30000	0	0	30000	43.875	2004
29.01.2020 13:16:07	1	1	1	1	75.5	63.75	0	29336.493	305.3763441	8894.898486	30000	0	0	30000	43.875	2004
29.01.2020 13:16:08	1	1	1	1	74.5	63.75	0	28957.346	305.3763441	8842.714647	30000	0	0	30000	43.625	2004
29.01.2020 13:16:09	1	1	1	1	74.5	63.5	0	29336.493	307.5268817	9035.957927	30000	0	0	30000	43.9375	2004
29.01.2020 13:16:11	1	1	1	1	74.5	63.75	0	29431.28	286.0215054	8277.661512	30000	0	0	30000	43.3125	2004
29.01.2020 13:16:12	1	1	1	1	74.5	63.25	0	29383.886	268.8172043	7974.342946	30000	0	0	30000	43.875	2004
29.01.2020 13:16:13	1	1	1	1	74.5	63.75	0	29431.28	281.7204301	8417.90558	30000	0	0	30000	43.75	2004
29.01.2020 13:16:14	1	1	1	1	74.5	63.75	0	29431.28	279.5698925	8227.92379	30000	0	0	30000	43.8125	2004
29.01.2020 13:16:15	1	1	1	1	74.5	63.75	0	29431.28	283.8709677	8290.707472	30000	0	0	30000	43.875	2004
29.01.2020 13:16:16	1	1	1	1	74.5	63.75	0	29431.28	279.5698925	8151.278776	30000	0	0	30000	43.5625	2004
29.01.2020 13:16:17	1	1	1	1	74.5	63.5	0	29431.28	286.0215054	8480.689262	30000	0	0	30000	43.875	2004
29.01.2020 13:16:18	1	1	1	1	74.5	63.75	0	29431.28	288.172043	8480.689262	30000	0	0	30000	43.75	2004
29.01.2020 13:16:19	1	1	1	1	74.75	63.75	0	29336.493	279.5698925	8201.016498	30000	0	0	30000	43.0625	2004
29.01.2020 13:16:20	1	1	1	1	74.75	63	0	29478.673	292.4731183	8558.149648	30000	0	0	30000	43.8125	2004
29.01.2020 13:16:21	1	1	1	1	74.75	63.75	0	29478.673	286.0215054	8430.95154	30000	0	0	30000	44.0625	2004
29.01.2020 13:16:22	1	1	1	1	74.75	64	0	29478.673	273.1182796	7987.388905	30000	0	0	30000	43.8125	2004
29.01.2020 13:16:23	1	1	1	1	74.75	63.75	0	29526.066	275.2688172	8114.587014	30000	0	0	30000	43.5	2004
29.01.2020 13:16:24	1	1	1	1	74.75	63.5	0	29478.673	292.4731183	8430.95154	30000	0	0	30000	43.875	2004
29.01.2020 13:16:25	1	1	1	1	74.75	63.75	0	29478.673	288.172043	8558.149648	30000	0	0	30000	43.9375	2004
29.01.2020 13:16:26	1	1	1	1	74.75	63.75	0	28293.839	286.0215054	8105.617916	30000	0	0	30000	44.25	2004
29.01.2020 13:16:27	1	1	1	1	74.75	64.25	0	29146.919	281.7204301	8148.017286	30000	0	0	30000	44	2004
29.01.2020 13:16:28	1	1	1	1	74.75	64	0	29620.853	301.0752688	8981.32797	30000	0	0	30000	44.0625	2004
29.01.2020 13:16:29	1	1	1	1	74.25	64.25	0	29620.853	303.2258065	8981.32797	30000	0	0	30000	43.75	2004
29.01.2020 13:16:30	1	1	1	1	74.25	63.75	0	29620.853	307.5268817	9236.539559	30000	0	0	30000	43.875	2004
29.01.2020 13:16:31	1	1	1	1	74.25	63.75	0	29620.853	301.0752688	8917.728916	30000	0	0	30000	43.6875	2004
29.01.2020 13:16:32	1	1	1	1	74.25	63.5	0	29620.853	294.6236559	8726.931753	30000	0	0	30000	43.875	2004
29.01.2020 13:16:33	1	1	1	1	74.25	63.75	0	28436.019	286.0215054	8133.340581	30000	0	0	30000	43.6875	2004
29.01.2020 13:16:34	1	1	1	1	74.25	63.5	0	29810.427	301.0752688	8974.80499	30000	0	0	30000	43.8125	2004
29.01.2020 13:16:35	1	1	1	1	74.25	63.75	0	29810.427	316.1290323	9423.259859	30000	0	0	30000	43.9375	2004
29.01.2020 13:16:36	1	1	1	1	74.25	63.75	0	29715.64	296.7741935	8910.390563	30000	0	0	30000	43.8125	2004
29.01.2020 13:16:37	1	1	1	1	74.25	63.75	0	29857.82	303.2258065	9039.219417	30000	0	0	30000	43.875	2004
29.01.2020 13:16:44	1	1	1	1	73.5	63.25	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	43.875	2004
29.01.2020 13:16:44	1	1	1	1	73.5	63.25	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	43.875	2004
29.01.2020 13:16:44	1	1	1	1	73.5	63.25	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	43.875	2004
29.01.2020 13:16:44	1	1	1	1	73.5	63.25	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	43.875	2004
29.01.2020 13:16:44	1	1	1	1	73.5	63.25	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	43.875	2004
29.01.2020 13:16:44	1	1	1	1	73.5	63.25	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	43.875	2004
29.01.2020 13:16:44	1	1	1	1	73.5	63.25	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	43.875	2004
29.01.2020 13:16:45	1	1	1	1	73.5	63.75	0	30000	309.6774194	9082.434159	30000	0	0	30000	43.875	2004
29.01.2020 13:16:46	1	1	1	1	73.5	63.75	0	29952.607	326.8817204	9711.086348	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:16:47	1	1	1	1	73.5	63.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.8125	2004
29.01.2020 13:16:48	1	1	1	1	74	63.75	0	30000	326.8817204	9676.840703	30000	0	0	30000	43.875	2004
29.01.2020 13:16:49	1	1	1	1	74	63.75	0	30047.393	311.827957	9354.76857	30000	0	0	30000	43.9375	2004
29.01.2020 13:16:50	1	1	1	1	74	63.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.9375	2004
29.01.2020 13:16:52	1	1	1	1	74	63.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.875	2004
29.01.2020 13:16:53	1	1	1	1	74	63.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
29.01.2020 13:16:54	1	1	1	1	74	63.75	0	29905.213	294.6236559	9096.295491	30000	0	0	30000	44.0625	2004
29.01.2020 13:16:55	1	1	1	1	74	64	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.875	2004
29.01.2020 13:16:56	1	1	1	1	74	63.75	0	29146.919	288.172043	8399.152013	30000	0	0	30000	43.375	2004
29.01.2020 13:16:57	1	1	1	1	74	63.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.875	2004
29.01.2020 13:16:58	1	1	1	1	74	63.75	0	29715.64	305.3763441	9074.280434	30000	0	0	30000	43.875	2004
29.01.2020 13:16:59	1	1	1	1	74.5	63.75	0	29952.607	318.2795699	9548.01185	30000	0	0	30000	43.5	2004
29.01.2020 13:17:00	1	1	1	1	74.5	63.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.6875	2004
29.01.2020 13:17:01	1	1	1	1	74.5	63.5	0	28009.479	296.7741935	8372.24472	30000	0	0	30000	43.75	2004
29.01.2020 13:17:02	1	1	1	1	74.5	63.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.375	2004
29.01.2020 13:17:03	1	1	1	1	74.5	63.25	0	29952.607	277.4193548	8451.335852	30000	0	0	30000	44	2004
29.01.2020 13:17:04	1	1	1	1	74.5	64	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.75	2004
29.01.2020 13:17:05	1	1	1	1	74.5	63.75	0	30000	290.3225806	8644.579132	30000	0	0	30000	43.875	2004
29.01.2020 13:17:06	1	1	1	1	74.5	63.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.875	2004
29.01.2020 13:17:07	1	1	1	1	74.5	63.75	0	30000	279.5698925	8309.461039	30000	0	0	30000	44.125	2004
29.01.2020 13:17:08	1	1	1	1	74.5	64	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.875	2004
29.01.2020 13:17:09	1	1	1	1	74.75	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.875	2004
29.01.2020 13:17:10	1	1	1	1	74.75	63.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	44	2004
29.01.2020 13:17:11	1	1	1	1	74.75	64	0	30000	277.4193548	8386.921425	30000	0	0	30000	43.8125	2004
29.01.2020 13:17:12	1	1	1	1	74.75	63.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.375	2004
29.01.2020 13:17:13	1	1	1	1	74.75	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.6875	2004
29.01.2020 13:17:14	1	1	1	1	74.75	63.5	0	29952.607	260.2150538	7999.619493	30000	0	0	30000	43.25	2004
29.01.2020 13:17:15	1	1	1	1	74.75	63.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.625	2004
29.01.2020 13:17:16	1	1	1	1	74.75	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.375	2004
29.01.2020 13:17:17	1	1	1	1	74.75	63.25	0	30000	264.516129	7806.376213	30000	0	0	30000	43.875	2004
29.01.2020 13:17:18	1	1	1	1	74.5	63.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	43.75	2004
29.01.2020 13:17:19	1	1	1	1	74.5	63.75	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	43.75	2004
29.01.2020 13:17:20	1	1	1	1	74.5	63.75	0	30047.393	288.172043	8451.335852	30000	0	0	30000	43.6875	2004
29.01.2020 13:17:21	1	1	1	1	74.5	63.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.375	2004
29.01.2020 13:17:22	1	1	1	1	74.5	63.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.9375	2004
29.01.2020 13:17:23	1	1	1	1	74.5	63.75	0	30000	260.2150538	7741.961786	30000	0	0	30000	43.8125	2004
29.01.2020 13:17:24	1	1	1	1	74.5	63.75	0	30000	255.9139785	7741.961786	30000	0	0	30000	43.75	2004
29.01.2020 13:17:25	1	1	1	1	74.5	63.75	0	30000	253.7634409	7741.961786	30000	0	0	30000	43.875	2004
29.01.2020 13:17:26	1	1	1	1	74.5	63.75	0	30000	251.6129032	7741.961786	30000	0	0	30000	43.3125	2004
29.01.2020 13:17:27	1	1	1	1	74.5	63.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.75	2004
29.01.2020 13:17:28	1	1	1	1	74.75	63.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.875	2004
29.01.2020 13:17:29	1	1	1	1	74.75	63.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.625	2004
29.01.2020 13:17:30	1	1	1	1	74.75	63.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:17:32	1	1	1	1	74.75	63.5	0	30000	273.1182796	8322.506999	30000	0	0	30000	43.6875	2004
29.01.2020 13:17:33	1	1	1	1	74.75	63.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.8125	2004
29.01.2020 13:17:34	1	1	1	1	74.75	63.75	0	30000	275.2688172	8128.448346	30000	0	0	30000	43.75	2004
29.01.2020 13:17:35	1	1	1	1	74.75	63.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.875	2004
29.01.2020 13:17:36	1	1	1	1	74.75	63.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	44	2004
29.01.2020 13:17:37	1	1	1	1	74.75	64	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.875	2004
29.01.2020 13:17:38	1	1	1	1	74.75	63.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.8125	2004
29.01.2020 13:17:39	1	1	1	1	74.75	63.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.875	2004
29.01.2020 13:17:46	1	1	1	1	74.75	64	0	30000	279.5698925	8258.092572	30000	0	0	30000	43.5	2004
29.01.2020 13:17:46	1	1	1	1	74.75	64	0	30000	279.5698925	8258.092572	30000	0	0	30000	43.5	2004
29.01.2020 13:17:46	1	1	1	1	74.75	64	0	30000	279.5698925	8258.092572	30000	0	0	30000	43.5	2004
29.01.2020 13:17:46	1	1	1	1	74.75	64	0	30000	279.5698925	8258.092572	30000	0	0	30000	43.5	2004
29.01.2020 13:17:46	1	1	1	1	74.75	64	0	30000	279.5698925	8258.092572	30000	0	0	30000	43.5	2004
29.01.2020 13:17:46	1	1	1	1	74.75	64	0	30000	279.5698925	8258.092572	30000	0	0	30000	43.5	2004
29.01.2020 13:17:49	1	1	1	1	74.5	64	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43.75	2004
29.01.2020 13:17:49	1	1	1	1	74.5	64	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43.75	2004
29.01.2020 13:17:49	1	1	1	1	74.5	64	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43.75	2004
29.01.2020 13:17:50	1	1	1	1	74.5	63.75	0	30000	298.9247312	8774.223358	30000	0	0	30000	43.8125	2004
29.01.2020 13:17:51	1	1	1	1	74.5	64	0	29952.607	294.6236559	8967.466638	30000	0	0	30000	43.75	2004
29.01.2020 13:17:52	1	1	1	1	74.5	63.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.9375	2004
29.01.2020 13:17:53	1	1	1	1	74.5	63.75	0	28909.953	277.4193548	8006.957845	30000	0	0	30000	43.8125	2004
29.01.2020 13:17:54	1	1	1	1	74.5	63.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.8125	2004
29.01.2020 13:17:55	1	1	1	1	74.5	63.75	0	30000	311.827957	9340.091865	30000	0	0	30000	43.9375	2004
29.01.2020 13:17:56	1	1	1	1	74.5	63.75	0	28815.166	320.4301075	9309.923083	30000	0	0	30000	43.875	2004
29.01.2020 13:17:57	1	1	1	1	74.5	63.75	0	30000	335.483871	10064.14264	30000	0	0	30000	44.0625	2004
29.01.2020 13:17:58	1	1	1	1	73.5	64	0	29905.213	335.483871	10113.06499	30000	0	0	30000	43.875	2004
29.01.2020 13:17:59	1	1	1	1	73.5	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.875	2004
29.01.2020 13:18:00	1	1	1	1	73.5	63.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.5625	2004
29.01.2020 13:18:01	1	1	1	1	73.5	63.5	0	30094.787	337.6344086	9935.313783	30000	0	0	30000	43.75	2004
29.01.2020 13:18:02	1	1	1	1	73.5	63.75	0	29857.82	350.5376344	10482.42872	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:03	1	1	1	1	73.5	63.75	0	29810.427	318.2795699	9423.259859	30000	0	0	30000	43.6875	2004
29.01.2020 13:18:04	1	1	1	1	73.5	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.875	2004
29.01.2020 13:18:05	1	1	1	1	73.5	63.75	0	30000	348.3870968	10370.72269	30000	0	0	30000	43.875	2004
29.01.2020 13:18:06	1	1	1	1	73.5	63.75	0	29383.886	329.0322581	9683.363683	30000	0	0	30000	43.875	2004
29.01.2020 13:18:07	1	1	1	1	73.5	63.75	0	30000	331.1827957	10064.14264	30000	0	0	30000	43.5	2004
29.01.2020 13:18:08	1	1	1	1	73.5	63.5	0	30000	335.483871	10128.55706	30000	0	0	30000	43.8125	2004
29.01.2020 13:18:09	1	1	1	1	73.5	63.75	0	30000	356.9892473	10515.85899	30000	0	0	30000	44	2004
29.01.2020 13:18:11	1	1	1	1	73.5	64	0	30000	335.483871	10128.55706	30000	0	0	30000	43.5625	2004
29.01.2020 13:18:12	1	1	1	1	73.5	63.5	0	29810.427	329.0322581	9936.129155	30000	0	0	30000	43.6875	2004
29.01.2020 13:18:13	1	1	1	1	73.5	63.5	0	29952.607	322.5806452	9790.992852	30000	0	0	30000	43.8125	2004
29.01.2020 13:18:14	1	1	1	1	73.5	63.75	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	43.6875	2004
29.01.2020 13:18:15	1	1	1	1	73.5	63.5	0	29952.607	313.9784946	9340.091865	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:18:16	1	1	1	1	73.5	63	0	0	0	0	30000	0	8	30000	43.9375	2004
29.01.2020 13:18:17	1	1	1	1	73.5	63.75	0	10284.36	0	0	30000	0	0	30000	44.1875	2004
29.01.2020 13:18:18	1	1	1	1	73.5	64	0	11184.834	0	0	30000	0	0	30000	44	2004
29.01.2020 13:18:19	1	1	1	1	74.5	64	0	11943.128	0	0	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:20	1	1	1	1	74.5	63.75	0	12654.028	0	0	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:21	1	1	1	1	74.5	63.75	0	13507.109	2.150537634	28.53803713	30000	0	0	30000	43.875	2004
29.01.2020 13:18:22	1	1	1	1	74.5	63.75	0	14265.403	4.301075269	91.32171881	30000	0	0	30000	43.875	2004
29.01.2020 13:18:23	1	1	1	1	74.5	63.75	0	14976.303	10.75268817	128.0134808	30000	0	0	30000	43.8125	2004
29.01.2020 13:18:24	1	1	1	1	74.5	63.75	0	15829.384	15.05376344	238.0887669	30000	0	0	30000	44.125	2004
29.01.2020 13:18:25	1	1	1	1	74.5	64	0	16492.891	19.35483871	358.7638953	30000	0	0	30000	44.0625	2004
29.01.2020 13:18:26	1	1	1	1	74.5	64	0	17345.972	27.95698925	484.3312587	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:27	1	1	1	1	74.5	64.25	0	18151.659	30.10752688	546.2995679	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:28	1	1	1	1	75	63.75	0	18909.953	36.55913978	731.3891229	30000	0	0	30000	43.6875	2004
29.01.2020 13:18:29	1	1	1	1	75	63.5	0	19668.246	47.31182796	972.7393798	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:30	1	1	1	1	75	63.75	0	20379.147	58.06451613	1183.105482	30000	0	0	30000	43.6875	2004
29.01.2020 13:18:31	1	1	1	1	75	63.5	0	21232.227	66.66666667	1510.06985	30000	0	0	30000	44.0625	2004
29.01.2020 13:18:32	1	1	1	1	75	64	0	21943.128	79.56989247	1745.7125	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:33	1	1	1	1	75	63.75	0	22748.815	88.17204301	1907.971625	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:34	1	1	1	1	75	63.75	0	23459.716	103.2258065	2421.656293	30000	0	0	30000	43.8125	2004
29.01.2020 13:18:35	1	1	1	1	75	63.75	0	24218.009	111.827957	2655.668198	30000	0	0	30000	43.8125	2004
29.01.2020 13:18:36	1	1	1	1	75	63.75	0	24976.303	137.6344086	3437.610415	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:37	1	1	1	1	75	63.75	0	25734.597	144.0860215	3707.498709	30000	0	0	30000	43.8125	2004
29.01.2020 13:18:38	1	1	1	1	74	63.75	0	26540.284	169.8924731	4509.009866	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:39	1	1	1	1	74	63.75	0	24739.336	161.2903226	3982.279238	30000	0	0	30000	43.8125	2004
29.01.2020 13:18:40	1	1	1	1	74	63.75	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:48	1	1	1	1	74	63.75	0	13981.043	6.451612903	59.52219172	30000	0	0	30000	43.75	2004
29.01.2020 13:18:48	1	1	1	1	74	63.75	0	13981.043	6.451612903	59.52219172	30000	0	0	30000	43.75	2004
29.01.2020 13:18:48	1	1	1	1	74	63.75	0	13981.043	6.451612903	59.52219172	30000	0	0	30000	43.75	2004
29.01.2020 13:18:48	1	1	1	1	74	63.75	0	13981.043	6.451612903	59.52219172	30000	0	0	30000	43.75	2004
29.01.2020 13:18:48	1	1	1	1	74	63.75	0	13981.043	6.451612903	59.52219172	30000	0	0	30000	43.75	2004
29.01.2020 13:18:48	1	1	1	1	74	63.75	0	13981.043	6.451612903	59.52219172	30000	0	0	30000	43.75	2004
29.01.2020 13:18:48	1	1	1	1	74	63.75	0	13981.043	6.451612903	59.52219172	30000	0	0	30000	43.75	2004
29.01.2020 13:18:49	1	1	1	1	73.5	63.75	0	14786.73	8.602150538	158.9976354	30000	0	0	30000	43.8125	2004
29.01.2020 13:18:50	1	1	1	1	73.5	63.75	0	15592.417	15.05376344	234.0119044	30000	0	0	30000	44.0625	2004
29.01.2020 13:18:51	1	1	1	1	73.5	64	0	16350.711	21.50537634	351.4255429	30000	0	0	30000	43.875	2004
29.01.2020 13:18:52	1	1	1	1	73.5	63.75	0	17109.005	27.95698925	514.5000408	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:53	1	1	1	1	73.5	63.75	0	17867.299	36.55913978	653.113364	30000	0	0	30000	43.75	2004
29.01.2020 13:18:54	1	1	1	1	73.5	63.75	0	18578.199	45.16129032	836.5721741	30000	0	0	30000	43.875	2004
29.01.2020 13:18:55	1	1	1	1	73.5	63.75	0	19431.28	53.76344086	1000.462044	30000	0	0	30000	43.8125	2004
29.01.2020 13:18:56	1	1	1	1	73.5	63.75	0	20189.573	66.66666667	1255.673634	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:57	1	1	1	1	73.5	63.75	0	20900.474	79.56989247	1614.437529	30000	0	0	30000	43.875	2004
29.01.2020 13:18:58	1	1	1	1	73.5	63.75	0	21753.555	90.32258065	1964.232327	30000	0	0	30000	43.9375	2004
29.01.2020 13:18:59	1	1	1	1	74	63.75	0	22132.701	94.62365591	2141.168157	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:19:00	1	1	1	1	74	63.75	0	23222.749	109.6774194	2546.408284	30000	0	0	30000	43.875	2004
29.01.2020 13:19:01	1	1	1	1	74	63.75	0	23981.043	126.8817204	3042.154758	30000	0	0	30000	43.9375	2004
29.01.2020 13:19:02	1	1	1	1	74	63.75	0	23933.649	129.0322581	3087.815617	30000	0	0	30000	44.1875	2004
29.01.2020 13:19:03	1	1	1	1	74	64	0	23838.863	124.7311828	3075.58503	30000	0	0	30000	43.875	2004
29.01.2020 13:19:04	1	1	1	1	74	63.75	0	24691.943	144.0860215	3557.470171	30000	0	0	30000	44.0625	2004
29.01.2020 13:19:05	1	1	1	1	74	64	0	24739.336	161.2903226	3936.618378	30000	0	0	30000	43.875	2004
29.01.2020 13:19:06	1	1	1	1	74	63.75	0	25592.417	169.8924731	4521.240453	30000	0	0	30000	43.75	2004
29.01.2020 13:19:07	1	1	1	1	74	64	0	26966.825	206.4516129	5567.363357	30000	0	0	30000	44	2004
29.01.2020 13:19:08	1	1	1	1	74	64	0	27819.905	227.9569892	6120.185905	30000	0	0	30000	43.9375	2004
29.01.2020 13:19:09	1	1	1	1	74	63.75	0	27962.085	234.4086022	6553.964069	30000	0	0	30000	43.875	2004
29.01.2020 13:19:10	1	1	1	1	74	63.75	0	27914.692	230.1075269	6746.391977	30000	0	0	30000	43.1875	2004
29.01.2020 13:19:11	1	1	1	1	74	63	0	28578.199	249.4623656	7264.153507	30000	0	0	30000	43.6875	2004
29.01.2020 13:19:12	1	1	1	1	74	63.5	0	29146.919	264.516129	7709.346887	30000	0	0	30000	44	2004
29.01.2020 13:19:13	1	1	1	1	74	64	0	28862.559	281.7204301	8219.770065	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:14	1	1	1	1	74	63.75	0	28341.232	286.0215054	8105.617916	30000	0	0	30000	43.875	2004
29.01.2020 13:19:15	1	1	1	1	74	63.75	0	29478.673	294.6236559	8684.532384	30000	0	0	30000	43.9375	2004
29.01.2020 13:19:16	1	1	1	1	74	63.75	0	29857.82	301.0752688	8989.481695	30000	0	0	30000	43.875	2004
29.01.2020 13:19:17	1	1	1	1	74	63.75	0	30000	298.9247312	8903.052211	30000	0	0	30000	43.75	2004
29.01.2020 13:19:18	1	1	1	1	74	63.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:19	1	1	1	1	74	63.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.9375	2004
29.01.2020 13:19:20	1	1	1	1	74	63.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	43.875	2004
29.01.2020 13:19:21	1	1	1	1	74	63.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.875	2004
29.01.2020 13:19:22	1	1	1	1	74	63.75	0	30000	277.4193548	8258.092572	30000	0	0	30000	43.75	2004
29.01.2020 13:19:23	1	1	1	1	74	63.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.875	2004
29.01.2020 13:19:25	1	1	1	1	74	63.75	0	29857.82	264.516129	7884.651972	30000	0	0	30000	43.1875	2004
29.01.2020 13:19:26	1	1	1	1	74	63	0	30000	270.9677419	8064.033919	30000	0	0	30000	43.875	2004
29.01.2020 13:19:27	1	1	1	1	74	63.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:28	1	1	1	1	74	63.75	0	29952.607	283.8709677	8502.704319	30000	0	0	30000	43.9375	2004
29.01.2020 13:19:29	1	1	1	1	74.25	63.75	0	30000	296.7741935	8810.099747	30000	0	0	30000	43.6875	2004
29.01.2020 13:19:30	1	1	1	1	74.25	63.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.6875	2004
29.01.2020 13:19:31	1	1	1	1	74.25	63.5	0	29668.246	307.5268817	9123.202783	30000	0	0	30000	43.5625	2004
29.01.2020 13:19:32	1	1	1	1	74.25	63.5	0	29810.427	322.5806452	9680.102193	30000	0	0	30000	43.5625	2004
29.01.2020 13:19:33	1	1	1	1	74.25	63.5	0	29668.246	324.7311828	9618.133884	30000	0	0	30000	43.875	2004
29.01.2020 13:19:34	1	1	1	1	74.25	63.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.75	2004
29.01.2020 13:19:35	1	1	1	1	74.25	63.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.875	2004
29.01.2020 13:19:36	1	1	1	1	74.25	63.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.75	2004
29.01.2020 13:19:37	1	1	1	1	74.25	63.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.4375	2004
29.01.2020 13:19:38	1	1	1	1	74.25	63.25	0	29952.607	309.6774194	9419.182997	30000	0	0	30000	43.75	2004
29.01.2020 13:19:39	1	1	1	1	74.25	63.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.4375	2004
29.01.2020 13:19:40	1	1	1	1	74.25	63.25	0	30047.393	335.483871	9999.728209	30000	0	0	30000	44.1875	2004
29.01.2020 13:19:41	1	1	1	1	74.25	64	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.5625	2004
29.01.2020 13:19:42	1	1	1	1	74.25	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.875	2004
29.01.2020 13:19:49	1	1	1	1	74	63.5	0	29905.213	339.7849462	10177.47941	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:19:49	1	1	1	1	74	63.5	0	29905.213	339.7849462	10177.47941	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:49	1	1	1	1	74	63.5	0	29905.213	339.7849462	10177.47941	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:49	1	1	1	1	74	63.5	0	29905.213	339.7849462	10177.47941	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:49	1	1	1	1	74	63.5	0	29905.213	339.7849462	10177.47941	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:49	1	1	1	1	74	63.5	0	29905.213	339.7849462	10177.47941	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:49	1	1	1	1	74	63.5	0	29905.213	339.7849462	10177.47941	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:50	1	1	1	1	74	63.75	0	30000	335.483871	10128.55706	30000	0	0	30000	43.8125	2004
29.01.2020 13:19:51	1	1	1	1	74	63.75	0	29952.607	309.6774194	9419.182997	30000	0	0	30000	43.5625	2004
29.01.2020 13:19:52	1	1	1	1	74	63.5	0	30000	326.8817204	9612.426277	30000	0	0	30000	43.875	2004
29.01.2020 13:19:53	1	1	1	1	74	63.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.875	2004
29.01.2020 13:19:54	1	1	1	1	74	63.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	44	2004
29.01.2020 13:19:55	1	1	1	1	74	64	0	30000	316.1290323	9676.840703	30000	0	0	30000	43.75	2004
29.01.2020 13:19:56	1	1	1	1	74	63.75	0	29952.607	318.2795699	9676.840703	30000	0	0	30000	43.375	2004
29.01.2020 13:19:57	1	1	1	1	74	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.6875	2004
29.01.2020 13:19:58	1	1	1	1	74	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.75	2004
29.01.2020 13:19:59	1	1	1	1	74	63.75	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	43.6875	2004
29.01.2020 13:20:00	1	1	1	1	74	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.8125	2004
29.01.2020 13:20:02	1	1	1	1	74	63.75	0	24786.73	301.0752688	7462.289022	30000	0	0	30000	43.8125	2004
29.01.2020 13:20:03	1	1	1	1	74	63.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	43.75	2004
29.01.2020 13:20:04	1	1	1	1	74	63.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.75	2004
29.01.2020 13:20:05	1	1	1	1	74	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.6875	2004
29.01.2020 13:20:06	1	1	1	1	74	63.5	0	29715.64	329.0322581	9840.730574	30000	0	0	30000	42.9375	2004
29.01.2020 13:20:07	1	1	1	1	74	62.75	0	30000	326.8817204	9790.992852	30000	0	0	30000	43.75	2004
29.01.2020 13:20:08	1	1	1	1	74	63.75	0	29905.213	322.5806452	9806.484929	30000	0	0	30000	43.6875	2004
29.01.2020 13:20:09	1	1	1	1	74	63.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.8125	2004
29.01.2020 13:20:10	1	1	1	1	74	63.75	0	29715.64	326.8817204	9777.13152	30000	0	0	30000	43.375	2004
29.01.2020 13:20:11	1	1	1	1	74	63.25	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	43.0625	2004
29.01.2020 13:20:12	1	1	1	1	74	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
29.01.2020 13:20:13	1	1	1	1	74	63	0	28862.559	329.0322581	9496.643383	30000	0	0	30000	43.75	2004
29.01.2020 13:20:14	1	1	1	1	74	63.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	43.6875	2004
29.01.2020 13:20:15	1	1	1	1	74	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
29.01.2020 13:20:16	1	1	1	1	74	63.25	0	29952.607	331.1827957	9870.899356	30000	0	0	30000	43.75	2004
29.01.2020 13:20:17	1	1	1	1	74	63.75	0	30000	335.483871	9741.25513	30000	0	0	30000	43.125	2004
29.01.2020 13:20:18	1	1	1	1	74	63	0	29289.1	301.0752688	8818.253472	30000	0	0	30000	43.9375	2004
29.01.2020 13:20:19	1	1	1	1	73.75	63.75	0	29905.213	344.0860215	10515.85899	30000	0	0	30000	43.6875	2004
29.01.2020 13:20:20	1	1	1	1	73.75	63.5	0	30000	335.483871	9999.728209	30000	0	0	30000	43.9375	2004
29.01.2020 13:20:21	1	1	1	1	73.75	63.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	44.0625	2004
29.01.2020 13:20:22	1	1	1	1	73.75	63.25	0	30047.393	326.8817204	9612.426277	30000	0	0	30000	43.625	2004
29.01.2020 13:20:23	1	1	1	1	73.75	63.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.75	2004
29.01.2020 13:20:24	1	1	1	1	73.75	63.75	0	29952.607	311.827957	9419.182997	30000	0	0	30000	43.3125	2004
29.01.2020 13:20:25	1	1	1	1	73.75	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5	2004
29.01.2020 13:20:26	1	1	1	1	73.75	63.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.625	2004
29.01.2020 13:20:27	1	1	1	1	73.75	63.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:20:28	1	1	1	1	74	63.75	0	29952.607	313.9784946	9612.426277	30000	0	0	30000	43.625	2004
29.01.2020 13:20:29	1	1	1	1	74	63.5	0	29952.607	318.2795699	9741.25513	30000	0	0	30000	43.875	2004
29.01.2020 13:20:30	1	1	1	1	74	63.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.3125	2004
29.01.2020 13:20:31	1	1	1	1	74	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.875	2004
29.01.2020 13:20:32	1	1	1	1	74	63.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.4375	2004
29.01.2020 13:20:33	1	1	1	1	74	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.5	2004
29.01.2020 13:20:34	1	1	1	1	74	63.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.4375	2004
29.01.2020 13:20:35	1	1	1	1	74	63.25	0	30000	316.1290323	9612.426277	30000	0	0	30000	43.25	2004
29.01.2020 13:20:36	1	1	1	1	74	63.25	0	29952.607	318.2795699	9533.335145	30000	0	0	30000	43.5	2004
29.01.2020 13:20:37	1	1	1	1	74	63.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.6875	2004
29.01.2020 13:20:38	1	1	1	1	74.25	63.5	0	29715.64	337.6344086	10096.75754	30000	0	0	30000	43.8125	2004
29.01.2020 13:20:39	1	1	1	1	74.25	63.75	0	0	0	0	30000	0	8	30000	44.0625	2004
29.01.2020 13:20:41	1	1	1	1	74.25	64	0	10284.36	0	0	30000	0	0	30000	43.9375	2004
29.01.2020 13:20:42	1	1	1	1	74.25	63.75	0	11137.441	0	0	30000	0	0	30000	43.875	2004
29.01.2020 13:20:43	1	1	1	1	74.25	63.75	0	11848.341	0	0	30000	0	0	30000	43.8125	2004
29.01.2020 13:20:44	1	1	1	1	74.25	63.75	0	12606.635	0	0	30000	0	0	30000	43.8125	2004
29.01.2020 13:20:51	1	1	1	1	74.5	63.75	0	18009.479	36.55913978	697.1434784	30000	0	0	30000	43.625	2004
29.01.2020 13:20:51	1	1	1	1	74.5	63.75	0	18009.479	36.55913978	697.1434784	30000	0	0	30000	43.625	2004
29.01.2020 13:20:51	1	1	1	1	74.5	63.75	0	18009.479	36.55913978	697.1434784	30000	0	0	30000	43.625	2004
29.01.2020 13:20:51	1	1	1	1	74.5	63.75	0	18009.479	36.55913978	697.1434784	30000	0	0	30000	43.625	2004
29.01.2020 13:20:51	1	1	1	1	74.5	63.75	0	18009.479	36.55913978	697.1434784	30000	0	0	30000	43.625	2004
29.01.2020 13:20:51	1	1	1	1	74.5	63.75	0	18009.479	36.55913978	697.1434784	30000	0	0	30000	43.625	2004
29.01.2020 13:20:51	1	1	1	1	74.5	63.75	0	18009.479	36.55913978	697.1434784	30000	0	0	30000	43.625	2004
29.01.2020 13:20:52	1	1	1	1	74.5	63.5	0	18767.773	47.31182796	885.4945234	30000	0	0	30000	43.75	2004
29.01.2020 13:20:53	1	1	1	1	74.5	63.75	0	19478.673	55.91397849	1046.938276	30000	0	0	30000	43.625	2004
29.01.2020 13:20:54	1	1	1	1	74.5	63.5	0	20331.754	64.51612903	1311.118963	30000	0	0	30000	43.8125	2004
29.01.2020 13:20:55	1	1	1	1	74.5	63.75	0	21042.654	77.41935484	1678.036583	30000	0	0	30000	43.8125	2004
29.01.2020 13:20:56	1	1	1	1	74.5	63.75	0	21800.948	88.17204301	1921.832957	30000	0	0	30000	43.8125	2004
29.01.2020 13:20:57	1	1	1	1	74.5	63.75	0	22464.455	98.92473118	2173.783057	30000	0	0	30000	43.6875	2004
29.01.2020 13:20:58	1	1	1	1	74.5	63.5	0	23412.322	109.6774194	2567.607969	30000	0	0	30000	43.6875	2004
29.01.2020 13:20:59	1	1	1	1	74.5	63.5	0	24170.616	126.8817204	2962.248254	30000	0	0	30000	43.75	2004
29.01.2020 13:21:00	1	1	1	1	74.5	63.75	0	23744.076	126.8817204	3063.354442	30000	0	0	30000	44.1875	2004
29.01.2020 13:21:01	1	1	1	1	74.5	63.75	0	25687.204	152.688172	3914.603321	30000	0	0	30000	43.6875	2004
29.01.2020 13:21:02	1	1	1	1	74.5	63.5	0	26066.351	169.8924731	4428.28799	30000	0	0	30000	43.6875	2004
29.01.2020 13:21:03	1	1	1	1	74.5	63.5	0	26113.744	191.3978495	5016.171554	30000	0	0	30000	43.625	2004
29.01.2020 13:21:04	1	1	1	1	74.5	63.5	0	25734.597	189.2473118	4870.219879	30000	0	0	30000	43.6875	2004
29.01.2020 13:21:05	1	1	1	1	74.5	63.5	0	26018.957	206.4516129	5352.10502	30000	0	0	30000	43.0625	2004
29.01.2020 13:21:06	1	1	1	1	74.5	63	0	0	0	0	30000	0	8	30000	44	2004
29.01.2020 13:21:07	1	1	1	1	74.5	64	0	10000	0	0	30000	0	0	30000	44.0625	2004
29.01.2020 13:21:08	1	1	1	1	74.25	64	0	10758.294	0	0	30000	0	0	30000	43.5625	2004
29.01.2020 13:21:09	1	1	1	1	74.25	63.5	0	11563.981	0	0	30000	0	0	30000	43.625	2004
29.01.2020 13:21:10	1	1	1	1	74.25	63.5	0	12369.668	0	0	30000	0	0	30000	43.8125	2004
29.01.2020 13:21:11	1	1	1	1	74.25	63.75	0	13127.962	0	27.72266464	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:21:56	1	1	1	1	72.75	63.5	0	25355.45	159.1397849	4089.093034	30000	0	0	30000	43.75	2004
29.01.2020 13:21:58	1	1	1	1	72.75	63.75	0	25260.664	161.2903226	4073.600957	30000	0	0	30000	43.75	2004
29.01.2020 13:21:59	1	1	1	1	73	63.75	0	25071.09	152.688172	3989.61759	30000	0	0	30000	43.75	2004
29.01.2020 13:22:00	1	1	1	1	73	63.75	0	25165.877	161.2903226	4058.924252	30000	0	0	30000	43.75	2004
29.01.2020 13:22:01	1	1	1	1	73	63.75	0	25165.877	163.4408602	4058.924252	30000	0	0	30000	43.75	2004
29.01.2020 13:22:02	1	1	1	1	73	63.75	0	24976.303	161.2903226	4097.246759	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:03	1	1	1	1	73	63.5	0	24834.123	159.1397849	4005.109668	30000	0	0	30000	43.75	2004
29.01.2020 13:22:04	1	1	1	1	73	63.75	0	24976.303	156.9892473	3974.125513	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:05	1	1	1	1	73	63.5	0	24881.517	161.2903226	3905.634224	30000	0	0	30000	43.75	2004
29.01.2020 13:22:06	1	1	1	1	73	63.75	0	24976.303	159.1397849	3920.310929	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:07	1	1	1	1	73	63.5	0	24976.303	161.2903226	4081.754682	30000	0	0	30000	43.75	2004
29.01.2020 13:22:08	1	1	1	1	73	63.75	0	24976.303	174.1935484	4243.198434	30000	0	0	30000	43.625	2004
29.01.2020 13:22:09	1	1	1	1	73.25	63.5	0	25639.81	189.2473118	4852.281684	30000	0	0	30000	43.625	2004
29.01.2020 13:22:10	1	1	1	1	73.25	63.5	0	26018.957	195.6989247	5035.740494	30000	0	0	30000	43.625	2004
29.01.2020 13:22:11	1	1	1	1	73.25	63.5	0	26018.957	191.3978495	4979.479792	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:12	1	1	1	1	73.25	63.5	0	26066.351	191.3978495	4997.417987	30000	0	0	30000	43.75	2004
29.01.2020 13:22:13	1	1	1	1	73.25	63.75	0	26113.744	191.3978495	4941.972658	30000	0	0	30000	43.875	2004
29.01.2020 13:22:14	1	1	1	1	73.25	63.75	0	26018.957	191.3978495	4979.479792	30000	0	0	30000	43.625	2004
29.01.2020 13:22:15	1	1	1	1	73.25	63.5	0	25971.564	191.3978495	4979.479792	30000	0	0	30000	44.0625	2004
29.01.2020 13:22:16	1	1	1	1	73.25	64	0	26303.318	191.3978495	4977.849047	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:17	1	1	1	1	73.25	63.5	0	26966.825	184.9462366	4986.818145	30000	0	0	30000	43.8125	2004
29.01.2020 13:22:18	1	1	1	1	73.25	63.75	0	27014.218	184.9462366	4995.787242	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:19	1	1	1	1	72	63.5	0	27298.578	184.9462366	5048.786454	30000	0	0	30000	43.625	2004
29.01.2020 13:22:20	1	1	1	1	72	63.5	0	27061.611	184.9462366	4946.04952	30000	0	0	30000	43.5	2004
29.01.2020 13:22:21	1	1	1	1	72	63.5	0	26966.825	178.4946237	4928.926698	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:22	1	1	1	1	72	63.5	0	26966.825	184.9462366	4986.818145	30000	0	0	30000	43.625	2004
29.01.2020 13:22:23	1	1	1	1	72	63.5	0	26919.431	189.2473118	4978.66442	30000	0	0	30000	43.5625	2004
29.01.2020 13:22:24	1	1	1	1	72	63.5	0	27014.218	184.9462366	5121.354605	30000	0	0	30000	43.625	2004
29.01.2020 13:22:25	1	1	1	1	72	63.5	0	27061.611	184.9462366	5004.75634	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:26	1	1	1	1	72	63.5	0	27298.578	184.9462366	5048.786454	30000	0	0	30000	43.5625	2004
29.01.2020 13:22:27	1	1	1	1	72	63.5	0	27298.578	184.9462366	5048.786454	30000	0	0	30000	43.5625	2004
29.01.2020 13:22:28	1	1	1	1	72.5	63.5	0	27061.611	184.9462366	4946.04952	30000	0	0	30000	43.625	2004
29.01.2020 13:22:29	1	1	1	1	72.5	63.5	0	26919.431	184.9462366	5103.416411	30000	0	0	30000	43.625	2004
29.01.2020 13:22:30	1	1	1	1	72.5	63.5	0	27345.972	184.9462366	4998.23336	30000	0	0	30000	43.3125	2004
29.01.2020 13:22:31	1	1	1	1	72.5	63.25	0	27440.758	182.7956989	5074.878374	30000	0	0	30000	43.5625	2004
29.01.2020 13:22:32	1	1	1	1	72.5	63.5	0	27298.578	184.9462366	4990.079635	30000	0	0	30000	43.8125	2004
29.01.2020 13:22:33	1	1	1	1	72.5	63.75	0	27298.578	184.9462366	5056.940179	30000	0	0	30000	43.375	2004
29.01.2020 13:22:34	1	1	1	1	72.5	63.25	0	27109.005	184.9462366	4946.04952	30000	0	0	30000	43.25	2004
29.01.2020 13:22:36	1	1	1	1	72.5	63.25	0	27298.578	184.9462366	4872.665996	30000	0	0	30000	43.5625	2004
29.01.2020 13:22:37	1	1	1	1	72.5	63.5	0	27156.398	182.7956989	5048.786454	30000	0	0	30000	43.5	2004
29.01.2020 13:22:38	1	1	1	1	72.5	63.5	0	27014.218	178.4946237	4830.266627	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:39	1	1	1	1	71.5	63.5	0	27109.005	184.9462366	4846.574077	30000	0	0	30000	43.3125	2004
29.01.2020 13:22:40	1	1	1	1	71.5	63.25	0	27298.578	184.9462366	5048.786454	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:22:41	1	1	1	1	71.5	63.75	0	27156.398	184.9462366	5013.725437	30000	0	0	30000	43.75	2004
29.01.2020 13:22:42	1	1	1	1	71.5	63.75	0	27298.578	182.7956989	5048.786454	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:43	1	1	1	1	71.5	63.5	0	27109.005	184.9462366	4963.987715	30000	0	0	30000	43.5	2004
29.01.2020 13:22:44	1	1	1	1	71.5	63.5	0	27298.578	184.9462366	4990.079635	30000	0	0	30000	43	2004
29.01.2020 13:22:45	1	1	1	1	71.5	63	0	27345.972	184.9462366	5056.940179	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:46	1	1	1	1	71.5	63.5	0	27109.005	184.9462366	5013.725437	30000	0	0	30000	43.5625	2004
29.01.2020 13:22:47	1	1	1	1	71.5	63.5	0	27298.578	184.9462366	5048.786454	30000	0	0	30000	43.5	2004
29.01.2020 13:22:54	1	1	1	1	70.5	63.5	0	27298.578	178.4946237	4990.079635	30000	0	0	30000	44.0625	2004
29.01.2020 13:22:54	1	1	1	1	70.5	63.5	0	27298.578	178.4946237	4990.079635	30000	0	0	30000	44.0625	2004
29.01.2020 13:22:54	1	1	1	1	70.5	63.5	0	27298.578	178.4946237	4990.079635	30000	0	0	30000	44.0625	2004
29.01.2020 13:22:54	1	1	1	1	70.5	63.5	0	27298.578	178.4946237	4990.079635	30000	0	0	30000	44.0625	2004
29.01.2020 13:22:54	1	1	1	1	70.5	63.5	0	27298.578	178.4946237	4990.079635	30000	0	0	30000	44.0625	2004
29.01.2020 13:22:54	1	1	1	1	70.5	63.5	0	27298.578	178.4946237	4990.079635	30000	0	0	30000	44.0625	2004
29.01.2020 13:22:54	1	1	1	1	70.5	63.5	0	27298.578	178.4946237	4990.079635	30000	0	0	30000	44.0625	2004
29.01.2020 13:22:55	1	1	1	1	70.5	64	0	27298.578	182.7956989	4998.23336	30000	0	0	30000	43.6875	2004
29.01.2020 13:22:56	1	1	1	1	70.5	63.5	0	27298.578	180.6451613	4998.23336	30000	0	0	30000	43.5625	2004
29.01.2020 13:22:57	1	1	1	1	70.5	63.75	0	27298.578	184.9462366	5048.786454	30000	0	0	30000	43.75	2004
29.01.2020 13:22:58	1	1	1	1	71	63.75	0	27298.578	184.9462366	4990.079635	30000	0	0	30000	43.75	2004
29.01.2020 13:22:59	1	1	1	1	71	63.75	0	27156.398	182.7956989	4931.372815	30000	0	0	30000	43.5625	2004
29.01.2020 13:23:00	1	1	1	1	71	63.5	0	27440.758	184.9462366	5074.878374	30000	0	0	30000	43.5	2004
29.01.2020 13:23:01	1	1	1	1	71	63.5	0	27298.578	184.9462366	4990.079635	30000	0	0	30000	43.5	2004
29.01.2020 13:23:02	1	1	1	1	71	63.5	0	27061.611	184.9462366	5004.75634	30000	0	0	30000	43.625	2004
29.01.2020 13:23:03	1	1	1	1	71	63.5	0	27440.758	184.9462366	5015.356182	30000	0	0	30000	43.6875	2004
29.01.2020 13:23:04	1	1	1	1	71	63.5	0	27440.758	184.9462366	5074.878374	30000	0	0	30000	43.6875	2004
29.01.2020 13:23:05	1	1	1	1	71	63.5	0	27345.972	184.9462366	5056.940179	30000	0	0	30000	43.5625	2004
29.01.2020 13:23:06	1	1	1	1	71	63.5	0	27298.578	182.7956989	4990.079635	30000	0	0	30000	43.625	2004
29.01.2020 13:23:07	1	1	1	1	71	63.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	43.625	2004
29.01.2020 13:23:08	1	1	1	1	70	63.5	0	28341.232	212.9032258	6023.156579	30000	0	0	30000	43.625	2004
29.01.2020 13:23:09	1	1	1	1	70	63.5	0	28483.412	210.7526882	5941.61933	30000	0	0	30000	43.625	2004
29.01.2020 13:23:10	1	1	1	1	70	63.5	0	28578.199	210.7526882	6084.309515	30000	0	0	30000	43.5625	2004
29.01.2020 13:23:11	1	1	1	1	70	63.5	0	28388.626	210.7526882	6043.540891	30000	0	0	30000	43.625	2004
29.01.2020 13:23:12	1	1	1	1	70	63.5	0	28199.052	212.9032258	6003.587639	30000	0	0	30000	43.6875	2004
29.01.2020 13:23:14	1	1	1	1	70	63.5	0	27962.085	217.2043011	5953.034545	30000	0	0	30000	43.625	2004
29.01.2020 13:23:15	1	1	1	1	70	63.5	0	28009.479	215.0537634	6003.587639	30000	0	0	30000	43.6875	2004
29.01.2020 13:23:16	1	1	1	1	70	63.5	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	43.75	2004
29.01.2020 13:23:17	1	1	1	1	70	63.75	0	28293.839	212.9032258	6023.156579	30000	0	0	30000	43.5	2004
29.01.2020 13:23:18	1	1	1	1	70	63.5	0	28483.412	212.9032258	6063.925203	30000	0	0	30000	43.5	2004
29.01.2020 13:23:19	1	1	1	1	70.25	63.5	0	28578.199	210.7526882	6022.341206	30000	0	0	30000	43.625	2004
29.01.2020 13:23:20	1	1	1	1	70.25	63.5	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	43.3125	2004
29.01.2020 13:23:21	1	1	1	1	70.25	63.25	0	29099.526	206.4516129	6007.664501	30000	0	0	30000	43.375	2004
29.01.2020 13:23:22	1	1	1	1	70.25	63.25	0	28957.346	206.4516129	6040.279401	30000	0	0	30000	43.625	2004
29.01.2020 13:23:23	1	1	1	1	70.25	63.5	0	28815.166	208.6021505	6020.710461	30000	0	0	30000	43.625	2004
29.01.2020 13:23:24	1	1	1	1	70.25	63.5	0	28625.592	206.4516129	5948.957682	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:23:25	1	1	1	1	70.25	63.25	0	28815.166	208.6021505	6010.925991	30000	0	0	30000	43.625	2004
29.01.2020 13:23:26	1	1	1	1	70.25	63.5	0	28862.559	212.9032258	5948.957682	30000	0	0	30000	43.5625	2004
29.01.2020 13:23:27	1	1	1	1	70.25	63.5	0	28957.346	206.4516129	6040.279401	30000	0	0	30000	43.5	2004
29.01.2020 13:23:28	1	1	1	1	70.25	63.5	0	29099.526	206.4516129	6017.448971	30000	0	0	30000	43.5	2004
29.01.2020 13:23:29	1	1	1	1	71.5	63.5	0	29052.133	206.4516129	6007.664501	30000	0	0	30000	43.5	2004
29.01.2020 13:23:30	1	1	1	1	71.5	63.5	0	29099.526	206.4516129	5997.880032	30000	0	0	30000	43.625	2004
29.01.2020 13:23:31	1	1	1	1	71.5	63.5	0	29099.526	206.4516129	6007.664501	30000	0	0	30000	43.5625	2004
29.01.2020 13:23:32	1	1	1	1	71.5	63.5	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	43.375	2004
29.01.2020 13:23:33	1	1	1	1	71.5	63.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	43.625	2004
29.01.2020 13:23:34	1	1	1	1	71.5	63.5	0	29052.133	206.4516129	5978.311092	30000	0	0	30000	44.125	2004
29.01.2020 13:23:35	1	1	1	1	71.5	64	0	28957.346	208.6021505	5978.311092	30000	0	0	30000	43.0625	2004
29.01.2020 13:23:36	1	1	1	1	71.5	63.5	0	28815.166	206.4516129	6010.925991	30000	0	0	30000	43.5	2004
29.01.2020 13:23:37	1	1	1	1	71.5	63.5	0	28957.346	208.6021505	6040.279401	30000	0	0	30000	43.4375	2004
29.01.2020 13:23:38	1	1	1	1	72	63.25	0	28815.166	206.4516129	6072.894301	30000	0	0	30000	43.5625	2004
29.01.2020 13:23:39	1	1	1	1	72	63.5	0	28815.166	208.6021505	5948.957682	30000	0	0	30000	43.3125	2004
29.01.2020 13:23:40	1	1	1	1	72	63.25	0	28625.592	206.4516129	5900.035333	30000	0	0	30000	43.125	2004
29.01.2020 13:23:41	1	1	1	1	72	63	0	28815.166	208.6021505	6010.925991	30000	0	0	30000	43.5	2004
29.01.2020 13:23:42	1	1	1	1	72	63.5	0	28815.166	206.4516129	5948.957682	30000	0	0	30000	43.4375	2004
29.01.2020 13:23:43	1	1	1	1	72	63.25	0	28815.166	208.6021505	6010.925991	30000	0	0	30000	43.625	2004
29.01.2020 13:23:44	1	1	1	1	72	63.5	0	28862.559	206.4516129	6020.710461	30000	0	0	30000	43.4375	2004
29.01.2020 13:23:45	1	1	1	1	72	63.25	0	28862.559	208.6021505	6020.710461	30000	0	0	30000	43.5	2004
29.01.2020 13:23:46	1	1	1	1	72	63.5	0	28625.592	208.6021505	6010.925991	30000	0	0	30000	43.5	2004
29.01.2020 13:23:47	1	1	1	1	72	63.5	0	28815.166	208.6021505	6010.925991	30000	0	0	30000	43.4375	2004
29.01.2020 13:23:48	1	1	1	1	72	63.25	0	28862.559	208.6021505	6030.494931	30000	0	0	30000	43.5625	2004
29.01.2020 13:23:56	1	1	1	1	72	63	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	43.625	2004
29.01.2020 13:23:56	1	1	1	1	72	63	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	43.625	2004
29.01.2020 13:23:56	1	1	1	1	72	63	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	43.625	2004
29.01.2020 13:23:56	1	1	1	1	72	63	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	43.625	2004
29.01.2020 13:23:56	1	1	1	1	72	63	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	43.625	2004
29.01.2020 13:23:56	1	1	1	1	72	63	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	43.625	2004
29.01.2020 13:23:56	1	1	1	1	72	63	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	43.625	2004
29.01.2020 13:23:57	1	1	1	1	72	63.5	0	28815.166	208.6021505	6082.67877	30000	0	0	30000	42.5625	2004
29.01.2020 13:23:58	1	1	1	1	72	62.5	0	28388.626	208.6021505	5921.235018	30000	0	0	30000	43.375	2004
29.01.2020 13:23:59	1	1	1	1	72.25	63.25	0	28625.592	206.4516129	6072.894301	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:00	1	1	1	1	72.25	63.5	0	28530.806	206.4516129	5961.18827	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:01	1	1	1	1	72.25	63.5	0	28578.199	212.9032258	6084.309515	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:02	1	1	1	1	72.25	63.5	0	28293.839	212.9032258	6003.587639	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:03	1	1	1	1	72.25	63.5	0	28009.479	210.7526882	6083.494143	30000	0	0	30000	43.6875	2004
29.01.2020 13:24:04	1	1	1	1	72.25	63.5	0	27819.905	217.2043011	6041.910146	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:05	1	1	1	1	72.25	63.5	0	27630.332	212.9032258	5763.052755	30000	0	0	30000	43.4375	2004
29.01.2020 13:24:06	1	1	1	1	72.25	63.25	0	27962.085	217.2043011	6072.894301	30000	0	0	30000	43.625	2004
29.01.2020 13:24:07	1	1	1	1	72.25	63.5	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:08	1	1	1	1	72.25	63.5	0	29478.673	234.4086022	6920.881689	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:24:09	1	1	1	1	72.5	63.5	0	26587.678	206.4516129	5489.087598	30000	0	0	30000	43.5	2004
29.01.2020 13:24:10	1	1	1	1	72.5	63.5	0	29573.46	236.5591398	6984.480744	30000	0	0	30000	43.75	2004
29.01.2020 13:24:11	1	1	1	1	72.5	63.75	0	28957.346	243.0107527	7098.632892	30000	0	0	30000	43.9375	2004
29.01.2020 13:24:12	1	1	1	1	72.5	63.75	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	43.875	2004
29.01.2020 13:24:13	1	1	1	1	72.5	63.75	0	28625.592	245.1612903	7067.648738	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:14	1	1	1	1	72.5	63.5	0	28625.592	245.1612903	7126.355557	30000	0	0	30000	43.0625	2004
29.01.2020 13:24:15	1	1	1	1	72.5	63.25	0	28341.232	247.311828	6947.788982	30000	0	0	30000	43.625	2004
29.01.2020 13:24:16	1	1	1	1	72.5	63.5	0	28436.019	247.311828	7032.58772	30000	0	0	30000	43.375	2004
29.01.2020 13:24:17	1	1	1	1	72.5	63.25	0	28293.839	247.311828	6996.711331	30000	0	0	30000	43.3125	2004
29.01.2020 13:24:18	1	1	1	1	72.75	63.25	0	28436.019	245.1612903	7032.58772	30000	0	0	30000	42.875	2004
29.01.2020 13:24:19	1	1	1	1	72.75	62.75	0	28199.052	247.311828	6973.880901	30000	0	0	30000	43.1875	2004
29.01.2020 13:24:20	1	1	1	1	72.75	63	0	28578.199	245.1612903	6944.527492	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:21	1	1	1	1	72.75	63.5	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	43.375	2004
29.01.2020 13:24:22	1	1	1	1	72.75	63.25	0	28957.346	240.8602151	6997.526703	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:23	1	1	1	1	72.75	63.5	0	29146.919	240.8602151	7020.357133	30000	0	0	30000	43.5	2004
29.01.2020 13:24:24	1	1	1	1	72.75	63.5	0	29241.706	232.2580645	6832.006088	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:25	1	1	1	1	72.75	63.5	0	29146.919	240.8602151	7020.357133	30000	0	0	30000	43.5	2004
29.01.2020 13:24:26	1	1	1	1	72.75	63.5	0	29336.493	236.5591398	7066.017993	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:27	1	1	1	1	72.75	63.5	0	29620.853	240.8602151	7059.495013	30000	0	0	30000	43.625	2004
29.01.2020 13:24:28	1	1	1	1	72	63.5	0	29478.673	240.8602151	6984.480744	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:29	1	1	1	1	72	63.5	0	29289.1	236.5591398	7066.017993	30000	0	0	30000	43.375	2004
29.01.2020 13:24:31	1	1	1	1	72	63.25	0	28957.346	236.5591398	6787.160601	30000	0	0	30000	43.4375	2004
29.01.2020 13:24:32	1	1	1	1	72	63.25	0	28957.346	243.0107527	6974.696274	30000	0	0	30000	43.0625	2004
29.01.2020 13:24:33	1	1	1	1	72	63	0	29052.133	243.0107527	7059.495013	30000	0	0	30000	43.5	2004
29.01.2020 13:24:34	1	1	1	1	72	63.5	0	29052.133	243.0107527	6974.696274	30000	0	0	30000	43.4375	2004
29.01.2020 13:24:35	1	1	1	1	72	63.25	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	43.375	2004
29.01.2020 13:24:36	1	1	1	1	72	63.25	0	28862.559	245.1612903	7013.834153	30000	0	0	30000	43.5	2004
29.01.2020 13:24:37	1	1	1	1	72	63.5	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:38	1	1	1	1	72	63.5	0	28815.166	245.1612903	7064.387248	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:39	1	1	1	1	72.25	63.5	0	28483.412	245.1612903	6982.849999	30000	0	0	30000	43.5	2004
29.01.2020 13:24:40	1	1	1	1	72.25	63.5	0	28625.592	247.311828	7005.680428	30000	0	0	30000	43.4375	2004
29.01.2020 13:24:41	1	1	1	1	72.25	63.25	0	28483.412	247.311828	7067.648738	30000	0	0	30000	43.4375	2004
29.01.2020 13:24:42	1	1	1	1	72.25	63.25	0	28199.052	247.311828	7094.55603	30000	0	0	30000	43.3125	2004
29.01.2020 13:24:43	1	1	1	1	72.25	63.25	0	28199.052	249.4623656	6973.880901	30000	0	0	30000	43.4375	2004
29.01.2020 13:24:44	1	1	1	1	72.25	63.25	0	28009.479	249.4623656	6926.589297	30000	0	0	30000	43.5	2004
29.01.2020 13:24:45	1	1	1	1	72.25	63.5	0	28009.479	247.311828	6986.926861	30000	0	0	30000	43.4375	2004
29.01.2020 13:24:46	1	1	1	1	72.25	63.25	0	28388.626	249.4623656	7020.357133	30000	0	0	30000	43.5625	2004
29.01.2020 13:24:47	1	1	1	1	72.25	63.5	0	27962.085	249.4623656	6915.174082	30000	0	0	30000	43.5	2004
29.01.2020 13:24:48	1	1	1	1	72.25	63.5	0	28341.232	247.311828	7008.941918	30000	0	0	30000	43.5	2004
29.01.2020 13:24:49	1	1	1	1	72.75	63.5	0	28293.839	245.1612903	6814.883266	30000	0	0	30000	44	2004
29.01.2020 13:24:50	1	1	1	1	72.75	64	0	28199.052	247.311828	7057.864268	30000	0	0	30000	43.6875	2004
29.01.2020 13:24:57	1	1	1	1	72.75	63.5	0	28009.479	247.311828	6926.589297	30000	0	0	30000	43.6875	2004
29.01.2020 13:24:57	1	1	1	1	72.75	63.5	0	28009.479	247.311828	6926.589297	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:24:57	1	1	1	1	72.75	63.5	0	28009.479	247.311828	6926.589297	30000	0	0	30000	43.6875	2004
29.01.2020 13:24:57	1	1	1	1	72.75	63.5	0	28009.479	247.311828	6926.589297	30000	0	0	30000	43.6875	2004
29.01.2020 13:24:57	1	1	1	1	72.75	63.5	0	28009.479	247.311828	6926.589297	30000	0	0	30000	43.6875	2004
29.01.2020 13:24:57	1	1	1	1	72.75	63.5	0	28009.479	247.311828	6926.589297	30000	0	0	30000	43.6875	2004
29.01.2020 13:24:57	1	1	1	1	72.75	63.5	0	27819.905	247.311828	6880.113065	30000	0	0	30000	43.5	2004
29.01.2020 13:24:58	1	1	1	1	72.5	63.5	0	27819.905	247.311828	6999.157448	30000	0	0	30000	43.6875	2004
29.01.2020 13:24:59	1	1	1	1	72.5	63.5	0	28199.052	255.9139785	7094.55603	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:00	1	1	1	1	72.5	63.25	0	27819.905	247.311828	6880.113065	30000	0	0	30000	43.1875	2004
29.01.2020 13:25:01	1	1	1	1	72.5	63	0	28009.479	249.4623656	7047.264425	30000	0	0	30000	43.625	2004
29.01.2020 13:25:02	1	1	1	1	72.5	63.5	0	28009.479	251.6129032	7094.55603	30000	0	0	30000	42.8125	2004
29.01.2020 13:25:03	1	1	1	1	72.5	62.75	0	28009.479	249.4623656	6986.926861	30000	0	0	30000	43.25	2004
29.01.2020 13:25:04	1	1	1	1	72.5	63.25	0	28009.479	249.4623656	7047.264425	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:05	1	1	1	1	72.5	63.25	0	28009.479	249.4623656	6926.589297	30000	0	0	30000	43.5625	2004
29.01.2020 13:25:06	1	1	1	1	72.5	63.5	0	28199.052	247.311828	6996.711331	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:08	1	1	1	1	72.5	63.25	0	28815.166	264.516129	7622.10203	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:09	1	1	1	1	72.5	63.25	0	28815.166	277.4193548	7993.911885	30000	0	0	30000	43.5	2004
29.01.2020 13:25:10	1	1	1	1	72.5	63.5	0	28815.166	277.4193548	7993.911885	30000	0	0	30000	43.1875	2004
29.01.2020 13:25:11	1	1	1	1	72.5	63	0	28815.166	279.5698925	7993.911885	30000	0	0	30000	43.375	2004
29.01.2020 13:25:12	1	1	1	1	72.5	63.25	0	28862.559	277.4193548	8006.957845	30000	0	0	30000	43.625	2004
29.01.2020 13:25:13	1	1	1	1	72.5	63.5	0	28957.346	275.2688172	8095.018074	30000	0	0	30000	43.5	2004
29.01.2020 13:25:14	1	1	1	1	72.5	63.5	0	29146.919	270.9677419	7960.481613	30000	0	0	30000	43.3125	2004
29.01.2020 13:25:15	1	1	1	1	72.5	63.25	0	29526.066	275.2688172	8140.678933	30000	0	0	30000	43.375	2004
29.01.2020 13:25:16	1	1	1	1	72.5	63.25	0	29336.493	268.8172043	7949.066398	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:17	1	1	1	1	72.5	63.25	0	29715.64	270.9677419	7987.388905	30000	0	0	30000	43.625	2004
29.01.2020 13:25:18	1	1	1	1	72.5	63.5	0	30000	264.516129	7870.79064	30000	0	0	30000	43.25	2004
29.01.2020 13:25:19	1	1	1	1	72.5	63.25	0	30000	264.516129	7999.619493	30000	0	0	30000	43.5	2004
29.01.2020 13:25:20	1	1	1	1	72.5	63.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.5	2004
29.01.2020 13:25:21	1	1	1	1	72.5	63.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:22	1	1	1	1	72.5	63.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.5625	2004
29.01.2020 13:25:23	1	1	1	1	72.5	63.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.5625	2004
29.01.2020 13:25:24	1	1	1	1	72.5	63.5	0	30000	255.9139785	7741.961786	30000	0	0	30000	43.3125	2004
29.01.2020 13:25:25	1	1	1	1	72.5	63.25	0	29905.213	251.6129032	7676.731987	30000	0	0	30000	43.375	2004
29.01.2020 13:25:26	1	1	1	1	72.5	63.25	0	30000	247.311828	7419.07428	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:27	1	1	1	1	72.5	63.25	0	29952.607	251.6129032	7612.31756	30000	0	0	30000	43.3125	2004
29.01.2020 13:25:28	1	1	1	1	72.5	63.25	0	30000	253.7634409	7676.731987	30000	0	0	30000	43.625	2004
29.01.2020 13:25:29	1	1	1	1	72.75	63.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:30	1	1	1	1	72.75	63.25	0	30000	262.3655914	7741.961786	30000	0	0	30000	43.375	2004
29.01.2020 13:25:31	1	1	1	1	72.75	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.5	2004
29.01.2020 13:25:32	1	1	1	1	72.75	63.5	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
29.01.2020 13:25:33	1	1	1	1	72.75	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:34	1	1	1	1	72.75	63.25	0	29857.82	266.6666667	8013.480825	30000	0	0	30000	43.5	2004
29.01.2020 13:25:35	1	1	1	1	72.75	63.5	0	29620.853	268.8172043	7962.112358	30000	0	0	30000	43.3125	2004
29.01.2020 13:25:36	1	1	1	1	72.75	63.25	0	29620.853	268.8172043	7962.112358	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:25:37	1	1	1	1	72.75	63.5	0	29573.46	268.8172043	8013.480825	30000	0	0	30000	43.375	2004
29.01.2020 13:25:38	1	1	1	1	73.25	63.25	0	29526.066	266.6666667	7936.835811	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:39	1	1	1	1	73.25	63.25	0	29573.46	270.9677419	8025.711412	30000	0	0	30000	42.9375	2004
29.01.2020 13:25:40	1	1	1	1	73.25	62.75	0	28957.346	275.2688172	8033.049765	30000	0	0	30000	43.5	2004
29.01.2020 13:25:41	1	1	1	1	73.25	63.5	0	29052.133	277.4193548	8059.141685	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:42	1	1	1	1	73.25	63.25	0	28862.559	275.2688172	8033.049765	30000	0	0	30000	43.25	2004
29.01.2020 13:25:43	1	1	1	1	73.25	63.25	0	29146.919	277.4193548	8072.187644	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:44	1	1	1	1	73.25	63.25	0	28957.346	275.2688172	7971.081456	30000	0	0	30000	43.6875	2004
29.01.2020 13:25:45	1	1	1	1	73.25	63.5	0	28578.199	277.4193548	7927.866714	30000	0	0	30000	43.375	2004
29.01.2020 13:25:46	1	1	1	1	73.25	63.25	0	28625.592	277.4193548	8055.880195	30000	0	0	30000	43.5625	2004
29.01.2020 13:25:48	1	1	1	1	73.25	63.5	0	28436.019	275.2688172	7962.927731	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:49	1	1	1	1	73.25	63.25	0	28578.199	279.5698925	7975.973691	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:50	1	1	1	1	73.25	63.25	0	28578.199	279.5698925	7989.01965	30000	0	0	30000	43.3125	2004
29.01.2020 13:25:51	1	1	1	1	73.25	63.25	0	28436.019	279.5698925	8011.034708	30000	0	0	30000	43.375	2004
29.01.2020 13:25:52	1	1	1	1	73.25	63.25	0	28862.559	277.4193548	8006.957845	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:59	1	1	1	1	72.75	63	0	28815.166	275.2688172	7882.205854	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:59	1	1	1	1	72.75	63	0	28815.166	275.2688172	7882.205854	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:59	1	1	1	1	72.75	63	0	28815.166	275.2688172	7882.205854	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:59	1	1	1	1	72.75	63	0	28815.166	275.2688172	7882.205854	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:59	1	1	1	1	72.75	63	0	28815.166	275.2688172	7882.205854	30000	0	0	30000	43.4375	2004
29.01.2020 13:25:59	1	1	1	1	72.75	63	0	28815.166	275.2688172	7882.205854	30000	0	0	30000	43.4375	2004
29.01.2020 13:26:00	1	1	1	1	72.75	63.25	0	28862.559	275.2688172	7944.989536	30000	0	0	30000	43.3125	2004
29.01.2020 13:26:01	1	1	1	1	72.75	63.25	0	29241.706	270.9677419	7985.758161	30000	0	0	30000	43.4375	2004
29.01.2020 13:26:02	1	1	1	1	72.75	63.25	0	29289.1	270.9677419	7998.80412	30000	0	0	30000	43.5	2004
29.01.2020 13:26:03	1	1	1	1	72.75	63.5	0	29478.673	273.1182796	8050.98796	30000	0	0	30000	43.4375	2004
29.01.2020 13:26:04	1	1	1	1	72.75	63.25	0	28957.346	275.2688172	7971.081456	30000	0	0	30000	43.75	2004
29.01.2020 13:26:05	1	1	1	1	72.75	63.75	0	29289.1	268.8172043	7797.407115	30000	0	0	30000	43.4375	2004
29.01.2020 13:26:06	1	1	1	1	72.75	63.25	0	29478.673	270.9677419	7987.388905	30000	0	0	30000	43.625	2004
29.01.2020 13:26:07	1	1	1	1	72.75	63.5	0	29526.066	268.8172043	7949.881771	30000	0	0	30000	43.1875	2004
29.01.2020 13:26:08	1	1	1	1	72.75	63	0	29905.213	294.6236559	8810.099747	30000	0	0	30000	43.625	2004
29.01.2020 13:26:09	1	1	1	1	72.25	63.25	0	29905.213	294.6236559	8838.637784	30000	0	0	30000	43.5	2004
29.01.2020 13:26:10	1	1	1	1	72.25	63.5	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	43.5	2004
29.01.2020 13:26:11	1	1	1	1	72.25	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.375	2004
29.01.2020 13:26:12	1	1	1	1	72.25	63.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.1875	2004
29.01.2020 13:26:13	1	1	1	1	72.25	63	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.6875	2004
29.01.2020 13:26:14	1	1	1	1	72.25	62.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
29.01.2020 13:26:15	1	1	1	1	72.25	63	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.1875	2004
29.01.2020 13:26:16	1	1	1	1	72.25	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.875	2004
29.01.2020 13:26:17	1	1	1	1	72.25	62.75	0	29952.607	262.3655914	7806.376213	30000	0	0	30000	43.25	2004
29.01.2020 13:26:18	1	1	1	1	71.25	63.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.8125	2004
29.01.2020 13:26:19	1	1	1	1	71.25	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.3125	2004
29.01.2020 13:26:20	1	1	1	1	71.25	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:26:21	1	1	1	1	71.25	63	0	30000	264.516129	7870.79064	30000	0	0	30000	43.3125	2004
29.01.2020 13:26:22	1	1	1	1	71.25	63.25	0	30000	288.172043	8708.993559	30000	0	0	30000	42.9375	2004
29.01.2020 13:26:23	1	1	1	1	71.25	62.75	0	30000	296.7741935	8774.223358	30000	0	0	30000	42.875	2004
29.01.2020 13:26:24	1	1	1	1	71.25	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
29.01.2020 13:26:26	1	1	1	1	71.25	63	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.0625	2004
29.01.2020 13:26:27	1	1	1	1	71.25	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.3125	2004
29.01.2020 13:26:28	1	1	1	1	71.25	63.25	0	30000	260.2150538	7676.731987	30000	0	0	30000	43.0625	2004
29.01.2020 13:26:29	1	1	1	1	71.75	63	0	30000	245.1612903	7419.07428	30000	0	0	30000	43.25	2004
29.01.2020 13:26:30	1	1	1	1	71.75	63.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	43.3125	2004
29.01.2020 13:26:31	1	1	1	1	71.75	63.25	0	29952.607	253.7634409	7665.316772	30000	0	0	30000	43.125	2004
29.01.2020 13:26:32	1	1	1	1	71.75	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.3125	2004
29.01.2020 13:26:33	1	1	1	1	71.75	63.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	43.3125	2004
29.01.2020 13:26:34	1	1	1	1	71.75	63.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.125	2004
29.01.2020 13:26:35	1	1	1	1	71.75	63	0	30000	260.2150538	7794.145626	30000	0	0	30000	43.125	2004
29.01.2020 13:26:36	1	1	1	1	71.75	63	0	30000	253.7634409	7547.903134	30000	0	0	30000	42.75	2004
29.01.2020 13:26:37	1	1	1	1	71.75	62.75	0	29905.213	245.1612903	7354.659854	30000	0	0	30000	43.125	2004
29.01.2020 13:26:38	1	1	1	1	71.75	63	0	30000	240.8602151	7225.831	30000	0	0	30000	43.375	2004
29.01.2020 13:26:39	1	1	1	1	71.5	63.25	0	30000	234.4086022	7096.186775	30000	0	0	30000	43.25	2004
29.01.2020 13:26:40	1	1	1	1	71.5	63.25	0	30000	232.2580645	6902.943495	30000	0	0	30000	43	2004
29.01.2020 13:26:41	1	1	1	1	71.5	63	0	30000	225.8064516	6774.114641	30000	0	0	30000	42.6875	2004
29.01.2020 13:26:42	1	1	1	1	71.5	62.5	0	29952.607	212.9032258	6377.028239	30000	0	0	30000	43.3125	2004
29.01.2020 13:26:43	1	1	1	1	71.5	63.25	0	29952.607	217.2043011	6515.641562	30000	0	0	30000	43.1875	2004
29.01.2020 13:26:44	1	1	1	1	71.5	63	0	29952.607	225.8064516	6902.943495	30000	0	0	30000	43.5	2004
29.01.2020 13:26:45	1	1	1	1	71.5	63.5	0	30000	234.4086022	6763.514799	30000	0	0	30000	43.25	2004
29.01.2020 13:26:46	1	1	1	1	71.5	63.25	0	30000	232.2580645	6967.357921	30000	0	0	30000	43.8125	2004
29.01.2020 13:26:47	1	1	1	1	71.5	63.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	43.5	2004
29.01.2020 13:26:48	1	1	1	1	71.5	63.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	44	2004
29.01.2020 13:26:49	1	1	1	1	72.25	63.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	42.9375	2004
29.01.2020 13:26:50	1	1	1	1	72.25	62.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	43.125	2004
29.01.2020 13:26:51	1	1	1	1	72.25	63	0	30000	240.8602151	7160.601201	30000	0	0	30000	43.375	2004
29.01.2020 13:26:52	1	1	1	1	72.25	63.25	0	30000	240.8602151	7225.831	30000	0	0	30000	43.25	2004
29.01.2020 13:26:53	1	1	1	1	72.25	63.25	0	30000	240.8602151	7225.831	30000	0	0	30000	43.25	2004
29.01.2020 13:27:00	1	1	1	1	71.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
29.01.2020 13:27:00	1	1	1	1	71.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
29.01.2020 13:27:00	1	1	1	1	71.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
29.01.2020 13:27:00	1	1	1	1	71.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
29.01.2020 13:27:00	1	1	1	1	71.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
29.01.2020 13:27:00	1	1	1	1	71.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
29.01.2020 13:27:01	1	1	1	1	71.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
29.01.2020 13:27:01	1	1	1	1	71.75	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.1875	2004
29.01.2020 13:27:03	1	1	1	1	71.75	63	0	30000	260.2150538	7741.961786	30000	0	0	30000	43.0625	2004
29.01.2020 13:27:04	1	1	1	1	71.75	63	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.9375	2004
29.01.2020 13:27:05	1	1	1	1	71.75	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:27:06	1	1	1	1	71.75	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
29.01.2020 13:27:07	1	1	1	1	71.75	63	0	30000	277.4193548	8258.092572	30000	0	0	30000	43.5625	2004
29.01.2020 13:27:08	1	1	1	1	71.75	63.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.375	2004
29.01.2020 13:27:09	1	1	1	1	71.5	63.25	0	30000	277.4193548	8258.092572	30000	0	0	30000	43	2004
29.01.2020 13:27:10	1	1	1	1	71.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.375	2004
29.01.2020 13:27:11	1	1	1	1	71.5	63.25	0	30000	279.5698925	8309.461039	30000	0	0	30000	43.1875	2004
29.01.2020 13:27:12	1	1	1	1	71.5	63	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	43.5625	2004
29.01.2020 13:27:13	1	1	1	1	71.5	63.5	0	30000	281.7204301	8580.164705	30000	0	0	30000	43.0625	2004
29.01.2020 13:27:14	1	1	1	1	71.5	63	0	30000	277.4193548	8258.092572	30000	0	0	30000	43.125	2004
29.01.2020 13:27:15	1	1	1	1	71.5	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.1875	2004
29.01.2020 13:27:16	1	1	1	1	71.5	63	0	30047.393	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
29.01.2020 13:27:17	1	1	1	1	71.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
29.01.2020 13:27:18	1	1	1	1	71.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 13:27:19	1	1	1	1	71.5	62.75	0	30000	288.172043	8631.533172	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:20	1	1	1	1	71.5	63.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:21	1	1	1	1	71.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.0625	2004
29.01.2020 13:27:22	1	1	1	1	71.5	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.375	2004
29.01.2020 13:27:23	1	1	1	1	71.5	63.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.4375	2004
29.01.2020 13:27:24	1	1	1	1	71.5	63.25	0	29952.607	290.3225806	8631.533172	30000	0	0	30000	43.5	2004
29.01.2020 13:27:25	1	1	1	1	71.5	63.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:26	1	1	1	1	71.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.4375	2004
29.01.2020 13:27:27	1	1	1	1	71.5	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:28	1	1	1	1	72	63.25	0	30000	290.3225806	8424.42856	30000	0	0	30000	43.25	2004
29.01.2020 13:27:29	1	1	1	1	72	63.25	0	29952.607	281.7204301	8502.704319	30000	0	0	30000	42.75	2004
29.01.2020 13:27:30	1	1	1	1	72	62.75	0	29952.607	286.0215054	8567.118745	30000	0	0	30000	43.1875	2004
29.01.2020 13:27:31	1	1	1	1	72	63	0	30047.393	286.0215054	8451.335852	30000	0	0	30000	43.375	2004
29.01.2020 13:27:32	1	1	1	1	72	63.25	0	30047.393	281.7204301	8464.381812	30000	0	0	30000	42.8125	2004
29.01.2020 13:27:33	1	1	1	1	72	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
29.01.2020 13:27:34	1	1	1	1	72	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.4375	2004
29.01.2020 13:27:35	1	1	1	1	72	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:36	1	1	1	1	72	63.25	0	29905.213	290.3225806	8838.637784	30000	0	0	30000	43.25	2004
29.01.2020 13:27:37	1	1	1	1	72	63.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:38	1	1	1	1	71.5	63.25	0	29952.607	298.9247312	8953.605305	30000	0	0	30000	43.5	2004
29.01.2020 13:27:39	1	1	1	1	71.5	63.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.5	2004
29.01.2020 13:27:41	1	1	1	1	71.5	63.5	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:42	1	1	1	1	71.5	63.25	0	30047.393	316.1290323	9548.01185	30000	0	0	30000	43.125	2004
29.01.2020 13:27:43	1	1	1	1	71.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:44	1	1	1	1	71.5	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.25	2004
29.01.2020 13:27:45	1	1	1	1	71.5	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.4375	2004
29.01.2020 13:27:46	1	1	1	1	71.5	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:47	1	1	1	1	71.5	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.125	2004
29.01.2020 13:27:48	1	1	1	1	71.5	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.5625	2004
29.01.2020 13:27:49	1	1	1	1	71.75	63.5	0	29952.607	316.1290323	9612.426277	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:27:50	1	1	1	1	71.75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
29.01.2020 13:27:51	1	1	1	1	71.75	63.25	0	30000	311.827957	9290.354143	30000	0	0	30000	43.25	2004
29.01.2020 13:27:52	1	1	1	1	71.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.4375	2004
29.01.2020 13:27:53	1	1	1	1	71.75	63.25	0	30000	298.9247312	8953.605305	30000	0	0	30000	43.4375	2004
29.01.2020 13:27:54	1	1	1	1	71.75	63.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.5	2004
29.01.2020 13:27:55	1	1	1	1	71.75	63.5	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	43.25	2004
29.01.2020 13:28:02	1	1	1	1	72.5	63.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.625	2004
29.01.2020 13:28:02	1	1	1	1	72.5	63.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.625	2004
29.01.2020 13:28:02	1	1	1	1	72.5	63.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.625	2004
29.01.2020 13:28:02	1	1	1	1	72.5	63.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.625	2004
29.01.2020 13:28:02	1	1	1	1	72.5	63.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.625	2004
29.01.2020 13:28:02	1	1	1	1	72.5	63.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.625	2004
29.01.2020 13:28:02	1	1	1	1	72.5	63.5	0	30000	301.0752688	9190.063327	30000	0	0	30000	43.375	2004
29.01.2020 13:28:03	1	1	1	1	72.5	63.25	0	30000	296.7741935	8695.947599	30000	0	0	30000	42.8125	2004
29.01.2020 13:28:04	1	1	1	1	72.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.5625	2004
29.01.2020 13:28:05	1	1	1	1	72.5	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.375	2004
29.01.2020 13:28:06	1	1	1	1	72.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.3125	2004
29.01.2020 13:28:07	1	1	1	1	72.5	63.25	0	29905.213	296.7741935	8953.605305	30000	0	0	30000	43.375	2004
29.01.2020 13:28:08	1	1	1	1	72.5	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.375	2004
29.01.2020 13:28:09	1	1	1	1	72.5	63.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.5	2004
29.01.2020 13:28:10	1	1	1	1	72.5	63.5	0	30000	316.1290323	9612.426277	30000	0	0	30000	43.3125	2004
29.01.2020 13:28:11	1	1	1	1	72.5	63.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:12	1	1	1	1	72.5	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.375	2004
29.01.2020 13:28:13	1	1	1	1	72.5	63.25	0	29952.607	311.827957	9483.597423	30000	0	0	30000	42.9375	2004
29.01.2020 13:28:14	1	1	1	1	72.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
29.01.2020 13:28:15	1	1	1	1	72.5	63.25	0	30000	316.1290323	9563.503927	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:16	1	1	1	1	72.5	63	0	30047.393	339.7849462	10192.97149	30000	0	0	30000	43.375	2004
29.01.2020 13:28:17	1	1	1	1	72.5	63.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.5	2004
29.01.2020 13:28:18	1	1	1	1	72.75	63.5	0	29905.213	333.3333333	9999.728209	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:19	1	1	1	1	72.75	63	0	30000	331.1827957	9806.484929	30000	0	0	30000	43.3125	2004
29.01.2020 13:28:21	1	1	1	1	72.75	63.25	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	43.4375	2004
29.01.2020 13:28:22	1	1	1	1	72.75	63.25	0	30000	339.7849462	10048.65056	30000	0	0	30000	43.25	2004
29.01.2020 13:28:23	1	1	1	1	72.75	63.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.125	2004
29.01.2020 13:28:24	1	1	1	1	72.75	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.4375	2004
29.01.2020 13:28:25	1	1	1	1	72.75	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.5625	2004
29.01.2020 13:28:26	1	1	1	1	72.75	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.4375	2004
29.01.2020 13:28:27	1	1	1	1	72.75	63.25	0	30000	329.0322581	9999.728209	30000	0	0	30000	43.3125	2004
29.01.2020 13:28:28	1	1	1	1	72.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.3125	2004
29.01.2020 13:28:29	1	1	1	1	73	63.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	43	2004
29.01.2020 13:28:30	1	1	1	1	73	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:31	1	1	1	1	73	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:32	1	1	1	1	73	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:33	1	1	1	1	73	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:28:34	1	1	1	1	73	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.25	2004
29.01.2020 13:28:35	1	1	1	1	73	63.25	0	30000	320.4301075	9483.597423	30000	0	0	30000	43.3125	2004
29.01.2020 13:28:36	1	1	1	1	73	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.0625	2004
29.01.2020 13:28:37	1	1	1	1	73	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:38	1	1	1	1	73	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.25	2004
29.01.2020 13:28:39	1	1	1	1	73	63.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:40	1	1	1	1	73	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.5	2004
29.01.2020 13:28:41	1	1	1	1	73	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.5	2004
29.01.2020 13:28:42	1	1	1	1	73	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.375	2004
29.01.2020 13:28:43	1	1	1	1	73	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	43	2004
29.01.2020 13:28:44	1	1	1	1	73	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.9375	2004
29.01.2020 13:28:45	1	1	1	1	73	63.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.5	2004
29.01.2020 13:28:46	1	1	1	1	73	63.25	0	30000	341.9354839	10549.28927	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:47	1	1	1	1	73	63	0	30000	331.1827957	10273.69337	30000	0	0	30000	43.3125	2004
29.01.2020 13:28:48	1	1	1	1	72.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004
29.01.2020 13:28:49	1	1	1	1	72.5	63	0	30047.393	335.483871	9999.728209	30000	0	0	30000	43.375	2004
29.01.2020 13:28:50	1	1	1	1	72.5	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.375	2004
29.01.2020 13:28:51	1	1	1	1	72.5	63.25	0	30000	337.6344086	9984.236132	30000	0	0	30000	43.375	2004
29.01.2020 13:28:52	1	1	1	1	72.5	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.125	2004
29.01.2020 13:28:53	1	1	1	1	72.5	63	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	43.375	2004
29.01.2020 13:28:54	1	1	1	1	72.5	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 13:28:55	1	1	1	1	72.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
29.01.2020 13:28:56	1	1	1	1	72.5	63.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.375	2004
29.01.2020 13:29:04	1	1	1	1	72.25	63.25	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	43	2004
29.01.2020 13:29:04	1	1	1	1	72.25	63.25	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	43	2004
29.01.2020 13:29:04	1	1	1	1	72.25	63.25	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	43	2004
29.01.2020 13:29:04	1	1	1	1	72.25	63.25	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	43	2004
29.01.2020 13:29:04	1	1	1	1	72.25	63.25	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	43	2004
29.01.2020 13:29:04	1	1	1	1	72.25	63.25	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	43	2004
29.01.2020 13:29:05	1	1	1	1	72.25	63	0	29952.607	339.7849462	10387.03014	30000	0	0	30000	43.5	2004
29.01.2020 13:29:06	1	1	1	1	72.25	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.875	2004
29.01.2020 13:29:07	1	1	1	1	72.25	62.75	0	29905.213	369.8924731	10868.09991	30000	0	0	30000	43.125	2004
29.01.2020 13:29:08	1	1	1	1	72.25	63	0	30000	350.5376344	10580.27342	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:09	1	1	1	1	72.75	63.25	0	29857.82	369.8924731	11061.34319	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:10	1	1	1	1	72.75	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.375	2004
29.01.2020 13:29:11	1	1	1	1	72.75	63.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.25	2004
29.01.2020 13:29:12	1	1	1	1	72.75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.875	2004
29.01.2020 13:29:13	1	1	1	1	72.75	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:16	1	1	1	1	72.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
29.01.2020 13:29:16	1	1	1	1	72.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
29.01.2020 13:29:16	1	1	1	1	72.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
29.01.2020 13:29:17	1	1	1	1	72.75	63.25	0	30000	341.9354839	10113.06499	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:29:18	1	1	1	1	72.75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.4375	2004
29.01.2020 13:29:19	1	1	1	1	73.25	63.25	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:20	1	1	1	1	73.25	63.25	0	30000	354.8387097	10580.27342	30000	0	0	30000	43.375	2004
29.01.2020 13:29:21	1	1	1	1	73.25	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43	2004
29.01.2020 13:29:22	1	1	1	1	73.25	63	0	29905.213	324.7311828	9775.500775	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:23	1	1	1	1	73.25	63.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	43.25	2004
29.01.2020 13:29:24	1	1	1	1	73.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.625	2004
29.01.2020 13:29:25	1	1	1	1	73.25	63.5	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004
29.01.2020 13:29:26	1	1	1	1	73.25	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.375	2004
29.01.2020 13:29:27	1	1	1	1	73.25	63.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.25	2004
29.01.2020 13:29:28	1	1	1	1	73.5	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.5625	2004
29.01.2020 13:29:29	1	1	1	1	73.5	63.5	0	30047.393	329.0322581	9950.80586	30000	0	0	30000	43.5	2004
29.01.2020 13:29:30	1	1	1	1	73.5	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:31	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:32	1	1	1	1	73.5	63.25	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:33	1	1	1	1	73.5	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.1875	2004
29.01.2020 13:29:34	1	1	1	1	73.5	63	0	30000	311.827957	9419.182997	30000	0	0	30000	43.1875	2004
29.01.2020 13:29:35	1	1	1	1	73.5	63	0	30000	311.827957	9211.263012	30000	0	0	30000	43.25	2004
29.01.2020 13:29:36	1	1	1	1	73.5	63.25	0	29952.607	303.2258065	9290.354143	30000	0	0	30000	43.5	2004
29.01.2020 13:29:37	1	1	1	1	73.5	63.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.375	2004
29.01.2020 13:29:39	1	1	1	1	73.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.25	2004
29.01.2020 13:29:40	1	1	1	1	73.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:41	1	1	1	1	73.5	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.1875	2004
29.01.2020 13:29:42	1	1	1	1	73.5	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
29.01.2020 13:29:43	1	1	1	1	73.5	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
29.01.2020 13:29:44	1	1	1	1	73.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.0625	2004
29.01.2020 13:29:45	1	1	1	1	73.5	63	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:46	1	1	1	1	73.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
29.01.2020 13:29:47	1	1	1	1	73.5	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:48	1	1	1	1	73.5	63.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	43.125	2004
29.01.2020 13:29:49	1	1	1	1	73.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
29.01.2020 13:29:50	1	1	1	1	73.5	63.25	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	43.25	2004
29.01.2020 13:29:51	1	1	1	1	73.5	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:52	1	1	1	1	73.5	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.75	2004
29.01.2020 13:29:53	1	1	1	1	73.5	62.75	0	30000	359.1397849	10499.55155	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:54	1	1	1	1	73.5	63.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	43.3125	2004
29.01.2020 13:29:55	1	1	1	1	73.5	63.25	0	29905.213	341.9354839	10257.38592	30000	0	0	30000	43.5625	2004
29.01.2020 13:29:56	1	1	1	1	73.5	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43	2004
29.01.2020 13:29:57	1	1	1	1	73.5	63	0	30000	348.3870968	10370.72269	30000	0	0	30000	43.25	2004
29.01.2020 13:29:58	1	1	1	1	73.5	63.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.4375	2004
29.01.2020 13:30:06	1	1	1	1	73.25	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.25	2004
29.01.2020 13:30:06	1	1	1	1	73.25	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.25	2004
29.01.2020 13:30:06	1	1	1	1	73.25	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:30:06	1	1	1	1	73.25	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.25	2004
29.01.2020 13:30:06	1	1	1	1	73.25	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.25	2004
29.01.2020 13:30:06	1	1	1	1	73.25	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.25	2004
29.01.2020 13:30:06	1	1	1	1	73.25	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.25	2004
29.01.2020 13:30:06	1	1	1	1	73.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
29.01.2020 13:30:07	1	1	1	1	73.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
29.01.2020 13:30:08	1	1	1	1	73.5	63	0	30000	365.5913978	10967.57535	30000	0	0	30000	43.5	2004
29.01.2020 13:30:09	1	1	1	1	73.5	63.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.0625	2004
29.01.2020 13:30:10	1	1	1	1	73.5	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.375	2004
29.01.2020 13:30:11	1	1	1	1	73.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
29.01.2020 13:30:12	1	1	1	1	73.5	63.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.125	2004
29.01.2020 13:30:13	1	1	1	1	73.5	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.5	2004
29.01.2020 13:30:14	1	1	1	1	73.5	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
29.01.2020 13:30:15	1	1	1	1	73.5	63	0	30000	335.483871	9984.236132	30000	0	0	30000	43.4375	2004
29.01.2020 13:30:16	1	1	1	1	73.5	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
29.01.2020 13:30:18	1	1	1	1	73.5	63.25	0	29905.213	324.7311828	9855.407279	30000	0	0	30000	43.4375	2004
29.01.2020 13:30:19	1	1	1	1	73.5	63.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.0625	2004
29.01.2020 13:30:20	1	1	1	1	73.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.375	2004
29.01.2020 13:30:21	1	1	1	1	73.5	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
29.01.2020 13:30:22	1	1	1	1	73.5	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.1875	2004
29.01.2020 13:30:23	1	1	1	1	73.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.4375	2004
29.01.2020 13:30:24	1	1	1	1	73.5	63.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.4375	2004
29.01.2020 13:30:25	1	1	1	1	73.5	63.25	0	29905.213	356.9892473	10675.672	30000	0	0	30000	42.75	2004
29.01.2020 13:30:26	1	1	1	1	73.5	62.75	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	43.125	2004
29.01.2020 13:30:27	1	1	1	1	73.5	63	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.625	2004
29.01.2020 13:30:28	1	1	1	1	73.5	62.5	0	30000	378.4946237	11143.69581	30000	0	0	30000	43.25	2004
29.01.2020 13:30:29	1	1	1	1	73.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
29.01.2020 13:30:30	1	1	1	1	73.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 13:30:31	1	1	1	1	73.25	62.5	0	30000	378.4946237	11143.69581	30000	0	0	30000	43.0625	2004
29.01.2020 13:30:32	1	1	1	1	73.25	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.375	2004
29.01.2020 13:30:33	1	1	1	1	73.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
29.01.2020 13:30:34	1	1	1	1	73.25	63	0	29620.853	382.7956989	11420.10709	30000	0	0	30000	43.125	2004
29.01.2020 13:30:35	1	1	1	1	73.25	63	0	29763.033	384.9462366	11667.16495	30000	0	0	30000	43.3125	2004
29.01.2020 13:30:36	1	1	1	1	73.25	63.25	0	30000	389.2473118	11741.36385	30000	0	0	30000	43.4375	2004
29.01.2020 13:30:37	1	1	1	1	73.25	63.25	0	30000	378.4946237	11548.12057	30000	0	0	30000	43.25	2004
29.01.2020 13:30:38	1	1	1	1	73.25	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
29.01.2020 13:30:39	1	1	1	1	73	63	0	29952.607	387.0967742	11871.00807	30000	0	0	30000	43.5	2004
29.01.2020 13:30:40	1	1	1	1	73	63.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.375	2004
29.01.2020 13:30:41	1	1	1	1	73	63.25	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	43.625	2004
29.01.2020 13:30:42	1	1	1	1	73	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.4375	2004
29.01.2020 13:30:43	1	1	1	1	73	62.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.1875	2004
29.01.2020 13:30:44	1	1	1	1	73	63	0	29905.213	402.1505376	12025.92885	30000	0	0	30000	43.5625	2004
29.01.2020 13:30:45	1	1	1	1	73	63.5	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:30:46	1	1	1	1	73	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
29.01.2020 13:30:47	1	1	1	1	73	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.3125	2004
29.01.2020 13:30:48	1	1	1	1	72.75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.375	2004
29.01.2020 13:30:49	1	1	1	1	72.75	63.25	0	30000	395.6989247	11575.84323	30000	0	0	30000	43.1875	2004
29.01.2020 13:30:50	1	1	1	1	72.75	63	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.0625	2004
29.01.2020 13:30:51	1	1	1	1	72.75	63	0	30000	380.6451613	11548.12057	30000	0	0	30000	43.1875	2004
29.01.2020 13:30:52	1	1	1	1	72.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
29.01.2020 13:30:53	1	1	1	1	72.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
29.01.2020 13:30:54	1	1	1	1	72.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
29.01.2020 13:30:56	1	1	1	1	72.75	63.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	43	2004
29.01.2020 13:30:57	1	1	1	1	72.75	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.0625	2004
29.01.2020 13:30:58	1	1	1	1	72.75	63	0	30000	374.1935484	11354.87729	30000	0	0	30000	43.25	2004
29.01.2020 13:30:59	1	1	1	1	72.25	63.25	0	30047.393	397.8494624	11741.36385	30000	0	0	30000	43.1875	2004
29.01.2020 13:31:00	1	1	1	1	72.25	63	0	30000	384.9462366	11530.18237	30000	0	0	30000	43.0625	2004
29.01.2020 13:31:07	1	1	1	1	72.25	63	0	29905.213	400	12025.92885	30000	0	0	30000	42.9375	2004
29.01.2020 13:31:07	1	1	1	1	72.25	63	0	29905.213	400	12025.92885	30000	0	0	30000	42.9375	2004
29.01.2020 13:31:07	1	1	1	1	72.25	63	0	29905.213	400	12025.92885	30000	0	0	30000	42.9375	2004
29.01.2020 13:31:07	1	1	1	1	72.25	63	0	29905.213	400	12025.92885	30000	0	0	30000	42.9375	2004
29.01.2020 13:31:07	1	1	1	1	72.25	63	0	29905.213	400	12025.92885	30000	0	0	30000	42.9375	2004
29.01.2020 13:31:07	1	1	1	1	72.25	63	0	29905.213	400	12025.92885	30000	0	0	30000	42.9375	2004
29.01.2020 13:31:07	1	1	1	1	72.25	63	0	29905.213	400	12025.92885	30000	0	0	30000	42.9375	2004
29.01.2020 13:31:08	1	1	1	1	72.25	62.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
29.01.2020 13:31:09	1	1	1	1	72.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
29.01.2020 13:31:10	1	1	1	1	72.25	63	0	30000	402.1505376	11935.4225	30000	0	0	30000	43.0625	2004
29.01.2020 13:31:11	1	1	1	1	72.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.3125	2004
29.01.2020 13:31:12	1	1	1	1	72.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
29.01.2020 13:31:13	1	1	1	1	72.25	63.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.125	2004
29.01.2020 13:31:14	1	1	1	1	72.25	63	0	30000	380.6451613	11548.12057	30000	0	0	30000	43.25	2004
29.01.2020 13:31:15	1	1	1	1	72.25	63.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.25	2004
29.01.2020 13:31:16	1	1	1	1	72.25	63.25	0	30000	404.3010753	11871.00807	30000	0	0	30000	43.1875	2004
29.01.2020 13:31:17	1	1	1	1	72.25	63	0	30000	384.9462366	11483.70614	30000	0	0	30000	43.0625	2004
29.01.2020 13:31:18	1	1	1	1	72.25	63	0	29905.213	380.6451613	11419.29171	30000	0	0	30000	43.5625	2004
29.01.2020 13:31:19	1	1	1	1	72.5	63.5	0	29905.213	363.4408602	11096.40421	30000	0	0	30000	43.1875	2004
29.01.2020 13:31:20	1	1	1	1	72.5	63	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.4375	2004
29.01.2020 13:31:21	1	1	1	1	72.5	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.1875	2004
29.01.2020 13:31:22	1	1	1	1	72.5	63	0	30000	350.5376344	10661.81067	30000	0	0	30000	43.25	2004
29.01.2020 13:31:23	1	1	1	1	72.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
29.01.2020 13:31:24	1	1	1	1	72.5	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.8125	2004
29.01.2020 13:31:25	1	1	1	1	72.5	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.375	2004
29.01.2020 13:31:26	1	1	1	1	72.5	63.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	43.4375	2004
29.01.2020 13:31:27	1	1	1	1	72.5	63.25	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	43.0625	2004
29.01.2020 13:31:28	1	1	1	1	72.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 13:31:29	1	1	1	1	72.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:31:30	1	1	1	1	72.25	63.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.25	2004
29.01.2020 13:31:31	1	1	1	1	72.25	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.0625	2004
29.01.2020 13:31:32	1	1	1	1	72.25	63	0	30000	352.688172	10644.68785	30000	0	0	30000	42.8125	2004
29.01.2020 13:31:34	1	1	1	1	72.25	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
29.01.2020 13:31:35	1	1	1	1	72.25	62.75	0	30000	348.3870968	10499.55155	30000	0	0	30000	43.125	2004
29.01.2020 13:31:36	1	1	1	1	72.25	63	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	42.9375	2004
29.01.2020 13:31:37	1	1	1	1	72.25	62.75	0	30000	341.9354839	10241.89384	30000	0	0	30000	43.0625	2004
29.01.2020 13:31:38	1	1	1	1	72.25	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.4375	2004
29.01.2020 13:31:39	1	1	1	1	72.25	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.25	2004
29.01.2020 13:31:40	1	1	1	1	72.25	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
29.01.2020 13:31:41	1	1	1	1	72.25	63	0	30000	339.7849462	10387.03014	30000	0	0	30000	43.25	2004
29.01.2020 13:31:42	1	1	1	1	72.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
29.01.2020 13:31:43	1	1	1	1	72.25	63.5	0	30047.393	341.9354839	10064.14264	30000	0	0	30000	42.875	2004
29.01.2020 13:31:44	1	1	1	1	72.25	62.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	43.0625	2004
29.01.2020 13:31:45	1	1	1	1	72.25	63	0	30047.393	348.3870968	10257.38592	30000	0	0	30000	43.1875	2004
29.01.2020 13:31:46	1	1	1	1	72.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:31:47	1	1	1	1	72.25	63	0	30094.787	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 13:31:48	1	1	1	1	72.25	62.25	0	29952.607	339.7849462	10096.75754	30000	0	0	30000	43.3125	2004
29.01.2020 13:31:49	1	1	1	1	72.5	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 13:31:50	1	1	1	1	72.5	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.25	2004
29.01.2020 13:31:51	1	1	1	1	72.5	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.3125	2004
29.01.2020 13:31:52	1	1	1	1	72.5	63.25	0	29952.607	322.5806452	9870.899356	30000	0	0	30000	43.125	2004
29.01.2020 13:31:53	1	1	1	1	72.5	63	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
29.01.2020 13:31:54	1	1	1	1	72.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
29.01.2020 13:31:55	1	1	1	1	72.5	63	0	30000	346.2365591	10418.0143	30000	0	0	30000	43.0625	2004
29.01.2020 13:31:56	1	1	1	1	72.5	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.25	2004
29.01.2020 13:31:57	1	1	1	1	72.5	63.25	0	30000	346.2365591	10241.89384	30000	0	0	30000	43.3125	2004
29.01.2020 13:31:58	1	1	1	1	72.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
29.01.2020 13:31:59	1	1	1	1	72.75	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 13:32:00	1	1	1	1	72.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.75	2004
29.01.2020 13:32:01	1	1	1	1	72.75	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
29.01.2020 13:32:08	1	1	1	1	72.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:32:08	1	1	1	1	72.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:32:08	1	1	1	1	72.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:32:08	1	1	1	1	72.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:32:08	1	1	1	1	72.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:32:08	1	1	1	1	72.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:32:09	1	1	1	1	72.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:32:09	1	1	1	1	72.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 13:32:10	1	1	1	1	72.75	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.1875	2004
29.01.2020 13:32:11	1	1	1	1	72.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
29.01.2020 13:32:13	1	1	1	1	72.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
29.01.2020 13:32:14	1	1	1	1	72.75	63	0	30000	344.0860215	10128.55706	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:32:15	1	1	1	1	72.75	63	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.625	2004
29.01.2020 13:32:16	1	1	1	1	72.75	62.5	0	29952.607	365.5913978	10757.20925	30000	0	0	30000	43	2004
29.01.2020 13:32:17	1	1	1	1	72.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
29.01.2020 13:32:18	1	1	1	1	72.75	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.25	2004
29.01.2020 13:32:19	1	1	1	1	73.25	63.25	0	29952.607	352.688172	10644.68785	30000	0	0	30000	43.3125	2004
29.01.2020 13:32:20	1	1	1	1	73.25	63.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	43.3125	2004
29.01.2020 13:32:21	1	1	1	1	73.25	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.6875	2004
29.01.2020 13:32:22	1	1	1	1	73.25	62.5	0	30000	326.8817204	9726.578425	30000	0	0	30000	43.375	2004
29.01.2020 13:32:23	1	1	1	1	73.25	63.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	43.25	2004
29.01.2020 13:32:24	1	1	1	1	73.25	63.25	0	30000	335.483871	9999.728209	30000	0	0	30000	43.4375	2004
29.01.2020 13:32:25	1	1	1	1	73.25	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.9375	2004
29.01.2020 13:32:26	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
29.01.2020 13:32:27	1	1	1	1	73.25	63	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	43.1875	2004
29.01.2020 13:32:28	1	1	1	1	73.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
29.01.2020 13:32:29	1	1	1	1	73.5	63.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	43.375	2004
29.01.2020 13:32:30	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
29.01.2020 13:32:31	1	1	1	1	73.5	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.375	2004
29.01.2020 13:32:32	1	1	1	1	73.5	63.25	0	30000	316.1290323	9354.76857	30000	0	0	30000	43.375	2004
29.01.2020 13:32:33	1	1	1	1	73.5	63.25	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	43.375	2004
29.01.2020 13:32:34	1	1	1	1	73.5	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.3125	2004
29.01.2020 13:32:35	1	1	1	1	73.5	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.3125	2004
29.01.2020 13:32:36	1	1	1	1	73.5	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.3125	2004
29.01.2020 13:32:37	1	1	1	1	73.5	63.25	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	43.5625	2004
29.01.2020 13:32:38	1	1	1	1	74	63	0	30000	311.827957	9290.354143	30000	0	0	30000	43.25	2004
29.01.2020 13:32:39	1	1	1	1	74	63.25	0	30047.393	311.827957	9369.445275	30000	0	0	30000	43.3125	2004
29.01.2020 13:32:40	1	1	1	1	74	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.125	2004
29.01.2020 13:32:41	1	1	1	1	74	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.25	2004
29.01.2020 13:32:42	1	1	1	1	74	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.125	2004
29.01.2020 13:32:43	1	1	1	1	74	63	0	29905.213	318.2795699	9533.335145	30000	0	0	30000	43.25	2004
29.01.2020 13:32:44	1	1	1	1	74	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
29.01.2020 13:32:45	1	1	1	1	74	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.125	2004
29.01.2020 13:32:46	1	1	1	1	74	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.875	2004
29.01.2020 13:32:47	1	1	1	1	74	62.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.875	2004
29.01.2020 13:32:48	1	1	1	1	74	62.75	0	29952.607	320.4301075	9741.25513	30000	0	0	30000	43.125	2004
29.01.2020 13:32:49	1	1	1	1	74	63	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.375	2004
29.01.2020 13:32:50	1	1	1	1	74	63.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.1875	2004
29.01.2020 13:32:52	1	1	1	1	74	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.3125	2004
29.01.2020 13:32:53	1	1	1	1	74	63.25	0	29952.607	318.2795699	9676.840703	30000	0	0	30000	43.0625	2004
29.01.2020 13:32:54	1	1	1	1	74	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.0625	2004
29.01.2020 13:32:55	1	1	1	1	74	63	0	30000	313.9784946	9340.091865	30000	0	0	30000	43.0625	2004
29.01.2020 13:32:56	1	1	1	1	74	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43	2004
29.01.2020 13:32:57	1	1	1	1	74	63	0	30000	335.483871	9999.728209	30000	0	0	30000	43	2004
29.01.2020 13:32:58	1	1	1	1	74	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:32:59	1	1	1	1	74.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.375	2004
29.01.2020 13:33:00	1	1	1	1	74.5	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 13:33:01	1	1	1	1	74.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:33:02	1	1	1	1	74.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:33:03	1	1	1	1	74.5	63	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.125	2004
29.01.2020 13:33:10	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:33:10	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:33:10	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:33:10	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:33:10	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:33:10	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:33:10	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:33:11	1	1	1	1	74.5	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
29.01.2020 13:33:12	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
29.01.2020 13:33:13	1	1	1	1	74.5	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 13:33:14	1	1	1	1	74.5	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
29.01.2020 13:33:15	1	1	1	1	74.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
29.01.2020 13:33:16	1	1	1	1	74.5	62.75	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:17	1	1	1	1	74.5	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.5625	2004
29.01.2020 13:33:18	1	1	1	1	74.5	63.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.0625	2004
29.01.2020 13:33:19	1	1	1	1	74.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.6875	2004
29.01.2020 13:33:20	1	1	1	1	74.75	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
29.01.2020 13:33:21	1	1	1	1	74.75	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.25	2004
29.01.2020 13:33:22	1	1	1	1	74.75	63.25	0	30000	369.8924731	10886.03811	30000	0	0	30000	43	2004
29.01.2020 13:33:23	1	1	1	1	74.75	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:24	1	1	1	1	74.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:25	1	1	1	1	74.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
29.01.2020 13:33:26	1	1	1	1	74.75	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.9375	2004
29.01.2020 13:33:27	1	1	1	1	74.75	62.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	43.0625	2004
29.01.2020 13:33:28	1	1	1	1	74.75	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:29	1	1	1	1	74.75	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.9375	2004
29.01.2020 13:33:31	1	1	1	1	74.75	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.8125	2004
29.01.2020 13:33:32	1	1	1	1	74.75	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:33	1	1	1	1	74.75	63	0	30000	391.3978495	11659.01122	30000	0	0	30000	43.0625	2004
29.01.2020 13:33:34	1	1	1	1	74.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.125	2004
29.01.2020 13:33:35	1	1	1	1	74.75	63	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:36	1	1	1	1	74.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
29.01.2020 13:33:37	1	1	1	1	74.75	63	0	30047.393	389.2473118	11741.36385	30000	0	0	30000	43.125	2004
29.01.2020 13:33:38	1	1	1	1	74.75	63	0	30000	387.0967742	11382.59995	30000	0	0	30000	43.3125	2004
29.01.2020 13:33:39	1	1	1	1	74.75	63.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:40	1	1	1	1	74.75	63	0	30000	400	11704.67208	30000	0	0	30000	42.9375	2004
29.01.2020 13:33:41	1	1	1	1	74.75	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
29.01.2020 13:33:42	1	1	1	1	74.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:33:43	1	1	1	1	74.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:44	1	1	1	1	74.75	63	0	30000	395.6989247	11787.84008	30000	0	0	30000	43.125	2004
29.01.2020 13:33:45	1	1	1	1	74.75	63	0	30000	382.7956989	11548.12057	30000	0	0	30000	43.0625	2004
29.01.2020 13:33:46	1	1	1	1	74.75	63	0	30000	402.1505376	11935.4225	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:47	1	1	1	1	74.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
29.01.2020 13:33:48	1	1	1	1	74.75	63	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.9375	2004
29.01.2020 13:33:49	1	1	1	1	75	62.75	0	30000	378.4946237	11778.87098	30000	0	0	30000	43.25	2004
29.01.2020 13:33:50	1	1	1	1	75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
29.01.2020 13:33:51	1	1	1	1	75	62.75	0	29952.607	391.3978495	11676.94942	30000	0	0	30000	43.375	2004
29.01.2020 13:33:52	1	1	1	1	75	63.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.6875	2004
29.01.2020 13:33:53	1	1	1	1	75	62.5	0	29905.213	404.3010753	12193.08021	30000	0	0	30000	42.6875	2004
29.01.2020 13:33:54	1	1	1	1	75	62.5	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 13:33:55	1	1	1	1	75	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.0625	2004
29.01.2020 13:33:56	1	1	1	1	75	63	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
29.01.2020 13:33:57	1	1	1	1	75	63	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
29.01.2020 13:33:58	1	1	1	1	75	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.25	2004
29.01.2020 13:33:59	1	1	1	1	75	63.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.3125	2004
29.01.2020 13:34:00	1	1	1	1	75	63.25	0	30000	400	12064.25135	30000	0	0	30000	43	2004
29.01.2020 13:34:01	1	1	1	1	75	63	0	29952.607	391.3978495	11723.42565	30000	0	0	30000	43.25	2004
29.01.2020 13:34:02	1	1	1	1	75	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
29.01.2020 13:34:03	1	1	1	1	75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
29.01.2020 13:34:04	1	1	1	1	75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
29.01.2020 13:34:12	1	1	1	1	75	63	0	28957.346	326.8817204	9527.627538	30000	0	0	30000	42.6875	2004
29.01.2020 13:34:12	1	1	1	1	75	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
29.01.2020 13:34:12	1	1	1	1	75	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
29.01.2020 13:34:12	1	1	1	1	75	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
29.01.2020 13:34:12	1	1	1	1	75	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
29.01.2020 13:34:12	1	1	1	1	75	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
29.01.2020 13:34:12	1	1	1	1	75	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
29.01.2020 13:34:13	1	1	1	1	75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
29.01.2020 13:34:14	1	1	1	1	75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.625	2004
29.01.2020 13:34:15	1	1	1	1	75	62.5	0	30000	320.4301075	9741.25513	30000	0	0	30000	43	2004
29.01.2020 13:34:16	1	1	1	1	75	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.125	2004
29.01.2020 13:34:17	1	1	1	1	75	63	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.1875	2004
29.01.2020 13:34:18	1	1	1	1	75	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.25	2004
29.01.2020 13:34:19	1	1	1	1	75.25	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.3125	2004
29.01.2020 13:34:20	1	1	1	1	75.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
29.01.2020 13:34:21	1	1	1	1	75.25	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.0625	2004
29.01.2020 13:34:22	1	1	1	1	75.25	63	0	29620.853	337.6344086	10000.54358	30000	0	0	30000	42.875	2004
29.01.2020 13:34:23	1	1	1	1	75.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
29.01.2020 13:34:24	1	1	1	1	75.25	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.25	2004
29.01.2020 13:34:25	1	1	1	1	75.25	63.25	0	30047.393	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
29.01.2020 13:34:26	1	1	1	1	75.25	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:34:27	1	1	1	1	75.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.25	2004
29.01.2020 13:34:28	1	1	1	1	75.25	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
29.01.2020 13:34:29	1	1	1	1	75.25	63	0	30000	352.688172	10644.68785	30000	0	0	30000	43.3125	2004
29.01.2020 13:34:30	1	1	1	1	75.25	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
29.01.2020 13:34:31	1	1	1	1	75.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.8125	2004
29.01.2020 13:34:32	1	1	1	1	75.25	62.75	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	43.0625	2004
29.01.2020 13:34:33	1	1	1	1	75.25	63	0	29952.607	326.8817204	9999.728209	30000	0	0	30000	43	2004
29.01.2020 13:34:34	1	1	1	1	75.25	63	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	43.125	2004
29.01.2020 13:34:35	1	1	1	1	75.25	63	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:34:36	1	1	1	1	75.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.5	2004
29.01.2020 13:34:37	1	1	1	1	75.25	63.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.375	2004
29.01.2020 13:34:38	1	1	1	1	75.25	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.875	2004
29.01.2020 13:34:39	1	1	1	1	75.25	62.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.8125	2004
29.01.2020 13:34:40	1	1	1	1	75.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 13:34:41	1	1	1	1	75.25	62.75	0	30000	339.7849462	9984.236132	30000	0	0	30000	42.9375	2004
29.01.2020 13:34:42	1	1	1	1	75.25	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.0625	2004
29.01.2020 13:34:43	1	1	1	1	75.25	63	0	30047.393	335.483871	10064.14264	30000	0	0	30000	42.75	2004
29.01.2020 13:34:44	1	1	1	1	75.25	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.3125	2004
29.01.2020 13:34:45	1	1	1	1	75.25	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
29.01.2020 13:34:46	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
29.01.2020 13:34:48	1	1	1	1	75.25	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.0625	2004
29.01.2020 13:34:49	1	1	1	1	75	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
29.01.2020 13:34:50	1	1	1	1	75	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.1875	2004
29.01.2020 13:34:51	1	1	1	1	75	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.0625	2004
29.01.2020 13:34:52	1	1	1	1	75	63	0	29952.607	320.4301075	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 13:34:53	1	1	1	1	75	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.6875	2004
29.01.2020 13:34:54	1	1	1	1	75	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004
29.01.2020 13:34:55	1	1	1	1	75	63	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.125	2004
29.01.2020 13:34:56	1	1	1	1	75	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.0625	2004
29.01.2020 13:34:57	1	1	1	1	75	63	0	29952.607	329.0322581	10128.55706	30000	0	0	30000	43.1875	2004
29.01.2020 13:34:58	1	1	1	1	75	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43	2004
29.01.2020 13:34:59	1	1	1	1	75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43	2004
29.01.2020 13:35:00	1	1	1	1	75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
29.01.2020 13:35:01	1	1	1	1	75	63	0	30000	322.5806452	9483.597423	30000	0	0	30000	43.375	2004
29.01.2020 13:35:02	1	1	1	1	75	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:03	1	1	1	1	75	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:04	1	1	1	1	75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 13:35:05	1	1	1	1	75	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
29.01.2020 13:35:06	1	1	1	1	75	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.25	2004
29.01.2020 13:35:13	1	1	1	1	75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
29.01.2020 13:35:13	1	1	1	1	75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
29.01.2020 13:35:13	1	1	1	1	75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
29.01.2020 13:35:13	1	1	1	1	75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:35:13	1	1	1	1	75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
29.01.2020 13:35:13	1	1	1	1	75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
29.01.2020 13:35:13	1	1	1	1	75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
29.01.2020 13:35:14	1	1	1	1	75	63	0	30000	281.7204301	8322.506999	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:15	1	1	1	1	75	63	0	30000	273.1182796	8335.552958	30000	0	0	30000	43.25	2004
29.01.2020 13:35:16	1	1	1	1	75	63.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.4375	2004
29.01.2020 13:35:17	1	1	1	1	75	63.25	0	30000	264.516129	7870.79064	30000	0	0	30000	42.9375	2004
29.01.2020 13:35:18	1	1	1	1	75	62.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.25	2004
29.01.2020 13:35:19	1	1	1	1	75	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.75	2004
29.01.2020 13:35:20	1	1	1	1	75	62.75	0	30000	275.2688172	8128.448346	30000	0	0	30000	43.25	2004
29.01.2020 13:35:21	1	1	1	1	75	63.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.3125	2004
29.01.2020 13:35:22	1	1	1	1	75	63.25	0	30000	260.2150538	7870.79064	30000	0	0	30000	43.4375	2004
29.01.2020 13:35:23	1	1	1	1	75	63.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	43.125	2004
29.01.2020 13:35:24	1	1	1	1	75	63	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.25	2004
29.01.2020 13:35:25	1	1	1	1	75	63.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:26	1	1	1	1	75	63	0	29952.607	247.311828	7419.07428	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:27	1	1	1	1	75	63	0	30000	249.4623656	7290.245427	30000	0	0	30000	42.9375	2004
29.01.2020 13:35:29	1	1	1	1	75.5	62.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	43.25	2004
29.01.2020 13:35:30	1	1	1	1	75.5	63.25	0	30000	247.311828	7419.07428	30000	0	0	30000	43.4375	2004
29.01.2020 13:35:31	1	1	1	1	75.5	63.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	43	2004
29.01.2020 13:35:32	1	1	1	1	75.5	63	0	30000	247.311828	7483.488707	30000	0	0	30000	42.875	2004
29.01.2020 13:35:33	1	1	1	1	75.5	62.75	0	30000	247.311828	7419.07428	30000	0	0	30000	43.0625	2004
29.01.2020 13:35:34	1	1	1	1	75.5	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.25	2004
29.01.2020 13:35:35	1	1	1	1	75.5	63.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.125	2004
29.01.2020 13:35:36	1	1	1	1	75.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.125	2004
29.01.2020 13:35:37	1	1	1	1	75.5	63	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:38	1	1	1	1	75.5	63	0	30047.393	294.6236559	8774.223358	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:39	1	1	1	1	75.25	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.125	2004
29.01.2020 13:35:40	1	1	1	1	75.25	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.3125	2004
29.01.2020 13:35:41	1	1	1	1	75.25	63.25	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
29.01.2020 13:35:42	1	1	1	1	75.25	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.0625	2004
29.01.2020 13:35:43	1	1	1	1	75.25	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
29.01.2020 13:35:44	1	1	1	1	75.25	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.0625	2004
29.01.2020 13:35:45	1	1	1	1	75.25	63	0	30094.787	318.2795699	9433.859702	30000	0	0	30000	43.125	2004
29.01.2020 13:35:46	1	1	1	1	75.25	63	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
29.01.2020 13:35:47	1	1	1	1	75.25	63	0	30000	324.7311828	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 13:35:48	1	1	1	1	75.25	62.5	0	30000	329.0322581	9886.391433	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:49	1	1	1	1	75	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.3125	2004
29.01.2020 13:35:50	1	1	1	1	75	63.25	0	30000	333.3333333	9919.821705	30000	0	0	30000	43.0625	2004
29.01.2020 13:35:51	1	1	1	1	75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5	2004
29.01.2020 13:35:52	1	1	1	1	75	63.5	0	30000	359.1397849	10628.3804	30000	0	0	30000	42.8125	2004
29.01.2020 13:35:53	1	1	1	1	75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:54	1	1	1	1	75	63	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:35:55	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.375	2004
29.01.2020 13:35:56	1	1	1	1	75	63.25	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	43.3125	2004
29.01.2020 13:35:57	1	1	1	1	75	63	0	30000	378.4946237	11096.40421	30000	0	0	30000	43.1875	2004
29.01.2020 13:35:58	1	1	1	1	75	63	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.4375	2004
29.01.2020 13:35:59	1	1	1	1	75	62.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:00	1	1	1	1	75	63	0	30000	354.8387097	10515.85899	30000	0	0	30000	43.25	2004
29.01.2020 13:36:01	1	1	1	1	75	63.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.25	2004
29.01.2020 13:36:02	1	1	1	1	75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
29.01.2020 13:36:03	1	1	1	1	75	63	0	30000	352.688172	10644.68785	30000	0	0	30000	43.25	2004
29.01.2020 13:36:04	1	1	1	1	75	63.25	0	30000	337.6344086	10257.38592	30000	0	0	30000	43.1875	2004
29.01.2020 13:36:05	1	1	1	1	75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
29.01.2020 13:36:07	1	1	1	1	75	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43	2004
29.01.2020 13:36:08	1	1	1	1	75	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.3125	2004
29.01.2020 13:36:15	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
29.01.2020 13:36:15	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
29.01.2020 13:36:15	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
29.01.2020 13:36:15	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
29.01.2020 13:36:15	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
29.01.2020 13:36:15	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
29.01.2020 13:36:15	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
29.01.2020 13:36:15	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
29.01.2020 13:36:16	1	1	1	1	75	63	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
29.01.2020 13:36:17	1	1	1	1	75	62.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 13:36:18	1	1	1	1	75	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
29.01.2020 13:36:19	1	1	1	1	75	63	0	30000	311.827957	9419.182997	30000	0	0	30000	43.25	2004
29.01.2020 13:36:20	1	1	1	1	75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
29.01.2020 13:36:21	1	1	1	1	75	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:22	1	1	1	1	75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:23	1	1	1	1	75	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.1875	2004
29.01.2020 13:36:24	1	1	1	1	75	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:36:25	1	1	1	1	75	63	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:26	1	1	1	1	75	63	0	30000	288.172043	8708.993559	30000	0	0	30000	43	2004
29.01.2020 13:36:27	1	1	1	1	75	63	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.1875	2004
29.01.2020 13:36:28	1	1	1	1	75	63	0	29952.607	283.8709677	8451.335852	30000	0	0	30000	43.25	2004
29.01.2020 13:36:29	1	1	1	1	74.75	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:30	1	1	1	1	74.75	63	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:31	1	1	1	1	74.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
29.01.2020 13:36:32	1	1	1	1	74.75	63	0	29952.607	290.3225806	8838.637784	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:33	1	1	1	1	74.75	63	0	30000	303.2258065	9031.881064	30000	0	0	30000	43.6875	2004
29.01.2020 13:36:34	1	1	1	1	74.75	63.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.5625	2004
29.01.2020 13:36:35	1	1	1	1	74.75	63.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.25	2004
29.01.2020 13:36:36	1	1	1	1	74.75	63.25	0	30047.393	326.8817204	9612.426277	30000	0	0	30000	43.125	2004
29.01.2020 13:36:37	1	1	1	1	74.75	63	0	29952.607	309.6774194	9612.426277	30000	0	0	30000	43.375	2004
29.01.2020 13:36:38	1	1	1	1	75.25	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:36:39	1	1	1	1	75.25	63.25	0	29905.213	324.7311828	9806.484929	30000	0	0	30000	43.125	2004
29.01.2020 13:36:40	1	1	1	1	75.25	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
29.01.2020 13:36:41	1	1	1	1	75.25	63	0	30000	341.9354839	10128.55706	30000	0	0	30000	42.75	2004
29.01.2020 13:36:42	1	1	1	1	75.25	62.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	43.375	2004
29.01.2020 13:36:43	1	1	1	1	75.25	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.1875	2004
29.01.2020 13:36:45	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
29.01.2020 13:36:46	1	1	1	1	75.25	63	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:47	1	1	1	1	75.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43	2004
29.01.2020 13:36:48	1	1	1	1	75.25	63	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.25	2004
29.01.2020 13:36:49	1	1	1	1	74.75	63.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	43	2004
29.01.2020 13:36:50	1	1	1	1	74.75	63	0	30000	348.3870968	10257.38592	30000	0	0	30000	43.25	2004
29.01.2020 13:36:51	1	1	1	1	74.75	63.25	0	30000	354.8387097	10515.85899	30000	0	0	30000	43.125	2004
29.01.2020 13:36:52	1	1	1	1	74.75	63	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:53	1	1	1	1	74.75	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.1875	2004
29.01.2020 13:36:54	1	1	1	1	74.75	63	0	30000	356.9892473	10628.3804	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:55	1	1	1	1	74.75	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.125	2004
29.01.2020 13:36:56	1	1	1	1	74.75	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.0625	2004
29.01.2020 13:36:57	1	1	1	1	74.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
29.01.2020 13:36:58	1	1	1	1	74.75	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.9375	2004
29.01.2020 13:36:59	1	1	1	1	75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
29.01.2020 13:37:00	1	1	1	1	75	63.25	0	29952.607	352.688172	10499.55155	30000	0	0	30000	42.75	2004
29.01.2020 13:37:01	1	1	1	1	75	62.75	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	42.8125	2004
29.01.2020 13:37:02	1	1	1	1	75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
29.01.2020 13:37:03	1	1	1	1	75	63	0	30000	365.5913978	11096.40421	30000	0	0	30000	43.1875	2004
29.01.2020 13:37:04	1	1	1	1	75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.125	2004
29.01.2020 13:37:05	1	1	1	1	75	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.125	2004
29.01.2020 13:37:06	1	1	1	1	75	63	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	43.1875	2004
29.01.2020 13:37:07	1	1	1	1	75	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.875	2004
29.01.2020 13:37:08	1	1	1	1	75	62.75	0	30000	378.4946237	11372.81548	30000	0	0	30000	42.75	2004
29.01.2020 13:37:09	1	1	1	1	74.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.25	2004
29.01.2020 13:37:16	1	1	1	1	74.75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.375	2004
29.01.2020 13:37:16	1	1	1	1	74.75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.375	2004
29.01.2020 13:37:16	1	1	1	1	74.75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.375	2004
29.01.2020 13:37:16	1	1	1	1	74.75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.375	2004
29.01.2020 13:37:16	1	1	1	1	74.75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.375	2004
29.01.2020 13:37:16	1	1	1	1	74.75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.375	2004
29.01.2020 13:37:16	1	1	1	1	74.75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.375	2004
29.01.2020 13:37:17	1	1	1	1	74.75	63.25	0	29905.213	335.483871	9855.407279	30000	0	0	30000	43.25	2004
29.01.2020 13:37:18	1	1	1	1	75	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.1875	2004
29.01.2020 13:37:19	1	1	1	1	75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43	2004
29.01.2020 13:37:20	1	1	1	1	75	63	0	29905.213	350.5376344	10692.79483	30000	0	0	30000	42.75	2004
29.01.2020 13:37:21	1	1	1	1	75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
29.01.2020 13:37:22	1	1	1	1	75	62.5	0	30094.787	372.0430108	10773.5167	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:37:23	1	1	1	1	75	63	0	30000	359.1397849	10790.63952	30000	0	0	30000	43.1875	2004
29.01.2020 13:37:24	1	1	1	1	75	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.0625	2004
29.01.2020 13:37:26	1	1	1	1	75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.25	2004
29.01.2020 13:37:27	1	1	1	1	75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
29.01.2020 13:37:28	1	1	1	1	75	63	0	30000	382.7956989	11548.12057	30000	0	0	30000	43.125	2004
29.01.2020 13:37:29	1	1	1	1	75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.875	2004
29.01.2020 13:37:30	1	1	1	1	75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
29.01.2020 13:37:31	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
29.01.2020 13:37:32	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
29.01.2020 13:37:33	1	1	1	1	75	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
29.01.2020 13:37:34	1	1	1	1	75	63	0	29952.607	389.2473118	11871.00807	30000	0	0	30000	43.0625	2004
29.01.2020 13:37:35	1	1	1	1	75	63	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	43.1875	2004
29.01.2020 13:37:36	1	1	1	1	75	63	0	30000	423.655914	12580.38214	30000	0	0	30000	42.8125	2004
29.01.2020 13:37:37	1	1	1	1	75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.1875	2004
29.01.2020 13:37:38	1	1	1	1	75	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
29.01.2020 13:37:39	1	1	1	1	74.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
29.01.2020 13:37:40	1	1	1	1	74.5	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.25	2004
29.01.2020 13:37:41	1	1	1	1	74.5	63.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.8125	2004
29.01.2020 13:37:42	1	1	1	1	74.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
29.01.2020 13:37:43	1	1	1	1	74.5	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	43	2004
29.01.2020 13:37:44	1	1	1	1	74.5	63	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.25	2004
29.01.2020 13:37:45	1	1	1	1	74.5	63.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
29.01.2020 13:37:46	1	1	1	1	74.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
29.01.2020 13:37:47	1	1	1	1	74.5	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
29.01.2020 13:37:48	1	1	1	1	74.5	63	0	30047.393	455.9139785	13483.81486	30000	0	0	30000	42.6875	2004
29.01.2020 13:37:49	1	1	1	1	74.5	62.5	0	30000	434.4086022	13160.92735	30000	0	0	30000	43	2004
29.01.2020 13:37:50	1	1	1	1	74.5	63	0	29952.607	434.4086022	12947.29976	30000	0	0	30000	43.25	2004
29.01.2020 13:37:51	1	1	1	1	74.5	63.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
29.01.2020 13:37:52	1	1	1	1	74.5	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
29.01.2020 13:37:53	1	1	1	1	74.5	63	0	30000	440.8602151	13225.34178	30000	0	0	30000	43.1875	2004
29.01.2020 13:37:54	1	1	1	1	74.5	63	0	30000	453.7634409	13354.17063	30000	0	0	30000	43.25	2004
29.01.2020 13:37:55	1	1	1	1	74.5	63.25	0	30000	440.8602151	13354.17063	30000	0	0	30000	43.125	2004
29.01.2020 13:37:56	1	1	1	1	74.5	63	0	29952.607	453.7634409	13591.44402	30000	0	0	30000	43.375	2004
29.01.2020 13:37:57	1	1	1	1	74.5	63.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
29.01.2020 13:37:58	1	1	1	1	74.75	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.75	2004
29.01.2020 13:37:59	1	1	1	1	74.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
29.01.2020 13:38:00	1	1	1	1	74.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
29.01.2020 13:38:01	1	1	1	1	74.75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5	2004
29.01.2020 13:38:02	1	1	1	1	74.75	62.5	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	43.1875	2004
29.01.2020 13:38:04	1	1	1	1	74.75	63	0	29952.607	443.0107527	13160.92735	30000	0	0	30000	43.125	2004
29.01.2020 13:38:05	1	1	1	1	74.75	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.875	2004
29.01.2020 13:38:06	1	1	1	1	74.75	62.75	0	30000	434.4086022	13160.92735	30000	0	0	30000	43.125	2004
29.01.2020 13:38:07	1	1	1	1	74.75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:38:08	1	1	1	1	74.75	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.625	2004
29.01.2020 13:38:09	1	1	1	1	74.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
29.01.2020 13:38:10	1	1	1	1	74.25	63	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.5625	2004
29.01.2020 13:38:11	1	1	1	1	74.25	62.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.3125	2004
29.01.2020 13:38:18	1	1	1	1	74.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 13:38:18	1	1	1	1	74.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 13:38:18	1	1	1	1	74.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 13:38:18	1	1	1	1	74.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 13:38:18	1	1	1	1	74.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 13:38:18	1	1	1	1	74.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 13:38:18	1	1	1	1	74.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.8125	2004
29.01.2020 13:38:19	1	1	1	1	74.25	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.0625	2004
29.01.2020 13:38:20	1	1	1	1	74.25	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
29.01.2020 13:38:21	1	1	1	1	74.25	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.0625	2004
29.01.2020 13:38:22	1	1	1	1	74.25	63	0	29952.607	301.0752688	9018.019732	30000	0	0	30000	42.8125	2004
29.01.2020 13:38:23	1	1	1	1	74.25	62.75	0	29905.213	303.2258065	9031.881064	30000	0	0	30000	43.3125	2004
29.01.2020 13:38:24	1	1	1	1	74.25	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.1875	2004
29.01.2020 13:38:25	1	1	1	1	74.25	63	0	29905.213	298.9247312	9146.848585	30000	0	0	30000	43.0625	2004
29.01.2020 13:38:26	1	1	1	1	74.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.125	2004
29.01.2020 13:38:27	1	1	1	1	74.25	63	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.0625	2004
29.01.2020 13:38:28	1	1	1	1	74.25	63	0	29952.607	305.3763441	9132.171881	30000	0	0	30000	42.875	2004
29.01.2020 13:38:29	1	1	1	1	74.25	62.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.1875	2004
29.01.2020 13:38:30	1	1	1	1	74.25	63	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.375	2004
29.01.2020 13:38:31	1	1	1	1	74.25	62.25	0	30000	290.3225806	8580.164705	30000	0	0	30000	42.875	2004
29.01.2020 13:38:32	1	1	1	1	74.25	62.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.3125	2004
29.01.2020 13:38:33	1	1	1	1	74.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
29.01.2020 13:38:34	1	1	1	1	74.25	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 13:38:35	1	1	1	1	74.25	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	43.125	2004
29.01.2020 13:38:36	1	1	1	1	74.25	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.125	2004
29.01.2020 13:38:37	1	1	1	1	74.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.1875	2004
29.01.2020 13:38:38	1	1	1	1	74.25	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:38:39	1	1	1	1	74.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.875	2004
29.01.2020 13:38:40	1	1	1	1	74.25	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.375	2004
29.01.2020 13:38:41	1	1	1	1	74.25	63.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	43	2004
29.01.2020 13:38:42	1	1	1	1	74.25	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.125	2004
29.01.2020 13:38:44	1	1	1	1	74.25	63	0	30000	303.2258065	8838.637784	30000	0	0	30000	43.125	2004
29.01.2020 13:38:45	1	1	1	1	74.25	63	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
29.01.2020 13:38:46	1	1	1	1	74.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.875	2004
29.01.2020 13:38:47	1	1	1	1	74.25	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 13:38:48	1	1	1	1	74.25	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.0625	2004
29.01.2020 13:38:49	1	1	1	1	74	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:38:50	1	1	1	1	74	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.3125	2004
29.01.2020 13:38:51	1	1	1	1	74	63.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:38:52	1	1	1	1	74	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.125	2004
29.01.2020 13:38:53	1	1	1	1	74	63	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	43.25	2004
29.01.2020 13:38:54	1	1	1	1	74	63.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.75	2004
29.01.2020 13:38:55	1	1	1	1	74	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
29.01.2020 13:38:56	1	1	1	1	74	63	0	29905.213	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
29.01.2020 13:38:57	1	1	1	1	74	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.125	2004
29.01.2020 13:38:58	1	1	1	1	74	63	0	30047.393	316.1290323	9498.274128	30000	0	0	30000	43	2004
29.01.2020 13:38:59	1	1	1	1	74	63	0	30000	311.827957	9419.182997	30000	0	0	30000	43.125	2004
29.01.2020 13:39:00	1	1	1	1	74	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.75	2004
29.01.2020 13:39:01	1	1	1	1	74	62.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.25	2004
29.01.2020 13:39:02	1	1	1	1	74	63.25	0	30000	320.4301075	9548.01185	30000	0	0	30000	43.125	2004
29.01.2020 13:39:03	1	1	1	1	74	63	0	30047.393	316.1290323	9578.180632	30000	0	0	30000	43.1875	2004
29.01.2020 13:39:04	1	1	1	1	74	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.125	2004
29.01.2020 13:39:05	1	1	1	1	74	63	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.1875	2004
29.01.2020 13:39:06	1	1	1	1	74	63	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	43	2004
29.01.2020 13:39:07	1	1	1	1	74	63	0	30047.393	337.6344086	9999.728209	30000	0	0	30000	43.1875	2004
29.01.2020 13:39:08	1	1	1	1	74	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
29.01.2020 13:39:09	1	1	1	1	74	63	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.0625	2004
29.01.2020 13:39:10	1	1	1	1	74	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.3125	2004
29.01.2020 13:39:11	1	1	1	1	74	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
29.01.2020 13:39:12	1	1	1	1	74	62.75	0	30000	311.827957	9290.354143	30000	0	0	30000	42.9375	2004
29.01.2020 13:39:20	1	1	1	1	74	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:39:20	1	1	1	1	74	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:39:20	1	1	1	1	74	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:39:20	1	1	1	1	74	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:39:20	1	1	1	1	74	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:39:20	1	1	1	1	74	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:39:20	1	1	1	1	74	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:39:20	1	1	1	1	74	63	0	30000	288.172043	8708.993559	30000	0	0	30000	43	2004
29.01.2020 13:39:21	1	1	1	1	74	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 13:39:23	1	1	1	1	74	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.0625	2004
29.01.2020 13:39:24	1	1	1	1	74	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.9375	2004
29.01.2020 13:39:25	1	1	1	1	74	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.25	2004
29.01.2020 13:39:26	1	1	1	1	74	62.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.9375	2004
29.01.2020 13:39:27	1	1	1	1	74	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.375	2004
29.01.2020 13:39:28	1	1	1	1	74	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.1875	2004
29.01.2020 13:39:29	1	1	1	1	74	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43	2004
29.01.2020 13:39:30	1	1	1	1	74	63	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.5	2004
29.01.2020 13:39:31	1	1	1	1	74	62.5	0	29952.607	324.7311828	9806.484929	30000	0	0	30000	43	2004
29.01.2020 13:39:32	1	1	1	1	74	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
29.01.2020 13:39:33	1	1	1	1	74	63	0	29952.607	331.1827957	9903.514255	30000	0	0	30000	42.9375	2004
29.01.2020 13:39:34	1	1	1	1	74	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.0625	2004
29.01.2020 13:39:35	1	1	1	1	74	63	0	29952.607	329.0322581	9806.484929	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:39:36	1	1	1	1	74	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
29.01.2020 13:39:37	1	1	1	1	74	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 13:39:38	1	1	1	1	74	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.9375	2004
29.01.2020 13:39:39	1	1	1	1	74	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.125	2004
29.01.2020 13:39:40	1	1	1	1	74	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
29.01.2020 13:39:41	1	1	1	1	74	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.875	2004
29.01.2020 13:39:42	1	1	1	1	74	62.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.125	2004
29.01.2020 13:39:43	1	1	1	1	74	63	0	30000	329.0322581	9855.407279	30000	0	0	30000	42.875	2004
29.01.2020 13:39:44	1	1	1	1	74	62.75	0	30000	324.7311828	9870.899356	30000	0	0	30000	43.125	2004
29.01.2020 13:39:45	1	1	1	1	74	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
29.01.2020 13:39:46	1	1	1	1	74	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43	2004
29.01.2020 13:39:47	1	1	1	1	74	63	0	30000	320.4301075	9483.597423	30000	0	0	30000	43.0625	2004
29.01.2020 13:39:48	1	1	1	1	74	63	0	30000	318.2795699	9772.239285	30000	0	0	30000	42.875	2004
29.01.2020 13:39:49	1	1	1	1	74.25	62.75	0	30000	311.827957	9483.597423	30000	0	0	30000	43.3125	2004
29.01.2020 13:39:50	1	1	1	1	74.25	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.25	2004
29.01.2020 13:39:51	1	1	1	1	74.25	63.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.875	2004
29.01.2020 13:39:52	1	1	1	1	74.25	63.25	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	42.8125	2004
29.01.2020 13:39:53	1	1	1	1	74.25	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.0625	2004
29.01.2020 13:39:54	1	1	1	1	74.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
29.01.2020 13:39:55	1	1	1	1	74.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.75	2004
29.01.2020 13:39:56	1	1	1	1	74.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43	2004
29.01.2020 13:39:57	1	1	1	1	74.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 13:39:58	1	1	1	1	74	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
29.01.2020 13:40:00	1	1	1	1	74	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.875	2004
29.01.2020 13:40:01	1	1	1	1	74	62.75	0	30000	339.7849462	10113.06499	30000	0	0	30000	43	2004
29.01.2020 13:40:02	1	1	1	1	74	63	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	42.625	2004
29.01.2020 13:40:03	1	1	1	1	74	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 13:40:04	1	1	1	1	74	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 13:40:05	1	1	1	1	74	62.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	43.0625	2004
29.01.2020 13:40:06	1	1	1	1	74	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	42.4375	2004
29.01.2020 13:40:07	1	1	1	1	74	62.25	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.875	2004
29.01.2020 13:40:08	1	1	1	1	74	62.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.8125	2004
29.01.2020 13:40:09	1	1	1	1	73.75	62.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.0625	2004
29.01.2020 13:40:10	1	1	1	1	73.75	63	0	30000	369.8924731	11390.75368	30000	0	0	30000	43.0625	2004
29.01.2020 13:40:11	1	1	1	1	73.75	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.125	2004
29.01.2020 13:40:12	1	1	1	1	73.75	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.875	2004
29.01.2020 13:40:13	1	1	1	1	73.75	62.75	0	30000	331.1827957	10015.22029	30000	0	0	30000	42.875	2004
29.01.2020 13:40:14	1	1	1	1	73.75	62.75	0	29952.607	333.3333333	9984.236132	30000	0	0	30000	43.125	2004
29.01.2020 13:40:21	1	1	1	1	73.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:21	1	1	1	1	73.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:21	1	1	1	1	73.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:21	1	1	1	1	73.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:21	1	1	1	1	73.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:40:21	1	1	1	1	73.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:21	1	1	1	1	73.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:22	1	1	1	1	73.75	62.75	0	30000	311.827957	9419.182997	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:23	1	1	1	1	73.75	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.125	2004
29.01.2020 13:40:24	1	1	1	1	73.75	63	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	43.125	2004
29.01.2020 13:40:25	1	1	1	1	73.75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.0625	2004
29.01.2020 13:40:26	1	1	1	1	73.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
29.01.2020 13:40:27	1	1	1	1	73.75	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.25	2004
29.01.2020 13:40:28	1	1	1	1	73.75	63.25	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	43.125	2004
29.01.2020 13:40:29	1	1	1	1	73.5	63	0	29289.1	298.9247312	8740.793086	30000	0	0	30000	43.5	2004
29.01.2020 13:40:30	1	1	1	1	73.5	63.5	0	30000	305.3763441	9146.848585	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:31	1	1	1	1	73.5	62.75	0	30047.393	298.9247312	8967.466638	30000	0	0	30000	43.125	2004
29.01.2020 13:40:32	1	1	1	1	73.5	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:33	1	1	1	1	73.5	62.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:34	1	1	1	1	73.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	43	2004
29.01.2020 13:40:35	1	1	1	1	73.5	63	0	29952.607	313.9784946	9612.426277	30000	0	0	30000	42.75	2004
29.01.2020 13:40:36	1	1	1	1	73.5	62.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	43	2004
29.01.2020 13:40:37	1	1	1	1	73.5	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.0625	2004
29.01.2020 13:40:39	1	1	1	1	73.5	63	0	30000	316.1290323	9548.01185	30000	0	0	30000	43	2004
29.01.2020 13:40:40	1	1	1	1	73.5	63	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.8125	2004
29.01.2020 13:40:41	1	1	1	1	73.5	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 13:40:44	1	1	1	1	73.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 13:40:44	1	1	1	1	73.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 13:40:44	1	1	1	1	73.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 13:40:45	1	1	1	1	73.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 13:40:46	1	1	1	1	73.5	62.25	0	29431.28	356.9892473	10552.55076	30000	0	0	30000	43.1875	2004
29.01.2020 13:40:47	1	1	1	1	73.5	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43	2004
29.01.2020 13:40:48	1	1	1	1	73.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:49	1	1	1	1	73.25	62.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:50	1	1	1	1	73.25	62.75	0	24691.943	335.483871	8368.167858	30000	0	0	30000	43.25	2004
29.01.2020 13:40:51	1	1	1	1	73.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
29.01.2020 13:40:52	1	1	1	1	73.25	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 13:40:53	1	1	1	1	73.25	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
29.01.2020 13:40:54	1	1	1	1	73.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
29.01.2020 13:40:55	1	1	1	1	73.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:40:56	1	1	1	1	73.25	62.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.9375	2004
29.01.2020 13:40:57	1	1	1	1	73.25	62.75	0	29905.213	395.6989247	11640.25766	30000	0	0	30000	42.125	2004
29.01.2020 13:40:58	1	1	1	1	73.25	62	0	30000	397.8494624	12064.25135	30000	0	0	30000	42.8125	2004
29.01.2020 13:40:59	1	1	1	1	73	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
29.01.2020 13:41:00	1	1	1	1	73	63	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	42.75	2004
29.01.2020 13:41:01	1	1	1	1	73	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
29.01.2020 13:41:02	1	1	1	1	73	62.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
29.01.2020 13:41:03	1	1	1	1	73	63	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:41:04	1	1	1	1	73	63	0	30000	324.7311828	9806.484929	30000	0	0	30000	43	2004
29.01.2020 13:41:05	1	1	1	1	73	63	0	30000	333.3333333	10128.55706	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:06	1	1	1	1	73	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43	2004
29.01.2020 13:41:07	1	1	1	1	73	63	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.0625	2004
29.01.2020 13:41:08	1	1	1	1	73	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
29.01.2020 13:41:09	1	1	1	1	73	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.4375	2004
29.01.2020 13:41:10	1	1	1	1	73	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.0625	2004
29.01.2020 13:41:11	1	1	1	1	73	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
29.01.2020 13:41:12	1	1	1	1	73	63.25	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 13:41:13	1	1	1	1	73	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.125	2004
29.01.2020 13:41:14	1	1	1	1	73	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.8125	2004
29.01.2020 13:41:15	1	1	1	1	73	62.75	0	30000	288.172043	8580.164705	30000	0	0	30000	43.0625	2004
29.01.2020 13:41:23	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:23	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:23	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:23	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:23	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:23	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:23	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:23	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:24	1	1	1	1	73	62.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.125	2004
29.01.2020 13:41:25	1	1	1	1	73	63	0	30000	264.516129	7935.205066	30000	0	0	30000	42.5	2004
29.01.2020 13:41:26	1	1	1	1	73	62.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.125	2004
29.01.2020 13:41:27	1	1	1	1	73	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 13:41:28	1	1	1	1	73	63	0	29952.607	279.5698925	8322.506999	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:29	1	1	1	1	73	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.25	2004
29.01.2020 13:41:30	1	1	1	1	73	62.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:31	1	1	1	1	73	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
29.01.2020 13:41:32	1	1	1	1	73	63	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.0625	2004
29.01.2020 13:41:33	1	1	1	1	73	63	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	43	2004
29.01.2020 13:41:34	1	1	1	1	73	63	0	30047.393	266.6666667	7935.205066	30000	0	0	30000	43	2004
29.01.2020 13:41:35	1	1	1	1	73	63	0	30000	262.3655914	7935.205066	30000	0	0	30000	43	2004
29.01.2020 13:41:36	1	1	1	1	73	63	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:37	1	1	1	1	73	62.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.9375	2004
29.01.2020 13:41:38	1	1	1	1	73	62.75	0	30000	255.9139785	7741.961786	30000	0	0	30000	43	2004
29.01.2020 13:41:39	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.6875	2004
29.01.2020 13:41:40	1	1	1	1	73	62.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.6875	2004
29.01.2020 13:41:41	1	1	1	1	73	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.1875	2004
29.01.2020 13:41:42	1	1	1	1	73	63	0	30000	264.516129	7999.619493	30000	0	0	30000	43.125	2004
29.01.2020 13:41:43	1	1	1	1	73	63	0	30000	264.516129	7870.79064	30000	0	0	30000	42.5	2004
29.01.2020 13:41:44	1	1	1	1	73	62.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43	2004
29.01.2020 13:41:45	1	1	1	1	73	63	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.875	2004
29.01.2020 13:41:46	1	1	1	1	73	62.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.5	2004
29.01.2020 13:41:47	1	1	1	1	73	63.5	0	29905.213	264.516129	7935.205066	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:41:48	1	1	1	1	73	63.25	0	30000	260.2150538	7794.145626	30000	0	0	30000	42.8125	2004
29.01.2020 13:41:49	1	1	1	1	72.75	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.625	2004
29.01.2020 13:41:50	1	1	1	1	72.75	62.5	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	42.875	2004
29.01.2020 13:41:51	1	1	1	1	72.75	62.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.0625	2004
29.01.2020 13:41:52	1	1	1	1	72.75	63	0	30000	255.9139785	7741.961786	30000	0	0	30000	43	2004
29.01.2020 13:41:53	1	1	1	1	72.75	63	0	30000	258.0645161	7935.205066	30000	0	0	30000	42.625	2004
29.01.2020 13:41:54	1	1	1	1	72.75	62.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	43	2004
29.01.2020 13:41:55	1	1	1	1	72.75	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.75	2004
29.01.2020 13:41:57	1	1	1	1	72.75	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43	2004
29.01.2020 13:41:58	1	1	1	1	72.75	63	0	30000	258.0645161	7806.376213	30000	0	0	30000	42.75	2004
29.01.2020 13:41:59	1	1	1	1	72.5	62.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	43	2004
29.01.2020 13:42:00	1	1	1	1	72.5	63	0	30000	258.0645161	7806.376213	30000	0	0	30000	43	2004
29.01.2020 13:42:01	1	1	1	1	72.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43	2004
29.01.2020 13:42:02	1	1	1	1	72.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.0625	2004
29.01.2020 13:42:03	1	1	1	1	72.5	63	0	30000	273.1182796	8180.632185	30000	0	0	30000	42.625	2004
29.01.2020 13:42:04	1	1	1	1	72.5	62.5	0	29952.607	275.2688172	8192.862773	30000	0	0	30000	43.125	2004
29.01.2020 13:42:05	1	1	1	1	72.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.75	2004
29.01.2020 13:42:06	1	1	1	1	72.5	62.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.0625	2004
29.01.2020 13:42:07	1	1	1	1	72.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:08	1	1	1	1	72.5	62.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.875	2004
29.01.2020 13:42:09	1	1	1	1	72.75	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.3125	2004
29.01.2020 13:42:10	1	1	1	1	72.75	62.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:11	1	1	1	1	72.75	62.75	0	30094.787	268.8172043	7999.619493	30000	0	0	30000	43.0625	2004
29.01.2020 13:42:12	1	1	1	1	72.75	63	0	30000	264.516129	7935.205066	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:13	1	1	1	1	72.75	62.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.8125	2004
29.01.2020 13:42:14	1	1	1	1	72.75	62.75	0	30000	266.6666667	8128.448346	30000	0	0	30000	42.875	2004
29.01.2020 13:42:15	1	1	1	1	72.75	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.875	2004
29.01.2020 13:42:16	1	1	1	1	72.75	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.5625	2004
29.01.2020 13:42:17	1	1	1	1	72.75	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:24	1	1	1	1	72.75	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.625	2004
29.01.2020 13:42:24	1	1	1	1	72.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
29.01.2020 13:42:24	1	1	1	1	72.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
29.01.2020 13:42:24	1	1	1	1	72.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
29.01.2020 13:42:24	1	1	1	1	72.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
29.01.2020 13:42:24	1	1	1	1	72.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
29.01.2020 13:42:24	1	1	1	1	72.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
29.01.2020 13:42:25	1	1	1	1	72.75	63.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:26	1	1	1	1	72.75	62.75	0	30000	305.3763441	9354.76857	30000	0	0	30000	43.0625	2004
29.01.2020 13:42:27	1	1	1	1	72.75	63.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.5	2004
29.01.2020 13:42:28	1	1	1	1	73	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
29.01.2020 13:42:29	1	1	1	1	73	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.6875	2004
29.01.2020 13:42:30	1	1	1	1	73	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 13:42:31	1	1	1	1	73	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:42:32	1	1	1	1	73	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:33	1	1	1	1	73	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.8125	2004
29.01.2020 13:42:35	1	1	1	1	73	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:36	1	1	1	1	73	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.875	2004
29.01.2020 13:42:37	1	1	1	1	73	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 13:42:38	1	1	1	1	73	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
29.01.2020 13:42:39	1	1	1	1	72.75	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.1875	2004
29.01.2020 13:42:40	1	1	1	1	72.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 13:42:41	1	1	1	1	72.75	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
29.01.2020 13:42:42	1	1	1	1	72.75	62.75	0	30000	350.5376344	10418.0143	30000	0	0	30000	43	2004
29.01.2020 13:42:43	1	1	1	1	72.75	63	0	30000	356.9892473	10515.85899	30000	0	0	30000	42	2004
29.01.2020 13:42:44	1	1	1	1	72.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:45	1	1	1	1	72.75	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:46	1	1	1	1	72.75	62.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
29.01.2020 13:42:47	1	1	1	1	72.75	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.0625	2004
29.01.2020 13:42:48	1	1	1	1	72.75	63	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43.0625	2004
29.01.2020 13:42:49	1	1	1	1	72.75	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.8125	2004
29.01.2020 13:42:50	1	1	1	1	72.75	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.8125	2004
29.01.2020 13:42:51	1	1	1	1	72.75	62.75	0	30000	359.1397849	10644.68785	30000	0	0	30000	42.625	2004
29.01.2020 13:42:52	1	1	1	1	72.75	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.0625	2004
29.01.2020 13:42:53	1	1	1	1	72.75	63	0	30000	348.3870968	10644.68785	30000	0	0	30000	43.25	2004
29.01.2020 13:42:54	1	1	1	1	72.75	63.25	0	30000	344.0860215	10192.97149	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:55	1	1	1	1	72.75	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.125	2004
29.01.2020 13:42:56	1	1	1	1	72.75	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:57	1	1	1	1	72.75	62.75	0	30000	350.5376344	10678.11812	30000	0	0	30000	43	2004
29.01.2020 13:42:58	1	1	1	1	72.75	63	0	30047.393	350.5376344	10387.03014	30000	0	0	30000	42.9375	2004
29.01.2020 13:42:59	1	1	1	1	72.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
29.01.2020 13:43:00	1	1	1	1	72.75	62.75	0	30000	337.6344086	10257.38592	30000	0	0	30000	43	2004
29.01.2020 13:43:01	1	1	1	1	72.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43	2004
29.01.2020 13:43:02	1	1	1	1	72.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
29.01.2020 13:43:03	1	1	1	1	72.75	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 13:43:04	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.375	2004
29.01.2020 13:43:05	1	1	1	1	72.75	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
29.01.2020 13:43:06	1	1	1	1	72.75	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
29.01.2020 13:43:07	1	1	1	1	72.75	62.75	0	30000	329.0322581	9741.25513	30000	0	0	30000	42.875	2004
29.01.2020 13:43:08	1	1	1	1	73	63.25	0	29952.607	316.1290323	9676.840703	30000	0	0	30000	42.875	2004
29.01.2020 13:43:09	1	1	1	1	73	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.875	2004
29.01.2020 13:43:10	1	1	1	1	73	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.75	2004
29.01.2020 13:43:11	1	1	1	1	73	62.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	42.8125	2004
29.01.2020 13:43:12	1	1	1	1	73	62.75	0	29905.213	348.3870968	10387.03014	30000	0	0	30000	42.8125	2004
29.01.2020 13:43:14	1	1	1	1	73	62.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
29.01.2020 13:43:15	1	1	1	1	73	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	43	2004
29.01.2020 13:43:16	1	1	1	1	73	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:43:17	1	1	1	1	73	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.875	2004
29.01.2020 13:43:18	1	1	1	1	73	62.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	42.875	2004
29.01.2020 13:43:19	1	1	1	1	72.5	62.75	0	30000	301.0752688	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 13:43:26	1	1	1	1	72.5	62.75	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:26	1	1	1	1	72.5	62.75	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:26	1	1	1	1	72.5	62.75	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:26	1	1	1	1	72.5	62.75	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:26	1	1	1	1	72.5	62.75	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:26	1	1	1	1	72.5	62.75	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:26	1	1	1	1	72.5	62.75	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:26	1	1	1	1	72.5	62.75	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:27	1	1	1	1	72.5	63	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.75	2004
29.01.2020 13:43:28	1	1	1	1	72.5	62.75	0	30000	279.5698925	8515.750279	30000	0	0	30000	43	2004
29.01.2020 13:43:29	1	1	1	1	72.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:30	1	1	1	1	72.5	63	0	29952.607	266.6666667	8192.862773	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:31	1	1	1	1	72.5	63	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.75	2004
29.01.2020 13:43:32	1	1	1	1	72.5	62.75	0	30000	270.9677419	7987.388905	30000	0	0	30000	43	2004
29.01.2020 13:43:33	1	1	1	1	72.5	63	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:34	1	1	1	1	72.5	63	0	30000	275.2688172	8309.461039	30000	0	0	30000	42.875	2004
29.01.2020 13:43:35	1	1	1	1	72.5	62.75	0	30000	268.8172043	8258.092572	30000	0	0	30000	42.8125	2004
29.01.2020 13:43:36	1	1	1	1	72.5	62.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.125	2004
29.01.2020 13:43:37	1	1	1	1	72.5	63	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.9375	2004
29.01.2020 13:43:38	1	1	1	1	72.5	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.75	2004
29.01.2020 13:43:39	1	1	1	1	72.5	62.75	0	29952.607	283.8709677	8515.750279	30000	0	0	30000	42.875	2004
29.01.2020 13:43:40	1	1	1	1	72.5	62.75	0	29952.607	288.172043	8903.052211	30000	0	0	30000	42.3125	2004
29.01.2020 13:43:41	1	1	1	1	72.5	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
29.01.2020 13:43:42	1	1	1	1	72.5	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.875	2004
29.01.2020 13:43:43	1	1	1	1	72.5	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.375	2004
29.01.2020 13:43:44	1	1	1	1	72.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
29.01.2020 13:43:45	1	1	1	1	72.5	63.25	0	30094.787	329.0322581	9612.426277	30000	0	0	30000	43.375	2004
29.01.2020 13:43:46	1	1	1	1	72.5	63.25	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	43.125	2004
29.01.2020 13:43:47	1	1	1	1	72.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43	2004
29.01.2020 13:43:48	1	1	1	1	72.25	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.75	2004
29.01.2020 13:43:49	1	1	1	1	72.25	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
29.01.2020 13:43:50	1	1	1	1	72.25	63	0	30000	341.9354839	10515.85899	30000	0	0	30000	42.8125	2004
29.01.2020 13:43:52	1	1	1	1	72.25	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 13:43:53	1	1	1	1	72.25	62.75	0	30000	346.2365591	10257.38592	30000	0	0	30000	43	2004
29.01.2020 13:43:54	1	1	1	1	72.25	63	0	29905.213	339.7849462	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 13:43:55	1	1	1	1	72.25	62.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	42.375	2004
29.01.2020 13:43:56	1	1	1	1	72.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.875	2004
29.01.2020 13:43:57	1	1	1	1	72.25	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	43	2004
29.01.2020 13:43:58	1	1	1	1	72.25	63	0	29905.213	348.3870968	10515.85899	30000	0	0	30000	42.75	2004
29.01.2020 13:43:59	1	1	1	1	72.25	62.75	0	30000	341.9354839	10177.47941	30000	0	0	30000	42.5625	2004
29.01.2020 13:44:00	1	1	1	1	72.25	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:44:01	1	1	1	1	72.25	63	0	30000	354.8387097	10580.27342	30000	0	0	30000	42.5	2004
29.01.2020 13:44:02	1	1	1	1	72.25	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.625	2004
29.01.2020 13:44:03	1	1	1	1	72.25	62.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.875	2004
29.01.2020 13:44:04	1	1	1	1	72.25	62.75	0	29952.607	326.8817204	9999.728209	30000	0	0	30000	43	2004
29.01.2020 13:44:05	1	1	1	1	72.25	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:06	1	1	1	1	72.25	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:07	1	1	1	1	72.25	62.75	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	43	2004
29.01.2020 13:44:08	1	1	1	1	72.25	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
29.01.2020 13:44:09	1	1	1	1	72.25	63	0	29905.213	294.6236559	8903.052211	30000	0	0	30000	42.875	2004
29.01.2020 13:44:10	1	1	1	1	72.25	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.625	2004
29.01.2020 13:44:11	1	1	1	1	72.25	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 13:44:12	1	1	1	1	72.25	62.75	0	30000	303.2258065	8889.190879	30000	0	0	30000	43	2004
29.01.2020 13:44:13	1	1	1	1	72.25	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.875	2004
29.01.2020 13:44:14	1	1	1	1	72.25	62.75	0	29952.607	303.2258065	9160.709918	30000	0	0	30000	42.875	2004
29.01.2020 13:44:15	1	1	1	1	72.25	62.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:16	1	1	1	1	72.25	62.75	0	30047.393	318.2795699	9548.01185	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:17	1	1	1	1	72.25	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 13:44:18	1	1	1	1	72.25	62.5	0	30000	318.2795699	9627.918354	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:19	1	1	1	1	72.25	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:20	1	1	1	1	72.25	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.125	2004
29.01.2020 13:44:28	1	1	1	1	72.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:28	1	1	1	1	72.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:28	1	1	1	1	72.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:28	1	1	1	1	72.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:28	1	1	1	1	72.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:28	1	1	1	1	72.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:28	1	1	1	1	72.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:29	1	1	1	1	72.25	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:30	1	1	1	1	72.25	62.75	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	42.5625	2004
29.01.2020 13:44:31	1	1	1	1	72.25	62.5	0	29905.213	322.5806452	9662.163999	30000	0	0	30000	43	2004
29.01.2020 13:44:32	1	1	1	1	72.25	63	0	30000	329.0322581	9950.80586	30000	0	0	30000	43	2004
29.01.2020 13:44:33	1	1	1	1	72.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
29.01.2020 13:44:34	1	1	1	1	72.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:35	1	1	1	1	72.25	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 13:44:36	1	1	1	1	72.25	62.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.1875	2004
29.01.2020 13:44:37	1	1	1	1	72.25	62	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:38	1	1	1	1	72.25	62.75	0	30000	331.1827957	9806.484929	30000	0	0	30000	42.75	2004
29.01.2020 13:44:39	1	1	1	1	72.25	62.75	0	29905.213	333.3333333	9999.728209	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:40	1	1	1	1	72.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
29.01.2020 13:44:41	1	1	1	1	72.25	63	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:42	1	1	1	1	72.25	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	43.0625	2004
29.01.2020 13:44:43	1	1	1	1	72.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:44	1	1	1	1	72.25	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:44:45	1	1	1	1	72.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:46	1	1	1	1	72.25	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43	2004
29.01.2020 13:44:47	1	1	1	1	72.25	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43	2004
29.01.2020 13:44:48	1	1	1	1	72.25	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.75	2004
29.01.2020 13:44:49	1	1	1	1	72.25	62.75	0	30000	369.8924731	10932.51434	30000	0	0	30000	42.625	2004
29.01.2020 13:44:50	1	1	1	1	72.25	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.5	2004
29.01.2020 13:44:51	1	1	1	1	72.25	62.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:52	1	1	1	1	72.25	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.875	2004
29.01.2020 13:44:53	1	1	1	1	72.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.8125	2004
29.01.2020 13:44:54	1	1	1	1	72.25	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
29.01.2020 13:44:55	1	1	1	1	72.25	63	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.9375	2004
29.01.2020 13:44:56	1	1	1	1	72.25	62.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	43	2004
29.01.2020 13:44:57	1	1	1	1	72.25	63	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	42.75	2004
29.01.2020 13:44:58	1	1	1	1	72.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.1875	2004
29.01.2020 13:44:59	1	1	1	1	72	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.6875	2004
29.01.2020 13:45:00	1	1	1	1	72	62.5	0	30000	384.9462366	11483.70614	30000	0	0	30000	43.125	2004
29.01.2020 13:45:01	1	1	1	1	72	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.8125	2004
29.01.2020 13:45:02	1	1	1	1	72	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
29.01.2020 13:45:03	1	1	1	1	72	62.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 13:45:05	1	1	1	1	72	62.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:06	1	1	1	1	72	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
29.01.2020 13:45:07	1	1	1	1	72	62.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.875	2004
29.01.2020 13:45:08	1	1	1	1	72	62.75	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	42.875	2004
29.01.2020 13:45:09	1	1	1	1	72	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
29.01.2020 13:45:10	1	1	1	1	72	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:11	1	1	1	1	72	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:12	1	1	1	1	72	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.0625	2004
29.01.2020 13:45:13	1	1	1	1	72	63	0	30000	335.483871	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 13:45:14	1	1	1	1	72	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	43	2004
29.01.2020 13:45:15	1	1	1	1	72	63	0	30000	335.483871	10064.14264	30000	0	0	30000	42.8125	2004
29.01.2020 13:45:16	1	1	1	1	72	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5	2004
29.01.2020 13:45:17	1	1	1	1	72	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.75	2004
29.01.2020 13:45:18	1	1	1	1	72	62.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	42.75	2004
29.01.2020 13:45:19	1	1	1	1	72	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.6875	2004
29.01.2020 13:45:20	1	1	1	1	72	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	43	2004
29.01.2020 13:45:21	1	1	1	1	72	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 13:45:22	1	1	1	1	72	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.6875	2004
29.01.2020 13:45:29	1	1	1	1	72	62.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:29	1	1	1	1	72	62.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:29	1	1	1	1	72	62.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:29	1	1	1	1	72	62.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:29	1	1	1	1	72	62.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:29	1	1	1	1	72	62.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:45:29	1	1	1	1	72	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:30	1	1	1	1	72	62.75	0	30000	350.5376344	10482.42872	30000	0	0	30000	42.875	2004
29.01.2020 13:45:31	1	1	1	1	72	62.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.5	2004
29.01.2020 13:45:32	1	1	1	1	72	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
29.01.2020 13:45:33	1	1	1	1	72	63	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:34	1	1	1	1	72	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43	2004
29.01.2020 13:45:35	1	1	1	1	72	63	0	30000	363.4408602	10967.57535	30000	0	0	30000	43.0625	2004
29.01.2020 13:45:36	1	1	1	1	72	63	0	30000	363.4408602	11261.10945	30000	0	0	30000	43.3125	2004
29.01.2020 13:45:37	1	1	1	1	72	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.375	2004
29.01.2020 13:45:38	1	1	1	1	72	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:45:39	1	1	1	1	72.25	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43	2004
29.01.2020 13:45:40	1	1	1	1	72.25	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43	2004
29.01.2020 13:45:41	1	1	1	1	72.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
29.01.2020 13:45:42	1	1	1	1	72.25	63	0	29952.607	395.6989247	11676.94942	30000	0	0	30000	42.625	2004
29.01.2020 13:45:44	1	1	1	1	72.25	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	43	2004
29.01.2020 13:45:45	1	1	1	1	72.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 13:45:46	1	1	1	1	72.25	62.5	0	30047.393	363.4408602	10790.63952	30000	0	0	30000	42.8125	2004
29.01.2020 13:45:47	1	1	1	1	72.25	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.75	2004
29.01.2020 13:45:48	1	1	1	1	72.25	62.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.8125	2004
29.01.2020 13:45:49	1	1	1	1	72	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 13:45:50	1	1	1	1	72	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:51	1	1	1	1	72	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.875	2004
29.01.2020 13:45:52	1	1	1	1	72	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.8125	2004
29.01.2020 13:45:53	1	1	1	1	72	62.75	0	30000	354.8387097	10580.27342	30000	0	0	30000	42.875	2004
29.01.2020 13:45:54	1	1	1	1	72	62.75	0	30000	346.2365591	10370.72269	30000	0	0	30000	42.8125	2004
29.01.2020 13:45:55	1	1	1	1	72	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	42.8125	2004
29.01.2020 13:45:56	1	1	1	1	72	62.75	0	29905.213	367.7419355	11160.81863	30000	0	0	30000	42.625	2004
29.01.2020 13:45:57	1	1	1	1	72	62.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.5625	2004
29.01.2020 13:45:58	1	1	1	1	72	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.9375	2004
29.01.2020 13:45:59	1	1	1	1	72	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.875	2004
29.01.2020 13:46:00	1	1	1	1	72	62.75	0	30000	391.3978495	11530.18237	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:01	1	1	1	1	72	62.75	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:02	1	1	1	1	72	62.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.875	2004
29.01.2020 13:46:03	1	1	1	1	72	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.375	2004
29.01.2020 13:46:04	1	1	1	1	72	62.25	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	43	2004
29.01.2020 13:46:05	1	1	1	1	72	63	0	30000	378.4946237	11584.81233	30000	0	0	30000	42.5625	2004
29.01.2020 13:46:06	1	1	1	1	72	62.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:07	1	1	1	1	72	62.75	0	30000	365.5913978	10950.45253	30000	0	0	30000	43.125	2004
29.01.2020 13:46:08	1	1	1	1	72	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
29.01.2020 13:46:09	1	1	1	1	72	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
29.01.2020 13:46:10	1	1	1	1	72	62.75	0	30000	395.6989247	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 13:46:11	1	1	1	1	72	62.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	42.875	2004
29.01.2020 13:46:12	1	1	1	1	72	62.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:46:13	1	1	1	1	72	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
29.01.2020 13:46:14	1	1	1	1	72	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:46:15	1	1	1	1	72	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
29.01.2020 13:46:16	1	1	1	1	72	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:17	1	1	1	1	72	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.75	2004
29.01.2020 13:46:18	1	1	1	1	72	62.75	0	29905.213	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
29.01.2020 13:46:19	1	1	1	1	72.25	62.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:20	1	1	1	1	72.25	62.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 13:46:21	1	1	1	1	72.25	62.5	0	30047.393	309.6774194	9290.354143	30000	0	0	30000	42.875	2004
29.01.2020 13:46:22	1	1	1	1	72.25	62.75	0	30000	309.6774194	9067.757454	30000	0	0	30000	42.875	2004
29.01.2020 13:46:24	1	1	1	1	72.25	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.5625	2004
29.01.2020 13:46:31	1	1	1	1	72.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:31	1	1	1	1	72.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:31	1	1	1	1	72.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:31	1	1	1	1	72.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:31	1	1	1	1	72.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:31	1	1	1	1	72.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:31	1	1	1	1	72.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:31	1	1	1	1	72.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 13:46:32	1	1	1	1	72.5	62.75	0	26113.744	279.5698925	7188.323866	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:33	1	1	1	1	72.5	62.75	0	29905.213	309.6774194	9354.76857	30000	0	0	30000	43.0625	2004
29.01.2020 13:46:34	1	1	1	1	72.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 13:46:35	1	1	1	1	72.5	62.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:36	1	1	1	1	72.5	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:37	1	1	1	1	72.5	62.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 13:46:38	1	1	1	1	72.5	62.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.875	2004
29.01.2020 13:46:39	1	1	1	1	72.5	62.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 13:46:40	1	1	1	1	72.5	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 13:46:41	1	1	1	1	72.5	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.1875	2004
29.01.2020 13:46:42	1	1	1	1	72.5	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:43	1	1	1	1	72.5	62.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 13:46:44	1	1	1	1	72.5	62.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:45	1	1	1	1	72.5	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 13:46:46	1	1	1	1	72.5	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.5625	2004
29.01.2020 13:46:47	1	1	1	1	72.5	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.25	2004
29.01.2020 13:46:48	1	1	1	1	72.5	62.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 13:46:49	1	1	1	1	72.5	62.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.6875	2004
29.01.2020 13:46:50	1	1	1	1	72.5	62.5	0	30000	341.9354839	10273.69337	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:51	1	1	1	1	72.5	62.75	0	29952.607	335.483871	10128.55706	30000	0	0	30000	42.9375	2004
29.01.2020 13:46:52	1	1	1	1	72.5	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43	2004
29.01.2020 13:46:53	1	1	1	1	72.5	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.875	2004
29.01.2020 13:46:54	1	1	1	1	72.5	62.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 13:46:55	1	1	1	1	72.5	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
29.01.2020 13:46:56	1	1	1	1	72.5	63.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:46:57	1	1	1	1	72.5	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
29.01.2020 13:46:58	1	1	1	1	72.5	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	43	2004
29.01.2020 13:46:59	1	1	1	1	72.5	63	0	30000	341.9354839	10451.44457	30000	0	0	30000	43	2004
29.01.2020 13:47:00	1	1	1	1	72.5	63	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	42.375	2004
29.01.2020 13:47:02	1	1	1	1	72.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
29.01.2020 13:47:03	1	1	1	1	72.5	62.75	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	42.9375	2004
29.01.2020 13:47:04	1	1	1	1	72.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.0625	2004
29.01.2020 13:47:05	1	1	1	1	72.5	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.9375	2004
29.01.2020 13:47:06	1	1	1	1	72.5	62.75	0	30047.393	384.9462366	11584.81233	30000	0	0	30000	42.8125	2004
29.01.2020 13:47:07	1	1	1	1	72.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 13:47:08	1	1	1	1	72.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 13:47:09	1	1	1	1	72.5	62.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.875	2004
29.01.2020 13:47:10	1	1	1	1	72.5	62.75	0	29905.213	365.5913978	10967.57535	30000	0	0	30000	42.875	2004
29.01.2020 13:47:11	1	1	1	1	72.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
29.01.2020 13:47:12	1	1	1	1	72.5	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.6875	2004
29.01.2020 13:47:13	1	1	1	1	72.5	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
29.01.2020 13:47:14	1	1	1	1	72.5	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43	2004
29.01.2020 13:47:15	1	1	1	1	72.5	63	0	30000	329.0322581	9711.086348	30000	0	0	30000	42.875	2004
29.01.2020 13:47:16	1	1	1	1	72.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 13:47:17	1	1	1	1	72.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 13:47:18	1	1	1	1	72.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
29.01.2020 13:47:19	1	1	1	1	72.25	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43	2004
29.01.2020 13:47:20	1	1	1	1	72.25	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.75	2004
29.01.2020 13:47:21	1	1	1	1	72.25	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.5625	2004
29.01.2020 13:47:22	1	1	1	1	72.25	62.5	0	30000	333.3333333	10128.55706	30000	0	0	30000	42.8125	2004
29.01.2020 13:47:23	1	1	1	1	72.25	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.9375	2004
29.01.2020 13:47:24	1	1	1	1	72.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43	2004
29.01.2020 13:47:25	1	1	1	1	72.25	63	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.8125	2004
29.01.2020 13:47:32	1	1	1	1	72.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 13:47:32	1	1	1	1	72.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 13:47:32	1	1	1	1	72.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 13:47:32	1	1	1	1	72.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 13:47:32	1	1	1	1	72.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 13:47:32	1	1	1	1	72.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 13:47:32	1	1	1	1	72.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 13:47:33	1	1	1	1	72.5	62.5	0	30000	316.1290323	9275.677439	30000	0	0	30000	43.0625	2004
29.01.2020 13:47:34	1	1	1	1	72.5	63	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.75	2004
29.01.2020 13:47:35	1	1	1	1	72.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 13:47:36	1	1	1	1	72.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5	2004
29.01.2020 13:47:37	1	1	1	1	72.5	62.5	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.875	2004
29.01.2020 13:47:39	1	1	1	1	72.5	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.9375	2004
29.01.2020 13:47:40	1	1	1	1	72.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.875	2004
29.01.2020 13:47:41	1	1	1	1	72.5	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:47:42	1	1	1	1	72.5	62.25	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	42.875	2004
29.01.2020 13:47:43	1	1	1	1	72.5	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 13:47:44	1	1	1	1	72.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
29.01.2020 13:47:45	1	1	1	1	72.5	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
29.01.2020 13:47:46	1	1	1	1	72.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
29.01.2020 13:47:47	1	1	1	1	72.5	63	0	30000	378.4946237	11437.22991	30000	0	0	30000	42.3125	2004
29.01.2020 13:47:48	1	1	1	1	72.5	62.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.75	2004
29.01.2020 13:47:49	1	1	1	1	72.25	62.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.9375	2004
29.01.2020 13:47:50	1	1	1	1	72.25	62.75	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	42.9375	2004
29.01.2020 13:47:51	1	1	1	1	72.25	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.8125	2004
29.01.2020 13:47:52	1	1	1	1	72.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 13:47:53	1	1	1	1	72.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
29.01.2020 13:47:54	1	1	1	1	72.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.6875	2004
29.01.2020 13:47:55	1	1	1	1	72.25	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.8125	2004
29.01.2020 13:47:56	1	1	1	1	72.25	62.75	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	42.875	2004
29.01.2020 13:47:57	1	1	1	1	72.25	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	43	2004
29.01.2020 13:47:58	1	1	1	1	72.25	63	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.75	2004
29.01.2020 13:47:59	1	1	1	1	72.5	62.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	42.875	2004
29.01.2020 13:48:00	1	1	1	1	72.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
29.01.2020 13:48:01	1	1	1	1	72.5	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.9375	2004
29.01.2020 13:48:02	1	1	1	1	72.5	62.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
29.01.2020 13:48:03	1	1	1	1	72.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
29.01.2020 13:48:04	1	1	1	1	72.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
29.01.2020 13:48:05	1	1	1	1	72.5	62.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	42.5625	2004
29.01.2020 13:48:06	1	1	1	1	72.5	62.5	0	30000	400	12064.25135	30000	0	0	30000	42.8125	2004
29.01.2020 13:48:07	1	1	1	1	72.5	62.75	0	30000	397.8494624	12128.66578	30000	0	0	30000	42.625	2004
29.01.2020 13:48:08	1	1	1	1	72.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
29.01.2020 13:48:09	1	1	1	1	72.25	62.75	0	30000	402.1505376	11999.83693	30000	0	0	30000	43	2004
29.01.2020 13:48:10	1	1	1	1	72.25	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
29.01.2020 13:48:11	1	1	1	1	72.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.3125	2004
29.01.2020 13:48:12	1	1	1	1	72.25	63.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	43	2004
29.01.2020 13:48:13	1	1	1	1	72.25	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.875	2004
29.01.2020 13:48:14	1	1	1	1	72.25	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 13:48:15	1	1	1	1	72.25	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.875	2004
29.01.2020 13:48:17	1	1	1	1	72.25	62.75	0	30000	346.2365591	10322.61571	30000	0	0	30000	42.375	2004
29.01.2020 13:48:18	1	1	1	1	72.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43	2004
29.01.2020 13:48:19	1	1	1	1	72.5	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43	2004
29.01.2020 13:48:20	1	1	1	1	72.5	63	0	29905.213	329.0322581	9775.500775	30000	0	0	30000	43	2004
29.01.2020 13:48:21	1	1	1	1	72.5	63	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:48:22	1	1	1	1	72.5	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5	2004
29.01.2020 13:48:23	1	1	1	1	72.5	62.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	42.4375	2004
29.01.2020 13:48:24	1	1	1	1	72.5	62.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.875	2004
29.01.2020 13:48:25	1	1	1	1	72.5	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:48:26	1	1	1	1	72.5	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.625	2004
29.01.2020 13:48:27	1	1	1	1	72.5	62.5	0	30000	290.3225806	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 13:48:34	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:48:34	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:48:34	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:48:34	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:48:34	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:48:34	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:48:34	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:48:35	1	1	1	1	72.25	63	0	29952.607	313.9784946	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 13:48:36	1	1	1	1	72.25	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.75	2004
29.01.2020 13:48:37	1	1	1	1	72.25	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.6875	2004
29.01.2020 13:48:38	1	1	1	1	72.25	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.9375	2004
29.01.2020 13:48:39	1	1	1	1	72.5	62.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	43	2004
29.01.2020 13:48:40	1	1	1	1	72.5	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.875	2004
29.01.2020 13:48:41	1	1	1	1	72.5	62.75	0	30000	316.1290323	9676.840703	30000	0	0	30000	42.3125	2004
29.01.2020 13:48:42	1	1	1	1	72.5	62.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.75	2004
29.01.2020 13:48:43	1	1	1	1	72.5	62.75	0	29905.213	318.2795699	9582.257495	30000	0	0	30000	42.8125	2004
29.01.2020 13:48:44	1	1	1	1	72.5	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
29.01.2020 13:48:45	1	1	1	1	72.5	62.75	0	30000	324.7311828	9582.257495	30000	0	0	30000	42.3125	2004
29.01.2020 13:48:46	1	1	1	1	72.5	62.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.8125	2004
29.01.2020 13:48:47	1	1	1	1	72.5	62.75	0	30000	316.1290323	9340.091865	30000	0	0	30000	42.75	2004
29.01.2020 13:48:48	1	1	1	1	72.5	62.75	0	29905.213	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
29.01.2020 13:48:49	1	1	1	1	72.5	62.75	0	30047.393	348.3870968	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 13:48:50	1	1	1	1	72.5	62.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.9375	2004
29.01.2020 13:48:51	1	1	1	1	72.5	62.75	0	29952.607	335.483871	10113.06499	30000	0	0	30000	42.875	2004
29.01.2020 13:48:52	1	1	1	1	72.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43	2004
29.01.2020 13:48:53	1	1	1	1	72.5	62.75	0	29952.607	346.2365591	10580.27342	30000	0	0	30000	42.875	2004
29.01.2020 13:48:54	1	1	1	1	72.5	62.75	0	30000	350.5376344	10499.55155	30000	0	0	30000	41.75	2004
29.01.2020 13:48:56	1	1	1	1	72.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
29.01.2020 13:48:57	1	1	1	1	72.5	62.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.8125	2004
29.01.2020 13:48:58	1	1	1	1	72.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
29.01.2020 13:48:59	1	1	1	1	72.5	62.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:00	1	1	1	1	72.5	62.75	0	30000	378.4946237	11096.40421	30000	0	0	30000	42.875	2004
29.01.2020 13:49:01	1	1	1	1	72.5	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.875	2004
29.01.2020 13:49:02	1	1	1	1	72.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.6875	2004
29.01.2020 13:49:03	1	1	1	1	72.5	61.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.875	2004
29.01.2020 13:49:04	1	1	1	1	72.5	62.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:05	1	1	1	1	72.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:06	1	1	1	1	72.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 13:49:07	1	1	1	1	72.5	62.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.125	2004
29.01.2020 13:49:08	1	1	1	1	72.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:09	1	1	1	1	72.25	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:49:10	1	1	1	1	72.25	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
29.01.2020 13:49:11	1	1	1	1	72.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:12	1	1	1	1	72.25	62.75	0	29905.213	359.1397849	11096.40421	30000	0	0	30000	43	2004
29.01.2020 13:49:13	1	1	1	1	72.25	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:14	1	1	1	1	72.25	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.625	2004
29.01.2020 13:49:15	1	1	1	1	72.25	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:16	1	1	1	1	72.25	62.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.125	2004
29.01.2020 13:49:17	1	1	1	1	72.25	62	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.375	2004
29.01.2020 13:49:18	1	1	1	1	72.25	62.25	0	30000	316.1290323	9612.426277	30000	0	0	30000	43	2004
29.01.2020 13:49:19	1	1	1	1	72.5	63	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:20	1	1	1	1	72.5	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:21	1	1	1	1	72.5	62.75	0	30000	322.5806452	9597.749572	30000	0	0	30000	42.875	2004
29.01.2020 13:49:22	1	1	1	1	72.5	62.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.875	2004
29.01.2020 13:49:23	1	1	1	1	72.5	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 13:49:24	1	1	1	1	72.5	62.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.75	2004
29.01.2020 13:49:25	1	1	1	1	72.5	62.75	0	29952.607	324.7311828	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:26	1	1	1	1	72.5	62.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 13:49:27	1	1	1	1	72.5	62.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:28	1	1	1	1	72.5	62.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	43	2004
29.01.2020 13:49:36	1	1	1	1	72.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:36	1	1	1	1	72.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:36	1	1	1	1	72.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:36	1	1	1	1	72.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:36	1	1	1	1	72.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:36	1	1	1	1	72.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:36	1	1	1	1	72.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:36	1	1	1	1	72.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:36	1	1	1	1	72.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.9375	2004
29.01.2020 13:49:37	1	1	1	1	72.5	62.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.6875	2004
29.01.2020 13:49:38	1	1	1	1	72.5	62.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:39	1	1	1	1	72.75	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.875	2004
29.01.2020 13:49:40	1	1	1	1	72.75	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 13:49:41	1	1	1	1	72.75	62.75	0	30000	415.0537634	12471.12222	30000	0	0	30000	42.1875	2004
29.01.2020 13:49:42	1	1	1	1	72.75	62	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
29.01.2020 13:49:43	1	1	1	1	72.75	62.5	0	29952.607	417.2043011	12451.55328	30000	0	0	30000	42.5625	2004
29.01.2020 13:49:44	1	1	1	1	72.75	62.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	42.25	2004
29.01.2020 13:49:45	1	1	1	1	72.75	62.25	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	42.625	2004
29.01.2020 13:49:46	1	1	1	1	72.75	62.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	42.625	2004
29.01.2020 13:49:47	1	1	1	1	72.75	62.5	0	29952.607	412.9032258	12620.33539	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:48	1	1	1	1	72.75	62.75	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:49	1	1	1	1	72.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
29.01.2020 13:49:50	1	1	1	1	72.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.25	2004
29.01.2020 13:49:51	1	1	1	1	72.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
29.01.2020 13:49:52	1	1	1	1	72.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
29.01.2020 13:49:53	1	1	1	1	72.5	62.5	0	30000	397.8494624	12064.25135	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:49:54	1	1	1	1	72.5	62.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.5625	2004
29.01.2020 13:49:55	1	1	1	1	72.5	62.5	0	30000	419.3548387	12773.62542	30000	0	0	30000	42.8125	2004
29.01.2020 13:49:56	1	1	1	1	72.5	62.75	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	42.3125	2004
29.01.2020 13:49:57	1	1	1	1	72.5	62.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.3125	2004
29.01.2020 13:49:58	1	1	1	1	72.5	62.25	0	30000	404.3010753	11916.66893	30000	0	0	30000	42.75	2004
29.01.2020 13:49:59	1	1	1	1	72.25	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
29.01.2020 13:50:00	1	1	1	1	72.25	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5625	2004
29.01.2020 13:50:01	1	1	1	1	72.25	62.5	0	30000	395.6989247	11852.2545	30000	0	0	30000	42.875	2004
29.01.2020 13:50:02	1	1	1	1	72.25	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.5625	2004
29.01.2020 13:50:03	1	1	1	1	72.25	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5625	2004
29.01.2020 13:50:04	1	1	1	1	72.25	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.8125	2004
29.01.2020 13:50:05	1	1	1	1	72.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
29.01.2020 13:50:06	1	1	1	1	72.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
29.01.2020 13:50:07	1	1	1	1	72.25	62.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.4375	2004
29.01.2020 13:50:08	1	1	1	1	72.25	62.25	0	30000	380.6451613	11336.93909	30000	0	0	30000	42.625	2004
29.01.2020 13:50:09	1	1	1	1	72.5	62.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.8125	2004
29.01.2020 13:50:10	1	1	1	1	72.5	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 13:50:12	1	1	1	1	72.5	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.5625	2004
29.01.2020 13:50:13	1	1	1	1	72.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
29.01.2020 13:50:14	1	1	1	1	72.5	62.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 13:50:15	1	1	1	1	72.5	62.25	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:16	1	1	1	1	72.5	62.5	0	29952.607	374.1935484	11354.87729	30000	0	0	30000	42.9375	2004
29.01.2020 13:50:17	1	1	1	1	72.5	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
29.01.2020 13:50:18	1	1	1	1	72.5	62	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 13:50:19	1	1	1	1	72.25	62.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:20	1	1	1	1	72.25	62.5	0	30000	337.6344086	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 13:50:21	1	1	1	1	72.25	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43	2004
29.01.2020 13:50:22	1	1	1	1	72.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.625	2004
29.01.2020 13:50:23	1	1	1	1	72.25	62.5	0	30000	339.7849462	10209.27894	30000	0	0	30000	42.8125	2004
29.01.2020 13:50:24	1	1	1	1	72.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
29.01.2020 13:50:25	1	1	1	1	72.25	62.75	0	29905.213	307.5268817	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:50:26	1	1	1	1	72.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.875	2004
29.01.2020 13:50:27	1	1	1	1	72.25	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
29.01.2020 13:50:28	1	1	1	1	72.25	62.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.0625	2004
29.01.2020 13:50:29	1	1	1	1	72.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
29.01.2020 13:50:30	1	1	1	1	72.75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.75	2004
29.01.2020 13:50:37	1	1	1	1	72.75	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:38	1	1	1	1	72.75	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:38	1	1	1	1	72.75	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:38	1	1	1	1	72.75	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:38	1	1	1	1	72.75	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:38	1	1	1	1	72.75	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:38	1	1	1	1	72.75	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:38	1	1	1	1	72.75	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:50:38	1	1	1	1	72.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:39	1	1	1	1	73	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.8125	2004
29.01.2020 13:50:40	1	1	1	1	73	62.75	0	30000	288.172043	8580.164705	30000	0	0	30000	42.5	2004
29.01.2020 13:50:41	1	1	1	1	73	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.8125	2004
29.01.2020 13:50:42	1	1	1	1	73	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.9375	2004
29.01.2020 13:50:43	1	1	1	1	73	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.6875	2004
29.01.2020 13:50:44	1	1	1	1	73	62.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.875	2004
29.01.2020 13:50:45	1	1	1	1	73	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.75	2004
29.01.2020 13:50:46	1	1	1	1	73	62.75	0	30000	286.0215054	8567.118745	30000	0	0	30000	42.5625	2004
29.01.2020 13:50:47	1	1	1	1	73	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.75	2004
29.01.2020 13:50:48	1	1	1	1	73	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.375	2004
29.01.2020 13:50:50	1	1	1	1	73	63	0	29905.213	279.5698925	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 13:50:51	1	1	1	1	73	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.875	2004
29.01.2020 13:50:52	1	1	1	1	73	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.75	2004
29.01.2020 13:50:53	1	1	1	1	73	62.75	0	30000	288.172043	8580.164705	30000	0	0	30000	42.8125	2004
29.01.2020 13:50:54	1	1	1	1	73	62.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.625	2004
29.01.2020 13:50:55	1	1	1	1	73	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.5	2004
29.01.2020 13:50:56	1	1	1	1	73	62.5	0	29952.607	273.1182796	8180.632185	30000	0	0	30000	42.625	2004
29.01.2020 13:50:57	1	1	1	1	73	62.5	0	30000	266.6666667	8258.092572	30000	0	0	30000	42.9375	2004
29.01.2020 13:50:58	1	1	1	1	73	62.75	0	29905.213	279.5698925	8451.335852	30000	0	0	30000	42.75	2004
29.01.2020 13:50:59	1	1	1	1	73	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 13:51:00	1	1	1	1	73	62.5	0	30000	318.2795699	9404.506292	30000	0	0	30000	42.6875	2004
29.01.2020 13:51:01	1	1	1	1	73	62.5	0	30000	324.7311828	9806.484929	30000	0	0	30000	42.5	2004
29.01.2020 13:51:02	1	1	1	1	73	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:51:03	1	1	1	1	73	62.75	0	29905.213	320.4301075	9775.500775	30000	0	0	30000	42.6875	2004
29.01.2020 13:51:04	1	1	1	1	73	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5625	2004
29.01.2020 13:51:05	1	1	1	1	73	62.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.9375	2004
29.01.2020 13:51:06	1	1	1	1	73	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.875	2004
29.01.2020 13:51:07	1	1	1	1	73	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.5625	2004
29.01.2020 13:51:08	1	1	1	1	73	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.6875	2004
29.01.2020 13:51:09	1	1	1	1	72.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
29.01.2020 13:51:10	1	1	1	1	72.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
29.01.2020 13:51:11	1	1	1	1	72.5	62.5	0	30000	372.0430108	11014.86696	30000	0	0	30000	42.75	2004
29.01.2020 13:51:12	1	1	1	1	72.5	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.625	2004
29.01.2020 13:51:13	1	1	1	1	72.5	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.6875	2004
29.01.2020 13:51:14	1	1	1	1	72.5	62.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.625	2004
29.01.2020 13:51:15	1	1	1	1	72.5	62.5	0	30000	341.9354839	10241.89384	30000	0	0	30000	42.625	2004
29.01.2020 13:51:16	1	1	1	1	72.5	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 13:51:17	1	1	1	1	72.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43	2004
29.01.2020 13:51:18	1	1	1	1	72.5	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.8125	2004
29.01.2020 13:51:19	1	1	1	1	72.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 13:51:20	1	1	1	1	72.5	62.5	0	30000	341.9354839	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 13:51:21	1	1	1	1	72.5	62.5	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:51:22	1	1	1	1	72.5	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 13:51:23	1	1	1	1	72.5	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 13:51:24	1	1	1	1	72.5	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.0625	2004
29.01.2020 13:51:25	1	1	1	1	72.5	63	0	30000	326.8817204	9676.840703	30000	0	0	30000	42.8125	2004
29.01.2020 13:51:26	1	1	1	1	72.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
29.01.2020 13:51:28	1	1	1	1	72.5	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.8125	2004
29.01.2020 13:51:29	1	1	1	1	72.75	62.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 13:51:30	1	1	1	1	72.75	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.9375	2004
29.01.2020 13:51:31	1	1	1	1	72.75	62.75	0	30000	313.9784946	9275.677439	30000	0	0	30000	42	2004
29.01.2020 13:51:32	1	1	1	1	72.75	62	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:51:39	1	1	1	1	72.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.3125	2004
29.01.2020 13:51:39	1	1	1	1	72.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.3125	2004
29.01.2020 13:51:39	1	1	1	1	72.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.3125	2004
29.01.2020 13:51:39	1	1	1	1	72.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.3125	2004
29.01.2020 13:51:39	1	1	1	1	72.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.3125	2004
29.01.2020 13:51:39	1	1	1	1	72.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.3125	2004
29.01.2020 13:51:39	1	1	1	1	72.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.3125	2004
29.01.2020 13:51:39	1	1	1	1	72.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.3125	2004
29.01.2020 13:51:40	1	1	1	1	72.75	62.25	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	42.8125	2004
29.01.2020 13:51:41	1	1	1	1	72.75	62.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 13:51:42	1	1	1	1	72.75	62.25	0	30000	313.9784946	9548.01185	30000	0	0	30000	42.9375	2004
29.01.2020 13:51:43	1	1	1	1	72.75	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 13:51:44	1	1	1	1	72.75	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43	2004
29.01.2020 13:51:45	1	1	1	1	72.75	63	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	42.8125	2004
29.01.2020 13:51:46	1	1	1	1	72.75	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.75	2004
29.01.2020 13:51:47	1	1	1	1	72.75	62.75	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 13:51:48	1	1	1	1	72.75	62	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.6875	2004
29.01.2020 13:51:49	1	1	1	1	72.5	62.5	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 13:51:50	1	1	1	1	72.5	62.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 13:51:51	1	1	1	1	72.5	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.625	2004
29.01.2020 13:51:52	1	1	1	1	72.5	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 13:51:53	1	1	1	1	72.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 13:51:54	1	1	1	1	72.5	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.25	2004
29.01.2020 13:51:55	1	1	1	1	72.5	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 13:51:56	1	1	1	1	72.5	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.875	2004
29.01.2020 13:51:57	1	1	1	1	72.5	62.75	0	30000	322.5806452	9453.428641	30000	0	0	30000	42.625	2004
29.01.2020 13:51:58	1	1	1	1	72.5	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.875	2004
29.01.2020 13:51:59	1	1	1	1	72.25	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.875	2004
29.01.2020 13:52:00	1	1	1	1	72.25	62.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.375	2004
29.01.2020 13:52:01	1	1	1	1	72.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
29.01.2020 13:52:02	1	1	1	1	72.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.75	2004
29.01.2020 13:52:04	1	1	1	1	72.25	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 13:52:05	1	1	1	1	72.25	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 13:52:06	1	1	1	1	72.25	62.5	0	30000	309.6774194	9419.182997	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:52:07	1	1	1	1	72.25	62.75	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	42.75	2004
29.01.2020 13:52:08	1	1	1	1	72.25	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.4375	2004
29.01.2020 13:52:09	1	1	1	1	72.75	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.625	2004
29.01.2020 13:52:12	1	1	1	1	72.75	62.5	0	29620.853	329.0322581	9746.147365	30000	0	0	30000	42.625	2004
29.01.2020 13:52:12	1	1	1	1	72.75	62.5	0	29620.853	329.0322581	9746.147365	30000	0	0	30000	42.625	2004
29.01.2020 13:52:12	1	1	1	1	72.75	62.5	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	42.0625	2004
29.01.2020 13:52:13	1	1	1	1	72.75	62	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 13:52:14	1	1	1	1	72.75	62.5	0	30000	350.5376344	10225.58639	30000	0	0	30000	42.75	2004
29.01.2020 13:52:15	1	1	1	1	72.75	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.8125	2004
29.01.2020 13:52:16	1	1	1	1	72.75	62.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.1875	2004
29.01.2020 13:52:17	1	1	1	1	72.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 13:52:18	1	1	1	1	72.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:19	1	1	1	1	72.75	62.5	0	29336.493	307.5268817	9162.340663	30000	0	0	30000	42.3125	2004
29.01.2020 13:52:20	1	1	1	1	72.75	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.625	2004
29.01.2020 13:52:21	1	1	1	1	72.75	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:22	1	1	1	1	72.75	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.75	2004
29.01.2020 13:52:23	1	1	1	1	72.75	62.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:24	1	1	1	1	72.75	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.8125	2004
29.01.2020 13:52:25	1	1	1	1	72.75	62.75	0	30000	283.8709677	8373.875465	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:26	1	1	1	1	72.75	62.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:27	1	1	1	1	72.75	62.5	0	29952.607	260.2150538	7935.205066	30000	0	0	30000	42.8125	2004
29.01.2020 13:52:28	1	1	1	1	72.75	62.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.875	2004
29.01.2020 13:52:29	1	1	1	1	72.75	62.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.75	2004
29.01.2020 13:52:30	1	1	1	1	72.75	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.75	2004
29.01.2020 13:52:31	1	1	1	1	72.75	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 13:52:32	1	1	1	1	72.75	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.5	2004
29.01.2020 13:52:33	1	1	1	1	72.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.8125	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:41	1	1	1	1	72.75	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:43	1	1	1	1	72.75	62.25	0	30047.393	286.0215054	8386.921425	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:44	1	1	1	1	72.75	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:52:45	1	1	1	1	72.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.3125	2004
29.01.2020 13:52:46	1	1	1	1	72.75	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
29.01.2020 13:52:47	1	1	1	1	72.75	62.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:48	1	1	1	1	72.75	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.625	2004
29.01.2020 13:52:49	1	1	1	1	72.75	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:50	1	1	1	1	72.75	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:52:51	1	1	1	1	72.75	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5	2004
29.01.2020 13:52:52	1	1	1	1	72.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 13:52:53	1	1	1	1	72.75	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.125	2004
29.01.2020 13:52:54	1	1	1	1	72.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 13:52:55	1	1	1	1	72.75	62.5	0	30000	344.0860215	10177.47941	30000	0	0	30000	42.1875	2004
29.01.2020 13:52:56	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:57	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 13:52:58	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.6875	2004
29.01.2020 13:52:59	1	1	1	1	72.5	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 13:53:00	1	1	1	1	72.5	62.5	0	29905.213	331.1827957	9999.728209	30000	0	0	30000	42.75	2004
29.01.2020 13:53:01	1	1	1	1	72.5	62.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.625	2004
29.01.2020 13:53:02	1	1	1	1	72.5	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 13:53:03	1	1	1	1	72.5	62.5	0	30000	352.688172	10709.10227	30000	0	0	30000	42.8125	2004
29.01.2020 13:53:04	1	1	1	1	72.5	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
29.01.2020 13:53:05	1	1	1	1	72.5	62.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 13:53:06	1	1	1	1	72.5	62.25	0	30000	341.9354839	10403.33759	30000	0	0	30000	42.75	2004
29.01.2020 13:53:07	1	1	1	1	72.5	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 13:53:08	1	1	1	1	72.5	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 13:53:09	1	1	1	1	72.5	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.25	2004
29.01.2020 13:53:10	1	1	1	1	72.5	62.25	0	29952.607	301.0752688	9018.019732	30000	0	0	30000	42.5	2004
29.01.2020 13:53:11	1	1	1	1	72.5	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
29.01.2020 13:53:12	1	1	1	1	72.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.0625	2004
29.01.2020 13:53:13	1	1	1	1	72.5	62	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.75	2004
29.01.2020 13:53:14	1	1	1	1	72.5	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.8125	2004
29.01.2020 13:53:15	1	1	1	1	72.5	62.75	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	42.75	2004
29.01.2020 13:53:16	1	1	1	1	72.5	62.75	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	43.0625	2004
29.01.2020 13:53:17	1	1	1	1	72.5	63	0	30000	288.172043	8515.750279	30000	0	0	30000	42.75	2004
29.01.2020 13:53:18	1	1	1	1	72.5	62.75	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004
29.01.2020 13:53:19	1	1	1	1	72.75	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.625	2004
29.01.2020 13:53:21	1	1	1	1	72.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004
29.01.2020 13:53:22	1	1	1	1	72.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.4375	2004
29.01.2020 13:53:23	1	1	1	1	72.75	62.25	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 13:53:24	1	1	1	1	72.75	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.75	2004
29.01.2020 13:53:25	1	1	1	1	72.75	62.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.75	2004
29.01.2020 13:53:26	1	1	1	1	72.75	62.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.625	2004
29.01.2020 13:53:27	1	1	1	1	72.75	62.5	0	30000	264.516129	7935.205066	30000	0	0	30000	42.75	2004
29.01.2020 13:53:28	1	1	1	1	72.75	62.75	0	29905.213	251.6129032	7612.31756	30000	0	0	30000	42.8125	2004
29.01.2020 13:53:29	1	1	1	1	72.75	62.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.0625	2004
29.01.2020 13:53:30	1	1	1	1	72.75	62	0	30000	236.5591398	7225.831	30000	0	0	30000	42.5	2004
29.01.2020 13:53:31	1	1	1	1	72.75	62.5	0	30000	240.8602151	7031.772348	30000	0	0	30000	42.6875	2004
29.01.2020 13:53:32	1	1	1	1	72.75	62.5	0	30000	234.4086022	6902.943495	30000	0	0	30000	42.375	2004
29.01.2020 13:53:33	1	1	1	1	72.75	62.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	42.375	2004
29.01.2020 13:53:34	1	1	1	1	72.75	62.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:53:35	1	1	1	1	72.75	62.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42.75	2004
29.01.2020 13:53:42	1	1	1	1	73	62.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.375	2004
29.01.2020 13:53:42	1	1	1	1	73	62.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.375	2004
29.01.2020 13:53:42	1	1	1	1	73	62.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.375	2004
29.01.2020 13:53:42	1	1	1	1	73	62.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.375	2004
29.01.2020 13:53:42	1	1	1	1	73	62.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.375	2004
29.01.2020 13:53:42	1	1	1	1	73	62.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.375	2004
29.01.2020 13:53:42	1	1	1	1	73	62.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.375	2004
29.01.2020 13:53:43	1	1	1	1	73	62.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.5	2004
29.01.2020 13:53:44	1	1	1	1	73	62.5	0	29952.607	262.3655914	7781.099666	30000	0	0	30000	42.3125	2004
29.01.2020 13:53:45	1	1	1	1	73	62.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.1875	2004
29.01.2020 13:53:46	1	1	1	1	73	62	0	30000	264.516129	7806.376213	30000	0	0	30000	42.6875	2004
29.01.2020 13:53:47	1	1	1	1	73	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.75	2004
29.01.2020 13:53:48	1	1	1	1	73	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.4375	2004
29.01.2020 13:53:49	1	1	1	1	72.75	62.25	0	30000	288.172043	8580.164705	30000	0	0	30000	42.0625	2004
29.01.2020 13:53:50	1	1	1	1	72.75	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.75	2004
29.01.2020 13:53:51	1	1	1	1	72.75	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.75	2004
29.01.2020 13:53:52	1	1	1	1	72.75	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
29.01.2020 13:53:53	1	1	1	1	72.75	62.5	0	30000	290.3225806	8774.223358	30000	0	0	30000	42.75	2004
29.01.2020 13:53:54	1	1	1	1	72.75	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
29.01.2020 13:53:55	1	1	1	1	72.75	63	0	30000	288.172043	8644.579132	30000	0	0	30000	42.5	2004
29.01.2020 13:53:56	1	1	1	1	72.75	62.5	0	30000	288.172043	8644.579132	30000	0	0	30000	43.125	2004
29.01.2020 13:53:58	1	1	1	1	72.75	63	0	29905.213	281.7204301	8838.637784	30000	0	0	30000	43.0625	2004
29.01.2020 13:53:59	1	1	1	1	72.75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.375	2004
29.01.2020 13:54:00	1	1	1	1	72.75	62.25	0	30000	286.0215054	8567.118745	30000	0	0	30000	42.5	2004
29.01.2020 13:54:01	1	1	1	1	72.75	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.3125	2004
29.01.2020 13:54:02	1	1	1	1	72.75	62.25	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	42.6875	2004
29.01.2020 13:54:03	1	1	1	1	72.75	62.5	0	29952.607	283.8709677	8515.750279	30000	0	0	30000	42.8125	2004
29.01.2020 13:54:04	1	1	1	1	72.75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.6875	2004
29.01.2020 13:54:05	1	1	1	1	72.75	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.5625	2004
29.01.2020 13:54:06	1	1	1	1	72.75	62.5	0	30000	286.0215054	8774.223358	30000	0	0	30000	42.625	2004
29.01.2020 13:54:07	1	1	1	1	72.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5625	2004
29.01.2020 13:54:08	1	1	1	1	72.75	62.5	0	29952.607	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
29.01.2020 13:54:09	1	1	1	1	72.5	62.5	0	30000	294.6236559	8631.533172	30000	0	0	30000	42.1875	2004
29.01.2020 13:54:10	1	1	1	1	72.5	62	0	29905.213	292.4731183	8774.223358	30000	0	0	30000	42.75	2004
29.01.2020 13:54:11	1	1	1	1	72.5	62.75	0	30000	288.172043	8580.164705	30000	0	0	30000	42.0625	2004
29.01.2020 13:54:12	1	1	1	1	72.5	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.875	2004
29.01.2020 13:54:13	1	1	1	1	72.5	62.75	0	30000	279.5698925	8180.632185	30000	0	0	30000	42.625	2004
29.01.2020 13:54:14	1	1	1	1	72.5	62.5	0	30000	275.2688172	8103.171799	30000	0	0	30000	42.5625	2004
29.01.2020 13:54:15	1	1	1	1	72.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5	2004
29.01.2020 13:54:16	1	1	1	1	72.5	62.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.25	2004
29.01.2020 13:54:17	1	1	1	1	72.5	62.25	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	42.5	2004
29.01.2020 13:54:18	1	1	1	1	72.5	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:54:19	1	1	1	1	72.5	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 13:54:20	1	1	1	1	72.5	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.375	2004
29.01.2020 13:54:21	1	1	1	1	72.5	62.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.75	2004
29.01.2020 13:54:22	1	1	1	1	72.5	62.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.375	2004
29.01.2020 13:54:23	1	1	1	1	72.5	62.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.5625	2004
29.01.2020 13:54:24	1	1	1	1	72.5	62.5	0	30000	329.0322581	9741.25513	30000	0	0	30000	42.375	2004
29.01.2020 13:54:25	1	1	1	1	72.5	62.25	0	29952.607	311.827957	9612.426277	30000	0	0	30000	42.375	2004
29.01.2020 13:54:26	1	1	1	1	72.5	62.25	0	30000	305.3763441	9290.354143	30000	0	0	30000	42.5	2004
29.01.2020 13:54:27	1	1	1	1	72.5	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 13:54:28	1	1	1	1	72.5	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.8125	2004
29.01.2020 13:54:29	1	1	1	1	72.25	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.25	2004
29.01.2020 13:54:30	1	1	1	1	72.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 13:54:31	1	1	1	1	72.25	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.6875	2004
29.01.2020 13:54:32	1	1	1	1	72.25	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.5625	2004
29.01.2020 13:54:33	1	1	1	1	72.25	62.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.8125	2004
29.01.2020 13:54:34	1	1	1	1	72.25	62.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 13:54:35	1	1	1	1	72.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
29.01.2020 13:54:36	1	1	1	1	72.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 13:54:44	1	1	1	1	72.5	62	0	29952.607	384.9462366	11741.36385	30000	0	0	30000	42.8125	2004
29.01.2020 13:54:44	1	1	1	1	72.5	62	0	29952.607	384.9462366	11741.36385	30000	0	0	30000	42.8125	2004
29.01.2020 13:54:44	1	1	1	1	72.5	62	0	29952.607	384.9462366	11741.36385	30000	0	0	30000	42.8125	2004
29.01.2020 13:54:44	1	1	1	1	72.5	62	0	29952.607	384.9462366	11741.36385	30000	0	0	30000	42.8125	2004
29.01.2020 13:54:44	1	1	1	1	72.5	62	0	29952.607	384.9462366	11741.36385	30000	0	0	30000	42.8125	2004
29.01.2020 13:54:44	1	1	1	1	72.5	62	0	29952.607	384.9462366	11741.36385	30000	0	0	30000	42.8125	2004
29.01.2020 13:54:45	1	1	1	1	72.5	62.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.625	2004
29.01.2020 13:54:46	1	1	1	1	72.5	62.5	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 13:54:47	1	1	1	1	72.5	62.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.5	2004
29.01.2020 13:54:48	1	1	1	1	72.5	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 13:54:49	1	1	1	1	72.25	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
29.01.2020 13:54:50	1	1	1	1	72.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
29.01.2020 13:54:51	1	1	1	1	72.25	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.6875	2004
29.01.2020 13:54:52	1	1	1	1	72.25	62.5	0	30047.393	389.2473118	11676.94942	30000	0	0	30000	42.5	2004
29.01.2020 13:54:53	1	1	1	1	72.25	62.5	0	30000	404.3010753	12148.23472	30000	0	0	30000	42.5625	2004
29.01.2020 13:54:54	1	1	1	1	72.25	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 13:54:55	1	1	1	1	72.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 13:54:56	1	1	1	1	72.25	62	0	30000	395.6989247	11704.67208	30000	0	0	30000	42.5	2004
29.01.2020 13:54:57	1	1	1	1	72.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.6875	2004
29.01.2020 13:54:58	1	1	1	1	72.25	62.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.5625	2004
29.01.2020 13:54:59	1	1	1	1	72.25	62.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.375	2004
29.01.2020 13:55:00	1	1	1	1	72.25	62.25	0	29952.607	395.6989247	11999.83693	30000	0	0	30000	42.75	2004
29.01.2020 13:55:01	1	1	1	1	72.25	62.75	0	30000	389.2473118	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 13:55:02	1	1	1	1	72.25	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:55:03	1	1	1	1	72.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:55:04	1	1	1	1	72.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 13:55:05	1	1	1	1	72.25	62.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.75	2004
29.01.2020 13:55:06	1	1	1	1	72.25	62.75	0	30047.393	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 13:55:07	1	1	1	1	72.25	62	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.6875	2004
29.01.2020 13:55:08	1	1	1	1	72.25	62.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.3125	2004
29.01.2020 13:55:09	1	1	1	1	72.25	62.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.5	2004
29.01.2020 13:55:10	1	1	1	1	72.25	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
29.01.2020 13:55:11	1	1	1	1	72.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 13:55:12	1	1	1	1	72.25	62.25	0	30000	378.4946237	10996.92876	30000	0	0	30000	42.8125	2004
29.01.2020 13:55:13	1	1	1	1	72.25	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.6875	2004
29.01.2020 13:55:14	1	1	1	1	72.25	62.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 13:55:15	1	1	1	1	72.25	62.25	0	30000	333.3333333	10128.55706	30000	0	0	30000	42.375	2004
29.01.2020 13:55:16	1	1	1	1	72.25	62.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 13:55:17	1	1	1	1	72.25	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.8125	2004
29.01.2020 13:55:18	1	1	1	1	72.25	62.75	0	30000	335.483871	10048.65056	30000	0	0	30000	42.9375	2004
29.01.2020 13:55:20	1	1	1	1	72.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 13:55:21	1	1	1	1	72.25	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 13:55:22	1	1	1	1	72.25	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.625	2004
29.01.2020 13:55:23	1	1	1	1	72.25	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 13:55:24	1	1	1	1	72.25	62.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.75	2004
29.01.2020 13:55:25	1	1	1	1	72.25	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 13:55:26	1	1	1	1	72.25	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 13:55:27	1	1	1	1	72.25	62.25	0	29905.213	329.0322581	10064.14264	30000	0	0	30000	42	2004
29.01.2020 13:55:28	1	1	1	1	72.25	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.625	2004
29.01.2020 13:55:29	1	1	1	1	72	62.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.5625	2004
29.01.2020 13:55:30	1	1	1	1	72	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.0625	2004
29.01.2020 13:55:31	1	1	1	1	72	62	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 13:55:32	1	1	1	1	72	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 13:55:33	1	1	1	1	72	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 13:55:34	1	1	1	1	72	62.5	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	42.5625	2004
29.01.2020 13:55:35	1	1	1	1	72	62.5	0	30000	316.1290323	9419.182997	30000	0	0	30000	42.375	2004
29.01.2020 13:55:36	1	1	1	1	72	62.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.625	2004
29.01.2020 13:55:37	1	1	1	1	72	62.5	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	42.75	2004
29.01.2020 13:55:38	1	1	1	1	72	62.75	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	42.625	2004
29.01.2020 13:55:45	1	1	1	1	72	62.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.5	2004
29.01.2020 13:55:45	1	1	1	1	72	62.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.5	2004
29.01.2020 13:55:45	1	1	1	1	72	62.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.5	2004
29.01.2020 13:55:45	1	1	1	1	72	62.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.5	2004
29.01.2020 13:55:45	1	1	1	1	72	62.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.5	2004
29.01.2020 13:55:45	1	1	1	1	72	62.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.5	2004
29.01.2020 13:55:45	1	1	1	1	72	62.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.5	2004
29.01.2020 13:55:46	1	1	1	1	72	62.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:55:47	1	1	1	1	72	62.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.625	2004
29.01.2020 13:55:48	1	1	1	1	72	62.5	0	29952.607	294.6236559	8953.605305	30000	0	0	30000	42.5625	2004
29.01.2020 13:55:49	1	1	1	1	72	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5	2004
29.01.2020 13:55:50	1	1	1	1	72	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.75	2004
29.01.2020 13:55:51	1	1	1	1	72	61.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.5	2004
29.01.2020 13:55:52	1	1	1	1	72	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.5625	2004
29.01.2020 13:55:53	1	1	1	1	72	62.5	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	42.6875	2004
29.01.2020 13:55:54	1	1	1	1	72	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.25	2004
29.01.2020 13:55:55	1	1	1	1	72	62.25	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	42.75	2004
29.01.2020 13:55:56	1	1	1	1	72	62.75	0	30000	292.4731183	8903.052211	30000	0	0	30000	42.8125	2004
29.01.2020 13:55:57	1	1	1	1	72	62.75	0	30000	292.4731183	8760.362025	30000	0	0	30000	42.875	2004
29.01.2020 13:55:59	1	1	1	1	72	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.9375	2004
29.01.2020 13:56:00	1	1	1	1	72.25	62.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.6875	2004
29.01.2020 13:56:01	1	1	1	1	72.25	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
29.01.2020 13:56:02	1	1	1	1	72.25	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.125	2004
29.01.2020 13:56:03	1	1	1	1	72.25	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 13:56:04	1	1	1	1	72.25	62.5	0	30000	292.4731183	8852.499117	30000	0	0	30000	42.5625	2004
29.01.2020 13:56:05	1	1	1	1	72.25	62.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.625	2004
29.01.2020 13:56:06	1	1	1	1	72.25	62.5	0	30047.393	301.0752688	8774.223358	30000	0	0	30000	42.3125	2004
29.01.2020 13:56:07	1	1	1	1	72.25	62.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	41.875	2004
29.01.2020 13:56:08	1	1	1	1	72.25	61.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.4375	2004
29.01.2020 13:56:09	1	1	1	1	72	62.25	0	29905.213	292.4731183	8903.052211	30000	0	0	30000	42.5	2004
29.01.2020 13:56:10	1	1	1	1	72	62.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.5625	2004
29.01.2020 13:56:11	1	1	1	1	72	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.1875	2004
29.01.2020 13:56:12	1	1	1	1	72	62	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.375	2004
29.01.2020 13:56:13	1	1	1	1	72	62.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	42.4375	2004
29.01.2020 13:56:14	1	1	1	1	72	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.5625	2004
29.01.2020 13:56:15	1	1	1	1	72	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5	2004
29.01.2020 13:56:16	1	1	1	1	72	62.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.4375	2004
29.01.2020 13:56:17	1	1	1	1	72	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
29.01.2020 13:56:18	1	1	1	1	72	62.5	0	30000	279.5698925	8116.217759	30000	0	0	30000	42.5625	2004
29.01.2020 13:56:19	1	1	1	1	72	62.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 13:56:20	1	1	1	1	72	62.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 13:56:21	1	1	1	1	72	62.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 13:56:22	1	1	1	1	72	62.5	0	30000	288.172043	8644.579132	30000	0	0	30000	42	2004
29.01.2020 13:56:23	1	1	1	1	72	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.375	2004
29.01.2020 13:56:24	1	1	1	1	72	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.25	2004
29.01.2020 13:56:25	1	1	1	1	72	62.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
29.01.2020 13:56:26	1	1	1	1	72	62	0	29905.213	260.2150538	7858.560052	30000	0	0	30000	42.5	2004
29.01.2020 13:56:27	1	1	1	1	72	62.5	0	30047.393	273.1182796	8141.494306	30000	0	0	30000	41.6875	2004
29.01.2020 13:56:28	1	1	1	1	72	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5	2004
29.01.2020 13:56:29	1	1	1	1	72.25	62.5	0	30000	288.172043	8580.164705	30000	0	0	30000	42.5625	2004
29.01.2020 13:56:30	1	1	1	1	72.25	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:56:31	1	1	1	1	72.25	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.3125	2004
29.01.2020 13:56:32	1	1	1	1	72.25	62.25	0	30000	288.172043	8722.854891	30000	0	0	30000	42.625	2004
29.01.2020 13:56:33	1	1	1	1	72.25	62.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.5	2004
29.01.2020 13:56:34	1	1	1	1	72.25	62.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.4375	2004
29.01.2020 13:56:35	1	1	1	1	72.25	62.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.0625	2004
29.01.2020 13:56:37	1	1	1	1	72.25	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 13:56:38	1	1	1	1	72.25	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.1875	2004
29.01.2020 13:56:39	1	1	1	1	72.25	62.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.3125	2004
29.01.2020 13:56:40	1	1	1	1	72.25	62.25	0	30000	298.9247312	8824.776452	30000	0	0	30000	42.5	2004
29.01.2020 13:56:47	1	1	1	1	72.25	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.375	2004
29.01.2020 13:56:47	1	1	1	1	72.25	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.375	2004
29.01.2020 13:56:47	1	1	1	1	72.25	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.375	2004
29.01.2020 13:56:47	1	1	1	1	72.25	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.375	2004
29.01.2020 13:56:47	1	1	1	1	72.25	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.375	2004
29.01.2020 13:56:47	1	1	1	1	72.25	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.375	2004
29.01.2020 13:56:47	1	1	1	1	72.25	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.375	2004
29.01.2020 13:56:48	1	1	1	1	72.25	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42	2004
29.01.2020 13:56:49	1	1	1	1	72	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 13:56:50	1	1	1	1	72	62.5	0	30000	326.8817204	9756.747207	30000	0	0	30000	41.875	2004
29.01.2020 13:56:51	1	1	1	1	72	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 13:56:52	1	1	1	1	72	62.25	0	30000	333.3333333	10015.22029	30000	0	0	30000	42.3125	2004
29.01.2020 13:56:53	1	1	1	1	72	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 13:56:54	1	1	1	1	72	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.5	2004
29.01.2020 13:56:55	1	1	1	1	72	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.375	2004
29.01.2020 13:56:56	1	1	1	1	72	62.25	0	30000	341.9354839	10241.89384	30000	0	0	30000	42.3125	2004
29.01.2020 13:56:57	1	1	1	1	72	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.4375	2004
29.01.2020 13:56:58	1	1	1	1	72	62.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.3125	2004
29.01.2020 13:56:59	1	1	1	1	72	62.25	0	30000	352.688172	10515.85899	30000	0	0	30000	42.625	2004
29.01.2020 13:57:00	1	1	1	1	72	62.5	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:01	1	1	1	1	72	62.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.25	2004
29.01.2020 13:57:02	1	1	1	1	72	62.25	0	30047.393	369.8924731	11096.40421	30000	0	0	30000	42.6875	2004
29.01.2020 13:57:03	1	1	1	1	72	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.25	2004
29.01.2020 13:57:04	1	1	1	1	72	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.125	2004
29.01.2020 13:57:05	1	1	1	1	72	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.625	2004
29.01.2020 13:57:06	1	1	1	1	72	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:07	1	1	1	1	72	62.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:08	1	1	1	1	72	62.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.625	2004
29.01.2020 13:57:09	1	1	1	1	72	62.5	0	30000	369.8924731	10886.03811	30000	0	0	30000	42.375	2004
29.01.2020 13:57:10	1	1	1	1	72	62.25	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:11	1	1	1	1	72	62.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:12	1	1	1	1	72	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:13	1	1	1	1	72	62.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:14	1	1	1	1	72	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:57:16	1	1	1	1	72	62.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.5	2004
29.01.2020 13:57:17	1	1	1	1	72	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:18	1	1	1	1	72	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:19	1	1	1	1	72	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:20	1	1	1	1	72.25	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 13:57:21	1	1	1	1	72.25	62	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:22	1	1	1	1	72.25	62.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.625	2004
29.01.2020 13:57:23	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.375	2004
29.01.2020 13:57:24	1	1	1	1	72.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 13:57:25	1	1	1	1	72.25	62	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 13:57:26	1	1	1	1	72.25	62.5	0	29952.607	303.2258065	9211.263012	30000	0	0	30000	42.3125	2004
29.01.2020 13:57:27	1	1	1	1	72.25	62.25	0	30000	309.6774194	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:28	1	1	1	1	72.25	62.5	0	30000	303.2258065	9175.386622	30000	0	0	30000	42.1875	2004
29.01.2020 13:57:29	1	1	1	1	72	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:30	1	1	1	1	72	62.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:31	1	1	1	1	72	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.9375	2004
29.01.2020 13:57:32	1	1	1	1	72	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.375	2004
29.01.2020 13:57:33	1	1	1	1	72	62.25	0	29952.607	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:34	1	1	1	1	72	62.25	0	30000	316.1290323	9324.599788	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:35	1	1	1	1	72	62.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.3125	2004
29.01.2020 13:57:36	1	1	1	1	72	62.25	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 13:57:37	1	1	1	1	72	62.25	0	30000	324.7311828	9870.899356	30000	0	0	30000	41.9375	2004
29.01.2020 13:57:38	1	1	1	1	72	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:39	1	1	1	1	72.25	62.5	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:40	1	1	1	1	72.25	62.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:41	1	1	1	1	72.25	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
29.01.2020 13:57:48	1	1	1	1	72.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:48	1	1	1	1	72.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:48	1	1	1	1	72.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:48	1	1	1	1	72.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:48	1	1	1	1	72.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:48	1	1	1	1	72.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:48	1	1	1	1	72.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:49	1	1	1	1	72.25	62.25	0	30000	363.4408602	10886.03811	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:50	1	1	1	1	72.25	62.25	0	29905.213	363.4408602	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 13:57:51	1	1	1	1	72.25	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.4375	2004
29.01.2020 13:57:52	1	1	1	1	72.25	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5	2004
29.01.2020 13:57:53	1	1	1	1	72.25	62.5	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 13:57:55	1	1	1	1	72.25	62.5	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.625	2004
29.01.2020 13:57:56	1	1	1	1	72.25	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
29.01.2020 13:57:57	1	1	1	1	72.25	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	43	2004
29.01.2020 13:57:58	1	1	1	1	72.25	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5	2004
29.01.2020 13:57:59	1	1	1	1	72	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:58:00	1	1	1	1	72	62.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 13:58:01	1	1	1	1	72	62.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.1875	2004
29.01.2020 13:58:02	1	1	1	1	72	62	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.1875	2004
29.01.2020 13:58:03	1	1	1	1	72	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.3125	2004
29.01.2020 13:58:04	1	1	1	1	72	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 13:58:05	1	1	1	1	72	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 13:58:06	1	1	1	1	72	62.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.3125	2004
29.01.2020 13:58:07	1	1	1	1	72	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.125	2004
29.01.2020 13:58:08	1	1	1	1	72	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.4375	2004
29.01.2020 13:58:09	1	1	1	1	72.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 13:58:10	1	1	1	1	72.25	62	0	30000	359.1397849	10967.57535	30000	0	0	30000	42.5625	2004
29.01.2020 13:58:11	1	1	1	1	72.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 13:58:12	1	1	1	1	72.25	62.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.4375	2004
29.01.2020 13:58:13	1	1	1	1	72.25	62.25	0	30000	378.4946237	11096.40421	30000	0	0	30000	42.5	2004
29.01.2020 13:58:14	1	1	1	1	72.25	62.5	0	29905.213	352.688172	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 13:58:15	1	1	1	1	72.25	62	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.5	2004
29.01.2020 13:58:16	1	1	1	1	72.25	62.5	0	29952.607	335.483871	10048.65056	30000	0	0	30000	42.375	2004
29.01.2020 13:58:17	1	1	1	1	72.25	62.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 13:58:18	1	1	1	1	72.25	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 13:58:19	1	1	1	1	72.25	62.5	0	30000	341.9354839	10192.97149	30000	0	0	30000	41.75	2004
29.01.2020 13:58:20	1	1	1	1	72.25	61.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	42.4375	2004
29.01.2020 13:58:21	1	1	1	1	72.25	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	42.625	2004
29.01.2020 13:58:22	1	1	1	1	72.25	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5	2004
29.01.2020 13:58:23	1	1	1	1	72.25	62.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 13:58:24	1	1	1	1	72.25	62.5	0	30000	320.4301075	9453.428641	30000	0	0	30000	42.5	2004
29.01.2020 13:58:25	1	1	1	1	72.25	62.5	0	30000	326.8817204	9612.426277	30000	0	0	30000	42.5	2004
29.01.2020 13:58:26	1	1	1	1	72.25	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.375	2004
29.01.2020 13:58:27	1	1	1	1	72.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.25	2004
29.01.2020 13:58:28	1	1	1	1	72.25	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 13:58:29	1	1	1	1	72.25	62.5	0	29952.607	333.3333333	9984.236132	30000	0	0	30000	42.375	2004
29.01.2020 13:58:30	1	1	1	1	72.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 13:58:31	1	1	1	1	72.25	62.25	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	42.4375	2004
29.01.2020 13:58:32	1	1	1	1	72.25	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 13:58:33	1	1	1	1	72.25	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5625	2004
29.01.2020 13:58:35	1	1	1	1	72.25	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.5625	2004
29.01.2020 13:58:36	1	1	1	1	72.25	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	43	2004
29.01.2020 13:58:37	1	1	1	1	72.25	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.75	2004
29.01.2020 13:58:38	1	1	1	1	72.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 13:58:39	1	1	1	1	72.5	62.75	0	29952.607	380.6451613	11566.05876	30000	0	0	30000	42.4375	2004
29.01.2020 13:58:40	1	1	1	1	72.5	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5	2004
29.01.2020 13:58:41	1	1	1	1	72.5	62.5	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.4375	2004
29.01.2020 13:58:42	1	1	1	1	72.5	62.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.5	2004
29.01.2020 13:58:43	1	1	1	1	72.5	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 13:58:50	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:58:50	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:58:50	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:58:50	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:58:50	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:58:50	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:58:50	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 13:58:51	1	1	1	1	72.25	62.5	0	30000	389.2473118	11760.11741	30000	0	0	30000	42.1875	2004
29.01.2020 13:58:52	1	1	1	1	72.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 13:58:53	1	1	1	1	72.25	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5625	2004
29.01.2020 13:58:54	1	1	1	1	72.25	62.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 13:58:55	1	1	1	1	72.25	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
29.01.2020 13:58:56	1	1	1	1	72.25	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 13:58:57	1	1	1	1	72.25	62.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	42.1875	2004
29.01.2020 13:58:58	1	1	1	1	72.25	62	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.5	2004
29.01.2020 13:58:59	1	1	1	1	72.25	62.5	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	42.3125	2004
29.01.2020 13:59:00	1	1	1	1	72.25	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.3125	2004
29.01.2020 13:59:01	1	1	1	1	72.25	62.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.4375	2004
29.01.2020 13:59:02	1	1	1	1	72.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 13:59:03	1	1	1	1	72.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 13:59:04	1	1	1	1	72.25	62.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 13:59:05	1	1	1	1	72.25	62.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.4375	2004
29.01.2020 13:59:06	1	1	1	1	72.25	62.25	0	29952.607	400	11916.66893	30000	0	0	30000	42.1875	2004
29.01.2020 13:59:07	1	1	1	1	72.25	62	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.3125	2004
29.01.2020 13:59:08	1	1	1	1	72.25	62.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.375	2004
29.01.2020 13:59:09	1	1	1	1	72.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.875	2004
29.01.2020 13:59:10	1	1	1	1	72.25	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 13:59:11	1	1	1	1	72.25	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.25	2004
29.01.2020 13:59:13	1	1	1	1	72.25	62.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 13:59:14	1	1	1	1	72.25	62.5	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	42.5625	2004
29.01.2020 13:59:15	1	1	1	1	72.25	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
29.01.2020 13:59:16	1	1	1	1	72.25	62.25	0	30000	402.1505376	11871.00807	30000	0	0	30000	42.9375	2004
29.01.2020 13:59:17	1	1	1	1	72.25	62.75	0	30000	395.6989247	11852.2545	30000	0	0	30000	42.375	2004
29.01.2020 13:59:18	1	1	1	1	72.25	61.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.375	2004
29.01.2020 13:59:19	1	1	1	1	72.5	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.375	2004
29.01.2020 13:59:20	1	1	1	1	72.5	62.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.375	2004
29.01.2020 13:59:21	1	1	1	1	72.5	62.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 13:59:22	1	1	1	1	72.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 13:59:23	1	1	1	1	72.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
29.01.2020 13:59:24	1	1	1	1	72.5	61.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.1875	2004
29.01.2020 13:59:25	1	1	1	1	72.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 13:59:26	1	1	1	1	72.5	62.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.4375	2004
29.01.2020 13:59:27	1	1	1	1	72.5	62.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:00:12	1	1	1	1	73	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
29.01.2020 14:00:13	1	1	1	1	73	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:00:14	1	1	1	1	73	62	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.375	2004
29.01.2020 14:00:15	1	1	1	1	73	62.25	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	42.25	2004
29.01.2020 14:00:16	1	1	1	1	73	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.4375	2004
29.01.2020 14:00:17	1	1	1	1	73	62.25	0	29952.607	400	12064.25135	30000	0	0	30000	42.375	2004
29.01.2020 14:00:18	1	1	1	1	73	62.25	0	30000	400	11981.08336	30000	0	0	30000	42.25	2004
29.01.2020 14:00:19	1	1	1	1	72.5	62.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.3125	2004
29.01.2020 14:00:20	1	1	1	1	72.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 14:00:21	1	1	1	1	72.5	62.25	0	30000	400	11935.4225	30000	0	0	30000	42.25	2004
29.01.2020 14:00:22	1	1	1	1	72.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 14:00:23	1	1	1	1	72.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:00:24	1	1	1	1	72.5	62	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.5	2004
29.01.2020 14:00:25	1	1	1	1	72.5	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.25	2004
29.01.2020 14:00:26	1	1	1	1	72.5	62.25	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	42.375	2004
29.01.2020 14:00:27	1	1	1	1	72.5	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 14:00:28	1	1	1	1	72.5	62.5	0	30000	404.3010753	12109.91221	30000	0	0	30000	42.25	2004
29.01.2020 14:00:29	1	1	1	1	72.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
29.01.2020 14:00:30	1	1	1	1	72.75	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 14:00:31	1	1	1	1	72.75	62	0	30000	389.2473118	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:00:32	1	1	1	1	72.75	62	0	30000	389.2473118	11612.53499	30000	0	0	30000	41.875	2004
29.01.2020 14:00:34	1	1	1	1	72.75	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.4375	2004
29.01.2020 14:00:35	1	1	1	1	72.75	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
29.01.2020 14:00:36	1	1	1	1	72.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
29.01.2020 14:00:37	1	1	1	1	72.75	62.75	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.6875	2004
29.01.2020 14:00:38	1	1	1	1	72.75	62.25	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:00:39	1	1	1	1	72.75	62	0	30000	400	11999.83693	30000	0	0	30000	42.4375	2004
29.01.2020 14:00:40	1	1	1	1	72.75	62.25	0	29905.213	400	12064.25135	30000	0	0	30000	42.3125	2004
29.01.2020 14:00:41	1	1	1	1	72.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
29.01.2020 14:00:42	1	1	1	1	72.75	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.375	2004
29.01.2020 14:00:43	1	1	1	1	72.75	62.25	0	30000	419.3548387	12515.96771	30000	0	0	30000	42.3125	2004
29.01.2020 14:00:44	1	1	1	1	72.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
29.01.2020 14:00:45	1	1	1	1	72.75	62.25	0	30000	400	12064.25135	30000	0	0	30000	42.125	2004
29.01.2020 14:00:46	1	1	1	1	72.75	62	0	29905.213	421.5053763	12709.21099	30000	0	0	30000	42.1875	2004
29.01.2020 14:00:53	1	1	1	1	73	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.8125	2004
29.01.2020 14:00:53	1	1	1	1	73	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.8125	2004
29.01.2020 14:00:53	1	1	1	1	73	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.8125	2004
29.01.2020 14:00:53	1	1	1	1	73	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.8125	2004
29.01.2020 14:00:53	1	1	1	1	73	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.8125	2004
29.01.2020 14:00:53	1	1	1	1	73	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.8125	2004
29.01.2020 14:00:54	1	1	1	1	73	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
29.01.2020 14:00:55	1	1	1	1	73	62.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:00:56	1	1	1	1	73	62.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.75	2004
29.01.2020 14:00:57	1	1	1	1	73	61.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.9375	2004
29.01.2020 14:00:58	1	1	1	1	73	61.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:00:59	1	1	1	1	72.75	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.3125	2004
29.01.2020 14:01:00	1	1	1	1	72.75	62.25	0	30000	417.2043011	12515.96771	30000	0	0	30000	42.375	2004
29.01.2020 14:01:01	1	1	1	1	72.75	62.25	0	30000	423.655914	12540.42889	30000	0	0	30000	42.25	2004
29.01.2020 14:01:02	1	1	1	1	72.75	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
29.01.2020 14:01:03	1	1	1	1	72.75	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
29.01.2020 14:01:04	1	1	1	1	72.75	62.25	0	29905.213	419.3548387	12709.21099	30000	0	0	30000	42.1875	2004
29.01.2020 14:01:05	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:01:06	1	1	1	1	72.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.375	2004
29.01.2020 14:01:07	1	1	1	1	72.75	62.25	0	30000	400	11935.4225	30000	0	0	30000	41.6875	2004
29.01.2020 14:01:08	1	1	1	1	72.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:01:09	1	1	1	1	72.75	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.375	2004
29.01.2020 14:01:11	1	1	1	1	72.75	62.25	0	29952.607	402.1505376	12387.13886	30000	0	0	30000	41.9375	2004
29.01.2020 14:01:12	1	1	1	1	72.75	61.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.9375	2004
29.01.2020 14:01:13	1	1	1	1	72.75	61.75	0	30000	395.6989247	11852.2545	30000	0	0	30000	42.3125	2004
29.01.2020 14:01:14	1	1	1	1	72.75	62.25	0	30000	369.8924731	10868.09991	30000	0	0	30000	42.9375	2004
29.01.2020 14:01:15	1	1	1	1	72.75	62.75	0	30000	369.8924731	11079.28139	30000	0	0	30000	42.1875	2004
29.01.2020 14:01:16	1	1	1	1	72.75	62	0	30000	380.6451613	11401.35352	30000	0	0	30000	42.25	2004
29.01.2020 14:01:17	1	1	1	1	72.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
29.01.2020 14:01:18	1	1	1	1	72.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
29.01.2020 14:01:19	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
29.01.2020 14:01:20	1	1	1	1	72.75	62.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.1875	2004
29.01.2020 14:01:21	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:01:22	1	1	1	1	72.75	62	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.1875	2004
29.01.2020 14:01:23	1	1	1	1	72.75	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5	2004
29.01.2020 14:01:24	1	1	1	1	72.75	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:01:25	1	1	1	1	72.75	62	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.1875	2004
29.01.2020 14:01:26	1	1	1	1	72.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.4375	2004
29.01.2020 14:01:27	1	1	1	1	72.75	62.25	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:01:28	1	1	1	1	72.75	62	0	29952.607	400	11935.4225	30000	0	0	30000	42.4375	2004
29.01.2020 14:01:29	1	1	1	1	72.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 14:01:30	1	1	1	1	72.75	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
29.01.2020 14:01:31	1	1	1	1	72.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:01:32	1	1	1	1	72.75	62	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.5	2004
29.01.2020 14:01:33	1	1	1	1	72.75	62.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.9375	2004
29.01.2020 14:01:34	1	1	1	1	72.75	61.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.375	2004
29.01.2020 14:01:35	1	1	1	1	72.75	62.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 14:01:36	1	1	1	1	72.75	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
29.01.2020 14:01:37	1	1	1	1	72.75	62.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	42.5625	2004
29.01.2020 14:01:38	1	1	1	1	72.75	62.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.375	2004
29.01.2020 14:01:39	1	1	1	1	72.75	62.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:01:40	1	1	1	1	72.75	62	0	30000	359.1397849	10886.03811	30000	0	0	30000	42.6875	2004
29.01.2020 14:01:41	1	1	1	1	72.75	62.5	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	42.125	2004
29.01.2020 14:01:42	1	1	1	1	72.75	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.4375	2004
29.01.2020 14:01:43	1	1	1	1	72.75	62.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 14:01:44	1	1	1	1	72.75	62	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.1875	2004
29.01.2020 14:01:45	1	1	1	1	72.75	62	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 14:01:46	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:01:47	1	1	1	1	72.75	62	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.25	2004
29.01.2020 14:01:55	1	1	1	1	72.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 14:01:55	1	1	1	1	72.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 14:01:55	1	1	1	1	72.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 14:01:55	1	1	1	1	72.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 14:01:55	1	1	1	1	72.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 14:01:55	1	1	1	1	72.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 14:01:56	1	1	1	1	72.5	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.25	2004
29.01.2020 14:01:57	1	1	1	1	72.5	62.25	0	29952.607	367.7419355	11014.86696	30000	0	0	30000	42.5	2004
29.01.2020 14:01:58	1	1	1	1	72.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 14:01:59	1	1	1	1	72.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:00	1	1	1	1	72.75	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:01	1	1	1	1	72.75	62.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:02	1	1	1	1	72.75	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:03	1	1	1	1	72.75	62.25	0	30000	359.1397849	10790.63952	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:04	1	1	1	1	72.75	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.9375	2004
29.01.2020 14:02:05	1	1	1	1	72.75	61.75	0	29952.607	350.5376344	10353.59987	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:06	1	1	1	1	72.75	62.25	0	30000	348.3870968	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:02:07	1	1	1	1	72.75	62.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.5625	2004
29.01.2020 14:02:08	1	1	1	1	72.75	62.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.375	2004
29.01.2020 14:02:09	1	1	1	1	72.5	62.25	0	29952.607	361.2903226	10757.20925	30000	0	0	30000	42.375	2004
29.01.2020 14:02:10	1	1	1	1	72.5	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.9375	2004
29.01.2020 14:02:11	1	1	1	1	72.5	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:12	1	1	1	1	72.5	62.25	0	30000	339.7849462	10032.34311	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:13	1	1	1	1	72.5	62.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 14:02:14	1	1	1	1	72.5	62.5	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.0625	2004
29.01.2020 14:02:15	1	1	1	1	72.5	62	0	29905.213	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 14:02:16	1	1	1	1	72.5	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:17	1	1	1	1	72.5	62.25	0	30047.393	331.1827957	9950.80586	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:18	1	1	1	1	72.5	62.25	0	30000	335.483871	10048.65056	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:19	1	1	1	1	72.75	62.25	0	29952.607	333.3333333	9919.821705	30000	0	0	30000	42.25	2004
29.01.2020 14:02:20	1	1	1	1	72.75	62.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:21	1	1	1	1	72.75	62.25	0	30000	339.7849462	10161.17196	30000	0	0	30000	42.25	2004
29.01.2020 14:02:22	1	1	1	1	72.75	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:23	1	1	1	1	72.75	62.25	0	30000	350.5376344	10678.11812	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:02:24	1	1	1	1	72.75	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:25	1	1	1	1	72.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.375	2004
29.01.2020 14:02:26	1	1	1	1	72.75	62.25	0	30000	348.3870968	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:27	1	1	1	1	72.75	62.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:28	1	1	1	1	72.75	62.25	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:29	1	1	1	1	72.75	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:31	1	1	1	1	72.75	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:32	1	1	1	1	72.75	62.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 14:02:33	1	1	1	1	72.75	62.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:34	1	1	1	1	72.75	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.875	2004
29.01.2020 14:02:35	1	1	1	1	72.75	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 14:02:36	1	1	1	1	72.75	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 14:02:37	1	1	1	1	72.75	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:38	1	1	1	1	72.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:39	1	1	1	1	73	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 14:02:40	1	1	1	1	73	62.5	0	29952.607	341.9354839	10225.58639	30000	0	0	30000	42.0625	2004
29.01.2020 14:02:41	1	1	1	1	73	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:42	1	1	1	1	73	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:43	1	1	1	1	73	62.25	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 14:02:44	1	1	1	1	73	62.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:45	1	1	1	1	73	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:46	1	1	1	1	73	62.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 14:02:47	1	1	1	1	73	62.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:02:48	1	1	1	1	73	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
29.01.2020 14:02:49	1	1	1	1	72.75	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 14:02:56	1	1	1	1	72.75	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
29.01.2020 14:02:56	1	1	1	1	72.75	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
29.01.2020 14:02:56	1	1	1	1	72.75	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
29.01.2020 14:02:56	1	1	1	1	72.75	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
29.01.2020 14:02:56	1	1	1	1	72.75	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
29.01.2020 14:02:56	1	1	1	1	72.75	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
29.01.2020 14:02:56	1	1	1	1	72.75	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
29.01.2020 14:02:57	1	1	1	1	72.75	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5	2004
29.01.2020 14:02:58	1	1	1	1	72.75	62.5	0	30047.393	361.2903226	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 14:02:59	1	1	1	1	72.75	62.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 14:03:00	1	1	1	1	72.75	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
29.01.2020 14:03:01	1	1	1	1	72.75	62.25	0	29905.213	384.9462366	11548.12057	30000	0	0	30000	42.375	2004
29.01.2020 14:03:02	1	1	1	1	72.75	62.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:03:03	1	1	1	1	72.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 14:03:04	1	1	1	1	72.75	62.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	42.3125	2004
29.01.2020 14:03:05	1	1	1	1	72.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 14:03:06	1	1	1	1	72.75	62.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 14:03:07	1	1	1	1	72.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:03:08	1	1	1	1	72.75	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:03:09	1	1	1	1	72.75	62	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 14:03:10	1	1	1	1	72.75	62.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:03:12	1	1	1	1	72.75	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5	2004
29.01.2020 14:03:13	1	1	1	1	72.75	62.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.1875	2004
29.01.2020 14:03:14	1	1	1	1	72.75	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:03:15	1	1	1	1	72.75	62	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.8125	2004
29.01.2020 14:03:16	1	1	1	1	72.75	62.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.25	2004
29.01.2020 14:03:17	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 14:03:18	1	1	1	1	72.75	62.75	0	29905.213	305.3763441	9225.124344	30000	0	0	30000	42.125	2004
29.01.2020 14:03:19	1	1	1	1	73.25	62.5	0	30000	316.1290323	9419.182997	30000	0	0	30000	42.1875	2004
29.01.2020 14:03:20	1	1	1	1	73.25	62	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.3125	2004
29.01.2020 14:03:21	1	1	1	1	73.25	62.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.375	2004
29.01.2020 14:03:22	1	1	1	1	73.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 14:03:23	1	1	1	1	73.25	62.5	0	30000	307.5268817	9160.709918	30000	0	0	30000	42.3125	2004
29.01.2020 14:03:24	1	1	1	1	73.25	62.25	0	30000	292.4731183	8852.499117	30000	0	0	30000	42.0625	2004
29.01.2020 14:03:25	1	1	1	1	73.25	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.5625	2004
29.01.2020 14:03:26	1	1	1	1	73.25	62.5	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	42.3125	2004
29.01.2020 14:03:27	1	1	1	1	73.25	62.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.375	2004
29.01.2020 14:03:28	1	1	1	1	73.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.375	2004
29.01.2020 14:03:29	1	1	1	1	73.25	62.25	0	29952.607	311.827957	9548.01185	30000	0	0	30000	42.625	2004
29.01.2020 14:03:30	1	1	1	1	73.25	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.4375	2004
29.01.2020 14:03:31	1	1	1	1	73.25	62.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.4375	2004
29.01.2020 14:03:32	1	1	1	1	73.25	62.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 14:03:33	1	1	1	1	73.25	62.5	0	29952.607	318.2795699	9468.920719	30000	0	0	30000	42.625	2004
29.01.2020 14:03:34	1	1	1	1	73.25	62.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.4375	2004
29.01.2020 14:03:35	1	1	1	1	73.25	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 14:03:39	1	1	1	1	73.25	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 14:03:39	1	1	1	1	73.25	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 14:03:39	1	1	1	1	73.25	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 14:03:39	1	1	1	1	73	62.25	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
29.01.2020 14:03:40	1	1	1	1	73	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:03:41	1	1	1	1	73	62.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	41.9375	2004
29.01.2020 14:03:42	1	1	1	1	73	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.8125	2004
29.01.2020 14:03:43	1	1	1	1	73	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.5	2004
29.01.2020 14:03:44	1	1	1	1	73	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.5625	2004
29.01.2020 14:03:45	1	1	1	1	73	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5	2004
29.01.2020 14:03:46	1	1	1	1	73	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 14:03:47	1	1	1	1	73	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.375	2004
29.01.2020 14:03:48	1	1	1	1	73	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:03:49	1	1	1	1	73	62	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:03:51	1	1	1	1	73	62	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.4375	2004
29.01.2020 14:03:58	1	1	1	1	73	62.25	0	30047.393	384.9462366	11566.05876	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:03:58	1	1	1	1	73	62.25	0	30047.393	384.9462366	11566.05876	30000	0	0	30000	42.5	2004
29.01.2020 14:03:58	1	1	1	1	73	62.25	0	30047.393	384.9462366	11566.05876	30000	0	0	30000	42.5	2004
29.01.2020 14:03:58	1	1	1	1	73	62.25	0	30047.393	384.9462366	11566.05876	30000	0	0	30000	42.5	2004
29.01.2020 14:03:58	1	1	1	1	73	62.25	0	30047.393	384.9462366	11566.05876	30000	0	0	30000	42.5	2004
29.01.2020 14:03:58	1	1	1	1	73	62.25	0	30047.393	384.9462366	11566.05876	30000	0	0	30000	42.5	2004
29.01.2020 14:03:58	1	1	1	1	73	62.25	0	30047.393	384.9462366	11566.05876	30000	0	0	30000	42.5	2004
29.01.2020 14:03:59	1	1	1	1	73.5	62.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.375	2004
29.01.2020 14:04:00	1	1	1	1	73.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:04:01	1	1	1	1	73.5	62	0	30000	400	12045.49778	30000	0	0	30000	42.4375	2004
29.01.2020 14:04:02	1	1	1	1	73.5	62.25	0	29905.213	389.2473118	11741.36385	30000	0	0	30000	42.4375	2004
29.01.2020 14:04:03	1	1	1	1	73.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 14:04:04	1	1	1	1	73.5	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.125	2004
29.01.2020 14:04:05	1	1	1	1	73.5	62	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.9375	2004
29.01.2020 14:04:06	1	1	1	1	73.5	61.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.1875	2004
29.01.2020 14:04:07	1	1	1	1	73.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
29.01.2020 14:04:08	1	1	1	1	73.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
29.01.2020 14:04:09	1	1	1	1	73.25	62	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	42.5	2004
29.01.2020 14:04:10	1	1	1	1	73.25	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5	2004
29.01.2020 14:04:11	1	1	1	1	73.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 14:04:12	1	1	1	1	73.25	62.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.3125	2004
29.01.2020 14:04:13	1	1	1	1	73.25	62.25	0	30000	378.4946237	11319.0009	30000	0	0	30000	42.375	2004
29.01.2020 14:04:14	1	1	1	1	73.25	62.25	0	29905.213	365.5913978	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 14:04:15	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 14:04:16	1	1	1	1	73.25	62.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:04:17	1	1	1	1	73.25	62.25	0	30000	352.688172	10580.27342	30000	0	0	30000	41.9375	2004
29.01.2020 14:04:18	1	1	1	1	73.25	61.75	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	42.3125	2004
29.01.2020 14:04:19	1	1	1	1	73.25	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.375	2004
29.01.2020 14:04:20	1	1	1	1	73.25	62.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.375	2004
29.01.2020 14:04:21	1	1	1	1	73.25	62.25	0	29952.607	331.1827957	9855.407279	30000	0	0	30000	42.25	2004
29.01.2020 14:04:22	1	1	1	1	73.25	62.25	0	30000	335.483871	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:04:23	1	1	1	1	73.25	62	0	30000	331.1827957	9935.313783	30000	0	0	30000	42	2004
29.01.2020 14:04:24	1	1	1	1	73.25	62	0	30000	331.1827957	9855.407279	30000	0	0	30000	41.75	2004
29.01.2020 14:04:25	1	1	1	1	73.25	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:04:26	1	1	1	1	73.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:04:27	1	1	1	1	73.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:04:29	1	1	1	1	73.25	62	0	30000	322.5806452	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 14:04:30	1	1	1	1	73	62.25	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	42.25	2004
29.01.2020 14:04:31	1	1	1	1	73	62.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.8125	2004
29.01.2020 14:04:32	1	1	1	1	73	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.375	2004
29.01.2020 14:04:33	1	1	1	1	73	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.875	2004
29.01.2020 14:04:34	1	1	1	1	73	62.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:04:35	1	1	1	1	73	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.3125	2004
29.01.2020 14:04:36	1	1	1	1	73	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:05:21	1	1	1	1	73.25	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.9375	2004
29.01.2020 14:05:22	1	1	1	1	73.25	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
29.01.2020 14:05:23	1	1	1	1	73.25	61.5	0	29905.213	365.5913978	10996.92876	30000	0	0	30000	42.1875	2004
29.01.2020 14:05:24	1	1	1	1	73.25	62	0	29952.607	363.4408602	11096.40421	30000	0	0	30000	42	2004
29.01.2020 14:05:25	1	1	1	1	73.25	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.1875	2004
29.01.2020 14:05:26	1	1	1	1	73.25	62	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.375	2004
29.01.2020 14:05:27	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 14:05:28	1	1	1	1	73.25	62.25	0	30000	369.8924731	11437.22991	30000	0	0	30000	42.1875	2004
29.01.2020 14:05:29	1	1	1	1	73.25	62	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:05:30	1	1	1	1	73.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 14:05:31	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 14:05:32	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:05:33	1	1	1	1	73.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:05:34	1	1	1	1	73.25	61.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 14:05:35	1	1	1	1	73.25	62.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.25	2004
29.01.2020 14:05:36	1	1	1	1	73.25	62.25	0	29952.607	356.9892473	10903.16093	30000	0	0	30000	42.3125	2004
29.01.2020 14:05:37	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:05:38	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:05:39	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
29.01.2020 14:05:40	1	1	1	1	73.25	62.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.25	2004
29.01.2020 14:05:41	1	1	1	1	73.25	62.25	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	42.375	2004
29.01.2020 14:05:42	1	1	1	1	73.25	62.25	0	29952.607	387.0967742	11741.36385	30000	0	0	30000	42.125	2004
29.01.2020 14:05:43	1	1	1	1	73.25	62	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:05:44	1	1	1	1	73.25	62	0	30000	382.7956989	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 14:05:46	1	1	1	1	73.25	62.25	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	42.5625	2004
29.01.2020 14:05:47	1	1	1	1	73.25	62.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:05:48	1	1	1	1	73.25	62	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	42.0625	2004
29.01.2020 14:05:49	1	1	1	1	73.25	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 14:05:50	1	1	1	1	73	62	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	42.0625	2004
29.01.2020 14:05:51	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
29.01.2020 14:05:52	1	1	1	1	73	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
29.01.2020 14:05:53	1	1	1	1	73	62.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.25	2004
29.01.2020 14:05:54	1	1	1	1	73	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:01	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:06:01	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:06:01	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:06:01	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:06:01	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:06:01	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:06:01	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:06:01	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:06:02	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 14:06:03	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
29.01.2020 14:06:04	1	1	1	1	72.75	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:06:05	1	1	1	1	72.75	62.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.3125	2004
29.01.2020 14:06:06	1	1	1	1	72.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:07	1	1	1	1	72.75	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:08	1	1	1	1	72.75	62	0	30000	400	12128.66578	30000	0	0	30000	42.25	2004
29.01.2020 14:06:09	1	1	1	1	72.75	62.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:10	1	1	1	1	72.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
29.01.2020 14:06:11	1	1	1	1	72.75	61.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.25	2004
29.01.2020 14:06:12	1	1	1	1	72.75	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:06:13	1	1	1	1	72.75	62.25	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	41.9375	2004
29.01.2020 14:06:14	1	1	1	1	72.75	61.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:15	1	1	1	1	72.75	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:16	1	1	1	1	72.75	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.25	2004
29.01.2020 14:06:17	1	1	1	1	72.75	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 14:06:18	1	1	1	1	72.75	62.25	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	41.8125	2004
29.01.2020 14:06:19	1	1	1	1	72.5	61.75	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	41.875	2004
29.01.2020 14:06:20	1	1	1	1	72.5	61.75	0	29905.213	288.172043	8708.993559	30000	0	0	30000	42.25	2004
29.01.2020 14:06:21	1	1	1	1	72.5	62.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.25	2004
29.01.2020 14:06:23	1	1	1	1	72.5	62.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.125	2004
29.01.2020 14:06:24	1	1	1	1	72.5	62	0	30000	301.0752688	9096.295491	30000	0	0	30000	42	2004
29.01.2020 14:06:25	1	1	1	1	72.5	62	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.25	2004
29.01.2020 14:06:26	1	1	1	1	72.5	62.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:27	1	1	1	1	72.5	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.25	2004
29.01.2020 14:06:28	1	1	1	1	72.5	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.3125	2004
29.01.2020 14:06:29	1	1	1	1	72.5	62.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:30	1	1	1	1	73	62	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.75	2004
29.01.2020 14:06:31	1	1	1	1	73	62.75	0	29952.607	296.7741935	9096.295491	30000	0	0	30000	42.3125	2004
29.01.2020 14:06:32	1	1	1	1	73	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.25	2004
29.01.2020 14:06:33	1	1	1	1	73	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.9375	2004
29.01.2020 14:06:34	1	1	1	1	73	61.75	0	30000	294.6236559	8903.052211	30000	0	0	30000	42	2004
29.01.2020 14:06:35	1	1	1	1	73	62	0	30000	298.9247312	8953.605305	30000	0	0	30000	42.3125	2004
29.01.2020 14:06:36	1	1	1	1	73	62.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.375	2004
29.01.2020 14:06:37	1	1	1	1	73	62.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.3125	2004
29.01.2020 14:06:38	1	1	1	1	73	62.25	0	29952.607	326.8817204	10095.94216	30000	0	0	30000	42.25	2004
29.01.2020 14:06:39	1	1	1	1	73	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 14:06:40	1	1	1	1	73	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 14:06:41	1	1	1	1	73	62.25	0	29905.213	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 14:06:42	1	1	1	1	73	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.375	2004
29.01.2020 14:06:43	1	1	1	1	73	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.5625	2004
29.01.2020 14:06:44	1	1	1	1	73	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.125	2004
29.01.2020 14:06:45	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:06:46	1	1	1	1	73	62.25	0	29905.213	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:47	1	1	1	1	73	62	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.4375	2004
29.01.2020 14:06:48	1	1	1	1	73	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:06:49	1	1	1	1	73	62	0	30000	378.4946237	11584.81233	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:50	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:06:51	1	1	1	1	73	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:52	1	1	1	1	73	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:06:53	1	1	1	1	73	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.25	2004
29.01.2020 14:06:54	1	1	1	1	73	62.25	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:06:55	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:07:03	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:07:03	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:07:03	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:07:03	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:07:03	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:07:03	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:07:03	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:07:04	1	1	1	1	72.75	62.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 14:07:05	1	1	1	1	72.75	62	0	30000	423.655914	12773.62542	30000	0	0	30000	42.125	2004
29.01.2020 14:07:06	1	1	1	1	72.75	62	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.4375	2004
29.01.2020 14:07:07	1	1	1	1	72.75	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
29.01.2020 14:07:08	1	1	1	1	72.75	62.75	0	29905.213	425.8064516	12669.25774	30000	0	0	30000	42.375	2004
29.01.2020 14:07:09	1	1	1	1	72.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.0625	2004
29.01.2020 14:07:10	1	1	1	1	72.5	62	0	29952.607	427.9569892	13072.86712	30000	0	0	30000	42.1875	2004
29.01.2020 14:07:11	1	1	1	1	72.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:07:12	1	1	1	1	72.5	62.25	0	30094.787	412.9032258	12064.25135	30000	0	0	30000	42.125	2004
29.01.2020 14:07:13	1	1	1	1	72.5	62	0	30000	395.6989247	11640.25766	30000	0	0	30000	42.3125	2004
29.01.2020 14:07:14	1	1	1	1	72.5	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:07:15	1	1	1	1	72.5	62	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:07:16	1	1	1	1	72.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.8125	2004
29.01.2020 14:07:17	1	1	1	1	72.5	61.75	0	29905.213	354.8387097	10644.68785	30000	0	0	30000	42.4375	2004
29.01.2020 14:07:18	1	1	1	1	72.5	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 14:07:19	1	1	1	1	72.5	62	0	30000	352.688172	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:07:20	1	1	1	1	72.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
29.01.2020 14:07:21	1	1	1	1	72.5	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.25	2004
29.01.2020 14:07:22	1	1	1	1	72.5	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.0625	2004
29.01.2020 14:07:23	1	1	1	1	72.5	62	0	30000	352.688172	10515.85899	30000	0	0	30000	41.6875	2004
29.01.2020 14:07:24	1	1	1	1	72.5	61.5	0	30000	348.3870968	10580.27342	30000	0	0	30000	42.5	2004
29.01.2020 14:07:25	1	1	1	1	72.5	62.5	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 14:07:26	1	1	1	1	72.5	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.0625	2004
29.01.2020 14:07:27	1	1	1	1	72.5	62	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 14:07:28	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
29.01.2020 14:07:29	1	1	1	1	72.25	62.25	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
29.01.2020 14:07:30	1	1	1	1	72.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 14:07:31	1	1	1	1	72.25	62	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.0625	2004
29.01.2020 14:07:32	1	1	1	1	72.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:08:18	1	1	1	1	71.75	62.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.25	2004
29.01.2020 14:08:19	1	1	1	1	71.75	62.25	0	30000	307.5268817	9211.263012	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:20	1	1	1	1	71.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:21	1	1	1	1	71.75	62	0	30000	316.1290323	9548.01185	30000	0	0	30000	41.8125	2004
29.01.2020 14:08:22	1	1	1	1	71.75	61.75	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:23	1	1	1	1	71.75	62	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:24	1	1	1	1	71.75	62	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.3125	2004
29.01.2020 14:08:25	1	1	1	1	71.75	62.25	0	30000	298.9247312	8903.052211	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:26	1	1	1	1	71.75	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.375	2004
29.01.2020 14:08:27	1	1	1	1	71.75	61.25	0	29905.213	290.3225806	8838.637784	30000	0	0	30000	42.4375	2004
29.01.2020 14:08:28	1	1	1	1	71.75	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.3125	2004
29.01.2020 14:08:29	1	1	1	1	72	62.25	0	29952.607	281.7204301	8322.506999	30000	0	0	30000	42	2004
29.01.2020 14:08:30	1	1	1	1	72	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:31	1	1	1	1	72	62	0	30000	281.7204301	8580.164705	30000	0	0	30000	42	2004
29.01.2020 14:08:32	1	1	1	1	72	62	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:33	1	1	1	1	72	62	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.375	2004
29.01.2020 14:08:34	1	1	1	1	72	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.3125	2004
29.01.2020 14:08:35	1	1	1	1	72	62.25	0	30047.393	279.5698925	8258.092572	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:36	1	1	1	1	72	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.4375	2004
29.01.2020 14:08:37	1	1	1	1	72	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:38	1	1	1	1	72	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.3125	2004
29.01.2020 14:08:39	1	1	1	1	72	62.25	0	30000	283.8709677	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:40	1	1	1	1	72	62	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:41	1	1	1	1	72	62	0	30000	294.6236559	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:42	1	1	1	1	72	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:43	1	1	1	1	72	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42	2004
29.01.2020 14:08:44	1	1	1	1	72	62	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.25	2004
29.01.2020 14:08:45	1	1	1	1	72	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.25	2004
29.01.2020 14:08:46	1	1	1	1	72	62.25	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	42.375	2004
29.01.2020 14:08:47	1	1	1	1	72	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:48	1	1	1	1	72	62	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.375	2004
29.01.2020 14:08:49	1	1	1	1	72	62.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	42.3125	2004
29.01.2020 14:08:50	1	1	1	1	72	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42	2004
29.01.2020 14:08:51	1	1	1	1	72	62	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:52	1	1	1	1	72	62	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:53	1	1	1	1	72	62	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:54	1	1	1	1	72	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:08:55	1	1	1	1	72	62	0	30000	348.3870968	10290.00082	30000	0	0	30000	42.125	2004
29.01.2020 14:08:56	1	1	1	1	72	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.25	2004
29.01.2020 14:08:58	1	1	1	1	72	62.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 14:08:59	1	1	1	1	72	62.25	0	29952.607	346.2365591	10451.44457	30000	0	0	30000	42.25	2004
29.01.2020 14:09:06	1	1	1	1	72	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:09:06	1	1	1	1	72	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:09:06	1	1	1	1	72	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:09:06	1	1	1	1	72	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:09:06	1	1	1	1	72	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:09:06	1	1	1	1	72	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:09:06	1	1	1	1	72	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:09:07	1	1	1	1	72	62.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
29.01.2020 14:09:08	1	1	1	1	72	62.25	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
29.01.2020 14:09:09	1	1	1	1	72	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.25	2004
29.01.2020 14:09:10	1	1	1	1	72	62.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 14:09:11	1	1	1	1	72	62.25	0	29952.607	346.2365591	10515.85899	30000	0	0	30000	41.75	2004
29.01.2020 14:09:12	1	1	1	1	72	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.9375	2004
29.01.2020 14:09:13	1	1	1	1	72	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:09:14	1	1	1	1	72	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.0625	2004
29.01.2020 14:09:15	1	1	1	1	72	62	0	29905.213	313.9784946	9404.506292	30000	0	0	30000	42.25	2004
29.01.2020 14:09:16	1	1	1	1	72	62.25	0	30000	296.7741935	9096.295491	30000	0	0	30000	42.1875	2004
29.01.2020 14:09:17	1	1	1	1	72	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.25	2004
29.01.2020 14:09:18	1	1	1	1	72	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.3125	2004
29.01.2020 14:09:19	1	1	1	1	72	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.25	2004
29.01.2020 14:09:20	1	1	1	1	72	62.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.1875	2004
29.01.2020 14:09:21	1	1	1	1	72	62	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.1875	2004
29.01.2020 14:09:22	1	1	1	1	72	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.375	2004
29.01.2020 14:09:23	1	1	1	1	72	62.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.25	2004
29.01.2020 14:09:24	1	1	1	1	72	62.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.125	2004
29.01.2020 14:09:25	1	1	1	1	72	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.8125	2004
29.01.2020 14:09:26	1	1	1	1	72	61.75	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.125	2004
29.01.2020 14:09:27	1	1	1	1	72	62	0	30000	268.8172043	8607.071997	30000	0	0	30000	42.25	2004
29.01.2020 14:09:28	1	1	1	1	72	62.25	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.25	2004
29.01.2020 14:09:29	1	1	1	1	71.75	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42	2004
29.01.2020 14:09:30	1	1	1	1	71.75	62	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 14:09:31	1	1	1	1	71.75	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.25	2004
29.01.2020 14:09:32	1	1	1	1	71.75	62.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.25	2004
29.01.2020 14:09:33	1	1	1	1	71.75	62.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	42	2004
29.01.2020 14:09:34	1	1	1	1	71.75	62	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	42.375	2004
29.01.2020 14:09:36	1	1	1	1	71.75	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.0625	2004
29.01.2020 14:09:37	1	1	1	1	71.75	62	0	30047.393	305.3763441	9160.709918	30000	0	0	30000	42.0625	2004
29.01.2020 14:09:38	1	1	1	1	71.75	62	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.125	2004
29.01.2020 14:09:39	1	1	1	1	71.75	62	0	30000	324.7311828	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:09:40	1	1	1	1	71.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.0625	2004
29.01.2020 14:09:41	1	1	1	1	71.75	62	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	41.8125	2004
29.01.2020 14:09:42	1	1	1	1	71.75	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.9375	2004
29.01.2020 14:09:43	1	1	1	1	71.75	61.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5	2004
29.01.2020 14:09:44	1	1	1	1	71.75	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.1875	2004
29.01.2020 14:09:45	1	1	1	1	71.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:09:46	1	1	1	1	71.75	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.5	2004
29.01.2020 14:09:47	1	1	1	1	71.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
29.01.2020 14:09:48	1	1	1	1	71.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:09:49	1	1	1	1	71.75	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.1875	2004
29.01.2020 14:09:50	1	1	1	1	71.75	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.0625	2004
29.01.2020 14:09:51	1	1	1	1	71.75	62	0	30000	372.0430108	11178.75683	30000	0	0	30000	42.0625	2004
29.01.2020 14:09:52	1	1	1	1	71.75	62	0	29905.213	367.7419355	11096.40421	30000	0	0	30000	42.125	2004
29.01.2020 14:09:53	1	1	1	1	71.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:09:54	1	1	1	1	71.75	62	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.0625	2004
29.01.2020 14:09:55	1	1	1	1	71.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 14:09:56	1	1	1	1	71.75	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.8125	2004
29.01.2020 14:09:57	1	1	1	1	71.75	61.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	42.125	2004
29.01.2020 14:09:58	1	1	1	1	71.75	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.9375	2004
29.01.2020 14:09:59	1	1	1	1	71.5	61.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:00	1	1	1	1	71.5	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:08	1	1	1	1	71.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:10:08	1	1	1	1	71.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:10:08	1	1	1	1	71.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:10:08	1	1	1	1	71.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:10:08	1	1	1	1	71.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:10:08	1	1	1	1	71.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:10:08	1	1	1	1	71.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 14:10:09	1	1	1	1	71.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42	2004
29.01.2020 14:10:10	1	1	1	1	71.75	62	0	30047.393	378.4946237	11372.81548	30000	0	0	30000	42.3125	2004
29.01.2020 14:10:11	1	1	1	1	71.75	62.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.125	2004
29.01.2020 14:10:12	1	1	1	1	71.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
29.01.2020 14:10:13	1	1	1	1	71.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42	2004
29.01.2020 14:10:14	1	1	1	1	71.75	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 14:10:16	1	1	1	1	71.75	62.25	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 14:10:17	1	1	1	1	71.75	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.125	2004
29.01.2020 14:10:18	1	1	1	1	71.75	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:10:19	1	1	1	1	71.75	62.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:20	1	1	1	1	71.75	62	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	42.125	2004
29.01.2020 14:10:21	1	1	1	1	71.75	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.25	2004
29.01.2020 14:10:22	1	1	1	1	71.75	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.25	2004
29.01.2020 14:10:23	1	1	1	1	71.75	62.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 14:10:24	1	1	1	1	71.75	62.25	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.5	2004
29.01.2020 14:10:25	1	1	1	1	71.75	62.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.4375	2004
29.01.2020 14:10:26	1	1	1	1	71.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 14:10:27	1	1	1	1	71.75	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 14:10:28	1	1	1	1	71.75	62.25	0	29952.607	363.4408602	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:29	1	1	1	1	71.75	62	0	30000	354.8387097	10628.3804	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:10:30	1	1	1	1	71.75	62.25	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	41.5	2004
29.01.2020 14:10:31	1	1	1	1	71.75	61.5	0	29905.213	354.8387097	10644.68785	30000	0	0	30000	42.125	2004
29.01.2020 14:10:32	1	1	1	1	71.75	62	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 14:10:33	1	1	1	1	71.75	62	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.0625	2004
29.01.2020 14:10:34	1	1	1	1	71.75	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:35	1	1	1	1	71.75	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.8125	2004
29.01.2020 14:10:36	1	1	1	1	71.75	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 14:10:37	1	1	1	1	71.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.375	2004
29.01.2020 14:10:38	1	1	1	1	71.75	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 14:10:39	1	1	1	1	71.5	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.125	2004
29.01.2020 14:10:40	1	1	1	1	71.5	62	0	30000	346.2365591	10322.61571	30000	0	0	30000	42	2004
29.01.2020 14:10:41	1	1	1	1	71.5	62	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.3125	2004
29.01.2020 14:10:42	1	1	1	1	71.5	62.25	0	30000	365.5913978	10757.20925	30000	0	0	30000	42.25	2004
29.01.2020 14:10:43	1	1	1	1	71.5	62.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:44	1	1	1	1	71.5	62	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.375	2004
29.01.2020 14:10:45	1	1	1	1	71.5	62.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
29.01.2020 14:10:46	1	1	1	1	71.5	62	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:47	1	1	1	1	71.5	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:48	1	1	1	1	71.5	62	0	29952.607	367.7419355	11160.81863	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:49	1	1	1	1	71.5	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.125	2004
29.01.2020 14:10:50	1	1	1	1	71.5	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.0625	2004
29.01.2020 14:10:51	1	1	1	1	71.5	62	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:52	1	1	1	1	71.5	62	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 14:10:54	1	1	1	1	71.5	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.25	2004
29.01.2020 14:10:55	1	1	1	1	71.5	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 14:10:56	1	1	1	1	71.5	62.25	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:10:57	1	1	1	1	71.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
29.01.2020 14:10:58	1	1	1	1	71.5	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.9375	2004
29.01.2020 14:10:59	1	1	1	1	71.5	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.375	2004
29.01.2020 14:11:00	1	1	1	1	71.5	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
29.01.2020 14:11:01	1	1	1	1	71.5	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:02	1	1	1	1	71.5	62	0	30000	395.6989247	12128.66578	30000	0	0	30000	42.375	2004
29.01.2020 14:11:09	1	1	1	1	71.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:11:09	1	1	1	1	71.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:11:09	1	1	1	1	71.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:11:09	1	1	1	1	71.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:11:09	1	1	1	1	71.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:11:09	1	1	1	1	71.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:11:09	1	1	1	1	71.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:11:10	1	1	1	1	71.5	62	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.4375	2004
29.01.2020 14:11:11	1	1	1	1	71.5	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:11:12	1	1	1	1	71.5	62	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:13	1	1	1	1	71.5	62	0	30047.393	384.9462366	11419.29171	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:11:14	1	1	1	1	71.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:15	1	1	1	1	71.5	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:16	1	1	1	1	71.5	62	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:17	1	1	1	1	71.5	62	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.125	2004
29.01.2020 14:11:18	1	1	1	1	71.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.125	2004
29.01.2020 14:11:19	1	1	1	1	71.5	62	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.125	2004
29.01.2020 14:11:20	1	1	1	1	71.5	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 14:11:21	1	1	1	1	71.5	62.25	0	29952.607	339.7849462	10387.03014	30000	0	0	30000	42.125	2004
29.01.2020 14:11:22	1	1	1	1	71.5	62	0	30000	341.9354839	10241.89384	30000	0	0	30000	42.25	2004
29.01.2020 14:11:23	1	1	1	1	71.5	62.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.875	2004
29.01.2020 14:11:24	1	1	1	1	71.5	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 14:11:25	1	1	1	1	71.5	62.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:26	1	1	1	1	71.5	62	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:27	1	1	1	1	71.5	62	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.3125	2004
29.01.2020 14:11:28	1	1	1	1	71.5	62.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:29	1	1	1	1	71.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:30	1	1	1	1	71.5	62	0	29952.607	356.9892473	10757.20925	30000	0	0	30000	42.25	2004
29.01.2020 14:11:31	1	1	1	1	71.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42	2004
29.01.2020 14:11:32	1	1	1	1	71.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
29.01.2020 14:11:34	1	1	1	1	71.5	62	0	29905.213	352.688172	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:35	1	1	1	1	71.5	62	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.0625	2004
29.01.2020 14:11:36	1	1	1	1	71.5	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.875	2004
29.01.2020 14:11:37	1	1	1	1	71.5	61.75	0	30000	356.9892473	10499.55155	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:38	1	1	1	1	71.5	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:39	1	1	1	1	71.5	62	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 14:11:40	1	1	1	1	71.5	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.125	2004
29.01.2020 14:11:41	1	1	1	1	71.5	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.125	2004
29.01.2020 14:11:42	1	1	1	1	71.5	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 14:11:43	1	1	1	1	71.5	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.0625	2004
29.01.2020 14:11:44	1	1	1	1	71.5	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.125	2004
29.01.2020 14:11:45	1	1	1	1	71.5	62	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.625	2004
29.01.2020 14:11:46	1	1	1	1	71.5	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.3125	2004
29.01.2020 14:11:47	1	1	1	1	71.5	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.875	2004
29.01.2020 14:11:48	1	1	1	1	71.5	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:49	1	1	1	1	71.5	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42	2004
29.01.2020 14:11:50	1	1	1	1	71.5	62	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.375	2004
29.01.2020 14:11:51	1	1	1	1	71.5	62.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.5	2004
29.01.2020 14:11:52	1	1	1	1	71.5	61.5	0	30000	367.7419355	11160.81863	30000	0	0	30000	41.875	2004
29.01.2020 14:11:53	1	1	1	1	71.5	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:54	1	1	1	1	71.5	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 14:11:55	1	1	1	1	71.5	62	0	29952.607	395.6989247	11741.36385	30000	0	0	30000	41.875	2004
29.01.2020 14:11:56	1	1	1	1	71.5	61.75	0	29905.213	412.9032258	12090.34327	30000	0	0	30000	42	2004
29.01.2020 14:11:57	1	1	1	1	71.5	62	0	30000	402.1505376	11897.09999	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:11:58	1	1	1	1	71.5	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
29.01.2020 14:11:59	1	1	1	1	71.5	62.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:00	1	1	1	1	71.5	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.4375	2004
29.01.2020 14:12:01	1	1	1	1	71.5	62.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	42	2004
29.01.2020 14:12:02	1	1	1	1	71.5	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:03	1	1	1	1	71.5	62	0	30000	395.6989247	11852.2545	30000	0	0	30000	42.0625	2004
29.01.2020 14:12:11	1	1	1	1	71.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:11	1	1	1	1	71.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:11	1	1	1	1	71.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:11	1	1	1	1	71.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:11	1	1	1	1	71.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:11	1	1	1	1	71.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:11	1	1	1	1	71.25	62	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
29.01.2020 14:12:12	1	1	1	1	71.25	61.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:14	1	1	1	1	71.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
29.01.2020 14:12:15	1	1	1	1	71.25	62.25	0	30047.393	395.6989247	11954.17607	30000	0	0	30000	42.25	2004
29.01.2020 14:12:16	1	1	1	1	71.25	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.875	2004
29.01.2020 14:12:17	1	1	1	1	71.25	61.75	0	30000	382.7956989	11401.35352	30000	0	0	30000	42	2004
29.01.2020 14:12:18	1	1	1	1	71.25	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42	2004
29.01.2020 14:12:19	1	1	1	1	71.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:12:20	1	1	1	1	71.5	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.125	2004
29.01.2020 14:12:21	1	1	1	1	71.5	62	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.3125	2004
29.01.2020 14:12:22	1	1	1	1	71.5	62.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.25	2004
29.01.2020 14:12:23	1	1	1	1	71.5	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.9375	2004
29.01.2020 14:12:24	1	1	1	1	71.5	61.75	0	30000	352.688172	10515.85899	30000	0	0	30000	42.125	2004
29.01.2020 14:12:25	1	1	1	1	71.5	62	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 14:12:26	1	1	1	1	71.5	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.8125	2004
29.01.2020 14:12:27	1	1	1	1	71.5	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:28	1	1	1	1	71.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:29	1	1	1	1	71.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.125	2004
29.01.2020 14:12:30	1	1	1	1	71.75	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:31	1	1	1	1	71.75	62	0	30000	352.688172	10370.72269	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:32	1	1	1	1	71.75	62	0	30000	341.9354839	10273.69337	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:33	1	1	1	1	71.75	62	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:34	1	1	1	1	71.75	62	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:35	1	1	1	1	71.75	62	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.125	2004
29.01.2020 14:12:36	1	1	1	1	71.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:37	1	1	1	1	71.75	62	0	30000	350.5376344	10192.97149	30000	0	0	30000	41.5	2004
29.01.2020 14:12:38	1	1	1	1	71.75	61.5	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	42.1875	2004
29.01.2020 14:12:39	1	1	1	1	71.75	62	0	30000	339.7849462	10273.69337	30000	0	0	30000	42.25	2004
29.01.2020 14:12:40	1	1	1	1	71.75	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.625	2004
29.01.2020 14:12:41	1	1	1	1	71.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:13:26	1	1	1	1	72	62	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:27	1	1	1	1	72	62	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:28	1	1	1	1	72	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:30	1	1	1	1	72.25	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
29.01.2020 14:13:31	1	1	1	1	72.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:32	1	1	1	1	72.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:13:33	1	1	1	1	72.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42	2004
29.01.2020 14:13:34	1	1	1	1	72.25	62	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:35	1	1	1	1	72.25	62	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.25	2004
29.01.2020 14:13:36	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:37	1	1	1	1	72.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:38	1	1	1	1	72.25	62	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:39	1	1	1	1	72.25	62	0	29905.213	369.8924731	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:13:40	1	1	1	1	72.25	62.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.75	2004
29.01.2020 14:13:41	1	1	1	1	72.25	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.6875	2004
29.01.2020 14:13:42	1	1	1	1	72.25	61.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.6875	2004
29.01.2020 14:13:43	1	1	1	1	72.25	62	0	30000	352.688172	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:44	1	1	1	1	72.25	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:45	1	1	1	1	72.25	62	0	29905.213	341.9354839	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:46	1	1	1	1	72.25	62	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:47	1	1	1	1	72.25	62	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.5	2004
29.01.2020 14:13:48	1	1	1	1	72.25	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 14:13:49	1	1	1	1	72.25	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.3125	2004
29.01.2020 14:13:50	1	1	1	1	72.25	62.25	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.125	2004
29.01.2020 14:13:51	1	1	1	1	72.25	62	0	30000	365.5913978	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 14:13:52	1	1	1	1	72.25	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.3125	2004
29.01.2020 14:13:53	1	1	1	1	72.25	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 14:13:54	1	1	1	1	72.25	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:13:55	1	1	1	1	72.25	62	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	42.0625	2004
29.01.2020 14:13:56	1	1	1	1	72.25	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 14:13:57	1	1	1	1	72.25	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.375	2004
29.01.2020 14:13:58	1	1	1	1	72.25	62.25	0	29905.213	333.3333333	9984.236132	30000	0	0	30000	42.3125	2004
29.01.2020 14:13:59	1	1	1	1	72.5	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:00	1	1	1	1	72.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:01	1	1	1	1	72.5	62	0	30000	331.1827957	9806.484929	30000	0	0	30000	42.4375	2004
29.01.2020 14:14:02	1	1	1	1	72.5	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:14:03	1	1	1	1	72.5	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:04	1	1	1	1	72.5	62.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:05	1	1	1	1	72.5	62	0	29952.607	333.3333333	9984.236132	30000	0	0	30000	42.375	2004
29.01.2020 14:14:07	1	1	1	1	72.5	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:14	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:14	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:14	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:14:14	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:14	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:14	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:14	1	1	1	1	72.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:15	1	1	1	1	72.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:16	1	1	1	1	72.25	62.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:17	1	1	1	1	72.25	62	0	30047.393	365.5913978	10967.57535	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:18	1	1	1	1	72.25	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:19	1	1	1	1	72.25	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:20	1	1	1	1	72.25	62.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.75	2004
29.01.2020 14:14:21	1	1	1	1	72.25	62.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.125	2004
29.01.2020 14:14:22	1	1	1	1	72.25	62.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:23	1	1	1	1	72.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
29.01.2020 14:14:24	1	1	1	1	72.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.25	2004
29.01.2020 14:14:25	1	1	1	1	72.25	62.25	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:26	1	1	1	1	72.25	62	0	30000	329.0322581	9726.578425	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:27	1	1	1	1	72.25	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.125	2004
29.01.2020 14:14:28	1	1	1	1	72.25	62	0	29952.607	335.483871	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 14:14:29	1	1	1	1	72.5	62.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 14:14:30	1	1	1	1	72.5	62	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.25	2004
29.01.2020 14:14:31	1	1	1	1	72.5	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 14:14:32	1	1	1	1	72.5	62	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.125	2004
29.01.2020 14:14:33	1	1	1	1	72.5	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 14:14:34	1	1	1	1	72.5	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.8125	2004
29.01.2020 14:14:35	1	1	1	1	72.5	61.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:36	1	1	1	1	72.5	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:37	1	1	1	1	72.5	62.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:38	1	1	1	1	72.5	62	0	30000	335.483871	9855.407279	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:39	1	1	1	1	72.25	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:40	1	1	1	1	72.25	62	0	30000	326.8817204	9676.840703	30000	0	0	30000	42.25	2004
29.01.2020 14:14:41	1	1	1	1	72.25	62.25	0	30000	326.8817204	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 14:14:42	1	1	1	1	72.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.25	2004
29.01.2020 14:14:43	1	1	1	1	72.25	62.25	0	29952.607	318.2795699	9597.749572	30000	0	0	30000	42.25	2004
29.01.2020 14:14:44	1	1	1	1	72.25	62.25	0	30000	339.7849462	10177.47941	30000	0	0	30000	42.125	2004
29.01.2020 14:14:46	1	1	1	1	72.25	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.375	2004
29.01.2020 14:14:47	1	1	1	1	72.25	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:48	1	1	1	1	72.25	62	0	29952.607	326.8817204	9790.992852	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:49	1	1	1	1	72.25	62	0	29905.213	331.1827957	10192.97149	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:50	1	1	1	1	72.5	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 14:14:51	1	1	1	1	72.5	62.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:52	1	1	1	1	72.5	62	0	29905.213	339.7849462	10096.75754	30000	0	0	30000	42.3125	2004
29.01.2020 14:14:53	1	1	1	1	72.5	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 14:14:54	1	1	1	1	72.5	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:14:55	1	1	1	1	72.5	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:56	1	1	1	1	72.5	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:14:57	1	1	1	1	72.5	62	0	29952.607	367.7419355	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 14:14:58	1	1	1	1	72.5	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.5625	2004
29.01.2020 14:14:59	1	1	1	1	72.5	61.5	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.125	2004
29.01.2020 14:15:00	1	1	1	1	72.5	62	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:15:01	1	1	1	1	72.5	62	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:15:02	1	1	1	1	72.5	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.875	2004
29.01.2020 14:15:03	1	1	1	1	72.5	61.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:06	1	1	1	1	72.5	61.5	0	30047.393	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:06	1	1	1	1	72.5	61.5	0	30047.393	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:06	1	1	1	1	72.5	61.5	0	30047.393	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:07	1	1	1	1	72.5	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.3125	2004
29.01.2020 14:15:08	1	1	1	1	72.5	62.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 14:15:15	1	1	1	1	72.25	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:15:15	1	1	1	1	72.25	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:15:15	1	1	1	1	72.25	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:15:15	1	1	1	1	72.25	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:15:15	1	1	1	1	72.25	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:15:15	1	1	1	1	72.25	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:15:15	1	1	1	1	72.25	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:15:15	1	1	1	1	72.25	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:15:16	1	1	1	1	72.25	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.25	2004
29.01.2020 14:15:17	1	1	1	1	72.25	62.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.25	2004
29.01.2020 14:15:18	1	1	1	1	72.25	62.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 14:15:19	1	1	1	1	72.25	62.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:20	1	1	1	1	72.25	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.25	2004
29.01.2020 14:15:21	1	1	1	1	72.25	62.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 14:15:22	1	1	1	1	72.25	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42	2004
29.01.2020 14:15:23	1	1	1	1	72.25	62	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 14:15:25	1	1	1	1	72.25	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.6875	2004
29.01.2020 14:15:26	1	1	1	1	72.25	61.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	41.8125	2004
29.01.2020 14:15:27	1	1	1	1	72.25	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.4375	2004
29.01.2020 14:15:28	1	1	1	1	72.25	62.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	41.875	2004
29.01.2020 14:15:29	1	1	1	1	72.25	61.75	0	30000	350.5376344	10225.58639	30000	0	0	30000	42.125	2004
29.01.2020 14:15:30	1	1	1	1	72	62	0	30000	346.2365591	10515.85899	30000	0	0	30000	42.3125	2004
29.01.2020 14:15:31	1	1	1	1	72	62.25	0	30000	346.2365591	10515.85899	30000	0	0	30000	42	2004
29.01.2020 14:15:32	1	1	1	1	72	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42	2004
29.01.2020 14:15:33	1	1	1	1	72	62	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.25	2004
29.01.2020 14:15:34	1	1	1	1	72	62.25	0	29952.607	337.6344086	10113.06499	30000	0	0	30000	41.0625	2004
29.01.2020 14:15:35	1	1	1	1	72	61	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:36	1	1	1	1	72	62	0	30000	354.8387097	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:37	1	1	1	1	72	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 14:15:38	1	1	1	1	72	62.25	0	30000	352.688172	10515.85899	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:15:39	1	1	1	1	72	62	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	42.3125	2004
29.01.2020 14:15:40	1	1	1	1	72	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.125	2004
29.01.2020 14:15:41	1	1	1	1	72	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 14:15:42	1	1	1	1	72	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:43	1	1	1	1	72	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42	2004
29.01.2020 14:15:44	1	1	1	1	72	62	0	30000	374.1935484	10967.57535	30000	0	0	30000	42.5	2004
29.01.2020 14:15:45	1	1	1	1	72	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
29.01.2020 14:15:46	1	1	1	1	72	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42	2004
29.01.2020 14:15:47	1	1	1	1	72	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:48	1	1	1	1	72	62	0	30000	404.3010753	11935.4225	30000	0	0	30000	42.125	2004
29.01.2020 14:15:49	1	1	1	1	72.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:15:50	1	1	1	1	72.25	62.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:51	1	1	1	1	72.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:52	1	1	1	1	72.25	62	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:53	1	1	1	1	72.25	62	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:15:54	1	1	1	1	72.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 14:15:55	1	1	1	1	72.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:15:56	1	1	1	1	72.25	62	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:15:57	1	1	1	1	72.25	62	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	42.125	2004
29.01.2020 14:15:58	1	1	1	1	72.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:15:59	1	1	1	1	72.5	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
29.01.2020 14:16:00	1	1	1	1	72.5	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.9375	2004
29.01.2020 14:16:01	1	1	1	1	72.5	61.75	0	30000	419.3548387	12411.60003	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:03	1	1	1	1	72.5	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.25	2004
29.01.2020 14:16:04	1	1	1	1	72.5	62.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	42	2004
29.01.2020 14:16:05	1	1	1	1	72.5	62	0	30000	443.0107527	13289.7562	30000	0	0	30000	42	2004
29.01.2020 14:16:06	1	1	1	1	72.5	62	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42.125	2004
29.01.2020 14:16:07	1	1	1	1	72.5	62	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	42.25	2004
29.01.2020 14:16:08	1	1	1	1	72.5	62.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.625	2004
29.01.2020 14:16:09	1	1	1	1	72.5	61.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:10	1	1	1	1	72.25	62.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.8125	2004
29.01.2020 14:16:17	1	1	1	1	72.25	62	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:17	1	1	1	1	72.25	62	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:17	1	1	1	1	72.25	62	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:17	1	1	1	1	72.25	62	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:17	1	1	1	1	72.25	62	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:17	1	1	1	1	72.25	62	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:17	1	1	1	1	72.25	62	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:18	1	1	1	1	72.25	62	0	30047.393	367.7419355	11049.1126	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:19	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
29.01.2020 14:16:20	1	1	1	1	72.5	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:21	1	1	1	1	72.5	62	0	29905.213	369.8924731	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:16:22	1	1	1	1	72.5	62	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:16:23	1	1	1	1	72.5	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:24	1	1	1	1	72.5	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.25	2004
29.01.2020 14:16:25	1	1	1	1	72.5	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:26	1	1	1	1	72.5	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.125	2004
29.01.2020 14:16:27	1	1	1	1	72.5	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:28	1	1	1	1	72.5	62.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:29	1	1	1	1	72.5	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:30	1	1	1	1	72.5	62	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:31	1	1	1	1	72.5	62	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.25	2004
29.01.2020 14:16:32	1	1	1	1	72.5	62.25	0	30000	303.2258065	9031.881064	30000	0	0	30000	41.5625	2004
29.01.2020 14:16:33	1	1	1	1	72.5	61.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.25	2004
29.01.2020 14:16:34	1	1	1	1	72.5	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.25	2004
29.01.2020 14:16:35	1	1	1	1	72.5	62.25	0	29952.607	290.3225806	8774.223358	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:36	1	1	1	1	72.5	62.25	0	30000	288.172043	8644.579132	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:37	1	1	1	1	72.5	62	0	30047.393	288.172043	8708.993559	30000	0	0	30000	42	2004
29.01.2020 14:16:38	1	1	1	1	72.5	62	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	40.5625	2004
29.01.2020 14:16:39	1	1	1	1	72.5	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.25	2004
29.01.2020 14:16:40	1	1	1	1	72.5	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:41	1	1	1	1	72.5	62.25	0	29905.213	305.3763441	9275.677439	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:43	1	1	1	1	72.5	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.25	2004
29.01.2020 14:16:44	1	1	1	1	72.5	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.3125	2004
29.01.2020 14:16:45	1	1	1	1	72.5	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 14:16:46	1	1	1	1	72.5	62.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:47	1	1	1	1	72.5	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:48	1	1	1	1	72.5	62	0	30000	365.5913978	10886.03811	30000	0	0	30000	41.75	2004
29.01.2020 14:16:49	1	1	1	1	72.5	61.75	0	29952.607	365.5913978	10967.57535	30000	0	0	30000	42.1875	2004
29.01.2020 14:16:50	1	1	1	1	73	62	0	30000	372.0430108	10903.16093	30000	0	0	30000	42.125	2004
29.01.2020 14:16:51	1	1	1	1	73	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.125	2004
29.01.2020 14:16:52	1	1	1	1	73	62	0	29905.213	395.6989247	11575.84323	30000	0	0	30000	42.125	2004
29.01.2020 14:16:53	1	1	1	1	73	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42	2004
29.01.2020 14:16:54	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:16:55	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 14:16:56	1	1	1	1	73	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
29.01.2020 14:16:57	1	1	1	1	73	62.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
29.01.2020 14:16:58	1	1	1	1	73	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
29.01.2020 14:16:59	1	1	1	1	72.75	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:00	1	1	1	1	72.75	62	0	30000	423.655914	12515.96771	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:01	1	1	1	1	72.75	62	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.9375	2004
29.01.2020 14:17:02	1	1	1	1	72.75	61.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.125	2004
29.01.2020 14:17:03	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
29.01.2020 14:17:04	1	1	1	1	72.75	62	0	30000	423.655914	12709.21099	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:05	1	1	1	1	72.75	62	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:06	1	1	1	1	72.75	62	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:17:07	1	1	1	1	72.75	62	0	30000	438.7096774	13354.17063	30000	0	0	30000	41.8125	2004
29.01.2020 14:17:08	1	1	1	1	72.75	61.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.25	2004
29.01.2020 14:17:09	1	1	1	1	72.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
29.01.2020 14:17:10	1	1	1	1	72.75	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.9375	2004
29.01.2020 14:17:11	1	1	1	1	72.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:19	1	1	1	1	72.75	62	0	29905.213	337.6344086	10192.97149	30000	0	0	30000	42.25	2004
29.01.2020 14:17:19	1	1	1	1	72.75	62	0	29905.213	337.6344086	10192.97149	30000	0	0	30000	42.25	2004
29.01.2020 14:17:19	1	1	1	1	72.75	62	0	29905.213	337.6344086	10192.97149	30000	0	0	30000	42.25	2004
29.01.2020 14:17:19	1	1	1	1	72.75	62	0	29905.213	337.6344086	10192.97149	30000	0	0	30000	42.25	2004
29.01.2020 14:17:19	1	1	1	1	72.75	62	0	29905.213	337.6344086	10192.97149	30000	0	0	30000	42.25	2004
29.01.2020 14:17:19	1	1	1	1	72.75	62	0	29905.213	337.6344086	10192.97149	30000	0	0	30000	42.25	2004
29.01.2020 14:17:19	1	1	1	1	72.5	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
29.01.2020 14:17:20	1	1	1	1	72.5	62	0	29952.607	320.4301075	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:21	1	1	1	1	72.5	62	0	30047.393	320.4301075	9483.597423	30000	0	0	30000	42.0625	2004
29.01.2020 14:17:23	1	1	1	1	72.5	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.875	2004
29.01.2020 14:17:24	1	1	1	1	72.5	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:25	1	1	1	1	72.5	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
29.01.2020 14:17:26	1	1	1	1	72.5	62	0	30000	305.3763441	9290.354143	30000	0	0	30000	42.0625	2004
29.01.2020 14:17:27	1	1	1	1	72.5	62	0	30000	307.5268817	9096.295491	30000	0	0	30000	42.3125	2004
29.01.2020 14:17:28	1	1	1	1	72.5	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:29	1	1	1	1	72.5	62	0	30000	303.2258065	9110.972196	30000	0	0	30000	42.125	2004
29.01.2020 14:17:30	1	1	1	1	72.75	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:31	1	1	1	1	72.75	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:32	1	1	1	1	72.75	62	0	29952.607	301.0752688	9160.709918	30000	0	0	30000	42.125	2004
29.01.2020 14:17:33	1	1	1	1	72.75	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.3125	2004
29.01.2020 14:17:34	1	1	1	1	72.75	62.25	0	29905.213	305.3763441	9290.354143	30000	0	0	30000	42.375	2004
29.01.2020 14:17:35	1	1	1	1	72.75	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 14:17:36	1	1	1	1	72.75	62.5	0	29952.607	298.9247312	9096.295491	30000	0	0	30000	41.5	2004
29.01.2020 14:17:37	1	1	1	1	72.75	62.25	0	30000	301.0752688	8838.637784	30000	0	0	30000	42.125	2004
29.01.2020 14:17:38	1	1	1	1	72.75	62	0	29905.213	296.7741935	9031.881064	30000	0	0	30000	42.3125	2004
29.01.2020 14:17:39	1	1	1	1	73	62.25	0	30000	301.0752688	8903.052211	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:40	1	1	1	1	73	62	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:41	1	1	1	1	73	62	0	30047.393	305.3763441	9160.709918	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:42	1	1	1	1	73	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.25	2004
29.01.2020 14:17:43	1	1	1	1	73	62.25	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:44	1	1	1	1	73	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:45	1	1	1	1	73	62	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.625	2004
29.01.2020 14:17:46	1	1	1	1	73	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.5625	2004
29.01.2020 14:17:47	1	1	1	1	73	61.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:48	1	1	1	1	73	62	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.125	2004
29.01.2020 14:17:49	1	1	1	1	73	62	0	29905.213	301.0752688	9225.124344	30000	0	0	30000	41.875	2004
29.01.2020 14:17:50	1	1	1	1	73	61.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:17:51	1	1	1	1	73	62	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.25	2004
29.01.2020 14:17:52	1	1	1	1	73	62.25	0	29952.607	298.9247312	9018.019732	30000	0	0	30000	42.0625	2004
29.01.2020 14:17:53	1	1	1	1	73	62	0	29905.213	301.0752688	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:54	1	1	1	1	73	62	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:55	1	1	1	1	73	62	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	41.875	2004
29.01.2020 14:17:56	1	1	1	1	73	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.125	2004
29.01.2020 14:17:57	1	1	1	1	73	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:17:58	1	1	1	1	73	62	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:00	1	1	1	1	73	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42	2004
29.01.2020 14:18:01	1	1	1	1	73	62	0	30000	307.5268817	9146.848585	30000	0	0	30000	42.3125	2004
29.01.2020 14:18:02	1	1	1	1	73	62.25	0	30047.393	311.827957	9160.709918	30000	0	0	30000	42.125	2004
29.01.2020 14:18:03	1	1	1	1	73	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:04	1	1	1	1	73	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.8125	2004
29.01.2020 14:18:05	1	1	1	1	73	61.75	0	30000	316.1290323	9468.920719	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:06	1	1	1	1	73	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.875	2004
29.01.2020 14:18:07	1	1	1	1	73	61.75	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	42.125	2004
29.01.2020 14:18:08	1	1	1	1	73	62	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:09	1	1	1	1	73	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:10	1	1	1	1	73	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	42	2004
29.01.2020 14:18:11	1	1	1	1	73	62	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.25	2004
29.01.2020 14:18:12	1	1	1	1	73	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 14:18:13	1	1	1	1	73	62.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.0625	2004
29.01.2020 14:18:21	1	1	1	1	73.25	61.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:21	1	1	1	1	73.25	61.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:21	1	1	1	1	73.25	61.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:21	1	1	1	1	73.25	61.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:21	1	1	1	1	73.25	61.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:21	1	1	1	1	73.25	61.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:21	1	1	1	1	73.25	62	0	30000	352.688172	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:22	1	1	1	1	73.25	62	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	41.9375	2004
29.01.2020 14:18:23	1	1	1	1	73.25	61.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 14:18:24	1	1	1	1	73.25	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:25	1	1	1	1	73.25	62	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.125	2004
29.01.2020 14:18:26	1	1	1	1	73.25	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.125	2004
29.01.2020 14:18:27	1	1	1	1	73.25	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 14:18:28	1	1	1	1	73.25	62.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.0625	2004
29.01.2020 14:18:29	1	1	1	1	73	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:30	1	1	1	1	73	62	0	30000	333.3333333	9984.236132	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:31	1	1	1	1	73	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:32	1	1	1	1	73	62	0	30000	326.8817204	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 14:18:33	1	1	1	1	73	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 14:18:34	1	1	1	1	73	62.25	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:18:35	1	1	1	1	73	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:36	1	1	1	1	73	62	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	41.5625	2004
29.01.2020 14:18:37	1	1	1	1	73	61.5	0	30000	354.8387097	10773.5167	30000	0	0	30000	42	2004
29.01.2020 14:18:39	1	1	1	1	73	62	0	30000	359.1397849	10967.57535	30000	0	0	30000	42.25	2004
29.01.2020 14:18:40	1	1	1	1	72.75	62.25	0	30047.393	359.1397849	10709.10227	30000	0	0	30000	41.875	2004
29.01.2020 14:18:41	1	1	1	1	72.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:42	1	1	1	1	72.75	62	0	29952.607	348.3870968	10451.44457	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:43	1	1	1	1	72.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.3125	2004
29.01.2020 14:18:44	1	1	1	1	72.75	62.25	0	30047.393	346.2365591	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:45	1	1	1	1	72.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42	2004
29.01.2020 14:18:46	1	1	1	1	72.75	62	0	30000	359.1397849	10903.16093	30000	0	0	30000	41.5625	2004
29.01.2020 14:18:47	1	1	1	1	72.75	61.5	0	30000	359.1397849	10628.3804	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:48	1	1	1	1	72.75	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.0625	2004
29.01.2020 14:18:49	1	1	1	1	72.75	62	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	42.125	2004
29.01.2020 14:18:50	1	1	1	1	73	62	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	42.125	2004
29.01.2020 14:18:51	1	1	1	1	73	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.125	2004
29.01.2020 14:18:52	1	1	1	1	73	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:53	1	1	1	1	73	62	0	30000	361.2903226	10903.16093	30000	0	0	30000	41.875	2004
29.01.2020 14:18:54	1	1	1	1	73	61.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	41.9375	2004
29.01.2020 14:18:55	1	1	1	1	73	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:56	1	1	1	1	73	62	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:18:57	1	1	1	1	73	62	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.125	2004
29.01.2020 14:18:58	1	1	1	1	73	62	0	30000	350.5376344	10532.16644	30000	0	0	30000	41.8125	2004
29.01.2020 14:18:59	1	1	1	1	73	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
29.01.2020 14:19:00	1	1	1	1	73	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:01	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:02	1	1	1	1	73	62	0	30000	378.4946237	11336.93909	30000	0	0	30000	41.6875	2004
29.01.2020 14:19:03	1	1	1	1	73	61.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.9375	2004
29.01.2020 14:19:04	1	1	1	1	73	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42	2004
29.01.2020 14:19:05	1	1	1	1	73	62	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	42.125	2004
29.01.2020 14:19:06	1	1	1	1	73	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42	2004
29.01.2020 14:19:07	1	1	1	1	73	62	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:08	1	1	1	1	73	62	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:09	1	1	1	1	72.75	62	0	30000	369.8924731	10903.16093	30000	0	0	30000	42	2004
29.01.2020 14:19:10	1	1	1	1	72.75	62	0	30000	365.5913978	11031.98978	30000	0	0	30000	42	2004
29.01.2020 14:19:11	1	1	1	1	72.75	62	0	30000	382.7956989	11548.12057	30000	0	0	30000	42	2004
29.01.2020 14:19:12	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:13	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
29.01.2020 14:19:14	1	1	1	1	72.75	62.25	0	30000	382.7956989	11676.94942	30000	0	0	30000	42.0625	2004
29.01.2020 14:19:22	1	1	1	1	73	62	0	30000	335.483871	10128.55706	30000	0	0	30000	41.875	2004
29.01.2020 14:19:22	1	1	1	1	73	62	0	30000	335.483871	10128.55706	30000	0	0	30000	41.875	2004
29.01.2020 14:19:22	1	1	1	1	73	62	0	30000	335.483871	10128.55706	30000	0	0	30000	41.875	2004
29.01.2020 14:19:22	1	1	1	1	73	62	0	30000	335.483871	10128.55706	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:19:22	1	1	1	1	73	62	0	30000	335.483871	10128.55706	30000	0	0	30000	41.875	2004
29.01.2020 14:19:22	1	1	1	1	73	62	0	30000	335.483871	10128.55706	30000	0	0	30000	41.875	2004
29.01.2020 14:19:22	1	1	1	1	73	62	0	30000	335.483871	10128.55706	30000	0	0	30000	41.875	2004
29.01.2020 14:19:23	1	1	1	1	73	61.75	0	30000	333.3333333	10128.55706	30000	0	0	30000	41.9375	2004
29.01.2020 14:19:24	1	1	1	1	73	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.125	2004
29.01.2020 14:19:25	1	1	1	1	73	62	0	30000	341.9354839	10273.69337	30000	0	0	30000	42.25	2004
29.01.2020 14:19:26	1	1	1	1	73	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.9375	2004
29.01.2020 14:19:27	1	1	1	1	73	61.75	0	30000	337.6344086	9935.313783	30000	0	0	30000	41.4375	2004
29.01.2020 14:19:28	1	1	1	1	73	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:29	1	1	1	1	73	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.9375	2004
29.01.2020 14:19:30	1	1	1	1	73	61.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.6875	2004
29.01.2020 14:19:31	1	1	1	1	73	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.4375	2004
29.01.2020 14:19:32	1	1	1	1	73	61.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.0625	2004
29.01.2020 14:19:33	1	1	1	1	73	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:34	1	1	1	1	73	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.5625	2004
29.01.2020 14:19:35	1	1	1	1	73	61.5	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.125	2004
29.01.2020 14:19:36	1	1	1	1	73	62	0	30000	296.7741935	8774.223358	30000	0	0	30000	42.125	2004
29.01.2020 14:19:37	1	1	1	1	73	62	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.25	2004
29.01.2020 14:19:38	1	1	1	1	73	62.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.0625	2004
29.01.2020 14:19:39	1	1	1	1	73	62	0	30000	290.3225806	8722.854891	30000	0	0	30000	42.25	2004
29.01.2020 14:19:40	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	41.875	2004
29.01.2020 14:19:41	1	1	1	1	73	61.75	0	30000	301.0752688	9160.709918	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:42	1	1	1	1	73	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42	2004
29.01.2020 14:19:43	1	1	1	1	73	62	0	30000	286.0215054	8788.08469	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:44	1	1	1	1	73	62	0	30000	294.6236559	8631.533172	30000	0	0	30000	41.625	2004
29.01.2020 14:19:45	1	1	1	1	73	61.5	0	30000	288.172043	8502.704319	30000	0	0	30000	41.8125	2004
29.01.2020 14:19:46	1	1	1	1	73	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:47	1	1	1	1	73	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.9375	2004
29.01.2020 14:19:48	1	1	1	1	73	61.75	0	30000	277.4193548	8373.875465	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:49	1	1	1	1	73	62	0	30000	275.2688172	8451.335852	30000	0	0	30000	41.625	2004
29.01.2020 14:19:50	1	1	1	1	73	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.75	2004
29.01.2020 14:19:51	1	1	1	1	73	61.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:52	1	1	1	1	73	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:54	1	1	1	1	73	62	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.0625	2004
29.01.2020 14:19:55	1	1	1	1	73	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.9375	2004
29.01.2020 14:19:56	1	1	1	1	73	61.75	0	30047.393	277.4193548	8322.506999	30000	0	0	30000	41.6875	2004
29.01.2020 14:19:57	1	1	1	1	73	61.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.1875	2004
29.01.2020 14:19:58	1	1	1	1	73	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.25	2004
29.01.2020 14:19:59	1	1	1	1	73	62.25	0	30000	268.8172043	8192.862773	30000	0	0	30000	41.75	2004
29.01.2020 14:20:00	1	1	1	1	72.75	61.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.125	2004
29.01.2020 14:20:01	1	1	1	1	72.75	62	0	29952.607	268.8172043	8258.092572	30000	0	0	30000	41.875	2004
29.01.2020 14:20:02	1	1	1	1	72.75	61.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:03	1	1	1	1	72.75	62	0	30047.393	270.9677419	8141.494306	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:20:04	1	1	1	1	72.75	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.875	2004
29.01.2020 14:20:05	1	1	1	1	72.75	61.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.3125	2004
29.01.2020 14:20:06	1	1	1	1	72.75	62.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:07	1	1	1	1	72.75	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:08	1	1	1	1	72.75	62	0	30000	268.8172043	8128.448346	30000	0	0	30000	42.5	2004
29.01.2020 14:20:09	1	1	1	1	72.75	62.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.875	2004
29.01.2020 14:20:10	1	1	1	1	73	62	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	41.5625	2004
29.01.2020 14:20:11	1	1	1	1	73	61.5	0	30000	273.1182796	8128.448346	30000	0	0	30000	42.25	2004
29.01.2020 14:20:12	1	1	1	1	73	62.25	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.25	2004
29.01.2020 14:20:13	1	1	1	1	73	61.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:14	1	1	1	1	73	62	0	30000	281.7204301	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:15	1	1	1	1	73	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:16	1	1	1	1	73	62	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:23	1	1	1	1	73.25	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.25	2004
29.01.2020 14:20:23	1	1	1	1	73.25	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.25	2004
29.01.2020 14:20:23	1	1	1	1	73.25	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.25	2004
29.01.2020 14:20:23	1	1	1	1	73.25	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.25	2004
29.01.2020 14:20:23	1	1	1	1	73.25	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.25	2004
29.01.2020 14:20:23	1	1	1	1	73.25	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.25	2004
29.01.2020 14:20:23	1	1	1	1	73.25	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.25	2004
29.01.2020 14:20:23	1	1	1	1	73.25	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.25	2004
29.01.2020 14:20:24	1	1	1	1	73.25	62.25	0	29905.213	281.7204301	8708.993559	30000	0	0	30000	41.9375	2004
29.01.2020 14:20:25	1	1	1	1	73.25	61.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:26	1	1	1	1	73.25	62	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.125	2004
29.01.2020 14:20:27	1	1	1	1	73.25	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.0625	2004
29.01.2020 14:20:28	1	1	1	1	73.25	62	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.9375	2004
29.01.2020 14:20:29	1	1	1	1	73	61.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:30	1	1	1	1	73	62	0	30000	303.2258065	9031.881064	30000	0	0	30000	42.0625	2004
29.01.2020 14:20:32	1	1	1	1	73	62	0	29952.607	294.6236559	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:33	1	1	1	1	73	62	0	29905.213	309.6774194	9483.597423	30000	0	0	30000	41.75	2004
29.01.2020 14:20:34	1	1	1	1	73	61.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:35	1	1	1	1	73	62	0	30000	316.1290323	9389.014215	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:36	1	1	1	1	73	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.75	2004
29.01.2020 14:20:37	1	1	1	1	73	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:38	1	1	1	1	73	62	0	30000	311.827957	9483.597423	30000	0	0	30000	41.8125	2004
29.01.2020 14:20:39	1	1	1	1	73	61.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:40	1	1	1	1	73.25	62	0	30000	303.2258065	8889.190879	30000	0	0	30000	41.625	2004
29.01.2020 14:20:41	1	1	1	1	73.25	61.5	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	42	2004
29.01.2020 14:20:42	1	1	1	1	73.25	62	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.625	2004
29.01.2020 14:20:43	1	1	1	1	73.25	61.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.25	2004
29.01.2020 14:20:44	1	1	1	1	73.25	61.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.4375	2004
29.01.2020 14:20:45	1	1	1	1	73.25	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:46	1	1	1	1	73.25	62	0	30000	341.9354839	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 14:20:47	1	1	1	1	73.25	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:20:48	1	1	1	1	73.25	62.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.25	2004
29.01.2020 14:20:49	1	1	1	1	73.25	62	0	29905.213	378.4946237	11160.81863	30000	0	0	30000	41.625	2004
29.01.2020 14:20:50	1	1	1	1	73.25	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.0625	2004
29.01.2020 14:20:51	1	1	1	1	73.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
29.01.2020 14:20:52	1	1	1	1	73.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:53	1	1	1	1	73.25	62	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	42.0625	2004
29.01.2020 14:20:54	1	1	1	1	73.25	62	0	30000	412.9032258	12064.25135	30000	0	0	30000	42.125	2004
29.01.2020 14:20:55	1	1	1	1	73.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:56	1	1	1	1	73.25	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.125	2004
29.01.2020 14:20:57	1	1	1	1	73.25	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.25	2004
29.01.2020 14:20:58	1	1	1	1	73.25	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
29.01.2020 14:20:59	1	1	1	1	73	62	0	30000	415.0537634	12367.56992	30000	0	0	30000	42	2004
29.01.2020 14:21:00	1	1	1	1	73	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42	2004
29.01.2020 14:21:01	1	1	1	1	73	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.3125	2004
29.01.2020 14:21:02	1	1	1	1	73	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
29.01.2020 14:21:03	1	1	1	1	73	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.375	2004
29.01.2020 14:21:04	1	1	1	1	73	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.3125	2004
29.01.2020 14:21:05	1	1	1	1	73	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:21:06	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
29.01.2020 14:21:07	1	1	1	1	73	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:09	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
29.01.2020 14:21:10	1	1	1	1	72.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:11	1	1	1	1	72.75	62	0	29952.607	404.3010753	12193.08021	30000	0	0	30000	42.0625	2004
29.01.2020 14:21:12	1	1	1	1	72.75	62	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:13	1	1	1	1	72.75	62	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	41.5	2004
29.01.2020 14:21:14	1	1	1	1	72.75	61.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.125	2004
29.01.2020 14:21:15	1	1	1	1	72.75	62	0	30047.393	389.2473118	11548.12057	30000	0	0	30000	42	2004
29.01.2020 14:21:16	1	1	1	1	72.75	62	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:21:17	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:21:18	1	1	1	1	72.75	61.75	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:25	1	1	1	1	72.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 14:21:25	1	1	1	1	72.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 14:21:25	1	1	1	1	72.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 14:21:25	1	1	1	1	72.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 14:21:25	1	1	1	1	72.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 14:21:25	1	1	1	1	72.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 14:21:25	1	1	1	1	72.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 14:21:25	1	1	1	1	72.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 14:21:26	1	1	1	1	72.75	62.5	0	29952.607	335.483871	10128.55706	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:27	1	1	1	1	72.75	62	0	30000	335.483871	9999.728209	30000	0	0	30000	41.9375	2004
29.01.2020 14:21:28	1	1	1	1	72.75	61.75	0	30000	322.5806452	9662.163999	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:29	1	1	1	1	72.75	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.25	2004
29.01.2020 14:21:30	1	1	1	1	72.75	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:31	1	1	1	1	72.75	62	0	30000	305.3763441	9031.881064	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:21:32	1	1	1	1	72.75	61.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:33	1	1	1	1	72.75	62	0	30000	305.3763441	9146.848585	30000	0	0	30000	42	2004
29.01.2020 14:21:34	1	1	1	1	72.75	62	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:35	1	1	1	1	72.75	62	0	30000	303.2258065	9082.434159	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:36	1	1	1	1	72.75	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.9375	2004
29.01.2020 14:21:37	1	1	1	1	72.75	61.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.125	2004
29.01.2020 14:21:38	1	1	1	1	72.75	62	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	41.9375	2004
29.01.2020 14:21:39	1	1	1	1	73	61.75	0	30000	290.3225806	8852.499117	30000	0	0	30000	42.125	2004
29.01.2020 14:21:40	1	1	1	1	73	62	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.0625	2004
29.01.2020 14:21:41	1	1	1	1	73	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.25	2004
29.01.2020 14:21:42	1	1	1	1	73	62.25	0	30000	296.7741935	9031.881064	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:43	1	1	1	1	73	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.8125	2004
29.01.2020 14:21:44	1	1	1	1	73	61.75	0	30000	307.5268817	9003.343027	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:45	1	1	1	1	73	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.125	2004
29.01.2020 14:21:46	1	1	1	1	73	62	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	42	2004
29.01.2020 14:21:47	1	1	1	1	73	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.125	2004
29.01.2020 14:21:49	1	1	1	1	73	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42	2004
29.01.2020 14:21:50	1	1	1	1	73	62	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:51	1	1	1	1	73	62	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	42.125	2004
29.01.2020 14:21:52	1	1	1	1	73	62	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.125	2004
29.01.2020 14:21:53	1	1	1	1	73	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
29.01.2020 14:21:54	1	1	1	1	73	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.25	2004
29.01.2020 14:21:55	1	1	1	1	73	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:21:56	1	1	1	1	73	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.125	2004
29.01.2020 14:21:57	1	1	1	1	73	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.125	2004
29.01.2020 14:21:58	1	1	1	1	73	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.0625	2004
29.01.2020 14:21:59	1	1	1	1	73	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.75	2004
29.01.2020 14:22:00	1	1	1	1	72.75	61.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	42	2004
29.01.2020 14:22:01	1	1	1	1	72.75	62	0	30000	322.5806452	9741.25513	30000	0	0	30000	41.6875	2004
29.01.2020 14:22:02	1	1	1	1	72.75	61.5	0	30000	326.8817204	9662.163999	30000	0	0	30000	41.75	2004
29.01.2020 14:22:03	1	1	1	1	72.75	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.3125	2004
29.01.2020 14:22:04	1	1	1	1	72.75	62.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:05	1	1	1	1	72.75	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.0625	2004
29.01.2020 14:22:06	1	1	1	1	72.75	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.25	2004
29.01.2020 14:22:07	1	1	1	1	72.75	62.25	0	29952.607	326.8817204	9741.25513	30000	0	0	30000	42	2004
29.01.2020 14:22:08	1	1	1	1	72.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42	2004
29.01.2020 14:22:09	1	1	1	1	72.75	62	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:10	1	1	1	1	72.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:22:11	1	1	1	1	72.75	62	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:12	1	1	1	1	72.75	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.9375	2004
29.01.2020 14:22:13	1	1	1	1	72.75	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:14	1	1	1	1	72.75	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.75	2004
29.01.2020 14:22:15	1	1	1	1	72.75	61.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:22:16	1	1	1	1	72.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.125	2004
29.01.2020 14:22:17	1	1	1	1	72.75	62	0	30000	303.2258065	9160.709918	30000	0	0	30000	42	2004
29.01.2020 14:22:18	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.875	2004
29.01.2020 14:22:19	1	1	1	1	72.75	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.25	2004
29.01.2020 14:22:27	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
29.01.2020 14:22:27	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
29.01.2020 14:22:27	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
29.01.2020 14:22:27	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
29.01.2020 14:22:27	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
29.01.2020 14:22:27	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
29.01.2020 14:22:27	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
29.01.2020 14:22:27	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
29.01.2020 14:22:28	1	1	1	1	72.75	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
29.01.2020 14:22:29	1	1	1	1	72.75	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:30	1	1	1	1	73	62	0	30000	288.172043	8644.579132	30000	0	0	30000	40.9375	2004
29.01.2020 14:22:31	1	1	1	1	73	60.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.0625	2004
29.01.2020 14:22:32	1	1	1	1	73	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.125	2004
29.01.2020 14:22:33	1	1	1	1	73	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.0625	2004
29.01.2020 14:22:34	1	1	1	1	73	62	0	30000	281.7204301	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:35	1	1	1	1	73	62	0	30000	279.5698925	8594.026038	30000	0	0	30000	42.0625	2004
29.01.2020 14:22:36	1	1	1	1	73	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:37	1	1	1	1	73	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.6875	2004
29.01.2020 14:22:38	1	1	1	1	73	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:39	1	1	1	1	73	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.3125	2004
29.01.2020 14:22:40	1	1	1	1	73	62.25	0	30000	294.6236559	8708.993559	30000	0	0	30000	42.25	2004
29.01.2020 14:22:41	1	1	1	1	73	62.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.125	2004
29.01.2020 14:22:42	1	1	1	1	73	62	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.625	2004
29.01.2020 14:22:43	1	1	1	1	73	61.5	0	29905.213	290.3225806	8838.637784	30000	0	0	30000	42.5	2004
29.01.2020 14:22:44	1	1	1	1	73	62.25	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	41.75	2004
29.01.2020 14:22:45	1	1	1	1	73	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:46	1	1	1	1	73	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.875	2004
29.01.2020 14:22:47	1	1	1	1	73	61.75	0	29905.213	331.1827957	10064.14264	30000	0	0	30000	41.5625	2004
29.01.2020 14:22:48	1	1	1	1	73	61.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42	2004
29.01.2020 14:22:49	1	1	1	1	72.75	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
29.01.2020 14:22:50	1	1	1	1	72.75	62	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.9375	2004
29.01.2020 14:22:51	1	1	1	1	72.75	61.75	0	29952.607	350.5376344	10580.27342	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:52	1	1	1	1	72.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:22:53	1	1	1	1	72.75	61.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	41.625	2004
29.01.2020 14:22:54	1	1	1	1	72.75	61.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:55	1	1	1	1	72.75	62	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 14:22:56	1	1	1	1	72.75	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:57	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
29.01.2020 14:22:58	1	1	1	1	72.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:22:59	1	1	1	1	72.75	62	0	30000	369.8924731	11225.23306	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:23:00	1	1	1	1	72.75	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
29.01.2020 14:23:01	1	1	1	1	72.75	61.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.125	2004
29.01.2020 14:23:02	1	1	1	1	72.75	62	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.9375	2004
29.01.2020 14:23:04	1	1	1	1	72.75	61.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	41.5625	2004
29.01.2020 14:23:05	1	1	1	1	72.75	61.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:06	1	1	1	1	72.75	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:07	1	1	1	1	72.75	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42	2004
29.01.2020 14:23:08	1	1	1	1	72.75	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.875	2004
29.01.2020 14:23:09	1	1	1	1	72.75	61.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 14:23:10	1	1	1	1	72.5	61.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.125	2004
29.01.2020 14:23:11	1	1	1	1	72.5	62	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:23:12	1	1	1	1	72.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:23:13	1	1	1	1	72.5	62	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	41.9375	2004
29.01.2020 14:23:14	1	1	1	1	72.5	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:15	1	1	1	1	72.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.6875	2004
29.01.2020 14:23:16	1	1	1	1	72.5	61.5	0	30000	350.5376344	10435.13712	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:17	1	1	1	1	72.5	62	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:18	1	1	1	1	72.5	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42	2004
29.01.2020 14:23:19	1	1	1	1	72.5	62	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.625	2004
29.01.2020 14:23:20	1	1	1	1	72.75	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5	2004
29.01.2020 14:23:21	1	1	1	1	72.75	62.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.8125	2004
29.01.2020 14:23:28	1	1	1	1	72.75	62	0	30000	313.9784946	9707.824858	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:28	1	1	1	1	72.75	62	0	30000	313.9784946	9707.824858	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:28	1	1	1	1	72.75	62	0	30000	313.9784946	9707.824858	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:28	1	1	1	1	72.75	62	0	30000	313.9784946	9707.824858	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:28	1	1	1	1	72.75	62	0	30000	313.9784946	9707.824858	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:28	1	1	1	1	72.75	62	0	30000	313.9784946	9707.824858	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:28	1	1	1	1	72.75	62	0	30000	313.9784946	9707.824858	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:29	1	1	1	1	72.75	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:30	1	1	1	1	72.75	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.5625	2004
29.01.2020 14:23:31	1	1	1	1	72.75	61.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42	2004
29.01.2020 14:23:32	1	1	1	1	72.75	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:33	1	1	1	1	72.75	62	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:34	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:35	1	1	1	1	72.75	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42	2004
29.01.2020 14:23:36	1	1	1	1	72.75	62	0	30000	313.9784946	9290.354143	30000	0	0	30000	42.125	2004
29.01.2020 14:23:37	1	1	1	1	72.75	62	0	29952.607	311.827957	9419.182997	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:38	1	1	1	1	72.75	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:39	1	1	1	1	72.5	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:41	1	1	1	1	72.5	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.125	2004
29.01.2020 14:23:42	1	1	1	1	72.5	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.125	2004
29.01.2020 14:23:43	1	1	1	1	72.5	62	0	30000	311.827957	9483.597423	30000	0	0	30000	41.875	2004
29.01.2020 14:23:44	1	1	1	1	72.5	61.75	0	30000	311.827957	9146.848585	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:23:45	1	1	1	1	72.5	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:46	1	1	1	1	72.5	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.6875	2004
29.01.2020 14:23:47	1	1	1	1	72.5	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:48	1	1	1	1	72.5	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:23:49	1	1	1	1	72.5	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.875	2004
29.01.2020 14:23:50	1	1	1	1	72.25	61.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.0625	2004
29.01.2020 14:23:51	1	1	1	1	72.25	62	0	29952.607	316.1290323	9676.840703	30000	0	0	30000	41.9375	2004
29.01.2020 14:23:52	1	1	1	1	72.25	61.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:53	1	1	1	1	72.25	62	0	30000	316.1290323	9354.76857	30000	0	0	30000	41.875	2004
29.01.2020 14:23:54	1	1	1	1	72.25	61.75	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	42.1875	2004
29.01.2020 14:23:55	1	1	1	1	72.25	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.625	2004
29.01.2020 14:23:56	1	1	1	1	72.25	61.5	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 14:23:57	1	1	1	1	72.25	62.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	41.875	2004
29.01.2020 14:23:58	1	1	1	1	72.25	61.25	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	42	2004
29.01.2020 14:23:59	1	1	1	1	72.25	62	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:00	1	1	1	1	72.25	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:24:01	1	1	1	1	72.25	62	0	30000	313.9784946	9340.091865	30000	0	0	30000	42.1875	2004
29.01.2020 14:24:02	1	1	1	1	72.25	62	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.1875	2004
29.01.2020 14:24:03	1	1	1	1	72.25	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.125	2004
29.01.2020 14:24:04	1	1	1	1	72.25	62	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 14:24:05	1	1	1	1	72.25	62	0	30000	316.1290323	9612.426277	30000	0	0	30000	41.9375	2004
29.01.2020 14:24:06	1	1	1	1	72.25	61.75	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:07	1	1	1	1	72.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.625	2004
29.01.2020 14:24:08	1	1	1	1	72.25	61.5	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	41.8125	2004
29.01.2020 14:24:09	1	1	1	1	72.25	61.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:10	1	1	1	1	72.25	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.125	2004
29.01.2020 14:24:11	1	1	1	1	72.25	62	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.125	2004
29.01.2020 14:24:12	1	1	1	1	72.25	62	0	29952.607	311.827957	9354.76857	30000	0	0	30000	41.625	2004
29.01.2020 14:24:13	1	1	1	1	72.25	61.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42	2004
29.01.2020 14:24:14	1	1	1	1	72.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
29.01.2020 14:24:15	1	1	1	1	72.25	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.9375	2004
29.01.2020 14:24:17	1	1	1	1	72.25	61.75	0	30000	329.0322581	9999.728209	30000	0	0	30000	41.9375	2004
29.01.2020 14:24:18	1	1	1	1	72.25	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.9375	2004
29.01.2020 14:24:19	1	1	1	1	72.25	61.75	0	30000	309.6774194	9211.263012	30000	0	0	30000	42	2004
29.01.2020 14:24:20	1	1	1	1	72.5	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.9375	2004
29.01.2020 14:24:21	1	1	1	1	72.5	61.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.875	2004
29.01.2020 14:24:22	1	1	1	1	72.5	61.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.1875	2004
29.01.2020 14:24:23	1	1	1	1	72.5	62	0	30000	309.6774194	9419.182997	30000	0	0	30000	41.875	2004
29.01.2020 14:24:30	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:30	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:30	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:30	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:30	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:24:30	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:30	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:31	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	41.75	2004
29.01.2020 14:24:32	1	1	1	1	72.75	61.75	0	30047.393	331.1827957	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:24:33	1	1	1	1	72.75	62	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.875	2004
29.01.2020 14:24:34	1	1	1	1	72.75	61.75	0	30000	346.2365591	10515.85899	30000	0	0	30000	41.875	2004
29.01.2020 14:24:35	1	1	1	1	72.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.25	2004
29.01.2020 14:24:36	1	1	1	1	72.75	62.25	0	30047.393	359.1397849	10644.68785	30000	0	0	30000	42	2004
29.01.2020 14:24:37	1	1	1	1	72.75	62	0	29952.607	352.688172	10515.85899	30000	0	0	30000	41.875	2004
29.01.2020 14:24:38	1	1	1	1	72.75	62.25	0	30000	369.8924731	11079.28139	30000	0	0	30000	41.75	2004
29.01.2020 14:24:39	1	1	1	1	72.75	61.75	0	29905.213	378.4946237	11336.93909	30000	0	0	30000	41.75	2004
29.01.2020 14:24:40	1	1	1	1	72.75	61.75	0	29952.607	384.9462366	11419.29171	30000	0	0	30000	41.9375	2004
29.01.2020 14:24:41	1	1	1	1	72.75	61.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.125	2004
29.01.2020 14:24:42	1	1	1	1	72.75	62	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.8125	2004
29.01.2020 14:24:43	1	1	1	1	72.75	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.9375	2004
29.01.2020 14:24:44	1	1	1	1	72.75	61.75	0	29952.607	389.2473118	11548.12057	30000	0	0	30000	41.875	2004
29.01.2020 14:24:45	1	1	1	1	72.75	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:46	1	1	1	1	72.75	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.0625	2004
29.01.2020 14:24:47	1	1	1	1	72.75	62	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	42	2004
29.01.2020 14:24:48	1	1	1	1	72.75	62	0	30000	391.3978495	11871.00807	30000	0	0	30000	42	2004
29.01.2020 14:24:49	1	1	1	1	72.5	62	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
29.01.2020 14:24:50	1	1	1	1	72.5	61.75	0	30000	423.655914	12709.21099	30000	0	0	30000	41.875	2004
29.01.2020 14:24:51	1	1	1	1	72.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5	2004
29.01.2020 14:24:52	1	1	1	1	72.5	61.5	0	30000	434.4086022	13160.92735	30000	0	0	30000	41.8125	2004
29.01.2020 14:24:53	1	1	1	1	72.5	61.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.9375	2004
29.01.2020 14:24:54	1	1	1	1	72.5	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.875	2004
29.01.2020 14:24:55	1	1	1	1	72.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
29.01.2020 14:24:57	1	1	1	1	72.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
29.01.2020 14:24:58	1	1	1	1	72.5	62	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.75	2004
29.01.2020 14:24:59	1	1	1	1	72.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
29.01.2020 14:25:00	1	1	1	1	72	62	0	30000	425.8064516	12580.38214	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:01	1	1	1	1	72	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.4375	2004
29.01.2020 14:25:02	1	1	1	1	72	61.25	0	30000	432.2580645	13032.0985	30000	0	0	30000	41.5625	2004
29.01.2020 14:25:03	1	1	1	1	72	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
29.01.2020 14:25:04	1	1	1	1	72	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42	2004
29.01.2020 14:25:05	1	1	1	1	72	62	0	30000	445.1612903	13333.78632	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:06	1	1	1	1	72	62	0	29905.213	445.1612903	13333.78632	30000	0	0	30000	41.875	2004
29.01.2020 14:25:07	1	1	1	1	72	61.75	0	30000	445.1612903	13633.84339	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:08	1	1	1	1	72	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
29.01.2020 14:25:09	1	1	1	1	72	61.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.125	2004
29.01.2020 14:25:10	1	1	1	1	72	62	0	30000	440.8602151	13354.17063	30000	0	0	30000	42.125	2004
29.01.2020 14:25:11	1	1	1	1	72	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:12	1	1	1	1	72	62	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:25:13	1	1	1	1	72	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:14	1	1	1	1	72	62	0	29952.607	415.0537634	12387.13886	30000	0	0	30000	41.75	2004
29.01.2020 14:25:15	1	1	1	1	72	61.75	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	42.375	2004
29.01.2020 14:25:16	1	1	1	1	72	62.25	0	29905.213	369.8924731	11143.69581	30000	0	0	30000	42.1875	2004
29.01.2020 14:25:17	1	1	1	1	72	62	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 14:25:18	1	1	1	1	72	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42	2004
29.01.2020 14:25:19	1	1	1	1	72	62	0	30047.393	350.5376344	10451.44457	30000	0	0	30000	42.1875	2004
29.01.2020 14:25:20	1	1	1	1	72	62	0	29905.213	346.2365591	10370.72269	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:21	1	1	1	1	72	62	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.5625	2004
29.01.2020 14:25:22	1	1	1	1	72	61.5	0	30000	335.483871	10192.97149	30000	0	0	30000	42.125	2004
29.01.2020 14:25:23	1	1	1	1	72	62	0	30000	344.0860215	10387.03014	30000	0	0	30000	42	2004
29.01.2020 14:25:24	1	1	1	1	72	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.75	2004
29.01.2020 14:25:32	1	1	1	1	72	62	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	41.75	2004
29.01.2020 14:25:32	1	1	1	1	72	62	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	41.75	2004
29.01.2020 14:25:32	1	1	1	1	72	62	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	41.75	2004
29.01.2020 14:25:32	1	1	1	1	72	62	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	41.75	2004
29.01.2020 14:25:32	1	1	1	1	72	62	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	41.75	2004
29.01.2020 14:25:32	1	1	1	1	72	62	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	41.75	2004
29.01.2020 14:25:32	1	1	1	1	72	62	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	41.75	2004
29.01.2020 14:25:32	1	1	1	1	72	61.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:33	1	1	1	1	72	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:25:35	1	1	1	1	72	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41.5	2004
29.01.2020 14:25:36	1	1	1	1	72	61.5	0	30000	339.7849462	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:25:37	1	1	1	1	72	62	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
29.01.2020 14:25:38	1	1	1	1	72	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.125	2004
29.01.2020 14:25:39	1	1	1	1	72	62	0	30000	320.4301075	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:25:40	1	1	1	1	72	62	0	30000	316.1290323	9419.182997	30000	0	0	30000	41.875	2004
29.01.2020 14:25:41	1	1	1	1	72	61.75	0	29905.213	307.5268817	9354.76857	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:42	1	1	1	1	72	62	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.125	2004
29.01.2020 14:25:43	1	1	1	1	72	62	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:44	1	1	1	1	72	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	42	2004
29.01.2020 14:25:45	1	1	1	1	72	62	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:46	1	1	1	1	72	62	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 14:25:47	1	1	1	1	72	62	0	29905.213	320.4301075	9612.426277	30000	0	0	30000	42	2004
29.01.2020 14:25:48	1	1	1	1	72	62	0	30047.393	322.5806452	9612.426277	30000	0	0	30000	41.9375	2004
29.01.2020 14:25:49	1	1	1	1	72	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.8125	2004
29.01.2020 14:25:50	1	1	1	1	72	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:51	1	1	1	1	72	62	0	29952.607	341.9354839	10096.75754	30000	0	0	30000	42.125	2004
29.01.2020 14:25:52	1	1	1	1	72	62	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.1875	2004
29.01.2020 14:25:53	1	1	1	1	72	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.9375	2004
29.01.2020 14:25:54	1	1	1	1	72	61.75	0	30000	352.688172	10580.27342	30000	0	0	30000	42.25	2004
29.01.2020 14:25:55	1	1	1	1	72	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 14:25:56	1	1	1	1	72	61.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:25:57	1	1	1	1	72	61.5	0	29952.607	348.3870968	10709.10227	30000	0	0	30000	41.625	2004
29.01.2020 14:25:58	1	1	1	1	72	61.5	0	29952.607	359.1397849	11096.40421	30000	0	0	30000	42.0625	2004
29.01.2020 14:25:59	1	1	1	1	72	62	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	41.9375	2004
29.01.2020 14:26:00	1	1	1	1	72	61.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	41.9375	2004
29.01.2020 14:26:01	1	1	1	1	72	61.75	0	29905.213	374.1935484	11354.87729	30000	0	0	30000	42.0625	2004
29.01.2020 14:26:02	1	1	1	1	72	62	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	41.9375	2004
29.01.2020 14:26:03	1	1	1	1	72	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.0625	2004
29.01.2020 14:26:04	1	1	1	1	72	62	0	30000	400	11935.4225	30000	0	0	30000	42.0625	2004
29.01.2020 14:26:05	1	1	1	1	72	62	0	30000	400	11871.00807	30000	0	0	30000	41.5	2004
29.01.2020 14:26:06	1	1	1	1	72	61.5	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.0625	2004
29.01.2020 14:26:07	1	1	1	1	72	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004
29.01.2020 14:26:08	1	1	1	1	72	61.25	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	42.125	2004
29.01.2020 14:26:09	1	1	1	1	72	62	0	30000	400	12064.25135	30000	0	0	30000	42	2004
29.01.2020 14:26:10	1	1	1	1	72	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:26:11	1	1	1	1	72	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.875	2004
29.01.2020 14:26:12	1	1	1	1	72	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:26:13	1	1	1	1	72	62	0	30047.393	335.483871	10128.55706	30000	0	0	30000	42.125	2004
29.01.2020 14:26:14	1	1	1	1	72	62	0	30000	344.0860215	10322.61571	30000	0	0	30000	42.125	2004
29.01.2020 14:26:16	1	1	1	1	72	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 14:26:17	1	1	1	1	72	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.9375	2004
29.01.2020 14:26:18	1	1	1	1	72	61.75	0	30047.393	339.7849462	10128.55706	30000	0	0	30000	41.9375	2004
29.01.2020 14:26:19	1	1	1	1	72	61.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.6875	2004
29.01.2020 14:26:20	1	1	1	1	72	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42	2004
29.01.2020 14:26:21	1	1	1	1	72	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42	2004
29.01.2020 14:26:22	1	1	1	1	72	62	0	30047.393	339.7849462	10144.86451	30000	0	0	30000	41.0625	2004
29.01.2020 14:26:23	1	1	1	1	72	61	0	30000	329.0322581	9855.407279	30000	0	0	30000	41.8125	2004
29.01.2020 14:26:24	1	1	1	1	72	61.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.125	2004
29.01.2020 14:26:25	1	1	1	1	72	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.125	2004
29.01.2020 14:26:26	1	1	1	1	72	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.75	2004
29.01.2020 14:26:33	1	1	1	1	72	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 14:26:33	1	1	1	1	72	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 14:26:33	1	1	1	1	72	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 14:26:33	1	1	1	1	72	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 14:26:33	1	1	1	1	72	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 14:26:33	1	1	1	1	72	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 14:26:33	1	1	1	1	72	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 14:26:36	1	1	1	1	72	62	0	30000	292.4731183	8903.052211	30000	0	0	30000	41.625	2004
29.01.2020 14:26:36	1	1	1	1	72	62	0	30000	292.4731183	8903.052211	30000	0	0	30000	41.625	2004
29.01.2020 14:26:36	1	1	1	1	72	62	0	30000	292.4731183	8903.052211	30000	0	0	30000	41.625	2004
29.01.2020 14:26:37	1	1	1	1	72	61.5	0	30000	294.6236559	8617.67184	30000	0	0	30000	42.125	2004
29.01.2020 14:26:38	1	1	1	1	72	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	42	2004
29.01.2020 14:26:39	1	1	1	1	72.5	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.125	2004
29.01.2020 14:26:40	1	1	1	1	72.5	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:26:41	1	1	1	1	72.5	62	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:26:42	1	1	1	1	72.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.9375	2004
29.01.2020 14:26:43	1	1	1	1	72.5	61.75	0	29905.213	341.9354839	10580.27342	30000	0	0	30000	41.75	2004
29.01.2020 14:26:44	1	1	1	1	72.5	61.75	0	29905.213	354.8387097	10628.3804	30000	0	0	30000	42.0625	2004
29.01.2020 14:26:45	1	1	1	1	72.5	62	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.875	2004
29.01.2020 14:26:46	1	1	1	1	72.5	61.75	0	30000	359.1397849	10580.27342	30000	0	0	30000	41.625	2004
29.01.2020 14:26:47	1	1	1	1	72.5	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.0625	2004
29.01.2020 14:26:48	1	1	1	1	72.5	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:26:49	1	1	1	1	72.25	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.625	2004
29.01.2020 14:26:50	1	1	1	1	72.25	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.9375	2004
29.01.2020 14:26:51	1	1	1	1	72.25	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.75	2004
29.01.2020 14:26:52	1	1	1	1	72.25	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 14:26:53	1	1	1	1	72.25	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.9375	2004
29.01.2020 14:26:55	1	1	1	1	72.25	61.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	41.9375	2004
29.01.2020 14:26:56	1	1	1	1	72.25	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
29.01.2020 14:26:57	1	1	1	1	72.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:26:58	1	1	1	1	72.25	62	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	41.625	2004
29.01.2020 14:26:59	1	1	1	1	72.25	61.5	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:27:00	1	1	1	1	72.25	62	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.0625	2004
29.01.2020 14:27:01	1	1	1	1	72.25	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.125	2004
29.01.2020 14:27:02	1	1	1	1	72.25	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.6875	2004
29.01.2020 14:27:03	1	1	1	1	72.25	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.8125	2004
29.01.2020 14:27:04	1	1	1	1	72.25	61.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42	2004
29.01.2020 14:27:05	1	1	1	1	72.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42	2004
29.01.2020 14:27:06	1	1	1	1	72.25	62	0	30000	389.2473118	11741.36385	30000	0	0	30000	42.125	2004
29.01.2020 14:27:07	1	1	1	1	72.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
29.01.2020 14:27:08	1	1	1	1	72.25	61.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:27:09	1	1	1	1	72.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:27:10	1	1	1	1	72.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.6875	2004
29.01.2020 14:27:11	1	1	1	1	72.25	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:27:12	1	1	1	1	72.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:27:13	1	1	1	1	72.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 14:27:14	1	1	1	1	72.25	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.0625	2004
29.01.2020 14:27:15	1	1	1	1	72.25	62	0	30000	337.6344086	10113.06499	30000	0	0	30000	41.875	2004
29.01.2020 14:27:16	1	1	1	1	72.25	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42	2004
29.01.2020 14:27:17	1	1	1	1	72.25	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	42	2004
29.01.2020 14:27:18	1	1	1	1	72.25	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:27:19	1	1	1	1	72.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42	2004
29.01.2020 14:27:20	1	1	1	1	72.5	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.1875	2004
29.01.2020 14:27:21	1	1	1	1	72.5	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.9375	2004
29.01.2020 14:27:22	1	1	1	1	72.5	61.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42	2004
29.01.2020 14:27:23	1	1	1	1	72.5	62	0	30000	266.6666667	7845.514092	30000	0	0	30000	41.875	2004
29.01.2020 14:27:24	1	1	1	1	72.5	61.75	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:28:09	1	1	1	1	72.25	61.25	0	30000	395.6989247	11805.77827	30000	0	0	30000	41.6875	2004
29.01.2020 14:28:10	1	1	1	1	72.25	61.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.875	2004
29.01.2020 14:28:11	1	1	1	1	72.25	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
29.01.2020 14:28:12	1	1	1	1	72.25	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.875	2004
29.01.2020 14:28:14	1	1	1	1	72.25	61.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:15	1	1	1	1	72.25	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.0625	2004
29.01.2020 14:28:16	1	1	1	1	72.25	62	0	30000	296.7741935	8967.466638	30000	0	0	30000	42	2004
29.01.2020 14:28:17	1	1	1	1	72.25	62	0	30000	309.6774194	9003.343027	30000	0	0	30000	41.875	2004
29.01.2020 14:28:18	1	1	1	1	72.25	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.875	2004
29.01.2020 14:28:19	1	1	1	1	72.25	61.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.5625	2004
29.01.2020 14:28:20	1	1	1	1	72.25	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.0625	2004
29.01.2020 14:28:21	1	1	1	1	72.25	62	0	30000	316.1290323	9498.274128	30000	0	0	30000	41.5	2004
29.01.2020 14:28:22	1	1	1	1	72.25	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.9375	2004
29.01.2020 14:28:23	1	1	1	1	72.25	61.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
29.01.2020 14:28:24	1	1	1	1	72.25	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.0625	2004
29.01.2020 14:28:25	1	1	1	1	72.25	62	0	29952.607	320.4301075	9483.597423	30000	0	0	30000	42	2004
29.01.2020 14:28:26	1	1	1	1	72.25	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42	2004
29.01.2020 14:28:27	1	1	1	1	72.25	62	0	30000	316.1290323	9419.182997	30000	0	0	30000	41.625	2004
29.01.2020 14:28:28	1	1	1	1	72.25	61.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.9375	2004
29.01.2020 14:28:29	1	1	1	1	72.25	61.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	42	2004
29.01.2020 14:28:37	1	1	1	1	72.25	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:37	1	1	1	1	72.25	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:37	1	1	1	1	72.25	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:37	1	1	1	1	72.25	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:37	1	1	1	1	72.25	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:37	1	1	1	1	72.25	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:37	1	1	1	1	72.25	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:37	1	1	1	1	72.25	61.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	42	2004
29.01.2020 14:28:38	1	1	1	1	72.25	62	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:28:39	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
29.01.2020 14:28:40	1	1	1	1	72.5	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:41	1	1	1	1	72.5	61.75	0	30000	400	11935.4225	30000	0	0	30000	41.9375	2004
29.01.2020 14:28:42	1	1	1	1	72.5	61.75	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	42	2004
29.01.2020 14:28:43	1	1	1	1	72.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
29.01.2020 14:28:44	1	1	1	1	72.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
29.01.2020 14:28:45	1	1	1	1	72.5	61.75	0	30000	400	11935.4225	30000	0	0	30000	41.9375	2004
29.01.2020 14:28:46	1	1	1	1	72.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.0625	2004
29.01.2020 14:28:47	1	1	1	1	72.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:28:48	1	1	1	1	72.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:49	1	1	1	1	72.25	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42	2004
29.01.2020 14:28:51	1	1	1	1	72.25	62	0	30142.18	402.1505376	12406.7078	30000	0	0	30000	42	2004
29.01.2020 14:28:52	1	1	1	1	72.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.875	2004
29.01.2020 14:28:53	1	1	1	1	72.25	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:28:54	1	1	1	1	72.25	61.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.0625	2004
29.01.2020 14:28:55	1	1	1	1	72.25	62	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	41.625	2004
29.01.2020 14:28:56	1	1	1	1	72.25	61.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.9375	2004
29.01.2020 14:28:57	1	1	1	1	72.25	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:28:58	1	1	1	1	72.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:28:59	1	1	1	1	72.25	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:29:00	1	1	1	1	72.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:01	1	1	1	1	72.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:02	1	1	1	1	72.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:29:03	1	1	1	1	72.25	61.75	0	30000	372.0430108	10932.51434	30000	0	0	30000	41.75	2004
29.01.2020 14:29:04	1	1	1	1	72.25	61.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	41.6875	2004
29.01.2020 14:29:05	1	1	1	1	72.25	61.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:06	1	1	1	1	72.25	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.8125	2004
29.01.2020 14:29:07	1	1	1	1	72.25	61.75	0	30000	397.8494624	12128.66578	30000	0	0	30000	41.8125	2004
29.01.2020 14:29:08	1	1	1	1	72.25	61.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:09	1	1	1	1	72.25	61.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.875	2004
29.01.2020 14:29:10	1	1	1	1	72.25	61.75	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	41.875	2004
29.01.2020 14:29:11	1	1	1	1	72.25	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:12	1	1	1	1	72.25	62	0	29952.607	346.2365591	10370.72269	30000	0	0	30000	41.4375	2004
29.01.2020 14:29:13	1	1	1	1	72.25	61.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:14	1	1	1	1	72.25	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.5	2004
29.01.2020 14:29:15	1	1	1	1	72.25	61.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:16	1	1	1	1	72.25	62	0	30000	316.1290323	9275.677439	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:17	1	1	1	1	72.25	61.75	0	30000	313.9784946	9211.263012	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:18	1	1	1	1	72.25	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.1875	2004
29.01.2020 14:29:19	1	1	1	1	72.5	62	0	30000	318.2795699	9419.182997	30000	0	0	30000	42	2004
29.01.2020 14:29:20	1	1	1	1	72.5	62	0	29952.607	313.9784946	9612.426277	30000	0	0	30000	42	2004
29.01.2020 14:29:21	1	1	1	1	72.5	62	0	30000	320.4301075	9597.749572	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:22	1	1	1	1	72.5	61.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:23	1	1	1	1	72.5	61.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.875	2004
29.01.2020 14:29:24	1	1	1	1	72.5	61.75	0	30000	318.2795699	9324.599788	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:25	1	1	1	1	72.5	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:26	1	1	1	1	72.5	62	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.8125	2004
29.01.2020 14:29:27	1	1	1	1	72.5	61.75	0	30000	326.8817204	9612.426277	30000	0	0	30000	41.875	2004
29.01.2020 14:29:28	1	1	1	1	72.5	61.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:29	1	1	1	1	72.75	62	0	29905.213	354.8387097	10644.68785	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:31	1	1	1	1	72.75	62	0	30000	354.8387097	10709.10227	30000	0	0	30000	42	2004
29.01.2020 14:29:38	1	1	1	1	72.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:38	1	1	1	1	72.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:38	1	1	1	1	72.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:38	1	1	1	1	72.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:38	1	1	1	1	72.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:38	1	1	1	1	72.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:29:38	1	1	1	1	72.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:39	1	1	1	1	72.75	61.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.875	2004
29.01.2020 14:29:40	1	1	1	1	72.5	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.6875	2004
29.01.2020 14:29:41	1	1	1	1	72.5	61.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42	2004
29.01.2020 14:29:42	1	1	1	1	72.5	62	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:29:43	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:44	1	1	1	1	72.5	62	0	30000	389.2473118	11612.53499	30000	0	0	30000	42	2004
29.01.2020 14:29:45	1	1	1	1	72.5	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.8125	2004
29.01.2020 14:29:46	1	1	1	1	72.5	61.75	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	41.8125	2004
29.01.2020 14:29:47	1	1	1	1	72.5	61.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.875	2004
29.01.2020 14:29:48	1	1	1	1	72.5	61.75	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	41.6875	2004
29.01.2020 14:29:49	1	1	1	1	72.5	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.875	2004
29.01.2020 14:29:50	1	1	1	1	72.75	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.0625	2004
29.01.2020 14:29:51	1	1	1	1	72.75	62	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	42	2004
29.01.2020 14:29:52	1	1	1	1	72.75	62	0	30000	400	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 14:29:53	1	1	1	1	72.75	62	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.125	2004
29.01.2020 14:29:54	1	1	1	1	72.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.9375	2004
29.01.2020 14:29:55	1	1	1	1	72.75	61.75	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
29.01.2020 14:29:56	1	1	1	1	72.75	61.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	41.875	2004
29.01.2020 14:29:57	1	1	1	1	72.75	61.75	0	29905.213	382.7956989	11741.36385	30000	0	0	30000	41.8125	2004
29.01.2020 14:29:58	1	1	1	1	72.75	61.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.8125	2004
29.01.2020 14:29:59	1	1	1	1	72.5	61.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.0625	2004
29.01.2020 14:30:00	1	1	1	1	72.5	62	0	30000	404.3010753	11916.66893	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:01	1	1	1	1	72.5	61.75	0	30000	400	11935.4225	30000	0	0	30000	41.9375	2004
29.01.2020 14:30:02	1	1	1	1	72.5	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
29.01.2020 14:30:03	1	1	1	1	72.5	61.75	0	30000	400	11871.00807	30000	0	0	30000	42.0625	2004
29.01.2020 14:30:04	1	1	1	1	72.5	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.0625	2004
29.01.2020 14:30:05	1	1	1	1	72.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
29.01.2020 14:30:06	1	1	1	1	72.5	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42	2004
29.01.2020 14:30:07	1	1	1	1	72.5	62	0	29905.213	363.4408602	11096.40421	30000	0	0	30000	41.9375	2004
29.01.2020 14:30:09	1	1	1	1	72.5	61.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	41.875	2004
29.01.2020 14:30:10	1	1	1	1	72.5	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42	2004
29.01.2020 14:30:11	1	1	1	1	72.5	62	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.625	2004
29.01.2020 14:30:12	1	1	1	1	72.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
29.01.2020 14:30:13	1	1	1	1	72.5	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:14	1	1	1	1	72.5	61.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.75	2004
29.01.2020 14:30:15	1	1	1	1	72.5	61.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	41.9375	2004
29.01.2020 14:30:16	1	1	1	1	72.5	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:17	1	1	1	1	72.5	61.75	0	29905.213	331.1827957	9984.236132	30000	0	0	30000	42.0625	2004
29.01.2020 14:30:18	1	1	1	1	72.5	62	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.1875	2004
29.01.2020 14:30:19	1	1	1	1	72.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:30:20	1	1	1	1	72.5	62	0	30000	361.2903226	11031.98978	30000	0	0	30000	41.9375	2004
29.01.2020 14:30:21	1	1	1	1	72.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:30:22	1	1	1	1	72.5	62	0	30000	350.5376344	10451.44457	30000	0	0	30000	41.9375	2004
29.01.2020 14:30:23	1	1	1	1	72.5	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.375	2004
29.01.2020 14:30:24	1	1	1	1	72.5	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.875	2004
29.01.2020 14:30:25	1	1	1	1	72.5	61.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	41.9375	2004
29.01.2020 14:30:26	1	1	1	1	72.5	61.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 14:30:27	1	1	1	1	72.5	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	42	2004
29.01.2020 14:30:28	1	1	1	1	72.5	62	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:30:29	1	1	1	1	72.5	62.25	0	30047.393	324.7311828	9741.25513	30000	0	0	30000	41.875	2004
29.01.2020 14:30:30	1	1	1	1	72.75	61.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 14:30:31	1	1	1	1	72.75	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 14:30:32	1	1	1	1	72.75	61.75	0	29952.607	335.483871	10128.55706	30000	0	0	30000	42	2004
29.01.2020 14:30:40	1	1	1	1	73	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:40	1	1	1	1	73	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:40	1	1	1	1	73	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:40	1	1	1	1	73	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:40	1	1	1	1	73	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:40	1	1	1	1	73	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:40	1	1	1	1	73	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:30:40	1	1	1	1	73	61.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	41.5625	2004
29.01.2020 14:30:41	1	1	1	1	73	61.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:30:42	1	1	1	1	73	61.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	42	2004
29.01.2020 14:30:43	1	1	1	1	73	62	0	30000	363.4408602	11031.98978	30000	0	0	30000	40.625	2004
29.01.2020 14:30:44	1	1	1	1	73	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.875	2004
29.01.2020 14:30:45	1	1	1	1	73	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
29.01.2020 14:30:46	1	1	1	1	73	61.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	42	2004
29.01.2020 14:30:48	1	1	1	1	73	62	0	30094.787	417.2043011	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:30:49	1	1	1	1	73	62	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.5	2004
29.01.2020 14:30:50	1	1	1	1	72.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:30:51	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
29.01.2020 14:30:52	1	1	1	1	72.75	62	0	30000	404.3010753	11833.50094	30000	0	0	30000	41.625	2004
29.01.2020 14:30:53	1	1	1	1	72.75	61.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:30:54	1	1	1	1	72.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
29.01.2020 14:30:55	1	1	1	1	72.75	61.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
29.01.2020 14:30:56	1	1	1	1	72.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.6875	2004
29.01.2020 14:30:57	1	1	1	1	72.75	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
29.01.2020 14:30:58	1	1	1	1	72.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
29.01.2020 14:30:59	1	1	1	1	72.75	61.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
29.01.2020 14:31:00	1	1	1	1	72.5	61.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.5	2004
29.01.2020 14:31:01	1	1	1	1	72.5	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.875	2004
29.01.2020 14:31:02	1	1	1	1	72.5	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.125	2004
29.01.2020 14:31:03	1	1	1	1	72.5	62	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	42	2004
29.01.2020 14:31:04	1	1	1	1	72.5	62	0	30000	397.8494624	12128.66578	30000	0	0	30000	41.5625	2004
29.01.2020 14:31:05	1	1	1	1	72.5	61.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:31:06	1	1	1	1	72.5	61.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.0625	2004
29.01.2020 14:31:07	1	1	1	1	72.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
29.01.2020 14:31:08	1	1	1	1	72.5	61.75	0	29952.607	434.4086022	13375.37032	30000	0	0	30000	41.4375	2004
29.01.2020 14:31:09	1	1	1	1	72.5	61.25	0	29952.607	434.4086022	12967.68407	30000	0	0	30000	42.25	2004
29.01.2020 14:31:10	1	1	1	1	72.5	62.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.0625	2004
29.01.2020 14:31:11	1	1	1	1	72.5	62	0	30000	412.9032258	12580.38214	30000	0	0	30000	42	2004
29.01.2020 14:31:12	1	1	1	1	72.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
29.01.2020 14:31:13	1	1	1	1	72.5	61.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:31:14	1	1	1	1	72.5	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.8125	2004
29.01.2020 14:31:15	1	1	1	1	72.5	61.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.75	2004
29.01.2020 14:31:16	1	1	1	1	72.5	61.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	42	2004
29.01.2020 14:31:17	1	1	1	1	72.5	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.0625	2004
29.01.2020 14:31:18	1	1	1	1	72.5	62	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.5	2004
29.01.2020 14:31:19	1	1	1	1	72.5	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:31:20	1	1	1	1	72.5	61.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	41.4375	2004
29.01.2020 14:31:21	1	1	1	1	72.5	61.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:31:22	1	1	1	1	72.5	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42	2004
29.01.2020 14:31:23	1	1	1	1	72.5	62	0	30000	344.0860215	10387.03014	30000	0	0	30000	41.6875	2004
29.01.2020 14:31:24	1	1	1	1	72.5	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.875	2004
29.01.2020 14:31:25	1	1	1	1	72.5	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:31:27	1	1	1	1	72.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.8125	2004
29.01.2020 14:31:28	1	1	1	1	72.5	61.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.125	2004
29.01.2020 14:31:29	1	1	1	1	72.5	62	0	30000	337.6344086	10192.97149	30000	0	0	30000	41.875	2004
29.01.2020 14:31:30	1	1	1	1	72	61.75	0	30000	335.483871	9999.728209	30000	0	0	30000	41.9375	2004
29.01.2020 14:31:31	1	1	1	1	72	61.75	0	30000	331.1827957	10064.14264	30000	0	0	30000	41.875	2004
29.01.2020 14:31:32	1	1	1	1	72	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.0625	2004
29.01.2020 14:31:33	1	1	1	1	72	62	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.875	2004
29.01.2020 14:31:34	1	1	1	1	72	61.75	0	30000	378.4946237	11079.28139	30000	0	0	30000	41.8125	2004
29.01.2020 14:31:41	1	1	1	1	72	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.5625	2004
29.01.2020 14:31:41	1	1	1	1	72	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.5625	2004
29.01.2020 14:31:41	1	1	1	1	72	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.5625	2004
29.01.2020 14:31:41	1	1	1	1	72	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.5625	2004
29.01.2020 14:31:41	1	1	1	1	72	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.5625	2004
29.01.2020 14:31:41	1	1	1	1	72	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.5625	2004
29.01.2020 14:31:42	1	1	1	1	72	61.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.8125	2004
29.01.2020 14:31:43	1	1	1	1	72	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5	2004
29.01.2020 14:31:44	1	1	1	1	72	61.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.1875	2004
29.01.2020 14:31:45	1	1	1	1	72	61	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 14:31:46	1	1	1	1	72	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.625	2004
29.01.2020 14:31:47	1	1	1	1	72	61.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:31:48	1	1	1	1	72	62.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.0625	2004
29.01.2020 14:31:49	1	1	1	1	72	62	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:31:50	1	1	1	1	70.75	62.25	0	29952.607	356.9892473	10903.16093	30000	0	0	30000	42.125	2004
29.01.2020 14:31:51	1	1	1	1	70.75	62	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	41.9375	2004
29.01.2020 14:31:52	1	1	1	1	70.75	61.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:31:53	1	1	1	1	70.75	62	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42	2004
29.01.2020 14:31:54	1	1	1	1	70.75	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 14:31:55	1	1	1	1	70.75	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42	2004
29.01.2020 14:31:56	1	1	1	1	70.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.4375	2004
29.01.2020 14:31:57	1	1	1	1	70.75	61.25	0	30000	359.1397849	10757.20925	30000	0	0	30000	42	2004
29.01.2020 14:31:58	1	1	1	1	70.75	62	0	30000	374.1935484	11225.23306	30000	0	0	30000	42	2004
29.01.2020 14:31:59	1	1	1	1	70.5	62	0	30000	359.1397849	10644.68785	30000	0	0	30000	41.625	2004
29.01.2020 14:32:00	1	1	1	1	70.5	61.5	0	30000	400	12064.25135	30000	0	0	30000	42.0625	2004
29.01.2020 14:32:01	1	1	1	1	70.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
29.01.2020 14:32:02	1	1	1	1	70.5	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.9375	2004
29.01.2020 14:32:04	1	1	1	1	70.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
29.01.2020 14:32:05	1	1	1	1	70.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:32:06	1	1	1	1	70.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.625	2004
29.01.2020 14:32:07	1	1	1	1	70.5	61.5	0	29952.607	412.9032258	12684.74982	30000	0	0	30000	41.75	2004
29.01.2020 14:32:08	1	1	1	1	70.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.4375	2004
29.01.2020 14:32:09	1	1	1	1	70.5	61.25	0	29952.607	395.6989247	11999.83693	30000	0	0	30000	41.6875	2004
29.01.2020 14:32:10	1	1	1	1	70.25	61.5	0	29952.607	404.3010753	12064.25135	30000	0	0	30000	41.6875	2004
29.01.2020 14:32:11	1	1	1	1	70.25	61.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
29.01.2020 14:32:12	1	1	1	1	70.25	62	0	29952.607	404.3010753	12064.25135	30000	0	0	30000	41.5	2004
29.01.2020 14:32:13	1	1	1	1	70.25	61.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.9375	2004
29.01.2020 14:32:14	1	1	1	1	70.25	61.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:32:15	1	1	1	1	70.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
29.01.2020 14:32:16	1	1	1	1	70.25	61.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.3125	2004
29.01.2020 14:32:17	1	1	1	1	70.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:18	1	1	1	1	70.25	61.75	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	41.3125	2004
29.01.2020 14:32:19	1	1	1	1	70.25	61.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.9375	2004
29.01.2020 14:32:20	1	1	1	1	69.75	61.75	0	30000	372.0430108	11225.23306	30000	0	0	30000	41.4375	2004
29.01.2020 14:32:21	1	1	1	1	69.75	61.25	0	30000	367.7419355	10903.16093	30000	0	0	30000	42	2004
29.01.2020 14:32:22	1	1	1	1	69.75	62	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	42	2004
29.01.2020 14:32:23	1	1	1	1	69.75	62	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	41.875	2004
29.01.2020 14:32:24	1	1	1	1	69.75	61.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.125	2004
29.01.2020 14:32:25	1	1	1	1	69.75	62	0	30000	341.9354839	10451.44457	30000	0	0	30000	41.4375	2004
29.01.2020 14:32:26	1	1	1	1	69.75	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.4375	2004
29.01.2020 14:32:27	1	1	1	1	69.75	62	0	29952.607	316.1290323	9324.599788	30000	0	0	30000	41.9375	2004
29.01.2020 14:32:28	1	1	1	1	69.75	61.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	41.5625	2004
29.01.2020 14:32:29	1	1	1	1	69.25	61.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	41.4375	2004
29.01.2020 14:32:30	1	1	1	1	69.25	61.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:31	1	1	1	1	69.25	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.9375	2004
29.01.2020 14:32:32	1	1	1	1	69.25	61.75	0	30047.393	290.3225806	8580.164705	30000	0	0	30000	41.875	2004
29.01.2020 14:32:33	1	1	1	1	69.25	61.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:32:34	1	1	1	1	69.25	61.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.875	2004
29.01.2020 14:32:35	1	1	1	1	69.25	61.75	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.0625	2004
29.01.2020 14:32:43	1	1	1	1	69.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:43	1	1	1	1	69.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:43	1	1	1	1	69.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:43	1	1	1	1	69.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:43	1	1	1	1	69.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:43	1	1	1	1	69.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:43	1	1	1	1	69.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:44	1	1	1	1	69.5	61.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42	2004
29.01.2020 14:32:45	1	1	1	1	69.5	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.0625	2004
29.01.2020 14:32:46	1	1	1	1	69.5	62	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.5	2004
29.01.2020 14:32:47	1	1	1	1	69.5	61.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.625	2004
29.01.2020 14:32:48	1	1	1	1	69.5	61.5	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	41.25	2004
29.01.2020 14:32:49	1	1	1	1	69.5	61.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.9375	2004
29.01.2020 14:32:50	1	1	1	1	70.75	61.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.0625	2004
29.01.2020 14:32:51	1	1	1	1	70.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	41.75	2004
29.01.2020 14:32:52	1	1	1	1	70.75	61.75	0	30094.787	329.0322581	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 14:32:53	1	1	1	1	70.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42	2004
29.01.2020 14:32:54	1	1	1	1	70.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:32:55	1	1	1	1	70.75	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.6875	2004
29.01.2020 14:32:56	1	1	1	1	70.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.75	2004
29.01.2020 14:32:57	1	1	1	1	70.75	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.875	2004
29.01.2020 14:32:58	1	1	1	1	70.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5	2004
29.01.2020 14:32:59	1	1	1	1	70.75	61.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	42	2004
29.01.2020 14:33:00	1	1	1	1	71.5	62	0	30047.393	367.7419355	11049.1126	30000	0	0	30000	41.8125	2004
29.01.2020 14:33:01	1	1	1	1	71.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42	2004
29.01.2020 14:33:02	1	1	1	1	71.5	62	0	30000	367.7419355	10903.16093	30000	0	0	30000	41.5	2004
29.01.2020 14:33:03	1	1	1	1	71.5	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.875	2004
29.01.2020 14:33:04	1	1	1	1	71.5	61.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.75	2004
29.01.2020 14:33:05	1	1	1	1	71.5	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
29.01.2020 14:33:06	1	1	1	1	71.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:33:07	1	1	1	1	71.5	61.5	0	30047.393	395.6989247	11676.94942	30000	0	0	30000	42	2004
29.01.2020 14:33:08	1	1	1	1	71.5	62	0	30047.393	380.6451613	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:33:09	1	1	1	1	72	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 14:33:10	1	1	1	1	72	61.75	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	41.875	2004
29.01.2020 14:33:11	1	1	1	1	72	61.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.875	2004
29.01.2020 14:33:12	1	1	1	1	72	61.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.875	2004
29.01.2020 14:33:13	1	1	1	1	72	61.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.9375	2004
29.01.2020 14:33:14	1	1	1	1	72	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42	2004
29.01.2020 14:33:15	1	1	1	1	72	62	0	30000	352.688172	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 14:33:16	1	1	1	1	72	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:33:17	1	1	1	1	72	62	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:33:18	1	1	1	1	72	61.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.125	2004
29.01.2020 14:33:19	1	1	1	1	71.5	62	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42	2004
29.01.2020 14:33:20	1	1	1	1	71.5	62	0	30000	326.8817204	9741.25513	30000	0	0	30000	42	2004
29.01.2020 14:33:22	1	1	1	1	71.5	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42	2004
29.01.2020 14:33:23	1	1	1	1	71.5	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.875	2004
29.01.2020 14:33:24	1	1	1	1	71.5	61.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.125	2004
29.01.2020 14:33:25	1	1	1	1	71.5	62	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.125	2004
29.01.2020 14:33:26	1	1	1	1	71.5	61	0	30000	294.6236559	8903.052211	30000	0	0	30000	41.9375	2004
29.01.2020 14:33:27	1	1	1	1	71.5	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42	2004
29.01.2020 14:33:28	1	1	1	1	71.5	62	0	30000	283.8709677	8580.164705	30000	0	0	30000	42	2004
29.01.2020 14:33:29	1	1	1	1	71.5	62	0	30000	279.5698925	8245.046612	30000	0	0	30000	41.5	2004
29.01.2020 14:33:30	1	1	1	1	70.5	61.5	0	29952.607	275.2688172	8192.862773	30000	0	0	30000	42.0625	2004
29.01.2020 14:33:31	1	1	1	1	70.5	62	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.8125	2004
29.01.2020 14:33:32	1	1	1	1	70.5	61.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42	2004
29.01.2020 14:33:33	1	1	1	1	70.5	62	0	30000	260.2150538	7870.79064	30000	0	0	30000	42	2004
29.01.2020 14:33:34	1	1	1	1	70.5	62	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	41.9375	2004
29.01.2020 14:33:35	1	1	1	1	70.5	61.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.375	2004
29.01.2020 14:33:36	1	1	1	1	70.5	61.25	0	30000	273.1182796	8128.448346	30000	0	0	30000	42	2004
29.01.2020 14:33:37	1	1	1	1	70.5	62	0	30000	268.8172043	8128.448346	30000	0	0	30000	41.9375	2004
29.01.2020 14:33:44	1	1	1	1	70.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.6875	2004
29.01.2020 14:33:44	1	1	1	1	70.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.6875	2004
29.01.2020 14:33:44	1	1	1	1	70.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.6875	2004
29.01.2020 14:33:44	1	1	1	1	70.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.6875	2004
29.01.2020 14:33:44	1	1	1	1	70.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.6875	2004
29.01.2020 14:33:44	1	1	1	1	70.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.6875	2004
29.01.2020 14:33:44	1	1	1	1	70.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.6875	2004
29.01.2020 14:33:45	1	1	1	1	70.5	61.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.9375	2004
29.01.2020 14:33:46	1	1	1	1	70.5	62	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.0625	2004
29.01.2020 14:33:47	1	1	1	1	70.5	62	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.875	2004
29.01.2020 14:33:48	1	1	1	1	70.5	61.75	0	29952.607	270.9677419	7974.342946	30000	0	0	30000	41.5	2004
29.01.2020 14:33:49	1	1	1	1	70.5	61.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
29.01.2020 14:33:50	1	1	1	1	70.5	62	0	29952.607	270.9677419	8128.448346	30000	0	0	30000	42.1875	2004
29.01.2020 14:33:51	1	1	1	1	70.5	62	0	30000	277.4193548	8192.862773	30000	0	0	30000	41.8125	2004
29.01.2020 14:33:52	1	1	1	1	70.5	61.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.6875	2004
29.01.2020 14:33:53	1	1	1	1	70.5	61.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.1875	2004
29.01.2020 14:33:54	1	1	1	1	70.5	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.875	2004
29.01.2020 14:33:55	1	1	1	1	70.5	61.75	0	30047.393	279.5698925	8386.921425	30000	0	0	30000	41.8125	2004
29.01.2020 14:33:56	1	1	1	1	70.5	61.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.0625	2004
29.01.2020 14:33:57	1	1	1	1	70.5	62	0	29905.213	281.7204301	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 14:33:59	1	1	1	1	70.5	62	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 14:34:00	1	1	1	1	70.75	62	0	30000	279.5698925	8451.335852	30000	0	0	30000	41.5625	2004
29.01.2020 14:34:01	1	1	1	1	70.75	61.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.25	2004
29.01.2020 14:34:02	1	1	1	1	70.75	62.25	0	30000	288.172043	8708.993559	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:34:03	1	1	1	1	70.75	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.125	2004
29.01.2020 14:34:04	1	1	1	1	70.75	61	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.0625	2004
29.01.2020 14:34:05	1	1	1	1	70.75	62	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.125	2004
29.01.2020 14:34:06	1	1	1	1	70.75	62	0	30000	301.0752688	9096.295491	30000	0	0	30000	41.6875	2004
29.01.2020 14:34:07	1	1	1	1	70.75	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.125	2004
29.01.2020 14:34:08	1	1	1	1	70.75	62	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:34:09	1	1	1	1	70.75	62	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.875	2004
29.01.2020 14:34:10	1	1	1	1	71.25	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.1875	2004
29.01.2020 14:34:11	1	1	1	1	71.25	61	0	30000	303.2258065	9160.709918	30000	0	0	30000	41.875	2004
29.01.2020 14:34:12	1	1	1	1	71.25	61.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.3125	2004
29.01.2020 14:34:13	1	1	1	1	71.25	61.25	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.8125	2004
29.01.2020 14:34:14	1	1	1	1	71.25	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.125	2004
29.01.2020 14:34:15	1	1	1	1	71.25	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.375	2004
29.01.2020 14:34:16	1	1	1	1	71.25	61.25	0	30000	288.172043	8451.335852	30000	0	0	30000	41.375	2004
29.01.2020 14:34:17	1	1	1	1	71.25	61.25	0	30000	309.6774194	9082.434159	30000	0	0	30000	42.125	2004
29.01.2020 14:34:18	1	1	1	1	71.25	62	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.8125	2004
29.01.2020 14:34:19	1	1	1	1	71.25	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.1875	2004
29.01.2020 14:34:20	1	1	1	1	71.25	62	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	41.5	2004
29.01.2020 14:34:21	1	1	1	1	71.25	61.5	0	30000	290.3225806	8695.947599	30000	0	0	30000	41.875	2004
29.01.2020 14:34:22	1	1	1	1	71.25	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 14:34:23	1	1	1	1	71.25	62	0	29952.607	277.4193548	8309.461039	30000	0	0	30000	42.125	2004
29.01.2020 14:34:24	1	1	1	1	71.25	62.25	0	29905.213	277.4193548	8167.586226	30000	0	0	30000	42.125	2004
29.01.2020 14:34:25	1	1	1	1	71.25	62	0	30000	296.7741935	8967.466638	30000	0	0	30000	41.5625	2004
29.01.2020 14:34:26	1	1	1	1	71.25	61.5	0	29905.213	298.9247312	9225.124344	30000	0	0	30000	41.6875	2004
29.01.2020 14:34:27	1	1	1	1	71.25	61.5	0	30000	307.5268817	9239.801049	30000	0	0	30000	42.0625	2004
29.01.2020 14:34:28	1	1	1	1	71.25	62	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	42.125	2004
29.01.2020 14:34:29	1	1	1	1	71	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.9375	2004
29.01.2020 14:34:30	1	1	1	1	71	61.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	42	2004
29.01.2020 14:34:31	1	1	1	1	71	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42	2004
29.01.2020 14:34:32	1	1	1	1	71	62	0	30000	288.172043	8502.704319	30000	0	0	30000	41.875	2004
29.01.2020 14:34:33	1	1	1	1	71	61.75	0	30000	288.172043	8502.704319	30000	0	0	30000	41.875	2004
29.01.2020 14:34:34	1	1	1	1	71	61.75	0	30000	288.172043	8580.164705	30000	0	0	30000	41.625	2004
29.01.2020 14:34:35	1	1	1	1	71	61.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.125	2004
29.01.2020 14:34:36	1	1	1	1	71	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.125	2004
29.01.2020 14:34:37	1	1	1	1	71	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	42	2004
29.01.2020 14:34:39	1	1	1	1	71	62	0	29905.213	275.2688172	8258.092572	30000	0	0	30000	42.1875	2004
29.01.2020 14:34:46	1	1	1	1	70.5	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.5625	2004
29.01.2020 14:34:46	1	1	1	1	70.5	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.5625	2004
29.01.2020 14:34:46	1	1	1	1	70.5	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.5625	2004
29.01.2020 14:34:46	1	1	1	1	70.5	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.5625	2004
29.01.2020 14:34:46	1	1	1	1	70.5	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.5625	2004
29.01.2020 14:34:46	1	1	1	1	70.5	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.5625	2004
29.01.2020 14:34:46	1	1	1	1	70.5	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:34:47	1	1	1	1	70.5	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.5625	2004
29.01.2020 14:34:48	1	1	1	1	70.5	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.125	2004
29.01.2020 14:34:49	1	1	1	1	70.5	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.0625	2004
29.01.2020 14:34:50	1	1	1	1	70.5	62	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	41.875	2004
29.01.2020 14:34:51	1	1	1	1	70.5	61.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.9375	2004
29.01.2020 14:34:52	1	1	1	1	70.5	61.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	41.8125	2004
29.01.2020 14:34:53	1	1	1	1	70.5	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.125	2004
29.01.2020 14:34:54	1	1	1	1	70.5	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.0625	2004
29.01.2020 14:34:55	1	1	1	1	70.5	62	0	30000	335.483871	10064.14264	30000	0	0	30000	41.4375	2004
29.01.2020 14:34:56	1	1	1	1	70.5	61.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.5	2004
29.01.2020 14:34:57	1	1	1	1	70.5	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:34:58	1	1	1	1	70.5	62	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.6875	2004
29.01.2020 14:34:59	1	1	1	1	70.5	61.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42	2004
29.01.2020 14:35:00	1	1	1	1	71	62	0	30094.787	337.6344086	9935.313783	30000	0	0	30000	41.75	2004
29.01.2020 14:35:01	1	1	1	1	71	61.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 14:35:02	1	1	1	1	71	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.9375	2004
29.01.2020 14:35:03	1	1	1	1	71	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:35:04	1	1	1	1	71	62	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.125	2004
29.01.2020 14:35:05	1	1	1	1	71	62	0	30000	335.483871	10064.14264	30000	0	0	30000	41.875	2004
29.01.2020 14:35:06	1	1	1	1	71	61.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:07	1	1	1	1	71	62	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.125	2004
29.01.2020 14:35:08	1	1	1	1	71	62	0	30000	320.4301075	9676.840703	30000	0	0	30000	41.6875	2004
29.01.2020 14:35:09	1	1	1	1	71.5	61.5	0	30000	341.9354839	10048.65056	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:10	1	1	1	1	71.5	62	0	29952.607	329.0322581	9935.313783	30000	0	0	30000	42.125	2004
29.01.2020 14:35:11	1	1	1	1	71.5	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.9375	2004
29.01.2020 14:35:12	1	1	1	1	71.5	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42	2004
29.01.2020 14:35:13	1	1	1	1	71.5	62	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:14	1	1	1	1	71.5	62	0	30000	260.2150538	7600.902346	30000	0	0	30000	42	2004
29.01.2020 14:35:15	1	1	1	1	71.5	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.75	2004
29.01.2020 14:35:16	1	1	1	1	71.5	61.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.75	2004
29.01.2020 14:35:18	1	1	1	1	71.5	61.75	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	42.125	2004
29.01.2020 14:35:19	1	1	1	1	71.5	62	0	30000	264.516129	7935.205066	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:20	1	1	1	1	71.75	62	0	30000	262.3655914	7870.79064	30000	0	0	30000	41.6875	2004
29.01.2020 14:35:21	1	1	1	1	71.75	61.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:22	1	1	1	1	71.75	62	0	29952.607	275.2688172	8451.335852	30000	0	0	30000	42	2004
29.01.2020 14:35:23	1	1	1	1	71.75	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.75	2004
29.01.2020 14:35:24	1	1	1	1	71.75	61.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	41.875	2004
29.01.2020 14:35:25	1	1	1	1	71.75	61.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.9375	2004
29.01.2020 14:35:26	1	1	1	1	71.75	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.125	2004
29.01.2020 14:35:27	1	1	1	1	71.75	62	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.4375	2004
29.01.2020 14:35:28	1	1	1	1	71.75	61.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:29	1	1	1	1	71.75	62	0	30000	253.7634409	7547.903134	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:30	1	1	1	1	71.75	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:35:31	1	1	1	1	71.75	61.25	0	30000	249.4623656	7483.488707	30000	0	0	30000	42.125	2004
29.01.2020 14:35:32	1	1	1	1	71.75	62	0	30000	247.311828	7483.488707	30000	0	0	30000	41.8125	2004
29.01.2020 14:35:33	1	1	1	1	71.75	61.75	0	29952.607	258.0645161	7729.731199	30000	0	0	30000	42.125	2004
29.01.2020 14:35:34	1	1	1	1	71.75	62	0	29952.607	258.0645161	7665.316772	30000	0	0	30000	41.9375	2004
29.01.2020 14:35:35	1	1	1	1	71.75	61.75	0	30000	255.9139785	7741.961786	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:36	1	1	1	1	71.75	62	0	29952.607	255.9139785	7665.316772	30000	0	0	30000	42	2004
29.01.2020 14:35:37	1	1	1	1	71.75	62	0	30000	258.0645161	7806.376213	30000	0	0	30000	42	2004
29.01.2020 14:35:38	1	1	1	1	71.75	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:39	1	1	1	1	71.75	62	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.1875	2004
29.01.2020 14:35:40	1	1	1	1	72.25	62	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.6875	2004
29.01.2020 14:35:48	1	1	1	1	72.25	62	0	30000	232.2580645	6967.357921	30000	0	0	30000	42	2004
29.01.2020 14:35:48	1	1	1	1	72.25	62	0	30000	232.2580645	6967.357921	30000	0	0	30000	42	2004
29.01.2020 14:35:48	1	1	1	1	72.25	62	0	30000	232.2580645	6967.357921	30000	0	0	30000	42	2004
29.01.2020 14:35:48	1	1	1	1	72.25	62	0	30000	232.2580645	6967.357921	30000	0	0	30000	42	2004
29.01.2020 14:35:48	1	1	1	1	72.25	62	0	30000	232.2580645	6967.357921	30000	0	0	30000	42	2004
29.01.2020 14:35:48	1	1	1	1	72.25	62	0	30000	232.2580645	6967.357921	30000	0	0	30000	42	2004
29.01.2020 14:35:48	1	1	1	1	72.25	62	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	42.1875	2004
29.01.2020 14:35:49	1	1	1	1	72.25	62	0	30000	232.2580645	6967.357921	30000	0	0	30000	42	2004
29.01.2020 14:35:50	1	1	1	1	72.25	62	0	30000	232.2580645	6967.357921	30000	0	0	30000	42.125	2004
29.01.2020 14:35:51	1	1	1	1	72.25	62	0	30000	236.5591398	7031.772348	30000	0	0	30000	42	2004
29.01.2020 14:35:52	1	1	1	1	72.25	62	0	30094.787	243.0107527	7225.831	30000	0	0	30000	42.125	2004
29.01.2020 14:35:53	1	1	1	1	72.25	62	0	29952.607	240.8602151	7214.415786	30000	0	0	30000	42.125	2004
29.01.2020 14:35:55	1	1	1	1	72.25	62	0	30047.393	245.1612903	7225.831	30000	0	0	30000	42.0625	2004
29.01.2020 14:35:56	1	1	1	1	72.25	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.125	2004
29.01.2020 14:35:57	1	1	1	1	72.25	62	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	42	2004
29.01.2020 14:35:58	1	1	1	1	72.25	62	0	29952.607	255.9139785	7870.79064	30000	0	0	30000	42	2004
29.01.2020 14:35:59	1	1	1	1	72.25	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	42	2004
29.01.2020 14:36:00	1	1	1	1	72.25	62	0	29905.213	258.0645161	7729.731199	30000	0	0	30000	42.1875	2004
29.01.2020 14:36:01	1	1	1	1	72.25	62	0	30000	258.0645161	7741.961786	30000	0	0	30000	42	2004
29.01.2020 14:36:02	1	1	1	1	72.25	62	0	30000	255.9139785	7741.961786	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:03	1	1	1	1	72.25	62	0	30000	251.6129032	7612.31756	30000	0	0	30000	41.75	2004
29.01.2020 14:36:04	1	1	1	1	72.25	61.75	0	30000	247.311828	7290.245427	30000	0	0	30000	41.5625	2004
29.01.2020 14:36:05	1	1	1	1	72.25	61.5	0	30000	247.311828	7483.488707	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:06	1	1	1	1	72.25	62	0	29952.607	249.4623656	7472.073492	30000	0	0	30000	42.1875	2004
29.01.2020 14:36:07	1	1	1	1	72.25	62	0	30000	247.311828	7419.07428	30000	0	0	30000	42.125	2004
29.01.2020 14:36:08	1	1	1	1	72.25	62	0	30000	247.311828	7290.245427	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:09	1	1	1	1	72.25	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.1875	2004
29.01.2020 14:36:10	1	1	1	1	72.25	62	0	30000	253.7634409	7547.903134	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:11	1	1	1	1	72.25	62	0	30000	253.7634409	7676.731987	30000	0	0	30000	41.9375	2004
29.01.2020 14:36:12	1	1	1	1	72.25	61.75	0	29952.607	258.0645161	7729.731199	30000	0	0	30000	42.125	2004
29.01.2020 14:36:13	1	1	1	1	72.25	62	0	30000	258.0645161	7676.731987	30000	0	0	30000	41.9375	2004
29.01.2020 14:36:14	1	1	1	1	72.25	61.75	0	30000	258.0645161	7754.192374	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:36:15	1	1	1	1	72.25	62	0	30000	262.3655914	7806.376213	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:16	1	1	1	1	72.25	62	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	42.1875	2004
29.01.2020 14:36:17	1	1	1	1	72.25	62	0	30000	270.9677419	8116.217759	30000	0	0	30000	42.25	2004
29.01.2020 14:36:18	1	1	1	1	72.25	62.25	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	41.875	2004
29.01.2020 14:36:19	1	1	1	1	72.25	61.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.1875	2004
29.01.2020 14:36:20	1	1	1	1	71.75	62.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	42	2004
29.01.2020 14:36:21	1	1	1	1	71.75	62	0	29952.607	279.5698925	8295.599706	30000	0	0	30000	42	2004
29.01.2020 14:36:22	1	1	1	1	71.75	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:36:23	1	1	1	1	71.75	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42	2004
29.01.2020 14:36:24	1	1	1	1	71.75	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42	2004
29.01.2020 14:36:25	1	1	1	1	71.75	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.9375	2004
29.01.2020 14:36:26	1	1	1	1	71.75	61.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:27	1	1	1	1	71.75	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.9375	2004
29.01.2020 14:36:28	1	1	1	1	71.75	61.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:29	1	1	1	1	71.5	62	0	29905.213	303.2258065	9160.709918	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:30	1	1	1	1	71.5	62	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.875	2004
29.01.2020 14:36:32	1	1	1	1	71.5	61.75	0	29952.607	294.6236559	9031.881064	30000	0	0	30000	41.8125	2004
29.01.2020 14:36:33	1	1	1	1	71.5	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.875	2004
29.01.2020 14:36:34	1	1	1	1	71.5	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
29.01.2020 14:36:35	1	1	1	1	71.5	61.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42	2004
29.01.2020 14:36:36	1	1	1	1	71.5	62	0	30000	318.2795699	9612.426277	30000	0	0	30000	42	2004
29.01.2020 14:36:37	1	1	1	1	71.5	62	0	30000	322.5806452	9483.597423	30000	0	0	30000	42	2004
29.01.2020 14:36:38	1	1	1	1	71.5	62	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:39	1	1	1	1	71.5	62	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.125	2004
29.01.2020 14:36:40	1	1	1	1	71.25	62	0	29905.213	326.8817204	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:36:41	1	1	1	1	71.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
29.01.2020 14:36:42	1	1	1	1	71.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.0625	2004
29.01.2020 14:36:49	1	1	1	1	71.25	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:36:49	1	1	1	1	71.25	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:36:49	1	1	1	1	71.25	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:36:49	1	1	1	1	71.25	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:36:49	1	1	1	1	71.25	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:36:49	1	1	1	1	71.25	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:36:49	1	1	1	1	71.25	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:36:50	1	1	1	1	71.5	62	0	30047.393	333.3333333	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:36:51	1	1	1	1	71.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.125	2004
29.01.2020 14:36:52	1	1	1	1	71.5	62	0	30047.393	335.483871	9999.728209	30000	0	0	30000	42	2004
29.01.2020 14:36:53	1	1	1	1	71.5	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.9375	2004
29.01.2020 14:36:54	1	1	1	1	71.5	61.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42	2004
29.01.2020 14:36:55	1	1	1	1	71.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:36:56	1	1	1	1	71.5	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.3125	2004
29.01.2020 14:36:57	1	1	1	1	71.5	62	0	30000	331.1827957	9870.899356	30000	0	0	30000	42	2004
29.01.2020 14:36:58	1	1	1	1	71.5	62	0	30094.787	356.9892473	10387.03014	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:36:59	1	1	1	1	70.75	62	0	30000	344.0860215	10387.03014	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:00	1	1	1	1	70.75	62	0	30047.393	350.5376344	10451.44457	30000	0	0	30000	42.125	2004
29.01.2020 14:37:01	1	1	1	1	70.75	62	0	30000	339.7849462	9999.728209	30000	0	0	30000	41.8125	2004
29.01.2020 14:37:02	1	1	1	1	70.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:03	1	1	1	1	70.75	62	0	29952.607	337.6344086	10032.34311	30000	0	0	30000	42	2004
29.01.2020 14:37:04	1	1	1	1	70.75	62	0	30000	337.6344086	10128.55706	30000	0	0	30000	42	2004
29.01.2020 14:37:05	1	1	1	1	70.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:37:06	1	1	1	1	70.75	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:07	1	1	1	1	70.75	62	0	30000	363.4408602	11031.98978	30000	0	0	30000	41.875	2004
29.01.2020 14:37:08	1	1	1	1	70.75	61.75	0	29905.213	378.4946237	11401.35352	30000	0	0	30000	42.125	2004
29.01.2020 14:37:10	1	1	1	1	69.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:37:11	1	1	1	1	69.75	62	0	30000	365.5913978	11160.81863	30000	0	0	30000	41.9375	2004
29.01.2020 14:37:12	1	1	1	1	69.75	61.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:13	1	1	1	1	69.75	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 14:37:14	1	1	1	1	69.75	62	0	30047.393	337.6344086	10128.55706	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:15	1	1	1	1	69.75	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42	2004
29.01.2020 14:37:16	1	1	1	1	69.75	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.125	2004
29.01.2020 14:37:17	1	1	1	1	69.75	62	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:18	1	1	1	1	69.75	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.6875	2004
29.01.2020 14:37:19	1	1	1	1	69.75	61.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.125	2004
29.01.2020 14:37:20	1	1	1	1	69.25	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:21	1	1	1	1	69.25	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:22	1	1	1	1	69.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.875	2004
29.01.2020 14:37:23	1	1	1	1	69.25	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.875	2004
29.01.2020 14:37:24	1	1	1	1	69.25	61.75	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:25	1	1	1	1	69.25	62	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:26	1	1	1	1	69.25	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:27	1	1	1	1	69.25	62	0	30047.393	326.8817204	9741.25513	30000	0	0	30000	41.75	2004
29.01.2020 14:37:28	1	1	1	1	69.25	61.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	42	2004
29.01.2020 14:37:29	1	1	1	1	69.25	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42	2004
29.01.2020 14:37:30	1	1	1	1	70	62	0	30047.393	313.9784946	9225.124344	30000	0	0	30000	42.1875	2004
29.01.2020 14:37:31	1	1	1	1	70	62	0	30000	296.7741935	8774.223358	30000	0	0	30000	41.8125	2004
29.01.2020 14:37:32	1	1	1	1	70	61.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42	2004
29.01.2020 14:37:33	1	1	1	1	70	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.125	2004
29.01.2020 14:37:34	1	1	1	1	70	62	0	30000	288.172043	8708.993559	30000	0	0	30000	42.3125	2004
29.01.2020 14:37:35	1	1	1	1	70	62.25	0	30000	288.172043	8644.579132	30000	0	0	30000	42	2004
29.01.2020 14:37:36	1	1	1	1	70	62	0	30000	288.172043	8644.579132	30000	0	0	30000	41.9375	2004
29.01.2020 14:37:37	1	1	1	1	70	61.75	0	30000	281.7204301	8801.946022	30000	0	0	30000	41.875	2004
29.01.2020 14:37:38	1	1	1	1	70	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42	2004
29.01.2020 14:37:39	1	1	1	1	70.5	62	0	30000	288.172043	8774.223358	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:40	1	1	1	1	70.5	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:41	1	1	1	1	70.5	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 14:37:42	1	1	1	1	70.5	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:37:43	1	1	1	1	70.5	62	0	30000	294.6236559	8695.947599	30000	0	0	30000	41.875	2004
29.01.2020 14:37:51	1	1	1	1	70	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:51	1	1	1	1	70	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:51	1	1	1	1	70	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:51	1	1	1	1	70	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:51	1	1	1	1	70	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:51	1	1	1	1	70	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:51	1	1	1	1	70	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
29.01.2020 14:37:52	1	1	1	1	70	62	0	30000	262.3655914	7870.79064	30000	0	0	30000	41.75	2004
29.01.2020 14:37:53	1	1	1	1	70	61.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.1875	2004
29.01.2020 14:37:54	1	1	1	1	70	62	0	30000	275.2688172	8192.862773	30000	0	0	30000	41.625	2004
29.01.2020 14:37:55	1	1	1	1	70	61.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.75	2004
29.01.2020 14:37:56	1	1	1	1	70	61.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.1875	2004
29.01.2020 14:37:57	1	1	1	1	70	62	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.125	2004
29.01.2020 14:37:58	1	1	1	1	70	62	0	30000	273.1182796	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:37:59	1	1	1	1	70	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.125	2004
29.01.2020 14:38:00	1	1	1	1	70.75	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.875	2004
29.01.2020 14:38:04	1	1	1	1	70.75	62	0	29952.607	309.6774194	9483.597423	30000	0	0	30000	42	2004
29.01.2020 14:38:04	1	1	1	1	70.75	62	0	29952.607	309.6774194	9483.597423	30000	0	0	30000	42	2004
29.01.2020 14:38:04	1	1	1	1	70.75	62	0	29952.607	309.6774194	9483.597423	30000	0	0	30000	42	2004
29.01.2020 14:38:04	1	1	1	1	70.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.125	2004
29.01.2020 14:38:05	1	1	1	1	70.75	62	0	30000	316.1290323	9419.182997	30000	0	0	30000	41.9375	2004
29.01.2020 14:38:06	1	1	1	1	70.75	61.75	0	30000	311.827957	9146.848585	30000	0	0	30000	41.5625	2004
29.01.2020 14:38:07	1	1	1	1	70.75	61.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:08	1	1	1	1	70.75	62	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.6875	2004
29.01.2020 14:38:09	1	1	1	1	70.75	61.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.8125	2004
29.01.2020 14:38:10	1	1	1	1	71.25	61.75	0	30000	294.6236559	8874.514174	30000	0	0	30000	42.3125	2004
29.01.2020 14:38:11	1	1	1	1	71.25	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:12	1	1	1	1	71.25	61.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.8125	2004
29.01.2020 14:38:13	1	1	1	1	71.25	61.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:14	1	1	1	1	71.25	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.9375	2004
29.01.2020 14:38:15	1	1	1	1	71.25	61.75	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	41.5	2004
29.01.2020 14:38:16	1	1	1	1	71.25	61.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:17	1	1	1	1	71.25	62	0	29952.607	288.172043	8644.579132	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:18	1	1	1	1	71.25	62	0	30000	305.3763441	9096.295491	30000	0	0	30000	42	2004
29.01.2020 14:38:19	1	1	1	1	71.5	62	0	30000	301.0752688	8903.052211	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:20	1	1	1	1	71.5	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42	2004
29.01.2020 14:38:21	1	1	1	1	71.5	62	0	29905.213	292.4731183	8708.993559	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:22	1	1	1	1	71.5	62	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:23	1	1	1	1	71.5	62	0	29952.607	290.3225806	8774.223358	30000	0	0	30000	42.125	2004
29.01.2020 14:38:25	1	1	1	1	71.5	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:26	1	1	1	1	71.5	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.875	2004
29.01.2020 14:38:27	1	1	1	1	71.5	61.75	0	30000	288.172043	8580.164705	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:38:28	1	1	1	1	71.5	62.25	0	30000	288.172043	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:29	1	1	1	1	71.5	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.125	2004
29.01.2020 14:38:30	1	1	1	1	71.75	62	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:31	1	1	1	1	71.75	62	0	29905.213	292.4731183	8774.223358	30000	0	0	30000	41.6875	2004
29.01.2020 14:38:32	1	1	1	1	71.75	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:33	1	1	1	1	71.75	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:34	1	1	1	1	71.75	62	0	30000	275.2688172	8322.506999	30000	0	0	30000	41.4375	2004
29.01.2020 14:38:35	1	1	1	1	71.75	61.25	0	30000	288.172043	8644.579132	30000	0	0	30000	42	2004
29.01.2020 14:38:36	1	1	1	1	71.75	62	0	29952.607	273.1182796	8386.921425	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:37	1	1	1	1	71.75	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.875	2004
29.01.2020 14:38:38	1	1	1	1	71.75	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:39	1	1	1	1	71.75	62	0	30000	266.6666667	7935.205066	30000	0	0	30000	42	2004
29.01.2020 14:38:40	1	1	1	1	71.75	62	0	30000	264.516129	7935.205066	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:41	1	1	1	1	71.75	62	0	29952.607	262.3655914	7794.145626	30000	0	0	30000	42.0625	2004
29.01.2020 14:38:42	1	1	1	1	71.75	62	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:43	1	1	1	1	71.75	62	0	30000	260.2150538	7676.731987	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:44	1	1	1	1	71.75	62	0	29952.607	247.311828	7419.07428	30000	0	0	30000	41.875	2004
29.01.2020 14:38:45	1	1	1	1	71.75	61.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.9375	2004
29.01.2020 14:38:53	1	1	1	1	72.25	62.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:53	1	1	1	1	72.25	62.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:53	1	1	1	1	72.25	62.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:53	1	1	1	1	72.25	62.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:53	1	1	1	1	72.25	62.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:53	1	1	1	1	72.25	62.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:53	1	1	1	1	72.25	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42	2004
29.01.2020 14:38:54	1	1	1	1	72.25	62	0	30000	266.6666667	8064.033919	30000	0	0	30000	41.5625	2004
29.01.2020 14:38:55	1	1	1	1	72.25	61.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:56	1	1	1	1	72.25	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.1875	2004
29.01.2020 14:38:57	1	1	1	1	72.25	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.125	2004
29.01.2020 14:38:58	1	1	1	1	72.25	62	0	30000	288.172043	8580.164705	30000	0	0	30000	41.9375	2004
29.01.2020 14:38:59	1	1	1	1	72.5	61.75	0	30000	288.172043	8580.164705	30000	0	0	30000	42.125	2004
29.01.2020 14:39:00	1	1	1	1	72.5	62	0	30000	288.172043	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:01	1	1	1	1	72.5	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:03	1	1	1	1	72.5	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.625	2004
29.01.2020 14:39:04	1	1	1	1	72.5	61.5	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	42.125	2004
29.01.2020 14:39:05	1	1	1	1	72.5	62	0	30000	288.172043	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:06	1	1	1	1	72.5	62	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.875	2004
29.01.2020 14:39:07	1	1	1	1	72.5	61.75	0	30047.393	290.3225806	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:08	1	1	1	1	72.5	62	0	30000	288.172043	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:09	1	1	1	1	72.5	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42	2004
29.01.2020 14:39:10	1	1	1	1	72.5	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.25	2004
29.01.2020 14:39:11	1	1	1	1	72.5	62.25	0	30000	288.172043	8708.993559	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:39:12	1	1	1	1	72.5	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.8125	2004
29.01.2020 14:39:13	1	1	1	1	72.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:14	1	1	1	1	72.5	62	0	30000	258.0645161	7806.376213	30000	0	0	30000	42.125	2004
29.01.2020 14:39:15	1	1	1	1	72.5	62	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.125	2004
29.01.2020 14:39:16	1	1	1	1	72.5	62	0	30000	266.6666667	7922.974479	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:17	1	1	1	1	72.5	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.8125	2004
29.01.2020 14:39:18	1	1	1	1	72.5	61.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.0625	2004
29.01.2020 14:39:19	1	1	1	1	72.5	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:20	1	1	1	1	71.5	62	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	41.375	2004
29.01.2020 14:39:21	1	1	1	1	71.5	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.0625	2004
29.01.2020 14:39:22	1	1	1	1	71.5	62	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:23	1	1	1	1	71.5	62	0	30000	303.2258065	9110.972196	30000	0	0	30000	41.9375	2004
29.01.2020 14:39:24	1	1	1	1	71.5	61.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.125	2004
29.01.2020 14:39:25	1	1	1	1	71.5	62	0	30000	305.3763441	9290.354143	30000	0	0	30000	41.875	2004
29.01.2020 14:39:26	1	1	1	1	71.5	61.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.5	2004
29.01.2020 14:39:27	1	1	1	1	71.5	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.6875	2004
29.01.2020 14:39:28	1	1	1	1	71.5	61.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.25	2004
29.01.2020 14:39:29	1	1	1	1	71.5	62.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 14:39:30	1	1	1	1	71.5	62.5	0	29952.607	294.6236559	8617.67184	30000	0	0	30000	42.375	2004
29.01.2020 14:39:31	1	1	1	1	71.5	62.25	0	30000	288.172043	8774.223358	30000	0	0	30000	42	2004
29.01.2020 14:39:32	1	1	1	1	71.5	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42	2004
29.01.2020 14:39:33	1	1	1	1	71.5	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42	2004
29.01.2020 14:39:34	1	1	1	1	71.5	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.6875	2004
29.01.2020 14:39:35	1	1	1	1	71.5	61.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.0625	2004
29.01.2020 14:39:36	1	1	1	1	71.5	62	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.625	2004
29.01.2020 14:39:37	1	1	1	1	71.5	61.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:38	1	1	1	1	71.5	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.875	2004
29.01.2020 14:39:39	1	1	1	1	72	61.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:40	1	1	1	1	72	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.125	2004
29.01.2020 14:39:41	1	1	1	1	72	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.125	2004
29.01.2020 14:39:42	1	1	1	1	72	62	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.125	2004
29.01.2020 14:39:44	1	1	1	1	72	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42	2004
29.01.2020 14:39:45	1	1	1	1	72	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.8125	2004
29.01.2020 14:39:46	1	1	1	1	72	61.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.875	2004
29.01.2020 14:39:47	1	1	1	1	72	61.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.875	2004
29.01.2020 14:39:54	1	1	1	1	71.75	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:54	1	1	1	1	71.75	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:54	1	1	1	1	71.75	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:54	1	1	1	1	71.75	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:54	1	1	1	1	71.75	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:54	1	1	1	1	71.75	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:54	1	1	1	1	71.75	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:55	1	1	1	1	71.75	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:39:56	1	1	1	1	71.75	62	0	29952.607	303.2258065	9225.124344	30000	0	0	30000	42.1875	2004
29.01.2020 14:39:57	1	1	1	1	71.75	62	0	30000	324.7311828	9676.840703	30000	0	0	30000	42.0625	2004
29.01.2020 14:39:58	1	1	1	1	71.75	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
29.01.2020 14:39:59	1	1	1	1	71.75	61.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:00	1	1	1	1	72	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.125	2004
29.01.2020 14:40:01	1	1	1	1	72	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42	2004
29.01.2020 14:40:02	1	1	1	1	72	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42	2004
29.01.2020 14:40:03	1	1	1	1	72	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:04	1	1	1	1	72	62	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.0625	2004
29.01.2020 14:40:05	1	1	1	1	72	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 14:40:06	1	1	1	1	72	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 14:40:07	1	1	1	1	72	62	0	30000	341.9354839	10241.89384	30000	0	0	30000	42	2004
29.01.2020 14:40:08	1	1	1	1	72	62	0	30000	337.6344086	10128.55706	30000	0	0	30000	42	2004
29.01.2020 14:40:09	1	1	1	1	72	62	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.125	2004
29.01.2020 14:40:10	1	1	1	1	72.25	62	0	30000	335.483871	10048.65056	30000	0	0	30000	42.4375	2004
29.01.2020 14:40:11	1	1	1	1	72.25	62	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.9375	2004
29.01.2020 14:40:12	1	1	1	1	72.25	61.75	0	30000	322.5806452	9597.749572	30000	0	0	30000	41.6875	2004
29.01.2020 14:40:13	1	1	1	1	72.25	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.25	2004
29.01.2020 14:40:14	1	1	1	1	72.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.9375	2004
29.01.2020 14:40:15	1	1	1	1	72.25	61.75	0	30000	311.827957	9211.263012	30000	0	0	30000	42.0625	2004
29.01.2020 14:40:16	1	1	1	1	72.25	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.4375	2004
29.01.2020 14:40:17	1	1	1	1	72.25	61.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:18	1	1	1	1	72.25	62	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.9375	2004
29.01.2020 14:40:19	1	1	1	1	72.75	61.75	0	30000	305.3763441	9239.801049	30000	0	0	30000	42.125	2004
29.01.2020 14:40:21	1	1	1	1	72.75	62	0	30000	316.1290323	9612.426277	30000	0	0	30000	42.125	2004
29.01.2020 14:40:22	1	1	1	1	72.75	62	0	30000	311.827957	9354.76857	30000	0	0	30000	41.5625	2004
29.01.2020 14:40:23	1	1	1	1	72.75	61.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.0625	2004
29.01.2020 14:40:24	1	1	1	1	72.75	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.9375	2004
29.01.2020 14:40:25	1	1	1	1	72.75	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:26	1	1	1	1	72.75	62	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:27	1	1	1	1	72.75	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.25	2004
29.01.2020 14:40:28	1	1	1	1	72.75	62.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	42	2004
29.01.2020 14:40:29	1	1	1	1	72.75	62	0	30000	292.4731183	8553.257413	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:30	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.125	2004
29.01.2020 14:40:31	1	1	1	1	72.75	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.25	2004
29.01.2020 14:40:32	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:33	1	1	1	1	72.75	62	0	30000	290.3225806	8774.223358	30000	0	0	30000	42.125	2004
29.01.2020 14:40:34	1	1	1	1	72.75	62	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.8125	2004
29.01.2020 14:40:35	1	1	1	1	72.75	61.75	0	30000	290.3225806	8774.223358	30000	0	0	30000	42	2004
29.01.2020 14:40:36	1	1	1	1	72.75	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.625	2004
29.01.2020 14:40:37	1	1	1	1	72.75	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:38	1	1	1	1	72.75	62	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.6875	2004
29.01.2020 14:40:39	1	1	1	1	72.75	61.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:40:40	1	1	1	1	73	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.0625	2004
29.01.2020 14:40:41	1	1	1	1	73	62	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	42.125	2004
29.01.2020 14:40:42	1	1	1	1	73	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:43	1	1	1	1	73	62	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.0625	2004
29.01.2020 14:40:44	1	1	1	1	73	62	0	30000	339.7849462	10064.14264	30000	0	0	30000	41.9375	2004
29.01.2020 14:40:45	1	1	1	1	73	61.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:46	1	1	1	1	73	62	0	30047.393	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:47	1	1	1	1	73	62	0	30047.393	352.688172	10549.28927	30000	0	0	30000	42.1875	2004
29.01.2020 14:40:48	1	1	1	1	73	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5	2004
29.01.2020 14:40:56	1	1	1	1	73	62	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	41.8125	2004
29.01.2020 14:40:56	1	1	1	1	73	62	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	41.8125	2004
29.01.2020 14:40:56	1	1	1	1	73	62	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	41.8125	2004
29.01.2020 14:40:56	1	1	1	1	73	62	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	41.8125	2004
29.01.2020 14:40:56	1	1	1	1	73	62	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	41.8125	2004
29.01.2020 14:40:56	1	1	1	1	73	62	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	41.8125	2004
29.01.2020 14:40:56	1	1	1	1	73	62	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	41.8125	2004
29.01.2020 14:40:56	1	1	1	1	73	61.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.75	2004
29.01.2020 14:40:57	1	1	1	1	73	61.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:40:58	1	1	1	1	73	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:41:00	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:41:01	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:41:02	1	1	1	1	72.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:03	1	1	1	1	72.75	62	0	30047.393	378.4946237	11372.81548	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:04	1	1	1	1	72.75	62	0	30000	378.4946237	11225.23306	30000	0	0	30000	42	2004
29.01.2020 14:41:05	1	1	1	1	72.75	62	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
29.01.2020 14:41:06	1	1	1	1	72.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
29.01.2020 14:41:07	1	1	1	1	72.75	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42	2004
29.01.2020 14:41:08	1	1	1	1	72.75	62	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.625	2004
29.01.2020 14:41:09	1	1	1	1	72.75	61.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:10	1	1	1	1	72.5	62	0	29952.607	395.6989247	12128.66578	30000	0	0	30000	41.375	2004
29.01.2020 14:41:11	1	1	1	1	72.5	61.25	0	30000	400	12128.66578	30000	0	0	30000	41.875	2004
29.01.2020 14:41:12	1	1	1	1	72.5	61.75	0	30000	400	11999.83693	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:13	1	1	1	1	72.5	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.8125	2004
29.01.2020 14:41:14	1	1	1	1	72.5	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:15	1	1	1	1	72.5	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:16	1	1	1	1	72.5	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:17	1	1	1	1	72.5	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.5	2004
29.01.2020 14:41:18	1	1	1	1	72.5	61.5	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:19	1	1	1	1	72.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:41:20	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:21	1	1	1	1	72.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:22	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
29.01.2020 14:41:23	1	1	1	1	72.75	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:41:24	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:25	1	1	1	1	72.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 14:41:26	1	1	1	1	72.75	62.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.375	2004
29.01.2020 14:41:27	1	1	1	1	72.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:28	1	1	1	1	72.75	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:29	1	1	1	1	73	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:30	1	1	1	1	73	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:31	1	1	1	1	73	62	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:32	1	1	1	1	73	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 14:41:33	1	1	1	1	73	62.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:41:34	1	1	1	1	73	62	0	30000	352.688172	10515.85899	30000	0	0	30000	41.625	2004
29.01.2020 14:41:35	1	1	1	1	73	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.875	2004
29.01.2020 14:41:36	1	1	1	1	73	61.75	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:41:37	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:41:39	1	1	1	1	73	62	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:41:40	1	1	1	1	73	62	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	42.125	2004
29.01.2020 14:41:41	1	1	1	1	73	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.125	2004
29.01.2020 14:41:42	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:43	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:44	1	1	1	1	73	62	0	30000	412.9032258	12174.32664	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:45	1	1	1	1	73	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:46	1	1	1	1	73	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 14:41:47	1	1	1	1	73	62	0	30000	412.9032258	12109.91221	30000	0	0	30000	41.8125	2004
29.01.2020 14:41:48	1	1	1	1	73	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
29.01.2020 14:41:49	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
29.01.2020 14:41:50	1	1	1	1	72.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:41:57	1	1	1	1	72.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:41:57	1	1	1	1	72.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:41:57	1	1	1	1	72.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:41:57	1	1	1	1	72.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:41:57	1	1	1	1	72.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:41:57	1	1	1	1	72.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:41:58	1	1	1	1	72.75	61.5	0	29952.607	400	12109.91221	30000	0	0	30000	41.875	2004
29.01.2020 14:41:59	1	1	1	1	72.75	61.75	0	29952.607	400	12064.25135	30000	0	0	30000	42.1875	2004
29.01.2020 14:42:00	1	1	1	1	73.25	62	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.0625	2004
29.01.2020 14:42:01	1	1	1	1	73.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:42:02	1	1	1	1	73.25	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
29.01.2020 14:42:03	1	1	1	1	73.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
29.01.2020 14:42:04	1	1	1	1	73.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:42:05	1	1	1	1	73.25	62	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	41.9375	2004
29.01.2020 14:42:06	1	1	1	1	73.25	61.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.5	2004
29.01.2020 14:42:07	1	1	1	1	73.25	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:42:08	1	1	1	1	73.25	61.75	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	42	2004
29.01.2020 14:42:09	1	1	1	1	72.5	62	0	30000	415.0537634	12580.38214	30000	0	0	30000	42.0625	2004
29.01.2020 14:42:10	1	1	1	1	72.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:42:11	1	1	1	1	72.5	62.25	0	30000	412.9032258	12471.12222	30000	0	0	30000	42.25	2004
29.01.2020 14:42:12	1	1	1	1	72.5	62.25	0	29905.213	395.6989247	11852.2545	30000	0	0	30000	42.125	2004
29.01.2020 14:42:13	1	1	1	1	72.5	62	0	30000	412.9032258	12348.00098	30000	0	0	30000	42.125	2004
29.01.2020 14:42:14	1	1	1	1	72.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:42:16	1	1	1	1	72.5	62	0	29952.607	402.1505376	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:42:17	1	1	1	1	72.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:42:18	1	1	1	1	72.5	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.8125	2004
29.01.2020 14:42:19	1	1	1	1	72.5	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:42:20	1	1	1	1	72.5	62	0	29952.607	417.2043011	12451.55328	30000	0	0	30000	42.0625	2004
29.01.2020 14:42:21	1	1	1	1	72.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:42:22	1	1	1	1	72.5	61.5	0	30000	397.8494624	12128.66578	30000	0	0	30000	42.25	2004
29.01.2020 14:42:23	1	1	1	1	72.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:42:24	1	1	1	1	72.5	62.25	0	29905.213	400	12064.25135	30000	0	0	30000	42.25	2004
29.01.2020 14:42:25	1	1	1	1	72.5	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 14:42:26	1	1	1	1	72.5	62	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	42	2004
29.01.2020 14:42:27	1	1	1	1	72.5	62	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:42:28	1	1	1	1	72.5	62.25	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	42.0625	2004
29.01.2020 14:42:29	1	1	1	1	72.5	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.125	2004
29.01.2020 14:42:30	1	1	1	1	73	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.25	2004
29.01.2020 14:42:31	1	1	1	1	73	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42	2004
29.01.2020 14:42:32	1	1	1	1	73	62	0	30000	404.3010753	12426.27674	30000	0	0	30000	42.25	2004
29.01.2020 14:42:33	1	1	1	1	73	62.25	0	30047.393	415.0537634	12193.08021	30000	0	0	30000	42.25	2004
29.01.2020 14:42:34	1	1	1	1	73	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42	2004
29.01.2020 14:42:35	1	1	1	1	73	62	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.125	2004
29.01.2020 14:42:36	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:42:37	1	1	1	1	73	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:42:38	1	1	1	1	73	62	0	30000	400	11935.4225	30000	0	0	30000	42.125	2004
29.01.2020 14:42:39	1	1	1	1	73	62	0	30000	395.6989247	11954.17607	30000	0	0	30000	42.0625	2004
29.01.2020 14:42:40	1	1	1	1	73.25	62	0	29905.213	384.9462366	11548.12057	30000	0	0	30000	41.9375	2004
29.01.2020 14:42:41	1	1	1	1	73.25	61.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 14:42:42	1	1	1	1	73.25	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.6875	2004
29.01.2020 14:42:43	1	1	1	1	73.25	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.25	2004
29.01.2020 14:42:44	1	1	1	1	73.25	62.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.9375	2004
29.01.2020 14:42:45	1	1	1	1	73.25	61.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	41.625	2004
29.01.2020 14:42:46	1	1	1	1	73.25	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 14:42:47	1	1	1	1	73.25	62	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	41.9375	2004
29.01.2020 14:42:48	1	1	1	1	73.25	61.75	0	30000	352.688172	10515.85899	30000	0	0	30000	42	2004
29.01.2020 14:42:49	1	1	1	1	73.25	62	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 14:42:50	1	1	1	1	73.25	62	0	30000	350.5376344	10532.16644	30000	0	0	30000	42.3125	2004
29.01.2020 14:42:51	1	1	1	1	73.25	62.25	0	30000	350.5376344	10499.55155	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:42:59	1	1	1	1	73.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
29.01.2020 14:42:59	1	1	1	1	73.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
29.01.2020 14:42:59	1	1	1	1	73.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
29.01.2020 14:42:59	1	1	1	1	73.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
29.01.2020 14:42:59	1	1	1	1	73.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
29.01.2020 14:42:59	1	1	1	1	73.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
29.01.2020 14:42:59	1	1	1	1	73.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
29.01.2020 14:43:00	1	1	1	1	73	61	0	30000	372.0430108	11143.69581	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:01	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:43:02	1	1	1	1	73	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.5	2004
29.01.2020 14:43:03	1	1	1	1	73	61.5	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:04	1	1	1	1	73	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.3125	2004
29.01.2020 14:43:05	1	1	1	1	73	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.0625	2004
29.01.2020 14:43:06	1	1	1	1	73	62	0	30000	404.3010753	11935.4225	30000	0	0	30000	42.0625	2004
29.01.2020 14:43:07	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
29.01.2020 14:43:08	1	1	1	1	73	61.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:09	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:43:10	1	1	1	1	73	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
29.01.2020 14:43:11	1	1	1	1	73	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.6875	2004
29.01.2020 14:43:12	1	1	1	1	73	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.3125	2004
29.01.2020 14:43:13	1	1	1	1	73	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
29.01.2020 14:43:14	1	1	1	1	73	62	0	30000	352.688172	10580.27342	30000	0	0	30000	42	2004
29.01.2020 14:43:15	1	1	1	1	73	62	0	30000	354.8387097	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:16	1	1	1	1	73	62	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.625	2004
29.01.2020 14:43:17	1	1	1	1	73	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.8125	2004
29.01.2020 14:43:18	1	1	1	1	73	61.75	0	30000	365.5913978	10740.08643	30000	0	0	30000	41.75	2004
29.01.2020 14:43:19	1	1	1	1	73	61.75	0	30000	395.6989247	11530.18237	30000	0	0	30000	42.125	2004
29.01.2020 14:43:20	1	1	1	1	72.5	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:21	1	1	1	1	72.5	62	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:22	1	1	1	1	72.5	62	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:23	1	1	1	1	72.5	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 14:43:24	1	1	1	1	72.5	62.25	0	30000	359.1397849	10482.42872	30000	0	0	30000	42.5	2004
29.01.2020 14:43:25	1	1	1	1	72.5	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:26	1	1	1	1	72.5	62	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:27	1	1	1	1	72.5	62	0	30000	346.2365591	10370.72269	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:28	1	1	1	1	72.5	62	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:29	1	1	1	1	73.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 14:43:30	1	1	1	1	73.5	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
29.01.2020 14:43:31	1	1	1	1	73.5	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:32	1	1	1	1	73.5	62	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.625	2004
29.01.2020 14:43:33	1	1	1	1	73.5	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.25	2004
29.01.2020 14:43:35	1	1	1	1	73.5	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 14:43:36	1	1	1	1	73.5	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:43:37	1	1	1	1	73.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
29.01.2020 14:43:38	1	1	1	1	73.5	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:39	1	1	1	1	73.5	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:40	1	1	1	1	73.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
29.01.2020 14:43:41	1	1	1	1	73.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:42	1	1	1	1	73.75	62	0	30000	427.9569892	12580.38214	30000	0	0	30000	42.0625	2004
29.01.2020 14:43:43	1	1	1	1	73.75	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:44	1	1	1	1	73.75	62	0	30000	421.5053763	12580.38214	30000	0	0	30000	41.75	2004
29.01.2020 14:43:45	1	1	1	1	73.75	61.75	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
29.01.2020 14:43:46	1	1	1	1	73.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:43:47	1	1	1	1	73.75	61.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.25	2004
29.01.2020 14:43:48	1	1	1	1	73.75	62.25	0	30047.393	427.9569892	12580.38214	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:49	1	1	1	1	73.75	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.0625	2004
29.01.2020 14:43:50	1	1	1	1	73.75	62	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.875	2004
29.01.2020 14:43:51	1	1	1	1	73.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:43:52	1	1	1	1	73.75	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.1875	2004
29.01.2020 14:43:53	1	1	1	1	73.75	62	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.9375	2004
29.01.2020 14:44:01	1	1	1	1	73.5	62.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:44:01	1	1	1	1	73.5	62.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:44:01	1	1	1	1	73.5	62.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:44:01	1	1	1	1	73.5	62.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:44:01	1	1	1	1	73.5	62.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:44:01	1	1	1	1	73.5	62.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:44:01	1	1	1	1	73.5	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.25	2004
29.01.2020 14:44:02	1	1	1	1	73.5	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:03	1	1	1	1	73.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:04	1	1	1	1	73.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:44:05	1	1	1	1	73.5	62.25	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	41.5625	2004
29.01.2020 14:44:06	1	1	1	1	73.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 14:44:07	1	1	1	1	73.5	61.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
29.01.2020 14:44:08	1	1	1	1	73.5	61	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.3125	2004
29.01.2020 14:44:09	1	1	1	1	73	62.25	0	29952.607	404.3010753	12064.25135	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:11	1	1	1	1	73	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:12	1	1	1	1	73	62	0	29905.213	367.7419355	11031.98978	30000	0	0	30000	42.125	2004
29.01.2020 14:44:13	1	1	1	1	73	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.9375	2004
29.01.2020 14:44:14	1	1	1	1	73	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.0625	2004
29.01.2020 14:44:15	1	1	1	1	73	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.375	2004
29.01.2020 14:44:16	1	1	1	1	73	62.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.0625	2004
29.01.2020 14:44:17	1	1	1	1	73	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:18	1	1	1	1	73	62	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:19	1	1	1	1	73	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.875	2004
29.01.2020 14:44:20	1	1	1	1	73	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:44:21	1	1	1	1	73	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.3125	2004
29.01.2020 14:44:22	1	1	1	1	73	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.375	2004
29.01.2020 14:44:23	1	1	1	1	73	62.25	0	30000	288.172043	8708.993559	30000	0	0	30000	41.8125	2004
29.01.2020 14:44:24	1	1	1	1	73	61.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.125	2004
29.01.2020 14:44:25	1	1	1	1	73	62	0	30000	288.172043	8515.750279	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:26	1	1	1	1	73	62	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.75	2004
29.01.2020 14:44:27	1	1	1	1	73	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.25	2004
29.01.2020 14:44:28	1	1	1	1	73	62.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	41.5625	2004
29.01.2020 14:44:29	1	1	1	1	73	61.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.8125	2004
29.01.2020 14:44:30	1	1	1	1	73.25	61.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42	2004
29.01.2020 14:44:31	1	1	1	1	73.25	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:32	1	1	1	1	73.25	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.375	2004
29.01.2020 14:44:33	1	1	1	1	73.25	62.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.3125	2004
29.01.2020 14:44:34	1	1	1	1	73.25	62.25	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	42.0625	2004
29.01.2020 14:44:35	1	1	1	1	73.25	62	0	29952.607	296.7741935	9031.881064	30000	0	0	30000	41.6875	2004
29.01.2020 14:44:36	1	1	1	1	73.25	61.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.125	2004
29.01.2020 14:44:37	1	1	1	1	73.25	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42	2004
29.01.2020 14:44:38	1	1	1	1	73.25	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 14:44:39	1	1	1	1	73.25	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:40	1	1	1	1	73.5	62	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	42.6875	2004
29.01.2020 14:44:41	1	1	1	1	73.5	62.5	0	30000	305.3763441	8953.605305	30000	0	0	30000	42.6875	2004
29.01.2020 14:44:42	1	1	1	1	73.5	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.25	2004
29.01.2020 14:44:43	1	1	1	1	73.5	62.5	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	42.3125	2004
29.01.2020 14:44:44	1	1	1	1	73.5	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.375	2004
29.01.2020 14:44:45	1	1	1	1	73.5	62.25	0	30000	307.5268817	8889.190879	30000	0	0	30000	42.125	2004
29.01.2020 14:44:46	1	1	1	1	73.5	62	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	42.25	2004
29.01.2020 14:44:47	1	1	1	1	73.5	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42	2004
29.01.2020 14:44:48	1	1	1	1	73.5	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.125	2004
29.01.2020 14:44:49	1	1	1	1	73.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.0625	2004
29.01.2020 14:44:51	1	1	1	1	73.5	62	0	30000	333.3333333	10032.34311	30000	0	0	30000	42.25	2004
29.01.2020 14:44:52	1	1	1	1	73.5	62.25	0	30000	329.0322581	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:53	1	1	1	1	73.5	62	0	30000	329.0322581	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:44:54	1	1	1	1	73.5	62	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.5	2004
29.01.2020 14:44:55	1	1	1	1	73.5	62.5	0	30000	320.4301075	9468.920719	30000	0	0	30000	42.25	2004
29.01.2020 14:45:02	1	1	1	1	73.75	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:45:02	1	1	1	1	73.75	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:45:02	1	1	1	1	73.75	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:45:02	1	1	1	1	73.75	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:45:02	1	1	1	1	73.75	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:45:02	1	1	1	1	73.75	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:45:02	1	1	1	1	73.75	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 14:45:03	1	1	1	1	73.75	62.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.3125	2004
29.01.2020 14:45:04	1	1	1	1	73.75	62.25	0	30000	369.8924731	10967.57535	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:45:05	1	1	1	1	73.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:45:06	1	1	1	1	73.75	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.875	2004
29.01.2020 14:45:07	1	1	1	1	73.75	61.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.25	2004
29.01.2020 14:45:08	1	1	1	1	73.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.3125	2004
29.01.2020 14:45:09	1	1	1	1	73.75	62.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	42.1875	2004
29.01.2020 14:45:10	1	1	1	1	73.75	62	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	42.1875	2004
29.01.2020 14:45:11	1	1	1	1	73.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
29.01.2020 14:45:12	1	1	1	1	73.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
29.01.2020 14:45:13	1	1	1	1	73.75	62	0	29952.607	354.8387097	10757.20925	30000	0	0	30000	42.1875	2004
29.01.2020 14:45:14	1	1	1	1	73.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42	2004
29.01.2020 14:45:15	1	1	1	1	73.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:45:16	1	1	1	1	73.75	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	42.375	2004
29.01.2020 14:45:17	1	1	1	1	73.75	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42	2004
29.01.2020 14:45:18	1	1	1	1	73.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 14:45:19	1	1	1	1	73.75	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.8125	2004
29.01.2020 14:45:20	1	1	1	1	74	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.25	2004
29.01.2020 14:45:21	1	1	1	1	74	62.5	0	29952.607	307.5268817	9433.859702	30000	0	0	30000	42.1875	2004
29.01.2020 14:45:22	1	1	1	1	74	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.1875	2004
29.01.2020 14:45:23	1	1	1	1	74	62	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	42.375	2004
29.01.2020 14:45:24	1	1	1	1	74	62.25	0	29905.213	307.5268817	9225.124344	30000	0	0	30000	42.3125	2004
29.01.2020 14:45:25	1	1	1	1	74	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.375	2004
29.01.2020 14:45:26	1	1	1	1	74	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.125	2004
29.01.2020 14:45:27	1	1	1	1	74	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42	2004
29.01.2020 14:45:29	1	1	1	1	74	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.25	2004
29.01.2020 14:45:30	1	1	1	1	74	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.4375	2004
29.01.2020 14:45:31	1	1	1	1	74	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.5	2004
29.01.2020 14:45:32	1	1	1	1	74	61.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.125	2004
29.01.2020 14:45:33	1	1	1	1	74	62	0	30000	320.4301075	9483.597423	30000	0	0	30000	42.125	2004
29.01.2020 14:45:34	1	1	1	1	74	62	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.3125	2004
29.01.2020 14:45:35	1	1	1	1	74	62.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.875	2004
29.01.2020 14:45:36	1	1	1	1	74	61.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.375	2004
29.01.2020 14:45:37	1	1	1	1	74	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.75	2004
29.01.2020 14:45:38	1	1	1	1	74	61.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:45:39	1	1	1	1	74	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42.0625	2004
29.01.2020 14:45:40	1	1	1	1	74	62	0	30000	339.7849462	9999.728209	30000	0	0	30000	42.375	2004
29.01.2020 14:45:41	1	1	1	1	74	62.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.3125	2004
29.01.2020 14:45:42	1	1	1	1	74	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.125	2004
29.01.2020 14:45:43	1	1	1	1	74	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.25	2004
29.01.2020 14:45:44	1	1	1	1	74	62.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 14:45:45	1	1	1	1	74	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.8125	2004
29.01.2020 14:45:46	1	1	1	1	74	61.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 14:45:47	1	1	1	1	74	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.8125	2004
29.01.2020 14:45:48	1	1	1	1	74	61.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:45:49	1	1	1	1	74	62	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.25	2004
29.01.2020 14:45:50	1	1	1	1	73.75	62.25	0	30000	380.6451613	11336.93909	30000	0	0	30000	42.125	2004
29.01.2020 14:45:51	1	1	1	1	73.75	62	0	29905.213	378.4946237	11401.35352	30000	0	0	30000	41.5	2004
29.01.2020 14:45:52	1	1	1	1	73.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:45:53	1	1	1	1	73.75	62	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.25	2004
29.01.2020 14:45:54	1	1	1	1	73.75	62.25	0	30000	363.4408602	10950.45253	30000	0	0	30000	42.25	2004
29.01.2020 14:45:55	1	1	1	1	73.75	62.25	0	29952.607	361.2903226	10886.03811	30000	0	0	30000	42.25	2004
29.01.2020 14:45:56	1	1	1	1	73.75	62.25	0	30000	369.8924731	10967.57535	30000	0	0	30000	42.25	2004
29.01.2020 14:46:04	1	1	1	1	73.5	62.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:46:04	1	1	1	1	73.5	62.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:46:04	1	1	1	1	73.5	62.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:46:04	1	1	1	1	73.5	62.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:46:04	1	1	1	1	73.5	62.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:46:04	1	1	1	1	73.5	62.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 14:46:04	1	1	1	1	73.5	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:05	1	1	1	1	73.5	62	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 14:46:06	1	1	1	1	73.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:07	1	1	1	1	73.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
29.01.2020 14:46:08	1	1	1	1	73.5	61.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
29.01.2020 14:46:10	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:11	1	1	1	1	73.25	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:12	1	1	1	1	73.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:13	1	1	1	1	73.25	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:14	1	1	1	1	73.25	62	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:46:15	1	1	1	1	73.25	62.25	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:46:16	1	1	1	1	73.25	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.375	2004
29.01.2020 14:46:17	1	1	1	1	73.25	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:18	1	1	1	1	73.25	62	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.3125	2004
29.01.2020 14:46:19	1	1	1	1	73.25	62.25	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:20	1	1	1	1	73	62	0	29905.213	320.4301075	9597.749572	30000	0	0	30000	42.125	2004
29.01.2020 14:46:21	1	1	1	1	73	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:22	1	1	1	1	73	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:23	1	1	1	1	73	62	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.75	2004
29.01.2020 14:46:24	1	1	1	1	73	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 14:46:25	1	1	1	1	73	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:46:26	1	1	1	1	73	62.25	0	29952.607	322.5806452	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:46:27	1	1	1	1	73	62.25	0	30000	329.0322581	9662.163999	30000	0	0	30000	42.4375	2004
29.01.2020 14:46:28	1	1	1	1	73	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:29	1	1	1	1	73	62	0	30000	341.9354839	10128.55706	30000	0	0	30000	42.375	2004
29.01.2020 14:46:30	1	1	1	1	72	62.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:31	1	1	1	1	72	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 14:46:32	1	1	1	1	72	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:46:33	1	1	1	1	72	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:34	1	1	1	1	72	62	0	30000	326.8817204	9582.257495	30000	0	0	30000	42.25	2004
29.01.2020 14:46:35	1	1	1	1	72	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:36	1	1	1	1	72	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
29.01.2020 14:46:37	1	1	1	1	72	62	0	30047.393	333.3333333	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 14:46:38	1	1	1	1	72	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 14:46:39	1	1	1	1	72	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.25	2004
29.01.2020 14:46:40	1	1	1	1	72.5	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.375	2004
29.01.2020 14:46:41	1	1	1	1	72.5	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 14:46:42	1	1	1	1	72.5	62.25	0	30000	359.1397849	10611.25758	30000	0	0	30000	42.3125	2004
29.01.2020 14:46:43	1	1	1	1	72.5	62.25	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.3125	2004
29.01.2020 14:46:44	1	1	1	1	72.5	62.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.5	2004
29.01.2020 14:46:46	1	1	1	1	72.5	62.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 14:46:47	1	1	1	1	72.5	62.25	0	29905.213	365.5913978	11160.81863	30000	0	0	30000	42.25	2004
29.01.2020 14:46:48	1	1	1	1	72.5	62.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:46:49	1	1	1	1	72.5	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
29.01.2020 14:46:50	1	1	1	1	72.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
29.01.2020 14:46:51	1	1	1	1	72.75	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.9375	2004
29.01.2020 14:46:52	1	1	1	1	72.75	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.3125	2004
29.01.2020 14:46:53	1	1	1	1	72.75	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.0625	2004
29.01.2020 14:46:54	1	1	1	1	72.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 14:46:55	1	1	1	1	72.75	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
29.01.2020 14:46:56	1	1	1	1	72.75	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.375	2004
29.01.2020 14:46:57	1	1	1	1	72.75	62.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.3125	2004
29.01.2020 14:46:58	1	1	1	1	72.75	62.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 14:47:05	1	1	1	1	73	62.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:05	1	1	1	1	73	62.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:05	1	1	1	1	73	62.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:05	1	1	1	1	73	62.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:05	1	1	1	1	73	62.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:05	1	1	1	1	73	62.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:06	1	1	1	1	73	62	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.375	2004
29.01.2020 14:47:07	1	1	1	1	73	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.25	2004
29.01.2020 14:47:08	1	1	1	1	73	62.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	42.25	2004
29.01.2020 14:47:09	1	1	1	1	73	62.25	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 14:47:10	1	1	1	1	73.25	62.25	0	30000	346.2365591	10515.85899	30000	0	0	30000	42.25	2004
29.01.2020 14:47:11	1	1	1	1	73.25	62.25	0	30000	339.7849462	10113.06499	30000	0	0	30000	42.375	2004
29.01.2020 14:47:12	1	1	1	1	73.25	62.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.375	2004
29.01.2020 14:47:13	1	1	1	1	73.25	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.8125	2004
29.01.2020 14:47:14	1	1	1	1	73.25	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.125	2004
29.01.2020 14:47:15	1	1	1	1	73.25	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.5625	2004
29.01.2020 14:47:16	1	1	1	1	73.25	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:47:17	1	1	1	1	73.25	62.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.5	2004
29.01.2020 14:47:18	1	1	1	1	73.25	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 14:47:19	1	1	1	1	73.5	62.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:20	1	1	1	1	73.5	62	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 14:47:21	1	1	1	1	73.5	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 14:47:22	1	1	1	1	73.5	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.9375	2004
29.01.2020 14:47:23	1	1	1	1	73.5	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 14:47:24	1	1	1	1	73.5	62.25	0	29905.213	380.6451613	11548.12057	30000	0	0	30000	42.125	2004
29.01.2020 14:47:26	1	1	1	1	73.5	62	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.3125	2004
29.01.2020 14:47:27	1	1	1	1	73.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 14:47:28	1	1	1	1	73.5	62.25	0	29905.213	339.7849462	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 14:47:29	1	1	1	1	73.5	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5	2004
29.01.2020 14:47:30	1	1	1	1	73.25	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:31	1	1	1	1	73.25	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.3125	2004
29.01.2020 14:47:32	1	1	1	1	73.25	62.25	0	30000	335.483871	9967.928682	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:33	1	1	1	1	73.25	62	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:34	1	1	1	1	73.25	62	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.375	2004
29.01.2020 14:47:35	1	1	1	1	73.25	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:36	1	1	1	1	73.25	62	0	29952.607	326.8817204	9790.992852	30000	0	0	30000	42.3125	2004
29.01.2020 14:47:37	1	1	1	1	73.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.4375	2004
29.01.2020 14:47:38	1	1	1	1	73.25	62.25	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:39	1	1	1	1	73.25	62	0	30000	322.5806452	9741.25513	30000	0	0	30000	42	2004
29.01.2020 14:47:40	1	1	1	1	73.5	62	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.5625	2004
29.01.2020 14:47:41	1	1	1	1	73.5	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 14:47:42	1	1	1	1	73.5	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.125	2004
29.01.2020 14:47:43	1	1	1	1	73.5	62	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.0625	2004
29.01.2020 14:47:44	1	1	1	1	73.5	62	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:45	1	1	1	1	73.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 14:47:46	1	1	1	1	73.5	62.5	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	42.25	2004
29.01.2020 14:47:47	1	1	1	1	73.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.0625	2004
29.01.2020 14:47:48	1	1	1	1	73.5	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.875	2004
29.01.2020 14:47:49	1	1	1	1	73.5	61.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
29.01.2020 14:47:50	1	1	1	1	73.25	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5625	2004
29.01.2020 14:47:51	1	1	1	1	73.25	61.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:52	1	1	1	1	73.25	62	0	29905.213	350.5376344	10563.96597	30000	0	0	30000	41.875	2004
29.01.2020 14:47:53	1	1	1	1	73.25	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.375	2004
29.01.2020 14:47:54	1	1	1	1	73.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.875	2004
29.01.2020 14:47:55	1	1	1	1	73.25	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.375	2004
29.01.2020 14:47:56	1	1	1	1	73.25	62.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:47:57	1	1	1	1	73.25	62.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 14:47:58	1	1	1	1	73.25	62	0	30000	412.9032258	12406.7078	30000	0	0	30000	41.875	2004
29.01.2020 14:47:59	1	1	1	1	73.25	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.3125	2004
29.01.2020 14:48:07	1	1	1	1	73.25	62.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:48:07	1	1	1	1	73.25	62.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:07	1	1	1	1	73.25	62.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:07	1	1	1	1	73.25	62.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:07	1	1	1	1	73.25	62.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:07	1	1	1	1	73.25	62.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:07	1	1	1	1	73.25	62.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:08	1	1	1	1	73.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:48:09	1	1	1	1	73.25	62.25	0	30000	400	12064.25135	30000	0	0	30000	42.25	2004
29.01.2020 14:48:10	1	1	1	1	73.25	62.25	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
29.01.2020 14:48:11	1	1	1	1	73.25	62.25	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	42.0625	2004
29.01.2020 14:48:12	1	1	1	1	73.25	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.8125	2004
29.01.2020 14:48:13	1	1	1	1	73.25	61.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
29.01.2020 14:48:14	1	1	1	1	73.25	62.25	0	30000	374.1935484	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 14:48:15	1	1	1	1	73.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 14:48:16	1	1	1	1	73.25	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 14:48:17	1	1	1	1	73.25	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 14:48:18	1	1	1	1	73.25	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.375	2004
29.01.2020 14:48:19	1	1	1	1	73.25	62.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	42.5	2004
29.01.2020 14:48:20	1	1	1	1	73.25	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:21	1	1	1	1	73.25	62	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.75	2004
29.01.2020 14:48:22	1	1	1	1	73.25	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 14:48:23	1	1	1	1	73.25	62.25	0	30000	318.2795699	9627.918354	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:24	1	1	1	1	73.25	62	0	30000	320.4301075	9676.840703	30000	0	0	30000	41.5625	2004
29.01.2020 14:48:25	1	1	1	1	73.25	61.5	0	30000	320.4301075	9741.25513	30000	0	0	30000	42.3125	2004
29.01.2020 14:48:26	1	1	1	1	73.25	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.5625	2004
29.01.2020 14:48:27	1	1	1	1	73.25	62.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 14:48:28	1	1	1	1	73.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5	2004
29.01.2020 14:48:29	1	1	1	1	73.25	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:30	1	1	1	1	73	62	0	30000	339.7849462	10144.86451	30000	0	0	30000	42.25	2004
29.01.2020 14:48:31	1	1	1	1	73	62.25	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 14:48:32	1	1	1	1	73	62.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.8125	2004
29.01.2020 14:48:33	1	1	1	1	73	61.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.5	2004
29.01.2020 14:48:34	1	1	1	1	73	62.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.125	2004
29.01.2020 14:48:35	1	1	1	1	73	62	0	30000	387.0967742	11889.76164	30000	0	0	30000	42.6875	2004
29.01.2020 14:48:36	1	1	1	1	73	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.375	2004
29.01.2020 14:48:37	1	1	1	1	73	62	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	42.4375	2004
29.01.2020 14:48:38	1	1	1	1	73	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.375	2004
29.01.2020 14:48:39	1	1	1	1	73	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.3125	2004
29.01.2020 14:48:40	1	1	1	1	73	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
29.01.2020 14:48:41	1	1	1	1	73	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
29.01.2020 14:48:43	1	1	1	1	73	62.25	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	42.5625	2004
29.01.2020 14:48:44	1	1	1	1	73	62.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.4375	2004
29.01.2020 14:48:45	1	1	1	1	73	62.25	0	30000	412.9032258	12064.25135	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:48:46	1	1	1	1	73	62.25	0	30047.393	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:47	1	1	1	1	73	62	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.1875	2004
29.01.2020 14:48:48	1	1	1	1	73	62	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.375	2004
29.01.2020 14:48:49	1	1	1	1	73	62.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	42.4375	2004
29.01.2020 14:48:50	1	1	1	1	73	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
29.01.2020 14:48:51	1	1	1	1	73	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
29.01.2020 14:48:52	1	1	1	1	73	62	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:48:53	1	1	1	1	73	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.3125	2004
29.01.2020 14:48:54	1	1	1	1	73	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.375	2004
29.01.2020 14:48:55	1	1	1	1	73	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
29.01.2020 14:48:56	1	1	1	1	73	62.25	0	30000	443.0107527	13204.95746	30000	0	0	30000	41.6875	2004
29.01.2020 14:48:57	1	1	1	1	73	61.5	0	30047.393	438.7096774	13160.92735	30000	0	0	30000	42.25	2004
29.01.2020 14:48:58	1	1	1	1	73	62.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.375	2004
29.01.2020 14:48:59	1	1	1	1	73	61.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.25	2004
29.01.2020 14:49:00	1	1	1	1	72.75	62.25	0	30000	421.5053763	12709.21099	30000	0	0	30000	42.5	2004
29.01.2020 14:49:01	1	1	1	1	72.75	62.5	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.9375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:09	1	1	1	1	72.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.375	2004
29.01.2020 14:49:10	1	1	1	1	72.75	62.25	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	42.25	2004
29.01.2020 14:49:11	1	1	1	1	72.75	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
29.01.2020 14:49:12	1	1	1	1	72.75	62.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
29.01.2020 14:49:13	1	1	1	1	72.75	61.75	0	30000	400	11935.4225	30000	0	0	30000	42.6875	2004
29.01.2020 14:49:14	1	1	1	1	72.75	62.5	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.3125	2004
29.01.2020 14:49:15	1	1	1	1	72.75	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 14:49:16	1	1	1	1	72.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:17	1	1	1	1	72.75	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 14:49:18	1	1	1	1	72.75	62.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:49:19	1	1	1	1	72.75	62.25	0	29952.607	341.9354839	10096.75754	30000	0	0	30000	42.375	2004
29.01.2020 14:49:20	1	1	1	1	72.75	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:22	1	1	1	1	72.75	62.25	0	30000	346.2365591	10515.85899	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:23	1	1	1	1	72.75	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.3125	2004
29.01.2020 14:49:24	1	1	1	1	72.75	62.25	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	42.5	2004
29.01.2020 14:49:25	1	1	1	1	72.75	62.5	0	29952.607	363.4408602	11031.98978	30000	0	0	30000	42	2004
29.01.2020 14:49:26	1	1	1	1	72.75	62	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 14:49:27	1	1	1	1	72.75	62.25	0	29905.213	359.1397849	10967.57535	30000	0	0	30000	42.25	2004
29.01.2020 14:49:28	1	1	1	1	72.75	62.25	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:31	1	1	1	1	73	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:49:31	1	1	1	1	73	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:49:31	1	1	1	1	73	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004
29.01.2020 14:49:32	1	1	1	1	73	62	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:33	1	1	1	1	73	62.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.5625	2004
29.01.2020 14:49:34	1	1	1	1	73	62.5	0	30000	326.8817204	9597.749572	30000	0	0	30000	42.3125	2004
29.01.2020 14:49:35	1	1	1	1	73	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.1875	2004
29.01.2020 14:49:36	1	1	1	1	73	62	0	30000	313.9784946	9612.426277	30000	0	0	30000	42.3125	2004
29.01.2020 14:49:37	1	1	1	1	73	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 14:49:38	1	1	1	1	73	62.25	0	30000	311.827957	9419.182997	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:39	1	1	1	1	73	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.5625	2004
29.01.2020 14:49:40	1	1	1	1	73	62.5	0	29952.607	305.3763441	9096.295491	30000	0	0	30000	42.375	2004
29.01.2020 14:49:41	1	1	1	1	73	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 14:49:42	1	1	1	1	73	62.5	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:43	1	1	1	1	73	62.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:44	1	1	1	1	73	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.3125	2004
29.01.2020 14:49:45	1	1	1	1	73	62.25	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.375	2004
29.01.2020 14:49:46	1	1	1	1	73	62.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:47	1	1	1	1	73	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.875	2004
29.01.2020 14:49:48	1	1	1	1	73	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.5625	2004
29.01.2020 14:49:49	1	1	1	1	73	62.5	0	30000	298.9247312	8838.637784	30000	0	0	30000	42.8125	2004
29.01.2020 14:49:50	1	1	1	1	73.25	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.75	2004
29.01.2020 14:49:51	1	1	1	1	73.25	62.75	0	29952.607	294.6236559	9031.881064	30000	0	0	30000	42.5625	2004
29.01.2020 14:49:52	1	1	1	1	73.25	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.875	2004
29.01.2020 14:49:53	1	1	1	1	73.25	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.375	2004
29.01.2020 14:49:54	1	1	1	1	73.25	62.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 14:49:55	1	1	1	1	73.25	62.25	0	30000	311.827957	9290.354143	30000	0	0	30000	42.4375	2004
29.01.2020 14:49:56	1	1	1	1	73.25	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 14:49:58	1	1	1	1	73.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.25	2004
29.01.2020 14:49:59	1	1	1	1	73.25	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 14:50:00	1	1	1	1	73.5	62.25	0	30000	320.4301075	9453.428641	30000	0	0	30000	42.625	2004
29.01.2020 14:50:01	1	1	1	1	73.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.3125	2004
29.01.2020 14:50:02	1	1	1	1	73.5	62.25	0	30047.393	339.7849462	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 14:50:03	1	1	1	1	73.5	62.25	0	30047.393	333.3333333	10015.22029	30000	0	0	30000	42.375	2004
29.01.2020 14:50:10	1	1	1	1	73.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:50:10	1	1	1	1	73.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:50:10	1	1	1	1	73.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:50:10	1	1	1	1	73.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:50:10	1	1	1	1	73.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:50:10	1	1	1	1	73.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:50:10	1	1	1	1	73.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:50:10	1	1	1	1	73.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 14:50:11	1	1	1	1	73.5	62	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 14:50:12	1	1	1	1	73.5	62.5	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	42.4375	2004
29.01.2020 14:50:13	1	1	1	1	73.5	62.25	0	30000	363.4408602	11031.98978	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:50:14	1	1	1	1	73.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 14:50:15	1	1	1	1	73.5	62.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	42	2004
29.01.2020 14:50:16	1	1	1	1	73.5	62	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.6875	2004
29.01.2020 14:50:17	1	1	1	1	73.5	62.5	0	30000	339.7849462	10048.65056	30000	0	0	30000	42.1875	2004
29.01.2020 14:50:18	1	1	1	1	73.5	62	0	29952.607	337.6344086	10113.06499	30000	0	0	30000	42.6875	2004
29.01.2020 14:50:19	1	1	1	1	73.5	62.5	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	42.5	2004
29.01.2020 14:50:20	1	1	1	1	73	62.5	0	30047.393	322.5806452	9612.426277	30000	0	0	30000	42.5	2004
29.01.2020 14:50:21	1	1	1	1	73	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 14:50:22	1	1	1	1	73	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.6875	2004
29.01.2020 14:50:23	1	1	1	1	73	61.5	0	30000	322.5806452	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 14:50:24	1	1	1	1	73	62.25	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:50:25	1	1	1	1	73	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 14:50:26	1	1	1	1	73	62.5	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	42.375	2004
29.01.2020 14:50:27	1	1	1	1	73	62.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.375	2004
29.01.2020 14:50:28	1	1	1	1	73	62.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.5	2004
29.01.2020 14:50:29	1	1	1	1	73	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.6875	2004
29.01.2020 14:50:30	1	1	1	1	72.75	62.5	0	30047.393	298.9247312	9046.557769	30000	0	0	30000	42	2004
29.01.2020 14:50:31	1	1	1	1	72.75	62	0	30000	307.5268817	9211.263012	30000	0	0	30000	43.0625	2004
29.01.2020 14:50:32	1	1	1	1	72.75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.125	2004
29.01.2020 14:50:33	1	1	1	1	72.75	62	0	30000	292.4731183	8722.854891	30000	0	0	30000	42.5625	2004
29.01.2020 14:50:34	1	1	1	1	72.75	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.4375	2004
29.01.2020 14:50:35	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5	2004
29.01.2020 14:50:36	1	1	1	1	72.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.4375	2004
29.01.2020 14:50:37	1	1	1	1	72.75	62.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.375	2004
29.01.2020 14:50:38	1	1	1	1	72.75	62.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.1875	2004
29.01.2020 14:50:40	1	1	1	1	73.25	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.375	2004
29.01.2020 14:50:41	1	1	1	1	73.25	62.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.75	2004
29.01.2020 14:50:42	1	1	1	1	73.25	61.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5	2004
29.01.2020 14:50:43	1	1	1	1	73.25	62.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.125	2004
29.01.2020 14:50:44	1	1	1	1	73.25	62	0	30000	316.1290323	9324.599788	30000	0	0	30000	42.625	2004
29.01.2020 14:50:45	1	1	1	1	73.25	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.5	2004
29.01.2020 14:50:46	1	1	1	1	73.25	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 14:50:47	1	1	1	1	73.25	62.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.4375	2004
29.01.2020 14:50:48	1	1	1	1	73.25	62.25	0	30000	350.5376344	10709.10227	30000	0	0	30000	41.5	2004
29.01.2020 14:50:49	1	1	1	1	73.25	61.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.0625	2004
29.01.2020 14:50:50	1	1	1	1	73.25	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:50:51	1	1	1	1	73.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.375	2004
29.01.2020 14:50:52	1	1	1	1	73.25	62.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
29.01.2020 14:50:53	1	1	1	1	73.25	61.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 14:50:54	1	1	1	1	73.25	62.25	0	29905.213	384.9462366	11612.53499	30000	0	0	30000	42.5	2004
29.01.2020 14:50:55	1	1	1	1	73.25	62.5	0	30094.787	387.0967742	11419.29171	30000	0	0	30000	42.25	2004
29.01.2020 14:50:56	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:50:57	1	1	1	1	73.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:50:58	1	1	1	1	73.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:50:59	1	1	1	1	73.25	62	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.125	2004
29.01.2020 14:51:00	1	1	1	1	73	62	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.4375	2004
29.01.2020 14:51:01	1	1	1	1	73	62.25	0	30000	400	11999.83693	30000	0	0	30000	42.4375	2004
29.01.2020 14:51:02	1	1	1	1	73	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 14:51:03	1	1	1	1	73	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42	2004
29.01.2020 14:51:04	1	1	1	1	73	62	0	30000	384.9462366	11483.70614	30000	0	0	30000	42	2004
29.01.2020 14:51:12	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:51:12	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:51:12	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:51:12	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:51:12	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:51:12	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:51:12	1	1	1	1	73.5	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5	2004
29.01.2020 14:51:13	1	1	1	1	73.5	62.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 14:51:14	1	1	1	1	73.5	62.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 14:51:16	1	1	1	1	73.5	62.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 14:51:17	1	1	1	1	73.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 14:51:18	1	1	1	1	73.5	62.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.5625	2004
29.01.2020 14:51:19	1	1	1	1	73.5	62.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 14:51:20	1	1	1	1	73.25	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 14:51:21	1	1	1	1	73.25	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 14:51:22	1	1	1	1	73.25	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 14:51:23	1	1	1	1	73.25	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.4375	2004
29.01.2020 14:51:24	1	1	1	1	73.25	62.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.3125	2004
29.01.2020 14:51:25	1	1	1	1	73.25	62.25	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 14:51:26	1	1	1	1	73.25	62	0	30000	395.6989247	11676.94942	30000	0	0	30000	42.4375	2004
29.01.2020 14:51:27	1	1	1	1	73.25	62.25	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	42.5625	2004
29.01.2020 14:51:28	1	1	1	1	73.25	62.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 14:51:29	1	1	1	1	73.25	62.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.375	2004
29.01.2020 14:51:30	1	1	1	1	73.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 14:51:31	1	1	1	1	73.25	62.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.5	2004
29.01.2020 14:51:32	1	1	1	1	73.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:51:33	1	1	1	1	73.25	62	0	30000	400	12064.25135	30000	0	0	30000	42.5	2004
29.01.2020 14:51:34	1	1	1	1	73.25	62.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.5625	2004
29.01.2020 14:51:35	1	1	1	1	73.25	62.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	42.5	2004
29.01.2020 14:51:36	1	1	1	1	73.25	62.5	0	30000	412.9032258	12109.91221	30000	0	0	30000	42.5	2004
29.01.2020 14:51:37	1	1	1	1	73.25	62.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.4375	2004
29.01.2020 14:51:38	1	1	1	1	73.25	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.9375	2004
29.01.2020 14:51:39	1	1	1	1	73.25	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5625	2004
29.01.2020 14:51:40	1	1	1	1	73	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 14:51:41	1	1	1	1	73	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:51:42	1	1	1	1	73	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 14:51:43	1	1	1	1	73	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
29.01.2020 14:51:44	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
29.01.2020 14:51:45	1	1	1	1	73	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:51:46	1	1	1	1	73	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
29.01.2020 14:51:47	1	1	1	1	73	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
29.01.2020 14:51:48	1	1	1	1	73	62.25	0	29905.213	423.655914	12838.03984	30000	0	0	30000	42.875	2004
29.01.2020 14:51:49	1	1	1	1	73	62.75	0	30000	421.5053763	12709.21099	30000	0	0	30000	42.4375	2004
29.01.2020 14:51:50	1	1	1	1	73	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004
29.01.2020 14:51:51	1	1	1	1	73	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
29.01.2020 14:51:53	1	1	1	1	73	61.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.6875	2004
29.01.2020 14:51:54	1	1	1	1	73	62.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.5625	2004
29.01.2020 14:51:55	1	1	1	1	73	62.5	0	29952.607	443.0107527	13160.92735	30000	0	0	30000	40.875	2004
29.01.2020 14:51:56	1	1	1	1	73	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
29.01.2020 14:51:57	1	1	1	1	73	62	0	30000	423.655914	12580.38214	30000	0	0	30000	42.4375	2004
29.01.2020 14:51:58	1	1	1	1	73	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.625	2004
29.01.2020 14:51:59	1	1	1	1	73	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
29.01.2020 14:52:00	1	1	1	1	72.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
29.01.2020 14:52:01	1	1	1	1	72.75	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.375	2004
29.01.2020 14:52:02	1	1	1	1	72.75	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.3125	2004
29.01.2020 14:52:03	1	1	1	1	72.75	62.25	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	41.5	2004
29.01.2020 14:52:04	1	1	1	1	72.75	61.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.4375	2004
29.01.2020 14:52:05	1	1	1	1	72.75	62.25	0	30000	341.9354839	10113.06499	30000	0	0	30000	42.4375	2004
29.01.2020 14:52:06	1	1	1	1	72.75	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 14:52:13	1	1	1	1	73.25	62.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:52:13	1	1	1	1	73.25	62.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:52:13	1	1	1	1	73.25	62.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:52:13	1	1	1	1	73.25	62.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:52:13	1	1	1	1	73.25	62.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:52:13	1	1	1	1	73.25	62.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:52:13	1	1	1	1	73.25	62.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:52:14	1	1	1	1	73.25	62.5	0	30000	268.8172043	8128.448346	30000	0	0	30000	42.5	2004
29.01.2020 14:52:15	1	1	1	1	73.25	62.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.5	2004
29.01.2020 14:52:16	1	1	1	1	73.25	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.5	2004
29.01.2020 14:52:17	1	1	1	1	73.25	62.5	0	30000	264.516129	7935.205066	30000	0	0	30000	42.375	2004
29.01.2020 14:52:18	1	1	1	1	73.25	62.25	0	30000	264.516129	7935.205066	30000	0	0	30000	42.5625	2004
29.01.2020 14:52:19	1	1	1	1	73.25	62.5	0	30000	268.8172043	7999.619493	30000	0	0	30000	42.4375	2004
29.01.2020 14:52:20	1	1	1	1	73.75	62.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.5	2004
29.01.2020 14:52:21	1	1	1	1	73.75	62.5	0	30000	273.1182796	8128.448346	30000	0	0	30000	42.4375	2004
29.01.2020 14:52:22	1	1	1	1	73.75	62.25	0	30000	273.1182796	8322.506999	30000	0	0	30000	42.25	2004
29.01.2020 14:52:23	1	1	1	1	73.75	62.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.4375	2004
29.01.2020 14:52:24	1	1	1	1	73.75	62.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 14:52:25	1	1	1	1	73.75	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:52:26	1	1	1	1	73.75	62.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.9375	2004
29.01.2020 14:52:27	1	1	1	1	73.75	62.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.75	2004
29.01.2020 14:52:28	1	1	1	1	73.75	62.75	0	30000	286.0215054	8774.223358	30000	0	0	30000	42.5	2004
29.01.2020 14:52:29	1	1	1	1	73.75	62.5	0	30000	283.8709677	8373.875465	30000	0	0	30000	42.5	2004
29.01.2020 14:52:30	1	1	1	1	73.75	62.5	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	42.1875	2004
29.01.2020 14:52:31	1	1	1	1	73.75	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.5	2004
29.01.2020 14:52:33	1	1	1	1	73.75	62.5	0	30000	275.2688172	8192.862773	30000	0	0	30000	41.625	2004
29.01.2020 14:52:34	1	1	1	1	73.75	61.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.3125	2004
29.01.2020 14:52:35	1	1	1	1	73.75	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.3125	2004
29.01.2020 14:52:36	1	1	1	1	73.75	62.25	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.3125	2004
29.01.2020 14:52:37	1	1	1	1	73.75	62.25	0	29905.213	277.4193548	8245.046612	30000	0	0	30000	42.5	2004
29.01.2020 14:52:38	1	1	1	1	73.75	62.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.1875	2004
29.01.2020 14:52:39	1	1	1	1	73.75	62	0	29952.607	277.4193548	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 14:52:40	1	1	1	1	73.75	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 14:52:41	1	1	1	1	73.75	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.5625	2004
29.01.2020 14:52:42	1	1	1	1	73.75	62.5	0	30000	288.172043	8644.579132	30000	0	0	30000	42.625	2004
29.01.2020 14:52:43	1	1	1	1	73.75	62.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.5625	2004
29.01.2020 14:52:44	1	1	1	1	73.75	62.5	0	30000	292.4731183	8580.164705	30000	0	0	30000	42.5	2004
29.01.2020 14:52:45	1	1	1	1	73.75	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.75	2004
29.01.2020 14:52:46	1	1	1	1	73.75	61.75	0	29952.607	305.3763441	9354.76857	30000	0	0	30000	42.125	2004
29.01.2020 14:52:47	1	1	1	1	73.75	62	0	29952.607	311.827957	9419.182997	30000	0	0	30000	42.4375	2004
29.01.2020 14:52:48	1	1	1	1	73.75	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.375	2004
29.01.2020 14:52:49	1	1	1	1	73.75	62.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.625	2004
29.01.2020 14:52:50	1	1	1	1	72.75	62.5	0	30047.393	339.7849462	10128.55706	30000	0	0	30000	42.5	2004
29.01.2020 14:52:51	1	1	1	1	72.75	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 14:52:52	1	1	1	1	72.75	62.25	0	29952.607	352.688172	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 14:52:53	1	1	1	1	72.75	62.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.375	2004
29.01.2020 14:52:54	1	1	1	1	72.75	62.25	0	30094.787	359.1397849	10757.20925	30000	0	0	30000	42.1875	2004
29.01.2020 14:52:55	1	1	1	1	72.75	62	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.625	2004
29.01.2020 14:52:56	1	1	1	1	72.75	61.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 14:52:57	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 14:52:58	1	1	1	1	72.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 14:52:59	1	1	1	1	72.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:53:00	1	1	1	1	72.25	62	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.25	2004
29.01.2020 14:53:01	1	1	1	1	72.25	62.25	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 14:53:02	1	1	1	1	72.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 14:53:03	1	1	1	1	72.25	62.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 14:53:04	1	1	1	1	72.25	62	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	42.125	2004
29.01.2020 14:53:05	1	1	1	1	72.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
29.01.2020 14:53:06	1	1	1	1	72.25	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 14:53:07	1	1	1	1	72.25	62.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.4375	2004
29.01.2020 14:53:15	1	1	1	1	72.75	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 14:53:15	1	1	1	1	72.75	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:53:15	1	1	1	1	72.75	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 14:53:15	1	1	1	1	72.75	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 14:53:15	1	1	1	1	72.75	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 14:53:15	1	1	1	1	72.75	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 14:53:15	1	1	1	1	72.75	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 14:53:16	1	1	1	1	72.75	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.5	2004
29.01.2020 14:53:17	1	1	1	1	72.75	62.5	0	30000	324.7311828	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 14:53:18	1	1	1	1	72.75	62.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 14:53:19	1	1	1	1	72.75	62.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.625	2004
29.01.2020 14:53:20	1	1	1	1	72.75	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 14:53:21	1	1	1	1	72.75	62.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.5625	2004
29.01.2020 14:53:22	1	1	1	1	72.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.6875	2004
29.01.2020 14:53:23	1	1	1	1	72.75	62.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.3125	2004
29.01.2020 14:53:24	1	1	1	1	72.75	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 14:53:25	1	1	1	1	72.75	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 14:53:26	1	1	1	1	72.75	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 14:53:27	1	1	1	1	72.75	62.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 14:53:28	1	1	1	1	72.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 14:53:29	1	1	1	1	72.75	62.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 14:53:30	1	1	1	1	73.25	62.5	0	30000	335.483871	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 14:53:31	1	1	1	1	73.25	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.4375	2004
29.01.2020 14:53:32	1	1	1	1	73.25	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.4375	2004
29.01.2020 14:53:33	1	1	1	1	73.25	62.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	42.6875	2004
29.01.2020 14:53:34	1	1	1	1	73.25	62.5	0	30000	367.7419355	10868.09991	30000	0	0	30000	42.3125	2004
29.01.2020 14:53:35	1	1	1	1	73.25	62.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 14:53:36	1	1	1	1	73.25	62	0	30000	369.8924731	11079.28139	30000	0	0	30000	42.1875	2004
29.01.2020 14:53:37	1	1	1	1	73.25	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.4375	2004
29.01.2020 14:53:38	1	1	1	1	73.25	62.25	0	30000	369.8924731	10996.92876	30000	0	0	30000	42.1875	2004
29.01.2020 14:53:39	1	1	1	1	73.25	62	0	29952.607	369.8924731	11031.98978	30000	0	0	30000	42.3125	2004
29.01.2020 14:53:40	1	1	1	1	73.25	62.25	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42.6875	2004
29.01.2020 14:53:41	1	1	1	1	73.25	62.5	0	30000	384.9462366	11760.11741	30000	0	0	30000	42.125	2004
29.01.2020 14:53:42	1	1	1	1	73.25	62	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.125	2004
29.01.2020 14:53:43	1	1	1	1	73.25	62	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.5625	2004
29.01.2020 14:53:44	1	1	1	1	73.25	62.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	43	2004
29.01.2020 14:53:45	1	1	1	1	73.25	62.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 14:53:46	1	1	1	1	73.25	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.375	2004
29.01.2020 14:53:48	1	1	1	1	73.25	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.5	2004
29.01.2020 14:53:49	1	1	1	1	73.25	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.4375	2004
29.01.2020 14:53:50	1	1	1	1	73	62.25	0	30000	395.6989247	11676.94942	30000	0	0	30000	42.375	2004
29.01.2020 14:53:51	1	1	1	1	73	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.3125	2004
29.01.2020 14:53:52	1	1	1	1	73	62.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
29.01.2020 14:53:53	1	1	1	1	73	62.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.0625	2004
29.01.2020 14:53:54	1	1	1	1	73	62	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:53:55	1	1	1	1	73	62	0	30000	372.0430108	11419.29171	30000	0	0	30000	42.5	2004
29.01.2020 14:53:56	1	1	1	1	73	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.6875	2004
29.01.2020 14:53:57	1	1	1	1	73	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.25	2004
29.01.2020 14:53:58	1	1	1	1	73	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 14:53:59	1	1	1	1	73	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:00	1	1	1	1	72.75	62.25	0	29952.607	404.3010753	12367.56992	30000	0	0	30000	42.625	2004
29.01.2020 14:54:01	1	1	1	1	72.75	62.5	0	30000	400	11935.4225	30000	0	0	30000	42.625	2004
29.01.2020 14:54:02	1	1	1	1	72.75	62.5	0	29905.213	395.6989247	11852.2545	30000	0	0	30000	42.375	2004
29.01.2020 14:54:03	1	1	1	1	72.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
29.01.2020 14:54:04	1	1	1	1	72.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.9375	2004
29.01.2020 14:54:05	1	1	1	1	72.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:06	1	1	1	1	72.75	62.5	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	42.5	2004
29.01.2020 14:54:07	1	1	1	1	72.75	62.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 14:54:08	1	1	1	1	72.75	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
29.01.2020 14:54:09	1	1	1	1	72.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:17	1	1	1	1	73	62.5	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:17	1	1	1	1	73	62.5	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:17	1	1	1	1	73	62.5	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:17	1	1	1	1	73	62.5	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:17	1	1	1	1	73	62.5	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:17	1	1	1	1	73	62.5	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:17	1	1	1	1	73	62.5	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:17	1	1	1	1	73	62.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.9375	2004
29.01.2020 14:54:18	1	1	1	1	73	61.75	0	29952.607	313.9784946	9612.426277	30000	0	0	30000	42.5	2004
29.01.2020 14:54:19	1	1	1	1	73	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:54:20	1	1	1	1	73	62	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.625	2004
29.01.2020 14:54:21	1	1	1	1	73	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:22	1	1	1	1	73	62.25	0	30000	303.2258065	9225.124344	30000	0	0	30000	42.625	2004
29.01.2020 14:54:23	1	1	1	1	73	63	0	29952.607	301.0752688	9082.434159	30000	0	0	30000	42.3125	2004
29.01.2020 14:54:24	1	1	1	1	73	62.25	0	30000	303.2258065	9031.881064	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:26	1	1	1	1	73	62.5	0	30000	305.3763441	9448.536406	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:27	1	1	1	1	73	62.25	0	29952.607	301.0752688	9160.709918	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:28	1	1	1	1	73	62.5	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	41.875	2004
29.01.2020 14:54:29	1	1	1	1	73	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:30	1	1	1	1	73	62.5	0	30000	298.9247312	8695.947599	30000	0	0	30000	42.3125	2004
29.01.2020 14:54:31	1	1	1	1	73	62.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.6875	2004
29.01.2020 14:54:32	1	1	1	1	73	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.375	2004
29.01.2020 14:54:33	1	1	1	1	73	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:34	1	1	1	1	73	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5	2004
29.01.2020 14:54:35	1	1	1	1	73	62.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:36	1	1	1	1	73	62.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:37	1	1	1	1	73	62.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:38	1	1	1	1	73	62.5	0	29905.213	288.172043	8760.362025	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:54:39	1	1	1	1	73	62.5	0	30000	290.3225806	8838.637784	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:40	1	1	1	1	73	62.25	0	29905.213	283.8709677	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 14:54:41	1	1	1	1	73	62	0	30000	288.172043	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 14:54:42	1	1	1	1	73	62	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	42.5	2004
29.01.2020 14:54:43	1	1	1	1	73	62.5	0	30094.787	292.4731183	8451.335852	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:44	1	1	1	1	73	62.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.1875	2004
29.01.2020 14:54:45	1	1	1	1	73	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:46	1	1	1	1	73	62.25	0	30000	275.2688172	8128.448346	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:47	1	1	1	1	73	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.375	2004
29.01.2020 14:54:48	1	1	1	1	73	62.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.5625	2004
29.01.2020 14:54:49	1	1	1	1	73	62.5	0	30000	273.1182796	8128.448346	30000	0	0	30000	42.625	2004
29.01.2020 14:54:50	1	1	1	1	73	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.5	2004
29.01.2020 14:54:51	1	1	1	1	73	62.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.75	2004
29.01.2020 14:54:52	1	1	1	1	73	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.625	2004
29.01.2020 14:54:53	1	1	1	1	73	62.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.5	2004
29.01.2020 14:54:54	1	1	1	1	73	62.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.625	2004
29.01.2020 14:54:55	1	1	1	1	73	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5	2004
29.01.2020 14:54:56	1	1	1	1	73	62.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 14:54:57	1	1	1	1	73	62.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.4375	2004
29.01.2020 14:54:58	1	1	1	1	73	62.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.5	2004
29.01.2020 14:54:59	1	1	1	1	73	62.5	0	30000	288.172043	8631.533172	30000	0	0	30000	42.0625	2004
29.01.2020 14:55:00	1	1	1	1	73	62	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 14:55:01	1	1	1	1	73	62.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.375	2004
29.01.2020 14:55:03	1	1	1	1	73	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 14:55:04	1	1	1	1	73	62.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 14:55:05	1	1	1	1	73	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 14:55:06	1	1	1	1	73	62	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 14:55:07	1	1	1	1	73	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.9375	2004
29.01.2020 14:55:08	1	1	1	1	73	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 14:55:09	1	1	1	1	73	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
29.01.2020 14:55:10	1	1	1	1	72.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
29.01.2020 14:55:11	1	1	1	1	72.75	62.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 14:55:18	1	1	1	1	72.75	62.5	0	30000	288.172043	8567.118745	30000	0	0	30000	42.5	2004
29.01.2020 14:55:18	1	1	1	1	72.75	62.5	0	30000	288.172043	8567.118745	30000	0	0	30000	42.5	2004
29.01.2020 14:55:18	1	1	1	1	72.75	62.5	0	30000	288.172043	8567.118745	30000	0	0	30000	42.5	2004
29.01.2020 14:55:18	1	1	1	1	72.75	62.5	0	30000	288.172043	8567.118745	30000	0	0	30000	42.5	2004
29.01.2020 14:55:18	1	1	1	1	72.75	62.5	0	30000	288.172043	8567.118745	30000	0	0	30000	42.5	2004
29.01.2020 14:55:18	1	1	1	1	72.75	62.5	0	30000	288.172043	8567.118745	30000	0	0	30000	42.5	2004
29.01.2020 14:55:18	1	1	1	1	72.75	62.5	0	30000	288.172043	8567.118745	30000	0	0	30000	42.5	2004
29.01.2020 14:55:19	1	1	1	1	72.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.375	2004
29.01.2020 14:55:20	1	1	1	1	73	62.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.4375	2004
29.01.2020 14:55:21	1	1	1	1	73	62.25	0	30047.393	290.3225806	8774.223358	30000	0	0	30000	42.1875	2004
29.01.2020 14:55:22	1	1	1	1	73	62	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:55:23	1	1	1	1	73	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5625	2004
29.01.2020 14:55:24	1	1	1	1	73	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.9375	2004
29.01.2020 14:55:25	1	1	1	1	73	61.75	0	30000	298.9247312	8838.637784	30000	0	0	30000	42.6875	2004
29.01.2020 14:55:26	1	1	1	1	73	62.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.9375	2004
29.01.2020 14:55:27	1	1	1	1	73	61.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.6875	2004
29.01.2020 14:55:28	1	1	1	1	73	62.5	0	30000	298.9247312	8953.605305	30000	0	0	30000	42.3125	2004
29.01.2020 14:55:29	1	1	1	1	73	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.625	2004
29.01.2020 14:55:30	1	1	1	1	72.75	62.5	0	30000	288.172043	8708.993559	30000	0	0	30000	42.5	2004
29.01.2020 14:55:31	1	1	1	1	72.75	62.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.75	2004
29.01.2020 14:55:32	1	1	1	1	72.75	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
29.01.2020 14:55:33	1	1	1	1	72.75	62.5	0	30000	275.2688172	8271.138532	30000	0	0	30000	42.4375	2004
29.01.2020 14:55:34	1	1	1	1	72.75	62.25	0	29952.607	270.9677419	8245.046612	30000	0	0	30000	42.5625	2004
29.01.2020 14:55:35	1	1	1	1	72.75	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.625	2004
29.01.2020 14:55:36	1	1	1	1	72.75	62.5	0	29905.213	262.3655914	7922.974479	30000	0	0	30000	42.875	2004
29.01.2020 14:55:37	1	1	1	1	72.75	62.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.75	2004
29.01.2020 14:55:38	1	1	1	1	72.75	62	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.6875	2004
29.01.2020 14:55:40	1	1	1	1	72.75	62.5	0	29905.213	281.7204301	8309.461039	30000	0	0	30000	42.75	2004
29.01.2020 14:55:41	1	1	1	1	72.75	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.4375	2004
29.01.2020 14:55:42	1	1	1	1	72.75	62.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.5	2004
29.01.2020 14:55:43	1	1	1	1	72.75	62.5	0	30000	281.7204301	8309.461039	30000	0	0	30000	42.1875	2004
29.01.2020 14:55:44	1	1	1	1	72.75	62	0	30000	277.4193548	8232.000652	30000	0	0	30000	42.6875	2004
29.01.2020 14:55:45	1	1	1	1	72.75	62.5	0	30000	270.9677419	8116.217759	30000	0	0	30000	42.625	2004
29.01.2020 14:55:46	1	1	1	1	72.75	62.5	0	30000	270.9677419	8258.092572	30000	0	0	30000	42.5625	2004
29.01.2020 14:55:47	1	1	1	1	72.75	62.5	0	30000	268.8172043	8128.448346	30000	0	0	30000	42.375	2004
29.01.2020 14:55:48	1	1	1	1	72.75	62.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.625	2004
29.01.2020 14:55:49	1	1	1	1	72.75	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.5	2004
29.01.2020 14:55:50	1	1	1	1	72.5	62.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.3125	2004
29.01.2020 14:55:51	1	1	1	1	72.5	62.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.625	2004
29.01.2020 14:55:52	1	1	1	1	72.5	62.5	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	42.4375	2004
29.01.2020 14:55:53	1	1	1	1	72.5	62.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.1875	2004
29.01.2020 14:55:54	1	1	1	1	72.5	62	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.4375	2004
29.01.2020 14:55:55	1	1	1	1	72.5	62.25	0	30000	253.7634409	7676.731987	30000	0	0	30000	42.625	2004
29.01.2020 14:55:56	1	1	1	1	72.5	62.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.75	2004
29.01.2020 14:55:57	1	1	1	1	72.5	62.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	42.625	2004
29.01.2020 14:55:58	1	1	1	1	72.5	62.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.5625	2004
29.01.2020 14:55:59	1	1	1	1	72.5	62.5	0	30000	275.2688172	8116.217759	30000	0	0	30000	42.6875	2004
29.01.2020 14:56:00	1	1	1	1	72.75	62.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	42.4375	2004
29.01.2020 14:56:01	1	1	1	1	72.75	62.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.5625	2004
29.01.2020 14:56:02	1	1	1	1	72.75	62.5	0	30000	273.1182796	8322.506999	30000	0	0	30000	42.0625	2004
29.01.2020 14:56:03	1	1	1	1	72.75	62	0	30000	268.8172043	7999.619493	30000	0	0	30000	42.5	2004
29.01.2020 14:56:04	1	1	1	1	72.75	62.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.5625	2004
29.01.2020 14:56:05	1	1	1	1	72.75	62.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.5625	2004
29.01.2020 14:56:06	1	1	1	1	72.75	62.5	0	30000	268.8172043	8051.803332	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:56:07	1	1	1	1	72.75	62.5	0	30000	273.1182796	8128.448346	30000	0	0	30000	42.625	2004
29.01.2020 14:56:08	1	1	1	1	72.75	62.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.5	2004
29.01.2020 14:56:09	1	1	1	1	72.75	62.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.3125	2004
29.01.2020 14:56:10	1	1	1	1	72.5	62.25	0	29952.607	266.6666667	8192.862773	30000	0	0	30000	42.5	2004
29.01.2020 14:56:11	1	1	1	1	72.5	62.5	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	42.25	2004
29.01.2020 14:56:12	1	1	1	1	72.5	62.25	0	29905.213	266.6666667	7999.619493	30000	0	0	30000	42.5625	2004
29.01.2020 14:56:20	1	1	1	1	72.5	62.5	0	29952.607	258.0645161	7999.619493	30000	0	0	30000	41.875	2004
29.01.2020 14:56:20	1	1	1	1	72.5	62.5	0	29952.607	258.0645161	7999.619493	30000	0	0	30000	41.875	2004
29.01.2020 14:56:20	1	1	1	1	72.5	62.5	0	29952.607	258.0645161	7999.619493	30000	0	0	30000	41.875	2004
29.01.2020 14:56:20	1	1	1	1	72.5	62.5	0	29952.607	258.0645161	7999.619493	30000	0	0	30000	41.875	2004
29.01.2020 14:56:20	1	1	1	1	72.5	62.5	0	29952.607	258.0645161	7999.619493	30000	0	0	30000	41.875	2004
29.01.2020 14:56:20	1	1	1	1	72.5	62.5	0	29952.607	258.0645161	7999.619493	30000	0	0	30000	41.875	2004
29.01.2020 14:56:21	1	1	1	1	72.5	61.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	42.4375	2004
29.01.2020 14:56:22	1	1	1	1	72.5	62.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.75	2004
29.01.2020 14:56:23	1	1	1	1	72.5	62.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.75	2004
29.01.2020 14:56:24	1	1	1	1	72.5	62.75	0	29905.213	262.3655914	7999.619493	30000	0	0	30000	42.375	2004
29.01.2020 14:56:25	1	1	1	1	72.5	62.25	0	30000	264.516129	7999.619493	30000	0	0	30000	42.4375	2004
29.01.2020 14:56:26	1	1	1	1	72.5	62.25	0	30000	270.9677419	7999.619493	30000	0	0	30000	42.3125	2004
29.01.2020 14:56:27	1	1	1	1	72.5	62.25	0	29952.607	264.516129	8064.033919	30000	0	0	30000	42.75	2004
29.01.2020 14:56:28	1	1	1	1	72.5	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.5625	2004
29.01.2020 14:56:29	1	1	1	1	72.5	62.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.6875	2004
29.01.2020 14:56:30	1	1	1	1	72.75	62.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.3125	2004
29.01.2020 14:56:31	1	1	1	1	72.75	62.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.75	2004
29.01.2020 14:56:32	1	1	1	1	72.75	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.6875	2004
29.01.2020 14:56:33	1	1	1	1	72.75	62.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.625	2004
29.01.2020 14:56:34	1	1	1	1	72.75	62.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.25	2004
29.01.2020 14:56:35	1	1	1	1	72.75	62.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.25	2004
29.01.2020 14:56:36	1	1	1	1	72.75	62.25	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	42.3125	2004
29.01.2020 14:56:37	1	1	1	1	72.75	62.25	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.4375	2004
29.01.2020 14:56:38	1	1	1	1	72.75	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.3125	2004
29.01.2020 14:56:39	1	1	1	1	72.75	62.25	0	30000	286.0215054	8386.921425	30000	0	0	30000	42.5	2004
29.01.2020 14:56:40	1	1	1	1	72.75	62.5	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	42.625	2004
29.01.2020 14:56:41	1	1	1	1	72.75	62.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.5625	2004
29.01.2020 14:56:42	1	1	1	1	72.75	62.5	0	30000	273.1182796	7999.619493	30000	0	0	30000	42.4375	2004
29.01.2020 14:56:43	1	1	1	1	72.75	62.25	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 14:56:44	1	1	1	1	72.75	62.5	0	29905.213	275.2688172	8451.335852	30000	0	0	30000	42.5	2004
29.01.2020 14:56:45	1	1	1	1	72.75	62.5	0	29905.213	277.4193548	8322.506999	30000	0	0	30000	42.3125	2004
29.01.2020 14:56:46	1	1	1	1	72.75	62.25	0	30000	281.7204301	8322.506999	30000	0	0	30000	42.25	2004
29.01.2020 14:56:47	1	1	1	1	72.75	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
29.01.2020 14:56:48	1	1	1	1	72.75	62.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.375	2004
29.01.2020 14:56:49	1	1	1	1	72.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.6875	2004
29.01.2020 14:56:50	1	1	1	1	72.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:56:51	1	1	1	1	72.75	62.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.5625	2004
29.01.2020 14:56:52	1	1	1	1	72.75	62.5	0	30000	277.4193548	8451.335852	30000	0	0	30000	42.5	2004
29.01.2020 14:56:53	1	1	1	1	72.75	62.5	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	41.75	2004
29.01.2020 14:56:54	1	1	1	1	72.75	61.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	41.5	2004
29.01.2020 14:56:55	1	1	1	1	72.75	61.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.375	2004
29.01.2020 14:56:56	1	1	1	1	72.75	62.25	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.3125	2004
29.01.2020 14:56:57	1	1	1	1	72.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.1875	2004
29.01.2020 14:56:58	1	1	1	1	72.75	62	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	43	2004
29.01.2020 14:57:00	1	1	1	1	72.75	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.625	2004
29.01.2020 14:57:01	1	1	1	1	72.75	62.5	0	29952.607	301.0752688	9160.709918	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:02	1	1	1	1	72.75	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.1875	2004
29.01.2020 14:57:03	1	1	1	1	72.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 14:57:04	1	1	1	1	72.75	62.5	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	42.625	2004
29.01.2020 14:57:05	1	1	1	1	72.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 14:57:06	1	1	1	1	72.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 14:57:07	1	1	1	1	72.75	62.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.5	2004
29.01.2020 14:57:08	1	1	1	1	72.75	62.5	0	30047.393	309.6774194	9096.295491	30000	0	0	30000	42.375	2004
29.01.2020 14:57:09	1	1	1	1	72.75	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.625	2004
29.01.2020 14:57:10	1	1	1	1	72.5	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 14:57:11	1	1	1	1	72.5	62	0	30000	298.9247312	8903.052211	30000	0	0	30000	42.6875	2004
29.01.2020 14:57:12	1	1	1	1	72.5	62.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 14:57:13	1	1	1	1	72.5	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:14	1	1	1	1	72.5	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.4375	2004
29.01.2020 14:57:21	1	1	1	1	72.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:21	1	1	1	1	72.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:21	1	1	1	1	72.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:21	1	1	1	1	72.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:21	1	1	1	1	72.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:21	1	1	1	1	72.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:21	1	1	1	1	72.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:22	1	1	1	1	72.25	62.5	0	30000	290.3225806	8788.08469	30000	0	0	30000	42.6875	2004
29.01.2020 14:57:23	1	1	1	1	72.25	62.5	0	29952.607	279.5698925	8309.461039	30000	0	0	30000	42.25	2004
29.01.2020 14:57:24	1	1	1	1	72.25	62.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	42.5	2004
29.01.2020 14:57:25	1	1	1	1	72.25	62.5	0	30000	294.6236559	8774.223358	30000	0	0	30000	41.25	2004
29.01.2020 14:57:26	1	1	1	1	72.25	61.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.875	2004
29.01.2020 14:57:27	1	1	1	1	72.25	61.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:28	1	1	1	1	72.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42	2004
29.01.2020 14:57:29	1	1	1	1	72.25	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.4375	2004
29.01.2020 14:57:30	1	1	1	1	72.25	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.8125	2004
29.01.2020 14:57:31	1	1	1	1	72.25	62.75	0	30000	277.4193548	8335.552958	30000	0	0	30000	42.5	2004
29.01.2020 14:57:32	1	1	1	1	72.25	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.3125	2004
29.01.2020 14:57:33	1	1	1	1	72.25	62.25	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.6875	2004
29.01.2020 14:57:34	1	1	1	1	72.25	62.5	0	30000	292.4731183	8580.164705	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:57:35	1	1	1	1	72.25	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:36	1	1	1	1	72.25	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:37	1	1	1	1	72.25	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.3125	2004
29.01.2020 14:57:38	1	1	1	1	72.25	62.25	0	30000	309.6774194	9498.274128	30000	0	0	30000	42.875	2004
29.01.2020 14:57:39	1	1	1	1	72.25	62.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 14:57:40	1	1	1	1	72.5	62.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	43	2004
29.01.2020 14:57:41	1	1	1	1	72.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.625	2004
29.01.2020 14:57:42	1	1	1	1	72.5	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 14:57:44	1	1	1	1	72.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 14:57:45	1	1	1	1	72.5	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.3125	2004
29.01.2020 14:57:46	1	1	1	1	72.5	62.25	0	29905.213	318.2795699	9662.163999	30000	0	0	30000	42.1875	2004
29.01.2020 14:57:47	1	1	1	1	72.5	62	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.5	2004
29.01.2020 14:57:48	1	1	1	1	72.5	62.5	0	30000	331.1827957	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 14:57:49	1	1	1	1	72.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:50	1	1	1	1	72.5	62.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:57:51	1	1	1	1	72.5	62.25	0	30000	326.8817204	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:52	1	1	1	1	72.5	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.5	2004
29.01.2020 14:57:53	1	1	1	1	72.5	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 14:57:54	1	1	1	1	72.5	62	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 14:57:55	1	1	1	1	72.5	62.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.6875	2004
29.01.2020 14:57:56	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 14:57:57	1	1	1	1	72.5	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 14:57:58	1	1	1	1	72.5	62.5	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	42.4375	2004
29.01.2020 14:57:59	1	1	1	1	72.5	62.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 14:58:00	1	1	1	1	72.5	62.5	0	29905.213	320.4301075	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 14:58:01	1	1	1	1	72.5	62.5	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	42.75	2004
29.01.2020 14:58:02	1	1	1	1	72.5	62.75	0	30000	316.1290323	9340.091865	30000	0	0	30000	42.75	2004
29.01.2020 14:58:03	1	1	1	1	72.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 14:58:04	1	1	1	1	72.5	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.625	2004
29.01.2020 14:58:05	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.625	2004
29.01.2020 14:58:06	1	1	1	1	72.5	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.25	2004
29.01.2020 14:58:07	1	1	1	1	72.5	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.1875	2004
29.01.2020 14:58:08	1	1	1	1	72.5	62	0	30047.393	326.8817204	9741.25513	30000	0	0	30000	42.6875	2004
29.01.2020 14:58:09	1	1	1	1	72.5	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 14:58:10	1	1	1	1	72.25	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 14:58:11	1	1	1	1	72.25	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 14:58:12	1	1	1	1	72.25	62.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.0625	2004
29.01.2020 14:58:13	1	1	1	1	72.25	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 14:58:14	1	1	1	1	72.25	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.5	2004
29.01.2020 14:58:15	1	1	1	1	72.25	62.5	0	30000	301.0752688	8953.605305	30000	0	0	30000	42.625	2004
29.01.2020 14:58:23	1	1	1	1	72.25	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.375	2004
29.01.2020 14:58:23	1	1	1	1	72.25	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.375	2004
29.01.2020 14:58:23	1	1	1	1	72.25	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:58:23	1	1	1	1	72.25	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.375	2004
29.01.2020 14:58:23	1	1	1	1	72.25	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.375	2004
29.01.2020 14:58:23	1	1	1	1	72.25	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.375	2004
29.01.2020 14:58:23	1	1	1	1	72.25	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.375	2004
29.01.2020 14:58:24	1	1	1	1	72.25	62.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5	2004
29.01.2020 14:58:25	1	1	1	1	72.25	62.5	0	29952.607	281.7204301	8644.579132	30000	0	0	30000	42.5625	2004
29.01.2020 14:58:26	1	1	1	1	72.25	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.5625	2004
29.01.2020 14:58:27	1	1	1	1	72.25	62.5	0	29905.213	286.0215054	8580.164705	30000	0	0	30000	42.25	2004
29.01.2020 14:58:28	1	1	1	1	72.25	62.25	0	29952.607	281.7204301	8515.750279	30000	0	0	30000	42.0625	2004
29.01.2020 14:58:29	1	1	1	1	72.25	62	0	30047.393	286.0215054	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 14:58:30	1	1	1	1	71.5	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.5625	2004
29.01.2020 14:58:31	1	1	1	1	71.5	62.5	0	30047.393	277.4193548	8335.552958	30000	0	0	30000	42.5625	2004
29.01.2020 14:58:32	1	1	1	1	71.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:58:33	1	1	1	1	71.5	62.5	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.5	2004
29.01.2020 14:58:34	1	1	1	1	71.5	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 14:58:35	1	1	1	1	71.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:58:36	1	1	1	1	71.5	62.5	0	30000	279.5698925	8309.461039	30000	0	0	30000	42.5	2004
29.01.2020 14:58:37	1	1	1	1	71.5	62.5	0	30000	275.2688172	8464.381812	30000	0	0	30000	41.5625	2004
29.01.2020 14:58:38	1	1	1	1	71.5	61.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.5625	2004
29.01.2020 14:58:39	1	1	1	1	71.5	62.5	0	30000	279.5698925	8309.461039	30000	0	0	30000	42.625	2004
29.01.2020 14:58:40	1	1	1	1	71.75	62.5	0	29905.213	270.9677419	8103.171799	30000	0	0	30000	42.5625	2004
29.01.2020 14:58:41	1	1	1	1	71.75	62.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.25	2004
29.01.2020 14:58:42	1	1	1	1	71.75	62.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.4375	2004
29.01.2020 14:58:43	1	1	1	1	71.75	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
29.01.2020 14:58:44	1	1	1	1	71.75	62.5	0	30000	279.5698925	8258.092572	30000	0	0	30000	42.3125	2004
29.01.2020 14:58:45	1	1	1	1	71.75	62.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5	2004
29.01.2020 14:58:46	1	1	1	1	71.75	62.5	0	30000	273.1182796	8386.921425	30000	0	0	30000	42.4375	2004
29.01.2020 14:58:47	1	1	1	1	71.75	62.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 14:58:48	1	1	1	1	71.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.4375	2004
29.01.2020 14:58:49	1	1	1	1	71.75	62.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.4375	2004
29.01.2020 14:58:50	1	1	1	1	71.5	62.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.3125	2004
29.01.2020 14:58:51	1	1	1	1	71.5	62.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	41.6875	2004
29.01.2020 14:58:52	1	1	1	1	71.5	61.5	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.5	2004
29.01.2020 14:58:53	1	1	1	1	71.5	62.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	42.6875	2004
29.01.2020 14:58:54	1	1	1	1	71.5	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.4375	2004
29.01.2020 14:58:55	1	1	1	1	71.5	62.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.5	2004
29.01.2020 14:58:56	1	1	1	1	71.5	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.875	2004
29.01.2020 14:58:57	1	1	1	1	71.5	62.75	0	30000	281.7204301	8580.164705	30000	0	0	30000	42.5625	2004
29.01.2020 14:58:59	1	1	1	1	71.5	62.5	0	30000	281.7204301	8386.921425	30000	0	0	30000	42.75	2004
29.01.2020 14:59:00	1	1	1	1	71.5	62.75	0	29952.607	281.7204301	8644.579132	30000	0	0	30000	42.4375	2004
29.01.2020 14:59:01	1	1	1	1	72	62.5	0	30000	298.9247312	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 14:59:02	1	1	1	1	72	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 14:59:03	1	1	1	1	72	62.5	0	29952.607	318.2795699	9483.597423	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:59:04	1	1	1	1	72	62.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	42.5	2004
29.01.2020 14:59:05	1	1	1	1	72	62.5	0	30047.393	326.8817204	9741.25513	30000	0	0	30000	42.4375	2004
29.01.2020 14:59:06	1	1	1	1	72	62.25	0	29905.213	322.5806452	9806.484929	30000	0	0	30000	42.4375	2004
29.01.2020 14:59:07	1	1	1	1	72	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.625	2004
29.01.2020 14:59:08	1	1	1	1	72	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.4375	2004
29.01.2020 14:59:09	1	1	1	1	72	62.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.6875	2004
29.01.2020 14:59:10	1	1	1	1	72	62.5	0	30000	333.3333333	9935.313783	30000	0	0	30000	42.6875	2004
29.01.2020 14:59:11	1	1	1	1	72	62.5	0	30000	339.7849462	10113.06499	30000	0	0	30000	42.3125	2004
29.01.2020 14:59:12	1	1	1	1	72	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 14:59:13	1	1	1	1	72	62.5	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	42.4375	2004
29.01.2020 14:59:14	1	1	1	1	72	62.25	0	30047.393	337.6344086	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 14:59:15	1	1	1	1	72	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 14:59:16	1	1	1	1	72	62.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.125	2004
29.01.2020 14:59:17	1	1	1	1	72	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
29.01.2020 14:59:25	1	1	1	1	72	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 14:59:25	1	1	1	1	72	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 14:59:25	1	1	1	1	72	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 14:59:25	1	1	1	1	72	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 14:59:25	1	1	1	1	72	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 14:59:25	1	1	1	1	72	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 14:59:25	1	1	1	1	72	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 14:59:25	1	1	1	1	72	62.5	0	30000	311.827957	9513.766206	30000	0	0	30000	42.1875	2004
29.01.2020 14:59:26	1	1	1	1	72	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 14:59:27	1	1	1	1	72	62.5	0	29952.607	292.4731183	9124.833528	30000	0	0	30000	42.6875	2004
29.01.2020 14:59:28	1	1	1	1	72	62.5	0	29952.607	301.0752688	9160.709918	30000	0	0	30000	42.8125	2004
29.01.2020 14:59:29	1	1	1	1	72	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.5	2004
29.01.2020 14:59:30	1	1	1	1	72.25	62.5	0	30000	307.5268817	9096.295491	30000	0	0	30000	42.4375	2004
29.01.2020 14:59:31	1	1	1	1	72.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.375	2004
29.01.2020 14:59:32	1	1	1	1	72.25	62.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.5	2004
29.01.2020 14:59:33	1	1	1	1	72.25	62.5	0	30094.787	307.5268817	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 14:59:34	1	1	1	1	72.25	62.5	0	29952.607	311.827957	9419.182997	30000	0	0	30000	42.75	2004
29.01.2020 14:59:35	1	1	1	1	72.25	62.75	0	30000	320.4301075	9741.25513	30000	0	0	30000	42.375	2004
29.01.2020 14:59:36	1	1	1	1	72.25	62.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 14:59:38	1	1	1	1	72.25	62.25	0	30000	316.1290323	9468.920719	30000	0	0	30000	42.375	2004
29.01.2020 14:59:39	1	1	1	1	72.25	62.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.5625	2004
29.01.2020 14:59:40	1	1	1	1	72	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.75	2004
29.01.2020 14:59:41	1	1	1	1	72	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 14:59:42	1	1	1	1	72	62.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.375	2004
29.01.2020 14:59:43	1	1	1	1	72	62.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.625	2004
29.01.2020 14:59:44	1	1	1	1	72	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.8125	2004
29.01.2020 14:59:45	1	1	1	1	72	62.75	0	30000	329.0322581	9886.391433	30000	0	0	30000	42.5	2004
29.01.2020 14:59:46	1	1	1	1	72	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 14:59:47	1	1	1	1	72	62.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 14:59:48	1	1	1	1	72	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 14:59:49	1	1	1	1	72	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.625	2004
29.01.2020 14:59:50	1	1	1	1	72	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.5	2004
29.01.2020 14:59:51	1	1	1	1	72	62.5	0	30000	335.483871	9999.728209	30000	0	0	30000	42.1875	2004
29.01.2020 14:59:52	1	1	1	1	72	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.3125	2004
29.01.2020 14:59:53	1	1	1	1	72	62.25	0	30000	352.688172	10515.85899	30000	0	0	30000	42.6875	2004
29.01.2020 14:59:54	1	1	1	1	72	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.6875	2004
29.01.2020 14:59:55	1	1	1	1	72	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.6875	2004
29.01.2020 14:59:56	1	1	1	1	72	62.5	0	30000	326.8817204	9676.840703	30000	0	0	30000	42.5625	2004
29.01.2020 14:59:57	1	1	1	1	72	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 14:59:58	1	1	1	1	72	62.5	0	30000	329.0322581	9726.578425	30000	0	0	30000	42.625	2004
29.01.2020 14:59:59	1	1	1	1	72	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.0625	2004
29.01.2020 15:00:00	1	1	1	1	72.25	62	0	30000	311.827957	9419.182997	30000	0	0	30000	42.625	2004
29.01.2020 15:00:01	1	1	1	1	72.25	62.5	0	29952.607	309.6774194	9419.182997	30000	0	0	30000	42.625	2004
29.01.2020 15:00:02	1	1	1	1	72.25	62.5	0	30000	326.8817204	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:00:03	1	1	1	1	72.25	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.25	2004
29.01.2020 15:00:04	1	1	1	1	72.25	62.25	0	30094.787	326.8817204	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 15:00:05	1	1	1	1	72.25	62.25	0	30000	316.1290323	9275.677439	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:06	1	1	1	1	72.25	62.5	0	30000	326.8817204	9999.728209	30000	0	0	30000	42.3125	2004
29.01.2020 15:00:07	1	1	1	1	72.25	62.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.0625	2004
29.01.2020 15:00:08	1	1	1	1	72.25	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5	2004
29.01.2020 15:00:09	1	1	1	1	72.25	62.5	0	30000	316.1290323	9612.426277	30000	0	0	30000	41.9375	2004
29.01.2020 15:00:10	1	1	1	1	72.25	61.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.375	2004
29.01.2020 15:00:11	1	1	1	1	72.25	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:12	1	1	1	1	72.25	62.5	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 15:00:13	1	1	1	1	72.25	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.5	2004
29.01.2020 15:00:14	1	1	1	1	72.25	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:15	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 15:00:16	1	1	1	1	72.25	62.25	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:18	1	1	1	1	72.25	62.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.75	2004
29.01.2020 15:00:19	1	1	1	1	72.25	62.75	0	30000	320.4301075	9453.428641	30000	0	0	30000	42.625	2004
29.01.2020 15:00:26	1	1	1	1	73	62.75	0	30000	292.4731183	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:26	1	1	1	1	73	62.75	0	30000	292.4731183	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:26	1	1	1	1	73	62.75	0	30000	292.4731183	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:26	1	1	1	1	73	62.75	0	30000	292.4731183	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:26	1	1	1	1	73	62.75	0	30000	292.4731183	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:26	1	1	1	1	73	62.75	0	30000	292.4731183	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:26	1	1	1	1	73	62.75	0	30000	292.4731183	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:26	1	1	1	1	73	62.75	0	30000	292.4731183	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:27	1	1	1	1	73	62.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:28	1	1	1	1	73	62.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.625	2004
29.01.2020 15:00:29	1	1	1	1	73	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.8125	2004
29.01.2020 15:00:30	1	1	1	1	72.75	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.6875	2004
29.01.2020 15:00:31	1	1	1	1	72.75	62.5	0	30000	307.5268817	9067.757454	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:00:32	1	1	1	1	72.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:33	1	1	1	1	72.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 15:00:34	1	1	1	1	72.75	62.5	0	29905.213	316.1290323	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:00:35	1	1	1	1	72.75	62.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.6875	2004
29.01.2020 15:00:36	1	1	1	1	72.75	61.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.3125	2004
29.01.2020 15:00:37	1	1	1	1	72.75	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:38	1	1	1	1	72.75	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 15:00:39	1	1	1	1	72.75	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:40	1	1	1	1	72.5	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:41	1	1	1	1	72.5	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 15:00:42	1	1	1	1	72.5	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:43	1	1	1	1	72.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:44	1	1	1	1	72.5	62.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:45	1	1	1	1	72.5	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.5	2004
29.01.2020 15:00:46	1	1	1	1	72.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:00:47	1	1	1	1	72.5	62.5	0	30000	378.4946237	11143.69581	30000	0	0	30000	42.4375	2004
29.01.2020 15:00:48	1	1	1	1	72.5	62.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5	2004
29.01.2020 15:00:49	1	1	1	1	72.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:00:50	1	1	1	1	72.5	62.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 15:00:51	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 15:00:52	1	1	1	1	72.5	62	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 15:00:53	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.625	2004
29.01.2020 15:00:54	1	1	1	1	72.5	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.6875	2004
29.01.2020 15:00:55	1	1	1	1	72.5	62.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.6875	2004
29.01.2020 15:00:59	1	1	1	1	72.5	62.75	0	30000	391.3978495	11659.01122	30000	0	0	30000	42.6875	2004
29.01.2020 15:00:59	1	1	1	1	72.5	62.75	0	30000	391.3978495	11659.01122	30000	0	0	30000	42.6875	2004
29.01.2020 15:00:59	1	1	1	1	72.5	62.75	0	30000	391.3978495	11659.01122	30000	0	0	30000	42.6875	2004
29.01.2020 15:01:00	1	1	1	1	72.5	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
29.01.2020 15:01:01	1	1	1	1	72.5	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 15:01:02	1	1	1	1	72.5	62.25	0	30000	395.6989247	11852.2545	30000	0	0	30000	42.125	2004
29.01.2020 15:01:03	1	1	1	1	72.5	62	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.625	2004
29.01.2020 15:01:04	1	1	1	1	72.5	62.5	0	30000	380.6451613	11319.0009	30000	0	0	30000	42.6875	2004
29.01.2020 15:01:05	1	1	1	1	72.5	62.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.4375	2004
29.01.2020 15:01:06	1	1	1	1	72.5	62.25	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 15:01:07	1	1	1	1	72.5	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.4375	2004
29.01.2020 15:01:08	1	1	1	1	72.5	62.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.5625	2004
29.01.2020 15:01:09	1	1	1	1	72.5	62.5	0	30000	367.7419355	10886.03811	30000	0	0	30000	42.8125	2004
29.01.2020 15:01:10	1	1	1	1	72	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.375	2004
29.01.2020 15:01:11	1	1	1	1	72	62.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.6875	2004
29.01.2020 15:01:12	1	1	1	1	72	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5625	2004
29.01.2020 15:01:13	1	1	1	1	72	62.5	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:01:14	1	1	1	1	72	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
29.01.2020 15:01:15	1	1	1	1	72	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:01:16	1	1	1	1	72	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 15:01:17	1	1	1	1	72	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.625	2004
29.01.2020 15:01:18	1	1	1	1	72	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 15:01:19	1	1	1	1	72	62.5	0	29952.607	335.483871	10048.65056	30000	0	0	30000	42.4375	2004
29.01.2020 15:01:20	1	1	1	1	72.25	62.25	0	29952.607	329.0322581	9984.236132	30000	0	0	30000	42.75	2004
29.01.2020 15:01:28	1	1	1	1	72.25	62	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.75	2004
29.01.2020 15:01:28	1	1	1	1	72.25	62	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.75	2004
29.01.2020 15:01:28	1	1	1	1	72.25	62	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.75	2004
29.01.2020 15:01:28	1	1	1	1	72.25	62	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.75	2004
29.01.2020 15:01:28	1	1	1	1	72.25	62	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.75	2004
29.01.2020 15:01:28	1	1	1	1	72.25	62	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.75	2004
29.01.2020 15:01:28	1	1	1	1	72.25	62.75	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	42.6875	2004
29.01.2020 15:01:29	1	1	1	1	72.25	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 15:01:30	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 15:01:31	1	1	1	1	72.25	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.75	2004
29.01.2020 15:01:32	1	1	1	1	72.25	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.75	2004
29.01.2020 15:01:33	1	1	1	1	72.25	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 15:01:35	1	1	1	1	72.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 15:01:36	1	1	1	1	72.25	62.5	0	30000	307.5268817	9067.757454	30000	0	0	30000	42.4375	2004
29.01.2020 15:01:37	1	1	1	1	72.25	62.5	0	30000	307.5268817	9160.709918	30000	0	0	30000	42.8125	2004
29.01.2020 15:01:38	1	1	1	1	72.25	62.75	0	30000	303.2258065	9082.434159	30000	0	0	30000	42.5	2004
29.01.2020 15:01:39	1	1	1	1	72.25	62.5	0	30047.393	301.0752688	9096.295491	30000	0	0	30000	42.75	2004
29.01.2020 15:01:40	1	1	1	1	72.5	62.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:01:41	1	1	1	1	72.5	62.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.125	2004
29.01.2020 15:01:42	1	1	1	1	72.5	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 15:01:43	1	1	1	1	72.5	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.625	2004
29.01.2020 15:01:44	1	1	1	1	72.5	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.625	2004
29.01.2020 15:01:45	1	1	1	1	72.5	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.6875	2004
29.01.2020 15:01:46	1	1	1	1	72.5	62.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.6875	2004
29.01.2020 15:01:47	1	1	1	1	72.5	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 15:01:48	1	1	1	1	72.5	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 15:01:49	1	1	1	1	72.5	62.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.6875	2004
29.01.2020 15:01:50	1	1	1	1	72.25	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.5	2004
29.01.2020 15:01:51	1	1	1	1	72.25	62.5	0	30047.393	309.6774194	9031.881064	30000	0	0	30000	42.9375	2004
29.01.2020 15:01:52	1	1	1	1	72.25	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:01:53	1	1	1	1	72.25	62.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.5	2004
29.01.2020 15:01:54	1	1	1	1	72.25	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 15:01:55	1	1	1	1	72.25	62	0	30000	335.483871	9999.728209	30000	0	0	30000	41.8125	2004
29.01.2020 15:01:56	1	1	1	1	72.25	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 15:01:57	1	1	1	1	72.25	62.75	0	30047.393	346.2365591	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 15:01:58	1	1	1	1	72.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.0625	2004
29.01.2020 15:01:59	1	1	1	1	72.25	62	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:02:00	1	1	1	1	71.5	62.5	0	29952.607	339.7849462	10128.55706	30000	0	0	30000	42.625	2004
29.01.2020 15:02:01	1	1	1	1	71.5	62.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.75	2004
29.01.2020 15:02:02	1	1	1	1	71.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5	2004
29.01.2020 15:02:03	1	1	1	1	71.5	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.875	2004
29.01.2020 15:02:04	1	1	1	1	71.5	61.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 15:02:05	1	1	1	1	71.5	62.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.5625	2004
29.01.2020 15:02:06	1	1	1	1	71.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
29.01.2020 15:02:07	1	1	1	1	71.5	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.125	2004
29.01.2020 15:02:08	1	1	1	1	71.5	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 15:02:09	1	1	1	1	71.5	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.8125	2004
29.01.2020 15:02:10	1	1	1	1	71.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.5	2004
29.01.2020 15:02:11	1	1	1	1	71.5	62.5	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.25	2004
29.01.2020 15:02:12	1	1	1	1	71.5	62.25	0	30000	384.9462366	11319.0009	30000	0	0	30000	42.4375	2004
29.01.2020 15:02:14	1	1	1	1	71.5	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
29.01.2020 15:02:15	1	1	1	1	71.5	62.75	0	29952.607	380.6451613	11483.70614	30000	0	0	30000	42.125	2004
29.01.2020 15:02:16	1	1	1	1	71.5	62	0	30000	365.5913978	10967.57535	30000	0	0	30000	43.1875	2004
29.01.2020 15:02:17	1	1	1	1	71.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.875	2004
29.01.2020 15:02:18	1	1	1	1	71.5	61.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.75	2004
29.01.2020 15:02:19	1	1	1	1	71.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.4375	2004
29.01.2020 15:02:20	1	1	1	1	71.75	61.25	0	29952.607	337.6344086	10113.06499	30000	0	0	30000	42.25	2004
29.01.2020 15:02:21	1	1	1	1	71.75	62.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.625	2004
29.01.2020 15:02:22	1	1	1	1	71.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.6875	2004
29.01.2020 15:02:29	1	1	1	1	71.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 15:02:29	1	1	1	1	71.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 15:02:29	1	1	1	1	71.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 15:02:29	1	1	1	1	71.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 15:02:29	1	1	1	1	71.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 15:02:29	1	1	1	1	71.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 15:02:29	1	1	1	1	71.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 15:02:30	1	1	1	1	72.25	62.5	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	42.75	2004
29.01.2020 15:02:31	1	1	1	1	72.25	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 15:02:32	1	1	1	1	72.25	62.75	0	29952.607	292.4731183	8708.993559	30000	0	0	30000	42.5625	2004
29.01.2020 15:02:33	1	1	1	1	72.25	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.4375	2004
29.01.2020 15:02:34	1	1	1	1	72.25	62.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.75	2004
29.01.2020 15:02:35	1	1	1	1	72.25	62.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.625	2004
29.01.2020 15:02:36	1	1	1	1	72.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.25	2004
29.01.2020 15:02:37	1	1	1	1	72.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 15:02:38	1	1	1	1	72.25	62.25	0	30000	307.5268817	9211.263012	30000	0	0	30000	42.75	2004
29.01.2020 15:02:39	1	1	1	1	72.25	62.75	0	30000	307.5268817	9067.757454	30000	0	0	30000	42.6875	2004
29.01.2020 15:02:40	1	1	1	1	72.75	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.5625	2004
29.01.2020 15:02:41	1	1	1	1	72.75	62.5	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:02:42	1	1	1	1	72.75	62.5	0	30000	318.2795699	9324.599788	30000	0	0	30000	42.8125	2004
29.01.2020 15:02:43	1	1	1	1	72.75	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:02:44	1	1	1	1	72.75	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.75	2004
29.01.2020 15:02:45	1	1	1	1	72.75	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 15:02:46	1	1	1	1	72.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 15:02:47	1	1	1	1	72.75	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.4375	2004
29.01.2020 15:02:48	1	1	1	1	72.75	62.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.5625	2004
29.01.2020 15:02:49	1	1	1	1	72.75	62.5	0	30000	320.4301075	9419.182997	30000	0	0	30000	42.1875	2004
29.01.2020 15:02:50	1	1	1	1	72.75	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.4375	2004
29.01.2020 15:02:52	1	1	1	1	72.75	62.25	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 15:02:53	1	1	1	1	72.75	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.6875	2004
29.01.2020 15:02:54	1	1	1	1	72.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 15:02:55	1	1	1	1	72.75	62	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.6875	2004
29.01.2020 15:02:56	1	1	1	1	72.75	62.5	0	30000	329.0322581	9741.25513	30000	0	0	30000	42.3125	2004
29.01.2020 15:02:57	1	1	1	1	72.75	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 15:02:58	1	1	1	1	72.75	62.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 15:02:59	1	1	1	1	72.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.6875	2004
29.01.2020 15:03:00	1	1	1	1	72.75	62.5	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	42.25	2004
29.01.2020 15:03:01	1	1	1	1	72.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 15:03:02	1	1	1	1	72.75	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.875	2004
29.01.2020 15:03:03	1	1	1	1	72.75	62.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.625	2004
29.01.2020 15:03:04	1	1	1	1	72.75	62.5	0	29952.607	333.3333333	10128.55706	30000	0	0	30000	42.6875	2004
29.01.2020 15:03:05	1	1	1	1	72.75	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.3125	2004
29.01.2020 15:03:06	1	1	1	1	72.75	62.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.5	2004
29.01.2020 15:03:07	1	1	1	1	72.75	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.5625	2004
29.01.2020 15:03:08	1	1	1	1	72.75	62.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.75	2004
29.01.2020 15:03:09	1	1	1	1	72.75	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.5	2004
29.01.2020 15:03:10	1	1	1	1	73	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41	2004
29.01.2020 15:03:11	1	1	1	1	73	61	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	42.5625	2004
29.01.2020 15:03:12	1	1	1	1	73	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
29.01.2020 15:03:13	1	1	1	1	73	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 15:03:14	1	1	1	1	73	62.5	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 15:03:15	1	1	1	1	73	62.5	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.625	2004
29.01.2020 15:03:16	1	1	1	1	73	62.5	0	29952.607	301.0752688	9290.354143	30000	0	0	30000	42.625	2004
29.01.2020 15:03:17	1	1	1	1	73	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:18	1	1	1	1	73	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.625	2004
29.01.2020 15:03:19	1	1	1	1	73	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.375	2004
29.01.2020 15:03:20	1	1	1	1	73.25	62.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 15:03:21	1	1	1	1	73.25	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.9375	2004
29.01.2020 15:03:22	1	1	1	1	73.25	62.75	0	30000	273.1182796	8051.803332	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:23	1	1	1	1	73.25	62.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.3125	2004
29.01.2020 15:03:31	1	1	1	1	73	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:31	1	1	1	1	73	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:31	1	1	1	1	73	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:31	1	1	1	1	73	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:03:31	1	1	1	1	73	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:31	1	1	1	1	73	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:31	1	1	1	1	73	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:32	1	1	1	1	73	62.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.5625	2004
29.01.2020 15:03:33	1	1	1	1	73	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.125	2004
29.01.2020 15:03:34	1	1	1	1	73	62.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.75	2004
29.01.2020 15:03:35	1	1	1	1	73	62.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.5625	2004
29.01.2020 15:03:36	1	1	1	1	73	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.75	2004
29.01.2020 15:03:37	1	1	1	1	73	62.75	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	41.5625	2004
29.01.2020 15:03:38	1	1	1	1	73	61.5	0	30000	262.3655914	7999.619493	30000	0	0	30000	42.5625	2004
29.01.2020 15:03:39	1	1	1	1	73	62.5	0	29952.607	264.516129	7935.205066	30000	0	0	30000	42.6875	2004
29.01.2020 15:03:40	1	1	1	1	72.5	62.5	0	29952.607	264.516129	7794.145626	30000	0	0	30000	42.375	2004
29.01.2020 15:03:41	1	1	1	1	72.5	62.25	0	29905.213	268.8172043	8064.033919	30000	0	0	30000	42.6875	2004
29.01.2020 15:03:42	1	1	1	1	72.5	62.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.125	2004
29.01.2020 15:03:43	1	1	1	1	72.5	62	0	29905.213	281.7204301	8644.579132	30000	0	0	30000	42.125	2004
29.01.2020 15:03:44	1	1	1	1	72.5	62	0	29905.213	283.8709677	8515.750279	30000	0	0	30000	42.625	2004
29.01.2020 15:03:45	1	1	1	1	72.5	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.875	2004
29.01.2020 15:03:46	1	1	1	1	72.5	62.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.75	2004
29.01.2020 15:03:47	1	1	1	1	72.5	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
29.01.2020 15:03:48	1	1	1	1	72.5	62.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.4375	2004
29.01.2020 15:03:49	1	1	1	1	72.5	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 15:03:50	1	1	1	1	72.25	62.5	0	29952.607	281.7204301	8515.750279	30000	0	0	30000	42.1875	2004
29.01.2020 15:03:51	1	1	1	1	72.25	62	0	29952.607	277.4193548	8580.164705	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:52	1	1	1	1	72.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.5625	2004
29.01.2020 15:03:53	1	1	1	1	72.25	62.5	0	30000	288.172043	8424.42856	30000	0	0	30000	42.6875	2004
29.01.2020 15:03:54	1	1	1	1	72.25	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.8125	2004
29.01.2020 15:03:55	1	1	1	1	72.25	62.75	0	30047.393	290.3225806	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 15:03:56	1	1	1	1	72.25	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.75	2004
29.01.2020 15:03:57	1	1	1	1	72.25	62.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.6875	2004
29.01.2020 15:03:58	1	1	1	1	72.25	62.5	0	30000	275.2688172	8128.448346	30000	0	0	30000	42.625	2004
29.01.2020 15:03:59	1	1	1	1	72.25	62.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.6875	2004
29.01.2020 15:04:00	1	1	1	1	72.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.6875	2004
29.01.2020 15:04:01	1	1	1	1	72.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
29.01.2020 15:04:02	1	1	1	1	72.5	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
29.01.2020 15:04:03	1	1	1	1	72.5	62.5	0	29952.607	283.8709677	8708.993559	30000	0	0	30000	42.5625	2004
29.01.2020 15:04:04	1	1	1	1	72.5	62.5	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 15:04:05	1	1	1	1	72.5	62	0	29905.213	290.3225806	8708.993559	30000	0	0	30000	42.8125	2004
29.01.2020 15:04:07	1	1	1	1	72.5	62.75	0	30047.393	292.4731183	8774.223358	30000	0	0	30000	43	2004
29.01.2020 15:04:08	1	1	1	1	72.5	63	0	29952.607	286.0215054	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 15:04:09	1	1	1	1	72.5	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	43	2004
29.01.2020 15:04:10	1	1	1	1	72.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.625	2004
29.01.2020 15:04:11	1	1	1	1	72.75	62.5	0	30000	309.6774194	9211.263012	30000	0	0	30000	42.1875	2004
29.01.2020 15:04:12	1	1	1	1	72.75	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:04:57	1	1	1	1	73.25	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.1875	2004
29.01.2020 15:04:58	1	1	1	1	73.25	62	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.75	2004
29.01.2020 15:04:59	1	1	1	1	73.25	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.6875	2004
29.01.2020 15:05:00	1	1	1	1	73	62.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.0625	2004
29.01.2020 15:05:01	1	1	1	1	73	62	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
29.01.2020 15:05:02	1	1	1	1	73	62.75	0	30000	365.5913978	10886.03811	30000	0	0	30000	42.4375	2004
29.01.2020 15:05:03	1	1	1	1	73	62.25	0	30000	374.1935484	11372.81548	30000	0	0	30000	42.5	2004
29.01.2020 15:05:04	1	1	1	1	73	62.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.625	2004
29.01.2020 15:05:05	1	1	1	1	73	62.5	0	29952.607	348.3870968	10644.68785	30000	0	0	30000	42.4375	2004
29.01.2020 15:05:06	1	1	1	1	73	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.75	2004
29.01.2020 15:05:07	1	1	1	1	73	62.75	0	30000	363.4408602	10886.03811	30000	0	0	30000	42.375	2004
29.01.2020 15:05:08	1	1	1	1	73	62.25	0	29952.607	365.5913978	10903.16093	30000	0	0	30000	42.625	2004
29.01.2020 15:05:09	1	1	1	1	73	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 15:05:10	1	1	1	1	72.25	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.625	2004
29.01.2020 15:05:11	1	1	1	1	72.25	62.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.625	2004
29.01.2020 15:05:12	1	1	1	1	72.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
29.01.2020 15:05:13	1	1	1	1	72.25	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.6875	2004
29.01.2020 15:05:14	1	1	1	1	72.25	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.8125	2004
29.01.2020 15:05:15	1	1	1	1	72.25	62.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.4375	2004
29.01.2020 15:05:16	1	1	1	1	72.25	62.25	0	30000	329.0322581	10064.14264	30000	0	0	30000	42.4375	2004
29.01.2020 15:05:17	1	1	1	1	72.25	62.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.6875	2004
29.01.2020 15:05:18	1	1	1	1	72.25	62.5	0	29905.213	311.827957	9483.597423	30000	0	0	30000	42.6875	2004
29.01.2020 15:05:19	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.8125	2004
29.01.2020 15:05:20	1	1	1	1	72	62.75	0	30000	311.827957	9483.597423	30000	0	0	30000	42.75	2004
29.01.2020 15:05:22	1	1	1	1	72	62.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	42.3125	2004
29.01.2020 15:05:23	1	1	1	1	72	62.25	0	30000	311.827957	9548.01185	30000	0	0	30000	43.1875	2004
29.01.2020 15:05:24	1	1	1	1	72	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
29.01.2020 15:05:25	1	1	1	1	72	62.75	0	29952.607	311.827957	9548.01185	30000	0	0	30000	42.8125	2004
29.01.2020 15:05:26	1	1	1	1	72	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.0625	2004
29.01.2020 15:05:27	1	1	1	1	72	62.75	0	30000	316.1290323	9612.426277	30000	0	0	30000	42.8125	2004
29.01.2020 15:05:35	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:05:35	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:05:35	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:05:35	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:05:35	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:05:35	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:05:35	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:05:35	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:05:35	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:05:36	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:05:37	1	1	1	1	72.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:05:38	1	1	1	1	72.5	62.5	0	30000	354.8387097	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 15:05:39	1	1	1	1	72.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:05:40	1	1	1	1	72.75	62.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:05:41	1	1	1	1	72.75	62.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.8125	2004
29.01.2020 15:05:42	1	1	1	1	72.75	62.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.75	2004
29.01.2020 15:05:43	1	1	1	1	72.75	62.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.5	2004
29.01.2020 15:05:44	1	1	1	1	72.75	62.5	0	30000	361.2903226	10790.63952	30000	0	0	30000	42.5625	2004
29.01.2020 15:05:45	1	1	1	1	72.75	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.6875	2004
29.01.2020 15:05:46	1	1	1	1	72.75	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 15:05:47	1	1	1	1	72.75	62.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:05:48	1	1	1	1	72.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 15:05:49	1	1	1	1	72.75	62.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 15:05:50	1	1	1	1	72.75	62.5	0	30000	400	11897.09999	30000	0	0	30000	42.1875	2004
29.01.2020 15:05:51	1	1	1	1	72.75	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 15:05:52	1	1	1	1	72.75	62	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	42.1875	2004
29.01.2020 15:05:53	1	1	1	1	72.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
29.01.2020 15:05:54	1	1	1	1	72.75	62.75	0	30000	384.9462366	11530.18237	30000	0	0	30000	42.5625	2004
29.01.2020 15:05:55	1	1	1	1	72.75	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5	2004
29.01.2020 15:05:56	1	1	1	1	72.75	62.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.4375	2004
29.01.2020 15:05:57	1	1	1	1	72.75	62.25	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	42.25	2004
29.01.2020 15:05:58	1	1	1	1	72.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
29.01.2020 15:05:59	1	1	1	1	72.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 15:06:00	1	1	1	1	72.25	62.25	0	30000	378.4946237	10996.92876	30000	0	0	30000	42.75	2004
29.01.2020 15:06:02	1	1	1	1	72.25	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.8125	2004
29.01.2020 15:06:03	1	1	1	1	72.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.875	2004
29.01.2020 15:06:04	1	1	1	1	72.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.75	2004
29.01.2020 15:06:05	1	1	1	1	72.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
29.01.2020 15:06:06	1	1	1	1	72.25	63	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.125	2004
29.01.2020 15:06:07	1	1	1	1	72.25	62	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	42.875	2004
29.01.2020 15:06:08	1	1	1	1	72.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.375	2004
29.01.2020 15:06:09	1	1	1	1	72.25	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 15:06:10	1	1	1	1	72	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:06:11	1	1	1	1	72	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:06:12	1	1	1	1	72	62.5	0	30000	367.7419355	11114.3424	30000	0	0	30000	42.6875	2004
29.01.2020 15:06:13	1	1	1	1	72	62.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
29.01.2020 15:06:14	1	1	1	1	72	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.5	2004
29.01.2020 15:06:15	1	1	1	1	72	62.5	0	29952.607	346.2365591	10451.44457	30000	0	0	30000	42.4375	2004
29.01.2020 15:06:16	1	1	1	1	72	62.25	0	30094.787	359.1397849	10515.85899	30000	0	0	30000	42.8125	2004
29.01.2020 15:06:17	1	1	1	1	72	62.75	0	29905.213	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 15:06:18	1	1	1	1	72	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.6875	2004
29.01.2020 15:06:19	1	1	1	1	72	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.75	2004
29.01.2020 15:06:20	1	1	1	1	72	62.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.75	2004
29.01.2020 15:06:21	1	1	1	1	72	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.6875	2004
29.01.2020 15:06:22	1	1	1	1	72	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.8125	2004
29.01.2020 15:06:23	1	1	1	1	72	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.1875	2004
29.01.2020 15:06:24	1	1	1	1	72	62	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:07:09	1	1	1	1	72.5	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5	2004
29.01.2020 15:07:10	1	1	1	1	73	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42	2004
29.01.2020 15:07:11	1	1	1	1	73	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 15:07:12	1	1	1	1	73	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.5	2004
29.01.2020 15:07:13	1	1	1	1	73	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.3125	2004
29.01.2020 15:07:14	1	1	1	1	73	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 15:07:15	1	1	1	1	73	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.75	2004
29.01.2020 15:07:16	1	1	1	1	73	62.75	0	30000	326.8817204	9597.749572	30000	0	0	30000	42.75	2004
29.01.2020 15:07:17	1	1	1	1	73	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 15:07:18	1	1	1	1	73	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.4375	2004
29.01.2020 15:07:20	1	1	1	1	73	62.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.1875	2004
29.01.2020 15:07:21	1	1	1	1	73.25	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42.625	2004
29.01.2020 15:07:22	1	1	1	1	73.25	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
29.01.2020 15:07:23	1	1	1	1	73.25	63	0	29905.213	335.483871	10113.06499	30000	0	0	30000	42.5	2004
29.01.2020 15:07:24	1	1	1	1	73.25	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.8125	2004
29.01.2020 15:07:25	1	1	1	1	73.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
29.01.2020 15:07:26	1	1	1	1	73.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:07:27	1	1	1	1	73.25	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5625	2004
29.01.2020 15:07:28	1	1	1	1	73.25	62.5	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	42.5	2004
29.01.2020 15:07:29	1	1	1	1	73.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
29.01.2020 15:07:30	1	1	1	1	73	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 15:07:37	1	1	1	1	73	62.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.625	2004
29.01.2020 15:07:37	1	1	1	1	73	62.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.625	2004
29.01.2020 15:07:37	1	1	1	1	73	62.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.625	2004
29.01.2020 15:07:37	1	1	1	1	73	62.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.625	2004
29.01.2020 15:07:37	1	1	1	1	73	62.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.625	2004
29.01.2020 15:07:37	1	1	1	1	73	62.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.625	2004
29.01.2020 15:07:37	1	1	1	1	73	62.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.625	2004
29.01.2020 15:07:38	1	1	1	1	73	62.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.625	2004
29.01.2020 15:07:38	1	1	1	1	73	62.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 15:07:39	1	1	1	1	73	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
29.01.2020 15:07:40	1	1	1	1	72.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.8125	2004
29.01.2020 15:07:41	1	1	1	1	72.25	62.75	0	30000	382.7956989	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 15:07:42	1	1	1	1	72.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:07:43	1	1	1	1	72.25	62.5	0	30000	367.7419355	11014.86696	30000	0	0	30000	42.625	2004
29.01.2020 15:07:44	1	1	1	1	72.25	62.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
29.01.2020 15:07:45	1	1	1	1	72.25	62.5	0	30000	387.0967742	11354.87729	30000	0	0	30000	42.8125	2004
29.01.2020 15:07:46	1	1	1	1	72.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:07:47	1	1	1	1	72.25	62.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.6875	2004
29.01.2020 15:07:48	1	1	1	1	72.25	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.1875	2004
29.01.2020 15:07:49	1	1	1	1	72.25	62	0	30000	367.7419355	10967.57535	30000	0	0	30000	42.8125	2004
29.01.2020 15:07:50	1	1	1	1	72.25	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.0625	2004
29.01.2020 15:07:51	1	1	1	1	72.25	62	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	42.625	2004
29.01.2020 15:07:52	1	1	1	1	72.25	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:07:53	1	1	1	1	72.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 15:07:54	1	1	1	1	72.25	62.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.8125	2004
29.01.2020 15:07:55	1	1	1	1	72.25	62.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 15:07:56	1	1	1	1	72.25	62.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43	2004
29.01.2020 15:07:57	1	1	1	1	72.25	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 15:07:58	1	1	1	1	72.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
29.01.2020 15:08:00	1	1	1	1	72.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
29.01.2020 15:08:01	1	1	1	1	72.75	62.75	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:08:02	1	1	1	1	72.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
29.01.2020 15:08:03	1	1	1	1	72.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
29.01.2020 15:08:04	1	1	1	1	72.75	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
29.01.2020 15:08:05	1	1	1	1	72.75	62.5	0	30047.393	369.8924731	11096.40421	30000	0	0	30000	42.875	2004
29.01.2020 15:08:06	1	1	1	1	72.75	62.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.8125	2004
29.01.2020 15:08:07	1	1	1	1	72.75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
29.01.2020 15:08:08	1	1	1	1	72.75	62.75	0	30047.393	356.9892473	10644.68785	30000	0	0	30000	42.625	2004
29.01.2020 15:08:09	1	1	1	1	72.75	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
29.01.2020 15:08:10	1	1	1	1	73	62.5	0	29905.213	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 15:08:11	1	1	1	1	73	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.875	2004
29.01.2020 15:08:12	1	1	1	1	73	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.625	2004
29.01.2020 15:08:13	1	1	1	1	73	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 15:08:14	1	1	1	1	73	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
29.01.2020 15:08:15	1	1	1	1	73	62.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 15:08:16	1	1	1	1	73	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.625	2004
29.01.2020 15:08:17	1	1	1	1	73	62.5	0	30000	335.483871	10160.35659	30000	0	0	30000	42.75	2004
29.01.2020 15:08:18	1	1	1	1	73	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.875	2004
29.01.2020 15:08:19	1	1	1	1	73	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.75	2004
29.01.2020 15:08:20	1	1	1	1	72.5	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.4375	2004
29.01.2020 15:08:21	1	1	1	1	72.5	62.25	0	30000	363.4408602	10984.69818	30000	0	0	30000	42.8125	2004
29.01.2020 15:08:22	1	1	1	1	72.5	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 15:08:23	1	1	1	1	72.5	62.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.6875	2004
29.01.2020 15:08:24	1	1	1	1	72.5	62.5	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:08:25	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:08:26	1	1	1	1	72.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.6875	2004
29.01.2020 15:08:27	1	1	1	1	72.5	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 15:08:28	1	1	1	1	72.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 15:08:29	1	1	1	1	72.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:08:30	1	1	1	1	71.75	62.5	0	29952.607	359.1397849	10675.672	30000	0	0	30000	42.8125	2004
29.01.2020 15:08:31	1	1	1	1	71.75	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.6875	2004
29.01.2020 15:08:39	1	1	1	1	71.75	62	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:08:39	1	1	1	1	71.75	62	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:08:39	1	1	1	1	71.75	62	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:08:39	1	1	1	1	71.75	62	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:08:39	1	1	1	1	71.75	62	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:08:39	1	1	1	1	71.75	62	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:08:39	1	1	1	1	71.75	62	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:08:39	1	1	1	1	71.75	62	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:08:40	1	1	1	1	71.75	62.75	0	29952.607	378.4946237	11319.0009	30000	0	0	30000	42.0625	2004
29.01.2020 15:08:41	1	1	1	1	72.25	62	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	42.6875	2004
29.01.2020 15:08:42	1	1	1	1	72.25	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.9375	2004
29.01.2020 15:08:43	1	1	1	1	72.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
29.01.2020 15:08:44	1	1	1	1	72.25	63.25	0	29905.213	384.9462366	11871.00807	30000	0	0	30000	42.875	2004
29.01.2020 15:08:45	1	1	1	1	72.25	62.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	43.3125	2004
29.01.2020 15:08:46	1	1	1	1	72.25	63.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	43.25	2004
29.01.2020 15:08:47	1	1	1	1	72.25	62.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.5625	2004
29.01.2020 15:08:48	1	1	1	1	72.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.6875	2004
29.01.2020 15:08:49	1	1	1	1	72.25	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.8125	2004
29.01.2020 15:08:50	1	1	1	1	72.75	62.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
29.01.2020 15:08:51	1	1	1	1	72.75	62.75	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	42.375	2004
29.01.2020 15:08:52	1	1	1	1	72.75	62.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.5	2004
29.01.2020 15:08:53	1	1	1	1	72.75	62.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.5625	2004
29.01.2020 15:08:54	1	1	1	1	72.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
29.01.2020 15:08:55	1	1	1	1	72.75	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
29.01.2020 15:08:56	1	1	1	1	72.75	62.5	0	29905.213	415.0537634	12560.8132	30000	0	0	30000	42.6875	2004
29.01.2020 15:08:57	1	1	1	1	72.75	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5625	2004
29.01.2020 15:08:58	1	1	1	1	72.75	62.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
29.01.2020 15:08:59	1	1	1	1	72.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
29.01.2020 15:09:00	1	1	1	1	72.5	62.75	0	30000	427.9569892	12689.64205	30000	0	0	30000	42.8125	2004
29.01.2020 15:09:01	1	1	1	1	72.5	62.75	0	30000	427.9569892	12709.21099	30000	0	0	30000	42.625	2004
29.01.2020 15:09:02	1	1	1	1	72.5	62.5	0	30000	445.1612903	13140.54304	30000	0	0	30000	42.5	2004
29.01.2020 15:09:03	1	1	1	1	72.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
29.01.2020 15:09:04	1	1	1	1	72.5	62.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	42.625	2004
29.01.2020 15:09:05	1	1	1	1	72.5	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.5	2004
29.01.2020 15:09:06	1	1	1	1	72.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
29.01.2020 15:09:07	1	1	1	1	72.5	62.75	0	30000	443.0107527	13140.54304	30000	0	0	30000	42.75	2004
29.01.2020 15:09:08	1	1	1	1	72.5	62.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.1875	2004
29.01.2020 15:09:09	1	1	1	1	72.5	62	0	30000	460.2150538	13312.58663	30000	0	0	30000	42.6875	2004
29.01.2020 15:09:10	1	1	1	1	71.75	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.75	2004
29.01.2020 15:09:11	1	1	1	1	71.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:09:12	1	1	1	1	71.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
29.01.2020 15:09:13	1	1	1	1	71.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
29.01.2020 15:09:14	1	1	1	1	71.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 15:09:15	1	1	1	1	71.75	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
29.01.2020 15:09:16	1	1	1	1	71.75	62.75	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 15:09:17	1	1	1	1	71.75	62.5	0	29905.213	307.5268817	9354.76857	30000	0	0	30000	42.625	2004
29.01.2020 15:09:19	1	1	1	1	71.75	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.875	2004
29.01.2020 15:09:20	1	1	1	1	71.75	62.75	0	30000	266.6666667	8128.448346	30000	0	0	30000	43	2004
29.01.2020 15:09:21	1	1	1	1	72.75	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:09:22	1	1	1	1	72.75	62.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.875	2004
29.01.2020 15:09:23	1	1	1	1	72.75	62.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.6875	2004
29.01.2020 15:09:24	1	1	1	1	72.75	62.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.25	2004
29.01.2020 15:09:25	1	1	1	1	72.75	63.25	0	29905.213	266.6666667	8192.862773	30000	0	0	30000	42.6875	2004
29.01.2020 15:09:26	1	1	1	1	72.75	62.5	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.75	2004
29.01.2020 15:09:27	1	1	1	1	72.75	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.9375	2004
29.01.2020 15:09:28	1	1	1	1	72.75	62.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.5625	2004
29.01.2020 15:09:29	1	1	1	1	72.75	62.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.25	2004
29.01.2020 15:09:30	1	1	1	1	73.75	62.25	0	30000	260.2150538	7717.500612	30000	0	0	30000	42.5625	2004
29.01.2020 15:09:31	1	1	1	1	73.75	62.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.9375	2004
29.01.2020 15:09:32	1	1	1	1	73.75	62.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	42.6875	2004
29.01.2020 15:09:33	1	1	1	1	73.75	62.5	0	30000	260.2150538	7870.79064	30000	0	0	30000	42.9375	2004
29.01.2020 15:09:41	1	1	1	1	73.25	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	43	2004
29.01.2020 15:09:41	1	1	1	1	73.25	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	43	2004
29.01.2020 15:09:41	1	1	1	1	73.25	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	43	2004
29.01.2020 15:09:41	1	1	1	1	73.25	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	43	2004
29.01.2020 15:09:41	1	1	1	1	73.25	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	43	2004
29.01.2020 15:09:41	1	1	1	1	73.25	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	43	2004
29.01.2020 15:09:41	1	1	1	1	73.25	63	0	30000	277.4193548	8258.092572	30000	0	0	30000	41.9375	2004
29.01.2020 15:09:42	1	1	1	1	73.25	61.75	0	30000	273.1182796	8128.448346	30000	0	0	30000	42.875	2004
29.01.2020 15:09:43	1	1	1	1	73.25	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.9375	2004
29.01.2020 15:09:44	1	1	1	1	73.25	62.75	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.6875	2004
29.01.2020 15:09:45	1	1	1	1	73.25	62.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.8125	2004
29.01.2020 15:09:46	1	1	1	1	73.25	62.75	0	30000	294.6236559	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 15:09:47	1	1	1	1	73.25	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5	2004
29.01.2020 15:09:48	1	1	1	1	73.25	62.5	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.8125	2004
29.01.2020 15:09:49	1	1	1	1	73.25	62.75	0	29905.213	290.3225806	8553.257413	30000	0	0	30000	42.3125	2004
29.01.2020 15:09:50	1	1	1	1	73.5	62.25	0	30000	290.3225806	8801.946022	30000	0	0	30000	42.5625	2004
29.01.2020 15:09:51	1	1	1	1	73.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.1875	2004
29.01.2020 15:09:52	1	1	1	1	73.5	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.75	2004
29.01.2020 15:09:53	1	1	1	1	73.5	62.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.6875	2004
29.01.2020 15:09:54	1	1	1	1	73.5	62.5	0	29952.607	279.5698925	8515.750279	30000	0	0	30000	42.625	2004
29.01.2020 15:09:55	1	1	1	1	73.5	62.5	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	42.25	2004
29.01.2020 15:09:56	1	1	1	1	73.5	62.25	0	30000	273.1182796	8322.506999	30000	0	0	30000	42.875	2004
29.01.2020 15:09:58	1	1	1	1	73.5	62.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.9375	2004
29.01.2020 15:09:59	1	1	1	1	73.5	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.875	2004
29.01.2020 15:10:00	1	1	1	1	73.5	62.75	0	30000	281.7204301	8309.461039	30000	0	0	30000	42.6875	2004
29.01.2020 15:10:01	1	1	1	1	74	62.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.9375	2004
29.01.2020 15:10:02	1	1	1	1	74	62.75	0	30000	270.9677419	8322.506999	30000	0	0	30000	42.875	2004
29.01.2020 15:10:03	1	1	1	1	74	62.75	0	30000	268.8172043	7999.619493	30000	0	0	30000	43.3125	2004
29.01.2020 15:10:04	1	1	1	1	74	63.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.125	2004
29.01.2020 15:10:05	1	1	1	1	74	62.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:10:06	1	1	1	1	74	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.875	2004
29.01.2020 15:10:07	1	1	1	1	74	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.9375	2004
29.01.2020 15:10:08	1	1	1	1	74	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:09	1	1	1	1	74	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.25	2004
29.01.2020 15:10:10	1	1	1	1	73	62.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.875	2004
29.01.2020 15:10:11	1	1	1	1	73	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.375	2004
29.01.2020 15:10:12	1	1	1	1	73	62.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:13	1	1	1	1	73	62.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.875	2004
29.01.2020 15:10:14	1	1	1	1	73	62.75	0	30000	303.2258065	9067.757454	30000	0	0	30000	42.875	2004
29.01.2020 15:10:15	1	1	1	1	73	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.375	2004
29.01.2020 15:10:16	1	1	1	1	73	62.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.6875	2004
29.01.2020 15:10:17	1	1	1	1	73	62.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.6875	2004
29.01.2020 15:10:18	1	1	1	1	73	62.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.5	2004
29.01.2020 15:10:19	1	1	1	1	73	62.5	0	29952.607	270.9677419	8128.448346	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:20	1	1	1	1	73.25	62.75	0	29905.213	275.2688172	8309.461039	30000	0	0	30000	42.6875	2004
29.01.2020 15:10:21	1	1	1	1	73.25	62.5	0	30000	281.7204301	8386.921425	30000	0	0	30000	42.875	2004
29.01.2020 15:10:22	1	1	1	1	73.25	62.75	0	30000	288.172043	8580.164705	30000	0	0	30000	43	2004
29.01.2020 15:10:23	1	1	1	1	73.25	63	0	30000	288.172043	8708.993559	30000	0	0	30000	42.75	2004
29.01.2020 15:10:24	1	1	1	1	73.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.9375	2004
29.01.2020 15:10:25	1	1	1	1	73.25	62.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.375	2004
29.01.2020 15:10:26	1	1	1	1	73.25	62.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.375	2004
29.01.2020 15:10:27	1	1	1	1	73.25	62.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.875	2004
29.01.2020 15:10:28	1	1	1	1	73.25	62.75	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:10:29	1	1	1	1	73.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:30	1	1	1	1	73.25	62.75	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:10:31	1	1	1	1	73.25	62.5	0	29952.607	318.2795699	9483.597423	30000	0	0	30000	42.125	2004
29.01.2020 15:10:32	1	1	1	1	73.25	62	0	30000	322.5806452	9548.01185	30000	0	0	30000	42.4375	2004
29.01.2020 15:10:33	1	1	1	1	73.25	62.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:34	1	1	1	1	73.25	62.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.4375	2004
29.01.2020 15:10:42	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:42	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:42	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:42	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:42	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:42	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:42	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:43	1	1	1	1	73.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.875	2004
29.01.2020 15:10:44	1	1	1	1	73.5	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.875	2004
29.01.2020 15:10:45	1	1	1	1	73.5	62.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.875	2004
29.01.2020 15:10:46	1	1	1	1	73.5	62.75	0	29952.607	335.483871	10032.34311	30000	0	0	30000	42.9375	2004
29.01.2020 15:10:47	1	1	1	1	73.5	62.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 15:10:48	1	1	1	1	73.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.75	2004
29.01.2020 15:10:49	1	1	1	1	73.5	62.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:10:50	1	1	1	1	72.75	62.75	0	30094.787	352.688172	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:51	1	1	1	1	72.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
29.01.2020 15:10:52	1	1	1	1	72.75	62.75	0	30047.393	365.5913978	10773.5167	30000	0	0	30000	42.3125	2004
29.01.2020 15:10:53	1	1	1	1	72.75	62.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.9375	2004
29.01.2020 15:10:54	1	1	1	1	72.75	61.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.75	2004
29.01.2020 15:10:55	1	1	1	1	72.75	62.75	0	30000	384.9462366	11354.87729	30000	0	0	30000	42.25	2004
29.01.2020 15:10:56	1	1	1	1	72.75	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.9375	2004
29.01.2020 15:10:57	1	1	1	1	72.75	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.875	2004
29.01.2020 15:10:58	1	1	1	1	72.75	62.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	42.8125	2004
29.01.2020 15:10:59	1	1	1	1	72.75	62.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.0625	2004
29.01.2020 15:11:00	1	1	1	1	72.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
29.01.2020 15:11:01	1	1	1	1	72.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.8125	2004
29.01.2020 15:11:02	1	1	1	1	72.25	62.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.8125	2004
29.01.2020 15:11:03	1	1	1	1	72.25	62.75	0	29905.213	363.4408602	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 15:11:04	1	1	1	1	72.25	62	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.6875	2004
29.01.2020 15:11:05	1	1	1	1	72.25	62.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 15:11:06	1	1	1	1	72.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
29.01.2020 15:11:07	1	1	1	1	72.25	62.25	0	30000	380.6451613	11336.93909	30000	0	0	30000	43	2004
29.01.2020 15:11:08	1	1	1	1	72.25	63	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 15:11:09	1	1	1	1	72.25	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.8125	2004
29.01.2020 15:11:10	1	1	1	1	73.25	62.75	0	30000	350.5376344	10451.44457	30000	0	0	30000	42.9375	2004
29.01.2020 15:11:11	1	1	1	1	73.25	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.9375	2004
29.01.2020 15:11:13	1	1	1	1	73.25	62.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:11:14	1	1	1	1	73.25	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.8125	2004
29.01.2020 15:11:15	1	1	1	1	73.25	62.75	0	29952.607	318.2795699	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 15:11:16	1	1	1	1	73.25	62.5	0	30000	313.9784946	9261.000734	30000	0	0	30000	42.8125	2004
29.01.2020 15:11:17	1	1	1	1	73.25	62.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004
29.01.2020 15:11:18	1	1	1	1	73.25	62.75	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.0625	2004
29.01.2020 15:11:19	1	1	1	1	73.25	63	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.25	2004
29.01.2020 15:11:20	1	1	1	1	73.25	63.25	0	30000	270.9677419	8116.217759	30000	0	0	30000	43.1875	2004
29.01.2020 15:11:21	1	1	1	1	73.25	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.875	2004
29.01.2020 15:11:22	1	1	1	1	73.25	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.625	2004
29.01.2020 15:11:23	1	1	1	1	73.25	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.375	2004
29.01.2020 15:11:24	1	1	1	1	73.25	62.25	0	30000	322.5806452	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 15:11:25	1	1	1	1	73.25	62.75	0	29905.213	322.5806452	9741.25513	30000	0	0	30000	42.5	2004
29.01.2020 15:11:26	1	1	1	1	73.25	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 15:11:27	1	1	1	1	73.25	62.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.875	2004
29.01.2020 15:11:28	1	1	1	1	73.25	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.875	2004
29.01.2020 15:11:29	1	1	1	1	73.25	62.75	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.75	2004
29.01.2020 15:11:30	1	1	1	1	73	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.875	2004
29.01.2020 15:11:31	1	1	1	1	73	62.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	42.9375	2004
29.01.2020 15:11:32	1	1	1	1	73	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.9375	2004
29.01.2020 15:11:33	1	1	1	1	73	61.75	0	30000	326.8817204	9597.749572	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:11:34	1	1	1	1	73	62.25	0	30000	324.7311828	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 15:11:35	1	1	1	1	73	62.5	0	30000	326.8817204	9612.426277	30000	0	0	30000	42.9375	2004
29.01.2020 15:11:36	1	1	1	1	73	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.9375	2004
29.01.2020 15:11:44	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
29.01.2020 15:11:44	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
29.01.2020 15:11:44	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
29.01.2020 15:11:44	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
29.01.2020 15:11:44	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
29.01.2020 15:11:44	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
29.01.2020 15:11:44	1	1	1	1	73.25	63	0	29952.607	316.1290323	9676.840703	30000	0	0	30000	42.75	2004
29.01.2020 15:11:45	1	1	1	1	73.25	62.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.8125	2004
29.01.2020 15:11:46	1	1	1	1	73.25	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	43	2004
29.01.2020 15:11:47	1	1	1	1	73.25	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.8125	2004
29.01.2020 15:11:48	1	1	1	1	73.25	62.75	0	30000	326.8817204	9821.977006	30000	0	0	30000	42.875	2004
29.01.2020 15:11:49	1	1	1	1	73.25	62.75	0	29952.607	322.5806452	9662.163999	30000	0	0	30000	43	2004
29.01.2020 15:11:50	1	1	1	1	73.5	63	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.875	2004
29.01.2020 15:11:51	1	1	1	1	73.5	62.75	0	30047.393	326.8817204	9741.25513	30000	0	0	30000	42.9375	2004
29.01.2020 15:11:52	1	1	1	1	73.5	62.75	0	30000	322.5806452	9662.163999	30000	0	0	30000	42.9375	2004
29.01.2020 15:11:53	1	1	1	1	73.5	62.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.5625	2004
29.01.2020 15:11:55	1	1	1	1	73.5	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.6875	2004
29.01.2020 15:11:56	1	1	1	1	73.5	62.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.0625	2004
29.01.2020 15:11:57	1	1	1	1	73.5	63	0	29905.213	339.7849462	10113.06499	30000	0	0	30000	42.125	2004
29.01.2020 15:11:58	1	1	1	1	73.5	62	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.875	2004
29.01.2020 15:11:59	1	1	1	1	73.5	62.75	0	29905.213	337.6344086	10128.55706	30000	0	0	30000	43	2004
29.01.2020 15:12:00	1	1	1	1	73.5	63	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	43	2004
29.01.2020 15:12:01	1	1	1	1	73.25	63	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
29.01.2020 15:12:02	1	1	1	1	73.25	63	0	30000	333.3333333	9935.313783	30000	0	0	30000	42.5	2004
29.01.2020 15:12:03	1	1	1	1	73.25	62.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
29.01.2020 15:12:04	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.875	2004
29.01.2020 15:12:05	1	1	1	1	73.25	61.75	0	30000	326.8817204	9935.313783	30000	0	0	30000	42.75	2004
29.01.2020 15:12:06	1	1	1	1	73.25	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.75	2004
29.01.2020 15:12:07	1	1	1	1	73.25	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.75	2004
29.01.2020 15:12:08	1	1	1	1	73.25	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
29.01.2020 15:12:09	1	1	1	1	73.25	62.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.875	2004
29.01.2020 15:12:10	1	1	1	1	73.5	62.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	42.5625	2004
29.01.2020 15:12:11	1	1	1	1	73.5	62.5	0	30000	309.6774194	9067.757454	30000	0	0	30000	42.4375	2004
29.01.2020 15:12:12	1	1	1	1	73.5	62.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.875	2004
29.01.2020 15:12:13	1	1	1	1	73.5	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.9375	2004
29.01.2020 15:12:14	1	1	1	1	73.5	62.75	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	42.875	2004
29.01.2020 15:12:15	1	1	1	1	73.5	62.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.6875	2004
29.01.2020 15:12:16	1	1	1	1	73.5	62.5	0	30000	260.2150538	7600.902346	30000	0	0	30000	42.8125	2004
29.01.2020 15:12:17	1	1	1	1	73.5	62.75	0	30000	277.4193548	8451.335852	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:12:18	1	1	1	1	73.5	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.4375	2004
29.01.2020 15:12:19	1	1	1	1	73.5	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.9375	2004
29.01.2020 15:12:20	1	1	1	1	73.5	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.8125	2004
29.01.2020 15:12:21	1	1	1	1	73.5	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.8125	2004
29.01.2020 15:12:22	1	1	1	1	73.5	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.875	2004
29.01.2020 15:12:23	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.75	2004
29.01.2020 15:12:26	1	1	1	1	73.5	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 15:12:26	1	1	1	1	73.5	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 15:12:26	1	1	1	1	73.5	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.5625	2004
29.01.2020 15:12:27	1	1	1	1	73.5	62.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.875	2004
29.01.2020 15:12:28	1	1	1	1	73.5	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.875	2004
29.01.2020 15:12:29	1	1	1	1	73.5	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.875	2004
29.01.2020 15:12:30	1	1	1	1	73.5	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.875	2004
29.01.2020 15:12:32	1	1	1	1	73.5	62.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.3125	2004
29.01.2020 15:12:33	1	1	1	1	73.5	62.25	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.875	2004
29.01.2020 15:12:34	1	1	1	1	73.5	62.75	0	30000	264.516129	7987.388905	30000	0	0	30000	42.6875	2004
29.01.2020 15:12:35	1	1	1	1	73.5	62.5	0	30000	266.6666667	7987.388905	30000	0	0	30000	42.625	2004
29.01.2020 15:12:36	1	1	1	1	73.5	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
29.01.2020 15:12:37	1	1	1	1	73.5	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 15:12:38	1	1	1	1	73.5	62.75	0	30000	288.172043	8580.164705	30000	0	0	30000	43.0625	2004
29.01.2020 15:12:45	1	1	1	1	73.5	62.75	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	42.875	2004
29.01.2020 15:12:45	1	1	1	1	73.5	62.75	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	42.875	2004
29.01.2020 15:12:45	1	1	1	1	73.5	62.75	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	42.875	2004
29.01.2020 15:12:45	1	1	1	1	73.5	62.75	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	42.875	2004
29.01.2020 15:12:45	1	1	1	1	73.5	62.75	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	42.875	2004
29.01.2020 15:12:45	1	1	1	1	73.5	62.75	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	42.875	2004
29.01.2020 15:12:45	1	1	1	1	73.5	62.75	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	42.875	2004
29.01.2020 15:12:46	1	1	1	1	73.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
29.01.2020 15:12:47	1	1	1	1	73.5	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.8125	2004
29.01.2020 15:12:48	1	1	1	1	73.5	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.8125	2004
29.01.2020 15:12:49	1	1	1	1	73.5	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.9375	2004
29.01.2020 15:12:50	1	1	1	1	73.5	62.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	43	2004
29.01.2020 15:12:51	1	1	1	1	73.5	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.875	2004
29.01.2020 15:12:52	1	1	1	1	73.5	62.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.75	2004
29.01.2020 15:12:53	1	1	1	1	73.5	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.625	2004
29.01.2020 15:12:54	1	1	1	1	73.5	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.875	2004
29.01.2020 15:12:55	1	1	1	1	73.5	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.9375	2004
29.01.2020 15:12:56	1	1	1	1	73.5	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.8125	2004
29.01.2020 15:12:57	1	1	1	1	73.5	62.75	0	30000	292.4731183	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 15:12:58	1	1	1	1	73.5	62.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.6875	2004
29.01.2020 15:12:59	1	1	1	1	73.5	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:00	1	1	1	1	73.5	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.5	2004
29.01.2020 15:13:01	1	1	1	1	73.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:13:02	1	1	1	1	73.5	62.75	0	30000	290.3225806	8502.704319	30000	0	0	30000	42.75	2004
29.01.2020 15:13:03	1	1	1	1	73.5	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:04	1	1	1	1	73.5	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:05	1	1	1	1	73.5	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.75	2004
29.01.2020 15:13:06	1	1	1	1	73.5	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.875	2004
29.01.2020 15:13:07	1	1	1	1	73.5	62.75	0	29952.607	279.5698925	8580.164705	30000	0	0	30000	42.3125	2004
29.01.2020 15:13:08	1	1	1	1	73.5	62.25	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:09	1	1	1	1	73.5	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:11	1	1	1	1	73.25	62.75	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
29.01.2020 15:13:12	1	1	1	1	73.25	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 15:13:13	1	1	1	1	73.25	62.5	0	30047.393	277.4193548	8322.506999	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:14	1	1	1	1	73.25	62.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	42.4375	2004
29.01.2020 15:13:15	1	1	1	1	73.25	62.25	0	30000	277.4193548	8309.461039	30000	0	0	30000	43	2004
29.01.2020 15:13:16	1	1	1	1	73.25	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43	2004
29.01.2020 15:13:17	1	1	1	1	73.25	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.375	2004
29.01.2020 15:13:18	1	1	1	1	73.25	63.25	0	30000	273.1182796	8180.632185	30000	0	0	30000	42.3125	2004
29.01.2020 15:13:19	1	1	1	1	73.25	62.25	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	43	2004
29.01.2020 15:13:20	1	1	1	1	73.25	63.25	0	29952.607	251.6129032	7524.257332	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:21	1	1	1	1	73.25	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.8125	2004
29.01.2020 15:13:22	1	1	1	1	73.25	62.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:23	1	1	1	1	73.25	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.3125	2004
29.01.2020 15:13:24	1	1	1	1	73.25	62.25	0	30000	270.9677419	8116.217759	30000	0	0	30000	42.6875	2004
29.01.2020 15:13:25	1	1	1	1	73.25	62.5	0	30000	270.9677419	7999.619493	30000	0	0	30000	42.8125	2004
29.01.2020 15:13:26	1	1	1	1	73.25	62.75	0	30000	270.9677419	7987.388905	30000	0	0	30000	42.8125	2004
29.01.2020 15:13:27	1	1	1	1	73.25	62.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.1875	2004
29.01.2020 15:13:28	1	1	1	1	73.25	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.125	2004
29.01.2020 15:13:29	1	1	1	1	73.25	62	0	30000	290.3225806	8502.704319	30000	0	0	30000	43.0625	2004
29.01.2020 15:13:30	1	1	1	1	73.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5	2004
29.01.2020 15:13:31	1	1	1	1	73.5	62.5	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	42.875	2004
29.01.2020 15:13:32	1	1	1	1	73.5	62.75	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 15:13:33	1	1	1	1	73.5	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
29.01.2020 15:13:34	1	1	1	1	73.5	62.75	0	30000	290.3225806	8774.223358	30000	0	0	30000	41	2004
29.01.2020 15:13:35	1	1	1	1	73.5	61	0	30000	301.0752688	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:36	1	1	1	1	73.5	62.75	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	42.25	2004
29.01.2020 15:13:37	1	1	1	1	73.5	62.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.75	2004
29.01.2020 15:13:38	1	1	1	1	73.5	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.875	2004
29.01.2020 15:13:39	1	1	1	1	73.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 15:13:47	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.875	2004
29.01.2020 15:13:47	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.875	2004
29.01.2020 15:13:47	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.875	2004
29.01.2020 15:13:47	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.875	2004
29.01.2020 15:13:47	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.875	2004
29.01.2020 15:13:47	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:13:47	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.875	2004
29.01.2020 15:13:47	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
29.01.2020 15:13:48	1	1	1	1	73.5	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 15:13:49	1	1	1	1	73.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.875	2004
29.01.2020 15:13:51	1	1	1	1	73.5	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.9375	2004
29.01.2020 15:13:52	1	1	1	1	73.5	62.75	0	30000	350.5376344	10709.10227	30000	0	0	30000	42.875	2004
29.01.2020 15:13:53	1	1	1	1	73.5	62.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 15:13:54	1	1	1	1	73.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
29.01.2020 15:13:55	1	1	1	1	73.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.4375	2004
29.01.2020 15:13:56	1	1	1	1	73.5	62.25	0	30047.393	380.6451613	11372.81548	30000	0	0	30000	42.625	2004
29.01.2020 15:13:57	1	1	1	1	73.5	62.5	0	30000	387.0967742	11419.29171	30000	0	0	30000	42.5625	2004
29.01.2020 15:13:58	1	1	1	1	73.5	62.5	0	29952.607	380.6451613	11401.35352	30000	0	0	30000	42.6875	2004
29.01.2020 15:13:59	1	1	1	1	73.5	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5625	2004
29.01.2020 15:14:00	1	1	1	1	73.5	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.6875	2004
29.01.2020 15:14:01	1	1	1	1	73.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
29.01.2020 15:14:02	1	1	1	1	73.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
29.01.2020 15:14:03	1	1	1	1	73.5	62.75	0	30000	421.5053763	12540.42889	30000	0	0	30000	42.8125	2004
29.01.2020 15:14:04	1	1	1	1	73.5	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.8125	2004
29.01.2020 15:14:05	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
29.01.2020 15:14:06	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
29.01.2020 15:14:07	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
29.01.2020 15:14:08	1	1	1	1	73.5	62.5	0	30000	397.8494624	12064.25135	30000	0	0	30000	42.8125	2004
29.01.2020 15:14:09	1	1	1	1	73.5	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
29.01.2020 15:14:10	1	1	1	1	73.5	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 15:14:11	1	1	1	1	73.5	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 15:14:12	1	1	1	1	73.5	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.25	2004
29.01.2020 15:14:13	1	1	1	1	73.5	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.6875	2004
29.01.2020 15:14:14	1	1	1	1	73.5	62.5	0	30000	372.0430108	11225.23306	30000	0	0	30000	42.75	2004
29.01.2020 15:14:15	1	1	1	1	73.5	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.5625	2004
29.01.2020 15:14:16	1	1	1	1	73.5	62.5	0	30000	329.0322581	9999.728209	30000	0	0	30000	42.6875	2004
29.01.2020 15:14:17	1	1	1	1	73.5	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.875	2004
29.01.2020 15:14:18	1	1	1	1	73.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 15:14:19	1	1	1	1	73.5	62.25	0	29952.607	298.9247312	8838.637784	30000	0	0	30000	42.75	2004
29.01.2020 15:14:20	1	1	1	1	73	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.5	2004
29.01.2020 15:14:21	1	1	1	1	73	62.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.8125	2004
29.01.2020 15:14:22	1	1	1	1	73	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
29.01.2020 15:14:23	1	1	1	1	73	62.5	0	30000	283.8709677	8438.289892	30000	0	0	30000	42.75	2004
29.01.2020 15:14:24	1	1	1	1	73	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 15:14:25	1	1	1	1	73	63	0	30000	281.7204301	8580.164705	30000	0	0	30000	42.9375	2004
29.01.2020 15:14:26	1	1	1	1	73	62.75	0	30000	279.5698925	8180.632185	30000	0	0	30000	42.9375	2004
29.01.2020 15:14:28	1	1	1	1	73	62.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.875	2004
29.01.2020 15:14:29	1	1	1	1	73	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 15:14:30	1	1	1	1	73	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:14:31	1	1	1	1	73.25	62.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.9375	2004
29.01.2020 15:14:32	1	1	1	1	73.25	62.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.8125	2004
29.01.2020 15:14:33	1	1	1	1	73.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
29.01.2020 15:14:34	1	1	1	1	73.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.9375	2004
29.01.2020 15:14:35	1	1	1	1	73.25	62.75	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	43.1875	2004
29.01.2020 15:14:36	1	1	1	1	73.25	63	0	29952.607	279.5698925	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 15:14:37	1	1	1	1	73.25	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
29.01.2020 15:14:38	1	1	1	1	73.25	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.9375	2004
29.01.2020 15:14:39	1	1	1	1	73.25	62.75	0	30000	281.7204301	8580.164705	30000	0	0	30000	42.5625	2004
29.01.2020 15:14:40	1	1	1	1	73.5	62.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.9375	2004
29.01.2020 15:14:41	1	1	1	1	73.5	62.75	0	30000	279.5698925	8515.750279	30000	0	0	30000	42.9375	2004
29.01.2020 15:14:50	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 15:14:50	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 15:14:50	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 15:14:50	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 15:14:50	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 15:14:50	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 15:14:50	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 15:14:50	1	1	1	1	73.5	62.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
29.01.2020 15:14:51	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.6875	2004
29.01.2020 15:14:52	1	1	1	1	73.5	62.5	0	29952.607	311.827957	9290.354143	30000	0	0	30000	42.8125	2004
29.01.2020 15:14:53	1	1	1	1	73.5	62.75	0	30000	313.9784946	9468.920719	30000	0	0	30000	42.8125	2004
29.01.2020 15:14:54	1	1	1	1	73.5	62.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.75	2004
29.01.2020 15:14:55	1	1	1	1	73.5	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.3125	2004
29.01.2020 15:14:56	1	1	1	1	73.5	62.25	0	30000	313.9784946	9225.124344	30000	0	0	30000	42.625	2004
29.01.2020 15:14:57	1	1	1	1	73.5	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	43	2004
29.01.2020 15:14:58	1	1	1	1	73.5	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.9375	2004
29.01.2020 15:14:59	1	1	1	1	73.5	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:00	1	1	1	1	73.5	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.3125	2004
29.01.2020 15:15:01	1	1	1	1	73.5	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.5	2004
29.01.2020 15:15:02	1	1	1	1	73.5	62.5	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	42.875	2004
29.01.2020 15:15:03	1	1	1	1	73.5	62.75	0	30000	301.0752688	8903.052211	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:05	1	1	1	1	73.5	62.75	0	29905.213	305.3763441	9290.354143	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:06	1	1	1	1	73.5	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.8125	2004
29.01.2020 15:15:07	1	1	1	1	73.5	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.75	2004
29.01.2020 15:15:08	1	1	1	1	73.5	62.75	0	30000	301.0752688	8938.928601	30000	0	0	30000	42.4375	2004
29.01.2020 15:15:09	1	1	1	1	73.5	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.6875	2004
29.01.2020 15:15:10	1	1	1	1	73.5	62.5	0	29952.607	294.6236559	9096.295491	30000	0	0	30000	42.875	2004
29.01.2020 15:15:11	1	1	1	1	73.25	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.8125	2004
29.01.2020 15:15:12	1	1	1	1	73.25	62.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.75	2004
29.01.2020 15:15:13	1	1	1	1	73.25	62.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	43.25	2004
29.01.2020 15:15:14	1	1	1	1	73.25	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:15:15	1	1	1	1	73.25	62.25	0	30000	258.0645161	7524.257332	30000	0	0	30000	43.0625	2004
29.01.2020 15:15:16	1	1	1	1	73.25	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.25	2004
29.01.2020 15:15:17	1	1	1	1	73.25	62.5	0	30000	258.0645161	7547.903134	30000	0	0	30000	42.6875	2004
29.01.2020 15:15:18	1	1	1	1	73.25	62.5	0	30000	247.311828	7343.244639	30000	0	0	30000	42.8125	2004
29.01.2020 15:15:19	1	1	1	1	73.25	62.75	0	29952.607	240.8602151	7354.659854	30000	0	0	30000	42.6875	2004
29.01.2020 15:15:20	1	1	1	1	73.5	62.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.5	2004
29.01.2020 15:15:21	1	1	1	1	73.5	62.5	0	30000	264.516129	7935.205066	30000	0	0	30000	42.8125	2004
29.01.2020 15:15:22	1	1	1	1	73.5	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.8125	2004
29.01.2020 15:15:23	1	1	1	1	73.5	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.8125	2004
29.01.2020 15:15:24	1	1	1	1	73.5	62.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.8125	2004
29.01.2020 15:15:25	1	1	1	1	73.5	62.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.6875	2004
29.01.2020 15:15:26	1	1	1	1	73.5	62.5	0	30000	281.7204301	8386.921425	30000	0	0	30000	42.75	2004
29.01.2020 15:15:27	1	1	1	1	73.5	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.3125	2004
29.01.2020 15:15:28	1	1	1	1	73.5	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.75	2004
29.01.2020 15:15:29	1	1	1	1	73.5	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.875	2004
29.01.2020 15:15:30	1	1	1	1	73.25	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43	2004
29.01.2020 15:15:31	1	1	1	1	73.25	63	0	30000	268.8172043	8128.448346	30000	0	0	30000	42.875	2004
29.01.2020 15:15:32	1	1	1	1	73.25	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.8125	2004
29.01.2020 15:15:33	1	1	1	1	73.25	62.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	42.6875	2004
29.01.2020 15:15:34	1	1	1	1	73.25	62.5	0	29952.607	249.4623656	7547.903134	30000	0	0	30000	42.75	2004
29.01.2020 15:15:35	1	1	1	1	73.25	62.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.625	2004
29.01.2020 15:15:36	1	1	1	1	73.25	62.5	0	30000	245.1612903	7419.07428	30000	0	0	30000	42.875	2004
29.01.2020 15:15:37	1	1	1	1	73.25	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.4375	2004
29.01.2020 15:15:38	1	1	1	1	73.25	62.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.875	2004
29.01.2020 15:15:39	1	1	1	1	73.25	62.75	0	30047.393	247.311828	7495.719294	30000	0	0	30000	43	2004
29.01.2020 15:15:40	1	1	1	1	73.25	63	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:41	1	1	1	1	73.25	62.75	0	30000	247.311828	7483.488707	30000	0	0	30000	42.75	2004
29.01.2020 15:15:42	1	1	1	1	73.25	62.75	0	30000	247.311828	7419.07428	30000	0	0	30000	42.875	2004
29.01.2020 15:15:51	1	1	1	1	73.25	62.5	0	30000	240.8602151	7225.831	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:51	1	1	1	1	73.25	62.5	0	30000	240.8602151	7225.831	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:51	1	1	1	1	73.25	62.5	0	30000	240.8602151	7225.831	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:51	1	1	1	1	73.25	62.5	0	30000	240.8602151	7225.831	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:51	1	1	1	1	73.25	62.5	0	30000	240.8602151	7225.831	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:51	1	1	1	1	73.5	62.75	0	30000	251.6129032	7612.31756	30000	0	0	30000	42.6875	2004
29.01.2020 15:15:52	1	1	1	1	73.5	62.5	0	30000	253.7634409	7459.842905	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:53	1	1	1	1	73.5	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:54	1	1	1	1	73.5	62.75	0	29905.213	258.0645161	7729.731199	30000	0	0	30000	43	2004
29.01.2020 15:15:55	1	1	1	1	73.5	63	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.25	2004
29.01.2020 15:15:56	1	1	1	1	73.5	63	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.9375	2004
29.01.2020 15:15:57	1	1	1	1	73.5	62.75	0	30000	260.2150538	7870.79064	30000	0	0	30000	42.875	2004
29.01.2020 15:15:58	1	1	1	1	73.5	62.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:15:59	1	1	1	1	73.5	62.5	0	30000	260.2150538	7741.961786	30000	0	0	30000	42.75	2004
29.01.2020 15:16:00	1	1	1	1	73.75	62.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.8125	2004
29.01.2020 15:16:01	1	1	1	1	73.75	62.75	0	29952.607	258.0645161	7870.79064	30000	0	0	30000	42.875	2004
29.01.2020 15:16:02	1	1	1	1	73.75	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.75	2004
29.01.2020 15:16:03	1	1	1	1	73.75	62.75	0	29952.607	268.8172043	8128.448346	30000	0	0	30000	42.8125	2004
29.01.2020 15:16:04	1	1	1	1	73.75	62.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.875	2004
29.01.2020 15:16:05	1	1	1	1	73.75	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.0625	2004
29.01.2020 15:16:06	1	1	1	1	73.75	62	0	29952.607	277.4193548	8245.046612	30000	0	0	30000	42.75	2004
29.01.2020 15:16:07	1	1	1	1	73.75	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.6875	2004
29.01.2020 15:16:08	1	1	1	1	73.75	62.5	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	42.75	2004
29.01.2020 15:16:09	1	1	1	1	73.75	62.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.9375	2004
29.01.2020 15:16:10	1	1	1	1	73.75	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004
29.01.2020 15:16:11	1	1	1	1	73.75	62.75	0	30047.393	290.3225806	8722.854891	30000	0	0	30000	42.6875	2004
29.01.2020 15:16:12	1	1	1	1	73.75	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
29.01.2020 15:16:13	1	1	1	1	73.75	62.5	0	30047.393	275.2688172	8192.862773	30000	0	0	30000	42.6875	2004
29.01.2020 15:16:14	1	1	1	1	73.75	62.5	0	29952.607	264.516129	7935.205066	30000	0	0	30000	42.6875	2004
29.01.2020 15:16:15	1	1	1	1	73.75	62.5	0	29952.607	273.1182796	8116.217759	30000	0	0	30000	42.9375	2004
29.01.2020 15:16:16	1	1	1	1	73.75	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.6875	2004
29.01.2020 15:16:17	1	1	1	1	73.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.8125	2004
29.01.2020 15:16:18	1	1	1	1	73.75	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.8125	2004
29.01.2020 15:16:19	1	1	1	1	73.75	62.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.75	2004
29.01.2020 15:16:20	1	1	1	1	73.5	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.875	2004
29.01.2020 15:16:21	1	1	1	1	73.5	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.75	2004
29.01.2020 15:16:22	1	1	1	1	73.5	62.75	0	30000	277.4193548	8192.862773	30000	0	0	30000	42.75	2004
29.01.2020 15:16:23	1	1	1	1	73.5	62.75	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	42.6875	2004
29.01.2020 15:16:25	1	1	1	1	73.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
29.01.2020 15:16:26	1	1	1	1	73.5	62.5	0	29952.607	283.8709677	8515.750279	30000	0	0	30000	42.875	2004
29.01.2020 15:16:27	1	1	1	1	73.5	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.75	2004
29.01.2020 15:16:28	1	1	1	1	73.5	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.375	2004
29.01.2020 15:16:29	1	1	1	1	73.5	62.25	0	30000	268.8172043	7999.619493	30000	0	0	30000	42.875	2004
29.01.2020 15:16:30	1	1	1	1	73.5	62.75	0	30000	264.516129	7999.619493	30000	0	0	30000	42.3125	2004
29.01.2020 15:16:31	1	1	1	1	72.75	62.25	0	29905.213	264.516129	8038.757372	30000	0	0	30000	43.0625	2004
29.01.2020 15:16:32	1	1	1	1	72.75	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.0625	2004
29.01.2020 15:16:33	1	1	1	1	72.75	63	0	30000	270.9677419	8051.803332	30000	0	0	30000	43.25	2004
29.01.2020 15:16:34	1	1	1	1	72.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.75	2004
29.01.2020 15:16:35	1	1	1	1	72.75	62.75	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	42.8125	2004
29.01.2020 15:16:36	1	1	1	1	72.75	62.75	0	30000	305.3763441	9067.757454	30000	0	0	30000	42.8125	2004
29.01.2020 15:16:37	1	1	1	1	72.75	62.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.875	2004
29.01.2020 15:16:38	1	1	1	1	72.75	62.75	0	29952.607	307.5268817	9082.434159	30000	0	0	30000	42.625	2004
29.01.2020 15:16:39	1	1	1	1	72.75	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.375	2004
29.01.2020 15:16:40	1	1	1	1	72	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.8125	2004
29.01.2020 15:16:41	1	1	1	1	72	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.75	2004
29.01.2020 15:16:42	1	1	1	1	72	62.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:17:27	1	1	1	1	73.25	62.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	42.6875	2004
29.01.2020 15:17:28	1	1	1	1	73.25	62.5	0	29952.607	281.7204301	8515.750279	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:29	1	1	1	1	73.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 15:17:30	1	1	1	1	73.75	62.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.625	2004
29.01.2020 15:17:31	1	1	1	1	73.75	62.5	0	29905.213	264.516129	7935.205066	30000	0	0	30000	42.75	2004
29.01.2020 15:17:32	1	1	1	1	73.75	62.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.6875	2004
29.01.2020 15:17:33	1	1	1	1	73.75	62.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.6875	2004
29.01.2020 15:17:34	1	1	1	1	73.75	62.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	42.5625	2004
29.01.2020 15:17:35	1	1	1	1	73.75	62.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.3125	2004
29.01.2020 15:17:36	1	1	1	1	73.75	62.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.625	2004
29.01.2020 15:17:37	1	1	1	1	73.75	62.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	42.625	2004
29.01.2020 15:17:38	1	1	1	1	73.75	62.5	0	30000	279.5698925	8580.164705	30000	0	0	30000	42.375	2004
29.01.2020 15:17:39	1	1	1	1	73.75	62.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 15:17:40	1	1	1	1	73.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.75	2004
29.01.2020 15:17:41	1	1	1	1	73.75	62.75	0	29905.213	307.5268817	9211.263012	30000	0	0	30000	42.875	2004
29.01.2020 15:17:43	1	1	1	1	73.75	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:17:44	1	1	1	1	73.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:45	1	1	1	1	73.75	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.6875	2004
29.01.2020 15:17:46	1	1	1	1	73.75	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:53	1	1	1	1	74	62.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:53	1	1	1	1	74	62.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:53	1	1	1	1	74	62.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:53	1	1	1	1	74	62.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:53	1	1	1	1	74	62.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:53	1	1	1	1	74	62.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:53	1	1	1	1	74	62.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:54	1	1	1	1	74	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 15:17:55	1	1	1	1	74	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.75	2004
29.01.2020 15:17:56	1	1	1	1	74	62.75	0	29952.607	337.6344086	10161.17196	30000	0	0	30000	42.6875	2004
29.01.2020 15:17:57	1	1	1	1	74	62.5	0	30000	335.483871	9935.313783	30000	0	0	30000	42.8125	2004
29.01.2020 15:17:58	1	1	1	1	74	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 15:17:59	1	1	1	1	74	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 15:18:00	1	1	1	1	74.25	62.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.9375	2004
29.01.2020 15:18:01	1	1	1	1	74.25	62.75	0	30000	326.8817204	9886.391433	30000	0	0	30000	42.875	2004
29.01.2020 15:18:02	1	1	1	1	74.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 15:18:03	1	1	1	1	74.25	62.75	0	30094.787	341.9354839	10128.55706	30000	0	0	30000	42.875	2004
29.01.2020 15:18:04	1	1	1	1	74.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.6875	2004
29.01.2020 15:18:05	1	1	1	1	74.25	62.5	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 15:18:06	1	1	1	1	74.25	62.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.5625	2004
29.01.2020 15:18:07	1	1	1	1	74.25	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5	2004
29.01.2020 15:18:08	1	1	1	1	74.25	62.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.5	2004
29.01.2020 15:18:09	1	1	1	1	74.25	61.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.75	2004
29.01.2020 15:18:10	1	1	1	1	74	62.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:18:11	1	1	1	1	74	62.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 15:18:12	1	1	1	1	74	62.75	0	30000	346.2365591	10192.97149	30000	0	0	30000	42.75	2004
29.01.2020 15:18:13	1	1	1	1	74	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.625	2004
29.01.2020 15:18:14	1	1	1	1	74	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:15	1	1	1	1	74	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 15:18:16	1	1	1	1	74	62.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	42.875	2004
29.01.2020 15:18:17	1	1	1	1	74	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:18	1	1	1	1	74	62.75	0	29905.213	337.6344086	10096.75754	30000	0	0	30000	42.5625	2004
29.01.2020 15:18:19	1	1	1	1	74	62.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.6875	2004
29.01.2020 15:18:21	1	1	1	1	74	62.5	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 15:18:22	1	1	1	1	74	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.5	2004
29.01.2020 15:18:23	1	1	1	1	74	62.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:24	1	1	1	1	74	62.75	0	30000	350.5376344	10387.03014	30000	0	0	30000	42.5	2004
29.01.2020 15:18:25	1	1	1	1	74	62.5	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	43	2004
29.01.2020 15:18:26	1	1	1	1	74	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 15:18:27	1	1	1	1	74	62.75	0	29952.607	350.5376344	10580.27342	30000	0	0	30000	42.375	2004
29.01.2020 15:18:28	1	1	1	1	74	62.25	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 15:18:29	1	1	1	1	74	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.4375	2004
29.01.2020 15:18:30	1	1	1	1	74	62.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.9375	2004
29.01.2020 15:18:31	1	1	1	1	74	62.75	0	29905.213	329.0322581	9935.313783	30000	0	0	30000	43.25	2004
29.01.2020 15:18:32	1	1	1	1	74	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:33	1	1	1	1	74	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.625	2004
29.01.2020 15:18:34	1	1	1	1	74	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 15:18:35	1	1	1	1	74	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.6875	2004
29.01.2020 15:18:36	1	1	1	1	74	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:37	1	1	1	1	74	62.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.75	2004
29.01.2020 15:18:38	1	1	1	1	74	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.6875	2004
29.01.2020 15:18:39	1	1	1	1	74	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.75	2004
29.01.2020 15:18:40	1	1	1	1	73.5	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.875	2004
29.01.2020 15:18:41	1	1	1	1	73.5	61.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.375	2004
29.01.2020 15:18:42	1	1	1	1	73.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
29.01.2020 15:18:43	1	1	1	1	73.5	62.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:44	1	1	1	1	73.5	62.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.125	2004
29.01.2020 15:18:45	1	1	1	1	73.5	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.5625	2004
29.01.2020 15:18:46	1	1	1	1	73.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:47	1	1	1	1	73.5	62.75	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 15:18:56	1	1	1	1	73.25	62.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:56	1	1	1	1	73.25	62.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:56	1	1	1	1	73.25	62.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:56	1	1	1	1	73.25	62.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:56	1	1	1	1	73.25	62.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:56	1	1	1	1	73.25	62.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:56	1	1	1	1	73.25	62.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:56	1	1	1	1	73.25	62.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:18:56	1	1	1	1	73.25	62.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.8125	2004
29.01.2020 15:18:56	1	1	1	1	73.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.6875	2004
29.01.2020 15:18:57	1	1	1	1	73.25	62.5	0	30000	380.6451613	11336.93909	30000	0	0	30000	42.375	2004
29.01.2020 15:18:58	1	1	1	1	73.25	62.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 15:18:59	1	1	1	1	73.25	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 15:19:00	1	1	1	1	73.75	62.25	0	30000	380.6451613	11319.0009	30000	0	0	30000	42.75	2004
29.01.2020 15:19:01	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:03	1	1	1	1	73.75	62.5	0	30000	374.1935484	11160.81863	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:04	1	1	1	1	73.75	62.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:05	1	1	1	1	73.75	62.5	0	29952.607	382.7956989	11401.35352	30000	0	0	30000	42.75	2004
29.01.2020 15:19:06	1	1	1	1	73.75	62.75	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	42.75	2004
29.01.2020 15:19:07	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 15:19:08	1	1	1	1	73.75	62.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
29.01.2020 15:19:09	1	1	1	1	73.75	62.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.5625	2004
29.01.2020 15:19:10	1	1	1	1	73.75	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:11	1	1	1	1	73.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
29.01.2020 15:19:12	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 15:19:13	1	1	1	1	73.75	62.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 15:19:14	1	1	1	1	73.75	62.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 15:19:15	1	1	1	1	73.75	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.625	2004
29.01.2020 15:19:16	1	1	1	1	73.75	62.5	0	30000	391.3978495	11908.51521	30000	0	0	30000	42.625	2004
29.01.2020 15:19:17	1	1	1	1	73.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:18	1	1	1	1	73.75	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.75	2004
29.01.2020 15:19:19	1	1	1	1	73.75	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.375	2004
29.01.2020 15:19:20	1	1	1	1	73.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 15:19:21	1	1	1	1	73.75	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.8125	2004
29.01.2020 15:19:22	1	1	1	1	73.75	62.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.1875	2004
29.01.2020 15:19:23	1	1	1	1	73.75	62	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.8125	2004
29.01.2020 15:19:24	1	1	1	1	73.75	61.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	42.625	2004
29.01.2020 15:19:25	1	1	1	1	73.75	62.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.875	2004
29.01.2020 15:19:26	1	1	1	1	73.75	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.625	2004
29.01.2020 15:19:27	1	1	1	1	73.75	62.5	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:28	1	1	1	1	73.75	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:29	1	1	1	1	73.75	62.5	0	30000	352.688172	10644.68785	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:30	1	1	1	1	73.75	62.5	0	30000	344.0860215	10387.03014	30000	0	0	30000	42.75	2004
29.01.2020 15:19:31	1	1	1	1	73.75	62.75	0	29905.213	341.9354839	10225.58639	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:32	1	1	1	1	73.75	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.8125	2004
29.01.2020 15:19:33	1	1	1	1	73.75	62.75	0	30000	339.7849462	10064.14264	30000	0	0	30000	42.4375	2004
29.01.2020 15:19:34	1	1	1	1	73.75	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:35	1	1	1	1	73.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 15:19:36	1	1	1	1	73.75	62.5	0	30047.393	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:37	1	1	1	1	73.75	62.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.625	2004
29.01.2020 15:19:38	1	1	1	1	73.75	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:19:39	1	1	1	1	73.75	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.5	2004
29.01.2020 15:19:41	1	1	1	1	73.75	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:42	1	1	1	1	73.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 15:19:43	1	1	1	1	73.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:44	1	1	1	1	73.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.375	2004
29.01.2020 15:19:45	1	1	1	1	73.75	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.625	2004
29.01.2020 15:19:46	1	1	1	1	73.75	62.5	0	30000	335.483871	9999.728209	30000	0	0	30000	42.9375	2004
29.01.2020 15:19:47	1	1	1	1	73.75	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.75	2004
29.01.2020 15:19:48	1	1	1	1	73.75	62.75	0	30000	359.1397849	10563.96597	30000	0	0	30000	42.5625	2004
29.01.2020 15:19:49	1	1	1	1	73.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 15:19:58	1	1	1	1	74	62	0	30000	324.7311828	9597.749572	30000	0	0	30000	42.875	2004
29.01.2020 15:19:58	1	1	1	1	74	62	0	30000	324.7311828	9597.749572	30000	0	0	30000	42.875	2004
29.01.2020 15:19:58	1	1	1	1	74	62	0	30000	324.7311828	9597.749572	30000	0	0	30000	42.875	2004
29.01.2020 15:19:58	1	1	1	1	74	62	0	30000	324.7311828	9597.749572	30000	0	0	30000	42.875	2004
29.01.2020 15:19:58	1	1	1	1	74	62	0	30000	324.7311828	9597.749572	30000	0	0	30000	42.875	2004
29.01.2020 15:19:58	1	1	1	1	74	62	0	30000	324.7311828	9597.749572	30000	0	0	30000	42.875	2004
29.01.2020 15:19:58	1	1	1	1	74	62	0	30000	324.7311828	9597.749572	30000	0	0	30000	42.875	2004
29.01.2020 15:19:58	1	1	1	1	74	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.6875	2004
29.01.2020 15:19:59	1	1	1	1	74	62.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 15:20:00	1	1	1	1	74	62.5	0	29905.213	318.2795699	9453.428641	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:01	1	1	1	1	74	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:20:02	1	1	1	1	74	62.5	0	30000	322.5806452	9468.920719	30000	0	0	30000	42.6875	2004
29.01.2020 15:20:03	1	1	1	1	74	62.5	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	42.75	2004
29.01.2020 15:20:04	1	1	1	1	74	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 15:20:05	1	1	1	1	74	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.8125	2004
29.01.2020 15:20:06	1	1	1	1	74	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:07	1	1	1	1	74	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5	2004
29.01.2020 15:20:08	1	1	1	1	74	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 15:20:09	1	1	1	1	74	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	42.375	2004
29.01.2020 15:20:10	1	1	1	1	74	62.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:11	1	1	1	1	74	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
29.01.2020 15:20:12	1	1	1	1	74	62.75	0	29905.213	333.3333333	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 15:20:13	1	1	1	1	74	62.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.75	2004
29.01.2020 15:20:14	1	1	1	1	74	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.3125	2004
29.01.2020 15:20:15	1	1	1	1	74	62.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.4375	2004
29.01.2020 15:20:16	1	1	1	1	74	62.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.0625	2004
29.01.2020 15:20:17	1	1	1	1	74	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
29.01.2020 15:20:18	1	1	1	1	74	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 15:20:19	1	1	1	1	74	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.625	2004
29.01.2020 15:20:21	1	1	1	1	74	62.5	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
29.01.2020 15:20:22	1	1	1	1	74	62.75	0	30000	337.6344086	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:23	1	1	1	1	74	62.5	0	30047.393	346.2365591	10257.38592	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:20:24	1	1	1	1	74	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.75	2004
29.01.2020 15:20:25	1	1	1	1	74	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:26	1	1	1	1	74	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 15:20:27	1	1	1	1	74	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 15:20:28	1	1	1	1	74	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 15:20:29	1	1	1	1	74	62.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.75	2004
29.01.2020 15:20:30	1	1	1	1	74	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
29.01.2020 15:20:31	1	1	1	1	73.75	63	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:32	1	1	1	1	73.75	62.5	0	29952.607	341.9354839	10177.47941	30000	0	0	30000	42.3125	2004
29.01.2020 15:20:33	1	1	1	1	73.75	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.375	2004
29.01.2020 15:20:34	1	1	1	1	73.75	62.25	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	42.6875	2004
29.01.2020 15:20:35	1	1	1	1	73.75	62.5	0	29905.213	387.0967742	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 15:20:36	1	1	1	1	73.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:37	1	1	1	1	73.75	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:38	1	1	1	1	73.75	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.4375	2004
29.01.2020 15:20:39	1	1	1	1	73.75	62.25	0	30000	384.9462366	11741.36385	30000	0	0	30000	42.5	2004
29.01.2020 15:20:40	1	1	1	1	73.75	62.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:41	1	1	1	1	73.75	62.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 15:20:42	1	1	1	1	73.75	62	0	30000	406.4516129	12128.66578	30000	0	0	30000	42.75	2004
29.01.2020 15:20:43	1	1	1	1	73.75	62.75	0	30000	400	12064.25135	30000	0	0	30000	42.5625	2004
29.01.2020 15:20:44	1	1	1	1	73.75	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.6875	2004
29.01.2020 15:20:45	1	1	1	1	73.75	62.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
29.01.2020 15:20:46	1	1	1	1	73.75	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.6875	2004
29.01.2020 15:20:47	1	1	1	1	73.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 15:20:48	1	1	1	1	73.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
29.01.2020 15:20:49	1	1	1	1	73.75	62.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.75	2004
29.01.2020 15:20:50	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:58	1	1	1	1	73.5	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
29.01.2020 15:20:59	1	1	1	1	73.5	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.6875	2004
29.01.2020 15:21:01	1	1	1	1	73.5	62.5	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 15:21:02	1	1	1	1	73.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
29.01.2020 15:21:03	1	1	1	1	73.5	62.5	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	42.5625	2004
29.01.2020 15:21:04	1	1	1	1	73.5	62.5	0	29952.607	356.9892473	10611.25758	30000	0	0	30000	42.625	2004
29.01.2020 15:21:05	1	1	1	1	73.5	62.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 15:21:06	1	1	1	1	73.5	62.25	0	30047.393	391.3978495	11419.29171	30000	0	0	30000	42.375	2004
29.01.2020 15:21:07	1	1	1	1	73.5	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:21:08	1	1	1	1	73.5	62.75	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	42.8125	2004
29.01.2020 15:21:09	1	1	1	1	73.5	62.75	0	29905.213	369.8924731	11143.69581	30000	0	0	30000	42.25	2004
29.01.2020 15:21:10	1	1	1	1	73.5	62.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.375	2004
29.01.2020 15:21:11	1	1	1	1	73.75	62.25	0	30000	354.8387097	10387.03014	30000	0	0	30000	42.9375	2004
29.01.2020 15:21:12	1	1	1	1	73.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 15:21:13	1	1	1	1	73.75	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.625	2004
29.01.2020 15:21:14	1	1	1	1	73.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:21:15	1	1	1	1	73.75	62.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.6875	2004
29.01.2020 15:21:16	1	1	1	1	73.75	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.75	2004
29.01.2020 15:21:17	1	1	1	1	73.75	62.75	0	30000	356.9892473	10499.55155	30000	0	0	30000	42.8125	2004
29.01.2020 15:21:18	1	1	1	1	73.75	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.625	2004
29.01.2020 15:21:19	1	1	1	1	73.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:21:20	1	1	1	1	73.75	62.5	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	42.5625	2004
29.01.2020 15:21:21	1	1	1	1	73.75	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 15:21:22	1	1	1	1	73.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 15:21:23	1	1	1	1	73.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 15:21:24	1	1	1	1	73.75	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 15:21:25	1	1	1	1	73.75	62.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 15:21:26	1	1	1	1	73.75	62.25	0	30000	316.1290323	9468.920719	30000	0	0	30000	42.625	2004
29.01.2020 15:21:27	1	1	1	1	73.75	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.75	2004
29.01.2020 15:21:28	1	1	1	1	73.75	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 15:21:29	1	1	1	1	73.75	62.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.6875	2004
29.01.2020 15:21:30	1	1	1	1	73.75	62.5	0	30000	335.483871	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 15:21:31	1	1	1	1	73.75	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.625	2004
29.01.2020 15:21:32	1	1	1	1	73.75	62.5	0	30047.393	324.7311828	9821.977006	30000	0	0	30000	42.375	2004
29.01.2020 15:21:33	1	1	1	1	73.75	62.25	0	30000	331.1827957	9855.407279	30000	0	0	30000	42.4375	2004
29.01.2020 15:21:34	1	1	1	1	73.75	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:21:35	1	1	1	1	73.75	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.625	2004
29.01.2020 15:21:36	1	1	1	1	73.75	62.5	0	29952.607	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
29.01.2020 15:21:37	1	1	1	1	73.75	62.75	0	30000	318.2795699	9324.599788	30000	0	0	30000	42.75	2004
29.01.2020 15:21:39	1	1	1	1	73.75	62.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.75	2004
29.01.2020 15:21:40	1	1	1	1	73.75	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 15:21:41	1	1	1	1	73.75	62.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:21:42	1	1	1	1	73.75	62.5	0	30000	305.3763441	9146.848585	30000	0	0	30000	42.8125	2004
29.01.2020 15:21:43	1	1	1	1	73.75	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:21:44	1	1	1	1	73.75	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:21:45	1	1	1	1	73.75	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.5	2004
29.01.2020 15:21:46	1	1	1	1	73.75	62.5	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	42.625	2004
29.01.2020 15:21:47	1	1	1	1	73.75	62.5	0	29905.213	298.9247312	8903.052211	30000	0	0	30000	42.875	2004
29.01.2020 15:21:48	1	1	1	1	73.75	62.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 15:21:49	1	1	1	1	73.75	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.1875	2004
29.01.2020 15:21:50	1	1	1	1	73.75	62	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.6875	2004
29.01.2020 15:21:51	1	1	1	1	74	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:21:52	1	1	1	1	74	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 15:22:00	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:22:00	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:22:00	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:22:00	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:22:00	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:22:00	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:22:00	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:22:00	1	1	1	1	74	62.5	0	30094.787	309.6774194	9096.295491	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:01	1	1	1	1	74	62.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.625	2004
29.01.2020 15:22:02	1	1	1	1	74	62.5	0	29905.213	294.6236559	8889.190879	30000	0	0	30000	42.5	2004
29.01.2020 15:22:03	1	1	1	1	74	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5	2004
29.01.2020 15:22:04	1	1	1	1	74	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.1875	2004
29.01.2020 15:22:05	1	1	1	1	74	62	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:06	1	1	1	1	74	62.5	0	30047.393	307.5268817	9096.295491	30000	0	0	30000	42.75	2004
29.01.2020 15:22:07	1	1	1	1	74	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.8125	2004
29.01.2020 15:22:08	1	1	1	1	74	62.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.3125	2004
29.01.2020 15:22:09	1	1	1	1	74	62.25	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 15:22:10	1	1	1	1	73.75	62	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:11	1	1	1	1	73.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:12	1	1	1	1	73.75	62.5	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	42.625	2004
29.01.2020 15:22:13	1	1	1	1	73.75	62.5	0	30000	292.4731183	8617.67184	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:14	1	1	1	1	73.75	62.5	0	30000	292.4731183	8644.579132	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:15	1	1	1	1	73.75	62.5	0	30000	309.6774194	9433.859702	30000	0	0	30000	42.8125	2004
29.01.2020 15:22:17	1	1	1	1	73.75	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.5	2004
29.01.2020 15:22:18	1	1	1	1	73.75	62.5	0	30000	305.3763441	9132.171881	30000	0	0	30000	42.625	2004
29.01.2020 15:22:19	1	1	1	1	73.75	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 15:22:20	1	1	1	1	73.75	62.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:22:21	1	1	1	1	73.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.625	2004
29.01.2020 15:22:22	1	1	1	1	73.75	62.5	0	30047.393	288.172043	8708.993559	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:23	1	1	1	1	73.75	62.5	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	42.875	2004
29.01.2020 15:22:24	1	1	1	1	73.75	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5	2004
29.01.2020 15:22:25	1	1	1	1	73.75	62.5	0	29952.607	290.3225806	8682.086266	30000	0	0	30000	42.75	2004
29.01.2020 15:22:26	1	1	1	1	73.75	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.375	2004
29.01.2020 15:22:27	1	1	1	1	73.75	62.25	0	30000	290.3225806	8903.052211	30000	0	0	30000	42.8125	2004
29.01.2020 15:22:28	1	1	1	1	73.75	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
29.01.2020 15:22:29	1	1	1	1	73.75	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.125	2004
29.01.2020 15:22:30	1	1	1	1	73.75	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
29.01.2020 15:22:31	1	1	1	1	74	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.75	2004
29.01.2020 15:22:32	1	1	1	1	74	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.125	2004
29.01.2020 15:22:33	1	1	1	1	74	62.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.1875	2004
29.01.2020 15:22:34	1	1	1	1	74	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.625	2004
29.01.2020 15:22:35	1	1	1	1	74	62.5	0	29952.607	258.0645161	7729.731199	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:22:36	1	1	1	1	74	62.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:37	1	1	1	1	74	62.5	0	29952.607	249.4623656	7612.31756	30000	0	0	30000	42.625	2004
29.01.2020 15:22:38	1	1	1	1	74	62.5	0	30000	253.7634409	7665.316772	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:39	1	1	1	1	74	62.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.625	2004
29.01.2020 15:22:40	1	1	1	1	73.75	62.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	42.375	2004
29.01.2020 15:22:41	1	1	1	1	73.75	62.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.625	2004
29.01.2020 15:22:42	1	1	1	1	73.75	62.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.5625	2004
29.01.2020 15:22:43	1	1	1	1	73.75	62.5	0	30000	247.311828	7419.07428	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:44	1	1	1	1	73.75	62.5	0	30000	247.311828	7419.07428	30000	0	0	30000	42.8125	2004
29.01.2020 15:22:45	1	1	1	1	73.75	62.75	0	30000	247.311828	7419.07428	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:46	1	1	1	1	73.75	62.5	0	29952.607	245.1612903	7407.659066	30000	0	0	30000	42.8125	2004
29.01.2020 15:22:47	1	1	1	1	73.75	62.75	0	30047.393	245.1612903	7354.659854	30000	0	0	30000	42.625	2004
29.01.2020 15:22:48	1	1	1	1	73.75	62.5	0	29905.213	240.8602151	7395.428478	30000	0	0	30000	42.8125	2004
29.01.2020 15:22:49	1	1	1	1	73.75	62.75	0	29952.607	243.0107527	7483.488707	30000	0	0	30000	42.6875	2004
29.01.2020 15:22:50	1	1	1	1	74	62.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.5	2004
29.01.2020 15:22:51	1	1	1	1	74	62.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.625	2004
29.01.2020 15:22:52	1	1	1	1	74	62.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.625	2004
29.01.2020 15:22:53	1	1	1	1	74	62.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:01	1	1	1	1	74	62.75	0	29905.213	240.8602151	7225.831	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:01	1	1	1	1	74	62.75	0	29905.213	240.8602151	7225.831	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:01	1	1	1	1	74	62.75	0	29905.213	240.8602151	7225.831	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:01	1	1	1	1	74	62.75	0	29905.213	240.8602151	7225.831	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:01	1	1	1	1	74	62.75	0	29905.213	240.8602151	7225.831	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:01	1	1	1	1	74	62.75	0	29905.213	240.8602151	7225.831	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:01	1	1	1	1	74	62.75	0	29905.213	240.8602151	7225.831	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:02	1	1	1	1	74	62.5	0	30000	240.8602151	7225.831	30000	0	0	30000	42.8125	2004
29.01.2020 15:23:03	1	1	1	1	74	62.75	0	30000	251.6129032	7612.31756	30000	0	0	30000	42.75	2004
29.01.2020 15:23:04	1	1	1	1	74	62.75	0	30047.393	258.0645161	7547.903134	30000	0	0	30000	42.3125	2004
29.01.2020 15:23:05	1	1	1	1	74	62.25	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:06	1	1	1	1	74	62.5	0	30000	249.4623656	7536.487919	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:07	1	1	1	1	74	62.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.375	2004
29.01.2020 15:23:08	1	1	1	1	74	62.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.5625	2004
29.01.2020 15:23:09	1	1	1	1	74	62.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.75	2004
29.01.2020 15:23:10	1	1	1	1	74	62.75	0	30000	253.7634409	7483.488707	30000	0	0	30000	42.5	2004
29.01.2020 15:23:11	1	1	1	1	73.75	62.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	43	2004
29.01.2020 15:23:12	1	1	1	1	73.75	62.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.4375	2004
29.01.2020 15:23:13	1	1	1	1	73.75	62.25	0	29952.607	253.7634409	7676.731987	30000	0	0	30000	42.625	2004
29.01.2020 15:23:14	1	1	1	1	73.75	62.5	0	30000	251.6129032	7407.659066	30000	0	0	30000	42.625	2004
29.01.2020 15:23:15	1	1	1	1	73.75	62.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	42.625	2004
29.01.2020 15:23:16	1	1	1	1	73.75	62.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.625	2004
29.01.2020 15:23:17	1	1	1	1	73.75	62.5	0	30000	260.2150538	7588.671758	30000	0	0	30000	42.625	2004
29.01.2020 15:23:18	1	1	1	1	73.75	62.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:19	1	1	1	1	73.75	62.5	0	30000	281.7204301	8438.289892	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:23:20	1	1	1	1	73.5	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.375	2004
29.01.2020 15:23:21	1	1	1	1	73.5	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.625	2004
29.01.2020 15:23:22	1	1	1	1	73.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:23	1	1	1	1	73.5	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:24	1	1	1	1	73.5	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.625	2004
29.01.2020 15:23:25	1	1	1	1	73.5	62.5	0	30000	288.172043	8644.579132	30000	0	0	30000	42.75	2004
29.01.2020 15:23:26	1	1	1	1	73.5	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5625	2004
29.01.2020 15:23:27	1	1	1	1	73.5	62.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.5625	2004
29.01.2020 15:23:28	1	1	1	1	73.5	62.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.625	2004
29.01.2020 15:23:29	1	1	1	1	73.5	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.8125	2004
29.01.2020 15:23:30	1	1	1	1	73.5	62.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	42.5625	2004
29.01.2020 15:23:31	1	1	1	1	73.5	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.75	2004
29.01.2020 15:23:32	1	1	1	1	73.5	62.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.75	2004
29.01.2020 15:23:33	1	1	1	1	73.5	62.75	0	30000	296.7741935	8824.776452	30000	0	0	30000	42.8125	2004
29.01.2020 15:23:34	1	1	1	1	73.5	62.75	0	29905.213	292.4731183	8774.223358	30000	0	0	30000	42.75	2004
29.01.2020 15:23:35	1	1	1	1	73.5	62.75	0	30000	288.172043	8631.533172	30000	0	0	30000	42.375	2004
29.01.2020 15:23:36	1	1	1	1	73.5	62.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 15:23:38	1	1	1	1	73.5	62.5	0	29952.607	292.4731183	8617.67184	30000	0	0	30000	42.5625	2004
29.01.2020 15:23:39	1	1	1	1	73.5	62.5	0	30000	290.3225806	8774.223358	30000	0	0	30000	42.75	2004
29.01.2020 15:23:40	1	1	1	1	73.5	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.625	2004
29.01.2020 15:23:41	1	1	1	1	73.5	62.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:42	1	1	1	1	73.5	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.75	2004
29.01.2020 15:23:43	1	1	1	1	73.5	62.75	0	30000	294.6236559	8708.993559	30000	0	0	30000	42.9375	2004
29.01.2020 15:23:44	1	1	1	1	73.5	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 15:23:45	1	1	1	1	73.5	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.625	2004
29.01.2020 15:23:46	1	1	1	1	73.5	62.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.625	2004
29.01.2020 15:23:47	1	1	1	1	73.5	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.5	2004
29.01.2020 15:23:48	1	1	1	1	73.5	62.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.1875	2004
29.01.2020 15:23:49	1	1	1	1	73.5	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.3125	2004
29.01.2020 15:23:50	1	1	1	1	73.5	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.6875	2004
29.01.2020 15:23:54	1	1	1	1	73.5	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.625	2004
29.01.2020 15:23:54	1	1	1	1	73.5	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.625	2004
29.01.2020 15:23:54	1	1	1	1	73.5	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.625	2004
29.01.2020 15:23:54	1	1	1	1	73.5	62.5	0	30000	311.827957	9196.586307	30000	0	0	30000	42.8125	2004
29.01.2020 15:23:55	1	1	1	1	73.5	62.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.75	2004
29.01.2020 15:24:03	1	1	1	1	72.5	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:24:03	1	1	1	1	72.5	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:24:03	1	1	1	1	72.5	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:24:03	1	1	1	1	72.5	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:24:03	1	1	1	1	72.5	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:24:03	1	1	1	1	72.5	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.625	2004
29.01.2020 15:24:03	1	1	1	1	72.5	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:24:04	1	1	1	1	72.5	62.5	0	30000	301.0752688	9160.709918	30000	0	0	30000	42.6875	2004
29.01.2020 15:24:05	1	1	1	1	72.5	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.75	2004
29.01.2020 15:24:06	1	1	1	1	72.5	62.75	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	42.3125	2004
29.01.2020 15:24:07	1	1	1	1	72.5	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.625	2004
29.01.2020 15:24:08	1	1	1	1	72.5	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.4375	2004
29.01.2020 15:24:09	1	1	1	1	72.5	62.25	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	42.9375	2004
29.01.2020 15:24:10	1	1	1	1	73	62.75	0	30000	294.6236559	8708.993559	30000	0	0	30000	42.75	2004
29.01.2020 15:24:11	1	1	1	1	73	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 15:24:12	1	1	1	1	73	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.75	2004
29.01.2020 15:24:13	1	1	1	1	73	62.75	0	30000	311.827957	9419.182997	30000	0	0	30000	42.8125	2004
29.01.2020 15:24:14	1	1	1	1	73	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.75	2004
29.01.2020 15:24:16	1	1	1	1	73	62.75	0	29905.213	303.2258065	9290.354143	30000	0	0	30000	41.75	2004
29.01.2020 15:24:17	1	1	1	1	73	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.6875	2004
29.01.2020 15:24:18	1	1	1	1	73	62.5	0	30000	305.3763441	8874.514174	30000	0	0	30000	42.5625	2004
29.01.2020 15:24:19	1	1	1	1	73	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.375	2004
29.01.2020 15:24:20	1	1	1	1	73	62.25	0	30000	296.7741935	8708.993559	30000	0	0	30000	42.75	2004
29.01.2020 15:24:21	1	1	1	1	73.25	62.75	0	29952.607	309.6774194	9211.263012	30000	0	0	30000	42.5	2004
29.01.2020 15:24:22	1	1	1	1	73.25	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.6875	2004
29.01.2020 15:24:23	1	1	1	1	73.25	62.5	0	30000	290.3225806	8838.637784	30000	0	0	30000	42.375	2004
29.01.2020 15:24:24	1	1	1	1	73.25	62.25	0	29952.607	279.5698925	8451.335852	30000	0	0	30000	42.4375	2004
29.01.2020 15:24:25	1	1	1	1	73.25	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.375	2004
29.01.2020 15:24:26	1	1	1	1	73.25	62.25	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.6875	2004
29.01.2020 15:24:27	1	1	1	1	73.25	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.375	2004
29.01.2020 15:24:28	1	1	1	1	73.25	62.25	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	42.9375	2004
29.01.2020 15:24:29	1	1	1	1	73.25	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.8125	2004
29.01.2020 15:24:30	1	1	1	1	73.25	62.75	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
29.01.2020 15:24:31	1	1	1	1	73.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 15:24:32	1	1	1	1	73.75	62.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 15:24:33	1	1	1	1	73.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
29.01.2020 15:24:34	1	1	1	1	73.75	62.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.5	2004
29.01.2020 15:24:35	1	1	1	1	73.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5	2004
29.01.2020 15:24:36	1	1	1	1	73.75	62.5	0	30000	279.5698925	8515.750279	30000	0	0	30000	42.5625	2004
29.01.2020 15:24:37	1	1	1	1	73.75	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.75	2004
29.01.2020 15:24:38	1	1	1	1	73.75	62.75	0	29952.607	311.827957	9290.354143	30000	0	0	30000	42.4375	2004
29.01.2020 15:24:39	1	1	1	1	73.75	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5	2004
29.01.2020 15:24:40	1	1	1	1	73.75	62.5	0	30000	318.2795699	9419.182997	30000	0	0	30000	42.625	2004
29.01.2020 15:24:41	1	1	1	1	73.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5	2004
29.01.2020 15:24:42	1	1	1	1	73.75	62.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	42.5	2004
29.01.2020 15:24:43	1	1	1	1	73.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:24:44	1	1	1	1	73.75	62.5	0	29952.607	335.483871	9984.236132	30000	0	0	30000	42.25	2004
29.01.2020 15:24:45	1	1	1	1	73.75	62.25	0	30000	329.0322581	9886.391433	30000	0	0	30000	42.625	2004
29.01.2020 15:24:46	1	1	1	1	73.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.75	2004
29.01.2020 15:24:47	1	1	1	1	73.75	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:24:48	1	1	1	1	73.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.8125	2004
29.01.2020 15:24:49	1	1	1	1	73.75	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 15:24:50	1	1	1	1	73.75	62.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.0625	2004
29.01.2020 15:24:51	1	1	1	1	73.75	62	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.375	2004
29.01.2020 15:24:53	1	1	1	1	73.75	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.625	2004
29.01.2020 15:24:54	1	1	1	1	73.75	62.5	0	30000	356.9892473	10515.85899	30000	0	0	30000	42.375	2004
29.01.2020 15:24:55	1	1	1	1	73.75	62.25	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	42.625	2004
29.01.2020 15:24:56	1	1	1	1	73.75	62.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 15:24:57	1	1	1	1	73.75	62.5	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	42.625	2004
29.01.2020 15:25:04	1	1	1	1	73.5	62.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:04	1	1	1	1	73.5	62.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:04	1	1	1	1	73.5	62.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:04	1	1	1	1	73.5	62.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:04	1	1	1	1	73.5	62.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:04	1	1	1	1	73.5	62.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:05	1	1	1	1	73.5	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 15:25:06	1	1	1	1	73.5	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.75	2004
29.01.2020 15:25:07	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 15:25:08	1	1	1	1	73.5	62.25	0	29905.213	339.7849462	10128.55706	30000	0	0	30000	42.9375	2004
29.01.2020 15:25:09	1	1	1	1	73.5	63	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.3125	2004
29.01.2020 15:25:10	1	1	1	1	73.5	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.6875	2004
29.01.2020 15:25:11	1	1	1	1	73.5	62.5	0	30000	335.483871	10048.65056	30000	0	0	30000	42.5	2004
29.01.2020 15:25:12	1	1	1	1	73.5	62.5	0	30000	335.483871	10273.69337	30000	0	0	30000	42.5	2004
29.01.2020 15:25:13	1	1	1	1	73.5	62.5	0	30000	333.3333333	10192.97149	30000	0	0	30000	42.625	2004
29.01.2020 15:25:14	1	1	1	1	73.5	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:15	1	1	1	1	73.5	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:16	1	1	1	1	73.5	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:17	1	1	1	1	73.5	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:18	1	1	1	1	73.5	62.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.5	2004
29.01.2020 15:25:19	1	1	1	1	73.5	62.5	0	30000	311.827957	9369.445275	30000	0	0	30000	42.3125	2004
29.01.2020 15:25:20	1	1	1	1	73.25	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:21	1	1	1	1	73.25	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.6875	2004
29.01.2020 15:25:22	1	1	1	1	73.25	62.5	0	29952.607	313.9784946	9548.01185	30000	0	0	30000	42.8125	2004
29.01.2020 15:25:23	1	1	1	1	73.25	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:24	1	1	1	1	73.25	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:25:25	1	1	1	1	73.25	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.25	2004
29.01.2020 15:25:26	1	1	1	1	73.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 15:25:27	1	1	1	1	73.25	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:25:28	1	1	1	1	73.25	62.5	0	29952.607	318.2795699	9597.749572	30000	0	0	30000	42.5	2004
29.01.2020 15:25:29	1	1	1	1	73.25	62.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 15:25:30	1	1	1	1	73.25	62.25	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.25	2004
29.01.2020 15:25:32	1	1	1	1	73.25	62.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:25:33	1	1	1	1	73.25	62.5	0	30000	341.9354839	10225.58639	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:34	1	1	1	1	73.25	62.25	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:35	1	1	1	1	73.25	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:36	1	1	1	1	73.25	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.6875	2004
29.01.2020 15:25:37	1	1	1	1	73.25	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:38	1	1	1	1	73.25	62.5	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	42.625	2004
29.01.2020 15:25:39	1	1	1	1	73.25	62.5	0	29952.607	341.9354839	10515.85899	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:40	1	1	1	1	73.25	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:41	1	1	1	1	73.5	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:42	1	1	1	1	73.5	62.5	0	30000	311.827957	9419.182997	30000	0	0	30000	42.75	2004
29.01.2020 15:25:43	1	1	1	1	73.5	62.75	0	30047.393	322.5806452	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:25:44	1	1	1	1	73.5	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.8125	2004
29.01.2020 15:25:45	1	1	1	1	73.5	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:46	1	1	1	1	73.5	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.0625	2004
29.01.2020 15:25:47	1	1	1	1	73.5	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 15:25:48	1	1	1	1	73.5	62.25	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:25:49	1	1	1	1	73.5	62.25	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	42.6875	2004
29.01.2020 15:25:50	1	1	1	1	73.75	62.5	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:51	1	1	1	1	73.75	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 15:25:52	1	1	1	1	73.75	62.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.5	2004
29.01.2020 15:25:53	1	1	1	1	73.75	62.5	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 15:25:54	1	1	1	1	73.75	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.1875	2004
29.01.2020 15:25:55	1	1	1	1	73.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.625	2004
29.01.2020 15:25:56	1	1	1	1	73.75	62.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.5	2004
29.01.2020 15:25:57	1	1	1	1	73.75	62.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.5625	2004
29.01.2020 15:25:58	1	1	1	1	73.75	62.5	0	30000	335.483871	9870.899356	30000	0	0	30000	42.125	2004
29.01.2020 15:26:06	1	1	1	1	72.5	62.25	0	30000	356.9892473	10482.42872	30000	0	0	30000	42.4375	2004
29.01.2020 15:26:06	1	1	1	1	72.5	62.25	0	30000	356.9892473	10482.42872	30000	0	0	30000	42.4375	2004
29.01.2020 15:26:06	1	1	1	1	72.5	62.25	0	30000	356.9892473	10482.42872	30000	0	0	30000	42.4375	2004
29.01.2020 15:26:06	1	1	1	1	72.5	62.25	0	30000	356.9892473	10482.42872	30000	0	0	30000	42.4375	2004
29.01.2020 15:26:06	1	1	1	1	72.5	62.25	0	30000	356.9892473	10482.42872	30000	0	0	30000	42.4375	2004
29.01.2020 15:26:06	1	1	1	1	72.5	62.25	0	30000	356.9892473	10482.42872	30000	0	0	30000	42.4375	2004
29.01.2020 15:26:06	1	1	1	1	72.5	62.25	0	30000	356.9892473	10482.42872	30000	0	0	30000	42.4375	2004
29.01.2020 15:26:06	1	1	1	1	72.5	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.5	2004
29.01.2020 15:26:07	1	1	1	1	72.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
29.01.2020 15:26:08	1	1	1	1	72.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 15:26:10	1	1	1	1	72.5	62.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.625	2004
29.01.2020 15:26:11	1	1	1	1	71.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:26:12	1	1	1	1	71.75	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
29.01.2020 15:26:13	1	1	1	1	71.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.6875	2004
29.01.2020 15:26:14	1	1	1	1	71.75	62.5	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	42.75	2004
29.01.2020 15:26:15	1	1	1	1	71.75	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 15:26:16	1	1	1	1	71.75	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:26:17	1	1	1	1	71.75	62.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
29.01.2020 15:26:18	1	1	1	1	71.75	62	0	29952.607	311.827957	9533.335145	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:19	1	1	1	1	71.75	62.5	0	29952.607	311.827957	9419.182997	30000	0	0	30000	42.375	2004
29.01.2020 15:26:20	1	1	1	1	71.75	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:21	1	1	1	1	71.5	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42	2004
29.01.2020 15:26:22	1	1	1	1	71.5	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.3125	2004
29.01.2020 15:26:23	1	1	1	1	71.5	62.25	0	30000	290.3225806	8838.637784	30000	0	0	30000	42.6875	2004
29.01.2020 15:26:24	1	1	1	1	71.5	62.5	0	30000	298.9247312	8953.605305	30000	0	0	30000	42.9375	2004
29.01.2020 15:26:25	1	1	1	1	71.5	62.75	0	30000	303.2258065	9082.434159	30000	0	0	30000	42.375	2004
29.01.2020 15:26:26	1	1	1	1	71.5	62.25	0	30047.393	305.3763441	9225.124344	30000	0	0	30000	43	2004
29.01.2020 15:26:27	1	1	1	1	71.5	63	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:28	1	1	1	1	71.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5	2004
29.01.2020 15:26:29	1	1	1	1	71.5	62.5	0	29952.607	288.172043	8644.579132	30000	0	0	30000	42.75	2004
29.01.2020 15:26:30	1	1	1	1	72.5	62.75	0	30000	283.8709677	8386.921425	30000	0	0	30000	42.6875	2004
29.01.2020 15:26:31	1	1	1	1	72.5	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:32	1	1	1	1	72.5	62.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.375	2004
29.01.2020 15:26:33	1	1	1	1	72.5	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.4375	2004
29.01.2020 15:26:34	1	1	1	1	72.5	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.5	2004
29.01.2020 15:26:35	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.6875	2004
29.01.2020 15:26:36	1	1	1	1	72.5	62.5	0	30000	316.1290323	9468.920719	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:37	1	1	1	1	72.5	62.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:38	1	1	1	1	72.5	62.5	0	29952.607	316.1290323	9676.840703	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:39	1	1	1	1	72.5	62.5	0	30000	322.5806452	9597.749572	30000	0	0	30000	42.625	2004
29.01.2020 15:26:40	1	1	1	1	72.5	62.5	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:41	1	1	1	1	72.5	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.0625	2004
29.01.2020 15:26:42	1	1	1	1	72.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5	2004
29.01.2020 15:26:43	1	1	1	1	72.5	62.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.4375	2004
29.01.2020 15:26:44	1	1	1	1	72.5	62.25	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.5	2004
29.01.2020 15:26:45	1	1	1	1	72.5	62.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 15:26:46	1	1	1	1	72.5	62.25	0	29952.607	363.4408602	10757.20925	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:47	1	1	1	1	72.5	62.5	0	30000	350.5376344	10499.55155	30000	0	0	30000	42.8125	2004
29.01.2020 15:26:48	1	1	1	1	72.5	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.25	2004
29.01.2020 15:26:49	1	1	1	1	72.5	62.25	0	30047.393	348.3870968	10387.03014	30000	0	0	30000	41.9375	2004
29.01.2020 15:26:51	1	1	1	1	72.5	61.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 15:26:52	1	1	1	1	72.5	62.5	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 15:26:53	1	1	1	1	72.5	62	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.375	2004
29.01.2020 15:26:54	1	1	1	1	72.5	62.25	0	30000	352.688172	10597.39624	30000	0	0	30000	42.3125	2004
29.01.2020 15:26:55	1	1	1	1	72.5	62.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.3125	2004
29.01.2020 15:26:56	1	1	1	1	72.5	62.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.1875	2004
29.01.2020 15:26:57	1	1	1	1	72.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 15:26:58	1	1	1	1	72.5	62.5	0	30000	337.6344086	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 15:26:59	1	1	1	1	72.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.9375	2004
29.01.2020 15:27:00	1	1	1	1	72.5	61.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:27:07	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 15:27:07	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 15:27:07	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 15:27:07	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 15:27:07	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 15:27:07	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 15:27:07	1	1	1	1	72.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5	2004
29.01.2020 15:27:08	1	1	1	1	72.75	62.5	0	30000	352.688172	10773.5167	30000	0	0	30000	42.8125	2004
29.01.2020 15:27:09	1	1	1	1	72.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:10	1	1	1	1	73	62.5	0	30000	352.688172	10580.27342	30000	0	0	30000	42.25	2004
29.01.2020 15:27:11	1	1	1	1	73	62.25	0	29952.607	339.7849462	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 15:27:12	1	1	1	1	73	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:13	1	1	1	1	73	62.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.625	2004
29.01.2020 15:27:14	1	1	1	1	73	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:27:15	1	1	1	1	73	62.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.375	2004
29.01.2020 15:27:16	1	1	1	1	73	62.25	0	30000	352.688172	10353.59987	30000	0	0	30000	42.3125	2004
29.01.2020 15:27:17	1	1	1	1	73	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 15:27:18	1	1	1	1	73	62.5	0	29952.607	363.4408602	10757.20925	30000	0	0	30000	42.375	2004
29.01.2020 15:27:19	1	1	1	1	73	62.25	0	29952.607	369.8924731	11014.86696	30000	0	0	30000	42.8125	2004
29.01.2020 15:27:20	1	1	1	1	73	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.4375	2004
29.01.2020 15:27:21	1	1	1	1	73	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.625	2004
29.01.2020 15:27:22	1	1	1	1	73	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:23	1	1	1	1	73	62.5	0	30000	350.5376344	10709.10227	30000	0	0	30000	42.3125	2004
29.01.2020 15:27:24	1	1	1	1	73	62.25	0	29952.607	346.2365591	10451.44457	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:25	1	1	1	1	73	62.5	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 15:27:26	1	1	1	1	73	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
29.01.2020 15:27:27	1	1	1	1	73	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:28	1	1	1	1	73	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.3125	2004
29.01.2020 15:27:29	1	1	1	1	73	62.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.4375	2004
29.01.2020 15:27:30	1	1	1	1	73	62.25	0	30000	369.8924731	10967.57535	30000	0	0	30000	42.625	2004
29.01.2020 15:27:32	1	1	1	1	73	62.5	0	29905.213	363.4408602	11160.81863	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:33	1	1	1	1	73	62.5	0	29905.213	374.1935484	11354.87729	30000	0	0	30000	42.625	2004
29.01.2020 15:27:34	1	1	1	1	73	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:35	1	1	1	1	73	62.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 15:27:36	1	1	1	1	73	62.25	0	30000	397.8494624	11852.2545	30000	0	0	30000	42.375	2004
29.01.2020 15:27:37	1	1	1	1	73	62.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.375	2004
29.01.2020 15:27:38	1	1	1	1	73	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
29.01.2020 15:27:39	1	1	1	1	73	62.5	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	42.625	2004
29.01.2020 15:27:40	1	1	1	1	73	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 15:27:41	1	1	1	1	73.75	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
29.01.2020 15:27:42	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:43	1	1	1	1	73.75	62.5	0	30000	367.7419355	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 15:27:44	1	1	1	1	73.75	62.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:27:45	1	1	1	1	73.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
29.01.2020 15:27:46	1	1	1	1	73.75	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 15:27:47	1	1	1	1	73.75	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:48	1	1	1	1	73.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
29.01.2020 15:27:49	1	1	1	1	73.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 15:27:50	1	1	1	1	73.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
29.01.2020 15:27:51	1	1	1	1	73.75	62.5	0	30000	389.2473118	11889.76164	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:52	1	1	1	1	73.75	62.5	0	29905.213	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 15:27:53	1	1	1	1	73.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
29.01.2020 15:27:54	1	1	1	1	73.75	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.625	2004
29.01.2020 15:27:55	1	1	1	1	73.75	62.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.625	2004
29.01.2020 15:27:56	1	1	1	1	73.75	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.5625	2004
29.01.2020 15:27:57	1	1	1	1	73.75	62.5	0	30000	367.7419355	11014.86696	30000	0	0	30000	42.3125	2004
29.01.2020 15:27:58	1	1	1	1	73.75	62.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.125	2004
29.01.2020 15:27:59	1	1	1	1	73.75	62	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:00	1	1	1	1	73.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.25	2004
29.01.2020 15:28:01	1	1	1	1	73.5	62.25	0	29952.607	365.5913978	11160.81863	30000	0	0	30000	42.375	2004
29.01.2020 15:28:09	1	1	1	1	73.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:28:09	1	1	1	1	73.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:28:09	1	1	1	1	73.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:28:09	1	1	1	1	73.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:28:09	1	1	1	1	73.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:28:09	1	1	1	1	73.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:28:10	1	1	1	1	73.5	62.5	0	29952.607	397.8494624	11999.83693	30000	0	0	30000	42.5	2004
29.01.2020 15:28:11	1	1	1	1	73.75	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:12	1	1	1	1	73.75	62.5	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	42.6875	2004
29.01.2020 15:28:13	1	1	1	1	73.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:14	1	1	1	1	73.75	62.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.6875	2004
29.01.2020 15:28:15	1	1	1	1	73.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
29.01.2020 15:28:16	1	1	1	1	73.75	62.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:17	1	1	1	1	73.75	62.25	0	30000	412.9032258	12348.00098	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:18	1	1	1	1	73.75	62.25	0	30000	395.6989247	11676.94942	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:19	1	1	1	1	73.75	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
29.01.2020 15:28:20	1	1	1	1	73.75	62.5	0	30000	372.0430108	11143.69581	30000	0	0	30000	42.5	2004
29.01.2020 15:28:21	1	1	1	1	73.75	62.5	0	29952.607	363.4408602	11096.40421	30000	0	0	30000	42.5	2004
29.01.2020 15:28:22	1	1	1	1	73.75	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:23	1	1	1	1	73.75	62.5	0	30000	352.688172	10709.10227	30000	0	0	30000	42.5	2004
29.01.2020 15:28:24	1	1	1	1	73.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 15:28:25	1	1	1	1	73.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:26	1	1	1	1	73.75	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:27	1	1	1	1	73.75	62.5	0	30047.393	335.483871	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 15:28:28	1	1	1	1	73.75	62.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:28:29	1	1	1	1	73.75	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:30	1	1	1	1	73.75	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
29.01.2020 15:28:31	1	1	1	1	73.75	62.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:32	1	1	1	1	73.75	62.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.125	2004
29.01.2020 15:28:33	1	1	1	1	73.75	62	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:34	1	1	1	1	73.75	62.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:35	1	1	1	1	73.75	62.25	0	30000	400	11935.4225	30000	0	0	30000	42.375	2004
29.01.2020 15:28:36	1	1	1	1	73.75	62.25	0	30000	400	11852.2545	30000	0	0	30000	42.1875	2004
29.01.2020 15:28:37	1	1	1	1	73.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:38	1	1	1	1	73.75	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.625	2004
29.01.2020 15:28:39	1	1	1	1	73.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
29.01.2020 15:28:40	1	1	1	1	73.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 15:28:41	1	1	1	1	73.75	62	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:42	1	1	1	1	73.75	62.25	0	30000	412.9032258	12064.25135	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:43	1	1	1	1	73.75	62.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.625	2004
29.01.2020 15:28:44	1	1	1	1	73.75	62.5	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:45	1	1	1	1	73.75	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 15:28:46	1	1	1	1	73.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 15:28:47	1	1	1	1	73.75	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:48	1	1	1	1	73.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:49	1	1	1	1	73.75	62.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 15:28:51	1	1	1	1	74	62.5	0	30047.393	378.4946237	11225.23306	30000	0	0	30000	42.25	2004
29.01.2020 15:28:52	1	1	1	1	74	62.25	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	42.625	2004
29.01.2020 15:28:53	1	1	1	1	74	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:54	1	1	1	1	74	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.125	2004
29.01.2020 15:28:55	1	1	1	1	74	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
29.01.2020 15:28:56	1	1	1	1	74	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
29.01.2020 15:28:57	1	1	1	1	74	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.4375	2004
29.01.2020 15:28:58	1	1	1	1	74	62.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.1875	2004
29.01.2020 15:28:59	1	1	1	1	74	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
29.01.2020 15:29:00	1	1	1	1	74	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.5	2004
29.01.2020 15:29:01	1	1	1	1	74	62.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	42.5	2004
29.01.2020 15:29:02	1	1	1	1	74	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
29.01.2020 15:29:03	1	1	1	1	74	62.5	0	30000	387.0967742	11382.59995	30000	0	0	30000	42.625	2004
29.01.2020 15:29:11	1	1	1	1	74.25	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:29:11	1	1	1	1	74.25	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:29:11	1	1	1	1	74.25	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:29:11	1	1	1	1	74.25	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:29:11	1	1	1	1	74.25	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:29:11	1	1	1	1	74.25	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.75	2004
29.01.2020 15:29:11	1	1	1	1	74.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 15:29:12	1	1	1	1	74.25	62	0	30000	395.6989247	11676.94942	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:29:13	1	1	1	1	74.25	62.25	0	30000	384.9462366	11594.5968	30000	0	0	30000	42.5	2004
29.01.2020 15:29:14	1	1	1	1	74.25	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.3125	2004
29.01.2020 15:29:15	1	1	1	1	74.25	62.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.625	2004
29.01.2020 15:29:16	1	1	1	1	74.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 15:29:17	1	1	1	1	74.25	62.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 15:29:18	1	1	1	1	74.25	62.25	0	30000	356.9892473	10692.79483	30000	0	0	30000	42.5625	2004
29.01.2020 15:29:19	1	1	1	1	74.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:29:20	1	1	1	1	74.25	62.5	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42.75	2004
29.01.2020 15:29:21	1	1	1	1	74.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.125	2004
29.01.2020 15:29:22	1	1	1	1	74.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:29:23	1	1	1	1	74.25	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.8125	2004
29.01.2020 15:29:24	1	1	1	1	74.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 15:29:25	1	1	1	1	74.25	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 15:29:26	1	1	1	1	74.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
29.01.2020 15:29:28	1	1	1	1	74.25	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.625	2004
29.01.2020 15:29:29	1	1	1	1	74.25	62.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.25	2004
29.01.2020 15:29:30	1	1	1	1	74.25	62.25	0	30000	427.9569892	12754.05648	30000	0	0	30000	42.625	2004
29.01.2020 15:29:31	1	1	1	1	74.5	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.5	2004
29.01.2020 15:29:32	1	1	1	1	74.5	62.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
29.01.2020 15:29:33	1	1	1	1	74.5	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
29.01.2020 15:29:34	1	1	1	1	74.5	61.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 15:29:35	1	1	1	1	74.5	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
29.01.2020 15:29:36	1	1	1	1	74.5	62.5	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.75	2004
29.01.2020 15:29:37	1	1	1	1	74.5	62.75	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.8125	2004
29.01.2020 15:29:38	1	1	1	1	74.5	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.375	2004
29.01.2020 15:29:39	1	1	1	1	74.5	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 15:29:40	1	1	1	1	74.5	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.625	2004
29.01.2020 15:29:41	1	1	1	1	74.5	62.5	0	30000	363.4408602	10757.20925	30000	0	0	30000	42.5	2004
29.01.2020 15:29:42	1	1	1	1	74.5	62.5	0	30047.393	354.8387097	10644.68785	30000	0	0	30000	42.5625	2004
29.01.2020 15:29:43	1	1	1	1	74.5	62.5	0	30000	350.5376344	10499.55155	30000	0	0	30000	42.8125	2004
29.01.2020 15:29:44	1	1	1	1	74.5	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.25	2004
29.01.2020 15:29:45	1	1	1	1	74.5	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 15:29:46	1	1	1	1	74.5	62.25	0	29952.607	348.3870968	10370.72269	30000	0	0	30000	42.5	2004
29.01.2020 15:29:47	1	1	1	1	74.5	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
29.01.2020 15:29:48	1	1	1	1	74.5	62.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 15:29:49	1	1	1	1	74.5	62.5	0	30000	337.6344086	10113.06499	30000	0	0	30000	42.1875	2004
29.01.2020 15:29:50	1	1	1	1	74.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.625	2004
29.01.2020 15:29:51	1	1	1	1	74.5	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.6875	2004
29.01.2020 15:29:52	1	1	1	1	74.5	62.5	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 15:29:53	1	1	1	1	74.5	62.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 15:29:54	1	1	1	1	74.5	62.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.5	2004
29.01.2020 15:29:55	1	1	1	1	74.5	62.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
29.01.2020 15:29:56	1	1	1	1	74.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:29:57	1	1	1	1	74.5	62.25	0	29905.213	382.7956989	11419.29171	30000	0	0	30000	42.625	2004
29.01.2020 15:29:58	1	1	1	1	74.5	62.5	0	30094.787	384.9462366	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:29:59	1	1	1	1	74.5	62.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 15:30:00	1	1	1	1	74.25	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.5	2004
29.01.2020 15:30:01	1	1	1	1	74.25	62.5	0	30000	363.4408602	11096.40421	30000	0	0	30000	42.6875	2004
29.01.2020 15:30:02	1	1	1	1	74.25	62.5	0	30000	356.9892473	10920.28375	30000	0	0	30000	42.4375	2004
29.01.2020 15:30:03	1	1	1	1	74.25	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.1875	2004
29.01.2020 15:30:04	1	1	1	1	74.25	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
29.01.2020 15:30:13	1	1	1	1	74	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 15:30:13	1	1	1	1	74	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 15:30:13	1	1	1	1	74	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 15:30:13	1	1	1	1	74	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 15:30:13	1	1	1	1	74	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 15:30:13	1	1	1	1	74	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 15:30:13	1	1	1	1	74	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 15:30:13	1	1	1	1	74	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 15:30:14	1	1	1	1	74	62.25	0	29905.213	335.483871	10113.06499	30000	0	0	30000	42.75	2004
29.01.2020 15:30:15	1	1	1	1	74	62.75	0	30000	337.6344086	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 15:30:16	1	1	1	1	74	62.25	0	30000	341.9354839	10322.61571	30000	0	0	30000	42.75	2004
29.01.2020 15:30:17	1	1	1	1	74	62.75	0	30000	326.8817204	9935.313783	30000	0	0	30000	42.6875	2004
29.01.2020 15:30:18	1	1	1	1	74	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:30:19	1	1	1	1	74	62.5	0	30094.787	318.2795699	9290.354143	30000	0	0	30000	42.625	2004
29.01.2020 15:30:20	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.1875	2004
29.01.2020 15:30:21	1	1	1	1	74	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	43	2004
29.01.2020 15:30:22	1	1	1	1	74	63	0	30000	316.1290323	9419.182997	30000	0	0	30000	42.6875	2004
29.01.2020 15:30:23	1	1	1	1	74	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.9375	2004
29.01.2020 15:30:24	1	1	1	1	74	63	0	30000	322.5806452	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 15:30:25	1	1	1	1	74	62.5	0	30000	320.4301075	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 15:30:26	1	1	1	1	74	62.5	0	30000	316.1290323	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 15:30:27	1	1	1	1	74	62.5	0	30000	335.483871	9999.728209	30000	0	0	30000	42.6875	2004
29.01.2020 15:30:28	1	1	1	1	74	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.625	2004
29.01.2020 15:30:29	1	1	1	1	74	62.5	0	29952.607	348.3870968	10370.72269	30000	0	0	30000	42.4375	2004
29.01.2020 15:30:30	1	1	1	1	74.25	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 15:30:31	1	1	1	1	74.25	62.5	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.75	2004
29.01.2020 15:30:32	1	1	1	1	74.25	62.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.625	2004
29.01.2020 15:30:33	1	1	1	1	74.25	62.5	0	30000	344.0860215	10387.03014	30000	0	0	30000	42.125	2004
29.01.2020 15:30:34	1	1	1	1	74.25	62	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.375	2004
29.01.2020 15:30:35	1	1	1	1	74.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.75	2004
29.01.2020 15:30:36	1	1	1	1	74.25	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	42	2004
29.01.2020 15:30:37	1	1	1	1	74.25	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 15:30:38	1	1	1	1	74.25	62.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.6875	2004
29.01.2020 15:30:39	1	1	1	1	74.25	61.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 15:30:41	1	1	1	1	74	62.5	0	29905.213	320.4301075	9790.992852	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:30:42	1	1	1	1	74	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:30:43	1	1	1	1	74	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.8125	2004
29.01.2020 15:30:44	1	1	1	1	74	62.75	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	42.625	2004
29.01.2020 15:30:45	1	1	1	1	74	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 15:30:46	1	1	1	1	74	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 15:30:47	1	1	1	1	74	62.5	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	42.5625	2004
29.01.2020 15:30:48	1	1	1	1	74	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.8125	2004
29.01.2020 15:30:49	1	1	1	1	74	62.75	0	30000	350.5376344	10387.03014	30000	0	0	30000	42.5625	2004
29.01.2020 15:30:50	1	1	1	1	74	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:30:51	1	1	1	1	74	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.5625	2004
29.01.2020 15:30:52	1	1	1	1	74	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.8125	2004
29.01.2020 15:30:53	1	1	1	1	74	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.6875	2004
29.01.2020 15:30:54	1	1	1	1	74	62.5	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	42.5625	2004
29.01.2020 15:30:55	1	1	1	1	74	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5	2004
29.01.2020 15:30:56	1	1	1	1	74	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.75	2004
29.01.2020 15:30:57	1	1	1	1	74	62.75	0	29952.607	367.7419355	11014.86696	30000	0	0	30000	42.5625	2004
29.01.2020 15:30:58	1	1	1	1	74	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
29.01.2020 15:30:59	1	1	1	1	74	63	0	30000	402.1505376	11935.4225	30000	0	0	30000	42.4375	2004
29.01.2020 15:31:00	1	1	1	1	74	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:01	1	1	1	1	74	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:02	1	1	1	1	74	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5	2004
29.01.2020 15:31:03	1	1	1	1	74	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5625	2004
29.01.2020 15:31:04	1	1	1	1	74	62.5	0	30000	374.1935484	11096.40421	30000	0	0	30000	42.5	2004
29.01.2020 15:31:05	1	1	1	1	74	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.625	2004
29.01.2020 15:31:06	1	1	1	1	74	62.5	0	29952.607	400	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 15:31:15	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:31:15	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:31:15	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:31:15	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:31:15	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:31:15	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:31:15	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:31:15	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
29.01.2020 15:31:15	1	1	1	1	73.5	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.5	2004
29.01.2020 15:31:16	1	1	1	1	73.5	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.625	2004
29.01.2020 15:31:17	1	1	1	1	73.5	62.5	0	30094.787	350.5376344	10387.03014	30000	0	0	30000	42.75	2004
29.01.2020 15:31:19	1	1	1	1	73.5	62.75	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:20	1	1	1	1	73.5	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.5	2004
29.01.2020 15:31:21	1	1	1	1	73.5	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.75	2004
29.01.2020 15:31:22	1	1	1	1	73.5	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.5625	2004
29.01.2020 15:31:23	1	1	1	1	73.5	62.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:24	1	1	1	1	73.5	62.5	0	30000	335.483871	10192.97149	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:25	1	1	1	1	73.5	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:31:26	1	1	1	1	73.5	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.75	2004
29.01.2020 15:31:27	1	1	1	1	73.5	62.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:28	1	1	1	1	73.5	62.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.625	2004
29.01.2020 15:31:29	1	1	1	1	73.5	62.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.125	2004
29.01.2020 15:31:30	1	1	1	1	73.5	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.625	2004
29.01.2020 15:31:31	1	1	1	1	73.75	62.5	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	42.1875	2004
29.01.2020 15:31:32	1	1	1	1	73.75	62	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 15:31:33	1	1	1	1	73.75	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:34	1	1	1	1	73.75	62.5	0	30000	303.2258065	8967.466638	30000	0	0	30000	42.625	2004
29.01.2020 15:31:35	1	1	1	1	73.75	62.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	41.9375	2004
29.01.2020 15:31:36	1	1	1	1	73.75	61.75	0	30047.393	292.4731183	8916.913543	30000	0	0	30000	42.75	2004
29.01.2020 15:31:37	1	1	1	1	73.75	62.75	0	30000	290.3225806	8644.579132	30000	0	0	30000	42.125	2004
29.01.2020 15:31:38	1	1	1	1	73.75	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.9375	2004
29.01.2020 15:31:39	1	1	1	1	73.75	62.75	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.75	2004
29.01.2020 15:31:40	1	1	1	1	74	62.75	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	42.5	2004
29.01.2020 15:31:41	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.75	2004
29.01.2020 15:31:42	1	1	1	1	74	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.125	2004
29.01.2020 15:31:43	1	1	1	1	74	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5625	2004
29.01.2020 15:31:44	1	1	1	1	74	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 15:31:45	1	1	1	1	74	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.5	2004
29.01.2020 15:31:46	1	1	1	1	74	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:47	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
29.01.2020 15:31:48	1	1	1	1	74	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.5	2004
29.01.2020 15:31:49	1	1	1	1	74	62.5	0	29905.213	305.3763441	9211.263012	30000	0	0	30000	42.5	2004
29.01.2020 15:31:50	1	1	1	1	74	62.5	0	30000	326.8817204	9597.749572	30000	0	0	30000	42.5	2004
29.01.2020 15:31:51	1	1	1	1	74	62.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:52	1	1	1	1	74	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.25	2004
29.01.2020 15:31:53	1	1	1	1	74	62.25	0	30000	318.2795699	9324.599788	30000	0	0	30000	42.5625	2004
29.01.2020 15:31:54	1	1	1	1	74	62.5	0	30000	311.827957	9419.182997	30000	0	0	30000	42.4375	2004
29.01.2020 15:31:55	1	1	1	1	74	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.875	2004
29.01.2020 15:31:56	1	1	1	1	74	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5	2004
29.01.2020 15:31:57	1	1	1	1	74	62.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.3125	2004
29.01.2020 15:31:58	1	1	1	1	74	62.25	0	29952.607	313.9784946	9340.091865	30000	0	0	30000	42.6875	2004
29.01.2020 15:31:59	1	1	1	1	74	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.1875	2004
29.01.2020 15:32:01	1	1	1	1	73.75	62	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.5625	2004
29.01.2020 15:32:02	1	1	1	1	73.75	62.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.5625	2004
29.01.2020 15:32:03	1	1	1	1	73.75	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.6875	2004
29.01.2020 15:32:04	1	1	1	1	73.75	62.5	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 15:32:05	1	1	1	1	73.75	62.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 15:32:06	1	1	1	1	73.75	62.25	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	42.625	2004
29.01.2020 15:32:07	1	1	1	1	73.75	62.5	0	30000	311.827957	9419.182997	30000	0	0	30000	42	2004
29.01.2020 15:32:08	1	1	1	1	73.75	62	0	30000	311.827957	9275.677439	30000	0	0	30000	42.1875	2004
29.01.2020 15:32:16	1	1	1	1	74	62.5	0	30000	333.3333333	9790.992852	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:32:16	1	1	1	1	74	62.5	0	30000	333.3333333	9790.992852	30000	0	0	30000	42.8125	2004
29.01.2020 15:32:16	1	1	1	1	74	62.5	0	30000	333.3333333	9790.992852	30000	0	0	30000	42.8125	2004
29.01.2020 15:32:16	1	1	1	1	74	62.5	0	30000	333.3333333	9790.992852	30000	0	0	30000	42.8125	2004
29.01.2020 15:32:16	1	1	1	1	74	62.5	0	30000	333.3333333	9790.992852	30000	0	0	30000	42.8125	2004
29.01.2020 15:32:16	1	1	1	1	74	62.5	0	30000	333.3333333	9790.992852	30000	0	0	30000	42.8125	2004
29.01.2020 15:32:16	1	1	1	1	74	62.5	0	30000	333.3333333	9790.992852	30000	0	0	30000	42.8125	2004
29.01.2020 15:32:16	1	1	1	1	74	62.5	0	30000	333.3333333	9790.992852	30000	0	0	30000	42.8125	2004
29.01.2020 15:32:17	1	1	1	1	74	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
29.01.2020 15:32:18	1	1	1	1	74	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 15:32:19	1	1	1	1	74	62.5	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	43.0625	2004
29.01.2020 15:32:20	1	1	1	1	74	63	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
29.01.2020 15:32:21	1	1	1	1	74	62.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.4375	2004
29.01.2020 15:32:22	1	1	1	1	74	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.625	2004
29.01.2020 15:32:23	1	1	1	1	74	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 15:32:24	1	1	1	1	74	62.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	42.4375	2004
29.01.2020 15:32:25	1	1	1	1	74	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5625	2004
29.01.2020 15:32:26	1	1	1	1	74	62.5	0	29905.213	350.5376344	10644.68785	30000	0	0	30000	42.4375	2004
29.01.2020 15:32:27	1	1	1	1	74	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.25	2004
29.01.2020 15:32:28	1	1	1	1	74	62.25	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.6875	2004
29.01.2020 15:32:29	1	1	1	1	74	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
29.01.2020 15:32:30	1	1	1	1	73.75	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.6875	2004
29.01.2020 15:32:31	1	1	1	1	73.75	61.5	0	30000	397.8494624	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:32:32	1	1	1	1	73.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 15:32:33	1	1	1	1	73.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:32:34	1	1	1	1	73.75	62	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
29.01.2020 15:32:35	1	1	1	1	73.75	62.5	0	29952.607	412.9032258	12620.33539	30000	0	0	30000	41.9375	2004
29.01.2020 15:32:36	1	1	1	1	73.75	61.75	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	42.5	2004
29.01.2020 15:32:37	1	1	1	1	73.75	62.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	42.6875	2004
29.01.2020 15:32:39	1	1	1	1	73.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:32:40	1	1	1	1	73.75	62.5	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:32:41	1	1	1	1	73.75	62.5	0	30094.787	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:32:42	1	1	1	1	73.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:32:43	1	1	1	1	73.75	62.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.4375	2004
29.01.2020 15:32:44	1	1	1	1	73.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
29.01.2020 15:32:45	1	1	1	1	73.75	62.5	0	29905.213	400	12064.25135	30000	0	0	30000	42.5625	2004
29.01.2020 15:32:46	1	1	1	1	73.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
29.01.2020 15:32:47	1	1	1	1	73.75	62.5	0	29952.607	395.6989247	12128.66578	30000	0	0	30000	42.375	2004
29.01.2020 15:32:48	1	1	1	1	73.75	62.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
29.01.2020 15:32:49	1	1	1	1	73.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 15:32:50	1	1	1	1	73.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
29.01.2020 15:32:51	1	1	1	1	73.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
29.01.2020 15:32:52	1	1	1	1	73.75	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.6875	2004
29.01.2020 15:32:53	1	1	1	1	73.75	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:32:54	1	1	1	1	73.75	62.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.1875	2004
29.01.2020 15:32:55	1	1	1	1	73.75	62	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	42.5625	2004
29.01.2020 15:32:56	1	1	1	1	73.75	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 15:32:57	1	1	1	1	73.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
29.01.2020 15:32:58	1	1	1	1	73.75	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
29.01.2020 15:32:59	1	1	1	1	73.75	62	0	30000	412.9032258	12367.56992	30000	0	0	30000	43.0625	2004
29.01.2020 15:33:00	1	1	1	1	73.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
29.01.2020 15:33:01	1	1	1	1	73	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.3125	2004
29.01.2020 15:33:02	1	1	1	1	73	62.25	0	30094.787	412.9032258	12128.66578	30000	0	0	30000	42.5	2004
29.01.2020 15:33:03	1	1	1	1	73	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5625	2004
29.01.2020 15:33:04	1	1	1	1	73	62.5	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	42.5625	2004
29.01.2020 15:33:05	1	1	1	1	73	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:33:06	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:33:07	1	1	1	1	73	62	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:33:08	1	1	1	1	73	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5625	2004
29.01.2020 15:33:09	1	1	1	1	73	62.5	0	29952.607	400	12128.66578	30000	0	0	30000	42.0625	2004
29.01.2020 15:33:17	1	1	1	1	71.5	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
29.01.2020 15:33:17	1	1	1	1	71.5	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
29.01.2020 15:33:17	1	1	1	1	71.5	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
29.01.2020 15:33:17	1	1	1	1	71.5	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
29.01.2020 15:33:17	1	1	1	1	71.5	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
29.01.2020 15:33:17	1	1	1	1	71.5	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
29.01.2020 15:33:17	1	1	1	1	71.5	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:33:18	1	1	1	1	71.5	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.375	2004
29.01.2020 15:33:20	1	1	1	1	71.5	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.5625	2004
29.01.2020 15:33:21	1	1	1	1	72	62.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.8125	2004
29.01.2020 15:33:22	1	1	1	1	72	61.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.75	2004
29.01.2020 15:33:23	1	1	1	1	72	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 15:33:24	1	1	1	1	72	62.5	0	29952.607	322.5806452	9597.749572	30000	0	0	30000	42.6875	2004
29.01.2020 15:33:25	1	1	1	1	72	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5	2004
29.01.2020 15:33:26	1	1	1	1	72	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.4375	2004
29.01.2020 15:33:27	1	1	1	1	72	62.25	0	30000	333.3333333	10128.55706	30000	0	0	30000	42.75	2004
29.01.2020 15:33:28	1	1	1	1	72	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 15:33:29	1	1	1	1	72	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 15:33:30	1	1	1	1	72	62.25	0	30047.393	350.5376344	10532.16644	30000	0	0	30000	42.5625	2004
29.01.2020 15:33:31	1	1	1	1	72.5	62.5	0	29952.607	333.3333333	10257.38592	30000	0	0	30000	42.625	2004
29.01.2020 15:33:32	1	1	1	1	72.5	62.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.75	2004
29.01.2020 15:33:33	1	1	1	1	72.5	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.625	2004
29.01.2020 15:33:34	1	1	1	1	72.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.6875	2004
29.01.2020 15:33:35	1	1	1	1	72.5	62.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.375	2004
29.01.2020 15:33:36	1	1	1	1	72.5	62.25	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 15:33:37	1	1	1	1	72.5	62	0	30000	352.688172	10515.85899	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:33:38	1	1	1	1	72.5	62.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:33:39	1	1	1	1	72.5	62.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.8125	2004
29.01.2020 15:33:40	1	1	1	1	73	62.25	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	41.9375	2004
29.01.2020 15:33:41	1	1	1	1	73	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 15:33:42	1	1	1	1	73	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.375	2004
29.01.2020 15:33:43	1	1	1	1	73	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:33:44	1	1	1	1	73	62.5	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.375	2004
29.01.2020 15:33:45	1	1	1	1	73	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
29.01.2020 15:33:46	1	1	1	1	73	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5	2004
29.01.2020 15:33:47	1	1	1	1	73	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5625	2004
29.01.2020 15:33:48	1	1	1	1	73	62.5	0	30000	395.6989247	11852.2545	30000	0	0	30000	41.8125	2004
29.01.2020 15:33:49	1	1	1	1	73	61.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 15:33:50	1	1	1	1	72.5	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.4375	2004
29.01.2020 15:33:51	1	1	1	1	72.5	62.25	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.6875	2004
29.01.2020 15:33:52	1	1	1	1	72.5	62.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.3125	2004
29.01.2020 15:33:53	1	1	1	1	72.5	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
29.01.2020 15:33:54	1	1	1	1	72.5	62	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	42.1875	2004
29.01.2020 15:33:55	1	1	1	1	72.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
29.01.2020 15:33:56	1	1	1	1	72.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 15:33:58	1	1	1	1	72.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 15:33:59	1	1	1	1	72.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:34:00	1	1	1	1	72.5	62	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.4375	2004
29.01.2020 15:34:01	1	1	1	1	72.25	62.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.125	2004
29.01.2020 15:34:02	1	1	1	1	72.25	62	0	30000	395.6989247	12166.98829	30000	0	0	30000	42.5	2004
29.01.2020 15:34:03	1	1	1	1	72.25	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 15:34:04	1	1	1	1	72.25	62.25	0	30000	412.9032258	12090.34327	30000	0	0	30000	42.5	2004
29.01.2020 15:34:05	1	1	1	1	72.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
29.01.2020 15:34:06	1	1	1	1	72.25	62.5	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	42.8125	2004
29.01.2020 15:34:07	1	1	1	1	72.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
29.01.2020 15:34:08	1	1	1	1	72.25	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
29.01.2020 15:34:09	1	1	1	1	72.25	62.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.3125	2004
29.01.2020 15:34:10	1	1	1	1	72.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
29.01.2020 15:34:11	1	1	1	1	72.5	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.125	2004
29.01.2020 15:34:19	1	1	1	1	72.5	63	0	29952.607	335.483871	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:19	1	1	1	1	72.5	63	0	29952.607	335.483871	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:19	1	1	1	1	72.5	63	0	29952.607	335.483871	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:19	1	1	1	1	72.5	63	0	29952.607	335.483871	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:19	1	1	1	1	72.5	63	0	29952.607	335.483871	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:19	1	1	1	1	72.5	63	0	29952.607	335.483871	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:19	1	1	1	1	72.5	63	0	29952.607	335.483871	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:19	1	1	1	1	72.5	63	0	29952.607	335.483871	10192.97149	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:19	1	1	1	1	72.5	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.8125	2004
29.01.2020 15:34:20	1	1	1	1	72.75	63	0	29905.213	318.2795699	9726.578425	30000	0	0	30000	42.625	2004
29.01.2020 15:34:21	1	1	1	1	72.75	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:34:22	1	1	1	1	72.75	62.5	0	29905.213	316.1290323	9676.840703	30000	0	0	30000	42.375	2004
29.01.2020 15:34:23	1	1	1	1	72.75	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5	2004
29.01.2020 15:34:24	1	1	1	1	72.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:25	1	1	1	1	72.75	62.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.6875	2004
29.01.2020 15:34:26	1	1	1	1	72.75	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 15:34:27	1	1	1	1	72.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.4375	2004
29.01.2020 15:34:28	1	1	1	1	72.75	62.25	0	30000	331.1827957	9775.500775	30000	0	0	30000	42.4375	2004
29.01.2020 15:34:29	1	1	1	1	72.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 15:34:30	1	1	1	1	73	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.625	2004
29.01.2020 15:34:31	1	1	1	1	73	62.5	0	30047.393	350.5376344	10515.85899	30000	0	0	30000	42.3125	2004
29.01.2020 15:34:32	1	1	1	1	73	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.25	2004
29.01.2020 15:34:33	1	1	1	1	73	62.25	0	30000	344.0860215	10241.89384	30000	0	0	30000	42.1875	2004
29.01.2020 15:34:34	1	1	1	1	73	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.8125	2004
29.01.2020 15:34:36	1	1	1	1	73	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.625	2004
29.01.2020 15:34:37	1	1	1	1	73	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:38	1	1	1	1	73	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:39	1	1	1	1	73	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 15:34:40	1	1	1	1	73	62	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.625	2004
29.01.2020 15:34:41	1	1	1	1	73.25	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.3125	2004
29.01.2020 15:34:42	1	1	1	1	73.25	62.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.5	2004
29.01.2020 15:34:43	1	1	1	1	73.25	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.5	2004
29.01.2020 15:34:44	1	1	1	1	73.25	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.75	2004
29.01.2020 15:34:45	1	1	1	1	73.25	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 15:34:46	1	1	1	1	73.25	62.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
29.01.2020 15:34:47	1	1	1	1	73.25	62.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42.75	2004
29.01.2020 15:34:48	1	1	1	1	73.25	62.75	0	30000	365.5913978	11096.40421	30000	0	0	30000	42.5	2004
29.01.2020 15:34:49	1	1	1	1	73.25	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.125	2004
29.01.2020 15:34:50	1	1	1	1	73.25	62	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	42.0625	2004
29.01.2020 15:34:51	1	1	1	1	73	62	0	30000	359.1397849	10644.68785	30000	0	0	30000	42.5625	2004
29.01.2020 15:34:52	1	1	1	1	73	62.5	0	29905.213	354.8387097	10644.68785	30000	0	0	30000	42.6875	2004
29.01.2020 15:34:53	1	1	1	1	73	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.1875	2004
29.01.2020 15:34:54	1	1	1	1	73	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5	2004
29.01.2020 15:34:55	1	1	1	1	73	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
29.01.2020 15:34:56	1	1	1	1	73	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.8125	2004
29.01.2020 15:34:57	1	1	1	1	73	62	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:34:58	1	1	1	1	73	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.375	2004
29.01.2020 15:34:59	1	1	1	1	73	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 15:35:00	1	1	1	1	73.25	62	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	42.5	2004
29.01.2020 15:35:01	1	1	1	1	73.25	62.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.6875	2004
29.01.2020 15:35:02	1	1	1	1	73.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
29.01.2020 15:35:03	1	1	1	1	73.25	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42.625	2004
29.01.2020 15:35:04	1	1	1	1	73.25	62.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.5	2004
29.01.2020 15:35:05	1	1	1	1	73.25	62.5	0	30000	335.483871	9999.728209	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:35:06	1	1	1	1	73.25	62	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	42.625	2004
29.01.2020 15:35:07	1	1	1	1	73.25	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.6875	2004
29.01.2020 15:35:08	1	1	1	1	73.25	62.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.5	2004
29.01.2020 15:35:09	1	1	1	1	73.25	62.5	0	30000	318.2795699	9741.25513	30000	0	0	30000	42.25	2004
29.01.2020 15:35:10	1	1	1	1	73.25	62.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:35:11	1	1	1	1	73.25	62.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 15:35:13	1	1	1	1	73.25	62.25	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	42.3125	2004
29.01.2020 15:35:20	1	1	1	1	73.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 15:35:20	1	1	1	1	73.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 15:35:20	1	1	1	1	73.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 15:35:20	1	1	1	1	73.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 15:35:20	1	1	1	1	73.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 15:35:20	1	1	1	1	73.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 15:35:20	1	1	1	1	73.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 15:35:23	1	1	1	1	73.25	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 15:35:23	1	1	1	1	73.25	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 15:35:23	1	1	1	1	73.25	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5625	2004
29.01.2020 15:35:24	1	1	1	1	73.25	62.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.3125	2004
29.01.2020 15:35:25	1	1	1	1	73.25	62.25	0	30000	333.3333333	9676.840703	30000	0	0	30000	42.6875	2004
29.01.2020 15:35:26	1	1	1	1	73.25	62.5	0	29905.213	316.1290323	9453.428641	30000	0	0	30000	42.375	2004
29.01.2020 15:35:27	1	1	1	1	73.25	62.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.5625	2004
29.01.2020 15:35:28	1	1	1	1	73.25	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.75	2004
29.01.2020 15:35:29	1	1	1	1	73.25	61.75	0	29905.213	298.9247312	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 15:35:30	1	1	1	1	73.25	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.75	2004
29.01.2020 15:35:31	1	1	1	1	73.25	62.75	0	30000	311.827957	9419.182997	30000	0	0	30000	42.625	2004
29.01.2020 15:35:32	1	1	1	1	73.25	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.875	2004
29.01.2020 15:35:33	1	1	1	1	73.25	62.75	0	30000	322.5806452	9582.257495	30000	0	0	30000	42.4375	2004
29.01.2020 15:35:34	1	1	1	1	73.25	62.25	0	29905.213	322.5806452	9790.992852	30000	0	0	30000	41.9375	2004
29.01.2020 15:35:35	1	1	1	1	73.25	61.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.5	2004
29.01.2020 15:35:36	1	1	1	1	73.25	62.5	0	30047.393	320.4301075	9627.918354	30000	0	0	30000	42.375	2004
29.01.2020 15:35:37	1	1	1	1	73.25	62.25	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 15:35:38	1	1	1	1	73.25	62.5	0	30047.393	309.6774194	9290.354143	30000	0	0	30000	41.6875	2004
29.01.2020 15:35:39	1	1	1	1	73.25	61.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.375	2004
29.01.2020 15:35:40	1	1	1	1	73.25	62.25	0	30000	326.8817204	10031.52774	30000	0	0	30000	42.625	2004
29.01.2020 15:35:41	1	1	1	1	73.25	62.5	0	30000	337.6344086	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 15:35:42	1	1	1	1	73.25	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5	2004
29.01.2020 15:35:43	1	1	1	1	73.25	62.5	0	30000	344.0860215	10387.03014	30000	0	0	30000	42.625	2004
29.01.2020 15:35:44	1	1	1	1	73.25	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.5	2004
29.01.2020 15:35:45	1	1	1	1	73.25	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.25	2004
29.01.2020 15:35:46	1	1	1	1	73.25	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:35:47	1	1	1	1	73.25	62.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.5625	2004
29.01.2020 15:35:48	1	1	1	1	73.25	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
29.01.2020 15:35:49	1	1	1	1	73.25	62.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:36:35	1	1	1	1	73.25	62.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.4375	2004
29.01.2020 15:36:36	1	1	1	1	73.25	62.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.4375	2004
29.01.2020 15:36:37	1	1	1	1	73.25	62.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.5625	2004
29.01.2020 15:36:38	1	1	1	1	73.25	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.5625	2004
29.01.2020 15:36:39	1	1	1	1	73.25	62.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.25	2004
29.01.2020 15:36:40	1	1	1	1	73.25	62.25	0	30000	286.0215054	8567.118745	30000	0	0	30000	42.5	2004
29.01.2020 15:36:41	1	1	1	1	73.25	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.375	2004
29.01.2020 15:36:42	1	1	1	1	73.25	62.25	0	29952.607	266.6666667	8128.448346	30000	0	0	30000	42.75	2004
29.01.2020 15:36:43	1	1	1	1	73.25	62.75	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	42.1875	2004
29.01.2020 15:36:44	1	1	1	1	73.25	62	0	30000	273.1182796	8464.381812	30000	0	0	30000	42.1875	2004
29.01.2020 15:36:45	1	1	1	1	73.25	62	0	29905.213	281.7204301	8708.993559	30000	0	0	30000	42.8125	2004
29.01.2020 15:36:46	1	1	1	1	73.25	62.75	0	30000	290.3225806	8644.579132	30000	0	0	30000	42	2004
29.01.2020 15:36:47	1	1	1	1	73.25	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5625	2004
29.01.2020 15:36:48	1	1	1	1	73.25	62.5	0	30000	290.3225806	8788.08469	30000	0	0	30000	43	2004
29.01.2020 15:36:49	1	1	1	1	73.25	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.6875	2004
29.01.2020 15:36:50	1	1	1	1	72.75	62.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.25	2004
29.01.2020 15:36:51	1	1	1	1	72.75	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5	2004
29.01.2020 15:36:52	1	1	1	1	72.75	62.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.5	2004
29.01.2020 15:36:53	1	1	1	1	72.75	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.3125	2004
29.01.2020 15:36:54	1	1	1	1	72.75	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.75	2004
29.01.2020 15:36:55	1	1	1	1	72.75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.0625	2004
29.01.2020 15:36:56	1	1	1	1	72.75	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.25	2004
29.01.2020 15:36:57	1	1	1	1	72.75	62.25	0	30000	294.6236559	8695.947599	30000	0	0	30000	42.25	2004
29.01.2020 15:36:58	1	1	1	1	72.75	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5	2004
29.01.2020 15:36:59	1	1	1	1	72.75	62.5	0	30000	298.9247312	8953.605305	30000	0	0	30000	42.75	2004
29.01.2020 15:37:00	1	1	1	1	73	62.75	0	30000	305.3763441	9175.386622	30000	0	0	30000	42.375	2004
29.01.2020 15:37:01	1	1	1	1	73	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.5	2004
29.01.2020 15:37:02	1	1	1	1	73	62.5	0	30000	326.8817204	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 15:37:03	1	1	1	1	73	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
29.01.2020 15:37:04	1	1	1	1	73	62	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.8125	2004
29.01.2020 15:37:06	1	1	1	1	73	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
29.01.2020 15:37:07	1	1	1	1	73	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 15:37:08	1	1	1	1	73	62.25	0	30000	337.6344086	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 15:37:09	1	1	1	1	73	62.5	0	29952.607	344.0860215	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 15:37:10	1	1	1	1	73	62	0	30000	341.9354839	10128.55706	30000	0	0	30000	42.375	2004
29.01.2020 15:37:11	1	1	1	1	73.5	62.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.5625	2004
29.01.2020 15:37:12	1	1	1	1	73.5	62.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.4375	2004
29.01.2020 15:37:13	1	1	1	1	73.5	62.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	41.875	2004
29.01.2020 15:37:14	1	1	1	1	73.5	61.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.875	2004
29.01.2020 15:37:15	1	1	1	1	73.5	61.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 15:37:16	1	1	1	1	73.5	62.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.625	2004
29.01.2020 15:37:24	1	1	1	1	73.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 15:37:24	1	1	1	1	73.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:37:24	1	1	1	1	73.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 15:37:24	1	1	1	1	73.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 15:37:24	1	1	1	1	73.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 15:37:24	1	1	1	1	73.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 15:37:24	1	1	1	1	73.5	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
29.01.2020 15:37:24	1	1	1	1	73.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.3125	2004
29.01.2020 15:37:25	1	1	1	1	73.5	62.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.5	2004
29.01.2020 15:37:26	1	1	1	1	73.5	62.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.375	2004
29.01.2020 15:37:27	1	1	1	1	73.5	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43	2004
29.01.2020 15:37:28	1	1	1	1	73.5	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:37:29	1	1	1	1	73.5	62.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.6875	2004
29.01.2020 15:37:30	1	1	1	1	73.75	62.5	0	30000	313.9784946	9340.091865	30000	0	0	30000	42.6875	2004
29.01.2020 15:37:31	1	1	1	1	73.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.6875	2004
29.01.2020 15:37:32	1	1	1	1	73.75	62.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.1875	2004
29.01.2020 15:37:33	1	1	1	1	73.75	61	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
29.01.2020 15:37:34	1	1	1	1	73.75	62.5	0	30000	288.172043	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 15:37:35	1	1	1	1	73.75	62	0	30000	283.8709677	8438.289892	30000	0	0	30000	42.1875	2004
29.01.2020 15:37:36	1	1	1	1	73.75	62	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
29.01.2020 15:37:37	1	1	1	1	73.75	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
29.01.2020 15:37:38	1	1	1	1	73.75	62.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.5	2004
29.01.2020 15:37:39	1	1	1	1	73.75	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.6875	2004
29.01.2020 15:37:40	1	1	1	1	73.5	62.5	0	29905.213	290.3225806	8695.947599	30000	0	0	30000	42.5625	2004
29.01.2020 15:37:41	1	1	1	1	73.5	62.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.375	2004
29.01.2020 15:37:42	1	1	1	1	73.5	62.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.5	2004
29.01.2020 15:37:44	1	1	1	1	73.5	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5	2004
29.01.2020 15:37:45	1	1	1	1	73.5	62.5	0	30000	322.5806452	9453.428641	30000	0	0	30000	42.75	2004
29.01.2020 15:37:46	1	1	1	1	73.5	62.75	0	29952.607	324.7311828	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 15:37:47	1	1	1	1	73.5	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	42.625	2004
29.01.2020 15:37:48	1	1	1	1	73.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.1875	2004
29.01.2020 15:37:49	1	1	1	1	73.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 15:37:50	1	1	1	1	73.5	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 15:37:51	1	1	1	1	73.25	62.5	0	30000	378.4946237	11096.40421	30000	0	0	30000	42.25	2004
29.01.2020 15:37:52	1	1	1	1	73.25	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.5	2004
29.01.2020 15:37:53	1	1	1	1	73.25	61.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.75	2004
29.01.2020 15:37:54	1	1	1	1	73.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 15:37:55	1	1	1	1	73.25	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
29.01.2020 15:37:56	1	1	1	1	73.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
29.01.2020 15:37:57	1	1	1	1	73.25	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.4375	2004
29.01.2020 15:37:58	1	1	1	1	73.25	62.25	0	30000	402.1505376	11935.4225	30000	0	0	30000	42.1875	2004
29.01.2020 15:37:59	1	1	1	1	73.25	62	0	30000	400	11935.4225	30000	0	0	30000	42.5625	2004
29.01.2020 15:38:00	1	1	1	1	73.25	62.5	0	30047.393	404.3010753	11935.4225	30000	0	0	30000	42.3125	2004
29.01.2020 15:38:01	1	1	1	1	73.25	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.875	2004
29.01.2020 15:38:02	1	1	1	1	73.25	61.75	0	29952.607	417.2043011	12348.00098	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:38:47	1	1	1	1	73.25	62.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
29.01.2020 15:38:48	1	1	1	1	73.25	62.5	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 15:38:49	1	1	1	1	73.25	62.25	0	30000	387.0967742	11530.18237	30000	0	0	30000	42.375	2004
29.01.2020 15:38:50	1	1	1	1	73.25	62.25	0	30000	412.9032258	12348.00098	30000	0	0	30000	42.5	2004
29.01.2020 15:38:51	1	1	1	1	73.25	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 15:38:52	1	1	1	1	73.25	62.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.6875	2004
29.01.2020 15:38:53	1	1	1	1	73.25	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.25	2004
29.01.2020 15:38:54	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
29.01.2020 15:38:55	1	1	1	1	73.25	62.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:38:56	1	1	1	1	73.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 15:38:57	1	1	1	1	73.25	62.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
29.01.2020 15:38:58	1	1	1	1	73.25	62.75	0	30000	400	12064.25135	30000	0	0	30000	42.375	2004
29.01.2020 15:38:59	1	1	1	1	73.25	62.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.8125	2004
29.01.2020 15:39:00	1	1	1	1	73	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.0625	2004
29.01.2020 15:39:02	1	1	1	1	73	62	0	29952.607	412.9032258	12109.91221	30000	0	0	30000	42.1875	2004
29.01.2020 15:39:03	1	1	1	1	73	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
29.01.2020 15:39:04	1	1	1	1	73	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:05	1	1	1	1	73	62.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	42.25	2004
29.01.2020 15:39:06	1	1	1	1	73	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:07	1	1	1	1	73	62.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:08	1	1	1	1	73	62.25	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.125	2004
29.01.2020 15:39:09	1	1	1	1	73	62	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.5	2004
29.01.2020 15:39:10	1	1	1	1	73	62.5	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:11	1	1	1	1	73	62.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:12	1	1	1	1	73	62.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:13	1	1	1	1	73	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:14	1	1	1	1	73	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 15:39:15	1	1	1	1	73	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:16	1	1	1	1	73	62.25	0	30000	400	12128.66578	30000	0	0	30000	42.375	2004
29.01.2020 15:39:17	1	1	1	1	73	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.375	2004
29.01.2020 15:39:18	1	1	1	1	73	62.25	0	30000	395.6989247	11805.77827	30000	0	0	30000	42.375	2004
29.01.2020 15:39:19	1	1	1	1	73	62.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.125	2004
29.01.2020 15:39:27	1	1	1	1	73.25	62.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.5	2004
29.01.2020 15:39:27	1	1	1	1	73.25	62.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.5	2004
29.01.2020 15:39:27	1	1	1	1	73.25	62.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.5	2004
29.01.2020 15:39:27	1	1	1	1	73.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 15:39:27	1	1	1	1	73.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 15:39:27	1	1	1	1	73.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 15:39:27	1	1	1	1	73.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
29.01.2020 15:39:28	1	1	1	1	73.25	62.25	0	30000	346.2365591	10515.85899	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:29	1	1	1	1	73.25	62.5	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:30	1	1	1	1	72.75	62.25	0	29905.213	350.5376344	10499.55155	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:39:31	1	1	1	1	72.75	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42.6875	2004
29.01.2020 15:39:32	1	1	1	1	72.75	62.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.5	2004
29.01.2020 15:39:33	1	1	1	1	72.75	62.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:39:34	1	1	1	1	72.75	62.5	0	29952.607	380.6451613	11401.35352	30000	0	0	30000	41.875	2004
29.01.2020 15:39:35	1	1	1	1	72.75	61.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.0625	2004
29.01.2020 15:39:36	1	1	1	1	72.75	62	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.6875	2004
29.01.2020 15:39:37	1	1	1	1	72.75	62.5	0	30047.393	397.8494624	11935.4225	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:38	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:39	1	1	1	1	72.75	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:40	1	1	1	1	72.75	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.375	2004
29.01.2020 15:39:41	1	1	1	1	72.75	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:43	1	1	1	1	72.75	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:44	1	1	1	1	72.75	62.5	0	30047.393	354.8387097	10515.85899	30000	0	0	30000	42.375	2004
29.01.2020 15:39:45	1	1	1	1	72.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5	2004
29.01.2020 15:39:46	1	1	1	1	72.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:47	1	1	1	1	72.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:48	1	1	1	1	72.75	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.625	2004
29.01.2020 15:39:49	1	1	1	1	72.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:39:50	1	1	1	1	72.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:51	1	1	1	1	72.75	62.5	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 15:39:52	1	1	1	1	72.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:53	1	1	1	1	72.75	62.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	41.9375	2004
29.01.2020 15:39:54	1	1	1	1	72.75	61.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.125	2004
29.01.2020 15:39:55	1	1	1	1	72.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:56	1	1	1	1	72.75	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5625	2004
29.01.2020 15:39:57	1	1	1	1	72.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.4375	2004
29.01.2020 15:39:58	1	1	1	1	72.75	62.25	0	29952.607	335.483871	10241.89384	30000	0	0	30000	42	2004
29.01.2020 15:39:59	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 15:40:00	1	1	1	1	72.75	62.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.5625	2004
29.01.2020 15:40:01	1	1	1	1	72.75	62.5	0	29905.213	346.2365591	10370.72269	30000	0	0	30000	42.3125	2004
29.01.2020 15:40:02	1	1	1	1	72.75	62.25	0	30000	341.9354839	10113.06499	30000	0	0	30000	42.1875	2004
29.01.2020 15:40:03	1	1	1	1	72.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5	2004
29.01.2020 15:40:04	1	1	1	1	72.75	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43	2004
29.01.2020 15:40:05	1	1	1	1	72.75	63	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.875	2004
29.01.2020 15:40:06	1	1	1	1	72.75	62.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.5	2004
29.01.2020 15:40:07	1	1	1	1	72.75	62.5	0	30000	333.3333333	9775.500775	30000	0	0	30000	42.125	2004
29.01.2020 15:40:08	1	1	1	1	72.75	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.4375	2004
29.01.2020 15:40:09	1	1	1	1	72.75	62.25	0	30000	348.3870968	10257.38592	30000	0	0	30000	42.125	2004
29.01.2020 15:40:10	1	1	1	1	73.25	62	0	30000	354.8387097	10257.38592	30000	0	0	30000	42.5	2004
29.01.2020 15:40:11	1	1	1	1	73.25	62.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	42	2004
29.01.2020 15:40:12	1	1	1	1	73.25	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.25	2004
29.01.2020 15:40:13	1	1	1	1	73.25	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.4375	2004
29.01.2020 15:40:14	1	1	1	1	73.25	61.25	0	30000	288.172043	8644.579132	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:40:15	1	1	1	1	73.25	61.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.625	2004
29.01.2020 15:40:16	1	1	1	1	73.25	61.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.25	2004
29.01.2020 15:40:17	1	1	1	1	73.25	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.5	2004
29.01.2020 15:40:18	1	1	1	1	73.25	61.5	0	30000	288.172043	8708.993559	30000	0	0	30000	41.8125	2004
29.01.2020 15:40:19	1	1	1	1	73.25	61.75	0	30000	288.172043	8580.164705	30000	0	0	30000	42.5625	2004
29.01.2020 15:40:20	1	1	1	1	72.5	62.5	0	30000	288.172043	8580.164705	30000	0	0	30000	42.1875	2004
29.01.2020 15:40:28	1	1	1	1	72.5	62.25	0	30047.393	243.0107527	7419.07428	30000	0	0	30000	42.625	2004
29.01.2020 15:40:28	1	1	1	1	72.5	62.25	0	30047.393	243.0107527	7419.07428	30000	0	0	30000	42.625	2004
29.01.2020 15:40:28	1	1	1	1	72.5	62.25	0	30047.393	243.0107527	7419.07428	30000	0	0	30000	42.625	2004
29.01.2020 15:40:28	1	1	1	1	72.5	62.25	0	30047.393	243.0107527	7419.07428	30000	0	0	30000	42.625	2004
29.01.2020 15:40:28	1	1	1	1	72.5	62.25	0	30047.393	243.0107527	7419.07428	30000	0	0	30000	42.625	2004
29.01.2020 15:40:28	1	1	1	1	72.5	62.25	0	30047.393	243.0107527	7419.07428	30000	0	0	30000	42.625	2004
29.01.2020 15:40:28	1	1	1	1	72.5	62.25	0	30047.393	243.0107527	7419.07428	30000	0	0	30000	42.625	2004
29.01.2020 15:40:29	1	1	1	1	72.5	62.5	0	30000	247.311828	7419.07428	30000	0	0	30000	42.5625	2004
29.01.2020 15:40:30	1	1	1	1	72.5	62.5	0	30000	260.2150538	7612.31756	30000	0	0	30000	42.5625	2004
29.01.2020 15:40:31	1	1	1	1	73.25	62.5	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	42.1875	2004
29.01.2020 15:40:32	1	1	1	1	73.25	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.4375	2004
29.01.2020 15:40:33	1	1	1	1	73.25	62.25	0	30000	283.8709677	8644.579132	30000	0	0	30000	42.5625	2004
29.01.2020 15:40:34	1	1	1	1	73.25	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.4375	2004
29.01.2020 15:40:35	1	1	1	1	73.25	62.25	0	29952.607	316.1290323	9612.426277	30000	0	0	30000	42.4375	2004
29.01.2020 15:40:36	1	1	1	1	73.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.625	2004
29.01.2020 15:40:37	1	1	1	1	73.25	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 15:40:38	1	1	1	1	73.25	62.5	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	42.375	2004
29.01.2020 15:40:39	1	1	1	1	73.25	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 15:40:40	1	1	1	1	73.25	62.25	0	30000	313.9784946	9612.426277	30000	0	0	30000	42.625	2004
29.01.2020 15:40:41	1	1	1	1	73	62.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.25	2004
29.01.2020 15:40:42	1	1	1	1	73	62.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 15:40:43	1	1	1	1	73	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
29.01.2020 15:40:44	1	1	1	1	73	62	0	30000	318.2795699	9533.335145	30000	0	0	30000	43	2004
29.01.2020 15:40:45	1	1	1	1	73	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.3125	2004
29.01.2020 15:40:46	1	1	1	1	73	62.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.0625	2004
29.01.2020 15:40:47	1	1	1	1	73	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.375	2004
29.01.2020 15:40:48	1	1	1	1	73	62.25	0	30000	335.483871	10048.65056	30000	0	0	30000	42.4375	2004
29.01.2020 15:40:49	1	1	1	1	73	62.25	0	29905.213	318.2795699	9741.25513	30000	0	0	30000	42.4375	2004
29.01.2020 15:40:50	1	1	1	1	72.75	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.375	2004
29.01.2020 15:40:51	1	1	1	1	72.75	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.375	2004
29.01.2020 15:40:52	1	1	1	1	72.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 15:40:53	1	1	1	1	72.75	62	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.4375	2004
29.01.2020 15:40:54	1	1	1	1	72.75	62.25	0	30000	331.1827957	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:40:55	1	1	1	1	72.75	62.5	0	30000	335.483871	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 15:40:56	1	1	1	1	72.75	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.4375	2004
29.01.2020 15:40:57	1	1	1	1	72.75	62.25	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	42.5	2004
29.01.2020 15:40:58	1	1	1	1	72.75	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:40:59	1	1	1	1	72.75	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.375	2004
29.01.2020 15:41:00	1	1	1	1	72.75	62.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	42	2004
29.01.2020 15:41:02	1	1	1	1	72.75	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.4375	2004
29.01.2020 15:41:03	1	1	1	1	72.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.625	2004
29.01.2020 15:41:04	1	1	1	1	72.75	62.5	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	42.5625	2004
29.01.2020 15:41:05	1	1	1	1	72.75	62.5	0	30000	352.688172	10353.59987	30000	0	0	30000	41.9375	2004
29.01.2020 15:41:06	1	1	1	1	72.75	61.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.8125	2004
29.01.2020 15:41:07	1	1	1	1	72.75	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.3125	2004
29.01.2020 15:41:08	1	1	1	1	72.75	62.25	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
29.01.2020 15:41:09	1	1	1	1	72.75	61.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.375	2004
29.01.2020 15:41:10	1	1	1	1	72.75	62.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.4375	2004
29.01.2020 15:41:11	1	1	1	1	72.75	62.25	0	30000	378.4946237	11014.86696	30000	0	0	30000	42.375	2004
29.01.2020 15:41:12	1	1	1	1	72.75	62.25	0	30000	352.688172	10644.68785	30000	0	0	30000	42	2004
29.01.2020 15:41:13	1	1	1	1	72.75	62	0	30000	339.7849462	10387.03014	30000	0	0	30000	42.5625	2004
29.01.2020 15:41:14	1	1	1	1	72.75	62.5	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.4375	2004
29.01.2020 15:41:15	1	1	1	1	72.75	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.3125	2004
29.01.2020 15:41:16	1	1	1	1	72.75	62.25	0	29952.607	335.483871	10048.65056	30000	0	0	30000	42.25	2004
29.01.2020 15:41:17	1	1	1	1	72.75	62.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.375	2004
29.01.2020 15:41:18	1	1	1	1	72.75	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.5	2004
29.01.2020 15:41:19	1	1	1	1	72.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.375	2004
29.01.2020 15:41:20	1	1	1	1	72.75	62.25	0	30047.393	367.7419355	10709.10227	30000	0	0	30000	42.5	2004
29.01.2020 15:41:21	1	1	1	1	73	62.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 15:41:22	1	1	1	1	73	62.25	0	30000	341.9354839	10241.89384	30000	0	0	30000	42.75	2004
29.01.2020 15:41:30	1	1	1	1	73	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:41:30	1	1	1	1	73	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:41:30	1	1	1	1	73	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:41:30	1	1	1	1	73	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:41:30	1	1	1	1	73	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:41:30	1	1	1	1	73	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:41:30	1	1	1	1	73	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
29.01.2020 15:41:30	1	1	1	1	72.75	62.5	0	29905.213	326.8817204	9870.899356	30000	0	0	30000	42	2004
29.01.2020 15:41:31	1	1	1	1	72.75	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5	2004
29.01.2020 15:41:32	1	1	1	1	72.75	62.5	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	42.625	2004
29.01.2020 15:41:33	1	1	1	1	72.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:41:34	1	1	1	1	72.75	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 15:41:35	1	1	1	1	72.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
29.01.2020 15:41:36	1	1	1	1	72.75	62.25	0	29952.607	346.2365591	10515.85899	30000	0	0	30000	42.5625	2004
29.01.2020 15:41:37	1	1	1	1	72.75	62.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.5	2004
29.01.2020 15:41:38	1	1	1	1	72.75	62.5	0	29952.607	322.5806452	9662.163999	30000	0	0	30000	42.5	2004
29.01.2020 15:41:40	1	1	1	1	72.75	62.5	0	30000	320.4301075	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:41:41	1	1	1	1	73.25	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.3125	2004
29.01.2020 15:41:42	1	1	1	1	73.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 15:41:43	1	1	1	1	73.25	62.25	0	30000	329.0322581	10160.35659	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:41:44	1	1	1	1	73.25	62.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 15:41:45	1	1	1	1	73.25	62.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.375	2004
29.01.2020 15:41:46	1	1	1	1	73.25	62.25	0	30000	365.5913978	11114.3424	30000	0	0	30000	42.3125	2004
29.01.2020 15:41:47	1	1	1	1	73.25	62.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 15:41:48	1	1	1	1	73.25	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.3125	2004
29.01.2020 15:41:49	1	1	1	1	73.25	62.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.125	2004
29.01.2020 15:41:50	1	1	1	1	73.25	62	0	30000	400	11935.4225	30000	0	0	30000	42	2004
29.01.2020 15:41:51	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 15:41:52	1	1	1	1	73	62.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:41:53	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 15:41:54	1	1	1	1	73	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
29.01.2020 15:41:55	1	1	1	1	73	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.4375	2004
29.01.2020 15:41:56	1	1	1	1	73	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004
29.01.2020 15:41:57	1	1	1	1	73	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.4375	2004
29.01.2020 15:41:58	1	1	1	1	73	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.375	2004
29.01.2020 15:41:59	1	1	1	1	73	62.25	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:00	1	1	1	1	73	62.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.625	2004
29.01.2020 15:42:01	1	1	1	1	73.25	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
29.01.2020 15:42:02	1	1	1	1	73.25	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.375	2004
29.01.2020 15:42:03	1	1	1	1	73.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
29.01.2020 15:42:04	1	1	1	1	73.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:42:05	1	1	1	1	73.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:42:06	1	1	1	1	73.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:42:07	1	1	1	1	73.25	62	0	29905.213	412.9032258	12878.80847	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:08	1	1	1	1	73.25	62.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.625	2004
29.01.2020 15:42:09	1	1	1	1	73.25	62.5	0	29952.607	427.9569892	13096.51292	30000	0	0	30000	42.625	2004
29.01.2020 15:42:10	1	1	1	1	72.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:11	1	1	1	1	72.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.625	2004
29.01.2020 15:42:12	1	1	1	1	72.75	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:13	1	1	1	1	72.75	62.25	0	30000	378.4946237	11372.81548	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:14	1	1	1	1	72.75	62.25	0	29905.213	359.1397849	10967.57535	30000	0	0	30000	42.3125	2004
29.01.2020 15:42:16	1	1	1	1	72.75	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
29.01.2020 15:42:17	1	1	1	1	72.75	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.5	2004
29.01.2020 15:42:18	1	1	1	1	72.75	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.1875	2004
29.01.2020 15:42:19	1	1	1	1	72.75	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42.5	2004
29.01.2020 15:42:20	1	1	1	1	72.75	62.5	0	29905.213	346.2365591	10387.03014	30000	0	0	30000	42.5	2004
29.01.2020 15:42:21	1	1	1	1	73.25	62.5	0	29952.607	329.0322581	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:22	1	1	1	1	73.25	62.25	0	29952.607	341.9354839	10177.47941	30000	0	0	30000	42.5	2004
29.01.2020 15:42:23	1	1	1	1	73.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
29.01.2020 15:42:24	1	1	1	1	73.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
29.01.2020 15:42:31	1	1	1	1	73	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.0625	2004
29.01.2020 15:42:31	1	1	1	1	73	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.0625	2004
29.01.2020 15:42:31	1	1	1	1	73	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:42:31	1	1	1	1	73	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.0625	2004
29.01.2020 15:42:31	1	1	1	1	73	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.0625	2004
29.01.2020 15:42:31	1	1	1	1	73	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.0625	2004
29.01.2020 15:42:31	1	1	1	1	73	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.0625	2004
29.01.2020 15:42:32	1	1	1	1	73	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:33	1	1	1	1	73	62.25	0	30000	335.483871	9967.928682	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:34	1	1	1	1	73	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 15:42:35	1	1	1	1	73	62.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.0625	2004
29.01.2020 15:42:36	1	1	1	1	73	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.3125	2004
29.01.2020 15:42:37	1	1	1	1	73	61.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.875	2004
29.01.2020 15:42:38	1	1	1	1	73	62.75	0	29952.607	318.2795699	9548.01185	30000	0	0	30000	42.3125	2004
29.01.2020 15:42:39	1	1	1	1	73	62.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:42:40	1	1	1	1	73	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.125	2004
29.01.2020 15:42:41	1	1	1	1	73	62	0	30047.393	350.5376344	10451.44457	30000	0	0	30000	41.9375	2004
29.01.2020 15:42:42	1	1	1	1	73	61.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.25	2004
29.01.2020 15:42:43	1	1	1	1	73	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.375	2004
29.01.2020 15:42:44	1	1	1	1	73	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.5	2004
29.01.2020 15:42:45	1	1	1	1	73	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
29.01.2020 15:42:46	1	1	1	1	73	62.5	0	30000	322.5806452	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 15:42:47	1	1	1	1	73	62.25	0	30000	326.8817204	9612.426277	30000	0	0	30000	42.5625	2004
29.01.2020 15:42:48	1	1	1	1	73	62.5	0	30000	337.6344086	10064.14264	30000	0	0	30000	41.875	2004
29.01.2020 15:42:49	1	1	1	1	73	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.625	2004
29.01.2020 15:42:51	1	1	1	1	72.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:52	1	1	1	1	72.75	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 15:42:53	1	1	1	1	72.75	62	0	29952.607	320.4301075	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 15:42:54	1	1	1	1	72.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 15:42:55	1	1	1	1	72.75	62.25	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 15:42:56	1	1	1	1	72.75	62.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 15:42:57	1	1	1	1	72.75	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 15:42:58	1	1	1	1	72.75	62.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.5	2004
29.01.2020 15:42:59	1	1	1	1	72.75	62.5	0	30000	307.5268817	9211.263012	30000	0	0	30000	42.5	2004
29.01.2020 15:43:00	1	1	1	1	72.75	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.25	2004
29.01.2020 15:43:01	1	1	1	1	72.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
29.01.2020 15:43:02	1	1	1	1	72.25	62.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 15:43:03	1	1	1	1	72.25	62.25	0	29905.213	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 15:43:04	1	1	1	1	72.25	62.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 15:43:05	1	1	1	1	72.25	62.5	0	30000	309.6774194	9146.848585	30000	0	0	30000	42.375	2004
29.01.2020 15:43:06	1	1	1	1	72.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 15:43:07	1	1	1	1	72.25	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5	2004
29.01.2020 15:43:08	1	1	1	1	72.25	62.5	0	30000	307.5268817	9211.263012	30000	0	0	30000	41.9375	2004
29.01.2020 15:43:09	1	1	1	1	72.25	61.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.5	2004
29.01.2020 15:43:10	1	1	1	1	72.25	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.4375	2004
29.01.2020 15:43:11	1	1	1	1	71.75	62.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:43:12	1	1	1	1	71.75	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.875	2004
29.01.2020 15:43:13	1	1	1	1	71.75	62.75	0	30000	292.4731183	8967.466638	30000	0	0	30000	42.1875	2004
29.01.2020 15:43:14	1	1	1	1	71.75	62	0	30000	311.827957	9419.182997	30000	0	0	30000	42.25	2004
29.01.2020 15:43:15	1	1	1	1	71.75	62.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.25	2004
29.01.2020 15:43:16	1	1	1	1	71.75	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42	2004
29.01.2020 15:43:17	1	1	1	1	71.75	62	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.0625	2004
29.01.2020 15:43:18	1	1	1	1	71.75	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.4375	2004
29.01.2020 15:43:19	1	1	1	1	71.75	62.25	0	29905.213	322.5806452	9582.257495	30000	0	0	30000	42.3125	2004
29.01.2020 15:43:20	1	1	1	1	72	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
29.01.2020 15:43:21	1	1	1	1	72	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.3125	2004
29.01.2020 15:43:22	1	1	1	1	72	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.4375	2004
29.01.2020 15:43:23	1	1	1	1	72	62.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	42.3125	2004
29.01.2020 15:43:24	1	1	1	1	72	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
29.01.2020 15:43:25	1	1	1	1	72	62	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.25	2004
29.01.2020 15:43:33	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 15:43:33	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 15:43:33	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 15:43:33	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 15:43:33	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 15:43:33	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 15:43:33	1	1	1	1	72.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 15:43:34	1	1	1	1	72.5	61.75	0	30047.393	372.0430108	11031.98978	30000	0	0	30000	42.5625	2004
29.01.2020 15:43:35	1	1	1	1	72.5	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.375	2004
29.01.2020 15:43:36	1	1	1	1	72.5	62.25	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.4375	2004
29.01.2020 15:43:37	1	1	1	1	72.5	62.25	0	30000	361.2903226	11160.81863	30000	0	0	30000	42.375	2004
29.01.2020 15:43:38	1	1	1	1	72.5	62.25	0	29952.607	367.7419355	11160.81863	30000	0	0	30000	42.0625	2004
29.01.2020 15:43:39	1	1	1	1	72.5	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.5	2004
29.01.2020 15:43:40	1	1	1	1	72.5	61.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 15:43:41	1	1	1	1	72.75	61.75	0	30047.393	382.7956989	11437.22991	30000	0	0	30000	42.3125	2004
29.01.2020 15:43:42	1	1	1	1	72.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 15:43:43	1	1	1	1	72.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.75	2004
29.01.2020 15:43:44	1	1	1	1	72.75	61.75	0	30000	400	11916.66893	30000	0	0	30000	42.375	2004
29.01.2020 15:43:45	1	1	1	1	72.75	62.25	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.4375	2004
29.01.2020 15:43:46	1	1	1	1	72.75	62.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.375	2004
29.01.2020 15:43:47	1	1	1	1	72.75	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.0625	2004
29.01.2020 15:43:48	1	1	1	1	72.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 15:43:49	1	1	1	1	72.75	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.3125	2004
29.01.2020 15:43:50	1	1	1	1	72.75	62.25	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	42.125	2004
29.01.2020 15:43:51	1	1	1	1	72.75	62	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.1875	2004
29.01.2020 15:43:52	1	1	1	1	72.75	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42.6875	2004
29.01.2020 15:43:53	1	1	1	1	72.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
29.01.2020 15:43:54	1	1	1	1	72.75	61.25	0	30047.393	395.6989247	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 15:43:55	1	1	1	1	72.75	62.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:43:56	1	1	1	1	72.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 15:43:57	1	1	1	1	72.75	62.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.25	2004
29.01.2020 15:43:58	1	1	1	1	72.75	62.25	0	29905.213	387.0967742	11741.36385	30000	0	0	30000	42.4375	2004
29.01.2020 15:43:59	1	1	1	1	72.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.375	2004
29.01.2020 15:44:00	1	1	1	1	72.5	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.375	2004
29.01.2020 15:44:01	1	1	1	1	72.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:44:02	1	1	1	1	72.5	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5	2004
29.01.2020 15:44:03	1	1	1	1	72.5	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.6875	2004
29.01.2020 15:44:04	1	1	1	1	72.5	61.5	0	30000	374.1935484	11354.87729	30000	0	0	30000	41.9375	2004
29.01.2020 15:44:06	1	1	1	1	72.5	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
29.01.2020 15:44:07	1	1	1	1	72.5	62.5	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	42.25	2004
29.01.2020 15:44:08	1	1	1	1	72.5	62.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.3125	2004
29.01.2020 15:44:09	1	1	1	1	72.5	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.375	2004
29.01.2020 15:44:10	1	1	1	1	72.5	62.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.3125	2004
29.01.2020 15:44:11	1	1	1	1	72.75	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.9375	2004
29.01.2020 15:44:12	1	1	1	1	72.75	61.75	0	30000	354.8387097	10580.27342	30000	0	0	30000	42.4375	2004
29.01.2020 15:44:13	1	1	1	1	72.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5625	2004
29.01.2020 15:44:14	1	1	1	1	72.75	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.375	2004
29.01.2020 15:44:15	1	1	1	1	72.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.1875	2004
29.01.2020 15:44:16	1	1	1	1	72.75	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42.375	2004
29.01.2020 15:44:17	1	1	1	1	72.75	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42	2004
29.01.2020 15:44:18	1	1	1	1	72.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.4375	2004
29.01.2020 15:44:19	1	1	1	1	72.75	62.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.5625	2004
29.01.2020 15:44:20	1	1	1	1	72.75	62.5	0	30000	322.5806452	9662.163999	30000	0	0	30000	42.1875	2004
29.01.2020 15:44:21	1	1	1	1	72.5	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 15:44:22	1	1	1	1	72.5	62.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.0625	2004
29.01.2020 15:44:23	1	1	1	1	72.5	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:44:24	1	1	1	1	72.5	62.5	0	30000	346.2365591	10515.85899	30000	0	0	30000	41.9375	2004
29.01.2020 15:44:25	1	1	1	1	72.5	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5	2004
29.01.2020 15:44:26	1	1	1	1	72.5	62.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	42.375	2004
29.01.2020 15:44:27	1	1	1	1	72.5	62.25	0	29952.607	313.9784946	9612.426277	30000	0	0	30000	42.375	2004
29.01.2020 15:44:35	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 15:44:35	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 15:44:35	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 15:44:35	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 15:44:35	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 15:44:35	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 15:44:35	1	1	1	1	72.5	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.25	2004
29.01.2020 15:44:35	1	1	1	1	72.5	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.375	2004
29.01.2020 15:44:36	1	1	1	1	72.5	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.9375	2004
29.01.2020 15:44:37	1	1	1	1	72.5	61.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.375	2004
29.01.2020 15:44:38	1	1	1	1	72.5	62.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.4375	2004
29.01.2020 15:44:39	1	1	1	1	72.5	62.25	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:44:40	1	1	1	1	71.75	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.0625	2004
29.01.2020 15:44:41	1	1	1	1	71.75	62	0	29952.607	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
29.01.2020 15:44:42	1	1	1	1	71.75	62.25	0	30000	296.7741935	8682.086266	30000	0	0	30000	42.3125	2004
29.01.2020 15:44:44	1	1	1	1	71.75	62.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.0625	2004
29.01.2020 15:44:45	1	1	1	1	71.75	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.625	2004
29.01.2020 15:44:46	1	1	1	1	71.75	62.5	0	29952.607	309.6774194	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:44:47	1	1	1	1	71.75	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.1875	2004
29.01.2020 15:44:48	1	1	1	1	71.75	62	0	29952.607	318.2795699	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:44:49	1	1	1	1	71.75	62.5	0	29905.213	307.5268817	9225.124344	30000	0	0	30000	42.5625	2004
29.01.2020 15:44:50	1	1	1	1	71.75	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.4375	2004
29.01.2020 15:44:51	1	1	1	1	72.25	62.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.9375	2004
29.01.2020 15:44:52	1	1	1	1	72.25	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.4375	2004
29.01.2020 15:44:53	1	1	1	1	72.25	62.25	0	30047.393	318.2795699	9354.76857	30000	0	0	30000	42.5625	2004
29.01.2020 15:44:54	1	1	1	1	72.25	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5625	2004
29.01.2020 15:44:55	1	1	1	1	72.25	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 15:44:56	1	1	1	1	72.25	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.5	2004
29.01.2020 15:44:57	1	1	1	1	72.25	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:44:58	1	1	1	1	72.25	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 15:44:59	1	1	1	1	72.25	62.25	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	42.4375	2004
29.01.2020 15:45:00	1	1	1	1	72.25	62.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	42.75	2004
29.01.2020 15:45:01	1	1	1	1	72.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
29.01.2020 15:45:02	1	1	1	1	72.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5	2004
29.01.2020 15:45:03	1	1	1	1	72.25	62.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 15:45:04	1	1	1	1	72.25	62.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 15:45:05	1	1	1	1	72.25	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.75	2004
29.01.2020 15:45:06	1	1	1	1	72.25	62.75	0	30000	369.8924731	10868.09991	30000	0	0	30000	41.6875	2004
29.01.2020 15:45:07	1	1	1	1	72.25	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
29.01.2020 15:45:08	1	1	1	1	72.25	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.5625	2004
29.01.2020 15:45:09	1	1	1	1	72.25	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
29.01.2020 15:45:10	1	1	1	1	72	62.75	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	42.5	2004
29.01.2020 15:45:11	1	1	1	1	72	62.5	0	29952.607	352.688172	10773.5167	30000	0	0	30000	42.5	2004
29.01.2020 15:45:12	1	1	1	1	72	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.375	2004
29.01.2020 15:45:13	1	1	1	1	72	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.375	2004
29.01.2020 15:45:14	1	1	1	1	72	62.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.5	2004
29.01.2020 15:45:15	1	1	1	1	72	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:45:16	1	1	1	1	72	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.625	2004
29.01.2020 15:45:17	1	1	1	1	72	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
29.01.2020 15:45:18	1	1	1	1	72	62	0	30000	307.5268817	9160.709918	30000	0	0	30000	42.125	2004
29.01.2020 15:45:19	1	1	1	1	72	62	0	30000	298.9247312	8838.637784	30000	0	0	30000	42.4375	2004
29.01.2020 15:45:21	1	1	1	1	72.25	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 15:45:22	1	1	1	1	72.25	62.5	0	30000	309.6774194	9096.295491	30000	0	0	30000	42.5625	2004
29.01.2020 15:45:23	1	1	1	1	72.25	62.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.3125	2004
29.01.2020 15:45:24	1	1	1	1	72.25	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:45:25	1	1	1	1	72.25	62	0	30000	331.1827957	9855.407279	30000	0	0	30000	42.5	2004
29.01.2020 15:45:26	1	1	1	1	72.25	62.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.4375	2004
29.01.2020 15:45:27	1	1	1	1	72.25	62.25	0	30000	335.483871	9999.728209	30000	0	0	30000	42.25	2004
29.01.2020 15:45:28	1	1	1	1	72.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.4375	2004
29.01.2020 15:45:29	1	1	1	1	72.25	62.25	0	29952.607	335.483871	9967.928682	30000	0	0	30000	42.25	2004
29.01.2020 15:45:36	1	1	1	1	72.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:45:36	1	1	1	1	72.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:45:36	1	1	1	1	72.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:45:36	1	1	1	1	72.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:45:36	1	1	1	1	72.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:45:37	1	1	1	1	72.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:45:37	1	1	1	1	72.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
29.01.2020 15:45:37	1	1	1	1	72.75	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.4375	2004
29.01.2020 15:45:38	1	1	1	1	72.75	62.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5	2004
29.01.2020 15:45:39	1	1	1	1	72.75	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
29.01.2020 15:45:40	1	1	1	1	72.75	62.5	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.5	2004
29.01.2020 15:45:41	1	1	1	1	73	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.375	2004
29.01.2020 15:45:42	1	1	1	1	73	62.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.4375	2004
29.01.2020 15:45:43	1	1	1	1	73	62.25	0	30000	264.516129	7999.619493	30000	0	0	30000	41.875	2004
29.01.2020 15:45:44	1	1	1	1	73	61.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.875	2004
29.01.2020 15:45:45	1	1	1	1	73	60.75	0	30000	260.2150538	7870.79064	30000	0	0	30000	43.0625	2004
29.01.2020 15:45:46	1	1	1	1	73	63	0	30000	262.3655914	7806.376213	30000	0	0	30000	42.875	2004
29.01.2020 15:45:47	1	1	1	1	73	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.3125	2004
29.01.2020 15:45:48	1	1	1	1	73	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.875	2004
29.01.2020 15:45:49	1	1	1	1	73	62.75	0	30000	298.9247312	8838.637784	30000	0	0	30000	42.1875	2004
29.01.2020 15:45:50	1	1	1	1	73.25	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.4375	2004
29.01.2020 15:45:51	1	1	1	1	73.25	62.25	0	29905.213	311.827957	9354.76857	30000	0	0	30000	42.3125	2004
29.01.2020 15:45:52	1	1	1	1	73.25	62.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
29.01.2020 15:45:53	1	1	1	1	73.25	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.3125	2004
29.01.2020 15:45:54	1	1	1	1	73.25	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.375	2004
29.01.2020 15:45:55	1	1	1	1	73.25	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
29.01.2020 15:45:56	1	1	1	1	73.25	62	0	30000	316.1290323	9612.426277	30000	0	0	30000	42.1875	2004
29.01.2020 15:45:57	1	1	1	1	73.25	62	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	42.3125	2004
29.01.2020 15:45:58	1	1	1	1	73.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
29.01.2020 15:45:59	1	1	1	1	73.25	62.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:01	1	1	1	1	73.25	62	0	29952.607	326.8817204	9741.25513	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:02	1	1	1	1	73.25	62	0	29905.213	322.5806452	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 15:46:03	1	1	1	1	73.25	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.3125	2004
29.01.2020 15:46:04	1	1	1	1	73.25	62.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.6875	2004
29.01.2020 15:46:05	1	1	1	1	73.25	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.0625	2004
29.01.2020 15:46:06	1	1	1	1	73.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
29.01.2020 15:46:07	1	1	1	1	73.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:08	1	1	1	1	73.25	62	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:46:09	1	1	1	1	73.25	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.875	2004
29.01.2020 15:46:10	1	1	1	1	73.25	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5625	2004
29.01.2020 15:46:11	1	1	1	1	73	62.5	0	30000	384.9462366	11778.87098	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:12	1	1	1	1	73	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:13	1	1	1	1	73	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:14	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:15	1	1	1	1	73	62.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:16	1	1	1	1	73	62.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.75	2004
29.01.2020 15:46:17	1	1	1	1	73	62.75	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.0625	2004
29.01.2020 15:46:18	1	1	1	1	73	62	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.625	2004
29.01.2020 15:46:19	1	1	1	1	73	62.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.5	2004
29.01.2020 15:46:20	1	1	1	1	73	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.3125	2004
29.01.2020 15:46:21	1	1	1	1	72.75	62.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	42.25	2004
29.01.2020 15:46:22	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 15:46:23	1	1	1	1	72.75	62.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:24	1	1	1	1	72.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:25	1	1	1	1	72.75	62.25	0	29952.607	412.9032258	12109.91221	30000	0	0	30000	42.9375	2004
29.01.2020 15:46:26	1	1	1	1	72.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.875	2004
29.01.2020 15:46:27	1	1	1	1	72.75	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 15:46:28	1	1	1	1	72.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
29.01.2020 15:46:29	1	1	1	1	72.75	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
29.01.2020 15:46:30	1	1	1	1	72.75	62.5	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:38	1	1	1	1	72.75	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:38	1	1	1	1	72.75	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:38	1	1	1	1	72.75	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:38	1	1	1	1	72.75	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:38	1	1	1	1	72.75	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:38	1	1	1	1	72.75	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:38	1	1	1	1	72.75	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:39	1	1	1	1	72.75	62.25	0	30000	404.3010753	11999.83693	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:40	1	1	1	1	72.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:41	1	1	1	1	72.5	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:42	1	1	1	1	72.5	62.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:43	1	1	1	1	72.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 15:46:44	1	1	1	1	72.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 15:46:45	1	1	1	1	72.5	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.3125	2004
29.01.2020 15:46:46	1	1	1	1	72.5	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:47	1	1	1	1	72.5	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.5625	2004
29.01.2020 15:46:51	1	1	1	1	72.5	62.5	0	30000	400	11999.83693	30000	0	0	30000	42.375	2004
29.01.2020 15:46:51	1	1	1	1	72.5	62.5	0	30000	400	11999.83693	30000	0	0	30000	42.375	2004
29.01.2020 15:46:51	1	1	1	1	72.5	62.5	0	30000	400	11999.83693	30000	0	0	30000	42.375	2004
29.01.2020 15:46:51	1	1	1	1	72.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 15:46:52	1	1	1	1	72.25	62.25	0	30000	400	12064.25135	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:46:53	1	1	1	1	72.25	62.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:54	1	1	1	1	72.25	62	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.375	2004
29.01.2020 15:46:55	1	1	1	1	72.25	62.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:56	1	1	1	1	72.25	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.375	2004
29.01.2020 15:46:57	1	1	1	1	72.25	62.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 15:46:58	1	1	1	1	72.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 15:46:59	1	1	1	1	72.25	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.3125	2004
29.01.2020 15:47:00	1	1	1	1	72.25	62.25	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004
29.01.2020 15:47:01	1	1	1	1	71	62	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
29.01.2020 15:47:02	1	1	1	1	71	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.75	2004
29.01.2020 15:47:03	1	1	1	1	71	62.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.375	2004
29.01.2020 15:47:04	1	1	1	1	71	62.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
29.01.2020 15:47:05	1	1	1	1	71	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
29.01.2020 15:47:06	1	1	1	1	71	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
29.01.2020 15:47:07	1	1	1	1	71	62.25	0	30000	421.5053763	12709.21099	30000	0	0	30000	41.8125	2004
29.01.2020 15:47:08	1	1	1	1	71	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5625	2004
29.01.2020 15:47:09	1	1	1	1	71	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
29.01.2020 15:47:10	1	1	1	1	71	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.0625	2004
29.01.2020 15:47:11	1	1	1	1	71	62	0	30000	440.8602151	13160.92735	30000	0	0	30000	42.3125	2004
29.01.2020 15:47:12	1	1	1	1	71	62.25	0	29905.213	427.9569892	13160.92735	30000	0	0	30000	42.4375	2004
29.01.2020 15:47:13	1	1	1	1	71	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
29.01.2020 15:47:14	1	1	1	1	71	62	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.5625	2004
29.01.2020 15:47:16	1	1	1	1	71	62.5	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.4375	2004
29.01.2020 15:47:17	1	1	1	1	71	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5625	2004
29.01.2020 15:47:18	1	1	1	1	71	62.5	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	42.4375	2004
29.01.2020 15:47:19	1	1	1	1	71	62.25	0	30000	443.0107527	13246.54146	30000	0	0	30000	42.4375	2004
29.01.2020 15:47:20	1	1	1	1	71	62.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	42	2004
29.01.2020 15:47:21	1	1	1	1	71.5	62	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.5	2004
29.01.2020 15:47:22	1	1	1	1	71.5	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:47:23	1	1	1	1	71.5	62	0	30000	427.9569892	12540.42889	30000	0	0	30000	42.3125	2004
29.01.2020 15:47:24	1	1	1	1	71.5	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
29.01.2020 15:47:25	1	1	1	1	71.5	62	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.25	2004
29.01.2020 15:47:26	1	1	1	1	71.5	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.4375	2004
29.01.2020 15:47:27	1	1	1	1	71.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
29.01.2020 15:47:28	1	1	1	1	71.5	62.25	0	29905.213	455.9139785	13935.53122	30000	0	0	30000	42.4375	2004
29.01.2020 15:47:29	1	1	1	1	71.5	62.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	42.1875	2004
29.01.2020 15:47:30	1	1	1	1	71.5	62	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.5	2004
29.01.2020 15:47:31	1	1	1	1	71.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 15:47:32	1	1	1	1	71.75	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.375	2004
29.01.2020 15:47:40	1	1	1	1	71.75	62.25	0	30000	425.8064516	12798.08659	30000	0	0	30000	42.375	2004
29.01.2020 15:47:40	1	1	1	1	71.75	62.25	0	30000	425.8064516	12798.08659	30000	0	0	30000	42.375	2004
29.01.2020 15:47:40	1	1	1	1	71.75	62.25	0	30000	425.8064516	12798.08659	30000	0	0	30000	42.375	2004
29.01.2020 15:47:40	1	1	1	1	71.75	62.25	0	30000	425.8064516	12798.08659	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:47:40	1	1	1	1	71.75	62.25	0	30000	425.8064516	12798.08659	30000	0	0	30000	42.375	2004
29.01.2020 15:47:40	1	1	1	1	71.75	62.25	0	30000	425.8064516	12798.08659	30000	0	0	30000	42.375	2004
29.01.2020 15:47:40	1	1	1	1	71.75	62.25	0	30000	425.8064516	12798.08659	30000	0	0	30000	42.375	2004
29.01.2020 15:47:40	1	1	1	1	71.75	62.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.9375	2004
29.01.2020 15:47:41	1	1	1	1	71.75	62.75	0	30047.393	460.2150538	13612.64371	30000	0	0	30000	42.5	2004
29.01.2020 15:47:42	1	1	1	1	71.75	61.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.3125	2004
29.01.2020 15:47:43	1	1	1	1	71.75	61.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.5625	2004
29.01.2020 15:47:44	1	1	1	1	71.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.3125	2004
29.01.2020 15:47:45	1	1	1	1	71.75	62.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.125	2004
29.01.2020 15:47:46	1	1	1	1	71.75	62	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.25	2004
29.01.2020 15:47:47	1	1	1	1	71.75	62.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42	2004
29.01.2020 15:47:48	1	1	1	1	71.75	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.25	2004
29.01.2020 15:47:49	1	1	1	1	71.75	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.4375	2004
29.01.2020 15:47:51	1	1	1	1	71.5	62.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.25	2004
29.01.2020 15:47:52	1	1	1	1	71.5	62.25	0	30000	455.9139785	13591.44402	30000	0	0	30000	41.625	2004
29.01.2020 15:47:53	1	1	1	1	71.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.25	2004
29.01.2020 15:47:54	1	1	1	1	71.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5625	2004
29.01.2020 15:47:55	1	1	1	1	71.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
29.01.2020 15:47:56	1	1	1	1	71.5	61.75	0	30000	438.7096774	12818.4709	30000	0	0	30000	42.1875	2004
29.01.2020 15:47:57	1	1	1	1	71.5	62	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	41.75	2004
29.01.2020 15:47:58	1	1	1	1	71.5	61.75	0	30000	419.3548387	12560.8132	30000	0	0	30000	42.3125	2004
29.01.2020 15:47:59	1	1	1	1	71.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:48:00	1	1	1	1	71.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
29.01.2020 15:48:01	1	1	1	1	71.5	62.25	0	30000	412.9032258	12348.00098	30000	0	0	30000	42.25	2004
29.01.2020 15:48:02	1	1	1	1	71.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
29.01.2020 15:48:03	1	1	1	1	71.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:48:04	1	1	1	1	71.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5	2004
29.01.2020 15:48:05	1	1	1	1	71.5	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.375	2004
29.01.2020 15:48:06	1	1	1	1	71.5	62.25	0	30000	395.6989247	11805.77827	30000	0	0	30000	42.5625	2004
29.01.2020 15:48:07	1	1	1	1	71.5	62.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.0625	2004
29.01.2020 15:48:08	1	1	1	1	71.5	62	0	30000	400	11999.83693	30000	0	0	30000	42.3125	2004
29.01.2020 15:48:09	1	1	1	1	71.5	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:10	1	1	1	1	71.5	62.25	0	29952.607	384.9462366	11871.00807	30000	0	0	30000	42.1875	2004
29.01.2020 15:48:11	1	1	1	1	71.5	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
29.01.2020 15:48:12	1	1	1	1	71.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:13	1	1	1	1	71.5	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:14	1	1	1	1	71.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
29.01.2020 15:48:15	1	1	1	1	71.5	62.25	0	29905.213	382.7956989	11401.35352	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:16	1	1	1	1	71.5	62.25	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:17	1	1	1	1	71.5	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.5	2004
29.01.2020 15:48:18	1	1	1	1	71.5	62.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.0625	2004
29.01.2020 15:48:19	1	1	1	1	71.5	62	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	42.6875	2004
29.01.2020 15:48:20	1	1	1	1	71	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:48:21	1	1	1	1	71	62	0	30000	397.8494624	11676.94942	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:22	1	1	1	1	71	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
29.01.2020 15:48:23	1	1	1	1	71	62.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.625	2004
29.01.2020 15:48:24	1	1	1	1	71	61.5	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.3125	2004
29.01.2020 15:48:25	1	1	1	1	71	62.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:26	1	1	1	1	71	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.5	2004
29.01.2020 15:48:28	1	1	1	1	71	62.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.1875	2004
29.01.2020 15:48:29	1	1	1	1	71	62	0	30000	400	12128.66578	30000	0	0	30000	42.5	2004
29.01.2020 15:48:30	1	1	1	1	71	62.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.375	2004
29.01.2020 15:48:31	1	1	1	1	71	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.375	2004
29.01.2020 15:48:32	1	1	1	1	71	62.25	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.3125	2004
29.01.2020 15:48:33	1	1	1	1	71	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
29.01.2020 15:48:34	1	1	1	1	71	62	0	30047.393	395.6989247	11935.4225	30000	0	0	30000	42.5625	2004
29.01.2020 15:48:41	1	1	1	1	71	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
29.01.2020 15:48:41	1	1	1	1	71	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
29.01.2020 15:48:41	1	1	1	1	71	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
29.01.2020 15:48:41	1	1	1	1	71	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
29.01.2020 15:48:41	1	1	1	1	71	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
29.01.2020 15:48:41	1	1	1	1	71	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
29.01.2020 15:48:41	1	1	1	1	71	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
29.01.2020 15:48:42	1	1	1	1	71	61.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
29.01.2020 15:48:42	1	1	1	1	71	62.5	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:43	1	1	1	1	71	62.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:44	1	1	1	1	71	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.3125	2004
29.01.2020 15:48:45	1	1	1	1	71	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:48:46	1	1	1	1	71	62	0	30000	415.0537634	12367.56992	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:47	1	1	1	1	71	62.25	0	29952.607	432.2580645	13032.0985	30000	0	0	30000	42.1875	2004
29.01.2020 15:48:48	1	1	1	1	71	62	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.625	2004
29.01.2020 15:48:49	1	1	1	1	71	61.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.5	2004
29.01.2020 15:48:50	1	1	1	1	71	62.5	0	30000	423.655914	12838.03984	30000	0	0	30000	42.5	2004
29.01.2020 15:48:51	1	1	1	1	70.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.3125	2004
29.01.2020 15:48:52	1	1	1	1	70.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
29.01.2020 15:48:53	1	1	1	1	70.75	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.125	2004
29.01.2020 15:48:54	1	1	1	1	70.75	62	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.3125	2004
29.01.2020 15:48:55	1	1	1	1	70.75	62.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.875	2004
29.01.2020 15:48:56	1	1	1	1	70.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
29.01.2020 15:48:57	1	1	1	1	70.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
29.01.2020 15:48:58	1	1	1	1	70.75	62.25	0	30000	421.5053763	12709.21099	30000	0	0	30000	42.0625	2004
29.01.2020 15:48:59	1	1	1	1	70.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
29.01.2020 15:49:00	1	1	1	1	71.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
29.01.2020 15:49:01	1	1	1	1	71.25	62.5	0	30000	397.8494624	11833.50094	30000	0	0	30000	42.25	2004
29.01.2020 15:49:02	1	1	1	1	71.25	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 15:49:03	1	1	1	1	71.25	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
29.01.2020 15:49:04	1	1	1	1	71.25	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:49:05	1	1	1	1	71.25	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42	2004
29.01.2020 15:49:07	1	1	1	1	71.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:49:08	1	1	1	1	71.25	62	0	30000	423.655914	12580.38214	30000	0	0	30000	42.1875	2004
29.01.2020 15:49:09	1	1	1	1	71.25	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.3125	2004
29.01.2020 15:49:10	1	1	1	1	71.25	62.25	0	30000	434.4086022	13160.92735	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:11	1	1	1	1	70.75	62.25	0	30000	432.2580645	13096.51292	30000	0	0	30000	42.5	2004
29.01.2020 15:49:12	1	1	1	1	70.75	62.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:13	1	1	1	1	70.75	62.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:14	1	1	1	1	70.75	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.125	2004
29.01.2020 15:49:15	1	1	1	1	70.75	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42	2004
29.01.2020 15:49:16	1	1	1	1	70.75	62	0	29905.213	458.0645161	13720.27288	30000	0	0	30000	42.6875	2004
29.01.2020 15:49:17	1	1	1	1	70.75	62.5	0	30000	460.2150538	13591.44402	30000	0	0	30000	42.5	2004
29.01.2020 15:49:18	1	1	1	1	70.75	62.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	42.5	2004
29.01.2020 15:49:19	1	1	1	1	70.75	62.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	42.3125	2004
29.01.2020 15:49:20	1	1	1	1	70.75	62.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.9375	2004
29.01.2020 15:49:21	1	1	1	1	70.5	61.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.375	2004
29.01.2020 15:49:22	1	1	1	1	70.5	62.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.375	2004
29.01.2020 15:49:23	1	1	1	1	70.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5625	2004
29.01.2020 15:49:24	1	1	1	1	70.5	62.5	0	30000	464.516129	13698.25782	30000	0	0	30000	41.875	2004
29.01.2020 15:49:25	1	1	1	1	70.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5	2004
29.01.2020 15:49:26	1	1	1	1	70.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.25	2004
29.01.2020 15:49:27	1	1	1	1	70.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.125	2004
29.01.2020 15:49:28	1	1	1	1	70.5	62	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.3125	2004
29.01.2020 15:49:29	1	1	1	1	70.5	62.25	0	30000	466.6666667	13827.08667	30000	0	0	30000	42.5	2004
29.01.2020 15:49:30	1	1	1	1	70.5	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
29.01.2020 15:49:31	1	1	1	1	70	62	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42.1875	2004
29.01.2020 15:49:32	1	1	1	1	70	62	0	30000	460.2150538	13741.47256	30000	0	0	30000	42.375	2004
29.01.2020 15:49:33	1	1	1	1	70	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:34	1	1	1	1	70	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5	2004
29.01.2020 15:49:35	1	1	1	1	70	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5625	2004
29.01.2020 15:49:43	1	1	1	1	70	61.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:43	1	1	1	1	70	61.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:43	1	1	1	1	70	61.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:43	1	1	1	1	70	61.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:43	1	1	1	1	70	61.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:43	1	1	1	1	70	61.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:43	1	1	1	1	70	62.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.25	2004
29.01.2020 15:49:45	1	1	1	1	70	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:49:46	1	1	1	1	70	62	0	30000	423.655914	12709.21099	30000	0	0	30000	42.3125	2004
29.01.2020 15:49:47	1	1	1	1	70	62.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.5625	2004
29.01.2020 15:49:48	1	1	1	1	70	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.25	2004
29.01.2020 15:49:49	1	1	1	1	70	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:49:50	1	1	1	1	70	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:51	1	1	1	1	69.75	62.25	0	29952.607	417.2043011	12451.55328	30000	0	0	30000	42	2004
29.01.2020 15:49:52	1	1	1	1	69.75	62	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.4375	2004
29.01.2020 15:49:53	1	1	1	1	69.75	62.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
29.01.2020 15:49:54	1	1	1	1	69.75	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.3125	2004
29.01.2020 15:49:55	1	1	1	1	69.75	62.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.0625	2004
29.01.2020 15:49:56	1	1	1	1	69.75	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.3125	2004
29.01.2020 15:49:57	1	1	1	1	69.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 15:49:58	1	1	1	1	69.75	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
29.01.2020 15:49:59	1	1	1	1	69.75	62.5	0	30047.393	427.9569892	12794.00973	30000	0	0	30000	42.4375	2004
29.01.2020 15:50:00	1	1	1	1	69.75	62.25	0	30000	425.8064516	12858.42416	30000	0	0	30000	42.375	2004
29.01.2020 15:50:01	1	1	1	1	70	62.25	0	29905.213	443.0107527	13289.7562	30000	0	0	30000	42.5	2004
29.01.2020 15:50:02	1	1	1	1	70	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
29.01.2020 15:50:03	1	1	1	1	70	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.4375	2004
29.01.2020 15:50:04	1	1	1	1	70	62.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.375	2004
29.01.2020 15:50:05	1	1	1	1	70	62.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	42.3125	2004
29.01.2020 15:50:06	1	1	1	1	70	62.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42.4375	2004
29.01.2020 15:50:07	1	1	1	1	70	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5625	2004
29.01.2020 15:50:08	1	1	1	1	70	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.5625	2004
29.01.2020 15:50:09	1	1	1	1	70	62.5	0	30047.393	443.0107527	13096.51292	30000	0	0	30000	41.9375	2004
29.01.2020 15:50:10	1	1	1	1	70	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5	2004
29.01.2020 15:50:11	1	1	1	1	69.25	62.5	0	30000	443.0107527	13204.95746	30000	0	0	30000	42.75	2004
29.01.2020 15:50:12	1	1	1	1	69.25	62.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	42.1875	2004
29.01.2020 15:50:13	1	1	1	1	69.25	62	0	29952.607	438.7096774	13269.37189	30000	0	0	30000	42.875	2004
29.01.2020 15:50:14	1	1	1	1	69.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
29.01.2020 15:50:15	1	1	1	1	69.25	62.5	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	42.3125	2004
29.01.2020 15:50:16	1	1	1	1	69.25	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
29.01.2020 15:50:17	1	1	1	1	69.25	62	0	29905.213	419.3548387	12838.03984	30000	0	0	30000	42.625	2004
29.01.2020 15:50:18	1	1	1	1	69.25	62.5	0	29905.213	425.8064516	12818.4709	30000	0	0	30000	42.4375	2004
29.01.2020 15:50:19	1	1	1	1	69.25	62.25	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	42.5625	2004
29.01.2020 15:50:20	1	1	1	1	68.5	62.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	41.75	2004
29.01.2020 15:50:21	1	1	1	1	68.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.25	2004
29.01.2020 15:50:23	1	1	1	1	68.5	62.25	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.5	2004
29.01.2020 15:50:24	1	1	1	1	68.5	62.5	0	29952.607	425.8064516	12754.05648	30000	0	0	30000	42.1875	2004
29.01.2020 15:50:25	1	1	1	1	68.5	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.125	2004
29.01.2020 15:50:26	1	1	1	1	68.5	62	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	42.5	2004
29.01.2020 15:50:27	1	1	1	1	68.5	62.5	0	29905.213	425.8064516	12754.05648	30000	0	0	30000	42.3125	2004
29.01.2020 15:50:28	1	1	1	1	68.5	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.3125	2004
29.01.2020 15:50:29	1	1	1	1	68.5	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.5	2004
29.01.2020 15:50:30	1	1	1	1	68.5	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
29.01.2020 15:50:31	1	1	1	1	68	61.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	42.375	2004
29.01.2020 15:50:32	1	1	1	1	68	62.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	42.5625	2004
29.01.2020 15:50:33	1	1	1	1	68	62.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:51:18	1	1	1	1	68.25	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.375	2004
29.01.2020 15:51:19	1	1	1	1	68.25	62.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.5	2004
29.01.2020 15:51:20	1	1	1	1	68.25	62.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.875	2004
29.01.2020 15:51:21	1	1	1	1	68	61.75	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	42.3125	2004
29.01.2020 15:51:22	1	1	1	1	68	62.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	42	2004
29.01.2020 15:51:23	1	1	1	1	68	62	0	30000	501.0752688	14902.56299	30000	0	0	30000	42.3125	2004
29.01.2020 15:51:24	1	1	1	1	68	62.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:25	1	1	1	1	68	62	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.375	2004
29.01.2020 15:51:26	1	1	1	1	68	62.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.9375	2004
29.01.2020 15:51:27	1	1	1	1	68	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
29.01.2020 15:51:28	1	1	1	1	68	62.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:29	1	1	1	1	68	62	0	29952.607	455.9139785	13612.64371	30000	0	0	30000	42.9375	2004
29.01.2020 15:51:30	1	1	1	1	67.75	62	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.5	2004
29.01.2020 15:51:31	1	1	1	1	67.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42	2004
29.01.2020 15:51:32	1	1	1	1	67.75	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.125	2004
29.01.2020 15:51:33	1	1	1	1	67.75	62	0	30000	436.5591398	13160.92735	30000	0	0	30000	42.5	2004
29.01.2020 15:51:34	1	1	1	1	67.75	62.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.3125	2004
29.01.2020 15:51:35	1	1	1	1	67.75	62.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42	2004
29.01.2020 15:51:36	1	1	1	1	67.75	62	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.375	2004
29.01.2020 15:51:38	1	1	1	1	67.75	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.375	2004
29.01.2020 15:51:39	1	1	1	1	67.75	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.375	2004
29.01.2020 15:51:46	1	1	1	1	67.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:46	1	1	1	1	67.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:46	1	1	1	1	67.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:46	1	1	1	1	67.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:46	1	1	1	1	67.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:46	1	1	1	1	67.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:46	1	1	1	1	67.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:47	1	1	1	1	67.75	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.25	2004
29.01.2020 15:51:48	1	1	1	1	67.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
29.01.2020 15:51:49	1	1	1	1	67.75	62.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:50	1	1	1	1	67.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
29.01.2020 15:51:51	1	1	1	1	67.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.375	2004
29.01.2020 15:51:52	1	1	1	1	67.5	62.25	0	30000	421.5053763	12709.21099	30000	0	0	30000	42.5	2004
29.01.2020 15:51:53	1	1	1	1	67.5	62.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.25	2004
29.01.2020 15:51:54	1	1	1	1	67.5	62.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.3125	2004
29.01.2020 15:51:55	1	1	1	1	67.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5	2004
29.01.2020 15:51:56	1	1	1	1	67.5	62.5	0	29905.213	453.7634409	13612.64371	30000	0	0	30000	42.1875	2004
29.01.2020 15:51:57	1	1	1	1	67.5	62	0	30000	464.516129	13999.94564	30000	0	0	30000	42.5	2004
29.01.2020 15:51:58	1	1	1	1	67.5	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
29.01.2020 15:51:59	1	1	1	1	67.5	62	0	30000	498.9247312	14902.56299	30000	0	0	30000	42.25	2004
29.01.2020 15:52:00	1	1	1	1	67.5	62.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.375	2004
29.01.2020 15:52:01	1	1	1	1	67.25	62.25	0	30000	505.3763441	14902.56299	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:52:02	1	1	1	1	67.25	62.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	41.8125	2004
29.01.2020 15:52:03	1	1	1	1	67.25	61.75	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	42.25	2004
29.01.2020 15:52:04	1	1	1	1	67.25	62.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.0625	2004
29.01.2020 15:52:05	1	1	1	1	67.25	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.5	2004
29.01.2020 15:52:06	1	1	1	1	67.25	61.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	42.375	2004
29.01.2020 15:52:07	1	1	1	1	67.25	62.25	0	29952.607	524.7311828	16000.05436	30000	0	0	30000	42.3125	2004
29.01.2020 15:52:08	1	1	1	1	67.25	62.25	0	30047.393	524.7311828	15677.16685	30000	0	0	30000	42.8125	2004
29.01.2020 15:52:09	1	1	1	1	67.25	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:10	1	1	1	1	67	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.4375	2004
29.01.2020 15:52:11	1	1	1	1	67	62.25	0	29905.213	509.6774194	15483.92357	30000	0	0	30000	42.4375	2004
29.01.2020 15:52:12	1	1	1	1	67	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.4375	2004
29.01.2020 15:52:13	1	1	1	1	67	62.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	42.0625	2004
29.01.2020 15:52:14	1	1	1	1	67	62	0	30000	516.1290323	15306.17237	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:16	1	1	1	1	67	62	0	29952.607	526.8817204	15627.42913	30000	0	0	30000	42.0625	2004
29.01.2020 15:52:17	1	1	1	1	67	62	0	30000	518.2795699	15548.338	30000	0	0	30000	42.375	2004
29.01.2020 15:52:18	1	1	1	1	67	62.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	42.625	2004
29.01.2020 15:52:19	1	1	1	1	67	62.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.875	2004
29.01.2020 15:52:20	1	1	1	1	67	61.75	0	30094.787	529.0322581	15612.75243	30000	0	0	30000	41.5	2004
29.01.2020 15:52:21	1	1	1	1	66.75	61.5	0	29905.213	509.6774194	15548.338	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:22	1	1	1	1	66.75	62	0	30000	518.2795699	15548.338	30000	0	0	30000	41.9375	2004
29.01.2020 15:52:23	1	1	1	1	66.75	61.75	0	30000	518.2795699	15523.87682	30000	0	0	30000	42.375	2004
29.01.2020 15:52:24	1	1	1	1	66.75	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:25	1	1	1	1	66.75	62	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:26	1	1	1	1	66.75	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.0625	2004
29.01.2020 15:52:27	1	1	1	1	66.75	62	0	30000	529.0322581	15756.25798	30000	0	0	30000	42.4375	2004
29.01.2020 15:52:28	1	1	1	1	66.75	62.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42.0625	2004
29.01.2020 15:52:29	1	1	1	1	66.75	62	0	30000	522.5806452	15612.75243	30000	0	0	30000	42.5	2004
29.01.2020 15:52:30	1	1	1	1	66.75	62.5	0	30000	529.0322581	15627.42913	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:31	1	1	1	1	66.25	62	0	30000	518.2795699	15548.338	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:32	1	1	1	1	66.25	62	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.3125	2004
29.01.2020 15:52:33	1	1	1	1	66.25	62.25	0	29952.607	533.3333333	15756.25798	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:34	1	1	1	1	66.25	62	0	29905.213	524.7311828	15885.08684	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:35	1	1	1	1	66.25	62	0	30000	529.0322581	15805.99571	30000	0	0	30000	42.375	2004
29.01.2020 15:52:36	1	1	1	1	66.25	62.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	42.5	2004
29.01.2020 15:52:37	1	1	1	1	66.25	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.5	2004
29.01.2020 15:52:38	1	1	1	1	66.25	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.9375	2004
29.01.2020 15:52:39	1	1	1	1	66.25	61.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.3125	2004
29.01.2020 15:52:40	1	1	1	1	66.25	62.25	0	30000	498.9247312	15161.03607	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:48	1	1	1	1	66.25	62.25	0	30000	496.7741935	14750.9037	30000	0	0	30000	42.8125	2004
29.01.2020 15:52:48	1	1	1	1	66.25	62.25	0	30000	496.7741935	14750.9037	30000	0	0	30000	42.8125	2004
29.01.2020 15:52:48	1	1	1	1	66.25	62.25	0	30000	496.7741935	14750.9037	30000	0	0	30000	42.8125	2004
29.01.2020 15:52:48	1	1	1	1	66.25	62.25	0	30000	496.7741935	14750.9037	30000	0	0	30000	42.8125	2004
29.01.2020 15:52:48	1	1	1	1	66.25	62.25	0	30000	496.7741935	14750.9037	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:52:48	1	1	1	1	66.25	62.25	0	30000	496.7741935	14750.9037	30000	0	0	30000	42.8125	2004
29.01.2020 15:52:48	1	1	1	1	66.25	62.25	0	30000	496.7741935	14750.9037	30000	0	0	30000	42.8125	2004
29.01.2020 15:52:48	1	1	1	1	66.25	62.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.9375	2004
29.01.2020 15:52:49	1	1	1	1	66.25	61.75	0	30047.393	494.6236559	14902.56299	30000	0	0	30000	42.375	2004
29.01.2020 15:52:50	1	1	1	1	65.75	62.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 15:52:51	1	1	1	1	65.75	62.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	42.3125	2004
29.01.2020 15:52:52	1	1	1	1	65.75	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.4375	2004
29.01.2020 15:52:54	1	1	1	1	65.75	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.4375	2004
29.01.2020 15:52:55	1	1	1	1	65.75	62.25	0	30000	492.4731183	14902.56299	30000	0	0	30000	42.4375	2004
29.01.2020 15:52:56	1	1	1	1	65.75	62.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.1875	2004
29.01.2020 15:52:57	1	1	1	1	65.75	62	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	42.4375	2004
29.01.2020 15:52:58	1	1	1	1	65.75	62.25	0	30000	488.172043	14557.66042	30000	0	0	30000	41.9375	2004
29.01.2020 15:52:59	1	1	1	1	65.75	61.75	0	30000	490.3225806	14750.9037	30000	0	0	30000	42	2004
29.01.2020 15:53:00	1	1	1	1	65.75	62	0	30000	481.7204301	14083.92901	30000	0	0	30000	42.25	2004
29.01.2020 15:53:01	1	1	1	1	65.5	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.9375	2004
29.01.2020 15:53:02	1	1	1	1	65.5	61.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	42.5625	2004
29.01.2020 15:53:03	1	1	1	1	65.5	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.375	2004
29.01.2020 15:53:04	1	1	1	1	65.5	62.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.8125	2004
29.01.2020 15:53:05	1	1	1	1	65.5	61.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	42	2004
29.01.2020 15:53:06	1	1	1	1	65.5	62	0	30000	511.827957	15483.92357	30000	0	0	30000	42.125	2004
29.01.2020 15:53:07	1	1	1	1	65.5	62	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.9375	2004
29.01.2020 15:53:08	1	1	1	1	65.5	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.5	2004
29.01.2020 15:53:09	1	1	1	1	65.5	62.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.0625	2004
29.01.2020 15:53:10	1	1	1	1	65.5	62	0	30047.393	522.5806452	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:53:11	1	1	1	1	65.75	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.875	2004
29.01.2020 15:53:12	1	1	1	1	65.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:13	1	1	1	1	65.75	62.25	0	30000	518.2795699	15572.79917	30000	0	0	30000	42.375	2004
29.01.2020 15:53:14	1	1	1	1	65.75	62.25	0	30000	516.1290323	15548.338	30000	0	0	30000	42.375	2004
29.01.2020 15:53:15	1	1	1	1	65.75	62.25	0	30000	522.5806452	15548.338	30000	0	0	30000	42.4375	2004
29.01.2020 15:53:16	1	1	1	1	65.75	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.4375	2004
29.01.2020 15:53:17	1	1	1	1	65.75	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:53:18	1	1	1	1	65.75	62	0	30000	518.2795699	15548.338	30000	0	0	30000	42.25	2004
29.01.2020 15:53:19	1	1	1	1	65.75	62.25	0	30000	516.1290323	15435.00122	30000	0	0	30000	42.125	2004
29.01.2020 15:53:20	1	1	1	1	65.75	62	0	30000	511.827957	15330.63354	30000	0	0	30000	42	2004
29.01.2020 15:53:21	1	1	1	1	65.5	62	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.4375	2004
29.01.2020 15:53:22	1	1	1	1	65.5	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.125	2004
29.01.2020 15:53:23	1	1	1	1	65.5	62	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.75	2004
29.01.2020 15:53:24	1	1	1	1	65.5	62.75	0	29952.607	531.1827957	15934.82456	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:25	1	1	1	1	65.5	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.375	2004
29.01.2020 15:53:26	1	1	1	1	65.5	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.1875	2004
29.01.2020 15:53:27	1	1	1	1	65.5	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.6875	2004
29.01.2020 15:53:28	1	1	1	1	65.5	62.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:29	1	1	1	1	65.5	62.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:53:30	1	1	1	1	65.5	62.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	42.4375	2004
29.01.2020 15:53:31	1	1	1	1	65.5	62.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41.75	2004
29.01.2020 15:53:32	1	1	1	1	65.5	61.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.375	2004
29.01.2020 15:53:34	1	1	1	1	65.5	62.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.4375	2004
29.01.2020 15:53:35	1	1	1	1	65.5	62.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.75	2004
29.01.2020 15:53:36	1	1	1	1	65.5	61.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.4375	2004
29.01.2020 15:53:37	1	1	1	1	65.5	62.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.1875	2004
29.01.2020 15:53:38	1	1	1	1	65.5	62	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.375	2004
29.01.2020 15:53:39	1	1	1	1	65.5	62.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:40	1	1	1	1	65.5	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.4375	2004
29.01.2020 15:53:41	1	1	1	1	65	62.25	0	30000	522.5806452	15701.62803	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:42	1	1	1	1	65	62.25	0	30000	516.1290323	15548.338	30000	0	0	30000	42.1875	2004
29.01.2020 15:53:50	1	1	1	1	65	62.25	0	29715.64	535.483871	16090.5607	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:50	1	1	1	1	65	62.25	0	29715.64	535.483871	16090.5607	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:50	1	1	1	1	65	62.25	0	29715.64	535.483871	16090.5607	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:50	1	1	1	1	65	62.25	0	29715.64	535.483871	16090.5607	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:50	1	1	1	1	65	62.25	0	29715.64	535.483871	16090.5607	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:50	1	1	1	1	65	62.25	0	29715.64	535.483871	16090.5607	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:50	1	1	1	1	65	62.25	0	29715.64	535.483871	16090.5607	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:50	1	1	1	1	65	62.25	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	42.5	2004
29.01.2020 15:53:51	1	1	1	1	64.5	62.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.5	2004
29.01.2020 15:53:52	1	1	1	1	64.5	62.5	0	29810.427	535.483871	15898.94817	30000	0	0	30000	42.5625	2004
29.01.2020 15:53:53	1	1	1	1	64.5	62.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	42.0625	2004
29.01.2020 15:53:54	1	1	1	1	64.5	62	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	42.6875	2004
29.01.2020 15:53:55	1	1	1	1	64.5	62.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	42.5	2004
29.01.2020 15:53:56	1	1	1	1	64.5	62.5	0	29810.427	535.483871	15720.38159	30000	0	0	30000	42.5625	2004
29.01.2020 15:53:57	1	1	1	1	64.5	62.5	0	29857.82	539.7849462	16181.06705	30000	0	0	30000	42.3125	2004
29.01.2020 15:53:58	1	1	1	1	64.5	62.25	0	29668.246	537.6344086	15886.71758	30000	0	0	30000	42.5625	2004
29.01.2020 15:53:59	1	1	1	1	64.5	62.5	0	29715.64	535.483871	16154.97513	30000	0	0	30000	42.4375	2004
29.01.2020 15:54:00	1	1	1	1	64.5	62.25	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	42.375	2004
29.01.2020 15:54:01	1	1	1	1	64.5	62.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.5	2004
29.01.2020 15:54:02	1	1	1	1	64.5	62.5	0	30000	533.3333333	16193.29764	30000	0	0	30000	42.375	2004
29.01.2020 15:54:03	1	1	1	1	64.5	62.25	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	42.125	2004
29.01.2020 15:54:04	1	1	1	1	64.5	62	0	30000	531.1827957	15870.41013	30000	0	0	30000	42.6875	2004
29.01.2020 15:54:05	1	1	1	1	64.5	62.5	0	29905.213	529.0322581	15845.94896	30000	0	0	30000	42.5625	2004
29.01.2020 15:54:06	1	1	1	1	64.5	62.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.25	2004
29.01.2020 15:54:07	1	1	1	1	64.5	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.375	2004
29.01.2020 15:54:08	1	1	1	1	64.5	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.9375	2004
29.01.2020 15:54:09	1	1	1	1	64.5	61.75	0	30000	520.4301075	15435.00122	30000	0	0	30000	42.5	2004
29.01.2020 15:54:10	1	1	1	1	64.25	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.4375	2004
29.01.2020 15:54:11	1	1	1	1	64.25	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.25	2004
29.01.2020 15:54:13	1	1	1	1	64.25	62.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	42.375	2004
29.01.2020 15:54:14	1	1	1	1	64.25	62.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:54:15	1	1	1	1	64.25	62	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.3125	2004
29.01.2020 15:54:16	1	1	1	1	64.25	62.25	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	42.1875	2004
29.01.2020 15:54:17	1	1	1	1	64.25	62	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.3125	2004
29.01.2020 15:54:18	1	1	1	1	64.25	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004
29.01.2020 15:54:19	1	1	1	1	64.25	62	0	30000	533.3333333	15885.08684	30000	0	0	30000	42.0625	2004
29.01.2020 15:54:20	1	1	1	1	64.25	62	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	41.9375	2004
29.01.2020 15:54:21	1	1	1	1	64	61.75	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42.375	2004
29.01.2020 15:54:22	1	1	1	1	64	62.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.4375	2004
29.01.2020 15:54:23	1	1	1	1	64	62.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004
29.01.2020 15:54:24	1	1	1	1	64	62	0	30000	518.2795699	15612.75243	30000	0	0	30000	41.625	2004
29.01.2020 15:54:25	1	1	1	1	64	61.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.125	2004
29.01.2020 15:54:26	1	1	1	1	64	62	0	29905.213	522.5806452	15741.58128	30000	0	0	30000	42.5	2004
29.01.2020 15:54:27	1	1	1	1	64	62.5	0	30000	520.4301075	15459.4624	30000	0	0	30000	42.125	2004
29.01.2020 15:54:28	1	1	1	1	64	62	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.625	2004
29.01.2020 15:54:29	1	1	1	1	64	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.6875	2004
29.01.2020 15:54:30	1	1	1	1	64	61.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.125	2004
29.01.2020 15:54:31	1	1	1	1	63.75	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.8125	2004
29.01.2020 15:54:32	1	1	1	1	63.75	61.75	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	42.375	2004
29.01.2020 15:54:33	1	1	1	1	63.75	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.375	2004
29.01.2020 15:54:34	1	1	1	1	63.75	62.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	42	2004
29.01.2020 15:54:35	1	1	1	1	63.75	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
29.01.2020 15:54:36	1	1	1	1	63.75	62.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	42	2004
29.01.2020 15:54:37	1	1	1	1	63.75	62	0	29905.213	535.483871	16077.51474	30000	0	0	30000	42.5	2004
29.01.2020 15:54:38	1	1	1	1	63.75	62.5	0	30000	535.483871	16000.05436	30000	0	0	30000	42.4375	2004
29.01.2020 15:54:39	1	1	1	1	63.75	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
29.01.2020 15:54:40	1	1	1	1	63.75	62	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	42.375	2004
29.01.2020 15:54:41	1	1	1	1	63.75	62.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.3125	2004
29.01.2020 15:54:42	1	1	1	1	63.75	62.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.625	2004
29.01.2020 15:54:43	1	1	1	1	63.75	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.5625	2004
29.01.2020 15:54:51	1	1	1	1	63.5	62.5	0	30000	533.3333333	15870.41013	30000	0	0	30000	42.25	2004
29.01.2020 15:54:51	1	1	1	1	63.5	62.5	0	30000	533.3333333	15870.41013	30000	0	0	30000	42.25	2004
29.01.2020 15:54:51	1	1	1	1	63.5	62.5	0	30000	533.3333333	15870.41013	30000	0	0	30000	42.25	2004
29.01.2020 15:54:51	1	1	1	1	63.5	62.5	0	30000	533.3333333	15870.41013	30000	0	0	30000	42.25	2004
29.01.2020 15:54:51	1	1	1	1	63.5	62.5	0	30000	533.3333333	15870.41013	30000	0	0	30000	42.25	2004
29.01.2020 15:54:51	1	1	1	1	63.5	62.5	0	30000	533.3333333	15870.41013	30000	0	0	30000	42.25	2004
29.01.2020 15:54:51	1	1	1	1	63.5	62.5	0	30000	533.3333333	15870.41013	30000	0	0	30000	42.25	2004
29.01.2020 15:54:52	1	1	1	1	63.5	62.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.0625	2004
29.01.2020 15:54:53	1	1	1	1	63.5	62	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	42.25	2004
29.01.2020 15:54:54	1	1	1	1	63.5	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.3125	2004
29.01.2020 15:54:55	1	1	1	1	63.5	62.25	0	30000	535.483871	16000.05436	30000	0	0	30000	42.25	2004
29.01.2020 15:54:56	1	1	1	1	63.5	62.25	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	42.1875	2004
29.01.2020 15:54:57	1	1	1	1	63.5	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.4375	2004
29.01.2020 15:54:58	1	1	1	1	63.5	62.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:54:59	1	1	1	1	63.5	62	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.6875	2004
29.01.2020 15:55:00	1	1	1	1	63.5	61.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.5625	2004
29.01.2020 15:55:01	1	1	1	1	63	62.5	0	29952.607	529.0322581	15870.41013	30000	0	0	30000	41.75	2004
29.01.2020 15:55:02	1	1	1	1	63	61.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.1875	2004
29.01.2020 15:55:03	1	1	1	1	63	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.4375	2004
29.01.2020 15:55:04	1	1	1	1	63	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
29.01.2020 15:55:05	1	1	1	1	63	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.0625	2004
29.01.2020 15:55:06	1	1	1	1	63	62	0	30000	529.0322581	15741.58128	30000	0	0	30000	41.8125	2004
29.01.2020 15:55:07	1	1	1	1	63	61.75	0	30000	524.7311828	15766.85783	30000	0	0	30000	41.8125	2004
29.01.2020 15:55:08	1	1	1	1	63	61.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.5625	2004
29.01.2020 15:55:09	1	1	1	1	63	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.375	2004
29.01.2020 15:55:10	1	1	1	1	63	62.25	0	29952.607	490.3225806	14686.48928	30000	0	0	30000	42.1875	2004
29.01.2020 15:55:11	1	1	1	1	62.75	62	0	30000	488.172043	14580.49085	30000	0	0	30000	42.0625	2004
29.01.2020 15:55:12	1	1	1	1	62.75	62	0	29905.213	486.0215054	14644.90528	30000	0	0	30000	42.375	2004
29.01.2020 15:55:13	1	1	1	1	62.75	62.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.125	2004
29.01.2020 15:55:14	1	1	1	1	62.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 15:55:15	1	1	1	1	62.75	62.25	0	30000	488.172043	14516.07643	30000	0	0	30000	42.375	2004
29.01.2020 15:55:16	1	1	1	1	62.75	62.25	0	29952.607	486.0215054	14709.31971	30000	0	0	30000	42.5	2004
29.01.2020 15:55:17	1	1	1	1	62.75	62.5	0	30000	488.172043	14622.07485	30000	0	0	30000	42.1875	2004
29.01.2020 15:55:18	1	1	1	1	62.75	62	0	30000	488.172043	14644.90528	30000	0	0	30000	42.1875	2004
29.01.2020 15:55:19	1	1	1	1	62.75	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.5	2004
29.01.2020 15:55:20	1	1	1	1	62.75	62.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.5625	2004
29.01.2020 15:55:21	1	1	1	1	62.75	62.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	42	2004
29.01.2020 15:55:22	1	1	1	1	62.75	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.125	2004
29.01.2020 15:55:23	1	1	1	1	62.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
29.01.2020 15:55:24	1	1	1	1	62.75	61.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.875	2004
29.01.2020 15:55:25	1	1	1	1	62.75	61.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	42	2004
29.01.2020 15:55:27	1	1	1	1	62.75	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.5625	2004
29.01.2020 15:55:28	1	1	1	1	62.75	62.5	0	30000	498.9247312	14967.79279	30000	0	0	30000	42.375	2004
29.01.2020 15:55:29	1	1	1	1	62.75	62.25	0	30000	505.3763441	15032.20721	30000	0	0	30000	42.1875	2004
29.01.2020 15:55:30	1	1	1	1	62.75	62	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.875	2004
29.01.2020 15:55:31	1	1	1	1	62.25	61.75	0	29905.213	507.5268817	15112.92909	30000	0	0	30000	41.875	2004
29.01.2020 15:55:32	1	1	1	1	62.25	61.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.875	2004
29.01.2020 15:55:33	1	1	1	1	62.25	61.75	0	30000	516.1290323	15548.338	30000	0	0	30000	42.1875	2004
29.01.2020 15:55:34	1	1	1	1	62.25	62	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.5625	2004
29.01.2020 15:55:35	1	1	1	1	62.25	62.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	41.875	2004
29.01.2020 15:55:36	1	1	1	1	62.25	61.75	0	29952.607	529.0322581	15781.53453	30000	0	0	30000	41.8125	2004
29.01.2020 15:55:37	1	1	1	1	62.25	61.75	0	30047.393	533.3333333	15805.99571	30000	0	0	30000	42.375	2004
29.01.2020 15:55:38	1	1	1	1	62.25	62.25	0	30000	531.1827957	15805.99571	30000	0	0	30000	42.375	2004
29.01.2020 15:55:39	1	1	1	1	62.25	62.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.375	2004
29.01.2020 15:55:40	1	1	1	1	62.25	62.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	42.1875	2004
29.01.2020 15:55:41	1	1	1	1	62	62	0	30000	520.4301075	15548.338	30000	0	0	30000	42	2004
29.01.2020 15:55:42	1	1	1	1	62	62	0	29952.607	522.5806452	15627.42913	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:56:27	1	1	1	1	61.5	62.25	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	42.0625	2004
29.01.2020 15:56:28	1	1	1	1	61.5	62	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	42.375	2004
29.01.2020 15:56:29	1	1	1	1	61.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.5	2004
29.01.2020 15:56:30	1	1	1	1	61.5	62.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.4375	2004
29.01.2020 15:56:31	1	1	1	1	60.75	62.25	0	30000	488.172043	14709.31971	30000	0	0	30000	42.1875	2004
29.01.2020 15:56:32	1	1	1	1	60.75	62	0	30000	488.172043	14644.90528	30000	0	0	30000	42.5625	2004
29.01.2020 15:56:33	1	1	1	1	60.75	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.125	2004
29.01.2020 15:56:34	1	1	1	1	60.75	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.6875	2004
29.01.2020 15:56:35	1	1	1	1	60.75	62.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.375	2004
29.01.2020 15:56:36	1	1	1	1	60.75	62.25	0	30047.393	496.7741935	14926.20879	30000	0	0	30000	42.5	2004
29.01.2020 15:56:37	1	1	1	1	60.75	62.5	0	30000	488.172043	14709.31971	30000	0	0	30000	42.4375	2004
29.01.2020 15:56:38	1	1	1	1	60.75	62	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.1875	2004
29.01.2020 15:56:39	1	1	1	1	60.75	62	0	30000	496.7741935	14879.73256	30000	0	0	30000	42.3125	2004
29.01.2020 15:56:40	1	1	1	1	59.75	62.25	0	30000	496.7741935	14838.14856	30000	0	0	30000	42.3125	2004
29.01.2020 15:56:41	1	1	1	1	59.75	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42	2004
29.01.2020 15:56:43	1	1	1	1	59.75	62	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.5625	2004
29.01.2020 15:56:44	1	1	1	1	59.75	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.375	2004
29.01.2020 15:56:45	1	1	1	1	59.75	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.3125	2004
29.01.2020 15:56:46	1	1	1	1	59.75	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.625	2004
29.01.2020 15:56:47	1	1	1	1	59.75	61.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.625	2004
29.01.2020 15:56:54	1	1	1	1	59.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.6875	2004
29.01.2020 15:56:54	1	1	1	1	59.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.6875	2004
29.01.2020 15:56:54	1	1	1	1	59.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.6875	2004
29.01.2020 15:56:54	1	1	1	1	59.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.6875	2004
29.01.2020 15:56:54	1	1	1	1	59.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.6875	2004
29.01.2020 15:56:54	1	1	1	1	59.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.6875	2004
29.01.2020 15:56:54	1	1	1	1	59.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.6875	2004
29.01.2020 15:56:55	1	1	1	1	59.25	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.375	2004
29.01.2020 15:56:56	1	1	1	1	59.25	62.25	0	30000	492.4731183	14709.31971	30000	0	0	30000	42.375	2004
29.01.2020 15:56:57	1	1	1	1	59.25	62.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.4375	2004
29.01.2020 15:56:58	1	1	1	1	59.25	62.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	42.4375	2004
29.01.2020 15:56:59	1	1	1	1	59.25	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.3125	2004
29.01.2020 15:57:00	1	1	1	1	59.25	62.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	42.5625	2004
29.01.2020 15:57:01	1	1	1	1	58.75	62.5	0	30000	520.4301075	15548.338	30000	0	0	30000	42.375	2004
29.01.2020 15:57:02	1	1	1	1	58.75	62.25	0	30000	516.1290323	15548.338	30000	0	0	30000	42.125	2004
29.01.2020 15:57:03	1	1	1	1	58.75	62	0	30047.393	518.2795699	15483.92357	30000	0	0	30000	42.375	2004
29.01.2020 15:57:04	1	1	1	1	58.75	62.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	42.3125	2004
29.01.2020 15:57:05	1	1	1	1	58.75	62.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.375	2004
29.01.2020 15:57:06	1	1	1	1	58.75	62.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:07	1	1	1	1	58.75	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.5625	2004
29.01.2020 15:57:08	1	1	1	1	58.75	62.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.4375	2004
29.01.2020 15:57:09	1	1	1	1	58.75	62.25	0	29810.427	533.3333333	15706.52026	30000	0	0	30000	42.5	2004
29.01.2020 15:57:10	1	1	1	1	58.75	62.5	0	30000	535.483871	16064.46878	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:57:11	1	1	1	1	58.75	62.25	0	30000	529.0322581	16000.05436	30000	0	0	30000	42.3125	2004
29.01.2020 15:57:12	1	1	1	1	58.75	62.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.375	2004
29.01.2020 15:57:13	1	1	1	1	58.75	62.25	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	42.0625	2004
29.01.2020 15:57:14	1	1	1	1	58.75	62	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:15	1	1	1	1	58.75	62	0	29952.607	535.483871	16064.46878	30000	0	0	30000	42.75	2004
29.01.2020 15:57:16	1	1	1	1	58.75	62.75	0	29857.82	529.0322581	15924.22472	30000	0	0	30000	42.875	2004
29.01.2020 15:57:17	1	1	1	1	58.75	62.75	0	29715.64	526.8817204	16270.75802	30000	0	0	30000	42.4375	2004
29.01.2020 15:57:18	1	1	1	1	58.75	61.75	0	29905.213	535.483871	15949.50126	30000	0	0	30000	42.4375	2004
29.01.2020 15:57:19	1	1	1	1	58.75	62.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.625	2004
29.01.2020 15:57:20	1	1	1	1	59	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.5	2004
29.01.2020 15:57:21	1	1	1	1	59	62.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.375	2004
29.01.2020 15:57:23	1	1	1	1	59	62.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.3125	2004
29.01.2020 15:57:24	1	1	1	1	59	62.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42.375	2004
29.01.2020 15:57:25	1	1	1	1	59	62.25	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	42.125	2004
29.01.2020 15:57:26	1	1	1	1	59	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:27	1	1	1	1	59	62	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.0625	2004
29.01.2020 15:57:28	1	1	1	1	59	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42	2004
29.01.2020 15:57:29	1	1	1	1	59	62	0	30000	537.6344086	15934.82456	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:30	1	1	1	1	59	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.25	2004
29.01.2020 15:57:31	1	1	1	1	59	62.25	0	30000	524.7311828	15498.60028	30000	0	0	30000	42.0625	2004
29.01.2020 15:57:32	1	1	1	1	59	62	0	30000	516.1290323	15548.338	30000	0	0	30000	42.625	2004
29.01.2020 15:57:33	1	1	1	1	59	62.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.5	2004
29.01.2020 15:57:34	1	1	1	1	59	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:35	1	1	1	1	59	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.5625	2004
29.01.2020 15:57:36	1	1	1	1	59	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.125	2004
29.01.2020 15:57:37	1	1	1	1	59	62	0	30000	518.2795699	15548.338	30000	0	0	30000	41.9375	2004
29.01.2020 15:57:38	1	1	1	1	59	61.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	42.6875	2004
29.01.2020 15:57:39	1	1	1	1	59	62.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.375	2004
29.01.2020 15:57:40	1	1	1	1	59	62.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	42.5625	2004
29.01.2020 15:57:41	1	1	1	1	58.75	62.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	41.9375	2004
29.01.2020 15:57:42	1	1	1	1	58.75	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.6875	2004
29.01.2020 15:57:43	1	1	1	1	58.75	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.375	2004
29.01.2020 15:57:44	1	1	1	1	58.75	62.25	0	29952.607	496.7741935	14750.9037	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:45	1	1	1	1	58.75	62	0	30000	490.3225806	14773.73413	30000	0	0	30000	42.125	2004
29.01.2020 15:57:46	1	1	1	1	58.75	62	0	30000	488.172043	14644.90528	30000	0	0	30000	42.3125	2004
29.01.2020 15:57:47	1	1	1	1	58.75	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.3125	2004
29.01.2020 15:57:48	1	1	1	1	58.75	62.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	41.9375	2004
29.01.2020 15:57:56	1	1	1	1	58.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:56	1	1	1	1	58.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:56	1	1	1	1	58.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:56	1	1	1	1	58.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:56	1	1	1	1	58.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:56	1	1	1	1	58.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:56	1	1	1	1	58.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:57:56	1	1	1	1	58.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
29.01.2020 15:57:56	1	1	1	1	58.75	62.5	0	30000	516.1290323	15548.338	30000	0	0	30000	42.25	2004
29.01.2020 15:57:57	1	1	1	1	58.75	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.375	2004
29.01.2020 15:57:58	1	1	1	1	58.75	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.25	2004
29.01.2020 15:58:00	1	1	1	1	58.75	62.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.25	2004
29.01.2020 15:58:01	1	1	1	1	58.5	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.1875	2004
29.01.2020 15:58:02	1	1	1	1	58.5	62	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.3125	2004
29.01.2020 15:58:03	1	1	1	1	58.5	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.25	2004
29.01.2020 15:58:04	1	1	1	1	58.5	62.25	0	30000	533.3333333	15910.36338	30000	0	0	30000	41.9375	2004
29.01.2020 15:58:05	1	1	1	1	58.5	61.75	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	42.625	2004
29.01.2020 15:58:06	1	1	1	1	58.5	62.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.3125	2004
29.01.2020 15:58:07	1	1	1	1	58.5	62.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.5	2004
29.01.2020 15:58:08	1	1	1	1	58.5	62.5	0	30000	516.1290323	15523.87682	30000	0	0	30000	42.0625	2004
29.01.2020 15:58:09	1	1	1	1	58.5	62	0	29952.607	511.827957	15483.92357	30000	0	0	30000	42.5625	2004
29.01.2020 15:58:10	1	1	1	1	58.5	62.5	0	30000	516.1290323	15548.338	30000	0	0	30000	42.5	2004
29.01.2020 15:58:11	1	1	1	1	58	62.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	42.3125	2004
29.01.2020 15:58:12	1	1	1	1	58	62.25	0	30000	511.827957	15289.86492	30000	0	0	30000	42.5	2004
29.01.2020 15:58:13	1	1	1	1	58	62.5	0	30000	505.3763441	15225.45049	30000	0	0	30000	42	2004
29.01.2020 15:58:14	1	1	1	1	58	62	0	29905.213	503.2258065	15289.86492	30000	0	0	30000	42.1875	2004
29.01.2020 15:58:15	1	1	1	1	58	62	0	30000	498.9247312	14967.79279	30000	0	0	30000	42.4375	2004
29.01.2020 15:58:18	1	1	1	1	58	62	0	30000	498.9247312	15032.20721	30000	0	0	30000	42.625	2004
29.01.2020 15:58:18	1	1	1	1	58	62	0	30000	498.9247312	15032.20721	30000	0	0	30000	42.625	2004
29.01.2020 15:58:18	1	1	1	1	58	62	0	30000	498.9247312	15032.20721	30000	0	0	30000	42.625	2004
29.01.2020 15:58:19	1	1	1	1	58	62.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	42.25	2004
29.01.2020 15:58:20	1	1	1	1	58	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 15:58:21	1	1	1	1	57.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
29.01.2020 15:58:22	1	1	1	1	57.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
29.01.2020 15:58:23	1	1	1	1	57.25	62.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
29.01.2020 15:58:24	1	1	1	1	57.25	61.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	41.6875	2004
29.01.2020 15:58:25	1	1	1	1	57.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 15:58:26	1	1	1	1	57.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 15:58:27	1	1	1	1	57.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
29.01.2020 15:58:28	1	1	1	1	57.25	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.5625	2004
29.01.2020 15:58:29	1	1	1	1	57.25	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.0625	2004
29.01.2020 15:58:30	1	1	1	1	57.25	62	0	30000	464.516129	13999.94564	30000	0	0	30000	42.25	2004
29.01.2020 15:58:31	1	1	1	1	57.25	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.6875	2004
29.01.2020 15:58:32	1	1	1	1	57.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
29.01.2020 15:58:33	1	1	1	1	57.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 15:58:34	1	1	1	1	57.25	62.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	42.375	2004
29.01.2020 15:58:35	1	1	1	1	57.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 15:58:36	1	1	1	1	57.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
29.01.2020 15:58:37	1	1	1	1	57.25	62.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
29.01.2020 15:58:39	1	1	1	1	57.25	62	0	29952.607	464.516129	14451.662	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:58:40	1	1	1	1	57.25	62.25	0	30000	464.516129	14064.36007	30000	0	0	30000	42.125	2004
29.01.2020 15:58:41	1	1	1	1	57.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 15:58:42	1	1	1	1	57.75	62.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	42.625	2004
29.01.2020 15:58:43	1	1	1	1	57.75	62.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.4375	2004
29.01.2020 15:58:44	1	1	1	1	57.75	62.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	42.3125	2004
29.01.2020 15:58:45	1	1	1	1	57.75	62.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.3125	2004
29.01.2020 15:58:46	1	1	1	1	57.75	62.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.5625	2004
29.01.2020 15:58:47	1	1	1	1	57.75	62.5	0	29905.213	488.172043	14773.73413	30000	0	0	30000	42.125	2004
29.01.2020 15:58:48	1	1	1	1	57.75	62	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.75	2004
29.01.2020 15:58:49	1	1	1	1	57.75	62.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.1875	2004
29.01.2020 15:58:50	1	1	1	1	57.75	62	0	30000	488.172043	14516.07643	30000	0	0	30000	42.5	2004
29.01.2020 15:58:58	1	1	1	1	57.25	62.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.5625	2004
29.01.2020 15:58:58	1	1	1	1	57.25	62.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.5625	2004
29.01.2020 15:58:58	1	1	1	1	57.25	62.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.5625	2004
29.01.2020 15:58:58	1	1	1	1	57.25	62.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.5625	2004
29.01.2020 15:58:58	1	1	1	1	57.25	62.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.5625	2004
29.01.2020 15:58:58	1	1	1	1	57.25	62.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.5625	2004
29.01.2020 15:58:58	1	1	1	1	57.25	62.5	0	30000	488.172043	14709.31971	30000	0	0	30000	42.5	2004
29.01.2020 15:58:59	1	1	1	1	57.25	62.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	42.625	2004
29.01.2020 15:59:00	1	1	1	1	57.25	62.5	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	42.375	2004
29.01.2020 15:59:01	1	1	1	1	57.25	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.375	2004
29.01.2020 15:59:02	1	1	1	1	57.25	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.0625	2004
29.01.2020 15:59:03	1	1	1	1	57.25	62	0	30000	501.0752688	14902.56299	30000	0	0	30000	42.375	2004
29.01.2020 15:59:04	1	1	1	1	57.25	62.25	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:05	1	1	1	1	57.25	62.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.6875	2004
29.01.2020 15:59:06	1	1	1	1	57.25	61.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	42.125	2004
29.01.2020 15:59:07	1	1	1	1	57.25	62	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.1875	2004
29.01.2020 15:59:08	1	1	1	1	57.25	62	0	30000	488.172043	14644.90528	30000	0	0	30000	42.6875	2004
29.01.2020 15:59:09	1	1	1	1	57.25	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.125	2004
29.01.2020 15:59:10	1	1	1	1	57.25	62	0	29905.213	492.4731183	14902.56299	30000	0	0	30000	42.875	2004
29.01.2020 15:59:11	1	1	1	1	57.25	62.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:12	1	1	1	1	57.25	62.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.0625	2004
29.01.2020 15:59:13	1	1	1	1	57.25	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.9375	2004
29.01.2020 15:59:14	1	1	1	1	57.25	62.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.4375	2004
29.01.2020 15:59:15	1	1	1	1	57.25	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.6875	2004
29.01.2020 15:59:16	1	1	1	1	57.25	61.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.5	2004
29.01.2020 15:59:18	1	1	1	1	57.25	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.125	2004
29.01.2020 15:59:19	1	1	1	1	57.25	62	0	29952.607	501.0752688	15161.03607	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:20	1	1	1	1	57.25	62.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	41.75	2004
29.01.2020 15:59:21	1	1	1	1	57.5	61.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	42.4375	2004
29.01.2020 15:59:22	1	1	1	1	57.5	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:23	1	1	1	1	57.5	62.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 15:59:24	1	1	1	1	57.5	62.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	42.0625	2004
29.01.2020 15:59:25	1	1	1	1	57.5	62	0	29952.607	498.9247312	15161.03607	30000	0	0	30000	42.5	2004
29.01.2020 15:59:26	1	1	1	1	57.5	62.5	0	30047.393	496.7741935	14926.20879	30000	0	0	30000	42.5	2004
29.01.2020 15:59:27	1	1	1	1	57.5	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.125	2004
29.01.2020 15:59:28	1	1	1	1	57.5	62	0	29905.213	481.7204301	14797.37994	30000	0	0	30000	42.125	2004
29.01.2020 15:59:29	1	1	1	1	57.5	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.375	2004
29.01.2020 15:59:30	1	1	1	1	57.5	62.25	0	29952.607	483.8709677	14406.00114	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:31	1	1	1	1	57.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 15:59:32	1	1	1	1	57.25	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:33	1	1	1	1	57.25	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:34	1	1	1	1	57.25	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:35	1	1	1	1	57.25	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:36	1	1	1	1	57.25	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.6875	2004
29.01.2020 15:59:37	1	1	1	1	57.25	62.5	0	30000	438.7096774	13140.54304	30000	0	0	30000	42.4375	2004
29.01.2020 15:59:38	1	1	1	1	57.25	62.25	0	30000	432.2580645	13032.0985	30000	0	0	30000	42.1875	2004
29.01.2020 15:59:39	1	1	1	1	57.25	62	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.5	2004
29.01.2020 15:59:40	1	1	1	1	57.25	62.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.6875	2004
29.01.2020 15:59:41	1	1	1	1	57	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5	2004
29.01.2020 15:59:42	1	1	1	1	57	62.5	0	30000	438.7096774	13182.12704	30000	0	0	30000	42.1875	2004
29.01.2020 15:59:43	1	1	1	1	57	62	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.5625	2004
29.01.2020 15:59:44	1	1	1	1	57	62.5	0	29952.607	427.9569892	13032.0985	30000	0	0	30000	42.125	2004
29.01.2020 15:59:45	1	1	1	1	57	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
29.01.2020 15:59:46	1	1	1	1	57	62.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.5	2004
29.01.2020 15:59:47	1	1	1	1	57	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
29.01.2020 15:59:48	1	1	1	1	57	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
29.01.2020 15:59:49	1	1	1	1	57	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
29.01.2020 15:59:50	1	1	1	1	57	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.375	2004
29.01.2020 15:59:51	1	1	1	1	57	62.25	0	30000	417.2043011	12515.96771	30000	0	0	30000	42.6875	2004
29.01.2020 15:59:59	1	1	1	1	57	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.9375	2004
29.01.2020 15:59:59	1	1	1	1	57	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.9375	2004
29.01.2020 15:59:59	1	1	1	1	57	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.9375	2004
29.01.2020 15:59:59	1	1	1	1	57	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.9375	2004
29.01.2020 15:59:59	1	1	1	1	57	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.9375	2004
29.01.2020 15:59:59	1	1	1	1	57	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.9375	2004
29.01.2020 15:59:59	1	1	1	1	57	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.9375	2004
29.01.2020 16:00:00	1	1	1	1	57	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.75	2004
29.01.2020 16:00:01	1	1	1	1	56.5	62.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
29.01.2020 16:00:02	1	1	1	1	56.5	62.25	0	30000	400	12128.66578	30000	0	0	30000	42.5625	2004
29.01.2020 16:00:03	1	1	1	1	56.5	62.5	0	29905.213	395.6989247	12064.25135	30000	0	0	30000	42.375	2004
29.01.2020 16:00:04	1	1	1	1	56.5	62.25	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
29.01.2020 16:00:05	1	1	1	1	56.5	62.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	42.625	2004
29.01.2020 16:00:06	1	1	1	1	56.5	62.5	0	30000	400	11999.83693	30000	0	0	30000	42.1875	2004
29.01.2020 16:00:07	1	1	1	1	56.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:00:08	1	1	1	1	56.5	62.5	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.375	2004
29.01.2020 16:00:09	1	1	1	1	56.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
29.01.2020 16:00:10	1	1	1	1	56.5	62.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
29.01.2020 16:00:11	1	1	1	1	56.5	62.5	0	30000	415.0537634	12431.98434	30000	0	0	30000	42.4375	2004
29.01.2020 16:00:12	1	1	1	1	56.5	62.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
29.01.2020 16:00:13	1	1	1	1	56.5	62	0	30000	417.2043011	12431.98434	30000	0	0	30000	42.5	2004
29.01.2020 16:00:14	1	1	1	1	56.5	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.4375	2004
29.01.2020 16:00:15	1	1	1	1	56.5	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
29.01.2020 16:00:16	1	1	1	1	56.5	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.5625	2004
29.01.2020 16:00:17	1	1	1	1	56.5	62.5	0	30000	423.655914	12773.62542	30000	0	0	30000	42.3125	2004
29.01.2020 16:00:18	1	1	1	1	56.5	62.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.75	2004
29.01.2020 16:00:19	1	1	1	1	56.5	62.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.5625	2004
29.01.2020 16:00:20	1	1	1	1	56.5	62.5	0	30000	423.655914	12709.21099	30000	0	0	30000	42.5	2004
29.01.2020 16:00:21	1	1	1	1	56.75	62.5	0	30000	423.655914	12709.21099	30000	0	0	30000	42.75	2004
29.01.2020 16:00:22	1	1	1	1	56.75	62.75	0	29905.213	423.655914	12709.21099	30000	0	0	30000	42.5	2004
29.01.2020 16:00:23	1	1	1	1	56.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
29.01.2020 16:00:24	1	1	1	1	56.75	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.3125	2004
29.01.2020 16:00:25	1	1	1	1	56.75	62.25	0	30000	453.7634409	13483.81486	30000	0	0	30000	42.4375	2004
29.01.2020 16:00:26	1	1	1	1	56.75	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
29.01.2020 16:00:27	1	1	1	1	56.75	62.5	0	30000	466.6666667	14128.7745	30000	0	0	30000	42.375	2004
29.01.2020 16:00:28	1	1	1	1	56.75	62.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.5625	2004
29.01.2020 16:00:29	1	1	1	1	56.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
29.01.2020 16:00:30	1	1	1	1	56.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
29.01.2020 16:00:31	1	1	1	1	55.5	62.25	0	30000	488.172043	14580.49085	30000	0	0	30000	43	2004
29.01.2020 16:00:32	1	1	1	1	55.5	62.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.1875	2004
29.01.2020 16:00:34	1	1	1	1	55.5	62	0	30000	488.172043	14622.07485	30000	0	0	30000	42.6875	2004
29.01.2020 16:00:35	1	1	1	1	55.5	62.5	0	30000	488.172043	14580.49085	30000	0	0	30000	42.4375	2004
29.01.2020 16:00:36	1	1	1	1	55.5	62.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.4375	2004
29.01.2020 16:00:37	1	1	1	1	55.5	62.25	0	30000	488.172043	14516.07643	30000	0	0	30000	42.625	2004
29.01.2020 16:00:38	1	1	1	1	55.5	62.5	0	30047.393	486.0215054	14580.49085	30000	0	0	30000	42.25	2004
29.01.2020 16:00:39	1	1	1	1	55.5	62.25	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	42.375	2004
29.01.2020 16:00:40	1	1	1	1	55.5	62.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.4375	2004
29.01.2020 16:00:41	1	1	1	1	54.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:00:42	1	1	1	1	54.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
29.01.2020 16:00:43	1	1	1	1	54.75	62.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.5	2004
29.01.2020 16:00:44	1	1	1	1	54.75	62.5	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	42.75	2004
29.01.2020 16:00:45	1	1	1	1	54.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
29.01.2020 16:00:46	1	1	1	1	54.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
29.01.2020 16:00:47	1	1	1	1	54.75	61.25	0	30000	481.7204301	14603.32128	30000	0	0	30000	42.375	2004
29.01.2020 16:00:48	1	1	1	1	54.75	62.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.6875	2004
29.01.2020 16:00:49	1	1	1	1	54.75	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.1875	2004
29.01.2020 16:00:50	1	1	1	1	54.75	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.125	2004
29.01.2020 16:00:51	1	1	1	1	54.75	62	0	30000	492.4731183	14902.56299	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:00:52	1	1	1	1	54.75	62.25	0	30000	496.7741935	14949.85459	30000	0	0	30000	42.625	2004
29.01.2020 16:00:53	1	1	1	1	54.75	62.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	42.25	2004
29.01.2020 16:01:01	1	1	1	1	54.75	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:01	1	1	1	1	54.75	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:01	1	1	1	1	54.75	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:01	1	1	1	1	54.75	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:01	1	1	1	1	54.75	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:01	1	1	1	1	54.75	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:01	1	1	1	1	54.75	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:01	1	1	1	1	54.5	62.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.125	2004
29.01.2020 16:01:02	1	1	1	1	54.5	62	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	42.625	2004
29.01.2020 16:01:03	1	1	1	1	54.5	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.5	2004
29.01.2020 16:01:04	1	1	1	1	54.5	62.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	42.5	2004
29.01.2020 16:01:05	1	1	1	1	54.5	62.5	0	30047.393	496.7741935	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:06	1	1	1	1	54.5	62.25	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	42.625	2004
29.01.2020 16:01:07	1	1	1	1	54.5	62.5	0	29952.607	507.5268817	15161.03607	30000	0	0	30000	43	2004
29.01.2020 16:01:08	1	1	1	1	54.5	63	0	30000	498.9247312	15096.62164	30000	0	0	30000	42.8125	2004
29.01.2020 16:01:09	1	1	1	1	54.5	62.75	0	30047.393	501.0752688	15055.85302	30000	0	0	30000	42.75	2004
29.01.2020 16:01:10	1	1	1	1	54.5	62.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.25	2004
29.01.2020 16:01:11	1	1	1	1	54.75	62	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	41.6875	2004
29.01.2020 16:01:12	1	1	1	1	54.75	61.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.8125	2004
29.01.2020 16:01:14	1	1	1	1	54.75	61.75	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	42.6875	2004
29.01.2020 16:01:15	1	1	1	1	54.75	62.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:16	1	1	1	1	54.75	62.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	42.375	2004
29.01.2020 16:01:17	1	1	1	1	54.75	62.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	42.375	2004
29.01.2020 16:01:18	1	1	1	1	54.75	62.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:19	1	1	1	1	54.75	62.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	42.1875	2004
29.01.2020 16:01:20	1	1	1	1	54.75	62	0	30000	505.3763441	15096.62164	30000	0	0	30000	42	2004
29.01.2020 16:01:21	1	1	1	1	54.5	62	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.6875	2004
29.01.2020 16:01:22	1	1	1	1	54.5	62.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.875	2004
29.01.2020 16:01:23	1	1	1	1	54.5	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:24	1	1	1	1	54.5	62.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:25	1	1	1	1	54.5	62.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	42.875	2004
29.01.2020 16:01:26	1	1	1	1	54.5	62.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.75	2004
29.01.2020 16:01:27	1	1	1	1	54.5	62.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.375	2004
29.01.2020 16:01:28	1	1	1	1	54.5	62.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	42.625	2004
29.01.2020 16:01:29	1	1	1	1	54.5	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.3125	2004
29.01.2020 16:01:30	1	1	1	1	54.5	62.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.4375	2004
29.01.2020 16:01:31	1	1	1	1	54.25	62.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.5625	2004
29.01.2020 16:01:32	1	1	1	1	54.25	62.5	0	29905.213	503.2258065	15177.34352	30000	0	0	30000	42.3125	2004
29.01.2020 16:01:33	1	1	1	1	54.25	62.25	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	42.25	2004
29.01.2020 16:01:34	1	1	1	1	54.25	62.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	42.625	2004
29.01.2020 16:01:35	1	1	1	1	54.25	62.5	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:01:36	1	1	1	1	54.25	62	0	29905.213	505.3763441	15289.86492	30000	0	0	30000	42.625	2004
29.01.2020 16:01:37	1	1	1	1	54.25	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.9375	2004
29.01.2020 16:01:38	1	1	1	1	54.25	61.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.75	2004
29.01.2020 16:01:39	1	1	1	1	54.25	62.75	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	42.5	2004
29.01.2020 16:01:40	1	1	1	1	54.25	62.5	0	30000	494.6236559	15055.85302	30000	0	0	30000	42.25	2004
29.01.2020 16:01:41	1	1	1	1	54.25	62.25	0	30000	488.172043	14773.73413	30000	0	0	30000	42.75	2004
29.01.2020 16:01:42	1	1	1	1	54.25	62.75	0	29905.213	488.172043	14773.73413	30000	0	0	30000	42.75	2004
29.01.2020 16:01:43	1	1	1	1	54.25	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42	2004
29.01.2020 16:01:44	1	1	1	1	54.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
29.01.2020 16:01:45	1	1	1	1	54.25	62.25	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	42.625	2004
29.01.2020 16:01:46	1	1	1	1	54.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
29.01.2020 16:01:47	1	1	1	1	54.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
29.01.2020 16:01:48	1	1	1	1	54.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
29.01.2020 16:01:49	1	1	1	1	54.25	62.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.25	2004
29.01.2020 16:01:51	1	1	1	1	54.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
29.01.2020 16:01:52	1	1	1	1	54.5	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
29.01.2020 16:01:53	1	1	1	1	54.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
29.01.2020 16:01:54	1	1	1	1	54.5	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
29.01.2020 16:01:55	1	1	1	1	54.5	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
29.01.2020 16:02:03	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 16:02:03	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 16:02:03	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 16:02:03	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 16:02:03	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 16:02:03	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 16:02:03	1	1	1	1	54	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
29.01.2020 16:02:04	1	1	1	1	54	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
29.01.2020 16:02:05	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 16:02:06	1	1	1	1	54	62.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.25	2004
29.01.2020 16:02:07	1	1	1	1	54	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:02:08	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:02:09	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:02:10	1	1	1	1	54	62.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.4375	2004
29.01.2020 16:02:11	1	1	1	1	53.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
29.01.2020 16:02:12	1	1	1	1	53.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
29.01.2020 16:02:13	1	1	1	1	53.75	62	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.5	2004
29.01.2020 16:02:14	1	1	1	1	53.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
29.01.2020 16:02:15	1	1	1	1	53.75	62.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.125	2004
29.01.2020 16:02:16	1	1	1	1	53.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
29.01.2020 16:02:17	1	1	1	1	53.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
29.01.2020 16:02:18	1	1	1	1	53.75	62	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.25	2004
29.01.2020 16:02:19	1	1	1	1	53.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:02:20	1	1	1	1	53.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
29.01.2020 16:02:21	1	1	1	1	54	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 16:02:22	1	1	1	1	54	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:02:23	1	1	1	1	54	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
29.01.2020 16:02:24	1	1	1	1	54	62.75	0	30000	483.8709677	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 16:02:25	1	1	1	1	54	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
29.01.2020 16:02:26	1	1	1	1	54	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
29.01.2020 16:02:27	1	1	1	1	54	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
29.01.2020 16:02:28	1	1	1	1	54	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
29.01.2020 16:02:30	1	1	1	1	54	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
29.01.2020 16:02:31	1	1	1	1	54.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
29.01.2020 16:02:32	1	1	1	1	54.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
29.01.2020 16:02:33	1	1	1	1	54.25	62.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
29.01.2020 16:02:34	1	1	1	1	54.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
29.01.2020 16:02:35	1	1	1	1	54.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 16:02:36	1	1	1	1	54.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
29.01.2020 16:02:37	1	1	1	1	54.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.75	2004
29.01.2020 16:02:38	1	1	1	1	54.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 16:02:39	1	1	1	1	54.25	62.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	42.75	2004
29.01.2020 16:02:40	1	1	1	1	54.25	62.75	0	30000	481.7204301	14538.90686	30000	0	0	30000	42.625	2004
29.01.2020 16:02:41	1	1	1	1	53.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
29.01.2020 16:02:42	1	1	1	1	53.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
29.01.2020 16:02:43	1	1	1	1	53.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:02:44	1	1	1	1	53.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
29.01.2020 16:02:45	1	1	1	1	53.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
29.01.2020 16:02:46	1	1	1	1	53.75	62.5	0	30000	481.7204301	13977.93058	30000	0	0	30000	42.5	2004
29.01.2020 16:02:47	1	1	1	1	53.75	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.8125	2004
29.01.2020 16:02:48	1	1	1	1	53.75	62.75	0	30000	466.6666667	13849.10173	30000	0	0	30000	42.5	2004
29.01.2020 16:02:49	1	1	1	1	53.75	62.5	0	29952.607	470.9677419	14128.7745	30000	0	0	30000	42.375	2004
29.01.2020 16:02:50	1	1	1	1	53.75	62.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	42.625	2004
29.01.2020 16:02:51	1	1	1	1	53.75	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.75	2004
29.01.2020 16:02:52	1	1	1	1	53.75	62.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.25	2004
29.01.2020 16:02:53	1	1	1	1	53.75	62.25	0	29952.607	466.6666667	14451.662	30000	0	0	30000	41.9375	2004
29.01.2020 16:02:54	1	1	1	1	53.75	61.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.5	2004
29.01.2020 16:02:55	1	1	1	1	53.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.75	2004
29.01.2020 16:02:56	1	1	1	1	53.75	62.75	0	30000	466.6666667	14064.36007	30000	0	0	30000	42.5	2004
29.01.2020 16:03:04	1	1	1	1	54	62.5	0	30000	468.8172043	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:03:04	1	1	1	1	54	62.5	0	30000	468.8172043	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:03:04	1	1	1	1	54	62.5	0	30000	468.8172043	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:03:04	1	1	1	1	54	62.5	0	30000	468.8172043	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:03:04	1	1	1	1	54	62.5	0	30000	468.8172043	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:03:04	1	1	1	1	54	62.5	0	30000	468.8172043	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:03:04	1	1	1	1	54	62.5	0	30000	468.8172043	14451.662	30000	0	0	30000	42.5	2004
29.01.2020 16:03:04	1	1	1	1	54	62.5	0	30000	468.8172043	14451.662	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:03:04	1	1	1	1	54	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.1875	2004
29.01.2020 16:03:05	1	1	1	1	54	62	0	30000	466.6666667	14128.7745	30000	0	0	30000	43.1875	2004
29.01.2020 16:03:06	1	1	1	1	54	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.5	2004
29.01.2020 16:03:07	1	1	1	1	54	62.5	0	0	0	0	30000	0	8	30000	42.125	2004
29.01.2020 16:03:09	1	1	1	1	54	63.25	0	10426.54	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:03:10	1	1	1	1	54	62.75	0	11327.014	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:03:11	1	1	1	1	54.25	62.75	0	12085.308	2.150537634	25.27654717	30000	0	0	30000	42.9375	2004
29.01.2020 16:03:12	1	1	1	1	54.25	62.75	0	12843.602	6.451612903	82.35262142	30000	0	0	30000	42.8125	2004
29.01.2020 16:03:13	1	1	1	1	54.25	62.75	0	13601.896	10.75268817	145.9516756	30000	0	0	30000	42.6875	2004
29.01.2020 16:03:14	1	1	1	1	54.25	62.5	0	14407.583	15.05376344	216.8890822	30000	0	0	30000	42.875	2004
29.01.2020 16:03:15	1	1	1	1	54.25	62.75	0	15165.877	19.35483871	228.304297	30000	0	0	30000	42.5	2004
29.01.2020 16:03:16	1	1	1	1	54.25	62.5	0	15876.777	23.65591398	414.2092246	30000	0	0	30000	42.6875	2004
29.01.2020 16:03:17	1	1	1	1	54.25	62.5	0	16729.858	30.10752688	503.0848259	30000	0	0	30000	42.9375	2004
29.01.2020 16:03:18	1	1	1	1	54.25	62.75	0	17488.152	36.55913978	639.2520316	30000	0	0	30000	42.75	2004
29.01.2020 16:03:19	1	1	1	1	54.25	62.75	0	18341.232	43.01075269	746.8812002	30000	0	0	30000	42.6875	2004
29.01.2020 16:03:20	1	1	1	1	54.25	62.5	0	19052.133	53.76344086	1024.107847	30000	0	0	30000	42.75	2004
29.01.2020 16:03:21	1	1	1	1	54.5	62.75	0	19763.033	62.3655914	1280.950181	30000	0	0	30000	42.75	2004
29.01.2020 16:03:22	1	1	1	1	54.5	62.75	0	20568.72	70.96774194	1456.255266	30000	0	0	30000	42.625	2004
29.01.2020 16:03:23	1	1	1	1	54.5	62.5	0	21374.408	81.72043011	1746.527872	30000	0	0	30000	42.875	2004
29.01.2020 16:03:24	1	1	1	1	54.5	62.75	0	21943.128	103.2258065	2265.104775	30000	0	0	30000	42.8125	2004
29.01.2020 16:03:25	1	1	1	1	54.5	62.75	0	22890.995	113.9784946	2608.376593	30000	0	0	30000	42.6875	2004
29.01.2020 16:03:26	1	1	1	1	54.5	62.5	0	22985.782	129.0322581	2915.772022	30000	0	0	30000	42.875	2004
29.01.2020 16:03:27	1	1	1	1	54.5	62.75	0	23886.256	144.0860215	3441.687277	30000	0	0	30000	42.8125	2004
29.01.2020 16:03:28	1	1	1	1	54.5	62.75	0	24407.583	156.9892473	3936.618378	30000	0	0	30000	42.9375	2004
29.01.2020 16:03:29	1	1	1	1	54.5	62.75	0	24928.91	174.1935484	4449.487674	30000	0	0	30000	42.875	2004
29.01.2020 16:03:30	1	1	1	1	54.5	62.75	0	25402.844	189.2473118	4816.405294	30000	0	0	30000	42.25	2004
29.01.2020 16:03:31	1	1	1	1	54	62.25	0	24976.303	206.4516129	4887.342701	30000	0	0	30000	42.8125	2004
29.01.2020 16:03:32	1	1	1	1	54	62.75	0	24881.517	206.4516129	5136.846683	30000	0	0	30000	42.75	2004
29.01.2020 16:03:33	1	1	1	1	54	62.75	0	24976.303	206.4516129	5175.984562	30000	0	0	30000	42.75	2004
29.01.2020 16:03:34	1	1	1	1	54	62.75	0	25687.204	219.3548387	5644.823744	30000	0	0	30000	42.75	2004
29.01.2020 16:03:35	1	1	1	1	54	62.75	0	26113.744	234.4086022	6121.001277	30000	0	0	30000	42.8125	2004
29.01.2020 16:03:36	1	1	1	1	54	62.75	0	26587.678	249.4623656	6598.809556	30000	0	0	30000	42.6875	2004
29.01.2020 16:03:37	1	1	1	1	54	62.5	0	27109.005	264.516129	7170.385671	30000	0	0	30000	42.75	2004
29.01.2020 16:03:38	1	1	1	1	54	62.75	0	27345.972	279.5698925	7467.99663	30000	0	0	30000	42.75	2004
29.01.2020 16:03:39	1	1	1	1	54	62.75	0	27630.332	290.3225806	8021.63455	30000	0	0	30000	42.6875	2004
29.01.2020 16:03:40	1	1	1	1	54	62.5	0	27630.332	290.3225806	8021.63455	30000	0	0	30000	42.75	2004
29.01.2020 16:03:41	1	1	1	1	53.75	62.75	0	27630.332	290.3225806	8076.264507	30000	0	0	30000	42.75	2004
29.01.2020 16:03:42	1	1	1	1	53.75	62.75	0	27630.332	290.3225806	8076.264507	30000	0	0	30000	42.625	2004
29.01.2020 16:03:43	1	1	1	1	53.75	62.5	0	27630.332	290.3225806	8021.63455	30000	0	0	30000	42.8125	2004
29.01.2020 16:03:44	1	1	1	1	53.75	62.75	0	27819.905	296.7741935	8021.63455	30000	0	0	30000	42.5	2004
29.01.2020 16:03:45	1	1	1	1	53.75	62.5	0	27630.332	290.3225806	8182.26293	30000	0	0	30000	42.875	2004
29.01.2020 16:03:46	1	1	1	1	53.75	62.75	0	27772.512	294.6236559	8199.385753	30000	0	0	30000	43.125	2004
29.01.2020 16:03:47	1	1	1	1	53.75	63	0	27630.332	296.7741935	8199.385753	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:03:48	1	1	1	1	53.75	63	0	27725.118	298.9247312	8255.646454	30000	0	0	30000	42.875	2004
29.01.2020 16:03:50	1	1	1	1	53.75	62.75	0	27772.512	296.7741935	8315.984019	30000	0	0	30000	42.75	2004
29.01.2020 16:03:51	1	1	1	1	53.5	62.75	0	27819.905	294.6236559	8196.124263	30000	0	0	30000	42.3125	2004
29.01.2020 16:03:52	1	1	1	1	53.5	62.25	0	27819.905	294.6236559	8255.646454	30000	0	0	30000	42.75	2004
29.01.2020 16:03:53	1	1	1	1	53.5	62.75	0	28199.052	311.827957	8853.314489	30000	0	0	30000	42.875	2004
29.01.2020 16:03:54	1	1	1	1	53.5	62.75	0	28341.232	313.9784946	8898.159976	30000	0	0	30000	42.8125	2004
29.01.2020 16:03:55	1	1	1	1	53.5	62.75	0	28483.412	318.2795699	9187.61721	30000	0	0	30000	42.625	2004
29.01.2020 16:03:56	1	1	1	1	53.5	62.5	0	28625.592	335.483871	9587.14973	30000	0	0	30000	42.625	2004
29.01.2020 16:03:57	1	1	1	1	53.5	62.5	0	28815.166	350.5376344	10117.14185	30000	0	0	30000	42.1875	2004
29.01.2020 16:03:58	1	1	1	1	53.5	62	0	29052.133	356.9892473	10150.57212	30000	0	0	30000	42.8125	2004
29.01.2020 16:04:06	1	1	1	1	53	62	0	29099.526	365.5913978	10718.07137	30000	0	0	30000	42.5	2004
29.01.2020 16:04:06	1	1	1	1	53	62	0	29099.526	365.5913978	10718.07137	30000	0	0	30000	42.5	2004
29.01.2020 16:04:06	1	1	1	1	53	62	0	29099.526	365.5913978	10718.07137	30000	0	0	30000	42.5	2004
29.01.2020 16:04:06	1	1	1	1	53	62	0	29099.526	365.5913978	10718.07137	30000	0	0	30000	42.5	2004
29.01.2020 16:04:06	1	1	1	1	53	62	0	29099.526	365.5913978	10718.07137	30000	0	0	30000	42.5	2004
29.01.2020 16:04:06	1	1	1	1	53	62	0	29099.526	365.5913978	10718.07137	30000	0	0	30000	42.5	2004
29.01.2020 16:04:06	1	1	1	1	53	62.5	0	29146.919	367.7419355	10718.07137	30000	0	0	30000	42.5625	2004
29.01.2020 16:04:07	1	1	1	1	53	62.5	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.3125	2004
29.01.2020 16:04:08	1	1	1	1	53	62.25	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	41.9375	2004
29.01.2020 16:04:09	1	1	1	1	53	61.75	0	29146.919	363.4408602	10592.50401	30000	0	0	30000	42.6875	2004
29.01.2020 16:04:10	1	1	1	1	53	62.5	0	29146.919	356.9892473	10404.96834	30000	0	0	30000	42.75	2004
29.01.2020 16:04:11	1	1	1	1	52.25	62.75	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.75	2004
29.01.2020 16:04:12	1	1	1	1	52.25	62.75	0	29146.919	369.8924731	10718.07137	30000	0	0	30000	42.75	2004
29.01.2020 16:04:13	1	1	1	1	52.25	62.75	0	29146.919	361.2903226	10467.75202	30000	0	0	30000	42.25	2004
29.01.2020 16:04:14	1	1	1	1	52.25	62.25	0	29146.919	354.8387097	10404.96834	30000	0	0	30000	42.75	2004
29.01.2020 16:04:15	1	1	1	1	52.25	62.75	0	29146.919	352.688172	10216.61729	30000	0	0	30000	42.125	2004
29.01.2020 16:04:16	1	1	1	1	52.25	62	0	29146.919	350.5376344	10279.40097	30000	0	0	30000	41.25	2004
29.01.2020 16:04:17	1	1	1	1	52.25	61.25	0	29146.919	352.688172	10216.61729	30000	0	0	30000	42.625	2004
29.01.2020 16:04:18	1	1	1	1	52.25	62.5	0	29146.919	350.5376344	10342.18465	30000	0	0	30000	42.625	2004
29.01.2020 16:04:19	1	1	1	1	52.25	62.5	0	29146.919	350.5376344	9966.297937	30000	0	0	30000	42.5	2004
29.01.2020 16:04:20	1	1	1	1	52.25	62.5	0	29146.919	350.5376344	10216.61729	30000	0	0	30000	42.75	2004
29.01.2020 16:04:21	1	1	1	1	52.25	62.75	0	29146.919	348.3870968	10091.04993	30000	0	0	30000	42.75	2004
29.01.2020 16:04:22	1	1	1	1	52.25	62.75	0	29146.919	348.3870968	10216.61729	30000	0	0	30000	42.5625	2004
29.01.2020 16:04:23	1	1	1	1	52.25	62.5	0	29146.919	348.3870968	10216.61729	30000	0	0	30000	42.5	2004
29.01.2020 16:04:24	1	1	1	1	52.25	62.5	0	29146.919	348.3870968	10153.83361	30000	0	0	30000	43.25	2004
29.01.2020 16:04:25	1	1	1	1	52.25	63.25	0	29146.919	350.5376344	10216.61729	30000	0	0	30000	43.0625	2004
29.01.2020 16:04:27	1	1	1	1	52.25	63	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.75	2004
29.01.2020 16:04:28	1	1	1	1	52.25	62.5	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.5625	2004
29.01.2020 16:04:29	1	1	1	1	52.25	62.5	0	29099.526	352.688172	10342.18465	30000	0	0	30000	42.3125	2004
29.01.2020 16:04:30	1	1	1	1	52.25	62.25	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.625	2004
29.01.2020 16:04:31	1	1	1	1	52.25	62.5	0	29146.919	363.4408602	10592.50401	30000	0	0	30000	42.1875	2004
29.01.2020 16:04:32	1	1	1	1	52.25	62	0	29146.919	365.5913978	10718.07137	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:04:33	1	1	1	1	52.25	62.75	0	29146.919	372.0430108	10780.85505	30000	0	0	30000	42.6875	2004
29.01.2020 16:04:34	1	1	1	1	52.25	62.5	0	29146.919	367.7419355	10843.63874	30000	0	0	30000	42.3125	2004
29.01.2020 16:04:35	1	1	1	1	52.25	62.25	0	29146.919	372.0430108	10843.63874	30000	0	0	30000	42.625	2004
29.01.2020 16:04:36	1	1	1	1	52.25	62.5	0	29146.919	378.4946237	11031.98978	30000	0	0	30000	42.1875	2004
29.01.2020 16:04:37	1	1	1	1	52.25	62	0	29146.919	378.4946237	11031.98978	30000	0	0	30000	42.6875	2004
29.01.2020 16:04:38	1	1	1	1	52.25	62.5	0	29146.919	378.4946237	11031.98978	30000	0	0	30000	42.25	2004
29.01.2020 16:04:39	1	1	1	1	52.25	62.25	0	29146.919	378.4946237	11031.98978	30000	0	0	30000	41.875	2004
29.01.2020 16:04:40	1	1	1	1	52.25	61.75	0	29146.919	378.4946237	11093.95809	30000	0	0	30000	42.25	2004
29.01.2020 16:04:41	1	1	1	1	52.25	62.25	0	29146.919	380.6451613	11093.95809	30000	0	0	30000	41.8125	2004
29.01.2020 16:04:42	1	1	1	1	52.25	61.75	0	29146.919	378.4946237	11031.98978	30000	0	0	30000	42.625	2004
29.01.2020 16:04:43	1	1	1	1	52.25	62.5	0	29146.919	378.4946237	11093.95809	30000	0	0	30000	42.375	2004
29.01.2020 16:04:44	1	1	1	1	52.25	62.25	0	29241.706	387.0967742	11031.98978	30000	0	0	30000	41.3125	2004
29.01.2020 16:04:45	1	1	1	1	52.25	61.25	0	29146.919	380.6451613	11014.05159	30000	0	0	30000	42.5625	2004
29.01.2020 16:04:46	1	1	1	1	52.25	62.5	0	29146.919	391.3978495	11156.74177	30000	0	0	30000	41.5	2004
29.01.2020 16:04:47	1	1	1	1	52.25	61.5	0	29146.919	380.6451613	11093.95809	30000	0	0	30000	42.75	2004
29.01.2020 16:04:48	1	1	1	1	52.25	62.75	0	29146.919	384.9462366	11219.52545	30000	0	0	30000	42.5	2004
29.01.2020 16:04:49	1	1	1	1	52.25	62.5	0	29146.919	378.4946237	11219.52545	30000	0	0	30000	42.75	2004
29.01.2020 16:04:50	1	1	1	1	52.25	62.75	0	29099.526	384.9462366	11345.09282	30000	0	0	30000	42.6875	2004
29.01.2020 16:04:51	1	1	1	1	52	62.5	0	29146.919	395.6989247	11407.8765	30000	0	0	30000	42.6875	2004
29.01.2020 16:04:52	1	1	1	1	52	62.5	0	29146.919	397.8494624	11407.8765	30000	0	0	30000	42.5625	2004
29.01.2020 16:04:53	1	1	1	1	52	62.5	0	29146.919	387.0967742	11345.09282	30000	0	0	30000	42.6875	2004
29.01.2020 16:04:54	1	1	1	1	52	62.5	0	29146.919	395.6989247	11470.66018	30000	0	0	30000	42.625	2004
29.01.2020 16:04:55	1	1	1	1	52	62.5	0	29146.919	391.3978495	11219.52545	30000	0	0	30000	42.8125	2004
29.01.2020 16:04:56	1	1	1	1	52	62.75	0	29146.919	378.4946237	11093.95809	30000	0	0	30000	42.375	2004
29.01.2020 16:04:57	1	1	1	1	52	62.25	0	29146.919	378.4946237	11093.95809	30000	0	0	30000	42.25	2004
29.01.2020 16:04:58	1	1	1	1	52	62.25	0	29146.919	382.7956989	11130.64985	30000	0	0	30000	42.625	2004
29.01.2020 16:04:59	1	1	1	1	52	62.5	0	29146.919	378.4946237	11193.43353	30000	0	0	30000	42.5	2004
29.01.2020 16:05:07	1	1	1	1	52.25	62.75	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:07	1	1	1	1	52.25	62.75	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:07	1	1	1	1	52.25	62.75	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:07	1	1	1	1	52.25	62.75	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:07	1	1	1	1	52.25	62.75	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:07	1	1	1	1	52.25	62.75	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:07	1	1	1	1	52.25	62.75	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:08	1	1	1	1	52.25	62.5	0	29241.706	378.4946237	11031.98978	30000	0	0	30000	42.375	2004
29.01.2020 16:05:09	1	1	1	1	52.25	62.25	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	42.375	2004
29.01.2020 16:05:10	1	1	1	1	52.25	62.25	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	42.625	2004
29.01.2020 16:05:11	1	1	1	1	52	62.5	0	29146.919	367.7419355	10815.91607	30000	0	0	30000	42.875	2004
29.01.2020 16:05:12	1	1	1	1	52	62.75	0	29146.919	359.1397849	10592.50401	30000	0	0	30000	42.5625	2004
29.01.2020 16:05:13	1	1	1	1	52	62.5	0	29146.919	365.5913978	10780.85505	30000	0	0	30000	42.75	2004
29.01.2020 16:05:14	1	1	1	1	52	62.75	0	29241.706	367.7419355	10718.07137	30000	0	0	30000	42.625	2004
29.01.2020 16:05:15	1	1	1	1	52	62.5	0	29146.919	365.5913978	10753.13239	30000	0	0	30000	42.1875	2004
29.01.2020 16:05:16	1	1	1	1	52	62	0	29289.1	367.7419355	10592.50401	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:05:17	1	1	1	1	52	62.75	0	29146.919	363.4408602	10627.56503	30000	0	0	30000	42.5625	2004
29.01.2020 16:05:18	1	1	1	1	52	62.5	0	29241.706	363.4408602	10655.28769	30000	0	0	30000	42.75	2004
29.01.2020 16:05:19	1	1	1	1	52	62.75	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.875	2004
29.01.2020 16:05:20	1	1	1	1	52	62.75	0	29241.706	369.8924731	10753.13239	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:21	1	1	1	1	51.75	62.5	0	29241.706	361.2903226	10592.50401	30000	0	0	30000	42.75	2004
29.01.2020 16:05:22	1	1	1	1	51.75	62.75	0	29146.919	365.5913978	10627.56503	30000	0	0	30000	42.625	2004
29.01.2020 16:05:23	1	1	1	1	51.75	62.5	0	29146.919	363.4408602	10592.50401	30000	0	0	30000	42.75	2004
29.01.2020 16:05:24	1	1	1	1	51.75	62.75	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.625	2004
29.01.2020 16:05:25	1	1	1	1	51.75	62.5	0	29241.706	361.2903226	10627.56503	30000	0	0	30000	42.5	2004
29.01.2020 16:05:26	1	1	1	1	51.75	62.5	0	29241.706	367.7419355	10753.13239	30000	0	0	30000	42.875	2004
29.01.2020 16:05:27	1	1	1	1	51.75	62.75	0	29146.919	350.5376344	10312.83125	30000	0	0	30000	42.625	2004
29.01.2020 16:05:28	1	1	1	1	51.75	62.5	0	29146.919	356.9892473	10404.96834	30000	0	0	30000	42.75	2004
29.01.2020 16:05:29	1	1	1	1	51.75	62.75	0	29146.919	356.9892473	10501.18229	30000	0	0	30000	42.75	2004
29.01.2020 16:05:30	1	1	1	1	51.75	62.75	0	29146.919	352.688172	10342.18465	30000	0	0	30000	42.75	2004
29.01.2020 16:05:31	1	1	1	1	51.5	62.75	0	29146.919	350.5376344	10216.61729	30000	0	0	30000	42.8125	2004
29.01.2020 16:05:32	1	1	1	1	51.5	62.75	0	29241.706	348.3870968	10216.61729	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:33	1	1	1	1	51.5	62.5	0	29241.706	348.3870968	10091.04993	30000	0	0	30000	42.8125	2004
29.01.2020 16:05:34	1	1	1	1	51.5	62.75	0	29241.706	346.2365591	10153.83361	30000	0	0	30000	42.75	2004
29.01.2020 16:05:35	1	1	1	1	51.5	62.75	0	29241.706	350.5376344	10153.83361	30000	0	0	30000	42.625	2004
29.01.2020 16:05:36	1	1	1	1	51.5	62.5	0	29146.919	350.5376344	10216.61729	30000	0	0	30000	42.8125	2004
29.01.2020 16:05:37	1	1	1	1	51.5	62.75	0	29241.706	350.5376344	10312.83125	30000	0	0	30000	42.625	2004
29.01.2020 16:05:38	1	1	1	1	51.5	62.5	0	29241.706	350.5376344	10216.61729	30000	0	0	30000	42.8125	2004
29.01.2020 16:05:39	1	1	1	1	51.5	62.75	0	29241.706	348.3870968	10216.61729	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:40	1	1	1	1	51.5	62.5	0	29146.919	350.5376344	10216.61729	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:41	1	1	1	1	51.5	62.5	0	29241.706	346.2365591	10091.04993	30000	0	0	30000	42.4375	2004
29.01.2020 16:05:42	1	1	1	1	51.5	62.25	0	29146.919	346.2365591	10091.04993	30000	0	0	30000	42.8125	2004
29.01.2020 16:05:43	1	1	1	1	51.5	62.75	0	29146.919	346.2365591	10124.4802	30000	0	0	30000	43.125	2004
29.01.2020 16:05:44	1	1	1	1	51.5	63	0	29241.706	354.8387097	10153.83361	30000	0	0	30000	42.125	2004
29.01.2020 16:05:46	1	1	1	1	51.5	63	0	29241.706	350.5376344	10216.61729	30000	0	0	30000	42.875	2004
29.01.2020 16:05:47	1	1	1	1	51.5	62.75	0	29241.706	348.3870968	10266.35501	30000	0	0	30000	42.75	2004
29.01.2020 16:05:48	1	1	1	1	51.5	62.75	0	29146.919	350.5376344	10404.96834	30000	0	0	30000	42.75	2004
29.01.2020 16:05:49	1	1	1	1	51.5	62.75	0	29146.919	356.9892473	10375.61493	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:50	1	1	1	1	51.5	62.5	0	29241.706	354.8387097	10375.61493	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:51	1	1	1	1	51.25	62.5	0	29146.919	356.9892473	10467.75202	30000	0	0	30000	42.875	2004
29.01.2020 16:05:52	1	1	1	1	51.25	62.75	0	29241.706	356.9892473	10375.61493	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:53	1	1	1	1	51.25	62.5	0	29241.706	359.1397849	10501.18229	30000	0	0	30000	42.625	2004
29.01.2020 16:05:54	1	1	1	1	51.25	62.5	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.625	2004
29.01.2020 16:05:55	1	1	1	1	51.25	62.5	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.4375	2004
29.01.2020 16:05:56	1	1	1	1	51.25	62.25	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.75	2004
29.01.2020 16:05:57	1	1	1	1	51.25	62.75	0	29241.706	359.1397849	10467.75202	30000	0	0	30000	42.6875	2004
29.01.2020 16:05:58	1	1	1	1	51.25	62.5	0	29241.706	361.2903226	10753.13239	30000	0	0	30000	42.875	2004
29.01.2020 16:05:59	1	1	1	1	51.25	62.75	0	29241.706	363.4408602	10627.56503	30000	0	0	30000	42.5625	2004
29.01.2020 16:06:00	1	1	1	1	51.25	62.5	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:06:01	1	1	1	1	51.25	62.75	0	29241.706	363.4408602	10627.56503	30000	0	0	30000	42.8125	2004
29.01.2020 16:06:09	1	1	1	1	51.25	62.5	0	29336.493	382.7956989	11085.80436	30000	0	0	30000	42.75	2004
29.01.2020 16:06:09	1	1	1	1	51.25	62.5	0	29336.493	382.7956989	11085.80436	30000	0	0	30000	42.75	2004
29.01.2020 16:06:09	1	1	1	1	51.25	62.5	0	29336.493	382.7956989	11085.80436	30000	0	0	30000	42.75	2004
29.01.2020 16:06:09	1	1	1	1	51.25	62.5	0	29336.493	382.7956989	11085.80436	30000	0	0	30000	42.75	2004
29.01.2020 16:06:09	1	1	1	1	51.25	62.5	0	29336.493	382.7956989	11085.80436	30000	0	0	30000	42.75	2004
29.01.2020 16:06:09	1	1	1	1	51.25	62.5	0	29336.493	382.7956989	11085.80436	30000	0	0	30000	42.75	2004
29.01.2020 16:06:09	1	1	1	1	51.25	62.75	0	29146.919	378.4946237	11130.64985	30000	0	0	30000	42.625	2004
29.01.2020 16:06:10	1	1	1	1	51.25	62.5	0	29289.1	380.6451613	11130.64985	30000	0	0	30000	42	2004
29.01.2020 16:06:11	1	1	1	1	51	62	0	29241.706	378.4946237	11166.52624	30000	0	0	30000	42.625	2004
29.01.2020 16:06:12	1	1	1	1	51	62.5	0	29241.706	374.1935484	11067.86617	30000	0	0	30000	42.75	2004
29.01.2020 16:06:13	1	1	1	1	51	62.75	0	29241.706	369.8924731	10815.91607	30000	0	0	30000	42.8125	2004
29.01.2020 16:06:14	1	1	1	1	51	62.75	0	29146.919	378.4946237	10843.63874	30000	0	0	30000	41.5	2004
29.01.2020 16:06:15	1	1	1	1	51	61.5	0	29241.706	372.0430108	10959.42163	30000	0	0	30000	42.6875	2004
29.01.2020 16:06:16	1	1	1	1	51	62.5	0	29241.706	378.4946237	11130.64985	30000	0	0	30000	42.5	2004
29.01.2020 16:06:17	1	1	1	1	51	62.5	0	29241.706	380.6451613	11130.64985	30000	0	0	30000	42.75	2004
29.01.2020 16:06:18	1	1	1	1	51	62.75	0	29289.1	378.4946237	11103.74256	30000	0	0	30000	42.75	2004
29.01.2020 16:06:19	1	1	1	1	51	62.75	0	29146.919	380.6451613	11093.95809	30000	0	0	30000	42.625	2004
29.01.2020 16:06:21	1	1	1	1	51	62.5	0	29241.706	382.7956989	11256.21722	30000	0	0	30000	43.1875	2004
29.01.2020 16:06:22	1	1	1	1	50.75	63	0	29289.1	384.9462366	11256.21722	30000	0	0	30000	42.4375	2004
29.01.2020 16:06:23	1	1	1	1	50.75	62.75	0	29241.706	378.4946237	11274.15541	30000	0	0	30000	42.375	2004
29.01.2020 16:06:24	1	1	1	1	50.75	62.25	0	29146.919	382.7956989	11130.64985	30000	0	0	30000	42.6875	2004
29.01.2020 16:06:25	1	1	1	1	50.75	62.5	0	29146.919	378.4946237	11292.90898	30000	0	0	30000	42.5625	2004
29.01.2020 16:06:26	1	1	1	1	50.75	62.5	0	29289.1	384.9462366	11256.21722	30000	0	0	30000	42.75	2004
29.01.2020 16:06:27	1	1	1	1	50.75	62.75	0	29241.706	384.9462366	11256.21722	30000	0	0	30000	42.25	2004
29.01.2020 16:06:28	1	1	1	1	50.75	62.25	0	29146.919	387.0967742	11608.45813	30000	0	0	30000	42.75	2004
29.01.2020 16:06:29	1	1	1	1	50.75	62.75	0	29241.706	384.9462366	11093.95809	30000	0	0	30000	42.1875	2004
29.01.2020 16:06:30	1	1	1	1	50.75	62	0	29241.706	395.6989247	11526.10551	30000	0	0	30000	42.5625	2004
29.01.2020 16:06:31	1	1	1	1	51	62.5	0	29241.706	389.2473118	11381.78458	30000	0	0	30000	42.6875	2004
29.01.2020 16:06:32	1	1	1	1	51	62.5	0	29146.919	395.6989247	11608.45813	30000	0	0	30000	42	2004
29.01.2020 16:06:33	1	1	1	1	51	62	0	29241.706	395.6989247	11533.44386	30000	0	0	30000	42.625	2004
29.01.2020 16:06:34	1	1	1	1	51	62.5	0	29241.706	395.6989247	11589.70456	30000	0	0	30000	42.75	2004
29.01.2020 16:06:35	1	1	1	1	51	62.75	0	29146.919	387.0967742	11589.70456	30000	0	0	30000	42	2004
29.01.2020 16:06:36	1	1	1	1	51	62	0	29146.919	384.9462366	11570.951	30000	0	0	30000	42.875	2004
29.01.2020 16:06:37	1	1	1	1	51	62.75	0	29289.1	395.6989247	11608.45813	30000	0	0	30000	42.4375	2004
29.01.2020 16:06:38	1	1	1	1	51	62.25	0	29241.706	395.6989247	11633.73468	30000	0	0	30000	42.5625	2004
29.01.2020 16:06:39	1	1	1	1	51	62.5	0	29146.919	404.3010753	11822.08572	30000	0	0	30000	42.5	2004
29.01.2020 16:06:40	1	1	1	1	51	62.5	0	29289.1	395.6989247	11570.951	30000	0	0	30000	42.3125	2004
29.01.2020 16:06:41	1	1	1	1	50.75	62.25	0	29146.919	404.3010753	11822.08572	30000	0	0	30000	42.625	2004
29.01.2020 16:06:42	1	1	1	1	50.75	62.5	0	29241.706	404.3010753	11884.8694	30000	0	0	30000	42.4375	2004
29.01.2020 16:06:43	1	1	1	1	50.75	62.25	0	29241.706	404.3010753	11822.08572	30000	0	0	30000	42.625	2004
29.01.2020 16:06:44	1	1	1	1	50.75	62.5	0	29146.919	404.3010753	11822.08572	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:06:45	1	1	1	1	50.75	62.5	0	29146.919	412.9032258	12074.03582	30000	0	0	30000	42.5625	2004
29.01.2020 16:06:46	1	1	1	1	50.75	62.5	0	29241.706	412.9032258	12074.03582	30000	0	0	30000	42.6875	2004
29.01.2020 16:06:47	1	1	1	1	50.75	62.5	0	29241.706	412.9032258	12074.03582	30000	0	0	30000	42.8125	2004
29.01.2020 16:06:48	1	1	1	1	50.75	62.75	0	29241.706	404.3010753	11783.76322	30000	0	0	30000	42.4375	2004
29.01.2020 16:06:49	1	1	1	1	50.75	62.25	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	42.75	2004
29.01.2020 16:06:50	1	1	1	1	50.75	62.75	0	29241.706	415.0537634	12034.89794	30000	0	0	30000	42.875	2004
29.01.2020 16:06:51	1	1	1	1	50.25	62.75	0	29146.919	415.0537634	12136.8195	30000	0	0	30000	42.1875	2004
29.01.2020 16:06:52	1	1	1	1	50.25	62	0	29241.706	404.3010753	11822.08572	30000	0	0	30000	42.8125	2004
29.01.2020 16:06:53	1	1	1	1	50.25	62.75	0	29241.706	412.9032258	12136.8195	30000	0	0	30000	42.75	2004
29.01.2020 16:06:54	1	1	1	1	50.25	62.75	0	29146.919	415.0537634	12136.8195	30000	0	0	30000	42.25	2004
29.01.2020 16:06:55	1	1	1	1	50.25	62.25	0	29289.1	425.8064516	12222.43362	30000	0	0	30000	42.25	2004
29.01.2020 16:06:56	1	1	1	1	50.25	62.25	0	29241.706	415.0537634	12136.8195	30000	0	0	30000	42.6875	2004
29.01.2020 16:06:58	1	1	1	1	50.25	62.5	0	29241.706	412.9032258	12074.03582	30000	0	0	30000	42.75	2004
29.01.2020 16:06:59	1	1	1	1	50.25	62.75	0	29241.706	412.9032258	12074.03582	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:00	1	1	1	1	50.25	62.75	0	29241.706	434.4086022	12639.90433	30000	0	0	30000	42.375	2004
29.01.2020 16:07:01	1	1	1	1	50.25	62.25	0	29146.919	438.7096774	12828.25537	30000	0	0	30000	42.625	2004
29.01.2020 16:07:02	1	1	1	1	50.25	62.5	0	29241.706	438.7096774	12828.25537	30000	0	0	30000	42.375	2004
29.01.2020 16:07:03	1	1	1	1	50.25	62.25	0	29241.706	438.7096774	12828.25537	30000	0	0	30000	42.3125	2004
29.01.2020 16:07:11	1	1	1	1	50.25	62.5	0	29241.706	432.2580645	12765.47169	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:11	1	1	1	1	50.25	62.5	0	29241.706	432.2580645	12765.47169	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:11	1	1	1	1	50.25	62.5	0	29241.706	432.2580645	12765.47169	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:11	1	1	1	1	50.25	62.5	0	29241.706	432.2580645	12765.47169	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:11	1	1	1	1	50.25	62.5	0	29241.706	432.2580645	12765.47169	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:11	1	1	1	1	50.25	62.5	0	29241.706	432.2580645	12765.47169	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:11	1	1	1	1	50	62.5	0	29289.1	432.2580645	12639.90433	30000	0	0	30000	42.75	2004
29.01.2020 16:07:12	1	1	1	1	50	62.75	0	29241.706	434.4086022	12849.45506	30000	0	0	30000	42.4375	2004
29.01.2020 16:07:13	1	1	1	1	50	62.25	0	29241.706	432.2580645	12639.90433	30000	0	0	30000	42.5625	2004
29.01.2020 16:07:14	1	1	1	1	50	62.5	0	29289.1	438.7096774	12828.25537	30000	0	0	30000	42.25	2004
29.01.2020 16:07:15	1	1	1	1	50	62.25	0	29146.919	438.7096774	12828.25537	30000	0	0	30000	42.1875	2004
29.01.2020 16:07:16	1	1	1	1	50	62	0	29289.1	445.1612903	13059.00579	30000	0	0	30000	42.125	2004
29.01.2020 16:07:17	1	1	1	1	50	62	0	29146.919	436.5591398	12828.25537	30000	0	0	30000	42.75	2004
29.01.2020 16:07:18	1	1	1	1	50	62.75	0	29336.493	445.1612903	13059.00579	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:19	1	1	1	1	50	62.5	0	29289.1	440.8602151	12975.02242	30000	0	0	30000	42.1875	2004
29.01.2020 16:07:20	1	1	1	1	50	62	0	29289.1	449.4623656	13059.00579	30000	0	0	30000	42.625	2004
29.01.2020 16:07:21	1	1	1	1	50	62.5	0	29336.493	445.1612903	12996.22211	30000	0	0	30000	42.375	2004
29.01.2020 16:07:22	1	1	1	1	50	62.25	0	29289.1	443.0107527	12953.82274	30000	0	0	30000	42.5625	2004
29.01.2020 16:07:23	1	1	1	1	50	62.5	0	29146.919	438.7096774	12953.82274	30000	0	0	30000	42.9375	2004
29.01.2020 16:07:24	1	1	1	1	50	62.75	0	29289.1	440.8602151	12953.82274	30000	0	0	30000	42.375	2004
29.01.2020 16:07:25	1	1	1	1	50	62.25	0	29336.493	438.7096774	12849.45506	30000	0	0	30000	42.5	2004
29.01.2020 16:07:26	1	1	1	1	50	62.5	0	29241.706	443.0107527	13059.00579	30000	0	0	30000	42.625	2004
29.01.2020 16:07:27	1	1	1	1	50	62.5	0	29289.1	438.7096774	12785.85601	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:28	1	1	1	1	50	62.5	0	29289.1	438.7096774	12912.23874	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:07:29	1	1	1	1	50	62.25	0	29289.1	438.7096774	12932.62305	30000	0	0	30000	41.5	2004
29.01.2020 16:07:30	1	1	1	1	50	61.5	0	29241.706	438.7096774	12828.25537	30000	0	0	30000	42.75	2004
29.01.2020 16:07:31	1	1	1	1	49.75	62.75	0	29336.493	445.1612903	12891.03906	30000	0	0	30000	42.5625	2004
29.01.2020 16:07:32	1	1	1	1	49.75	62.5	0	29336.493	438.7096774	12869.83937	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:33	1	1	1	1	49.75	62.5	0	29336.493	445.1612903	13059.00579	30000	0	0	30000	42.625	2004
29.01.2020 16:07:34	1	1	1	1	49.75	62.5	0	29336.493	443.0107527	12786.67138	30000	0	0	30000	43	2004
29.01.2020 16:07:36	1	1	1	1	49.75	63	0	29336.493	438.7096774	12869.83937	30000	0	0	30000	42.9375	2004
29.01.2020 16:07:37	1	1	1	1	49.75	62.75	0	29289.1	443.0107527	13016.60642	30000	0	0	30000	42.4375	2004
29.01.2020 16:07:38	1	1	1	1	49.75	62.25	0	29289.1	445.1612903	13016.60642	30000	0	0	30000	42.4375	2004
29.01.2020 16:07:39	1	1	1	1	49.75	62.25	0	29241.706	445.1612903	13037.8061	30000	0	0	30000	42.25	2004
29.01.2020 16:07:40	1	1	1	1	49.75	62.25	0	29289.1	445.1612903	13016.60642	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:41	1	1	1	1	49.5	62.5	0	29289.1	445.1612903	13037.8061	30000	0	0	30000	42.3125	2004
29.01.2020 16:07:42	1	1	1	1	49.5	62.25	0	29289.1	445.1612903	13059.00579	30000	0	0	30000	42.5625	2004
29.01.2020 16:07:43	1	1	1	1	49.5	62.5	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	42.3125	2004
29.01.2020 16:07:44	1	1	1	1	49.5	62.25	0	29336.493	445.1612903	13037.8061	30000	0	0	30000	42.75	2004
29.01.2020 16:07:45	1	1	1	1	49.5	62.75	0	29336.493	445.1612903	13016.60642	30000	0	0	30000	43	2004
29.01.2020 16:07:46	1	1	1	1	49.5	63	0	29241.706	445.1612903	13059.00579	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:47	1	1	1	1	49.5	62.5	0	29336.493	445.1612903	13059.00579	30000	0	0	30000	42.9375	2004
29.01.2020 16:07:48	1	1	1	1	49.5	62.75	0	29289.1	458.0645161	13500.93768	30000	0	0	30000	42.5625	2004
29.01.2020 16:07:49	1	1	1	1	49.5	62.5	0	29289.1	445.1612903	13059.00579	30000	0	0	30000	42.625	2004
29.01.2020 16:07:50	1	1	1	1	49.5	62.5	0	29336.493	445.1612903	13059.00579	30000	0	0	30000	42.625	2004
29.01.2020 16:07:51	1	1	1	1	49.5	62.5	0	29289.1	458.0645161	13394.12388	30000	0	0	30000	42.375	2004
29.01.2020 16:07:52	1	1	1	1	49.5	62.25	0	29289.1	445.1612903	13268.55652	30000	0	0	30000	42.5625	2004
29.01.2020 16:07:53	1	1	1	1	49.5	62.5	0	29289.1	464.516129	13583.2903	30000	0	0	30000	42.625	2004
29.01.2020 16:07:54	1	1	1	1	49.5	62.5	0	29241.706	458.0645161	13225.34178	30000	0	0	30000	42.4375	2004
29.01.2020 16:07:55	1	1	1	1	49.5	62.25	0	29289.1	464.516129	13646.07398	30000	0	0	30000	42.625	2004
29.01.2020 16:07:56	1	1	1	1	49.5	62.5	0	29241.706	464.516129	13646.07398	30000	0	0	30000	42.1875	2004
29.01.2020 16:07:57	1	1	1	1	49.5	62	0	29289.1	464.516129	13605.30536	30000	0	0	30000	42.6875	2004
29.01.2020 16:07:58	1	1	1	1	49.5	62.5	0	29241.706	445.1612903	13185.38852	30000	0	0	30000	42.5	2004
29.01.2020 16:07:59	1	1	1	1	49.5	62.5	0	29336.493	453.7634409	13437.33862	30000	0	0	30000	42.3125	2004
29.01.2020 16:08:00	1	1	1	1	49.5	62.25	0	29289.1	455.9139785	13437.33862	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:01	1	1	1	1	49.25	62.5	0	29289.1	460.2150538	13268.55652	30000	0	0	30000	42.625	2004
29.01.2020 16:08:02	1	1	1	1	49.25	62.5	0	29289.1	460.2150538	13478.92262	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:03	1	1	1	1	49.25	62.5	0	29241.706	464.516129	13627.32041	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:04	1	1	1	1	49.25	62.5	0	29336.493	460.2150538	13478.92262	30000	0	0	30000	42.5625	2004
29.01.2020 16:08:12	1	1	1	1	49.25	62.75	0	29289.1	458.0645161	13437.33862	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:12	1	1	1	1	49.25	62.75	0	29289.1	458.0645161	13437.33862	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:12	1	1	1	1	49.25	62.75	0	29289.1	458.0645161	13437.33862	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:12	1	1	1	1	49.25	62.75	0	29289.1	458.0645161	13437.33862	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:12	1	1	1	1	49.25	62.75	0	29289.1	458.0645161	13437.33862	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:12	1	1	1	1	49.25	62.75	0	29289.1	458.0645161	13437.33862	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:12	1	1	1	1	49.25	62.75	0	29289.1	458.0645161	13437.33862	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:12	1	1	1	1	49.25	62.5	0	29336.493	464.516129	13583.2903	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:08:13	1	1	1	1	49.25	62.5	0	29241.706	458.0645161	13268.55652	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:15	1	1	1	1	49.25	62.5	0	29241.706	460.2150538	13605.30536	30000	0	0	30000	42.75	2004
29.01.2020 16:08:16	1	1	1	1	49.25	62.75	0	29289.1	460.2150538	13478.92262	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:17	1	1	1	1	49.25	62.25	0	29336.493	464.516129	13500.93768	30000	0	0	30000	42.625	2004
29.01.2020 16:08:18	1	1	1	1	49.25	62.5	0	29289.1	464.516129	13500.93768	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:19	1	1	1	1	49.25	62.5	0	29336.493	464.516129	13627.32041	30000	0	0	30000	42.5625	2004
29.01.2020 16:08:20	1	1	1	1	49.25	62.5	0	29289.1	460.2150538	13478.92262	30000	0	0	30000	42.5625	2004
29.01.2020 16:08:21	1	1	1	1	49	62.5	0	29289.1	464.516129	13268.55652	30000	0	0	30000	42.75	2004
29.01.2020 16:08:22	1	1	1	1	49	62.75	0	29289.1	464.516129	13583.2903	30000	0	0	30000	42.25	2004
29.01.2020 16:08:23	1	1	1	1	49	62.25	0	29336.493	464.516129	13690.1041	30000	0	0	30000	42.75	2004
29.01.2020 16:08:24	1	1	1	1	49	62.75	0	29336.493	464.516129	13627.32041	30000	0	0	30000	42.25	2004
29.01.2020 16:08:25	1	1	1	1	49	62.25	0	29336.493	464.516129	13627.32041	30000	0	0	30000	42.4375	2004
29.01.2020 16:08:26	1	1	1	1	49	62.25	0	29336.493	464.516129	13627.32041	30000	0	0	30000	42.4375	2004
29.01.2020 16:08:27	1	1	1	1	49	62.25	0	29336.493	464.516129	13627.32041	30000	0	0	30000	42.5625	2004
29.01.2020 16:08:28	1	1	1	1	49	62.5	0	29383.886	464.516129	13500.93768	30000	0	0	30000	42.625	2004
29.01.2020 16:08:29	1	1	1	1	49	62.5	0	29336.493	460.2150538	13500.93768	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:30	1	1	1	1	49	62.5	0	29289.1	458.0645161	13627.32041	30000	0	0	30000	41.875	2004
29.01.2020 16:08:31	1	1	1	1	48.75	61.75	0	29336.493	464.516129	13690.1041	30000	0	0	30000	42.5	2004
29.01.2020 16:08:32	1	1	1	1	48.75	62.5	0	29289.1	464.516129	13627.32041	30000	0	0	30000	42.375	2004
29.01.2020 16:08:33	1	1	1	1	48.75	62.25	0	29336.493	464.516129	13690.1041	30000	0	0	30000	42.375	2004
29.01.2020 16:08:34	1	1	1	1	48.75	62.25	0	29336.493	464.516129	13627.32041	30000	0	0	30000	42.4375	2004
29.01.2020 16:08:35	1	1	1	1	48.75	62.25	0	29336.493	481.7204301	13752.88778	30000	0	0	30000	42.5625	2004
29.01.2020 16:08:36	1	1	1	1	48.75	62.5	0	29336.493	468.8172043	13752.88778	30000	0	0	30000	42.3125	2004
29.01.2020 16:08:37	1	1	1	1	48.75	62.25	0	29336.493	466.6666667	13690.1041	30000	0	0	30000	42.75	2004
29.01.2020 16:08:38	1	1	1	1	48.75	62.75	0	29336.493	481.7204301	13752.88778	30000	0	0	30000	42.1875	2004
29.01.2020 16:08:39	1	1	1	1	48.75	62	0	29336.493	468.8172043	13816.48683	30000	0	0	30000	42.1875	2004
29.01.2020 16:08:40	1	1	1	1	48.75	62	0	29336.493	481.7204301	13816.48683	30000	0	0	30000	42.375	2004
29.01.2020 16:08:41	1	1	1	1	48.75	62.25	0	29336.493	468.8172043	13583.2903	30000	0	0	30000	42.625	2004
29.01.2020 16:08:42	1	1	1	1	48.75	62.5	0	29336.493	466.6666667	13690.1041	30000	0	0	30000	42.3125	2004
29.01.2020 16:08:43	1	1	1	1	48.75	62.25	0	29336.493	481.7204301	13708.85766	30000	0	0	30000	42.5	2004
29.01.2020 16:08:44	1	1	1	1	48.75	62.5	0	29336.493	481.7204301	13752.88778	30000	0	0	30000	42.75	2004
29.01.2020 16:08:45	1	1	1	1	48.75	62.75	0	29336.493	466.6666667	13690.1041	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:46	1	1	1	1	48.75	62.5	0	29336.493	468.8172043	13816.48683	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:47	1	1	1	1	48.75	62.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	41.6875	2004
29.01.2020 16:08:48	1	1	1	1	48.75	61.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	42.4375	2004
29.01.2020 16:08:49	1	1	1	1	48.75	62.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:50	1	1	1	1	48.75	62.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	42.375	2004
29.01.2020 16:08:51	1	1	1	1	48.25	62.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	42.6875	2004
29.01.2020 16:08:53	1	1	1	1	48.25	62.5	0	29336.493	481.7204301	14109.20556	30000	0	0	30000	43	2004
29.01.2020 16:08:54	1	1	1	1	48.25	63	0	29241.706	483.8709677	14486.72302	30000	0	0	30000	42.8125	2004
29.01.2020 16:08:55	1	1	1	1	48.25	62.75	0	29336.493	494.6236559	14510.36882	30000	0	0	30000	42.5625	2004
29.01.2020 16:08:56	1	1	1	1	48.25	62.5	0	29383.886	494.6236559	14596.7983	30000	0	0	30000	42.1875	2004
29.01.2020 16:08:57	1	1	1	1	48.25	62	0	29336.493	490.3225806	14321.2024	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:08:58	1	1	1	1	48.25	62.25	0	29289.1	496.7741935	14549.5067	30000	0	0	30000	42.1875	2004
29.01.2020 16:08:59	1	1	1	1	48.25	62	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.625	2004
29.01.2020 16:09:00	1	1	1	1	48.25	62.5	0	29289.1	492.4731183	14446.76977	30000	0	0	30000	42.4375	2004
29.01.2020 16:09:01	1	1	1	1	48.25	62.25	0	29336.493	494.6236559	14510.36882	30000	0	0	30000	42.3125	2004
29.01.2020 16:09:02	1	1	1	1	48.25	62.25	0	29336.493	494.6236559	14510.36882	30000	0	0	30000	42.625	2004
29.01.2020 16:09:03	1	1	1	1	48.25	62.5	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.4375	2004
29.01.2020 16:09:04	1	1	1	1	48.25	62.25	0	29383.886	494.6236559	14596.7983	30000	0	0	30000	42.25	2004
29.01.2020 16:09:05	1	1	1	1	48.25	62.25	0	29336.493	492.4731183	14446.76977	30000	0	0	30000	42.1875	2004
29.01.2020 16:09:06	1	1	1	1	48.25	62	0	29336.493	494.6236559	14510.36882	30000	0	0	30000	42.8125	2004
29.01.2020 16:09:14	1	1	1	1	48	62	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.25	2004
29.01.2020 16:09:14	1	1	1	1	48	62	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.25	2004
29.01.2020 16:09:14	1	1	1	1	48	62	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.25	2004
29.01.2020 16:09:14	1	1	1	1	48	62	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.25	2004
29.01.2020 16:09:14	1	1	1	1	48	62	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.25	2004
29.01.2020 16:09:14	1	1	1	1	48	62.25	0	29241.706	496.7741935	14573.1525	30000	0	0	30000	42.5	2004
29.01.2020 16:09:15	1	1	1	1	48	62.5	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.5625	2004
29.01.2020 16:09:16	1	1	1	1	48	62.5	0	29289.1	492.4731183	14510.36882	30000	0	0	30000	41.9375	2004
29.01.2020 16:09:17	1	1	1	1	48	61.75	0	29336.493	488.172043	14510.36882	30000	0	0	30000	42.125	2004
29.01.2020 16:09:18	1	1	1	1	48	62	0	29383.886	498.9247312	14888.70166	30000	0	0	30000	42.375	2004
29.01.2020 16:09:19	1	1	1	1	48	62.25	0	29336.493	501.0752688	14573.1525	30000	0	0	30000	42.5	2004
29.01.2020 16:09:20	1	1	1	1	48	62.5	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.75	2004
29.01.2020 16:09:21	1	1	1	1	47.75	62.75	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.5	2004
29.01.2020 16:09:22	1	1	1	1	47.75	62.5	0	29383.886	496.7741935	14573.1525	30000	0	0	30000	42.4375	2004
29.01.2020 16:09:23	1	1	1	1	47.75	62.25	0	29336.493	494.6236559	14573.1525	30000	0	0	30000	42.5	2004
29.01.2020 16:09:24	1	1	1	1	47.75	62.5	0	29336.493	498.9247312	14699.53524	30000	0	0	30000	41.6875	2004
29.01.2020 16:09:25	1	1	1	1	47.75	61.5	0	29336.493	494.6236559	14573.1525	30000	0	0	30000	42.5625	2004
29.01.2020 16:09:26	1	1	1	1	47.75	62.5	0	29383.886	503.2258065	14573.1525	30000	0	0	30000	41.3125	2004
29.01.2020 16:09:27	1	1	1	1	47.75	61.25	0	29336.493	496.7741935	14400.29353	30000	0	0	30000	42.0625	2004
29.01.2020 16:09:28	1	1	1	1	47.75	62	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.1875	2004
29.01.2020 16:09:30	1	1	1	1	47.75	62	0	29336.493	496.7741935	14573.1525	30000	0	0	30000	42.375	2004
29.01.2020 16:09:31	1	1	1	1	47.75	62.25	0	29336.493	498.9247312	14549.5067	30000	0	0	30000	42.875	2004
29.01.2020 16:09:32	1	1	1	1	47.25	62.75	0	29383.886	503.2258065	14723.18104	30000	0	0	30000	42.75	2004
29.01.2020 16:09:33	1	1	1	1	47.25	62.75	0	29383.886	503.2258065	14723.18104	30000	0	0	30000	42.5	2004
29.01.2020 16:09:34	1	1	1	1	47.25	62.5	0	29383.886	501.0752688	14849.56378	30000	0	0	30000	42.5625	2004
29.01.2020 16:09:35	1	1	1	1	47.25	62.5	0	29336.493	496.7741935	14620.44411	30000	0	0	30000	42.5625	2004
29.01.2020 16:09:36	1	1	1	1	47.25	62.5	0	29383.886	503.2258065	14810.4259	30000	0	0	30000	42.5625	2004
29.01.2020 16:09:37	1	1	1	1	47.25	62.5	0	29336.493	503.2258065	14849.56378	30000	0	0	30000	42.4375	2004
29.01.2020 16:09:38	1	1	1	1	47.25	62.25	0	29336.493	498.9247312	14573.1525	30000	0	0	30000	42.3125	2004
29.01.2020 16:09:39	1	1	1	1	47.25	62.25	0	29383.886	503.2258065	14699.53524	30000	0	0	30000	42.8125	2004
29.01.2020 16:09:40	1	1	1	1	47.25	62.75	0	29383.886	501.0752688	14825.91797	30000	0	0	30000	42.625	2004
29.01.2020 16:09:41	1	1	1	1	47.75	62.5	0	29383.886	501.0752688	14636.75156	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:09:42	1	1	1	1	47.75	62.5	0	29336.493	503.2258065	14723.18104	30000	0	0	30000	42.6875	2004
29.01.2020 16:09:43	1	1	1	1	47.75	62.5	0	29383.886	503.2258065	14873.20958	30000	0	0	30000	42.125	2004
29.01.2020 16:09:47	1	0	1	1	47.75	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:09:47	1	0	1	1	47.75	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:09:47	1	0	1	1	47.75	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:09:47	1	0	1	1	47.75	62.5	0	0	0	0	30000	0	0	30000	42.9375	2004
29.01.2020 16:09:48	1	0	1	1	47.75	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:09:49	1	0	1	1	47.75	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:09:50	1	0	1	1	47.75	62.5	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:09:51	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:09:52	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:09:53	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	43.0625	2004
29.01.2020 16:09:54	1	0	1	1	48	63	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:09:55	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	42.9375	2004
29.01.2020 16:09:56	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	43	2004
29.01.2020 16:09:57	1	0	1	1	48	63	0	0	0	0	30000	0	0	30000	43	2004
29.01.2020 16:09:58	1	0	1	1	48	63	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:09:59	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:00	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:10:01	1	0	1	1	48.25	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:02	1	0	1	1	48.25	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:03	1	0	1	1	48.25	62.75	0	0	0	0	30000	0	0	30000	42.9375	2004
29.01.2020 16:10:04	1	0	1	1	48.25	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:05	1	0	1	1	48.25	62.75	0	0	0	0	30000	0	0	30000	42.9375	2004
29.01.2020 16:10:06	1	0	1	1	48.25	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:10:07	1	0	1	1	48.25	62.5	0	0	0	0	30000	0	0	30000	43	2004
29.01.2020 16:10:15	1	0	1	1	48	60	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:15	1	0	1	1	48	60	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:15	1	0	1	1	48	60	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:15	1	0	1	1	48	60	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:15	1	0	1	1	48	60	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:15	1	0	1	1	48	60	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:15	1	0	1	1	48	60	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:16	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:17	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:18	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	43	2004
29.01.2020 16:10:19	1	0	1	1	48	63	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:20	1	0	1	1	48	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:21	1	0	1	1	47.75	62.75	0	0	0	0	30000	0	0	30000	40	2004
29.01.2020 16:10:22	1	0	1	1	47.75	60	0	0	0	0	30000	0	0	30000	40.0625	2004
29.01.2020 16:10:23	1	0	1	1	47.75	60	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:24	1	0	1	1	47.75	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:25	1	0	1	1	47.75	62.75	0	0	0	0	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:10:26	1	0	1	1	47.75	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:27	1	0	1	1	47.75	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:10:28	1	0	1	1	47.75	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:10:29	1	0	1	1	47.75	62.5	0	0	0	0	30000	0	0	30000	40.0625	2004
29.01.2020 16:10:30	1	0	1	1	47.75	60	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:31	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	40.125	2004
29.01.2020 16:10:32	1	0	1	1	47.5	60	0	0	0	0	30000	0	0	30000	43	2004
29.01.2020 16:10:33	1	0	1	1	47.5	63	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:10:34	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:10:35	1	0	1	1	47.5	62.5	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:10:36	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	40.0625	2004
29.01.2020 16:10:37	1	0	1	1	47.5	60	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:10:38	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	43	2004
29.01.2020 16:10:39	1	0	1	1	47.5	63	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:10:40	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:41	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	40.0625	2004
29.01.2020 16:10:42	1	0	1	1	47.5	60	0	0	0	0	30000	0	0	30000	42.9375	2004
29.01.2020 16:10:43	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	42.9375	2004
29.01.2020 16:10:44	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:45	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:10:47	1	0	1	1	47.5	62.5	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:48	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:10:49	1	0	1	1	47.5	61.5	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:10:50	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	43.1875	2004
29.01.2020 16:10:51	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:10:52	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:53	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	39.9375	2004
29.01.2020 16:10:54	1	0	1	1	47.5	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
29.01.2020 16:10:55	1	0	1	1	47.5	59.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:56	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:10:57	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:10:58	1	0	1	1	47.5	62.75	0	0	0	0	30000	0	0	30000	39.9375	2004
29.01.2020 16:10:59	1	0	1	1	47.5	59.75	0	0	0	0	30000	0	0	30000	40.0625	2004
29.01.2020 16:11:00	1	0	1	1	47.5	60	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:11:01	1	0	1	1	47	62.5	0	0	0	0	30000	0	0	30000	40.1875	2004
29.01.2020 16:11:02	1	0	1	1	47	60	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:11:03	1	0	1	1	47	62.75	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:11:04	1	0	1	1	47	59.75	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:11:05	1	0	1	1	47	62.75	0	0	0	0	30000	0	0	30000	39.875	2004
29.01.2020 16:11:06	1	0	1	1	47	59.75	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:11:07	1	0	1	1	47	62.5	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:11:08	1	0	1	1	47	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:11:09	1	0	1	1	47	62.5	0	0	0	0	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:11:17	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:11:17	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:11:17	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:11:17	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:11:17	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:11:17	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:11:17	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:11:17	1	0	1	1	46.5	62.5	0	0	0	0	30000	0	0	30000	42.875	2004
29.01.2020 16:11:18	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	40	2004
29.01.2020 16:11:19	1	0	1	1	46.5	60	0	0	0	0	30000	0	0	30000	39.9375	2004
29.01.2020 16:11:20	1	0	1	1	46.5	59.75	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:11:21	1	0	1	1	46.25	62.5	0	0	0	0	30000	0	0	30000	42.9375	2004
29.01.2020 16:11:22	1	0	1	1	46.25	62.75	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:11:23	1	0	1	1	46.25	59.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:11:24	1	0	1	1	46.25	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:11:26	1	0	1	1	46.25	62.75	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:11:27	1	0	1	1	46.25	61.5	0	0	0	0	30000	0	0	30000	43.0625	2004
29.01.2020 16:11:28	1	0	1	1	46.25	63	0	0	0	0	30000	0	0	30000	43.0625	2004
29.01.2020 16:11:29	1	0	1	1	46.25	63	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:11:30	1	0	1	1	46.25	61.25	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:11:31	1	0	1	1	46.5	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:11:32	1	0	1	1	46.5	62.5	0	0	0	0	30000	0	0	30000	39.875	2004
29.01.2020 16:11:33	1	0	1	1	46.5	59.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:11:34	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	39.9375	2004
29.01.2020 16:11:35	1	0	1	1	46.5	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
29.01.2020 16:11:36	1	0	1	1	46.5	59.75	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:11:37	1	0	1	1	46.5	62.5	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:11:38	1	0	1	1	46.5	62.75	0	0	0	0	30000	0	0	30000	39.9375	2004
29.01.2020 16:11:39	1	0	1	1	46.5	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:11:40	1	0	1	1	46.5	59.75	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:11:41	1	0	1	1	43.75	62.5	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:11:42	1	0	1	1	43.75	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
29.01.2020 16:11:43	1	0	1	1	43.75	59.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:11:44	1	0	1	1	43.75	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:11:45	1	0	1	1	43.75	62.75	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:11:46	1	0	1	1	43.75	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:11:47	1	0	1	1	43.75	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:11:48	1	0	1	1	43.75	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
29.01.2020 16:11:49	1	0	1	1	43.75	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
29.01.2020 16:11:50	1	0	1	1	43.75	59.75	0	0	0	0	30000	0	0	30000	42.5	2004
29.01.2020 16:11:51	1	0	1	1	45	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:11:52	1	0	1	1	45	62.5	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:11:53	1	0	1	1	45	62.75	0	0	0	0	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:11:54	1	0	1	1	45	61.5	0	0	0	0	30000	0	0	30000	39.75	2004
29.01.2020 16:11:55	1	0	1	1	45	59.75	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:11:56	1	0	1	1	45	62.5	0	0	0	0	30000	0	0	30000	39.75	2004
29.01.2020 16:11:57	1	0	1	1	45	59.75	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:11:58	1	0	1	1	45	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:11:59	1	0	1	1	45	62.5	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:12:00	1	0	1	1	45	62.75	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:01	1	0	1	1	46.25	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
29.01.2020 16:12:03	1	0	1	1	46.25	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:12:04	1	0	1	1	46.25	62.5	0	0	0	0	30000	0	0	30000	43	2004
29.01.2020 16:12:05	1	0	1	1	46.25	63	0	0	0	0	30000	0	0	30000	42.75	2004
29.01.2020 16:12:06	1	0	1	1	46.25	62.75	0	0	0	0	30000	0	0	30000	42.9375	2004
29.01.2020 16:12:07	1	0	1	1	46.25	62.75	0	0	0	0	30000	0	0	30000	43	2004
29.01.2020 16:12:08	1	0	1	1	46.25	60.5	0	0	0	0	30000	0	0	30000	42.5	2004
29.01.2020 16:12:09	1	0	1	1	46.25	62.5	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:12:10	1	0	1	1	46.25	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
29.01.2020 16:12:11	1	0	1	1	44	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:12:19	1	0	1	1	44	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:19	1	0	1	1	44	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:19	1	0	1	1	44	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:19	1	0	1	1	44	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:19	1	0	1	1	44	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:19	1	0	1	1	44	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:19	1	0	1	1	44	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:19	1	0	1	1	44	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:20	1	0	1	1	44	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:12:21	1	0	1	1	45.5	62.5	0	0	0	0	30000	0	0	30000	39.75	2004
29.01.2020 16:12:22	1	0	1	1	45.5	59.75	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:12:23	1	0	1	1	45.5	62.5	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:12:24	1	0	1	1	45.5	59.75	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:25	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:26	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:12:27	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:12:28	1	0	1	1	45.5	62.5	0	0	0	0	30000	0	0	30000	39.6875	2004
29.01.2020 16:12:29	1	0	1	1	45.5	59.5	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:12:30	1	0	1	1	45.5	62.5	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:12:31	1	0	1	1	45.25	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:32	1	0	1	1	45.25	62.25	0	0	0	0	30000	0	0	30000	42.5	2004
29.01.2020 16:12:33	1	0	1	1	45.25	62.5	0	0	0	0	30000	0	0	30000	39.6875	2004
29.01.2020 16:12:34	1	0	1	1	45.25	59.5	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:12:35	1	0	1	1	45.25	62.25	0	0	0	0	30000	0	0	30000	42.5625	2004
29.01.2020 16:12:36	1	0	1	1	45.25	62.5	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:12:37	1	0	1	1	45.25	61.25	0	0	0	0	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:12:38	1	0	1	1	45.25	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
29.01.2020 16:12:39	1	0	1	1	45.25	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
29.01.2020 16:12:40	1	0	1	1	45.25	62.5	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:12:42	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:12:43	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:12:44	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.8125	2004
29.01.2020 16:12:45	1	0	1	1	45.5	62.75	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:12:46	1	0	1	1	45.5	62.5	0	0	0	0	30000	0	0	30000	39.75	2004
29.01.2020 16:12:47	1	0	1	1	45.5	62.75	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:12:48	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:49	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:12:50	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:12:51	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.5	2004
29.01.2020 16:12:52	1	0	1	1	45.5	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
29.01.2020 16:12:53	1	0	1	1	45.5	62.5	0	0	0	0	30000	0	0	30000	39.625	2004
29.01.2020 16:12:54	1	0	1	1	45.5	59.5	0	0	0	0	30000	0	0	30000	39.8125	2004
29.01.2020 16:12:55	1	0	1	1	45.5	59.75	0	0	0	0	30000	0	0	30000	39.5625	2004
29.01.2020 16:12:56	1	0	1	1	45.5	59.5	0	0	0	0	30000	0	0	30000	42.3125	2004
29.01.2020 16:12:57	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	39.6875	2004
29.01.2020 16:12:58	1	0	1	1	45.5	59.5	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:12:59	1	0	1	1	45.5	61.75	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:13:00	1	0	1	1	45.5	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:13:01	1	0	1	1	43	62.25	0	0	0	0	30000	0	0	30000	39.6875	2004
29.01.2020 16:13:02	1	0	1	1	43	59.5	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:13:03	1	0	1	1	43	62.25	0	0	0	0	30000	0	0	30000	39.75	2004
29.01.2020 16:13:04	1	0	1	1	43	59.75	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:05	1	0	1	1	43	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:06	1	0	1	1	43	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:13:07	1	0	1	1	43	62.25	0	0	0	0	30000	0	0	30000	39.625	2004
29.01.2020 16:13:08	1	0	1	1	43	59.5	0	0	0	0	30000	0	0	30000	42.3125	2004
29.01.2020 16:13:09	1	0	1	1	43	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:13:10	1	0	1	1	43	62.25	0	0	0	0	30000	0	0	30000	41.375	2004
29.01.2020 16:13:11	1	0	1	1	45	61.25	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:13:12	1	0	1	1	45	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:20	1	0	1	1	45	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:20	1	0	1	1	45	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:20	1	0	1	1	45	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:20	1	0	1	1	45	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:20	1	0	1	1	45	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:20	1	0	1	1	45	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:20	1	0	1	1	45	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:20	1	0	1	1	45	62	0	0	0	0	30000	0	0	30000	39.5625	2004
29.01.2020 16:13:22	1	0	1	1	44.75	59.5	0	0	0	0	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:13:23	1	0	1	1	44.75	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
29.01.2020 16:13:24	1	0	1	1	44.75	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
29.01.2020 16:13:25	1	0	1	1	44.75	62.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:13:26	1	0	1	1	44.75	61.25	0	0	0	0	30000	0	0	30000	42.625	2004
29.01.2020 16:13:27	1	0	1	1	44.75	59.5	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:13:28	1	0	1	1	44.75	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:13:29	1	0	1	1	44.75	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:30	1	0	1	1	44.75	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:31	1	0	1	1	44.5	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:32	1	0	1	1	44.5	62	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:33	1	0	1	1	44.5	62.25	0	0	0	0	30000	0	0	30000	39.5625	2004
29.01.2020 16:13:34	1	0	1	1	44.5	59.5	0	0	0	0	30000	0	0	30000	42.125	2004
29.01.2020 16:13:35	1	0	1	1	44.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:36	1	0	1	1	44.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:37	1	0	1	1	44.5	62	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:13:38	1	0	1	1	44.5	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:39	1	0	1	1	44.5	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:40	1	0	1	1	44.5	62	0	0	0	0	30000	0	0	30000	39.5625	2004
29.01.2020 16:13:41	1	0	1	1	44.25	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
29.01.2020 16:13:42	1	0	1	1	44.25	59.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:13:43	1	0	1	1	44.25	61.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:44	1	0	1	1	44.25	62	0	0	0	0	30000	0	0	30000	39.5	2004
29.01.2020 16:13:45	1	0	1	1	44.25	59.5	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:46	1	0	1	1	44.25	62	0	0	0	0	30000	0	0	30000	39.625	2004
29.01.2020 16:13:47	1	0	1	1	44.25	59.5	0	0	0	0	30000	0	0	30000	42.3125	2004
29.01.2020 16:13:48	1	0	1	1	44.25	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:49	1	0	1	1	44.25	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:50	1	0	1	1	44.25	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:51	1	0	1	1	44.5	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:52	1	0	1	1	44.5	62.25	0	0	0	0	30000	0	0	30000	42.125	2004
29.01.2020 16:13:53	1	0	1	1	44.5	62	0	0	0	0	30000	0	0	30000	39.4375	2004
29.01.2020 16:13:54	1	0	1	1	44.5	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:13:55	1	0	1	1	44.5	62	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:13:56	1	0	1	1	44.5	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
29.01.2020 16:13:58	1	0	1	1	44.5	62.25	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:13:59	1	0	1	1	44.5	61.75	0	0	0	0	30000	0	0	30000	42.125	2004
29.01.2020 16:14:00	1	0	1	1	44.5	62	0	0	0	0	30000	0	0	30000	42.3125	2004
29.01.2020 16:14:01	1	0	1	1	44.5	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:14:02	1	0	1	1	44.75	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
29.01.2020 16:14:03	1	0	1	1	44.75	62.25	0	0	0	0	30000	0	0	30000	39.5625	2004
29.01.2020 16:14:04	1	0	1	1	44.75	60	0	0	0	0	30000	0	0	30000	39.4375	2004
29.01.2020 16:14:05	1	0	1	1	44.75	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:06	1	0	1	1	44.75	62	0	0	0	0	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:14:07	1	0	1	1	44.75	61.5	0	0	0	0	30000	0	0	30000	42.125	2004
29.01.2020 16:14:08	1	0	1	1	44.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:09	1	0	1	1	44.75	62	0	0	0	0	30000	0	0	30000	39.3125	2004
29.01.2020 16:14:10	1	0	1	1	44.75	59.25	0	0	0	0	30000	0	0	30000	42.125	2004
29.01.2020 16:14:11	1	0	1	1	43.75	62	0	0	0	0	30000	0	0	30000	42.25	2004
29.01.2020 16:14:12	1	0	1	1	43.75	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:13	1	0	1	1	43.75	62	0	0	0	0	30000	0	0	30000	42.3125	2004
29.01.2020 16:14:14	1	0	1	1	43.75	62.25	0	0	0	0	30000	0	0	30000	39.3125	2004
29.01.2020 16:14:22	1	0	1	1	42.5	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:22	1	0	1	1	42.5	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:22	1	0	1	1	42.5	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:22	1	0	1	1	42.5	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:22	1	0	1	1	42.5	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:22	1	0	1	1	42.5	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:22	1	0	1	1	42.5	62	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:23	1	0	1	1	42.5	62	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:14:24	1	0	1	1	42.5	62	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:14:25	1	0	1	1	42.5	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:26	1	0	1	1	42.5	62	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:14:27	1	0	1	1	42.5	62	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:14:28	1	0	1	1	42.5	62	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:29	1	0	1	1	42.5	62	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:30	1	0	1	1	42.5	62	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:14:31	1	0	1	1	44	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:14:32	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:33	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:34	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:36	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:14:37	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42.125	2004
29.01.2020 16:14:38	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42.1875	2004
29.01.2020 16:14:39	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:14:40	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42.3125	2004
29.01.2020 16:14:41	1	0	1	1	44	62.25	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:14:42	1	0	1	1	44	59	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:43	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:44	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	39.1875	2004
29.01.2020 16:14:45	1	0	1	1	44	59	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:46	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:14:47	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:14:48	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:14:49	1	0	1	1	44	62	0	0	0	0	30000	0	0	30000	39.4375	2004
29.01.2020 16:14:50	1	0	1	1	44	59.25	0	0	0	0	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:14:51	1	0	1	1	43.75	62	0	0	0	0	30000	0	0	30000	41.375	2004
29.01.2020 16:14:52	1	0	1	1	43.75	61.25	0	0	0	0	30000	0	0	30000	39.25	2004
29.01.2020 16:14:53	1	0	1	1	43.75	59.25	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:14:54	1	0	1	1	43.75	61.75	0	0	0	0	30000	0	0	30000	39.1875	2004
29.01.2020 16:14:55	1	0	1	1	43.75	59	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:14:56	1	0	1	1	43.75	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
29.01.2020 16:14:57	1	0	1	1	43.75	61.75	0	0	0	0	30000	0	0	30000	42.125	2004
29.01.2020 16:14:58	1	0	1	1	43.75	62	0	0	0	0	30000	0	0	30000	39.125	2004
29.01.2020 16:14:59	1	0	1	1	43.75	59	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:15:00	1	0	1	1	43.75	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:15:01	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:15:02	1	0	1	1	43.5	62	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:15:03	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:04	1	0	1	1	43.5	62	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:15:05	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:06	1	0	1	1	43.5	62	0	0	0	0	30000	0	0	30000	41.875	2004
29.01.2020 16:15:07	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	41.0625	2004
29.01.2020 16:15:08	1	0	1	1	43.5	61	0	0	0	0	30000	0	0	30000	39.0625	2004
29.01.2020 16:15:09	1	0	1	1	43.5	59	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:15:10	1	0	1	1	43.5	62	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:15:11	1	0	1	1	43.75	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:15:12	1	0	1	1	43.75	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:15:13	1	0	1	1	43.75	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
29.01.2020 16:15:15	1	0	1	1	43.75	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:15:16	1	0	1	1	43.75	62	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:24	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:24	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:24	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:24	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:24	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:24	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:24	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
29.01.2020 16:15:24	1	0	1	1	43.5	62	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:15:25	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
29.01.2020 16:15:26	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:15:27	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:15:28	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	39.0625	2004
29.01.2020 16:15:29	1	0	1	1	43.5	59	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:15:30	1	0	1	1	43.5	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:15:31	1	0	1	1	43.25	61.75	0	0	0	0	30000	0	0	30000	39.0625	2004
29.01.2020 16:15:32	1	0	1	1	43.25	59	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:15:33	1	0	1	1	43.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:15:34	1	0	1	1	43.25	61.75	0	0	0	0	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:15:35	1	0	1	1	43.25	59	0	0	0	0	30000	0	0	30000	39	2004
29.01.2020 16:15:36	1	0	1	1	43.25	59	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:15:37	1	0	1	1	43.25	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
29.01.2020 16:15:38	1	0	1	1	43.25	61.75	0	0	0	0	30000	0	0	30000	38.9375	2004
29.01.2020 16:15:39	1	0	1	1	43.25	58.75	0	0	0	0	30000	0	0	30000	39	2004
29.01.2020 16:15:40	1	0	1	1	43.25	59	0	0	0	0	30000	0	0	30000	41.875	2004
29.01.2020 16:15:41	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:15:42	1	0	1	1	42.75	61	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:15:43	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:15:44	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
29.01.2020 16:15:45	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	39	2004
29.01.2020 16:15:46	1	0	1	1	42.75	59	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:15:47	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:15:48	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:15:49	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:15:50	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:15:51	1	0	1	1	43.25	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:15:53	1	0	1	1	43.25	61.5	0	0	0	0	30000	0	0	30000	41.875	2004
29.01.2020 16:15:54	1	0	1	1	43.25	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:15:55	1	0	1	1	43.25	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:15:56	1	0	1	1	43.25	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:15:57	1	0	1	1	43.25	61.5	0	0	0	0	30000	0	0	30000	41.875	2004
29.01.2020 16:15:58	1	0	1	1	43.25	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004
29.01.2020 16:15:59	1	0	1	1	43.25	62	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:00	1	0	1	1	43.25	61.5	0	0	0	0	30000	0	0	30000	42.125	2004
29.01.2020 16:16:01	1	0	1	1	43	62	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:02	1	0	1	1	43	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:16:03	1	0	1	1	43	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:16:04	1	0	1	1	43	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:16:05	1	0	1	1	43	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:16:06	1	0	1	1	43	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:07	1	0	1	1	43	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:16:08	1	0	1	1	43	61.75	0	0	0	0	30000	0	0	30000	39.875	2004
29.01.2020 16:16:09	1	0	1	1	43	59.75	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:16:10	1	0	1	1	43	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:11	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	38.875	2004
29.01.2020 16:16:12	1	0	1	1	42.75	58.75	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:16:13	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:16:14	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:16:15	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	38.9375	2004
29.01.2020 16:16:16	1	0	1	1	42.75	58.75	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:16:17	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	38.875	2004
29.01.2020 16:16:25	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:16:25	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:25	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:25	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:25	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:25	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:25	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:25	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	38.9375	2004
29.01.2020 16:16:26	1	0	1	1	42.75	58.75	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:16:27	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:28	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:16:29	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:16:30	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:32	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:16:33	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:16:34	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:16:35	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	38.875	2004
29.01.2020 16:16:36	1	0	1	1	42.75	58.75	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:16:37	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:38	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
29.01.2020 16:16:39	1	0	1	1	42.75	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:40	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
29.01.2020 16:16:41	1	0	1	1	42.75	61.25	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:16:42	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:16:43	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	38.8125	2004
29.01.2020 16:16:44	1	0	1	1	42.75	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:45	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:46	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	38.75	2004
29.01.2020 16:16:47	1	0	1	1	42.75	58.75	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:16:48	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:49	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:50	1	0	1	1	42.75	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:16:51	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:16:52	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
29.01.2020 16:16:53	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:54	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:55	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
29.01.2020 16:16:56	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:16:57	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	38.6875	2004
29.01.2020 16:16:58	1	0	1	1	42.5	58.5	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:16:59	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:17:00	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	41.375	2004
29.01.2020 16:17:01	1	0	1	1	42.5	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:02	1	0	1	1	42.5	61.25	0	0	0	0	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:17:03	1	0	1	1	42.5	61.5	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:04	1	0	1	1	42.5	61.25	0	0	0	0	30000	0	0	30000	38.625	2004
29.01.2020 16:17:05	1	0	1	1	42.5	58.5	0	0	0	0	30000	0	0	30000	38.6875	2004
29.01.2020 16:17:06	1	0	1	1	42.5	58.5	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:07	1	0	1	1	42.5	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:17:08	1	0	1	1	42.5	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:10	1	0	1	1	42.5	61.25	0	0	0	0	30000	0	0	30000	38.625	2004
29.01.2020 16:17:11	1	0	1	1	42.5	58.5	0	0	0	0	30000	0	0	30000	38.5	2004
29.01.2020 16:17:12	1	0	1	1	42.25	58.5	0	0	0	0	30000	0	0	30000	41.4375	2004
29.01.2020 16:17:13	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
29.01.2020 16:17:14	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
29.01.2020 16:17:15	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.625	2004
29.01.2020 16:17:16	1	0	1	1	42.25	61.5	0	0	0	0	30000	0	0	30000	41.8125	2004
29.01.2020 16:17:17	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:18	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
29.01.2020 16:17:19	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
29.01.2020 16:17:27	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:27	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:27	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:27	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:27	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:27	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:27	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:27	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:27	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:28	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:29	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
29.01.2020 16:17:30	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:31	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
29.01.2020 16:17:32	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
29.01.2020 16:17:33	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:34	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:17:35	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:36	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:17:37	1	0	1	1	42.25	61.5	0	0	0	0	30000	0	0	30000	38.9375	2004
29.01.2020 16:17:38	1	0	1	1	42.25	58.75	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:17:39	1	0	1	1	42.25	61.25	0	0	0	0	30000	0	0	30000	38.5625	2004
29.01.2020 16:17:40	1	0	1	1	42.25	58.5	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:41	1	0	1	1	42	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:17:42	1	0	1	1	42	61	0	0	0	0	30000	0	0	30000	38.5625	2004
29.01.2020 16:17:43	1	0	1	1	42	58.5	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:17:44	1	0	1	1	42	61	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:17:46	1	0	1	1	42	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:47	1	0	1	1	42	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:17:48	1	0	1	1	42	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:17:49	1	0	1	1	42	61	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:17:50	1	0	1	1	42	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:17:51	1	0	1	1	42	61	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:17:52	1	0	1	1	42	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:17:53	1	0	1	1	42	61.5	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:17:54	1	0	1	1	42	61	0	0	0	0	30000	0	0	30000	41.5	2004
29.01.2020 16:17:55	1	0	1	1	42	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:17:56	1	0	1	1	42	61	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:17:57	1	0	1	1	42	61	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:17:58	1	0	1	1	42	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:17:59	1	0	1	1	42	61	0	0	0	0	30000	0	0	30000	38.4375	2004
29.01.2020 16:18:00	1	0	1	1	42	58.25	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:18:01	1	0	1	1	41.75	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:18:02	1	0	1	1	41.75	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:18:03	1	0	1	1	41.75	61.25	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:04	1	0	1	1	41.75	61	0	0	0	0	30000	0	0	30000	38.375	2004
29.01.2020 16:18:05	1	0	1	1	41.75	58.25	0	0	0	0	30000	0	0	30000	41.0625	2004
29.01.2020 16:18:06	1	0	1	1	41.75	61	0	0	0	0	30000	0	0	30000	38.3125	2004
29.01.2020 16:18:07	1	0	1	1	41.75	58.25	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:08	1	0	1	1	41.75	61	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:09	1	0	1	1	41.75	61	0	0	0	0	30000	0	0	30000	38.4375	2004
29.01.2020 16:18:10	1	0	1	1	41.75	58.25	0	0	0	0	30000	0	0	30000	41.375	2004
29.01.2020 16:18:11	1	0	1	1	41.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:18:12	1	0	1	1	41.25	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:13	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	38.4375	2004
29.01.2020 16:18:14	1	0	1	1	41.25	58.25	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:15	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:16	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:17	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:18	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:18:19	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:20	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	38.375	2004
29.01.2020 16:18:28	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:28	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:28	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:28	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:28	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:28	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:28	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.1875	2004
29.01.2020 16:18:29	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:30	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.4375	2004
29.01.2020 16:18:31	1	0	1	1	41.25	61.25	0	0	0	0	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:18:32	1	0	1	1	41.5	61	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:18:33	1	0	1	1	41.5	61	0	0	0	0	30000	0	0	30000	38.375	2004
29.01.2020 16:18:34	1	0	1	1	41.5	58.25	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:35	1	0	1	1	41.5	61	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:18:36	1	0	1	1	41.5	61.25	0	0	0	0	30000	0	0	30000	39.3125	2004
29.01.2020 16:18:37	1	0	1	1	41.5	59.25	0	0	0	0	30000	0	0	30000	38.25	2004
29.01.2020 16:18:38	1	0	1	1	41.5	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
29.01.2020 16:18:39	1	0	1	1	41.5	58.25	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:18:40	1	0	1	1	41.5	61	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:41	1	0	1	1	40.75	61	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:18:42	1	0	1	1	40.75	61	0	0	0	0	30000	0	0	30000	38.3125	2004
29.01.2020 16:18:43	1	0	1	1	40.75	58.25	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:18:44	1	0	1	1	40.75	60.5	0	0	0	0	30000	0	0	30000	41.0625	2004
29.01.2020 16:18:45	1	0	1	1	40.75	61	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:18:46	1	0	1	1	40.75	60.25	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:18:47	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:18:48	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:18:49	1	0	1	1	40.75	61	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:18:50	1	0	1	1	40.75	61	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:18:51	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	41.0625	2004
29.01.2020 16:18:52	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:18:53	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.0625	2004
29.01.2020 16:18:54	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.0625	2004
29.01.2020 16:18:55	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:18:56	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:18:57	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:18:58	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	38.3125	2004
29.01.2020 16:18:59	1	0	1	1	41.25	58.25	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:19:00	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.0625	2004
29.01.2020 16:19:02	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:19:03	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:19:04	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:19:05	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:19:06	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	41.25	2004
29.01.2020 16:19:07	1	0	1	1	41.25	61.25	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:19:08	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	41.3125	2004
29.01.2020 16:19:09	1	0	1	1	41.25	61.25	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:19:10	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	38.25	2004
29.01.2020 16:19:11	1	0	1	1	41.25	61.25	0	0	0	0	30000	0	0	30000	39.5625	2004
29.01.2020 16:19:12	1	0	1	1	41.25	59.5	0	0	0	0	30000	0	0	30000	38	2004
29.01.2020 16:19:13	1	0	1	1	41.25	58	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:19:14	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:19:15	1	0	1	1	41.25	61	0	0	0	0	30000	0	0	30000	38	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:19:16	1	0	1	1	41.25	58	0	0	0	0	30000	0	0	30000	40.8125	2004
29.01.2020 16:19:17	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:19:18	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:19:19	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:19:20	1	0	1	1	41.25	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:19:21	1	0	1	1	41	60.75	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:19:22	1	0	1	1	41	61	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:19:30	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	38	2004
29.01.2020 16:19:30	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	38	2004
29.01.2020 16:19:30	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	38	2004
29.01.2020 16:19:30	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	38	2004
29.01.2020 16:19:30	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	38	2004
29.01.2020 16:19:30	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	38	2004
29.01.2020 16:19:30	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:31	1	0	1	1	41	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:19:32	1	0	1	1	41	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:19:33	1	0	1	1	41	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:19:34	1	0	1	1	41	60.75	0	0	0	0	30000	0	0	30000	38.0625	2004
29.01.2020 16:19:35	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:19:36	1	0	1	1	41	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:38	1	0	1	1	41	60.75	0	0	0	0	30000	0	0	30000	37.9375	2004
29.01.2020 16:19:39	1	0	1	1	41	57.75	0	0	0	0	30000	0	0	30000	38.125	2004
29.01.2020 16:19:40	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:41	1	0	1	1	41	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:42	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
29.01.2020 16:19:43	1	0	1	1	40.75	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:44	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:19:45	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	41	2004
29.01.2020 16:19:46	1	0	1	1	40.75	61	0	0	0	0	30000	0	0	30000	40.8125	2004
29.01.2020 16:19:47	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	41.125	2004
29.01.2020 16:19:48	1	0	1	1	40.75	57.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:49	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:50	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:51	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:52	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
29.01.2020 16:19:53	1	0	1	1	40.75	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:54	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:55	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	37.9375	2004
29.01.2020 16:19:56	1	0	1	1	40.75	57.75	0	0	0	0	30000	0	0	30000	40.6875	2004
29.01.2020 16:19:57	1	0	1	1	40.75	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:58	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:19:59	1	0	1	1	40.75	60.75	0	0	0	0	30000	0	0	30000	37.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:20:00	1	0	1	1	40.75	57.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:20:01	1	0	1	1	40.5	60.75	0	0	0	0	30000	0	0	30000	37.875	2004
29.01.2020 16:20:02	1	0	1	1	40.5	57.75	0	0	0	0	30000	0	0	30000	40.6875	2004
29.01.2020 16:20:03	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.8125	2004
29.01.2020 16:20:04	1	0	1	1	40.5	60.75	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:05	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	37.875	2004
29.01.2020 16:20:06	1	0	1	1	40.5	57.75	0	0	0	0	30000	0	0	30000	40.6875	2004
29.01.2020 16:20:07	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:08	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:20:09	1	0	1	1	40.5	60.75	0	0	0	0	30000	0	0	30000	37.9375	2004
29.01.2020 16:20:10	1	0	1	1	40.5	57.75	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:11	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:20:12	1	0	1	1	40.5	60.75	0	0	0	0	30000	0	0	30000	40.8125	2004
29.01.2020 16:20:13	1	0	1	1	40.5	60.75	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:14	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:16	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:17	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
29.01.2020 16:20:18	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	38	2004
29.01.2020 16:20:19	1	0	1	1	40.5	58	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:20	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:21	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.875	2004
29.01.2020 16:20:22	1	0	1	1	40.5	60.75	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:23	1	0	1	1	40.5	60.5	0	0	0	0	30000	0	0	30000	40.9375	2004
29.01.2020 16:20:24	1	0	1	1	40.5	60.75	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:32	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:33	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:34	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
29.01.2020 16:20:35	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:36	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	37.6875	2004
29.01.2020 16:20:37	1	0	1	1	40.25	57.5	0	0	0	0	30000	0	0	30000	37.8125	2004
29.01.2020 16:20:38	1	0	1	1	40.25	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
29.01.2020 16:20:39	1	0	1	1	40.25	57.75	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:40	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	39.0625	2004
29.01.2020 16:20:41	1	0	1	1	40.25	59	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:42	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:43	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
29.01.2020 16:20:44	1	0	1	1	40.25	60.25	0	0	0	0	30000	0	0	30000	37.8125	2004
29.01.2020 16:20:45	1	0	1	1	40.25	57.75	0	0	0	0	30000	0	0	30000	40.5	2004
29.01.2020 16:20:46	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:47	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
29.01.2020 16:20:48	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
29.01.2020 16:20:49	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:50	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
29.01.2020 16:20:51	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
29.01.2020 16:20:52	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:20:53	1	0	1	1	40.25	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:20:54	1	0	1	1	40.25	60.25	0	0	0	0	30000	0	0	30000	37.75	2004
29.01.2020 16:20:56	1	0	1	1	40.25	57.75	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:20:57	1	0	1	1	40.25	60.25	0	0	0	0	30000	0	0	30000	40.625	2004
29.01.2020 16:20:58	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
29.01.2020 16:20:59	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:21:00	1	0	1	1	40.25	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:21:01	1	0	1	1	40.25	60.25	0	0	0	0	30000	0	0	30000	40.5	2004
29.01.2020 16:21:02	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.8125	2004
29.01.2020 16:21:03	1	0	1	1	40.25	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
29.01.2020 16:21:04	1	0	1	1	40.25	60.75	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:21:05	1	0	1	1	40.25	59.25	0	0	0	0	30000	0	0	30000	40.5	2004
29.01.2020 16:21:06	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	37.6875	2004
29.01.2020 16:21:07	1	0	1	1	40.25	57.5	0	0	0	0	30000	0	0	30000	40.5	2004
29.01.2020 16:21:08	1	0	1	1	40.25	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:21:09	1	0	1	1	40.25	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
29.01.2020 16:21:10	1	0	1	1	40.25	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:21:11	1	0	1	1	40	60.25	0	0	0	0	30000	0	0	30000	40.5	2004
29.01.2020 16:21:14	1	0	1	1	40	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:21:14	1	0	1	1	40	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
29.01.2020 16:21:14	1	0	1	1	40	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
29.01.2020 16:21:15	1	0	1	1	40	60.25	0	0	0	0	30000	0	0	30000	40.3125	2004
29.01.2020 16:21:16	1	0	1	1	40	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
29.01.2020 16:21:17	1	0	1	1	40	60.25	0	0	0	0	30000	0	0	30000	40.25	2004
29.01.2020 16:21:18	1	0	1	1	40	60.25	0	0	0	0	30000	0	0	30000	40.5	2004