

Com-Port	3		Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values				Dip-Switch 6-8 auf 0										
Adr. Übernehmen										Set	Umax	30000 V						
OekoTube Adresse:	31		ON	OFF	Auto													
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers		
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]			
23.01.2020 09:55:29	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:29	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:29	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004		
23.01.2020 09:55:30	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004		
23.01.2020 09:55:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004		
23.01.2020 09:55:33	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:34	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004		
23.01.2020 09:55:35	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:36	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:37	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004		
23.01.2020 09:55:38	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004		
23.01.2020 09:55:39	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.625	2004		
23.01.2020 09:55:40	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004		
23.01.2020 09:55:41	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004		
23.01.2020 09:55:42	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:43	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:44	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004		
23.01.2020 09:55:45	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004		
23.01.2020 09:55:46	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5	2004		
23.01.2020 09:55:47	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:48	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004		
23.01.2020 09:55:49	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	18.5625	2004		
23.01.2020 09:55:50	1	0	1	1	19	38.5	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:51	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:52	1	0	1	1	19	40.25	0	0	0	0	30000	0	0	30000	17.625	2004		
23.01.2020 09:55:53	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.375	2004		
23.01.2020 09:55:54	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:55	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004		
23.01.2020 09:55:56	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:55:57	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004		
23.01.2020 09:55:58	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.75	2004		
23.01.2020 09:55:59	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004		
23.01.2020 09:56:00	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.875	2004		
23.01.2020 09:56:01	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.375	2004		
23.01.2020 09:56:02	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.625	2004		
23.01.2020 09:56:03	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004		

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 09:56:04	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:56:05	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:56:06	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:56:07	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:56:08	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:09	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:56:11	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:56:12	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:13	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:56:14	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:56:15	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:56:16	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:56:17	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:18	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.1875	2004
23.01.2020 09:56:23	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:23	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:24	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:24	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:24	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:24	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:56:25	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:56:26	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 09:56:27	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:28	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:29	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:30	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:56:31	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:56:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:33	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:34	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:56:35	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:36	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:56:37	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:38	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:39	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:40	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:56:41	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:56:42	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:56:43	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:44	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:56:45	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:56:46	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:48	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 09:56:49	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:50	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:56:51	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:56:52	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:56:53	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:56:54	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:56:55	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:56:56	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:56:57	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 09:56:58	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:56:59	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 09:57:00	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:57:01	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:57:02	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:57:03	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:57:04	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:05	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:06	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	18.375	2004
23.01.2020 09:57:07	1	0	1	1	19	38.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:08	1	0	1	1	19	38	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:57:09	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:57:10	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:11	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:57:12	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:57:13	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
23.01.2020 09:57:14	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 09:57:15	1	0	1	1	19	38	0	0	0	0	30000	0	0	30000	17.1875	2004
23.01.2020 09:57:16	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:57:17	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 09:57:18	1	0	1	1	19	38	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 09:57:19	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:25	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:25	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:25	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:25	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:25	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:25	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.25	2004
23.01.2020 09:57:27	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:57:28	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:57:29	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 09:57:30	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:57:31	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:57:32	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 09:57:33	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 09:57:34	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:57:35	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:57:36	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:57:37	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:57:38	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:57:39	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
23.01.2020 09:57:40	1	0	1	1	18.75	37	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:57:41	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:57:42	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:57:43	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 09:57:44	1	0	1	1	18.75	38	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:57:45	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:57:46	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	19.1875	2004
23.01.2020 09:57:47	1	0	1	1	18.75	40.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:57:48	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:57:49	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:57:50	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:57:51	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:57:52	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 09:57:53	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:57:54	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:57:55	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 09:57:56	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:57:57	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:57:58	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:57:59	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:00	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:01	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:58:02	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:58:03	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:05	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
23.01.2020 09:58:06	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:07	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:08	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 09:58:09	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:10	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:58:11	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.3125	2004
23.01.2020 09:58:12	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:13	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:58:14	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:15	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:16	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 09:58:17	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:18	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:58:19	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:20	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:58:21	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:58:27	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:27	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:27	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:27	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:27	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:27	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:58:28	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:58:29	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:30	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:31	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:58:33	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:34	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:35	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:36	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:58:37	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:38	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:58:39	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:58:40	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:42	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:43	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:44	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:58:45	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:58:46	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:47	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:48	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:58:49	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:58:50	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:51	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:52	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:53	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:58:54	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:55	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:58:56	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:58:57	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:58	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:58:59	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:59:00	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 09:59:01	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	20.6875	2004
23.01.2020 09:59:02	1	0	1	1	19	40.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:59:03	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	20	2004
23.01.2020 09:59:04	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:59:05	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:59:06	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:07	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:59:08	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:59:09	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:10	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:11	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:12	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:59:13	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:59:14	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:59:15	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:59:16	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:59:17	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:59:18	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:19	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:59:21	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:59:22	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:59:23	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 09:59:28	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 09:59:28	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 09:59:28	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 09:59:28	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 09:59:28	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 09:59:29	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:30	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:59:31	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
23.01.2020 09:59:32	1	0	1	1	18.75	37	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:59:33	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:59:34	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:59:35	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:59:36	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:59:39	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:59:39	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:59:39	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:59:40	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	19.1875	2004
23.01.2020 09:59:41	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:42	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	19.875	2004
23.01.2020 09:59:43	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:44	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 09:59:45	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:59:46	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:59:47	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:59:48	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:59:49	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 09:59:50	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:59:51	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:59:52	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 09:59:53	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 09:59:54	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 09:59:55	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:56	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 09:59:57	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 09:59:59	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:00	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:00:01	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
23.01.2020 10:00:02	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:03	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:04	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:00:05	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:00:06	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:07	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:00:08	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:09	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:10	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:00:11	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:12	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:13	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:00:14	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:15	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:00:16	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:17	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:18	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:19	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:00:20	1	0	1	1	19	38	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:00:21	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:22	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	19.1875	2004
23.01.2020 10:00:23	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:24	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:00:30	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:30	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:30	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:30	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:00:30	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:30	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:31	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:33	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:34	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:00:35	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:00:36	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:38	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:00:39	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:00:40	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:00:41	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:42	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:43	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 10:00:44	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:00:45	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:46	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:00:47	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:00:48	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:49	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:00:50	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:00:51	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:00:52	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:00:53	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:54	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:00:55	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:00:56	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:00:57	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	18.6875	2004
23.01.2020 10:00:58	1	0	1	1	19	38.5	0	0	0	0	30000	0	0	30000	18.6875	2004
23.01.2020 10:00:59	1	0	1	1	19	38.5	0	0	0	0	30000	0	0	30000	20.75	2004
23.01.2020 10:01:00	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:01	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:02	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:03	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:04	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:05	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:01:06	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:07	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:08	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:09	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:10	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:11	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:12	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:01:13	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:01:14	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:01:16	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:17	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:18	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:19	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:01:20	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:21	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:22	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:23	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:24	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:25	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:26	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:01:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:01:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:01:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:01:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:01:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:01:32	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:33	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:34	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:01:35	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:36	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	20.8125	2004
23.01.2020 10:01:37	1	0	1	1	19	40.75	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:01:38	1	0	1	1	19	38	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:01:39	1	0	1	1	18.75	39	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:40	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:01:41	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:01:42	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:01:43	1	0	1	1	18.75	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:01:44	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:01:45	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:46	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:01:47	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:48	1	0	1	1	18.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:49	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:50	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:01:51	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:52	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:54	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:55	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:01:56	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:01:57	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:01:58	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:01:59	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:00	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:01	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:02	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:02:03	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:04	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:02:05	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:06	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:02:07	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:08	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:09	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:02:10	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
23.01.2020 10:02:11	1	0	1	1	19	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:12	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:02:13	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:14	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	19	2004
23.01.2020 10:02:15	1	0	1	1	19	39	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:16	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	20.1875	2004
23.01.2020 10:02:17	1	0	1	1	19	39.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:18	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:19	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:02:20	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:21	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:22	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 10:02:23	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:24	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:02:25	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 10:02:26	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:27	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:33	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:33	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:33	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:33	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:33	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:34	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:35	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:36	1	0	1	1	19	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:37	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:38	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:02:39	1	0	1	1	19	37.75	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 10:02:40	1	0	1	1	19.25	38	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:41	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:02:42	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:43	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:02:44	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:45	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:46	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:02:47	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:02:48	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:02:49	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:02:50	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:02:51	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	20	2004
23.01.2020 10:02:52	1	0	1	1	19.25	40	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:02:53	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:54	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	20.8125	2004
23.01.2020 10:02:55	1	0	1	1	19.25	40.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:02:56	1	0	1	1	19.25	40	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:02:57	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:02:58	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:02:59	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:03:00	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:03:01	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:02	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:03:03	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:03:04	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:03:05	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:03:06	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:03:07	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:08	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:03:10	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:11	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:03:12	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:03:13	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 10:03:14	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:03:15	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:03:16	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:17	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:18	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:03:19	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:20	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:21	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:03:22	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:03:23	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:24	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:03:25	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:03:26	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:03:27	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:03:28	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:03:29	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:03:35	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:35	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:35	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:35	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:35	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:35	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:03:36	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:37	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:38	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:39	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:03:40	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:03:41	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:03:42	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:03:43	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:44	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:03:45	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:46	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:48	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:03:49	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:03:50	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:03:51	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.1875	2004
23.01.2020 10:03:52	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:03:53	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:03:54	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:03:55	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:03:56	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:03:57	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:03:58	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:03:59	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:04:00	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 10:04:01	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 10:04:02	1	0	1	1	19.25	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:04:03	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:04:04	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:04:05	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:04:06	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:04:07	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:04:08	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:04:09	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:04:54	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:04:55	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:04:56	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:04:57	1	0	1	1	19.25	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:04:58	1	0	1	1	19.25	37.5	0	0	0	0	30000	0	0	30000	17.1875	2004
23.01.2020 10:04:59	1	0	1	1	19.5	37	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:05:00	1	0	1	1	19.5	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:01	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:05:02	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:05:03	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:05:04	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:06	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:07	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:08	1	0	1	1	19.5	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:05:09	1	0	1	1	19.5	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:10	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:05:11	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:05:12	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:13	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:05:14	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:15	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:05:16	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:05:17	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:18	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:05:19	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:20	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:05:21	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:22	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:05:23	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:05:24	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:25	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:05:26	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:27	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	19.1875	2004
23.01.2020 10:05:28	1	0	1	1	20.25	39	0	0	0	0	30000	0	0	30000	19.5625	2004
23.01.2020 10:05:29	1	0	1	1	20.25	39.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:30	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:05:31	1	0	1	1	20.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:05:32	1	0	1	1	20.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:05:38	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:38	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:38	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:38	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:38	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:05:38	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:05:39	1	0	1	1	21.25	38	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:40	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:05:41	1	0	1	1	21.25	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:42	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:05:43	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:05:45	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:46	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:47	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:05:48	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:05:49	1	0	1	1	21.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:50	1	0	1	1	21.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:51	1	0	1	1	21.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:52	1	0	1	1	21.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 10:05:53	1	0	1	1	21.75	38	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:05:54	1	0	1	1	21.75	37.5	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:05:55	1	0	1	1	21.75	38	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:05:56	1	0	1	1	21.75	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:05:57	1	0	1	1	21.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:05:58	1	0	1	1	21.75	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:05:59	1	0	1	1	21.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:00	1	0	1	1	22.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:06:01	1	0	1	1	22.5	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:02	1	0	1	1	22.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:03	1	0	1	1	22.5	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:04	1	0	1	1	22.5	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:06:05	1	0	1	1	22.5	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:06:06	1	0	1	1	22.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:06:07	1	0	1	1	22.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:08	1	0	1	1	22.5	37.75	0	0	0	0	30000	0	0	30000	20.75	2004
23.01.2020 10:06:09	1	0	1	1	22.5	40.75	0	0	0	0	30000	0	0	30000	20.8125	2004
23.01.2020 10:06:10	1	0	1	1	23	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:06:11	1	0	1	1	23	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:12	1	0	1	1	23	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:06:13	1	0	1	1	23	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:14	1	0	1	1	23	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:06:15	1	0	1	1	23	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:06:16	1	0	1	1	23	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:17	1	0	1	1	23	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:18	1	0	1	1	23	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:06:19	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:06:20	1	0	1	1	24	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:06:21	1	0	1	1	24	37.5	0	0	0	0	30000	0	0	30000	17.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:06:22	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 10:06:24	1	0	1	1	24	38	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:25	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:26	1	0	1	1	24	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:27	1	0	1	1	24	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:28	1	0	1	1	24	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 10:06:29	1	0	1	1	24	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:30	1	0	1	1	24.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:31	1	0	1	1	24.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:06:32	1	0	1	1	24.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:33	1	0	1	1	24.25	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:06:34	1	0	1	1	24.25	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:06:40	1	0	1	1	24.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:40	1	0	1	1	24.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:40	1	0	1	1	24.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:40	1	0	1	1	24.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:40	1	0	1	1	24.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:40	1	0	1	1	24.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:40	1	0	1	1	25.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:06:41	1	0	1	1	25.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:42	1	0	1	1	25.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:43	1	0	1	1	25.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:44	1	0	1	1	25.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:45	1	0	1	1	25.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:46	1	0	1	1	25.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:47	1	0	1	1	25.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:06:48	1	0	1	1	25.25	37.75	0	0	0	0	30000	0	0	30000	20.125	2004
23.01.2020 10:06:49	1	0	1	1	25.25	40	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:50	1	0	1	1	26	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:51	1	0	1	1	26	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:06:52	1	0	1	1	26	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:06:53	1	0	1	1	26	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:54	1	0	1	1	26	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:55	1	0	1	1	26	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:06:56	1	0	1	1	26	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:06:57	1	0	1	1	26	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:06:58	1	0	1	1	26	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:06:59	1	0	1	1	26.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 10:07:00	1	0	1	1	26.75	38	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:02	1	0	1	1	26.75	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:07:03	1	0	1	1	26.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:07:04	1	0	1	1	26.75	37.5	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:07:05	1	0	1	1	26.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:06	1	0	1	1	26.75	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:07:07	1	0	1	1	26.75	37.25	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:08	1	0	1	1	26.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:09	1	0	1	1	26.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:10	1	0	1	1	27.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:11	1	0	1	1	27.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:12	1	0	1	1	27.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:07:13	1	0	1	1	27.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:14	1	0	1	1	27.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:15	1	0	1	1	27.25	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:07:16	1	0	1	1	27.25	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:07:17	1	0	1	1	27.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:18	1	0	1	1	27.25	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:07:19	1	0	1	1	27.25	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:07:20	1	0	1	1	28	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:07:21	1	0	1	1	28	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:22	1	0	1	1	28	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:23	1	0	1	1	28	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:24	1	0	1	1	28	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:07:25	1	0	1	1	28	37.75	0	0	0	0	30000	0	0	30000	18.5	2004
23.01.2020 10:07:26	1	0	1	1	28	38.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:27	1	0	1	1	28	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:07:28	1	0	1	1	28	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:29	1	0	1	1	28.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:30	1	0	1	1	28.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:31	1	0	1	1	28.75	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:07:32	1	0	1	1	28.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:33	1	0	1	1	28.75	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:07:34	1	0	1	1	28.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:07:35	1	0	1	1	28.75	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:07:41	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:41	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:41	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:41	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:41	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:42	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:07:43	1	0	1	1	29.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:44	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:07:45	1	0	1	1	29.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:46	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:47	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:48	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:07:49	1	0	1	1	29.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:07:50	1	0	1	1	29.75	37.5	0	0	0	0	30000	0	0	30000	17.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:07:51	1	0	1	1	29.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:07:52	1	0	1	1	29.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:07:53	1	0	1	1	29.75	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:07:54	1	0	1	1	29.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:55	1	0	1	1	29.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:56	1	0	1	1	29.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:07:57	1	0	1	1	29.75	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:07:58	1	0	1	1	29.75	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:07:59	1	0	1	1	29.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:08:00	1	0	1	1	30	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:08:01	1	0	1	1	30	37.5	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 10:08:02	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:08:03	1	0	1	1	30	37.5	0	0	0	0	30000	0	0	30000	20.9375	2004
23.01.2020 10:08:04	1	0	1	1	30	40.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:05	1	0	1	1	30	37.75	0	0	0	0	30000	0	0	30000	18.375	2004
23.01.2020 10:08:06	1	0	1	1	30	38.25	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:08:07	1	0	1	1	30	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:08:08	1	0	1	1	30	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:08:09	1	0	1	1	31	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:08:10	1	0	1	1	31	37.5	0	0	0	0	30000	0	0	30000	18.125	2004
23.01.2020 10:08:11	1	0	1	1	31	38	0	0	0	0	30000	0	0	30000	17.1875	2004
23.01.2020 10:08:12	1	0	1	1	31	37	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 10:08:13	1	0	1	1	31	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:08:14	1	0	1	1	31	37.5	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:08:15	1	0	1	1	31	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:08:16	1	0	1	1	31	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:08:17	1	0	1	1	31	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:19	1	0	1	1	31	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:08:20	1	0	1	1	31.5	37.75	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 10:08:21	1	0	1	1	31.5	38	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:08:22	1	0	1	1	31.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:08:23	1	0	1	1	31.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:08:24	1	0	1	1	31.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:25	1	0	1	1	31.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:08:26	1	0	1	1	31.5	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:08:27	1	0	1	1	31.5	37.5	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:08:28	1	0	1	1	31.5	38	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:08:29	1	0	1	1	31.5	37.5	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:08:30	1	0	1	1	31.75	38	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:08:31	1	0	1	1	31.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:08:32	1	0	1	1	31.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:08:33	1	0	1	1	31.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:08:34	1	0	1	1	31.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:08:35	1	0	1	1	31.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:08:36	1	0	1	1	31.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:08:37	1	0	1	1	31.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:08:43	1	0	1	1	32.5	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:43	1	0	1	1	32.5	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:43	1	0	1	1	32.5	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:43	1	0	1	1	32.5	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:43	1	0	1	1	32.5	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:43	1	0	1	1	32.5	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:43	1	0	1	1	32.5	37.75	0	0	0	0	30000	0	0	30000	18.75	2004
23.01.2020 10:08:44	1	0	1	1	32.5	38.75	0	0	0	0	30000	0	0	30000	18.5	2004
23.01.2020 10:08:45	1	0	1	1	32.5	38.5	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:46	1	0	1	1	32.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:08:47	1	0	1	1	32.5	39.25	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:08:48	1	0	1	1	32.5	38	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:08:49	1	0	1	1	33	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:08:50	1	0	1	1	33	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:08:51	1	0	1	1	33	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:08:52	1	0	1	1	33	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:08:53	1	0	1	1	33	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:08:54	1	0	1	1	33	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:08:55	1	0	1	1	33	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:08:57	1	0	1	1	33	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:08:58	1	0	1	1	33	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:08:59	1	0	1	1	33	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:09:00	1	0	1	1	33.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:01	1	0	1	1	33.5	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:09:02	1	0	1	1	33.5	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:09:03	1	0	1	1	33.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:09:04	1	0	1	1	33.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:05	1	0	1	1	33.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:06	1	0	1	1	33.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:07	1	0	1	1	33.5	37.75	0	0	0	0	30000	0	0	30000	17.375	2004
23.01.2020 10:09:08	1	0	1	1	33.5	37.25	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:09:09	1	0	1	1	33.5	38	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:10	1	0	1	1	33.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:09:11	1	0	1	1	33.75	38	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:12	1	0	1	1	33.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:13	1	0	1	1	33.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:14	1	0	1	1	33.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:15	1	0	1	1	33.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:16	1	0	1	1	33.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:17	1	0	1	1	33.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:18	1	0	1	1	33.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:09:19	1	0	1	1	33.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:20	1	0	1	1	34.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:21	1	0	1	1	34.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:22	1	0	1	1	34.25	37.75	0	0	0	0	30000	0	0	30000	19.25	2004
23.01.2020 10:09:23	1	0	1	1	34.25	39.25	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:24	1	0	1	1	34.25	38.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:25	1	0	1	1	34.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:26	1	0	1	1	34.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:27	1	0	1	1	34.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:28	1	0	1	1	34.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:29	1	0	1	1	34.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:30	1	0	1	1	34.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:31	1	0	1	1	34.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:32	1	0	1	1	34.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:09:33	1	0	1	1	34.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:35	1	0	1	1	34.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:36	1	0	1	1	34.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:37	1	0	1	1	34.75	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:09:38	1	0	1	1	34.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:39	1	0	1	1	34.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:44	1	0	1	1	35	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:44	1	0	1	1	35	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:44	1	0	1	1	35	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:44	1	0	1	1	35	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:44	1	0	1	1	35	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:45	1	0	1	1	35	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:09:46	1	0	1	1	35	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:09:47	1	0	1	1	35	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:48	1	0	1	1	35	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:09:49	1	0	1	1	35	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:09:50	1	0	1	1	35.5	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:09:51	1	0	1	1	35.5	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:09:52	1	0	1	1	35.5	37.5	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:09:53	1	0	1	1	35.5	38	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:54	1	0	1	1	35.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:55	1	0	1	1	35.5	37.75	0	0	0	0	30000	0	0	30000	17.25	2004
23.01.2020 10:09:56	1	0	1	1	35.5	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
23.01.2020 10:09:57	1	0	1	1	35.5	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:58	1	0	1	1	35.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:09:59	1	0	1	1	35.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:00	1	0	1	1	35.75	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:10:01	1	0	1	1	35.75	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:02	1	0	1	1	35.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:10:03	1	0	1	1	35.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:04	1	0	1	1	35.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:10:05	1	0	1	1	35.75	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:10:06	1	0	1	1	35.75	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:07	1	0	1	1	35.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:10:08	1	0	1	1	35.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 10:10:09	1	0	1	1	36.25	38	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:10:10	1	0	1	1	36.25	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:10:11	1	0	1	1	36.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:10:12	1	0	1	1	36.25	37.5	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 10:10:13	1	0	1	1	36.25	38	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:10:15	1	0	1	1	36.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:10:16	1	0	1	1	36.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:10:17	1	0	1	1	36.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:10:18	1	0	1	1	36.25	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:10:19	1	0	1	1	36.25	38	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:10:20	1	0	1	1	36.5	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:10:21	1	0	1	1	36.5	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:10:22	1	0	1	1	36.5	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:23	1	0	1	1	36.5	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:10:24	1	0	1	1	36.5	37.5	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:10:25	1	0	1	1	36.5	38	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:10:26	1	0	1	1	36.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:10:27	1	0	1	1	36.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:10:28	1	0	1	1	36.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:10:29	1	0	1	1	36.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:30	1	0	1	1	36.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
23.01.2020 10:10:31	1	0	1	1	36.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:10:32	1	0	1	1	36.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:33	1	0	1	1	36.75	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
23.01.2020 10:10:34	1	0	1	1	36.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:10:35	1	0	1	1	36.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
23.01.2020 10:10:36	1	0	1	1	36.75	37.25	0	0	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:10:37	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	17.6875	2004
23.01.2020 10:10:38	1	0	1	1	36.75	37.5	0	0	0	0	30000	0	0	30000	18	2004
23.01.2020 10:10:39	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	20	2004
23.01.2020 10:10:40	1	0	1	1	37.25	40	0	0	0	0	30000	0	0	30000	18.375	2004
23.01.2020 10:10:46	1	0	1	1	37.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:46	1	0	1	1	37.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:46	1	0	1	1	37.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:46	1	0	1	1	37.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:46	1	0	1	1	37.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:46	1	0	1	1	37.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:10:47	1	0	1	1	37.25	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:10:48	1	0	1	1	37.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
23.01.2020 10:10:49	1	0	1	1	37.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:10:50	1	1	1	1	37.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
23.01.2020 10:10:51	1	1	1	1	37.75	37.75	0	10853.081	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:10:52	1	1	1	1	37.75	37.75	0	11563.981	0	0	30000	0	0	30000	17.75	2004
23.01.2020 10:10:54	1	1	1	1	37.75	37.75	0	12369.668	0	0	30000	0	0	30000	18.0625	2004
23.01.2020 10:10:55	1	1	1	1	37.75	38	0	13033.175	4.301075269	27.72266464	30000	0	0	30000	17.5625	2004
23.01.2020 10:10:56	1	1	1	1	37.75	37.5	0	13886.256	4.301075269	59.52219172	30000	0	0	30000	17.875	2004
23.01.2020 10:10:57	1	1	1	1	37.75	37.75	0	14644.55	8.602150538	93.76783627	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:58	1	1	1	1	37.75	37.75	0	15402.844	15.05376344	264.996059	30000	0	0	30000	17.8125	2004
23.01.2020 10:10:59	1	1	1	1	37.75	37.75	0	16208.531	23.65591398	383.22507	30000	0	0	30000	17.75	2004
23.01.2020 10:11:00	1	1	1	1	38	37.75	0	16966.825	27.95698925	472.9160438	30000	0	0	30000	17.6875	2004
23.01.2020 10:11:01	1	1	1	1	38	37.5	0	17630.332	34.40860215	645.7750116	30000	0	0	30000	17.75	2004
23.01.2020 10:11:02	1	1	1	1	38	37.75	0	18436.019	45.16129032	792.5420596	30000	0	0	30000	17.8125	2004
23.01.2020 10:11:03	1	1	1	1	38	37.75	0	19289.1	51.61290323	1036.338434	30000	0	0	30000	18.0625	2004
23.01.2020 10:11:04	1	1	1	1	38	38	0	20000	64.51612903	1289.919278	30000	0	0	30000	17.75	2004
23.01.2020 10:11:06	1	1	1	1	38	37.5	0	21516.588	88.17204301	1896.55641	30000	0	0	30000	17.8125	2004
23.01.2020 10:11:06	1	1	1	1	38	37.5	0	21516.588	88.17204301	1896.55641	30000	0	0	30000	17.8125	2004
23.01.2020 10:11:07	1	1	1	1	38	37.75	0	22132.701	98.92473118	2141.168157	30000	0	0	30000	18.125	2004
23.01.2020 10:11:08	1	1	1	1	38	38	0	23080.569	105.3763441	2481.178485	30000	0	0	30000	17.75	2004
23.01.2020 10:11:09	1	1	1	1	38	37.75	0	23791.469	122.5806452	2972.848096	30000	0	0	30000	18.125	2004
23.01.2020 10:11:10	1	1	1	1	38.25	38	0	24597.156	137.6344086	3385.426576	30000	0	0	30000	17.9375	2004
23.01.2020 10:11:11	1	1	1	1	38.25	37.75	0	25213.27	161.2903226	3950.479711	30000	0	0	30000	17.9375	2004
23.01.2020 10:11:12	1	1	1	1	38.25	37.75	0	25734.597	169.8924731	4395.67309	30000	0	0	30000	18	2004
23.01.2020 10:11:13	1	1	1	1	38.25	38	0	26303.318	189.2473118	4911.803876	30000	0	0	30000	18.1875	2004
23.01.2020 10:11:14	1	1	1	1	38.25	38	0	26587.678	195.6989247	5489.087598	30000	0	0	30000	17.4375	2004
23.01.2020 10:11:15	1	1	1	1	38.25	37.25	0	26682.464	206.4516129	5202.891854	30000	0	0	30000	18.0625	2004
23.01.2020 10:11:16	1	1	1	1	38.25	38	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	17.9375	2004
23.01.2020 10:11:17	1	1	1	1	38.25	37.75	0	27582.938	234.4086022	6465.088468	30000	0	0	30000	18.0625	2004
23.01.2020 10:11:18	1	1	1	1	38.25	38	0	27867.299	247.311828	6951.865844	30000	0	0	30000	18.6875	2004
23.01.2020 10:11:19	1	1	1	1	38.25	38.5	0	28009.479	268.8172043	7396.243851	30000	0	0	30000	17.75	2004
23.01.2020 10:11:20	1	1	1	1	39	37.75	0	28483.412	281.7204301	7962.927731	30000	0	0	30000	19.375	2004
23.01.2020 10:11:21	1	1	1	1	39	39.25	0	28909.953	294.6236559	8441.551382	30000	0	0	30000	18.875	2004
23.01.2020 10:11:22	1	1	1	1	39	37.75	0	30000	318.2795699	9517.843068	30000	0	0	30000	18.0625	2004
23.01.2020 10:11:23	1	1	1	1	39	38	0	30000	337.6344086	10192.97149	30000	0	0	30000	18.5	2004
23.01.2020 10:11:24	1	1	1	1	39	38.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	18.1875	2004
23.01.2020 10:11:25	1	1	1	1	39	38	0	30000	335.483871	10064.14264	30000	0	0	30000	17.8125	2004
23.01.2020 10:11:26	1	1	1	1	39	37.75	0	30000	335.483871	9999.728209	30000	0	0	30000	18.125	2004
23.01.2020 10:11:27	1	1	1	1	39	38	0	29620.853	372.0430108	10765.36298	30000	0	0	30000	18.25	2004
23.01.2020 10:11:28	1	1	1	1	39	38.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	17.8125	2004
23.01.2020 10:11:29	1	1	1	1	39.25	37.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	17.875	2004
23.01.2020 10:11:30	1	1	1	1	39.25	37.75	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	18.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:11:32	1	1	1	1	39.25	38.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	18	2004
23.01.2020 10:11:33	1	1	1	1	39.25	38	0	30000	346.2365591	10387.03014	30000	0	0	30000	18.0625	2004
23.01.2020 10:11:34	1	1	1	1	39.25	38	0	30000	367.7419355	11096.40421	30000	0	0	30000	18.625	2004
23.01.2020 10:11:35	1	1	1	1	39.25	38.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	18.625	2004
23.01.2020 10:11:36	1	1	1	1	39.25	38.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	18	2004
23.01.2020 10:11:37	1	1	1	1	39.25	38	0	30000	395.6989247	11871.00807	30000	0	0	30000	17.6875	2004
23.01.2020 10:11:38	1	1	1	1	39.25	37.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	18	2004
23.01.2020 10:11:39	1	1	1	1	39.25	38	0	30000	400	11999.83693	30000	0	0	30000	17.75	2004
23.01.2020 10:11:40	1	1	1	1	39.75	37.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	18	2004
23.01.2020 10:11:41	1	1	1	1	39.75	38	0	30000	395.6989247	11741.36385	30000	0	0	30000	18	2004
23.01.2020 10:11:42	1	1	1	1	39.75	38	0	30000	391.3978495	11741.36385	30000	0	0	30000	18.0625	2004
23.01.2020 10:11:48	1	1	1	1	39.75	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.9375	2004
23.01.2020 10:11:48	1	1	1	1	39.75	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.9375	2004
23.01.2020 10:11:48	1	1	1	1	39.75	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.9375	2004
23.01.2020 10:11:48	1	1	1	1	39.75	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.9375	2004
23.01.2020 10:11:48	1	1	1	1	39.75	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.9375	2004
23.01.2020 10:11:48	1	1	1	1	39.75	37.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.6875	2004
23.01.2020 10:11:49	1	1	1	1	39.75	37.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.875	2004
23.01.2020 10:11:50	1	1	1	1	40.5	37.75	0	30000	423.655914	12580.38214	30000	0	0	30000	18.0625	2004
23.01.2020 10:11:51	1	1	1	1	40.5	38	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.1875	2004
23.01.2020 10:11:52	1	1	1	1	40.5	38	0	30000	423.655914	12773.62542	30000	0	0	30000	17.8125	2004
23.01.2020 10:11:53	1	1	1	1	40.5	37.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	17.9375	2004
23.01.2020 10:11:54	1	1	1	1	40.5	37.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	18.5	2004
23.01.2020 10:11:55	1	1	1	1	40.5	38.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.0625	2004
23.01.2020 10:11:56	1	1	1	1	40.5	38	0	30000	417.2043011	12348.00098	30000	0	0	30000	18.625	2004
23.01.2020 10:11:57	1	1	1	1	40.5	38.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.5625	2004
23.01.2020 10:11:58	1	1	1	1	40.5	38.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.3125	2004
23.01.2020 10:11:59	1	1	1	1	40.5	38.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	17.875	2004
23.01.2020 10:12:00	1	1	1	1	41.25	37.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	18.25	2004
23.01.2020 10:12:01	1	1	1	1	41.25	39.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	18.0625	2004
23.01.2020 10:12:02	1	1	1	1	41.25	38	0	30000	440.8602151	13289.7562	30000	0	0	30000	17.8125	2004
23.01.2020 10:12:03	1	1	1	1	41.25	37.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	18	2004
23.01.2020 10:12:04	1	1	1	1	41.25	38	0	30000	434.4086022	13096.51292	30000	0	0	30000	18.125	2004
23.01.2020 10:12:05	1	1	1	1	41.25	38	0	30000	438.7096774	13310.95589	30000	0	0	30000	17.6875	2004
23.01.2020 10:12:06	1	1	1	1	41.25	37.5	0	30000	436.5591398	13116.89724	30000	0	0	30000	18.5625	2004
23.01.2020 10:12:07	1	1	1	1	41.25	38.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	18.25	2004
23.01.2020 10:12:09	1	1	1	1	41.25	38.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.0625	2004
23.01.2020 10:12:10	1	1	1	1	41.5	38	0	29905.213	412.9032258	12025.92885	30000	0	0	30000	17.9375	2004
23.01.2020 10:12:11	1	1	1	1	41.5	37.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	18.0625	2004
23.01.2020 10:12:12	1	1	1	1	41.5	38	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.25	2004
23.01.2020 10:12:13	1	1	1	1	41.5	38.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	17.9375	2004
23.01.2020 10:12:14	1	1	1	1	41.5	37.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	18.1875	2004
23.01.2020 10:12:15	1	1	1	1	41.5	38	0	30000	389.2473118	11676.94942	30000	0	0	30000	18.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:12:16	1	1	1	1	41.5	38.25	0	29905.213	395.6989247	11935.4225	30000	0	0	30000	17.9375	2004
23.01.2020 10:12:17	1	1	1	1	41.5	37.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	17.75	2004
23.01.2020 10:12:18	1	1	1	1	41.5	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.0625	2004
23.01.2020 10:12:19	1	1	1	1	41.5	38	0	30000	404.3010753	12128.66578	30000	0	0	30000	17.9375	2004
23.01.2020 10:12:20	1	1	1	1	42	37.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.5	2004
23.01.2020 10:12:21	1	1	1	1	42	38.5	0	30000	423.655914	12709.21099	30000	0	0	30000	18.1875	2004
23.01.2020 10:12:22	1	1	1	1	42	38	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	18.0625	2004
23.01.2020 10:12:23	1	1	1	1	42	38	0	30000	404.3010753	12193.08021	30000	0	0	30000	18.125	2004
23.01.2020 10:12:24	1	1	1	1	42	38	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	18.1875	2004
23.01.2020 10:12:25	1	1	1	1	42	38	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	18.1875	2004
23.01.2020 10:12:26	1	1	1	1	42	38	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.25	2004
23.01.2020 10:12:27	1	1	1	1	42	38.25	0	30000	400	12064.25135	30000	0	0	30000	18.125	2004
23.01.2020 10:12:28	1	1	1	1	42	38	0	30047.393	417.2043011	12451.55328	30000	0	0	30000	17.9375	2004
23.01.2020 10:12:29	1	1	1	1	42	37.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	18.3125	2004
23.01.2020 10:12:30	1	1	1	1	43	38.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	18.25	2004
23.01.2020 10:12:31	1	1	1	1	43	38.25	0	30000	389.2473118	11871.00807	30000	0	0	30000	18.25	2004
23.01.2020 10:12:32	1	1	1	1	43	38.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	18.125	2004
23.01.2020 10:12:33	1	1	1	1	43	38	0	30000	397.8494624	11871.00807	30000	0	0	30000	18	2004
23.01.2020 10:12:34	1	1	1	1	43	38	0	30000	404.3010753	12193.08021	30000	0	0	30000	17.875	2004
23.01.2020 10:12:35	1	1	1	1	43	37.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	20	2004
23.01.2020 10:12:36	1	1	1	1	43	40	0	30000	384.9462366	11548.12057	30000	0	0	30000	18.0625	2004
23.01.2020 10:12:37	1	1	1	1	43	38	0	30000	382.7956989	11419.29171	30000	0	0	30000	19.25	2004
23.01.2020 10:12:38	1	1	1	1	43	39.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	18.5	2004
23.01.2020 10:12:39	1	1	1	1	43	38.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	17.875	2004
23.01.2020 10:12:40	1	1	1	1	43.75	40	0	30000	378.4946237	11225.23306	30000	0	0	30000	18.5	2004
23.01.2020 10:12:41	1	1	1	1	43.75	38.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	18.25	2004
23.01.2020 10:12:42	1	1	1	1	43.75	38.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	17.875	2004
23.01.2020 10:12:43	1	1	1	1	43.75	37.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	18.3125	2004
23.01.2020 10:12:49	1	1	1	1	43.75	38	0	30000	350.5376344	10515.85899	30000	0	0	30000	17.875	2004
23.01.2020 10:12:49	1	1	1	1	43.75	38	0	30000	350.5376344	10515.85899	30000	0	0	30000	17.875	2004
23.01.2020 10:12:49	1	1	1	1	43.75	38	0	30000	350.5376344	10515.85899	30000	0	0	30000	17.875	2004
23.01.2020 10:12:49	1	1	1	1	43.75	38	0	30000	350.5376344	10515.85899	30000	0	0	30000	17.875	2004
23.01.2020 10:12:50	1	1	1	1	44.25	37.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	18.0625	2004
23.01.2020 10:12:51	1	1	1	1	44.25	38	0	30000	380.6451613	11419.29171	30000	0	0	30000	18.1875	2004
23.01.2020 10:12:52	1	1	1	1	44.25	38	0	30000	395.6989247	11871.00807	30000	0	0	30000	18.0625	2004
23.01.2020 10:12:53	1	1	1	1	44.25	38	0	30000	395.6989247	11871.00807	30000	0	0	30000	18.1875	2004
23.01.2020 10:12:54	1	1	1	1	44.25	38	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	18.0625	2004
23.01.2020 10:12:55	1	1	1	1	44.25	38	0	30000	406.4516129	12387.13886	30000	0	0	30000	17.75	2004
23.01.2020 10:12:56	1	1	1	1	44.25	37.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	17.8125	2004
23.01.2020 10:12:57	1	1	1	1	44.25	37.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	17.5625	2004
23.01.2020 10:12:58	1	1	1	1	44.25	37.5	0	30000	423.655914	12580.38214	30000	0	0	30000	18.125	2004
23.01.2020 10:12:59	1	1	1	1	44.25	38	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:13:00	1	1	1	1	44.5	38.25	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	17.875	2004
23.01.2020 10:13:01	1	1	1	1	44.5	37.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	18.75	2004
23.01.2020 10:13:02	1	1	1	1	44.5	38.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	18.25	2004
23.01.2020 10:13:03	1	1	1	1	44.5	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.25	2004
23.01.2020 10:13:04	1	1	1	1	44.5	38.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.4375	2004
23.01.2020 10:13:05	1	1	1	1	44.5	38.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	18.375	2004
23.01.2020 10:13:06	1	1	1	1	44.5	38.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	18.1875	2004
23.01.2020 10:13:07	1	1	1	1	44.5	38	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	18.125	2004
23.01.2020 10:13:08	1	1	1	1	44.5	38	0	30000	425.8064516	12858.42416	30000	0	0	30000	18	2004
23.01.2020 10:13:09	1	1	1	1	44.5	38	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.25	2004
23.01.2020 10:13:10	1	1	1	1	45.25	38.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	18.1875	2004
23.01.2020 10:13:11	1	1	1	1	45.25	38	0	30000	432.2580645	13096.51292	30000	0	0	30000	18.375	2004
23.01.2020 10:13:12	1	1	1	1	45.25	38.25	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	18.25	2004
23.01.2020 10:13:13	1	1	1	1	45.25	38.25	0	30000	427.9569892	12818.4709	30000	0	0	30000	18.5	2004
23.01.2020 10:13:14	1	1	1	1	45.25	38.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.5	2004
23.01.2020 10:13:15	1	1	1	1	45.25	38.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	18.5	2004
23.01.2020 10:13:16	1	1	1	1	45.25	38.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	18.25	2004
23.01.2020 10:13:17	1	1	1	1	45.25	38.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	19.5625	2004
23.01.2020 10:13:18	1	1	1	1	45.25	39.5	0	29952.607	451.6129032	13312.58663	30000	0	0	30000	18.25	2004
23.01.2020 10:13:19	1	1	1	1	46	38.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	18.0625	2004
23.01.2020 10:13:20	1	1	1	1	46	38	0	29952.607	466.6666667	14128.7745	30000	0	0	30000	18.375	2004
23.01.2020 10:13:21	1	1	1	1	46	38.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.4375	2004
23.01.2020 10:13:22	1	1	1	1	46	38.25	0	30047.393	453.7634409	13612.64371	30000	0	0	30000	18.375	2004
23.01.2020 10:13:23	1	1	1	1	46	38.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	18.4375	2004
23.01.2020 10:13:25	1	1	1	1	46	38.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.625	2004
23.01.2020 10:13:26	1	1	1	1	46	38.5	0	29905.213	443.0107527	13289.7562	30000	0	0	30000	18.5625	2004
23.01.2020 10:13:27	1	1	1	1	46	38.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.6875	2004
23.01.2020 10:13:28	1	1	1	1	46	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.375	2004
23.01.2020 10:13:29	1	1	1	1	46	38.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	18.1875	2004
23.01.2020 10:13:30	1	1	1	1	47	38	0	30000	443.0107527	13289.7562	30000	0	0	30000	18.3125	2004
23.01.2020 10:13:31	1	1	1	1	47	38.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	18.1875	2004
23.01.2020 10:13:32	1	1	1	1	47	38	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.75	2004
23.01.2020 10:13:33	1	1	1	1	47	38.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.3125	2004
23.01.2020 10:13:34	1	1	1	1	47	38.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.125	2004
23.01.2020 10:13:35	1	1	1	1	47	38	0	30000	443.0107527	13354.17063	30000	0	0	30000	18.9375	2004
23.01.2020 10:13:36	1	1	1	1	47	38.75	0	29857.82	419.3548387	12818.4709	30000	0	0	30000	18.5625	2004
23.01.2020 10:13:37	1	1	1	1	47	38.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.3125	2004
23.01.2020 10:13:38	1	1	1	1	47	38.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	19.125	2004
23.01.2020 10:13:39	1	1	1	1	47	39	0	30000	415.0537634	12515.96771	30000	0	0	30000	18.5	2004
23.01.2020 10:13:40	1	1	1	1	47.5	38.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	18.3125	2004
23.01.2020 10:13:41	1	1	1	1	47.5	38.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	18.5625	2004
23.01.2020 10:13:42	1	1	1	1	47.5	38.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.9375	2004
23.01.2020 10:13:43	1	1	1	1	47.5	37.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	18.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:13:44	1	1	1	1	47.5	38.5	0	30000	438.7096774	12838.03984	30000	0	0	30000	18.5	2004
23.01.2020 10:13:45	1	1	1	1	47.5	38.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	19	2004
23.01.2020 10:13:51	1	1	1	1	48.25	38.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	18.25	2004
23.01.2020 10:13:51	1	1	1	1	48.25	38.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	18.25	2004
23.01.2020 10:13:51	1	1	1	1	48.25	38.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	18.25	2004
23.01.2020 10:13:51	1	1	1	1	48.25	38.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	18.25	2004
23.01.2020 10:13:51	1	1	1	1	48.25	38.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	18.25	2004
23.01.2020 10:13:51	1	1	1	1	48.25	38.25	0	30000	400	12064.25135	30000	0	0	30000	18.3125	2004
23.01.2020 10:13:52	1	1	1	1	48.25	38.25	0	30047.393	400	11935.4225	30000	0	0	30000	18	2004
23.01.2020 10:13:53	1	1	1	1	48.25	38	0	29952.607	412.9032258	12154.7577	30000	0	0	30000	18.375	2004
23.01.2020 10:13:54	1	1	1	1	48.25	38.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	19	2004
23.01.2020 10:13:55	1	1	1	1	48.25	39	0	30000	423.655914	12709.21099	30000	0	0	30000	18.125	2004
23.01.2020 10:13:56	1	1	1	1	48.25	38	0	29905.213	402.1505376	12387.13886	30000	0	0	30000	18.5	2004
23.01.2020 10:13:57	1	1	1	1	48.25	38.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.1875	2004
23.01.2020 10:13:58	1	1	1	1	48.25	38	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.375	2004
23.01.2020 10:13:59	1	1	1	1	48.25	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.5	2004
23.01.2020 10:14:00	1	1	1	1	48.25	38.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	18.6875	2004
23.01.2020 10:14:01	1	1	1	1	48.25	38.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.4375	2004
23.01.2020 10:14:02	1	1	1	1	48.25	38.25	0	30142.18	415.0537634	12451.55328	30000	0	0	30000	18	2004
23.01.2020 10:14:04	1	1	1	1	48.25	38	0	30000	425.8064516	12709.21099	30000	0	0	30000	18.9375	2004
23.01.2020 10:14:05	1	1	1	1	48.25	38.75	0	29905.213	427.9569892	13375.37032	30000	0	0	30000	18.5	2004
23.01.2020 10:14:06	1	1	1	1	48.25	38.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	18.3125	2004
23.01.2020 10:14:07	1	1	1	1	48.25	38.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.125	2004
23.01.2020 10:14:08	1	1	1	1	48.25	38	0	30000	421.5053763	12580.38214	30000	0	0	30000	18.4375	2004
23.01.2020 10:14:09	1	1	1	1	48.25	38.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	18.1875	2004
23.01.2020 10:14:10	1	1	1	1	49	38	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.0625	2004
23.01.2020 10:14:11	1	1	1	1	49	38	0	30000	464.516129	13805.88699	30000	0	0	30000	18.0625	2004
23.01.2020 10:14:12	1	1	1	1	49	38	0	30000	464.516129	13935.53122	30000	0	0	30000	18.4375	2004
23.01.2020 10:14:13	1	1	1	1	49	38.25	0	30000	481.7204301	14451.662	30000	0	0	30000	18.625	2004
23.01.2020 10:14:14	1	1	1	1	49	38.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.4375	2004
23.01.2020 10:14:15	1	1	1	1	49	38.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.1875	2004
23.01.2020 10:14:16	1	1	1	1	49	38	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.625	2004
23.01.2020 10:14:17	1	1	1	1	49	38.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.5	2004
23.01.2020 10:14:18	1	1	1	1	49	38.5	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	18.375	2004
23.01.2020 10:14:19	1	1	1	1	49	38.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	18.0625	2004
23.01.2020 10:14:20	1	1	1	1	49.75	38	0	29952.607	434.4086022	13160.92735	30000	0	0	30000	18.5625	2004
23.01.2020 10:14:21	1	1	1	1	49.75	38.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	18.5625	2004
23.01.2020 10:14:22	1	1	1	1	49.75	38.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	18.5625	2004
23.01.2020 10:14:23	1	1	1	1	49.75	38.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	18.4375	2004
23.01.2020 10:14:24	1	1	1	1	49.75	38.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.375	2004
23.01.2020 10:14:25	1	1	1	1	49.75	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.1875	2004
23.01.2020 10:14:26	1	1	1	1	49.75	38	0	30047.393	438.7096774	13160.92735	30000	0	0	30000	18.25	2004
23.01.2020 10:14:27	1	1	1	1	49.75	38.25	0	30000	427.9569892	12858.42416	30000	0	0	30000	18.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:14:28	1	1	1	1	49.75	38.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	18.4375	2004
23.01.2020 10:14:29	1	1	1	1	49.75	38.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.625	2004
23.01.2020 10:14:30	1	1	1	1	50.5	38.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.5625	2004
23.01.2020 10:14:31	1	1	1	1	50.5	38.5	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	19.3125	2004
23.01.2020 10:14:32	1	1	1	1	50.5	39.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.6875	2004
23.01.2020 10:14:33	1	1	1	1	50.5	38.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.625	2004
23.01.2020 10:14:34	1	1	1	1	50.5	39.5	0	30000	423.655914	12773.62542	30000	0	0	30000	18.3125	2004
23.01.2020 10:14:35	1	1	1	1	50.5	38.25	0	30000	415.0537634	12729.5953	30000	0	0	30000	18.25	2004
23.01.2020 10:14:36	1	1	1	1	50.5	38.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.375	2004
23.01.2020 10:14:37	1	1	1	1	50.5	38.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	18.25	2004
23.01.2020 10:14:38	1	1	1	1	50.5	38.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	18.375	2004
23.01.2020 10:14:39	1	1	1	1	51	38.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	18.625	2004
23.01.2020 10:14:40	1	1	1	1	51	38.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	18.625	2004
23.01.2020 10:14:42	1	1	1	1	51	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.6875	2004
23.01.2020 10:14:43	1	1	1	1	51	38.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	18.6875	2004
23.01.2020 10:14:44	1	1	1	1	51	38.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.25	2004
23.01.2020 10:14:45	1	1	1	1	51	38.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	19.6875	2004
23.01.2020 10:14:46	1	1	1	1	51	39.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	19.1875	2004
23.01.2020 10:14:47	1	1	1	1	51	39	0	29905.213	427.9569892	12967.68407	30000	0	0	30000	19.125	2004
23.01.2020 10:14:53	1	1	1	1	51.75	38.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	18.5625	2004
23.01.2020 10:14:53	1	1	1	1	51.75	38.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	18.5625	2004
23.01.2020 10:14:53	1	1	1	1	51.75	38.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	18.5625	2004
23.01.2020 10:14:53	1	1	1	1	51.75	38.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	18.5625	2004
23.01.2020 10:14:53	1	1	1	1	51.75	38.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	18.5625	2004
23.01.2020 10:14:53	1	1	1	1	51.75	38.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	18.5	2004
23.01.2020 10:14:54	1	1	1	1	51.75	38.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.6875	2004
23.01.2020 10:14:55	1	1	1	1	51.75	38.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	18.625	2004
23.01.2020 10:14:56	1	1	1	1	51.75	38.5	0	29905.213	434.4086022	13269.37189	30000	0	0	30000	18.75	2004
23.01.2020 10:14:57	1	1	1	1	51.75	38.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.625	2004
23.01.2020 10:14:58	1	1	1	1	51.75	38.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	19	2004
23.01.2020 10:14:59	1	1	1	1	51.75	39	0	30000	434.4086022	13160.92735	30000	0	0	30000	18.625	2004
23.01.2020 10:15:00	1	1	1	1	52.25	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18.8125	2004
23.01.2020 10:15:01	1	1	1	1	52.25	38.75	0	30000	481.7204301	13999.94564	30000	0	0	30000	18.875	2004
23.01.2020 10:15:02	1	1	1	1	52.25	38.75	0	29952.607	466.6666667	14451.662	30000	0	0	30000	18.625	2004
23.01.2020 10:15:03	1	1	1	1	52.25	38.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.8125	2004
23.01.2020 10:15:04	1	1	1	1	52.25	38.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	19.0625	2004
23.01.2020 10:15:05	1	1	1	1	52.25	39	0	30000	458.0645161	13741.47256	30000	0	0	30000	19.0625	2004
23.01.2020 10:15:06	1	1	1	1	52.25	39	0	30000	445.1612903	13612.64371	30000	0	0	30000	18.875	2004
23.01.2020 10:15:07	1	1	1	1	52.25	38.75	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	18.625	2004
23.01.2020 10:15:08	1	1	1	1	52.25	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19	2004
23.01.2020 10:15:09	1	1	1	1	52.25	39	0	30000	464.516129	13935.53122	30000	0	0	30000	18.6875	2004
23.01.2020 10:15:10	1	1	1	1	53	38.5	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	18.4375	2004
23.01.2020 10:15:11	1	1	1	1	53	38.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	20.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:15:12	1	1	1	1	53	40.25	0	30000	460.2150538	13612.64371	30000	0	0	30000	19.125	2004
23.01.2020 10:15:13	1	1	1	1	53	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	18.9375	2004
23.01.2020 10:15:14	1	1	1	1	53	39.75	0	30000	481.7204301	14193.18892	30000	0	0	30000	18.375	2004
23.01.2020 10:15:15	1	1	1	1	53	38.25	0	30000	453.7634409	13677.05814	30000	0	0	30000	18.75	2004
23.01.2020 10:15:16	1	1	1	1	53	38.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.4375	2004
23.01.2020 10:15:17	1	1	1	1	53	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	18.75	2004
23.01.2020 10:15:18	1	1	1	1	53	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.1875	2004
23.01.2020 10:15:19	1	1	1	1	53.75	39	0	30000	483.8709677	14516.07643	30000	0	0	30000	18.5625	2004
23.01.2020 10:15:20	1	1	1	1	53.75	38.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.9375	2004
23.01.2020 10:15:22	1	1	1	1	53.75	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.3125	2004
23.01.2020 10:15:23	1	1	1	1	53.75	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.5	2004
23.01.2020 10:15:24	1	1	1	1	53.75	39.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	18.5	2004
23.01.2020 10:15:25	1	1	1	1	53.75	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18.9375	2004
23.01.2020 10:15:26	1	1	1	1	53.75	38.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	19.25	2004
23.01.2020 10:15:27	1	1	1	1	53.75	39.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	18.9375	2004
23.01.2020 10:15:28	1	1	1	1	53.75	38.75	0	30000	492.4731183	14838.14856	30000	0	0	30000	19.3125	2004
23.01.2020 10:15:29	1	1	1	1	53.75	39.25	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	18.8125	2004
23.01.2020 10:15:30	1	1	1	1	54.5	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19	2004
23.01.2020 10:15:31	1	1	1	1	54.5	39	0	29905.213	468.8172043	14451.662	30000	0	0	30000	18.9375	2004
23.01.2020 10:15:32	1	1	1	1	54.5	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.0625	2004
23.01.2020 10:15:33	1	1	1	1	54.5	39	0	30000	460.2150538	13677.05814	30000	0	0	30000	18.5625	2004
23.01.2020 10:15:34	1	1	1	1	54.5	38.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	19.3125	2004
23.01.2020 10:15:35	1	1	1	1	54.5	39.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	19.25	2004
23.01.2020 10:15:36	1	1	1	1	54.5	39.25	0	30000	464.516129	13762.67225	30000	0	0	30000	18.5	2004
23.01.2020 10:15:37	1	1	1	1	54.5	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.5625	2004
23.01.2020 10:15:38	1	1	1	1	54.5	39.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	18.75	2004
23.01.2020 10:15:39	1	1	1	1	54.5	38.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.4375	2004
23.01.2020 10:15:40	1	1	1	1	55	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.1875	2004
23.01.2020 10:15:41	1	1	1	1	55	39	0	30000	481.7204301	14516.07643	30000	0	0	30000	19.875	2004
23.01.2020 10:15:42	1	1	1	1	55	39.75	0	29952.607	458.0645161	13999.94564	30000	0	0	30000	19.625	2004
23.01.2020 10:15:43	1	1	1	1	55	39.5	0	30000	464.516129	13935.53122	30000	0	0	30000	18.625	2004
23.01.2020 10:15:44	1	1	1	1	55	38.5	0	30000	468.8172043	13977.93058	30000	0	0	30000	18.75	2004
23.01.2020 10:15:45	1	1	1	1	55	38.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.9375	2004
23.01.2020 10:15:46	1	1	1	1	55	38.75	0	30000	470.9677419	14193.18892	30000	0	0	30000	18.6875	2004
23.01.2020 10:15:47	1	1	1	1	55	38.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.75	2004
23.01.2020 10:15:48	1	1	1	1	55	39.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	19.1875	2004
23.01.2020 10:15:54	1	1	1	1	55.5	38.75	0	30000	455.9139785	13827.90205	30000	0	0	30000	18.6875	2004
23.01.2020 10:15:54	1	1	1	1	55.5	38.75	0	30000	455.9139785	13827.90205	30000	0	0	30000	18.6875	2004
23.01.2020 10:15:54	1	1	1	1	55.5	38.75	0	30000	455.9139785	13827.90205	30000	0	0	30000	18.6875	2004
23.01.2020 10:15:54	1	1	1	1	55.5	38.75	0	30000	455.9139785	13827.90205	30000	0	0	30000	18.6875	2004
23.01.2020 10:15:54	1	1	1	1	55.5	38.75	0	30000	455.9139785	13827.90205	30000	0	0	30000	18.6875	2004
23.01.2020 10:15:54	1	1	1	1	55.5	38.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	19	2004
23.01.2020 10:15:55	1	1	1	1	55.5	39	0	29952.607	438.7096774	13096.51292	30000	0	0	30000	18.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:15:56	1	1	1	1	55.5	38.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.9375	2004
23.01.2020 10:15:57	1	1	1	1	55.5	38.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	19	2004
23.01.2020 10:15:59	1	1	1	1	55.5	39	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.25	2004
23.01.2020 10:16:00	1	1	1	1	55.75	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	18.6875	2004
23.01.2020 10:16:01	1	1	1	1	55.75	38.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	18.875	2004
23.01.2020 10:16:02	1	1	1	1	55.75	38.75	0	30000	464.516129	13999.94564	30000	0	0	30000	19.125	2004
23.01.2020 10:16:03	1	1	1	1	55.75	39	0	30000	481.7204301	14451.662	30000	0	0	30000	18.8125	2004
23.01.2020 10:16:04	1	1	1	1	55.75	38.75	0	30000	464.516129	13805.88699	30000	0	0	30000	19.1875	2004
23.01.2020 10:16:05	1	1	1	1	55.75	39	0	30000	464.516129	13999.94564	30000	0	0	30000	19.1875	2004
23.01.2020 10:16:06	1	1	1	1	55.75	39	0	30000	481.7204301	14451.662	30000	0	0	30000	19.5	2004
23.01.2020 10:16:07	1	1	1	1	55.75	39.5	0	30000	464.516129	13935.53122	30000	0	0	30000	18.9375	2004
23.01.2020 10:16:08	1	1	1	1	55.75	38.75	0	30000	449.4623656	13548.22928	30000	0	0	30000	18.875	2004
23.01.2020 10:16:09	1	1	1	1	55.75	38.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	19.5	2004
23.01.2020 10:16:10	1	1	1	1	56.25	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.3125	2004
23.01.2020 10:16:11	1	1	1	1	56.25	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.625	2004
23.01.2020 10:16:12	1	1	1	1	56.25	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18.75	2004
23.01.2020 10:16:13	1	1	1	1	56.25	38.75	0	30000	464.516129	13913.51616	30000	0	0	30000	19.125	2004
23.01.2020 10:16:14	1	1	1	1	56.25	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.25	2004
23.01.2020 10:16:15	1	1	1	1	56.25	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.8125	2004
23.01.2020 10:16:16	1	1	1	1	56.25	39.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.8125	2004
23.01.2020 10:16:17	1	1	1	1	56.25	39.75	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	19.875	2004
23.01.2020 10:16:18	1	1	1	1	56.25	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	18.75	2004
23.01.2020 10:16:19	1	1	1	1	56.25	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
23.01.2020 10:16:20	1	1	1	1	56.75	39.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	18.6875	2004
23.01.2020 10:16:21	1	1	1	1	56.75	38.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.375	2004
23.01.2020 10:16:22	1	1	1	1	56.75	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.0625	2004
23.01.2020 10:16:23	1	1	1	1	56.75	39	0	30000	460.2150538	13805.88699	30000	0	0	30000	18.75	2004
23.01.2020 10:16:24	1	1	1	1	56.75	38.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.9375	2004
23.01.2020 10:16:25	1	1	1	1	56.75	39.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	20	2004
23.01.2020 10:16:26	1	1	1	1	56.75	40	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.3125	2004
23.01.2020 10:16:27	1	1	1	1	56.75	39.25	0	30000	496.7741935	14838.14856	30000	0	0	30000	19.4375	2004
23.01.2020 10:16:28	1	1	1	1	56.75	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.0625	2004
23.01.2020 10:16:29	1	1	1	1	56.75	40	0	30000	490.3225806	14598.42905	30000	0	0	30000	19.0625	2004
23.01.2020 10:16:30	1	1	1	1	57.5	39	0	30000	451.6129032	13612.64371	30000	0	0	30000	19.75	2004
23.01.2020 10:16:31	1	1	1	1	57.5	41.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	19.625	2004
23.01.2020 10:16:32	1	1	1	1	57.5	39.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	19.25	2004
23.01.2020 10:16:33	1	1	1	1	57.5	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
23.01.2020 10:16:34	1	1	1	1	57.5	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.4375	2004
23.01.2020 10:16:35	1	1	1	1	57.5	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.5625	2004
23.01.2020 10:16:37	1	1	1	1	57.5	39.5	0	30047.393	466.6666667	14150.78955	30000	0	0	30000	19.375	2004
23.01.2020 10:16:38	1	1	1	1	57.5	39.25	0	30000	458.0645161	13870.30142	30000	0	0	30000	19.0625	2004
23.01.2020 10:16:39	1	1	1	1	57.5	39	0	30000	464.516129	13999.94564	30000	0	0	30000	19.3125	2004
23.01.2020 10:16:40	1	1	1	1	58.25	39.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:16:41	1	1	1	1	58.25	40	0	30000	464.516129	13870.30142	30000	0	0	30000	19.25	2004
23.01.2020 10:16:42	1	1	1	1	58.25	39.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	19.6875	2004
23.01.2020 10:16:43	1	1	1	1	58.25	39.5	0	30000	458.0645161	13591.44402	30000	0	0	30000	19	2004
23.01.2020 10:16:44	1	1	1	1	58.25	39	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	19.375	2004
23.01.2020 10:16:45	1	1	1	1	58.25	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.4375	2004
23.01.2020 10:16:46	1	1	1	1	58.25	39.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	19.4375	2004
23.01.2020 10:16:47	1	1	1	1	58.25	39.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	19	2004
23.01.2020 10:16:48	1	1	1	1	58.25	39	0	30000	432.2580645	12967.68407	30000	0	0	30000	19.6875	2004
23.01.2020 10:16:49	1	1	1	1	58.25	39.5	0	30000	443.0107527	13204.95746	30000	0	0	30000	19.4375	2004
23.01.2020 10:16:50	1	1	1	1	58.5	39.25	0	30000	440.8602151	13375.37032	30000	0	0	30000	19.375	2004
23.01.2020 10:16:56	1	1	1	1	58.5	39.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	19.25	2004
23.01.2020 10:16:56	1	1	1	1	58.5	39.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	19.25	2004
23.01.2020 10:16:56	1	1	1	1	58.5	39.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	19.25	2004
23.01.2020 10:16:56	1	1	1	1	58.5	39.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	19.25	2004
23.01.2020 10:16:56	1	1	1	1	58.5	39.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	19.25	2004
23.01.2020 10:16:56	1	1	1	1	58.5	39.25	0	29952.607	445.1612903	13248.17221	30000	0	0	30000	19.4375	2004
23.01.2020 10:16:57	1	1	1	1	58.5	39.25	0	30000	464.516129	13913.51616	30000	0	0	30000	19.5625	2004
23.01.2020 10:16:58	1	1	1	1	58.5	39.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	18.9375	2004
23.01.2020 10:16:59	1	1	1	1	58.5	38.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.25	2004
23.01.2020 10:17:00	1	1	1	1	58.5	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.4375	2004
23.01.2020 10:17:01	1	1	1	1	58.5	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.4375	2004
23.01.2020 10:17:02	1	1	1	1	58.5	39.25	0	30000	464.516129	13999.94564	30000	0	0	30000	20.3125	2004
23.01.2020 10:17:03	1	1	1	1	58.5	40.25	0	30000	470.9677419	14128.7745	30000	0	0	30000	20.25	2004
23.01.2020 10:17:04	1	1	1	1	58.5	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	18.9375	2004
23.01.2020 10:17:05	1	1	1	1	58.5	38.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.625	2004
23.01.2020 10:17:06	1	1	1	1	58.5	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
23.01.2020 10:17:07	1	1	1	1	58.5	39.25	0	30000	488.172043	14644.90528	30000	0	0	30000	19.125	2004
23.01.2020 10:17:08	1	1	1	1	58.5	39	0	30000	481.7204301	13999.94564	30000	0	0	30000	19.125	2004
23.01.2020 10:17:09	1	1	1	1	58.5	39	0	30000	464.516129	13935.53122	30000	0	0	30000	19.25	2004
23.01.2020 10:17:10	1	1	1	1	59	41.25	0	30000	460.2150538	13720.27288	30000	0	0	30000	19.75	2004
23.01.2020 10:17:11	1	1	1	1	59	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.3125	2004
23.01.2020 10:17:12	1	1	1	1	59	39.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	20	2004
23.01.2020 10:17:13	1	1	1	1	59	40	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.6875	2004
23.01.2020 10:17:15	1	1	1	1	59	39.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.375	2004
23.01.2020 10:17:16	1	1	1	1	59	39.25	0	30000	466.6666667	14451.662	30000	0	0	30000	18.9375	2004
23.01.2020 10:17:17	1	1	1	1	59	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.75	2004
23.01.2020 10:17:18	1	1	1	1	59	39.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	19.9375	2004
23.01.2020 10:17:19	1	1	1	1	59	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.125	2004
23.01.2020 10:17:20	1	1	1	1	59.75	40	0	30000	458.0645161	13741.47256	30000	0	0	30000	20.1875	2004
23.01.2020 10:17:21	1	1	1	1	59.75	40	0	30000	455.9139785	13677.05814	30000	0	0	30000	20.125	2004
23.01.2020 10:17:22	1	1	1	1	59.75	40	0	30000	464.516129	13935.53122	30000	0	0	30000	20.1875	2004
23.01.2020 10:17:23	1	1	1	1	59.75	40	0	29952.607	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
23.01.2020 10:17:24	1	1	1	1	59.75	39.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:17:25	1	1	1	1	59.75	39	0	30000	464.516129	13935.53122	30000	0	0	30000	19.3125	2004
23.01.2020 10:17:26	1	1	1	1	59.75	39.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.8125	2004
23.01.2020 10:17:27	1	1	1	1	59.75	39.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.25	2004
23.01.2020 10:17:28	1	1	1	1	59.75	39.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	19.3125	2004
23.01.2020 10:17:29	1	1	1	1	59.75	39.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	19.875	2004
23.01.2020 10:17:30	1	1	1	1	60.5	39.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	19.4375	2004
23.01.2020 10:17:31	1	1	1	1	60.5	39.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	19.3125	2004
23.01.2020 10:17:32	1	1	1	1	60.5	39.25	0	30000	470.9677419	14128.7745	30000	0	0	30000	19.5625	2004
23.01.2020 10:17:33	1	1	1	1	60.5	39.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	19.75	2004
23.01.2020 10:17:34	1	1	1	1	60.5	39.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.75	2004
23.01.2020 10:17:35	1	1	1	1	60.5	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.3125	2004
23.01.2020 10:17:36	1	1	1	1	60.5	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.6875	2004
23.01.2020 10:17:37	1	1	1	1	60.5	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.3125	2004
23.01.2020 10:17:38	1	1	1	1	60.5	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.625	2004
23.01.2020 10:17:39	1	1	1	1	60.5	39.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
23.01.2020 10:17:40	1	1	1	1	60.75	39.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	19.1875	2004
23.01.2020 10:17:41	1	1	1	1	60.75	39	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5625	2004
23.01.2020 10:17:42	1	1	1	1	60.75	40.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.8125	2004
23.01.2020 10:17:43	1	1	1	1	60.75	39.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	19.875	2004
23.01.2020 10:17:44	1	1	1	1	60.75	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21.125	2004
23.01.2020 10:17:45	1	1	1	1	60.75	41	0	30000	481.7204301	14451.662	30000	0	0	30000	20.75	2004
23.01.2020 10:17:46	1	1	1	1	60.75	40.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.6875	2004
23.01.2020 10:17:47	1	1	1	1	60.75	40.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.8125	2004
23.01.2020 10:17:48	1	1	1	1	60.75	40.5	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	19.6875	2004
23.01.2020 10:17:49	1	1	1	1	62	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.5625	2004
23.01.2020 10:17:50	1	1	1	1	62	39.5	0	29952.607	470.9677419	14451.662	30000	0	0	30000	19.1875	2004
23.01.2020 10:17:52	1	1	1	1	62	39	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	19	2004
23.01.2020 10:17:57	1	1	1	1	62	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
23.01.2020 10:17:57	1	1	1	1	62	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
23.01.2020 10:17:57	1	1	1	1	62	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
23.01.2020 10:17:57	1	1	1	1	62	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
23.01.2020 10:17:57	1	1	1	1	62	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
23.01.2020 10:17:58	1	1	1	1	62	39.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.875	2004
23.01.2020 10:17:59	1	1	1	1	62	39.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	19.5625	2004
23.01.2020 10:18:00	1	1	1	1	61.5	39.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	19.25	2004
23.01.2020 10:18:01	1	1	1	1	61.5	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20	2004
23.01.2020 10:18:02	1	1	1	1	61.5	40	0	30000	481.7204301	14451.662	30000	0	0	30000	19.3125	2004
23.01.2020 10:18:03	1	1	1	1	61.5	39.25	0	30000	488.172043	14598.42905	30000	0	0	30000	19.625	2004
23.01.2020 10:18:04	1	1	1	1	61.5	39.5	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	20.1875	2004
23.01.2020 10:18:05	1	1	1	1	61.5	40	0	29952.607	494.6236559	14773.73413	30000	0	0	30000	19.5	2004
23.01.2020 10:18:06	1	1	1	1	61.5	39.5	0	30000	488.172043	14644.90528	30000	0	0	30000	19.75	2004
23.01.2020 10:18:07	1	1	1	1	61.5	39.75	0	30000	488.172043	14644.90528	30000	0	0	30000	19.4375	2004
23.01.2020 10:18:08	1	1	1	1	61.5	39.25	0	30000	488.172043	14644.90528	30000	0	0	30000	19.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:18:09	1	1	1	1	61.5	39.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	20.5	2004
23.01.2020 10:18:10	1	1	1	1	62.5	40.5	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	20.0625	2004
23.01.2020 10:18:11	1	1	1	1	62.5	40	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.875	2004
23.01.2020 10:18:12	1	1	1	1	62.5	39.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	20	2004
23.01.2020 10:18:13	1	1	1	1	62.5	40	0	30000	488.172043	14451.662	30000	0	0	30000	19.9375	2004
23.01.2020 10:18:14	1	1	1	1	62.5	39.75	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	19.8125	2004
23.01.2020 10:18:15	1	1	1	1	62.5	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.625	2004
23.01.2020 10:18:16	1	1	1	1	62.5	39.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	19.5	2004
23.01.2020 10:18:17	1	1	1	1	62.5	39.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	19.75	2004
23.01.2020 10:18:18	1	1	1	1	62.5	39.75	0	29952.607	494.6236559	14773.73413	30000	0	0	30000	19.5625	2004
23.01.2020 10:18:19	1	1	1	1	62.5	39.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	19.6875	2004
23.01.2020 10:18:20	1	1	1	1	62.75	39.5	0	29952.607	490.3225806	14838.14856	30000	0	0	30000	19.8125	2004
23.01.2020 10:18:21	1	1	1	1	62.75	39.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.8125	2004
23.01.2020 10:18:22	1	1	1	1	62.75	39.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	19.6875	2004
23.01.2020 10:18:23	1	1	1	1	62.75	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.8125	2004
23.01.2020 10:18:24	1	1	1	1	62.75	39.75	0	29952.607	481.7204301	14580.49085	30000	0	0	30000	21	2004
23.01.2020 10:18:25	1	1	1	1	62.75	41	0	30000	481.7204301	14474.49243	30000	0	0	30000	19.5625	2004
23.01.2020 10:18:26	1	1	1	1	62.75	39.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	19.5	2004
23.01.2020 10:18:27	1	1	1	1	62.75	39.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	19.75	2004
23.01.2020 10:18:28	1	1	1	1	62.75	39.75	0	30000	464.516129	13999.94564	30000	0	0	30000	19.75	2004
23.01.2020 10:18:29	1	1	1	1	64	39.75	0	29952.607	464.516129	13935.53122	30000	0	0	30000	19.5	2004
23.01.2020 10:18:31	1	1	1	1	64	39.5	0	29952.607	464.516129	13935.53122	30000	0	0	30000	19.9375	2004
23.01.2020 10:18:32	1	1	1	1	64	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.5625	2004
23.01.2020 10:18:33	1	1	1	1	64	39.5	0	30000	488.172043	14644.90528	30000	0	0	30000	19.25	2004
23.01.2020 10:18:34	1	1	1	1	64	39.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	19.4375	2004
23.01.2020 10:18:35	1	1	1	1	64	39.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	20.4375	2004
23.01.2020 10:18:36	1	1	1	1	64	40.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	20.25	2004
23.01.2020 10:18:37	1	1	1	1	64	40.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.1875	2004
23.01.2020 10:18:38	1	1	1	1	64	40	0	30000	483.8709677	14580.49085	30000	0	0	30000	19.875	2004
23.01.2020 10:18:39	1	1	1	1	64	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.5625	2004
23.01.2020 10:18:40	1	1	1	1	64.5	39.5	0	29905.213	468.8172043	14128.7745	30000	0	0	30000	20.5	2004
23.01.2020 10:18:41	1	1	1	1	64.5	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.4375	2004
23.01.2020 10:18:42	1	1	1	1	64.5	40.25	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	20	2004
23.01.2020 10:18:43	1	1	1	1	64.5	40	0	30000	464.516129	13935.53122	30000	0	0	30000	19.75	2004
23.01.2020 10:18:44	1	1	1	1	64.5	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.25	2004
23.01.2020 10:18:45	1	1	1	1	64.5	40.25	0	30000	464.516129	13935.53122	30000	0	0	30000	20	2004
23.01.2020 10:18:46	1	1	1	1	64.5	40	0	29905.213	451.6129032	13612.64371	30000	0	0	30000	20.375	2004
23.01.2020 10:18:47	1	1	1	1	64.5	40.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	19.6875	2004
23.01.2020 10:18:48	1	1	1	1	64.5	39.5	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	19.6875	2004
23.01.2020 10:18:49	1	1	1	1	64.5	39.5	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	19.9375	2004
23.01.2020 10:18:50	1	1	1	1	65	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.8125	2004
23.01.2020 10:18:51	1	1	1	1	65	39.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	19.75	2004
23.01.2020 10:18:52	1	1	1	1	65	39.75	0	30000	466.6666667	13784.6873	30000	0	0	30000	20.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:18:53	1	1	1	1	65	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.25	2004
23.01.2020 10:18:59	1	1	1	1	65	39.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	19.75	2004
23.01.2020 10:18:59	1	1	1	1	65	39.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	19.75	2004
23.01.2020 10:18:59	1	1	1	1	65	39.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	19.75	2004
23.01.2020 10:18:59	1	1	1	1	65	39.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	19.75	2004
23.01.2020 10:18:59	1	1	1	1	65	39.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	19.75	2004
23.01.2020 10:18:59	1	1	1	1	65	39.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	19.75	2004
23.01.2020 10:18:59	1	1	1	1	65	39.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	19.75	2004
23.01.2020 10:19:00	1	1	1	1	65.25	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.625	2004
23.01.2020 10:19:01	1	1	1	1	65.25	39.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	19.625	2004
23.01.2020 10:19:02	1	1	1	1	65.25	39.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	20.6875	2004
23.01.2020 10:19:03	1	1	1	1	65.25	40.5	0	30000	464.516129	13935.53122	30000	0	0	30000	20.25	2004
23.01.2020 10:19:04	1	1	1	1	65.25	40.25	0	30000	464.516129	13999.94564	30000	0	0	30000	20.125	2004
23.01.2020 10:19:05	1	1	1	1	65.25	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.5625	2004
23.01.2020 10:19:06	1	1	1	1	65.25	39.5	0	30000	464.516129	13999.94564	30000	0	0	30000	19.625	2004
23.01.2020 10:19:07	1	1	1	1	65.25	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
23.01.2020 10:19:09	1	1	1	1	65.25	39.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.75	2004
23.01.2020 10:19:10	1	1	1	1	65.75	39.75	0	30047.393	490.3225806	14516.07643	30000	0	0	30000	19.875	2004
23.01.2020 10:19:11	1	1	1	1	65.75	39.75	0	30000	481.7204301	14064.36007	30000	0	0	30000	20.4375	2004
23.01.2020 10:19:12	1	1	1	1	65.75	40.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.0625	2004
23.01.2020 10:19:13	1	1	1	1	65.75	40	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.0625	2004
23.01.2020 10:19:14	1	1	1	1	65.75	40	0	30000	464.516129	13935.53122	30000	0	0	30000	19.8125	2004
23.01.2020 10:19:15	1	1	1	1	65.75	39.75	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	19.875	2004
23.01.2020 10:19:16	1	1	1	1	65.75	39.75	0	30000	455.9139785	13935.53122	30000	0	0	30000	19.875	2004
23.01.2020 10:19:17	1	1	1	1	65.75	39.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	19.9375	2004
23.01.2020 10:19:18	1	1	1	1	65.75	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.1875	2004
23.01.2020 10:19:19	1	1	1	1	65.75	40	0	30000	481.7204301	14451.662	30000	0	0	30000	20.3125	2004
23.01.2020 10:19:20	1	1	1	1	66.25	40.25	0	30000	464.516129	13870.30142	30000	0	0	30000	20.375	2004
23.01.2020 10:19:21	1	1	1	1	66.25	40.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.75	2004
23.01.2020 10:19:22	1	1	1	1	66.25	39.75	0	29905.213	466.6666667	13999.94564	30000	0	0	30000	20.875	2004
23.01.2020 10:19:23	1	1	1	1	66.25	40.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.8125	2004
23.01.2020 10:19:24	1	1	1	1	66.25	39.75	0	30000	492.4731183	14709.31971	30000	0	0	30000	20.0625	2004
23.01.2020 10:19:25	1	1	1	1	66.25	40	0	30000	481.7204301	14451.662	30000	0	0	30000	20.6875	2004
23.01.2020 10:19:26	1	1	1	1	66.25	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.625	2004
23.01.2020 10:19:27	1	1	1	1	66.25	40.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.9375	2004
23.01.2020 10:19:28	1	1	1	1	66.25	39.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.625	2004
23.01.2020 10:19:29	1	1	1	1	66.25	40.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.9375	2004
23.01.2020 10:19:30	1	1	1	1	66.75	39.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.4375	2004
23.01.2020 10:19:31	1	1	1	1	66.75	40.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	19.625	2004
23.01.2020 10:19:32	1	1	1	1	66.75	39.5	0	30000	511.827957	15048.51466	30000	0	0	30000	19.75	2004
23.01.2020 10:19:33	1	1	1	1	66.75	39.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.5625	2004
23.01.2020 10:19:34	1	1	1	1	66.75	39.5	0	29952.607	501.0752688	15161.03607	30000	0	0	30000	20	2004
23.01.2020 10:19:35	1	1	1	1	66.75	40	0	30000	486.0215054	14516.07643	30000	0	0	30000	20.3125	2004
23.01.2020 10:19:36	1	1	1	1	66.75	40.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	19.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:19:37	1	1	1	1	66.75	39.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.25	2004
23.01.2020 10:19:38	1	1	1	1	66.75	40.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	19.9375	2004
23.01.2020 10:19:39	1	1	1	1	66.75	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20	2004
23.01.2020 10:19:40	1	1	1	1	67	40	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.3125	2004
23.01.2020 10:19:41	1	1	1	1	67	40.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	21.0625	2004
23.01.2020 10:19:42	1	1	1	1	67	41	0	30000	481.7204301	14451.662	30000	0	0	30000	20.875	2004
23.01.2020 10:19:43	1	1	1	1	67	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.3125	2004
23.01.2020 10:19:44	1	1	1	1	67	40.25	0	30000	492.4731183	14838.14856	30000	0	0	30000	20.25	2004
23.01.2020 10:19:45	1	1	1	1	67	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.0625	2004
23.01.2020 10:19:46	1	1	1	1	67	40	0	30000	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
23.01.2020 10:19:48	1	1	1	1	67	39.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	20.75	2004
23.01.2020 10:19:49	1	1	1	1	67	40.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	19.875	2004
23.01.2020 10:19:50	1	1	1	1	68	39.75	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	20.125	2004
23.01.2020 10:19:51	1	1	1	1	68	40	0	29952.607	481.7204301	14451.662	30000	0	0	30000	20.25	2004
23.01.2020 10:19:52	1	1	1	1	68	40.25	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	19.625	2004
23.01.2020 10:19:53	1	1	1	1	68	39.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	20.1875	2004
23.01.2020 10:19:54	1	1	1	1	68	40	0	30000	481.7204301	14106.75944	30000	0	0	30000	19.875	2004
23.01.2020 10:19:55	1	1	1	1	68	39.75	0	30047.393	483.8709677	14406.00114	30000	0	0	30000	19.8125	2004
23.01.2020 10:20:01	1	1	1	1	68.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.25	2004
23.01.2020 10:20:01	1	1	1	1	68.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.25	2004
23.01.2020 10:20:01	1	1	1	1	68.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.25	2004
23.01.2020 10:20:01	1	1	1	1	68.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.25	2004
23.01.2020 10:20:01	1	1	1	1	68.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.25	2004
23.01.2020 10:20:01	1	1	1	1	68.5	40.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	20.625	2004
23.01.2020 10:20:02	1	1	1	1	68.5	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.8125	2004
23.01.2020 10:20:03	1	1	1	1	68.5	39.75	0	30000	483.8709677	14451.662	30000	0	0	30000	19.8125	2004
23.01.2020 10:20:04	1	1	1	1	68.5	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.875	2004
23.01.2020 10:20:05	1	1	1	1	68.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20	2004
23.01.2020 10:20:06	1	1	1	1	68.5	40	0	30000	486.0215054	14516.07643	30000	0	0	30000	19.9375	2004
23.01.2020 10:20:07	1	1	1	1	68.5	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20	2004
23.01.2020 10:20:08	1	1	1	1	68.5	40	0	29952.607	488.172043	14644.90528	30000	0	0	30000	20.125	2004
23.01.2020 10:20:09	1	1	1	1	68.5	40	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.3125	2004
23.01.2020 10:20:10	1	1	1	1	69	40.25	0	29952.607	492.4731183	15032.20721	30000	0	0	30000	20.4375	2004
23.01.2020 10:20:11	1	1	1	1	69	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5625	2004
23.01.2020 10:20:12	1	1	1	1	69	40.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	19.9375	2004
23.01.2020 10:20:13	1	1	1	1	69	39.75	0	30047.393	492.4731183	14797.37994	30000	0	0	30000	20.25	2004
23.01.2020 10:20:14	1	1	1	1	69	40.25	0	29905.213	494.6236559	14838.14856	30000	0	0	30000	20.5	2004
23.01.2020 10:20:15	1	1	1	1	69	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.0625	2004
23.01.2020 10:20:16	1	1	1	1	69	40	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5625	2004
23.01.2020 10:20:17	1	1	1	1	69	40.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	21.875	2004
23.01.2020 10:20:18	1	1	1	1	69	41.75	0	30000	488.172043	14644.90528	30000	0	0	30000	20.8125	2004
23.01.2020 10:20:19	1	1	1	1	69	40.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	22.125	2004
23.01.2020 10:20:20	1	1	1	1	69.75	42	0	30000	481.7204301	14451.662	30000	0	0	30000	20.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:20:21	1	1	1	1	69.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.375	2004
23.01.2020 10:20:22	1	1	1	1	69.75	41.5	0	30000	494.6236559	14534.01462	30000	0	0	30000	21.5	2004
23.01.2020 10:20:23	1	1	1	1	69.75	41.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	20.375	2004
23.01.2020 10:20:24	1	1	1	1	69.75	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.75	2004
23.01.2020 10:20:26	1	1	1	1	69.75	40.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	20.8125	2004
23.01.2020 10:20:27	1	1	1	1	69.75	40.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	20.4375	2004
23.01.2020 10:20:28	1	1	1	1	69.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.9375	2004
23.01.2020 10:20:29	1	1	1	1	69.75	39.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	20.625	2004
23.01.2020 10:20:30	1	1	1	1	69.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.125	2004
23.01.2020 10:20:31	1	1	1	1	69.75	40	0	30000	481.7204301	14451.662	30000	0	0	30000	21.3125	2004
23.01.2020 10:20:32	1	1	1	1	69.75	41.25	0	30000	492.4731183	14949.85459	30000	0	0	30000	20.4375	2004
23.01.2020 10:20:33	1	1	1	1	69.75	40.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	21.0625	2004
23.01.2020 10:20:34	1	1	1	1	69.75	41	0	30000	503.2258065	15225.45049	30000	0	0	30000	20.1875	2004
23.01.2020 10:20:35	1	1	1	1	69.75	40	0	30000	486.0215054	14644.90528	30000	0	0	30000	20.125	2004
23.01.2020 10:20:36	1	1	1	1	69.75	40	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5	2004
23.01.2020 10:20:37	1	1	1	1	69.75	40.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	20.3125	2004
23.01.2020 10:20:38	1	1	1	1	69.75	40.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.125	2004
23.01.2020 10:20:39	1	1	1	1	69.75	40	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	20.5	2004
23.01.2020 10:20:40	1	1	1	1	70.75	40.5	0	30000	496.7741935	14879.73256	30000	0	0	30000	20.375	2004
23.01.2020 10:20:41	1	1	1	1	70.75	40.25	0	30000	488.172043	14644.90528	30000	0	0	30000	20.25	2004
23.01.2020 10:20:42	1	1	1	1	70.75	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.1875	2004
23.01.2020 10:20:43	1	1	1	1	70.75	40	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	20.25	2004
23.01.2020 10:20:44	1	1	1	1	70.75	40.25	0	29952.607	488.172043	14773.73413	30000	0	0	30000	20.1875	2004
23.01.2020 10:20:45	1	1	1	1	70.75	40	0	30000	496.7741935	14644.90528	30000	0	0	30000	20.5	2004
23.01.2020 10:20:46	1	1	1	1	70.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.375	2004
23.01.2020 10:20:47	1	1	1	1	70.75	40.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	20.0625	2004
23.01.2020 10:20:48	1	1	1	1	70.75	40	0	30000	498.9247312	14902.56299	30000	0	0	30000	20.4375	2004
23.01.2020 10:20:49	1	1	1	1	70.75	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.375	2004
23.01.2020 10:20:50	1	1	1	1	70.75	40.25	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	20.25	2004
23.01.2020 10:20:51	1	1	1	1	70.75	40.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	20.6875	2004
23.01.2020 10:20:52	1	1	1	1	70.75	40.5	0	29905.213	481.7204301	14691.38151	30000	0	0	30000	20.4375	2004
23.01.2020 10:20:53	1	1	1	1	70.75	40.25	0	30000	481.7204301	14193.18892	30000	0	0	30000	20.1875	2004
23.01.2020 10:20:54	1	1	1	1	70.75	40	0	29952.607	481.7204301	14451.662	30000	0	0	30000	20.5	2004
23.01.2020 10:20:55	1	1	1	1	70.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.4375	2004
23.01.2020 10:20:56	1	1	1	1	70.75	40.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.5625	2004
23.01.2020 10:21:02	1	1	1	1	72	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.625	2004
23.01.2020 10:21:02	1	1	1	1	72	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.625	2004
23.01.2020 10:21:02	1	1	1	1	72	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.625	2004
23.01.2020 10:21:02	1	1	1	1	72	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.625	2004
23.01.2020 10:21:02	1	1	1	1	72	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.625	2004
23.01.2020 10:21:02	1	1	1	1	72	40.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	20.4375	2004
23.01.2020 10:21:03	1	1	1	1	72	40.25	0	30000	464.516129	13805.88699	30000	0	0	30000	20.1875	2004
23.01.2020 10:21:05	1	1	1	1	72	40	0	30000	460.2150538	13935.53122	30000	0	0	30000	20.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:21:06	1	1	1	1	72	40.5	0	30000	488.172043	14644.90528	30000	0	0	30000	20.4375	2004
23.01.2020 10:21:07	1	1	1	1	72	40.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	20.5625	2004
23.01.2020 10:21:08	1	1	1	1	72	40.5	0	30000	481.7204301	14538.90686	30000	0	0	30000	20.4375	2004
23.01.2020 10:21:09	1	1	1	1	72	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.3125	2004
23.01.2020 10:21:10	1	1	1	1	72	40.25	0	30000	460.2150538	13870.30142	30000	0	0	30000	20.875	2004
23.01.2020 10:21:11	1	1	1	1	72	40.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.75	2004
23.01.2020 10:21:12	1	1	1	1	72	40.75	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	21.1875	2004
23.01.2020 10:21:13	1	1	1	1	72	41	0	30047.393	496.7741935	14926.20879	30000	0	0	30000	20.8125	2004
23.01.2020 10:21:14	1	1	1	1	72	40.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	21.125	2004
23.01.2020 10:21:15	1	1	1	1	72	41	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.5625	2004
23.01.2020 10:21:16	1	1	1	1	72	40.5	0	30000	505.3763441	15032.20721	30000	0	0	30000	20.6875	2004
23.01.2020 10:21:17	1	1	1	1	72	40.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	20.625	2004
23.01.2020 10:21:18	1	1	1	1	72	40.5	0	30047.393	483.8709677	14451.662	30000	0	0	30000	20.4375	2004
23.01.2020 10:21:19	1	1	1	1	72	40.25	0	30000	488.172043	14644.90528	30000	0	0	30000	20.6875	2004
23.01.2020 10:21:20	1	1	1	1	72.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5625	2004
23.01.2020 10:21:21	1	1	1	1	72.75	40.5	0	30000	488.172043	14644.90528	30000	0	0	30000	20.5	2004
23.01.2020 10:21:22	1	1	1	1	72.75	40.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	20.375	2004
23.01.2020 10:21:23	1	1	1	1	72.75	40.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	20.5	2004
23.01.2020 10:21:24	1	1	1	1	72.75	40.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	21.0625	2004
23.01.2020 10:21:25	1	1	1	1	72.75	41	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.625	2004
23.01.2020 10:21:26	1	1	1	1	72.75	40.5	0	29905.213	501.0752688	14727.2579	30000	0	0	30000	20.75	2004
23.01.2020 10:21:27	1	1	1	1	72.75	40.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.5	2004
23.01.2020 10:21:28	1	1	1	1	72.75	40.5	0	30000	490.3225806	14469.6002	30000	0	0	30000	20.6875	2004
23.01.2020 10:21:29	1	1	1	1	72.75	40.5	0	30000	501.0752688	14727.2579	30000	0	0	30000	20.625	2004
23.01.2020 10:21:30	1	1	1	1	72.75	40.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	20.5	2004
23.01.2020 10:21:31	1	1	1	1	72.75	40.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.4375	2004
23.01.2020 10:21:32	1	1	1	1	72.75	40.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	21	2004
23.01.2020 10:21:33	1	1	1	1	72.75	41	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.625	2004
23.01.2020 10:21:34	1	1	1	1	72.75	40.5	0	30000	501.0752688	15161.03607	30000	0	0	30000	21	2004
23.01.2020 10:21:35	1	1	1	1	72.75	41	0	30047.393	488.172043	14451.662	30000	0	0	30000	20.5625	2004
23.01.2020 10:21:36	1	1	1	1	72.75	40.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	21.8125	2004
23.01.2020 10:21:37	1	1	1	1	72.75	41.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5625	2004
23.01.2020 10:21:38	1	1	1	1	72.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.75	2004
23.01.2020 10:21:39	1	1	1	1	73.75	41.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	21.3125	2004
23.01.2020 10:21:40	1	1	1	1	73.75	41.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	20.3125	2004
23.01.2020 10:21:42	1	1	1	1	73.75	40.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	20.375	2004
23.01.2020 10:21:43	1	1	1	1	73.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.375	2004
23.01.2020 10:21:44	1	1	1	1	73.75	40.25	0	30000	490.3225806	14493.246	30000	0	0	30000	20.375	2004
23.01.2020 10:21:45	1	1	1	1	73.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.4375	2004
23.01.2020 10:21:46	1	1	1	1	73.75	40.25	0	30000	496.7741935	14879.73256	30000	0	0	30000	20.4375	2004
23.01.2020 10:21:47	1	1	1	1	73.75	40.25	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	20.6875	2004
23.01.2020 10:21:48	1	1	1	1	73.75	40.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	20.5	2004
23.01.2020 10:21:49	1	1	1	1	73.75	40.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	20.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:21:50	1	1	1	1	73.5	40.75	0	30047.393	516.1290323	15225.45049	30000	0	0	30000	20.375	2004
23.01.2020 10:21:51	1	1	1	1	73.5	40.25	0	29952.607	496.7741935	15249.91167	30000	0	0	30000	20.625	2004
23.01.2020 10:21:52	1	1	1	1	73.5	40.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.6875	2004
23.01.2020 10:21:53	1	1	1	1	73.5	40.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	20.4375	2004
23.01.2020 10:21:54	1	1	1	1	73.5	40.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.5	2004
23.01.2020 10:21:55	1	1	1	1	73.5	40.5	0	30000	503.2258065	14879.73256	30000	0	0	30000	20.625	2004
23.01.2020 10:21:56	1	1	1	1	73.5	40.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	21	2004
23.01.2020 10:21:57	1	1	1	1	73.5	41	0	30000	503.2258065	15096.62164	30000	0	0	30000	20.6875	2004
23.01.2020 10:21:58	1	1	1	1	73.5	40.5	0	30000	492.4731183	14750.9037	30000	0	0	30000	20.4375	2004
23.01.2020 10:22:04	1	1	1	1	74	40.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	20.4375	2004
23.01.2020 10:22:04	1	1	1	1	74	40.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	20.4375	2004
23.01.2020 10:22:04	1	1	1	1	74	40.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	20.4375	2004
23.01.2020 10:22:04	1	1	1	1	74	40.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	20.4375	2004
23.01.2020 10:22:04	1	1	1	1	74	40.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	20.4375	2004
23.01.2020 10:22:04	1	1	1	1	74	40.25	0	29905.213	529.0322581	15820.67241	30000	0	0	30000	21.1875	2004
23.01.2020 10:22:05	1	1	1	1	74	41	0	29715.64	537.6344086	16026.96165	30000	0	0	30000	20.75	2004
23.01.2020 10:22:06	1	1	1	1	74	40.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	20.5625	2004
23.01.2020 10:22:07	1	1	1	1	74	40.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	21	2004
23.01.2020 10:22:08	1	1	1	1	74	41	0	29952.607	529.0322581	15885.08684	30000	0	0	30000	20.375	2004
23.01.2020 10:22:09	1	1	1	1	74	40.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	20.875	2004
23.01.2020 10:22:10	1	1	1	1	74.75	40.75	0	29905.213	535.483871	15949.50126	30000	0	0	30000	20.9375	2004
23.01.2020 10:22:11	1	1	1	1	74.75	40.75	0	29905.213	516.1290323	15498.60028	30000	0	0	30000	21.6875	2004
23.01.2020 10:22:12	1	1	1	1	74.75	41.5	0	29905.213	524.7311828	15741.58128	30000	0	0	30000	20.5	2004
23.01.2020 10:22:13	1	1	1	1	74.75	40.5	0	29952.607	509.6774194	15435.00122	30000	0	0	30000	20.9375	2004
23.01.2020 10:22:14	1	1	1	1	74.75	40.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.8125	2004
23.01.2020 10:22:15	1	1	1	1	74.75	40.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	21.5625	2004
23.01.2020 10:22:16	1	1	1	1	74.75	41.5	0	30047.393	501.0752688	15032.20721	30000	0	0	30000	20.375	2004
23.01.2020 10:22:17	1	1	1	1	74.75	40.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	22.5	2004
23.01.2020 10:22:18	1	1	1	1	74.75	42.5	0	29905.213	490.3225806	14727.2579	30000	0	0	30000	22.25	2004
23.01.2020 10:22:19	1	1	1	1	74.75	40.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	20.75	2004
23.01.2020 10:22:20	1	1	1	1	74.75	40.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.6875	2004
23.01.2020 10:22:22	1	1	1	1	74.75	40.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.625	2004
23.01.2020 10:22:23	1	1	1	1	74.75	40.5	0	29905.213	481.7204301	14622.07485	30000	0	0	30000	20.875	2004
23.01.2020 10:22:24	1	1	1	1	74.75	40.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.75	2004
23.01.2020 10:22:25	1	1	1	1	74.75	40.75	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	21.4375	2004
23.01.2020 10:22:26	1	1	1	1	74.75	41.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	20.875	2004
23.01.2020 10:22:27	1	1	1	1	74.75	40.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	20.6875	2004
23.01.2020 10:22:28	1	1	1	1	74.75	40.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.75	2004
23.01.2020 10:22:29	1	1	1	1	74.75	40.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	21.125	2004
23.01.2020 10:22:30	1	1	1	1	75	41	0	30000	505.3763441	15161.03607	30000	0	0	30000	20.75	2004
23.01.2020 10:22:31	1	1	1	1	75	40.75	0	30000	496.7741935	14879.73256	30000	0	0	30000	20.9375	2004
23.01.2020 10:22:32	1	1	1	1	75	40.75	0	30000	488.172043	14644.90528	30000	0	0	30000	21.125	2004
23.01.2020 10:22:33	1	1	1	1	75	41	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:22:34	1	1	1	1	75	40.75	0	30000	518.2795699	15548.338	30000	0	0	30000	20.75	2004
23.01.2020 10:22:36	1	1	1	1	75	40.75	0	29905.213	488.172043	14709.31971	30000	0	0	30000	20.875	2004
23.01.2020 10:22:36	1	1	1	1	75	40.75	0	29905.213	488.172043	14709.31971	30000	0	0	30000	20.875	2004
23.01.2020 10:22:37	1	1	1	1	75	40.75	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	20.8125	2004
23.01.2020 10:22:38	1	1	1	1	75	40.75	0	29952.607	511.827957	15289.86492	30000	0	0	30000	20.9375	2004
23.01.2020 10:22:39	1	1	1	1	75	40.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	21	2004
23.01.2020 10:22:40	1	1	1	1	75.5	41	0	30000	507.5268817	15225.45049	30000	0	0	30000	21.875	2004
23.01.2020 10:22:41	1	1	1	1	75.5	41.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	21	2004
23.01.2020 10:22:42	1	1	1	1	75.5	41	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.6875	2004
23.01.2020 10:22:43	1	1	1	1	75.5	41.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.625	2004
23.01.2020 10:22:44	1	1	1	1	75.5	40.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	20.625	2004
23.01.2020 10:22:45	1	1	1	1	75.5	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	21	2004
23.01.2020 10:22:46	1	1	1	1	75.5	41	0	30000	488.172043	14598.42905	30000	0	0	30000	21.4375	2004
23.01.2020 10:22:47	1	1	1	1	75.5	41.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	20.9375	2004
23.01.2020 10:22:48	1	1	1	1	75.5	40.75	0	30000	488.172043	14644.90528	30000	0	0	30000	21.0625	2004
23.01.2020 10:22:49	1	1	1	1	75.5	41	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.6875	2004
23.01.2020 10:22:50	1	1	1	1	75.75	40.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.9375	2004
23.01.2020 10:22:51	1	1	1	1	75.75	40.75	0	30000	490.3225806	14902.56299	30000	0	0	30000	20.9375	2004
23.01.2020 10:22:52	1	1	1	1	75.75	40.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.4375	2004
23.01.2020 10:22:53	1	1	1	1	75.75	41.25	0	29952.607	492.4731183	14902.56299	30000	0	0	30000	20.9375	2004
23.01.2020 10:22:54	1	1	1	1	75.75	40.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	20.75	2004
23.01.2020 10:22:55	1	1	1	1	75.75	40.75	0	29905.213	492.4731183	14902.56299	30000	0	0	30000	21.75	2004
23.01.2020 10:22:56	1	1	1	1	75.75	41.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	21.0625	2004
23.01.2020 10:22:57	1	1	1	1	75.75	41	0	30000	496.7741935	14902.56299	30000	0	0	30000	21.25	2004
23.01.2020 10:22:58	1	1	1	1	75.75	41.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	21.375	2004
23.01.2020 10:23:00	1	1	1	1	76.5	41.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	20.9375	2004
23.01.2020 10:23:05	1	1	1	1	76.5	41	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.1875	2004
23.01.2020 10:23:05	1	1	1	1	76.5	41	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.1875	2004
23.01.2020 10:23:05	1	1	1	1	76.5	41	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.1875	2004
23.01.2020 10:23:05	1	1	1	1	76.5	41	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.1875	2004
23.01.2020 10:23:05	1	1	1	1	76.5	41	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.1875	2004
23.01.2020 10:23:06	1	1	1	1	76.5	41	0	29905.213	520.4301075	15781.53453	30000	0	0	30000	20.9375	2004
23.01.2020 10:23:07	1	1	1	1	76.5	40.75	0	29952.607	539.7849462	15949.50126	30000	0	0	30000	21.25	2004
23.01.2020 10:23:08	1	1	1	1	76.5	41.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	21.125	2004
23.01.2020 10:23:09	1	1	1	1	76.5	41	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	20.9375	2004
23.01.2020 10:23:10	1	1	1	1	77	40.75	0	30000	526.8817204	15870.41013	30000	0	0	30000	21.5625	2004
23.01.2020 10:23:11	1	1	1	1	77	41.5	0	29905.213	522.5806452	15677.16685	30000	0	0	30000	21.3125	2004
23.01.2020 10:23:12	1	1	1	1	77	41.25	0	30000	526.8817204	15870.41013	30000	0	0	30000	21	2004
23.01.2020 10:23:13	1	1	1	1	77	41	0	30000	524.7311828	15677.16685	30000	0	0	30000	21.5	2004
23.01.2020 10:23:14	1	1	1	1	77	41.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.0625	2004
23.01.2020 10:23:15	1	1	1	1	77	41	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	21.25	2004
23.01.2020 10:23:16	1	1	1	1	77	41.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	20.9375	2004
23.01.2020 10:23:17	1	1	1	1	77	40.75	0	30000	511.827957	15354.27935	30000	0	0	30000	21.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:23:18	1	1	1	1	77	41.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	21.3125	2004
23.01.2020 10:23:19	1	1	1	1	77	41.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	22.1875	2004
23.01.2020 10:23:20	1	1	1	1	77.25	42	0	29952.607	529.0322581	15910.36338	30000	0	0	30000	21.125	2004
23.01.2020 10:23:21	1	1	1	1	77.25	41	0	30000	533.3333333	16064.46878	30000	0	0	30000	21.0625	2004
23.01.2020 10:23:22	1	1	1	1	77.25	41	0	30000	533.3333333	16000.05436	30000	0	0	30000	20.75	2004
23.01.2020 10:23:23	1	1	1	1	77.25	40.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	20.9375	2004
23.01.2020 10:23:24	1	1	1	1	77.25	40.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.0625	2004
23.01.2020 10:23:25	1	1	1	1	77.25	41	0	29952.607	533.3333333	15756.25798	30000	0	0	30000	21.125	2004
23.01.2020 10:23:26	1	1	1	1	77.25	41	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.375	2004
23.01.2020 10:23:27	1	1	1	1	77.25	41.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	21.375	2004
23.01.2020 10:23:28	1	1	1	1	77.25	41.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.125	2004
23.01.2020 10:23:29	1	1	1	1	77.25	41	0	30000	529.0322581	15870.41013	30000	0	0	30000	20.8125	2004
23.01.2020 10:23:30	1	1	1	1	77.75	40.75	0	30047.393	531.1827957	15870.41013	30000	0	0	30000	21.25	2004
23.01.2020 10:23:31	1	1	1	1	77.75	41.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	22.0625	2004
23.01.2020 10:23:32	1	1	1	1	77.75	42	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.4375	2004
23.01.2020 10:23:33	1	1	1	1	77.75	41.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.5625	2004
23.01.2020 10:23:34	1	1	1	1	77.75	41.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.8125	2004
23.01.2020 10:23:35	1	1	1	1	77.75	41.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	21.75	2004
23.01.2020 10:23:36	1	1	1	1	77.75	41.25	0	30047.393	526.8817204	15831.27225	30000	0	0	30000	20.8125	2004
23.01.2020 10:23:37	1	1	1	1	77.75	40.75	0	30000	529.0322581	15677.16685	30000	0	0	30000	22	2004
23.01.2020 10:23:39	1	1	1	1	77.75	42	0	29857.82	526.8817204	16013.10032	30000	0	0	30000	21.5	2004
23.01.2020 10:23:40	1	1	1	1	78.5	41.5	0	30000	511.827957	15483.92357	30000	0	0	30000	21.5625	2004
23.01.2020 10:23:41	1	1	1	1	78.5	41.5	0	29952.607	537.6344086	16013.10032	30000	0	0	30000	21.3125	2004
23.01.2020 10:23:42	1	1	1	1	78.5	41.25	0	29952.607	541.9354839	15949.50126	30000	0	0	30000	21.3125	2004
23.01.2020 10:23:43	1	1	1	1	78.5	41.25	0	29952.607	529.0322581	15870.41013	30000	0	0	30000	21.875	2004
23.01.2020 10:23:44	1	1	1	1	78.5	41.75	0	29952.607	524.7311828	15498.60028	30000	0	0	30000	21.125	2004
23.01.2020 10:23:45	1	1	1	1	78.5	41	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.25	2004
23.01.2020 10:23:46	1	1	1	1	78.5	41.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.25	2004
23.01.2020 10:23:47	1	1	1	1	78.5	41.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.625	2004
23.01.2020 10:23:48	1	1	1	1	78.5	41.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	21.4375	2004
23.01.2020 10:23:49	1	1	1	1	78.5	41.25	0	30000	526.8817204	15781.53453	30000	0	0	30000	21.5	2004
23.01.2020 10:23:50	1	1	1	1	78.5	41.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	21.1875	2004
23.01.2020 10:23:51	1	1	1	1	78.5	41	0	30000	516.1290323	15548.338	30000	0	0	30000	22.3125	2004
23.01.2020 10:23:52	1	1	1	1	78.5	42.25	0	30000	533.3333333	15805.99571	30000	0	0	30000	21.3125	2004
23.01.2020 10:23:53	1	1	1	1	78.5	41.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.6875	2004
23.01.2020 10:23:54	1	1	1	1	78.5	41.5	0	30000	518.2795699	15548.338	30000	0	0	30000	21.8125	2004
23.01.2020 10:23:55	1	1	1	1	78.5	41.75	0	29952.607	535.483871	16064.46878	30000	0	0	30000	21.6875	2004
23.01.2020 10:23:56	1	1	1	1	78.5	41.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	21.3125	2004
23.01.2020 10:23:57	1	1	1	1	78.5	41.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.3125	2004
23.01.2020 10:23:58	1	1	1	1	78.5	41.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	21.8125	2004
23.01.2020 10:23:59	1	1	1	1	78.5	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	21.5	2004
23.01.2020 10:24:00	1	1	1	1	78.75	41.5	0	30000	533.3333333	15974.77781	30000	0	0	30000	21.125	2004
23.01.2020 10:24:01	1	1	1	1	78.75	41	0	30000	516.1290323	15548.338	30000	0	0	30000	21.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:24:07	1	1	1	1	78.75	41.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	22.25	2004
23.01.2020 10:24:07	1	1	1	1	78.75	41.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	22.25	2004
23.01.2020 10:24:07	1	1	1	1	78.75	41.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	22.25	2004
23.01.2020 10:24:07	1	1	1	1	78.75	41.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	22.25	2004
23.01.2020 10:24:07	1	1	1	1	78.75	41.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	22.25	2004
23.01.2020 10:24:07	1	1	1	1	78.75	42.25	0	30000	529.0322581	16000.05436	30000	0	0	30000	21.9375	2004
23.01.2020 10:24:08	1	1	1	1	78.75	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	21.6875	2004
23.01.2020 10:24:09	1	1	1	1	78.75	41.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.625	2004
23.01.2020 10:24:10	1	1	1	1	79	41.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	22	2004
23.01.2020 10:24:11	1	1	1	1	79	42	0	30000	526.8817204	15870.41013	30000	0	0	30000	22.25	2004
23.01.2020 10:24:12	1	1	1	1	79	42.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.625	2004
23.01.2020 10:24:13	1	1	1	1	79	42.5	0	30000	529.0322581	16000.05436	30000	0	0	30000	21.3125	2004
23.01.2020 10:24:14	1	1	1	1	79	41.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	23.3125	2004
23.01.2020 10:24:15	1	1	1	1	79	43.5	0	29905.213	537.6344086	15885.08684	30000	0	0	30000	22.125	2004
23.01.2020 10:24:17	1	1	1	1	79	42	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	21.5	2004
23.01.2020 10:24:18	1	1	1	1	79	41.5	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	21.3125	2004
23.01.2020 10:24:19	1	1	1	1	79	41.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	21.5625	2004
23.01.2020 10:24:20	1	1	1	1	79.75	41.5	0	29620.853	533.3333333	15911.99413	30000	0	0	30000	21.5	2004
23.01.2020 10:24:21	1	1	1	1	79.75	41.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	21.4375	2004
23.01.2020 10:24:22	1	1	1	1	79.75	41.25	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	21.5625	2004
23.01.2020 10:24:23	1	1	1	1	79.75	41.5	0	30000	535.483871	16000.05436	30000	0	0	30000	21.375	2004
23.01.2020 10:24:24	1	1	1	1	79.75	41.25	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	21.6875	2004
23.01.2020 10:24:25	1	1	1	1	79.75	41.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.5625	2004
23.01.2020 10:24:26	1	1	1	1	79.75	41.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.0625	2004
23.01.2020 10:24:27	1	1	1	1	79.75	42	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.375	2004
23.01.2020 10:24:28	1	1	1	1	79.75	41.25	0	30000	531.1827957	15885.08684	30000	0	0	30000	21.75	2004
23.01.2020 10:24:29	1	1	1	1	79.75	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	21.6875	2004
23.01.2020 10:24:30	1	1	1	1	79.25	41.5	0	29810.427	535.483871	16052.2382	30000	0	0	30000	21.8125	2004
23.01.2020 10:24:31	1	1	1	1	79.25	41.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	21.625	2004
23.01.2020 10:24:32	1	1	1	1	79.25	41.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	21.3125	2004
23.01.2020 10:24:33	1	1	1	1	79.25	41.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	21.5	2004
23.01.2020 10:24:34	1	1	1	1	79.25	41.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	21.375	2004
23.01.2020 10:24:35	1	1	1	1	79.25	41.25	0	29810.427	533.3333333	16141.92917	30000	0	0	30000	21.8125	2004
23.01.2020 10:24:36	1	1	1	1	79.25	41.75	0	29715.64	533.3333333	16026.96165	30000	0	0	30000	21.5625	2004
23.01.2020 10:24:37	1	1	1	1	79.25	41.5	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	21.5	2004
23.01.2020 10:24:38	1	1	1	1	79.25	41.5	0	30000	526.8817204	15627.42913	30000	0	0	30000	21.5	2004
23.01.2020 10:24:39	1	1	1	1	79.25	41.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.4375	2004
23.01.2020 10:24:40	1	1	1	1	79	41.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.4375	2004
23.01.2020 10:24:41	1	1	1	1	79	41.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	21.8125	2004
23.01.2020 10:24:42	1	1	1	1	79	41.75	0	29810.427	533.3333333	15706.52026	30000	0	0	30000	21.5625	2004
23.01.2020 10:24:43	1	1	1	1	79	41.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	21.9375	2004
23.01.2020 10:24:44	1	1	1	1	79	41.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	21.4375	2004
23.01.2020 10:24:45	1	1	1	1	79	41.25	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	21.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:24:46	1	1	1	1	79	41.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.0625	2004
23.01.2020 10:24:47	1	1	1	1	79	42	0	30000	535.483871	16064.46878	30000	0	0	30000	21.3125	2004
23.01.2020 10:24:48	1	1	1	1	79	41.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	21.5	2004
23.01.2020 10:24:49	1	1	1	1	79	41.5	0	30000	520.4301075	15548.338	30000	0	0	30000	21.3125	2004
23.01.2020 10:24:50	1	1	1	1	79.5	41.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.875	2004
23.01.2020 10:24:51	1	1	1	1	79.5	41.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	23.9375	2004
23.01.2020 10:24:52	1	1	1	1	79.5	43.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	21.75	2004
23.01.2020 10:24:53	1	1	1	1	79.5	41.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.875	2004
23.01.2020 10:24:54	1	1	1	1	79.5	41.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.25	2004
23.01.2020 10:24:56	1	1	1	1	79.5	42.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.125	2004
23.01.2020 10:24:57	1	1	1	1	79.5	42	0	29952.607	503.2258065	15289.86492	30000	0	0	30000	21.5	2004
23.01.2020 10:24:58	1	1	1	1	79.5	41.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	21.5625	2004
23.01.2020 10:24:59	1	1	1	1	79.5	41.5	0	30000	518.2795699	15548.338	30000	0	0	30000	21.4375	2004
23.01.2020 10:25:00	1	1	1	1	80.5	41.25	0	30000	522.5806452	15435.00122	30000	0	0	30000	21.625	2004
23.01.2020 10:25:01	1	1	1	1	80.5	41.5	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	22.0625	2004
23.01.2020 10:25:02	1	1	1	1	80.5	42	0	30000	529.0322581	15781.53453	30000	0	0	30000	21.6875	2004
23.01.2020 10:25:03	1	1	1	1	80.5	41.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	21.9375	2004
23.01.2020 10:25:09	1	1	1	1	80.5	41.25	0	29952.607	518.2795699	15523.87682	30000	0	0	30000	21.5	2004
23.01.2020 10:25:09	1	1	1	1	80.5	41.25	0	29952.607	518.2795699	15523.87682	30000	0	0	30000	21.5	2004
23.01.2020 10:25:09	1	1	1	1	80.5	41.25	0	29952.607	518.2795699	15523.87682	30000	0	0	30000	21.5	2004
23.01.2020 10:25:09	1	1	1	1	80.5	41.25	0	29952.607	518.2795699	15523.87682	30000	0	0	30000	21.5	2004
23.01.2020 10:25:09	1	1	1	1	80.5	41.25	0	29952.607	518.2795699	15523.87682	30000	0	0	30000	21.5	2004
23.01.2020 10:25:09	1	1	1	1	80.5	41.5	0	30000	531.1827957	16000.05436	30000	0	0	30000	21.4375	2004
23.01.2020 10:25:10	1	1	1	1	80.25	41.25	0	30000	522.5806452	15934.82456	30000	0	0	30000	21.75	2004
23.01.2020 10:25:11	1	1	1	1	80.25	41.75	0	29905.213	533.3333333	15756.25798	30000	0	0	30000	22.5	2004
23.01.2020 10:25:12	1	1	1	1	80.25	42.5	0	30000	522.5806452	16025.33091	30000	0	0	30000	21.625	2004
23.01.2020 10:25:13	1	1	1	1	80.25	41.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	21.5	2004
23.01.2020 10:25:14	1	1	1	1	80.25	41.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	22.3125	2004
23.01.2020 10:25:15	1	1	1	1	80.25	42.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.25	2004
23.01.2020 10:25:16	1	1	1	1	80.25	42.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.0625	2004
23.01.2020 10:25:17	1	1	1	1	80.25	42	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.125	2004
23.01.2020 10:25:18	1	1	1	1	80.25	42	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	21.6875	2004
23.01.2020 10:25:19	1	1	1	1	80.25	41.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	21.8125	2004
23.01.2020 10:25:20	1	1	1	1	80.5	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	21.875	2004
23.01.2020 10:25:21	1	1	1	1	80.5	41.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	21.9375	2004
23.01.2020 10:25:22	1	1	1	1	80.5	41.75	0	29905.213	537.6344086	16103.60666	30000	0	0	30000	21.75	2004
23.01.2020 10:25:23	1	1	1	1	80.5	41.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.625	2004
23.01.2020 10:25:24	1	1	1	1	80.5	42.5	0	29715.64	535.483871	16026.96165	30000	0	0	30000	21.5625	2004
23.01.2020 10:25:25	1	1	1	1	80.5	41.5	0	30000	511.827957	15548.338	30000	0	0	30000	22.3125	2004
23.01.2020 10:25:26	1	1	1	1	80.5	42.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	21.5625	2004
23.01.2020 10:25:27	1	1	1	1	80.5	41.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.9375	2004
23.01.2020 10:25:28	1	1	1	1	80.5	42.75	0	30000	531.1827957	16000.05436	30000	0	0	30000	21.6875	2004
23.01.2020 10:25:29	1	1	1	1	80.5	41.5	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	22.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:25:30	1	1	1	1	80.25	42.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	21.625	2004
23.01.2020 10:25:31	1	1	1	1	80.25	41.5	0	30000	529.0322581	16000.05436	30000	0	0	30000	22.9375	2004
23.01.2020 10:25:32	1	1	1	1	80.25	42.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.75	2004
23.01.2020 10:25:34	1	1	1	1	80.25	42.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.3125	2004
23.01.2020 10:25:35	1	1	1	1	80.25	42.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.625	2004
23.01.2020 10:25:36	1	1	1	1	80.25	42.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	22.4375	2004
23.01.2020 10:25:37	1	1	1	1	80.25	42.25	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	22.375	2004
23.01.2020 10:25:38	1	1	1	1	80.25	42.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	22.6875	2004
23.01.2020 10:25:39	1	1	1	1	80.25	42.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	22.1875	2004
23.01.2020 10:25:40	1	1	1	1	80.5	42	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	21.625	2004
23.01.2020 10:25:41	1	1	1	1	80.5	41.5	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	22.5625	2004
23.01.2020 10:25:42	1	1	1	1	80.5	42.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22	2004
23.01.2020 10:25:43	1	1	1	1	80.5	42	0	29857.82	535.483871	16077.51474	30000	0	0	30000	21.5625	2004
23.01.2020 10:25:44	1	1	1	1	80.5	41.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	22.3125	2004
23.01.2020 10:25:45	1	1	1	1	80.5	42.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	22.375	2004
23.01.2020 10:25:46	1	1	1	1	80.5	42.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.3125	2004
23.01.2020 10:25:47	1	1	1	1	80.5	42.25	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	21.875	2004
23.01.2020 10:25:48	1	1	1	1	80.5	41.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.25	2004
23.01.2020 10:25:49	1	1	1	1	80.5	42.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	21.5625	2004
23.01.2020 10:25:50	1	1	1	1	80.5	41.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.0625	2004
23.01.2020 10:25:51	1	1	1	1	80.5	42	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	21.75	2004
23.01.2020 10:25:52	1	1	1	1	80.5	41.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	22	2004
23.01.2020 10:25:53	1	1	1	1	80.5	42	0	29857.82	533.3333333	15898.94817	30000	0	0	30000	22.9375	2004
23.01.2020 10:25:54	1	1	1	1	80.5	42.75	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	21.9375	2004
23.01.2020 10:25:55	1	1	1	1	80.5	41.75	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	21.9375	2004
23.01.2020 10:25:56	1	1	1	1	80.5	41.75	0	30047.393	529.0322581	15831.27225	30000	0	0	30000	22.3125	2004
23.01.2020 10:25:57	1	1	1	1	80.5	42.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	21.5625	2004
23.01.2020 10:25:58	1	1	1	1	80.5	41.5	0	29905.213	535.483871	16077.51474	30000	0	0	30000	21.9375	2004
23.01.2020 10:25:59	1	1	1	1	80.5	41.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	22.0625	2004
23.01.2020 10:26:00	1	1	1	1	80	42	0	29810.427	535.483871	15962.54722	30000	0	0	30000	21.8125	2004
23.01.2020 10:26:01	1	1	1	1	80	41.75	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	21.4375	2004
23.01.2020 10:26:02	1	1	1	1	80	41.25	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	22.3125	2004
23.01.2020 10:26:03	1	1	1	1	80	42.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	21.9375	2004
23.01.2020 10:26:04	1	1	1	1	80	41.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	22.5625	2004
23.01.2020 10:26:10	1	1	1	1	80	42.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	23.375	2004
23.01.2020 10:26:10	1	1	1	1	80	42.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	23.375	2004
23.01.2020 10:26:10	1	1	1	1	80	42.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	23.375	2004
23.01.2020 10:26:10	1	1	1	1	80	42.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	23.375	2004
23.01.2020 10:26:10	1	1	1	1	80.75	43.25	0	29526.066	537.6344086	16052.2382	30000	0	0	30000	22.3125	2004
23.01.2020 10:26:12	1	1	1	1	80.75	42.25	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	23.25	2004
23.01.2020 10:26:13	1	1	1	1	80.75	42.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	22.125	2004
23.01.2020 10:26:14	1	1	1	1	80.75	42	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	22.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:26:15	1	1	1	1	80.75	42	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	22.375	2004
23.01.2020 10:26:16	1	1	1	1	80.75	42.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	22.625	2004
23.01.2020 10:26:17	1	1	1	1	80.75	42.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	22.5	2004
23.01.2020 10:26:18	1	1	1	1	80.75	42.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	22.3125	2004
23.01.2020 10:26:19	1	1	1	1	80.75	42.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	22.375	2004
23.01.2020 10:26:20	1	1	1	1	81.5	42.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	22	2004
23.01.2020 10:26:21	1	1	1	1	81.5	42	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	22.125	2004
23.01.2020 10:26:22	1	1	1	1	81.5	42	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.25	2004
23.01.2020 10:26:23	1	1	1	1	81.5	42.25	0	29810.427	539.7849462	15848.39508	30000	0	0	30000	22.625	2004
23.01.2020 10:26:24	1	1	1	1	81.5	42.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.3125	2004
23.01.2020 10:26:25	1	1	1	1	81.5	42.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.5	2004
23.01.2020 10:26:26	1	1	1	1	81.5	42.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	22.375	2004
23.01.2020 10:26:27	1	1	1	1	81.5	42.25	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	21.75	2004
23.01.2020 10:26:28	1	1	1	1	81.5	41.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.375	2004
23.01.2020 10:26:29	1	1	1	1	81.5	42.25	0	29715.64	539.7849462	15733.42755	30000	0	0	30000	22.0625	2004
23.01.2020 10:26:30	1	1	1	1	81.5	42	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.1875	2004
23.01.2020 10:26:31	1	1	1	1	81.5	42	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.0625	2004
23.01.2020 10:26:32	1	1	1	1	81.5	42	0	29905.213	535.483871	16141.92917	30000	0	0	30000	22.0625	2004
23.01.2020 10:26:33	1	1	1	1	81.5	42	0	29905.213	535.483871	15949.50126	30000	0	0	30000	22.625	2004
23.01.2020 10:26:34	1	1	1	1	81.5	42.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	22	2004
23.01.2020 10:26:35	1	1	1	1	81.5	42	0	30000	526.8817204	15741.58128	30000	0	0	30000	21.8125	2004
23.01.2020 10:26:36	1	1	1	1	81.5	41.75	0	29952.607	531.1827957	16128.88321	30000	0	0	30000	22.375	2004
23.01.2020 10:26:37	1	1	1	1	81.5	42.25	0	29857.82	535.483871	16077.51474	30000	0	0	30000	22.0625	2004
23.01.2020 10:26:38	1	1	1	1	81.5	42	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.625	2004
23.01.2020 10:26:39	1	1	1	1	81.5	42.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.1875	2004
23.01.2020 10:26:40	1	1	1	1	81.75	42	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.125	2004
23.01.2020 10:26:41	1	1	1	1	81.75	42	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.875	2004
23.01.2020 10:26:42	1	1	1	1	81.75	42.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	22.0625	2004
23.01.2020 10:26:43	1	1	1	1	81.75	42	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.125	2004
23.01.2020 10:26:44	1	1	1	1	81.75	42	0	29905.213	529.0322581	16000.05436	30000	0	0	30000	22.25	2004
23.01.2020 10:26:45	1	1	1	1	81.75	42.25	0	29905.213	529.0322581	15820.67241	30000	0	0	30000	22.875	2004
23.01.2020 10:26:46	1	1	1	1	81.75	42.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	23.0625	2004
23.01.2020 10:26:47	1	1	1	1	81.75	43	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	22.0625	2004
23.01.2020 10:26:48	1	1	1	1	81.75	42	0	29715.64	535.483871	15911.99413	30000	0	0	30000	23.25	2004
23.01.2020 10:26:50	1	1	1	1	81.75	43.25	0	29905.213	535.483871	16077.51474	30000	0	0	30000	23.25	2004
23.01.2020 10:26:51	1	1	1	1	82.5	42.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	23.4375	2004
23.01.2020 10:26:52	1	1	1	1	82.5	43.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	22.25	2004
23.01.2020 10:26:53	1	1	1	1	82.5	42.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.6875	2004
23.01.2020 10:26:54	1	1	1	1	82.5	42.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.9375	2004
23.01.2020 10:26:55	1	1	1	1	82.5	42.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.0625	2004
23.01.2020 10:26:56	1	1	1	1	82.5	42	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.875	2004
23.01.2020 10:26:57	1	1	1	1	82.5	41.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.25	2004
23.01.2020 10:26:58	1	1	1	1	82.5	42.25	0	30000	526.8817204	15677.16685	30000	0	0	30000	22.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:26:59	1	1	1	1	82.5	42.25	0	29905.213	533.3333333	15910.36338	30000	0	0	30000	22.25	2004
23.01.2020 10:27:00	1	1	1	1	82.75	42.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	22.875	2004
23.01.2020 10:27:01	1	1	1	1	82.75	42.75	0	30000	529.0322581	15756.25798	30000	0	0	30000	22.5	2004
23.01.2020 10:27:02	1	1	1	1	82.75	42.5	0	29905.213	533.3333333	16193.29764	30000	0	0	30000	22.0625	2004
23.01.2020 10:27:03	1	1	1	1	82.75	42	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	21.875	2004
23.01.2020 10:27:04	1	1	1	1	82.75	41.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	22.875	2004
23.01.2020 10:27:05	1	1	1	1	82.75	42.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	22.5	2004
23.01.2020 10:27:06	1	1	1	1	82.75	42.5	0	29810.427	522.5806452	15924.22472	30000	0	0	30000	23	2004
23.01.2020 10:27:12	1	1	1	1	82.75	42.75	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	23.3125	2004
23.01.2020 10:27:12	1	1	1	1	82.75	42.75	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	23.3125	2004
23.01.2020 10:27:12	1	1	1	1	82.75	42.75	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	23.3125	2004
23.01.2020 10:27:12	1	1	1	1	82.75	42.75	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	23.3125	2004
23.01.2020 10:27:12	1	1	1	1	82.75	43.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	21.9375	2004
23.01.2020 10:27:13	1	1	1	1	82.75	41.75	0	29715.64	533.3333333	16026.96165	30000	0	0	30000	22.75	2004
23.01.2020 10:27:14	1	1	1	1	82.75	42.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.5	2004
23.01.2020 10:27:15	1	1	1	1	82.75	42.5	0	29905.213	535.483871	15885.08684	30000	0	0	30000	22.9375	2004
23.01.2020 10:27:16	1	1	1	1	82.75	42.75	0	29952.607	535.483871	16013.10032	30000	0	0	30000	22.8125	2004
23.01.2020 10:27:17	1	1	1	1	82.75	42.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.125	2004
23.01.2020 10:27:18	1	1	1	1	82.75	42	0	30000	535.483871	16000.05436	30000	0	0	30000	22.6875	2004
23.01.2020 10:27:19	1	1	1	1	82.75	42.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	22.9375	2004
23.01.2020 10:27:20	1	1	1	1	83.25	42.75	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	22.875	2004
23.01.2020 10:27:21	1	1	1	1	83.25	42.75	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	23.3125	2004
23.01.2020 10:27:22	1	1	1	1	83.25	43.25	0	29905.213	529.0322581	15885.08684	30000	0	0	30000	22.4375	2004
23.01.2020 10:27:23	1	1	1	1	83.25	42.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	23	2004
23.01.2020 10:27:24	1	1	1	1	83.25	43	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	21.9375	2004
23.01.2020 10:27:25	1	1	1	1	83.25	41.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	22.375	2004
23.01.2020 10:27:26	1	1	1	1	83.25	42.25	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	23.0625	2004
23.01.2020 10:27:28	1	1	1	1	83.25	43	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	23	2004
23.01.2020 10:27:29	1	1	1	1	83.25	43.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	23.25	2004
23.01.2020 10:27:30	1	1	1	1	83.5	43.25	0	29715.64	529.0322581	16026.96165	30000	0	0	30000	22.75	2004
23.01.2020 10:27:31	1	1	1	1	83.5	42.75	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	22.125	2004
23.01.2020 10:27:32	1	1	1	1	83.5	42	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.3125	2004
23.01.2020 10:27:33	1	1	1	1	83.5	42.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.625	2004
23.01.2020 10:27:34	1	1	1	1	83.5	42.5	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	22.4375	2004
23.01.2020 10:27:35	1	1	1	1	83.5	42.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	23	2004
23.01.2020 10:27:36	1	1	1	1	83.5	43	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	22.125	2004
23.01.2020 10:27:37	1	1	1	1	83.5	42	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	23.75	2004
23.01.2020 10:27:38	1	1	1	1	83.5	43.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	22.1875	2004
23.01.2020 10:27:39	1	1	1	1	83.5	42	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	22.375	2004
23.01.2020 10:27:40	1	1	1	1	84.25	42.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23.8125	2004
23.01.2020 10:27:41	1	1	1	1	84.25	43.75	0	29478.673	537.6344086	15848.39508	30000	0	0	30000	23.3125	2004
23.01.2020 10:27:42	1	1	1	1	84.25	43.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	22.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:27:43	1	1	1	1	84.25	42.5	0	29573.46	526.8817204	15911.99413	30000	0	0	30000	22.4375	2004
23.01.2020 10:27:44	1	1	1	1	84.25	42.25	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	22.8125	2004
23.01.2020 10:27:45	1	1	1	1	84.25	42.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	23.125	2004
23.01.2020 10:27:46	1	1	1	1	84.25	43	0	29857.82	535.483871	15962.54722	30000	0	0	30000	23.5625	2004
23.01.2020 10:27:47	1	1	1	1	84.25	43.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	23.25	2004
23.01.2020 10:27:48	1	1	1	1	84.25	43.25	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	22.6875	2004
23.01.2020 10:27:49	1	1	1	1	84.25	42.5	0	29715.64	537.6344086	16090.5607	30000	0	0	30000	22.375	2004
23.01.2020 10:27:50	1	1	1	1	84.5	42.25	0	29905.213	537.6344086	16270.75802	30000	0	0	30000	22.9375	2004
23.01.2020 10:27:51	1	1	1	1	84.5	42.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	23.1875	2004
23.01.2020 10:27:52	1	1	1	1	84.5	43	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	22.75	2004
23.01.2020 10:27:53	1	1	1	1	84.5	42.75	0	29763.033	535.483871	16181.06705	30000	0	0	30000	22.4375	2004
23.01.2020 10:27:54	1	1	1	1	84.5	42.25	0	29810.427	535.483871	15898.94817	30000	0	0	30000	22.5	2004
23.01.2020 10:27:55	1	1	1	1	84.5	42.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.625	2004
23.01.2020 10:27:56	1	1	1	1	84.5	42.5	0	29668.246	535.483871	15925.04009	30000	0	0	30000	22.9375	2004
23.01.2020 10:27:57	1	1	1	1	84.5	42.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	22.625	2004
23.01.2020 10:27:58	1	1	1	1	84.5	42.5	0	29905.213	535.483871	16077.51474	30000	0	0	30000	23.25	2004
23.01.2020 10:27:59	1	1	1	1	84.5	43.25	0	29905.213	535.483871	16206.3436	30000	0	0	30000	22.6875	2004
23.01.2020 10:28:00	1	1	1	1	84.5	42.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.5	2004
23.01.2020 10:28:01	1	1	1	1	84.5	42.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.3125	2004
23.01.2020 10:28:02	1	1	1	1	84.5	42.25	0	29715.64	535.483871	15848.39508	30000	0	0	30000	22.625	2004
23.01.2020 10:28:03	1	1	1	1	84.5	42.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	23.875	2004
23.01.2020 10:28:04	1	1	1	1	84.5	43.75	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	22.9375	2004
23.01.2020 10:28:05	1	1	1	1	84.5	42.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	24.25	2004
23.01.2020 10:28:07	1	1	1	1	84.5	44.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	23.375	2004
23.01.2020 10:28:08	1	1	1	1	84.5	43	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	22.8125	2004
23.01.2020 10:28:13	1	1	1	1	85.25	42.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	23	2004
23.01.2020 10:28:13	1	1	1	1	85.25	42.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	23	2004
23.01.2020 10:28:13	1	1	1	1	85.25	42.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	23	2004
23.01.2020 10:28:13	1	1	1	1	85.25	42.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	23	2004
23.01.2020 10:28:13	1	1	1	1	85.25	42.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	23	2004
23.01.2020 10:28:14	1	1	1	1	85.25	43	0	29857.82	535.483871	16052.2382	30000	0	0	30000	22.9375	2004
23.01.2020 10:28:15	1	1	1	1	85.25	42.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	23.5625	2004
23.01.2020 10:28:16	1	1	1	1	85.25	43.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.3125	2004
23.01.2020 10:28:17	1	1	1	1	85.25	43.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	23.25	2004
23.01.2020 10:28:18	1	1	1	1	85.25	43.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23.375	2004
23.01.2020 10:28:19	1	1	1	1	85.25	43.25	0	29810.427	535.483871	15937.27068	30000	0	0	30000	22.8125	2004
23.01.2020 10:28:20	1	1	1	1	86	42.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.0625	2004
23.01.2020 10:28:21	1	1	1	1	86	43	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	23.1875	2004
23.01.2020 10:28:22	1	1	1	1	86	43	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	23.25	2004
23.01.2020 10:28:23	1	1	1	1	86	43.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23.375	2004
23.01.2020 10:28:24	1	1	1	1	86	43.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	23.125	2004
23.01.2020 10:28:25	1	1	1	1	86	43	0	29857.82	535.483871	16077.51474	30000	0	0	30000	22.9375	2004
23.01.2020 10:28:26	1	1	1	1	86	42.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	23.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:28:27	1	1	1	1	86	43	0	29763.033	541.9354839	16167.20572	30000	0	0	30000	23.25	2004
23.01.2020 10:28:28	1	1	1	1	86	43.25	0	29620.853	537.6344086	15772.56543	30000	0	0	30000	23.25	2004
23.01.2020 10:28:29	1	1	1	1	86	43.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	23.6875	2004
23.01.2020 10:28:30	1	1	1	1	85.75	43.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	23.25	2004
23.01.2020 10:28:31	1	1	1	1	85.75	43.25	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	23.625	2004
23.01.2020 10:28:32	1	1	1	1	85.75	43.5	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	24	2004
23.01.2020 10:28:33	1	1	1	1	85.75	44	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	23.0625	2004
23.01.2020 10:28:34	1	1	1	1	85.75	43	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	22.375	2004
23.01.2020 10:28:35	1	1	1	1	85.75	42.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	23.1875	2004
23.01.2020 10:28:36	1	1	1	1	85.75	43	0	29715.64	537.6344086	16219.38956	30000	0	0	30000	23.4375	2004
23.01.2020 10:28:37	1	1	1	1	85.75	43.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	22.5625	2004
23.01.2020 10:28:38	1	1	1	1	85.75	42.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	22.625	2004
23.01.2020 10:28:39	1	1	1	1	85.75	42.5	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	23.4375	2004
23.01.2020 10:28:40	1	1	1	1	86.5	43.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	23.375	2004
23.01.2020 10:28:41	1	1	1	1	86.5	43.25	0	29810.427	539.7849462	16103.60666	30000	0	0	30000	23.4375	2004
23.01.2020 10:28:42	1	1	1	1	86.5	43.25	0	29668.246	537.6344086	15797.84198	30000	0	0	30000	23.9375	2004
23.01.2020 10:28:44	1	1	1	1	86.5	43.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	23.75	2004
23.01.2020 10:28:45	1	1	1	1	86.5	43.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	23.875	2004
23.01.2020 10:28:46	1	1	1	1	86.5	43.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	23.5625	2004
23.01.2020 10:28:47	1	1	1	1	86.5	44.5	0	30000	541.9354839	16257.71206	30000	0	0	30000	23.0625	2004
23.01.2020 10:28:48	1	1	1	1	86.5	43	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	23.25	2004
23.01.2020 10:28:49	1	1	1	1	86.5	43.25	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	22.625	2004
23.01.2020 10:28:50	1	1	1	1	86	42.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	23.75	2004
23.01.2020 10:28:51	1	1	1	1	86	43.75	0	29526.066	537.6344086	16026.96165	30000	0	0	30000	23.125	2004
23.01.2020 10:28:52	1	1	1	1	86	43	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	22.9375	2004
23.01.2020 10:28:53	1	1	1	1	86	42.75	0	29715.64	537.6344086	16090.5607	30000	0	0	30000	23.5	2004
23.01.2020 10:28:54	1	1	1	1	86	43.5	0	29715.64	537.6344086	16026.96165	30000	0	0	30000	22.375	2004
23.01.2020 10:28:55	1	1	1	1	86	42.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.9375	2004
23.01.2020 10:28:56	1	1	1	1	86	42.75	0	29857.82	531.1827957	16077.51474	30000	0	0	30000	22.6875	2004
23.01.2020 10:28:57	1	1	1	1	86	42.5	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	22.9375	2004
23.01.2020 10:28:58	1	1	1	1	86	42.75	0	29905.213	535.483871	15949.50126	30000	0	0	30000	23.5625	2004
23.01.2020 10:28:59	1	1	1	1	86	43.5	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	23.5625	2004
23.01.2020 10:29:00	1	1	1	1	86.25	43.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	23.8125	2004
23.01.2020 10:29:01	1	1	1	1	86.25	43.75	0	29952.607	537.6344086	16039.19224	30000	0	0	30000	22.9375	2004
23.01.2020 10:29:02	1	1	1	1	86.25	42.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	23.1875	2004
23.01.2020 10:29:03	1	1	1	1	86.25	43	0	29857.82	546.2365591	16090.5607	30000	0	0	30000	23.5	2004
23.01.2020 10:29:04	1	1	1	1	86.25	43.5	0	29857.82	537.6344086	16013.10032	30000	0	0	30000	22.625	2004
23.01.2020 10:29:05	1	1	1	1	86.25	42.5	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	24.1875	2004
23.01.2020 10:29:06	1	1	1	1	86.25	44	0	29715.64	535.483871	15975.59318	30000	0	0	30000	23.375	2004
23.01.2020 10:29:07	1	1	1	1	86.25	43.25	0	29715.64	539.7849462	15886.71758	30000	0	0	30000	23.6875	2004
23.01.2020 10:29:08	1	1	1	1	86.25	43.5	0	29668.246	537.6344086	15797.84198	30000	0	0	30000	22.875	2004
23.01.2020 10:29:09	1	1	1	1	86.25	42.75	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	23.0625	2004
23.01.2020 10:29:15	1	1	1	1	86.75	43.5	0	29715.64	535.483871	16154.97513	30000	0	0	30000	23	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:29:15	1	1	1	1	86.75	43.5	0	29715.64	535.483871	16154.97513	30000	0	0	30000	23	2004
23.01.2020 10:29:15	1	1	1	1	86.75	43.5	0	29715.64	535.483871	16154.97513	30000	0	0	30000	23	2004
23.01.2020 10:29:15	1	1	1	1	86.75	43.5	0	29715.64	535.483871	16154.97513	30000	0	0	30000	23	2004
23.01.2020 10:29:15	1	1	1	1	86.75	43.5	0	29715.64	535.483871	16154.97513	30000	0	0	30000	23	2004
23.01.2020 10:29:15	1	1	1	1	86.75	43	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	23.9375	2004
23.01.2020 10:29:16	1	1	1	1	86.75	43.75	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	23.6875	2004
23.01.2020 10:29:17	1	1	1	1	86.75	43.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23.25	2004
23.01.2020 10:29:18	1	1	1	1	86.75	43.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	23.0625	2004
23.01.2020 10:29:19	1	1	1	1	86.75	43	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	24.5	2004
23.01.2020 10:29:20	1	1	1	1	87.25	44.5	0	29715.64	541.9354839	16090.5607	30000	0	0	30000	23.5625	2004
23.01.2020 10:29:21	1	1	1	1	87.25	43.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.8125	2004
23.01.2020 10:29:23	1	1	1	1	87.25	42.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23.75	2004
23.01.2020 10:29:24	1	1	1	1	87.25	43.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	23.9375	2004
23.01.2020 10:29:25	1	1	1	1	87.25	43.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	24.5	2004
23.01.2020 10:29:26	1	1	1	1	87.25	44.5	0	29620.853	535.483871	15925.04009	30000	0	0	30000	24	2004
23.01.2020 10:29:27	1	1	1	1	87.25	44	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	22.9375	2004
23.01.2020 10:29:28	1	1	1	1	87.25	42.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23.0625	2004
23.01.2020 10:29:29	1	1	1	1	87.25	43	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	23	2004
23.01.2020 10:29:30	1	1	1	1	88	43	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	23	2004
23.01.2020 10:29:31	1	1	1	1	88	43	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	22.8125	2004
23.01.2020 10:29:32	1	1	1	1	88	42.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	22.9375	2004
23.01.2020 10:29:33	1	1	1	1	88	42.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	22.9375	2004
23.01.2020 10:29:34	1	1	1	1	88	42.75	0	29857.82	535.483871	15962.54722	30000	0	0	30000	22.75	2004
23.01.2020 10:29:35	1	1	1	1	88	42.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	24.5625	2004
23.01.2020 10:29:36	1	1	1	1	88	44.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	23.125	2004
23.01.2020 10:29:37	1	1	1	1	88	43	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.75	2004
23.01.2020 10:29:38	1	1	1	1	88	43.75	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	23.125	2004
23.01.2020 10:29:39	1	1	1	1	88	43	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23.375	2004
23.01.2020 10:29:40	1	1	1	1	87.75	43.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	23.6875	2004
23.01.2020 10:29:41	1	1	1	1	87.75	43.5	0	29620.853	535.483871	15925.04009	30000	0	0	30000	23.4375	2004
23.01.2020 10:29:42	1	1	1	1	87.75	43.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.9375	2004
23.01.2020 10:29:43	1	1	1	1	87.75	42.75	0	29715.64	541.9354839	15911.99413	30000	0	0	30000	22.875	2004
23.01.2020 10:29:44	1	1	1	1	87.75	42.75	0	29763.033	541.9354839	16154.97513	30000	0	0	30000	22.875	2004
23.01.2020 10:29:45	1	1	1	1	87.75	42.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	23	2004
23.01.2020 10:29:46	1	1	1	1	87.75	43	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	23.375	2004
23.01.2020 10:29:47	1	1	1	1	87.75	43.25	0	29668.246	535.483871	15911.99413	30000	0	0	30000	23	2004
23.01.2020 10:29:48	1	1	1	1	87.75	43	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23.5	2004
23.01.2020 10:29:49	1	1	1	1	87.75	43.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	23.25	2004
23.01.2020 10:29:50	1	1	1	1	88.25	43.25	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	23.875	2004
23.01.2020 10:29:51	1	1	1	1	88.25	43.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	23.5625	2004
23.01.2020 10:29:52	1	1	1	1	88.25	43.5	0	29715.64	546.2365591	15925.04009	30000	0	0	30000	23.8125	2004
23.01.2020 10:29:53	1	1	1	1	88.25	43.75	0	29763.033	539.7849462	15783.98065	30000	0	0	30000	23.1875	2004
23.01.2020 10:29:54	1	1	1	1	88.25	43	0	29715.64	535.483871	16065.28416	30000	0	0	30000	23.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:29:55	1	1	1	1	88.25	43.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	23.375	2004
23.01.2020 10:29:56	1	1	1	1	88.25	43.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	23.625	2004
23.01.2020 10:29:57	1	1	1	1	88.25	43.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	23.75	2004
23.01.2020 10:29:58	1	1	1	1	88.25	43.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	22.9375	2004
23.01.2020 10:29:59	1	1	1	1	88.25	42.75	0	29431.28	539.7849462	15937.27068	30000	0	0	30000	22.6875	2004
23.01.2020 10:30:00	1	1	1	1	88.75	42.5	0	29526.066	537.6344086	16026.96165	30000	0	0	30000	24.125	2004
23.01.2020 10:30:02	1	1	1	1	88.75	44	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	25.125	2004
23.01.2020 10:30:03	1	1	1	1	88.75	45	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	25.1875	2004
23.01.2020 10:30:04	1	1	1	1	88.75	45	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	23.5	2004
23.01.2020 10:30:05	1	1	1	1	88.75	43	0	29431.28	546.2365591	15960.91648	30000	0	0	30000	22.9375	2004
23.01.2020 10:30:06	1	1	1	1	88.75	42.75	0	29431.28	541.9354839	16064.46878	30000	0	0	30000	23.6875	2004
23.01.2020 10:30:07	1	1	1	1	88.75	43.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.25	2004
23.01.2020 10:30:08	1	1	1	1	88.75	43.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.6875	2004
23.01.2020 10:30:09	1	1	1	1	88.75	43.5	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	23.125	2004
23.01.2020 10:30:10	1	1	1	1	88.5	43	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	22.9375	2004
23.01.2020 10:30:11	1	1	1	1	88.5	42.75	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	23.3125	2004
23.01.2020 10:30:17	1	1	1	1	88.5	43.25	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	23.1875	2004
23.01.2020 10:30:17	1	1	1	1	88.5	43.25	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	23.1875	2004
23.01.2020 10:30:17	1	1	1	1	88.5	43.25	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	23.1875	2004
23.01.2020 10:30:17	1	1	1	1	88.5	43.25	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	23.1875	2004
23.01.2020 10:30:17	1	1	1	1	88.5	43	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	23.6875	2004
23.01.2020 10:30:18	1	1	1	1	88.5	43.5	0	29241.706	546.2365591	16124.80635	30000	0	0	30000	24.1875	2004
23.01.2020 10:30:19	1	1	1	1	88.5	44	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	23.75	2004
23.01.2020 10:30:20	1	1	1	1	89.5	43.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	23.75	2004
23.01.2020 10:30:21	1	1	1	1	89.5	43.75	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	23.625	2004
23.01.2020 10:30:22	1	1	1	1	89.5	43.5	0	29336.493	541.9354839	15683.68983	30000	0	0	30000	23.8125	2004
23.01.2020 10:30:23	1	1	1	1	89.5	43.75	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	24.5625	2004
23.01.2020 10:30:24	1	1	1	1	89.5	44.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	23.625	2004
23.01.2020 10:30:25	1	1	1	1	89.5	43.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	23.25	2004
23.01.2020 10:30:26	1	1	1	1	89.5	43.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	23.5	2004
23.01.2020 10:30:27	1	1	1	1	89.5	43.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.0625	2004
23.01.2020 10:30:28	1	1	1	1	89.5	43	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	24.9375	2004
23.01.2020 10:30:29	1	1	1	1	89.5	44.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	23.0625	2004
23.01.2020 10:30:30	1	1	1	1	89.25	43	0	29336.493	546.2365591	16124.80635	30000	0	0	30000	23.625	2004
23.01.2020 10:30:31	1	1	1	1	89.25	43.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	23.0625	2004
23.01.2020 10:30:32	1	1	1	1	89.25	43	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	22.9375	2004
23.01.2020 10:30:33	1	1	1	1	89.25	42.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	23	2004
23.01.2020 10:30:34	1	1	1	1	89.25	43	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	24.0625	2004
23.01.2020 10:30:35	1	1	1	1	89.25	44	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	23.4375	2004
23.01.2020 10:30:36	1	1	1	1	89.25	43.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	23.75	2004
23.01.2020 10:30:37	1	1	1	1	89.25	43.75	0	29289.1	544.0860215	16150.89827	30000	0	0	30000	23.5625	2004
23.01.2020 10:30:38	1	1	1	1	89.25	43.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	23.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:30:39	1	1	1	1	89.25	43	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	23.375	2004
23.01.2020 10:30:40	1	1	1	1	89	43.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	23.5	2004
23.01.2020 10:30:42	1	1	1	1	89	43.5	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	25.25	2004
23.01.2020 10:30:43	1	1	1	1	89	45.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.1875	2004
23.01.2020 10:30:44	1	1	1	1	89	44	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	24.125	2004
23.01.2020 10:30:45	1	1	1	1	89	43.5	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	23.625	2004
23.01.2020 10:30:46	1	1	1	1	89	43.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	23.6875	2004
23.01.2020 10:30:47	1	1	1	1	89	43.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	23.875	2004
23.01.2020 10:30:48	1	1	1	1	89	43.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	24.3125	2004
23.01.2020 10:30:49	1	1	1	1	89	44.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	23.9375	2004
23.01.2020 10:30:50	1	1	1	1	89.75	43.75	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	23.75	2004
23.01.2020 10:30:51	1	1	1	1	89.75	43.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	23.125	2004
23.01.2020 10:30:52	1	1	1	1	89.75	43	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	23.75	2004
23.01.2020 10:30:53	1	1	1	1	89.75	43.75	0	29383.886	535.483871	16013.10032	30000	0	0	30000	25.0625	2004
23.01.2020 10:30:54	1	1	1	1	89.75	45	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	24	2004
23.01.2020 10:30:55	1	1	1	1	89.75	44	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	23.4375	2004
23.01.2020 10:30:56	1	1	1	1	89.75	43.25	0	29289.1	550.5376344	15909.54801	30000	0	0	30000	24.4375	2004
23.01.2020 10:30:57	1	1	1	1	89.75	44.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	24.8125	2004
23.01.2020 10:30:58	1	1	1	1	89.75	44.75	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	24.0625	2004
23.01.2020 10:30:59	1	1	1	1	89.75	44	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	24.3125	2004
23.01.2020 10:31:00	1	1	1	1	90.25	44.25	0	29289.1	550.5376344	15998.42361	30000	0	0	30000	24.3125	2004
23.01.2020 10:31:01	1	1	1	1	90.25	44.25	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	24.375	2004
23.01.2020 10:31:02	1	1	1	1	90.25	44.25	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	23.1875	2004
23.01.2020 10:31:03	1	1	1	1	90.25	43	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	24.625	2004
23.01.2020 10:31:04	1	1	1	1	90.25	44.5	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	24.75	2004
23.01.2020 10:31:05	1	1	1	1	90.25	44.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	24.3125	2004
23.01.2020 10:31:06	1	1	1	1	90.25	44.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	24	2004
23.01.2020 10:31:07	1	1	1	1	90.25	44	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	23.375	2004
23.01.2020 10:31:08	1	1	1	1	90.25	43.25	0	29146.919	546.2365591	16161.49811	30000	0	0	30000	24.5	2004
23.01.2020 10:31:09	1	1	1	1	90.25	44.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	24.125	2004
23.01.2020 10:31:10	1	1	1	1	90.25	44	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	24.5	2004
23.01.2020 10:31:11	1	1	1	1	90.25	44.5	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	25	2004
23.01.2020 10:31:12	1	1	1	1	90.25	45	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	24.0625	2004
23.01.2020 10:31:18	1	1	1	1	90.25	44	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	23.625	2004
23.01.2020 10:31:18	1	1	1	1	90.25	44	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	23.625	2004
23.01.2020 10:31:18	1	1	1	1	90.25	44	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	23.625	2004
23.01.2020 10:31:18	1	1	1	1	90.25	44	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	23.625	2004
23.01.2020 10:31:18	1	1	1	1	90.25	44	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	23.625	2004
23.01.2020 10:31:18	1	1	1	1	90.25	43.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	24.3125	2004
23.01.2020 10:31:19	1	1	1	1	90.25	44.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	22.9375	2004
23.01.2020 10:31:21	1	1	1	1	90.25	42.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	23.5625	2004
23.01.2020 10:31:22	1	1	1	1	90.25	43.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	24.3125	2004
23.01.2020 10:31:23	1	1	1	1	90.25	44.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	24.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:31:24	1	1	1	1	90.25	43.75	0	29336.493	544.0860215	15683.68983	30000	0	0	30000	23.4375	2004
23.01.2020 10:31:25	1	1	1	1	90.25	43.25	0	29336.493	541.9354839	16150.89827	30000	0	0	30000	24.625	2004
23.01.2020 10:31:26	1	1	1	1	90.25	44.5	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	23.625	2004
23.01.2020 10:31:27	1	1	1	1	90.25	43.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	24.625	2004
23.01.2020 10:31:28	1	1	1	1	90.25	44.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	23.4375	2004
23.01.2020 10:31:29	1	1	1	1	90.25	43.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	23.75	2004
23.01.2020 10:31:30	1	1	1	1	90.25	43.75	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	24	2004
23.01.2020 10:31:31	1	1	1	1	90.25	44	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	24.0625	2004
23.01.2020 10:31:32	1	1	1	1	90.25	44	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	23.75	2004
23.01.2020 10:31:33	1	1	1	1	90.25	43.75	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	24.1875	2004
23.01.2020 10:31:34	1	1	1	1	90.25	44	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.4375	2004
23.01.2020 10:31:35	1	1	1	1	90.25	43.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	24.5625	2004
23.01.2020 10:31:36	1	1	1	1	90.25	44.5	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	23.375	2004
23.01.2020 10:31:37	1	1	1	1	90.25	43.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	23.875	2004
23.01.2020 10:31:38	1	1	1	1	90.25	43.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	23.5	2004
23.01.2020 10:31:39	1	1	1	1	90.25	43.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	23.3125	2004
23.01.2020 10:31:40	1	1	1	1	90.25	43.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23.0625	2004
23.01.2020 10:31:41	1	1	1	1	90.25	43	0	29668.246	541.9354839	16167.20572	30000	0	0	30000	23.5625	2004
23.01.2020 10:31:42	1	1	1	1	90.25	43.5	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	24.625	2004
23.01.2020 10:31:43	1	1	1	1	90.25	44.5	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	24.1875	2004
23.01.2020 10:31:44	1	1	1	1	90.25	44	0	29620.853	539.7849462	16078.33012	30000	0	0	30000	23.8125	2004
23.01.2020 10:31:45	1	1	1	1	90.25	43.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	23.4375	2004
23.01.2020 10:31:46	1	1	1	1	90.25	43.25	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	23.9375	2004
23.01.2020 10:31:47	1	1	1	1	90.25	43.75	0	29526.066	535.483871	15963.3626	30000	0	0	30000	23.6875	2004
23.01.2020 10:31:48	1	1	1	1	90.25	43.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	24.3125	2004
23.01.2020 10:31:49	1	1	1	1	90.25	44.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	25.3125	2004
23.01.2020 10:31:50	1	1	1	1	91.25	45.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	23.9375	2004
23.01.2020 10:31:51	1	1	1	1	91.25	43.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	24.0625	2004
23.01.2020 10:31:52	1	1	1	1	91.25	44	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	23.6875	2004
23.01.2020 10:31:53	1	1	1	1	91.25	43.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	25	2004
23.01.2020 10:31:54	1	1	1	1	91.25	45	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	25	2004
23.01.2020 10:31:55	1	1	1	1	91.25	45	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	24.6875	2004
23.01.2020 10:31:56	1	1	1	1	91.25	44.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	24.375	2004
23.01.2020 10:31:58	1	1	1	1	91.25	44.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	24.3125	2004
23.01.2020 10:31:59	1	1	1	1	91.25	44.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	24.5625	2004
23.01.2020 10:32:00	1	1	1	1	91.25	44.5	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	24.75	2004
23.01.2020 10:32:01	1	1	1	1	91.25	44.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	24.6875	2004
23.01.2020 10:32:02	1	1	1	1	91.25	45.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	24.4375	2004
23.01.2020 10:32:03	1	1	1	1	91.25	44.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	24.6875	2004
23.01.2020 10:32:04	1	1	1	1	91.25	44.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	23.4375	2004
23.01.2020 10:32:05	1	1	1	1	91.25	43.25	0	29668.246	544.0860215	16115.83725	30000	0	0	30000	23.8125	2004
23.01.2020 10:32:06	1	1	1	1	91.25	43.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	24.0625	2004
23.01.2020 10:32:07	1	1	1	1	91.25	44	0	29336.493	535.483871	15835.34912	30000	0	0	30000	24.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:32:08	1	1	1	1	91.25	44.5	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	24.125	2004
23.01.2020 10:32:09	1	1	1	1	91.25	44	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	24.375	2004
23.01.2020 10:32:10	1	1	1	1	90.75	44.25	0	29241.706	537.6344086	15960.91648	30000	0	0	30000	23.4375	2004
23.01.2020 10:32:11	1	1	1	1	90.75	43.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.4375	2004
23.01.2020 10:32:12	1	1	1	1	90.75	44.25	0	29241.706	546.2365591	16150.89827	30000	0	0	30000	24.3125	2004
23.01.2020 10:32:13	1	1	1	1	90.75	44.25	0	29336.493	552.688172	16024.51553	30000	0	0	30000	24.375	2004
23.01.2020 10:32:14	1	1	1	1	90.75	44.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	24.8125	2004
23.01.2020 10:32:20	1	1	1	1	90.75	44.5	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	24.6875	2004
23.01.2020 10:32:20	1	1	1	1	90.75	44.5	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	24.6875	2004
23.01.2020 10:32:20	1	1	1	1	90.75	44.5	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	24.6875	2004
23.01.2020 10:32:20	1	1	1	1	90.75	44.5	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	24.6875	2004
23.01.2020 10:32:20	1	1	1	1	91	44.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	24.8125	2004
23.01.2020 10:32:21	1	1	1	1	91	44.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	25.375	2004
23.01.2020 10:32:22	1	1	1	1	91	45.25	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	24.875	2004
23.01.2020 10:32:23	1	1	1	1	91	44.75	0	29289.1	539.7849462	16024.51553	30000	0	0	30000	25.0625	2004
23.01.2020 10:32:24	1	1	1	1	91	45	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	25.0625	2004
23.01.2020 10:32:25	1	1	1	1	91	45	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.8125	2004
23.01.2020 10:32:26	1	1	1	1	91	44.75	0	29241.706	550.5376344	16187.59003	30000	0	0	30000	24.5	2004
23.01.2020 10:32:27	1	1	1	1	91	44.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	24.4375	2004
23.01.2020 10:32:28	1	1	1	1	91	44.25	0	29099.526	550.5376344	15894.87131	30000	0	0	30000	24.5625	2004
23.01.2020 10:32:29	1	1	1	1	91	44.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	24.8125	2004
23.01.2020 10:32:30	1	1	1	1	92	44.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.9375	2004
23.01.2020 10:32:31	1	1	1	1	92	43.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	24.8125	2004
23.01.2020 10:32:32	1	1	1	1	92	44.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.9375	2004
23.01.2020 10:32:33	1	1	1	1	92	44.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	23.625	2004
23.01.2020 10:32:34	1	1	1	1	92	43.5	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	24.375	2004
23.01.2020 10:32:35	1	1	1	1	92	44.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	24.8125	2004
23.01.2020 10:32:37	1	1	1	1	92	44.75	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	25.0625	2004
23.01.2020 10:32:38	1	1	1	1	92	45	0	29289.1	546.2365591	16124.80635	30000	0	0	30000	25.125	2004
23.01.2020 10:32:39	1	1	1	1	92	45	0	29146.919	552.688172	16108.4989	30000	0	0	30000	25	2004
23.01.2020 10:32:40	1	1	1	1	92	45	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	25	2004
23.01.2020 10:32:41	1	1	1	1	91.75	46.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	25.5625	2004
23.01.2020 10:32:42	1	1	1	1	91.75	45.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	24.75	2004
23.01.2020 10:32:43	1	1	1	1	91.75	44.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	25.125	2004
23.01.2020 10:32:44	1	1	1	1	91.75	45	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	24.625	2004
23.01.2020 10:32:45	1	1	1	1	91.75	44.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	25.875	2004
23.01.2020 10:32:46	1	1	1	1	91.75	45.75	0	29336.493	550.5376344	15846.76433	30000	0	0	30000	24.875	2004
23.01.2020 10:32:47	1	1	1	1	91.75	44.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.8125	2004
23.01.2020 10:32:48	1	1	1	1	91.75	44.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	24.5	2004
23.01.2020 10:32:49	1	1	1	1	91.75	44.5	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	24.9375	2004
23.01.2020 10:32:50	1	1	1	1	92.25	44.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	25.0625	2004
23.01.2020 10:32:51	1	1	1	1	92.25	45	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	24.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:32:52	1	1	1	1	92.25	44.5	0	29052.133	544.0860215	15957.65499	30000	0	0	30000	25.1875	2004
23.01.2020 10:32:53	1	1	1	1	92.25	45	0	28957.346	541.9354839	15832.08763	30000	0	0	30000	24.875	2004
23.01.2020 10:32:54	1	1	1	1	92.25	44.75	0	29146.919	546.2365591	15894.87131	30000	0	0	30000	25.3125	2004
23.01.2020 10:32:55	1	1	1	1	92.25	45.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	25.375	2004
23.01.2020 10:32:56	1	1	1	1	92.25	45.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	25	2004
23.01.2020 10:32:57	1	1	1	1	92.25	45	0	29336.493	546.2365591	16061.20729	30000	0	0	30000	24.375	2004
23.01.2020 10:32:58	1	1	1	1	92.25	44.25	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	24.25	2004
23.01.2020 10:32:59	1	1	1	1	92.25	44.25	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	24.875	2004
23.01.2020 10:33:00	1	1	1	1	91.75	44.75	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	25.1875	2004
23.01.2020 10:33:01	1	1	1	1	91.75	45	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	24.5625	2004
23.01.2020 10:33:02	1	1	1	1	91.75	44.5	0	29289.1	550.5376344	16024.51553	30000	0	0	30000	24.625	2004
23.01.2020 10:33:03	1	1	1	1	91.75	44.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.1875	2004
23.01.2020 10:33:04	1	1	1	1	91.75	45	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	25.1875	2004
23.01.2020 10:33:05	1	1	1	1	91.75	45	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.625	2004
23.01.2020 10:33:06	1	1	1	1	91.75	45.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	24.875	2004
23.01.2020 10:33:07	1	1	1	1	91.75	44.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	24.8125	2004
23.01.2020 10:33:08	1	1	1	1	91.75	44.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.0625	2004
23.01.2020 10:33:09	1	1	1	1	91.75	45	0	29052.133	552.688172	16056.31506	30000	0	0	30000	24.5625	2004
23.01.2020 10:33:10	1	1	1	1	91.75	44.5	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	24.375	2004
23.01.2020 10:33:11	1	1	1	1	91.75	44.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	24.75	2004
23.01.2020 10:33:12	1	1	1	1	91.75	44.75	0	29052.133	550.5376344	15630.69062	30000	0	0	30000	24.4375	2004
23.01.2020 10:33:14	1	1	1	1	91.75	44.25	0	28862.559	550.5376344	16190.85152	30000	0	0	30000	25.75	2004
23.01.2020 10:33:15	1	1	1	1	91.75	45.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.125	2004
23.01.2020 10:33:16	1	1	1	1	91.75	45	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	24.9375	2004
23.01.2020 10:33:22	1	1	1	1	92	45.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.75	2004
23.01.2020 10:33:22	1	1	1	1	92	45.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.75	2004
23.01.2020 10:33:22	1	1	1	1	92	45.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.75	2004
23.01.2020 10:33:22	1	1	1	1	92	45.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.75	2004
23.01.2020 10:33:22	1	1	1	1	92	45.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.75	2004
23.01.2020 10:33:22	1	1	1	1	92	44.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	25.625	2004
23.01.2020 10:33:23	1	1	1	1	92	45.5	0	29146.919	539.7849462	15732.61218	30000	0	0	30000	25.375	2004
23.01.2020 10:33:24	1	1	1	1	92	45.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	25.25	2004
23.01.2020 10:33:25	1	1	1	1	92	45.25	0	29431.28	546.2365591	15949.50126	30000	0	0	30000	25.1875	2004
23.01.2020 10:33:26	1	1	1	1	92	45	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.875	2004
23.01.2020 10:33:27	1	1	1	1	92	44.75	0	29146.919	544.0860215	15846.76433	30000	0	0	30000	25.1875	2004
23.01.2020 10:33:28	1	1	1	1	92	45	0	29383.886	546.2365591	16075.884	30000	0	0	30000	24.8125	2004
23.01.2020 10:33:29	1	1	1	1	92	44.75	0	29241.706	544.0860215	16098.71443	30000	0	0	30000	25.25	2004
23.01.2020 10:33:30	1	1	1	1	91.5	45.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	24.75	2004
23.01.2020 10:33:31	1	1	1	1	91.5	44.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	25.1875	2004
23.01.2020 10:33:32	1	1	1	1	91.5	45	0	29431.28	546.2365591	16075.884	30000	0	0	30000	25.25	2004
23.01.2020 10:33:33	1	1	1	1	91.5	45.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	25.9375	2004
23.01.2020 10:33:34	1	1	1	1	91.5	45.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	26.0625	2004
23.01.2020 10:33:35	1	1	1	1	91.5	46	0	29668.246	541.9354839	16167.20572	30000	0	0	30000	25.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:33:36	1	1	1	1	91.5	45	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	24.5625	2004
23.01.2020 10:33:37	1	1	1	1	91.5	44.5	0	29383.886	539.7849462	16013.10032	30000	0	0	30000	24.6875	2004
23.01.2020 10:33:38	1	1	1	1	91.5	44.5	0	29478.673	535.483871	16064.46878	30000	0	0	30000	25.5	2004
23.01.2020 10:33:39	1	1	1	1	91.5	45.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	25.625	2004
23.01.2020 10:33:40	1	1	1	1	92.5	45.5	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	25.0625	2004
23.01.2020 10:33:41	1	1	1	1	92.5	45	0	29241.706	546.2365591	15846.76433	30000	0	0	30000	25.25	2004
23.01.2020 10:33:42	1	1	1	1	92.5	45.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	24.75	2004
23.01.2020 10:33:43	1	1	1	1	92.5	44.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	25.3125	2004
23.01.2020 10:33:44	1	1	1	1	92.5	45.25	0	29289.1	541.9354839	15846.76433	30000	0	0	30000	25.375	2004
23.01.2020 10:33:45	1	1	1	1	92.5	45.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	25.1875	2004
23.01.2020 10:33:46	1	1	1	1	92.5	45	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	24.125	2004
23.01.2020 10:33:47	1	1	1	1	92.5	44	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	26.3125	2004
23.01.2020 10:33:48	1	1	1	1	92.5	46.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	25.375	2004
23.01.2020 10:33:49	1	1	1	1	92.5	45.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	25	2004
23.01.2020 10:33:50	1	1	1	1	92	45	0	29431.28	546.2365591	16075.884	30000	0	0	30000	24.5	2004
23.01.2020 10:33:52	1	1	1	1	92	44.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	24.6875	2004
23.01.2020 10:33:53	1	1	1	1	92	44.5	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	25.375	2004
23.01.2020 10:33:54	1	1	1	1	92	45.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	26	2004
23.01.2020 10:33:55	1	1	1	1	92	46	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	25.3125	2004
23.01.2020 10:33:56	1	1	1	1	92	45.25	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	26.1875	2004
23.01.2020 10:33:57	1	1	1	1	92	46	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	25.1875	2004
23.01.2020 10:33:58	1	1	1	1	92	45	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	24.6875	2004
23.01.2020 10:33:59	1	1	1	1	92	45.75	0	29526.066	550.5376344	16191.66689	30000	0	0	30000	25.125	2004
23.01.2020 10:34:00	1	1	1	1	92	45	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	24.625	2004
23.01.2020 10:34:01	1	1	1	1	92	44.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	26	2004
23.01.2020 10:34:04	1	1	1	1	92	45.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.5625	2004
23.01.2020 10:34:04	1	1	1	1	92	45.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.5625	2004
23.01.2020 10:34:04	1	1	1	1	92	45.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.5625	2004
23.01.2020 10:34:05	1	1	1	1	92	45.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	25.375	2004
23.01.2020 10:34:06	1	1	1	1	92	45.25	0	29099.526	544.0860215	15858.17955	30000	0	0	30000	25.75	2004
23.01.2020 10:34:07	1	1	1	1	92	45.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.0625	2004
23.01.2020 10:34:08	1	1	1	1	92	44	0	29052.133	544.0860215	15868.77939	30000	0	0	30000	25.4375	2004
23.01.2020 10:34:09	1	1	1	1	92	45.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	25.75	2004
23.01.2020 10:34:10	1	1	1	1	92	45.75	0	29431.28	552.688172	16024.51553	30000	0	0	30000	25.625	2004
23.01.2020 10:34:11	1	1	1	1	92	45.5	0	29099.526	544.0860215	15832.08763	30000	0	0	30000	25.5	2004
23.01.2020 10:34:12	1	1	1	1	92	45.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	26	2004
23.01.2020 10:34:13	1	1	1	1	92	46	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	25.8125	2004
23.01.2020 10:34:14	1	1	1	1	92	45.75	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	25.375	2004
23.01.2020 10:34:15	1	1	1	1	92	45.25	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	25.5625	2004
23.01.2020 10:34:16	1	1	1	1	92	45.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	25.6875	2004
23.01.2020 10:34:17	1	1	1	1	92	45.5	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	25.1875	2004
23.01.2020 10:34:23	1	1	1	1	92.25	45.5	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	24.9375	2004
23.01.2020 10:34:23	1	1	1	1	92.25	45.5	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	24.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:34:23	1	1	1	1	92.25	45.5	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	24.9375	2004
23.01.2020 10:34:23	1	1	1	1	92.25	45.5	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	24.9375	2004
23.01.2020 10:34:23	1	1	1	1	92.25	45.5	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	24.9375	2004
23.01.2020 10:34:23	1	1	1	1	92.25	44.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.1875	2004
23.01.2020 10:34:24	1	1	1	1	92.25	46	0	29146.919	539.7849462	15983.74691	30000	0	0	30000	25.4375	2004
23.01.2020 10:34:25	1	1	1	1	92.25	45.25	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	25.25	2004
23.01.2020 10:34:26	1	1	1	1	92.25	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.375	2004
23.01.2020 10:34:27	1	1	1	1	92.25	45.25	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	25	2004
23.01.2020 10:34:28	1	1	1	1	92.25	45	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	25.9375	2004
23.01.2020 10:34:30	1	1	1	1	92.25	45.75	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	25.3125	2004
23.01.2020 10:34:31	1	1	1	1	92.75	45.25	0	29146.919	539.7849462	15920.96323	30000	0	0	30000	26.125	2004
23.01.2020 10:34:32	1	1	1	1	92.75	46	0	29052.133	544.0860215	15868.77939	30000	0	0	30000	25	2004
23.01.2020 10:34:33	1	1	1	1	92.75	45	0	29383.886	552.688172	15960.91648	30000	0	0	30000	26.0625	2004
23.01.2020 10:34:34	1	1	1	1	92.75	46	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	25.8125	2004
23.01.2020 10:34:35	1	1	1	1	92.75	45.75	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	26.4375	2004
23.01.2020 10:34:36	1	1	1	1	92.75	46.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	25.4375	2004
23.01.2020 10:34:37	1	1	1	1	92.75	45.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	25.875	2004
23.01.2020 10:34:38	1	1	1	1	92.75	45.75	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	25.75	2004
23.01.2020 10:34:39	1	1	1	1	92.75	45.75	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	25.25	2004
23.01.2020 10:34:40	1	1	1	1	92.75	45.25	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	25	2004
23.01.2020 10:34:41	1	1	1	1	92.75	45	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	26.25	2004
23.01.2020 10:34:42	1	1	1	1	92.75	46.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	24.8125	2004
23.01.2020 10:34:43	1	1	1	1	92.75	44.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	24.875	2004
23.01.2020 10:34:44	1	1	1	1	92.75	44.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	24.4375	2004
23.01.2020 10:34:45	1	1	1	1	92.75	44.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	24.5	2004
23.01.2020 10:34:46	1	1	1	1	92.75	44.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	25.125	2004
23.01.2020 10:34:47	1	1	1	1	92.75	45	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	25.25	2004
23.01.2020 10:34:48	1	1	1	1	92.75	45.25	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	24.4375	2004
23.01.2020 10:34:49	1	1	1	1	92.75	44.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	25.5	2004
23.01.2020 10:34:50	1	1	1	1	91.75	45.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	25.25	2004
23.01.2020 10:34:51	1	1	1	1	91.75	45.25	0	29289.1	541.9354839	16150.89827	30000	0	0	30000	24.875	2004
23.01.2020 10:34:52	1	1	1	1	91.75	44.75	0	29336.493	544.0860215	15835.34912	30000	0	0	30000	25.75	2004
23.01.2020 10:34:53	1	1	1	1	91.75	45.75	0	29336.493	539.7849462	16024.51553	30000	0	0	30000	24.8125	2004
23.01.2020 10:34:54	1	1	1	1	91.75	44.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	25.1875	2004
23.01.2020 10:34:55	1	1	1	1	91.75	45	0	29336.493	546.2365591	16113.39113	30000	0	0	30000	26	2004
23.01.2020 10:34:56	1	1	1	1	91.75	46	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	24.9375	2004
23.01.2020 10:34:57	1	1	1	1	91.75	44.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	25.0625	2004
23.01.2020 10:34:58	1	1	1	1	91.75	45	0	29383.886	550.5376344	16203.08211	30000	0	0	30000	26.5625	2004
23.01.2020 10:34:59	1	1	1	1	91.75	46.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	26.375	2004
23.01.2020 10:35:00	1	1	1	1	92.75	46.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	26.125	2004
23.01.2020 10:35:01	1	1	1	1	92.75	46	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	25.5	2004
23.01.2020 10:35:02	1	1	1	1	92.75	45.5	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	26.0625	2004
23.01.2020 10:35:03	1	1	1	1	92.75	46	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	25.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:35:04	1	1	1	1	92.75	45.25	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	25.125	2004
23.01.2020 10:35:05	1	1	1	1	92.75	45	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.375	2004
23.01.2020 10:35:06	1	1	1	1	92.75	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.4375	2004
23.01.2020 10:35:07	1	1	1	1	92.75	45.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	25.5625	2004
23.01.2020 10:35:09	1	1	1	1	92.75	45.5	0	29099.526	546.2365591	15681.24371	30000	0	0	30000	25.5	2004
23.01.2020 10:35:10	1	1	1	1	92.75	45.5	0	28957.346	544.0860215	15968.25483	30000	0	0	30000	25.6875	2004
23.01.2020 10:35:11	1	1	1	1	92.5	45.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	25.9375	2004
23.01.2020 10:35:12	1	1	1	1	92.5	45.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	27.25	2004
23.01.2020 10:35:13	1	1	1	1	92.5	47.25	0	29289.1	550.5376344	16024.51553	30000	0	0	30000	25.375	2004
23.01.2020 10:35:14	1	1	1	1	92.5	45.25	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	26	2004
23.01.2020 10:35:15	1	1	1	1	92.5	46.75	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	25.375	2004
23.01.2020 10:35:16	1	1	1	1	92.5	45.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.125	2004
23.01.2020 10:35:17	1	1	1	1	92.5	45	0	29146.919	546.2365591	16020.43867	30000	0	0	30000	25.4375	2004
23.01.2020 10:35:18	1	1	1	1	92.5	45.25	0	29099.526	550.5376344	15754.62724	30000	0	0	30000	25.25	2004
23.01.2020 10:35:19	1	1	1	1	92.5	45.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.3125	2004
23.01.2020 10:35:25	1	1	1	1	92.5	45.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	25.5625	2004
23.01.2020 10:35:25	1	1	1	1	92.5	45.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	25.5625	2004
23.01.2020 10:35:25	1	1	1	1	92.5	45.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	25.5625	2004
23.01.2020 10:35:25	1	1	1	1	92.5	45.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	25.5625	2004
23.01.2020 10:35:25	1	1	1	1	92.5	45.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	25.5625	2004
23.01.2020 10:35:25	1	1	1	1	92.5	45.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	25.625	2004
23.01.2020 10:35:26	1	1	1	1	92.5	45.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	25.3125	2004
23.01.2020 10:35:27	1	1	1	1	92.5	45.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	25.0625	2004
23.01.2020 10:35:28	1	1	1	1	92.5	45	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	26.3125	2004
23.01.2020 10:35:29	1	1	1	1	92.5	46.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	25.8125	2004
23.01.2020 10:35:30	1	1	1	1	92.25	45.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.9375	2004
23.01.2020 10:35:31	1	1	1	1	92.25	45.75	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	24.875	2004
23.01.2020 10:35:32	1	1	1	1	92.25	44.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	26.4375	2004
23.01.2020 10:35:33	1	1	1	1	92.25	46.25	0	29052.133	550.5376344	15817.41092	30000	0	0	30000	25.8125	2004
23.01.2020 10:35:34	1	1	1	1	92.25	45.75	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	26.4375	2004
23.01.2020 10:35:35	1	1	1	1	92.25	46.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	26.5625	2004
23.01.2020 10:35:36	1	1	1	1	92.25	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.375	2004
23.01.2020 10:35:37	1	1	1	1	92.25	45.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	25.8125	2004
23.01.2020 10:35:38	1	1	1	1	92.25	45.75	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	26.3125	2004
23.01.2020 10:35:39	1	1	1	1	92.25	46.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	26.125	2004
23.01.2020 10:35:40	1	1	1	1	92.75	46	0	29146.919	544.0860215	15909.54801	30000	0	0	30000	25.3125	2004
23.01.2020 10:35:41	1	1	1	1	92.75	45.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	25.8125	2004
23.01.2020 10:35:42	1	1	1	1	92.75	45.75	0	29146.919	539.7849462	15920.96323	30000	0	0	30000	25.5	2004
23.01.2020 10:35:43	1	1	1	1	92.75	45.5	0	29146.919	552.688172	15994.34675	30000	0	0	30000	25.3125	2004
23.01.2020 10:35:44	1	1	1	1	92.75	45.25	0	28957.346	546.2365591	15868.77939	30000	0	0	30000	25.75	2004
23.01.2020 10:35:45	1	1	1	1	92.75	45.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	26	2004
23.01.2020 10:35:46	1	1	1	1	92.75	46	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	24.9375	2004
23.01.2020 10:35:48	1	1	1	1	92.75	44.75	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	25.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:35:49	1	1	1	1	92.75	45.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	25.5	2004
23.01.2020 10:35:50	1	1	1	1	92.75	45.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	25.5	2004
23.01.2020 10:35:51	1	1	1	1	93	45.5	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	26.125	2004
23.01.2020 10:35:52	1	1	1	1	93	46	0	29336.493	544.0860215	16176.99019	30000	0	0	30000	26.125	2004
23.01.2020 10:35:53	1	1	1	1	93	46	0	29146.919	552.688172	16046.53059	30000	0	0	30000	26.375	2004
23.01.2020 10:35:54	1	1	1	1	93	46	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	24.75	2004
23.01.2020 10:35:55	1	1	1	1	93	44.75	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	25.5625	2004
23.01.2020 10:35:56	1	1	1	1	93	45.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.5	2004
23.01.2020 10:35:57	1	1	1	1	93	45.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	26.375	2004
23.01.2020 10:35:58	1	1	1	1	93	46.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26.4375	2004
23.01.2020 10:35:59	1	1	1	1	93	46.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.125	2004
23.01.2020 10:36:00	1	1	1	1	92.25	46	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	25.3125	2004
23.01.2020 10:36:01	1	1	1	1	92.25	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.6875	2004
23.01.2020 10:36:02	1	1	1	1	92.25	45.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26	2004
23.01.2020 10:36:03	1	1	1	1	92.25	46	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	25.375	2004
23.01.2020 10:36:04	1	1	1	1	92.25	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.5	2004
23.01.2020 10:36:05	1	1	1	1	92.25	45.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	26.375	2004
23.01.2020 10:36:06	1	1	1	1	92.25	46.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	26.3125	2004
23.01.2020 10:36:07	1	1	1	1	92.25	46.25	0	28957.346	552.688172	16252.81983	30000	0	0	30000	26.0625	2004
23.01.2020 10:36:08	1	1	1	1	92.25	46	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	26.6875	2004
23.01.2020 10:36:09	1	1	1	1	92.25	46.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	26.125	2004
23.01.2020 10:36:10	1	1	1	1	92.25	46	0	29099.526	554.8387097	16056.31506	30000	0	0	30000	25.625	2004
23.01.2020 10:36:11	1	1	1	1	92.25	45.5	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	26.4375	2004
23.01.2020 10:36:12	1	1	1	1	92.25	46.25	0	28862.559	552.688172	16004.13122	30000	0	0	30000	25.875	2004
23.01.2020 10:36:13	1	1	1	1	92.25	45.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	26.0625	2004
23.01.2020 10:36:14	1	1	1	1	92.25	46	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	25.875	2004
23.01.2020 10:36:15	1	1	1	1	92.25	45.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	26.1875	2004
23.01.2020 10:36:16	1	1	1	1	92.25	46	0	29099.526	552.688172	16082.40698	30000	0	0	30000	24.875	2004
23.01.2020 10:36:17	1	1	1	1	92.25	44.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.25	2004
23.01.2020 10:36:18	1	1	1	1	92.25	46.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	25.6875	2004
23.01.2020 10:36:19	1	1	1	1	92.25	45.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	25.625	2004
23.01.2020 10:36:20	1	1	1	1	91.25	45.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	25.5	2004
23.01.2020 10:36:26	1	1	1	1	91.25	45.5	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	25.5625	2004
23.01.2020 10:36:26	1	1	1	1	91.25	45.5	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	25.5625	2004
23.01.2020 10:36:26	1	1	1	1	91.25	45.5	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	25.5625	2004
23.01.2020 10:36:26	1	1	1	1	91.25	45.5	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	25.5625	2004
23.01.2020 10:36:26	1	1	1	1	91.25	45.5	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	25.5625	2004
23.01.2020 10:36:26	1	1	1	1	91.25	45.5	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	25.5625	2004
23.01.2020 10:36:27	1	1	1	1	91.25	45.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	25.375	2004
23.01.2020 10:36:28	1	1	1	1	91.25	45.25	0	29289.1	541.9354839	15935.63993	30000	0	0	30000	25	2004
23.01.2020 10:36:29	1	1	1	1	91.25	45	0	29336.493	550.5376344	16203.08211	30000	0	0	30000	25.5625	2004
23.01.2020 10:36:30	1	1	1	1	91.25	45.5	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	26.375	2004
23.01.2020 10:36:31	1	1	1	1	91.75	46.25	0	29052.133	550.5376344	15806.81108	30000	0	0	30000	27.0625	2004
23.01.2020 10:36:32	1	1	1	1	91.75	46.75	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	26.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:36:33	1	1	1	1	91.75	46	0	29241.706	546.2365591	15732.61218	30000	0	0	30000	26	2004
23.01.2020 10:36:34	1	1	1	1	91.75	46	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	25.6875	2004
23.01.2020 10:36:35	1	1	1	1	91.75	45.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	25.8125	2004
23.01.2020 10:36:36	1	1	1	1	91.75	45.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.5625	2004
23.01.2020 10:36:37	1	1	1	1	91.75	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.3125	2004
23.01.2020 10:36:38	1	1	1	1	91.75	46.25	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	27.125	2004
23.01.2020 10:36:39	1	1	1	1	91.75	47	0	29052.133	544.0860215	15994.34675	30000	0	0	30000	25.375	2004
23.01.2020 10:36:40	1	1	1	1	91.5	45.25	0	28957.346	550.5376344	15817.41092	30000	0	0	30000	25.6875	2004
23.01.2020 10:36:41	1	1	1	1	91.5	45.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	26.25	2004
23.01.2020 10:36:42	1	1	1	1	91.5	46.25	0	29099.526	544.0860215	15770.11932	30000	0	0	30000	26	2004
23.01.2020 10:36:43	1	1	1	1	91.5	46	0	29383.886	544.0860215	16203.08211	30000	0	0	30000	25.8125	2004
23.01.2020 10:36:44	1	1	1	1	91.5	45.75	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	25.125	2004
23.01.2020 10:36:45	1	1	1	1	91.5	45	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	25.5625	2004
23.01.2020 10:36:46	1	1	1	1	91.5	45.5	0	29478.673	546.2365591	16139.48305	30000	0	0	30000	25.9375	2004
23.01.2020 10:36:47	1	1	1	1	91.5	45.75	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	25	2004
23.01.2020 10:36:48	1	1	1	1	91.5	45	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	25.3125	2004
23.01.2020 10:36:49	1	1	1	1	91.5	45.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	26.1875	2004
23.01.2020 10:36:50	1	1	1	1	91	46	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	26.4375	2004
23.01.2020 10:36:51	1	1	1	1	91	46.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	26.625	2004
23.01.2020 10:36:52	1	1	1	1	91	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.25	2004
23.01.2020 10:36:53	1	1	1	1	91	46.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	26.3125	2004
23.01.2020 10:36:54	1	1	1	1	91	46.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	26	2004
23.01.2020 10:36:55	1	1	1	1	91	46	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	26.625	2004
23.01.2020 10:36:56	1	1	1	1	91	46.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	27	2004
23.01.2020 10:36:57	1	1	1	1	91	47	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	26.25	2004
23.01.2020 10:36:58	1	1	1	1	91	46.25	0	29052.133	544.0860215	15868.77939	30000	0	0	30000	25.6875	2004
23.01.2020 10:36:59	1	1	1	1	91	45.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	26.625	2004
23.01.2020 10:37:00	1	1	1	1	91.25	46.5	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	25.875	2004
23.01.2020 10:37:01	1	1	1	1	91.25	45.75	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	26.875	2004
23.01.2020 10:37:02	1	1	1	1	91.25	46.75	0	29289.1	546.2365591	16124.80635	30000	0	0	30000	26.6875	2004
23.01.2020 10:37:04	1	1	1	1	91.25	46.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	26.6875	2004
23.01.2020 10:37:05	1	1	1	1	91.25	46.5	0	29241.706	546.2365591	16046.53059	30000	0	0	30000	26.875	2004
23.01.2020 10:37:06	1	1	1	1	91.25	46.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	25.625	2004
23.01.2020 10:37:07	1	1	1	1	91.25	45.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	25.875	2004
23.01.2020 10:37:08	1	1	1	1	91.25	45.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	26.1875	2004
23.01.2020 10:37:09	1	1	1	1	91.25	46	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	26.5625	2004
23.01.2020 10:37:10	1	1	1	1	91.25	46.5	0	28957.346	537.6344086	15754.62724	30000	0	0	30000	27.625	2004
23.01.2020 10:37:11	1	1	1	1	91.25	47.25	0	28957.346	550.5376344	16207.97434	30000	0	0	30000	25.75	2004
23.01.2020 10:37:12	1	1	1	1	91.25	45.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.5	2004
23.01.2020 10:37:13	1	1	1	1	91.25	45.5	0	29146.919	548.3870968	15972.33169	30000	0	0	30000	25.4375	2004
23.01.2020 10:37:14	1	1	1	1	91.25	45.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	27.0625	2004
23.01.2020 10:37:15	1	1	1	1	91.25	47	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	27.125	2004
23.01.2020 10:37:16	1	1	1	1	91.25	47	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	26.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:37:17	1	1	1	1	91.25	46.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	26.3125	2004
23.01.2020 10:37:18	1	1	1	1	91.25	46.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	26.6875	2004
23.01.2020 10:37:19	1	1	1	1	91.25	46.5	0	29052.133	550.5376344	16181.06705	30000	0	0	30000	26.0625	2004
23.01.2020 10:37:20	1	1	1	1	91.25	46	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	26.0625	2004
23.01.2020 10:37:21	1	1	1	1	91.25	46	0	29383.886	546.2365591	16150.89827	30000	0	0	30000	26.4375	2004
23.01.2020 10:37:22	1	1	1	1	91.25	46.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	26.5	2004
23.01.2020 10:37:28	1	1	1	1	91.25	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.75	2004
23.01.2020 10:37:28	1	1	1	1	91.25	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.75	2004
23.01.2020 10:37:28	1	1	1	1	91.25	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.75	2004
23.01.2020 10:37:28	1	1	1	1	91.25	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.75	2004
23.01.2020 10:37:28	1	1	1	1	91.25	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.75	2004
23.01.2020 10:37:28	1	1	1	1	91.25	45.75	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	25.875	2004
23.01.2020 10:37:29	1	1	1	1	91.25	45.75	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	26.25	2004
23.01.2020 10:37:30	1	1	1	1	91	46.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	26.6875	2004
23.01.2020 10:37:31	1	1	1	1	91	46.5	0	29289.1	544.0860215	15872.85625	30000	0	0	30000	26.4375	2004
23.01.2020 10:37:32	1	1	1	1	91	46.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	26.25	2004
23.01.2020 10:37:33	1	1	1	1	91	46.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	26.25	2004
23.01.2020 10:37:34	1	1	1	1	91	46.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26.5625	2004
23.01.2020 10:37:35	1	1	1	1	91	46.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	26.1875	2004
23.01.2020 10:37:36	1	1	1	1	91	46	0	29052.133	552.688172	16056.31506	30000	0	0	30000	26.125	2004
23.01.2020 10:37:37	1	1	1	1	91	46	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	25.75	2004
23.01.2020 10:37:38	1	1	1	1	91	45.75	0	29099.526	546.2365591	16020.43867	30000	0	0	30000	25.875	2004
23.01.2020 10:37:39	1	1	1	1	91	45.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	26.875	2004
23.01.2020 10:37:40	1	1	1	1	91.75	46.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	25.375	2004
23.01.2020 10:37:41	1	1	1	1	91.75	45.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	26.125	2004
23.01.2020 10:37:43	1	1	1	1	91.75	46	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	25.4375	2004
23.01.2020 10:37:44	1	1	1	1	91.75	45.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	27.3125	2004
23.01.2020 10:37:45	1	1	1	1	91.75	47.25	0	29241.706	550.5376344	15909.54801	30000	0	0	30000	26.8125	2004
23.01.2020 10:37:46	1	1	1	1	91.75	46.75	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	26	2004
23.01.2020 10:37:47	1	1	1	1	91.75	46	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	26.625	2004
23.01.2020 10:37:48	1	1	1	1	91.75	46.5	0	29241.706	550.5376344	15858.17955	30000	0	0	30000	26.0625	2004
23.01.2020 10:37:49	1	1	1	1	91.75	46	0	29099.526	544.0860215	16046.53059	30000	0	0	30000	27.125	2004
23.01.2020 10:37:50	1	1	1	1	91.75	47	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	26.375	2004
23.01.2020 10:37:51	1	1	1	1	92.5	46.25	0	29478.673	546.2365591	16128.06784	30000	0	0	30000	27.75	2004
23.01.2020 10:37:52	1	1	1	1	92.5	46.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	27.1875	2004
23.01.2020 10:37:53	1	1	1	1	92.5	47	0	29052.133	554.8387097	15942.16291	30000	0	0	30000	27.1875	2004
23.01.2020 10:37:54	1	1	1	1	92.5	47	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	25.75	2004
23.01.2020 10:37:55	1	1	1	1	92.5	45.75	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	27.3125	2004
23.01.2020 10:37:56	1	1	1	1	92.5	47.25	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	26.4375	2004
23.01.2020 10:37:57	1	1	1	1	92.5	46.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	26.5	2004
23.01.2020 10:37:58	1	1	1	1	92.5	46.5	0	29383.886	546.2365591	15835.34912	30000	0	0	30000	25.4375	2004
23.01.2020 10:37:59	1	1	1	1	92.5	45.25	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	26.0625	2004
23.01.2020 10:38:00	1	1	1	1	92.5	46	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	25.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:38:01	1	1	1	1	92.5	45.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	26.8125	2004
23.01.2020 10:38:02	1	1	1	1	92.5	46.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	26.4375	2004
23.01.2020 10:38:03	1	1	1	1	92.5	46.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	27.5	2004
23.01.2020 10:38:04	1	1	1	1	92.5	47.5	0	29289.1	546.2365591	16124.80635	30000	0	0	30000	26.75	2004
23.01.2020 10:38:05	1	1	1	1	92.5	46.75	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	26.8125	2004
23.01.2020 10:38:06	1	1	1	1	92.5	46.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	25.9375	2004
23.01.2020 10:38:07	1	1	1	1	92.5	45.75	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	26.375	2004
23.01.2020 10:38:08	1	1	1	1	92.5	46.25	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	26.6875	2004
23.01.2020 10:38:09	1	1	1	1	92.5	46.5	0	29099.526	544.0860215	16020.43867	30000	0	0	30000	25.875	2004
23.01.2020 10:38:10	1	1	1	1	92.5	45.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	27.3125	2004
23.01.2020 10:38:11	1	1	1	1	92.5	47.25	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	27.1875	2004
23.01.2020 10:38:12	1	1	1	1	92.5	47	0	29052.133	544.0860215	16020.43867	30000	0	0	30000	27	2004
23.01.2020 10:38:13	1	1	1	1	92.5	47	0	28957.346	541.9354839	15942.16291	30000	0	0	30000	25.8125	2004
23.01.2020 10:38:14	1	1	1	1	92.5	45.75	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	26.4375	2004
23.01.2020 10:38:15	1	1	1	1	92.5	46.25	0	29004.739	550.5376344	15879.37923	30000	0	0	30000	26.625	2004
23.01.2020 10:38:16	1	1	1	1	92.5	46.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	27.5625	2004
23.01.2020 10:38:17	1	1	1	1	92.5	47.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	26.875	2004
23.01.2020 10:38:18	1	1	1	1	92.5	46.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26.25	2004
23.01.2020 10:38:19	1	1	1	1	92.5	46.25	0	29052.133	544.0860215	15983.74691	30000	0	0	30000	27.125	2004
23.01.2020 10:38:21	1	1	1	1	93	47	0	29052.133	550.5376344	16234.06626	30000	0	0	30000	27.25	2004
23.01.2020 10:38:22	1	1	1	1	93	47.25	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	25.75	2004
23.01.2020 10:38:23	1	1	1	1	93	45.75	0	29099.526	544.0860215	15894.87131	30000	0	0	30000	27	2004
23.01.2020 10:38:24	1	1	1	1	93	47	0	29241.706	550.5376344	15858.17955	30000	0	0	30000	27.1875	2004
23.01.2020 10:38:30	1	1	1	1	93	46.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	26.0625	2004
23.01.2020 10:38:30	1	1	1	1	93	46.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	26.0625	2004
23.01.2020 10:38:30	1	1	1	1	93	46.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	26.0625	2004
23.01.2020 10:38:30	1	1	1	1	93	46.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	26.0625	2004
23.01.2020 10:38:30	1	1	1	1	93	46.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	26.0625	2004
23.01.2020 10:38:30	1	1	1	1	93	46	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	26.3125	2004
23.01.2020 10:38:31	1	1	1	1	93	47.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.8125	2004
23.01.2020 10:38:32	1	1	1	1	93	46.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	26.125	2004
23.01.2020 10:38:33	1	1	1	1	93	46	0	28957.346	552.688172	16004.13122	30000	0	0	30000	26.5	2004
23.01.2020 10:38:34	1	1	1	1	93	46.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	25.875	2004
23.01.2020 10:38:35	1	1	1	1	93	45.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	27.1875	2004
23.01.2020 10:38:36	1	1	1	1	93	47	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.25	2004
23.01.2020 10:38:37	1	1	1	1	93	46.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	27.0625	2004
23.01.2020 10:38:38	1	1	1	1	93	47	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.5625	2004
23.01.2020 10:38:39	1	1	1	1	93	46.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	27.3125	2004
23.01.2020 10:38:40	1	1	1	1	92.5	47.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	26.3125	2004
23.01.2020 10:38:41	1	1	1	1	92.5	46.25	0	29099.526	550.5376344	15894.87131	30000	0	0	30000	26.8125	2004
23.01.2020 10:38:42	1	1	1	1	92.5	46.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	27.5	2004
23.01.2020 10:38:43	1	1	1	1	92.5	47.5	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	27.1875	2004
23.01.2020 10:38:44	1	1	1	1	92.5	47	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	26	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:38:45	1	1	1	1	92.5	46	0	29241.706	546.2365591	16150.89827	30000	0	0	30000	26.0625	2004
23.01.2020 10:38:46	1	1	1	1	92.5	46	0	29099.526	550.5376344	15868.77939	30000	0	0	30000	25.3125	2004
23.01.2020 10:38:47	1	1	1	1	92.5	45.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	26.5	2004
23.01.2020 10:38:48	1	1	1	1	92.5	46.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	26.4375	2004
23.01.2020 10:38:49	1	1	1	1	92.5	46.25	0	29905.213	529.0322581	15910.36338	30000	0	0	30000	27.25	2004
23.01.2020 10:38:50	1	1	1	1	92.5	47.25	0	30000	483.8709677	14451.662	30000	0	0	30000	25.8125	2004
23.01.2020 10:38:51	1	1	1	1	92.5	45.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	26.6875	2004
23.01.2020 10:38:52	1	1	1	1	92.5	46.5	0	29905.213	460.2150538	13784.6873	30000	0	0	30000	26.25	2004
23.01.2020 10:38:53	1	1	1	1	92.5	46.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	27.3125	2004
23.01.2020 10:38:54	1	1	1	1	92.5	47.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	26.9375	2004
23.01.2020 10:38:55	1	1	1	1	92.5	46.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	26.25	2004
23.01.2020 10:38:56	1	1	1	1	92.5	46.25	0	0	0	0	30000	0	8	30000	27.25	2004
23.01.2020 10:38:57	1	1	1	1	92.5	47.25	0	10331.754	0	0	30000	0	0	30000	25.4375	2004
23.01.2020 10:38:58	1	1	1	1	92.5	45.25	0	11090.047	0	0	30000	0	0	30000	27.4375	2004
23.01.2020 10:39:00	1	1	1	1	92.5	47.25	0	11848.341	2.150537634	25.27654717	30000	0	0	30000	25.375	2004
23.01.2020 10:39:01	1	1	1	1	93.5	45.25	0	12654.028	6.451612903	108.4445411	30000	0	0	30000	25.5	2004
23.01.2020 10:39:02	1	1	1	1	93.5	45.5	0	13412.322	10.75268817	143.5055581	30000	0	0	30000	26.25	2004
23.01.2020 10:39:03	1	1	1	1	93.5	46.25	0	14170.616	27.95698925	365.2868752	30000	0	0	30000	26	2004
23.01.2020 10:39:04	1	1	1	1	93.5	46	0	14928.91	58.06451613	898.5404832	30000	0	0	30000	26.75	2004
23.01.2020 10:39:05	1	1	1	1	93.5	46.75	0	15639.81	79.56989247	1247.519909	30000	0	0	30000	27.625	2004
23.01.2020 10:39:06	1	1	1	1	93.5	47.5	0	16161.137	96.77419355	1668.252113	30000	0	0	30000	28.4375	2004
23.01.2020 10:39:07	1	1	1	1	93.5	48.25	0	16824.645	113.9784946	1916.940722	30000	0	0	30000	28.0625	2004
23.01.2020 10:39:08	1	1	1	1	93.5	48	0	17156.398	126.8817204	2213.736309	30000	0	0	30000	26.3125	2004
23.01.2020 10:39:09	1	1	1	1	93.5	46.75	0	18104.265	150.5376344	2724.974859	30000	0	0	30000	25.4375	2004
23.01.2020 10:39:10	1	1	1	1	95.5	45.25	0	18720.379	178.4946237	3349.550186	30000	0	0	30000	27.6875	2004
23.01.2020 10:39:11	1	1	1	1	95.5	47.5	0	18483.412	184.9462366	3457.994727	30000	0	0	30000	27.25	2004
23.01.2020 10:39:12	1	1	1	1	95.5	47.25	0	18530.806	195.6989247	3825.72772	30000	0	0	30000	28.125	2004
23.01.2020 10:39:13	1	1	1	1	95.5	48	0	18483.412	206.4516129	3656.945615	30000	0	0	30000	27.125	2004
23.01.2020 10:39:14	1	1	1	1	95.5	47	0	18862.559	219.3548387	4147.799853	30000	0	0	30000	27.75	2004
23.01.2020 10:39:15	1	1	1	1	95.5	47.75	0	19241.706	234.4086022	4509.825238	30000	0	0	30000	25.625	2004
23.01.2020 10:39:16	1	1	1	1	95.5	45.5	0	19431.28	253.7634409	4835.158862	30000	0	0	30000	25.625	2004
23.01.2020 10:39:17	1	1	1	1	95.5	45.5	0	19668.246	262.3655914	5202.076482	30000	0	0	30000	26.0625	2004
23.01.2020 10:39:18	1	1	1	1	95.5	46	0	20047.393	279.5698925	5560.840377	30000	0	0	30000	26.875	2004
23.01.2020 10:39:19	1	1	1	1	95.5	46.75	0	20047.393	294.6236559	6063.925203	30000	0	0	30000	26.1875	2004
23.01.2020 10:39:20	1	1	1	1	98	46	0	20521.327	309.6774194	6355.013182	30000	0	0	30000	27.625	2004
23.01.2020 10:39:21	1	1	1	1	98	47.5	0	20616.114	322.5806452	6694.208137	30000	0	0	30000	27.3125	2004
23.01.2020 10:39:22	1	1	1	1	98	47.25	0	21042.654	339.7849462	7150.001359	30000	0	0	30000	25.4375	2004
23.01.2020 10:39:23	1	1	1	1	98	45.25	0	20995.261	354.8387097	7449.243063	30000	0	0	30000	25.6875	2004
23.01.2020 10:39:24	1	1	1	1	98	45.5	0	21184.834	369.8924731	7818.6068	30000	0	0	30000	27.625	2004
23.01.2020 10:39:25	1	1	1	1	98	47.5	0	21469.194	384.9462366	8227.92379	30000	0	0	30000	27.0625	2004
23.01.2020 10:39:31	1	1	1	1	96.75	46.5	0	22322.275	460.2150538	10272.87799	30000	0	0	30000	28.125	2004
23.01.2020 10:39:31	1	1	1	1	96.75	46.5	0	22322.275	460.2150538	10272.87799	30000	0	0	30000	28.125	2004
23.01.2020 10:39:31	1	1	1	1	96.75	46.5	0	22322.275	460.2150538	10272.87799	30000	0	0	30000	28.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:39:31	1	1	1	1	96.75	46.5	0	22322.275	460.2150538	10272.87799	30000	0	0	30000	28.125	2004
23.01.2020 10:39:31	1	1	1	1	96.75	46.5	0	22322.275	460.2150538	10272.87799	30000	0	0	30000	28.125	2004
23.01.2020 10:39:31	1	1	1	1	96.75	48	0	22511.848	470.9677419	10867.28454	30000	0	0	30000	26.1875	2004
23.01.2020 10:39:32	1	1	1	1	96.75	46	0	22890.995	492.4731183	11272.52467	30000	0	0	30000	27.6875	2004
23.01.2020 10:39:33	1	1	1	1	96.75	47.5	0	23080.569	505.3763441	11663.90346	30000	0	0	30000	25.9375	2004
23.01.2020 10:39:34	1	1	1	1	96.75	45.75	0	23554.502	526.8817204	12258.31	30000	0	0	30000	27.0625	2004
23.01.2020 10:39:35	1	1	1	1	96.75	47	0	23649.289	535.483871	12663.55013	30000	0	0	30000	26.6875	2004
23.01.2020 10:39:36	1	1	1	1	96.75	46.5	0	23744.076	541.9354839	13046.7752	30000	0	0	30000	26.4375	2004
23.01.2020 10:39:37	1	1	1	1	96.75	46.25	0	23791.469	567.7419355	13429.1849	30000	0	0	30000	28.1875	2004
23.01.2020 10:39:39	1	1	1	1	96.75	48	0	23933.649	578.4946237	13845.02487	30000	0	0	30000	27.1875	2004
23.01.2020 10:39:40	1	1	1	1	96.75	47	0	24075.829	595.6989247	14341.58671	30000	0	0	30000	26.9375	2004
23.01.2020 10:39:41	1	1	1	1	97.25	46.75	0	24218.009	612.9032258	14843.0408	30000	0	0	30000	28.0625	2004
23.01.2020 10:39:42	1	1	1	1	97.25	48	0	24407.583	625.8064516	15274.37284	30000	0	0	30000	26.5	2004
23.01.2020 10:39:43	1	1	1	1	97.25	46.5	0	24597.156	643.0107527	15785.61139	30000	0	0	30000	26.9375	2004
23.01.2020 10:39:44	1	1	1	1	97.25	46.75	0	24502.37	653.7634409	16080.77623	30000	0	0	30000	26.5	2004
23.01.2020 10:39:45	1	1	1	1	97.25	46.5	0	24691.943	653.7634409	16066.9149	30000	0	0	30000	26.75	2004
23.01.2020 10:39:46	1	1	1	1	97.25	46.75	0	24691.943	653.7634409	15982.93154	30000	0	0	30000	26.8125	2004
23.01.2020 10:39:47	1	1	1	1	97.25	46.75	0	24691.943	647.311828	16142.74454	30000	0	0	30000	27.3125	2004
23.01.2020 10:39:48	1	1	1	1	97.25	48	0	24834.123	647.311828	16106.05278	30000	0	0	30000	25.875	2004
23.01.2020 10:39:49	1	1	1	1	97.25	45.75	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	26.625	2004
23.01.2020 10:39:50	1	1	1	1	97.75	46.5	0	24786.73	645.1612903	16075.06863	30000	0	0	30000	26.8125	2004
23.01.2020 10:39:51	1	1	1	1	97.75	46.75	0	24928.91	645.1612903	15998.42361	30000	0	0	30000	27	2004
23.01.2020 10:39:52	1	1	1	1	97.75	47	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	27	2004
23.01.2020 10:39:53	1	1	1	1	97.75	47	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	27.0625	2004
23.01.2020 10:39:54	1	1	1	1	97.75	47	0	24834.123	645.1612903	15998.42361	30000	0	0	30000	27.8125	2004
23.01.2020 10:39:55	1	1	1	1	97.75	47.75	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	27.125	2004
23.01.2020 10:39:56	1	1	1	1	97.75	47	0	25308.057	638.7096774	16163.94423	30000	0	0	30000	25.8125	2004
23.01.2020 10:39:57	1	1	1	1	97.75	45.75	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	26	2004
23.01.2020 10:39:58	1	1	1	1	97.75	46	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	27	2004
23.01.2020 10:39:59	1	1	1	1	97.75	47	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	26.9375	2004
23.01.2020 10:40:00	1	1	1	1	98	46.75	0	24881.517	638.7096774	15975.59318	30000	0	0	30000	26.375	2004
23.01.2020 10:40:01	1	1	1	1	98	46.25	0	24881.517	640.8602151	15945.4244	30000	0	0	30000	26.4375	2004
23.01.2020 10:40:02	1	1	1	1	98	46.25	0	24976.303	640.8602151	16059.57655	30000	0	0	30000	27.4375	2004
23.01.2020 10:40:03	1	1	1	1	98	47.25	0	25071.09	640.8602151	16066.9149	30000	0	0	30000	26.4375	2004
23.01.2020 10:40:04	1	1	1	1	98	46.25	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	26.1875	2004
23.01.2020 10:40:05	1	1	1	1	98	46	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	28.125	2004
23.01.2020 10:40:06	1	1	1	1	98	48	0	24976.303	643.0107527	16113.39113	30000	0	0	30000	27.5625	2004
23.01.2020 10:40:07	1	1	1	1	98	47.5	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	27.1875	2004
23.01.2020 10:40:08	1	1	1	1	98	47	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	27.5625	2004
23.01.2020 10:40:09	1	1	1	1	98	47.5	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	27.125	2004
23.01.2020 10:40:10	1	1	1	1	97.75	47	0	24881.517	638.7096774	16029.40777	30000	0	0	30000	27.8125	2004
23.01.2020 10:40:11	1	1	1	1	97.75	47.75	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	27.375	2004
23.01.2020 10:40:12	1	1	1	1	97.75	47.25	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	27.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:40:13	1	1	1	1	97.75	47.25	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	27.25	2004
23.01.2020 10:40:14	1	1	1	1	97.75	47.25	0	25118.483	638.7096774	16073.43788	30000	0	0	30000	27.25	2004
23.01.2020 10:40:15	1	1	1	1	97.75	47.25	0	25165.877	634.4086022	16073.43788	30000	0	0	30000	27.3125	2004
23.01.2020 10:40:17	1	1	1	1	97.75	47.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	27.3125	2004
23.01.2020 10:40:18	1	1	1	1	97.75	47.25	0	25260.664	630.1075269	15970.70095	30000	0	0	30000	26.3125	2004
23.01.2020 10:40:19	1	1	1	1	97.75	46.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	27.5625	2004
23.01.2020 10:40:20	1	1	1	1	97.75	47.5	0	24976.303	634.4086022	15737.50442	30000	0	0	30000	27.375	2004
23.01.2020 10:40:21	1	1	1	1	98.5	47.25	0	25165.877	634.4086022	16025.33091	30000	0	0	30000	27.5625	2004
23.01.2020 10:40:22	1	1	1	1	98.5	47.5	0	25165.877	640.8602151	15964.99334	30000	0	0	30000	27.0625	2004
23.01.2020 10:40:23	1	1	1	1	98.5	47	0	25260.664	645.1612903	16133.77545	30000	0	0	30000	27.1875	2004
23.01.2020 10:40:24	1	1	1	1	98.5	47	0	25118.483	634.4086022	16073.43788	30000	0	0	30000	27.875	2004
23.01.2020 10:40:25	1	1	1	1	98.5	47.75	0	25118.483	640.8602151	16066.9149	30000	0	0	30000	28.5	2004
23.01.2020 10:40:26	1	1	1	1	98.5	47.5	0	24928.91	638.7096774	15951.94738	30000	0	0	30000	26.4375	2004
23.01.2020 10:40:27	1	1	1	1	98.5	46.25	0	24928.91	638.7096774	15951.94738	30000	0	0	30000	27.0625	2004
23.01.2020 10:40:33	1	1	1	1	98.5	48	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	27.625	2004
23.01.2020 10:40:33	1	1	1	1	98.5	48	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	27.625	2004
23.01.2020 10:40:33	1	1	1	1	98.5	48	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	27.625	2004
23.01.2020 10:40:33	1	1	1	1	98.5	48	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	27.625	2004
23.01.2020 10:40:33	1	1	1	1	98.5	48	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	27.625	2004
23.01.2020 10:40:33	1	1	1	1	98.5	47.5	0	25355.45	632.2580645	15921.7786	30000	0	0	30000	26.875	2004
23.01.2020 10:40:34	1	1	1	1	98.5	46.75	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	27.25	2004
23.01.2020 10:40:35	1	1	1	1	98.5	47.25	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	27.8125	2004
23.01.2020 10:40:36	1	1	1	1	98.5	47.75	0	25165.877	632.2580645	15964.99334	30000	0	0	30000	28.125	2004
23.01.2020 10:40:37	1	1	1	1	98.5	48	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	26.875	2004
23.01.2020 10:40:38	1	1	1	1	98.5	46.75	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	28.1875	2004
23.01.2020 10:40:39	1	1	1	1	98.5	48	0	25260.664	640.8602151	16133.77545	30000	0	0	30000	26.0625	2004
23.01.2020 10:40:40	1	1	1	1	98.75	46	0	24976.303	636.5591398	15845.13359	30000	0	0	30000	27	2004
23.01.2020 10:40:41	1	1	1	1	98.75	47	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	27.8125	2004
23.01.2020 10:40:42	1	1	1	1	98.75	47.75	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	26.5	2004
23.01.2020 10:40:43	1	1	1	1	98.75	46.5	0	25165.877	636.5591398	16127.25247	30000	0	0	30000	28.375	2004
23.01.2020 10:40:44	1	1	1	1	98.75	48.25	0	25118.483	638.7096774	16073.43788	30000	0	0	30000	26.9375	2004
23.01.2020 10:40:45	1	1	1	1	98.75	46.75	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27.1875	2004
23.01.2020 10:40:46	1	1	1	1	98.75	47	0	25260.664	638.7096774	16133.77545	30000	0	0	30000	27.875	2004
23.01.2020 10:40:47	1	1	1	1	98.75	47.75	0	25118.483	634.4086022	15934.82456	30000	0	0	30000	28.1875	2004
23.01.2020 10:40:48	1	1	1	1	98.75	48	0	25213.27	638.7096774	16073.43788	30000	0	0	30000	26.4375	2004
23.01.2020 10:40:49	1	1	1	1	98.75	46.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27.875	2004
23.01.2020 10:40:50	1	1	1	1	98.5	47.75	0	25213.27	645.1612903	15964.99334	30000	0	0	30000	27.5	2004
23.01.2020 10:40:51	1	1	1	1	98.5	47.5	0	25355.45	632.2580645	16085.66847	30000	0	0	30000	28	2004
23.01.2020 10:40:52	1	1	1	1	98.5	48	0	25260.664	632.2580645	16055.49969	30000	0	0	30000	27.5	2004
23.01.2020 10:40:53	1	1	1	1	98.5	47.5	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	27.625	2004
23.01.2020 10:40:54	1	1	1	1	98.5	47.5	0	25165.877	625.8064516	15856.5488	30000	0	0	30000	26.6875	2004
23.01.2020 10:40:56	1	1	1	1	98.5	46.5	0	24976.303	634.4086022	15904.65578	30000	0	0	30000	26.3125	2004
23.01.2020 10:40:57	1	1	1	1	98.5	46.25	0	25308.057	638.7096774	16055.49969	30000	0	0	30000	26.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:40:58	1	1	1	1	98.5	46.5	0	24976.303	634.4086022	15875.30237	30000	0	0	30000	27.625	2004
23.01.2020 10:40:59	1	1	1	1	98.5	47.5	0	24976.303	632.2580645	15845.13359	30000	0	0	30000	27.3125	2004
23.01.2020 10:41:00	1	1	1	1	98.5	47.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	26.375	2004
23.01.2020 10:41:01	1	1	1	1	98.25	46.25	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	28.4375	2004
23.01.2020 10:41:02	1	1	1	1	98.25	48.25	0	25165.877	634.4086022	16188.4054	30000	0	0	30000	27.8125	2004
23.01.2020 10:41:03	1	1	1	1	98.25	47.75	0	25213.27	634.4086022	16133.77545	30000	0	0	30000	26.125	2004
23.01.2020 10:41:04	1	1	1	1	98.25	46.5	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	27.8125	2004
23.01.2020 10:41:05	1	1	1	1	98.25	47.75	0	24976.303	634.4086022	15904.65578	30000	0	0	30000	27.4375	2004
23.01.2020 10:41:06	1	1	1	1	98.25	47.25	0	24928.91	634.4086022	15814.9648	30000	0	0	30000	26.375	2004
23.01.2020 10:41:07	1	1	1	1	98.25	46.25	0	25071.09	636.5591398	15934.82456	30000	0	0	30000	27.6875	2004
23.01.2020 10:41:08	1	1	1	1	98.25	47.5	0	25260.664	636.5591398	15964.99334	30000	0	0	30000	27.75	2004
23.01.2020 10:41:09	1	1	1	1	98.25	47.75	0	24976.303	640.8602151	16066.9149	30000	0	0	30000	27.5	2004
23.01.2020 10:41:10	1	1	1	1	98.25	47.5	0	25071.09	632.2580645	16043.2691	30000	0	0	30000	27.6875	2004
23.01.2020 10:41:11	1	1	1	1	98.25	47.5	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	27.8125	2004
23.01.2020 10:41:12	1	1	1	1	98.25	47.75	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27	2004
23.01.2020 10:41:13	1	1	1	1	98.25	47	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	27.5625	2004
23.01.2020 10:41:14	1	1	1	1	98.25	47.5	0	25260.664	625.8064516	15976.40856	30000	0	0	30000	27.125	2004
23.01.2020 10:41:15	1	1	1	1	98.25	47	0	25260.664	630.1075269	15916.88636	30000	0	0	30000	27.375	2004
23.01.2020 10:41:16	1	1	1	1	98.25	47.25	0	25165.877	632.2580645	15970.70095	30000	0	0	30000	27.5625	2004
23.01.2020 10:41:17	1	1	1	1	98.25	47.5	0	25308.057	634.4086022	16085.66847	30000	0	0	30000	27.8125	2004
23.01.2020 10:41:18	1	1	1	1	98.25	47.75	0	25308.057	632.2580645	15970.70095	30000	0	0	30000	26.9375	2004
23.01.2020 10:41:19	1	1	1	1	98.25	46.75	0	25402.844	627.9569892	15951.94738	30000	0	0	30000	27.125	2004
23.01.2020 10:41:20	1	1	1	1	97.75	47	0	25355.45	627.9569892	15976.40856	30000	0	0	30000	27.3125	2004
23.01.2020 10:41:21	1	1	1	1	97.75	47.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27.8125	2004
23.01.2020 10:41:22	1	1	1	1	97.75	47.75	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	27	2004
23.01.2020 10:41:23	1	1	1	1	97.75	47	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27.5625	2004
23.01.2020 10:41:24	1	1	1	1	97.75	47.5	0	25497.63	632.2580645	16090.5607	30000	0	0	30000	28.125	2004
23.01.2020 10:41:25	1	1	1	1	97.75	48	0	25355.45	625.8064516	15674.72073	30000	0	0	30000	27.5	2004
23.01.2020 10:41:26	1	1	1	1	97.75	47.5	0	25450.237	632.2580645	16035.93075	30000	0	0	30000	28.375	2004
23.01.2020 10:41:27	1	1	1	1	97.75	48.25	0	25213.27	627.9569892	15916.88636	30000	0	0	30000	27.75	2004
23.01.2020 10:41:28	1	1	1	1	97.75	47.75	0	25165.877	632.2580645	15856.5488	30000	0	0	30000	27.4375	2004
23.01.2020 10:41:34	1	1	1	1	97.75	46.25	0	25402.844	634.4086022	16090.5607	30000	0	0	30000	27.875	2004
23.01.2020 10:41:34	1	1	1	1	97.75	46.25	0	25402.844	634.4086022	16090.5607	30000	0	0	30000	27.875	2004
23.01.2020 10:41:34	1	1	1	1	97.75	46.25	0	25402.844	634.4086022	16090.5607	30000	0	0	30000	27.875	2004
23.01.2020 10:41:34	1	1	1	1	97.75	46.25	0	25402.844	634.4086022	16090.5607	30000	0	0	30000	27.875	2004
23.01.2020 10:41:34	1	1	1	1	97.75	46.25	0	25402.844	634.4086022	16090.5607	30000	0	0	30000	27.875	2004
23.01.2020 10:41:35	1	1	1	1	97.75	47.75	0	25497.63	630.1075269	15926.67083	30000	0	0	30000	26.625	2004
23.01.2020 10:41:36	1	1	1	1	97.75	46.5	0	25308.057	630.1075269	15946.23977	30000	0	0	30000	27.5	2004
23.01.2020 10:41:37	1	1	1	1	97.75	47.5	0	25355.45	625.8064516	15867.14864	30000	0	0	30000	26.875	2004
23.01.2020 10:41:38	1	1	1	1	97.75	46.75	0	25497.63	625.8064516	16035.93075	30000	0	0	30000	27.25	2004
23.01.2020 10:41:39	1	1	1	1	97.75	47.25	0	25592.417	627.9569892	16015.54644	30000	0	0	30000	27.3125	2004
23.01.2020 10:41:40	1	1	1	1	97.75	47.25	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	29	2004
23.01.2020 10:41:41	1	1	1	1	97.75	49	0	25450.237	632.2580645	16145.19066	30000	0	0	30000	27.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:41:42	1	1	1	1	97.75	47.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	28.0625	2004
23.01.2020 10:41:43	1	1	1	1	97.75	48	0	25260.664	636.5591398	16133.77545	30000	0	0	30000	27.5	2004
23.01.2020 10:41:44	1	1	1	1	97.75	47.5	0	25402.844	630.1075269	16006.57734	30000	0	0	30000	27	2004
23.01.2020 10:41:45	1	1	1	1	97.75	47	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	26.375	2004
23.01.2020 10:41:46	1	1	1	1	97.75	46.25	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	26.625	2004
23.01.2020 10:41:47	1	1	1	1	97.75	46.5	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	26.9375	2004
23.01.2020 10:41:48	1	1	1	1	97.75	46.75	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	27.25	2004
23.01.2020 10:41:49	1	1	1	1	97.75	47.25	0	25165.877	630.1075269	15964.99334	30000	0	0	30000	28	2004
23.01.2020 10:41:50	1	1	1	1	97.25	48	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	27.375	2004
23.01.2020 10:41:51	1	1	1	1	97.25	47.25	0	25118.483	634.4086022	15904.65578	30000	0	0	30000	27.1875	2004
23.01.2020 10:41:52	1	1	1	1	97.25	47	0	25071.09	636.5591398	16013.10032	30000	0	0	30000	27.8125	2004
23.01.2020 10:41:53	1	1	1	1	97.25	47.75	0	25165.877	632.2580645	15856.5488	30000	0	0	30000	27.3125	2004
23.01.2020 10:41:54	1	1	1	1	97.25	47.25	0	25355.45	634.4086022	15946.23977	30000	0	0	30000	27.0625	2004
23.01.2020 10:41:55	1	1	1	1	97.25	47	0	25071.09	638.7096774	16043.2691	30000	0	0	30000	27.6875	2004
23.01.2020 10:41:56	1	1	1	1	97.25	47.5	0	25260.664	634.4086022	15748.91963	30000	0	0	30000	27.4375	2004
23.01.2020 10:41:57	1	1	1	1	97.25	47.25	0	25308.057	627.9569892	15867.14864	30000	0	0	30000	27.5625	2004
23.01.2020 10:41:58	1	1	1	1	97.25	47.5	0	25213.27	632.2580645	15964.99334	30000	0	0	30000	27.3125	2004
23.01.2020 10:41:59	1	1	1	1	97.25	47.25	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	26.5625	2004
23.01.2020 10:42:00	1	1	1	1	97.5	46.5	0	25355.45	632.2580645	16085.66847	30000	0	0	30000	26.3125	2004
23.01.2020 10:42:01	1	1	1	1	97.5	46.25	0	25165.877	632.2580645	15856.5488	30000	0	0	30000	27.75	2004
23.01.2020 10:42:02	1	1	1	1	97.5	47.75	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	28.1875	2004
23.01.2020 10:42:03	1	1	1	1	97.5	48	0	24928.91	636.5591398	15814.9648	30000	0	0	30000	27.1875	2004
23.01.2020 10:42:04	1	1	1	1	97.5	47	0	25355.45	638.7096774	16163.94423	30000	0	0	30000	28.0625	2004
23.01.2020 10:42:05	1	1	1	1	97.5	48	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	28.1875	2004
23.01.2020 10:42:06	1	1	1	1	97.5	48	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	27.5625	2004
23.01.2020 10:42:07	1	1	1	1	97.5	47.5	0	24881.517	636.5591398	15921.7786	30000	0	0	30000	27.375	2004
23.01.2020 10:42:08	1	1	1	1	97.5	47.25	0	24976.303	640.8602151	15845.13359	30000	0	0	30000	27.875	2004
23.01.2020 10:42:09	1	1	1	1	97.5	47.75	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	26.25	2004
23.01.2020 10:42:10	1	1	1	1	97.25	46.25	0	24928.91	636.5591398	15951.94738	30000	0	0	30000	28.5625	2004
23.01.2020 10:42:11	1	1	1	1	97.25	48.5	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	28.25	2004
23.01.2020 10:42:13	1	1	1	1	97.25	48.25	0	25118.483	634.4086022	15934.82456	30000	0	0	30000	27.875	2004
23.01.2020 10:42:14	1	1	1	1	97.25	47.75	0	25165.877	627.9569892	15856.5488	30000	0	0	30000	27.1875	2004
23.01.2020 10:42:15	1	1	1	1	97.25	47	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27.375	2004
23.01.2020 10:42:16	1	1	1	1	97.25	47.25	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	27.125	2004
23.01.2020 10:42:17	1	1	1	1	97.25	47	0	25402.844	632.2580645	16061.20729	30000	0	0	30000	27.125	2004
23.01.2020 10:42:18	1	1	1	1	97.25	47	0	25355.45	627.9569892	15921.7786	30000	0	0	30000	27.75	2004
23.01.2020 10:42:19	1	1	1	1	97.25	47.75	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	28.375	2004
23.01.2020 10:42:20	1	1	1	1	97.25	48.25	0	25497.63	632.2580645	15981.30079	30000	0	0	30000	28.1875	2004
23.01.2020 10:42:21	1	1	1	1	98	48	0	25260.664	630.1075269	15970.70095	30000	0	0	30000	27.625	2004
23.01.2020 10:42:22	1	1	1	1	98	47.5	0	25308.057	634.4086022	16055.49969	30000	0	0	30000	27.6875	2004
23.01.2020 10:42:23	1	1	1	1	98	47.5	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	28.25	2004
23.01.2020 10:42:24	1	1	1	1	98	49	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	27.5	2004
23.01.2020 10:42:25	1	1	1	1	98	47.5	0	25260.664	627.9569892	15916.88636	30000	0	0	30000	27.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:42:26	1	1	1	1	98	47.75	0	25165.877	632.2580645	15964.99334	30000	0	0	30000	28.0625	2004
23.01.2020 10:42:27	1	1	1	1	98	48	0	25260.664	630.1075269	15916.88636	30000	0	0	30000	26.4375	2004
23.01.2020 10:42:28	1	1	1	1	98	46.25	0	25308.057	627.9569892	15946.23977	30000	0	0	30000	28.25	2004
23.01.2020 10:42:29	1	1	1	1	98	48.25	0	25308.057	634.4086022	16055.49969	30000	0	0	30000	27.8125	2004
23.01.2020 10:42:30	1	1	1	1	97.5	47.75	0	25450.237	634.4086022	16006.57734	30000	0	0	30000	28.0625	2004
23.01.2020 10:42:36	1	1	1	1	97.5	47.5	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	28.375	2004
23.01.2020 10:42:36	1	1	1	1	97.5	47.5	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	28.375	2004
23.01.2020 10:42:36	1	1	1	1	97.5	47.5	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	28.375	2004
23.01.2020 10:42:36	1	1	1	1	97.5	47.5	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	28.375	2004
23.01.2020 10:42:36	1	1	1	1	97.5	47.5	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	28.375	2004
23.01.2020 10:42:36	1	1	1	1	97.5	48.25	0	25118.483	632.2580645	15964.99334	30000	0	0	30000	27.4375	2004
23.01.2020 10:42:37	1	1	1	1	97.5	47.25	0	25260.664	638.7096774	16133.77545	30000	0	0	30000	27.375	2004
23.01.2020 10:42:38	1	1	1	1	97.5	47.25	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	27.375	2004
23.01.2020 10:42:39	1	1	1	1	97.5	47.25	0	24976.303	634.4086022	15904.65578	30000	0	0	30000	27.4375	2004
23.01.2020 10:42:40	1	1	1	1	97.25	47.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	26.8125	2004
23.01.2020 10:42:41	1	1	1	1	97.25	46.75	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	27.75	2004
23.01.2020 10:42:42	1	1	1	1	97.25	47.75	0	25071.09	634.4086022	15850.84119	30000	0	0	30000	27.75	2004
23.01.2020 10:42:43	1	1	1	1	97.25	47.75	0	24928.91	636.5591398	15951.94738	30000	0	0	30000	28.8125	2004
23.01.2020 10:42:44	1	1	1	1	97.25	48.75	0	25118.483	636.5591398	15959.28573	30000	0	0	30000	26.8125	2004
23.01.2020 10:42:45	1	1	1	1	97.25	46.75	0	24976.303	630.1075269	15845.13359	30000	0	0	30000	28.1875	2004
23.01.2020 10:42:46	1	1	1	1	97.25	48	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27	2004
23.01.2020 10:42:47	1	1	1	1	97.25	47	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	28	2004
23.01.2020 10:42:48	1	1	1	1	97.25	48	0	25260.664	630.1075269	15916.88636	30000	0	0	30000	27.6875	2004
23.01.2020 10:42:49	1	1	1	1	97.25	47.5	0	25355.45	632.2580645	16000.86973	30000	0	0	30000	27.8125	2004
23.01.2020 10:42:51	1	1	1	1	97.5	47.75	0	25165.877	627.9569892	15911.17876	30000	0	0	30000	28.5	2004
23.01.2020 10:42:52	1	1	1	1	97.5	48.5	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	27.5	2004
23.01.2020 10:42:53	1	1	1	1	97.5	47.5	0	25071.09	636.5591398	16013.10032	30000	0	0	30000	27.375	2004
23.01.2020 10:42:54	1	1	1	1	97.5	47.25	0	25260.664	636.5591398	16025.33091	30000	0	0	30000	26.375	2004
23.01.2020 10:42:55	1	1	1	1	97.5	46.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27.9375	2004
23.01.2020 10:42:56	1	1	1	1	97.5	47.75	0	25165.877	636.5591398	16073.43788	30000	0	0	30000	26.6875	2004
23.01.2020 10:42:57	1	1	1	1	97.5	46.5	0	25165.877	645.1612903	16073.43788	30000	0	0	30000	28	2004
23.01.2020 10:42:58	1	1	1	1	97.5	48	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27.8125	2004
23.01.2020 10:42:59	1	1	1	1	97.5	47.75	0	25071.09	636.5591398	16013.10032	30000	0	0	30000	28.875	2004
23.01.2020 10:43:00	1	1	1	1	97.5	48.75	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	28.375	2004
23.01.2020 10:43:01	1	1	1	1	97.25	48.25	0	25118.483	634.4086022	15797.02661	30000	0	0	30000	27.1875	2004
23.01.2020 10:43:02	1	1	1	1	97.25	47	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	28.3125	2004
23.01.2020 10:43:03	1	1	1	1	97.25	48	0	25308.057	638.7096774	16163.94423	30000	0	0	30000	27.875	2004
23.01.2020 10:43:04	1	1	1	1	97.25	47.75	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	27.5	2004
23.01.2020 10:43:05	1	1	1	1	97.25	47.5	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	27.9375	2004
23.01.2020 10:43:06	1	1	1	1	97.25	47.75	0	25260.664	638.7096774	16133.77545	30000	0	0	30000	27.625	2004
23.01.2020 10:43:07	1	1	1	1	97.25	47.5	0	25260.664	638.7096774	16133.77545	30000	0	0	30000	28.4375	2004
23.01.2020 10:43:08	1	1	1	1	97.25	48.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	28.3125	2004
23.01.2020 10:43:09	1	1	1	1	97.25	48.25	0	25071.09	630.1075269	16073.43788	30000	0	0	30000	28.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:43:10	1	1	1	1	98	48	0	25071.09	638.7096774	16043.2691	30000	0	0	30000	28.8125	2004
23.01.2020 10:43:11	1	1	1	1	98	48.75	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	28.1875	2004
23.01.2020 10:43:12	1	1	1	1	98	48	0	25308.057	638.7096774	16163.94423	30000	0	0	30000	28.625	2004
23.01.2020 10:43:13	1	1	1	1	98	48.5	0	24928.91	634.4086022	15845.13359	30000	0	0	30000	28.8125	2004
23.01.2020 10:43:14	1	1	1	1	98	48.75	0	25071.09	638.7096774	16066.9149	30000	0	0	30000	27.1875	2004
23.01.2020 10:43:15	1	1	1	1	98	47	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	27.875	2004
23.01.2020 10:43:16	1	1	1	1	98	47.75	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	28.5625	2004
23.01.2020 10:43:17	1	1	1	1	98	48.5	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	28.9375	2004
23.01.2020 10:43:18	1	1	1	1	98	48.75	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	28.3125	2004
23.01.2020 10:43:19	1	1	1	1	98	48.25	0	25355.45	636.5591398	16085.66847	30000	0	0	30000	27.9375	2004
23.01.2020 10:43:20	1	1	1	1	97.5	47.75	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27.75	2004
23.01.2020 10:43:21	1	1	1	1	97.5	47.75	0	25071.09	634.4086022	15964.99334	30000	0	0	30000	28.5625	2004
23.01.2020 10:43:22	1	1	1	1	97.5	48.5	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	27.25	2004
23.01.2020 10:43:23	1	1	1	1	97.5	47.25	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	28.375	2004
23.01.2020 10:43:24	1	1	1	1	97.5	48.25	0	25118.483	638.7096774	16181.88242	30000	0	0	30000	28.375	2004
23.01.2020 10:43:25	1	1	1	1	97.5	48.25	0	25071.09	638.7096774	16205.52823	30000	0	0	30000	27.5	2004
23.01.2020 10:43:26	1	1	1	1	97.5	47.5	0	25260.664	636.5591398	16133.77545	30000	0	0	30000	28	2004
23.01.2020 10:43:27	1	1	1	1	97.5	48	0	25071.09	627.9569892	15934.82456	30000	0	0	30000	28.6875	2004
23.01.2020 10:43:28	1	1	1	1	97.5	48.5	0	24881.517	638.7096774	15891.60982	30000	0	0	30000	28.0625	2004
23.01.2020 10:43:30	1	1	1	1	97.5	48	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	28.875	2004
23.01.2020 10:43:31	1	1	1	1	98	48.75	0	25260.664	630.1075269	16000.86973	30000	0	0	30000	27.625	2004
23.01.2020 10:43:32	1	1	1	1	98	47.5	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	27.875	2004
23.01.2020 10:43:38	1	1	1	1	98	47.25	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	28.8125	2004
23.01.2020 10:43:38	1	1	1	1	98	47.25	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	28.8125	2004
23.01.2020 10:43:38	1	1	1	1	98	47.25	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	28.8125	2004
23.01.2020 10:43:38	1	1	1	1	98	47.25	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	28.8125	2004
23.01.2020 10:43:38	1	1	1	1	98	48.75	0	25260.664	634.4086022	16085.66847	30000	0	0	30000	27.3125	2004
23.01.2020 10:43:39	1	1	1	1	98	47.25	0	25402.844	632.2580645	16031.03851	30000	0	0	30000	28	2004
23.01.2020 10:43:40	1	1	1	1	98	48	0	25260.664	627.9569892	15856.5488	30000	0	0	30000	28.8125	2004
23.01.2020 10:43:41	1	1	1	1	98	48.75	0	25355.45	632.2580645	15946.23977	30000	0	0	30000	28.625	2004
23.01.2020 10:43:42	1	1	1	1	98	48	0	25260.664	625.8064516	16000.86973	30000	0	0	30000	28.9375	2004
23.01.2020 10:43:43	1	1	1	1	98	48.75	0	25260.664	630.1075269	15970.70095	30000	0	0	30000	27.5625	2004
23.01.2020 10:43:44	1	1	1	1	98	47.5	0	25355.45	634.4086022	16055.49969	30000	0	0	30000	27.8125	2004
23.01.2020 10:43:45	1	1	1	1	98	47.75	0	25308.057	625.8064516	15837.79523	30000	0	0	30000	28.5625	2004
23.01.2020 10:43:46	1	1	1	1	98	48.5	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	28.25	2004
23.01.2020 10:43:47	1	1	1	1	98	48.25	0	25402.844	625.8064516	15867.14864	30000	0	0	30000	29	2004
23.01.2020 10:43:48	1	1	1	1	98	49	0	25450.237	625.8064516	16035.93075	30000	0	0	30000	27.9375	2004
23.01.2020 10:43:49	1	1	1	1	98	47.75	0	25402.844	627.9569892	15976.40856	30000	0	0	30000	28.9375	2004
23.01.2020 10:43:50	1	1	1	1	97.75	48.75	0	25355.45	627.9569892	15921.7786	30000	0	0	30000	27.6875	2004
23.01.2020 10:43:51	1	1	1	1	97.75	47.5	0	25402.844	627.9569892	16006.57734	30000	0	0	30000	27.625	2004
23.01.2020 10:43:52	1	1	1	1	97.75	47.5	0	25450.237	627.9569892	15956.02424	30000	0	0	30000	28.1875	2004
23.01.2020 10:43:53	1	1	1	1	97.75	48	0	25450.237	627.9569892	16035.93075	30000	0	0	30000	28.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:43:54	1	1	1	1	97.75	48.75	0	25545.024	632.2580645	16205.52823	30000	0	0	30000	27.9375	2004
23.01.2020 10:43:55	1	1	1	1	97.75	47.75	0	25402.844	623.655914	16035.93075	30000	0	0	30000	28.5625	2004
23.01.2020 10:43:56	1	1	1	1	97.75	48.5	0	25260.664	632.2580645	15916.88636	30000	0	0	30000	28.375	2004
23.01.2020 10:43:57	1	1	1	1	97.75	48.25	0	25402.844	625.8064516	15704.07414	30000	0	0	30000	28.4375	2004
23.01.2020 10:43:58	1	1	1	1	97.75	48.25	0	25355.45	625.8064516	15976.40856	30000	0	0	30000	27.1875	2004
23.01.2020 10:43:59	1	1	1	1	97.75	47	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	28.5625	2004
23.01.2020 10:44:00	1	1	1	1	97.25	48.5	0	25450.237	627.9569892	16090.5607	30000	0	0	30000	27.8125	2004
23.01.2020 10:44:01	1	1	1	1	97.25	47.75	0	25545.024	625.8064516	16095.45294	30000	0	0	30000	27.875	2004
23.01.2020 10:44:02	1	1	1	1	97.25	47.75	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	27.875	2004
23.01.2020 10:44:03	1	1	1	1	97.25	47.75	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	28.75	2004
23.01.2020 10:44:04	1	1	1	1	97.25	48.75	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	28.8125	2004
23.01.2020 10:44:05	1	1	1	1	97.25	48.75	0	25260.664	625.8064516	15862.25641	30000	0	0	30000	27.375	2004
23.01.2020 10:44:06	1	1	1	1	97.25	47.25	0	25355.45	627.9569892	15976.40856	30000	0	0	30000	28.75	2004
23.01.2020 10:44:08	1	1	1	1	97.25	48.75	0	25308.057	632.2580645	16031.03851	30000	0	0	30000	28.0625	2004
23.01.2020 10:44:09	1	1	1	1	97.25	48	0	25260.664	627.9569892	15916.88636	30000	0	0	30000	28.375	2004
23.01.2020 10:44:10	1	1	1	1	97.25	48.25	0	25402.844	632.2580645	16115.83725	30000	0	0	30000	27.3125	2004
23.01.2020 10:44:11	1	1	1	1	97.25	47.25	0	25355.45	625.8064516	15867.14864	30000	0	0	30000	27.6875	2004
23.01.2020 10:44:12	1	1	1	1	97.25	47.5	0	25497.63	632.2580645	16035.93075	30000	0	0	30000	28.4375	2004
23.01.2020 10:44:13	1	1	1	1	97.25	48.25	0	25355.45	630.1075269	15946.23977	30000	0	0	30000	27.3125	2004
23.01.2020 10:44:14	1	1	1	1	97.25	47.25	0	25450.237	625.8064516	16006.57734	30000	0	0	30000	28.3125	2004
23.01.2020 10:44:15	1	1	1	1	97.25	48.25	0	25260.664	632.2580645	15916.88636	30000	0	0	30000	27.9375	2004
23.01.2020 10:44:16	1	1	1	1	97.25	47.75	0	25450.237	634.4086022	16145.19066	30000	0	0	30000	28.5	2004
23.01.2020 10:44:17	1	1	1	1	97.25	48.5	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	28.5	2004
23.01.2020 10:44:18	1	1	1	1	97.25	48.5	0	25402.844	630.1075269	16006.57734	30000	0	0	30000	29.375	2004
23.01.2020 10:44:19	1	1	1	1	97.25	49.25	0	25260.664	627.9569892	15916.88636	30000	0	0	30000	28.9375	2004
23.01.2020 10:44:20	1	1	1	1	97.25	48.25	0	25355.45	630.1075269	15946.23977	30000	0	0	30000	27.75	2004
23.01.2020 10:44:21	1	1	1	1	97.25	47.75	0	25402.844	632.2580645	16090.5607	30000	0	0	30000	28.875	2004
23.01.2020 10:44:22	1	1	1	1	97.25	48.75	0	25545.024	630.1075269	16125.62172	30000	0	0	30000	28.3125	2004
23.01.2020 10:44:23	1	1	1	1	97.25	48.25	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	27.125	2004
23.01.2020 10:44:24	1	1	1	1	97.25	47	0	25639.81	623.655914	15934.82456	30000	0	0	30000	27.8125	2004
23.01.2020 10:44:25	1	1	1	1	97.25	47.75	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	27.875	2004
23.01.2020 10:44:26	1	1	1	1	97.25	47.75	0	25450.237	627.9569892	15981.30079	30000	0	0	30000	28.375	2004
23.01.2020 10:44:27	1	1	1	1	97.25	48.25	0	25497.63	625.8064516	16150.89827	30000	0	0	30000	28.9375	2004
23.01.2020 10:44:28	1	1	1	1	97.25	48.75	0	25260.664	625.8064516	15748.91963	30000	0	0	30000	28.0625	2004
23.01.2020 10:44:29	1	1	1	1	97.25	48	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	28.375	2004
23.01.2020 10:44:30	1	1	1	1	96.75	48.25	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	28.0625	2004
23.01.2020 10:44:31	1	1	1	1	96.75	48	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	28.875	2004
23.01.2020 10:44:32	1	1	1	1	96.75	48.75	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	28.5625	2004
23.01.2020 10:44:33	1	1	1	1	96.75	48.5	0	25545.024	630.1075269	16095.45294	30000	0	0	30000	28.125	2004
23.01.2020 10:44:39	1	1	1	1	96.75	49	0	25592.417	623.655914	15990.26989	30000	0	0	30000	28.5	2004
23.01.2020 10:44:39	1	1	1	1	96.75	49	0	25592.417	623.655914	15990.26989	30000	0	0	30000	28.5	2004
23.01.2020 10:44:39	1	1	1	1	96.75	49	0	25592.417	623.655914	15990.26989	30000	0	0	30000	28.5	2004
23.01.2020 10:44:39	1	1	1	1	96.75	49	0	25592.417	623.655914	15990.26989	30000	0	0	30000	28.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:44:39	1	1	1	1	96.75	49	0	25592.417	623.655914	15990.26989	30000	0	0	30000	28.5	2004
23.01.2020 10:44:39	1	1	1	1	96.75	48.5	0	25592.417	621.5053763	15905.47115	30000	0	0	30000	29.1875	2004
23.01.2020 10:44:40	1	1	1	1	97.25	49	0	25497.63	623.655914	15986.19303	30000	0	0	30000	28.25	2004
23.01.2020 10:44:41	1	1	1	1	97.25	48.25	0	25592.417	625.8064516	15986.19303	30000	0	0	30000	27.9375	2004
23.01.2020 10:44:42	1	1	1	1	97.25	47.75	0	25355.45	625.8064516	15921.7786	30000	0	0	30000	28.9375	2004
23.01.2020 10:44:43	1	1	1	1	97.25	48.75	0	25497.63	627.9569892	15926.67083	30000	0	0	30000	28.3125	2004
23.01.2020 10:44:44	1	1	1	1	97.25	48.25	0	25402.844	623.655914	15981.30079	30000	0	0	30000	28.875	2004
23.01.2020 10:44:46	1	1	1	1	97.25	48.75	0	25450.237	617.2043011	15846.76433	30000	0	0	30000	28.25	2004
23.01.2020 10:44:47	1	1	1	1	97.25	48.25	0	25450.237	621.5053763	15876.11774	30000	0	0	30000	29.1875	2004
23.01.2020 10:44:48	1	1	1	1	97.25	49	0	25497.63	623.655914	15986.19303	30000	0	0	30000	29	2004
23.01.2020 10:44:49	1	1	1	1	97.25	49	0	25734.597	623.655914	16048.97671	30000	0	0	30000	28.1875	2004
23.01.2020 10:44:50	1	1	1	1	97.25	48	0	25592.417	621.5053763	15990.26989	30000	0	0	30000	27.5625	2004
23.01.2020 10:44:51	1	1	1	1	97.25	47.5	0	25592.417	625.8064516	15821.48778	30000	0	0	30000	28.3125	2004
23.01.2020 10:44:52	1	1	1	1	97.25	48.25	0	25545.024	617.2043011	16044.89985	30000	0	0	30000	29.0625	2004
23.01.2020 10:44:53	1	1	1	1	97.25	49	0	25592.417	625.8064516	16125.62172	30000	0	0	30000	28.9375	2004
23.01.2020 10:44:54	1	1	1	1	97.25	48.75	0	25639.81	627.9569892	16044.89985	30000	0	0	30000	29.0625	2004
23.01.2020 10:44:55	1	1	1	1	97.25	49	0	25450.237	630.1075269	15897.31742	30000	0	0	30000	28.625	2004
23.01.2020 10:44:56	1	1	1	1	97.25	48.5	0	25592.417	627.9569892	15986.19303	30000	0	0	30000	27.9375	2004
23.01.2020 10:44:57	1	1	1	1	97.25	47.75	0	25639.81	625.8064516	16100.34517	30000	0	0	30000	29.1875	2004
23.01.2020 10:44:58	1	1	1	1	97.25	49.75	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	28.5625	2004
23.01.2020 10:44:59	1	1	1	1	97.25	48.5	0	25355.45	627.9569892	15867.14864	30000	0	0	30000	28.25	2004
23.01.2020 10:45:00	1	1	1	1	97	48.25	0	25260.664	630.1075269	15748.91963	30000	0	0	30000	27.9375	2004
23.01.2020 10:45:01	1	1	1	1	97	47.75	0	25450.237	625.8064516	15981.30079	30000	0	0	30000	29.25	2004
23.01.2020 10:45:02	1	1	1	1	97	49.25	0	25355.45	632.2580645	16031.03851	30000	0	0	30000	28.5	2004
23.01.2020 10:45:03	1	1	1	1	97	48.5	0	25497.63	630.1075269	16120.72949	30000	0	0	30000	28.1875	2004
23.01.2020 10:45:04	1	1	1	1	97	48	0	25260.664	632.2580645	15946.23977	30000	0	0	30000	27.625	2004
23.01.2020 10:45:05	1	1	1	1	97	47.5	0	25450.237	625.8064516	15921.7786	30000	0	0	30000	28.625	2004
23.01.2020 10:45:06	1	1	1	1	97	48.5	0	25308.057	630.1075269	15946.23977	30000	0	0	30000	27.9375	2004
23.01.2020 10:45:07	1	1	1	1	97	47.75	0	25545.024	630.1075269	16150.89827	30000	0	0	30000	28.875	2004
23.01.2020 10:45:08	1	1	1	1	97	48.75	0	25545.024	627.9569892	16095.45294	30000	0	0	30000	28.125	2004
23.01.2020 10:45:09	1	1	1	1	97	48	0	25355.45	630.1075269	16225.09717	30000	0	0	30000	29.0625	2004
23.01.2020 10:45:10	1	1	1	1	96.5	49	0	25355.45	632.2580645	16085.66847	30000	0	0	30000	28	2004
23.01.2020 10:45:11	1	1	1	1	96.5	48	0	25402.844	632.2580645	16031.03851	30000	0	0	30000	27.25	2004
23.01.2020 10:45:12	1	1	1	1	96.5	47.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	29.3125	2004
23.01.2020 10:45:13	1	1	1	1	96.5	49.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	28.4375	2004
23.01.2020 10:45:14	1	1	1	1	96.5	48.25	0	25213.27	634.4086022	15964.99334	30000	0	0	30000	28.0625	2004
23.01.2020 10:45:15	1	1	1	1	96.5	48	0	25308.057	632.2580645	16163.94423	30000	0	0	30000	28.6875	2004
23.01.2020 10:45:16	1	1	1	1	96.5	48.5	0	25355.45	630.1075269	16031.03851	30000	0	0	30000	28.8125	2004
23.01.2020 10:45:17	1	1	1	1	96.5	48.75	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	28.4375	2004
23.01.2020 10:45:18	1	1	1	1	96.5	48.25	0	25355.45	627.9569892	15921.7786	30000	0	0	30000	28.375	2004
23.01.2020 10:45:19	1	1	1	1	96.5	48.25	0	25402.844	627.9569892	15921.7786	30000	0	0	30000	28.875	2004
23.01.2020 10:45:20	1	1	1	1	96.75	48.75	0	25308.057	625.8064516	15837.79523	30000	0	0	30000	28.4375	2004
23.01.2020 10:45:21	1	1	1	1	96.75	48.25	0	25165.877	634.4086022	16133.77545	30000	0	0	30000	28.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:45:22	1	1	1	1	96.75	48.75	0	25165.877	632.2580645	15748.91963	30000	0	0	30000	28.5	2004
23.01.2020 10:45:23	1	1	1	1	96.75	48.5	0	25450.237	627.9569892	16035.93075	30000	0	0	30000	28.4375	2004
23.01.2020 10:45:25	1	1	1	1	96.75	48.25	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	28.6875	2004
23.01.2020 10:45:26	1	1	1	1	96.75	48.5	0	25497.63	630.1075269	16205.52823	30000	0	0	30000	28.375	2004
23.01.2020 10:45:27	1	1	1	1	96.75	48.25	0	25639.81	623.655914	15766.04245	30000	0	0	30000	29.1875	2004
23.01.2020 10:45:28	1	1	1	1	96.75	49	0	25592.417	623.655914	16044.89985	30000	0	0	30000	28.1875	2004
23.01.2020 10:45:29	1	1	1	1	96.75	48	0	25592.417	623.655914	15930.7477	30000	0	0	30000	29.3125	2004
23.01.2020 10:45:32	1	1	1	1	97	48.75	0	25592.417	625.8064516	15876.11774	30000	0	0	30000	28.6875	2004
23.01.2020 10:45:32	1	1	1	1	97	48.75	0	25592.417	625.8064516	15876.11774	30000	0	0	30000	28.6875	2004
23.01.2020 10:45:32	1	1	1	1	97	48.5	0	25592.417	621.5053763	15986.19303	30000	0	0	30000	28.9375	2004
23.01.2020 10:45:33	1	1	1	1	97	48.75	0	25734.597	625.8064516	15993.53138	30000	0	0	30000	28.875	2004
23.01.2020 10:45:34	1	1	1	1	97	48.75	0	25592.417	619.3548387	15905.47115	30000	0	0	30000	28.75	2004
23.01.2020 10:45:35	1	1	1	1	97	48.75	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	28.9375	2004
23.01.2020 10:45:41	1	1	1	1	97.5	49.5	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	28.9375	2004
23.01.2020 10:45:41	1	1	1	1	97.5	49.5	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	28.9375	2004
23.01.2020 10:45:41	1	1	1	1	97.5	49.5	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	28.9375	2004
23.01.2020 10:45:41	1	1	1	1	97.5	49.5	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	28.9375	2004
23.01.2020 10:45:41	1	1	1	1	97.5	48.75	0	25734.597	623.655914	16048.97671	30000	0	0	30000	28.375	2004
23.01.2020 10:45:42	1	1	1	1	97.5	48.25	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	29.375	2004
23.01.2020 10:45:43	1	1	1	1	97.5	49.25	0	25734.597	623.655914	16048.97671	30000	0	0	30000	28.4375	2004
23.01.2020 10:45:44	1	1	1	1	97.5	48.25	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	29	2004
23.01.2020 10:45:45	1	1	1	1	97.5	49	0	25592.417	623.655914	16015.54644	30000	0	0	30000	28.625	2004
23.01.2020 10:45:46	1	1	1	1	97.5	48.5	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	28.625	2004
23.01.2020 10:45:47	1	1	1	1	97.5	48.5	0	25402.844	625.8064516	15897.31742	30000	0	0	30000	28.5	2004
23.01.2020 10:45:48	1	1	1	1	97.5	48.5	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	29.6875	2004
23.01.2020 10:45:49	1	1	1	1	97.5	49.5	0	25450.237	625.8064516	15897.31742	30000	0	0	30000	27.5625	2004
23.01.2020 10:45:50	1	1	1	1	97	47.5	0	25687.204	625.8064516	15990.26989	30000	0	0	30000	29.4375	2004
23.01.2020 10:45:51	1	1	1	1	97	49.25	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	28.6875	2004
23.01.2020 10:45:52	1	1	1	1	97	48.5	0	25592.417	623.655914	15905.47115	30000	0	0	30000	27.9375	2004
23.01.2020 10:45:53	1	1	1	1	97	47.75	0	25308.057	630.1075269	15946.23977	30000	0	0	30000	28.9375	2004
23.01.2020 10:45:54	1	1	1	1	97	48.75	0	25639.81	623.655914	15990.26989	30000	0	0	30000	29.0625	2004
23.01.2020 10:45:55	1	1	1	1	97	49	0	25545.024	621.5053763	15986.19303	30000	0	0	30000	28.625	2004
23.01.2020 10:45:56	1	1	1	1	97	48.5	0	25639.81	623.655914	15934.82456	30000	0	0	30000	29	2004
23.01.2020 10:45:57	1	1	1	1	97	49	0	25639.81	621.5053763	16044.89985	30000	0	0	30000	27.8125	2004
23.01.2020 10:45:58	1	1	1	1	97	47.75	0	25592.417	623.655914	15930.7477	30000	0	0	30000	29.625	2004
23.01.2020 10:45:59	1	1	1	1	97	49.5	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	28.75	2004
23.01.2020 10:46:00	1	1	1	1	97	48.75	0	25639.81	627.9569892	16015.54644	30000	0	0	30000	28.375	2004
23.01.2020 10:46:01	1	1	1	1	97	48.25	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	28.75	2004
23.01.2020 10:46:03	1	1	1	1	97	48.75	0	25450.237	621.5053763	15817.41092	30000	0	0	30000	27.8125	2004
23.01.2020 10:46:04	1	1	1	1	97	47.75	0	25355.45	627.9569892	15867.14864	30000	0	0	30000	28.5625	2004
23.01.2020 10:46:05	1	1	1	1	97	48.5	0	25355.45	623.655914	15867.14864	30000	0	0	30000	28.6875	2004
23.01.2020 10:46:06	1	1	1	1	97	48.5	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	28.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:46:07	1	1	1	1	97	48	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	28.0625	2004
23.01.2020 10:46:08	1	1	1	1	97	48	0	25260.664	632.2580645	15856.5488	30000	0	0	30000	28.8125	2004
23.01.2020 10:46:09	1	1	1	1	97	48.75	0	25402.844	632.2580645	16145.19066	30000	0	0	30000	28.75	2004
23.01.2020 10:46:10	1	1	1	1	97	48.75	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	29.125	2004
23.01.2020 10:46:11	1	1	1	1	97	49	0	25213.27	634.4086022	16025.33091	30000	0	0	30000	28.875	2004
23.01.2020 10:46:12	1	1	1	1	97	48.75	0	25308.057	632.2580645	15970.70095	30000	0	0	30000	29.75	2004
23.01.2020 10:46:13	1	1	1	1	97	49.75	0	25450.237	627.9569892	16066.09953	30000	0	0	30000	29.6875	2004
23.01.2020 10:46:14	1	1	1	1	97	49.5	0	25402.844	630.1075269	16006.57734	30000	0	0	30000	29.3125	2004
23.01.2020 10:46:15	1	1	1	1	97	49	0	25260.664	627.9569892	15916.88636	30000	0	0	30000	28.3125	2004
23.01.2020 10:46:16	1	1	1	1	97	48.25	0	25308.057	630.1075269	15946.23977	30000	0	0	30000	29.25	2004
23.01.2020 10:46:17	1	1	1	1	97	49.25	0	25450.237	627.9569892	15981.30079	30000	0	0	30000	29.3125	2004
23.01.2020 10:46:18	1	1	1	1	97	49.25	0	25402.844	630.1075269	15976.40856	30000	0	0	30000	29.4375	2004
23.01.2020 10:46:19	1	1	1	1	97	49.25	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	29.4375	2004
23.01.2020 10:46:20	1	1	1	1	97.5	49.25	0	25402.844	627.9569892	15981.30079	30000	0	0	30000	29.625	2004
23.01.2020 10:46:21	1	1	1	1	97.5	49.5	0	25402.844	632.2580645	16006.57734	30000	0	0	30000	28.75	2004
23.01.2020 10:46:22	1	1	1	1	97.5	48.75	0	25639.81	627.9569892	16100.34517	30000	0	0	30000	29.5	2004
23.01.2020 10:46:23	1	1	1	1	97.5	49.5	0	25450.237	625.8064516	16035.93075	30000	0	0	30000	28.6875	2004
23.01.2020 10:46:24	1	1	1	1	97.5	48.5	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	28	2004
23.01.2020 10:46:25	1	1	1	1	97.5	48	0	25450.237	627.9569892	15817.41092	30000	0	0	30000	28.375	2004
23.01.2020 10:46:26	1	1	1	1	97.5	48.25	0	25402.844	625.8064516	15897.31742	30000	0	0	30000	29.25	2004
23.01.2020 10:46:27	1	1	1	1	97.5	49.25	0	25355.45	627.9569892	15867.14864	30000	0	0	30000	27.8125	2004
23.01.2020 10:46:28	1	1	1	1	97.5	47.75	0	25545.024	625.8064516	15956.02424	30000	0	0	30000	28.8125	2004
23.01.2020 10:46:29	1	1	1	1	97.5	48.75	0	25639.81	627.9569892	16044.89985	30000	0	0	30000	29.375	2004
23.01.2020 10:46:30	1	1	1	1	97	49.25	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	29.875	2004
23.01.2020 10:46:31	1	1	1	1	97	49.75	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	29.0625	2004
23.01.2020 10:46:32	1	1	1	1	97	49	0	25402.844	630.1075269	16006.57734	30000	0	0	30000	27.75	2004
23.01.2020 10:46:33	1	1	1	1	97	47.75	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	28.75	2004
23.01.2020 10:46:34	1	1	1	1	97	48.75	0	25355.45	630.1075269	15921.7786	30000	0	0	30000	28.5	2004
23.01.2020 10:46:35	1	1	1	1	97	48.5	0	25450.237	634.4086022	16175.35944	30000	0	0	30000	28.6875	2004
23.01.2020 10:46:36	1	1	1	1	97	48.5	0	25355.45	625.8064516	15867.14864	30000	0	0	30000	29.1875	2004
23.01.2020 10:46:42	1	1	1	1	96.5	48.25	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	29.4375	2004
23.01.2020 10:46:42	1	1	1	1	96.5	48.25	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	29.4375	2004
23.01.2020 10:46:42	1	1	1	1	96.5	48.25	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	29.4375	2004
23.01.2020 10:46:42	1	1	1	1	96.5	48.25	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	29.4375	2004
23.01.2020 10:46:42	1	1	1	1	96.5	48.25	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	29.4375	2004
23.01.2020 10:46:43	1	1	1	1	96.5	49.25	0	25829.384	623.655914	16193.29764	30000	0	0	30000	29.375	2004
23.01.2020 10:46:44	1	1	1	1	96.5	49.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.0625	2004
23.01.2020 10:46:45	1	1	1	1	96.5	49	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.0625	2004
23.01.2020 10:46:46	1	1	1	1	96.5	49	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	29.8125	2004
23.01.2020 10:46:47	1	1	1	1	96.5	49.75	0	25829.384	623.655914	16223.46642	30000	0	0	30000	28.5	2004
23.01.2020 10:46:48	1	1	1	1	96.5	48.5	0	25876.777	621.5053763	16111.76039	30000	0	0	30000	29.375	2004
23.01.2020 10:46:49	1	1	1	1	96.5	49.25	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	29.375	2004
23.01.2020 10:46:50	1	1	1	1	96.5	49.25	0	25734.597	617.2043011	15993.53138	30000	0	0	30000	28.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:46:51	1	1	1	1	96.5	48.5	0	25734.597	623.655914	16104.42204	30000	0	0	30000	29.375	2004
23.01.2020 10:46:52	1	1	1	1	96.5	49.25	0	25639.81	625.8064516	16015.54644	30000	0	0	30000	30.0625	2004
23.01.2020 10:46:53	1	1	1	1	96.5	50	0	25639.81	623.655914	15934.82456	30000	0	0	30000	28.625	2004
23.01.2020 10:46:54	1	1	1	1	96.5	48.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30	2004
23.01.2020 10:46:55	1	1	1	1	96.5	49.75	0	25687.204	621.5053763	15854.10268	30000	0	0	30000	28.6875	2004
23.01.2020 10:46:56	1	1	1	1	96.5	48.5	0	25734.597	615.0537634	16000.05436	30000	0	0	30000	29.4375	2004
23.01.2020 10:46:57	1	1	1	1	96.5	49.25	0	25924.171	619.3548387	15941.34754	30000	0	0	30000	29.3125	2004
23.01.2020 10:46:58	1	1	1	1	96.5	49.25	0	25876.777	623.655914	16167.20572	30000	0	0	30000	29	2004
23.01.2020 10:46:59	1	1	1	1	96.5	49	0	25734.597	627.9569892	16215.3127	30000	0	0	30000	29.25	2004
23.01.2020 10:47:00	1	1	1	1	97	49.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	28.5	2004
23.01.2020 10:47:01	1	1	1	1	97	48.5	0	25355.45	625.8064516	15976.40856	30000	0	0	30000	27.375	2004
23.01.2020 10:47:02	1	1	1	1	97	47.25	0	25497.63	625.8064516	15986.19303	30000	0	0	30000	27.9375	2004
23.01.2020 10:47:03	1	1	1	1	97	47.75	0	25450.237	623.655914	15788.05751	30000	0	0	30000	27.8125	2004
23.01.2020 10:47:04	1	1	1	1	97	47.75	0	25592.417	623.655914	15960.91648	30000	0	0	30000	29.6875	2004
23.01.2020 10:47:05	1	1	1	1	97	49.5	0	25450.237	619.3548387	15872.04088	30000	0	0	30000	29.3125	2004
23.01.2020 10:47:06	1	1	1	1	97	49.25	0	25545.024	625.8064516	16015.54644	30000	0	0	30000	28.625	2004
23.01.2020 10:47:07	1	1	1	1	97	48.5	0	25450.237	623.655914	15926.67083	30000	0	0	30000	28.875	2004
23.01.2020 10:47:08	1	1	1	1	97	48.75	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	28.875	2004
23.01.2020 10:47:09	1	1	1	1	97	48.75	0	25402.844	625.8064516	15897.31742	30000	0	0	30000	29.625	2004
23.01.2020 10:47:10	1	1	1	1	96.75	49.5	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	29.8125	2004
23.01.2020 10:47:11	1	1	1	1	96.75	49.75	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	29.5	2004
23.01.2020 10:47:12	1	1	1	1	96.75	49.5	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	29.9375	2004
23.01.2020 10:47:13	1	1	1	1	96.75	49.75	0	25260.664	627.9569892	15892.42519	30000	0	0	30000	29.9375	2004
23.01.2020 10:47:14	1	1	1	1	96.75	49.75	0	25402.844	625.8064516	15981.30079	30000	0	0	30000	28.4375	2004
23.01.2020 10:47:15	1	1	1	1	96.75	48.25	0	25450.237	630.1075269	16006.57734	30000	0	0	30000	28.375	2004
23.01.2020 10:47:16	1	1	1	1	96.75	48.25	0	25450.237	625.8064516	16011.46957	30000	0	0	30000	28.3125	2004
23.01.2020 10:47:17	1	1	1	1	96.75	48.25	0	25450.237	627.9569892	16035.93075	30000	0	0	30000	28.6875	2004
23.01.2020 10:47:19	1	1	1	1	96.75	48.5	0	25592.417	627.9569892	15986.19303	30000	0	0	30000	29.6875	2004
23.01.2020 10:47:20	1	1	1	1	96.75	49.5	0	25402.844	632.2580645	15976.40856	30000	0	0	30000	30	2004
23.01.2020 10:47:21	1	1	1	1	97	50	0	25355.45	625.8064516	15867.14864	30000	0	0	30000	29.125	2004
23.01.2020 10:47:22	1	1	1	1	97	49	0	25545.024	625.8064516	15876.11774	30000	0	0	30000	28.8125	2004
23.01.2020 10:47:23	1	1	1	1	97	48.75	0	25450.237	627.9569892	16066.09953	30000	0	0	30000	29.625	2004
23.01.2020 10:47:24	1	1	1	1	97	49.5	0	25592.417	627.9569892	15986.19303	30000	0	0	30000	28.8125	2004
23.01.2020 10:47:25	1	1	1	1	97	48.75	0	25545.024	630.1075269	15986.19303	30000	0	0	30000	29.25	2004
23.01.2020 10:47:26	1	1	1	1	97	49.25	0	25545.024	623.655914	15930.7477	30000	0	0	30000	28.5	2004
23.01.2020 10:47:27	1	1	1	1	97	48.5	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	29.4375	2004
23.01.2020 10:47:28	1	1	1	1	97	49.25	0	25687.204	619.3548387	15854.10268	30000	0	0	30000	28.6875	2004
23.01.2020 10:47:29	1	1	1	1	97	48.5	0	25592.417	617.2043011	15934.82456	30000	0	0	30000	28.3125	2004
23.01.2020 10:47:30	1	1	1	1	97	48.25	0	25592.417	621.5053763	15905.47115	30000	0	0	30000	30.1875	2004
23.01.2020 10:47:31	1	1	1	1	97	50	0	25639.81	625.8064516	15990.26989	30000	0	0	30000	28.5625	2004
23.01.2020 10:47:32	1	1	1	1	97	48.5	0	25545.024	623.655914	15986.19303	30000	0	0	30000	28.25	2004
23.01.2020 10:47:33	1	1	1	1	97	49.5	0	25592.417	621.5053763	15876.11774	30000	0	0	30000	29.625	2004
23.01.2020 10:47:34	1	1	1	1	97	49.5	0	25545.024	634.4086022	15707.33563	30000	0	0	30000	28.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:47:35	1	1	1	1	97	48.5	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	27.8125	2004
23.01.2020 10:47:36	1	1	1	1	97	47.75	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	29.0625	2004
23.01.2020 10:47:37	1	1	1	1	97	49	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	28.625	2004
23.01.2020 10:47:38	1	1	1	1	97	48.5	0	25545.024	627.9569892	16125.62172	30000	0	0	30000	28.75	2004
23.01.2020 10:47:44	1	1	1	1	96	49.75	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	27.9375	2004
23.01.2020 10:47:44	1	1	1	1	96	49.75	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	27.9375	2004
23.01.2020 10:47:44	1	1	1	1	96	49.75	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	27.9375	2004
23.01.2020 10:47:44	1	1	1	1	96	49.75	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	27.9375	2004
23.01.2020 10:47:44	1	1	1	1	96	49.75	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	27.9375	2004
23.01.2020 10:47:44	1	1	1	1	96	47.75	0	25545.024	623.655914	15986.19303	30000	0	0	30000	29	2004
23.01.2020 10:47:45	1	1	1	1	96	49	0	25545.024	623.655914	15986.19303	30000	0	0	30000	29.0625	2004
23.01.2020 10:47:46	1	1	1	1	96	49	0	25545.024	623.655914	15986.19303	30000	0	0	30000	28.8125	2004
23.01.2020 10:47:47	1	1	1	1	96	48.75	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	29.8125	2004
23.01.2020 10:47:48	1	1	1	1	96	49.75	0	25734.597	627.9569892	16048.97671	30000	0	0	30000	29.625	2004
23.01.2020 10:47:49	1	1	1	1	96	49.5	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	30.1875	2004
23.01.2020 10:47:50	1	1	1	1	96.5	50	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	28.5	2004
23.01.2020 10:47:51	1	1	1	1	96.5	48.5	0	25687.204	623.655914	16104.42204	30000	0	0	30000	29	2004
23.01.2020 10:47:52	1	1	1	1	96.5	49	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	27.4375	2004
23.01.2020 10:47:53	1	1	1	1	96.5	47.25	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	29.375	2004
23.01.2020 10:47:54	1	1	1	1	96.5	49.25	0	25639.81	621.5053763	15964.17797	30000	0	0	30000	29.25	2004
23.01.2020 10:47:55	1	1	1	1	96.5	49.25	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	28.3125	2004
23.01.2020 10:47:57	1	1	1	1	96.5	48.25	0	25545.024	623.655914	16015.54644	30000	0	0	30000	28.8125	2004
23.01.2020 10:47:58	1	1	1	1	96.5	48.75	0	25545.024	623.655914	15986.19303	30000	0	0	30000	29.25	2004
23.01.2020 10:47:59	1	1	1	1	96.5	49.25	0	25592.417	623.655914	15986.19303	30000	0	0	30000	28.125	2004
23.01.2020 10:48:00	1	1	1	1	96.5	48	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	28.9375	2004
23.01.2020 10:48:01	1	1	1	1	96.5	48.75	0	25639.81	625.8064516	15990.26989	30000	0	0	30000	28.125	2004
23.01.2020 10:48:02	1	1	1	1	96.5	48	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	28.5625	2004
23.01.2020 10:48:03	1	1	1	1	96.5	48.5	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	29.25	2004
23.01.2020 10:48:04	1	1	1	1	96.5	49.25	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	28.3125	2004
23.01.2020 10:48:05	1	1	1	1	96.5	48.25	0	25308.057	621.5053763	15674.72073	30000	0	0	30000	28.625	2004
23.01.2020 10:48:06	1	1	1	1	96.5	48.5	0	25402.844	623.655914	15926.67083	30000	0	0	30000	28.9375	2004
23.01.2020 10:48:07	1	1	1	1	96.5	48.75	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	29	2004
23.01.2020 10:48:08	1	1	1	1	96.5	49	0	25545.024	627.9569892	16040.82298	30000	0	0	30000	29.5	2004
23.01.2020 10:48:09	1	1	1	1	96.5	49.5	0	25450.237	621.5053763	16035.93075	30000	0	0	30000	30.3125	2004
23.01.2020 10:48:10	1	1	1	1	96.5	50.25	0	25260.664	625.8064516	15807.62645	30000	0	0	30000	30.25	2004
23.01.2020 10:48:11	1	1	1	1	96	49	0	25545.024	625.8064516	15876.11774	30000	0	0	30000	30.25	2004
23.01.2020 10:48:12	1	1	1	1	96	50.25	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	29.1875	2004
23.01.2020 10:48:13	1	1	1	1	96	49	0	25639.81	627.9569892	16044.89985	30000	0	0	30000	29.5625	2004
23.01.2020 10:48:14	1	1	1	1	96	49.5	0	25639.81	623.655914	15990.26989	30000	0	0	30000	30	2004
23.01.2020 10:48:15	1	1	1	1	96	50	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	29.0625	2004
23.01.2020 10:48:16	1	1	1	1	96	49	0	25355.45	627.9569892	15867.14864	30000	0	0	30000	29.75	2004
23.01.2020 10:48:17	1	1	1	1	96	49.75	0	25450.237	625.8064516	15872.04088	30000	0	0	30000	29.75	2004
23.01.2020 10:48:18	1	1	1	1	96	49.75	0	25450.237	627.9569892	16035.93075	30000	0	0	30000	28.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:48:19	1	1	1	1	96	48.5	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	29.375	2004
23.01.2020 10:48:20	1	1	1	1	96.5	49.25	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	30	2004
23.01.2020 10:48:21	1	1	1	1	96.5	50	0	25639.81	623.655914	15990.26989	30000	0	0	30000	29.375	2004
23.01.2020 10:48:22	1	1	1	1	96.5	49.25	0	25592.417	630.1075269	16125.62172	30000	0	0	30000	29.6875	2004
23.01.2020 10:48:23	1	1	1	1	96.5	49.5	0	25687.204	623.655914	15964.17797	30000	0	0	30000	30.1875	2004
23.01.2020 10:48:24	1	1	1	1	96.5	50	0	25497.63	625.8064516	15986.19303	30000	0	0	30000	30.125	2004
23.01.2020 10:48:25	1	1	1	1	96.5	50	0	25829.384	625.8064516	16104.42204	30000	0	0	30000	28.75	2004
23.01.2020 10:48:26	1	1	1	1	96.5	48.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	28.6875	2004
23.01.2020 10:48:27	1	1	1	1	96.5	48.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.9375	2004
23.01.2020 10:48:28	1	1	1	1	96.5	49.75	0	26018.957	621.5053763	16170.46721	30000	0	0	30000	29.4375	2004
23.01.2020 10:48:29	1	1	1	1	96.5	49.25	0	25734.597	621.5053763	16215.3127	30000	0	0	30000	29	2004
23.01.2020 10:48:30	1	1	1	1	96.5	49	0	25734.597	623.655914	15993.53138	30000	0	0	30000	29.125	2004
23.01.2020 10:48:31	1	1	1	1	96.5	49	0	25734.597	623.655914	16048.97671	30000	0	0	30000	29.625	2004
23.01.2020 10:48:32	1	1	1	1	96.5	49.5	0	25639.81	625.8064516	16075.06863	30000	0	0	30000	29.625	2004
23.01.2020 10:48:33	1	1	1	1	96.5	49.5	0	25734.597	623.655914	15993.53138	30000	0	0	30000	29.6875	2004
23.01.2020 10:48:35	1	1	1	1	96.5	49.5	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	29.8125	2004
23.01.2020 10:48:36	1	1	1	1	96.5	49.75	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	30.1875	2004
23.01.2020 10:48:37	1	1	1	1	96.5	50	0	25876.777	621.5053763	16053.05357	30000	0	0	30000	29.625	2004
23.01.2020 10:48:38	1	1	1	1	96.5	49.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30.125	2004
23.01.2020 10:48:39	1	1	1	1	96.5	50	0	25829.384	621.5053763	16053.05357	30000	0	0	30000	29.5625	2004
23.01.2020 10:48:40	1	1	1	1	96.5	49.5	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	30.1875	2004
23.01.2020 10:48:46	1	1	1	1	96.75	49.75	0	25687.204	615.0537634	15714.67399	30000	0	0	30000	30.0625	2004
23.01.2020 10:48:46	1	1	1	1	96.75	49.75	0	25687.204	615.0537634	15714.67399	30000	0	0	30000	30.0625	2004
23.01.2020 10:48:46	1	1	1	1	96.75	49.75	0	25687.204	615.0537634	15714.67399	30000	0	0	30000	30.0625	2004
23.01.2020 10:48:46	1	1	1	1	96.75	49.75	0	25687.204	615.0537634	15714.67399	30000	0	0	30000	30.0625	2004
23.01.2020 10:48:46	1	1	1	1	96.75	50	0	26066.351	621.5053763	16199.82062	30000	0	0	30000	29.875	2004
23.01.2020 10:48:47	1	1	1	1	96.75	49.75	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	30.125	2004
23.01.2020 10:48:48	1	1	1	1	96.75	50	0	25734.597	621.5053763	16104.42204	30000	0	0	30000	30	2004
23.01.2020 10:48:49	1	1	1	1	96.75	50	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	30.25	2004
23.01.2020 10:48:50	1	1	1	1	97	49.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.1875	2004
23.01.2020 10:48:51	1	1	1	1	97	49	0	25592.417	623.655914	16044.89985	30000	0	0	30000	30	2004
23.01.2020 10:48:52	1	1	1	1	97	50	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	29.75	2004
23.01.2020 10:48:53	1	1	1	1	97	49.75	0	25592.417	619.3548387	15876.11774	30000	0	0	30000	29.6875	2004
23.01.2020 10:48:54	1	1	1	1	97	49.5	0	25734.597	621.5053763	16053.05357	30000	0	0	30000	29.3125	2004
23.01.2020 10:48:55	1	1	1	1	97	49.25	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	30.25	2004
23.01.2020 10:48:56	1	1	1	1	97	50.25	0	25876.777	623.655914	16163.94423	30000	0	0	30000	29.6875	2004
23.01.2020 10:48:57	1	1	1	1	97	49.5	0	25876.777	623.655914	16082.40698	30000	0	0	30000	29.6875	2004
23.01.2020 10:48:58	1	1	1	1	97	49.5	0	25734.597	623.655914	16048.97671	30000	0	0	30000	29.875	2004
23.01.2020 10:48:59	1	1	1	1	97	49.75	0	25639.81	623.655914	15990.26989	30000	0	0	30000	29.4375	2004
23.01.2020 10:49:00	1	1	1	1	97	49.25	0	25639.81	623.655914	16044.89985	30000	0	0	30000	28.5625	2004
23.01.2020 10:49:01	1	1	1	1	97	48.5	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	30.0625	2004
23.01.2020 10:49:02	1	1	1	1	97	50	0	25497.63	623.655914	15986.19303	30000	0	0	30000	29.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:49:03	1	1	1	1	97	49	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	30	2004
23.01.2020 10:49:04	1	1	1	1	97	50	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	28.8125	2004
23.01.2020 10:49:05	1	1	1	1	97	48.75	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	29.5625	2004
23.01.2020 10:49:06	1	1	1	1	97	49.5	0	25497.63	627.9569892	16095.45294	30000	0	0	30000	29.8125	2004
23.01.2020 10:49:07	1	1	1	1	97	49.75	0	25355.45	627.9569892	15867.14864	30000	0	0	30000	30.4375	2004
23.01.2020 10:49:08	1	1	1	1	97	50.25	0	25497.63	627.9569892	15817.41092	30000	0	0	30000	30.0625	2004
23.01.2020 10:49:09	1	1	1	1	97	50	0	25450.237	627.9569892	16035.93075	30000	0	0	30000	30.0625	2004
23.01.2020 10:49:10	1	1	1	1	97	50	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	29.8125	2004
23.01.2020 10:49:11	1	1	1	1	97	49.75	0	25545.024	627.9569892	16205.52823	30000	0	0	30000	29.6875	2004
23.01.2020 10:49:12	1	1	1	1	97	49.5	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	30.4375	2004
23.01.2020 10:49:14	1	1	1	1	97	50.25	0	25308.057	619.3548387	15867.14864	30000	0	0	30000	30.125	2004
23.01.2020 10:49:15	1	1	1	1	97	50	0	25450.237	625.8064516	15897.31742	30000	0	0	30000	28.5	2004
23.01.2020 10:49:16	1	1	1	1	97	48.5	0	25592.417	630.1075269	16125.62172	30000	0	0	30000	29.5625	2004
23.01.2020 10:49:17	1	1	1	1	97	49.5	0	25592.417	625.8064516	15766.04245	30000	0	0	30000	29.5625	2004
23.01.2020 10:49:18	1	1	1	1	97	49.5	0	25592.417	623.655914	15960.91648	30000	0	0	30000	30.25	2004
23.01.2020 10:49:19	1	1	1	1	97	50.25	0	25450.237	623.655914	15817.41092	30000	0	0	30000	29.875	2004
23.01.2020 10:49:20	1	1	1	1	97	49.75	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	29.8125	2004
23.01.2020 10:49:21	1	1	1	1	96.75	49.75	0	25639.81	623.655914	16044.89985	30000	0	0	30000	30.125	2004
23.01.2020 10:49:22	1	1	1	1	96.75	50	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	29.5	2004
23.01.2020 10:49:23	1	1	1	1	96.75	49.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.8125	2004
23.01.2020 10:49:24	1	1	1	1	96.75	49.75	0	25639.81	621.5053763	16044.89985	30000	0	0	30000	30.375	2004
23.01.2020 10:49:25	1	1	1	1	96.75	50.25	0	25687.204	623.655914	15993.53138	30000	0	0	30000	30.5625	2004
23.01.2020 10:49:26	1	1	1	1	96.75	50.5	0	25734.597	623.655914	16104.42204	30000	0	0	30000	30.3125	2004
23.01.2020 10:49:27	1	1	1	1	96.75	50.25	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	30.25	2004
23.01.2020 10:49:28	1	1	1	1	96.75	50.75	0	25497.63	621.5053763	15846.76433	30000	0	0	30000	30.1875	2004
23.01.2020 10:49:29	1	1	1	1	96.75	50	0	25545.024	621.5053763	15986.19303	30000	0	0	30000	30.0625	2004
23.01.2020 10:49:30	1	1	1	1	96	50	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	29.1875	2004
23.01.2020 10:49:31	1	1	1	1	96	49	0	25639.81	623.655914	15934.82456	30000	0	0	30000	30.3125	2004
23.01.2020 10:49:32	1	1	1	1	96	50.25	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	29.125	2004
23.01.2020 10:49:33	1	1	1	1	96	49	0	25876.777	621.5053763	16111.76039	30000	0	0	30000	30	2004
23.01.2020 10:49:34	1	1	1	1	96	50	0	25734.597	632.2580645	16075.06863	30000	0	0	30000	29.3125	2004
23.01.2020 10:49:35	1	1	1	1	96	49.25	0	25592.417	625.8064516	15986.19303	30000	0	0	30000	30.4375	2004
23.01.2020 10:49:36	1	1	1	1	96	50.25	0	25355.45	623.655914	15867.14864	30000	0	0	30000	28.4375	2004
23.01.2020 10:49:37	1	1	1	1	96	48.25	0	25545.024	625.8064516	16015.54644	30000	0	0	30000	29.4375	2004
23.01.2020 10:49:38	1	1	1	1	96	49.25	0	25355.45	623.655914	15812.51869	30000	0	0	30000	29.9375	2004
23.01.2020 10:49:39	1	1	1	1	96	49.75	0	25545.024	630.1075269	16095.45294	30000	0	0	30000	29.875	2004
23.01.2020 10:49:40	1	1	1	1	96	49.75	0	25687.204	623.655914	15964.17797	30000	0	0	30000	29.875	2004
23.01.2020 10:49:41	1	1	1	1	96	49.75	0	25639.81	625.8064516	16104.42204	30000	0	0	30000	29.4375	2004
23.01.2020 10:49:47	1	1	1	1	96	50.25	0	25592.417	621.5053763	15711.4125	30000	0	0	30000	29.75	2004
23.01.2020 10:49:47	1	1	1	1	96	50.25	0	25592.417	621.5053763	15711.4125	30000	0	0	30000	29.75	2004
23.01.2020 10:49:47	1	1	1	1	96	50.25	0	25592.417	621.5053763	15711.4125	30000	0	0	30000	29.75	2004
23.01.2020 10:49:47	1	1	1	1	96	50.25	0	25592.417	621.5053763	15711.4125	30000	0	0	30000	29.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:49:47	1	1	1	1	96	49.75	0	25734.597	625.8064516	15854.10268	30000	0	0	30000	28.5625	2004
23.01.2020 10:49:48	1	1	1	1	96	48.5	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	28.25	2004
23.01.2020 10:49:49	1	1	1	1	96	48.25	0	25639.81	619.3548387	15934.82456	30000	0	0	30000	27.9375	2004
23.01.2020 10:49:50	1	1	1	1	96	47.75	0	25592.417	621.5053763	15934.82456	30000	0	0	30000	28.1875	2004
23.01.2020 10:49:51	1	1	1	1	96	48	0	25734.597	623.655914	16104.42204	30000	0	0	30000	29	2004
23.01.2020 10:49:53	1	1	1	1	96	49	0	25545.024	615.0537634	15905.47115	30000	0	0	30000	29.5625	2004
23.01.2020 10:49:54	1	1	1	1	96	49.5	0	25687.204	619.3548387	15964.17797	30000	0	0	30000	29.375	2004
23.01.2020 10:49:55	1	1	1	1	96	49.25	0	25924.171	625.8064516	16111.76039	30000	0	0	30000	29	2004
23.01.2020 10:49:56	1	1	1	1	96	49	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	29.125	2004
23.01.2020 10:49:57	1	1	1	1	96	49	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	29.625	2004
23.01.2020 10:49:58	1	1	1	1	96	49.5	0	25734.597	619.3548387	15941.34754	30000	0	0	30000	29	2004
23.01.2020 10:49:59	1	1	1	1	96	49	0	26018.957	619.3548387	16170.46721	30000	0	0	30000	30.3125	2004
23.01.2020 10:50:00	1	1	1	1	96	50.25	0	25829.384	621.5053763	16053.05357	30000	0	0	30000	29.8125	2004
23.01.2020 10:50:01	1	1	1	1	96.5	49.75	0	25876.777	623.655914	15993.53138	30000	0	0	30000	28.75	2004
23.01.2020 10:50:02	1	1	1	1	96.5	48.75	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	30	2004
23.01.2020 10:50:03	1	1	1	1	96.5	50	0	25734.597	623.655914	16053.05357	30000	0	0	30000	29.875	2004
23.01.2020 10:50:04	1	1	1	1	96.5	49.75	0	25734.597	623.655914	16048.97671	30000	0	0	30000	30.25	2004
23.01.2020 10:50:05	1	1	1	1	96.5	50.25	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	30.25	2004
23.01.2020 10:50:06	1	1	1	1	96.5	50.25	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	30.3125	2004
23.01.2020 10:50:07	1	1	1	1	96.5	50.25	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	30.875	2004
23.01.2020 10:50:08	1	1	1	1	96.5	49.25	0	25450.237	621.5053763	15817.41092	30000	0	0	30000	28.1875	2004
23.01.2020 10:50:09	1	1	1	1	96.5	48	0	25734.597	623.655914	16104.42204	30000	0	0	30000	29.25	2004
23.01.2020 10:50:10	1	1	1	1	97	49.25	0	25734.597	623.655914	16048.97671	30000	0	0	30000	30.4375	2004
23.01.2020 10:50:11	1	1	1	1	97	50.25	0	25734.597	627.9569892	16104.42204	30000	0	0	30000	29.3125	2004
23.01.2020 10:50:12	1	1	1	1	97	49.25	0	25450.237	621.5053763	15930.7477	30000	0	0	30000	29.5	2004
23.01.2020 10:50:13	1	1	1	1	97	49.5	0	25734.597	623.655914	15993.53138	30000	0	0	30000	29.125	2004
23.01.2020 10:50:14	1	1	1	1	97	49	0	25687.204	625.8064516	15993.53138	30000	0	0	30000	28.5625	2004
23.01.2020 10:50:15	1	1	1	1	97	48.5	0	25545.024	623.655914	15930.7477	30000	0	0	30000	29.9375	2004
23.01.2020 10:50:16	1	1	1	1	97	49.75	0	25639.81	621.5053763	16044.89985	30000	0	0	30000	29.4375	2004
23.01.2020 10:50:17	1	1	1	1	97	49.25	0	25450.237	621.5053763	15901.39429	30000	0	0	30000	29.6875	2004
23.01.2020 10:50:18	1	1	1	1	97	49.5	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	29.4375	2004
23.01.2020 10:50:19	1	1	1	1	97	49.25	0	25639.81	619.3548387	16044.89985	30000	0	0	30000	29.375	2004
23.01.2020 10:50:20	1	1	1	1	96.5	49.25	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	30.0625	2004
23.01.2020 10:50:21	1	1	1	1	96.5	50	0	25497.63	630.1075269	15956.02424	30000	0	0	30000	30.4375	2004
23.01.2020 10:50:22	1	1	1	1	96.5	50.25	0	25545.024	627.9569892	16095.45294	30000	0	0	30000	29.25	2004
23.01.2020 10:50:23	1	1	1	1	96.5	49.25	0	25687.204	625.8064516	16044.89985	30000	0	0	30000	29.125	2004
23.01.2020 10:50:24	1	1	1	1	96.5	49	0	25639.81	623.655914	16044.89985	30000	0	0	30000	29.5	2004
23.01.2020 10:50:25	1	1	1	1	96.5	49.5	0	25545.024	625.8064516	16095.45294	30000	0	0	30000	30.25	2004
23.01.2020 10:50:26	1	1	1	1	96.5	50.25	0	25497.63	623.655914	15846.76433	30000	0	0	30000	30.125	2004
23.01.2020 10:50:27	1	1	1	1	96.5	50	0	25639.81	621.5053763	15880.1946	30000	0	0	30000	30.25	2004
23.01.2020 10:50:28	1	1	1	1	96.5	50.25	0	25639.81	619.3548387	15934.82456	30000	0	0	30000	30.375	2004
23.01.2020 10:50:29	1	1	1	1	96.5	50.25	0	25734.597	621.5053763	16053.05357	30000	0	0	30000	30.3125	2004
23.01.2020 10:50:30	1	1	1	1	97.25	50.25	0	25734.597	623.655914	16019.6233	30000	0	0	30000	29.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:50:32	1	1	1	1	97.25	49.25	0	25639.81	623.655914	16044.89985	30000	0	0	30000	30.0625	2004
23.01.2020 10:50:33	1	1	1	1	97.25	50	0	25687.204	625.8064516	16044.89985	30000	0	0	30000	29.5625	2004
23.01.2020 10:50:34	1	1	1	1	97.25	49.5	0	25734.597	627.9569892	16104.42204	30000	0	0	30000	29.1875	2004
23.01.2020 10:50:35	1	1	1	1	97.25	49	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	29.375	2004
23.01.2020 10:50:36	1	1	1	1	97.25	49.25	0	25545.024	623.655914	16015.54644	30000	0	0	30000	29.0625	2004
23.01.2020 10:50:37	1	1	1	1	97.25	49	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	29.625	2004
23.01.2020 10:50:38	1	1	1	1	97.25	49.5	0	25829.384	617.2043011	15883.45609	30000	0	0	30000	28.625	2004
23.01.2020 10:50:39	1	1	1	1	97.25	48.5	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	29.5625	2004
23.01.2020 10:50:40	1	1	1	1	97.25	49.5	0	25639.81	619.3548387	15769.30394	30000	0	0	30000	30.375	2004
23.01.2020 10:50:41	1	1	1	1	97	50.25	0	25734.597	623.655914	15938.90142	30000	0	0	30000	30.25	2004
23.01.2020 10:50:42	1	1	1	1	97	50.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.5625	2004
23.01.2020 10:50:43	1	1	1	1	97	50.5	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	30.5	2004
23.01.2020 10:50:49	1	1	1	1	97	50	0	25687.204	619.3548387	15993.53138	30000	0	0	30000	30.25	2004
23.01.2020 10:50:49	1	1	1	1	97	50	0	25687.204	619.3548387	15993.53138	30000	0	0	30000	30.25	2004
23.01.2020 10:50:49	1	1	1	1	97	50	0	25687.204	619.3548387	15993.53138	30000	0	0	30000	30.25	2004
23.01.2020 10:50:49	1	1	1	1	97	50	0	25687.204	619.3548387	15993.53138	30000	0	0	30000	30.25	2004
23.01.2020 10:50:49	1	1	1	1	97	50.25	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	30.1875	2004
23.01.2020 10:50:50	1	1	1	1	97.25	50	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	30.5625	2004
23.01.2020 10:50:51	1	1	1	1	97.25	50.5	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	30	2004
23.01.2020 10:50:52	1	1	1	1	97.25	50	0	26018.957	619.3548387	16144.37529	30000	0	0	30000	29.9375	2004
23.01.2020 10:50:53	1	1	1	1	97.25	49.75	0	26018.957	615.0537634	16000.05436	30000	0	0	30000	30.25	2004
23.01.2020 10:50:54	1	1	1	1	97.25	50.25	0	25639.81	619.3548387	15934.82456	30000	0	0	30000	30.0625	2004
23.01.2020 10:50:55	1	1	1	1	97.25	50	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	30.125	2004
23.01.2020 10:50:56	1	1	1	1	97.25	50	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	29.875	2004
23.01.2020 10:50:57	1	1	1	1	97.25	49.75	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	30.75	2004
23.01.2020 10:50:58	1	1	1	1	97.25	50.75	0	25734.597	610.7526882	15883.45609	30000	0	0	30000	29.9375	2004
23.01.2020 10:50:59	1	1	1	1	97.25	49.75	0	25734.597	623.655914	16048.97671	30000	0	0	30000	30.25	2004
23.01.2020 10:51:00	1	1	1	1	97.25	50.25	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	30.25	2004
23.01.2020 10:51:01	1	1	1	1	97.25	50.25	0	25876.777	621.5053763	16082.40698	30000	0	0	30000	30.125	2004
23.01.2020 10:51:02	1	1	1	1	97.25	50	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	28.5	2004
23.01.2020 10:51:03	1	1	1	1	97.25	48.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.5	2004
23.01.2020 10:51:04	1	1	1	1	97.25	50.5	0	25924.171	621.5053763	16223.46642	30000	0	0	30000	29.6875	2004
23.01.2020 10:51:05	1	1	1	1	97.25	49.5	0	25545.024	619.3548387	15876.11774	30000	0	0	30000	29.9375	2004
23.01.2020 10:51:06	1	1	1	1	97.25	49.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	29.5	2004
23.01.2020 10:51:07	1	1	1	1	97.25	49.5	0	25545.024	615.0537634	15876.11774	30000	0	0	30000	30.375	2004
23.01.2020 10:51:08	1	1	1	1	97.25	50.25	0	25545.024	625.8064516	16070.99176	30000	0	0	30000	28.8125	2004
23.01.2020 10:51:10	1	1	1	1	97.25	48.75	0	25639.81	623.655914	16075.06863	30000	0	0	30000	30.1875	2004
23.01.2020 10:51:11	1	1	1	1	97	50	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	29.5	2004
23.01.2020 10:51:12	1	1	1	1	97	49.5	0	25687.204	625.8064516	16075.06863	30000	0	0	30000	29.1875	2004
23.01.2020 10:51:13	1	1	1	1	97	49	0	25687.204	625.8064516	16044.89985	30000	0	0	30000	30.6875	2004
23.01.2020 10:51:14	1	1	1	1	97	50.5	0	25545.024	623.655914	15930.7477	30000	0	0	30000	30.25	2004
23.01.2020 10:51:15	1	1	1	1	97	50.25	0	25687.204	625.8064516	16075.06863	30000	0	0	30000	30.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:51:16	1	1	1	1	97	50.5	0	25497.63	621.5053763	15846.76433	30000	0	0	30000	30.0625	2004
23.01.2020 10:51:17	1	1	1	1	97	50	0	25450.237	617.2043011	15707.33563	30000	0	0	30000	29.625	2004
23.01.2020 10:51:18	1	1	1	1	97	49.5	0	25545.024	623.655914	15846.76433	30000	0	0	30000	30.6875	2004
23.01.2020 10:51:19	1	1	1	1	97	50.5	0	25639.81	623.655914	16044.89985	30000	0	0	30000	30.5625	2004
23.01.2020 10:51:20	1	1	1	1	97	50.5	0	25734.597	625.8064516	15993.53138	30000	0	0	30000	30.875	2004
23.01.2020 10:51:21	1	1	1	1	97	50.75	0	25734.597	619.3548387	15769.30394	30000	0	0	30000	29.4375	2004
23.01.2020 10:51:22	1	1	1	1	97	49.25	0	25592.417	621.5053763	15905.47115	30000	0	0	30000	30.125	2004
23.01.2020 10:51:23	1	1	1	1	97	50	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.25	2004
23.01.2020 10:51:24	1	1	1	1	97	50.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.9375	2004
23.01.2020 10:51:25	1	1	1	1	97	50.75	0	25639.81	619.3548387	15934.82456	30000	0	0	30000	29.5	2004
23.01.2020 10:51:26	1	1	1	1	97	50.25	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	30.3125	2004
23.01.2020 10:51:27	1	1	1	1	97	50.25	0	25924.171	623.655914	16167.20572	30000	0	0	30000	30.5	2004
23.01.2020 10:51:28	1	1	1	1	97	50.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.75	2004
23.01.2020 10:51:29	1	1	1	1	97	49.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.4375	2004
23.01.2020 10:51:30	1	1	1	1	97	49.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.125	2004
23.01.2020 10:51:31	1	1	1	1	97	50	0	25876.777	621.5053763	16082.40698	30000	0	0	30000	30.375	2004
23.01.2020 10:51:32	1	1	1	1	97	50.25	0	26018.957	617.2043011	16115.02188	30000	0	0	30000	30.4375	2004
23.01.2020 10:51:33	1	1	1	1	97	50.25	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	29.3125	2004
23.01.2020 10:51:34	1	1	1	1	97	49.25	0	25924.171	617.2043011	16111.76039	30000	0	0	30000	30.4375	2004
23.01.2020 10:51:35	1	1	1	1	97	50.25	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	30.25	2004
23.01.2020 10:51:36	1	1	1	1	97	50.25	0	25876.777	621.5053763	16082.40698	30000	0	0	30000	30.8125	2004
23.01.2020 10:51:37	1	1	1	1	97	50.75	0	25829.384	617.2043011	16000.05436	30000	0	0	30000	30.5625	2004
23.01.2020 10:51:38	1	1	1	1	97	50.5	0	25639.81	617.2043011	15824.74927	30000	0	0	30000	30	2004
23.01.2020 10:51:39	1	1	1	1	97	50	0	25829.384	617.2043011	16053.05357	30000	0	0	30000	29.8125	2004
23.01.2020 10:51:40	1	1	1	1	97.75	49.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.875	2004
23.01.2020 10:51:41	1	1	1	1	97.75	49.75	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	29.125	2004
23.01.2020 10:51:42	1	1	1	1	97.75	49	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	30.25	2004
23.01.2020 10:51:43	1	1	1	1	97.75	50.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	29.625	2004
23.01.2020 10:51:44	1	1	1	1	97.75	49.5	0	25734.597	615.0537634	15970.70095	30000	0	0	30000	29.5	2004
23.01.2020 10:51:50	1	1	1	1	97.75	50	0	25734.597	615.0537634	15941.34754	30000	0	0	30000	29.4375	2004
23.01.2020 10:51:50	1	1	1	1	97.75	50	0	25734.597	615.0537634	15941.34754	30000	0	0	30000	29.4375	2004
23.01.2020 10:51:50	1	1	1	1	97.75	50	0	25734.597	615.0537634	15941.34754	30000	0	0	30000	29.4375	2004
23.01.2020 10:51:50	1	1	1	1	97.75	50	0	25734.597	615.0537634	15941.34754	30000	0	0	30000	29.4375	2004
23.01.2020 10:51:51	1	1	1	1	97.5	49.25	0	25734.597	617.2043011	15941.34754	30000	0	0	30000	30.5	2004
23.01.2020 10:51:52	1	1	1	1	97.5	50.5	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	29.125	2004
23.01.2020 10:51:53	1	1	1	1	97.5	49	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	30.1875	2004
23.01.2020 10:51:54	1	1	1	1	97.5	50	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30.125	2004
23.01.2020 10:51:55	1	1	1	1	97.5	50	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	30.5625	2004
23.01.2020 10:51:56	1	1	1	1	97.5	50.5	0	26066.351	610.7526882	16117.468	30000	0	0	30000	30.375	2004
23.01.2020 10:51:57	1	1	1	1	97.5	50.25	0	25924.171	610.7526882	15777.45767	30000	0	0	30000	29.875	2004
23.01.2020 10:51:58	1	1	1	1	97.5	49.75	0	25971.564	610.7526882	16031.85389	30000	0	0	30000	30.0625	2004
23.01.2020 10:51:59	1	1	1	1	97.5	50	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	30.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:52:00	1	1	1	1	97.5	50.25	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	30.75	2004
23.01.2020 10:52:01	1	1	1	1	97.5	50.75	0	25924.171	617.2043011	15944.60903	30000	0	0	30000	29.875	2004
23.01.2020 10:52:02	1	1	1	1	97.5	49.75	0	26208.531	615.0537634	16175.35944	30000	0	0	30000	30.5625	2004
23.01.2020 10:52:03	1	1	1	1	97.5	50.5	0	26018.957	615.0537634	15944.60903	30000	0	0	30000	29.625	2004
23.01.2020 10:52:04	1	1	1	1	97.5	50.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	30.0625	2004
23.01.2020 10:52:05	1	1	1	1	97.5	50	0	25829.384	621.5053763	16053.05357	30000	0	0	30000	28.9375	2004
23.01.2020 10:52:06	1	1	1	1	97.5	48.75	0	25876.777	623.655914	16193.29764	30000	0	0	30000	30.375	2004
23.01.2020 10:52:07	1	1	1	1	97.5	50.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.9375	2004
23.01.2020 10:52:08	1	1	1	1	97.5	49.75	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30	2004
23.01.2020 10:52:09	1	1	1	1	97.5	50	0	25876.777	623.655914	16111.76039	30000	0	0	30000	30.375	2004
23.01.2020 10:52:10	1	1	1	1	97.75	50.25	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	30.4375	2004
23.01.2020 10:52:11	1	1	1	1	97.75	50.25	0	25687.204	623.655914	16075.06863	30000	0	0	30000	29.9375	2004
23.01.2020 10:52:12	1	1	1	1	97.75	49.75	0	25829.384	625.8064516	15883.45609	30000	0	0	30000	29.25	2004
23.01.2020 10:52:13	1	1	1	1	97.75	49.25	0	25876.777	619.3548387	16026.96165	30000	0	0	30000	29.8125	2004
23.01.2020 10:52:14	1	1	1	1	97.75	49.75	0	25734.597	623.655914	16104.42204	30000	0	0	30000	29.5	2004
23.01.2020 10:52:15	1	1	1	1	97.75	49.5	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.375	2004
23.01.2020 10:52:16	1	1	1	1	97.75	50.25	0	25497.63	619.3548387	15736.68904	30000	0	0	30000	30	2004
23.01.2020 10:52:17	1	1	1	1	97.75	50	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.4375	2004
23.01.2020 10:52:18	1	1	1	1	97.75	49.25	0	25829.384	619.3548387	15997.60824	30000	0	0	30000	29.625	2004
23.01.2020 10:52:19	1	1	1	1	97.75	49.5	0	25876.777	619.3548387	16111.76039	30000	0	0	30000	29.375	2004
23.01.2020 10:52:20	1	1	1	1	97.25	49.25	0	25876.777	621.5053763	16082.40698	30000	0	0	30000	30.1875	2004
23.01.2020 10:52:21	1	1	1	1	97.25	50	0	25592.417	619.3548387	15905.47115	30000	0	0	30000	30.25	2004
23.01.2020 10:52:22	1	1	1	1	97.25	50.25	0	25734.597	623.655914	16219.38956	30000	0	0	30000	29.125	2004
23.01.2020 10:52:23	1	1	1	1	97.25	49	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	29.625	2004
23.01.2020 10:52:24	1	1	1	1	97.25	49.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.75	2004
23.01.2020 10:52:25	1	1	1	1	97.25	50.75	0	25829.384	617.2043011	16111.76039	30000	0	0	30000	29.8125	2004
23.01.2020 10:52:27	1	1	1	1	97.25	49.75	0	25734.597	619.3548387	15997.60824	30000	0	0	30000	30.6875	2004
23.01.2020 10:52:28	1	1	1	1	97.25	50.5	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	29.75	2004
23.01.2020 10:52:29	1	1	1	1	97.25	49.75	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	30.125	2004
23.01.2020 10:52:30	1	1	1	1	97.25	50	0	25971.564	617.2043011	16000.05436	30000	0	0	30000	30.1875	2004
23.01.2020 10:52:31	1	1	1	1	98	50	0	25876.777	619.3548387	16053.05357	30000	0	0	30000	30.25	2004
23.01.2020 10:52:32	1	1	1	1	98	50.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.5625	2004
23.01.2020 10:52:33	1	1	1	1	98	50.5	0	25924.171	617.2043011	15944.60903	30000	0	0	30000	30.6875	2004
23.01.2020 10:52:34	1	1	1	1	98	50.5	0	25924.171	619.3548387	15970.70095	30000	0	0	30000	31	2004
23.01.2020 10:52:35	1	1	1	1	98	51	0	25924.171	617.2043011	16056.31506	30000	0	0	30000	30.125	2004
23.01.2020 10:52:36	1	1	1	1	98	50	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30	2004
23.01.2020 10:52:37	1	1	1	1	98	50	0	25876.777	621.5053763	15941.34754	30000	0	0	30000	30	2004
23.01.2020 10:52:38	1	1	1	1	98	50	0	25876.777	617.2043011	16000.05436	30000	0	0	30000	29.3125	2004
23.01.2020 10:52:39	1	1	1	1	98	49.25	0	25734.597	615.0537634	15828.01076	30000	0	0	30000	30.4375	2004
23.01.2020 10:52:40	1	1	1	1	98	50.25	0	25687.204	617.2043011	15854.10268	30000	0	0	30000	30.625	2004
23.01.2020 10:52:41	1	1	1	1	98.25	50.5	0	25924.171	617.2043011	16223.46642	30000	0	0	30000	30.8125	2004
23.01.2020 10:52:42	1	1	1	1	98.25	50.75	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	30.3125	2004
23.01.2020 10:52:43	1	1	1	1	98.25	50.25	0	25971.564	617.2043011	16000.05436	30000	0	0	30000	30.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:52:44	1	1	1	1	98.25	50.5	0	25924.171	621.5053763	16056.31506	30000	0	0	30000	30.625	2004
23.01.2020 10:52:45	1	1	1	1	98.25	50.5	0	26018.957	621.5053763	16170.46721	30000	0	0	30000	30.5	2004
23.01.2020 10:52:46	1	1	1	1	98.25	50.5	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	30.6875	2004
23.01.2020 10:52:52	1	1	1	1	97.75	50.25	0	25829.384	617.2043011	15970.70095	30000	0	0	30000	30.9375	2004
23.01.2020 10:52:52	1	1	1	1	97.75	50.25	0	25829.384	617.2043011	15970.70095	30000	0	0	30000	30.9375	2004
23.01.2020 10:52:52	1	1	1	1	97.75	50.25	0	25829.384	617.2043011	15970.70095	30000	0	0	30000	30.9375	2004
23.01.2020 10:52:52	1	1	1	1	97.75	50.25	0	25829.384	617.2043011	15970.70095	30000	0	0	30000	30.9375	2004
23.01.2020 10:52:52	1	1	1	1	97.75	50.25	0	25829.384	617.2043011	15970.70095	30000	0	0	30000	30.9375	2004
23.01.2020 10:52:52	1	1	1	1	97.75	50.75	0	26018.957	619.3548387	16029.40777	30000	0	0	30000	30.5	2004
23.01.2020 10:52:53	1	1	1	1	97.75	50.5	0	26018.957	617.2043011	16000.05436	30000	0	0	30000	30.4375	2004
23.01.2020 10:52:54	1	1	1	1	97.75	50.25	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	30.5	2004
23.01.2020 10:52:55	1	1	1	1	97.75	50.5	0	25924.171	612.9032258	16000.05436	30000	0	0	30000	31.125	2004
23.01.2020 10:52:56	1	1	1	1	97.75	51	0	25876.777	619.3548387	15772.56543	30000	0	0	30000	29.8125	2004
23.01.2020 10:52:57	1	1	1	1	97.75	49.75	0	25734.597	615.0537634	15883.45609	30000	0	0	30000	30.5	2004
23.01.2020 10:52:58	1	1	1	1	97.75	50.5	0	25734.597	621.5053763	16053.05357	30000	0	0	30000	30.9375	2004
23.01.2020 10:52:59	1	1	1	1	97.75	50.75	0	25497.63	619.3548387	15766.04245	30000	0	0	30000	31.25	2004
23.01.2020 10:53:00	1	1	1	1	98.5	51.25	0	25829.384	623.655914	16053.05357	30000	0	0	30000	30.6875	2004
23.01.2020 10:53:01	1	1	1	1	98.5	50.5	0	25734.597	623.655914	16075.06863	30000	0	0	30000	29.75	2004
23.01.2020 10:53:02	1	1	1	1	98.5	49.75	0	25639.81	615.0537634	16044.89985	30000	0	0	30000	30.4375	2004
23.01.2020 10:53:04	1	1	1	1	98.5	50.25	0	25592.417	621.5053763	15766.04245	30000	0	0	30000	31	2004
23.01.2020 10:53:05	1	1	1	1	98.5	51	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	30.25	2004
23.01.2020 10:53:06	1	1	1	1	98.5	50.25	0	25639.81	617.2043011	15854.10268	30000	0	0	30000	31.25	2004
23.01.2020 10:53:07	1	1	1	1	98.5	51.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.125	2004
23.01.2020 10:53:08	1	1	1	1	98.5	50	0	25734.597	617.2043011	15993.53138	30000	0	0	30000	30.25	2004
23.01.2020 10:53:09	1	1	1	1	98.5	50.25	0	25734.597	617.2043011	15993.53138	30000	0	0	30000	30.4375	2004
23.01.2020 10:53:10	1	1	1	1	98.5	50.25	0	25639.81	623.655914	15934.82456	30000	0	0	30000	29.875	2004
23.01.2020 10:53:11	1	1	1	1	97.75	49.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.8125	2004
23.01.2020 10:53:12	1	1	1	1	97.75	50.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.75	2004
23.01.2020 10:53:13	1	1	1	1	97.75	50.75	0	25592.417	621.5053763	15876.11774	30000	0	0	30000	30.125	2004
23.01.2020 10:53:14	1	1	1	1	97.75	50	0	25734.597	623.655914	16159.86737	30000	0	0	30000	30.875	2004
23.01.2020 10:53:15	1	1	1	1	97.75	50.75	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	30.1875	2004
23.01.2020 10:53:16	1	1	1	1	97.75	50	0	25734.597	625.8064516	15938.90142	30000	0	0	30000	31.25	2004
23.01.2020 10:53:17	1	1	1	1	97.75	51.25	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	31.125	2004
23.01.2020 10:53:18	1	1	1	1	97.75	51	0	25450.237	617.2043011	15817.41092	30000	0	0	30000	30.5	2004
23.01.2020 10:53:19	1	1	1	1	97.75	50.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.6875	2004
23.01.2020 10:53:20	1	1	1	1	97.75	50.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	30.4375	2004
23.01.2020 10:53:21	1	1	1	1	98	51	0	25829.384	619.3548387	15941.34754	30000	0	0	30000	30.1875	2004
23.01.2020 10:53:22	1	1	1	1	98	50	0	26018.957	621.5053763	16170.46721	30000	0	0	30000	30.9375	2004
23.01.2020 10:53:23	1	1	1	1	98	50.75	0	25876.777	621.5053763	15883.45609	30000	0	0	30000	31.125	2004
23.01.2020 10:53:24	1	1	1	1	98	51	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.1875	2004
23.01.2020 10:53:25	1	1	1	1	98	50	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.9375	2004
23.01.2020 10:53:26	1	1	1	1	98	50.75	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	30.5625	2004
23.01.2020 10:53:27	1	1	1	1	98	50.5	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:53:28	1	1	1	1	98	50.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.5	2004
23.01.2020 10:53:29	1	1	1	1	98	50.5	0	25829.384	619.3548387	16056.31506	30000	0	0	30000	30.4375	2004
23.01.2020 10:53:30	1	1	1	1	98.25	50.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30.0625	2004
23.01.2020 10:53:31	1	1	1	1	98.25	50	0	26066.351	612.9032258	16031.85389	30000	0	0	30000	30.25	2004
23.01.2020 10:53:32	1	1	1	1	98.25	50.25	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	30.8125	2004
23.01.2020 10:53:33	1	1	1	1	98.25	50.75	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	29.375	2004
23.01.2020 10:53:34	1	1	1	1	98.25	49.25	0	25924.171	617.2043011	16223.46642	30000	0	0	30000	30.5	2004
23.01.2020 10:53:35	1	1	1	1	98.25	50.5	0	25734.597	619.3548387	15772.56543	30000	0	0	30000	29.5	2004
23.01.2020 10:53:36	1	1	1	1	98.25	49.5	0	25829.384	623.655914	15997.60824	30000	0	0	30000	30.6875	2004
23.01.2020 10:53:37	1	1	1	1	98.25	50.5	0	25734.597	615.0537634	15883.45609	30000	0	0	30000	30.75	2004
23.01.2020 10:53:38	1	1	1	1	98.25	50.75	0	26018.957	621.5053763	16000.05436	30000	0	0	30000	30.3125	2004
23.01.2020 10:53:39	1	1	1	1	98.25	50.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30.8125	2004
23.01.2020 10:53:40	1	1	1	1	98.25	50.75	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	29.8125	2004
23.01.2020 10:53:41	1	1	1	1	98.25	49.75	0	25829.384	621.5053763	16053.05357	30000	0	0	30000	30	2004
23.01.2020 10:53:43	1	1	1	1	98.25	50	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.0625	2004
23.01.2020 10:53:44	1	1	1	1	98.25	51	0	25924.171	610.7526882	16002.50048	30000	0	0	30000	30.625	2004
23.01.2020 10:53:45	1	1	1	1	98.25	50.5	0	25924.171	619.3548387	16141.1138	30000	0	0	30000	30.1875	2004
23.01.2020 10:53:46	1	1	1	1	98.25	50	0	25876.777	619.3548387	15941.34754	30000	0	0	30000	31.1875	2004
23.01.2020 10:53:47	1	1	1	1	98.25	51	0	25545.024	617.2043011	15876.11774	30000	0	0	30000	29.75	2004
23.01.2020 10:53:48	1	1	1	1	98.25	49.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.1875	2004
23.01.2020 10:53:54	1	1	1	1	98.75	51	0	25924.171	623.655914	16111.76039	30000	0	0	30000	31.125	2004
23.01.2020 10:53:54	1	1	1	1	98.75	51	0	25924.171	623.655914	16111.76039	30000	0	0	30000	31.125	2004
23.01.2020 10:53:54	1	1	1	1	98.75	51	0	25924.171	623.655914	16111.76039	30000	0	0	30000	31.125	2004
23.01.2020 10:53:54	1	1	1	1	98.75	51	0	25924.171	623.655914	16111.76039	30000	0	0	30000	31.125	2004
23.01.2020 10:53:54	1	1	1	1	98.75	51	0	25924.171	623.655914	16111.76039	30000	0	0	30000	31.125	2004
23.01.2020 10:53:54	1	1	1	1	98.75	51	0	25639.81	619.3548387	15824.74927	30000	0	0	30000	30.25	2004
23.01.2020 10:53:55	1	1	1	1	98.75	50.25	0	25734.597	623.655914	16048.97671	30000	0	0	30000	30.3125	2004
23.01.2020 10:53:56	1	1	1	1	98.75	50.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	31.25	2004
23.01.2020 10:53:57	1	1	1	1	98.75	51.25	0	25545.024	623.655914	15930.7477	30000	0	0	30000	30.9375	2004
23.01.2020 10:53:58	1	1	1	1	98.75	50.75	0	25734.597	619.3548387	16048.97671	30000	0	0	30000	31.5625	2004
23.01.2020 10:53:59	1	1	1	1	98.75	51.5	0	25734.597	615.0537634	15938.90142	30000	0	0	30000	31.125	2004
23.01.2020 10:54:00	1	1	1	1	98.75	51	0	25734.597	623.655914	16048.97671	30000	0	0	30000	31.25	2004
23.01.2020 10:54:01	1	1	1	1	98.75	51	0	25639.81	619.3548387	15934.82456	30000	0	0	30000	29.4375	2004
23.01.2020 10:54:02	1	1	1	1	98.75	49.25	0	25829.384	621.5053763	15993.53138	30000	0	0	30000	30.6875	2004
23.01.2020 10:54:03	1	1	1	1	98.75	50.5	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	29.3125	2004
23.01.2020 10:54:04	1	1	1	1	98.75	49.25	0	25687.204	630.1075269	16075.06863	30000	0	0	30000	30.875	2004
23.01.2020 10:54:05	1	1	1	1	98.75	50.75	0	25639.81	625.8064516	16075.06863	30000	0	0	30000	30.8125	2004
23.01.2020 10:54:06	1	1	1	1	98.75	50.75	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	31.25	2004
23.01.2020 10:54:07	1	1	1	1	98.75	51.25	0	25734.597	623.655914	15938.90142	30000	0	0	30000	30.1875	2004
23.01.2020 10:54:08	1	1	1	1	98.75	50	0	25545.024	623.655914	15986.19303	30000	0	0	30000	31.0625	2004
23.01.2020 10:54:09	1	1	1	1	98.75	51	0	25545.024	621.5053763	15846.76433	30000	0	0	30000	30.375	2004
23.01.2020 10:54:10	1	1	1	1	98.5	50.25	0	25545.024	621.5053763	15986.19303	30000	0	0	30000	30.5625	2004
23.01.2020 10:54:11	1	1	1	1	98.5	50.5	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	31.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:54:12	1	1	1	1	98.5	51.25	0	25592.417	623.655914	15821.48778	30000	0	0	30000	31.25	2004
23.01.2020 10:54:13	1	1	1	1	98.5	51.25	0	25545.024	623.655914	15986.19303	30000	0	0	30000	30.9375	2004
23.01.2020 10:54:14	1	1	1	1	98.5	50.75	0	25545.024	619.3548387	15986.19303	30000	0	0	30000	30.9375	2004
23.01.2020 10:54:15	1	1	1	1	98.5	50.75	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	30.9375	2004
23.01.2020 10:54:16	1	1	1	1	98.5	50.75	0	25639.81	625.8064516	16130.51396	30000	0	0	30000	30.875	2004
23.01.2020 10:54:17	1	1	1	1	98.5	50.75	0	25545.024	621.5053763	16015.54644	30000	0	0	30000	31.25	2004
23.01.2020 10:54:18	1	1	1	1	98.5	51.25	0	25639.81	625.8064516	15990.26989	30000	0	0	30000	30.0625	2004
23.01.2020 10:54:19	1	1	1	1	98.5	50	0	25497.63	625.8064516	15926.67083	30000	0	0	30000	30.4375	2004
23.01.2020 10:54:21	1	1	1	1	99	50.25	0	25402.844	623.655914	15817.41092	30000	0	0	30000	30.25	2004
23.01.2020 10:54:22	1	1	1	1	99	50.25	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	30.875	2004
23.01.2020 10:54:23	1	1	1	1	99	50.75	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	31.5	2004
23.01.2020 10:54:24	1	1	1	1	99	51.5	0	25639.81	623.655914	16044.89985	30000	0	0	30000	30.5625	2004
23.01.2020 10:54:25	1	1	1	1	99	50.5	0	25497.63	621.5053763	15846.76433	30000	0	0	30000	30.125	2004
23.01.2020 10:54:26	1	1	1	1	99	50	0	25592.417	630.1075269	15986.19303	30000	0	0	30000	29.25	2004
23.01.2020 10:54:27	1	1	1	1	99	49.25	0	25734.597	632.2580645	16075.06863	30000	0	0	30000	31.3125	2004
23.01.2020 10:54:28	1	1	1	1	99	51.25	0	25592.417	623.655914	15986.19303	30000	0	0	30000	29.875	2004
23.01.2020 10:54:29	1	1	1	1	99	49.75	0	25592.417	623.655914	16015.54644	30000	0	0	30000	30.1875	2004
23.01.2020 10:54:30	1	1	1	1	99	50	0	25545.024	623.655914	15986.19303	30000	0	0	30000	31.3125	2004
23.01.2020 10:54:31	1	1	1	1	98.5	51.25	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	30.75	2004
23.01.2020 10:54:32	1	1	1	1	98.5	50.75	0	25592.417	623.655914	16044.89985	30000	0	0	30000	30.0625	2004
23.01.2020 10:54:33	1	1	1	1	98.5	50	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	30.75	2004
23.01.2020 10:54:34	1	1	1	1	98.5	50.75	0	25734.597	623.655914	16104.42204	30000	0	0	30000	29.75	2004
23.01.2020 10:54:35	1	1	1	1	98.5	49.75	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	30.875	2004
23.01.2020 10:54:36	1	1	1	1	98.5	50.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.1875	2004
23.01.2020 10:54:37	1	1	1	1	98.5	50	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	31.4375	2004
23.01.2020 10:54:38	1	1	1	1	98.5	51.25	0	25545.024	623.655914	15876.11774	30000	0	0	30000	29.9375	2004
23.01.2020 10:54:39	1	1	1	1	98.5	49.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.0625	2004
23.01.2020 10:54:40	1	1	1	1	98.5	49.5	0	25924.171	623.655914	16111.76039	30000	0	0	30000	30.625	2004
23.01.2020 10:54:41	1	1	1	1	98.5	50.5	0	25734.597	617.2043011	16048.97671	30000	0	0	30000	31.4375	2004
23.01.2020 10:54:42	1	1	1	1	98.5	51.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.3125	2004
23.01.2020 10:54:43	1	1	1	1	98.5	50.25	0	25639.81	619.3548387	15880.1946	30000	0	0	30000	30.25	2004
23.01.2020 10:54:44	1	1	1	1	98.5	50.25	0	25876.777	623.655914	16223.46642	30000	0	0	30000	31	2004
23.01.2020 10:54:45	1	1	1	1	98.5	51	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.3125	2004
23.01.2020 10:54:46	1	1	1	1	98.5	50.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.8125	2004
23.01.2020 10:54:47	1	1	1	1	98.5	49.75	0	25876.777	617.2043011	16000.05436	30000	0	0	30000	30.25	2004
23.01.2020 10:54:48	1	1	1	1	98.5	50.25	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	30.25	2004
23.01.2020 10:54:49	1	1	1	1	98.5	50.25	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	30.25	2004
23.01.2020 10:54:55	1	1	1	1	97.75	50.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	29.875	2004
23.01.2020 10:54:55	1	1	1	1	97.75	50.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	29.875	2004
23.01.2020 10:54:55	1	1	1	1	97.75	50.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	29.875	2004
23.01.2020 10:54:55	1	1	1	1	97.75	50.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	29.875	2004
23.01.2020 10:54:55	1	1	1	1	97.75	50.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	29.875	2004
23.01.2020 10:54:55	1	1	1	1	97.75	49.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:54:56	1	1	1	1	97.75	50.25	0	26113.744	617.2043011	16229.17403	30000	0	0	30000	31.625	2004
23.01.2020 10:54:57	1	1	1	1	97.75	51.5	0	25829.384	617.2043011	16000.05436	30000	0	0	30000	30.1875	2004
23.01.2020 10:54:58	1	1	1	1	97.75	50	0	25734.597	610.7526882	15883.45609	30000	0	0	30000	30.25	2004
23.01.2020 10:55:00	1	1	1	1	97.75	50.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.4375	2004
23.01.2020 10:55:01	1	1	1	1	98.25	50.25	0	25829.384	619.3548387	15941.34754	30000	0	0	30000	31.0625	2004
23.01.2020 10:55:02	1	1	1	1	98.25	51	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	30.4375	2004
23.01.2020 10:55:03	1	1	1	1	98.25	50.25	0	25734.597	617.2043011	16082.40698	30000	0	0	30000	31.0625	2004
23.01.2020 10:55:04	1	1	1	1	98.25	51	0	25734.597	619.3548387	15941.34754	30000	0	0	30000	30.625	2004
23.01.2020 10:55:05	1	1	1	1	98.25	50.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	30.75	2004
23.01.2020 10:55:06	1	1	1	1	98.25	50.75	0	25734.597	615.0537634	16053.05357	30000	0	0	30000	31.3125	2004
23.01.2020 10:55:07	1	1	1	1	98.25	51.25	0	25687.204	623.655914	15964.17797	30000	0	0	30000	30.3125	2004
23.01.2020 10:55:08	1	1	1	1	98.25	50.25	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	29.9375	2004
23.01.2020 10:55:09	1	1	1	1	98.25	49.75	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	30.875	2004
23.01.2020 10:55:10	1	1	1	1	98.25	50.75	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	31.375	2004
23.01.2020 10:55:11	1	1	1	1	98.5	51.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.9375	2004
23.01.2020 10:55:12	1	1	1	1	98.5	50.75	0	25639.81	621.5053763	15795.39586	30000	0	0	30000	30.5	2004
23.01.2020 10:55:13	1	1	1	1	98.5	50.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30	2004
23.01.2020 10:55:14	1	1	1	1	98.5	50	0	25876.777	623.655914	16053.05357	30000	0	0	30000	31	2004
23.01.2020 10:55:15	1	1	1	1	98.5	51	0	25639.81	619.3548387	15685.32058	30000	0	0	30000	31.5	2004
23.01.2020 10:55:16	1	1	1	1	98.5	51.5	0	25734.597	623.655914	15993.53138	30000	0	0	30000	30.8125	2004
23.01.2020 10:55:17	1	1	1	1	98.5	50.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.25	2004
23.01.2020 10:55:18	1	1	1	1	98.5	50.25	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	30.75	2004
23.01.2020 10:55:19	1	1	1	1	98.5	50.75	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	31.625	2004
23.01.2020 10:55:20	1	1	1	1	99.25	51.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.0625	2004
23.01.2020 10:55:21	1	1	1	1	99.25	50	0	26066.351	617.2043011	16058.76118	30000	0	0	30000	31.1875	2004
23.01.2020 10:55:22	1	1	1	1	99.25	51	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	30.875	2004
23.01.2020 10:55:23	1	1	1	1	99.25	50.75	0	26018.957	617.2043011	16144.37529	30000	0	0	30000	30.9375	2004
23.01.2020 10:55:24	1	1	1	1	99.25	50.75	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	31.1875	2004
23.01.2020 10:55:25	1	1	1	1	99.25	51	0	26113.744	615.0537634	15892.42519	30000	0	0	30000	31.5	2004
23.01.2020 10:55:26	1	1	1	1	99.25	51.5	0	26018.957	619.3548387	16088.11459	30000	0	0	30000	31.0625	2004
23.01.2020 10:55:27	1	1	1	1	99.25	51	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	31.4375	2004
23.01.2020 10:55:28	1	1	1	1	99.25	51.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	30.5625	2004
23.01.2020 10:55:29	1	1	1	1	99.25	50.5	0	26018.957	617.2043011	16170.46721	30000	0	0	30000	31.4375	2004
23.01.2020 10:55:30	1	1	1	1	99.25	51.25	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	30.75	2004
23.01.2020 10:55:31	1	1	1	1	99.25	50.75	0	26018.957	606.4516129	15920.14785	30000	0	0	30000	31.4375	2004
23.01.2020 10:55:32	1	1	1	1	99.25	51.25	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	31.625	2004
23.01.2020 10:55:33	1	1	1	1	99.25	51.5	0	26113.744	610.7526882	15947.05515	30000	0	0	30000	31.6875	2004
23.01.2020 10:55:34	1	1	1	1	99.25	51.5	0	26018.957	615.0537634	16088.11459	30000	0	0	30000	31.125	2004
23.01.2020 10:55:35	1	1	1	1	99.25	51	0	26018.957	615.0537634	15888.34833	30000	0	0	30000	30.25	2004
23.01.2020 10:55:36	1	1	1	1	99.25	50.25	0	26113.744	617.2043011	16117.468	30000	0	0	30000	31.125	2004
23.01.2020 10:55:38	1	1	1	1	99.25	51	0	26208.531	615.0537634	16175.35944	30000	0	0	30000	29.625	2004
23.01.2020 10:55:39	1	1	1	1	99.25	49.5	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	30.625	2004
23.01.2020 10:55:40	1	1	1	1	99.25	50.5	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	31.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:55:41	1	1	1	1	98.75	51	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	30.5	2004
23.01.2020 10:55:42	1	1	1	1	98.75	50.5	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	31	2004
23.01.2020 10:55:43	1	1	1	1	98.75	51	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	30.6875	2004
23.01.2020 10:55:44	1	1	1	1	98.75	50.5	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	30.5625	2004
23.01.2020 10:55:45	1	1	1	1	98.75	50.5	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	30.5	2004
23.01.2020 10:55:46	1	1	1	1	98.75	50.5	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	30.8125	2004
23.01.2020 10:55:47	1	1	1	1	98.75	50.75	0	26066.351	610.7526882	16004.94659	30000	0	0	30000	31.0625	2004
23.01.2020 10:55:48	1	1	1	1	98.75	51	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	31	2004
23.01.2020 10:55:49	1	1	1	1	98.75	51	0	26018.957	612.9032258	15721.19697	30000	0	0	30000	30.5	2004
23.01.2020 10:55:50	1	1	1	1	98.75	50.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	31.5625	2004
23.01.2020 10:55:51	1	1	1	1	99.25	51.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	31.1875	2004
23.01.2020 10:55:57	1	1	1	1	99.25	50.75	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	30.9375	2004
23.01.2020 10:55:57	1	1	1	1	99.25	50.75	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	30.9375	2004
23.01.2020 10:55:57	1	1	1	1	99.25	50.75	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	30.9375	2004
23.01.2020 10:55:57	1	1	1	1	99.25	50.75	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	30.9375	2004
23.01.2020 10:55:57	1	1	1	1	99.25	51.25	0	25687.204	621.5053763	15824.74927	30000	0	0	30000	31.5625	2004
23.01.2020 10:55:58	1	1	1	1	99.25	51.5	0	25497.63	621.5053763	15598.07572	30000	0	0	30000	31	2004
23.01.2020 10:55:59	1	1	1	1	99.25	51	0	25592.417	619.3548387	15934.82456	30000	0	0	30000	30.375	2004
23.01.2020 10:56:00	1	1	1	1	99	50.25	0	25876.777	621.5053763	16082.40698	30000	0	0	30000	30.375	2004
23.01.2020 10:56:01	1	1	1	1	99	50.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.5	2004
23.01.2020 10:56:02	1	1	1	1	99	51.5	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	30.5	2004
23.01.2020 10:56:03	1	1	1	1	99	50.5	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	31.1875	2004
23.01.2020 10:56:04	1	1	1	1	99	51	0	25592.417	621.5053763	15934.82456	30000	0	0	30000	30.125	2004
23.01.2020 10:56:05	1	1	1	1	99	50	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	31.1875	2004
23.01.2020 10:56:06	1	1	1	1	99	51	0	25734.597	623.655914	15993.53138	30000	0	0	30000	31.5625	2004
23.01.2020 10:56:07	1	1	1	1	99	51.5	0	25734.597	623.655914	16163.94423	30000	0	0	30000	29.875	2004
23.01.2020 10:56:08	1	1	1	1	99	49.75	0	25639.81	623.655914	15934.82456	30000	0	0	30000	31.125	2004
23.01.2020 10:56:09	1	1	1	1	99	51	0	25545.024	623.655914	15986.19303	30000	0	0	30000	29.75	2004
23.01.2020 10:56:10	1	1	1	1	98.5	49.75	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	30.75	2004
23.01.2020 10:56:11	1	1	1	1	98.5	50.75	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	30.1875	2004
23.01.2020 10:56:12	1	1	1	1	98.5	50	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	31.1875	2004
23.01.2020 10:56:13	1	1	1	1	98.5	51	0	25545.024	619.3548387	15930.7477	30000	0	0	30000	30.9375	2004
23.01.2020 10:56:14	1	1	1	1	98.5	50.75	0	25545.024	623.655914	15876.11774	30000	0	0	30000	30.125	2004
23.01.2020 10:56:16	1	1	1	1	98.5	50	0	25687.204	623.655914	15934.82456	30000	0	0	30000	31.125	2004
23.01.2020 10:56:17	1	1	1	1	98.5	51	0	25734.597	623.655914	16048.97671	30000	0	0	30000	31.5	2004
23.01.2020 10:56:18	1	1	1	1	98.5	51.5	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	30.3125	2004
23.01.2020 10:56:19	1	1	1	1	98.5	50.25	0	25829.384	621.5053763	15993.53138	30000	0	0	30000	30.5625	2004
23.01.2020 10:56:20	1	1	1	1	98.5	50.5	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	31.3125	2004
23.01.2020 10:56:21	1	1	1	1	98.25	51.25	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	31.6875	2004
23.01.2020 10:56:22	1	1	1	1	98.25	51.5	0	25734.597	617.2043011	15970.70095	30000	0	0	30000	31.25	2004
23.01.2020 10:56:23	1	1	1	1	98.25	51.25	0	25924.171	619.3548387	15944.60903	30000	0	0	30000	30.0625	2004
23.01.2020 10:56:24	1	1	1	1	98.25	50	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:56:25	1	1	1	1	98.25	50	0	26066.351	615.0537634	16058.76118	30000	0	0	30000	31.875	2004
23.01.2020 10:56:26	1	1	1	1	98.25	51.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	31.25	2004
23.01.2020 10:56:27	1	1	1	1	98.25	51.25	0	26018.957	615.0537634	15888.34833	30000	0	0	30000	30.6875	2004
23.01.2020 10:56:28	1	1	1	1	98.25	50.5	0	26113.744	610.7526882	16175.35944	30000	0	0	30000	30.25	2004
23.01.2020 10:56:29	1	1	1	1	98.25	50.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	31.5625	2004
23.01.2020 10:56:30	1	1	1	1	98.25	51.5	0	25876.777	610.7526882	15804.36496	30000	0	0	30000	31.75	2004
23.01.2020 10:56:31	1	1	1	1	98.25	51.75	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	31.625	2004
23.01.2020 10:56:32	1	1	1	1	98.25	51.5	0	26208.531	612.9032258	16175.35944	30000	0	0	30000	31.375	2004
23.01.2020 10:56:33	1	1	1	1	98.25	51.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	31.9375	2004
23.01.2020 10:56:34	1	1	1	1	98.25	51.75	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	32.0625	2004
23.01.2020 10:56:35	1	1	1	1	98.25	50.75	0	26255.924	610.7526882	16120.72949	30000	0	0	30000	31.4375	2004
23.01.2020 10:56:36	1	1	1	1	98.25	51.25	0	25971.564	602.1505376	15722.82771	30000	0	0	30000	30.8125	2004
23.01.2020 10:56:37	1	1	1	1	98.25	50.75	0	26018.957	615.0537634	16000.05436	30000	0	0	30000	31.0625	2004
23.01.2020 10:56:38	1	1	1	1	98.25	51	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.375	2004
23.01.2020 10:56:39	1	1	1	1	98.25	51.25	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	30.875	2004
23.01.2020 10:56:40	1	1	1	1	98.75	50.75	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	31.8125	2004
23.01.2020 10:56:41	1	1	1	1	98.75	51.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30.9375	2004
23.01.2020 10:56:42	1	1	1	1	98.75	50.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.6875	2004
23.01.2020 10:56:43	1	1	1	1	98.75	51.5	0	25876.777	617.2043011	15970.70095	30000	0	0	30000	30.8125	2004
23.01.2020 10:56:44	1	1	1	1	98.75	50.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	31.5625	2004
23.01.2020 10:56:45	1	1	1	1	98.75	51.5	0	25971.564	615.0537634	16058.76118	30000	0	0	30000	31.625	2004
23.01.2020 10:56:46	1	1	1	1	98.75	51.5	0	26113.744	617.2043011	16117.468	30000	0	0	30000	31.375	2004
23.01.2020 10:56:47	1	1	1	1	98.75	51.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	31.5625	2004
23.01.2020 10:56:48	1	1	1	1	98.75	51.5	0	25734.597	619.3548387	16048.97671	30000	0	0	30000	30.25	2004
23.01.2020 10:56:49	1	1	1	1	98.75	50.25	0	25924.171	617.2043011	16058.76118	30000	0	0	30000	30.75	2004
23.01.2020 10:56:50	1	1	1	1	98.5	50.75	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	31.0625	2004
23.01.2020 10:56:51	1	1	1	1	98.5	51	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.125	2004
23.01.2020 10:56:52	1	1	1	1	98.5	51	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	30.625	2004
23.01.2020 10:56:59	1	1	1	1	98.5	50.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	31.1875	2004
23.01.2020 10:56:59	1	1	1	1	98.5	50.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	31.1875	2004
23.01.2020 10:56:59	1	1	1	1	98.5	50.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	31.1875	2004
23.01.2020 10:56:59	1	1	1	1	98.5	50.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	31.1875	2004
23.01.2020 10:56:59	1	1	1	1	98.5	51	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.5625	2004
23.01.2020 10:57:01	1	1	1	1	97.75	51.25	0	25734.597	621.5053763	16163.94423	30000	0	0	30000	30.625	2004
23.01.2020 10:57:01	1	1	1	1	97.75	51.25	0	25734.597	621.5053763	16163.94423	30000	0	0	30000	30.625	2004
23.01.2020 10:57:02	1	1	1	1	97.75	50.5	0	25734.597	617.2043011	15993.53138	30000	0	0	30000	31.375	2004
23.01.2020 10:57:03	1	1	1	1	97.75	51.25	0	25734.597	621.5053763	16053.05357	30000	0	0	30000	30.8125	2004
23.01.2020 10:57:04	1	1	1	1	97.75	50.75	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	30.4375	2004
23.01.2020 10:57:05	1	1	1	1	97.75	50.25	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	30.875	2004
23.01.2020 10:57:06	1	1	1	1	97.75	50.75	0	25829.384	621.5053763	16082.40698	30000	0	0	30000	31.375	2004
23.01.2020 10:57:07	1	1	1	1	97.75	51.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.1875	2004
23.01.2020 10:57:08	1	1	1	1	97.75	51	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	31	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:57:09	1	1	1	1	97.75	51	0	25924.171	615.0537634	16111.76039	30000	0	0	30000	31.0625	2004
23.01.2020 10:57:10	1	1	1	1	97.75	51	0	25734.597	623.655914	16048.97671	30000	0	0	30000	32.0625	2004
23.01.2020 10:57:11	1	1	1	1	98.5	52	0	25639.81	623.655914	16044.89985	30000	0	0	30000	31.875	2004
23.01.2020 10:57:12	1	1	1	1	98.5	51.75	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	31	2004
23.01.2020 10:57:13	1	1	1	1	98.5	51	0	25639.81	623.655914	16044.89985	30000	0	0	30000	31.5625	2004
23.01.2020 10:57:14	1	1	1	1	98.5	51.75	0	25734.597	623.655914	16104.42204	30000	0	0	30000	31.125	2004
23.01.2020 10:57:15	1	1	1	1	98.5	51	0	25734.597	623.655914	15993.53138	30000	0	0	30000	31.75	2004
23.01.2020 10:57:16	1	1	1	1	98.5	51.75	0	25876.777	623.655914	16111.76039	30000	0	0	30000	30.75	2004
23.01.2020 10:57:17	1	1	1	1	98.5	50.75	0	25876.777	621.5053763	16167.20572	30000	0	0	30000	31.25	2004
23.01.2020 10:57:18	1	1	1	1	98.5	51.25	0	25734.597	617.2043011	15993.53138	30000	0	0	30000	31.375	2004
23.01.2020 10:57:19	1	1	1	1	98.5	51.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32	2004
23.01.2020 10:57:20	1	1	1	1	98.75	52	0	25829.384	623.655914	16048.97671	30000	0	0	30000	31.625	2004
23.01.2020 10:57:21	1	1	1	1	98.75	51.5	0	25829.384	617.2043011	16111.76039	30000	0	0	30000	31.4375	2004
23.01.2020 10:57:22	1	1	1	1	98.75	51.25	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	31.5	2004
23.01.2020 10:57:23	1	1	1	1	98.75	51.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.875	2004
23.01.2020 10:57:24	1	1	1	1	98.75	51.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.75	2004
23.01.2020 10:57:25	1	1	1	1	98.75	51.75	0	25971.564	615.0537634	15944.60903	30000	0	0	30000	30.375	2004
23.01.2020 10:57:26	1	1	1	1	98.75	50.25	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	31.4375	2004
23.01.2020 10:57:27	1	1	1	1	98.75	51.25	0	25876.777	619.3548387	16082.40698	30000	0	0	30000	31.625	2004
23.01.2020 10:57:28	1	1	1	1	98.75	51.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32	2004
23.01.2020 10:57:29	1	1	1	1	98.75	52	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	31.5	2004
23.01.2020 10:57:30	1	1	1	1	99.25	51.5	0	25924.171	621.5053763	15944.60903	30000	0	0	30000	31.5	2004
23.01.2020 10:57:32	1	1	1	1	99.25	51.5	0	25876.777	619.3548387	16000.05436	30000	0	0	30000	31.8125	2004
23.01.2020 10:57:33	1	1	1	1	99.25	51.75	0	25924.171	621.5053763	16223.46642	30000	0	0	30000	31	2004
23.01.2020 10:57:34	1	1	1	1	99.25	51	0	25924.171	619.3548387	16282.17324	30000	0	0	30000	31.3125	2004
23.01.2020 10:57:35	1	1	1	1	99.25	51.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.6875	2004
23.01.2020 10:57:36	1	1	1	1	99.25	51.5	0	25924.171	617.2043011	15970.70095	30000	0	0	30000	30.9375	2004
23.01.2020 10:57:37	1	1	1	1	99.25	50.75	0	25876.777	617.2043011	15970.70095	30000	0	0	30000	31.6875	2004
23.01.2020 10:57:38	1	1	1	1	99.25	51.5	0	25734.597	617.2043011	16053.05357	30000	0	0	30000	31.625	2004
23.01.2020 10:57:39	1	1	1	1	99.25	51.5	0	25734.597	621.5053763	16082.40698	30000	0	0	30000	31.125	2004
23.01.2020 10:57:40	1	1	1	1	99.25	51	0	25734.597	623.655914	16163.94423	30000	0	0	30000	32	2004
23.01.2020 10:57:41	1	1	1	1	99.25	52	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	30.8125	2004
23.01.2020 10:57:42	1	1	1	1	99.25	50.75	0	25639.81	621.5053763	16019.6233	30000	0	0	30000	31.8125	2004
23.01.2020 10:57:43	1	1	1	1	99.25	51.75	0	25734.597	621.5053763	15964.17797	30000	0	0	30000	30.9375	2004
23.01.2020 10:57:44	1	1	1	1	99.25	50.75	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	31.6875	2004
23.01.2020 10:57:45	1	1	1	1	99.25	51.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.125	2004
23.01.2020 10:57:46	1	1	1	1	99.25	51	0	25592.417	619.3548387	15795.39586	30000	0	0	30000	31.6875	2004
23.01.2020 10:57:47	1	1	1	1	99.25	51.5	0	25734.597	617.2043011	15970.70095	30000	0	0	30000	31.1875	2004
23.01.2020 10:57:48	1	1	1	1	99.25	51	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	31.75	2004
23.01.2020 10:57:49	1	1	1	1	99.25	51.75	0	25829.384	623.655914	15993.53138	30000	0	0	30000	31.3125	2004
23.01.2020 10:57:50	1	1	1	1	99.25	51.25	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	31.875	2004
23.01.2020 10:57:51	1	1	1	1	99.75	51.75	0	25924.171	617.2043011	16056.31506	30000	0	0	30000	31.6875	2004
23.01.2020 10:57:52	1	1	1	1	99.75	52.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	31.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:57:53	1	1	1	1	99.75	51.5	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	31.8125	2004
23.01.2020 10:57:54	1	1	1	1	99.75	51.75	0	25734.597	617.2043011	15941.34754	30000	0	0	30000	31.5	2004
23.01.2020 10:58:00	1	1	1	1	99.75	51.25	0	25829.384	615.0537634	15915.25562	30000	0	0	30000	31.5	2004
23.01.2020 10:58:00	1	1	1	1	99.75	51.25	0	25829.384	615.0537634	15915.25562	30000	0	0	30000	31.5	2004
23.01.2020 10:58:00	1	1	1	1	99.75	51.25	0	25829.384	615.0537634	15915.25562	30000	0	0	30000	31.5	2004
23.01.2020 10:58:00	1	1	1	1	99.75	51.25	0	25829.384	615.0537634	15915.25562	30000	0	0	30000	31.5	2004
23.01.2020 10:58:00	1	1	1	1	99.75	51.25	0	25829.384	615.0537634	15915.25562	30000	0	0	30000	31.5	2004
23.01.2020 10:58:00	1	1	1	1	99.75	51.25	0	25829.384	615.0537634	15915.25562	30000	0	0	30000	31.5	2004
23.01.2020 10:58:00	1	1	1	1	98.75	51.5	0	25924.171	617.2043011	16111.76039	30000	0	0	30000	31.8125	2004
23.01.2020 10:58:01	1	1	1	1	98.75	51.75	0	26018.957	617.2043011	16088.11459	30000	0	0	30000	32	2004
23.01.2020 10:58:02	1	1	1	1	98.75	52	0	25734.597	617.2043011	16082.40698	30000	0	0	30000	31.8125	2004
23.01.2020 10:58:03	1	1	1	1	98.75	51.75	0	25734.597	623.655914	16104.42204	30000	0	0	30000	30.9375	2004
23.01.2020 10:58:04	1	1	1	1	98.75	50.75	0	25687.204	623.655914	15993.53138	30000	0	0	30000	31.6875	2004
23.01.2020 10:58:05	1	1	1	1	98.75	51.5	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	31.5625	2004
23.01.2020 10:58:06	1	1	1	1	98.75	51.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.6875	2004
23.01.2020 10:58:07	1	1	1	1	98.75	50.5	0	25734.597	623.655914	15993.53138	30000	0	0	30000	30.875	2004
23.01.2020 10:58:08	1	1	1	1	98.75	50.75	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	32	2004
23.01.2020 10:58:10	1	1	1	1	98.75	52	0	25829.384	619.3548387	15883.45609	30000	0	0	30000	32.125	2004
23.01.2020 10:58:11	1	1	1	1	97.75	52	0	25734.597	621.5053763	15938.90142	30000	0	0	30000	31.9375	2004
23.01.2020 10:58:12	1	1	1	1	97.75	51.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	32	2004
23.01.2020 10:58:13	1	1	1	1	97.75	52	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	31.125	2004
23.01.2020 10:58:14	1	1	1	1	97.75	51	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	32	2004
23.01.2020 10:58:15	1	1	1	1	97.75	52	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	32.0625	2004
23.01.2020 10:58:16	1	1	1	1	97.75	52	0	25829.384	621.5053763	16108.4989	30000	0	0	30000	32	2004
23.01.2020 10:58:17	1	1	1	1	97.75	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.25	2004
23.01.2020 10:58:18	1	1	1	1	97.75	52.25	0	25734.597	619.3548387	16334.35708	30000	0	0	30000	31.25	2004
23.01.2020 10:58:19	1	1	1	1	97.75	51.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.875	2004
23.01.2020 10:58:20	1	1	1	1	97.75	50.75	0	25734.597	621.5053763	16053.05357	30000	0	0	30000	31.1875	2004
23.01.2020 10:58:21	1	1	1	1	96.75	51	0	25734.597	623.655914	16104.42204	30000	0	0	30000	30.5	2004
23.01.2020 10:58:22	1	1	1	1	96.75	50.5	0	25924.171	623.655914	16137.85231	30000	0	0	30000	31.3125	2004
23.01.2020 10:58:23	1	1	1	1	96.75	51.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	30.25	2004
23.01.2020 10:58:24	1	1	1	1	96.75	50.25	0	25734.597	617.2043011	15993.53138	30000	0	0	30000	31.3125	2004
23.01.2020 10:58:25	1	1	1	1	96.75	51.25	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	31.125	2004
23.01.2020 10:58:26	1	1	1	1	96.75	51	0	25592.417	619.3548387	15905.47115	30000	0	0	30000	32	2004
23.01.2020 10:58:27	1	1	1	1	96.75	52	0	25592.417	621.5053763	15934.82456	30000	0	0	30000	30.6875	2004
23.01.2020 10:58:28	1	1	1	1	96.75	50.5	0	25924.171	625.8064516	16167.20572	30000	0	0	30000	32.4375	2004
23.01.2020 10:58:29	1	1	1	1	96.75	52.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.875	2004
23.01.2020 10:58:30	1	1	1	1	96.75	51.75	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	32.1875	2004
23.01.2020 10:58:31	1	1	1	1	97	51	0	26066.351	612.9032258	16061.20729	30000	0	0	30000	31.6875	2004
23.01.2020 10:58:32	1	1	1	1	97	51.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.625	2004
23.01.2020 10:58:33	1	1	1	1	97	51.5	0	26113.744	610.7526882	15836.16449	30000	0	0	30000	31.5625	2004
23.01.2020 10:58:34	1	1	1	1	97	51.5	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	31.5	2004
23.01.2020 10:58:35	1	1	1	1	97	51.5	0	26113.744	612.9032258	16092.19145	30000	0	0	30000	31.25	2004
23.01.2020 10:58:36	1	1	1	1	97	51.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	31.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:58:37	1	1	1	1	97	51	0	26208.531	615.0537634	16061.20729	30000	0	0	30000	31.875	2004
23.01.2020 10:58:38	1	1	1	1	97	51.75	0	26066.351	615.0537634	16117.468	30000	0	0	30000	31.25	2004
23.01.2020 10:58:39	1	1	1	1	97	51.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	32.3125	2004
23.01.2020 10:58:40	1	1	1	1	97	52.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	31.375	2004
23.01.2020 10:58:41	1	1	1	1	97	51.25	0	25971.564	617.2043011	16058.76118	30000	0	0	30000	30.8125	2004
23.01.2020 10:58:42	1	1	1	1	97	50.75	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	31.5625	2004
23.01.2020 10:58:43	1	1	1	1	97	51.5	0	25639.81	621.5053763	15964.17797	30000	0	0	30000	31.625	2004
23.01.2020 10:58:44	1	1	1	1	97	51.5	0	25687.204	617.2043011	15938.90142	30000	0	0	30000	30.875	2004
23.01.2020 10:58:45	1	1	1	1	97	50.75	0	25687.204	623.655914	16019.6233	30000	0	0	30000	30.875	2004
23.01.2020 10:58:46	1	1	1	1	97	50.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	31	2004
23.01.2020 10:58:48	1	1	1	1	97	51	0	25592.417	623.655914	15876.11774	30000	0	0	30000	32.125	2004
23.01.2020 10:58:49	1	1	1	1	97	52	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	31.875	2004
23.01.2020 10:58:50	1	1	1	1	97	51.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	31.625	2004
23.01.2020 10:58:51	1	1	1	1	96.5	51.5	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	32	2004
23.01.2020 10:58:52	1	1	1	1	96.5	52	0	26066.351	615.0537634	16061.20729	30000	0	0	30000	31.125	2004
23.01.2020 10:58:53	1	1	1	1	96.5	51	0	26018.957	612.9032258	15975.59318	30000	0	0	30000	31.75	2004
23.01.2020 10:58:54	1	1	1	1	96.5	51.75	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	31	2004
23.01.2020 10:58:55	1	1	1	1	96.5	51	0	26018.957	617.2043011	15888.34833	30000	0	0	30000	31.1875	2004
23.01.2020 10:58:56	1	1	1	1	96.5	51	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	31.125	2004
23.01.2020 10:59:02	1	1	1	1	96.75	52	0	25924.171	617.2043011	16056.31506	30000	0	0	30000	31.5	2004
23.01.2020 10:59:02	1	1	1	1	96.75	52	0	25924.171	617.2043011	16056.31506	30000	0	0	30000	31.5	2004
23.01.2020 10:59:02	1	1	1	1	96.75	52	0	25924.171	617.2043011	16056.31506	30000	0	0	30000	31.5	2004
23.01.2020 10:59:02	1	1	1	1	96.75	52	0	25924.171	617.2043011	16056.31506	30000	0	0	30000	31.5	2004
23.01.2020 10:59:02	1	1	1	1	96.75	51.5	0	25734.597	621.5053763	15938.90142	30000	0	0	30000	31.0625	2004
23.01.2020 10:59:03	1	1	1	1	96.75	51	0	25639.81	619.3548387	15824.74927	30000	0	0	30000	31.4375	2004
23.01.2020 10:59:04	1	1	1	1	96.75	51.25	0	25734.597	623.655914	15964.17797	30000	0	0	30000	32.3125	2004
23.01.2020 10:59:05	1	1	1	1	96.75	52.25	0	25734.597	623.655914	16048.97671	30000	0	0	30000	31.375	2004
23.01.2020 10:59:06	1	1	1	1	96.75	51.25	0	25639.81	619.3548387	15934.82456	30000	0	0	30000	31.0625	2004
23.01.2020 10:59:07	1	1	1	1	96.75	51	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	31.8125	2004
23.01.2020 10:59:08	1	1	1	1	96.75	51.75	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	32.625	2004
23.01.2020 10:59:09	1	1	1	1	96.75	52.5	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	32.1875	2004
23.01.2020 10:59:10	1	1	1	1	96.75	52	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	31.375	2004
23.01.2020 10:59:11	1	1	1	1	96.75	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.8125	2004
23.01.2020 10:59:12	1	1	1	1	96.75	51.75	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	31.75	2004
23.01.2020 10:59:13	1	1	1	1	96.75	51.75	0	25876.777	619.3548387	16167.20572	30000	0	0	30000	31.25	2004
23.01.2020 10:59:14	1	1	1	1	96.75	51.25	0	25734.597	619.3548387	15997.60824	30000	0	0	30000	31.4375	2004
23.01.2020 10:59:15	1	1	1	1	96.75	51.25	0	25734.597	621.5053763	15938.90142	30000	0	0	30000	31	2004
23.01.2020 10:59:16	1	1	1	1	96.75	51	0	25734.597	619.3548387	15828.01076	30000	0	0	30000	31.4375	2004
23.01.2020 10:59:17	1	1	1	1	96.75	51.25	0	25829.384	619.3548387	15883.45609	30000	0	0	30000	32.4375	2004
23.01.2020 10:59:18	1	1	1	1	96.75	52.25	0	25829.384	621.5053763	16082.40698	30000	0	0	30000	31.6875	2004
23.01.2020 10:59:19	1	1	1	1	96.75	51.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	32.125	2004
23.01.2020 10:59:20	1	1	1	1	97.25	52	0	26113.744	615.0537634	16117.468	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 10:59:21	1	1	1	1	97.25	52.25	0	26113.744	617.2043011	16117.468	30000	0	0	30000	31.25	2004
23.01.2020 10:59:22	1	1	1	1	97.25	51.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	30.75	2004
23.01.2020 10:59:23	1	1	1	1	97.25	50.75	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	31.125	2004
23.01.2020 10:59:24	1	1	1	1	97.25	51	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	31.875	2004
23.01.2020 10:59:25	1	1	1	1	97.25	51.75	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	30.8125	2004
23.01.2020 10:59:26	1	1	1	1	97.25	50.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	30	2004
23.01.2020 10:59:28	1	1	1	1	97.25	50	0	25924.171	627.9569892	15993.53138	30000	0	0	30000	32	2004
23.01.2020 10:59:29	1	1	1	1	97.25	52	0	25924.171	623.655914	16111.76039	30000	0	0	30000	32.0625	2004
23.01.2020 10:59:30	1	1	1	1	97.25	52	0	25876.777	617.2043011	16111.76039	30000	0	0	30000	31.75	2004
23.01.2020 10:59:31	1	1	1	1	97.75	51.75	0	26066.351	619.3548387	16058.76118	30000	0	0	30000	30.75	2004
23.01.2020 10:59:32	1	1	1	1	97.75	50.75	0	26018.957	615.0537634	15888.34833	30000	0	0	30000	31.5625	2004
23.01.2020 10:59:33	1	1	1	1	97.75	51.5	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	30.5	2004
23.01.2020 10:59:34	1	1	1	1	97.75	50.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	31.5	2004
23.01.2020 10:59:35	1	1	1	1	97.75	51.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	31.0625	2004
23.01.2020 10:59:36	1	1	1	1	97.75	51	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	32.25	2004
23.01.2020 10:59:37	1	1	1	1	97.75	52.25	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	32.125	2004
23.01.2020 10:59:38	1	1	1	1	97.75	52	0	25734.597	617.2043011	16167.20572	30000	0	0	30000	31.1875	2004
23.01.2020 10:59:39	1	1	1	1	97.75	51	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	30.8125	2004
23.01.2020 10:59:40	1	1	1	1	97.75	50.75	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	32.0625	2004
23.01.2020 10:59:41	1	1	1	1	98	52	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	30.6875	2004
23.01.2020 10:59:42	1	1	1	1	98	50.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	31	2004
23.01.2020 10:59:43	1	1	1	1	98	51	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	31.3125	2004
23.01.2020 10:59:44	1	1	1	1	98	51.25	0	26113.744	619.3548387	16229.17403	30000	0	0	30000	32.25	2004
23.01.2020 10:59:45	1	1	1	1	98	52.25	0	25971.564	610.7526882	15832.903	30000	0	0	30000	32.4375	2004
23.01.2020 10:59:46	1	1	1	1	98	52.25	0	26255.924	617.2043011	16175.35944	30000	0	0	30000	31.625	2004
23.01.2020 10:59:47	1	1	1	1	98	51.5	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	32.1875	2004
23.01.2020 10:59:48	1	1	1	1	98	52	0	26066.351	615.0537634	16058.76118	30000	0	0	30000	32	2004
23.01.2020 10:59:49	1	1	1	1	98	52	0	25876.777	610.7526882	15888.34833	30000	0	0	30000	31.875	2004
23.01.2020 10:59:50	1	1	1	1	98	51.75	0	25924.171	608.6021505	15975.59318	30000	0	0	30000	32	2004
23.01.2020 10:59:51	1	1	1	1	99.25	52.25	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	32.25	2004
23.01.2020 10:59:52	1	1	1	1	99.25	52.25	0	25734.597	615.0537634	16000.05436	30000	0	0	30000	32.5	2004
23.01.2020 10:59:53	1	1	1	1	99.25	52.5	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	31.9375	2004
23.01.2020 10:59:54	1	1	1	1	99.25	51.75	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	31.1875	2004
23.01.2020 10:59:55	1	1	1	1	99.25	51	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.75	2004
23.01.2020 10:59:56	1	1	1	1	99.25	51.75	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	31.9375	2004
23.01.2020 10:59:57	1	1	1	1	99.25	51.75	0	26018.957	615.0537634	16088.11459	30000	0	0	30000	30.25	2004
23.01.2020 11:00:04	1	1	1	1	98.75	52.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:04	1	1	1	1	98.75	52.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:04	1	1	1	1	98.75	52.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:04	1	1	1	1	98.75	52.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:04	1	1	1	1	98.75	52.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:04	1	1	1	1	98.75	52.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	31.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:00:05	1	1	1	1	98.75	51.5	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:07	1	1	1	1	98.75	52.25	0	25734.597	619.3548387	16163.94423	30000	0	0	30000	32.0625	2004
23.01.2020 11:00:08	1	1	1	1	98.75	52	0	25497.63	623.655914	15876.11774	30000	0	0	30000	32.375	2004
23.01.2020 11:00:09	1	1	1	1	98.75	52.25	0	25639.81	621.5053763	16044.89985	30000	0	0	30000	32.1875	2004
23.01.2020 11:00:10	1	1	1	1	98.75	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.8125	2004
23.01.2020 11:00:11	1	1	1	1	99.25	51.75	0	25687.204	619.3548387	15824.74927	30000	0	0	30000	32.0625	2004
23.01.2020 11:00:12	1	1	1	1	99.25	52	0	25924.171	623.655914	16111.76039	30000	0	0	30000	32.3125	2004
23.01.2020 11:00:13	1	1	1	1	99.25	52.25	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	32.3125	2004
23.01.2020 11:00:14	1	1	1	1	99.25	52.25	0	25639.81	621.5053763	15880.1946	30000	0	0	30000	31.875	2004
23.01.2020 11:00:15	1	1	1	1	99.25	51.75	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	31.4375	2004
23.01.2020 11:00:16	1	1	1	1	99.25	51.25	0	25687.204	621.5053763	16104.42204	30000	0	0	30000	31.3125	2004
23.01.2020 11:00:17	1	1	1	1	99.25	51.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.1875	2004
23.01.2020 11:00:18	1	1	1	1	99.25	52	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	32.3125	2004
23.01.2020 11:00:19	1	1	1	1	99.25	52.25	0	25639.81	617.2043011	15964.17797	30000	0	0	30000	32.125	2004
23.01.2020 11:00:20	1	1	1	1	99.25	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.25	2004
23.01.2020 11:00:21	1	1	1	1	99.75	52.25	0	25497.63	623.655914	15930.7477	30000	0	0	30000	32.125	2004
23.01.2020 11:00:22	1	1	1	1	99.75	52	0	25829.384	621.5053763	16193.29764	30000	0	0	30000	31.6875	2004
23.01.2020 11:00:23	1	1	1	1	99.75	51.5	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:24	1	1	1	1	99.75	52.25	0	25734.597	617.2043011	16082.40698	30000	0	0	30000	31.125	2004
23.01.2020 11:00:25	1	1	1	1	99.75	51	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	31.8125	2004
23.01.2020 11:00:26	1	1	1	1	99.75	51.75	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	32.625	2004
23.01.2020 11:00:27	1	1	1	1	99.75	52.5	0	25687.204	621.5053763	15909.54801	30000	0	0	30000	32	2004
23.01.2020 11:00:28	1	1	1	1	99.75	52	0	25876.777	621.5053763	16111.76039	30000	0	0	30000	32.125	2004
23.01.2020 11:00:29	1	1	1	1	99.75	51.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.25	2004
23.01.2020 11:00:30	1	1	1	1	100	52.25	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	32.125	2004
23.01.2020 11:00:31	1	1	1	1	100	52	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	31.3125	2004
23.01.2020 11:00:32	1	1	1	1	100	51.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.3125	2004
23.01.2020 11:00:33	1	1	1	1	100	51.25	0	25734.597	619.3548387	15828.01076	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:34	1	1	1	1	100	52.25	0	25876.777	617.2043011	16111.76039	30000	0	0	30000	30.9375	2004
23.01.2020 11:00:35	1	1	1	1	100	50.75	0	25924.171	617.2043011	15717.1201	30000	0	0	30000	31.5625	2004
23.01.2020 11:00:36	1	1	1	1	100	51.5	0	25829.384	619.3548387	16111.76039	30000	0	0	30000	31.625	2004
23.01.2020 11:00:37	1	1	1	1	100	51.5	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:38	1	1	1	1	100	52.25	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	32.375	2004
23.01.2020 11:00:39	1	1	1	1	100	52.25	0	25876.777	619.3548387	16111.76039	30000	0	0	30000	32.5625	2004
23.01.2020 11:00:40	1	1	1	1	99	52.5	0	25734.597	623.655914	15993.53138	30000	0	0	30000	31.875	2004
23.01.2020 11:00:41	1	1	1	1	99	51.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	32	2004
23.01.2020 11:00:42	1	1	1	1	99	52	0	25734.597	625.8064516	15993.53138	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:43	1	1	1	1	99	52.25	0	25734.597	619.3548387	16111.76039	30000	0	0	30000	32	2004
23.01.2020 11:00:44	1	1	1	1	99	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32	2004
23.01.2020 11:00:46	1	1	1	1	99	52	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	32.3125	2004
23.01.2020 11:00:47	1	1	1	1	99	52.25	0	26303.318	615.0537634	16092.19145	30000	0	0	30000	31.75	2004
23.01.2020 11:00:48	1	1	1	1	99	51.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	31.0625	2004
23.01.2020 11:00:49	1	1	1	1	99	51	0	26255.924	610.7526882	16062.83804	30000	0	0	30000	31.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:00:50	1	1	1	1	99	51.25	0	26018.957	610.7526882	15777.45767	30000	0	0	30000	31.625	2004
23.01.2020 11:00:51	1	1	1	1	99.5	51.5	0	25924.171	606.4516129	15832.903	30000	0	0	30000	32.125	2004
23.01.2020 11:00:52	1	1	1	1	99.5	52	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	32.25	2004
23.01.2020 11:00:53	1	1	1	1	99.5	52.25	0	26208.531	610.7526882	16004.94659	30000	0	0	30000	30.875	2004
23.01.2020 11:00:54	1	1	1	1	99.5	50.75	0	26018.957	612.9032258	15777.45767	30000	0	0	30000	32.4375	2004
23.01.2020 11:00:55	1	1	1	1	99.5	52.25	0	26208.531	606.4516129	16008.20808	30000	0	0	30000	32.3125	2004
23.01.2020 11:00:56	1	1	1	1	99.5	52.25	0	26445.498	615.0537634	16094.63757	30000	0	0	30000	32.25	2004
23.01.2020 11:00:57	1	1	1	1	99.5	52.25	0	26303.318	612.9032258	15894.05593	30000	0	0	30000	31.125	2004
23.01.2020 11:00:58	1	1	1	1	99.5	51	0	26018.957	617.2043011	16088.11459	30000	0	0	30000	32.3125	2004
23.01.2020 11:00:59	1	1	1	1	99.5	52.25	0	26018.957	606.4516129	16004.94659	30000	0	0	30000	31.5625	2004
23.01.2020 11:01:05	1	1	1	1	100	52.25	0	25876.777	617.2043011	15970.70095	30000	0	0	30000	31.875	2004
23.01.2020 11:01:05	1	1	1	1	100	52.25	0	25876.777	617.2043011	15970.70095	30000	0	0	30000	31.875	2004
23.01.2020 11:01:05	1	1	1	1	100	52.25	0	25876.777	617.2043011	15970.70095	30000	0	0	30000	31.875	2004
23.01.2020 11:01:05	1	1	1	1	100	52.25	0	25876.777	617.2043011	15970.70095	30000	0	0	30000	31.875	2004
23.01.2020 11:01:05	1	1	1	1	100	51.75	0	26018.957	608.6021505	16088.11459	30000	0	0	30000	32.875	2004
23.01.2020 11:01:06	1	1	1	1	100	52.75	0	25876.777	617.2043011	15941.34754	30000	0	0	30000	32.125	2004
23.01.2020 11:01:07	1	1	1	1	100	52	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	31.375	2004
23.01.2020 11:01:08	1	1	1	1	100	51.25	0	26018.957	619.3548387	16144.37529	30000	0	0	30000	32.4375	2004
23.01.2020 11:01:09	1	1	1	1	100	52.25	0	25687.204	619.3548387	15909.54801	30000	0	0	30000	32.625	2004
23.01.2020 11:01:10	1	1	1	1	99.75	52.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	32.375	2004
23.01.2020 11:01:11	1	1	1	1	99.75	52.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	31.125	2004
23.01.2020 11:01:12	1	1	1	1	99.75	51	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	31.5625	2004
23.01.2020 11:01:13	1	1	1	1	99.75	51.5	0	25687.204	617.2043011	15993.53138	30000	0	0	30000	32.75	2004
23.01.2020 11:01:14	1	1	1	1	99.75	52.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.5625	2004
23.01.2020 11:01:15	1	1	1	1	99.75	52.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.625	2004
23.01.2020 11:01:16	1	1	1	1	99.75	52.5	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	32.4375	2004
23.01.2020 11:01:17	1	1	1	1	99.75	52.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.75	2004
23.01.2020 11:01:18	1	1	1	1	99.75	51.75	0	26018.957	625.8064516	16111.76039	30000	0	0	30000	32.375	2004
23.01.2020 11:01:19	1	1	1	1	99.75	52.25	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	31.9375	2004
23.01.2020 11:01:20	1	1	1	1	99.25	51.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.0625	2004
23.01.2020 11:01:21	1	1	1	1	99.25	51	0	25545.024	617.2043011	15766.04245	30000	0	0	30000	32.625	2004
23.01.2020 11:01:23	1	1	1	1	99.25	52.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	31.5625	2004
23.01.2020 11:01:24	1	1	1	1	99.25	51.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.4375	2004
23.01.2020 11:01:25	1	1	1	1	99.25	52.25	0	25734.597	623.655914	15828.01076	30000	0	0	30000	31.0625	2004
23.01.2020 11:01:26	1	1	1	1	99.25	51	0	25734.597	623.655914	16163.94423	30000	0	0	30000	32.625	2004
23.01.2020 11:01:27	1	1	1	1	99.25	52.5	0	26018.957	623.655914	16167.20572	30000	0	0	30000	31.25	2004
23.01.2020 11:01:28	1	1	1	1	99.25	51.25	0	25876.777	619.3548387	16026.96165	30000	0	0	30000	31.25	2004
23.01.2020 11:01:29	1	1	1	1	99.25	51.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	31	2004
23.01.2020 11:01:30	1	1	1	1	99.25	51	0	25876.777	623.655914	16053.05357	30000	0	0	30000	30.875	2004
23.01.2020 11:01:31	1	1	1	1	98.5	50.75	0	25924.171	623.655914	16223.46642	30000	0	0	30000	31.1875	2004
23.01.2020 11:01:32	1	1	1	1	98.5	51	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	32.5625	2004
23.01.2020 11:01:33	1	1	1	1	98.5	52.5	0	25876.777	619.3548387	15970.70095	30000	0	0	30000	31.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:01:34	1	1	1	1	98.5	51.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.25	2004
23.01.2020 11:01:35	1	1	1	1	98.5	51.25	0	25876.777	617.2043011	15970.70095	30000	0	0	30000	32.1875	2004
23.01.2020 11:01:36	1	1	1	1	98.5	52	0	25876.777	619.3548387	15970.70095	30000	0	0	30000	31.8125	2004
23.01.2020 11:01:37	1	1	1	1	98.5	51.75	0	25924.171	623.655914	16000.05436	30000	0	0	30000	31.8125	2004
23.01.2020 11:01:38	1	1	1	1	98.5	51.75	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	32.4375	2004
23.01.2020 11:01:39	1	1	1	1	98.5	52.25	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	31.75	2004
23.01.2020 11:01:40	1	1	1	1	98.5	51.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.625	2004
23.01.2020 11:01:41	1	1	1	1	98.75	51.5	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	31.75	2004
23.01.2020 11:01:42	1	1	1	1	98.75	51.75	0	25876.777	617.2043011	16000.05436	30000	0	0	30000	31.625	2004
23.01.2020 11:01:43	1	1	1	1	98.75	51.5	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	32.4375	2004
23.01.2020 11:01:44	1	1	1	1	98.75	52.25	0	25734.597	623.655914	15883.45609	30000	0	0	30000	32.4375	2004
23.01.2020 11:01:45	1	1	1	1	98.75	52.25	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	32.125	2004
23.01.2020 11:01:46	1	1	1	1	98.75	51.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.5	2004
23.01.2020 11:01:47	1	1	1	1	98.75	51.5	0	25924.171	617.2043011	16056.31506	30000	0	0	30000	32.375	2004
23.01.2020 11:01:48	1	1	1	1	98.75	52.25	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	32.4375	2004
23.01.2020 11:01:49	1	1	1	1	98.75	52.25	0	25734.597	617.2043011	16111.76039	30000	0	0	30000	32.1875	2004
23.01.2020 11:01:50	1	1	1	1	99.25	52	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	32.5	2004
23.01.2020 11:01:51	1	1	1	1	99.25	52.5	0	25734.597	617.2043011	16056.31506	30000	0	0	30000	32.375	2004
23.01.2020 11:01:52	1	1	1	1	99.25	52.25	0	25734.597	619.3548387	15772.56543	30000	0	0	30000	32.5625	2004
23.01.2020 11:01:53	1	1	1	1	99.25	52.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.375	2004
23.01.2020 11:01:54	1	1	1	1	99.25	52.25	0	25734.597	612.9032258	15883.45609	30000	0	0	30000	32.3125	2004
23.01.2020 11:01:55	1	1	1	1	99.25	52.25	0	25734.597	615.0537634	16111.76039	30000	0	0	30000	32.3125	2004
23.01.2020 11:01:56	1	1	1	1	99.25	52.25	0	25924.171	619.3548387	16026.96165	30000	0	0	30000	32.4375	2004
23.01.2020 11:01:57	1	1	1	1	99.25	52.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.6875	2004
23.01.2020 11:01:58	1	1	1	1	99.25	52.5	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	32.125	2004
23.01.2020 11:01:59	1	1	1	1	99.25	52	0	25924.171	623.655914	16170.46721	30000	0	0	30000	32.8125	2004
23.01.2020 11:02:00	1	1	1	1	99.25	52.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.375	2004
23.01.2020 11:02:07	1	1	1	1	99.25	52.25	0	25829.384	625.8064516	16104.42204	30000	0	0	30000	32.9375	2004
23.01.2020 11:02:07	1	1	1	1	99.25	52.25	0	25829.384	625.8064516	16104.42204	30000	0	0	30000	32.9375	2004
23.01.2020 11:02:07	1	1	1	1	99.25	52.25	0	25829.384	625.8064516	16104.42204	30000	0	0	30000	32.9375	2004
23.01.2020 11:02:07	1	1	1	1	99.25	52.25	0	25829.384	625.8064516	16104.42204	30000	0	0	30000	32.9375	2004
23.01.2020 11:02:07	1	1	1	1	99.25	52.25	0	25829.384	625.8064516	16104.42204	30000	0	0	30000	32.9375	2004
23.01.2020 11:02:07	1	1	1	1	99.25	52.25	0	25829.384	625.8064516	16104.42204	30000	0	0	30000	32.9375	2004
23.01.2020 11:02:08	1	1	1	1	99.25	52.75	0	25639.81	621.5053763	16019.6233	30000	0	0	30000	32.1875	2004
23.01.2020 11:02:09	1	1	1	1	99.25	52	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	31.75	2004
23.01.2020 11:02:10	1	1	1	1	99.25	51.75	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	32.4375	2004
23.01.2020 11:02:11	1	1	1	1	99.75	52.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.75	2004
23.01.2020 11:02:12	1	1	1	1	99.75	52.75	0	25734.597	621.5053763	16082.40698	30000	0	0	30000	32.3125	2004
23.01.2020 11:02:13	1	1	1	1	99.75	52.25	0	25734.597	621.5053763	16104.42204	30000	0	0	30000	32.25	2004
23.01.2020 11:02:14	1	1	1	1	99.75	52.25	0	25734.597	623.655914	16048.97671	30000	0	0	30000	32.1875	2004
23.01.2020 11:02:15	1	1	1	1	99.75	52	0	25734.597	619.3548387	15997.60824	30000	0	0	30000	32.75	2004
23.01.2020 11:02:16	1	1	1	1	99.75	52.75	0	26018.957	619.3548387	16058.76118	30000	0	0	30000	30.6875	2004
23.01.2020 11:02:17	1	1	1	1	99.75	50.5	0	25734.597	612.9032258	15885.90221	30000	0	0	30000	32.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:02:18	1	1	1	1	99.75	52.5	0	25734.597	615.0537634	15941.34754	30000	0	0	30000	32.625	2004
23.01.2020 11:02:19	1	1	1	1	99.75	52.5	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	31.8125	2004
23.01.2020 11:02:20	1	1	1	1	99.75	51.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	32.8125	2004
23.01.2020 11:02:21	1	1	1	1	99.75	52.75	0	25924.171	610.7526882	16000.05436	30000	0	0	30000	32.125	2004
23.01.2020 11:02:22	1	1	1	1	99.75	52	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.1875	2004
23.01.2020 11:02:23	1	1	1	1	99.75	51	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	32.5625	2004
23.01.2020 11:02:24	1	1	1	1	99.75	52.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	32.8125	2004
23.01.2020 11:02:25	1	1	1	1	99.75	52.75	0	25876.777	615.0537634	16000.05436	30000	0	0	30000	32.5625	2004
23.01.2020 11:02:26	1	1	1	1	99.75	52.5	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	32.75	2004
23.01.2020 11:02:27	1	1	1	1	99.75	52.75	0	26066.351	619.3548387	16088.11459	30000	0	0	30000	32.5625	2004
23.01.2020 11:02:28	1	1	1	1	99.75	52.5	0	26113.744	617.2043011	16117.468	30000	0	0	30000	32.0625	2004
23.01.2020 11:02:29	1	1	1	1	99.75	52	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	32.125	2004
23.01.2020 11:02:30	1	1	1	1	100.5	52	0	25734.597	617.2043011	15941.34754	30000	0	0	30000	32.75	2004
23.01.2020 11:02:31	1	1	1	1	100.5	52.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.1875	2004
23.01.2020 11:02:32	1	1	1	1	100.5	51	0	25734.597	617.2043011	15970.70095	30000	0	0	30000	31	2004
23.01.2020 11:02:33	1	1	1	1	100.5	51	0	25924.171	621.5053763	16082.40698	30000	0	0	30000	32.1875	2004
23.01.2020 11:02:34	1	1	1	1	100.5	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.8125	2004
23.01.2020 11:02:35	1	1	1	1	100.5	51.75	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	31.6875	2004
23.01.2020 11:02:36	1	1	1	1	100.5	51.5	0	25829.384	619.3548387	15970.70095	30000	0	0	30000	32.4375	2004
23.01.2020 11:02:37	1	1	1	1	100.5	52.25	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	32.25	2004
23.01.2020 11:02:39	1	1	1	1	100.5	52.25	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	31.0625	2004
23.01.2020 11:02:40	1	1	1	1	100.5	51	0	25971.564	619.3548387	16115.02188	30000	0	0	30000	32.875	2004
23.01.2020 11:02:41	1	1	1	1	99.25	52.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.9375	2004
23.01.2020 11:02:42	1	1	1	1	99.25	51.75	0	26018.957	621.5053763	16111.76039	30000	0	0	30000	32.5	2004
23.01.2020 11:02:43	1	1	1	1	99.25	52.5	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	31.75	2004
23.01.2020 11:02:44	1	1	1	1	99.25	51.75	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	32.4375	2004
23.01.2020 11:02:45	1	1	1	1	99.25	52.25	0	25734.597	623.655914	15993.53138	30000	0	0	30000	32.375	2004
23.01.2020 11:02:46	1	1	1	1	99.25	52.25	0	25687.204	625.8064516	16104.42204	30000	0	0	30000	32.1875	2004
23.01.2020 11:02:47	1	1	1	1	99.25	52	0	25687.204	623.655914	16048.97671	30000	0	0	30000	31.9375	2004
23.01.2020 11:02:48	1	1	1	1	99.25	51.75	0	25734.597	621.5053763	16053.05357	30000	0	0	30000	32.5	2004
23.01.2020 11:02:49	1	1	1	1	99.25	52.5	0	25639.81	621.5053763	15711.4125	30000	0	0	30000	32.375	2004
23.01.2020 11:02:50	1	1	1	1	99.25	52.25	0	25734.597	612.9032258	16053.05357	30000	0	0	30000	31.1875	2004
23.01.2020 11:02:51	1	1	1	1	100.8	51	0	25829.384	621.5053763	15993.53138	30000	0	0	30000	32.875	2004
23.01.2020 11:02:52	1	1	1	1	100.8	52.75	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	32.3125	2004
23.01.2020 11:02:53	1	1	1	1	100.8	52.25	0	25829.384	619.3548387	16053.05357	30000	0	0	30000	32	2004
23.01.2020 11:02:54	1	1	1	1	100.8	52	0	25876.777	621.5053763	16082.40698	30000	0	0	30000	32.75	2004
23.01.2020 11:02:55	1	1	1	1	100.8	52.75	0	25592.417	621.5053763	15821.48778	30000	0	0	30000	32.4375	2004
23.01.2020 11:02:56	1	1	1	1	100.8	52.25	0	25876.777	623.655914	16223.46642	30000	0	0	30000	32.125	2004
23.01.2020 11:02:57	1	1	1	1	100.8	52	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	31.75	2004
23.01.2020 11:02:58	1	1	1	1	100.8	51.75	0	25639.81	621.5053763	15880.1946	30000	0	0	30000	32.625	2004
23.01.2020 11:02:59	1	1	1	1	100.8	52.5	0	25829.384	623.655914	16193.29764	30000	0	0	30000	32.875	2004
23.01.2020 11:03:00	1	1	1	1	100.8	52.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.3125	2004
23.01.2020 11:03:01	1	1	1	1	100.8	52.25	0	25829.384	621.5053763	16111.76039	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:03:02	1	1	1	1	100.8	52.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.125	2004
23.01.2020 11:03:08	1	1	1	1	100.8	52.5	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	32.0625	2004
23.01.2020 11:03:08	1	1	1	1	100.8	52.5	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	32.0625	2004
23.01.2020 11:03:08	1	1	1	1	100.8	52.5	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	32.0625	2004
23.01.2020 11:03:08	1	1	1	1	100.8	52.5	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	32.0625	2004
23.01.2020 11:03:08	1	1	1	1	100.8	52.5	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	32.0625	2004
23.01.2020 11:03:08	1	1	1	1	100.8	52.5	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	32.0625	2004
23.01.2020 11:03:08	1	1	1	1	100.8	52.5	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	32.0625	2004
23.01.2020 11:03:09	1	1	1	1	100.8	52	0	25734.597	623.655914	16048.97671	30000	0	0	30000	32.75	2004
23.01.2020 11:03:10	1	1	1	1	100.5	52.75	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	31.0625	2004
23.01.2020 11:03:11	1	1	1	1	100.5	51	0	25687.204	623.655914	15934.82456	30000	0	0	30000	31.6875	2004
23.01.2020 11:03:12	1	1	1	1	100.5	51.5	0	25592.417	621.5053763	15934.82456	30000	0	0	30000	33	2004
23.01.2020 11:03:13	1	1	1	1	100.5	53	0	25639.81	625.8064516	16015.54644	30000	0	0	30000	33.0625	2004
23.01.2020 11:03:14	1	1	1	1	100.5	53	0	25687.204	625.8064516	16044.89985	30000	0	0	30000	32.75	2004
23.01.2020 11:03:15	1	1	1	1	100.5	52.75	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	31.6875	2004
23.01.2020 11:03:16	1	1	1	1	100.5	51.5	0	25734.597	623.655914	16104.42204	30000	0	0	30000	32.375	2004
23.01.2020 11:03:17	1	1	1	1	100.5	52.25	0	25734.597	623.655914	16048.97671	30000	0	0	30000	32.9375	2004
23.01.2020 11:03:19	1	1	1	1	100.5	52.75	0	25545.024	625.8064516	16015.54644	30000	0	0	30000	32.6875	2004
23.01.2020 11:03:20	1	1	1	1	100.5	52.5	0	25876.777	625.8064516	15993.53138	30000	0	0	30000	32.875	2004
23.01.2020 11:03:21	1	1	1	1	101.3	52.75	0	25639.81	623.655914	15990.26989	30000	0	0	30000	31.0625	2004
23.01.2020 11:03:22	1	1	1	1	101.3	51	0	25924.171	625.8064516	16193.29764	30000	0	0	30000	33.0625	2004
23.01.2020 11:03:23	1	1	1	1	101.3	53	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31	2004
23.01.2020 11:03:24	1	1	1	1	101.3	51	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	32.4375	2004
23.01.2020 11:03:25	1	1	1	1	101.3	52.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.6875	2004
23.01.2020 11:03:26	1	1	1	1	101.3	51.5	0	25829.384	617.2043011	15883.45609	30000	0	0	30000	31.4375	2004
23.01.2020 11:03:27	1	1	1	1	101.3	51.25	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	32.6875	2004
23.01.2020 11:03:28	1	1	1	1	101.3	52.5	0	25971.564	617.2043011	16058.76118	30000	0	0	30000	32.25	2004
23.01.2020 11:03:29	1	1	1	1	101.3	52.25	0	25876.777	619.3548387	16111.76039	30000	0	0	30000	30.875	2004
23.01.2020 11:03:30	1	1	1	1	101.3	50.75	0	25829.384	619.3548387	15883.45609	30000	0	0	30000	31.625	2004
23.01.2020 11:03:31	1	1	1	1	100.5	51.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	33.125	2004
23.01.2020 11:03:32	1	1	1	1	100.5	53	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	31.1875	2004
23.01.2020 11:03:33	1	1	1	1	100.5	51	0	25876.777	625.8064516	15883.45609	30000	0	0	30000	31.8125	2004
23.01.2020 11:03:34	1	1	1	1	100.5	51.75	0	25876.777	619.3548387	16111.76039	30000	0	0	30000	31.9375	2004
23.01.2020 11:03:35	1	1	1	1	100.5	51.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	32.375	2004
23.01.2020 11:03:36	1	1	1	1	100.5	52.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	31.5	2004
23.01.2020 11:03:37	1	1	1	1	100.5	51.5	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	31.75	2004
23.01.2020 11:03:38	1	1	1	1	100.5	51.75	0	26113.744	621.5053763	16061.20729	30000	0	0	30000	31.5625	2004
23.01.2020 11:03:39	1	1	1	1	100.5	51.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	33.1875	2004
23.01.2020 11:03:40	1	1	1	1	100.5	53	0	26066.351	615.0537634	15944.60903	30000	0	0	30000	32.375	2004
23.01.2020 11:03:41	1	1	1	1	100.5	52.25	0	26113.744	617.2043011	16173.7287	30000	0	0	30000	31.8125	2004
23.01.2020 11:03:42	1	1	1	1	100.5	51.75	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	32.75	2004
23.01.2020 11:03:43	1	1	1	1	100.5	52.75	0	26113.744	617.2043011	16341.69543	30000	0	0	30000	32.8125	2004
23.01.2020 11:03:44	1	1	1	1	100.5	52.75	0	26018.957	617.2043011	16002.50048	30000	0	0	30000	32.875	2004
23.01.2020 11:03:45	1	1	1	1	100.5	52.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:03:46	1	1	1	1	100.5	51.5	0	25876.777	619.3548387	16056.31506	30000	0	0	30000	33.0625	2004
23.01.2020 11:03:47	1	1	1	1	100.5	53	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	32.1875	2004
23.01.2020 11:03:48	1	1	1	1	100.5	52	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	32.375	2004
23.01.2020 11:03:49	1	1	1	1	100.5	52.25	0	25734.597	623.655914	16223.46642	30000	0	0	30000	32.75	2004
23.01.2020 11:03:50	1	1	1	1	102	52.75	0	25639.81	623.655914	15964.17797	30000	0	0	30000	33.125	2004
23.01.2020 11:03:51	1	1	1	1	102	53	0	25592.417	619.3548387	15766.04245	30000	0	0	30000	32.75	2004
23.01.2020 11:03:52	1	1	1	1	102	52.75	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	33.0625	2004
23.01.2020 11:03:53	1	1	1	1	102	53	0	25876.777	623.655914	16082.40698	30000	0	0	30000	32.625	2004
23.01.2020 11:03:54	1	1	1	1	102	52.5	0	25734.597	617.2043011	15941.34754	30000	0	0	30000	32.75	2004
23.01.2020 11:03:55	1	1	1	1	102	52.75	0	25876.777	621.5053763	16053.05357	30000	0	0	30000	32.625	2004
23.01.2020 11:03:56	1	1	1	1	102	52.5	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	31.9375	2004
23.01.2020 11:03:58	1	1	1	1	102	51.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	33.0625	2004
23.01.2020 11:03:59	1	1	1	1	102	53	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	32.625	2004
23.01.2020 11:04:00	1	1	1	1	102	52.5	0	25545.024	623.655914	15901.39429	30000	0	0	30000	31.625	2004
23.01.2020 11:04:01	1	1	1	1	101.5	51.5	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	32.6875	2004
23.01.2020 11:04:02	1	1	1	1	101.5	52.5	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	33.0625	2004
23.01.2020 11:04:03	1	1	1	1	101.5	53	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.8125	2004
23.01.2020 11:04:04	1	1	1	1	101.5	52.75	0	25687.204	621.5053763	16048.97671	30000	0	0	30000	33	2004
23.01.2020 11:04:10	1	1	1	1	101.5	52	0	25829.384	625.8064516	16163.94423	30000	0	0	30000	32.625	2004
23.01.2020 11:04:10	1	1	1	1	101.5	52	0	25829.384	625.8064516	16163.94423	30000	0	0	30000	32.625	2004
23.01.2020 11:04:10	1	1	1	1	101.5	52	0	25829.384	625.8064516	16163.94423	30000	0	0	30000	32.625	2004
23.01.2020 11:04:10	1	1	1	1	101.5	52	0	25829.384	625.8064516	16163.94423	30000	0	0	30000	32.625	2004
23.01.2020 11:04:10	1	1	1	1	101.5	52	0	25829.384	625.8064516	16163.94423	30000	0	0	30000	32.625	2004
23.01.2020 11:04:10	1	1	1	1	101.5	52	0	25829.384	625.8064516	16163.94423	30000	0	0	30000	32.625	2004
23.01.2020 11:04:11	1	1	1	1	101.3	52.5	0	25687.204	623.655914	16104.42204	30000	0	0	30000	31.5	2004
23.01.2020 11:04:12	1	1	1	1	101.3	51.5	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	32.8125	2004
23.01.2020 11:04:13	1	1	1	1	101.3	52.75	0	25592.417	627.9569892	16070.99176	30000	0	0	30000	33.0625	2004
23.01.2020 11:04:14	1	1	1	1	101.3	53	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	31.5625	2004
23.01.2020 11:04:15	1	1	1	1	101.3	51.5	0	25639.81	625.8064516	16075.06863	30000	0	0	30000	32.625	2004
23.01.2020 11:04:16	1	1	1	1	101.3	52.5	0	25639.81	623.655914	15990.26989	30000	0	0	30000	32.25	2004
23.01.2020 11:04:17	1	1	1	1	101.3	52.25	0	25545.024	619.3548387	16015.54644	30000	0	0	30000	32.5	2004
23.01.2020 11:04:18	1	1	1	1	101.3	52.5	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	32.5625	2004
23.01.2020 11:04:19	1	1	1	1	101.3	52.5	0	25545.024	621.5053763	16040.82298	30000	0	0	30000	32.75	2004
23.01.2020 11:04:20	1	1	1	1	101.3	52.75	0	25687.204	623.655914	16019.6233	30000	0	0	30000	33.5	2004
23.01.2020 11:04:21	1	1	1	1	102	53.5	0	25734.597	615.0537634	15993.53138	30000	0	0	30000	33.1875	2004
23.01.2020 11:04:22	1	1	1	1	102	53	0	25734.597	623.655914	15993.53138	30000	0	0	30000	33.0625	2004
23.01.2020 11:04:23	1	1	1	1	102	53	0	25734.597	623.655914	16048.97671	30000	0	0	30000	32.625	2004
23.01.2020 11:04:24	1	1	1	1	102	52.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.375	2004
23.01.2020 11:04:25	1	1	1	1	102	51.25	0	25450.237	619.3548387	15846.76433	30000	0	0	30000	33.3125	2004
23.01.2020 11:04:26	1	1	1	1	102	53.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	33.0625	2004
23.01.2020 11:04:27	1	1	1	1	102	53	0	25592.417	623.655914	15930.7477	30000	0	0	30000	32	2004
23.01.2020 11:04:28	1	1	1	1	102	52	0	25497.63	623.655914	15652.70568	30000	0	0	30000	31.8125	2004
23.01.2020 11:04:29	1	1	1	1	102	51.75	0	25639.81	619.3548387	15934.82456	30000	0	0	30000	32.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:04:30	1	1	1	1	101.8	52.25	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	33.4375	2004
23.01.2020 11:04:31	1	1	1	1	101.8	53.25	0	25639.81	623.655914	15990.26989	30000	0	0	30000	33.1875	2004
23.01.2020 11:04:32	1	1	1	1	101.8	53	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.6875	2004
23.01.2020 11:04:33	1	1	1	1	101.8	52.5	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	32.3125	2004
23.01.2020 11:04:34	1	1	1	1	101.8	52.25	0	25687.204	619.3548387	15964.17797	30000	0	0	30000	33	2004
23.01.2020 11:04:35	1	1	1	1	101.8	53	0	25829.384	621.5053763	15772.56543	30000	0	0	30000	32.3125	2004
23.01.2020 11:04:37	1	1	1	1	101.8	52.25	0	25734.597	625.8064516	16048.97671	30000	0	0	30000	32.5625	2004
23.01.2020 11:04:38	1	1	1	1	101.8	52.5	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	32.75	2004
23.01.2020 11:04:39	1	1	1	1	101.8	52.75	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	31.75	2004
23.01.2020 11:04:40	1	1	1	1	101.8	51.75	0	25592.417	623.655914	15960.91648	30000	0	0	30000	32	2004
23.01.2020 11:04:41	1	1	1	1	101.3	52	0	25592.417	619.3548387	15795.39586	30000	0	0	30000	31.5625	2004
23.01.2020 11:04:42	1	1	1	1	101.3	51.5	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.125	2004
23.01.2020 11:04:43	1	1	1	1	101.3	52	0	25639.81	630.1075269	15986.19303	30000	0	0	30000	33.4375	2004
23.01.2020 11:04:44	1	1	1	1	101.3	53.25	0	25545.024	623.655914	15986.19303	30000	0	0	30000	33.1875	2004
23.01.2020 11:04:45	1	1	1	1	101.3	53	0	25592.417	623.655914	15960.91648	30000	0	0	30000	33.0625	2004
23.01.2020 11:04:46	1	1	1	1	101.3	53	0	25734.597	623.655914	16048.97671	30000	0	0	30000	30.75	2004
23.01.2020 11:04:47	1	1	1	1	101.3	50.75	0	25734.597	623.655914	16104.42204	30000	0	0	30000	33.3125	2004
23.01.2020 11:04:48	1	1	1	1	101.3	53.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.0625	2004
23.01.2020 11:04:49	1	1	1	1	101.3	51	0	25734.597	623.655914	16104.42204	30000	0	0	30000	32.5	2004
23.01.2020 11:04:50	1	1	1	1	101.3	52.5	0	25829.384	623.655914	16108.4989	30000	0	0	30000	30.875	2004
23.01.2020 11:04:51	1	1	1	1	101	50.75	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.75	2004
23.01.2020 11:04:52	1	1	1	1	101	52.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	32.125	2004
23.01.2020 11:04:53	1	1	1	1	101	52	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	32.9375	2004
23.01.2020 11:04:54	1	1	1	1	101	52.75	0	25924.171	623.655914	15941.34754	30000	0	0	30000	32.4375	2004
23.01.2020 11:04:55	1	1	1	1	101	52.25	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	32.625	2004
23.01.2020 11:04:56	1	1	1	1	101	52.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	32.5625	2004
23.01.2020 11:04:57	1	1	1	1	101	52.5	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	33.0625	2004
23.01.2020 11:04:58	1	1	1	1	101	53	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.5	2004
23.01.2020 11:04:59	1	1	1	1	101	51.5	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	32.5625	2004
23.01.2020 11:05:00	1	1	1	1	101	52.5	0	26066.351	617.2043011	16088.11459	30000	0	0	30000	32.875	2004
23.01.2020 11:05:01	1	1	1	1	101.3	52.75	0	26018.957	617.2043011	16170.46721	30000	0	0	30000	33.6875	2004
23.01.2020 11:05:02	1	1	1	1	101.3	51.75	0	26018.957	610.7526882	15947.05515	30000	0	0	30000	33.4375	2004
23.01.2020 11:05:03	1	1	1	1	101.3	53.25	0	26018.957	619.3548387	16170.46721	30000	0	0	30000	32.125	2004
23.01.2020 11:05:04	1	1	1	1	101.3	52	0	25829.384	617.2043011	16000.05436	30000	0	0	30000	32.8125	2004
23.01.2020 11:05:05	1	1	1	1	101.3	52.75	0	25924.171	617.2043011	16111.76039	30000	0	0	30000	31.0625	2004
23.01.2020 11:05:11	1	1	1	1	101	52.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.5625	2004
23.01.2020 11:05:11	1	1	1	1	101	52.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.5625	2004
23.01.2020 11:05:11	1	1	1	1	101	52.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.5625	2004
23.01.2020 11:05:11	1	1	1	1	101	51.5	0	25924.171	621.5053763	16000.05436	30000	0	0	30000	31	2004
23.01.2020 11:05:11	1	1	1	1	101	51.5	0	25924.171	621.5053763	16000.05436	30000	0	0	30000	31	2004
23.01.2020 11:05:12	1	1	1	1	101	51	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	33.4375	2004
23.01.2020 11:05:13	1	1	1	1	101	53.25	0	25734.597	615.0537634	15993.53138	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:05:14	1	1	1	1	101	52.25	0	25545.024	619.3548387	15876.11774	30000	0	0	30000	31.875	2004
23.01.2020 11:05:16	1	1	1	1	101	51.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.75	2004
23.01.2020 11:05:17	1	1	1	1	101	52.75	0	25734.597	621.5053763	15772.56543	30000	0	0	30000	31.9375	2004
23.01.2020 11:05:18	1	1	1	1	101	51.75	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	32.25	2004
23.01.2020 11:05:19	1	1	1	1	101	52.25	0	25639.81	619.3548387	15824.74927	30000	0	0	30000	32.4375	2004
23.01.2020 11:05:20	1	1	1	1	101	52.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	32.75	2004
23.01.2020 11:05:21	1	1	1	1	101	52.75	0	25924.171	625.8064516	16223.46642	30000	0	0	30000	31.0625	2004
23.01.2020 11:05:22	1	1	1	1	101	51	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	33.4375	2004
23.01.2020 11:05:23	1	1	1	1	101	53.25	0	25876.777	619.3548387	16082.40698	30000	0	0	30000	33.375	2004
23.01.2020 11:05:24	1	1	1	1	101	53.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	33.4375	2004
23.01.2020 11:05:25	1	1	1	1	101	53.25	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	31.375	2004
23.01.2020 11:05:26	1	1	1	1	101	51.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	32.3125	2004
23.01.2020 11:05:27	1	1	1	1	101	52.25	0	26113.744	617.2043011	16117.468	30000	0	0	30000	33.125	2004
23.01.2020 11:05:28	1	1	1	1	101	53	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	32.4375	2004
23.01.2020 11:05:29	1	1	1	1	101	52.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	33.0625	2004
23.01.2020 11:05:30	1	1	1	1	101	53	0	26018.957	615.0537634	15975.59318	30000	0	0	30000	32.4375	2004
23.01.2020 11:05:31	1	1	1	1	101.5	52.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	33.25	2004
23.01.2020 11:05:32	1	1	1	1	101.5	53.25	0	26255.924	615.0537634	16177.80556	30000	0	0	30000	32.6875	2004
23.01.2020 11:05:33	1	1	1	1	101.5	52.5	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	32.1875	2004
23.01.2020 11:05:34	1	1	1	1	101.5	52	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	33.25	2004
23.01.2020 11:05:35	1	1	1	1	101.5	53.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	33.25	2004
23.01.2020 11:05:36	1	1	1	1	101.5	53.25	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	33	2004
23.01.2020 11:05:37	1	1	1	1	101.5	53	0	26255.924	610.7526882	16035.93075	30000	0	0	30000	32.4375	2004
23.01.2020 11:05:38	1	1	1	1	101.5	52.25	0	26066.351	615.0537634	15890.79444	30000	0	0	30000	32.1875	2004
23.01.2020 11:05:39	1	1	1	1	101.5	52	0	25734.597	604.3010753	15888.34833	30000	0	0	30000	32.75	2004
23.01.2020 11:05:40	1	1	1	1	101.5	52.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	32.625	2004
23.01.2020 11:05:41	1	1	1	1	101.8	53	0	25924.171	615.0537634	15777.45767	30000	0	0	30000	33.375	2004
23.01.2020 11:05:42	1	1	1	1	101.8	53.25	0	26066.351	615.0537634	16002.50048	30000	0	0	30000	33.0625	2004
23.01.2020 11:05:43	1	1	1	1	101.8	53	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	32.0625	2004
23.01.2020 11:05:44	1	1	1	1	101.8	52	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	32.3125	2004
23.01.2020 11:05:45	1	1	1	1	101.8	52.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	32.75	2004
23.01.2020 11:05:46	1	1	1	1	101.8	52.75	0	25924.171	612.9032258	16002.50048	30000	0	0	30000	33	2004
23.01.2020 11:05:47	1	1	1	1	101.8	53	0	26018.957	610.7526882	15832.903	30000	0	0	30000	32.5	2004
23.01.2020 11:05:48	1	1	1	1	101.8	52.5	0	25734.597	615.0537634	15883.45609	30000	0	0	30000	33.5	2004
23.01.2020 11:05:49	1	1	1	1	101.8	53.5	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	32.625	2004
23.01.2020 11:05:50	1	1	1	1	101.8	52.5	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	32.375	2004
23.01.2020 11:05:51	1	1	1	1	101.8	52.25	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	31.9375	2004
23.01.2020 11:05:52	1	1	1	1	101.8	51.75	0	26445.498	608.6021505	16065.28416	30000	0	0	30000	31.9375	2004
23.01.2020 11:05:53	1	1	1	1	101.8	51.75	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	31.3125	2004
23.01.2020 11:05:54	1	1	1	1	101.8	51.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	32.125	2004
23.01.2020 11:05:56	1	1	1	1	101.8	52	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	30.8125	2004
23.01.2020 11:05:57	1	1	1	1	101.8	50.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	31.25	2004
23.01.2020 11:05:58	1	1	1	1	101.8	51.25	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	33.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:05:59	1	1	1	1	101.8	53.5	0	26113.744	615.0537634	16117.468	30000	0	0	30000	32.125	2004
23.01.2020 11:06:00	1	1	1	1	101.8	52	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	32.25	2004
23.01.2020 11:06:01	1	1	1	1	101.8	52.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	33.75	2004
23.01.2020 11:06:02	1	1	1	1	101.8	53.75	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	32.375	2004
23.01.2020 11:06:03	1	1	1	1	101.8	52.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	33.5625	2004
23.01.2020 11:06:04	1	1	1	1	101.8	53.5	0	25924.171	617.2043011	15944.60903	30000	0	0	30000	31.3125	2004
23.01.2020 11:06:05	1	1	1	1	101.8	51.25	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	32.375	2004
23.01.2020 11:06:06	1	1	1	1	101.8	52.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	32.5625	2004
23.01.2020 11:06:07	1	1	1	1	101.8	52.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	33.0625	2004
23.01.2020 11:06:13	1	1	1	1	101.3	52	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	33.4375	2004
23.01.2020 11:06:13	1	1	1	1	101.3	52	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	33.4375	2004
23.01.2020 11:06:13	1	1	1	1	101.3	52	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	33.4375	2004
23.01.2020 11:06:13	1	1	1	1	101.3	52	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	33.4375	2004
23.01.2020 11:06:13	1	1	1	1	101.3	52	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	33.4375	2004
23.01.2020 11:06:13	1	1	1	1	101.3	52	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	33.4375	2004
23.01.2020 11:06:14	1	1	1	1	101.3	53.25	0	26018.957	617.2043011	16000.05436	30000	0	0	30000	33.3125	2004
23.01.2020 11:06:15	1	1	1	1	101.3	53.25	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	32	2004
23.01.2020 11:06:16	1	1	1	1	101.3	52	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	32.9375	2004
23.01.2020 11:06:17	1	1	1	1	101.3	52.75	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	33.5	2004
23.01.2020 11:06:18	1	1	1	1	101.3	53.5	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	33	2004
23.01.2020 11:06:19	1	1	1	1	101.3	53	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	32.875	2004
23.01.2020 11:06:20	1	1	1	1	102	53	0	26066.351	615.0537634	16061.20729	30000	0	0	30000	31.8125	2004
23.01.2020 11:06:21	1	1	1	1	102	51.75	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	32.8125	2004
23.01.2020 11:06:22	1	1	1	1	102	52.75	0	26066.351	615.0537634	16117.468	30000	0	0	30000	32.8125	2004
23.01.2020 11:06:23	1	1	1	1	102	52.75	0	25876.777	619.3548387	16111.76039	30000	0	0	30000	32.9375	2004
23.01.2020 11:06:24	1	1	1	1	102	52.75	0	25829.384	619.3548387	15997.60824	30000	0	0	30000	32.625	2004
23.01.2020 11:06:25	1	1	1	1	102	52.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.5625	2004
23.01.2020 11:06:26	1	1	1	1	102	52.5	0	25734.597	612.9032258	15993.53138	30000	0	0	30000	33.5625	2004
23.01.2020 11:06:27	1	1	1	1	102	53.5	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	33.5625	2004
23.01.2020 11:06:28	1	1	1	1	102	53.5	0	25734.597	617.2043011	15941.34754	30000	0	0	30000	33.8125	2004
23.01.2020 11:06:29	1	1	1	1	102	53.75	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	32.5	2004
23.01.2020 11:06:30	1	1	1	1	102	52.5	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	31.25	2004
23.01.2020 11:06:31	1	1	1	1	102	51.25	0	25876.777	610.7526882	15888.34833	30000	0	0	30000	33.875	2004
23.01.2020 11:06:32	1	1	1	1	102	53.75	0	25924.171	617.2043011	15888.34833	30000	0	0	30000	31.5	2004
23.01.2020 11:06:34	1	1	1	1	102	51.5	0	26113.744	615.0537634	16117.468	30000	0	0	30000	32.75	2004
23.01.2020 11:06:35	1	1	1	1	102	52.75	0	26066.351	617.2043011	16117.468	30000	0	0	30000	32.125	2004
23.01.2020 11:06:36	1	1	1	1	102	52	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	32.8125	2004
23.01.2020 11:06:37	1	1	1	1	102	52.75	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	31.9375	2004
23.01.2020 11:06:38	1	1	1	1	102	51.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	33.375	2004
23.01.2020 11:06:39	1	1	1	1	102	53.25	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	34.0625	2004
23.01.2020 11:06:40	1	1	1	1	102	54	0	26255.924	610.7526882	16035.93075	30000	0	0	30000	31.8125	2004
23.01.2020 11:06:41	1	1	1	1	101.5	51.75	0	26113.744	612.9032258	16117.468	30000	0	0	30000	33.625	2004
23.01.2020 11:06:42	1	1	1	1	101.5	53.5	0	25924.171	604.3010753	15890.79444	30000	0	0	30000	33.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:06:43	1	1	1	1	101.5	53.5	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	33.375	2004
23.01.2020 11:06:44	1	1	1	1	101.5	53.25	0	26066.351	617.2043011	15975.59318	30000	0	0	30000	33.375	2004
23.01.2020 11:06:45	1	1	1	1	101.5	53.25	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	32.3125	2004
23.01.2020 11:06:46	1	1	1	1	101.5	52.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	31.9375	2004
23.01.2020 11:06:47	1	1	1	1	101.5	51.75	0	25829.384	606.4516129	15888.34833	30000	0	0	30000	32.0625	2004
23.01.2020 11:06:48	1	1	1	1	101.5	52	0	26113.744	617.2043011	16341.69543	30000	0	0	30000	32.8125	2004
23.01.2020 11:06:49	1	1	1	1	101.5	52.75	0	26018.957	615.0537634	15888.34833	30000	0	0	30000	33.625	2004
23.01.2020 11:06:50	1	1	1	1	101.5	53.5	0	25924.171	610.7526882	16056.31506	30000	0	0	30000	33.375	2004
23.01.2020 11:06:51	1	1	1	1	100.8	53.25	0	25876.777	615.0537634	15888.34833	30000	0	0	30000	31.25	2004
23.01.2020 11:06:52	1	1	1	1	100.8	51.25	0	25924.171	610.7526882	15947.05515	30000	0	0	30000	32.375	2004
23.01.2020 11:06:53	1	1	1	1	100.8	52.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	32.0625	2004
23.01.2020 11:06:54	1	1	1	1	100.8	52	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	32.6875	2004
23.01.2020 11:06:55	1	1	1	1	100.8	52.5	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	33.9375	2004
23.01.2020 11:06:56	1	1	1	1	100.8	53.75	0	26208.531	612.9032258	16119.09874	30000	0	0	30000	33	2004
23.01.2020 11:06:57	1	1	1	1	100.8	53	0	26113.744	619.3548387	16117.468	30000	0	0	30000	32.875	2004
23.01.2020 11:06:58	1	1	1	1	100.8	52.75	0	26066.351	619.3548387	16058.76118	30000	0	0	30000	32.4375	2004
23.01.2020 11:06:59	1	1	1	1	100.8	52.25	0	25876.777	615.0537634	16000.05436	30000	0	0	30000	32.1875	2004
23.01.2020 11:07:00	1	1	1	1	100.5	52	0	25829.384	619.3548387	16000.05436	30000	0	0	30000	32.875	2004
23.01.2020 11:07:01	1	1	1	1	100.5	52.75	0	26066.351	621.5053763	16170.46721	30000	0	0	30000	33.375	2004
23.01.2020 11:07:02	1	1	1	1	100.5	53.25	0	25734.597	617.2043011	15828.01076	30000	0	0	30000	33.5625	2004
23.01.2020 11:07:03	1	1	1	1	100.5	53.5	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	33	2004
23.01.2020 11:07:04	1	1	1	1	100.5	53	0	25876.777	623.655914	15938.90142	30000	0	0	30000	33.125	2004
23.01.2020 11:07:05	1	1	1	1	100.5	53	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	32.625	2004
23.01.2020 11:07:06	1	1	1	1	100.5	52.5	0	25924.171	621.5053763	15970.70095	30000	0	0	30000	32	2004
23.01.2020 11:07:07	1	1	1	1	100.5	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	33.875	2004
23.01.2020 11:07:08	1	1	1	1	100.5	53.75	0	25829.384	623.655914	16053.05357	30000	0	0	30000	32.5	2004
23.01.2020 11:07:15	1	1	1	1	101.3	53.5	0	25734.597	623.655914	16163.94423	30000	0	0	30000	32.1875	2004
23.01.2020 11:07:15	1	1	1	1	101.3	53.5	0	25734.597	623.655914	16163.94423	30000	0	0	30000	32.1875	2004
23.01.2020 11:07:15	1	1	1	1	101.3	53.5	0	25734.597	623.655914	16163.94423	30000	0	0	30000	32.1875	2004
23.01.2020 11:07:15	1	1	1	1	101.3	53.5	0	25734.597	623.655914	16163.94423	30000	0	0	30000	32.1875	2004
23.01.2020 11:07:15	1	1	1	1	101.3	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	33.625	2004
23.01.2020 11:07:16	1	1	1	1	101.3	53.5	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	33.75	2004
23.01.2020 11:07:17	1	1	1	1	101.3	53.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	33.6875	2004
23.01.2020 11:07:18	1	1	1	1	101.3	53.5	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	33.5625	2004
23.01.2020 11:07:19	1	1	1	1	101.3	53.5	0	25924.171	621.5053763	16223.46642	30000	0	0	30000	33.125	2004
23.01.2020 11:07:20	1	1	1	1	101.3	53	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	33.125	2004
23.01.2020 11:07:21	1	1	1	1	101.3	53	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	32.5	2004
23.01.2020 11:07:22	1	1	1	1	101.3	52.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	33.75	2004
23.01.2020 11:07:23	1	1	1	1	101.3	53.75	0	25734.597	615.0537634	15828.01076	30000	0	0	30000	33.5625	2004
23.01.2020 11:07:24	1	1	1	1	101.3	53.5	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	32.1875	2004
23.01.2020 11:07:25	1	1	1	1	101.3	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.4375	2004
23.01.2020 11:07:26	1	1	1	1	101.3	52.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	32.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:07:27	1	1	1	1	101.3	52.25	0	25734.597	612.9032258	16053.05357	30000	0	0	30000	32.0625	2004
23.01.2020 11:07:28	1	1	1	1	101.3	52	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	33.25	2004
23.01.2020 11:07:29	1	1	1	1	101.3	53.25	0	25592.417	619.3548387	15934.82456	30000	0	0	30000	31.9375	2004
23.01.2020 11:07:30	1	1	1	1	101.3	51.75	0	25829.384	623.655914	16082.40698	30000	0	0	30000	33	2004
23.01.2020 11:07:31	1	1	1	1	100.3	53	0	25829.384	621.5053763	16053.05357	30000	0	0	30000	34	2004
23.01.2020 11:07:32	1	1	1	1	100.3	54	0	25687.204	619.3548387	15934.82456	30000	0	0	30000	32.6875	2004
23.01.2020 11:07:33	1	1	1	1	100.3	52.5	0	25734.597	619.3548387	16104.42204	30000	0	0	30000	33.3125	2004
23.01.2020 11:07:34	1	1	1	1	100.3	53.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	33.8125	2004
23.01.2020 11:07:35	1	1	1	1	100.3	53.75	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	33.75	2004
23.01.2020 11:07:36	1	1	1	1	100.3	53.75	0	25687.204	619.3548387	16215.3127	30000	0	0	30000	33.375	2004
23.01.2020 11:07:37	1	1	1	1	100.3	53	0	25639.81	623.655914	16044.89985	30000	0	0	30000	32.625	2004
23.01.2020 11:07:38	1	1	1	1	100.3	52.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	33.625	2004
23.01.2020 11:07:39	1	1	1	1	100.3	53.5	0	25734.597	623.655914	16104.42204	30000	0	0	30000	33.125	2004
23.01.2020 11:07:40	1	1	1	1	101	53	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	33.5	2004
23.01.2020 11:07:41	1	1	1	1	101	53.5	0	25734.597	612.9032258	16334.35708	30000	0	0	30000	32.625	2004
23.01.2020 11:07:42	1	1	1	1	101	52.5	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	33.625	2004
23.01.2020 11:07:43	1	1	1	1	101	53.5	0	25734.597	617.2043011	16000.05436	30000	0	0	30000	32.75	2004
23.01.2020 11:07:44	1	1	1	1	101	52.75	0	25687.204	615.0537634	15854.10268	30000	0	0	30000	32.1875	2004
23.01.2020 11:07:45	1	1	1	1	101	52	0	25924.171	617.2043011	15941.34754	30000	0	0	30000	33	2004
23.01.2020 11:07:46	1	1	1	1	101	53	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	33.625	2004
23.01.2020 11:07:47	1	1	1	1	101	53.5	0	25734.597	619.3548387	16082.40698	30000	0	0	30000	34.0625	2004
23.01.2020 11:07:48	1	1	1	1	101	54	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.9375	2004
23.01.2020 11:07:50	1	1	1	1	101	51.75	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	33.1875	2004
23.01.2020 11:07:51	1	1	1	1	99.5	53	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	32.1875	2004
23.01.2020 11:07:52	1	1	1	1	99.5	52	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	32.25	2004
23.01.2020 11:07:53	1	1	1	1	99.5	52.25	0	25734.597	619.3548387	16053.05357	30000	0	0	30000	32	2004
23.01.2020 11:07:54	1	1	1	1	99.5	52	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	31.875	2004
23.01.2020 11:07:55	1	1	1	1	99.5	51.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	34.0625	2004
23.01.2020 11:07:56	1	1	1	1	99.5	54	0	25924.171	619.3548387	15830.45688	30000	0	0	30000	32.0625	2004
23.01.2020 11:07:57	1	1	1	1	99.5	52	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.875	2004
23.01.2020 11:07:58	1	1	1	1	99.5	52.75	0	25876.777	623.655914	16048.97671	30000	0	0	30000	33.9375	2004
23.01.2020 11:07:59	1	1	1	1	99.5	53.75	0	25876.777	623.655914	16193.29764	30000	0	0	30000	33	2004
23.01.2020 11:08:00	1	1	1	1	99.5	53	0	25639.81	619.3548387	15880.1946	30000	0	0	30000	33.6875	2004
23.01.2020 11:08:01	1	1	1	1	100	53.5	0	25734.597	623.655914	15883.45609	30000	0	0	30000	32.875	2004
23.01.2020 11:08:02	1	1	1	1	100	52.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	33.0625	2004
23.01.2020 11:08:03	1	1	1	1	100	53	0	25402.844	621.5053763	15926.67083	30000	0	0	30000	31.6875	2004
23.01.2020 11:08:04	1	1	1	1	100	51.5	0	25734.597	623.655914	16048.97671	30000	0	0	30000	33.1875	2004
23.01.2020 11:08:05	1	1	1	1	100	53	0	25545.024	615.0537634	15876.11774	30000	0	0	30000	32.5625	2004
23.01.2020 11:08:06	1	1	1	1	100	52.5	0	25829.384	621.5053763	16137.85231	30000	0	0	30000	32.9375	2004
23.01.2020 11:08:07	1	1	1	1	100	52.75	0	25639.81	621.5053763	16044.89985	30000	0	0	30000	34.125	2004
23.01.2020 11:08:08	1	1	1	1	100	54	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	33.3125	2004
23.01.2020 11:08:09	1	1	1	1	100	53.25	0	25687.204	621.5053763	15993.53138	30000	0	0	30000	32.9375	2004
23.01.2020 11:08:10	1	1	1	1	100	52.75	0	25687.204	623.655914	16048.97671	30000	0	0	30000	33.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:08:16	1	1	1	1	100.5	52	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.75	2004
23.01.2020 11:08:16	1	1	1	1	100.5	52	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.75	2004
23.01.2020 11:08:16	1	1	1	1	100.5	52	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.75	2004
23.01.2020 11:08:16	1	1	1	1	100.5	52	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.75	2004
23.01.2020 11:08:16	1	1	1	1	100.5	52	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.75	2004
23.01.2020 11:08:16	1	1	1	1	100.5	52	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.75	2004
23.01.2020 11:08:17	1	1	1	1	100.5	52.75	0	25734.597	623.655914	16360.449	30000	0	0	30000	33.5625	2004
23.01.2020 11:08:18	1	1	1	1	100.5	53.5	0	25592.417	619.3548387	15880.1946	30000	0	0	30000	32.6875	2004
23.01.2020 11:08:19	1	1	1	1	100.5	52.5	0	25687.204	615.0537634	15938.90142	30000	0	0	30000	32.4375	2004
23.01.2020 11:08:20	1	1	1	1	100.5	52.25	0	25734.597	625.8064516	15993.53138	30000	0	0	30000	31.3125	2004
23.01.2020 11:08:21	1	1	1	1	100.5	51.25	0	25497.63	621.5053763	15876.11774	30000	0	0	30000	33.5	2004
23.01.2020 11:08:22	1	1	1	1	100.5	53.5	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	33.75	2004
23.01.2020 11:08:23	1	1	1	1	100.5	53.75	0	25687.204	625.8064516	16075.06863	30000	0	0	30000	33.75	2004
23.01.2020 11:08:24	1	1	1	1	100.5	53.75	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	33.625	2004
23.01.2020 11:08:25	1	1	1	1	100.5	53.5	0	25639.81	623.655914	16019.6233	30000	0	0	30000	34	2004
23.01.2020 11:08:29	1	1	1	1	100.5	53.25	0	25687.204	619.3548387	16104.42204	30000	0	0	30000	32.25	2004
23.01.2020 11:08:29	1	1	1	1	100.5	53.25	0	25687.204	619.3548387	16104.42204	30000	0	0	30000	32.25	2004
23.01.2020 11:08:29	1	1	1	1	100.5	53.25	0	25687.204	619.3548387	16104.42204	30000	0	0	30000	32.25	2004
23.01.2020 11:08:30	1	1	1	1	100.5	52.25	0	25545.024	619.3548387	15766.04245	30000	0	0	30000	34.25	2004
23.01.2020 11:08:31	1	1	1	1	100.8	54.25	0	25734.597	623.655914	15993.53138	30000	0	0	30000	32.9375	2004
23.01.2020 11:08:32	1	1	1	1	100.8	52.75	0	25450.237	625.8064516	15956.02424	30000	0	0	30000	34.3125	2004
23.01.2020 11:08:33	1	1	1	1	100.8	54.25	0	25592.417	625.8064516	15986.19303	30000	0	0	30000	33.5	2004
23.01.2020 11:08:34	1	1	1	1	100.8	53.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.875	2004
23.01.2020 11:08:35	1	1	1	1	100.8	52.75	0	25924.171	625.8064516	16223.46642	30000	0	0	30000	31.875	2004
23.01.2020 11:08:36	1	1	1	1	100.8	51.75	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	33.375	2004
23.01.2020 11:08:37	1	1	1	1	100.8	53.25	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	33.5625	2004
23.01.2020 11:08:38	1	1	1	1	100.8	53.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	32.3125	2004
23.01.2020 11:08:39	1	1	1	1	100.8	52.25	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	32.4375	2004
23.01.2020 11:08:40	1	1	1	1	100.8	52.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.125	2004
23.01.2020 11:08:41	1	1	1	1	100.8	54	0	25924.171	610.7526882	15832.903	30000	0	0	30000	32.1875	2004
23.01.2020 11:08:42	1	1	1	1	100.8	52	0	26066.351	612.9032258	15947.05515	30000	0	0	30000	31.4375	2004
23.01.2020 11:08:43	1	1	1	1	100.8	51.25	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	33.25	2004
23.01.2020 11:08:44	1	1	1	1	100.8	53.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34	2004
23.01.2020 11:08:45	1	1	1	1	100.8	54	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	33.9375	2004
23.01.2020 11:08:46	1	1	1	1	100.8	53.75	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	33.6875	2004
23.01.2020 11:08:47	1	1	1	1	100.8	53.5	0	26208.531	608.6021505	16064.46878	30000	0	0	30000	33.3125	2004
23.01.2020 11:08:48	1	1	1	1	100.8	53.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	32.75	2004
23.01.2020 11:08:49	1	1	1	1	100.8	52.75	0	26208.531	608.6021505	16006.57734	30000	0	0	30000	32.5	2004
23.01.2020 11:08:50	1	1	1	1	100.8	52.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	33.25	2004
23.01.2020 11:08:51	1	1	1	1	100.8	53.25	0	26113.744	610.7526882	15920.14785	30000	0	0	30000	33.3125	2004
23.01.2020 11:08:52	1	1	1	1	100.8	53.25	0	26113.744	615.0537634	16175.35944	30000	0	0	30000	33.9375	2004
23.01.2020 11:08:53	1	1	1	1	100.8	53.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.125	2004
23.01.2020 11:08:54	1	1	1	1	100.8	54	0	26066.351	615.0537634	16199.82062	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:08:55	1	1	1	1	100.8	53.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	33.25	2004
23.01.2020 11:08:56	1	1	1	1	100.8	53.25	0	26113.744	610.7526882	15920.14785	30000	0	0	30000	34.0625	2004
23.01.2020 11:08:57	1	1	1	1	100.8	54	0	25924.171	612.9032258	15944.60903	30000	0	0	30000	32.625	2004
23.01.2020 11:08:58	1	1	1	1	100.8	52.5	0	25924.171	619.3548387	16029.40777	30000	0	0	30000	34.0625	2004
23.01.2020 11:08:59	1	1	1	1	100.8	54	0	25876.777	617.2043011	16167.20572	30000	0	0	30000	32	2004
23.01.2020 11:09:00	1	1	1	1	101	52	0	25876.777	617.2043011	16000.05436	30000	0	0	30000	33.0625	2004
23.01.2020 11:09:01	1	1	1	1	101	53	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	32.5	2004
23.01.2020 11:09:02	1	1	1	1	101	52.5	0	25876.777	615.0537634	16111.76039	30000	0	0	30000	33	2004
23.01.2020 11:09:03	1	1	1	1	101	53	0	25734.597	623.655914	15993.53138	30000	0	0	30000	34.1875	2004
23.01.2020 11:09:04	1	1	1	1	101	54	0	25876.777	621.5053763	16223.46642	30000	0	0	30000	33.4375	2004
23.01.2020 11:09:06	1	1	1	1	101	53.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.8125	2004
23.01.2020 11:09:07	1	1	1	1	101	52.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	33.9375	2004
23.01.2020 11:09:08	1	1	1	1	101	53.75	0	25971.564	617.2043011	16115.02188	30000	0	0	30000	32.8125	2004
23.01.2020 11:09:09	1	1	1	1	101	52.75	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	32.6875	2004
23.01.2020 11:09:10	1	1	1	1	101	52.5	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	32.625	2004
23.01.2020 11:09:11	1	1	1	1	100.5	52.5	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	32.5625	2004
23.01.2020 11:09:12	1	1	1	1	100.5	52.5	0	25687.204	621.5053763	15993.53138	30000	0	0	30000	32.6875	2004
23.01.2020 11:09:18	1	1	1	1	100.5	52.5	0	25924.171	621.5053763	16000.05436	30000	0	0	30000	31.875	2004
23.01.2020 11:09:18	1	1	1	1	100.5	52.5	0	25924.171	621.5053763	16000.05436	30000	0	0	30000	31.875	2004
23.01.2020 11:09:18	1	1	1	1	100.5	52.5	0	25924.171	621.5053763	16000.05436	30000	0	0	30000	31.875	2004
23.01.2020 11:09:18	1	1	1	1	100.5	52.5	0	25924.171	621.5053763	16000.05436	30000	0	0	30000	31.875	2004
23.01.2020 11:09:18	1	1	1	1	100.5	51.75	0	25924.171	621.5053763	16000.05436	30000	0	0	30000	34.4375	2004
23.01.2020 11:09:19	1	1	1	1	100.5	54.25	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	33.75	2004
23.01.2020 11:09:20	1	1	1	1	100.5	53.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.375	2004
23.01.2020 11:09:21	1	1	1	1	100.8	52.25	0	25734.597	617.2043011	15997.60824	30000	0	0	30000	32.5625	2004
23.01.2020 11:09:22	1	1	1	1	100.8	52.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	34.3125	2004
23.01.2020 11:09:23	1	1	1	1	100.8	54.25	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	32.4375	2004
23.01.2020 11:09:24	1	1	1	1	100.8	52.25	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	32.25	2004
23.01.2020 11:09:25	1	1	1	1	100.8	52.25	0	25876.777	617.2043011	16000.05436	30000	0	0	30000	33.8125	2004
23.01.2020 11:09:26	1	1	1	1	100.8	53.75	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	33.6875	2004
23.01.2020 11:09:27	1	1	1	1	100.8	53.5	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	34.25	2004
23.01.2020 11:09:28	1	1	1	1	100.8	54.25	0	25876.777	617.2043011	16000.05436	30000	0	0	30000	34.4375	2004
23.01.2020 11:09:29	1	1	1	1	100.8	54.25	0	25734.597	615.0537634	16111.76039	30000	0	0	30000	33.0625	2004
23.01.2020 11:09:30	1	1	1	1	100.8	53	0	25734.597	610.7526882	16053.05357	30000	0	0	30000	33.4375	2004
23.01.2020 11:09:31	1	1	1	1	101.3	53.25	0	26066.351	617.2043011	16088.11459	30000	0	0	30000	34.625	2004
23.01.2020 11:09:32	1	1	1	1	101.3	54.5	0	26113.744	617.2043011	16117.468	30000	0	0	30000	34.25	2004
23.01.2020 11:09:33	1	1	1	1	101.3	54.25	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	34.1875	2004
23.01.2020 11:09:34	1	1	1	1	101.3	54.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	32.25	2004
23.01.2020 11:09:35	1	1	1	1	101.3	52.25	0	25734.597	621.5053763	15997.60824	30000	0	0	30000	34.625	2004
23.01.2020 11:09:36	1	1	1	1	101.3	54.5	0	25734.597	610.7526882	15941.34754	30000	0	0	30000	33.4375	2004
23.01.2020 11:09:37	1	1	1	1	101.3	53.25	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	33.25	2004
23.01.2020 11:09:38	1	1	1	1	101.3	53.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	34.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:09:39	1	1	1	1	101.3	54.5	0	26066.351	621.5053763	16000.05436	30000	0	0	30000	34.125	2004
23.01.2020 11:09:40	1	1	1	1	100.8	54	0	26113.744	608.6021505	16004.94659	30000	0	0	30000	33.125	2004
23.01.2020 11:09:41	1	1	1	1	100.8	53	0	26066.351	612.9032258	15920.14785	30000	0	0	30000	34.5	2004
23.01.2020 11:09:42	1	1	1	1	100.8	54.5	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	34.1875	2004
23.01.2020 11:09:43	1	1	1	1	100.8	54	0	26303.318	610.7526882	16120.72949	30000	0	0	30000	32.75	2004
23.01.2020 11:09:45	1	1	1	1	100.8	52.75	0	26255.924	615.0537634	16092.19145	30000	0	0	30000	33.75	2004
23.01.2020 11:09:46	1	1	1	1	100.8	53.75	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	34.375	2004
23.01.2020 11:09:47	1	1	1	1	100.8	54.25	0	26398.104	612.9032258	16036.74612	30000	0	0	30000	33.9375	2004
23.01.2020 11:09:48	1	1	1	1	100.8	53.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	33.25	2004
23.01.2020 11:09:49	1	1	1	1	100.8	53.25	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	33.25	2004
23.01.2020 11:09:50	1	1	1	1	100.8	53.25	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	34.4375	2004
23.01.2020 11:09:51	1	1	1	1	100.8	54.25	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	33.3125	2004
23.01.2020 11:09:52	1	1	1	1	100.8	53.25	0	26350.711	612.9032258	16120.72949	30000	0	0	30000	34.5	2004
23.01.2020 11:09:53	1	1	1	1	100.8	54.5	0	26255.924	610.7526882	16035.93075	30000	0	0	30000	33.8125	2004
23.01.2020 11:09:54	1	1	1	1	100.8	53.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	33.375	2004
23.01.2020 11:09:55	1	1	1	1	100.8	53.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	34.3125	2004
23.01.2020 11:09:56	1	1	1	1	100.8	54.25	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	34.375	2004
23.01.2020 11:09:57	1	1	1	1	100.8	54.25	0	26113.744	606.4516129	16004.94659	30000	0	0	30000	34.0625	2004
23.01.2020 11:09:58	1	1	1	1	100.8	54	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.1875	2004
23.01.2020 11:09:59	1	1	1	1	100.8	54	0	26066.351	617.2043011	16031.85389	30000	0	0	30000	33.5625	2004
23.01.2020 11:10:00	1	1	1	1	100.8	53.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.0625	2004
23.01.2020 11:10:01	1	1	1	1	101	54	0	26018.957	615.0537634	15975.59318	30000	0	0	30000	33.6875	2004
23.01.2020 11:10:02	1	1	1	1	101	53.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.3125	2004
23.01.2020 11:10:03	1	1	1	1	101	54.25	0	26208.531	615.0537634	16061.20729	30000	0	0	30000	33.875	2004
23.01.2020 11:10:04	1	1	1	1	101	53.75	0	26113.744	615.0537634	16117.468	30000	0	0	30000	34.5	2004
23.01.2020 11:10:05	1	1	1	1	101	54.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	33.625	2004
23.01.2020 11:10:06	1	1	1	1	101	53.5	0	26018.957	610.7526882	15975.59318	30000	0	0	30000	34.5625	2004
23.01.2020 11:10:07	1	1	1	1	101	54.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	33.125	2004
23.01.2020 11:10:08	1	1	1	1	101	53	0	26208.531	615.0537634	16092.19145	30000	0	0	30000	34.3125	2004
23.01.2020 11:10:09	1	1	1	1	101	54.25	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	34.375	2004
23.01.2020 11:10:10	1	1	1	1	101	54.25	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	33.375	2004
23.01.2020 11:10:11	1	1	1	1	100.8	53.25	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	33.625	2004
23.01.2020 11:10:12	1	1	1	1	100.8	54	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	33.8125	2004
23.01.2020 11:10:13	1	1	1	1	100.8	53.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.0625	2004
23.01.2020 11:10:19	1	1	1	1	100.8	54	0	26113.744	606.4516129	16004.94659	30000	0	0	30000	33.25	2004
23.01.2020 11:10:19	1	1	1	1	100.8	54	0	26113.744	606.4516129	16004.94659	30000	0	0	30000	33.25	2004
23.01.2020 11:10:19	1	1	1	1	100.8	54	0	26113.744	606.4516129	16004.94659	30000	0	0	30000	33.25	2004
23.01.2020 11:10:19	1	1	1	1	100.8	54	0	26113.744	606.4516129	16004.94659	30000	0	0	30000	33.25	2004
23.01.2020 11:10:19	1	1	1	1	100.8	53.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	33.0625	2004
23.01.2020 11:10:20	1	1	1	1	100.3	53	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.25	2004
23.01.2020 11:10:21	1	1	1	1	100.3	54.25	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	34.5625	2004
23.01.2020 11:10:23	1	1	1	1	100.3	54.5	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	34.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:10:24	1	1	1	1	100.3	54	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	34.375	2004
23.01.2020 11:10:25	1	1	1	1	100.3	54.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	33.75	2004
23.01.2020 11:10:26	1	1	1	1	100.3	53.75	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	33.6875	2004
23.01.2020 11:10:27	1	1	1	1	100.3	53.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	33.9375	2004
23.01.2020 11:10:28	1	1	1	1	100.3	53.75	0	25924.171	606.4516129	15665.75164	30000	0	0	30000	33.75	2004
23.01.2020 11:10:29	1	1	1	1	100.3	53.75	0	26255.924	612.9032258	16177.80556	30000	0	0	30000	33.6875	2004
23.01.2020 11:10:30	1	1	1	1	100.3	53.5	0	26208.531	615.0537634	16119.09874	30000	0	0	30000	32.5625	2004
23.01.2020 11:10:31	1	1	1	1	100.5	52.5	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	33.3125	2004
23.01.2020 11:10:32	1	1	1	1	100.5	53.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	33.9375	2004
23.01.2020 11:10:33	1	1	1	1	100.5	53.75	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	34.5625	2004
23.01.2020 11:10:34	1	1	1	1	100.5	54.5	0	26066.351	619.3548387	16229.17403	30000	0	0	30000	34.4375	2004
23.01.2020 11:10:35	1	1	1	1	100.5	54.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	34.625	2004
23.01.2020 11:10:36	1	1	1	1	100.5	54.5	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	34.3125	2004
23.01.2020 11:10:37	1	1	1	1	100.5	54.25	0	26350.711	612.9032258	16150.0829	30000	0	0	30000	33.25	2004
23.01.2020 11:10:38	1	1	1	1	100.5	53.25	0	26303.318	606.4516129	16179.43631	30000	0	0	30000	34	2004
23.01.2020 11:10:39	1	1	1	1	100.5	54	0	26303.318	610.7526882	15837.79523	30000	0	0	30000	34.375	2004
23.01.2020 11:10:40	1	1	1	1	100.5	54.25	0	26255.924	608.6021505	15894.05593	30000	0	0	30000	34.375	2004
23.01.2020 11:10:41	1	1	1	1	101.3	54.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	34.0625	2004
23.01.2020 11:10:42	1	1	1	1	101.3	54	0	26303.318	610.7526882	16035.93075	30000	0	0	30000	33	2004
23.01.2020 11:10:43	1	1	1	1	101.3	53	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	34.4375	2004
23.01.2020 11:10:44	1	1	1	1	101.3	54.25	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	33.25	2004
23.01.2020 11:10:45	1	1	1	1	101.3	53.25	0	26208.531	615.0537634	16062.83804	30000	0	0	30000	34.25	2004
23.01.2020 11:10:46	1	1	1	1	101.3	54.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	33.9375	2004
23.01.2020 11:10:47	1	1	1	1	101.3	53.75	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	34.0625	2004
23.01.2020 11:10:48	1	1	1	1	101.3	54	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	34.3125	2004
23.01.2020 11:10:49	1	1	1	1	101.3	54.25	0	26255.924	597.8494624	15923.40934	30000	0	0	30000	33.6875	2004
23.01.2020 11:10:50	1	1	1	1	101	54.25	0	26113.744	608.6021505	16119.09874	30000	0	0	30000	33.3125	2004
23.01.2020 11:10:51	1	1	1	1	101	53.25	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	34.5625	2004
23.01.2020 11:10:52	1	1	1	1	101	54.5	0	26303.318	606.4516129	15922.59397	30000	0	0	30000	33.8125	2004
23.01.2020 11:10:53	1	1	1	1	101	53.75	0	26303.318	608.6021505	15894.05593	30000	0	0	30000	34.1875	2004
23.01.2020 11:10:54	1	1	1	1	101	54	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	34.8125	2004
23.01.2020 11:10:55	1	1	1	1	101	54.75	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	33	2004
23.01.2020 11:10:56	1	1	1	1	101	53	0	26303.318	610.7526882	16093.82219	30000	0	0	30000	34.375	2004
23.01.2020 11:10:57	1	1	1	1	101	54.25	0	26303.318	610.7526882	16120.72949	30000	0	0	30000	33.375	2004
23.01.2020 11:10:58	1	1	1	1	101	53.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	33.5	2004
23.01.2020 11:10:59	1	1	1	1	101	53.5	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	34.4375	2004
23.01.2020 11:11:01	1	1	1	1	100.8	54.25	0	26255.924	606.4516129	15922.59397	30000	0	0	30000	33.0625	2004
23.01.2020 11:11:02	1	1	1	1	100.8	53	0	26350.711	604.3010753	16065.28416	30000	0	0	30000	34.625	2004
23.01.2020 11:11:03	1	1	1	1	100.8	54.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	33.625	2004
23.01.2020 11:11:04	1	1	1	1	100.8	53.5	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	34.375	2004
23.01.2020 11:11:05	1	1	1	1	100.8	54.25	0	26113.744	608.6021505	15978.85467	30000	0	0	30000	34.3125	2004
23.01.2020 11:11:06	1	1	1	1	100.8	54.25	0	26398.104	610.7526882	16093.82219	30000	0	0	30000	33.5625	2004
23.01.2020 11:11:07	1	1	1	1	100.8	53.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	33.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:11:08	1	1	1	1	100.8	53.75	0	26018.957	606.4516129	15779.08841	30000	0	0	30000	33.3125	2004
23.01.2020 11:11:09	1	1	1	1	100.8	53.25	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	33.875	2004
23.01.2020 11:11:10	1	1	1	1	100.8	53.75	0	26208.531	606.4516129	16008.20808	30000	0	0	30000	34.3125	2004
23.01.2020 11:11:11	1	1	1	1	100.3	54.25	0	26113.744	606.4516129	15894.05593	30000	0	0	30000	34.375	2004
23.01.2020 11:11:12	1	1	1	1	100.3	54.25	0	26208.531	608.6021505	16064.46878	30000	0	0	30000	34.75	2004
23.01.2020 11:11:13	1	1	1	1	100.3	54.75	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	34.3125	2004
23.01.2020 11:11:14	1	1	1	1	100.3	54.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	33.5625	2004
23.01.2020 11:11:15	1	1	1	1	100.3	53.5	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	34.5	2004
23.01.2020 11:11:21	1	1	1	1	100.5	54.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.25	2004
23.01.2020 11:11:21	1	1	1	1	100.5	54.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.25	2004
23.01.2020 11:11:21	1	1	1	1	100.5	54.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.25	2004
23.01.2020 11:11:21	1	1	1	1	100.5	54.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.25	2004
23.01.2020 11:11:21	1	1	1	1	100.5	54.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.25	2004
23.01.2020 11:11:21	1	1	1	1	100.5	54.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.25	2004
23.01.2020 11:11:22	1	1	1	1	100.5	54.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	34.625	2004
23.01.2020 11:11:23	1	1	1	1	100.5	54.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	34.8125	2004
23.01.2020 11:11:24	1	1	1	1	100.5	54.75	0	26255.924	610.7526882	15950.31664	30000	0	0	30000	33.9375	2004
23.01.2020 11:11:25	1	1	1	1	100.5	53.75	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	34.875	2004
23.01.2020 11:11:26	1	1	1	1	100.5	54.75	0	26113.744	612.9032258	16062.83804	30000	0	0	30000	34.625	2004
23.01.2020 11:11:27	1	1	1	1	100.5	54.5	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	34.4375	2004
23.01.2020 11:11:28	1	1	1	1	100.5	53.75	0	26113.744	606.4516129	16006.57734	30000	0	0	30000	34.1875	2004
23.01.2020 11:11:29	1	1	1	1	100.5	54	0	26208.531	606.4516129	15892.42519	30000	0	0	30000	34	2004
23.01.2020 11:11:30	1	1	1	1	100.8	54	0	26113.744	608.6021505	16006.57734	30000	0	0	30000	34.25	2004
23.01.2020 11:11:31	1	1	1	1	100.8	54.25	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	34	2004
23.01.2020 11:11:32	1	1	1	1	100.8	54	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	33.5625	2004
23.01.2020 11:11:33	1	1	1	1	100.8	53.5	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	34.8125	2004
23.01.2020 11:11:34	1	1	1	1	100.8	54.75	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	34.875	2004
23.01.2020 11:11:35	1	1	1	1	100.8	54.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.75	2004
23.01.2020 11:11:36	1	1	1	1	100.8	54.75	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	34	2004
23.01.2020 11:11:37	1	1	1	1	100.8	54	0	26066.351	610.7526882	15890.79444	30000	0	0	30000	33.9375	2004
23.01.2020 11:11:39	1	1	1	1	100.8	53.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	34.9375	2004
23.01.2020 11:11:40	1	1	1	1	100.8	54.75	0	26303.318	604.3010753	16064.46878	30000	0	0	30000	34.5625	2004
23.01.2020 11:11:41	1	1	1	1	101	54.5	0	26350.711	608.6021505	16122.36023	30000	0	0	30000	33.4375	2004
23.01.2020 11:11:42	1	1	1	1	101	53.25	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	34.625	2004
23.01.2020 11:11:43	1	1	1	1	101	54.5	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	34.25	2004
23.01.2020 11:11:44	1	1	1	1	101	54.25	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	34.8125	2004
23.01.2020 11:11:45	1	1	1	1	101	54.75	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	34.75	2004
23.01.2020 11:11:46	1	1	1	1	101	54.75	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	33.9375	2004
23.01.2020 11:11:47	1	1	1	1	101	53.75	0	26208.531	606.4516129	15837.79523	30000	0	0	30000	34.875	2004
23.01.2020 11:11:48	1	1	1	1	101	54.75	0	26398.104	612.9032258	15923.40934	30000	0	0	30000	34.8125	2004
23.01.2020 11:11:49	1	1	1	1	101	54.75	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	34.875	2004
23.01.2020 11:11:50	1	1	1	1	101	54.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	34.5625	2004
23.01.2020 11:11:51	1	1	1	1	101.5	54.5	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	34.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:11:52	1	1	1	1	101.5	54.25	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	34.9375	2004
23.01.2020 11:11:53	1	1	1	1	101.5	54.75	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	34.4375	2004
23.01.2020 11:11:54	1	1	1	1	101.5	54.25	0	26398.104	608.6021505	15923.40934	30000	0	0	30000	33.875	2004
23.01.2020 11:11:55	1	1	1	1	101.5	53.75	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	34.6875	2004
23.01.2020 11:11:56	1	1	1	1	101.5	54.5	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	34.75	2004
23.01.2020 11:11:57	1	1	1	1	101.5	54.75	0	26303.318	606.4516129	15922.59397	30000	0	0	30000	33.25	2004
23.01.2020 11:11:58	1	1	1	1	101.5	53.25	0	26445.498	604.3010753	15838.61061	30000	0	0	30000	34.875	2004
23.01.2020 11:11:59	1	1	1	1	101.5	54.75	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	34.875	2004
23.01.2020 11:12:00	1	1	1	1	101.5	54.75	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	34.8125	2004
23.01.2020 11:12:01	1	1	1	1	102	54.75	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	34.375	2004
23.01.2020 11:12:02	1	1	1	1	102	54.25	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	33.125	2004
23.01.2020 11:12:03	1	1	1	1	102	53	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	34.5625	2004
23.01.2020 11:12:04	1	1	1	1	102	54.5	0	26303.318	612.9032258	16062.83804	30000	0	0	30000	34.5	2004
23.01.2020 11:12:05	1	1	1	1	102	54.5	0	26398.104	610.7526882	16122.36023	30000	0	0	30000	35.1875	2004
23.01.2020 11:12:06	1	1	1	1	102	55	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	35.0625	2004
23.01.2020 11:12:07	1	1	1	1	102	55	0	25876.777	612.9032258	15830.45688	30000	0	0	30000	33.6875	2004
23.01.2020 11:12:08	1	1	1	1	102	54.75	0	25924.171	604.3010753	15947.05515	30000	0	0	30000	34.875	2004
23.01.2020 11:12:09	1	1	1	1	102	54.75	0	26018.957	610.7526882	15947.05515	30000	0	0	30000	33.6875	2004
23.01.2020 11:12:10	1	1	1	1	101.8	53.5	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	34.625	2004
23.01.2020 11:12:11	1	1	1	1	101.8	54.5	0	26208.531	612.9032258	16177.80556	30000	0	0	30000	33.75	2004
23.01.2020 11:12:12	1	1	1	1	101.8	53.75	0	26303.318	615.0537634	15836.16449	30000	0	0	30000	34.875	2004
23.01.2020 11:12:13	1	1	1	1	101.8	54.75	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	34.875	2004
23.01.2020 11:12:14	1	1	1	1	101.8	54.75	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	33.6875	2004
23.01.2020 11:12:15	1	1	1	1	101.8	53.5	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	34.875	2004
23.01.2020 11:12:17	1	1	1	1	101.8	54.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.4375	2004
23.01.2020 11:12:23	1	1	1	1	102.3	54	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	34.9375	2004
23.01.2020 11:12:23	1	1	1	1	102.3	54	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	34.9375	2004
23.01.2020 11:12:23	1	1	1	1	102.3	54	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	34.9375	2004
23.01.2020 11:12:23	1	1	1	1	102.3	54	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	34.9375	2004
23.01.2020 11:12:23	1	1	1	1	102.3	54	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	34.9375	2004
23.01.2020 11:12:23	1	1	1	1	102.3	54.75	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	32.375	2004
23.01.2020 11:12:24	1	1	1	1	102.3	52.25	0	26208.531	615.0537634	16117.468	30000	0	0	30000	34.5625	2004
23.01.2020 11:12:25	1	1	1	1	102.3	54.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.875	2004
23.01.2020 11:12:26	1	1	1	1	102.3	54.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	34.3125	2004
23.01.2020 11:12:27	1	1	1	1	102.3	54.25	0	26113.744	612.9032258	16175.35944	30000	0	0	30000	33.9375	2004
23.01.2020 11:12:28	1	1	1	1	102.3	53.75	0	26208.531	615.0537634	16119.09874	30000	0	0	30000	34.25	2004
23.01.2020 11:12:29	1	1	1	1	102.3	54.25	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	35.0625	2004
23.01.2020 11:12:30	1	1	1	1	102.3	55	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	34.875	2004
23.01.2020 11:12:31	1	1	1	1	102	54.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	34.875	2004
23.01.2020 11:12:32	1	1	1	1	102	54.75	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	34.125	2004
23.01.2020 11:12:33	1	1	1	1	102	54	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.125	2004
23.01.2020 11:12:34	1	1	1	1	102	54	0	26255.924	608.6021505	15978.85467	30000	0	0	30000	34.5625	2004
23.01.2020 11:12:35	1	1	1	1	102	54.5	0	26255.924	606.4516129	15922.59397	30000	0	0	30000	33.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:12:36	1	1	1	1	102	53.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.3125	2004
23.01.2020 11:12:37	1	1	1	1	102	54.25	0	26018.957	619.3548387	15888.34833	30000	0	0	30000	34.9375	2004
23.01.2020 11:12:38	1	1	1	1	102	54.75	0	26303.318	612.9032258	16092.19145	30000	0	0	30000	34	2004
23.01.2020 11:12:39	1	1	1	1	102	54	0	26113.744	610.7526882	16092.19145	30000	0	0	30000	34.75	2004
23.01.2020 11:12:40	1	1	1	1	102	54.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	33.5625	2004
23.01.2020 11:12:41	1	1	1	1	102.3	53.5	0	26113.744	606.4516129	16004.94659	30000	0	0	30000	34.5	2004
23.01.2020 11:12:42	1	1	1	1	102.3	54.5	0	26208.531	608.6021505	15892.42519	30000	0	0	30000	34.5625	2004
23.01.2020 11:12:43	1	1	1	1	102.3	54.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.875	2004
23.01.2020 11:12:44	1	1	1	1	102.3	54.75	0	26255.924	610.7526882	16035.93075	30000	0	0	30000	34.6875	2004
23.01.2020 11:12:45	1	1	1	1	102.3	54.5	0	26303.318	610.7526882	15837.79523	30000	0	0	30000	33.6875	2004
23.01.2020 11:12:46	1	1	1	1	102.3	53.5	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	34.875	2004
23.01.2020 11:12:47	1	1	1	1	102.3	54.75	0	26255.924	608.6021505	15978.85467	30000	0	0	30000	34.4375	2004
23.01.2020 11:12:48	1	1	1	1	102.3	54.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	34.6875	2004
23.01.2020 11:12:49	1	1	1	1	102.3	54.5	0	26303.318	602.1505376	16036.74612	30000	0	0	30000	35.125	2004
23.01.2020 11:12:50	1	1	1	1	102.8	55	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.875	2004
23.01.2020 11:12:51	1	1	1	1	102.8	54.75	0	26255.924	612.9032258	16092.19145	30000	0	0	30000	34.6875	2004
23.01.2020 11:12:52	1	1	1	1	102.8	54.5	0	25924.171	612.9032258	15947.05515	30000	0	0	30000	33.125	2004
23.01.2020 11:12:53	1	1	1	1	102.8	53	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	33.625	2004
23.01.2020 11:12:55	1	1	1	1	102.8	53.5	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	34.4375	2004
23.01.2020 11:12:56	1	1	1	1	102.8	54.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.625	2004
23.01.2020 11:12:57	1	1	1	1	102.8	54.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.625	2004
23.01.2020 11:12:58	1	1	1	1	102.8	54.5	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	34.875	2004
23.01.2020 11:12:59	1	1	1	1	102.8	54.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.8125	2004
23.01.2020 11:13:00	1	1	1	1	102.8	54.75	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	34.9375	2004
23.01.2020 11:13:01	1	1	1	1	102.5	54.75	0	26066.351	612.9032258	15832.903	30000	0	0	30000	34.375	2004
23.01.2020 11:13:02	1	1	1	1	102.5	54.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.75	2004
23.01.2020 11:13:03	1	1	1	1	102.5	54.75	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	34.5	2004
23.01.2020 11:13:04	1	1	1	1	102.5	54.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	35.25	2004
23.01.2020 11:13:05	1	1	1	1	102.5	55.25	0	26066.351	612.9032258	16004.94659	30000	0	0	30000	34.25	2004
23.01.2020 11:13:06	1	1	1	1	102.5	54.25	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	34.625	2004
23.01.2020 11:13:07	1	1	1	1	102.5	54.5	0	26066.351	617.2043011	16088.11459	30000	0	0	30000	35.1875	2004
23.01.2020 11:13:08	1	1	1	1	102.5	55	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	35.0625	2004
23.01.2020 11:13:09	1	1	1	1	102.5	55	0	25876.777	617.2043011	16000.05436	30000	0	0	30000	35.0625	2004
23.01.2020 11:13:10	1	1	1	1	102.5	55	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	33.9375	2004
23.01.2020 11:13:11	1	1	1	1	103	53.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	34.0625	2004
23.01.2020 11:13:12	1	1	1	1	103	54	0	25734.597	615.0537634	15941.34754	30000	0	0	30000	33.875	2004
23.01.2020 11:13:13	1	1	1	1	103	53.75	0	26113.744	617.2043011	16117.468	30000	0	0	30000	34.875	2004
23.01.2020 11:13:14	1	1	1	1	103	54.75	0	26066.351	615.0537634	16061.20729	30000	0	0	30000	34.875	2004
23.01.2020 11:13:15	1	1	1	1	103	54.75	0	26066.351	615.0537634	16117.468	30000	0	0	30000	35.1875	2004
23.01.2020 11:13:16	1	1	1	1	103	55	0	25971.564	612.9032258	15947.05515	30000	0	0	30000	33.125	2004
23.01.2020 11:13:17	1	1	1	1	103	53	0	26066.351	612.9032258	16004.94659	30000	0	0	30000	34.875	2004
23.01.2020 11:13:18	1	1	1	1	103	54.75	0	26255.924	615.0537634	16177.80556	30000	0	0	30000	34.3125	2004
23.01.2020 11:13:24	1	1	1	1	102.5	54.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	35.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:13:24	1	1	1	1	102.5	54.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	35.5	2004
23.01.2020 11:13:24	1	1	1	1	102.5	54.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	35.5	2004
23.01.2020 11:13:24	1	1	1	1	102.5	55.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.8125	2004
23.01.2020 11:13:24	1	1	1	1	102.5	55.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.8125	2004
23.01.2020 11:13:24	1	1	1	1	102.5	55.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.8125	2004
23.01.2020 11:13:25	1	1	1	1	102.5	55	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	34.1875	2004
23.01.2020 11:13:26	1	1	1	1	102.5	54	0	26018.957	615.0537634	16199.82062	30000	0	0	30000	33.9375	2004
23.01.2020 11:13:27	1	1	1	1	102.5	53.75	0	25734.597	612.9032258	15772.56543	30000	0	0	30000	34.3125	2004
23.01.2020 11:13:28	1	1	1	1	102.5	54.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	34.375	2004
23.01.2020 11:13:29	1	1	1	1	102.5	54.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	34.375	2004
23.01.2020 11:13:30	1	1	1	1	103.3	54.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.625	2004
23.01.2020 11:13:31	1	1	1	1	103.3	54.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	33.5625	2004
23.01.2020 11:13:33	1	1	1	1	103.3	53.5	0	26113.744	608.6021505	16004.94659	30000	0	0	30000	34.1875	2004
23.01.2020 11:13:34	1	1	1	1	103.3	54	0	26066.351	615.0537634	16002.50048	30000	0	0	30000	35	2004
23.01.2020 11:13:35	1	1	1	1	103.3	55	0	26113.744	617.2043011	16117.468	30000	0	0	30000	35.1875	2004
23.01.2020 11:13:36	1	1	1	1	103.3	55	0	26018.957	615.0537634	15888.34833	30000	0	0	30000	33.3125	2004
23.01.2020 11:13:37	1	1	1	1	103.3	53.25	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	34.875	2004
23.01.2020 11:13:38	1	1	1	1	103.3	54.75	0	25829.384	610.7526882	15888.34833	30000	0	0	30000	35.25	2004
23.01.2020 11:13:39	1	1	1	1	103.3	55.25	0	25924.171	621.5053763	15888.34833	30000	0	0	30000	34.25	2004
23.01.2020 11:13:40	1	1	1	1	103.3	54.25	0	25876.777	612.9032258	15859.81029	30000	0	0	30000	35.125	2004
23.01.2020 11:13:41	1	1	1	1	102.8	55	0	25924.171	617.2043011	15944.60903	30000	0	0	30000	35.0625	2004
23.01.2020 11:13:42	1	1	1	1	102.8	55	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	34.5	2004
23.01.2020 11:13:43	1	1	1	1	102.8	54.5	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	34.8125	2004
23.01.2020 11:13:44	1	1	1	1	102.8	54.75	0	26208.531	617.2043011	16175.35944	30000	0	0	30000	34.1875	2004
23.01.2020 11:13:45	1	1	1	1	102.8	54	0	26208.531	617.2043011	16175.35944	30000	0	0	30000	34.75	2004
23.01.2020 11:13:46	1	1	1	1	102.8	54.75	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	34.75	2004
23.01.2020 11:13:47	1	1	1	1	102.8	54.75	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	34.875	2004
23.01.2020 11:13:48	1	1	1	1	102.8	54.75	0	26113.744	617.2043011	16004.94659	30000	0	0	30000	34.8125	2004
23.01.2020 11:13:49	1	1	1	1	102.8	54.75	0	26113.744	615.0537634	16062.83804	30000	0	0	30000	35.125	2004
23.01.2020 11:13:50	1	1	1	1	102.8	55	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.9375	2004
23.01.2020 11:13:51	1	1	1	1	102.5	54.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.875	2004
23.01.2020 11:13:52	1	1	1	1	102.5	54.75	0	26066.351	610.7526882	15947.05515	30000	0	0	30000	34.125	2004
23.01.2020 11:13:53	1	1	1	1	102.5	54	0	26303.318	612.9032258	16062.83804	30000	0	0	30000	35	2004
23.01.2020 11:13:54	1	1	1	1	102.5	55	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	34.5625	2004
23.01.2020 11:13:55	1	1	1	1	102.5	54.5	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	34.5	2004
23.01.2020 11:13:56	1	1	1	1	102.5	54.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	35.0625	2004
23.01.2020 11:13:57	1	1	1	1	102.5	55	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	35.0625	2004
23.01.2020 11:13:58	1	1	1	1	102.5	55	0	26018.957	608.6021505	16004.94659	30000	0	0	30000	35.375	2004
23.01.2020 11:13:59	1	1	1	1	102.5	55.25	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	34.5625	2004
23.01.2020 11:14:00	1	1	1	1	102.5	54.5	0	26113.744	615.0537634	16117.468	30000	0	0	30000	35.25	2004
23.01.2020 11:14:01	1	1	1	1	103.5	55.25	0	25924.171	615.0537634	15832.903	30000	0	0	30000	35.125	2004
23.01.2020 11:14:02	1	1	1	1	103.5	55	0	26113.744	615.0537634	16031.85389	30000	0	0	30000	35.125	2004
23.01.2020 11:14:03	1	1	1	1	103.5	55	0	25876.777	615.0537634	16000.05436	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:14:04	1	1	1	1	103.5	55	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	35	2004
23.01.2020 11:14:05	1	1	1	1	103.5	55	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	34.5	2004
23.01.2020 11:14:06	1	1	1	1	103.5	54.5	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	34.875	2004
23.01.2020 11:14:07	1	1	1	1	103.5	54.75	0	26018.957	617.2043011	16000.05436	30000	0	0	30000	34.9375	2004
23.01.2020 11:14:08	1	1	1	1	103.5	54.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	34.5	2004
23.01.2020 11:14:09	1	1	1	1	103.5	54.5	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	35.1875	2004
23.01.2020 11:14:10	1	1	1	1	102.8	55	0	25924.171	615.0537634	15830.45688	30000	0	0	30000	34.875	2004
23.01.2020 11:14:11	1	1	1	1	102.8	54.75	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	34.9375	2004
23.01.2020 11:14:12	1	1	1	1	102.8	54.75	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	34.625	2004
23.01.2020 11:14:14	1	1	1	1	102.8	54.5	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	34.875	2004
23.01.2020 11:14:15	1	1	1	1	102.8	54.75	0	26066.351	615.0537634	16061.20729	30000	0	0	30000	33.4375	2004
23.01.2020 11:14:16	1	1	1	1	102.8	53.25	0	26113.744	621.5053763	16117.468	30000	0	0	30000	34.8125	2004
23.01.2020 11:14:17	1	1	1	1	102.8	54.75	0	26066.351	610.7526882	15890.79444	30000	0	0	30000	33.875	2004
23.01.2020 11:14:18	1	1	1	1	102.8	53.75	0	26303.318	615.0537634	16177.80556	30000	0	0	30000	35.3125	2004
23.01.2020 11:14:19	1	1	1	1	102.8	55.25	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	34.6875	2004
23.01.2020 11:14:20	1	1	1	1	102.8	54.5	0	25971.564	615.0537634	16058.76118	30000	0	0	30000	35.25	2004
23.01.2020 11:14:26	1	1	1	1	102.5	54.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.6875	2004
23.01.2020 11:14:26	1	1	1	1	102.5	54.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.6875	2004
23.01.2020 11:14:26	1	1	1	1	102.5	54.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.6875	2004
23.01.2020 11:14:26	1	1	1	1	102.5	54.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.6875	2004
23.01.2020 11:14:26	1	1	1	1	102.5	54.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.6875	2004
23.01.2020 11:14:26	1	1	1	1	102.5	54.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	34.6875	2004
23.01.2020 11:14:27	1	1	1	1	102.5	54.5	0	26255.924	610.7526882	15950.31664	30000	0	0	30000	35.1875	2004
23.01.2020 11:14:28	1	1	1	1	102.5	55	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	34.875	2004
23.01.2020 11:14:29	1	1	1	1	102.5	54.75	0	26398.104	608.6021505	16009.02346	30000	0	0	30000	35.125	2004
23.01.2020 11:14:30	1	1	1	1	102.5	55	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	35	2004
23.01.2020 11:14:31	1	1	1	1	103.3	55	0	26350.711	608.6021505	16065.28416	30000	0	0	30000	34.6875	2004
23.01.2020 11:14:32	1	1	1	1	103.3	54.5	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	35.25	2004
23.01.2020 11:14:33	1	1	1	1	103.3	55.25	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	34.6875	2004
23.01.2020 11:14:34	1	1	1	1	103.3	54.5	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	34.9375	2004
23.01.2020 11:14:35	1	1	1	1	103.3	54.75	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	34.875	2004
23.01.2020 11:14:36	1	1	1	1	103.3	54.75	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	35.1875	2004
23.01.2020 11:14:37	1	1	1	1	103.3	55	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	34.1875	2004
23.01.2020 11:14:38	1	1	1	1	103.3	54	0	26208.531	608.6021505	16035.93075	30000	0	0	30000	35.0625	2004
23.01.2020 11:14:39	1	1	1	1	103.3	55	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	35.4375	2004
23.01.2020 11:14:40	1	1	1	1	103.3	55.25	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	35.25	2004
23.01.2020 11:14:41	1	1	1	1	102.8	55.25	0	26350.711	612.9032258	16150.0829	30000	0	0	30000	35.125	2004
23.01.2020 11:14:42	1	1	1	1	102.8	55	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	35.75	2004
23.01.2020 11:14:43	1	1	1	1	102.8	55	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	35	2004
23.01.2020 11:14:44	1	1	1	1	102.8	55	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	34.8125	2004
23.01.2020 11:14:45	1	1	1	1	102.8	54.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.25	2004
23.01.2020 11:14:46	1	1	1	1	102.8	54.25	0	26398.104	600	16180.25168	30000	0	0	30000	34.875	2004
23.01.2020 11:14:47	1	1	1	1	102.8	54.75	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	35.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:14:48	1	1	1	1	102.8	55.5	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	34.875	2004
23.01.2020 11:14:49	1	1	1	1	102.8	54.75	0	26113.744	602.1505376	15836.16449	30000	0	0	30000	35.375	2004
23.01.2020 11:14:50	1	1	1	1	103	55.25	0	26208.531	606.4516129	15892.42519	30000	0	0	30000	35.125	2004
23.01.2020 11:14:51	1	1	1	1	103	55	0	26255.924	610.7526882	15950.31664	30000	0	0	30000	35.1875	2004
23.01.2020 11:14:53	1	1	1	1	103	55	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	35.125	2004
23.01.2020 11:14:54	1	1	1	1	103	55	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.4375	2004
23.01.2020 11:14:55	1	1	1	1	103	55.25	0	26113.744	606.4516129	15779.90379	30000	0	0	30000	34.625	2004
23.01.2020 11:14:56	1	1	1	1	103	54.5	0	26113.744	602.1505376	15948.68589	30000	0	0	30000	35	2004
23.01.2020 11:14:57	1	1	1	1	103	55	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	35.4375	2004
23.01.2020 11:14:58	1	1	1	1	103	55.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	33.9375	2004
23.01.2020 11:14:59	1	1	1	1	103	53.75	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	34.6875	2004
23.01.2020 11:15:00	1	1	1	1	103	54.5	0	26303.318	612.9032258	16092.19145	30000	0	0	30000	35.1875	2004
23.01.2020 11:15:01	1	1	1	1	103.3	55	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	35.0625	2004
23.01.2020 11:15:02	1	1	1	1	103.3	55	0	26066.351	610.7526882	16004.94659	30000	0	0	30000	35.375	2004
23.01.2020 11:15:03	1	1	1	1	103.3	55.25	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	34.6875	2004
23.01.2020 11:15:04	1	1	1	1	103.3	54.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	34.5	2004
23.01.2020 11:15:05	1	1	1	1	103.3	54.5	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	35.25	2004
23.01.2020 11:15:06	1	1	1	1	103.3	55.25	0	25876.777	612.9032258	15830.45688	30000	0	0	30000	35.5	2004
23.01.2020 11:15:07	1	1	1	1	103.3	55.5	0	26113.744	615.0537634	16175.35944	30000	0	0	30000	34.8125	2004
23.01.2020 11:15:08	1	1	1	1	103.3	54.75	0	26066.351	612.9032258	15920.14785	30000	0	0	30000	35.125	2004
23.01.2020 11:15:09	1	1	1	1	103.3	55	0	26208.531	615.0537634	16204.71285	30000	0	0	30000	35.5625	2004
23.01.2020 11:15:10	1	1	1	1	103.3	55.5	0	25924.171	612.9032258	15944.60903	30000	0	0	30000	35.5625	2004
23.01.2020 11:15:11	1	1	1	1	102.8	55.5	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	34.875	2004
23.01.2020 11:15:12	1	1	1	1	102.8	54.75	0	26113.744	615.0537634	16117.468	30000	0	0	30000	35.0625	2004
23.01.2020 11:15:13	1	1	1	1	102.8	55	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	35.5625	2004
23.01.2020 11:15:14	1	1	1	1	102.8	55.5	0	26018.957	617.2043011	16088.11459	30000	0	0	30000	34.875	2004
23.01.2020 11:15:15	1	1	1	1	102.8	54.75	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	34.875	2004
23.01.2020 11:15:16	1	1	1	1	102.8	54.75	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	35.4375	2004
23.01.2020 11:15:17	1	1	1	1	102.8	55.25	0	25924.171	606.4516129	15888.34833	30000	0	0	30000	35.125	2004
23.01.2020 11:15:18	1	1	1	1	102.8	55	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	34.9375	2004
23.01.2020 11:15:19	1	1	1	1	102.8	54.75	0	26113.744	617.2043011	16088.11459	30000	0	0	30000	35.0625	2004
23.01.2020 11:15:20	1	1	1	1	102.8	55	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	35.375	2004
23.01.2020 11:15:21	1	1	1	1	102.8	55.25	0	26066.351	617.2043011	16199.82062	30000	0	0	30000	35	2004
23.01.2020 11:15:27	1	1	1	1	102.8	54.25	0	25924.171	610.7526882	15832.903	30000	0	0	30000	34.875	2004
23.01.2020 11:15:27	1	1	1	1	102.8	54.25	0	25924.171	610.7526882	15832.903	30000	0	0	30000	34.875	2004
23.01.2020 11:15:27	1	1	1	1	102.8	54.25	0	25924.171	610.7526882	15832.903	30000	0	0	30000	34.875	2004
23.01.2020 11:15:27	1	1	1	1	102.8	54.25	0	25924.171	610.7526882	15832.903	30000	0	0	30000	34.875	2004
23.01.2020 11:15:27	1	1	1	1	102.8	54.25	0	25924.171	610.7526882	15832.903	30000	0	0	30000	34.875	2004
23.01.2020 11:15:27	1	1	1	1	102.8	54.75	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	35.4375	2004
23.01.2020 11:15:28	1	1	1	1	102.8	55.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	35.25	2004
23.01.2020 11:15:29	1	1	1	1	102.8	55.25	0	26066.351	612.9032258	16031.85389	30000	0	0	30000	34.875	2004
23.01.2020 11:15:31	1	1	1	1	101.8	54.75	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	35.125	2004
23.01.2020 11:15:32	1	1	1	1	101.8	55	0	25734.597	610.7526882	15717.1201	30000	0	0	30000	35	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:15:33	1	1	1	1	101.8	55	0	26113.744	615.0537634	16117.468	30000	0	0	30000	34	2004
23.01.2020 11:15:34	1	1	1	1	101.8	54	0	25924.171	621.5053763	15970.70095	30000	0	0	30000	35.0625	2004
23.01.2020 11:15:35	1	1	1	1	101.8	55	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	35.125	2004
23.01.2020 11:15:36	1	1	1	1	101.8	55	0	26066.351	615.0537634	15947.05515	30000	0	0	30000	34.9375	2004
23.01.2020 11:15:37	1	1	1	1	101.8	54.75	0	26018.957	619.3548387	16000.05436	30000	0	0	30000	35.625	2004
23.01.2020 11:15:38	1	1	1	1	101.8	55.5	0	26066.351	619.3548387	15975.59318	30000	0	0	30000	35	2004
23.01.2020 11:15:39	1	1	1	1	101.8	55	0	26113.744	610.7526882	15836.16449	30000	0	0	30000	35.3125	2004
23.01.2020 11:15:40	1	1	1	1	101.8	55.25	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	34.875	2004
23.01.2020 11:15:41	1	1	1	1	102	54.75	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	35.3125	2004
23.01.2020 11:15:42	1	1	1	1	102	55.25	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	34.3125	2004
23.01.2020 11:15:43	1	1	1	1	102	54.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	35.5	2004
23.01.2020 11:15:44	1	1	1	1	102	55.5	0	26208.531	615.0537634	16062.83804	30000	0	0	30000	35.375	2004
23.01.2020 11:15:45	1	1	1	1	102	55.25	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	34.875	2004
23.01.2020 11:15:46	1	1	1	1	102	54.75	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	34.6875	2004
23.01.2020 11:15:47	1	1	1	1	102	54.5	0	26066.351	621.5053763	16002.50048	30000	0	0	30000	35.25	2004
23.01.2020 11:15:48	1	1	1	1	102	55.25	0	26208.531	617.2043011	16119.09874	30000	0	0	30000	35.6875	2004
23.01.2020 11:15:49	1	1	1	1	102	55.5	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	35.625	2004
23.01.2020 11:15:50	1	1	1	1	102	55.5	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	34.9375	2004
23.01.2020 11:15:51	1	1	1	1	102.3	54.75	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	35.4375	2004
23.01.2020 11:15:52	1	1	1	1	102.3	55.25	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	35.0625	2004
23.01.2020 11:15:53	1	1	1	1	102.3	55	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	35.6875	2004
23.01.2020 11:15:54	1	1	1	1	102.3	55.5	0	26066.351	617.2043011	16002.50048	30000	0	0	30000	34.6875	2004
23.01.2020 11:15:55	1	1	1	1	102.3	54.5	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	35.375	2004
23.01.2020 11:15:56	1	1	1	1	102.3	55.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	34.6875	2004
23.01.2020 11:15:57	1	1	1	1	102.3	54.5	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	36	2004
23.01.2020 11:15:58	1	1	1	1	102.3	56	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	35.6875	2004
23.01.2020 11:15:59	1	1	1	1	102.3	55.5	0	25924.171	615.0537634	16058.76118	30000	0	0	30000	35.5	2004
23.01.2020 11:16:00	1	1	1	1	102.3	55.5	0	26113.744	617.2043011	16117.468	30000	0	0	30000	35.5625	2004
23.01.2020 11:16:01	1	1	1	1	102.5	54.5	0	25734.597	615.0537634	15828.01076	30000	0	0	30000	35.6875	2004
23.01.2020 11:16:02	1	1	1	1	102.5	55.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	35.5	2004
23.01.2020 11:16:03	1	1	1	1	102.5	55.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	35.5	2004
23.01.2020 11:16:04	1	1	1	1	102.5	55.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	35.625	2004
23.01.2020 11:16:05	1	1	1	1	102.5	55.5	0	26018.957	621.5053763	16088.11459	30000	0	0	30000	35.4375	2004
23.01.2020 11:16:06	1	1	1	1	102.5	55.25	0	25971.564	615.0537634	15944.60903	30000	0	0	30000	35.875	2004
23.01.2020 11:16:07	1	1	1	1	102.5	55.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	35.6875	2004
23.01.2020 11:16:09	1	1	1	1	102.5	55.5	0	26113.744	621.5053763	15975.59318	30000	0	0	30000	34.6875	2004
23.01.2020 11:16:10	1	1	1	1	102.5	54.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	35.75	2004
23.01.2020 11:16:11	1	1	1	1	102.3	55.75	0	25924.171	612.9032258	16000.05436	30000	0	0	30000	35.4375	2004
23.01.2020 11:16:12	1	1	1	1	102.3	55.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	35.5	2004
23.01.2020 11:16:13	1	1	1	1	102.3	55.5	0	25829.384	615.0537634	16000.05436	30000	0	0	30000	35.1875	2004
23.01.2020 11:16:14	1	1	1	1	102.3	55	0	26066.351	619.3548387	16088.11459	30000	0	0	30000	34.6875	2004
23.01.2020 11:16:15	1	1	1	1	102.3	54.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	35.625	2004
23.01.2020 11:16:16	1	1	1	1	102.3	55.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:16:17	1	1	1	1	102.3	55.5	0	26018.957	610.7526882	15975.59318	30000	0	0	30000	35.6875	2004
23.01.2020 11:16:18	1	1	1	1	102.3	55.5	0	25924.171	617.2043011	16058.76118	30000	0	0	30000	35.25	2004
23.01.2020 11:16:19	1	1	1	1	102.3	55.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	35.25	2004
23.01.2020 11:16:20	1	1	1	1	102.3	55.25	0	25924.171	610.7526882	15777.45767	30000	0	0	30000	35.5	2004
23.01.2020 11:16:21	1	1	1	1	102.8	55.5	0	25924.171	612.9032258	15944.60903	30000	0	0	30000	35.125	2004
23.01.2020 11:16:22	1	1	1	1	102.8	55	0	26208.531	617.2043011	16175.35944	30000	0	0	30000	35.75	2004
23.01.2020 11:16:23	1	1	1	1	102.8	55.75	0	25734.597	617.2043011	15772.56543	30000	0	0	30000	35.4375	2004
23.01.2020 11:16:29	1	1	1	1	102.8	55.75	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	35.6875	2004
23.01.2020 11:16:29	1	1	1	1	102.8	55.75	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	35.6875	2004
23.01.2020 11:16:29	1	1	1	1	102.8	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.25	2004
23.01.2020 11:16:29	1	1	1	1	102.8	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.25	2004
23.01.2020 11:16:29	1	1	1	1	102.8	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.25	2004
23.01.2020 11:16:30	1	1	1	1	102.8	55.25	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	35.5	2004
23.01.2020 11:16:31	1	1	1	1	101.8	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.75	2004
23.01.2020 11:16:32	1	1	1	1	101.8	55.75	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	34.875	2004
23.01.2020 11:16:33	1	1	1	1	101.8	54.75	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	35.6875	2004
23.01.2020 11:16:34	1	1	1	1	101.8	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.8125	2004
23.01.2020 11:16:35	1	1	1	1	101.8	55.75	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	35.0625	2004
23.01.2020 11:16:36	1	1	1	1	101.8	55	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	36	2004
23.01.2020 11:16:37	1	1	1	1	101.8	56	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.375	2004
23.01.2020 11:16:38	1	1	1	1	101.8	55.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	35.9375	2004
23.01.2020 11:16:39	1	1	1	1	101.8	55.25	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	35.75	2004
23.01.2020 11:16:40	1	1	1	1	101.5	55.75	0	26208.531	604.3010753	15837.79523	30000	0	0	30000	35.0625	2004
23.01.2020 11:16:41	1	1	1	1	101.5	55	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	35.625	2004
23.01.2020 11:16:42	1	1	1	1	101.5	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.5	2004
23.01.2020 11:16:43	1	1	1	1	101.5	55.5	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	35.375	2004
23.01.2020 11:16:44	1	1	1	1	101.5	55.25	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	35.8125	2004
23.01.2020 11:16:46	1	1	1	1	101.5	55.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	35.4375	2004
23.01.2020 11:16:47	1	1	1	1	101.5	55.25	0	26350.711	610.7526882	15894.87131	30000	0	0	30000	35.8125	2004
23.01.2020 11:16:48	1	1	1	1	101.5	55.75	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	35.6875	2004
23.01.2020 11:16:49	1	1	1	1	101.5	55.5	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	35.4375	2004
23.01.2020 11:16:50	1	1	1	1	101.5	55.25	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	35.5	2004
23.01.2020 11:16:51	1	1	1	1	101.3	55.5	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	35.9375	2004
23.01.2020 11:16:52	1	1	1	1	101.3	55.75	0	26303.318	602.1505376	15951.13201	30000	0	0	30000	35.6875	2004
23.01.2020 11:16:53	1	1	1	1	101.3	55.5	0	26350.711	604.3010753	16009.02346	30000	0	0	30000	35.9375	2004
23.01.2020 11:16:54	1	1	1	1	101.3	55.75	0	26492.891	608.6021505	16123.1756	30000	0	0	30000	35.4375	2004
23.01.2020 11:16:55	1	1	1	1	101.3	55.25	0	26208.531	606.4516129	15894.05593	30000	0	0	30000	35.875	2004
23.01.2020 11:16:56	1	1	1	1	101.3	55.75	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	35.5	2004
23.01.2020 11:16:57	1	1	1	1	101.3	55.5	0	26445.498	608.6021505	16123.1756	30000	0	0	30000	35.4375	2004
23.01.2020 11:16:58	1	1	1	1	101.3	55.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	34.25	2004
23.01.2020 11:16:59	1	1	1	1	101.3	54.25	0	26208.531	606.4516129	15978.85467	30000	0	0	30000	35.625	2004
23.01.2020 11:17:00	1	1	1	1	101.3	55.5	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	35.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:17:01	1	1	1	1	101.3	55	0	26208.531	615.0537634	16120.72949	30000	0	0	30000	34.9375	2004
23.01.2020 11:17:02	1	1	1	1	101.3	54.75	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	35.25	2004
23.01.2020 11:17:03	1	1	1	1	101.3	55.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.875	2004
23.01.2020 11:17:04	1	1	1	1	101.3	54.75	0	26113.744	612.9032258	16175.35944	30000	0	0	30000	35.4375	2004
23.01.2020 11:17:05	1	1	1	1	101.3	55.25	0	26066.351	610.7526882	15948.68589	30000	0	0	30000	35.4375	2004
23.01.2020 11:17:06	1	1	1	1	101.3	55.25	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	35.5	2004
23.01.2020 11:17:07	1	1	1	1	101.3	55.5	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	35.125	2004
23.01.2020 11:17:08	1	1	1	1	101.3	55	0	26255.924	615.0537634	16119.09874	30000	0	0	30000	35.75	2004
23.01.2020 11:17:09	1	1	1	1	101.3	55.75	0	26113.744	606.4516129	15948.68589	30000	0	0	30000	35.5	2004
23.01.2020 11:17:10	1	1	1	1	101.3	55.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	35.5	2004
23.01.2020 11:17:11	1	1	1	1	101.3	55.5	0	26303.318	612.9032258	16035.93075	30000	0	0	30000	36	2004
23.01.2020 11:17:12	1	1	1	1	101.3	56	0	26113.744	610.7526882	16117.468	30000	0	0	30000	35.8125	2004
23.01.2020 11:17:13	1	1	1	1	101.3	55.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	35.9375	2004
23.01.2020 11:17:14	1	1	1	1	101.3	55.75	0	26066.351	606.4516129	15892.42519	30000	0	0	30000	35.1875	2004
23.01.2020 11:17:15	1	1	1	1	101.3	55	0	26255.924	610.7526882	16120.72949	30000	0	0	30000	33.875	2004
23.01.2020 11:17:16	1	1	1	1	101.3	53.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	35.8125	2004
23.01.2020 11:17:17	1	1	1	1	101.3	55.75	0	26208.531	612.9032258	16004.94659	30000	0	0	30000	35.3125	2004
23.01.2020 11:17:18	1	1	1	1	101.3	55.25	0	26208.531	615.0537634	16119.09874	30000	0	0	30000	35.5	2004
23.01.2020 11:17:19	1	1	1	1	101.3	55.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	35.9375	2004
23.01.2020 11:17:20	1	1	1	1	101.8	55.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	35.875	2004
23.01.2020 11:17:21	1	1	1	1	101.8	55.75	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	35.8125	2004
23.01.2020 11:17:22	1	1	1	1	101.8	55.75	0	26255.924	608.6021505	16064.46878	30000	0	0	30000	35.25	2004
23.01.2020 11:17:24	1	1	1	1	101.8	55.25	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	35.625	2004
23.01.2020 11:17:25	1	1	1	1	101.8	55.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	35.9375	2004
23.01.2020 11:17:31	1	1	1	1	101.8	56	0	26208.531	602.1505376	15894.05593	30000	0	0	30000	35.625	2004
23.01.2020 11:17:31	1	1	1	1	102	55.5	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	35.9375	2004
23.01.2020 11:17:31	1	1	1	1	102	55.5	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	35.9375	2004
23.01.2020 11:17:31	1	1	1	1	102	55.5	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	35.9375	2004
23.01.2020 11:17:31	1	1	1	1	102	55.5	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	35.9375	2004
23.01.2020 11:17:32	1	1	1	1	102	55.75	0	26398.104	602.1505376	16037.56149	30000	0	0	30000	35.625	2004
23.01.2020 11:17:33	1	1	1	1	102	55.5	0	26492.891	604.3010753	16095.45294	30000	0	0	30000	36	2004
23.01.2020 11:17:34	1	1	1	1	102	56	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	35.625	2004
23.01.2020 11:17:35	1	1	1	1	102	55.5	0	26445.498	604.3010753	16151.71364	30000	0	0	30000	35	2004
23.01.2020 11:17:36	1	1	1	1	102	55	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	35	2004
23.01.2020 11:17:37	1	1	1	1	102	55	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	35.8125	2004
23.01.2020 11:17:38	1	1	1	1	102	55.75	0	26492.891	597.8494624	15981.30079	30000	0	0	30000	34.875	2004
23.01.2020 11:17:39	1	1	1	1	102	54.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	35.8125	2004
23.01.2020 11:17:40	1	1	1	1	102	55.75	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	35.375	2004
23.01.2020 11:17:41	1	1	1	1	102	55.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	35.75	2004
23.01.2020 11:17:42	1	1	1	1	102	55.75	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	35.75	2004
23.01.2020 11:17:43	1	1	1	1	102	55.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36	2004
23.01.2020 11:17:44	1	1	1	1	102	56	0	26113.744	608.6021505	15950.31664	30000	0	0	30000	36.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:17:45	1	1	1	1	102	56	0	26208.531	610.7526882	16234.06626	30000	0	0	30000	35.3125	2004
23.01.2020 11:17:46	1	1	1	1	102	55.25	0	26208.531	604.3010753	16035.93075	30000	0	0	30000	36.125	2004
23.01.2020 11:17:47	1	1	1	1	102	56	0	26113.744	606.4516129	15892.42519	30000	0	0	30000	35.6875	2004
23.01.2020 11:17:48	1	1	1	1	102	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36	2004
23.01.2020 11:17:49	1	1	1	1	102	56	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.0625	2004
23.01.2020 11:17:50	1	1	1	1	102	56	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	35.8125	2004
23.01.2020 11:17:51	1	1	1	1	102	55.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.0625	2004
23.01.2020 11:17:52	1	1	1	1	102	56	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	35.625	2004
23.01.2020 11:17:53	1	1	1	1	102	55.5	0	26350.711	610.7526882	15894.87131	30000	0	0	30000	35.875	2004
23.01.2020 11:17:54	1	1	1	1	102	55.75	0	26492.891	610.7526882	16094.63757	30000	0	0	30000	36.3125	2004
23.01.2020 11:17:55	1	1	1	1	102	56.25	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	35.625	2004
23.01.2020 11:17:56	1	1	1	1	102	55.5	0	26208.531	606.4516129	15894.05593	30000	0	0	30000	35.6875	2004
23.01.2020 11:17:57	1	1	1	1	102	55.75	0	26303.318	604.3010753	16008.20808	30000	0	0	30000	35.875	2004
23.01.2020 11:17:58	1	1	1	1	102	55.75	0	26113.744	617.2043011	16061.20729	30000	0	0	30000	35.6875	2004
23.01.2020 11:17:59	1	1	1	1	102	55.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	35.9375	2004
23.01.2020 11:18:00	1	1	1	1	101.8	55.75	0	25924.171	610.7526882	15832.903	30000	0	0	30000	35.875	2004
23.01.2020 11:18:02	1	1	1	1	101.8	55.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	35.625	2004
23.01.2020 11:18:03	1	1	1	1	101.8	55.5	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	35.25	2004
23.01.2020 11:18:04	1	1	1	1	101.8	55.25	0	26113.744	612.9032258	16062.83804	30000	0	0	30000	35.875	2004
23.01.2020 11:18:05	1	1	1	1	101.8	55.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.875	2004
23.01.2020 11:18:06	1	1	1	1	101.8	54.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.9375	2004
23.01.2020 11:18:07	1	1	1	1	101.8	55.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	35.0625	2004
23.01.2020 11:18:08	1	1	1	1	101.8	55	0	26208.531	615.0537634	16117.468	30000	0	0	30000	35.625	2004
23.01.2020 11:18:09	1	1	1	1	101.8	55.5	0	26018.957	610.7526882	15975.59318	30000	0	0	30000	35.625	2004
23.01.2020 11:18:10	1	1	1	1	101.8	55.5	0	26113.744	604.3010753	15948.68589	30000	0	0	30000	34.3125	2004
23.01.2020 11:18:11	1	1	1	1	100.8	54.25	0	26350.711	610.7526882	16150.0829	30000	0	0	30000	36.125	2004
23.01.2020 11:18:12	1	1	1	1	100.8	56	0	26018.957	608.6021505	15920.14785	30000	0	0	30000	36	2004
23.01.2020 11:18:13	1	1	1	1	100.8	56	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	35.125	2004
23.01.2020 11:18:14	1	1	1	1	100.8	55	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	34.875	2004
23.01.2020 11:18:15	1	1	1	1	100.8	54.75	0	26445.498	610.7526882	16065.28416	30000	0	0	30000	35.9375	2004
23.01.2020 11:18:16	1	1	1	1	100.8	55.75	0	26255.924	610.7526882	15950.31664	30000	0	0	30000	36.0625	2004
23.01.2020 11:18:17	1	1	1	1	100.8	56	0	26350.711	608.6021505	16122.36023	30000	0	0	30000	35.625	2004
23.01.2020 11:18:18	1	1	1	1	100.8	55.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	35.5625	2004
23.01.2020 11:18:19	1	1	1	1	100.8	55.5	0	26208.531	606.4516129	15894.05593	30000	0	0	30000	36.0625	2004
23.01.2020 11:18:20	1	1	1	1	100.8	56	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	35.5	2004
23.01.2020 11:18:21	1	1	1	1	101.8	55.5	0	26303.318	606.4516129	15838.61061	30000	0	0	30000	35.5625	2004
23.01.2020 11:18:22	1	1	1	1	101.8	55.5	0	26255.924	608.6021505	16064.46878	30000	0	0	30000	36	2004
23.01.2020 11:18:23	1	1	1	1	101.8	56	0	26398.104	608.6021505	16122.36023	30000	0	0	30000	35.625	2004
23.01.2020 11:18:24	1	1	1	1	101.8	55.5	0	26445.498	610.7526882	16180.25168	30000	0	0	30000	35.8125	2004
23.01.2020 11:18:25	1	1	1	1	101.8	55.75	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	35.5	2004
23.01.2020 11:18:26	1	1	1	1	101.8	55.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	36.25	2004
23.01.2020 11:18:32	1	1	1	1	101.5	55.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	35.25	2004
23.01.2020 11:18:32	1	1	1	1	101.5	55.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	35.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:18:32	1	1	1	1	101.5	55.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	35.25	2004
23.01.2020 11:18:32	1	1	1	1	101.5	55.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	35.25	2004
23.01.2020 11:18:32	1	1	1	1	101.5	55.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	35.25	2004
23.01.2020 11:18:32	1	1	1	1	101.5	55.25	0	26303.318	612.9032258	16006.57734	30000	0	0	30000	35.375	2004
23.01.2020 11:18:33	1	1	1	1	101.5	55.25	0	26208.531	610.7526882	15892.42519	30000	0	0	30000	36.375	2004
23.01.2020 11:18:34	1	1	1	1	101.5	56.25	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	36.4375	2004
23.01.2020 11:18:35	1	1	1	1	101.5	55.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.125	2004
23.01.2020 11:18:36	1	1	1	1	101.5	56	0	26018.957	610.7526882	15947.05515	30000	0	0	30000	35.875	2004
23.01.2020 11:18:37	1	1	1	1	101.5	55.75	0	26208.531	610.7526882	16004.94659	30000	0	0	30000	35.375	2004
23.01.2020 11:18:38	1	1	1	1	101.5	55.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.0625	2004
23.01.2020 11:18:40	1	1	1	1	101.5	56	0	25924.171	612.9032258	16058.76118	30000	0	0	30000	35.625	2004
23.01.2020 11:18:41	1	1	1	1	102.3	55.5	0	26208.531	608.6021505	15948.68589	30000	0	0	30000	36.125	2004
23.01.2020 11:18:42	1	1	1	1	102.3	56	0	26208.531	610.7526882	15892.42519	30000	0	0	30000	35.8125	2004
23.01.2020 11:18:43	1	1	1	1	102.3	55.75	0	26350.711	604.3010753	16179.43631	30000	0	0	30000	36	2004
23.01.2020 11:18:44	1	1	1	1	102.3	56	0	26255.924	610.7526882	16064.46878	30000	0	0	30000	36.3125	2004
23.01.2020 11:18:45	1	1	1	1	102.3	56.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	35.75	2004
23.01.2020 11:18:46	1	1	1	1	102.3	55.75	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	35.5	2004
23.01.2020 11:18:47	1	1	1	1	102.3	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.25	2004
23.01.2020 11:18:48	1	1	1	1	102.3	55.25	0	26113.744	602.1505376	15892.42519	30000	0	0	30000	36.3125	2004
23.01.2020 11:18:49	1	1	1	1	102.3	56.25	0	26303.318	610.7526882	16035.93075	30000	0	0	30000	36.25	2004
23.01.2020 11:18:50	1	1	1	1	102.3	56.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.375	2004
23.01.2020 11:18:51	1	1	1	1	102	55.25	0	26350.711	606.4516129	15838.61061	30000	0	0	30000	35.625	2004
23.01.2020 11:18:52	1	1	1	1	102	55.5	0	26255.924	610.7526882	15779.90379	30000	0	0	30000	36.25	2004
23.01.2020 11:18:53	1	1	1	1	102	56.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	36.1875	2004
23.01.2020 11:18:54	1	1	1	1	102	56	0	26303.318	604.3010753	16008.20808	30000	0	0	30000	36.3125	2004
23.01.2020 11:18:55	1	1	1	1	102	56.25	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	36.0625	2004
23.01.2020 11:18:56	1	1	1	1	102	56	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	36.25	2004
23.01.2020 11:18:57	1	1	1	1	102	56.25	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	35.875	2004
23.01.2020 11:18:58	1	1	1	1	102	55.75	0	26113.744	608.6021505	15948.68589	30000	0	0	30000	36.125	2004
23.01.2020 11:18:59	1	1	1	1	102	56	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	35.9375	2004
23.01.2020 11:19:00	1	1	1	1	102	55.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	35.6875	2004
23.01.2020 11:19:01	1	1	1	1	103.3	55.5	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	36.25	2004
23.01.2020 11:19:02	1	1	1	1	103.3	56.25	0	26350.711	606.4516129	15951.94738	30000	0	0	30000	36.25	2004
23.01.2020 11:19:03	1	1	1	1	103.3	56.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.25	2004
23.01.2020 11:19:04	1	1	1	1	103.3	56.25	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	35.9375	2004
23.01.2020 11:19:05	1	1	1	1	103.3	55.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	35.4375	2004
23.01.2020 11:19:06	1	1	1	1	103.3	55.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	36.125	2004
23.01.2020 11:19:07	1	1	1	1	103.3	56	0	26113.744	606.4516129	16035.93075	30000	0	0	30000	35.625	2004
23.01.2020 11:19:08	1	1	1	1	103.3	55.5	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	35.4375	2004
23.01.2020 11:19:09	1	1	1	1	103.3	55.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.25	2004
23.01.2020 11:19:10	1	1	1	1	103.3	56.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.3125	2004
23.01.2020 11:19:11	1	1	1	1	103	56.25	0	26018.957	612.9032258	16002.50048	30000	0	0	30000	35.5625	2004
23.01.2020 11:19:12	1	1	1	1	103	55.5	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	36.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:19:13	1	1	1	1	103	56.25	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	35.8125	2004
23.01.2020 11:19:14	1	1	1	1	103	56	0	26208.531	615.0537634	16175.35944	30000	0	0	30000	36.125	2004
23.01.2020 11:19:15	1	1	1	1	103	56	0	26018.957	615.0537634	16088.11459	30000	0	0	30000	35.8125	2004
23.01.2020 11:19:16	1	1	1	1	103	55.75	0	26018.957	615.0537634	15944.60903	30000	0	0	30000	36.1875	2004
23.01.2020 11:19:17	1	1	1	1	103	56	0	26113.744	615.0537634	16031.85389	30000	0	0	30000	36.0625	2004
23.01.2020 11:19:19	1	1	1	1	103	56	0	25924.171	617.2043011	15915.25562	30000	0	0	30000	35.9375	2004
23.01.2020 11:19:20	1	1	1	1	103	55.75	0	26018.957	619.3548387	16058.76118	30000	0	0	30000	36.125	2004
23.01.2020 11:19:21	1	1	1	1	103.3	56	0	26018.957	615.0537634	16088.11459	30000	0	0	30000	36.125	2004
23.01.2020 11:19:22	1	1	1	1	103.3	56	0	26113.744	617.2043011	16117.468	30000	0	0	30000	35.5	2004
23.01.2020 11:19:23	1	1	1	1	103.3	55.5	0	26066.351	610.7526882	16004.94659	30000	0	0	30000	36	2004
23.01.2020 11:19:24	1	1	1	1	103.3	56	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	36.375	2004
23.01.2020 11:19:25	1	1	1	1	103.3	56.25	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	36.25	2004
23.01.2020 11:19:26	1	1	1	1	103.3	56.25	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	36.5	2004
23.01.2020 11:19:27	1	1	1	1	103.3	56.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	35.875	2004
23.01.2020 11:19:28	1	1	1	1	103.3	55.75	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	36.25	2004
23.01.2020 11:19:34	1	1	1	1	103.5	56.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	35.125	2004
23.01.2020 11:19:34	1	1	1	1	103.5	56.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	35.125	2004
23.01.2020 11:19:34	1	1	1	1	103.5	56.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	35.125	2004
23.01.2020 11:19:34	1	1	1	1	103.5	56.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	35.125	2004
23.01.2020 11:19:34	1	1	1	1	103.5	56.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	35.125	2004
23.01.2020 11:19:34	1	1	1	1	103.5	55	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	35.625	2004
23.01.2020 11:19:35	1	1	1	1	103.5	55.5	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	35.75	2004
23.01.2020 11:19:36	1	1	1	1	103.5	55.75	0	26208.531	606.4516129	15836.16449	30000	0	0	30000	36.0625	2004
23.01.2020 11:19:37	1	1	1	1	103.5	56	0	26255.924	604.3010753	15837.79523	30000	0	0	30000	36.1875	2004
23.01.2020 11:19:38	1	1	1	1	103.5	56	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	36.3125	2004
23.01.2020 11:19:39	1	1	1	1	103.5	56.25	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	35.375	2004
23.01.2020 11:19:40	1	1	1	1	103.5	55.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.25	2004
23.01.2020 11:19:41	1	1	1	1	103.8	56.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	35.125	2004
23.01.2020 11:19:42	1	1	1	1	103.8	55	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	35.8125	2004
23.01.2020 11:19:43	1	1	1	1	103.8	55.75	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	36	2004
23.01.2020 11:19:44	1	1	1	1	103.8	56	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	36.375	2004
23.01.2020 11:19:45	1	1	1	1	103.8	56.25	0	26208.531	610.7526882	16120.72949	30000	0	0	30000	36.125	2004
23.01.2020 11:19:46	1	1	1	1	103.8	56	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	36.5	2004
23.01.2020 11:19:47	1	1	1	1	103.8	56.5	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	36	2004
23.01.2020 11:19:48	1	1	1	1	103.8	56	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	36.625	2004
23.01.2020 11:19:49	1	1	1	1	103.8	56.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	36.1875	2004
23.01.2020 11:19:50	1	1	1	1	103.8	56	0	26113.744	595.6989247	15894.87131	30000	0	0	30000	36.5625	2004
23.01.2020 11:19:51	1	1	1	1	104	56.5	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	36.625	2004
23.01.2020 11:19:52	1	1	1	1	104	56.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	36.4375	2004
23.01.2020 11:19:53	1	1	1	1	104	56.25	0	26303.318	602.1505376	16036.74612	30000	0	0	30000	36.0625	2004
23.01.2020 11:19:56	1	1	1	1	104	56	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	36.125	2004
23.01.2020 11:19:56	1	1	1	1	104	56	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	36.125	2004
23.01.2020 11:19:56	1	1	1	1	104	56	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	36.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:19:58	1	1	1	1	104	56.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	36.4375	2004
23.01.2020 11:19:59	1	1	1	1	104	56.25	0	26208.531	610.7526882	15892.42519	30000	0	0	30000	36.375	2004
23.01.2020 11:20:00	1	1	1	1	104	56.25	0	26208.531	610.7526882	16092.19145	30000	0	0	30000	36.4375	2004
23.01.2020 11:20:01	1	1	1	1	103.8	56.25	0	26018.957	617.2043011	16088.11459	30000	0	0	30000	36.0625	2004
23.01.2020 11:20:02	1	1	1	1	103.8	56	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	36.4375	2004
23.01.2020 11:20:03	1	1	1	1	103.8	56.25	0	26208.531	612.9032258	16092.19145	30000	0	0	30000	36.5625	2004
23.01.2020 11:20:04	1	1	1	1	103.8	56.5	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	36.25	2004
23.01.2020 11:20:05	1	1	1	1	103.8	56.25	0	26255.924	615.0537634	16119.09874	30000	0	0	30000	36.3125	2004
23.01.2020 11:20:06	1	1	1	1	103.8	56.25	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	36.4375	2004
23.01.2020 11:20:07	1	1	1	1	103.8	56.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.5	2004
23.01.2020 11:20:08	1	1	1	1	103.8	56.5	0	26208.531	615.0537634	16061.20729	30000	0	0	30000	36.25	2004
23.01.2020 11:20:09	1	1	1	1	103.8	56.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.125	2004
23.01.2020 11:20:10	1	1	1	1	103.8	56	0	26018.957	615.0537634	15888.34833	30000	0	0	30000	36.1875	2004
23.01.2020 11:20:11	1	1	1	1	103.5	56	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	35.125	2004
23.01.2020 11:20:12	1	1	1	1	103.5	55	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	36.25	2004
23.01.2020 11:20:13	1	1	1	1	103.5	56.25	0	26113.744	610.7526882	16117.468	30000	0	0	30000	36.5625	2004
23.01.2020 11:20:14	1	1	1	1	103.5	56.5	0	26113.744	612.9032258	16062.83804	30000	0	0	30000	35.5625	2004
23.01.2020 11:20:15	1	1	1	1	103.5	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.1875	2004
23.01.2020 11:20:16	1	1	1	1	103.5	56	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	35.25	2004
23.01.2020 11:20:17	1	1	1	1	103.5	55.25	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	36.125	2004
23.01.2020 11:20:18	1	1	1	1	103.5	56	0	26398.104	610.7526882	16122.36023	30000	0	0	30000	35.625	2004
23.01.2020 11:20:19	1	1	1	1	103.5	55.5	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	35.9375	2004
23.01.2020 11:20:20	1	1	1	1	103.5	55.75	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	36.5625	2004
23.01.2020 11:20:21	1	1	1	1	103.5	56.5	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	35.3125	2004
23.01.2020 11:20:22	1	1	1	1	103.5	55.25	0	26492.891	604.3010753	16095.45294	30000	0	0	30000	36.25	2004
23.01.2020 11:20:23	1	1	1	1	103.5	56.25	0	26303.318	608.6021505	15951.13201	30000	0	0	30000	36.375	2004
23.01.2020 11:20:24	1	1	1	1	103.5	56.25	0	26113.744	606.4516129	15779.90379	30000	0	0	30000	35.5625	2004
23.01.2020 11:20:25	1	1	1	1	103.5	55.5	0	26445.498	610.7526882	16151.71364	30000	0	0	30000	36.25	2004
23.01.2020 11:20:26	1	1	1	1	103.5	56.25	0	26208.531	610.7526882	16035.93075	30000	0	0	30000	36.5625	2004
23.01.2020 11:20:27	1	1	1	1	103.5	56.5	0	26208.531	610.7526882	15892.42519	30000	0	0	30000	36.5	2004
23.01.2020 11:20:28	1	1	1	1	103.5	56.5	0	26113.744	600	15836.16449	30000	0	0	30000	36.375	2004
23.01.2020 11:20:29	1	1	1	1	103.5	56.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	36.75	2004
23.01.2020 11:20:36	1	1	1	1	104	56.25	0	26208.531	602.1505376	15922.59397	30000	0	0	30000	36.1875	2004
23.01.2020 11:20:36	1	1	1	1	104	56.25	0	26208.531	602.1505376	15922.59397	30000	0	0	30000	36.1875	2004
23.01.2020 11:20:36	1	1	1	1	104	56.25	0	26208.531	602.1505376	15922.59397	30000	0	0	30000	36.1875	2004
23.01.2020 11:20:36	1	1	1	1	104	56.25	0	26208.531	602.1505376	15922.59397	30000	0	0	30000	36.1875	2004
23.01.2020 11:20:36	1	1	1	1	104	56.25	0	26208.531	602.1505376	15922.59397	30000	0	0	30000	36.1875	2004
23.01.2020 11:20:36	1	1	1	1	104	56	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	36.125	2004
23.01.2020 11:20:38	1	1	1	1	104	56	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	36.25	2004
23.01.2020 11:20:39	1	1	1	1	104	56.25	0	26492.891	608.6021505	16209.60509	30000	0	0	30000	36.4375	2004
23.01.2020 11:20:40	1	1	1	1	104	56.25	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	36.3125	2004
23.01.2020 11:20:41	1	1	1	1	104	56.25	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	35.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:20:42	1	1	1	1	104	55.5	0	26255.924	606.4516129	15950.31664	30000	0	0	30000	36.625	2004
23.01.2020 11:20:43	1	1	1	1	104	56.5	0	26208.531	610.7526882	15892.42519	30000	0	0	30000	36.25	2004
23.01.2020 11:20:44	1	1	1	1	104	56.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.25	2004
23.01.2020 11:20:45	1	1	1	1	104	56.25	0	26255.924	608.6021505	16064.46878	30000	0	0	30000	36.0625	2004
23.01.2020 11:20:46	1	1	1	1	104	56	0	26255.924	608.6021505	15978.85467	30000	0	0	30000	36.4375	2004
23.01.2020 11:20:47	1	1	1	1	104	56.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	36.3125	2004
23.01.2020 11:20:48	1	1	1	1	104	56.25	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	36.5625	2004
23.01.2020 11:20:49	1	1	1	1	104	56.5	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	36.125	2004
23.01.2020 11:20:50	1	1	1	1	104	56	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	36	2004
23.01.2020 11:20:51	1	1	1	1	104	56	0	26398.104	606.4516129	15980.48542	30000	0	0	30000	35.9375	2004
23.01.2020 11:20:52	1	1	1	1	104	55.75	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	35.75	2004
23.01.2020 11:20:53	1	1	1	1	104	55.75	0	26398.104	597.8494624	15781.53453	30000	0	0	30000	36.25	2004
23.01.2020 11:20:54	1	1	1	1	104	56.25	0	26492.891	606.4516129	16152.52901	30000	0	0	30000	36.625	2004
23.01.2020 11:20:55	1	1	1	1	104	56.5	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	36.8125	2004
23.01.2020 11:20:56	1	1	1	1	104	56.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	36.6875	2004
23.01.2020 11:20:57	1	1	1	1	104	56.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	35.9375	2004
23.01.2020 11:20:58	1	1	1	1	104	55.75	0	26682.464	602.1505376	16009.83883	30000	0	0	30000	36.0625	2004
23.01.2020 11:20:59	1	1	1	1	104	56	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	36.125	2004
23.01.2020 11:21:00	1	1	1	1	104	56	0	26492.891	606.4516129	16152.52901	30000	0	0	30000	36.625	2004
23.01.2020 11:21:01	1	1	1	1	103.8	56.5	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	35.625	2004
23.01.2020 11:21:02	1	1	1	1	103.8	55.5	0	26113.744	608.6021505	16006.57734	30000	0	0	30000	36.625	2004
23.01.2020 11:21:03	1	1	1	1	103.8	56.5	0	26113.744	608.6021505	15948.68589	30000	0	0	30000	36.5	2004
23.01.2020 11:21:04	1	1	1	1	103.8	56.5	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	36.375	2004
23.01.2020 11:21:05	1	1	1	1	103.8	56.25	0	26113.744	608.6021505	16006.57734	30000	0	0	30000	35.8125	2004
23.01.2020 11:21:06	1	1	1	1	103.8	55.75	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	36.4375	2004
23.01.2020 11:21:07	1	1	1	1	103.8	56.25	0	26208.531	610.7526882	15892.42519	30000	0	0	30000	37.0625	2004
23.01.2020 11:21:08	1	1	1	1	103.8	57	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	36.5	2004
23.01.2020 11:21:09	1	1	1	1	103.8	56.5	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.5	2004
23.01.2020 11:21:10	1	1	1	1	103.8	56.5	0	26255.924	608.6021505	16064.46878	30000	0	0	30000	36.75	2004
23.01.2020 11:21:11	1	1	1	1	104.8	55.75	0	26492.891	610.7526882	16180.25168	30000	0	0	30000	35.9375	2004
23.01.2020 11:21:12	1	1	1	1	104.8	55.75	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	36.625	2004
23.01.2020 11:21:14	1	1	1	1	104.8	56.5	0	26018.957	606.4516129	15834.53374	30000	0	0	30000	36.625	2004
23.01.2020 11:21:15	1	1	1	1	104.8	56.5	0	26066.351	612.9032258	15947.05515	30000	0	0	30000	36.1875	2004
23.01.2020 11:21:16	1	1	1	1	104.8	56	0	26208.531	615.0537634	16061.20729	30000	0	0	30000	36.75	2004
23.01.2020 11:21:17	1	1	1	1	104.8	56.75	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	36.5	2004
23.01.2020 11:21:18	1	1	1	1	104.8	56.5	0	25971.564	615.0537634	16000.05436	30000	0	0	30000	36.3125	2004
23.01.2020 11:21:19	1	1	1	1	104.8	56.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	36.125	2004
23.01.2020 11:21:20	1	1	1	1	104.8	56	0	26018.957	610.7526882	15947.05515	30000	0	0	30000	35.8125	2004
23.01.2020 11:21:21	1	1	1	1	104	55.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	36.4375	2004
23.01.2020 11:21:22	1	1	1	1	104	56.25	0	26066.351	612.9032258	16031.85389	30000	0	0	30000	36.1875	2004
23.01.2020 11:21:23	1	1	1	1	104	56	0	26018.957	612.9032258	15888.34833	30000	0	0	30000	36.6875	2004
23.01.2020 11:21:24	1	1	1	1	104	56.5	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	36.125	2004
23.01.2020 11:21:25	1	1	1	1	104	56	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	36.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:21:26	1	1	1	1	104	56.5	0	25924.171	617.2043011	15944.60903	30000	0	0	30000	36.5	2004
23.01.2020 11:21:27	1	1	1	1	104	56.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	36.0625	2004
23.01.2020 11:21:28	1	1	1	1	104	56	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.5	2004
23.01.2020 11:21:29	1	1	1	1	104	56.5	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	36.625	2004
23.01.2020 11:21:30	1	1	1	1	104	56.5	0	26018.957	617.2043011	16000.05436	30000	0	0	30000	36.6875	2004
23.01.2020 11:21:31	1	1	1	1	104.3	56.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	36.6875	2004
23.01.2020 11:21:37	1	1	1	1	104.3	56.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	36.75	2004
23.01.2020 11:21:37	1	1	1	1	104.3	56.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	36.75	2004
23.01.2020 11:21:37	1	1	1	1	104.3	56.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	36.75	2004
23.01.2020 11:21:37	1	1	1	1	104.3	56.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	36.75	2004
23.01.2020 11:21:37	1	1	1	1	104.3	56.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	36.75	2004
23.01.2020 11:21:37	1	1	1	1	104.3	56.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	36.75	2004
23.01.2020 11:21:38	1	1	1	1	104.3	56.75	0	25829.384	621.5053763	15993.53138	30000	0	0	30000	36.875	2004
23.01.2020 11:21:39	1	1	1	1	104.3	56.75	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	36.0625	2004
23.01.2020 11:21:40	1	1	1	1	104.3	56	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	36.3125	2004
23.01.2020 11:21:41	1	1	1	1	104	56.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	36.625	2004
23.01.2020 11:21:42	1	1	1	1	104	56.5	0	26018.957	612.9032258	15888.34833	30000	0	0	30000	36.5	2004
23.01.2020 11:21:43	1	1	1	1	104	56.5	0	26113.744	617.2043011	16117.468	30000	0	0	30000	34.75	2004
23.01.2020 11:21:44	1	1	1	1	104	54.75	0	26113.744	619.3548387	16117.468	30000	0	0	30000	35.875	2004
23.01.2020 11:21:45	1	1	1	1	104	55.75	0	26113.744	617.2043011	16117.468	30000	0	0	30000	36.4375	2004
23.01.2020 11:21:46	1	1	1	1	104	56.25	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	36.6875	2004
23.01.2020 11:21:47	1	1	1	1	104	56.5	0	26066.351	623.655914	16000.05436	30000	0	0	30000	35.5625	2004
23.01.2020 11:21:48	1	1	1	1	104	55.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	37	2004
23.01.2020 11:21:49	1	1	1	1	104	57	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	36.6875	2004
23.01.2020 11:21:50	1	1	1	1	103.5	56.25	0	25924.171	612.9032258	15944.60903	30000	0	0	30000	36.9375	2004
23.01.2020 11:21:51	1	1	1	1	103.5	56.75	0	26066.351	619.3548387	16117.468	30000	0	0	30000	36.5625	2004
23.01.2020 11:21:52	1	1	1	1	103.5	56.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	36.375	2004
23.01.2020 11:21:54	1	1	1	1	103.5	56.25	0	25971.564	612.9032258	15888.34833	30000	0	0	30000	36.8125	2004
23.01.2020 11:21:55	1	1	1	1	103.5	56.75	0	26018.957	621.5053763	16170.46721	30000	0	0	30000	36.9375	2004
23.01.2020 11:21:56	1	1	1	1	103.5	56.75	0	26018.957	615.0537634	15944.60903	30000	0	0	30000	36.6875	2004
23.01.2020 11:21:57	1	1	1	1	103.5	56.5	0	26066.351	615.0537634	16002.50048	30000	0	0	30000	36.8125	2004
23.01.2020 11:21:58	1	1	1	1	103.5	56.75	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	36.3125	2004
23.01.2020 11:21:59	1	1	1	1	103.5	56.25	0	25734.597	612.9032258	15772.56543	30000	0	0	30000	36.5625	2004
23.01.2020 11:22:00	1	1	1	1	103.5	56.5	0	26066.351	612.9032258	16031.85389	30000	0	0	30000	36.75	2004
23.01.2020 11:22:01	1	1	1	1	104	56.75	0	26208.531	615.0537634	16119.09874	30000	0	0	30000	36.3125	2004
23.01.2020 11:22:02	1	1	1	1	104	56.25	0	26066.351	612.9032258	16061.20729	30000	0	0	30000	36.5625	2004
23.01.2020 11:22:03	1	1	1	1	104	56.5	0	26113.744	608.6021505	15948.68589	30000	0	0	30000	36.625	2004
23.01.2020 11:22:04	1	1	1	1	104	56.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.25	2004
23.01.2020 11:22:05	1	1	1	1	104	56.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.875	2004
23.01.2020 11:22:06	1	1	1	1	104	56.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:07	1	1	1	1	104	56.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.875	2004
23.01.2020 11:22:08	1	1	1	1	104	56.75	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	36.375	2004
23.01.2020 11:22:09	1	1	1	1	104	56.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:22:10	1	1	1	1	104	56	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	36.25	2004
23.01.2020 11:22:11	1	1	1	1	104.3	56.25	0	26208.531	612.9032258	16119.09874	30000	0	0	30000	36.75	2004
23.01.2020 11:22:12	1	1	1	1	104.3	56.75	0	26303.318	606.4516129	16036.74612	30000	0	0	30000	36.8125	2004
23.01.2020 11:22:13	1	1	1	1	104.3	56.75	0	26113.744	612.9032258	16175.35944	30000	0	0	30000	36.8125	2004
23.01.2020 11:22:14	1	1	1	1	104.3	56.75	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	36.25	2004
23.01.2020 11:22:15	1	1	1	1	104.3	56.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.3125	2004
23.01.2020 11:22:16	1	1	1	1	104.3	56.25	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	36.4375	2004
23.01.2020 11:22:17	1	1	1	1	104.3	56.25	0	26113.744	606.4516129	16204.71285	30000	0	0	30000	36.875	2004
23.01.2020 11:22:18	1	1	1	1	104.3	56.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	36.5625	2004
23.01.2020 11:22:19	1	1	1	1	104.3	56.5	0	26255.924	610.7526882	15978.85467	30000	0	0	30000	36.875	2004
23.01.2020 11:22:20	1	1	1	1	104.3	56.75	0	26113.744	615.0537634	16117.468	30000	0	0	30000	37	2004
23.01.2020 11:22:21	1	1	1	1	104.5	57	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.5	2004
23.01.2020 11:22:22	1	1	1	1	104.5	56.5	0	26255.924	610.7526882	16064.46878	30000	0	0	30000	36.8125	2004
23.01.2020 11:22:23	1	1	1	1	104.5	56.75	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	36.625	2004
23.01.2020 11:22:24	1	1	1	1	104.5	56.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	35.9375	2004
23.01.2020 11:22:25	1	1	1	1	104.5	55.75	0	26255.924	612.9032258	16062.83804	30000	0	0	30000	36.875	2004
23.01.2020 11:22:26	1	1	1	1	104.5	56.75	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:27	1	1	1	1	104.5	56.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	36.75	2004
23.01.2020 11:22:28	1	1	1	1	104.5	56.75	0	26066.351	610.7526882	15890.79444	30000	0	0	30000	36.6875	2004
23.01.2020 11:22:29	1	1	1	1	104.5	56.75	0	26113.744	615.0537634	16119.09874	30000	0	0	30000	36.8125	2004
23.01.2020 11:22:30	1	1	1	1	104.8	56.75	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	35.5	2004
23.01.2020 11:22:32	1	1	1	1	104.8	55.5	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	36.875	2004
23.01.2020 11:22:33	1	1	1	1	104.8	56.75	0	26208.531	604.3010753	16008.20808	30000	0	0	30000	36.5	2004
23.01.2020 11:22:39	1	1	1	1	104.8	55.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:39	1	1	1	1	104.8	55.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:39	1	1	1	1	104.8	55.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:39	1	1	1	1	104.8	55.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:39	1	1	1	1	104.8	55.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:39	1	1	1	1	104.8	55.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:40	1	1	1	1	104.8	56.75	0	26208.531	608.6021505	16062.83804	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:41	1	1	1	1	104.8	56.75	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:42	1	1	1	1	104.8	56.75	0	26113.744	608.6021505	15948.68589	30000	0	0	30000	36.75	2004
23.01.2020 11:22:43	1	1	1	1	104.8	56.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.6875	2004
23.01.2020 11:22:44	1	1	1	1	104.8	56.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:45	1	1	1	1	104.8	56.75	0	26492.891	608.6021505	16094.63757	30000	0	0	30000	36.4375	2004
23.01.2020 11:22:46	1	1	1	1	104.8	56.25	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	37	2004
23.01.2020 11:22:47	1	1	1	1	104.8	57	0	26208.531	602.1505376	16008.20808	30000	0	0	30000	36.9375	2004
23.01.2020 11:22:48	1	1	1	1	104.8	56.75	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	36.3125	2004
23.01.2020 11:22:49	1	1	1	1	104.8	56.25	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	35.6875	2004
23.01.2020 11:22:50	1	1	1	1	104.8	55.5	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	36.875	2004
23.01.2020 11:22:51	1	1	1	1	104.5	56.75	0	26398.104	608.6021505	16094.63757	30000	0	0	30000	36.5625	2004
23.01.2020 11:22:52	1	1	1	1	104.5	56.5	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	36.875	2004
23.01.2020 11:22:53	1	1	1	1	104.5	56.75	0	26255.924	606.4516129	15978.85467	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:22:54	1	1	1	1	104.5	57	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	36.1875	2004
23.01.2020 11:22:55	1	1	1	1	104.5	56	0	26113.744	602.1505376	15779.90379	30000	0	0	30000	36.875	2004
23.01.2020 11:22:56	1	1	1	1	104.5	56.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	36.4375	2004
23.01.2020 11:22:57	1	1	1	1	104.5	56.25	0	26208.531	610.7526882	16035.93075	30000	0	0	30000	36.8125	2004
23.01.2020 11:22:58	1	1	1	1	104.5	56.75	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	37.0625	2004
23.01.2020 11:22:59	1	1	1	1	104.5	57	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	36.5	2004
23.01.2020 11:23:00	1	1	1	1	104.5	56.5	0	26018.957	610.7526882	15975.59318	30000	0	0	30000	37	2004
23.01.2020 11:23:01	1	1	1	1	104.3	57	0	26113.744	617.2043011	16061.20729	30000	0	0	30000	36.375	2004
23.01.2020 11:23:02	1	1	1	1	104.3	56.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	37.125	2004
23.01.2020 11:23:03	1	1	1	1	104.3	57	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	36	2004
23.01.2020 11:23:04	1	1	1	1	104.3	56	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	37	2004
23.01.2020 11:23:05	1	1	1	1	104.3	57	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	36.75	2004
23.01.2020 11:23:06	1	1	1	1	104.3	56.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.9375	2004
23.01.2020 11:23:07	1	1	1	1	104.3	56.75	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	36.375	2004
23.01.2020 11:23:08	1	1	1	1	104.3	55.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37	2004
23.01.2020 11:23:10	1	1	1	1	104.3	57	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.6875	2004
23.01.2020 11:23:11	1	1	1	1	104.5	56.5	0	25971.564	610.7526882	15890.79444	30000	0	0	30000	36.9375	2004
23.01.2020 11:23:12	1	1	1	1	104.5	56.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.9375	2004
23.01.2020 11:23:13	1	1	1	1	104.5	56.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.875	2004
23.01.2020 11:23:14	1	1	1	1	104.5	56.75	0	25876.777	615.0537634	15830.45688	30000	0	0	30000	35.9375	2004
23.01.2020 11:23:15	1	1	1	1	104.5	55.75	0	26066.351	615.0537634	15947.05515	30000	0	0	30000	37.0625	2004
23.01.2020 11:23:16	1	1	1	1	104.5	57	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.6875	2004
23.01.2020 11:23:17	1	1	1	1	104.5	56.5	0	26066.351	610.7526882	16004.94659	30000	0	0	30000	36.5	2004
23.01.2020 11:23:18	1	1	1	1	104.5	56.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	36.5625	2004
23.01.2020 11:23:19	1	1	1	1	104.5	56.5	0	26208.531	610.7526882	16004.94659	30000	0	0	30000	36	2004
23.01.2020 11:23:20	1	1	1	1	104.5	56	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	36.9375	2004
23.01.2020 11:23:21	1	1	1	1	104.3	56.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.8125	2004
23.01.2020 11:23:22	1	1	1	1	104.3	56.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37	2004
23.01.2020 11:23:23	1	1	1	1	104.3	57	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	36.125	2004
23.01.2020 11:23:24	1	1	1	1	104.3	56	0	26208.531	612.9032258	16004.94659	30000	0	0	30000	36.3125	2004
23.01.2020 11:23:25	1	1	1	1	104.3	56.25	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	35.75	2004
23.01.2020 11:23:26	1	1	1	1	104.3	55.75	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	36.4375	2004
23.01.2020 11:23:27	1	1	1	1	104.3	56.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37	2004
23.01.2020 11:23:28	1	1	1	1	104.3	57	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	37.0625	2004
23.01.2020 11:23:29	1	1	1	1	104.3	57	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	37.125	2004
23.01.2020 11:23:30	1	1	1	1	104.3	57	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.9375	2004
23.01.2020 11:23:31	1	1	1	1	104	56.75	0	26066.351	610.7526882	15890.79444	30000	0	0	30000	37	2004
23.01.2020 11:23:32	1	1	1	1	104	57	0	26066.351	610.7526882	15863.88715	30000	0	0	30000	36.3125	2004
23.01.2020 11:23:33	1	1	1	1	104	56.25	0	25924.171	610.7526882	15832.903	30000	0	0	30000	36.5	2004
23.01.2020 11:23:34	1	1	1	1	104	56.5	0	26113.744	612.9032258	16062.83804	30000	0	0	30000	36	2004
23.01.2020 11:23:40	1	1	1	1	104	56.75	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	35.9375	2004
23.01.2020 11:23:40	1	1	1	1	104	56.75	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	35.9375	2004
23.01.2020 11:23:40	1	1	1	1	104	56.75	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:23:40	1	1	1	1	104	56.75	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	35.9375	2004
23.01.2020 11:23:40	1	1	1	1	104	56.75	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	35.9375	2004
23.01.2020 11:23:40	1	1	1	1	104	55.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.625	2004
23.01.2020 11:23:41	1	1	1	1	104.8	56.5	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	37	2004
23.01.2020 11:23:42	1	1	1	1	104.8	57	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.125	2004
23.01.2020 11:23:43	1	1	1	1	104.8	57	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	37.3125	2004
23.01.2020 11:23:44	1	1	1	1	104.8	57.25	0	26113.744	602.1505376	15950.31664	30000	0	0	30000	37.3125	2004
23.01.2020 11:23:45	1	1	1	1	104.8	57.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.9375	2004
23.01.2020 11:23:46	1	1	1	1	104.8	56.25	0	26255.924	612.9032258	16148.45215	30000	0	0	30000	36.0625	2004
23.01.2020 11:23:47	1	1	1	1	104.8	56	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	36.625	2004
23.01.2020 11:23:49	1	1	1	1	104.8	56.5	0	26350.711	610.7526882	16150.0829	30000	0	0	30000	37.125	2004
23.01.2020 11:23:50	1	1	1	1	104.8	57	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	36.625	2004
23.01.2020 11:23:51	1	1	1	1	104.3	56.5	0	26350.711	604.3010753	16009.02346	30000	0	0	30000	36.875	2004
23.01.2020 11:23:52	1	1	1	1	104.3	56.75	0	26208.531	608.6021505	15978.85467	30000	0	0	30000	37.125	2004
23.01.2020 11:23:53	1	1	1	1	104.3	57	0	26303.318	606.4516129	16150.0829	30000	0	0	30000	36.6875	2004
23.01.2020 11:23:54	1	1	1	1	104.3	56.5	0	26350.711	608.6021505	15980.48542	30000	0	0	30000	36.8125	2004
23.01.2020 11:23:55	1	1	1	1	104.3	56.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	37.125	2004
23.01.2020 11:23:56	1	1	1	1	104.3	57	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.625	2004
23.01.2020 11:23:57	1	1	1	1	104.3	56.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.625	2004
23.01.2020 11:23:58	1	1	1	1	104.3	56.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.8125	2004
23.01.2020 11:23:59	1	1	1	1	104.3	56.75	0	25924.171	604.3010753	15832.903	30000	0	0	30000	35.9375	2004
23.01.2020 11:24:00	1	1	1	1	104.3	55.75	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	37.125	2004
23.01.2020 11:24:01	1	1	1	1	104.3	57	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	36.25	2004
23.01.2020 11:24:02	1	1	1	1	104.3	56.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37	2004
23.01.2020 11:24:03	1	1	1	1	104.3	57	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	37.25	2004
23.01.2020 11:24:04	1	1	1	1	104.3	57.25	0	26018.957	610.7526882	15975.59318	30000	0	0	30000	36.625	2004
23.01.2020 11:24:05	1	1	1	1	104.3	56.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.9375	2004
23.01.2020 11:24:06	1	1	1	1	104.3	56.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	37	2004
23.01.2020 11:24:07	1	1	1	1	104.3	57	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	37	2004
23.01.2020 11:24:08	1	1	1	1	104.3	57	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	37	2004
23.01.2020 11:24:09	1	1	1	1	104.3	57	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.8125	2004
23.01.2020 11:24:10	1	1	1	1	104.3	56.75	0	26113.744	612.9032258	15975.59318	30000	0	0	30000	36.75	2004
23.01.2020 11:24:11	1	1	1	1	104.3	56.75	0	26255.924	610.7526882	16064.46878	30000	0	0	30000	36.75	2004
23.01.2020 11:24:12	1	1	1	1	104.3	56.75	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	37	2004
23.01.2020 11:24:13	1	1	1	1	104.3	57	0	26255.924	604.3010753	15922.59397	30000	0	0	30000	36.8125	2004
23.01.2020 11:24:14	1	1	1	1	104.3	56.75	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	36.5625	2004
23.01.2020 11:24:15	1	1	1	1	104.3	56.5	0	26255.924	610.7526882	16035.93075	30000	0	0	30000	36.8125	2004
23.01.2020 11:24:16	1	1	1	1	104.3	56.75	0	26208.531	610.7526882	16035.93075	30000	0	0	30000	37.25	2004
23.01.2020 11:24:17	1	1	1	1	104.3	57.25	0	26208.531	610.7526882	16092.19145	30000	0	0	30000	36.75	2004
23.01.2020 11:24:18	1	1	1	1	104.3	56.75	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	36.25	2004
23.01.2020 11:24:19	1	1	1	1	104.3	56.25	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	37.125	2004
23.01.2020 11:24:20	1	1	1	1	104.3	57	0	26113.744	608.6021505	16004.94659	30000	0	0	30000	37.125	2004
23.01.2020 11:24:21	1	1	1	1	104.3	57	0	26208.531	608.6021505	15948.68589	30000	0	0	30000	36.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:24:22	1	1	1	1	104.3	56.5	0	26066.351	612.9032258	15920.14785	30000	0	0	30000	37.1875	2004
23.01.2020 11:24:23	1	1	1	1	104.3	57	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	36.875	2004
23.01.2020 11:24:24	1	1	1	1	104.3	56.75	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	35.75	2004
23.01.2020 11:24:25	1	1	1	1	104.3	57.25	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	36.25	2004
23.01.2020 11:24:27	1	1	1	1	104.3	56.25	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	36.875	2004
23.01.2020 11:24:28	1	1	1	1	104.3	56.75	0	26255.924	617.2043011	15836.16449	30000	0	0	30000	37.3125	2004
23.01.2020 11:24:29	1	1	1	1	104.3	57.25	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	37.0625	2004
23.01.2020 11:24:30	1	1	1	1	104.3	57	0	26398.104	610.7526882	16122.36023	30000	0	0	30000	36.6875	2004
23.01.2020 11:24:31	1	1	1	1	104	56.5	0	26398.104	606.4516129	15753.81187	30000	0	0	30000	36.9375	2004
23.01.2020 11:24:32	1	1	1	1	104	56.75	0	26492.891	610.7526882	16209.60509	30000	0	0	30000	36.9375	2004
23.01.2020 11:24:33	1	1	1	1	104	56.75	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	36.9375	2004
23.01.2020 11:24:34	1	1	1	1	104	56.75	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	36.3125	2004
23.01.2020 11:24:35	1	1	1	1	104	56.25	0	26255.924	610.7526882	15779.90379	30000	0	0	30000	37.0625	2004
23.01.2020 11:24:36	1	1	1	1	104	57	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	36.3125	2004
23.01.2020 11:24:42	1	1	1	1	104.3	57	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	36.8125	2004
23.01.2020 11:24:42	1	1	1	1	104.3	56.75	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	36.5625	2004
23.01.2020 11:24:42	1	1	1	1	104.3	56.75	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	36.5625	2004
23.01.2020 11:24:42	1	1	1	1	104.3	56.75	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	36.5625	2004
23.01.2020 11:24:42	1	1	1	1	104.3	56.75	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	36.5625	2004
23.01.2020 11:24:42	1	1	1	1	104.3	56.75	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	36.5625	2004
23.01.2020 11:24:43	1	1	1	1	104.3	56.5	0	26445.498	606.4516129	16095.45294	30000	0	0	30000	37.3125	2004
23.01.2020 11:24:44	1	1	1	1	104.3	57.25	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	35.8125	2004
23.01.2020 11:24:45	1	1	1	1	104.3	55.75	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	37	2004
23.01.2020 11:24:46	1	1	1	1	104.3	57	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	36.4375	2004
23.01.2020 11:24:47	1	1	1	1	104.3	56.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	37.1875	2004
23.01.2020 11:24:48	1	1	1	1	104.3	57	0	26350.711	606.4516129	15951.94738	30000	0	0	30000	37.0625	2004
23.01.2020 11:24:49	1	1	1	1	104.3	57	0	26492.891	606.4516129	16209.60509	30000	0	0	30000	36.4375	2004
23.01.2020 11:24:50	1	1	1	1	104.3	56.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	36.875	2004
23.01.2020 11:24:51	1	1	1	1	104.5	56.75	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	37.1875	2004
23.01.2020 11:24:52	1	1	1	1	104.5	57	0	26303.318	606.4516129	15838.61061	30000	0	0	30000	36.375	2004
23.01.2020 11:24:53	1	1	1	1	104.5	56.25	0	26350.711	608.6021505	16009.02346	30000	0	0	30000	37.0625	2004
23.01.2020 11:24:54	1	1	1	1	104.5	57	0	26303.318	610.7526882	15978.85467	30000	0	0	30000	37.1875	2004
23.01.2020 11:24:55	1	1	1	1	104.5	57	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	37	2004
23.01.2020 11:24:56	1	1	1	1	104.5	57	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	36.625	2004
23.01.2020 11:24:57	1	1	1	1	104.5	56.5	0	26492.891	606.4516129	16123.1756	30000	0	0	30000	37.1875	2004
23.01.2020 11:24:58	1	1	1	1	104.5	57	0	26398.104	604.3010753	15923.40934	30000	0	0	30000	37.3125	2004
23.01.2020 11:24:59	1	1	1	1	104.5	57.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	36.875	2004
23.01.2020 11:25:00	1	1	1	1	104.5	56.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	37.5625	2004
23.01.2020 11:25:01	1	1	1	1	105	57.5	0	26350.711	610.7526882	16008.20808	30000	0	0	30000	37.5	2004
23.01.2020 11:25:02	1	1	1	1	105	57.5	0	26350.711	610.7526882	15980.48542	30000	0	0	30000	37.1875	2004
23.01.2020 11:25:03	1	1	1	1	105	57.5	0	26303.318	604.3010753	15951.13201	30000	0	0	30000	36.25	2004
23.01.2020 11:25:05	1	1	1	1	105	56.25	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	37.375	2004
23.01.2020 11:25:06	1	1	1	1	105	57.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	36.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:25:07	1	1	1	1	105	56.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	37.375	2004
23.01.2020 11:25:08	1	1	1	1	105	57.25	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	37	2004
23.01.2020 11:25:09	1	1	1	1	105	57	0	26113.744	602.1505376	15894.05593	30000	0	0	30000	36.9375	2004
23.01.2020 11:25:10	1	1	1	1	105	56.75	0	26445.498	610.7526882	16122.36023	30000	0	0	30000	37.0625	2004
23.01.2020 11:25:11	1	1	1	1	105	57	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	37.375	2004
23.01.2020 11:25:12	1	1	1	1	105	57.25	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	37.125	2004
23.01.2020 11:25:13	1	1	1	1	105	57	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:14	1	1	1	1	105	57.25	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	37.4375	2004
23.01.2020 11:25:15	1	1	1	1	105	57.25	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:16	1	1	1	1	105	57.25	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:17	1	1	1	1	105	57.25	0	26492.891	604.3010753	16123.1756	30000	0	0	30000	36.75	2004
23.01.2020 11:25:18	1	1	1	1	105	56.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	36.6875	2004
23.01.2020 11:25:19	1	1	1	1	105	56.5	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	36.5625	2004
23.01.2020 11:25:20	1	1	1	1	105	56.5	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	37.1875	2004
23.01.2020 11:25:21	1	1	1	1	105.3	57	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	36.75	2004
23.01.2020 11:25:22	1	1	1	1	105.3	56.75	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:23	1	1	1	1	105.3	57.25	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	37.0625	2004
23.01.2020 11:25:24	1	1	1	1	105.3	57	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	36.25	2004
23.01.2020 11:25:25	1	1	1	1	105.3	56.25	0	26587.678	602.1505376	15867.14864	30000	0	0	30000	36.9375	2004
23.01.2020 11:25:26	1	1	1	1	105.3	56.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	36.75	2004
23.01.2020 11:25:27	1	1	1	1	105.3	56.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	36.9375	2004
23.01.2020 11:25:28	1	1	1	1	105.3	56.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.4375	2004
23.01.2020 11:25:29	1	1	1	1	105.3	57.25	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	37.125	2004
23.01.2020 11:25:30	1	1	1	1	105.3	57	0	26445.498	604.3010753	15924.22472	30000	0	0	30000	37.125	2004
23.01.2020 11:25:31	1	1	1	1	105.5	57	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	37	2004
23.01.2020 11:25:32	1	1	1	1	105.5	57	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:33	1	1	1	1	105.5	57.25	0	26398.104	604.3010753	16065.28416	30000	0	0	30000	36.75	2004
23.01.2020 11:25:34	1	1	1	1	105.5	56.75	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	36.75	2004
23.01.2020 11:25:35	1	1	1	1	105.5	56.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:36	1	1	1	1	105.5	57.25	0	26350.711	604.3010753	15838.61061	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:37	1	1	1	1	105.5	57.25	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	36.75	2004
23.01.2020 11:25:43	1	1	1	1	105.5	57.5	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:43	1	1	1	1	105.5	57.5	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:43	1	1	1	1	105.5	57.5	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:43	1	1	1	1	105.5	57.5	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:43	1	1	1	1	105.5	57.5	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:44	1	1	1	1	105.5	57	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	37.25	2004
23.01.2020 11:25:45	1	1	1	1	105.5	57.25	0	26492.891	602.1505376	16095.45294	30000	0	0	30000	37.5	2004
23.01.2020 11:25:46	1	1	1	1	105.5	57.5	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:47	1	1	1	1	105.5	57.25	0	26445.498	597.8494624	15781.53453	30000	0	0	30000	37.4375	2004
23.01.2020 11:25:48	1	1	1	1	105.5	57.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	36.875	2004
23.01.2020 11:25:49	1	1	1	1	105.5	56.75	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	36.5625	2004
23.01.2020 11:25:50	1	1	1	1	105.5	56.5	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:25:51	1	1	1	1	105.3	57.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	37.125	2004
23.01.2020 11:25:52	1	1	1	1	105.3	57	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:53	1	1	1	1	105.3	57.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:54	1	1	1	1	105.3	57.25	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	37.25	2004
23.01.2020 11:25:55	1	1	1	1	105.3	57.25	0	26350.711	606.4516129	15951.94738	30000	0	0	30000	36.0625	2004
23.01.2020 11:25:56	1	1	1	1	105.3	56	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	37.3125	2004
23.01.2020 11:25:57	1	1	1	1	105.3	57.25	0	26113.744	604.3010753	15779.90379	30000	0	0	30000	36.625	2004
23.01.2020 11:25:58	1	1	1	1	105.3	56.5	0	26350.711	610.7526882	16122.36023	30000	0	0	30000	36.75	2004
23.01.2020 11:25:59	1	1	1	1	105.3	56.75	0	26303.318	610.7526882	15978.85467	30000	0	0	30000	36.4375	2004
23.01.2020 11:26:00	1	1	1	1	105.3	56.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	37.4375	2004
23.01.2020 11:26:01	1	1	1	1	103.3	57.25	0	26208.531	615.0537634	16006.57734	30000	0	0	30000	37.1875	2004
23.01.2020 11:26:02	1	1	1	1	103.3	57	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.3125	2004
23.01.2020 11:26:03	1	1	1	1	103.3	57.25	0	26066.351	608.6021505	15722.82771	30000	0	0	30000	37.125	2004
23.01.2020 11:26:04	1	1	1	1	103.3	57	0	26303.318	610.7526882	15978.85467	30000	0	0	30000	36.9375	2004
23.01.2020 11:26:05	1	1	1	1	103.3	56.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.5	2004
23.01.2020 11:26:06	1	1	1	1	103.3	57.5	0	26350.711	615.0537634	16207.15897	30000	0	0	30000	37.4375	2004
23.01.2020 11:26:07	1	1	1	1	103.3	57.25	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	37.375	2004
23.01.2020 11:26:08	1	1	1	1	103.3	57.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.875	2004
23.01.2020 11:26:09	1	1	1	1	103.3	56.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	36.875	2004
23.01.2020 11:26:10	1	1	1	1	103.3	56.75	0	26113.744	615.0537634	15975.59318	30000	0	0	30000	36.3125	2004
23.01.2020 11:26:11	1	1	1	1	103.8	56.25	0	26303.318	612.9032258	16177.80556	30000	0	0	30000	37.375	2004
23.01.2020 11:26:12	1	1	1	1	103.8	57.25	0	26208.531	604.3010753	15837.79523	30000	0	0	30000	37	2004
23.01.2020 11:26:13	1	1	1	1	103.8	57	0	26492.891	602.1505376	15895.68668	30000	0	0	30000	36.875	2004
23.01.2020 11:26:14	1	1	1	1	103.8	56.75	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	37.125	2004
23.01.2020 11:26:15	1	1	1	1	103.8	57	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	37.125	2004
23.01.2020 11:26:16	1	1	1	1	103.8	57	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	36.4375	2004
23.01.2020 11:26:17	1	1	1	1	103.8	56.25	0	26255.924	606.4516129	15894.87131	30000	0	0	30000	37.5625	2004
23.01.2020 11:26:18	1	1	1	1	103.8	57.5	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	37.3125	2004
23.01.2020 11:26:19	1	1	1	1	103.8	57.25	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	37	2004
23.01.2020 11:26:20	1	1	1	1	103.8	57	0	26303.318	606.4516129	15922.59397	30000	0	0	30000	37.3125	2004
23.01.2020 11:26:22	1	1	1	1	105	57.5	0	26350.711	597.8494624	16009.02346	30000	0	0	30000	36.9375	2004
23.01.2020 11:26:23	1	1	1	1	105	56.75	0	26303.318	606.4516129	15980.48542	30000	0	0	30000	36.8125	2004
23.01.2020 11:26:24	1	1	1	1	105	56.75	0	26350.711	606.4516129	16009.02346	30000	0	0	30000	37.5625	2004
23.01.2020 11:26:25	1	1	1	1	105	57.5	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	37.5	2004
23.01.2020 11:26:26	1	1	1	1	105	57.5	0	26398.104	610.7526882	16122.36023	30000	0	0	30000	37.25	2004
23.01.2020 11:26:27	1	1	1	1	105	57.25	0	26398.104	606.4516129	15923.40934	30000	0	0	30000	36.9375	2004
23.01.2020 11:26:28	1	1	1	1	105	56.75	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	37.5	2004
23.01.2020 11:26:29	1	1	1	1	105	57.5	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	37.1875	2004
23.01.2020 11:26:30	1	1	1	1	105	57	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	37.5	2004
23.01.2020 11:26:31	1	1	1	1	105.3	57.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	37.5	2004
23.01.2020 11:26:32	1	1	1	1	105.3	57.5	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	37.125	2004
23.01.2020 11:26:33	1	1	1	1	105.3	57	0	26303.318	608.6021505	15894.87131	30000	0	0	30000	36.875	2004
23.01.2020 11:26:34	1	1	1	1	105.3	56.75	0	26350.711	606.4516129	15838.61061	30000	0	0	30000	37.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:26:35	1	1	1	1	105.3	57.25	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	37.1875	2004
23.01.2020 11:26:36	1	1	1	1	105.3	57	0	26587.678	604.3010753	15867.14864	30000	0	0	30000	37.4375	2004
23.01.2020 11:26:37	1	1	1	1	105.3	57.25	0	26540.284	604.3010753	15951.94738	30000	0	0	30000	37.3125	2004
23.01.2020 11:26:38	1	1	1	1	105.3	57.25	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	37.4375	2004
23.01.2020 11:26:39	1	1	1	1	105.3	57.25	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	37.3125	2004
23.01.2020 11:26:45	1	1	1	1	104.3	57.5	0	26587.678	604.3010753	16296.03457	30000	0	0	30000	36.875	2004
23.01.2020 11:26:45	1	1	1	1	104.3	57.5	0	26587.678	604.3010753	16296.03457	30000	0	0	30000	36.875	2004
23.01.2020 11:26:45	1	1	1	1	104.3	57.5	0	26587.678	604.3010753	16296.03457	30000	0	0	30000	36.875	2004
23.01.2020 11:26:45	1	1	1	1	104.3	57.5	0	26587.678	604.3010753	16296.03457	30000	0	0	30000	36.875	2004
23.01.2020 11:26:45	1	1	1	1	104.3	57.5	0	26587.678	604.3010753	16296.03457	30000	0	0	30000	36.875	2004
23.01.2020 11:26:45	1	1	1	1	104.3	57.5	0	26587.678	604.3010753	16296.03457	30000	0	0	30000	36.875	2004
23.01.2020 11:26:46	1	1	1	1	104.3	56.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	37.5625	2004
23.01.2020 11:26:47	1	1	1	1	104.3	57.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	37.5	2004
23.01.2020 11:26:48	1	1	1	1	104.3	57.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	37.125	2004
23.01.2020 11:26:49	1	1	1	1	104.3	57	0	26303.318	602.1505376	15894.87131	30000	0	0	30000	37.0625	2004
23.01.2020 11:26:50	1	1	1	1	104.3	57	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	37.5	2004
23.01.2020 11:26:51	1	1	1	1	104.5	57.5	0	26208.531	606.4516129	15922.59397	30000	0	0	30000	37.1875	2004
23.01.2020 11:26:52	1	1	1	1	104.5	57	0	26303.318	604.3010753	16008.20808	30000	0	0	30000	37.625	2004
23.01.2020 11:26:53	1	1	1	1	104.5	57.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	37.4375	2004
23.01.2020 11:26:54	1	1	1	1	104.5	57.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	37.5625	2004
23.01.2020 11:26:55	1	1	1	1	104.5	57.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	37.4375	2004
23.01.2020 11:26:56	1	1	1	1	104.5	57.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	37.625	2004
23.01.2020 11:26:57	1	1	1	1	104.5	57.5	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	37.375	2004
23.01.2020 11:26:58	1	1	1	1	104.5	57.25	0	26208.531	610.7526882	15978.85467	30000	0	0	30000	37.3125	2004
23.01.2020 11:27:00	1	1	1	1	104.5	58	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	37.1875	2004
23.01.2020 11:27:01	1	1	1	1	105.3	57	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	36.4375	2004
23.01.2020 11:27:02	1	1	1	1	105.3	56.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	37.125	2004
23.01.2020 11:27:03	1	1	1	1	105.3	57	0	26445.498	606.4516129	16009.02346	30000	0	0	30000	36.875	2004
23.01.2020 11:27:04	1	1	1	1	105.3	56.75	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	37.3125	2004
23.01.2020 11:27:05	1	1	1	1	105.3	57.25	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	37.6875	2004
23.01.2020 11:27:06	1	1	1	1	105.3	57.5	0	26255.924	610.7526882	16177.80556	30000	0	0	30000	37.4375	2004
23.01.2020 11:27:07	1	1	1	1	105.3	57.25	0	26255.924	610.7526882	15837.79523	30000	0	0	30000	37.5	2004
23.01.2020 11:27:08	1	1	1	1	105.3	57.5	0	26350.711	610.7526882	16122.36023	30000	0	0	30000	37.5625	2004
23.01.2020 11:27:09	1	1	1	1	105.3	57.5	0	26303.318	606.4516129	15781.53453	30000	0	0	30000	37.5625	2004
23.01.2020 11:27:10	1	1	1	1	105.3	57.5	0	26255.924	608.6021505	16035.93075	30000	0	0	30000	37.625	2004
23.01.2020 11:27:11	1	1	1	1	105.8	57.5	0	26208.531	608.6021505	16177.80556	30000	0	0	30000	37.75	2004
23.01.2020 11:27:12	1	1	1	1	105.8	57.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	37.3125	2004
23.01.2020 11:27:13	1	1	1	1	105.8	57.25	0	26208.531	610.7526882	16004.94659	30000	0	0	30000	37.75	2004
23.01.2020 11:27:14	1	1	1	1	105.8	57.75	0	26113.744	612.9032258	15779.90379	30000	0	0	30000	37.75	2004
23.01.2020 11:27:15	1	1	1	1	105.8	57.75	0	26113.744	606.4516129	15779.90379	30000	0	0	30000	37.3125	2004
23.01.2020 11:27:16	1	1	1	1	105.8	57.25	0	26113.744	608.6021505	16006.57734	30000	0	0	30000	37.625	2004
23.01.2020 11:27:17	1	1	1	1	105.8	57.5	0	26113.744	615.0537634	15948.68589	30000	0	0	30000	37.625	2004
23.01.2020 11:27:18	1	1	1	1	105.8	57.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:27:19	1	1	1	1	105.8	57.5	0	26113.744	610.7526882	16175.35944	30000	0	0	30000	37	2004
23.01.2020 11:27:20	1	1	1	1	105.8	57	0	26113.744	608.6021505	16006.57734	30000	0	0	30000	37.5625	2004
23.01.2020 11:27:21	1	1	1	1	105.8	57.5	0	26208.531	608.6021505	15724.45846	30000	0	0	30000	37.375	2004
23.01.2020 11:27:22	1	1	1	1	105.8	57.25	0	26350.711	608.6021505	15894.87131	30000	0	0	30000	37.6875	2004
23.01.2020 11:27:23	1	1	1	1	105.8	57.5	0	26492.891	606.4516129	16152.52901	30000	0	0	30000	37.75	2004
23.01.2020 11:27:24	1	1	1	1	105.8	57.75	0	26540.284	606.4516129	16209.60509	30000	0	0	30000	37.625	2004
23.01.2020 11:27:25	1	1	1	1	105.8	57.5	0	26350.711	606.4516129	16009.02346	30000	0	0	30000	37.75	2004
23.01.2020 11:27:26	1	1	1	1	105.8	57.75	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	37.5625	2004
23.01.2020 11:27:27	1	1	1	1	105.8	57.5	0	26398.104	604.3010753	15923.40934	30000	0	0	30000	37.6875	2004
23.01.2020 11:27:28	1	1	1	1	105.8	57.5	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	37.0625	2004
23.01.2020 11:27:29	1	1	1	1	105.8	57	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	37.8125	2004
23.01.2020 11:27:30	1	1	1	1	105.8	57.75	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	37.625	2004
23.01.2020 11:27:31	1	1	1	1	105.8	57.5	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	37.125	2004
23.01.2020 11:27:32	1	1	1	1	105.8	57	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	37.8125	2004
23.01.2020 11:27:33	1	1	1	1	105.8	57.75	0	26208.531	604.3010753	15724.45846	30000	0	0	30000	37.5625	2004
23.01.2020 11:27:34	1	1	1	1	105.8	57.5	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	37.6875	2004
23.01.2020 11:27:35	1	1	1	1	105.8	57.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.625	2004
23.01.2020 11:27:36	1	1	1	1	105.8	57.5	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.625	2004
23.01.2020 11:27:38	1	1	1	1	105.8	57.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	37.75	2004
23.01.2020 11:27:39	1	1	1	1	105.8	57.75	0	26208.531	610.7526882	16035.93075	30000	0	0	30000	37.4375	2004
23.01.2020 11:27:40	1	1	1	1	105.8	57.25	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	36.8125	2004
23.01.2020 11:27:41	1	1	1	1	106.3	56.75	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	37.625	2004
23.01.2020 11:27:47	1	1	1	1	106.3	57.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	37.4375	2004
23.01.2020 11:27:47	1	1	1	1	106.3	57.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	37.4375	2004
23.01.2020 11:27:47	1	1	1	1	106.3	57.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	37.4375	2004
23.01.2020 11:27:47	1	1	1	1	106.3	57.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	37.4375	2004
23.01.2020 11:27:47	1	1	1	1	106.3	57.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	37.4375	2004
23.01.2020 11:27:47	1	1	1	1	106.3	57.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	37.4375	2004
23.01.2020 11:27:48	1	1	1	1	106.3	57.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.5625	2004
23.01.2020 11:27:49	1	1	1	1	106.3	57.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	37.0625	2004
23.01.2020 11:27:50	1	1	1	1	106.3	57	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	37	2004
23.01.2020 11:27:51	1	1	1	1	105.8	57	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	37.625	2004
23.01.2020 11:27:52	1	1	1	1	105.8	57.5	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	37.5	2004
23.01.2020 11:27:53	1	1	1	1	105.8	57.5	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	37.125	2004
23.01.2020 11:27:54	1	1	1	1	105.8	57	0	26492.891	606.4516129	16209.60509	30000	0	0	30000	37.75	2004
23.01.2020 11:27:55	1	1	1	1	105.8	57.75	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	37.4375	2004
23.01.2020 11:27:56	1	1	1	1	105.8	57.25	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	37	2004
23.01.2020 11:27:57	1	1	1	1	105.8	57	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	37.8125	2004
23.01.2020 11:27:58	1	1	1	1	105.8	57.75	0	26445.498	610.7526882	16037.56149	30000	0	0	30000	37.25	2004
23.01.2020 11:27:59	1	1	1	1	105.8	57.25	0	26303.318	608.6021505	15951.13201	30000	0	0	30000	36.4375	2004
23.01.2020 11:28:00	1	1	1	1	105.8	56.25	0	26303.318	610.7526882	16120.72949	30000	0	0	30000	36.8125	2004
23.01.2020 11:28:01	1	1	1	1	106	56.75	0	25971.564	610.7526882	15947.05515	30000	0	0	30000	37.8125	2004
23.01.2020 11:28:02	1	1	1	1	106	57.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:28:03	1	1	1	1	106	57.5	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.6875	2004
23.01.2020 11:28:04	1	1	1	1	106	57.5	0	26255.924	610.7526882	16064.46878	30000	0	0	30000	37.25	2004
23.01.2020 11:28:05	1	1	1	1	106	57.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.875	2004
23.01.2020 11:28:06	1	1	1	1	106	57.75	0	26208.531	615.0537634	16347.40304	30000	0	0	30000	37.75	2004
23.01.2020 11:28:07	1	1	1	1	106	57.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.5625	2004
23.01.2020 11:28:08	1	1	1	1	106	57.5	0	26255.924	617.2043011	15948.68589	30000	0	0	30000	36.8125	2004
23.01.2020 11:28:09	1	1	1	1	106	56.75	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	37.3125	2004
23.01.2020 11:28:10	1	1	1	1	106	57.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	37.25	2004
23.01.2020 11:28:11	1	1	1	1	105.8	57.25	0	26255.924	612.9032258	16062.83804	30000	0	0	30000	37.6875	2004
23.01.2020 11:28:12	1	1	1	1	105.8	57.5	0	26208.531	615.0537634	16175.35944	30000	0	0	30000	37.0625	2004
23.01.2020 11:28:13	1	1	1	1	105.8	57	0	26066.351	612.9032258	16004.94659	30000	0	0	30000	37.75	2004
23.01.2020 11:28:15	1	1	1	1	105.8	57.75	0	26113.744	610.7526882	15836.16449	30000	0	0	30000	37.375	2004
23.01.2020 11:28:16	1	1	1	1	105.8	57.25	0	26066.351	610.7526882	16229.17403	30000	0	0	30000	37.4375	2004
23.01.2020 11:28:17	1	1	1	1	105.8	57.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.1875	2004
23.01.2020 11:28:18	1	1	1	1	105.8	57	0	26066.351	612.9032258	15947.05515	30000	0	0	30000	37.8125	2004
23.01.2020 11:28:19	1	1	1	1	105.8	57.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.625	2004
23.01.2020 11:28:20	1	1	1	1	105.8	57.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	37.9375	2004
23.01.2020 11:28:21	1	1	1	1	106.3	57.75	0	26018.957	610.7526882	15947.05515	30000	0	0	30000	37.3125	2004
23.01.2020 11:28:22	1	1	1	1	106.3	57.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	37.75	2004
23.01.2020 11:28:23	1	1	1	1	106.3	57.75	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	37.1875	2004
23.01.2020 11:28:24	1	1	1	1	106.3	57	0	26208.531	615.0537634	16061.20729	30000	0	0	30000	37.75	2004
23.01.2020 11:28:25	1	1	1	1	106.3	57.75	0	26208.531	608.6021505	16006.57734	30000	0	0	30000	37.625	2004
23.01.2020 11:28:26	1	1	1	1	106.3	57.5	0	26255.924	610.7526882	16035.93075	30000	0	0	30000	37.8125	2004
23.01.2020 11:28:27	1	1	1	1	106.3	57.75	0	26303.318	610.7526882	15951.13201	30000	0	0	30000	37.75	2004
23.01.2020 11:28:28	1	1	1	1	106.3	57.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	37.5625	2004
23.01.2020 11:28:29	1	1	1	1	106.3	57.5	0	26208.531	606.4516129	15922.59397	30000	0	0	30000	37.5625	2004
23.01.2020 11:28:30	1	1	1	1	106.3	57.5	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	37.5625	2004
23.01.2020 11:28:31	1	1	1	1	106	57.5	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	37.5625	2004
23.01.2020 11:28:32	1	1	1	1	106	57.5	0	26350.711	608.6021505	15951.13201	30000	0	0	30000	37.625	2004
23.01.2020 11:28:33	1	1	1	1	106	57.5	0	26255.924	606.4516129	15894.05593	30000	0	0	30000	36	2004
23.01.2020 11:28:34	1	1	1	1	106	56	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	37.4375	2004
23.01.2020 11:28:35	1	1	1	1	106	57.25	0	26350.711	606.4516129	16122.36023	30000	0	0	30000	37.625	2004
23.01.2020 11:28:36	1	1	1	1	106	57.5	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	37.75	2004
23.01.2020 11:28:37	1	1	1	1	106	57.75	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	37.625	2004
23.01.2020 11:28:38	1	1	1	1	106	57.5	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	37.8125	2004
23.01.2020 11:28:39	1	1	1	1	106	57.75	0	26255.924	604.3010753	15951.13201	30000	0	0	30000	37.375	2004
23.01.2020 11:28:40	1	1	1	1	106	57.25	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	37.375	2004
23.01.2020 11:28:41	1	1	1	1	106.3	57.25	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	37.875	2004
23.01.2020 11:28:42	1	1	1	1	106.3	57.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	37.875	2004
23.01.2020 11:28:48	1	1	1	1	106.3	57.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	37.3125	2004
23.01.2020 11:28:48	1	1	1	1	106.3	57.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	37.3125	2004
23.01.2020 11:28:48	1	1	1	1	106.3	57.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	37.3125	2004
23.01.2020 11:28:48	1	1	1	1	106.3	57.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:28:48	1	1	1	1	106.3	57.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	37.3125	2004
23.01.2020 11:28:48	1	1	1	1	106.3	57.25	0	26445.498	604.3010753	16094.63757	30000	0	0	30000	37.875	2004
23.01.2020 11:28:49	1	1	1	1	106.3	57.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	37.9375	2004
23.01.2020 11:28:50	1	1	1	1	106.3	57.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.25	2004
23.01.2020 11:28:51	1	1	1	1	106.8	58.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	37.3125	2004
23.01.2020 11:28:52	1	1	1	1	106.8	57.25	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	38	2004
23.01.2020 11:28:54	1	1	1	1	106.8	58	0	26350.711	604.3010753	16151.71364	30000	0	0	30000	37.375	2004
23.01.2020 11:28:55	1	1	1	1	106.8	57.25	0	26208.531	602.1505376	16008.20808	30000	0	0	30000	36.625	2004
23.01.2020 11:28:56	1	1	1	1	106.8	57.75	0	26398.104	612.9032258	15951.13201	30000	0	0	30000	37.9375	2004
23.01.2020 11:28:57	1	1	1	1	106.8	57.75	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	37.6875	2004
23.01.2020 11:28:58	1	1	1	1	106.8	57.5	0	26445.498	606.4516129	16151.71364	30000	0	0	30000	37.8125	2004
23.01.2020 11:28:59	1	1	1	1	106.8	57.75	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	38	2004
23.01.2020 11:29:00	1	1	1	1	106.8	58	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	37.3125	2004
23.01.2020 11:29:01	1	1	1	1	106.5	57.25	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	37.9375	2004
23.01.2020 11:29:02	1	1	1	1	106.5	57.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	37.875	2004
23.01.2020 11:29:03	1	1	1	1	106.5	57.75	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	37.625	2004
23.01.2020 11:29:04	1	1	1	1	106.5	57.5	0	26303.318	604.3010753	16064.46878	30000	0	0	30000	37.3125	2004
23.01.2020 11:29:05	1	1	1	1	106.5	57.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	37.375	2004
23.01.2020 11:29:06	1	1	1	1	106.5	57.25	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	37.8125	2004
23.01.2020 11:29:07	1	1	1	1	106.5	57.75	0	26255.924	610.7526882	15948.68589	30000	0	0	30000	37.375	2004
23.01.2020 11:29:08	1	1	1	1	106.5	57.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.75	2004
23.01.2020 11:29:09	1	1	1	1	106.5	57.75	0	25924.171	615.0537634	16058.76118	30000	0	0	30000	37.25	2004
23.01.2020 11:29:10	1	1	1	1	106.5	57.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	37.75	2004
23.01.2020 11:29:11	1	1	1	1	107	57.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	37	2004
23.01.2020 11:29:12	1	1	1	1	107	57	0	26255.924	615.0537634	16092.19145	30000	0	0	30000	37.9375	2004
23.01.2020 11:29:13	1	1	1	1	107	57.75	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	37.9375	2004
23.01.2020 11:29:14	1	1	1	1	107	57.75	0	26018.957	604.3010753	15920.14785	30000	0	0	30000	37.875	2004
23.01.2020 11:29:15	1	1	1	1	107	57.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	37.75	2004
23.01.2020 11:29:16	1	1	1	1	107	57.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.875	2004
23.01.2020 11:29:17	1	1	1	1	107	57.75	0	26255.924	615.0537634	16119.09874	30000	0	0	30000	37.125	2004
23.01.2020 11:29:18	1	1	1	1	107	57	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	37.9375	2004
23.01.2020 11:29:19	1	1	1	1	107	57.75	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	37.8125	2004
23.01.2020 11:29:20	1	1	1	1	107	57.75	0	26303.318	608.6021505	15922.59397	30000	0	0	30000	36.9375	2004
23.01.2020 11:29:21	1	1	1	1	107.3	56.75	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	38	2004
23.01.2020 11:29:22	1	1	1	1	107.3	58	0	26255.924	610.7526882	16064.46878	30000	0	0	30000	37.4375	2004
23.01.2020 11:29:23	1	1	1	1	107.3	57.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	37.9375	2004
23.01.2020 11:29:24	1	1	1	1	107.3	57.75	0	26208.531	604.3010753	15866.33327	30000	0	0	30000	38	2004
23.01.2020 11:29:25	1	1	1	1	107.3	58	0	26445.498	610.7526882	16122.36023	30000	0	0	30000	37.4375	2004
23.01.2020 11:29:26	1	1	1	1	107.3	57.25	0	26208.531	615.0537634	15950.31664	30000	0	0	30000	37.8125	2004
23.01.2020 11:29:27	1	1	1	1	107.3	57.75	0	26208.531	606.4516129	16062.83804	30000	0	0	30000	37.6875	2004
23.01.2020 11:29:28	1	1	1	1	107.3	57.5	0	26208.531	606.4516129	16006.57734	30000	0	0	30000	38.125	2004
23.01.2020 11:29:29	1	1	1	1	107.3	58	0	26113.744	608.6021505	16004.94659	30000	0	0	30000	37.9375	2004
23.01.2020 11:29:30	1	1	1	1	107.3	57.75	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	37.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:29:31	1	1	1	1	107.5	57.5	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	37.75	2004
23.01.2020 11:29:33	1	1	1	1	107.5	57.75	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	38.125	2004
23.01.2020 11:29:34	1	1	1	1	107.5	58	0	26113.744	604.3010753	16006.57734	30000	0	0	30000	38.1875	2004
23.01.2020 11:29:35	1	1	1	1	107.5	58	0	26255.924	610.7526882	16064.46878	30000	0	0	30000	37.875	2004
23.01.2020 11:29:36	1	1	1	1	107.5	57.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.6875	2004
23.01.2020 11:29:37	1	1	1	1	107.5	57.5	0	26113.744	608.6021505	15948.68589	30000	0	0	30000	38	2004
23.01.2020 11:29:38	1	1	1	1	107.5	58	0	26113.744	606.4516129	16006.57734	30000	0	0	30000	36.8125	2004
23.01.2020 11:29:39	1	1	1	1	107.5	56.75	0	26492.891	610.7526882	16152.52901	30000	0	0	30000	36.8125	2004
23.01.2020 11:29:40	1	1	1	1	107.5	56.75	0	26350.711	604.3010753	15980.48542	30000	0	0	30000	37.3125	2004
23.01.2020 11:29:41	1	1	1	1	107.3	57.25	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	37.8125	2004
23.01.2020 11:29:42	1	1	1	1	107.3	57.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	37.5625	2004
23.01.2020 11:29:43	1	1	1	1	107.3	57.5	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	38.125	2004
23.01.2020 11:29:44	1	1	1	1	107.3	58	0	26540.284	612.9032258	16152.52901	30000	0	0	30000	38.125	2004
23.01.2020 11:29:50	1	1	1	1	107.3	58	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	37.5625	2004
23.01.2020 11:29:50	1	1	1	1	107.3	58	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	37.5625	2004
23.01.2020 11:29:50	1	1	1	1	107.3	58	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	37.5625	2004
23.01.2020 11:29:50	1	1	1	1	107.3	58	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	37.5625	2004
23.01.2020 11:29:50	1	1	1	1	107.3	58	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	37.5625	2004
23.01.2020 11:29:50	1	1	1	1	107.3	58	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	37.5625	2004
23.01.2020 11:29:51	1	1	1	1	107.5	57.5	0	26303.318	610.7526882	16120.72949	30000	0	0	30000	38	2004
23.01.2020 11:29:52	1	1	1	1	107.5	58	0	26208.531	610.7526882	16177.80556	30000	0	0	30000	37.875	2004
23.01.2020 11:29:53	1	1	1	1	107.5	57.75	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	38.0625	2004
23.01.2020 11:29:54	1	1	1	1	107.5	58	0	26445.498	610.7526882	16094.63757	30000	0	0	30000	38	2004
23.01.2020 11:29:55	1	1	1	1	107.5	58	0	26208.531	608.6021505	16064.46878	30000	0	0	30000	38	2004
23.01.2020 11:29:56	1	1	1	1	107.5	58	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.75	2004
23.01.2020 11:29:57	1	1	1	1	107.5	57.75	0	26208.531	610.7526882	16035.93075	30000	0	0	30000	37.3125	2004
23.01.2020 11:29:58	1	1	1	1	107.5	57.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.625	2004
23.01.2020 11:29:59	1	1	1	1	107.5	56.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	37.4375	2004
23.01.2020 11:30:00	1	1	1	1	107.5	57.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.75	2004
23.01.2020 11:30:01	1	1	1	1	107.3	57.75	0	26398.104	615.0537634	16235.69701	30000	0	0	30000	38	2004
23.01.2020 11:30:02	1	1	1	1	107.3	58	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.9375	2004
23.01.2020 11:30:03	1	1	1	1	107.3	57.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	38	2004
23.01.2020 11:30:04	1	1	1	1	107.3	58	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.5	2004
23.01.2020 11:30:05	1	1	1	1	107.3	57.5	0	26018.957	610.7526882	15832.903	30000	0	0	30000	37.9375	2004
23.01.2020 11:30:06	1	1	1	1	107.3	57.75	0	26066.351	612.9032258	15947.05515	30000	0	0	30000	38.1875	2004
23.01.2020 11:30:07	1	1	1	1	107.3	58	0	25876.777	610.7526882	15777.45767	30000	0	0	30000	38	2004
23.01.2020 11:30:08	1	1	1	1	107.3	58	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	37.75	2004
23.01.2020 11:30:09	1	1	1	1	107.3	57.75	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	37.9375	2004
23.01.2020 11:30:11	1	1	1	1	107.3	57.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	38.125	2004
23.01.2020 11:30:12	1	1	1	1	106.8	58	0	26018.957	612.9032258	15975.59318	30000	0	0	30000	38.3125	2004
23.01.2020 11:30:13	1	1	1	1	106.8	58.25	0	26018.957	608.6021505	16088.11459	30000	0	0	30000	37.875	2004
23.01.2020 11:30:14	1	1	1	1	106.8	57.75	0	25924.171	617.2043011	15888.34833	30000	0	0	30000	37.8125	2004
23.01.2020 11:30:15	1	1	1	1	106.8	57.75	0	25924.171	617.2043011	16170.46721	30000	0	0	30000	37.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:30:16	1	1	1	1	106.8	57.75	0	25924.171	612.9032258	15944.60903	30000	0	0	30000	38	2004
23.01.2020 11:30:17	1	1	1	1	106.8	58	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	38.0625	2004
23.01.2020 11:30:18	1	1	1	1	106.8	58	0	25876.777	615.0537634	15941.34754	30000	0	0	30000	37.4375	2004
23.01.2020 11:30:19	1	1	1	1	106.8	57.25	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	38.125	2004
23.01.2020 11:30:20	1	1	1	1	106.8	58	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	37.9375	2004
23.01.2020 11:30:21	1	1	1	1	105	57.75	0	25876.777	617.2043011	16000.05436	30000	0	0	30000	38.0625	2004
23.01.2020 11:30:22	1	1	1	1	105	58	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	37.6875	2004
23.01.2020 11:30:23	1	1	1	1	105	57.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	38.25	2004
23.01.2020 11:30:24	1	1	1	1	105	58.25	0	25924.171	617.2043011	16058.76118	30000	0	0	30000	38.125	2004
23.01.2020 11:30:25	1	1	1	1	105	58	0	26018.957	612.9032258	16031.85389	30000	0	0	30000	38.125	2004
23.01.2020 11:30:26	1	1	1	1	105	58	0	26018.957	612.9032258	15888.34833	30000	0	0	30000	38.125	2004
23.01.2020 11:30:27	1	1	1	1	105	58	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	38.125	2004
23.01.2020 11:30:28	1	1	1	1	105	58	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	38.1875	2004
23.01.2020 11:30:29	1	1	1	1	105	58	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	37.875	2004
23.01.2020 11:30:30	1	1	1	1	105	57.75	0	26113.744	604.3010753	15779.90379	30000	0	0	30000	37.5625	2004
23.01.2020 11:30:31	1	1	1	1	105.8	57.5	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	37.625	2004
23.01.2020 11:30:32	1	1	1	1	105.8	57.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	37.8125	2004
23.01.2020 11:30:33	1	1	1	1	105.8	57.75	0	26587.678	602.1505376	16095.45294	30000	0	0	30000	37.9375	2004
23.01.2020 11:30:34	1	1	1	1	105.8	57.75	0	26492.891	597.8494624	15981.30079	30000	0	0	30000	38.125	2004
23.01.2020 11:30:35	1	1	1	1	105.8	58	0	26445.498	604.3010753	16037.56149	30000	0	0	30000	37.75	2004
23.01.2020 11:30:36	1	1	1	1	105.8	57.75	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	37.5	2004
23.01.2020 11:30:37	1	1	1	1	105.8	57.5	0	26445.498	608.6021505	16151.71364	30000	0	0	30000	37.9375	2004
23.01.2020 11:30:38	1	1	1	1	105.8	57.75	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	38.0625	2004
23.01.2020 11:30:39	1	1	1	1	105.8	58	0	26113.744	610.7526882	15950.31664	30000	0	0	30000	38.25	2004
23.01.2020 11:30:40	1	1	1	1	105.8	58.25	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	38.0625	2004
23.01.2020 11:30:41	1	1	1	1	106.3	58	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.75	2004
23.01.2020 11:30:42	1	1	1	1	106.3	57.75	0	26350.711	608.6021505	16064.46878	30000	0	0	30000	37.0625	2004
23.01.2020 11:30:43	1	1	1	1	106.3	57	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.6875	2004
23.01.2020 11:30:44	1	1	1	1	106.3	57.5	0	26113.744	606.4516129	15892.42519	30000	0	0	30000	37.625	2004
23.01.2020 11:30:45	1	1	1	1	106.3	57.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	38	2004
23.01.2020 11:30:52	1	1	1	1	105.3	58	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	37.3125	2004
23.01.2020 11:30:52	1	1	1	1	105.3	58	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	37.3125	2004
23.01.2020 11:30:52	1	1	1	1	105.3	58	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	37.3125	2004
23.01.2020 11:30:52	1	1	1	1	105.3	58	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	37.3125	2004
23.01.2020 11:30:52	1	1	1	1	105.3	58	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	37.3125	2004
23.01.2020 11:30:52	1	1	1	1	105.3	58	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	37.3125	2004
23.01.2020 11:30:53	1	1	1	1	105.3	57.25	0	26113.744	610.7526882	15779.90379	30000	0	0	30000	37.1875	2004
23.01.2020 11:30:54	1	1	1	1	105.3	57	0	26350.711	608.6021505	16179.43631	30000	0	0	30000	37.8125	2004
23.01.2020 11:30:55	1	1	1	1	105.3	57.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	37.8125	2004
23.01.2020 11:30:56	1	1	1	1	105.3	57.75	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	38.1875	2004
23.01.2020 11:30:57	1	1	1	1	105.3	58	0	26208.531	608.6021505	15892.42519	30000	0	0	30000	38.1875	2004
23.01.2020 11:30:58	1	1	1	1	105.3	58	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	37.625	2004
23.01.2020 11:30:59	1	1	1	1	105.3	57.5	0	26303.318	615.0537634	16064.46878	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:31:00	1	1	1	1	105.3	57.75	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	38	2004
23.01.2020 11:31:01	1	1	1	1	104	58	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	38.375	2004
23.01.2020 11:31:02	1	1	1	1	104	58.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37	2004
23.01.2020 11:31:03	1	1	1	1	104	57	0	26113.744	610.7526882	16092.19145	30000	0	0	30000	38	2004
23.01.2020 11:31:04	1	1	1	1	104	58	0	26066.351	612.9032258	15890.79444	30000	0	0	30000	37.6875	2004
23.01.2020 11:31:05	1	1	1	1	104	57.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	38.125	2004
23.01.2020 11:31:06	1	1	1	1	104	58	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	38.3125	2004
23.01.2020 11:31:07	1	1	1	1	104	58.25	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	37.4375	2004
23.01.2020 11:31:08	1	1	1	1	104	57.25	0	25971.564	610.7526882	15890.79444	30000	0	0	30000	38.125	2004
23.01.2020 11:31:09	1	1	1	1	104	58	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	37.4375	2004
23.01.2020 11:31:10	1	1	1	1	104	57.25	0	26303.318	610.7526882	16035.93075	30000	0	0	30000	37.8125	2004
23.01.2020 11:31:11	1	1	1	1	105	57.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	37.5	2004
23.01.2020 11:31:12	1	1	1	1	105	57.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	38.4375	2004
23.01.2020 11:31:13	1	1	1	1	105	58.25	0	26255.924	612.9032258	16092.19145	30000	0	0	30000	38.0625	2004
23.01.2020 11:31:14	1	1	1	1	105	58	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	38.1875	2004
23.01.2020 11:31:15	1	1	1	1	105	58	0	26113.744	610.7526882	15779.90379	30000	0	0	30000	37.9375	2004
23.01.2020 11:31:16	1	1	1	1	105	57.75	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	37.5625	2004
23.01.2020 11:31:17	1	1	1	1	105	57.5	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	37.75	2004
23.01.2020 11:31:18	1	1	1	1	105	57.75	0	26255.924	606.4516129	15950.31664	30000	0	0	30000	37.0625	2004
23.01.2020 11:31:19	1	1	1	1	105	57	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	38.375	2004
23.01.2020 11:31:20	1	1	1	1	105	58.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	38.375	2004
23.01.2020 11:31:21	1	1	1	1	106.3	58.25	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	38.375	2004
23.01.2020 11:31:24	1	1	1	1	106.3	57	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	37.75	2004
23.01.2020 11:31:24	1	1	1	1	106.3	57	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	37.75	2004
23.01.2020 11:31:24	1	1	1	1	106.3	57.75	0	26208.531	615.0537634	16092.19145	30000	0	0	30000	38.375	2004
23.01.2020 11:31:25	1	1	1	1	106.3	58.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	38.3125	2004
23.01.2020 11:31:26	1	1	1	1	106.3	58.25	0	26208.531	610.7526882	16120.72949	30000	0	0	30000	37.875	2004
23.01.2020 11:31:28	1	1	1	1	106.3	57.75	0	26208.531	610.7526882	15892.42519	30000	0	0	30000	38.375	2004
23.01.2020 11:31:29	1	1	1	1	106.3	58.25	0	26398.104	600	16009.02346	30000	0	0	30000	38.125	2004
23.01.2020 11:31:30	1	1	1	1	106.3	58.5	0	26113.744	606.4516129	15950.31664	30000	0	0	30000	38.4375	2004
23.01.2020 11:31:31	1	1	1	1	106.5	58.25	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	38.5	2004
23.01.2020 11:31:32	1	1	1	1	106.5	58.5	0	26018.957	612.9032258	15917.70174	30000	0	0	30000	37.5625	2004
23.01.2020 11:31:33	1	1	1	1	106.5	57.5	0	26208.531	610.7526882	16064.46878	30000	0	0	30000	38.1875	2004
23.01.2020 11:31:34	1	1	1	1	106.5	58	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	37.75	2004
23.01.2020 11:31:35	1	1	1	1	106.5	57.75	0	26066.351	610.7526882	15890.79444	30000	0	0	30000	38.375	2004
23.01.2020 11:31:36	1	1	1	1	106.5	58.25	0	26066.351	610.7526882	15834.53374	30000	0	0	30000	37.5	2004
23.01.2020 11:31:37	1	1	1	1	106.5	57.5	0	26350.711	612.9032258	16179.43631	30000	0	0	30000	38.125	2004
23.01.2020 11:31:38	1	1	1	1	106.5	58	0	26303.318	610.7526882	16035.93075	30000	0	0	30000	38.1875	2004
23.01.2020 11:31:39	1	1	1	1	106.5	58	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	37.9375	2004
23.01.2020 11:31:40	1	1	1	1	106.5	57.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	37.75	2004
23.01.2020 11:31:41	1	1	1	1	106.8	57.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	38.25	2004
23.01.2020 11:31:42	1	1	1	1	106.8	58.25	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	37.625	2004
23.01.2020 11:31:43	1	1	1	1	106.8	57.5	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:31:44	1	1	1	1	106.8	57.5	0	26445.498	612.9032258	16122.36023	30000	0	0	30000	38.0625	2004
23.01.2020 11:31:45	1	1	1	1	106.8	58	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.25	2004
23.01.2020 11:31:46	1	1	1	1	106.8	58.25	0	26208.531	612.9032258	16006.57734	30000	0	0	30000	38.25	2004
23.01.2020 11:31:47	1	1	1	1	106.8	58.25	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	37.4375	2004
23.01.2020 11:31:53	1	1	1	1	106	57.75	0	26208.531	608.6021505	15779.90379	30000	0	0	30000	37.9375	2004
23.01.2020 11:31:53	1	1	1	1	106	57.75	0	26208.531	608.6021505	15779.90379	30000	0	0	30000	37.9375	2004
23.01.2020 11:31:53	1	1	1	1	106	57.75	0	26208.531	608.6021505	15779.90379	30000	0	0	30000	37.9375	2004
23.01.2020 11:31:53	1	1	1	1	106	57.75	0	26208.531	608.6021505	15779.90379	30000	0	0	30000	37.9375	2004
23.01.2020 11:31:53	1	1	1	1	106	57.75	0	26208.531	608.6021505	15779.90379	30000	0	0	30000	37.9375	2004
23.01.2020 11:31:53	1	1	1	1	106	57.75	0	26208.531	608.6021505	15779.90379	30000	0	0	30000	37.9375	2004
23.01.2020 11:31:54	1	1	1	1	106	57.75	0	26113.744	612.9032258	15779.90379	30000	0	0	30000	38.5	2004
23.01.2020 11:31:55	1	1	1	1	106	58.5	0	26303.318	610.7526882	16093.82219	30000	0	0	30000	38.25	2004
23.01.2020 11:31:56	1	1	1	1	106	58.25	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	38.3125	2004
23.01.2020 11:31:57	1	1	1	1	106	58.25	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	38.3125	2004
23.01.2020 11:31:58	1	1	1	1	106	58.25	0	26255.924	606.4516129	15950.31664	30000	0	0	30000	38.5625	2004
23.01.2020 11:31:59	1	1	1	1	106	58.5	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	38.4375	2004
23.01.2020 11:32:00	1	1	1	1	106	58.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	37.4375	2004
23.01.2020 11:32:01	1	1	1	1	106.5	57.25	0	26350.711	610.7526882	16065.28416	30000	0	0	30000	37.3125	2004
23.01.2020 11:32:02	1	1	1	1	106.5	57.25	0	26303.318	606.4516129	15978.85467	30000	0	0	30000	38.5625	2004
23.01.2020 11:32:03	1	1	1	1	106.5	58.5	0	26398.104	608.6021505	16122.36023	30000	0	0	30000	37.9375	2004
23.01.2020 11:32:05	1	1	1	1	106.5	57.75	0	26492.891	606.4516129	16066.09953	30000	0	0	30000	38.1875	2004
23.01.2020 11:32:06	1	1	1	1	106.5	58	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	38.5625	2004
23.01.2020 11:32:07	1	1	1	1	106.5	58.5	0	26303.318	602.1505376	16064.46878	30000	0	0	30000	38.375	2004
23.01.2020 11:32:08	1	1	1	1	106.5	57.75	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	38	2004
23.01.2020 11:32:09	1	1	1	1	106.5	58	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	38.4375	2004
23.01.2020 11:32:10	1	1	1	1	106.5	58.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	38.375	2004
23.01.2020 11:32:11	1	1	1	1	106	58.25	0	26208.531	606.4516129	15978.85467	30000	0	0	30000	37.875	2004
23.01.2020 11:32:12	1	1	1	1	106	57.75	0	26255.924	604.3010753	15950.31664	30000	0	0	30000	37.75	2004
23.01.2020 11:32:13	1	1	1	1	106	57.75	0	26113.744	606.4516129	15948.68589	30000	0	0	30000	37.6875	2004
23.01.2020 11:32:14	1	1	1	1	106	57.5	0	26255.924	608.6021505	16006.57734	30000	0	0	30000	38.375	2004
23.01.2020 11:32:15	1	1	1	1	106	58.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	37.875	2004
23.01.2020 11:32:16	1	1	1	1	106	57.75	0	26208.531	610.7526882	16234.06626	30000	0	0	30000	38.5625	2004
23.01.2020 11:32:17	1	1	1	1	106	58.5	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	38.25	2004
23.01.2020 11:32:18	1	1	1	1	106	58.25	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	37.375	2004
23.01.2020 11:32:19	1	1	1	1	106	57.25	0	26350.711	606.4516129	16009.02346	30000	0	0	30000	38.375	2004
23.01.2020 11:32:20	1	1	1	1	106	58.25	0	26303.318	604.3010753	16008.20808	30000	0	0	30000	38.375	2004
23.01.2020 11:32:21	1	1	1	1	106.5	58.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.8125	2004
23.01.2020 11:32:22	1	1	1	1	106.5	57.75	0	26255.924	604.3010753	16008.20808	30000	0	0	30000	37.9375	2004
23.01.2020 11:32:23	1	1	1	1	106.5	57.75	0	26303.318	606.4516129	15978.85467	30000	0	0	30000	37.5625	2004
23.01.2020 11:32:24	1	1	1	1	106.5	57.5	0	26255.924	608.6021505	16008.20808	30000	0	0	30000	38.1875	2004
23.01.2020 11:32:25	1	1	1	1	106.5	58	0	26303.318	602.1505376	15838.61061	30000	0	0	30000	38.375	2004
23.01.2020 11:32:26	1	1	1	1	106.5	58.25	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	38.0625	2004
23.01.2020 11:32:27	1	1	1	1	106.5	58	0	26540.284	600	16123.99098	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:32:28	1	1	1	1	106.5	58.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	38.3125	2004
23.01.2020 11:32:29	1	1	1	1	106.5	58.25	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	38.4375	2004
23.01.2020 11:32:30	1	1	1	1	106.5	58.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	37.375	2004
23.01.2020 11:32:31	1	1	1	1	107.5	57.25	0	26587.678	610.7526882	16066.9149	30000	0	0	30000	38.25	2004
23.01.2020 11:32:32	1	1	1	1	107.5	58.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	38.625	2004
23.01.2020 11:32:33	1	1	1	1	107.5	58.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.5	2004
23.01.2020 11:32:34	1	1	1	1	107.5	58.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	38.25	2004
23.01.2020 11:32:35	1	1	1	1	107.5	58.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	38.125	2004
23.01.2020 11:32:36	1	1	1	1	107.5	58	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	37.9375	2004
23.01.2020 11:32:37	1	1	1	1	107.5	57.75	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	37	2004
23.01.2020 11:32:38	1	1	1	1	107.5	57	0	26729.858	597.8494624	15922.59397	30000	0	0	30000	38.5	2004
23.01.2020 11:32:39	1	1	1	1	107.5	58.5	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	38.125	2004
23.01.2020 11:32:40	1	1	1	1	107.5	58	0	26777.251	602.1505376	15894.05593	30000	0	0	30000	38.4375	2004
23.01.2020 11:32:41	1	1	1	1	107.8	58.25	0	26824.645	602.1505376	15951.13201	30000	0	0	30000	38.0625	2004
23.01.2020 11:32:43	1	1	1	1	107.8	58	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	37.75	2004
23.01.2020 11:32:44	1	1	1	1	107.8	57.75	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	37.625	2004
23.01.2020 11:32:45	1	1	1	1	107.8	57.5	0	26587.678	591.3978495	15951.94738	30000	0	0	30000	38.875	2004
23.01.2020 11:32:46	1	1	1	1	107.8	58.75	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	37.375	2004
23.01.2020 11:32:47	1	1	1	1	107.8	58	0	26777.251	604.3010753	16009.02346	30000	0	0	30000	38.125	2004
23.01.2020 11:32:48	1	1	1	1	107.8	58	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.5	2004
23.01.2020 11:32:49	1	1	1	1	107.8	58.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	38.4375	2004
23.01.2020 11:32:55	1	1	1	1	107	58.25	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	37.9375	2004
23.01.2020 11:32:55	1	1	1	1	107	58.25	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	37.9375	2004
23.01.2020 11:32:55	1	1	1	1	107	58.25	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	37.9375	2004
23.01.2020 11:32:55	1	1	1	1	107	58.25	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	37.9375	2004
23.01.2020 11:32:55	1	1	1	1	107	58.25	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	37.9375	2004
23.01.2020 11:32:56	1	1	1	1	107	57.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	38.625	2004
23.01.2020 11:32:57	1	1	1	1	107	58.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	38.5625	2004
23.01.2020 11:32:58	1	1	1	1	107	58.5	0	26398.104	602.1505376	15583.39902	30000	0	0	30000	38.125	2004
23.01.2020 11:32:59	1	1	1	1	107	58	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38.4375	2004
23.01.2020 11:33:00	1	1	1	1	107	58.25	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	38.4375	2004
23.01.2020 11:33:01	1	1	1	1	107	58.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	38.5	2004
23.01.2020 11:33:02	1	1	1	1	107	58.5	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	38.625	2004
23.01.2020 11:33:03	1	1	1	1	107	58.5	0	26303.318	608.6021505	16093.82219	30000	0	0	30000	38.5	2004
23.01.2020 11:33:04	1	1	1	1	107	58.5	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	38.4375	2004
23.01.2020 11:33:05	1	1	1	1	107	58.25	0	26208.531	604.3010753	16006.57734	30000	0	0	30000	38.4375	2004
23.01.2020 11:33:06	1	1	1	1	107	58.25	0	26303.318	610.7526882	16035.93075	30000	0	0	30000	37.875	2004
23.01.2020 11:33:07	1	1	1	1	107	57.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	37.5	2004
23.01.2020 11:33:08	1	1	1	1	107	57.5	0	26113.744	606.4516129	15948.68589	30000	0	0	30000	37.5625	2004
23.01.2020 11:33:09	1	1	1	1	107	57.5	0	25924.171	606.4516129	15832.903	30000	0	0	30000	37.5625	2004
23.01.2020 11:33:10	1	1	1	1	107	57.5	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	38.5	2004
23.01.2020 11:33:11	1	1	1	1	107	58.5	0	26350.711	606.4516129	15838.61061	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:33:12	1	1	1	1	107	58	0	26161.137	610.7526882	16062.83804	30000	0	0	30000	38.5	2004
23.01.2020 11:33:13	1	1	1	1	107	58.5	0	26208.531	612.9032258	16004.94659	30000	0	0	30000	38.5	2004
23.01.2020 11:33:14	1	1	1	1	107	58.5	0	26208.531	615.0537634	16004.94659	30000	0	0	30000	38.125	2004
23.01.2020 11:33:15	1	1	1	1	107	58	0	26208.531	610.7526882	16064.46878	30000	0	0	30000	38.4375	2004
23.01.2020 11:33:16	1	1	1	1	107	58.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	38.3125	2004
23.01.2020 11:33:17	1	1	1	1	107	58.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	38.3125	2004
23.01.2020 11:33:18	1	1	1	1	107	58.25	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	38.5	2004
23.01.2020 11:33:19	1	1	1	1	107	58.5	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	38.1875	2004
23.01.2020 11:33:21	1	1	1	1	107	58	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	38.75	2004
23.01.2020 11:33:22	1	1	1	1	106.8	58.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	38	2004
23.01.2020 11:33:23	1	1	1	1	106.8	58	0	26492.891	608.6021505	16094.63757	30000	0	0	30000	39	2004
23.01.2020 11:33:24	1	1	1	1	106.8	59	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38.625	2004
23.01.2020 11:33:25	1	1	1	1	106.8	58.5	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	38.375	2004
23.01.2020 11:33:26	1	1	1	1	106.8	58.25	0	26540.284	608.6021505	16152.52901	30000	0	0	30000	37.6875	2004
23.01.2020 11:33:27	1	1	1	1	106.8	57.5	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	38.125	2004
23.01.2020 11:33:28	1	1	1	1	106.8	58	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	38.5625	2004
23.01.2020 11:33:29	1	1	1	1	106.8	58.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	38.5625	2004
23.01.2020 11:33:30	1	1	1	1	106.8	58.5	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	37.9375	2004
23.01.2020 11:33:31	1	1	1	1	106.8	57.75	0	26445.498	610.7526882	16065.28416	30000	0	0	30000	38.5625	2004
23.01.2020 11:33:32	1	1	1	1	106.8	58.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	38.625	2004
23.01.2020 11:33:33	1	1	1	1	106.8	58.5	0	26492.891	606.4516129	16123.1756	30000	0	0	30000	38.625	2004
23.01.2020 11:33:34	1	1	1	1	106.8	58.5	0	26398.104	606.4516129	15867.14864	30000	0	0	30000	38.4375	2004
23.01.2020 11:33:35	1	1	1	1	106.8	58.25	0	26492.891	606.4516129	16209.60509	30000	0	0	30000	38.6875	2004
23.01.2020 11:33:36	1	1	1	1	106.8	58.5	0	26255.924	602.1505376	15951.13201	30000	0	0	30000	38.375	2004
23.01.2020 11:33:37	1	1	1	1	106.8	58.25	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	38.5	2004
23.01.2020 11:33:38	1	1	1	1	106.8	58.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	38.5625	2004
23.01.2020 11:33:39	1	1	1	1	106.8	58.5	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	38.6875	2004
23.01.2020 11:33:40	1	1	1	1	106.8	58.5	0	26492.891	597.8494624	15981.30079	30000	0	0	30000	38.375	2004
23.01.2020 11:33:41	1	1	1	1	107.3	58.25	0	26398.104	593.5483871	15981.30079	30000	0	0	30000	38.625	2004
23.01.2020 11:33:42	1	1	1	1	107.3	58.5	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	38.5625	2004
23.01.2020 11:33:43	1	1	1	1	107.3	58.5	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	38.125	2004
23.01.2020 11:33:44	1	1	1	1	107.3	58	0	26255.924	602.1505376	16008.20808	30000	0	0	30000	38.375	2004
23.01.2020 11:33:45	1	1	1	1	107.3	58.25	0	26350.711	610.7526882	15951.13201	30000	0	0	30000	38.3125	2004
23.01.2020 11:33:46	1	1	1	1	107.3	58.25	0	26492.891	610.7526882	16123.1756	30000	0	0	30000	38.5625	2004
23.01.2020 11:33:47	1	1	1	1	107.3	58.5	0	26350.711	610.7526882	16065.28416	30000	0	0	30000	38.6875	2004
23.01.2020 11:33:48	1	1	1	1	107.3	58.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	38.5625	2004
23.01.2020 11:33:49	1	1	1	1	107.3	58.5	0	26255.924	606.4516129	15894.87131	30000	0	0	30000	38.5	2004
23.01.2020 11:33:50	1	1	1	1	107.3	58.5	0	26540.284	610.7526882	16209.60509	30000	0	0	30000	38.5	2004
23.01.2020 11:33:57	1	1	1	1	106.8	58.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	38.25	2004
23.01.2020 11:33:57	1	1	1	1	106.8	58.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	38.25	2004
23.01.2020 11:33:57	1	1	1	1	106.8	58.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	38.25	2004
23.01.2020 11:33:57	1	1	1	1	106.8	58.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:33:57	1	1	1	1	106.8	58.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	38.25	2004
23.01.2020 11:33:57	1	1	1	1	106.8	58.25	0	26303.318	606.4516129	16179.43631	30000	0	0	30000	38.6875	2004
23.01.2020 11:33:58	1	1	1	1	106.8	58.5	0	26445.498	606.4516129	16009.02346	30000	0	0	30000	38.625	2004
23.01.2020 11:34:00	1	1	1	1	106.8	58.5	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	38.875	2004
23.01.2020 11:34:01	1	1	1	1	106.8	58.75	0	26255.924	604.3010753	16120.72949	30000	0	0	30000	38.625	2004
23.01.2020 11:34:02	1	1	1	1	107.3	58.5	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.9375	2004
23.01.2020 11:34:03	1	1	1	1	107.3	58.75	0	26208.531	608.6021505	16062.83804	30000	0	0	30000	38.6875	2004
23.01.2020 11:34:04	1	1	1	1	107.3	58.5	0	26255.924	610.7526882	16092.19145	30000	0	0	30000	38.25	2004
23.01.2020 11:34:05	1	1	1	1	107.3	58	0	26255.924	612.9032258	16120.72949	30000	0	0	30000	38.0625	2004
23.01.2020 11:34:06	1	1	1	1	107.3	58	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	38.4375	2004
23.01.2020 11:34:07	1	1	1	1	107.3	58.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	38.0625	2004
23.01.2020 11:34:08	1	1	1	1	107.3	58	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	37.5	2004
23.01.2020 11:34:09	1	1	1	1	107.3	57.5	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	38.75	2004
23.01.2020 11:34:10	1	1	1	1	107.3	58.75	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	38.4375	2004
23.01.2020 11:34:11	1	1	1	1	106.8	58.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	38.75	2004
23.01.2020 11:34:12	1	1	1	1	106.8	58.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	38.625	2004
23.01.2020 11:34:13	1	1	1	1	106.8	58.5	0	26492.891	610.7526882	16123.1756	30000	0	0	30000	38.75	2004
23.01.2020 11:34:14	1	1	1	1	106.8	58.75	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	38.75	2004
23.01.2020 11:34:15	1	1	1	1	106.8	58.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	38.3125	2004
23.01.2020 11:34:16	1	1	1	1	106.8	58.25	0	26445.498	604.3010753	15725.27383	30000	0	0	30000	38.5	2004
23.01.2020 11:34:17	1	1	1	1	106.8	58.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.6875	2004
23.01.2020 11:34:18	1	1	1	1	106.8	58.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	38.5	2004
23.01.2020 11:34:19	1	1	1	1	106.8	58.5	0	26398.104	610.7526882	15894.87131	30000	0	0	30000	38.8125	2004
23.01.2020 11:34:20	1	1	1	1	106.8	58.75	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	38.6875	2004
23.01.2020 11:34:21	1	1	1	1	107.8	58.5	0	26303.318	602.1505376	15838.61061	30000	0	0	30000	38.4375	2004
23.01.2020 11:34:22	1	1	1	1	107.8	58.25	0	26540.284	606.4516129	16123.99098	30000	0	0	30000	38.25	2004
23.01.2020 11:34:23	1	1	1	1	107.8	58.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	38.6875	2004
23.01.2020 11:34:24	1	1	1	1	107.8	58.5	0	26350.711	602.1505376	15923.40934	30000	0	0	30000	38.0625	2004
23.01.2020 11:34:25	1	1	1	1	107.8	58	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38.9375	2004
23.01.2020 11:34:26	1	1	1	1	107.8	58.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	38.3125	2004
23.01.2020 11:34:27	1	1	1	1	107.8	58.25	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	38.375	2004
23.01.2020 11:34:28	1	1	1	1	107.8	58.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.1875	2004
23.01.2020 11:34:29	1	1	1	1	107.8	58	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	38.75	2004
23.01.2020 11:34:30	1	1	1	1	107.8	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.4375	2004
23.01.2020 11:34:31	1	1	1	1	108	58.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.9375	2004
23.01.2020 11:34:32	1	1	1	1	108	58.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	38.625	2004
23.01.2020 11:34:33	1	1	1	1	108	58.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	38.6875	2004
23.01.2020 11:34:34	1	1	1	1	108	58.5	0	26445.498	604.3010753	15838.61061	30000	0	0	30000	38.3125	2004
23.01.2020 11:34:35	1	1	1	1	108	58.25	0	26540.284	602.1505376	16123.99098	30000	0	0	30000	38.8125	2004
23.01.2020 11:34:36	1	1	1	1	108	58.75	0	26540.284	608.6021505	16152.52901	30000	0	0	30000	38.875	2004
23.01.2020 11:34:38	1	1	1	1	108	58.75	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	38.625	2004
23.01.2020 11:34:39	1	1	1	1	108	58.5	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	38.8125	2004
23.01.2020 11:34:40	1	1	1	1	108	58.75	0	26445.498	602.1505376	16066.09953	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:34:41	1	1	1	1	108	58.5	0	26540.284	608.6021505	16152.52901	30000	0	0	30000	38.5625	2004
23.01.2020 11:34:42	1	1	1	1	108.5	58.5	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	38.9375	2004
23.01.2020 11:34:43	1	1	1	1	108.5	58.5	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	38.4375	2004
23.01.2020 11:34:44	1	1	1	1	108.5	58.25	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	38.75	2004
23.01.2020 11:34:45	1	1	1	1	108.5	58.75	0	26208.531	606.4516129	15894.05593	30000	0	0	30000	38.125	2004
23.01.2020 11:34:46	1	1	1	1	108.5	58	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	38.5	2004
23.01.2020 11:34:47	1	1	1	1	108.5	58.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	38.75	2004
23.01.2020 11:34:48	1	1	1	1	108.5	58.75	0	26208.531	608.6021505	16006.57734	30000	0	0	30000	38.125	2004
23.01.2020 11:34:49	1	1	1	1	108.5	58	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.8125	2004
23.01.2020 11:34:50	1	1	1	1	108.5	58.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	38.5625	2004
23.01.2020 11:34:51	1	1	1	1	108.5	58.5	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	38.75	2004
23.01.2020 11:34:52	1	1	1	1	108.5	58.75	0	26208.531	606.4516129	15837.79523	30000	0	0	30000	38.25	2004
23.01.2020 11:34:58	1	1	1	1	108.5	58.75	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	38.875	2004
23.01.2020 11:34:58	1	1	1	1	108.5	58.75	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	38.875	2004
23.01.2020 11:34:58	1	1	1	1	108.5	58.75	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	38.875	2004
23.01.2020 11:34:58	1	1	1	1	108.5	58.75	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	38.875	2004
23.01.2020 11:34:58	1	1	1	1	108.5	58.75	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	38.875	2004
23.01.2020 11:34:58	1	1	1	1	108.5	58.75	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	38.875	2004
23.01.2020 11:34:59	1	1	1	1	108.5	58.75	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	38.9375	2004
23.01.2020 11:35:00	1	1	1	1	108.5	58.75	0	26398.104	604.3010753	15810.07257	30000	0	0	30000	38.6875	2004
23.01.2020 11:35:01	1	1	1	1	107.8	58.5	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	38.6875	2004
23.01.2020 11:35:02	1	1	1	1	107.8	58.5	0	26398.104	606.4516129	15923.40934	30000	0	0	30000	38.5625	2004
23.01.2020 11:35:03	1	1	1	1	107.8	58.5	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.625	2004
23.01.2020 11:35:04	1	1	1	1	107.8	58.5	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.8125	2004
23.01.2020 11:35:05	1	1	1	1	107.8	58.75	0	26208.531	606.4516129	16008.20808	30000	0	0	30000	38.8125	2004
23.01.2020 11:35:06	1	1	1	1	107.8	58.75	0	26208.531	608.6021505	16035.93075	30000	0	0	30000	38.625	2004
23.01.2020 11:35:07	1	1	1	1	107.8	58.5	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	38.75	2004
23.01.2020 11:35:08	1	1	1	1	107.8	58.75	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	38.625	2004
23.01.2020 11:35:09	1	1	1	1	107.8	58.5	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	38.9375	2004
23.01.2020 11:35:10	1	1	1	1	107.8	58.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:35:11	1	1	1	1	108	59	0	26350.711	610.7526882	16008.20808	30000	0	0	30000	38.75	2004
23.01.2020 11:35:12	1	1	1	1	108	58.75	0	25924.171	610.7526882	15832.903	30000	0	0	30000	38.875	2004
23.01.2020 11:35:13	1	1	1	1	108	58.75	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	38.5625	2004
23.01.2020 11:35:14	1	1	1	1	108	58.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	38.9375	2004
23.01.2020 11:35:15	1	1	1	1	108	58.75	0	26350.711	610.7526882	16008.20808	30000	0	0	30000	38.75	2004
23.01.2020 11:35:17	1	1	1	1	108	58.75	0	26208.531	610.7526882	15779.90379	30000	0	0	30000	38.6875	2004
23.01.2020 11:35:18	1	1	1	1	108	58.5	0	26113.744	615.0537634	15948.68589	30000	0	0	30000	39.0625	2004
23.01.2020 11:35:19	1	1	1	1	108	59	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	38.3125	2004
23.01.2020 11:35:20	1	1	1	1	108	58.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	38.6875	2004
23.01.2020 11:35:21	1	1	1	1	108.3	58.75	0	25876.777	615.0537634	15859.81029	30000	0	0	30000	38.625	2004
23.01.2020 11:35:22	1	1	1	1	108.3	58.5	0	26113.744	612.9032258	16117.468	30000	0	0	30000	38.8125	2004
23.01.2020 11:35:23	1	1	1	1	108.3	58.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	38.6875	2004
23.01.2020 11:35:24	1	1	1	1	108.3	58.5	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:35:25	1	1	1	1	108.3	58.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	38.4375	2004
23.01.2020 11:35:26	1	1	1	1	108.3	58.25	0	26066.351	610.7526882	15834.53374	30000	0	0	30000	39	2004
23.01.2020 11:35:27	1	1	1	1	108.3	59	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	38.875	2004
23.01.2020 11:35:28	1	1	1	1	108.3	58.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	38.4375	2004
23.01.2020 11:35:29	1	1	1	1	108.3	58.25	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	38.875	2004
23.01.2020 11:35:30	1	1	1	1	108.3	58.75	0	26255.924	608.6021505	16064.46878	30000	0	0	30000	37.625	2004
23.01.2020 11:35:31	1	1	1	1	107	57.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	39	2004
23.01.2020 11:35:32	1	1	1	1	107	59	0	26255.924	610.7526882	16092.19145	30000	0	0	30000	39	2004
23.01.2020 11:35:33	1	1	1	1	107	59	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	38.3125	2004
23.01.2020 11:35:34	1	1	1	1	107	58.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	38.6875	2004
23.01.2020 11:35:35	1	1	1	1	107	58.5	0	26303.318	615.0537634	16120.72949	30000	0	0	30000	38.8125	2004
23.01.2020 11:35:36	1	1	1	1	107	58.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	38.875	2004
23.01.2020 11:35:37	1	1	1	1	107	58.75	0	26208.531	608.6021505	15892.42519	30000	0	0	30000	38	2004
23.01.2020 11:35:38	1	1	1	1	107	58	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	38.9375	2004
23.01.2020 11:35:39	1	1	1	1	107	58.75	0	26303.318	610.7526882	15837.79523	30000	0	0	30000	38.5	2004
23.01.2020 11:35:40	1	1	1	1	107	58.5	0	26113.744	604.3010753	15779.90379	30000	0	0	30000	38.875	2004
23.01.2020 11:35:41	1	1	1	1	107.5	58.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.6875	2004
23.01.2020 11:35:42	1	1	1	1	107.5	58.5	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	39.0625	2004
23.01.2020 11:35:43	1	1	1	1	107.5	59	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	38.3125	2004
23.01.2020 11:35:44	1	1	1	1	107.5	58.25	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	38.9375	2004
23.01.2020 11:35:45	1	1	1	1	107.5	58.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	38.8125	2004
23.01.2020 11:35:46	1	1	1	1	107.5	58.75	0	26492.891	597.8494624	15838.61061	30000	0	0	30000	37.625	2004
23.01.2020 11:35:47	1	1	1	1	107.5	57.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.125	2004
23.01.2020 11:35:48	1	1	1	1	107.5	58	0	26350.711	595.6989247	15753.81187	30000	0	0	30000	38.8125	2004
23.01.2020 11:35:49	1	1	1	1	107.5	58.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	38.9375	2004
23.01.2020 11:35:50	1	1	1	1	107.5	58.75	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	39	2004
23.01.2020 11:35:51	1	1	1	1	108.3	59	0	26587.678	597.8494624	16238.9585	30000	0	0	30000	38.3125	2004
23.01.2020 11:35:52	1	1	1	1	108.3	58.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39	2004
23.01.2020 11:35:53	1	1	1	1	108.3	59	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39	2004
23.01.2020 11:36:00	1	1	1	1	108.3	58.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:00	1	1	1	1	108.3	58.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:00	1	1	1	1	108.3	58.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:00	1	1	1	1	108.3	58.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:00	1	1	1	1	108.3	58.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:00	1	1	1	1	108.3	58.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:01	1	1	1	1	108.8	59	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	38.9375	2004
23.01.2020 11:36:02	1	1	1	1	108.8	58.75	0	26492.891	606.4516129	16037.56149	30000	0	0	30000	38.875	2004
23.01.2020 11:36:03	1	1	1	1	108.8	58.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.1875	2004
23.01.2020 11:36:04	1	1	1	1	108.8	58	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	38.9375	2004
23.01.2020 11:36:05	1	1	1	1	108.8	58.75	0	26445.498	608.6021505	16065.28416	30000	0	0	30000	38.625	2004
23.01.2020 11:36:06	1	1	1	1	108.8	58.5	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	38.9375	2004
23.01.2020 11:36:07	1	1	1	1	108.8	58.75	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	38.0625	2004
23.01.2020 11:36:08	1	1	1	1	108.8	58	0	26208.531	608.6021505	15892.42519	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:36:09	1	1	1	1	108.8	58.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38.5625	2004
23.01.2020 11:36:10	1	1	1	1	108.8	58.5	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:11	1	1	1	1	109.3	59	0	26255.924	610.7526882	16064.46878	30000	0	0	30000	38.75	2004
23.01.2020 11:36:12	1	1	1	1	109.3	58.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	38.5	2004
23.01.2020 11:36:13	1	1	1	1	109.3	58.5	0	26587.678	604.3010753	16123.99098	30000	0	0	30000	38.9375	2004
23.01.2020 11:36:14	1	1	1	1	109.3	58.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.125	2004
23.01.2020 11:36:15	1	1	1	1	109.3	59	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	38.9375	2004
23.01.2020 11:36:16	1	1	1	1	109.3	58.75	0	26587.678	600	15894.87131	30000	0	0	30000	38.875	2004
23.01.2020 11:36:17	1	1	1	1	109.3	58.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	38.875	2004
23.01.2020 11:36:18	1	1	1	1	109.3	58.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	39	2004
23.01.2020 11:36:19	1	1	1	1	109.3	59	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	38.9375	2004
23.01.2020 11:36:20	1	1	1	1	109.3	58.75	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	39	2004
23.01.2020 11:36:21	1	1	1	1	108.5	59	0	26682.464	600	15980.48542	30000	0	0	30000	38.8125	2004
23.01.2020 11:36:22	1	1	1	1	108.5	58.75	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	38.875	2004
23.01.2020 11:36:23	1	1	1	1	108.5	58.75	0	26824.645	602.1505376	16181.06705	30000	0	0	30000	39	2004
23.01.2020 11:36:24	1	1	1	1	108.5	59	0	26824.645	595.6989247	15720.38159	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:25	1	1	1	1	108.5	59	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	38.5	2004
23.01.2020 11:36:26	1	1	1	1	108.5	58.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.875	2004
23.01.2020 11:36:27	1	1	1	1	108.5	58.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	38.625	2004
23.01.2020 11:36:28	1	1	1	1	108.5	58.5	0	26635.071	602.1505376	15951.94738	30000	0	0	30000	38.8125	2004
23.01.2020 11:36:29	1	1	1	1	108.5	58.75	0	26445.498	597.8494624	15867.14864	30000	0	0	30000	38.9375	2004
23.01.2020 11:36:30	1	1	1	1	108.5	58.75	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	39	2004
23.01.2020 11:36:31	1	1	1	1	107	59	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	38.4375	2004
23.01.2020 11:36:32	1	1	1	1	107	58.25	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:34	1	1	1	1	107	59	0	26445.498	593.5483871	15981.30079	30000	0	0	30000	39	2004
23.01.2020 11:36:35	1	1	1	1	107	59	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	37.875	2004
23.01.2020 11:36:36	1	1	1	1	107	57.75	0	26492.891	608.6021505	15980.48542	30000	0	0	30000	38.375	2004
23.01.2020 11:36:37	1	1	1	1	107	58.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.0625	2004
23.01.2020 11:36:38	1	1	1	1	107	59	0	26682.464	600	16009.02346	30000	0	0	30000	39.3125	2004
23.01.2020 11:36:39	1	1	1	1	107	59.25	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	38.6875	2004
23.01.2020 11:36:40	1	1	1	1	107	58.75	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	38.5	2004
23.01.2020 11:36:41	1	1	1	1	108.5	58.5	0	26777.251	602.1505376	16181.06705	30000	0	0	30000	38.875	2004
23.01.2020 11:36:42	1	1	1	1	108.5	58.75	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	38.9375	2004
23.01.2020 11:36:43	1	1	1	1	108.5	58.75	0	26445.498	600	15952.76275	30000	0	0	30000	39	2004
23.01.2020 11:36:44	1	1	1	1	108.5	59	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.875	2004
23.01.2020 11:36:45	1	1	1	1	108.5	58.75	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	38.625	2004
23.01.2020 11:36:46	1	1	1	1	108.5	58.5	0	26398.104	602.1505376	15924.22472	30000	0	0	30000	38.5	2004
23.01.2020 11:36:47	1	1	1	1	108.5	58.5	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	38.5625	2004
23.01.2020 11:36:48	1	1	1	1	108.5	58.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39	2004
23.01.2020 11:36:49	1	1	1	1	108.5	59	0	26492.891	597.8494624	15867.14864	30000	0	0	30000	38.5	2004
23.01.2020 11:36:50	1	1	1	1	108.5	58.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.125	2004
23.01.2020 11:36:51	1	1	1	1	108.5	59	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	38.5	2004
23.01.2020 11:36:52	1	1	1	1	108.5	58.5	0	26398.104	597.8494624	15895.68668	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:36:53	1	1	1	1	108.5	58.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	38.4375	2004
23.01.2020 11:36:54	1	1	1	1	108.5	58.25	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	39.125	2004
23.01.2020 11:36:55	1	1	1	1	108.5	59	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	38.4375	2004
23.01.2020 11:37:01	1	1	1	1	108	58.75	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	38.5	2004
23.01.2020 11:37:01	1	1	1	1	108	58.75	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	38.5	2004
23.01.2020 11:37:01	1	1	1	1	108	58.75	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	38.5	2004
23.01.2020 11:37:01	1	1	1	1	108	58.75	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	38.5	2004
23.01.2020 11:37:01	1	1	1	1	108	58.75	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	38.5	2004
23.01.2020 11:37:01	1	1	1	1	108	58.75	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	38.5	2004
23.01.2020 11:37:02	1	1	1	1	108	58.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	38.6875	2004
23.01.2020 11:37:03	1	1	1	1	108	58.5	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	39.3125	2004
23.01.2020 11:37:04	1	1	1	1	108	59.25	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	38.8125	2004
23.01.2020 11:37:05	1	1	1	1	108	58.75	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	39.125	2004
23.01.2020 11:37:06	1	1	1	1	108	59	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	39	2004
23.01.2020 11:37:07	1	1	1	1	108	59	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	38	2004
23.01.2020 11:37:08	1	1	1	1	108	58	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	38	2004
23.01.2020 11:37:09	1	1	1	1	108	58	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	39.1875	2004
23.01.2020 11:37:10	1	1	1	1	108	59	0	26303.318	606.4516129	15950.31664	30000	0	0	30000	38.5625	2004
23.01.2020 11:37:11	1	1	1	1	108.3	58.5	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	39.0625	2004
23.01.2020 11:37:13	1	1	1	1	108.3	59	0	26255.924	608.6021505	16008.20808	30000	0	0	30000	38.625	2004
23.01.2020 11:37:14	1	1	1	1	108.3	58.5	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	39.3125	2004
23.01.2020 11:37:15	1	1	1	1	108.3	59.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	38.9375	2004
23.01.2020 11:37:16	1	1	1	1	108.3	58.75	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	39.5	2004
23.01.2020 11:37:17	1	1	1	1	108.3	59.5	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	38.875	2004
23.01.2020 11:37:18	1	1	1	1	108.3	58.75	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	38.625	2004
23.01.2020 11:37:19	1	1	1	1	108.3	59.25	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	39.125	2004
23.01.2020 11:37:20	1	1	1	1	108.3	59	0	26350.711	606.4516129	16093.82219	30000	0	0	30000	38.5625	2004
23.01.2020 11:37:21	1	1	1	1	108.8	58.5	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	39.0625	2004
23.01.2020 11:37:22	1	1	1	1	108.8	59	0	26113.744	602.1505376	16064.46878	30000	0	0	30000	38.625	2004
23.01.2020 11:37:23	1	1	1	1	108.8	58.5	0	26113.744	606.4516129	15892.42519	30000	0	0	30000	39.25	2004
23.01.2020 11:37:24	1	1	1	1	108.8	59.25	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	39.125	2004
23.01.2020 11:37:25	1	1	1	1	108.8	59	0	26303.318	604.3010753	15980.48542	30000	0	0	30000	39.0625	2004
23.01.2020 11:37:26	1	1	1	1	108.8	59	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	37.875	2004
23.01.2020 11:37:27	1	1	1	1	108.8	57.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	38.9375	2004
23.01.2020 11:37:28	1	1	1	1	108.8	58.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.0625	2004
23.01.2020 11:37:29	1	1	1	1	108.8	59	0	26398.104	602.1505376	15867.14864	30000	0	0	30000	39.25	2004
23.01.2020 11:37:30	1	1	1	1	108.8	59.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.125	2004
23.01.2020 11:37:31	1	1	1	1	109.3	59	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	39.25	2004
23.01.2020 11:37:32	1	1	1	1	109.3	59.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.25	2004
23.01.2020 11:37:33	1	1	1	1	109.3	59.25	0	26350.711	602.1505376	15895.68668	30000	0	0	30000	39.25	2004
23.01.2020 11:37:34	1	1	1	1	109.3	59.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	39.1875	2004
23.01.2020 11:37:35	1	1	1	1	109.3	59	0	26445.498	604.3010753	16066.09953	30000	0	0	30000	39.375	2004
23.01.2020 11:37:36	1	1	1	1	109.3	59.25	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:37:37	1	1	1	1	109.3	59.25	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	39	2004
23.01.2020 11:37:38	1	1	1	1	109.3	59	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	39.1875	2004
23.01.2020 11:37:39	1	1	1	1	109.3	59	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38.75	2004
23.01.2020 11:37:40	1	1	1	1	109.3	58.75	0	26398.104	602.1505376	16152.52901	30000	0	0	30000	39.25	2004
23.01.2020 11:37:41	1	1	1	1	109.3	59.25	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	39.125	2004
23.01.2020 11:37:42	1	1	1	1	109.3	59	0	26682.464	606.4516129	16181.06705	30000	0	0	30000	39.1875	2004
23.01.2020 11:37:43	1	1	1	1	109.3	59	0	26445.498	593.5483871	15895.68668	30000	0	0	30000	39.1875	2004
23.01.2020 11:37:44	1	1	1	1	109.3	59	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39.125	2004
23.01.2020 11:37:45	1	1	1	1	109.3	59	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	39.1875	2004
23.01.2020 11:37:46	1	1	1	1	109.3	59	0	26350.711	604.3010753	15951.13201	30000	0	0	30000	39.25	2004
23.01.2020 11:37:47	1	1	1	1	109.3	59.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.0625	2004
23.01.2020 11:37:48	1	1	1	1	109.3	59	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	38.4375	2004
23.01.2020 11:37:49	1	1	1	1	109.3	58.25	0	26398.104	600	15980.48542	30000	0	0	30000	38.125	2004
23.01.2020 11:37:51	1	1	1	1	109.3	58	0	26492.891	606.4516129	15867.14864	30000	0	0	30000	38.4375	2004
23.01.2020 11:37:52	1	1	1	1	109.3	58.25	0	26350.711	604.3010753	15725.27383	30000	0	0	30000	39.125	2004
23.01.2020 11:37:53	1	1	1	1	109.3	59	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	39.125	2004
23.01.2020 11:37:54	1	1	1	1	109.3	59	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	39.3125	2004
23.01.2020 11:37:55	1	1	1	1	109.3	59.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	38.875	2004
23.01.2020 11:37:56	1	1	1	1	109.3	58.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.375	2004
23.01.2020 11:37:57	1	1	1	1	109.3	59.25	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	39.625	2004
23.01.2020 11:38:03	1	1	1	1	109.8	58.75	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:38:03	1	1	1	1	109.8	58.75	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:38:03	1	1	1	1	109.8	58.75	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:38:03	1	1	1	1	109.8	58.75	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:38:03	1	1	1	1	109.8	58.75	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:38:03	1	1	1	1	109.8	58.75	0	26255.924	610.7526882	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:38:04	1	1	1	1	109.8	59	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	39.3125	2004
23.01.2020 11:38:05	1	1	1	1	109.8	59.25	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	39.0625	2004
23.01.2020 11:38:06	1	1	1	1	109.8	59	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.75	2004
23.01.2020 11:38:07	1	1	1	1	109.8	58.75	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	38.875	2004
23.01.2020 11:38:08	1	1	1	1	109.8	58.75	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	38.8125	2004
23.01.2020 11:38:09	1	1	1	1	109.8	58.75	0	26398.104	612.9032258	16179.43631	30000	0	0	30000	39.25	2004
23.01.2020 11:38:10	1	1	1	1	109.8	59.25	0	26255.924	612.9032258	16120.72949	30000	0	0	30000	39.375	2004
23.01.2020 11:38:11	1	1	1	1	109.8	59.25	0	26255.924	606.4516129	15951.13201	30000	0	0	30000	39.0625	2004
23.01.2020 11:38:12	1	1	1	1	109.8	59	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	38.875	2004
23.01.2020 11:38:13	1	1	1	1	109.8	58.75	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	39.375	2004
23.01.2020 11:38:14	1	1	1	1	109.8	59.25	0	26303.318	612.9032258	16234.06626	30000	0	0	30000	39.3125	2004
23.01.2020 11:38:15	1	1	1	1	109.8	59.25	0	26398.104	610.7526882	16008.20808	30000	0	0	30000	39.1875	2004
23.01.2020 11:38:16	1	1	1	1	109.8	59	0	26113.744	602.1505376	16006.57734	30000	0	0	30000	39.1875	2004
23.01.2020 11:38:17	1	1	1	1	109.8	59	0	26303.318	610.7526882	16120.72949	30000	0	0	30000	39.4375	2004
23.01.2020 11:38:18	1	1	1	1	109.8	59.25	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	39.0625	2004
23.01.2020 11:38:19	1	1	1	1	109.8	59	0	26350.711	608.6021505	16064.46878	30000	0	0	30000	38.9375	2004
23.01.2020 11:38:20	1	1	1	1	109.8	58.75	0	26303.318	610.7526882	16120.72949	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:38:21	1	1	1	1	109.5	59	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	38.8125	2004
23.01.2020 11:38:22	1	1	1	1	109.5	58.75	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	39.5	2004
23.01.2020 11:38:23	1	1	1	1	109.5	59.5	0	26018.957	612.9032258	15888.34833	30000	0	0	30000	39.375	2004
23.01.2020 11:38:24	1	1	1	1	109.5	59.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	39.0625	2004
23.01.2020 11:38:25	1	1	1	1	109.5	59	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	39.1875	2004
23.01.2020 11:38:26	1	1	1	1	109.5	59	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	39.25	2004
23.01.2020 11:38:27	1	1	1	1	109.5	59.25	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	38.6875	2004
23.01.2020 11:38:29	1	1	1	1	109.5	58.5	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	39.375	2004
23.01.2020 11:38:30	1	1	1	1	109.5	59.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	39.25	2004
23.01.2020 11:38:31	1	1	1	1	109.5	59.25	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	38.4375	2004
23.01.2020 11:38:32	1	1	1	1	109.8	58.25	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	39.4375	2004
23.01.2020 11:38:33	1	1	1	1	109.8	59.25	0	26208.531	615.0537634	16061.20729	30000	0	0	30000	39.375	2004
23.01.2020 11:38:34	1	1	1	1	109.8	59.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	39.25	2004
23.01.2020 11:38:35	1	1	1	1	109.8	59.25	0	25924.171	612.9032258	15832.903	30000	0	0	30000	39.6875	2004
23.01.2020 11:38:36	1	1	1	1	109.8	58.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	39.375	2004
23.01.2020 11:38:37	1	1	1	1	109.8	59.25	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	39.375	2004
23.01.2020 11:38:38	1	1	1	1	109.8	59.25	0	26255.924	604.3010753	16064.46878	30000	0	0	30000	39.3125	2004
23.01.2020 11:38:39	1	1	1	1	109.8	59.25	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	39.25	2004
23.01.2020 11:38:40	1	1	1	1	109.8	59.25	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	39.3125	2004
23.01.2020 11:38:41	1	1	1	1	109.5	59.25	0	26350.711	608.6021505	16065.28416	30000	0	0	30000	39.1875	2004
23.01.2020 11:38:42	1	1	1	1	109.5	59	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	39.25	2004
23.01.2020 11:38:43	1	1	1	1	109.5	59.25	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	38.625	2004
23.01.2020 11:38:44	1	1	1	1	109.5	58.5	0	26113.744	610.7526882	15836.16449	30000	0	0	30000	39.25	2004
23.01.2020 11:38:45	1	1	1	1	109.5	59.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	39.375	2004
23.01.2020 11:38:46	1	1	1	1	109.5	59.25	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	39.125	2004
23.01.2020 11:38:47	1	1	1	1	109.5	59	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	39.3125	2004
23.01.2020 11:38:48	1	1	1	1	109.5	59.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	39.4375	2004
23.01.2020 11:38:49	1	1	1	1	109.5	59.25	0	26066.351	606.4516129	15722.82771	30000	0	0	30000	38.6875	2004
23.01.2020 11:38:50	1	1	1	1	109.5	58.5	0	26113.744	615.0537634	15947.05515	30000	0	0	30000	39.125	2004
23.01.2020 11:38:51	1	1	1	1	108.8	59	0	26066.351	612.9032258	16004.94659	30000	0	0	30000	39.4375	2004
23.01.2020 11:38:52	1	1	1	1	108.8	59.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	39.0625	2004
23.01.2020 11:38:53	1	1	1	1	108.8	59	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	38.5625	2004
23.01.2020 11:38:54	1	1	1	1	108.8	58.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	39.375	2004
23.01.2020 11:38:55	1	1	1	1	108.8	59.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	39.5	2004
23.01.2020 11:38:56	1	1	1	1	108.8	59.5	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	39	2004
23.01.2020 11:38:57	1	1	1	1	108.8	59	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	39.375	2004
23.01.2020 11:38:58	1	1	1	1	108.8	59.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	38.875	2004
23.01.2020 11:39:05	1	1	1	1	108.8	59.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	39.375	2004
23.01.2020 11:39:05	1	1	1	1	108.8	59.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	39.375	2004
23.01.2020 11:39:05	1	1	1	1	108.8	59.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	39.375	2004
23.01.2020 11:39:05	1	1	1	1	108.8	59.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	39.375	2004
23.01.2020 11:39:05	1	1	1	1	108.8	59.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:39:05	1	1	1	1	108.8	59.25	0	26303.318	612.9032258	16092.19145	30000	0	0	30000	39.5625	2004
23.01.2020 11:39:06	1	1	1	1	108.8	59.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	39.3125	2004
23.01.2020 11:39:08	1	1	1	1	108.8	59.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	39.375	2004
23.01.2020 11:39:09	1	1	1	1	108.8	59.25	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	39.375	2004
23.01.2020 11:39:10	1	1	1	1	108.8	59.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	38.5	2004
23.01.2020 11:39:11	1	1	1	1	108.8	58.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	39.75	2004
23.01.2020 11:39:12	1	1	1	1	109.5	59.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	39.4375	2004
23.01.2020 11:39:13	1	1	1	1	109.5	59.25	0	26303.318	615.0537634	16120.72949	30000	0	0	30000	39.3125	2004
23.01.2020 11:39:14	1	1	1	1	109.5	59.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	39.3125	2004
23.01.2020 11:39:15	1	1	1	1	109.5	59.25	0	26303.318	610.7526882	16120.72949	30000	0	0	30000	39.3125	2004
23.01.2020 11:39:16	1	1	1	1	109.5	59.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	39	2004
23.01.2020 11:39:17	1	1	1	1	109.5	59	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	39.375	2004
23.01.2020 11:39:18	1	1	1	1	109.5	59.25	0	26208.531	604.3010753	16006.57734	30000	0	0	30000	38.5625	2004
23.01.2020 11:39:19	1	1	1	1	109.5	58.5	0	26255.924	608.6021505	15894.05593	30000	0	0	30000	39.5625	2004
23.01.2020 11:39:20	1	1	1	1	109.5	59.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	39	2004
23.01.2020 11:39:21	1	1	1	1	109.5	59	0	26255.924	606.4516129	15950.31664	30000	0	0	30000	39.375	2004
23.01.2020 11:39:22	1	1	1	1	109.5	59.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	39.4375	2004
23.01.2020 11:39:23	1	1	1	1	109.5	59.25	0	26445.498	610.7526882	16122.36023	30000	0	0	30000	39.625	2004
23.01.2020 11:39:24	1	1	1	1	109.5	59.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	39.4375	2004
23.01.2020 11:39:25	1	1	1	1	109.5	59.25	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:39:26	1	1	1	1	109.5	59	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	39.0625	2004
23.01.2020 11:39:27	1	1	1	1	109.5	59	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	39.4375	2004
23.01.2020 11:39:28	1	1	1	1	109.5	59.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	39.3125	2004
23.01.2020 11:39:29	1	1	1	1	109.5	59.25	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	39.5	2004
23.01.2020 11:39:30	1	1	1	1	109.5	59.5	0	26208.531	606.4516129	15892.42519	30000	0	0	30000	39.5625	2004
23.01.2020 11:39:31	1	1	1	1	109.5	59.5	0	26113.744	610.7526882	15779.90379	30000	0	0	30000	39.375	2004
23.01.2020 11:39:32	1	1	1	1	109.5	59.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	39.3125	2004
23.01.2020 11:39:33	1	1	1	1	109.5	59.25	0	26398.104	606.4516129	15895.68668	30000	0	0	30000	39.4375	2004
23.01.2020 11:39:34	1	1	1	1	109.5	59.25	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	38.9375	2004
23.01.2020 11:39:35	1	1	1	1	109.5	58.75	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	39.4375	2004
23.01.2020 11:39:36	1	1	1	1	109.5	59.25	0	26350.711	606.4516129	16009.02346	30000	0	0	30000	38.875	2004
23.01.2020 11:39:37	1	1	1	1	109.5	58.75	0	26492.891	606.4516129	16066.09953	30000	0	0	30000	39.4375	2004
23.01.2020 11:39:38	1	1	1	1	109.5	59.25	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	39.125	2004
23.01.2020 11:39:39	1	1	1	1	109.5	59	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	39.4375	2004
23.01.2020 11:39:40	1	1	1	1	109.5	59.25	0	26350.711	604.3010753	16009.02346	30000	0	0	30000	39.5625	2004
23.01.2020 11:39:41	1	1	1	1	109.3	59.5	0	26303.318	604.3010753	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:39:42	1	1	1	1	109.3	59	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	39.5625	2004
23.01.2020 11:39:43	1	1	1	1	109.3	59.5	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	39	2004
23.01.2020 11:39:44	1	1	1	1	109.3	59	0	26492.891	606.4516129	16066.09953	30000	0	0	30000	39.3125	2004
23.01.2020 11:39:46	1	1	1	1	109.3	59.25	0	26635.071	604.3010753	16066.9149	30000	0	0	30000	39.4375	2004
23.01.2020 11:39:47	1	1	1	1	109.3	59.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.5	2004
23.01.2020 11:39:48	1	1	1	1	109.3	59.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.5	2004
23.01.2020 11:39:49	1	1	1	1	109.3	59.5	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:39:50	1	1	1	1	109.3	59	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	39.375	2004
23.01.2020 11:39:51	1	1	1	1	109.3	59.25	0	26777.251	604.3010753	16267.49653	30000	0	0	30000	39.75	2004
23.01.2020 11:39:52	1	1	1	1	109	59.75	0	26492.891	604.3010753	15952.76275	30000	0	0	30000	39.75	2004
23.01.2020 11:39:53	1	1	1	1	109	59.5	0	26492.891	606.4516129	15924.22472	30000	0	0	30000	39.375	2004
23.01.2020 11:39:54	1	1	1	1	109	59.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.375	2004
23.01.2020 11:39:55	1	1	1	1	109	59.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.375	2004
23.01.2020 11:39:56	1	1	1	1	109	59.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.25	2004
23.01.2020 11:39:57	1	1	1	1	109	59.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	39.625	2004
23.01.2020 11:39:58	1	1	1	1	109	59.5	0	26445.498	604.3010753	15838.61061	30000	0	0	30000	39.5	2004
23.01.2020 11:39:59	1	1	1	1	109	59.5	0	26445.498	604.3010753	16037.56149	30000	0	0	30000	38.75	2004
23.01.2020 11:40:00	1	1	1	1	109	58.75	0	26540.284	610.7526882	16038.37687	30000	0	0	30000	39.375	2004
23.01.2020 11:40:06	1	1	1	1	109.3	59.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:06	1	1	1	1	109.3	59.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:06	1	1	1	1	109.3	59.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:06	1	1	1	1	109.3	59.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:06	1	1	1	1	109.3	59.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:06	1	1	1	1	109.3	59.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:06	1	1	1	1	109.3	59.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:07	1	1	1	1	109.3	59.25	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	39.5	2004
23.01.2020 11:40:08	1	1	1	1	109.3	59.5	0	26398.104	606.4516129	15980.48542	30000	0	0	30000	39.5	2004
23.01.2020 11:40:09	1	1	1	1	109.3	59.5	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	39.5625	2004
23.01.2020 11:40:10	1	1	1	1	109.3	59.5	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	39.3125	2004
23.01.2020 11:40:11	1	1	1	1	109.5	59.25	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39.1875	2004
23.01.2020 11:40:12	1	1	1	1	109.5	59	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.25	2004
23.01.2020 11:40:13	1	1	1	1	109.5	59.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.375	2004
23.01.2020 11:40:14	1	1	1	1	109.5	59.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.0625	2004
23.01.2020 11:40:15	1	1	1	1	109.5	59	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	39.5	2004
23.01.2020 11:40:16	1	1	1	1	109.5	59.5	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	38.9375	2004
23.01.2020 11:40:17	1	1	1	1	109.5	58.75	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	39.6875	2004
23.01.2020 11:40:18	1	1	1	1	109.5	59.5	0	26350.711	602.1505376	15838.61061	30000	0	0	30000	39.5	2004
23.01.2020 11:40:19	1	1	1	1	109.5	59.5	0	26398.104	602.1505376	15952.76275	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:20	1	1	1	1	109.5	59.25	0	26350.711	606.4516129	16009.02346	30000	0	0	30000	38.6875	2004
23.01.2020 11:40:21	1	1	1	1	109.3	58.5	0	26492.891	610.7526882	15980.48542	30000	0	0	30000	39.25	2004
23.01.2020 11:40:22	1	1	1	1	109.3	59.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	39.25	2004
23.01.2020 11:40:24	1	1	1	1	109.3	59.25	0	26445.498	602.1505376	15867.14864	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:25	1	1	1	1	109.3	59.25	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:26	1	1	1	1	109.3	59.25	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	39.625	2004
23.01.2020 11:40:27	1	1	1	1	109.3	59.5	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	39.125	2004
23.01.2020 11:40:28	1	1	1	1	109.3	59	0	26540.284	593.5483871	16009.83883	30000	0	0	30000	39.625	2004
23.01.2020 11:40:29	1	1	1	1	109.3	59.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.5	2004
23.01.2020 11:40:30	1	1	1	1	109.3	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.5	2004
23.01.2020 11:40:31	1	1	1	1	109.8	59.25	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	39.375	2004
23.01.2020 11:40:32	1	1	1	1	109.8	59.25	0	26635.071	600	16181.06705	30000	0	0	30000	39.375	2004
23.01.2020 11:40:33	1	1	1	1	109.8	59.25	0	26350.711	602.1505376	15867.14864	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:40:34	1	1	1	1	109.8	59.25	0	26445.498	602.1505376	15951.94738	30000	0	0	30000	38.8125	2004
23.01.2020 11:40:35	1	1	1	1	109.8	58.75	0	26445.498	602.1505376	15981.30079	30000	0	0	30000	39.25	2004
23.01.2020 11:40:36	1	1	1	1	109.8	59.25	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	39.375	2004
23.01.2020 11:40:37	1	1	1	1	109.8	59.25	0	26398.104	608.6021505	15980.48542	30000	0	0	30000	39.1875	2004
23.01.2020 11:40:38	1	1	1	1	109.8	59	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	39.5	2004
23.01.2020 11:40:39	1	1	1	1	109.8	59.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39.25	2004
23.01.2020 11:40:40	1	1	1	1	109.8	59.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:41	1	1	1	1	109.5	59.25	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	39.6875	2004
23.01.2020 11:40:42	1	1	1	1	109.5	59.5	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39.5	2004
23.01.2020 11:40:43	1	1	1	1	109.5	59.5	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	39.6875	2004
23.01.2020 11:40:44	1	1	1	1	109.5	59.5	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	39.625	2004
23.01.2020 11:40:45	1	1	1	1	109.5	59.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.125	2004
23.01.2020 11:40:46	1	1	1	1	109.5	59	0	26540.284	604.3010753	16152.52901	30000	0	0	30000	39.375	2004
23.01.2020 11:40:47	1	1	1	1	109.5	59.25	0	26398.104	602.1505376	15867.14864	30000	0	0	30000	39.5	2004
23.01.2020 11:40:48	1	1	1	1	109.5	59.5	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	39.5625	2004
23.01.2020 11:40:49	1	1	1	1	109.5	59.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39.25	2004
23.01.2020 11:40:50	1	1	1	1	109.5	59.25	0	26350.711	602.1505376	15895.68668	30000	0	0	30000	39.5	2004
23.01.2020 11:40:51	1	1	1	1	108.3	59.5	0	26303.318	604.3010753	15980.48542	30000	0	0	30000	39.25	2004
23.01.2020 11:40:52	1	1	1	1	108.3	59.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	39.0625	2004
23.01.2020 11:40:53	1	1	1	1	108.3	59	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	38.875	2004
23.01.2020 11:40:54	1	1	1	1	108.3	58.75	0	26350.711	602.1505376	15951.94738	30000	0	0	30000	38.9375	2004
23.01.2020 11:40:55	1	1	1	1	108.3	58.75	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	39.625	2004
23.01.2020 11:40:56	1	1	1	1	108.3	59.5	0	26445.498	597.8494624	15838.61061	30000	0	0	30000	39.625	2004
23.01.2020 11:40:57	1	1	1	1	108.3	59.5	0	26587.678	606.4516129	15981.30079	30000	0	0	30000	39.4375	2004
23.01.2020 11:40:58	1	1	1	1	108.3	59.25	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	39.625	2004
23.01.2020 11:40:59	1	1	1	1	108.3	59.5	0	26682.464	606.4516129	16123.99098	30000	0	0	30000	39.375	2004
23.01.2020 11:41:00	1	1	1	1	108.3	59.25	0	26350.711	604.3010753	15781.53453	30000	0	0	30000	39.5	2004
23.01.2020 11:41:02	1	1	1	1	107.8	59.5	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	39.375	2004
23.01.2020 11:41:08	1	1	1	1	107.8	59.25	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	40.125	2004
23.01.2020 11:41:08	1	1	1	1	107.8	59.25	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	40.125	2004
23.01.2020 11:41:08	1	1	1	1	107.8	59.25	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	40.125	2004
23.01.2020 11:41:08	1	1	1	1	107.8	59.25	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	40.125	2004
23.01.2020 11:41:08	1	1	1	1	107.8	59.25	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	40.125	2004
23.01.2020 11:41:08	1	1	1	1	107.8	59.25	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	40.125	2004
23.01.2020 11:41:09	1	1	1	1	107.8	60	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	39.6875	2004
23.01.2020 11:41:10	1	1	1	1	107.8	59.5	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	39.5625	2004
23.01.2020 11:41:11	1	1	1	1	108	59.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	39.1875	2004
23.01.2020 11:41:12	1	1	1	1	108	59	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.375	2004
23.01.2020 11:41:13	1	1	1	1	108	59.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.4375	2004
23.01.2020 11:41:14	1	1	1	1	108	59.25	0	26303.318	604.3010753	16093.82219	30000	0	0	30000	39.4375	2004
23.01.2020 11:41:15	1	1	1	1	108	59.25	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	39.5	2004
23.01.2020 11:41:16	1	1	1	1	108	59.5	0	26398.104	604.3010753	15838.61061	30000	0	0	30000	39.1875	2004
23.01.2020 11:41:17	1	1	1	1	108	59	0	26587.678	604.3010753	15981.30079	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:41:18	1	1	1	1	108	59	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	39	2004
23.01.2020 11:41:19	1	1	1	1	108	59	0	26350.711	608.6021505	16093.82219	30000	0	0	30000	39.625	2004
23.01.2020 11:41:20	1	1	1	1	108	59.5	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	39.4375	2004
23.01.2020 11:41:21	1	1	1	1	108	59.25	0	26492.891	606.4516129	16180.25168	30000	0	0	30000	39.5	2004
23.01.2020 11:41:22	1	1	1	1	108	59.5	0	26303.318	606.4516129	15922.59397	30000	0	0	30000	39.4375	2004
23.01.2020 11:41:23	1	1	1	1	108	59.25	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	39.3125	2004
23.01.2020 11:41:24	1	1	1	1	108	59.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	39.5625	2004
23.01.2020 11:41:25	1	1	1	1	108	59.5	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	39.625	2004
23.01.2020 11:41:26	1	1	1	1	108	59.5	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	39.75	2004
23.01.2020 11:41:27	1	1	1	1	108	59.75	0	26540.284	604.3010753	16009.02346	30000	0	0	30000	39.625	2004
23.01.2020 11:41:28	1	1	1	1	108	59.5	0	26255.924	606.4516129	15951.13201	30000	0	0	30000	39.625	2004
23.01.2020 11:41:29	1	1	1	1	108	59.5	0	26303.318	608.6021505	15950.31664	30000	0	0	30000	39.4375	2004
23.01.2020 11:41:30	1	1	1	1	108	59.25	0	26303.318	608.6021505	15894.05593	30000	0	0	30000	39.5625	2004
23.01.2020 11:41:31	1	1	1	1	107.3	59.5	0	26208.531	606.4516129	15837.79523	30000	0	0	30000	39.5625	2004
23.01.2020 11:41:32	1	1	1	1	107.3	59.5	0	26398.104	608.6021505	16151.71364	30000	0	0	30000	39.625	2004
23.01.2020 11:41:33	1	1	1	1	107.3	59.5	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.4375	2004
23.01.2020 11:41:34	1	1	1	1	107.3	59.25	0	26303.318	602.1505376	15923.40934	30000	0	0	30000	39.6875	2004
23.01.2020 11:41:35	1	1	1	1	107.3	59.5	0	26398.104	610.7526882	15951.94738	30000	0	0	30000	39.625	2004
23.01.2020 11:41:36	1	1	1	1	107.3	59.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	39.5	2004
23.01.2020 11:41:37	1	1	1	1	107.3	59.5	0	26303.318	604.3010753	16008.20808	30000	0	0	30000	39	2004
23.01.2020 11:41:38	1	1	1	1	107.3	59	0	26208.531	610.7526882	16064.46878	30000	0	0	30000	39.5	2004
23.01.2020 11:41:40	1	1	1	1	107.3	59.5	0	26303.318	608.6021505	15894.87131	30000	0	0	30000	39.625	2004
23.01.2020 11:41:41	1	1	1	1	107.3	59.5	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	39.3125	2004
23.01.2020 11:41:42	1	1	1	1	107	59.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	39.5	2004
23.01.2020 11:41:43	1	1	1	1	107	59.5	0	26445.498	606.4516129	16038.37687	30000	0	0	30000	39.6875	2004
23.01.2020 11:41:44	1	1	1	1	107	59.5	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
23.01.2020 11:41:45	1	1	1	1	107	59.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.5	2004
23.01.2020 11:41:46	1	1	1	1	107	59.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.0625	2004
23.01.2020 11:41:47	1	1	1	1	107	60	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	39.3125	2004
23.01.2020 11:41:48	1	1	1	1	107	59.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	40	2004
23.01.2020 11:41:49	1	1	1	1	107	59.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	39.3125	2004
23.01.2020 11:41:50	1	1	1	1	107	59.25	0	26445.498	606.4516129	16065.28416	30000	0	0	30000	39.625	2004
23.01.2020 11:41:51	1	1	1	1	106.3	59.5	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	38.75	2004
23.01.2020 11:41:52	1	1	1	1	106.3	58.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39	2004
23.01.2020 11:41:53	1	1	1	1	106.3	59	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	39.625	2004
23.01.2020 11:41:54	1	1	1	1	106.3	59.5	0	26445.498	606.4516129	16123.1756	30000	0	0	30000	39.25	2004
23.01.2020 11:41:55	1	1	1	1	106.3	59.25	0	26492.891	608.6021505	16123.1756	30000	0	0	30000	39.75	2004
23.01.2020 11:41:56	1	1	1	1	106.3	59.75	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	39.75	2004
23.01.2020 11:41:57	1	1	1	1	106.3	59.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	39.5625	2004
23.01.2020 11:41:58	1	1	1	1	106.3	59.5	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	39.625	2004
23.01.2020 11:41:59	1	1	1	1	106.3	59.5	0	26208.531	608.6021505	16006.57734	30000	0	0	30000	39.75	2004
23.01.2020 11:42:00	1	1	1	1	106.3	59.75	0	26350.711	604.3010753	16179.43631	30000	0	0	30000	39.0625	2004
23.01.2020 11:42:01	1	1	1	1	106.3	59	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:42:02	1	1	1	1	106.3	59	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	39.625	2004
23.01.2020 11:42:03	1	1	1	1	106.3	59.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.375	2004
23.01.2020 11:42:09	1	1	1	1	106.3	59.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:09	1	1	1	1	106.3	59.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:09	1	1	1	1	106.3	59.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:09	1	1	1	1	106.3	59.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:09	1	1	1	1	106.3	59.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:09	1	1	1	1	106.3	59.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:09	1	1	1	1	106.3	59.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:10	1	1	1	1	106.3	59.5	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	39.375	2004
23.01.2020 11:42:11	1	1	1	1	106.8	59.25	0	26445.498	608.6021505	16094.63757	30000	0	0	30000	39.625	2004
23.01.2020 11:42:12	1	1	1	1	106.8	59.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:13	1	1	1	1	106.8	59.5	0	26492.891	606.4516129	16152.52901	30000	0	0	30000	39.75	2004
23.01.2020 11:42:14	1	1	1	1	106.8	59.75	0	26445.498	608.6021505	16209.60509	30000	0	0	30000	39.75	2004
23.01.2020 11:42:15	1	1	1	1	106.8	59.75	0	26350.711	604.3010753	16065.28416	30000	0	0	30000	39.75	2004
23.01.2020 11:42:16	1	1	1	1	106.8	59.75	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	39.9375	2004
23.01.2020 11:42:18	1	1	1	1	106.8	59.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	39.625	2004
23.01.2020 11:42:19	1	1	1	1	106.8	59.5	0	26303.318	608.6021505	16036.74612	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:20	1	1	1	1	106.8	59.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	39.125	2004
23.01.2020 11:42:21	1	1	1	1	106.8	59	0	26445.498	610.7526882	16009.02346	30000	0	0	30000	39.375	2004
23.01.2020 11:42:22	1	1	1	1	107.5	59.25	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	39.4375	2004
23.01.2020 11:42:23	1	1	1	1	107.5	59.25	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	39.3125	2004
23.01.2020 11:42:24	1	1	1	1	107.5	59.25	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	39.4375	2004
23.01.2020 11:42:25	1	1	1	1	107.5	59.25	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	39.8125	2004
23.01.2020 11:42:26	1	1	1	1	107.5	59.75	0	26398.104	608.6021505	15895.68668	30000	0	0	30000	40.125	2004
23.01.2020 11:42:27	1	1	1	1	107.5	60	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	39.125	2004
23.01.2020 11:42:28	1	1	1	1	107.5	59.5	0	26303.318	604.3010753	16036.74612	30000	0	0	30000	39.4375	2004
23.01.2020 11:42:29	1	1	1	1	107.5	59.25	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:42:30	1	1	1	1	107.5	59.75	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	39.75	2004
23.01.2020 11:42:31	1	1	1	1	107.8	59.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.5625	2004
23.01.2020 11:42:32	1	1	1	1	107.8	59.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	39.75	2004
23.01.2020 11:42:33	1	1	1	1	107.8	59.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39.8125	2004
23.01.2020 11:42:34	1	1	1	1	107.8	59.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39.875	2004
23.01.2020 11:42:35	1	1	1	1	107.8	59.75	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	39.75	2004
23.01.2020 11:42:36	1	1	1	1	107.8	59.75	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	39.875	2004
23.01.2020 11:42:37	1	1	1	1	107.8	59.75	0	26587.678	602.1505376	16038.37687	30000	0	0	30000	39.75	2004
23.01.2020 11:42:38	1	1	1	1	107.8	59.75	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	39.8125	2004
23.01.2020 11:42:39	1	1	1	1	107.8	59.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39	2004
23.01.2020 11:42:40	1	1	1	1	107.8	59	0	26540.284	595.6989247	16009.83883	30000	0	0	30000	39.1875	2004
23.01.2020 11:42:41	1	1	1	1	108	59	0	26350.711	597.8494624	15838.61061	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:42	1	1	1	1	108	59.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.875	2004
23.01.2020 11:42:43	1	1	1	1	108	59.75	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	39.8125	2004
23.01.2020 11:42:44	1	1	1	1	108	59.75	0	26445.498	602.1505376	15867.14864	30000	0	0	30000	39.375	2004
23.01.2020 11:42:45	1	1	1	1	108	59.25	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:42:46	1	1	1	1	108	59.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	39.625	2004
23.01.2020 11:42:47	1	1	1	1	108	59.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.75	2004
23.01.2020 11:42:48	1	1	1	1	108	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.0625	2004
23.01.2020 11:42:52	1	1	1	1	108.3	59.5	0	26777.251	602.1505376	16181.06705	30000	0	0	30000	39.8125	2004
23.01.2020 11:42:52	1	1	1	1	108.3	59.5	0	26777.251	602.1505376	16181.06705	30000	0	0	30000	39.8125	2004
23.01.2020 11:42:52	1	1	1	1	108.3	59.5	0	26777.251	602.1505376	16181.06705	30000	0	0	30000	39.8125	2004
23.01.2020 11:42:52	1	1	1	1	108.3	59.75	0	26540.284	597.8494624	15951.94738	30000	0	0	30000	39.75	2004
23.01.2020 11:42:53	1	1	1	1	108.3	59.75	0	26682.464	602.1505376	15894.05593	30000	0	0	30000	39.8125	2004
23.01.2020 11:42:54	1	1	1	1	108.3	59.75	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	39.625	2004
23.01.2020 11:42:56	1	1	1	1	108.3	59.5	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	39.4375	2004
23.01.2020 11:42:57	1	1	1	1	108.3	59.25	0	26824.645	591.3978495	15805.99571	30000	0	0	30000	39.75	2004
23.01.2020 11:42:58	1	1	1	1	108.3	59.75	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	39.6875	2004
23.01.2020 11:42:59	1	1	1	1	108.3	59.5	0	26777.251	589.2473118	16007.39271	30000	0	0	30000	39.75	2004
23.01.2020 11:43:00	1	1	1	1	108.3	59.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	39.875	2004
23.01.2020 11:43:01	1	1	1	1	108.3	59.75	0	27061.611	597.8494624	16005.76197	30000	0	0	30000	39.75	2004
23.01.2020 11:43:02	1	1	1	1	108.3	59.75	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	39.875	2004
23.01.2020 11:43:03	1	1	1	1	108.3	59.75	0	26872.038	597.8494624	16267.49653	30000	0	0	30000	39.9375	2004
23.01.2020 11:43:04	1	1	1	1	108.3	59.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	40	2004
23.01.2020 11:43:05	1	1	1	1	108.3	60	0	26824.645	600	16094.63757	30000	0	0	30000	39.75	2004
23.01.2020 11:43:11	1	1	1	1	107.8	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:11	1	1	1	1	107.8	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:11	1	1	1	1	107.8	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:11	1	1	1	1	107.8	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:11	1	1	1	1	107.8	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:11	1	1	1	1	107.8	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:12	1	1	1	1	107.8	59.75	0	26587.678	600	15951.94738	30000	0	0	30000	39.75	2004
23.01.2020 11:43:13	1	1	1	1	107.8	59.75	0	26682.464	602.1505376	16066.09953	30000	0	0	30000	39.75	2004
23.01.2020 11:43:14	1	1	1	1	107.8	59.75	0	26587.678	602.1505376	15924.22472	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:15	1	1	1	1	107.8	59.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	39.6875	2004
23.01.2020 11:43:16	1	1	1	1	107.8	59.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	39.875	2004
23.01.2020 11:43:17	1	1	1	1	107.8	59.75	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	39.75	2004
23.01.2020 11:43:18	1	1	1	1	107.8	59.75	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	39.3125	2004
23.01.2020 11:43:19	1	1	1	1	107.8	59.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:20	1	1	1	1	107.8	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.75	2004
23.01.2020 11:43:21	1	1	1	1	106.8	59.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	39.5	2004
23.01.2020 11:43:22	1	1	1	1	106.8	59.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.75	2004
23.01.2020 11:43:23	1	1	1	1	106.8	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:24	1	1	1	1	106.8	59.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
23.01.2020 11:43:25	1	1	1	1	106.8	59.5	0	26777.251	600	16066.09953	30000	0	0	30000	39.375	2004
23.01.2020 11:43:26	1	1	1	1	106.8	59.25	0	26635.071	597.8494624	15837.79523	30000	0	0	30000	40	2004
23.01.2020 11:43:27	1	1	1	1	106.8	60	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:28	1	1	1	1	106.8	59.75	0	26587.678	597.8494624	15924.22472	30000	0	0	30000	39.875	2004
23.01.2020 11:43:29	1	1	1	1	106.8	59.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:43:30	1	1	1	1	106.8	59.5	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	40.0625	2004
23.01.2020 11:43:31	1	1	1	1	106.5	60	0	26587.678	600	15837.79523	30000	0	0	30000	39.375	2004
23.01.2020 11:43:32	1	1	1	1	106.5	59.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:33	1	1	1	1	106.5	59.75	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:35	1	1	1	1	106.5	59.75	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	39.75	2004
23.01.2020 11:43:36	1	1	1	1	106.5	59.75	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	39.4375	2004
23.01.2020 11:43:37	1	1	1	1	106.5	59.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	39.875	2004
23.01.2020 11:43:38	1	1	1	1	106.5	59.75	0	26872.038	597.8494624	16181.06705	30000	0	0	30000	39.875	2004
23.01.2020 11:43:39	1	1	1	1	106.5	59.75	0	26587.678	597.8494624	16066.9149	30000	0	0	30000	39.75	2004
23.01.2020 11:43:40	1	1	1	1	106.5	59.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	39.625	2004
23.01.2020 11:43:41	1	1	1	1	106.5	59.5	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	40.125	2004
23.01.2020 11:43:42	1	1	1	1	107.3	60	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.1875	2004
23.01.2020 11:43:43	1	1	1	1	107.3	59	0	26635.071	610.7526882	16009.83883	30000	0	0	30000	40.3125	2004
23.01.2020 11:43:44	1	1	1	1	107.3	60.25	0	26540.284	600	15924.22472	30000	0	0	30000	40.5	2004
23.01.2020 11:43:45	1	1	1	1	107.3	59.75	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	39.9375	2004
23.01.2020 11:43:46	1	1	1	1	107.3	59.75	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	39.75	2004
23.01.2020 11:43:47	1	1	1	1	107.3	59.75	0	26682.464	597.8494624	16066.09953	30000	0	0	30000	39.9375	2004
23.01.2020 11:43:48	1	1	1	1	107.3	59.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	40	2004
23.01.2020 11:43:49	1	1	1	1	107.3	60	0	26777.251	604.3010753	16123.99098	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:50	1	1	1	1	107.3	59.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:43:51	1	1	1	1	107	59.75	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:52	1	1	1	1	107	59.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	39.8125	2004
23.01.2020 11:43:53	1	1	1	1	107	59.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	40	2004
23.01.2020 11:43:54	1	1	1	1	107	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.9375	2004
23.01.2020 11:43:55	1	1	1	1	107	59.75	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	39.5625	2004
23.01.2020 11:43:56	1	1	1	1	107	59.5	0	26445.498	597.8494624	15981.30079	30000	0	0	30000	39.875	2004
23.01.2020 11:43:57	1	1	1	1	107	59.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	39.9375	2004
23.01.2020 11:43:58	1	1	1	1	107	59.75	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	40.125	2004
23.01.2020 11:43:59	1	1	1	1	107	60	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.875	2004
23.01.2020 11:44:00	1	1	1	1	107	59.75	0	26492.891	602.1505376	15781.53453	30000	0	0	30000	40	2004
23.01.2020 11:44:01	1	1	1	1	106.5	60	0	26398.104	604.3010753	15923.40934	30000	0	0	30000	39.875	2004
23.01.2020 11:44:02	1	1	1	1	106.5	59.75	0	26398.104	606.4516129	16036.74612	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:03	1	1	1	1	106.5	59.75	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	39.875	2004
23.01.2020 11:44:04	1	1	1	1	106.5	59.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:44:05	1	1	1	1	106.5	59.75	0	26255.924	606.4516129	16064.46878	30000	0	0	30000	40.125	2004
23.01.2020 11:44:06	1	1	1	1	106.5	60	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	40.0625	2004
23.01.2020 11:44:13	1	1	1	1	107	59.5	0	26255.924	606.4516129	15978.85467	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:13	1	1	1	1	107	59.5	0	26255.924	606.4516129	15978.85467	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:13	1	1	1	1	107	59.5	0	26255.924	606.4516129	15978.85467	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:13	1	1	1	1	107	59.5	0	26255.924	606.4516129	15978.85467	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:13	1	1	1	1	107	59.5	0	26255.924	606.4516129	15978.85467	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:14	1	1	1	1	107	59.75	0	26208.531	602.1505376	15951.13201	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:44:15	1	1	1	1	107	60	0	26445.498	610.7526882	16037.56149	30000	0	0	30000	40.0625	2004
23.01.2020 11:44:16	1	1	1	1	107	60	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	39.375	2004
23.01.2020 11:44:17	1	1	1	1	107	59.25	0	26255.924	604.3010753	15951.13201	30000	0	0	30000	39.875	2004
23.01.2020 11:44:18	1	1	1	1	107	59.75	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	39.875	2004
23.01.2020 11:44:19	1	1	1	1	107	59.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:20	1	1	1	1	107	59.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.25	2004
23.01.2020 11:44:21	1	1	1	1	107	60.25	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	39.8125	2004
23.01.2020 11:44:22	1	1	1	1	107	59.75	0	26350.711	602.1505376	15867.14864	30000	0	0	30000	39.75	2004
23.01.2020 11:44:23	1	1	1	1	107	60.25	0	26492.891	602.1505376	16152.52901	30000	0	0	30000	40.125	2004
23.01.2020 11:44:24	1	1	1	1	107	60	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	40.1875	2004
23.01.2020 11:44:25	1	1	1	1	107	60	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:26	1	1	1	1	107	59.75	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	39.6875	2004
23.01.2020 11:44:27	1	1	1	1	107	59.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40	2004
23.01.2020 11:44:28	1	1	1	1	107	60	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:29	1	1	1	1	107	59.75	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	40	2004
23.01.2020 11:44:30	1	1	1	1	107	60	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	40.0625	2004
23.01.2020 11:44:31	1	1	1	1	107.3	60	0	26255.924	604.3010753	15894.87131	30000	0	0	30000	40.0625	2004
23.01.2020 11:44:32	1	1	1	1	107.3	60	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.75	2004
23.01.2020 11:44:33	1	1	1	1	107.3	59.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:34	1	1	1	1	107.3	59.75	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	40.3125	2004
23.01.2020 11:44:35	1	1	1	1	107.3	60.25	0	26350.711	593.5483871	15555.67635	30000	0	0	30000	40	2004
23.01.2020 11:44:36	1	1	1	1	107.3	60	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:37	1	1	1	1	107.3	59.75	0	26540.284	606.4516129	15981.30079	30000	0	0	30000	39.75	2004
23.01.2020 11:44:38	1	1	1	1	107.3	59.75	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	40.1875	2004
23.01.2020 11:44:39	1	1	1	1	107.3	60	0	26540.284	593.5483871	15951.94738	30000	0	0	30000	39.875	2004
23.01.2020 11:44:40	1	1	1	1	107.3	59.75	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	40.1875	2004
23.01.2020 11:44:41	1	1	1	1	107.3	60	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	40.1875	2004
23.01.2020 11:44:42	1	1	1	1	107.3	60	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:43	1	1	1	1	107.3	59.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.3125	2004
23.01.2020 11:44:44	1	1	1	1	107.3	60.25	0	26966.825	602.1505376	16179.43631	30000	0	0	30000	39.8125	2004
23.01.2020 11:44:45	1	1	1	1	107.3	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
23.01.2020 11:44:46	1	1	1	1	107.3	59.75	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:47	1	1	1	1	107.3	59.75	0	26777.251	597.8494624	15894.05593	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:48	1	1	1	1	107.3	59.75	0	26824.645	602.1505376	16209.60509	30000	0	0	30000	39.9375	2004
23.01.2020 11:44:49	1	1	1	1	107.3	59.75	0	26682.464	602.1505376	16009.83883	30000	0	0	30000	40	2004
23.01.2020 11:44:51	1	1	1	1	107.3	60	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.0625	2004
23.01.2020 11:44:52	1	1	1	1	107.5	60	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	40.125	2004
23.01.2020 11:44:53	1	1	1	1	107.5	60	0	26682.464	604.3010753	16038.37687	30000	0	0	30000	39.875	2004
23.01.2020 11:44:54	1	1	1	1	107.5	59.75	0	26492.891	600	15924.22472	30000	0	0	30000	40.0625	2004
23.01.2020 11:44:55	1	1	1	1	107.5	60	0	26492.891	597.8494624	15867.14864	30000	0	0	30000	40.0625	2004
23.01.2020 11:44:56	1	1	1	1	107.5	60	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	39.6875	2004
23.01.2020 11:44:57	1	1	1	1	107.5	59.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.1875	2004
23.01.2020 11:44:58	1	1	1	1	107.5	60	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:44:59	1	1	1	1	107.5	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:00	1	1	1	1	107.5	60	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:01	1	1	1	1	107.5	60	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40	2004
23.01.2020 11:45:02	1	1	1	1	107.5	60	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	40.125	2004
23.01.2020 11:45:03	1	1	1	1	107.5	60	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	40.0625	2004
23.01.2020 11:45:04	1	1	1	1	107.5	60	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	39.9375	2004
23.01.2020 11:45:05	1	1	1	1	107.5	59.75	0	26540.284	595.6989247	15924.22472	30000	0	0	30000	40.125	2004
23.01.2020 11:45:06	1	1	1	1	107.5	60	0	26540.284	610.7526882	16123.1756	30000	0	0	30000	39.6875	2004
23.01.2020 11:45:07	1	1	1	1	107.5	59.5	0	26445.498	600	15981.30079	30000	0	0	30000	40.125	2004
23.01.2020 11:45:08	1	1	1	1	107.5	60	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.0625	2004
23.01.2020 11:45:14	1	1	1	1	107.5	60.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40	2004
23.01.2020 11:45:14	1	1	1	1	107.5	60.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40	2004
23.01.2020 11:45:14	1	1	1	1	107.5	60.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40	2004
23.01.2020 11:45:14	1	1	1	1	107.5	60.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40	2004
23.01.2020 11:45:14	1	1	1	1	107.5	60.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40	2004
23.01.2020 11:45:14	1	1	1	1	107.5	60.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40	2004
23.01.2020 11:45:15	1	1	1	1	107.5	60	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	40.0625	2004
23.01.2020 11:45:16	1	1	1	1	107.5	60	0	26398.104	600	16009.02346	30000	0	0	30000	40.0625	2004
23.01.2020 11:45:17	1	1	1	1	107.5	60	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	39.625	2004
23.01.2020 11:45:18	1	1	1	1	107.5	59.5	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:19	1	1	1	1	107.5	60	0	26540.284	608.6021505	16152.52901	30000	0	0	30000	40.0625	2004
23.01.2020 11:45:20	1	1	1	1	107.5	60	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:21	1	1	1	1	108	60	0	26398.104	604.3010753	16065.28416	30000	0	0	30000	39.625	2004
23.01.2020 11:45:22	1	1	1	1	108	59.5	0	26492.891	606.4516129	16123.1756	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:23	1	1	1	1	108	60	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.6875	2004
23.01.2020 11:45:24	1	1	1	1	108	59.5	0	26255.924	604.3010753	15837.79523	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:25	1	1	1	1	108	60	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	40.25	2004
23.01.2020 11:45:26	1	1	1	1	108	60.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	40.0625	2004
23.01.2020 11:45:28	1	1	1	1	108	60	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	39.9375	2004
23.01.2020 11:45:29	1	1	1	1	108	59.75	0	26303.318	606.4516129	16036.74612	30000	0	0	30000	40.125	2004
23.01.2020 11:45:30	1	1	1	1	108	60	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	40.25	2004
23.01.2020 11:45:31	1	1	1	1	108	60.25	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:32	1	1	1	1	106.5	60	0	26303.318	610.7526882	15951.13201	30000	0	0	30000	39.5	2004
23.01.2020 11:45:33	1	1	1	1	106.5	59.5	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	40.125	2004
23.01.2020 11:45:34	1	1	1	1	106.5	60	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	39.9375	2004
23.01.2020 11:45:35	1	1	1	1	106.5	59.75	0	26255.924	606.4516129	15950.31664	30000	0	0	30000	40.125	2004
23.01.2020 11:45:36	1	1	1	1	106.5	60	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	40.25	2004
23.01.2020 11:45:37	1	1	1	1	106.5	60.25	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	40	2004
23.01.2020 11:45:38	1	1	1	1	106.5	60	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	40.3125	2004
23.01.2020 11:45:39	1	1	1	1	106.5	60.25	0	26350.711	602.1505376	15951.94738	30000	0	0	30000	39.9375	2004
23.01.2020 11:45:40	1	1	1	1	106.5	59.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	39.875	2004
23.01.2020 11:45:41	1	1	1	1	106	59.75	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	39.9375	2004
23.01.2020 11:45:42	1	1	1	1	106	59.75	0	26445.498	608.6021505	15951.94738	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:45:43	1	1	1	1	106	60.25	0	26492.891	606.4516129	16066.09953	30000	0	0	30000	39.875	2004
23.01.2020 11:45:44	1	1	1	1	106	59.75	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:45	1	1	1	1	106	60	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40	2004
23.01.2020 11:45:46	1	1	1	1	106	60	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	39.9375	2004
23.01.2020 11:45:47	1	1	1	1	106	59.75	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	40.25	2004
23.01.2020 11:45:48	1	1	1	1	106	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:49	1	1	1	1	106	60	0	26777.251	600	16008.20808	30000	0	0	30000	40.125	2004
23.01.2020 11:45:50	1	1	1	1	106	60	0	26540.284	597.8494624	15951.94738	30000	0	0	30000	40.125	2004
23.01.2020 11:45:51	1	1	1	1	105.8	60	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.0625	2004
23.01.2020 11:45:52	1	1	1	1	105.8	60	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.0625	2004
23.01.2020 11:45:53	1	1	1	1	105.8	60	0	26824.645	602.1505376	16066.09953	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:54	1	1	1	1	105.8	60	0	26635.071	595.6989247	15951.94738	30000	0	0	30000	39.8125	2004
23.01.2020 11:45:55	1	1	1	1	105.8	59.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40	2004
23.01.2020 11:45:56	1	1	1	1	105.8	60	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.1875	2004
23.01.2020 11:45:57	1	1	1	1	105.8	60	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	40.25	2004
23.01.2020 11:45:58	1	1	1	1	105.8	60.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.25	2004
23.01.2020 11:45:59	1	1	1	1	105.8	60.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:00	1	1	1	1	105.8	60.25	0	26777.251	600	16009.02346	30000	0	0	30000	40.25	2004
23.01.2020 11:46:01	1	1	1	1	106.8	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.9375	2004
23.01.2020 11:46:02	1	1	1	1	106.8	59.75	0	26682.464	597.8494624	15923.40934	30000	0	0	30000	40.25	2004
23.01.2020 11:46:03	1	1	1	1	106.8	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.125	2004
23.01.2020 11:46:04	1	1	1	1	106.8	60	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.0625	2004
23.01.2020 11:46:05	1	1	1	1	106.8	60	0	26587.678	602.1505376	16181.06705	30000	0	0	30000	39.875	2004
23.01.2020 11:46:07	1	1	1	1	106.8	59.75	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	39.5	2004
23.01.2020 11:46:08	1	1	1	1	106.8	59.5	0	26635.071	597.8494624	15951.94738	30000	0	0	30000	40.1875	2004
23.01.2020 11:46:09	1	1	1	1	106.8	60	0	26398.104	600	15838.61061	30000	0	0	30000	40.375	2004
23.01.2020 11:46:10	1	1	1	1	106.8	60.25	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	40.375	2004
23.01.2020 11:46:16	1	1	1	1	107	60.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:16	1	1	1	1	107	60.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:16	1	1	1	1	107	60.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:16	1	1	1	1	107	60.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:16	1	1	1	1	107	60.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:17	1	1	1	1	107	60.25	0	26445.498	595.6989247	15981.30079	30000	0	0	30000	40.1875	2004
23.01.2020 11:46:18	1	1	1	1	107	60	0	26777.251	604.3010753	16123.99098	30000	0	0	30000	40.375	2004
23.01.2020 11:46:19	1	1	1	1	107	60.25	0	26398.104	602.1505376	15924.22472	30000	0	0	30000	40.125	2004
23.01.2020 11:46:20	1	1	1	1	107	60	0	26540.284	597.8494624	16066.9149	30000	0	0	30000	40.25	2004
23.01.2020 11:46:21	1	1	1	1	107.3	60.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.875	2004
23.01.2020 11:46:22	1	1	1	1	107.3	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.375	2004
23.01.2020 11:46:23	1	1	1	1	107.3	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.3125	2004
23.01.2020 11:46:24	1	1	1	1	107.3	60.25	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:25	1	1	1	1	107.3	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.375	2004
23.01.2020 11:46:26	1	1	1	1	107.3	60.25	0	26635.071	595.6989247	15951.94738	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:46:27	1	1	1	1	107.3	59.75	0	26872.038	597.8494624	15978.85467	30000	0	0	30000	40.3125	2004
23.01.2020 11:46:28	1	1	1	1	107.3	60.25	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	40.3125	2004
23.01.2020 11:46:29	1	1	1	1	107.3	60.25	0	26919.431	602.1505376	15978.85467	30000	0	0	30000	40.5	2004
23.01.2020 11:46:30	1	1	1	1	107.3	60.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
23.01.2020 11:46:31	1	1	1	1	107.8	60.25	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	40.3125	2004
23.01.2020 11:46:32	1	1	1	1	107.8	60.25	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	40.25	2004
23.01.2020 11:46:33	1	1	1	1	107.8	60.25	0	26635.071	602.1505376	16095.45294	30000	0	0	30000	40	2004
23.01.2020 11:46:34	1	1	1	1	107.8	60	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.6875	2004
23.01.2020 11:46:35	1	1	1	1	107.8	59.5	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	40.375	2004
23.01.2020 11:46:36	1	1	1	1	107.8	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.25	2004
23.01.2020 11:46:37	1	1	1	1	107.8	60.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	39.9375	2004
23.01.2020 11:46:38	1	1	1	1	107.8	59.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40.375	2004
23.01.2020 11:46:39	1	1	1	1	107.8	60.25	0	26492.891	602.1505376	16095.45294	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:40	1	1	1	1	107.8	60.25	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	40.5	2004
23.01.2020 11:46:41	1	1	1	1	108	60.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.1875	2004
23.01.2020 11:46:42	1	1	1	1	108	60	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:43	1	1	1	1	108	60.25	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:45	1	1	1	1	108	60.25	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	39.9375	2004
23.01.2020 11:46:46	1	1	1	1	108	59.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:47	1	1	1	1	108	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
23.01.2020 11:46:48	1	1	1	1	108	60.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:49	1	1	1	1	108	60.25	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	40.5	2004
23.01.2020 11:46:50	1	1	1	1	108	60.5	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	40.4375	2004
23.01.2020 11:46:51	1	1	1	1	108	60.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	40.375	2004
23.01.2020 11:46:52	1	1	1	1	108.5	60.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	39.9375	2004
23.01.2020 11:46:53	1	1	1	1	108.5	59.75	0	26587.678	604.3010753	16123.99098	30000	0	0	30000	40.375	2004
23.01.2020 11:46:54	1	1	1	1	108.5	60.25	0	26635.071	597.8494624	16066.9149	30000	0	0	30000	39.6875	2004
23.01.2020 11:46:55	1	1	1	1	108.5	59.5	0	26445.498	597.8494624	16095.45294	30000	0	0	30000	40.875	2004
23.01.2020 11:46:56	1	1	1	1	108.5	60.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.75	2004
23.01.2020 11:46:57	1	1	1	1	108.5	60.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	40	2004
23.01.2020 11:46:58	1	1	1	1	108.5	59.75	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	40.375	2004
23.01.2020 11:46:59	1	1	1	1	108.5	60.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.625	2004
23.01.2020 11:47:00	1	1	1	1	108.5	60.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.4375	2004
23.01.2020 11:47:01	1	1	1	1	108.5	60.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	40.0625	2004
23.01.2020 11:47:02	1	1	1	1	108.5	60	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.1875	2004
23.01.2020 11:47:03	1	1	1	1	108.5	60	0	26445.498	597.8494624	15924.22472	30000	0	0	30000	39.75	2004
23.01.2020 11:47:04	1	1	1	1	108.5	59.75	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
23.01.2020 11:47:05	1	1	1	1	108.5	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.375	2004
23.01.2020 11:47:06	1	1	1	1	108.5	60.25	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	40.1875	2004
23.01.2020 11:47:07	1	1	1	1	108.5	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.375	2004
23.01.2020 11:47:08	1	1	1	1	108.5	60.25	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	40.5	2004
23.01.2020 11:47:09	1	1	1	1	108.5	60.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:47:10	1	1	1	1	108.5	59.75	0	26682.464	606.4516129	16009.02346	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:47:11	1	1	1	1	108.3	60.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	40.25	2004
23.01.2020 11:47:18	1	1	1	1	108.3	60.25	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:47:18	1	1	1	1	108.3	60.25	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:47:18	1	1	1	1	108.3	60.25	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:47:18	1	1	1	1	108.3	60.25	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:47:18	1	1	1	1	108.3	60.25	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:47:18	1	1	1	1	108.3	60.25	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	39.75	2004
23.01.2020 11:47:18	1	1	1	1	108.3	59.75	0	26872.038	600	16123.1756	30000	0	0	30000	40.5	2004
23.01.2020 11:47:19	1	1	1	1	108.3	60.5	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	40.375	2004
23.01.2020 11:47:20	1	1	1	1	108.3	60.25	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	40.375	2004
23.01.2020 11:47:21	1	1	1	1	108.3	60.25	0	26872.038	597.8494624	16123.1756	30000	0	0	30000	40.4375	2004
23.01.2020 11:47:23	1	1	1	1	108.3	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.4375	2004
23.01.2020 11:47:24	1	1	1	1	108.3	60.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	40.5	2004
23.01.2020 11:47:25	1	1	1	1	108.3	60.5	0	26777.251	604.3010753	15894.05593	30000	0	0	30000	40.125	2004
23.01.2020 11:47:26	1	1	1	1	108.3	60	0	26540.284	602.1505376	15810.07257	30000	0	0	30000	40.375	2004
23.01.2020 11:47:27	1	1	1	1	108.3	60.25	0	26682.464	595.6989247	16066.9149	30000	0	0	30000	40.5	2004
23.01.2020 11:47:28	1	1	1	1	108.3	60.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40	2004
23.01.2020 11:47:29	1	1	1	1	108.3	60	0	26919.431	602.1505376	16209.60509	30000	0	0	30000	40.4375	2004
23.01.2020 11:47:30	1	1	1	1	108.3	60.25	0	26729.858	595.6989247	15894.05593	30000	0	0	30000	40.5625	2004
23.01.2020 11:47:31	1	1	1	1	108.3	60.5	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	40.4375	2004
23.01.2020 11:47:32	1	1	1	1	108.5	60.25	0	27014.218	593.5483871	16004.13122	30000	0	0	30000	40.375	2004
23.01.2020 11:47:33	1	1	1	1	108.5	60.25	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	40.875	2004
23.01.2020 11:47:34	1	1	1	1	108.5	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.625	2004
23.01.2020 11:47:35	1	1	1	1	108.5	60.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	40.25	2004
23.01.2020 11:47:36	1	1	1	1	108.5	60.25	0	26682.464	591.3978495	16008.20808	30000	0	0	30000	40.125	2004
23.01.2020 11:47:37	1	1	1	1	108.5	60	0	26872.038	597.8494624	16093.82219	30000	0	0	30000	40.25	2004
23.01.2020 11:47:38	1	1	1	1	108.5	60.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	40.25	2004
23.01.2020 11:47:39	1	1	1	1	108.5	60.25	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	40.5	2004
23.01.2020 11:47:40	1	1	1	1	108.5	60.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40	2004
23.01.2020 11:47:41	1	1	1	1	109.3	60	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	40.5	2004
23.01.2020 11:47:42	1	1	1	1	109.3	60.5	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	40.6875	2004
23.01.2020 11:47:43	1	1	1	1	109.3	60.5	0	26872.038	595.6989247	15748.10426	30000	0	0	30000	40.5	2004
23.01.2020 11:47:44	1	1	1	1	109.3	60.5	0	26919.431	602.1505376	16007.39271	30000	0	0	30000	40.5625	2004
23.01.2020 11:47:45	1	1	1	1	109.3	60.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	39.6875	2004
23.01.2020 11:47:46	1	1	1	1	109.3	59.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.4375	2004
23.01.2020 11:47:47	1	1	1	1	109.3	60.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.375	2004
23.01.2020 11:47:48	1	1	1	1	109.3	60.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	40.625	2004
23.01.2020 11:47:49	1	1	1	1	109.3	60.5	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	40.3125	2004
23.01.2020 11:47:50	1	1	1	1	109.3	60.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	40.5625	2004
23.01.2020 11:47:51	1	1	1	1	109	60.5	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.5	2004
23.01.2020 11:47:52	1	1	1	1	109	60.5	0	27014.218	593.5483871	16092.19145	30000	0	0	30000	40.625	2004
23.01.2020 11:47:53	1	1	1	1	109	60.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	40.6875	2004
23.01.2020 11:47:54	1	1	1	1	109	60.5	0	27061.611	595.6989247	15889.97907	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:47:55	1	1	1	1	109	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.3125	2004
23.01.2020 11:47:56	1	1	1	1	109	60.25	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	40.1875	2004
23.01.2020 11:47:57	1	1	1	1	109	60	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40	2004
23.01.2020 11:47:58	1	1	1	1	109	60	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.625	2004
23.01.2020 11:47:59	1	1	1	1	109	60.5	0	26919.431	593.5483871	16209.60509	30000	0	0	30000	40.4375	2004
23.01.2020 11:48:00	1	1	1	1	109	60.25	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	40.25	2004
23.01.2020 11:48:02	1	1	1	1	108.8	60.25	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	40.3125	2004
23.01.2020 11:48:03	1	1	1	1	108.8	60.25	0	26919.431	597.8494624	15920.14785	30000	0	0	30000	40.625	2004
23.01.2020 11:48:04	1	1	1	1	108.8	60.5	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	40.375	2004
23.01.2020 11:48:05	1	1	1	1	108.8	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.5625	2004
23.01.2020 11:48:06	1	1	1	1	108.8	60.5	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	40.5	2004
23.01.2020 11:48:07	1	1	1	1	108.8	60.5	0	26682.464	595.6989247	16066.9149	30000	0	0	30000	40.75	2004
23.01.2020 11:48:08	1	1	1	1	108.8	60.75	0	26919.431	597.8494624	16151.71364	30000	0	0	30000	40.8125	2004
23.01.2020 11:48:09	1	1	1	1	108.8	60.75	0	26824.645	597.8494624	16066.09953	30000	0	0	30000	40.5625	2004
23.01.2020 11:48:10	1	1	1	1	108.8	60.5	0	26777.251	602.1505376	15894.05593	30000	0	0	30000	40.5625	2004
23.01.2020 11:48:11	1	1	1	1	108.8	60.5	0	26492.891	600	15924.22472	30000	0	0	30000	40.625	2004
23.01.2020 11:48:12	1	1	1	1	109	60.5	0	26350.711	600	15781.53453	30000	0	0	30000	40.875	2004
23.01.2020 11:48:13	1	1	1	1	109	60.75	0	26350.711	602.1505376	15867.14864	30000	0	0	30000	40.75	2004
23.01.2020 11:48:19	1	1	1	1	109	60.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
23.01.2020 11:48:19	1	1	1	1	109	60.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
23.01.2020 11:48:19	1	1	1	1	109	60.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
23.01.2020 11:48:19	1	1	1	1	109	60.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
23.01.2020 11:48:19	1	1	1	1	109	60.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
23.01.2020 11:48:19	1	1	1	1	109	60.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
23.01.2020 11:48:20	1	1	1	1	109	60.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.125	2004
23.01.2020 11:48:21	1	1	1	1	109.3	60	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.75	2004
23.01.2020 11:48:22	1	1	1	1	109.3	60.75	0	26587.678	597.8494624	16009.02346	30000	0	0	30000	40.0625	2004
23.01.2020 11:48:23	1	1	1	1	109.3	60	0	26682.464	606.4516129	16123.99098	30000	0	0	30000	40.3125	2004
23.01.2020 11:48:24	1	1	1	1	109.3	60.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	39.875	2004
23.01.2020 11:48:25	1	1	1	1	109.3	59.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.8125	2004
23.01.2020 11:48:26	1	1	1	1	109.3	60.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.75	2004
23.01.2020 11:48:27	1	1	1	1	109.3	60.75	0	26540.284	604.3010753	16152.52901	30000	0	0	30000	40.625	2004
23.01.2020 11:48:28	1	1	1	1	109.3	60.5	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	39.875	2004
23.01.2020 11:48:29	1	1	1	1	109.3	59.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.625	2004
23.01.2020 11:48:30	1	1	1	1	109.3	60.5	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	40.5625	2004
23.01.2020 11:48:31	1	1	1	1	109	60.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.625	2004
23.01.2020 11:48:32	1	1	1	1	109	60.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40.5625	2004
23.01.2020 11:48:33	1	1	1	1	109	60.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.625	2004
23.01.2020 11:48:34	1	1	1	1	109	60.5	0	26350.711	602.1505376	15895.68668	30000	0	0	30000	40.5625	2004
23.01.2020 11:48:35	1	1	1	1	109	60.5	0	26398.104	604.3010753	15867.14864	30000	0	0	30000	40.5625	2004
23.01.2020 11:48:36	1	1	1	1	109	60.5	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	40	2004
23.01.2020 11:48:37	1	1	1	1	109	60	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.75	2004
23.01.2020 11:48:38	1	1	1	1	109	60.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:48:40	1	1	1	1	109	60.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.625	2004
23.01.2020 11:48:41	1	1	1	1	109	60.5	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	40.6875	2004
23.01.2020 11:48:42	1	1	1	1	109.3	60.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.625	2004
23.01.2020 11:48:43	1	1	1	1	109.3	60.5	0	26587.678	602.1505376	16009.02346	30000	0	0	30000	40.9375	2004
23.01.2020 11:48:44	1	1	1	1	109.3	60.75	0	26682.464	602.1505376	15980.48542	30000	0	0	30000	40.5625	2004
23.01.2020 11:48:45	1	1	1	1	109.3	60.5	0	26824.645	593.5483871	16094.63757	30000	0	0	30000	40.625	2004
23.01.2020 11:48:46	1	1	1	1	109.3	60.5	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	40.6875	2004
23.01.2020 11:48:47	1	1	1	1	109.3	60.5	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	40.625	2004
23.01.2020 11:48:48	1	1	1	1	109.3	60.5	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	40.9375	2004
23.01.2020 11:48:49	1	1	1	1	109.3	60.75	0	26919.431	597.8494624	15920.14785	30000	0	0	30000	40.625	2004
23.01.2020 11:48:50	1	1	1	1	109.3	60.5	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	40.8125	2004
23.01.2020 11:48:51	1	1	1	1	109.3	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.8125	2004
23.01.2020 11:48:52	1	1	1	1	109.3	60.25	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	40.25	2004
23.01.2020 11:48:53	1	1	1	1	109.3	60.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.75	2004
23.01.2020 11:48:54	1	1	1	1	109.3	60.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.5	2004
23.01.2020 11:48:55	1	1	1	1	109.3	60.5	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	40.25	2004
23.01.2020 11:48:56	1	1	1	1	109.3	60.25	0	26824.645	597.8494624	16007.39271	30000	0	0	30000	40.5625	2004
23.01.2020 11:48:57	1	1	1	1	109.3	60.5	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	40.625	2004
23.01.2020 11:48:58	1	1	1	1	109.3	60.5	0	26824.645	597.8494624	15951.13201	30000	0	0	30000	40.6875	2004
23.01.2020 11:48:59	1	1	1	1	109.3	60.5	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	40.75	2004
23.01.2020 11:49:00	1	1	1	1	109.3	60.75	0	26540.284	602.1505376	15810.07257	30000	0	0	30000	40.125	2004
23.01.2020 11:49:01	1	1	1	1	109.5	60	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.6875	2004
23.01.2020 11:49:02	1	1	1	1	109.5	60.5	0	26872.038	602.1505376	16181.06705	30000	0	0	30000	40.25	2004
23.01.2020 11:49:03	1	1	1	1	109.5	60.25	0	26824.645	602.1505376	16066.09953	30000	0	0	30000	40.25	2004
23.01.2020 11:49:04	1	1	1	1	109.5	60.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	40.625	2004
23.01.2020 11:49:05	1	1	1	1	109.5	60.5	0	26587.678	600	16009.83883	30000	0	0	30000	40.6875	2004
23.01.2020 11:49:06	1	1	1	1	109.5	60.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.8125	2004
23.01.2020 11:49:07	1	1	1	1	109.5	60.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	40.6875	2004
23.01.2020 11:49:08	1	1	1	1	109.5	60.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5	2004
23.01.2020 11:49:09	1	1	1	1	109.5	60.5	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	40.8125	2004
23.01.2020 11:49:10	1	1	1	1	109.5	60.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.75	2004
23.01.2020 11:49:11	1	1	1	1	109.5	60.75	0	26824.645	600	16094.63757	30000	0	0	30000	40.6875	2004
23.01.2020 11:49:12	1	1	1	1	109.5	60.5	0	26919.431	600	16035.93075	30000	0	0	30000	40.6875	2004
23.01.2020 11:49:13	1	1	1	1	109.5	60.5	0	26492.891	591.3978495	15667.38238	30000	0	0	30000	40.8125	2004
23.01.2020 11:49:14	1	1	1	1	109.5	60.75	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	40.625	2004
23.01.2020 11:49:21	1	1	1	1	109.5	60.75	0	26824.645	589.2473118	16035.93075	30000	0	0	30000	40.5	2004
23.01.2020 11:49:21	1	1	1	1	109.5	60.75	0	26824.645	589.2473118	16035.93075	30000	0	0	30000	40.5	2004
23.01.2020 11:49:21	1	1	1	1	109.5	60.75	0	26824.645	589.2473118	16035.93075	30000	0	0	30000	40.5	2004
23.01.2020 11:49:21	1	1	1	1	109.5	60.75	0	26824.645	589.2473118	16035.93075	30000	0	0	30000	40.5	2004
23.01.2020 11:49:21	1	1	1	1	109.5	60.75	0	26824.645	589.2473118	16035.93075	30000	0	0	30000	40.5	2004
23.01.2020 11:49:21	1	1	1	1	109.5	60.75	0	26824.645	589.2473118	16035.93075	30000	0	0	30000	40.5	2004
23.01.2020 11:49:22	1	1	1	1	109.8	60.5	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	40.75	2004
23.01.2020 11:49:23	1	1	1	1	109.8	60.75	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:49:24	1	1	1	1	109.8	60.75	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	40.5	2004
23.01.2020 11:49:25	1	1	1	1	109.8	60.5	0	26540.284	597.8494624	15752.99649	30000	0	0	30000	40.6875	2004
23.01.2020 11:49:26	1	1	1	1	109.8	60.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.1875	2004
23.01.2020 11:49:27	1	1	1	1	109.8	60	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	40.875	2004
23.01.2020 11:49:28	1	1	1	1	109.8	60.75	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	41.1875	2004
23.01.2020 11:49:29	1	1	1	1	109.8	61	0	26824.645	597.8494624	16152.52901	30000	0	0	30000	40.75	2004
23.01.2020 11:49:30	1	1	1	1	109.8	60.75	0	26682.464	597.8494624	15951.13201	30000	0	0	30000	40.625	2004
23.01.2020 11:49:31	1	1	1	1	109.8	60.5	0	26682.464	595.6989247	16066.9149	30000	0	0	30000	40	2004
23.01.2020 11:49:32	1	1	1	1	110	60.75	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.75	2004
23.01.2020 11:49:33	1	1	1	1	110	60.75	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	40.125	2004
23.01.2020 11:49:34	1	1	1	1	110	60	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	40.25	2004
23.01.2020 11:49:35	1	1	1	1	110	60.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	40.6875	2004
23.01.2020 11:49:36	1	1	1	1	110	60.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.9375	2004
23.01.2020 11:49:37	1	1	1	1	110	60.75	0	27061.611	595.6989247	16236.51238	30000	0	0	30000	40.75	2004
23.01.2020 11:49:38	1	1	1	1	110	60.75	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	40.875	2004
23.01.2020 11:49:39	1	1	1	1	110	60.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41	2004
23.01.2020 11:49:40	1	1	1	1	110	61	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	40.6875	2004
23.01.2020 11:49:41	1	1	1	1	110.3	60.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.8125	2004
23.01.2020 11:49:42	1	1	1	1	110.3	60.75	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	40.5625	2004
23.01.2020 11:49:43	1	1	1	1	110.3	60.5	0	26777.251	593.5483871	15978.85467	30000	0	0	30000	40.875	2004
23.01.2020 11:49:44	1	1	1	1	110.3	60.75	0	26966.825	597.8494624	16150.0829	30000	0	0	30000	40.75	2004
23.01.2020 11:49:45	1	1	1	1	110.3	60.75	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.625	2004
23.01.2020 11:49:46	1	1	1	1	110.3	60.5	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	40.75	2004
23.01.2020 11:49:47	1	1	1	1	110.3	60.75	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	40.4375	2004
23.01.2020 11:49:48	1	1	1	1	110.3	60.25	0	27061.611	595.6989247	16063.65341	30000	0	0	30000	40.875	2004
23.01.2020 11:49:49	1	1	1	1	110.3	60.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.6875	2004
23.01.2020 11:49:50	1	1	1	1	110.3	60.5	0	26824.645	597.8494624	16066.09953	30000	0	0	30000	40.4375	2004
23.01.2020 11:49:51	1	1	1	1	110.3	60.25	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	40.4375	2004
23.01.2020 11:49:52	1	1	1	1	110.3	60.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.625	2004
23.01.2020 11:49:53	1	1	1	1	110.3	60.5	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	40.75	2004
23.01.2020 11:49:54	1	1	1	1	110.3	60.75	0	26635.071	597.8494624	15894.87131	30000	0	0	30000	40.75	2004
23.01.2020 11:49:55	1	1	1	1	110.3	60.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.8125	2004
23.01.2020 11:49:57	1	1	1	1	110.3	60.75	0	26540.284	597.8494624	15951.94738	30000	0	0	30000	41	2004
23.01.2020 11:49:58	1	1	1	1	110.3	61	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
23.01.2020 11:49:59	1	1	1	1	110.3	60.75	0	26635.071	604.3010753	16123.99098	30000	0	0	30000	39.75	2004
23.01.2020 11:50:00	1	1	1	1	110.3	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41	2004
23.01.2020 11:50:01	1	1	1	1	110.3	61	0	26587.678	604.3010753	16095.45294	30000	0	0	30000	41.0625	2004
23.01.2020 11:50:02	1	1	1	1	110.3	61	0	26587.678	600	15894.87131	30000	0	0	30000	40.625	2004
23.01.2020 11:50:03	1	1	1	1	110.3	60.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.0625	2004
23.01.2020 11:50:04	1	1	1	1	110.3	61	0	26492.891	602.1505376	15810.07257	30000	0	0	30000	40.1875	2004
23.01.2020 11:50:05	1	1	1	1	110.3	60	0	26682.464	602.1505376	16181.06705	30000	0	0	30000	40.875	2004
23.01.2020 11:50:06	1	1	1	1	110.3	60.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.5	2004
23.01.2020 11:50:07	1	1	1	1	110.3	60.5	0	26682.464	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:50:08	1	1	1	1	110.3	60.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.9375	2004
23.01.2020 11:50:09	1	1	1	1	110.3	60.75	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	40.8125	2004
23.01.2020 11:50:10	1	1	1	1	110.3	60.75	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	40.8125	2004
23.01.2020 11:50:11	1	1	1	1	110.5	60.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.8125	2004
23.01.2020 11:50:12	1	1	1	1	110.5	60.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.0625	2004
23.01.2020 11:50:13	1	1	1	1	110.5	61	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	41	2004
23.01.2020 11:50:14	1	1	1	1	110.5	61	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
23.01.2020 11:50:15	1	1	1	1	110.5	60.25	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
23.01.2020 11:50:16	1	1	1	1	110.5	60.25	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	40.8125	2004
23.01.2020 11:50:22	1	1	1	1	110.3	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
23.01.2020 11:50:22	1	1	1	1	110.3	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
23.01.2020 11:50:22	1	1	1	1	110.3	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
23.01.2020 11:50:22	1	1	1	1	110.3	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
23.01.2020 11:50:22	1	1	1	1	110.3	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
23.01.2020 11:50:22	1	1	1	1	110.3	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
23.01.2020 11:50:23	1	1	1	1	110.3	60.75	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	40.5625	2004
23.01.2020 11:50:24	1	1	1	1	110.3	60.5	0	26824.645	597.8494624	15951.13201	30000	0	0	30000	40	2004
23.01.2020 11:50:25	1	1	1	1	110.3	60	0	26729.858	602.1505376	15951.94738	30000	0	0	30000	40.875	2004
23.01.2020 11:50:26	1	1	1	1	110.3	60.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.9375	2004
23.01.2020 11:50:27	1	1	1	1	110.3	60.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.625	2004
23.01.2020 11:50:28	1	1	1	1	110.3	60.5	0	26635.071	597.8494624	15837.79523	30000	0	0	30000	40.8125	2004
23.01.2020 11:50:29	1	1	1	1	110.3	60.75	0	26635.071	595.6989247	15894.05593	30000	0	0	30000	40.8125	2004
23.01.2020 11:50:30	1	1	1	1	110.3	60.75	0	26682.464	595.6989247	16008.20808	30000	0	0	30000	40.9375	2004
23.01.2020 11:50:31	1	1	1	1	110.3	60.75	0	26777.251	600	16094.63757	30000	0	0	30000	40.9375	2004
23.01.2020 11:50:32	1	1	1	1	110.3	60.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	40.875	2004
23.01.2020 11:50:33	1	1	1	1	110.3	60.75	0	26682.464	595.6989247	15723.64308	30000	0	0	30000	40.5625	2004
23.01.2020 11:50:35	1	1	1	1	110.3	60.5	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	40.875	2004
23.01.2020 11:50:36	1	1	1	1	110.3	60.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.8125	2004
23.01.2020 11:50:37	1	1	1	1	110.3	60.75	0	26872.038	602.1505376	15835.34912	30000	0	0	30000	40.6875	2004
23.01.2020 11:50:38	1	1	1	1	110.3	60.5	0	26682.464	597.8494624	15836.97986	30000	0	0	30000	40.8125	2004
23.01.2020 11:50:39	1	1	1	1	110.3	60.75	0	26824.645	595.6989247	16152.52901	30000	0	0	30000	40.875	2004
23.01.2020 11:50:40	1	1	1	1	110.3	60.75	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	40.5	2004
23.01.2020 11:50:41	1	1	1	1	110.3	60.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41	2004
23.01.2020 11:50:42	1	1	1	1	110	61	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	40.9375	2004
23.01.2020 11:50:43	1	1	1	1	110	60.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.75	2004
23.01.2020 11:50:44	1	1	1	1	110	60.75	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	40.6875	2004
23.01.2020 11:50:45	1	1	1	1	110	60.5	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	40.9375	2004
23.01.2020 11:50:46	1	1	1	1	110	60.75	0	26872.038	593.5483871	15978.0393	30000	0	0	30000	41.125	2004
23.01.2020 11:50:47	1	1	1	1	110	61	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	41.0625	2004
23.01.2020 11:50:48	1	1	1	1	110	61	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	40.875	2004
23.01.2020 11:50:49	1	1	1	1	110	60.75	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	40.9375	2004
23.01.2020 11:50:50	1	1	1	1	110	60.5	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	40.9375	2004
23.01.2020 11:50:51	1	1	1	1	110.3	60.75	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:50:52	1	1	1	1	110.3	60.75	0	26682.464	600	16009.02346	30000	0	0	30000	40.6875	2004
23.01.2020 11:50:53	1	1	1	1	110.3	60.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.8125	2004
23.01.2020 11:50:54	1	1	1	1	110.3	60.75	0	27014.218	597.8494624	16207.97434	30000	0	0	30000	40.625	2004
23.01.2020 11:50:55	1	1	1	1	110.3	60.5	0	26919.431	597.8494624	15891.60982	30000	0	0	30000	40.9375	2004
23.01.2020 11:50:56	1	1	1	1	110.3	60.75	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.125	2004
23.01.2020 11:50:57	1	1	1	1	110.3	61	0	26824.645	595.6989247	16094.63757	30000	0	0	30000	40.875	2004
23.01.2020 11:50:58	1	1	1	1	110.3	60.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41	2004
23.01.2020 11:50:59	1	1	1	1	110.3	61	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.1875	2004
23.01.2020 11:51:00	1	1	1	1	110.3	61	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.5625	2004
23.01.2020 11:51:01	1	1	1	1	109.8	60.5	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	41.0625	2004
23.01.2020 11:51:02	1	1	1	1	109.8	61	0	26777.251	600	15951.94738	30000	0	0	30000	41.1875	2004
23.01.2020 11:51:03	1	1	1	1	109.8	61	0	26777.251	602.1505376	15951.13201	30000	0	0	30000	40.75	2004
23.01.2020 11:51:04	1	1	1	1	109.8	60.75	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	40.75	2004
23.01.2020 11:51:05	1	1	1	1	109.8	60.75	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	40.9375	2004
23.01.2020 11:51:06	1	1	1	1	109.8	60.75	0	26682.464	604.3010753	15836.97986	30000	0	0	30000	41.0625	2004
23.01.2020 11:51:07	1	1	1	1	109.8	61	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41	2004
23.01.2020 11:51:08	1	1	1	1	109.8	61	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
23.01.2020 11:51:09	1	1	1	1	109.8	60.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.875	2004
23.01.2020 11:51:10	1	1	1	1	109.8	60.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.9375	2004
23.01.2020 11:51:11	1	1	1	1	110.5	60.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.875	2004
23.01.2020 11:51:13	1	1	1	1	110.5	60.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	41	2004
23.01.2020 11:51:14	1	1	1	1	110.5	61	0	26587.678	600	15810.07257	30000	0	0	30000	41	2004
23.01.2020 11:51:15	1	1	1	1	110.5	61	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	41.0625	2004
23.01.2020 11:51:16	1	1	1	1	110.5	61	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	41.125	2004
23.01.2020 11:51:17	1	1	1	1	110.5	61	0	26398.104	604.3010753	15895.68668	30000	0	0	30000	40.5	2004
23.01.2020 11:51:18	1	1	1	1	110.5	60.5	0	26303.318	600	15838.61061	30000	0	0	30000	40.875	2004
23.01.2020 11:51:24	1	1	1	1	110	61	0	26540.284	597.8494624	15838.61061	30000	0	0	30000	41	2004
23.01.2020 11:51:24	1	1	1	1	110	61	0	26540.284	597.8494624	15838.61061	30000	0	0	30000	41	2004
23.01.2020 11:51:24	1	1	1	1	110	61	0	26540.284	597.8494624	15838.61061	30000	0	0	30000	41	2004
23.01.2020 11:51:24	1	1	1	1	110	61	0	26540.284	597.8494624	15838.61061	30000	0	0	30000	41	2004
23.01.2020 11:51:24	1	1	1	1	110	61	0	26540.284	597.8494624	15838.61061	30000	0	0	30000	41	2004
23.01.2020 11:51:24	1	1	1	1	110	61	0	26540.284	597.8494624	15838.61061	30000	0	0	30000	41	2004
23.01.2020 11:51:25	1	1	1	1	110	61	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	41	2004
23.01.2020 11:51:26	1	1	1	1	110	61	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	41.375	2004
23.01.2020 11:51:27	1	1	1	1	110	61.25	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	41.0625	2004
23.01.2020 11:51:28	1	1	1	1	110	60.25	0	26919.431	597.8494624	15920.14785	30000	0	0	30000	40.625	2004
23.01.2020 11:51:29	1	1	1	1	110	60.5	0	27061.611	600	16207.97434	30000	0	0	30000	40.875	2004
23.01.2020 11:51:30	1	1	1	1	110	60.75	0	26872.038	597.8494624	16151.71364	30000	0	0	30000	41	2004
23.01.2020 11:51:31	1	1	1	1	110.5	61	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	40.9375	2004
23.01.2020 11:51:32	1	1	1	1	110.5	60.75	0	26824.645	595.6989247	16209.60509	30000	0	0	30000	40.375	2004
23.01.2020 11:51:33	1	1	1	1	110.5	60.25	0	26824.645	597.8494624	16181.06705	30000	0	0	30000	40.25	2004
23.01.2020 11:51:34	1	1	1	1	110.5	60.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.5625	2004
23.01.2020 11:51:35	1	1	1	1	110.5	60.5	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:51:36	1	1	1	1	110.5	60.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.9375	2004
23.01.2020 11:51:37	1	1	1	1	110.5	60.75	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	40.6875	2004
23.01.2020 11:51:38	1	1	1	1	110.5	60.5	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	40.9375	2004
23.01.2020 11:51:39	1	1	1	1	110.5	60.75	0	27203.791	593.5483871	16176.99019	30000	0	0	30000	41.0625	2004
23.01.2020 11:51:40	1	1	1	1	110.5	61	0	26966.825	595.6989247	15947.87052	30000	0	0	30000	40.75	2004
23.01.2020 11:51:41	1	1	1	1	110.5	60.75	0	27109.005	597.8494624	16207.15897	30000	0	0	30000	40.8125	2004
23.01.2020 11:51:42	1	1	1	1	110.5	60.75	0	26729.858	591.3978495	15779.90379	30000	0	0	30000	41.3125	2004
23.01.2020 11:51:43	1	1	1	1	110.5	61.25	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	41	2004
23.01.2020 11:51:44	1	1	1	1	110.5	61	0	26919.431	587.0967742	16035.93075	30000	0	0	30000	40.8125	2004
23.01.2020 11:51:45	1	1	1	1	110.5	60.75	0	26824.645	595.6989247	15921.7786	30000	0	0	30000	40.6875	2004
23.01.2020 11:51:46	1	1	1	1	110.5	60.5	0	27298.578	595.6989247	16176.99019	30000	0	0	30000	41	2004
23.01.2020 11:51:47	1	1	1	1	110.5	61	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	41.125	2004
23.01.2020 11:51:48	1	1	1	1	110.5	61	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	40.5	2004
23.01.2020 11:51:49	1	1	1	1	110.5	60.5	0	26777.251	595.6989247	16123.99098	30000	0	0	30000	41	2004
23.01.2020 11:51:51	1	1	1	1	110.5	61	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	40.6875	2004
23.01.2020 11:51:52	1	1	1	1	111	60.5	0	26824.645	595.6989247	15835.34912	30000	0	0	30000	41.0625	2004
23.01.2020 11:51:53	1	1	1	1	111	61	0	26872.038	595.6989247	15778.27304	30000	0	0	30000	40.4375	2004
23.01.2020 11:51:54	1	1	1	1	111	60.25	0	26777.251	593.5483871	15893.24056	30000	0	0	30000	41	2004
23.01.2020 11:51:55	1	1	1	1	111	61	0	26824.645	593.5483871	15949.50126	30000	0	0	30000	41.1875	2004
23.01.2020 11:51:56	1	1	1	1	111	61	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	40.9375	2004
23.01.2020 11:51:57	1	1	1	1	111	60.75	0	27014.218	589.2473118	15947.87052	30000	0	0	30000	40.8125	2004
23.01.2020 11:51:58	1	1	1	1	111	60.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.25	2004
23.01.2020 11:51:59	1	1	1	1	111	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
23.01.2020 11:52:00	1	1	1	1	111	61	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	40.9375	2004
23.01.2020 11:52:01	1	1	1	1	111	60.75	0	26966.825	593.5483871	15889.97907	30000	0	0	30000	41	2004
23.01.2020 11:52:02	1	1	1	1	111.3	61	0	26777.251	589.2473118	15949.50126	30000	0	0	30000	40.5625	2004
23.01.2020 11:52:03	1	1	1	1	111.3	60.5	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	40.8125	2004
23.01.2020 11:52:04	1	1	1	1	111.3	60.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.5625	2004
23.01.2020 11:52:05	1	1	1	1	111.3	61.5	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	41.25	2004
23.01.2020 11:52:06	1	1	1	1	111.3	61	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.3125	2004
23.01.2020 11:52:07	1	1	1	1	111.3	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:52:08	1	1	1	1	111.3	61.25	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	41.1875	2004
23.01.2020 11:52:09	1	1	1	1	111.3	61	0	26777.251	602.1505376	15894.05593	30000	0	0	30000	41	2004
23.01.2020 11:52:10	1	1	1	1	111.3	61	0	26587.678	595.6989247	15894.87131	30000	0	0	30000	41.3125	2004
23.01.2020 11:52:11	1	1	1	1	111	61.25	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	41.0625	2004
23.01.2020 11:52:12	1	1	1	1	111	61	0	26872.038	602.1505376	16181.06705	30000	0	0	30000	41.3125	2004
23.01.2020 11:52:13	1	1	1	1	111	61.25	0	26682.464	597.8494624	16325.38798	30000	0	0	30000	40.6875	2004
23.01.2020 11:52:14	1	1	1	1	111	60.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.25	2004
23.01.2020 11:52:15	1	1	1	1	111	61.25	0	26445.498	595.6989247	15752.99649	30000	0	0	30000	41.3125	2004
23.01.2020 11:52:16	1	1	1	1	111	61.25	0	26682.464	600	16009.02346	30000	0	0	30000	41.1875	2004
23.01.2020 11:52:17	1	1	1	1	111	61	0	26777.251	602.1505376	15894.05593	30000	0	0	30000	40.8125	2004
23.01.2020 11:52:18	1	1	1	1	111	60.75	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	40.8125	2004
23.01.2020 11:52:19	1	1	1	1	111	60.75	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:52:25	1	1	1	1	111.3	61	0	26824.645	600	16066.09953	30000	0	0	30000	41.0625	2004
23.01.2020 11:52:25	1	1	1	1	111.3	61	0	26824.645	600	16066.09953	30000	0	0	30000	41.0625	2004
23.01.2020 11:52:25	1	1	1	1	111.3	61	0	26824.645	600	16066.09953	30000	0	0	30000	41.0625	2004
23.01.2020 11:52:25	1	1	1	1	111.3	61	0	26824.645	600	16066.09953	30000	0	0	30000	41.0625	2004
23.01.2020 11:52:25	1	1	1	1	111.3	61	0	26824.645	600	16066.09953	30000	0	0	30000	41.0625	2004
23.01.2020 11:52:25	1	1	1	1	111.3	61	0	26824.645	600	16066.09953	30000	0	0	30000	41.0625	2004
23.01.2020 11:52:26	1	1	1	1	111.3	61	0	26872.038	597.8494624	15978.85467	30000	0	0	30000	41.4375	2004
23.01.2020 11:52:27	1	1	1	1	111.3	61.25	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	41.1875	2004
23.01.2020 11:52:28	1	1	1	1	111.3	61	0	26919.431	602.1505376	16123.1756	30000	0	0	30000	40.5625	2004
23.01.2020 11:52:30	1	1	1	1	111.3	60.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	40.6875	2004
23.01.2020 11:52:31	1	1	1	1	111.3	60.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	41.0625	2004
23.01.2020 11:52:32	1	1	1	1	110.8	61	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.125	2004
23.01.2020 11:52:33	1	1	1	1	110.8	61	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.875	2004
23.01.2020 11:52:34	1	1	1	1	110.8	60.75	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	41.3125	2004
23.01.2020 11:52:35	1	1	1	1	110.8	61.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.1875	2004
23.01.2020 11:52:36	1	1	1	1	110.8	61	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	41	2004
23.01.2020 11:52:37	1	1	1	1	110.8	61	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	41.125	2004
23.01.2020 11:52:38	1	1	1	1	110.8	61	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	41.1875	2004
23.01.2020 11:52:39	1	1	1	1	110.8	61	0	26682.464	591.3978495	15894.05593	30000	0	0	30000	41.125	2004
23.01.2020 11:52:40	1	1	1	1	110.8	61	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	40.8125	2004
23.01.2020 11:52:41	1	1	1	1	110.8	60.75	0	26966.825	597.8494624	16093.82219	30000	0	0	30000	41.125	2004
23.01.2020 11:52:42	1	1	1	1	110.5	61	0	26777.251	591.3978495	15835.34912	30000	0	0	30000	41.4375	2004
23.01.2020 11:52:43	1	1	1	1	110.5	61.25	0	26872.038	587.0967742	15978.0393	30000	0	0	30000	41.3125	2004
23.01.2020 11:52:44	1	1	1	1	110.5	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.5	2004
23.01.2020 11:52:45	1	1	1	1	110.5	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.625	2004
23.01.2020 11:52:46	1	1	1	1	110.5	60.5	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	41.0625	2004
23.01.2020 11:52:47	1	1	1	1	110.5	61	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	40.625	2004
23.01.2020 11:52:48	1	1	1	1	110.5	60.5	0	26824.645	602.1505376	16181.06705	30000	0	0	30000	41.1875	2004
23.01.2020 11:52:49	1	1	1	1	110.5	61	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	40.9375	2004
23.01.2020 11:52:50	1	1	1	1	110.5	60.75	0	26682.464	591.3978495	15779.90379	30000	0	0	30000	40.9375	2004
23.01.2020 11:52:51	1	1	1	1	110	60.75	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	41.25	2004
23.01.2020 11:52:52	1	1	1	1	110	61.25	0	27203.791	589.2473118	15942.97828	30000	0	0	30000	41.4375	2004
23.01.2020 11:52:53	1	1	1	1	110	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	40.625	2004
23.01.2020 11:52:54	1	1	1	1	110	60.5	0	27109.005	591.3978495	16119.91411	30000	0	0	30000	41.1875	2004
23.01.2020 11:52:55	1	1	1	1	110	61	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	41	2004
23.01.2020 11:52:56	1	1	1	1	110	61	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	41.3125	2004
23.01.2020 11:52:57	1	1	1	1	110	61.25	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.4375	2004
23.01.2020 11:52:58	1	1	1	1	110	61.25	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	41.25	2004
23.01.2020 11:52:59	1	1	1	1	110	61.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.1875	2004
23.01.2020 11:53:00	1	1	1	1	110	61	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	41.1875	2004
23.01.2020 11:53:01	1	1	1	1	109.8	61	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	40.875	2004
23.01.2020 11:53:02	1	1	1	1	109.8	60.75	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	41.125	2004
23.01.2020 11:53:03	1	1	1	1	109.8	61	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:53:04	1	1	1	1	109.8	61	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:05	1	1	1	1	109.8	60.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.1875	2004
23.01.2020 11:53:06	1	1	1	1	109.8	61	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
23.01.2020 11:53:07	1	1	1	1	109.8	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	40.8125	2004
23.01.2020 11:53:09	1	1	1	1	109.8	60.75	0	26587.678	595.6989247	15951.94738	30000	0	0	30000	41.3125	2004
23.01.2020 11:53:10	1	1	1	1	109.8	61.25	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	41.4375	2004
23.01.2020 11:53:11	1	1	1	1	109.8	61.25	0	27061.611	597.8494624	16150.0829	30000	0	0	30000	41.5	2004
23.01.2020 11:53:12	1	1	1	1	110	61.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41	2004
23.01.2020 11:53:13	1	1	1	1	110	61	0	26587.678	595.6989247	15837.79523	30000	0	0	30000	40.8125	2004
23.01.2020 11:53:14	1	1	1	1	110	60.75	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.25	2004
23.01.2020 11:53:15	1	1	1	1	110	61.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.4375	2004
23.01.2020 11:53:16	1	1	1	1	110	61.25	0	26682.464	600	15951.94738	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:17	1	1	1	1	110	60.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.3125	2004
23.01.2020 11:53:18	1	1	1	1	110	61.25	0	26587.678	597.8494624	15723.64308	30000	0	0	30000	41.125	2004
23.01.2020 11:53:19	1	1	1	1	110	61	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	41.0625	2004
23.01.2020 11:53:20	1	1	1	1	110	61	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	41.5625	2004
23.01.2020 11:53:21	1	1	1	1	110	61.5	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	41.3125	2004
23.01.2020 11:53:27	1	1	1	1	109.5	60.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:27	1	1	1	1	109.5	60.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:27	1	1	1	1	109.5	60.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:27	1	1	1	1	109.5	60.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:27	1	1	1	1	109.5	60.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:27	1	1	1	1	109.5	60.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:28	1	1	1	1	109.5	60.75	0	26872.038	595.6989247	16123.1756	30000	0	0	30000	41.3125	2004
23.01.2020 11:53:29	1	1	1	1	109.5	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:30	1	1	1	1	109.5	60.75	0	26682.464	597.8494624	16008.20808	30000	0	0	30000	41.375	2004
23.01.2020 11:53:31	1	1	1	1	109	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.25	2004
23.01.2020 11:53:32	1	1	1	1	109	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.375	2004
23.01.2020 11:53:33	1	1	1	1	109	61.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5	2004
23.01.2020 11:53:34	1	1	1	1	109	61.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.625	2004
23.01.2020 11:53:35	1	1	1	1	109	60.5	0	26777.251	591.3978495	16181.06705	30000	0	0	30000	41.25	2004
23.01.2020 11:53:36	1	1	1	1	109	61.25	0	26872.038	602.1505376	16094.63757	30000	0	0	30000	41.375	2004
23.01.2020 11:53:37	1	1	1	1	109	61.25	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	41.125	2004
23.01.2020 11:53:38	1	1	1	1	109	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.3125	2004
23.01.2020 11:53:39	1	1	1	1	109	61.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.8125	2004
23.01.2020 11:53:40	1	1	1	1	109	60.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	41.5	2004
23.01.2020 11:53:41	1	1	1	1	109.3	61.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.25	2004
23.01.2020 11:53:42	1	1	1	1	109.3	61.25	0	26587.678	602.1505376	15810.07257	30000	0	0	30000	41.375	2004
23.01.2020 11:53:43	1	1	1	1	109.3	61.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	41.1875	2004
23.01.2020 11:53:44	1	1	1	1	109.3	61	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:45	1	1	1	1	109.3	60.75	0	26824.645	597.8494624	16066.09953	30000	0	0	30000	41.3125	2004
23.01.2020 11:53:46	1	1	1	1	109.3	61.25	0	26682.464	597.8494624	15866.33327	30000	0	0	30000	41.1875	2004
23.01.2020 11:53:48	1	1	1	1	109.3	61	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:53:49	1	1	1	1	109.3	61	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	41.25	2004
23.01.2020 11:53:50	1	1	1	1	109.3	61.25	0	26540.284	595.6989247	15894.87131	30000	0	0	30000	41.125	2004
23.01.2020 11:53:51	1	1	1	1	109.3	61	0	26777.251	604.3010753	16066.9149	30000	0	0	30000	41.375	2004
23.01.2020 11:53:52	1	1	1	1	109.8	61.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	41.4375	2004
23.01.2020 11:53:53	1	1	1	1	109.8	61.25	0	26777.251	600	16094.63757	30000	0	0	30000	41.3125	2004
23.01.2020 11:53:54	1	1	1	1	109.8	61.25	0	26824.645	597.8494624	15951.13201	30000	0	0	30000	40.9375	2004
23.01.2020 11:53:55	1	1	1	1	109.8	60.75	0	26777.251	591.3978495	15978.85467	30000	0	0	30000	41.5625	2004
23.01.2020 11:53:56	1	1	1	1	109.8	61.5	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	41.5625	2004
23.01.2020 11:53:57	1	1	1	1	109.8	61.5	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	41.5	2004
23.01.2020 11:53:58	1	1	1	1	109.8	61.5	0	26682.464	597.8494624	16066.09953	30000	0	0	30000	41.5	2004
23.01.2020 11:53:59	1	1	1	1	109.8	61.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.0625	2004
23.01.2020 11:54:00	1	1	1	1	109.8	61	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.6875	2004
23.01.2020 11:54:01	1	1	1	1	109.8	61.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.6875	2004
23.01.2020 11:54:02	1	1	1	1	110	61.5	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	41.4375	2004
23.01.2020 11:54:03	1	1	1	1	110	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.0625	2004
23.01.2020 11:54:04	1	1	1	1	110	61	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	41.0625	2004
23.01.2020 11:54:05	1	1	1	1	110	61	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	41.5	2004
23.01.2020 11:54:06	1	1	1	1	110	61.5	0	26587.678	595.6989247	15837.79523	30000	0	0	30000	41.3125	2004
23.01.2020 11:54:07	1	1	1	1	110	61.25	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:54:08	1	1	1	1	110	61.25	0	26445.498	595.6989247	16038.37687	30000	0	0	30000	41.5625	2004
23.01.2020 11:54:09	1	1	1	1	110	61.5	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	41.5625	2004
23.01.2020 11:54:10	1	1	1	1	110	61.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.5625	2004
23.01.2020 11:54:11	1	1	1	1	110	61.5	0	26824.645	602.1505376	16209.60509	30000	0	0	30000	41.6875	2004
23.01.2020 11:54:12	1	1	1	1	110	61.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.375	2004
23.01.2020 11:54:13	1	1	1	1	110	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:54:14	1	1	1	1	110	61.25	0	26824.645	604.3010753	16152.52901	30000	0	0	30000	41.125	2004
23.01.2020 11:54:15	1	1	1	1	110	61	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	40.9375	2004
23.01.2020 11:54:16	1	1	1	1	110	60.75	0	26682.464	602.1505376	15894.05593	30000	0	0	30000	41.125	2004
23.01.2020 11:54:17	1	1	1	1	110	61	0	26682.464	600	16009.02346	30000	0	0	30000	41	2004
23.01.2020 11:54:20	1	1	1	1	110	61.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:54:20	1	1	1	1	110	61.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:54:20	1	1	1	1	110	61.25	0	26587.678	593.5483871	16009.83883	30000	0	0	30000	41.125	2004
23.01.2020 11:54:21	1	1	1	1	110	61	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	41.4375	2004
23.01.2020 11:54:22	1	1	1	1	110	61.25	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	41.4375	2004
23.01.2020 11:54:29	1	1	1	1	110	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.125	2004
23.01.2020 11:54:29	1	1	1	1	110	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.125	2004
23.01.2020 11:54:29	1	1	1	1	110	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.125	2004
23.01.2020 11:54:29	1	1	1	1	110	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.125	2004
23.01.2020 11:54:29	1	1	1	1	110	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.125	2004
23.01.2020 11:54:29	1	1	1	1	110	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.125	2004
23.01.2020 11:54:30	1	1	1	1	110	61	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	40.875	2004
23.01.2020 11:54:31	1	1	1	1	110	60.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	41	2004
23.01.2020 11:54:32	1	1	1	1	109	61	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:54:33	1	1	1	1	109	61.5	0	26729.858	597.8494624	16066.09953	30000	0	0	30000	41.3125	2004
23.01.2020 11:54:34	1	1	1	1	109	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.625	2004
23.01.2020 11:54:35	1	1	1	1	109	61.5	0	26682.464	600	16066.9149	30000	0	0	30000	41.25	2004
23.01.2020 11:54:36	1	1	1	1	109	61.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	41.5625	2004
23.01.2020 11:54:37	1	1	1	1	109	61.5	0	26587.678	595.6989247	15780.71916	30000	0	0	30000	41.5	2004
23.01.2020 11:54:38	1	1	1	1	109	61.5	0	26682.464	600	15894.05593	30000	0	0	30000	41.75	2004
23.01.2020 11:54:39	1	1	1	1	109	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.5625	2004
23.01.2020 11:54:40	1	1	1	1	109	61.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.25	2004
23.01.2020 11:54:41	1	1	1	1	109	61.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	41.9375	2004
23.01.2020 11:54:42	1	1	1	1	109	61.75	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	41.6875	2004
23.01.2020 11:54:43	1	1	1	1	109	61.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.1875	2004
23.01.2020 11:54:44	1	1	1	1	109	61	0	26682.464	600	16066.9149	30000	0	0	30000	41.375	2004
23.01.2020 11:54:45	1	1	1	1	109	61.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.75	2004
23.01.2020 11:54:46	1	1	1	1	109	60.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	41.25	2004
23.01.2020 11:54:47	1	1	1	1	109	61.25	0	26540.284	595.6989247	16009.83883	30000	0	0	30000	41.6875	2004
23.01.2020 11:54:48	1	1	1	1	109	61.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.1875	2004
23.01.2020 11:54:49	1	1	1	1	109	61	0	26729.858	602.1505376	16066.9149	30000	0	0	30000	41.75	2004
23.01.2020 11:54:50	1	1	1	1	109	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.5625	2004
23.01.2020 11:54:51	1	1	1	1	108.5	61.5	0	26682.464	600	16008.20808	30000	0	0	30000	41.125	2004
23.01.2020 11:54:52	1	1	1	1	108.5	61	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	41.625	2004
23.01.2020 11:54:53	1	1	1	1	108.5	61.5	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	41.625	2004
23.01.2020 11:54:54	1	1	1	1	108.5	61.5	0	26682.464	600	16009.02346	30000	0	0	30000	41.5	2004
23.01.2020 11:54:55	1	1	1	1	108.5	61.5	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	41.4375	2004
23.01.2020 11:54:56	1	1	1	1	108.5	61.25	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
23.01.2020 11:54:57	1	1	1	1	108.5	61.5	0	26682.464	600	15951.94738	30000	0	0	30000	40.875	2004
23.01.2020 11:54:58	1	1	1	1	108.5	60.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	41.625	2004
23.01.2020 11:54:59	1	1	1	1	108.5	61.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.375	2004
23.01.2020 11:55:00	1	1	1	1	108.5	61.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	41.1875	2004
23.01.2020 11:55:01	1	1	1	1	108.5	61	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	41.625	2004
23.01.2020 11:55:02	1	1	1	1	108.5	61.5	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	41.5625	2004
23.01.2020 11:55:04	1	1	1	1	108.5	61.5	0	26777.251	602.1505376	16383.27943	30000	0	0	30000	41.375	2004
23.01.2020 11:55:05	1	1	1	1	108.5	61.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:06	1	1	1	1	108.5	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.375	2004
23.01.2020 11:55:07	1	1	1	1	108.5	61.25	0	26445.498	602.1505376	15781.53453	30000	0	0	30000	41.625	2004
23.01.2020 11:55:08	1	1	1	1	108.5	61.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.625	2004
23.01.2020 11:55:09	1	1	1	1	108.5	61.5	0	26587.678	606.4516129	15924.22472	30000	0	0	30000	41.5625	2004
23.01.2020 11:55:10	1	1	1	1	108.5	61.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.3125	2004
23.01.2020 11:55:11	1	1	1	1	108.5	61.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:12	1	1	1	1	108	61.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	41.5	2004
23.01.2020 11:55:13	1	1	1	1	108	61.5	0	26587.678	602.1505376	15810.07257	30000	0	0	30000	40.875	2004
23.01.2020 11:55:14	1	1	1	1	108	60.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.4375	2004
23.01.2020 11:55:15	1	1	1	1	108	61.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.5	2004
23.01.2020 11:55:16	1	1	1	1	108	61.5	0	26540.284	597.8494624	15981.30079	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:55:17	1	1	1	1	108	61.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.4375	2004
23.01.2020 11:55:18	1	1	1	1	108	61.25	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	41.5625	2004
23.01.2020 11:55:19	1	1	1	1	108	61.5	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	41.9375	2004
23.01.2020 11:55:20	1	1	1	1	108	61.75	0	26540.284	593.5483871	16009.83883	30000	0	0	30000	41.5	2004
23.01.2020 11:55:21	1	1	1	1	108.8	61.5	0	26682.464	597.8494624	15894.87131	30000	0	0	30000	41	2004
23.01.2020 11:55:22	1	1	1	1	108.8	61	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.5625	2004
23.01.2020 11:55:23	1	1	1	1	108.8	61.5	0	26919.431	597.8494624	16267.49653	30000	0	0	30000	41.625	2004
23.01.2020 11:55:24	1	1	1	1	108.8	61.5	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	40.625	2004
23.01.2020 11:55:30	1	1	1	1	108.8	61	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:55:30	1	1	1	1	108.8	61	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:55:30	1	1	1	1	108.8	61	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:55:30	1	1	1	1	108.8	61	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:55:30	1	1	1	1	108.8	61	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:55:31	1	1	1	1	109.3	61.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.3125	2004
23.01.2020 11:55:32	1	1	1	1	109.3	61.25	0	26777.251	595.6989247	15951.94738	30000	0	0	30000	41.625	2004
23.01.2020 11:55:33	1	1	1	1	109.3	61.5	0	26729.858	597.8494624	16066.09953	30000	0	0	30000	41.5625	2004
23.01.2020 11:55:34	1	1	1	1	109.3	61.5	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	41.75	2004
23.01.2020 11:55:35	1	1	1	1	109.3	61.75	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:36	1	1	1	1	109.3	61.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:37	1	1	1	1	109.3	61.5	0	26824.645	595.6989247	16008.20808	30000	0	0	30000	41.8125	2004
23.01.2020 11:55:38	1	1	1	1	109.3	61.75	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	41.4375	2004
23.01.2020 11:55:39	1	1	1	1	109.3	61.25	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	41.4375	2004
23.01.2020 11:55:40	1	1	1	1	109.3	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:42	1	1	1	1	109.8	61.5	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	41.0625	2004
23.01.2020 11:55:43	1	1	1	1	109.8	61	0	26587.678	597.8494624	16123.99098	30000	0	0	30000	41.75	2004
23.01.2020 11:55:44	1	1	1	1	109.8	61.75	0	26492.891	600	15639.65972	30000	0	0	30000	41.375	2004
23.01.2020 11:55:45	1	1	1	1	109.8	61.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:46	1	1	1	1	109.8	61.5	0	26540.284	597.8494624	16181.06705	30000	0	0	30000	41.875	2004
23.01.2020 11:55:47	1	1	1	1	109.8	61.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:48	1	1	1	1	109.8	61.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:49	1	1	1	1	109.8	61.5	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:50	1	1	1	1	109.8	61.5	0	26445.498	597.8494624	15838.61061	30000	0	0	30000	41.25	2004
23.01.2020 11:55:51	1	1	1	1	109.8	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:52	1	1	1	1	109.5	61.5	0	26587.678	591.3978495	15951.94738	30000	0	0	30000	40.8125	2004
23.01.2020 11:55:53	1	1	1	1	109.5	60.75	0	26682.464	600	16066.9149	30000	0	0	30000	41.625	2004
23.01.2020 11:55:54	1	1	1	1	109.5	61.5	0	26635.071	597.8494624	15951.94738	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:55	1	1	1	1	109.5	61.5	0	26777.251	597.8494624	15894.05593	30000	0	0	30000	41.8125	2004
23.01.2020 11:55:56	1	1	1	1	109.5	61.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	41.6875	2004
23.01.2020 11:55:57	1	1	1	1	109.5	61.5	0	26729.858	604.3010753	16123.99098	30000	0	0	30000	42.0625	2004
23.01.2020 11:55:58	1	1	1	1	109.5	62	0	26492.891	593.5483871	15867.14864	30000	0	0	30000	41.8125	2004
23.01.2020 11:55:59	1	1	1	1	109.5	61.5	0	26587.678	602.1505376	15867.14864	30000	0	0	30000	41.5625	2004
23.01.2020 11:56:00	1	1	1	1	109.5	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:56:01	1	1	1	1	110.8	61.75	0	26398.104	602.1505376	15867.14864	30000	0	0	30000	41	2004
23.01.2020 11:56:02	1	1	1	1	110.8	61	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	41.75	2004
23.01.2020 11:56:03	1	1	1	1	110.8	61.75	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	41.75	2004
23.01.2020 11:56:04	1	1	1	1	110.8	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:05	1	1	1	1	110.8	61.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:06	1	1	1	1	110.8	61.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	41.5625	2004
23.01.2020 11:56:07	1	1	1	1	110.8	61.5	0	26492.891	595.6989247	16066.9149	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:08	1	1	1	1	110.8	61.75	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:09	1	1	1	1	110.8	61.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.5	2004
23.01.2020 11:56:10	1	1	1	1	110.8	61.5	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	41.3125	2004
23.01.2020 11:56:11	1	1	1	1	110.3	61.25	0	26540.284	610.7526882	16038.37687	30000	0	0	30000	41.4375	2004
23.01.2020 11:56:12	1	1	1	1	110.3	61.25	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	41.0625	2004
23.01.2020 11:56:13	1	1	1	1	110.3	61	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	41.25	2004
23.01.2020 11:56:14	1	1	1	1	110.3	61.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:15	1	1	1	1	110.3	61.75	0	26587.678	604.3010753	15867.14864	30000	0	0	30000	41.375	2004
23.01.2020 11:56:16	1	1	1	1	110.3	61.25	0	26445.498	606.4516129	15895.68668	30000	0	0	30000	41.375	2004
23.01.2020 11:56:17	1	1	1	1	110.3	61.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41.5625	2004
23.01.2020 11:56:18	1	1	1	1	110.3	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:20	1	1	1	1	110.3	61.75	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	41.875	2004
23.01.2020 11:56:21	1	1	1	1	110.3	61.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	41.3125	2004
23.01.2020 11:56:22	1	1	1	1	109.5	61.25	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	41.5625	2004
23.01.2020 11:56:23	1	1	1	1	109.5	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:24	1	1	1	1	109.5	61.75	0	26635.071	602.1505376	15951.94738	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:25	1	1	1	1	109.5	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.625	2004
23.01.2020 11:56:26	1	1	1	1	109.5	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
23.01.2020 11:56:32	1	1	1	1	110	61.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:32	1	1	1	1	110	61.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:32	1	1	1	1	110	61.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:32	1	1	1	1	110	61.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:32	1	1	1	1	110	61.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:32	1	1	1	1	110	61.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:32	1	1	1	1	110	61.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:33	1	1	1	1	110	61.75	0	26540.284	597.8494624	16066.9149	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:34	1	1	1	1	110	61.5	0	26492.891	602.1505376	15867.14864	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:35	1	1	1	1	110	61.5	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	42.1875	2004
23.01.2020 11:56:36	1	1	1	1	110	62	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	41.625	2004
23.01.2020 11:56:37	1	1	1	1	110	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.5625	2004
23.01.2020 11:56:38	1	1	1	1	110	61.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:39	1	1	1	1	110	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.75	2004
23.01.2020 11:56:40	1	1	1	1	110	61.75	0	26587.678	606.4516129	15924.22472	30000	0	0	30000	40.6875	2004
23.01.2020 11:56:41	1	1	1	1	110	60.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	41.25	2004
23.01.2020 11:56:42	1	1	1	1	110	61.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:43	1	1	1	1	110	61.5	0	26540.284	600	15981.30079	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:44	1	1	1	1	110	61.75	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:56:45	1	1	1	1	110	61.75	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:46	1	1	1	1	110	61.75	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	41.875	2004
23.01.2020 11:56:47	1	1	1	1	110	61.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:48	1	1	1	1	110	61.5	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:49	1	1	1	1	110	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:50	1	1	1	1	110	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.4375	2004
23.01.2020 11:56:51	1	1	1	1	110.3	61.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.625	2004
23.01.2020 11:56:52	1	1	1	1	110.3	61.5	0	26398.104	602.1505376	15810.07257	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:53	1	1	1	1	110.3	61.5	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	41.8125	2004
23.01.2020 11:56:54	1	1	1	1	110.3	61.75	0	26492.891	604.3010753	15895.68668	30000	0	0	30000	41.9375	2004
23.01.2020 11:56:55	1	1	1	1	110.3	61.75	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	41.6875	2004
23.01.2020 11:56:56	1	1	1	1	110.3	61.5	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	41.875	2004
23.01.2020 11:56:58	1	1	1	1	110.3	61.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.0625	2004
23.01.2020 11:56:59	1	1	1	1	110.3	61	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	41.875	2004
23.01.2020 11:57:00	1	1	1	1	110.3	61.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.8125	2004
23.01.2020 11:57:01	1	1	1	1	110.3	61.75	0	26540.284	602.1505376	15952.76275	30000	0	0	30000	41.875	2004
23.01.2020 11:57:02	1	1	1	1	110.5	61.75	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	41.875	2004
23.01.2020 11:57:03	1	1	1	1	110.5	61.75	0	26303.318	602.1505376	16036.74612	30000	0	0	30000	41.4375	2004
23.01.2020 11:57:04	1	1	1	1	110.5	61.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	41	2004
23.01.2020 11:57:05	1	1	1	1	110.5	61	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	41.8125	2004
23.01.2020 11:57:06	1	1	1	1	110.5	61.75	0	26540.284	606.4516129	16181.06705	30000	0	0	30000	41.75	2004
23.01.2020 11:57:07	1	1	1	1	110.5	61.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	41.5625	2004
23.01.2020 11:57:08	1	1	1	1	110.5	61.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	41.3125	2004
23.01.2020 11:57:09	1	1	1	1	110.5	61.25	0	26445.498	606.4516129	16038.37687	30000	0	0	30000	41.875	2004
23.01.2020 11:57:10	1	1	1	1	110.5	61.75	0	26587.678	602.1505376	15924.22472	30000	0	0	30000	41.875	2004
23.01.2020 11:57:11	1	1	1	1	110.5	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.625	2004
23.01.2020 11:57:12	1	1	1	1	110.3	61.5	0	26398.104	595.6989247	15951.94738	30000	0	0	30000	41.375	2004
23.01.2020 11:57:13	1	1	1	1	110.3	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.25	2004
23.01.2020 11:57:14	1	1	1	1	110.3	62.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	41.1875	2004
23.01.2020 11:57:15	1	1	1	1	110.3	61.75	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	41.8125	2004
23.01.2020 11:57:16	1	1	1	1	110.3	61.75	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	41.8125	2004
23.01.2020 11:57:17	1	1	1	1	110.3	61.75	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	41.875	2004
23.01.2020 11:57:18	1	1	1	1	110.3	61.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
23.01.2020 11:57:19	1	1	1	1	110.3	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.8125	2004
23.01.2020 11:57:20	1	1	1	1	110.3	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.875	2004
23.01.2020 11:57:21	1	1	1	1	110	61.75	0	26492.891	602.1505376	15895.68668	30000	0	0	30000	41.625	2004
23.01.2020 11:57:22	1	1	1	1	110	61.5	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	41.75	2004
23.01.2020 11:57:23	1	1	1	1	110	61.75	0	26445.498	600	15924.22472	30000	0	0	30000	41.8125	2004
23.01.2020 11:57:24	1	1	1	1	110	61.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.0625	2004
23.01.2020 11:57:25	1	1	1	1	110	62	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.75	2004
23.01.2020 11:57:26	1	1	1	1	110	61.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.375	2004
23.01.2020 11:57:27	1	1	1	1	110	61.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.75	2004
23.01.2020 11:57:34	1	1	1	1	109.5	62	0	26777.251	595.6989247	16094.63757	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:57:34	1	1	1	1	109.5	62	0	26777.251	595.6989247	16094.63757	30000	0	0	30000	41.9375	2004
23.01.2020 11:57:34	1	1	1	1	109.5	62	0	26777.251	595.6989247	16094.63757	30000	0	0	30000	41.9375	2004
23.01.2020 11:57:34	1	1	1	1	109.5	62	0	26777.251	595.6989247	16094.63757	30000	0	0	30000	41.9375	2004
23.01.2020 11:57:34	1	1	1	1	109.5	62	0	26777.251	595.6989247	16094.63757	30000	0	0	30000	41.9375	2004
23.01.2020 11:57:34	1	1	1	1	109.5	62	0	26777.251	595.6989247	16094.63757	30000	0	0	30000	41.9375	2004
23.01.2020 11:57:34	1	1	1	1	109.5	61.75	0	26824.645	602.1505376	16066.09953	30000	0	0	30000	40.9375	2004
23.01.2020 11:57:36	1	1	1	1	109.5	60.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
23.01.2020 11:57:37	1	1	1	1	109.5	61.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	42.0625	2004
23.01.2020 11:57:38	1	1	1	1	109.5	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.875	2004
23.01.2020 11:57:39	1	1	1	1	109.5	61.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	41.5625	2004
23.01.2020 11:57:40	1	1	1	1	109.5	61.5	0	26587.678	600	15951.94738	30000	0	0	30000	42.125	2004
23.01.2020 11:57:41	1	1	1	1	109.5	62	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	42	2004
23.01.2020 11:57:42	1	1	1	1	109.5	62	0	26445.498	604.3010753	16123.1756	30000	0	0	30000	41.75	2004
23.01.2020 11:57:43	1	1	1	1	109.5	61.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.9375	2004
23.01.2020 11:57:44	1	1	1	1	109.5	61.75	0	26445.498	602.1505376	16066.09953	30000	0	0	30000	42	2004
23.01.2020 11:57:45	1	1	1	1	109.5	62	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.875	2004
23.01.2020 11:57:46	1	1	1	1	109.5	61.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.625	2004
23.01.2020 11:57:47	1	1	1	1	109.5	61.5	0	26350.711	604.3010753	15980.48542	30000	0	0	30000	42	2004
23.01.2020 11:57:48	1	1	1	1	109.5	62	0	26445.498	604.3010753	16065.28416	30000	0	0	30000	41.8125	2004
23.01.2020 11:57:49	1	1	1	1	109.5	61.75	0	26445.498	604.3010753	16095.45294	30000	0	0	30000	42	2004
23.01.2020 11:57:50	1	1	1	1	109.5	62	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	41.9375	2004
23.01.2020 11:57:51	1	1	1	1	109.5	61.75	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	41.6875	2004
23.01.2020 11:57:52	1	1	1	1	109.5	61.5	0	26540.284	608.6021505	16209.60509	30000	0	0	30000	42.3125	2004
23.01.2020 11:57:53	1	1	1	1	109.5	62.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.3125	2004
23.01.2020 11:57:54	1	1	1	1	109.5	62	0	26398.104	604.3010753	15923.40934	30000	0	0	30000	41.4375	2004
23.01.2020 11:57:55	1	1	1	1	109.5	61.25	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	41.25	2004
23.01.2020 11:57:56	1	1	1	1	109.5	61.25	0	26303.318	604.3010753	16008.20808	30000	0	0	30000	42.0625	2004
23.01.2020 11:57:57	1	1	1	1	109.5	62	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	42	2004
23.01.2020 11:57:58	1	1	1	1	109.5	62	0	26113.744	606.4516129	15894.05593	30000	0	0	30000	41.8125	2004
23.01.2020 11:57:59	1	1	1	1	109.5	61.75	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	41.875	2004
23.01.2020 11:58:00	1	1	1	1	109.5	61.75	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	42	2004
23.01.2020 11:58:01	1	1	1	1	109.5	62	0	26350.711	604.3010753	16009.02346	30000	0	0	30000	42	2004
23.01.2020 11:58:02	1	1	1	1	109.5	62	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	41.875	2004
23.01.2020 11:58:03	1	1	1	1	109.5	61.75	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	41.9375	2004
23.01.2020 11:58:04	1	1	1	1	109.5	61.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	42.1875	2004
23.01.2020 11:58:05	1	1	1	1	109.5	62	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	42	2004
23.01.2020 11:58:06	1	1	1	1	109.5	62	0	26445.498	604.3010753	15895.68668	30000	0	0	30000	41.875	2004
23.01.2020 11:58:07	1	1	1	1	109.5	61.75	0	26350.711	606.4516129	16009.02346	30000	0	0	30000	41.625	2004
23.01.2020 11:58:08	1	1	1	1	109.5	61.5	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	41.4375	2004
23.01.2020 11:58:09	1	1	1	1	109.5	61.25	0	26113.744	604.3010753	15779.90379	30000	0	0	30000	41.9375	2004
23.01.2020 11:58:10	1	1	1	1	109.5	61.75	0	26540.284	608.6021505	16152.52901	30000	0	0	30000	41.3125	2004
23.01.2020 11:58:11	1	1	1	1	109.3	61.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.5	2004
23.01.2020 11:58:12	1	1	1	1	109.3	61.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:58:13	1	1	1	1	109.3	61.75	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	41.6875	2004
23.01.2020 11:58:14	1	1	1	1	109.3	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.9375	2004
23.01.2020 11:58:16	1	1	1	1	109.3	61.75	0	26682.464	606.4516129	16123.99098	30000	0	0	30000	41	2004
23.01.2020 11:58:17	1	1	1	1	109.3	61	0	26587.678	593.5483871	16238.9585	30000	0	0	30000	42.125	2004
23.01.2020 11:58:18	1	1	1	1	109.3	62	0	26540.284	608.6021505	16095.45294	30000	0	0	30000	41.9375	2004
23.01.2020 11:58:19	1	1	1	1	109.3	61.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	41.9375	2004
23.01.2020 11:58:20	1	1	1	1	109.3	61.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	42	2004
23.01.2020 11:58:21	1	1	1	1	109.3	62	0	26350.711	602.1505376	15781.53453	30000	0	0	30000	41.875	2004
23.01.2020 11:58:22	1	1	1	1	109	61.75	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	42	2004
23.01.2020 11:58:23	1	1	1	1	109	62	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	41.75	2004
23.01.2020 11:58:24	1	1	1	1	109	61.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.6875	2004
23.01.2020 11:58:25	1	1	1	1	109	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.875	2004
23.01.2020 11:58:26	1	1	1	1	109	61.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	41.8125	2004
23.01.2020 11:58:27	1	1	1	1	109	61.75	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	41.8125	2004
23.01.2020 11:58:28	1	1	1	1	109	61.75	0	26398.104	606.4516129	16179.43631	30000	0	0	30000	42	2004
23.01.2020 11:58:29	1	1	1	1	109	62	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	42.5	2004
23.01.2020 11:58:35	1	1	1	1	108.8	61.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	42	2004
23.01.2020 11:58:35	1	1	1	1	108.8	61.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	42	2004
23.01.2020 11:58:35	1	1	1	1	108.8	61.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	42	2004
23.01.2020 11:58:35	1	1	1	1	108.8	61.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	42	2004
23.01.2020 11:58:35	1	1	1	1	108.8	61.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	42	2004
23.01.2020 11:58:35	1	1	1	1	108.8	61.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	42	2004
23.01.2020 11:58:36	1	1	1	1	108.8	62	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	41.9375	2004
23.01.2020 11:58:37	1	1	1	1	108.8	61.75	0	26492.891	606.4516129	16094.63757	30000	0	0	30000	41.6875	2004
23.01.2020 11:58:38	1	1	1	1	108.8	61.5	0	26492.891	606.4516129	16066.09953	30000	0	0	30000	41.6875	2004
23.01.2020 11:58:39	1	1	1	1	108.8	61.5	0	26540.284	608.6021505	16152.52901	30000	0	0	30000	42	2004
23.01.2020 11:58:40	1	1	1	1	108.8	62	0	26350.711	610.7526882	16065.28416	30000	0	0	30000	41.75	2004
23.01.2020 11:58:41	1	1	1	1	108.8	61.75	0	26303.318	610.7526882	16122.36023	30000	0	0	30000	41.75	2004
23.01.2020 11:58:42	1	1	1	1	108.8	61.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	41.8125	2004
23.01.2020 11:58:43	1	1	1	1	108.8	61.75	0	26255.924	610.7526882	15978.85467	30000	0	0	30000	42	2004
23.01.2020 11:58:44	1	1	1	1	108.8	62	0	26208.531	608.6021505	16064.46878	30000	0	0	30000	42.0625	2004
23.01.2020 11:58:45	1	1	1	1	108.8	62	0	26208.531	606.4516129	16008.20808	30000	0	0	30000	42.125	2004
23.01.2020 11:58:46	1	1	1	1	108.8	62	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	41.75	2004
23.01.2020 11:58:47	1	1	1	1	108.8	61.75	0	26303.318	615.0537634	15892.42519	30000	0	0	30000	41.875	2004
23.01.2020 11:58:48	1	1	1	1	108.8	61.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	42.0625	2004
23.01.2020 11:58:49	1	1	1	1	108.8	62	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	42.1875	2004
23.01.2020 11:58:50	1	1	1	1	108.8	62	0	26208.531	612.9032258	16004.94659	30000	0	0	30000	41.8125	2004
23.01.2020 11:58:51	1	1	1	1	107.8	61.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	42.125	2004
23.01.2020 11:58:52	1	1	1	1	107.8	62	0	26018.957	610.7526882	15834.53374	30000	0	0	30000	42.1875	2004
23.01.2020 11:58:54	1	1	1	1	107.8	62	0	26208.531	610.7526882	16035.93075	30000	0	0	30000	42.125	2004
23.01.2020 11:58:55	1	1	1	1	107.8	62	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	41.9375	2004
23.01.2020 11:58:56	1	1	1	1	107.8	61.75	0	26208.531	610.7526882	15892.42519	30000	0	0	30000	41.625	2004
23.01.2020 11:58:57	1	1	1	1	107.8	61.5	0	26255.924	608.6021505	16064.46878	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:58:58	1	1	1	1	107.8	62	0	26255.924	610.7526882	15892.42519	30000	0	0	30000	42.0625	2004
23.01.2020 11:58:59	1	1	1	1	107.8	62	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	42	2004
23.01.2020 11:59:00	1	1	1	1	107.8	62	0	26113.744	606.4516129	15948.68589	30000	0	0	30000	41.375	2004
23.01.2020 11:59:01	1	1	1	1	107.8	61.25	0	26303.318	610.7526882	16035.93075	30000	0	0	30000	42.0625	2004
23.01.2020 11:59:02	1	1	1	1	108	62	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	41.9375	2004
23.01.2020 11:59:03	1	1	1	1	108	61.75	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	42.125	2004
23.01.2020 11:59:04	1	1	1	1	108	62	0	26208.531	604.3010753	15978.85467	30000	0	0	30000	41.875	2004
23.01.2020 11:59:05	1	1	1	1	108	61.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	42	2004
23.01.2020 11:59:06	1	1	1	1	108	62	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	41.9375	2004
23.01.2020 11:59:07	1	1	1	1	108	61.75	0	26113.744	610.7526882	16035.93075	30000	0	0	30000	42.1875	2004
23.01.2020 11:59:08	1	1	1	1	108	62	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	41.9375	2004
23.01.2020 11:59:09	1	1	1	1	108	61.75	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	41.8125	2004
23.01.2020 11:59:10	1	1	1	1	108	61.75	0	26303.318	610.7526882	16092.19145	30000	0	0	30000	41.9375	2004
23.01.2020 11:59:11	1	1	1	1	108	61.75	0	26445.498	608.6021505	16009.02346	30000	0	0	30000	41.9375	2004
23.01.2020 11:59:12	1	1	1	1	107.8	60.75	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	41.5625	2004
23.01.2020 11:59:13	1	1	1	1	107.8	61.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	42.125	2004
23.01.2020 11:59:14	1	1	1	1	107.8	62	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	42	2004
23.01.2020 11:59:15	1	1	1	1	107.8	62	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	42.125	2004
23.01.2020 11:59:16	1	1	1	1	107.8	62	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	42.125	2004
23.01.2020 11:59:17	1	1	1	1	107.8	62	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	42.0625	2004
23.01.2020 11:59:18	1	1	1	1	107.8	62	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	41.625	2004
23.01.2020 11:59:19	1	1	1	1	107.8	61.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.8125	2004
23.01.2020 11:59:20	1	1	1	1	107.8	61.75	0	27298.578	593.5483871	15826.38002	30000	0	0	30000	42	2004
23.01.2020 11:59:21	1	1	1	1	107.3	62	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	42.1875	2004
23.01.2020 11:59:22	1	1	1	1	107.3	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.125	2004
23.01.2020 11:59:23	1	1	1	1	107.3	62	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42	2004
23.01.2020 11:59:24	1	1	1	1	107.3	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.9375	2004
23.01.2020 11:59:25	1	1	1	1	107.3	61.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.6875	2004
23.01.2020 11:59:26	1	1	1	1	107.3	61.5	0	27109.005	589.2473118	15829.64151	30000	0	0	30000	41.875	2004
23.01.2020 11:59:27	1	1	1	1	107.3	61.75	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	41.6875	2004
23.01.2020 11:59:28	1	1	1	1	107.3	61.5	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	42.0625	2004
23.01.2020 11:59:29	1	1	1	1	107.3	62	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42.1875	2004
23.01.2020 11:59:30	1	1	1	1	107.3	62	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	42.0625	2004
23.01.2020 11:59:37	1	1	1	1	107.5	62	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	41.875	2004
23.01.2020 11:59:37	1	1	1	1	107.5	62	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	41.875	2004
23.01.2020 11:59:37	1	1	1	1	107.5	62	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	41.875	2004
23.01.2020 11:59:37	1	1	1	1	107.5	62	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	41.875	2004
23.01.2020 11:59:37	1	1	1	1	107.5	62	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	41.875	2004
23.01.2020 11:59:37	1	1	1	1	107.5	62	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	41.875	2004
23.01.2020 11:59:37	1	1	1	1	107.5	62	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	41.875	2004
23.01.2020 11:59:38	1	1	1	1	107.5	61.75	0	27298.578	591.3978495	15798.65735	30000	0	0	30000	42	2004
23.01.2020 11:59:39	1	1	1	1	107.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
23.01.2020 11:59:40	1	1	1	1	107.5	61.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.1875	2004
23.01.2020 11:59:41	1	1	1	1	107.5	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 11:59:42	1	1	1	1	107	62	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	41.8125	2004
23.01.2020 11:59:43	1	1	1	1	107	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.875	2004
23.01.2020 11:59:44	1	1	1	1	107	61.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.625	2004
23.01.2020 11:59:45	1	1	1	1	107	61.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	41.9375	2004
23.01.2020 11:59:46	1	1	1	1	107	61.75	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	41.875	2004
23.01.2020 11:59:47	1	1	1	1	107	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.625	2004
23.01.2020 11:59:48	1	1	1	1	107	62.5	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	42.3125	2004
23.01.2020 11:59:49	1	1	1	1	107	62.25	0	27014.218	580.6451613	15973.96244	30000	0	0	30000	41.875	2004
23.01.2020 11:59:50	1	1	1	1	107	61.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.4375	2004
23.01.2020 11:59:51	1	1	1	1	107	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42.125	2004
23.01.2020 11:59:52	1	1	1	1	107	62	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.9375	2004
23.01.2020 11:59:53	1	1	1	1	107	61.75	0	27298.578	593.5483871	16261.78893	30000	0	0	30000	41.75	2004
23.01.2020 11:59:54	1	1	1	1	107	61.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	42.1875	2004
23.01.2020 11:59:55	1	1	1	1	107	62	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.875	2004
23.01.2020 11:59:56	1	1	1	1	107	61.75	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	42.1875	2004
23.01.2020 11:59:57	1	1	1	1	107	62	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42.1875	2004
23.01.2020 11:59:58	1	1	1	1	107	62	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.9375	2004
23.01.2020 11:59:59	1	1	1	1	107	61.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.75	2004
23.01.2020 12:00:00	1	1	1	1	107	61.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	42.0625	2004
23.01.2020 12:00:01	1	1	1	1	106.5	62	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	41.875	2004
23.01.2020 12:00:02	1	1	1	1	106.5	61.75	0	27109.005	595.6989247	16004.13122	30000	0	0	30000	41.8125	2004
23.01.2020 12:00:03	1	1	1	1	106.5	61.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.9375	2004
23.01.2020 12:00:04	1	1	1	1	106.5	61.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	41.875	2004
23.01.2020 12:00:05	1	1	1	1	106.5	61.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:06	1	1	1	1	106.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
23.01.2020 12:00:07	1	1	1	1	106.5	62	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	41.875	2004
23.01.2020 12:00:09	1	1	1	1	106.5	61.75	0	27109.005	589.2473118	15770.93469	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:10	1	1	1	1	106.5	62	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	42	2004
23.01.2020 12:00:11	1	1	1	1	106.5	62	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	41.5625	2004
23.01.2020 12:00:12	1	1	1	1	106.8	61.5	0	26966.825	591.3978495	15975.59318	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:13	1	1	1	1	106.8	62	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.6875	2004
23.01.2020 12:00:14	1	1	1	1	106.8	61.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:15	1	1	1	1	106.8	62	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	42.25	2004
23.01.2020 12:00:16	1	1	1	1	106.8	62.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42.3125	2004
23.01.2020 12:00:17	1	1	1	1	106.8	62.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	42.125	2004
23.01.2020 12:00:18	1	1	1	1	106.8	62	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	41.6875	2004
23.01.2020 12:00:19	1	1	1	1	106.8	61.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	42.125	2004
23.01.2020 12:00:20	1	1	1	1	106.8	62	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.5625	2004
23.01.2020 12:00:21	1	1	1	1	106.8	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	42.25	2004
23.01.2020 12:00:22	1	1	1	1	106.3	62.25	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	42.125	2004
23.01.2020 12:00:23	1	1	1	1	106.3	62	0	26635.071	600	15951.94738	30000	0	0	30000	42.125	2004
23.01.2020 12:00:24	1	1	1	1	106.3	62	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	42	2004
23.01.2020 12:00:25	1	1	1	1	106.3	62	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:00:26	1	1	1	1	106.3	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.3125	2004
23.01.2020 12:00:27	1	1	1	1	106.3	61.25	0	26682.464	593.5483871	16066.09953	30000	0	0	30000	41.875	2004
23.01.2020 12:00:28	1	1	1	1	106.3	62.25	0	26635.071	602.1505376	15837.79523	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:29	1	1	1	1	106.3	62	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	41.75	2004
23.01.2020 12:00:30	1	1	1	1	106.3	61.75	0	26445.498	597.8494624	15867.14864	30000	0	0	30000	42	2004
23.01.2020 12:00:31	1	1	1	1	106	62	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:32	1	1	1	1	106	62	0	26540.284	595.6989247	15810.07257	30000	0	0	30000	42.125	2004
23.01.2020 12:00:39	1	1	1	1	106	62.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:39	1	1	1	1	106	62.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:39	1	1	1	1	106	62.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:39	1	1	1	1	106	62.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:39	1	1	1	1	106	62.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:39	1	1	1	1	106	62	0	26635.071	602.1505376	15951.94738	30000	0	0	30000	41.875	2004
23.01.2020 12:00:40	1	1	1	1	106	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:41	1	1	1	1	105.5	62	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42.125	2004
23.01.2020 12:00:42	1	1	1	1	105.5	62	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.125	2004
23.01.2020 12:00:43	1	1	1	1	105.5	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.8125	2004
23.01.2020 12:00:44	1	1	1	1	105.5	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42	2004
23.01.2020 12:00:45	1	1	1	1	105.5	62	0	26587.678	602.1505376	15837.79523	30000	0	0	30000	42	2004
23.01.2020 12:00:47	1	1	1	1	105.5	62	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	42.25	2004
23.01.2020 12:00:48	1	1	1	1	105.5	62.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:49	1	1	1	1	105.5	62	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	41.75	2004
23.01.2020 12:00:50	1	1	1	1	105.5	61.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.375	2004
23.01.2020 12:00:51	1	1	1	1	105.5	62.25	0	26540.284	604.3010753	15667.38238	30000	0	0	30000	41.5	2004
23.01.2020 12:00:52	1	1	1	1	105.5	61.5	0	26682.464	600	16066.9149	30000	0	0	30000	41.8125	2004
23.01.2020 12:00:53	1	1	1	1	105.5	61.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	42.125	2004
23.01.2020 12:00:54	1	1	1	1	105.5	62	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.25	2004
23.01.2020 12:00:55	1	1	1	1	105.5	62.25	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:56	1	1	1	1	105.5	62	0	26682.464	600	16066.9149	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:57	1	1	1	1	105.5	62	0	26587.678	597.8494624	15923.40934	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:58	1	1	1	1	105.5	62	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	42.1875	2004
23.01.2020 12:00:59	1	1	1	1	105.5	62	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.375	2004
23.01.2020 12:01:00	1	1	1	1	105.5	61.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
23.01.2020 12:01:01	1	1	1	1	105.5	61.5	0	26445.498	591.3978495	15867.14864	30000	0	0	30000	42.3125	2004
23.01.2020 12:01:02	1	1	1	1	105	62.25	0	26587.678	597.8494624	16066.9149	30000	0	0	30000	42.25	2004
23.01.2020 12:01:03	1	1	1	1	105	62.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:04	1	1	1	1	105	62	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	42.0625	2004
23.01.2020 12:01:05	1	1	1	1	105	62	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	42.3125	2004
23.01.2020 12:01:06	1	1	1	1	105	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.5	2004
23.01.2020 12:01:07	1	1	1	1	105	62.25	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	41.9375	2004
23.01.2020 12:01:08	1	1	1	1	105	61.75	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:09	1	1	1	1	105	62	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:01:10	1	1	1	1	105	62	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	42.0625	2004
23.01.2020 12:01:11	1	1	1	1	104.8	62	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	42.3125	2004
23.01.2020 12:01:12	1	1	1	1	104.8	62.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
23.01.2020 12:01:13	1	1	1	1	104.8	61.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	42.375	2004
23.01.2020 12:01:14	1	1	1	1	104.8	62.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	42	2004
23.01.2020 12:01:15	1	1	1	1	104.8	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.875	2004
23.01.2020 12:01:16	1	1	1	1	104.8	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.3125	2004
23.01.2020 12:01:17	1	1	1	1	104.8	62.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.25	2004
23.01.2020 12:01:18	1	1	1	1	104.8	62.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:19	1	1	1	1	104.8	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
23.01.2020 12:01:20	1	1	1	1	104.8	62	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	42.3125	2004
23.01.2020 12:01:21	1	1	1	1	104.5	62.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:22	1	1	1	1	104.5	62	0	27725.118	576.344086	15978.85467	30000	0	0	30000	41.9375	2004
23.01.2020 12:01:23	1	1	1	1	104.5	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.3125	2004
23.01.2020 12:01:24	1	1	1	1	104.5	61.25	0	28388.626	563.4408602	16022.06942	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:26	1	1	1	1	104.5	62	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:27	1	1	1	1	104.5	62	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.3125	2004
23.01.2020 12:01:28	1	1	1	1	104.5	62.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	42.375	2004
23.01.2020 12:01:29	1	1	1	1	104.5	62.25	0	28436.019	559.1397849	15934.00919	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:30	1	1	1	1	104.5	62	0	28483.412	563.4408602	15750.55038	30000	0	0	30000	42.375	2004
23.01.2020 12:01:31	1	1	1	1	104.5	62.25	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	41.6875	2004
23.01.2020 12:01:32	1	1	1	1	104.3	61.5	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	42.3125	2004
23.01.2020 12:01:33	1	1	1	1	104.3	62.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.125	2004
23.01.2020 12:01:34	1	1	1	1	104.3	62	0	28957.346	559.1397849	16101.97592	30000	0	0	30000	42.3125	2004
23.01.2020 12:01:40	1	1	1	1	104.3	62	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.875	2004
23.01.2020 12:01:40	1	1	1	1	104.3	62	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.875	2004
23.01.2020 12:01:40	1	1	1	1	104.3	62	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.875	2004
23.01.2020 12:01:40	1	1	1	1	104.3	62	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.875	2004
23.01.2020 12:01:40	1	1	1	1	104.3	62	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.875	2004
23.01.2020 12:01:40	1	1	1	1	104.3	62	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.875	2004
23.01.2020 12:01:41	1	1	1	1	104.3	61.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.9375	2004
23.01.2020 12:01:42	1	1	1	1	104	61.75	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.4375	2004
23.01.2020 12:01:43	1	1	1	1	104	61.25	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.375	2004
23.01.2020 12:01:44	1	1	1	1	104	62.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:45	1	1	1	1	104	62	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:46	1	1	1	1	104	62.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:47	1	1	1	1	104	62	0	28009.479	576.344086	16203.08211	30000	0	0	30000	42.5	2004
23.01.2020 12:01:48	1	1	1	1	104	62.5	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	42.25	2004
23.01.2020 12:01:49	1	1	1	1	104	62.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:50	1	1	1	1	104	62	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	42.25	2004
23.01.2020 12:01:51	1	1	1	1	104	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
23.01.2020 12:01:52	1	1	1	1	104	62	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	42.4375	2004
23.01.2020 12:01:53	1	1	1	1	104	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:01:54	1	1	1	1	104	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.375	2004
23.01.2020 12:01:55	1	1	1	1	104	62.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	42.25	2004
23.01.2020 12:01:56	1	1	1	1	104	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.4375	2004
23.01.2020 12:01:57	1	1	1	1	104	62.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	42.1875	2004
23.01.2020 12:01:58	1	1	1	1	104	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.4375	2004
23.01.2020 12:01:59	1	1	1	1	104	62.25	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	42.1875	2004
23.01.2020 12:02:00	1	1	1	1	104	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
23.01.2020 12:02:01	1	1	1	1	103.5	62	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	42.3125	2004
23.01.2020 12:02:03	1	1	1	1	103.5	62.25	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	42.375	2004
23.01.2020 12:02:04	1	1	1	1	103.5	62.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.125	2004
23.01.2020 12:02:05	1	1	1	1	103.5	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.1875	2004
23.01.2020 12:02:06	1	1	1	1	103.5	62	0	27109.005	582.7956989	15826.38002	30000	0	0	30000	42.125	2004
23.01.2020 12:02:07	1	1	1	1	103.5	62	0	27156.398	580.6451613	15909.54801	30000	0	0	30000	42.375	2004
23.01.2020 12:02:08	1	1	1	1	103.5	62.25	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:09	1	1	1	1	103.5	62.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.1875	2004
23.01.2020 12:02:10	1	1	1	1	103.5	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.375	2004
23.01.2020 12:02:11	1	1	1	1	103.5	62.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.125	2004
23.01.2020 12:02:12	1	1	1	1	102.8	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.3125	2004
23.01.2020 12:02:13	1	1	1	1	102.8	62.25	0	27819.905	574.1935484	15805.18033	30000	0	0	30000	42.5	2004
23.01.2020 12:02:14	1	1	1	1	102.8	62.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.1875	2004
23.01.2020 12:02:15	1	1	1	1	102.8	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	42.375	2004
23.01.2020 12:02:16	1	1	1	1	102.8	62.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
23.01.2020 12:02:17	1	1	1	1	102.8	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42.3125	2004
23.01.2020 12:02:18	1	1	1	1	102.8	62.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.25	2004
23.01.2020 12:02:19	1	1	1	1	102.8	62.25	0	28341.232	565.5913978	15907.10189	30000	0	0	30000	42.3125	2004
23.01.2020 12:02:20	1	1	1	1	102.8	62.25	0	28530.806	554.8387097	15681.24371	30000	0	0	30000	42.375	2004
23.01.2020 12:02:21	1	1	1	1	102.8	62.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	42.1875	2004
23.01.2020 12:02:22	1	1	1	1	102.5	62	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	41.875	2004
23.01.2020 12:02:23	1	1	1	1	102.5	61.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42	2004
23.01.2020 12:02:24	1	1	1	1	102.5	62	0	28388.626	559.1397849	15960.91648	30000	0	0	30000	42.25	2004
23.01.2020 12:02:25	1	1	1	1	102.5	61.75	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	42.375	2004
23.01.2020 12:02:26	1	1	1	1	102.5	62.25	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	42.3125	2004
23.01.2020 12:02:27	1	1	1	1	102.5	62.25	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	42.375	2004
23.01.2020 12:02:28	1	1	1	1	102.5	62.25	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	42.375	2004
23.01.2020 12:02:29	1	1	1	1	102.5	62.25	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	42.5	2004
23.01.2020 12:02:30	1	1	1	1	102.5	62.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:31	1	1	1	1	102.8	62.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	42.25	2004
23.01.2020 12:02:32	1	1	1	1	102.8	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.3125	2004
23.01.2020 12:02:33	1	1	1	1	102.8	62.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.375	2004
23.01.2020 12:02:34	1	1	1	1	102.8	62.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.25	2004
23.01.2020 12:02:35	1	1	1	1	102.8	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
23.01.2020 12:02:42	1	1	1	1	102	61.75	0	27630.332	580.6451613	15756.25798	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:42	1	1	1	1	102	61.75	0	27630.332	580.6451613	15756.25798	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:02:42	1	1	1	1	102	61.75	0	27630.332	580.6451613	15756.25798	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:42	1	1	1	1	102	61.75	0	27630.332	580.6451613	15756.25798	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:42	1	1	1	1	102	61.75	0	27630.332	580.6451613	15756.25798	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:42	1	1	1	1	102	61.75	0	27630.332	580.6451613	15756.25798	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:43	1	1	1	1	102	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
23.01.2020 12:02:44	1	1	1	1	102	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.25	2004
23.01.2020 12:02:45	1	1	1	1	102	62.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:46	1	1	1	1	102	62.25	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	42.375	2004
23.01.2020 12:02:47	1	1	1	1	102	62.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.375	2004
23.01.2020 12:02:48	1	1	1	1	102	62.25	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	42.25	2004
23.01.2020 12:02:49	1	1	1	1	102	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:50	1	1	1	1	102	62.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.5	2004
23.01.2020 12:02:51	1	1	1	1	102	62.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.5625	2004
23.01.2020 12:02:52	1	1	1	1	101.5	62.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.3125	2004
23.01.2020 12:02:53	1	1	1	1	101.5	62.25	0	27440.758	582.7956989	15756.25798	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:54	1	1	1	1	101.5	62.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.25	2004
23.01.2020 12:02:55	1	1	1	1	101.5	62.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.4375	2004
23.01.2020 12:02:56	1	1	1	1	101.5	62.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
23.01.2020 12:02:57	1	1	1	1	101.5	61.5	0	27630.332	580.6451613	16221.0203	30000	0	0	30000	42.5	2004
23.01.2020 12:02:58	1	1	1	1	101.5	62.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
23.01.2020 12:02:59	1	1	1	1	101.5	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.8125	2004
23.01.2020 12:03:00	1	1	1	1	101.5	62.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.5	2004
23.01.2020 12:03:01	1	1	1	1	101.5	62.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.75	2004
23.01.2020 12:03:02	1	1	1	1	101	62.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	42.6875	2004
23.01.2020 12:03:03	1	1	1	1	101	62.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
23.01.2020 12:03:04	1	1	1	1	101	62.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	42.4375	2004
23.01.2020 12:03:05	1	1	1	1	101	62.25	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	42.4375	2004
23.01.2020 12:03:06	1	1	1	1	101	62.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	42.25	2004
23.01.2020 12:03:07	1	1	1	1	101	62.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.5	2004
23.01.2020 12:03:08	1	1	1	1	101	62.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	42.4375	2004
23.01.2020 12:03:09	1	1	1	1	101	62.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	42.0625	2004
23.01.2020 12:03:10	1	1	1	1	101	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.9375	2004
23.01.2020 12:03:11	1	1	1	1	100.5	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.125	2004
23.01.2020 12:03:12	1	1	1	1	100.5	62	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	41.8125	2004
23.01.2020 12:03:13	1	1	1	1	100.5	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:14	1	1	1	1	100.5	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:15	1	1	1	1	100.5	62.25	0	29857.82	539.7849462	15848.39508	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:16	1	1	1	1	100.5	62.25	0	30000	522.5806452	15523.87682	30000	0	0	30000	42.25	2004
23.01.2020 12:03:17	1	1	1	1	100.5	62.25	0	30000	511.827957	15354.27935	30000	0	0	30000	42.25	2004
23.01.2020 12:03:18	1	1	1	1	100.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.75	2004
23.01.2020 12:03:19	1	1	1	1	100.5	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.8125	2004
23.01.2020 12:03:21	1	1	1	1	100.5	61.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.375	2004
23.01.2020 12:03:22	1	1	1	1	100.5	62.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:03:23	1	1	1	1	100.5	62	0	30000	481.7204301	13999.94564	30000	0	0	30000	42	2004
23.01.2020 12:03:24	1	1	1	1	100.5	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.375	2004
23.01.2020 12:03:25	1	1	1	1	100.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
23.01.2020 12:03:26	1	1	1	1	100.5	62.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:27	1	1	1	1	100.5	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.4375	2004
23.01.2020 12:03:28	1	1	1	1	100.5	62.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.4375	2004
23.01.2020 12:03:29	1	1	1	1	100.5	62.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.625	2004
23.01.2020 12:03:30	1	1	1	1	100.5	62.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	42	2004
23.01.2020 12:03:31	1	1	1	1	100.5	62	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	42.1875	2004
23.01.2020 12:03:32	1	1	1	1	100.5	62	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	42.5625	2004
23.01.2020 12:03:33	1	1	1	1	100.5	62.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.125	2004
23.01.2020 12:03:34	1	1	1	1	100.5	62	0	29336.493	548.3870968	16124.80635	30000	0	0	30000	42.5	2004
23.01.2020 12:03:35	1	1	1	1	100.5	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.25	2004
23.01.2020 12:03:36	1	1	1	1	100.5	62.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	42.0625	2004
23.01.2020 12:03:37	1	1	1	1	100.5	62	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	42.1875	2004
23.01.2020 12:03:43	1	1	1	1	100	62.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:43	1	1	1	1	100	62.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:43	1	1	1	1	100	62.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:43	1	1	1	1	100	62.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:43	1	1	1	1	100	62.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:43	1	1	1	1	100	62.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:44	1	1	1	1	100	62.25	0	29004.739	554.8387097	16066.09953	30000	0	0	30000	42.625	2004
23.01.2020 12:03:45	1	1	1	1	100	62.5	0	28815.166	559.1397849	15863.88715	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:46	1	1	1	1	100	62.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42	2004
23.01.2020 12:03:47	1	1	1	1	100	62	0	28815.166	556.9892473	16031.85389	30000	0	0	30000	42.4375	2004
23.01.2020 12:03:48	1	1	1	1	100	62.25	0	28957.346	554.8387097	16101.97592	30000	0	0	30000	42.125	2004
23.01.2020 12:03:49	1	1	1	1	100	62	0	28815.166	546.2365591	15951.94738	30000	0	0	30000	42.4375	2004
23.01.2020 12:03:50	1	1	1	1	100	62.25	0	28815.166	546.2365591	15863.88715	30000	0	0	30000	42.5	2004
23.01.2020 12:03:51	1	1	1	1	99.75	62.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.25	2004
23.01.2020 12:03:52	1	1	1	1	99.75	62.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.3125	2004
23.01.2020 12:03:53	1	1	1	1	99.75	62.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	42.5	2004
23.01.2020 12:03:54	1	1	1	1	99.75	62.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.25	2004
23.01.2020 12:03:55	1	1	1	1	99.75	62.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.375	2004
23.01.2020 12:03:56	1	1	1	1	99.75	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.625	2004
23.01.2020 12:03:57	1	1	1	1	99.75	62.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	42.125	2004
23.01.2020 12:03:59	1	1	1	1	99.75	62	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.3125	2004
23.01.2020 12:04:00	1	1	1	1	99.75	62.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.625	2004
23.01.2020 12:04:01	1	1	1	1	99.75	62.5	0	28625.592	554.8387097	15969.88558	30000	0	0	30000	42.3125	2004
23.01.2020 12:04:02	1	1	1	1	99.5	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.5	2004
23.01.2020 12:04:03	1	1	1	1	99.5	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.625	2004
23.01.2020 12:04:04	1	1	1	1	99.5	62.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.4375	2004
23.01.2020 12:04:05	1	1	1	1	99.5	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
23.01.2020 12:04:06	1	1	1	1	99.5	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:04:07	1	1	1	1	99.5	62	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	42.375	2004
23.01.2020 12:04:08	1	1	1	1	99.5	62.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.3125	2004
23.01.2020 12:04:09	1	1	1	1	99.5	62.25	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	42.0625	2004
23.01.2020 12:04:10	1	1	1	1	99.5	62	0	28815.166	554.8387097	16075.884	30000	0	0	30000	42.3125	2004
23.01.2020 12:04:11	1	1	1	1	99.5	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.4375	2004
23.01.2020 12:04:12	1	1	1	1	99	62.25	0	29052.133	548.3870968	16046.53059	30000	0	0	30000	42.5625	2004
23.01.2020 12:04:13	1	1	1	1	99	62.5	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	42.0625	2004
23.01.2020 12:04:14	1	1	1	1	99	62	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.625	2004
23.01.2020 12:04:15	1	1	1	1	99	62.5	0	29905.213	518.2795699	15548.338	30000	0	0	30000	42.5625	2004
23.01.2020 12:04:16	1	1	1	1	99	62.5	0	29905.213	516.1290323	15459.4624	30000	0	0	30000	42.5	2004
23.01.2020 12:04:17	1	1	1	1	99	62.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.625	2004
23.01.2020 12:04:18	1	1	1	1	99	62.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	42	2004
23.01.2020 12:04:19	1	1	1	1	99	62	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.9375	2004
23.01.2020 12:04:20	1	1	1	1	99	62	0	30000	529.0322581	15805.99571	30000	0	0	30000	42.3125	2004
23.01.2020 12:04:21	1	1	1	1	99	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.4375	2004
23.01.2020 12:04:22	1	1	1	1	99	62.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.1875	2004
23.01.2020 12:04:23	1	1	1	1	99	62	0	29763.033	533.3333333	15898.94817	30000	0	0	30000	42.6875	2004
23.01.2020 12:04:24	1	1	1	1	99	62.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	42.3125	2004
23.01.2020 12:04:25	1	1	1	1	99	62.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.875	2004
23.01.2020 12:04:26	1	1	1	1	99	61.75	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	42.4375	2004
23.01.2020 12:04:27	1	1	1	1	99	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.625	2004
23.01.2020 12:04:28	1	1	1	1	99	62.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.125	2004
23.01.2020 12:04:29	1	1	1	1	99	62	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.1875	2004
23.01.2020 12:04:30	1	1	1	1	99	62	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	42.5	2004
23.01.2020 12:04:31	1	1	1	1	98.25	62.5	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	42.375	2004
23.01.2020 12:04:32	1	1	1	1	98.25	62.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.9375	2004
23.01.2020 12:04:33	1	1	1	1	98.25	61.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.625	2004
23.01.2020 12:04:34	1	1	1	1	98.25	62.5	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	42.625	2004
23.01.2020 12:04:36	1	1	1	1	98.25	62.5	0	29810.427	537.6344086	16154.97513	30000	0	0	30000	42.0625	2004
23.01.2020 12:04:37	1	1	1	1	98.25	62	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	42.6875	2004
23.01.2020 12:04:38	1	1	1	1	98.25	62.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.6875	2004
23.01.2020 12:04:39	1	1	1	1	98.25	62.5	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	42.1875	2004
23.01.2020 12:04:45	1	1	1	1	98	62.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.75	2004
23.01.2020 12:04:45	1	1	1	1	98	62.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.75	2004
23.01.2020 12:04:45	1	1	1	1	98	62.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.75	2004
23.01.2020 12:04:45	1	1	1	1	98	62.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.75	2004
23.01.2020 12:04:45	1	1	1	1	98	62.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.75	2004
23.01.2020 12:04:46	1	1	1	1	98	61.75	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	42	2004
23.01.2020 12:04:47	1	1	1	1	98	62	0	29431.28	544.0860215	16064.46878	30000	0	0	30000	42.625	2004
23.01.2020 12:04:48	1	1	1	1	98	62.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.8125	2004
23.01.2020 12:04:49	1	1	1	1	98	61.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.5	2004
23.01.2020 12:04:50	1	1	1	1	98	62.5	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:04:51	1	1	1	1	98	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.3125	2004
23.01.2020 12:04:52	1	1	1	1	97.25	62.25	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	41.9375	2004
23.01.2020 12:04:53	1	1	1	1	97.25	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.5625	2004
23.01.2020 12:04:54	1	1	1	1	97.25	62.5	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	42.1875	2004
23.01.2020 12:04:55	1	1	1	1	97.25	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.5	2004
23.01.2020 12:04:56	1	1	1	1	97.25	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.875	2004
23.01.2020 12:04:57	1	1	1	1	97.25	62.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	42.75	2004
23.01.2020 12:04:58	1	1	1	1	97.25	62.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.75	2004
23.01.2020 12:04:59	1	1	1	1	97.25	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.5625	2004
23.01.2020 12:05:00	1	1	1	1	97.25	62.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.5625	2004
23.01.2020 12:05:01	1	1	1	1	97.25	62.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.5	2004
23.01.2020 12:05:02	1	1	1	1	97.25	62.5	0	28862.559	554.8387097	16004.13122	30000	0	0	30000	42.6875	2004
23.01.2020 12:05:03	1	1	1	1	97.25	62.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.6875	2004
23.01.2020 12:05:04	1	1	1	1	97.25	62.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.875	2004
23.01.2020 12:05:05	1	1	1	1	97.25	62.75	0	28625.592	552.688172	15987.82377	30000	0	0	30000	42.1875	2004
23.01.2020 12:05:06	1	1	1	1	97.25	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.1875	2004
23.01.2020 12:05:07	1	1	1	1	97.25	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.5	2004
23.01.2020 12:05:08	1	1	1	1	97.25	62.5	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	42.5625	2004
23.01.2020 12:05:09	1	1	1	1	97.25	62.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.5625	2004
23.01.2020 12:05:10	1	1	1	1	97.25	62.5	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	42.3125	2004
23.01.2020 12:05:11	1	1	1	1	97	62.25	0	28625.592	552.688172	16049.79208	30000	0	0	30000	42.5	2004
23.01.2020 12:05:12	1	1	1	1	97	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.75	2004
23.01.2020 12:05:14	1	1	1	1	97	62.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.5	2004
23.01.2020 12:05:15	1	1	1	1	97	62.5	0	29810.427	539.7849462	15783.98065	30000	0	0	30000	42.3125	2004
23.01.2020 12:05:16	1	1	1	1	97	62.25	0	29905.213	505.3763441	15483.92357	30000	0	0	30000	42.375	2004
23.01.2020 12:05:17	1	1	1	1	97	62.25	0	30000	483.8709677	14603.32128	30000	0	0	30000	42.25	2004
23.01.2020 12:05:18	1	1	1	1	97	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.125	2004
23.01.2020 12:05:19	1	1	1	1	97	62	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.3125	2004
23.01.2020 12:05:20	1	1	1	1	97	62.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	42.625	2004
23.01.2020 12:05:21	1	1	1	1	97	62.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.375	2004
23.01.2020 12:05:22	1	1	1	1	96.5	62.25	0	30000	488.172043	14580.49085	30000	0	0	30000	42.5	2004
23.01.2020 12:05:23	1	1	1	1	96.5	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.25	2004
23.01.2020 12:05:24	1	1	1	1	96.5	62.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.5625	2004
23.01.2020 12:05:25	1	1	1	1	96.5	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.5625	2004
23.01.2020 12:05:26	1	1	1	1	96.5	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.5625	2004
23.01.2020 12:05:27	1	1	1	1	96.5	62.5	0	29668.246	541.9354839	15925.04009	30000	0	0	30000	42.125	2004
23.01.2020 12:05:28	1	1	1	1	96.5	62	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	41.8125	2004
23.01.2020 12:05:29	1	1	1	1	96.5	61.75	0	29336.493	535.483871	15835.34912	30000	0	0	30000	42.4375	2004
23.01.2020 12:05:30	1	1	1	1	96.5	62.25	0	30000	520.4301075	15741.58128	30000	0	0	30000	42.75	2004
23.01.2020 12:05:31	1	1	1	1	96.5	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.3125	2004
23.01.2020 12:05:32	1	1	1	1	96.5	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.3125	2004
23.01.2020 12:05:33	1	1	1	1	96.5	62.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.6875	2004
23.01.2020 12:05:34	1	1	1	1	96.5	62.5	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:05:35	1	1	1	1	96.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 12:05:36	1	1	1	1	96.5	63	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.5	2004
23.01.2020 12:05:37	1	1	1	1	96.5	62.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.75	2004
23.01.2020 12:05:38	1	1	1	1	96.5	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.625	2004
23.01.2020 12:05:39	1	1	1	1	96.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.625	2004
23.01.2020 12:05:40	1	1	1	1	96.5	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
23.01.2020 12:05:47	1	1	1	1	96.75	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.75	2004
23.01.2020 12:05:47	1	1	1	1	96.75	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.75	2004
23.01.2020 12:05:47	1	1	1	1	96.75	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.75	2004
23.01.2020 12:05:47	1	1	1	1	96.75	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.75	2004
23.01.2020 12:05:47	1	1	1	1	96.75	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.75	2004
23.01.2020 12:05:47	1	1	1	1	96.75	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.75	2004
23.01.2020 12:05:49	1	1	1	1	96.75	62.5	0	30000	423.655914	12773.62542	30000	0	0	30000	42.6875	2004
23.01.2020 12:05:49	1	1	1	1	96.75	62.5	0	30000	423.655914	12773.62542	30000	0	0	30000	42.6875	2004
23.01.2020 12:05:49	1	1	1	1	96.75	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
23.01.2020 12:05:50	1	1	1	1	96.75	62.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.625	2004
23.01.2020 12:05:51	1	1	1	1	96	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.625	2004
23.01.2020 12:05:53	1	1	1	1	96	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.625	2004
23.01.2020 12:05:54	1	1	1	1	96	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.4375	2004
23.01.2020 12:05:55	1	1	1	1	96	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
23.01.2020 12:05:56	1	1	1	1	96	62.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	42.25	2004
23.01.2020 12:05:57	1	1	1	1	96	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.625	2004
23.01.2020 12:05:58	1	1	1	1	96	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.8125	2004
23.01.2020 12:05:59	1	1	1	1	96	62.75	0	30000	516.1290323	15548.338	30000	0	0	30000	42.875	2004
23.01.2020 12:06:00	1	1	1	1	96	62.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.25	2004
23.01.2020 12:06:01	1	1	1	1	96	62.25	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	42.0625	2004
23.01.2020 12:06:02	1	1	1	1	95.75	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.125	2004
23.01.2020 12:06:03	1	1	1	1	95.75	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.6875	2004
23.01.2020 12:06:04	1	1	1	1	95.75	62.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
23.01.2020 12:06:05	1	1	1	1	95.75	62.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.5625	2004
23.01.2020 12:06:06	1	1	1	1	95.75	62.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.875	2004
23.01.2020 12:06:07	1	1	1	1	95.75	62.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	42.75	2004
23.01.2020 12:06:08	1	1	1	1	95.75	62.75	0	29336.493	535.483871	16013.10032	30000	0	0	30000	42.0625	2004
23.01.2020 12:06:09	1	1	1	1	95.75	62	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	42.75	2004
23.01.2020 12:06:10	1	1	1	1	95.75	62.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.8125	2004
23.01.2020 12:06:11	1	1	1	1	95.75	62.75	0	29146.919	541.9354839	15545.07651	30000	0	0	30000	42.5625	2004
23.01.2020 12:06:12	1	1	1	1	95.25	62.5	0	29431.28	550.5376344	16139.48305	30000	0	0	30000	42.6875	2004
23.01.2020 12:06:13	1	1	1	1	95.25	62.5	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	42.875	2004
23.01.2020 12:06:14	1	1	1	1	95.25	62.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	43.1875	2004
23.01.2020 12:06:15	1	1	1	1	95.25	63	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	42.8125	2004
23.01.2020 12:06:16	1	1	1	1	95.25	62.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.5	2004
23.01.2020 12:06:17	1	1	1	1	95.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.4375	2004
23.01.2020 12:06:18	1	1	1	1	95.25	62.25	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:06:19	1	1	1	1	95.25	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.6875	2004
23.01.2020 12:06:20	1	1	1	1	95.25	62.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.625	2004
23.01.2020 12:06:21	1	1	1	1	95	62.5	0	29668.246	539.7849462	15733.42755	30000	0	0	30000	42.1875	2004
23.01.2020 12:06:22	1	1	1	1	95	62	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.5625	2004
23.01.2020 12:06:23	1	1	1	1	95	62.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.5	2004
23.01.2020 12:06:24	1	1	1	1	95	62.5	0	29715.64	537.6344086	15861.44103	30000	0	0	30000	42.5625	2004
23.01.2020 12:06:25	1	1	1	1	95	62.5	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	42.5625	2004
23.01.2020 12:06:26	1	1	1	1	95	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.6875	2004
23.01.2020 12:06:27	1	1	1	1	95	62.5	0	30000	511.827957	15137.39026	30000	0	0	30000	41.5625	2004
23.01.2020 12:06:28	1	1	1	1	95	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
23.01.2020 12:06:29	1	1	1	1	95	62.25	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	42.1875	2004
23.01.2020 12:06:31	1	1	1	1	95	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
23.01.2020 12:06:32	1	1	1	1	94.75	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.875	2004
23.01.2020 12:06:33	1	1	1	1	94.75	62.75	0	30000	507.5268817	15008.56141	30000	0	0	30000	42.625	2004
23.01.2020 12:06:34	1	1	1	1	94.75	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.6875	2004
23.01.2020 12:06:35	1	1	1	1	94.75	62.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.0625	2004
23.01.2020 12:06:36	1	1	1	1	94.75	62	0	30000	520.4301075	15612.75243	30000	0	0	30000	42.0625	2004
23.01.2020 12:06:37	1	1	1	1	94.75	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.8125	2004
23.01.2020 12:06:38	1	1	1	1	94.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.875	2004
23.01.2020 12:06:39	1	1	1	1	94.75	62.75	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	42.8125	2004
23.01.2020 12:06:40	1	1	1	1	94.75	62.75	0	29810.427	535.483871	16116.65262	30000	0	0	30000	42.75	2004
23.01.2020 12:06:41	1	1	1	1	94.75	62.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.75	2004
23.01.2020 12:06:42	1	1	1	1	95.25	62.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.75	2004
23.01.2020 12:06:48	1	1	1	1	95.25	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.875	2004
23.01.2020 12:06:48	1	1	1	1	95.25	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.875	2004
23.01.2020 12:06:48	1	1	1	1	95.25	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.875	2004
23.01.2020 12:06:48	1	1	1	1	95.25	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.875	2004
23.01.2020 12:06:48	1	1	1	1	95.25	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.875	2004
23.01.2020 12:06:48	1	1	1	1	95.25	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.875	2004
23.01.2020 12:06:49	1	1	1	1	95.25	62.75	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	42.6875	2004
23.01.2020 12:06:50	1	1	1	1	95.25	62.5	0	29431.28	535.483871	15911.99413	30000	0	0	30000	42.5	2004
23.01.2020 12:06:51	1	1	1	1	95.25	62.5	0	29431.28	541.9354839	16229.17403	30000	0	0	30000	42.375	2004
23.01.2020 12:06:52	1	1	1	1	95	62.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	42.625	2004
23.01.2020 12:06:53	1	1	1	1	95	62.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	42.75	2004
23.01.2020 12:06:54	1	1	1	1	95	62.75	0	29478.673	550.5376344	16038.37687	30000	0	0	30000	42.9375	2004
23.01.2020 12:06:55	1	1	1	1	95	62.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43	2004
23.01.2020 12:06:56	1	1	1	1	95	63	0	29099.526	544.0860215	15832.08763	30000	0	0	30000	42.8125	2004
23.01.2020 12:06:57	1	1	1	1	95	62.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.8125	2004
23.01.2020 12:06:58	1	1	1	1	95	62.75	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	42.875	2004
23.01.2020 12:06:59	1	1	1	1	95	62.75	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	42.6875	2004
23.01.2020 12:07:00	1	1	1	1	95	62.5	0	29241.706	552.688172	16108.4989	30000	0	0	30000	42.875	2004
23.01.2020 12:07:01	1	1	1	1	94.5	62.75	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	42.5	2004
23.01.2020 12:07:02	1	1	1	1	94.5	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:07:03	1	1	1	1	94.5	62.75	0	29146.919	552.688172	16082.40698	30000	0	0	30000	42.6875	2004
23.01.2020 12:07:04	1	1	1	1	94.5	62.5	0	29241.706	544.0860215	16035.11538	30000	0	0	30000	42.0625	2004
23.01.2020 12:07:05	1	1	1	1	94.5	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.875	2004
23.01.2020 12:07:06	1	1	1	1	94.5	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.75	2004
23.01.2020 12:07:07	1	1	1	1	94.5	62.75	0	28862.559	550.5376344	16128.88321	30000	0	0	30000	42.5625	2004
23.01.2020 12:07:08	1	1	1	1	94.5	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.6875	2004
23.01.2020 12:07:10	1	1	1	1	94.5	62.5	0	29099.526	552.688172	16145.19066	30000	0	0	30000	42.75	2004
23.01.2020 12:07:11	1	1	1	1	94.5	62.75	0	29146.919	556.9892473	16046.53059	30000	0	0	30000	42.375	2004
23.01.2020 12:07:12	1	1	1	1	94	62.25	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	42.9375	2004
23.01.2020 12:07:13	1	1	1	1	94	62.75	0	29431.28	550.5376344	16139.48305	30000	0	0	30000	42.875	2004
23.01.2020 12:07:14	1	1	1	1	94	62.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.8125	2004
23.01.2020 12:07:15	1	1	1	1	94	62.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	42.8125	2004
23.01.2020 12:07:16	1	1	1	1	94	62.75	0	29478.673	537.6344086	15784.79602	30000	0	0	30000	42.75	2004
23.01.2020 12:07:17	1	1	1	1	94	62.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.9375	2004
23.01.2020 12:07:18	1	1	1	1	94	62.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.9375	2004
23.01.2020 12:07:19	1	1	1	1	94	62.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.0625	2004
23.01.2020 12:07:20	1	1	1	1	94	63	0	29383.886	544.0860215	16075.884	30000	0	0	30000	42.375	2004
23.01.2020 12:07:21	1	1	1	1	94	62.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.625	2004
23.01.2020 12:07:22	1	1	1	1	93.5	62.5	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	42.625	2004
23.01.2020 12:07:23	1	1	1	1	93.5	62.5	0	29336.493	544.0860215	15835.34912	30000	0	0	30000	42.375	2004
23.01.2020 12:07:24	1	1	1	1	93.5	62.25	0	29431.28	544.0860215	16050.60745	30000	0	0	30000	42.875	2004
23.01.2020 12:07:25	1	1	1	1	93.5	62.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	42.6875	2004
23.01.2020 12:07:26	1	1	1	1	93.5	62.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43	2004
23.01.2020 12:07:27	1	1	1	1	93.5	63	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	42.4375	2004
23.01.2020 12:07:28	1	1	1	1	93.5	62.25	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	42.625	2004
23.01.2020 12:07:29	1	1	1	1	93.5	62.5	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	42.875	2004
23.01.2020 12:07:30	1	1	1	1	93.5	62.75	0	29905.213	539.7849462	16077.51474	30000	0	0	30000	42.6875	2004
23.01.2020 12:07:31	1	1	1	1	93.5	62.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	43.0625	2004
23.01.2020 12:07:32	1	1	1	1	92.75	63	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.375	2004
23.01.2020 12:07:33	1	1	1	1	92.75	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.375	2004
23.01.2020 12:07:34	1	1	1	1	92.75	63.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	42.6875	2004
23.01.2020 12:07:35	1	1	1	1	92.75	63.25	0	30000	535.483871	16039.19224	30000	0	0	30000	42.6875	2004
23.01.2020 12:07:36	1	1	1	1	92.75	62.5	0	29478.673	535.483871	15759.51947	30000	0	0	30000	42.8125	2004
23.01.2020 12:07:37	1	1	1	1	92.75	62.75	0	29620.853	537.6344086	15975.59318	30000	0	0	30000	42.5625	2004
23.01.2020 12:07:38	1	1	1	1	92.75	62.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	42.875	2004
23.01.2020 12:07:39	1	1	1	1	92.75	62.75	0	29526.066	546.2365591	15911.99413	30000	0	0	30000	43.0625	2004
23.01.2020 12:07:40	1	1	1	1	92.75	63	0	29146.919	546.2365591	15832.08763	30000	0	0	30000	43	2004
23.01.2020 12:07:41	1	1	1	1	93	63	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	42.75	2004
23.01.2020 12:07:42	1	1	1	1	93	62.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.875	2004
23.01.2020 12:07:43	1	1	1	1	93	62.75	0	28909.953	548.3870968	15942.16291	30000	0	0	30000	42.875	2004
23.01.2020 12:07:50	1	1	1	1	93	62.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.4375	2004
23.01.2020 12:07:50	1	1	1	1	93	62.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.4375	2004
23.01.2020 12:07:50	1	1	1	1	93	62.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:07:50	1	1	1	1	93	62.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.4375	2004
23.01.2020 12:07:50	1	1	1	1	93	62.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.4375	2004
23.01.2020 12:07:50	1	1	1	1	93	62.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.4375	2004
23.01.2020 12:07:51	1	1	1	1	93	62.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.75	2004
23.01.2020 12:07:52	1	1	1	1	92.75	62.75	0	28862.559	552.688172	16128.88321	30000	0	0	30000	42.625	2004
23.01.2020 12:07:53	1	1	1	1	92.75	62.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.8125	2004
23.01.2020 12:07:54	1	1	1	1	92.75	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.9375	2004
23.01.2020 12:07:55	1	1	1	1	92.75	62.75	0	29052.133	552.688172	16181.06705	30000	0	0	30000	42.8125	2004
23.01.2020 12:07:56	1	1	1	1	92.75	62.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.9375	2004
23.01.2020 12:07:57	1	1	1	1	92.75	62.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.9375	2004
23.01.2020 12:07:58	1	1	1	1	92.75	62.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.5	2004
23.01.2020 12:07:59	1	1	1	1	92.75	62.5	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	42.75	2004
23.01.2020 12:08:00	1	1	1	1	92.75	62.75	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	42.75	2004
23.01.2020 12:08:01	1	1	1	1	92.75	62.75	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	42.9375	2004
23.01.2020 12:08:02	1	1	1	1	92.5	62.75	0	28957.346	559.1397849	16190.85152	30000	0	0	30000	42.9375	2004
23.01.2020 12:08:03	1	1	1	1	92.5	62.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.8125	2004
23.01.2020 12:08:04	1	1	1	1	92.5	62.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	43	2004
23.01.2020 12:08:05	1	1	1	1	92.5	63	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.9375	2004
23.01.2020 12:08:06	1	1	1	1	92.5	62.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.5	2004
23.01.2020 12:08:07	1	1	1	1	92.5	62.5	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	42.125	2004
23.01.2020 12:08:08	1	1	1	1	92.5	62	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43	2004
23.01.2020 12:08:09	1	1	1	1	92.5	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.5	2004
23.01.2020 12:08:10	1	1	1	1	92.5	62.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.125	2004
23.01.2020 12:08:11	1	1	1	1	92.5	63	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	42.9375	2004
23.01.2020 12:08:12	1	1	1	1	92.75	62.75	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	42.875	2004
23.01.2020 12:08:13	1	1	1	1	92.75	62.75	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	42.875	2004
23.01.2020 12:08:14	1	1	1	1	92.75	62.75	0	29526.066	546.2365591	16000.86973	30000	0	0	30000	43.125	2004
23.01.2020 12:08:15	1	1	1	1	92.75	63	0	29810.427	537.6344086	15987.82377	30000	0	0	30000	42.875	2004
23.01.2020 12:08:16	1	1	1	1	92.75	62.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.0625	2004
23.01.2020 12:08:17	1	1	1	1	92.75	63	0	29857.82	533.3333333	15770.11932	30000	0	0	30000	43	2004
23.01.2020 12:08:18	1	1	1	1	92.75	63	0	29952.607	537.6344086	16077.51474	30000	0	0	30000	42.6875	2004
23.01.2020 12:08:19	1	1	1	1	92.75	62.5	0	29857.82	535.483871	15924.22472	30000	0	0	30000	43	2004
23.01.2020 12:08:20	1	1	1	1	92.75	63	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.5625	2004
23.01.2020 12:08:21	1	1	1	1	92.5	62.5	0	30000	507.5268817	15354.27935	30000	0	0	30000	42.625	2004
23.01.2020 12:08:22	1	1	1	1	92.5	62.5	0	30047.393	529.0322581	15805.99571	30000	0	0	30000	42.75	2004
23.01.2020 12:08:23	1	1	1	1	92.5	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.8125	2004
23.01.2020 12:08:24	1	1	1	1	92.5	62.75	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	42.25	2004
23.01.2020 12:08:25	1	1	1	1	92.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.8125	2004
23.01.2020 12:08:26	1	1	1	1	92.5	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 12:08:28	1	1	1	1	92.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
23.01.2020 12:08:29	1	1	1	1	92.5	62.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	42.625	2004
23.01.2020 12:08:30	1	1	1	1	92.5	62.5	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	43.125	2004
23.01.2020 12:08:31	1	1	1	1	92.5	63	0	30000	464.516129	13935.53122	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:08:32	1	1	1	1	92	62.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 12:08:33	1	1	1	1	92	62.75	0	30000	509.6774194	15112.92909	30000	0	0	30000	42.125	2004
23.01.2020 12:08:34	1	1	1	1	92	62	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.8125	2004
23.01.2020 12:08:35	1	1	1	1	92	62.75	0	29810.427	526.8817204	16013.10032	30000	0	0	30000	42.6875	2004
23.01.2020 12:08:36	1	1	1	1	92	62.5	0	29668.246	544.0860215	16115.83725	30000	0	0	30000	43	2004
23.01.2020 12:08:37	1	1	1	1	92	63	0	29526.066	541.9354839	15696.73579	30000	0	0	30000	42.9375	2004
23.01.2020 12:08:38	1	1	1	1	92	62.75	0	29431.28	541.9354839	16203.08211	30000	0	0	30000	42.9375	2004
23.01.2020 12:08:39	1	1	1	1	92	62.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	42.75	2004
23.01.2020 12:08:40	1	1	1	1	92	62.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	43.125	2004
23.01.2020 12:08:41	1	1	1	1	92	63	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.1875	2004
23.01.2020 12:08:42	1	1	1	1	91.75	63	0	29099.526	539.7849462	15858.17955	30000	0	0	30000	43.0625	2004
23.01.2020 12:08:43	1	1	1	1	91.75	63	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.0625	2004
23.01.2020 12:08:44	1	1	1	1	91.75	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.25	2004
23.01.2020 12:08:45	1	1	1	1	91.75	62.25	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	43.0625	2004
23.01.2020 12:08:51	1	1	1	1	91.75	62.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.875	2004
23.01.2020 12:08:51	1	1	1	1	91.75	62.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.875	2004
23.01.2020 12:08:51	1	1	1	1	91.75	62.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.875	2004
23.01.2020 12:08:51	1	1	1	1	91.75	62.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.875	2004
23.01.2020 12:08:51	1	1	1	1	91.75	62.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.875	2004
23.01.2020 12:08:51	1	1	1	1	91.75	62.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.875	2004
23.01.2020 12:08:52	1	1	1	1	91.75	62.75	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	42.75	2004
23.01.2020 12:08:53	1	1	1	1	91.75	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.8125	2004
23.01.2020 12:08:54	1	1	1	1	91.75	62.75	0	29431.28	546.2365591	15898.1328	30000	0	0	30000	42.25	2004
23.01.2020 12:08:55	1	1	1	1	91.75	62.25	0	29526.066	533.3333333	16026.96165	30000	0	0	30000	43.1875	2004
23.01.2020 12:08:56	1	1	1	1	91.75	63	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	42.75	2004
23.01.2020 12:08:57	1	1	1	1	91.75	62.75	0	29336.493	546.2365591	16213.68195	30000	0	0	30000	43.125	2004
23.01.2020 12:08:58	1	1	1	1	91.75	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.125	2004
23.01.2020 12:08:59	1	1	1	1	91.75	63	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:00	1	1	1	1	91.75	63	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43	2004
23.01.2020 12:09:01	1	1	1	1	92	63	0	29526.066	537.6344086	15683.68983	30000	0	0	30000	43.125	2004
23.01.2020 12:09:02	1	1	1	1	92	63	0	29336.493	535.483871	15797.84198	30000	0	0	30000	42.6875	2004
23.01.2020 12:09:03	1	1	1	1	92	62.5	0	29573.46	537.6344086	15683.68983	30000	0	0	30000	42.625	2004
23.01.2020 12:09:04	1	1	1	1	92	62.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	42.375	2004
23.01.2020 12:09:05	1	1	1	1	92	62.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.5625	2004
23.01.2020 12:09:07	1	1	1	1	92	62.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	42.0625	2004
23.01.2020 12:09:08	1	1	1	1	92	62	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:09	1	1	1	1	92	63	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43	2004
23.01.2020 12:09:10	1	1	1	1	92	63	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	42.6875	2004
23.01.2020 12:09:11	1	1	1	1	92	62.5	0	29431.28	544.0860215	15771.75006	30000	0	0	30000	43.1875	2004
23.01.2020 12:09:12	1	1	1	1	91.25	63	0	29431.28	546.2365591	16075.884	30000	0	0	30000	42.9375	2004
23.01.2020 12:09:13	1	1	1	1	91.25	62.75	0	29383.886	541.9354839	16165.57497	30000	0	0	30000	42.1875	2004
23.01.2020 12:09:14	1	1	1	1	91.25	62	0	29526.066	546.2365591	16154.15976	30000	0	0	30000	42.9375	2004
23.01.2020 12:09:15	1	1	1	1	91.25	62.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:09:16	1	1	1	1	91.25	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.25	2004
23.01.2020 12:09:17	1	1	1	1	91.25	62.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.9375	2004
23.01.2020 12:09:18	1	1	1	1	91.25	62.75	0	29289.1	541.9354839	15835.34912	30000	0	0	30000	42.6875	2004
23.01.2020 12:09:19	1	1	1	1	91.25	62.5	0	29431.28	548.3870968	16139.48305	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:20	1	1	1	1	91.25	63	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:21	1	1	1	1	91.25	63	0	29289.1	550.5376344	15732.61218	30000	0	0	30000	42.6875	2004
23.01.2020 12:09:22	1	1	1	1	91.75	62.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.6875	2004
23.01.2020 12:09:23	1	1	1	1	91.75	62.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.125	2004
23.01.2020 12:09:24	1	1	1	1	91.75	63	0	29668.246	544.0860215	16141.92917	30000	0	0	30000	43	2004
23.01.2020 12:09:25	1	1	1	1	91.75	63	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.9375	2004
23.01.2020 12:09:26	1	1	1	1	91.75	62.75	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	42.875	2004
23.01.2020 12:09:27	1	1	1	1	91.75	62.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	42.6875	2004
23.01.2020 12:09:28	1	1	1	1	91.75	62.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.25	2004
23.01.2020 12:09:29	1	1	1	1	91.75	62.25	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	42.875	2004
23.01.2020 12:09:30	1	1	1	1	91.75	62.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.25	2004
23.01.2020 12:09:31	1	1	1	1	91.75	63.5	0	29146.919	541.9354839	15846.76433	30000	0	0	30000	42.8125	2004
23.01.2020 12:09:32	1	1	1	1	91.75	62.75	0	29052.133	546.2365591	15879.37923	30000	0	0	30000	43	2004
23.01.2020 12:09:33	1	1	1	1	91.75	63	0	29099.526	552.688172	16082.40698	30000	0	0	30000	42.6875	2004
23.01.2020 12:09:34	1	1	1	1	91.75	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.125	2004
23.01.2020 12:09:35	1	1	1	1	91.75	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43	2004
23.01.2020 12:09:36	1	1	1	1	91.75	63	0	28815.166	552.688172	15951.94738	30000	0	0	30000	42.875	2004
23.01.2020 12:09:37	1	1	1	1	91.75	62.75	0	29336.493	550.5376344	16035.11538	30000	0	0	30000	42.875	2004
23.01.2020 12:09:38	1	1	1	1	91.75	62.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	42.375	2004
23.01.2020 12:09:39	1	1	1	1	91.75	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.75	2004
23.01.2020 12:09:40	1	1	1	1	91.75	62.75	0	29383.886	541.9354839	15885.90221	30000	0	0	30000	43	2004
23.01.2020 12:09:41	1	1	1	1	91	63	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	42.9375	2004
23.01.2020 12:09:42	1	1	1	1	91	62.75	0	29336.493	554.8387097	16035.11538	30000	0	0	30000	42.9375	2004
23.01.2020 12:09:43	1	1	1	1	91	62.75	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:45	1	1	1	1	91	63	0	29289.1	546.2365591	16035.11538	30000	0	0	30000	43.125	2004
23.01.2020 12:09:46	1	1	1	1	91	63	0	29241.706	544.0860215	15669.8285	30000	0	0	30000	42.5	2004
23.01.2020 12:09:47	1	1	1	1	91	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43	2004
23.01.2020 12:09:53	1	1	1	1	91	62.75	0	28957.346	544.0860215	15942.16291	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:53	1	1	1	1	91	62.75	0	28957.346	544.0860215	15942.16291	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:53	1	1	1	1	91	62.75	0	28957.346	544.0860215	15942.16291	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:53	1	1	1	1	91	62.75	0	28957.346	544.0860215	15942.16291	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:53	1	1	1	1	91	62.75	0	28957.346	544.0860215	15942.16291	30000	0	0	30000	43.0625	2004
23.01.2020 12:09:54	1	1	1	1	91	63	0	28625.592	554.8387097	15925.85546	30000	0	0	30000	43.25	2004
23.01.2020 12:09:55	1	1	1	1	91	63.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	43.25	2004
23.01.2020 12:09:56	1	1	1	1	91	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.875	2004
23.01.2020 12:09:57	1	1	1	1	91	62.75	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.125	2004
23.01.2020 12:09:58	1	1	1	1	91	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.6875	2004
23.01.2020 12:09:59	1	1	1	1	91	62.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:10:00	1	1	1	1	91	62.5	0	28625.592	556.9892473	15671.45924	30000	0	0	30000	43.125	2004
23.01.2020 12:10:01	1	1	1	1	91	63	0	28815.166	546.2365591	16075.884	30000	0	0	30000	43.25	2004
23.01.2020 12:10:02	1	1	1	1	90.25	63.25	0	29146.919	546.2365591	15894.87131	30000	0	0	30000	43.125	2004
23.01.2020 12:10:03	1	1	1	1	90.25	63	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.9375	2004
23.01.2020 12:10:04	1	1	1	1	90.25	62.75	0	29052.133	548.3870968	15942.16291	30000	0	0	30000	43.3125	2004
23.01.2020 12:10:05	1	1	1	1	90.25	63.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.875	2004
23.01.2020 12:10:06	1	1	1	1	90.25	62.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43.25	2004
23.01.2020 12:10:07	1	1	1	1	90.25	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.125	2004
23.01.2020 12:10:08	1	1	1	1	90.25	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.0625	2004
23.01.2020 12:10:09	1	1	1	1	90.25	63	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	43.25	2004
23.01.2020 12:10:10	1	1	1	1	90.25	63.25	0	29383.886	539.7849462	16013.10032	30000	0	0	30000	42.8125	2004
23.01.2020 12:10:11	1	1	1	1	90.25	62.75	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	43.25	2004
23.01.2020 12:10:12	1	1	1	1	90.25	63.25	0	29715.64	544.0860215	16052.2382	30000	0	0	30000	42.6875	2004
23.01.2020 12:10:13	1	1	1	1	90.25	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.125	2004
23.01.2020 12:10:14	1	1	1	1	90.25	63	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.625	2004
23.01.2020 12:10:15	1	1	1	1	90.25	62.5	0	29478.673	539.7849462	16038.37687	30000	0	0	30000	42.6875	2004
23.01.2020 12:10:16	1	1	1	1	90.25	62.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	42.625	2004
23.01.2020 12:10:17	1	1	1	1	90.25	62.5	0	29431.28	546.2365591	16101.97592	30000	0	0	30000	42.75	2004
23.01.2020 12:10:18	1	1	1	1	90.25	62.75	0	29289.1	550.5376344	15920.96323	30000	0	0	30000	43.25	2004
23.01.2020 12:10:19	1	1	1	1	90.25	63.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.875	2004
23.01.2020 12:10:20	1	1	1	1	90.25	62.75	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	43.1875	2004
23.01.2020 12:10:22	1	1	1	1	90.25	63	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.5	2004
23.01.2020 12:10:23	1	1	1	1	90.25	62.5	0	29526.066	544.0860215	16026.96165	30000	0	0	30000	42.1875	2004
23.01.2020 12:10:24	1	1	1	1	90.25	62	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.9375	2004
23.01.2020 12:10:25	1	1	1	1	90.25	62.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	43.25	2004
23.01.2020 12:10:26	1	1	1	1	90.25	63.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.1875	2004
23.01.2020 12:10:27	1	1	1	1	90.25	63	0	29336.493	535.483871	15708.96638	30000	0	0	30000	43.25	2004
23.01.2020 12:10:28	1	1	1	1	90.25	63.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.0625	2004
23.01.2020 12:10:29	1	1	1	1	90.25	63	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	43	2004
23.01.2020 12:10:30	1	1	1	1	90.25	63	0	29715.64	537.6344086	15669.8285	30000	0	0	30000	42.9375	2004
23.01.2020 12:10:31	1	1	1	1	90.25	62.75	0	29620.853	537.6344086	15733.42755	30000	0	0	30000	42.9375	2004
23.01.2020 12:10:32	1	1	1	1	90.25	62.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.125	2004
23.01.2020 12:10:33	1	1	1	1	90.25	63	0	29905.213	529.0322581	16000.05436	30000	0	0	30000	43.0625	2004
23.01.2020 12:10:34	1	1	1	1	90.25	63	0	30000	509.6774194	15483.92357	30000	0	0	30000	43.1875	2004
23.01.2020 12:10:35	1	1	1	1	90.25	63	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.9375	2004
23.01.2020 12:10:36	1	1	1	1	90.25	62.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.5	2004
23.01.2020 12:10:37	1	1	1	1	90.25	62.5	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	43.0625	2004
23.01.2020 12:10:38	1	1	1	1	90.25	63	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	43	2004
23.01.2020 12:10:39	1	1	1	1	90.25	63	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	43	2004
23.01.2020 12:10:40	1	1	1	1	90.25	63	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.1875	2004
23.01.2020 12:10:41	1	1	1	1	90.25	63	0	29336.493	550.5376344	15909.54801	30000	0	0	30000	43.125	2004
23.01.2020 12:10:42	1	1	1	1	90.75	63	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	42.8125	2004
23.01.2020 12:10:43	1	1	1	1	90.75	62.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:10:44	1	1	1	1	90.75	63	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	43.4375	2004
23.01.2020 12:10:45	1	1	1	1	90.75	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.25	2004
23.01.2020 12:10:46	1	1	1	1	90.75	63.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.5	2004
23.01.2020 12:10:47	1	1	1	1	90.75	63.5	0	29241.706	546.2365591	16061.20729	30000	0	0	30000	43.3125	2004
23.01.2020 12:10:48	1	1	1	1	90.75	63.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.1875	2004
23.01.2020 12:10:55	1	1	1	1	90.75	63.25	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.4375	2004
23.01.2020 12:10:55	1	1	1	1	90.75	63.25	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.4375	2004
23.01.2020 12:10:55	1	1	1	1	90.75	63.25	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.4375	2004
23.01.2020 12:10:55	1	1	1	1	90.75	63.25	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.4375	2004
23.01.2020 12:10:55	1	1	1	1	90.75	63.25	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.4375	2004
23.01.2020 12:10:55	1	1	1	1	90.75	63.25	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.4375	2004
23.01.2020 12:10:55	1	1	1	1	90.75	63.25	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.4375	2004
23.01.2020 12:10:55	1	1	1	1	90.75	63.25	0	29241.706	546.2365591	15935.63993	30000	0	0	30000	43.125	2004
23.01.2020 12:10:56	1	1	1	1	90.75	63	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	43.3125	2004
23.01.2020 12:10:57	1	1	1	1	90.75	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.3125	2004
23.01.2020 12:10:58	1	1	1	1	90.75	63.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.8125	2004
23.01.2020 12:10:59	1	1	1	1	90.75	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.8125	2004
23.01.2020 12:11:01	1	1	1	1	90.75	62.75	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	43.1875	2004
23.01.2020 12:11:02	1	1	1	1	90.5	63	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	42.5	2004
23.01.2020 12:11:03	1	1	1	1	90.5	62.5	0	29099.526	552.688172	16082.40698	30000	0	0	30000	42.9375	2004
23.01.2020 12:11:04	1	1	1	1	90.5	62.75	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	43.3125	2004
23.01.2020 12:11:05	1	1	1	1	90.5	63.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.875	2004
23.01.2020 12:11:06	1	1	1	1	90.5	62.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43.1875	2004
23.01.2020 12:11:07	1	1	1	1	90.5	63	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.25	2004
23.01.2020 12:11:08	1	1	1	1	90.5	63.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.1875	2004
23.01.2020 12:11:09	1	1	1	1	90.5	63	0	29052.133	552.688172	16020.43867	30000	0	0	30000	43.1875	2004
23.01.2020 12:11:10	1	1	1	1	90.5	63	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.1875	2004
23.01.2020 12:11:11	1	1	1	1	90.5	63	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.25	2004
23.01.2020 12:11:12	1	1	1	1	90.5	63.25	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	43.25	2004
23.01.2020 12:11:13	1	1	1	1	90.5	63.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.0625	2004
23.01.2020 12:11:14	1	1	1	1	90.5	63	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	42.5	2004
23.01.2020 12:11:15	1	1	1	1	90.5	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.25	2004
23.01.2020 12:11:16	1	1	1	1	90.5	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.25	2004
23.01.2020 12:11:17	1	1	1	1	90.5	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.4375	2004
23.01.2020 12:11:18	1	1	1	1	90.5	63.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	42.875	2004
23.01.2020 12:11:19	1	1	1	1	90.5	62.75	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	43.25	2004
23.01.2020 12:11:20	1	1	1	1	90.5	63.25	0	29289.1	541.9354839	15846.76433	30000	0	0	30000	43	2004
23.01.2020 12:11:21	1	1	1	1	90.5	63	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	42.8125	2004
23.01.2020 12:11:22	1	1	1	1	91	62.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.375	2004
23.01.2020 12:11:23	1	1	1	1	91	63.25	0	29383.886	533.3333333	16038.37687	30000	0	0	30000	43.0625	2004
23.01.2020 12:11:24	1	1	1	1	91	63	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	43.3125	2004
23.01.2020 12:11:25	1	1	1	1	91	63.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	42.5625	2004
23.01.2020 12:11:26	1	1	1	1	91	62.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.875	2004
23.01.2020 12:11:27	1	1	1	1	91	62.75	0	29668.246	537.6344086	16167.20572	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:11:28	1	1	1	1	91	62.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.8125	2004
23.01.2020 12:11:29	1	1	1	1	91	62.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.75	2004
23.01.2020 12:11:30	1	1	1	1	91	62.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.3125	2004
23.01.2020 12:11:31	1	1	1	1	90.5	63.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.125	2004
23.01.2020 12:11:32	1	1	1	1	90.5	63	0	29336.493	546.2365591	16176.99019	30000	0	0	30000	43.1875	2004
23.01.2020 12:11:33	1	1	1	1	90.5	63	0	29099.526	548.3870968	15931.56307	30000	0	0	30000	42.75	2004
23.01.2020 12:11:34	1	1	1	1	90.5	62.75	0	29194.313	544.0860215	15920.96323	30000	0	0	30000	43.1875	2004
23.01.2020 12:11:35	1	1	1	1	90.5	63	0	29052.133	541.9354839	16020.43867	30000	0	0	30000	43.25	2004
23.01.2020 12:11:36	1	1	1	1	90.5	63.25	0	29336.493	550.5376344	15972.33169	30000	0	0	30000	43.3125	2004
23.01.2020 12:11:38	1	1	1	1	90.5	63.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43	2004
23.01.2020 12:11:39	1	1	1	1	90.5	63	0	28957.346	541.9354839	15879.37923	30000	0	0	30000	42.75	2004
23.01.2020 12:11:40	1	1	1	1	90.5	62.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.75	2004
23.01.2020 12:11:41	1	1	1	1	90.5	62.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.9375	2004
23.01.2020 12:11:42	1	1	1	1	90	62.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.125	2004
23.01.2020 12:11:43	1	1	1	1	90	63	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43.1875	2004
23.01.2020 12:11:44	1	1	1	1	90	63	0	28862.559	550.5376344	15827.19539	30000	0	0	30000	43.375	2004
23.01.2020 12:11:45	1	1	1	1	90	63.25	0	29099.526	550.5376344	16171.28258	30000	0	0	30000	43.125	2004
23.01.2020 12:11:46	1	1	1	1	90	63	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	42.6875	2004
23.01.2020 12:11:47	1	1	1	1	90	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.25	2004
23.01.2020 12:11:48	1	1	1	1	90	63.25	0	29146.919	552.688172	16171.28258	30000	0	0	30000	43	2004
23.01.2020 12:11:49	1	1	1	1	90	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.1875	2004
23.01.2020 12:11:50	1	1	1	1	90	63	0	29004.739	546.2365591	15843.50284	30000	0	0	30000	42.9375	2004
23.01.2020 12:11:56	1	1	1	1	90.25	63	0	28909.953	552.688172	16066.09953	30000	0	0	30000	42.75	2004
23.01.2020 12:11:56	1	1	1	1	90.25	63	0	28909.953	552.688172	16066.09953	30000	0	0	30000	42.75	2004
23.01.2020 12:11:56	1	1	1	1	90.25	63	0	28909.953	552.688172	16066.09953	30000	0	0	30000	42.75	2004
23.01.2020 12:11:56	1	1	1	1	90.25	63	0	28909.953	552.688172	16066.09953	30000	0	0	30000	42.75	2004
23.01.2020 12:11:56	1	1	1	1	90.25	63	0	28909.953	552.688172	16066.09953	30000	0	0	30000	42.75	2004
23.01.2020 12:11:56	1	1	1	1	90.25	63	0	28909.953	552.688172	16066.09953	30000	0	0	30000	42.75	2004
23.01.2020 12:11:57	1	1	1	1	90.25	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.625	2004
23.01.2020 12:11:58	1	1	1	1	90.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.125	2004
23.01.2020 12:11:59	1	1	1	1	90.25	63	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.875	2004
23.01.2020 12:12:00	1	1	1	1	90.25	62.75	0	29146.919	554.8387097	16234.06626	30000	0	0	30000	42.875	2004
23.01.2020 12:12:01	1	1	1	1	90.25	62.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.1875	2004
23.01.2020 12:12:02	1	1	1	1	89.75	63	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.3125	2004
23.01.2020 12:12:03	1	1	1	1	89.75	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.5	2004
23.01.2020 12:12:04	1	1	1	1	89.75	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.1875	2004
23.01.2020 12:12:05	1	1	1	1	89.75	63.5	0	28578.199	552.688172	15917.70174	30000	0	0	30000	43.375	2004
23.01.2020 12:12:06	1	1	1	1	89.75	63.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.9375	2004
23.01.2020 12:12:07	1	1	1	1	89.75	62.75	0	28862.559	554.8387097	16049.79208	30000	0	0	30000	43.1875	2004
23.01.2020 12:12:08	1	1	1	1	89.75	63	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	42.9375	2004
23.01.2020 12:12:09	1	1	1	1	89.75	62.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.1875	2004
23.01.2020 12:12:10	1	1	1	1	89.75	63	0	28578.199	554.8387097	16049.79208	30000	0	0	30000	42.25	2004
23.01.2020 12:12:11	1	1	1	1	90	62.25	0	28815.166	552.688172	15951.94738	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:12:12	1	1	1	1	90	63	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	43.25	2004
23.01.2020 12:12:13	1	1	1	1	90	63.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	43.4375	2004
23.01.2020 12:12:14	1	1	1	1	90	63.25	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	43.0625	2004
23.01.2020 12:12:15	1	1	1	1	90	63	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.6875	2004
23.01.2020 12:12:17	1	1	1	1	90	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.8125	2004
23.01.2020 12:12:18	1	1	1	1	90	62.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.25	2004
23.01.2020 12:12:19	1	1	1	1	90	63.25	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	43.375	2004
23.01.2020 12:12:20	1	1	1	1	90	63.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.9375	2004
23.01.2020 12:12:21	1	1	1	1	90	62.75	0	29146.919	550.5376344	16234.06626	30000	0	0	30000	43.0625	2004
23.01.2020 12:12:22	1	1	1	1	89.75	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.75	2004
23.01.2020 12:12:23	1	1	1	1	89.75	62.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.3125	2004
23.01.2020 12:12:24	1	1	1	1	89.75	63.25	0	29241.706	537.6344086	15960.91648	30000	0	0	30000	43.1875	2004
23.01.2020 12:12:25	1	1	1	1	89.75	63	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	43.1875	2004
23.01.2020 12:12:26	1	1	1	1	89.75	63	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.125	2004
23.01.2020 12:12:27	1	1	1	1	89.75	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.0625	2004
23.01.2020 12:12:28	1	1	1	1	89.75	63	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	43.125	2004
23.01.2020 12:12:29	1	1	1	1	89.75	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.125	2004
23.01.2020 12:12:30	1	1	1	1	89.75	63	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.0625	2004
23.01.2020 12:12:31	1	1	1	1	89.75	63	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.9375	2004
23.01.2020 12:12:32	1	1	1	1	90.25	62.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42	2004
23.01.2020 12:12:33	1	1	1	1	90.25	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.375	2004
23.01.2020 12:12:34	1	1	1	1	90.25	63.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.375	2004
23.01.2020 12:12:35	1	1	1	1	90.25	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.4375	2004
23.01.2020 12:12:36	1	1	1	1	90.25	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.0625	2004
23.01.2020 12:12:37	1	1	1	1	90.25	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.25	2004
23.01.2020 12:12:38	1	1	1	1	90.25	63.25	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	43.375	2004
23.01.2020 12:12:39	1	1	1	1	90.25	63.25	0	28815.166	550.5376344	15889.97907	30000	0	0	30000	43.25	2004
23.01.2020 12:12:40	1	1	1	1	90.25	63.25	0	28957.346	556.9892473	15978.0393	30000	0	0	30000	43.375	2004
23.01.2020 12:12:41	1	1	1	1	90.25	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.625	2004
23.01.2020 12:12:42	1	1	1	1	90.25	63.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.375	2004
23.01.2020 12:12:43	1	1	1	1	90.25	63.25	0	28957.346	544.0860215	15754.62724	30000	0	0	30000	43	2004
23.01.2020 12:12:44	1	1	1	1	90.25	63.25	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	43.0625	2004
23.01.2020 12:12:45	1	1	1	1	90.25	63	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.8125	2004
23.01.2020 12:12:46	1	1	1	1	90.25	62.75	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	42.875	2004
23.01.2020 12:12:47	1	1	1	1	90.25	62.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.25	2004
23.01.2020 12:12:48	1	1	1	1	90.25	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.0625	2004
23.01.2020 12:12:49	1	1	1	1	90.25	63	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.0625	2004
23.01.2020 12:12:50	1	1	1	1	90.25	63	0	28862.559	552.688172	15889.97907	30000	0	0	30000	43	2004
23.01.2020 12:12:51	1	1	1	1	90.25	63	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.9375	2004
23.01.2020 12:12:58	1	1	1	1	90.25	62.75	0	29146.919	541.9354839	16046.53059	30000	0	0	30000	43.25	2004
23.01.2020 12:12:58	1	1	1	1	90.25	62.75	0	29146.919	541.9354839	16046.53059	30000	0	0	30000	43.25	2004
23.01.2020 12:12:58	1	1	1	1	90.25	62.75	0	29146.919	541.9354839	16046.53059	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:12:58	1	1	1	1	90.25	62.75	0	29146.919	541.9354839	16046.53059	30000	0	0	30000	43.25	2004
23.01.2020 12:12:58	1	1	1	1	90.25	62.75	0	29146.919	541.9354839	16046.53059	30000	0	0	30000	43.25	2004
23.01.2020 12:12:59	1	1	1	1	90.25	63.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.1875	2004
23.01.2020 12:13:00	1	1	1	1	90.25	63	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	43.25	2004
23.01.2020 12:13:01	1	1	1	1	90.25	63.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.25	2004
23.01.2020 12:13:02	1	1	1	1	90	63.25	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	43.25	2004
23.01.2020 12:13:03	1	1	1	1	90	63.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.125	2004
23.01.2020 12:13:04	1	1	1	1	90	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.875	2004
23.01.2020 12:13:05	1	1	1	1	90	62.75	0	28815.166	554.8387097	15697.55116	30000	0	0	30000	43.5	2004
23.01.2020 12:13:06	1	1	1	1	90	63.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.9375	2004
23.01.2020 12:13:07	1	1	1	1	90	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.3125	2004
23.01.2020 12:13:08	1	1	1	1	90	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.3125	2004
23.01.2020 12:13:09	1	1	1	1	90	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.0625	2004
23.01.2020 12:13:10	1	1	1	1	90	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.0625	2004
23.01.2020 12:13:11	1	1	1	1	90	63	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.375	2004
23.01.2020 12:13:12	1	1	1	1	90	63.25	0	28530.806	550.5376344	15794.58049	30000	0	0	30000	43	2004
23.01.2020 12:13:13	1	1	1	1	90	63	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.375	2004
23.01.2020 12:13:14	1	1	1	1	90	63.25	0	29052.133	552.688172	16082.40698	30000	0	0	30000	43.4375	2004
23.01.2020 12:13:15	1	1	1	1	90	63.25	0	29146.919	552.688172	16046.53059	30000	0	0	30000	43.125	2004
23.01.2020 12:13:16	1	1	1	1	90	63	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.3125	2004
23.01.2020 12:13:17	1	1	1	1	90	63.25	0	29336.493	550.5376344	16276.46563	30000	0	0	30000	43.3125	2004
23.01.2020 12:13:18	1	1	1	1	90	63.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.1875	2004
23.01.2020 12:13:19	1	1	1	1	90	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.3125	2004
23.01.2020 12:13:20	1	1	1	1	90	63.25	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
23.01.2020 12:13:21	1	1	1	1	90	63.25	0	28957.346	552.688172	16128.88321	30000	0	0	30000	43.625	2004
23.01.2020 12:13:22	1	1	1	1	90	63.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.6875	2004
23.01.2020 12:13:23	1	1	1	1	90	63.25	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	43.625	2004
23.01.2020 12:13:24	1	1	1	1	90	63.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.8125	2004
23.01.2020 12:13:25	1	1	1	1	90	62.75	0	29146.919	541.9354839	15972.33169	30000	0	0	30000	43.125	2004
23.01.2020 12:13:26	1	1	1	1	90	63	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	43.4375	2004
23.01.2020 12:13:27	1	1	1	1	90	63.25	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	43.5	2004
23.01.2020 12:13:28	1	1	1	1	90	63.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.3125	2004
23.01.2020 12:13:29	1	1	1	1	90	63.25	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	43.0625	2004
23.01.2020 12:13:30	1	1	1	1	90	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.4375	2004
23.01.2020 12:13:31	1	1	1	1	90	62.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.8125	2004
23.01.2020 12:13:32	1	1	1	1	90	62.75	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	43.125	2004
23.01.2020 12:13:33	1	1	1	1	90	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.375	2004
23.01.2020 12:13:34	1	1	1	1	90	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.5625	2004
23.01.2020 12:13:36	1	1	1	1	90	63.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.4375	2004
23.01.2020 12:13:37	1	1	1	1	90	63.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	43.25	2004
23.01.2020 12:13:38	1	1	1	1	90	63.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	43.3125	2004
23.01.2020 12:13:39	1	1	1	1	90	63.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.375	2004
23.01.2020 12:13:40	1	1	1	1	90	63.25	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:13:41	1	1	1	1	90	63	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.125	2004
23.01.2020 12:13:42	1	1	1	1	90.25	63	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43	2004
23.01.2020 12:13:43	1	1	1	1	90.25	63	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.5625	2004
23.01.2020 12:13:44	1	1	1	1	90.25	63.5	0	29336.493	550.5376344	15809.2572	30000	0	0	30000	43.375	2004
23.01.2020 12:13:45	1	1	1	1	90.25	63.25	0	29099.526	548.3870968	16046.53059	30000	0	0	30000	42.9375	2004
23.01.2020 12:13:46	1	1	1	1	90.25	62.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.25	2004
23.01.2020 12:13:47	1	1	1	1	90.25	63.25	0	29526.066	550.5376344	16255.26595	30000	0	0	30000	43.5	2004
23.01.2020 12:13:48	1	1	1	1	90.25	63.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.1875	2004
23.01.2020 12:13:49	1	1	1	1	90.25	63	0	29431.28	546.2365591	16038.37687	30000	0	0	30000	43.125	2004
23.01.2020 12:13:50	1	1	1	1	90.25	63	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	43.0625	2004
23.01.2020 12:13:51	1	1	1	1	90.25	63	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.375	2004
23.01.2020 12:13:52	1	1	1	1	89.75	63.25	0	29763.033	535.483871	15962.54722	30000	0	0	30000	43.375	2004
23.01.2020 12:13:53	1	1	1	1	89.75	63.25	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	42.9375	2004
23.01.2020 12:14:00	1	1	1	1	89.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
23.01.2020 12:14:00	1	1	1	1	89.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
23.01.2020 12:14:00	1	1	1	1	89.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
23.01.2020 12:14:00	1	1	1	1	89.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
23.01.2020 12:14:00	1	1	1	1	89.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
23.01.2020 12:14:00	1	1	1	1	89.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
23.01.2020 12:14:00	1	1	1	1	89.75	62.75	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	43.6875	2004
23.01.2020 12:14:01	1	1	1	1	90	63.25	0	29620.853	533.3333333	15797.84198	30000	0	0	30000	43.6875	2004
23.01.2020 12:14:02	1	1	1	1	90	63.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.125	2004
23.01.2020 12:14:03	1	1	1	1	90	63	0	29478.673	535.483871	15873.67162	30000	0	0	30000	43.25	2004
23.01.2020 12:14:04	1	1	1	1	90	63.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.1875	2004
23.01.2020 12:14:05	1	1	1	1	90	63	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.625	2004
23.01.2020 12:14:06	1	1	1	1	90	62.5	0	29526.066	546.2365591	15848.39508	30000	0	0	30000	42.9375	2004
23.01.2020 12:14:07	1	1	1	1	90	62.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5625	2004
23.01.2020 12:14:08	1	1	1	1	90	63.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	42.9375	2004
23.01.2020 12:14:09	1	1	1	1	90	62.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.25	2004
23.01.2020 12:14:10	1	1	1	1	90	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.625	2004
23.01.2020 12:14:12	1	1	1	1	90.25	63.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:14:13	1	1	1	1	90.25	63.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.4375	2004
23.01.2020 12:14:14	1	1	1	1	90.25	63.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:14:15	1	1	1	1	90.25	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.375	2004
23.01.2020 12:14:16	1	1	1	1	90.25	63.25	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	43.5	2004
23.01.2020 12:14:17	1	1	1	1	90.25	63.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	43.5	2004
23.01.2020 12:14:18	1	1	1	1	90.25	63.5	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	43.4375	2004
23.01.2020 12:14:19	1	1	1	1	90.25	63.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	43.625	2004
23.01.2020 12:14:20	1	1	1	1	90.25	63.5	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	43.375	2004
23.01.2020 12:14:21	1	1	1	1	90.25	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.5	2004
23.01.2020 12:14:22	1	1	1	1	90.5	63.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.1875	2004
23.01.2020 12:14:23	1	1	1	1	90.5	63	0	29620.853	533.3333333	15848.39508	30000	0	0	30000	43.5625	2004
23.01.2020 12:14:24	1	1	1	1	90.5	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:14:25	1	1	1	1	90.5	63.25	0	29810.427	541.9354839	16219.38956	30000	0	0	30000	43.3125	2004
23.01.2020 12:14:26	1	1	1	1	90.5	63.25	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	43.25	2004
23.01.2020 12:14:27	1	1	1	1	90.5	63.25	0	29526.066	539.7849462	15975.59318	30000	0	0	30000	43.4375	2004
23.01.2020 12:14:28	1	1	1	1	90.5	63.25	0	29905.213	533.3333333	16141.92917	30000	0	0	30000	43.5625	2004
23.01.2020 12:14:29	1	1	1	1	90.5	63.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.5	2004
23.01.2020 12:14:30	1	1	1	1	90.5	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.3125	2004
23.01.2020 12:14:31	1	1	1	1	90.5	63.25	0	30000	518.2795699	15548.338	30000	0	0	30000	43.3125	2004
23.01.2020 12:14:32	1	1	1	1	90.25	63.25	0	30000	520.4301075	15548.338	30000	0	0	30000	43.4375	2004
23.01.2020 12:14:33	1	1	1	1	90.25	63.25	0	30000	511.827957	15354.27935	30000	0	0	30000	43.3125	2004
23.01.2020 12:14:34	1	1	1	1	90.25	63.25	0	30000	537.6344086	16064.46878	30000	0	0	30000	43.4375	2004
23.01.2020 12:14:35	1	1	1	1	90.25	63.25	0	29857.82	533.3333333	16206.3436	30000	0	0	30000	43.125	2004
23.01.2020 12:14:36	1	1	1	1	90.25	63	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.6875	2004
23.01.2020 12:14:37	1	1	1	1	90.25	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.5625	2004
23.01.2020 12:14:38	1	1	1	1	90.25	63.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.5	2004
23.01.2020 12:14:39	1	1	1	1	90.25	63.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	43	2004
23.01.2020 12:14:40	1	1	1	1	90.25	63.5	0	29573.46	533.3333333	15861.44103	30000	0	0	30000	43.3125	2004
23.01.2020 12:14:41	1	1	1	1	90.5	63.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.5	2004
23.01.2020 12:14:42	1	1	1	1	90.5	63.5	0	29431.28	537.6344086	16064.46878	30000	0	0	30000	42.625	2004
23.01.2020 12:14:43	1	1	1	1	90.5	62.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.25	2004
23.01.2020 12:14:44	1	1	1	1	90.5	63.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	42.9375	2004
23.01.2020 12:14:45	1	1	1	1	90.5	62.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.5625	2004
23.01.2020 12:14:46	1	1	1	1	90.5	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.6875	2004
23.01.2020 12:14:47	1	1	1	1	90.5	63.5	0	29668.246	548.3870968	15988.63914	30000	0	0	30000	43.3125	2004
23.01.2020 12:14:48	1	1	1	1	90.5	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.5625	2004
23.01.2020 12:14:50	1	1	1	1	90.5	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.5	2004
23.01.2020 12:14:51	1	1	1	1	90.5	63.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	43.625	2004
23.01.2020 12:14:52	1	1	1	1	90	63.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.375	2004
23.01.2020 12:14:53	1	1	1	1	90	63.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.3125	2004
23.01.2020 12:14:54	1	1	1	1	90	63.25	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	43.125	2004
23.01.2020 12:14:55	1	1	1	1	90	63	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	43.625	2004
23.01.2020 12:15:01	1	1	1	1	90	63.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	43.375	2004
23.01.2020 12:15:01	1	1	1	1	90	63.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	43.375	2004
23.01.2020 12:15:01	1	1	1	1	90	63.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	43.375	2004
23.01.2020 12:15:01	1	1	1	1	90	63.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	43.375	2004
23.01.2020 12:15:01	1	1	1	1	90	63.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	43.375	2004
23.01.2020 12:15:01	1	1	1	1	90	63.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	43.375	2004
23.01.2020 12:15:02	1	1	1	1	90	63.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	43.4375	2004
23.01.2020 12:15:03	1	1	1	1	90	63.25	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	43.375	2004
23.01.2020 12:15:04	1	1	1	1	90	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.5625	2004
23.01.2020 12:15:05	1	1	1	1	90	63.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	43.375	2004
23.01.2020 12:15:06	1	1	1	1	90	63.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	43.375	2004
23.01.2020 12:15:07	1	1	1	1	90	63.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.4375	2004
23.01.2020 12:15:08	1	1	1	1	90	63.25	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:15:09	1	1	1	1	90	63.25	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	42.625	2004
23.01.2020 12:15:10	1	1	1	1	90	62.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43	2004
23.01.2020 12:15:11	1	1	1	1	90	63	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	42.9375	2004
23.01.2020 12:15:12	1	1	1	1	90	62.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.75	2004
23.01.2020 12:15:13	1	1	1	1	90	63.75	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	43.25	2004
23.01.2020 12:15:14	1	1	1	1	90	63.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	43.8125	2004
23.01.2020 12:15:15	1	1	1	1	90	63.75	0	29289.1	541.9354839	16024.51553	30000	0	0	30000	43.8125	2004
23.01.2020 12:15:16	1	1	1	1	90	63.75	0	29052.133	544.0860215	15806.81108	30000	0	0	30000	43.5	2004
23.01.2020 12:15:17	1	1	1	1	90	63.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	43.4375	2004
23.01.2020 12:15:18	1	1	1	1	90	63.5	0	29810.427	544.0860215	16219.38956	30000	0	0	30000	43.375	2004
23.01.2020 12:15:19	1	1	1	1	90	63.25	0	29526.066	535.483871	15963.3626	30000	0	0	30000	42.875	2004
23.01.2020 12:15:20	1	1	1	1	90	62.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.9375	2004
23.01.2020 12:15:21	1	1	1	1	90	62.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.0625	2004
23.01.2020 12:15:22	1	1	1	1	90	63	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	42.25	2004
23.01.2020 12:15:23	1	1	1	1	90	62.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.5625	2004
23.01.2020 12:15:24	1	1	1	1	90	63.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	43.625	2004
23.01.2020 12:15:25	1	1	1	1	90	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.625	2004
23.01.2020 12:15:26	1	1	1	1	90	63.5	0	29383.886	537.6344086	15949.50126	30000	0	0	30000	43.0625	2004
23.01.2020 12:15:28	1	1	1	1	90	63	0	29383.886	546.2365591	16203.08211	30000	0	0	30000	43.4375	2004
23.01.2020 12:15:29	1	1	1	1	90	63.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	43.625	2004
23.01.2020 12:15:30	1	1	1	1	90	63.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.5625	2004
23.01.2020 12:15:31	1	1	1	1	90	63.5	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	43.375	2004
23.01.2020 12:15:32	1	1	1	1	89.75	63.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	43.375	2004
23.01.2020 12:15:33	1	1	1	1	89.75	63.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.5	2004
23.01.2020 12:15:34	1	1	1	1	89.75	63.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.0625	2004
23.01.2020 12:15:35	1	1	1	1	89.75	63	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	43.5	2004
23.01.2020 12:15:36	1	1	1	1	89.75	63.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.5625	2004
23.01.2020 12:15:37	1	1	1	1	89.75	63.5	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	43.3125	2004
23.01.2020 12:15:38	1	1	1	1	89.75	63.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	43.4375	2004
23.01.2020 12:15:39	1	1	1	1	89.75	63.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.375	2004
23.01.2020 12:15:40	1	1	1	1	89.75	63.25	0	29383.886	546.2365591	16139.48305	30000	0	0	30000	43.625	2004
23.01.2020 12:15:41	1	1	1	1	89.75	63.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.4375	2004
23.01.2020 12:15:42	1	1	1	1	90	63.25	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	43.4375	2004
23.01.2020 12:15:43	1	1	1	1	90	63.25	0	29099.526	544.0860215	16046.53059	30000	0	0	30000	43.5	2004
23.01.2020 12:15:44	1	1	1	1	90	63.5	0	29146.919	550.5376344	16313.15739	30000	0	0	30000	43.6875	2004
23.01.2020 12:15:45	1	1	1	1	90	63.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	42.9375	2004
23.01.2020 12:15:46	1	1	1	1	90	62.75	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	43.625	2004
23.01.2020 12:15:47	1	1	1	1	90	63.5	0	28957.346	548.3870968	15931.56307	30000	0	0	30000	43.4375	2004
23.01.2020 12:15:48	1	1	1	1	90	63.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.5	2004
23.01.2020 12:15:49	1	1	1	1	90	63.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43	2004
23.01.2020 12:15:50	1	1	1	1	90	63	0	29099.526	552.688172	16020.43867	30000	0	0	30000	43.1875	2004
23.01.2020 12:15:51	1	1	1	1	90	63	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	43.125	2004
23.01.2020 12:15:52	1	1	1	1	90	63	0	29052.133	546.2365591	15832.08763	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:15:53	1	1	1	1	90	63.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	43	2004
23.01.2020 12:15:54	1	1	1	1	90	63	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	43.6875	2004
23.01.2020 12:15:55	1	1	1	1	90	63.5	0	29526.066	550.5376344	16229.17403	30000	0	0	30000	44	2004
23.01.2020 12:15:56	1	1	1	1	90	64	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.625	2004
23.01.2020 12:16:03	1	1	1	1	90	63.25	0	29052.133	552.688172	16243.85073	30000	0	0	30000	43.375	2004
23.01.2020 12:16:03	1	1	1	1	90	63.25	0	29052.133	552.688172	16243.85073	30000	0	0	30000	43.375	2004
23.01.2020 12:16:03	1	1	1	1	90	63.25	0	29052.133	552.688172	16243.85073	30000	0	0	30000	43.375	2004
23.01.2020 12:16:03	1	1	1	1	90	63.25	0	29052.133	552.688172	16243.85073	30000	0	0	30000	43.375	2004
23.01.2020 12:16:03	1	1	1	1	90	63.25	0	29052.133	552.688172	16243.85073	30000	0	0	30000	43.375	2004
23.01.2020 12:16:03	1	1	1	1	90	63.25	0	29052.133	552.688172	16243.85073	30000	0	0	30000	43.375	2004
23.01.2020 12:16:03	1	1	1	1	90	63.25	0	29052.133	552.688172	16243.85073	30000	0	0	30000	43.375	2004
23.01.2020 12:16:03	1	1	1	1	90	63.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.625	2004
23.01.2020 12:16:04	1	1	1	1	90	63.5	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	43.5	2004
23.01.2020 12:16:05	1	1	1	1	90	63.5	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	43.625	2004
23.01.2020 12:16:07	1	1	1	1	90	63.5	0	29099.526	554.8387097	16207.97434	30000	0	0	30000	43.8125	2004
23.01.2020 12:16:08	1	1	1	1	90	63.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.125	2004
23.01.2020 12:16:09	1	1	1	1	90	63	0	28862.559	550.5376344	15827.19539	30000	0	0	30000	43.6875	2004
23.01.2020 12:16:10	1	1	1	1	90	63.5	0	29052.133	552.688172	15942.16291	30000	0	0	30000	43.4375	2004
23.01.2020 12:16:11	1	1	1	1	90	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.375	2004
23.01.2020 12:16:12	1	1	1	1	90	63.25	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	43.75	2004
23.01.2020 12:16:13	1	1	1	1	90	63.75	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	43.375	2004
23.01.2020 12:16:14	1	1	1	1	90	63.25	0	28909.953	546.2365591	15916.07099	30000	0	0	30000	43.6875	2004
23.01.2020 12:16:15	1	1	1	1	90	63.5	0	28862.559	546.2365591	16004.13122	30000	0	0	30000	43.6875	2004
23.01.2020 12:16:16	1	1	1	1	90	63.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.6875	2004
23.01.2020 12:16:17	1	1	1	1	90	63.5	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	43.1875	2004
23.01.2020 12:16:18	1	1	1	1	90	63	0	29383.886	546.2365591	16203.08211	30000	0	0	30000	43.5625	2004
23.01.2020 12:16:19	1	1	1	1	90	63.5	0	29146.919	546.2365591	15732.61218	30000	0	0	30000	43	2004
23.01.2020 12:16:20	1	1	1	1	90	63	0	29431.28	544.0860215	16064.46878	30000	0	0	30000	43.25	2004
23.01.2020 12:16:21	1	1	1	1	90	63.25	0	29573.46	533.3333333	16115.83725	30000	0	0	30000	43.5	2004
23.01.2020 12:16:22	1	1	1	1	90	63.5	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	43.625	2004
23.01.2020 12:16:23	1	1	1	1	90	63.5	0	29383.886	548.3870968	16139.48305	30000	0	0	30000	43.5625	2004
23.01.2020 12:16:24	1	1	1	1	90	63.5	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	43.4375	2004
23.01.2020 12:16:25	1	1	1	1	90	63.25	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	43.4375	2004
23.01.2020 12:16:26	1	1	1	1	90	63.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	43.625	2004
23.01.2020 12:16:27	1	1	1	1	90	63.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	43.6875	2004
23.01.2020 12:16:28	1	1	1	1	90	63.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.5	2004
23.01.2020 12:16:29	1	1	1	1	90	63.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.625	2004
23.01.2020 12:16:30	1	1	1	1	90	63.5	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	43.6875	2004
23.01.2020 12:16:31	1	1	1	1	90	63.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.375	2004
23.01.2020 12:16:32	1	1	1	1	90	63.25	0	29526.066	535.483871	15810.07257	30000	0	0	30000	43.5625	2004
23.01.2020 12:16:33	1	1	1	1	90	63.5	0	29763.033	533.3333333	15962.54722	30000	0	0	30000	43.6875	2004
23.01.2020 12:16:34	1	1	1	1	90	63.5	0	29668.246	535.483871	16013.91569	30000	0	0	30000	43.8125	2004
23.01.2020 12:16:35	1	1	1	1	90	63.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.5	2004
23.01.2020 12:16:36	1	1	1	1	90	63.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:16:37	1	1	1	1	90	63.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	43.375	2004
23.01.2020 12:16:38	1	1	1	1	90	63.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.375	2004
23.01.2020 12:16:39	1	1	1	1	90	63.25	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	43.5625	2004
23.01.2020 12:16:40	1	1	1	1	90	63.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.6875	2004
23.01.2020 12:16:41	1	1	1	1	90	63.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.625	2004
23.01.2020 12:16:42	1	1	1	1	90	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.875	2004
23.01.2020 12:16:43	1	1	1	1	90	63.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.625	2004
23.01.2020 12:16:44	1	1	1	1	90	63.5	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	43.5	2004
23.01.2020 12:16:46	1	1	1	1	90	63.5	0	29620.853	533.3333333	15620.09078	30000	0	0	30000	43.125	2004
23.01.2020 12:16:47	1	1	1	1	90	63	0	29952.607	518.2795699	15523.87682	30000	0	0	30000	43.5	2004
23.01.2020 12:16:48	1	1	1	1	90	63.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.5	2004
23.01.2020 12:16:49	1	1	1	1	90	63.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.5625	2004
23.01.2020 12:16:50	1	1	1	1	90	63.5	0	30000	522.5806452	15652.70568	30000	0	0	30000	43.4375	2004
23.01.2020 12:16:51	1	1	1	1	90	63.25	0	30000	516.1290323	15266.21912	30000	0	0	30000	43.375	2004
23.01.2020 12:16:52	1	1	1	1	90	63.25	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	43.5625	2004
23.01.2020 12:16:53	1	1	1	1	90	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.5	2004
23.01.2020 12:16:54	1	1	1	1	90	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.25	2004
23.01.2020 12:16:55	1	1	1	1	90	63.25	0	29905.213	541.9354839	15987.82377	30000	0	0	30000	43.75	2004
23.01.2020 12:16:56	1	1	1	1	90	63.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	43.5	2004
23.01.2020 12:16:57	1	1	1	1	90	63.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	43.0625	2004
23.01.2020 12:16:58	1	1	1	1	90	63	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:04	1	1	1	1	89.75	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.5	2004
23.01.2020 12:17:04	1	1	1	1	89.75	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.5	2004
23.01.2020 12:17:04	1	1	1	1	89.75	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.5	2004
23.01.2020 12:17:04	1	1	1	1	89.75	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.5	2004
23.01.2020 12:17:04	1	1	1	1	89.75	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.5	2004
23.01.2020 12:17:04	1	1	1	1	89.75	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.5	2004
23.01.2020 12:17:05	1	1	1	1	89.75	63.5	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	43.75	2004
23.01.2020 12:17:06	1	1	1	1	89.75	63.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	43.625	2004
23.01.2020 12:17:07	1	1	1	1	89.75	63.5	0	29336.493	537.6344086	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:17:08	1	1	1	1	89.75	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.25	2004
23.01.2020 12:17:09	1	1	1	1	89.75	63.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	43.625	2004
23.01.2020 12:17:10	1	1	1	1	89.75	63.5	0	29431.28	550.5376344	15860.62566	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:11	1	1	1	1	89.75	63.25	0	29099.526	541.9354839	15983.74691	30000	0	0	30000	43.5625	2004
23.01.2020 12:17:12	1	1	1	1	89.75	63.5	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	43.625	2004
23.01.2020 12:17:13	1	1	1	1	89.75	63.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	43.3125	2004
23.01.2020 12:17:14	1	1	1	1	89.75	63.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:17	1	1	1	1	89.75	63.5	0	29099.526	541.9354839	15983.74691	30000	0	0	30000	43.5	2004
23.01.2020 12:17:17	1	1	1	1	89.75	63.5	0	29099.526	541.9354839	15983.74691	30000	0	0	30000	43.5	2004
23.01.2020 12:17:17	1	1	1	1	89.75	63.5	0	29241.706	546.2365591	15935.63993	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:18	1	1	1	1	89.75	63.25	0	29099.526	544.0860215	15868.77939	30000	0	0	30000	43.625	2004
23.01.2020 12:17:19	1	1	1	1	89.75	63.5	0	29336.493	548.3870968	15607.04482	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:20	1	1	1	1	89.75	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:17:21	1	1	1	1	89.5	63.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:22	1	1	1	1	89.5	63.25	0	29146.919	539.7849462	16213.68195	30000	0	0	30000	43.375	2004
23.01.2020 12:17:23	1	1	1	1	89.5	63.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	43.8125	2004
23.01.2020 12:17:25	1	1	1	1	89.5	63.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.6875	2004
23.01.2020 12:17:26	1	1	1	1	89.5	63.5	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	43.6875	2004
23.01.2020 12:17:27	1	1	1	1	89.5	63.5	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	43.25	2004
23.01.2020 12:17:28	1	1	1	1	89.5	63.25	0	29052.133	548.3870968	16020.43867	30000	0	0	30000	43.5625	2004
23.01.2020 12:17:29	1	1	1	1	89.5	63.5	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	43.25	2004
23.01.2020 12:17:30	1	1	1	1	89.5	63.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	43.6875	2004
23.01.2020 12:17:31	1	1	1	1	89.5	63.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.6875	2004
23.01.2020 12:17:32	1	1	1	1	89.75	63.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	43.6875	2004
23.01.2020 12:17:33	1	1	1	1	89.75	63.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.125	2004
23.01.2020 12:17:34	1	1	1	1	89.75	63	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.75	2004
23.01.2020 12:17:35	1	1	1	1	89.75	63.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
23.01.2020 12:17:36	1	1	1	1	89.75	63.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.375	2004
23.01.2020 12:17:37	1	1	1	1	89.75	63.25	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	43.5	2004
23.01.2020 12:17:38	1	1	1	1	89.75	63.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.625	2004
23.01.2020 12:17:39	1	1	1	1	89.75	63.5	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:40	1	1	1	1	89.75	63.25	0	29146.919	554.8387097	16234.06626	30000	0	0	30000	43.5625	2004
23.01.2020 12:17:41	1	1	1	1	89.75	63.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.5625	2004
23.01.2020 12:17:42	1	1	1	1	89.5	63.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.375	2004
23.01.2020 12:17:43	1	1	1	1	89.5	63.25	0	29099.526	552.688172	16145.19066	30000	0	0	30000	43.125	2004
23.01.2020 12:17:44	1	1	1	1	89.5	63	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	43.5	2004
23.01.2020 12:17:45	1	1	1	1	89.5	63.5	0	29052.133	546.2365591	16056.31506	30000	0	0	30000	43.5	2004
23.01.2020 12:17:46	1	1	1	1	89.5	63.5	0	29146.919	552.688172	16161.49811	30000	0	0	30000	43.5625	2004
23.01.2020 12:17:47	1	1	1	1	89.5	63.5	0	29052.133	541.9354839	15832.08763	30000	0	0	30000	43.8125	2004
23.01.2020 12:17:48	1	1	1	1	89.5	63.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:49	1	1	1	1	89.5	63.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	42.875	2004
23.01.2020 12:17:50	1	1	1	1	89.5	62.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.5625	2004
23.01.2020 12:17:51	1	1	1	1	89.5	63.5	0	29146.919	541.9354839	15972.33169	30000	0	0	30000	43.875	2004
23.01.2020 12:17:52	1	1	1	1	89	63.75	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.25	2004
23.01.2020 12:17:53	1	1	1	1	89	64.25	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	43.25	2004
23.01.2020 12:17:54	1	1	1	1	89	63.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:55	1	1	1	1	89	63.25	0	29052.133	546.2365591	15957.65499	30000	0	0	30000	43.625	2004
23.01.2020 12:17:56	1	1	1	1	89	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.6875	2004
23.01.2020 12:17:57	1	1	1	1	89	63.5	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	43.4375	2004
23.01.2020 12:17:58	1	1	1	1	89	63.25	0	29241.706	552.688172	15858.17955	30000	0	0	30000	43.5625	2004
23.01.2020 12:17:59	1	1	1	1	89	63.5	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	43.4375	2004
23.01.2020 12:18:06	1	1	1	1	89	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.8125	2004
23.01.2020 12:18:06	1	1	1	1	89	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.8125	2004
23.01.2020 12:18:06	1	1	1	1	89	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.8125	2004
23.01.2020 12:18:06	1	1	1	1	89	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:18:06	1	1	1	1	89	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.8125	2004
23.01.2020 12:18:07	1	1	1	1	89	63.75	0	28815.166	548.3870968	15987.82377	30000	0	0	30000	43.1875	2004
23.01.2020 12:18:08	1	1	1	1	89	63	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:09	1	1	1	1	89	63.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.5	2004
23.01.2020 12:18:10	1	1	1	1	89	63.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.625	2004
23.01.2020 12:18:11	1	1	1	1	89	63.5	0	29099.526	548.3870968	16046.53059	30000	0	0	30000	43.75	2004
23.01.2020 12:18:12	1	1	1	1	89	63.75	0	29715.64	541.9354839	15975.59318	30000	0	0	30000	43.125	2004
23.01.2020 12:18:13	1	1	1	1	89	63	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	43.625	2004
23.01.2020 12:18:14	1	1	1	1	89	63.5	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	43.8125	2004
23.01.2020 12:18:15	1	1	1	1	89	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:16	1	1	1	1	89	63.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	43.8125	2004
23.01.2020 12:18:17	1	1	1	1	89	63.75	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	43.9375	2004
23.01.2020 12:18:18	1	1	1	1	89	63.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.125	2004
23.01.2020 12:18:19	1	1	1	1	89	63	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.4375	2004
23.01.2020 12:18:20	1	1	1	1	89	63.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:21	1	1	1	1	89	63.5	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	43.25	2004
23.01.2020 12:18:22	1	1	1	1	89.25	63.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	43.4375	2004
23.01.2020 12:18:23	1	1	1	1	89.25	63.25	0	29810.427	533.3333333	16026.96165	30000	0	0	30000	43.875	2004
23.01.2020 12:18:24	1	1	1	1	89.25	63.75	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	43.0625	2004
23.01.2020 12:18:25	1	1	1	1	89.25	63	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.5	2004
23.01.2020 12:18:26	1	1	1	1	89.25	63.5	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:27	1	1	1	1	89.25	63.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.5	2004
23.01.2020 12:18:28	1	1	1	1	89.25	63.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	42.75	2004
23.01.2020 12:18:29	1	1	1	1	89.25	62.75	0	29146.919	550.5376344	16161.49811	30000	0	0	30000	43.1875	2004
23.01.2020 12:18:30	1	1	1	1	89.25	63	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	44.0625	2004
23.01.2020 12:18:31	1	1	1	1	89.25	64	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	44	2004
23.01.2020 12:18:32	1	1	1	1	89.5	64	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:33	1	1	1	1	89.5	63.75	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	43.8125	2004
23.01.2020 12:18:34	1	1	1	1	89.5	63.75	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:35	1	1	1	1	89.5	63.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	43.875	2004
23.01.2020 12:18:36	1	1	1	1	89.5	63.75	0	30000	516.1290323	15289.86492	30000	0	0	30000	43.3125	2004
23.01.2020 12:18:37	1	1	1	1	89.5	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.4375	2004
23.01.2020 12:18:38	1	1	1	1	89.5	62.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	43.625	2004
23.01.2020 12:18:39	1	1	1	1	89.5	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:40	1	1	1	1	89.5	63.5	0	28862.559	443.0107527	12847.82431	30000	0	0	30000	42.8125	2004
23.01.2020 12:18:42	1	1	1	1	89.25	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43	2004
23.01.2020 12:18:43	1	1	1	1	89.25	63	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:44	1	1	1	1	89.25	63.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.5625	2004
23.01.2020 12:18:45	1	1	1	1	89.25	63.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	42.8125	2004
23.01.2020 12:18:46	1	1	1	1	89.25	62.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.25	2004
23.01.2020 12:18:47	1	1	1	1	89.25	63.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	43.75	2004
23.01.2020 12:18:48	1	1	1	1	89.25	63.75	0	30000	501.0752688	15008.56141	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:49	1	1	1	1	89.25	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:18:50	1	1	1	1	89.25	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
23.01.2020 12:18:51	1	1	1	1	89.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.875	2004
23.01.2020 12:18:52	1	1	1	1	89	63.75	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	42.875	2004
23.01.2020 12:18:53	1	1	1	1	89	62.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.0625	2004
23.01.2020 12:18:54	1	1	1	1	89	63	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.8125	2004
23.01.2020 12:18:55	1	1	1	1	89	63.75	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	43.8125	2004
23.01.2020 12:18:56	1	1	1	1	89	63.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.125	2004
23.01.2020 12:18:57	1	1	1	1	89	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
23.01.2020 12:18:58	1	1	1	1	89	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43.6875	2004
23.01.2020 12:18:59	1	1	1	1	89	63.5	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	43.125	2004
23.01.2020 12:19:00	1	1	1	1	89	63	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.3125	2004
23.01.2020 12:19:01	1	1	1	1	89	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.6875	2004
23.01.2020 12:19:07	1	1	1	1	89	63.75	0	29431.28	541.9354839	16075.884	30000	0	0	30000	43.9375	2004
23.01.2020 12:19:07	1	1	1	1	89	63.75	0	29431.28	541.9354839	16075.884	30000	0	0	30000	43.9375	2004
23.01.2020 12:19:07	1	1	1	1	89	63.75	0	29431.28	541.9354839	16075.884	30000	0	0	30000	43.9375	2004
23.01.2020 12:19:07	1	1	1	1	89	63.75	0	29431.28	541.9354839	16075.884	30000	0	0	30000	43.9375	2004
23.01.2020 12:19:07	1	1	1	1	89	63.75	0	29431.28	541.9354839	16075.884	30000	0	0	30000	43.9375	2004
23.01.2020 12:19:07	1	1	1	1	89	63.75	0	29431.28	541.9354839	16075.884	30000	0	0	30000	43.9375	2004
23.01.2020 12:19:08	1	1	1	1	89	63.75	0	29431.28	541.9354839	16075.884	30000	0	0	30000	43.9375	2004
23.01.2020 12:19:08	1	1	1	1	89	63.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	43.6875	2004
23.01.2020 12:19:09	1	1	1	1	89	63.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.125	2004
23.01.2020 12:19:10	1	1	1	1	89	64	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	43.6875	2004
23.01.2020 12:19:11	1	1	1	1	89.5	63.5	0	29857.82	537.6344086	16270.75802	30000	0	0	30000	43.75	2004
23.01.2020 12:19:12	1	1	1	1	89.5	63.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.25	2004
23.01.2020 12:19:13	1	1	1	1	89.5	63.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.6875	2004
23.01.2020 12:19:14	1	1	1	1	89.5	63.5	0	28436.019	458.0645161	13025.57552	30000	0	0	30000	43	2004
23.01.2020 12:19:15	1	1	1	1	89.5	63	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.6875	2004
23.01.2020 12:19:16	1	1	1	1	89.5	63.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.8125	2004
23.01.2020 12:19:17	1	1	1	1	89.5	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.75	2004
23.01.2020 12:19:19	1	1	1	1	89.5	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.875	2004
23.01.2020 12:19:20	1	1	1	1	89.5	62.75	0	30000	496.7741935	15096.62164	30000	0	0	30000	43.8125	2004
23.01.2020 12:19:21	1	1	1	1	89.5	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	43.0625	2004
23.01.2020 12:19:22	1	1	1	1	89.5	63	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.625	2004
23.01.2020 12:19:23	1	1	1	1	89.5	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.75	2004
23.01.2020 12:19:24	1	1	1	1	89.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
23.01.2020 12:19:25	1	1	1	1	89.5	63.5	0	30000	486.0215054	14493.246	30000	0	0	30000	43.875	2004
23.01.2020 12:19:26	1	1	1	1	89.5	63.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.5625	2004
23.01.2020 12:19:27	1	1	1	1	89.5	63.5	0	29952.607	494.6236559	14815.31813	30000	0	0	30000	43.875	2004
23.01.2020 12:19:28	1	1	1	1	89.5	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43.8125	2004
23.01.2020 12:19:29	1	1	1	1	89.5	63.75	0	30047.393	522.5806452	15677.16685	30000	0	0	30000	43.6875	2004
23.01.2020 12:19:30	1	1	1	1	89.5	63.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.875	2004
23.01.2020 12:19:31	1	1	1	1	89.5	63.75	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	43.375	2004
23.01.2020 12:19:32	1	1	1	1	89.25	63.25	0	29905.213	496.7741935	15161.03607	30000	0	0	30000	43.25	2004
23.01.2020 12:19:33	1	1	1	1	89.25	63.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:19:34	1	1	1	1	89.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.875	2004
23.01.2020 12:19:35	1	1	1	1	89.25	63.75	0	30000	511.827957	15354.27935	30000	0	0	30000	43.75	2004
23.01.2020 12:19:36	1	1	1	1	89.25	63.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	43.5625	2004
23.01.2020 12:19:37	1	1	1	1	89.25	63.5	0	29715.64	526.8817204	15655.96717	30000	0	0	30000	43.8125	2004
23.01.2020 12:19:38	1	1	1	1	89.25	63.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	44	2004
23.01.2020 12:19:39	1	1	1	1	89.25	64	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	43.8125	2004
23.01.2020 12:19:40	1	1	1	1	89.25	63.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.3125	2004
23.01.2020 12:19:41	1	1	1	1	89.25	63.25	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	43.75	2004
23.01.2020 12:19:42	1	1	1	1	89.5	63.75	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	43.875	2004
23.01.2020 12:19:43	1	1	1	1	89.5	63.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.375	2004
23.01.2020 12:19:44	1	1	1	1	89.5	63.25	0	29099.526	546.2365591	15931.56307	30000	0	0	30000	43.0625	2004
23.01.2020 12:19:45	1	1	1	1	89.5	63	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43.25	2004
23.01.2020 12:19:46	1	1	1	1	89.5	63.25	0	29431.28	550.5376344	16265.86579	30000	0	0	30000	44.0625	2004
23.01.2020 12:19:47	1	1	1	1	89.5	64	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43	2004
23.01.2020 12:19:48	1	1	1	1	89.5	63	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	44	2004
23.01.2020 12:19:49	1	1	1	1	89.5	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.875	2004
23.01.2020 12:19:50	1	1	1	1	89.5	63.75	0	29146.919	541.9354839	16098.71443	30000	0	0	30000	43.4375	2004
23.01.2020 12:19:51	1	1	1	1	89.5	62.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.8125	2004
23.01.2020 12:19:52	1	1	1	1	89.5	63.75	0	29004.739	541.9354839	15868.77939	30000	0	0	30000	43.75	2004
23.01.2020 12:19:53	1	1	1	1	89.5	63.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	43.6875	2004
23.01.2020 12:19:54	1	1	1	1	89.5	63.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.625	2004
23.01.2020 12:19:55	1	1	1	1	89.5	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.75	2004
23.01.2020 12:19:57	1	1	1	1	89.5	63.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	43.4375	2004
23.01.2020 12:19:58	1	1	1	1	89.5	63.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	43.375	2004
23.01.2020 12:19:59	1	1	1	1	89.5	63.25	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	43.75	2004
23.01.2020 12:20:00	1	1	1	1	89.5	63.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.875	2004
23.01.2020 12:20:01	1	1	1	1	89.5	63.75	0	29383.886	550.5376344	16113.39113	30000	0	0	30000	43.8125	2004
23.01.2020 12:20:02	1	1	1	1	89.5	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	43.4375	2004
23.01.2020 12:20:03	1	1	1	1	89.5	63.25	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	43.75	2004
23.01.2020 12:20:09	1	1	1	1	89.5	63.75	0	12843.602	4.301075269	54.62995679	30000	0	0	30000	44.125	2004
23.01.2020 12:20:09	1	1	1	1	89.5	63.75	0	12843.602	4.301075269	54.62995679	30000	0	0	30000	44.125	2004
23.01.2020 12:20:09	1	1	1	1	89.5	63.75	0	12843.602	4.301075269	54.62995679	30000	0	0	30000	44.125	2004
23.01.2020 12:20:09	1	1	1	1	89.5	63.75	0	12843.602	4.301075269	54.62995679	30000	0	0	30000	44.125	2004
23.01.2020 12:20:09	1	1	1	1	89.5	63.75	0	12843.602	4.301075269	54.62995679	30000	0	0	30000	44.125	2004
23.01.2020 12:20:09	1	1	1	1	89.5	63.75	0	12843.602	4.301075269	54.62995679	30000	0	0	30000	44.125	2004
23.01.2020 12:20:10	1	1	1	1	89.5	64	0	13554.502	10.75268817	145.1363031	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:11	1	1	1	1	89.5	63.75	0	14407.583	15.05376344	216.8890822	30000	0	0	30000	44.0625	2004
23.01.2020 12:20:12	1	1	1	1	90	64	0	15165.877	23.65591398	358.7638953	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:13	1	1	1	1	90	63.75	0	15876.777	34.40860215	546.2995679	30000	0	0	30000	44.0625	2004
23.01.2020 12:20:14	1	1	1	1	90	64	0	16729.858	40.86021505	683.2821461	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:15	1	1	1	1	90	63.75	0	17440.758	53.76344086	940.1244802	30000	0	0	30000	44	2004
23.01.2020 12:20:16	1	1	1	1	90	64	0	18293.839	64.51612903	1179.843992	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:17	1	1	1	1	90	63.75	0	18909.953	75.2688172	1430.163346	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:20:18	1	1	1	1	90	64	0	19857.82	88.17204301	1750.604735	30000	0	0	30000	43.875	2004
23.01.2020 12:20:19	1	1	1	1	90	63.75	0	20000	96.77419355	1934.878917	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:20	1	1	1	1	90	63.75	0	20995.261	113.9784946	2392.302884	30000	0	0	30000	44.0625	2004
23.01.2020 12:20:21	1	1	1	1	90	64	0	21279.621	129.0322581	2699.698312	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:22	1	1	1	1	89.75	63.75	0	22274.882	144.0860215	3209.306118	30000	0	0	30000	43.8125	2004
23.01.2020 12:20:23	1	1	1	1	89.75	63.75	0	22890.995	159.1397849	3692.006632	30000	0	0	30000	43.875	2004
23.01.2020 12:20:24	1	1	1	1	89.75	63.75	0	23507.109	180.6451613	4094.800641	30000	0	0	30000	44	2004
23.01.2020 12:20:25	1	1	1	1	89.75	64	0	23933.649	189.2473118	4529.394178	30000	0	0	30000	43.875	2004
23.01.2020 12:20:26	1	1	1	1	89.75	63.75	0	24170.616	206.4516129	4990.079635	30000	0	0	30000	43.75	2004
23.01.2020 12:20:27	1	1	1	1	89.75	63.75	0	25071.09	219.3548387	5498.872068	30000	0	0	30000	44.1875	2004
23.01.2020 12:20:28	1	1	1	1	89.75	64	0	25687.204	236.5591398	6064.740576	30000	0	0	30000	43.75	2004
23.01.2020 12:20:29	1	1	1	1	89.75	63.75	0	26350.711	260.2150538	6856.467263	30000	0	0	30000	44.125	2004
23.01.2020 12:20:30	1	1	1	1	89.75	64	0	26303.318	262.3655914	6957.573451	30000	0	0	30000	43.875	2004
23.01.2020 12:20:31	1	1	1	1	89.25	63.75	0	26919.431	281.7204301	7641.67097	30000	0	0	30000	43.8125	2004
23.01.2020 12:20:32	1	1	1	1	89.25	63.75	0	27298.578	311.827957	8747.316066	30000	0	0	30000	43.5	2004
23.01.2020 12:20:33	1	1	1	1	89.25	63.5	0	27109.005	322.5806452	8744.869948	30000	0	0	30000	43.8125	2004
23.01.2020 12:20:34	1	1	1	1	89.25	63.75	0	27440.758	339.7849462	9382.491235	30000	0	0	30000	43.75	2004
23.01.2020 12:20:35	1	1	1	1	89.25	63.75	0	27819.905	352.688172	9811.377164	30000	0	0	30000	43.6875	2004
23.01.2020 12:20:36	1	1	1	1	89.25	63.5	0	28341.232	365.5913978	10299.78529	30000	0	0	30000	43.8125	2004
23.01.2020 12:20:38	1	1	1	1	89.25	63.75	0	27298.578	369.8924731	10097.57291	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:39	1	1	1	1	89.25	63.75	0	27440.758	391.3978495	10858.31544	30000	0	0	30000	43.8125	2004
23.01.2020 12:20:40	1	1	1	1	89.25	63.75	0	27630.332	397.8494624	11051.55872	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:41	1	1	1	1	89.25	63.75	0	27867.299	391.3978495	10907.23779	30000	0	0	30000	43.6875	2004
23.01.2020 12:20:42	1	1	1	1	89	63.5	0	28009.479	432.2580645	11966.40665	30000	0	0	30000	43.75	2004
23.01.2020 12:20:43	1	1	1	1	89	63.75	0	28009.479	445.1612903	12468.67611	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:44	1	1	1	1	89	63.75	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44	2004
23.01.2020 12:20:45	1	1	1	1	89	64	0	28009.479	458.0645161	12890.22368	30000	0	0	30000	43.5625	2004
23.01.2020 12:20:46	1	1	1	1	89	63.5	0	28009.479	481.7204301	13191.09613	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:47	1	1	1	1	89	63.75	0	28199.052	466.6666667	13219.63417	30000	0	0	30000	44	2004
23.01.2020 12:20:48	1	1	1	1	89	64	0	28341.232	486.0215054	13735.76496	30000	0	0	30000	43.875	2004
23.01.2020 12:20:49	1	1	1	1	89	63.75	0	28862.559	503.2258065	14586.19846	30000	0	0	30000	43.875	2004
23.01.2020 12:20:50	1	1	1	1	89	63.75	0	29099.526	520.4301075	15143.91324	30000	0	0	30000	43.875	2004
23.01.2020 12:20:51	1	1	1	1	89	63.75	0	28815.166	533.3333333	15430.10899	30000	0	0	30000	43.875	2004
23.01.2020 12:20:52	1	1	1	1	88.5	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.875	2004
23.01.2020 12:20:53	1	1	1	1	88.5	63.75	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:54	1	1	1	1	88.5	63.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.0625	2004
23.01.2020 12:20:55	1	1	1	1	88.5	63	0	29336.493	548.3870968	16024.51553	30000	0	0	30000	43.25	2004
23.01.2020 12:20:56	1	1	1	1	88.5	63.25	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	43.6875	2004
23.01.2020 12:20:57	1	1	1	1	88.5	63.5	0	28957.346	552.688172	15978.0393	30000	0	0	30000	43.625	2004
23.01.2020 12:20:58	1	1	1	1	88.5	63.5	0	28009.479	503.2258065	14154.86641	30000	0	0	30000	43.9375	2004
23.01.2020 12:20:59	1	1	1	1	88.5	63.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44	2004
23.01.2020 12:21:00	1	1	1	1	88.5	64	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.9375	2004
23.01.2020 12:21:01	1	1	1	1	88.5	62.75	0	29099.526	552.688172	16056.31506	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:21:02	1	1	1	1	88.5	64	0	28957.346	552.688172	16066.09953	30000	0	0	30000	43.4375	2004
23.01.2020 12:21:03	1	1	1	1	88.5	63.25	0	29052.133	552.688172	15994.34675	30000	0	0	30000	43.3125	2004
23.01.2020 12:21:04	1	1	1	1	88.5	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.375	2004
23.01.2020 12:21:11	1	1	1	1	88.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5	2004
23.01.2020 12:21:11	1	1	1	1	88.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5	2004
23.01.2020 12:21:11	1	1	1	1	88.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5	2004
23.01.2020 12:21:11	1	1	1	1	88.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5	2004
23.01.2020 12:21:11	1	1	1	1	88.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5	2004
23.01.2020 12:21:11	1	1	1	1	88.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5	2004
23.01.2020 12:21:11	1	1	1	1	88.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5	2004
23.01.2020 12:21:11	1	1	1	1	88.75	63.5	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	43.8125	2004
23.01.2020 12:21:12	1	1	1	1	88.75	63.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	43.875	2004
23.01.2020 12:21:13	1	1	1	1	88.75	63.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	44	2004
23.01.2020 12:21:14	1	1	1	1	88.75	64	0	28957.346	552.688172	16181.06705	30000	0	0	30000	43.5625	2004
23.01.2020 12:21:16	1	1	1	1	88.75	63.5	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	43.75	2004
23.01.2020 12:21:17	1	1	1	1	88.75	63.75	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	43.75	2004
23.01.2020 12:21:18	1	1	1	1	88.75	63.75	0	28957.346	548.3870968	15817.41092	30000	0	0	30000	43.375	2004
23.01.2020 12:21:19	1	1	1	1	88.75	63.25	0	29052.133	548.3870968	16020.43867	30000	0	0	30000	43.875	2004
23.01.2020 12:21:20	1	1	1	1	88.75	63.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	43.875	2004
23.01.2020 12:21:21	1	1	1	1	88.75	63.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.8125	2004
23.01.2020 12:21:22	1	1	1	1	88.5	63.75	0	29146.919	546.2365591	16061.20729	30000	0	0	30000	43.8125	2004
23.01.2020 12:21:23	1	1	1	1	88.5	63.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	43.875	2004
23.01.2020 12:21:24	1	1	1	1	88.5	63.75	0	29431.28	550.5376344	16087.29921	30000	0	0	30000	43.5	2004
23.01.2020 12:21:25	1	1	1	1	88.5	63.5	0	29241.706	546.2365591	15846.76433	30000	0	0	30000	43.875	2004
23.01.2020 12:21:26	1	1	1	1	88.5	63.75	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	43.9375	2004
23.01.2020 12:21:27	1	1	1	1	88.5	63.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.8125	2004
23.01.2020 12:21:28	1	1	1	1	88.5	63.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.8125	2004
23.01.2020 12:21:29	1	1	1	1	88.5	63.75	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	43.5625	2004
23.01.2020 12:21:30	1	1	1	1	88.5	63.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.75	2004
23.01.2020 12:21:31	1	1	1	1	88.5	63.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.75	2004
23.01.2020 12:21:32	1	1	1	1	88.75	63.75	0	29810.427	481.7204301	14406.00114	30000	0	0	30000	43.75	2004
23.01.2020 12:21:33	1	1	1	1	88.75	63.75	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	43.8125	2004
23.01.2020 12:21:34	1	1	1	1	88.75	63.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	44	2004
23.01.2020 12:21:35	1	1	1	1	88.75	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.4375	2004
23.01.2020 12:21:36	1	1	1	1	88.75	63.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.875	2004
23.01.2020 12:21:37	1	1	1	1	88.75	63.75	0	29857.82	539.7849462	16154.97513	30000	0	0	30000	43.3125	2004
23.01.2020 12:21:38	1	1	1	1	88.75	63.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.5	2004
23.01.2020 12:21:39	1	1	1	1	88.75	63.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	43.875	2004
23.01.2020 12:21:40	1	1	1	1	88.75	63.75	0	29526.066	544.0860215	16307.44979	30000	0	0	30000	43.875	2004
23.01.2020 12:21:41	1	1	1	1	88.75	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.9375	2004
23.01.2020 12:21:42	1	1	1	1	88.5	63.75	0	29336.493	546.2365591	16124.80635	30000	0	0	30000	43.75	2004
23.01.2020 12:21:43	1	1	1	1	88.5	63.75	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	43.5625	2004
23.01.2020 12:21:44	1	1	1	1	88.5	63.5	0	29289.1	541.9354839	15935.63993	30000	0	0	30000	43.9375	2004
23.01.2020 12:21:45	1	1	1	1	88.5	63.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:21:46	1	1	1	1	88.5	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.625	2004
23.01.2020 12:21:47	1	1	1	1	88.5	64	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	44.0625	2004
23.01.2020 12:21:48	1	1	1	1	88.5	64	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	43.3125	2004
23.01.2020 12:21:49	1	1	1	1	88.5	63.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.5	2004
23.01.2020 12:21:50	1	1	1	1	88.5	63.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	44.1875	2004
23.01.2020 12:21:51	1	1	1	1	88.75	64	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.9375	2004
23.01.2020 12:21:52	1	1	1	1	88.75	63.75	0	29289.1	541.9354839	16213.68195	30000	0	0	30000	43.9375	2004
23.01.2020 12:21:54	1	1	1	1	88.75	63.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.375	2004
23.01.2020 12:21:55	1	1	1	1	88.75	63.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.875	2004
23.01.2020 12:21:56	1	1	1	1	88.75	63.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.8125	2004
23.01.2020 12:21:57	1	1	1	1	88.75	63.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.0625	2004
23.01.2020 12:21:58	1	1	1	1	88.75	64	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	44	2004
23.01.2020 12:21:59	1	1	1	1	88.75	64	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.5625	2004
23.01.2020 12:22:00	1	1	1	1	88.75	63.5	0	29620.853	541.9354839	16307.44979	30000	0	0	30000	43.875	2004
23.01.2020 12:22:01	1	1	1	1	88.75	63.75	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	43.75	2004
23.01.2020 12:22:02	1	1	1	1	88.5	63.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.75	2004
23.01.2020 12:22:03	1	1	1	1	88.5	63.75	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	43.6875	2004
23.01.2020 12:22:04	1	1	1	1	88.5	63.5	0	29715.64	541.9354839	15975.59318	30000	0	0	30000	44.1875	2004
23.01.2020 12:22:05	1	1	1	1	88.5	64	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.875	2004
23.01.2020 12:22:06	1	1	1	1	88.5	63.75	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	44	2004
23.01.2020 12:22:12	1	1	1	1	88.75	63.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
23.01.2020 12:22:12	1	1	1	1	88.75	63.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
23.01.2020 12:22:12	1	1	1	1	88.75	63.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
23.01.2020 12:22:12	1	1	1	1	88.75	63.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
23.01.2020 12:22:12	1	1	1	1	88.75	63.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
23.01.2020 12:22:12	1	1	1	1	88.75	63.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
23.01.2020 12:22:12	1	1	1	1	88.75	63.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
23.01.2020 12:22:13	1	1	1	1	88.75	63.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.125	2004
23.01.2020 12:22:14	1	1	1	1	88.75	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.6875	2004
23.01.2020 12:22:15	1	1	1	1	88.75	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
23.01.2020 12:22:16	1	1	1	1	88.75	63.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	43.875	2004
23.01.2020 12:22:17	1	1	1	1	88.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 12:22:18	1	1	1	1	88.75	63.5	0	29952.607	464.516129	13935.53122	30000	0	0	30000	44.0625	2004
23.01.2020 12:22:19	1	1	1	1	88.75	64	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	43.875	2004
23.01.2020 12:22:20	1	1	1	1	88.75	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	43.75	2004
23.01.2020 12:22:21	1	1	1	1	88.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
23.01.2020 12:22:22	1	1	1	1	88.75	63	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.0625	2004
23.01.2020 12:22:23	1	1	1	1	88.75	64	0	29810.427	460.2150538	13847.47099	30000	0	0	30000	44.5625	2004
23.01.2020 12:22:24	1	1	1	1	88.75	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.0625	2004
23.01.2020 12:22:25	1	1	1	1	88.75	64	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.875	2004
23.01.2020 12:22:26	1	1	1	1	88.75	64.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.125	2004
23.01.2020 12:22:27	1	1	1	1	88.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
23.01.2020 12:22:28	1	1	1	1	88.75	63.75	0	30000	503.2258065	15289.86492	30000	0	0	30000	43.75	2004
23.01.2020 12:22:29	1	1	1	1	88.75	63.75	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:22:30	1	1	1	1	88.75	63.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	43.9375	2004
23.01.2020 12:22:31	1	1	1	1	89	63.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.8125	2004
23.01.2020 12:22:33	1	1	1	1	89	63.75	0	29857.82	537.6344086	16181.06705	30000	0	0	30000	43.9375	2004
23.01.2020 12:22:34	1	1	1	1	89	63.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.5625	2004
23.01.2020 12:22:35	1	1	1	1	89	63.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.1875	2004
23.01.2020 12:22:36	1	1	1	1	89	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.625	2004
23.01.2020 12:22:37	1	1	1	1	89	63.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.9375	2004
23.01.2020 12:22:38	1	1	1	1	89	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	43.9375	2004
23.01.2020 12:22:39	1	1	1	1	89	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.5	2004
23.01.2020 12:22:40	1	1	1	1	89	63.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.6875	2004
23.01.2020 12:22:41	1	1	1	1	89	63.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	43.375	2004
23.01.2020 12:22:42	1	1	1	1	89.25	63.25	0	30000	516.1290323	15225.45049	30000	0	0	30000	43.75	2004
23.01.2020 12:22:43	1	1	1	1	89.25	63.75	0	30000	511.827957	15483.92357	30000	0	0	30000	43.875	2004
23.01.2020 12:22:44	1	1	1	1	89.25	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43.875	2004
23.01.2020 12:22:45	1	1	1	1	89.25	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.5	2004
23.01.2020 12:22:46	1	1	1	1	89.25	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.625	2004
23.01.2020 12:22:47	1	1	1	1	89.25	63.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.8125	2004
23.01.2020 12:22:48	1	1	1	1	89.25	63.75	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	44.0625	2004
23.01.2020 12:22:49	1	1	1	1	89.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 12:22:50	1	1	1	1	89.25	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
23.01.2020 12:22:51	1	1	1	1	89.25	63.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.1875	2004
23.01.2020 12:22:52	1	1	1	1	89.25	64	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.1875	2004
23.01.2020 12:22:53	1	1	1	1	89.25	64	0	30094.787	524.7311828	15717.1201	30000	0	0	30000	44	2004
23.01.2020 12:22:54	1	1	1	1	89.25	64	0	29857.82	468.8172043	13847.47099	30000	0	0	30000	44.0625	2004
23.01.2020 12:22:55	1	1	1	1	89.25	64	0	29810.427	483.8709677	14488.35376	30000	0	0	30000	43.3125	2004
23.01.2020 12:22:56	1	1	1	1	89.25	63.25	0	30047.393	516.1290323	15225.45049	30000	0	0	30000	43.625	2004
23.01.2020 12:22:57	1	1	1	1	89.25	63.5	0	30000	501.0752688	14727.2579	30000	0	0	30000	44	2004
23.01.2020 12:22:58	1	1	1	1	89.25	64	0	29905.213	468.8172043	14406.00114	30000	0	0	30000	43.75	2004
23.01.2020 12:22:59	1	1	1	1	89.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 12:23:00	1	1	1	1	89.25	63.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:01	1	1	1	1	89.25	64	0	30000	496.7741935	15225.45049	30000	0	0	30000	43.9375	2004
23.01.2020 12:23:02	1	1	1	1	89	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:03	1	1	1	1	89	64	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	44.375	2004
23.01.2020 12:23:04	1	1	1	1	89	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:05	1	1	1	1	89	63.75	0	30000	522.5806452	15741.58128	30000	0	0	30000	43.5	2004
23.01.2020 12:23:06	1	1	1	1	89	63.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:07	1	1	1	1	89	64	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	44	2004
23.01.2020 12:23:14	1	1	1	1	89	63.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	43.3125	2004
23.01.2020 12:23:14	1	1	1	1	89	63.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	43.3125	2004
23.01.2020 12:23:14	1	1	1	1	89	63.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	43.3125	2004
23.01.2020 12:23:14	1	1	1	1	89	63.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	43.3125	2004
23.01.2020 12:23:14	1	1	1	1	89	63.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	43.3125	2004
23.01.2020 12:23:14	1	1	1	1	89	63.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:23:15	1	1	1	1	89	63.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	43.9375	2004
23.01.2020 12:23:16	1	1	1	1	89	63.75	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:17	1	1	1	1	89	64	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.875	2004
23.01.2020 12:23:18	1	1	1	1	89	63.75	0	29715.64	537.6344086	15925.04009	30000	0	0	30000	43.75	2004
23.01.2020 12:23:19	1	1	1	1	89	63.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:20	1	1	1	1	89	64	0	30000	522.5806452	15652.70568	30000	0	0	30000	43.625	2004
23.01.2020 12:23:21	1	1	1	1	89	63.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.625	2004
23.01.2020 12:23:22	1	1	1	1	88.5	63.5	0	29715.64	541.9354839	15861.44103	30000	0	0	30000	43.9375	2004
23.01.2020 12:23:23	1	1	1	1	88.5	63.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	43.875	2004
23.01.2020 12:23:24	1	1	1	1	88.5	63.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	44.125	2004
23.01.2020 12:23:25	1	1	1	1	88.5	64	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	43.9375	2004
23.01.2020 12:23:26	1	1	1	1	88.5	63.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43.8125	2004
23.01.2020 12:23:27	1	1	1	1	88.5	63.75	0	28009.479	520.4301075	14516.07643	30000	0	0	30000	43.9375	2004
23.01.2020 12:23:28	1	1	1	1	88.5	63.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	43.125	2004
23.01.2020 12:23:29	1	1	1	1	88.5	63	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	43.3125	2004
23.01.2020 12:23:30	1	1	1	1	88.5	63.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	43.9375	2004
23.01.2020 12:23:31	1	1	1	1	88.5	63.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.9375	2004
23.01.2020 12:23:32	1	1	1	1	89.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44	2004
23.01.2020 12:23:33	1	1	1	1	89.25	64	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	44	2004
23.01.2020 12:23:34	1	1	1	1	89.25	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:35	1	1	1	1	89.25	64	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.125	2004
23.01.2020 12:23:36	1	1	1	1	89.25	64	0	29383.886	537.6344086	15924.22472	30000	0	0	30000	43.1875	2004
23.01.2020 12:23:37	1	1	1	1	89.25	63	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	43.875	2004
23.01.2020 12:23:38	1	1	1	1	89.25	63.75	0	30000	537.6344086	16039.19224	30000	0	0	30000	44.125	2004
23.01.2020 12:23:39	1	1	1	1	89.25	64	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	44.125	2004
23.01.2020 12:23:40	1	1	1	1	89.25	64	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	44	2004
23.01.2020 12:23:41	1	1	1	1	89.25	64	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.1875	2004
23.01.2020 12:23:42	1	1	1	1	89.5	64	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	43.875	2004
23.01.2020 12:23:43	1	1	1	1	89.5	63.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.4375	2004
23.01.2020 12:23:44	1	1	1	1	89.5	64	0	29857.82	541.9354839	16154.97513	30000	0	0	30000	43.875	2004
23.01.2020 12:23:45	1	1	1	1	89.5	63.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:46	1	1	1	1	89.5	64	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:47	1	1	1	1	89.5	64	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.9375	2004
23.01.2020 12:23:49	1	1	1	1	89.5	63.75	0	30000	507.5268817	14662.84348	30000	0	0	30000	43.75	2004
23.01.2020 12:23:50	1	1	1	1	89.5	63.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44	2004
23.01.2020 12:23:51	1	1	1	1	89.5	64	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.8125	2004
23.01.2020 12:23:52	1	1	1	1	89.5	63.75	0	29905.213	507.5268817	15289.86492	30000	0	0	30000	43.5625	2004
23.01.2020 12:23:53	1	1	1	1	89.5	63.5	0	30000	511.827957	15354.27935	30000	0	0	30000	44	2004
23.01.2020 12:23:54	1	1	1	1	89.5	64	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	43.75	2004
23.01.2020 12:23:55	1	1	1	1	89.5	63.75	0	30000	511.827957	15418.69377	30000	0	0	30000	44.0625	2004
23.01.2020 12:23:56	1	1	1	1	89.5	64	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.25	2004
23.01.2020 12:23:57	1	1	1	1	89.5	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.75	2004
23.01.2020 12:23:58	1	1	1	1	89.5	63.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:23:59	1	1	1	1	89.5	63.75	0	30047.393	522.5806452	15677.16685	30000	0	0	30000	44	2004
23.01.2020 12:24:00	1	1	1	1	89.5	64	0	30000	520.4301075	15548.338	30000	0	0	30000	44	2004
23.01.2020 12:24:01	1	1	1	1	89.5	64	0	27914.692	481.7204301	13424.29266	30000	0	0	30000	44.125	2004
23.01.2020 12:24:02	1	1	1	1	89.25	64	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	43.9375	2004
23.01.2020 12:24:03	1	1	1	1	89.25	63.75	0	30000	511.827957	15266.21912	30000	0	0	30000	43.8125	2004
23.01.2020 12:24:04	1	1	1	1	89.25	63.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	44.125	2004
23.01.2020 12:24:05	1	1	1	1	89.25	64	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.9375	2004
23.01.2020 12:24:06	1	1	1	1	89.25	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.75	2004
23.01.2020 12:24:07	1	1	1	1	89.25	63.75	0	29526.066	539.7849462	15848.39508	30000	0	0	30000	44	2004
23.01.2020 12:24:08	1	1	1	1	89.25	64	0	30000	518.2795699	15766.85783	30000	0	0	30000	43.5625	2004
23.01.2020 12:24:09	1	1	1	1	89.25	63.5	0	29810.427	507.5268817	15064.82211	30000	0	0	30000	43.875	2004
23.01.2020 12:24:15	1	1	1	1	89.5	64	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:24:15	1	1	1	1	89.5	64	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:24:15	1	1	1	1	89.5	64	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:24:15	1	1	1	1	89.5	64	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:24:15	1	1	1	1	89.5	64	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:24:15	1	1	1	1	89.5	64	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:24:15	1	1	1	1	89.5	64	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
23.01.2020 12:24:16	1	1	1	1	89.5	63.5	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	44.25	2004
23.01.2020 12:24:17	1	1	1	1	89.5	64.25	0	29146.919	503.2258065	14604.13666	30000	0	0	30000	44.1875	2004
23.01.2020 12:24:18	1	1	1	1	89.5	64	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.1875	2004
23.01.2020 12:24:19	1	1	1	1	89.5	64	0	29478.673	546.2365591	16075.884	30000	0	0	30000	44.5625	2004
23.01.2020 12:24:20	1	1	1	1	89.5	64.5	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	44	2004
23.01.2020 12:24:21	1	1	1	1	89.5	64	0	29431.28	544.0860215	16075.884	30000	0	0	30000	44.375	2004
23.01.2020 12:24:22	1	1	1	1	90	64.25	0	29620.853	550.5376344	15988.63914	30000	0	0	30000	44.0625	2004
23.01.2020 12:24:23	1	1	1	1	90	64.25	0	29146.919	539.7849462	15858.17955	30000	0	0	30000	43.875	2004
23.01.2020 12:24:24	1	1	1	1	90	63.75	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	43.25	2004
23.01.2020 12:24:25	1	1	1	1	90	63.25	0	29573.46	546.2365591	16154.15976	30000	0	0	30000	44	2004
23.01.2020 12:24:27	1	1	1	1	90	64	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.875	2004
23.01.2020 12:24:28	1	1	1	1	90	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.875	2004
23.01.2020 12:24:29	1	1	1	1	90	63.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	44.3125	2004
23.01.2020 12:24:30	1	1	1	1	90	64.25	0	29052.133	548.3870968	16020.43867	30000	0	0	30000	43.5	2004
23.01.2020 12:24:31	1	1	1	1	90	63.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.125	2004
23.01.2020 12:24:32	1	1	1	1	89.5	64	0	29431.28	546.2365591	16191.66689	30000	0	0	30000	44.0625	2004
23.01.2020 12:24:33	1	1	1	1	89.5	64	0	29146.919	541.9354839	15972.33169	30000	0	0	30000	43.125	2004
23.01.2020 12:24:34	1	1	1	1	89.5	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.9375	2004
23.01.2020 12:24:35	1	1	1	1	89.5	63.75	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	44.25	2004
23.01.2020 12:24:36	1	1	1	1	89.5	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.0625	2004
23.01.2020 12:24:37	1	1	1	1	89.5	64	0	28862.559	550.5376344	16013.91569	30000	0	0	30000	44	2004
23.01.2020 12:24:38	1	1	1	1	89.5	64	0	29052.133	552.688172	16004.13122	30000	0	0	30000	43.875	2004
23.01.2020 12:24:39	1	1	1	1	89.5	63.75	0	28578.199	550.5376344	15759.51947	30000	0	0	30000	44.1875	2004
23.01.2020 12:24:40	1	1	1	1	89.5	64	0	28625.592	541.9354839	15616.01392	30000	0	0	30000	44.125	2004
23.01.2020 12:24:41	1	1	1	1	89.5	64	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	43.75	2004
23.01.2020 12:24:42	1	1	1	1	89.25	63.75	0	28957.346	550.5376344	15630.69062	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:24:43	1	1	1	1	89.25	64	0	29099.526	546.2365591	15832.08763	30000	0	0	30000	43.8125	2004
23.01.2020 12:24:44	1	1	1	1	89.25	63.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	44.125	2004
23.01.2020 12:24:45	1	1	1	1	89.25	64	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 12:24:46	1	1	1	1	89.25	64.25	0	28530.806	496.7741935	14196.45041	30000	0	0	30000	43.75	2004
23.01.2020 12:24:47	1	1	1	1	89.25	63.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	44.0625	2004
23.01.2020 12:24:48	1	1	1	1	89.25	64	0	29336.493	546.2365591	15809.2572	30000	0	0	30000	43.75	2004
23.01.2020 12:24:49	1	1	1	1	89.25	63.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44	2004
23.01.2020 12:24:50	1	1	1	1	89.25	64	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	44	2004
23.01.2020 12:24:51	1	1	1	1	89.25	64	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.25	2004
23.01.2020 12:24:52	1	1	1	1	89.25	64.25	0	29289.1	546.2365591	16213.68195	30000	0	0	30000	43.8125	2004
23.01.2020 12:24:53	1	1	1	1	89.25	63.75	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	44	2004
23.01.2020 12:24:54	1	1	1	1	89.25	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.1875	2004
23.01.2020 12:24:55	1	1	1	1	89.25	64	0	29431.28	546.2365591	16024.51553	30000	0	0	30000	44.25	2004
23.01.2020 12:24:56	1	1	1	1	89.25	64.25	0	28957.346	556.9892473	16040.00761	30000	0	0	30000	43.5	2004
23.01.2020 12:24:57	1	1	1	1	89.25	63.5	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43.6875	2004
23.01.2020 12:24:58	1	1	1	1	89.25	63.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.0625	2004
23.01.2020 12:24:59	1	1	1	1	89.25	64	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	44.5	2004
23.01.2020 12:25:00	1	1	1	1	89.25	64.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.0625	2004
23.01.2020 12:25:01	1	1	1	1	89.25	64	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.9375	2004
23.01.2020 12:25:02	1	1	1	1	89.25	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.25	2004
23.01.2020 12:25:03	1	1	1	1	89.25	64.25	0	28578.199	552.688172	15794.58049	30000	0	0	30000	43.375	2004
23.01.2020 12:25:05	1	1	1	1	89.25	63.25	0	28957.346	559.1397849	16066.09953	30000	0	0	30000	44.0625	2004
23.01.2020 12:25:06	1	1	1	1	89.25	64	0	28957.346	559.1397849	15942.16291	30000	0	0	30000	44.125	2004
23.01.2020 12:25:07	1	1	1	1	89.25	64	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	44.1875	2004
23.01.2020 12:25:08	1	1	1	1	89.25	64	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.1875	2004
23.01.2020 12:25:09	1	1	1	1	89.25	64	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	44.125	2004
23.01.2020 12:25:10	1	1	1	1	89.25	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.125	2004
23.01.2020 12:25:11	1	1	1	1	89.25	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.1875	2004
23.01.2020 12:25:17	1	1	1	1	89.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.25	2004
23.01.2020 12:25:17	1	1	1	1	89.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.25	2004
23.01.2020 12:25:17	1	1	1	1	89.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.25	2004
23.01.2020 12:25:17	1	1	1	1	89.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.25	2004
23.01.2020 12:25:17	1	1	1	1	89.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.25	2004
23.01.2020 12:25:17	1	1	1	1	89.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.25	2004
23.01.2020 12:25:18	1	1	1	1	89.5	64.25	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	44.1875	2004
23.01.2020 12:25:19	1	1	1	1	89.5	64	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	44.1875	2004
23.01.2020 12:25:20	1	1	1	1	89.5	64	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	44	2004
23.01.2020 12:25:21	1	1	1	1	89.5	64	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	44.3125	2004
23.01.2020 12:25:22	1	1	1	1	89	64.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.3125	2004
23.01.2020 12:25:23	1	1	1	1	89	64.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.25	2004
23.01.2020 12:25:24	1	1	1	1	89	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.3125	2004
23.01.2020 12:25:25	1	1	1	1	89	64.25	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	44.0625	2004
23.01.2020 12:25:26	1	1	1	1	89	64	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:25:27	1	1	1	1	89	64	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	43.8125	2004
23.01.2020 12:25:28	1	1	1	1	89	63.75	0	29431.28	541.9354839	16139.48305	30000	0	0	30000	44.0625	2004
23.01.2020 12:25:29	1	1	1	1	89	64	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	44.25	2004
23.01.2020 12:25:30	1	1	1	1	89	64.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.6875	2004
23.01.2020 12:25:31	1	1	1	1	89	63.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.125	2004
23.01.2020 12:25:32	1	1	1	1	89.5	64	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	43.8125	2004
23.01.2020 12:25:33	1	1	1	1	89.5	63.75	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	44.1875	2004
23.01.2020 12:25:34	1	1	1	1	89.5	64	0	29146.919	552.688172	16108.4989	30000	0	0	30000	44.1875	2004
23.01.2020 12:25:35	1	1	1	1	89.5	64	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44	2004
23.01.2020 12:25:36	1	1	1	1	89.5	64	0	29241.706	556.9892473	16046.53059	30000	0	0	30000	43.9375	2004
23.01.2020 12:25:37	1	1	1	1	89.5	63.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	44.1875	2004
23.01.2020 12:25:38	1	1	1	1	89.5	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.25	2004
23.01.2020 12:25:39	1	1	1	1	89.5	63.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	44.125	2004
23.01.2020 12:25:40	1	1	1	1	89.5	64	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.9375	2004
23.01.2020 12:25:41	1	1	1	1	90.5	63.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.875	2004
23.01.2020 12:25:43	1	1	1	1	90.5	63.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	44.3125	2004
23.01.2020 12:25:44	1	1	1	1	90.5	64.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.25	2004
23.01.2020 12:25:45	1	1	1	1	90.5	64.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	44.25	2004
23.01.2020 12:25:46	1	1	1	1	90.5	64.25	0	28957.346	552.688172	15942.16291	30000	0	0	30000	43.6875	2004
23.01.2020 12:25:47	1	1	1	1	90.5	63.5	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.0625	2004
23.01.2020 12:25:48	1	1	1	1	90.5	64	0	28009.479	533.3333333	14938.43938	30000	0	0	30000	43.5625	2004
23.01.2020 12:25:49	1	1	1	1	90.5	63.5	0	28957.346	559.1397849	16004.13122	30000	0	0	30000	43.625	2004
23.01.2020 12:25:50	1	1	1	1	90.5	63.5	0	29241.706	548.3870968	16150.89827	30000	0	0	30000	43.625	2004
23.01.2020 12:25:51	1	1	1	1	90.5	63.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	44.375	2004
23.01.2020 12:25:52	1	1	1	1	89.5	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.9375	2004
23.01.2020 12:25:53	1	1	1	1	89.5	63.75	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	43.4375	2004
23.01.2020 12:25:54	1	1	1	1	89.5	63.25	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	44	2004
23.01.2020 12:25:55	1	1	1	1	89.5	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.6875	2004
23.01.2020 12:25:56	1	1	1	1	89.5	63.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.25	2004
23.01.2020 12:25:57	1	1	1	1	89.5	64.25	0	29052.133	556.9892473	16128.88321	30000	0	0	30000	44.1875	2004
23.01.2020 12:25:58	1	1	1	1	89.5	64	0	29146.919	533.3333333	15545.07651	30000	0	0	30000	43.875	2004
23.01.2020 12:25:59	1	1	1	1	89.5	63.75	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:00	1	1	1	1	89.5	64.25	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	43.625	2004
23.01.2020 12:26:01	1	1	1	1	89.5	63.5	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	43.875	2004
23.01.2020 12:26:02	1	1	1	1	89.75	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.375	2004
23.01.2020 12:26:03	1	1	1	1	89.75	64.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:04	1	1	1	1	89.75	64.25	0	28578.199	559.1397849	15952.76275	30000	0	0	30000	43.8125	2004
23.01.2020 12:26:05	1	1	1	1	89.75	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.6875	2004
23.01.2020 12:26:06	1	1	1	1	89.75	63.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	43.9375	2004
23.01.2020 12:26:07	1	1	1	1	89.75	63.75	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	44.125	2004
23.01.2020 12:26:08	1	1	1	1	89.75	64	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	44	2004
23.01.2020 12:26:09	1	1	1	1	89.75	64	0	28625.592	552.688172	15794.58049	30000	0	0	30000	44.1875	2004
23.01.2020 12:26:10	1	1	1	1	89.75	64	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:26:11	1	1	1	1	89.75	64	0	28815.166	556.9892473	15863.88715	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:12	1	1	1	1	90.25	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:19	1	1	1	1	90.25	64	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.625	2004
23.01.2020 12:26:19	1	1	1	1	90.25	64	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.625	2004
23.01.2020 12:26:19	1	1	1	1	90.25	64	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.625	2004
23.01.2020 12:26:19	1	1	1	1	90.25	64	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.625	2004
23.01.2020 12:26:19	1	1	1	1	90.25	64	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.625	2004
23.01.2020 12:26:19	1	1	1	1	90.25	64	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.625	2004
23.01.2020 12:26:19	1	1	1	1	90.25	64	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.625	2004
23.01.2020 12:26:19	1	1	1	1	90.25	63.5	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:20	1	1	1	1	90.25	64.25	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.75	2004
23.01.2020 12:26:22	1	1	1	1	90.25	63.75	0	29146.919	544.0860215	15972.33169	30000	0	0	30000	44.25	2004
23.01.2020 12:26:23	1	1	1	1	90.25	64.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	42.875	2004
23.01.2020 12:26:24	1	1	1	1	90.25	62.75	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	44.0625	2004
23.01.2020 12:26:25	1	1	1	1	90.25	64	0	28625.592	494.6236559	14220.09621	30000	0	0	30000	44.25	2004
23.01.2020 12:26:26	1	1	1	1	90.25	64.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44.1875	2004
23.01.2020 12:26:27	1	1	1	1	90.25	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:28	1	1	1	1	90.25	64.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.125	2004
23.01.2020 12:26:29	1	1	1	1	90.25	64	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	44.1875	2004
23.01.2020 12:26:30	1	1	1	1	90.25	64	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:31	1	1	1	1	90.25	64.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:32	1	1	1	1	89.75	64.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	44.25	2004
23.01.2020 12:26:33	1	1	1	1	89.75	64.25	0	29905.213	507.5268817	15177.34352	30000	0	0	30000	43.75	2004
23.01.2020 12:26:34	1	1	1	1	89.75	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.125	2004
23.01.2020 12:26:35	1	1	1	1	89.75	64	0	29620.853	533.3333333	15988.63914	30000	0	0	30000	44.25	2004
23.01.2020 12:26:36	1	1	1	1	89.75	64.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:37	1	1	1	1	89.75	64.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	44.125	2004
23.01.2020 12:26:38	1	1	1	1	89.75	64	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:39	1	1	1	1	89.75	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.25	2004
23.01.2020 12:26:40	1	1	1	1	89.75	64.25	0	29905.213	524.7311828	15885.08684	30000	0	0	30000	43.8125	2004
23.01.2020 12:26:41	1	1	1	1	89.75	63.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.1875	2004
23.01.2020 12:26:42	1	1	1	1	89.75	64	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.1875	2004
23.01.2020 12:26:43	1	1	1	1	89.75	64	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	44.125	2004
23.01.2020 12:26:44	1	1	1	1	89.75	64	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	44.25	2004
23.01.2020 12:26:45	1	1	1	1	89.75	64.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:46	1	1	1	1	89.75	64.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.75	2004
23.01.2020 12:26:47	1	1	1	1	89.75	63.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.6875	2004
23.01.2020 12:26:48	1	1	1	1	89.75	63.5	0	29336.493	548.3870968	15909.54801	30000	0	0	30000	43.9375	2004
23.01.2020 12:26:49	1	1	1	1	89.75	63.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:50	1	1	1	1	89.75	64.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.5625	2004
23.01.2020 12:26:51	1	1	1	1	89.75	63.5	0	29241.706	550.5376344	16061.20729	30000	0	0	30000	44.1875	2004
23.01.2020 12:26:52	1	1	1	1	90	64	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	43.9375	2004
23.01.2020 12:26:53	1	1	1	1	90	63.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.3125	2004
23.01.2020 12:26:54	1	1	1	1	90	64.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:26:55	1	1	1	1	90	64	0	27298.578	516.1290323	14114.09779	30000	0	0	30000	44.1875	2004
23.01.2020 12:26:56	1	1	1	1	90	64.5	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	44.5	2004
23.01.2020 12:26:57	1	1	1	1	90	64.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.1875	2004
23.01.2020 12:26:59	1	1	1	1	90	64	0	29289.1	544.0860215	15998.42361	30000	0	0	30000	44.3125	2004
23.01.2020 12:27:00	1	1	1	1	90	64.25	0	29146.919	552.688172	15920.96323	30000	0	0	30000	44.375	2004
23.01.2020 12:27:01	1	1	1	1	90	64.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.25	2004
23.01.2020 12:27:02	1	1	1	1	90.25	64.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.9375	2004
23.01.2020 12:27:03	1	1	1	1	90.25	63.75	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	44.0625	2004
23.01.2020 12:27:04	1	1	1	1	90.25	64	0	29336.493	550.5376344	16124.80635	30000	0	0	30000	44.1875	2004
23.01.2020 12:27:05	1	1	1	1	90.25	64	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.3125	2004
23.01.2020 12:27:06	1	1	1	1	90.25	64.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.1875	2004
23.01.2020 12:27:07	1	1	1	1	90.25	64	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	44	2004
23.01.2020 12:27:08	1	1	1	1	90.25	64	0	29905.213	529.0322581	15756.25798	30000	0	0	30000	44.3125	2004
23.01.2020 12:27:09	1	1	1	1	90.25	64.25	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	43.875	2004
23.01.2020 12:27:10	1	1	1	1	90.25	63.75	0	27630.332	526.8817204	14557.66042	30000	0	0	30000	44.1875	2004
23.01.2020 12:27:11	1	1	1	1	90.25	64	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.1875	2004
23.01.2020 12:27:12	1	1	1	1	90	64	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44.0625	2004
23.01.2020 12:27:13	1	1	1	1	90	64	0	29905.213	535.483871	15949.50126	30000	0	0	30000	44.0625	2004
23.01.2020 12:27:14	1	1	1	1	90	64	0	0	0	0	30000	0	8	30000	44.5	2004
23.01.2020 12:27:20	1	1	1	1	90	64.5	0	13317.536	6.451612903	85.61411138	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:20	1	1	1	1	90	64.5	0	13317.536	6.451612903	85.61411138	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:20	1	1	1	1	90	64.5	0	13317.536	6.451612903	85.61411138	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:20	1	1	1	1	90	64.5	0	13317.536	6.451612903	85.61411138	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:20	1	1	1	1	90	64.5	0	13317.536	6.451612903	85.61411138	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:20	1	1	1	1	90	64.5	0	13317.536	6.451612903	85.61411138	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:21	1	1	1	1	90	64.25	0	15165.877	19.35483871	293.5340962	30000	0	0	30000	44.5625	2004
23.01.2020 12:27:22	1	1	1	1	90.75	64.5	0	15876.777	25.80645161	409.3169896	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:23	1	1	1	1	90.75	64.25	0	16729.858	34.40860215	538.145843	30000	0	0	30000	44.3125	2004
23.01.2020 12:27:24	1	1	1	1	90.75	64.25	0	15876.777	34.40860215	512.0539233	30000	0	0	30000	44.25	2004
23.01.2020 12:27:25	1	1	1	1	90.75	64.25	0	18293.839	49.46236559	904.2480907	30000	0	0	30000	44.1875	2004
23.01.2020 12:27:26	1	1	1	1	90.75	64	0	19052.133	60.21505376	1103.198978	30000	0	0	30000	44.3125	2004
23.01.2020 12:27:27	1	1	1	1	90.75	64.25	0	19668.246	60.21505376	1099.122116	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:28	1	1	1	1	90.75	64.25	0	20568.72	70.96774194	1462.778246	30000	0	0	30000	44.3125	2004
23.01.2020 12:27:29	1	1	1	1	90.75	64.25	0	21374.408	92.47311828	1976.462914	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:30	1	1	1	1	90.75	64.25	0	21563.981	98.92473118	2086.5382	30000	0	0	30000	44.25	2004
23.01.2020 12:27:31	1	1	1	1	90.75	64.25	0	22132.701	113.9784946	2521.94711	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:32	1	1	1	1	90.5	64.25	0	22748.815	129.0322581	2935.340962	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:33	1	1	1	1	90.5	64.25	0	23317.536	144.0860215	3359.334656	30000	0	0	30000	44.375	2004
23.01.2020 12:27:34	1	1	1	1	90.5	64.25	0	24454.976	169.8924731	4146.169108	30000	0	0	30000	44.6875	2004
23.01.2020 12:27:35	1	1	1	1	90.5	64.5	0	23933.649	178.4946237	4220.368005	30000	0	0	30000	44.5	2004
23.01.2020 12:27:36	1	1	1	1	90.5	64.5	0	25734.597	189.2473118	4924.849836	30000	0	0	30000	44.5625	2004
23.01.2020 12:27:37	1	1	1	1	90.5	64.5	0	25592.417	206.4516129	5458.103444	30000	0	0	30000	44.4375	2004
23.01.2020 12:27:39	1	1	1	1	90.5	64.25	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:27:40	1	1	1	1	90.5	64.25	0	25687.204	232.2580645	5899.21996	30000	0	0	30000	44	2004
23.01.2020 12:27:41	1	1	1	1	90.5	64	0	25734.597	240.8602151	6198.461664	30000	0	0	30000	44.5	2004
23.01.2020 12:27:42	1	1	1	1	90.25	64.5	0	26066.351	234.4086022	6121.001277	30000	0	0	30000	44.375	2004
23.01.2020 12:27:43	1	1	1	1	90.25	64.25	0	26018.957	258.0645161	6714.59245	30000	0	0	30000	44.25	2004
23.01.2020 12:27:44	1	1	1	1	90.25	64.25	0	26018.957	249.4623656	6546.625717	30000	0	0	30000	44.375	2004
23.01.2020 12:27:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:27:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:27:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:27:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:27:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:27:50	1	0	1	1	91.25	20	0	0	0	0	30000	0	0	30000	0	2004
23.01.2020 12:27:51	1	1	1	1	91.25	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:27:52	1	1	1	1	91.25	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:27:53	1	1	1	1	91.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:27:54	1	1	1	1	91.25	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:27:55	1	1	1	1	91.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:27:56	1	1	1	1	91.25	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:27:57	1	1	1	1	91.25	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:27:58	1	1	1	1	91.25	64.5	0	0	0	0	30000	0	0	30000	44.9375	2004
23.01.2020 12:27:59	1	1	1	1	91.25	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:28:00	1	1	1	1	90.75	64.5	0	10379.147	0	0	30000	0	0	30000	44.875	2004
23.01.2020 12:28:01	1	1	1	1	90.75	64.75	0	11184.834	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 12:28:02	1	1	1	1	90.75	64.25	0	11848.341	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:28:03	1	1	1	1	90.75	64.5	0	12748.815	2.150537634	26.90729215	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:04	1	1	1	1	90.75	64.25	0	13459.716	6.451612903	86.42948387	30000	0	0	30000	44.5625	2004
23.01.2020 12:28:05	1	1	1	1	90.75	64.5	0	13981.043	8.602150538	119.8597559	30000	0	0	30000	44.375	2004
23.01.2020 12:28:06	1	1	1	1	90.75	64.25	0	14881.517	15.05376344	224.2274346	30000	0	0	30000	44.5625	2004
23.01.2020 12:28:07	1	1	1	1	90.75	64.5	0	15781.991	27.95698925	374.2559726	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:08	1	1	1	1	90.75	64.25	0	15876.777	32.25806452	512.0539233	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:09	1	1	1	1	90	64.25	0	17393.365	47.31182796	822.7108417	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:10	1	1	1	1	90	64.25	0	18056.872	58.06451613	1009.431142	30000	0	0	30000	44.5	2004
23.01.2020 12:28:11	1	1	1	1	90	64.5	0	18909.953	66.66666667	1260.565869	30000	0	0	30000	44.3125	2004
23.01.2020 12:28:12	1	1	1	1	90	64.25	0	19004.739	64.51612903	1225.504851	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:13	1	1	1	1	90	64.25	0	19620.853	73.11827957	1479.901068	30000	0	0	30000	44.5	2004
23.01.2020 12:28:14	1	1	1	1	90	64.5	0	21232.227	109.6774194	2328.70383	30000	0	0	30000	44.3125	2004
23.01.2020 12:28:15	1	1	1	1	90	64.25	0	21943.128	126.8817204	2830.973283	30000	0	0	30000	44.125	2004
23.01.2020 12:28:22	1	1	1	1	89.75	64.5	0	26587.678	264.516129	7114.940342	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:22	1	1	1	1	89.75	64.5	0	26587.678	264.516129	7114.940342	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:22	1	1	1	1	89.75	64.5	0	26587.678	264.516129	7114.940342	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:22	1	1	1	1	89.75	64.5	0	26587.678	264.516129	7114.940342	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:22	1	1	1	1	89.75	64.5	0	26587.678	264.516129	7114.940342	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:22	1	1	1	1	89.75	64.5	0	26587.678	264.516129	7114.940342	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:23	1	1	1	1	89.75	64.25	0	27440.758	288.172043	7938.466556	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:28:24	1	1	1	1	89.75	64.25	0	27962.085	350.5376344	9801.592694	30000	0	0	30000	44.3125	2004
23.01.2020 12:28:25	1	1	1	1	89.75	64.25	0	25355.45	322.5806452	8288.261354	30000	0	0	30000	44.4375	2004
23.01.2020 12:28:26	1	1	1	1	89.75	64.25	0	29383.886	481.7204301	14154.86641	30000	0	0	30000	44.1875	2004
23.01.2020 12:28:27	1	1	1	1	89.75	64	0	28199.052	464.516129	13098.95904	30000	0	0	30000	43.5	2004
23.01.2020 12:28:28	1	1	1	1	89.75	63.5	0	29952.607	498.9247312	15137.39026	30000	0	0	30000	43.1875	2004
23.01.2020 12:28:29	1	1	1	1	89.75	63	0	29857.82	488.172043	14575.59862	30000	0	0	30000	44.3125	2004
23.01.2020 12:28:30	1	1	1	1	89.25	64.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	44.375	2004
23.01.2020 12:28:31	1	1	1	1	89.25	64.25	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	44.5	2004
23.01.2020 12:28:32	1	1	1	1	89.25	64.5	0	29715.64	481.7204301	14360.34028	30000	0	0	30000	43.5	2004
23.01.2020 12:28:33	1	1	1	1	89.25	63.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.5	2004
23.01.2020 12:28:34	1	1	1	1	89.25	64.5	0	29905.213	496.7741935	14727.2579	30000	0	0	30000	44	2004
23.01.2020 12:28:35	1	1	1	1	89.25	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.3125	2004
23.01.2020 12:28:36	1	1	1	1	89.25	64.25	0	30000	511.827957	15289.86492	30000	0	0	30000	42.5625	2004
23.01.2020 12:28:37	1	1	1	1	89.25	62.5	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.5625	2004
23.01.2020 12:28:38	1	1	1	1	89.25	64.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.375	2004
23.01.2020 12:28:39	1	1	1	1	89	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.0625	2004
23.01.2020 12:28:40	1	1	1	1	89	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.875	2004
23.01.2020 12:28:41	1	1	1	1	89	63.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.0625	2004
23.01.2020 12:28:45	1	1	1	1	89	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.3125	2004
23.01.2020 12:28:45	1	1	1	1	89	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.3125	2004
23.01.2020 12:28:45	1	1	1	1	89	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.875	2004
23.01.2020 12:28:46	1	1	1	1	89	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.75	2004
23.01.2020 12:28:47	1	1	1	1	89	63.75	0	29526.066	481.7204301	13841.76338	30000	0	0	30000	43.75	2004
23.01.2020 12:28:48	1	1	1	1	89	63.75	0	30000	496.7741935	14879.73256	30000	0	0	30000	44.25	2004
23.01.2020 12:28:49	1	1	1	1	88.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	42.875	2004
23.01.2020 12:28:50	1	1	1	1	88.75	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.6875	2004
23.01.2020 12:28:51	1	1	1	1	88.75	63.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	43.3125	2004
23.01.2020 12:28:52	1	1	1	1	88.75	63.25	0	30000	518.2795699	15459.4624	30000	0	0	30000	43.5	2004
23.01.2020 12:28:54	1	1	1	1	88.75	63.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.4375	2004
23.01.2020 12:28:55	1	1	1	1	88.75	63.25	0	27867.299	481.7204301	13424.29266	30000	0	0	30000	43.9375	2004
23.01.2020 12:28:56	1	1	1	1	88.75	63.75	0	30000	556.9892473	16709.42842	30000	0	0	30000	44.1875	2004
23.01.2020 12:28:57	1	1	1	1	88.75	64	0	23933.649	481.7204301	11706.30283	30000	0	0	30000	44.3125	2004
23.01.2020 12:28:58	1	1	1	1	88.75	64.25	0	29526.066	481.7204301	14246.18813	30000	0	0	30000	44.375	2004
23.01.2020 12:28:59	1	1	1	1	88.75	64.25	0	29336.493	464.516129	13627.32041	30000	0	0	30000	43.75	2004
23.01.2020 12:29:00	1	1	1	1	88.75	63.75	0	0	0	0	30000	0	0	30000	43.6875	2004
23.01.2020 12:29:01	1	1	1	1	88.75	63.5	0	10710.9	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:29:02	1	1	1	1	88.75	64.25	0	11469.194	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:29:03	1	1	1	1	88.75	64.25	0	12274.882	0	0	30000	0	0	30000	44.3125	2004
23.01.2020 12:29:04	1	1	1	1	88.75	64.25	0	12985.782	2.150537634	55.44532927	30000	0	0	30000	44.375	2004
23.01.2020 12:29:05	1	1	1	1	88.75	64.25	0	13791.469	8.602150538	118.229011	30000	0	0	30000	44.5	2004
23.01.2020 12:29:06	1	1	1	1	88.75	64.5	0	14407.583	10.75268817	185.9049276	30000	0	0	30000	44.5	2004
23.01.2020 12:29:07	1	1	1	1	88.75	64.5	0	15402.844	23.65591398	362.0253853	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:29:52	1	1	1	1	88.25	64.25	0	25308.057	193.5483871	5234.691382	30000	0	0	30000	44.5625	2004
23.01.2020 12:29:53	1	1	1	1	88.25	64.5	0	25355.45	206.4516129	5234.691382	30000	0	0	30000	44.5625	2004
23.01.2020 12:29:54	1	1	1	1	88.25	64.5	0	26018.957	210.7526882	5427.119289	30000	0	0	30000	43.875	2004
23.01.2020 12:29:55	1	1	1	1	88.25	63.75	0	25402.844	206.4516129	5244.475851	30000	0	0	30000	44.5625	2004
23.01.2020 12:29:56	1	1	1	1	88.25	64.5	0	25734.597	221.5053763	5700.269073	30000	0	0	30000	43.625	2004
23.01.2020 12:29:57	1	1	1	1	88.25	64.25	0	27109.005	255.9139785	6924.958552	30000	0	0	30000	44.4375	2004
23.01.2020 12:29:58	1	1	1	1	88.25	64.25	0	27109.005	268.8172043	7273.937977	30000	0	0	30000	44.4375	2004
23.01.2020 12:29:59	1	1	1	1	88.5	64.25	0	26824.645	279.5698925	7485.934825	30000	0	0	30000	44.5	2004
23.01.2020 12:30:00	1	1	1	1	88.5	64.5	0	27345.972	292.4731183	8084.418232	30000	0	0	30000	44.375	2004
23.01.2020 12:30:01	1	1	1	1	88.5	64.25	0	27630.332	309.6774194	8734.270106	30000	0	0	30000	44.5	2004
23.01.2020 12:30:02	1	1	1	1	88.5	64.5	0	27440.758	322.5806452	8910.390563	30000	0	0	30000	44.375	2004
23.01.2020 12:30:03	1	1	1	1	88.5	64.25	0	27819.905	337.6344086	9392.275705	30000	0	0	30000	44.3125	2004
23.01.2020 12:30:04	1	1	1	1	88.5	64.25	0	27914.692	350.5376344	9784.469872	30000	0	0	30000	44.375	2004
23.01.2020 12:30:05	1	1	1	1	88.5	64.25	0	27630.332	369.8924731	10219.87878	30000	0	0	30000	44.3125	2004
23.01.2020 12:30:06	1	1	1	1	88.5	64.25	0	28815.166	404.3010753	11712.01044	30000	0	0	30000	44.3125	2004
23.01.2020 12:30:07	1	1	1	1	88.5	64.25	0	28199.052	412.9032258	11643.51915	30000	0	0	30000	43.625	2004
23.01.2020 12:30:08	1	1	1	1	88.5	63.5	0	28625.592	415.0537634	11959.88367	30000	0	0	30000	44.3125	2004
23.01.2020 12:30:10	1	1	1	1	88	64.25	0	28436.019	427.9569892	12291.74028	30000	0	0	30000	44.375	2004
23.01.2020 12:30:11	1	1	1	1	88	64.25	0	0	0	0	30000	0	8	30000	44.4375	2004
23.01.2020 12:30:12	1	1	1	1	88	64.25	0	0	0	0	30000	0	8	30000	44.5625	2004
23.01.2020 12:30:13	1	1	1	1	88	64.5	0	10853.081	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:30:14	1	1	1	1	88	64.5	0	10853.081	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:30:15	1	1	1	1	88	64.25	0	12274.882	0	0	30000	0	0	30000	44.3125	2004
23.01.2020 12:30:16	1	1	1	1	88	64.25	0	13033.175	4.301075269	55.44532927	30000	0	0	30000	44.5625	2004
23.01.2020 12:30:17	1	1	1	1	88	64.5	0	13791.469	6.451612903	149.2131655	30000	0	0	30000	44.5	2004
23.01.2020 12:30:18	1	1	1	1	88	64.5	0	14644.55	15.05376344	220.1505721	30000	0	0	30000	44.3125	2004
23.01.2020 12:30:19	1	1	1	1	88	64.25	0	15402.844	19.35483871	331.0412307	30000	0	0	30000	44.5	2004
23.01.2020 12:30:25	1	1	1	1	87.75	64.25	0	20000	83.87096774	1677.221211	30000	0	0	30000	44.375	2004
23.01.2020 12:30:25	1	1	1	1	87.75	64.25	0	20000	83.87096774	1677.221211	30000	0	0	30000	44.375	2004
23.01.2020 12:30:25	1	1	1	1	87.75	64.25	0	20000	83.87096774	1677.221211	30000	0	0	30000	44.375	2004
23.01.2020 12:30:25	1	1	1	1	87.75	64.25	0	20000	83.87096774	1677.221211	30000	0	0	30000	44.375	2004
23.01.2020 12:30:25	1	1	1	1	87.75	64.25	0	20000	83.87096774	1677.221211	30000	0	0	30000	44.375	2004
23.01.2020 12:30:25	1	1	1	1	87.75	64.25	0	20000	83.87096774	1677.221211	30000	0	0	30000	44.375	2004
23.01.2020 12:30:26	1	1	1	1	87.75	64.25	0	20758.294	94.62365591	1964.232327	30000	0	0	30000	44.3125	2004
23.01.2020 12:30:27	1	1	1	1	87.75	64.25	0	21516.588	103.2258065	2266.73552	30000	0	0	30000	44.375	2004
23.01.2020 12:30:28	1	1	1	1	87.75	64.25	0	22322.275	116.1290323	2592.069144	30000	0	0	30000	44.25	2004
23.01.2020 12:30:29	1	1	1	1	87.75	64.25	0	23080.569	139.7849462	3225.613568	30000	0	0	30000	44.4375	2004
23.01.2020 12:30:30	1	1	1	1	87.5	64.25	0	23317.536	144.0860215	3359.334656	30000	0	0	30000	44.375	2004
23.01.2020 12:30:31	1	1	1	1	87.5	64.25	0	23933.649	161.2903226	3859.973364	30000	0	0	30000	44.625	2004
23.01.2020 12:30:32	1	1	1	1	87.5	64.5	0	24502.37	169.8924731	4162.476558	30000	0	0	30000	44.5625	2004
23.01.2020 12:30:33	1	1	1	1	87.5	64.5	0	24976.303	189.2473118	4726.714321	30000	0	0	30000	44.625	2004
23.01.2020 12:30:34	1	1	1	1	87.5	64.5	0	25213.27	206.4516129	5195.553502	30000	0	0	30000	44.4375	2004
23.01.2020 12:30:35	1	1	1	1	87.5	64.25	0	25924.171	221.5053763	5686.407741	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:30:36	1	1	1	1	87.5	63.75	0	27345.972	255.9139785	6997.526703	30000	0	0	30000	44.4375	2004
23.01.2020 12:30:37	1	1	1	1	87.5	64.25	0	26635.071	258.0645161	6885.820672	30000	0	0	30000	44.125	2004
23.01.2020 12:30:38	1	1	1	1	87.5	64	0	26682.464	264.516129	7057.864268	30000	0	0	30000	44.3125	2004
23.01.2020 12:30:39	1	1	1	1	87.5	64.25	0	26350.711	279.5698925	7240.507705	30000	0	0	30000	44.375	2004
23.01.2020 12:30:40	1	1	1	1	87.5	64.25	0	26492.891	281.7204301	7335.906287	30000	0	0	30000	44.5625	2004
23.01.2020 12:30:41	1	1	1	1	87.5	64.5	0	26208.531	277.4193548	7283.722447	30000	0	0	30000	44.375	2004
23.01.2020 12:30:42	1	1	1	1	87.5	64.25	0	23649.289	262.3655914	6279.998913	30000	0	0	30000	44.5	2004
23.01.2020 12:30:43	1	1	1	1	87.5	64.5	0	27156.398	309.6774194	8409.751855	30000	0	0	30000	43.5625	2004
23.01.2020 12:30:44	1	1	1	1	87.5	63.5	0	27298.578	322.5806452	8806.022885	30000	0	0	30000	44.5625	2004
23.01.2020 12:30:45	1	1	1	1	87.5	64.5	0	27440.758	339.7849462	9291.169516	30000	0	0	30000	44.5625	2004
23.01.2020 12:30:46	1	1	1	1	87.5	64.5	0	27630.332	348.3870968	9684.994428	30000	0	0	30000	44.375	2004
23.01.2020 12:30:48	1	1	1	1	87.5	64.25	0	28009.479	369.8924731	10360.12285	30000	0	0	30000	44.4375	2004
23.01.2020 12:30:49	1	1	1	1	87.5	64.25	0	27440.758	363.4408602	9972.820917	30000	0	0	30000	44.3125	2004
23.01.2020 12:30:50	1	1	1	1	87.25	64.25	0	27630.332	382.7956989	10576.19656	30000	0	0	30000	44.4375	2004
23.01.2020 12:30:51	1	1	1	1	87.25	64.25	0	27630.332	402.1505376	11170.6031	30000	0	0	30000	44.4375	2004
23.01.2020 12:30:52	1	1	1	1	87.25	64.25	0	28436.019	404.3010753	11760.93279	30000	0	0	30000	44.375	2004
23.01.2020 12:30:53	1	1	1	1	87.25	64.25	0	27772.512	380.6451613	10630.82652	30000	0	0	30000	43.375	2004
23.01.2020 12:30:54	1	1	1	1	87.25	63.25	0	28009.479	389.2473118	10902.34555	30000	0	0	30000	44.375	2004
23.01.2020 12:30:55	1	1	1	1	87.25	64.25	0	27061.611	395.6989247	10708.2869	30000	0	0	30000	44.375	2004
23.01.2020 12:30:56	1	1	1	1	87.25	64.25	0	28009.479	412.9032258	11825.34721	30000	0	0	30000	44.4375	2004
23.01.2020 12:30:57	1	1	1	1	87.25	64.25	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.5	2004
23.01.2020 12:30:58	1	1	1	1	87.25	64.5	0	28625.592	445.1612903	12742.64126	30000	0	0	30000	44.375	2004
23.01.2020 12:30:59	1	1	1	1	87.25	64.25	0	29715.64	464.516129	13675.42739	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:00	1	1	1	1	86.75	63.5	0	28436.019	440.8602151	12475.19909	30000	0	0	30000	44.4375	2004
23.01.2020 12:31:01	1	1	1	1	86.75	64.25	0	28578.199	453.7634409	13028.83701	30000	0	0	30000	44.25	2004
23.01.2020 12:31:02	1	1	1	1	86.75	64.25	0	29620.853	417.2043011	12274.61745	30000	0	0	30000	44.125	2004
23.01.2020 12:31:03	1	1	1	1	86.75	64	0	29146.919	460.2150538	13454.46145	30000	0	0	30000	44.25	2004
23.01.2020 12:31:04	1	1	1	1	86.75	64.25	0	29383.886	468.8172043	13860.51695	30000	0	0	30000	43.5	2004
23.01.2020 12:31:05	1	1	1	1	86.75	63.5	0	29478.673	492.4731183	14390.50906	30000	0	0	30000	44.3125	2004
23.01.2020 12:31:06	1	1	1	1	86.75	64.25	0	29478.673	505.3763441	14984.91561	30000	0	0	30000	43.6875	2004
23.01.2020 12:31:07	1	1	1	1	86.75	63.5	0	29668.246	507.5268817	15033.02259	30000	0	0	30000	44.3125	2004
23.01.2020 12:31:08	1	1	1	1	86.75	64.25	0	28483.412	464.516129	13209.03433	30000	0	0	30000	43.5	2004
23.01.2020 12:31:09	1	1	1	1	86.75	63.5	0	29810.427	496.7741935	14744.38072	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:10	1	1	1	1	87.25	63.5	0	26966.825	481.7204301	12990.5145	30000	0	0	30000	43.6875	2004
23.01.2020 12:31:11	1	1	1	1	87.25	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.625	2004
23.01.2020 12:31:12	1	1	1	1	87.25	64.5	0	29952.607	520.4301075	15523.87682	30000	0	0	30000	44.5625	2004
23.01.2020 12:31:13	1	1	1	1	87.25	64.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.625	2004
23.01.2020 12:31:14	1	1	1	1	87.25	64.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.625	2004
23.01.2020 12:31:15	1	1	1	1	87.25	64	0	30000	520.4301075	15548.338	30000	0	0	30000	44	2004
23.01.2020 12:31:16	1	1	1	1	87.25	64	0	30000	507.5268817	14856.08676	30000	0	0	30000	44.1875	2004
23.01.2020 12:31:17	1	1	1	1	87.25	64	0	29431.28	468.8172043	13734.13421	30000	0	0	30000	43.6875	2004
23.01.2020 12:31:18	1	1	1	1	87.25	63.5	0	30000	520.4301075	15652.70568	30000	0	0	30000	44.375	2004
23.01.2020 12:31:19	1	1	1	1	87	64.25	0	29905.213	501.0752688	14984.10024	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:31:20	1	1	1	1	87	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
23.01.2020 12:31:27	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:27	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:27	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:27	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:27	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:27	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:27	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:28	1	1	1	1	87	63.5	0	30000	464.516129	13849.10173	30000	0	0	30000	43.75	2004
23.01.2020 12:31:29	1	1	1	1	87	63.75	0	29620.853	395.6989247	11784.57859	30000	0	0	30000	44.375	2004
23.01.2020 12:31:30	1	1	1	1	86.5	64.25	0	26824.645	419.3548387	11268.4478	30000	0	0	30000	44.125	2004
23.01.2020 12:31:31	1	1	1	1	86.5	64	0	30000	458.0645161	13612.64371	30000	0	0	30000	44.4375	2004
23.01.2020 12:31:32	1	1	1	1	86.5	64.25	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	44	2004
23.01.2020 12:31:33	1	1	1	1	86.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
23.01.2020 12:31:34	1	1	1	1	86.5	63.75	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.0625	2004
23.01.2020 12:31:35	1	1	1	1	86.5	64	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.625	2004
23.01.2020 12:31:36	1	1	1	1	86.5	63.5	0	30094.787	505.3763441	14902.56299	30000	0	0	30000	44.1875	2004
23.01.2020 12:31:37	1	1	1	1	86.5	64	0	29905.213	486.0215054	14727.2579	30000	0	0	30000	44.25	2004
23.01.2020 12:31:38	1	1	1	1	86.5	64.25	0	29905.213	483.8709677	14446.76977	30000	0	0	30000	44.125	2004
23.01.2020 12:31:39	1	1	1	1	86.5	64	0	26113.744	458.0645161	11848.99301	30000	0	0	30000	43.5625	2004
23.01.2020 12:31:40	1	1	1	1	87	63.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	43.75	2004
23.01.2020 12:31:41	1	1	1	1	87	63.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.3125	2004
23.01.2020 12:31:42	1	1	1	1	87	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.0625	2004
23.01.2020 12:31:43	1	1	1	1	87	64	0	29905.213	494.6236559	14791.67233	30000	0	0	30000	44.375	2004
23.01.2020 12:31:44	1	1	1	1	87	64.25	0	29905.213	490.3225806	14469.6002	30000	0	0	30000	44.125	2004
23.01.2020 12:31:45	1	1	1	1	87	64	0	28815.166	458.0645161	13261.21817	30000	0	0	30000	44	2004
23.01.2020 12:31:46	1	1	1	1	87	64	0	29905.213	486.0215054	14598.42905	30000	0	0	30000	43.625	2004
23.01.2020 12:31:47	1	1	1	1	87	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.0625	2004
23.01.2020 12:31:48	1	1	1	1	87	64	0	29905.213	492.4731183	14598.42905	30000	0	0	30000	43.0625	2004
23.01.2020 12:31:49	1	1	1	1	87	63	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.375	2004
23.01.2020 12:31:50	1	1	1	1	86.75	64.25	0	30000	511.827957	15266.21912	30000	0	0	30000	44.1875	2004
23.01.2020 12:31:51	1	1	1	1	86.75	64	0	29620.853	488.172043	14459.81573	30000	0	0	30000	44.125	2004
23.01.2020 12:31:52	1	1	1	1	86.75	64	0	29952.607	535.483871	16064.46878	30000	0	0	30000	44.5	2004
23.01.2020 12:31:53	1	1	1	1	86.75	64.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.1875	2004
23.01.2020 12:31:54	1	1	1	1	86.75	64.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.0625	2004
23.01.2020 12:31:55	1	1	1	1	86.75	64	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	43.75	2004
23.01.2020 12:31:56	1	1	1	1	86.75	63.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	44.3125	2004
23.01.2020 12:31:57	1	1	1	1	86.75	64.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.9375	2004
23.01.2020 12:31:58	1	1	1	1	86.75	63.75	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	43.875	2004
23.01.2020 12:31:59	1	1	1	1	88	63.75	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	44.1875	2004
23.01.2020 12:32:00	1	1	1	1	88	64	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	44.125	2004
23.01.2020 12:32:01	1	1	1	1	88	64	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	44.375	2004
23.01.2020 12:32:02	1	1	1	1	88	64.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.875	2004
23.01.2020 12:32:03	1	1	1	1	88	63.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:32:04	1	1	1	1	88	64.25	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	44.375	2004
23.01.2020 12:32:06	1	1	1	1	88	64.25	0	29526.066	535.483871	15937.27068	30000	0	0	30000	43.375	2004
23.01.2020 12:32:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:32:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:32:09	1	0	1	1	88.5	20	0	0	0	0	30000	0	0	0	0	2004
23.01.2020 12:32:10	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:32:11	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:32:12	1	1	1	1	88.5	64.25	0	0	0	0	30000	0	0	30000	41.75	2004
23.01.2020 12:32:13	1	1	1	1	88.5	61.75	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:32:14	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:32:15	1	1	1	1	88.5	64.25	0	0	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:32:16	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	41.75	2004
23.01.2020 12:32:17	1	1	1	1	88.5	61.75	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:32:18	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:32:19	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	0	30000	42.625	2004
23.01.2020 12:32:20	1	1	1	1	87.5	62.5	0	10710.9	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:32:21	1	1	1	1	87.5	64.5	0	11469.194	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:32:22	1	1	1	1	87.5	64.25	0	12227.488	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:32:29	1	1	1	1	87.5	64.25	0	16919.431	32.25806452	542.2227054	30000	0	0	30000	44.375	2004
23.01.2020 12:32:29	1	1	1	1	87.5	64.25	0	16919.431	32.25806452	542.2227054	30000	0	0	30000	44.375	2004
23.01.2020 12:32:29	1	1	1	1	87.5	64.25	0	16919.431	32.25806452	542.2227054	30000	0	0	30000	44.375	2004
23.01.2020 12:32:29	1	1	1	1	87.5	64.25	0	16919.431	32.25806452	542.2227054	30000	0	0	30000	44.375	2004
23.01.2020 12:32:29	1	1	1	1	87.5	64.25	0	16919.431	32.25806452	542.2227054	30000	0	0	30000	44.375	2004
23.01.2020 12:32:29	1	1	1	1	87.5	64.25	0	16919.431	32.25806452	542.2227054	30000	0	0	30000	44.375	2004
23.01.2020 12:32:29	1	1	1	1	87	64.25	0	17582.938	40.86021505	758.2964151	30000	0	0	30000	44.3125	2004
23.01.2020 12:32:30	1	1	1	1	87	64.25	0	18388.626	53.76344086	990.6775745	30000	0	0	30000	44.3125	2004
23.01.2020 12:32:31	1	1	1	1	87	64.25	0	19194.313	64.51612903	1196.966814	30000	0	0	30000	44.375	2004
23.01.2020 12:32:32	1	1	1	1	87	64.25	0	19478.673	70.96774194	1382.056369	30000	0	0	30000	44.3125	2004
23.01.2020 12:32:33	1	1	1	1	87	64.25	0	20710.9	88.17204301	1825.619004	30000	0	0	30000	44.3125	2004
23.01.2020 12:32:34	1	1	1	1	87	64.25	0	19526.066	94.62365591	1805.234691	30000	0	0	30000	43.1875	2004
23.01.2020 12:32:35	1	1	1	1	87	63	0	22274.882	124.7311828	2777.974071	30000	0	0	30000	44.25	2004
23.01.2020 12:32:36	1	1	1	1	87	64.25	0	23033.175	152.688172	3516.701546	30000	0	0	30000	44.1875	2004
23.01.2020 12:32:37	1	1	1	1	87	64	0	23791.469	169.8924731	4041.80143	30000	0	0	30000	44.125	2004
23.01.2020 12:32:38	1	1	1	1	87	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.25	2004
23.01.2020 12:32:39	1	1	1	1	86.25	64.25	0	25260.664	206.4516129	5377.381567	30000	0	0	30000	44.375	2004
23.01.2020 12:32:40	1	1	1	1	86.25	64.25	0	25734.597	210.7526882	5413.257957	30000	0	0	30000	44.4375	2004
23.01.2020 12:32:41	1	1	1	1	86.25	64.25	0	25450.237	227.9569892	5856.005218	30000	0	0	30000	44.4375	2004
23.01.2020 12:32:42	1	1	1	1	86.25	64.25	0	26540.284	294.6236559	7819.422173	30000	0	0	30000	44.3125	2004
23.01.2020 12:32:44	1	1	1	1	86.25	64.25	0	28388.626	363.4408602	10518.30511	30000	0	0	30000	44.625	2004
23.01.2020 12:32:45	1	1	1	1	86.25	64.5	0	29241.706	434.4086022	12598.32033	30000	0	0	30000	44.3125	2004
23.01.2020 12:32:46	1	1	1	1	86.25	64.25	0	29857.82	483.8709677	14423.93934	30000	0	0	30000	44.125	2004
23.01.2020 12:32:47	1	1	1	1	86.25	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.1875	2004
23.01.2020 12:32:48	1	1	1	1	86.25	64	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:32:49	1	1	1	1	86	63.25	0	27203.791	453.7634409	12321.90906	30000	0	0	30000	44.375	2004
23.01.2020 12:32:50	1	1	1	1	86	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.3125	2004
23.01.2020 12:32:51	1	1	1	1	86	64.25	0	30000	516.1290323	15289.86492	30000	0	0	30000	44.25	2004
23.01.2020 12:32:52	1	1	1	1	86	64.25	0	28957.346	466.6666667	13513.16827	30000	0	0	30000	43.5625	2004
23.01.2020 12:32:53	1	1	1	1	86	63.5	0	29526.066	511.827957	15096.62164	30000	0	0	30000	44.25	2004
23.01.2020 12:32:54	1	1	1	1	86	64.25	0	29952.607	516.1290323	15548.338	30000	0	0	30000	44.3125	2004
23.01.2020 12:32:55	1	1	1	1	86	64.25	0	28578.199	501.0752688	14319.57166	30000	0	0	30000	44.375	2004
23.01.2020 12:32:56	1	1	1	1	86	64.25	0	28957.346	524.7311828	15256.43465	30000	0	0	30000	44.3125	2004
23.01.2020 12:32:57	1	1	1	1	86	64.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	43.5	2004
23.01.2020 12:32:58	1	1	1	1	86	63.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	43.4375	2004
23.01.2020 12:32:59	1	1	1	1	84.75	63.25	0	29715.64	488.172043	14506.29196	30000	0	0	30000	44.0625	2004
23.01.2020 12:33:00	1	1	1	1	84.75	64	0	28815.166	490.3225806	14066.80619	30000	0	0	30000	43.75	2004
23.01.2020 12:33:01	1	1	1	1	84.75	63.75	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44	2004
23.01.2020 12:33:02	1	1	1	1	84.75	64	0	29905.213	522.5806452	15652.70568	30000	0	0	30000	44.125	2004
23.01.2020 12:33:03	1	1	1	1	84.75	64	0	24976.303	481.7204301	12077.29731	30000	0	0	30000	43.5	2004
23.01.2020 12:33:04	1	1	1	1	84.75	63.5	0	29478.673	524.7311828	15190.38948	30000	0	0	30000	44.0625	2004
23.01.2020 12:33:05	1	1	1	1	84.75	64	0	29905.213	563.4408602	17096.73036	30000	0	0	30000	44.25	2004
23.01.2020 12:33:06	1	1	1	1	84.75	64.25	0	29952.607	537.6344086	16141.92917	30000	0	0	30000	44.0625	2004
23.01.2020 12:33:07	1	1	1	1	84.75	64	0	29905.213	550.5376344	16464.0013	30000	0	0	30000	44	2004
23.01.2020 12:33:08	1	1	1	1	84.75	64	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.0625	2004
23.01.2020 12:33:09	1	1	1	1	85.75	64	0	26682.464	460.2150538	12279.50969	30000	0	0	30000	44.125	2004
23.01.2020 12:33:10	1	1	1	1	85.75	64	0	29478.673	490.3225806	14390.50906	30000	0	0	30000	44.1875	2004
23.01.2020 12:33:11	1	1	1	1	85.75	64	0	30000	520.4301075	15483.92357	30000	0	0	30000	44.375	2004
23.01.2020 12:33:12	1	1	1	1	85.75	64.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	44.1875	2004
23.01.2020 12:33:13	1	1	1	1	85.75	64	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.375	2004
23.01.2020 12:33:14	1	1	1	1	85.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 12:33:15	1	1	1	1	85.75	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.25	2004
23.01.2020 12:33:16	1	1	1	1	85.75	64.25	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	43.6875	2004
23.01.2020 12:33:17	1	1	1	1	85.75	63.5	0	28009.479	464.516129	13010.89881	30000	0	0	30000	43.375	2004
23.01.2020 12:33:18	1	1	1	1	85.75	63.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
23.01.2020 12:33:19	1	1	1	1	86.5	64	0	9810.4265	0	0	30000	0	0	30000	43.5625	2004
23.01.2020 12:33:20	1	1	1	1	86.5	63.5	0	10947.867	0	0	30000	0	0	30000	44.3125	2004
23.01.2020 12:33:22	1	1	1	1	86.5	64.25	0	11753.555	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:33:23	1	1	1	1	86.5	64.25	0	12511.848	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:33:24	1	1	1	1	86.5	64.5	0	13033.175	0	27.72266464	30000	0	0	30000	44.5	2004
23.01.2020 12:33:30	1	1	1	1	87.25	64.25	0	17914.692	43.01075269	770.5270024	30000	0	0	30000	44.375	2004
23.01.2020 12:33:30	1	1	1	1	87.25	64.25	0	17914.692	43.01075269	770.5270024	30000	0	0	30000	44.375	2004
23.01.2020 12:33:30	1	1	1	1	87.25	64.25	0	17914.692	43.01075269	770.5270024	30000	0	0	30000	44.375	2004
23.01.2020 12:33:30	1	1	1	1	87.25	64.25	0	17914.692	43.01075269	770.5270024	30000	0	0	30000	44.375	2004
23.01.2020 12:33:30	1	1	1	1	87.25	64.25	0	17914.692	43.01075269	770.5270024	30000	0	0	30000	44.375	2004
23.01.2020 12:33:30	1	1	1	1	87.25	64.25	0	17914.692	43.01075269	770.5270024	30000	0	0	30000	44.375	2004
23.01.2020 12:33:31	1	1	1	1	87.25	64.25	0	17962.085	45.16129032	810.4802544	30000	0	0	30000	44.3125	2004
23.01.2020 12:33:32	1	1	1	1	87.25	64.25	0	19336.493	60.21505376	1208.382029	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:33:33	1	1	1	1	87.25	64.25	0	20236.967	77.41935484	1523.11581	30000	0	0	30000	44.25	2004
23.01.2020 12:33:34	1	1	1	1	87.25	64.25	0	20995.261	88.17204301	1850.895551	30000	0	0	30000	44.1875	2004
23.01.2020 12:33:35	1	1	1	1	87.25	64	0	21753.555	103.2258065	2151.767999	30000	0	0	30000	44.1875	2004
23.01.2020 12:33:36	1	1	1	1	87.25	64	0	22227.488	105.3763441	2341.749789	30000	0	0	30000	44.25	2004
23.01.2020 12:33:37	1	1	1	1	87.25	64.25	0	23317.536	144.0860215	3359.334656	30000	0	0	30000	44.3125	2004
23.01.2020 12:33:38	1	1	1	1	87.25	64.25	0	24028.436	159.1397849	3771.913136	30000	0	0	30000	44.4375	2004
23.01.2020 12:33:39	1	1	1	1	87	64.25	0	24691.943	169.8924731	4194.276085	30000	0	0	30000	44.3125	2004
23.01.2020 12:33:40	1	1	1	1	87	64.25	0	25592.417	208.6021505	5338.243688	30000	0	0	30000	44.3125	2004
23.01.2020 12:33:41	1	1	1	1	87	64.25	0	26398.104	247.311828	6642.024298	30000	0	0	30000	44.4375	2004
23.01.2020 12:33:42	1	1	1	1	87	64.25	0	27109.005	279.5698925	7636.778735	30000	0	0	30000	44.375	2004
23.01.2020 12:33:43	1	1	1	1	87	64.25	0	27914.692	329.0322581	9168.863643	30000	0	0	30000	44.3125	2004
23.01.2020 12:33:44	1	1	1	1	87	64.25	0	28009.479	365.5913978	10179.11016	30000	0	0	30000	44.5	2004
23.01.2020 12:33:45	1	1	1	1	87	64.5	0	28436.019	380.6451613	10824.0698	30000	0	0	30000	44.1875	2004
23.01.2020 12:33:46	1	1	1	1	87	64	0	28388.626	341.9354839	9690.702036	30000	0	0	30000	44.0625	2004
23.01.2020 12:33:47	1	1	1	1	87	64	0	28625.592	369.8924731	10570.48895	30000	0	0	30000	44.375	2004
23.01.2020 12:33:48	1	1	1	1	87	64.25	0	28815.166	382.7956989	10968.39073	30000	0	0	30000	43.625	2004
23.01.2020 12:33:49	1	1	1	1	87	63.5	0	28909.953	412.9032258	11956.62218	30000	0	0	30000	44.375	2004
23.01.2020 12:33:50	1	1	1	1	87	64.25	0	29668.246	505.3763441	15081.12956	30000	0	0	30000	44.25	2004
23.01.2020 12:33:51	1	1	1	1	87	64.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.125	2004
23.01.2020 12:33:52	1	1	1	1	87	64	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	44.25	2004
23.01.2020 12:33:53	1	1	1	1	87	64.25	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	44.25	2004
23.01.2020 12:33:54	1	1	1	1	87	64.25	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	44.25	2004
23.01.2020 12:33:55	1	1	1	1	87	64.25	0	25924.171	501.0752688	12989.69913	30000	0	0	30000	44.125	2004
23.01.2020 12:33:56	1	1	1	1	87	64	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	43.8125	2004
23.01.2020 12:33:57	1	1	1	1	87	63.75	0	29099.526	552.688172	15994.34675	30000	0	0	30000	44.375	2004
23.01.2020 12:33:58	1	1	1	1	87	64.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	44.0625	2004
23.01.2020 12:34:00	1	1	1	1	86.75	64	0	27630.332	526.8817204	14557.66042	30000	0	0	30000	43.8125	2004
23.01.2020 12:34:01	1	1	1	1	86.75	63.75	0	29478.673	544.0860215	16128.06784	30000	0	0	30000	44.4375	2004
23.01.2020 12:34:02	1	1	1	1	86.75	64.25	0	26208.531	507.5268817	13244.91072	30000	0	0	30000	44.4375	2004
23.01.2020 12:34:03	1	1	1	1	86.75	64.25	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	44.5625	2004
23.01.2020 12:34:04	1	1	1	1	86.75	64.5	0	28815.166	501.0752688	14462.26184	30000	0	0	30000	43.25	2004
23.01.2020 12:34:05	1	1	1	1	86.75	63.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.1875	2004
23.01.2020 12:34:06	1	1	1	1	86.75	63	0	29336.493	550.5376344	15935.63993	30000	0	0	30000	44.3125	2004
23.01.2020 12:34:07	1	1	1	1	86.75	64.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	44.1875	2004
23.01.2020 12:34:08	1	1	1	1	86.75	64	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	44.125	2004
23.01.2020 12:34:09	1	1	1	1	86.75	64	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.25	2004
23.01.2020 12:34:10	1	1	1	1	86.75	64.25	0	29052.133	552.688172	16004.13122	30000	0	0	30000	44.5	2004
23.01.2020 12:34:11	1	1	1	1	86.75	64.5	0	29431.28	550.5376344	16139.48305	30000	0	0	30000	44.3125	2004
23.01.2020 12:34:12	1	1	1	1	86.75	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.3125	2004
23.01.2020 12:34:13	1	1	1	1	86.75	64.25	0	29241.706	552.688172	16108.4989	30000	0	0	30000	44.375	2004
23.01.2020 12:34:14	1	1	1	1	86.75	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.25	2004
23.01.2020 12:34:15	1	1	1	1	86.75	64.25	0	29431.28	550.5376344	16139.48305	30000	0	0	30000	44	2004
23.01.2020 12:34:16	1	1	1	1	86.75	64	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:34:17	1	1	1	1	86.75	64	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	44.25	2004
23.01.2020 12:34:18	1	1	1	1	86.75	64.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	44.375	2004
23.01.2020 12:34:19	1	1	1	1	86.5	64.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	44.3125	2004
23.01.2020 12:34:20	1	1	1	1	86.5	64.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.1875	2004
23.01.2020 12:34:21	1	1	1	1	86.5	64	0	29620.853	511.827957	15160.22069	30000	0	0	30000	44.4375	2004
23.01.2020 12:34:22	1	1	1	1	86.5	64.25	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	44.1875	2004
23.01.2020 12:34:23	1	1	1	1	86.5	64	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.9375	2004
23.01.2020 12:34:24	1	1	1	1	86.5	63.75	0	29431.28	544.0860215	16075.884	30000	0	0	30000	44.3125	2004
23.01.2020 12:34:25	1	1	1	1	86.5	64.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.875	2004
23.01.2020 12:34:32	1	1	1	1	86.5	63.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.8125	2004
23.01.2020 12:34:32	1	1	1	1	86.5	63.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.8125	2004
23.01.2020 12:34:32	1	1	1	1	86.5	63.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.8125	2004
23.01.2020 12:34:32	1	1	1	1	86.5	63.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.8125	2004
23.01.2020 12:34:32	1	1	1	1	86.5	63.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.8125	2004
23.01.2020 12:34:32	1	1	1	1	86.5	63.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.8125	2004
23.01.2020 12:34:32	1	1	1	1	86.5	63.75	0	28862.559	505.3763441	14586.19846	30000	0	0	30000	44.25	2004
23.01.2020 12:34:33	1	1	1	1	86.5	64.25	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	44.25	2004
23.01.2020 12:34:34	1	1	1	1	86.5	64.25	0	29241.706	541.9354839	15783.98065	30000	0	0	30000	44.125	2004
23.01.2020 12:34:35	1	1	1	1	86.5	64	0	29857.82	516.1290323	15410.54005	30000	0	0	30000	43.75	2004
23.01.2020 12:34:36	1	1	1	1	86.5	63.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.1875	2004
23.01.2020 12:34:37	1	1	1	1	86.5	64	0	28009.479	516.1290323	14456.55424	30000	0	0	30000	43.5	2004
23.01.2020 12:34:39	1	1	1	1	86.5	63.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	44.25	2004
23.01.2020 12:34:40	1	1	1	1	86.5	64.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	44	2004
23.01.2020 12:34:41	1	1	1	1	86.5	64	0	29715.64	524.7311828	15655.96717	30000	0	0	30000	43.5	2004
23.01.2020 12:34:42	1	1	1	1	86.5	63.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44.4375	2004
23.01.2020 12:34:43	1	1	1	1	86.5	63.75	0	29383.886	546.2365591	15898.1328	30000	0	0	30000	44.25	2004
23.01.2020 12:34:44	1	1	1	1	86.5	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 12:34:45	1	1	1	1	86.5	64.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	43.875	2004
23.01.2020 12:34:46	1	1	1	1	86.5	63.75	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	44.25	2004
23.01.2020 12:34:47	1	1	1	1	86.5	64.25	0	29241.706	554.8387097	15983.74691	30000	0	0	30000	43.75	2004
23.01.2020 12:34:48	1	1	1	1	86.5	63.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.75	2004
23.01.2020 12:34:49	1	1	1	1	87	63.75	0	29526.066	546.2365591	16191.66689	30000	0	0	30000	44.3125	2004
23.01.2020 12:34:50	1	1	1	1	87	64.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	43.625	2004
23.01.2020 12:34:51	1	1	1	1	87	63.5	0	29052.133	556.9892473	15942.16291	30000	0	0	30000	43.5625	2004
23.01.2020 12:34:52	1	1	1	1	87	63.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.4375	2004
23.01.2020 12:34:53	1	1	1	1	87	63.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.3125	2004
23.01.2020 12:34:54	1	1	1	1	87	64.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.9375	2004
23.01.2020 12:34:55	1	1	1	1	87	63.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	44.0625	2004
23.01.2020 12:34:56	1	1	1	1	87	64	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.1875	2004
23.01.2020 12:34:57	1	1	1	1	87	64	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	44.25	2004
23.01.2020 12:34:58	1	1	1	1	87	64.25	0	28483.412	529.0322581	15252.35779	30000	0	0	30000	44.125	2004
23.01.2020 12:34:59	1	1	1	1	86	64	0	29004.739	554.8387097	16066.09953	30000	0	0	30000	44	2004
23.01.2020 12:35:00	1	1	1	1	86	64	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:35:01	1	1	1	1	86	64	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	43.8125	2004
23.01.2020 12:35:02	1	1	1	1	86	63.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	44.375	2004
23.01.2020 12:35:03	1	1	1	1	86	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.75	2004
23.01.2020 12:35:04	1	1	1	1	86	63.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	43.5625	2004
23.01.2020 12:35:05	1	1	1	1	86	63.5	0	29099.526	552.688172	16171.28258	30000	0	0	30000	44.3125	2004
23.01.2020 12:35:06	1	1	1	1	86	64.25	0	29099.526	559.1397849	16332.72633	30000	0	0	30000	44.1875	2004
23.01.2020 12:35:07	1	1	1	1	86	64	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.9375	2004
23.01.2020 12:35:08	1	1	1	1	86	63.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	44.25	2004
23.01.2020 12:35:09	1	1	1	1	86.5	64.25	0	28862.559	552.688172	16075.884	30000	0	0	30000	44.25	2004
23.01.2020 12:35:10	1	1	1	1	86.5	64.25	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	44.3125	2004
23.01.2020 12:35:11	1	1	1	1	86.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.125	2004
23.01.2020 12:35:12	1	1	1	1	86.5	64	0	28957.346	556.9892473	16075.884	30000	0	0	30000	44.1875	2004
23.01.2020 12:35:13	1	1	1	1	86.5	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.375	2004
23.01.2020 12:35:14	1	1	1	1	86.5	64.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	44.1875	2004
23.01.2020 12:35:16	1	1	1	1	86.5	64	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.9375	2004
23.01.2020 12:35:17	1	1	1	1	86.5	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.6875	2004
23.01.2020 12:35:18	1	1	1	1	86.5	64.5	0	28909.953	552.688172	16004.13122	30000	0	0	30000	44	2004
23.01.2020 12:35:19	1	1	1	1	86.5	64	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	44.3125	2004
23.01.2020 12:35:20	1	1	1	1	85.25	64.25	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	44.625	2004
23.01.2020 12:35:21	1	1	1	1	85.25	64	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	44.0625	2004
23.01.2020 12:35:22	1	1	1	1	85.25	64	0	28578.199	550.5376344	15759.51947	30000	0	0	30000	44.1875	2004
23.01.2020 12:35:23	1	1	1	1	85.25	64	0	27298.578	507.5268817	13913.51616	30000	0	0	30000	44.1875	2004
23.01.2020 12:35:24	1	1	1	1	85.25	64	0	28862.559	554.8387097	16075.884	30000	0	0	30000	44.1875	2004
23.01.2020 12:35:25	1	1	1	1	85.25	64	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	44.3125	2004
23.01.2020 12:35:26	1	1	1	1	85.25	64.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:27	1	1	1	1	85.25	64.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.625	2004
23.01.2020 12:35:33	1	1	1	1	85.5	64.5	0	10426.54	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:33	1	1	1	1	85.5	64.5	0	10426.54	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:33	1	1	1	1	85.5	64.5	0	10426.54	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:33	1	1	1	1	85.5	64.5	0	10426.54	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:33	1	1	1	1	85.5	64.5	0	10426.54	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:33	1	1	1	1	85.5	64.5	0	10426.54	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:34	1	1	1	1	85.5	64.25	0	11279.621	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:35	1	1	1	1	85.5	64.25	0	12085.308	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:36	1	1	1	1	85.5	64.25	0	12890.995	4.301075269	55.44532927	30000	0	0	30000	44.375	2004
23.01.2020 12:35:37	1	1	1	1	85.5	64.25	0	13601.896	10.75268817	116.598266	30000	0	0	30000	44.375	2004
23.01.2020 12:35:38	1	1	1	1	85.5	64.25	0	14407.583	15.05376344	216.8890822	30000	0	0	30000	44.375	2004
23.01.2020 12:35:39	1	1	1	1	86.5	64.25	0	15165.877	19.35483871	326.1489957	30000	0	0	30000	41.6875	2004
23.01.2020 12:35:40	1	1	1	1	86.5	61.5	0	15876.777	30.10752688	477.8082787	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:41	1	1	1	1	86.5	64.25	0	16729.858	40.86021505	683.2821461	30000	0	0	30000	44.375	2004
23.01.2020 12:35:42	1	1	1	1	86.5	64.25	0	17488.152	53.76344086	940.1244802	30000	0	0	30000	44.375	2004
23.01.2020 12:35:43	1	1	1	1	86.5	64.25	0	18293.839	66.66666667	1215.720382	30000	0	0	30000	44.375	2004
23.01.2020 12:35:44	1	1	1	1	86.5	64.25	0	19052.133	79.56989247	1475.008833	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:35:45	1	1	1	1	86.5	64.25	0	19763.033	94.62365591	1878.618215	30000	0	0	30000	44.3125	2004
23.01.2020 12:35:46	1	1	1	1	86.5	64.25	0	20000	103.2258065	1978.093659	30000	0	0	30000	44.375	2004
23.01.2020 12:35:47	1	1	1	1	86.5	64.25	0	21042.654	120.4301075	2398.010491	30000	0	0	30000	44.1875	2004
23.01.2020 12:35:48	1	1	1	1	86.5	64	0	21137.441	126.8817204	2584.730791	30000	0	0	30000	44.5	2004
23.01.2020 12:35:49	1	1	1	1	87	64.5	0	21516.588	141.9354839	3000.570761	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:50	1	1	1	1	87	64.25	0	23317.536	167.7419355	3911.341831	30000	0	0	30000	44.25	2004
23.01.2020 12:35:51	1	1	1	1	87	64.25	0	22843.602	176.344086	3970.864023	30000	0	0	30000	44.5	2004
23.01.2020 12:35:52	1	1	1	1	87	64.5	0	22890.995	176.344086	3888.511402	30000	0	0	30000	44.375	2004
23.01.2020 12:35:54	1	1	1	1	87	64.25	0	24123.223	180.6451613	4409.534422	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:55	1	1	1	1	87	64.25	0	22748.815	174.1935484	3864.865599	30000	0	0	30000	44.4375	2004
23.01.2020 12:35:56	1	1	1	1	87	64.25	0	22890.995	206.4516129	4725.898948	30000	0	0	30000	43.875	2004
23.01.2020 12:35:57	1	1	1	1	87	63.75	0	23507.109	206.4516129	4853.097057	30000	0	0	30000	44.375	2004
23.01.2020 12:35:58	1	1	1	1	87	64.25	0	24075.829	219.3548387	5290.952083	30000	0	0	30000	44.5	2004
23.01.2020 12:35:59	1	1	1	1	87	64.5	0	24407.583	234.4086022	5720.653385	30000	0	0	30000	43.9375	2004
23.01.2020 12:36:00	1	1	1	1	86.75	64.25	0	25497.63	258.0645161	6512.380072	30000	0	0	30000	44.3125	2004
23.01.2020 12:36:01	1	1	1	1	86.75	64.25	0	25639.81	288.172043	7388.090126	30000	0	0	30000	44.25	2004
23.01.2020 12:36:02	1	1	1	1	86.75	64.25	0	25734.597	292.4731183	7582.148778	30000	0	0	30000	44.4375	2004
23.01.2020 12:36:03	1	1	1	1	86.75	64.25	0	26208.531	309.6774194	8086.864349	30000	0	0	30000	44.1875	2004
23.01.2020 12:36:04	1	1	1	1	86.75	64	0	27298.578	346.2365591	9451.797896	30000	0	0	30000	43.6875	2004
23.01.2020 12:36:05	1	1	1	1	86.75	63.5	0	26587.678	339.7849462	9033.511809	30000	0	0	30000	44.5	2004
23.01.2020 12:36:06	1	1	1	1	86.75	64.5	0	26966.825	354.8387097	9568.396162	30000	0	0	30000	44.25	2004
23.01.2020 12:36:07	1	1	1	1	86.75	64.25	0	26824.645	369.8924731	9922.267823	30000	0	0	30000	44.25	2004
23.01.2020 12:36:08	1	1	1	1	86.75	64.25	0	27061.611	384.9462366	10417.19892	30000	0	0	30000	44.4375	2004
23.01.2020 12:36:09	1	1	1	1	86.5	64.25	0	27345.972	397.8494624	10996.92876	30000	0	0	30000	44.375	2004
23.01.2020 12:36:10	1	1	1	1	86.5	64.25	0	26824.645	395.6989247	10671.59514	30000	0	0	30000	44.375	2004
23.01.2020 12:36:11	1	1	1	1	86.5	64.25	0	27298.578	400	11036.88202	30000	0	0	30000	44.375	2004
23.01.2020 12:36:12	1	1	1	1	86.5	64.25	0	27298.578	402.1505376	10978.1752	30000	0	0	30000	44.1875	2004
23.01.2020 12:36:13	1	1	1	1	86.5	64	0	28388.626	391.3978495	11233.38679	30000	0	0	30000	44.375	2004
23.01.2020 12:36:14	1	1	1	1	86.5	64.25	0	27440.758	400	11035.25127	30000	0	0	30000	44.125	2004
23.01.2020 12:36:15	1	1	1	1	86.5	64	0	27535.545	400	10975.72908	30000	0	0	30000	43	2004
23.01.2020 12:36:16	1	1	1	1	86.5	63	0	27440.758	412.9032258	11389.12293	30000	0	0	30000	44.1875	2004
23.01.2020 12:36:17	1	1	1	1	86.5	64	0	27819.905	427.9569892	11905.25372	30000	0	0	30000	44	2004
23.01.2020 12:36:18	1	1	1	1	86.5	64	0	28199.052	449.4623656	12795.64048	30000	0	0	30000	44.25	2004
23.01.2020 12:36:19	1	1	1	1	86	64.25	0	28483.412	486.0215054	13904.54706	30000	0	0	30000	43.9375	2004
23.01.2020 12:36:20	1	1	1	1	86	63.75	0	28009.479	464.516129	13159.29661	30000	0	0	30000	44.1875	2004
23.01.2020 12:36:21	1	1	1	1	86	64	0	27630.332	453.7634409	12537.1674	30000	0	0	30000	43.5625	2004
23.01.2020 12:36:22	1	1	1	1	86	63.5	0	28009.479	481.7204301	13191.09613	30000	0	0	30000	44.25	2004
23.01.2020 12:36:23	1	1	1	1	86	64.25	0	28293.839	490.3225806	13765.93374	30000	0	0	30000	43.9375	2004
23.01.2020 12:36:24	1	1	1	1	86	63.75	0	27630.332	490.3225806	13606.9361	30000	0	0	30000	44.25	2004
23.01.2020 12:36:25	1	1	1	1	86	64.25	0	28578.199	522.5806452	15118.6367	30000	0	0	30000	44.25	2004
23.01.2020 12:36:26	1	1	1	1	86	64.25	0	28436.019	516.1290323	14737.85774	30000	0	0	30000	43.6875	2004
23.01.2020 12:36:27	1	1	1	1	86	63.5	0	28815.166	535.483871	15430.10899	30000	0	0	30000	44.25	2004
23.01.2020 12:36:28	1	1	1	1	86	64.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:36:35	1	1	1	1	86.25	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:36:35	1	1	1	1	86.25	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:36:35	1	1	1	1	86.25	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:36:35	1	1	1	1	86.25	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:36:35	1	1	1	1	86.25	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:36:35	1	1	1	1	86.25	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:36:36	1	1	1	1	86.25	64.25	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	44.5625	2004
23.01.2020 12:36:37	1	1	1	1	86.25	64.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.125	2004
23.01.2020 12:36:38	1	1	1	1	86.25	64	0	29241.706	546.2365591	15795.39586	30000	0	0	30000	44.625	2004
23.01.2020 12:36:39	1	1	1	1	86	64.5	0	29099.526	550.5376344	15754.62724	30000	0	0	30000	43.3125	2004
23.01.2020 12:36:40	1	1	1	1	86	63.25	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	44.3125	2004
23.01.2020 12:36:41	1	1	1	1	86	64.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	43.8125	2004
23.01.2020 12:36:42	1	1	1	1	86	63.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.25	2004
23.01.2020 12:36:43	1	1	1	1	86	64.25	0	29146.919	541.9354839	15983.74691	30000	0	0	30000	43.75	2004
23.01.2020 12:36:44	1	1	1	1	86	63.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.25	2004
23.01.2020 12:36:45	1	1	1	1	86	64.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	44.1875	2004
23.01.2020 12:36:46	1	1	1	1	86	64	0	29289.1	546.2365591	15732.61218	30000	0	0	30000	43.5625	2004
23.01.2020 12:36:47	1	1	1	1	86	63.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.0625	2004
23.01.2020 12:36:48	1	1	1	1	86	64	0	28625.592	552.688172	15882.64072	30000	0	0	30000	43.4375	2004
23.01.2020 12:36:49	1	1	1	1	86.25	63.25	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	43.8125	2004
23.01.2020 12:36:50	1	1	1	1	86.25	63.75	0	29052.133	552.688172	16082.40698	30000	0	0	30000	44.0625	2004
23.01.2020 12:36:51	1	1	1	1	86.25	64	0	28957.346	554.8387097	15951.94738	30000	0	0	30000	43.8125	2004
23.01.2020 12:36:52	1	1	1	1	86.25	63.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.3125	2004
23.01.2020 12:36:53	1	1	1	1	86.25	64.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	44.3125	2004
23.01.2020 12:36:54	1	1	1	1	86.25	64.25	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	44.3125	2004
23.01.2020 12:36:55	1	1	1	1	86.25	64.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	44.25	2004
23.01.2020 12:36:56	1	1	1	1	86.25	64.25	0	29099.526	552.688172	15817.41092	30000	0	0	30000	44.25	2004
23.01.2020 12:36:57	1	1	1	1	86.25	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.9375	2004
23.01.2020 12:36:58	1	1	1	1	86.25	63.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.125	2004
23.01.2020 12:36:59	1	1	1	1	86.5	64	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	44.3125	2004
23.01.2020 12:37:00	1	1	1	1	86.5	64.25	0	28957.346	511.827957	14696.27375	30000	0	0	30000	44.375	2004
23.01.2020 12:37:01	1	1	1	1	86.5	64.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	44	2004
23.01.2020 12:37:02	1	1	1	1	86.5	64	0	29052.133	552.688172	16056.31506	30000	0	0	30000	44	2004
23.01.2020 12:37:03	1	1	1	1	86.5	64	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.375	2004
23.01.2020 12:37:04	1	1	1	1	86.5	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.4375	2004
23.01.2020 12:37:05	1	1	1	1	86.5	64.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	44.3125	2004
23.01.2020 12:37:06	1	1	1	1	86.5	64.25	0	29383.886	544.0860215	16075.884	30000	0	0	30000	44.0625	2004
23.01.2020 12:37:07	1	1	1	1	86.5	64	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.0625	2004
23.01.2020 12:37:08	1	1	1	1	86.5	64	0	29668.246	518.2795699	15464.35463	30000	0	0	30000	44.25	2004
23.01.2020 12:37:09	1	1	1	1	86.25	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.1875	2004
23.01.2020 12:37:11	1	1	1	1	86.25	64	0	29241.706	546.2365591	16024.51553	30000	0	0	30000	43.25	2004
23.01.2020 12:37:12	1	1	1	1	86.25	63.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	44.25	2004
23.01.2020 12:37:13	1	1	1	1	86.25	64.25	0	29241.706	546.2365591	15732.61218	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:37:14	1	1	1	1	86.25	63.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	44.25	2004
23.01.2020 12:37:15	1	1	1	1	86.25	64.25	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.75	2004
23.01.2020 12:37:16	1	1	1	1	86.25	63.75	0	29620.853	537.6344086	15683.68983	30000	0	0	30000	44.3125	2004
23.01.2020 12:37:17	1	1	1	1	86.25	64.5	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	44.0625	2004
23.01.2020 12:37:18	1	1	1	1	86.25	64	0	29526.066	483.8709677	14286.14139	30000	0	0	30000	43.9375	2004
23.01.2020 12:37:19	1	1	1	1	85.75	63.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.125	2004
23.01.2020 12:37:20	1	1	1	1	85.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
23.01.2020 12:37:21	1	1	1	1	85.75	63.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.3125	2004
23.01.2020 12:37:22	1	1	1	1	85.75	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.3125	2004
23.01.2020 12:37:23	1	1	1	1	85.75	63.25	0	30000	507.5268817	15266.21912	30000	0	0	30000	44.125	2004
23.01.2020 12:37:24	1	1	1	1	85.75	64	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	44.25	2004
23.01.2020 12:37:25	1	1	1	1	85.75	64.25	0	29431.28	529.0322581	15633.13674	30000	0	0	30000	44.1875	2004
23.01.2020 12:37:26	1	1	1	1	85.75	64	0	28815.166	451.6129032	12951.37662	30000	0	0	30000	44.0625	2004
23.01.2020 12:37:27	1	1	1	1	85.75	64	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	43.75	2004
23.01.2020 12:37:28	1	1	1	1	85.75	63.75	0	26113.744	483.8709677	12579.56677	30000	0	0	30000	44.1875	2004
23.01.2020 12:37:29	1	1	1	1	87	64	0	28199.052	483.8709677	13704.7808	30000	0	0	30000	43.9375	2004
23.01.2020 12:37:30	1	1	1	1	87	63.75	0	29620.853	516.1290323	15376.2944	30000	0	0	30000	43.5	2004
23.01.2020 12:37:37	1	1	1	1	87	64	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	43.4375	2004
23.01.2020 12:37:37	1	1	1	1	87	64	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	43.4375	2004
23.01.2020 12:37:37	1	1	1	1	87	64	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	43.4375	2004
23.01.2020 12:37:37	1	1	1	1	87	64	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	43.4375	2004
23.01.2020 12:37:37	1	1	1	1	87	64	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	43.4375	2004
23.01.2020 12:37:37	1	1	1	1	87	64	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	43.4375	2004
23.01.2020 12:37:37	1	1	1	1	87	63.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.8125	2004
23.01.2020 12:37:38	1	1	1	1	87	63.75	0	29952.607	496.7741935	14856.08676	30000	0	0	30000	44.375	2004
23.01.2020 12:37:39	1	1	1	1	86.5	64.25	0	29146.919	464.516129	13539.26019	30000	0	0	30000	44.5	2004
23.01.2020 12:37:40	1	1	1	1	86.5	64.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.0625	2004
23.01.2020 12:37:41	1	1	1	1	86.5	64	0	29905.213	488.172043	14598.42905	30000	0	0	30000	43.5625	2004
23.01.2020 12:37:42	1	1	1	1	86.5	63.5	0	26066.351	481.7204301	12579.56677	30000	0	0	30000	44.3125	2004
23.01.2020 12:37:43	1	1	1	1	86.5	64.25	0	29810.427	481.7204301	14314.67942	30000	0	0	30000	43.9375	2004
23.01.2020 12:37:44	1	1	1	1	86.5	63.75	0	30000	520.4301075	15805.99571	30000	0	0	30000	43.6875	2004
23.01.2020 12:37:45	1	1	1	1	86.5	63.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.25	2004
23.01.2020 12:37:46	1	1	1	1	86.5	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.3125	2004
23.01.2020 12:37:47	1	1	1	1	86.5	64.25	0	30000	511.827957	15483.92357	30000	0	0	30000	43.375	2004
23.01.2020 12:37:48	1	1	1	1	86.5	63.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.1875	2004
23.01.2020 12:37:50	1	1	1	1	85.75	64	0	29810.427	488.172043	14551.95282	30000	0	0	30000	43.75	2004
23.01.2020 12:37:51	1	1	1	1	85.75	63.75	0	29905.213	518.2795699	15523.87682	30000	0	0	30000	44.375	2004
23.01.2020 12:37:52	1	1	1	1	85.75	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.3125	2004
23.01.2020 12:37:53	1	1	1	1	85.75	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.625	2004
23.01.2020 12:37:54	1	1	1	1	85.75	64.5	0	28815.166	468.8172043	13880.90126	30000	0	0	30000	44.3125	2004
23.01.2020 12:37:55	1	1	1	1	85.75	64	0	30000	509.6774194	15266.21912	30000	0	0	30000	44.25	2004
23.01.2020 12:37:56	1	1	1	1	85.75	64.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.6875	2004
23.01.2020 12:37:57	1	1	1	1	85.75	63.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:37:58	1	1	1	1	85.75	64.25	0	26398.104	488.172043	12909.79262	30000	0	0	30000	43	2004
23.01.2020 12:37:59	1	1	1	1	86.75	63	0	29905.213	529.0322581	15845.94896	30000	0	0	30000	44.125	2004
23.01.2020 12:38:00	1	1	1	1	86.75	64	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.3125	2004
23.01.2020 12:38:01	1	1	1	1	86.75	64.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	44	2004
23.01.2020 12:38:02	1	1	1	1	86.75	64	0	30000	518.2795699	15548.338	30000	0	0	30000	44.25	2004
23.01.2020 12:38:03	1	1	1	1	86.75	64.25	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	44.375	2004
23.01.2020 12:38:04	1	1	1	1	86.75	64.25	0	30000	516.1290323	15548.338	30000	0	0	30000	44.0625	2004
23.01.2020 12:38:05	1	1	1	1	86.75	64	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.125	2004
23.01.2020 12:38:06	1	1	1	1	86.75	64	0	29905.213	492.4731183	14750.9037	30000	0	0	30000	44.3125	2004
23.01.2020 12:38:07	1	1	1	1	86.75	64.25	0	29905.213	494.6236559	14791.67233	30000	0	0	30000	43.8125	2004
23.01.2020 12:38:08	1	1	1	1	86.75	63.75	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	44.25	2004
23.01.2020 12:38:09	1	1	1	1	86.5	64.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.25	2004
23.01.2020 12:38:10	1	1	1	1	86.5	64.25	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	43.8125	2004
23.01.2020 12:38:11	1	1	1	1	86.5	63.75	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.375	2004
23.01.2020 12:38:12	1	1	1	1	86.5	64.25	0	30000	496.7741935	14838.14856	30000	0	0	30000	43.875	2004
23.01.2020 12:38:13	1	1	1	1	86.5	63.75	0	30000	511.827957	15289.86492	30000	0	0	30000	43.9375	2004
23.01.2020 12:38:14	1	1	1	1	86.5	63.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	44.1875	2004
23.01.2020 12:38:15	1	1	1	1	86.5	64	0	30000	490.3225806	14750.9037	30000	0	0	30000	43.9375	2004
23.01.2020 12:38:16	1	1	1	1	86.5	63.75	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.5	2004
23.01.2020 12:38:17	1	1	1	1	86.5	63.5	0	29383.886	468.8172043	13838.50189	30000	0	0	30000	44	2004
23.01.2020 12:38:18	1	1	1	1	86.5	64	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.3125	2004
23.01.2020 12:38:19	1	1	1	1	86.75	64.25	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.375	2004
23.01.2020 12:38:20	1	1	1	1	86.75	64.25	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	44.1875	2004
23.01.2020 12:38:21	1	1	1	1	86.75	64	0	30000	533.3333333	15870.41013	30000	0	0	30000	44.1875	2004
23.01.2020 12:38:22	1	1	1	1	86.75	64	0	29952.607	507.5268817	15161.03607	30000	0	0	30000	43.875	2004
23.01.2020 12:38:23	1	1	1	1	86.75	63.75	0	28625.592	483.8709677	13850.73248	30000	0	0	30000	44.25	2004
23.01.2020 12:38:24	1	1	1	1	86.75	64.25	0	26018.957	464.516129	12097.68162	30000	0	0	30000	44.1875	2004
23.01.2020 12:38:25	1	1	1	1	86.75	64	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	44.25	2004
23.01.2020 12:38:27	1	1	1	1	86.75	64.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.1875	2004
23.01.2020 12:38:28	1	1	1	1	86.75	63	0	29952.607	464.516129	13977.93058	30000	0	0	30000	44	2004
23.01.2020 12:38:29	1	1	1	1	86.75	64	0	26587.678	372.0430108	9777.13152	30000	0	0	30000	43.8125	2004
23.01.2020 12:38:30	1	1	1	1	86.75	63.75	0	29905.213	384.9462366	11575.84323	30000	0	0	30000	44.25	2004
23.01.2020 12:38:31	1	1	1	1	86.75	64.25	0	29905.213	389.2473118	11640.25766	30000	0	0	30000	44.625	2004
23.01.2020 12:38:32	1	1	1	1	86.75	64.5	0	29952.607	380.6451613	11319.0009	30000	0	0	30000	44.25	2004
23.01.2020 12:38:38	1	1	1	1	86.75	63	0	30000	498.9247312	14791.67233	30000	0	0	30000	44.25	2004
23.01.2020 12:38:38	1	1	1	1	86.75	63	0	30000	498.9247312	14791.67233	30000	0	0	30000	44.25	2004
23.01.2020 12:38:38	1	1	1	1	86.75	63	0	30000	498.9247312	14791.67233	30000	0	0	30000	44.25	2004
23.01.2020 12:38:38	1	1	1	1	86.75	63	0	30000	498.9247312	14791.67233	30000	0	0	30000	44.25	2004
23.01.2020 12:38:38	1	1	1	1	86.75	63	0	30000	498.9247312	14791.67233	30000	0	0	30000	44.25	2004
23.01.2020 12:38:38	1	1	1	1	86.75	63	0	30000	498.9247312	14791.67233	30000	0	0	30000	44.25	2004
23.01.2020 12:38:39	1	1	1	1	87.25	64.25	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	44.125	2004
23.01.2020 12:38:40	1	1	1	1	87.25	64	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	43.9375	2004
23.01.2020 12:38:41	1	1	1	1	87.25	63.75	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:38:42	1	1	1	1	87.25	64.25	0	29952.607	488.172043	14622.07485	30000	0	0	30000	43.1875	2004
23.01.2020 12:38:43	1	1	1	1	87.25	63	0	30000	516.1290323	15266.21912	30000	0	0	30000	43.5625	2004
23.01.2020 12:38:44	1	1	1	1	87.25	63.5	0	29810.427	488.172043	14506.29196	30000	0	0	30000	44.1875	2004
23.01.2020 12:38:45	1	1	1	1	87.25	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.625	2004
23.01.2020 12:38:46	1	1	1	1	87.25	63.5	0	29146.919	460.2150538	13350.90914	30000	0	0	30000	43.8125	2004
23.01.2020 12:38:47	1	1	1	1	87.25	63.75	0	29715.64	464.516129	13867.03993	30000	0	0	30000	44	2004
23.01.2020 12:38:48	1	1	1	1	87.25	64	0	29905.213	509.6774194	15241.75794	30000	0	0	30000	44.3125	2004
23.01.2020 12:38:49	1	1	1	1	86.75	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44	2004
23.01.2020 12:38:50	1	1	1	1	86.75	64	0	29573.46	509.6774194	15096.62164	30000	0	0	30000	43.75	2004
23.01.2020 12:38:51	1	1	1	1	86.75	63.75	0	30000	518.2795699	15612.75243	30000	0	0	30000	43.75	2004
23.01.2020 12:38:52	1	1	1	1	86.75	63.75	0	28388.626	460.2150538	13064.71134	30000	0	0	30000	43.5625	2004
23.01.2020 12:38:53	1	1	1	1	86.75	63.5	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.0625	2004
23.01.2020 12:38:54	1	1	1	1	86.75	64	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	44.375	2004
23.01.2020 12:38:55	1	1	1	1	86.75	64.25	0	29905.213	507.5268817	15354.27935	30000	0	0	30000	44.3125	2004
23.01.2020 12:38:56	1	1	1	1	86.75	64.25	0	29810.427	535.483871	16090.5607	30000	0	0	30000	44.1875	2004
23.01.2020 12:38:57	1	1	1	1	86.75	64	0	29857.82	494.6236559	14768.02653	30000	0	0	30000	44.375	2004
23.01.2020 12:38:58	1	1	1	1	86.75	64.25	0	28815.166	483.8709677	14213.57323	30000	0	0	30000	42.9375	2004
23.01.2020 12:38:59	1	1	1	1	87.75	62.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	44.25	2004
23.01.2020 12:39:00	1	1	1	1	87.75	64.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	44.3125	2004
23.01.2020 12:39:01	1	1	1	1	87.75	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:39:02	1	1	1	1	87.75	64.25	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	44.25	2004
23.01.2020 12:39:03	1	1	1	1	87.75	64.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44	2004
23.01.2020 12:39:04	1	1	1	1	87.75	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.3125	2004
23.01.2020 12:39:06	1	1	1	1	87.75	64.25	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	44.4375	2004
23.01.2020 12:39:07	1	1	1	1	87.75	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.3125	2004
23.01.2020 12:39:08	1	1	1	1	87.75	64.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.0625	2004
23.01.2020 12:39:09	1	1	1	1	87.75	64	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	44.75	2004
23.01.2020 12:39:10	1	1	1	1	87.5	64.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.3125	2004
23.01.2020 12:39:11	1	1	1	1	87.5	64.25	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	44	2004
23.01.2020 12:39:12	1	1	1	1	87.5	64.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.3125	2004
23.01.2020 12:39:13	1	1	1	1	87.5	64.25	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	42.875	2004
23.01.2020 12:39:14	1	1	1	1	87.5	62.75	0	30000	507.5268817	15354.27935	30000	0	0	30000	44.375	2004
23.01.2020 12:39:15	1	1	1	1	87.5	64.25	0	28199.052	483.8709677	13644.44324	30000	0	0	30000	44.125	2004
23.01.2020 12:39:16	1	1	1	1	87.5	64	0	29810.427	486.0215054	14423.93934	30000	0	0	30000	44.4375	2004
23.01.2020 12:39:17	1	1	1	1	87.5	64.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.1875	2004
23.01.2020 12:39:18	1	1	1	1	87.5	64	0	28815.166	455.9139785	12988.88376	30000	0	0	30000	44.1875	2004
23.01.2020 12:39:19	1	1	1	1	87.5	64	0	29905.213	498.9247312	14920.50118	30000	0	0	30000	44.125	2004
23.01.2020 12:39:20	1	1	1	1	87.5	64	0	30000	507.5268817	14984.10024	30000	0	0	30000	44.4375	2004
23.01.2020 12:39:21	1	1	1	1	87.5	64.25	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	43.8125	2004
23.01.2020 12:39:22	1	1	1	1	87.5	63.75	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	44.3125	2004
23.01.2020 12:39:23	1	1	1	1	87.5	64.25	0	29952.607	503.2258065	15008.56141	30000	0	0	30000	44.125	2004
23.01.2020 12:39:24	1	1	1	1	87.5	64	0	28862.559	490.3225806	14213.57323	30000	0	0	30000	44.25	2004
23.01.2020 12:39:25	1	1	1	1	87.5	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:39:26	1	1	1	1	87.5	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.0625	2004
23.01.2020 12:39:27	1	1	1	1	87.5	64	0	29905.213	496.7741935	14727.2579	30000	0	0	30000	44.3125	2004
23.01.2020 12:39:28	1	1	1	1	87.5	64.25	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.3125	2004
23.01.2020 12:39:29	1	1	1	1	87.25	64.25	0	30000	516.1290323	15459.4624	30000	0	0	30000	44.1875	2004
23.01.2020 12:39:30	1	1	1	1	87.25	64	0	26018.957	464.516129	12163.7268	30000	0	0	30000	44.25	2004
23.01.2020 12:39:31	1	1	1	1	87.25	64.25	0	26303.318	481.7204301	12625.22762	30000	0	0	30000	44.4375	2004
23.01.2020 12:39:32	1	1	1	1	87.25	64.25	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	44.3125	2004
23.01.2020 12:39:33	1	1	1	1	87.25	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.4375	2004
23.01.2020 12:39:40	1	1	1	1	87.75	64.25	0	29241.706	466.6666667	13664.01218	30000	0	0	30000	43.5	2004
23.01.2020 12:39:40	1	1	1	1	87.75	64.25	0	29241.706	466.6666667	13664.01218	30000	0	0	30000	43.5	2004
23.01.2020 12:39:40	1	1	1	1	87.75	64.25	0	29241.706	466.6666667	13664.01218	30000	0	0	30000	43.5	2004
23.01.2020 12:39:40	1	1	1	1	87.75	64.25	0	29241.706	466.6666667	13664.01218	30000	0	0	30000	43.5	2004
23.01.2020 12:39:40	1	1	1	1	87.75	64.25	0	29241.706	466.6666667	13664.01218	30000	0	0	30000	43.5	2004
23.01.2020 12:39:40	1	1	1	1	87.75	64.25	0	29241.706	466.6666667	13664.01218	30000	0	0	30000	43.5	2004
23.01.2020 12:39:40	1	1	1	1	87.75	63.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.5	2004
23.01.2020 12:39:41	1	1	1	1	87.75	63.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.25	2004
23.01.2020 12:39:42	1	1	1	1	87.75	64.25	0	30000	505.3763441	15378.74052	30000	0	0	30000	43.875	2004
23.01.2020 12:39:44	1	1	1	1	87.75	63.75	0	30000	496.7741935	14750.9037	30000	0	0	30000	43.9375	2004
23.01.2020 12:39:45	1	1	1	1	87.75	63.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	43.5625	2004
23.01.2020 12:39:46	1	1	1	1	87.75	63.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 12:39:47	1	1	1	1	87.75	64	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.25	2004
23.01.2020 12:39:48	1	1	1	1	87.75	64.25	0	29857.82	460.2150538	13762.67225	30000	0	0	30000	43.625	2004
23.01.2020 12:39:49	1	1	1	1	87.75	63.5	0	29905.213	481.7204301	14083.92901	30000	0	0	30000	44.375	2004
23.01.2020 12:39:50	1	1	1	1	87.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.75	2004
23.01.2020 12:39:51	1	1	1	1	87.75	64.75	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.9375	2004
23.01.2020 12:39:52	1	1	1	1	87.75	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.5625	2004
23.01.2020 12:39:53	1	1	1	1	87.75	63.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.5	2004
23.01.2020 12:39:54	1	1	1	1	87.75	64.5	0	27345.972	412.9032258	11114.3424	30000	0	0	30000	44.1875	2004
23.01.2020 12:39:55	1	1	1	1	87.75	64	0	30000	438.7096774	13032.0985	30000	0	0	30000	44.25	2004
23.01.2020 12:39:56	1	1	1	1	87.75	64.25	0	26587.678	404.3010753	10978.1752	30000	0	0	30000	44.25	2004
23.01.2020 12:39:57	1	1	1	1	87.75	64.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.9375	2004
23.01.2020 12:39:58	1	1	1	1	87.75	63.75	0	29810.427	395.6989247	11667.16495	30000	0	0	30000	44.4375	2004
23.01.2020 12:39:59	1	1	1	1	88	64.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	44.4375	2004
23.01.2020 12:40:00	1	1	1	1	88	64.25	0	24218.009	363.4408602	8801.13065	30000	0	0	30000	44.4375	2004
23.01.2020 12:40:01	1	1	1	1	88	64.25	0	25734.597	356.9892473	9242.247167	30000	0	0	30000	44.1875	2004
23.01.2020 12:40:02	1	1	1	1	88	64	0	29573.46	387.0967742	11529.367	30000	0	0	30000	43.625	2004
23.01.2020 12:40:03	1	1	1	1	88	63.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.3125	2004
23.01.2020 12:40:04	1	1	1	1	88	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
23.01.2020 12:40:05	1	1	1	1	88	64.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
23.01.2020 12:40:06	1	1	1	1	88	64.25	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	44	2004
23.01.2020 12:40:07	1	1	1	1	88	64	0	29715.64	468.8172043	13867.03993	30000	0	0	30000	44.4375	2004
23.01.2020 12:40:08	1	1	1	1	88	64.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	44	2004
23.01.2020 12:40:09	1	1	1	1	87.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:40:13	1	1	1	1	87.75	64.25	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.375	2004
23.01.2020 12:40:13	1	1	1	1	87.75	64.25	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.375	2004
23.01.2020 12:40:13	1	1	1	1	87.75	64.25	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.375	2004
23.01.2020 12:40:13	1	1	1	1	87.75	64.25	0	29905.213	503.2258065	15225.45049	30000	0	0	30000	44	2004
23.01.2020 12:40:14	1	1	1	1	87.75	64	0	28009.479	511.827957	14456.55424	30000	0	0	30000	44.125	2004
23.01.2020 12:40:15	1	1	1	1	87.75	64	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.9375	2004
23.01.2020 12:40:16	1	1	1	1	87.75	63.75	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	44.375	2004
23.01.2020 12:40:17	1	1	1	1	87.75	64.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	44.125	2004
23.01.2020 12:40:18	1	1	1	1	87.75	64	0	29431.28	507.5268817	14723.18104	30000	0	0	30000	43.5625	2004
23.01.2020 12:40:19	1	1	1	1	88	63.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.75	2004
23.01.2020 12:40:21	1	1	1	1	88	63.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.4375	2004
23.01.2020 12:40:22	1	1	1	1	88	64.25	0	29810.427	511.827957	15257.25002	30000	0	0	30000	44.3125	2004
23.01.2020 12:40:23	1	1	1	1	88	64.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44	2004
23.01.2020 12:40:24	1	1	1	1	88	64	0	29146.919	544.0860215	15972.33169	30000	0	0	30000	43.4375	2004
23.01.2020 12:40:25	1	1	1	1	88	63.25	0	28862.559	524.7311828	15206.69693	30000	0	0	30000	44.3125	2004
23.01.2020 12:40:26	1	1	1	1	88	64.25	0	29099.526	548.3870968	15832.08763	30000	0	0	30000	44.0625	2004
23.01.2020 12:40:27	1	1	1	1	88	64	0	29573.46	522.5806452	15454.57016	30000	0	0	30000	43.3125	2004
23.01.2020 12:40:28	1	1	1	1	88	63.25	0	28909.953	533.3333333	15268.66524	30000	0	0	30000	43.75	2004
23.01.2020 12:40:29	1	1	1	1	88	63.75	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	44.375	2004
23.01.2020 12:40:30	1	1	1	1	88.25	63.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.3125	2004
23.01.2020 12:40:31	1	1	1	1	88.25	64.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.4375	2004
23.01.2020 12:40:32	1	1	1	1	88.25	64.25	0	29099.526	541.9354839	16046.53059	30000	0	0	30000	44.1875	2004
23.01.2020 12:40:33	1	1	1	1	88.25	64	0	28909.953	546.2365591	15942.16291	30000	0	0	30000	44.3125	2004
23.01.2020 12:40:34	1	1	1	1	88.25	64.25	0	28436.019	507.5268817	14493.246	30000	0	0	30000	44.3125	2004
23.01.2020 12:40:35	1	1	1	1	88.25	64.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	44.25	2004
23.01.2020 12:40:41	1	1	1	1	88.5	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.375	2004
23.01.2020 12:40:41	1	1	1	1	88.5	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.375	2004
23.01.2020 12:40:41	1	1	1	1	88.5	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.375	2004
23.01.2020 12:40:41	1	1	1	1	88.5	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.375	2004
23.01.2020 12:40:41	1	1	1	1	88.5	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.375	2004
23.01.2020 12:40:41	1	1	1	1	88.5	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.375	2004
23.01.2020 12:40:42	1	1	1	1	88.5	64.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	44.125	2004
23.01.2020 12:40:43	1	1	1	1	88.5	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.375	2004
23.01.2020 12:40:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:40:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:40:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:40:47	1	0	1	1	86.75	20	0	0	0	0	30000	0	0	30000	0	2004
23.01.2020 12:40:48	1	1	1	1	86.75	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
23.01.2020 12:40:49	1	1	1	1	86.75	61.75	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:40:50	1	1	1	1	86.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:40:51	1	1	1	1	86.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:40:52	1	1	1	1	86.75	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:40:53	1	1	1	1	86.75	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:40:54	1	1	1	1	86.75	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:40:55	1	1	1	1	86.75	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:40:56	1	1	1	1	86.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:40:57	1	1	1	1	89.25	64.5	0	10189.573	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:40:59	1	1	1	1	89.25	64.5	0	10947.867	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:41:00	1	1	1	1	89.25	64.25	0	11658.768	0	0	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:01	1	1	1	1	89.25	64.25	0	12369.668	2.150537634	26.09191966	30000	0	0	30000	44.4375	2004
23.01.2020 12:41:02	1	1	1	1	89.25	64.25	0	13270.142	8.602150538	85.61411138	30000	0	0	30000	44.5	2004
23.01.2020 12:41:03	1	1	1	1	89.25	64.5	0	13981.043	12.90322581	150.028538	30000	0	0	30000	43.8125	2004
23.01.2020 12:41:04	1	1	1	1	89.25	63.75	0	14691.943	19.35483871	286.1957438	30000	0	0	30000	44.375	2004
23.01.2020 12:41:05	1	1	1	1	89.25	64.25	0	15497.63	32.25806452	499.823336	30000	0	0	30000	44.5	2004
23.01.2020 12:41:06	1	1	1	1	89.25	64.5	0	16303.318	38.70967742	666.1593238	30000	0	0	30000	44.25	2004
23.01.2020 12:41:07	1	1	1	1	89.25	64.25	0	17109.005	51.61290323	845.5412714	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:08	1	1	1	1	88.25	64.25	0	17867.299	64.51612903	1152.121327	30000	0	0	30000	44.375	2004
23.01.2020 12:41:09	1	1	1	1	88.25	64.25	0	18578.199	73.11827957	1401.625309	30000	0	0	30000	44.1875	2004
23.01.2020 12:41:10	1	1	1	1	88.25	64	0	19431.28	90.32258065	1754.681597	30000	0	0	30000	44.8125	2004
23.01.2020 12:41:11	1	1	1	1	88.25	64.75	0	18056.872	81.72043011	1514.146713	30000	0	0	30000	44.625	2004
23.01.2020 12:41:12	1	1	1	1	88.25	64.5	0	20900.474	116.1290323	2517.054875	30000	0	0	30000	44.375	2004
23.01.2020 12:41:13	1	1	1	1	88.25	64.25	0	21753.555	137.6344086	2994.047781	30000	0	0	30000	44.5625	2004
23.01.2020 12:41:14	1	1	1	1	88.25	64.5	0	22464.455	152.688172	3436.795043	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:15	1	1	1	1	88.25	64.25	0	23270.142	189.2473118	4394.857718	30000	0	0	30000	44.375	2004
23.01.2020 12:41:16	1	1	1	1	88.25	64.25	0	23933.649	206.4516129	4950.941755	30000	0	0	30000	44.4375	2004
23.01.2020 12:41:17	1	1	1	1	88.75	64.25	0	23649.289	206.4516129	4882.450466	30000	0	0	30000	44.5	2004
23.01.2020 12:41:18	1	1	1	1	88.75	64.5	0	24454.976	215.0537634	5374.120077	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:19	1	1	1	1	88.75	64.25	0	26303.318	279.5698925	7410.105183	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:20	1	1	1	1	88.75	64.25	0	27061.611	333.3333333	8961.75903	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:21	1	1	1	1	88.75	64.25	0	27819.905	354.8387097	9870.899356	30000	0	0	30000	44.1875	2004
23.01.2020 12:41:22	1	1	1	1	88.75	64	0	28625.592	460.2150538	13173.97331	30000	0	0	30000	44.1875	2004
23.01.2020 12:41:23	1	1	1	1	88.75	64	0	29336.493	533.3333333	15708.96638	30000	0	0	30000	44	2004
23.01.2020 12:41:24	1	1	1	1	88.75	64	0	29857.82	535.483871	16013.10032	30000	0	0	30000	44.0625	2004
23.01.2020 12:41:25	1	1	1	1	88.75	64	0	29715.64	630.1075269	18723.39847	30000	0	0	30000	43.6875	2004
23.01.2020 12:41:26	1	1	1	1	88.75	63.5	0	29668.246	625.8064516	18536.67817	30000	0	0	30000	44.0625	2004
23.01.2020 12:41:27	1	1	1	1	88.5	64	0	29478.673	625.8064516	18349.95787	30000	0	0	30000	44.125	2004
23.01.2020 12:41:28	1	1	1	1	88.5	64	0	29620.853	623.655914	18409.48006	30000	0	0	30000	44.4375	2004
23.01.2020 12:41:29	1	1	1	1	88.5	64.25	0	29526.066	630.1075269	18604.35409	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:30	1	1	1	1	88.5	64.25	0	29526.066	625.8064516	18604.35409	30000	0	0	30000	44.1875	2004
23.01.2020 12:41:31	1	1	1	1	88.5	64	0	29715.64	621.5053763	18468.18688	30000	0	0	30000	44.1875	2004
23.01.2020 12:41:32	1	1	1	1	88.5	64	0	29620.853	627.9569892	18663.87628	30000	0	0	30000	44.25	2004
23.01.2020 12:41:33	1	1	1	1	88.5	64.25	0	29810.427	621.5053763	18340.1734	30000	0	0	30000	43.875	2004
23.01.2020 12:41:34	1	1	1	1	88.5	63.75	0	29810.427	617.2043011	18340.1734	30000	0	0	30000	44.375	2004
23.01.2020 12:41:35	1	1	1	1	88.5	64.25	0	29715.64	612.9032258	18334.4658	30000	0	0	30000	44.0625	2004
23.01.2020 12:41:36	1	1	1	1	88.5	64	0	29668.246	619.3548387	18340.1734	30000	0	0	30000	44.1875	2004
23.01.2020 12:41:43	1	1	1	1	88.25	64.25	0	29620.853	625.8064516	18536.67817	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:41:43	1	1	1	1	88.25	64.25	0	29620.853	625.8064516	18536.67817	30000	0	0	30000	44.375	2004
23.01.2020 12:41:43	1	1	1	1	88.25	64.25	0	29620.853	625.8064516	18536.67817	30000	0	0	30000	44.375	2004
23.01.2020 12:41:43	1	1	1	1	88.25	64.25	0	29620.853	625.8064516	18536.67817	30000	0	0	30000	44.375	2004
23.01.2020 12:41:43	1	1	1	1	88.25	64.25	0	29620.853	625.8064516	18536.67817	30000	0	0	30000	44.375	2004
23.01.2020 12:41:43	1	1	1	1	88.25	64.25	0	29620.853	625.8064516	18536.67817	30000	0	0	30000	44.375	2004
23.01.2020 12:41:44	1	1	1	1	88.25	64.25	0	29810.427	610.7526882	18148.56087	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:45	1	1	1	1	88.25	64.25	0	29620.853	630.1075269	18536.67817	30000	0	0	30000	44.1875	2004
23.01.2020 12:41:46	1	1	1	1	88.25	64	0	29620.853	619.3548387	18566.03158	30000	0	0	30000	44.375	2004
23.01.2020 12:41:47	1	1	1	1	88.25	64.25	0	29478.673	627.9569892	18447.80257	30000	0	0	30000	43.625	2004
23.01.2020 12:41:48	1	1	1	1	88.25	63.5	0	29526.066	625.8064516	18540.75503	30000	0	0	30000	44.1875	2004
23.01.2020 12:41:49	1	1	1	1	88.25	64	0	29478.673	627.9569892	18604.35409	30000	0	0	30000	44.5	2004
23.01.2020 12:41:50	1	1	1	1	88.25	64.5	0	29478.673	625.8064516	18511.40163	30000	0	0	30000	44.5625	2004
23.01.2020 12:41:51	1	1	1	1	88.25	64.5	0	29383.886	625.8064516	18544.8319	30000	0	0	30000	44.375	2004
23.01.2020 12:41:52	1	1	1	1	88.25	63.5	0	29241.706	632.2580645	18487.75582	30000	0	0	30000	44.125	2004
23.01.2020 12:41:53	1	1	1	1	88.25	64	0	29478.673	619.3548387	18349.95787	30000	0	0	30000	44.375	2004
23.01.2020 12:41:54	1	1	1	1	88.25	64.25	0	29146.919	625.8064516	18299.40478	30000	0	0	30000	44.1875	2004
23.01.2020 12:41:55	1	1	1	1	88.25	64	0	29146.919	623.655914	18328.75819	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:56	1	1	1	1	88.25	64.25	0	29383.886	623.655914	18514.66312	30000	0	0	30000	44.3125	2004
23.01.2020 12:41:57	1	1	1	1	88	64.25	0	29383.886	625.8064516	18076.80809	30000	0	0	30000	44.4375	2004
23.01.2020 12:41:58	1	1	1	1	88	64.25	0	10426.54	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:41:59	1	1	1	1	88	64.5	0	11184.834	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:42:00	1	1	1	1	88	64.25	0	11895.735	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:42:01	1	1	1	1	88	64.25	0	12559.242	2.150537634	26.90729215	30000	0	0	30000	44.5	2004
23.01.2020 12:42:02	1	1	1	1	88	64.5	0	12985.782	4.301075269	55.44532927	30000	0	0	30000	44.4375	2004
23.01.2020 12:42:03	1	1	1	1	88	64.25	0	14218.009	12.90322581	183.4588101	30000	0	0	30000	44.625	2004
23.01.2020 12:42:04	1	1	1	1	88	64.5	0	14976.303	21.50537634	293.5340962	30000	0	0	30000	44.5625	2004
23.01.2020 12:42:05	1	1	1	1	88	64.5	0	15687.204	25.80645161	404.4247547	30000	0	0	30000	44.5	2004
23.01.2020 12:42:06	1	1	1	1	88	64.5	0	16492.891	34.40860215	609.898622	30000	0	0	30000	44.5625	2004
23.01.2020 12:42:07	1	1	1	1	88.5	64.5	0	16682.464	36.55913978	609.898622	30000	0	0	30000	44.5	2004
23.01.2020 12:42:08	1	1	1	1	88.5	64.5	0	18151.659	58.06451613	1092.599136	30000	0	0	30000	44.375	2004
23.01.2020 12:42:09	1	1	1	1	88.5	64.25	0	18625.592	58.06451613	1161.090425	30000	0	0	30000	44.5	2004
23.01.2020 12:42:10	1	1	1	1	88.5	64.5	0	19620.853	77.41935484	1519.038948	30000	0	0	30000	44.5	2004
23.01.2020 12:42:11	1	1	1	1	88.5	64.5	0	20473.934	94.62365591	1937.325035	30000	0	0	30000	44.4375	2004
23.01.2020 12:42:12	1	1	1	1	88.5	64.25	0	21232.227	113.9784946	2420.025548	30000	0	0	30000	44.5	2004
23.01.2020 12:42:13	1	1	1	1	88.5	64.5	0	21943.128	137.6344086	3020.1397	30000	0	0	30000	44.4375	2004
23.01.2020 12:42:14	1	1	1	1	88.5	64.25	0	22748.815	150.5376344	3424.564455	30000	0	0	30000	44.5	2004
23.01.2020 12:42:15	1	1	1	1	88.5	64.5	0	23459.716	167.7419355	3934.987634	30000	0	0	30000	44.5625	2004
23.01.2020 12:42:17	1	1	1	1	88.5	64.5	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.3125	2004
23.01.2020 12:42:18	1	1	1	1	88.5	64.25	0	24976.303	208.6021505	5229.799147	30000	0	0	30000	44.3125	2004
23.01.2020 12:42:19	1	1	1	1	88.5	64.25	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.4375	2004
23.01.2020 12:42:20	1	1	1	1	88.5	64.25	0	26587.678	275.2688172	7344.875384	30000	0	0	30000	44.3125	2004
23.01.2020 12:42:21	1	1	1	1	88.5	64.25	0	27345.972	335.483871	9115.049058	30000	0	0	30000	44.1875	2004
23.01.2020 12:42:22	1	1	1	1	88.5	64	0	28009.479	384.9462366	10842.00799	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:42:23	1	1	1	1	88.5	64.25	0	28199.052	337.6344086	9520.289185	30000	0	0	30000	44.5625	2004
23.01.2020 12:42:24	1	1	1	1	88.5	64.5	0	26398.104	335.483871	8654.363602	30000	0	0	30000	44.3125	2004
23.01.2020 12:42:25	1	1	1	1	88.5	64.25	0	28625.592	356.9892473	10157.0951	30000	0	0	30000	44.1875	2004
23.01.2020 12:42:26	1	1	1	1	88.5	64	0	26587.678	367.7419355	9869.268611	30000	0	0	30000	44.3125	2004
23.01.2020 12:42:27	1	1	1	1	88.5	64.25	0	29478.673	432.2580645	12635.82747	30000	0	0	30000	44.375	2004
23.01.2020 12:42:28	1	1	1	1	87.5	64.25	0	26113.744	415.0537634	10837.93113	30000	0	0	30000	44.6875	2004
23.01.2020 12:42:29	1	1	1	1	87.5	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.625	2004
23.01.2020 12:42:30	1	1	1	1	87.5	64.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	43.75	2004
23.01.2020 12:42:31	1	1	1	1	87.5	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.0625	2004
23.01.2020 12:42:32	1	1	1	1	87.5	64	0	26066.351	481.7204301	12579.56677	30000	0	0	30000	44	2004
23.01.2020 12:42:33	1	1	1	1	87.5	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44	2004
23.01.2020 12:42:34	1	1	1	1	87.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
23.01.2020 12:42:35	1	1	1	1	87.5	64.25	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	44.0625	2004
23.01.2020 12:42:36	1	1	1	1	87.5	64	0	30000	494.6236559	14861.79436	30000	0	0	30000	44.25	2004
23.01.2020 12:42:37	1	1	1	1	87.75	64.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.9375	2004
23.01.2020 12:42:38	1	1	1	1	87.75	63.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	44.4375	2004
23.01.2020 12:42:45	1	1	1	1	87.75	64	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	44.1875	2004
23.01.2020 12:42:45	1	1	1	1	87.75	64	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	44.1875	2004
23.01.2020 12:42:45	1	1	1	1	87.75	64	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	44.1875	2004
23.01.2020 12:42:45	1	1	1	1	87.75	64	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	44.1875	2004
23.01.2020 12:42:45	1	1	1	1	87.75	64	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	44.1875	2004
23.01.2020 12:42:45	1	1	1	1	87.75	64	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	44.1875	2004
23.01.2020 12:42:45	1	1	1	1	87.75	64	0	26018.957	453.7634409	11995.76006	30000	0	0	30000	44.1875	2004
23.01.2020 12:42:46	1	1	1	1	87.75	64	0	30000	526.8817204	15805.99571	30000	0	0	30000	44	2004
23.01.2020 12:42:47	1	1	1	1	87.25	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.3125	2004
23.01.2020 12:42:48	1	1	1	1	87.25	64.25	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	43.75	2004
23.01.2020 12:42:49	1	1	1	1	87.25	63.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.0625	2004
23.01.2020 12:42:50	1	1	1	1	87.25	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.0625	2004
23.01.2020 12:42:51	1	1	1	1	87.25	64	0	29952.607	468.8172043	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 12:42:52	1	1	1	1	87.25	63.5	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	43.9375	2004
23.01.2020 12:42:53	1	1	1	1	87.25	63.75	0	29526.066	464.516129	13715.38064	30000	0	0	30000	43.6875	2004
23.01.2020 12:42:54	1	1	1	1	87.25	63.5	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	44.25	2004
23.01.2020 12:42:56	1	1	1	1	87.25	64.25	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	44.0625	2004
23.01.2020 12:42:57	1	1	1	1	87.25	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.8125	2004
23.01.2020 12:42:58	1	1	1	1	87.25	63.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.9375	2004
23.01.2020 12:42:59	1	1	1	1	87.25	63.75	0	29905.213	492.4731183	14879.73256	30000	0	0	30000	44.25	2004
23.01.2020 12:43:00	1	1	1	1	87.25	64.25	0	29241.706	488.172043	14274.72617	30000	0	0	30000	43.25	2004
23.01.2020 12:43:01	1	1	1	1	87.25	63.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
23.01.2020 12:43:02	1	1	1	1	87.25	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.4375	2004
23.01.2020 12:43:03	1	1	1	1	87.25	64.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.375	2004
23.01.2020 12:43:04	1	1	1	1	87.25	64.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	43.0625	2004
23.01.2020 12:43:05	1	1	1	1	87.25	63	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.8125	2004
23.01.2020 12:43:06	1	1	1	1	87.25	63.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:43:07	1	1	1	1	87.25	64.25	0	30000	501.0752688	15055.85302	30000	0	0	30000	44.4375	2004
23.01.2020 12:43:08	1	1	1	1	87.5	64.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.6875	2004
23.01.2020 12:43:09	1	1	1	1	87.5	64.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.625	2004
23.01.2020 12:43:10	1	1	1	1	87.5	64.5	0	29857.82	501.0752688	14984.10024	30000	0	0	30000	44.3125	2004
23.01.2020 12:43:11	1	1	1	1	87.5	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.1875	2004
23.01.2020 12:43:12	1	1	1	1	87.5	63.5	0	29905.213	507.5268817	15289.86492	30000	0	0	30000	43.9375	2004
23.01.2020 12:43:13	1	1	1	1	87.5	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43.75	2004
23.01.2020 12:43:14	1	1	1	1	87.5	63.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	44.375	2004
23.01.2020 12:43:15	1	1	1	1	87.5	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.5	2004
23.01.2020 12:43:16	1	1	1	1	87.5	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
23.01.2020 12:43:17	1	1	1	1	87	64.25	0	29952.607	511.827957	15483.92357	30000	0	0	30000	44.1875	2004
23.01.2020 12:43:18	1	1	1	1	87	64	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.25	2004
23.01.2020 12:43:19	1	1	1	1	87	64.25	0	29905.213	541.9354839	15987.82377	30000	0	0	30000	43.5625	2004
23.01.2020 12:43:20	1	1	1	1	87	63.5	0	29857.82	496.7741935	14856.08676	30000	0	0	30000	44.125	2004
23.01.2020 12:43:21	1	1	1	1	87	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.25	2004
23.01.2020 12:43:22	1	1	1	1	87	64.25	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	44.4375	2004
23.01.2020 12:43:23	1	1	1	1	87	64.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	43.8125	2004
23.01.2020 12:43:24	1	1	1	1	87	63.75	0	29573.46	546.2365591	16090.5607	30000	0	0	30000	44.0625	2004
23.01.2020 12:43:25	1	1	1	1	87	64	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.25	2004
23.01.2020 12:43:26	1	1	1	1	87	64.25	0	29905.213	531.1827957	15820.67241	30000	0	0	30000	44.375	2004
23.01.2020 12:43:27	1	1	1	1	87.75	64.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	43.8125	2004
23.01.2020 12:43:28	1	1	1	1	87.75	63.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.125	2004
23.01.2020 12:43:29	1	1	1	1	87.75	64	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.3125	2004
23.01.2020 12:43:30	1	1	1	1	87.75	64.25	0	26682.464	516.1290323	13771.64134	30000	0	0	30000	44.125	2004
23.01.2020 12:43:31	1	1	1	1	87.75	64	0	29241.706	544.0860215	15795.39586	30000	0	0	30000	44.4375	2004
23.01.2020 12:43:32	1	1	1	1	87.75	64.25	0	25924.171	501.0752688	12989.69913	30000	0	0	30000	44.3125	2004
23.01.2020 12:43:33	1	1	1	1	87.75	64.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	43.75	2004
23.01.2020 12:43:35	1	1	1	1	87.75	63.75	0	29431.28	546.2365591	15835.34912	30000	0	0	30000	44.375	2004
23.01.2020 12:43:36	1	1	1	1	87.75	64.25	0	29715.64	496.7741935	14761.50355	30000	0	0	30000	44.3125	2004
23.01.2020 12:43:37	1	1	1	1	87.75	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.4375	2004
23.01.2020 12:43:38	1	1	1	1	87.75	64.25	0	29952.607	522.5806452	15627.42913	30000	0	0	30000	44.25	2004
23.01.2020 12:43:39	1	1	1	1	87.75	64.25	0	29573.46	535.483871	15988.63914	30000	0	0	30000	43.3125	2004
23.01.2020 12:43:40	1	1	1	1	87.75	63.25	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	44.25	2004
23.01.2020 12:43:46	1	1	1	1	87.75	64	0	28625.592	496.7741935	14220.09621	30000	0	0	30000	44.75	2004
23.01.2020 12:43:46	1	1	1	1	87.75	64	0	28625.592	496.7741935	14220.09621	30000	0	0	30000	44.75	2004
23.01.2020 12:43:46	1	1	1	1	87.75	64	0	28625.592	496.7741935	14220.09621	30000	0	0	30000	44.75	2004
23.01.2020 12:43:46	1	1	1	1	87.75	64	0	28625.592	496.7741935	14220.09621	30000	0	0	30000	44.75	2004
23.01.2020 12:43:46	1	1	1	1	87.75	64	0	28625.592	496.7741935	14220.09621	30000	0	0	30000	44.75	2004
23.01.2020 12:43:46	1	1	1	1	87.75	64	0	28625.592	496.7741935	14220.09621	30000	0	0	30000	44.75	2004
23.01.2020 12:43:46	1	1	1	1	87.75	64	0	28625.592	496.7741935	14220.09621	30000	0	0	30000	44.75	2004
23.01.2020 12:43:47	1	1	1	1	87.75	64.75	0	29336.493	552.688172	15998.42361	30000	0	0	30000	44.5625	2004
23.01.2020 12:43:48	1	1	1	1	87.5	64.5	0	27630.332	492.4731183	13547.41391	30000	0	0	30000	44.875	2004
23.01.2020 12:43:49	1	1	1	1	87.5	64.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.3125	2004
23.01.2020 12:43:50	1	1	1	1	87.5	64.25	0	29289.1	544.0860215	15872.85625	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:43:51	1	1	1	1	87.5	63.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	43.9375	2004
23.01.2020 12:43:52	1	1	1	1	87.5	63.75	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	44.1875	2004
23.01.2020 12:43:53	1	1	1	1	87.5	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.3125	2004
23.01.2020 12:43:54	1	1	1	1	87.5	64.25	0	29573.46	507.5268817	15009.37678	30000	0	0	30000	44.1875	2004
23.01.2020 12:43:55	1	1	1	1	87.5	64	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	44.4375	2004
23.01.2020 12:43:56	1	1	1	1	87.5	64.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.25	2004
23.01.2020 12:43:57	1	1	1	1	87.5	64.25	0	29715.64	541.9354839	15861.44103	30000	0	0	30000	43.9375	2004
23.01.2020 12:43:58	1	1	1	1	87.5	63.75	0	28957.346	529.0322581	15344.49488	30000	0	0	30000	44.25	2004
23.01.2020 12:43:59	1	1	1	1	87.5	64.25	0	27819.905	503.2258065	13903.73169	30000	0	0	30000	44.25	2004
23.01.2020 12:44:00	1	1	1	1	87.5	64.25	0	28199.052	505.3763441	14154.86641	30000	0	0	30000	44.125	2004
23.01.2020 12:44:01	1	1	1	1	87.5	64	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	43.4375	2004
23.01.2020 12:44:02	1	1	1	1	87.5	63.25	0	29620.853	539.7849462	16141.92917	30000	0	0	30000	44.25	2004
23.01.2020 12:44:03	1	1	1	1	87.5	64.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44.25	2004
23.01.2020 12:44:04	1	1	1	1	87.5	64.25	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	43.25	2004
23.01.2020 12:44:05	1	1	1	1	87.5	63.25	0	28957.346	544.0860215	15931.56307	30000	0	0	30000	44.3125	2004
23.01.2020 12:44:06	1	1	1	1	87.5	64.25	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	44.4375	2004
23.01.2020 12:44:07	1	1	1	1	87.5	64.25	0	29099.526	550.5376344	15983.74691	30000	0	0	30000	44.5625	2004
23.01.2020 12:44:08	1	1	1	1	87.5	64.5	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	44.5	2004
23.01.2020 12:44:09	1	1	1	1	87.5	64.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	44.375	2004
23.01.2020 12:44:10	1	1	1	1	87.5	64.25	0	28009.479	529.0322581	14817.76425	30000	0	0	30000	44.375	2004
23.01.2020 12:44:11	1	1	1	1	87.5	64.25	0	26113.744	503.2258065	13196.80374	30000	0	0	30000	43.75	2004
23.01.2020 12:44:13	1	1	1	1	87.5	63.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44.25	2004
23.01.2020 12:44:14	1	1	1	1	87.5	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.4375	2004
23.01.2020 12:44:15	1	1	1	1	87.5	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.125	2004
23.01.2020 12:44:16	1	1	1	1	87.5	64	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.4375	2004
23.01.2020 12:44:17	1	1	1	1	87.5	64.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.4375	2004
23.01.2020 12:44:18	1	1	1	1	86.75	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.375	2004
23.01.2020 12:44:19	1	1	1	1	86.75	64.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.25	2004
23.01.2020 12:44:20	1	1	1	1	86.75	64.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	44.3125	2004
23.01.2020 12:44:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:44:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:44:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:44:24	1	0	1	1	88.5	20	0	0	0	0	30000	0	0	30000	0	2004
23.01.2020 12:44:25	1	1	1	1	88.5	65	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:44:26	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:44:27	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:44:28	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	41.8125	2004
23.01.2020 12:44:29	1	1	1	1	88.5	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
23.01.2020 12:44:30	1	1	1	1	88.5	61.75	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:44:31	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.875	2004
23.01.2020 12:44:32	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	42.0625	2004
23.01.2020 12:44:33	1	1	1	1	88.5	62	0	0	0	0	30000	0	0	30000	44.875	2004
23.01.2020 12:44:34	1	1	1	1	88	65	0	10142.18	0	0	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:44:35	1	1	1	1	88	64.5	0	11232.227	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:44:36	1	1	1	1	88	64.5	0	11990.521	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:44:37	1	1	1	1	88	64.5	0	12748.815	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:44:38	1	1	1	1	88	64.5	0	13554.502	4.301075269	28.53803713	30000	0	0	30000	44.6875	2004
23.01.2020 12:44:39	1	1	1	1	88	64.5	0	14170.616	6.451612903	91.32171881	30000	0	0	30000	44.5	2004
23.01.2020 12:44:40	1	1	1	1	88	64.5	0	15165.877	15.05376344	195.6893974	30000	0	0	30000	44.5	2004
23.01.2020 12:44:41	1	1	1	1	88	64.5	0	15829.384	21.50537634	340.0103281	30000	0	0	30000	44.6875	2004
23.01.2020 12:44:48	1	1	1	1	88	64.5	0	20473.934	75.2688172	1585.084119	30000	0	0	30000	44.5	2004
23.01.2020 12:44:48	1	1	1	1	88	64.5	0	20473.934	75.2688172	1585.084119	30000	0	0	30000	44.5	2004
23.01.2020 12:44:48	1	1	1	1	88	64.5	0	20473.934	75.2688172	1585.084119	30000	0	0	30000	44.5	2004
23.01.2020 12:44:48	1	1	1	1	88	64.5	0	20473.934	75.2688172	1585.084119	30000	0	0	30000	44.5	2004
23.01.2020 12:44:48	1	1	1	1	88	64.5	0	20473.934	75.2688172	1585.084119	30000	0	0	30000	44.5	2004
23.01.2020 12:44:48	1	1	1	1	88	64.5	0	20473.934	75.2688172	1585.084119	30000	0	0	30000	44.5	2004
23.01.2020 12:44:48	1	1	1	1	88	64.5	0	21232.227	94.62365591	2009.077814	30000	0	0	30000	44.5	2004
23.01.2020 12:44:49	1	1	1	1	88	64.5	0	21943.128	111.827957	2453.45582	30000	0	0	30000	44.5625	2004
23.01.2020 12:44:51	1	1	1	1	88	64.5	0	20616.114	120.4301075	2482.80923	30000	0	0	30000	44.4375	2004
23.01.2020 12:44:52	1	1	1	1	88	64.25	0	23554.502	152.688172	3595.792678	30000	0	0	30000	44.5625	2004
23.01.2020 12:44:53	1	1	1	1	88	64.5	0	24218.009	178.4946237	4322.289566	30000	0	0	30000	44.625	2004
23.01.2020 12:44:54	1	1	1	1	87.75	64.5	0	24976.303	206.4516129	4770.744435	30000	0	0	30000	44.5625	2004
23.01.2020 12:44:55	1	1	1	1	87.75	64.5	0	25355.45	227.9569892	5779.360204	30000	0	0	30000	44.5	2004
23.01.2020 12:44:56	1	1	1	1	87.75	64.5	0	26682.464	268.8172043	7089.663795	30000	0	0	30000	44.4375	2004
23.01.2020 12:44:57	1	1	1	1	87.75	64.25	0	27440.758	331.1827957	9087.326394	30000	0	0	30000	44.3125	2004
23.01.2020 12:44:58	1	1	1	1	87.75	64.25	0	28009.479	367.7419355	10369.90732	30000	0	0	30000	44.4375	2004
23.01.2020 12:44:59	1	1	1	1	87.75	64.25	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:00	1	1	1	1	87.75	64.25	0	29620.853	503.2258065	15017.53051	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:01	1	1	1	1	87.75	64.25	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.0625	2004
23.01.2020 12:45:02	1	1	1	1	87.75	64	0	29715.64	535.483871	15911.99413	30000	0	0	30000	44.3125	2004
23.01.2020 12:45:03	1	1	1	1	87.75	64.25	0	30000	546.2365591	16516.18514	30000	0	0	30000	44.5	2004
23.01.2020 12:45:04	1	1	1	1	87.25	64.5	0	30000	520.4301075	15523.87682	30000	0	0	30000	43.4375	2004
23.01.2020 12:45:05	1	1	1	1	87.25	63.25	0	30000	591.3978495	17741.69	30000	0	0	30000	44.125	2004
23.01.2020 12:45:06	1	1	1	1	87.25	64	0	29952.607	544.0860215	16296.84994	30000	0	0	30000	44.25	2004
23.01.2020 12:45:07	1	1	1	1	87.25	64.25	0	29905.213	529.0322581	15756.25798	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:08	1	1	1	1	87.25	64.25	0	25165.877	460.2150538	11397.27666	30000	0	0	30000	44.5	2004
23.01.2020 12:45:09	1	1	1	1	87.25	64.5	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	44.625	2004
23.01.2020 12:45:10	1	1	1	1	87.25	64.5	0	30000	591.3978495	17612.86114	30000	0	0	30000	42.9375	2004
23.01.2020 12:45:11	1	1	1	1	87.25	62.75	0	25308.057	516.1290323	13140.54304	30000	0	0	30000	44.6875	2004
23.01.2020 12:45:12	1	1	1	1	87.25	64.5	0	29810.427	619.3548387	18398.88022	30000	0	0	30000	44.5	2004
23.01.2020 12:45:13	1	1	1	1	87.25	64.5	0	29715.64	610.7526882	18212.15992	30000	0	0	30000	44.1875	2004
23.01.2020 12:45:14	1	1	1	1	87.5	63.5	0	29668.246	619.3548387	18310.81999	30000	0	0	30000	44.375	2004
23.01.2020 12:45:15	1	1	1	1	87.5	64.25	0	29526.066	625.8064516	18477.15598	30000	0	0	30000	44.125	2004
23.01.2020 12:45:16	1	1	1	1	87.5	64	0	29573.46	625.8064516	18536.67817	30000	0	0	30000	44.375	2004
23.01.2020 12:45:17	1	1	1	1	87.5	64.25	0	29620.853	621.5053763	18409.48006	30000	0	0	30000	44.5	2004
23.01.2020 12:45:18	1	1	1	1	87.5	64.5	0	29763.033	602.1505376	17950.42535	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:45:19	1	1	1	1	87.5	64.25	0	29620.853	625.8064516	18851.41195	30000	0	0	30000	44.125	2004
23.01.2020 12:45:20	1	1	1	1	87.5	64	0	29668.246	625.8064516	18566.03158	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:21	1	1	1	1	87.5	64.25	0	29526.066	627.9569892	18477.15598	30000	0	0	30000	43.5625	2004
23.01.2020 12:45:22	1	1	1	1	87.5	63.5	0	29620.853	621.5053763	18409.48006	30000	0	0	30000	43.875	2004
23.01.2020 12:45:23	1	1	1	1	87.5	63.75	0	29573.46	627.9569892	18663.87628	30000	0	0	30000	43.625	2004
23.01.2020 12:45:24	1	1	1	1	87.5	63.5	0	29526.066	625.8064516	18223.57514	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:25	1	1	1	1	87.5	64.25	0	29715.64	617.2043011	18340.1734	30000	0	0	30000	44.3125	2004
23.01.2020 12:45:26	1	1	1	1	87.5	64.25	0	29620.853	617.2043011	18536.67817	30000	0	0	30000	44.1875	2004
23.01.2020 12:45:27	1	1	1	1	87.5	64	0	30000	602.1505376	18064.5775	30000	0	0	30000	43.9375	2004
23.01.2020 12:45:29	1	1	1	1	87.5	63.75	0	29336.493	481.7204301	14154.86641	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:30	1	1	1	1	87.5	64.25	0	27156.398	468.8172043	13081.83622	30000	0	0	30000	43.8125	2004
23.01.2020 12:45:31	1	1	1	1	87.5	63.75	0	30000	561.2903226	16838.25728	30000	0	0	30000	44.375	2004
23.01.2020 12:45:32	1	1	1	1	87.5	64.25	0	28957.346	464.516129	13451.19996	30000	0	0	30000	44.5625	2004
23.01.2020 12:45:33	1	1	1	1	87.5	64.5	0	29952.607	552.688172	16516.18514	30000	0	0	30000	44	2004
23.01.2020 12:45:34	1	1	1	1	87.25	64	0	0	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:45:35	1	1	1	1	87.25	64.5	0	10663.507	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:36	1	1	1	1	87.25	64.25	0	11469.194	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:37	1	1	1	1	87.25	64.25	0	12180.095	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:45:38	1	1	1	1	87.25	64.5	0	13033.175	4.301075269	27.72266464	30000	0	0	30000	44.5625	2004
23.01.2020 12:45:39	1	1	1	1	87.25	64.5	0	13507.109	6.451612903	57.89144674	30000	0	0	30000	44.5	2004
23.01.2020 12:45:40	1	1	1	1	87.25	64.5	0	14549.763	10.75268817	187.5356725	30000	0	0	30000	44.625	2004
23.01.2020 12:45:41	1	1	1	1	87.25	64.5	0	15308.057	17.20430108	295.9802136	30000	0	0	30000	44.625	2004
23.01.2020 12:45:42	1	1	1	1	87.25	64.5	0	16161.137	23.65591398	381.594325	30000	0	0	30000	44.5	2004
23.01.2020 12:45:43	1	1	1	1	87.25	64.5	0	16824.645	30.10752688	545.4841954	30000	0	0	30000	44.375	2004
23.01.2020 12:45:49	1	1	1	1	88	64.25	0	21516.588	105.3763441	2266.73552	30000	0	0	30000	44.8125	2004
23.01.2020 12:45:49	1	1	1	1	88	64.25	0	21516.588	105.3763441	2266.73552	30000	0	0	30000	44.8125	2004
23.01.2020 12:45:49	1	1	1	1	88	64.25	0	21516.588	105.3763441	2266.73552	30000	0	0	30000	44.8125	2004
23.01.2020 12:45:50	1	1	1	1	88	64.25	0	21516.588	105.3763441	2266.73552	30000	0	0	30000	44.8125	2004
23.01.2020 12:45:50	1	1	1	1	88	64.25	0	21516.588	105.3763441	2266.73552	30000	0	0	30000	44.8125	2004
23.01.2020 12:45:50	1	1	1	1	88	64.25	0	21516.588	105.3763441	2266.73552	30000	0	0	30000	44.8125	2004
23.01.2020 12:45:50	1	1	1	1	88	64.75	0	22274.882	120.4301075	2729.867094	30000	0	0	30000	44.5	2004
23.01.2020 12:45:51	1	1	1	1	88	64.5	0	21943.128	120.4301075	2642.622238	30000	0	0	30000	44.5625	2004
23.01.2020 12:45:52	1	1	1	1	88	64.5	0	23507.109	150.5376344	3387.057321	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:53	1	1	1	1	87.75	64.25	0	24597.156	191.3978495	4707.145381	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:54	1	1	1	1	87.75	64.25	0	25308.057	206.4516129	5224.906912	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:55	1	1	1	1	87.75	64.25	0	26066.351	225.8064516	5895.95847	30000	0	0	30000	44.1875	2004
23.01.2020 12:45:56	1	1	1	1	87.75	64	0	26919.431	294.6236559	7931.128204	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:57	1	1	1	1	87.75	64.25	0	27630.332	346.2365591	9565.950045	30000	0	0	30000	44.4375	2004
23.01.2020 12:45:58	1	1	1	1	87.75	64.25	0	28009.479	389.2473118	10902.34555	30000	0	0	30000	43.9375	2004
23.01.2020 12:45:59	1	1	1	1	87.75	63.75	0	28009.479	356.9892473	10059.2504	30000	0	0	30000	44.3125	2004
23.01.2020 12:46:00	1	1	1	1	87.75	64.25	0	28957.346	464.516129	13429.1849	30000	0	0	30000	44.5	2004
23.01.2020 12:46:01	1	1	1	1	87.75	64.5	0	29099.526	445.1612903	13078.57473	30000	0	0	30000	43.8125	2004
23.01.2020 12:46:02	1	1	1	1	87.75	63.75	0	29526.066	533.3333333	15963.3626	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:46:03	1	1	1	1	87.25	64.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44.3125	2004
23.01.2020 12:46:04	1	1	1	1	87.25	64.25	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	44.4375	2004
23.01.2020 12:46:05	1	1	1	1	87.25	64.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	44.1875	2004
23.01.2020 12:46:07	1	1	1	1	87.25	64	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44.125	2004
23.01.2020 12:46:08	1	1	1	1	87.25	64	0	29241.706	533.3333333	15658.41329	30000	0	0	30000	44.0625	2004
23.01.2020 12:46:09	1	1	1	1	87.25	64	0	29241.706	548.3870968	16046.53059	30000	0	0	30000	44.375	2004
23.01.2020 12:46:10	1	1	1	1	87.25	64.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	44.375	2004
23.01.2020 12:46:11	1	1	1	1	87.25	64.25	0	29478.673	539.7849462	16191.66689	30000	0	0	30000	44.375	2004
23.01.2020 12:46:12	1	1	1	1	87.25	64.25	0	29383.886	537.6344086	15823.11853	30000	0	0	30000	44.5	2004
23.01.2020 12:46:13	1	1	1	1	87.25	64.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	44.5	2004
23.01.2020 12:46:14	1	1	1	1	87.25	64.5	0	29146.919	539.7849462	15795.39586	30000	0	0	30000	44.1875	2004
23.01.2020 12:46:15	1	1	1	1	87.25	64	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	44.5	2004
23.01.2020 12:46:16	1	1	1	1	87.25	64.5	0	29431.28	533.3333333	15937.27068	30000	0	0	30000	43.8125	2004
23.01.2020 12:46:17	1	1	1	1	87.25	63.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.5	2004
23.01.2020 12:46:18	1	1	1	1	87.25	64.5	0	29715.64	544.0860215	16103.60666	30000	0	0	30000	43.75	2004
23.01.2020 12:46:19	1	1	1	1	87.25	63.75	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.125	2004
23.01.2020 12:46:20	1	1	1	1	87.25	64	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	44.4375	2004
23.01.2020 12:46:21	1	1	1	1	87.25	64.25	0	29905.213	509.6774194	15289.86492	30000	0	0	30000	43.8125	2004
23.01.2020 12:46:22	1	1	1	1	87.25	63.75	0	29905.213	511.827957	15306.17237	30000	0	0	30000	43.9375	2004
23.01.2020 12:46:23	1	1	1	1	87.25	63.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	44.3125	2004
23.01.2020 12:46:24	1	1	1	1	87	64.25	0	29715.64	509.6774194	15272.7421	30000	0	0	30000	44.3125	2004
23.01.2020 12:46:25	1	1	1	1	87	64.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	44.375	2004
23.01.2020 12:46:26	1	1	1	1	87	64.25	0	29810.427	535.483871	16090.5607	30000	0	0	30000	44	2004
23.01.2020 12:46:27	1	1	1	1	87	64	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.875	2004
23.01.2020 12:46:28	1	1	1	1	87	63.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.3125	2004
23.01.2020 12:46:29	1	1	1	1	87	64.25	0	29526.066	535.483871	15873.67162	30000	0	0	30000	44.4375	2004
23.01.2020 12:46:30	1	1	1	1	87	64.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.375	2004
23.01.2020 12:46:31	1	1	1	1	87	64.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.125	2004
23.01.2020 12:46:32	1	1	1	1	87	64	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	44.5	2004
23.01.2020 12:46:33	1	1	1	1	87.25	64.5	0	29668.246	539.7849462	15950.31664	30000	0	0	30000	44.3125	2004
23.01.2020 12:46:34	1	1	1	1	87.25	64.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.5625	2004
23.01.2020 12:46:35	1	1	1	1	87.25	64.5	0	29620.853	535.483871	15925.04009	30000	0	0	30000	43.9375	2004
23.01.2020 12:46:36	1	1	1	1	87.25	63.75	0	28815.166	507.5268817	14686.48928	30000	0	0	30000	44.3125	2004
23.01.2020 12:46:37	1	1	1	1	87.25	64.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	43.8125	2004
23.01.2020 12:46:38	1	1	1	1	87.25	63.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.375	2004
23.01.2020 12:46:39	1	1	1	1	87.25	64.25	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	44.125	2004
23.01.2020 12:46:40	1	1	1	1	87.25	64	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.0625	2004
23.01.2020 12:46:41	1	1	1	1	87.25	64	0	29526.066	496.7741935	14667.73571	30000	0	0	30000	43.9375	2004
23.01.2020 12:46:42	1	1	1	1	87.25	63.75	0	29620.853	537.6344086	16103.60666	30000	0	0	30000	44.5	2004
23.01.2020 12:46:43	1	1	1	1	87	64.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	44.1875	2004
23.01.2020 12:46:44	1	1	1	1	87	64	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.1875	2004
23.01.2020 12:46:51	1	1	1	1	87	64.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	44.5	2004
23.01.2020 12:46:51	1	1	1	1	87	64.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:46:51	1	1	1	1	87	64.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	44.5	2004
23.01.2020 12:46:51	1	1	1	1	87	64.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	44.5	2004
23.01.2020 12:46:51	1	1	1	1	87	64.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	44.5	2004
23.01.2020 12:46:51	1	1	1	1	87	64.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	44.5	2004
23.01.2020 12:46:52	1	1	1	1	87	64.5	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	44.375	2004
23.01.2020 12:46:53	1	1	1	1	87	64.25	0	28815.166	496.7741935	14314.67942	30000	0	0	30000	44.125	2004
23.01.2020 12:46:54	1	1	1	1	87	64	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.5	2004
23.01.2020 12:46:55	1	1	1	1	87	64.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.125	2004
23.01.2020 12:46:56	1	1	1	1	87	64	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.9375	2004
23.01.2020 12:46:57	1	1	1	1	87	63.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44.1875	2004
23.01.2020 12:46:58	1	1	1	1	87	64	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	44.25	2004
23.01.2020 12:46:59	1	1	1	1	87	64.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	44.3125	2004
23.01.2020 12:47:00	1	1	1	1	87	64.25	0	29052.133	548.3870968	15905.47115	30000	0	0	30000	44.5	2004
23.01.2020 12:47:01	1	1	1	1	87	64.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.375	2004
23.01.2020 12:47:02	1	1	1	1	87	64.25	0	27630.332	535.483871	14794.93382	30000	0	0	30000	44.125	2004
23.01.2020 12:47:03	1	1	1	1	87	64	0	29052.133	552.688172	16145.19066	30000	0	0	30000	44.3125	2004
23.01.2020 12:47:04	1	1	1	1	86.75	64.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.75	2004
23.01.2020 12:47:05	1	1	1	1	86.75	63.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.375	2004
23.01.2020 12:47:06	1	1	1	1	86.75	64.25	0	29857.82	541.9354839	16116.65262	30000	0	0	30000	44.8125	2004
23.01.2020 12:47:07	1	1	1	1	86.75	64.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.5625	2004
23.01.2020 12:47:08	1	1	1	1	86.75	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.625	2004
23.01.2020 12:47:09	1	1	1	1	86.75	64.5	0	29146.919	546.2365591	15957.65499	30000	0	0	30000	44.6875	2004
23.01.2020 12:47:10	1	1	1	1	86.75	64.25	0	29241.706	544.0860215	16035.11538	30000	0	0	30000	44.3125	2004
23.01.2020 12:47:11	1	1	1	1	86.75	64.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	44.4375	2004
23.01.2020 12:47:12	1	1	1	1	86.75	64.25	0	28957.346	529.0322581	15319.21833	30000	0	0	30000	44.5	2004
23.01.2020 12:47:13	1	1	1	1	87.25	64.5	0	28815.166	526.8817204	15182.23575	30000	0	0	30000	44.4375	2004
23.01.2020 12:47:14	1	1	1	1	87.25	64.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	44.0625	2004
23.01.2020 12:47:15	1	1	1	1	87.25	64	0	29146.919	552.688172	16108.4989	30000	0	0	30000	44.5	2004
23.01.2020 12:47:16	1	1	1	1	87.25	64.5	0	28009.479	496.7741935	13890.68573	30000	0	0	30000	44.1875	2004
23.01.2020 12:47:17	1	1	1	1	87.25	64	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	44.3125	2004
23.01.2020 12:47:18	1	1	1	1	87.25	64.25	0	29668.246	535.483871	15911.99413	30000	0	0	30000	44.5	2004
23.01.2020 12:47:19	1	1	1	1	87.25	64.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.125	2004
23.01.2020 12:47:20	1	1	1	1	87.25	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.4375	2004
23.01.2020 12:47:21	1	1	1	1	87.25	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.25	2004
23.01.2020 12:47:22	1	1	1	1	87.25	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.25	2004
23.01.2020 12:47:24	1	1	1	1	87	64.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	44.5	2004
23.01.2020 12:47:25	1	1	1	1	87	64.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.125	2004
23.01.2020 12:47:26	1	1	1	1	87	64	0	28862.559	550.5376344	15978.0393	30000	0	0	30000	44	2004
23.01.2020 12:47:27	1	1	1	1	87	64	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.5	2004
23.01.2020 12:47:28	1	1	1	1	87	64.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.25	2004
23.01.2020 12:47:29	1	1	1	1	87	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.8125	2004
23.01.2020 12:47:30	1	1	1	1	87	63.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.1875	2004
23.01.2020 12:47:31	1	1	1	1	87	64	0	26587.678	507.5268817	13493.59933	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:47:32	1	1	1	1	87	64	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	44.25	2004
23.01.2020 12:47:33	1	1	1	1	87	64.25	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	44.25	2004
23.01.2020 12:47:34	1	1	1	1	86.5	64.25	0	29431.28	541.9354839	15911.99413	30000	0	0	30000	44.3125	2004
23.01.2020 12:47:35	1	1	1	1	86.5	64.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	44.3125	2004
23.01.2020 12:47:36	1	1	1	1	86.5	64.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.9375	2004
23.01.2020 12:47:37	1	1	1	1	86.5	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44	2004
23.01.2020 12:47:38	1	1	1	1	86.5	64	0	28815.166	503.2258065	14500.58435	30000	0	0	30000	43.8125	2004
23.01.2020 12:47:39	1	1	1	1	86.5	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.3125	2004
23.01.2020 12:47:40	1	1	1	1	86.5	64.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 12:47:41	1	1	1	1	86.5	64.25	0	29336.493	541.9354839	15708.96638	30000	0	0	30000	43.75	2004
23.01.2020 12:47:42	1	1	1	1	86.5	63.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	44.4375	2004
23.01.2020 12:47:43	1	1	1	1	86.5	64.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.25	2004
23.01.2020 12:47:44	1	1	1	1	86.5	64.25	0	28815.166	496.7741935	14314.67942	30000	0	0	30000	43.6875	2004
23.01.2020 12:47:45	1	1	1	1	86.5	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44	2004
23.01.2020 12:47:46	1	1	1	1	86.5	64	0	29715.64	533.3333333	16154.97513	30000	0	0	30000	44.125	2004
23.01.2020 12:47:53	1	1	1	1	86.5	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.25	2004
23.01.2020 12:47:53	1	1	1	1	86.5	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.25	2004
23.01.2020 12:47:53	1	1	1	1	86.5	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.25	2004
23.01.2020 12:47:53	1	1	1	1	86.5	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.25	2004
23.01.2020 12:47:53	1	1	1	1	86.5	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.25	2004
23.01.2020 12:47:53	1	1	1	1	86.5	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.25	2004
23.01.2020 12:47:53	1	1	1	1	86.5	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.25	2004
23.01.2020 12:47:53	1	1	1	1	87.25	64.25	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	44.3125	2004
23.01.2020 12:47:54	1	1	1	1	87.25	64.25	0	29431.28	516.1290323	15063.19137	30000	0	0	30000	44.0625	2004
23.01.2020 12:47:55	1	1	1	1	87.25	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.625	2004
23.01.2020 12:47:56	1	1	1	1	87.25	64.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.25	2004
23.01.2020 12:47:57	1	1	1	1	87.25	64.25	0	29241.706	548.3870968	15983.74691	30000	0	0	30000	44.375	2004
23.01.2020 12:47:58	1	1	1	1	87.25	64.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.125	2004
23.01.2020 12:47:59	1	1	1	1	87.25	64	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.3125	2004
23.01.2020 12:48:00	1	1	1	1	87.25	64.25	0	29099.526	550.5376344	15806.81108	30000	0	0	30000	44.4375	2004
23.01.2020 12:48:02	1	1	1	1	87.25	64.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	44.375	2004
23.01.2020 12:48:03	1	1	1	1	87.25	64.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	44.125	2004
23.01.2020 12:48:04	1	1	1	1	87.25	64	0	29241.706	541.9354839	15858.17955	30000	0	0	30000	44.125	2004
23.01.2020 12:48:05	1	1	1	1	87.25	64	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.5	2004
23.01.2020 12:48:06	1	1	1	1	87.25	64.5	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	44.375	2004
23.01.2020 12:48:07	1	1	1	1	87.25	64.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	44	2004
23.01.2020 12:48:08	1	1	1	1	87.25	64	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.375	2004
23.01.2020 12:48:09	1	1	1	1	87.25	64.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44.4375	2004
23.01.2020 12:48:10	1	1	1	1	87.25	64.25	0	28388.626	503.2258065	14079.03677	30000	0	0	30000	44.3125	2004
23.01.2020 12:48:11	1	1	1	1	87.25	64.25	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	44.3125	2004
23.01.2020 12:48:12	1	1	1	1	87.25	64.25	0	0	0	0	30000	0	8	30000	44.625	2004
23.01.2020 12:48:13	1	1	1	1	87.25	64.5	0	10616.114	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:48:14	1	1	1	1	87.25	64.25	0	11327.014	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:15	1	1	1	1	87.25	64.5	0	11516.588	0	0	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:48:16	1	1	1	1	87.25	64.5	0	12417.062	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:48:17	1	1	1	1	87.25	64.25	0	13601.896	6.451612903	87.24485636	30000	0	0	30000	44.4375	2004
23.01.2020 12:48:18	1	1	1	1	87.25	64.25	0	13981.043	8.602150538	119.8597559	30000	0	0	30000	44.625	2004
23.01.2020 12:48:19	1	1	1	1	87.25	64.5	0	15165.877	15.05376344	261.7345691	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:20	1	1	1	1	87.25	64.5	0	15876.777	27.95698925	443.5626342	30000	0	0	30000	44.3125	2004
23.01.2020 12:48:21	1	1	1	1	87.25	64.25	0	16682.464	32.25806452	538.145843	30000	0	0	30000	44.4375	2004
23.01.2020 12:48:22	1	1	1	1	87.25	64.25	0	17014.218	38.70967742	658.0055989	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:23	1	1	1	1	87.25	64.5	0	18293.839	55.91397849	983.3392221	30000	0	0	30000	44.625	2004
23.01.2020 12:48:24	1	1	1	1	87.75	64.5	0	19004.739	66.66666667	1266.273476	30000	0	0	30000	44.625	2004
23.01.2020 12:48:25	1	1	1	1	87.75	64.5	0	19289.1	66.66666667	1285.842416	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:26	1	1	1	1	87.75	64.75	0	20616.114	94.62365591	1950.370994	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:27	1	1	1	1	87.75	64.5	0	21137.441	103.2258065	2191.721251	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:28	1	1	1	1	87.75	64.5	0	21800.948	109.6774194	2390.672139	30000	0	0	30000	44.625	2004
23.01.2020 12:48:29	1	1	1	1	87.75	64.5	0	21848.341	126.8817204	2818.742696	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:30	1	1	1	1	87.75	64.5	0	23507.109	152.688172	3589.269698	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:31	1	1	1	1	87.75	64.5	0	22132.701	144.0860215	3283.505015	30000	0	0	30000	44.5	2004
23.01.2020 12:48:32	1	1	1	1	87.75	64.5	0	22748.815	163.4408602	3718.098551	30000	0	0	30000	44.625	2004
23.01.2020 12:48:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:48:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:48:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 12:48:36	1	0	1	1	88.75	20	0	0	0	0	30000	0	0	30000	0	2004
23.01.2020 12:48:37	1	1	1	1	88.75	65	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:48:38	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:48:40	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.75	2004
23.01.2020 12:48:41	1	1	1	1	88.75	64.75	0	0	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 12:48:42	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 12:48:43	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 12:48:44	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 12:48:45	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.875	2004
23.01.2020 12:48:46	1	1	1	1	88.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
23.01.2020 12:48:47	1	1	1	1	88.25	64.75	0	10426.54	0	0	30000	0	0	30000	45	2004
23.01.2020 12:48:48	1	1	1	1	88.25	65	0	11184.834	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:48:54	1	1	1	1	88.25	64.5	0	15829.384	30.10752688	476.1775338	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:54	1	1	1	1	88.25	64.5	0	15829.384	30.10752688	476.1775338	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:54	1	1	1	1	88.25	64.5	0	15829.384	30.10752688	476.1775338	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:54	1	1	1	1	88.25	64.5	0	15829.384	30.10752688	476.1775338	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:54	1	1	1	1	88.25	64.5	0	15829.384	30.10752688	476.1775338	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:54	1	1	1	1	88.25	64.5	0	15829.384	30.10752688	476.1775338	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:55	1	1	1	1	88.25	64.5	0	16492.891	38.70967742	602.5602696	30000	0	0	30000	44.5	2004
23.01.2020 12:48:56	1	1	1	1	87.75	64.5	0	16682.464	43.01075269	753.4041801	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:57	1	1	1	1	87.75	64.5	0	17914.692	58.06451613	1039.599924	30000	0	0	30000	44.625	2004
23.01.2020 12:48:58	1	1	1	1	87.75	64.5	0	18909.953	75.2688172	1422.824994	30000	0	0	30000	44.5625	2004
23.01.2020 12:48:59	1	1	1	1	87.75	64.5	0	19668.246	88.17204301	1818.280651	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:49:00	1	1	1	1	87.75	64.5	0	20473.934	103.2258065	2157.475607	30000	0	0	30000	44.4375	2004
23.01.2020 12:49:01	1	1	1	1	87.75	64.25	0	21232.227	122.5806452	2602.668986	30000	0	0	30000	44.375	2004
23.01.2020 12:49:02	1	1	1	1	87.75	64.25	0	21943.128	144.0860215	3161.199141	30000	0	0	30000	44.625	2004
23.01.2020 12:49:03	1	1	1	1	87.75	64.5	0	10331.754	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:04	1	1	1	1	87.75	64.5	0	11184.834	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:49:05	1	1	1	1	87.75	64.5	0	11753.555	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:06	1	1	1	1	87.5	64.5	0	12654.028	2.150537634	53.8145843	30000	0	0	30000	44.5	2004
23.01.2020 12:49:07	1	1	1	1	87.5	64.5	0	13364.929	6.451612903	85.61411138	30000	0	0	30000	44.625	2004
23.01.2020 12:49:08	1	1	1	1	87.5	64.5	0	14170.616	15.05376344	212.8122197	30000	0	0	30000	44.625	2004
23.01.2020 12:49:09	1	1	1	1	87.5	64.5	0	14928.91	21.50537634	320.4413883	30000	0	0	30000	44.4375	2004
23.01.2020 12:49:10	1	1	1	1	87.5	64.25	0	15734.597	32.25806452	507.1616884	30000	0	0	30000	41.9375	2004
23.01.2020 12:49:11	1	1	1	1	87.5	61.75	0	16445.498	38.70967742	673.4976762	30000	0	0	30000	44.5	2004
23.01.2020 12:49:12	1	1	1	1	87.5	64.5	0	17393.365	53.76344086	895.2789933	30000	0	0	30000	44.5	2004
23.01.2020 12:49:13	1	1	1	1	87.5	64.5	0	16303.318	51.61290323	841.464409	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:14	1	1	1	1	87.5	64.5	0	18767.773	73.11827957	1375.53339	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:15	1	1	1	1	87.5	64.5	0	19668.246	75.2688172	1479.901068	30000	0	0	30000	44.625	2004
23.01.2020 12:49:16	1	1	1	1	88	64.5	0	20379.147	92.47311828	1884.325823	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:18	1	1	1	1	88	64.5	0	21090.047	103.2258065	2181.936781	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:19	1	1	1	1	88	64.5	0	21895.735	109.6774194	2401.271981	30000	0	0	30000	44.4375	2004
23.01.2020 12:49:20	1	1	1	1	88	64.25	0	22559.242	129.0322581	3131.030359	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:21	1	1	1	1	88	64.5	0	23459.716	150.5376344	3524.039899	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:22	1	1	1	1	88	64.5	0	24075.829	169.8924731	4089.908406	30000	0	0	30000	44.4375	2004
23.01.2020 12:49:23	1	1	1	1	88	64.25	0	24928.91	189.2473118	4887.342701	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:24	1	1	1	1	88	64.5	0	23981.043	189.2473118	4529.394178	30000	0	0	30000	44.9375	2004
23.01.2020 12:49:25	1	1	1	1	88	64.75	0	25402.844	245.1612903	6282.44503	30000	0	0	30000	44.375	2004
23.01.2020 12:49:26	1	1	1	1	88	64.25	0	27298.578	281.7204301	7690.593319	30000	0	0	30000	44.875	2004
23.01.2020 12:49:27	1	1	1	1	87.5	64.75	0	28009.479	322.5806452	9035.142554	30000	0	0	30000	43.875	2004
23.01.2020 12:49:28	1	1	1	1	87.5	63.75	0	27582.938	307.5268817	8734.270106	30000	0	0	30000	44.5	2004
23.01.2020 12:49:29	1	1	1	1	87.5	64.5	0	29620.853	486.0215054	14332.61762	30000	0	0	30000	44.5	2004
23.01.2020 12:49:30	1	1	1	1	87.5	64.5	0	29952.607	509.6774194	15266.21912	30000	0	0	30000	43.25	2004
23.01.2020 12:49:31	1	1	1	1	87.5	63.25	0	29952.607	550.5376344	16516.18514	30000	0	0	30000	44.5	2004
23.01.2020 12:49:32	1	1	1	1	87.5	64.5	0	30000	569.8924731	17096.73036	30000	0	0	30000	44.25	2004
23.01.2020 12:49:33	1	1	1	1	87.5	64.25	0	29905.213	516.1290323	15410.54005	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:34	1	1	1	1	87.5	64.5	0	28009.479	453.7634409	12709.21099	30000	0	0	30000	44.5	2004
23.01.2020 12:49:35	1	1	1	1	87.5	64.5	0	29620.853	494.6236559	14650.61289	30000	0	0	30000	44.4375	2004
23.01.2020 12:49:36	1	1	1	1	87.25	64.25	0	29810.427	615.0537634	18270.86674	30000	0	0	30000	44.5	2004
23.01.2020 12:49:37	1	1	1	1	87.25	64.5	0	29905.213	563.4408602	16758.35077	30000	0	0	30000	44.375	2004
23.01.2020 12:49:38	1	1	1	1	87.25	64.25	0	29810.427	606.4516129	18014.02441	30000	0	0	30000	43.25	2004
23.01.2020 12:49:39	1	1	1	1	87.25	63.25	0	29810.427	615.0537634	18270.86674	30000	0	0	30000	44.5	2004
23.01.2020 12:49:40	1	1	1	1	87.25	64.5	0	29905.213	593.5483871	17806.10442	30000	0	0	30000	43.9375	2004
23.01.2020 12:49:41	1	1	1	1	87.25	63.75	0	29573.46	625.8064516	18507.32476	30000	0	0	30000	44.1875	2004
23.01.2020 12:49:42	1	1	1	1	87.25	64	0	29620.853	632.2580645	18536.67817	30000	0	0	30000	44.625	2004
23.01.2020 12:49:43	1	1	1	1	87.25	64.5	0	29668.246	617.2043011	18090.66942	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:49:44	1	1	1	1	87.25	64.25	0	29383.886	625.8064516	18388.28038	30000	0	0	30000	44.125	2004
23.01.2020 12:49:45	1	1	1	1	87.25	64	0	29810.427	612.9032258	18270.86674	30000	0	0	30000	44.4375	2004
23.01.2020 12:49:46	1	1	1	1	86.75	64.25	0	29431.28	627.9569892	18291.25105	30000	0	0	30000	44.1875	2004
23.01.2020 12:49:47	1	1	1	1	86.75	64	0	10331.754	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:49:48	1	1	1	1	86.75	64.5	0	11469.194	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:49:49	1	1	1	1	86.75	64.5	0	12227.488	0	0	30000	0	0	30000	44.5	2004
23.01.2020 12:49:56	1	1	1	1	86.75	64.5	0	16824.645	43.01075269	727.3122605	30000	0	0	30000	44.5	2004
23.01.2020 12:49:56	1	1	1	1	86.75	64.5	0	16824.645	43.01075269	727.3122605	30000	0	0	30000	44.5	2004
23.01.2020 12:49:56	1	1	1	1	86.75	64.5	0	16824.645	43.01075269	727.3122605	30000	0	0	30000	44.5	2004
23.01.2020 12:49:56	1	1	1	1	86.75	64.5	0	16824.645	43.01075269	727.3122605	30000	0	0	30000	44.5	2004
23.01.2020 12:49:56	1	1	1	1	86.75	64.5	0	16824.645	43.01075269	727.3122605	30000	0	0	30000	44.5	2004
23.01.2020 12:49:56	1	1	1	1	86.75	64.5	0	16824.645	43.01075269	727.3122605	30000	0	0	30000	44.5	2004
23.01.2020 12:49:57	1	1	1	1	87.5	64.5	0	17630.332	58.06451613	1020.846357	30000	0	0	30000	44.625	2004
23.01.2020 12:49:58	1	1	1	1	87.5	64.5	0	18388.626	66.66666667	1222.243362	30000	0	0	30000	42.375	2004
23.01.2020 12:49:59	1	1	1	1	87.5	62.25	0	19194.313	83.87096774	1609.545294	30000	0	0	30000	44.5	2004
23.01.2020 12:50:00	1	1	1	1	87.5	64.5	0	19952.607	103.2258065	1973.201424	30000	0	0	30000	44.625	2004
23.01.2020 12:50:01	1	1	1	1	87.5	64.5	0	20663.507	116.1290323	2494.224445	30000	0	0	30000	44.5	2004
23.01.2020 12:50:02	1	1	1	1	87.5	64.5	0	21516.588	137.6344086	2954.909901	30000	0	0	30000	44.625	2004
23.01.2020 12:50:03	1	1	1	1	87.5	64.5	0	22132.701	156.9892473	3537.085859	30000	0	0	30000	44.5625	2004
23.01.2020 12:50:04	1	1	1	1	87.5	64.5	0	22559.242	165.5913978	3775.989998	30000	0	0	30000	44.8125	2004
23.01.2020 12:50:05	1	1	1	1	87.5	64.75	0	22748.815	163.4408602	3718.098551	30000	0	0	30000	43.875	2004
23.01.2020 12:50:06	1	1	1	1	87.5	63.75	0	22985.782	178.4946237	4102.138994	30000	0	0	30000	44.875	2004
23.01.2020 12:50:07	1	1	1	1	87.25	64.5	0	23364.929	178.4946237	4161.661186	30000	0	0	30000	44.625	2004
23.01.2020 12:50:08	1	1	1	1	87.25	64.5	0	23601.896	206.4516129	4882.450466	30000	0	0	30000	44.375	2004
23.01.2020 12:50:09	1	1	1	1	87.25	64.25	0	24028.436	221.5053763	5321.936238	30000	0	0	30000	44.6875	2004
23.01.2020 12:50:10	1	1	1	1	87.25	64.5	0	24218.009	230.1075269	5624.439431	30000	0	0	30000	44.5625	2004
23.01.2020 12:50:11	1	1	1	1	87.25	64.5	0	24691.943	240.8602151	5947.326937	30000	0	0	30000	44.5625	2004
23.01.2020 12:50:12	1	1	1	1	87.25	64.5	0	25071.09	253.7634409	6307.721577	30000	0	0	30000	44.5	2004
23.01.2020 12:50:13	1	1	1	1	87.25	64.5	0	25450.237	249.4623656	6348.490202	30000	0	0	30000	44.5625	2004
23.01.2020 12:50:14	1	1	1	1	87.25	64.5	0	25734.597	268.8172043	7011.388036	30000	0	0	30000	44.1875	2004
23.01.2020 12:50:15	1	1	1	1	87.25	64	0	26113.744	258.0645161	6739.053624	30000	0	0	30000	44.625	2004
23.01.2020 12:50:16	1	1	1	1	87	64.5	0	25071.09	240.8602151	5876.389531	30000	0	0	30000	44.3125	2004
23.01.2020 12:50:17	1	1	1	1	87	64.25	0	26018.957	253.7634409	6602.071046	30000	0	0	30000	44.625	2004
23.01.2020 12:50:18	1	1	1	1	87	64.5	0	26872.038	268.8172043	7153.262849	30000	0	0	30000	44.1875	2004
23.01.2020 12:50:19	1	1	1	1	87	64	0	27440.758	307.5268817	8541.842198	30000	0	0	30000	44.125	2004
23.01.2020 12:50:20	1	1	1	1	87	64	0	27867.299	307.5268817	8569.564863	30000	0	0	30000	44.5	2004
23.01.2020 12:50:21	1	1	1	1	87	64.5	0	28199.052	329.0322581	9278.123556	30000	0	0	30000	44.4375	2004
23.01.2020 12:50:22	1	1	1	1	87	64.25	0	28578.199	337.6344086	9648.302666	30000	0	0	30000	44.5	2004
23.01.2020 12:50:23	1	1	1	1	87	64.5	0	28436.019	320.4301075	9050.634632	30000	0	0	30000	44.4375	2004
23.01.2020 12:50:24	1	1	1	1	87	64.25	0	26303.318	354.8387097	9332.753513	30000	0	0	30000	44.25	2004
23.01.2020 12:50:25	1	1	1	1	87	64.25	0	29715.64	507.5268817	15017.53051	30000	0	0	30000	44	2004
23.01.2020 12:50:26	1	1	1	1	87	64	0	28862.559	466.6666667	13469.13815	30000	0	0	30000	44.3125	2004
23.01.2020 12:50:27	1	1	1	1	87	64.25	0	29620.853	466.6666667	13823.00981	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:50:28	1	1	1	1	87	64.5	0	29857.82	488.172043	14551.95282	30000	0	0	30000	44.5625	2004
23.01.2020 12:50:29	1	1	1	1	87	64.5	0	29905.213	494.6236559	14791.67233	30000	0	0	30000	44.5	2004
23.01.2020 12:50:30	1	1	1	1	87	64.5	0	29905.213	541.9354839	16270.75802	30000	0	0	30000	44.125	2004
23.01.2020 12:50:31	1	1	1	1	87	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.25	2004
23.01.2020 12:50:32	1	1	1	1	87	64.25	0	29431.28	483.8709677	14366.86326	30000	0	0	30000	44.5	2004
23.01.2020 12:50:33	1	1	1	1	87	64.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.4375	2004
23.01.2020 12:50:35	1	1	1	1	87	64.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.375	2004
23.01.2020 12:50:36	1	1	1	1	87	64.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	44.4375	2004
23.01.2020 12:50:37	1	1	1	1	86.75	64.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	44.25	2004
23.01.2020 12:50:38	1	1	1	1	86.75	64.25	0	30000	520.4301075	15548.338	30000	0	0	30000	44.1875	2004
23.01.2020 12:50:39	1	1	1	1	86.75	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.5625	2004
23.01.2020 12:50:40	1	1	1	1	86.75	63.5	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	44.1875	2004
23.01.2020 12:50:41	1	1	1	1	86.75	64	0	29810.427	496.7741935	14633.49007	30000	0	0	30000	44.1875	2004
23.01.2020 12:50:42	1	1	1	1	86.75	64	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.625	2004
23.01.2020 12:50:43	1	1	1	1	86.75	64.5	0	29052.133	541.9354839	15868.77939	30000	0	0	30000	44.25	2004
23.01.2020 12:50:44	1	1	1	1	86.75	64.25	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	44.4375	2004
23.01.2020 12:50:45	1	1	1	1	86.75	64.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.25	2004
23.01.2020 12:50:46	1	1	1	1	86.75	63.75	0	25924.171	501.0752688	13045.14446	30000	0	0	30000	44.25	2004
23.01.2020 12:50:47	1	1	1	1	86.75	64.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	44	2004
23.01.2020 12:50:48	1	1	1	1	86.75	64	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	44.3125	2004
23.01.2020 12:50:49	1	1	1	1	86.75	64.25	0	27345.972	503.2258065	13761.0415	30000	0	0	30000	43.5	2004
23.01.2020 12:50:50	1	1	1	1	86.75	63.5	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	44.5	2004
23.01.2020 12:50:51	1	1	1	1	86.75	64.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	44.4375	2004
23.01.2020 12:50:58	1	1	1	1	86.5	64.25	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	44.3125	2004
23.01.2020 12:50:58	1	1	1	1	86.5	64.25	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	44.3125	2004
23.01.2020 12:50:58	1	1	1	1	86.5	64.25	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	44.3125	2004
23.01.2020 12:50:58	1	1	1	1	86.5	64.25	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	44.3125	2004
23.01.2020 12:50:58	1	1	1	1	86.5	64.25	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	44.3125	2004
23.01.2020 12:50:58	1	1	1	1	86.5	64.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44.375	2004
23.01.2020 12:50:59	1	1	1	1	86.5	64.25	0	24976.303	494.6236559	12353.70859	30000	0	0	30000	44.4375	2004
23.01.2020 12:51:00	1	1	1	1	86.5	64.25	0	28815.166	552.688172	15951.94738	30000	0	0	30000	44.3125	2004
23.01.2020 12:51:01	1	1	1	1	86.5	64.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.6875	2004
23.01.2020 12:51:02	1	1	1	1	86.5	63.5	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	44.0625	2004
23.01.2020 12:51:03	1	1	1	1	86.5	64	0	28672.986	548.3870968	15925.85546	30000	0	0	30000	44.125	2004
23.01.2020 12:51:04	1	1	1	1	86.5	64	0	28815.166	552.688172	15951.94738	30000	0	0	30000	44.375	2004
23.01.2020 12:51:05	1	1	1	1	86.5	64.25	0	28672.986	552.688172	15925.85546	30000	0	0	30000	44.1875	2004
23.01.2020 12:51:06	1	1	1	1	86.5	64	0	28815.166	552.688172	15987.82377	30000	0	0	30000	44.4375	2004
23.01.2020 12:51:07	1	1	1	1	86.5	64.25	0	28578.199	554.8387097	15820.67241	30000	0	0	30000	43.875	2004
23.01.2020 12:51:08	1	1	1	1	86.5	63.75	0	29241.706	552.688172	16108.4989	30000	0	0	30000	43.9375	2004
23.01.2020 12:51:09	1	1	1	1	86.5	63.75	0	28957.346	554.8387097	16181.06705	30000	0	0	30000	43.25	2004
23.01.2020 12:51:10	1	1	1	1	86.5	63.25	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	44	2004
23.01.2020 12:51:11	1	1	1	1	86.5	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:51:13	1	1	1	1	86.5	63.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.375	2004
23.01.2020 12:51:14	1	1	1	1	86.5	64.25	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	44.1875	2004
23.01.2020 12:51:15	1	1	1	1	86.5	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.25	2004
23.01.2020 12:51:16	1	1	1	1	86.5	64.25	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	44.375	2004
23.01.2020 12:51:17	1	1	1	1	86.25	64.25	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	43.875	2004
23.01.2020 12:51:18	1	1	1	1	86.25	63.75	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	44.0625	2004
23.01.2020 12:51:19	1	1	1	1	86.25	64	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.9375	2004
23.01.2020 12:51:20	1	1	1	1	86.25	63.75	0	29241.706	550.5376344	15858.17955	30000	0	0	30000	44.3125	2004
23.01.2020 12:51:21	1	1	1	1	86.25	64.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	44.1875	2004
23.01.2020 12:51:22	1	1	1	1	86.25	64	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	44.0625	2004
23.01.2020 12:51:23	1	1	1	1	86.25	63.75	0	29573.46	544.0860215	16154.15976	30000	0	0	30000	44.3125	2004
23.01.2020 12:51:24	1	1	1	1	86.25	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.1875	2004
23.01.2020 12:51:25	1	1	1	1	86.25	64	0	29241.706	550.5376344	16187.59003	30000	0	0	30000	44.5625	2004
23.01.2020 12:51:26	1	1	1	1	86.5	64.5	0	29336.493	550.5376344	16098.71443	30000	0	0	30000	43.9375	2004
23.01.2020 12:51:27	1	1	1	1	86.5	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.9375	2004
23.01.2020 12:51:28	1	1	1	1	86.5	63.75	0	29383.886	550.5376344	15960.91648	30000	0	0	30000	44.1875	2004
23.01.2020 12:51:29	1	1	1	1	86.5	64	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	44.5	2004
23.01.2020 12:51:30	1	1	1	1	86.5	64.5	0	29289.1	550.5376344	15998.42361	30000	0	0	30000	44.25	2004
23.01.2020 12:51:31	1	1	1	1	86.5	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.5625	2004
23.01.2020 12:51:32	1	1	1	1	86.5	64.5	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	44	2004
23.01.2020 12:51:33	1	1	1	1	86.5	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.5625	2004
23.01.2020 12:51:34	1	1	1	1	86.5	64.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	44.375	2004
23.01.2020 12:51:35	1	1	1	1	86.5	64.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	44.4375	2004
23.01.2020 12:51:36	1	1	1	1	86.75	64.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	44.375	2004
23.01.2020 12:51:37	1	1	1	1	86.75	64.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.4375	2004
23.01.2020 12:51:41	1	1	1	1	86.75	64.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.25	2004
23.01.2020 12:51:41	1	1	1	1	86.75	64.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.25	2004
23.01.2020 12:51:41	1	1	1	1	86.75	64.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.25	2004
23.01.2020 12:51:41	1	1	1	1	86.75	64.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.4375	2004
23.01.2020 12:51:42	1	1	1	1	86.75	64.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	44.3125	2004
23.01.2020 12:51:43	1	1	1	1	86.75	64.25	0	28341.232	488.172043	13896.39334	30000	0	0	30000	43.8125	2004
23.01.2020 12:51:44	1	1	1	1	86.75	63.75	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	43.9375	2004
23.01.2020 12:51:45	1	1	1	1	86.75	63.75	0	29431.28	544.0860215	16075.884	30000	0	0	30000	44.5	2004
23.01.2020 12:51:46	1	1	1	1	87.25	64.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44.375	2004
23.01.2020 12:51:47	1	1	1	1	87.25	64.25	0	29146.919	550.5376344	15957.65499	30000	0	0	30000	44.3125	2004
23.01.2020 12:51:48	1	1	1	1	87.25	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44	2004
23.01.2020 12:51:49	1	1	1	1	87.25	64	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	44.25	2004
23.01.2020 12:51:51	1	1	1	1	87.25	64.25	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	44.375	2004
23.01.2020 12:51:52	1	1	1	1	87.25	64.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.125	2004
23.01.2020 12:51:53	1	1	1	1	87.25	64	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44.125	2004
23.01.2020 12:51:59	1	1	1	1	87	64.25	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	44.0625	2004
23.01.2020 12:51:59	1	1	1	1	87	64.25	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	44.0625	2004
23.01.2020 12:51:59	1	1	1	1	87	64.25	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:51:59	1	1	1	1	87	64.25	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	44.0625	2004
23.01.2020 12:51:59	1	1	1	1	87	64.25	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	44.0625	2004
23.01.2020 12:51:59	1	1	1	1	87	64.25	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	44.0625	2004
23.01.2020 12:52:00	1	1	1	1	87	64	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	44.625	2004
23.01.2020 12:52:01	1	1	1	1	87	64.5	0	29431.28	524.7311828	15443.15495	30000	0	0	30000	44.625	2004
23.01.2020 12:52:02	1	1	1	1	87	63.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	44.1875	2004
23.01.2020 12:52:03	1	1	1	1	87	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.0625	2004
23.01.2020 12:52:04	1	1	1	1	87	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.5625	2004
23.01.2020 12:52:05	1	1	1	1	87	64.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.25	2004
23.01.2020 12:52:06	1	1	1	1	86.75	64.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.125	2004
23.01.2020 12:52:07	1	1	1	1	86.75	64	0	29146.919	550.5376344	15957.65499	30000	0	0	30000	44.5	2004
23.01.2020 12:52:08	1	1	1	1	86.75	64.5	0	29099.526	552.688172	16046.53059	30000	0	0	30000	44	2004
23.01.2020 12:52:09	1	1	1	1	86.75	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.8125	2004
23.01.2020 12:52:10	1	1	1	1	86.75	63.75	0	28957.346	561.2903226	16013.91569	30000	0	0	30000	44.125	2004
23.01.2020 12:52:11	1	1	1	1	86.75	64	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.375	2004
23.01.2020 12:52:12	1	1	1	1	86.75	64.25	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	44.5625	2004
23.01.2020 12:52:13	1	1	1	1	86.75	64.5	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	44.5	2004
23.01.2020 12:52:14	1	1	1	1	86.75	64.5	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	44.4375	2004
23.01.2020 12:52:15	1	1	1	1	86.75	64.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	44.125	2004
23.01.2020 12:52:16	1	1	1	1	86.75	64	0	29099.526	552.688172	16082.40698	30000	0	0	30000	44.0625	2004
23.01.2020 12:52:17	1	1	1	1	86.75	64	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.4375	2004
23.01.2020 12:52:18	1	1	1	1	86.75	63.25	0	28909.953	552.688172	15951.94738	30000	0	0	30000	44.375	2004
23.01.2020 12:52:19	1	1	1	1	86.75	64.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	44.125	2004
23.01.2020 12:52:20	1	1	1	1	86.75	64	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.5	2004
23.01.2020 12:52:21	1	1	1	1	86.75	64.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	44.25	2004
23.01.2020 12:52:22	1	1	1	1	86.75	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.4375	2004
23.01.2020 12:52:23	1	1	1	1	86.75	64.25	0	29289.1	550.5376344	16340.06469	30000	0	0	30000	44.625	2004
23.01.2020 12:52:24	1	1	1	1	86.75	64.5	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	44.5	2004
23.01.2020 12:52:25	1	1	1	1	86.75	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.1875	2004
23.01.2020 12:52:26	1	1	1	1	87.25	64	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.4375	2004
23.01.2020 12:52:27	1	1	1	1	87.25	64.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	44	2004
23.01.2020 12:52:28	1	1	1	1	87.25	64	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	43.9375	2004
23.01.2020 12:52:30	1	1	1	1	87.25	63.75	0	29289.1	550.5376344	15909.54801	30000	0	0	30000	44.4375	2004
23.01.2020 12:52:31	1	1	1	1	87.25	64.25	0	29052.133	546.2365591	15754.62724	30000	0	0	30000	44	2004
23.01.2020 12:52:32	1	1	1	1	87.25	64	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	44.1875	2004
23.01.2020 12:52:33	1	1	1	1	87.25	64	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.0625	2004
23.01.2020 12:52:34	1	1	1	1	87.25	64	0	29431.28	544.0860215	15885.90221	30000	0	0	30000	43.4375	2004
23.01.2020 12:52:35	1	1	1	1	87.25	63.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	43.9375	2004
23.01.2020 12:52:36	1	1	1	1	87.25	63.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.375	2004
23.01.2020 12:52:37	1	1	1	1	87.5	64.25	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	44.5625	2004
23.01.2020 12:52:38	1	1	1	1	87.5	64.5	0	29099.526	548.3870968	15832.08763	30000	0	0	30000	44.5625	2004
23.01.2020 12:52:39	1	1	1	1	87.5	64.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	44.4375	2004
23.01.2020 12:52:40	1	1	1	1	87.5	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:52:41	1	1	1	1	87.5	64.5	0	28957.346	544.0860215	15879.37923	30000	0	0	30000	44.625	2004
23.01.2020 12:52:42	1	1	1	1	87.5	64.5	0	29431.28	544.0860215	15734.24293	30000	0	0	30000	44.5625	2004
23.01.2020 12:52:43	1	1	1	1	87.5	64.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	43.5	2004
23.01.2020 12:52:44	1	1	1	1	87.5	63.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	44.375	2004
23.01.2020 12:52:45	1	1	1	1	87.5	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.1875	2004
23.01.2020 12:52:46	1	1	1	1	87.25	64	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	44.4375	2004
23.01.2020 12:52:47	1	1	1	1	87.25	64.25	0	29715.64	531.1827957	15911.99413	30000	0	0	30000	43.8125	2004
23.01.2020 12:52:48	1	1	1	1	87.25	63.75	0	27298.578	481.7204301	13150.32751	30000	0	0	30000	44.3125	2004
23.01.2020 12:52:49	1	1	1	1	87.25	64.25	0	29146.919	503.2258065	14604.13666	30000	0	0	30000	43.875	2004
23.01.2020 12:52:50	1	1	1	1	87.25	63.75	0	29052.133	546.2365591	15957.65499	30000	0	0	30000	44.3125	2004
23.01.2020 12:52:51	1	1	1	1	87.25	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.75	2004
23.01.2020 12:52:52	1	1	1	1	87.25	63.75	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	44.375	2004
23.01.2020 12:52:53	1	1	1	1	87.25	64.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	44	2004
23.01.2020 12:52:54	1	1	1	1	87.25	64	0	29573.46	546.2365591	16115.83725	30000	0	0	30000	44.5625	2004
23.01.2020 12:53:01	1	1	1	1	87	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
23.01.2020 12:53:01	1	1	1	1	87	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
23.01.2020 12:53:01	1	1	1	1	87	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
23.01.2020 12:53:01	1	1	1	1	87	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
23.01.2020 12:53:01	1	1	1	1	87	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
23.01.2020 12:53:01	1	1	1	1	87	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
23.01.2020 12:53:01	1	1	1	1	87	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.25	2004
23.01.2020 12:53:02	1	1	1	1	87	64.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	44.4375	2004
23.01.2020 12:53:03	1	1	1	1	87	64.25	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	44.5	2004
23.01.2020 12:53:04	1	1	1	1	87	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.4375	2004
23.01.2020 12:53:05	1	1	1	1	87	64.25	0	29146.919	548.3870968	15920.96323	30000	0	0	30000	44.125	2004
23.01.2020 12:53:06	1	1	1	1	87.25	64	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	44.4375	2004
23.01.2020 12:53:08	1	1	1	1	87.25	64.25	0	29004.739	548.3870968	15879.37923	30000	0	0	30000	44.5	2004
23.01.2020 12:53:09	1	1	1	1	87.25	64.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	44.4375	2004
23.01.2020 12:53:10	1	1	1	1	87.25	64.25	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	44.4375	2004
23.01.2020 12:53:11	1	1	1	1	87.25	64.25	0	29146.919	537.6344086	15972.33169	30000	0	0	30000	44.4375	2004
23.01.2020 12:53:12	1	1	1	1	87.25	64.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	44.3125	2004
23.01.2020 12:53:13	1	1	1	1	87.25	64.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	44.375	2004
23.01.2020 12:53:14	1	1	1	1	87.25	64.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	44.6875	2004
23.01.2020 12:53:15	1	1	1	1	87.25	64.5	0	29857.82	488.172043	14598.42905	30000	0	0	30000	44.1875	2004
23.01.2020 12:53:16	1	1	1	1	87.25	64	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	44.75	2004
23.01.2020 12:53:17	1	1	1	1	87.5	64.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.0625	2004
23.01.2020 12:53:18	1	1	1	1	87.5	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.75	2004
23.01.2020 12:53:19	1	1	1	1	87.5	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5	2004
23.01.2020 12:53:20	1	1	1	1	87.5	64.5	0	30000	518.2795699	15548.338	30000	0	0	30000	44.0625	2004
23.01.2020 12:53:21	1	1	1	1	87.5	64	0	28957.346	451.6129032	12890.22368	30000	0	0	30000	44.4375	2004
23.01.2020 12:53:22	1	1	1	1	87.5	64.25	0	30000	516.1290323	15548.338	30000	0	0	30000	44	2004
23.01.2020 12:53:23	1	1	1	1	87.5	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.1875	2004
23.01.2020 12:53:24	1	1	1	1	87.5	64	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:54:09	1	1	1	1	87	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44	2004
23.01.2020 12:54:10	1	1	1	1	87	64	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:11	1	1	1	1	87	64.5	0	29431.28	550.5376344	15949.50126	30000	0	0	30000	44.625	2004
23.01.2020 12:54:12	1	1	1	1	87	64.5	0	29715.64	526.8817204	15479.03134	30000	0	0	30000	44.1875	2004
23.01.2020 12:54:13	1	1	1	1	87	64	0	0	0	0	30000	0	8	30000	44.625	2004
23.01.2020 12:54:14	1	1	1	1	87	64.5	0	10616.114	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:54:15	1	1	1	1	87	64.25	0	11327.014	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:16	1	1	1	1	87.75	64.5	0	10947.867	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:54:17	1	1	1	1	87.75	64.5	0	12890.995	4.301075269	27.72266464	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:18	1	1	1	1	87.75	64.5	0	13601.896	6.451612903	87.24485636	30000	0	0	30000	44.4375	2004
23.01.2020 12:54:19	1	1	1	1	87.75	64.25	0	14407.583	10.75268817	185.9049276	30000	0	0	30000	44.625	2004
23.01.2020 12:54:20	1	1	1	1	87.75	64.5	0	15165.877	17.20430108	228.304297	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:21	1	1	1	1	87.75	64.5	0	15734.597	19.35483871	304.1339385	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:22	1	1	1	1	87.75	64.5	0	16729.858	34.40860215	575.6529775	30000	0	0	30000	44.5	2004
23.01.2020 12:54:24	1	1	1	1	87.75	64.5	0	17488.152	43.01075269	751.7734352	30000	0	0	30000	44.625	2004
23.01.2020 12:54:25	1	1	1	1	87.75	64.5	0	18293.839	55.91397849	983.3392221	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:26	1	1	1	1	87.75	64.5	0	19004.739	64.51612903	1269.534966	30000	0	0	30000	44.5	2004
23.01.2020 12:54:27	1	1	1	1	87.5	64.5	0	19810.427	79.56989247	1576.115022	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:28	1	1	1	1	87.5	64.5	0	20521.327	94.62365591	1950.370994	30000	0	0	30000	44.5	2004
23.01.2020 12:54:29	1	1	1	1	87.5	64.5	0	21232.227	103.2258065	2191.721251	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:30	1	1	1	1	87.5	64.5	0	21469.194	113.9784946	2498.301307	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:31	1	1	1	1	87.5	64.5	0	21753.555	126.8817204	2760.035876	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:32	1	1	1	1	87.5	64.5	0	21848.341	129.0322581	2771.451091	30000	0	0	30000	44.625	2004
23.01.2020 12:54:33	1	1	1	1	87.5	64.5	0	22369.668	144.0860215	3223.16745	30000	0	0	30000	44.625	2004
23.01.2020 12:54:34	1	1	1	1	87.5	64.5	0	22843.602	169.8924731	3888.511402	30000	0	0	30000	44.6875	2004
23.01.2020 12:54:35	1	1	1	1	87.5	64.5	0	19952.607	144.0860215	2874.188025	30000	0	0	30000	44.625	2004
23.01.2020 12:54:36	1	1	1	1	87.75	64.75	0	24834.123	193.5483871	4752.80624	30000	0	0	30000	44.375	2004
23.01.2020 12:54:37	1	1	1	1	87.75	64.25	0	23649.289	184.9462366	4373.658033	30000	0	0	30000	44.375	2004
23.01.2020 12:54:38	1	1	1	1	87.75	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.625	2004
23.01.2020 12:54:39	1	1	1	1	87.75	64.5	0	21895.735	191.3978495	4190.199223	30000	0	0	30000	44.5625	2004
23.01.2020 12:54:40	1	1	1	1	87.75	64.5	0	0	0	0	30000	0	8	30000	44.625	2004
23.01.2020 12:54:41	1	1	1	1	87.75	64.5	0	10284.36	0	0	30000	0	0	30000	44.625	2004
23.01.2020 12:54:42	1	1	1	1	87.75	64.5	0	11090.047	0	0	30000	0	0	30000	44.375	2004
23.01.2020 12:54:43	1	1	1	1	87.75	64.25	0	11658.768	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 12:54:44	1	1	1	1	87.75	64.25	0	12654.028	2.150537634	0	30000	0	0	30000	43.875	2004
23.01.2020 12:54:45	1	1	1	1	87.75	63.75	0	13412.322	4.301075269	57.07607425	30000	0	0	30000	44.4375	2004
23.01.2020 12:54:46	1	1	1	1	88	64.25	0	14170.616	10.75268817	151.659283	30000	0	0	30000	44.625	2004
23.01.2020 12:54:47	1	1	1	1	88	64.5	0	14881.517	15.05376344	223.4120621	30000	0	0	30000	44.5	2004
23.01.2020 12:54:48	1	1	1	1	88	64.5	0	15734.597	23.65591398	406.8708722	30000	0	0	30000	44.5	2004
23.01.2020 12:54:49	1	1	1	1	88	64.5	0	15876.777	25.80645161	409.3169896	30000	0	0	30000	44.4375	2004
23.01.2020 12:54:50	1	1	1	1	88	64.25	0	17251.185	40.86021505	706.1125758	30000	0	0	30000	44.625	2004
23.01.2020 12:54:51	1	1	1	1	88	64.5	0	18009.479	53.76344086	967.8471448	30000	0	0	30000	44.375	2004
23.01.2020 12:54:52	1	1	1	1	88	64.25	0	18767.773	64.51612903	1213.274264	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:54:53	1	1	1	1	88	64.5	0	19573.46	75.2688172	1472.562716	30000	0	0	30000	44.375	2004
23.01.2020 12:54:54	1	1	1	1	88	64.25	0	20331.754	88.17204301	1792.188732	30000	0	0	30000	44.375	2004
23.01.2020 12:54:55	1	1	1	1	88	64.25	0	21090.047	103.2258065	2177.044547	30000	0	0	30000	44.5	2004
23.01.2020 12:54:56	1	1	1	1	88	64.5	0	21848.341	109.6774194	2395.564374	30000	0	0	30000	44.5	2004
23.01.2020 12:54:57	1	1	1	1	88	64.5	0	22132.701	129.0322581	2808.142853	30000	0	0	30000	44.625	2004
23.01.2020 12:55:04	1	1	1	1	88	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:04	1	1	1	1	88	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:04	1	1	1	1	88	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:04	1	1	1	1	88	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:04	1	1	1	1	88	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:04	1	1	1	1	88	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:05	1	1	1	1	88	64.25	0	25924.171	225.8064516	5965.265132	30000	0	0	30000	44.3125	2004
23.01.2020 12:55:06	1	1	1	1	88	64.25	0	24691.943	230.1075269	5734.514717	30000	0	0	30000	44.5	2004
23.01.2020 12:55:07	1	1	1	1	88	64.5	0	25165.877	221.5053763	5573.886337	30000	0	0	30000	44.3125	2004
23.01.2020 12:55:08	1	1	1	1	88	64.25	0	25639.81	249.4623656	6395.781806	30000	0	0	30000	44.5	2004
23.01.2020 12:55:09	1	1	1	1	88	64.5	0	25639.81	251.6129032	6451.227136	30000	0	0	30000	44.5	2004
23.01.2020 12:55:10	1	1	1	1	88	64.5	0	25639.81	251.6129032	6518.08768	30000	0	0	30000	44.5	2004
23.01.2020 12:55:11	1	1	1	1	88	64.5	0	23222.749	230.1075269	5404.288859	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:12	1	1	1	1	88	64.25	0	25687.204	240.8602151	6230.261191	30000	0	0	30000	44.25	2004
23.01.2020 12:55:13	1	1	1	1	88	64.25	0	28009.479	286.0215054	8011.034708	30000	0	0	30000	44.5625	2004
23.01.2020 12:55:14	1	1	1	1	88	64.5	0	26018.957	277.4193548	7079.879325	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:15	1	1	1	1	88	64.25	0	26919.431	298.9247312	8046.911097	30000	0	0	30000	44.875	2004
23.01.2020 12:55:16	1	1	1	1	87	64.25	0	27440.758	313.9784946	8674.747914	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:17	1	1	1	1	87	64.25	0	29431.28	354.8387097	10443.29084	30000	0	0	30000	43.875	2004
23.01.2020 12:55:18	1	1	1	1	87	63.75	0	28625.592	354.8387097	10224.77102	30000	0	0	30000	44.3125	2004
23.01.2020 12:55:19	1	1	1	1	87	64.25	0	27440.758	329.0322581	9028.619574	30000	0	0	30000	44.1875	2004
23.01.2020 12:55:20	1	1	1	1	87	64	0	27867.299	359.1397849	9684.994428	30000	0	0	30000	44.5625	2004
23.01.2020 12:55:21	1	1	1	1	87	64.5	0	28199.052	348.3870968	9823.607751	30000	0	0	30000	44.625	2004
23.01.2020 12:55:22	1	1	1	1	87	64.5	0	28388.626	369.8924731	10518.30511	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:23	1	1	1	1	87	64.25	0	28199.052	374.1935484	10490.58245	30000	0	0	30000	44.125	2004
23.01.2020 12:55:24	1	1	1	1	87	64	0	28199.052	369.8924731	10490.58245	30000	0	0	30000	44.5625	2004
23.01.2020 12:55:25	1	1	1	1	87	64.5	0	27819.905	363.4408602	9990.759112	30000	0	0	30000	44.1875	2004
23.01.2020 12:55:26	1	1	1	1	85.5	64	0	27440.758	378.4946237	10386.21477	30000	0	0	30000	44.1875	2004
23.01.2020 12:55:27	1	1	1	1	85.5	64	0	28009.479	387.0967742	10781.67043	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:28	1	1	1	1	85.5	64.25	0	28436.019	378.4946237	10780.85505	30000	0	0	30000	44.375	2004
23.01.2020 12:55:29	1	1	1	1	85.5	64.25	0	28530.806	378.4946237	10798.79325	30000	0	0	30000	44.0625	2004
23.01.2020 12:55:30	1	1	1	1	85.5	64	0	28199.052	378.4946237	10673.22589	30000	0	0	30000	44.5625	2004
23.01.2020 12:55:31	1	1	1	1	85.5	64.5	0	28862.559	378.4946237	10924.36061	30000	0	0	30000	44.5625	2004
23.01.2020 12:55:32	1	1	1	1	85.5	64.5	0	29241.706	404.3010753	11822.08572	30000	0	0	30000	43.875	2004
23.01.2020 12:55:33	1	1	1	1	85.5	63.75	0	28957.346	400	11520.3979	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:34	1	1	1	1	85.5	64.25	0	28957.346	395.6989247	11458.42959	30000	0	0	30000	44.375	2004
23.01.2020 12:55:35	1	1	1	1	85.5	64.25	0	29478.673	378.4946237	11365.47713	30000	0	0	30000	44.125	2004
23.01.2020 12:55:36	1	1	1	1	86.75	64	0	29810.427	395.6989247	11758.48667	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:55:37	1	1	1	1	86.75	63.75	0	29573.46	419.3548387	12548.58261	30000	0	0	30000	44.375	2004
23.01.2020 12:55:38	1	1	1	1	86.75	64.25	0	28957.346	417.2043011	12018.59049	30000	0	0	30000	44.1875	2004
23.01.2020 12:55:39	1	1	1	1	86.75	64	0	25308.057	391.3978495	9923.898568	30000	0	0	30000	43.9375	2004
23.01.2020 12:55:40	1	1	1	1	86.75	63.75	0	29952.607	453.7634409	13591.44402	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:42	1	1	1	1	86.75	64.25	0	29905.213	443.0107527	13312.58663	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:43	1	1	1	1	86.75	64.25	0	29715.64	438.7096774	13036.17536	30000	0	0	30000	44.1875	2004
23.01.2020 12:55:44	1	1	1	1	86.75	64	0	29241.706	412.9032258	12034.89794	30000	0	0	30000	44	2004
23.01.2020 12:55:45	1	1	1	1	86.75	64	0	29336.493	443.0107527	12932.62305	30000	0	0	30000	44.25	2004
23.01.2020 12:55:46	1	1	1	1	86.75	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.0625	2004
23.01.2020 12:55:47	1	1	1	1	85.5	64	0	29810.427	458.0645161	13655.04308	30000	0	0	30000	44.5	2004
23.01.2020 12:55:48	1	1	1	1	85.5	64.5	0	29336.493	492.4731183	14446.76977	30000	0	0	30000	44.3125	2004
23.01.2020 12:55:49	1	1	1	1	85.5	64.25	0	29857.82	486.0215054	14598.42905	30000	0	0	30000	44	2004
23.01.2020 12:55:50	1	1	1	1	85.5	64	0	30000	520.4301075	15652.70568	30000	0	0	30000	44.4375	2004
23.01.2020 12:55:51	1	1	1	1	85.5	64.25	0	30047.393	529.0322581	15435.00122	30000	0	0	30000	44.375	2004
23.01.2020 12:55:52	1	1	1	1	85.5	64.25	0	29857.82	522.5806452	15730.98144	30000	0	0	30000	43.6875	2004
23.01.2020 12:55:53	1	1	1	1	85.5	63.5	0	29620.853	516.1290323	15351.83323	30000	0	0	30000	44.625	2004
23.01.2020 12:55:54	1	1	1	1	85.5	64.5	0	29620.853	550.5376344	16052.2382	30000	0	0	30000	44.5	2004
23.01.2020 12:55:55	1	1	1	1	85.5	64	0	29431.28	541.9354839	16064.46878	30000	0	0	30000	44.3125	2004
23.01.2020 12:55:56	1	1	1	1	86.25	64.25	0	29383.886	518.2795699	15204.25081	30000	0	0	30000	44.25	2004
23.01.2020 12:55:57	1	1	1	1	86.25	64.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.375	2004
23.01.2020 12:55:58	1	1	1	1	86.25	64.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	44.3125	2004
23.01.2020 12:55:59	1	1	1	1	86.25	64.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	44.25	2004
23.01.2020 12:56:06	1	1	1	1	86.25	64.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:06	1	1	1	1	86.25	64.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:06	1	1	1	1	86.25	64.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:06	1	1	1	1	86.25	64.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:06	1	1	1	1	86.25	64.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:06	1	1	1	1	86.25	64.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:06	1	1	1	1	86.5	64.25	0	29620.853	509.6774194	15096.62164	30000	0	0	30000	44.4375	2004
23.01.2020 12:56:07	1	1	1	1	86.5	64.25	0	27440.758	496.7741935	13631.39728	30000	0	0	30000	44.5	2004
23.01.2020 12:56:08	1	1	1	1	86.5	64.5	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	44.1875	2004
23.01.2020 12:56:09	1	1	1	1	86.5	64	0	28483.412	524.7311828	14945.77773	30000	0	0	30000	44.25	2004
23.01.2020 12:56:10	1	1	1	1	86.5	64.25	0	27962.085	492.4731183	13830.34816	30000	0	0	30000	44.375	2004
23.01.2020 12:56:11	1	1	1	1	86.5	64.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.1875	2004
23.01.2020 12:56:12	1	1	1	1	86.5	64	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	43.875	2004
23.01.2020 12:56:13	1	1	1	1	86.5	63.75	0	29099.526	544.0860215	16020.43867	30000	0	0	30000	44.5	2004
23.01.2020 12:56:14	1	1	1	1	86.5	64.5	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	44.375	2004
23.01.2020 12:56:15	1	1	1	1	86.5	64.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.875	2004
23.01.2020 12:56:16	1	1	1	1	87	63.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	44.25	2004
23.01.2020 12:56:17	1	1	1	1	87	64.25	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	44.0625	2004
23.01.2020 12:56:18	1	1	1	1	87	64	0	29241.706	541.9354839	16087.29921	30000	0	0	30000	43.9375	2004
23.01.2020 12:56:19	1	1	1	1	87	63.75	0	29289.1	546.2365591	16035.11538	30000	0	0	30000	44.1875	2004
23.01.2020 12:56:21	1	1	1	1	87	64	0	29146.919	539.7849462	16098.71443	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:56:22	1	1	1	1	87	64	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	44.1875	2004
23.01.2020 12:56:23	1	1	1	1	87	64	0	29146.919	541.9354839	16035.11538	30000	0	0	30000	44.375	2004
23.01.2020 12:56:24	1	1	1	1	87	64.25	0	29052.133	548.3870968	15868.77939	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:25	1	1	1	1	87	64.25	0	29099.526	546.2365591	16020.43867	30000	0	0	30000	44.1875	2004
23.01.2020 12:56:26	1	1	1	1	87	64	0	27630.332	464.516129	12775.25616	30000	0	0	30000	44.25	2004
23.01.2020 12:56:27	1	1	1	1	86.5	64.25	0	29383.886	537.6344086	15860.62566	30000	0	0	30000	44.4375	2004
23.01.2020 12:56:28	1	1	1	1	86.5	64.25	0	29146.919	529.0322581	15482.29283	30000	0	0	30000	44.25	2004
23.01.2020 12:56:29	1	1	1	1	86.5	64.25	0	29715.64	539.7849462	16052.2382	30000	0	0	30000	44.4375	2004
23.01.2020 12:56:30	1	1	1	1	86.5	64.25	0	29715.64	488.172043	14482.64616	30000	0	0	30000	44.25	2004
23.01.2020 12:56:31	1	1	1	1	86.5	64.25	0	29905.213	516.1290323	15498.60028	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:32	1	1	1	1	86.5	64.25	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	44.5	2004
23.01.2020 12:56:33	1	1	1	1	86.5	64.5	0	29810.427	541.9354839	16103.60666	30000	0	0	30000	44.75	2004
23.01.2020 12:56:34	1	1	1	1	86.5	64.25	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	43.9375	2004
23.01.2020 12:56:35	1	1	1	1	86.5	63.75	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	43.75	2004
23.01.2020 12:56:36	1	1	1	1	87	63.75	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:37	1	1	1	1	87	64.25	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	43.875	2004
23.01.2020 12:56:38	1	1	1	1	87	63.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44	2004
23.01.2020 12:56:39	1	1	1	1	87	64	0	29952.607	535.483871	16064.46878	30000	0	0	30000	44.25	2004
23.01.2020 12:56:40	1	1	1	1	87	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	43.9375	2004
23.01.2020 12:56:41	1	1	1	1	87	63.75	0	29905.213	522.5806452	15627.42913	30000	0	0	30000	44.25	2004
23.01.2020 12:56:42	1	1	1	1	87	64.25	0	29810.427	481.7204301	14039.08352	30000	0	0	30000	44.1875	2004
23.01.2020 12:56:43	1	1	1	1	87	64	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44.25	2004
23.01.2020 12:56:44	1	1	1	1	87	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.3125	2004
23.01.2020 12:56:45	1	1	1	1	87	64.25	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	43.8125	2004
23.01.2020 12:56:46	1	1	1	1	86.5	63.75	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	44.5	2004
23.01.2020 12:56:47	1	1	1	1	86.5	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.375	2004
23.01.2020 12:56:48	1	1	1	1	86.5	64.25	0	29668.246	498.9247312	14889.51703	30000	0	0	30000	44.125	2004
23.01.2020 12:56:49	1	1	1	1	86.5	64	0	29146.919	492.4731183	14416.60098	30000	0	0	30000	44.25	2004
23.01.2020 12:56:50	1	1	1	1	86.5	64.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.25	2004
23.01.2020 12:56:51	1	1	1	1	86.5	64.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	44.5	2004
23.01.2020 12:56:52	1	1	1	1	86.5	64.5	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	44.1875	2004
23.01.2020 12:56:53	1	1	1	1	86.5	64	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	44.375	2004
23.01.2020 12:56:54	1	1	1	1	86.5	64.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	44.375	2004
23.01.2020 12:56:55	1	1	1	1	86.5	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.4375	2004
23.01.2020 12:56:56	1	1	1	1	87	64.25	0	29383.886	546.2365591	16203.08211	30000	0	0	30000	43.75	2004
23.01.2020 12:56:57	1	1	1	1	87	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.375	2004
23.01.2020 12:56:58	1	1	1	1	87	64.25	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	44.375	2004
23.01.2020 12:57:00	1	1	1	1	87	64.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.5625	2004
23.01.2020 12:57:01	1	1	1	1	87	64.5	0	29241.706	548.3870968	15972.33169	30000	0	0	30000	44.5625	2004
23.01.2020 12:57:07	1	1	1	1	87	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:07	1	1	1	1	87	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:07	1	1	1	1	87	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:07	1	1	1	1	87	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:57:07	1	1	1	1	87	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:07	1	1	1	1	87	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:08	1	1	1	1	87	64.25	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	44.1875	2004
23.01.2020 12:57:09	1	1	1	1	87	64	0	29099.526	526.8817204	15331.44892	30000	0	0	30000	44.375	2004
23.01.2020 12:57:10	1	1	1	1	87	64.25	0	29431.28	539.7849462	15708.96638	30000	0	0	30000	44.3125	2004
23.01.2020 12:57:11	1	1	1	1	87	64.25	0	28625.592	531.1827957	15368.14068	30000	0	0	30000	44.3125	2004
23.01.2020 12:57:12	1	1	1	1	87	64.25	0	29431.28	541.9354839	15759.51947	30000	0	0	30000	44.75	2004
23.01.2020 12:57:13	1	1	1	1	87	64.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:14	1	1	1	1	87	64.25	0	29383.886	539.7849462	15949.50126	30000	0	0	30000	44.5	2004
23.01.2020 12:57:15	1	1	1	1	87	64.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.375	2004
23.01.2020 12:57:16	1	1	1	1	87.25	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.1875	2004
23.01.2020 12:57:17	1	1	1	1	87.25	64	0	29810.427	537.6344086	16181.06705	30000	0	0	30000	44.5625	2004
23.01.2020 12:57:18	1	1	1	1	87.25	64.5	0	29857.82	492.4731183	14727.2579	30000	0	0	30000	43.75	2004
23.01.2020 12:57:19	1	1	1	1	87.25	63.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.125	2004
23.01.2020 12:57:20	1	1	1	1	87.25	64	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.5625	2004
23.01.2020 12:57:21	1	1	1	1	87.25	64.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:22	1	1	1	1	87.25	64.25	0	30000	526.8817204	15741.58128	30000	0	0	30000	44.5625	2004
23.01.2020 12:57:23	1	1	1	1	87.25	64.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.5	2004
23.01.2020 12:57:24	1	1	1	1	87.25	64.5	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:25	1	1	1	1	87.25	64.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.375	2004
23.01.2020 12:57:26	1	1	1	1	87.25	64.25	0	29905.213	516.1290323	15548.338	30000	0	0	30000	43.75	2004
23.01.2020 12:57:27	1	1	1	1	87.25	63.75	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:28	1	1	1	1	87.25	64.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	44.125	2004
23.01.2020 12:57:29	1	1	1	1	87.25	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.125	2004
23.01.2020 12:57:30	1	1	1	1	87.25	64	0	29952.607	516.1290323	15523.87682	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:31	1	1	1	1	87.25	64.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	43.625	2004
23.01.2020 12:57:32	1	1	1	1	87.25	63.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.5625	2004
23.01.2020 12:57:33	1	1	1	1	87.25	64.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	44.1875	2004
23.01.2020 12:57:34	1	1	1	1	87.25	64	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	43.875	2004
23.01.2020 12:57:35	1	1	1	1	87.25	63.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	44.375	2004
23.01.2020 12:57:36	1	1	1	1	86.75	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.1875	2004
23.01.2020 12:57:38	1	1	1	1	86.75	64	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:39	1	1	1	1	86.75	64.25	0	29620.853	546.2365591	15988.63914	30000	0	0	30000	44.5	2004
23.01.2020 12:57:40	1	1	1	1	86.75	64.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:41	1	1	1	1	86.75	64.25	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	44.5	2004
23.01.2020 12:57:42	1	1	1	1	86.75	64.5	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.8125	2004
23.01.2020 12:57:43	1	1	1	1	86.75	63.75	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	43.9375	2004
23.01.2020 12:57:44	1	1	1	1	86.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
23.01.2020 12:57:45	1	1	1	1	86.75	63.75	0	30000	488.172043	14406.00114	30000	0	0	30000	44.625	2004
23.01.2020 12:57:46	1	1	1	1	86.75	64.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.375	2004
23.01.2020 12:57:47	1	1	1	1	87.25	64.25	0	29905.213	505.3763441	15137.39026	30000	0	0	30000	44.0625	2004
23.01.2020 12:57:48	1	1	1	1	87.25	64	0	28009.479	460.2150538	12977.46854	30000	0	0	30000	44.125	2004
23.01.2020 12:57:49	1	1	1	1	87.25	64	0	30000	511.827957	15483.92357	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:57:50	1	1	1	1	87.25	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.875	2004
23.01.2020 12:57:51	1	1	1	1	87.25	64.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	43.9375	2004
23.01.2020 12:57:52	1	1	1	1	87.25	64.25	0	30000	511.827957	15418.69377	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:53	1	1	1	1	87.25	64.25	0	29857.82	466.6666667	14061.91395	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:54	1	1	1	1	87.25	64.25	0	29905.213	464.516129	14406.00114	30000	0	0	30000	44.4375	2004
23.01.2020 12:57:55	1	1	1	1	87.25	64.25	0	29857.82	488.172043	14575.59862	30000	0	0	30000	44.625	2004
23.01.2020 12:57:56	1	1	1	1	87.25	64.5	0	27867.299	496.7741935	13951.02329	30000	0	0	30000	44.375	2004
23.01.2020 12:57:57	1	1	1	1	87.25	64.25	0	29857.82	483.8709677	14423.93934	30000	0	0	30000	44.3125	2004
23.01.2020 12:57:58	1	1	1	1	87.25	64.25	0	29905.213	516.1290323	15548.338	30000	0	0	30000	44.5625	2004
23.01.2020 12:57:59	1	1	1	1	87.25	64.5	0	29620.853	535.483871	15975.59318	30000	0	0	30000	44.1875	2004
23.01.2020 12:58:00	1	1	1	1	87.25	64	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.3125	2004
23.01.2020 12:58:01	1	1	1	1	87.25	64.25	0	29431.28	535.483871	15975.59318	30000	0	0	30000	44.625	2004
23.01.2020 12:58:02	1	1	1	1	87.25	64.5	0	29620.853	511.827957	15288.23417	30000	0	0	30000	44.375	2004
23.01.2020 12:58:09	1	1	1	1	87.5	64.5	0	29526.066	486.0215054	14349.74044	30000	0	0	30000	43.125	2004
23.01.2020 12:58:09	1	1	1	1	87.5	64.5	0	29526.066	486.0215054	14349.74044	30000	0	0	30000	43.125	2004
23.01.2020 12:58:09	1	1	1	1	87.5	64.5	0	29526.066	486.0215054	14349.74044	30000	0	0	30000	43.125	2004
23.01.2020 12:58:09	1	1	1	1	87.5	64.5	0	29526.066	486.0215054	14349.74044	30000	0	0	30000	43.125	2004
23.01.2020 12:58:09	1	1	1	1	87.5	64.5	0	29526.066	486.0215054	14349.74044	30000	0	0	30000	43.125	2004
23.01.2020 12:58:09	1	1	1	1	87.5	63	0	29620.853	535.483871	15861.44103	30000	0	0	30000	44.625	2004
23.01.2020 12:58:10	1	1	1	1	87.5	64.5	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.1875	2004
23.01.2020 12:58:11	1	1	1	1	87.5	64	0	29620.853	481.7204301	13737.3957	30000	0	0	30000	44	2004
23.01.2020 12:58:12	1	1	1	1	87.5	64	0	28483.412	468.8172043	13292.20232	30000	0	0	30000	44.3125	2004
23.01.2020 12:58:13	1	1	1	1	87.5	64.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.5	2004
23.01.2020 12:58:14	1	1	1	1	87.5	64.5	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	44.5	2004
23.01.2020 12:58:15	1	1	1	1	87.5	64.5	0	30000	511.827957	15354.27935	30000	0	0	30000	44.4375	2004
23.01.2020 12:58:17	1	1	1	1	87.5	64.25	0	29952.607	509.6774194	15266.21912	30000	0	0	30000	44.3125	2004
23.01.2020 12:58:18	1	1	1	1	87.5	64.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.5625	2004
23.01.2020 12:58:19	1	1	1	1	87.5	64.5	0	30000	507.5268817	14856.08676	30000	0	0	30000	44.25	2004
23.01.2020 12:58:20	1	1	1	1	87.5	64.25	0	29905.213	481.7204301	14469.6002	30000	0	0	30000	44.3125	2004
23.01.2020 12:58:21	1	1	1	1	87.5	64.25	0	30000	524.7311828	16000.05436	30000	0	0	30000	44.125	2004
23.01.2020 12:58:22	1	1	1	1	87.5	64	0	29668.246	464.516129	13759.41076	30000	0	0	30000	44.25	2004
23.01.2020 12:58:23	1	1	1	1	87.5	64.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	44	2004
23.01.2020 12:58:24	1	1	1	1	87.5	64	0	26682.464	443.0107527	11705.48746	30000	0	0	30000	44.3125	2004
23.01.2020 12:58:25	1	1	1	1	87.5	64.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.8125	2004
23.01.2020 12:58:26	1	1	1	1	87.5	63.75	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	44.25	2004
23.01.2020 12:58:27	1	1	1	1	88	64.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.1875	2004
23.01.2020 12:58:28	1	1	1	1	88	64	0	28672.986	488.172043	14066.80619	30000	0	0	30000	43.9375	2004
23.01.2020 12:58:29	1	1	1	1	88	63.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.1875	2004
23.01.2020 12:58:30	1	1	1	1	88	64	0	29715.64	541.9354839	15733.42755	30000	0	0	30000	43.875	2004
23.01.2020 12:58:31	1	1	1	1	88	64.25	0	29763.033	535.483871	15911.99413	30000	0	0	30000	44.625	2004
23.01.2020 12:58:32	1	1	1	1	88	64.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	44	2004
23.01.2020 12:58:33	1	1	1	1	88	64	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:58:34	1	1	1	1	88	63.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.375	2004
23.01.2020 12:58:35	1	1	1	1	88	64.25	0	29668.246	486.0215054	14482.64616	30000	0	0	30000	44.0625	2004
23.01.2020 12:58:36	1	1	1	1	87.5	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.5	2004
23.01.2020 12:58:37	1	1	1	1	87.5	64.5	0	29146.919	511.827957	14918.05506	30000	0	0	30000	44.625	2004
23.01.2020 12:58:38	1	1	1	1	87.5	64.5	0	29763.033	488.172043	14423.93934	30000	0	0	30000	43.9375	2004
23.01.2020 12:58:39	1	1	1	1	87.5	63.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	44.4375	2004
23.01.2020 12:58:40	1	1	1	1	87.5	64.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.125	2004
23.01.2020 12:58:41	1	1	1	1	87.5	64	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	44.375	2004
23.01.2020 12:58:42	1	1	1	1	87.5	64.25	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.0625	2004
23.01.2020 12:58:43	1	1	1	1	87.5	64	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.6875	2004
23.01.2020 12:58:44	1	1	1	1	87.5	64.5	0	27440.758	494.6236559	13395.75463	30000	0	0	30000	44.4375	2004
23.01.2020 12:58:45	1	1	1	1	87.5	64.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	44.0625	2004
23.01.2020 12:58:46	1	1	1	1	87	64	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	44.0625	2004
23.01.2020 12:58:47	1	1	1	1	87	64	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.25	2004
23.01.2020 12:58:48	1	1	1	1	87	64.25	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	44.5	2004
23.01.2020 12:58:49	1	1	1	1	87	64.5	0	30000	516.1290323	15266.21912	30000	0	0	30000	44.375	2004
23.01.2020 12:58:50	1	1	1	1	87	64.25	0	28815.166	432.2580645	12455.63015	30000	0	0	30000	44.625	2004
23.01.2020 12:58:51	1	1	1	1	87	64.5	0	29431.28	537.6344086	15860.62566	30000	0	0	30000	44	2004
23.01.2020 12:58:52	1	1	1	1	87	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.8125	2004
23.01.2020 12:58:54	1	1	1	1	87	63.75	0	29431.28	552.688172	16013.10032	30000	0	0	30000	44.3125	2004
23.01.2020 12:58:55	1	1	1	1	87	64.25	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	44.625	2004
23.01.2020 12:58:56	1	1	1	1	87	64.5	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	44.3125	2004
23.01.2020 12:58:57	1	1	1	1	88.25	64.25	0	29146.919	455.9139785	13288.12546	30000	0	0	30000	44.5	2004
23.01.2020 12:58:58	1	1	1	1	88.25	64.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.4375	2004
23.01.2020 12:58:59	1	1	1	1	88.25	64.25	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:00	1	1	1	1	88.25	64.5	0	29383.886	546.2365591	16139.48305	30000	0	0	30000	44.4375	2004
23.01.2020 12:59:01	1	1	1	1	88.25	64.25	0	28009.479	486.0215054	13566.98285	30000	0	0	30000	44.1875	2004
23.01.2020 12:59:02	1	1	1	1	88.25	64	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	44.375	2004
23.01.2020 12:59:03	1	1	1	1	88.25	64.25	0	29573.46	544.0860215	15963.3626	30000	0	0	30000	44.3125	2004
23.01.2020 12:59:04	1	1	1	1	88.25	64.25	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	44.4375	2004
23.01.2020 12:59:11	1	1	1	1	88.25	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:11	1	1	1	1	88.25	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:11	1	1	1	1	88.25	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:11	1	1	1	1	88.25	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:11	1	1	1	1	88.25	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:11	1	1	1	1	88.25	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:11	1	1	1	1	88.25	64.5	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:12	1	1	1	1	88.25	64.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.875	2004
23.01.2020 12:59:13	1	1	1	1	88.25	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.1875	2004
23.01.2020 12:59:14	1	1	1	1	88.25	64	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	44.5	2004
23.01.2020 12:59:15	1	1	1	1	88.25	64.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.5	2004
23.01.2020 12:59:16	1	1	1	1	88.75	64.5	0	28009.479	445.1612903	12468.67611	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:17	1	1	1	1	88.75	64.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 12:59:18	1	1	1	1	88.75	64.25	0	28578.199	505.3763441	14442.6929	30000	0	0	30000	44.4375	2004
23.01.2020 12:59:19	1	1	1	1	88.75	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.3125	2004
23.01.2020 12:59:20	1	1	1	1	88.75	64.25	0	29052.133	460.2150538	13263.66428	30000	0	0	30000	44.3125	2004
23.01.2020 12:59:21	1	1	1	1	88.75	64.25	0	27630.332	451.6129032	12537.1674	30000	0	0	30000	43.5625	2004
23.01.2020 12:59:22	1	1	1	1	88.75	63.5	0	29857.82	486.0215054	14469.6002	30000	0	0	30000	44.3125	2004
23.01.2020 12:59:23	1	1	1	1	88.75	64.25	0	29573.46	483.8709677	14309.78719	30000	0	0	30000	43.875	2004
23.01.2020 12:59:24	1	1	1	1	88.75	63.75	0	27630.332	481.7204301	13287.31009	30000	0	0	30000	43.75	2004
23.01.2020 12:59:25	1	1	1	1	88.75	63.75	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:26	1	1	1	1	88.75	64.5	0	28009.479	486.0215054	13672.98127	30000	0	0	30000	44.4375	2004
23.01.2020 12:59:27	1	1	1	1	88.75	64.25	0	29905.213	496.7741935	14791.67233	30000	0	0	30000	44.125	2004
23.01.2020 12:59:28	1	1	1	1	88.75	64	0	28957.346	464.516129	13451.19996	30000	0	0	30000	44.1875	2004
23.01.2020 12:59:29	1	1	1	1	88.75	64	0	30000	518.2795699	15483.92357	30000	0	0	30000	44.25	2004
23.01.2020 12:59:30	1	1	1	1	88.75	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.1875	2004
23.01.2020 12:59:31	1	1	1	1	88.75	64	0	30000	509.6774194	15483.92357	30000	0	0	30000	44.3125	2004
23.01.2020 12:59:33	1	1	1	1	88.75	64.25	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	44.5	2004
23.01.2020 12:59:34	1	1	1	1	88.75	64.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.4375	2004
23.01.2020 12:59:35	1	1	1	1	88.75	64.25	0	27298.578	468.8172043	12856.79341	30000	0	0	30000	44.6875	2004
23.01.2020 12:59:36	1	1	1	1	88.75	64.5	0	29099.526	486.0215054	14079.85215	30000	0	0	30000	44.625	2004
23.01.2020 12:59:37	1	1	1	1	88.75	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.5	2004
23.01.2020 12:59:38	1	1	1	1	88.75	64.5	0	29526.066	544.0860215	16115.83725	30000	0	0	30000	44.125	2004
23.01.2020 12:59:39	1	1	1	1	88.75	64	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:40	1	1	1	1	88.75	64.5	0	29905.213	529.0322581	15934.82456	30000	0	0	30000	44.1875	2004
23.01.2020 12:59:41	1	1	1	1	88.75	64	0	29383.886	537.6344086	15734.24293	30000	0	0	30000	44.5	2004
23.01.2020 12:59:42	1	1	1	1	88.75	64.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.4375	2004
23.01.2020 12:59:43	1	1	1	1	88.75	64.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44.4375	2004
23.01.2020 12:59:44	1	1	1	1	88.75	64.25	0	29857.82	535.483871	16141.92917	30000	0	0	30000	44	2004
23.01.2020 12:59:45	1	1	1	1	88.75	64	0	29857.82	507.5268817	15129.23654	30000	0	0	30000	44.125	2004
23.01.2020 12:59:46	1	1	1	1	88.75	64	0	28815.166	494.6236559	14252.71111	30000	0	0	30000	44.4375	2004
23.01.2020 12:59:47	1	1	1	1	88.75	64.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.0625	2004
23.01.2020 12:59:48	1	1	1	1	88.75	64	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	44.375	2004
23.01.2020 12:59:49	1	1	1	1	88.75	64.75	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	44.375	2004
23.01.2020 12:59:50	1	1	1	1	88.75	64.25	0	29620.853	520.4301075	15415.43228	30000	0	0	30000	43.9375	2004
23.01.2020 12:59:51	1	1	1	1	88.75	63.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:52	1	1	1	1	88.75	64.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.4375	2004
23.01.2020 12:59:53	1	1	1	1	88.75	64.25	0	29099.526	548.3870968	16046.53059	30000	0	0	30000	44.5625	2004
23.01.2020 12:59:54	1	1	1	1	88.75	64.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.6875	2004
23.01.2020 12:59:55	1	1	1	1	88.75	64.5	0	28009.479	496.7741935	14034.19129	30000	0	0	30000	44.0625	2004
23.01.2020 12:59:56	1	1	1	1	88.75	64	0	28862.559	503.2258065	14609.84426	30000	0	0	30000	44.25	2004
23.01.2020 12:59:57	1	1	1	1	88.75	64.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.625	2004
23.01.2020 12:59:58	1	1	1	1	88.75	64.5	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	44.0625	2004
23.01.2020 12:59:59	1	1	1	1	88.75	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.5625	2004
23.01.2020 13:00:00	1	1	1	1	88.75	64.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.375	2004
23.01.2020 13:00:01	1	1	1	1	88.75	64.25	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:00:02	1	1	1	1	88.75	64.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	44.375	2004
23.01.2020 13:00:03	1	1	1	1	88.75	64.25	0	27962.085	488.172043	13747.18017	30000	0	0	30000	44.375	2004
23.01.2020 13:00:04	1	1	1	1	88.75	64.25	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	44.4375	2004
23.01.2020 13:00:05	1	1	1	1	88.75	64.25	0	29620.853	522.5806452	15758.7041	30000	0	0	30000	44.5625	2004
23.01.2020 13:00:12	1	1	1	1	89	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.5	2004
23.01.2020 13:00:12	1	1	1	1	89	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.5	2004
23.01.2020 13:00:12	1	1	1	1	89	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.5	2004
23.01.2020 13:00:12	1	1	1	1	89	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.5	2004
23.01.2020 13:00:12	1	1	1	1	89	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.5	2004
23.01.2020 13:00:12	1	1	1	1	89	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.5	2004
23.01.2020 13:00:12	1	1	1	1	89	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.5	2004
23.01.2020 13:00:13	1	1	1	1	89	64.5	0	28957.346	544.0860215	15879.37923	30000	0	0	30000	44.5	2004
23.01.2020 13:00:14	1	1	1	1	89	64.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.3125	2004
23.01.2020 13:00:15	1	1	1	1	89	64.25	0	29763.033	524.7311828	15464.35463	30000	0	0	30000	44.375	2004
23.01.2020 13:00:16	1	1	1	1	89	64.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.625	2004
23.01.2020 13:00:17	1	1	1	1	88.75	64.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.5	2004
23.01.2020 13:00:18	1	1	1	1	88.75	64.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.3125	2004
23.01.2020 13:00:19	1	1	1	1	88.75	64.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.1875	2004
23.01.2020 13:00:20	1	1	1	1	88.75	64	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	44.5	2004
23.01.2020 13:00:21	1	1	1	1	88.75	64.5	0	28815.166	496.7741935	14314.67942	30000	0	0	30000	44.4375	2004
23.01.2020 13:00:22	1	1	1	1	88.75	64.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44.375	2004
23.01.2020 13:00:23	1	1	1	1	88.75	64.25	0	29146.919	507.5268817	14918.05506	30000	0	0	30000	44.1875	2004
23.01.2020 13:00:24	1	1	1	1	88.75	64	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	44.4375	2004
23.01.2020 13:00:25	1	1	1	1	88.75	64.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.5625	2004
23.01.2020 13:00:26	1	1	1	1	88.75	64.5	0	29526.066	544.0860215	16281.35787	30000	0	0	30000	44.875	2004
23.01.2020 13:00:27	1	1	1	1	89.25	64.75	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	44.625	2004
23.01.2020 13:00:28	1	1	1	1	89.25	64.25	0	29383.886	541.9354839	16139.48305	30000	0	0	30000	44.625	2004
23.01.2020 13:00:29	1	1	1	1	89.25	64.5	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	44.5	2004
23.01.2020 13:00:30	1	1	1	1	89.25	64.5	0	27630.332	518.2795699	14319.57166	30000	0	0	30000	44.4375	2004
23.01.2020 13:00:31	1	1	1	1	89.25	64.25	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	44.3125	2004
23.01.2020 13:00:32	1	1	1	1	89.25	64.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.4375	2004
23.01.2020 13:00:33	1	1	1	1	89.25	64.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.625	2004
23.01.2020 13:00:34	1	1	1	1	89.25	64.5	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	44.3125	2004
23.01.2020 13:00:35	1	1	1	1	89.25	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.5625	2004
23.01.2020 13:00:36	1	1	1	1	89.5	64.5	0	29241.706	552.688172	16035.11538	30000	0	0	30000	44.5	2004
23.01.2020 13:00:37	1	1	1	1	89.5	64.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	43.75	2004
23.01.2020 13:00:38	1	1	1	1	89.5	63.75	0	29146.919	507.5268817	14604.13666	30000	0	0	30000	44.625	2004
23.01.2020 13:00:39	1	1	1	1	89.5	64.5	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	44.625	2004
23.01.2020 13:00:40	1	1	1	1	89.5	64.5	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	44.5	2004
23.01.2020 13:00:41	1	1	1	1	89.5	64.5	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	44.375	2004
23.01.2020 13:00:42	1	1	1	1	89.5	64.25	0	28815.166	505.3763441	14562.55266	30000	0	0	30000	44.625	2004
23.01.2020 13:00:43	1	1	1	1	89.5	64.5	0	29099.526	552.688172	16056.31506	30000	0	0	30000	43.75	2004
23.01.2020 13:00:44	1	1	1	1	89.5	63.75	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	44.125	2004
23.01.2020 13:00:45	1	1	1	1	89.5	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:00:46	1	1	1	1	89.5	64	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.1875	2004
23.01.2020 13:00:47	1	1	1	1	89.5	64	0	27203.791	445.1612903	11893.02313	30000	0	0	30000	44.1875	2004
23.01.2020 13:00:48	1	1	1	1	89.5	64	0	29336.493	552.688172	15972.33169	30000	0	0	30000	44.3125	2004
23.01.2020 13:00:49	1	1	1	1	89.5	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 13:00:51	1	1	1	1	89.5	64.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.5625	2004
23.01.2020 13:00:52	1	1	1	1	89.5	64.5	0	29431.28	526.8817204	15506.754	30000	0	0	30000	44.375	2004
23.01.2020 13:00:53	1	1	1	1	89.5	64.25	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	44.3125	2004
23.01.2020 13:00:54	1	1	1	1	89.5	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.0625	2004
23.01.2020 13:00:55	1	1	1	1	89.5	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.25	2004
23.01.2020 13:00:56	1	1	1	1	89.5	64.25	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	44.3125	2004
23.01.2020 13:00:57	1	1	1	1	89.25	64.25	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	44.5	2004
23.01.2020 13:00:58	1	1	1	1	89.25	64.5	0	26587.678	516.1290323	13493.59933	30000	0	0	30000	44.3125	2004
23.01.2020 13:00:59	1	1	1	1	89.25	64.25	0	25924.171	507.5268817	13156.85049	30000	0	0	30000	44.6875	2004
23.01.2020 13:01:00	1	1	1	1	89.25	64.5	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:01	1	1	1	1	89.25	64.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	44.375	2004
23.01.2020 13:01:02	1	1	1	1	89.25	64.25	0	29146.919	546.2365591	15894.87131	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:03	1	1	1	1	89.25	64.25	0	26255.924	511.827957	13518.87587	30000	0	0	30000	44.625	2004
23.01.2020 13:01:04	1	1	1	1	89.25	64.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	44.9375	2004
23.01.2020 13:01:05	1	1	1	1	89.25	64.75	0	25734.597	516.1290323	13275.0795	30000	0	0	30000	44.625	2004
23.01.2020 13:01:06	1	1	1	1	89.75	64.5	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	44.8125	2004
23.01.2020 13:01:07	1	1	1	1	89.75	64.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.625	2004
23.01.2020 13:01:14	1	1	1	1	89.75	64.25	0	28009.479	526.8817204	14757.42668	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:14	1	1	1	1	89.75	64.25	0	28009.479	526.8817204	14757.42668	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:14	1	1	1	1	89.75	64.25	0	28009.479	526.8817204	14757.42668	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:14	1	1	1	1	89.75	64.25	0	28009.479	526.8817204	14757.42668	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:14	1	1	1	1	89.75	64.25	0	28009.479	526.8817204	14757.42668	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:14	1	1	1	1	89.75	64.25	0	28009.479	526.8817204	14757.42668	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:14	1	1	1	1	89.75	64.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.25	2004
23.01.2020 13:01:15	1	1	1	1	89.75	64.25	0	29146.919	544.0860215	15998.42361	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:16	1	1	1	1	89.75	64.25	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:17	1	1	1	1	89.75	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.5625	2004
23.01.2020 13:01:18	1	1	1	1	89.75	64.5	0	28009.479	529.0322581	14938.43938	30000	0	0	30000	44.5	2004
23.01.2020 13:01:19	1	1	1	1	89.75	64.5	0	25924.171	503.2258065	13101.40516	30000	0	0	30000	44.3125	2004
23.01.2020 13:01:20	1	1	1	1	89.75	64.25	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	44.5	2004
23.01.2020 13:01:21	1	1	1	1	89.75	64.5	0	29668.246	516.1290323	15312.69535	30000	0	0	30000	44.5	2004
23.01.2020 13:01:22	1	1	1	1	89.75	64.5	0	29383.886	537.6344086	15949.50126	30000	0	0	30000	44.3125	2004
23.01.2020 13:01:23	1	1	1	1	89.75	64.25	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	44.625	2004
23.01.2020 13:01:24	1	1	1	1	89.75	64.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	44.5625	2004
23.01.2020 13:01:25	1	1	1	1	89.75	64.5	0	28862.559	455.9139785	13096.51292	30000	0	0	30000	44.25	2004
23.01.2020 13:01:26	1	1	1	1	89.5	64.25	0	28009.479	503.2258065	14094.52885	30000	0	0	30000	44.375	2004
23.01.2020 13:01:27	1	1	1	1	89.5	64.25	0	26303.318	443.0107527	11708.74895	30000	0	0	30000	44.375	2004
23.01.2020 13:01:29	1	1	1	1	89.5	64.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	44.25	2004
23.01.2020 13:01:30	1	1	1	1	89.5	64.25	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:01:31	1	1	1	1	89.5	64	0	29905.213	520.4301075	15691.84356	30000	0	0	30000	44.1875	2004
23.01.2020 13:01:32	1	1	1	1	89.5	64	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	44.5625	2004
23.01.2020 13:01:33	1	1	1	1	89.5	64.5	0	29099.526	492.4731183	14416.60098	30000	0	0	30000	43.8125	2004
23.01.2020 13:01:34	1	1	1	1	89.5	63.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:35	1	1	1	1	89.5	64.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:36	1	1	1	1	89.5	64.25	0	26113.744	503.2258065	13196.80374	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:37	1	1	1	1	89.5	64.25	0	28578.199	434.4086022	12476.01446	30000	0	0	30000	44.375	2004
23.01.2020 13:01:38	1	1	1	1	89.5	64.25	0	29431.28	516.1290323	15190.38948	30000	0	0	30000	44.5	2004
23.01.2020 13:01:39	1	1	1	1	89.5	64.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:40	1	1	1	1	89.5	64.25	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	44.25	2004
23.01.2020 13:01:41	1	1	1	1	89.5	64.25	0	29052.133	550.5376344	16046.53059	30000	0	0	30000	44.5625	2004
23.01.2020 13:01:42	1	1	1	1	89.5	64.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44.5625	2004
23.01.2020 13:01:43	1	1	1	1	89.5	64.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	43.75	2004
23.01.2020 13:01:44	1	1	1	1	89.5	63.75	0	26113.744	509.6774194	13309.32514	30000	0	0	30000	44.5	2004
23.01.2020 13:01:45	1	1	1	1	89.5	64.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.25	2004
23.01.2020 13:01:46	1	1	1	1	90	64.25	0	29052.133	546.2365591	15957.65499	30000	0	0	30000	43.3125	2004
23.01.2020 13:01:47	1	1	1	1	90	63.25	0	29241.706	544.0860215	15795.39586	30000	0	0	30000	44.4375	2004
23.01.2020 13:01:48	1	1	1	1	90	64.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	44.5	2004
23.01.2020 13:01:49	1	1	1	1	90	64.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	44.5625	2004
23.01.2020 13:01:50	1	1	1	1	90	64.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	44.1875	2004
23.01.2020 13:01:51	1	1	1	1	90	64	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	44.25	2004
23.01.2020 13:01:52	1	1	1	1	90	64.25	0	29289.1	481.7204301	14132.03599	30000	0	0	30000	44.5	2004
23.01.2020 13:01:53	1	1	1	1	90	64.5	0	29241.706	533.3333333	15595.6296	30000	0	0	30000	44.375	2004
23.01.2020 13:01:54	1	1	1	1	90	64.25	0	0	0	0	30000	0	8	30000	44.8125	2004
23.01.2020 13:01:55	1	1	1	1	90	64.75	0	9810.4265	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:01:56	1	1	1	1	89.75	64.5	0	10284.36	0	0	30000	0	0	30000	43.5	2004
23.01.2020 13:01:57	1	1	1	1	89.75	63.5	0	12085.308	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 13:01:58	1	1	1	1	89.75	64.5	0	12890.995	4.301075269	54.62995679	30000	0	0	30000	44.625	2004
23.01.2020 13:01:59	1	1	1	1	89.75	64.5	0	13601.896	10.75268817	145.9516756	30000	0	0	30000	44.5625	2004
23.01.2020 13:02:00	1	1	1	1	89.75	64.5	0	14312.796	12.90322581	216.8890822	30000	0	0	30000	44.625	2004
23.01.2020 13:02:01	1	1	1	1	89.75	64.5	0	14834.123	23.65591398	318.8106433	30000	0	0	30000	44.625	2004
23.01.2020 13:02:02	1	1	1	1	89.75	64.5	0	15876.777	34.40860215	512.0539233	30000	0	0	30000	44.5625	2004
23.01.2020 13:02:03	1	1	1	1	89.75	64.5	0	16303.318	36.55913978	596.0372897	30000	0	0	30000	44.625	2004
23.01.2020 13:02:04	1	1	1	1	89.75	64.5	0	17488.152	55.91397849	1017.584867	30000	0	0	30000	44.625	2004
23.01.2020 13:02:05	1	1	1	1	89.75	64.5	0	18293.839	64.51612903	1176.582502	30000	0	0	30000	44.5625	2004
23.01.2020 13:02:07	1	1	1	1	90.5	64.5	0	18483.412	64.51612903	1109.721958	30000	0	0	30000	44.625	2004
23.01.2020 13:02:08	1	1	1	1	90.5	64.5	0	19857.82	92.47311828	1878.618215	30000	0	0	30000	44.8125	2004
23.01.2020 13:02:09	1	1	1	1	90.5	64.75	0	20047.393	92.47311828	1853.341668	30000	0	0	30000	44.75	2004
23.01.2020 13:02:15	1	1	1	1	90.5	64.5	0	23459.716	174.1935484	3977.387003	30000	0	0	30000	44.875	2004
23.01.2020 13:02:15	1	1	1	1	90.5	64.5	0	23459.716	174.1935484	3977.387003	30000	0	0	30000	44.875	2004
23.01.2020 13:02:15	1	1	1	1	90.5	64.5	0	23459.716	174.1935484	3977.387003	30000	0	0	30000	44.875	2004
23.01.2020 13:02:15	1	1	1	1	90.5	64.5	0	23459.716	174.1935484	3977.387003	30000	0	0	30000	44.875	2004
23.01.2020 13:02:15	1	1	1	1	90.5	64.5	0	23459.716	174.1935484	3977.387003	30000	0	0	30000	44.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:02:15	1	1	1	1	90.5	64.5	0	23459.716	174.1935484	3977.387003	30000	0	0	30000	44.875	2004
23.01.2020 13:02:16	1	1	1	1	90.5	64.75	0	22511.848	159.1397849	3630.853695	30000	0	0	30000	44.625	2004
23.01.2020 13:02:17	1	1	1	1	91.25	64.5	0	23507.109	169.8924731	3993.694453	30000	0	0	30000	44.75	2004
23.01.2020 13:02:18	1	1	1	1	91.25	64.75	0	22464.455	150.5376344	3374.011361	30000	0	0	30000	44.625	2004
23.01.2020 13:02:19	1	1	1	1	91.25	64.5	0	22511.848	163.4408602	3630.853695	30000	0	0	30000	44.625	2004
23.01.2020 13:02:20	1	1	1	1	91.25	64.5	0	23080.569	169.8924731	3921.126301	30000	0	0	30000	44.6875	2004
23.01.2020 13:02:21	1	1	1	1	91.25	64.5	0	24218.009	169.8924731	4114.369581	30000	0	0	30000	45	2004
23.01.2020 13:02:22	1	1	1	1	91.25	65	0	23175.355	189.2473118	4285.597804	30000	0	0	30000	44.8125	2004
23.01.2020 13:02:23	1	1	1	1	91.25	64.75	0	24218.009	208.6021505	4999.864105	30000	0	0	30000	44.625	2004
23.01.2020 13:02:24	1	1	1	1	91.25	65	0	24928.91	206.4516129	5156.415623	30000	0	0	30000	44.5	2004
23.01.2020 13:02:25	1	1	1	1	91.25	64.5	0	26018.957	219.3548387	5706.792053	30000	0	0	30000	44.5	2004
23.01.2020 13:02:26	1	1	1	1	90	64.5	0	26777.251	260.2150538	6942.896747	30000	0	0	30000	44.5	2004
23.01.2020 13:02:27	1	1	1	1	90	64.5	0	25450.237	240.8602151	6129.970375	30000	0	0	30000	44.5625	2004
23.01.2020 13:02:28	1	1	1	1	90	64.5	0	25355.45	240.8602151	6107.139945	30000	0	0	30000	44.1875	2004
23.01.2020 13:02:29	1	1	1	1	90	64	0	25687.204	245.1612903	6308.53695	30000	0	0	30000	44.5	2004
23.01.2020 13:02:30	1	1	1	1	90	64.5	0	25924.171	262.3655914	6801.021934	30000	0	0	30000	44.4375	2004
23.01.2020 13:02:31	1	1	1	1	90	64.25	0	26350.711	247.311828	6516.456935	30000	0	0	30000	44.5625	2004
23.01.2020 13:02:32	1	1	1	1	90	64.5	0	27156.398	240.8602151	6540.918109	30000	0	0	30000	44.625	2004
23.01.2020 13:02:33	1	1	1	1	90	64.5	0	0	0	0	30000	0	8	30000	44.8125	2004
23.01.2020 13:02:34	1	1	1	1	90	64.75	0	9620.8531	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:02:35	1	1	1	1	90	64.75	0	11042.654	0	0	30000	0	0	30000	44.875	2004
23.01.2020 13:02:36	1	1	1	1	89.5	64.75	0	11753.555	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:02:37	1	1	1	1	89.5	64.5	0	12085.308	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:02:38	1	1	1	1	89.5	64.5	0	13175.355	2.150537634	27.72266464	30000	0	0	30000	44.75	2004
23.01.2020 13:02:39	1	1	1	1	89.5	64.75	0	14075.829	8.602150538	151.659283	30000	0	0	30000	44.625	2004
23.01.2020 13:02:40	1	1	1	1	89.5	64.5	0	14834.123	12.90322581	190.7971625	30000	0	0	30000	44.75	2004
23.01.2020 13:02:41	1	1	1	1	89.5	64.75	0	15308.057	19.35483871	295.9802136	30000	0	0	30000	44.625	2004
23.01.2020 13:02:42	1	1	1	1	89.5	64.5	0	14834.123	21.50537634	287.0111162	30000	0	0	30000	44.625	2004
23.01.2020 13:02:43	1	1	1	1	89.5	64.5	0	17109.005	38.70967742	588.6989373	30000	0	0	30000	44.625	2004
23.01.2020 13:02:44	1	1	1	1	89.5	64.5	0	17914.692	45.16129032	847.1720164	30000	0	0	30000	44.625	2004
23.01.2020 13:02:45	1	1	1	1	89.5	64.5	0	18672.986	55.91397849	1083.630038	30000	0	0	30000	44.625	2004
23.01.2020 13:02:46	1	1	1	1	89.5	64.5	0	17725.118	60.21505376	1067.322589	30000	0	0	30000	44.625	2004
23.01.2020 13:02:47	1	1	1	1	89.25	64.5	0	20189.573	83.87096774	1696.79015	30000	0	0	30000	44.6875	2004
23.01.2020 13:02:48	1	1	1	1	89.25	64.5	0	20616.114	103.2258065	1994.401109	30000	0	0	30000	44.5	2004
23.01.2020 13:02:49	1	1	1	1	89.25	64.5	0	21658.768	107.5268817	2364.580219	30000	0	0	30000	44.5625	2004
23.01.2020 13:02:50	1	1	1	1	89.25	64.5	0	21753.555	120.4301075	2619.791808	30000	0	0	30000	44.6875	2004
23.01.2020 13:02:51	1	1	1	1	89.25	64.5	0	21516.588	124.7311828	2683.390862	30000	0	0	30000	44.6875	2004
23.01.2020 13:02:52	1	1	1	1	89.25	64.5	0	22274.882	137.6344086	3113.092164	30000	0	0	30000	44.625	2004
23.01.2020 13:02:53	1	1	1	1	89.25	64.5	0	23364.929	152.688172	3567.254641	30000	0	0	30000	44.75	2004
23.01.2020 13:02:54	1	1	1	1	89.25	64.75	0	22559.242	159.1397849	3541.162721	30000	0	0	30000	44.6875	2004
23.01.2020 13:02:55	1	1	1	1	89.25	64.5	0	24407.583	169.8924731	4146.169108	30000	0	0	30000	44.5625	2004
23.01.2020 13:02:56	1	1	1	1	89.25	64.5	0	22748.815	178.4946237	4060.554997	30000	0	0	30000	44.625	2004
23.01.2020 13:02:57	1	1	1	1	89.25	64.5	0	23507.109	206.4516129	4853.097057	30000	0	0	30000	44.75	2004
23.01.2020 13:02:58	1	1	1	1	89.25	64.5	0	23507.109	206.4516129	4853.097057	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:02:59	1	1	1	1	89.25	64.75	0	23838.863	184.9462366	4408.71905	30000	0	0	30000	44.625	2004
23.01.2020 13:03:00	1	1	1	1	89.25	64.5	0	24218.009	206.4516129	5039.001984	30000	0	0	30000	44.5625	2004
23.01.2020 13:03:01	1	1	1	1	89.25	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	45.1875	2004
23.01.2020 13:03:02	1	1	1	1	89.25	65	0	22369.668	210.7526882	4724.268203	30000	0	0	30000	44.625	2004
23.01.2020 13:03:03	1	1	1	1	89.25	64.75	0	25734.597	230.1075269	5921.235018	30000	0	0	30000	44.625	2004
23.01.2020 13:03:04	1	1	1	1	89.25	64.5	0	24502.37	243.0107527	5953.849917	30000	0	0	30000	44.625	2004
23.01.2020 13:03:05	1	1	1	1	89.25	64.5	0	26208.531	270.9677419	7101.07901	30000	0	0	30000	44.625	2004
23.01.2020 13:03:06	1	1	1	1	89	64.5	0	27298.578	251.6129032	6986.111489	30000	0	0	30000	44.6875	2004
23.01.2020 13:03:09	1	1	1	1	89	64.5	0	24218.009	258.0645161	6249.830131	30000	0	0	30000	44.625	2004
23.01.2020 13:03:09	1	1	1	1	89	64.5	0	24218.009	258.0645161	6249.830131	30000	0	0	30000	44.625	2004
23.01.2020 13:03:09	1	1	1	1	89	64.5	0	25118.483	275.2688172	6914.35871	30000	0	0	30000	44.625	2004
23.01.2020 13:03:10	1	1	1	1	89	64.5	0		0		30000	0	8	30000	44.6875	2004
23.01.2020 13:03:17	1	1	1	1	88.75	64.5	0	13933.649	8.602150538	89.69097383	30000	0	0	30000	44.625	2004
23.01.2020 13:03:17	1	1	1	1	88.75	64.5	0	13933.649	8.602150538	89.69097383	30000	0	0	30000	44.625	2004
23.01.2020 13:03:17	1	1	1	1	88.75	64.5	0	13933.649	8.602150538	89.69097383	30000	0	0	30000	44.625	2004
23.01.2020 13:03:17	1	1	1	1	88.75	64.5	0	13933.649	8.602150538	89.69097383	30000	0	0	30000	44.625	2004
23.01.2020 13:03:17	1	1	1	1	88.75	64.5	0	13933.649	8.602150538	89.69097383	30000	0	0	30000	44.625	2004
23.01.2020 13:03:17	1	1	1	1	88.75	64.5	0	13933.649	8.602150538	89.69097383	30000	0	0	30000	44.625	2004
23.01.2020 13:03:17	1	1	1	1	88.75	64.5	0	13933.649	8.602150538	89.69097383	30000	0	0	30000	44.625	2004
23.01.2020 13:03:17	1	1	1	1	88.75	64.5	0	14976.303	12.90322581	225.0428071	30000	0	0	30000	44.625	2004
23.01.2020 13:03:18	1	1	1	1	88.75	64.5	0	15829.384	21.50537634	340.0103281	30000	0	0	30000	44.5	2004
23.01.2020 13:03:19	1	1	1	1	88.75	64.5	0	16492.891	27.95698925	460.6854565	30000	0	0	30000	44.5	2004
23.01.2020 13:03:20	1	1	1	1	88.75	64.5	0	16966.825	36.55913978	619.6830919	30000	0	0	30000	44.5625	2004
23.01.2020 13:03:21	1	1	1	1	88.75	64.5	0	18056.872	51.61290323	931.9707553	30000	0	0	30000	44.4375	2004
23.01.2020 13:03:22	1	1	1	1	88.75	64.25	0	18909.953	60.21505376	1138.259995	30000	0	0	30000	44.625	2004
23.01.2020 13:03:24	1	1	1	1	88.75	64.5	0	17251.185	53.76344086	964.5856549	30000	0	0	30000	44.625	2004
23.01.2020 13:03:25	1	1	1	1	88.75	64.5	0	18815.166	70.96774194	1334.764765	30000	0	0	30000	44.8125	2004
23.01.2020 13:03:26	1	1	1	1	88.75	64.75	0	20900.474	83.87096774	1748.97399	30000	0	0	30000	44.625	2004
23.01.2020 13:03:27	1	1	1	1	88.75	64.5	0	21943.128	113.9784946	2500.747425	30000	0	0	30000	44.625	2004
23.01.2020 13:03:28	1	1	1	1	88.75	64.5	0	21090.047	113.9784946	2408.610333	30000	0	0	30000	44.625	2004
23.01.2020 13:03:29	1	1	1	1	88.75	64.5	0	21943.128	129.0322581	2783.681679	30000	0	0	30000	44.625	2004
23.01.2020 13:03:30	1	1	1	1	88.75	64.5	0	22132.701	137.6344086	3046.23162	30000	0	0	30000	44.625	2004
23.01.2020 13:03:31	1	1	1	1	88.75	64.5	0	23649.289	144.0860215	3407.441633	30000	0	0	30000	44.5625	2004
23.01.2020 13:03:32	1	1	1	1	88.75	64.5	0	23838.863	152.688172	3639.822792	30000	0	0	30000	44.6875	2004
23.01.2020 13:03:33	1	1	1	1	88.75	64.5	0	22511.848	144.0860215	3243.551763	30000	0	0	30000	44.625	2004
23.01.2020 13:03:34	1	1	1	1	88.75	64.5	0	23933.649	152.688172	3653.684125	30000	0	0	30000	44.4375	2004
23.01.2020 13:03:35	1	1	1	1	88.75	64.25	0	23222.749	167.7419355	3895.034382	30000	0	0	30000	44.6875	2004
23.01.2020 13:03:36	1	1	1	1	88.75	64.5	0	24691.943	169.8924731	4194.276085	30000	0	0	30000	44.625	2004
23.01.2020 13:03:37	1	1	1	1	89.5	64.5	0	23886.256	169.8924731	4065.447232	30000	0	0	30000	44.625	2004
23.01.2020 13:03:38	1	1	1	1	89.5	64.5	0	22890.995	159.1397849	3642.26891	30000	0	0	30000	44.9375	2004
23.01.2020 13:03:39	1	1	1	1	89.5	64.75	0	23080.569	167.7419355	3771.913136	30000	0	0	30000	44.5625	2004
23.01.2020 13:03:40	1	1	1	1	89.5	64.5	0	23364.929	169.8924731	3969.233278	30000	0	0	30000	44.625	2004
23.01.2020 13:03:41	1	1	1	1	89.5	64	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44.5625	2004
23.01.2020 13:03:42	1	1	1	1	89.5	64.5	0	25165.877	225.8064516	5682.330878	30000	0	0	30000	44.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:03:43	1	1	1	1	89.5	64.75	0	26587.678	251.6129032	6518.08768	30000	0	0	30000	44.5625	2004
23.01.2020 13:03:44	1	1	1	1	89.5	64.5	0	26113.744	253.7634409	6570.271519	30000	0	0	30000	44.5625	2004
23.01.2020 13:03:45	1	1	1	1	89.5	64.5	0	21895.735	212.9032258	4671.268991	30000	0	0	30000	44.3125	2004
23.01.2020 13:03:46	1	1	1	1	88.75	64.25	0	25734.597	264.516129	6806.729541	30000	0	0	30000	44.625	2004
23.01.2020 13:03:47	1	1	1	1	88.75	64.5	0	26113.744	260.2150538	6850.759655	30000	0	0	30000	43.9375	2004
23.01.2020 13:03:48	1	1	1	1	88.75	63.75	0	23601.896	236.5591398	5419.780937	30000	0	0	30000	44.375	2004
23.01.2020 13:03:49	1	1	1	1	88.75	64.25	0	27867.299	273.1182796	7610.686815	30000	0	0	30000	44.6875	2004
23.01.2020 13:03:50	1	1	1	1	88.75	64.5	0	28341.232	281.7204301	7984.127416	30000	0	0	30000	44.3125	2004
23.01.2020 13:03:51	1	1	1	1	88.75	64.25	0	26445.498	277.4193548	7322.860327	30000	0	0	30000	44.625	2004
23.01.2020 13:03:52	1	1	1	1	88.75	64.5	0	25402.844	266.6666667	6840.975185	30000	0	0	30000	44.625	2004
23.01.2020 13:03:53	1	1	1	1	88.75	64.5	0	25687.204	277.4193548	7112.494224	30000	0	0	30000	44.75	2004
23.01.2020 13:03:54	1	1	1	1	88.75	64.75	0	26113.744	316.1290323	8367.352486	30000	0	0	30000	44.75	2004
23.01.2020 13:03:55	1	1	1	1	88.75	64.75	0	26919.431	316.1290323	8510.042671	30000	0	0	30000	44.625	2004
23.01.2020 13:03:56	1	1	1	1	87.75	64.5	0	26540.284	294.6236559	7648.19395	30000	0	0	30000	44.6875	2004
23.01.2020 13:03:57	1	1	1	1	87.75	64.5	0	26018.957	316.1290323	8224.6623	30000	0	0	30000	44.625	2004
23.01.2020 13:03:58	1	1	1	1	87.75	64.5	0	25734.597	281.7204301	7249.476803	30000	0	0	30000	44.625	2004
23.01.2020 13:03:59	1	1	1	1	87.75	64.5	0	26018.957	303.2258065	7889.544207	30000	0	0	30000	44.6875	2004
23.01.2020 13:04:01	1	1	1	1	87.75	64.5	0	25497.63	303.2258065	7745.223276	30000	0	0	30000	44.625	2004
23.01.2020 13:04:02	1	1	1	1	87.75	64.5	0	27867.299	309.6774194	8674.747914	30000	0	0	30000	44.625	2004
23.01.2020 13:04:03	1	1	1	1	87.75	64.5	0	26919.431	326.8817204	8799.499905	30000	0	0	30000	44.625	2004
23.01.2020 13:04:04	1	1	1	1	87.75	64.5	0	26682.464	329.0322581	8810.099747	30000	0	0	30000	44.625	2004
23.01.2020 13:04:05	1	1	1	1	87.75	64.5	0	27109.005	346.2365591	9385.752725	30000	0	0	30000	44.4375	2004
23.01.2020 13:04:06	1	1	1	1	87.75	64.25	0	27345.972	359.1397849	9820.346262	30000	0	0	30000	44.4375	2004
23.01.2020 13:04:07	1	1	1	1	87.5	64.25	0	28625.592	378.4946237	10968.39073	30000	0	0	30000	44.625	2004
23.01.2020 13:04:08	1	1	1	1	87.5	64.5	0	27819.905	389.2473118	10888.48422	30000	0	0	30000	44.625	2004
23.01.2020 13:04:09	1	1	1	1	87.5	64.5	0	27440.758	384.9462366	10563.1506	30000	0	0	30000	44.4375	2004
23.01.2020 13:04:10	1	1	1	1	87.5	64.25	0	23554.502	350.5376344	8256.461827	30000	0	0	30000	44.75	2004
23.01.2020 13:04:11	1	1	1	1	87.5	64.75	0	29336.493	443.0107527	12912.23874	30000	0	0	30000	44.25	2004
23.01.2020 13:04:12	1	1	1	1	87.5	64.25	0	28957.346	443.0107527	12765.47169	30000	0	0	30000	44.5625	2004
23.01.2020 13:04:18	1	1	1	1	87.5	64.25	0	27630.332	464.516129	12775.25616	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:18	1	1	1	1	87.5	64.25	0	27630.332	464.516129	12775.25616	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:18	1	1	1	1	87.5	64.25	0	27630.332	464.516129	12775.25616	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:18	1	1	1	1	87.5	64.25	0	27630.332	464.516129	12775.25616	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:18	1	1	1	1	87.5	64.25	0	27630.332	464.516129	12775.25616	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:18	1	1	1	1	87.5	64.25	0	27630.332	464.516129	12775.25616	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:19	1	1	1	1	87.5	64	0	28436.019	460.2150538	13086.72845	30000	0	0	30000	44.5625	2004
23.01.2020 13:04:20	1	1	1	1	87.5	64.5	0	28909.953	443.0107527	12785.85601	30000	0	0	30000	44.5	2004
23.01.2020 13:04:21	1	1	1	1	87.5	64.5	0	28388.626	464.516129	13187.01927	30000	0	0	30000	43.4375	2004
23.01.2020 13:04:22	1	1	1	1	87.5	63.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.625	2004
23.01.2020 13:04:23	1	1	1	1	87.5	64.5	0	28815.166	488.172043	14128.7745	30000	0	0	30000	44.4375	2004
23.01.2020 13:04:24	1	1	1	1	87.5	64.25	0	29052.133	496.7741935	14556.84505	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:25	1	1	1	1	87.5	64	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.25	2004
23.01.2020 13:04:26	1	1	1	1	87.25	64.25	0	28957.346	488.172043	14136.11285	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:04:27	1	1	1	1	87.25	64.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.625	2004
23.01.2020 13:04:28	1	1	1	1	87.25	64.5	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.5625	2004
23.01.2020 13:04:29	1	1	1	1	87.25	64.5	0	29146.919	466.6666667	13601.22849	30000	0	0	30000	43.9375	2004
23.01.2020 13:04:30	1	1	1	1	87.25	63.75	0	29810.427	518.2795699	15449.67793	30000	0	0	30000	44.625	2004
23.01.2020 13:04:31	1	1	1	1	87.25	64.5	0	29905.213	516.1290323	15459.4624	30000	0	0	30000	44.625	2004
23.01.2020 13:04:32	1	1	1	1	87.25	64.5	0	29952.607	498.9247312	15161.03607	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:33	1	1	1	1	87.25	64	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	44.4375	2004
23.01.2020 13:04:34	1	1	1	1	87.25	64.25	0	29905.213	490.3225806	14598.42905	30000	0	0	30000	43.8125	2004
23.01.2020 13:04:35	1	1	1	1	87.25	63.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:36	1	1	1	1	87	64	0	28009.479	481.7204301	13048.40595	30000	0	0	30000	44.5	2004
23.01.2020 13:04:37	1	1	1	1	87	64.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.125	2004
23.01.2020 13:04:38	1	1	1	1	87	64	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.6875	2004
23.01.2020 13:04:40	1	1	1	1	87	64.5	0	30000	516.1290323	15459.4624	30000	0	0	30000	44.625	2004
23.01.2020 13:04:41	1	1	1	1	87	64.5	0	29952.607	492.4731183	14750.9037	30000	0	0	30000	44.375	2004
23.01.2020 13:04:42	1	1	1	1	87	64.25	0	29763.033	488.172043	14616.36724	30000	0	0	30000	44.4375	2004
23.01.2020 13:04:43	1	1	1	1	87	64.25	0	29857.82	509.6774194	15153.69771	30000	0	0	30000	44.5	2004
23.01.2020 13:04:44	1	1	1	1	87	64.5	0	28578.199	511.827957	14626.96709	30000	0	0	30000	44	2004
23.01.2020 13:04:45	1	1	1	1	87	64	0	29573.46	501.0752688	14818.57962	30000	0	0	30000	44.625	2004
23.01.2020 13:04:46	1	1	1	1	87	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.4375	2004
23.01.2020 13:04:47	1	1	1	1	87.5	64.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.4375	2004
23.01.2020 13:04:48	1	1	1	1	87.5	64.25	0	28815.166	496.7741935	14066.80619	30000	0	0	30000	44.625	2004
23.01.2020 13:04:49	1	1	1	1	87.5	64.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	44.0625	2004
23.01.2020 13:04:50	1	1	1	1	87.5	64	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	44.375	2004
23.01.2020 13:04:51	1	1	1	1	87.5	64.25	0	29383.886	539.7849462	15860.62566	30000	0	0	30000	44.375	2004
23.01.2020 13:04:52	1	1	1	1	87.5	64.25	0	29668.246	546.2365591	16078.33012	30000	0	0	30000	44.375	2004
23.01.2020 13:04:53	1	1	1	1	87.5	64.25	0	28815.166	488.172043	14066.80619	30000	0	0	30000	43.75	2004
23.01.2020 13:04:54	1	1	1	1	87.5	63.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.625	2004
23.01.2020 13:04:55	1	1	1	1	87.5	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.5625	2004
23.01.2020 13:04:56	1	1	1	1	87.5	64.5	0	29526.066	524.7311828	15429.29362	30000	0	0	30000	44.4375	2004
23.01.2020 13:04:57	1	1	1	1	87.5	64.25	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	44.5625	2004
23.01.2020 13:04:58	1	1	1	1	87.5	64.5	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	44.1875	2004
23.01.2020 13:04:59	1	1	1	1	87.5	64	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	44.625	2004
23.01.2020 13:05:00	1	1	1	1	87.5	64.5	0	29289.1	544.0860215	15972.33169	30000	0	0	30000	44.5	2004
23.01.2020 13:05:01	1	1	1	1	87.5	64.5	0	29620.853	516.1290323	15288.23417	30000	0	0	30000	44.375	2004
23.01.2020 13:05:02	1	1	1	1	87.5	64.25	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	44.3125	2004
23.01.2020 13:05:03	1	1	1	1	87.5	64.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	44.375	2004
23.01.2020 13:05:04	1	1	1	1	87.5	64.25	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	44.25	2004
23.01.2020 13:05:05	1	1	1	1	87.5	64.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	44.5625	2004
23.01.2020 13:05:06	1	1	1	1	87.75	64.5	0	29620.853	524.7311828	15479.03134	30000	0	0	30000	44.4375	2004
23.01.2020 13:05:07	1	1	1	1	87.75	64.25	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	44.0625	2004
23.01.2020 13:05:08	1	1	1	1	87.75	64	0	29099.526	552.688172	15817.41092	30000	0	0	30000	44.125	2004
23.01.2020 13:05:09	1	1	1	1	87.75	64	0	29241.706	552.688172	16108.4989	30000	0	0	30000	44.125	2004
23.01.2020 13:05:10	1	1	1	1	87.75	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:05:11	1	1	1	1	87.75	64.25	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	44.6875	2004
23.01.2020 13:05:12	1	1	1	1	87.75	64.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.25	2004
23.01.2020 13:05:13	1	1	1	1	87.75	64.25	0	29052.133	496.7741935	14432.09306	30000	0	0	30000	44.0625	2004
23.01.2020 13:05:20	1	1	1	1	87.75	63.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	44.6875	2004
23.01.2020 13:05:20	1	1	1	1	87.75	63.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	44.6875	2004
23.01.2020 13:05:20	1	1	1	1	87.75	63.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	44.6875	2004
23.01.2020 13:05:20	1	1	1	1	87.75	63.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	44.6875	2004
23.01.2020 13:05:20	1	1	1	1	87.75	63.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	44.6875	2004
23.01.2020 13:05:20	1	1	1	1	87.75	63.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	44.6875	2004
23.01.2020 13:05:20	1	1	1	1	87.75	63.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	44.6875	2004
23.01.2020 13:05:21	1	1	1	1	87.75	64.5	0	28957.346	486.0215054	14011.36086	30000	0	0	30000	44.3125	2004
23.01.2020 13:05:22	1	1	1	1	87.75	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.25	2004
23.01.2020 13:05:23	1	1	1	1	87.75	64.25	0	28388.626	516.1290323	14652.24363	30000	0	0	30000	44.5	2004
23.01.2020 13:05:24	1	1	1	1	87.75	64.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	44.4375	2004
23.01.2020 13:05:25	1	1	1	1	87.75	64.25	0	29857.82	518.2795699	15474.1391	30000	0	0	30000	43.5625	2004
23.01.2020 13:05:26	1	1	1	1	87.75	63.5	0	29620.853	533.3333333	15797.84198	30000	0	0	30000	44.5	2004
23.01.2020 13:05:27	1	1	1	1	87.5	64.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.625	2004
23.01.2020 13:05:28	1	1	1	1	87.5	64.5	0	28957.346	481.7204301	13637.92026	30000	0	0	30000	44.1875	2004
23.01.2020 13:05:29	1	1	1	1	87.5	64	0	29052.133	481.7204301	13451.19996	30000	0	0	30000	44.4375	2004
23.01.2020 13:05:30	1	1	1	1	87.5	64.25	0	30000	516.1290323	15548.338	30000	0	0	30000	44.375	2004
23.01.2020 13:05:31	1	1	1	1	87.5	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.1875	2004
23.01.2020 13:05:32	1	1	1	1	87.5	64	0	30142.18	516.1290323	15483.92357	30000	0	0	30000	44.25	2004
23.01.2020 13:05:33	1	1	1	1	87.5	64.25	0	26113.744	455.9139785	12130.29652	30000	0	0	30000	44.625	2004
23.01.2020 13:05:34	1	1	1	1	87.5	64.5	0	30000	494.6236559	14815.31813	30000	0	0	30000	43.875	2004
23.01.2020 13:05:35	1	1	1	1	87.5	63.75	0	28625.592	481.7204301	13766.74911	30000	0	0	30000	44.25	2004
23.01.2020 13:05:36	1	1	1	1	87.75	64.25	0	26966.825	458.0645161	12352.07784	30000	0	0	30000	44.4375	2004
23.01.2020 13:05:37	1	1	1	1	87.75	64.25	0	29620.853	466.6666667	13823.00981	30000	0	0	30000	44.625	2004
23.01.2020 13:05:38	1	1	1	1	87.75	64.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.3125	2004
23.01.2020 13:05:39	1	1	1	1	87.75	63.25	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	44.0625	2004
23.01.2020 13:05:40	1	1	1	1	87.75	64	0	30000	509.6774194	15032.20721	30000	0	0	30000	44.0625	2004
23.01.2020 13:05:41	1	1	1	1	87.75	64	0	29573.46	483.8709677	14246.18813	30000	0	0	30000	44.125	2004
23.01.2020 13:05:42	1	1	1	1	87.75	64	0	28341.232	464.516129	13103.85128	30000	0	0	30000	44	2004
23.01.2020 13:05:43	1	1	1	1	87.75	64	0	29336.493	460.2150538	13394.12388	30000	0	0	30000	44.625	2004
23.01.2020 13:05:44	1	1	1	1	87.75	64.5	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	44.5625	2004
23.01.2020 13:05:45	1	1	1	1	87.75	64.5	0	28862.559	488.172043	14089.63662	30000	0	0	30000	44.625	2004
23.01.2020 13:05:46	1	1	1	1	87	64.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.4375	2004
23.01.2020 13:05:47	1	1	1	1	87	64.25	0	29905.213	520.4301075	15563.0147	30000	0	0	30000	44.5	2004
23.01.2020 13:05:48	1	1	1	1	87	64.5	0	29905.213	531.1827957	15885.08684	30000	0	0	30000	44.375	2004
23.01.2020 13:05:49	1	1	1	1	87	64.25	0	28009.479	453.7634409	12829.88612	30000	0	0	30000	44.4375	2004
23.01.2020 13:05:50	1	1	1	1	87	64.25	0	28625.592	481.7204301	13766.74911	30000	0	0	30000	44.1875	2004
23.01.2020 13:05:51	1	1	1	1	87	64	0	30000	516.1290323	15395.04797	30000	0	0	30000	44.5	2004
23.01.2020 13:05:52	1	1	1	1	87	64.5	0	30000	518.2795699	15548.338	30000	0	0	30000	44.5625	2004
23.01.2020 13:05:53	1	1	1	1	87	64.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.75	2004
23.01.2020 13:05:54	1	1	1	1	87	63.75	0	30000	518.2795699	15612.75243	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:05:56	1	1	1	1	87	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.375	2004
23.01.2020 13:05:57	1	1	1	1	87.25	64.25	0	29526.066	464.516129	13610.19759	30000	0	0	30000	43.875	2004
23.01.2020 13:05:58	1	1	1	1	87.25	63.75	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.5625	2004
23.01.2020 13:05:59	1	1	1	1	87.25	64.5	0	26255.924	458.0645161	12047.9439	30000	0	0	30000	44.5	2004
23.01.2020 13:06:00	1	1	1	1	87.25	64.5	0	30000	529.0322581	16000.05436	30000	0	0	30000	44.0625	2004
23.01.2020 13:06:01	1	1	1	1	87.25	64	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.8125	2004
23.01.2020 13:06:02	1	1	1	1	87.25	63.75	0	29715.64	488.172043	14506.29196	30000	0	0	30000	44.4375	2004
23.01.2020 13:06:03	1	1	1	1	87.25	64.25	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	43.75	2004
23.01.2020 13:06:04	1	1	1	1	87.25	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.5625	2004
23.01.2020 13:06:05	1	1	1	1	87.25	64.5	0	28862.559	445.1612903	12847.82431	30000	0	0	30000	44.4375	2004
23.01.2020 13:06:06	1	1	1	1	87.25	64.25	0	29952.607	501.0752688	14984.10024	30000	0	0	30000	44.5	2004
23.01.2020 13:06:07	1	1	1	1	87	64.5	0	29857.82	486.0215054	14534.01462	30000	0	0	30000	44.375	2004
23.01.2020 13:06:08	1	1	1	1	87	64.25	0	28862.559	486.0215054	14089.63662	30000	0	0	30000	44.375	2004
23.01.2020 13:06:09	1	1	1	1	87	64.25	0	29431.28	481.7204301	13712.11915	30000	0	0	30000	44.625	2004
23.01.2020 13:06:10	1	1	1	1	87	64.5	0	28862.559	427.9569892	12351.26247	30000	0	0	30000	44.5	2004
23.01.2020 13:06:11	1	1	1	1	87	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.5	2004
23.01.2020 13:06:12	1	1	1	1	87	64.5	0	30000	501.0752688	14791.67233	30000	0	0	30000	44.625	2004
23.01.2020 13:06:13	1	1	1	1	87	64.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.5625	2004
23.01.2020 13:06:14	1	1	1	1	87	63.5	0	29952.607	488.172043	14902.56299	30000	0	0	30000	44.1875	2004
23.01.2020 13:06:15	1	1	1	1	87	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
23.01.2020 13:06:22	1	1	1	1	87.5	64.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.4375	2004
23.01.2020 13:06:22	1	1	1	1	87.5	64.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.4375	2004
23.01.2020 13:06:22	1	1	1	1	87.5	64.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.4375	2004
23.01.2020 13:06:22	1	1	1	1	87.5	64.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.4375	2004
23.01.2020 13:06:22	1	1	1	1	87.5	64.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.4375	2004
23.01.2020 13:06:22	1	1	1	1	87.5	64.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.4375	2004
23.01.2020 13:06:22	1	1	1	1	87.5	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	44	2004
23.01.2020 13:06:23	1	1	1	1	87.5	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.375	2004
23.01.2020 13:06:24	1	1	1	1	87.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
23.01.2020 13:06:25	1	1	1	1	87.5	64.5	0	30000	481.7204301	14083.92901	30000	0	0	30000	44.3125	2004
23.01.2020 13:06:26	1	1	1	1	87.5	64.25	0	29905.213	427.9569892	12798.08659	30000	0	0	30000	44.375	2004
23.01.2020 13:06:27	1	1	1	1	87.5	64.25	0	30000	488.172043	14451.662	30000	0	0	30000	44.375	2004
23.01.2020 13:06:28	1	1	1	1	87.5	64.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.5	2004
23.01.2020 13:06:29	1	1	1	1	87.5	64.5	0	29905.213	468.8172043	14428.83157	30000	0	0	30000	44.125	2004
23.01.2020 13:06:30	1	1	1	1	87.5	64	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.6875	2004
23.01.2020 13:06:31	1	1	1	1	87.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
23.01.2020 13:06:32	1	1	1	1	87.5	64.25	0	29715.64	466.6666667	13867.03993	30000	0	0	30000	43.8125	2004
23.01.2020 13:06:33	1	1	1	1	87.5	63.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.625	2004
23.01.2020 13:06:35	1	1	1	1	87.5	64.5	0	29905.213	468.8172043	14516.07643	30000	0	0	30000	44.625	2004
23.01.2020 13:06:36	1	1	1	1	87.5	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.5625	2004
23.01.2020 13:06:37	1	1	1	1	87.25	64.5	0	28483.412	481.7204301	13721.08825	30000	0	0	30000	44.375	2004
23.01.2020 13:06:38	1	1	1	1	87.25	64.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.1875	2004
23.01.2020 13:06:39	1	1	1	1	87.25	64	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:06:40	1	1	1	1	87.25	64.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.5625	2004
23.01.2020 13:06:41	1	1	1	1	87.25	64.5	0	29952.607	509.6774194	15201.80469	30000	0	0	30000	44.625	2004
23.01.2020 13:06:42	1	1	1	1	87.25	64.5	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.5625	2004
23.01.2020 13:06:43	1	1	1	1	87.25	64.5	0	29715.64	496.7741935	14825.91797	30000	0	0	30000	44.5625	2004
23.01.2020 13:06:44	1	1	1	1	87.25	64.5	0	29905.213	505.3763441	15137.39026	30000	0	0	30000	43.6875	2004
23.01.2020 13:06:45	1	1	1	1	87.25	63.5	0	29241.706	464.516129	13413.69282	30000	0	0	30000	44.25	2004
23.01.2020 13:06:46	1	1	1	1	87.25	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.625	2004
23.01.2020 13:06:47	1	1	1	1	87.75	64.5	0	27345.972	481.7204301	13173.15794	30000	0	0	30000	44.625	2004
23.01.2020 13:06:48	1	1	1	1	87.75	64.5	0	29573.46	481.7204301	14269.01856	30000	0	0	30000	44.1875	2004
23.01.2020 13:06:49	1	1	1	1	87.75	64	0	29905.213	488.172043	14360.34028	30000	0	0	30000	44.0625	2004
23.01.2020 13:06:50	1	1	1	1	87.75	64	0	29952.607	518.2795699	15677.16685	30000	0	0	30000	44.4375	2004
23.01.2020 13:06:51	1	1	1	1	87.75	64.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44.3125	2004
23.01.2020 13:06:52	1	1	1	1	87.75	64.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.6875	2004
23.01.2020 13:06:53	1	1	1	1	87.75	64.5	0	29336.493	466.6666667	13627.32041	30000	0	0	30000	44.75	2004
23.01.2020 13:06:54	1	1	1	1	87.75	64.5	0	29905.213	488.172043	14622.07485	30000	0	0	30000	44.5	2004
23.01.2020 13:06:55	1	1	1	1	87.75	64.5	0	29099.526	466.6666667	13579.21344	30000	0	0	30000	44.625	2004
23.01.2020 13:06:56	1	1	1	1	87.5	64.5	0	29431.28	460.2150538	13481.36874	30000	0	0	30000	44.5	2004
23.01.2020 13:06:57	1	1	1	1	87.5	64.5	0	29573.46	468.8172043	13823.00981	30000	0	0	30000	44.5	2004
23.01.2020 13:06:58	1	1	1	1	87.5	64.5	0	29715.64	481.7204301	14291.84899	30000	0	0	30000	44.625	2004
23.01.2020 13:06:59	1	1	1	1	87.5	64.5	0	29620.853	483.8709677	14459.81573	30000	0	0	30000	44.75	2004
23.01.2020 13:07:00	1	1	1	1	87.5	64.75	0	29383.886	464.516129	13712.11915	30000	0	0	30000	44.5	2004
23.01.2020 13:07:01	1	1	1	1	87.5	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:02	1	1	1	1	87.5	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.625	2004
23.01.2020 13:07:03	1	1	1	1	87.5	64.5	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	44.75	2004
23.01.2020 13:07:04	1	1	1	1	87.5	64.75	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	44.4375	2004
23.01.2020 13:07:05	1	1	1	1	87.5	64.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	44.625	2004
23.01.2020 13:07:06	1	1	1	1	87.25	64.5	0	29810.427	537.6344086	15987.82377	30000	0	0	30000	44.375	2004
23.01.2020 13:07:07	1	1	1	1	87.25	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:08	1	1	1	1	87.25	64.5	0	29573.46	537.6344086	16052.2382	30000	0	0	30000	44.125	2004
23.01.2020 13:07:09	1	1	1	1	87.25	64	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	44.5	2004
23.01.2020 13:07:10	1	1	1	1	87.25	64.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.625	2004
23.01.2020 13:07:11	1	1	1	1	87.25	64.5	0	29715.64	483.8709677	14378.27848	30000	0	0	30000	44.625	2004
23.01.2020 13:07:13	1	1	1	1	87.25	64.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.8125	2004
23.01.2020 13:07:14	1	1	1	1	87.25	63.75	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:15	1	1	1	1	87.25	64.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.3125	2004
23.01.2020 13:07:16	1	1	1	1	87.25	64.25	0	29952.607	516.1290323	15435.00122	30000	0	0	30000	44.625	2004
23.01.2020 13:07:17	1	1	1	1	89	64.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	44.625	2004
23.01.2020 13:07:23	1	1	1	1	89	64.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.5	2004
23.01.2020 13:07:23	1	1	1	1	89	64.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.5	2004
23.01.2020 13:07:23	1	1	1	1	89	64.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.5	2004
23.01.2020 13:07:23	1	1	1	1	89	64.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.5	2004
23.01.2020 13:07:23	1	1	1	1	89	64.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.5	2004
23.01.2020 13:07:23	1	1	1	1	89	64.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:07:24	1	1	1	1	89	64.5	0	29241.706	464.516129	13413.69282	30000	0	0	30000	44.625	2004
23.01.2020 13:07:25	1	1	1	1	89	64.5	0	29620.853	466.6666667	13823.00981	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:26	1	1	1	1	89	64.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	44.4375	2004
23.01.2020 13:07:27	1	1	1	1	87.5	64.25	0	28625.592	460.2150538	13173.97331	30000	0	0	30000	44.125	2004
23.01.2020 13:07:28	1	1	1	1	87.5	64	0	29905.213	496.7741935	14879.73256	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:29	1	1	1	1	87.5	64.5	0	26540.284	468.8172043	12785.04063	30000	0	0	30000	44.75	2004
23.01.2020 13:07:30	1	1	1	1	87.5	64.75	0	29952.607	507.5268817	15137.39026	30000	0	0	30000	44.9375	2004
23.01.2020 13:07:31	1	1	1	1	87.5	64.75	0	28815.166	468.8172043	13571.05971	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:32	1	1	1	1	87.5	64.5	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	44.625	2004
23.01.2020 13:07:33	1	1	1	1	87.5	64.5	0	29905.213	529.0322581	16013.10032	30000	0	0	30000	43.75	2004
23.01.2020 13:07:34	1	1	1	1	87.5	63.75	0	29810.427	492.4731183	14680.78167	30000	0	0	30000	44.125	2004
23.01.2020 13:07:35	1	1	1	1	87.5	64	0	29715.64	507.5268817	15081.12956	30000	0	0	30000	44.625	2004
23.01.2020 13:07:36	1	1	1	1	88	64.5	0	29857.82	496.7741935	14832.44095	30000	0	0	30000	44.5	2004
23.01.2020 13:07:37	1	1	1	1	88	64.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:38	1	1	1	1	88	64.5	0	27298.578	496.7741935	13584.10567	30000	0	0	30000	44.4375	2004
23.01.2020 13:07:39	1	1	1	1	88	64.25	0	29431.28	537.6344086	15759.51947	30000	0	0	30000	44.3125	2004
23.01.2020 13:07:40	1	1	1	1	88	64.25	0	29905.213	503.2258065	14856.08676	30000	0	0	30000	44.25	2004
23.01.2020 13:07:41	1	1	1	1	88	64.25	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.75	2004
23.01.2020 13:07:42	1	1	1	1	88	64.75	0	29146.919	490.3225806	14291.03362	30000	0	0	30000	44.25	2004
23.01.2020 13:07:43	1	1	1	1	88	64.25	0	29715.64	509.6774194	15144.72862	30000	0	0	30000	44.625	2004
23.01.2020 13:07:44	1	1	1	1	88	64.5	0	29526.066	539.7849462	15784.79602	30000	0	0	30000	44.625	2004
23.01.2020 13:07:45	1	1	1	1	88	64.5	0	28483.412	445.1612903	12679.04221	30000	0	0	30000	44.625	2004
23.01.2020 13:07:46	1	1	1	1	88.5	64.5	0	28578.199	488.172043	13951.02329	30000	0	0	30000	44.3125	2004
23.01.2020 13:07:47	1	1	1	1	88.5	64.25	0	26445.498	488.172043	12956.26886	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:48	1	1	1	1	88.5	64.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.625	2004
23.01.2020 13:07:50	1	1	1	1	88.5	64.5	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	44.625	2004
23.01.2020 13:07:51	1	1	1	1	88.5	64.5	0	27630.332	425.8064516	11705.48746	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:52	1	1	1	1	88.5	64.5	0	29715.64	522.5806452	15400.75558	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:53	1	1	1	1	88.5	64.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	44.1875	2004
23.01.2020 13:07:54	1	1	1	1	88.5	64	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.5625	2004
23.01.2020 13:07:55	1	1	1	1	88.5	64.5	0	29526.066	539.7849462	15848.39508	30000	0	0	30000	44.3125	2004
23.01.2020 13:07:56	1	1	1	1	88.5	64.25	0	28815.166	494.6236559	14314.67942	30000	0	0	30000	44.3125	2004
23.01.2020 13:07:57	1	1	1	1	88.25	64.25	0	27109.005	498.9247312	13443.04623	30000	0	0	30000	44.8125	2004
23.01.2020 13:07:58	1	1	1	1	88.25	64.75	0	26919.431	501.0752688	13512.35289	30000	0	0	30000	44.4375	2004
23.01.2020 13:07:59	1	1	1	1	88.25	64.25	0	29905.213	522.5806452	15514.09235	30000	0	0	30000	43.9375	2004
23.01.2020 13:08:00	1	1	1	1	88.25	63.75	0	29241.706	554.8387097	16046.53059	30000	0	0	30000	44.5625	2004
23.01.2020 13:08:01	1	1	1	1	88.25	64.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	44.625	2004
23.01.2020 13:08:02	1	1	1	1	88.25	64.5	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	44.1875	2004
23.01.2020 13:08:03	1	1	1	1	88.25	64	0	29526.066	541.9354839	16217.75881	30000	0	0	30000	43.8125	2004
23.01.2020 13:08:04	1	1	1	1	88.25	63.75	0	29810.427	507.5268817	15217.29677	30000	0	0	30000	44.25	2004
23.01.2020 13:08:05	1	1	1	1	88.25	64.25	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	44.3125	2004
23.01.2020 13:08:06	1	1	1	1	88.25	64.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	44.5	2004
23.01.2020 13:08:07	1	1	1	1	88.25	64.5	0	27582.938	498.9247312	13702.33468	30000	0	0	30000	44.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:08:08	1	1	1	1	88.25	64.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	44.4375	2004
23.01.2020 13:08:09	1	1	1	1	88.25	64.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.375	2004
23.01.2020 13:08:10	1	1	1	1	88.25	64.25	0	29052.133	546.2365591	15806.81108	30000	0	0	30000	44.5625	2004
23.01.2020 13:08:11	1	1	1	1	88.25	64.5	0	29383.886	541.9354839	16203.08211	30000	0	0	30000	43.8125	2004
23.01.2020 13:08:12	1	1	1	1	88.25	63.75	0	29478.673	496.7741935	14644.08991	30000	0	0	30000	44.375	2004
23.01.2020 13:08:13	1	1	1	1	88.25	64.25	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	44.3125	2004
23.01.2020 13:08:14	1	1	1	1	88.25	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.625	2004
23.01.2020 13:08:15	1	1	1	1	88.25	64.5	0	29905.213	492.4731183	14575.59862	30000	0	0	30000	44.25	2004
23.01.2020 13:08:16	1	1	1	1	88.75	64.25	0	29952.607	498.9247312	14984.10024	30000	0	0	30000	44.5	2004
23.01.2020 13:08:17	1	1	1	1	88.75	64.5	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	44.0625	2004
23.01.2020 13:08:18	1	1	1	1	88.75	64	0	29905.213	483.8709677	14493.246	30000	0	0	30000	44.25	2004
23.01.2020 13:08:25	1	1	1	1	88.75	64.75	0	29857.82	507.5268817	15153.69771	30000	0	0	30000	44.25	2004
23.01.2020 13:08:25	1	1	1	1	88.75	64.75	0	29857.82	507.5268817	15153.69771	30000	0	0	30000	44.25	2004
23.01.2020 13:08:25	1	1	1	1	88.75	64.75	0	29857.82	507.5268817	15153.69771	30000	0	0	30000	44.25	2004
23.01.2020 13:08:25	1	1	1	1	88.75	64.75	0	29857.82	507.5268817	15153.69771	30000	0	0	30000	44.25	2004
23.01.2020 13:08:25	1	1	1	1	88.75	64.75	0	29857.82	507.5268817	15153.69771	30000	0	0	30000	44.25	2004
23.01.2020 13:08:25	1	1	1	1	88.75	64.75	0	29857.82	507.5268817	15153.69771	30000	0	0	30000	44.25	2004
23.01.2020 13:08:25	1	1	1	1	88.75	64.25	0	25355.45	427.9569892	10830.59278	30000	0	0	30000	44.1875	2004
23.01.2020 13:08:26	1	1	1	1	89	64	0	28199.052	486.0215054	13644.44324	30000	0	0	30000	44.4375	2004
23.01.2020 13:08:27	1	1	1	1	89	64.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.625	2004
23.01.2020 13:08:29	1	1	1	1	89	64.5	0	29810.427	503.2258065	15064.82211	30000	0	0	30000	44.125	2004
23.01.2020 13:08:30	1	1	1	1	89	64	0	24976.303	445.1612903	11097.21958	30000	0	0	30000	44.375	2004
23.01.2020 13:08:31	1	1	1	1	89	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.6875	2004
23.01.2020 13:08:32	1	1	1	1	89	64.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43.6875	2004
23.01.2020 13:08:33	1	1	1	1	89	63.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.3125	2004
23.01.2020 13:08:34	1	1	1	1	89	64.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.375	2004
23.01.2020 13:08:35	1	1	1	1	89	64.25	0	29383.886	466.6666667	13712.11915	30000	0	0	30000	44.625	2004
23.01.2020 13:08:36	1	1	1	1	89	64.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.1875	2004
23.01.2020 13:08:37	1	1	1	1	90	64	0	29526.066	466.6666667	13778.16432	30000	0	0	30000	44.4375	2004
23.01.2020 13:08:38	1	1	1	1	90	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.625	2004
23.01.2020 13:08:39	1	1	1	1	90	64.5	0	29952.607	505.3763441	15201.80469	30000	0	0	30000	44.1875	2004
23.01.2020 13:08:40	1	1	1	1	90	64	0	28862.559	507.5268817	14648.16677	30000	0	0	30000	44.125	2004
23.01.2020 13:08:41	1	1	1	1	90	64	0	29526.066	529.0322581	15836.16449	30000	0	0	30000	44.625	2004
23.01.2020 13:08:42	1	1	1	1	90	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.6875	2004
23.01.2020 13:08:43	1	1	1	1	90	64.5	0	29905.213	537.6344086	15962.54722	30000	0	0	30000	44.3125	2004
23.01.2020 13:08:44	1	1	1	1	90	64.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.25	2004
23.01.2020 13:08:45	1	1	1	1	90	64.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.5625	2004
23.01.2020 13:08:46	1	1	1	1	90	64.5	0	29573.46	539.7849462	15861.44103	30000	0	0	30000	44.6875	2004
23.01.2020 13:08:47	1	1	1	1	89	64.5	0	29857.82	511.827957	15435.00122	30000	0	0	30000	44.625	2004
23.01.2020 13:08:48	1	1	1	1	89	64.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	44	2004
23.01.2020 13:08:49	1	1	1	1	89	64	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	44.4375	2004
23.01.2020 13:08:50	1	1	1	1	89	64.75	0	29810.427	501.0752688	15001.22306	30000	0	0	30000	44.5625	2004
23.01.2020 13:08:51	1	1	1	1	89	64.5	0	29905.213	522.5806452	15652.70568	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:08:52	1	1	1	1	89	64	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.1875	2004
23.01.2020 13:08:53	1	1	1	1	89	64	0	29620.853	526.8817204	15542.63039	30000	0	0	30000	44.625	2004
23.01.2020 13:08:54	1	1	1	1	89	64.5	0	28815.166	464.516129	13447.12309	30000	0	0	30000	44.5625	2004
23.01.2020 13:08:55	1	1	1	1	89	64.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.0625	2004
23.01.2020 13:08:56	1	1	1	1	88.75	64	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.25	2004
23.01.2020 13:08:57	1	1	1	1	88.75	64.25	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	44.5625	2004
23.01.2020 13:08:58	1	1	1	1	88.75	64.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.375	2004
23.01.2020 13:08:59	1	1	1	1	88.75	64.25	0	29668.246	539.7849462	16078.33012	30000	0	0	30000	44.4375	2004
23.01.2020 13:09:00	1	1	1	1	88.75	64.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.1875	2004
23.01.2020 13:09:01	1	1	1	1	88.75	64	0	27630.332	460.2150538	12715.73397	30000	0	0	30000	44.625	2004
23.01.2020 13:09:02	1	1	1	1	88.75	64.5	0	28815.166	496.7741935	14314.67942	30000	0	0	30000	44	2004
23.01.2020 13:09:03	1	1	1	1	88.75	64	0	29810.427	531.1827957	15720.38159	30000	0	0	30000	44.5625	2004
23.01.2020 13:09:04	1	1	1	1	88.75	64.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	44.625	2004
23.01.2020 13:09:05	1	1	1	1	88.75	64.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	44.625	2004
23.01.2020 13:09:07	1	1	1	1	89	64.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.4375	2004
23.01.2020 13:09:08	1	1	1	1	89	64.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.4375	2004
23.01.2020 13:09:09	1	1	1	1	89	64.25	0	29289.1	481.7204301	14132.03599	30000	0	0	30000	44.25	2004
23.01.2020 13:09:10	1	1	1	1	89	64.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.5625	2004
23.01.2020 13:09:11	1	1	1	1	89	64.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	43.6875	2004
23.01.2020 13:09:12	1	1	1	1	89	63.5	0	29810.427	501.0752688	15024.86886	30000	0	0	30000	44.625	2004
23.01.2020 13:09:13	1	1	1	1	89	64.5	0	29715.64	488.172043	14506.29196	30000	0	0	30000	44.5625	2004
23.01.2020 13:09:14	1	1	1	1	89	64.5	0	24549.763	445.1612903	11107.81942	30000	0	0	30000	44.25	2004
23.01.2020 13:09:15	1	1	1	1	89	64.25	0	29431.28	501.0752688	14746.82684	30000	0	0	30000	44.625	2004
23.01.2020 13:09:16	1	1	1	1	89	64.5	0	28341.232	481.7204301	13652.59696	30000	0	0	30000	44.6875	2004
23.01.2020 13:09:17	1	1	1	1	89.5	64.5	0	29952.607	507.5268817	15201.80469	30000	0	0	30000	44.5	2004
23.01.2020 13:09:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 13:09:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23.01.2020 13:09:20	1	0	1	1	87.5	20	0	0	0	0	30000	0	0	30000	0	2004
23.01.2020 13:09:26	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:09:26	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:09:26	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:09:26	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:09:26	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:09:27	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:09:27	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:09:28	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
23.01.2020 13:09:29	1	1	1	1	87.5	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
23.01.2020 13:09:30	1	1	1	1	89.75	64.75	0	10142.18	0	0	30000	0	0	30000	44.75	2004
23.01.2020 13:09:31	1	1	1	1	89.75	64.75	0	10616.114	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:09:32	1	1	1	1	89.75	64.5	0	10900.474	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:09:33	1	1	1	1	89.75	64.5	0	12369.668	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:09:34	1	1	1	1	89.75	64.5	0	13127.962	4.301075269	56.26070176	30000	0	0	30000	44.6875	2004
23.01.2020 13:09:35	1	1	1	1	89.75	64.5	0	13791.469	6.451612903	88.87560134	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:09:36	1	1	1	1	89.75	64.75	0	14644.55	12.90322581	189.1664175	30000	0	0	30000	44.5625	2004
23.01.2020 13:09:37	1	1	1	1	89.75	64.5	0	15450.237	21.50537634	298.4263311	30000	0	0	30000	44.625	2004
23.01.2020 13:09:38	1	1	1	1	89.75	64.5	0	16161.137	25.80645161	416.655342	30000	0	0	30000	44.75	2004
23.01.2020 13:09:39	1	1	1	1	89.75	64.75	0	17014.218	32.25806452	585.4374473	30000	0	0	30000	44.625	2004
23.01.2020 13:09:40	1	1	1	1	89.25	64.5	0	17772.512	47.31182796	802.3265295	30000	0	0	30000	44.6875	2004
23.01.2020 13:09:41	1	1	1	1	89.25	64.5	0	17962.085	51.61290323	927.0785204	30000	0	0	30000	44.625	2004
23.01.2020 13:09:42	1	1	1	1	89.25	64.5	0	19004.739	58.06451613	1143.967603	30000	0	0	30000	44.75	2004
23.01.2020 13:09:44	1	1	1	1	89.25	64.75	0	19952.607	70.96774194	1408.963662	30000	0	0	30000	44.6875	2004
23.01.2020 13:09:45	1	1	1	1	89.25	64.5	0	20853.081	94.62365591	1973.201424	30000	0	0	30000	44.75	2004
23.01.2020 13:09:46	1	1	1	1	89.25	64.75	0	21563.981	105.3763441	2271.627755	30000	0	0	30000	44.625	2004
23.01.2020 13:09:47	1	1	1	1	89.25	64.5	0	22369.668	122.5806452	2742.097682	30000	0	0	30000	44.875	2004
23.01.2020 13:09:48	1	1	1	1	89.25	64.75	0	23222.749	152.688172	3545.239584	30000	0	0	30000	44.5625	2004
23.01.2020 13:09:49	1	1	1	1	89.25	64.5	0	23838.863	184.9462366	4357.350583	30000	0	0	30000	45.125	2004
23.01.2020 13:09:50	1	1	1	1	89.25	65	0	24454.976	193.5483871	4723.452831	30000	0	0	30000	45.125	2004
23.01.2020 13:09:51	1	1	1	1	89.25	65	0	25308.057	219.3548387	5540.456065	30000	0	0	30000	44.8125	2004
23.01.2020 13:09:52	1	1	1	1	89.25	65	0	26208.531	266.6666667	6907.020357	30000	0	0	30000	44.625	2004
23.01.2020 13:09:53	1	1	1	1	89.25	64.5	0	24407.583	260.2150538	6533.579757	30000	0	0	30000	44.625	2004
23.01.2020 13:09:54	1	1	1	1	89.25	64.5	0	27440.758	331.1827957	9028.619574	30000	0	0	30000	44.625	2004
23.01.2020 13:09:55	1	1	1	1	89.25	64.5	0	28436.019	350.5376344	9967.928682	30000	0	0	30000	44.6875	2004
23.01.2020 13:09:56	1	1	1	1	89.25	64.5	0	29099.526	425.8064516	12390.40035	30000	0	0	30000	44.5625	2004
23.01.2020 13:09:57	1	1	1	1	89.25	64.5	0	28957.346	494.6236559	14322.83315	30000	0	0	30000	43.875	2004
23.01.2020 13:09:58	1	1	1	1	89.25	63.75	0	29715.64	488.172043	14506.29196	30000	0	0	30000	44.5625	2004
23.01.2020 13:09:59	1	1	1	1	89.25	64.5	0	29905.213	509.6774194	15241.75794	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:00	1	1	1	1	88	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.5625	2004
23.01.2020 13:10:01	1	1	1	1	88	64.5	0	28009.479	507.5268817	14215.20398	30000	0	0	30000	44.5	2004
23.01.2020 13:10:02	1	1	1	1	88	64.5	0	28436.019	481.7204301	13698.25782	30000	0	0	30000	43.9375	2004
23.01.2020 13:10:03	1	1	1	1	88	63.75	0	29952.607	544.0860215	16322.12649	30000	0	0	30000	44.5625	2004
23.01.2020 13:10:04	1	1	1	1	88	64.5	0	29146.919	464.516129	13539.26019	30000	0	0	30000	44.625	2004
23.01.2020 13:10:05	1	1	1	1	88	64.5	0	29952.607	537.6344086	16103.60666	30000	0	0	30000	44.75	2004
23.01.2020 13:10:06	1	1	1	1	88	64.75	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	44.625	2004
23.01.2020 13:10:07	1	1	1	1	88	64.5	0	29857.82	520.4301075	15627.42913	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:08	1	1	1	1	88	64.5	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	44.125	2004
23.01.2020 13:10:09	1	1	1	1	88	64	0	27630.332	455.9139785	12656.21178	30000	0	0	30000	43.9375	2004
23.01.2020 13:10:10	1	1	1	1	89.5	63.75	0	28293.839	524.7311828	14957.19294	30000	0	0	30000	44.625	2004
23.01.2020 13:10:11	1	1	1	1	89.5	64.5	0	29620.853	483.8709677	14506.29196	30000	0	0	30000	44.5	2004
23.01.2020 13:10:12	1	1	1	1	89.5	64.5	0	29905.213	507.5268817	15241.75794	30000	0	0	30000	44.625	2004
23.01.2020 13:10:13	1	1	1	1	89.5	64.5	0	29431.28	488.172043	14132.03599	30000	0	0	30000	44.375	2004
23.01.2020 13:10:14	1	1	1	1	89.5	64.25	0	29573.46	492.4731183	14564.1834	30000	0	0	30000	44.4375	2004
23.01.2020 13:10:15	1	1	1	1	89.5	64.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	43.5	2004
23.01.2020 13:10:16	1	1	1	1	89.5	63.5	0	29241.706	466.6666667	13601.22849	30000	0	0	30000	44.3125	2004
23.01.2020 13:10:17	1	1	1	1	89.5	64.25	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.625	2004
23.01.2020 13:10:18	1	1	1	1	89.5	64.5	0	25308.057	445.1612903	11287.20137	30000	0	0	30000	44.1875	2004
23.01.2020 13:10:19	1	1	1	1	89.5	64	0	29905.213	501.0752688	15008.56141	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:10:20	1	1	1	1	86.25	64.25	0	10426.54	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:21	1	1	1	1	86.25	64.5	0	11279.621	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:28	1	1	1	1	86.25	64.5	0	15829.384	25.80645161	375.0713451	30000	0	0	30000	44.625	2004
23.01.2020 13:10:28	1	1	1	1	86.25	64.5	0	15829.384	25.80645161	375.0713451	30000	0	0	30000	44.625	2004
23.01.2020 13:10:28	1	1	1	1	86.25	64.5	0	15829.384	25.80645161	375.0713451	30000	0	0	30000	44.625	2004
23.01.2020 13:10:28	1	1	1	1	86.25	64.5	0	15829.384	25.80645161	375.0713451	30000	0	0	30000	44.625	2004
23.01.2020 13:10:28	1	1	1	1	86.25	64.5	0	15829.384	25.80645161	375.0713451	30000	0	0	30000	44.625	2004
23.01.2020 13:10:28	1	1	1	1	86.25	64.5	0	15829.384	25.80645161	375.0713451	30000	0	0	30000	44.625	2004
23.01.2020 13:10:28	1	1	1	1	86.25	64.5	0	15829.384	25.80645161	375.0713451	30000	0	0	30000	44.625	2004
23.01.2020 13:10:29	1	1	1	1	86.25	64.5	0	16492.891	27.95698925	460.6854565	30000	0	0	30000	45.1875	2004
23.01.2020 13:10:30	1	1	1	1	86.25	65	0	17298.578	38.70967742	631.9136792	30000	0	0	30000	44.8125	2004
23.01.2020 13:10:31	1	1	1	1	89.25	64.75	0	9810.4265	0	0	30000	0	0	30000	44.75	2004
23.01.2020 13:10:32	1	1	1	1	89.25	64.75	0	10616.114	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:33	1	1	1	1	89.25	64.5	0	11848.341	0	0	30000	0	0	30000	44.75	2004
23.01.2020 13:10:34	1	1	1	1	89.25	64.75	0	12037.915	0	0	30000	0	0	30000	44.75	2004
23.01.2020 13:10:35	1	1	1	1	89.25	64.75	0	12464.455	2.150537634	26.09191966	30000	0	0	30000	44.75	2004
23.01.2020 13:10:36	1	1	1	1	89.25	64.75	0	14123.223	8.602150538	121.4905009	30000	0	0	30000	44.8125	2004
23.01.2020 13:10:37	1	1	1	1	89.25	64.75	0	14218.009	12.90322581	338.3795831	30000	0	0	30000	44.625	2004
23.01.2020 13:10:38	1	1	1	1	89.25	64.5	0	14549.763	17.20430108	218.5198271	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:39	1	1	1	1	89.25	64.5	0	16350.711	27.95698925	421.547577	30000	0	0	30000	44.75	2004
23.01.2020 13:10:40	1	1	1	1	88.75	64.75	0	17251.185	38.70967742	667.7900688	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:41	1	1	1	1	88.75	64.5	0	18056.872	51.61290323	929.5246378	30000	0	0	30000	44.625	2004
23.01.2020 13:10:42	1	1	1	1	88.75	64.5	0	16682.464	43.01075269	753.4041801	30000	0	0	30000	44.625	2004
23.01.2020 13:10:43	1	1	1	1	88.75	64.5	0	19099.526	60.21505376	1149.67521	30000	0	0	30000	44.875	2004
23.01.2020 13:10:44	1	1	1	1	88.75	64.75	0	20331.754	83.87096774	1704.943875	30000	0	0	30000	44.8125	2004
23.01.2020 13:10:45	1	1	1	1	88.75	64.75	0	21090.047	103.2258065	2177.044547	30000	0	0	30000	44.625	2004
23.01.2020 13:10:46	1	1	1	1	88.75	64.5	0	19810.427	94.62365591	1921.017585	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:47	1	1	1	1	88.75	64.5	0	22748.815	137.6344086	3131.030359	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:48	1	1	1	1	88.75	64.5	0	22748.815	137.6344086	3131.030359	30000	0	0	30000	44.75	2004
23.01.2020 13:10:49	1	1	1	1	88.75	64.75	0	24218.009	195.6989247	4999.864105	30000	0	0	30000	44.625	2004
23.01.2020 13:10:50	1	1	1	1	88.25	64.5	0	24170.616	208.6021505	5031.663632	30000	0	0	30000	44.625	2004
23.01.2020 13:10:51	1	1	1	1	88.25	64.5	0	25213.27	225.8064516	5703.530563	30000	0	0	30000	44.75	2004
23.01.2020 13:10:52	1	1	1	1	88.25	64.75	0	24691.943	219.3548387	5415.704074	30000	0	0	30000	44.75	2004
23.01.2020 13:10:53	1	1	1	1	88.25	64.75	0	24170.616	210.7526882	5031.663632	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:54	1	1	1	1	88.25	64.5	0	26255.924	253.7634409	6650.178023	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:55	1	1	1	1	88.25	64.5	0	26398.104	258.0645161	6812.437148	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:56	1	1	1	1	88.25	64.5	0	25592.417	260.2150538	6646.916533	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:57	1	1	1	1	88.25	64.5	0	26966.825	288.172043	7815.34531	30000	0	0	30000	44.625	2004
23.01.2020 13:10:58	1	1	1	1	88.25	64.5	0	26113.744	294.6236559	7637.594108	30000	0	0	30000	44.6875	2004
23.01.2020 13:10:59	1	1	1	1	88.25	64.5	0	27298.578	313.9784946	8571.195608	30000	0	0	30000	44.625	2004
23.01.2020 13:11:01	1	1	1	1	87.25	64.5	0	27535.545	331.1827957	9028.619574	30000	0	0	30000	44	2004
23.01.2020 13:11:02	1	1	1	1	87.25	64	0	27630.332	337.6344086	9392.275705	30000	0	0	30000	44.625	2004
23.01.2020 13:11:03	1	1	1	1	87.25	64.5	0	26966.825	320.4301075	8640.502269	30000	0	0	30000	44.25	2004
23.01.2020 13:11:04	1	1	1	1	87.25	64.25	0	28009.479	333.3333333	9456.690131	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:11:49	1	1	1	1	88	64.75	0	15876.777	27.95698925	443.5626342	30000	0	0	30000	44.625	2004
23.01.2020 13:11:50	1	1	1	1	89	64.5	0	16445.498	30.10752688	494.931101	30000	0	0	30000	44.8125	2004
23.01.2020 13:11:51	1	1	1	1	89	64.75	0	17535.545	47.31182796	791.7266871	30000	0	0	30000	44.75	2004
23.01.2020 13:11:52	1	1	1	1	89	64.75	0	18151.659	53.76344086	1014.323377	30000	0	0	30000	44.75	2004
23.01.2020 13:11:53	1	1	1	1	89	64.75	0	19052.133	73.11827957	1437.501699	30000	0	0	30000	44.625	2004
23.01.2020 13:11:54	1	1	1	1	89	64.5	0	18767.773	70.96774194	1331.503275	30000	0	0	30000	44.625	2004
23.01.2020 13:11:55	1	1	1	1	89	64.5	0	17298.578	75.2688172	1342.91849	30000	0	0	30000	42.9375	2004
23.01.2020 13:11:56	1	1	1	1	89	62.75	0	21374.408	113.9784946	2435.517626	30000	0	0	30000	44.5625	2004
23.01.2020 13:11:57	1	1	1	1	89	64.5	0	21563.981	116.1290323	2596.961379	30000	0	0	30000	44.625	2004
23.01.2020 13:11:58	1	1	1	1	89	64.5	0	22132.701	144.0860215	3188.921806	30000	0	0	30000	44.75	2004
23.01.2020 13:11:59	1	1	1	1	89	64.75	0	23127.962	152.688172	3524.039899	30000	0	0	30000	44.75	2004
23.01.2020 13:12:00	1	1	1	1	88.75	64.75	0	22180.095	144.0860215	3201.967766	30000	0	0	30000	44.625	2004
23.01.2020 13:12:01	1	1	1	1	88.75	64.5	0	23175.355	144.0860215	3338.950344	30000	0	0	30000	44.75	2004
23.01.2020 13:12:02	1	1	1	1	88.75	64.75	0	23649.289	169.8924731	4017.340255	30000	0	0	30000	44.8125	2004
23.01.2020 13:12:03	1	1	1	1	88.75	64.75	0	23270.142	148.3870968	3452.28712	30000	0	0	30000	44.8125	2004
23.01.2020 13:12:04	1	1	1	1	88.75	64.75	0	24786.73	182.7956989	4424.211127	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:05	1	1	1	1	88.75	64.5	0	24786.73	193.5483871	4850.650939	30000	0	0	30000	44.625	2004
23.01.2020 13:12:06	1	1	1	1	88.75	64.5	0	25639.81	210.7526882	5458.103444	30000	0	0	30000	44.625	2004
23.01.2020 13:12:07	1	1	1	1	88.75	64.5	0	23459.716	206.4516129	4843.312587	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:08	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	8	30000	44.75	2004
23.01.2020 13:12:09	1	1	1	1	88.75	64.75	0	9810.4265	0	0	30000	0	0	30000	44.9375	2004
23.01.2020 13:12:10	1	1	1	1	89	64.75	0	11042.654	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:12:11	1	1	1	1	89	64.75	0	11753.555	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:12	1	1	1	1	89	64.5	0	12511.848	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:12:13	1	1	1	1	89	64.5	0	13270.142	4.301075269	28.53803713	30000	0	0	30000	44.625	2004
23.01.2020 13:12:14	1	1	1	1	89	64.5	0	14123.223	10.75268817	121.4905009	30000	0	0	30000	44.625	2004
23.01.2020 13:12:15	1	1	1	1	89	64.5	0	14834.123	15.05376344	222.5966896	30000	0	0	30000	44.8125	2004
23.01.2020 13:12:16	1	1	1	1	89	64.75	0	15639.81	23.65591398	369.3637377	30000	0	0	30000	44.625	2004
23.01.2020 13:12:18	1	1	1	1	89	64.5	0	16303.318	27.95698925	420.7322045	30000	0	0	30000	44.625	2004
23.01.2020 13:12:19	1	1	1	1	89	64.5	0	17156.398	40.86021505	700.4049683	30000	0	0	30000	44.875	2004
23.01.2020 13:12:20	1	1	1	1	89	64.75	0	17914.692	55.91397849	1001.277417	30000	0	0	30000	44.75	2004
23.01.2020 13:12:21	1	1	1	1	88.5	64.75	0	16966.825	53.76344086	911.5864431	30000	0	0	30000	44.625	2004
23.01.2020 13:12:22	1	1	1	1	88.5	64.5	0	19478.673	77.41935484	1549.20773	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:23	1	1	1	1	88.5	64.5	0	19289.1	75.2688172	1451.363031	30000	0	0	30000	45.0625	2004
23.01.2020 13:12:24	1	1	1	1	88.5	65	0	20331.754	88.17204301	1792.188732	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:25	1	1	1	1	88.5	64.5	0	21232.227	113.9784946	2420.025548	30000	0	0	30000	44.8125	2004
23.01.2020 13:12:31	1	1	1	1	89	64.5	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	44.75	2004
23.01.2020 13:12:31	1	1	1	1	89	64.5	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	44.75	2004
23.01.2020 13:12:31	1	1	1	1	89	64.5	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	44.75	2004
23.01.2020 13:12:31	1	1	1	1	89	64.5	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	44.75	2004
23.01.2020 13:12:31	1	1	1	1	89	64.5	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	44.75	2004
23.01.2020 13:12:31	1	1	1	1	89	64.5	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	44.75	2004
23.01.2020 13:12:32	1	1	1	1	89	64.75	0	24454.976	169.8924731	4162.476558	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:12:33	1	1	1	1	89	64.5	0	23696.682	152.688172	3610.469383	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:34	1	1	1	1	89	64.5	0	22417.062	152.688172	3422.118338	30000	0	0	30000	44.75	2004
23.01.2020 13:12:35	1	1	1	1	89	64.75	0	23886.256	182.7956989	4366.31968	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:36	1	1	1	1	89	64.5	0	22890.995	206.4516129	4479.656456	30000	0	0	30000	44.625	2004
23.01.2020 13:12:37	1	1	1	1	89	64.5	0	21374.408	189.2473118	4090.723779	30000	0	0	30000	44.75	2004
23.01.2020 13:12:38	1	1	1	1	89	64.75	0	24786.73	225.8064516	5596.716767	30000	0	0	30000	44.625	2004
23.01.2020 13:12:39	1	1	1	1	89	64.5	0	23649.289	227.9569892	5514.364145	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:40	1	1	1	1	87.75	64.5	0	25213.27	243.0107527	6192.754056	30000	0	0	30000	43.875	2004
23.01.2020 13:12:41	1	1	1	1	87.75	63.75	0	27298.578	253.7634409	6927.404669	30000	0	0	30000	43.5625	2004
23.01.2020 13:12:42	1	1	1	1	87.75	63.5	0	23270.142	243.0107527	5654.608214	30000	0	0	30000	44.8125	2004
23.01.2020 13:12:43	1	1	1	1	87.75	64.75	0	25355.45	240.8602151	6084.309515	30000	0	0	30000	44.625	2004
23.01.2020 13:12:44	1	1	1	1	87.75	64.5	0	26492.891	288.172043	7648.19395	30000	0	0	30000	44.625	2004
23.01.2020 13:12:45	1	1	1	1	87.75	64.5	0	26066.351	277.4193548	7356.290599	30000	0	0	30000	44	2004
23.01.2020 13:12:46	1	1	1	1	87.75	64	0	26445.498	292.4731183	7691.408692	30000	0	0	30000	44.75	2004
23.01.2020 13:12:47	1	1	1	1	87.75	64.75	0	26824.645	298.9247312	8018.37306	30000	0	0	30000	44.625	2004
23.01.2020 13:12:48	1	1	1	1	87.75	64.5	0	23601.896	266.6666667	6242.491778	30000	0	0	30000	44.625	2004
23.01.2020 13:12:49	1	1	1	1	87.75	64.5	0	26445.498	296.7741935	7905.036284	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:50	1	1	1	1	88	64.5	0	23412.322	281.7204301	6595.548066	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:51	1	1	1	1	88	64.5	0	25924.171	286.0215054	7525.888077	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:52	1	1	1	1	88	64.5	0	24218.009	273.1182796	6614.301633	30000	0	0	30000	44.625	2004
23.01.2020 13:12:53	1	1	1	1	88	64.5	0	28009.479	316.1290323	8854.129862	30000	0	0	30000	44.375	2004
23.01.2020 13:12:54	1	1	1	1	88	64.25	0	21943.128	247.311828	5426.303917	30000	0	0	30000	44.625	2004
23.01.2020 13:12:56	1	1	1	1	88	64.5	0	26540.284	290.3225806	7705.270024	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:57	1	1	1	1	88	64.5	0	27345.972	316.1290323	8644.579132	30000	0	0	30000	44.6875	2004
23.01.2020 13:12:58	1	1	1	1	88	64.5	0	26540.284	320.4301075	8576.087843	30000	0	0	30000	44.25	2004
23.01.2020 13:12:59	1	1	1	1	88	64.25	0	24218.009	326.8817204	7916.451499	30000	0	0	30000	44.125	2004
23.01.2020 13:13:00	1	1	1	1	88	64	0	28293.839	359.1397849	10161.17196	30000	0	0	30000	44.75	2004
23.01.2020 13:13:01	1	1	1	1	87.5	64.75	0	27535.545	352.688172	9770.60854	30000	0	0	30000	44.6875	2004
23.01.2020 13:13:02	1	1	1	1	87.5	64.5	0	26966.825	380.6451613	10206.83282	30000	0	0	30000	44.5625	2004
23.01.2020 13:13:03	1	1	1	1	87.5	64.5	0	27914.692	372.0430108	10660.9953	30000	0	0	30000	45	2004
23.01.2020 13:13:04	1	1	1	1	87.5	65	0	29478.673	412.9032258	12254.23314	30000	0	0	30000	44.75	2004
23.01.2020 13:13:05	1	1	1	1	87.5	64.75	0	29052.133	438.7096774	12745.08738	30000	0	0	30000	44.625	2004
23.01.2020 13:13:06	1	1	1	1	87.5	64.5	0	26587.678	419.3548387	11149.40342	30000	0	0	30000	44.75	2004
23.01.2020 13:13:07	1	1	1	1	87.5	64.75	0	29526.066	438.7096774	12953.00737	30000	0	0	30000	43.375	2004
23.01.2020 13:13:08	1	1	1	1	87.5	63.25	0	28009.479	438.7096774	12552.65947	30000	0	0	30000	44.3125	2004
23.01.2020 13:13:09	1	1	1	1	87.5	64.25	0	29668.246	434.4086022	12803.7942	30000	0	0	30000	44.625	2004
23.01.2020 13:13:10	1	1	1	1	87.25	64.5	0	0	0	0	30000	0	8	30000	42.6875	2004
23.01.2020 13:13:11	1	1	1	1	87.25	62.5	0	10616.114	0	0	30000	0	0	30000	44.875	2004
23.01.2020 13:13:12	1	1	1	1	87.25	64.75	0	11327.014	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:13:13	1	1	1	1	87.25	64.5	0	12180.095	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:13:14	1	1	1	1	87.25	64.75	0	12890.995	2.150537634	27.72266464	30000	0	0	30000	44.75	2004
23.01.2020 13:13:15	1	1	1	1	87.25	64.75	0	13601.896	6.451612903	87.24485636	30000	0	0	30000	44.625	2004
23.01.2020 13:13:16	1	1	1	1	87.25	64.5	0	13127.962	6.451612903	83.9833664	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:13:17	1	1	1	1	87.25	64.5	0	15213.27	21.50537634	294.3494686	30000	0	0	30000	44.6875	2004
23.01.2020 13:13:18	1	1	1	1	87.25	64.5	0	15876.777	27.95698925	409.3169896	30000	0	0	30000	44.8125	2004
23.01.2020 13:13:19	1	1	1	1	87.25	64.75	0	16682.464	32.25806452	538.145843	30000	0	0	30000	44.625	2004
23.01.2020 13:13:20	1	1	1	1	88.5	64.5	0	17535.545	47.31182796	789.2805697	30000	0	0	30000	44.75	2004
23.01.2020 13:13:21	1	1	1	1	88.5	64.75	0	17772.512	49.46236559	958.062675	30000	0	0	30000	44.6875	2004
23.01.2020 13:13:22	1	1	1	1	88.5	64.5	0	18909.953	62.3655914	1266.273476	30000	0	0	30000	44.6875	2004
23.01.2020 13:13:23	1	1	1	1	88.5	64.5	0	19668.246	75.2688172	1533.715652	30000	0	0	30000	44.75	2004
23.01.2020 13:13:24	1	1	1	1	88.5	64.75	0	20331.754	83.87096774	1704.943875	30000	0	0	30000	44.625	2004
23.01.2020 13:13:25	1	1	1	1	88.5	64.5	0	21374.408	109.6774194	2344.195907	30000	0	0	30000	44.5	2004
23.01.2020 13:13:26	1	1	1	1	88.5	64.5	0	21943.128	120.4301075	2689.09847	30000	0	0	30000	44.625	2004
23.01.2020 13:13:33	1	1	1	1	88.5	64.5	0	19857.82	120.4301075	2561.900361	30000	0	0	30000	44.75	2004
23.01.2020 13:13:33	1	1	1	1	88.5	64.5	0	19857.82	120.4301075	2561.900361	30000	0	0	30000	44.75	2004
23.01.2020 13:13:33	1	1	1	1	88.5	64.5	0	19857.82	120.4301075	2561.900361	30000	0	0	30000	44.75	2004
23.01.2020 13:13:33	1	1	1	1	88.5	64.5	0	19857.82	120.4301075	2561.900361	30000	0	0	30000	44.75	2004
23.01.2020 13:13:33	1	1	1	1	88.5	64.5	0	19857.82	120.4301075	2561.900361	30000	0	0	30000	44.75	2004
23.01.2020 13:13:33	1	1	1	1	88.5	64.5	0	19857.82	120.4301075	2561.900361	30000	0	0	30000	44.75	2004
23.01.2020 13:13:34	1	1	1	1	88.5	64.75	0	24597.156	176.344086	4389.965483	30000	0	0	30000	44.6875	2004
23.01.2020 13:13:35	1	1	1	1	88.5	64.5	0	21042.654	137.6344086	2889.680102	30000	0	0	30000	44.625	2004
23.01.2020 13:13:36	1	1	1	1	88.5	64.5	0	24597.156	178.4946237	4336.966271	30000	0	0	30000	44.5625	2004
23.01.2020 13:13:37	1	1	1	1	88.5	64.5	0	23649.289	169.8924731	4017.340255	30000	0	0	30000	44.8125	2004
23.01.2020 13:13:38	1	1	1	1	88.5	64.75	0	25355.45	189.2473118	4798.4671	30000	0	0	30000	44.75	2004
23.01.2020 13:13:39	1	1	1	1	88.5	64.75	0	25308.057	169.8924731	4299.459136	30000	0	0	30000	44.6875	2004
23.01.2020 13:13:40	1	1	1	1	88.5	64.5	0	24218.009	184.9462366	4619.085152	30000	0	0	30000	44.8125	2004
23.01.2020 13:13:41	1	1	1	1	87.75	64.75	0	24881.517	208.6021505	5189.845895	30000	0	0	30000	44.5625	2004
23.01.2020 13:13:42	1	1	1	1	87.75	64.5	0	25450.237	219.3548387	5636.670019	30000	0	0	30000	44.625	2004
23.01.2020 13:13:43	1	1	1	1	87.75	64.5	0	25450.237	210.7526882	5363.520235	30000	0	0	30000	44.75	2004
23.01.2020 13:13:44	1	1	1	1	87.75	64.75	0	26540.284	243.0107527	6563.748539	30000	0	0	30000	44.5625	2004
23.01.2020 13:13:45	1	1	1	1	87.75	64.5	0	27109.005	268.8172043	7273.937977	30000	0	0	30000	44.5625	2004
23.01.2020 13:13:46	1	1	1	1	87.75	64.5	0	27440.758	266.6666667	7317.152719	30000	0	0	30000	44.6875	2004
23.01.2020 13:13:47	1	1	1	1	87.75	64.5	0	28199.052	279.5698925	7883.021227	30000	0	0	30000	44.75	2004
23.01.2020 13:13:48	1	1	1	1	87.75	64.75	0	26303.318	286.0215054	7509.580627	30000	0	0	30000	44.625	2004
23.01.2020 13:13:49	1	1	1	1	87.75	64.5	0	25260.664	275.2688172	6966.542549	30000	0	0	30000	44.625	2004
23.01.2020 13:13:50	1	1	1	1	88	64.5	0	27298.578	279.5698925	7690.593319	30000	0	0	30000	44.5	2004
23.01.2020 13:13:51	1	1	1	1	88	64.5	0	24597.156	294.6236559	7274.75335	30000	0	0	30000	44.625	2004
23.01.2020 13:13:52	1	1	1	1	88	64.5	0	26492.891	320.4301075	8561.411138	30000	0	0	30000	44.6875	2004
23.01.2020 13:13:53	1	1	1	1	88	64.5	0	0	0	0	30000	0	8	30000	44.6875	2004
23.01.2020 13:13:54	1	1	1	1	88	64.5	0	10000	0	0	30000	0	0	30000	44.875	2004
23.01.2020 13:13:55	1	1	1	1	88	64.75	0	10805.687	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:13:56	1	1	1	1	88	64.5	0	11563.981	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:13:57	1	1	1	1	88	64.5	0	12369.668	0	0	30000	0	0	30000	44.75	2004
23.01.2020 13:13:58	1	1	1	1	88	64.75	0	13127.962	2.150537634	56.26070176	30000	0	0	30000	44.625	2004
23.01.2020 13:13:59	1	1	1	1	88	64.5	0	13933.649	8.602150538	89.69097383	30000	0	0	30000	44.625	2004
23.01.2020 13:14:00	1	1	1	1	88	64.5	0	14170.616	10.75268817	151.659283	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:14:01	1	1	1	1	88	64.5	0	15402.844	21.50537634	295.9802136	30000	0	0	30000	44.75	2004
23.01.2020 13:14:02	1	1	1	1	88	64.75	0	16161.137	25.80645161	451.7163591	30000	0	0	30000	44.6875	2004
23.01.2020 13:14:03	1	1	1	1	88	64.5	0	16682.464	32.25806452	538.145843	30000	0	0	30000	44.625	2004
23.01.2020 13:14:04	1	1	1	1	88	64.5	0	17677.725	40.86021505	721.6046531	30000	0	0	30000	44.6875	2004
23.01.2020 13:14:05	1	1	1	1	88	64.5	0	16303.318	40.86021505	667.7900688	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:06	1	1	1	1	88	64.5	0	19289.1	66.66666667	1285.842416	30000	0	0	30000	44.625	2004
23.01.2020 13:14:07	1	1	1	1	88	64.5	0	19668.246	66.66666667	1268.719593	30000	0	0	30000	44.625	2004
23.01.2020 13:14:08	1	1	1	1	88	64.5	0	20758.294	90.32258065	1919.38684	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:09	1	1	1	1	88	64.5	0	21563.981	107.5268817	2271.627755	30000	0	0	30000	44.625	2004
23.01.2020 13:14:11	1	1	1	1	87.5	64.5	0	21943.128	113.9784946	2453.45582	30000	0	0	30000	44.75	2004
23.01.2020 13:14:12	1	1	1	1	87.5	64.75	0	22227.488	129.0322581	3065.80056	30000	0	0	30000	44.625	2004
23.01.2020 13:14:13	1	1	1	1	87.5	64.5	0	21943.128	137.6344086	2830.973283	30000	0	0	30000	44.625	2004
23.01.2020 13:14:14	1	1	1	1	87.5	64.5	0	23933.649	144.0860215	3448.210257	30000	0	0	30000	44.625	2004
23.01.2020 13:14:15	1	1	1	1	87.5	64.5	0	24834.123	165.5913978	4111.923464	30000	0	0	30000	44.625	2004
23.01.2020 13:14:16	1	1	1	1	87.5	64.5	0	24691.943	163.4408602	4035.27845	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:17	1	1	1	1	87.5	64.5	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:18	1	1	1	1	87.5	64.5	0	23696.682	169.8924731	3966.787161	30000	0	0	30000	44.25	2004
23.01.2020 13:14:19	1	1	1	1	87.5	64.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.625	2004
23.01.2020 13:14:20	1	1	1	1	87.5	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:21	1	1	1	1	87.25	64.5	0	23412.322	169.8924731	3985.540728	30000	0	0	30000	44.4375	2004
23.01.2020 13:14:22	1	1	1	1	87.25	64.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.5	2004
23.01.2020 13:14:23	1	1	1	1	87.25	65	0	23554.502	169.8924731	4153.507461	30000	0	0	30000	44.5	2004
23.01.2020 13:14:24	1	1	1	1	87.25	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.625	2004
23.01.2020 13:14:25	1	1	1	1	87.25	64.5	0	21042.654	152.688172	3212.567608	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:26	1	1	1	1	87.25	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.625	2004
23.01.2020 13:14:27	1	1	1	1	87.25	64.5	0	23507.109	169.8924731	4001.032805	30000	0	0	30000	44.5	2004
23.01.2020 13:14:28	1	1	1	1	87.25	64.5	0	23080.569	169.8924731	3921.126301	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:35	1	1	1	1	87.5	64.5	0	23175.355	169.8924731	3936.618378	30000	0	0	30000	44.625	2004
23.01.2020 13:14:35	1	1	1	1	87.5	64.5	0	23175.355	169.8924731	3936.618378	30000	0	0	30000	44.625	2004
23.01.2020 13:14:35	1	1	1	1	87.5	64.5	0	23175.355	169.8924731	3936.618378	30000	0	0	30000	44.625	2004
23.01.2020 13:14:35	1	1	1	1	87.5	64.5	0	23175.355	169.8924731	3936.618378	30000	0	0	30000	44.625	2004
23.01.2020 13:14:35	1	1	1	1	87.5	64.5	0	23175.355	169.8924731	3936.618378	30000	0	0	30000	44.625	2004
23.01.2020 13:14:35	1	1	1	1	87.5	64.5	0	23175.355	169.8924731	3936.618378	30000	0	0	30000	44.625	2004
23.01.2020 13:14:37	1	1	1	1	87.5	64.5	0	23222.749	174.1935484	3952.925828	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:37	1	1	1	1	87.5	64.5	0	23222.749	174.1935484	3952.925828	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:37	1	1	1	1	87.5	64.5	0	23222.749	174.1935484	3952.925828	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:38	1	1	1	1	87.5	64.5	0	23554.502	178.4946237	4153.507461	30000	0	0	30000	44.5	2004
23.01.2020 13:14:39	1	1	1	1	87.5	64.5	0	23270.142	169.8924731	3952.925828	30000	0	0	30000	44.625	2004
23.01.2020 13:14:40	1	1	1	1	88	64.5	0	23507.109	169.8924731	4094.800641	30000	0	0	30000	44.4375	2004
23.01.2020 13:14:41	1	1	1	1	88	64.25	0	23459.716	178.4946237	3993.694453	30000	0	0	30000	44.5	2004
23.01.2020 13:14:42	1	1	1	1	88	64.5	0	23270.142	169.8924731	3952.925828	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:43	1	1	1	1	88	64.5	0	23412.322	169.8924731	3977.387003	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:44	1	1	1	1	88	64.5	0	23317.536	174.1935484	3961.079553	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:14:45	1	1	1	1	88	64.25	0	23270.142	169.8924731	3952.925828	30000	0	0	30000	44.3125	2004
23.01.2020 13:14:46	1	1	1	1	88	64.25	0	23270.142	176.344086	4045.06292	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:47	1	1	1	1	88	64.5	0	23175.355	169.8924731	3936.618378	30000	0	0	30000	44.1875	2004
23.01.2020 13:14:48	1	1	1	1	88	64	0	23080.569	174.1935484	3921.126301	30000	0	0	30000	44.4375	2004
23.01.2020 13:14:50	1	1	1	1	88	64.25	0	23649.289	174.1935484	4017.340255	30000	0	0	30000	44.5	2004
23.01.2020 13:14:51	1	1	1	1	87.75	64.5	0	23317.536	174.1935484	4169.81491	30000	0	0	30000	44.6875	2004
23.01.2020 13:14:52	1	1	1	1	87.75	64.5	0	23080.569	174.1935484	3921.126301	30000	0	0	30000	44.625	2004
23.01.2020 13:14:53	1	1	1	1	87.75	64.5	0	23033.175	169.8924731	4119.261816	30000	0	0	30000	44.625	2004
23.01.2020 13:14:54	1	1	1	1	87.75	64.5	0	21090.047	161.2903226	3393.580301	30000	0	0	30000	44.5	2004
23.01.2020 13:14:55	1	1	1	1	87.75	64.5	0	22559.242	184.9462366	4207.322045	30000	0	0	30000	44.625	2004
23.01.2020 13:14:56	1	1	1	1	87.75	64.5	0	23981.043	206.4516129	4941.157285	30000	0	0	30000	44.625	2004
23.01.2020 13:14:57	1	1	1	1	87.75	64.5	0	24028.436	208.6021505	4960.726225	30000	0	0	30000	44.5625	2004
23.01.2020 13:14:58	1	1	1	1	87.75	64.5	0	23744.076	206.4516129	4962.35697	30000	0	0	30000	44.5	2004
23.01.2020 13:14:59	1	1	1	1	87.75	64.5	0	24028.436	208.6021505	5012.094692	30000	0	0	30000	44.625	2004
23.01.2020 13:15:00	1	1	1	1	87.5	64.75	0	24123.223	208.6021505	5031.663632	30000	0	0	30000	44.5	2004
23.01.2020 13:15:01	1	1	1	1	87.5	64.5	0	23933.649	206.4516129	4992.525752	30000	0	0	30000	44.625	2004
23.01.2020 13:15:02	1	1	1	1	87.5	64.5	0	23933.649	208.6021505	4982.741282	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:03	1	1	1	1	87.5	64.5	0	23933.649	210.7526882	5002.310222	30000	0	0	30000	44.625	2004
23.01.2020 13:15:04	1	1	1	1	87.5	64.5	0	23838.863	208.6021505	4972.14144	30000	0	0	30000	44.625	2004
23.01.2020 13:15:05	1	1	1	1	87.5	64.5	0	23933.649	210.7526882	4992.525752	30000	0	0	30000	44.625	2004
23.01.2020 13:15:06	1	1	1	1	87.5	64.5	0	23838.863	208.6021505	5043.894219	30000	0	0	30000	44.625	2004
23.01.2020 13:15:07	1	1	1	1	87.5	64.5	0	23933.649	210.7526882	4992.525752	30000	0	0	30000	44.625	2004
23.01.2020 13:15:08	1	1	1	1	87.5	64.5	0	24028.436	210.7526882	5012.094692	30000	0	0	30000	44.625	2004
23.01.2020 13:15:09	1	1	1	1	87.5	64.5	0	23886.256	212.9032258	4982.741282	30000	0	0	30000	44.375	2004
23.01.2020 13:15:10	1	1	1	1	87.25	64.25	0	23791.469	208.6021505	4972.14144	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:11	1	1	1	1	87.25	64.5	0	24028.436	212.9032258	4960.726225	30000	0	0	30000	44.5	2004
23.01.2020 13:15:12	1	1	1	1	87.25	64.5	0	23933.649	208.6021505	4992.525752	30000	0	0	30000	44.625	2004
23.01.2020 13:15:13	1	1	1	1	87.25	64.5	0	23933.649	206.4516129	4941.157285	30000	0	0	30000	44.625	2004
23.01.2020 13:15:14	1	1	1	1	87.25	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:15	1	1	1	1	87.25	64.5	0	23270.142	206.4516129	4553.855353	30000	0	0	30000	44.625	2004
23.01.2020 13:15:16	1	1	1	1	87.25	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.625	2004
23.01.2020 13:15:17	1	1	1	1	87.25	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.625	2004
23.01.2020 13:15:18	1	1	1	1	87.25	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.3125	2004
23.01.2020 13:15:19	1	1	1	1	87.25	64.25	0	24123.223	206.4516129	4990.079635	30000	0	0	30000	44.625	2004
23.01.2020 13:15:20	1	1	1	1	87	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.625	2004
23.01.2020 13:15:21	1	1	1	1	87	64.5	0	24218.009	206.4516129	4738.944908	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:22	1	1	1	1	87	64.5	0	24881.517	206.4516129	5136.846683	30000	0	0	30000	44.5	2004
23.01.2020 13:15:23	1	1	1	1	87	64.5	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.625	2004
23.01.2020 13:15:24	1	1	1	1	87	64.5	0	24834.123	195.6989247	4868.589134	30000	0	0	30000	43.3125	2004
23.01.2020 13:15:25	1	1	1	1	87	63.25	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.125	2004
23.01.2020 13:15:26	1	1	1	1	87	64	0	24644.55	193.5483871	5097.708803	30000	0	0	30000	44.8125	2004
23.01.2020 13:15:27	1	1	1	1	87	64.75	0	24881.517	206.4516129	4868.589134	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:29	1	1	1	1	87	64.5	0	25165.877	206.4516129	4861.250781	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:15:30	1	1	1	1	87	64.5	0	25165.877	206.4516129	4924.849836	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:36	1	1	1	1	86	63.5	0	24834.123	191.3978495	4690.837931	30000	0	0	30000	44.875	2004
23.01.2020 13:15:36	1	1	1	1	86	63.5	0	24834.123	191.3978495	4690.837931	30000	0	0	30000	44.875	2004
23.01.2020 13:15:36	1	1	1	1	86	63.5	0	24834.123	191.3978495	4690.837931	30000	0	0	30000	44.875	2004
23.01.2020 13:15:36	1	1	1	1	86	63.5	0	24834.123	191.3978495	4690.837931	30000	0	0	30000	44.875	2004
23.01.2020 13:15:36	1	1	1	1	86	63.5	0	24834.123	191.3978495	4690.837931	30000	0	0	30000	44.875	2004
23.01.2020 13:15:36	1	1	1	1	86	63.5	0	24834.123	191.3978495	4690.837931	30000	0	0	30000	44.875	2004
23.01.2020 13:15:37	1	1	1	1	86	64.75	0	25497.63	206.4516129	4871.035251	30000	0	0	30000	44.5	2004
23.01.2020 13:15:38	1	1	1	1	86	64.5	0	25497.63	195.6989247	4934.634305	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:39	1	1	1	1	86	64.5	0	25308.057	193.5483871	4952.5725	30000	0	0	30000	44.4375	2004
23.01.2020 13:15:40	1	1	1	1	86	64.25	0	25402.844	206.4516129	5244.475851	30000	0	0	30000	44.625	2004
23.01.2020 13:15:41	1	1	1	1	86	64.5	0	25355.45	206.4516129	5234.691382	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:42	1	1	1	1	86	64.5	0	25071.09	193.5483871	4852.281684	30000	0	0	30000	44.5	2004
23.01.2020 13:15:43	1	1	1	1	86	64.5	0	24881.517	193.5483871	4708.776126	30000	0	0	30000	44.5	2004
23.01.2020 13:15:44	1	1	1	1	86	64.5	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.625	2004
23.01.2020 13:15:45	1	1	1	1	86	64.5	0	24976.303	206.4516129	4887.342701	30000	0	0	30000	44.5	2004
23.01.2020 13:15:46	1	1	1	1	86	64.5	0	24691.943	191.3978495	4778.89816	30000	0	0	30000	44.3125	2004
23.01.2020 13:15:47	1	1	1	1	86	64.25	0	24691.943	191.3978495	5097.708803	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:48	1	1	1	1	86	64.5	0	24502.37	191.3978495	4751.175495	30000	0	0	30000	44.5	2004
23.01.2020 13:15:49	1	1	1	1	86	64.5	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:50	1	1	1	1	86.25	64.5	0	24597.156	195.6989247	5097.708803	30000	0	0	30000	44.5	2004
23.01.2020 13:15:51	1	1	1	1	86.25	64.5	0	24597.156	191.3978495	4813.143805	30000	0	0	30000	44.4375	2004
23.01.2020 13:15:52	1	1	1	1	86.25	64.25	0	24976.303	206.4516129	5175.984562	30000	0	0	30000	44.4375	2004
23.01.2020 13:15:53	1	1	1	1	86.25	64.25	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.5	2004
23.01.2020 13:15:54	1	1	1	1	86.25	64.5	0	25734.597	223.655914	5720.653385	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:55	1	1	1	1	86.25	64.5	0	26208.531	232.2580645	6030.494931	30000	0	0	30000	44.6875	2004
23.01.2020 13:15:56	1	1	1	1	86.25	64.5	0	26018.957	230.1075269	6020.710461	30000	0	0	30000	44.5625	2004
23.01.2020 13:15:57	1	1	1	1	86.25	64.5	0	26066.351	232.2580645	5986.464817	30000	0	0	30000	43.625	2004
23.01.2020 13:15:58	1	1	1	1	86.25	63.5	0	0	0	0	30000	0	8	30000	44.5625	2004
23.01.2020 13:15:59	1	1	1	1	86.25	64.5	0	10000	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:16:00	1	1	1	1	86.75	64.75	0	10805.687	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:16:01	1	1	1	1	86.75	64.5	0	11611.374	0	0	30000	0	0	30000	44.375	2004
23.01.2020 13:16:02	1	1	1	1	86.75	64.25	0	12369.668	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:16:03	1	1	1	1	86.75	64.5	0	13127.962	2.150537634	56.26070176	30000	0	0	30000	44.625	2004
23.01.2020 13:16:04	1	1	1	1	86.75	64.5	0	13886.256	8.602150538	88.87560134	30000	0	0	30000	44.375	2004
23.01.2020 13:16:06	1	1	1	1	86.75	64.25	0	14407.583	12.90322581	123.9366184	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:07	1	1	1	1	86.75	64.5	0	15450.237	19.35483871	298.4263311	30000	0	0	30000	44.3125	2004
23.01.2020 13:16:08	1	1	1	1	86.75	64.25	0	14691.943	19.35483871	283.7496263	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:09	1	1	1	1	86.75	64.5	0	16682.464	27.95698925	502.2694534	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:10	1	1	1	1	86.75	64.5	0	17772.512	49.46236559	878.9715435	30000	0	0	30000	44.4375	2004
23.01.2020 13:16:11	1	1	1	1	87	64.25	0	18341.232	53.76344086	1024.923219	30000	0	0	30000	44.375	2004
23.01.2020 13:16:12	1	1	1	1	87	64.25	0	19289.1	66.66666667	1289.103906	30000	0	0	30000	44.625	2004
23.01.2020 13:16:13	1	1	1	1	87	64.5	0	20142.18	83.87096774	1594.868589	30000	0	0	30000	44.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:16:14	1	1	1	1	87	64.75	0	20853.081	94.62365591	2152.583372	30000	0	0	30000	44.9375	2004
23.01.2020 13:16:15	1	1	1	1	87	64.75	0	21658.768	111.827957	2526.023972	30000	0	0	30000	44.3125	2004
23.01.2020 13:16:16	1	1	1	1	87	64.25	0	22322.275	137.6344086	2831.788655	30000	0	0	30000	44.4375	2004
23.01.2020 13:16:17	1	1	1	1	87	64.25	0	23080.569	144.0860215	3325.089011	30000	0	0	30000	44.5	2004
23.01.2020 13:16:18	1	1	1	1	87	64.5	0	22890.995	152.688172	3494.686489	30000	0	0	30000	44.625	2004
23.01.2020 13:16:19	1	1	1	1	87	64.5	0	24407.583	167.7419355	4010.001903	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:20	1	1	1	1	86.75	64.5	0	24407.583	152.688172	3726.252276	30000	0	0	30000	43.9375	2004
23.01.2020 13:16:21	1	1	1	1	86.75	63.75	0	23649.289	169.8924731	4017.340255	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:22	1	1	1	1	86.75	64.5	0	19905.213	137.6344086	2733.128584	30000	0	0	30000	44.4375	2004
23.01.2020 13:16:23	1	1	1	1	86.75	64.25	0	23412.322	161.2903226	3775.989998	30000	0	0	30000	44.375	2004
23.01.2020 13:16:24	1	1	1	1	86.75	64.25	0	22748.815	152.688172	3571.331503	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:25	1	1	1	1	86.75	64.5	0	21516.588	156.9892473	3285.13576	30000	0	0	30000	44.375	2004
23.01.2020 13:16:26	1	1	1	1	86.75	64.25	0	24028.436	189.2473118	4547.332373	30000	0	0	30000	44.375	2004
23.01.2020 13:16:27	1	1	1	1	86.75	64.25	0	23601.896	191.3978495	4466.610497	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:28	1	1	1	1	86.75	64.5	0	24075.829	206.4516129	4960.726225	30000	0	0	30000	44.5	2004
23.01.2020 13:16:29	1	1	1	1	86.75	64.5	0	26208.531	227.9569892	5952.219172	30000	0	0	30000	44.625	2004
23.01.2020 13:16:30	1	1	1	1	87	64.5	0	24976.303	230.1075269	5746.745305	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:31	1	1	1	1	87	64.5	0	25355.45	236.5591398	5878.020276	30000	0	0	30000	44.4375	2004
23.01.2020 13:16:38	1	1	1	1	87	64.5	0	25355.45	236.5591398	6107.139945	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:38	1	1	1	1	87	64.5	0	25355.45	236.5591398	6107.139945	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:38	1	1	1	1	87	64.5	0	25355.45	236.5591398	6107.139945	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:38	1	1	1	1	87	64.5	0	25355.45	236.5591398	6107.139945	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:38	1	1	1	1	87	64.5	0	25355.45	236.5591398	6107.139945	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:38	1	1	1	1	87	64.5	0	25165.877	240.8602151	5887.804745	30000	0	0	30000	44.625	2004
23.01.2020 13:16:39	1	1	1	1	87	64.5	0	25165.877	240.8602151	6061.479086	30000	0	0	30000	44.3125	2004
23.01.2020 13:16:40	1	1	1	1	86.25	64.25	0	25355.45	240.8602151	6107.139945	30000	0	0	30000	44.375	2004
23.01.2020 13:16:41	1	1	1	1	86.25	64.25	0	25260.664	240.8602151	6061.479086	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:42	1	1	1	1	86.25	64.5	0	25165.877	234.4086022	5953.034545	30000	0	0	30000	44.3125	2004
23.01.2020 13:16:43	1	1	1	1	86.25	64.25	0	25165.877	240.8602151	5898.404588	30000	0	0	30000	44.5	2004
23.01.2020 13:16:44	1	1	1	1	86.25	64.5	0	24976.303	236.5591398	5908.189058	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:46	1	1	1	1	86.25	64.5	0	25165.877	240.8602151	6061.479086	30000	0	0	30000	44.625	2004
23.01.2020 13:16:47	1	1	1	1	86.25	64.5	0	24881.517	240.8602151	5885.358628	30000	0	0	30000	44.4375	2004
23.01.2020 13:16:48	1	1	1	1	86.25	64.25	0	25071.09	240.8602151	6092.46324	30000	0	0	30000	44.5	2004
23.01.2020 13:16:49	1	1	1	1	86.25	64.5	0	25260.664	240.8602151	6084.309515	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:50	1	1	1	1	86.25	64.5	0	25071.09	240.8602151	6061.479086	30000	0	0	30000	44.375	2004
23.01.2020 13:16:51	1	1	1	1	86.25	64.25	0	24834.123	240.8602151	5981.572582	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:52	1	1	1	1	86.25	64.5	0	24976.303	240.8602151	6015.818226	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:53	1	1	1	1	86.25	64.5	0	24928.91	240.8602151	6015.818226	30000	0	0	30000	44.8125	2004
23.01.2020 13:16:54	1	1	1	1	86.25	64.75	0	24881.517	236.5591398	5992.987797	30000	0	0	30000	44.5	2004
23.01.2020 13:16:55	1	1	1	1	86.25	64.5	0	24976.303	240.8602151	5908.189058	30000	0	0	30000	44.5625	2004
23.01.2020 13:16:56	1	1	1	1	86.25	64.75	0	25071.09	236.5591398	6050.063871	30000	0	0	30000	44.375	2004
23.01.2020 13:16:57	1	1	1	1	86.25	64.25	0	25165.877	240.8602151	6061.479086	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:16:58	1	1	1	1	86.25	64.5	0	25118.483	236.5591398	6061.479086	30000	0	0	30000	44.5	2004
23.01.2020 13:16:59	1	1	1	1	86.25	64.5	0	25071.09	240.8602151	5930.204115	30000	0	0	30000	44.375	2004
23.01.2020 13:17:00	1	1	1	1	86.75	64.25	0	25260.664	240.8602151	6084.309515	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:01	1	1	1	1	86.75	64.25	0	24928.91	240.8602151	5950.588427	30000	0	0	30000	44.625	2004
23.01.2020 13:17:02	1	1	1	1	86.75	64.5	0	24928.91	240.8602151	6015.818226	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:03	1	1	1	1	86.75	64.25	0	24786.73	234.4086022	5874.758786	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:04	1	1	1	1	86.75	64.25	0	24976.303	240.8602151	5930.204115	30000	0	0	30000	44.625	2004
23.01.2020 13:17:05	1	1	1	1	86.75	64.5	0	24881.517	236.5591398	5885.358628	30000	0	0	30000	44.5	2004
23.01.2020 13:17:06	1	1	1	1	86.75	64.5	0	25165.877	240.8602151	6061.479086	30000	0	0	30000	43.4375	2004
23.01.2020 13:17:07	1	1	1	1	86.75	63.25	0	26398.104	240.8602151	6414.535374	30000	0	0	30000	44.5	2004
23.01.2020 13:17:08	1	1	1	1	86.75	64.5	0	24976.303	240.8602151	5908.189058	30000	0	0	30000	44.5625	2004
23.01.2020 13:17:09	1	1	1	1	86.75	64.5	0	25071.09	240.8602151	6038.648656	30000	0	0	30000	44.375	2004
23.01.2020 13:17:10	1	1	1	1	86.75	64.25	0	24976.303	240.8602151	5908.189058	30000	0	0	30000	44.375	2004
23.01.2020 13:17:11	1	1	1	1	86.75	64.25	0	25165.877	240.8602151	6061.479086	30000	0	0	30000	44.375	2004
23.01.2020 13:17:12	1	1	1	1	86.75	64.25	0	24976.303	236.5591398	5962.003642	30000	0	0	30000	44.5625	2004
23.01.2020 13:17:13	1	1	1	1	86.75	64.5	0	25308.057	236.5591398	6095.72473	30000	0	0	30000	44.5625	2004
23.01.2020 13:17:14	1	1	1	1	86.75	64.5	0	25450.237	236.5591398	6019.895089	30000	0	0	30000	44.375	2004
23.01.2020 13:17:15	1	1	1	1	86.75	64.25	0	23696.682	225.8064516	5237.952871	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:16	1	1	1	1	86.75	64.25	0	25497.63	234.4086022	5910.635175	30000	0	0	30000	44.375	2004
23.01.2020 13:17:17	1	1	1	1	86.75	64.25	0	25497.63	232.2580645	5922.05039	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:18	1	1	1	1	86.75	64.25	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	44.5625	2004
23.01.2020 13:17:19	1	1	1	1	86.75	64.5	0	25687.204	234.4086022	6020.710461	30000	0	0	30000	44.375	2004
23.01.2020 13:17:20	1	1	1	1	86.75	64.25	0	25687.204	234.4086022	6087.571005	30000	0	0	30000	44.5625	2004
23.01.2020 13:17:21	1	1	1	1	86.75	64.5	0	25639.81	234.4086022	6010.110619	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:22	1	1	1	1	86.75	64.25	0	25592.417	232.2580645	5954.66529	30000	0	0	30000	44.375	2004
23.01.2020 13:17:24	1	1	1	1	86.75	64.25	0	25450.237	230.1075269	5910.635175	30000	0	0	30000	44.3125	2004
23.01.2020 13:17:25	1	1	1	1	86.75	64.25	0	25165.877	230.1075269	5790.775419	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:26	1	1	1	1	86.75	64.25	0	25402.844	236.5591398	5943.250075	30000	0	0	30000	44.375	2004
23.01.2020 13:17:27	1	1	1	1	86.75	64.25	0	25497.63	236.5591398	6042.725518	30000	0	0	30000	44.375	2004
23.01.2020 13:17:28	1	1	1	1	86.75	64.25	0	25450.237	236.5591398	6196.015546	30000	0	0	30000	44.5	2004
23.01.2020 13:17:29	1	1	1	1	86.75	64.5	0	25308.057	232.2580645	5943.250075	30000	0	0	30000	44.5625	2004
23.01.2020 13:17:30	1	1	1	1	86.75	64.5	0	25260.664	234.4086022	5975.049602	30000	0	0	30000	43.4375	2004
23.01.2020 13:17:31	1	1	1	1	86.75	63.25	0	25355.45	240.8602151	6107.139945	30000	0	0	30000	44.5625	2004
23.01.2020 13:17:32	1	1	1	1	86.75	64.5	0	25402.844	236.5591398	6129.970375	30000	0	0	30000	44.3125	2004
23.01.2020 13:17:33	1	1	1	1	86.75	64.25	0	25260.664	240.8602151	5953.034545	30000	0	0	30000	44.75	2004
23.01.2020 13:17:40	1	1	1	1	86.75	64.25	0	25260.664	232.2580645	6084.309515	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:40	1	1	1	1	86.75	64.25	0	25260.664	232.2580645	6084.309515	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:40	1	1	1	1	86.75	64.25	0	25260.664	232.2580645	6084.309515	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:40	1	1	1	1	86.75	64.25	0	25260.664	232.2580645	6084.309515	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:40	1	1	1	1	86.75	64.25	0	25260.664	232.2580645	6084.309515	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:40	1	1	1	1	86.75	64.25	0	25260.664	232.2580645	6084.309515	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:40	1	1	1	1	87	64.25	0	24976.303	234.4086022	5930.204115	30000	0	0	30000	44.5	2004
23.01.2020 13:17:41	1	1	1	1	87	64.5	0	25071.09	236.5591398	5930.204115	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:17:42	1	1	1	1	87	63.75	0	25165.877	236.5591398	6061.479086	30000	0	0	30000	44.5	2004
23.01.2020 13:17:43	1	1	1	1	87	64.5	0	25308.057	240.8602151	6084.309515	30000	0	0	30000	44.625	2004
23.01.2020 13:17:44	1	1	1	1	87	64.5	0	25071.09	240.8602151	6038.648656	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:45	1	1	1	1	87	64.25	0	24976.303	236.5591398	5908.189058	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:46	1	1	1	1	87	64.25	0	24407.583	236.5591398	5773.652597	30000	0	0	30000	44.3125	2004
23.01.2020 13:17:47	1	1	1	1	87	64.25	0	24976.303	240.8602151	5962.003642	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:48	1	1	1	1	87	64.25	0	24597.156	234.4086022	5818.498084	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:49	1	1	1	1	87	64.25	0	25118.483	240.8602151	6050.063871	30000	0	0	30000	44.5	2004
23.01.2020 13:17:50	1	1	1	1	86.5	64.5	0	24928.91	240.8602151	6004.403011	30000	0	0	30000	43.8125	2004
23.01.2020 13:17:51	1	1	1	1	86.5	63.75	0	24976.303	240.8602151	5984.018699	30000	0	0	30000	44.375	2004
23.01.2020 13:17:52	1	1	1	1	86.5	64.25	0	24123.223	225.8064516	5457.288071	30000	0	0	30000	44.5625	2004
23.01.2020 13:17:53	1	1	1	1	86.5	64.5	0	25355.45	243.0107527	6149.539315	30000	0	0	30000	43.5	2004
23.01.2020 13:17:54	1	1	1	1	86.5	63.5	0	24881.517	240.8602151	5820.944201	30000	0	0	30000	44.4375	2004
23.01.2020 13:17:55	1	1	1	1	86.5	64.25	0	25734.597	264.516129	6806.729541	30000	0	0	30000	44.5	2004
23.01.2020 13:17:56	1	1	1	1	86.5	64.5	0	25829.384	275.2688172	6917.620199	30000	0	0	30000	44.5	2004
23.01.2020 13:17:57	1	1	1	1	86.5	64.5	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.375	2004
23.01.2020 13:17:58	1	1	1	1	86.5	64.25	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.625	2004
23.01.2020 13:17:59	1	1	1	1	86.5	64.5	0	25924.171	270.9677419	7191.585356	30000	0	0	30000	44.125	2004
23.01.2020 13:18:01	1	1	1	1	86.75	64	0	25734.597	268.8172043	6973.065529	30000	0	0	30000	44.3125	2004
23.01.2020 13:18:02	1	1	1	1	86.75	64.25	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.375	2004
23.01.2020 13:18:03	1	1	1	1	86.75	64.25	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	43.9375	2004
23.01.2020 13:18:04	1	1	1	1	86.75	63.75	0	26018.957	270.9677419	7105.971245	30000	0	0	30000	44.3125	2004
23.01.2020 13:18:05	1	1	1	1	86.75	64.25	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.375	2004
23.01.2020 13:18:06	1	1	1	1	86.75	64.25	0	25734.597	270.9677419	6917.620199	30000	0	0	30000	44.5625	2004
23.01.2020 13:18:07	1	1	1	1	86.75	64.5	0	25924.171	273.1182796	7079.879325	30000	0	0	30000	44.25	2004
23.01.2020 13:18:08	1	1	1	1	86.75	64.25	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	43.9375	2004
23.01.2020 13:18:09	1	1	1	1	86.75	63.75	0	25924.171	270.9677419	7079.879325	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:10	1	1	1	1	86.75	64.25	0	25829.384	270.9677419	6942.896747	30000	0	0	30000	44.6875	2004
23.01.2020 13:18:11	1	1	1	1	86.5	64.5	0	25734.597	270.9677419	7028.510858	30000	0	0	30000	44.5625	2004
23.01.2020 13:18:12	1	1	1	1	86.5	64.5	0	25734.597	270.9677419	6998.342076	30000	0	0	30000	44.5625	2004
23.01.2020 13:18:13	1	1	1	1	86.5	64.5	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.375	2004
23.01.2020 13:18:14	1	1	1	1	86.5	64.5	0	25734.597	270.9677419	7053.787405	30000	0	0	30000	43.5	2004
23.01.2020 13:18:15	1	1	1	1	86.5	63.5	0	25876.777	277.4193548	6973.065529	30000	0	0	30000	44.375	2004
23.01.2020 13:18:16	1	1	1	1	86.5	64.25	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.375	2004
23.01.2020 13:18:17	1	1	1	1	86.5	64.25	0	25876.777	270.9677419	6955.942706	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:18	1	1	1	1	86.5	64.25	0	27298.578	275.2688172	7573.179681	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:19	1	1	1	1	86.5	64.25	0	25734.597	268.8172043	6998.342076	30000	0	0	30000	44.25	2004
23.01.2020 13:18:20	1	1	1	1	86.75	64.25	0	25876.777	270.9677419	7024.433996	30000	0	0	30000	44.3125	2004
23.01.2020 13:18:21	1	1	1	1	86.75	64.25	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.125	2004
23.01.2020 13:18:22	1	1	1	1	86.75	64	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.25	2004
23.01.2020 13:18:23	1	1	1	1	86.75	64.25	0	25924.171	270.9677419	6968.173294	30000	0	0	30000	44.3125	2004
23.01.2020 13:18:24	1	1	1	1	86.75	64.25	0	25924.171	268.8172043	6968.173294	30000	0	0	30000	44.375	2004
23.01.2020 13:18:25	1	1	1	1	86.75	64.25	0	25734.597	273.1182796	7028.510858	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:18:26	1	1	1	1	86.75	64.25	0	25924.171	270.9677419	6998.342076	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:27	1	1	1	1	86.75	64.25	0	25829.384	270.9677419	6973.065529	30000	0	0	30000	44.5	2004
23.01.2020 13:18:28	1	1	1	1	86.75	64.5	0	25734.597	273.1182796	7028.510858	30000	0	0	30000	44.1875	2004
23.01.2020 13:18:29	1	1	1	1	86.75	64	0	25734.597	268.8172043	6973.065529	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:30	1	1	1	1	86.75	64.25	0	25734.597	270.9677419	7028.510858	30000	0	0	30000	44.375	2004
23.01.2020 13:18:31	1	1	1	1	86.75	64.25	0	25734.597	266.6666667	6998.342076	30000	0	0	30000	44.375	2004
23.01.2020 13:18:32	1	1	1	1	86.75	64.25	0	23554.502	251.6129032	5926.127252	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:33	1	1	1	1	86.75	64.25	0	25734.597	268.8172043	6942.896747	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:34	1	1	1	1	86.75	64.25	0	25876.777	270.9677419	7024.433996	30000	0	0	30000	44.375	2004
23.01.2020 13:18:41	1	1	1	1	87	64.25	0	25876.777	270.9677419	7011.388036	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:41	1	1	1	1	87	64.25	0	25876.777	270.9677419	7011.388036	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:41	1	1	1	1	87	64.25	0	25876.777	270.9677419	7011.388036	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:41	1	1	1	1	87	64.25	0	25876.777	270.9677419	7011.388036	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:41	1	1	1	1	87	64.25	0	25876.777	270.9677419	7011.388036	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:41	1	1	1	1	87	64.25	0	25876.777	270.9677419	7011.388036	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:42	1	1	1	1	87	64.25	0	25734.597	264.516129	6955.942706	30000	0	0	30000	44.25	2004
23.01.2020 13:18:43	1	1	1	1	87	64.25	0	26018.957	268.8172043	7024.433996	30000	0	0	30000	44.1875	2004
23.01.2020 13:18:44	1	1	1	1	87	64	0	25734.597	270.9677419	6917.620199	30000	0	0	30000	44.375	2004
23.01.2020 13:18:45	1	1	1	1	87	64.25	0	25734.597	270.9677419	6917.620199	30000	0	0	30000	43.75	2004
23.01.2020 13:18:46	1	1	1	1	87	63.75	0	25924.171	270.9677419	6968.173294	30000	0	0	30000	44.375	2004
23.01.2020 13:18:47	1	1	1	1	87	64.25	0	25829.384	270.9677419	7079.879325	30000	0	0	30000	44.5	2004
23.01.2020 13:18:48	1	1	1	1	87	64.5	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:49	1	1	1	1	87	64.25	0	26018.957	270.9677419	7049.710543	30000	0	0	30000	44.8125	2004
23.01.2020 13:18:50	1	1	1	1	87	64.75	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:51	1	1	1	1	87.25	64.25	0	25734.597	270.9677419	6849.944283	30000	0	0	30000	44.5	2004
23.01.2020 13:18:52	1	1	1	1	87.25	64.5	0	25734.597	270.9677419	6942.896747	30000	0	0	30000	44.8125	2004
23.01.2020 13:18:53	1	1	1	1	87.25	64.25	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.25	2004
23.01.2020 13:18:54	1	1	1	1	87.25	64.25	0	25734.597	266.6666667	7028.510858	30000	0	0	30000	44.375	2004
23.01.2020 13:18:55	1	1	1	1	87.25	64.25	0	26540.284	298.9247312	7933.574321	30000	0	0	30000	44.25	2004
23.01.2020 13:18:56	1	1	1	1	87.25	64.25	0	26635.071	301.0752688	7975.973691	30000	0	0	30000	43.75	2004
23.01.2020 13:18:57	1	1	1	1	87.25	63.75	0	26587.678	298.9247312	7947.435654	30000	0	0	30000	43.9375	2004
23.01.2020 13:18:58	1	1	1	1	87.25	63.75	0	26682.464	298.9247312	7861.00617	30000	0	0	30000	44.4375	2004
23.01.2020 13:18:59	1	1	1	1	87.25	64.25	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:00	1	1	1	1	87	64.25	0	26682.464	301.0752688	7975.973691	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:01	1	1	1	1	87	64.25	0	26682.464	303.2258065	7975.973691	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:02	1	1	1	1	87	64.25	0	26587.678	298.9247312	7947.435654	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:03	1	1	1	1	87	64.25	0	26350.711	301.0752688	7989.835023	30000	0	0	30000	44.375	2004
23.01.2020 13:19:04	1	1	1	1	87	64.25	0	26540.284	301.0752688	7933.574321	30000	0	0	30000	44.25	2004
23.01.2020 13:19:05	1	1	1	1	87	64.25	0	26872.038	301.0752688	8090.125839	30000	0	0	30000	43.8125	2004
23.01.2020 13:19:06	1	1	1	1	87	63.75	0	26777.251	298.9247312	8003.696355	30000	0	0	30000	44.1875	2004
23.01.2020 13:19:07	1	1	1	1	87	64	0	26777.251	296.7741935	7946.620281	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:08	1	1	1	1	87	64.25	0	27109.005	294.6236559	8059.141685	30000	0	0	30000	43.75	2004
23.01.2020 13:19:09	1	1	1	1	87	63.75	0	26824.645	298.9247312	8018.37306	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:19:10	1	1	1	1	87.25	64.25	0	26872.038	296.7741935	7974.342946	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:11	1	1	1	1	87.25	64.25	0	27014.218	296.7741935	8089.310467	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:12	1	1	1	1	87.25	64.25	0	26919.431	296.7741935	8046.911097	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:13	1	1	1	1	87.25	64.25	0	26824.645	298.9247312	7902.590167	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:14	1	1	1	1	87.25	64.25	0	27061.611	298.9247312	8147.201913	30000	0	0	30000	44.25	2004
23.01.2020 13:19:15	1	1	1	1	87.25	64.25	0	26966.825	298.9247312	7887.098089	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:17	1	1	1	1	87.25	64.25	0	26777.251	296.7741935	7946.620281	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:18	1	1	1	1	87.25	64.25	0	26919.431	296.7741935	7974.342946	30000	0	0	30000	44.25	2004
23.01.2020 13:19:19	1	1	1	1	87.25	64.25	0	26824.645	296.7741935	7960.481613	30000	0	0	30000	44.375	2004
23.01.2020 13:19:20	1	1	1	1	87.25	64.25	0	26919.431	296.7741935	8046.911097	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:21	1	1	1	1	87.25	64.25	0	26966.825	296.7741935	7944.989536	30000	0	0	30000	44.5625	2004
23.01.2020 13:19:22	1	1	1	1	87.25	64.5	0	27109.005	294.6236559	8045.280352	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:23	1	1	1	1	87.25	64.25	0	26966.825	296.7741935	7944.989536	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:24	1	1	1	1	87.25	64.25	0	27061.611	296.7741935	8030.603647	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:25	1	1	1	1	87.25	64.25	0	26919.431	298.9247312	7944.989536	30000	0	0	30000	44.5	2004
23.01.2020 13:19:26	1	1	1	1	87.25	64.5	0	27061.611	296.7741935	8016.742315	30000	0	0	30000	44.25	2004
23.01.2020 13:19:27	1	1	1	1	87.25	64.25	0	27109.005	294.6236559	8101.541054	30000	0	0	30000	44.625	2004
23.01.2020 13:19:28	1	1	1	1	87.25	64.5	0	27298.578	294.6236559	8000.434865	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:29	1	1	1	1	87.25	64.25	0	27298.578	294.6236559	8042.834235	30000	0	0	30000	44.5	2004
23.01.2020 13:19:30	1	1	1	1	87.5	64.5	0	27109.005	292.4731183	7986.573533	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:31	1	1	1	1	87.5	64.25	0	27061.611	290.3225806	7972.712201	30000	0	0	30000	44.0625	2004
23.01.2020 13:19:32	1	1	1	1	87.5	64	0	27061.611	296.7741935	7944.989536	30000	0	0	30000	44.375	2004
23.01.2020 13:19:33	1	1	1	1	87.5	64.25	0	26966.825	296.7741935	8002.880983	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:34	1	1	1	1	87.5	64.25	0	26777.251	298.9247312	7946.620281	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:35	1	1	1	1	87.5	64.25	0	27061.611	298.9247312	8089.310467	30000	0	0	30000	44.1875	2004
23.01.2020 13:19:36	1	1	1	1	87.5	64	0	26824.645	298.9247312	8076.264507	30000	0	0	30000	44.25	2004
23.01.2020 13:19:43	1	1	1	1	87.5	64.25	0	26919.431	296.7741935	7989.01965	30000	0	0	30000	44.25	2004
23.01.2020 13:19:43	1	1	1	1	87.5	64.25	0	26919.431	296.7741935	7989.01965	30000	0	0	30000	44.25	2004
23.01.2020 13:19:43	1	1	1	1	87.5	64.25	0	26919.431	296.7741935	7989.01965	30000	0	0	30000	44.25	2004
23.01.2020 13:19:43	1	1	1	1	87.5	64.25	0	26919.431	296.7741935	7989.01965	30000	0	0	30000	44.25	2004
23.01.2020 13:19:43	1	1	1	1	87.5	64.25	0	26919.431	296.7741935	7989.01965	30000	0	0	30000	44.25	2004
23.01.2020 13:19:43	1	1	1	1	87.5	64.25	0	26919.431	296.7741935	7989.01965	30000	0	0	30000	44.25	2004
23.01.2020 13:19:43	1	1	1	1	87.5	64.25	0	27109.005	296.7741935	8045.280352	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:44	1	1	1	1	87.5	64.25	0	27061.611	298.9247312	8030.603647	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:45	1	1	1	1	87.5	64.25	0	26966.825	294.6236559	7944.989536	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:46	1	1	1	1	87.5	64.25	0	27156.398	294.6236559	7986.573533	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:47	1	1	1	1	87.5	64.25	0	27109.005	294.6236559	8042.834235	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:48	1	1	1	1	87.5	64.25	0	27156.398	292.4731183	8042.834235	30000	0	0	30000	44	2004
23.01.2020 13:19:49	1	1	1	1	87.5	64	0	27156.398	292.4731183	7942.543419	30000	0	0	30000	44.25	2004
23.01.2020 13:19:50	1	1	1	1	87.25	64.25	0	27298.578	292.4731183	7984.127416	30000	0	0	30000	44.375	2004
23.01.2020 13:19:51	1	1	1	1	87.25	64.25	0	27109.005	290.3225806	7869.975267	30000	0	0	30000	44.4375	2004
23.01.2020 13:19:52	1	1	1	1	87.25	64.25	0	27535.545	294.6236559	8126.002229	30000	0	0	30000	44.375	2004
23.01.2020 13:19:53	1	1	1	1	87.25	64.25	0	27156.398	292.4731183	7984.127416	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:19:54	1	1	1	1	87.25	64.25	0	27440.758	294.6236559	8056.695567	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:56	1	1	1	1	87.25	64.25	0	27345.972	309.6774194	8527.165493	30000	0	0	30000	44.3125	2004
23.01.2020 13:19:57	1	1	1	1	87.25	64.25	0	27440.758	326.8817204	8910.390563	30000	0	0	30000	44.1875	2004
23.01.2020 13:19:58	1	1	1	1	87.25	64	0	27630.332	326.8817204	9031.881064	30000	0	0	30000	44.25	2004
23.01.2020 13:19:59	1	1	1	1	87.25	64.25	0	27582.938	324.7311828	8956.866795	30000	0	0	30000	44.375	2004
23.01.2020 13:20:00	1	1	1	1	87.25	64.25	0	27819.905	322.5806452	9093.849374	30000	0	0	30000	44.0625	2004
23.01.2020 13:20:01	1	1	1	1	87.75	64	0	27630.332	322.5806452	8973.989618	30000	0	0	30000	44.5	2004
23.01.2020 13:20:02	1	1	1	1	87.75	64.5	0	27582.938	329.0322581	9016.388987	30000	0	0	30000	44.0625	2004
23.01.2020 13:20:03	1	1	1	1	87.75	64	0	27440.758	326.8817204	9194.14019	30000	0	0	30000	44.25	2004
23.01.2020 13:20:04	1	1	1	1	87.75	64.25	0	27582.938	326.8817204	9016.388987	30000	0	0	30000	44.25	2004
23.01.2020 13:20:05	1	1	1	1	87.75	64.25	0	28009.479	322.5806452	8974.80499	30000	0	0	30000	44.375	2004
23.01.2020 13:20:06	1	1	1	1	87.75	64.25	0	27914.692	320.4301075	8944.636208	30000	0	0	30000	44.3125	2004
23.01.2020 13:20:07	1	1	1	1	87.75	64.25	0	27440.758	326.8817204	9028.619574	30000	0	0	30000	44.6875	2004
23.01.2020 13:20:08	1	1	1	1	87.75	64.5	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44.4375	2004
23.01.2020 13:20:09	1	1	1	1	87.75	64	0	27440.758	326.8817204	9028.619574	30000	0	0	30000	44.5	2004
23.01.2020 13:20:10	1	1	1	1	87.5	64.5	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	43.875	2004
23.01.2020 13:20:11	1	1	1	1	87.5	63.75	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	43.9375	2004
23.01.2020 13:20:12	1	1	1	1	87.5	63.75	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44.4375	2004
23.01.2020 13:20:13	1	1	1	1	87.5	64.25	0	27298.578	329.0322581	8982.143342	30000	0	0	30000	44.375	2004
23.01.2020 13:20:14	1	1	1	1	87.5	64.25	0	27630.332	329.0322581	9090.587884	30000	0	0	30000	44.375	2004
23.01.2020 13:20:15	1	1	1	1	87.5	64.25	0	27345.972	329.0322581	9056.342239	30000	0	0	30000	44.3125	2004
23.01.2020 13:20:16	1	1	1	1	87.5	64.25	0	27298.578	329.0322581	8982.143342	30000	0	0	30000	44.375	2004
23.01.2020 13:20:17	1	1	1	1	87.5	64.25	0	27819.905	333.3333333	9273.231321	30000	0	0	30000	44.1875	2004
23.01.2020 13:20:18	1	1	1	1	87.5	64	0	26919.431	331.1827957	8915.282798	30000	0	0	30000	44.1875	2004
23.01.2020 13:20:19	1	1	1	1	87.5	64	0	27345.972	333.3333333	9115.049058	30000	0	0	30000	44.25	2004
23.01.2020 13:20:20	1	1	1	1	86.75	64.25	0	27345.972	329.0322581	8997.63542	30000	0	0	30000	44.375	2004
23.01.2020 13:20:21	1	1	1	1	86.75	64.25	0	27819.905	326.8817204	9153.371565	30000	0	0	30000	44.3125	2004
23.01.2020 13:20:22	1	1	1	1	86.75	64.25	0	27298.578	331.1827957	8982.143342	30000	0	0	30000	44.1875	2004
23.01.2020 13:20:23	1	1	1	1	86.75	64	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44.125	2004
23.01.2020 13:20:24	1	1	1	1	86.75	64	0	27582.938	326.8817204	9016.388987	30000	0	0	30000	44.375	2004
23.01.2020 13:20:25	1	1	1	1	86.75	64.25	0	27819.905	326.8817204	9093.849374	30000	0	0	30000	43.8125	2004
23.01.2020 13:20:26	1	1	1	1	86.75	63.75	0	27345.972	326.8817204	9146.848585	30000	0	0	30000	44.375	2004
23.01.2020 13:20:27	1	1	1	1	86.75	64.25	0	27345.972	320.4301075	8969.912755	30000	0	0	30000	44.4375	2004
23.01.2020 13:20:28	1	1	1	1	86.75	64.25	0	27582.938	326.8817204	9016.388987	30000	0	0	30000	44.125	2004
23.01.2020 13:20:29	1	1	1	1	86.75	64	0	27298.578	326.8817204	8923.436523	30000	0	0	30000	44.375	2004
23.01.2020 13:20:30	1	1	1	1	87	64.25	0	27440.758	322.5806452	8910.390563	30000	0	0	30000	44.375	2004
23.01.2020 13:20:31	1	1	1	1	87	64.25	0	27582.938	329.0322581	9059.603729	30000	0	0	30000	44.375	2004
23.01.2020 13:20:32	1	1	1	1	87	64.25	0	27440.758	329.0322581	8969.912755	30000	0	0	30000	44.1875	2004
23.01.2020 13:20:34	1	1	1	1	87	64	0	27819.905	326.8817204	9031.881064	30000	0	0	30000	44.25	2004
23.01.2020 13:20:35	1	1	1	1	87	64.25	0	27630.332	322.5806452	9031.881064	30000	0	0	30000	44.5	2004
23.01.2020 13:20:36	1	1	1	1	87	64.5	0	27630.332	326.8817204	8972.358873	30000	0	0	30000	44.3125	2004
23.01.2020 13:20:37	1	1	1	1	87	64.25	0	27819.905	326.8817204	9168.863643	30000	0	0	30000	44.4375	2004
23.01.2020 13:20:38	1	1	1	1	87	64.25	0	27535.545	326.8817204	8851.683744	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:20:44	1	1	1	1	87.5	63.75	0	27535.545	326.8817204	9000.89691	30000	0	0	30000	44.5625	2004
23.01.2020 13:20:44	1	1	1	1	87.5	63.75	0	27535.545	326.8817204	9000.89691	30000	0	0	30000	44.5625	2004
23.01.2020 13:20:44	1	1	1	1	87.5	63.75	0	27535.545	326.8817204	9000.89691	30000	0	0	30000	44.5625	2004
23.01.2020 13:20:44	1	1	1	1	87.5	63.75	0	27535.545	326.8817204	9000.89691	30000	0	0	30000	44.5625	2004
23.01.2020 13:20:44	1	1	1	1	87.5	63.75	0	27535.545	326.8817204	9000.89691	30000	0	0	30000	44.5625	2004
23.01.2020 13:20:44	1	1	1	1	87.5	63.75	0	27535.545	326.8817204	9000.89691	30000	0	0	30000	44.5625	2004
23.01.2020 13:20:45	1	1	1	1	87.5	64.5	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44.6875	2004
23.01.2020 13:20:46	1	1	1	1	87.5	64.5	0	27582.938	322.5806452	9031.881064	30000	0	0	30000	44	2004
23.01.2020 13:20:47	1	1	1	1	87.5	64.5	0	27345.972	326.8817204	8938.928601	30000	0	0	30000	44.3125	2004
23.01.2020 13:20:48	1	1	1	1	87.5	64.25	0	27345.972	326.8817204	9028.619574	30000	0	0	30000	44.4375	2004
23.01.2020 13:20:49	1	1	1	1	87.5	64.25	0	27440.758	329.0322581	9028.619574	30000	0	0	30000	44.4375	2004
23.01.2020 13:20:50	1	1	1	1	87.75	64.25	0	27298.578	326.8817204	8923.436523	30000	0	0	30000	43.125	2004
23.01.2020 13:20:51	1	1	1	1	87.75	63	0	27440.758	329.0322581	8969.912755	30000	0	0	30000	44.25	2004
23.01.2020 13:20:52	1	1	1	1	87.75	64.25	0	27109.005	333.3333333	9035.957927	30000	0	0	30000	44.25	2004
23.01.2020 13:20:53	1	1	1	1	87.75	64.25	0	26966.825	331.1827957	8930.774876	30000	0	0	30000	44.125	2004
23.01.2020 13:20:54	1	1	1	1	87.75	64	0	26966.825	335.483871	8988.666322	30000	0	0	30000	44.375	2004
23.01.2020 13:20:55	1	1	1	1	87.75	64.25	0	26872.038	359.1397849	9650.748784	30000	0	0	30000	44.375	2004
23.01.2020 13:20:56	1	1	1	1	87.75	64.25	0	27345.972	365.5913978	9997.282092	30000	0	0	30000	44.3125	2004
23.01.2020 13:20:57	1	1	1	1	87.75	64.25	0	27393.365	365.5913978	10091.04993	30000	0	0	30000	44.1875	2004
23.01.2020 13:20:58	1	1	1	1	87.75	64	0	27298.578	363.4408602	9921.45245	30000	0	0	30000	44.3125	2004
23.01.2020 13:20:59	1	1	1	1	87.75	64.25	0	27867.299	363.4408602	10188.07925	30000	0	0	30000	44.375	2004
23.01.2020 13:21:00	1	1	1	1	88	64.25	0	27630.332	363.4408602	10160.35659	30000	0	0	30000	43.625	2004
23.01.2020 13:21:01	1	1	1	1	88	63.5	0	27440.758	359.1397849	9972.820917	30000	0	0	30000	44.0625	2004
23.01.2020 13:21:02	1	1	1	1	88	64	0	27867.299	361.2903226	10127.74169	30000	0	0	30000	44.0625	2004
23.01.2020 13:21:03	1	1	1	1	88	64	0	27440.758	363.4408602	9972.820917	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:04	1	1	1	1	88	64	0	27630.332	363.4408602	9923.083195	30000	0	0	30000	44.25	2004
23.01.2020 13:21:05	1	1	1	1	88	64.25	0	27630.332	356.9892473	10041.31221	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:06	1	1	1	1	88	64.25	0	27867.299	363.4408602	10144.86451	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:07	1	1	1	1	88	64	0	27914.692	356.9892473	9964.667192	30000	0	0	30000	43.9375	2004
23.01.2020 13:21:08	1	1	1	1	88	63.75	0	27440.758	359.1397849	9854.591906	30000	0	0	30000	44.125	2004
23.01.2020 13:21:09	1	1	1	1	88	64	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44	2004
23.01.2020 13:21:10	1	1	1	1	87.75	64	0	27582.938	359.1397849	9923.083195	30000	0	0	30000	44.0625	2004
23.01.2020 13:21:11	1	1	1	1	87.75	64	0	27867.299	359.1397849	9990.759112	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:13	1	1	1	1	87.75	64	0	27345.972	359.1397849	9820.346262	30000	0	0	30000	44.375	2004
23.01.2020 13:21:14	1	1	1	1	87.75	64.25	0	27582.938	363.4408602	9972.820917	30000	0	0	30000	44.25	2004
23.01.2020 13:21:15	1	1	1	1	87.75	64.25	0	27867.299	359.1397849	9948.359742	30000	0	0	30000	44	2004
23.01.2020 13:21:16	1	1	1	1	87.75	64	0	27819.905	359.1397849	10051.09668	30000	0	0	30000	43.875	2004
23.01.2020 13:21:17	1	1	1	1	87.75	63.75	0	27867.299	356.9892473	10007.88193	30000	0	0	30000	44.125	2004
23.01.2020 13:21:18	1	1	1	1	87.75	64	0	27630.332	359.1397849	9923.083195	30000	0	0	30000	44	2004
23.01.2020 13:21:19	1	1	1	1	87.75	64	0	27962.085	359.1397849	10042.12758	30000	0	0	30000	43.625	2004
23.01.2020 13:21:20	1	1	1	1	87.75	63.5	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	44	2004
23.01.2020 13:21:21	1	1	1	1	87.5	64	0	27914.692	359.1397849	9964.667192	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:22	1	1	1	1	87.5	64.25	0	27962.085	356.9892473	10042.12758	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:21:23	1	1	1	1	87.5	64	0	27867.299	359.1397849	9828.499986	30000	0	0	30000	43.875	2004
23.01.2020 13:21:24	1	1	1	1	87.5	63.75	0	28009.479	356.9892473	9938.575272	30000	0	0	30000	44.375	2004
23.01.2020 13:21:25	1	1	1	1	87.5	64.25	0	27109.005	359.1397849	9735.547523	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:26	1	1	1	1	87.5	64.25	0	27867.299	356.9892473	9931.23692	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:27	1	1	1	1	87.5	64	0	27630.332	359.1397849	9923.083195	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:28	1	1	1	1	87.5	64.25	0	27914.692	356.9892473	9905.145	30000	0	0	30000	44.0625	2004
23.01.2020 13:21:29	1	1	1	1	87.5	64	0	27914.692	356.9892473	10042.12758	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:30	1	1	1	1	88.25	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.25	2004
23.01.2020 13:21:31	1	1	1	1	88.25	64.25	0	27630.332	359.1397849	10041.31221	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:32	1	1	1	1	88.25	64.25	0	27819.905	367.7419355	9923.083195	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:33	1	1	1	1	88.25	64.25	0	27535.545	359.1397849	9854.591906	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:34	1	1	1	1	88.25	64.25	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44.375	2004
23.01.2020 13:21:35	1	1	1	1	88.25	64.25	0	27725.118	367.7419355	10219.87878	30000	0	0	30000	44.375	2004
23.01.2020 13:21:36	1	1	1	1	88.25	64.25	0	27440.758	372.0430108	10091.04993	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:37	1	1	1	1	88.25	64.25	0	27298.578	363.4408602	9921.45245	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:38	1	1	1	1	88.25	64.25	0	27582.938	365.5913978	10202.75596	30000	0	0	30000	44.375	2004
23.01.2020 13:21:39	1	1	1	1	88.25	64.25	0	27819.905	363.4408602	10110.61887	30000	0	0	30000	43.875	2004
23.01.2020 13:21:46	1	1	1	1	88	64.25	0	26966.825	369.8924731	9916.560215	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:46	1	1	1	1	88	64.25	0	26966.825	369.8924731	9916.560215	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:46	1	1	1	1	88	64.25	0	26966.825	369.8924731	9916.560215	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:46	1	1	1	1	88	64.25	0	26966.825	369.8924731	9916.560215	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:46	1	1	1	1	88	64.25	0	26966.825	369.8924731	9916.560215	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:46	1	1	1	1	88	64.25	0	26966.825	369.8924731	9916.560215	30000	0	0	30000	44.1875	2004
23.01.2020 13:21:46	1	1	1	1	88	64	0	26966.825	369.8924731	9974.451662	30000	0	0	30000	44.375	2004
23.01.2020 13:21:47	1	1	1	1	88	64.25	0	27298.578	367.7419355	10097.57291	30000	0	0	30000	44.4375	2004
23.01.2020 13:21:48	1	1	1	1	88	64.25	0	27061.611	369.8924731	10009.51268	30000	0	0	30000	44.375	2004
23.01.2020 13:21:49	1	1	1	1	88	64.25	0	26966.825	369.8924731	10032.34311	30000	0	0	30000	44.375	2004
23.01.2020 13:21:51	1	1	1	1	88	64.25	0	27014.218	367.7419355	10067.40413	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:52	1	1	1	1	88	64.25	0	27440.758	369.8924731	10031.52774	30000	0	0	30000	44.375	2004
23.01.2020 13:21:53	1	1	1	1	88	64.25	0	27298.578	363.4408602	10097.57291	30000	0	0	30000	44.3125	2004
23.01.2020 13:21:54	1	1	1	1	88	64.25	0	27156.398	367.7419355	9968.744055	30000	0	0	30000	44.375	2004
23.01.2020 13:21:55	1	1	1	1	88	64.25	0	27061.611	369.8924731	10009.51268	30000	0	0	30000	44.375	2004
23.01.2020 13:21:56	1	1	1	1	88	64.25	0	28625.592	378.4946237	10895.82257	30000	0	0	30000	43.8125	2004
23.01.2020 13:21:57	1	1	1	1	88	63.75	0	27440.758	380.6451613	10563.1506	30000	0	0	30000	44.375	2004
23.01.2020 13:21:58	1	1	1	1	88	64.25	0	27867.299	395.6989247	11027.09755	30000	0	0	30000	43.6875	2004
23.01.2020 13:21:59	1	1	1	1	88	63.5	0	27345.972	400	10996.92876	30000	0	0	30000	43.9375	2004
23.01.2020 13:22:00	1	1	1	1	88	63.75	0	27962.085	395.6989247	11064.60468	30000	0	0	30000	44.1875	2004
23.01.2020 13:22:01	1	1	1	1	88	64	0	27440.758	395.6989247	10858.31544	30000	0	0	30000	44.4375	2004
23.01.2020 13:22:02	1	1	1	1	88	64.25	0	27630.332	395.6989247	11149.40342	30000	0	0	30000	44.6875	2004
23.01.2020 13:22:03	1	1	1	1	88	64.5	0	27298.578	397.8494624	10802.05474	30000	0	0	30000	44.3125	2004
23.01.2020 13:22:04	1	1	1	1	88	64.25	0	27440.758	397.8494624	10917.02226	30000	0	0	30000	44.4375	2004
23.01.2020 13:22:05	1	1	1	1	88	64.5	0	27630.332	397.8494624	10992.03653	30000	0	0	30000	44.25	2004
23.01.2020 13:22:06	1	1	1	1	88	64.25	0	27535.545	397.8494624	11032.80515	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:22:07	1	1	1	1	88	64.25	0	27440.758	395.6989247	10858.31544	30000	0	0	30000	44.375	2004
23.01.2020 13:22:08	1	1	1	1	88	64.25	0	27298.578	395.6989247	10802.05474	30000	0	0	30000	44.3125	2004
23.01.2020 13:22:09	1	1	1	1	88	64.25	0	27630.332	397.8494624	10992.03653	30000	0	0	30000	44.25	2004
23.01.2020 13:22:10	1	1	1	1	88.75	64.25	0	27819.905	395.6989247	11008.34398	30000	0	0	30000	44.0625	2004
23.01.2020 13:22:11	1	1	1	1	88.75	64	0	27630.332	402.1505376	11408.69187	30000	0	0	30000	44.25	2004
23.01.2020 13:22:12	1	1	1	1	88.75	64.25	0	27819.905	397.8494624	11067.86617	30000	0	0	30000	44.375	2004
23.01.2020 13:22:13	1	1	1	1	88.75	64.25	0	27630.332	400	10992.03653	30000	0	0	30000	44.375	2004
23.01.2020 13:22:14	1	1	1	1	88.75	64.25	0	27630.332	397.8494624	10992.03653	30000	0	0	30000	44.375	2004
23.01.2020 13:22:15	1	1	1	1	88.75	64.25	0	27630.332	397.8494624	10992.03653	30000	0	0	30000	44.1875	2004
23.01.2020 13:22:16	1	1	1	1	88.75	64	0	27535.545	395.6989247	10973.28296	30000	0	0	30000	44	2004
23.01.2020 13:22:17	1	1	1	1	88.75	64	0	27630.332	395.6989247	10933.32971	30000	0	0	30000	44.25	2004
23.01.2020 13:22:18	1	1	1	1	88.75	64.25	0	27819.905	395.6989247	10933.32971	30000	0	0	30000	44.5	2004
23.01.2020 13:22:19	1	1	1	1	88.75	64.5	0	27630.332	397.8494624	11051.55872	30000	0	0	30000	44.125	2004
23.01.2020 13:22:20	1	1	1	1	88	64	0	27582.938	402.1505376	11092.32734	30000	0	0	30000	44.25	2004
23.01.2020 13:22:21	1	1	1	1	88	64.25	0	27867.299	395.6989247	11027.09755	30000	0	0	30000	44.1875	2004
23.01.2020 13:22:22	1	1	1	1	88	64	0	27867.299	395.6989247	10948.00641	30000	0	0	30000	43.8125	2004
23.01.2020 13:22:23	1	1	1	1	88	63.75	0	27962.085	395.6989247	10865.65379	30000	0	0	30000	44.375	2004
23.01.2020 13:22:24	1	1	1	1	88	64.25	0	27867.299	400	11008.34398	30000	0	0	30000	44.3125	2004
23.01.2020 13:22:25	1	1	1	1	88	64.25	0	27867.299	395.6989247	11008.34398	30000	0	0	30000	43.875	2004
23.01.2020 13:22:26	1	1	1	1	88	63.75	0	27630.332	400	10992.03653	30000	0	0	30000	44.4375	2004
23.01.2020 13:22:27	1	1	1	1	88	64.25	0	27914.692	395.6989247	11105.3733	30000	0	0	30000	44.375	2004
23.01.2020 13:22:29	1	1	1	1	88	64.25	0	27582.938	402.1505376	11092.32734	30000	0	0	30000	44.125	2004
23.01.2020 13:22:30	1	1	1	1	88	64	0	27630.332	400	10992.03653	30000	0	0	30000	44.1875	2004
23.01.2020 13:22:31	1	1	1	1	87.5	64	0	27440.758	395.6989247	10858.31544	30000	0	0	30000	44.25	2004
23.01.2020 13:22:32	1	1	1	1	87.5	64.25	0	27772.512	397.8494624	10992.03653	30000	0	0	30000	44.375	2004
23.01.2020 13:22:33	1	1	1	1	87.5	64.25	0	28009.479	395.6989247	10902.34555	30000	0	0	30000	44	2004
23.01.2020 13:22:34	1	1	1	1	87.5	64	0	28009.479	395.6989247	10962.68312	30000	0	0	30000	43.8125	2004
23.01.2020 13:22:35	1	1	1	1	87.5	63.75	0	28293.839	389.2473118	11013.23621	30000	0	0	30000	44.3125	2004
23.01.2020 13:22:36	1	1	1	1	87.5	64.25	0	28199.052	389.2473118	10975.72908	30000	0	0	30000	44.1875	2004
23.01.2020 13:22:37	1	1	1	1	87.5	64	0	27630.332	391.3978495	10635.71875	30000	0	0	30000	44.25	2004
23.01.2020 13:22:38	1	1	1	1	87.5	64.25	0	27962.085	395.6989247	11064.60468	30000	0	0	30000	44.375	2004
23.01.2020 13:22:39	1	1	1	1	87.5	64.25	0	28009.479	395.6989247	10962.68312	30000	0	0	30000	44.25	2004
23.01.2020 13:22:40	1	1	1	1	87.5	64.25	0	28009.479	395.6989247	11083.35825	30000	0	0	30000	44.625	2004
23.01.2020 13:22:41	1	1	1	1	88	64.5	0	28293.839	391.3978495	11036.88202	30000	0	0	30000	44.4375	2004
23.01.2020 13:22:48	1	1	1	1	88	64.25	0	27914.692	391.3978495	10925.17598	30000	0	0	30000	44.125	2004
23.01.2020 13:22:48	1	1	1	1	88	64.25	0	27914.692	391.3978495	10925.17598	30000	0	0	30000	44.125	2004
23.01.2020 13:22:48	1	1	1	1	88	64.25	0	27914.692	391.3978495	10925.17598	30000	0	0	30000	44.125	2004
23.01.2020 13:22:48	1	1	1	1	88	64.25	0	27914.692	391.3978495	10925.17598	30000	0	0	30000	44.125	2004
23.01.2020 13:22:48	1	1	1	1	88	64.25	0	27914.692	391.3978495	10925.17598	30000	0	0	30000	44.125	2004
23.01.2020 13:22:48	1	1	1	1	88	64	0	27819.905	395.6989247	11067.86617	30000	0	0	30000	44.375	2004
23.01.2020 13:22:49	1	1	1	1	88	64.25	0	28009.479	395.6989247	11083.35825	30000	0	0	30000	44.1875	2004
23.01.2020 13:22:50	1	1	1	1	88.25	64	0	28009.479	387.0967742	11083.35825	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:22:51	1	1	1	1	88.25	64	0	27914.692	387.0967742	10865.65379	30000	0	0	30000	44.3125	2004
23.01.2020 13:22:52	1	1	1	1	88.25	64.25	0	28009.479	391.3978495	10975.72908	30000	0	0	30000	44.375	2004
23.01.2020 13:22:53	1	1	1	1	88.25	64.25	0	28530.806	387.0967742	10964.31386	30000	0	0	30000	44.125	2004
23.01.2020 13:22:54	1	1	1	1	88.25	64	0	28199.052	391.3978495	11158.37252	30000	0	0	30000	44.4375	2004
23.01.2020 13:22:55	1	1	1	1	88.25	64.25	0	29478.673	412.9032258	11918.29968	30000	0	0	30000	44.4375	2004
23.01.2020 13:22:56	1	1	1	1	88.25	64.25	0	28436.019	419.3548387	11904.43834	30000	0	0	30000	44.0625	2004
23.01.2020 13:22:57	1	1	1	1	88.25	64	0	28483.412	419.3548387	11944.3916	30000	0	0	30000	44.0625	2004
23.01.2020 13:22:58	1	1	1	1	88.25	64	0	28625.592	417.2043011	12003.91379	30000	0	0	30000	44.375	2004
23.01.2020 13:22:59	1	1	1	1	88.25	64.25	0	28625.592	419.3548387	12003.91379	30000	0	0	30000	44.1875	2004
23.01.2020 13:23:00	1	1	1	1	87.75	64	0	28625.592	415.0537634	12083.82029	30000	0	0	30000	44.0625	2004
23.01.2020 13:23:01	1	1	1	1	87.75	64	0	28578.199	419.3548387	11984.34485	30000	0	0	30000	44.25	2004
23.01.2020 13:23:02	1	1	1	1	87.75	64.25	0	28815.166	412.9032258	11959.88367	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:03	1	1	1	1	87.75	64.25	0	28815.166	412.9032258	11959.88367	30000	0	0	30000	44.4375	2004
23.01.2020 13:23:04	1	1	1	1	87.75	64.25	0	28578.199	415.0537634	11822.08572	30000	0	0	30000	44.25	2004
23.01.2020 13:23:05	1	1	1	1	87.75	64.25	0	28483.412	415.0537634	11841.65466	30000	0	0	30000	44.4375	2004
23.01.2020 13:23:07	1	1	1	1	87.75	64.25	0	28815.166	417.2043011	12083.82029	30000	0	0	30000	43.9375	2004
23.01.2020 13:23:08	1	1	1	1	87.75	63.75	0	28625.592	415.0537634	11861.2236	30000	0	0	30000	44.1875	2004
23.01.2020 13:23:09	1	1	1	1	87.75	64	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	44.1875	2004
23.01.2020 13:23:10	1	1	1	1	87.75	64	0	28909.953	415.0537634	12080.5588	30000	0	0	30000	44.25	2004
23.01.2020 13:23:11	1	1	1	1	87.75	64.25	0	29052.133	419.3548387	12143.34248	30000	0	0	30000	44.375	2004
23.01.2020 13:23:12	1	1	1	1	87.75	64.25	0	28815.166	417.2043011	12083.82029	30000	0	0	30000	44.375	2004
23.01.2020 13:23:13	1	1	1	1	87.75	64.25	0	28862.559	419.3548387	11897.91536	30000	0	0	30000	42.9375	2004
23.01.2020 13:23:14	1	1	1	1	87.75	62.75	0	28862.559	412.9032258	11917.4843	30000	0	0	30000	44.25	2004
23.01.2020 13:23:15	1	1	1	1	87.75	64.25	0	29052.133	417.2043011	12120.51205	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:16	1	1	1	1	87.75	64.25	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	44.25	2004
23.01.2020 13:23:17	1	1	1	1	87.75	64.25	0	28862.559	415.0537634	11979.45261	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:18	1	1	1	1	87.75	64.25	0	28957.346	415.0537634	12018.59049	30000	0	0	30000	44.0625	2004
23.01.2020 13:23:19	1	1	1	1	87.75	64	0	28957.346	419.3548387	12143.34248	30000	0	0	30000	44.5	2004
23.01.2020 13:23:20	1	1	1	1	87.75	64.5	0	28625.592	417.2043011	11880.79254	30000	0	0	30000	44.4375	2004
23.01.2020 13:23:21	1	1	1	1	87.75	64.25	0	28957.346	417.2043011	12018.59049	30000	0	0	30000	43.9375	2004
23.01.2020 13:23:22	1	1	1	1	87.75	64	0	28957.346	427.9569892	12267.2791	30000	0	0	30000	44.125	2004
23.01.2020 13:23:23	1	1	1	1	87.75	64	0	28909.953	419.3548387	11917.4843	30000	0	0	30000	44.25	2004
23.01.2020 13:23:24	1	1	1	1	87.75	64.25	0	28625.592	412.9032258	11959.88367	30000	0	0	30000	44.4375	2004
23.01.2020 13:23:25	1	1	1	1	87.75	64.25	0	29052.133	417.2043011	12182.48036	30000	0	0	30000	44.25	2004
23.01.2020 13:23:26	1	1	1	1	87.75	64.25	0	28625.592	419.3548387	12083.82029	30000	0	0	30000	44.1875	2004
23.01.2020 13:23:27	1	1	1	1	87.75	64	0	28815.166	415.0537634	11861.2236	30000	0	0	30000	44.125	2004
23.01.2020 13:23:28	1	1	1	1	87.75	64	0	28625.592	419.3548387	12003.91379	30000	0	0	30000	44.125	2004
23.01.2020 13:23:29	1	1	1	1	87.75	64	0	28483.412	419.3548387	11944.3916	30000	0	0	30000	44.375	2004
23.01.2020 13:23:30	1	1	1	1	88	64.25	0	28815.166	417.2043011	12083.82029	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:31	1	1	1	1	88	64.25	0	28625.592	419.3548387	11984.34485	30000	0	0	30000	43.75	2004
23.01.2020 13:23:32	1	1	1	1	88	63.75	0	28578.199	415.0537634	11880.79254	30000	0	0	30000	43.875	2004
23.01.2020 13:23:33	1	1	1	1	88	63.75	0	28578.199	419.3548387	11984.34485	30000	0	0	30000	44.375	2004
23.01.2020 13:23:34	1	1	1	1	88	64.25	0	28625.592	419.3548387	12106.65072	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:23:35	1	1	1	1	88	64	0	28578.199	423.655914	11984.34485	30000	0	0	30000	44.625	2004
23.01.2020 13:23:36	1	1	1	1	88	64.5	0	28862.559	419.3548387	12103.38923	30000	0	0	30000	44.0625	2004
23.01.2020 13:23:37	1	1	1	1	88	64	0	28199.052	419.3548387	12108.28147	30000	0	0	30000	44	2004
23.01.2020 13:23:38	1	1	1	1	88	64	0	28199.052	423.655914	11946.02234	30000	0	0	30000	44.0625	2004
23.01.2020 13:23:39	1	1	1	1	88	64	0	28341.232	423.655914	12006.35991	30000	0	0	30000	44.25	2004
23.01.2020 13:23:40	1	1	1	1	88	64.25	0	28388.626	423.655914	12026.74422	30000	0	0	30000	44.4375	2004
23.01.2020 13:23:41	1	1	1	1	88	64.25	0	28530.806	415.0537634	11861.2236	30000	0	0	30000	44.25	2004
23.01.2020 13:23:42	1	1	1	1	88	64.25	0	28578.199	419.3548387	11984.34485	30000	0	0	30000	44.1875	2004
23.01.2020 13:23:49	1	1	1	1	88	64.25	0	28957.346	419.3548387	12143.34248	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:49	1	1	1	1	88	64.25	0	28957.346	419.3548387	12143.34248	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:49	1	1	1	1	88	64.25	0	28957.346	419.3548387	12143.34248	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:49	1	1	1	1	88	64.25	0	28957.346	419.3548387	12143.34248	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:49	1	1	1	1	88	64.25	0	28957.346	419.3548387	12143.34248	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:49	1	1	1	1	88	64.25	0	28957.346	419.3548387	12143.34248	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:50	1	1	1	1	88	64.25	0	28578.199	423.655914	11984.34485	30000	0	0	30000	44.5	2004
23.01.2020 13:23:51	1	1	1	1	88	64.5	0	28530.806	419.3548387	12066.69747	30000	0	0	30000	44.1875	2004
23.01.2020 13:23:52	1	1	1	1	88	64	0	28293.839	423.655914	11946.02234	30000	0	0	30000	44	2004
23.01.2020 13:23:53	1	1	1	1	88	64	0	28341.232	427.9569892	12128.66578	30000	0	0	30000	44.1875	2004
23.01.2020 13:23:54	1	1	1	1	88	64	0	28341.232	421.5053763	11884.8694	30000	0	0	30000	44.25	2004
23.01.2020 13:23:55	1	1	1	1	88	64.25	0	28199.052	423.655914	12007.17528	30000	0	0	30000	44.375	2004
23.01.2020 13:23:56	1	1	1	1	88	64.25	0	28009.479	453.7634409	12709.21099	30000	0	0	30000	44.3125	2004
23.01.2020 13:23:57	1	1	1	1	88	64.25	0	28293.839	443.0107527	12431.16897	30000	0	0	30000	44.25	2004
23.01.2020 13:23:58	1	1	1	1	88	64.25	0	28625.592	445.1612903	12951.37662	30000	0	0	30000	44.375	2004
23.01.2020 13:23:59	1	1	1	1	88	64.25	0	28672.986	455.9139785	13112.005	30000	0	0	30000	44.0625	2004
23.01.2020 13:24:00	1	1	1	1	88	64	0	28815.166	455.9139785	13075.31324	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:01	1	1	1	1	88	64	0	28625.592	445.1612903	12827.44	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:02	1	1	1	1	88	64.25	0	28578.199	460.2150538	13151.95825	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:03	1	1	1	1	88	64.25	0	28483.412	455.9139785	12945.66901	30000	0	0	30000	44.5	2004
23.01.2020 13:24:04	1	1	1	1	88	64.5	0	28388.626	460.2150538	13003.56046	30000	0	0	30000	44.125	2004
23.01.2020 13:24:05	1	1	1	1	88	64	0	28199.052	464.516129	13098.95904	30000	0	0	30000	44.5625	2004
23.01.2020 13:24:06	1	1	1	1	88	64.5	0	28483.412	455.9139785	13046.7752	30000	0	0	30000	44.125	2004
23.01.2020 13:24:07	1	1	1	1	88	64	0	28436.019	460.2150538	13003.56046	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:08	1	1	1	1	88	64.25	0	28199.052	460.2150538	13037.8061	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:09	1	1	1	1	88	64.25	0	28483.412	458.0645161	13046.7752	30000	0	0	30000	44.5625	2004
23.01.2020 13:24:10	1	1	1	1	87.75	64.5	0	28578.199	458.0645161	13089.98994	30000	0	0	30000	44	2004
23.01.2020 13:24:11	1	1	1	1	87.75	64	0	28009.479	464.516129	12977.46854	30000	0	0	30000	44.375	2004
23.01.2020 13:24:12	1	1	1	1	87.75	64.25	0	28436.019	460.2150538	13025.57552	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:13	1	1	1	1	87.75	64.25	0	28483.412	453.7634409	13046.7752	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:14	1	1	1	1	87.75	64.25	0	29620.853	443.0107527	13121.78947	30000	0	0	30000	44.25	2004
23.01.2020 13:24:15	1	1	1	1	87.75	64.25	0	28957.346	423.655914	12267.2791	30000	0	0	30000	43.625	2004
23.01.2020 13:24:16	1	1	1	1	87.75	63.5	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.25	2004
23.01.2020 13:24:17	1	1	1	1	87.75	64.25	0	28815.166	449.4623656	13075.31324	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:18	1	1	1	1	87.75	64.25	0	28578.199	449.4623656	12967.68407	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:24:19	1	1	1	1	87.75	64	0	29052.133	445.1612903	12932.62305	30000	0	0	30000	44	2004
23.01.2020 13:24:20	1	1	1	1	87.75	64	0	29241.706	445.1612903	12912.23874	30000	0	0	30000	44.375	2004
23.01.2020 13:24:21	1	1	1	1	87.75	64.25	0	28957.346	445.1612903	12847.82431	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:23	1	1	1	1	87.75	64.25	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	44.1875	2004
23.01.2020 13:24:24	1	1	1	1	87.75	64	0	29478.673	443.0107527	13080.20547	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:25	1	1	1	1	87.75	64.25	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	43.9375	2004
23.01.2020 13:24:26	1	1	1	1	87.75	63.75	0	28815.166	445.1612903	12703.50338	30000	0	0	30000	44.25	2004
23.01.2020 13:24:27	1	1	1	1	87.75	64.25	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:28	1	1	1	1	87.75	64.25	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	44.0625	2004
23.01.2020 13:24:29	1	1	1	1	87.75	64	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:30	1	1	1	1	87.75	64.25	0	29336.493	445.1612903	13016.60642	30000	0	0	30000	44.1875	2004
23.01.2020 13:24:31	1	1	1	1	88.25	64	0	29146.919	445.1612903	13016.60642	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:32	1	1	1	1	88.25	64.25	0	29336.493	443.0107527	13059.00579	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:33	1	1	1	1	88.25	64.25	0	28862.559	445.1612903	12847.82431	30000	0	0	30000	43.75	2004
23.01.2020 13:24:34	1	1	1	1	88.25	63.75	0	29099.526	445.1612903	12953.82274	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:35	1	1	1	1	88.25	64.25	0	29336.493	445.1612903	13059.00579	30000	0	0	30000	44.5625	2004
23.01.2020 13:24:36	1	1	1	1	88.25	64.5	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	44.375	2004
23.01.2020 13:24:37	1	1	1	1	88.25	64.25	0	29620.853	443.0107527	13058.19042	30000	0	0	30000	44.1875	2004
23.01.2020 13:24:38	1	1	1	1	88.25	64.75	0	29241.706	445.1612903	12975.02242	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:39	1	1	1	1	88.25	64.25	0	29241.706	449.4623656	12975.02242	30000	0	0	30000	44.375	2004
23.01.2020 13:24:40	1	1	1	1	88	64.25	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	43.375	2004
23.01.2020 13:24:41	1	1	1	1	88	63.25	0	28957.346	445.1612903	13182.12704	30000	0	0	30000	44.375	2004
23.01.2020 13:24:42	1	1	1	1	88	64.25	0	29336.493	445.1612903	13059.00579	30000	0	0	30000	44.25	2004
23.01.2020 13:24:43	1	1	1	1	88	64.25	0	28862.559	449.4623656	13139.72767	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:44	1	1	1	1	88	64.25	0	28815.166	449.4623656	12827.44	30000	0	0	30000	43.9375	2004
23.01.2020 13:24:51	1	1	1	1	88.25	63.5	0	28862.559	453.7634409	13201.69597	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:51	1	1	1	1	88.25	63.5	0	28862.559	453.7634409	13201.69597	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:51	1	1	1	1	88.25	63.5	0	28862.559	453.7634409	13201.69597	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:51	1	1	1	1	88.25	63.5	0	28862.559	453.7634409	13201.69597	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:51	1	1	1	1	88.25	63.5	0	28862.559	453.7634409	13201.69597	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:51	1	1	1	1	88.25	64.25	0	28436.019	453.7634409	12903.26964	30000	0	0	30000	44.5	2004
23.01.2020 13:24:52	1	1	1	1	88.25	64.5	0	28436.019	455.9139785	12903.26964	30000	0	0	30000	43.6875	2004
23.01.2020 13:24:53	1	1	1	1	88.25	63.5	0	28483.412	458.0645161	13046.7752	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:54	1	1	1	1	88.25	64.25	0	28293.839	460.2150538	13142.98916	30000	0	0	30000	44.5	2004
23.01.2020 13:24:55	1	1	1	1	88.25	64.5	0	28388.626	481.7204301	13652.59696	30000	0	0	30000	43.4375	2004
23.01.2020 13:24:56	1	1	1	1	88.25	63.25	0	28672.986	481.7204301	13942.86957	30000	0	0	30000	44.4375	2004
23.01.2020 13:24:57	1	1	1	1	88.25	64.25	0	28625.592	488.172043	13951.02329	30000	0	0	30000	44.3125	2004
23.01.2020 13:24:58	1	1	1	1	88.25	64.25	0	28815.166	483.8709677	14004.83788	30000	0	0	30000	44.5	2004
23.01.2020 13:24:59	1	1	1	1	88.25	64.5	0	28530.806	492.4731183	14026.85293	30000	0	0	30000	44.4375	2004
23.01.2020 13:25:00	1	1	1	1	88	64.25	0	28815.166	488.172043	14004.83788	30000	0	0	30000	44	2004
23.01.2020 13:25:02	1	1	1	1	88	64	0	28578.199	481.7204301	13827.90205	30000	0	0	30000	44.5625	2004
23.01.2020 13:25:03	1	1	1	1	88	64.5	0	28815.166	488.172043	14066.80619	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:25:04	1	1	1	1	88	64.25	0	28815.166	488.172043	13880.90126	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:05	1	1	1	1	88	64.25	0	28815.166	488.172043	13973.85372	30000	0	0	30000	44.375	2004
23.01.2020 13:25:06	1	1	1	1	88	64.25	0	28483.412	492.4731183	14026.85293	30000	0	0	30000	44.25	2004
23.01.2020 13:25:07	1	1	1	1	88	64.25	0	28483.412	494.6236559	13904.54706	30000	0	0	30000	44.5	2004
23.01.2020 13:25:08	1	1	1	1	88	64.5	0	28293.839	494.6236559	13886.60887	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:09	1	1	1	1	88	64.25	0	28341.232	494.6236559	14041.52964	30000	0	0	30000	44.0625	2004
23.01.2020 13:25:10	1	1	1	1	88	64	0	28578.199	488.172043	13951.02329	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:11	1	1	1	1	88.25	64.25	0	28578.199	486.0215054	13782.24119	30000	0	0	30000	44.5	2004
23.01.2020 13:25:12	1	1	1	1	88.25	64.5	0	28625.592	483.8709677	14004.83788	30000	0	0	30000	44.5625	2004
23.01.2020 13:25:13	1	1	1	1	88.25	64.5	0	28625.592	483.8709677	13850.73248	30000	0	0	30000	44.625	2004
23.01.2020 13:25:14	1	1	1	1	88.25	64.5	0	28815.166	486.0215054	14066.80619	30000	0	0	30000	44	2004
23.01.2020 13:25:15	1	1	1	1	88.25	64	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.625	2004
23.01.2020 13:25:16	1	1	1	1	88.25	64.5	0	29099.526	488.172043	13949.39255	30000	0	0	30000	44.1875	2004
23.01.2020 13:25:17	1	1	1	1	88.25	64.25	0	28862.559	481.7204301	13965.7	30000	0	0	30000	44.375	2004
23.01.2020 13:25:18	1	1	1	1	88.25	64.25	0	28815.166	483.8709677	13880.90126	30000	0	0	30000	44.375	2004
23.01.2020 13:25:19	1	1	1	1	88.25	64.25	0	28957.346	483.8709677	14011.36086	30000	0	0	30000	43.9375	2004
23.01.2020 13:25:20	1	1	1	1	88	63.75	0	28957.346	486.0215054	14011.36086	30000	0	0	30000	44.4375	2004
23.01.2020 13:25:21	1	1	1	1	88	64.25	0	28625.592	483.8709677	13766.74911	30000	0	0	30000	44.375	2004
23.01.2020 13:25:22	1	1	1	1	88	64.25	0	28815.166	483.8709677	13942.86957	30000	0	0	30000	44.375	2004
23.01.2020 13:25:23	1	1	1	1	88	64.25	0	28815.166	483.8709677	13942.86957	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:24	1	1	1	1	88	64.25	0	28625.592	481.7204301	13912.70079	30000	0	0	30000	43.25	2004
23.01.2020 13:25:25	1	1	1	1	88	63.25	0	28483.412	488.172043	13904.54706	30000	0	0	30000	43.1875	2004
23.01.2020 13:25:26	1	1	1	1	88	63	0	28625.592	492.4731183	14096.97497	30000	0	0	30000	44.375	2004
23.01.2020 13:25:27	1	1	1	1	88	64.25	0	28815.166	488.172043	14190.7428	30000	0	0	30000	44.6875	2004
23.01.2020 13:25:28	1	1	1	1	88	64.5	0	28483.412	492.4731183	13904.54706	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:29	1	1	1	1	88	64.25	0	28483.412	490.3225806	13965.7	30000	0	0	30000	44.4375	2004
23.01.2020 13:25:30	1	1	1	1	88.25	64.25	0	28388.626	494.6236559	14041.52964	30000	0	0	30000	44.375	2004
23.01.2020 13:25:31	1	1	1	1	88.25	64.25	0	28341.232	494.6236559	14079.03677	30000	0	0	30000	44.0625	2004
23.01.2020 13:25:32	1	1	1	1	88.25	64	0	28672.986	490.3225806	13973.85372	30000	0	0	30000	44.4375	2004
23.01.2020 13:25:33	1	1	1	1	88.25	64.25	0	28199.052	492.4731183	13886.60887	30000	0	0	30000	43.9375	2004
23.01.2020 13:25:34	1	1	1	1	88.25	63.75	0	28625.592	488.172043	13973.85372	30000	0	0	30000	44.5	2004
23.01.2020 13:25:35	1	1	1	1	88.25	64.5	0	28341.232	492.4731183	14017.88384	30000	0	0	30000	44.375	2004
23.01.2020 13:25:36	1	1	1	1	88.25	64.25	0	28815.166	486.0215054	13973.85372	30000	0	0	30000	44.375	2004
23.01.2020 13:25:37	1	1	1	1	88.25	64.25	0	28815.166	490.3225806	14190.7428	30000	0	0	30000	44.0625	2004
23.01.2020 13:25:38	1	1	1	1	88.25	64	0	28436.019	490.3225806	13881.71663	30000	0	0	30000	44.25	2004
23.01.2020 13:25:40	1	1	1	1	88.25	64.25	0	28293.839	488.172043	13811.5946	30000	0	0	30000	44.25	2004
23.01.2020 13:25:41	1	1	1	1	87.75	64.25	0	28483.412	490.3225806	14026.85293	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:42	1	1	1	1	87.75	64.25	0	28388.626	488.172043	14065.17544	30000	0	0	30000	43.9375	2004
23.01.2020 13:25:43	1	1	1	1	87.75	63.75	0	28483.412	490.3225806	14026.85293	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:44	1	1	1	1	87.75	64.25	0	28578.199	490.3225806	14073.32917	30000	0	0	30000	44.1875	2004
23.01.2020 13:25:45	1	1	1	1	87.75	64	0	28578.199	492.4731183	14088.00587	30000	0	0	30000	44.4375	2004
23.01.2020 13:25:46	1	1	1	1	87.75	64.25	0	28436.019	488.172043	13942.86957	30000	0	0	30000	44.5	2004
23.01.2020 13:25:52	1	1	1	1	88	64.25	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:25:52	1	1	1	1	88	64.25	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:52	1	1	1	1	88	64.25	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:52	1	1	1	1	88	64.25	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:52	1	1	1	1	88	64.25	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:52	1	1	1	1	88	64.25	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:53	1	1	1	1	88	64.25	0	28293.839	492.4731183	13956.7309	30000	0	0	30000	44.5	2004
23.01.2020 13:25:54	1	1	1	1	88	64.5	0	28436.019	490.3225806	14065.17544	30000	0	0	30000	44.25	2004
23.01.2020 13:25:55	1	1	1	1	88	64.25	0	28199.052	496.7741935	14008.09937	30000	0	0	30000	43.9375	2004
23.01.2020 13:25:56	1	1	1	1	88	64.75	0	28483.412	526.8817204	15032.20721	30000	0	0	30000	44.3125	2004
23.01.2020 13:25:57	1	1	1	1	88	64.25	0	28625.592	520.4301075	14897.67075	30000	0	0	30000	44.375	2004
23.01.2020 13:25:58	1	1	1	1	88	64.25	0	28815.166	526.8817204	15058.29913	30000	0	0	30000	44.1875	2004
23.01.2020 13:25:59	1	1	1	1	88	64	0	28578.199	522.5806452	15056.66839	30000	0	0	30000	43.9375	2004
23.01.2020 13:26:00	1	1	1	1	88.25	63.75	0	28625.592	516.1290323	14897.67075	30000	0	0	30000	44.4375	2004
23.01.2020 13:26:01	1	1	1	1	88.25	64.25	0	28862.559	522.5806452	15082.76031	30000	0	0	30000	44.25	2004
23.01.2020 13:26:02	1	1	1	1	88.25	64.25	0	28625.592	522.5806452	14958.82369	30000	0	0	30000	44	2004
23.01.2020 13:26:05	1	1	1	1	88.25	64	0	28862.559	522.5806452	15082.76031	30000	0	0	30000	43.25	2004
23.01.2020 13:26:05	1	1	1	1	88.25	64	0	28862.559	522.5806452	15082.76031	30000	0	0	30000	43.25	2004
23.01.2020 13:26:05	1	1	1	1	88.25	63.25	0	28909.953	516.1290323	15007.74604	30000	0	0	30000	44.25	2004
23.01.2020 13:26:06	1	1	1	1	88.25	64.25	0	28862.559	520.4301075	15020.792	30000	0	0	30000	44.3125	2004
23.01.2020 13:26:07	1	1	1	1	88.25	64.25	0	28815.166	516.1290323	14872.39421	30000	0	0	30000	43.875	2004
23.01.2020 13:26:08	1	1	1	1	88.25	63.75	0	29241.706	518.2795699	15179.78963	30000	0	0	30000	44.3125	2004
23.01.2020 13:26:09	1	1	1	1	88.25	64.25	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	44.375	2004
23.01.2020 13:26:10	1	1	1	1	87.25	64.25	0	28957.346	518.2795699	14882.99405	30000	0	0	30000	43.75	2004
23.01.2020 13:26:11	1	1	1	1	87.25	63.75	0	28862.559	524.7311828	15020.792	30000	0	0	30000	44.5625	2004
23.01.2020 13:26:12	1	1	1	1	87.25	64.5	0	28815.166	518.2795699	14934.36251	30000	0	0	30000	44.625	2004
23.01.2020 13:26:13	1	1	1	1	87.25	64.5	0	28625.592	520.4301075	14996.33082	30000	0	0	30000	43.625	2004
23.01.2020 13:26:14	1	1	1	1	87.25	63.5	0	28862.559	520.4301075	15082.76031	30000	0	0	30000	44.3125	2004
23.01.2020 13:26:15	1	1	1	1	87.25	64.25	0	28625.592	522.5806452	14958.82369	30000	0	0	30000	44.125	2004
23.01.2020 13:26:16	1	1	1	1	87.25	64	0	28436.019	522.5806452	14860.16362	30000	0	0	30000	43.9375	2004
23.01.2020 13:26:17	1	1	1	1	87.25	63.75	0	28578.199	520.4301075	14872.39421	30000	0	0	30000	44.5625	2004
23.01.2020 13:26:19	1	1	1	1	87.25	64.5	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.375	2004
23.01.2020 13:26:20	1	1	1	1	87.25	64.25	0	28862.559	520.4301075	15194.46634	30000	0	0	30000	44.4375	2004
23.01.2020 13:26:21	1	1	1	1	88.25	64.25	0	28530.806	516.1290323	14958.82369	30000	0	0	30000	44.4375	2004
23.01.2020 13:26:22	1	1	1	1	88.25	64.25	0	28815.166	520.4301075	14835.70244	30000	0	0	30000	44.25	2004
23.01.2020 13:26:23	1	1	1	1	88.25	64.25	0	28815.166	520.4301075	15058.29913	30000	0	0	30000	44.5625	2004
23.01.2020 13:26:24	1	1	1	1	88.25	64.5	0	28578.199	518.2795699	14762.31892	30000	0	0	30000	44.5	2004
23.01.2020 13:26:25	1	1	1	1	88.25	64.5	0	28815.166	520.4301075	15020.792	30000	0	0	30000	44.375	2004
23.01.2020 13:26:26	1	1	1	1	88.25	64.25	0	29004.739	516.1290323	15007.74604	30000	0	0	30000	44.4375	2004
23.01.2020 13:26:27	1	1	1	1	88.25	64.25	0	28957.346	520.4301075	15007.74604	30000	0	0	30000	43.9375	2004
23.01.2020 13:26:28	1	1	1	1	88.25	63.75	0	29004.739	518.2795699	15007.74604	30000	0	0	30000	44.4375	2004
23.01.2020 13:26:29	1	1	1	1	88.25	64.25	0	29052.133	518.2795699	15056.66839	30000	0	0	30000	44.5	2004
23.01.2020 13:26:30	1	1	1	1	88.25	64.5	0	28862.559	516.1290323	14872.39421	30000	0	0	30000	44.5	2004
23.01.2020 13:26:31	1	1	1	1	88.25	64.5	0	28815.166	518.2795699	14934.36251	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:26:32	1	1	1	1	88.25	64.75	0	28862.559	516.1290323	14896.85538	30000	0	0	30000	44.625	2004
23.01.2020 13:26:33	1	1	1	1	88.25	64.5	0	28815.166	524.7311828	15182.23575	30000	0	0	30000	44.4375	2004
23.01.2020 13:26:34	1	1	1	1	88.25	64.25	0	28815.166	518.2795699	14589.45995	30000	0	0	30000	44.4375	2004
23.01.2020 13:26:35	1	1	1	1	88.25	63.75	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.5	2004
23.01.2020 13:26:36	1	1	1	1	88.25	64.5	0	28625.592	522.5806452	15306.17237	30000	0	0	30000	44.3125	2004
23.01.2020 13:26:37	1	1	1	1	88.25	64.25	0	28815.166	524.7311828	15058.29913	30000	0	0	30000	44	2004
23.01.2020 13:26:38	1	1	1	1	88.25	64	0	28815.166	520.4301075	15058.29913	30000	0	0	30000	43.875	2004
23.01.2020 13:26:39	1	1	1	1	88.25	63.75	0	28862.559	522.5806452	15082.76031	30000	0	0	30000	44.1875	2004
23.01.2020 13:26:40	1	1	1	1	88.25	64	0	28815.166	518.2795699	14934.36251	30000	0	0	30000	44.1875	2004
23.01.2020 13:26:41	1	1	1	1	88.25	64	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.5625	2004
23.01.2020 13:26:42	1	1	1	1	88.25	64.5	0	28483.412	520.4301075	14762.31892	30000	0	0	30000	44.5	2004
23.01.2020 13:26:43	1	1	1	1	88.25	64.5	0	28625.592	522.5806452	15058.29913	30000	0	0	30000	44.375	2004
23.01.2020 13:26:44	1	1	1	1	88.25	64.25	0	28530.806	518.2795699	14786.78009	30000	0	0	30000	44.4375	2004
23.01.2020 13:26:45	1	1	1	1	88.25	64.25	0	28815.166	522.5806452	15144.72862	30000	0	0	30000	44.0625	2004
23.01.2020 13:26:46	1	1	1	1	88.25	64	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.3125	2004
23.01.2020 13:26:47	1	1	1	1	88.25	64.25	0	28815.166	524.7311828	15182.23575	30000	0	0	30000	43.875	2004
23.01.2020 13:26:54	1	1	1	1	88.75	64.5	0	28530.806	520.4301075	14872.39421	30000	0	0	30000	44.25	2004
23.01.2020 13:26:54	1	1	1	1	88.75	64.5	0	28530.806	520.4301075	14872.39421	30000	0	0	30000	44.25	2004
23.01.2020 13:26:54	1	1	1	1	88.75	64.5	0	28530.806	520.4301075	14872.39421	30000	0	0	30000	44.25	2004
23.01.2020 13:26:54	1	1	1	1	88.75	64.5	0	28530.806	520.4301075	14872.39421	30000	0	0	30000	44.25	2004
23.01.2020 13:26:54	1	1	1	1	88.75	64.5	0	28530.806	520.4301075	14872.39421	30000	0	0	30000	44.25	2004
23.01.2020 13:26:54	1	1	1	1	88.75	64.5	0	28530.806	520.4301075	14872.39421	30000	0	0	30000	44.25	2004
23.01.2020 13:26:54	1	1	1	1	88.75	64.25	0	28815.166	522.5806452	14983.28486	30000	0	0	30000	44.1875	2004
23.01.2020 13:26:55	1	1	1	1	88.75	64	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	44.125	2004
23.01.2020 13:26:57	1	1	1	1	88.75	64	0	28957.346	550.5376344	15889.97907	30000	0	0	30000	44.5	2004
23.01.2020 13:26:58	1	1	1	1	88.75	64.5	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	44.0625	2004
23.01.2020 13:26:59	1	1	1	1	88.75	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.375	2004
23.01.2020 13:27:00	1	1	1	1	88.75	64.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	44.4375	2004
23.01.2020 13:27:01	1	1	1	1	88.5	64.25	0	28909.953	552.688172	15951.94738	30000	0	0	30000	44.3125	2004
23.01.2020 13:27:02	1	1	1	1	88.5	64.25	0	29099.526	550.5376344	15868.77939	30000	0	0	30000	44.5	2004
23.01.2020 13:27:03	1	1	1	1	88.5	64.5	0	27440.758	503.2258065	13749.62629	30000	0	0	30000	43.625	2004
23.01.2020 13:27:04	1	1	1	1	88.5	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.125	2004
23.01.2020 13:27:05	1	1	1	1	88.5	64	0	29099.526	548.3870968	15894.87131	30000	0	0	30000	44	2004
23.01.2020 13:27:06	1	1	1	1	88.5	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.1875	2004
23.01.2020 13:27:07	1	1	1	1	88.5	64	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	44.375	2004
23.01.2020 13:27:08	1	1	1	1	88.5	64.25	0	28862.559	554.8387097	16040.00761	30000	0	0	30000	44.5625	2004
23.01.2020 13:27:09	1	1	1	1	88.5	64.5	0	29052.133	552.688172	16082.40698	30000	0	0	30000	44.3125	2004
23.01.2020 13:27:10	1	1	1	1	88.5	64.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	44.3125	2004
23.01.2020 13:27:11	1	1	1	1	88.75	64.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.6875	2004
23.01.2020 13:27:12	1	1	1	1	88.75	64.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.3125	2004
23.01.2020 13:27:13	1	1	1	1	88.75	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.625	2004
23.01.2020 13:27:14	1	1	1	1	88.75	64.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	44.4375	2004
23.01.2020 13:27:15	1	1	1	1	88.75	64.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:27:16	1	1	1	1	88.75	64.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.25	2004
23.01.2020 13:27:17	1	1	1	1	88.75	64.25	0	29146.919	539.7849462	16035.11538	30000	0	0	30000	44.25	2004
23.01.2020 13:27:18	1	1	1	1	88.75	64.25	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	44.4375	2004
23.01.2020 13:27:19	1	1	1	1	88.75	64.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.5	2004
23.01.2020 13:27:20	1	1	1	1	89	64.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.375	2004
23.01.2020 13:27:21	1	1	1	1	89	64.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	44.4375	2004
23.01.2020 13:27:22	1	1	1	1	89	64.25	0	29905.213	486.0215054	14598.42905	30000	0	0	30000	44.1875	2004
23.01.2020 13:27:23	1	1	1	1	89	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.5	2004
23.01.2020 13:27:24	1	1	1	1	89	63.5	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	44.4375	2004
23.01.2020 13:27:25	1	1	1	1	89	64.25	0	29952.607	496.7741935	14856.08676	30000	0	0	30000	44.25	2004
23.01.2020 13:27:26	1	1	1	1	89	64.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	44.3125	2004
23.01.2020 13:27:27	1	1	1	1	89	64.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	44.25	2004
23.01.2020 13:27:28	1	1	1	1	89	64.25	0	28957.346	458.0645161	13263.66428	30000	0	0	30000	44.375	2004
23.01.2020 13:27:29	1	1	1	1	89	64.25	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.875	2004
23.01.2020 13:27:30	1	1	1	1	88.5	63.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	43.4375	2004
23.01.2020 13:27:31	1	1	1	1	88.5	63.25	0	29905.213	537.6344086	16039.19224	30000	0	0	30000	44.5625	2004
23.01.2020 13:27:32	1	1	1	1	88.5	64.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.625	2004
23.01.2020 13:27:34	1	1	1	1	88.5	64.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	44.5	2004
23.01.2020 13:27:35	1	1	1	1	88.5	64.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.5	2004
23.01.2020 13:27:36	1	1	1	1	88.5	64.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.25	2004
23.01.2020 13:27:37	1	1	1	1	88.5	64.25	0	29715.64	505.3763441	14953.11608	30000	0	0	30000	44.375	2004
23.01.2020 13:27:38	1	1	1	1	88.5	64.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44.5	2004
23.01.2020 13:27:39	1	1	1	1	88.5	64.5	0	29810.427	535.483871	16090.5607	30000	0	0	30000	44.5625	2004
23.01.2020 13:27:40	1	1	1	1	88.5	64.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	44.3125	2004
23.01.2020 13:27:41	1	1	1	1	89	64.25	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.625	2004
23.01.2020 13:27:42	1	1	1	1	89	64.5	0	29715.64	509.6774194	15144.72862	30000	0	0	30000	44.625	2004
23.01.2020 13:27:43	1	1	1	1	89	64.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	44.4375	2004
23.01.2020 13:27:44	1	1	1	1	89	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.4375	2004
23.01.2020 13:27:45	1	1	1	1	89	64.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.125	2004
23.01.2020 13:27:46	1	1	1	1	89	64	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	44.5625	2004
23.01.2020 13:27:47	1	1	1	1	89	64.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	44.4375	2004
23.01.2020 13:27:48	1	1	1	1	89	64.25	0	29668.246	539.7849462	16078.33012	30000	0	0	30000	44.25	2004
23.01.2020 13:27:49	1	1	1	1	89	64.25	0	29431.28	539.7849462	15823.11853	30000	0	0	30000	44.6875	2004
23.01.2020 13:27:56	1	1	1	1	88.75	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.5	2004
23.01.2020 13:27:56	1	1	1	1	88.75	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.5	2004
23.01.2020 13:27:56	1	1	1	1	88.75	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.5	2004
23.01.2020 13:27:56	1	1	1	1	88.75	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.5	2004
23.01.2020 13:27:56	1	1	1	1	88.75	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.5	2004
23.01.2020 13:27:56	1	1	1	1	88.75	64.5	0	30000	522.5806452	15627.42913	30000	0	0	30000	44.25	2004
23.01.2020 13:27:57	1	1	1	1	88.75	64.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	43.6875	2004
23.01.2020 13:27:58	1	1	1	1	88.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.125	2004
23.01.2020 13:27:59	1	1	1	1	88.75	64	0	29857.82	533.3333333	15962.54722	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:28:00	1	1	1	1	88	64.5	0	29905.213	501.0752688	14984.10024	30000	0	0	30000	44.3125	2004
23.01.2020 13:28:01	1	1	1	1	88	64.25	0	29905.213	503.2258065	15048.51466	30000	0	0	30000	44.25	2004
23.01.2020 13:28:02	1	1	1	1	88	64.25	0	29146.919	522.5806452	15280.89582	30000	0	0	30000	44.375	2004
23.01.2020 13:28:03	1	1	1	1	88	64.25	0	29810.427	494.6236559	14761.50355	30000	0	0	30000	44.5	2004
23.01.2020 13:28:04	1	1	1	1	88	64.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.0625	2004
23.01.2020 13:28:05	1	1	1	1	88	64	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.1875	2004
23.01.2020 13:28:06	1	1	1	1	88	64	0	29431.28	537.6344086	15949.50126	30000	0	0	30000	44.25	2004
23.01.2020 13:28:07	1	1	1	1	88	64.25	0	29620.853	496.7741935	14714.21194	30000	0	0	30000	44.5625	2004
23.01.2020 13:28:08	1	1	1	1	88	64.5	0	29952.607	535.483871	15949.50126	30000	0	0	30000	44.4375	2004
23.01.2020 13:28:09	1	1	1	1	88	64.25	0	29905.213	524.7311828	15741.58128	30000	0	0	30000	44.375	2004
23.01.2020 13:28:10	1	1	1	1	88.75	64.25	0	29810.427	533.3333333	16026.96165	30000	0	0	30000	44.3125	2004
23.01.2020 13:28:11	1	1	1	1	88.75	64.25	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	44.125	2004
23.01.2020 13:28:13	1	1	1	1	88.75	64	0	29810.427	488.172043	14551.95282	30000	0	0	30000	44.5625	2004
23.01.2020 13:28:14	1	1	1	1	88.75	64.5	0	29715.64	541.9354839	16231.62015	30000	0	0	30000	43.8125	2004
23.01.2020 13:28:15	1	1	1	1	88.75	63.75	0	28957.346	483.8709677	14011.36086	30000	0	0	30000	44.5625	2004
23.01.2020 13:28:16	1	1	1	1	88.75	64.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	44.3125	2004
23.01.2020 13:28:17	1	1	1	1	88.75	64.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.5	2004
23.01.2020 13:28:18	1	1	1	1	88.75	64.5	0	28815.166	449.4623656	12827.44	30000	0	0	30000	44.4375	2004
23.01.2020 13:28:19	1	1	1	1	88.75	64.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	44.5	2004
23.01.2020 13:28:20	1	1	1	1	88.75	64.5	0	29952.607	483.8709677	14493.246	30000	0	0	30000	44.375	2004
23.01.2020 13:28:21	1	1	1	1	88.5	64.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	43.5625	2004
23.01.2020 13:28:22	1	1	1	1	88.5	63.5	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
23.01.2020 13:28:23	1	1	1	1	88.5	64.25	0	30000	498.9247312	14967.79279	30000	0	0	30000	44.5	2004
23.01.2020 13:28:24	1	1	1	1	88.5	64.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	43.5	2004
23.01.2020 13:28:25	1	1	1	1	88.5	63.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.1875	2004
23.01.2020 13:28:26	1	1	1	1	88.5	64	0	29905.213	481.7204301	14383.17071	30000	0	0	30000	44.25	2004
23.01.2020 13:28:27	1	1	1	1	88.5	64.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.875	2004
23.01.2020 13:28:28	1	1	1	1	88.5	64.75	0	30000	492.4731183	14902.56299	30000	0	0	30000	44.75	2004
23.01.2020 13:28:29	1	1	1	1	88.5	64.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
23.01.2020 13:28:30	1	1	1	1	88.5	64.25	0	29952.607	483.8709677	14580.49085	30000	0	0	30000	44.3125	2004
23.01.2020 13:28:31	1	1	1	1	88.5	64.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	44.5	2004
23.01.2020 13:28:32	1	1	1	1	88.5	64.5	0	30000	460.2150538	13720.27288	30000	0	0	30000	44.4375	2004
23.01.2020 13:28:33	1	1	1	1	88.5	64.25	0	29620.853	367.7419355	11054.82021	30000	0	0	30000	44.4375	2004
23.01.2020 13:28:34	1	1	1	1	88.5	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.25	2004
23.01.2020 13:28:35	1	1	1	1	88.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
23.01.2020 13:28:36	1	1	1	1	88.5	64	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	43.875	2004
23.01.2020 13:28:37	1	1	1	1	88.5	63.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.5625	2004
23.01.2020 13:28:38	1	1	1	1	88.5	63.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.125	2004
23.01.2020 13:28:39	1	1	1	1	88.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
23.01.2020 13:28:40	1	1	1	1	88.5	63.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	44.3125	2004
23.01.2020 13:28:41	1	1	1	1	88.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
23.01.2020 13:28:42	1	1	1	1	88.5	64	0	29952.607	468.8172043	14451.662	30000	0	0	30000	44.25	2004
23.01.2020 13:28:43	1	1	1	1	88.5	64.25	0	29905.213	419.3548387	12838.03984	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:28:44	1	1	1	1	88.5	64.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.4375	2004
23.01.2020 13:28:45	1	1	1	1	88.5	64.25	0	29431.28	466.6666667	13734.13421	30000	0	0	30000	44.375	2004
23.01.2020 13:28:46	1	1	1	1	88.5	64.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	44.5625	2004
23.01.2020 13:28:47	1	1	1	1	88.5	64.5	0	29763.033	481.7204301	14039.08352	30000	0	0	30000	44.3125	2004
23.01.2020 13:28:48	1	1	1	1	88.5	64.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.5625	2004
23.01.2020 13:28:50	1	1	1	1	88.5	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.1875	2004
23.01.2020 13:28:51	1	1	1	1	88.5	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.3125	2004
23.01.2020 13:28:57	1	1	1	1	88.5	64	0	29905.213	494.6236559	14768.02653	30000	0	0	30000	43.8125	2004
23.01.2020 13:28:57	1	1	1	1	88.5	64	0	29905.213	494.6236559	14768.02653	30000	0	0	30000	43.8125	2004
23.01.2020 13:28:57	1	1	1	1	88.5	64	0	29905.213	494.6236559	14768.02653	30000	0	0	30000	43.8125	2004
23.01.2020 13:28:57	1	1	1	1	88.5	64	0	29905.213	494.6236559	14768.02653	30000	0	0	30000	43.8125	2004
23.01.2020 13:28:57	1	1	1	1	88.5	64	0	29905.213	494.6236559	14768.02653	30000	0	0	30000	43.8125	2004
23.01.2020 13:28:58	1	1	1	1	88.5	63.75	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.4375	2004
23.01.2020 13:28:59	1	1	1	1	88.5	64.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.25	2004
23.01.2020 13:29:00	1	1	1	1	88.5	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.0625	2004
23.01.2020 13:29:01	1	1	1	1	88.75	64	0	29241.706	460.2150538	13456.90756	30000	0	0	30000	43.875	2004
23.01.2020 13:29:02	1	1	1	1	88.75	63.75	0	29905.213	483.8709677	14406.00114	30000	0	0	30000	44	2004
23.01.2020 13:29:03	1	1	1	1	88.75	64	0	29952.607	488.172043	14469.6002	30000	0	0	30000	43.875	2004
23.01.2020 13:29:04	1	1	1	1	88.75	63.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	44	2004
23.01.2020 13:29:05	1	1	1	1	88.75	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.625	2004
23.01.2020 13:29:06	1	1	1	1	88.75	64.5	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.6875	2004
23.01.2020 13:29:07	1	1	1	1	88.75	64.5	0	28815.166	464.516129	13447.12309	30000	0	0	30000	44.5	2004
23.01.2020 13:29:08	1	1	1	1	88.75	64.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.4375	2004
23.01.2020 13:29:09	1	1	1	1	88.75	63.25	0	29573.46	464.516129	13673.79665	30000	0	0	30000	44.25	2004
23.01.2020 13:29:10	1	1	1	1	88.25	64.25	0	29857.82	488.172043	14598.42905	30000	0	0	30000	43.9375	2004
23.01.2020 13:29:11	1	1	1	1	88.25	63.75	0	29146.919	464.516129	13601.22849	30000	0	0	30000	44.3125	2004
23.01.2020 13:29:12	1	1	1	1	88.25	64.25	0	29905.213	509.6774194	15289.86492	30000	0	0	30000	44.25	2004
23.01.2020 13:29:13	1	1	1	1	88.25	64.25	0	29146.919	460.2150538	13413.69282	30000	0	0	30000	44.4375	2004
23.01.2020 13:29:14	1	1	1	1	88.25	64.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.4375	2004
23.01.2020 13:29:15	1	1	1	1	88.25	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.6875	2004
23.01.2020 13:29:16	1	1	1	1	88.25	63.5	0	29952.607	496.7741935	14856.08676	30000	0	0	30000	43.5625	2004
23.01.2020 13:29:17	1	1	1	1	88.25	63.5	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.5	2004
23.01.2020 13:29:18	1	1	1	1	88.25	64.5	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	43.875	2004
23.01.2020 13:29:19	1	1	1	1	88.25	63.75	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.5	2004
23.01.2020 13:29:20	1	1	1	1	88.25	64.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.4375	2004
23.01.2020 13:29:21	1	1	1	1	88.25	64.25	0	28815.166	481.7204301	13571.05971	30000	0	0	30000	44.5	2004
23.01.2020 13:29:22	1	1	1	1	88.25	64.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	44.4375	2004
23.01.2020 13:29:23	1	1	1	1	88.25	64.25	0	29905.213	537.6344086	15949.50126	30000	0	0	30000	44.375	2004
23.01.2020 13:29:24	1	1	1	1	88.25	64.25	0	28009.479	468.8172043	13130.75857	30000	0	0	30000	44.5	2004
23.01.2020 13:29:25	1	1	1	1	88.25	64.5	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	44.625	2004
23.01.2020 13:29:26	1	1	1	1	88.25	64.5	0	29810.427	537.6344086	16244.6661	30000	0	0	30000	44.25	2004
23.01.2020 13:29:27	1	1	1	1	88.25	64.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:29:29	1	1	1	1	88.25	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.3125	2004
23.01.2020 13:29:30	1	1	1	1	88.25	64.25	0	29810.427	537.6344086	15783.98065	30000	0	0	30000	44.1875	2004
23.01.2020 13:29:31	1	1	1	1	88.75	64	0	29620.853	483.8709677	14482.64616	30000	0	0	30000	44.625	2004
23.01.2020 13:29:32	1	1	1	1	88.75	64.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.125	2004
23.01.2020 13:29:33	1	1	1	1	88.75	64	0	29052.133	468.8172043	13637.92026	30000	0	0	30000	44	2004
23.01.2020 13:29:34	1	1	1	1	88.75	64	0	28388.626	481.7204301	13675.42739	30000	0	0	30000	44.5	2004
23.01.2020 13:29:35	1	1	1	1	88.75	64.5	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	44.5625	2004
23.01.2020 13:29:36	1	1	1	1	88.75	64.5	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.25	2004
23.01.2020 13:29:37	1	1	1	1	88.75	64.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.375	2004
23.01.2020 13:29:38	1	1	1	1	88.75	64.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.5	2004
23.01.2020 13:29:39	1	1	1	1	88.75	64.5	0	28388.626	486.0215054	13820.56369	30000	0	0	30000	44.3125	2004
23.01.2020 13:29:40	1	1	1	1	88.75	64.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	44.1875	2004
23.01.2020 13:29:41	1	1	1	1	88	64	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.4375	2004
23.01.2020 13:29:42	1	1	1	1	88	64.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.9375	2004
23.01.2020 13:29:43	1	1	1	1	88	63.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	44	2004
23.01.2020 13:29:44	1	1	1	1	88	64	0	29952.607	535.483871	16168.02109	30000	0	0	30000	44.5	2004
23.01.2020 13:29:45	1	1	1	1	88	64.5	0	29715.64	529.0322581	15987.82377	30000	0	0	30000	44.625	2004
23.01.2020 13:29:46	1	1	1	1	88	64.5	0	29478.673	533.3333333	15899.76354	30000	0	0	30000	44.8125	2004
23.01.2020 13:29:47	1	1	1	1	88	64.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.5625	2004
23.01.2020 13:29:48	1	1	1	1	88	64.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	44.625	2004
23.01.2020 13:29:49	1	1	1	1	88	64.5	0	27962.085	494.6236559	13747.18017	30000	0	0	30000	43.625	2004
23.01.2020 13:29:50	1	1	1	1	88.5	63.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	44.1875	2004
23.01.2020 13:29:51	1	1	1	1	88.5	64	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	44.375	2004
23.01.2020 13:29:52	1	1	1	1	88.5	64.25	0	28009.479	526.8817204	14636.75156	30000	0	0	30000	43.9375	2004
23.01.2020 13:29:59	1	1	1	1	88.5	64.25	0	29431.28	556.9892473	15960.91648	30000	0	0	30000	44.5	2004
23.01.2020 13:29:59	1	1	1	1	88.5	64.25	0	29431.28	556.9892473	15960.91648	30000	0	0	30000	44.5	2004
23.01.2020 13:29:59	1	1	1	1	88.5	64.25	0	29431.28	556.9892473	15960.91648	30000	0	0	30000	44.5	2004
23.01.2020 13:29:59	1	1	1	1	88.5	64.25	0	29431.28	556.9892473	15960.91648	30000	0	0	30000	44.5	2004
23.01.2020 13:29:59	1	1	1	1	88.5	64.25	0	29431.28	556.9892473	15960.91648	30000	0	0	30000	44.5	2004
23.01.2020 13:29:59	1	1	1	1	88.5	64.25	0	29431.28	556.9892473	15960.91648	30000	0	0	30000	44.5	2004
23.01.2020 13:29:59	1	1	1	1	88.5	64.5	0	29289.1	552.688172	16098.71443	30000	0	0	30000	44.3125	2004
23.01.2020 13:30:00	1	1	1	1	88.25	64.25	0	28957.346	552.688172	15942.16291	30000	0	0	30000	44.4375	2004
23.01.2020 13:30:01	1	1	1	1	88.25	64.25	0	27345.972	503.2258065	13761.0415	30000	0	0	30000	43.4375	2004
23.01.2020 13:30:02	1	1	1	1	88.25	63.25	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	44.375	2004
23.01.2020 13:30:03	1	1	1	1	88.25	64.25	0	28862.559	554.8387097	15863.88715	30000	0	0	30000	44.375	2004
23.01.2020 13:30:04	1	1	1	1	88.25	64.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44.5625	2004
23.01.2020 13:30:05	1	1	1	1	88.25	64.5	0	26255.924	468.8172043	12230.58734	30000	0	0	30000	44.375	2004
23.01.2020 13:30:07	1	1	1	1	88.25	64.25	0	28815.166	546.2365591	15925.85546	30000	0	0	30000	44.625	2004
23.01.2020 13:30:08	1	1	1	1	88.25	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.25	2004
23.01.2020 13:30:09	1	1	1	1	88.25	64.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	44.375	2004
23.01.2020 13:30:10	1	1	1	1	88.25	64.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	44.5	2004
23.01.2020 13:30:11	1	1	1	1	88.25	64.5	0	28815.166	556.9892473	16075.884	30000	0	0	30000	44.1875	2004
23.01.2020 13:30:12	1	1	1	1	88.25	64	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:30:13	1	1	1	1	88.25	64.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44	2004
23.01.2020 13:30:14	1	1	1	1	88.25	64	0	28862.559	550.5376344	15916.07099	30000	0	0	30000	44.5	2004
23.01.2020 13:30:15	1	1	1	1	88.25	64.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	44.375	2004
23.01.2020 13:30:16	1	1	1	1	88.25	64.25	0	29289.1	552.688172	16035.11538	30000	0	0	30000	44	2004
23.01.2020 13:30:17	1	1	1	1	88.25	64	0	29336.493	550.5376344	15972.33169	30000	0	0	30000	44.375	2004
23.01.2020 13:30:18	1	1	1	1	88.25	64.25	0	28815.166	503.2258065	14562.55266	30000	0	0	30000	44.5	2004
23.01.2020 13:30:19	1	1	1	1	88.25	64.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.9375	2004
23.01.2020 13:30:20	1	1	1	1	88.25	63.75	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	44.375	2004
23.01.2020 13:30:21	1	1	1	1	88	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.6875	2004
23.01.2020 13:30:22	1	1	1	1	88	63.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	44.4375	2004
23.01.2020 13:30:23	1	1	1	1	88	64.25	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	44.625	2004
23.01.2020 13:30:24	1	1	1	1	88	64.5	0	29241.706	548.3870968	15983.74691	30000	0	0	30000	43.75	2004
23.01.2020 13:30:25	1	1	1	1	88	63.75	0	29905.213	516.1290323	15498.60028	30000	0	0	30000	44.3125	2004
23.01.2020 13:30:26	1	1	1	1	88	64.75	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	44.5	2004
23.01.2020 13:30:27	1	1	1	1	88	64.5	0	29905.213	496.7741935	15008.56141	30000	0	0	30000	44.5	2004
23.01.2020 13:30:28	1	1	1	1	88	64.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.5	2004
23.01.2020 13:30:29	1	1	1	1	88	64.5	0	29952.607	483.8709677	14493.246	30000	0	0	30000	44.75	2004
23.01.2020 13:30:30	1	1	1	1	88	64.75	0	28436.019	468.8172043	13392.49314	30000	0	0	30000	44.25	2004
23.01.2020 13:30:31	1	1	1	1	88	64.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	44	2004
23.01.2020 13:30:32	1	1	1	1	88	64	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	44.4375	2004
23.01.2020 13:30:33	1	1	1	1	88	64.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	44.1875	2004
23.01.2020 13:30:34	1	1	1	1	88	64	0	29383.886	541.9354839	15885.90221	30000	0	0	30000	44.375	2004
23.01.2020 13:30:35	1	1	1	1	88	64.25	0	29905.213	522.5806452	15627.42913	30000	0	0	30000	44.5	2004
23.01.2020 13:30:36	1	1	1	1	88	64.5	0	28483.412	464.516129	13231.04938	30000	0	0	30000	44.4375	2004
23.01.2020 13:30:37	1	1	1	1	88	64.25	0	26540.284	494.6236559	13070.421	30000	0	0	30000	44.25	2004
23.01.2020 13:30:38	1	1	1	1	88	64.25	0	29431.28	537.6344086	16038.37687	30000	0	0	30000	44.3125	2004
23.01.2020 13:30:39	1	1	1	1	88	64.25	0	29857.82	526.8817204	15706.52026	30000	0	0	30000	44.3125	2004
23.01.2020 13:30:40	1	1	1	1	88	64.25	0	28009.479	490.3225806	13793.6564	30000	0	0	30000	44.1875	2004
23.01.2020 13:30:41	1	1	1	1	88	64	0	28625.592	488.172043	14314.67942	30000	0	0	30000	44.625	2004
23.01.2020 13:30:42	1	1	1	1	88	64.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.375	2004
23.01.2020 13:30:43	1	1	1	1	88	64.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	43.5625	2004
23.01.2020 13:30:45	1	1	1	1	88	63.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	44.5	2004
23.01.2020 13:30:46	1	1	1	1	88	64.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44.625	2004
23.01.2020 13:30:47	1	1	1	1	88	64.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44.25	2004
23.01.2020 13:30:48	1	1	1	1	88	64.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	44.125	2004
23.01.2020 13:30:49	1	1	1	1	88	64	0	29289.1	544.0860215	16150.89827	30000	0	0	30000	44.5625	2004
23.01.2020 13:30:50	1	1	1	1	88	64.5	0	29668.246	524.7311828	15503.49251	30000	0	0	30000	44.5625	2004
23.01.2020 13:30:51	1	1	1	1	88.75	64.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44	2004
23.01.2020 13:30:52	1	1	1	1	88.75	64	0	29383.886	546.2365591	16203.08211	30000	0	0	30000	44.625	2004
23.01.2020 13:30:53	1	1	1	1	88.75	64.5	0	28862.559	550.5376344	15863.88715	30000	0	0	30000	44.5625	2004
23.01.2020 13:30:54	1	1	1	1	88.75	64.5	0	28957.346	546.2365591	15630.69062	30000	0	0	30000	44.1875	2004
23.01.2020 13:31:01	1	1	1	1	88.75	64	0	29336.493	546.2365591	15872.85625	30000	0	0	30000	44.625	2004
23.01.2020 13:31:01	1	1	1	1	88.75	64	0	29336.493	546.2365591	15872.85625	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:31:01	1	1	1	1	88.75	64	0	29336.493	546.2365591	15872.85625	30000	0	0	30000	44.625	2004
23.01.2020 13:31:01	1	1	1	1	88.75	64	0	29336.493	546.2365591	15872.85625	30000	0	0	30000	44.625	2004
23.01.2020 13:31:01	1	1	1	1	88.75	64	0	29336.493	546.2365591	15872.85625	30000	0	0	30000	44.625	2004
23.01.2020 13:31:01	1	1	1	1	88.75	64	0	29336.493	546.2365591	15872.85625	30000	0	0	30000	44.625	2004
23.01.2020 13:31:01	1	1	1	1	88.5	64.5	0	29336.493	544.0860215	16050.60745	30000	0	0	30000	44.3125	2004
23.01.2020 13:31:02	1	1	1	1	88.5	64.25	0	29383.886	516.1290323	15165.9283	30000	0	0	30000	44.5625	2004
23.01.2020 13:31:03	1	1	1	1	88.5	64.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	44.4375	2004
23.01.2020 13:31:04	1	1	1	1	88.5	64.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	44.25	2004
23.01.2020 13:31:05	1	1	1	1	88.5	64.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	44.25	2004
23.01.2020 13:31:06	1	1	1	1	88.5	64.25	0	29526.066	522.5806452	15429.29362	30000	0	0	30000	44	2004
23.01.2020 13:31:07	1	1	1	1	88.5	64	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.5	2004
23.01.2020 13:31:08	1	1	1	1	88.5	64.5	0	29241.706	554.8387097	16161.49811	30000	0	0	30000	44.5	2004
23.01.2020 13:31:09	1	1	1	1	88.5	64.5	0	26398.104	507.5268817	13397.38537	30000	0	0	30000	44.625	2004
23.01.2020 13:31:10	1	1	1	1	88.75	64.5	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	44.125	2004
23.01.2020 13:31:11	1	1	1	1	88.75	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.5	2004
23.01.2020 13:31:12	1	1	1	1	88.75	64.5	0	28957.346	541.9354839	15994.34675	30000	0	0	30000	44.25	2004
23.01.2020 13:31:13	1	1	1	1	88.75	64.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.8125	2004
23.01.2020 13:31:14	1	1	1	1	88.75	63.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.75	2004
23.01.2020 13:31:15	1	1	1	1	88.75	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.3125	2004
23.01.2020 13:31:16	1	1	1	1	88.75	64.25	0	29478.673	539.7849462	16064.46878	30000	0	0	30000	44.4375	2004
23.01.2020 13:31:17	1	1	1	1	88.75	64.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	43.125	2004
23.01.2020 13:31:18	1	1	1	1	88.75	63	0	29478.673	550.5376344	16013.10032	30000	0	0	30000	44.4375	2004
23.01.2020 13:31:19	1	1	1	1	88.75	64.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	44.1875	2004
23.01.2020 13:31:20	1	1	1	1	88.5	64	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	44.375	2004
23.01.2020 13:31:21	1	1	1	1	88.5	64.25	0	29146.919	481.7204301	14102.68258	30000	0	0	30000	44.5625	2004
23.01.2020 13:31:22	1	1	1	1	88.5	64.5	0	29810.427	496.7741935	14808.79515	30000	0	0	30000	44.5	2004
23.01.2020 13:31:24	1	1	1	1	88.5	64.5	0	28625.592	481.7204301	13880.90126	30000	0	0	30000	44.25	2004
23.01.2020 13:31:25	1	1	1	1	88.5	64.25	0	29715.64	537.6344086	16013.91569	30000	0	0	30000	44.5	2004
23.01.2020 13:31:26	1	1	1	1	88.5	64.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
23.01.2020 13:31:27	1	1	1	1	88.5	64.25	0	26350.711	466.6666667	12409.96929	30000	0	0	30000	44.125	2004
23.01.2020 13:31:28	1	1	1	1	88.5	64	0	28862.559	451.6129032	13096.51292	30000	0	0	30000	43.9375	2004
23.01.2020 13:31:29	1	1	1	1	88.5	63.75	0	30000	507.5268817	14879.73256	30000	0	0	30000	44.3125	2004
23.01.2020 13:31:30	1	1	1	1	88.5	64.25	0	28957.346	460.2150538	13326.44797	30000	0	0	30000	44.5	2004
23.01.2020 13:31:31	1	1	1	1	87.75	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.3125	2004
23.01.2020 13:31:32	1	1	1	1	87.75	64.25	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	44.375	2004
23.01.2020 13:31:33	1	1	1	1	87.75	64.25	0	26777.251	481.7204301	12899.19278	30000	0	0	30000	44.625	2004
23.01.2020 13:31:34	1	1	1	1	87.75	64.5	0	27867.299	481.7204301	13424.29266	30000	0	0	30000	44.6875	2004
23.01.2020 13:31:35	1	1	1	1	87.75	64.5	0	29905.213	511.827957	15483.92357	30000	0	0	30000	44.1875	2004
23.01.2020 13:31:36	1	1	1	1	87.75	64	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.5	2004
23.01.2020 13:31:37	1	1	1	1	87.75	64.5	0	30000	520.4301075	15548.338	30000	0	0	30000	44.4375	2004
23.01.2020 13:31:38	1	1	1	1	87.75	64.25	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.75	2004
23.01.2020 13:31:39	1	1	1	1	87.75	64.75	0	29715.64	483.8709677	14314.67942	30000	0	0	30000	44.625	2004
23.01.2020 13:31:40	1	1	1	1	87.75	64.5	0	30000	496.7741935	14815.31813	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:31:41	1	1	1	1	88.25	64	0	29478.673	466.6666667	13778.16432	30000	0	0	30000	44.6875	2004
23.01.2020 13:31:42	1	1	1	1	88.25	64.5	0	29952.607	511.827957	15330.63354	30000	0	0	30000	43.9375	2004
23.01.2020 13:31:43	1	1	1	1	88.25	64.5	0	26398.104	466.6666667	12318.64757	30000	0	0	30000	44.3125	2004
23.01.2020 13:31:44	1	1	1	1	88.25	64.25	0	29715.64	466.6666667	13867.03993	30000	0	0	30000	44.375	2004
23.01.2020 13:31:45	1	1	1	1	88.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.4375	2004
23.01.2020 13:31:46	1	1	1	1	88.25	64.25	0	29573.46	466.6666667	13778.16432	30000	0	0	30000	44.375	2004
23.01.2020 13:31:47	1	1	1	1	88.25	64.25	0	29383.886	488.172043	14366.86326	30000	0	0	30000	44.625	2004
23.01.2020 13:31:48	1	1	1	1	88.25	64.5	0	28625.592	464.516129	13323.18648	30000	0	0	30000	44.1875	2004
23.01.2020 13:31:49	1	1	1	1	88.25	64	0	26018.957	460.2150538	12108.28147	30000	0	0	30000	44.3125	2004
23.01.2020 13:31:50	1	1	1	1	87.25	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.25	2004
23.01.2020 13:31:51	1	1	1	1	87.25	64.25	0	29952.607	526.8817204	15870.41013	30000	0	0	30000	44.25	2004
23.01.2020 13:31:52	1	1	1	1	87.25	64.25	0	29857.82	496.7741935	14808.79515	30000	0	0	30000	44.5625	2004
23.01.2020 13:31:53	1	1	1	1	87.25	64.5	0	29526.066	483.8709677	14263.31096	30000	0	0	30000	44.3125	2004
23.01.2020 13:31:54	1	1	1	1	87.25	64.25	0	28957.346	494.6236559	14260.04947	30000	0	0	30000	44.625	2004
23.01.2020 13:31:55	1	1	1	1	87.25	64.5	0	30000	511.827957	15289.86492	30000	0	0	30000	44.375	2004
23.01.2020 13:32:02	1	1	1	1	89.25	64.25	0	29905.213	501.0752688	15048.51466	30000	0	0	30000	44.125	2004
23.01.2020 13:32:02	1	1	1	1	89.25	64.25	0	29905.213	501.0752688	15048.51466	30000	0	0	30000	44.125	2004
23.01.2020 13:32:02	1	1	1	1	89.25	64.25	0	29905.213	501.0752688	15048.51466	30000	0	0	30000	44.125	2004
23.01.2020 13:32:02	1	1	1	1	89.25	64.25	0	29905.213	501.0752688	15048.51466	30000	0	0	30000	44.125	2004
23.01.2020 13:32:02	1	1	1	1	89.25	64.25	0	29905.213	501.0752688	15048.51466	30000	0	0	30000	44.125	2004
23.01.2020 13:32:02	1	1	1	1	89.25	64.25	0	29905.213	501.0752688	15048.51466	30000	0	0	30000	44.125	2004
23.01.2020 13:32:03	1	1	1	1	89.25	64	0	29620.853	533.3333333	15886.71758	30000	0	0	30000	44.5	2004
23.01.2020 13:32:04	1	1	1	1	89.25	64.5	0	29810.427	498.9247312	14808.79515	30000	0	0	30000	44.625	2004
23.01.2020 13:32:05	1	1	1	1	89.25	64.5	0	29715.64	511.827957	15209.14304	30000	0	0	30000	44.4375	2004
23.01.2020 13:32:06	1	1	1	1	89.25	64.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	44.5	2004
23.01.2020 13:32:07	1	1	1	1	89.25	64.5	0	29336.493	481.7204301	14194.81967	30000	0	0	30000	44.625	2004
23.01.2020 13:32:08	1	1	1	1	89.25	64.5	0	29146.919	488.172043	14228.24994	30000	0	0	30000	44.625	2004
23.01.2020 13:32:09	1	1	1	1	89.25	64.5	0	29620.853	537.6344086	15772.56543	30000	0	0	30000	44.3125	2004
23.01.2020 13:32:10	1	1	1	1	89.25	64.25	0	29573.46	535.483871	15899.76354	30000	0	0	30000	44.375	2004
23.01.2020 13:32:11	1	1	1	1	87.75	64.25	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	44.625	2004
23.01.2020 13:32:12	1	1	1	1	87.75	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.4375	2004
23.01.2020 13:32:13	1	1	1	1	87.75	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
23.01.2020 13:32:14	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
23.01.2020 13:32:15	1	1	1	1	87.75	64.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.0625	2004
23.01.2020 13:32:16	1	1	1	1	87.75	64	0	29810.427	458.0645161	13611.01296	30000	0	0	30000	44.5	2004
23.01.2020 13:32:17	1	1	1	1	87.75	64.5	0	29526.066	460.2150538	13715.38064	30000	0	0	30000	44.4375	2004
23.01.2020 13:32:18	1	1	1	1	87.75	64.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	44.4375	2004
23.01.2020 13:32:19	1	1	1	1	87.75	64.25	0	26587.678	346.2365591	9075.095806	30000	0	0	30000	44.75	2004
23.01.2020 13:32:20	1	1	1	1	87.75	64.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.6875	2004
23.01.2020 13:32:21	1	1	1	1	88	64.5	0	28199.052	389.2473118	11013.23621	30000	0	0	30000	44.9375	2004
23.01.2020 13:32:22	1	1	1	1	88	64.75	0	27914.692	378.4946237	10565.59672	30000	0	0	30000	44.625	2004
23.01.2020 13:32:23	1	1	1	1	88	64.5	0	27014.218	341.9354839	9269.154459	30000	0	0	30000	44.5625	2004
23.01.2020 13:32:24	1	1	1	1	88	64.5	0	0	0	0	30000	0	8	30000	44.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:32:25	1	1	1	1	88	64.75	0	10426.54	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:32:26	1	1	1	1	88	64.5	0	11232.227	0	0	30000	0	0	30000	44.75	2004
23.01.2020 13:32:27	1	1	1	1	88	64.75	0	11943.128	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:32:28	1	1	1	1	88	64.5	0	12748.815	0	0	30000	0	0	30000	44.75	2004
23.01.2020 13:32:29	1	1	1	1	88	64.75	0	12559.242	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:32:30	1	1	1	1	88.25	64.5	0	14265.403	4.301075269	92.13709129	30000	0	0	30000	44.625	2004
23.01.2020 13:32:31	1	1	1	1	88.25	64.5	0	15165.877	10.75268817	160.6283804	30000	0	0	30000	44.5625	2004
23.01.2020 13:32:32	1	1	1	1	88.25	64.5	0	15781.991	15.05376344	237.2733944	30000	0	0	30000	44.5625	2004
23.01.2020 13:32:33	1	1	1	1	88.25	64.5	0	16682.464	19.35483871	322.8875058	30000	0	0	30000	44.625	2004
23.01.2020 13:32:34	1	1	1	1	88.25	64.5	0	17393.365	23.65591398	410.9477346	30000	0	0	30000	44.625	2004
23.01.2020 13:32:35	1	1	1	1	88.25	64.5	0	18151.659	30.10752688	585.4374473	30000	0	0	30000	44.625	2004
23.01.2020 13:32:36	1	1	1	1	88.25	64.5	0	18815.166	36.55913978	687.3590085	30000	0	0	30000	44.625	2004
23.01.2020 13:32:37	1	1	1	1	88.25	64.5	0	19763.033	45.16129032	887.9406409	30000	0	0	30000	44.625	2004
23.01.2020 13:32:39	1	1	1	1	88.25	64.5	0	20331.754	47.31182796	1005.354279	30000	0	0	30000	44.625	2004
23.01.2020 13:32:40	1	1	1	1	88.25	64.5	0	20473.934	51.61290323	1056.722746	30000	0	0	30000	44.625	2004
23.01.2020 13:32:41	1	1	1	1	88.5	64.5	0	21943.128	75.2688172	1603.837687	30000	0	0	30000	44.6875	2004
23.01.2020 13:32:42	1	1	1	1	88.5	64.5	0	22796.209	81.72043011	1862.310766	30000	0	0	30000	44.625	2004
23.01.2020 13:32:43	1	1	1	1	88.5	64.5	0	23459.716	88.17204301	1967.493817	30000	0	0	30000	44.625	2004
23.01.2020 13:32:44	1	1	1	1	88.5	64.5	0	22227.488	103.2258065	2299.35042	30000	0	0	30000	44.625	2004
23.01.2020 13:32:45	1	1	1	1	88.5	64.5	0	24976.303	116.1290323	2910.879787	30000	0	0	30000	44.5625	2004
23.01.2020 13:32:46	1	1	1	1	88.5	64.5	0	24028.436	113.9784946	2738.020819	30000	0	0	30000	44.6875	2004
23.01.2020 13:32:47	1	1	1	1	88.5	64.5	0	24786.73	120.4301075	2985.078683	30000	0	0	30000	44.625	2004
23.01.2020 13:32:48	1	1	1	1	88.5	64.5	0	25545.024	139.7849462	3570.516131	30000	0	0	30000	44.625	2004
23.01.2020 13:32:49	1	1	1	1	88.5	64.5	0	25260.664	126.8817204	3259.04384	30000	0	0	30000	44.625	2004
23.01.2020 13:32:50	1	1	1	1	88.5	64.5	0	24976.303	126.8817204	3168.537494	30000	0	0	30000	44.625	2004
23.01.2020 13:32:51	1	1	1	1	89.75	64.5	0	25213.27	129.0322581	3259.04384	30000	0	0	30000	44.75	2004
23.01.2020 13:32:52	1	1	1	1	89.75	64.75	0	0	0	0	30000	0	8	30000	44.75	2004
23.01.2020 13:32:53	1	1	1	1	89.75	64.75	0	10426.54	0	0	30000	0	0	30000	44.8125	2004
23.01.2020 13:32:54	1	1	1	1	89.75	64.75	0	11327.014	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 13:32:55	1	1	1	1	89.75	64.5	0	11184.834	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:32:56	1	1	1	1	89.75	64.5	0	12701.422	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:32:57	1	1	1	1	89.75	64.5	0	13601.896	0	29.35340962	30000	0	0	30000	45.125	2004
23.01.2020 13:33:04	1	1	1	1	88.75	64.5	0	18293.839	32.25806452	589.5143098	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:04	1	1	1	1	88.75	64.5	0	18293.839	32.25806452	589.5143098	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:04	1	1	1	1	88.75	64.5	0	18293.839	32.25806452	589.5143098	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:04	1	1	1	1	88.75	64.5	0	18293.839	32.25806452	589.5143098	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:04	1	1	1	1	88.75	64.5	0	18293.839	32.25806452	589.5143098	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:04	1	1	1	1	88.75	64.5	0	18293.839	32.25806452	589.5143098	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:04	1	1	1	1	88.75	64.5	0	18862.559	38.70967742	688.9897535	30000	0	0	30000	44.625	2004
23.01.2020 13:33:05	1	1	1	1	88.75	64.5	0	17725.118	40.86021505	724.0507705	30000	0	0	30000	44.6875	2004
23.01.2020 13:33:06	1	1	1	1	88.75	64.5	0	18720.379	51.61290323	923.0016579	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:07	1	1	1	1	88.75	64.5	0	21279.621	75.2688172	1647.052428	30000	0	0	30000	44.625	2004
23.01.2020 13:33:08	1	1	1	1	88.75	64.5	0	20473.934	81.72043011	1629.114234	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:33:09	1	1	1	1	88.75	64.5	0	22890.995	103.2258065	2411.871823	30000	0	0	30000	44.6875	2004
23.01.2020 13:33:10	1	1	1	1	88.25	64.5	0	23459.716	122.5806452	2881.526377	30000	0	0	30000	44.625	2004
23.01.2020 13:33:11	1	1	1	1	88.25	64.5	0	22748.815	120.4301075	2739.651564	30000	0	0	30000	44.6875	2004
23.01.2020 13:33:12	1	1	1	1	88.25	64.5	0	24218.009	137.6344086	3333.242736	30000	0	0	30000	44.625	2004
23.01.2020 13:33:13	1	1	1	1	88.25	64.5	0	21563.981	116.1290323	2504.008915	30000	0	0	30000	44.625	2004
23.01.2020 13:33:14	1	1	1	1	88.25	64.5	0	22274.882	129.0322581	2874.188025	30000	0	0	30000	44.375	2004
23.01.2020 13:33:15	1	1	1	1	88.25	64.25	0	24691.943	144.0860215	3571.331503	30000	0	0	30000	44.8125	2004
23.01.2020 13:33:17	1	1	1	1	88.25	64.75	0	22843.602	144.0860215	3298.181719	30000	0	0	30000	44.625	2004
23.01.2020 13:33:18	1	1	1	1	88.25	64.5	0	26113.744	174.1935484	4436.441714	30000	0	0	30000	44.75	2004
23.01.2020 13:33:19	1	1	1	1	88.25	64.75	0	26208.531	180.6451613	4790.313375	30000	0	0	30000	44.75	2004
23.01.2020 13:33:20	1	1	1	1	88.25	64.75	0	27061.611	184.9462366	4928.926698	30000	0	0	30000	44.625	2004
23.01.2020 13:33:21	1	1	1	1	87.75	64.5	0	26872.038	191.3978495	5142.55429	30000	0	0	30000	44.375	2004
23.01.2020 13:33:22	1	1	1	1	87.75	64.25	0	26445.498	206.4516129	5459.734189	30000	0	0	30000	44.625	2004
23.01.2020 13:33:23	1	1	1	1	87.75	64.5	0	26208.531	206.4516129	5420.596309	30000	0	0	30000	44.625	2004
23.01.2020 13:33:24	1	1	1	1	87.75	64.5	0	0	0	0	30000	0	8	30000	44.625	2004
23.01.2020 13:33:25	1	1	1	1	87.75	64.5	0	9431.2796	0	0	30000	0	0	30000	44.9375	2004
23.01.2020 13:33:26	1	1	1	1	87.75	64.75	0	11042.654	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:33:27	1	1	1	1	87.75	64.5	0	11516.588	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:33:28	1	1	1	1	87.75	64.5	0	12559.242	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:33:29	1	1	1	1	87.75	64.5	0	13364.929	2.150537634	28.53803713	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:30	1	1	1	1	87.75	64.5	0	13601.896	2.150537634	28.53803713	30000	0	0	30000	44.625	2004
23.01.2020 13:33:31	1	1	1	1	87.75	64.5	0	14928.91	6.451612903	128.0134808	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:32	1	1	1	1	87.75	64.5	0	15687.204	12.90322581	201.3970049	30000	0	0	30000	44.6875	2004
23.01.2020 13:33:33	1	1	1	1	87.75	64.5	0	16445.498	15.05376344	246.2424918	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:34	1	1	1	1	87.75	64.5	0	15497.63	15.05376344	233.1965319	30000	0	0	30000	44.75	2004
23.01.2020 13:33:35	1	1	1	1	87.75	64.75	0	18009.479	30.10752688	540.5919604	30000	0	0	30000	45.0625	2004
23.01.2020 13:33:36	1	1	1	1	87.75	65	0	18767.773	38.70967742	768.080885	30000	0	0	30000	44.75	2004
23.01.2020 13:33:37	1	1	1	1	87.75	64.75	0	17109.005	36.55913978	625.3906993	30000	0	0	30000	45	2004
23.01.2020 13:33:38	1	1	1	1	87.75	64.5	0	17393.365	43.01075269	710.1894382	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:39	1	1	1	1	87.75	64.5	0	21090.047	70.96774194	1496.208518	30000	0	0	30000	44.625	2004
23.01.2020 13:33:40	1	1	1	1	87.75	64.5	0	21800.948	83.87096774	1828.065121	30000	0	0	30000	44.625	2004
23.01.2020 13:33:41	1	1	1	1	87.75	64.5	0	22322.275	92.47311828	2063.70777	30000	0	0	30000	44.75	2004
23.01.2020 13:33:42	1	1	1	1	87.75	64.75	0	23364.929	111.827957	2557.008127	30000	0	0	30000	44.6875	2004
23.01.2020 13:33:43	1	1	1	1	87.75	64.5	0	22843.602	111.827957	2597.776751	30000	0	0	30000	44.625	2004
23.01.2020 13:33:44	1	1	1	1	87.75	64.5	0	24123.223	137.6344086	3112.276792	30000	0	0	30000	44.75	2004
23.01.2020 13:33:45	1	1	1	1	87.75	64.75	0	23080.569	129.0322581	3176.691218	30000	0	0	30000	44.625	2004
23.01.2020 13:33:46	1	1	1	1	87.75	64.5	0	22985.782	120.4301075	2658.114315	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:47	1	1	1	1	87.75	64.5	0	0	0	0	30000	0	8	30000	44.75	2004
23.01.2020 13:33:48	1	1	1	1	87.75	64.75	0	10331.754	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:33:49	1	1	1	1	87.75	64.5	0	11090.047	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:33:50	1	1	1	1	87.25	64.5	0	11943.128	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:33:51	1	1	1	1	87.25	64.5	0	12180.095	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 13:33:52	1	1	1	1	87.25	64.25	0	13412.322	6.451612903	86.42948387	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:33:53	1	1	1	1	87.25	64.5	0	13127.962	6.451612903	56.26070176	30000	0	0	30000	44.625	2004
23.01.2020 13:33:54	1	1	1	1	87.25	64.5	0	14976.303	15.05376344	225.0428071	30000	0	0	30000	44.625	2004
23.01.2020 13:33:56	1	1	1	1	87.25	64.5	0	15734.597	23.65591398	338.3795831	30000	0	0	30000	44.5625	2004
23.01.2020 13:33:57	1	1	1	1	87.25	64.5	0	16492.891	27.95698925	466.3930639	30000	0	0	30000	44.625	2004
23.01.2020 13:33:58	1	1	1	1	87.25	64.5	0	17298.578	36.55913978	631.9136792	30000	0	0	30000	44.75	2004
23.01.2020 13:33:59	1	1	1	1	87.25	64.75	0	17677.725	38.70967742	721.6046531	30000	0	0	30000	44.5	2004
23.01.2020 13:34:05	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5	2004
23.01.2020 13:34:05	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5	2004
23.01.2020 13:34:05	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5	2004
23.01.2020 13:34:05	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5	2004
23.01.2020 13:34:05	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5	2004
23.01.2020 13:34:05	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5	2004
23.01.2020 13:34:06	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5	2004
23.01.2020 13:34:07	1	1	1	1	86.75	64.5	0	17772.512	43.01075269	764.0040225	30000	0	0	30000	44.4375	2004
23.01.2020 13:34:08	1	1	1	1	86.75	64.25	0	17772.512	43.01075269	802.3265295	30000	0	0	30000	44.6875	2004
23.01.2020 13:34:09	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.625	2004
23.01.2020 13:34:10	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:11	1	1	1	1	86.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:12	1	1	1	1	86.75	64.5	0	17772.512	40.86021505	725.6815155	30000	0	0	30000	44.5	2004
23.01.2020 13:34:13	1	1	1	1	86.75	64.5	0	17772.512	36.55913978	687.3590085	30000	0	0	30000	44.625	2004
23.01.2020 13:34:14	1	1	1	1	86.75	64.5	0	17772.512	34.40860215	611.529367	30000	0	0	30000	45.0625	2004
23.01.2020 13:34:15	1	1	1	1	86.75	65	0	17867.299	34.40860215	653.113364	30000	0	0	30000	45.125	2004
23.01.2020 13:34:16	1	1	1	1	86.75	65	0	17914.692	36.55913978	654.7441089	30000	0	0	30000	44.625	2004
23.01.2020 13:34:17	1	1	1	1	86.75	65	0	17914.692	36.55913978	654.7441089	30000	0	0	30000	44.75	2004
23.01.2020 13:34:18	1	1	1	1	86.75	64.75	0	18009.479	36.55913978	658.0055989	30000	0	0	30000	44.75	2004
23.01.2020 13:34:19	1	1	1	1	86.75	64.75	0	18151.659	38.70967742	702.0357133	30000	0	0	30000	44.8125	2004
23.01.2020 13:34:20	1	1	1	1	86.75	64.75	0	16350.711	38.70967742	671.8669312	30000	0	0	30000	44.625	2004
23.01.2020 13:34:21	1	1	1	1	86.75	64.5	0	18530.806	51.61290323	956.43193	30000	0	0	30000	44.625	2004
23.01.2020 13:34:22	1	1	1	1	86.75	64.5	0	20710.9	62.3655914	1383.687114	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:23	1	1	1	1	86.75	64.5	0	21516.588	70.96774194	1434.240209	30000	0	0	30000	44.5	2004
23.01.2020 13:34:24	1	1	1	1	86.75	64.5	0	22274.882	75.2688172	1676.405838	30000	0	0	30000	44.5	2004
23.01.2020 13:34:25	1	1	1	1	86.75	64.5	0	23080.569	83.87096774	1935.69429	30000	0	0	30000	44.625	2004
23.01.2020 13:34:26	1	1	1	1	86.75	64.5	0	22748.815	103.2258065	2250.428071	30000	0	0	30000	44.75	2004
23.01.2020 13:34:27	1	1	1	1	86.75	64.75	0	21469.194	103.2258065	2221.074661	30000	0	0	30000	44.625	2004
23.01.2020 13:34:28	1	1	1	1	86.75	64.5	0	25355.45	137.6344086	3496.317234	30000	0	0	30000	44.6875	2004
23.01.2020 13:34:29	1	1	1	1	86.75	64.5	0	26208.531	152.688172	4001.032805	30000	0	0	30000	44.625	2004
23.01.2020 13:34:30	1	1	1	1	86.25	64.5	0	25971.564	152.688172	3957.818063	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:31	1	1	1	1	86.25	64.5	0	25260.664	152.688172	3856.711875	30000	0	0	30000	44.625	2004
23.01.2020 13:34:32	1	1	1	1	86.25	64.5	0	25165.877	152.688172	3842.03517	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:34	1	1	1	1	86.25	64.5	0	25734.597	152.688172	4039.355312	30000	0	0	30000	44.625	2004
23.01.2020 13:34:35	1	1	1	1	86.25	64.5	0	26113.744	152.688172	3987.171473	30000	0	0	30000	44.5	2004
23.01.2020 13:34:36	1	1	1	1	86.25	64.5	0	26777.251	152.688172	4203.245183	30000	0	0	30000	44.625	2004
23.01.2020 13:34:37	1	1	1	1	86.25	64.5	0	26303.318	152.688172	4008.371158	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:34:38	1	1	1	1	86.25	64.5	0	26682.464	150.5376344	4073.600957	30000	0	0	30000	44.375	2004
23.01.2020 13:34:39	1	1	1	1	86.25	64.25	0	26587.678	152.688172	4058.924252	30000	0	0	30000	44.5	2004
23.01.2020 13:34:40	1	1	1	1	86.25	64.5	0	26682.464	150.5376344	4016.524882	30000	0	0	30000	44.3125	2004
23.01.2020 13:34:41	1	1	1	1	85	64.25	0	26540.284	150.5376344	3995.325198	30000	0	0	30000	44.5	2004
23.01.2020 13:34:42	1	1	1	1	85	64.5	0	26587.678	150.5376344	4001.848178	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:43	1	1	1	1	85	64.5	0	26682.464	152.688172	4009.18653	30000	0	0	30000	44.625	2004
23.01.2020 13:34:44	1	1	1	1	85	64.5	0	25924.171	144.0860215	3735.221374	30000	0	0	30000	44.625	2004
23.01.2020 13:34:45	1	1	1	1	85	64.5	0	26635.071	150.5376344	4009.18653	30000	0	0	30000	44.5	2004
23.01.2020 13:34:46	1	1	1	1	85	64.5	0	26587.678	150.5376344	3944.772103	30000	0	0	30000	44.4375	2004
23.01.2020 13:34:47	1	1	1	1	85	64.25	0	26777.251	150.5376344	4088.277662	30000	0	0	30000	44.6875	2004
23.01.2020 13:34:48	1	1	1	1	85	64.5	0	26682.464	150.5376344	4016.524882	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:49	1	1	1	1	85	64.5	0	26587.678	150.5376344	4001.848178	30000	0	0	30000	44.625	2004
23.01.2020 13:34:50	1	1	1	1	85	64.5	0	26587.678	144.0860215	4001.848178	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:51	1	1	1	1	85.75	64.5	0	26682.464	150.5376344	4030.386215	30000	0	0	30000	44.6875	2004
23.01.2020 13:34:52	1	1	1	1	85.75	64.5	0	26682.464	150.5376344	4016.524882	30000	0	0	30000	44.625	2004
23.01.2020 13:34:53	1	1	1	1	85.75	64.5	0	26587.678	150.5376344	4058.924252	30000	0	0	30000	44.5	2004
23.01.2020 13:34:54	1	1	1	1	85.75	64.5	0	26682.464	150.5376344	4073.600957	30000	0	0	30000	44.75	2004
23.01.2020 13:34:55	1	1	1	1	85.75	64.75	0	26540.284	150.5376344	3995.325198	30000	0	0	30000	44.625	2004
23.01.2020 13:34:56	1	1	1	1	85.75	65	0	26587.678	152.688172	4058.924252	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:57	1	1	1	1	85.75	64.5	0	26113.744	152.688172	3987.171473	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:58	1	1	1	1	85.75	64.5	0	26113.744	152.688172	4098.877504	30000	0	0	30000	44.5625	2004
23.01.2020 13:34:59	1	1	1	1	85.75	64.5	0	25924.171	152.688172	3957.818063	30000	0	0	30000	44.5	2004
23.01.2020 13:35:00	1	1	1	1	85.75	64.5	0	25924.171	156.9892473	3929.280026	30000	0	0	30000	44.625	2004
23.01.2020 13:35:07	1	1	1	1	85.75	64.25	0	25876.777	163.4408602	4165.738048	30000	0	0	30000	43.8125	2004
23.01.2020 13:35:07	1	1	1	1	85.75	64.25	0	25876.777	163.4408602	4165.738048	30000	0	0	30000	43.8125	2004
23.01.2020 13:35:07	1	1	1	1	85.75	64.25	0	25876.777	163.4408602	4165.738048	30000	0	0	30000	43.8125	2004
23.01.2020 13:35:07	1	1	1	1	85.75	64.25	0	25876.777	163.4408602	4165.738048	30000	0	0	30000	43.8125	2004
23.01.2020 13:35:07	1	1	1	1	85.75	64.25	0	25876.777	163.4408602	4165.738048	30000	0	0	30000	43.8125	2004
23.01.2020 13:35:07	1	1	1	1	85.75	63.75	0	25924.171	161.2903226	4124.969424	30000	0	0	30000	44.6875	2004
23.01.2020 13:35:08	1	1	1	1	85.75	64.5	0	25639.81	152.688172	3914.603321	30000	0	0	30000	44.625	2004
23.01.2020 13:35:09	1	1	1	1	85.75	64.5	0	25734.597	159.1397849	4039.355312	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:10	1	1	1	1	85.25	64.5	0	25497.63	152.688172	3885.249912	30000	0	0	30000	44.6875	2004
23.01.2020 13:35:11	1	1	1	1	85.25	64.5	0	25639.81	152.688172	4142.907618	30000	0	0	30000	44.5	2004
23.01.2020 13:35:12	1	1	1	1	85.25	64.5	0	25639.81	156.9892473	3914.603321	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:14	1	1	1	1	85.25	64.5	0	25497.63	152.688172	4064.631859	30000	0	0	30000	44.5	2004
23.01.2020 13:35:15	1	1	1	1	85.25	64.5	0	25639.81	156.9892473	3914.603321	30000	0	0	30000	44.1875	2004
23.01.2020 13:35:16	1	1	1	1	85.25	64	0	26066.351	152.688172	3979.83312	30000	0	0	30000	44.4375	2004
23.01.2020 13:35:17	1	1	1	1	85.25	64.25	0	25118.483	148.3870968	3673.253064	30000	0	0	30000	44.4375	2004
23.01.2020 13:35:18	1	1	1	1	85.25	64.25	0	26018.957	156.9892473	4069.524094	30000	0	0	30000	44.6875	2004
23.01.2020 13:35:19	1	1	1	1	85.25	64.5	0	25924.171	156.9892473	3957.818063	30000	0	0	30000	44.5	2004
23.01.2020 13:35:20	1	1	1	1	85.25	64.5	0	25734.597	156.9892473	4094.800641	30000	0	0	30000	44.625	2004
23.01.2020 13:35:21	1	1	1	1	84.75	64.5	0	25545.024	161.2903226	4120.077189	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:35:22	1	1	1	1	84.75	64.5	0	24881.517	159.1397849	3905.634224	30000	0	0	30000	44.625	2004
23.01.2020 13:35:23	1	1	1	1	84.75	64.5	0	25071.09	159.1397849	3996.955943	30000	0	0	30000	44.625	2004
23.01.2020 13:35:24	1	1	1	1	84.75	64.5	0	24976.303	163.4408602	4027.940097	30000	0	0	30000	44.625	2004
23.01.2020 13:35:25	1	1	1	1	84.75	64.5	0	24976.303	163.4408602	4027.940097	30000	0	0	30000	44.625	2004
23.01.2020 13:35:26	1	1	1	1	84.75	64.5	0	24976.303	152.688172	4027.940097	30000	0	0	30000	44.625	2004
23.01.2020 13:35:27	1	1	1	1	84.75	64.5	0	25071.09	159.1397849	3827.358465	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:28	1	1	1	1	84.75	64.5	0	24976.303	161.2903226	4027.940097	30000	0	0	30000	44.6875	2004
23.01.2020 13:35:29	1	1	1	1	84.75	64.5	0	25450.237	159.1397849	3987.986845	30000	0	0	30000	44.625	2004
23.01.2020 13:35:30	1	1	1	1	84.75	64.5	0	25734.597	159.1397849	4150.245971	30000	0	0	30000	44.0625	2004
23.01.2020 13:35:31	1	1	1	1	85	64	0	26018.957	156.9892473	4195.90683	30000	0	0	30000	44.6875	2004
23.01.2020 13:35:32	1	1	1	1	85	64.5	0	26113.744	152.688172	3987.171473	30000	0	0	30000	44.4375	2004
23.01.2020 13:35:33	1	1	1	1	85	64.25	0	26113.744	152.688172	3987.171473	30000	0	0	30000	45	2004
23.01.2020 13:35:34	1	1	1	1	85	65	0	26113.744	152.688172	3987.171473	30000	0	0	30000	44.625	2004
23.01.2020 13:35:35	1	1	1	1	85	64.25	0	26398.104	152.688172	4030.386215	30000	0	0	30000	44.375	2004
23.01.2020 13:35:36	1	1	1	1	85	64.25	0	26208.531	152.688172	4001.032805	30000	0	0	30000	44.4375	2004
23.01.2020 13:35:37	1	1	1	1	85	64.25	0	26208.531	152.688172	4001.032805	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:38	1	1	1	1	85	64.5	0	26208.531	152.688172	4001.032805	30000	0	0	30000	44.4375	2004
23.01.2020 13:35:39	1	1	1	1	85	64.25	0	26113.744	152.688172	3987.171473	30000	0	0	30000	44.5	2004
23.01.2020 13:35:40	1	1	1	1	84.5	64.5	0	26350.711	152.688172	4023.047862	30000	0	0	30000	44.4375	2004
23.01.2020 13:35:41	1	1	1	1	84.5	64.25	0	26113.744	152.688172	3987.171473	30000	0	0	30000	44.5	2004
23.01.2020 13:35:42	1	1	1	1	84.5	64.5	0	26113.744	156.9892473	4211.398907	30000	0	0	30000	44.625	2004
23.01.2020 13:35:43	1	1	1	1	84.5	64.5	0	25639.81	156.9892473	4087.462289	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:44	1	1	1	1	84.5	64.5	0	25450.237	161.2903226	4049.955155	30000	0	0	30000	44.625	2004
23.01.2020 13:35:45	1	1	1	1	84.5	64.5	0	25545.024	161.2903226	4120.077189	30000	0	0	30000	44.5	2004
23.01.2020 13:35:46	1	1	1	1	84.5	64.5	0	25308.057	163.4408602	4143.722991	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:47	1	1	1	1	84.5	64.5	0	25545.024	167.7419355	4284.782431	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:48	1	1	1	1	84.5	64.5	0	26113.744	191.3978495	4997.417987	30000	0	0	30000	44.625	2004
23.01.2020 13:35:49	1	1	1	1	84.5	64.5	0	26303.318	206.4516129	5147.446525	30000	0	0	30000	44.5	2004
23.01.2020 13:35:50	1	1	1	1	84.75	64.5	0	25734.597	191.3978495	4924.849836	30000	0	0	30000	44.5	2004
23.01.2020 13:35:52	1	1	1	1	84.75	64.5	0	25308.057	191.3978495	4834.343489	30000	0	0	30000	44.625	2004
23.01.2020 13:35:53	1	1	1	1	84.75	64.5	0	25545.024	195.6989247	4943.603403	30000	0	0	30000	44.625	2004
23.01.2020 13:35:54	1	1	1	1	84.75	64.5	0	25213.27	191.3978495	4834.343489	30000	0	0	30000	43.4375	2004
23.01.2020 13:35:55	1	1	1	1	84.75	63.25	0	25355.45	206.4516129	4971.326067	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:56	1	1	1	1	84.75	64.5	0	25308.057	193.5483871	4906.911641	30000	0	0	30000	43.5	2004
23.01.2020 13:35:57	1	1	1	1	84.75	63.5	0	25023.697	193.5483871	4779.713532	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:58	1	1	1	1	84.75	64.5	0	25355.45	191.3978495	4961.541598	30000	0	0	30000	44.5625	2004
23.01.2020 13:35:59	1	1	1	1	84.75	64.5	0	25308.057	191.3978495	4906.911641	30000	0	0	30000	44.6875	2004
23.01.2020 13:36:00	1	1	1	1	84.75	64.5	0	24976.303	191.3978495	4779.713532	30000	0	0	30000	44.625	2004
23.01.2020 13:36:01	1	1	1	1	84.75	64.5	0	25165.877	191.3978495	5195.553502	30000	0	0	30000	44.4375	2004
23.01.2020 13:36:02	1	1	1	1	84.75	64.25	0	25165.877	193.5483871	4870.219879	30000	0	0	30000	44.375	2004
23.01.2020 13:36:09	1	1	1	1	84.75	64.5	0	25402.844	191.3978495	4862.066154	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:09	1	1	1	1	84.75	64.5	0	25402.844	191.3978495	4862.066154	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:09	1	1	1	1	84.75	64.5	0	25402.844	191.3978495	4862.066154	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:36:09	1	1	1	1	84.75	64.5	0	25402.844	191.3978495	4862.066154	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:09	1	1	1	1	84.75	64.5	0	25402.844	191.3978495	4862.066154	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:09	1	1	1	1	84.75	64.5	0	25402.844	191.3978495	4862.066154	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:09	1	1	1	1	84.75	64.5	0	25639.81	195.6989247	5293.398201	30000	0	0	30000	44.4375	2004
23.01.2020 13:36:10	1	1	1	1	84.75	64.25	0	25497.63	206.4516129	4989.264262	30000	0	0	30000	44.625	2004
23.01.2020 13:36:11	1	1	1	1	85	64.5	0	25355.45	195.6989247	4961.541598	30000	0	0	30000	44.9375	2004
23.01.2020 13:36:12	1	1	1	1	85	64.75	0	25355.45	195.6989247	4961.541598	30000	0	0	30000	44.625	2004
23.01.2020 13:36:13	1	1	1	1	85	64.5	0	25308.057	195.6989247	4952.5725	30000	0	0	30000	44.4375	2004
23.01.2020 13:36:14	1	1	1	1	85	64.25	0	25592.417	206.4516129	5293.398201	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:15	1	1	1	1	85	64.5	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.625	2004
23.01.2020 13:36:16	1	1	1	1	85	64.5	0	24976.303	206.4516129	5146.631153	30000	0	0	30000	44.625	2004
23.01.2020 13:36:17	1	1	1	1	85	64.5	0	25497.63	206.4516129	4999.048732	30000	0	0	30000	44.625	2004
23.01.2020 13:36:18	1	1	1	1	85	64.5	0	24976.303	189.2473118	4726.714321	30000	0	0	30000	44.5	2004
23.01.2020 13:36:19	1	1	1	1	85	64.5	0	25734.597	193.5483871	4915.880738	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:20	1	1	1	1	84.5	64.5	0	25497.63	191.3978495	4871.035251	30000	0	0	30000	44.625	2004
23.01.2020 13:36:21	1	1	1	1	84.5	64.5	0	25355.45	191.3978495	4852.281684	30000	0	0	30000	44.625	2004
23.01.2020 13:36:22	1	1	1	1	84.5	64.5	0	25545.024	195.6989247	5273.829261	30000	0	0	30000	44.4375	2004
23.01.2020 13:36:23	1	1	1	1	84.5	64.25	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44.375	2004
23.01.2020 13:36:24	1	1	1	1	84.5	64.25	0	25071.09	191.3978495	5195.553502	30000	0	0	30000	44.125	2004
23.01.2020 13:36:25	1	1	1	1	84.5	64	0	25071.09	191.3978495	4852.281684	30000	0	0	30000	44.1875	2004
23.01.2020 13:36:26	1	1	1	1	84.5	64	0	25687.204	206.4516129	5026.771397	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:27	1	1	1	1	84.5	64.5	0	25402.844	189.2473118	4871.035251	30000	0	0	30000	44.375	2004
23.01.2020 13:36:29	1	1	1	1	84.5	64.25	0	25355.45	193.5483871	4906.911641	30000	0	0	30000	44.4375	2004
23.01.2020 13:36:30	1	1	1	1	84.5	64.25	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	44.625	2004
23.01.2020 13:36:31	1	1	1	1	84.25	64.5	0	25734.597	195.6989247	5035.740494	30000	0	0	30000	44.375	2004
23.01.2020 13:36:32	1	1	1	1	84.25	64.25	0	25639.81	193.5483871	4953.387873	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:33	1	1	1	1	84.25	64.5	0	25639.81	206.4516129	5016.986927	30000	0	0	30000	44.5	2004
23.01.2020 13:36:34	1	1	1	1	84.25	64.5	0	25876.777	193.5483871	5352.10502	30000	0	0	30000	44.625	2004
23.01.2020 13:36:35	1	1	1	1	84.25	64.5	0	25734.597	206.4516129	5026.771397	30000	0	0	30000	44.5	2004
23.01.2020 13:36:36	1	1	1	1	84.25	64.5	0	25924.171	195.6989247	5352.10502	30000	0	0	30000	44.5	2004
23.01.2020 13:36:37	1	1	1	1	84.25	64.5	0	25734.597	195.6989247	5035.740494	30000	0	0	30000	44.5	2004
23.01.2020 13:36:38	1	1	1	1	84.25	64.5	0	25924.171	206.4516129	5352.10502	30000	0	0	30000	44.625	2004
23.01.2020 13:36:39	1	1	1	1	84.25	64.5	0	25734.597	195.6989247	5312.96714	30000	0	0	30000	44.625	2004
23.01.2020 13:36:40	1	1	1	1	84.25	64.5	0	25402.844	206.4516129	4906.911641	30000	0	0	30000	44.6875	2004
23.01.2020 13:36:41	1	1	1	1	84.75	64.5	0	25545.024	206.4516129	5273.829261	30000	0	0	30000	44.5	2004
23.01.2020 13:36:42	1	1	1	1	84.75	64.5	0	25165.877	191.3978495	4870.219879	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:43	1	1	1	1	84.75	64.5	0	24834.123	191.3978495	4761.775338	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:44	1	1	1	1	84.75	64.5	0	24976.303	195.6989247	5156.415623	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:45	1	1	1	1	84.75	64.5	0	25402.844	206.4516129	5244.475851	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:46	1	1	1	1	84.75	64.5	0	25545.024	206.4516129	5283.613731	30000	0	0	30000	44.625	2004
23.01.2020 13:36:47	1	1	1	1	84.75	64.5	0	25213.27	206.4516129	5195.553502	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:48	1	1	1	1	84.75	64.5	0	26113.744	227.9569892	5952.219172	30000	0	0	30000	45	2004
23.01.2020 13:36:49	1	1	1	1	84.75	65	0	26018.957	230.1075269	6020.710461	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:36:50	1	1	1	1	84.75	64.75	0	26066.351	232.2580645	5997.880032	30000	0	0	30000	44.5625	2004
23.01.2020 13:36:51	1	1	1	1	84.5	64.75	0	26113.744	232.2580645	6008.479874	30000	0	0	30000	44.625	2004
23.01.2020 13:36:52	1	1	1	1	84.5	64.5	0	25876.777	225.8064516	5909.00443	30000	0	0	30000	44.625	2004
23.01.2020 13:36:53	1	1	1	1	84.5	64.5	0	26113.744	232.2580645	6064.740576	30000	0	0	30000	44.6875	2004
23.01.2020 13:36:54	1	1	1	1	84.5	64.5	0	25924.171	230.1075269	5965.265132	30000	0	0	30000	44.625	2004
23.01.2020 13:36:55	1	1	1	1	84.5	64.5	0	25924.171	232.2580645	5965.265132	30000	0	0	30000	43.25	2004
23.01.2020 13:36:56	1	1	1	1	84.5	63.25	0	26066.351	234.4086022	6064.740576	30000	0	0	30000	44.5	2004
23.01.2020 13:36:57	1	1	1	1	84.5	64.5	0	26018.957	230.1075269	6042.725518	30000	0	0	30000	44.4375	2004
23.01.2020 13:36:58	1	1	1	1	84.5	64.25	0	25924.171	232.2580645	6020.710461	30000	0	0	30000	44.625	2004
23.01.2020 13:36:59	1	1	1	1	84.5	64.5	0	25876.777	232.2580645	6076.155791	30000	0	0	30000	44.625	2004
23.01.2020 13:37:00	1	1	1	1	84.5	64.5	0	26018.957	232.2580645	5909.00443	30000	0	0	30000	44.625	2004
23.01.2020 13:37:01	1	1	1	1	84.5	64.5	0	0	0	0	30000	0	8	30000	42.0625	2004
23.01.2020 13:37:02	1	1	1	1	84.5	62	0	10379.147	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:37:03	1	1	1	1	84.5	64.5	0	11232.227	0	0	30000	0	0	30000	44.5	2004
23.01.2020 13:37:10	1	1	1	1	84.5	64.25	0	14976.303	15.05376344	225.0428071	30000	0	0	30000	44.375	2004
23.01.2020 13:37:10	1	1	1	1	84.5	64.25	0	14976.303	15.05376344	225.0428071	30000	0	0	30000	44.375	2004
23.01.2020 13:37:10	1	1	1	1	84.5	64.25	0	14976.303	15.05376344	225.0428071	30000	0	0	30000	44.375	2004
23.01.2020 13:37:10	1	1	1	1	84.5	64.25	0	14976.303	15.05376344	225.0428071	30000	0	0	30000	44.375	2004
23.01.2020 13:37:10	1	1	1	1	84.5	64.25	0	14976.303	15.05376344	225.0428071	30000	0	0	30000	44.375	2004
23.01.2020 13:37:10	1	1	1	1	84.5	64.25	0	14976.303	15.05376344	225.0428071	30000	0	0	30000	44.375	2004
23.01.2020 13:37:11	1	1	1	1	84.75	64.25	0	16682.464	25.80645161	430.5166744	30000	0	0	30000	44.375	2004
23.01.2020 13:37:12	1	1	1	1	84.75	64.25	0	17440.758	36.55913978	560.9762727	30000	0	0	30000	44.5	2004
23.01.2020 13:37:13	1	1	1	1	84.75	64.5	0	18104.265	43.01075269	741.1735928	30000	0	0	30000	44.5	2004
23.01.2020 13:37:14	1	1	1	1	84.75	64.5	0	18909.953	53.76344086	1062.430354	30000	0	0	30000	44.6875	2004
23.01.2020 13:37:15	1	1	1	1	84.75	64.5	0	19668.246	62.3655914	1226.320224	30000	0	0	30000	44.625	2004
23.01.2020 13:37:16	1	1	1	1	84.75	64.5	0	18341.232	60.21505376	1183.105482	30000	0	0	30000	44.5625	2004
23.01.2020 13:37:17	1	1	1	1	84.75	64.5	0	20995.261	83.87096774	1760.389204	30000	0	0	30000	44.25	2004
23.01.2020 13:37:18	1	1	1	1	84.75	64.25	0	20995.261	81.72043011	1760.389204	30000	0	0	30000	44.375	2004
23.01.2020 13:37:19	1	1	1	1	84.75	64.25	0	20995.261	81.72043011	1669.882858	30000	0	0	30000	44.5	2004
23.01.2020 13:37:20	1	1	1	1	84.75	64.5	0	21090.047	79.56989247	1678.036583	30000	0	0	30000	44.625	2004
23.01.2020 13:37:21	1	1	1	1	84.75	64.5	0	21090.047	79.56989247	1722.88207	30000	0	0	30000	44.375	2004
23.01.2020 13:37:22	1	1	1	1	84.75	64.25	0	21090.047	81.72043011	1678.036583	30000	0	0	30000	44.625	2004
23.01.2020 13:37:23	1	1	1	1	84.75	64.5	0	21137.441	81.72043011	1681.298073	30000	0	0	30000	44.5	2004
23.01.2020 13:37:24	1	1	1	1	84.75	64.5	0	21090.047	79.56989247	1726.958932	30000	0	0	30000	44.625	2004
23.01.2020 13:37:25	1	1	1	1	84.75	64.5	0	21137.441	81.72043011	1726.958932	30000	0	0	30000	44.375	2004
23.01.2020 13:37:26	1	1	1	1	84.75	64.25	0	21137.441	79.56989247	1678.036583	30000	0	0	30000	44.5	2004
23.01.2020 13:37:27	1	1	1	1	84.75	64.5	0	21184.834	75.2688172	1689.451798	30000	0	0	30000	44.875	2004
23.01.2020 13:37:28	1	1	1	1	84.75	64.75	0	21232.227	75.2688172	1598.130079	30000	0	0	30000	44.4375	2004
23.01.2020 13:37:29	1	1	1	1	84.75	64.5	0	21232.227	73.11827957	1601.391569	30000	0	0	30000	44.5	2004
23.01.2020 13:37:32	1	1	1	1	84.5	64.5	0	21279.621	75.2688172	1647.052428	30000	0	0	30000	44.5	2004
23.01.2020 13:37:32	1	1	1	1	84.5	64.5	0	21279.621	75.2688172	1647.052428	30000	0	0	30000	44.5	2004
23.01.2020 13:37:32	1	1	1	1	84.5	64.5	0	21279.621	75.2688172	1647.052428	30000	0	0	30000	44.5	2004
23.01.2020 13:37:33	1	1	1	1	84.5	64.5	0	21279.621	79.56989247	1647.052428	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:37:34	1	1	1	1	84.5	64.25	0	21232.227	83.87096774	1735.112657	30000	0	0	30000	44.625	2004
23.01.2020 13:37:35	1	1	1	1	84.5	64.5	0	21279.621	83.87096774	1784.035007	30000	0	0	30000	44.5	2004
23.01.2020 13:37:36	1	1	1	1	84.5	64.5	0	21279.621	83.87096774	1784.035007	30000	0	0	30000	44.3125	2004
23.01.2020 13:37:37	1	1	1	1	84.5	64.25	0	21563.981	88.17204301	1993.585736	30000	0	0	30000	44.5	2004
23.01.2020 13:37:38	1	1	1	1	84.5	64.5	0	21943.128	92.47311828	2075.938358	30000	0	0	30000	44.625	2004
23.01.2020 13:37:39	1	1	1	1	84.5	64.5	0	23222.749	116.1290323	2640.991493	30000	0	0	30000	44.5	2004
23.01.2020 13:37:40	1	1	1	1	84.25	64.5	0	19952.607	107.5268817	2145.245019	30000	0	0	30000	44.625	2004
23.01.2020 13:37:41	1	1	1	1	84.25	64.5	0	23649.289	137.6344086	3254.966977	30000	0	0	30000	44.4375	2004
23.01.2020 13:37:42	1	1	1	1	84.25	64.25	0	20284.36	120.4301075	2442.855978	30000	0	0	30000	44.5625	2004
23.01.2020 13:37:44	1	1	1	1	84.25	64.5	0	23554.502	137.6344086	3241.921018	30000	0	0	30000	44.5625	2004
23.01.2020 13:37:45	1	1	1	1	84.25	64.5	0	24928.91	169.8924731	4243.198434	30000	0	0	30000	44.4375	2004
23.01.2020 13:37:46	1	1	1	1	84.25	64.25	0	25308.057	182.7956989	4680.238089	30000	0	0	30000	44.4375	2004
23.01.2020 13:37:47	1	1	1	1	84.25	64.25	0	25450.237	182.7956989	4651.700052	30000	0	0	30000	44.5625	2004
23.01.2020 13:37:48	1	1	1	1	84.25	64.5	0	25639.81	206.4516129	5008.017829	30000	0	0	30000	44.5	2004
23.01.2020 13:37:49	1	1	1	1	84.25	64.5	0	25260.664	193.5483871	4834.343489	30000	0	0	30000	44.4375	2004
23.01.2020 13:37:50	1	1	1	1	84.25	64.25	0	25165.877	184.9462366	4654.146169	30000	0	0	30000	44.625	2004
23.01.2020 13:37:51	1	1	1	1	84.5	64.5	0	25545.024	206.4516129	5273.829261	30000	0	0	30000	44.6875	2004
23.01.2020 13:37:52	1	1	1	1	84.5	64.5	0	25734.597	206.4516129	5063.463159	30000	0	0	30000	44.5625	2004
23.01.2020 13:37:53	1	1	1	1	84.5	64.5	0	26018.957	219.3548387	5651.346724	30000	0	0	30000	44.625	2004
23.01.2020 13:37:54	1	1	1	1	84.5	64.5	0	26208.531	219.3548387	5804.636752	30000	0	0	30000	44.4375	2004
23.01.2020 13:37:55	1	1	1	1	84.5	64.25	0	26113.744	230.1075269	6008.479874	30000	0	0	30000	44.625	2004
23.01.2020 13:37:56	1	1	1	1	84.5	64.5	0	26066.351	230.1075269	6042.725518	30000	0	0	30000	44.625	2004
23.01.2020 13:37:57	1	1	1	1	84.5	64.5	0	24407.583	212.9032258	5196.368875	30000	0	0	30000	44.5625	2004
23.01.2020 13:37:58	1	1	1	1	84.5	64.5	0	26350.711	230.1075269	5939.173212	30000	0	0	30000	44.5625	2004
23.01.2020 13:37:59	1	1	1	1	84.5	64.5	0	26113.744	212.9032258	5559.209632	30000	0	0	30000	44.5	2004
23.01.2020 13:38:00	1	1	1	1	84.5	64.5	0	26208.531	227.9569892	6030.494931	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:01	1	1	1	1	84.75	64.5	0	26113.744	230.1075269	6008.479874	30000	0	0	30000	44.625	2004
23.01.2020 13:38:02	1	1	1	1	84.75	64.5	0	26113.744	230.1075269	6008.479874	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:03	1	1	1	1	84.75	64.5	0	26018.957	230.1075269	5986.464817	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:04	1	1	1	1	84.75	64.5	0	26018.957	230.1075269	5986.464817	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:05	1	1	1	1	84.75	64.5	0	26777.251	221.5053763	5931.019487	30000	0	0	30000	44	2004
23.01.2020 13:38:12	1	1	1	1	84.5	64.25	0	26113.744	232.2580645	6030.494931	30000	0	0	30000	44.625	2004
23.01.2020 13:38:12	1	1	1	1	84.5	64.25	0	26113.744	232.2580645	6030.494931	30000	0	0	30000	44.625	2004
23.01.2020 13:38:12	1	1	1	1	84.5	64.25	0	26113.744	232.2580645	6030.494931	30000	0	0	30000	44.625	2004
23.01.2020 13:38:12	1	1	1	1	84.5	64.25	0	26113.744	232.2580645	6030.494931	30000	0	0	30000	44.625	2004
23.01.2020 13:38:12	1	1	1	1	84.5	64.25	0	26113.744	232.2580645	6030.494931	30000	0	0	30000	44.625	2004
23.01.2020 13:38:12	1	1	1	1	84.5	64.25	0	26113.744	232.2580645	6030.494931	30000	0	0	30000	44.625	2004
23.01.2020 13:38:12	1	1	1	1	84.5	64.5	0	25971.564	225.8064516	5997.880032	30000	0	0	30000	44.375	2004
23.01.2020 13:38:13	1	1	1	1	84.5	64.25	0	26018.957	232.2580645	5986.464817	30000	0	0	30000	44.5	2004
23.01.2020 13:38:14	1	1	1	1	84.5	64.5	0	25876.777	230.1075269	6020.710461	30000	0	0	30000	44.625	2004
23.01.2020 13:38:15	1	1	1	1	84.5	64.5	0	25924.171	232.2580645	5953.849917	30000	0	0	30000	44.625	2004
23.01.2020 13:38:16	1	1	1	1	84.5	64.5	0	25924.171	232.2580645	6020.710461	30000	0	0	30000	44.625	2004
23.01.2020 13:38:17	1	1	1	1	84.5	64.5	0	26208.531	212.9032258	5671.731036	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:38:18	1	1	1	1	84.5	64.5	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.4375	2004
23.01.2020 13:38:19	1	1	1	1	84.5	64.25	0	25687.204	240.8602151	6010.110619	30000	0	0	30000	44.5	2004
23.01.2020 13:38:20	1	1	1	1	84	64.5	0	25592.417	234.4086022	6010.110619	30000	0	0	30000	44.5	2004
23.01.2020 13:38:21	1	1	1	1	84	64.5	0	25450.237	236.5591398	6019.895089	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:23	1	1	1	1	84	64.5	0	25497.63	234.4086022	6031.310304	30000	0	0	30000	44.25	2004
23.01.2020 13:38:24	1	1	1	1	84	64.25	0	25450.237	234.4086022	5976.680347	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:25	1	1	1	1	84	64.5	0	25545.024	234.4086022	5987.280189	30000	0	0	30000	44.5	2004
23.01.2020 13:38:26	1	1	1	1	84	64.5	0	25450.237	232.2580645	5965.265132	30000	0	0	30000	44.0625	2004
23.01.2020 13:38:27	1	1	1	1	84	64	0	23554.502	217.2043011	5126.24684	30000	0	0	30000	44.5	2004
23.01.2020 13:38:28	1	1	1	1	84	64.5	0	25545.024	234.4086022	5932.650232	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:29	1	1	1	1	84	64.5	0	25545.024	234.4086022	5987.280189	30000	0	0	30000	44.5	2004
23.01.2020 13:38:30	1	1	1	1	84	64.5	0	25592.417	234.4086022	5987.280189	30000	0	0	30000	44	2004
23.01.2020 13:38:31	1	1	1	1	84	64	0	25118.483	227.9569892	5736.145462	30000	0	0	30000	44.625	2004
23.01.2020 13:38:32	1	1	1	1	84	64.5	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.625	2004
23.01.2020 13:38:33	1	1	1	1	84	64.5	0	25497.63	230.1075269	5987.280189	30000	0	0	30000	44.625	2004
23.01.2020 13:38:34	1	1	1	1	84	64.5	0	25734.597	236.5591398	6032.125676	30000	0	0	30000	44.625	2004
23.01.2020 13:38:35	1	1	1	1	84	64.5	0	25734.597	232.2580645	5976.680347	30000	0	0	30000	44.4375	2004
23.01.2020 13:38:36	1	1	1	1	84	64.25	0	25876.777	234.4086022	6020.710461	30000	0	0	30000	44.4375	2004
23.01.2020 13:38:37	1	1	1	1	84	64.25	0	25876.777	234.4086022	6065.555948	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:38	1	1	1	1	84	64.5	0	25687.204	234.4086022	6010.110619	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:39	1	1	1	1	84	64.5	0	25497.63	234.4086022	5987.280189	30000	0	0	30000	44.625	2004
23.01.2020 13:38:40	1	1	1	1	84	64.5	0	25687.204	234.4086022	5899.21996	30000	0	0	30000	43.875	2004
23.01.2020 13:38:41	1	1	1	1	84.25	63.75	0	25450.237	234.4086022	5976.680347	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:42	1	1	1	1	84.25	64.5	0	25497.63	232.2580645	5987.280189	30000	0	0	30000	44.625	2004
23.01.2020 13:38:43	1	1	1	1	84.25	64.5	0	25639.81	236.5591398	6076.155791	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:44	1	1	1	1	84.25	64.5	0	25497.63	234.4086022	6042.725518	30000	0	0	30000	44.625	2004
23.01.2020 13:38:45	1	1	1	1	84.25	64.5	0	25355.45	234.4086022	5943.250075	30000	0	0	30000	44.75	2004
23.01.2020 13:38:46	1	1	1	1	84.25	64.75	0	25402.844	234.4086022	6019.895089	30000	0	0	30000	44.625	2004
23.01.2020 13:38:47	1	1	1	1	84.25	64.75	0	25402.844	236.5591398	6063.925203	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:48	1	1	1	1	84.25	64.5	0	26208.531	266.6666667	6907.020357	30000	0	0	30000	44.4375	2004
23.01.2020 13:38:49	1	1	1	1	84.25	64.25	0	25734.597	249.4623656	6474.872938	30000	0	0	30000	44.375	2004
23.01.2020 13:38:50	1	1	1	1	84.25	64.25	0	25734.597	247.311828	6363.982279	30000	0	0	30000	44.5	2004
23.01.2020 13:38:51	1	1	1	1	84.25	64.5	0	25734.597	247.311828	6363.982279	30000	0	0	30000	44	2004
23.01.2020 13:38:52	1	1	1	1	84.25	64	0	25260.664	245.1612903	6192.754056	30000	0	0	30000	44.5625	2004
23.01.2020 13:38:53	1	1	1	1	84.25	64.5	0	25687.204	266.6666667	6794.498954	30000	0	0	30000	44.375	2004
23.01.2020 13:38:54	1	1	1	1	84.25	64.25	0	25924.171	266.6666667	6912.727965	30000	0	0	30000	44.625	2004
23.01.2020 13:38:55	1	1	1	1	84.25	64.5	0	26113.744	264.516129	7019.541761	30000	0	0	30000	44.375	2004
23.01.2020 13:38:56	1	1	1	1	84.25	64.25	0	26208.531	266.6666667	6988.557606	30000	0	0	30000	44.375	2004
23.01.2020 13:38:57	1	1	1	1	84.25	64.25	0	26113.744	266.6666667	6963.281059	30000	0	0	30000	44.375	2004
23.01.2020 13:38:58	1	1	1	1	84.25	64.25	0	26303.318	266.6666667	7013.834153	30000	0	0	30000	44.1875	2004
23.01.2020 13:38:59	1	1	1	1	84.25	64	0	0	0	0	30000	0	8	30000	44.6875	2004
23.01.2020 13:39:01	1	1	1	1	84.25	64.5	0	9336.4929	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:39:02	1	1	1	1	84.25	64.5	0	10947.867	0	0	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:39:03	1	1	1	1	84.25	64.5	0	11753.555	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:04	1	1	1	1	84.25	64.5	0	12511.848	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:05	1	1	1	1	84.25	64.5	0	13222.749	4.301075269	56.26070176	30000	0	0	30000	44.375	2004
23.01.2020 13:39:06	1	1	1	1	84.25	64.25	0	13981.043	10.75268817	150.028538	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:07	1	1	1	1	84.25	64.25	0	14834.123	15.05376344	222.5966896	30000	0	0	30000	44.5	2004
23.01.2020 13:39:14	1	1	1	1	84.25	64.25	0	19383.886	66.66666667	1294.811513	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:14	1	1	1	1	84.25	64.25	0	19383.886	66.66666667	1294.811513	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:14	1	1	1	1	84.25	64.25	0	19383.886	66.66666667	1294.811513	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:14	1	1	1	1	84.25	64.25	0	19383.886	66.66666667	1294.811513	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:14	1	1	1	1	84.25	64.25	0	19383.886	66.66666667	1294.811513	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:14	1	1	1	1	84.25	64.25	0	19383.886	66.66666667	1294.811513	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:14	1	1	1	1	84.25	64.25	0	19383.886	66.66666667	1294.811513	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:14	1	1	1	1	84.25	64.5	0	20189.573	75.2688172	1519.038948	30000	0	0	30000	42.5	2004
23.01.2020 13:39:15	1	1	1	1	84.25	62.5	0	20995.261	88.17204301	1850.895551	30000	0	0	30000	44.5	2004
23.01.2020 13:39:16	1	1	1	1	84.25	64.5	0	21232.227	94.62365591	2054.738673	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:17	1	1	1	1	84.25	64.5	0	21232.227	96.77419355	2054.738673	30000	0	0	30000	44.5	2004
23.01.2020 13:39:18	1	1	1	1	84.25	64.5	0	21232.227	94.62365591	2054.738673	30000	0	0	30000	44.375	2004
23.01.2020 13:39:19	1	1	1	1	84.25	64.25	0	21232.227	96.77419355	2054.738673	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:20	1	1	1	1	84.25	64.5	0	21232.227	96.77419355	2100.399533	30000	0	0	30000	44.375	2004
23.01.2020 13:39:21	1	1	1	1	84.25	64.25	0	21232.227	103.2258065	2191.721251	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:22	1	1	1	1	84.25	64.25	0	21184.834	103.2258065	2191.721251	30000	0	0	30000	45	2004
23.01.2020 13:39:23	1	1	1	1	84.25	65	0	21232.227	103.2258065	2191.721251	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:24	1	1	1	1	84.25	64.5	0	21232.227	103.2258065	2191.721251	30000	0	0	30000	44.8125	2004
23.01.2020 13:39:25	1	1	1	1	84.25	64.75	0	21232.227	103.2258065	2191.721251	30000	0	0	30000	44.875	2004
23.01.2020 13:39:26	1	1	1	1	84.25	64.5	0	21279.621	103.2258065	2196.613486	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:27	1	1	1	1	84.25	64.5	0	21279.621	103.2258065	2196.613486	30000	0	0	30000	44.5	2004
23.01.2020 13:39:28	1	1	1	1	84.25	64.5	0	21279.621	103.2258065	2196.613486	30000	0	0	30000	44.375	2004
23.01.2020 13:39:29	1	1	1	1	84.25	64.25	0	21232.227	96.77419355	2196.613486	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:30	1	1	1	1	84.25	64.25	0	21374.408	103.2258065	2196.613486	30000	0	0	30000	44.375	2004
23.01.2020 13:39:31	1	1	1	1	84.25	64.25	0	21279.621	103.2258065	2196.613486	30000	0	0	30000	44.625	2004
23.01.2020 13:39:32	1	1	1	1	84.25	64.5	0	21279.621	103.2258065	2196.613486	30000	0	0	30000	44.375	2004
23.01.2020 13:39:33	1	1	1	1	84.25	64.25	0	21279.621	103.2258065	2196.613486	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:34	1	1	1	1	84.25	64.25	0	21279.621	103.2258065	2196.613486	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:35	1	1	1	1	84.25	64.25	0	21374.408	103.2258065	2206.397956	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:36	1	1	1	1	84.25	64.25	0	21943.128	113.9784946	2500.747425	30000	0	0	30000	44.5	2004
23.01.2020 13:39:37	1	1	1	1	84.25	64.5	0	22890.995	120.4301075	2805.696736	30000	0	0	30000	44.3125	2004
23.01.2020 13:39:38	1	1	1	1	84.25	64.25	0	22369.668	126.8817204	2892.12622	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:40	1	1	1	1	84.25	64.25	0	23175.355	139.7849462	3338.950344	30000	0	0	30000	44.5	2004
23.01.2020 13:39:41	1	1	1	1	84.5	64.5	0	24407.583	152.688172	3726.252276	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:42	1	1	1	1	84.5	64.25	0	24218.009	169.8924731	4114.369581	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:43	1	1	1	1	84.5	64.25	0	24218.009	178.4946237	4322.289566	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:44	1	1	1	1	84.5	64.25	0	24502.37	189.2473118	4637.023347	30000	0	0	30000	44.3125	2004
23.01.2020 13:39:45	1	1	1	1	84.5	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.5625	2004
23.01.2020 13:39:46	1	1	1	1	84.5	64.5	0	24976.303	219.3548387	5424.673172	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:39:47	1	1	1	1	84.5	64.5	0	24218.009	212.9032258	5197.999619	30000	0	0	30000	44.5	2004
23.01.2020 13:39:48	1	1	1	1	84.5	64.5	0	26682.464	236.5591398	6003.587639	30000	0	0	30000	44.3125	2004
23.01.2020 13:39:49	1	1	1	1	84.5	64.25	0	26682.464	260.2150538	6942.896747	30000	0	0	30000	44.5	2004
23.01.2020 13:39:50	1	1	1	1	84.5	64.5	0	25260.664	245.1612903	6192.754056	30000	0	0	30000	44.25	2004
23.01.2020 13:39:51	1	1	1	1	84.5	64.25	0	25924.171	270.9677419	6912.727965	30000	0	0	30000	44.625	2004
23.01.2020 13:39:52	1	1	1	1	84.5	64.5	0	26303.318	268.8172043	7070.094855	30000	0	0	30000	43.875	2004
23.01.2020 13:39:53	1	1	1	1	84.5	63.75	0	26066.351	268.8172043	7006.495801	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:54	1	1	1	1	84.5	64.25	0	26066.351	270.9677419	7062.756503	30000	0	0	30000	44.5	2004
23.01.2020 13:39:55	1	1	1	1	84.5	64.5	0	26018.957	270.9677419	7024.433996	30000	0	0	30000	44.125	2004
23.01.2020 13:39:56	1	1	1	1	84.5	64	0	26113.744	268.8172043	7019.541761	30000	0	0	30000	44.5	2004
23.01.2020 13:39:57	1	1	1	1	84.5	64.5	0	25924.171	270.9677419	7079.879325	30000	0	0	30000	44.625	2004
23.01.2020 13:39:58	1	1	1	1	84.5	64.5	0	25876.777	270.9677419	7011.388036	30000	0	0	30000	44.4375	2004
23.01.2020 13:39:59	1	1	1	1	84.5	64.25	0	26113.744	268.8172043	7075.802462	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:00	1	1	1	1	84.5	64.25	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:01	1	1	1	1	84.5	64.25	0	25734.597	273.1182796	6973.065529	30000	0	0	30000	42.875	2004
23.01.2020 13:40:02	1	1	1	1	84.5	62.75	0	25876.777	270.9677419	7079.879325	30000	0	0	30000	44.8125	2004
23.01.2020 13:40:03	1	1	1	1	84.5	64.75	0	25687.204	273.1182796	7015.464898	30000	0	0	30000	44.875	2004
23.01.2020 13:40:04	1	1	1	1	84.5	64.25	0	25876.777	273.1182796	7079.879325	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:05	1	1	1	1	84.5	64.25	0	26303.318	266.6666667	7070.094855	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:06	1	1	1	1	84.5	64.25	0	26018.957	266.6666667	6801.021934	30000	0	0	30000	44.5	2004
23.01.2020 13:40:07	1	1	1	1	84.5	64.5	0	26113.744	268.8172043	7019.541761	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:08	1	1	1	1	84.5	64.25	0	25924.171	266.6666667	6968.173294	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:15	1	1	1	1	83.75	64.25	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44.625	2004
23.01.2020 13:40:15	1	1	1	1	83.75	64.25	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44.625	2004
23.01.2020 13:40:15	1	1	1	1	83.75	64.25	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44.625	2004
23.01.2020 13:40:15	1	1	1	1	83.75	64.25	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44.625	2004
23.01.2020 13:40:15	1	1	1	1	83.75	64.25	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44.625	2004
23.01.2020 13:40:15	1	1	1	1	83.75	64.5	0	26540.284	262.3655914	6906.204985	30000	0	0	30000	44.375	2004
23.01.2020 13:40:16	1	1	1	1	83.75	64.25	0	26777.251	264.516129	7082.325442	30000	0	0	30000	44.375	2004
23.01.2020 13:40:17	1	1	1	1	83.75	64.25	0	26587.678	264.516129	7032.58772	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:19	1	1	1	1	83.75	64.25	0	26682.464	262.3655914	6999.972821	30000	0	0	30000	44.5	2004
23.01.2020 13:40:20	1	1	1	1	83.75	64.5	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44.5625	2004
23.01.2020 13:40:21	1	1	1	1	83.25	64.5	0	26777.251	262.3655914	7082.325442	30000	0	0	30000	44.5625	2004
23.01.2020 13:40:22	1	1	1	1	83.25	64.5	0	26682.464	262.3655914	6942.896747	30000	0	0	30000	44.5	2004
23.01.2020 13:40:23	1	1	1	1	83.25	64.5	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44	2004
23.01.2020 13:40:24	1	1	1	1	83.25	64	0	26635.071	262.3655914	7057.864268	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:25	1	1	1	1	83.25	64.25	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44.5625	2004
23.01.2020 13:40:26	1	1	1	1	83.25	64.5	0	26587.678	262.3655914	7032.58772	30000	0	0	30000	44.25	2004
23.01.2020 13:40:27	1	1	1	1	83.25	64.25	0	26824.645	260.2150538	6922.512434	30000	0	0	30000	44.5625	2004
23.01.2020 13:40:28	1	1	1	1	83.25	64.5	0	26919.431	260.2150538	7004.865056	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:29	1	1	1	1	83.25	64.25	0	27061.611	260.2150538	7273.937977	30000	0	0	30000	44.5	2004
23.01.2020 13:40:30	1	1	1	1	83.25	64.5	0	26872.038	260.2150538	6991.819096	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:40:31	1	1	1	1	83.25	64.25	0	26919.431	260.2150538	7004.865056	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:32	1	1	1	1	83.25	64.25	0	27014.218	260.2150538	7017.095643	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:33	1	1	1	1	83.25	64.25	0	26919.431	258.0645161	6946.973609	30000	0	0	30000	44.375	2004
23.01.2020 13:40:34	1	1	1	1	83.25	64.25	0	27109.005	255.9139785	6808.360286	30000	0	0	30000	44.375	2004
23.01.2020 13:40:35	1	1	1	1	83.25	64.25	0	26966.825	258.0645161	6959.204196	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:36	1	1	1	1	83.25	64.25	0	26966.825	258.0645161	6959.204196	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:37	1	1	1	1	83.25	64.25	0	26919.431	260.2150538	7004.865056	30000	0	0	30000	44.5625	2004
23.01.2020 13:40:38	1	1	1	1	83.25	64.5	0	26682.464	258.0645161	6942.896747	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:39	1	1	1	1	83.25	64.25	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44.3125	2004
23.01.2020 13:40:40	1	1	1	1	83.25	64.25	0	26350.711	264.516129	6969.804039	30000	0	0	30000	44.25	2004
23.01.2020 13:40:41	1	1	1	1	83.25	64.25	0	26445.498	258.0645161	6950.235099	30000	0	0	30000	44.8125	2004
23.01.2020 13:40:42	1	1	1	1	83.25	64.25	0	26445.498	262.3655914	6995.080586	30000	0	0	30000	44.25	2004
23.01.2020 13:40:43	1	1	1	1	83.25	64.25	0	26445.498	264.516129	6995.080586	30000	0	0	30000	44.5625	2004
23.01.2020 13:40:44	1	1	1	1	83.25	64.5	0	26682.464	262.3655914	7057.864268	30000	0	0	30000	44.25	2004
23.01.2020 13:40:45	1	1	1	1	83.25	64.25	0	26587.678	264.516129	7032.58772	30000	0	0	30000	44.375	2004
23.01.2020 13:40:46	1	1	1	1	83.25	64.25	0	26445.498	264.516129	6995.080586	30000	0	0	30000	44.3125	2004
23.01.2020 13:40:47	1	1	1	1	83.25	64.25	0	26350.711	266.6666667	7083.140815	30000	0	0	30000	44.125	2004
23.01.2020 13:40:48	1	1	1	1	83.25	64	0	26398.104	266.6666667	7026.880113	30000	0	0	30000	44.1875	2004
23.01.2020 13:40:49	1	1	1	1	83.25	64	0	26255.924	264.516129	6932.296904	30000	0	0	30000	43.9375	2004
23.01.2020 13:40:50	1	1	1	1	83.5	63.75	0	26445.498	273.1182796	7209.523551	30000	0	0	30000	44.5	2004
23.01.2020 13:40:51	1	1	1	1	83.5	64.5	0	26966.825	296.7741935	8002.880983	30000	0	0	30000	43.875	2004
23.01.2020 13:40:52	1	1	1	1	83.5	63.75	0	26919.431	296.7741935	7989.01965	30000	0	0	30000	44.0625	2004
23.01.2020 13:40:53	1	1	1	1	83.5	64	0	26777.251	296.7741935	7946.620281	30000	0	0	30000	44.25	2004
23.01.2020 13:40:54	1	1	1	1	83.5	64.25	0	26966.825	298.9247312	8002.880983	30000	0	0	30000	44.375	2004
23.01.2020 13:40:55	1	1	1	1	83.5	64.25	0	26824.645	296.7741935	7960.481613	30000	0	0	30000	43.75	2004
23.01.2020 13:40:57	1	1	1	1	83.5	63.75	0	26824.645	296.7741935	8018.37306	30000	0	0	30000	44.375	2004
23.01.2020 13:40:58	1	1	1	1	83.5	64.25	0	26824.645	298.9247312	8003.696355	30000	0	0	30000	44.4375	2004
23.01.2020 13:40:59	1	1	1	1	83.5	64.25	0	26824.645	301.0752688	7932.758949	30000	0	0	30000	44.375	2004
23.01.2020 13:41:00	1	1	1	1	83.5	64.25	0	26777.251	298.9247312	8003.696355	30000	0	0	30000	44.0625	2004
23.01.2020 13:41:01	1	1	1	1	83.5	64	0	26682.464	301.0752688	7975.973691	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:02	1	1	1	1	83.5	64.25	0	26682.464	301.0752688	7975.973691	30000	0	0	30000	44	2004
23.01.2020 13:41:03	1	1	1	1	83.5	64	0	26682.464	303.2258065	8033.049765	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:04	1	1	1	1	83.5	64.25	0	26682.464	301.0752688	8033.049765	30000	0	0	30000	44.3125	2004
23.01.2020 13:41:05	1	1	1	1	83.5	64.25	0	26540.284	298.9247312	7947.435654	30000	0	0	30000	44.5	2004
23.01.2020 13:41:06	1	1	1	1	83.5	64.5	0	26777.251	303.2258065	8119.479249	30000	0	0	30000	44.625	2004
23.01.2020 13:41:07	1	1	1	1	83.5	64.5	0	26540.284	298.9247312	7990.650395	30000	0	0	30000	44.375	2004
23.01.2020 13:41:08	1	1	1	1	83.5	64.25	0	26587.678	301.0752688	8047.72647	30000	0	0	30000	44.3125	2004
23.01.2020 13:41:09	1	1	1	1	83.5	64.25	0	26540.284	301.0752688	7933.574321	30000	0	0	30000	44.5	2004
23.01.2020 13:41:10	1	1	1	1	83.5	64.5	0	26682.464	301.0752688	8090.125839	30000	0	0	30000	44.375	2004
23.01.2020 13:41:17	1	1	1	1	84	64.25	0	26445.498	298.9247312	7905.036284	30000	0	0	30000	44.1875	2004
23.01.2020 13:41:17	1	1	1	1	84	64.25	0	26445.498	298.9247312	7905.036284	30000	0	0	30000	44.1875	2004
23.01.2020 13:41:17	1	1	1	1	84	64.25	0	26445.498	298.9247312	7905.036284	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:41:17	1	1	1	1	84	64.25	0	26445.498	298.9247312	7905.036284	30000	0	0	30000	44.1875	2004
23.01.2020 13:41:17	1	1	1	1	84	64.25	0	26445.498	298.9247312	7905.036284	30000	0	0	30000	44.1875	2004
23.01.2020 13:41:17	1	1	1	1	84	64	0	26587.678	301.0752688	7947.435654	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:18	1	1	1	1	84	64.25	0	26682.464	298.9247312	7975.973691	30000	0	0	30000	44.8125	2004
23.01.2020 13:41:19	1	1	1	1	84	64.75	0	26587.678	298.9247312	7947.435654	30000	0	0	30000	44.625	2004
23.01.2020 13:41:20	1	1	1	1	84	64.5	0	26777.251	296.7741935	7946.620281	30000	0	0	30000	44.5	2004
23.01.2020 13:41:21	1	1	1	1	84.25	64.5	0	26777.251	296.7741935	8133.340581	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:22	1	1	1	1	84.25	64.25	0	26872.038	298.9247312	8018.37306	30000	0	0	30000	44.25	2004
23.01.2020 13:41:23	1	1	1	1	84.25	64.25	0	27061.611	296.7741935	8030.603647	30000	0	0	30000	44.3125	2004
23.01.2020 13:41:24	1	1	1	1	84.25	64.25	0	26966.825	296.7741935	7944.989536	30000	0	0	30000	44.5	2004
23.01.2020 13:41:25	1	1	1	1	84.25	64.5	0	27156.398	294.6236559	7986.573533	30000	0	0	30000	44.5625	2004
23.01.2020 13:41:26	1	1	1	1	84.25	64.5	0	27298.578	292.4731183	7925.420596	30000	0	0	30000	44.5625	2004
23.01.2020 13:41:27	1	1	1	1	84.25	64.5	0	27156.398	292.4731183	7942.543419	30000	0	0	30000	44.5	2004
23.01.2020 13:41:28	1	1	1	1	84.25	64.5	0	27298.578	290.3225806	7925.420596	30000	0	0	30000	44.5625	2004
23.01.2020 13:41:29	1	1	1	1	84.25	64.5	0	27345.972	294.6236559	8056.695567	30000	0	0	30000	44.25	2004
23.01.2020 13:41:30	1	1	1	1	84.5	64.25	0	27298.578	292.4731183	8042.834235	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:31	1	1	1	1	84.5	64.25	0	27298.578	292.4731183	7925.420596	30000	0	0	30000	44.5	2004
23.01.2020 13:41:32	1	1	1	1	84.5	64.5	0	27345.972	290.3225806	7938.466556	30000	0	0	30000	44.5	2004
23.01.2020 13:41:34	1	1	1	1	84.5	64.5	0	27440.758	292.4731183	8084.418232	30000	0	0	30000	44.5	2004
23.01.2020 13:41:35	1	1	1	1	84.5	64.5	0	27298.578	292.4731183	8042.834235	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:36	1	1	1	1	84.5	64.25	0	27156.398	294.6236559	7986.573533	30000	0	0	30000	44.3125	2004
23.01.2020 13:41:37	1	1	1	1	84.5	64.25	0	27156.398	296.7741935	8042.834235	30000	0	0	30000	44.375	2004
23.01.2020 13:41:38	1	1	1	1	84.5	64.25	0	27156.398	296.7741935	8117.033131	30000	0	0	30000	44.5	2004
23.01.2020 13:41:39	1	1	1	1	84.5	64.5	0	27109.005	292.4731183	7928.682086	30000	0	0	30000	44.3125	2004
23.01.2020 13:41:40	1	1	1	1	84.5	64.25	0	27109.005	290.3225806	8042.834235	30000	0	0	30000	44.0625	2004
23.01.2020 13:41:41	1	1	1	1	84.25	64	0	27156.398	292.4731183	7928.682086	30000	0	0	30000	44.375	2004
23.01.2020 13:41:42	1	1	1	1	84.25	64.25	0	27298.578	294.6236559	8042.834235	30000	0	0	30000	43.9375	2004
23.01.2020 13:41:43	1	1	1	1	84.25	63.75	0	27109.005	292.4731183	7986.573533	30000	0	0	30000	44.0625	2004
23.01.2020 13:41:44	1	1	1	1	84.25	64	0	27156.398	290.3225806	7883.836599	30000	0	0	30000	44.0625	2004
23.01.2020 13:41:45	1	1	1	1	84.25	64	0	27298.578	294.6236559	8042.834235	30000	0	0	30000	44.1875	2004
23.01.2020 13:41:46	1	1	1	1	84.25	64	0	27156.398	292.4731183	7883.836599	30000	0	0	30000	44.375	2004
23.01.2020 13:41:47	1	1	1	1	84.25	64.25	0	27298.578	292.4731183	8000.434865	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:48	1	1	1	1	84.25	64.25	0	27109.005	294.6236559	8000.434865	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:49	1	1	1	1	84.25	64.25	0	27061.611	292.4731183	7914.820754	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:50	1	1	1	1	84.25	64.25	0	27109.005	296.7741935	8117.033131	30000	0	0	30000	44.3125	2004
23.01.2020 13:41:51	1	1	1	1	84.25	64.25	0	27440.758	309.6774194	8350.229663	30000	0	0	30000	44.4375	2004
23.01.2020 13:41:52	1	1	1	1	84.25	64.25	0	27630.332	324.7311828	8972.358873	30000	0	0	30000	44.1875	2004
23.01.2020 13:41:53	1	1	1	1	84.25	64	0	27630.332	324.7311828	8972.358873	30000	0	0	30000	44.3125	2004
23.01.2020 13:41:54	1	1	1	1	84.25	64.25	0	27582.938	324.7311828	8910.390563	30000	0	0	30000	44.375	2004
23.01.2020 13:41:55	1	1	1	1	84.25	64.25	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44.25	2004
23.01.2020 13:41:56	1	1	1	1	84.25	64.25	0	27393.365	324.7311828	8969.912755	30000	0	0	30000	44.5	2004
23.01.2020 13:41:57	1	1	1	1	84.25	64.5	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44.75	2004
23.01.2020 13:41:58	1	1	1	1	84.25	64.75	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:41:59	1	1	1	1	84.25	64.5	0	27440.758	329.0322581	9028.619574	30000	0	0	30000	44.1875	2004
23.01.2020 13:42:00	1	1	1	1	84	64	0	27440.758	326.8817204	9028.619574	30000	0	0	30000	44.125	2004
23.01.2020 13:42:01	1	1	1	1	84	64	0	27630.332	326.8817204	9031.881064	30000	0	0	30000	44	2004
23.01.2020 13:42:02	1	1	1	1	84	64	0	27440.758	326.8817204	9028.619574	30000	0	0	30000	44.1875	2004
23.01.2020 13:42:03	1	1	1	1	84	64	0	27440.758	329.0322581	9028.619574	30000	0	0	30000	44.375	2004
23.01.2020 13:42:04	1	1	1	1	84	64.25	0	27535.545	326.8817204	9000.89691	30000	0	0	30000	44.4375	2004
23.01.2020 13:42:05	1	1	1	1	84	64.25	0	27345.972	326.8817204	8938.928601	30000	0	0	30000	44.25	2004
23.01.2020 13:42:06	1	1	1	1	84	64.25	0	27440.758	329.0322581	8969.912755	30000	0	0	30000	44.4375	2004
23.01.2020 13:42:07	1	1	1	1	84	64.25	0	27535.545	329.0322581	9028.619574	30000	0	0	30000	44.4375	2004
23.01.2020 13:42:08	1	1	1	1	84	64.25	0	27298.578	326.8817204	8982.143342	30000	0	0	30000	44.25	2004
23.01.2020 13:42:09	1	1	1	1	84	64.25	0	27345.972	326.8817204	9028.619574	30000	0	0	30000	44.125	2004
23.01.2020 13:42:10	1	1	1	1	84	64	0	27535.545	335.483871	9146.848585	30000	0	0	30000	44.4375	2004
23.01.2020 13:42:12	1	1	1	1	84	64.25	0	27345.972	326.8817204	8938.928601	30000	0	0	30000	43.75	2004
23.01.2020 13:42:18	1	1	1	1	84	64.25	0	27630.332	326.8817204	8972.358873	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:18	1	1	1	1	84	64.25	0	27630.332	326.8817204	8972.358873	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:18	1	1	1	1	84	64.25	0	27630.332	326.8817204	8972.358873	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:18	1	1	1	1	84	64.25	0	27630.332	326.8817204	8972.358873	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:18	1	1	1	1	84	64.25	0	27630.332	326.8817204	8972.358873	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:18	1	1	1	1	84	64.25	0	27630.332	326.8817204	8972.358873	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:19	1	1	1	1	84	64.25	0	27819.905	322.5806452	9093.849374	30000	0	0	30000	44.125	2004
23.01.2020 13:42:20	1	1	1	1	84	64	0	27867.299	329.0322581	8973.989618	30000	0	0	30000	44.375	2004
23.01.2020 13:42:21	1	1	1	1	84.5	64.25	0	27630.332	326.8817204	9031.881064	30000	0	0	30000	44.25	2004
23.01.2020 13:42:22	1	1	1	1	84.5	64.25	0	27819.905	326.8817204	9093.849374	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:23	1	1	1	1	84.5	64.25	0	28199.052	333.3333333	9459.951621	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:24	1	1	1	1	84.5	64.25	0	27630.332	326.8817204	8972.358873	30000	0	0	30000	44.375	2004
23.01.2020 13:42:25	1	1	1	1	84.5	64.25	0	27819.905	326.8817204	8972.358873	30000	0	0	30000	44.125	2004
23.01.2020 13:42:26	1	1	1	1	84.5	64	0	27630.332	326.8817204	9031.881064	30000	0	0	30000	44.25	2004
23.01.2020 13:42:27	1	1	1	1	84.5	64.25	0	27725.118	326.8817204	8972.358873	30000	0	0	30000	44.5	2004
23.01.2020 13:42:28	1	1	1	1	84.5	64.5	0	27914.692	326.8817204	9109.341451	30000	0	0	30000	44.0625	2004
23.01.2020 13:42:29	1	1	1	1	84.5	64	0	27819.905	322.5806452	8853.314489	30000	0	0	30000	43.8125	2004
23.01.2020 13:42:30	1	1	1	1	84.5	63.75	0	28009.479	324.7311828	9095.480119	30000	0	0	30000	44.375	2004
23.01.2020 13:42:31	1	1	1	1	85	64.25	0	28199.052	322.5806452	9035.142554	30000	0	0	30000	44.4375	2004
23.01.2020 13:42:32	1	1	1	1	85	64.25	0	28009.479	320.4301075	9035.142554	30000	0	0	30000	44.375	2004
23.01.2020 13:42:33	1	1	1	1	85	64.25	0	27914.692	322.5806452	8944.636208	30000	0	0	30000	44	2004
23.01.2020 13:42:34	1	1	1	1	85	64	0	27914.692	322.5806452	9019.650477	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:35	1	1	1	1	85	64.25	0	27867.299	322.5806452	8989.481695	30000	0	0	30000	44.625	2004
23.01.2020 13:42:36	1	1	1	1	85	64.5	0	27630.332	322.5806452	8972.358873	30000	0	0	30000	44.5	2004
23.01.2020 13:42:37	1	1	1	1	85	64.5	0	27914.692	322.5806452	8944.636208	30000	0	0	30000	44.5625	2004
23.01.2020 13:42:38	1	1	1	1	85	64.5	0	28199.052	320.4301075	8974.80499	30000	0	0	30000	44	2004
23.01.2020 13:42:39	1	1	1	1	85	64.25	0	28009.479	320.4301075	8854.129862	30000	0	0	30000	44.25	2004
23.01.2020 13:42:40	1	1	1	1	85.75	64.25	0	28009.479	320.4301075	8914.467426	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:41	1	1	1	1	85.75	64.25	0	27962.085	318.2795699	8959.312913	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:42	1	1	1	1	85.75	64.25	0	28009.479	322.5806452	9035.142554	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:42:43	1	1	1	1	85.75	64.25	0	28009.479	320.4301075	8974.80499	30000	0	0	30000	43.8125	2004
23.01.2020 13:42:44	1	1	1	1	85.75	63.75	0	28341.232	322.5806452	9203.109287	30000	0	0	30000	44.5625	2004
23.01.2020 13:42:45	1	1	1	1	85.75	64.5	0	27962.085	313.9784946	8974.80499	30000	0	0	30000	44.25	2004
23.01.2020 13:42:46	1	1	1	1	85.75	64.25	0	28009.479	322.5806452	8974.80499	30000	0	0	30000	43.625	2004
23.01.2020 13:42:47	1	1	1	1	85.75	63.5	0	27867.299	318.2795699	8869.621939	30000	0	0	30000	44.25	2004
23.01.2020 13:42:48	1	1	1	1	85.75	64.25	0	27630.332	326.8817204	9031.881064	30000	0	0	30000	43.9375	2004
23.01.2020 13:42:50	1	1	1	1	85.75	63.75	0	27630.332	322.5806452	8972.358873	30000	0	0	30000	44.375	2004
23.01.2020 13:42:51	1	1	1	1	85	64.25	0	27914.692	337.6344086	9484.412796	30000	0	0	30000	44.375	2004
23.01.2020 13:42:52	1	1	1	1	85	64.25	0	28009.479	339.7849462	9517.027695	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:53	1	1	1	1	85	64.25	0	28199.052	354.8387097	10005.43582	30000	0	0	30000	44.25	2004
23.01.2020 13:42:54	1	1	1	1	85	64.25	0	28009.479	352.688172	9945.098252	30000	0	0	30000	44.3125	2004
23.01.2020 13:42:55	1	1	1	1	85	64.25	0	27156.398	339.7849462	9275.677439	30000	0	0	30000	44.0625	2004
23.01.2020 13:42:56	1	1	1	1	85	64	0	28341.232	354.8387097	9995.651347	30000	0	0	30000	44.375	2004
23.01.2020 13:42:57	1	1	1	1	85	64.25	0	28293.839	352.688172	10039.68146	30000	0	0	30000	44.4375	2004
23.01.2020 13:42:58	1	1	1	1	85	64.25	0	28388.626	356.9892473	10055.98891	30000	0	0	30000	44.375	2004
23.01.2020 13:42:59	1	1	1	1	85	64.25	0	28341.232	352.688172	10039.68146	30000	0	0	30000	44.375	2004
23.01.2020 13:43:00	1	1	1	1	85	64.25	0	28199.052	348.3870968	10039.68146	30000	0	0	30000	44.375	2004
23.01.2020 13:43:01	1	1	1	1	85.25	64.25	0	28009.479	354.8387097	9884.760688	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:02	1	1	1	1	85.25	64.25	0	28009.479	356.9892473	10059.2504	30000	0	0	30000	44.5	2004
23.01.2020 13:43:03	1	1	1	1	85.25	64.5	0	27819.905	354.8387097	9870.899356	30000	0	0	30000	44.4375	2004
23.01.2020 13:43:04	1	1	1	1	85.25	64.25	0	28199.052	356.9892473	9938.575272	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:05	1	1	1	1	85.25	64.25	0	28293.839	356.9892473	10100.01903	30000	0	0	30000	44.375	2004
23.01.2020 13:43:06	1	1	1	1	85.25	64.25	0	27630.332	359.1397849	10041.31221	30000	0	0	30000	44.4375	2004
23.01.2020 13:43:07	1	1	1	1	85.25	64.25	0	27819.905	359.1397849	9990.759112	30000	0	0	30000	44.1875	2004
23.01.2020 13:43:08	1	1	1	1	85.25	64	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	44.1875	2004
23.01.2020 13:43:09	1	1	1	1	85.25	64	0	28199.052	356.9892473	10066.58875	30000	0	0	30000	43.6875	2004
23.01.2020 13:43:10	1	1	1	1	85.25	63.5	0	28199.052	356.9892473	10066.58875	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:11	1	1	1	1	85.25	64.25	0	27630.332	356.9892473	10041.31221	30000	0	0	30000	44.25	2004
23.01.2020 13:43:12	1	1	1	1	85.25	64.25	0	28199.052	359.1397849	10005.43582	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:13	1	1	1	1	85.25	64.25	0	28436.019	354.8387097	10090.23456	30000	0	0	30000	44.25	2004
23.01.2020 13:43:20	1	1	1	1	85.25	64	0	28578.199	350.5376344	10017.6664	30000	0	0	30000	44.375	2004
23.01.2020 13:43:20	1	1	1	1	85.25	64	0	28578.199	350.5376344	10017.6664	30000	0	0	30000	44.375	2004
23.01.2020 13:43:20	1	1	1	1	85.25	64	0	28578.199	350.5376344	10017.6664	30000	0	0	30000	44.375	2004
23.01.2020 13:43:20	1	1	1	1	85.25	64	0	28578.199	350.5376344	10017.6664	30000	0	0	30000	44.375	2004
23.01.2020 13:43:20	1	1	1	1	85.25	64	0	28578.199	350.5376344	10017.6664	30000	0	0	30000	44.375	2004
23.01.2020 13:43:20	1	1	1	1	85.25	64	0	28578.199	350.5376344	10017.6664	30000	0	0	30000	44.375	2004
23.01.2020 13:43:20	1	1	1	1	85.5	64.25	0	28009.479	354.8387097	10005.43582	30000	0	0	30000	44.25	2004
23.01.2020 13:43:21	1	1	1	1	85.5	64.25	0	28009.479	356.9892473	10066.58875	30000	0	0	30000	44.25	2004
23.01.2020 13:43:22	1	1	1	1	85.5	64.25	0	28199.052	352.688172	10005.43582	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:23	1	1	1	1	85.5	64.25	0	28483.412	356.9892473	10106.54201	30000	0	0	30000	44.25	2004
23.01.2020 13:43:24	1	1	1	1	85.5	64.25	0	28009.479	352.688172	9878.237708	30000	0	0	30000	44	2004
23.01.2020 13:43:25	1	1	1	1	85.5	64	0	28483.412	350.5376344	9984.236132	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:26	1	1	1	1	85.5	64.25	0	28388.626	350.5376344	10212.54043	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:43:27	1	1	1	1	85.5	64.25	0	28009.479	359.1397849	10126.92632	30000	0	0	30000	43.9375	2004
23.01.2020 13:43:29	1	1	1	1	85.5	63.75	0	28009.479	352.688172	9817.900144	30000	0	0	30000	44.4375	2004
23.01.2020 13:43:30	1	1	1	1	85.5	64.25	0	28199.052	356.9892473	10066.58875	30000	0	0	30000	43.75	2004
23.01.2020 13:43:31	1	1	1	1	85.25	63.75	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	44.375	2004
23.01.2020 13:43:32	1	1	1	1	85.25	64.25	0	28009.479	356.9892473	9938.575272	30000	0	0	30000	44.5625	2004
23.01.2020 13:43:33	1	1	1	1	85.25	64.5	0	28009.479	354.8387097	9938.575272	30000	0	0	30000	44.375	2004
23.01.2020 13:43:34	1	1	1	1	85.25	64.25	0	28009.479	354.8387097	9998.912837	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:35	1	1	1	1	85.25	64.25	0	28199.052	354.8387097	9945.098252	30000	0	0	30000	43.9375	2004
23.01.2020 13:43:36	1	1	1	1	85.25	63.75	0	28388.626	354.8387097	10134.26467	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:37	1	1	1	1	85.25	64.25	0	28009.479	354.8387097	9998.912837	30000	0	0	30000	44.25	2004
23.01.2020 13:43:38	1	1	1	1	85.25	64.25	0	28199.052	356.9892473	10066.58875	30000	0	0	30000	44.1875	2004
23.01.2020 13:43:39	1	1	1	1	85.25	64	0	27914.692	354.8387097	9905.145	30000	0	0	30000	44.1875	2004
23.01.2020 13:43:40	1	1	1	1	85.25	64	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:41	1	1	1	1	85.75	64.25	0	27867.299	359.1397849	9948.359742	30000	0	0	30000	44.5	2004
23.01.2020 13:43:42	1	1	1	1	85.75	64.5	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	43.75	2004
23.01.2020 13:43:43	1	1	1	1	85.75	63.75	0	27962.085	359.1397849	10042.12758	30000	0	0	30000	44.4375	2004
23.01.2020 13:43:44	1	1	1	1	85.75	64.25	0	27867.299	359.1397849	9990.759112	30000	0	0	30000	44.25	2004
23.01.2020 13:43:45	1	1	1	1	85.75	64.25	0	27867.299	354.8387097	10007.88193	30000	0	0	30000	44.4375	2004
23.01.2020 13:43:46	1	1	1	1	85.75	64.25	0	28009.479	359.1397849	10179.11016	30000	0	0	30000	44.375	2004
23.01.2020 13:43:47	1	1	1	1	85.75	64.25	0	27962.085	356.9892473	10059.2504	30000	0	0	30000	44.25	2004
23.01.2020 13:43:48	1	1	1	1	85.75	64.25	0	27772.512	359.1397849	9863.561003	30000	0	0	30000	44.3125	2004
23.01.2020 13:43:49	1	1	1	1	85.75	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.4375	2004
23.01.2020 13:43:50	1	1	1	1	85.75	64.25	0	27819.905	359.1397849	9990.759112	30000	0	0	30000	44.375	2004
23.01.2020 13:43:51	1	1	1	1	85.75	64.25	0	28388.626	352.688172	10073.11173	30000	0	0	30000	44	2004
23.01.2020 13:43:52	1	1	1	1	85.75	64	0	27630.332	369.8924731	10457.96755	30000	0	0	30000	44.375	2004
23.01.2020 13:43:53	1	1	1	1	85.75	64.25	0	27962.085	363.4408602	10601.47311	30000	0	0	30000	44.625	2004
23.01.2020 13:43:54	1	1	1	1	85.75	64.5	0	25734.597	350.5376344	9109.341451	30000	0	0	30000	44.5	2004
23.01.2020 13:43:55	1	1	1	1	85.75	64.5	0	28009.479	391.3978495	10962.68312	30000	0	0	30000	44.75	2004
23.01.2020 13:43:56	1	1	1	1	85.75	64.25	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.5	2004
23.01.2020 13:43:57	1	1	1	1	85.75	64.5	0	28483.412	387.0967742	11086.61974	30000	0	0	30000	44.4375	2004
23.01.2020 13:43:58	1	1	1	1	85.75	64.25	0	28436.019	389.2473118	11068.68154	30000	0	0	30000	43.9375	2004
23.01.2020 13:43:59	1	1	1	1	85.75	63.75	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:00	1	1	1	1	86.25	64.25	0	28009.479	391.3978495	10781.67043	30000	0	0	30000	44.1875	2004
23.01.2020 13:44:01	1	1	1	1	86.25	64	0	28009.479	395.6989247	10962.68312	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:02	1	1	1	1	86.25	64.25	0	27630.332	391.3978495	10814.28533	30000	0	0	30000	44.25	2004
23.01.2020 13:44:03	1	1	1	1	86.25	64.25	0	28009.479	395.6989247	11083.35825	30000	0	0	30000	44.1875	2004
23.01.2020 13:44:04	1	1	1	1	86.25	64	0	27819.905	395.6989247	10888.48422	30000	0	0	30000	44.25	2004
23.01.2020 13:44:05	1	1	1	1	86.25	64.25	0	27819.905	395.6989247	11008.34398	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:07	1	1	1	1	86.25	64.25	0	27630.332	391.3978495	10814.28533	30000	0	0	30000	44.4375	2004
23.01.2020 13:44:08	1	1	1	1	86.25	64.25	0	28199.052	395.6989247	10962.68312	30000	0	0	30000	44.375	2004
23.01.2020 13:44:09	1	1	1	1	86.25	64.25	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	44.25	2004
23.01.2020 13:44:10	1	1	1	1	86.25	64.25	0	27630.332	389.2473118	10754.76313	30000	0	0	30000	44.25	2004
23.01.2020 13:44:11	1	1	1	1	86	64.25	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:44:12	1	1	1	1	86	64.25	0	28483.412	389.2473118	10946.37567	30000	0	0	30000	44.375	2004
23.01.2020 13:44:13	1	1	1	1	86	64.25	0	28199.052	391.3978495	11158.37252	30000	0	0	30000	44	2004
23.01.2020 13:44:14	1	1	1	1	86	64	0	28341.232	397.8494624	11073.57378	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:15	1	1	1	1	86	64.25	0	28436.019	387.0967742	11270.89392	30000	0	0	30000	44.25	2004
23.01.2020 13:44:22	1	1	1	1	86	64	0	28483.412	384.9462366	11025.4668	30000	0	0	30000	44.25	2004
23.01.2020 13:44:22	1	1	1	1	86	64	0	28483.412	384.9462366	11025.4668	30000	0	0	30000	44.25	2004
23.01.2020 13:44:22	1	1	1	1	86	64	0	28483.412	384.9462366	11025.4668	30000	0	0	30000	44.25	2004
23.01.2020 13:44:22	1	1	1	1	86	64	0	28483.412	384.9462366	11025.4668	30000	0	0	30000	44.25	2004
23.01.2020 13:44:22	1	1	1	1	86	64	0	28483.412	384.9462366	11025.4668	30000	0	0	30000	44.25	2004
23.01.2020 13:44:22	1	1	1	1	86	64	0	28483.412	384.9462366	11025.4668	30000	0	0	30000	44.25	2004
23.01.2020 13:44:22	1	1	1	1	86	64.25	0	28530.806	387.0967742	11001.00563	30000	0	0	30000	44.4375	2004
23.01.2020 13:44:23	1	1	1	1	86	64.25	0	28578.199	384.9462366	11001.00563	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:24	1	1	1	1	86	64.25	0	28578.199	389.2473118	11123.3115	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:25	1	1	1	1	86	64.25	0	28625.592	395.6989247	11123.3115	30000	0	0	30000	44.1875	2004
23.01.2020 13:44:26	1	1	1	1	86	64	0	28199.052	391.3978495	10975.72908	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:27	1	1	1	1	86	64.25	0	28578.199	384.9462366	11001.00563	30000	0	0	30000	44.0625	2004
23.01.2020 13:44:28	1	1	1	1	86	64	0	28293.839	395.6989247	11036.88202	30000	0	0	30000	44.125	2004
23.01.2020 13:44:29	1	1	1	1	86	64	0	28483.412	384.9462366	10964.31386	30000	0	0	30000	43.8125	2004
23.01.2020 13:44:30	1	1	1	1	86	63.75	0	28199.052	391.3978495	11036.88202	30000	0	0	30000	44	2004
23.01.2020 13:44:31	1	1	1	1	85.75	64	0	28483.412	400	11270.89392	30000	0	0	30000	44.5	2004
23.01.2020 13:44:32	1	1	1	1	85.75	64.5	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.75	2004
23.01.2020 13:44:33	1	1	1	1	85.75	64.75	0	28388.626	387.0967742	11049.92798	30000	0	0	30000	44.625	2004
23.01.2020 13:44:34	1	1	1	1	85.75	64.5	0	28625.592	382.7956989	11030.35904	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:35	1	1	1	1	85.75	64.25	0	28436.019	384.9462366	10885.22273	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:36	1	1	1	1	85.75	64.25	0	28578.199	384.9462366	11001.00563	30000	0	0	30000	44.5625	2004
23.01.2020 13:44:37	1	1	1	1	85.75	64.5	0	28862.559	380.6451613	10986.32892	30000	0	0	30000	44.375	2004
23.01.2020 13:44:38	1	1	1	1	85.75	64.25	0	28815.166	380.6451613	10968.39073	30000	0	0	30000	44.125	2004
23.01.2020 13:44:39	1	1	1	1	85.75	64	0	0	0	0	30000	0	8	30000	44.4375	2004
23.01.2020 13:44:40	1	1	1	1	86	64.25	0	10142.18	0	0	30000	0	0	30000	44.5	2004
23.01.2020 13:44:41	1	1	1	1	86	64.5	0	10947.867	0	0	30000	0	0	30000	44.375	2004
23.01.2020 13:44:42	1	1	1	1	86	64.25	0	11706.161	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 13:44:43	1	1	1	1	86	64.5	0	12464.455	0	0	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:44	1	1	1	1	86	64.25	0	13317.536	4.301075269	28.53803713	30000	0	0	30000	44.375	2004
23.01.2020 13:44:45	1	1	1	1	86	64.25	0	13981.043	6.451612903	119.8597559	30000	0	0	30000	44.4375	2004
23.01.2020 13:44:47	1	1	1	1	86	64.25	0	14786.73	12.90322581	158.9976354	30000	0	0	30000	44.5	2004
23.01.2020 13:44:48	1	1	1	1	86	64.5	0	15497.63	17.20430108	335.1180931	30000	0	0	30000	44.375	2004
23.01.2020 13:44:49	1	1	1	1	86	64.25	0	16350.711	23.65591398	421.547577	30000	0	0	30000	44.25	2004
23.01.2020 13:44:50	1	1	1	1	86	64.25	0	17109.005	30.10752688	514.5000408	30000	0	0	30000	44.375	2004
23.01.2020 13:44:51	1	1	1	1	86.5	64.25	0	17867.299	38.70967742	729.758378	30000	0	0	30000	44.4375	2004
23.01.2020 13:44:52	1	1	1	1	86.5	64.25	0	18625.592	53.76344086	1043.676786	30000	0	0	30000	44.375	2004
23.01.2020 13:44:53	1	1	1	1	86.5	64.25	0	19289.1	58.06451613	1119.506428	30000	0	0	30000	43.625	2004
23.01.2020 13:44:54	1	1	1	1	86.5	63.5	0	20142.18	75.2688172	1566.330552	30000	0	0	30000	44.5	2004
23.01.2020 13:44:55	1	1	1	1	86.5	64.5	0	20995.261	83.87096774	1850.895551	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:44:56	1	1	1	1	86.5	64.25	0	21753.555	105.3763441	2292.012068	30000	0	0	30000	44.375	2004
23.01.2020 13:44:57	1	1	1	1	86.5	64.25	0	22511.848	120.4301075	2711.113527	30000	0	0	30000	44.3125	2004
23.01.2020 13:44:58	1	1	1	1	86.5	64.25	0	22369.668	126.8817204	2886.418612	30000	0	0	30000	44.25	2004
23.01.2020 13:44:59	1	1	1	1	86.5	64.25	0	24028.436	148.3870968	3564.808523	30000	0	0	30000	44.4375	2004
23.01.2020 13:45:00	1	1	1	1	86.5	64.25	0	22938.389	139.7849462	3212.567608	30000	0	0	30000	44.4375	2004
23.01.2020 13:45:01	1	1	1	1	86.5	64.25	0	23838.863	163.4408602	3741.744354	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:02	1	1	1	1	86.5	64.25	0	24407.583	169.8924731	4356.535211	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:03	1	1	1	1	86.5	64.25	0	24691.943	189.2473118	4672.899736	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:04	1	1	1	1	86.5	64.25	0	25402.844	208.6021505	5288.505966	30000	0	0	30000	44.375	2004
23.01.2020 13:45:05	1	1	1	1	86.5	64.25	0	25545.024	221.5053763	5657.869703	30000	0	0	30000	44.375	2004
23.01.2020 13:45:06	1	1	1	1	86.5	64.25	0	25639.81	219.3548387	5623.624059	30000	0	0	30000	44.1875	2004
23.01.2020 13:45:07	1	1	1	1	86.5	64	0	25876.777	212.9032258	5630.147039	30000	0	0	30000	44.375	2004
23.01.2020 13:45:08	1	1	1	1	86.5	64.25	0	23033.175	189.2473118	4358.981328	30000	0	0	30000	43.75	2004
23.01.2020 13:45:09	1	1	1	1	86.5	63.75	0	25545.024	212.9032258	5438.534504	30000	0	0	30000	44.25	2004
23.01.2020 13:45:10	1	1	1	1	86.5	64.25	0	25734.597	225.8064516	5853.559101	30000	0	0	30000	44.375	2004
23.01.2020 13:45:11	1	1	1	1	86.75	64.25	0	25924.171	227.9569892	5965.265132	30000	0	0	30000	44.8125	2004
23.01.2020 13:45:12	1	1	1	1	86.75	64.75	0	26066.351	225.8064516	5773.652597	30000	0	0	30000	44.4375	2004
23.01.2020 13:45:13	1	1	1	1	86.75	64.25	0	26066.351	225.8064516	5895.95847	30000	0	0	30000	44.5625	2004
23.01.2020 13:45:14	1	1	1	1	86.75	64.5	0	26113.744	227.9569892	6030.494931	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:15	1	1	1	1	86.75	64.25	0	26113.744	225.8064516	6008.479874	30000	0	0	30000	44.4375	2004
23.01.2020 13:45:16	1	1	1	1	86.75	64.25	0	26255.924	234.4086022	6086.755633	30000	0	0	30000	44.375	2004
23.01.2020 13:45:23	1	1	1	1	86	64.25	0	23317.536	232.2580645	5465.441796	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:23	1	1	1	1	86	64.25	0	23317.536	232.2580645	5465.441796	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:23	1	1	1	1	86	64.25	0	23317.536	232.2580645	5465.441796	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:23	1	1	1	1	86	64.25	0	23317.536	232.2580645	5465.441796	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:23	1	1	1	1	86	64.25	0	23317.536	232.2580645	5465.441796	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:23	1	1	1	1	86	64.25	0	23317.536	232.2580645	5465.441796	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:23	1	1	1	1	86	64.25	0	26777.251	281.7204301	7543.010899	30000	0	0	30000	44.375	2004
23.01.2020 13:45:25	1	1	1	1	86	64.25	0	27014.218	294.6236559	7972.712201	30000	0	0	30000	44.5	2004
23.01.2020 13:45:26	1	1	1	1	86	64.5	0	26777.251	294.6236559	7960.481613	30000	0	0	30000	44.375	2004
23.01.2020 13:45:27	1	1	1	1	86	64.25	0	26777.251	298.9247312	8003.696355	30000	0	0	30000	44.25	2004
23.01.2020 13:45:28	1	1	1	1	86	64.25	0	26824.645	294.6236559	7831.65276	30000	0	0	30000	44.375	2004
23.01.2020 13:45:29	1	1	1	1	86	64.25	0	28009.479	309.6774194	8733.454733	30000	0	0	30000	44.375	2004
23.01.2020 13:45:30	1	1	1	1	86	64.25	0	27298.578	309.6774194	8512.488789	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:31	1	1	1	1	86.5	64.25	0	27440.758	324.7311828	8910.390563	30000	0	0	30000	44.25	2004
23.01.2020 13:45:32	1	1	1	1	86.5	64.25	0	27535.545	339.7849462	9431.413584	30000	0	0	30000	44.375	2004
23.01.2020 13:45:33	1	1	1	1	86.5	64.25	0	28009.479	348.3870968	9817.900144	30000	0	0	30000	44.375	2004
23.01.2020 13:45:34	1	1	1	1	86.5	64.25	0	27914.692	354.8387097	9921.45245	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:35	1	1	1	1	86.5	64.25	0	28957.346	378.4946237	10772.70133	30000	0	0	30000	44.25	2004
23.01.2020 13:45:36	1	1	1	1	86.5	64.25	0	28199.052	369.8924731	10369.90732	30000	0	0	30000	43.4375	2004
23.01.2020 13:45:37	1	1	1	1	86.5	63.25	0	28530.806	384.9462366	10982.25206	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:38	1	1	1	1	86.5	64.25	0	28578.199	380.6451613	10877.88438	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:39	1	1	1	1	86.5	64.25	0	28815.166	380.6451613	11110.26554	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:45:40	1	1	1	1	86.5	64	0	28483.412	389.2473118	10946.37567	30000	0	0	30000	44.1875	2004
23.01.2020 13:45:41	1	1	1	1	85.75	64	0	28625.592	380.6451613	10895.82257	30000	0	0	30000	44.5625	2004
23.01.2020 13:45:42	1	1	1	1	85.75	64.5	0	28862.559	384.9462366	10986.32892	30000	0	0	30000	44.5	2004
23.01.2020 13:45:43	1	1	1	1	85.75	64.5	0	28578.199	382.7956989	10877.88438	30000	0	0	30000	44.5	2004
23.01.2020 13:45:44	1	1	1	1	85.75	64.5	0	28862.559	378.4946237	11084.17362	30000	0	0	30000	44.5	2004
23.01.2020 13:45:45	1	1	1	1	85.75	64.5	0	28957.346	378.4946237	10960.237	30000	0	0	30000	44.5	2004
23.01.2020 13:45:46	1	1	1	1	85.75	64.5	0	28815.166	380.6451613	10986.32892	30000	0	0	30000	44.375	2004
23.01.2020 13:45:47	1	1	1	1	85.75	64.25	0	29052.133	382.7956989	11182.83369	30000	0	0	30000	44.5	2004
23.01.2020 13:45:48	1	1	1	1	85.75	64.5	0	28530.806	384.9462366	10964.31386	30000	0	0	30000	44.375	2004
23.01.2020 13:45:49	1	1	1	1	85.75	64.25	0	28815.166	380.6451613	10968.39073	30000	0	0	30000	43.875	2004
23.01.2020 13:45:50	1	1	1	1	85.75	63.75	0	28625.592	384.9462366	11154.29565	30000	0	0	30000	44.5625	2004
23.01.2020 13:45:51	1	1	1	1	86.5	64.25	0	28578.199	380.6451613	10877.88438	30000	0	0	30000	44.375	2004
23.01.2020 13:45:52	1	1	1	1	86.5	64.25	0	28815.166	380.6451613	10968.39073	30000	0	0	30000	44.375	2004
23.01.2020 13:45:53	1	1	1	1	86.5	64.25	0	28625.592	380.6451613	10895.82257	30000	0	0	30000	44.25	2004
23.01.2020 13:45:54	1	1	1	1	86.5	64.25	0	28625.592	378.4946237	10834.66964	30000	0	0	30000	44.25	2004
23.01.2020 13:45:55	1	1	1	1	86.5	64.25	0	28625.592	380.6451613	10877.88438	30000	0	0	30000	44.4375	2004
23.01.2020 13:45:56	1	1	1	1	86.5	64.25	0	28862.559	380.6451613	10986.32892	30000	0	0	30000	44.4375	2004
23.01.2020 13:45:57	1	1	1	1	86.5	64.25	0	28672.986	380.6451613	10968.39073	30000	0	0	30000	44.3125	2004
23.01.2020 13:45:58	1	1	1	1	86.5	64.25	0	28815.166	384.9462366	11092.32734	30000	0	0	30000	44.5	2004
23.01.2020 13:45:59	1	1	1	1	86.5	64.5	0	28483.412	384.9462366	10964.31386	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:00	1	1	1	1	86	64.25	0	28957.346	382.7956989	11146.9573	30000	0	0	30000	44.375	2004
23.01.2020 13:46:02	1	1	1	1	86	64.25	0	28815.166	384.9462366	10968.39073	30000	0	0	30000	44.0625	2004
23.01.2020 13:46:03	1	1	1	1	86	64	0	28578.199	384.9462366	11278.23227	30000	0	0	30000	44.3125	2004
23.01.2020 13:46:04	1	1	1	1	86	64.25	0	28672.986	380.6451613	10968.39073	30000	0	0	30000	44.25	2004
23.01.2020 13:46:05	1	1	1	1	86	64.25	0	28483.412	384.9462366	10964.31386	30000	0	0	30000	43.6875	2004
23.01.2020 13:46:06	1	1	1	1	86	63.5	0	28862.559	380.6451613	10986.32892	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:07	1	1	1	1	86	64.25	0	28436.019	384.9462366	10824.0698	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:08	1	1	1	1	86	64.25	0	28293.839	384.9462366	10890.93034	30000	0	0	30000	44.1875	2004
23.01.2020 13:46:09	1	1	1	1	86	64	0	28625.592	380.6451613	10968.39073	30000	0	0	30000	44.3125	2004
23.01.2020 13:46:10	1	1	1	1	86	64.25	0	28815.166	382.7956989	11030.35904	30000	0	0	30000	43.8125	2004
23.01.2020 13:46:11	1	1	1	1	86.5	63.75	0	28815.166	378.4946237	11030.35904	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:12	1	1	1	1	86.5	64.25	0	28815.166	384.9462366	11092.32734	30000	0	0	30000	44.375	2004
23.01.2020 13:46:13	1	1	1	1	86.5	64.25	0	28530.806	380.6451613	10877.88438	30000	0	0	30000	44.5	2004
23.01.2020 13:46:14	1	1	1	1	86.5	64.5	0	28436.019	389.2473118	11068.68154	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:15	1	1	1	1	86.5	64.25	0	28341.232	384.9462366	11049.92798	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:16	1	1	1	1	86.5	64.25	0	28578.199	387.0967742	11062.15856	30000	0	0	30000	44.375	2004
23.01.2020 13:46:17	1	1	1	1	86.5	64.25	0	28341.232	387.0967742	10970.83684	30000	0	0	30000	44.5	2004
23.01.2020 13:46:18	1	1	1	1	86.5	64.5	0	28341.232	391.3978495	11092.32734	30000	0	0	30000	44.375	2004
23.01.2020 13:46:25	1	1	1	1	86.75	63	0	28341.232	384.9462366	10909.68391	30000	0	0	30000	44.1875	2004
23.01.2020 13:46:25	1	1	1	1	86.75	63	0	28341.232	384.9462366	10909.68391	30000	0	0	30000	44.1875	2004
23.01.2020 13:46:25	1	1	1	1	86.75	63	0	28341.232	384.9462366	10909.68391	30000	0	0	30000	44.1875	2004
23.01.2020 13:46:25	1	1	1	1	86.75	63	0	28341.232	384.9462366	10909.68391	30000	0	0	30000	44.1875	2004
23.01.2020 13:46:25	1	1	1	1	86.75	63	0	28341.232	384.9462366	10909.68391	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:46:25	1	1	1	1	86.75	63	0	28341.232	384.9462366	10909.68391	30000	0	0	30000	44.1875	2004
23.01.2020 13:46:25	1	1	1	1	86.75	64	0	28199.052	391.3978495	10975.72908	30000	0	0	30000	44.375	2004
23.01.2020 13:46:26	1	1	1	1	86.75	64.25	0	28293.839	384.9462366	11031.17441	30000	0	0	30000	43.9375	2004
23.01.2020 13:46:27	1	1	1	1	86.75	63.75	0	28199.052	387.0967742	10855.05395	30000	0	0	30000	44.3125	2004
23.01.2020 13:46:28	1	1	1	1	86.75	64.25	0	28199.052	389.2473118	10975.72908	30000	0	0	30000	44.625	2004
23.01.2020 13:46:29	1	1	1	1	86.75	64.5	0	28009.479	391.3978495	11036.88202	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:30	1	1	1	1	86.75	64.5	0	28199.052	391.3978495	10975.72908	30000	0	0	30000	44.25	2004
23.01.2020 13:46:31	1	1	1	1	86.75	64.25	0	28009.479	389.2473118	10975.72908	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:32	1	1	1	1	86.75	64.25	0	28199.052	384.9462366	10952.08328	30000	0	0	30000	44.3125	2004
23.01.2020 13:46:33	1	1	1	1	86.75	64.25	0	28009.479	387.0967742	10781.67043	30000	0	0	30000	43.625	2004
23.01.2020 13:46:34	1	1	1	1	86.75	63.5	0	28341.232	389.2473118	11031.17441	30000	0	0	30000	44	2004
23.01.2020 13:46:35	1	1	1	1	86.75	64	0	28293.839	389.2473118	11031.17441	30000	0	0	30000	44.375	2004
23.01.2020 13:46:36	1	1	1	1	86.75	64.25	0	28293.839	387.0967742	10793.90101	30000	0	0	30000	44.5	2004
23.01.2020 13:46:37	1	1	1	1	86.75	64.5	0	28483.412	391.3978495	11086.61974	30000	0	0	30000	44.0625	2004
23.01.2020 13:46:38	1	1	1	1	86.75	64	0	28341.232	387.0967742	10970.83684	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:40	1	1	1	1	86.75	64.25	0	28341.232	382.7956989	10909.68391	30000	0	0	30000	44.1875	2004
23.01.2020 13:46:41	1	1	1	1	86.75	64	0	28815.166	380.6451613	10968.39073	30000	0	0	30000	44.25	2004
23.01.2020 13:46:42	1	1	1	1	86.75	64.25	0	28672.986	384.9462366	10957.79088	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:43	1	1	1	1	86.75	64.25	0	28578.199	391.3978495	11185.27981	30000	0	0	30000	44	2004
23.01.2020 13:46:44	1	1	1	1	86.75	64	0	28388.626	384.9462366	11007.52861	30000	0	0	30000	44.1875	2004
23.01.2020 13:46:45	1	1	1	1	86.75	64	0	27582.938	350.5376344	9684.994428	30000	0	0	30000	44	2004
23.01.2020 13:46:46	1	1	1	1	86.75	64	0	27867.299	391.3978495	10907.23779	30000	0	0	30000	44.375	2004
23.01.2020 13:46:47	1	1	1	1	86.75	64.25	0	28009.479	395.6989247	10962.68312	30000	0	0	30000	44	2004
23.01.2020 13:46:48	1	1	1	1	86.75	64	0	27630.332	397.8494624	10973.28296	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:49	1	1	1	1	86.75	64.25	0	27725.118	397.8494624	10933.32971	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:50	1	1	1	1	86.75	64.25	0	27772.512	395.6989247	11008.34398	30000	0	0	30000	44.25	2004
23.01.2020 13:46:51	1	1	1	1	86.75	64.25	0	27630.332	395.6989247	11067.86617	30000	0	0	30000	44.3125	2004
23.01.2020 13:46:52	1	1	1	1	86.75	64.25	0	28009.479	412.9032258	11624.76558	30000	0	0	30000	43.1875	2004
23.01.2020 13:46:53	1	1	1	1	86.75	63	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	44.125	2004
23.01.2020 13:46:54	1	1	1	1	86.75	64	0	28009.479	425.8064516	11866.11584	30000	0	0	30000	43.75	2004
23.01.2020 13:46:55	1	1	1	1	86.75	63.75	0	28436.019	423.655914	12066.69747	30000	0	0	30000	44.4375	2004
23.01.2020 13:46:56	1	1	1	1	86.75	64.25	0	28436.019	419.3548387	12047.12853	30000	0	0	30000	44.375	2004
23.01.2020 13:46:57	1	1	1	1	86.75	64.25	0	28436.019	419.3548387	11924.82266	30000	0	0	30000	44.25	2004
23.01.2020 13:46:58	1	1	1	1	86.75	64.25	0	28578.199	423.655914	12168.61903	30000	0	0	30000	44.1875	2004
23.01.2020 13:46:59	1	1	1	1	86.75	64	0	28578.199	425.8064516	12106.65072	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:00	1	1	1	1	86.75	64.25	0	28388.626	423.655914	12047.12853	30000	0	0	30000	44.25	2004
23.01.2020 13:47:01	1	1	1	1	86.5	64.25	0	28009.479	419.3548387	11745.44071	30000	0	0	30000	44.4375	2004
23.01.2020 13:47:02	1	1	1	1	86.5	64.25	0	28293.839	423.655914	11986.79097	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:03	1	1	1	1	86.5	64.25	0	28199.052	423.655914	11946.02234	30000	0	0	30000	44.25	2004
23.01.2020 13:47:04	1	1	1	1	86.5	64.25	0	28341.232	427.9569892	11946.02234	30000	0	0	30000	43.3125	2004
23.01.2020 13:47:05	1	1	1	1	86.5	63.25	0	28341.232	419.3548387	12026.74422	30000	0	0	30000	43.6875	2004
23.01.2020 13:47:06	1	1	1	1	86.5	63.5	0	28009.479	423.655914	11866.11584	30000	0	0	30000	44.5625	2004
23.01.2020 13:47:07	1	1	1	1	86.5	64.5	0	28199.052	423.655914	12067.51284	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:47:08	1	1	1	1	86.5	64.25	0	28199.052	427.9569892	11986.79097	30000	0	0	30000	44.5	2004
23.01.2020 13:47:09	1	1	1	1	86.5	64.25	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:10	1	1	1	1	86.5	64.25	0	28199.052	425.8064516	12007.17528	30000	0	0	30000	44.375	2004
23.01.2020 13:47:11	1	1	1	1	86.5	64.25	0	27630.332	380.6451613	10754.76313	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:12	1	1	1	1	86.5	64.25	0	28293.839	425.8064516	11825.34721	30000	0	0	30000	43.8125	2004
23.01.2020 13:47:13	1	1	1	1	86.5	63.75	0	28483.412	419.3548387	11944.3916	30000	0	0	30000	44.375	2004
23.01.2020 13:47:14	1	1	1	1	86.5	64.25	0	28341.232	419.3548387	11904.43834	30000	0	0	30000	43.4375	2004
23.01.2020 13:47:15	1	1	1	1	86.5	63.25	0	28436.019	419.3548387	11924.82266	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:16	1	1	1	1	86.5	64.25	0	28578.199	415.0537634	12003.91379	30000	0	0	30000	44.375	2004
23.01.2020 13:47:18	1	1	1	1	86.5	64.25	0	28483.412	423.655914	12066.69747	30000	0	0	30000	44.375	2004
23.01.2020 13:47:19	1	1	1	1	86.5	64.25	0	28625.592	415.0537634	11880.79254	30000	0	0	30000	44.5	2004
23.01.2020 13:47:20	1	1	1	1	86.5	64.5	0	28862.559	415.0537634	11979.45261	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:26	1	1	1	1	86.75	64.5	0	28483.412	419.3548387	12066.69747	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:26	1	1	1	1	86.75	64.5	0	28483.412	419.3548387	12066.69747	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:26	1	1	1	1	86.75	64.5	0	28483.412	419.3548387	12066.69747	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:26	1	1	1	1	86.75	64.5	0	28483.412	419.3548387	12066.69747	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:26	1	1	1	1	86.75	64.5	0	28483.412	419.3548387	12066.69747	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:26	1	1	1	1	86.75	64.5	0	28483.412	419.3548387	12066.69747	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:27	1	1	1	1	86.75	64.25	0	28199.052	425.8064516	12007.17528	30000	0	0	30000	44.375	2004
23.01.2020 13:47:28	1	1	1	1	86.75	64.25	0	28625.592	419.3548387	11800.07067	30000	0	0	30000	43	2004
23.01.2020 13:47:29	1	1	1	1	86.75	63	0	28578.199	419.3548387	11984.34485	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:30	1	1	1	1	86.75	64.25	0	28341.232	419.3548387	11904.43834	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:31	1	1	1	1	86.75	64.25	0	28436.019	419.3548387	11924.82266	30000	0	0	30000	44.375	2004
23.01.2020 13:47:32	1	1	1	1	86.75	64.25	0	28578.199	421.5053763	12106.65072	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:33	1	1	1	1	86.75	64.25	0	28815.166	415.0537634	11959.88367	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:34	1	1	1	1	86.75	64.25	0	28957.346	417.2043011	12143.34248	30000	0	0	30000	44.25	2004
23.01.2020 13:47:35	1	1	1	1	86.75	64.25	0	28815.166	417.2043011	12103.38923	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:36	1	1	1	1	86.75	64.25	0	28957.346	419.3548387	12143.34248	30000	0	0	30000	44.1875	2004
23.01.2020 13:47:37	1	1	1	1	86.75	64	0	28815.166	415.0537634	11959.88367	30000	0	0	30000	44.375	2004
23.01.2020 13:47:38	1	1	1	1	86.75	64.25	0	28625.592	419.3548387	11861.2236	30000	0	0	30000	44.375	2004
23.01.2020 13:47:39	1	1	1	1	86.75	64.25	0	28436.019	419.3548387	11924.82266	30000	0	0	30000	43.875	2004
23.01.2020 13:47:40	1	1	1	1	86.75	63.75	0	28341.232	423.655914	12087.89715	30000	0	0	30000	44.375	2004
23.01.2020 13:47:41	1	1	1	1	88	64.25	0	28293.839	419.3548387	11884.8694	30000	0	0	30000	44.3125	2004
23.01.2020 13:47:42	1	1	1	1	88	64.25	0	28625.592	412.9032258	12083.82029	30000	0	0	30000	44.25	2004
23.01.2020 13:47:43	1	1	1	1	88	64.25	0	28578.199	415.0537634	11861.2236	30000	0	0	30000	44.375	2004
23.01.2020 13:47:44	1	1	1	1	88	64.25	0	28436.019	423.655914	12047.12853	30000	0	0	30000	44.6875	2004
23.01.2020 13:47:45	1	1	1	1	88	64.5	0	28388.626	425.8064516	12108.28147	30000	0	0	30000	44.4375	2004
23.01.2020 13:47:46	1	1	1	1	88	64.25	0	28815.166	425.8064516	11984.34485	30000	0	0	30000	44.1875	2004
23.01.2020 13:47:47	1	1	1	1	88	64	0	28483.412	421.5053763	11924.82266	30000	0	0	30000	43.6875	2004
23.01.2020 13:47:48	1	1	1	1	88	63.5	0	28578.199	427.9569892	11944.3916	30000	0	0	30000	44.375	2004
23.01.2020 13:47:49	1	1	1	1	88	64.25	0	28009.479	425.8064516	11926.4534	30000	0	0	30000	44.4375	2004
23.01.2020 13:47:50	1	1	1	1	87.75	64.25	0	28009.479	427.9569892	12067.51284	30000	0	0	30000	44.125	2004
23.01.2020 13:47:51	1	1	1	1	87.75	64	0	28625.592	445.1612903	12742.64126	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:47:52	1	1	1	1	87.75	64.25	0	28862.559	453.7634409	13117.71261	30000	0	0	30000	44.25	2004
23.01.2020 13:47:53	1	1	1	1	87.75	64.25	0	28199.052	453.7634409	12960.34572	30000	0	0	30000	44.25	2004
23.01.2020 13:47:54	1	1	1	1	87.75	64.25	0	28483.412	455.9139785	13046.7752	30000	0	0	30000	44.25	2004
23.01.2020 13:47:56	1	1	1	1	87.75	64.25	0	28436.019	455.9139785	13025.57552	30000	0	0	30000	44.4375	2004
23.01.2020 13:47:57	1	1	1	1	87.75	64.25	0	28483.412	451.6129032	13107.92814	30000	0	0	30000	43.5	2004
23.01.2020 13:47:58	1	1	1	1	87.75	63.5	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.375	2004
23.01.2020 13:47:59	1	1	1	1	87.75	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.0625	2004
23.01.2020 13:48:00	1	1	1	1	87.75	64	0	28530.806	453.7634409	12967.68407	30000	0	0	30000	44.0625	2004
23.01.2020 13:48:01	1	1	1	1	88	64	0	28625.592	453.7634409	12967.68407	30000	0	0	30000	43.6875	2004
23.01.2020 13:48:02	1	1	1	1	88	63.5	0	28483.412	453.7634409	12924.46933	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:03	1	1	1	1	88	64.25	0	28009.479	460.2150538	12890.22368	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:04	1	1	1	1	88	64.25	0	28436.019	458.0645161	13209.03433	30000	0	0	30000	43.625	2004
23.01.2020 13:48:05	1	1	1	1	88	63.5	0	28815.166	455.9139785	13199.24986	30000	0	0	30000	44.4375	2004
23.01.2020 13:48:06	1	1	1	1	88	64.25	0	28625.592	453.7634409	12967.68407	30000	0	0	30000	44.375	2004
23.01.2020 13:48:07	1	1	1	1	88	64.25	0	28578.199	453.7634409	12967.68407	30000	0	0	30000	44.5	2004
23.01.2020 13:48:08	1	1	1	1	88	64.5	0	28578.199	445.1612903	12967.68407	30000	0	0	30000	44.4375	2004
23.01.2020 13:48:09	1	1	1	1	88	64.25	0	28578.199	455.9139785	13028.83701	30000	0	0	30000	44.375	2004
23.01.2020 13:48:10	1	1	1	1	88	64.25	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.4375	2004
23.01.2020 13:48:11	1	1	1	1	88.25	64.25	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.375	2004
23.01.2020 13:48:12	1	1	1	1	88.25	64.25	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:13	1	1	1	1	88.25	64.25	0	28341.232	464.516129	13042.69834	30000	0	0	30000	44.25	2004
23.01.2020 13:48:14	1	1	1	1	88.25	64.25	0	28293.839	460.2150538	13142.98916	30000	0	0	30000	44.4375	2004
23.01.2020 13:48:15	1	1	1	1	88.25	64.25	0	28815.166	453.7634409	13407.16984	30000	0	0	30000	44.1875	2004
23.01.2020 13:48:16	1	1	1	1	88.25	64	0	28199.052	458.0645161	12977.46854	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:17	1	1	1	1	88.25	64.25	0	28199.052	458.0645161	13203.32672	30000	0	0	30000	44.0625	2004
23.01.2020 13:48:18	1	1	1	1	88.25	64	0	27914.692	438.7096774	12246.07942	30000	0	0	30000	44.375	2004
23.01.2020 13:48:19	1	1	1	1	88.25	64.25	0	28199.052	455.9139785	12795.64048	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:20	1	1	1	1	88.25	64.25	0	28578.199	453.7634409	13089.98994	30000	0	0	30000	44.25	2004
23.01.2020 13:48:21	1	1	1	1	88.25	64.25	0	28483.412	453.7634409	12924.46933	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:28	1	1	1	1	88.25	64.5	0	27061.611	427.9569892	11601.11978	30000	0	0	30000	44.25	2004
23.01.2020 13:48:28	1	1	1	1	88.25	64.5	0	27061.611	427.9569892	11601.11978	30000	0	0	30000	44.25	2004
23.01.2020 13:48:28	1	1	1	1	88.25	64.5	0	27061.611	427.9569892	11601.11978	30000	0	0	30000	44.25	2004
23.01.2020 13:48:28	1	1	1	1	88.25	64.5	0	27061.611	427.9569892	11601.11978	30000	0	0	30000	44.25	2004
23.01.2020 13:48:28	1	1	1	1	88.25	64.5	0	27061.611	427.9569892	11601.11978	30000	0	0	30000	44.25	2004
23.01.2020 13:48:28	1	1	1	1	88.25	64.5	0	27061.611	427.9569892	11601.11978	30000	0	0	30000	44.25	2004
23.01.2020 13:48:28	1	1	1	1	88.25	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:29	1	1	1	1	88.25	64.25	0	28483.412	464.516129	13046.7752	30000	0	0	30000	44.5625	2004
23.01.2020 13:48:30	1	1	1	1	87.5	64.5	0	28246.445	455.9139785	12795.64048	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:31	1	1	1	1	87.5	64.25	0	28483.412	455.9139785	12985.62227	30000	0	0	30000	43.8125	2004
23.01.2020 13:48:32	1	1	1	1	87.5	63.75	0	28815.166	453.7634409	12827.44	30000	0	0	30000	44.5	2004
23.01.2020 13:48:34	1	1	1	1	87.5	64.5	0	28578.199	453.7634409	12967.68407	30000	0	0	30000	44.25	2004
23.01.2020 13:48:35	1	1	1	1	87.5	64.25	0	28625.592	453.7634409	12988.88376	30000	0	0	30000	44.375	2004
23.01.2020 13:48:36	1	1	1	1	87.5	64.25	0	28625.592	453.7634409	13112.005	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:48:37	1	1	1	1	87.5	64	0	28578.199	455.9139785	13089.98994	30000	0	0	30000	44.1875	2004
23.01.2020 13:48:38	1	1	1	1	87.5	64	0	28578.199	458.0645161	13089.98994	30000	0	0	30000	44.375	2004
23.01.2020 13:48:39	1	1	1	1	87.5	64.25	0	28672.986	451.6129032	13075.31324	30000	0	0	30000	44	2004
23.01.2020 13:48:40	1	1	1	1	87.5	64	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.25	2004
23.01.2020 13:48:41	1	1	1	1	87.25	64.25	0	28815.166	455.9139785	13137.28155	30000	0	0	30000	43.75	2004
23.01.2020 13:48:42	1	1	1	1	87.25	63.75	0	28625.592	453.7634409	12988.88376	30000	0	0	30000	44.125	2004
23.01.2020 13:48:43	1	1	1	1	87.25	64	0	28483.412	453.7634409	12924.46933	30000	0	0	30000	44.4375	2004
23.01.2020 13:48:44	1	1	1	1	87.25	64.25	0	28436.019	453.7634409	12924.46933	30000	0	0	30000	44.5	2004
23.01.2020 13:48:45	1	1	1	1	87.25	64.5	0	28862.559	453.7634409	13158.48123	30000	0	0	30000	43.9375	2004
23.01.2020 13:48:46	1	1	1	1	87.25	63.75	0	28436.019	455.9139785	12903.26964	30000	0	0	30000	44.125	2004
23.01.2020 13:48:47	1	1	1	1	87.25	64	0	28483.412	453.7634409	12924.46933	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:48	1	1	1	1	87.25	64.25	0	28625.592	453.7634409	13028.83701	30000	0	0	30000	44	2004
23.01.2020 13:48:49	1	1	1	1	87.25	64	0	28578.199	445.1612903	12988.88376	30000	0	0	30000	43.75	2004
23.01.2020 13:48:50	1	1	1	1	87.25	63.75	0	28199.052	458.0645161	12977.46854	30000	0	0	30000	44.3125	2004
23.01.2020 13:48:51	1	1	1	1	87	64.25	0	28530.806	458.0645161	13089.98994	30000	0	0	30000	43.4375	2004
23.01.2020 13:48:52	1	1	1	1	87	63.25	0	28862.559	468.8172043	13903.73169	30000	0	0	30000	44	2004
23.01.2020 13:48:53	1	1	1	1	87	64	0	28625.592	481.7204301	13459.35368	30000	0	0	30000	44.25	2004
23.01.2020 13:48:54	1	1	1	1	87	64.25	0	28862.559	481.7204301	13571.05971	30000	0	0	30000	43	2004
23.01.2020 13:48:55	1	1	1	1	87	63	0	28625.592	486.0215054	14066.80619	30000	0	0	30000	43.5625	2004
23.01.2020 13:48:56	1	1	1	1	87	63.5	0	28625.592	488.172043	13951.02329	30000	0	0	30000	44.25	2004
23.01.2020 13:48:57	1	1	1	1	87	64.25	0	26398.104	460.2150538	12306.41698	30000	0	0	30000	44.125	2004
23.01.2020 13:49:00	1	1	1	1	87	64.25	0	28815.166	483.8709677	13942.86957	30000	0	0	30000	44.5625	2004
23.01.2020 13:49:00	1	1	1	1	87	64.25	0	28815.166	483.8709677	13942.86957	30000	0	0	30000	44.5625	2004
23.01.2020 13:49:00	1	1	1	1	87	64.25	0	28815.166	483.8709677	13942.86957	30000	0	0	30000	44.5625	2004
23.01.2020 13:49:01	1	1	1	1	86.75	64.5	0	28862.559	481.7204301	13965.7	30000	0	0	30000	44.1875	2004
23.01.2020 13:49:02	1	1	1	1	86.75	64	0	28957.346	483.8709677	14011.36086	30000	0	0	30000	44.5625	2004
23.01.2020 13:49:03	1	1	1	1	86.75	64.25	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.4375	2004
23.01.2020 13:49:04	1	1	1	1	86.75	64.25	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.125	2004
23.01.2020 13:49:05	1	1	1	1	86.75	64	0	28957.346	468.8172043	13995.05341	30000	0	0	30000	44.3125	2004
23.01.2020 13:49:06	1	1	1	1	86.75	64.25	0	28815.166	481.7204301	13942.86957	30000	0	0	30000	44.375	2004
23.01.2020 13:49:07	1	1	1	1	86.75	64.25	0	29052.133	481.7204301	13949.39255	30000	0	0	30000	44.1875	2004
23.01.2020 13:49:08	1	1	1	1	86.75	64	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	44.25	2004
23.01.2020 13:49:09	1	1	1	1	86.75	64.25	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	44.125	2004
23.01.2020 13:49:10	1	1	1	1	86.75	64	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	43.9375	2004
23.01.2020 13:49:11	1	1	1	1	86.75	63.75	0	29052.133	481.7204301	13949.39255	30000	0	0	30000	44.375	2004
23.01.2020 13:49:12	1	1	1	1	86.75	64.25	0	29099.526	483.8709677	14102.68258	30000	0	0	30000	44.25	2004
23.01.2020 13:49:14	1	1	1	1	86.75	64.25	0	29052.133	481.7204301	13949.39255	30000	0	0	30000	44.4375	2004
23.01.2020 13:49:15	1	1	1	1	86.75	64.25	0	27630.332	419.3548387	11586.44307	30000	0	0	30000	44.375	2004
23.01.2020 13:49:16	1	1	1	1	86.75	64.25	0	28957.346	483.8709677	14011.36086	30000	0	0	30000	44.3125	2004
23.01.2020 13:49:17	1	1	1	1	86.75	64.25	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.4375	2004
23.01.2020 13:49:18	1	1	1	1	86.75	64.25	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.1875	2004
23.01.2020 13:49:19	1	1	1	1	86.75	64	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.375	2004
23.01.2020 13:49:20	1	1	1	1	86.75	64.25	0	29052.133	481.7204301	14057.02172	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:49:21	1	1	1	1	86.5	64.25	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	44.3125	2004
23.01.2020 13:49:22	1	1	1	1	86.5	64.25	0	29052.133	481.7204301	14017.88384	30000	0	0	30000	44.375	2004
23.01.2020 13:49:23	1	1	1	1	86.5	64.25	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.1875	2004
23.01.2020 13:49:30	1	1	1	1	86.5	64.25	0	29526.066	468.8172043	14223.3577	30000	0	0	30000	44.0625	2004
23.01.2020 13:49:30	1	1	1	1	86.5	64.25	0	29526.066	468.8172043	14223.3577	30000	0	0	30000	44.0625	2004
23.01.2020 13:49:30	1	1	1	1	86.5	64.25	0	29526.066	468.8172043	14223.3577	30000	0	0	30000	44.0625	2004
23.01.2020 13:49:30	1	1	1	1	86.5	64.25	0	29526.066	468.8172043	14223.3577	30000	0	0	30000	44.0625	2004
23.01.2020 13:49:30	1	1	1	1	86.5	64.25	0	29526.066	468.8172043	14223.3577	30000	0	0	30000	44.0625	2004
23.01.2020 13:49:30	1	1	1	1	86.5	64.25	0	29526.066	468.8172043	14223.3577	30000	0	0	30000	44.0625	2004
23.01.2020 13:49:30	1	1	1	1	86.5	64	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.3125	2004
23.01.2020 13:49:31	1	1	1	1	86.75	64.25	0	28957.346	481.7204301	13637.92026	30000	0	0	30000	44.375	2004
23.01.2020 13:49:32	1	1	1	1	86.75	64.25	0	29241.706	481.7204301	13601.22849	30000	0	0	30000	44.4375	2004
23.01.2020 13:49:33	1	1	1	1	86.75	64.25	0	28909.953	481.7204301	13965.7	30000	0	0	30000	43.9375	2004
23.01.2020 13:49:34	1	1	1	1	86.75	63.75	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.9375	2004
23.01.2020 13:49:35	1	1	1	1	86.75	63.75	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.25	2004
23.01.2020 13:49:36	1	1	1	1	86.75	64.25	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	43.5	2004
23.01.2020 13:49:37	1	1	1	1	86.75	63.5	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	43.5	2004
23.01.2020 13:49:38	1	1	1	1	86.75	63.5	0	28436.019	419.3548387	11924.82266	30000	0	0	30000	43.9375	2004
23.01.2020 13:49:39	1	1	1	1	86.75	63.75	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.1875	2004
23.01.2020 13:49:40	1	1	1	1	86.75	64	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	44.4375	2004
23.01.2020 13:49:41	1	1	1	1	87.75	64.25	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.625	2004
23.01.2020 13:49:42	1	1	1	1	87.75	64.5	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.75	2004
23.01.2020 13:49:43	1	1	1	1	87.75	64.25	0	29146.919	481.7204301	13517.24513	30000	0	0	30000	44.5625	2004
23.01.2020 13:49:44	1	1	1	1	87.75	64.5	0	29431.28	466.6666667	13734.13421	30000	0	0	30000	44.5625	2004
23.01.2020 13:49:45	1	1	1	1	87.75	64.5	0	29146.919	481.7204301	13726.79586	30000	0	0	30000	44.3125	2004
23.01.2020 13:49:46	1	1	1	1	87.75	64.25	0	29526.066	470.9677419	14223.3577	30000	0	0	30000	44.375	2004
23.01.2020 13:49:47	1	1	1	1	87.75	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.5	2004
23.01.2020 13:49:48	1	1	1	1	87.75	64.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.625	2004
23.01.2020 13:49:49	1	1	1	1	87.75	63.5	0	29099.526	481.7204301	13681.95037	30000	0	0	30000	44.4375	2004
23.01.2020 13:49:50	1	1	1	1	87.5	64.25	0	29146.919	419.3548387	12222.43362	30000	0	0	30000	44.375	2004
23.01.2020 13:49:51	1	1	1	1	87.5	64.25	0	29431.28	507.5268817	14873.20958	30000	0	0	30000	44.25	2004
23.01.2020 13:49:53	1	1	1	1	87.5	64.25	0	29146.919	511.827957	14666.92034	30000	0	0	30000	44.375	2004
23.01.2020 13:49:54	1	1	1	1	87.5	64.25	0	29052.133	509.6774194	14869.13272	30000	0	0	30000	43.625	2004
23.01.2020 13:49:55	1	1	1	1	87.5	63.5	0	29526.066	509.6774194	14984.91561	30000	0	0	30000	44.4375	2004
23.01.2020 13:49:56	1	1	1	1	87.5	64.25	0	29526.066	507.5268817	14945.77773	30000	0	0	30000	44.3125	2004
23.01.2020 13:49:57	1	1	1	1	87.5	64.25	0	29526.066	507.5268817	15048.51466	30000	0	0	30000	44.1875	2004
23.01.2020 13:49:58	1	1	1	1	87.5	64	0	29431.28	507.5268817	14849.56378	30000	0	0	30000	44.25	2004
23.01.2020 13:49:59	1	1	1	1	87.5	64.25	0	29810.427	505.3763441	15064.82211	30000	0	0	30000	44.1875	2004
23.01.2020 13:50:00	1	1	1	1	87.5	64	0	29810.427	501.0752688	15177.34352	30000	0	0	30000	44.25	2004
23.01.2020 13:50:01	1	1	1	1	87.5	64.25	0	29526.066	505.3763441	14921.31655	30000	0	0	30000	43.9375	2004
23.01.2020 13:50:02	1	1	1	1	87.5	63.75	0	29620.853	507.5268817	15096.62164	30000	0	0	30000	44.5625	2004
23.01.2020 13:50:03	1	1	1	1	87.5	64.5	0	29431.28	511.827957	15000.40769	30000	0	0	30000	44.3125	2004
23.01.2020 13:50:04	1	1	1	1	87.5	64.25	0	29668.246	505.3763441	15017.53051	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:50:05	1	1	1	1	87.5	63.75	0	29526.066	501.0752688	14945.77773	30000	0	0	30000	43.875	2004
23.01.2020 13:50:06	1	1	1	1	87.5	63.75	0	29383.886	509.6774194	14951.48534	30000	0	0	30000	43.8125	2004
23.01.2020 13:50:07	1	1	1	1	87.5	63.75	0	29336.493	507.5268817	14951.48534	30000	0	0	30000	43.9375	2004
23.01.2020 13:50:08	1	1	1	1	87.5	63.75	0	29620.853	507.5268817	15033.02259	30000	0	0	30000	44.375	2004
23.01.2020 13:50:09	1	1	1	1	87.5	64.25	0	29146.919	511.827957	14918.05506	30000	0	0	30000	44.1875	2004
23.01.2020 13:50:10	1	1	1	1	87.5	64	0	29241.706	516.1290323	14918.05506	30000	0	0	30000	44.0625	2004
23.01.2020 13:50:11	1	1	1	1	87.5	64	0	28957.346	509.6774194	14821.02574	30000	0	0	30000	44.0625	2004
23.01.2020 13:50:12	1	1	1	1	87.5	64	0	29336.493	516.1290323	15141.46713	30000	0	0	30000	43.8125	2004
23.01.2020 13:50:13	1	1	1	1	87.5	63.75	0	29383.886	511.827957	15015.08439	30000	0	0	30000	42.4375	2004
23.01.2020 13:50:14	1	1	1	1	87.5	62.25	0	29431.28	507.5268817	15000.40769	30000	0	0	30000	44.0625	2004
23.01.2020 13:50:15	1	1	1	1	87.5	64	0	29478.673	509.6774194	14961.26981	30000	0	0	30000	44.5	2004
23.01.2020 13:50:16	1	1	1	1	87.5	64.5	0	29526.066	507.5268817	14984.91561	30000	0	0	30000	43.3125	2004
23.01.2020 13:50:17	1	1	1	1	87.5	63.25	0	29431.28	507.5268817	14936.80863	30000	0	0	30000	44.4375	2004
23.01.2020 13:50:18	1	1	1	1	87.5	64.25	0	29431.28	507.5268817	14936.80863	30000	0	0	30000	44.375	2004
23.01.2020 13:50:19	1	1	1	1	87.5	64.25	0	29478.673	507.5268817	14936.80863	30000	0	0	30000	44	2004
23.01.2020 13:50:20	1	1	1	1	87.5	64	0	29715.64	505.3763441	15081.12956	30000	0	0	30000	44.625	2004
23.01.2020 13:50:21	1	1	1	1	88.25	64.5	0	29620.853	507.5268817	14969.42353	30000	0	0	30000	44.25	2004
23.01.2020 13:50:22	1	1	1	1	88.25	64.25	0	29620.853	503.2258065	14969.42353	30000	0	0	30000	44.625	2004
23.01.2020 13:50:23	1	1	1	1	88.25	64.5	0	29715.64	509.6774194	15121.08281	30000	0	0	30000	44.25	2004
23.01.2020 13:50:24	1	1	1	1	88.25	64.25	0	29526.066	509.6774194	14921.31655	30000	0	0	30000	44.5625	2004
23.01.2020 13:50:31	1	1	1	1	88.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 13:50:31	1	1	1	1	88.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 13:50:31	1	1	1	1	88.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 13:50:31	1	1	1	1	88.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 13:50:31	1	1	1	1	88.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 13:50:31	1	1	1	1	88.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 13:50:31	1	1	1	1	88.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 13:50:32	1	1	1	1	88.25	63.25	0	29810.427	503.2258065	15001.22306	30000	0	0	30000	44.375	2004
23.01.2020 13:50:33	1	1	1	1	88.25	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.4375	2004
23.01.2020 13:50:34	1	1	1	1	88.25	64.25	0	29620.853	503.2258065	14905.82448	30000	0	0	30000	44.4375	2004
23.01.2020 13:50:35	1	1	1	1	88.25	64.25	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.4375	2004
23.01.2020 13:50:36	1	1	1	1	88.25	64.25	0	29478.673	507.5268817	14984.91561	30000	0	0	30000	44.4375	2004
23.01.2020 13:50:37	1	1	1	1	88.25	64.25	0	29620.853	507.5268817	14945.77773	30000	0	0	30000	44.375	2004
23.01.2020 13:50:38	1	1	1	1	88.25	64.25	0	29336.493	505.3763441	14825.91797	30000	0	0	30000	44.125	2004
23.01.2020 13:50:39	1	1	1	1	88.25	64	0	29431.28	507.5268817	14936.80863	30000	0	0	30000	43.5625	2004
23.01.2020 13:50:40	1	1	1	1	88.25	63.5	0	29431.28	511.827957	14746.82684	30000	0	0	30000	44.4375	2004
23.01.2020 13:50:41	1	1	1	1	88.25	64.25	0	29289.1	509.6774194	15015.08439	30000	0	0	30000	44.375	2004
23.01.2020 13:50:42	1	1	1	1	88.25	64.25	0	29526.066	509.6774194	14921.31655	30000	0	0	30000	44.125	2004
23.01.2020 13:50:43	1	1	1	1	88.25	64	0	29146.919	516.1290323	15043.62243	30000	0	0	30000	44.25	2004
23.01.2020 13:50:44	1	1	1	1	88.25	64.25	0	29573.46	509.6774194	15072.97584	30000	0	0	30000	44.1875	2004
23.01.2020 13:50:45	1	1	1	1	88.25	64	0	29336.493	516.1290323	15141.46713	30000	0	0	30000	44.375	2004
23.01.2020 13:50:46	1	1	1	1	88.25	64.25	0	29146.919	516.1290323	15105.59074	30000	0	0	30000	44.25	2004
23.01.2020 13:50:47	1	1	1	1	88.25	64.25	0	29241.706	509.6774194	14966.16204	30000	0	0	30000	44.1875	2004
23.01.2020 13:50:48	1	1	1	1	88.25	64	0	29289.1	516.1290323	15092.54478	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:50:49	1	1	1	1	88.25	64.25	0	29241.706	516.1290323	15092.54478	30000	0	0	30000	44.375	2004
23.01.2020 13:50:50	1	1	1	1	88.25	64.25	0	29383.886	511.827957	15253.17316	30000	0	0	30000	44.125	2004
23.01.2020 13:50:51	1	1	1	1	88.5	64	0	29289.1	511.827957	15015.08439	30000	0	0	30000	43.875	2004
23.01.2020 13:50:52	1	1	1	1	88.5	63.75	0	27582.938	488.172043	13465.06129	30000	0	0	30000	44.375	2004
23.01.2020 13:50:53	1	1	1	1	88.5	64.25	0	29431.28	494.6236559	14556.84505	30000	0	0	30000	44.4375	2004
23.01.2020 13:50:54	1	1	1	1	88.5	64.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	44.375	2004
23.01.2020 13:50:55	1	1	1	1	88.5	64.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	44.375	2004
23.01.2020 13:50:56	1	1	1	1	88.5	64.25	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.0625	2004
23.01.2020 13:50:57	1	1	1	1	88.5	64	0	30000	529.0322581	15934.82456	30000	0	0	30000	44.25	2004
23.01.2020 13:50:58	1	1	1	1	88.5	64.25	0	29573.46	535.483871	15861.44103	30000	0	0	30000	43.75	2004
23.01.2020 13:50:59	1	1	1	1	88.5	63.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.375	2004
23.01.2020 13:51:00	1	1	1	1	88.5	64.25	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	44.75	2004
23.01.2020 13:51:01	1	1	1	1	88.5	64.75	0	29905.213	501.0752688	14832.44095	30000	0	0	30000	43.875	2004
23.01.2020 13:51:02	1	1	1	1	88.5	63.75	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	43.8125	2004
23.01.2020 13:51:03	1	1	1	1	88.5	64.25	0	30000	511.827957	15266.21912	30000	0	0	30000	43.375	2004
23.01.2020 13:51:04	1	1	1	1	88.5	63.25	0	30000	518.2795699	15572.79917	30000	0	0	30000	44.125	2004
23.01.2020 13:51:05	1	1	1	1	88.5	64	0	29905.213	535.483871	16077.51474	30000	0	0	30000	44.3125	2004
23.01.2020 13:51:06	1	1	1	1	88.5	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.3125	2004
23.01.2020 13:51:07	1	1	1	1	88.5	64.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	44.1875	2004
23.01.2020 13:51:08	1	1	1	1	88.5	64	0	30000	518.2795699	15548.338	30000	0	0	30000	44	2004
23.01.2020 13:51:10	1	1	1	1	88.5	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.1875	2004
23.01.2020 13:51:11	1	1	1	1	88	64	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.375	2004
23.01.2020 13:51:12	1	1	1	1	88	63.25	0	29715.64	423.655914	12757.31797	30000	0	0	30000	44.125	2004
23.01.2020 13:51:13	1	1	1	1	88	64	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.25	2004
23.01.2020 13:51:14	1	1	1	1	88	64.25	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.0625	2004
23.01.2020 13:51:15	1	1	1	1	88	64	0	29952.607	516.1290323	15289.86492	30000	0	0	30000	44.1875	2004
23.01.2020 13:51:16	1	1	1	1	88	64	0	30000	511.827957	15354.27935	30000	0	0	30000	43.875	2004
23.01.2020 13:51:17	1	1	1	1	88	63.75	0	28388.626	509.6774194	14444.32365	30000	0	0	30000	44.25	2004
23.01.2020 13:51:18	1	1	1	1	88	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.3125	2004
23.01.2020 13:51:19	1	1	1	1	88	64.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	44.25	2004
23.01.2020 13:51:20	1	1	1	1	88	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.0625	2004
23.01.2020 13:51:21	1	1	1	1	88.75	64	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	44.375	2004
23.01.2020 13:51:22	1	1	1	1	88.75	64.25	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	43.9375	2004
23.01.2020 13:51:23	1	1	1	1	88.75	63.75	0	29857.82	395.6989247	11750.33294	30000	0	0	30000	43.5	2004
23.01.2020 13:51:24	1	1	1	1	88.75	63.5	0	28862.559	372.0430108	10924.36061	30000	0	0	30000	43.9375	2004
23.01.2020 13:51:25	1	1	1	1	88.75	63.75	0	29857.82	326.8817204	9711.086348	30000	0	0	30000	43.875	2004
23.01.2020 13:51:26	1	1	1	1	88.75	63.75	0	30000	339.7849462	10064.14264	30000	0	0	30000	44	2004
23.01.2020 13:51:33	1	1	1	1	88.75	64.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.5625	2004
23.01.2020 13:51:33	1	1	1	1	88.75	64.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.5625	2004
23.01.2020 13:51:33	1	1	1	1	88.75	64.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.5625	2004
23.01.2020 13:51:33	1	1	1	1	88.75	64.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.5625	2004
23.01.2020 13:51:33	1	1	1	1	88.75	64.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.5625	2004
23.01.2020 13:51:33	1	1	1	1	88.75	64.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:51:33	1	1	1	1	88.75	64.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.3125	2004
23.01.2020 13:51:34	1	1	1	1	88.75	64.25	0	30000	281.7204301	8322.506999	30000	0	0	30000	44.3125	2004
23.01.2020 13:51:35	1	1	1	1	88.75	64.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	44.4375	2004
23.01.2020 13:51:36	1	1	1	1	88.75	64.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	44.5625	2004
23.01.2020 13:51:37	1	1	1	1	88.75	64.5	0	30000	281.7204301	8386.921425	30000	0	0	30000	44.375	2004
23.01.2020 13:51:38	1	1	1	1	88.75	64.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	44.5	2004
23.01.2020 13:51:39	1	1	1	1	88.75	64.5	0	29952.607	288.172043	8644.579132	30000	0	0	30000	44.3125	2004
23.01.2020 13:51:40	1	1	1	1	88.75	64.25	0	30000	303.2258065	9031.881064	30000	0	0	30000	44.75	2004
23.01.2020 13:51:41	1	1	1	1	88.75	64.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.25	2004
23.01.2020 13:51:42	1	1	1	1	88.75	63.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	44.4375	2004
23.01.2020 13:51:43	1	1	1	1	88.75	64.25	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	44.3125	2004
23.01.2020 13:51:44	1	1	1	1	88.75	64.25	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	44.3125	2004
23.01.2020 13:51:45	1	1	1	1	88.75	64.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	44.4375	2004
23.01.2020 13:51:46	1	1	1	1	88.75	64.25	0	30000	288.172043	8580.164705	30000	0	0	30000	44.5625	2004
23.01.2020 13:51:47	1	1	1	1	88.75	64.5	0	29810.427	268.8172043	8077.079879	30000	0	0	30000	44.4375	2004
23.01.2020 13:51:49	1	1	1	1	88.75	64.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	44.375	2004
23.01.2020 13:51:50	1	1	1	1	88.75	64.25	0	30047.393	281.7204301	8386.921425	30000	0	0	30000	44.375	2004
23.01.2020 13:51:51	1	1	1	1	88.25	64.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	44.5	2004
23.01.2020 13:51:52	1	1	1	1	88.25	64.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	44.5	2004
23.01.2020 13:51:53	1	1	1	1	88.25	64.5	0	29905.213	290.3225806	9031.881064	30000	0	0	30000	44.5625	2004
23.01.2020 13:51:54	1	1	1	1	88.25	64.5	0	30000	307.5268817	9354.76857	30000	0	0	30000	44.1875	2004
23.01.2020 13:51:55	1	1	1	1	88.25	64	0	30000	309.6774194	9498.274128	30000	0	0	30000	44.125	2004
23.01.2020 13:51:56	1	1	1	1	88.25	64	0	28815.166	279.5698925	8055.880195	30000	0	0	30000	44.5625	2004
23.01.2020 13:51:57	1	1	1	1	88.25	64.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	44.5	2004
23.01.2020 13:51:58	1	1	1	1	88.25	64.5	0	29478.673	301.0752688	8860.652842	30000	0	0	30000	44.5	2004
23.01.2020 13:51:59	1	1	1	1	88.25	64.5	0	30000	309.6774194	9067.757454	30000	0	0	30000	44.375	2004
23.01.2020 13:52:00	1	1	1	1	88.25	64.25	0	30000	311.827957	9354.76857	30000	0	0	30000	44.3125	2004
23.01.2020 13:52:01	1	1	1	1	88	64.25	0	29905.213	292.4731183	8824.776452	30000	0	0	30000	44.5	2004
23.01.2020 13:52:02	1	1	1	1	88	64.5	0	0	0	0	30000	0	8	30000	44.625	2004
23.01.2020 13:52:03	1	1	1	1	88	64.5	0	10331.754	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 13:52:04	1	1	1	1	88	64.5	0	11090.047	0	0	30000	0	0	30000	44.5	2004
23.01.2020 13:52:05	1	1	1	1	88	64.5	0	11943.128	0	0	30000	0	0	30000	44.375	2004
23.01.2020 13:52:06	1	1	1	1	88	64.25	0	12654.028	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 13:52:07	1	1	1	1	88	64.5	0	13412.322	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:52:08	1	1	1	1	88	64.5	0	12748.815	0	0	30000	0	0	30000	44.375	2004
23.01.2020 13:52:09	1	1	1	1	88	64.25	0	14976.303	6.451612903	96.21395374	30000	0	0	30000	44.5	2004
23.01.2020 13:52:10	1	1	1	1	88	64.5	0	15165.877	8.602150538	97.84469872	30000	0	0	30000	44.625	2004
23.01.2020 13:52:11	1	1	1	1	88.25	64.5	0	16492.891	15.05376344	247.8732368	30000	0	0	30000	44.5625	2004
23.01.2020 13:52:12	1	1	1	1	88.25	64.5	0	16255.924	15.05376344	313.9184084	30000	0	0	30000	44.4375	2004
23.01.2020 13:52:13	1	1	1	1	88.25	64.25	0	18056.872	32.25806452	621.3138369	30000	0	0	30000	44.5625	2004
23.01.2020 13:52:14	1	1	1	1	88.25	64.5	0	18815.166	40.86021505	768.080885	30000	0	0	30000	44.5	2004
23.01.2020 13:52:15	1	1	1	1	88.25	64.5	0	19573.46	53.76344086	1051.830511	30000	0	0	30000	44.5625	2004
23.01.2020 13:52:16	1	1	1	1	88.25	64.5	0	20331.754	62.3655914	1267.904221	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:52:17	1	1	1	1	88.25	64.25	0	21090.047	73.11827957	1541.869377	30000	0	0	30000	44.75	2004
23.01.2020 13:52:18	1	1	1	1	88.25	64.75	0	21895.735	88.17204301	1836.218846	30000	0	0	30000	44.875	2004
23.01.2020 13:52:19	1	1	1	1	88.25	64.75	0	22559.242	94.62365591	2129.752942	30000	0	0	30000	44.6875	2004
23.01.2020 13:52:20	1	1	1	1	88.25	64.5	0	23364.929	116.1290323	2712.744272	30000	0	0	30000	44.8125	2004
23.01.2020 13:52:21	1	1	1	1	87.75	64.25	0	23649.289	129.0322581	3051.123855	30000	0	0	30000	44.5625	2004
23.01.2020 13:52:22	1	1	1	1	87.75	64.5	0	23601.896	126.8817204	3051.123855	30000	0	0	30000	44.5	2004
23.01.2020 13:52:23	1	1	1	1	87.75	64.5	0	24407.583	146.2365591	3516.701546	30000	0	0	30000	44.5	2004
23.01.2020 13:52:24	1	1	1	1	87.75	64.5	0	24597.156	144.0860215	3543.608839	30000	0	0	30000	43.1875	2004
23.01.2020 13:52:25	1	1	1	1	87.75	63	0	24976.303	152.688172	3813.497133	30000	0	0	30000	44.5	2004
23.01.2020 13:52:27	1	1	1	1	87.75	64.5	0	23838.863	152.688172	3639.822792	30000	0	0	30000	44.4375	2004
23.01.2020 13:52:28	1	1	1	1	87.75	64.25	0	25734.597	167.7419355	4316.581959	30000	0	0	30000	44.5	2004
23.01.2020 13:52:34	1	1	1	1	87.5	64.5	0	27440.758	225.8064516	6196.015546	30000	0	0	30000	44.25	2004
23.01.2020 13:52:34	1	1	1	1	87.5	64.5	0	27440.758	225.8064516	6196.015546	30000	0	0	30000	44.25	2004
23.01.2020 13:52:34	1	1	1	1	87.5	64.5	0	27440.758	225.8064516	6196.015546	30000	0	0	30000	44.25	2004
23.01.2020 13:52:34	1	1	1	1	87.5	64.5	0	27440.758	225.8064516	6196.015546	30000	0	0	30000	44.25	2004
23.01.2020 13:52:34	1	1	1	1	87.5	64.5	0	27440.758	225.8064516	6196.015546	30000	0	0	30000	44.25	2004
23.01.2020 13:52:34	1	1	1	1	87.5	64.5	0	27440.758	225.8064516	6196.015546	30000	0	0	30000	44.25	2004
23.01.2020 13:52:34	1	1	1	1	87.5	64.5	0	27440.758	225.8064516	6196.015546	30000	0	0	30000	44.25	2004
23.01.2020 13:52:35	1	1	1	1	87.5	64.25	0	27440.758	249.4623656	6845.052048	30000	0	0	30000	44.5	2004
23.01.2020 13:52:36	1	1	1	1	87.5	64.5	0	27772.512	266.6666667	7427.228005	30000	0	0	30000	44.5625	2004
23.01.2020 13:52:37	1	1	1	1	87.5	64.5	0	28009.479	266.6666667	7519.365097	30000	0	0	30000	44.5625	2004
23.01.2020 13:52:38	1	1	1	1	87.5	64.5	0	28009.479	281.7204301	8004.511728	30000	0	0	30000	44.375	2004
23.01.2020 13:52:39	1	1	1	1	87.5	64.25	0	28578.199	290.3225806	8235.262142	30000	0	0	30000	44.1875	2004
23.01.2020 13:52:40	1	1	1	1	87.5	64	0	28483.412	301.0752688	8514.119534	30000	0	0	30000	44.25	2004
23.01.2020 13:52:41	1	1	1	1	87	64.25	0	28530.806	301.0752688	8636.425407	30000	0	0	30000	44.4375	2004
23.01.2020 13:52:42	1	1	1	1	87	64.25	0	28578.199	326.8817204	9341.72261	30000	0	0	30000	44.4375	2004
23.01.2020 13:52:43	1	1	1	1	87	64.25	0	28578.199	326.8817204	9402.875547	30000	0	0	30000	44.5	2004
23.01.2020 13:52:44	1	1	1	1	87	64.5	0	28578.199	339.7849462	9852.961161	30000	0	0	30000	44.4375	2004
23.01.2020 13:52:45	1	1	1	1	87	64.25	0	28815.166	339.7849462	9790.992852	30000	0	0	30000	44.4375	2004
23.01.2020 13:52:46	1	1	1	1	87	64.25	0	28815.166	348.3870968	9804.038812	30000	0	0	30000	43.9375	2004
23.01.2020 13:52:47	1	1	1	1	87	63.75	0	28625.592	346.2365591	9771.423912	30000	0	0	30000	44.375	2004
23.01.2020 13:52:48	1	1	1	1	87	64.25	0	28815.166	352.688172	10100.8344	30000	0	0	30000	44.3125	2004
23.01.2020 13:52:49	1	1	1	1	87	64.25	0	29052.133	363.4408602	10683.01036	30000	0	0	30000	44.5	2004
23.01.2020 13:52:50	1	1	1	1	87	64.5	0	29099.526	378.4946237	11014.05159	30000	0	0	30000	44.625	2004
23.01.2020 13:52:51	1	1	1	1	86.5	64.5	0	23649.289	311.827957	7374.228794	30000	0	0	30000	44.5	2004
23.01.2020 13:52:52	1	1	1	1	86.5	64.5	0	29052.133	350.5376344	10150.57212	30000	0	0	30000	44.3125	2004
23.01.2020 13:52:53	1	1	1	1	86.5	64.25	0	29526.066	397.8494624	11956.62218	30000	0	0	30000	44.4375	2004
23.01.2020 13:52:54	1	1	1	1	86.5	64.25	0	28436.019	354.8387097	10151.38749	30000	0	0	30000	44.5625	2004
23.01.2020 13:52:55	1	1	1	1	86.5	64.5	0	29620.853	412.9032258	12250.15628	30000	0	0	30000	44.625	2004
23.01.2020 13:52:56	1	1	1	1	86.5	64.5	0	29383.886	395.6989247	11608.45813	30000	0	0	30000	44.375	2004
23.01.2020 13:52:57	1	1	1	1	86.5	64.25	0	27630.332	419.3548387	11586.44307	30000	0	0	30000	44.25	2004
23.01.2020 13:52:58	1	1	1	1	86.5	64.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.8125	2004
23.01.2020 13:52:59	1	1	1	1	86.5	64.25	0	29952.607	423.655914	12838.03984	30000	0	0	30000	44.25	2004
23.01.2020 13:53:00	1	1	1	1	87.5	64.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:53:01	1	1	1	1	87.5	63.75	0	29857.82	464.516129	14083.92901	30000	0	0	30000	44.3125	2004
23.01.2020 13:53:02	1	1	1	1	87.5	64.25	0	29715.64	466.6666667	14314.67942	30000	0	0	30000	43.75	2004
23.01.2020 13:53:03	1	1	1	1	87.5	63.75	0	29857.82	481.7204301	14061.91395	30000	0	0	30000	43.5	2004
23.01.2020 13:53:05	1	1	1	1	87.5	63.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.3125	2004
23.01.2020 13:53:06	1	1	1	1	87.5	64.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	44	2004
23.01.2020 13:53:07	1	1	1	1	87.5	64	0	27867.299	481.7204301	13424.29266	30000	0	0	30000	44.375	2004
23.01.2020 13:53:08	1	1	1	1	87.5	64.25	0	29952.607	505.3763441	15225.45049	30000	0	0	30000	44.25	2004
23.01.2020 13:53:09	1	1	1	1	87.5	64.25	0	29905.213	490.3225806	14727.2579	30000	0	0	30000	43.75	2004
23.01.2020 13:53:10	1	1	1	1	87.5	63.75	0	28483.412	481.7204301	13721.08825	30000	0	0	30000	44.375	2004
23.01.2020 13:53:11	1	1	1	1	86.5	64.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.5625	2004
23.01.2020 13:53:12	1	1	1	1	86.5	63.5	0	29146.919	486.0215054	14102.68258	30000	0	0	30000	44.4375	2004
23.01.2020 13:53:13	1	1	1	1	86.5	64.25	0	29905.213	533.3333333	15834.53374	30000	0	0	30000	44.1875	2004
23.01.2020 13:53:14	1	1	1	1	86.5	64	0	30000	503.2258065	15532.84592	30000	0	0	30000	44.3125	2004
23.01.2020 13:53:15	1	1	1	1	86.5	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.5	2004
23.01.2020 13:53:16	1	1	1	1	86.5	64.5	0	29952.607	498.9247312	14879.73256	30000	0	0	30000	44.25	2004
23.01.2020 13:53:17	1	1	1	1	86.5	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.1875	2004
23.01.2020 13:53:18	1	1	1	1	86.5	64	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.4375	2004
23.01.2020 13:53:19	1	1	1	1	86.5	64.25	0	30000	516.1290323	15532.84592	30000	0	0	30000	44.4375	2004
23.01.2020 13:53:20	1	1	1	1	86.5	64.25	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	44.1875	2004
23.01.2020 13:53:21	1	1	1	1	86	64	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.75	2004
23.01.2020 13:53:22	1	1	1	1	86	63.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.25	2004
23.01.2020 13:53:23	1	1	1	1	86	64.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.125	2004
23.01.2020 13:53:24	1	1	1	1	86	64	0	30000	490.3225806	14622.07485	30000	0	0	30000	44.125	2004
23.01.2020 13:53:25	1	1	1	1	86	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
23.01.2020 13:53:26	1	1	1	1	86	63.75	0	30047.393	464.516129	13870.30142	30000	0	0	30000	44.0625	2004
23.01.2020 13:53:27	1	1	1	1	86	64	0	30000	468.8172043	13999.94564	30000	0	0	30000	43.6875	2004
23.01.2020 13:53:28	1	1	1	1	86	63.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43.875	2004
23.01.2020 13:53:29	1	1	1	1	86	63.75	0	29905.213	460.2150538	13741.47256	30000	0	0	30000	44.4375	2004
23.01.2020 13:53:36	1	1	1	1	86	63.75	0	30000	464.516129	13612.64371	30000	0	0	30000	44.125	2004
23.01.2020 13:53:36	1	1	1	1	86	63.75	0	30000	464.516129	13612.64371	30000	0	0	30000	44.125	2004
23.01.2020 13:53:36	1	1	1	1	86	63.75	0	30000	464.516129	13612.64371	30000	0	0	30000	44.125	2004
23.01.2020 13:53:36	1	1	1	1	86	63.75	0	30000	464.516129	13612.64371	30000	0	0	30000	44.125	2004
23.01.2020 13:53:36	1	1	1	1	86	63.75	0	30000	464.516129	13612.64371	30000	0	0	30000	44.125	2004
23.01.2020 13:53:36	1	1	1	1	86	63.75	0	30000	464.516129	13612.64371	30000	0	0	30000	44.125	2004
23.01.2020 13:53:36	1	1	1	1	86	63.75	0	30000	464.516129	13612.64371	30000	0	0	30000	44.125	2004
23.01.2020 13:53:36	1	1	1	1	86	64	0	24502.37	365.5913978	8957.682168	30000	0	0	30000	44.3125	2004
23.01.2020 13:53:37	1	1	1	1	86	64.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	44.625	2004
23.01.2020 13:53:38	1	1	1	1	86	64	0	29905.213	438.7096774	13098.95904	30000	0	0	30000	44.0625	2004
23.01.2020 13:53:39	1	1	1	1	86	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
23.01.2020 13:53:40	1	1	1	1	85.5	64.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.25	2004
23.01.2020 13:53:41	1	1	1	1	85.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 13:53:42	1	1	1	1	85.5	64	0	29526.066	466.6666667	13823.00981	30000	0	0	30000	44.375	2004
23.01.2020 13:53:44	1	1	1	1	85.5	64.25	0	30000	438.7096774	13140.54304	30000	0	0	30000	44.3125	2004
23.01.2020 13:53:45	1	1	1	1	85.5	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:53:46	1	1	1	1	85.5	64.25	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	43.8125	2004
23.01.2020 13:53:47	1	1	1	1	85.5	63.75	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	44.375	2004
23.01.2020 13:53:48	1	1	1	1	85.5	64.25	0	30000	501.0752688	15161.03607	30000	0	0	30000	44.1875	2004
23.01.2020 13:53:49	1	1	1	1	85.5	64	0	30000	511.827957	15161.03607	30000	0	0	30000	43.9375	2004
23.01.2020 13:53:50	1	1	1	1	85.5	63.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.8125	2004
23.01.2020 13:53:51	1	1	1	1	85.5	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43.75	2004
23.01.2020 13:53:52	1	1	1	1	85.5	63.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.5625	2004
23.01.2020 13:53:53	1	1	1	1	85.5	64.5	0	29952.607	503.2258065	15137.39026	30000	0	0	30000	44.3125	2004
23.01.2020 13:53:54	1	1	1	1	85.5	64.25	0	29857.82	537.6344086	15898.94817	30000	0	0	30000	44.1875	2004
23.01.2020 13:53:55	1	1	1	1	85.5	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.25	2004
23.01.2020 13:53:56	1	1	1	1	85.5	64.25	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	44.25	2004
23.01.2020 13:53:57	1	1	1	1	85.5	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
23.01.2020 13:53:58	1	1	1	1	85.5	64.25	0	29668.246	481.7204301	14269.01856	30000	0	0	30000	44.4375	2004
23.01.2020 13:53:59	1	1	1	1	85.5	64.25	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
23.01.2020 13:54:00	1	1	1	1	85.5	64.25	0	30000	488.172043	14622.07485	30000	0	0	30000	44.375	2004
23.01.2020 13:54:01	1	1	1	1	85.25	64.25	0	29857.82	464.516129	13847.47099	30000	0	0	30000	44	2004
23.01.2020 13:54:02	1	1	1	1	85.25	64	0	29573.46	464.516129	13759.41076	30000	0	0	30000	44.375	2004
23.01.2020 13:54:03	1	1	1	1	85.25	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.375	2004
23.01.2020 13:54:04	1	1	1	1	85.25	64.25	0	29905.213	466.6666667	13955.10015	30000	0	0	30000	44.3125	2004
23.01.2020 13:54:05	1	1	1	1	85.25	64.25	0	28293.839	453.7634409	12981.5454	30000	0	0	30000	44.0625	2004
23.01.2020 13:54:06	1	1	1	1	85.25	64	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.3125	2004
23.01.2020 13:54:07	1	1	1	1	85.25	64.25	0	29905.213	494.6236559	14598.42905	30000	0	0	30000	43.9375	2004
23.01.2020 13:54:08	1	1	1	1	85.25	63.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.4375	2004
23.01.2020 13:54:09	1	1	1	1	85.25	64.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	44.375	2004
23.01.2020 13:54:10	1	1	1	1	85.25	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.1875	2004
23.01.2020 13:54:11	1	1	1	1	85.5	64	0	29905.213	492.4731183	14902.56299	30000	0	0	30000	43.375	2004
23.01.2020 13:54:12	1	1	1	1	85.5	63.25	0	30000	522.5806452	15548.338	30000	0	0	30000	44.3125	2004
23.01.2020 13:54:13	1	1	1	1	85.5	64.25	0	29715.64	490.3225806	14506.29196	30000	0	0	30000	44.4375	2004
23.01.2020 13:54:14	1	1	1	1	85.5	64.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.125	2004
23.01.2020 13:54:15	1	1	1	1	85.5	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.75	2004
23.01.2020 13:54:16	1	1	1	1	85.5	64.75	0	28625.592	490.3225806	14035.82203	30000	0	0	30000	44.625	2004
23.01.2020 13:54:17	1	1	1	1	85.5	64	0	29715.64	535.483871	16167.20572	30000	0	0	30000	44.25	2004
23.01.2020 13:54:18	1	1	1	1	85.5	64.25	0	29431.28	535.483871	15911.99413	30000	0	0	30000	44.4375	2004
23.01.2020 13:54:19	1	1	1	1	85.5	64.25	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	43.875	2004
23.01.2020 13:54:20	1	1	1	1	85	63.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	44.375	2004
23.01.2020 13:54:21	1	1	1	1	85	64.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	43.9375	2004
23.01.2020 13:54:23	1	1	1	1	85	63.75	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	44.375	2004
23.01.2020 13:54:24	1	1	1	1	85	64.25	0	29241.706	464.516129	13539.26019	30000	0	0	30000	44	2004
23.01.2020 13:54:25	1	1	1	1	85	64	0	27962.085	481.7204301	13492.78395	30000	0	0	30000	44.1875	2004
23.01.2020 13:54:26	1	1	1	1	85	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.9375	2004
23.01.2020 13:54:27	1	1	1	1	85	63.75	0	28909.953	464.516129	13469.13815	30000	0	0	30000	43.9375	2004
23.01.2020 13:54:28	1	1	1	1	85	63.75	0	30000	486.0215054	14493.246	30000	0	0	30000	44.0625	2004
23.01.2020 13:54:29	1	1	1	1	85	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:54:30	1	1	1	1	85	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44	2004
23.01.2020 13:54:31	1	1	1	1	85.25	64	0	30000	501.0752688	15008.56141	30000	0	0	30000	44.125	2004
23.01.2020 13:54:38	1	1	1	1	85.25	64.5	0	29383.886	501.0752688	14746.82684	30000	0	0	30000	44	2004
23.01.2020 13:54:38	1	1	1	1	85.25	64.5	0	29383.886	501.0752688	14746.82684	30000	0	0	30000	44	2004
23.01.2020 13:54:38	1	1	1	1	85.25	64.5	0	29383.886	501.0752688	14746.82684	30000	0	0	30000	44	2004
23.01.2020 13:54:38	1	1	1	1	85.25	64.5	0	29383.886	501.0752688	14746.82684	30000	0	0	30000	44	2004
23.01.2020 13:54:38	1	1	1	1	85.25	64.5	0	29383.886	501.0752688	14746.82684	30000	0	0	30000	44	2004
23.01.2020 13:54:38	1	1	1	1	85.25	64.5	0	29383.886	501.0752688	14746.82684	30000	0	0	30000	44	2004
23.01.2020 13:54:38	1	1	1	1	85.25	64.5	0	29383.886	501.0752688	14746.82684	30000	0	0	30000	44	2004
23.01.2020 13:54:38	1	1	1	1	85.25	64	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.3125	2004
23.01.2020 13:54:39	1	1	1	1	85.25	64.25	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.3125	2004
23.01.2020 13:54:40	1	1	1	1	85.25	64.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	44.0625	2004
23.01.2020 13:54:41	1	1	1	1	86	64	0	26966.825	501.0752688	13512.35289	30000	0	0	30000	43.875	2004
23.01.2020 13:54:42	1	1	1	1	86	63.75	0	28957.346	488.172043	14198.08116	30000	0	0	30000	44.375	2004
23.01.2020 13:54:43	1	1	1	1	86	64.25	0	29573.46	535.483871	15861.44103	30000	0	0	30000	44.3125	2004
23.01.2020 13:54:44	1	1	1	1	86	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44	2004
23.01.2020 13:54:45	1	1	1	1	86	64	0	30000	520.4301075	15612.75243	30000	0	0	30000	44	2004
23.01.2020 13:54:46	1	1	1	1	86	64	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44	2004
23.01.2020 13:54:47	1	1	1	1	86	64	0	28009.479	468.8172043	13492.78395	30000	0	0	30000	44.3125	2004
23.01.2020 13:54:48	1	1	1	1	86	64.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	44.4375	2004
23.01.2020 13:54:49	1	1	1	1	86	64.25	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.3125	2004
23.01.2020 13:54:50	1	1	1	1	86	64.25	0	29857.82	533.3333333	15962.54722	30000	0	0	30000	44.25	2004
23.01.2020 13:54:51	1	1	1	1	85.75	64.25	0	27440.758	483.8709677	13277.52562	30000	0	0	30000	44.375	2004
23.01.2020 13:54:52	1	1	1	1	85.75	64.25	0	0	0	0	30000	0	8	30000	44.25	2004
23.01.2020 13:54:53	1	1	1	1	85.75	64.25	0	10426.54	0	0	30000	0	0	30000	45	2004
23.01.2020 13:54:54	1	1	1	1	85.75	65	0	11232.227	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:54:55	1	1	1	1	85.75	64.5	0	11990.521	0	0	30000	0	0	30000	44.5	2004
23.01.2020 13:54:56	1	1	1	1	85.75	64.75	0	12796.209	2.150537634	26.90729215	30000	0	0	30000	44.4375	2004
23.01.2020 13:54:57	1	1	1	1	85.75	64.25	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	44.4375	2004
23.01.2020 13:54:58	1	1	1	1	85.75	64.25	0	14265.403	12.90322581	340.8257005	30000	0	0	30000	44.5	2004
23.01.2020 13:54:59	1	1	1	1	85.75	64.5	0	15165.877	19.35483871	289.4572337	30000	0	0	30000	44.625	2004
23.01.2020 13:55:00	1	1	1	1	86.25	64.5	0	15829.384	25.80645161	441.9318892	30000	0	0	30000	44.4375	2004
23.01.2020 13:55:02	1	1	1	1	86.25	64.25	0	16492.891	32.25806452	531.622863	30000	0	0	30000	44.625	2004
23.01.2020 13:55:03	1	1	1	1	86.25	64.5	0	17393.365	43.01075269	785.2037072	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:04	1	1	1	1	86.25	64.5	0	18151.659	58.06451613	1053.461256	30000	0	0	30000	44.3125	2004
23.01.2020 13:55:05	1	1	1	1	86.25	64.25	0	18909.953	75.2688172	1422.824994	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:06	1	1	1	1	86.25	64.5	0	19668.246	81.72043011	1656.836898	30000	0	0	30000	44.625	2004
23.01.2020 13:55:07	1	1	1	1	86.25	64.5	0	20473.934	103.2258065	2025.385264	30000	0	0	30000	44.4375	2004
23.01.2020 13:55:08	1	1	1	1	86.25	64.25	0	21232.227	109.6774194	2374.364689	30000	0	0	30000	44.4375	2004
23.01.2020 13:55:09	1	1	1	1	86.25	64.25	0	19810.427	109.6774194	2172.152312	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:10	1	1	1	1	86.25	64.5	0	22132.701	129.0322581	2808.142853	30000	0	0	30000	44.625	2004
23.01.2020 13:55:11	1	1	1	1	85.75	64.5	0	22274.882	144.0860215	3209.306118	30000	0	0	30000	44.625	2004
23.01.2020 13:55:12	1	1	1	1	85.75	64.5	0	23886.256	150.5376344	3653.684125	30000	0	0	30000	44.625	2004
23.01.2020 13:55:13	1	1	1	1	85.75	64.5	0	22890.995	161.2903226	3692.006632	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:55:14	1	1	1	1	85.75	64.5	0	22511.848	159.1397849	3630.853695	30000	0	0	30000	43.875	2004
23.01.2020 13:55:15	1	1	1	1	85.75	63.75	0	23080.569	169.8924731	3921.126301	30000	0	0	30000	44.375	2004
23.01.2020 13:55:16	1	1	1	1	85.75	64.25	0	23933.649	189.2473118	4529.394178	30000	0	0	30000	43.8125	2004
23.01.2020 13:55:17	1	1	1	1	85.75	63.75	0	24597.156	206.4516129	5087.924333	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:18	1	1	1	1	85.75	64.5	0	25355.45	208.6021505	5288.505966	30000	0	0	30000	44.5	2004
23.01.2020 13:55:19	1	1	1	1	85.75	64.5	0	24786.73	236.5591398	5863.343571	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:20	1	1	1	1	85.75	64.5	0	24976.303	234.4086022	5876.389531	30000	0	0	30000	44.375	2004
23.01.2020 13:55:21	1	1	1	1	85.5	64.25	0	25402.844	251.6129032	6391.704944	30000	0	0	30000	44.3125	2004
23.01.2020 13:55:22	1	1	1	1	85.5	64.25	0	24928.91	247.311828	6152.800805	30000	0	0	30000	43.3125	2004
23.01.2020 13:55:23	1	1	1	1	85.5	63.25	0	24928.91	247.311828	6111.216808	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:24	1	1	1	1	85.5	64.5	0	24786.73	264.516129	6609.409399	30000	0	0	30000	44.4375	2004
23.01.2020 13:55:25	1	1	1	1	85.5	64.25	0	25450.237	251.6129032	6403.120159	30000	0	0	30000	44.625	2004
23.01.2020 13:55:26	1	1	1	1	85.5	64.5	0	25592.417	258.0645161	6604.517164	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:27	1	1	1	1	85.5	64.5	0	26113.744	264.516129	6988.557606	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:28	1	1	1	1	85.5	64.5	0	25924.171	260.2150538	6745.576604	30000	0	0	30000	44.625	2004
23.01.2020 13:55:29	1	1	1	1	85.5	64.5	0	25734.597	275.2688172	7083.956187	30000	0	0	30000	44.25	2004
23.01.2020 13:55:30	1	1	1	1	85.5	64.25	0	26350.711	279.5698925	7423.151143	30000	0	0	30000	44.4375	2004
23.01.2020 13:55:31	1	1	1	1	84	64.25	0	27725.118	292.4731183	8021.63455	30000	0	0	30000	44.4375	2004
23.01.2020 13:55:32	1	1	1	1	84	64.25	0	22890.995	251.6129032	5808.713614	30000	0	0	30000	44.5	2004
23.01.2020 13:55:39	1	1	1	1	84	64.5	0	10758.294	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:55:39	1	1	1	1	84	64.5	0	10758.294	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:55:39	1	1	1	1	84	64.5	0	10758.294	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:55:39	1	1	1	1	84	64.5	0	10758.294	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:55:39	1	1	1	1	84	64.5	0	10758.294	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:55:39	1	1	1	1	84	64.5	0	10758.294	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:55:39	1	1	1	1	84	64.5	0	11563.981	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:55:41	1	1	1	1	85.5	64.5	0	11516.588	0	0	30000	0	0	30000	44.625	2004
23.01.2020 13:55:42	1	1	1	1	85.5	64.5	0	13080.569	2.150537634	56.26070176	30000	0	0	30000	44.5	2004
23.01.2020 13:55:43	1	1	1	1	85.5	64.5	0	13886.256	8.602150538	119.0443834	30000	0	0	30000	44.625	2004
23.01.2020 13:55:44	1	1	1	1	85.5	64.5	0	14644.55	12.90322581	155.7361455	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:45	1	1	1	1	85.5	64.5	0	15450.237	19.35483871	298.4263311	30000	0	0	30000	44.625	2004
23.01.2020 13:55:46	1	1	1	1	85.5	64.5	0	14834.123	21.50537634	287.0111162	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:47	1	1	1	1	85.5	64.5	0	16966.825	34.40860215	583.8067024	30000	0	0	30000	44.625	2004
23.01.2020 13:55:48	1	1	1	1	85.5	64.5	0	17772.512	47.31182796	840.6490365	30000	0	0	30000	44.5	2004
23.01.2020 13:55:49	1	1	1	1	85.5	64.5	0	18530.806	62.3655914	1115.429565	30000	0	0	30000	44.625	2004
23.01.2020 13:55:50	1	1	1	1	85.5	64.5	0	19194.313	64.51612903	1196.966814	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:51	1	1	1	1	85.75	64.5	0	18625.592	70.96774194	1324.980295	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:52	1	1	1	1	85.75	64.5	0	20521.327	92.47311828	1897.371783	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:53	1	1	1	1	85.75	64.5	0	20710.9	94.62365591	1959.340092	30000	0	0	30000	44.625	2004
23.01.2020 13:55:54	1	1	1	1	85.75	64.5	0	20710.9	96.77419355	2004.185579	30000	0	0	30000	44.4375	2004
23.01.2020 13:55:55	1	1	1	1	85.75	64.25	0	20616.114	92.47311828	2004.185579	30000	0	0	30000	44.5	2004
23.01.2020 13:55:56	1	1	1	1	85.75	64.5	0	20710.9	103.2258065	2048.215693	30000	0	0	30000	44.5625	2004
23.01.2020 13:55:57	1	1	1	1	85.75	64.5	0	20710.9	98.92473118	2137.906667	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:55:58	1	1	1	1	85.75	64.5	0	20758.294	103.2258065	2142.798902	30000	0	0	30000	44.4375	2004
23.01.2020 13:55:59	1	1	1	1	85.75	64.25	0	20853.081	103.2258065	2152.583372	30000	0	0	30000	44.375	2004
23.01.2020 13:56:00	1	1	1	1	85.75	64.25	0	20900.474	109.6774194	2197.428859	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:01	1	1	1	1	85.5	64.25	0	20853.081	105.3763441	2197.428859	30000	0	0	30000	44.5	2004
23.01.2020 13:56:02	1	1	1	1	85.5	64.5	0	20853.081	107.5268817	2191.721251	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:03	1	1	1	1	85.5	64.25	0	20853.081	105.3763441	2242.274346	30000	0	0	30000	44.375	2004
23.01.2020 13:56:04	1	1	1	1	85.5	64.25	0	20853.081	107.5268817	2197.428859	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:05	1	1	1	1	85.5	64.25	0	20853.081	109.6774194	2287.119833	30000	0	0	30000	44.5625	2004
23.01.2020 13:56:06	1	1	1	1	85.5	64.5	0	20853.081	107.5268817	2287.119833	30000	0	0	30000	44.625	2004
23.01.2020 13:56:07	1	1	1	1	85.5	64.5	0	20853.081	109.6774194	2287.119833	30000	0	0	30000	44.5625	2004
23.01.2020 13:56:08	1	1	1	1	85.5	64.5	0	20853.081	105.3763441	2147.691137	30000	0	0	30000	44.5625	2004
23.01.2020 13:56:09	1	1	1	1	85.5	64.5	0	20853.081	107.5268817	2197.428859	30000	0	0	30000	44.5	2004
23.01.2020 13:56:10	1	1	1	1	85.5	64.5	0	20853.081	103.2258065	2197.428859	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:11	1	1	1	1	85.75	64.25	0	20853.081	103.2258065	2152.583372	30000	0	0	30000	44.625	2004
23.01.2020 13:56:12	1	1	1	1	85.75	64.5	0	21232.227	105.3763441	2237.382111	30000	0	0	30000	44.5	2004
23.01.2020 13:56:13	1	1	1	1	85.75	64.5	0	21943.128	120.4301075	2642.622238	30000	0	0	30000	44.9375	2004
23.01.2020 13:56:14	1	1	1	1	85.75	64.75	0	22559.242	126.8817204	2861.957438	30000	0	0	30000	44.5	2004
23.01.2020 13:56:15	1	1	1	1	85.75	64.5	0	20900.474	122.5806452	2556.192754	30000	0	0	30000	44.6875	2004
23.01.2020 13:56:16	1	1	1	1	85.75	64.25	0	24218.009	163.4408602	3957.818063	30000	0	0	30000	44.5	2004
23.01.2020 13:56:17	1	1	1	1	85.75	64.5	0	24597.156	167.7419355	4125.784796	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:18	1	1	1	1	85.75	64.25	0	22559.242	163.4408602	3718.098551	30000	0	0	30000	44.5	2004
23.01.2020 13:56:20	1	1	1	1	85.75	64.5	0	24502.37	189.2473118	4619.085152	30000	0	0	30000	44.375	2004
23.01.2020 13:56:21	1	1	1	1	85.5	64.25	0	24881.517	206.4516129	5136.846683	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:22	1	1	1	1	85.5	64.25	0	24881.517	217.2043011	5350.474275	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:23	1	1	1	1	85.5	64.25	0	26066.351	227.9569892	5874.758786	30000	0	0	30000	44.5	2004
23.01.2020 13:56:24	1	1	1	1	85.5	64.5	0	25734.597	247.311828	6387.628081	30000	0	0	30000	44.125	2004
23.01.2020 13:56:25	1	1	1	1	85.5	64	0	25545.024	234.4086022	5987.280189	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:26	1	1	1	1	85.5	64.25	0	24218.009	236.5591398	5676.623271	30000	0	0	30000	44.5	2004
23.01.2020 13:56:27	1	1	1	1	85.5	64.5	0	26018.957	266.6666667	6938.004512	30000	0	0	30000	44.5	2004
23.01.2020 13:56:28	1	1	1	1	85.5	64.5	0	25355.45	258.0645161	6543.364227	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:29	1	1	1	1	85.5	64.25	0	25165.877	258.0645161	6494.441878	30000	0	0	30000	44.5	2004
23.01.2020 13:56:30	1	1	1	1	85.5	64.5	0	26113.744	288.172043	7468.812002	30000	0	0	30000	44.375	2004
23.01.2020 13:56:31	1	1	1	1	85.75	64.25	0	25924.171	281.7204301	7303.291387	30000	0	0	30000	44.5	2004
23.01.2020 13:56:32	1	1	1	1	85.75	64.5	0	26398.104	275.2688172	7266.599625	30000	0	0	30000	44.1875	2004
23.01.2020 13:56:33	1	1	1	1	85.75	64	0	26635.071	294.6236559	7790.068763	30000	0	0	30000	44.625	2004
23.01.2020 13:56:34	1	1	1	1	85.75	64.5	0	26966.825	309.6774194	8351.045036	30000	0	0	30000	44.375	2004
23.01.2020 13:56:41	1	1	1	1	85.75	64.5	0	28815.166	354.8387097	10224.77102	30000	0	0	30000	43.875	2004
23.01.2020 13:56:41	1	1	1	1	85.75	64.5	0	28815.166	354.8387097	10224.77102	30000	0	0	30000	43.875	2004
23.01.2020 13:56:41	1	1	1	1	85.75	64.5	0	28815.166	354.8387097	10224.77102	30000	0	0	30000	43.875	2004
23.01.2020 13:56:41	1	1	1	1	85.75	64.5	0	28815.166	354.8387097	10224.77102	30000	0	0	30000	43.875	2004
23.01.2020 13:56:41	1	1	1	1	85.75	64.5	0	28815.166	354.8387097	10224.77102	30000	0	0	30000	43.875	2004
23.01.2020 13:56:41	1	1	1	1	85.75	64.5	0	28815.166	354.8387097	10224.77102	30000	0	0	30000	43.875	2004
23.01.2020 13:56:41	1	1	1	1	85.25	63.75	0	27345.972	359.1397849	9972.820917	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:56:42	1	1	1	1	85.25	64.25	0	29620.853	395.6989247	11739.7331	30000	0	0	30000	44.625	2004
23.01.2020 13:56:43	1	1	1	1	85.25	64.5	0	29526.066	400	11746.25608	30000	0	0	30000	44.375	2004
23.01.2020 13:56:44	1	1	1	1	85.25	64.25	0	28341.232	400	11336.12372	30000	0	0	30000	44.375	2004
23.01.2020 13:56:45	1	1	1	1	85.25	64.25	0	23649.289	359.1397849	8492.919849	30000	0	0	30000	44.3125	2004
23.01.2020 13:56:46	1	1	1	1	85.25	64.25	0	29431.28	404.3010753	11898.73074	30000	0	0	30000	43.8125	2004
23.01.2020 13:56:47	1	1	1	1	85.25	63.75	0	26540.284	356.9892473	9531.7044	30000	0	0	30000	44.1875	2004
23.01.2020 13:56:48	1	1	1	1	85.25	64	0	29241.706	436.5591398	12849.45506	30000	0	0	30000	44.375	2004
23.01.2020 13:56:49	1	1	1	1	85.25	64.25	0	28815.166	427.9569892	12455.63015	30000	0	0	30000	44.3125	2004
23.01.2020 13:56:50	1	1	1	1	85.25	64.25	0	29052.133	443.0107527	12828.25537	30000	0	0	30000	44.3125	2004
23.01.2020 13:56:51	1	1	1	1	84.5	64.25	0	29620.853	421.5053763	12548.58261	30000	0	0	30000	44.125	2004
23.01.2020 13:56:52	1	1	1	1	84.5	64	0	26303.318	412.9032258	10860.76156	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:53	1	1	1	1	84.5	64.25	0	27298.578	404.3010753	11055.63558	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:54	1	1	1	1	84.5	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:55	1	1	1	1	84.5	64.25	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.5	2004
23.01.2020 13:56:56	1	1	1	1	84.5	64.5	0	29383.886	488.172043	14366.86326	30000	0	0	30000	44.4375	2004
23.01.2020 13:56:58	1	1	1	1	84.5	64.25	0	29715.64	494.6236559	14633.49007	30000	0	0	30000	44.5	2004
23.01.2020 13:56:59	1	1	1	1	84.5	64.5	0	28009.479	486.0215054	13492.78395	30000	0	0	30000	44.375	2004
23.01.2020 13:57:00	1	1	1	1	84.5	64.25	0	29526.066	505.3763441	14984.91561	30000	0	0	30000	44.3125	2004
23.01.2020 13:57:01	1	1	1	1	85.25	64.25	0	29431.28	520.4301075	15228.71198	30000	0	0	30000	44.375	2004
23.01.2020 13:57:02	1	1	1	1	85.25	64.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.4375	2004
23.01.2020 13:57:03	1	1	1	1	85.25	64.25	0	29715.64	503.2258065	15081.12956	30000	0	0	30000	44.375	2004
23.01.2020 13:57:04	1	1	1	1	85.25	64.25	0	29573.46	539.7849462	15937.27068	30000	0	0	30000	44.375	2004
23.01.2020 13:57:05	1	1	1	1	85.25	64.25	0	29952.607	520.4301075	15612.75243	30000	0	0	30000	43	2004
23.01.2020 13:57:06	1	1	1	1	85.25	63	0	29952.607	526.8817204	15756.25798	30000	0	0	30000	44.4375	2004
23.01.2020 13:57:07	1	1	1	1	85.25	64.25	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	44.125	2004
23.01.2020 13:57:08	1	1	1	1	85.25	64	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.375	2004
23.01.2020 13:57:09	1	1	1	1	85.25	64.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.25	2004
23.01.2020 13:57:10	1	1	1	1	85.25	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.625	2004
23.01.2020 13:57:11	1	1	1	1	84	63.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.375	2004
23.01.2020 13:57:12	1	1	1	1	84	64.25	0	27819.905	483.8709677	13460.98443	30000	0	0	30000	44.4375	2004
23.01.2020 13:57:13	1	1	1	1	84	64.25	0	26587.678	481.7204301	12807.87106	30000	0	0	30000	44.4375	2004
23.01.2020 13:57:14	1	1	1	1	84	64.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.0625	2004
23.01.2020 13:57:15	1	1	1	1	84	64	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.375	2004
23.01.2020 13:57:16	1	1	1	1	84	64.25	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
23.01.2020 13:57:17	1	1	1	1	84	64.5	0	27867.299	460.2150538	12764.65632	30000	0	0	30000	43.8125	2004
23.01.2020 13:57:18	1	1	1	1	84	63.75	0	29952.607	503.2258065	15289.86492	30000	0	0	30000	44.3125	2004
23.01.2020 13:57:19	1	1	1	1	84	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.125	2004
23.01.2020 13:57:20	1	1	1	1	84	64	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.4375	2004
23.01.2020 13:57:21	1	1	1	1	83	64.25	0	29715.64	468.8172043	13995.05341	30000	0	0	30000	44.125	2004
23.01.2020 13:57:22	1	1	1	1	83	64	0	29905.213	498.9247312	14879.73256	30000	0	0	30000	44.125	2004
23.01.2020 13:57:23	1	1	1	1	83	64	0	29526.066	458.0645161	13524.58348	30000	0	0	30000	44.4375	2004
23.01.2020 13:57:24	1	1	1	1	83	64.25	0	30000	516.1290323	15266.21912	30000	0	0	30000	44.125	2004
23.01.2020 13:57:25	1	1	1	1	83	64	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:57:26	1	1	1	1	83	64.5	0	29857.82	546.2365591	16090.5607	30000	0	0	30000	44.125	2004
23.01.2020 13:57:27	1	1	1	1	83	64	0	30000	524.7311828	15717.1201	30000	0	0	30000	44.125	2004
23.01.2020 13:57:28	1	1	1	1	83	64	0	30000	522.5806452	15741.58128	30000	0	0	30000	44.125	2004
23.01.2020 13:57:29	1	1	1	1	83	64	0	29668.246	481.7204301	14506.29196	30000	0	0	30000	44.3125	2004
23.01.2020 13:57:30	1	1	1	1	83	64.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	44	2004
23.01.2020 13:57:31	1	1	1	1	83.75	64	0	30000	522.5806452	15652.70568	30000	0	0	30000	44.625	2004
23.01.2020 13:57:32	1	1	1	1	83.75	64.5	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.5625	2004
23.01.2020 13:57:33	1	1	1	1	83.75	64.5	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	43.8125	2004
23.01.2020 13:57:34	1	1	1	1	83.75	63.75	0	29905.213	541.9354839	16116.65262	30000	0	0	30000	44.25	2004
23.01.2020 13:57:36	1	1	1	1	83.75	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.375	2004
23.01.2020 13:57:42	1	1	1	1	84.5	64.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.3125	2004
23.01.2020 13:57:42	1	1	1	1	84.5	64.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.3125	2004
23.01.2020 13:57:42	1	1	1	1	84.5	64.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.3125	2004
23.01.2020 13:57:42	1	1	1	1	84.5	64.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.3125	2004
23.01.2020 13:57:42	1	1	1	1	84.5	64.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.3125	2004
23.01.2020 13:57:43	1	1	1	1	84.5	64.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.3125	2004
23.01.2020 13:57:43	1	1	1	1	84.5	64.25	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	44.125	2004
23.01.2020 13:57:44	1	1	1	1	84.5	64	0	28009.479	481.7204301	13469.95352	30000	0	0	30000	43.75	2004
23.01.2020 13:57:45	1	1	1	1	84.5	63.75	0	29952.607	526.8817204	15756.25798	30000	0	0	30000	43.6875	2004
23.01.2020 13:57:46	1	1	1	1	84.5	63.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.4375	2004
23.01.2020 13:57:47	1	1	1	1	84.5	64.25	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	44.25	2004
23.01.2020 13:57:48	1	1	1	1	84.5	64.25	0	29810.427	501.0752688	14936.80863	30000	0	0	30000	44.4375	2004
23.01.2020 13:57:49	1	1	1	1	84.5	64.25	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	44.0625	2004
23.01.2020 13:57:50	1	1	1	1	84.5	64	0	28862.559	486.0215054	14027.66831	30000	0	0	30000	44.5	2004
23.01.2020 13:57:51	1	1	1	1	85	64.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.375	2004
23.01.2020 13:57:52	1	1	1	1	85	64.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.4375	2004
23.01.2020 13:57:53	1	1	1	1	85	64.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	43.8125	2004
23.01.2020 13:57:54	1	1	1	1	85	63.75	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	44.25	2004
23.01.2020 13:57:55	1	1	1	1	85	64.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.125	2004
23.01.2020 13:57:56	1	1	1	1	85	64	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	44.5	2004
23.01.2020 13:57:57	1	1	1	1	85	64.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.5	2004
23.01.2020 13:57:58	1	1	1	1	85	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44	2004
23.01.2020 13:57:59	1	1	1	1	85	64	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	44.25	2004
23.01.2020 13:58:00	1	1	1	1	85	64.25	0	26398.104	483.8709677	12772.81005	30000	0	0	30000	44.3125	2004
23.01.2020 13:58:01	1	1	1	1	84.75	64.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44	2004
23.01.2020 13:58:02	1	1	1	1	84.75	64	0	29763.033	541.9354839	16219.38956	30000	0	0	30000	44.25	2004
23.01.2020 13:58:03	1	1	1	1	84.75	64.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.875	2004
23.01.2020 13:58:04	1	1	1	1	84.75	63.75	0	29668.246	509.6774194	15144.72862	30000	0	0	30000	44.4375	2004
23.01.2020 13:58:05	1	1	1	1	84.75	64.25	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	44.1875	2004
23.01.2020 13:58:06	1	1	1	1	84.75	64	0	30000	518.2795699	15548.338	30000	0	0	30000	44.25	2004
23.01.2020 13:58:07	1	1	1	1	84.75	64.25	0	29668.246	492.4731183	14587.01383	30000	0	0	30000	44.375	2004
23.01.2020 13:58:08	1	1	1	1	84.75	64.25	0	29383.886	481.7204301	14132.03599	30000	0	0	30000	43.875	2004
23.01.2020 13:58:09	1	1	1	1	84.75	63.75	0	29905.213	535.483871	15987.82377	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:58:10	1	1	1	1	84.5	64.25	0	27440.758	481.7204301	13218.8188	30000	0	0	30000	44.125	2004
23.01.2020 13:58:11	1	1	1	1	84.5	64	0	28815.166	520.4301075	14996.33082	30000	0	0	30000	44.125	2004
23.01.2020 13:58:13	1	1	1	1	84.5	64	0	29857.82	507.5268817	15153.69771	30000	0	0	30000	43.875	2004
23.01.2020 13:58:14	1	1	1	1	84.5	63.75	0	29905.213	529.0322581	15974.77781	30000	0	0	30000	43.9375	2004
23.01.2020 13:58:15	1	1	1	1	84.5	63.75	0	29905.213	496.7741935	14832.44095	30000	0	0	30000	44.5	2004
23.01.2020 13:58:16	1	1	1	1	84.5	64.5	0	26113.744	481.7204301	12579.56677	30000	0	0	30000	44	2004
23.01.2020 13:58:17	1	1	1	1	84.5	64	0	30047.393	535.483871	15870.41013	30000	0	0	30000	44.0625	2004
23.01.2020 13:58:18	1	1	1	1	84.5	64	0	29952.607	507.5268817	15048.51466	30000	0	0	30000	44.3125	2004
23.01.2020 13:58:19	1	1	1	1	84.5	64.25	0	29952.607	505.3763441	15112.92909	30000	0	0	30000	44.4375	2004
23.01.2020 13:58:20	1	1	1	1	84.5	64.25	0	29810.427	496.7741935	14808.79515	30000	0	0	30000	44.4375	2004
23.01.2020 13:58:21	1	1	1	1	84	64.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	43.9375	2004
23.01.2020 13:58:22	1	1	1	1	84	63.75	0	30000	524.7311828	15523.87682	30000	0	0	30000	44.25	2004
23.01.2020 13:58:23	1	1	1	1	84	64.25	0	26208.531	481.7204301	12625.22762	30000	0	0	30000	44.0625	2004
23.01.2020 13:58:24	1	1	1	1	84	64	0	29857.82	535.483871	16013.10032	30000	0	0	30000	44.0625	2004
23.01.2020 13:58:25	1	1	1	1	84	64	0	29810.427	518.2795699	15449.67793	30000	0	0	30000	43.75	2004
23.01.2020 13:58:26	1	1	1	1	84	63.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.9375	2004
23.01.2020 13:58:27	1	1	1	1	84	63.75	0	28862.559	453.7634409	13096.51292	30000	0	0	30000	44.375	2004
23.01.2020 13:58:28	1	1	1	1	84	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.125	2004
23.01.2020 13:58:29	1	1	1	1	84	64	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	44.0625	2004
23.01.2020 13:58:30	1	1	1	1	84	64	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	44.4375	2004
23.01.2020 13:58:31	1	1	1	1	84.25	64.25	0	29715.64	535.483871	15962.54722	30000	0	0	30000	43.875	2004
23.01.2020 13:58:32	1	1	1	1	84.25	63.75	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	44.1875	2004
23.01.2020 13:58:33	1	1	1	1	84.25	64	0	26919.431	503.2258065	13628.13579	30000	0	0	30000	44	2004
23.01.2020 13:58:34	1	1	1	1	84.25	64	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.3125	2004
23.01.2020 13:58:35	1	1	1	1	84.25	64.25	0	29620.853	539.7849462	16115.83725	30000	0	0	30000	44	2004
23.01.2020 13:58:36	1	1	1	1	84.25	64	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	44.375	2004
23.01.2020 13:58:37	1	1	1	1	84.25	64.25	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	44.25	2004
23.01.2020 13:58:44	1	1	1	1	84.5	63.75	0	29905.213	526.8817204	15730.98144	30000	0	0	30000	44.25	2004
23.01.2020 13:58:44	1	1	1	1	84.5	63.75	0	29905.213	526.8817204	15730.98144	30000	0	0	30000	44.25	2004
23.01.2020 13:58:44	1	1	1	1	84.5	63.75	0	29905.213	526.8817204	15730.98144	30000	0	0	30000	44.25	2004
23.01.2020 13:58:44	1	1	1	1	84.5	63.75	0	29905.213	526.8817204	15730.98144	30000	0	0	30000	44.25	2004
23.01.2020 13:58:44	1	1	1	1	84.5	63.75	0	29905.213	526.8817204	15730.98144	30000	0	0	30000	44.25	2004
23.01.2020 13:58:44	1	1	1	1	84.5	63.75	0	29905.213	526.8817204	15730.98144	30000	0	0	30000	44.25	2004
23.01.2020 13:58:44	1	1	1	1	84.5	64.25	0	29478.673	541.9354839	15759.51947	30000	0	0	30000	44.1875	2004
23.01.2020 13:58:45	1	1	1	1	84.5	64	0	29905.213	526.8817204	15706.52026	30000	0	0	30000	44	2004
23.01.2020 13:58:46	1	1	1	1	84.5	64	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44	2004
23.01.2020 13:58:47	1	1	1	1	84.5	64	0	28815.166	490.3225806	14190.7428	30000	0	0	30000	44.0625	2004
23.01.2020 13:58:48	1	1	1	1	84.5	64	0	29905.213	539.7849462	16013.10032	30000	0	0	30000	44.9375	2004
23.01.2020 13:58:49	1	1	1	1	84.5	64.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.875	2004
23.01.2020 13:58:50	1	1	1	1	85	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.3125	2004
23.01.2020 13:58:52	1	1	1	1	85	64.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.375	2004
23.01.2020 13:58:53	1	1	1	1	85	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.75	2004
23.01.2020 13:58:54	1	1	1	1	85	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:58:55	1	1	1	1	85	64.25	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	44.375	2004
23.01.2020 13:58:56	1	1	1	1	85	64.25	0	29715.64	541.9354839	15861.44103	30000	0	0	30000	44.1875	2004
23.01.2020 13:58:57	1	1	1	1	85	64	0	29620.853	535.483871	16141.92917	30000	0	0	30000	43.75	2004
23.01.2020 13:58:58	1	1	1	1	85	63.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.8125	2004
23.01.2020 13:58:59	1	1	1	1	85	63.75	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
23.01.2020 13:59:00	1	1	1	1	85	64.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.25	2004
23.01.2020 13:59:01	1	1	1	1	85	64.25	0	29857.82	529.0322581	16077.51474	30000	0	0	30000	44.1875	2004
23.01.2020 13:59:02	1	1	1	1	85	64	0	29526.066	464.516129	13715.38064	30000	0	0	30000	44.5	2004
23.01.2020 13:59:03	1	1	1	1	85	64.5	0	29620.853	481.7204301	14355.44805	30000	0	0	30000	44.4375	2004
23.01.2020 13:59:04	1	1	1	1	85	64.25	0	28625.592	481.7204301	13766.74911	30000	0	0	30000	44.375	2004
23.01.2020 13:59:05	1	1	1	1	85	64.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	44.375	2004
23.01.2020 13:59:06	1	1	1	1	85	64.25	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	44.1875	2004
23.01.2020 13:59:07	1	1	1	1	85	64	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.8125	2004
23.01.2020 13:59:08	1	1	1	1	85	63.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	44	2004
23.01.2020 13:59:09	1	1	1	1	85	64	0	30000	529.0322581	15870.41013	30000	0	0	30000	44.25	2004
23.01.2020 13:59:10	1	1	1	1	85	64.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.5	2004
23.01.2020 13:59:11	1	1	1	1	84.75	64.5	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	43.9375	2004
23.01.2020 13:59:12	1	1	1	1	84.75	63.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.1875	2004
23.01.2020 13:59:13	1	1	1	1	84.75	64	0	28009.479	468.8172043	13191.09613	30000	0	0	30000	44.5	2004
23.01.2020 13:59:14	1	1	1	1	84.75	64.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	44.0625	2004
23.01.2020 13:59:15	1	1	1	1	84.75	64	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.4375	2004
23.01.2020 13:59:16	1	1	1	1	84.75	64.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	44.5	2004
23.01.2020 13:59:17	1	1	1	1	84.75	64.5	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	44.4375	2004
23.01.2020 13:59:18	1	1	1	1	84.75	64.25	0	28483.412	378.4946237	10762.91686	30000	0	0	30000	44.5	2004
23.01.2020 13:59:19	1	1	1	1	84.75	64.5	0	30000	417.2043011	12411.60003	30000	0	0	30000	43.75	2004
23.01.2020 13:59:20	1	1	1	1	84.75	63.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.5625	2004
23.01.2020 13:59:21	1	1	1	1	85.25	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.25	2004
23.01.2020 13:59:22	1	1	1	1	85.25	64.25	0	28578.199	453.7634409	12967.68407	30000	0	0	30000	44.5	2004
23.01.2020 13:59:23	1	1	1	1	85.25	64.5	0	30000	481.7204301	14406.00114	30000	0	0	30000	44.5625	2004
23.01.2020 13:59:24	1	1	1	1	85.25	64.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.9375	2004
23.01.2020 13:59:25	1	1	1	1	85.25	63.75	0	30047.393	490.3225806	14516.07643	30000	0	0	30000	44.25	2004
23.01.2020 13:59:26	1	1	1	1	85.25	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44	2004
23.01.2020 13:59:27	1	1	1	1	85.25	64	0	30000	494.6236559	14773.73413	30000	0	0	30000	44	2004
23.01.2020 13:59:28	1	1	1	1	85.25	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
23.01.2020 13:59:30	1	1	1	1	85.25	64.25	0	27867.299	481.7204301	13401.46223	30000	0	0	30000	44.125	2004
23.01.2020 13:59:31	1	1	1	1	85.5	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.4375	2004
23.01.2020 13:59:32	1	1	1	1	85.5	64.25	0	29905.213	490.3225806	14727.2579	30000	0	0	30000	44.1875	2004
23.01.2020 13:59:33	1	1	1	1	85.5	64	0	30000	516.1290323	15266.21912	30000	0	0	30000	44.1875	2004
23.01.2020 13:59:34	1	1	1	1	85.5	64	0	28293.839	466.6666667	13203.32672	30000	0	0	30000	44.5	2004
23.01.2020 13:59:35	1	1	1	1	85.5	64.5	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.4375	2004
23.01.2020 13:59:36	1	1	1	1	85.5	64.25	0	29573.46	481.7204301	14246.18813	30000	0	0	30000	44.375	2004
23.01.2020 13:59:37	1	1	1	1	85.5	64.25	0	29573.46	481.7204301	13905.36243	30000	0	0	30000	44.125	2004
23.01.2020 13:59:38	1	1	1	1	85.5	64	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 13:59:39	1	1	1	1	85.5	64.25	0	29905.213	483.8709677	14598.42905	30000	0	0	30000	44.0625	2004
23.01.2020 13:59:46	1	1	1	1	84.5	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.8125	2004
23.01.2020 13:59:46	1	1	1	1	84.5	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.8125	2004
23.01.2020 13:59:46	1	1	1	1	84.5	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.8125	2004
23.01.2020 13:59:46	1	1	1	1	84.5	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.8125	2004
23.01.2020 13:59:46	1	1	1	1	84.5	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.8125	2004
23.01.2020 13:59:46	1	1	1	1	84.5	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.8125	2004
23.01.2020 13:59:46	1	1	1	1	84.5	63.75	0	28578.199	494.6236559	14135.29748	30000	0	0	30000	44.125	2004
23.01.2020 13:59:47	1	1	1	1	84.5	64	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.4375	2004
23.01.2020 13:59:48	1	1	1	1	84.5	64.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	43.9375	2004
23.01.2020 13:59:49	1	1	1	1	84.5	63.75	0	29573.46	537.6344086	15861.44103	30000	0	0	30000	44.3125	2004
23.01.2020 13:59:50	1	1	1	1	84.5	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.3125	2004
23.01.2020 13:59:51	1	1	1	1	85.25	64.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.8125	2004
23.01.2020 13:59:52	1	1	1	1	85.25	63.75	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	44.0625	2004
23.01.2020 13:59:53	1	1	1	1	85.25	64	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	44.3125	2004
23.01.2020 13:59:54	1	1	1	1	85.25	64.25	0	29336.493	533.3333333	15646.1827	30000	0	0	30000	44.0625	2004
23.01.2020 13:59:55	1	1	1	1	85.25	64	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44.625	2004
23.01.2020 13:59:56	1	1	1	1	85.25	64.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	44.25	2004
23.01.2020 13:59:57	1	1	1	1	85.25	64.25	0	29857.82	529.0322581	15602.96796	30000	0	0	30000	44.375	2004
23.01.2020 13:59:58	1	1	1	1	85.25	64.25	0	29146.919	544.0860215	15909.54801	30000	0	0	30000	44.4375	2004
23.01.2020 13:59:59	1	1	1	1	85.25	64.25	0	27298.578	516.1290323	14089.63662	30000	0	0	30000	44.5	2004
23.01.2020 14:00:00	1	1	1	1	85.25	64.5	0	29478.673	535.483871	16064.46878	30000	0	0	30000	44.5	2004
23.01.2020 14:00:01	1	1	1	1	84.5	64.5	0	29857.82	533.3333333	15859.81029	30000	0	0	30000	44.1875	2004
23.01.2020 14:00:02	1	1	1	1	84.5	64	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	44.375	2004
23.01.2020 14:00:03	1	1	1	1	84.5	64.25	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	44.8125	2004
23.01.2020 14:00:04	1	1	1	1	84.5	64.75	0	29146.919	548.3870968	15894.87131	30000	0	0	30000	43.5625	2004
23.01.2020 14:00:05	1	1	1	1	84.5	63.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	44.375	2004
23.01.2020 14:00:06	1	1	1	1	84.5	64.5	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	44.25	2004
23.01.2020 14:00:08	1	1	1	1	84.5	64.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.125	2004
23.01.2020 14:00:09	1	1	1	1	84.5	63	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	44.125	2004
23.01.2020 14:00:10	1	1	1	1	84.5	64	0	29478.673	537.6344086	15823.11853	30000	0	0	30000	44.25	2004
23.01.2020 14:00:11	1	1	1	1	84.5	64.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	44.25	2004
23.01.2020 14:00:12	1	1	1	1	84.5	64.25	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	44.125	2004
23.01.2020 14:00:13	1	1	1	1	84.5	64	0	29526.066	492.4731183	14540.5376	30000	0	0	30000	44.0625	2004
23.01.2020 14:00:14	1	1	1	1	84.5	64	0	30000	526.8817204	15870.41013	30000	0	0	30000	44.25	2004
23.01.2020 14:00:15	1	1	1	1	84.5	64.25	0	30000	507.5268817	15008.56141	30000	0	0	30000	44	2004
23.01.2020 14:00:16	1	1	1	1	84.5	64	0	30000	501.0752688	14902.56299	30000	0	0	30000	44.1875	2004
23.01.2020 14:00:17	1	1	1	1	84.5	64	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.25	2004
23.01.2020 14:00:18	1	1	1	1	84.5	64.25	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44	2004
23.01.2020 14:00:19	1	1	1	1	84.5	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.9375	2004
23.01.2020 14:00:20	1	1	1	1	84.5	63.75	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.25	2004
23.01.2020 14:00:21	1	1	1	1	84.5	64.25	0	29715.64	481.7204301	14378.27848	30000	0	0	30000	44.375	2004
23.01.2020 14:00:22	1	1	1	1	84.5	64.25	0	30000	496.7741935	14838.14856	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:00:23	1	1	1	1	84.5	64	0	30000	481.7204301	13999.94564	30000	0	0	30000	44.1875	2004
23.01.2020 14:00:24	1	1	1	1	84.5	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.25	2004
23.01.2020 14:00:25	1	1	1	1	84.5	64.25	0	26540.284	356.9892473	9303.400103	30000	0	0	30000	44.1875	2004
23.01.2020 14:00:28	1	1	1	1	84.5	64.25	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44.25	2004
23.01.2020 14:00:28	1	1	1	1	84.5	64.25	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44.25	2004
23.01.2020 14:00:28	1	1	1	1	84.5	64.25	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44.25	2004
23.01.2020 14:00:29	1	1	1	1	84.5	64.25	0	29146.919	389.2473118	11407.8765	30000	0	0	30000	44.5	2004
23.01.2020 14:00:30	1	1	1	1	84.5	64.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.3125	2004
23.01.2020 14:00:31	1	1	1	1	85	64.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	44.5	2004
23.01.2020 14:00:32	1	1	1	1	85	64.5	0	29952.607	387.0967742	11612.53499	30000	0	0	30000	44.5625	2004
23.01.2020 14:00:33	1	1	1	1	85	64.5	0	29573.46	359.1397849	10637.3495	30000	0	0	30000	44.375	2004
23.01.2020 14:00:34	1	1	1	1	85	64.25	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	44.5	2004
23.01.2020 14:00:35	1	1	1	1	85	64.5	0	27867.299	339.7849462	9512.135461	30000	0	0	30000	44.0625	2004
23.01.2020 14:00:36	1	1	1	1	85	64	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.5	2004
23.01.2020 14:00:37	1	1	1	1	85	64.5	0	29526.066	378.4946237	11157.55714	30000	0	0	30000	44.0625	2004
23.01.2020 14:00:38	1	1	1	1	85	64	0	30000	425.8064516	12709.21099	30000	0	0	30000	44.1875	2004
23.01.2020 14:00:39	1	1	1	1	85	64	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	44.3125	2004
23.01.2020 14:00:40	1	1	1	1	85	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
23.01.2020 14:00:47	1	1	1	1	85.25	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.0625	2004
23.01.2020 14:00:47	1	1	1	1	85.25	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.0625	2004
23.01.2020 14:00:47	1	1	1	1	85.25	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.0625	2004
23.01.2020 14:00:47	1	1	1	1	85.25	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.0625	2004
23.01.2020 14:00:47	1	1	1	1	85.25	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.0625	2004
23.01.2020 14:00:47	1	1	1	1	85.25	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.0625	2004
23.01.2020 14:00:48	1	1	1	1	85.25	64	0	30000	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
23.01.2020 14:00:49	1	1	1	1	85.25	64.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	44.1875	2004
23.01.2020 14:00:50	1	1	1	1	85.25	64	0	29952.607	464.516129	13913.51616	30000	0	0	30000	44.4375	2004
23.01.2020 14:00:51	1	1	1	1	84	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5	2004
23.01.2020 14:00:52	1	1	1	1	84	63.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.6875	2004
23.01.2020 14:00:53	1	1	1	1	84	63.5	0	29905.213	466.6666667	14406.00114	30000	0	0	30000	44.375	2004
23.01.2020 14:00:54	1	1	1	1	84	64.25	0	30000	483.8709677	14451.662	30000	0	0	30000	44.4375	2004
23.01.2020 14:00:55	1	1	1	1	84	64.25	0	26919.431	404.3010753	10864.02305	30000	0	0	30000	44.125	2004
23.01.2020 14:00:56	1	1	1	1	84	64	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.125	2004
23.01.2020 14:00:57	1	1	1	1	84	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
23.01.2020 14:00:58	1	1	1	1	84	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
23.01.2020 14:00:59	1	1	1	1	84	64.25	0	30000	470.9677419	13999.94564	30000	0	0	30000	43.8125	2004
23.01.2020 14:01:00	1	1	1	1	84	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 14:01:01	1	1	1	1	84	63.5	0	30000	432.2580645	12858.42416	30000	0	0	30000	44.4375	2004
23.01.2020 14:01:02	1	1	1	1	84	64.25	0	25355.45	384.9462366	9632.810589	30000	0	0	30000	44.25	2004
23.01.2020 14:01:03	1	1	1	1	84	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.4375	2004
23.01.2020 14:01:04	1	1	1	1	84	64.25	0	0	0	0	30000	0	8	30000	43.375	2004
23.01.2020 14:01:05	1	1	1	1	84	63.25	0	10236.967	0	0	30000	0	0	30000	44.6875	2004
23.01.2020 14:01:06	1	1	1	1	84	64.5	0	11042.654	0	0	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:01:07	1	1	1	1	84	64.5	0	11327.014	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:08	1	1	1	1	84	64.5	0	12464.455	0	26.90729215	30000	0	0	30000	44.625	2004
23.01.2020 14:01:09	1	1	1	1	84	64.5	0	13364.929	6.451612903	85.61411138	30000	0	0	30000	44.375	2004
23.01.2020 14:01:10	1	1	1	1	84	64.25	0	13127.962	6.451612903	83.9833664	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:11	1	1	1	1	84.5	64.5	0	14834.123	15.05376344	287.0111162	30000	0	0	30000	44.375	2004
23.01.2020 14:01:12	1	1	1	1	84.5	64.25	0	15687.204	23.65591398	370.9944826	30000	0	0	30000	44.4375	2004
23.01.2020 14:01:13	1	1	1	1	84.5	64.25	0	14454.976	15.05376344	217.7044547	30000	0	0	30000	44.4375	2004
23.01.2020 14:01:14	1	1	1	1	84.5	64.25	0	17109.005	25.80645161	477.8082787	30000	0	0	30000	44.625	2004
23.01.2020 14:01:15	1	1	1	1	84.5	64.5	0	17914.692	38.70967742	654.7441089	30000	0	0	30000	44.625	2004
23.01.2020 14:01:16	1	1	1	1	84.5	64.5	0	18720.379	43.01075269	804.772647	30000	0	0	30000	44.375	2004
23.01.2020 14:01:17	1	1	1	1	84.5	64.25	0	19478.673	51.61290323	1005.354279	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:18	1	1	1	1	84.5	64.5	0	20142.18	60.21505376	1255.673634	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:19	1	1	1	1	84.5	64.5	0	20995.261	79.56989247	1669.882858	30000	0	0	30000	44.5	2004
23.01.2020 14:01:20	1	1	1	1	84.5	64.5	0	21800.948	92.47311828	2062.892398	30000	0	0	30000	44.6875	2004
23.01.2020 14:01:21	1	1	1	1	84.5	64.5	0	22511.848	109.6774194	2641.806865	30000	0	0	30000	44.625	2004
23.01.2020 14:01:22	1	1	1	1	84.5	64.5	0	22748.815	129.0322581	2886.418612	30000	0	0	30000	44.625	2004
23.01.2020 14:01:23	1	1	1	1	84.5	64.75	0	23886.256	139.7849462	3441.687277	30000	0	0	30000	44.5	2004
23.01.2020 14:01:25	1	1	1	1	84.5	64.5	0	24881.517	178.4946237	4440.518577	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:26	1	1	1	1	84.5	64.5	0	24407.583	189.2473118	4619.085152	30000	0	0	30000	44.3125	2004
23.01.2020 14:01:27	1	1	1	1	84.5	64.25	0	23412.322	206.4516129	4843.312587	30000	0	0	30000	44.5	2004
23.01.2020 14:01:28	1	1	1	1	84.5	64.5	0	24170.616	206.4516129	4990.079635	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:29	1	1	1	1	84.5	64.5	0	25260.664	221.5053763	5520.071753	30000	0	0	30000	44.125	2004
23.01.2020 14:01:30	1	1	1	1	84.5	64	0	25355.45	232.2580645	5888.620118	30000	0	0	30000	44.5	2004
23.01.2020 14:01:31	1	1	1	1	84.5	64.5	0	26682.464	253.7634409	6712.961705	30000	0	0	30000	44.375	2004
23.01.2020 14:01:32	1	1	1	1	84.5	64.25	0	25071.09	234.4086022	5876.389531	30000	0	0	30000	44.375	2004
23.01.2020 14:01:33	1	1	1	1	84.5	64.25	0	25260.664	247.311828	6246.568641	30000	0	0	30000	44.5	2004
23.01.2020 14:01:34	1	1	1	1	84.5	64.5	0	25639.81	251.6129032	6505.857092	30000	0	0	30000	44.625	2004
23.01.2020 14:01:35	1	1	1	1	84.5	64.5	0	24976.303	270.9677419	6792.868209	30000	0	0	30000	44.125	2004
23.01.2020 14:01:36	1	1	1	1	84.5	64	0	0	0	0	30000	0	8	30000	44.5	2004
23.01.2020 14:01:37	1	1	1	1	84.5	64.5	0	0	0	0	30000	0	8	30000	44.6875	2004
23.01.2020 14:01:38	1	1	1	1	84.5	64.5	0	10663.507	0	0	30000	0	0	30000	44.375	2004
23.01.2020 14:01:39	1	1	1	1	84.5	64.25	0	11327.014	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 14:01:40	1	1	1	1	84.5	64.25	0	12227.488	4.301075269	26.09191966	30000	0	0	30000	44.375	2004
23.01.2020 14:01:41	1	1	1	1	85	64.25	0	12985.782	8.602150538	111.706031	30000	0	0	30000	44.375	2004
23.01.2020 14:01:42	1	1	1	1	85	64.25	0	13696.682	12.90322581	207.1046123	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:49	1	1	1	1	85	64.25	0	18341.232	66.66666667	1222.243362	30000	0	0	30000	44.3125	2004
23.01.2020 14:01:49	1	1	1	1	85	64.25	0	18341.232	66.66666667	1222.243362	30000	0	0	30000	44.3125	2004
23.01.2020 14:01:49	1	1	1	1	85	64.25	0	18341.232	66.66666667	1222.243362	30000	0	0	30000	44.3125	2004
23.01.2020 14:01:49	1	1	1	1	85	64.25	0	18341.232	66.66666667	1222.243362	30000	0	0	30000	44.3125	2004
23.01.2020 14:01:49	1	1	1	1	85	64.25	0	18341.232	66.66666667	1222.243362	30000	0	0	30000	44.3125	2004
23.01.2020 14:01:49	1	1	1	1	85	64.25	0	19099.526	81.72043011	1605.468431	30000	0	0	30000	44.5	2004
23.01.2020 14:01:50	1	1	1	1	85	64.5	0	19857.82	94.62365591	1878.618215	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:01:51	1	1	1	1	84	64.5	0	20142.18	98.92473118	1939.771152	30000	0	0	30000	44.625	2004
23.01.2020 14:01:52	1	1	1	1	84	64.5	0	20047.393	98.92473118	1939.771152	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:53	1	1	1	1	84	64.5	0	20047.393	103.2258065	2069.415378	30000	0	0	30000	44.4375	2004
23.01.2020 14:01:54	1	1	1	1	84	64.25	0	20047.393	103.2258065	2079.199848	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:55	1	1	1	1	84	64.5	0	20047.393	103.2258065	2069.415378	30000	0	0	30000	44.375	2004
23.01.2020 14:01:56	1	1	1	1	84	64.25	0	20142.18	103.2258065	1939.771152	30000	0	0	30000	44.625	2004
23.01.2020 14:01:57	1	1	1	1	84	64.5	0	20142.18	103.2258065	2079.199848	30000	0	0	30000	44.5625	2004
23.01.2020 14:01:58	1	1	1	1	84	64.5	0	20142.18	103.2258065	2079.199848	30000	0	0	30000	44.5	2004
23.01.2020 14:01:59	1	1	1	1	84	64.5	0	20047.393	103.2258065	2079.199848	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:00	1	1	1	1	84	64.25	0	20142.18	103.2258065	2079.199848	30000	0	0	30000	44.875	2004
23.01.2020 14:02:01	1	1	1	1	83.75	64.75	0	20142.18	105.3763441	2069.415378	30000	0	0	30000	44.375	2004
23.01.2020 14:02:03	1	1	1	1	83.75	64.5	0	20142.18	103.2258065	2122.41459	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:04	1	1	1	1	83.75	64.25	0	20142.18	105.3763441	2122.41459	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:05	1	1	1	1	83.75	64.25	0	20047.393	103.2258065	2069.415378	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:06	1	1	1	1	83.75	64.25	0	20047.393	103.2258065	2111.814747	30000	0	0	30000	44.5	2004
23.01.2020 14:02:07	1	1	1	1	83.75	64.5	0	20142.18	105.3763441	2111.814747	30000	0	0	30000	44.625	2004
23.01.2020 14:02:08	1	1	1	1	83.75	64.5	0	20142.18	103.2258065	2069.415378	30000	0	0	30000	44.375	2004
23.01.2020 14:02:09	1	1	1	1	83.75	64.25	0	20142.18	103.2258065	2079.199848	30000	0	0	30000	44.5	2004
23.01.2020 14:02:10	1	1	1	1	83.75	64.5	0	20142.18	103.2258065	2079.199848	30000	0	0	30000	44.5	2004
23.01.2020 14:02:11	1	1	1	1	83.5	64.5	0	20331.754	103.2258065	2098.768788	30000	0	0	30000	44.375	2004
23.01.2020 14:02:12	1	1	1	1	83.5	64.25	0	21090.047	109.6774194	2312.39638	30000	0	0	30000	44.5625	2004
23.01.2020 14:02:13	1	1	1	1	83.5	64.5	0	21800.948	116.1290323	2625.499416	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:14	1	1	1	1	83.5	64.25	0	22559.242	124.7311828	2837.496263	30000	0	0	30000	44.375	2004
23.01.2020 14:02:15	1	1	1	1	83.5	64.25	0	23364.929	144.0860215	3373.195988	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:16	1	1	1	1	83.5	64.25	0	23270.142	141.9354839	3352.811676	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:17	1	1	1	1	83.5	64.25	0	24502.37	176.344086	4267.659609	30000	0	0	30000	44.5	2004
23.01.2020 14:02:18	1	1	1	1	83.5	64.5	0	24928.91	189.2473118	4717.745223	30000	0	0	30000	44.375	2004
23.01.2020 14:02:19	1	1	1	1	83.5	64.25	0	25118.483	206.4516129	5185.769032	30000	0	0	30000	44.625	2004
23.01.2020 14:02:20	1	1	1	1	83.5	64.5	0	25071.09	189.2473118	4744.652515	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:21	1	1	1	1	83.25	64.25	0	25734.597	227.9569892	6054.140733	30000	0	0	30000	43.875	2004
23.01.2020 14:02:22	1	1	1	1	83.25	63.75	0	25071.09	230.1075269	5661.131193	30000	0	0	30000	44.5	2004
23.01.2020 14:02:23	1	1	1	1	83.25	64.5	0	26208.531	251.6129032	6570.271519	30000	0	0	30000	44.375	2004
23.01.2020 14:02:24	1	1	1	1	83.25	64.25	0	25971.564	245.1612903	6434.104313	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:25	1	1	1	1	83.25	64.25	0	27582.938	262.3655914	7224.200255	30000	0	0	30000	44.0625	2004
23.01.2020 14:02:26	1	1	1	1	83.25	64	0	27440.758	281.7204301	7789.253391	30000	0	0	30000	44.5625	2004
23.01.2020 14:02:27	1	1	1	1	83.25	64.5	0	27582.938	294.6236559	8126.002229	30000	0	0	30000	44.5	2004
23.01.2020 14:02:28	1	1	1	1	83.25	64.5	0	27345.972	294.6236559	7938.466556	30000	0	0	30000	44.375	2004
23.01.2020 14:02:29	1	1	1	1	83.25	64.25	0	27630.332	309.6774194	8615.225722	30000	0	0	30000	44.125	2004
23.01.2020 14:02:30	1	1	1	1	83.25	64	0	28578.199	326.8817204	9357.214688	30000	0	0	30000	44.375	2004
23.01.2020 14:02:31	1	1	1	1	80.75	64.25	0	28578.199	337.6344086	9710.270975	30000	0	0	30000	44.25	2004
23.01.2020 14:02:32	1	1	1	1	80.75	64.25	0	29431.28	354.8387097	10443.29084	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:33	1	1	1	1	80.75	64.25	0	28009.479	361.2903226	10179.11016	30000	0	0	30000	43.625	2004
23.01.2020 14:02:34	1	1	1	1	80.75	63.5	0	28388.626	365.5913978	10316.90811	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:02:35	1	1	1	1	80.75	64.25	0	29573.46	380.6451613	11274.97078	30000	0	0	30000	44.125	2004
23.01.2020 14:02:36	1	1	1	1	80.75	64	0	28578.199	372.0430108	10816.73144	30000	0	0	30000	43.8125	2004
23.01.2020 14:02:37	1	1	1	1	80.75	63.75	0	28436.019	384.9462366	10946.37567	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:38	1	1	1	1	80.75	64.25	0	28625.592	400	11388.30756	30000	0	0	30000	44.5	2004
23.01.2020 14:02:39	1	1	1	1	80.75	64.5	0	29146.919	380.6451613	11093.95809	30000	0	0	30000	43.9375	2004
23.01.2020 14:02:41	1	1	1	1	82.5	64.25	0	28009.479	369.8924731	10601.47311	30000	0	0	30000	44.25	2004
23.01.2020 14:02:42	1	1	1	1	82.5	64.25	0	29810.427	453.7634409	13526.21423	30000	0	0	30000	44.375	2004
23.01.2020 14:02:43	1	1	1	1	82.5	64.25	0	29052.133	445.1612903	12890.22368	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:44	1	1	1	1	82.5	64.25	0	29620.853	419.3548387	12401.81556	30000	0	0	30000	44.25	2004
23.01.2020 14:02:51	1	1	1	1	82.5	63.75	0	29715.64	404.3010753	11784.57859	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:51	1	1	1	1	82.5	63.75	0	29715.64	404.3010753	11784.57859	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:51	1	1	1	1	82.5	63.75	0	29715.64	404.3010753	11784.57859	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:51	1	1	1	1	82.5	63.75	0	29715.64	404.3010753	11784.57859	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:51	1	1	1	1	82.5	63.75	0	29715.64	404.3010753	11784.57859	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:51	1	1	1	1	82	64.25	0	29620.853	464.516129	13631.39728	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:52	1	1	1	1	82	64.25	0	29668.246	468.8172043	14314.67942	30000	0	0	30000	44.125	2004
23.01.2020 14:02:53	1	1	1	1	82	64	0	29857.82	445.1612903	13291.38695	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:54	1	1	1	1	82	64.25	0	29715.64	445.1612903	13227.78789	30000	0	0	30000	44.375	2004
23.01.2020 14:02:55	1	1	1	1	82	64.25	0	29905.213	453.7634409	13591.44402	30000	0	0	30000	44.4375	2004
23.01.2020 14:02:56	1	1	1	1	82	64.25	0	29526.066	481.7204301	14246.18813	30000	0	0	30000	44.25	2004
23.01.2020 14:02:57	1	1	1	1	82	64.25	0	29763.033	481.7204301	13995.05341	30000	0	0	30000	44.3125	2004
23.01.2020 14:02:58	1	1	1	1	82	64.25	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.1875	2004
23.01.2020 14:02:59	1	1	1	1	82	64	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.25	2004
23.01.2020 14:03:00	1	1	1	1	82	64.25	0	29905.213	481.7204301	14083.92901	30000	0	0	30000	44.125	2004
23.01.2020 14:03:01	1	1	1	1	81.75	64	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	44.25	2004
23.01.2020 14:03:02	1	1	1	1	81.75	64.25	0	29478.673	481.7204301	14263.31096	30000	0	0	30000	44.25	2004
23.01.2020 14:03:03	1	1	1	1	81.75	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.3125	2004
23.01.2020 14:03:04	1	1	1	1	81.75	64.25	0	28815.166	449.4623656	13075.31324	30000	0	0	30000	44.25	2004
23.01.2020 14:03:05	1	1	1	1	81.75	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.1875	2004
23.01.2020 14:03:06	1	1	1	1	81.75	64	0	29905.213	488.172043	14575.59862	30000	0	0	30000	44.1875	2004
23.01.2020 14:03:07	1	1	1	1	81.75	64	0	29336.493	466.6666667	13605.30536	30000	0	0	30000	44.125	2004
23.01.2020 14:03:08	1	1	1	1	81.75	64	0	26350.711	481.7204301	12739.37977	30000	0	0	30000	44	2004
23.01.2020 14:03:09	1	1	1	1	81.75	64	0	29857.82	522.5806452	15386.07887	30000	0	0	30000	44.0625	2004
23.01.2020 14:03:10	1	1	1	1	81.75	64	0	28815.166	496.7741935	14314.67942	30000	0	0	30000	43.6875	2004
23.01.2020 14:03:11	1	1	1	1	81.5	63.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.375	2004
23.01.2020 14:03:12	1	1	1	1	81.5	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
23.01.2020 14:03:13	1	1	1	1	81.5	64.25	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	44.4375	2004
23.01.2020 14:03:14	1	1	1	1	81.5	64.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.0625	2004
23.01.2020 14:03:15	1	1	1	1	81.5	64	0	30000	384.9462366	11483.70614	30000	0	0	30000	44.25	2004
23.01.2020 14:03:16	1	1	1	1	81.5	64.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.6875	2004
23.01.2020 14:03:17	1	1	1	1	81.5	64.5	0	30000	365.5913978	11160.81863	30000	0	0	30000	44.125	2004
23.01.2020 14:03:19	1	1	1	1	81.5	64	0	29810.427	335.483871	10064.95801	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:03:20	1	1	1	1	81.5	64.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.375	2004
23.01.2020 14:03:21	1	1	1	1	81.5	64.25	0	30000	352.688172	10515.85899	30000	0	0	30000	44.25	2004
23.01.2020 14:03:22	1	1	1	1	81.5	64.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	44.5	2004
23.01.2020 14:03:23	1	1	1	1	81.5	64.5	0	28341.232	326.8817204	9279.754301	30000	0	0	30000	44.3125	2004
23.01.2020 14:03:24	1	1	1	1	81.5	64.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	44.3125	2004
23.01.2020 14:03:25	1	1	1	1	81.5	64.25	0	29952.607	382.7956989	11483.70614	30000	0	0	30000	44.25	2004
23.01.2020 14:03:26	1	1	1	1	81.5	64.25	0	29810.427	339.7849462	10209.27894	30000	0	0	30000	44	2004
23.01.2020 14:03:27	1	1	1	1	81.5	64	0	29952.607	354.8387097	10628.3804	30000	0	0	30000	44.375	2004
23.01.2020 14:03:28	1	1	1	1	81.5	64.25	0	0	0	0	30000	0	8	30000	44.625	2004
23.01.2020 14:03:29	1	1	1	1	81.5	64.5	0	9810.4265	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 14:03:30	1	1	1	1	81.5	64.5	0	10853.081	0	0	30000	0	0	30000	44.5625	2004
23.01.2020 14:03:31	1	1	1	1	81.5	64.5	0	11563.981	0	0	30000	0	0	30000	44.4375	2004
23.01.2020 14:03:32	1	1	1	1	81.5	64.25	0	12369.668	0	0	30000	0	0	30000	44.1875	2004
23.01.2020 14:03:33	1	1	1	1	81.5	64	0	13127.962	2.150537634	56.26070176	30000	0	0	30000	44.4375	2004
23.01.2020 14:03:34	1	1	1	1	81.5	64.25	0	13886.256	6.451612903	59.52219172	30000	0	0	30000	44.375	2004
23.01.2020 14:03:35	1	1	1	1	81.5	64.25	0	14691.943	10.75268817	189.1664175	30000	0	0	30000	44.375	2004
23.01.2020 14:03:36	1	1	1	1	81.5	64.25	0	15497.63	19.35483871	232.3811595	30000	0	0	30000	44.5625	2004
23.01.2020 14:03:37	1	1	1	1	81.5	64.5	0	16208.531	21.50537634	383.22507	30000	0	0	30000	44.4375	2004
23.01.2020 14:03:38	1	1	1	1	81.5	64.25	0	16966.825	27.95698925	473.7314163	30000	0	0	30000	44.5	2004
23.01.2020 14:03:39	1	1	1	1	81.5	64.5	0	17725.118	36.55913978	649.0365015	30000	0	0	30000	44.4375	2004
23.01.2020 14:03:40	1	1	1	1	81.5	64.25	0	18530.806	45.16129032	836.5721741	30000	0	0	30000	44.4375	2004
23.01.2020 14:03:41	1	1	1	1	81.5	64.25	0	19289.1	53.76344086	1036.338434	30000	0	0	30000	44.4375	2004
23.01.2020 14:03:42	1	1	1	1	81.5	64.25	0	20000	64.51612903	1289.919278	30000	0	0	30000	44.5	2004
23.01.2020 14:03:43	1	1	1	1	81.5	64.5	0	20853.081	75.2688172	1569.592042	30000	0	0	30000	44.25	2004
23.01.2020 14:03:44	1	1	1	1	81.5	64.25	0	21563.981	88.17204301	1808.496181	30000	0	0	30000	44.375	2004
23.01.2020 14:03:45	1	1	1	1	81.5	64.25	0	22369.668	96.77419355	2164.813959	30000	0	0	30000	44.375	2004
23.01.2020 14:03:52	1	1	1	1	81.5	64.5	0	24976.303	159.1397849	3920.310929	30000	0	0	30000	44.3125	2004
23.01.2020 14:03:52	1	1	1	1	81.5	64.5	0	24976.303	159.1397849	3920.310929	30000	0	0	30000	44.3125	2004
23.01.2020 14:03:52	1	1	1	1	81.5	64.5	0	24976.303	159.1397849	3920.310929	30000	0	0	30000	44.3125	2004
23.01.2020 14:03:52	1	1	1	1	81.5	64.5	0	24976.303	159.1397849	3920.310929	30000	0	0	30000	44.3125	2004
23.01.2020 14:03:52	1	1	1	1	81.5	64.5	0	24976.303	159.1397849	3920.310929	30000	0	0	30000	44.3125	2004
23.01.2020 14:03:52	1	1	1	1	81.5	64.5	0	24976.303	159.1397849	3920.310929	30000	0	0	30000	44.3125	2004
23.01.2020 14:03:52	1	1	1	1	81.5	64.25	0	25545.024	174.1935484	4559.56296	30000	0	0	30000	44.4375	2004
23.01.2020 14:03:53	1	1	1	1	81.5	64.25	0	23080.569	167.7419355	3821.650858	30000	0	0	30000	44.4375	2004
23.01.2020 14:03:54	1	1	1	1	81.5	64.25	0	25592.417	189.2473118	4843.312587	30000	0	0	30000	44.375	2004
23.01.2020 14:03:55	1	1	1	1	81.5	64.25	0	22511.848	163.4408602	3687.114397	30000	0	0	30000	44.375	2004
23.01.2020 14:03:57	1	1	1	1	81.5	64.25	0	26445.498	178.4946237	4728.345066	30000	0	0	30000	44.8125	2004
23.01.2020 14:03:58	1	1	1	1	81.5	64.75	0	26872.038	191.3978495	5142.55429	30000	0	0	30000	43.6875	2004
23.01.2020 14:03:59	1	1	1	1	81.5	64.25	0	26919.431	189.2473118	5152.33876	30000	0	0	30000	44.5	2004
23.01.2020 14:04:00	1	1	1	1	81.5	64.5	0	27061.611	206.4516129	5567.363357	30000	0	0	30000	44.125	2004
23.01.2020 14:04:01	1	1	1	1	80.5	64	0	25639.81	169.8924731	4355.719838	30000	0	0	30000	44.5	2004
23.01.2020 14:04:02	1	1	1	1	80.5	64.5	0	26445.498	176.344086	4663.115266	30000	0	0	30000	44.4375	2004
23.01.2020 14:04:03	1	1	1	1	80.5	64.25	0	26966.825	208.6021505	5635.039274	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:04:04	1	1	1	1	80.5	64.25	0	26966.825	212.9032258	5750.822167	30000	0	0	30000	43.6875	2004
23.01.2020 14:04:05	1	1	1	1	80.5	63.5	0	24028.436	189.2473118	4547.332373	30000	0	0	30000	43.4375	2004
23.01.2020 14:04:06	1	1	1	1	80.5	63.25	0	27109.005	219.3548387	5988.095562	30000	0	0	30000	43.9375	2004
23.01.2020 14:04:07	1	1	1	1	80.5	63.75	0	27109.005	212.9032258	5887.804745	30000	0	0	30000	44.4375	2004
23.01.2020 14:04:08	1	1	1	1	80.5	64.25	0	27298.578	219.3548387	5956.296035	30000	0	0	30000	44.25	2004
23.01.2020 14:04:09	1	1	1	1	80.5	64.25	0	27109.005	234.4086022	6399.043296	30000	0	0	30000	44.25	2004
23.01.2020 14:04:10	1	1	1	1	80.5	64.25	0	27440.758	236.5591398	6468.349958	30000	0	0	30000	44.3125	2004
23.01.2020 14:04:11	1	1	1	1	80.5	64.25	0	27345.972	236.5591398	6586.578969	30000	0	0	30000	44.3125	2004
23.01.2020 14:04:12	1	1	1	1	80.5	64.25	0	27345.972	249.4623656	6762.699427	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:13	1	1	1	1	80.5	64	0	26113.744	240.8602151	6278.368168	30000	0	0	30000	44.375	2004
23.01.2020 14:04:14	1	1	1	1	80.5	64.25	0	28436.019	266.6666667	7656.347675	30000	0	0	30000	44.3125	2004
23.01.2020 14:04:15	1	1	1	1	80.5	64.25	0	28578.199	275.2688172	7817.791428	30000	0	0	30000	44.375	2004
23.01.2020 14:04:16	1	1	1	1	80.5	64.25	0	28815.166	275.2688172	7993.911885	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:17	1	1	1	1	80.5	64	0	28957.346	286.0215054	8281.738374	30000	0	0	30000	42.9375	2004
23.01.2020 14:04:18	1	1	1	1	80.5	62.75	0	29099.526	281.7204301	8197.755008	30000	0	0	30000	44.0625	2004
23.01.2020 14:04:19	1	1	1	1	80.5	64	0	29099.526	281.7204301	8134.971326	30000	0	0	30000	44.0625	2004
23.01.2020 14:04:20	1	1	1	1	80.5	64	0	29099.526	279.5698925	8210.800968	30000	0	0	30000	44.25	2004
23.01.2020 14:04:21	1	1	1	1	80.5	64.25	0	29099.526	281.7204301	8197.755008	30000	0	0	30000	44.3125	2004
23.01.2020 14:04:22	1	1	1	1	80.5	64.25	0	29146.919	292.4731183	8434.21303	30000	0	0	30000	44.375	2004
23.01.2020 14:04:23	1	1	1	1	80.5	64.25	0	28815.166	288.172043	8303.753431	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:24	1	1	1	1	80.5	64	0	29241.706	307.5268817	8991.927812	30000	0	0	30000	44.4375	2004
23.01.2020 14:04:25	1	1	1	1	80.5	64.25	0	29431.28	316.1290323	9177.017367	30000	0	0	30000	43.875	2004
23.01.2020 14:04:26	1	1	1	1	80.5	63.75	0	28815.166	320.4301075	9419.182997	30000	0	0	30000	44.375	2004
23.01.2020 14:04:27	1	1	1	1	80.5	64.25	0	28815.166	337.6344086	9729.024543	30000	0	0	30000	44.3125	2004
23.01.2020 14:04:28	1	1	1	1	80.5	64.25	0	29810.427	363.4408602	10705.84078	30000	0	0	30000	44.4375	2004
23.01.2020 14:04:29	1	1	1	1	80.5	64.25	0	29241.706	359.1397849	10535.42793	30000	0	0	30000	44.375	2004
23.01.2020 14:04:30	1	1	1	1	80.5	64.25	0	25639.81	318.2795699	8160.247873	30000	0	0	30000	44.5625	2004
23.01.2020 14:04:31	1	1	1	1	80	64.5	0	29526.066	369.8924731	10939.03732	30000	0	0	30000	44.3125	2004
23.01.2020 14:04:32	1	1	1	1	80	64.25	0	29573.46	363.4408602	10765.36298	30000	0	0	30000	44.375	2004
23.01.2020 14:04:33	1	1	1	1	80	64.25	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	44.5	2004
23.01.2020 14:04:34	1	1	1	1	80	64.5	0	29857.82	380.6451613	11364.66176	30000	0	0	30000	44.4375	2004
23.01.2020 14:04:36	1	1	1	1	80	64.25	0	29857.82	359.1397849	10740.08643	30000	0	0	30000	44.3125	2004
23.01.2020 14:04:37	1	1	1	1	80	64.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	44.375	2004
23.01.2020 14:04:38	1	1	1	1	80	63.75	0	29810.427	389.2473118	11630.47319	30000	0	0	30000	44.4375	2004
23.01.2020 14:04:39	1	1	1	1	80	64.25	0	29431.28	350.5376344	10316.09274	30000	0	0	30000	44.25	2004
23.01.2020 14:04:40	1	1	1	1	80	64.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	44.3125	2004
23.01.2020 14:04:41	1	1	1	1	80	64.25	0	29336.493	337.6344086	9904.329628	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:42	1	1	1	1	80	64	0	29857.82	348.3870968	10482.42872	30000	0	0	30000	44.25	2004
23.01.2020 14:04:43	1	1	1	1	80	64.25	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	44.25	2004
23.01.2020 14:04:44	1	1	1	1	80	64.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:45	1	1	1	1	80	64	0	30000	372.0430108	11160.81863	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:46	1	1	1	1	80	64	0	30000	395.6989247	11723.42565	30000	0	0	30000	44.4375	2004
23.01.2020 14:04:47	1	1	1	1	80	64.25	0	29905.213	374.1935484	11336.93909	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:04:54	1	1	1	1	79.5	64.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:54	1	1	1	1	79.5	64.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:54	1	1	1	1	79.5	64.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:54	1	1	1	1	79.5	64.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:54	1	1	1	1	79.5	64.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:54	1	1	1	1	79.5	64.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	44.1875	2004
23.01.2020 14:04:54	1	1	1	1	79.5	64	0	29715.64	341.9354839	10160.35659	30000	0	0	30000	44.5	2004
23.01.2020 14:04:55	1	1	1	1	79.5	64.5	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	44.25	2004
23.01.2020 14:04:56	1	1	1	1	79.5	64.25	0	26066.351	359.1397849	9361.29155	30000	0	0	30000	44.125	2004
23.01.2020 14:04:57	1	1	1	1	79.5	64	0	27298.578	341.9354839	9275.677439	30000	0	0	30000	44	2004
23.01.2020 14:04:58	1	1	1	1	79.5	64	0	30000	380.6451613	11548.12057	30000	0	0	30000	44.4375	2004
23.01.2020 14:04:59	1	1	1	1	79.5	64.25	0	29952.607	369.8924731	11336.93909	30000	0	0	30000	43.75	2004
23.01.2020 14:05:00	1	1	1	1	79.5	63.75	0	29905.213	372.0430108	11319.0009	30000	0	0	30000	44.4375	2004
23.01.2020 14:05:01	1	1	1	1	80	64.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.3125	2004
23.01.2020 14:05:02	1	1	1	1	80	64.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	44.3125	2004
23.01.2020 14:05:03	1	1	1	1	80	64.25	0	30000	378.4946237	11079.28139	30000	0	0	30000	44.125	2004
23.01.2020 14:05:04	1	1	1	1	80	64	0	29620.853	335.483871	9921.45245	30000	0	0	30000	44.125	2004
23.01.2020 14:05:05	1	1	1	1	80	64	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.3125	2004
23.01.2020 14:05:06	1	1	1	1	80	64.25	0	29905.213	339.7849462	10161.17196	30000	0	0	30000	44.1875	2004
23.01.2020 14:05:07	1	1	1	1	80	64	0	30000	380.6451613	11354.87729	30000	0	0	30000	44.25	2004
23.01.2020 14:05:08	1	1	1	1	80	64.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	44.125	2004
23.01.2020 14:05:09	1	1	1	1	80	64	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	44	2004
23.01.2020 14:05:10	1	1	1	1	80	64	0	29810.427	333.3333333	10016.85103	30000	0	0	30000	44.125	2004
23.01.2020 14:05:11	1	1	1	1	80.25	64	0	29620.853	359.1397849	10573.75044	30000	0	0	30000	44.3125	2004
23.01.2020 14:05:12	1	1	1	1	80.25	64.25	0	29905.213	356.9892473	10611.25758	30000	0	0	30000	44.25	2004
23.01.2020 14:05:13	1	1	1	1	80.25	64.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	44.0625	2004
23.01.2020 14:05:15	1	1	1	1	80.25	64	0	30000	331.1827957	9855.407279	30000	0	0	30000	44.0625	2004
23.01.2020 14:05:16	1	1	1	1	80.25	64.5	0	29905.213	311.827957	9389.014215	30000	0	0	30000	43.625	2004
23.01.2020 14:05:17	1	1	1	1	80.25	63.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	44.0625	2004
23.01.2020 14:05:18	1	1	1	1	80.25	64	0	27582.938	294.6236559	8139.863561	30000	0	0	30000	44.4375	2004
23.01.2020 14:05:19	1	1	1	1	80.25	64.25	0	29715.64	303.2258065	9231.647324	30000	0	0	30000	44.125	2004
23.01.2020 14:05:20	1	1	1	1	80.25	64	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	44.0625	2004
23.01.2020 14:05:21	1	1	1	1	79	64	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	44.3125	2004
23.01.2020 14:05:22	1	1	1	1	79	64.25	0	29573.46	296.7741935	8840.268529	30000	0	0	30000	44.25	2004
23.01.2020 14:05:23	1	1	1	1	79	64.25	0	29905.213	292.4731183	8746.500693	30000	0	0	30000	43.6875	2004
23.01.2020 14:05:24	1	1	1	1	79	63.5	0	30000	298.9247312	8889.190879	30000	0	0	30000	44.125	2004
23.01.2020 14:05:25	1	1	1	1	79	64	0	29573.46	286.0215054	8444.812872	30000	0	0	30000	44	2004
23.01.2020 14:05:26	1	1	1	1	79	64	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.125	2004
23.01.2020 14:05:27	1	1	1	1	79	64	0	29526.066	264.516129	8280.923002	30000	0	0	30000	44.25	2004
23.01.2020 14:05:28	1	1	1	1	79	64.25	0	28957.346	268.8172043	7721.577474	30000	0	0	30000	44.125	2004
23.01.2020 14:05:29	1	1	1	1	79	64	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.75	2004
23.01.2020 14:05:30	1	1	1	1	79	63.75	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	44	2004
23.01.2020 14:05:31	1	1	1	1	79	64	0	30000	298.9247312	8810.099747	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:05:32	1	1	1	1	79	64	0	26113.744	260.2150538	6794.498954	30000	0	0	30000	44.4375	2004
23.01.2020 14:05:33	1	1	1	1	79	64.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.375	2004
23.01.2020 14:05:34	1	1	1	1	79	64.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	44.25	2004
23.01.2020 14:05:35	1	1	1	1	79	64.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	44.1875	2004
23.01.2020 14:05:36	1	1	1	1	79	64	0	29952.607	283.8709677	8488.842986	30000	0	0	30000	44.375	2004
23.01.2020 14:05:37	1	1	1	1	79	64.25	0	29905.213	277.4193548	8295.599706	30000	0	0	30000	44.0625	2004
23.01.2020 14:05:38	1	1	1	1	79	64	0	29905.213	279.5698925	8295.599706	30000	0	0	30000	44.1875	2004
23.01.2020 14:05:39	1	1	1	1	79	64	0	30000	283.8709677	8451.335852	30000	0	0	30000	44.25	2004
23.01.2020 14:05:40	1	1	1	1	79	64.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.3125	2004
23.01.2020 14:05:41	1	1	1	1	79.25	64.25	0	29431.28	262.3655914	7721.577474	30000	0	0	30000	44.375	2004
23.01.2020 14:05:42	1	1	1	1	79.25	64.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.625	2004
23.01.2020 14:05:43	1	1	1	1	79.25	63.5	0	28957.346	268.8172043	7783.545783	30000	0	0	30000	44.125	2004
23.01.2020 14:05:44	1	1	1	1	79.25	64	0	30000	296.7741935	8967.466638	30000	0	0	30000	44.125	2004
23.01.2020 14:05:45	1	1	1	1	79.25	64	0	30000	294.6236559	8903.052211	30000	0	0	30000	44	2004
23.01.2020 14:05:46	1	1	1	1	79.25	64	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	44.4375	2004
23.01.2020 14:05:47	1	1	1	1	79.25	64.25	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	44.3125	2004
23.01.2020 14:05:48	1	1	1	1	79.25	64.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	44.1875	2004
23.01.2020 14:05:55	1	1	1	1	78.75	64.25	0	30000	283.8709677	8502.704319	30000	0	0	30000	44.25	2004
23.01.2020 14:05:55	1	1	1	1	78.75	64.25	0	30000	283.8709677	8502.704319	30000	0	0	30000	44.25	2004
23.01.2020 14:05:55	1	1	1	1	78.75	64.25	0	30000	283.8709677	8502.704319	30000	0	0	30000	44.25	2004
23.01.2020 14:05:55	1	1	1	1	78.75	64.25	0	30000	283.8709677	8502.704319	30000	0	0	30000	44.25	2004
23.01.2020 14:05:55	1	1	1	1	78.75	64.25	0	30000	283.8709677	8502.704319	30000	0	0	30000	44.25	2004
23.01.2020 14:05:56	1	1	1	1	78.75	64.25	0	30000	288.172043	8644.579132	30000	0	0	30000	44.125	2004
23.01.2020 14:05:57	1	1	1	1	78.75	64	0	30000	290.3225806	8708.993559	30000	0	0	30000	44.25	2004
23.01.2020 14:05:58	1	1	1	1	78.75	64.25	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	44.25	2004
23.01.2020 14:05:59	1	1	1	1	78.75	64.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	44.0625	2004
23.01.2020 14:06:00	1	1	1	1	78.75	64	0	28815.166	268.8172043	7746.038649	30000	0	0	30000	44.0625	2004
23.01.2020 14:06:01	1	1	1	1	78.75	64	0	30000	298.9247312	9031.881064	30000	0	0	30000	44	2004
23.01.2020 14:06:02	1	1	1	1	78.75	64	0	28957.346	273.1182796	7908.297774	30000	0	0	30000	44.4375	2004
23.01.2020 14:06:03	1	1	1	1	78.75	64.25	0	30000	311.827957	9354.76857	30000	0	0	30000	44.0625	2004
23.01.2020 14:06:04	1	1	1	1	78.75	64	0	30000	311.827957	9354.76857	30000	0	0	30000	43.5	2004
23.01.2020 14:06:05	1	1	1	1	78.75	63.5	0	28815.166	303.2258065	8737.531596	30000	0	0	30000	44.25	2004
23.01.2020 14:06:06	1	1	1	1	78.75	64.25	0	30000	311.827957	9354.76857	30000	0	0	30000	44.125	2004
23.01.2020 14:06:07	1	1	1	1	78.75	64	0	30000	307.5268817	9225.124344	30000	0	0	30000	44.25	2004
23.01.2020 14:06:08	1	1	1	1	78.75	64.25	0	30000	318.2795699	9468.920719	30000	0	0	30000	44	2004
23.01.2020 14:06:09	1	1	1	1	78.75	64	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.875	2004
23.01.2020 14:06:10	1	1	1	1	78.75	63.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:11	1	1	1	1	78.5	64	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.75	2004
23.01.2020 14:06:12	1	1	1	1	78.5	63.75	0	29952.607	320.4301075	9741.25513	30000	0	0	30000	43.625	2004
23.01.2020 14:06:13	1	1	1	1	78.5	63.5	0	26350.711	281.7204301	7436.197103	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:14	1	1	1	1	78.5	64	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:15	1	1	1	1	78.5	64	0	29905.213	333.3333333	9999.728209	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:06:16	1	1	1	1	78.5	64	0	30000	335.483871	9855.407279	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:17	1	1	1	1	78.5	64	0	29857.82	307.5268817	9246.324029	30000	0	0	30000	44.3125	2004
23.01.2020 14:06:18	1	1	1	1	78.5	64.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.625	2004
23.01.2020 14:06:19	1	1	1	1	78.5	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	44.25	2004
23.01.2020 14:06:20	1	1	1	1	78.5	64.25	0	29620.853	326.8817204	9649.118039	30000	0	0	30000	43.8125	2004
23.01.2020 14:06:21	1	1	1	1	78.5	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	44.25	2004
23.01.2020 14:06:22	1	1	1	1	78.5	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:23	1	1	1	1	78.5	64	0	30000	359.1397849	10773.5167	30000	0	0	30000	44.3125	2004
23.01.2020 14:06:24	1	1	1	1	78.5	64.25	0	29857.82	363.4408602	10722.96361	30000	0	0	30000	44.125	2004
23.01.2020 14:06:25	1	1	1	1	78.5	64	0	30000	374.1935484	11354.87729	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:26	1	1	1	1	78.5	64	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	44.0625	2004
23.01.2020 14:06:27	1	1	1	1	78.5	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:28	1	1	1	1	78.5	64	0	30000	382.7956989	11548.12057	30000	0	0	30000	44.125	2004
23.01.2020 14:06:29	1	1	1	1	78.5	64	0	29905.213	389.2473118	11594.5968	30000	0	0	30000	44.0625	2004
23.01.2020 14:06:31	1	1	1	1	78.5	64	0	30000	389.2473118	11676.94942	30000	0	0	30000	44.625	2004
23.01.2020 14:06:32	1	1	1	1	78.75	64.5	0	29810.427	359.1397849	10705.84078	30000	0	0	30000	44.125	2004
23.01.2020 14:06:33	1	1	1	1	78.75	64	0	29952.607	395.6989247	11741.36385	30000	0	0	30000	44.3125	2004
23.01.2020 14:06:34	1	1	1	1	78.75	64.25	0	29146.919	380.6451613	11093.95809	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:35	1	1	1	1	78.75	64	0	29810.427	387.0967742	11474.73704	30000	0	0	30000	44.0625	2004
23.01.2020 14:06:36	1	1	1	1	78.75	64	0	29905.213	367.7419355	11061.34319	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:37	1	1	1	1	78.75	64	0	30000	397.8494624	11935.4225	30000	0	0	30000	44.25	2004
23.01.2020 14:06:38	1	1	1	1	78.75	64.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	44.125	2004
23.01.2020 14:06:39	1	1	1	1	78.75	64	0	30000	412.9032258	12128.66578	30000	0	0	30000	44.25	2004
23.01.2020 14:06:40	1	1	1	1	78.75	64.25	0	29478.673	384.9462366	11283.93988	30000	0	0	30000	44.125	2004
23.01.2020 14:06:41	1	1	1	1	78.25	64	0	24028.436	369.8924731	8887.560134	30000	0	0	30000	43.625	2004
23.01.2020 14:06:42	1	1	1	1	78.25	63.5	0	28815.166	378.4946237	10720.51749	30000	0	0	30000	44.3125	2004
23.01.2020 14:06:43	1	1	1	1	78.25	64.25	0	26350.711	395.6989247	10445.73696	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:44	1	1	1	1	78.25	64	0	30000	415.0537634	12367.56992	30000	0	0	30000	44.3125	2004
23.01.2020 14:06:45	1	1	1	1	78.25	64.25	0	29905.213	427.9569892	12798.08659	30000	0	0	30000	44.25	2004
23.01.2020 14:06:46	1	1	1	1	78.25	64.25	0	29336.493	438.7096774	12996.22211	30000	0	0	30000	43.9375	2004
23.01.2020 14:06:47	1	1	1	1	78.25	63.75	0	26729.858	382.7956989	10213.3558	30000	0	0	30000	44.25	2004
23.01.2020 14:06:48	1	1	1	1	78.25	64.25	0	29526.066	412.9032258	12020.22124	30000	0	0	30000	44.1875	2004
23.01.2020 14:06:49	1	1	1	1	78.25	64	0	30000	453.7634409	13483.81486	30000	0	0	30000	44	2004
23.01.2020 14:06:50	1	1	1	1	78.25	64	0	29715.64	453.7634409	13483.81486	30000	0	0	30000	44.25	2004
23.01.2020 14:06:57	1	1	1	1	78.25	64	0	29857.82	498.9247312	14808.79515	30000	0	0	30000	43.9375	2004
23.01.2020 14:06:57	1	1	1	1	78.25	64	0	29857.82	498.9247312	14808.79515	30000	0	0	30000	43.9375	2004
23.01.2020 14:06:57	1	1	1	1	78.25	64	0	29857.82	498.9247312	14808.79515	30000	0	0	30000	43.9375	2004
23.01.2020 14:06:57	1	1	1	1	78.25	64	0	29857.82	498.9247312	14808.79515	30000	0	0	30000	43.9375	2004
23.01.2020 14:06:57	1	1	1	1	78.25	64	0	29857.82	498.9247312	14808.79515	30000	0	0	30000	43.9375	2004
23.01.2020 14:06:57	1	1	1	1	78.25	63.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.3125	2004
23.01.2020 14:06:58	1	1	1	1	78.25	64.25	0	30047.393	507.5268817	15096.62164	30000	0	0	30000	43.8125	2004
23.01.2020 14:06:59	1	1	1	1	78.25	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:07:00	1	1	1	1	78.25	63.75	0	27630.332	464.516129	12893.48517	30000	0	0	30000	44	2004
23.01.2020 14:07:01	1	1	1	1	77.75	64	0	26919.431	468.8172043	12562.44394	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:02	1	1	1	1	77.75	64	0	29715.64	520.4301075	15528.76906	30000	0	0	30000	43.625	2004
23.01.2020 14:07:03	1	1	1	1	77.75	63.5	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:04	1	1	1	1	77.75	64	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:05	1	1	1	1	77.75	64	0	30000	507.5268817	15161.03607	30000	0	0	30000	44	2004
23.01.2020 14:07:06	1	1	1	1	77.75	64	0	30000	490.3225806	14797.37994	30000	0	0	30000	44	2004
23.01.2020 14:07:08	1	1	1	1	77.75	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.4375	2004
23.01.2020 14:07:09	1	1	1	1	77.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:10	1	1	1	1	77.75	64	0	29905.213	483.8709677	14580.49085	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:11	1	1	1	1	77.75	63.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.25	2004
23.01.2020 14:07:12	1	1	1	1	77.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:13	1	1	1	1	77.75	64	0	29952.607	458.0645161	13720.27288	30000	0	0	30000	43.625	2004
23.01.2020 14:07:14	1	1	1	1	77.75	63.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.8125	2004
23.01.2020 14:07:15	1	1	1	1	77.75	63.75	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:16	1	1	1	1	77.75	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.125	2004
23.01.2020 14:07:17	1	1	1	1	77.75	64	0	30000	363.4408602	10950.45253	30000	0	0	30000	44.25	2004
23.01.2020 14:07:18	1	1	1	1	77.75	64.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:19	1	1	1	1	77.75	64	0	29952.607	335.483871	10096.75754	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:20	1	1	1	1	77.75	64	0	29146.919	311.827957	9088.141766	30000	0	0	30000	44.25	2004
23.01.2020 14:07:21	1	1	1	1	77.75	64.25	0	30000	354.8387097	10580.27342	30000	0	0	30000	43.8125	2004
23.01.2020 14:07:22	1	1	1	1	77.75	63.75	0	29810.427	322.5806452	9615.687767	30000	0	0	30000	44	2004
23.01.2020 14:07:23	1	1	1	1	77.75	64	0	29810.427	318.2795699	9359.660805	30000	0	0	30000	43.8125	2004
23.01.2020 14:07:24	1	1	1	1	77.75	63.75	0	29952.607	356.9892473	10692.79483	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:25	1	1	1	1	77.75	64	0	29715.64	380.6451613	11310.84717	30000	0	0	30000	43.8125	2004
23.01.2020 14:07:26	1	1	1	1	77.75	63.75	0	28815.166	335.483871	9543.119615	30000	0	0	30000	44	2004
23.01.2020 14:07:27	1	1	1	1	77.75	64	0	29620.853	380.6451613	11402.16889	30000	0	0	30000	44.25	2004
23.01.2020 14:07:28	1	1	1	1	77.75	64.25	0	29952.607	404.3010753	12064.25135	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:29	1	1	1	1	77.75	64	0	29905.213	404.3010753	12064.25135	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:30	1	1	1	1	77.75	64	0	28815.166	350.5376344	10100.8344	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:31	1	1	1	1	77.5	64	0	30000	443.0107527	13076.12861	30000	0	0	30000	44.25	2004
23.01.2020 14:07:32	1	1	1	1	77.5	64.25	0	29715.64	382.7956989	11438.86065	30000	0	0	30000	44.25	2004
23.01.2020 14:07:33	1	1	1	1	77.5	64.25	0	24170.616	378.4946237	9148.47933	30000	0	0	30000	44.25	2004
23.01.2020 14:07:34	1	1	1	1	77.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
23.01.2020 14:07:35	1	1	1	1	77.5	64.25	0	29952.607	481.7204301	14128.7745	30000	0	0	30000	44.125	2004
23.01.2020 14:07:36	1	1	1	1	77.5	64	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.625	2004
23.01.2020 14:07:37	1	1	1	1	77.5	63.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	43.9375	2004
23.01.2020 14:07:38	1	1	1	1	77.5	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.875	2004
23.01.2020 14:07:39	1	1	1	1	77.5	63.75	0	29763.033	481.7204301	14314.67942	30000	0	0	30000	44	2004
23.01.2020 14:07:40	1	1	1	1	77.5	64	0	30000	483.8709677	14493.246	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:41	1	1	1	1	77.25	64	0	29952.607	460.2150538	13913.51616	30000	0	0	30000	43.875	2004
23.01.2020 14:07:42	1	1	1	1	77.25	63.75	0	29905.213	466.6666667	13999.94564	30000	0	0	30000	44	2004
23.01.2020 14:07:43	1	1	1	1	77.25	64	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:07:44	1	1	1	1	77.25	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.125	2004
23.01.2020 14:07:46	1	1	1	1	77.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 14:07:47	1	1	1	1	77.25	63.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	44.5	2004
23.01.2020 14:07:48	1	1	1	1	77.25	64.5	0	30000	464.516129	13935.53122	30000	0	0	30000	43.8125	2004
23.01.2020 14:07:49	1	1	1	1	77.25	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:50	1	1	1	1	77.25	63.75	0	30000	481.7204301	14064.36007	30000	0	0	30000	43.8125	2004
23.01.2020 14:07:51	1	1	1	1	77	63.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.875	2004
23.01.2020 14:07:52	1	1	1	1	77	63.75	0	30000	481.7204301	14064.36007	30000	0	0	30000	44.1875	2004
23.01.2020 14:07:59	1	1	1	1	77	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:59	1	1	1	1	77	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:59	1	1	1	1	77	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:59	1	1	1	1	77	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:59	1	1	1	1	77	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:59	1	1	1	1	77	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
23.01.2020 14:07:59	1	1	1	1	77	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
23.01.2020 14:08:00	1	1	1	1	77	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43.875	2004
23.01.2020 14:08:01	1	1	1	1	77	63.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.125	2004
23.01.2020 14:08:02	1	1	1	1	77	64	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	44.25	2004
23.01.2020 14:08:03	1	1	1	1	77	64.25	0	29620.853	372.0430108	11019.75919	30000	0	0	30000	44.0625	2004
23.01.2020 14:08:04	1	1	1	1	77	64	0	29952.607	458.0645161	13720.27288	30000	0	0	30000	44	2004
23.01.2020 14:08:05	1	1	1	1	77	64	0	29668.246	427.9569892	12716.54934	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:06	1	1	1	1	77	64	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	44.3125	2004
23.01.2020 14:08:07	1	1	1	1	77	64.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	44	2004
23.01.2020 14:08:08	1	1	1	1	77	64	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:09	1	1	1	1	77	64	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:10	1	1	1	1	77	64	0	30000	434.4086022	13096.51292	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:11	1	1	1	1	76.75	64	0	0	0	0	30000	0	8	30000	44.4375	2004
23.01.2020 14:08:12	1	1	1	1	76.75	64.25	0	10426.54	0	0	30000	0	0	30000	41.625	2004
23.01.2020 14:08:13	1	1	1	1	76.75	61.5	0	11184.834	0	0	30000	0	0	30000	44.375	2004
23.01.2020 14:08:14	1	1	1	1	76.75	64.25	0	11990.521	0	0	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:15	1	1	1	1	76.75	64	0	12748.815	0	0	30000	0	0	30000	44.3125	2004
23.01.2020 14:08:16	1	1	1	1	76.75	64.25	0	13507.109	2.150537634	28.53803713	30000	0	0	30000	44.4375	2004
23.01.2020 14:08:17	1	1	1	1	76.75	64.25	0	14265.403	6.451612903	91.32171881	30000	0	0	30000	44.25	2004
23.01.2020 14:08:18	1	1	1	1	76.75	64.25	0	15165.877	10.75268817	160.6283804	30000	0	0	30000	44.125	2004
23.01.2020 14:08:19	1	1	1	1	76.75	64	0	15829.384	15.05376344	238.9041394	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:20	1	1	1	1	76.75	64	0	16682.464	19.35483871	318.8106433	30000	0	0	30000	44.3125	2004
23.01.2020 14:08:21	1	1	1	1	77.5	64.25	0	17203.791	21.50537634	369.3637377	30000	0	0	30000	44.25	2004
23.01.2020 14:08:22	1	1	1	1	77.5	64.25	0	18151.659	30.10752688	585.4374473	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:23	1	1	1	1	77.5	64	0	18909.953	36.55913978	690.6204985	30000	0	0	30000	44.25	2004
23.01.2020 14:08:25	1	1	1	1	77.5	64.25	0	19668.246	45.16129032	845.5412714	30000	0	0	30000	44.5	2004
23.01.2020 14:08:26	1	1	1	1	77.5	64.5	0	20473.934	53.76344086	1100.752861	30000	0	0	30000	44.3125	2004
23.01.2020 14:08:27	1	1	1	1	77.5	64.25	0	21232.227	62.3655914	1369.825782	30000	0	0	30000	44.625	2004
23.01.2020 14:08:28	1	1	1	1	77.5	64.5	0	21943.128	75.2688172	1665.805996	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:08:29	1	1	1	1	77.5	64.5	0	22796.209	81.72043011	1862.310766	30000	0	0	30000	44.375	2004
23.01.2020 14:08:30	1	1	1	1	77.5	64.25	0	21232.227	79.56989247	1689.451798	30000	0	0	30000	44.25	2004
23.01.2020 14:08:31	1	1	1	1	77.25	64.25	0	24407.583	122.5806452	2916.587394	30000	0	0	30000	44.25	2004
23.01.2020 14:08:32	1	1	1	1	77.25	64.25	0	24407.583	124.7311828	3096.784714	30000	0	0	30000	44.25	2004
23.01.2020 14:08:33	1	1	1	1	77.25	64.25	0	24597.156	139.7849462	3437.610415	30000	0	0	30000	43.875	2004
23.01.2020 14:08:34	1	1	1	1	77.25	63.75	0	25734.597	152.688172	3929.280026	30000	0	0	30000	44.25	2004
23.01.2020 14:08:35	1	1	1	1	77.25	64.25	0	25734.597	161.2903226	4221.183377	30000	0	0	30000	44.0625	2004
23.01.2020 14:08:36	1	1	1	1	77.25	64	0	25734.597	169.8924731	4387.519365	30000	0	0	30000	44.25	2004
23.01.2020 14:08:37	1	1	1	1	77.25	64.25	0	25734.597	176.344086	4395.67309	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:38	1	1	1	1	77.25	64	0	25829.384	178.4946237	4592.993232	30000	0	0	30000	44.5	2004
23.01.2020 14:08:39	1	1	1	1	77.25	64.5	0	25734.597	174.1935484	4592.993232	30000	0	0	30000	44.3125	2004
23.01.2020 14:08:40	1	1	1	1	77.25	64.25	0	25734.597	178.4946237	4665.561384	30000	0	0	30000	44.3125	2004
23.01.2020 14:08:41	1	1	1	1	77	64.25	0	25734.597	182.7956989	4703.883891	30000	0	0	30000	44.125	2004
23.01.2020 14:08:42	1	1	1	1	77	64	0	25734.597	184.9462366	4703.883891	30000	0	0	30000	44.25	2004
23.01.2020 14:08:43	1	1	1	1	77	64.25	0	25876.777	189.2473118	4721.006713	30000	0	0	30000	43.9375	2004
23.01.2020 14:08:44	1	1	1	1	77	63.75	0	25734.597	178.4946237	4592.993232	30000	0	0	30000	44.25	2004
23.01.2020 14:08:45	1	1	1	1	77	64.25	0	25734.597	178.4946237	4372.027288	30000	0	0	30000	43.875	2004
23.01.2020 14:08:46	1	1	1	1	77	63.75	0	25876.777	169.8924731	4372.027288	30000	0	0	30000	43.6875	2004
23.01.2020 14:08:47	1	1	1	1	77	63.5	0	25734.597	169.8924731	4387.519365	30000	0	0	30000	44.375	2004
23.01.2020 14:08:48	1	1	1	1	77	64.25	0	25734.597	163.4408602	4261.136629	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:49	1	1	1	1	77	64	0	25734.597	152.688172	4205.6913	30000	0	0	30000	44.0625	2004
23.01.2020 14:08:50	1	1	1	1	77	64	0	25734.597	152.688172	3943.141358	30000	0	0	30000	44.3125	2004
23.01.2020 14:08:51	1	1	1	1	76.75	64.25	0	25734.597	148.3870968	3929.280026	30000	0	0	30000	44.25	2004
23.01.2020 14:08:52	1	1	1	1	76.75	64.25	0	25829.384	152.688172	3943.141358	30000	0	0	30000	44.1875	2004
23.01.2020 14:08:53	1	1	1	1	76.75	64	0	26255.924	163.4408602	4234.229337	30000	0	0	30000	44.375	2004
23.01.2020 14:09:00	1	1	1	1	76.75	64.25	0	29241.706	234.4086022	6865.43636	30000	0	0	30000	44.25	2004
23.01.2020 14:09:00	1	1	1	1	76.75	64.25	0	29241.706	234.4086022	6865.43636	30000	0	0	30000	44.25	2004
23.01.2020 14:09:00	1	1	1	1	76.75	64.25	0	29241.706	234.4086022	6865.43636	30000	0	0	30000	44.25	2004
23.01.2020 14:09:00	1	1	1	1	76.75	64.25	0	29241.706	234.4086022	6865.43636	30000	0	0	30000	44.25	2004
23.01.2020 14:09:00	1	1	1	1	76.75	64.25	0	29241.706	234.4086022	6865.43636	30000	0	0	30000	44.25	2004
23.01.2020 14:09:00	1	1	1	1	76.75	64.25	0	29146.919	232.2580645	6769.222406	30000	0	0	30000	44.3125	2004
23.01.2020 14:09:01	1	1	1	1	76.25	64.25	0	29241.706	230.1075269	6728.453782	30000	0	0	30000	44	2004
23.01.2020 14:09:03	1	1	1	1	76.25	64	0	29146.919	232.2580645	6706.438725	30000	0	0	30000	44.1875	2004
23.01.2020 14:09:04	1	1	1	1	76.25	64	0	29146.919	232.2580645	6769.222406	30000	0	0	30000	44.625	2004
23.01.2020 14:09:05	1	1	1	1	76.25	64.5	0	29146.919	240.8602151	6957.573451	30000	0	0	30000	44.25	2004
23.01.2020 14:09:06	1	1	1	1	76.25	64.25	0	29146.919	243.0107527	7145.109124	30000	0	0	30000	44.625	2004
23.01.2020 14:09:07	1	1	1	1	76.25	64.5	0	29289.1	258.0645161	7494.903922	30000	0	0	30000	44.3125	2004
23.01.2020 14:09:08	1	1	1	1	76.25	64.25	0	29241.706	264.516129	7583.779523	30000	0	0	30000	44.0625	2004
23.01.2020 14:09:09	1	1	1	1	76.25	64	0	29146.919	273.1182796	7960.481613	30000	0	0	30000	44.1875	2004
23.01.2020 14:09:10	1	1	1	1	76.25	64	0	28199.052	270.9677419	7579.702661	30000	0	0	30000	44.4375	2004
23.01.2020 14:09:11	1	1	1	1	76.5	64.25	0	29241.706	292.4731183	8488.842986	30000	0	0	30000	44.125	2004
23.01.2020 14:09:12	1	1	1	1	76.5	64	0	29431.28	307.5268817	9114.233686	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:09:13	1	1	1	1	76.5	64	0	29526.066	294.6236559	8713.070421	30000	0	0	30000	44.125	2004
23.01.2020 14:09:14	1	1	1	1	76.5	64	0	29526.066	277.4193548	8204.277988	30000	0	0	30000	44.3125	2004
23.01.2020 14:09:15	1	1	1	1	76.5	64.25	0	29526.066	275.2688172	8127.632974	30000	0	0	30000	43.875	2004
23.01.2020 14:09:16	1	1	1	1	76.5	63.75	0	29620.853	277.4193548	8217.323947	30000	0	0	30000	44.125	2004
23.01.2020 14:09:17	1	1	1	1	76.5	64	0	29573.46	292.4731183	8726.931753	30000	0	0	30000	43.9375	2004
23.01.2020 14:09:18	1	1	1	1	76.5	63.75	0	29620.853	286.0215054	8458.674204	30000	0	0	30000	44.0625	2004
23.01.2020 14:09:19	1	1	1	1	76.5	64	0	29620.853	283.8709677	8471.720164	30000	0	0	30000	44.375	2004
23.01.2020 14:09:20	1	1	1	1	76.5	64.25	0	29573.46	279.5698925	8280.923002	30000	0	0	30000	44.125	2004
23.01.2020 14:09:21	1	1	1	1	76.25	64	0	29620.853	277.4193548	8217.323947	30000	0	0	30000	44.375	2004
23.01.2020 14:09:22	1	1	1	1	76.25	64.25	0	29383.886	288.172043	8467.643302	30000	0	0	30000	44.3125	2004
23.01.2020 14:09:23	1	1	1	1	76.25	64.25	0	29715.64	307.5268817	9137.879488	30000	0	0	30000	43.875	2004
23.01.2020 14:09:24	1	1	1	1	76.25	63.75	0	29715.64	298.9247312	8854.129862	30000	0	0	30000	44.125	2004
23.01.2020 14:09:25	1	1	1	1	76.25	64	0	29715.64	296.7741935	8882.667899	30000	0	0	30000	44.125	2004
23.01.2020 14:09:26	1	1	1	1	76.25	64	0	29715.64	288.172043	8563.041883	30000	0	0	30000	44.25	2004
23.01.2020 14:09:27	1	1	1	1	76.25	64.25	0	29715.64	279.5698925	8307.014921	30000	0	0	30000	44.125	2004
23.01.2020 14:09:28	1	1	1	1	76.25	64	0	29763.033	286.0215054	8179.816813	30000	0	0	30000	43.8125	2004
23.01.2020 14:09:29	1	1	1	1	76.25	63.75	0	29715.64	288.172043	8498.627456	30000	0	0	30000	44	2004
23.01.2020 14:09:30	1	1	1	1	76.25	64	0	29715.64	294.6236559	8754.654418	30000	0	0	30000	44.0625	2004
23.01.2020 14:09:31	1	1	1	1	76	64	0	29715.64	303.2258065	9009.866007	30000	0	0	30000	43.25	2004
23.01.2020 14:09:32	1	1	1	1	76	63.25	0	29810.427	305.3763441	9102.818471	30000	0	0	30000	44.0625	2004
23.01.2020 14:09:33	1	1	1	1	76	64	0	29857.82	320.4301075	9552.088713	30000	0	0	30000	43.25	2004
23.01.2020 14:09:34	1	1	1	1	76	63.25	0	29905.213	318.2795699	9453.428641	30000	0	0	30000	43.625	2004
23.01.2020 14:09:35	1	1	1	1	76	63.5	0	29952.607	333.3333333	10048.65056	30000	0	0	30000	44.0625	2004
23.01.2020 14:09:36	1	1	1	1	76	64	0	29526.066	339.7849462	10032.34311	30000	0	0	30000	43.75	2004
23.01.2020 14:09:37	1	1	1	1	76	63.75	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	44.3125	2004
23.01.2020 14:09:38	1	1	1	1	76	64.25	0	29715.64	356.9892473	10671.59514	30000	0	0	30000	44.375	2004
23.01.2020 14:09:39	1	1	1	1	76	64.25	0	25924.171	322.5806452	8417.90558	30000	0	0	30000	43.8125	2004
23.01.2020 14:09:41	1	1	1	1	76	63.75	0	29905.213	365.5913978	10996.92876	30000	0	0	30000	44.125	2004
23.01.2020 14:09:42	1	1	1	1	76	64	0	29715.64	363.4408602	10799.60862	30000	0	0	30000	44.1875	2004
23.01.2020 14:09:43	1	1	1	1	76	64	0	29573.46	365.5913978	10875.43826	30000	0	0	30000	44.125	2004
23.01.2020 14:09:44	1	1	1	1	76	64	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	43.75	2004
23.01.2020 14:09:45	1	1	1	1	76	63.5	0	29526.066	333.3333333	9841.545946	30000	0	0	30000	44.25	2004
23.01.2020 14:09:46	1	1	1	1	76	64.25	0	30000	378.4946237	11382.59995	30000	0	0	30000	44.1875	2004
23.01.2020 14:09:47	1	1	1	1	76	64	0	29715.64	395.6989247	11720.97953	30000	0	0	30000	44.0625	2004
23.01.2020 14:09:48	1	1	1	1	76	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.0625	2004
23.01.2020 14:09:49	1	1	1	1	76	64	0	28672.986	348.3870968	10100.8344	30000	0	0	30000	43.625	2004
23.01.2020 14:09:50	1	1	1	1	76	63.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	44.1875	2004
23.01.2020 14:09:51	1	1	1	1	75.25	64	0	29573.46	350.5376344	10493.84394	30000	0	0	30000	43.9375	2004
23.01.2020 14:09:52	1	1	1	1	75.25	63.75	0	29905.213	397.8494624	11897.09999	30000	0	0	30000	44.0625	2004
23.01.2020 14:09:53	1	1	1	1	75.25	64	0	30000	404.3010753	12128.66578	30000	0	0	30000	44.125	2004
23.01.2020 14:09:54	1	1	1	1	75.25	64	0	29668.246	354.8387097	10527.27421	30000	0	0	30000	44.0625	2004
23.01.2020 14:09:55	1	1	1	1	75.25	64	0	30000	397.8494624	11916.66893	30000	0	0	30000	44.375	2004
23.01.2020 14:10:02	1	1	1	1	75.5	64	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:10:02	1	1	1	1	75.5	64	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44	2004
23.01.2020 14:10:02	1	1	1	1	75.5	64	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44	2004
23.01.2020 14:10:02	1	1	1	1	75.5	64	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44	2004
23.01.2020 14:10:02	1	1	1	1	75.5	64	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44	2004
23.01.2020 14:10:02	1	1	1	1	75.5	64	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44	2004
23.01.2020 14:10:02	1	1	1	1	75.5	64	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	44.0625	2004
23.01.2020 14:10:03	1	1	1	1	75.5	64	0	29857.82	384.9462366	11493.49061	30000	0	0	30000	44.3125	2004
23.01.2020 14:10:04	1	1	1	1	75.5	64.25	0	29620.853	350.5376344	10399.26073	30000	0	0	30000	43.625	2004
23.01.2020 14:10:05	1	1	1	1	75.5	63.5	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	44.0625	2004
23.01.2020 14:10:06	1	1	1	1	75.5	64	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.9375	2004
23.01.2020 14:10:07	1	1	1	1	75.5	63.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	44.125	2004
23.01.2020 14:10:08	1	1	1	1	75.5	64	0	28957.346	322.5806452	9340.907238	30000	0	0	30000	43.9375	2004
23.01.2020 14:10:09	1	1	1	1	75.5	63.75	0	24976.303	305.3763441	7680.80885	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:10	1	1	1	1	75.5	64	0	29905.213	365.5913978	10950.45253	30000	0	0	30000	44	2004
23.01.2020 14:10:11	1	1	1	1	75.25	64	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	44.125	2004
23.01.2020 14:10:12	1	1	1	1	75.25	64	0	29668.246	354.8387097	10527.27421	30000	0	0	30000	44.3125	2004
23.01.2020 14:10:13	1	1	1	1	75.25	64.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:14	1	1	1	1	75.25	64	0	29857.82	359.1397849	10996.92876	30000	0	0	30000	44.125	2004
23.01.2020 14:10:15	1	1	1	1	75.25	64	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:16	1	1	1	1	75.25	64	0	28341.232	313.9784946	8853.314489	30000	0	0	30000	43.875	2004
23.01.2020 14:10:17	1	1	1	1	75.25	63.75	0	29810.427	326.8817204	9649.118039	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:18	1	1	1	1	75.25	64	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 14:10:20	1	1	1	1	75.25	63.25	0	28909.953	318.2795699	9154.186938	30000	0	0	30000	43.9375	2004
23.01.2020 14:10:21	1	1	1	1	75.25	63.75	0	28957.346	292.4731183	8469.274047	30000	0	0	30000	44.5	2004
23.01.2020 14:10:22	1	1	1	1	75	64.5	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	44.375	2004
23.01.2020 14:10:23	1	1	1	1	75	64.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.9375	2004
23.01.2020 14:10:24	1	1	1	1	75	64	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.875	2004
23.01.2020 14:10:25	1	1	1	1	75	63.75	0	29905.213	326.8817204	9870.899356	30000	0	0	30000	42.6875	2004
23.01.2020 14:10:26	1	1	1	1	75	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	44.25	2004
23.01.2020 14:10:27	1	1	1	1	75	64.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.625	2004
23.01.2020 14:10:28	1	1	1	1	75	63.5	0	28625.592	275.2688172	7743.592531	30000	0	0	30000	44.0625	2004
23.01.2020 14:10:29	1	1	1	1	75	64	0	30000	294.6236559	8903.052211	30000	0	0	30000	44.125	2004
23.01.2020 14:10:30	1	1	1	1	75	64	0	29715.64	290.3225806	8626.640937	30000	0	0	30000	43.5625	2004
23.01.2020 14:10:31	1	1	1	1	75.5	63.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	44.125	2004
23.01.2020 14:10:32	1	1	1	1	75.5	64	0	30000	307.5268817	9225.124344	30000	0	0	30000	44.0625	2004
23.01.2020 14:10:33	1	1	1	1	75.5	64	0	30000	305.3763441	9160.709918	30000	0	0	30000	44.0625	2004
23.01.2020 14:10:34	1	1	1	1	75.5	64	0	29146.919	286.0215054	8260.538689	30000	0	0	30000	44	2004
23.01.2020 14:10:35	1	1	1	1	75.5	64	0	30047.393	313.9784946	9369.445275	30000	0	0	30000	44.0625	2004
23.01.2020 14:10:36	1	1	1	1	75.5	64	0	29526.066	283.8709677	8381.213818	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:37	1	1	1	1	75.5	64	0	29857.82	296.7741935	8938.928601	30000	0	0	30000	43.875	2004
23.01.2020 14:10:38	1	1	1	1	75.5	63.75	0	29857.82	290.3225806	8668.224934	30000	0	0	30000	43.4375	2004
23.01.2020 14:10:39	1	1	1	1	75.5	63.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	44.125	2004
23.01.2020 14:10:40	1	1	1	1	75.5	64	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:10:41	1	1	1	1	75.25	63.75	0	30000	307.5268817	9031.881064	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:42	1	1	1	1	75.25	64	0	30000	305.3763441	9096.295491	30000	0	0	30000	44.125	2004
23.01.2020 14:10:43	1	1	1	1	75.25	64	0	30000	305.3763441	9160.709918	30000	0	0	30000	44.125	2004
23.01.2020 14:10:44	1	1	1	1	75.25	64	0	30000	294.6236559	8967.466638	30000	0	0	30000	44.0625	2004
23.01.2020 14:10:45	1	1	1	1	75.25	64	0	30000	303.2258065	9096.295491	30000	0	0	30000	44	2004
23.01.2020 14:10:46	1	1	1	1	75.25	64	0	30000	303.2258065	9096.295491	30000	0	0	30000	44.0625	2004
23.01.2020 14:10:47	1	1	1	1	75.25	64	0	30000	301.0752688	9096.295491	30000	0	0	30000	44.125	2004
23.01.2020 14:10:48	1	1	1	1	75.25	64	0	30000	305.3763441	9096.295491	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:49	1	1	1	1	75.25	64	0	30000	311.827957	9225.124344	30000	0	0	30000	44.0625	2004
23.01.2020 14:10:50	1	1	1	1	75.25	64	0	30000	313.9784946	9433.859702	30000	0	0	30000	44.375	2004
23.01.2020 14:10:51	1	1	1	1	75.25	64.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:52	1	1	1	1	75.25	64	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:53	1	1	1	1	75.25	64	0	30000	320.4301075	9612.426277	30000	0	0	30000	44.1875	2004
23.01.2020 14:10:54	1	1	1	1	75.25	64	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	44.125	2004
23.01.2020 14:10:55	1	1	1	1	75.25	64	0	30000	320.4301075	9483.597423	30000	0	0	30000	44.125	2004
23.01.2020 14:10:56	1	1	1	1	75.25	64	0	28862.559	294.6236559	8503.519691	30000	0	0	30000	43.875	2004
23.01.2020 14:11:04	1	1	1	1	75.75	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:04	1	1	1	1	75.75	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:04	1	1	1	1	75.75	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:04	1	1	1	1	75.75	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:04	1	1	1	1	75.75	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:04	1	1	1	1	75.75	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:04	1	1	1	1	75.75	64.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:05	1	1	1	1	75.75	64	0	29146.919	335.483871	9840.730574	30000	0	0	30000	43.875	2004
23.01.2020 14:11:06	1	1	1	1	75.75	63.75	0	26113.744	292.4731183	7693.039437	30000	0	0	30000	43.875	2004
23.01.2020 14:11:07	1	1	1	1	75.75	63.75	0	29478.673	326.8817204	9683.363683	30000	0	0	30000	43.5625	2004
23.01.2020 14:11:08	1	1	1	1	75.75	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	44	2004
23.01.2020 14:11:09	1	1	1	1	75.75	64	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	44.25	2004
23.01.2020 14:11:10	1	1	1	1	75.75	64.25	0	29905.213	324.7311828	9775.500775	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:11	1	1	1	1	75.25	64	0	30000	331.1827957	9935.313783	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:12	1	1	1	1	75.25	64	0	30000	324.7311828	9741.25513	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:13	1	1	1	1	75.25	64	0	29905.213	292.4731183	8810.099747	30000	0	0	30000	44.0625	2004
23.01.2020 14:11:14	1	1	1	1	75.25	64	0	30000	311.827957	9354.76857	30000	0	0	30000	44.25	2004
23.01.2020 14:11:15	1	1	1	1	75.25	64.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.75	2004
23.01.2020 14:11:16	1	1	1	1	75.25	63.75	0	28957.346	275.2688172	7971.081456	30000	0	0	30000	43.9375	2004
23.01.2020 14:11:17	1	1	1	1	75.25	63.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	44.25	2004
23.01.2020 14:11:18	1	1	1	1	75.25	64.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	44	2004
23.01.2020 14:11:19	1	1	1	1	75.25	64	0	29952.607	339.7849462	10048.65056	30000	0	0	30000	43.5625	2004
23.01.2020 14:11:20	1	1	1	1	75.25	63.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	43.75	2004
23.01.2020 14:11:21	1	1	1	1	74.75	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:22	1	1	1	1	74.75	64	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	43.75	2004
23.01.2020 14:11:23	1	1	1	1	74.75	63.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	44.0625	2004
23.01.2020 14:11:24	1	1	1	1	74.75	64	0	30047.393	337.6344086	10064.14264	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:11:25	1	1	1	1	74.75	63.75	0	29810.427	298.9247312	8989.481695	30000	0	0	30000	44	2004
23.01.2020 14:11:26	1	1	1	1	74.75	64	0	29431.28	279.5698925	8227.92379	30000	0	0	30000	44.0625	2004
23.01.2020 14:11:27	1	1	1	1	74.75	64	0	29526.066	277.4193548	8267.877042	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:28	1	1	1	1	74.75	64	0	26398.104	266.6666667	7039.1107	30000	0	0	30000	43.5	2004
23.01.2020 14:11:29	1	1	1	1	74.75	63.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.375	2004
23.01.2020 14:11:30	1	1	1	1	74.75	64.25	0	29668.246	270.9677419	7962.112358	30000	0	0	30000	43.9375	2004
23.01.2020 14:11:31	1	1	1	1	75	63.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:32	1	1	1	1	75	64	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.875	2004
23.01.2020 14:11:33	1	1	1	1	75	63.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:11:34	1	1	1	1	75	63.5	0	27914.692	279.5698925	7877.313619	30000	0	0	30000	44.0625	2004
23.01.2020 14:11:35	1	1	1	1	75	64	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.6875	2004
23.01.2020 14:11:36	1	1	1	1	75	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:38	1	1	1	1	75	64	0	30000	311.827957	9354.76857	30000	0	0	30000	43.6875	2004
23.01.2020 14:11:39	1	1	1	1	75	63.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	44.125	2004
23.01.2020 14:11:40	1	1	1	1	75	64	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:41	1	1	1	1	75	64	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	44.5625	2004
23.01.2020 14:11:42	1	1	1	1	75.25	64.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	44.375	2004
23.01.2020 14:11:43	1	1	1	1	75.25	63.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	44.125	2004
23.01.2020 14:11:44	1	1	1	1	75.25	64	0	30000	335.483871	9711.086348	30000	0	0	30000	44.125	2004
23.01.2020 14:11:45	1	1	1	1	75.25	64	0	28957.346	303.2258065	8904.682956	30000	0	0	30000	44.125	2004
23.01.2020 14:11:46	1	1	1	1	75.25	64	0	29810.427	309.6774194	9324.599788	30000	0	0	30000	44.125	2004
23.01.2020 14:11:47	1	1	1	1	75.25	64	0	30000	352.688172	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:48	1	1	1	1	75.25	64	0	28815.166	301.0752688	8675.563286	30000	0	0	30000	43.6875	2004
23.01.2020 14:11:49	1	1	1	1	75.25	63.5	0	29905.213	352.688172	10611.25758	30000	0	0	30000	44.125	2004
23.01.2020 14:11:50	1	1	1	1	75.25	64	0	30000	363.4408602	10773.5167	30000	0	0	30000	44.0625	2004
23.01.2020 14:11:51	1	1	1	1	74.75	64	0	29810.427	350.5376344	10513.41288	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:52	1	1	1	1	74.75	64	0	29715.64	359.1397849	10671.59514	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:53	1	1	1	1	74.75	64	0	28625.592	346.2365591	9976.897779	30000	0	0	30000	43.75	2004
23.01.2020 14:11:54	1	1	1	1	74.75	63.75	0	29478.673	359.1397849	10730.30196	30000	0	0	30000	43.9375	2004
23.01.2020 14:11:57	1	1	1	1	74.75	64	0	29905.213	361.2903226	10740.08643	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:57	1	1	1	1	74.75	64	0	29905.213	361.2903226	10740.08643	30000	0	0	30000	44.1875	2004
23.01.2020 14:11:57	1	1	1	1	74.75	64	0	29857.82	384.9462366	11346.72356	30000	0	0	30000	43.6875	2004
23.01.2020 14:11:58	1	1	1	1	74.75	63.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	44.0625	2004
23.01.2020 14:12:05	1	1	1	1	74.5	63	0	29383.886	384.9462366	11292.90898	30000	0	0	30000	44.3125	2004
23.01.2020 14:12:05	1	1	1	1	74.5	63	0	29383.886	384.9462366	11292.90898	30000	0	0	30000	44.3125	2004
23.01.2020 14:12:05	1	1	1	1	74.5	63	0	29383.886	384.9462366	11292.90898	30000	0	0	30000	44.3125	2004
23.01.2020 14:12:05	1	1	1	1	74.5	63	0	29383.886	384.9462366	11292.90898	30000	0	0	30000	44.3125	2004
23.01.2020 14:12:05	1	1	1	1	74.5	63	0	29383.886	384.9462366	11292.90898	30000	0	0	30000	44.3125	2004
23.01.2020 14:12:05	1	1	1	1	74.5	63	0	29383.886	384.9462366	11292.90898	30000	0	0	30000	44.3125	2004
23.01.2020 14:12:05	1	1	1	1	74.5	64.25	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
23.01.2020 14:12:06	1	1	1	1	74.5	62.75	0	29526.066	335.483871	9905.145	30000	0	0	30000	44	2004
23.01.2020 14:12:07	1	1	1	1	74.5	64	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	44.25	2004
23.01.2020 14:12:08	1	1	1	1	74.5	64.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:12:09	1	1	1	1	74.5	64	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.75	2004
23.01.2020 14:12:10	1	1	1	1	74.5	63.75	0	29952.607	356.9892473	10482.42872	30000	0	0	30000	43.8125	2004
23.01.2020 14:12:11	1	1	1	1	75	63.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	44.125	2004
23.01.2020 14:12:12	1	1	1	1	75	64	0	29952.607	335.483871	10128.55706	30000	0	0	30000	44.125	2004
23.01.2020 14:12:13	1	1	1	1	75	64	0	30000	329.0322581	9870.899356	30000	0	0	30000	44.1875	2004
23.01.2020 14:12:14	1	1	1	1	75	64	0	30000	305.3763441	9160.709918	30000	0	0	30000	44	2004
23.01.2020 14:12:16	1	1	1	1	75	64	0	30000	313.9784946	9483.597423	30000	0	0	30000	44.25	2004
23.01.2020 14:12:17	1	1	1	1	75	64.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	44.0625	2004
23.01.2020 14:12:18	1	1	1	1	75	64	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.9375	2004
23.01.2020 14:12:19	1	1	1	1	75	63.75	0	30000	286.0215054	8309.461039	30000	0	0	30000	44.625	2004
23.01.2020 14:12:20	1	1	1	1	75	64.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	44	2004
23.01.2020 14:12:21	1	1	1	1	75	64	0	30000	298.9247312	8967.466638	30000	0	0	30000	44.3125	2004
23.01.2020 14:12:22	1	1	1	1	75	64.25	0	28483.412	277.4193548	7901.774794	30000	0	0	30000	44.125	2004
23.01.2020 14:12:23	1	1	1	1	75	64	0	30000	311.827957	9354.76857	30000	0	0	30000	44.1875	2004
23.01.2020 14:12:24	1	1	1	1	75	64	0	30000	313.9784946	9419.182997	30000	0	0	30000	44	2004
23.01.2020 14:12:25	1	1	1	1	75	64	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.875	2004
23.01.2020 14:12:26	1	1	1	1	75	63.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	44.125	2004
23.01.2020 14:12:27	1	1	1	1	75	64	0	29526.066	290.3225806	8649.471367	30000	0	0	30000	44.0625	2004
23.01.2020 14:12:28	1	1	1	1	75	64	0	29905.213	316.1290323	9340.091865	30000	0	0	30000	44.125	2004
23.01.2020 14:12:29	1	1	1	1	75	64	0	30000	329.0322581	9870.899356	30000	0	0	30000	44.25	2004
23.01.2020 14:12:30	1	1	1	1	75	64.25	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.6875	2004
23.01.2020 14:12:31	1	1	1	1	74.75	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.9375	2004
23.01.2020 14:12:32	1	1	1	1	74.75	63.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	44.125	2004
23.01.2020 14:12:33	1	1	1	1	74.75	64	0	29905.213	294.6236559	8889.190879	30000	0	0	30000	44.125	2004
23.01.2020 14:12:34	1	1	1	1	74.75	64	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.75	2004
23.01.2020 14:12:35	1	1	1	1	74.75	62.75	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	43.9375	2004
23.01.2020 14:12:36	1	1	1	1	74.75	63.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	43.625	2004
23.01.2020 14:12:37	1	1	1	1	74.75	63.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	44.25	2004
23.01.2020 14:12:38	1	1	1	1	74.75	64.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.8125	2004
23.01.2020 14:12:39	1	1	1	1	74.75	63.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.75	2004
23.01.2020 14:12:40	1	1	1	1	74.75	63.75	0	30000	288.172043	8553.257413	30000	0	0	30000	44	2004
23.01.2020 14:12:41	1	1	1	1	74.5	64	0	28815.166	268.8172043	7746.038649	30000	0	0	30000	44.125	2004
23.01.2020 14:12:42	1	1	1	1	74.5	64	0	30000	298.9247312	9031.881064	30000	0	0	30000	44	2004
23.01.2020 14:12:43	1	1	1	1	74.5	64	0	29905.213	301.0752688	9082.434159	30000	0	0	30000	44.0625	2004
23.01.2020 14:12:44	1	1	1	1	74.5	64	0	29810.427	286.0215054	8371.429348	30000	0	0	30000	44	2004
23.01.2020 14:12:45	1	1	1	1	74.5	64	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.8125	2004
23.01.2020 14:12:46	1	1	1	1	74.5	63.75	0	28436.019	279.5698925	8011.034708	30000	0	0	30000	44.0625	2004
23.01.2020 14:12:47	1	1	1	1	74.5	64	0	30000	311.827957	9290.354143	30000	0	0	30000	43.0625	2004
23.01.2020 14:12:48	1	1	1	1	74.5	63	0	29952.607	311.827957	9419.182997	30000	0	0	30000	44.125	2004
23.01.2020 14:12:49	1	1	1	1	74.5	64	0	29952.607	311.827957	9211.263012	30000	0	0	30000	44.3125	2004
23.01.2020 14:12:50	1	1	1	1	74.5	64.25	0	29052.133	281.7204301	8183.893675	30000	0	0	30000	43.9375	2004
23.01.2020 14:12:51	1	1	1	1	74.5	63.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	44.0625	2004
23.01.2020 14:12:52	1	1	1	1	74.5	64	0	30047.393	305.3763441	9160.709918	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:12:54	1	1	1	1	74.5	63.75	0	29952.607	288.172043	8631.533172	30000	0	0	30000	44	2004
23.01.2020 14:12:55	1	1	1	1	74.5	64	0	29146.919	290.3225806	8461.935694	30000	0	0	30000	44.125	2004
23.01.2020 14:12:56	1	1	1	1	74.5	64	0	29810.427	270.9677419	8013.480825	30000	0	0	30000	44.0625	2004
23.01.2020 14:12:57	1	1	1	1	74.5	64	0	30000	279.5698925	8258.092572	30000	0	0	30000	44	2004
23.01.2020 14:12:58	1	1	1	1	74.5	64	0	29573.46	262.3655914	7759.084608	30000	0	0	30000	44	2004
23.01.2020 14:12:59	1	1	1	1	74.5	64	0	29857.82	288.172043	8682.086266	30000	0	0	30000	44.4375	2004
23.01.2020 14:13:00	1	1	1	1	74.5	64.25	0	30000	318.2795699	9354.76857	30000	0	0	30000	44.125	2004
23.01.2020 14:13:06	1	1	1	1	75	64.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	44	2004
23.01.2020 14:13:06	1	1	1	1	75	64.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	44	2004
23.01.2020 14:13:06	1	1	1	1	75	64.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	44	2004
23.01.2020 14:13:06	1	1	1	1	75	64.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	44	2004
23.01.2020 14:13:06	1	1	1	1	75	64.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	44	2004
23.01.2020 14:13:06	1	1	1	1	75	64.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	44	2004
23.01.2020 14:13:07	1	1	1	1	75	64	0	29573.46	307.5268817	9158.2638	30000	0	0	30000	44.125	2004
23.01.2020 14:13:08	1	1	1	1	75	64	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	43.5	2004
23.01.2020 14:13:09	1	1	1	1	75	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	44.125	2004
23.01.2020 14:13:10	1	1	1	1	75	64	0	28815.166	322.5806452	9371.891392	30000	0	0	30000	44.0625	2004
23.01.2020 14:13:11	1	1	1	1	74.75	64	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	43.875	2004
23.01.2020 14:13:12	1	1	1	1	74.75	63.75	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	44	2004
23.01.2020 14:13:13	1	1	1	1	74.75	64	0	30047.393	335.483871	9806.484929	30000	0	0	30000	44.3125	2004
23.01.2020 14:13:14	1	1	1	1	74.75	64.25	0	30000	311.827957	9354.76857	30000	0	0	30000	44	2004
23.01.2020 14:13:15	1	1	1	1	74.75	64	0	29905.213	294.6236559	8796.238415	30000	0	0	30000	44.125	2004
23.01.2020 14:13:16	1	1	1	1	74.75	64	0	30000	298.9247312	8838.637784	30000	0	0	30000	44.125	2004
23.01.2020 14:13:17	1	1	1	1	74.75	64	0	28862.559	270.9677419	7808.006958	30000	0	0	30000	44.1875	2004
23.01.2020 14:13:18	1	1	1	1	74.75	64	0	30000	309.6774194	9225.124344	30000	0	0	30000	44.1875	2004
23.01.2020 14:13:19	1	1	1	1	74.75	64	0	30000	313.9784946	9419.182997	30000	0	0	30000	44.125	2004
23.01.2020 14:13:20	1	1	1	1	74.75	64	0	30000	311.827957	9354.76857	30000	0	0	30000	43.5	2004
23.01.2020 14:13:21	1	1	1	1	75	63.5	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	44.1875	2004
23.01.2020 14:13:22	1	1	1	1	75	64	0	30000	309.6774194	9354.76857	30000	0	0	30000	44.25	2004
23.01.2020 14:13:23	1	1	1	1	75	64.25	0	29905.213	290.3225806	8824.776452	30000	0	0	30000	44.1875	2004
23.01.2020 14:13:24	1	1	1	1	75	64	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.1875	2004
23.01.2020 14:13:25	1	1	1	1	75	64	0	29052.133	277.4193548	8059.141685	30000	0	0	30000	44.3125	2004
23.01.2020 14:13:26	1	1	1	1	75	64.25	0	30047.393	311.827957	9354.76857	30000	0	0	30000	44.125	2004
23.01.2020 14:13:27	1	1	1	1	75	64	0	30000	337.6344086	10064.14264	30000	0	0	30000	44.25	2004
23.01.2020 14:13:28	1	1	1	1	75	64.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	44.1875	2004
23.01.2020 14:13:29	1	1	1	1	75	64	0	30000	346.2365591	10257.38592	30000	0	0	30000	44.1875	2004
23.01.2020 14:13:30	1	1	1	1	75	64	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.9375	2004
23.01.2020 14:13:31	1	1	1	1	74.75	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	44	2004
23.01.2020 14:13:33	1	1	1	1	74.75	64	0	29620.853	316.1290323	9363.737667	30000	0	0	30000	43.9375	2004
23.01.2020 14:13:34	1	1	1	1	74.75	63.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	44.1875	2004
23.01.2020 14:13:35	1	1	1	1	74.75	64	0	29526.066	359.1397849	10730.30196	30000	0	0	30000	44.125	2004
23.01.2020 14:13:36	1	1	1	1	74.75	64	0	29715.64	337.6344086	10032.34311	30000	0	0	30000	44.5	2004
23.01.2020 14:13:37	1	1	1	1	74.75	64.5	0	27630.332	324.7311828	8972.358873	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:13:38	1	1	1	1	74.75	64	0	29526.066	348.3870968	10112.24961	30000	0	0	30000	44.5625	2004
23.01.2020 14:13:39	1	1	1	1	74.75	64.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	44.3125	2004
23.01.2020 14:13:40	1	1	1	1	74.75	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.125	2004
23.01.2020 14:13:41	1	1	1	1	75	64	0	26540.284	333.3333333	8789.715435	30000	0	0	30000	43.25	2004
23.01.2020 14:13:42	1	1	1	1	75	63.25	0	29526.066	404.3010753	11956.62218	30000	0	0	30000	44.0625	2004
23.01.2020 14:13:43	1	1	1	1	75	64	0	29952.607	395.6989247	12128.66578	30000	0	0	30000	44.0625	2004
23.01.2020 14:13:44	1	1	1	1	75	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.125	2004
23.01.2020 14:13:45	1	1	1	1	75	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.0625	2004
23.01.2020 14:13:46	1	1	1	1	75	64	0	30000	412.9032258	12348.00098	30000	0	0	30000	44.125	2004
23.01.2020 14:13:47	1	1	1	1	75	64	0	30000	384.9462366	11319.0009	30000	0	0	30000	44	2004
23.01.2020 14:13:48	1	1	1	1	75	64	0	28957.346	329.0322581	9776.316147	30000	0	0	30000	43.5	2004
23.01.2020 14:13:49	1	1	1	1	75	63.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	44	2004
23.01.2020 14:13:50	1	1	1	1	75	64	0	29715.64	365.5913978	10863.20768	30000	0	0	30000	43.5625	2004
23.01.2020 14:13:51	1	1	1	1	75	63.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	44	2004
23.01.2020 14:13:52	1	1	1	1	75	64	0	29905.213	348.3870968	10515.85899	30000	0	0	30000	44	2004
23.01.2020 14:13:53	1	1	1	1	75	64	0	30000	341.9354839	10257.38592	30000	0	0	30000	44.0625	2004
23.01.2020 14:13:54	1	1	1	1	75	64	0	30000	352.688172	10499.55155	30000	0	0	30000	43.6875	2004
23.01.2020 14:13:55	1	1	1	1	75	63.5	0	29905.213	337.6344086	10113.06499	30000	0	0	30000	44.0625	2004
23.01.2020 14:13:56	1	1	1	1	75	64	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	43.9375	2004
23.01.2020 14:13:57	1	1	1	1	75	63.75	0	29715.64	378.4946237	11247.24812	30000	0	0	30000	44.0625	2004
23.01.2020 14:13:58	1	1	1	1	75	64	0	28625.592	329.0322581	9481.151306	30000	0	0	30000	44.0625	2004
23.01.2020 14:13:59	1	1	1	1	75	64	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.75	2004
23.01.2020 14:14:00	1	1	1	1	75	63.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	44	2004
23.01.2020 14:14:01	1	1	1	1	74.75	64	0	30000	384.9462366	11511.4288	30000	0	0	30000	44.125	2004
23.01.2020 14:14:08	1	1	1	1	74.75	64	0	29763.033	423.655914	12461.33775	30000	0	0	30000	43.0625	2004
23.01.2020 14:14:08	1	1	1	1	74.75	64	0	29763.033	423.655914	12461.33775	30000	0	0	30000	43.0625	2004
23.01.2020 14:14:08	1	1	1	1	74.75	64	0	29763.033	423.655914	12461.33775	30000	0	0	30000	43.0625	2004
23.01.2020 14:14:08	1	1	1	1	74.75	64	0	29763.033	423.655914	12461.33775	30000	0	0	30000	43.0625	2004
23.01.2020 14:14:08	1	1	1	1	74.75	64	0	29763.033	423.655914	12461.33775	30000	0	0	30000	43.0625	2004
23.01.2020 14:14:08	1	1	1	1	74.75	64	0	29763.033	423.655914	12461.33775	30000	0	0	30000	43.0625	2004
23.01.2020 14:14:08	1	1	1	1	74.75	63	0	25734.597	365.5913978	9518.65844	30000	0	0	30000	43.9375	2004
23.01.2020 14:14:09	1	1	1	1	74.75	63.75	0	29857.82	436.5591398	13119.34335	30000	0	0	30000	43.8125	2004
23.01.2020 14:14:11	1	1	1	1	74.75	63.75	0	29905.213	427.9569892	13076.12861	30000	0	0	30000	43.75	2004
23.01.2020 14:14:12	1	1	1	1	75.25	63.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	44.0625	2004
23.01.2020 14:14:13	1	1	1	1	75.25	64	0	26966.825	387.0967742	10380.50716	30000	0	0	30000	43.9375	2004
23.01.2020 14:14:14	1	1	1	1	75.25	63.75	0	30000	397.8494624	12128.66578	30000	0	0	30000	44.4375	2004
23.01.2020 14:14:15	1	1	1	1	75.25	64.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.625	2004
23.01.2020 14:14:16	1	1	1	1	75.25	63.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	44.4375	2004
23.01.2020 14:14:17	1	1	1	1	75.25	64.25	0	29099.526	329.0322581	9589.595847	30000	0	0	30000	43.25	2004
23.01.2020 14:14:18	1	1	1	1	75.25	64	0	30000	356.9892473	10709.10227	30000	0	0	30000	44	2004
23.01.2020 14:14:19	1	1	1	1	75.25	64	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.1875	2004
23.01.2020 14:14:20	1	1	1	1	75.25	64	0	30000	344.0860215	10241.89384	30000	0	0	30000	43.875	2004
23.01.2020 14:14:21	1	1	1	1	75	63.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:14:22	1	1	1	1	75	64	0	30000	326.8817204	9806.484929	30000	0	0	30000	44.125	2004
23.01.2020 14:14:23	1	1	1	1	75	64	0	30000	324.7311828	9806.484929	30000	0	0	30000	44.125	2004
23.01.2020 14:14:24	1	1	1	1	75	64	0	28815.166	288.172043	8303.753431	30000	0	0	30000	43.5625	2004
23.01.2020 14:14:25	1	1	1	1	75	63.5	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	44.125	2004
23.01.2020 14:14:26	1	1	1	1	75	64	0	30000	335.483871	10064.14264	30000	0	0	30000	44.25	2004
23.01.2020 14:14:27	1	1	1	1	75	64.25	0	29857.82	331.1827957	9952.436605	30000	0	0	30000	44.3125	2004
23.01.2020 14:14:28	1	1	1	1	75	64.25	0	30000	341.9354839	10192.97149	30000	0	0	30000	44.0625	2004
23.01.2020 14:14:29	1	1	1	1	75	64	0	30000	339.7849462	10387.03014	30000	0	0	30000	44.1875	2004
23.01.2020 14:14:30	1	1	1	1	75	64	0	28815.166	311.827957	8985.404832	30000	0	0	30000	43.625	2004
23.01.2020 14:14:31	1	1	1	1	75.25	63.5	0	29952.607	348.3870968	10435.13712	30000	0	0	30000	44	2004
23.01.2020 14:14:32	1	1	1	1	75.25	64	0	29526.066	313.9784946	9349.060963	30000	0	0	30000	44.25	2004
23.01.2020 14:14:33	1	1	1	1	75.25	64.25	0	25924.171	301.0752688	7734.623434	30000	0	0	30000	44.0625	2004
23.01.2020 14:14:34	1	1	1	1	75.25	64	0	29573.46	318.2795699	9476.259071	30000	0	0	30000	44.125	2004
23.01.2020 14:14:35	1	1	1	1	75.25	64	0	0	0	0	30000	0	8	30000	44.1875	2004
23.01.2020 14:14:36	1	1	1	1	75.25	64	0	10142.18	0	0	30000	0	0	30000	44.0625	2004
23.01.2020 14:14:37	1	1	1	1	75.25	64	0	10900.474	0	0	30000	0	0	30000	44.125	2004
23.01.2020 14:14:38	1	1	1	1	75.25	64	0	11706.161	0	0	30000	0	0	30000	44.125	2004
23.01.2020 14:14:39	1	1	1	1	75.25	64	0	12464.455	0	0	30000	0	0	30000	44	2004
23.01.2020 14:14:40	1	1	1	1	75.25	64	0	13175.355	2.150537634	27.72266464	30000	0	0	30000	44.125	2004
23.01.2020 14:14:41	1	1	1	1	75.5	64	0	13981.043	6.451612903	89.69097383	30000	0	0	30000	44.125	2004
23.01.2020 14:14:42	1	1	1	1	75.5	64	0	14786.73	10.75268817	158.9976354	30000	0	0	30000	44.0625	2004
23.01.2020 14:14:43	1	1	1	1	75.5	64	0	15497.63	17.20430108	301.6878211	30000	0	0	30000	44.125	2004
23.01.2020 14:14:44	1	1	1	1	75.5	64	0	15876.777	23.65591398	340.8257005	30000	0	0	30000	44	2004
23.01.2020 14:14:45	1	1	1	1	75.5	64	0	17014.218	32.25806452	551.1918028	30000	0	0	30000	44.375	2004
23.01.2020 14:14:46	1	1	1	1	75.5	64.25	0	17867.299	43.01075269	768.080885	30000	0	0	30000	44.1875	2004
23.01.2020 14:14:47	1	1	1	1	75.5	64	0	16445.498	40.86021505	671.8669312	30000	0	0	30000	44.25	2004
23.01.2020 14:14:48	1	1	1	1	75.5	64.25	0	19336.493	62.3655914	1161.090425	30000	0	0	30000	44.1875	2004
23.01.2020 14:14:50	1	1	1	1	75.5	64	0	20142.18	75.2688172	1515.777458	30000	0	0	30000	44.125	2004
23.01.2020 14:14:51	1	1	1	1	75.5	64	0	20900.474	83.87096774	1752.23548	30000	0	0	30000	44.1875	2004
23.01.2020 14:14:52	1	1	1	1	75.75	64	0	21563.981	98.92473118	2086.5382	30000	0	0	30000	44.1875	2004
23.01.2020 14:14:53	1	1	1	1	75.75	64	0	22417.062	109.6774194	2506.455032	30000	0	0	30000	44.3125	2004
23.01.2020 14:14:54	1	1	1	1	75.75	64.25	0	22274.882	113.9784946	2538.254559	30000	0	0	30000	44.5	2004
23.01.2020 14:14:55	1	1	1	1	75.75	64.5	0	22985.782	129.0322581	2965.509744	30000	0	0	30000	44.1875	2004
23.01.2020 14:14:56	1	1	1	1	75.75	64	0	23317.536	137.6344086	3209.306118	30000	0	0	30000	44.5	2004
23.01.2020 14:14:57	1	1	1	1	75.75	64.5	0	23317.536	137.6344086	3209.306118	30000	0	0	30000	44.0625	2004
23.01.2020 14:14:58	1	1	1	1	75.75	64	0	23317.536	137.6344086	3209.306118	30000	0	0	30000	44.0625	2004
23.01.2020 14:14:59	1	1	1	1	75.75	64	0	23412.322	137.6344086	3228.875058	30000	0	0	30000	44.0625	2004
23.01.2020 14:15:00	1	1	1	1	75.75	64	0	23507.109	137.6344086	3215.829098	30000	0	0	30000	44	2004
23.01.2020 14:15:01	1	1	1	1	75.5	64	0	23364.929	137.6344086	3222.352078	30000	0	0	30000	43.625	2004
23.01.2020 14:15:02	1	1	1	1	75.5	63.5	0	23554.502	137.6344086	3241.921018	30000	0	0	30000	44.125	2004
23.01.2020 14:15:03	1	1	1	1	75.5	64	0	23649.289	144.0860215	3407.441633	30000	0	0	30000	44.25	2004
23.01.2020 14:15:10	1	1	1	1	75.5	64	0	23649.289	137.6344086	3254.966977	30000	0	0	30000	44.1875	2004
23.01.2020 14:15:10	1	1	1	1	75.5	64	0	23649.289	137.6344086	3254.966977	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:15:10	1	1	1	1	75.5	64	0	23649.289	137.6344086	3254.966977	30000	0	0	30000	44.1875	2004
23.01.2020 14:15:10	1	1	1	1	75.5	64	0	23649.289	137.6344086	3254.966977	30000	0	0	30000	44.1875	2004
23.01.2020 14:15:10	1	1	1	1	75.5	64	0	23649.289	137.6344086	3254.966977	30000	0	0	30000	44.1875	2004
23.01.2020 14:15:10	1	1	1	1	75.5	64	0	23649.289	137.6344086	3254.966977	30000	0	0	30000	44.1875	2004
23.01.2020 14:15:10	1	1	1	1	75.5	64	0	23744.076	137.6344086	3268.012937	30000	0	0	30000	44.25	2004
23.01.2020 14:15:11	1	1	1	1	75.5	64.25	0	23696.682	124.7311828	2898.6492	30000	0	0	30000	44.1875	2004
23.01.2020 14:15:12	1	1	1	1	75.5	64	0	23649.289	120.4301075	2848.096105	30000	0	0	30000	44.0625	2004
23.01.2020 14:15:13	1	1	1	1	75.5	64	0	23696.682	116.1290323	2746.174544	30000	0	0	30000	44	2004
23.01.2020 14:15:14	1	1	1	1	75.5	64	0	23696.682	116.1290323	2694.806077	30000	0	0	30000	44.125	2004
23.01.2020 14:15:15	1	1	1	1	75.5	64	0	24218.009	137.6344086	3333.242736	30000	0	0	30000	44.0625	2004
23.01.2020 14:15:16	1	1	1	1	75.5	64	0	25165.877	150.5376344	3849.373522	30000	0	0	30000	44.25	2004
23.01.2020 14:15:17	1	1	1	1	75.5	64.25	0	25639.81	161.2903226	4127.415541	30000	0	0	30000	44.125	2004
23.01.2020 14:15:18	1	1	1	1	75.5	64	0	26682.464	169.8924731	4532.655668	30000	0	0	30000	44.1875	2004
23.01.2020 14:15:19	1	1	1	1	75.5	64	0	27298.578	182.7956989	5048.786454	30000	0	0	30000	44.25	2004
23.01.2020 14:15:20	1	1	1	1	75.5	64.25	0	0	0	0	30000	0	8	30000	44.3125	2004
23.01.2020 14:15:21	1	1	1	1	75.75	64.25	0	10426.54	0	0	30000	0	0	30000	44.25	2004
23.01.2020 14:15:22	1	1	1	1	75.75	64.25	0	11327.014	0	0	30000	0	0	30000	44.125	2004
23.01.2020 14:15:23	1	1	1	1	75.75	64	0	12085.308	0	0	30000	0	0	30000	44.125	2004
23.01.2020 14:15:24	1	1	1	1	75.75	64	0	12890.995	0	0	30000	0	0	30000	44.0625	2004
23.01.2020 14:15:25	1	1	1	1	75.75	64	0	13601.896	2.150537634	29.35340962	30000	0	0	30000	44	2004
23.01.2020 14:15:26	1	1	1	1	75.75	64	0	14407.583	4.301075269	92.95246378	30000	0	0	30000	44.0625	2004
23.01.2020 14:15:28	1	1	1	1	75.75	64	0	15165.877	10.75268817	163.0744979	30000	0	0	30000	44.125	2004
23.01.2020 14:15:29	1	1	1	1	75.75	64	0	15876.777	15.05376344	238.9041394	30000	0	0	30000	44.1875	2004
23.01.2020 14:15:30	1	1	1	1	75.75	64	0	16682.464	19.35483871	358.7638953	30000	0	0	30000	44.125	2004
23.01.2020 14:15:31	1	1	1	1	75.75	64	0	16350.711	23.65591398	351.4255429	30000	0	0	30000	44.3125	2004
23.01.2020 14:15:32	1	1	1	1	75.75	64.25	0	18151.659	36.55913978	707.7433207	30000	0	0	30000	44.25	2004
23.01.2020 14:15:33	1	1	1	1	75.75	64.25	0	16729.858	36.55913978	647.4057565	30000	0	0	30000	44.25	2004
23.01.2020 14:15:34	1	1	1	1	75.75	64.25	0	19810.427	60.21505376	1189.628462	30000	0	0	30000	44.5	2004
23.01.2020 14:15:35	1	1	1	1	75.75	64	0	20616.114	70.96774194	1373.902645	30000	0	0	30000	44.25	2004
23.01.2020 14:15:36	1	1	1	1	75.75	64.25	0	21374.408	81.72043011	1746.527872	30000	0	0	30000	44.0625	2004
23.01.2020 14:15:37	1	1	1	1	75.75	64	0	22132.701	94.62365591	2046.584948	30000	0	0	30000	44.25	2004
23.01.2020 14:15:38	1	1	1	1	75.75	64.25	0	22227.488	94.62365591	2150.952627	30000	0	0	30000	44.25	2004
23.01.2020 14:15:39	1	1	1	1	75.75	64.25	0	22132.701	96.77419355	2093.876553	30000	0	0	30000	44.125	2004
23.01.2020 14:15:40	1	1	1	1	75.75	64	0	22180.095	94.62365591	2093.876553	30000	0	0	30000	44.3125	2004
23.01.2020 14:15:41	1	1	1	1	75.5	64.25	0	22227.488	96.77419355	2141.168157	30000	0	0	30000	43.5625	2004
23.01.2020 14:15:42	1	1	1	1	75.5	63.5	0	22132.701	103.2258065	2189.275134	30000	0	0	30000	44.125	2004
23.01.2020 14:15:43	1	1	1	1	75.5	64	0	22132.701	96.77419355	2294.458185	30000	0	0	30000	44.125	2004
23.01.2020 14:15:44	1	1	1	1	75.5	64	0	22227.488	103.2258065	2284.673715	30000	0	0	30000	44.125	2004
23.01.2020 14:15:45	1	1	1	1	75.5	64	0	22132.701	103.2258065	2294.458185	30000	0	0	30000	44.125	2004
23.01.2020 14:15:46	1	1	1	1	75.5	64	0	22227.488	103.2258065	2294.458185	30000	0	0	30000	44	2004
23.01.2020 14:15:47	1	1	1	1	75.5	64	0	22227.488	103.2258065	2294.458185	30000	0	0	30000	44.3125	2004
23.01.2020 14:15:48	1	1	1	1	75.5	64.25	0	22132.701	103.2258065	2294.458185	30000	0	0	30000	44.125	2004
23.01.2020 14:15:49	1	1	1	1	75.5	64	0	22180.095	103.2258065	2284.673715	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:15:50	1	1	1	1	75.5	64	0	22227.488	105.3763441	2284.673715	30000	0	0	30000	44.3125	2004
23.01.2020 14:15:51	1	1	1	1	75.25	64.25	0	22227.488	105.3763441	2331.965319	30000	0	0	30000	44.0625	2004
23.01.2020 14:15:52	1	1	1	1	75.25	64	0	22227.488	105.3763441	2341.749789	30000	0	0	30000	44.3125	2004
23.01.2020 14:15:53	1	1	1	1	75.25	64.25	0	22132.701	105.3763441	2284.673715	30000	0	0	30000	44.125	2004
23.01.2020 14:15:54	1	1	1	1	75.25	64	0	22227.488	103.2258065	2284.673715	30000	0	0	30000	44.0625	2004
23.01.2020 14:15:55	1	1	1	1	75.25	64	0	22132.701	103.2258065	2331.965319	30000	0	0	30000	44.125	2004
23.01.2020 14:15:56	1	1	1	1	75.25	64	0	22180.095	105.3763441	2341.749789	30000	0	0	30000	44.1875	2004
23.01.2020 14:15:57	1	1	1	1	75.25	64	0	22511.848	109.6774194	2367.026337	30000	0	0	30000	44.0625	2004
23.01.2020 14:15:58	1	1	1	1	75.25	64	0	22748.815	113.9784946	2641.806865	30000	0	0	30000	44	2004
23.01.2020 14:15:59	1	1	1	1	75.25	64	0	22559.242	126.8817204	2856.24983	30000	0	0	30000	44.3125	2004
23.01.2020 14:16:00	1	1	1	1	75.25	64.25	0	22559.242	129.0322581	2904.356807	30000	0	0	30000	44.1875	2004
23.01.2020 14:16:01	1	1	1	1	75.25	64	0	24691.943	152.688172	3769.467018	30000	0	0	30000	44.25	2004
23.01.2020 14:16:02	1	1	1	1	75.25	64.25	0	23649.289	156.9892473	4041.80143	30000	0	0	30000	44.3125	2004
23.01.2020 14:16:03	1	1	1	1	75.25	64.25	0	24881.517	178.4946237	4440.518577	30000	0	0	30000	44.0625	2004
23.01.2020 14:16:05	1	1	1	1	75.25	64	0	25071.09	189.2473118	4744.652515	30000	0	0	30000	44.125	2004
23.01.2020 14:16:12	1	1	1	1	75.25	64.5	0	28578.199	240.8602151	6944.527492	30000	0	0	30000	44.3125	2004
23.01.2020 14:16:12	1	1	1	1	75.25	64.5	0	28578.199	240.8602151	6944.527492	30000	0	0	30000	44.3125	2004
23.01.2020 14:16:12	1	1	1	1	75.25	64.5	0	28578.199	240.8602151	6944.527492	30000	0	0	30000	44.3125	2004
23.01.2020 14:16:12	1	1	1	1	75.25	64.5	0	28578.199	240.8602151	6944.527492	30000	0	0	30000	44.3125	2004
23.01.2020 14:16:12	1	1	1	1	75.25	64.5	0	28578.199	240.8602151	6944.527492	30000	0	0	30000	44.3125	2004
23.01.2020 14:16:12	1	1	1	1	75.25	64.5	0	28578.199	240.8602151	6944.527492	30000	0	0	30000	44.3125	2004
23.01.2020 14:16:12	1	1	1	1	75.25	64.25	0	26682.464	247.311828	6598.809556	30000	0	0	30000	44.25	2004
23.01.2020 14:16:13	1	1	1	1	75.25	64	0	28625.592	275.2688172	7804.745468	30000	0	0	30000	44.1875	2004
23.01.2020 14:16:14	1	1	1	1	75.25	64	0	29383.886	298.9247312	8769.331123	30000	0	0	30000	44.375	2004
23.01.2020 14:16:15	1	1	1	1	75.25	64.25	0	29526.066	307.5268817	9158.2638	30000	0	0	30000	44.1875	2004
23.01.2020 14:16:16	1	1	1	1	75.25	64	0	28862.559	288.172043	8254.831082	30000	0	0	30000	44	2004
23.01.2020 14:16:17	1	1	1	1	75.25	64	0	28199.052	281.7204301	7944.174164	30000	0	0	30000	44.1875	2004
23.01.2020 14:16:18	1	1	1	1	75.25	64	0	29857.82	294.6236559	8796.238415	30000	0	0	30000	43.5625	2004
23.01.2020 14:16:19	1	1	1	1	75.25	63.5	0	29905.213	281.7204301	8424.42856	30000	0	0	30000	44.0625	2004
23.01.2020 14:16:20	1	1	1	1	75.25	64	0	30000	294.6236559	8774.223358	30000	0	0	30000	44.125	2004
23.01.2020 14:16:21	1	1	1	1	74.5	64	0	29952.607	279.5698925	8322.506999	30000	0	0	30000	44.1875	2004
23.01.2020 14:16:22	1	1	1	1	74.5	64	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.9375	2004
23.01.2020 14:16:23	1	1	1	1	74.5	63.75	0	30000	264.516129	7999.619493	30000	0	0	30000	43.9375	2004
23.01.2020 14:16:24	1	1	1	1	74.5	63.75	0	30000	264.516129	7935.205066	30000	0	0	30000	44.0625	2004
23.01.2020 14:16:25	1	1	1	1	74.5	64	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.6875	2004
23.01.2020 14:16:26	1	1	1	1	74.5	63.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	44	2004
23.01.2020 14:16:27	1	1	1	1	74.5	64	0	30000	258.0645161	7665.316772	30000	0	0	30000	44	2004
23.01.2020 14:16:28	1	1	1	1	74.5	64	0	29952.607	253.7634409	7741.961786	30000	0	0	30000	43.25	2004
23.01.2020 14:16:29	1	1	1	1	74.5	63.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	44.0625	2004
23.01.2020 14:16:30	1	1	1	1	74.5	64	0	30000	266.6666667	7999.619493	30000	0	0	30000	44.1875	2004
23.01.2020 14:16:31	1	1	1	1	75	64	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.25	2004
23.01.2020 14:16:32	1	1	1	1	75	63.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	44	2004
23.01.2020 14:16:33	1	1	1	1	75	64	0	30047.393	270.9677419	7999.619493	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:16:34	1	1	1	1	75	63.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	44	2004
23.01.2020 14:16:35	1	1	1	1	75	64	0	30000	275.2688172	8322.506999	30000	0	0	30000	44.1875	2004
23.01.2020 14:16:36	1	1	1	1	75	64	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.8125	2004
23.01.2020 14:16:37	1	1	1	1	75	63.75	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	43.9375	2004
23.01.2020 14:16:38	1	1	1	1	75	63.75	0	27298.578	258.0645161	7044.818308	30000	0	0	30000	44.0625	2004
23.01.2020 14:16:39	1	1	1	1	75	64	0	30000	275.2688172	8258.092572	30000	0	0	30000	44	2004
23.01.2020 14:16:40	1	1	1	1	75	64	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	44.125	2004
23.01.2020 14:16:41	1	1	1	1	74.75	64	0	30000	277.4193548	8322.506999	30000	0	0	30000	44	2004
23.01.2020 14:16:43	1	1	1	1	74.75	64	0	29952.607	270.9677419	8258.092572	30000	0	0	30000	43.9375	2004
23.01.2020 14:16:44	1	1	1	1	74.75	63.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	44	2004
23.01.2020 14:16:45	1	1	1	1	74.75	64	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.5	2004
23.01.2020 14:16:46	1	1	1	1	74.75	63.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.5	2004
23.01.2020 14:16:47	1	1	1	1	74.75	63.5	0	30094.787	279.5698925	8451.335852	30000	0	0	30000	44	2004
23.01.2020 14:16:48	1	1	1	1	74.75	64	0	30000	277.4193548	8322.506999	30000	0	0	30000	44.25	2004
23.01.2020 14:16:49	1	1	1	1	74.75	64.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	44.25	2004
23.01.2020 14:16:50	1	1	1	1	74.75	64.25	0	30000	288.172043	8580.164705	30000	0	0	30000	44.5625	2004
23.01.2020 14:16:51	1	1	1	1	74.75	64.5	0	29905.213	281.7204301	8580.164705	30000	0	0	30000	44	2004
23.01.2020 14:16:52	1	1	1	1	74.75	63.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	44.1875	2004
23.01.2020 14:16:53	1	1	1	1	74.75	64	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	44.125	2004
23.01.2020 14:16:54	1	1	1	1	74.75	64	0	30000	288.172043	8644.579132	30000	0	0	30000	43.5	2004
23.01.2020 14:16:55	1	1	1	1	74.75	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.875	2004
23.01.2020 14:16:56	1	1	1	1	74.75	63.75	0	29905.213	281.7204301	8567.118745	30000	0	0	30000	43.375	2004
23.01.2020 14:16:57	1	1	1	1	74.75	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	44.125	2004
23.01.2020 14:16:58	1	1	1	1	74.75	64	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.5625	2004
23.01.2020 14:16:59	1	1	1	1	74.75	63.5	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	43.75	2004
23.01.2020 14:17:00	1	1	1	1	74.75	63.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.9375	2004
23.01.2020 14:17:01	1	1	1	1	74.25	63.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	44.1875	2004
23.01.2020 14:17:02	1	1	1	1	74.25	64	0	30000	290.3225806	8708.993559	30000	0	0	30000	44.125	2004
23.01.2020 14:17:03	1	1	1	1	74.25	64	0	30000	288.172043	8644.579132	30000	0	0	30000	44.125	2004
23.01.2020 14:17:04	1	1	1	1	74.25	64	0	30000	290.3225806	8708.993559	30000	0	0	30000	44.125	2004
23.01.2020 14:17:05	1	1	1	1	74.25	64	0	29905.213	279.5698925	8373.875465	30000	0	0	30000	44.3125	2004
23.01.2020 14:17:06	1	1	1	1	74.25	64.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	44.125	2004
23.01.2020 14:17:13	1	1	1	1	74.5	64	0	30000	281.7204301	8451.335852	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:13	1	1	1	1	74.5	64	0	30000	281.7204301	8451.335852	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:13	1	1	1	1	74.5	64	0	30000	281.7204301	8451.335852	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:13	1	1	1	1	74.5	64	0	30000	281.7204301	8451.335852	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:13	1	1	1	1	74.5	64	0	30000	281.7204301	8451.335852	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:13	1	1	1	1	74.5	64	0	30000	281.7204301	8451.335852	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:13	1	1	1	1	74.5	64	0	30000	275.2688172	8258.092572	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:14	1	1	1	1	74.5	64	0	30000	268.8172043	8128.448346	30000	0	0	30000	44	2004
23.01.2020 14:17:15	1	1	1	1	74.5	64	0	30000	262.3655914	7870.79064	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:16	1	1	1	1	74.5	64	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.8125	2004
23.01.2020 14:17:17	1	1	1	1	74.5	63.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:17:18	1	1	1	1	74.5	63.5	0	30000	260.2150538	7794.145626	30000	0	0	30000	44.125	2004
23.01.2020 14:17:19	1	1	1	1	74.5	64	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.8125	2004
23.01.2020 14:17:21	1	1	1	1	74.5	63.75	0	30000	266.6666667	7922.974479	30000	0	0	30000	43.875	2004
23.01.2020 14:17:22	1	1	1	1	74.5	63.75	0	29952.607	275.2688172	8386.921425	30000	0	0	30000	43.875	2004
23.01.2020 14:17:23	1	1	1	1	74.5	63.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	44	2004
23.01.2020 14:17:24	1	1	1	1	74.5	64	0	30000	279.5698925	8451.335852	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:25	1	1	1	1	74.5	64	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.75	2004
23.01.2020 14:17:26	1	1	1	1	74.5	63.75	0	30000	279.5698925	8594.026038	30000	0	0	30000	44.1875	2004
23.01.2020 14:17:27	1	1	1	1	74.5	64	0	30000	277.4193548	8322.506999	30000	0	0	30000	44	2004
23.01.2020 14:17:28	1	1	1	1	74.5	64	0	30000	277.4193548	8322.506999	30000	0	0	30000	44.1875	2004
23.01.2020 14:17:29	1	1	1	1	74.5	64	0	30000	283.8709677	8515.750279	30000	0	0	30000	44	2004
23.01.2020 14:17:30	1	1	1	1	74.5	64	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.8125	2004
23.01.2020 14:17:31	1	1	1	1	74.5	63.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.9375	2004
23.01.2020 14:17:32	1	1	1	1	74.5	63.75	0	30000	311.827957	9225.124344	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:33	1	1	1	1	74.5	64	0	30000	311.827957	9290.354143	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:34	1	1	1	1	74.5	64	0	30000	320.4301075	9483.597423	30000	0	0	30000	44	2004
23.01.2020 14:17:35	1	1	1	1	74.5	64	0	30000	309.6774194	9290.354143	30000	0	0	30000	44.125	2004
23.01.2020 14:17:36	1	1	1	1	74.5	64	0	30000	311.827957	9419.182997	30000	0	0	30000	44	2004
23.01.2020 14:17:37	1	1	1	1	74.5	64	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
23.01.2020 14:17:38	1	1	1	1	74.5	63.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.875	2004
23.01.2020 14:17:39	1	1	1	1	74.5	63.75	0	30000	318.2795699	9627.918354	30000	0	0	30000	43.9375	2004
23.01.2020 14:17:40	1	1	1	1	74.5	63.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.75	2004
23.01.2020 14:17:41	1	1	1	1	74.5	63.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	44	2004
23.01.2020 14:17:42	1	1	1	1	74.5	64	0	30000	311.827957	9483.597423	30000	0	0	30000	44	2004
23.01.2020 14:17:43	1	1	1	1	74.5	64	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	43.9375	2004
23.01.2020 14:17:44	1	1	1	1	74.5	63.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	44	2004
23.01.2020 14:17:45	1	1	1	1	74.5	64	0	30000	309.6774194	9290.354143	30000	0	0	30000	44.125	2004
23.01.2020 14:17:46	1	1	1	1	74.5	64	0	29905.213	301.0752688	9225.124344	30000	0	0	30000	44	2004
23.01.2020 14:17:47	1	1	1	1	74.5	64	0	30000	303.2258065	9096.295491	30000	0	0	30000	44	2004
23.01.2020 14:17:48	1	1	1	1	74.5	64	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.125	2004
23.01.2020 14:17:49	1	1	1	1	74.5	64	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:50	1	1	1	1	74.5	64	0	29952.607	281.7204301	8515.750279	30000	0	0	30000	43.875	2004
23.01.2020 14:17:51	1	1	1	1	74.75	63.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.75	2004
23.01.2020 14:17:52	1	1	1	1	74.75	63.75	0	30000	264.516129	7999.619493	30000	0	0	30000	43.25	2004
23.01.2020 14:17:53	1	1	1	1	74.75	63.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.4375	2004
23.01.2020 14:17:54	1	1	1	1	74.75	63.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	43.9375	2004
23.01.2020 14:17:55	1	1	1	1	74.75	63.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	44	2004
23.01.2020 14:17:56	1	1	1	1	74.75	64	0	30000	264.516129	7870.79064	30000	0	0	30000	44.0625	2004
23.01.2020 14:17:57	1	1	1	1	74.75	64	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.3125	2004
23.01.2020 14:17:58	1	1	1	1	74.75	63.25	0	30047.393	258.0645161	7741.961786	30000	0	0	30000	43.8125	2004
23.01.2020 14:18:00	1	1	1	1	74.75	63.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	44	2004
23.01.2020 14:18:01	1	1	1	1	74.75	64	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.75	2004
23.01.2020 14:18:02	1	1	1	1	74.75	63.75	0	30000	251.6129032	7741.961786	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:18:03	1	1	1	1	74.75	63.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:04	1	1	1	1	74.75	63.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	44	2004
23.01.2020 14:18:05	1	1	1	1	74.75	64	0	30000	253.7634409	7612.31756	30000	0	0	30000	43.375	2004
23.01.2020 14:18:06	1	1	1	1	74.75	63.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	44.25	2004
23.01.2020 14:18:07	1	1	1	1	74.75	64.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.875	2004
23.01.2020 14:18:08	1	1	1	1	74.75	63.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	44.375	2004
23.01.2020 14:18:15	1	1	1	1	74.5	64	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:15	1	1	1	1	74.5	64	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:15	1	1	1	1	74.5	64	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:15	1	1	1	1	74.5	64	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:15	1	1	1	1	74.5	64	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:15	1	1	1	1	74.5	63.75	0	29905.213	247.311828	7395.428478	30000	0	0	30000	44.0625	2004
23.01.2020 14:18:16	1	1	1	1	74.5	64	0	30047.393	258.0645161	7676.731987	30000	0	0	30000	42.6875	2004
23.01.2020 14:18:17	1	1	1	1	74.5	62.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	44	2004
23.01.2020 14:18:18	1	1	1	1	74.5	64	0	30000	251.6129032	7612.31756	30000	0	0	30000	44	2004
23.01.2020 14:18:19	1	1	1	1	74.5	64	0	30000	247.311828	7419.07428	30000	0	0	30000	43.875	2004
23.01.2020 14:18:20	1	1	1	1	74.5	63.75	0	29952.607	240.8602151	7290.245427	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:21	1	1	1	1	74.75	63.75	0	30000	240.8602151	7096.186775	30000	0	0	30000	44	2004
23.01.2020 14:18:22	1	1	1	1	74.75	64	0	30000	221.5053763	6774.114641	30000	0	0	30000	44.125	2004
23.01.2020 14:18:23	1	1	1	1	74.75	64	0	30000	217.2043011	6515.641562	30000	0	0	30000	44.0625	2004
23.01.2020 14:18:24	1	1	1	1	74.75	64	0	30000	221.5053763	6644.470416	30000	0	0	30000	44.25	2004
23.01.2020 14:18:25	1	1	1	1	74.75	64.25	0	29952.607	221.5053763	6763.514799	30000	0	0	30000	44	2004
23.01.2020 14:18:26	1	1	1	1	74.75	64	0	30000	232.2580645	6967.357921	30000	0	0	30000	43.8125	2004
23.01.2020 14:18:27	1	1	1	1	74.75	63.75	0	30000	234.4086022	7160.601201	30000	0	0	30000	43.3125	2004
23.01.2020 14:18:28	1	1	1	1	74.75	63.25	0	30000	240.8602151	7225.831	30000	0	0	30000	43.5	2004
23.01.2020 14:18:29	1	1	1	1	74.75	63.5	0	30000	240.8602151	7225.831	30000	0	0	30000	44.125	2004
23.01.2020 14:18:30	1	1	1	1	74.75	64	0	30000	247.311828	7354.659854	30000	0	0	30000	43.875	2004
23.01.2020 14:18:31	1	1	1	1	74.5	63.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:32	1	1	1	1	74.5	63.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.875	2004
23.01.2020 14:18:33	1	1	1	1	74.5	63.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:34	1	1	1	1	74.5	63.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.8125	2004
23.01.2020 14:18:35	1	1	1	1	74.5	63.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	44	2004
23.01.2020 14:18:36	1	1	1	1	74.5	64	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.8125	2004
23.01.2020 14:18:38	1	1	1	1	74.5	63.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.5625	2004
23.01.2020 14:18:39	1	1	1	1	74.5	63.5	0	30000	288.172043	8644.579132	30000	0	0	30000	44	2004
23.01.2020 14:18:40	1	1	1	1	74.5	64	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43.9375	2004
23.01.2020 14:18:41	1	1	1	1	74.5	63.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	44.0625	2004
23.01.2020 14:18:42	1	1	1	1	74.75	64	0	30000	305.3763441	8938.928601	30000	0	0	30000	42.9375	2004
23.01.2020 14:18:43	1	1	1	1	74.75	62.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.6875	2004
23.01.2020 14:18:44	1	1	1	1	74.75	63.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	44.0625	2004
23.01.2020 14:18:45	1	1	1	1	74.75	64	0	30000	309.6774194	9290.354143	30000	0	0	30000	44	2004
23.01.2020 14:18:46	1	1	1	1	74.75	64	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:18:47	1	1	1	1	74.75	64	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.625	2004
23.01.2020 14:18:48	1	1	1	1	74.75	63.25	0	30000	309.6774194	9419.182997	30000	0	0	30000	43.875	2004
23.01.2020 14:18:49	1	1	1	1	74.75	63.75	0	29905.213	313.9784946	9612.426277	30000	0	0	30000	43.375	2004
23.01.2020 14:18:50	1	1	1	1	74.75	63.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	44	2004
23.01.2020 14:18:51	1	1	1	1	74.75	64	0	29952.607	309.6774194	9419.182997	30000	0	0	30000	44	2004
23.01.2020 14:18:52	1	1	1	1	74.75	64	0	30000	311.827957	9354.76857	30000	0	0	30000	43.375	2004
23.01.2020 14:18:53	1	1	1	1	74.75	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.4375	2004
23.01.2020 14:18:54	1	1	1	1	74.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.875	2004
23.01.2020 14:18:55	1	1	1	1	74.75	63.75	0	30000	316.1290323	9354.76857	30000	0	0	30000	43.25	2004
23.01.2020 14:18:56	1	1	1	1	74.75	63.25	0	27345.972	281.7204301	7703.639279	30000	0	0	30000	43.375	2004
23.01.2020 14:18:57	1	1	1	1	74.75	63.25	0	30047.393	316.1290323	9290.354143	30000	0	0	30000	43.875	2004
23.01.2020 14:18:58	1	1	1	1	74.75	63.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 14:18:59	1	1	1	1	74.75	63.25	0	30000	311.827957	9419.182997	30000	0	0	30000	43.9375	2004
23.01.2020 14:19:00	1	1	1	1	74.75	63.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	44.0625	2004
23.01.2020 14:19:01	1	1	1	1	74.75	64	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	44.125	2004
23.01.2020 14:19:02	1	1	1	1	74.75	64	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	43.75	2004
23.01.2020 14:19:03	1	1	1	1	74.75	63.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	44.0625	2004
23.01.2020 14:19:04	1	1	1	1	74.75	64	0	30000	301.0752688	8953.605305	30000	0	0	30000	43.625	2004
23.01.2020 14:19:05	1	1	1	1	74.75	63.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	44.0625	2004
23.01.2020 14:19:06	1	1	1	1	74.75	64	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.75	2004
23.01.2020 14:19:07	1	1	1	1	74.75	63.75	0	30000	303.2258065	8967.466638	30000	0	0	30000	44.0625	2004
23.01.2020 14:19:08	1	1	1	1	74.75	64	0	30000	303.2258065	8967.466638	30000	0	0	30000	43.8125	2004
23.01.2020 14:19:09	1	1	1	1	74.75	63.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.9375	2004
23.01.2020 14:19:16	1	1	1	1	74.75	64	0	30000	266.6666667	7935.205066	30000	0	0	30000	44	2004
23.01.2020 14:19:16	1	1	1	1	74.75	64	0	30000	266.6666667	7935.205066	30000	0	0	30000	44	2004
23.01.2020 14:19:16	1	1	1	1	74.75	64	0	30000	266.6666667	7935.205066	30000	0	0	30000	44	2004
23.01.2020 14:19:16	1	1	1	1	74.75	64	0	30000	266.6666667	7935.205066	30000	0	0	30000	44	2004
23.01.2020 14:19:16	1	1	1	1	74.75	64	0	30000	266.6666667	7935.205066	30000	0	0	30000	44	2004
23.01.2020 14:19:16	1	1	1	1	74.75	64	0	30000	266.6666667	7935.205066	30000	0	0	30000	44	2004
23.01.2020 14:19:17	1	1	1	1	74.75	64	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.875	2004
23.01.2020 14:19:18	1	1	1	1	74.75	63.75	0	29952.607	245.1612903	7612.31756	30000	0	0	30000	43.875	2004
23.01.2020 14:19:19	1	1	1	1	74.75	63.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	44.125	2004
23.01.2020 14:19:20	1	1	1	1	74.75	64	0	30000	251.6129032	7612.31756	30000	0	0	30000	43.75	2004
23.01.2020 14:19:21	1	1	1	1	74.75	63.75	0	29905.213	262.3655914	7858.560052	30000	0	0	30000	43.75	2004
23.01.2020 14:19:22	1	1	1	1	74.5	63.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	44	2004
23.01.2020 14:19:23	1	1	1	1	74.5	64	0	30000	275.2688172	8192.862773	30000	0	0	30000	44.25	2004
23.01.2020 14:19:24	1	1	1	1	74.5	64.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.8125	2004
23.01.2020 14:19:25	1	1	1	1	74.5	63.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.3125	2004
23.01.2020 14:19:26	1	1	1	1	74.5	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	44.0625	2004
23.01.2020 14:19:27	1	1	1	1	74.5	64	0	30000	288.172043	8580.164705	30000	0	0	30000	44.0625	2004
23.01.2020 14:19:28	1	1	1	1	74.5	64	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.6875	2004
23.01.2020 14:19:29	1	1	1	1	74.5	63.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 14:19:30	1	1	1	1	74.5	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:19:31	1	1	1	1	74.75	63.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.5625	2004
23.01.2020 14:19:32	1	1	1	1	74.75	63.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.75	2004
23.01.2020 14:19:33	1	1	1	1	74.75	63.75	0	30047.393	313.9784946	9483.597423	30000	0	0	30000	43.75	2004
23.01.2020 14:19:34	1	1	1	1	74.75	63.75	0	30000	316.1290323	9354.76857	30000	0	0	30000	44	2004
23.01.2020 14:19:35	1	1	1	1	74.75	64	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.8125	2004
23.01.2020 14:19:36	1	1	1	1	74.75	63.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.875	2004
23.01.2020 14:19:37	1	1	1	1	74.75	63.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	44.0625	2004
23.01.2020 14:19:38	1	1	1	1	74.75	64	0	30000	326.8817204	9806.484929	30000	0	0	30000	44	2004
23.01.2020 14:19:39	1	1	1	1	74.75	64	0	29952.607	329.0322581	9806.484929	30000	0	0	30000	43.8125	2004
23.01.2020 14:19:40	1	1	1	1	74.75	63.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.9375	2004
23.01.2020 14:19:41	1	1	1	1	74.75	63.75	0	29905.213	329.0322581	10128.55706	30000	0	0	30000	44	2004
23.01.2020 14:19:42	1	1	1	1	74.75	64	0	30000	337.6344086	10064.14264	30000	0	0	30000	43.9375	2004
23.01.2020 14:19:43	1	1	1	1	74.75	63.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	43.625	2004
23.01.2020 14:19:44	1	1	1	1	74.75	63.5	0	29905.213	331.1827957	9999.728209	30000	0	0	30000	43.875	2004
23.01.2020 14:19:45	1	1	1	1	74.75	63.75	0	29857.82	313.9784946	9309.923083	30000	0	0	30000	43.9375	2004
23.01.2020 14:19:46	1	1	1	1	74.75	63.75	0	30047.393	331.1827957	9935.313783	30000	0	0	30000	43.875	2004
23.01.2020 14:19:47	1	1	1	1	74.75	63.75	0	29952.607	335.483871	9984.236132	30000	0	0	30000	43.0625	2004
23.01.2020 14:19:48	1	1	1	1	74.75	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	44	2004
23.01.2020 14:19:49	1	1	1	1	74.75	64	0	29715.64	346.2365591	10288.37007	30000	0	0	30000	43.5625	2004
23.01.2020 14:19:50	1	1	1	1	74.75	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
23.01.2020 14:19:51	1	1	1	1	74.5	62.5	0	27914.692	335.483871	9320.522926	30000	0	0	30000	43.9375	2004
23.01.2020 14:19:52	1	1	1	1	74.5	63.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.8125	2004
23.01.2020 14:19:53	1	1	1	1	74.5	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.4375	2004
23.01.2020 14:19:54	1	1	1	1	74.5	63.25	0	30000	352.688172	10644.68785	30000	0	0	30000	43.875	2004
23.01.2020 14:19:56	1	1	1	1	74.5	63.75	0	30000	359.1397849	10563.96597	30000	0	0	30000	43.875	2004
23.01.2020 14:19:57	1	1	1	1	74.5	63.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.75	2004
23.01.2020 14:19:58	1	1	1	1	74.5	63.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.1875	2004
23.01.2020 14:19:59	1	1	1	1	74.5	63	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	43.6875	2004
23.01.2020 14:20:00	1	1	1	1	74.5	63.5	0	29952.607	367.7419355	11079.28139	30000	0	0	30000	43.875	2004
23.01.2020 14:20:01	1	1	1	1	74.5	63.75	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	43.875	2004
23.01.2020 14:20:02	1	1	1	1	74.5	63.75	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	44.125	2004
23.01.2020 14:20:03	1	1	1	1	74.5	64	0	30000	363.4408602	10903.16093	30000	0	0	30000	44.0625	2004
23.01.2020 14:20:04	1	1	1	1	74.5	63.5	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.875	2004
23.01.2020 14:20:05	1	1	1	1	74.5	63.75	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	43.625	2004
23.01.2020 14:20:06	1	1	1	1	74.5	63.5	0	30000	384.9462366	11336.93909	30000	0	0	30000	43.8125	2004
23.01.2020 14:20:07	1	1	1	1	74.5	63.75	0	29905.213	365.5913978	11061.34319	30000	0	0	30000	43.8125	2004
23.01.2020 14:20:08	1	1	1	1	74.5	63.75	0	30000	369.8924731	11079.28139	30000	0	0	30000	43.75	2004
23.01.2020 14:20:09	1	1	1	1	74.5	63.75	0	29952.607	361.2903226	10757.20925	30000	0	0	30000	43.9375	2004
23.01.2020 14:20:10	1	1	1	1	74.5	63.75	0	29905.213	354.8387097	10709.10227	30000	0	0	30000	44.125	2004
23.01.2020 14:20:11	1	1	1	1	74.5	64	0	29905.213	352.688172	10580.27342	30000	0	0	30000	43.75	2004
23.01.2020 14:20:18	1	1	1	1	74.5	63.75	0	30094.787	341.9354839	10064.14264	30000	0	0	30000	44.0625	2004
23.01.2020 14:20:18	1	1	1	1	74.5	63.75	0	30094.787	341.9354839	10064.14264	30000	0	0	30000	44.0625	2004
23.01.2020 14:20:18	1	1	1	1	74.5	63.75	0	30094.787	341.9354839	10064.14264	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:20:18	1	1	1	1	74.5	63.75	0	30094.787	341.9354839	10064.14264	30000	0	0	30000	44.0625	2004
23.01.2020 14:20:18	1	1	1	1	74.5	63.75	0	30094.787	341.9354839	10064.14264	30000	0	0	30000	44.0625	2004
23.01.2020 14:20:18	1	1	1	1	74.5	63.75	0	30094.787	341.9354839	10064.14264	30000	0	0	30000	44.0625	2004
23.01.2020 14:20:18	1	1	1	1	74.5	64	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.875	2004
23.01.2020 14:20:19	1	1	1	1	74.5	63.75	0	30000	335.483871	9999.728209	30000	0	0	30000	43.8125	2004
23.01.2020 14:20:20	1	1	1	1	74.5	63.75	0	29952.607	335.483871	10257.38592	30000	0	0	30000	43.8125	2004
23.01.2020 14:20:21	1	1	1	1	74.5	63.75	0	30000	344.0860215	10128.55706	30000	0	0	30000	43.375	2004
23.01.2020 14:20:22	1	1	1	1	74.5	63.25	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	43.75	2004
23.01.2020 14:20:23	1	1	1	1	74.5	63.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.6875	2004
23.01.2020 14:20:24	1	1	1	1	74.5	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.8125	2004
23.01.2020 14:20:25	1	1	1	1	74.5	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.6875	2004
23.01.2020 14:20:26	1	1	1	1	74.5	63.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.625	2004
23.01.2020 14:20:27	1	1	1	1	74.5	63.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.9375	2004
23.01.2020 14:20:28	1	1	1	1	74.5	63.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	43.875	2004
23.01.2020 14:20:29	1	1	1	1	74.5	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.625	2004
23.01.2020 14:20:30	1	1	1	1	74.5	63.5	0	30000	313.9784946	9290.354143	30000	0	0	30000	43.875	2004
23.01.2020 14:20:31	1	1	1	1	74.75	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.4375	2004
23.01.2020 14:20:33	1	1	1	1	74.75	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.5625	2004
23.01.2020 14:20:34	1	1	1	1	74.75	63.5	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.4375	2004
23.01.2020 14:20:35	1	1	1	1	74.75	63.25	0	29952.607	352.688172	10644.68785	30000	0	0	30000	43.9375	2004
23.01.2020 14:20:36	1	1	1	1	74.75	63.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.75	2004
23.01.2020 14:20:37	1	1	1	1	74.75	63.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.875	2004
23.01.2020 14:20:38	1	1	1	1	74.75	63.75	0	30000	352.688172	10580.27342	30000	0	0	30000	43.6875	2004
23.01.2020 14:20:39	1	1	1	1	74.75	63.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.375	2004
23.01.2020 14:20:40	1	1	1	1	74.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.875	2004
23.01.2020 14:20:41	1	1	1	1	74.75	63.75	0	29668.246	337.6344086	10096.75754	30000	0	0	30000	43.625	2004
23.01.2020 14:20:42	1	1	1	1	74.75	63.5	0	28199.052	348.3870968	9763.270187	30000	0	0	30000	43.5625	2004
23.01.2020 14:20:43	1	1	1	1	74.75	63.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	44.25	2004
23.01.2020 14:20:44	1	1	1	1	74.75	63.75	0	30000	369.8924731	11079.28139	30000	0	0	30000	43.5625	2004
23.01.2020 14:20:45	1	1	1	1	74.75	63.5	0	29099.526	356.9892473	10325.06183	30000	0	0	30000	43.625	2004
23.01.2020 14:20:46	1	1	1	1	74.75	63.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.625	2004
23.01.2020 14:20:47	1	1	1	1	74.75	63.5	0	30000	384.9462366	11530.18237	30000	0	0	30000	43.6875	2004
23.01.2020 14:20:48	1	1	1	1	74.75	63.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.9375	2004
23.01.2020 14:20:49	1	1	1	1	74.75	63.75	0	30000	404.3010753	12212.64915	30000	0	0	30000	43.625	2004
23.01.2020 14:20:50	1	1	1	1	74.75	63.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.25	2004
23.01.2020 14:20:51	1	1	1	1	74.75	63.25	0	29905.213	380.6451613	11483.70614	30000	0	0	30000	43.625	2004
23.01.2020 14:20:52	1	1	1	1	74.75	63.5	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	43.875	2004
23.01.2020 14:20:53	1	1	1	1	74.75	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.75	2004
23.01.2020 14:20:54	1	1	1	1	74.75	63.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	43.5	2004
23.01.2020 14:20:55	1	1	1	1	74.75	63.5	0	28909.953	384.9462366	11146.9573	30000	0	0	30000	43.1875	2004
23.01.2020 14:20:56	1	1	1	1	74.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.5625	2004
23.01.2020 14:20:57	1	1	1	1	74.75	63.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	43.6875	2004
23.01.2020 14:20:58	1	1	1	1	74.75	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:20:59	1	1	1	1	74.75	63.25	0	30000	423.655914	12709.21099	30000	0	0	30000	43.5	2004
23.01.2020 14:21:00	1	1	1	1	74.75	63.5	0	29905.213	395.6989247	11833.50094	30000	0	0	30000	43.3125	2004
23.01.2020 14:21:01	1	1	1	1	74.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.75	2004
23.01.2020 14:21:02	1	1	1	1	74.5	63.75	0	28436.019	354.8387097	10090.23456	30000	0	0	30000	43.625	2004
23.01.2020 14:21:03	1	1	1	1	74.5	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 14:21:04	1	1	1	1	74.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.75	2004
23.01.2020 14:21:05	1	1	1	1	74.5	63.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.6875	2004
23.01.2020 14:21:06	1	1	1	1	74.5	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.625	2004
23.01.2020 14:21:07	1	1	1	1	74.5	63.5	0	30000	427.9569892	12560.8132	30000	0	0	30000	43.875	2004
23.01.2020 14:21:08	1	1	1	1	74.5	63.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 14:21:09	1	1	1	1	74.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.5	2004
23.01.2020 14:21:11	1	1	1	1	74.5	63.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.25	2004
23.01.2020 14:21:12	1	1	1	1	74.5	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.625	2004
23.01.2020 14:21:13	1	1	1	1	74.5	63.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.6875	2004
23.01.2020 14:21:20	1	1	1	1	74.5	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.875	2004
23.01.2020 14:21:20	1	1	1	1	74.5	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.875	2004
23.01.2020 14:21:20	1	1	1	1	74.5	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.875	2004
23.01.2020 14:21:20	1	1	1	1	74.5	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.875	2004
23.01.2020 14:21:20	1	1	1	1	74.5	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.875	2004
23.01.2020 14:21:20	1	1	1	1	74.5	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.875	2004
23.01.2020 14:21:20	1	1	1	1	74.5	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.875	2004
23.01.2020 14:21:21	1	1	1	1	74.5	63.75	0	29857.82	354.8387097	10577.8273	30000	0	0	30000	43.8125	2004
23.01.2020 14:21:22	1	1	1	1	74.75	63	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.4375	2004
23.01.2020 14:21:23	1	1	1	1	74.75	63.25	0	30000	352.688172	10644.68785	30000	0	0	30000	43.75	2004
23.01.2020 14:21:24	1	1	1	1	74.75	63.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.8125	2004
23.01.2020 14:21:25	1	1	1	1	74.75	63.75	0	30000	356.9892473	10499.55155	30000	0	0	30000	43.6875	2004
23.01.2020 14:21:26	1	1	1	1	74.75	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.375	2004
23.01.2020 14:21:27	1	1	1	1	74.75	63.25	0	30000	324.7311828	9806.484929	30000	0	0	30000	43.5	2004
23.01.2020 14:21:28	1	1	1	1	74.75	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5	2004
23.01.2020 14:21:29	1	1	1	1	74.75	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.875	2004
23.01.2020 14:21:30	1	1	1	1	74.75	63.75	0	29905.213	320.4301075	9711.086348	30000	0	0	30000	43.8125	2004
23.01.2020 14:21:31	1	1	1	1	75	63.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.75	2004
23.01.2020 14:21:32	1	1	1	1	75	63.75	0	29668.246	329.0322581	9746.147365	30000	0	0	30000	43.5	2004
23.01.2020 14:21:33	1	1	1	1	75	63.5	0	29763.033	307.5268817	9137.879488	30000	0	0	30000	43.4375	2004
23.01.2020 14:21:34	1	1	1	1	75	63.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.375	2004
23.01.2020 14:21:35	1	1	1	1	75	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 14:21:36	1	1	1	1	75	62.75	0	30000	354.8387097	10580.27342	30000	0	0	30000	42.8125	2004
23.01.2020 14:21:37	1	1	1	1	75	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.75	2004
23.01.2020 14:21:38	1	1	1	1	75	63.75	0	30000	352.688172	10435.13712	30000	0	0	30000	43.6875	2004
23.01.2020 14:21:39	1	1	1	1	75	63.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 14:21:40	1	1	1	1	75	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.6875	2004
23.01.2020 14:21:41	1	1	1	1	74.75	63.5	0	30000	344.0860215	10387.03014	30000	0	0	30000	43.4375	2004
23.01.2020 14:21:42	1	1	1	1	74.75	63.25	0	30000	352.688172	10580.27342	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:21:43	1	1	1	1	74.75	63.25	0	30000	339.7849462	10064.14264	30000	0	0	30000	43.625	2004
23.01.2020 14:21:44	1	1	1	1	74.75	63.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.5	2004
23.01.2020 14:21:45	1	1	1	1	74.75	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.6875	2004
23.01.2020 14:21:46	1	1	1	1	74.75	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.75	2004
23.01.2020 14:21:48	1	1	1	1	74.75	63.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	43.5625	2004
23.01.2020 14:21:49	1	1	1	1	74.75	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5	2004
23.01.2020 14:21:50	1	1	1	1	74.75	63.5	0	29952.607	335.483871	10128.55706	30000	0	0	30000	43.625	2004
23.01.2020 14:21:51	1	1	1	1	74.75	63.5	0	30000	335.483871	9855.407279	30000	0	0	30000	43.625	2004
23.01.2020 14:21:52	1	1	1	1	74.75	63.5	0	30000	335.483871	10128.55706	30000	0	0	30000	43.5625	2004
23.01.2020 14:21:53	1	1	1	1	74.75	63.5	0	30000	335.483871	9999.728209	30000	0	0	30000	43.625	2004
23.01.2020 14:21:54	1	1	1	1	74.75	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.375	2004
23.01.2020 14:21:55	1	1	1	1	74.75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.875	2004
23.01.2020 14:21:56	1	1	1	1	74.75	63.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.75	2004
23.01.2020 14:21:57	1	1	1	1	74.75	63.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	44.125	2004
23.01.2020 14:21:58	1	1	1	1	74.75	64	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.625	2004
23.01.2020 14:21:59	1	1	1	1	74.75	63.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	44.1875	2004
23.01.2020 14:22:00	1	1	1	1	74.75	64	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
23.01.2020 14:22:01	1	1	1	1	75.25	63.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	43.6875	2004
23.01.2020 14:22:02	1	1	1	1	75.25	63.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.4375	2004
23.01.2020 14:22:03	1	1	1	1	75.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.875	2004
23.01.2020 14:22:04	1	1	1	1	75.25	63.75	0	30094.787	372.0430108	11178.75683	30000	0	0	30000	43.625	2004
23.01.2020 14:22:05	1	1	1	1	75.25	63.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.625	2004
23.01.2020 14:22:06	1	1	1	1	75.25	63.5	0	30000	350.5376344	10257.38592	30000	0	0	30000	43.8125	2004
23.01.2020 14:22:07	1	1	1	1	75.25	63.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 14:22:08	1	1	1	1	75.25	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.75	2004
23.01.2020 14:22:09	1	1	1	1	75.25	63.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.6875	2004
23.01.2020 14:22:10	1	1	1	1	75.25	63.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.875	2004
23.01.2020 14:22:11	1	1	1	1	75.25	63.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.6875	2004
23.01.2020 14:22:12	1	1	1	1	75.25	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.9375	2004
23.01.2020 14:22:13	1	1	1	1	75.25	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:22:14	1	1	1	1	75.25	63.5	0	30000	346.2365591	10403.33759	30000	0	0	30000	43.4375	2004
23.01.2020 14:22:21	1	1	1	1	75.25	63.75	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	43.875	2004
23.01.2020 14:22:21	1	1	1	1	75.25	63.75	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	43.875	2004
23.01.2020 14:22:21	1	1	1	1	75.25	63.75	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	43.875	2004
23.01.2020 14:22:21	1	1	1	1	75.25	63.75	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	43.875	2004
23.01.2020 14:22:21	1	1	1	1	75.25	63.75	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	43.875	2004
23.01.2020 14:22:21	1	1	1	1	75.25	63.75	0	30000	318.2795699	9468.920719	30000	0	0	30000	43.6875	2004
23.01.2020 14:22:22	1	1	1	1	75.25	63.5	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.75	2004
23.01.2020 14:22:23	1	1	1	1	75.25	63.75	0	30000	305.3763441	9082.434159	30000	0	0	30000	43.75	2004
23.01.2020 14:22:24	1	1	1	1	75.25	63.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.5625	2004
23.01.2020 14:22:25	1	1	1	1	75.25	63.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43.625	2004
23.01.2020 14:22:27	1	1	1	1	75.25	63.5	0	29952.607	322.5806452	9612.426277	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:22:28	1	1	1	1	75.25	63.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.6875	2004
23.01.2020 14:22:29	1	1	1	1	75.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.875	2004
23.01.2020 14:22:30	1	1	1	1	75.25	63.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.8125	2004
23.01.2020 14:22:31	1	1	1	1	75.25	63.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.6875	2004
23.01.2020 14:22:32	1	1	1	1	75.5	63.5	0	29905.213	316.1290323	9453.428641	30000	0	0	30000	43.8125	2004
23.01.2020 14:22:33	1	1	1	1	75.5	63.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.9375	2004
23.01.2020 14:22:34	1	1	1	1	75.5	63.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.4375	2004
23.01.2020 14:22:35	1	1	1	1	75.5	63.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.75	2004
23.01.2020 14:22:36	1	1	1	1	75.5	63.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.75	2004
23.01.2020 14:22:37	1	1	1	1	75.5	63.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	44.25	2004
23.01.2020 14:22:38	1	1	1	1	75.5	64.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.75	2004
23.01.2020 14:22:39	1	1	1	1	75.5	63.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	44	2004
23.01.2020 14:22:40	1	1	1	1	75.5	64	0	30000	354.8387097	10628.3804	30000	0	0	30000	43.75	2004
23.01.2020 14:22:41	1	1	1	1	75.75	63.75	0	30000	354.8387097	10675.672	30000	0	0	30000	43.625	2004
23.01.2020 14:22:42	1	1	1	1	75.75	63.5	0	29146.919	335.483871	9777.946892	30000	0	0	30000	43.5	2004
23.01.2020 14:22:43	1	1	1	1	75.75	63.5	0	29905.213	329.0322581	9984.236132	30000	0	0	30000	43.8125	2004
23.01.2020 14:22:44	1	1	1	1	75.75	63.75	0	28388.626	294.6236559	8227.92379	30000	0	0	30000	44	2004
23.01.2020 14:22:45	1	1	1	1	75.75	64	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.8125	2004
23.01.2020 14:22:46	1	1	1	1	75.75	63.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.9375	2004
23.01.2020 14:22:47	1	1	1	1	75.75	63.75	0	30000	335.483871	10128.55706	30000	0	0	30000	43.6875	2004
23.01.2020 14:22:48	1	1	1	1	75.75	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.8125	2004
23.01.2020 14:22:49	1	1	1	1	75.75	63.75	0	29857.82	326.8817204	9631.179844	30000	0	0	30000	43.3125	2004
23.01.2020 14:22:50	1	1	1	1	75.75	63.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.6875	2004
23.01.2020 14:22:51	1	1	1	1	75.75	63.5	0	30000	326.8817204	10095.94216	30000	0	0	30000	43.75	2004
23.01.2020 14:22:52	1	1	1	1	75.75	63.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 14:22:53	1	1	1	1	75.75	63.25	0	29526.066	324.7311828	9587.965102	30000	0	0	30000	43.875	2004
23.01.2020 14:22:54	1	1	1	1	75.75	63.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.875	2004
23.01.2020 14:22:55	1	1	1	1	75.75	63.75	0	30047.393	337.6344086	10128.55706	30000	0	0	30000	43.8125	2004
23.01.2020 14:22:56	1	1	1	1	75.75	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.75	2004
23.01.2020 14:22:57	1	1	1	1	75.75	63.75	0	29952.607	348.3870968	10370.72269	30000	0	0	30000	43.875	2004
23.01.2020 14:22:58	1	1	1	1	75.75	63.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.9375	2004
23.01.2020 14:22:59	1	1	1	1	75.75	63.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.75	2004
23.01.2020 14:23:00	1	1	1	1	75.75	63.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.9375	2004
23.01.2020 14:23:01	1	1	1	1	75.5	63.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.625	2004
23.01.2020 14:23:02	1	1	1	1	75.5	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.75	2004
23.01.2020 14:23:03	1	1	1	1	75.5	63.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.5	2004
23.01.2020 14:23:05	1	1	1	1	75.5	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:06	1	1	1	1	75.5	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.8125	2004
23.01.2020 14:23:07	1	1	1	1	75.5	63.75	0	29857.82	348.3870968	10482.42872	30000	0	0	30000	43.0625	2004
23.01.2020 14:23:08	1	1	1	1	75.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:09	1	1	1	1	75.5	63.5	0	29952.607	395.6989247	11916.66893	30000	0	0	30000	43.625	2004
23.01.2020 14:23:10	1	1	1	1	75.5	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.75	2004
23.01.2020 14:23:11	1	1	1	1	75.5	63.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:23:12	1	1	1	1	75.25	63.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.8125	2004
23.01.2020 14:23:13	1	1	1	1	75.25	63.75	0	29715.64	311.827957	9265.892969	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:14	1	1	1	1	75.25	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.875	2004
23.01.2020 14:23:15	1	1	1	1	75.25	63.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 14:23:16	1	1	1	1	75.25	63.25	0	27914.692	333.3333333	9304.215476	30000	0	0	30000	43.9375	2004
23.01.2020 14:23:23	1	1	1	1	75.75	63.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:23	1	1	1	1	75.75	63.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:23	1	1	1	1	75.75	63.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:23	1	1	1	1	75.75	63.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:23	1	1	1	1	75.75	63.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:23	1	1	1	1	75.75	63.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:25	1	1	1	1	75.75	63.75	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	43.125	2004
23.01.2020 14:23:25	1	1	1	1	75.75	63.75	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	43.125	2004
23.01.2020 14:23:25	1	1	1	1	75.75	63.75	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	43.125	2004
23.01.2020 14:23:26	1	1	1	1	75.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.25	2004
23.01.2020 14:23:27	1	1	1	1	75.75	63.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	43.8125	2004
23.01.2020 14:23:28	1	1	1	1	75.75	63.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.375	2004
23.01.2020 14:23:29	1	1	1	1	75.75	63.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	43.875	2004
23.01.2020 14:23:30	1	1	1	1	75.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 14:23:31	1	1	1	1	75.25	63	0	30000	417.2043011	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 14:23:32	1	1	1	1	75.25	63.25	0	29952.607	397.8494624	11999.83693	30000	0	0	30000	43.25	2004
23.01.2020 14:23:33	1	1	1	1	75.25	63.25	0	29952.607	412.9032258	12174.32664	30000	0	0	30000	43.875	2004
23.01.2020 14:23:34	1	1	1	1	75.25	63.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.625	2004
23.01.2020 14:23:35	1	1	1	1	75.25	63.5	0	29905.213	384.9462366	11575.84323	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:36	1	1	1	1	75.25	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.625	2004
23.01.2020 14:23:37	1	1	1	1	75.25	63.5	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	43.8125	2004
23.01.2020 14:23:38	1	1	1	1	75.25	63.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	43.75	2004
23.01.2020 14:23:39	1	1	1	1	75.25	63.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 14:23:40	1	1	1	1	75.25	63.25	0	29526.066	369.8924731	10921.09912	30000	0	0	30000	43.5625	2004
23.01.2020 14:23:41	1	1	1	1	75.25	63.5	0	29620.853	412.9032258	12230.58734	30000	0	0	30000	43.25	2004
23.01.2020 14:23:42	1	1	1	1	75.25	63.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.8125	2004
23.01.2020 14:23:44	1	1	1	1	75.25	63.75	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	43.75	2004
23.01.2020 14:23:45	1	1	1	1	75.25	63.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.5625	2004
23.01.2020 14:23:46	1	1	1	1	75.25	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.625	2004
23.01.2020 14:23:47	1	1	1	1	75.25	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.75	2004
23.01.2020 14:23:48	1	1	1	1	75.25	63.75	0	30000	400	12064.25135	30000	0	0	30000	43.5	2004
23.01.2020 14:23:49	1	1	1	1	75.25	63.5	0	30000	395.6989247	11640.25766	30000	0	0	30000	43.75	2004
23.01.2020 14:23:50	1	1	1	1	75.25	63.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	43.75	2004
23.01.2020 14:23:51	1	1	1	1	75.25	63.75	0	29620.853	378.4946237	11019.75919	30000	0	0	30000	43.6875	2004
23.01.2020 14:23:52	1	1	1	1	75.25	63.5	0	27393.365	329.0322581	8997.63542	30000	0	0	30000	43.3125	2004
23.01.2020 14:23:53	1	1	1	1	75.25	63.25	0	29526.066	354.8387097	10476.72112	30000	0	0	30000	43.75	2004
23.01.2020 14:23:54	1	1	1	1	75.25	63.75	0	29952.607	389.2473118	11871.00807	30000	0	0	30000	44.3125	2004
23.01.2020 14:23:55	1	1	1	1	75.25	64.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:23:56	1	1	1	1	75.25	63.5	0	29810.427	359.1397849	10850.97709	30000	0	0	30000	43.375	2004
23.01.2020 14:23:57	1	1	1	1	75.25	63.25	0	29289.1	348.3870968	10283.47784	30000	0	0	30000	43.625	2004
23.01.2020 14:23:58	1	1	1	1	75.25	63.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 14:23:59	1	1	1	1	75.25	63.25	0	0	0	0	30000	0	8	30000	44.0625	2004
23.01.2020 14:24:00	1	1	1	1	75.25	64	0	0	0	0	30000	0	8	30000	44.3125	2004
23.01.2020 14:24:01	1	1	1	1	75.75	64.25	0	10710.9	0	0	30000	0	0	30000	44	2004
23.01.2020 14:24:02	1	1	1	1	75.75	64	0	11469.194	0	0	30000	0	0	30000	43.9375	2004
23.01.2020 14:24:03	1	1	1	1	75.75	63.75	0	12227.488	0	0	30000	0	0	30000	43.9375	2004
23.01.2020 14:24:04	1	1	1	1	75.75	63.75	0	12985.782	2.150537634	27.72266464	30000	0	0	30000	43.75	2004
23.01.2020 14:24:05	1	1	1	1	75.75	63.75	0	13791.469	6.451612903	88.87560134	30000	0	0	30000	43.9375	2004
23.01.2020 14:24:06	1	1	1	1	75.75	63.75	0	14549.763	10.75268817	93.76783627	30000	0	0	30000	43.875	2004
23.01.2020 14:24:07	1	1	1	1	75.75	63.75	0	15308.057	15.05376344	229.935042	30000	0	0	30000	44	2004
23.01.2020 14:24:08	1	1	1	1	75.75	64	0	15165.877	17.20430108	228.304297	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:09	1	1	1	1	75.75	63.75	0	16919.431	27.95698925	469.6545539	30000	0	0	30000	43.6875	2004
23.01.2020 14:24:10	1	1	1	1	75.75	63.5	0	17630.332	34.40860215	645.7750116	30000	0	0	30000	43.6875	2004
23.01.2020 14:24:11	1	1	1	1	75.75	63.5	0	18436.019	40.86021505	752.5888077	30000	0	0	30000	43.875	2004
23.01.2020 14:24:12	1	1	1	1	75.75	63.75	0	19194.313	47.31182796	907.5095806	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:13	1	1	1	1	75.75	63.75	0	19952.607	51.61290323	1072.214823	30000	0	0	30000	43.9375	2004
23.01.2020 14:24:14	1	1	1	1	75.75	63.75	0	20758.294	60.21505376	1205.120539	30000	0	0	30000	43.75	2004
23.01.2020 14:24:15	1	1	1	1	75.75	63.75	0	21516.588	64.51612903	1434.240209	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:16	1	1	1	1	75.75	63.75	0	22274.882	73.11827957	1628.298861	30000	0	0	30000	43.75	2004
23.01.2020 14:24:17	1	1	1	1	75.75	63.75	0	23033.175	79.56989247	1881.879705	30000	0	0	30000	44	2004
23.01.2020 14:24:24	1	1	1	1	75.75	63.75	0	25734.597	141.9354839	3596.60805	30000	0	0	30000	43.875	2004
23.01.2020 14:24:24	1	1	1	1	75.75	63.75	0	25734.597	141.9354839	3596.60805	30000	0	0	30000	43.875	2004
23.01.2020 14:24:24	1	1	1	1	75.75	63.75	0	25734.597	141.9354839	3596.60805	30000	0	0	30000	43.875	2004
23.01.2020 14:24:24	1	1	1	1	75.75	63.75	0	25734.597	141.9354839	3596.60805	30000	0	0	30000	43.875	2004
23.01.2020 14:24:24	1	1	1	1	75.75	63.75	0	25734.597	141.9354839	3596.60805	30000	0	0	30000	43.875	2004
23.01.2020 14:24:24	1	1	1	1	75.75	63.75	0	25734.597	141.9354839	3596.60805	30000	0	0	30000	43.875	2004
23.01.2020 14:24:25	1	1	1	1	75.75	63.75	0	25687.204	137.6344086	3707.498709	30000	0	0	30000	43.5	2004
23.01.2020 14:24:26	1	1	1	1	75.75	63.5	0	25734.597	144.0860215	3721.360041	30000	0	0	30000	43.875	2004
23.01.2020 14:24:27	1	1	1	1	75.75	63.75	0	25734.597	144.0860215	3707.498709	30000	0	0	30000	44.0625	2004
23.01.2020 14:24:28	1	1	1	1	75.75	64	0	25876.777	144.0860215	3727.883021	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:29	1	1	1	1	75.75	63.75	0	25734.597	144.0860215	3832.2507	30000	0	0	30000	43.875	2004
23.01.2020 14:24:30	1	1	1	1	75.75	63.75	0	25734.597	152.688172	3943.141358	30000	0	0	30000	44.3125	2004
23.01.2020 14:24:31	1	1	1	1	75.75	64.25	0	25734.597	152.688172	3929.280026	30000	0	0	30000	44	2004
23.01.2020 14:24:32	1	1	1	1	76	64	0	25734.597	152.688172	3929.280026	30000	0	0	30000	44.3125	2004
23.01.2020 14:24:33	1	1	1	1	76	64.25	0	25734.597	156.9892473	3929.280026	30000	0	0	30000	44.3125	2004
23.01.2020 14:24:34	1	1	1	1	76	63.5	0	25734.597	152.688172	4054.847389	30000	0	0	30000	43.5	2004
23.01.2020 14:24:35	1	1	1	1	76	63.5	0	25734.597	161.2903226	4173.0764	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:36	1	1	1	1	76	63.75	0	25734.597	163.4408602	4205.6913	30000	0	0	30000	43.875	2004
23.01.2020 14:24:37	1	1	1	1	76	63.75	0	25734.597	156.9892473	4150.245971	30000	0	0	30000	43.875	2004
23.01.2020 14:24:38	1	1	1	1	76	63.75	0	25734.597	163.4408602	4205.6913	30000	0	0	30000	43.875	2004
23.01.2020 14:24:39	1	1	1	1	76	63.75	0	25734.597	163.4408602	4205.6913	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:24:40	1	1	1	1	76	63.75	0	25734.597	163.4408602	4205.6913	30000	0	0	30000	43.875	2004
23.01.2020 14:24:41	1	1	1	1	75.75	63.75	0	25734.597	161.2903226	4221.183377	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:42	1	1	1	1	75.75	63.75	0	26445.498	169.8924731	4435.626342	30000	0	0	30000	43.3125	2004
23.01.2020 14:24:43	1	1	1	1	75.75	63.25	0	25165.877	167.7419355	4274.997962	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:44	1	1	1	1	75.75	63.75	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	43.6875	2004
23.01.2020 14:24:45	1	1	1	1	75.75	63.5	0	28483.412	221.5053763	6308.53695	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:46	1	1	1	1	75.75	63.75	0	28815.166	230.1075269	6630.609083	30000	0	0	30000	44	2004
23.01.2020 14:24:47	1	1	1	1	75.75	64	0	28815.166	251.6129032	7312.260484	30000	0	0	30000	43.75	2004
23.01.2020 14:24:48	1	1	1	1	75.75	63.75	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	43.75	2004
23.01.2020 14:24:49	1	1	1	1	75.75	63.75	0	29146.919	270.9677419	7897.697932	30000	0	0	30000	43.75	2004
23.01.2020 14:24:50	1	1	1	1	75.75	63.75	0	29241.706	281.7204301	8237.70826	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:51	1	1	1	1	75.5	63.75	0	29146.919	283.8709677	8273.584649	30000	0	0	30000	43.875	2004
23.01.2020 14:24:52	1	1	1	1	75.5	63.75	0	29146.919	290.3225806	8524.719376	30000	0	0	30000	43.9375	2004
23.01.2020 14:24:53	1	1	1	1	75.5	63.75	0	29241.706	286.0215054	8363.275623	30000	0	0	30000	43.8125	2004
23.01.2020 14:24:54	1	1	1	1	75.5	63.75	0	29146.919	279.5698925	8336.368331	30000	0	0	30000	43.875	2004
23.01.2020 14:24:55	1	1	1	1	75.5	63.75	0	29146.919	281.7204301	8237.70826	30000	0	0	30000	43.6875	2004
23.01.2020 14:24:56	1	1	1	1	75.5	63.5	0	29241.706	283.8709677	8148.017286	30000	0	0	30000	43.875	2004
23.01.2020 14:24:57	1	1	1	1	75.5	63.75	0	29146.919	275.2688172	7960.481613	30000	0	0	30000	43.875	2004
23.01.2020 14:24:58	1	1	1	1	75.5	63.75	0	29146.919	281.7204301	8210.800968	30000	0	0	30000	43.25	2004
23.01.2020 14:24:59	1	1	1	1	75.5	63.25	0	29146.919	279.5698925	8148.017286	30000	0	0	30000	43.875	2004
23.01.2020 14:25:01	1	1	1	1	75.5	63.75	0	29241.706	279.5698925	8210.800968	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:02	1	1	1	1	75.5	63.5	0	29241.706	281.7204301	8237.70826	30000	0	0	30000	43.8125	2004
23.01.2020 14:25:03	1	1	1	1	75.5	63.75	0	29241.706	283.8709677	8300.491941	30000	0	0	30000	43.75	2004
23.01.2020 14:25:04	1	1	1	1	75.5	63.75	0	29241.706	286.0215054	8363.275623	30000	0	0	30000	43.625	2004
23.01.2020 14:25:05	1	1	1	1	75.5	63.5	0	29146.919	288.172043	8399.152013	30000	0	0	30000	43.875	2004
23.01.2020 14:25:06	1	1	1	1	75.5	63.75	0	29241.706	286.0215054	8273.584649	30000	0	0	30000	43.75	2004
23.01.2020 14:25:07	1	1	1	1	75.5	63.75	0	29146.919	279.5698925	8148.017286	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:08	1	1	1	1	75.5	63.5	0	29146.919	277.4193548	8148.017286	30000	0	0	30000	43.8125	2004
23.01.2020 14:25:09	1	1	1	1	75.5	63.75	0	29241.706	281.7204301	8237.70826	30000	0	0	30000	43.5	2004
23.01.2020 14:25:10	1	1	1	1	75.5	63.5	0	29146.919	281.7204301	8237.70826	30000	0	0	30000	44.125	2004
23.01.2020 14:25:11	1	1	1	1	75.5	64	0	29241.706	281.7204301	8314.353274	30000	0	0	30000	43.4375	2004
23.01.2020 14:25:12	1	1	1	1	75.25	63.25	0	29241.706	305.3763441	8866.360449	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:13	1	1	1	1	75.25	63.75	0	29241.706	303.2258065	8866.360449	30000	0	0	30000	43.75	2004
23.01.2020 14:25:14	1	1	1	1	75.25	63.75	0	29241.706	292.4731183	8488.842986	30000	0	0	30000	43.8125	2004
23.01.2020 14:25:15	1	1	1	1	75.25	63.75	0	29241.706	283.8709677	8363.275623	30000	0	0	30000	43.875	2004
23.01.2020 14:25:16	1	1	1	1	75.25	63.75	0	29289.1	275.2688172	8264.615552	30000	0	0	30000	43.625	2004
23.01.2020 14:25:17	1	1	1	1	75.25	63.5	0	29241.706	266.6666667	7810.453075	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:18	1	1	1	1	75.25	63.5	0	29241.706	258.0645161	7759.899981	30000	0	0	30000	43.875	2004
23.01.2020 14:25:19	1	1	1	1	75.25	63.75	0	29289.1	260.2150538	7759.899981	30000	0	0	30000	43.875	2004
23.01.2020 14:25:26	1	1	1	1	75.25	63.5	0	29336.493	232.2580645	6813.252521	30000	0	0	30000	42.8125	2004
23.01.2020 14:25:26	1	1	1	1	75.25	63.5	0	29336.493	232.2580645	6813.252521	30000	0	0	30000	42.8125	2004
23.01.2020 14:25:26	1	1	1	1	75.25	63.5	0	29336.493	232.2580645	6813.252521	30000	0	0	30000	42.8125	2004
23.01.2020 14:25:26	1	1	1	1	75.25	63.5	0	29336.493	232.2580645	6813.252521	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:25:26	1	1	1	1	75.25	63.5	0	29336.493	232.2580645	6813.252521	30000	0	0	30000	42.8125	2004
23.01.2020 14:25:26	1	1	1	1	75.25	63.5	0	29336.493	232.2580645	6813.252521	30000	0	0	30000	42.8125	2004
23.01.2020 14:25:26	1	1	1	1	75.25	62.75	0	29431.28	227.9569892	6771.668524	30000	0	0	30000	43.625	2004
23.01.2020 14:25:27	1	1	1	1	75.25	63.5	0	29478.673	234.4086022	6909.466475	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:28	1	1	1	1	75.25	63.5	0	29526.066	240.8602151	7111.678852	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:29	1	1	1	1	75.25	63.5	0	29526.066	247.311828	7301.660642	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:30	1	1	1	1	75.25	63.5	0	29526.066	251.6129032	7428.85875	30000	0	0	30000	43.75	2004
23.01.2020 14:25:31	1	1	1	1	75	63.75	0	29526.066	258.0645161	7619.655913	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:32	1	1	1	1	75	63.5	0	29526.066	268.8172043	7936.835811	30000	0	0	30000	43.875	2004
23.01.2020 14:25:33	1	1	1	1	75	63.75	0	29526.066	275.2688172	8064.033919	30000	0	0	30000	43.75	2004
23.01.2020 14:25:34	1	1	1	1	75	63.75	0	29526.066	279.5698925	8190.416655	30000	0	0	30000	43.3125	2004
23.01.2020 14:25:35	1	1	1	1	75	63.25	0	29526.066	279.5698925	8190.416655	30000	0	0	30000	43.875	2004
23.01.2020 14:25:36	1	1	1	1	75	63.75	0	29526.066	275.2688172	8190.416655	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:38	1	1	1	1	75	63.5	0	29526.066	275.2688172	8077.079879	30000	0	0	30000	43.75	2004
23.01.2020 14:25:39	1	1	1	1	75	63.75	0	29526.066	275.2688172	8127.632974	30000	0	0	30000	43.875	2004
23.01.2020 14:25:40	1	1	1	1	75	63.75	0	29526.066	277.4193548	8190.416655	30000	0	0	30000	43.875	2004
23.01.2020 14:25:41	1	1	1	1	75	63.75	0	29478.673	281.7204301	8444.812872	30000	0	0	30000	43.8125	2004
23.01.2020 14:25:42	1	1	1	1	74.75	63.75	0	29431.28	288.172043	8558.149648	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:43	1	1	1	1	74.75	63.5	0	29526.066	296.7741935	8761.99277	30000	0	0	30000	43.8125	2004
23.01.2020 14:25:44	1	1	1	1	74.75	63.75	0	29526.066	294.6236559	8761.99277	30000	0	0	30000	43.875	2004
23.01.2020 14:25:45	1	1	1	1	74.75	63.75	0	29526.066	294.6236559	8635.610035	30000	0	0	30000	43.25	2004
23.01.2020 14:25:46	1	1	1	1	74.75	63.25	0	29478.673	309.6774194	9114.233686	30000	0	0	30000	43.9375	2004
23.01.2020 14:25:47	1	1	1	1	74.75	63.75	0	29573.46	311.827957	9221.862854	30000	0	0	30000	43.9375	2004
23.01.2020 14:25:48	1	1	1	1	74.75	63.75	0	29573.46	311.827957	9221.862854	30000	0	0	30000	44	2004
23.01.2020 14:25:49	1	1	1	1	74.75	64	0	29573.46	311.827957	9221.862854	30000	0	0	30000	43.9375	2004
23.01.2020 14:25:50	1	1	1	1	74.75	63.75	0	29573.46	318.2795699	9476.259071	30000	0	0	30000	43.3125	2004
23.01.2020 14:25:51	1	1	1	1	74.75	63.25	0	29431.28	322.5806452	9556.980947	30000	0	0	30000	43.875	2004
23.01.2020 14:25:52	1	1	1	1	75	64	0	29620.853	326.8817204	9777.13152	30000	0	0	30000	43.8125	2004
23.01.2020 14:25:53	1	1	1	1	75	63.75	0	29668.246	326.8817204	9682.548311	30000	0	0	30000	43.75	2004
23.01.2020 14:25:54	1	1	1	1	75	63.75	0	29620.853	322.5806452	9554.53483	30000	0	0	30000	43.625	2004
23.01.2020 14:25:55	1	1	1	1	75	63.5	0	29668.246	320.4301075	9521.104558	30000	0	0	30000	42.9375	2004
23.01.2020 14:25:56	1	1	1	1	75	62.75	0	29668.246	318.2795699	9378.414372	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:57	1	1	1	1	75	63.5	0	29620.853	316.1290323	9363.737667	30000	0	0	30000	43.6875	2004
23.01.2020 14:25:58	1	1	1	1	75	63.5	0	29668.246	324.7311828	9649.118039	30000	0	0	30000	43.3125	2004
23.01.2020 14:25:59	1	1	1	1	75	63.25	0	29668.246	329.0322581	9746.147365	30000	0	0	30000	43.875	2004
23.01.2020 14:26:00	1	1	1	1	75	63.75	0	29668.246	326.8817204	9713.532465	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:01	1	1	1	1	74.75	63.75	0	29668.246	326.8817204	9682.548311	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:02	1	1	1	1	74.75	63.5	0	29668.246	326.8817204	9713.532465	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:03	1	1	1	1	74.75	63.75	0	29668.246	331.1827957	9905.145	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:04	1	1	1	1	74.75	63.75	0	29715.64	339.7849462	10032.34311	30000	0	0	30000	43.9375	2004
23.01.2020 14:26:05	1	1	1	1	74.75	63.75	0	29431.28	316.1290323	9303.400103	30000	0	0	30000	43.25	2004
23.01.2020 14:26:06	1	1	1	1	74.75	63.25	0	29715.64	354.8387097	10463.67516	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:07	1	1	1	1	74.75	63.5	0	29620.853	372.0430108	11037.69739	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:26:08	1	1	1	1	74.75	63.5	0	29905.213	369.8924731	11061.34319	30000	0	0	30000	43.75	2004
23.01.2020 14:26:09	1	1	1	1	74.75	63.75	0	29905.213	378.4946237	11125.75762	30000	0	0	30000	43.9375	2004
23.01.2020 14:26:10	1	1	1	1	74.75	63.75	0	29952.607	363.4408602	10932.51434	30000	0	0	30000	43.9375	2004
23.01.2020 14:26:11	1	1	1	1	75	63.75	0	29905.213	350.5376344	10611.25758	30000	0	0	30000	43.875	2004
23.01.2020 14:26:12	1	1	1	1	75	63.75	0	29905.213	316.1290323	9453.428641	30000	0	0	30000	43.625	2004
23.01.2020 14:26:13	1	1	1	1	75	63.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.875	2004
23.01.2020 14:26:14	1	1	1	1	75	63.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:16	1	1	1	1	75	63.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.5	2004
23.01.2020 14:26:17	1	1	1	1	75	63.5	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:18	1	1	1	1	75	63.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.5	2004
23.01.2020 14:26:19	1	1	1	1	75	63.5	0	30047.393	320.4301075	9483.597423	30000	0	0	30000	43.4375	2004
23.01.2020 14:26:20	1	1	1	1	75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.625	2004
23.01.2020 14:26:21	1	1	1	1	75	63.5	0	30000	311.827957	9419.182997	30000	0	0	30000	43.0625	2004
23.01.2020 14:26:28	1	1	1	1	74.5	63	0	29905.213	296.7741935	8903.052211	30000	0	0	30000	44.125	2004
23.01.2020 14:26:28	1	1	1	1	74.5	63	0	29905.213	296.7741935	8903.052211	30000	0	0	30000	44.125	2004
23.01.2020 14:26:28	1	1	1	1	74.5	63	0	29905.213	296.7741935	8903.052211	30000	0	0	30000	44.125	2004
23.01.2020 14:26:28	1	1	1	1	74.5	63	0	29905.213	296.7741935	8903.052211	30000	0	0	30000	44.125	2004
23.01.2020 14:26:28	1	1	1	1	74.5	63	0	29905.213	296.7741935	8903.052211	30000	0	0	30000	44.125	2004
23.01.2020 14:26:28	1	1	1	1	74.5	63	0	29905.213	296.7741935	8903.052211	30000	0	0	30000	44.125	2004
23.01.2020 14:26:28	1	1	1	1	74.5	64	0	29905.213	305.3763441	9146.848585	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:29	1	1	1	1	74.5	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:30	1	1	1	1	74.5	63.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:31	1	1	1	1	74.75	63.75	0	30000	331.1827957	9950.80586	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:32	1	1	1	1	74.75	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.75	2004
23.01.2020 14:26:33	1	1	1	1	74.75	63.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	43.75	2004
23.01.2020 14:26:34	1	1	1	1	74.75	63.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:35	1	1	1	1	74.75	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:36	1	1	1	1	74.75	63.5	0	29952.607	339.7849462	10161.17196	30000	0	0	30000	43.875	2004
23.01.2020 14:26:37	1	1	1	1	74.75	63.75	0	29810.427	352.688172	10577.8273	30000	0	0	30000	43.625	2004
23.01.2020 14:26:38	1	1	1	1	74.75	63.5	0	30000	359.1397849	10757.20925	30000	0	0	30000	43.375	2004
23.01.2020 14:26:39	1	1	1	1	74.75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:40	1	1	1	1	74.75	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.75	2004
23.01.2020 14:26:41	1	1	1	1	74.5	63.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:42	1	1	1	1	74.5	63.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.875	2004
23.01.2020 14:26:43	1	1	1	1	74.5	63.75	0	29952.607	352.688172	10709.10227	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:44	1	1	1	1	74.5	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:45	1	1	1	1	74.5	63.75	0	29905.213	356.9892473	10644.68785	30000	0	0	30000	43.25	2004
23.01.2020 14:26:46	1	1	1	1	74.5	63.25	0	30000	352.688172	10644.68785	30000	0	0	30000	43.625	2004
23.01.2020 14:26:47	1	1	1	1	74.5	63.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.625	2004
23.01.2020 14:26:48	1	1	1	1	74.5	63.5	0	24881.517	301.0752688	7490.827059	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:49	1	1	1	1	74.5	63.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.9375	2004
23.01.2020 14:26:50	1	1	1	1	74.5	63.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:51	1	1	1	1	74.5	63.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:26:52	1	1	1	1	74.5	63.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:54	1	1	1	1	74.5	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.625	2004
23.01.2020 14:26:55	1	1	1	1	74.5	63.5	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	43.5	2004
23.01.2020 14:26:56	1	1	1	1	74.5	63.5	0	29905.213	350.5376344	10353.59987	30000	0	0	30000	43.8125	2004
23.01.2020 14:26:57	1	1	1	1	74.5	63.75	0	30000	335.483871	10144.86451	30000	0	0	30000	43.6875	2004
23.01.2020 14:26:58	1	1	1	1	74.5	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 14:26:59	1	1	1	1	74.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.5625	2004
23.01.2020 14:27:00	1	1	1	1	74.5	63.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	43.625	2004
23.01.2020 14:27:01	1	1	1	1	74.5	63.5	0	29763.033	305.3763441	9009.866007	30000	0	0	30000	43.75	2004
23.01.2020 14:27:02	1	1	1	1	74.75	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5	2004
23.01.2020 14:27:03	1	1	1	1	74.75	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
23.01.2020 14:27:04	1	1	1	1	74.75	63.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.75	2004
23.01.2020 14:27:05	1	1	1	1	74.75	63.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.9375	2004
23.01.2020 14:27:06	1	1	1	1	74.75	63.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.8125	2004
23.01.2020 14:27:07	1	1	1	1	74.75	63.75	0	29336.493	311.827957	9147.663958	30000	0	0	30000	43.875	2004
23.01.2020 14:27:08	1	1	1	1	74.75	63.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	44.125	2004
23.01.2020 14:27:09	1	1	1	1	74.75	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.5	2004
23.01.2020 14:27:10	1	1	1	1	74.75	63.5	0	29857.82	301.0752688	8974.80499	30000	0	0	30000	43.625	2004
23.01.2020 14:27:11	1	1	1	1	74.75	63.5	0	30000	322.5806452	9806.484929	30000	0	0	30000	43.6875	2004
23.01.2020 14:27:12	1	1	1	1	74.75	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
23.01.2020 14:27:13	1	1	1	1	74.75	63.25	0	29526.066	322.5806452	9460.766994	30000	0	0	30000	43.875	2004
23.01.2020 14:27:14	1	1	1	1	74.75	63.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.8125	2004
23.01.2020 14:27:15	1	1	1	1	74.75	63.75	0	29905.213	333.3333333	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 14:27:16	1	1	1	1	74.75	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.4375	2004
23.01.2020 14:27:17	1	1	1	1	74.75	63.25	0	29620.853	301.0752688	8854.129862	30000	0	0	30000	43.875	2004
23.01.2020 14:27:18	1	1	1	1	74.75	63.75	0	29810.427	322.5806452	9615.687767	30000	0	0	30000	43.3125	2004
23.01.2020 14:27:19	1	1	1	1	74.75	63.25	0	30000	335.483871	9984.236132	30000	0	0	30000	43.4375	2004
23.01.2020 14:27:20	1	1	1	1	74.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 14:27:21	1	1	1	1	74.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.8125	2004
23.01.2020 14:27:22	1	1	1	1	74.75	63.75	0	29715.64	313.9784946	9329.492023	30000	0	0	30000	43.875	2004
23.01.2020 14:27:29	1	1	1	1	74.75	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.6875	2004
23.01.2020 14:27:29	1	1	1	1	74.75	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.6875	2004
23.01.2020 14:27:29	1	1	1	1	74.75	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.6875	2004
23.01.2020 14:27:29	1	1	1	1	74.75	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.6875	2004
23.01.2020 14:27:29	1	1	1	1	74.75	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.6875	2004
23.01.2020 14:27:29	1	1	1	1	74.75	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.6875	2004
23.01.2020 14:27:29	1	1	1	1	74.75	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.6875	2004
23.01.2020 14:27:29	1	1	1	1	74.75	63.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	43.875	2004
23.01.2020 14:27:30	1	1	1	1	74.75	63.75	0	30000	251.6129032	7560.133721	30000	0	0	30000	43.75	2004
23.01.2020 14:27:31	1	1	1	1	74.5	63.75	0	30000	251.6129032	7741.961786	30000	0	0	30000	43.8125	2004
23.01.2020 14:27:33	1	1	1	1	74.5	63.75	0	29952.607	253.7634409	7588.671758	30000	0	0	30000	43.625	2004
23.01.2020 14:27:34	1	1	1	1	74.5	63.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	43.8125	2004
23.01.2020 14:27:35	1	1	1	1	74.5	63.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	41.4375	2004
23.01.2020 14:27:36	1	1	1	1	74.5	61.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:27:37	1	1	1	1	74.5	63.75	0	30000	268.8172043	8192.862773	30000	0	0	30000	43.875	2004
23.01.2020 14:27:38	1	1	1	1	74.5	63.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.75	2004
23.01.2020 14:27:39	1	1	1	1	74.5	63.75	0	30047.393	268.8172043	8128.448346	30000	0	0	30000	43.875	2004
23.01.2020 14:27:40	1	1	1	1	74.5	63.75	0	30000	273.1182796	8205.908733	30000	0	0	30000	43.75	2004
23.01.2020 14:27:41	1	1	1	1	74.5	63.75	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	43.4375	2004
23.01.2020 14:27:42	1	1	1	1	74.5	63.25	0	29905.213	270.9677419	8064.033919	30000	0	0	30000	43.6875	2004
23.01.2020 14:27:43	1	1	1	1	74.5	63.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.375	2004
23.01.2020 14:27:44	1	1	1	1	74.5	63.25	0	30000	277.4193548	8258.092572	30000	0	0	30000	43.8125	2004
23.01.2020 14:27:45	1	1	1	1	74.5	63.75	0	30000	273.1182796	8051.803332	30000	0	0	30000	43.9375	2004
23.01.2020 14:27:46	1	1	1	1	74.5	63.75	0	29952.607	273.1182796	8245.046612	30000	0	0	30000	43.8125	2004
23.01.2020 14:27:47	1	1	1	1	74.5	63.75	0	30047.393	273.1182796	8192.862773	30000	0	0	30000	43.75	2004
23.01.2020 14:27:48	1	1	1	1	74.5	63.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.75	2004
23.01.2020 14:27:49	1	1	1	1	74.5	63.75	0	30000	268.8172043	8051.803332	30000	0	0	30000	43.5	2004
23.01.2020 14:27:50	1	1	1	1	74.5	63.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	43.5625	2004
23.01.2020 14:27:51	1	1	1	1	74.5	63.5	0	30000	268.8172043	8284.184492	30000	0	0	30000	43.5625	2004
23.01.2020 14:27:52	1	1	1	1	74.5	63.5	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	43.8125	2004
23.01.2020 14:27:53	1	1	1	1	74.5	63.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.4375	2004
23.01.2020 14:27:54	1	1	1	1	74.5	63.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.75	2004
23.01.2020 14:27:55	1	1	1	1	74.5	63.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	42	2004
23.01.2020 14:27:56	1	1	1	1	74.5	62	0	29952.607	264.516129	7781.099666	30000	0	0	30000	43.875	2004
23.01.2020 14:27:57	1	1	1	1	74.5	63.75	0	30000	260.2150538	7999.619493	30000	0	0	30000	43.75	2004
23.01.2020 14:27:58	1	1	1	1	74.5	63.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.375	2004
23.01.2020 14:27:59	1	1	1	1	74.5	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.75	2004
23.01.2020 14:28:00	1	1	1	1	74.5	63.75	0	29810.427	264.516129	7884.651972	30000	0	0	30000	43.75	2004
23.01.2020 14:28:01	1	1	1	1	74.25	63.75	0	30000	270.9677419	7999.619493	30000	0	0	30000	43.875	2004
23.01.2020 14:28:02	1	1	1	1	74.25	63.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.9375	2004
23.01.2020 14:28:03	1	1	1	1	74.25	63.75	0	30047.393	277.4193548	8258.092572	30000	0	0	30000	43.0625	2004
23.01.2020 14:28:04	1	1	1	1	74.25	63	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	43.8125	2004
23.01.2020 14:28:05	1	1	1	1	74.25	63.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.6875	2004
23.01.2020 14:28:06	1	1	1	1	74.25	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.875	2004
23.01.2020 14:28:07	1	1	1	1	74.25	63.75	0	29857.82	298.9247312	9067.757454	30000	0	0	30000	43.8125	2004
23.01.2020 14:28:08	1	1	1	1	74.25	63.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.5625	2004
23.01.2020 14:28:09	1	1	1	1	74.25	63.5	0	30000	316.1290323	9419.182997	30000	0	0	30000	43.625	2004
23.01.2020 14:28:11	1	1	1	1	74.25	63.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.75	2004
23.01.2020 14:28:12	1	1	1	1	74.5	63.75	0	30000	286.0215054	8502.704319	30000	0	0	30000	43.6875	2004
23.01.2020 14:28:13	1	1	1	1	74.5	63.5	0	30000	281.7204301	8322.506999	30000	0	0	30000	43.8125	2004
23.01.2020 14:28:14	1	1	1	1	74.5	63.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.625	2004
23.01.2020 14:28:15	1	1	1	1	74.5	63.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.75	2004
23.01.2020 14:28:16	1	1	1	1	74.5	63.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.75	2004
23.01.2020 14:28:17	1	1	1	1	74.5	63.75	0	30000	290.3225806	8580.164705	30000	0	0	30000	43.6875	2004
23.01.2020 14:28:18	1	1	1	1	74.5	63.5	0	29905.213	279.5698925	8360.014133	30000	0	0	30000	43.5	2004
23.01.2020 14:28:19	1	1	1	1	74.5	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	44	2004
23.01.2020 14:28:20	1	1	1	1	74.5	64	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:28:21	1	1	1	1	74.5	63.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.75	2004
23.01.2020 14:28:22	1	1	1	1	74.25	63.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.75	2004
23.01.2020 14:28:23	1	1	1	1	74.25	63.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.75	2004
23.01.2020 14:28:24	1	1	1	1	74.25	63.75	0	29905.213	294.6236559	8903.052211	30000	0	0	30000	44.25	2004
23.01.2020 14:28:31	1	1	1	1	74.25	63.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
23.01.2020 14:28:31	1	1	1	1	74.25	63.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
23.01.2020 14:28:31	1	1	1	1	74.25	63.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
23.01.2020 14:28:31	1	1	1	1	74.25	63.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
23.01.2020 14:28:31	1	1	1	1	74.25	63.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
23.01.2020 14:28:31	1	1	1	1	74.25	63.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
23.01.2020 14:28:31	1	1	1	1	74.25	63.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
23.01.2020 14:28:31	1	1	1	1	74.5	63.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.5625	2004
23.01.2020 14:28:32	1	1	1	1	74.5	63.5	0	30000	326.8817204	9726.578425	30000	0	0	30000	43.625	2004
23.01.2020 14:28:33	1	1	1	1	74.5	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.6875	2004
23.01.2020 14:28:34	1	1	1	1	74.5	63.5	0	29952.607	331.1827957	9919.821705	30000	0	0	30000	43.0625	2004
23.01.2020 14:28:35	1	1	1	1	74.5	63	0	29905.213	322.5806452	9711.086348	30000	0	0	30000	43.625	2004
23.01.2020 14:28:36	1	1	1	1	74.5	63.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.625	2004
23.01.2020 14:28:37	1	1	1	1	74.5	62.5	0	30000	346.2365591	10515.85899	30000	0	0	30000	43.875	2004
23.01.2020 14:28:38	1	1	1	1	74.5	63.75	0	29857.82	350.5376344	10482.42872	30000	0	0	30000	44	2004
23.01.2020 14:28:39	1	1	1	1	74.5	64	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 14:28:40	1	1	1	1	74.5	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.5625	2004
23.01.2020 14:28:41	1	1	1	1	74	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.875	2004
23.01.2020 14:28:42	1	1	1	1	74	63.75	0	29668.246	378.4946237	11247.24812	30000	0	0	30000	43.5625	2004
23.01.2020 14:28:43	1	1	1	1	74	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.625	2004
23.01.2020 14:28:44	1	1	1	1	74	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:28:45	1	1	1	1	74	63.5	0	28293.839	363.4408602	10299.78529	30000	0	0	30000	43.75	2004
23.01.2020 14:28:46	1	1	1	1	74	63.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.8125	2004
23.01.2020 14:28:47	1	1	1	1	74	63.75	0	29620.853	384.9462366	11420.10709	30000	0	0	30000	43.875	2004
23.01.2020 14:28:48	1	1	1	1	74	63.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	43.75	2004
23.01.2020 14:28:50	1	1	1	1	74	63.75	0	29857.82	384.9462366	11474.73704	30000	0	0	30000	43.6875	2004
23.01.2020 14:28:51	1	1	1	1	74	63.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.75	2004
23.01.2020 14:28:52	1	1	1	1	74.75	63.75	0	30000	395.6989247	11575.84323	30000	0	0	30000	43.625	2004
23.01.2020 14:28:53	1	1	1	1	74.75	63.5	0	30000	400	11999.83693	30000	0	0	30000	43.8125	2004
23.01.2020 14:28:54	1	1	1	1	74.75	63.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	43.5	2004
23.01.2020 14:28:55	1	1	1	1	74.75	63.5	0	29383.886	354.8387097	10379.69179	30000	0	0	30000	43.6875	2004
23.01.2020 14:28:56	1	1	1	1	74.75	63.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.75	2004
23.01.2020 14:28:57	1	1	1	1	74.75	63.75	0	29905.213	412.9032258	12128.66578	30000	0	0	30000	43.75	2004
23.01.2020 14:28:58	1	1	1	1	74.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
23.01.2020 14:28:59	1	1	1	1	74.75	62.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.8125	2004
23.01.2020 14:29:00	1	1	1	1	74.75	63.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.8125	2004
23.01.2020 14:29:01	1	1	1	1	74.75	63.75	0	30000	419.3548387	12348.00098	30000	0	0	30000	43.875	2004
23.01.2020 14:29:02	1	1	1	1	74.75	63.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.5625	2004
23.01.2020 14:29:03	1	1	1	1	74.75	63.5	0	30000	395.6989247	11659.01122	30000	0	0	30000	43.5	2004
23.01.2020 14:29:04	1	1	1	1	74.75	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:29:05	1	1	1	1	74.75	63.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.5	2004
23.01.2020 14:29:06	1	1	1	1	74.75	63.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004
23.01.2020 14:29:07	1	1	1	1	74.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.0625	2004
23.01.2020 14:29:08	1	1	1	1	74.75	64	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 14:29:09	1	1	1	1	74.75	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.625	2004
23.01.2020 14:29:10	1	1	1	1	74.75	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 14:29:11	1	1	1	1	75	62.75	0	30000	397.8494624	11916.66893	30000	0	0	30000	43.75	2004
23.01.2020 14:29:12	1	1	1	1	75	63.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.5625	2004
23.01.2020 14:29:13	1	1	1	1	75	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.875	2004
23.01.2020 14:29:14	1	1	1	1	75	63.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.8125	2004
23.01.2020 14:29:15	1	1	1	1	75	63.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.6875	2004
23.01.2020 14:29:16	1	1	1	1	75	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.625	2004
23.01.2020 14:29:17	1	1	1	1	75	63.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.625	2004
23.01.2020 14:29:18	1	1	1	1	75	63.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.0625	2004
23.01.2020 14:29:19	1	1	1	1	75	62	0	30047.393	346.2365591	10387.03014	30000	0	0	30000	43.6875	2004
23.01.2020 14:29:20	1	1	1	1	75	63.5	0	30000	335.483871	10048.65056	30000	0	0	30000	43.625	2004
23.01.2020 14:29:21	1	1	1	1	75	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.375	2004
23.01.2020 14:29:22	1	1	1	1	75	63.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.625	2004
23.01.2020 14:29:23	1	1	1	1	75	63.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.75	2004
23.01.2020 14:29:24	1	1	1	1	75	63.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.625	2004
23.01.2020 14:29:25	1	1	1	1	75	63.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.5	2004
23.01.2020 14:29:33	1	1	1	1	75.5	63.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.75	2004
23.01.2020 14:29:33	1	1	1	1	75.5	63.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.75	2004
23.01.2020 14:29:33	1	1	1	1	75.5	63.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.75	2004
23.01.2020 14:29:33	1	1	1	1	75.5	63.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.75	2004
23.01.2020 14:29:33	1	1	1	1	75.5	63.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.75	2004
23.01.2020 14:29:33	1	1	1	1	75.5	63.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.75	2004
23.01.2020 14:29:33	1	1	1	1	75.5	63.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.8125	2004
23.01.2020 14:29:34	1	1	1	1	75.5	63.75	0	30000	264.516129	7999.619493	30000	0	0	30000	43.625	2004
23.01.2020 14:29:35	1	1	1	1	75.5	63.5	0	30000	264.516129	7935.205066	30000	0	0	30000	43.6875	2004
23.01.2020 14:29:36	1	1	1	1	75.5	63.5	0	30000	264.516129	7935.205066	30000	0	0	30000	43.5625	2004
23.01.2020 14:29:37	1	1	1	1	75.5	63.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.75	2004
23.01.2020 14:29:38	1	1	1	1	75.5	63.75	0	29146.919	258.0645161	7459.027532	30000	0	0	30000	43.75	2004
23.01.2020 14:29:39	1	1	1	1	75.5	63.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.875	2004
23.01.2020 14:29:40	1	1	1	1	75.5	63.75	0	30000	266.6666667	7922.974479	30000	0	0	30000	43.75	2004
23.01.2020 14:29:41	1	1	1	1	75.5	63.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	44.0625	2004
23.01.2020 14:29:42	1	1	1	1	75.5	64	0	30000	264.516129	7935.205066	30000	0	0	30000	43.6875	2004
23.01.2020 14:29:43	1	1	1	1	75.5	63.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.75	2004
23.01.2020 14:29:44	1	1	1	1	75.5	63.75	0	30000	264.516129	7935.205066	30000	0	0	30000	43.5	2004
23.01.2020 14:29:45	1	1	1	1	75.5	63.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	43.4375	2004
23.01.2020 14:29:46	1	1	1	1	75.5	63.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.8125	2004
23.01.2020 14:29:47	1	1	1	1	75.5	63.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	43.5625	2004
23.01.2020 14:29:48	1	1	1	1	75.5	63.5	0	30000	268.8172043	7999.619493	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:29:49	1	1	1	1	75.5	63.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.75	2004
23.01.2020 14:29:50	1	1	1	1	75.5	63.75	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	43.625	2004
23.01.2020 14:29:51	1	1	1	1	76	63.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.875	2004
23.01.2020 14:29:52	1	1	1	1	76	63.75	0	30000	286.0215054	8708.993559	30000	0	0	30000	43.6875	2004
23.01.2020 14:29:53	1	1	1	1	76	63.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.6875	2004
23.01.2020 14:29:54	1	1	1	1	76	63.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.75	2004
23.01.2020 14:29:55	1	1	1	1	76	63.75	0	30094.787	318.2795699	9612.426277	30000	0	0	30000	43.3125	2004
23.01.2020 14:29:56	1	1	1	1	76	63.25	0	29905.213	307.5268817	9196.586307	30000	0	0	30000	42.9375	2004
23.01.2020 14:29:57	1	1	1	1	76	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 14:29:58	1	1	1	1	76	63	0	30000	352.688172	10644.68785	30000	0	0	30000	43	2004
23.01.2020 14:29:59	1	1	1	1	76	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.6875	2004
23.01.2020 14:30:00	1	1	1	1	76	63.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.5625	2004
23.01.2020 14:30:01	1	1	1	1	75.75	62.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	43.8125	2004
23.01.2020 14:30:02	1	1	1	1	75.75	63.75	0	29620.853	354.8387097	10654.47232	30000	0	0	30000	43.75	2004
23.01.2020 14:30:03	1	1	1	1	75.75	63.75	0	30000	367.7419355	11014.86696	30000	0	0	30000	43.125	2004
23.01.2020 14:30:04	1	1	1	1	75.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 14:30:06	1	1	1	1	75.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:30:07	1	1	1	1	75.75	63.5	0	26445.498	341.9354839	9075.095806	30000	0	0	30000	43.625	2004
23.01.2020 14:30:08	1	1	1	1	75.75	63.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.75	2004
23.01.2020 14:30:09	1	1	1	1	75.75	63.75	0	29952.607	391.3978495	11659.01122	30000	0	0	30000	43.75	2004
23.01.2020 14:30:10	1	1	1	1	75.75	63.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.75	2004
23.01.2020 14:30:11	1	1	1	1	75.75	63.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.375	2004
23.01.2020 14:30:12	1	1	1	1	75.75	63.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	43.625	2004
23.01.2020 14:30:13	1	1	1	1	75.75	63.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.8125	2004
23.01.2020 14:30:14	1	1	1	1	75.75	63.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.5625	2004
23.01.2020 14:30:15	1	1	1	1	75.75	63.5	0	29715.64	329.0322581	9777.13152	30000	0	0	30000	43.75	2004
23.01.2020 14:30:16	1	1	1	1	75.75	63.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.4375	2004
23.01.2020 14:30:17	1	1	1	1	75.75	63.25	0	30000	318.2795699	9419.182997	30000	0	0	30000	43.625	2004
23.01.2020 14:30:18	1	1	1	1	75.75	63.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.6875	2004
23.01.2020 14:30:19	1	1	1	1	75.75	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5625	2004
23.01.2020 14:30:20	1	1	1	1	75.75	63.5	0	29952.607	335.483871	10128.55706	30000	0	0	30000	42.75	2004
23.01.2020 14:30:21	1	1	1	1	75.75	62.75	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	44.125	2004
23.01.2020 14:30:22	1	1	1	1	75.75	64	0	30000	316.1290323	9612.426277	30000	0	0	30000	43.6875	2004
23.01.2020 14:30:23	1	1	1	1	75.75	63.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.75	2004
23.01.2020 14:30:24	1	1	1	1	75.75	63.75	0	30000	322.5806452	9627.918354	30000	0	0	30000	43.125	2004
23.01.2020 14:30:25	1	1	1	1	75.75	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.8125	2004
23.01.2020 14:30:26	1	1	1	1	75.75	63.75	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	43.75	2004
23.01.2020 14:30:27	1	1	1	1	75.75	63.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
23.01.2020 14:30:34	1	1	1	1	75.75	63.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.5625	2004
23.01.2020 14:30:34	1	1	1	1	75.75	63.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.5625	2004
23.01.2020 14:30:34	1	1	1	1	75.75	63.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.5625	2004
23.01.2020 14:30:34	1	1	1	1	75.75	63.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.5625	2004
23.01.2020 14:30:34	1	1	1	1	75.75	63.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:30:34	1	1	1	1	75.75	63.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.5625	2004
23.01.2020 14:30:34	1	1	1	1	75.75	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5	2004
23.01.2020 14:30:35	1	1	1	1	75.75	63.5	0	29810.427	305.3763441	9039.219417	30000	0	0	30000	42.625	2004
23.01.2020 14:30:36	1	1	1	1	75.75	62.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.75	2004
23.01.2020 14:30:37	1	1	1	1	75.75	63.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	43.5	2004
23.01.2020 14:30:38	1	1	1	1	75.75	63.5	0	30000	350.5376344	10387.03014	30000	0	0	30000	43.75	2004
23.01.2020 14:30:39	1	1	1	1	75.75	63.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.4375	2004
23.01.2020 14:30:40	1	1	1	1	75.75	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.4375	2004
23.01.2020 14:30:41	1	1	1	1	75.75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.6875	2004
23.01.2020 14:30:42	1	1	1	1	75.75	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.375	2004
23.01.2020 14:30:44	1	1	1	1	75.75	63.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.25	2004
23.01.2020 14:30:45	1	1	1	1	75.75	63.25	0	26066.351	298.9247312	7861.821542	30000	0	0	30000	43.625	2004
23.01.2020 14:30:46	1	1	1	1	75.75	63.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 14:30:47	1	1	1	1	75.75	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.625	2004
23.01.2020 14:30:48	1	1	1	1	75.75	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5625	2004
23.01.2020 14:30:49	1	1	1	1	75.75	63.5	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.375	2004
23.01.2020 14:30:50	1	1	1	1	75.75	63.25	0	29857.82	331.1827957	9952.436605	30000	0	0	30000	43.5	2004
23.01.2020 14:30:51	1	1	1	1	75.75	63.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.5625	2004
23.01.2020 14:30:52	1	1	1	1	75.75	63.5	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.75	2004
23.01.2020 14:30:53	1	1	1	1	75.75	63.75	0	29857.82	311.827957	9295.246378	30000	0	0	30000	43.6875	2004
23.01.2020 14:30:54	1	1	1	1	75.75	63.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.8125	2004
23.01.2020 14:30:55	1	1	1	1	75.75	63.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.5	2004
23.01.2020 14:30:56	1	1	1	1	75.75	63.5	0	29905.213	329.0322581	9790.992852	30000	0	0	30000	43.8125	2004
23.01.2020 14:30:57	1	1	1	1	75.75	63.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
23.01.2020 14:30:58	1	1	1	1	75.75	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.8125	2004
23.01.2020 14:30:59	1	1	1	1	75.75	63.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 14:31:00	1	1	1	1	75.75	63	0	30000	316.1290323	9419.182997	30000	0	0	30000	43.875	2004
23.01.2020 14:31:01	1	1	1	1	76	62.75	0	29905.213	305.3763441	9132.171881	30000	0	0	30000	43.875	2004
23.01.2020 14:31:02	1	1	1	1	76	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.8125	2004
23.01.2020 14:31:03	1	1	1	1	76	63.75	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	43.6875	2004
23.01.2020 14:31:04	1	1	1	1	76	63.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.75	2004
23.01.2020 14:31:05	1	1	1	1	76	63.75	0	30000	296.7741935	8824.776452	30000	0	0	30000	43.75	2004
23.01.2020 14:31:06	1	1	1	1	76	63.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.75	2004
23.01.2020 14:31:07	1	1	1	1	76	63.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.75	2004
23.01.2020 14:31:08	1	1	1	1	76	63.75	0	30000	288.172043	8695.947599	30000	0	0	30000	43.8125	2004
23.01.2020 14:31:09	1	1	1	1	76	63.75	0	30000	288.172043	8644.579132	30000	0	0	30000	43.625	2004
23.01.2020 14:31:10	1	1	1	1	76	63.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.6875	2004
23.01.2020 14:31:11	1	1	1	1	76.25	63.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.8125	2004
23.01.2020 14:31:12	1	1	1	1	76.25	63.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.6875	2004
23.01.2020 14:31:13	1	1	1	1	76.25	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.625	2004
23.01.2020 14:31:14	1	1	1	1	76.25	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.8125	2004
23.01.2020 14:31:15	1	1	1	1	76.25	63.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.6875	2004
23.01.2020 14:31:16	1	1	1	1	76.25	63.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:31:17	1	1	1	1	76.25	63.75	0	30000	298.9247312	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 14:31:18	1	1	1	1	76.25	63.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.4375	2004
23.01.2020 14:31:19	1	1	1	1	76.25	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.875	2004
23.01.2020 14:31:20	1	1	1	1	76.25	63.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.5	2004
23.01.2020 14:31:22	1	1	1	1	76.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.8125	2004
23.01.2020 14:31:23	1	1	1	1	76.25	63.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.375	2004
23.01.2020 14:31:24	1	1	1	1	76.25	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 14:31:25	1	1	1	1	76.25	63	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.5	2004
23.01.2020 14:31:26	1	1	1	1	76.25	63.5	0	30000	288.172043	8644.579132	30000	0	0	30000	43.5	2004
23.01.2020 14:31:27	1	1	1	1	76.25	63.5	0	29905.213	290.3225806	8682.086266	30000	0	0	30000	43.625	2004
23.01.2020 14:31:28	1	1	1	1	76.25	63.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.4375	2004
23.01.2020 14:31:29	1	1	1	1	76.25	63.25	0	30000	296.7741935	8981.32797	30000	0	0	30000	43.625	2004
23.01.2020 14:31:36	1	1	1	1	76.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 14:31:36	1	1	1	1	76.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 14:31:36	1	1	1	1	76.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 14:31:36	1	1	1	1	76.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 14:31:36	1	1	1	1	76.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 14:31:36	1	1	1	1	76.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 14:31:36	1	1	1	1	76.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 14:31:36	1	1	1	1	76.25	63.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.3125	2004
23.01.2020 14:31:37	1	1	1	1	76.25	63.25	0	30000	318.2795699	9354.76857	30000	0	0	30000	43.5	2004
23.01.2020 14:31:38	1	1	1	1	76.25	63.5	0	29952.607	320.4301075	9662.163999	30000	0	0	30000	43.625	2004
23.01.2020 14:31:39	1	1	1	1	76.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	44	2004
23.01.2020 14:31:40	1	1	1	1	76.25	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.8125	2004
23.01.2020 14:31:41	1	1	1	1	76	63.75	0	29952.607	322.5806452	9582.257495	30000	0	0	30000	43.5	2004
23.01.2020 14:31:42	1	1	1	1	76	63.5	0	30000	329.0322581	10015.22029	30000	0	0	30000	43.625	2004
23.01.2020 14:31:43	1	1	1	1	76	63.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.75	2004
23.01.2020 14:31:44	1	1	1	1	76	63.75	0	30000	329.0322581	9999.728209	30000	0	0	30000	43.5625	2004
23.01.2020 14:31:45	1	1	1	1	76	63.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.625	2004
23.01.2020 14:31:46	1	1	1	1	76	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.875	2004
23.01.2020 14:31:47	1	1	1	1	76	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5625	2004
23.01.2020 14:31:48	1	1	1	1	76	63.5	0	30094.787	329.0322581	9676.840703	30000	0	0	30000	43.6875	2004
23.01.2020 14:31:49	1	1	1	1	76	63.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.6875	2004
23.01.2020 14:31:50	1	1	1	1	76	63.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 14:31:51	1	1	1	1	76	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.75	2004
23.01.2020 14:31:52	1	1	1	1	76	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
23.01.2020 14:31:53	1	1	1	1	76	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5	2004
23.01.2020 14:31:54	1	1	1	1	76	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
23.01.2020 14:31:55	1	1	1	1	76	63.25	0	30000	333.3333333	9775.500775	30000	0	0	30000	43.625	2004
23.01.2020 14:31:56	1	1	1	1	76	63.5	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.6875	2004
23.01.2020 14:31:57	1	1	1	1	76	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.8125	2004
23.01.2020 14:31:58	1	1	1	1	76	63.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.5	2004
23.01.2020 14:32:00	1	1	1	1	76	63.5	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	43.625	2004
23.01.2020 14:32:01	1	1	1	1	76	63.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:32:02	1	1	1	1	75.75	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.5	2004
23.01.2020 14:32:03	1	1	1	1	75.75	63.5	0	30000	335.483871	10192.97149	30000	0	0	30000	43.6875	2004
23.01.2020 14:32:04	1	1	1	1	75.75	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:32:05	1	1	1	1	75.75	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 14:32:06	1	1	1	1	75.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 14:32:07	1	1	1	1	75.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 14:32:08	1	1	1	1	75.75	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:09	1	1	1	1	75.75	63.5	0	29146.919	316.1290323	9213.709129	30000	0	0	30000	43.6875	2004
23.01.2020 14:32:10	1	1	1	1	75.75	63.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.75	2004
23.01.2020 14:32:11	1	1	1	1	75.75	63.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:12	1	1	1	1	75.75	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:32:13	1	1	1	1	75.75	63.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.75	2004
23.01.2020 14:32:14	1	1	1	1	75.75	63.75	0	29952.607	350.5376344	10709.10227	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:15	1	1	1	1	75.75	63.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	44.125	2004
23.01.2020 14:32:16	1	1	1	1	75.75	64	0	29905.213	339.7849462	10257.38592	30000	0	0	30000	43.75	2004
23.01.2020 14:32:17	1	1	1	1	75.75	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:18	1	1	1	1	75.75	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.4375	2004
23.01.2020 14:32:19	1	1	1	1	75.75	63.25	0	29952.607	320.4301075	9806.484929	30000	0	0	30000	43.375	2004
23.01.2020 14:32:20	1	1	1	1	75.75	63.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.5	2004
23.01.2020 14:32:21	1	1	1	1	75.75	63.5	0	30000	329.0322581	9711.086348	30000	0	0	30000	43.625	2004
23.01.2020 14:32:22	1	1	1	1	75.75	63.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.625	2004
23.01.2020 14:32:23	1	1	1	1	75.75	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.625	2004
23.01.2020 14:32:24	1	1	1	1	75.75	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
23.01.2020 14:32:25	1	1	1	1	75.75	63.25	0	30000	335.483871	10128.55706	30000	0	0	30000	43.6875	2004
23.01.2020 14:32:26	1	1	1	1	75.75	63.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.75	2004
23.01.2020 14:32:27	1	1	1	1	75.75	63.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.6875	2004
23.01.2020 14:32:28	1	1	1	1	75.75	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:29	1	1	1	1	75.75	63.5	0	29952.607	316.1290323	9324.599788	30000	0	0	30000	43.75	2004
23.01.2020 14:32:30	1	1	1	1	75.75	63.75	0	29526.066	301.0752688	8889.190879	30000	0	0	30000	43.625	2004
23.01.2020 14:32:37	1	1	1	1	75.75	63.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:37	1	1	1	1	75.75	63.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:37	1	1	1	1	75.75	63.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:37	1	1	1	1	75.75	63.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:37	1	1	1	1	75.75	63.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:37	1	1	1	1	75.75	63.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:38	1	1	1	1	75.75	63.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.8125	2004
23.01.2020 14:32:39	1	1	1	1	75.75	63.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	43.5625	2004
23.01.2020 14:32:40	1	1	1	1	75.75	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.75	2004
23.01.2020 14:32:41	1	1	1	1	75.75	63.75	0	29146.919	322.5806452	9402.060174	30000	0	0	30000	43.4375	2004
23.01.2020 14:32:42	1	1	1	1	75.75	63.25	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	43.75	2004
23.01.2020 14:32:43	1	1	1	1	75.75	63.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.9375	2004
23.01.2020 14:32:44	1	1	1	1	75.75	62.75	0	30000	333.3333333	9984.236132	30000	0	0	30000	43.6875	2004
23.01.2020 14:32:45	1	1	1	1	75.75	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:32:46	1	1	1	1	75.75	63.5	0	29952.607	331.1827957	9775.500775	30000	0	0	30000	43.5	2004
23.01.2020 14:32:47	1	1	1	1	75.75	63.5	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	43.625	2004
23.01.2020 14:32:48	1	1	1	1	75.75	63.5	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.75	2004
23.01.2020 14:32:49	1	1	1	1	75.75	62.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	43.625	2004
23.01.2020 14:32:50	1	1	1	1	75.75	63.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.5	2004
23.01.2020 14:32:51	1	1	1	1	75.75	63.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	44.1875	2004
23.01.2020 14:32:52	1	1	1	1	75.5	64	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
23.01.2020 14:32:53	1	1	1	1	75.5	63.25	0	29905.213	320.4301075	9806.484929	30000	0	0	30000	44	2004
23.01.2020 14:32:54	1	1	1	1	75.5	64	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.8125	2004
23.01.2020 14:32:55	1	1	1	1	75.5	62.75	0	30047.393	313.9784946	9498.274128	30000	0	0	30000	43.25	2004
23.01.2020 14:32:56	1	1	1	1	75.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 14:32:57	1	1	1	1	75.5	63	0	30000	305.3763441	9132.171881	30000	0	0	30000	43.8125	2004
23.01.2020 14:32:58	1	1	1	1	75.5	63.75	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	43.75	2004
23.01.2020 14:32:59	1	1	1	1	75.5	63.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
23.01.2020 14:33:00	1	1	1	1	75.5	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.5	2004
23.01.2020 14:33:01	1	1	1	1	75.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5625	2004
23.01.2020 14:33:02	1	1	1	1	75.25	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.5625	2004
23.01.2020 14:33:03	1	1	1	1	75.25	63.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 14:33:04	1	1	1	1	75.25	63	0	29952.607	324.7311828	9999.728209	30000	0	0	30000	43.5625	2004
23.01.2020 14:33:05	1	1	1	1	75.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:06	1	1	1	1	75.25	63.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.625	2004
23.01.2020 14:33:07	1	1	1	1	75.25	63.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:08	1	1	1	1	75.25	63.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:09	1	1	1	1	75.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
23.01.2020 14:33:10	1	1	1	1	75.25	63.25	0	30000	318.2795699	9354.76857	30000	0	0	30000	43.5625	2004
23.01.2020 14:33:11	1	1	1	1	75.25	63.5	0	30000	311.827957	9324.599788	30000	0	0	30000	43.625	2004
23.01.2020 14:33:12	1	1	1	1	75.25	63.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.3125	2004
23.01.2020 14:33:13	1	1	1	1	75.25	63.25	0	29952.607	329.0322581	9775.500775	30000	0	0	30000	43.75	2004
23.01.2020 14:33:14	1	1	1	1	75.25	63.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5625	2004
23.01.2020 14:33:15	1	1	1	1	75.25	63.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.3125	2004
23.01.2020 14:33:17	1	1	1	1	75.25	63.25	0	27867.299	294.6236559	8209.985595	30000	0	0	30000	43.4375	2004
23.01.2020 14:33:18	1	1	1	1	75.25	63.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:19	1	1	1	1	75.25	63.5	0	29905.213	313.9784946	9483.597423	30000	0	0	30000	43.625	2004
23.01.2020 14:33:20	1	1	1	1	75.25	63.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:21	1	1	1	1	75.25	63.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:22	1	1	1	1	75.25	63.75	0	29905.213	294.6236559	8967.466638	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:23	1	1	1	1	75.25	63.75	0	30000	283.8709677	8438.289892	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:24	1	1	1	1	75.25	63.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:25	1	1	1	1	75.25	63.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:26	1	1	1	1	75.25	63.5	0	30000	288.172043	8644.579132	30000	0	0	30000	43.5	2004
23.01.2020 14:33:27	1	1	1	1	75.25	63.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.4375	2004
23.01.2020 14:33:28	1	1	1	1	75.25	63.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:29	1	1	1	1	75.25	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:33:30	1	1	1	1	75.25	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:31	1	1	1	1	75.25	63.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.75	2004
23.01.2020 14:33:32	1	1	1	1	75.5	63.75	0	29715.64	288.172043	8626.640937	30000	0	0	30000	43.1875	2004
23.01.2020 14:33:39	1	1	1	1	75.5	63.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:39	1	1	1	1	75.5	63.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:39	1	1	1	1	75.5	63.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:39	1	1	1	1	75.5	63.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:39	1	1	1	1	75.5	63.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:39	1	1	1	1	75.5	63.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.8125	2004
23.01.2020 14:33:39	1	1	1	1	75.5	63.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	43.625	2004
23.01.2020 14:33:40	1	1	1	1	75.5	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.625	2004
23.01.2020 14:33:41	1	1	1	1	75.25	63.5	0	26587.678	303.2258065	8061.587802	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:42	1	1	1	1	75.25	63.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.625	2004
23.01.2020 14:33:43	1	1	1	1	75.25	63.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.1875	2004
23.01.2020 14:33:44	1	1	1	1	75.25	63	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.4375	2004
23.01.2020 14:33:45	1	1	1	1	75.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:46	1	1	1	1	75.25	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.75	2004
23.01.2020 14:33:47	1	1	1	1	75.25	63.75	0	29905.213	331.1827957	9839.099829	30000	0	0	30000	43.75	2004
23.01.2020 14:33:48	1	1	1	1	75.25	63.75	0	29620.853	326.8817204	9682.548311	30000	0	0	30000	43.25	2004
23.01.2020 14:33:49	1	1	1	1	75.25	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5	2004
23.01.2020 14:33:50	1	1	1	1	75.25	63.5	0	29905.213	307.5268817	9261.000734	30000	0	0	30000	43.4375	2004
23.01.2020 14:33:51	1	1	1	1	75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.6875	2004
23.01.2020 14:33:52	1	1	1	1	75	63.5	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.75	2004
23.01.2020 14:33:53	1	1	1	1	75	63.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.5	2004
23.01.2020 14:33:55	1	1	1	1	75	63.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	43.75	2004
23.01.2020 14:33:56	1	1	1	1	75	63.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	43.75	2004
23.01.2020 14:33:57	1	1	1	1	75	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:33:58	1	1	1	1	75	63.5	0	30000	359.1397849	11131.46522	30000	0	0	30000	43.0625	2004
23.01.2020 14:33:59	1	1	1	1	75	63	0	30000	359.1397849	10499.55155	30000	0	0	30000	43.4375	2004
23.01.2020 14:34:00	1	1	1	1	75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.6875	2004
23.01.2020 14:34:01	1	1	1	1	75	63.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.4375	2004
23.01.2020 14:34:02	1	1	1	1	75	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.625	2004
23.01.2020 14:34:03	1	1	1	1	75	63.5	0	29620.853	326.8817204	9682.548311	30000	0	0	30000	43.5	2004
23.01.2020 14:34:04	1	1	1	1	75	63.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.875	2004
23.01.2020 14:34:05	1	1	1	1	75	63.75	0	29952.607	335.483871	9984.236132	30000	0	0	30000	43.6875	2004
23.01.2020 14:34:06	1	1	1	1	75	63.5	0	30000	359.1397849	10967.57535	30000	0	0	30000	43.25	2004
23.01.2020 14:34:07	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.625	2004
23.01.2020 14:34:08	1	1	1	1	75	63.5	0	25260.664	311.827957	7931.128204	30000	0	0	30000	43.6875	2004
23.01.2020 14:34:09	1	1	1	1	75	63.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.5625	2004
23.01.2020 14:34:10	1	1	1	1	75	63.5	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	43.3125	2004
23.01.2020 14:34:11	1	1	1	1	75	63.25	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44.0625	2004
23.01.2020 14:34:12	1	1	1	1	75	64	0	29810.427	326.8817204	9808.115674	30000	0	0	30000	43.5	2004
23.01.2020 14:34:13	1	1	1	1	75	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:34:14	1	1	1	1	75	64	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	43.8125	2004
23.01.2020 14:34:15	1	1	1	1	75	63.75	0	29857.82	322.5806452	9566.765417	30000	0	0	30000	43.875	2004
23.01.2020 14:34:16	1	1	1	1	75	63.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 14:34:17	1	1	1	1	75	63	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.6875	2004
23.01.2020 14:34:18	1	1	1	1	75	63.5	0	30000	335.483871	9999.728209	30000	0	0	30000	43.625	2004
23.01.2020 14:34:19	1	1	1	1	75	63.5	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	43.4375	2004
23.01.2020 14:34:20	1	1	1	1	75	63.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.6875	2004
23.01.2020 14:34:21	1	1	1	1	74.75	63.5	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	43.8125	2004
23.01.2020 14:34:22	1	1	1	1	74.75	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.625	2004
23.01.2020 14:34:23	1	1	1	1	74.75	63.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.25	2004
23.01.2020 14:34:24	1	1	1	1	74.75	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.875	2004
23.01.2020 14:34:25	1	1	1	1	74.75	63.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.6875	2004
23.01.2020 14:34:26	1	1	1	1	74.75	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.75	2004
23.01.2020 14:34:27	1	1	1	1	74.75	63.75	0	30000	307.5268817	9160.709918	30000	0	0	30000	43.375	2004
23.01.2020 14:34:28	1	1	1	1	74.75	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.75	2004
23.01.2020 14:34:29	1	1	1	1	74.75	63.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.5	2004
23.01.2020 14:34:30	1	1	1	1	74.75	63.5	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	43.6875	2004
23.01.2020 14:34:31	1	1	1	1	75	63.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.75	2004
23.01.2020 14:34:32	1	1	1	1	75	63.75	0	29952.607	270.9677419	8116.217759	30000	0	0	30000	43.8125	2004
23.01.2020 14:34:34	1	1	1	1	75	63.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	43.125	2004
23.01.2020 14:34:41	1	1	1	1	75	63.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.625	2004
23.01.2020 14:34:41	1	1	1	1	75	63.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.625	2004
23.01.2020 14:34:41	1	1	1	1	75	63.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.625	2004
23.01.2020 14:34:41	1	1	1	1	75	63.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.625	2004
23.01.2020 14:34:41	1	1	1	1	75	63.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.625	2004
23.01.2020 14:34:41	1	1	1	1	75	63.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.625	2004
23.01.2020 14:34:41	1	1	1	1	75	63.5	0	30000	283.8709677	8386.921425	30000	0	0	30000	43.625	2004
23.01.2020 14:34:42	1	1	1	1	74.75	63.5	0	30000	277.4193548	8180.632185	30000	0	0	30000	43.625	2004
23.01.2020 14:34:43	1	1	1	1	74.75	63.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	43.6875	2004
23.01.2020 14:34:44	1	1	1	1	74.75	63.5	0	29952.607	277.4193548	8451.335852	30000	0	0	30000	43.5625	2004
23.01.2020 14:34:45	1	1	1	1	74.75	63.5	0	30000	281.7204301	8580.164705	30000	0	0	30000	43.625	2004
23.01.2020 14:34:46	1	1	1	1	74.75	63.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.5625	2004
23.01.2020 14:34:47	1	1	1	1	74.75	62.5	0	29905.213	277.4193548	8386.921425	30000	0	0	30000	43.8125	2004
23.01.2020 14:34:48	1	1	1	1	74.75	63.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
23.01.2020 14:34:49	1	1	1	1	74.75	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	44.1875	2004
23.01.2020 14:34:50	1	1	1	1	74.75	64	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	43.875	2004
23.01.2020 14:34:53	1	1	1	1	74.25	64	0	29952.607	283.8709677	8451.335852	30000	0	0	30000	43.625	2004
23.01.2020 14:34:53	1	1	1	1	74.25	64	0	29952.607	283.8709677	8451.335852	30000	0	0	30000	43.625	2004
23.01.2020 14:34:53	1	1	1	1	74.25	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.75	2004
23.01.2020 14:34:54	1	1	1	1	74.25	63.75	0	29952.607	279.5698925	8580.164705	30000	0	0	30000	43.6875	2004
23.01.2020 14:34:55	1	1	1	1	74.25	63.5	0	30000	281.7204301	8736.716223	30000	0	0	30000	43.625	2004
23.01.2020 14:34:56	1	1	1	1	74.25	63.5	0	30000	298.9247312	8824.776452	30000	0	0	30000	43.75	2004
23.01.2020 14:34:57	1	1	1	1	74.25	63.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:34:58	1	1	1	1	74.25	63.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.5625	2004
23.01.2020 14:34:59	1	1	1	1	74.25	63.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.4375	2004
23.01.2020 14:35:00	1	1	1	1	74.25	63.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 14:35:01	1	1	1	1	74	63.25	0	29905.213	288.172043	8774.223358	30000	0	0	30000	43.3125	2004
23.01.2020 14:35:02	1	1	1	1	74	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.625	2004
23.01.2020 14:35:03	1	1	1	1	74	63.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.875	2004
23.01.2020 14:35:04	1	1	1	1	74	63.75	0	30000	286.0215054	8438.289892	30000	0	0	30000	43.3125	2004
23.01.2020 14:35:05	1	1	1	1	74	63.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.3125	2004
23.01.2020 14:35:06	1	1	1	1	74	63.25	0	30094.787	294.6236559	8515.750279	30000	0	0	30000	43.5	2004
23.01.2020 14:35:07	1	1	1	1	74	63.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.5	2004
23.01.2020 14:35:08	1	1	1	1	74	63.5	0	30047.393	307.5268817	9096.295491	30000	0	0	30000	42.875	2004
23.01.2020 14:35:09	1	1	1	1	74	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.375	2004
23.01.2020 14:35:11	1	1	1	1	74	63.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.4375	2004
23.01.2020 14:35:12	1	1	1	1	74.25	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.625	2004
23.01.2020 14:35:13	1	1	1	1	74.25	63.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.5625	2004
23.01.2020 14:35:14	1	1	1	1	74.25	63.5	0	29952.607	286.0215054	8644.579132	30000	0	0	30000	43.625	2004
23.01.2020 14:35:15	1	1	1	1	74.25	63.5	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	43.5625	2004
23.01.2020 14:35:16	1	1	1	1	74.25	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.375	2004
23.01.2020 14:35:17	1	1	1	1	74.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.375	2004
23.01.2020 14:35:18	1	1	1	1	74.25	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.5	2004
23.01.2020 14:35:19	1	1	1	1	74.25	63.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.625	2004
23.01.2020 14:35:20	1	1	1	1	74.25	63.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.5	2004
23.01.2020 14:35:21	1	1	1	1	74.25	63.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.75	2004
23.01.2020 14:35:22	1	1	1	1	74.25	63.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.625	2004
23.01.2020 14:35:23	1	1	1	1	74.25	63.5	0	30047.393	296.7741935	8708.993559	30000	0	0	30000	43.5625	2004
23.01.2020 14:35:24	1	1	1	1	74.25	63.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.4375	2004
23.01.2020 14:35:25	1	1	1	1	74.25	63.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:35:26	1	1	1	1	74.25	63.5	0	29905.213	290.3225806	8810.099747	30000	0	0	30000	43.6875	2004
23.01.2020 14:35:27	1	1	1	1	74.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.6875	2004
23.01.2020 14:35:28	1	1	1	1	74.25	63.5	0	29952.607	331.1827957	9919.821705	30000	0	0	30000	43.5	2004
23.01.2020 14:35:29	1	1	1	1	74.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
23.01.2020 14:35:30	1	1	1	1	74.25	63.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	43.625	2004
23.01.2020 14:35:31	1	1	1	1	74	63.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.5625	2004
23.01.2020 14:35:32	1	1	1	1	74	63.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.3125	2004
23.01.2020 14:35:33	1	1	1	1	74	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.5	2004
23.01.2020 14:35:34	1	1	1	1	74	63.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.625	2004
23.01.2020 14:35:35	1	1	1	1	74	63.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.6875	2004
23.01.2020 14:35:42	1	1	1	1	74.25	63.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:35:42	1	1	1	1	74.25	63.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:35:42	1	1	1	1	74.25	63.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:35:42	1	1	1	1	74.25	63.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:35:42	1	1	1	1	74.25	63.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:35:42	1	1	1	1	74.25	63.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:35:42	1	1	1	1	74.25	63.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:35:43	1	1	1	1	74.25	63.5	0	29810.427	298.9247312	8910.390563	30000	0	0	30000	43.8125	2004
23.01.2020 14:35:44	1	1	1	1	74.25	63.75	0	30000	298.9247312	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:35:45	1	1	1	1	74.25	63.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.75	2004
23.01.2020 14:35:46	1	1	1	1	74.25	63.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.6875	2004
23.01.2020 14:35:47	1	1	1	1	74.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.75	2004
23.01.2020 14:35:49	1	1	1	1	74.25	63.75	0	30000	335.483871	9839.099829	30000	0	0	30000	43.5625	2004
23.01.2020 14:35:50	1	1	1	1	74.25	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.4375	2004
23.01.2020 14:35:51	1	1	1	1	74.25	63.25	0	30000	339.7849462	10177.47941	30000	0	0	30000	43.6875	2004
23.01.2020 14:35:52	1	1	1	1	74.75	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
23.01.2020 14:35:53	1	1	1	1	74.75	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.4375	2004
23.01.2020 14:35:54	1	1	1	1	74.75	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.6875	2004
23.01.2020 14:35:55	1	1	1	1	74.75	63.5	0	24407.583	288.172043	7190.769983	30000	0	0	30000	43.6875	2004
23.01.2020 14:35:56	1	1	1	1	74.75	63.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	43.75	2004
23.01.2020 14:35:57	1	1	1	1	74.75	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5625	2004
23.01.2020 14:35:58	1	1	1	1	74.75	63.5	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	43.625	2004
23.01.2020 14:35:59	1	1	1	1	74.75	63.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.4375	2004
23.01.2020 14:36:00	1	1	1	1	74.75	63.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 14:36:01	1	1	1	1	74.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.375	2004
23.01.2020 14:36:02	1	1	1	1	74.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.625	2004
23.01.2020 14:36:03	1	1	1	1	74.5	63.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.6875	2004
23.01.2020 14:36:04	1	1	1	1	74.5	63.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.6875	2004
23.01.2020 14:36:05	1	1	1	1	74.5	63.5	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	43.4375	2004
23.01.2020 14:36:06	1	1	1	1	74.5	63.25	0	28957.346	352.688172	10274.50874	30000	0	0	30000	43.1875	2004
23.01.2020 14:36:07	1	1	1	1	74.5	63	0	29905.213	356.9892473	10903.16093	30000	0	0	30000	43.875	2004
23.01.2020 14:36:08	1	1	1	1	74.5	63.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.625	2004
23.01.2020 14:36:09	1	1	1	1	74.5	63.5	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.5	2004
23.01.2020 14:36:10	1	1	1	1	74.5	63.5	0	29857.82	378.4946237	11283.12451	30000	0	0	30000	43.0625	2004
23.01.2020 14:36:11	1	1	1	1	74.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5625	2004
23.01.2020 14:36:12	1	1	1	1	74.75	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43	2004
23.01.2020 14:36:13	1	1	1	1	74.75	63	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.6875	2004
23.01.2020 14:36:14	1	1	1	1	74.75	62.5	0	30000	346.2365591	10370.72269	30000	0	0	30000	43.75	2004
23.01.2020 14:36:15	1	1	1	1	74.75	63.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.5625	2004
23.01.2020 14:36:16	1	1	1	1	74.75	63.5	0	30000	344.0860215	10192.97149	30000	0	0	30000	43.5	2004
23.01.2020 14:36:17	1	1	1	1	74.75	63.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.5625	2004
23.01.2020 14:36:18	1	1	1	1	74.75	63.5	0	28815.166	350.5376344	10100.8344	30000	0	0	30000	43.5	2004
23.01.2020 14:36:19	1	1	1	1	74.75	63.5	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	43.3125	2004
23.01.2020 14:36:20	1	1	1	1	74.75	63.25	0	29905.213	326.8817204	9839.099829	30000	0	0	30000	42.375	2004
23.01.2020 14:36:21	1	1	1	1	74.5	62.25	0	29905.213	346.2365591	10499.55155	30000	0	0	30000	43.6875	2004
23.01.2020 14:36:22	1	1	1	1	74.5	63.5	0	30000	372.0430108	10903.16093	30000	0	0	30000	43.4375	2004
23.01.2020 14:36:23	1	1	1	1	74.5	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.4375	2004
23.01.2020 14:36:24	1	1	1	1	74.5	63.25	0	29905.213	331.1827957	9919.821705	30000	0	0	30000	43.375	2004
23.01.2020 14:36:25	1	1	1	1	74.5	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:36:27	1	1	1	1	74.5	63.75	0	24691.943	298.9247312	7433.750985	30000	0	0	30000	43.625	2004
23.01.2020 14:36:28	1	1	1	1	74.5	63.5	0	27061.611	326.8817204	8861.468214	30000	0	0	30000	43.375	2004
23.01.2020 14:36:29	1	1	1	1	74.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.5	2004
23.01.2020 14:36:30	1	1	1	1	74.5	63.5	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	43.5	2004
23.01.2020 14:36:31	1	1	1	1	74.5	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.625	2004
23.01.2020 14:36:32	1	1	1	1	74.75	63.5	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43.5625	2004
23.01.2020 14:36:33	1	1	1	1	74.75	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.625	2004
23.01.2020 14:36:34	1	1	1	1	74.75	63.5	0	30000	387.0967742	11483.70614	30000	0	0	30000	43.875	2004
23.01.2020 14:36:35	1	1	1	1	74.75	63.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	43.625	2004
23.01.2020 14:36:36	1	1	1	1	74.75	63.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.4375	2004
23.01.2020 14:36:37	1	1	1	1	74.75	63.25	0	26350.711	316.1290323	8329.845351	30000	0	0	30000	43.125	2004
23.01.2020 14:36:44	1	1	1	1	74.75	63.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	43.8125	2004
23.01.2020 14:36:44	1	1	1	1	74.75	63.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	43.8125	2004
23.01.2020 14:36:44	1	1	1	1	74.75	63.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	43.8125	2004
23.01.2020 14:36:44	1	1	1	1	74.75	63.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	43.8125	2004
23.01.2020 14:36:44	1	1	1	1	74.75	63.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	43.8125	2004
23.01.2020 14:36:44	1	1	1	1	74.75	63.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	43.8125	2004
23.01.2020 14:36:44	1	1	1	1	74.75	63.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.75	2004
23.01.2020 14:36:45	1	1	1	1	74.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.6875	2004
23.01.2020 14:36:46	1	1	1	1	74.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.625	2004
23.01.2020 14:36:47	1	1	1	1	74.75	63.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 14:36:48	1	1	1	1	74.75	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.625	2004
23.01.2020 14:36:49	1	1	1	1	74.75	63.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	43.25	2004
23.01.2020 14:36:50	1	1	1	1	74.75	63.25	0	29952.607	365.5913978	10903.16093	30000	0	0	30000	43.4375	2004
23.01.2020 14:36:51	1	1	1	1	75	63.25	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	43.4375	2004
23.01.2020 14:36:52	1	1	1	1	75	63.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.5	2004
23.01.2020 14:36:53	1	1	1	1	75	63.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 14:36:54	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
23.01.2020 14:36:55	1	1	1	1	75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 14:36:56	1	1	1	1	75	63	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	43.625	2004
23.01.2020 14:36:57	1	1	1	1	75	63.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.3125	2004
23.01.2020 14:36:58	1	1	1	1	75	63.25	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	43.25	2004
23.01.2020 14:36:59	1	1	1	1	75	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.8125	2004
23.01.2020 14:37:00	1	1	1	1	75	63.75	0	29857.82	344.0860215	10209.27894	30000	0	0	30000	43.4375	2004
23.01.2020 14:37:01	1	1	1	1	75.25	63.25	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	43.625	2004
23.01.2020 14:37:02	1	1	1	1	75.25	63.5	0	29620.853	316.1290323	9349.060963	30000	0	0	30000	43.5	2004
23.01.2020 14:37:03	1	1	1	1	75.25	63.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.625	2004
23.01.2020 14:37:05	1	1	1	1	75.25	63.5	0	24976.303	290.3225806	7197.292963	30000	0	0	30000	43.4375	2004
23.01.2020 14:37:06	1	1	1	1	75.25	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.625	2004
23.01.2020 14:37:07	1	1	1	1	75.25	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.6875	2004
23.01.2020 14:37:08	1	1	1	1	75.25	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.625	2004
23.01.2020 14:37:09	1	1	1	1	75.25	63.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.75	2004
23.01.2020 14:37:10	1	1	1	1	75.25	63.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:37:11	1	1	1	1	75.25	63.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.6875	2004
23.01.2020 14:37:12	1	1	1	1	75.5	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.75	2004
23.01.2020 14:37:13	1	1	1	1	75.5	63.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.6875	2004
23.01.2020 14:37:14	1	1	1	1	75.5	63.5	0	30000	303.2258065	9225.124344	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:15	1	1	1	1	75.5	63.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.4375	2004
23.01.2020 14:37:16	1	1	1	1	75.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
23.01.2020 14:37:17	1	1	1	1	75.5	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.625	2004
23.01.2020 14:37:18	1	1	1	1	75.5	63.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:19	1	1	1	1	75.5	63.5	0	29952.607	326.8817204	9597.749572	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:20	1	1	1	1	75.5	63.5	0	30000	329.0322581	9999.728209	30000	0	0	30000	43.3125	2004
23.01.2020 14:37:21	1	1	1	1	75.5	63.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.9375	2004
23.01.2020 14:37:22	1	1	1	1	75.75	63.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.625	2004
23.01.2020 14:37:23	1	1	1	1	75.75	63.5	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	44.0625	2004
23.01.2020 14:37:24	1	1	1	1	75.75	64	0	30000	346.2365591	10515.85899	30000	0	0	30000	43.5	2004
23.01.2020 14:37:25	1	1	1	1	75.75	63.5	0	30000	352.688172	10580.27342	30000	0	0	30000	43.8125	2004
23.01.2020 14:37:26	1	1	1	1	75.75	64	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.6875	2004
23.01.2020 14:37:27	1	1	1	1	75.75	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:28	1	1	1	1	75.75	63.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.375	2004
23.01.2020 14:37:29	1	1	1	1	75.75	63.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.5	2004
23.01.2020 14:37:30	1	1	1	1	75.75	63.5	0	30000	346.2365591	10161.17196	30000	0	0	30000	43.4375	2004
23.01.2020 14:37:31	1	1	1	1	76	63.25	0	26255.924	311.827957	8258.092572	30000	0	0	30000	43.4375	2004
23.01.2020 14:37:32	1	1	1	1	76	63.25	0	29810.427	359.1397849	10705.84078	30000	0	0	30000	43.4375	2004
23.01.2020 14:37:33	1	1	1	1	76	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.75	2004
23.01.2020 14:37:34	1	1	1	1	76	63.75	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	43.5	2004
23.01.2020 14:37:35	1	1	1	1	76	63.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.625	2004
23.01.2020 14:37:36	1	1	1	1	76	63.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 14:37:37	1	1	1	1	76	63.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.9375	2004
23.01.2020 14:37:38	1	1	1	1	76	63.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:46	1	1	1	1	76	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:46	1	1	1	1	76	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:46	1	1	1	1	76	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:46	1	1	1	1	76	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:46	1	1	1	1	76	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:46	1	1	1	1	76	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:46	1	1	1	1	76	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:46	1	1	1	1	76	63.5	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.9375	2004
23.01.2020 14:37:47	1	1	1	1	76	62.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.5	2004
23.01.2020 14:37:48	1	1	1	1	76	63.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 14:37:49	1	1	1	1	76	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.4375	2004
23.01.2020 14:37:50	1	1	1	1	76	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.5	2004
23.01.2020 14:37:51	1	1	1	1	76	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 14:37:52	1	1	1	1	76.25	63.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	43.625	2004
23.01.2020 14:37:53	1	1	1	1	76.25	63.5	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	43.5	2004
23.01.2020 14:37:54	1	1	1	1	76.25	63.5	0	30000	427.9569892	12709.21099	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:37:55	1	1	1	1	76.25	63.25	0	30000	427.9569892	12560.8132	30000	0	0	30000	43.5	2004
23.01.2020 14:37:56	1	1	1	1	76.25	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.6875	2004
23.01.2020 14:37:57	1	1	1	1	76.25	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 14:37:58	1	1	1	1	76.25	63.25	0	29952.607	436.5591398	13160.92735	30000	0	0	30000	43.5	2004
23.01.2020 14:37:59	1	1	1	1	76.25	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 14:38:00	1	1	1	1	76.25	63.5	0	30000	412.9032258	12109.91221	30000	0	0	30000	43.5	2004
23.01.2020 14:38:01	1	1	1	1	76.25	63.5	0	30000	427.9569892	12773.62542	30000	0	0	30000	43.0625	2004
23.01.2020 14:38:02	1	1	1	1	76.25	63	0	29715.64	412.9032258	12269.72522	30000	0	0	30000	43.6875	2004
23.01.2020 14:38:03	1	1	1	1	76.25	63.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	44	2004
23.01.2020 14:38:04	1	1	1	1	76.25	64	0	29952.607	432.2580645	13076.12861	30000	0	0	30000	42.875	2004
23.01.2020 14:38:05	1	1	1	1	76.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.5	2004
23.01.2020 14:38:06	1	1	1	1	76.25	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 14:38:07	1	1	1	1	76.25	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.625	2004
23.01.2020 14:38:08	1	1	1	1	76.25	63.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 14:38:09	1	1	1	1	76.25	63.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.4375	2004
23.01.2020 14:38:10	1	1	1	1	76.25	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.5625	2004
23.01.2020 14:38:11	1	1	1	1	76.25	63.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 14:38:12	1	1	1	1	76.25	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 14:38:13	1	1	1	1	76.25	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.875	2004
23.01.2020 14:38:14	1	1	1	1	76.25	63.75	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 14:38:15	1	1	1	1	76.25	62.75	0	30000	397.8494624	11659.01122	30000	0	0	30000	43.0625	2004
23.01.2020 14:38:16	1	1	1	1	76.25	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 14:38:17	1	1	1	1	76.25	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.625	2004
23.01.2020 14:38:18	1	1	1	1	76.25	63.5	0	29952.607	387.0967742	11659.01122	30000	0	0	30000	43.625	2004
23.01.2020 14:38:19	1	1	1	1	76.25	63.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	43.375	2004
23.01.2020 14:38:20	1	1	1	1	76.25	63.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.5625	2004
23.01.2020 14:38:22	1	1	1	1	76.25	63.5	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
23.01.2020 14:38:23	1	1	1	1	76.25	63	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	43.5625	2004
23.01.2020 14:38:24	1	1	1	1	76.25	63.5	0	28815.166	326.8817204	9481.151306	30000	0	0	30000	43.0625	2004
23.01.2020 14:38:25	1	1	1	1	76.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.8125	2004
23.01.2020 14:38:26	1	1	1	1	76.25	63.75	0	29857.82	363.4408602	10850.97709	30000	0	0	30000	43.25	2004
23.01.2020 14:38:27	1	1	1	1	76.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.4375	2004
23.01.2020 14:38:28	1	1	1	1	76.25	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
23.01.2020 14:38:29	1	1	1	1	76.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.5625	2004
23.01.2020 14:38:30	1	1	1	1	76.25	63.5	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.8125	2004
23.01.2020 14:38:31	1	1	1	1	76.25	62.75	0	30000	367.7419355	10886.03811	30000	0	0	30000	43.5625	2004
23.01.2020 14:38:32	1	1	1	1	76	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.4375	2004
23.01.2020 14:38:33	1	1	1	1	76	63.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	43.625	2004
23.01.2020 14:38:34	1	1	1	1	76	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.75	2004
23.01.2020 14:38:35	1	1	1	1	76	63.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.625	2004
23.01.2020 14:38:36	1	1	1	1	76	63.5	0	29715.64	322.5806452	9521.104558	30000	0	0	30000	43.8125	2004
23.01.2020 14:38:37	1	1	1	1	76	63.75	0	29668.246	320.4301075	9585.518985	30000	0	0	30000	43.4375	2004
23.01.2020 14:38:38	1	1	1	1	76	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:38:39	1	1	1	1	76	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.25	2004
23.01.2020 14:38:40	1	1	1	1	76	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.625	2004
23.01.2020 14:38:47	1	1	1	1	76.25	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 14:38:47	1	1	1	1	76.25	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 14:38:47	1	1	1	1	76.25	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 14:38:47	1	1	1	1	76.25	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 14:38:47	1	1	1	1	76.25	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 14:38:47	1	1	1	1	76.25	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 14:38:47	1	1	1	1	76.25	63	0	30000	363.4408602	10967.57535	30000	0	0	30000	43.375	2004
23.01.2020 14:38:48	1	1	1	1	76.25	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.75	2004
23.01.2020 14:38:49	1	1	1	1	76.25	63.75	0	24976.303	298.9247312	7357.921344	30000	0	0	30000	43.625	2004
23.01.2020 14:38:50	1	1	1	1	76.25	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.75	2004
23.01.2020 14:38:51	1	1	1	1	76.5	63.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 14:38:52	1	1	1	1	76.5	63.25	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	43	2004
23.01.2020 14:38:53	1	1	1	1	76.5	63	0	30000	352.688172	10499.55155	30000	0	0	30000	42.9375	2004
23.01.2020 14:38:54	1	1	1	1	76.5	62.75	0	29620.853	311.827957	9236.539559	30000	0	0	30000	43.125	2004
23.01.2020 14:38:55	1	1	1	1	76.5	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.125	2004
23.01.2020 14:38:56	1	1	1	1	76.5	63	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 14:38:57	1	1	1	1	76.5	63	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.4375	2004
23.01.2020 14:38:58	1	1	1	1	76.5	63.25	0	30000	352.688172	10499.55155	30000	0	0	30000	43.5	2004
23.01.2020 14:38:59	1	1	1	1	76.5	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.4375	2004
23.01.2020 14:39:01	1	1	1	1	76.5	63.25	0	29620.853	331.1827957	9746.147365	30000	0	0	30000	43.375	2004
23.01.2020 14:39:02	1	1	1	1	76	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 14:39:03	1	1	1	1	76	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.75	2004
23.01.2020 14:39:04	1	1	1	1	76	63.75	0	29952.607	331.1827957	9919.821705	30000	0	0	30000	43.8125	2004
23.01.2020 14:39:05	1	1	1	1	76	63.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.3125	2004
23.01.2020 14:39:06	1	1	1	1	76	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5625	2004
23.01.2020 14:39:07	1	1	1	1	76	63.5	0	25260.664	316.1290323	7984.942788	30000	0	0	30000	43.1875	2004
23.01.2020 14:39:08	1	1	1	1	76	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.75	2004
23.01.2020 14:39:09	1	1	1	1	76	63.75	0	29905.213	350.5376344	10499.55155	30000	0	0	30000	42.625	2004
23.01.2020 14:39:10	1	1	1	1	76	62.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	43.25	2004
23.01.2020 14:39:11	1	1	1	1	76	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
23.01.2020 14:39:12	1	1	1	1	76.5	63.25	0	30000	402.1505376	12387.13886	30000	0	0	30000	43	2004
23.01.2020 14:39:13	1	1	1	1	76.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.6875	2004
23.01.2020 14:39:14	1	1	1	1	76.5	63.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
23.01.2020 14:39:15	1	1	1	1	76.5	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.5	2004
23.01.2020 14:39:16	1	1	1	1	76.5	63.5	0	29905.213	337.6344086	10257.38592	30000	0	0	30000	43.4375	2004
23.01.2020 14:39:17	1	1	1	1	76.5	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.25	2004
23.01.2020 14:39:18	1	1	1	1	76.5	63.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.625	2004
23.01.2020 14:39:19	1	1	1	1	76.5	63.5	0	29905.213	333.3333333	10257.38592	30000	0	0	30000	43.8125	2004
23.01.2020 14:39:20	1	1	1	1	76.5	63.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.6875	2004
23.01.2020 14:39:21	1	1	1	1	76.5	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	44	2004
23.01.2020 14:39:22	1	1	1	1	76.5	63.75	0	29905.213	305.3763441	9483.597423	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:39:23	1	1	1	1	76.5	63.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.6875	2004
23.01.2020 14:39:24	1	1	1	1	76.5	63.5	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	43.8125	2004
23.01.2020 14:39:25	1	1	1	1	76.5	63.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.625	2004
23.01.2020 14:39:26	1	1	1	1	76.5	63.5	0	29810.427	294.6236559	8925.067268	30000	0	0	30000	43.5625	2004
23.01.2020 14:39:27	1	1	1	1	76.5	63.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.375	2004
23.01.2020 14:39:28	1	1	1	1	76.5	63.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.375	2004
23.01.2020 14:39:29	1	1	1	1	76.5	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 14:39:30	1	1	1	1	76.5	63	0	29905.213	309.6774194	9196.586307	30000	0	0	30000	43.375	2004
23.01.2020 14:39:31	1	1	1	1	76.25	63.25	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	43.5625	2004
23.01.2020 14:39:32	1	1	1	1	76.25	63.5	0	30047.393	331.1827957	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 14:39:33	1	1	1	1	76.25	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.6875	2004
23.01.2020 14:39:34	1	1	1	1	76.25	63.5	0	29905.213	324.7311828	9582.257495	30000	0	0	30000	43.0625	2004
23.01.2020 14:39:35	1	1	1	1	76.25	63	0	29810.427	354.8387097	10577.8273	30000	0	0	30000	43.0625	2004
23.01.2020 14:39:36	1	1	1	1	76.25	63	0	26919.431	320.4301075	8625.825565	30000	0	0	30000	43.5625	2004
23.01.2020 14:39:38	1	1	1	1	76.25	63.5	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	43.4375	2004
23.01.2020 14:39:39	1	1	1	1	76.25	63.25	0	27582.938	305.3763441	8482.320007	30000	0	0	30000	43.625	2004
23.01.2020 14:39:40	1	1	1	1	76.25	63.5	0	29905.213	365.5913978	10903.16093	30000	0	0	30000	43.3125	2004
23.01.2020 14:39:41	1	1	1	1	76.25	63.25	0	30000	352.688172	10644.68785	30000	0	0	30000	43.625	2004
23.01.2020 14:39:42	1	1	1	1	76.5	63.5	0	28483.412	303.2258065	8636.425407	30000	0	0	30000	43.5	2004
23.01.2020 14:39:49	1	1	1	1	76.5	62.75	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43.4375	2004
23.01.2020 14:39:49	1	1	1	1	76.5	62.75	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43.4375	2004
23.01.2020 14:39:49	1	1	1	1	76.5	62.75	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43.4375	2004
23.01.2020 14:39:49	1	1	1	1	76.5	62.75	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43.4375	2004
23.01.2020 14:39:49	1	1	1	1	76.5	62.75	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43.4375	2004
23.01.2020 14:39:49	1	1	1	1	76.5	63.25	0	30000	365.5913978	10757.20925	30000	0	0	30000	43.5	2004
23.01.2020 14:39:50	1	1	1	1	76.5	63.5	0	29905.213	350.5376344	10675.672	30000	0	0	30000	43.625	2004
23.01.2020 14:39:51	1	1	1	1	76.5	63.5	0	30000	359.1397849	10628.3804	30000	0	0	30000	43.75	2004
23.01.2020 14:39:52	1	1	1	1	76.25	63.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.75	2004
23.01.2020 14:39:53	1	1	1	1	76.25	63.75	0	30000	380.6451613	11548.12057	30000	0	0	30000	43.4375	2004
23.01.2020 14:39:54	1	1	1	1	76.25	63.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	43.5	2004
23.01.2020 14:39:55	1	1	1	1	76.25	63.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 14:39:56	1	1	1	1	76.25	63.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.875	2004
23.01.2020 14:39:57	1	1	1	1	76.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.6875	2004
23.01.2020 14:39:58	1	1	1	1	76.25	63.5	0	29905.213	380.6451613	11401.35352	30000	0	0	30000	43.5	2004
23.01.2020 14:39:59	1	1	1	1	76.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.625	2004
23.01.2020 14:40:00	1	1	1	1	76.25	63.5	0	29952.607	397.8494624	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 14:40:01	1	1	1	1	76.75	62.75	0	30000	395.6989247	11612.53499	30000	0	0	30000	43.75	2004
23.01.2020 14:40:02	1	1	1	1	76.75	63.75	0	29905.213	382.7956989	11548.12057	30000	0	0	30000	43.5625	2004
23.01.2020 14:40:03	1	1	1	1	76.75	63.5	0	30000	391.3978495	11954.17607	30000	0	0	30000	43.4375	2004
23.01.2020 14:40:04	1	1	1	1	76.75	63.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 14:40:05	1	1	1	1	76.75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.9375	2004
23.01.2020 14:40:06	1	1	1	1	76.75	62.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:40:07	1	1	1	1	76.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.3125	2004
23.01.2020 14:40:08	1	1	1	1	76.75	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.625	2004
23.01.2020 14:40:09	1	1	1	1	76.75	63.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	43	2004
23.01.2020 14:40:10	1	1	1	1	76.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.4375	2004
23.01.2020 14:40:11	1	1	1	1	75.75	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.1875	2004
23.01.2020 14:40:12	1	1	1	1	75.75	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.5	2004
23.01.2020 14:40:13	1	1	1	1	75.75	63.5	0	29052.133	320.4301075	9309.107711	30000	0	0	30000	43.625	2004
23.01.2020 14:40:14	1	1	1	1	75.75	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
23.01.2020 14:40:16	1	1	1	1	75.75	63.25	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	43.625	2004
23.01.2020 14:40:17	1	1	1	1	75.75	63.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.5625	2004
23.01.2020 14:40:18	1	1	1	1	75.75	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.5625	2004
23.01.2020 14:40:19	1	1	1	1	75.75	63.5	0	30000	309.6774194	9082.434159	30000	0	0	30000	43.5625	2004
23.01.2020 14:40:20	1	1	1	1	75.75	63.5	0	30000	311.827957	9419.182997	30000	0	0	30000	43.625	2004
23.01.2020 14:40:21	1	1	1	1	75.75	63.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.5	2004
23.01.2020 14:40:22	1	1	1	1	76.25	63.5	0	29905.213	322.5806452	9870.899356	30000	0	0	30000	43.6875	2004
23.01.2020 14:40:23	1	1	1	1	76.25	63.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.625	2004
23.01.2020 14:40:24	1	1	1	1	76.25	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.625	2004
23.01.2020 14:40:25	1	1	1	1	76.25	63.5	0	30000	335.483871	10290.00082	30000	0	0	30000	43.125	2004
23.01.2020 14:40:26	1	1	1	1	76.25	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.6875	2004
23.01.2020 14:40:27	1	1	1	1	76.25	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.5625	2004
23.01.2020 14:40:28	1	1	1	1	76.25	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:40:29	1	1	1	1	76.25	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.5	2004
23.01.2020 14:40:30	1	1	1	1	76.25	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 14:40:31	1	1	1	1	76.25	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.4375	2004
23.01.2020 14:40:32	1	1	1	1	76.5	63.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.4375	2004
23.01.2020 14:40:33	1	1	1	1	76.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:40:34	1	1	1	1	76.5	63.5	0	29905.213	331.1827957	9967.928682	30000	0	0	30000	43.125	2004
23.01.2020 14:40:35	1	1	1	1	76.5	63	0	28815.166	298.9247312	8675.563286	30000	0	0	30000	43.625	2004
23.01.2020 14:40:36	1	1	1	1	76.5	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
23.01.2020 14:40:37	1	1	1	1	76.5	63	0	0	0	0	30000	0	8	30000	44	2004
23.01.2020 14:40:38	1	1	1	1	76.5	64	0	10142.18	0	0	30000	0	0	30000	43.875	2004
23.01.2020 14:40:39	1	1	1	1	76.5	64	0	10947.867	0	0	30000	0	0	30000	43.6875	2004
23.01.2020 14:40:40	1	1	1	1	76.5	63.5	0	11658.768	0	0	30000	0	0	30000	43.5	2004
23.01.2020 14:40:41	1	1	1	1	76.5	63.5	0	12464.455	0	0	30000	0	0	30000	43.8125	2004
23.01.2020 14:40:42	1	1	1	1	76.5	63.75	0	13222.749	2.150537634	56.26070176	30000	0	0	30000	43.6875	2004
23.01.2020 14:40:43	1	1	1	1	76.5	63.5	0	14075.829	6.451612903	90.50634632	30000	0	0	30000	43.6875	2004
23.01.2020 14:40:50	1	1	1	1	76.5	63.75	0	19004.739	45.16129032	857.7718588	30000	0	0	30000	43.625	2004
23.01.2020 14:40:50	1	1	1	1	76.5	63.75	0	19004.739	45.16129032	857.7718588	30000	0	0	30000	43.625	2004
23.01.2020 14:40:50	1	1	1	1	76.5	63.75	0	19004.739	45.16129032	857.7718588	30000	0	0	30000	43.625	2004
23.01.2020 14:40:50	1	1	1	1	76.5	63.75	0	19004.739	45.16129032	857.7718588	30000	0	0	30000	43.625	2004
23.01.2020 14:40:50	1	1	1	1	76.5	63.75	0	19004.739	45.16129032	857.7718588	30000	0	0	30000	43.625	2004
23.01.2020 14:40:50	1	1	1	1	76.5	63.75	0	19004.739	45.16129032	857.7718588	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:40:51	1	1	1	1	76.75	63.5	0	20189.573	66.66666667	1345.364607	30000	0	0	30000	43.6875	2004
23.01.2020 14:40:52	1	1	1	1	76.75	63.5	0	20900.474	75.2688172	1528.008045	30000	0	0	30000	42.9375	2004
23.01.2020 14:40:54	1	1	1	1	76.75	62.75	0	21658.768	88.17204301	1917.756095	30000	0	0	30000	43.5625	2004
23.01.2020 14:40:55	1	1	1	1	76.75	63.5	0	22511.848	103.2258065	2323.811595	30000	0	0	30000	43.6875	2004
23.01.2020 14:40:56	1	1	1	1	76.75	63.5	0	23080.569	113.9784946	2630.391651	30000	0	0	30000	43.75	2004
23.01.2020 14:40:57	1	1	1	1	76.75	63.75	0	23364.929	129.0322581	2963.878999	30000	0	0	30000	43.75	2004
23.01.2020 14:40:58	1	1	1	1	76.75	63.75	0	23317.536	129.0322581	3008.724486	30000	0	0	30000	43.6875	2004
23.01.2020 14:40:59	1	1	1	1	76.75	63.5	0	23270.142	126.8817204	3202.783138	30000	0	0	30000	43.75	2004
23.01.2020 14:41:00	1	1	1	1	76.75	63.75	0	23317.536	129.0322581	3008.724486	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:01	1	1	1	1	76.75	63.5	0	23080.569	122.5806452	2878.264887	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:02	1	1	1	1	76.25	63.5	0	23744.076	144.0860215	3420.487593	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:03	1	1	1	1	76.25	63.5	0	24218.009	144.0860215	3482.455902	30000	0	0	30000	43.8125	2004
23.01.2020 14:41:04	1	1	1	1	76.25	63.75	0	25450.237	169.8924731	4323.104938	30000	0	0	30000	43.75	2004
23.01.2020 14:41:05	1	1	1	1	76.25	63.75	0	25734.597	189.2473118	4870.219879	30000	0	0	30000	43.625	2004
23.01.2020 14:41:06	1	1	1	1	76.25	63.5	0	26208.531	191.3978495	5016.171554	30000	0	0	30000	43.625	2004
23.01.2020 14:41:07	1	1	1	1	76.25	63.5	0	24691.943	184.9462366	4495.963906	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:08	1	1	1	1	76.25	63.5	0	27298.578	219.3548387	6046.802381	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:09	1	1	1	1	76.25	63.5	0	27630.332	236.5591398	6416.981491	30000	0	0	30000	43.875	2004
23.01.2020 14:41:10	1	1	1	1	76.25	63.75	0	28009.479	245.1612903	6926.589297	30000	0	0	30000	43.5625	2004
23.01.2020 14:41:11	1	1	1	1	76.25	63.5	0	27962.085	249.4623656	6902.943495	30000	0	0	30000	43.125	2004
23.01.2020 14:41:12	1	1	1	1	75.75	63	0	28625.592	262.3655914	7622.10203	30000	0	0	30000	43.5625	2004
23.01.2020 14:41:13	1	1	1	1	75.75	63.5	0	29052.133	279.5698925	8095.018074	30000	0	0	30000	42.875	2004
23.01.2020 14:41:14	1	1	1	1	75.75	62.75	0	29099.526	281.7204301	8183.893675	30000	0	0	30000	43.3125	2004
23.01.2020 14:41:15	1	1	1	1	75.75	63.25	0	29099.526	281.7204301	8197.755008	30000	0	0	30000	44.0625	2004
23.01.2020 14:41:16	1	1	1	1	75.75	64	0	29099.526	273.1182796	7960.481613	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:17	1	1	1	1	75.75	64	0	29099.526	268.8172043	7834.91425	30000	0	0	30000	43.625	2004
23.01.2020 14:41:18	1	1	1	1	75.75	63.5	0	29099.526	260.2150538	7583.779523	30000	0	0	30000	43.5	2004
23.01.2020 14:41:19	1	1	1	1	75.75	63.5	0	29099.526	270.9677419	7821.86829	30000	0	0	30000	43.5	2004
23.01.2020 14:41:20	1	1	1	1	75.75	63.5	0	29099.526	260.2150538	7571.548936	30000	0	0	30000	43.625	2004
23.01.2020 14:41:21	1	1	1	1	76	63.5	0	29099.526	264.516129	7697.116299	30000	0	0	30000	43.4375	2004
23.01.2020 14:41:22	1	1	1	1	76	63.25	0	29099.526	270.9677419	7884.651972	30000	0	0	30000	43.625	2004
23.01.2020 14:41:23	1	1	1	1	76	63.5	0	29052.133	281.7204301	8461.935694	30000	0	0	30000	43.4375	2004
23.01.2020 14:41:24	1	1	1	1	76	63.25	0	29099.526	288.172043	8322.506999	30000	0	0	30000	42.9375	2004
23.01.2020 14:41:25	1	1	1	1	76	62.75	0	29146.919	286.0215054	8336.368331	30000	0	0	30000	43.4375	2004
23.01.2020 14:41:26	1	1	1	1	76	63.25	0	29146.919	286.0215054	8336.368331	30000	0	0	30000	43.5	2004
23.01.2020 14:41:27	1	1	1	1	76	63.5	0	29146.919	290.3225806	8399.152013	30000	0	0	30000	43.5	2004
23.01.2020 14:41:28	1	1	1	1	76	63.5	0	29146.919	309.6774194	8963.389775	30000	0	0	30000	43.5	2004
23.01.2020 14:41:29	1	1	1	1	76	63.5	0	29241.706	313.9784946	9150.925448	30000	0	0	30000	43.5	2004
23.01.2020 14:41:30	1	1	1	1	76	63.5	0	29289.1	322.5806452	9243.877912	30000	0	0	30000	43.8125	2004
23.01.2020 14:41:32	1	1	1	1	76	63.75	0	29241.706	318.2795699	9243.877912	30000	0	0	30000	43.5625	2004
23.01.2020 14:41:33	1	1	1	1	76	63.5	0	29241.706	320.4301075	9339.276493	30000	0	0	30000	43.25	2004
23.01.2020 14:41:34	1	1	1	1	76	63.25	0	29146.919	320.4301075	9369.445275	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:35	1	1	1	1	76	63.5	0	29241.706	316.1290323	9306.661593	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:41:36	1	1	1	1	76	63.5	0	29146.919	318.2795699	9213.709129	30000	0	0	30000	43.5625	2004
23.01.2020 14:41:37	1	1	1	1	76	63.5	0	29146.919	316.1290323	9213.709129	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:38	1	1	1	1	76	63.5	0	29241.706	316.1290323	9243.877912	30000	0	0	30000	43.5625	2004
23.01.2020 14:41:39	1	1	1	1	76	63.5	0	29146.919	313.9784946	9213.709129	30000	0	0	30000	43.4375	2004
23.01.2020 14:41:40	1	1	1	1	76	63.25	0	29241.706	316.1290323	9243.877912	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:41	1	1	1	1	76	63.5	0	29146.919	309.6774194	9026.173457	30000	0	0	30000	43.625	2004
23.01.2020 14:41:42	1	1	1	1	76.25	63.5	0	29241.706	309.6774194	9055.526867	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:43	1	1	1	1	76.25	63.5	0	29241.706	309.6774194	8991.927812	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:44	1	1	1	1	76.25	63.5	0	29146.919	305.3763441	8866.360449	30000	0	0	30000	43.625	2004
23.01.2020 14:41:45	1	1	1	1	76.25	63.5	0	29241.706	303.2258065	8837.822412	30000	0	0	30000	43.625	2004
23.01.2020 14:41:52	1	1	1	1	76.25	63.5	0	29241.706	305.3763441	8991.927812	30000	0	0	30000	43.8125	2004
23.01.2020 14:41:52	1	1	1	1	76.25	63.5	0	29241.706	305.3763441	8991.927812	30000	0	0	30000	43.8125	2004
23.01.2020 14:41:52	1	1	1	1	76.25	63.5	0	29241.706	305.3763441	8991.927812	30000	0	0	30000	43.8125	2004
23.01.2020 14:41:52	1	1	1	1	76.25	63.5	0	29241.706	305.3763441	8991.927812	30000	0	0	30000	43.8125	2004
23.01.2020 14:41:52	1	1	1	1	76.25	63.5	0	29241.706	305.3763441	8991.927812	30000	0	0	30000	43.8125	2004
23.01.2020 14:41:52	1	1	1	1	76.25	63.5	0	29241.706	305.3763441	8991.927812	30000	0	0	30000	43.8125	2004
23.01.2020 14:41:52	1	1	1	1	76	63.75	0	29146.919	326.8817204	9527.627538	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:53	1	1	1	1	76	63.5	0	29146.919	335.483871	9872.530101	30000	0	0	30000	43.8125	2004
23.01.2020 14:41:54	1	1	1	1	76	63.75	0	29289.1	337.6344086	9888.837551	30000	0	0	30000	43.9375	2004
23.01.2020 14:41:55	1	1	1	1	76	63.75	0	29289.1	337.6344086	9872.530101	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:56	1	1	1	1	76	63.5	0	29241.706	337.6344086	9872.530101	30000	0	0	30000	44.1875	2004
23.01.2020 14:41:57	1	1	1	1	76	63.5	0	29241.706	344.0860215	10124.4802	30000	0	0	30000	43.4375	2004
23.01.2020 14:41:58	1	1	1	1	76	63.25	0	29241.706	350.5376344	10250.04756	30000	0	0	30000	43.6875	2004
23.01.2020 14:41:59	1	1	1	1	76	63.5	0	29241.706	346.2365591	10124.4802	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:00	1	1	1	1	76	63.5	0	29336.493	356.9892473	10472.64425	30000	0	0	30000	43.625	2004
23.01.2020 14:42:01	1	1	1	1	76	63.5	0	29336.493	352.688172	10283.47784	30000	0	0	30000	43.75	2004
23.01.2020 14:42:02	1	1	1	1	76	63.75	0	29289.1	348.3870968	10187.26388	30000	0	0	30000	43.1875	2004
23.01.2020 14:42:03	1	1	1	1	76	63	0	29289.1	348.3870968	10283.47784	30000	0	0	30000	43.625	2004
23.01.2020 14:42:04	1	1	1	1	76	63.5	0	29289.1	348.3870968	10283.47784	30000	0	0	30000	43.625	2004
23.01.2020 14:42:05	1	1	1	1	76	63.5	0	29289.1	348.3870968	10140.78765	30000	0	0	30000	43.625	2004
23.01.2020 14:42:06	1	1	1	1	76	63.5	0	29336.493	350.5376344	10283.47784	30000	0	0	30000	43.6875	2004
23.01.2020 14:42:07	1	1	1	1	76	63.5	0	29336.493	352.688172	10409.0452	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:08	1	1	1	1	76	63.5	0	29241.706	359.1397849	10501.18229	30000	0	0	30000	43.6875	2004
23.01.2020 14:42:09	1	1	1	1	76	63.5	0	29383.886	356.9892473	10472.64425	30000	0	0	30000	43.5	2004
23.01.2020 14:42:10	1	1	1	1	76	63.5	0	29336.493	339.7849462	9967.928682	30000	0	0	30000	43.625	2004
23.01.2020 14:42:12	1	1	1	1	75.75	63.5	0	29336.493	320.4301075	9336.830375	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:13	1	1	1	1	75.75	63.5	0	29336.493	316.1290323	9274.046694	30000	0	0	30000	43.4375	2004
23.01.2020 14:42:14	1	1	1	1	75.75	63.25	0	29336.493	311.827957	9210.447639	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:15	1	1	1	1	75.75	63.5	0	29336.493	303.2258065	9021.281222	30000	0	0	30000	43.5	2004
23.01.2020 14:42:16	1	1	1	1	75.75	63.5	0	28388.626	270.9677419	7679.178105	30000	0	0	30000	42.4375	2004
23.01.2020 14:42:17	1	1	1	1	75.75	62.25	0	29336.493	286.0215054	8642.948387	30000	0	0	30000	43.625	2004
23.01.2020 14:42:18	1	1	1	1	75.75	63.5	0	29336.493	277.4193548	8138.232816	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:19	1	1	1	1	75.75	63.5	0	29336.493	275.2688172	8011.85008	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:42:20	1	1	1	1	75.75	63.5	0	29336.493	275.2688172	8075.449134	30000	0	0	30000	43.4375	2004
23.01.2020 14:42:21	1	1	1	1	75.75	63.25	0	29336.493	279.5698925	8201.016498	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:22	1	1	1	1	75.75	63.5	0	29336.493	270.9677419	7949.066398	30000	0	0	30000	43.625	2004
23.01.2020 14:42:23	1	1	1	1	75.75	63.5	0	29289.1	266.6666667	7822.683663	30000	0	0	30000	43.75	2004
23.01.2020 14:42:24	1	1	1	1	75.75	63.75	0	29289.1	262.3655914	7684.070339	30000	0	0	30000	43.1875	2004
23.01.2020 14:42:25	1	1	1	1	75.75	63	0	29336.493	264.516129	7759.899981	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:26	1	1	1	1	75.75	63.5	0	29336.493	273.1182796	8011.85008	30000	0	0	30000	43.6875	2004
23.01.2020 14:42:27	1	1	1	1	75.75	63.5	0	29383.886	279.5698925	8214.877783	30000	0	0	30000	43.6875	2004
23.01.2020 14:42:28	1	1	1	1	75.75	63.5	0	29146.919	281.7204301	8210.800968	30000	0	0	30000	43.625	2004
23.01.2020 14:42:29	1	1	1	1	75.75	63.5	0	29336.493	290.3225806	8516.565651	30000	0	0	30000	43.1875	2004
23.01.2020 14:42:30	1	1	1	1	75.75	63	0	29383.886	296.7741935	8705.732069	30000	0	0	30000	43.625	2004
23.01.2020 14:42:31	1	1	1	1	75.75	63.5	0	29383.886	301.0752688	8846.791509	30000	0	0	30000	43.5	2004
23.01.2020 14:42:32	1	1	1	1	75.75	63.5	0	29336.493	305.3763441	9035.957927	30000	0	0	30000	43.6875	2004
23.01.2020 14:42:33	1	1	1	1	75.75	63.5	0	29383.886	301.0752688	8909.575191	30000	0	0	30000	44	2004
23.01.2020 14:42:34	1	1	1	1	75.75	64	0	29383.886	305.3763441	8987.035577	30000	0	0	30000	43.375	2004
23.01.2020 14:42:35	1	1	1	1	75.75	63.25	0	29383.886	309.6774194	9162.340663	30000	0	0	30000	43.75	2004
23.01.2020 14:42:36	1	1	1	1	75.75	63.75	0	29289.1	303.2258065	8866.360449	30000	0	0	30000	44	2004
23.01.2020 14:42:37	1	1	1	1	75.75	63.5	0	29146.919	305.3763441	8963.389775	30000	0	0	30000	43.625	2004
23.01.2020 14:42:38	1	1	1	1	75.75	63.5	0	29431.28	311.827957	9177.017367	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:39	1	1	1	1	75.75	63.5	0	29383.886	307.5268817	9177.017367	30000	0	0	30000	43.6875	2004
23.01.2020 14:42:40	1	1	1	1	75.75	63.5	0	29383.886	320.4301075	9493.381893	30000	0	0	30000	43.375	2004
23.01.2020 14:42:41	1	1	1	1	75.75	63.25	0	29431.28	318.2795699	9430.598212	30000	0	0	30000	43.625	2004
23.01.2020 14:42:42	1	1	1	1	75.75	63.5	0	29431.28	318.2795699	9366.999157	30000	0	0	30000	43.4375	2004
23.01.2020 14:42:43	1	1	1	1	75.75	63.25	0	29478.673	322.5806452	9587.965102	30000	0	0	30000	43.5	2004
23.01.2020 14:42:44	1	1	1	1	75.75	63.5	0	29526.066	326.8817204	9730.655288	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:45	1	1	1	1	75.75	63.5	0	29526.066	324.7311828	9587.965102	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:46	1	1	1	1	75.75	63.5	0	29526.066	329.0322581	9714.347838	30000	0	0	30000	43.25	2004
23.01.2020 14:42:53	1	1	1	1	75.75	63	0	29526.066	326.8817204	9714.347838	30000	0	0	30000	43.625	2004
23.01.2020 14:42:53	1	1	1	1	75.75	63	0	29526.066	326.8817204	9714.347838	30000	0	0	30000	43.625	2004
23.01.2020 14:42:53	1	1	1	1	75.75	63	0	29526.066	326.8817204	9714.347838	30000	0	0	30000	43.625	2004
23.01.2020 14:42:53	1	1	1	1	75.75	63	0	29526.066	326.8817204	9714.347838	30000	0	0	30000	43.625	2004
23.01.2020 14:42:53	1	1	1	1	75.75	63	0	29526.066	326.8817204	9714.347838	30000	0	0	30000	43.625	2004
23.01.2020 14:42:53	1	1	1	1	75.75	63	0	29526.066	326.8817204	9714.347838	30000	0	0	30000	43.625	2004
23.01.2020 14:42:54	1	1	1	1	75.75	63.5	0	29526.066	333.3333333	9921.45245	30000	0	0	30000	43.625	2004
23.01.2020 14:42:55	1	1	1	1	75.75	63.5	0	29573.46	335.483871	9714.347838	30000	0	0	30000	43.625	2004
23.01.2020 14:42:56	1	1	1	1	75.75	63.5	0	29526.066	329.0322581	9794.254342	30000	0	0	30000	43.5	2004
23.01.2020 14:42:57	1	1	1	1	75.75	63.5	0	28957.346	320.4301075	9216.155247	30000	0	0	30000	43.25	2004
23.01.2020 14:42:58	1	1	1	1	75.75	63.25	0	29573.46	329.0322581	9730.655288	30000	0	0	30000	43.5625	2004
23.01.2020 14:42:59	1	1	1	1	75.75	63.5	0	29526.066	324.7311828	9730.655288	30000	0	0	30000	43.6875	2004
23.01.2020 14:43:00	1	1	1	1	75.75	63.5	0	29573.46	324.7311828	9603.457179	30000	0	0	30000	43.375	2004
23.01.2020 14:43:01	1	1	1	1	75.75	63.25	0	29620.853	329.0322581	9746.147365	30000	0	0	30000	43.375	2004
23.01.2020 14:43:02	1	1	1	1	75.5	63.25	0	29620.853	350.5376344	10382.95328	30000	0	0	30000	43.75	2004
23.01.2020 14:43:03	1	1	1	1	75.5	63.75	0	29620.853	346.2365591	10127.74169	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:43:04	1	1	1	1	75.5	63.5	0	29573.46	341.9354839	10112.24961	30000	0	0	30000	43.5	2004
23.01.2020 14:43:05	1	1	1	1	75.5	63.5	0	29620.853	348.3870968	10382.95328	30000	0	0	30000	43.1875	2004
23.01.2020 14:43:06	1	1	1	1	75.5	63	0	29620.853	344.0860215	10127.74169	30000	0	0	30000	43.625	2004
23.01.2020 14:43:07	1	1	1	1	75.5	63.5	0	29620.853	350.5376344	10637.3495	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:08	1	1	1	1	75.5	63.5	0	29668.246	356.9892473	10590.87326	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:09	1	1	1	1	75.5	63.5	0	29668.246	350.5376344	10399.26073	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:10	1	1	1	1	75.5	63.5	0	29620.853	348.3870968	10288.37007	30000	0	0	30000	43.4375	2004
23.01.2020 14:43:11	1	1	1	1	75.5	63.25	0	29715.64	326.8817204	9713.532465	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:12	1	1	1	1	75.5	63.5	0	29668.246	346.2365591	10255.75517	30000	0	0	30000	43.4375	2004
23.01.2020 14:43:13	1	1	1	1	75.5	63.25	0	29715.64	341.9354839	10160.35659	30000	0	0	30000	43.875	2004
23.01.2020 14:43:14	1	1	1	1	75.5	63.75	0	29715.64	346.2365591	10160.35659	30000	0	0	30000	43.4375	2004
23.01.2020 14:43:15	1	1	1	1	75.5	63.25	0	29715.64	352.688172	10463.67516	30000	0	0	30000	44	2004
23.01.2020 14:43:16	1	1	1	1	75.5	63.75	0	29715.64	339.7849462	10160.35659	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:17	1	1	1	1	75.5	63.5	0	29715.64	322.5806452	9570.026907	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:18	1	1	1	1	75.5	63.5	0	29715.64	313.9784946	9329.492023	30000	0	0	30000	43.5	2004
23.01.2020 14:43:19	1	1	1	1	75.5	63.5	0	29715.64	316.1290323	9393.90645	30000	0	0	30000	42.9375	2004
23.01.2020 14:43:20	1	1	1	1	75.5	62.75	0	29715.64	329.0322581	9905.145	30000	0	0	30000	42.875	2004
23.01.2020 14:43:21	1	1	1	1	74.75	62.75	0	29715.64	331.1827957	9840.730574	30000	0	0	30000	43.5	2004
23.01.2020 14:43:22	1	1	1	1	74.75	63.5	0	29715.64	324.7311828	9713.532465	30000	0	0	30000	43.3125	2004
23.01.2020 14:43:23	1	1	1	1	74.75	63.25	0	29573.46	303.2258065	8967.466638	30000	0	0	30000	43.4375	2004
23.01.2020 14:43:24	1	1	1	1	74.75	63.25	0	29810.427	313.9784946	9359.660805	30000	0	0	30000	43.0625	2004
23.01.2020 14:43:25	1	1	1	1	74.75	63	0	29857.82	309.6774194	9246.324029	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:26	1	1	1	1	74.75	63.5	0	29857.82	313.9784946	9309.923083	30000	0	0	30000	43.375	2004
23.01.2020 14:43:27	1	1	1	1	74.75	63.25	0	29526.066	298.9247312	8825.591825	30000	0	0	30000	43.5	2004
23.01.2020 14:43:28	1	1	1	1	74.75	63.5	0	29905.213	309.6774194	9246.324029	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:30	1	1	1	1	74.75	63.5	0	29857.82	311.827957	9309.923083	30000	0	0	30000	43.5	2004
23.01.2020 14:43:31	1	1	1	1	74.75	63.5	0	29857.82	326.8817204	9823.607751	30000	0	0	30000	43.4375	2004
23.01.2020 14:43:32	1	1	1	1	74.5	63.25	0	29857.82	335.483871	10032.34311	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:33	1	1	1	1	74.5	63.5	0	29857.82	346.2365591	10337.29242	30000	0	0	30000	43.5	2004
23.01.2020 14:43:34	1	1	1	1	74.5	63.5	0	29905.213	346.2365591	10353.59987	30000	0	0	30000	42.875	2004
23.01.2020 14:43:35	1	1	1	1	74.5	62.75	0	29857.82	363.4408602	10868.09991	30000	0	0	30000	43.4375	2004
23.01.2020 14:43:36	1	1	1	1	74.5	63.25	0	29620.853	331.1827957	9809.746419	30000	0	0	30000	43.3125	2004
23.01.2020 14:43:37	1	1	1	1	74.5	63.25	0	30094.787	380.6451613	11160.81863	30000	0	0	30000	43.1875	2004
23.01.2020 14:43:38	1	1	1	1	74.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 14:43:39	1	1	1	1	74.5	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 14:43:40	1	1	1	1	74.5	63	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:41	1	1	1	1	74.5	63.5	0	0	0	0	30000	0	8	30000	43.25	2004
23.01.2020 14:43:42	1	1	1	1	74.75	63.25	0	10000	0	0	30000	0	0	30000	43.8125	2004
23.01.2020 14:43:43	1	1	1	1	74.75	63.75	0	10853.081	0	0	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:44	1	1	1	1	74.75	63.5	0	11611.374	0	0	30000	0	0	30000	43.375	2004
23.01.2020 14:43:45	1	1	1	1	74.75	63.25	0	12369.668	0	0	30000	0	0	30000	43.8125	2004
23.01.2020 14:43:46	1	1	1	1	74.75	63.75	0	13127.962	2.150537634	27.72266464	30000	0	0	30000	43.6875	2004
23.01.2020 14:43:47	1	1	1	1	74.75	63.5	0	13933.649	6.451612903	89.69097383	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:43:48	1	1	1	1	74.75	63.5	0	14691.943	10.75268817	157.3668904	30000	0	0	30000	43.625	2004
23.01.2020 14:43:55	1	1	1	1	75.5	64	0	18530.806	36.55913978	760.7425325	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:55	1	1	1	1	75.5	64	0	18530.806	36.55913978	760.7425325	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:55	1	1	1	1	75.5	64	0	18530.806	36.55913978	760.7425325	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:55	1	1	1	1	75.5	64	0	18530.806	36.55913978	760.7425325	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:55	1	1	1	1	75.5	64	0	18530.806	36.55913978	760.7425325	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:55	1	1	1	1	75.5	64	0	18530.806	36.55913978	760.7425325	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:55	1	1	1	1	75.5	63.75	0	20047.393	64.51612903	1293.180768	30000	0	0	30000	43.4375	2004
23.01.2020 14:43:56	1	1	1	1	75.5	63.25	0	20853.081	75.2688172	1569.592042	30000	0	0	30000	43.5	2004
23.01.2020 14:43:57	1	1	1	1	75.5	63.5	0	21658.768	83.87096774	1808.496181	30000	0	0	30000	43.6875	2004
23.01.2020 14:43:58	1	1	1	1	75.5	63.5	0	22369.668	96.77419355	2216.997798	30000	0	0	30000	43.5625	2004
23.01.2020 14:43:59	1	1	1	1	75.5	63.5	0	23175.355	109.6774194	2541.516049	30000	0	0	30000	43.6875	2004
23.01.2020 14:44:00	1	1	1	1	75.5	63.5	0	23933.649	129.0322581	3087.815617	30000	0	0	30000	43.25	2004
23.01.2020 14:44:01	1	1	1	1	75.25	63.25	0	24170.616	144.0860215	3482.455902	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:02	1	1	1	1	75.25	63.5	0	25213.27	150.5376344	3856.711875	30000	0	0	30000	43.625	2004
23.01.2020 14:44:03	1	1	1	1	75.25	63.5	0	25592.417	178.4946237	4449.487674	30000	0	0	30000	43.125	2004
23.01.2020 14:44:04	1	1	1	1	75.25	63	0	25924.171	189.2473118	4906.096268	30000	0	0	30000	43.8125	2004
23.01.2020 14:44:05	1	1	1	1	75.25	63.75	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.5	2004
23.01.2020 14:44:06	1	1	1	1	75.25	63.5	0	26066.351	184.9462366	4764.221455	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:07	1	1	1	1	75.25	63.5	0	26398.104	210.7526882	5619.547196	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:08	1	1	1	1	75.25	63.5	0	26398.104	212.9032258	5723.099503	30000	0	0	30000	43.4375	2004
23.01.2020 14:44:10	1	1	1	1	75.25	63.25	0	26398.104	212.9032258	5619.547196	30000	0	0	30000	43.5	2004
23.01.2020 14:44:11	1	1	1	1	75.25	63.5	0	26445.498	212.9032258	5619.547196	30000	0	0	30000	43.375	2004
23.01.2020 14:44:12	1	1	1	1	75	63.25	0	26445.498	206.4516129	5449.949719	30000	0	0	30000	42.875	2004
23.01.2020 14:44:13	1	1	1	1	75	62.75	0	26492.891	208.6021505	5536.379203	30000	0	0	30000	43.625	2004
23.01.2020 14:44:14	1	1	1	1	75	63.5	0	26635.071	208.6021505	5489.087598	30000	0	0	30000	43.3125	2004
23.01.2020 14:44:15	1	1	1	1	75	63.25	0	26635.071	206.4516129	5489.087598	30000	0	0	30000	43.4375	2004
23.01.2020 14:44:16	1	1	1	1	75	63.25	0	26682.464	193.5483871	5163.753975	30000	0	0	30000	43.375	2004
23.01.2020 14:44:17	1	1	1	1	75	63.25	0	26635.071	184.9462366	4925.665208	30000	0	0	30000	43.4375	2004
23.01.2020 14:44:18	1	1	1	1	75	63.25	0	26587.678	178.4946237	4745.467888	30000	0	0	30000	43.6875	2004
23.01.2020 14:44:19	1	1	1	1	75	63.5	0	26587.678	169.8924731	4516.348218	30000	0	0	30000	43.75	2004
23.01.2020 14:44:20	1	1	1	1	75	63.75	0	26682.464	169.8924731	4532.655668	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:21	1	1	1	1	75	63.5	0	26635.071	163.4408602	4360.612073	30000	0	0	30000	43.5	2004
23.01.2020 14:44:22	1	1	1	1	75.25	63.5	0	26635.071	152.688172	4058.924252	30000	0	0	30000	43.5	2004
23.01.2020 14:44:23	1	1	1	1	75.25	63.5	0	26587.678	152.688172	4073.600957	30000	0	0	30000	43.5	2004
23.01.2020 14:44:24	1	1	1	1	75.25	63.5	0	26635.071	152.688172	4073.600957	30000	0	0	30000	43.4375	2004
23.01.2020 14:44:25	1	1	1	1	75.25	63.25	0	27345.972	163.4408602	4469.056614	30000	0	0	30000	43.625	2004
23.01.2020 14:44:26	1	1	1	1	75.25	63.5	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	43.75	2004
23.01.2020 14:44:27	1	1	1	1	75.25	63.75	0	28293.839	169.8924731	4790.313375	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:28	1	1	1	1	75.25	63.5	0	28388.626	169.8924731	4831.081999	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:29	1	1	1	1	75.25	63.5	0	28578.199	178.4946237	5100.970293	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:30	1	1	1	1	75.25	63.5	0	28625.592	180.6451613	5205.337972	30000	0	0	30000	43.6875	2004
23.01.2020 14:44:31	1	1	1	1	75.25	63.5	0	28909.953	189.2473118	5480.118501	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:44:32	1	1	1	1	75.25	63.5	0	29052.133	206.4516129	6017.448971	30000	0	0	30000	43.5	2004
23.01.2020 14:44:33	1	1	1	1	75.25	63.5	0	29099.526	206.4516129	6007.664501	30000	0	0	30000	43.5	2004
23.01.2020 14:44:34	1	1	1	1	75.25	63.5	0	29099.526	206.4516129	6017.448971	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:35	1	1	1	1	75.25	63.5	0	29099.526	212.9032258	6195.200174	30000	0	0	30000	43.125	2004
23.01.2020 14:44:36	1	1	1	1	75.25	63	0	29099.526	215.0537634	6195.200174	30000	0	0	30000	43.75	2004
23.01.2020 14:44:37	1	1	1	1	75.25	63.75	0	28815.166	219.3548387	6330.552007	30000	0	0	30000	43.375	2004
23.01.2020 14:44:38	1	1	1	1	75.25	63.25	0	29241.706	232.2580645	6791.237464	30000	0	0	30000	43.5	2004
23.01.2020 14:44:39	1	1	1	1	75.25	63.5	0	24454.976	212.9032258	5091.185823	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:40	1	1	1	1	75.25	63.5	0	29146.919	264.516129	7709.346887	30000	0	0	30000	43.625	2004
23.01.2020 14:44:41	1	1	1	1	75	63.5	0	29526.066	279.5698925	8331.476096	30000	0	0	30000	43.5	2004
23.01.2020 14:44:42	1	1	1	1	75	63.5	0	29715.64	294.6236559	8754.654418	30000	0	0	30000	43.5	2004
23.01.2020 14:44:43	1	1	1	1	75	63.5	0	29857.82	311.827957	9309.923083	30000	0	0	30000	43.5	2004
23.01.2020 14:44:44	1	1	1	1	75	63.5	0	29857.82	324.7311828	9711.086348	30000	0	0	30000	43.125	2004
23.01.2020 14:44:45	1	1	1	1	75	63	0	29478.673	322.5806452	9651.564156	30000	0	0	30000	43.25	2004
23.01.2020 14:44:46	1	1	1	1	75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:48	1	1	1	1	75	63.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.25	2004
23.01.2020 14:44:49	1	1	1	1	75	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.3125	2004
23.01.2020 14:44:50	1	1	1	1	75	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 14:44:57	1	1	1	1	75	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:44:57	1	1	1	1	75	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:44:57	1	1	1	1	75	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:44:57	1	1	1	1	75	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:44:57	1	1	1	1	75	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:44:57	1	1	1	1	75	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:44:57	1	1	1	1	75	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:44:58	1	1	1	1	75	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5625	2004
23.01.2020 14:44:59	1	1	1	1	75	63.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.8125	2004
23.01.2020 14:45:00	1	1	1	1	75	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:01	1	1	1	1	75	63.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.0625	2004
23.01.2020 14:45:02	1	1	1	1	74.75	63	0	30000	309.6774194	9419.182997	30000	0	0	30000	42.6875	2004
23.01.2020 14:45:03	1	1	1	1	74.75	62.5	0	30000	307.5268817	9160.709918	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:04	1	1	1	1	74.75	63.25	0	29952.607	313.9784946	9275.677439	30000	0	0	30000	43.625	2004
23.01.2020 14:45:05	1	1	1	1	74.75	63.5	0	30000	320.4301075	9597.749572	30000	0	0	30000	43.5625	2004
23.01.2020 14:45:06	1	1	1	1	74.75	63.5	0	29905.213	326.8817204	9935.313783	30000	0	0	30000	43.1875	2004
23.01.2020 14:45:07	1	1	1	1	74.75	63	0	30000	326.8817204	9790.992852	30000	0	0	30000	43.5	2004
23.01.2020 14:45:08	1	1	1	1	74.75	63.5	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	43.5625	2004
23.01.2020 14:45:09	1	1	1	1	74.75	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 14:45:10	1	1	1	1	74.75	63	0	30000	346.2365591	10532.16644	30000	0	0	30000	43.75	2004
23.01.2020 14:45:11	1	1	1	1	74.75	63.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.625	2004
23.01.2020 14:45:12	1	1	1	1	75	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:13	1	1	1	1	75	63.75	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 14:45:14	1	1	1	1	75	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 14:45:15	1	1	1	1	75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:45:16	1	1	1	1	75	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5625	2004
23.01.2020 14:45:17	1	1	1	1	75	63.5	0	30000	331.1827957	9775.500775	30000	0	0	30000	42.875	2004
23.01.2020 14:45:18	1	1	1	1	75	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.625	2004
23.01.2020 14:45:19	1	1	1	1	75	63.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.625	2004
23.01.2020 14:45:20	1	1	1	1	75	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.5	2004
23.01.2020 14:45:21	1	1	1	1	75	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.375	2004
23.01.2020 14:45:22	1	1	1	1	75	63.25	0	29952.607	339.7849462	10113.06499	30000	0	0	30000	43.125	2004
23.01.2020 14:45:23	1	1	1	1	75	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.375	2004
23.01.2020 14:45:24	1	1	1	1	75	63.25	0	30000	335.483871	10128.55706	30000	0	0	30000	43.5625	2004
23.01.2020 14:45:25	1	1	1	1	75	63.5	0	29905.213	339.7849462	10113.06499	30000	0	0	30000	43.3125	2004
23.01.2020 14:45:27	1	1	1	1	75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5	2004
23.01.2020 14:45:28	1	1	1	1	75	63.5	0	30000	359.1397849	10757.20925	30000	0	0	30000	43.0625	2004
23.01.2020 14:45:29	1	1	1	1	75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:30	1	1	1	1	75	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.3125	2004
23.01.2020 14:45:31	1	1	1	1	75	63.25	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 14:45:32	1	1	1	1	74.75	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:33	1	1	1	1	74.75	63.25	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
23.01.2020 14:45:34	1	1	1	1	74.75	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:35	1	1	1	1	74.75	63.25	0	30000	283.8709677	8373.875465	30000	0	0	30000	43.375	2004
23.01.2020 14:45:36	1	1	1	1	74.75	63.25	0	30000	290.3225806	8644.579132	30000	0	0	30000	43.0625	2004
23.01.2020 14:45:37	1	1	1	1	74.75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.5625	2004
23.01.2020 14:45:38	1	1	1	1	74.75	63.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.5625	2004
23.01.2020 14:45:39	1	1	1	1	74.75	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 14:45:40	1	1	1	1	74.75	63.25	0	30000	288.172043	8708.993559	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:41	1	1	1	1	74.75	63.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.5	2004
23.01.2020 14:45:42	1	1	1	1	74.75	63.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.5	2004
23.01.2020 14:45:43	1	1	1	1	74.75	63.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.375	2004
23.01.2020 14:45:44	1	1	1	1	74.75	63.25	0	30047.393	305.3763441	9096.295491	30000	0	0	30000	43.125	2004
23.01.2020 14:45:45	1	1	1	1	74.75	63	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:46	1	1	1	1	74.75	63.25	0	28625.592	290.3225806	8365.721741	30000	0	0	30000	43.25	2004
23.01.2020 14:45:47	1	1	1	1	74.75	63.25	0	29905.213	341.9354839	10241.89384	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:48	1	1	1	1	74.75	63.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	43.5625	2004
23.01.2020 14:45:49	1	1	1	1	74.75	63.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 14:45:50	1	1	1	1	74.75	63.25	0	29905.213	359.1397849	10757.20925	30000	0	0	30000	43.5625	2004
23.01.2020 14:45:51	1	1	1	1	74.75	63.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.9375	2004
23.01.2020 14:45:58	1	1	1	1	75	63.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:58	1	1	1	1	75	63.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:58	1	1	1	1	75	63.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:58	1	1	1	1	75	63.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:58	1	1	1	1	75	63.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:58	1	1	1	1	75	63.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.4375	2004
23.01.2020 14:45:58	1	1	1	1	75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.5625	2004
23.01.2020 14:45:59	1	1	1	1	75	63.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:46:00	1	1	1	1	75	62.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	43.125	2004
23.01.2020 14:46:01	1	1	1	1	74.75	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.3125	2004
23.01.2020 14:46:02	1	1	1	1	74.75	63.25	0	30000	397.8494624	11999.83693	30000	0	0	30000	43.25	2004
23.01.2020 14:46:04	1	1	1	1	74.75	63.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.4375	2004
23.01.2020 14:46:05	1	1	1	1	74.75	63.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 14:46:06	1	1	1	1	74.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 14:46:07	1	1	1	1	74.75	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.375	2004
23.01.2020 14:46:08	1	1	1	1	74.75	63.25	0	29952.607	344.0860215	10515.85899	30000	0	0	30000	42.75	2004
23.01.2020 14:46:09	1	1	1	1	74.75	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.5	2004
23.01.2020 14:46:10	1	1	1	1	74.75	63.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.5	2004
23.01.2020 14:46:11	1	1	1	1	74.75	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.625	2004
23.01.2020 14:46:12	1	1	1	1	75	63.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.125	2004
23.01.2020 14:46:13	1	1	1	1	75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
23.01.2020 14:46:14	1	1	1	1	75	62.75	0	29952.607	329.0322581	9855.407279	30000	0	0	30000	43.625	2004
23.01.2020 14:46:15	1	1	1	1	75	63.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.5	2004
23.01.2020 14:46:16	1	1	1	1	75	63.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 14:46:17	1	1	1	1	75	63.25	0	29952.607	346.2365591	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 14:46:18	1	1	1	1	75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 14:46:21	1	1	1	1	75	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.5	2004
23.01.2020 14:46:21	1	1	1	1	75	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.5	2004
23.01.2020 14:46:21	1	1	1	1	75	63.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.375	2004
23.01.2020 14:46:22	1	1	1	1	75.25	63.25	0	0	0	0	30000	0	8	30000	43.6875	2004
23.01.2020 14:46:23	1	1	1	1	75.25	63.5	0	10426.54	0	0	30000	0	0	30000	43.8125	2004
23.01.2020 14:46:24	1	1	1	1	75.25	63.75	0	11232.227	0	0	30000	0	0	30000	43.5625	2004
23.01.2020 14:46:25	1	1	1	1	75.25	63.5	0	11990.521	0	0	30000	0	0	30000	43.5	2004
23.01.2020 14:46:26	1	1	1	1	75.25	63.5	0	12369.668	2.150537634	26.09191966	30000	0	0	30000	43.6875	2004
23.01.2020 14:46:27	1	1	1	1	75.25	63.5	0	13554.502	6.451612903	57.89144674	30000	0	0	30000	43.375	2004
23.01.2020 14:46:28	1	1	1	1	75.25	63.25	0	14312.796	8.602150538	123.1212459	30000	0	0	30000	44	2004
23.01.2020 14:46:29	1	1	1	1	75.25	64	0	14976.303	15.05376344	228.304297	30000	0	0	30000	43.375	2004
23.01.2020 14:46:30	1	1	1	1	75.25	63.25	0	15829.384	19.35483871	305.7646835	30000	0	0	30000	43.75	2004
23.01.2020 14:46:31	1	1	1	1	75.5	63.25	0	16492.891	25.80645161	394.6402848	30000	0	0	30000	43.5	2004
23.01.2020 14:46:32	1	1	1	1	75.5	63.5	0	17345.972	30.10752688	560.9762727	30000	0	0	30000	43.5	2004
23.01.2020 14:46:33	1	1	1	1	75.5	63.5	0	18151.659	40.86021505	662.8978338	30000	0	0	30000	43.375	2004
23.01.2020 14:46:34	1	1	1	1	75.5	63.25	0	18483.412	43.01075269	836.5721741	30000	0	0	30000	43.5625	2004
23.01.2020 14:46:35	1	1	1	1	75.5	63.5	0	19668.246	60.21505376	1232.027831	30000	0	0	30000	43.5625	2004
23.01.2020 14:46:36	1	1	1	1	75.5	63.5	0	20473.934	70.96774194	1452.993776	30000	0	0	30000	43.5625	2004
23.01.2020 14:46:37	1	1	1	1	75.5	63.5	0	21279.621	81.72043011	1735.112657	30000	0	0	30000	43.5625	2004
23.01.2020 14:46:38	1	1	1	1	75.5	63.5	0	21943.128	94.62365591	2141.168157	30000	0	0	30000	43.5	2004
23.01.2020 14:46:39	1	1	1	1	75.5	63.5	0	22796.209	105.3763441	2353.165004	30000	0	0	30000	43.375	2004
23.01.2020 14:46:40	1	1	1	1	75.5	63.25	0	23554.502	122.5806452	2836.68089	30000	0	0	30000	43.625	2004
23.01.2020 14:46:41	1	1	1	1	75.25	63.5	0	24170.616	144.0860215	3482.455902	30000	0	0	30000	43.4375	2004
23.01.2020 14:46:43	1	1	1	1	75.25	63.25	0	24691.943	156.9892473	3876.280814	30000	0	0	30000	43.625	2004
23.01.2020 14:46:44	1	1	1	1	75.25	63.5	0	24691.943	159.1397849	3876.280814	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:46:45	1	1	1	1	75.25	63.25	0	25355.45	178.4946237	4416.057402	30000	0	0	30000	43.625	2004
23.01.2020 14:46:46	1	1	1	1	75.25	63.5	0	25734.597	184.9462366	4906.096268	30000	0	0	30000	43.3125	2004
23.01.2020 14:46:47	1	1	1	1	75.25	63.25	0	26113.744	191.3978495	4997.417987	30000	0	0	30000	43.5	2004
23.01.2020 14:46:48	1	1	1	1	75.25	63.5	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.4375	2004
23.01.2020 14:46:49	1	1	1	1	75.25	63.25	0	26208.531	206.4516129	5410.811839	30000	0	0	30000	43.6875	2004
23.01.2020 14:46:50	1	1	1	1	75.25	63.5	0	26208.531	206.4516129	5391.242899	30000	0	0	30000	43.4375	2004
23.01.2020 14:46:51	1	1	1	1	75.25	63.25	0	26445.498	208.6021505	5525.77936	30000	0	0	30000	43.5	2004
23.01.2020 14:46:52	1	1	1	1	74.5	63.5	0	26445.498	208.6021505	5515.99489	30000	0	0	30000	43.0625	2004
23.01.2020 14:46:53	1	1	1	1	74.5	63	0	26540.284	208.6021505	5536.379203	30000	0	0	30000	43.5625	2004
23.01.2020 14:47:00	1	1	1	1	74.5	63	0	26540.284	206.4516129	5479.303128	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:00	1	1	1	1	74.5	63	0	26540.284	206.4516129	5479.303128	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:00	1	1	1	1	74.5	63	0	26540.284	206.4516129	5479.303128	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:00	1	1	1	1	74.5	63	0	26540.284	206.4516129	5479.303128	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:00	1	1	1	1	74.5	63	0	26540.284	206.4516129	5479.303128	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:00	1	1	1	1	74.5	63.25	0	26492.891	206.4516129	5479.303128	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:01	1	1	1	1	74.5	63.25	0	26587.678	206.4516129	5489.087598	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:02	1	1	1	1	74.5	63.25	0	26587.678	206.4516129	5489.087598	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:03	1	1	1	1	74.5	63.25	0	26682.464	206.4516129	5508.656538	30000	0	0	30000	43.375	2004
23.01.2020 14:47:04	1	1	1	1	74.5	63.25	0	26587.678	206.4516129	5508.656538	30000	0	0	30000	43.5625	2004
23.01.2020 14:47:05	1	1	1	1	74.5	63.5	0	26966.825	212.9032258	5741.037697	30000	0	0	30000	43.5	2004
23.01.2020 14:47:06	1	1	1	1	74.5	63.5	0	26682.464	206.4516129	5508.656538	30000	0	0	30000	43.6875	2004
23.01.2020 14:47:07	1	1	1	1	74.5	63.5	0	27630.332	234.4086022	6476.503683	30000	0	0	30000	43.5625	2004
23.01.2020 14:47:08	1	1	1	1	74.5	63.5	0	27298.578	249.4623656	6809.991031	30000	0	0	30000	43.5	2004
23.01.2020 14:47:09	1	1	1	1	74.5	63.5	0	27440.758	266.6666667	7140.216889	30000	0	0	30000	43.5	2004
23.01.2020 14:47:10	1	1	1	1	74.5	63.75	0	28436.019	283.8709677	8072.187644	30000	0	0	30000	43.125	2004
23.01.2020 14:47:11	1	1	1	1	74.5	63	0	29383.886	311.827957	9147.663958	30000	0	0	30000	43.625	2004
23.01.2020 14:47:12	1	1	1	1	74.5	63.5	0	28957.346	326.8817204	9527.627538	30000	0	0	30000	43.5625	2004
23.01.2020 14:47:13	1	1	1	1	74.5	63.5	0	29526.066	337.6344086	9968.744055	30000	0	0	30000	43.5	2004
23.01.2020 14:47:14	1	1	1	1	74.5	63.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:15	1	1	1	1	74.5	63.25	0	30047.393	350.5376344	10387.03014	30000	0	0	30000	43.3125	2004
23.01.2020 14:47:16	1	1	1	1	74.5	63.25	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:17	1	1	1	1	74.5	63.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:18	1	1	1	1	74.5	63.25	0	30000	318.2795699	9533.335145	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:19	1	1	1	1	74.5	63.25	0	29952.607	335.483871	10128.55706	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:20	1	1	1	1	74.5	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
23.01.2020 14:47:22	1	1	1	1	74	63.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.5625	2004
23.01.2020 14:47:23	1	1	1	1	74	63.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.25	2004
23.01.2020 14:47:24	1	1	1	1	74	63.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.3125	2004
23.01.2020 14:47:25	1	1	1	1	74	63.25	0	29905.213	298.9247312	8953.605305	30000	0	0	30000	43.375	2004
23.01.2020 14:47:26	1	1	1	1	74	63.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:27	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.5	2004
23.01.2020 14:47:28	1	1	1	1	74	62.5	0	29952.607	292.4731183	8695.947599	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:47:29	1	1	1	1	74	63.25	0	30000	288.172043	8580.164705	30000	0	0	30000	42.875	2004
23.01.2020 14:47:30	1	1	1	1	74	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.375	2004
23.01.2020 14:47:31	1	1	1	1	74	63.25	0	30000	288.172043	8424.42856	30000	0	0	30000	43.5625	2004
23.01.2020 14:47:32	1	1	1	1	74.25	63.5	0	30047.393	292.4731183	8644.579132	30000	0	0	30000	43.375	2004
23.01.2020 14:47:33	1	1	1	1	74.25	63.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 14:47:34	1	1	1	1	74.25	63.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.5	2004
23.01.2020 14:47:35	1	1	1	1	74.25	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.5625	2004
23.01.2020 14:47:36	1	1	1	1	74.25	63.5	0	29952.607	294.6236559	8824.776452	30000	0	0	30000	43	2004
23.01.2020 14:47:37	1	1	1	1	74.25	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.5	2004
23.01.2020 14:47:38	1	1	1	1	74.25	63.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.375	2004
23.01.2020 14:47:39	1	1	1	1	74.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.375	2004
23.01.2020 14:47:40	1	1	1	1	74.25	63.25	0	30000	292.4731183	8644.579132	30000	0	0	30000	43.125	2004
23.01.2020 14:47:41	1	1	1	1	74.25	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.3125	2004
23.01.2020 14:47:42	1	1	1	1	74	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:43	1	1	1	1	74	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:44	1	1	1	1	74	63.25	0	30000	296.7741935	8682.086266	30000	0	0	30000	42.8125	2004
23.01.2020 14:47:45	1	1	1	1	74	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.375	2004
23.01.2020 14:47:46	1	1	1	1	74	63.25	0	26113.744	258.0645161	6739.053624	30000	0	0	30000	43	2004
23.01.2020 14:47:47	1	1	1	1	74	63	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	43.6875	2004
23.01.2020 14:47:48	1	1	1	1	74	63.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 14:47:49	1	1	1	1	74	62.5	0	30000	318.2795699	9389.014215	30000	0	0	30000	43.25	2004
23.01.2020 14:47:50	1	1	1	1	74	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.375	2004
23.01.2020 14:47:51	1	1	1	1	73.75	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 14:47:52	1	1	1	1	73.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.375	2004
23.01.2020 14:47:53	1	1	1	1	73.75	63.25	0	30000	324.7311828	9806.484929	30000	0	0	30000	43.4375	2004
23.01.2020 14:47:54	1	1	1	1	73.75	63.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.5	2004
23.01.2020 14:48:01	1	1	1	1	73.75	63.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	43.375	2004
23.01.2020 14:48:01	1	1	1	1	73.75	63.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	43.375	2004
23.01.2020 14:48:01	1	1	1	1	73.75	63.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	43.375	2004
23.01.2020 14:48:01	1	1	1	1	73.75	63.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	43.375	2004
23.01.2020 14:48:01	1	1	1	1	73.75	63.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	43.375	2004
23.01.2020 14:48:01	1	1	1	1	73.75	63.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	43.375	2004
23.01.2020 14:48:02	1	1	1	1	73.75	63.25	0	30000	288.172043	8567.118745	30000	0	0	30000	43.4375	2004
23.01.2020 14:48:03	1	1	1	1	73.75	63.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.3125	2004
23.01.2020 14:48:04	1	1	1	1	73.75	63.25	0	30047.393	275.2688172	8192.862773	30000	0	0	30000	43.375	2004
23.01.2020 14:48:05	1	1	1	1	73.75	63.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	43.5625	2004
23.01.2020 14:48:06	1	1	1	1	73.75	63.5	0	30000	268.8172043	7999.619493	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:07	1	1	1	1	73.75	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:08	1	1	1	1	73.75	63	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.0625	2004
23.01.2020 14:48:09	1	1	1	1	73.75	63	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.375	2004
23.01.2020 14:48:10	1	1	1	1	73.75	63.25	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	43.125	2004
23.01.2020 14:48:11	1	1	1	1	73.75	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.125	2004
23.01.2020 14:48:12	1	1	1	1	74	63	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:48:13	1	1	1	1	74	63.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:14	1	1	1	1	74	63	0	29905.213	266.6666667	7987.388905	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:15	1	1	1	1	74	63	0	30000	286.0215054	8386.921425	30000	0	0	30000	42.875	2004
23.01.2020 14:48:16	1	1	1	1	74	62.75	0	30000	290.3225806	8644.579132	30000	0	0	30000	43.4375	2004
23.01.2020 14:48:17	1	1	1	1	74	63.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 14:48:18	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.4375	2004
23.01.2020 14:48:19	1	1	1	1	74	63.25	0	29952.607	286.0215054	8488.842986	30000	0	0	30000	43.3125	2004
23.01.2020 14:48:20	1	1	1	1	74	63.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.4375	2004
23.01.2020 14:48:21	1	1	1	1	74	62.25	0	30000	288.172043	8580.164705	30000	0	0	30000	43.3125	2004
23.01.2020 14:48:22	1	1	1	1	74	63.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.25	2004
23.01.2020 14:48:23	1	1	1	1	74	63.25	0	30000	283.8709677	8708.993559	30000	0	0	30000	43.375	2004
23.01.2020 14:48:24	1	1	1	1	74	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.5625	2004
23.01.2020 14:48:25	1	1	1	1	74	63.5	0	30000	305.3763441	9003.343027	30000	0	0	30000	43.4375	2004
23.01.2020 14:48:26	1	1	1	1	74	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
23.01.2020 14:48:27	1	1	1	1	74	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 14:48:28	1	1	1	1	74	63.25	0	30000	356.9892473	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:29	1	1	1	1	74	63	0	30000	365.5913978	10757.20925	30000	0	0	30000	43.3125	2004
23.01.2020 14:48:30	1	1	1	1	74	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 14:48:31	1	1	1	1	74	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:32	1	1	1	1	74	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
23.01.2020 14:48:33	1	1	1	1	74	63.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 14:48:34	1	1	1	1	74	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:35	1	1	1	1	74	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 14:48:36	1	1	1	1	74	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 14:48:38	1	1	1	1	74	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 14:48:39	1	1	1	1	74	62.75	0	29905.213	400	11961.51442	30000	0	0	30000	43.3125	2004
23.01.2020 14:48:40	1	1	1	1	74	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:41	1	1	1	1	74	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.75	2004
23.01.2020 14:48:42	1	1	1	1	74	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:43	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
23.01.2020 14:48:44	1	1	1	1	74	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 14:48:45	1	1	1	1	74	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.6875	2004
23.01.2020 14:48:46	1	1	1	1	74	62.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	43.125	2004
23.01.2020 14:48:47	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 14:48:48	1	1	1	1	74	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.25	2004
23.01.2020 14:48:49	1	1	1	1	74	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.3125	2004
23.01.2020 14:48:50	1	1	1	1	74	63.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:51	1	1	1	1	74	63	0	29905.213	404.3010753	12367.56992	30000	0	0	30000	42.8125	2004
23.01.2020 14:48:52	1	1	1	1	73.5	62.75	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	43.25	2004
23.01.2020 14:48:53	1	1	1	1	73.5	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 14:48:54	1	1	1	1	73.5	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 14:48:55	1	1	1	1	73.5	63	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 14:48:56	1	1	1	1	73.5	63	0	29952.607	402.1505376	12387.13886	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:49:03	1	1	1	1	73.25	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 14:49:03	1	1	1	1	73.25	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 14:49:03	1	1	1	1	73.25	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 14:49:03	1	1	1	1	73.25	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 14:49:03	1	1	1	1	73.25	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 14:49:03	1	1	1	1	73.25	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 14:49:03	1	1	1	1	73.25	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 14:49:03	1	1	1	1	73.25	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 14:49:04	1	1	1	1	73.25	62.5	0	29905.213	384.9462366	11548.12057	30000	0	0	30000	43.3125	2004
23.01.2020 14:49:05	1	1	1	1	73.25	63.5	0	29905.213	384.9462366	11382.59995	30000	0	0	30000	43.375	2004
23.01.2020 14:49:06	1	1	1	1	73.25	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 14:49:07	1	1	1	1	73.25	63	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
23.01.2020 14:49:08	1	1	1	1	73.25	62.25	0	30000	423.655914	12709.21099	30000	0	0	30000	43.1875	2004
23.01.2020 14:49:09	1	1	1	1	73.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 14:49:10	1	1	1	1	73.25	63	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 14:49:11	1	1	1	1	73.5	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.375	2004
23.01.2020 14:49:12	1	1	1	1	73.5	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 14:49:13	1	1	1	1	73.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.25	2004
23.01.2020 14:49:14	1	1	1	1	73.5	63.25	0	29952.607	384.9462366	11612.53499	30000	0	0	30000	43	2004
23.01.2020 14:49:15	1	1	1	1	73.5	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.0625	2004
23.01.2020 14:49:17	1	1	1	1	73.5	63	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 14:49:18	1	1	1	1	73.5	63	0	30000	361.2903226	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 14:49:19	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.3125	2004
23.01.2020 14:49:20	1	1	1	1	73.5	63.25	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 14:49:21	1	1	1	1	73.5	63.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 14:49:22	1	1	1	1	73.5	63	0	30000	322.5806452	9453.428641	30000	0	0	30000	43	2004
23.01.2020 14:49:23	1	1	1	1	73.5	63	0	29905.213	322.5806452	9597.749572	30000	0	0	30000	43.375	2004
23.01.2020 14:49:24	1	1	1	1	73.5	63.25	0	30000	313.9784946	9548.01185	30000	0	0	30000	43.125	2004
23.01.2020 14:49:25	1	1	1	1	73.5	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 14:49:26	1	1	1	1	73.5	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	43	2004
23.01.2020 14:49:27	1	1	1	1	73.5	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 14:49:28	1	1	1	1	73.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 14:49:29	1	1	1	1	73.5	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 14:49:30	1	1	1	1	73.5	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.375	2004
23.01.2020 14:49:31	1	1	1	1	73.5	63.25	0	30047.393	305.3763441	9096.295491	30000	0	0	30000	43	2004
23.01.2020 14:49:32	1	1	1	1	73.5	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 14:49:33	1	1	1	1	73.5	63	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 14:49:34	1	1	1	1	73.5	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.125	2004
23.01.2020 14:49:35	1	1	1	1	73.5	63	0	29952.607	296.7741935	8682.086266	30000	0	0	30000	43.0625	2004
23.01.2020 14:49:36	1	1	1	1	73.5	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 14:49:37	1	1	1	1	73.5	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.8125	2004
23.01.2020 14:49:38	1	1	1	1	73.5	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.4375	2004
23.01.2020 14:49:39	1	1	1	1	73.5	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.125	2004
23.01.2020 14:49:40	1	1	1	1	73.5	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:49:41	1	1	1	1	73.5	63.5	0	30000	303.2258065	9110.972196	30000	0	0	30000	43.25	2004
23.01.2020 14:49:42	1	1	1	1	73.25	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.9375	2004
23.01.2020 14:49:43	1	1	1	1	73.25	63.25	0	29952.607	298.9247312	8810.099747	30000	0	0	30000	43.0625	2004
23.01.2020 14:49:44	1	1	1	1	73.25	63	0	29952.607	298.9247312	9082.434159	30000	0	0	30000	43.25	2004
23.01.2020 14:49:45	1	1	1	1	73.25	63.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.5625	2004
23.01.2020 14:49:46	1	1	1	1	73.25	62.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 14:49:47	1	1	1	1	73.25	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 14:49:48	1	1	1	1	73.25	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 14:49:49	1	1	1	1	73.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
23.01.2020 14:49:50	1	1	1	1	73.25	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.125	2004
23.01.2020 14:49:51	1	1	1	1	73	63	0	30000	352.688172	10515.85899	30000	0	0	30000	43.375	2004
23.01.2020 14:49:52	1	1	1	1	73	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 14:49:54	1	1	1	1	73	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 14:49:55	1	1	1	1	73	63	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	42.6875	2004
23.01.2020 14:49:56	1	1	1	1	73	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
23.01.2020 14:49:57	1	1	1	1	73	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 14:49:58	1	1	1	1	73	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 14:50:05	1	1	1	1	72.75	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.25	2004
23.01.2020 14:50:05	1	1	1	1	72.75	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.25	2004
23.01.2020 14:50:05	1	1	1	1	72.75	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.25	2004
23.01.2020 14:50:05	1	1	1	1	72.75	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.25	2004
23.01.2020 14:50:05	1	1	1	1	72.75	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.25	2004
23.01.2020 14:50:05	1	1	1	1	72.75	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.25	2004
23.01.2020 14:50:05	1	1	1	1	72.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
23.01.2020 14:50:06	1	1	1	1	72.75	62.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 14:50:07	1	1	1	1	72.75	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.9375	2004
23.01.2020 14:50:08	1	1	1	1	72.75	62.75	0	30000	423.655914	12709.21099	30000	0	0	30000	42.6875	2004
23.01.2020 14:50:09	1	1	1	1	72.75	62.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	43.1875	2004
23.01.2020 14:50:10	1	1	1	1	72.75	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 14:50:11	1	1	1	1	72.75	62.75	0	30000	423.655914	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 14:50:12	1	1	1	1	73.75	63	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	43	2004
23.01.2020 14:50:13	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 14:50:14	1	1	1	1	73.75	63.25	0	29383.886	350.5376344	10030.71236	30000	0	0	30000	43.0625	2004
23.01.2020 14:50:15	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 14:50:16	1	1	1	1	73.75	63	0	30047.393	365.5913978	10967.57535	30000	0	0	30000	43.1875	2004
23.01.2020 14:50:17	1	1	1	1	73.75	63	0	30000	335.483871	9999.728209	30000	0	0	30000	42.875	2004
23.01.2020 14:50:18	1	1	1	1	73.75	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.9375	2004
23.01.2020 14:50:19	1	1	1	1	73.75	62.75	0	30000	298.9247312	8953.605305	30000	0	0	30000	43.375	2004
23.01.2020 14:50:20	1	1	1	1	73.75	63.25	0	30000	286.0215054	8708.993559	30000	0	0	30000	43.5625	2004
23.01.2020 14:50:21	1	1	1	1	73.75	63.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.25	2004
23.01.2020 14:50:22	1	1	1	1	73.75	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
23.01.2020 14:50:23	1	1	1	1	73.75	63.25	0	29952.607	270.9677419	8116.217759	30000	0	0	30000	42.9375	2004
23.01.2020 14:50:24	1	1	1	1	73.75	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:50:25	1	1	1	1	73.75	63	0	30000	288.172043	8708.993559	30000	0	0	30000	42.9375	2004
23.01.2020 14:50:26	1	1	1	1	73.75	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.3125	2004
23.01.2020 14:50:27	1	1	1	1	73.75	63.25	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004
23.01.2020 14:50:28	1	1	1	1	73.75	62.75	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.25	2004
23.01.2020 14:50:29	1	1	1	1	73.75	63.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.625	2004
23.01.2020 14:50:30	1	1	1	1	73.75	62.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 14:50:32	1	1	1	1	73.5	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.125	2004
23.01.2020 14:50:33	1	1	1	1	73.5	63	0	30000	311.827957	9290.354143	30000	0	0	30000	42.75	2004
23.01.2020 14:50:34	1	1	1	1	73.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.75	2004
23.01.2020 14:50:35	1	1	1	1	73.5	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	43	2004
23.01.2020 14:50:36	1	1	1	1	73.5	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.0625	2004
23.01.2020 14:50:37	1	1	1	1	73.5	63	0	30000	311.827957	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 14:50:38	1	1	1	1	73.5	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 14:50:39	1	1	1	1	73.5	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 14:50:40	1	1	1	1	73.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.125	2004
23.01.2020 14:50:41	1	1	1	1	73.5	63	0	29952.607	309.6774194	9419.182997	30000	0	0	30000	43.1875	2004
23.01.2020 14:50:42	1	1	1	1	73.5	63	0	30000	320.4301075	9483.597423	30000	0	0	30000	43.375	2004
23.01.2020 14:50:43	1	1	1	1	73.5	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43	2004
23.01.2020 14:50:44	1	1	1	1	73.5	63	0	30000	320.4301075	9533.335145	30000	0	0	30000	43.25	2004
23.01.2020 14:50:45	1	1	1	1	73.5	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.3125	2004
23.01.2020 14:50:46	1	1	1	1	73.5	63.25	0	30000	320.4301075	9741.25513	30000	0	0	30000	42.8125	2004
23.01.2020 14:50:47	1	1	1	1	73.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
23.01.2020 14:50:48	1	1	1	1	73.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
23.01.2020 14:50:49	1	1	1	1	73.5	62.75	0	30000	346.2365591	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 14:50:50	1	1	1	1	73.5	62.75	0	29905.213	350.5376344	10499.55155	30000	0	0	30000	43.125	2004
23.01.2020 14:50:51	1	1	1	1	73.5	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.875	2004
23.01.2020 14:50:52	1	1	1	1	73.5	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	43	2004
23.01.2020 14:50:53	1	1	1	1	73.5	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.6875	2004
23.01.2020 14:50:54	1	1	1	1	73.5	62.5	0	29952.607	350.5376344	10773.5167	30000	0	0	30000	42.8125	2004
23.01.2020 14:50:55	1	1	1	1	73.5	62.75	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	42.875	2004
23.01.2020 14:50:56	1	1	1	1	73.5	62.75	0	29952.607	378.4946237	11483.70614	30000	0	0	30000	43.125	2004
23.01.2020 14:50:57	1	1	1	1	73.5	63	0	29905.213	378.4946237	11401.35352	30000	0	0	30000	43.5625	2004
23.01.2020 14:50:58	1	1	1	1	73.5	63.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 14:50:59	1	1	1	1	73.5	63.25	0	29810.427	341.9354839	9968.744055	30000	0	0	30000	42.875	2004
23.01.2020 14:51:06	1	1	1	1	73.5	63	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	43	2004
23.01.2020 14:51:06	1	1	1	1	73.5	63	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	43	2004
23.01.2020 14:51:06	1	1	1	1	73.5	63	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	43	2004
23.01.2020 14:51:06	1	1	1	1	73.5	63	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	43	2004
23.01.2020 14:51:06	1	1	1	1	73.5	63	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	43	2004
23.01.2020 14:51:06	1	1	1	1	73.5	63	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	43	2004
23.01.2020 14:51:07	1	1	1	1	73.5	63	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.8125	2004
23.01.2020 14:51:08	1	1	1	1	73.5	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:51:10	1	1	1	1	73.5	62.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 14:51:11	1	1	1	1	73.5	62.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.875	2004
23.01.2020 14:51:12	1	1	1	1	73	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 14:51:13	1	1	1	1	73	63	0	30000	356.9892473	10580.27342	30000	0	0	30000	43.125	2004
23.01.2020 14:51:14	1	1	1	1	73	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	43	2004
23.01.2020 14:51:15	1	1	1	1	73	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:16	1	1	1	1	73	63	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	43.0625	2004
23.01.2020 14:51:17	1	1	1	1	73	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.9375	2004
23.01.2020 14:51:18	1	1	1	1	73	62.75	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	42.6875	2004
23.01.2020 14:51:19	1	1	1	1	73	62.5	0	30000	331.1827957	9790.992852	30000	0	0	30000	42.5625	2004
23.01.2020 14:51:20	1	1	1	1	73	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	43	2004
23.01.2020 14:51:21	1	1	1	1	73	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
23.01.2020 14:51:22	1	1	1	1	73.5	63.25	0	29905.213	307.5268817	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:23	1	1	1	1	73.5	63	0	30000	305.3763441	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 14:51:24	1	1	1	1	73.5	63.25	0	29905.213	301.0752688	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:25	1	1	1	1	73.5	63	0	29905.213	298.9247312	9031.881064	30000	0	0	30000	43.25	2004
23.01.2020 14:51:26	1	1	1	1	73.5	63.25	0	29905.213	305.3763441	9225.124344	30000	0	0	30000	43.25	2004
23.01.2020 14:51:27	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
23.01.2020 14:51:28	1	1	1	1	73.5	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:29	1	1	1	1	73.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43	2004
23.01.2020 14:51:30	1	1	1	1	73.5	63	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:31	1	1	1	1	73.5	63	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 14:51:32	1	1	1	1	73.75	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
23.01.2020 14:51:33	1	1	1	1	73.75	62.5	0	29952.607	387.0967742	11871.00807	30000	0	0	30000	43.3125	2004
23.01.2020 14:51:34	1	1	1	1	73.75	63.25	0	30000	384.9462366	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:35	1	1	1	1	73.75	63	0	29905.213	391.3978495	11676.94942	30000	0	0	30000	43.25	2004
23.01.2020 14:51:36	1	1	1	1	73.75	63.25	0	30000	400	12064.25135	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:37	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.5	2004
23.01.2020 14:51:38	1	1	1	1	73.75	63.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.9375	2004
23.01.2020 14:51:39	1	1	1	1	73.75	63	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:40	1	1	1	1	73.75	63	0	30000	397.8494624	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:41	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 14:51:42	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
23.01.2020 14:51:43	1	1	1	1	73.75	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:44	1	1	1	1	73.75	63	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 14:51:45	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 14:51:46	1	1	1	1	73.75	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43	2004
23.01.2020 14:51:48	1	1	1	1	73.75	63	0	30000	400	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 14:51:49	1	1	1	1	73.75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 14:51:50	1	1	1	1	73.75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 14:51:51	1	1	1	1	73.75	62.75	0	30000	404.3010753	11916.66893	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:52	1	1	1	1	73.75	63	0	29905.213	415.0537634	12476.01446	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:53	1	1	1	1	73.75	63	0	30000	421.5053763	12580.38214	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:51:54	1	1	1	1	73.75	63	0	30000	432.2580645	13160.92735	30000	0	0	30000	43	2004
23.01.2020 14:51:55	1	1	1	1	73.75	63	0	30000	434.4086022	13289.7562	30000	0	0	30000	43.125	2004
23.01.2020 14:51:56	1	1	1	1	73.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 14:51:57	1	1	1	1	73.75	62.75	0	29952.607	436.5591398	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 14:51:58	1	1	1	1	73.75	63	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.5	2004
23.01.2020 14:51:59	1	1	1	1	73.75	62.5	0	29905.213	445.1612903	13333.78632	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:00	1	1	1	1	73.75	63	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:01	1	1	1	1	73.75	63	0	30000	449.4623656	13333.78632	30000	0	0	30000	43	2004
23.01.2020 14:52:08	1	1	1	1	73.5	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.75	2004
23.01.2020 14:52:08	1	1	1	1	73.5	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.75	2004
23.01.2020 14:52:08	1	1	1	1	73.5	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.75	2004
23.01.2020 14:52:08	1	1	1	1	73.5	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.75	2004
23.01.2020 14:52:08	1	1	1	1	73.5	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.75	2004
23.01.2020 14:52:08	1	1	1	1	73.5	62.75	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:09	1	1	1	1	73.5	63	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.25	2004
23.01.2020 14:52:10	1	1	1	1	73.5	63.25	0	30000	432.2580645	12947.29976	30000	0	0	30000	43.25	2004
23.01.2020 14:52:11	1	1	1	1	73.5	63.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 14:52:12	1	1	1	1	74.25	63.25	0	30000	391.3978495	11723.42565	30000	0	0	30000	42.6875	2004
23.01.2020 14:52:13	1	1	1	1	74.25	62.5	0	29952.607	384.9462366	11401.35352	30000	0	0	30000	42.5625	2004
23.01.2020 14:52:14	1	1	1	1	74.25	62.5	0	30047.393	380.6451613	11649.22676	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:15	1	1	1	1	74.25	63	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.6875	2004
23.01.2020 14:52:16	1	1	1	1	74.25	63	0	30000	350.5376344	10709.10227	30000	0	0	30000	43.25	2004
23.01.2020 14:52:17	1	1	1	1	74.25	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 14:52:18	1	1	1	1	74.25	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 14:52:19	1	1	1	1	74.25	63.25	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	42.875	2004
23.01.2020 14:52:20	1	1	1	1	74.25	62.75	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	43.0625	2004
23.01.2020 14:52:21	1	1	1	1	74	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:22	1	1	1	1	74	63	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.875	2004
23.01.2020 14:52:23	1	1	1	1	74	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 14:52:25	1	1	1	1	74	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 14:52:26	1	1	1	1	74	63	0	30000	341.9354839	10128.55706	30000	0	0	30000	43	2004
23.01.2020 14:52:27	1	1	1	1	74	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 14:52:28	1	1	1	1	74	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43	2004
23.01.2020 14:52:29	1	1	1	1	74	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
23.01.2020 14:52:30	1	1	1	1	74	62.75	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:31	1	1	1	1	74	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
23.01.2020 14:52:32	1	1	1	1	74.25	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.25	2004
23.01.2020 14:52:33	1	1	1	1	74.25	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 14:52:34	1	1	1	1	74.25	63	0	30000	350.5376344	10306.30827	30000	0	0	30000	43.3125	2004
23.01.2020 14:52:35	1	1	1	1	74.25	63.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.625	2004
23.01.2020 14:52:36	1	1	1	1	74.25	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
23.01.2020 14:52:37	1	1	1	1	74.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:52:38	1	1	1	1	74.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 14:52:39	1	1	1	1	74.25	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:40	1	1	1	1	74.25	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 14:52:41	1	1	1	1	74.25	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 14:52:42	1	1	1	1	74.5	63	0	30000	412.9032258	12406.7078	30000	0	0	30000	42.8125	2004
23.01.2020 14:52:43	1	1	1	1	74.5	62.75	0	30000	404.3010753	12045.49778	30000	0	0	30000	43	2004
23.01.2020 14:52:44	1	1	1	1	74.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 14:52:45	1	1	1	1	74.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:46	1	1	1	1	74.5	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 14:52:47	1	1	1	1	74.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 14:52:48	1	1	1	1	74.5	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
23.01.2020 14:52:49	1	1	1	1	74.5	62.75	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
23.01.2020 14:52:50	1	1	1	1	74.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 14:52:51	1	1	1	1	74.5	63.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 14:52:52	1	1	1	1	74.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 14:52:53	1	1	1	1	74.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:54	1	1	1	1	74.25	62	0	30000	425.8064516	12709.21099	30000	0	0	30000	43.1875	2004
23.01.2020 14:52:55	1	1	1	1	74.25	63	0	30000	423.655914	12709.21099	30000	0	0	30000	42.5625	2004
23.01.2020 14:52:56	1	1	1	1	74.25	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 14:52:57	1	1	1	1	74.25	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.25	2004
23.01.2020 14:52:58	1	1	1	1	74.25	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
23.01.2020 14:52:59	1	1	1	1	74.25	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 14:53:00	1	1	1	1	74.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 14:53:01	1	1	1	1	74	63	0	30000	423.655914	12709.21099	30000	0	0	30000	43.0625	2004
23.01.2020 14:53:03	1	1	1	1	74	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 14:53:10	1	1	1	1	74	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 14:53:10	1	1	1	1	74	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 14:53:10	1	1	1	1	74	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 14:53:10	1	1	1	1	74	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 14:53:10	1	1	1	1	74	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 14:53:10	1	1	1	1	74	62.5	0	30000	440.8602151	13032.0985	30000	0	0	30000	42.5625	2004
23.01.2020 14:53:11	1	1	1	1	74	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 14:53:12	1	1	1	1	74.25	63	0	29952.607	395.6989247	11999.83693	30000	0	0	30000	43.125	2004
23.01.2020 14:53:13	1	1	1	1	74.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 14:53:14	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 14:53:15	1	1	1	1	74.25	63.25	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 14:53:16	1	1	1	1	74.25	63	0	30000	335.483871	10064.14264	30000	0	0	30000	42.8125	2004
23.01.2020 14:53:17	1	1	1	1	74.25	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 14:53:18	1	1	1	1	74.25	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 14:53:19	1	1	1	1	74.25	62.75	0	30000	313.9784946	9290.354143	30000	0	0	30000	42.75	2004
23.01.2020 14:53:20	1	1	1	1	74.25	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.4375	2004
23.01.2020 14:53:21	1	1	1	1	74.25	63.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:53:22	1	1	1	1	74.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.3125	2004
23.01.2020 14:53:23	1	1	1	1	74.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 14:53:24	1	1	1	1	74.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.375	2004
23.01.2020 14:53:25	1	1	1	1	74.5	63.25	0	30094.787	316.1290323	9211.263012	30000	0	0	30000	42.5625	2004
23.01.2020 14:53:26	1	1	1	1	74.5	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 14:53:27	1	1	1	1	74.5	63	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.8125	2004
23.01.2020 14:53:28	1	1	1	1	74.5	62.75	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 14:53:29	1	1	1	1	74.5	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.9375	2004
23.01.2020 14:53:30	1	1	1	1	74.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
23.01.2020 14:53:31	1	1	1	1	74.5	62.75	0	30047.393	294.6236559	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 14:53:32	1	1	1	1	74.5	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.375	2004
23.01.2020 14:53:33	1	1	1	1	74.5	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.5	2004
23.01.2020 14:53:34	1	1	1	1	74.5	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 14:53:35	1	1	1	1	74.5	63	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 14:53:36	1	1	1	1	74.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.5625	2004
23.01.2020 14:53:37	1	1	1	1	74.5	61.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.8125	2004
23.01.2020 14:53:38	1	1	1	1	74.5	62.75	0	30000	320.4301075	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 14:53:39	1	1	1	1	74.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43	2004
23.01.2020 14:53:40	1	1	1	1	74.5	63	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.125	2004
23.01.2020 14:53:42	1	1	1	1	74.75	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.3125	2004
23.01.2020 14:53:43	1	1	1	1	74.75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 14:53:44	1	1	1	1	74.75	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.625	2004
23.01.2020 14:53:45	1	1	1	1	74.75	62.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 14:53:46	1	1	1	1	74.75	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.25	2004
23.01.2020 14:53:47	1	1	1	1	74.75	63.25	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 14:53:48	1	1	1	1	74.75	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.9375	2004
23.01.2020 14:53:49	1	1	1	1	74.75	62.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.875	2004
23.01.2020 14:53:50	1	1	1	1	74.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 14:53:51	1	1	1	1	74.75	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.8125	2004
23.01.2020 14:53:52	1	1	1	1	74.5	62.75	0	30000	292.4731183	8903.052211	30000	0	0	30000	43.25	2004
23.01.2020 14:53:53	1	1	1	1	74.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
23.01.2020 14:53:54	1	1	1	1	74.5	62.75	0	30000	292.4731183	8903.052211	30000	0	0	30000	42.875	2004
23.01.2020 14:53:55	1	1	1	1	74.5	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.125	2004
23.01.2020 14:53:56	1	1	1	1	74.5	63	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
23.01.2020 14:53:57	1	1	1	1	74.5	63.25	0	30000	296.7741935	8644.579132	30000	0	0	30000	43.375	2004
23.01.2020 14:53:58	1	1	1	1	74.5	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.3125	2004
23.01.2020 14:53:59	1	1	1	1	74.5	63.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.875	2004
23.01.2020 14:54:00	1	1	1	1	74.5	62.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.3125	2004
23.01.2020 14:54:01	1	1	1	1	74.5	63.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 14:54:02	1	1	1	1	74.5	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
23.01.2020 14:54:03	1	1	1	1	74.5	62.75	0	30000	292.4731183	8631.533172	30000	0	0	30000	43.1875	2004
23.01.2020 14:54:04	1	1	1	1	74.5	63	0	30000	290.3225806	8774.223358	30000	0	0	30000	42.5625	2004
23.01.2020 14:54:11	1	1	1	1	74.5	63.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:54:11	1	1	1	1	74.5	63.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.625	2004
23.01.2020 14:54:11	1	1	1	1	74.5	63.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.625	2004
23.01.2020 14:54:11	1	1	1	1	74.5	63.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.625	2004
23.01.2020 14:54:11	1	1	1	1	74.5	63.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.625	2004
23.01.2020 14:54:11	1	1	1	1	74.5	63.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.625	2004
23.01.2020 14:54:11	1	1	1	1	74.25	63.25	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	43.1875	2004
23.01.2020 14:54:12	1	1	1	1	74.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.1875	2004
23.01.2020 14:54:13	1	1	1	1	74.25	62	0	30000	305.3763441	9175.386622	30000	0	0	30000	42.6875	2004
23.01.2020 14:54:14	1	1	1	1	74.25	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.125	2004
23.01.2020 14:54:15	1	1	1	1	74.25	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.1875	2004
23.01.2020 14:54:16	1	1	1	1	74.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 14:54:17	1	1	1	1	74.25	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.875	2004
23.01.2020 14:54:18	1	1	1	1	74.25	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 14:54:20	1	1	1	1	74.25	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.875	2004
23.01.2020 14:54:21	1	1	1	1	74.25	62.75	0	30000	307.5268817	9354.76857	30000	0	0	30000	43.25	2004
23.01.2020 14:54:22	1	1	1	1	74.25	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 14:54:23	1	1	1	1	74.25	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.125	2004
23.01.2020 14:54:24	1	1	1	1	74.25	63	0	29905.213	288.172043	8553.257413	30000	0	0	30000	43.25	2004
23.01.2020 14:54:25	1	1	1	1	74.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 14:54:26	1	1	1	1	74.25	63	0	30000	292.4731183	8760.362025	30000	0	0	30000	43.1875	2004
23.01.2020 14:54:27	1	1	1	1	74.25	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.125	2004
23.01.2020 14:54:28	1	1	1	1	74.25	63	0	30000	305.3763441	9448.536406	30000	0	0	30000	42.9375	2004
23.01.2020 14:54:29	1	1	1	1	74.25	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.125	2004
23.01.2020 14:54:30	1	1	1	1	74.25	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.6875	2004
23.01.2020 14:54:31	1	1	1	1	74.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.875	2004
23.01.2020 14:54:32	1	1	1	1	74.25	62.75	0	30000	288.172043	8774.223358	30000	0	0	30000	43.25	2004
23.01.2020 14:54:33	1	1	1	1	74.25	63.25	0	29905.213	292.4731183	8774.223358	30000	0	0	30000	42.8125	2004
23.01.2020 14:54:34	1	1	1	1	74.25	62.75	0	30000	301.0752688	9018.019732	30000	0	0	30000	43.1875	2004
23.01.2020 14:54:35	1	1	1	1	74.25	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.0625	2004
23.01.2020 14:54:36	1	1	1	1	74.25	63	0	30000	316.1290323	9468.920719	30000	0	0	30000	42.8125	2004
23.01.2020 14:54:37	1	1	1	1	74.25	62.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.25	2004
23.01.2020 14:54:38	1	1	1	1	74.25	63.25	0	30000	324.7311828	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 14:54:39	1	1	1	1	74.25	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.625	2004
23.01.2020 14:54:40	1	1	1	1	74.25	62.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.625	2004
23.01.2020 14:54:41	1	1	1	1	74.25	62.5	0	29952.607	326.8817204	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 14:54:42	1	1	1	1	74	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
23.01.2020 14:54:43	1	1	1	1	74	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 14:54:44	1	1	1	1	74	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.5625	2004
23.01.2020 14:54:45	1	1	1	1	74	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.3125	2004
23.01.2020 14:54:46	1	1	1	1	74	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
23.01.2020 14:54:47	1	1	1	1	74	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.625	2004
23.01.2020 14:54:48	1	1	1	1	74	63.5	0	30000	341.9354839	10128.55706	30000	0	0	30000	42.9375	2004
23.01.2020 14:54:49	1	1	1	1	74	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:54:50	1	1	1	1	74	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.125	2004
23.01.2020 14:54:51	1	1	1	1	74	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.25	2004
23.01.2020 14:54:52	1	1	1	1	74	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.6875	2004
23.01.2020 14:54:53	1	1	1	1	74	62.5	0	30000	339.7849462	9999.728209	30000	0	0	30000	42.8125	2004
23.01.2020 14:54:54	1	1	1	1	74	62.75	0	30000	335.483871	9919.821705	30000	0	0	30000	41.875	2004
23.01.2020 14:54:55	1	1	1	1	74	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 14:54:57	1	1	1	1	74	63	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 14:54:58	1	1	1	1	74	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 14:54:59	1	1	1	1	74	62.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	43	2004
23.01.2020 14:55:00	1	1	1	1	74	63	0	29952.607	307.5268817	9275.677439	30000	0	0	30000	43.1875	2004
23.01.2020 14:55:01	1	1	1	1	74	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.8125	2004
23.01.2020 14:55:02	1	1	1	1	73.75	62.75	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 14:55:03	1	1	1	1	73.75	63	0	30000	301.0752688	9046.557769	30000	0	0	30000	43.1875	2004
23.01.2020 14:55:04	1	1	1	1	73.75	63	0	29905.213	298.9247312	8967.466638	30000	0	0	30000	43.125	2004
23.01.2020 14:55:05	1	1	1	1	73.75	63	0	30000	296.7741935	8824.776452	30000	0	0	30000	43.25	2004
23.01.2020 14:55:06	1	1	1	1	73.75	63.25	0	30000	294.6236559	8644.579132	30000	0	0	30000	43.0625	2004
23.01.2020 14:55:13	1	1	1	1	74	62	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.3125	2004
23.01.2020 14:55:13	1	1	1	1	74	62	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.3125	2004
23.01.2020 14:55:13	1	1	1	1	74	63.25	0	30000	294.6236559	8967.466638	30000	0	0	30000	43	2004
23.01.2020 14:55:13	1	1	1	1	74	63.25	0	30000	294.6236559	8967.466638	30000	0	0	30000	43	2004
23.01.2020 14:55:13	1	1	1	1	74	63.25	0	30000	294.6236559	8967.466638	30000	0	0	30000	43	2004
23.01.2020 14:55:13	1	1	1	1	74	63.25	0	30000	294.6236559	8967.466638	30000	0	0	30000	43	2004
23.01.2020 14:55:13	1	1	1	1	74	63.25	0	30000	294.6236559	8967.466638	30000	0	0	30000	43	2004
23.01.2020 14:55:14	1	1	1	1	74	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	43.3125	2004
23.01.2020 14:55:15	1	1	1	1	74	63.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	43.125	2004
23.01.2020 14:55:16	1	1	1	1	74	63	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	43.125	2004
23.01.2020 14:55:17	1	1	1	1	74	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 14:55:18	1	1	1	1	74	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.375	2004
23.01.2020 14:55:19	1	1	1	1	74	62.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.25	2004
23.01.2020 14:55:20	1	1	1	1	74	63.25	0	29952.607	292.4731183	8967.466638	30000	0	0	30000	43.125	2004
23.01.2020 14:55:21	1	1	1	1	74	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.9375	2004
23.01.2020 14:55:22	1	1	1	1	74	62.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.875	2004
23.01.2020 14:55:23	1	1	1	1	74	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
23.01.2020 14:55:24	1	1	1	1	74	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.3125	2004
23.01.2020 14:55:25	1	1	1	1	74	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.5625	2004
23.01.2020 14:55:26	1	1	1	1	74	63.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 14:55:27	1	1	1	1	74	63	0	30000	316.1290323	9419.182997	30000	0	0	30000	43.625	2004
23.01.2020 14:55:28	1	1	1	1	74	63.5	0	30000	307.5268817	9354.76857	30000	0	0	30000	43.5625	2004
23.01.2020 14:55:29	1	1	1	1	74	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.125	2004
23.01.2020 14:55:30	1	1	1	1	74	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.9375	2004
23.01.2020 14:55:31	1	1	1	1	74	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 14:55:32	1	1	1	1	74	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.625	2004
23.01.2020 14:55:33	1	1	1	1	74	62.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:55:35	1	1	1	1	74	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 14:55:36	1	1	1	1	74	63	0	30000	292.4731183	8567.118745	30000	0	0	30000	43	2004
23.01.2020 14:55:37	1	1	1	1	74	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 14:55:38	1	1	1	1	74	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43	2004
23.01.2020 14:55:39	1	1	1	1	74	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 14:55:40	1	1	1	1	74	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 14:55:41	1	1	1	1	74	62.75	0	29952.607	316.1290323	9453.428641	30000	0	0	30000	42.8125	2004
23.01.2020 14:55:42	1	1	1	1	73.75	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 14:55:43	1	1	1	1	73.75	63	0	30000	316.1290323	9404.506292	30000	0	0	30000	43	2004
23.01.2020 14:55:44	1	1	1	1	73.75	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.25	2004
23.01.2020 14:55:45	1	1	1	1	73.75	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.625	2004
23.01.2020 14:55:46	1	1	1	1	73.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 14:55:47	1	1	1	1	73.75	63	0	30000	335.483871	9870.899356	30000	0	0	30000	42.6875	2004
23.01.2020 14:55:48	1	1	1	1	73.75	62.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.0625	2004
23.01.2020 14:55:49	1	1	1	1	73.75	63	0	30000	335.483871	9999.728209	30000	0	0	30000	42.9375	2004
23.01.2020 14:55:50	1	1	1	1	73.75	62.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.625	2004
23.01.2020 14:55:51	1	1	1	1	73.75	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42	2004
23.01.2020 14:55:52	1	1	1	1	73.75	62	0	30000	335.483871	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 14:55:53	1	1	1	1	73.75	63	0	29952.607	339.7849462	10177.47941	30000	0	0	30000	43.0625	2004
23.01.2020 14:55:54	1	1	1	1	73.75	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.875	2004
23.01.2020 14:55:55	1	1	1	1	73.75	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.125	2004
23.01.2020 14:55:56	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43	2004
23.01.2020 14:55:57	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 14:55:58	1	1	1	1	73.75	63	0	30000	346.2365591	10435.13712	30000	0	0	30000	42.9375	2004
23.01.2020 14:55:59	1	1	1	1	73.75	62.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 14:56:00	1	1	1	1	73.75	63	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	42.8125	2004
23.01.2020 14:56:01	1	1	1	1	73.75	62.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	43	2004
23.01.2020 14:56:02	1	1	1	1	73.75	63	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	43.25	2004
23.01.2020 14:56:03	1	1	1	1	73.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 14:56:04	1	1	1	1	73.75	63	0	30000	363.4408602	10757.20925	30000	0	0	30000	43.125	2004
23.01.2020 14:56:05	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
23.01.2020 14:56:06	1	1	1	1	73.75	62.75	0	30000	372.0430108	11225.23306	30000	0	0	30000	43.5625	2004
23.01.2020 14:56:07	1	1	1	1	73.75	63.5	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.1875	2004
23.01.2020 14:56:15	1	1	1	1	74	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:15	1	1	1	1	74	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:15	1	1	1	1	74	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:15	1	1	1	1	74	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:15	1	1	1	1	74	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:15	1	1	1	1	74	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:15	1	1	1	1	74	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:15	1	1	1	1	74	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:17	1	1	1	1	74	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
23.01.2020 14:56:18	1	1	1	1	74	62.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.625	2004
23.01.2020 14:56:18	1	1	1	1	74	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:56:19	1	1	1	1	74	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 14:56:20	1	1	1	1	74	63	0	30000	279.5698925	8580.164705	30000	0	0	30000	43.125	2004
23.01.2020 14:56:21	1	1	1	1	74	63	0	29952.607	273.1182796	8258.092572	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:22	1	1	1	1	73.75	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.6875	2004
23.01.2020 14:56:23	1	1	1	1	73.75	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.4375	2004
23.01.2020 14:56:24	1	1	1	1	73.75	62.25	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	42.875	2004
23.01.2020 14:56:25	1	1	1	1	73.75	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	43	2004
23.01.2020 14:56:26	1	1	1	1	73.75	63	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	42.5	2004
23.01.2020 14:56:27	1	1	1	1	73.75	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.1875	2004
23.01.2020 14:56:28	1	1	1	1	73.75	62	0	29905.213	303.2258065	8925.067268	30000	0	0	30000	43.1875	2004
23.01.2020 14:56:29	1	1	1	1	73.75	63	0	30000	316.1290323	9468.920719	30000	0	0	30000	42.6875	2004
23.01.2020 14:56:30	1	1	1	1	73.75	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:31	1	1	1	1	73.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:32	1	1	1	1	73.5	63	0	30000	335.483871	9999.728209	30000	0	0	30000	42.875	2004
23.01.2020 14:56:33	1	1	1	1	73.5	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:34	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.1875	2004
23.01.2020 14:56:35	1	1	1	1	73.5	62	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 14:56:36	1	1	1	1	73.5	63	0	30000	365.5913978	10757.20925	30000	0	0	30000	42.875	2004
23.01.2020 14:56:37	1	1	1	1	73.5	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.125	2004
23.01.2020 14:56:38	1	1	1	1	73.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 14:56:39	1	1	1	1	73.5	62.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	42.5	2004
23.01.2020 14:56:40	1	1	1	1	73.5	62.5	0	29905.213	365.5913978	11061.34319	30000	0	0	30000	42.875	2004
23.01.2020 14:56:41	1	1	1	1	73.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 14:56:42	1	1	1	1	73.5	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
23.01.2020 14:56:43	1	1	1	1	73.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 14:56:44	1	1	1	1	73.5	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.3125	2004
23.01.2020 14:56:45	1	1	1	1	73.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 14:56:46	1	1	1	1	73.5	62.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	43.3125	2004
23.01.2020 14:56:47	1	1	1	1	73.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 14:56:48	1	1	1	1	73.5	62.25	0	29905.213	369.8924731	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 14:56:49	1	1	1	1	73.5	62.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 14:56:50	1	1	1	1	73.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
23.01.2020 14:56:51	1	1	1	1	73.5	62.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 14:56:52	1	1	1	1	73.5	62.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.9375	2004
23.01.2020 14:56:53	1	1	1	1	73.5	62.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	43	2004
23.01.2020 14:56:55	1	1	1	1	73.5	63	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.9375	2004
23.01.2020 14:56:56	1	1	1	1	73.5	62.75	0	29905.213	384.9462366	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 14:56:57	1	1	1	1	73.5	62.75	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 14:56:58	1	1	1	1	73.5	62.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.8125	2004
23.01.2020 14:56:59	1	1	1	1	73.5	62.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 14:57:00	1	1	1	1	73.5	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
23.01.2020 14:57:01	1	1	1	1	73.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 14:57:02	1	1	1	1	73.5	62.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:57:03	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 14:57:04	1	1	1	1	73.5	62.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:05	1	1	1	1	73.5	62.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.0625	2004
23.01.2020 14:57:06	1	1	1	1	73.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:07	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:08	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 14:57:09	1	1	1	1	73.5	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 14:57:16	1	1	1	1	73.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:16	1	1	1	1	73.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:16	1	1	1	1	73.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:16	1	1	1	1	73.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:16	1	1	1	1	73.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:16	1	1	1	1	73.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:16	1	1	1	1	73.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:16	1	1	1	1	73.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.6875	2004
23.01.2020 14:57:17	1	1	1	1	73.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
23.01.2020 14:57:18	1	1	1	1	73.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43	2004
23.01.2020 14:57:19	1	1	1	1	73.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 14:57:20	1	1	1	1	73.5	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
23.01.2020 14:57:21	1	1	1	1	73.5	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 14:57:22	1	1	1	1	74	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
23.01.2020 14:57:23	1	1	1	1	74	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.0625	2004
23.01.2020 14:57:24	1	1	1	1	74	63	0	30000	329.0322581	9999.728209	30000	0	0	30000	43.5625	2004
23.01.2020 14:57:25	1	1	1	1	74	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 14:57:26	1	1	1	1	74	63	0	29905.213	365.5913978	11096.40421	30000	0	0	30000	42.875	2004
23.01.2020 14:57:27	1	1	1	1	74	63.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.9375	2004
23.01.2020 14:57:28	1	1	1	1	74	61.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.875	2004
23.01.2020 14:57:29	1	1	1	1	74	62.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 14:57:30	1	1	1	1	74	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.8125	2004
23.01.2020 14:57:31	1	1	1	1	74	62.75	0	29952.607	389.2473118	11871.00807	30000	0	0	30000	42.25	2004
23.01.2020 14:57:33	1	1	1	1	74	62.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 14:57:34	1	1	1	1	74	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.75	2004
23.01.2020 14:57:35	1	1	1	1	74	62.75	0	29952.607	402.1505376	11999.83693	30000	0	0	30000	42.8125	2004
23.01.2020 14:57:36	1	1	1	1	74	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
23.01.2020 14:57:37	1	1	1	1	74	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
23.01.2020 14:57:38	1	1	1	1	74	62	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	43.125	2004
23.01.2020 14:57:39	1	1	1	1	74	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.0625	2004
23.01.2020 14:57:40	1	1	1	1	74	63	0	30000	425.8064516	12689.64205	30000	0	0	30000	42.875	2004
23.01.2020 14:57:41	1	1	1	1	74	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 14:57:42	1	1	1	1	73.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
23.01.2020 14:57:43	1	1	1	1	73.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004
23.01.2020 14:57:44	1	1	1	1	73.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
23.01.2020 14:57:45	1	1	1	1	73.75	62.5	0	29905.213	419.3548387	12560.8132	30000	0	0	30000	42.6875	2004
23.01.2020 14:57:46	1	1	1	1	73.75	62.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:57:49	1	1	1	1	73.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 14:57:49	1	1	1	1	73.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 14:57:49	1	1	1	1	73.75	62.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 14:57:50	1	1	1	1	73.75	63	0	30000	417.2043011	12709.21099	30000	0	0	30000	42.75	2004
23.01.2020 14:57:51	1	1	1	1	73.75	62.75	0	30000	419.3548387	12689.64205	30000	0	0	30000	42.875	2004
23.01.2020 14:57:52	1	1	1	1	74	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 14:57:53	1	1	1	1	74	63	0	30000	417.2043011	12515.96771	30000	0	0	30000	42.875	2004
23.01.2020 14:57:54	1	1	1	1	74	62.75	0	30000	423.655914	12580.38214	30000	0	0	30000	42.5625	2004
23.01.2020 14:57:55	1	1	1	1	74	62.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	43	2004
23.01.2020 14:57:56	1	1	1	1	74	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.375	2004
23.01.2020 14:57:57	1	1	1	1	74	62.25	0	29952.607	432.2580645	12818.4709	30000	0	0	30000	43	2004
23.01.2020 14:57:58	1	1	1	1	74	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	43.0625	2004
23.01.2020 14:57:59	1	1	1	1	74	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 14:58:00	1	1	1	1	74	62.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	43	2004
23.01.2020 14:58:01	1	1	1	1	74	63	0	30000	434.4086022	12967.68407	30000	0	0	30000	43.0625	2004
23.01.2020 14:58:02	1	1	1	1	73.75	63	0	30000	436.5591398	13096.51292	30000	0	0	30000	43.3125	2004
23.01.2020 14:58:03	1	1	1	1	73.75	63.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	43.375	2004
23.01.2020 14:58:04	1	1	1	1	73.75	62.75	0	29952.607	434.4086022	13096.51292	30000	0	0	30000	42.9375	2004
23.01.2020 14:58:05	1	1	1	1	73.75	62.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.875	2004
23.01.2020 14:58:06	1	1	1	1	73.75	62.75	0	30000	443.0107527	13140.54304	30000	0	0	30000	42.4375	2004
23.01.2020 14:58:07	1	1	1	1	73.75	62.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	43	2004
23.01.2020 14:58:08	1	1	1	1	73.75	63	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.8125	2004
23.01.2020 14:58:09	1	1	1	1	73.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5625	2004
23.01.2020 14:58:11	1	1	1	1	73.75	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.875	2004
23.01.2020 14:58:18	1	1	1	1	73.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.75	2004
23.01.2020 14:58:18	1	1	1	1	73.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.75	2004
23.01.2020 14:58:18	1	1	1	1	73.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.75	2004
23.01.2020 14:58:18	1	1	1	1	73.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.75	2004
23.01.2020 14:58:18	1	1	1	1	73.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.75	2004
23.01.2020 14:58:18	1	1	1	1	73.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.75	2004
23.01.2020 14:58:18	1	1	1	1	73.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.75	2004
23.01.2020 14:58:18	1	1	1	1	73.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.75	2004
23.01.2020 14:58:19	1	1	1	1	73.5	62.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.6875	2004
23.01.2020 14:58:20	1	1	1	1	73.5	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	43	2004
23.01.2020 14:58:21	1	1	1	1	73.5	63	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.125	2004
23.01.2020 14:58:22	1	1	1	1	73	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 14:58:23	1	1	1	1	73	62.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.8125	2004
23.01.2020 14:58:24	1	1	1	1	73	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43	2004
23.01.2020 14:58:25	1	1	1	1	73	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 14:58:26	1	1	1	1	73	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.875	2004
23.01.2020 14:58:27	1	1	1	1	73	62.75	0	30000	294.6236559	8774.223358	30000	0	0	30000	43	2004
23.01.2020 14:58:28	1	1	1	1	73	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
23.01.2020 14:58:29	1	1	1	1	73	63	0	29905.213	266.6666667	7987.388905	30000	0	0	30000	43.0625	2004
23.01.2020 14:58:30	1	1	1	1	73	63	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:58:31	1	1	1	1	73	63	0	30000	262.3655914	7794.145626	30000	0	0	30000	43	2004
23.01.2020 14:58:32	1	1	1	1	72.5	63	0	30000	253.7634409	7600.902346	30000	0	0	30000	43.0625	2004
23.01.2020 14:58:33	1	1	1	1	72.5	63	0	29952.607	253.7634409	7676.731987	30000	0	0	30000	42.875	2004
23.01.2020 14:58:34	1	1	1	1	72.5	62.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	43	2004
23.01.2020 14:58:35	1	1	1	1	72.5	63	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.125	2004
23.01.2020 14:58:36	1	1	1	1	72.5	63	0	30000	251.6129032	7547.903134	30000	0	0	30000	43	2004
23.01.2020 14:58:37	1	1	1	1	72.5	63	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	42.9375	2004
23.01.2020 14:58:38	1	1	1	1	72.5	62.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.9375	2004
23.01.2020 14:58:39	1	1	1	1	72.5	62.75	0	30000	298.9247312	8824.776452	30000	0	0	30000	43.125	2004
23.01.2020 14:58:40	1	1	1	1	72.5	63	0	30000	307.5268817	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 14:58:41	1	1	1	1	72.5	63	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.4375	2004
23.01.2020 14:58:42	1	1	1	1	72	63.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43	2004
23.01.2020 14:58:43	1	1	1	1	72	63.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.9375	2004
23.01.2020 14:58:44	1	1	1	1	72	62.75	0	29952.607	335.483871	10048.65056	30000	0	0	30000	43.125	2004
23.01.2020 14:58:45	1	1	1	1	72	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 14:58:46	1	1	1	1	72	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
23.01.2020 14:58:47	1	1	1	1	72	63	0	29905.213	320.4301075	9806.484929	30000	0	0	30000	43	2004
23.01.2020 14:58:48	1	1	1	1	72	63	0	30000	329.0322581	9855.407279	30000	0	0	30000	43	2004
23.01.2020 14:58:50	1	1	1	1	72	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.875	2004
23.01.2020 14:58:51	1	1	1	1	72	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	43	2004
23.01.2020 14:58:52	1	1	1	1	72	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 14:58:53	1	1	1	1	72	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 14:58:54	1	1	1	1	72	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 14:58:55	1	1	1	1	72	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 14:58:56	1	1	1	1	72	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 14:58:57	1	1	1	1	72	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.3125	2004
23.01.2020 14:58:58	1	1	1	1	72	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 14:58:59	1	1	1	1	72	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.125	2004
23.01.2020 14:59:00	1	1	1	1	72	63	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.125	2004
23.01.2020 14:59:01	1	1	1	1	72	62	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.75	2004
23.01.2020 14:59:02	1	1	1	1	72.5	62.75	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 14:59:03	1	1	1	1	72.5	63.25	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	42.3125	2004
23.01.2020 14:59:04	1	1	1	1	72.5	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
23.01.2020 14:59:05	1	1	1	1	72.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 14:59:06	1	1	1	1	72.5	63	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 14:59:07	1	1	1	1	72.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:08	1	1	1	1	72.5	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 14:59:09	1	1	1	1	72.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:10	1	1	1	1	72.5	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
23.01.2020 14:59:11	1	1	1	1	72.5	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.25	2004
23.01.2020 14:59:12	1	1	1	1	72.25	62.25	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:19	1	1	1	1	72.25	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 14:59:19	1	1	1	1	72.25	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:59:19	1	1	1	1	72.25	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 14:59:19	1	1	1	1	72.25	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 14:59:19	1	1	1	1	72.25	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 14:59:19	1	1	1	1	72.25	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 14:59:19	1	1	1	1	72.25	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 14:59:20	1	1	1	1	72.25	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.75	2004
23.01.2020 14:59:21	1	1	1	1	72.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 14:59:22	1	1	1	1	72.75	62.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43	2004
23.01.2020 14:59:23	1	1	1	1	72.75	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
23.01.2020 14:59:24	1	1	1	1	72.75	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.8125	2004
23.01.2020 14:59:25	1	1	1	1	72.75	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:27	1	1	1	1	72.75	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 14:59:28	1	1	1	1	72.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
23.01.2020 14:59:29	1	1	1	1	72.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
23.01.2020 14:59:30	1	1	1	1	72.75	63	0	30000	288.172043	8644.579132	30000	0	0	30000	43	2004
23.01.2020 14:59:31	1	1	1	1	72.75	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43	2004
23.01.2020 14:59:32	1	1	1	1	73.5	63	0	30000	288.172043	8644.579132	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:33	1	1	1	1	73.5	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.25	2004
23.01.2020 14:59:34	1	1	1	1	73.5	62.25	0	30000	292.4731183	8644.579132	30000	0	0	30000	42.4375	2004
23.01.2020 14:59:35	1	1	1	1	73.5	62.25	0	30000	288.172043	8644.579132	30000	0	0	30000	42.5625	2004
23.01.2020 14:59:36	1	1	1	1	73.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.75	2004
23.01.2020 14:59:37	1	1	1	1	73.5	62.75	0	30000	286.0215054	8708.993559	30000	0	0	30000	42.5625	2004
23.01.2020 14:59:38	1	1	1	1	73.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.0625	2004
23.01.2020 14:59:39	1	1	1	1	73.5	63	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:40	1	1	1	1	73.5	62.75	0	30000	290.3225806	8774.223358	30000	0	0	30000	42.5	2004
23.01.2020 14:59:41	1	1	1	1	73.5	62.5	0	30000	286.0215054	8708.993559	30000	0	0	30000	43.0625	2004
23.01.2020 14:59:42	1	1	1	1	73.5	63	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.125	2004
23.01.2020 14:59:43	1	1	1	1	73.5	63	0	30000	288.172043	8708.993559	30000	0	0	30000	42	2004
23.01.2020 14:59:44	1	1	1	1	73.5	62	0	30000	288.172043	8580.164705	30000	0	0	30000	43.0625	2004
23.01.2020 14:59:45	1	1	1	1	73.5	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:46	1	1	1	1	73.5	62.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 14:59:47	1	1	1	1	73.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43	2004
23.01.2020 14:59:48	1	1	1	1	73.5	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.4375	2004
23.01.2020 14:59:49	1	1	1	1	73.5	62.25	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	42.5625	2004
23.01.2020 14:59:50	1	1	1	1	73.5	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	43	2004
23.01.2020 14:59:51	1	1	1	1	73.5	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:52	1	1	1	1	73.5	62.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:53	1	1	1	1	73.5	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.9375	2004
23.01.2020 14:59:54	1	1	1	1	73.5	62.75	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 14:59:55	1	1	1	1	73.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
23.01.2020 14:59:56	1	1	1	1	73.5	62.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 14:59:57	1	1	1	1	73.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
23.01.2020 14:59:58	1	1	1	1	73.5	62.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 14:59:59	1	1	1	1	73.5	63	0	29952.607	273.1182796	8180.632185	30000	0	0	30000	43.5	2004
23.01.2020 15:00:00	1	1	1	1	73.5	62.75	0	30047.393	268.8172043	8077.079879	30000	0	0	30000	42.9375	2004
23.01.2020 15:00:01	1	1	1	1	73	62.75	0	29905.213	270.9677419	8064.033919	30000	0	0	30000	43.0625	2004
23.01.2020 15:00:02	1	1	1	1	73	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 15:00:04	1	1	1	1	73	63	0	30000	279.5698925	8322.506999	30000	0	0	30000	42	2004
23.01.2020 15:00:05	1	1	1	1	73	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.875	2004
23.01.2020 15:00:06	1	1	1	1	73	62.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.125	2004
23.01.2020 15:00:07	1	1	1	1	73	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.0625	2004
23.01.2020 15:00:08	1	1	1	1	73	63	0	30000	264.516129	7999.619493	30000	0	0	30000	42.9375	2004
23.01.2020 15:00:09	1	1	1	1	73	62.75	0	29952.607	258.0645161	7524.257332	30000	0	0	30000	42.375	2004
23.01.2020 15:00:10	1	1	1	1	73	62.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.5	2004
23.01.2020 15:00:11	1	1	1	1	73	62.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.1875	2004
23.01.2020 15:00:12	1	1	1	1	72.75	63	0	30000	264.516129	7935.205066	30000	0	0	30000	42.875	2004
23.01.2020 15:00:13	1	1	1	1	72.75	62.75	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	43.1875	2004
23.01.2020 15:00:14	1	1	1	1	72.75	63	0	30000	286.0215054	8515.750279	30000	0	0	30000	42.375	2004
23.01.2020 15:00:21	1	1	1	1	72.75	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43	2004
23.01.2020 15:00:21	1	1	1	1	72.75	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43	2004
23.01.2020 15:00:21	1	1	1	1	72.75	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43	2004
23.01.2020 15:00:21	1	1	1	1	72.75	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43	2004
23.01.2020 15:00:21	1	1	1	1	72.75	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43	2004
23.01.2020 15:00:21	1	1	1	1	72.75	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43	2004
23.01.2020 15:00:21	1	1	1	1	72.75	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43	2004
23.01.2020 15:00:22	1	1	1	1	73.5	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.875	2004
23.01.2020 15:00:23	1	1	1	1	73.5	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.0625	2004
23.01.2020 15:00:24	1	1	1	1	73.5	63	0	30000	247.311828	7419.07428	30000	0	0	30000	42.4375	2004
23.01.2020 15:00:25	1	1	1	1	73.5	62.25	0	30000	247.311828	7419.07428	30000	0	0	30000	43.0625	2004
23.01.2020 15:00:26	1	1	1	1	73.5	63	0	29905.213	249.4623656	7547.903134	30000	0	0	30000	42.9375	2004
23.01.2020 15:00:27	1	1	1	1	73.5	62.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	43.0625	2004
23.01.2020 15:00:28	1	1	1	1	73.5	63	0	30000	249.4623656	7483.488707	30000	0	0	30000	43	2004
23.01.2020 15:00:29	1	1	1	1	73.5	63	0	30000	251.6129032	7483.488707	30000	0	0	30000	42.875	2004
23.01.2020 15:00:30	1	1	1	1	73.5	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.8125	2004
23.01.2020 15:00:31	1	1	1	1	73.5	62.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.875	2004
23.01.2020 15:00:32	1	1	1	1	73.75	62.75	0	30000	273.1182796	8128.448346	30000	0	0	30000	43	2004
23.01.2020 15:00:33	1	1	1	1	73.75	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.9375	2004
23.01.2020 15:00:34	1	1	1	1	73.75	62.75	0	30000	279.5698925	8258.092572	30000	0	0	30000	43	2004
23.01.2020 15:00:35	1	1	1	1	73.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.125	2004
23.01.2020 15:00:36	1	1	1	1	73.75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.6875	2004
23.01.2020 15:00:37	1	1	1	1	73.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
23.01.2020 15:00:38	1	1	1	1	73.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
23.01.2020 15:00:39	1	1	1	1	73.75	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 15:00:40	1	1	1	1	73.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.9375	2004
23.01.2020 15:00:41	1	1	1	1	73.75	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 15:00:43	1	1	1	1	73.75	63	0	29952.607	292.4731183	8903.052211	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:00:44	1	1	1	1	73.75	63	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	42.6875	2004
23.01.2020 15:00:45	1	1	1	1	73.75	62.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.75	2004
23.01.2020 15:00:46	1	1	1	1	73.75	62.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	43	2004
23.01.2020 15:00:47	1	1	1	1	73.75	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.1875	2004
23.01.2020 15:00:48	1	1	1	1	73.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 15:00:49	1	1	1	1	73.75	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.9375	2004
23.01.2020 15:00:50	1	1	1	1	73.75	62.75	0	29952.607	320.4301075	9870.899356	30000	0	0	30000	43.0625	2004
23.01.2020 15:00:51	1	1	1	1	73.75	63	0	29952.607	316.1290323	9676.840703	30000	0	0	30000	42.5	2004
23.01.2020 15:00:52	1	1	1	1	73.5	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 15:00:53	1	1	1	1	73.5	63	0	30000	307.5268817	9160.709918	30000	0	0	30000	42.875	2004
23.01.2020 15:00:54	1	1	1	1	73.5	62.75	0	29952.607	288.172043	8708.993559	30000	0	0	30000	42.6875	2004
23.01.2020 15:00:55	1	1	1	1	73.5	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.8125	2004
23.01.2020 15:00:56	1	1	1	1	73.5	62.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	42.8125	2004
23.01.2020 15:00:57	1	1	1	1	73.5	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.75	2004
23.01.2020 15:00:58	1	1	1	1	73.5	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
23.01.2020 15:00:59	1	1	1	1	73.5	62.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	43.125	2004
23.01.2020 15:01:00	1	1	1	1	73.5	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.1875	2004
23.01.2020 15:01:01	1	1	1	1	73.5	62	0	30000	275.2688172	8205.908733	30000	0	0	30000	43.0625	2004
23.01.2020 15:01:02	1	1	1	1	73.5	63	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.875	2004
23.01.2020 15:01:03	1	1	1	1	73.5	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.125	2004
23.01.2020 15:01:04	1	1	1	1	73.5	63	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	43	2004
23.01.2020 15:01:05	1	1	1	1	73.5	63	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.125	2004
23.01.2020 15:01:06	1	1	1	1	73.5	63	0	30000	294.6236559	8967.466638	30000	0	0	30000	42.875	2004
23.01.2020 15:01:07	1	1	1	1	73.5	62.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:01:08	1	1	1	1	73.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:01:09	1	1	1	1	73.5	62.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.1875	2004
23.01.2020 15:01:10	1	1	1	1	73.5	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43	2004
23.01.2020 15:01:11	1	1	1	1	73.5	63	0	29952.607	281.7204301	8644.579132	30000	0	0	30000	43.0625	2004
23.01.2020 15:01:12	1	1	1	1	73.25	63	0	30000	277.4193548	8258.092572	30000	0	0	30000	43.125	2004
23.01.2020 15:01:13	1	1	1	1	73.25	63	0	29952.607	268.8172043	8192.862773	30000	0	0	30000	42.5	2004
23.01.2020 15:01:14	1	1	1	1	73.25	62.5	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	42.8125	2004
23.01.2020 15:01:15	1	1	1	1	73.25	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.4375	2004
23.01.2020 15:01:23	1	1	1	1	73.25	62	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.4375	2004
23.01.2020 15:01:23	1	1	1	1	73.25	62	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.4375	2004
23.01.2020 15:01:23	1	1	1	1	73.25	62	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.4375	2004
23.01.2020 15:01:23	1	1	1	1	73.25	62	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.4375	2004
23.01.2020 15:01:23	1	1	1	1	73.25	62	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.4375	2004
23.01.2020 15:01:23	1	1	1	1	73.25	62.25	0	30000	264.516129	7935.205066	30000	0	0	30000	42.875	2004
23.01.2020 15:01:24	1	1	1	1	73.25	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	42.625	2004
23.01.2020 15:01:25	1	1	1	1	73.25	62.5	0	30000	258.0645161	7729.731199	30000	0	0	30000	42.875	2004
23.01.2020 15:01:26	1	1	1	1	73.25	62.75	0	30000	255.9139785	7818.6068	30000	0	0	30000	43	2004
23.01.2020 15:01:27	1	1	1	1	73.25	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:01:28	1	1	1	1	73.25	62.75	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.9375	2004
23.01.2020 15:01:29	1	1	1	1	73.25	62.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.4375	2004
23.01.2020 15:01:30	1	1	1	1	73.25	62.25	0	30000	264.516129	7935.205066	30000	0	0	30000	42.25	2004
23.01.2020 15:01:31	1	1	1	1	73.25	62.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.375	2004
23.01.2020 15:01:32	1	1	1	1	73.25	62.25	0	30000	273.1182796	8335.552958	30000	0	0	30000	43	2004
23.01.2020 15:01:33	1	1	1	1	73.25	63	0	30000	270.9677419	8051.803332	30000	0	0	30000	41.9375	2004
23.01.2020 15:01:34	1	1	1	1	73.25	61.75	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.875	2004
23.01.2020 15:01:35	1	1	1	1	73.25	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.0625	2004
23.01.2020 15:01:36	1	1	1	1	73.25	63	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	43.0625	2004
23.01.2020 15:01:37	1	1	1	1	73.25	63	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.5625	2004
23.01.2020 15:01:38	1	1	1	1	73.25	62.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.0625	2004
23.01.2020 15:01:39	1	1	1	1	73.25	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
23.01.2020 15:01:40	1	1	1	1	73.25	63	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.9375	2004
23.01.2020 15:01:41	1	1	1	1	73.25	62.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	43	2004
23.01.2020 15:01:42	1	1	1	1	73.25	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43	2004
23.01.2020 15:01:43	1	1	1	1	73.25	63	0	30000	273.1182796	8258.092572	30000	0	0	30000	42.0625	2004
23.01.2020 15:01:44	1	1	1	1	73.25	62	0	30000	279.5698925	8322.506999	30000	0	0	30000	43	2004
23.01.2020 15:01:45	1	1	1	1	73.25	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43	2004
23.01.2020 15:01:46	1	1	1	1	73.25	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
23.01.2020 15:01:47	1	1	1	1	73.25	62.5	0	29905.213	275.2688172	8373.875465	30000	0	0	30000	42.4375	2004
23.01.2020 15:01:48	1	1	1	1	73.25	62.25	0	29952.607	288.172043	8708.993559	30000	0	0	30000	42.9375	2004
23.01.2020 15:01:49	1	1	1	1	73.25	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.8125	2004
23.01.2020 15:01:50	1	1	1	1	73.25	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
23.01.2020 15:01:51	1	1	1	1	73.25	62.75	0	29952.607	290.3225806	8838.637784	30000	0	0	30000	42.9375	2004
23.01.2020 15:01:52	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.375	2004
23.01.2020 15:01:53	1	1	1	1	73.5	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.5625	2004
23.01.2020 15:01:54	1	1	1	1	73.5	63.5	0	30000	296.7741935	8874.514174	30000	0	0	30000	43.5	2004
23.01.2020 15:01:55	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.8125	2004
23.01.2020 15:01:56	1	1	1	1	73.5	62.75	0	29952.607	292.4731183	8695.947599	30000	0	0	30000	42.9375	2004
23.01.2020 15:01:57	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.6875	2004
23.01.2020 15:01:59	1	1	1	1	73.5	62.5	0	30094.787	303.2258065	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 15:02:00	1	1	1	1	73.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:01	1	1	1	1	73.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.625	2004
23.01.2020 15:02:02	1	1	1	1	73.5	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
23.01.2020 15:02:03	1	1	1	1	73.5	63	0	30000	313.9784946	9340.091865	30000	0	0	30000	43	2004
23.01.2020 15:02:04	1	1	1	1	73.5	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:05	1	1	1	1	73.5	62.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.625	2004
23.01.2020 15:02:06	1	1	1	1	73.5	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:07	1	1	1	1	73.5	62.75	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:08	1	1	1	1	73.5	62.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	42.8125	2004
23.01.2020 15:02:09	1	1	1	1	73.5	62.75	0	29952.607	326.8817204	9790.992852	30000	0	0	30000	43	2004
23.01.2020 15:02:10	1	1	1	1	73.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
23.01.2020 15:02:11	1	1	1	1	73.5	62	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:02:12	1	1	1	1	73.25	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 15:02:13	1	1	1	1	73.25	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43	2004
23.01.2020 15:02:14	1	1	1	1	73.25	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.5625	2004
23.01.2020 15:02:15	1	1	1	1	73.25	62.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	43	2004
23.01.2020 15:02:16	1	1	1	1	73.25	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:17	1	1	1	1	73.25	62.75	0	29952.607	311.827957	9354.76857	30000	0	0	30000	42.6875	2004
23.01.2020 15:02:24	1	1	1	1	73.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:24	1	1	1	1	73.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:24	1	1	1	1	73.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:24	1	1	1	1	73.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:24	1	1	1	1	73.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:24	1	1	1	1	73.5	62.75	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:25	1	1	1	1	73.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.875	2004
23.01.2020 15:02:26	1	1	1	1	73.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
23.01.2020 15:02:27	1	1	1	1	73.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:28	1	1	1	1	73.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:29	1	1	1	1	73.5	62.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.375	2004
23.01.2020 15:02:30	1	1	1	1	73.5	62.25	0	29952.607	309.6774194	9324.599788	30000	0	0	30000	43.0625	2004
23.01.2020 15:02:31	1	1	1	1	73.5	63	0	30000	311.827957	9419.182997	30000	0	0	30000	43.5	2004
23.01.2020 15:02:32	1	1	1	1	73	63.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 15:02:33	1	1	1	1	73	63.25	0	30000	298.9247312	8889.190879	30000	0	0	30000	43.125	2004
23.01.2020 15:02:34	1	1	1	1	73	63	0	30000	288.172043	8438.289892	30000	0	0	30000	42.8125	2004
23.01.2020 15:02:35	1	1	1	1	73	62.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	43	2004
23.01.2020 15:02:36	1	1	1	1	73	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.875	2004
23.01.2020 15:02:38	1	1	1	1	73	61.75	0	29952.607	268.8172043	8258.092572	30000	0	0	30000	42.4375	2004
23.01.2020 15:02:39	1	1	1	1	73	62.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.0625	2004
23.01.2020 15:02:40	1	1	1	1	73	63	0	30047.393	275.2688172	8258.092572	30000	0	0	30000	43	2004
23.01.2020 15:02:41	1	1	1	1	73	63	0	29905.213	275.2688172	8038.757372	30000	0	0	30000	42.6875	2004
23.01.2020 15:02:42	1	1	1	1	72.75	62.5	0	29905.213	290.3225806	8774.223358	30000	0	0	30000	43	2004
23.01.2020 15:02:43	1	1	1	1	72.75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43	2004
23.01.2020 15:02:44	1	1	1	1	72.75	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.875	2004
23.01.2020 15:02:45	1	1	1	1	72.75	62.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.6875	2004
23.01.2020 15:02:46	1	1	1	1	72.75	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:47	1	1	1	1	72.75	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.875	2004
23.01.2020 15:02:48	1	1	1	1	72.75	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.4375	2004
23.01.2020 15:02:49	1	1	1	1	72.75	62.25	0	30000	307.5268817	9067.757454	30000	0	0	30000	43	2004
23.01.2020 15:02:50	1	1	1	1	72.75	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.8125	2004
23.01.2020 15:02:51	1	1	1	1	72.75	62.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	43	2004
23.01.2020 15:02:52	1	1	1	1	73	63	0	30000	303.2258065	9018.019732	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:53	1	1	1	1	73	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
23.01.2020 15:02:54	1	1	1	1	73	62.75	0	30000	294.6236559	8695.947599	30000	0	0	30000	43	2004
23.01.2020 15:02:55	1	1	1	1	73	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:02:56	1	1	1	1	73	61.75	0	29905.213	292.4731183	9031.881064	30000	0	0	30000	42.9375	2004
23.01.2020 15:02:57	1	1	1	1	73	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
23.01.2020 15:02:58	1	1	1	1	73	63	0	29952.607	316.1290323	9419.182997	30000	0	0	30000	41.9375	2004
23.01.2020 15:02:59	1	1	1	1	73	61.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:00	1	1	1	1	73	62.75	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	42.8125	2004
23.01.2020 15:03:01	1	1	1	1	73	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.875	2004
23.01.2020 15:03:02	1	1	1	1	73.25	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	43	2004
23.01.2020 15:03:03	1	1	1	1	73.25	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43	2004
23.01.2020 15:03:04	1	1	1	1	73.25	63	0	29905.213	320.4301075	9806.484929	30000	0	0	30000	42.8125	2004
23.01.2020 15:03:05	1	1	1	1	73.25	62.75	0	30000	335.483871	9855.407279	30000	0	0	30000	42.3125	2004
23.01.2020 15:03:06	1	1	1	1	73.25	62.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.875	2004
23.01.2020 15:03:07	1	1	1	1	73.25	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.875	2004
23.01.2020 15:03:08	1	1	1	1	73.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.875	2004
23.01.2020 15:03:09	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
23.01.2020 15:03:10	1	1	1	1	73.25	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 15:03:11	1	1	1	1	73.25	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.375	2004
23.01.2020 15:03:12	1	1	1	1	73.25	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.375	2004
23.01.2020 15:03:13	1	1	1	1	73.25	63	0	29952.607	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:14	1	1	1	1	73.25	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 15:03:16	1	1	1	1	73.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:17	1	1	1	1	73.25	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.8125	2004
23.01.2020 15:03:18	1	1	1	1	73.25	62.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	42.8125	2004
23.01.2020 15:03:19	1	1	1	1	73.25	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:26	1	1	1	1	73.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:26	1	1	1	1	73.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:26	1	1	1	1	73.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:26	1	1	1	1	73.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:26	1	1	1	1	73.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:26	1	1	1	1	73.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:26	1	1	1	1	73.25	62.75	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.8125	2004
23.01.2020 15:03:27	1	1	1	1	73.25	62.75	0	29952.607	359.1397849	10967.57535	30000	0	0	30000	42.8125	2004
23.01.2020 15:03:28	1	1	1	1	73.25	62.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:03:29	1	1	1	1	73.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:03:30	1	1	1	1	73.25	62.75	0	29952.607	369.8924731	11014.86696	30000	0	0	30000	42.6875	2004
23.01.2020 15:03:31	1	1	1	1	73.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 15:03:32	1	1	1	1	73.25	63	0	30000	359.1397849	10499.55155	30000	0	0	30000	42.1875	2004
23.01.2020 15:03:33	1	1	1	1	73.25	62	0	30000	367.7419355	10757.20925	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:34	1	1	1	1	73.25	62.75	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	42.8125	2004
23.01.2020 15:03:35	1	1	1	1	73.25	62.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.0625	2004
23.01.2020 15:03:36	1	1	1	1	73.25	63	0	29905.213	384.9462366	11612.53499	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:37	1	1	1	1	73.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.6875	2004
23.01.2020 15:03:38	1	1	1	1	73.25	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	43	2004
23.01.2020 15:03:39	1	1	1	1	73.25	63	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:03:40	1	1	1	1	73.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
23.01.2020 15:03:41	1	1	1	1	73.25	62.5	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	42.625	2004
23.01.2020 15:03:42	1	1	1	1	73.25	62.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	42	2004
23.01.2020 15:03:43	1	1	1	1	73.25	62	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:03:44	1	1	1	1	73.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
23.01.2020 15:03:45	1	1	1	1	73.25	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
23.01.2020 15:03:46	1	1	1	1	73.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.75	2004
23.01.2020 15:03:47	1	1	1	1	73.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:03:48	1	1	1	1	73.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:03:49	1	1	1	1	73.25	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.625	2004
23.01.2020 15:03:50	1	1	1	1	73.25	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 15:03:51	1	1	1	1	73.25	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.6875	2004
23.01.2020 15:03:52	1	1	1	1	73.25	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.9375	2004
23.01.2020 15:03:53	1	1	1	1	73.25	62.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	43.25	2004
23.01.2020 15:03:54	1	1	1	1	73.25	63	0	30000	359.1397849	10692.79483	30000	0	0	30000	41.875	2004
23.01.2020 15:03:55	1	1	1	1	73.25	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.625	2004
23.01.2020 15:03:57	1	1	1	1	73.25	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.8125	2004
23.01.2020 15:03:58	1	1	1	1	73.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.875	2004
23.01.2020 15:03:59	1	1	1	1	73.25	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	43	2004
23.01.2020 15:04:00	1	1	1	1	73.25	63	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.875	2004
23.01.2020 15:04:01	1	1	1	1	73.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.6875	2004
23.01.2020 15:04:02	1	1	1	1	73.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.75	2004
23.01.2020 15:04:03	1	1	1	1	73.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 15:04:04	1	1	1	1	73.5	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
23.01.2020 15:04:05	1	1	1	1	73.5	62	0	30094.787	365.5913978	10709.10227	30000	0	0	30000	42.8125	2004
23.01.2020 15:04:06	1	1	1	1	73.5	62.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.6875	2004
23.01.2020 15:04:07	1	1	1	1	73.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
23.01.2020 15:04:08	1	1	1	1	73.5	62.25	0	29952.607	352.688172	10563.96597	30000	0	0	30000	42.6875	2004
23.01.2020 15:04:09	1	1	1	1	73.5	62.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.8125	2004
23.01.2020 15:04:10	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
23.01.2020 15:04:11	1	1	1	1	73.5	62.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.875	2004
23.01.2020 15:04:12	1	1	1	1	73.25	62.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43	2004
23.01.2020 15:04:13	1	1	1	1	73.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
23.01.2020 15:04:14	1	1	1	1	73.25	62.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
23.01.2020 15:04:15	1	1	1	1	73.25	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.8125	2004
23.01.2020 15:04:16	1	1	1	1	73.25	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.125	2004
23.01.2020 15:04:17	1	1	1	1	73.25	62	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.0625	2004
23.01.2020 15:04:18	1	1	1	1	73.25	62	0	30000	337.6344086	9919.821705	30000	0	0	30000	42.5625	2004
23.01.2020 15:04:19	1	1	1	1	73.25	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 15:04:20	1	1	1	1	73.25	62.75	0	30000	359.1397849	10790.63952	30000	0	0	30000	42.9375	2004
23.01.2020 15:04:27	1	1	1	1	73.5	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.0625	2004
23.01.2020 15:04:27	1	1	1	1	73.5	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.0625	2004
23.01.2020 15:04:27	1	1	1	1	73.5	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:04:27	1	1	1	1	73.5	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.0625	2004
23.01.2020 15:04:27	1	1	1	1	73.5	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.0625	2004
23.01.2020 15:04:27	1	1	1	1	73.5	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.0625	2004
23.01.2020 15:04:27	1	1	1	1	73.5	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.0625	2004
23.01.2020 15:04:28	1	1	1	1	73.5	63	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.375	2004
23.01.2020 15:04:29	1	1	1	1	73.5	62.25	0	30047.393	365.5913978	10675.672	30000	0	0	30000	42.25	2004
23.01.2020 15:04:30	1	1	1	1	73.5	62.25	0	30000	378.4946237	11584.81233	30000	0	0	30000	43.125	2004
23.01.2020 15:04:31	1	1	1	1	73.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 15:04:32	1	1	1	1	73.75	63.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.625	2004
23.01.2020 15:04:34	1	1	1	1	73.75	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
23.01.2020 15:04:35	1	1	1	1	73.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 15:04:36	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:04:37	1	1	1	1	73.75	62.75	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.6875	2004
23.01.2020 15:04:38	1	1	1	1	73.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:04:39	1	1	1	1	73.75	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.625	2004
23.01.2020 15:04:40	1	1	1	1	73.75	61.5	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	42.875	2004
23.01.2020 15:04:41	1	1	1	1	73.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:04:42	1	1	1	1	73.75	62.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.125	2004
23.01.2020 15:04:43	1	1	1	1	73.75	62	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:04:44	1	1	1	1	73.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
23.01.2020 15:04:45	1	1	1	1	73.75	62.25	0	30000	400	12045.49778	30000	0	0	30000	42.125	2004
23.01.2020 15:04:46	1	1	1	1	73.75	62	0	30000	391.3978495	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:04:47	1	1	1	1	73.75	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.9375	2004
23.01.2020 15:04:48	1	1	1	1	73.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 15:04:49	1	1	1	1	73.75	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 15:04:50	1	1	1	1	73.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
23.01.2020 15:04:51	1	1	1	1	73.75	62.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	43	2004
23.01.2020 15:04:52	1	1	1	1	73.75	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
23.01.2020 15:04:53	1	1	1	1	73.75	62.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 15:04:54	1	1	1	1	73.75	62.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.875	2004
23.01.2020 15:04:55	1	1	1	1	73.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
23.01.2020 15:04:56	1	1	1	1	73.75	62.75	0	30000	400	12064.25135	30000	0	0	30000	42.4375	2004
23.01.2020 15:04:57	1	1	1	1	73.75	62.25	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	42.875	2004
23.01.2020 15:04:58	1	1	1	1	73.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
23.01.2020 15:04:59	1	1	1	1	73.75	62.75	0	29952.607	395.6989247	12064.25135	30000	0	0	30000	42.75	2004
23.01.2020 15:05:00	1	1	1	1	73.75	62.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.4375	2004
23.01.2020 15:05:01	1	1	1	1	73.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5	2004
23.01.2020 15:05:02	1	1	1	1	73.5	62.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 15:05:03	1	1	1	1	73.5	62.75	0	30000	400	12426.27674	30000	0	0	30000	42.6875	2004
23.01.2020 15:05:04	1	1	1	1	73.5	62.5	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
23.01.2020 15:05:05	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:05:06	1	1	1	1	73.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:05:07	1	1	1	1	73.5	62.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:05:08	1	1	1	1	73.5	62.25	0	30000	402.1505376	11999.83693	30000	0	0	30000	42.375	2004
23.01.2020 15:05:09	1	1	1	1	73.5	62.25	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.8125	2004
23.01.2020 15:05:10	1	1	1	1	73.5	62.75	0	30000	389.2473118	11548.12057	30000	0	0	30000	43.3125	2004
23.01.2020 15:05:11	1	1	1	1	73.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
23.01.2020 15:05:13	1	1	1	1	73.5	62.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	42.875	2004
23.01.2020 15:05:14	1	1	1	1	73.5	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:05:15	1	1	1	1	73.5	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43	2004
23.01.2020 15:05:16	1	1	1	1	73.5	63	0	30000	333.3333333	9935.313783	30000	0	0	30000	42.875	2004
23.01.2020 15:05:17	1	1	1	1	73.5	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.875	2004
23.01.2020 15:05:18	1	1	1	1	73.5	62.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.9375	2004
23.01.2020 15:05:19	1	1	1	1	73.5	62.75	0	30000	320.4301075	9324.599788	30000	0	0	30000	42.5625	2004
23.01.2020 15:05:20	1	1	1	1	73.5	62.5	0	29905.213	320.4301075	9806.484929	30000	0	0	30000	42.9375	2004
23.01.2020 15:05:21	1	1	1	1	73.5	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.1875	2004
23.01.2020 15:05:22	1	1	1	1	73.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.1875	2004
23.01.2020 15:05:29	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:05:29	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:05:29	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:05:29	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:05:29	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:05:29	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:05:29	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:05:30	1	1	1	1	73.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:05:31	1	1	1	1	73.75	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.8125	2004
23.01.2020 15:05:32	1	1	1	1	73.75	62.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:05:33	1	1	1	1	73.75	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.875	2004
23.01.2020 15:05:34	1	1	1	1	73.75	62.75	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	42.75	2004
23.01.2020 15:05:35	1	1	1	1	73.75	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.5625	2004
23.01.2020 15:05:36	1	1	1	1	73.75	62.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.8125	2004
23.01.2020 15:05:37	1	1	1	1	73.75	62.75	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	42.875	2004
23.01.2020 15:05:38	1	1	1	1	73.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
23.01.2020 15:05:39	1	1	1	1	73.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
23.01.2020 15:05:40	1	1	1	1	73.75	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.9375	2004
23.01.2020 15:05:41	1	1	1	1	73.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 15:05:42	1	1	1	1	74	62.75	0	30000	404.3010753	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 15:05:43	1	1	1	1	74	62.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.875	2004
23.01.2020 15:05:44	1	1	1	1	74	62.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	42.5625	2004
23.01.2020 15:05:45	1	1	1	1	74	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:05:46	1	1	1	1	74	63	0	30000	412.9032258	12154.7577	30000	0	0	30000	43	2004
23.01.2020 15:05:47	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
23.01.2020 15:05:48	1	1	1	1	74	61.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 15:05:49	1	1	1	1	74	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.3125	2004
23.01.2020 15:05:50	1	1	1	1	74	62.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 15:05:52	1	1	1	1	74.25	63	0	30000	419.3548387	12451.55328	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:05:53	1	1	1	1	74.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.75	2004
23.01.2020 15:05:54	1	1	1	1	74.25	62.75	0	30047.393	438.7096774	13246.54146	30000	0	0	30000	43	2004
23.01.2020 15:05:55	1	1	1	1	74.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:05:56	1	1	1	1	74.25	63	0	29952.607	455.9139785	13591.44402	30000	0	0	30000	42.875	2004
23.01.2020 15:05:57	1	1	1	1	74.25	62.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.9375	2004
23.01.2020 15:05:58	1	1	1	1	74.25	62.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.8125	2004
23.01.2020 15:05:59	1	1	1	1	74.25	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.375	2004
23.01.2020 15:06:00	1	1	1	1	74.25	62.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:06:01	1	1	1	1	74.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.0625	2004
23.01.2020 15:06:02	1	1	1	1	74.25	62	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:06:03	1	1	1	1	74.25	62.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	42.6875	2004
23.01.2020 15:06:04	1	1	1	1	74.25	62.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:06:05	1	1	1	1	74.25	63	0	30000	443.0107527	13119.34335	30000	0	0	30000	43	2004
23.01.2020 15:06:06	1	1	1	1	74.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.8125	2004
23.01.2020 15:06:07	1	1	1	1	74.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.8125	2004
23.01.2020 15:06:08	1	1	1	1	74.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:06:09	1	1	1	1	74.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	42.8125	2004
23.01.2020 15:06:10	1	1	1	1	74.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:06:11	1	1	1	1	74.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
23.01.2020 15:06:12	1	1	1	1	74	62.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.625	2004
23.01.2020 15:06:13	1	1	1	1	74	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.8125	2004
23.01.2020 15:06:14	1	1	1	1	74	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.875	2004
23.01.2020 15:06:15	1	1	1	1	74	62.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.375	2004
23.01.2020 15:06:16	1	1	1	1	74	62.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	42.9375	2004
23.01.2020 15:06:17	1	1	1	1	74	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:06:18	1	1	1	1	74	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:06:19	1	1	1	1	74	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.6875	2004
23.01.2020 15:06:20	1	1	1	1	74	62.5	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	42.9375	2004
23.01.2020 15:06:21	1	1	1	1	74	62.75	0	30000	335.483871	9935.313783	30000	0	0	30000	42.875	2004
23.01.2020 15:06:22	1	1	1	1	74.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.6875	2004
23.01.2020 15:06:23	1	1	1	1	74.5	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.6875	2004
23.01.2020 15:06:31	1	1	1	1	74.5	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 15:06:31	1	1	1	1	74.5	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 15:06:31	1	1	1	1	74.5	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 15:06:31	1	1	1	1	74.5	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 15:06:31	1	1	1	1	74.5	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 15:06:31	1	1	1	1	74.5	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 15:06:31	1	1	1	1	74.5	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 15:06:32	1	1	1	1	75	62.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	43	2004
23.01.2020 15:06:33	1	1	1	1	75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.875	2004
23.01.2020 15:06:34	1	1	1	1	75	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43	2004
23.01.2020 15:06:35	1	1	1	1	75	63	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	42.6875	2004
23.01.2020 15:06:36	1	1	1	1	75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:06:37	1	1	1	1	75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 15:06:38	1	1	1	1	75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:06:39	1	1	1	1	75	63	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.625	2004
23.01.2020 15:06:40	1	1	1	1	75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:06:41	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
23.01.2020 15:06:42	1	1	1	1	75	62.75	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	42.9375	2004
23.01.2020 15:06:43	1	1	1	1	75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:06:44	1	1	1	1	75	62.75	0	30000	378.4946237	11372.81548	30000	0	0	30000	42.8125	2004
23.01.2020 15:06:45	1	1	1	1	75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:06:46	1	1	1	1	75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.75	2004
23.01.2020 15:06:47	1	1	1	1	75	62.75	0	30000	372.0430108	11225.23306	30000	0	0	30000	42.4375	2004
23.01.2020 15:06:48	1	1	1	1	75	62.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.8125	2004
23.01.2020 15:06:49	1	1	1	1	75	62.75	0	30000	372.0430108	11061.34319	30000	0	0	30000	42.9375	2004
23.01.2020 15:06:50	1	1	1	1	75	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.875	2004
23.01.2020 15:06:51	1	1	1	1	75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 15:06:52	1	1	1	1	75	62.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.5625	2004
23.01.2020 15:06:53	1	1	1	1	75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
23.01.2020 15:06:54	1	1	1	1	75	62.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	43	2004
23.01.2020 15:06:55	1	1	1	1	75	63	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:06:56	1	1	1	1	75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:06:57	1	1	1	1	75	62.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.625	2004
23.01.2020 15:06:58	1	1	1	1	75	62.5	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	42.75	2004
23.01.2020 15:06:59	1	1	1	1	75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:07:00	1	1	1	1	75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:07:01	1	1	1	1	75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:07:02	1	1	1	1	75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:07:03	1	1	1	1	75	62.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.875	2004
23.01.2020 15:07:04	1	1	1	1	75	62.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:05	1	1	1	1	75	62.75	0	30000	415.0537634	12515.96771	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:06	1	1	1	1	75	62.75	0	30000	404.3010753	11852.2545	30000	0	0	30000	43.25	2004
23.01.2020 15:07:07	1	1	1	1	75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
23.01.2020 15:07:09	1	1	1	1	75	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.25	2004
23.01.2020 15:07:10	1	1	1	1	75	63.25	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 15:07:11	1	1	1	1	75	62.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.5	2004
23.01.2020 15:07:12	1	1	1	1	75	62.5	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:07:13	1	1	1	1	75	63	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:07:14	1	1	1	1	75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
23.01.2020 15:07:15	1	1	1	1	75	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.5	2004
23.01.2020 15:07:16	1	1	1	1	75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:07:17	1	1	1	1	75	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.75	2004
23.01.2020 15:07:18	1	1	1	1	75	62.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:19	1	1	1	1	75	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:20	1	1	1	1	75	62.75	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:07:21	1	1	1	1	75	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:22	1	1	1	1	74.5	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.6875	2004
23.01.2020 15:07:23	1	1	1	1	74.5	62.5	0	30000	322.5806452	9533.335145	30000	0	0	30000	42.5	2004
23.01.2020 15:07:24	1	1	1	1	74.5	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004
23.01.2020 15:07:25	1	1	1	1	74.5	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:32	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:32	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:32	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:32	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:32	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:32	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:32	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:32	1	1	1	1	74.5	62.75	0	29952.607	301.0752688	9018.019732	30000	0	0	30000	42.75	2004
23.01.2020 15:07:33	1	1	1	1	74.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:34	1	1	1	1	74.5	62.75	0	30000	316.1290323	9354.76857	30000	0	0	30000	43	2004
23.01.2020 15:07:35	1	1	1	1	74.5	63	0	30000	303.2258065	9254.477754	30000	0	0	30000	43.0625	2004
23.01.2020 15:07:36	1	1	1	1	74.5	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 15:07:37	1	1	1	1	74.5	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.125	2004
23.01.2020 15:07:38	1	1	1	1	74.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 15:07:39	1	1	1	1	74.5	63	0	29905.213	288.172043	8708.993559	30000	0	0	30000	43	2004
23.01.2020 15:07:40	1	1	1	1	74.5	63	0	30000	286.0215054	8838.637784	30000	0	0	30000	42.875	2004
23.01.2020 15:07:41	1	1	1	1	74.5	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43	2004
23.01.2020 15:07:42	1	1	1	1	74.75	63	0	30000	286.0215054	8515.750279	30000	0	0	30000	43.0625	2004
23.01.2020 15:07:43	1	1	1	1	74.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:44	1	1	1	1	74.75	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
23.01.2020 15:07:45	1	1	1	1	74.75	63.25	0	29952.607	290.3225806	8838.637784	30000	0	0	30000	42.875	2004
23.01.2020 15:07:46	1	1	1	1	74.75	62.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 15:07:48	1	1	1	1	74.75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.0625	2004
23.01.2020 15:07:49	1	1	1	1	74.75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 15:07:50	1	1	1	1	74.75	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
23.01.2020 15:07:51	1	1	1	1	74.75	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
23.01.2020 15:07:52	1	1	1	1	75	62.75	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	42.8125	2004
23.01.2020 15:07:53	1	1	1	1	75	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	43	2004
23.01.2020 15:07:54	1	1	1	1	75	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.6875	2004
23.01.2020 15:07:55	1	1	1	1	75	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.9375	2004
23.01.2020 15:07:56	1	1	1	1	75	62.75	0	30000	320.4301075	9597.749572	30000	0	0	30000	43	2004
23.01.2020 15:07:57	1	1	1	1	75	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	43	2004
23.01.2020 15:07:58	1	1	1	1	75	63	0	29905.213	303.2258065	9096.295491	30000	0	0	30000	43.125	2004
23.01.2020 15:07:59	1	1	1	1	75	63	0	30047.393	294.6236559	8838.637784	30000	0	0	30000	43	2004
23.01.2020 15:08:00	1	1	1	1	75	63	0	30000	290.3225806	8774.223358	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:01	1	1	1	1	75	62.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	43	2004
23.01.2020 15:08:02	1	1	1	1	75	63	0	29952.607	286.0215054	8644.579132	30000	0	0	30000	42.125	2004
23.01.2020 15:08:03	1	1	1	1	75	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5	2004
23.01.2020 15:08:04	1	1	1	1	75	62.5	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:08:05	1	1	1	1	75	62.75	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	42.375	2004
23.01.2020 15:08:06	1	1	1	1	75	62.25	0	29905.213	303.2258065	9082.434159	30000	0	0	30000	43.125	2004
23.01.2020 15:08:07	1	1	1	1	75	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
23.01.2020 15:08:08	1	1	1	1	75	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:09	1	1	1	1	75	62.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	43	2004
23.01.2020 15:08:10	1	1	1	1	75	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 15:08:11	1	1	1	1	75	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.3125	2004
23.01.2020 15:08:12	1	1	1	1	75	62.25	0	29905.213	292.4731183	8774.223358	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:13	1	1	1	1	75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.875	2004
23.01.2020 15:08:14	1	1	1	1	75	61.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.75	2004
23.01.2020 15:08:15	1	1	1	1	75	62.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:16	1	1	1	1	75	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:17	1	1	1	1	75	62.75	0	30000	307.5268817	9067.757454	30000	0	0	30000	42.875	2004
23.01.2020 15:08:18	1	1	1	1	75	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.3125	2004
23.01.2020 15:08:19	1	1	1	1	75	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.8125	2004
23.01.2020 15:08:20	1	1	1	1	75	62.75	0	30000	296.7741935	9096.295491	30000	0	0	30000	43	2004
23.01.2020 15:08:21	1	1	1	1	75	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43	2004
23.01.2020 15:08:22	1	1	1	1	75.25	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43	2004
23.01.2020 15:08:23	1	1	1	1	75.25	63	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	43.375	2004
23.01.2020 15:08:24	1	1	1	1	75.25	63.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.375	2004
23.01.2020 15:08:26	1	1	1	1	75.25	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:27	1	1	1	1	75.25	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
23.01.2020 15:08:34	1	1	1	1	75.25	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:34	1	1	1	1	75.25	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:34	1	1	1	1	75.25	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:34	1	1	1	1	75.25	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:34	1	1	1	1	75.25	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:34	1	1	1	1	75.25	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:34	1	1	1	1	75.25	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:35	1	1	1	1	75.25	62.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.0625	2004
23.01.2020 15:08:36	1	1	1	1	75.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.3125	2004
23.01.2020 15:08:37	1	1	1	1	75.25	62.25	0	30000	307.5268817	9354.76857	30000	0	0	30000	41.375	2004
23.01.2020 15:08:38	1	1	1	1	75.25	61.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.125	2004
23.01.2020 15:08:39	1	1	1	1	75.25	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.625	2004
23.01.2020 15:08:40	1	1	1	1	75.25	62.5	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
23.01.2020 15:08:41	1	1	1	1	75.25	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 15:08:42	1	1	1	1	75.25	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43	2004
23.01.2020 15:08:43	1	1	1	1	75.25	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:44	1	1	1	1	75.25	62.75	0	30000	333.3333333	10128.55706	30000	0	0	30000	42.75	2004
23.01.2020 15:08:45	1	1	1	1	75.25	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.875	2004
23.01.2020 15:08:46	1	1	1	1	75.25	62.75	0	29952.607	324.7311828	9741.25513	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:47	1	1	1	1	75.25	62.75	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:48	1	1	1	1	75.25	62.75	0	30000	320.4301075	9741.25513	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:08:49	1	1	1	1	75.25	62.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.125	2004
23.01.2020 15:08:50	1	1	1	1	75.25	63	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 15:08:51	1	1	1	1	75.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.875	2004
23.01.2020 15:08:52	1	1	1	1	75.25	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.75	2004
23.01.2020 15:08:53	1	1	1	1	75.25	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:54	1	1	1	1	75.25	62.75	0	29952.607	313.9784946	9707.824858	30000	0	0	30000	42.9375	2004
23.01.2020 15:08:55	1	1	1	1	75.25	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
23.01.2020 15:08:56	1	1	1	1	75.25	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.75	2004
23.01.2020 15:08:57	1	1	1	1	75.25	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.3125	2004
23.01.2020 15:08:58	1	1	1	1	75.25	62.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.8125	2004
23.01.2020 15:08:59	1	1	1	1	75.25	62.75	0	30047.393	341.9354839	10192.97149	30000	0	0	30000	43.125	2004
23.01.2020 15:09:00	1	1	1	1	75.25	63	0	30000	335.483871	10048.65056	30000	0	0	30000	43	2004
23.01.2020 15:09:01	1	1	1	1	75.25	63	0	30000	333.3333333	10128.55706	30000	0	0	30000	42.6875	2004
23.01.2020 15:09:02	1	1	1	1	75.5	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43	2004
23.01.2020 15:09:03	1	1	1	1	75.5	63	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.4375	2004
23.01.2020 15:09:05	1	1	1	1	75.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
23.01.2020 15:09:06	1	1	1	1	75.5	61.25	0	30000	337.6344086	9999.728209	30000	0	0	30000	43.0625	2004
23.01.2020 15:09:07	1	1	1	1	75.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
23.01.2020 15:09:08	1	1	1	1	75.5	62.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	42.875	2004
23.01.2020 15:09:09	1	1	1	1	75.5	62.75	0	29952.607	341.9354839	10192.97149	30000	0	0	30000	42.8125	2004
23.01.2020 15:09:10	1	1	1	1	75.5	62.75	0	29905.213	335.483871	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 15:09:11	1	1	1	1	75.5	63	0	30000	335.483871	10048.65056	30000	0	0	30000	43.125	2004
23.01.2020 15:09:12	1	1	1	1	75.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
23.01.2020 15:09:13	1	1	1	1	75.25	62.75	0	29952.607	303.2258065	9160.709918	30000	0	0	30000	42.5625	2004
23.01.2020 15:09:14	1	1	1	1	75.25	62.5	0	30000	292.4731183	8580.164705	30000	0	0	30000	42.875	2004
23.01.2020 15:09:17	1	1	1	1	75.25	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5625	2004
23.01.2020 15:09:17	1	1	1	1	75.25	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5625	2004
23.01.2020 15:09:17	1	1	1	1	75.25	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
23.01.2020 15:09:18	1	1	1	1	75.25	63	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.125	2004
23.01.2020 15:09:19	1	1	1	1	75.25	63	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.875	2004
23.01.2020 15:09:20	1	1	1	1	75.25	62.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.8125	2004
23.01.2020 15:09:21	1	1	1	1	75.25	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.75	2004
23.01.2020 15:09:22	1	1	1	1	75.25	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 15:09:23	1	1	1	1	75.25	62.75	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	42.9375	2004
23.01.2020 15:09:24	1	1	1	1	75.25	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43	2004
23.01.2020 15:09:25	1	1	1	1	75.25	63	0	30000	294.6236559	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 15:09:26	1	1	1	1	75.25	63	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.6875	2004
23.01.2020 15:09:27	1	1	1	1	75.25	62.5	0	29952.607	286.0215054	8553.257413	30000	0	0	30000	42.75	2004
23.01.2020 15:09:28	1	1	1	1	75.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 15:09:35	1	1	1	1	75.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	43	2004
23.01.2020 15:09:35	1	1	1	1	75.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	43	2004
23.01.2020 15:09:35	1	1	1	1	75.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	43	2004
23.01.2020 15:09:35	1	1	1	1	75.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:09:35	1	1	1	1	75.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	43	2004
23.01.2020 15:09:35	1	1	1	1	75.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	43	2004
23.01.2020 15:09:35	1	1	1	1	75.25	63	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	43	2004
23.01.2020 15:09:36	1	1	1	1	75.25	63	0	30047.393	277.4193548	8399.967385	30000	0	0	30000	43.0625	2004
23.01.2020 15:09:37	1	1	1	1	75.25	63	0	30000	275.2688172	8245.046612	30000	0	0	30000	42.9375	2004
23.01.2020 15:09:38	1	1	1	1	75.25	62.75	0	30000	277.4193548	8295.599706	30000	0	0	30000	42.75	2004
23.01.2020 15:09:39	1	1	1	1	75.25	62.75	0	30000	273.1182796	8386.921425	30000	0	0	30000	43	2004
23.01.2020 15:09:40	1	1	1	1	75.25	63	0	30000	273.1182796	8051.803332	30000	0	0	30000	43	2004
23.01.2020 15:09:41	1	1	1	1	75.25	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.875	2004
23.01.2020 15:09:43	1	1	1	1	75.25	62.75	0	30000	268.8172043	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:09:44	1	1	1	1	75.25	63	0	30000	268.8172043	8128.448346	30000	0	0	30000	43	2004
23.01.2020 15:09:45	1	1	1	1	75.25	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
23.01.2020 15:09:46	1	1	1	1	75.25	63	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.9375	2004
23.01.2020 15:09:47	1	1	1	1	75.25	62.75	0	30000	260.2150538	7935.205066	30000	0	0	30000	42.9375	2004
23.01.2020 15:09:48	1	1	1	1	75.25	62.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.6875	2004
23.01.2020 15:09:49	1	1	1	1	75.25	62.5	0	30000	264.516129	7935.205066	30000	0	0	30000	42.0625	2004
23.01.2020 15:09:50	1	1	1	1	75.25	62	0	30000	262.3655914	7794.145626	30000	0	0	30000	43	2004
23.01.2020 15:09:51	1	1	1	1	75.25	63	0	30000	264.516129	7935.205066	30000	0	0	30000	43.0625	2004
23.01.2020 15:09:52	1	1	1	1	75.5	63	0	29905.213	258.0645161	7729.731199	30000	0	0	30000	43.0625	2004
23.01.2020 15:09:53	1	1	1	1	75.5	63	0	29905.213	258.0645161	7741.961786	30000	0	0	30000	42.875	2004
23.01.2020 15:09:54	1	1	1	1	75.5	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43	2004
23.01.2020 15:09:55	1	1	1	1	75.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.0625	2004
23.01.2020 15:09:56	1	1	1	1	75.5	63	0	30000	258.0645161	7806.376213	30000	0	0	30000	42.75	2004
23.01.2020 15:09:57	1	1	1	1	75.5	62.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	42.75	2004
23.01.2020 15:09:58	1	1	1	1	75.5	62.75	0	29952.607	258.0645161	7665.316772	30000	0	0	30000	43	2004
23.01.2020 15:09:59	1	1	1	1	75.5	63	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:00	1	1	1	1	75.5	62.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	42.5625	2004
23.01.2020 15:10:01	1	1	1	1	75.5	62.5	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	42.8125	2004
23.01.2020 15:10:02	1	1	1	1	75.75	62.75	0	29952.607	247.311828	7547.903134	30000	0	0	30000	43	2004
23.01.2020 15:10:03	1	1	1	1	75.75	63	0	30000	253.7634409	7612.31756	30000	0	0	30000	43.0625	2004
23.01.2020 15:10:04	1	1	1	1	75.75	63	0	30000	253.7634409	7600.902346	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:05	1	1	1	1	75.75	62.75	0	30000	255.9139785	7741.961786	30000	0	0	30000	43	2004
23.01.2020 15:10:06	1	1	1	1	75.75	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.125	2004
23.01.2020 15:10:07	1	1	1	1	75.75	63	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:08	1	1	1	1	75.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:09	1	1	1	1	75.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	42.875	2004
23.01.2020 15:10:10	1	1	1	1	75.75	62.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:11	1	1	1	1	75.75	62.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	43	2004
23.01.2020 15:10:12	1	1	1	1	75.75	63	0	30000	247.311828	7354.659854	30000	0	0	30000	42.4375	2004
23.01.2020 15:10:13	1	1	1	1	75.75	62.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:14	1	1	1	1	75.75	62.75	0	30000	243.0107527	7354.659854	30000	0	0	30000	42.875	2004
23.01.2020 15:10:15	1	1	1	1	75.75	62.75	0	30000	240.8602151	7225.831	30000	0	0	30000	43	2004
23.01.2020 15:10:16	1	1	1	1	75.75	63	0	29952.607	240.8602151	7225.831	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:10:17	1	1	1	1	75.75	62.5	0	29952.607	236.5591398	7096.186775	30000	0	0	30000	43	2004
23.01.2020 15:10:18	1	1	1	1	75.75	63	0	30000	240.8602151	7160.601201	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:20	1	1	1	1	75.75	62.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	43.125	2004
23.01.2020 15:10:21	1	1	1	1	75.75	63	0	30000	225.8064516	6774.114641	30000	0	0	30000	43.4375	2004
23.01.2020 15:10:22	1	1	1	1	75.75	63	0	30000	221.5053763	6644.470416	30000	0	0	30000	43	2004
23.01.2020 15:10:23	1	1	1	1	75.75	63	0	30000	217.2043011	6515.641562	30000	0	0	30000	43.125	2004
23.01.2020 15:10:24	1	1	1	1	75.75	63	0	30000	221.5053763	6644.470416	30000	0	0	30000	43.125	2004
23.01.2020 15:10:25	1	1	1	1	75.75	63	0	30000	221.5053763	6644.470416	30000	0	0	30000	43	2004
23.01.2020 15:10:26	1	1	1	1	75.75	63	0	30000	223.655914	6774.114641	30000	0	0	30000	43	2004
23.01.2020 15:10:27	1	1	1	1	75.75	63	0	30000	223.655914	6644.470416	30000	0	0	30000	43.125	2004
23.01.2020 15:10:28	1	1	1	1	75.75	63	0	30000	225.8064516	6838.529068	30000	0	0	30000	43.0625	2004
23.01.2020 15:10:29	1	1	1	1	75.75	63	0	30000	243.0107527	7290.245427	30000	0	0	30000	43	2004
23.01.2020 15:10:30	1	1	1	1	75.75	63	0	30000	245.1612903	7354.659854	30000	0	0	30000	43.125	2004
23.01.2020 15:10:37	1	1	1	1	75.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
23.01.2020 15:10:37	1	1	1	1	75.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
23.01.2020 15:10:37	1	1	1	1	75.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
23.01.2020 15:10:37	1	1	1	1	75.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
23.01.2020 15:10:37	1	1	1	1	75.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
23.01.2020 15:10:37	1	1	1	1	75.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
23.01.2020 15:10:37	1	1	1	1	75.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.5625	2004
23.01.2020 15:10:38	1	1	1	1	75.75	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.1875	2004
23.01.2020 15:10:39	1	1	1	1	75.75	62	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:40	1	1	1	1	75.75	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.875	2004
23.01.2020 15:10:41	1	1	1	1	75.75	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:42	1	1	1	1	75.25	62.75	0	29905.213	277.4193548	8309.461039	30000	0	0	30000	42.5	2004
23.01.2020 15:10:43	1	1	1	1	75.25	62.5	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	43	2004
23.01.2020 15:10:44	1	1	1	1	75.25	63	0	30000	281.7204301	8322.506999	30000	0	0	30000	43.0625	2004
23.01.2020 15:10:45	1	1	1	1	75.25	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.875	2004
23.01.2020 15:10:46	1	1	1	1	75.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.125	2004
23.01.2020 15:10:47	1	1	1	1	75.25	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.375	2004
23.01.2020 15:10:48	1	1	1	1	75.25	62.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.8125	2004
23.01.2020 15:10:49	1	1	1	1	75.25	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.75	2004
23.01.2020 15:10:50	1	1	1	1	75.25	62.75	0	29952.607	281.7204301	8644.579132	30000	0	0	30000	43.125	2004
23.01.2020 15:10:51	1	1	1	1	75.25	63	0	30000	288.172043	8438.289892	30000	0	0	30000	43	2004
23.01.2020 15:10:52	1	1	1	1	75.25	63	0	29952.607	286.0215054	8644.579132	30000	0	0	30000	43	2004
23.01.2020 15:10:53	1	1	1	1	75.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 15:10:54	1	1	1	1	75.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 15:10:55	1	1	1	1	75.25	63	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.125	2004
23.01.2020 15:10:56	1	1	1	1	75.25	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43.0625	2004
23.01.2020 15:10:57	1	1	1	1	75.25	63	0	30000	288.172043	8644.579132	30000	0	0	30000	42.9375	2004
23.01.2020 15:10:59	1	1	1	1	75.25	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
23.01.2020 15:11:00	1	1	1	1	75.25	62.75	0	30000	290.3225806	8695.947599	30000	0	0	30000	42.625	2004
23.01.2020 15:11:01	1	1	1	1	75.25	62.5	0	29952.607	292.4731183	8774.223358	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:11:02	1	1	1	1	75.25	63	0	30000	296.7741935	8774.223358	30000	0	0	30000	42.8125	2004
23.01.2020 15:11:03	1	1	1	1	75.25	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
23.01.2020 15:11:04	1	1	1	1	75.25	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.875	2004
23.01.2020 15:11:05	1	1	1	1	75.25	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 15:11:06	1	1	1	1	75.25	63	0	30000	309.6774194	9146.848585	30000	0	0	30000	43.125	2004
23.01.2020 15:11:07	1	1	1	1	75.25	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.75	2004
23.01.2020 15:11:08	1	1	1	1	75.25	62.75	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	43	2004
23.01.2020 15:11:09	1	1	1	1	75.25	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.8125	2004
23.01.2020 15:11:10	1	1	1	1	75.25	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 15:11:11	1	1	1	1	75.25	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43	2004
23.01.2020 15:11:12	1	1	1	1	75	63	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.875	2004
23.01.2020 15:11:13	1	1	1	1	75	62.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:14	1	1	1	1	75	62.75	0	30000	247.311828	7419.07428	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:15	1	1	1	1	75	62.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	42.875	2004
23.01.2020 15:11:16	1	1	1	1	75	62.75	0	30047.393	225.8064516	6774.114641	30000	0	0	30000	42.875	2004
23.01.2020 15:11:17	1	1	1	1	75	62.75	0	29952.607	221.5053763	6644.470416	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:18	1	1	1	1	75	62.75	0	29952.607	219.3548387	6644.470416	30000	0	0	30000	42.875	2004
23.01.2020 15:11:19	1	1	1	1	75	62.75	0	30000	219.3548387	6377.028239	30000	0	0	30000	43	2004
23.01.2020 15:11:20	1	1	1	1	75	63	0	30000	219.3548387	6644.470416	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:21	1	1	1	1	75	62.75	0	30000	225.8064516	6644.470416	30000	0	0	30000	43.0625	2004
23.01.2020 15:11:22	1	1	1	1	75.25	63	0	29952.607	225.8064516	6838.529068	30000	0	0	30000	42.875	2004
23.01.2020 15:11:23	1	1	1	1	75.25	62.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	43.0625	2004
23.01.2020 15:11:24	1	1	1	1	75.25	63	0	30000	232.2580645	6967.357921	30000	0	0	30000	43	2004
23.01.2020 15:11:25	1	1	1	1	75.25	63	0	29952.607	249.4623656	7547.903134	30000	0	0	30000	43	2004
23.01.2020 15:11:26	1	1	1	1	75.25	63	0	30000	255.9139785	7676.731987	30000	0	0	30000	43.0625	2004
23.01.2020 15:11:27	1	1	1	1	75.25	63	0	30000	258.0645161	7419.07428	30000	0	0	30000	43.0625	2004
23.01.2020 15:11:28	1	1	1	1	75.25	63	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.6875	2004
23.01.2020 15:11:29	1	1	1	1	75.25	62.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:30	1	1	1	1	75.25	62.75	0	29952.607	243.0107527	7290.245427	30000	0	0	30000	42.0625	2004
23.01.2020 15:11:31	1	1	1	1	75.25	62	0	30000	249.4623656	7483.488707	30000	0	0	30000	43.0625	2004
23.01.2020 15:11:39	1	1	1	1	75.25	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.875	2004
23.01.2020 15:11:39	1	1	1	1	75.25	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.875	2004
23.01.2020 15:11:39	1	1	1	1	75.25	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.875	2004
23.01.2020 15:11:39	1	1	1	1	75.25	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.875	2004
23.01.2020 15:11:39	1	1	1	1	75.25	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.875	2004
23.01.2020 15:11:39	1	1	1	1	75.25	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.875	2004
23.01.2020 15:11:39	1	1	1	1	75.25	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.875	2004
23.01.2020 15:11:40	1	1	1	1	75.25	62.75	0	29952.607	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
23.01.2020 15:11:41	1	1	1	1	75.25	62.75	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 15:11:42	1	1	1	1	75.25	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:43	1	1	1	1	75.25	62.75	0	30000	313.9784946	9275.677439	30000	0	0	30000	42.875	2004
23.01.2020 15:11:44	1	1	1	1	75.25	62.75	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	43	2004
23.01.2020 15:11:45	1	1	1	1	75.25	63	0	30000	324.7311828	9662.163999	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:11:46	1	1	1	1	75.25	62.75	0	30000	329.0322581	9741.25513	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:47	1	1	1	1	75.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.875	2004
23.01.2020 15:11:48	1	1	1	1	75.25	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:49	1	1	1	1	75.25	62.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:50	1	1	1	1	75.25	62.75	0	29905.213	335.483871	10128.55706	30000	0	0	30000	42.75	2004
23.01.2020 15:11:51	1	1	1	1	75.25	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.75	2004
23.01.2020 15:11:52	1	1	1	1	75.25	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.875	2004
23.01.2020 15:11:53	1	1	1	1	75.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
23.01.2020 15:11:54	1	1	1	1	75.25	62.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.0625	2004
23.01.2020 15:11:55	1	1	1	1	75.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.75	2004
23.01.2020 15:11:56	1	1	1	1	75.25	61.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 15:11:57	1	1	1	1	75.25	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:58	1	1	1	1	75.25	62.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.9375	2004
23.01.2020 15:11:59	1	1	1	1	75.25	62.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.875	2004
23.01.2020 15:12:00	1	1	1	1	75.25	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	43	2004
23.01.2020 15:12:01	1	1	1	1	75.25	63	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:12:02	1	1	1	1	75.25	62.75	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	43.1875	2004
23.01.2020 15:12:03	1	1	1	1	75.25	63	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 15:12:04	1	1	1	1	75.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:12:05	1	1	1	1	75.25	62.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.9375	2004
23.01.2020 15:12:06	1	1	1	1	75.25	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.1875	2004
23.01.2020 15:12:07	1	1	1	1	75.25	62	0	29952.607	400	12045.49778	30000	0	0	30000	42.5625	2004
23.01.2020 15:12:08	1	1	1	1	75.25	62.5	0	30000	404.3010753	11916.66893	30000	0	0	30000	42.75	2004
23.01.2020 15:12:09	1	1	1	1	75.25	62.75	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	43	2004
23.01.2020 15:12:10	1	1	1	1	75.25	63	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	43	2004
23.01.2020 15:12:11	1	1	1	1	75.25	63	0	29905.213	395.6989247	12064.25135	30000	0	0	30000	43.125	2004
23.01.2020 15:12:12	1	1	1	1	75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 15:12:13	1	1	1	1	75	62.75	0	30000	397.8494624	11833.50094	30000	0	0	30000	42.1875	2004
23.01.2020 15:12:15	1	1	1	1	75	62	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	43	2004
23.01.2020 15:12:16	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:12:17	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.3125	2004
23.01.2020 15:12:18	1	1	1	1	75	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.6875	2004
23.01.2020 15:12:19	1	1	1	1	75	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.875	2004
23.01.2020 15:12:20	1	1	1	1	75	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.75	2004
23.01.2020 15:12:21	1	1	1	1	75	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
23.01.2020 15:12:22	1	1	1	1	75.5	62.75	0	29905.213	384.9462366	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:12:23	1	1	1	1	75.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
23.01.2020 15:12:24	1	1	1	1	75.5	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:12:25	1	1	1	1	75.5	62.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	43	2004
23.01.2020 15:12:26	1	1	1	1	75.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
23.01.2020 15:12:27	1	1	1	1	75.5	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.75	2004
23.01.2020 15:12:28	1	1	1	1	75.5	62.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 15:12:29	1	1	1	1	75.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:12:30	1	1	1	1	75.5	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
23.01.2020 15:12:31	1	1	1	1	75.5	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 15:12:32	1	1	1	1	75.5	62.75	0	30000	423.655914	12580.38214	30000	0	0	30000	43	2004
23.01.2020 15:12:33	1	1	1	1	75.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
23.01.2020 15:12:40	1	1	1	1	75.5	63	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:12:40	1	1	1	1	75.5	63	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:12:40	1	1	1	1	75.5	63	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:12:40	1	1	1	1	75.5	63	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:12:40	1	1	1	1	75.5	63	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:12:40	1	1	1	1	75.5	63	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:12:40	1	1	1	1	75.5	63	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:12:41	1	1	1	1	75.5	62.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.125	2004
23.01.2020 15:12:42	1	1	1	1	75.5	63	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.8125	2004
23.01.2020 15:12:43	1	1	1	1	75.5	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:12:44	1	1	1	1	75.5	63	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:12:45	1	1	1	1	75.5	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:12:46	1	1	1	1	75.5	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.625	2004
23.01.2020 15:12:47	1	1	1	1	75.5	62.5	0	30000	458.0645161	13569.42897	30000	0	0	30000	42.375	2004
23.01.2020 15:12:48	1	1	1	1	75.5	62.25	0	30000	464.516129	13999.94564	30000	0	0	30000	42.875	2004
23.01.2020 15:12:49	1	1	1	1	75.5	62.75	0	30000	458.0645161	13677.05814	30000	0	0	30000	41.3125	2004
23.01.2020 15:12:50	1	1	1	1	75.5	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.1875	2004
23.01.2020 15:12:51	1	1	1	1	75.5	62	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:12:52	1	1	1	1	75.75	63	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	42.8125	2004
23.01.2020 15:12:54	1	1	1	1	75.75	62.75	0	30000	445.1612903	13248.17221	30000	0	0	30000	42.9375	2004
23.01.2020 15:12:55	1	1	1	1	75.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:12:56	1	1	1	1	75.75	63	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:12:57	1	1	1	1	75.75	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 15:12:58	1	1	1	1	75.75	63.25	0	30047.393	443.0107527	13289.7562	30000	0	0	30000	43.0625	2004
23.01.2020 15:12:59	1	1	1	1	75.75	62.25	0	30000	440.8602151	13204.95746	30000	0	0	30000	41.875	2004
23.01.2020 15:13:00	1	1	1	1	75.75	61.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.8125	2004
23.01.2020 15:13:01	1	1	1	1	75.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:13:02	1	1	1	1	75.75	62.75	0	29952.607	436.5591398	13076.12861	30000	0	0	30000	42.8125	2004
23.01.2020 15:13:03	1	1	1	1	75.75	62.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.5	2004
23.01.2020 15:13:04	1	1	1	1	75.75	62.5	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42.875	2004
23.01.2020 15:13:05	1	1	1	1	75.75	62.75	0	30047.393	464.516129	13935.53122	30000	0	0	30000	43	2004
23.01.2020 15:13:06	1	1	1	1	75.75	63	0	29857.82	468.8172043	14019.51458	30000	0	0	30000	42.6875	2004
23.01.2020 15:13:07	1	1	1	1	75.75	62.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.8125	2004
23.01.2020 15:13:08	1	1	1	1	75.75	62.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.75	2004
23.01.2020 15:13:09	1	1	1	1	75.75	62.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	42.6875	2004
23.01.2020 15:13:10	1	1	1	1	75.75	62.5	0	29952.607	432.2580645	12967.68407	30000	0	0	30000	42.8125	2004
23.01.2020 15:13:11	1	1	1	1	75.75	62.75	0	30000	427.9569892	13246.54146	30000	0	0	30000	42.6875	2004
23.01.2020 15:13:12	1	1	1	1	75.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 15:13:13	1	1	1	1	75.75	62.5	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:13:14	1	1	1	1	75.75	62.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.6875	2004
23.01.2020 15:13:15	1	1	1	1	75.75	62.5	0	30000	423.655914	12709.21099	30000	0	0	30000	42.375	2004
23.01.2020 15:13:16	1	1	1	1	75.75	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 15:13:17	1	1	1	1	75.75	63	0	30000	419.3548387	12560.8132	30000	0	0	30000	42.5	2004
23.01.2020 15:13:18	1	1	1	1	75.75	62.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.75	2004
23.01.2020 15:13:19	1	1	1	1	75.75	61.75	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	42.875	2004
23.01.2020 15:13:20	1	1	1	1	75.75	62.75	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	42.8125	2004
23.01.2020 15:13:21	1	1	1	1	75.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:13:22	1	1	1	1	76	62.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	43	2004
23.01.2020 15:13:23	1	1	1	1	76	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
23.01.2020 15:13:24	1	1	1	1	76	62.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.6875	2004
23.01.2020 15:13:25	1	1	1	1	76	62.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	43	2004
23.01.2020 15:13:26	1	1	1	1	76	63	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 15:13:27	1	1	1	1	76	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.375	2004
23.01.2020 15:13:28	1	1	1	1	76	62.25	0	30000	481.7204301	13999.94564	30000	0	0	30000	42.875	2004
23.01.2020 15:13:29	1	1	1	1	76	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.9375	2004
23.01.2020 15:13:30	1	1	1	1	76	62.75	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	42.125	2004
23.01.2020 15:13:31	1	1	1	1	76	62	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42.875	2004
23.01.2020 15:13:33	1	1	1	1	76	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43.0625	2004
23.01.2020 15:13:34	1	1	1	1	76	63	0	30000	464.516129	13784.6873	30000	0	0	30000	43.5	2004
23.01.2020 15:13:35	1	1	1	1	76	63.5	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	43.25	2004
23.01.2020 15:13:42	1	1	1	1	76.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.75	2004
23.01.2020 15:13:42	1	1	1	1	76.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.75	2004
23.01.2020 15:13:42	1	1	1	1	76.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.75	2004
23.01.2020 15:13:42	1	1	1	1	76.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.75	2004
23.01.2020 15:13:42	1	1	1	1	76.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.75	2004
23.01.2020 15:13:42	1	1	1	1	76.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.75	2004
23.01.2020 15:13:42	1	1	1	1	76.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.75	2004
23.01.2020 15:13:43	1	1	1	1	76.5	62.75	0	30000	492.4731183	14902.56299	30000	0	0	30000	43	2004
23.01.2020 15:13:44	1	1	1	1	76.5	63	0	30000	483.8709677	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:13:45	1	1	1	1	76.5	62.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.9375	2004
23.01.2020 15:13:46	1	1	1	1	76.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
23.01.2020 15:13:47	1	1	1	1	76.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
23.01.2020 15:13:48	1	1	1	1	76.5	62.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	41.8125	2004
23.01.2020 15:13:49	1	1	1	1	76.5	61.75	0	29952.607	481.7204301	14128.7745	30000	0	0	30000	42.9375	2004
23.01.2020 15:13:50	1	1	1	1	76.5	62.75	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	42.875	2004
23.01.2020 15:13:51	1	1	1	1	76.5	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	42	2004
23.01.2020 15:13:52	1	1	1	1	76.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 15:13:53	1	1	1	1	76.25	62.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.5	2004
23.01.2020 15:13:54	1	1	1	1	76.25	62.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	42.8125	2004
23.01.2020 15:13:55	1	1	1	1	76.25	62.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.9375	2004
23.01.2020 15:13:56	1	1	1	1	76.25	62.75	0	30047.393	494.6236559	14644.90528	30000	0	0	30000	42.875	2004
23.01.2020 15:13:57	1	1	1	1	76.25	62.75	0	29952.607	488.172043	14622.07485	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:13:58	1	1	1	1	76.25	62.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	42.9375	2004
23.01.2020 15:13:59	1	1	1	1	76.25	62.75	0	29810.427	501.0752688	14825.91797	30000	0	0	30000	42.6875	2004
23.01.2020 15:14:00	1	1	1	1	76.25	62.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.0625	2004
23.01.2020 15:14:01	1	1	1	1	76.25	63	0	30000	501.0752688	15032.20721	30000	0	0	30000	43	2004
23.01.2020 15:14:02	1	1	1	1	76.75	63	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:03	1	1	1	1	76.75	62.75	0	29952.607	494.6236559	14598.42905	30000	0	0	30000	42.875	2004
23.01.2020 15:14:04	1	1	1	1	76.75	62.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	42.8125	2004
23.01.2020 15:14:05	1	1	1	1	76.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43	2004
23.01.2020 15:14:06	1	1	1	1	76.75	63	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.4375	2004
23.01.2020 15:14:07	1	1	1	1	76.75	62.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.5	2004
23.01.2020 15:14:08	1	1	1	1	76.75	62.5	0	30000	531.1827957	15870.41013	30000	0	0	30000	42.8125	2004
23.01.2020 15:14:09	1	1	1	1	76.75	62.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.5625	2004
23.01.2020 15:14:10	1	1	1	1	76.75	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.8125	2004
23.01.2020 15:14:12	1	1	1	1	76.75	62.75	0	30000	498.9247312	15273.55747	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:13	1	1	1	1	76.75	62.75	0	29905.213	486.0215054	14644.90528	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:14	1	1	1	1	76.75	62.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	43.25	2004
23.01.2020 15:14:15	1	1	1	1	76.75	63.25	0	30000	460.2150538	14043.97576	30000	0	0	30000	43.5625	2004
23.01.2020 15:14:16	1	1	1	1	76.75	63.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.5625	2004
23.01.2020 15:14:17	1	1	1	1	76.75	62.5	0	30000	458.0645161	13677.05814	30000	0	0	30000	43.0625	2004
23.01.2020 15:14:18	1	1	1	1	76.75	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.75	2004
23.01.2020 15:14:19	1	1	1	1	76.75	62.75	0	30000	443.0107527	13246.54146	30000	0	0	30000	43	2004
23.01.2020 15:14:20	1	1	1	1	76.75	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 15:14:21	1	1	1	1	76.75	62.75	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:22	1	1	1	1	77	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:14:23	1	1	1	1	77	63	0	29905.213	427.9569892	13160.92735	30000	0	0	30000	42.6875	2004
23.01.2020 15:14:24	1	1	1	1	77	62.5	0	30000	453.7634409	13591.44402	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:25	1	1	1	1	77	62.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	42.75	2004
23.01.2020 15:14:26	1	1	1	1	77	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:14:27	1	1	1	1	77	63	0	30000	464.516129	13935.53122	30000	0	0	30000	42.6875	2004
23.01.2020 15:14:28	1	1	1	1	77	62.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	43	2004
23.01.2020 15:14:29	1	1	1	1	77	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
23.01.2020 15:14:30	1	1	1	1	77	62.5	0	30000	481.7204301	13977.93058	30000	0	0	30000	42.8125	2004
23.01.2020 15:14:31	1	1	1	1	77	62.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.875	2004
23.01.2020 15:14:32	1	1	1	1	77	62.75	0	30000	481.7204301	14406.00114	30000	0	0	30000	43	2004
23.01.2020 15:14:33	1	1	1	1	77	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	43	2004
23.01.2020 15:14:34	1	1	1	1	77	63	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.8125	2004
23.01.2020 15:14:35	1	1	1	1	77	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
23.01.2020 15:14:36	1	1	1	1	77	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:43	1	1	1	1	77	62.5	0	30000	509.6774194	15266.21912	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:43	1	1	1	1	77	62.5	0	30000	509.6774194	15266.21912	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:43	1	1	1	1	77	62.5	0	30000	509.6774194	15266.21912	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:43	1	1	1	1	77	62.5	0	30000	509.6774194	15266.21912	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:43	1	1	1	1	77	62.5	0	30000	509.6774194	15266.21912	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:14:43	1	1	1	1	77	62.5	0	30000	509.6774194	15266.21912	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:43	1	1	1	1	77	62.5	0	30000	509.6774194	15266.21912	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:44	1	1	1	1	77	62.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	42.5625	2004
23.01.2020 15:14:45	1	1	1	1	77	62.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	42.875	2004
23.01.2020 15:14:46	1	1	1	1	77	62.75	0	29952.607	486.0215054	14902.56299	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:47	1	1	1	1	77	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
23.01.2020 15:14:48	1	1	1	1	77	62	0	30000	466.6666667	14021.9607	30000	0	0	30000	42.75	2004
23.01.2020 15:14:50	1	1	1	1	77	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.875	2004
23.01.2020 15:14:51	1	1	1	1	77	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.9375	2004
23.01.2020 15:14:52	1	1	1	1	77	62.75	0	30000	445.1612903	13183.75778	30000	0	0	30000	43.4375	2004
23.01.2020 15:14:53	1	1	1	1	77	63.25	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	43.3125	2004
23.01.2020 15:14:54	1	1	1	1	77	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.625	2004
23.01.2020 15:14:55	1	1	1	1	77	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
23.01.2020 15:14:56	1	1	1	1	77	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.875	2004
23.01.2020 15:14:57	1	1	1	1	77	62.75	0	29952.607	460.2150538	13741.47256	30000	0	0	30000	43	2004
23.01.2020 15:14:58	1	1	1	1	77	63	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
23.01.2020 15:14:59	1	1	1	1	77	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
23.01.2020 15:15:00	1	1	1	1	77	63	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42.1875	2004
23.01.2020 15:15:01	1	1	1	1	77	62	0	30000	464.516129	13999.94564	30000	0	0	30000	42.75	2004
23.01.2020 15:15:02	1	1	1	1	76.75	62.75	0	30000	464.516129	13999.94564	30000	0	0	30000	42.375	2004
23.01.2020 15:15:03	1	1	1	1	76.75	62.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 15:15:04	1	1	1	1	76.75	62.5	0	30000	445.1612903	13677.05814	30000	0	0	30000	43	2004
23.01.2020 15:15:05	1	1	1	1	76.75	63	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	43	2004
23.01.2020 15:15:06	1	1	1	1	76.75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
23.01.2020 15:15:07	1	1	1	1	76.75	63	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	42.625	2004
23.01.2020 15:15:08	1	1	1	1	76.75	62.5	0	30000	492.4731183	14644.90528	30000	0	0	30000	42.5625	2004
23.01.2020 15:15:09	1	1	1	1	76.75	62.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.25	2004
23.01.2020 15:15:10	1	1	1	1	76.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
23.01.2020 15:15:11	1	1	1	1	76.75	62.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.8125	2004
23.01.2020 15:15:12	1	1	1	1	76.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:15:13	1	1	1	1	76.75	62.75	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	42.9375	2004
23.01.2020 15:15:14	1	1	1	1	76.75	62.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	43	2004
23.01.2020 15:15:15	1	1	1	1	76.75	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	43	2004
23.01.2020 15:15:16	1	1	1	1	76.75	63	0	30000	356.9892473	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:15:17	1	1	1	1	76.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
23.01.2020 15:15:18	1	1	1	1	76.75	62.75	0	29952.607	331.1827957	9984.236132	30000	0	0	30000	42.9375	2004
23.01.2020 15:15:19	1	1	1	1	76.75	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.75	2004
23.01.2020 15:15:20	1	1	1	1	76.75	62.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.0625	2004
23.01.2020 15:15:21	1	1	1	1	76.75	63	0	30000	320.4301075	9627.918354	30000	0	0	30000	42.9375	2004
23.01.2020 15:15:22	1	1	1	1	77.25	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	43	2004
23.01.2020 15:15:23	1	1	1	1	77.25	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.5625	2004
23.01.2020 15:15:24	1	1	1	1	77.25	62.5	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	42.875	2004
23.01.2020 15:15:25	1	1	1	1	77.25	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:15:26	1	1	1	1	77.25	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
23.01.2020 15:15:27	1	1	1	1	77.25	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 15:15:29	1	1	1	1	77.25	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.8125	2004
23.01.2020 15:15:30	1	1	1	1	77.25	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
23.01.2020 15:15:31	1	1	1	1	77.25	62.75	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	43.4375	2004
23.01.2020 15:15:32	1	1	1	1	77.25	63.25	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:15:33	1	1	1	1	77	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
23.01.2020 15:15:34	1	1	1	1	77	62.75	0	30000	318.2795699	9453.428641	30000	0	0	30000	42.3125	2004
23.01.2020 15:15:35	1	1	1	1	77	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
23.01.2020 15:15:36	1	1	1	1	77	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.375	2004
23.01.2020 15:15:37	1	1	1	1	77	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 15:15:38	1	1	1	1	77	63	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	42.875	2004
23.01.2020 15:15:45	1	1	1	1	76.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 15:15:45	1	1	1	1	76.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 15:15:45	1	1	1	1	76.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 15:15:45	1	1	1	1	76.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 15:15:45	1	1	1	1	76.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 15:15:45	1	1	1	1	76.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 15:15:45	1	1	1	1	76.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 15:15:45	1	1	1	1	76.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 15:15:45	1	1	1	1	76.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
23.01.2020 15:15:46	1	1	1	1	76.5	62.75	0	30047.393	301.0752688	8967.466638	30000	0	0	30000	43	2004
23.01.2020 15:15:47	1	1	1	1	76.5	63	0	30000	303.2258065	8938.928601	30000	0	0	30000	42.375	2004
23.01.2020 15:15:48	1	1	1	1	76.5	62.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:15:49	1	1	1	1	76.5	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.1875	2004
23.01.2020 15:15:50	1	1	1	1	76.5	63	0	30000	292.4731183	8903.052211	30000	0	0	30000	42.6875	2004
23.01.2020 15:15:51	1	1	1	1	76.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43	2004
23.01.2020 15:15:52	1	1	1	1	76.75	63	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	43	2004
23.01.2020 15:15:53	1	1	1	1	76.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43	2004
23.01.2020 15:15:54	1	1	1	1	76.75	63	0	30000	288.172043	8644.579132	30000	0	0	30000	43.0625	2004
23.01.2020 15:15:55	1	1	1	1	76.75	63	0	30000	292.4731183	8580.164705	30000	0	0	30000	42.9375	2004
23.01.2020 15:15:56	1	1	1	1	76.75	62.75	0	29952.607	292.4731183	8695.947599	30000	0	0	30000	42.875	2004
23.01.2020 15:15:57	1	1	1	1	76.75	62.75	0	30000	305.3763441	9146.848585	30000	0	0	30000	43.0625	2004
23.01.2020 15:15:58	1	1	1	1	76.75	63	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	42.6875	2004
23.01.2020 15:15:59	1	1	1	1	76.75	62.5	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 15:16:00	1	1	1	1	76.75	62.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	43	2004
23.01.2020 15:16:01	1	1	1	1	76.75	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.8125	2004
23.01.2020 15:16:02	1	1	1	1	76.5	62.75	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	43	2004
23.01.2020 15:16:03	1	1	1	1	76.5	63	0	29952.607	326.8817204	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 15:16:04	1	1	1	1	76.5	63	0	30000	329.0322581	10064.14264	30000	0	0	30000	42.1875	2004
23.01.2020 15:16:05	1	1	1	1	76.5	62	0	29905.213	335.483871	10128.55706	30000	0	0	30000	42.8125	2004
23.01.2020 15:16:07	1	1	1	1	76.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
23.01.2020 15:16:08	1	1	1	1	76.5	62.75	0	30000	346.2365591	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:16:09	1	1	1	1	76.5	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 15:16:10	1	1	1	1	76.5	63	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:16:11	1	1	1	1	76.5	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.4375	2004
23.01.2020 15:16:12	1	1	1	1	76.5	63.25	0	30000	331.1827957	9790.992852	30000	0	0	30000	43	2004
23.01.2020 15:16:13	1	1	1	1	76.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
23.01.2020 15:16:14	1	1	1	1	76.75	62.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 15:16:15	1	1	1	1	76.75	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43	2004
23.01.2020 15:16:16	1	1	1	1	76.75	63	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.625	2004
23.01.2020 15:16:17	1	1	1	1	76.75	62.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	43	2004
23.01.2020 15:16:18	1	1	1	1	76.75	63	0	30000	350.5376344	10387.03014	30000	0	0	30000	41.9375	2004
23.01.2020 15:16:19	1	1	1	1	76.75	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 15:16:20	1	1	1	1	76.75	63	0	30047.393	348.3870968	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 15:16:21	1	1	1	1	76.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	42.9375	2004
23.01.2020 15:16:22	1	1	1	1	76	62.75	0	30000	335.483871	9870.899356	30000	0	0	30000	43.0625	2004
23.01.2020 15:16:23	1	1	1	1	76	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.4375	2004
23.01.2020 15:16:24	1	1	1	1	76	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
23.01.2020 15:16:25	1	1	1	1	76	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 15:16:26	1	1	1	1	76	63	0	29905.213	316.1290323	9483.597423	30000	0	0	30000	42.75	2004
23.01.2020 15:16:27	1	1	1	1	76	62.75	0	29952.607	303.2258065	9067.757454	30000	0	0	30000	42.9375	2004
23.01.2020 15:16:28	1	1	1	1	76	62.75	0	30000	307.5268817	9018.019732	30000	0	0	30000	42.875	2004
23.01.2020 15:16:29	1	1	1	1	76	62.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.9375	2004
23.01.2020 15:16:30	1	1	1	1	76	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.0625	2004
23.01.2020 15:16:31	1	1	1	1	76	63	0	30000	311.827957	9419.182997	30000	0	0	30000	43	2004
23.01.2020 15:16:32	1	1	1	1	75.75	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.875	2004
23.01.2020 15:16:33	1	1	1	1	75.75	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.4375	2004
23.01.2020 15:16:34	1	1	1	1	75.75	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.875	2004
23.01.2020 15:16:35	1	1	1	1	75.75	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43	2004
23.01.2020 15:16:36	1	1	1	1	75.75	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	43	2004
23.01.2020 15:16:37	1	1	1	1	75.75	63	0	30000	356.9892473	10628.3804	30000	0	0	30000	42.75	2004
23.01.2020 15:16:38	1	1	1	1	75.75	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
23.01.2020 15:16:39	1	1	1	1	75.75	62.5	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43	2004
23.01.2020 15:16:47	1	1	1	1	75.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:16:47	1	1	1	1	75.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:16:47	1	1	1	1	75.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:16:47	1	1	1	1	75.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:16:47	1	1	1	1	75.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:16:47	1	1	1	1	75.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:16:47	1	1	1	1	75.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:16:48	1	1	1	1	75.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 15:16:49	1	1	1	1	75.75	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.25	2004
23.01.2020 15:16:50	1	1	1	1	75.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:16:51	1	1	1	1	75.75	63	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.9375	2004
23.01.2020 15:16:52	1	1	1	1	76.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.8125	2004
23.01.2020 15:16:53	1	1	1	1	76.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:16:54	1	1	1	1	76.25	62.75	0	30094.787	397.8494624	11871.00807	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:16:55	1	1	1	1	76.25	62.5	0	29905.213	395.6989247	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 15:16:56	1	1	1	1	76.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:16:57	1	1	1	1	76.25	62.75	0	30047.393	400	11871.00807	30000	0	0	30000	42.5	2004
23.01.2020 15:16:58	1	1	1	1	76.25	62.5	0	30000	397.8494624	12064.25135	30000	0	0	30000	42.5625	2004
23.01.2020 15:16:59	1	1	1	1	76.25	62.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:17:00	1	1	1	1	76.25	62.75	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:17:01	1	1	1	1	76.25	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	43	2004
23.01.2020 15:17:02	1	1	1	1	76	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:17:03	1	1	1	1	76	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:17:04	1	1	1	1	76	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:17:05	1	1	1	1	76	63	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:17:06	1	1	1	1	76	63	0	30000	397.8494624	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:17:07	1	1	1	1	76	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:17:08	1	1	1	1	76	62.75	0	30000	400	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 15:17:09	1	1	1	1	76	62.75	0	30000	400	12128.66578	30000	0	0	30000	42.3125	2004
23.01.2020 15:17:10	1	1	1	1	76	62.25	0	30000	412.9032258	12090.34327	30000	0	0	30000	42.625	2004
23.01.2020 15:17:11	1	1	1	1	76	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.75	2004
23.01.2020 15:17:12	1	1	1	1	76	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 15:17:13	1	1	1	1	76	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.3125	2004
23.01.2020 15:17:14	1	1	1	1	76	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.6875	2004
23.01.2020 15:17:15	1	1	1	1	76	62.5	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	42.875	2004
23.01.2020 15:17:16	1	1	1	1	76	62.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.9375	2004
23.01.2020 15:17:17	1	1	1	1	76	62.75	0	29952.607	307.5268817	9211.263012	30000	0	0	30000	42.875	2004
23.01.2020 15:17:18	1	1	1	1	76	62.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 15:17:19	1	1	1	1	76	62.75	0	30000	322.5806452	9662.163999	30000	0	0	30000	42.5	2004
23.01.2020 15:17:20	1	1	1	1	76	62.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	43	2004
23.01.2020 15:17:21	1	1	1	1	76	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
23.01.2020 15:17:23	1	1	1	1	75.5	62.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
23.01.2020 15:17:24	1	1	1	1	75.5	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.75	2004
23.01.2020 15:17:25	1	1	1	1	75.5	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.0625	2004
23.01.2020 15:17:26	1	1	1	1	75.5	63	0	29952.607	303.2258065	9225.124344	30000	0	0	30000	43.3125	2004
23.01.2020 15:17:27	1	1	1	1	75.5	63.25	0	30094.787	313.9784946	9225.124344	30000	0	0	30000	42.875	2004
23.01.2020 15:17:28	1	1	1	1	75.5	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.875	2004
23.01.2020 15:17:29	1	1	1	1	75.5	62.75	0	30047.393	311.827957	9419.182997	30000	0	0	30000	42.75	2004
23.01.2020 15:17:30	1	1	1	1	75.5	62.75	0	29952.607	311.827957	9290.354143	30000	0	0	30000	42.8125	2004
23.01.2020 15:17:31	1	1	1	1	75.5	62.75	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	42.875	2004
23.01.2020 15:17:32	1	1	1	1	75.75	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43	2004
23.01.2020 15:17:33	1	1	1	1	75.75	63	0	30000	322.5806452	9662.163999	30000	0	0	30000	42.9375	2004
23.01.2020 15:17:34	1	1	1	1	75.75	62.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.625	2004
23.01.2020 15:17:35	1	1	1	1	75.75	62.5	0	30000	352.688172	10644.68785	30000	0	0	30000	43	2004
23.01.2020 15:17:36	1	1	1	1	75.75	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.6875	2004
23.01.2020 15:17:37	1	1	1	1	75.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.8125	2004
23.01.2020 15:17:38	1	1	1	1	75.75	62.75	0	28199.052	305.3763441	8611.14886	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:17:39	1	1	1	1	75.75	62.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.8125	2004
23.01.2020 15:17:40	1	1	1	1	75.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43	2004
23.01.2020 15:17:41	1	1	1	1	75.75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43	2004
23.01.2020 15:17:48	1	1	1	1	75.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.4375	2004
23.01.2020 15:17:48	1	1	1	1	75.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.4375	2004
23.01.2020 15:17:48	1	1	1	1	75.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.4375	2004
23.01.2020 15:17:48	1	1	1	1	75.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.4375	2004
23.01.2020 15:17:48	1	1	1	1	75.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.4375	2004
23.01.2020 15:17:48	1	1	1	1	75.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.4375	2004
23.01.2020 15:17:48	1	1	1	1	75.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.4375	2004
23.01.2020 15:17:48	1	1	1	1	75.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.4375	2004
23.01.2020 15:17:49	1	1	1	1	75.5	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	43	2004
23.01.2020 15:17:50	1	1	1	1	75.5	63	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
23.01.2020 15:17:51	1	1	1	1	75.5	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
23.01.2020 15:17:52	1	1	1	1	75.25	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43	2004
23.01.2020 15:17:53	1	1	1	1	75.25	63	0	30000	365.5913978	10967.57535	30000	0	0	30000	43	2004
23.01.2020 15:17:54	1	1	1	1	75.25	63	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 15:17:55	1	1	1	1	75.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:17:56	1	1	1	1	75.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:17:57	1	1	1	1	75.25	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.4375	2004
23.01.2020 15:17:58	1	1	1	1	75.25	62.25	0	29905.213	389.2473118	11676.94942	30000	0	0	30000	42.875	2004
23.01.2020 15:17:59	1	1	1	1	75.25	62.75	0	29905.213	384.9462366	11530.18237	30000	0	0	30000	42.6875	2004
23.01.2020 15:18:00	1	1	1	1	75.25	62.5	0	29952.607	384.9462366	11511.4288	30000	0	0	30000	42.9375	2004
23.01.2020 15:18:02	1	1	1	1	75.25	62.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.6875	2004
23.01.2020 15:18:03	1	1	1	1	75.5	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5625	2004
23.01.2020 15:18:04	1	1	1	1	75.5	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.9375	2004
23.01.2020 15:18:05	1	1	1	1	75.5	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.5625	2004
23.01.2020 15:18:06	1	1	1	1	75.5	62.5	0	30047.393	395.6989247	11676.94942	30000	0	0	30000	43.5	2004
23.01.2020 15:18:07	1	1	1	1	75.5	63.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 15:18:08	1	1	1	1	75.5	62.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:18:09	1	1	1	1	75.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.875	2004
23.01.2020 15:18:10	1	1	1	1	75.5	61.75	0	29905.213	380.6451613	11336.93909	30000	0	0	30000	42.9375	2004
23.01.2020 15:18:11	1	1	1	1	75.5	62.75	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43	2004
23.01.2020 15:18:12	1	1	1	1	75.75	63	0	30000	367.7419355	10967.57535	30000	0	0	30000	42.625	2004
23.01.2020 15:18:13	1	1	1	1	75.75	62.5	0	30000	344.0860215	10322.61571	30000	0	0	30000	43	2004
23.01.2020 15:18:14	1	1	1	1	75.75	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43	2004
23.01.2020 15:18:15	1	1	1	1	75.75	63	0	29952.607	309.6774194	9419.182997	30000	0	0	30000	42.5	2004
23.01.2020 15:18:16	1	1	1	1	75.75	62.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.875	2004
23.01.2020 15:18:17	1	1	1	1	75.75	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
23.01.2020 15:18:18	1	1	1	1	75.75	63	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	43.0625	2004
23.01.2020 15:18:19	1	1	1	1	75.75	63	0	30047.393	260.2150538	7883.021227	30000	0	0	30000	42.625	2004
23.01.2020 15:18:20	1	1	1	1	75.75	62.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.125	2004
23.01.2020 15:18:21	1	1	1	1	75.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.0625	2004
23.01.2020 15:18:22	1	1	1	1	75.75	63	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:18:23	1	1	1	1	75.75	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43	2004
23.01.2020 15:18:24	1	1	1	1	75.75	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.9375	2004
23.01.2020 15:18:25	1	1	1	1	75.75	62.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.875	2004
23.01.2020 15:18:26	1	1	1	1	75.75	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.75	2004
23.01.2020 15:18:27	1	1	1	1	75.75	62.75	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	43.125	2004
23.01.2020 15:18:28	1	1	1	1	75.75	63	0	29952.607	335.483871	10128.55706	30000	0	0	30000	43	2004
23.01.2020 15:18:29	1	1	1	1	75.75	63	0	30000	350.5376344	10387.03014	30000	0	0	30000	42.8125	2004
23.01.2020 15:18:30	1	1	1	1	75.75	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.9375	2004
23.01.2020 15:18:31	1	1	1	1	75.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.0625	2004
23.01.2020 15:18:32	1	1	1	1	75.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 15:18:33	1	1	1	1	75.75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 15:18:34	1	1	1	1	75.75	62.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 15:18:35	1	1	1	1	75.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 15:18:36	1	1	1	1	75.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:18:37	1	1	1	1	75.75	63	0	30000	417.2043011	12367.56992	30000	0	0	30000	42.875	2004
23.01.2020 15:18:38	1	1	1	1	75.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
23.01.2020 15:18:39	1	1	1	1	75.75	62.5	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	42.4375	2004
23.01.2020 15:18:41	1	1	1	1	75.75	62.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	43	2004
23.01.2020 15:18:42	1	1	1	1	75.75	63	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.875	2004
23.01.2020 15:18:43	1	1	1	1	75.75	62.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.8125	2004
23.01.2020 15:18:50	1	1	1	1	75.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:18:50	1	1	1	1	75.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:18:50	1	1	1	1	75.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:18:50	1	1	1	1	75.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:18:50	1	1	1	1	75.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:18:50	1	1	1	1	75.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:18:50	1	1	1	1	75.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:18:51	1	1	1	1	75.75	62.75	0	30047.393	421.5053763	12749.16424	30000	0	0	30000	43	2004
23.01.2020 15:18:52	1	1	1	1	75.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:18:53	1	1	1	1	75.75	63	0	29952.607	423.655914	12669.25774	30000	0	0	30000	43	2004
23.01.2020 15:18:54	1	1	1	1	75.75	63	0	30094.787	421.5053763	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:18:55	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:18:56	1	1	1	1	75.75	63	0	30000	438.7096774	13140.54304	30000	0	0	30000	43.0625	2004
23.01.2020 15:18:57	1	1	1	1	75.75	63	0	30047.393	438.7096774	13160.92735	30000	0	0	30000	42.875	2004
23.01.2020 15:18:58	1	1	1	1	75.75	62.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.125	2004
23.01.2020 15:18:59	1	1	1	1	75.75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:19:00	1	1	1	1	75.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 15:19:01	1	1	1	1	75.75	62.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.75	2004
23.01.2020 15:19:02	1	1	1	1	76.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43	2004
23.01.2020 15:19:03	1	1	1	1	76.25	63	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.75	2004
23.01.2020 15:19:04	1	1	1	1	76.25	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.8125	2004
23.01.2020 15:19:05	1	1	1	1	76.25	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.875	2004
23.01.2020 15:19:06	1	1	1	1	76.25	62.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:19:07	1	1	1	1	76.25	62.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	43.125	2004
23.01.2020 15:19:08	1	1	1	1	76.25	63	0	30000	464.516129	13762.67225	30000	0	0	30000	42.875	2004
23.01.2020 15:19:09	1	1	1	1	76.25	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.875	2004
23.01.2020 15:19:10	1	1	1	1	76.25	62.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	42.875	2004
23.01.2020 15:19:11	1	1	1	1	76.25	62.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	43	2004
23.01.2020 15:19:12	1	1	1	1	76	63	0	30000	423.655914	12580.38214	30000	0	0	30000	42.9375	2004
23.01.2020 15:19:13	1	1	1	1	76	62.75	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.8125	2004
23.01.2020 15:19:14	1	1	1	1	76	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:19:15	1	1	1	1	76	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43	2004
23.01.2020 15:19:16	1	1	1	1	76	63	0	30000	352.688172	10644.68785	30000	0	0	30000	43	2004
23.01.2020 15:19:17	1	1	1	1	76	63	0	30000	348.3870968	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:18	1	1	1	1	76	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
23.01.2020 15:19:20	1	1	1	1	76	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
23.01.2020 15:19:21	1	1	1	1	76	62.75	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:19:22	1	1	1	1	76	62.5	0	30000	384.9462366	11401.35352	30000	0	0	30000	42.9375	2004
23.01.2020 15:19:23	1	1	1	1	76	62.75	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	43.4375	2004
23.01.2020 15:19:24	1	1	1	1	76	63.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.25	2004
23.01.2020 15:19:25	1	1	1	1	76	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
23.01.2020 15:19:26	1	1	1	1	76	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.875	2004
23.01.2020 15:19:27	1	1	1	1	76	62.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:28	1	1	1	1	76	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:19:29	1	1	1	1	76	62.75	0	29905.213	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:19:30	1	1	1	1	76	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:19:31	1	1	1	1	76	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:19:32	1	1	1	1	76	63	0	30000	395.6989247	11805.77827	30000	0	0	30000	43	2004
23.01.2020 15:19:33	1	1	1	1	76	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 15:19:34	1	1	1	1	76	63.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:35	1	1	1	1	76	63	0	30000	404.3010753	11852.2545	30000	0	0	30000	43	2004
23.01.2020 15:19:36	1	1	1	1	76	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:19:37	1	1	1	1	76	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004
23.01.2020 15:19:38	1	1	1	1	76	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 15:19:39	1	1	1	1	76	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:19:40	1	1	1	1	76	62.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.4375	2004
23.01.2020 15:19:41	1	1	1	1	76	62.25	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.8125	2004
23.01.2020 15:19:42	1	1	1	1	75.75	62.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	43	2004
23.01.2020 15:19:43	1	1	1	1	75.75	63	0	30000	432.2580645	13096.51292	30000	0	0	30000	42.9375	2004
23.01.2020 15:19:44	1	1	1	1	75.75	62.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.6875	2004
23.01.2020 15:19:52	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:52	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:52	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:52	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:52	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:52	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:19:52	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:52	1	1	1	1	75	63	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	43	2004
23.01.2020 15:19:53	1	1	1	1	75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:19:54	1	1	1	1	75	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:55	1	1	1	1	75	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:19:56	1	1	1	1	75	62.75	0	30047.393	438.7096774	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:19:57	1	1	1	1	75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:19:59	1	1	1	1	75	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:20:00	1	1	1	1	75	63	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	42.625	2004
23.01.2020 15:20:01	1	1	1	1	75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:20:02	1	1	1	1	75	62.75	0	30000	423.655914	12709.21099	30000	0	0	30000	43	2004
23.01.2020 15:20:03	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:20:04	1	1	1	1	75.75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.25	2004
23.01.2020 15:20:05	1	1	1	1	75.75	63.25	0	30047.393	427.9569892	12773.62542	30000	0	0	30000	42.875	2004
23.01.2020 15:20:06	1	1	1	1	75.75	62.75	0	30000	415.0537634	12599.95108	30000	0	0	30000	43.3125	2004
23.01.2020 15:20:07	1	1	1	1	75.75	63	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:20:08	1	1	1	1	75.75	63	0	30000	415.0537634	12580.38214	30000	0	0	30000	42.9375	2004
23.01.2020 15:20:09	1	1	1	1	75.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:20:10	1	1	1	1	75.75	63	0	30000	412.9032258	12599.95108	30000	0	0	30000	43.125	2004
23.01.2020 15:20:11	1	1	1	1	75.75	63	0	30000	404.3010753	11916.66893	30000	0	0	30000	42.75	2004
23.01.2020 15:20:12	1	1	1	1	75.5	62.75	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	42.9375	2004
23.01.2020 15:20:13	1	1	1	1	75.5	62.75	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 15:20:14	1	1	1	1	75.5	63	0	30000	415.0537634	12580.38214	30000	0	0	30000	43.25	2004
23.01.2020 15:20:15	1	1	1	1	75.5	63.25	0	30000	421.5053763	12709.21099	30000	0	0	30000	42.5	2004
23.01.2020 15:20:16	1	1	1	1	75.5	62.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:20:17	1	1	1	1	75.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:20:18	1	1	1	1	75.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:20:19	1	1	1	1	75.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
23.01.2020 15:20:20	1	1	1	1	75.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:20:21	1	1	1	1	75.5	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.125	2004
23.01.2020 15:20:22	1	1	1	1	75.5	62	0	30000	400	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 15:20:23	1	1	1	1	75.5	63	0	30000	387.0967742	11511.4288	30000	0	0	30000	42.9375	2004
23.01.2020 15:20:24	1	1	1	1	75.5	62.75	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:20:25	1	1	1	1	75.5	62.5	0	24928.91	290.3225806	7291.0608	30000	0	0	30000	42.9375	2004
23.01.2020 15:20:26	1	1	1	1	75.5	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43	2004
23.01.2020 15:20:27	1	1	1	1	75.5	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 15:20:28	1	1	1	1	75.5	63	0	30047.393	318.2795699	9433.859702	30000	0	0	30000	43.25	2004
23.01.2020 15:20:29	1	1	1	1	75.5	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 15:20:30	1	1	1	1	75.5	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.8125	2004
23.01.2020 15:20:31	1	1	1	1	75.5	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
23.01.2020 15:20:32	1	1	1	1	75.5	62.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
23.01.2020 15:20:33	1	1	1	1	75.5	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.9375	2004
23.01.2020 15:20:34	1	1	1	1	75.5	61.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:20:35	1	1	1	1	75.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.8125	2004
23.01.2020 15:20:36	1	1	1	1	75.5	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:20:38	1	1	1	1	75.5	63.25	0	30000	363.4408602	11031.98978	30000	0	0	30000	43.0625	2004
23.01.2020 15:20:39	1	1	1	1	75.5	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 15:20:40	1	1	1	1	75.5	62.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
23.01.2020 15:20:41	1	1	1	1	75.5	61.25	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	42.625	2004
23.01.2020 15:20:42	1	1	1	1	75.5	62.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.625	2004
23.01.2020 15:20:44	1	1	1	1	75.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:20:44	1	1	1	1	75.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:20:45	1	1	1	1	75.25	63	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.375	2004
23.01.2020 15:20:46	1	1	1	1	75.25	63.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 15:20:53	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:20:53	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:20:53	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:20:53	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:20:53	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:20:53	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:20:53	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:20:54	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:20:55	1	1	1	1	75.25	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43	2004
23.01.2020 15:20:56	1	1	1	1	75.25	63	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.5625	2004
23.01.2020 15:20:57	1	1	1	1	75.25	62.5	0	30000	419.3548387	12599.95108	30000	0	0	30000	42.6875	2004
23.01.2020 15:20:58	1	1	1	1	75.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 15:20:59	1	1	1	1	75.25	62.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:21:00	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
23.01.2020 15:21:01	1	1	1	1	75.25	62.75	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	42.75	2004
23.01.2020 15:21:02	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:21:03	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:21:04	1	1	1	1	75.25	62.75	0	30000	406.4516129	12193.08021	30000	0	0	30000	43.25	2004
23.01.2020 15:21:05	1	1	1	1	75.25	63.25	0	29952.607	415.0537634	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:21:06	1	1	1	1	75.25	63	0	30047.393	404.3010753	12193.08021	30000	0	0	30000	43.0625	2004
23.01.2020 15:21:07	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
23.01.2020 15:21:08	1	1	1	1	75.25	62.5	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 15:21:09	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
23.01.2020 15:21:10	1	1	1	1	75.25	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.25	2004
23.01.2020 15:21:11	1	1	1	1	75.25	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
23.01.2020 15:21:12	1	1	1	1	75.25	63	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	42.5625	2004
23.01.2020 15:21:13	1	1	1	1	75.25	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 15:21:14	1	1	1	1	75.25	63	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.125	2004
23.01.2020 15:21:16	1	1	1	1	75.25	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
23.01.2020 15:21:17	1	1	1	1	75.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:21:18	1	1	1	1	75.25	63	0	29905.213	391.3978495	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:21:19	1	1	1	1	75.25	63	0	30047.393	412.9032258	12193.08021	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:21:20	1	1	1	1	75.25	62.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	42.25	2004
23.01.2020 15:21:21	1	1	1	1	75.25	62.25	0	30047.393	378.4946237	11372.81548	30000	0	0	30000	42.8125	2004
23.01.2020 15:21:22	1	1	1	1	75.25	62.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	43.0625	2004
23.01.2020 15:21:23	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.5625	2004
23.01.2020 15:21:24	1	1	1	1	75	63.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:21:25	1	1	1	1	75	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.1875	2004
23.01.2020 15:21:26	1	1	1	1	75	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 15:21:27	1	1	1	1	75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5	2004
23.01.2020 15:21:28	1	1	1	1	75	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.4375	2004
23.01.2020 15:21:29	1	1	1	1	75	62.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	43.0625	2004
23.01.2020 15:21:30	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:21:31	1	1	1	1	75	63	0	29905.213	378.4946237	11336.93909	30000	0	0	30000	43.1875	2004
23.01.2020 15:21:32	1	1	1	1	75	63	0	29952.607	380.6451613	11612.53499	30000	0	0	30000	42.25	2004
23.01.2020 15:21:33	1	1	1	1	75	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:21:34	1	1	1	1	75	63	0	30000	378.4946237	11143.69581	30000	0	0	30000	43.125	2004
23.01.2020 15:21:35	1	1	1	1	75	63	0	30000	389.2473118	11935.4225	30000	0	0	30000	43.125	2004
23.01.2020 15:21:36	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:21:37	1	1	1	1	75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:21:38	1	1	1	1	75	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.3125	2004
23.01.2020 15:21:39	1	1	1	1	75	62.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:21:40	1	1	1	1	75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:21:41	1	1	1	1	75	62.75	0	30000	415.0537634	12367.56992	30000	0	0	30000	42.8125	2004
23.01.2020 15:21:42	1	1	1	1	75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:21:43	1	1	1	1	75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:21:44	1	1	1	1	75	62.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:21:45	1	1	1	1	75	62.75	0	30000	423.655914	12709.21099	30000	0	0	30000	42.9375	2004
23.01.2020 15:21:46	1	1	1	1	75	62.75	0	30047.393	434.4086022	13052.48281	30000	0	0	30000	42.6875	2004
23.01.2020 15:21:47	1	1	1	1	75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 15:21:55	1	1	1	1	75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:21:55	1	1	1	1	75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:21:55	1	1	1	1	75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:21:55	1	1	1	1	75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:21:55	1	1	1	1	75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:21:55	1	1	1	1	75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:21:56	1	1	1	1	75	62.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42.9375	2004
23.01.2020 15:21:57	1	1	1	1	75	62.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.9375	2004
23.01.2020 15:21:58	1	1	1	1	75	62.75	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	42.75	2004
23.01.2020 15:21:59	1	1	1	1	75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:22:00	1	1	1	1	75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 15:22:01	1	1	1	1	75	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:22:02	1	1	1	1	75	63	0	29952.607	434.4086022	12818.4709	30000	0	0	30000	42.8125	2004
23.01.2020 15:22:03	1	1	1	1	75.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:22:04	1	1	1	1	75.25	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:22:05	1	1	1	1	75.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43	2004
23.01.2020 15:22:06	1	1	1	1	75.25	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.9375	2004
23.01.2020 15:22:07	1	1	1	1	75.25	62.75	0	30000	421.5053763	12689.64205	30000	0	0	30000	43	2004
23.01.2020 15:22:08	1	1	1	1	75.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.3125	2004
23.01.2020 15:22:09	1	1	1	1	75.25	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:22:10	1	1	1	1	75.25	62.75	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	43.0625	2004
23.01.2020 15:22:11	1	1	1	1	75.25	63	0	30000	440.8602151	13289.7562	30000	0	0	30000	42.875	2004
23.01.2020 15:22:12	1	1	1	1	75.75	62.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.25	2004
23.01.2020 15:22:13	1	1	1	1	75.75	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 15:22:14	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.375	2004
23.01.2020 15:22:15	1	1	1	1	75.75	62.25	0	30000	434.4086022	13032.0985	30000	0	0	30000	42.375	2004
23.01.2020 15:22:16	1	1	1	1	75.75	62.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.8125	2004
23.01.2020 15:22:17	1	1	1	1	75.75	62.75	0	30000	434.4086022	13076.12861	30000	0	0	30000	42.4375	2004
23.01.2020 15:22:18	1	1	1	1	75.75	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:22:19	1	1	1	1	75.75	63	0	30000	436.5591398	13096.51292	30000	0	0	30000	43.0625	2004
23.01.2020 15:22:20	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 15:22:21	1	1	1	1	75.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 15:22:22	1	1	1	1	75.75	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.8125	2004
23.01.2020 15:22:23	1	1	1	1	75.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
23.01.2020 15:22:24	1	1	1	1	75.75	63	0	29952.607	397.8494624	11916.66893	30000	0	0	30000	43.0625	2004
23.01.2020 15:22:25	1	1	1	1	75.75	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
23.01.2020 15:22:26	1	1	1	1	75.75	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:22:27	1	1	1	1	75.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.8125	2004
23.01.2020 15:22:28	1	1	1	1	75.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:22:29	1	1	1	1	75.75	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 15:22:30	1	1	1	1	75.75	63.25	0	30000	382.7956989	11336.93909	30000	0	0	30000	43	2004
23.01.2020 15:22:32	1	1	1	1	75.75	63	0	30000	382.7956989	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:22:33	1	1	1	1	76	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
23.01.2020 15:22:34	1	1	1	1	76	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.625	2004
23.01.2020 15:22:35	1	1	1	1	76	62.5	0	30000	402.1505376	12045.49778	30000	0	0	30000	42.6875	2004
23.01.2020 15:22:36	1	1	1	1	76	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:22:37	1	1	1	1	76	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:22:38	1	1	1	1	76	63	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.8125	2004
23.01.2020 15:22:39	1	1	1	1	76	62.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.25	2004
23.01.2020 15:22:40	1	1	1	1	76	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 15:22:41	1	1	1	1	76	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 15:22:42	1	1	1	1	76	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:22:43	1	1	1	1	76.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5625	2004
23.01.2020 15:22:44	1	1	1	1	76.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:22:45	1	1	1	1	76.25	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:22:46	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:22:47	1	1	1	1	76.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:22:48	1	1	1	1	76.25	62.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	43	2004
23.01.2020 15:22:49	1	1	1	1	76.25	63	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	42.6875	2004
23.01.2020 15:22:56	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
23.01.2020 15:22:56	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
23.01.2020 15:22:56	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
23.01.2020 15:22:56	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
23.01.2020 15:22:56	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
23.01.2020 15:22:56	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
23.01.2020 15:22:56	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
23.01.2020 15:22:56	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
23.01.2020 15:22:57	1	1	1	1	76.25	62.25	0	30000	436.5591398	13310.95589	30000	0	0	30000	42.9375	2004
23.01.2020 15:22:58	1	1	1	1	76.25	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.9375	2004
23.01.2020 15:22:59	1	1	1	1	76.25	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.875	2004
23.01.2020 15:23:00	1	1	1	1	76.25	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.875	2004
23.01.2020 15:23:01	1	1	1	1	76.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
23.01.2020 15:23:02	1	1	1	1	76.25	62.25	0	29952.607	464.516129	13569.42897	30000	0	0	30000	42.9375	2004
23.01.2020 15:23:03	1	1	1	1	76.25	62.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.875	2004
23.01.2020 15:23:04	1	1	1	1	76.25	62.75	0	30000	481.7204301	14150.78955	30000	0	0	30000	42.75	2004
23.01.2020 15:23:05	1	1	1	1	76.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
23.01.2020 15:23:06	1	1	1	1	76.25	62.75	0	30000	468.8172043	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 15:23:07	1	1	1	1	76.25	62.75	0	29952.607	455.9139785	13935.53122	30000	0	0	30000	42.75	2004
23.01.2020 15:23:08	1	1	1	1	76.25	62.75	0	30000	458.0645161	13935.53122	30000	0	0	30000	43	2004
23.01.2020 15:23:09	1	1	1	1	76.25	63	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	43.125	2004
23.01.2020 15:23:11	1	1	1	1	76.25	63	0	30000	468.8172043	13999.94564	30000	0	0	30000	42.4375	2004
23.01.2020 15:23:12	1	1	1	1	76.25	62.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.9375	2004
23.01.2020 15:23:13	1	1	1	1	76.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
23.01.2020 15:23:14	1	1	1	1	76.25	62.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.8125	2004
23.01.2020 15:23:15	1	1	1	1	76.25	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.0625	2004
23.01.2020 15:23:16	1	1	1	1	76.25	63	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.6875	2004
23.01.2020 15:23:17	1	1	1	1	76.25	62.5	0	30000	455.9139785	13677.05814	30000	0	0	30000	42.75	2004
23.01.2020 15:23:18	1	1	1	1	76.25	62.75	0	30000	440.8602151	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 15:23:19	1	1	1	1	76.25	63	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.875	2004
23.01.2020 15:23:20	1	1	1	1	76.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
23.01.2020 15:23:21	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:23:22	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:23:23	1	1	1	1	76.25	63	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.0625	2004
23.01.2020 15:23:24	1	1	1	1	76.25	63	0	30142.18	404.3010753	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 15:23:25	1	1	1	1	76.25	63	0	30000	400	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 15:23:26	1	1	1	1	76.25	63	0	30000	421.5053763	12451.55328	30000	0	0	30000	42.875	2004
23.01.2020 15:23:27	1	1	1	1	76.25	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43	2004
23.01.2020 15:23:28	1	1	1	1	76.25	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.9375	2004
23.01.2020 15:23:29	1	1	1	1	76.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
23.01.2020 15:23:30	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:23:31	1	1	1	1	76.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:23:32	1	1	1	1	76	62.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.875	2004
23.01.2020 15:23:33	1	1	1	1	76	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 15:23:34	1	1	1	1	76	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.875	2004
23.01.2020 15:23:35	1	1	1	1	76	62.75	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	43.0625	2004
23.01.2020 15:23:36	1	1	1	1	76	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:23:37	1	1	1	1	76	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:23:38	1	1	1	1	76	62.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.625	2004
23.01.2020 15:23:39	1	1	1	1	76	62.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:23:40	1	1	1	1	76	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:23:41	1	1	1	1	76	63	0	30000	458.0645161	13440.60011	30000	0	0	30000	43.25	2004
23.01.2020 15:23:42	1	1	1	1	76	63.25	0	29905.213	432.2580645	13289.7562	30000	0	0	30000	42.8125	2004
23.01.2020 15:23:43	1	1	1	1	76	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.25	2004
23.01.2020 15:23:44	1	1	1	1	76	62.25	0	30000	451.6129032	13548.22928	30000	0	0	30000	43	2004
23.01.2020 15:23:45	1	1	1	1	76	63	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:23:46	1	1	1	1	76	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.8125	2004
23.01.2020 15:23:47	1	1	1	1	76	62.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
23.01.2020 15:23:49	1	1	1	1	76	62.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.8125	2004
23.01.2020 15:23:50	1	1	1	1	76	62.75	0	29952.607	458.0645161	13591.44402	30000	0	0	30000	42.75	2004
23.01.2020 15:23:51	1	1	1	1	76	62.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:23:58	1	1	1	1	76.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:23:58	1	1	1	1	76.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:23:58	1	1	1	1	76.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:23:58	1	1	1	1	76.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:23:58	1	1	1	1	76.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:23:58	1	1	1	1	76.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:23:58	1	1	1	1	76.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:23:58	1	1	1	1	76.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:23:59	1	1	1	1	76.25	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:24:00	1	1	1	1	76.25	63	0	30000	432.2580645	12967.68407	30000	0	0	30000	43	2004
23.01.2020 15:24:01	1	1	1	1	76.25	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:02	1	1	1	1	76.25	62.75	0	30000	440.8602151	13140.54304	30000	0	0	30000	42.8125	2004
23.01.2020 15:24:03	1	1	1	1	76.25	62.75	0	30000	440.8602151	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:04	1	1	1	1	76.25	62.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.5625	2004
23.01.2020 15:24:05	1	1	1	1	76.25	62.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.125	2004
23.01.2020 15:24:06	1	1	1	1	76.25	63	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:24:07	1	1	1	1	76.25	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.875	2004
23.01.2020 15:24:08	1	1	1	1	76.25	62.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.8125	2004
23.01.2020 15:24:09	1	1	1	1	76.25	62.75	0	29905.213	453.7634409	13741.47256	30000	0	0	30000	42	2004
23.01.2020 15:24:10	1	1	1	1	76.25	62	0	30000	453.7634409	13677.05814	30000	0	0	30000	43.0625	2004
23.01.2020 15:24:11	1	1	1	1	76.25	63	0	30000	434.4086022	12838.03984	30000	0	0	30000	42.5	2004
23.01.2020 15:24:12	1	1	1	1	76	62.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:24:13	1	1	1	1	76	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 15:24:14	1	1	1	1	76	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:24:15	1	1	1	1	76	63	0	29952.607	387.0967742	11594.5968	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:24:16	1	1	1	1	76	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:17	1	1	1	1	76	62.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.8125	2004
23.01.2020 15:24:18	1	1	1	1	76	62.75	0	24739.336	294.6236559	7355.475226	30000	0	0	30000	43	2004
23.01.2020 15:24:19	1	1	1	1	76	63	0	30000	365.5913978	11160.81863	30000	0	0	30000	42.75	2004
23.01.2020 15:24:20	1	1	1	1	76	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 15:24:21	1	1	1	1	76	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
23.01.2020 15:24:22	1	1	1	1	76	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:23	1	1	1	1	76	62.75	0	30000	380.6451613	11584.81233	30000	0	0	30000	43.0625	2004
23.01.2020 15:24:24	1	1	1	1	76	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:25	1	1	1	1	76	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
23.01.2020 15:24:26	1	1	1	1	76	62.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 15:24:28	1	1	1	1	76	63	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 15:24:29	1	1	1	1	76	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 15:24:30	1	1	1	1	76	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:31	1	1	1	1	76	62.75	0	29952.607	384.9462366	11465.76794	30000	0	0	30000	43.125	2004
23.01.2020 15:24:32	1	1	1	1	76	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 15:24:33	1	1	1	1	76.25	63	0	30000	384.9462366	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 15:24:34	1	1	1	1	76.25	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 15:24:35	1	1	1	1	76.25	62.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
23.01.2020 15:24:36	1	1	1	1	76.25	62.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	43.25	2004
23.01.2020 15:24:37	1	1	1	1	76.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
23.01.2020 15:24:38	1	1	1	1	76.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 15:24:39	1	1	1	1	76.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:40	1	1	1	1	76.25	62.75	0	30047.393	417.2043011	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 15:24:41	1	1	1	1	76.25	63	0	30000	395.6989247	11954.17607	30000	0	0	30000	43.125	2004
23.01.2020 15:24:42	1	1	1	1	76.25	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.125	2004
23.01.2020 15:24:43	1	1	1	1	76.25	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:44	1	1	1	1	76.25	62.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:45	1	1	1	1	76.25	62.75	0	29905.213	389.2473118	11741.36385	30000	0	0	30000	42.625	2004
23.01.2020 15:24:46	1	1	1	1	76.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:24:47	1	1	1	1	76.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 15:24:48	1	1	1	1	76.25	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.0625	2004
23.01.2020 15:24:49	1	1	1	1	76.25	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.1875	2004
23.01.2020 15:24:50	1	1	1	1	76.25	63	0	29905.213	387.0967742	11676.94942	30000	0	0	30000	43.0625	2004
23.01.2020 15:24:51	1	1	1	1	76.25	63	0	30000	382.7956989	11566.05876	30000	0	0	30000	42.875	2004
23.01.2020 15:24:52	1	1	1	1	76	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
23.01.2020 15:25:00	1	1	1	1	76	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.0625	2004
23.01.2020 15:25:00	1	1	1	1	76	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.0625	2004
23.01.2020 15:25:00	1	1	1	1	76	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.0625	2004
23.01.2020 15:25:00	1	1	1	1	76	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.0625	2004
23.01.2020 15:25:00	1	1	1	1	76	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.0625	2004
23.01.2020 15:25:00	1	1	1	1	76	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:25:00	1	1	1	1	76	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:25:01	1	1	1	1	76	62.75	0	30000	384.9462366	11401.35352	30000	0	0	30000	43.125	2004
23.01.2020 15:25:02	1	1	1	1	76.25	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.625	2004
23.01.2020 15:25:03	1	1	1	1	76.25	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.6875	2004
23.01.2020 15:25:04	1	1	1	1	76.25	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5625	2004
23.01.2020 15:25:06	1	1	1	1	76.25	62.5	0	30000	400	11935.4225	30000	0	0	30000	42.375	2004
23.01.2020 15:25:07	1	1	1	1	76.25	62.25	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 15:25:08	1	1	1	1	76.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
23.01.2020 15:25:09	1	1	1	1	76.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:25:10	1	1	1	1	76.25	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.25	2004
23.01.2020 15:25:11	1	1	1	1	76.25	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 15:25:12	1	1	1	1	76.25	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
23.01.2020 15:25:13	1	1	1	1	76	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	43.25	2004
23.01.2020 15:25:14	1	1	1	1	76	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.3125	2004
23.01.2020 15:25:15	1	1	1	1	76	63.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.5625	2004
23.01.2020 15:25:16	1	1	1	1	76	63.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.5625	2004
23.01.2020 15:25:17	1	1	1	1	76	63.5	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	43	2004
23.01.2020 15:25:18	1	1	1	1	76	63.25	0	29952.607	415.0537634	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:25:19	1	1	1	1	76	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.8125	2004
23.01.2020 15:25:20	1	1	1	1	76	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
23.01.2020 15:25:21	1	1	1	1	76	62	0	30000	423.655914	12709.21099	30000	0	0	30000	42.8125	2004
23.01.2020 15:25:22	1	1	1	1	76.25	62.75	0	29952.607	438.7096774	13096.51292	30000	0	0	30000	42.75	2004
23.01.2020 15:25:23	1	1	1	1	76.25	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.75	2004
23.01.2020 15:25:24	1	1	1	1	76.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:25:25	1	1	1	1	76.25	62.75	0	30000	412.9032258	12471.12222	30000	0	0	30000	42.875	2004
23.01.2020 15:25:26	1	1	1	1	76.25	62.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.9375	2004
23.01.2020 15:25:27	1	1	1	1	76.25	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.8125	2004
23.01.2020 15:25:28	1	1	1	1	76.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:25:29	1	1	1	1	76.25	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 15:25:30	1	1	1	1	76.25	62.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.875	2004
23.01.2020 15:25:31	1	1	1	1	76.25	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:25:32	1	1	1	1	76	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:25:33	1	1	1	1	76	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:25:34	1	1	1	1	76	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 15:25:35	1	1	1	1	76	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
23.01.2020 15:25:36	1	1	1	1	76	62.5	0	29905.213	443.0107527	13333.78632	30000	0	0	30000	42.9375	2004
23.01.2020 15:25:37	1	1	1	1	76	62.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	42.8125	2004
23.01.2020 15:25:38	1	1	1	1	76	62.75	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.625	2004
23.01.2020 15:25:39	1	1	1	1	76	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
23.01.2020 15:25:40	1	1	1	1	76	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:25:41	1	1	1	1	76	62.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:25:42	1	1	1	1	75.5	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.875	2004
23.01.2020 15:25:44	1	1	1	1	75.5	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:25:45	1	1	1	1	75.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
23.01.2020 15:25:46	1	1	1	1	75.5	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:25:47	1	1	1	1	75.5	62.75	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	43	2004
23.01.2020 15:25:48	1	1	1	1	75.5	63	0	30000	406.4516129	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:25:49	1	1	1	1	75.5	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.5625	2004
23.01.2020 15:25:50	1	1	1	1	75.5	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
23.01.2020 15:25:51	1	1	1	1	75.5	62.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.625	2004
23.01.2020 15:25:52	1	1	1	1	75.5	62.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	43	2004
23.01.2020 15:25:53	1	1	1	1	75.75	63	0	30047.393	438.7096774	12838.03984	30000	0	0	30000	41.9375	2004
23.01.2020 15:25:54	1	1	1	1	75.75	61.75	0	29952.607	423.655914	12773.62542	30000	0	0	30000	42.5	2004
23.01.2020 15:26:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:26:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:26:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:26:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:26:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:26:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:26:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:26:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:26:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:26:02	1	1	1	1	75.5	63	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.9375	2004
23.01.2020 15:26:03	1	1	1	1	75.5	62.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	43	2004
23.01.2020 15:26:04	1	1	1	1	75.5	63	0	30000	451.6129032	13483.81486	30000	0	0	30000	42.8125	2004
23.01.2020 15:26:05	1	1	1	1	75.5	62.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.6875	2004
23.01.2020 15:26:06	1	1	1	1	75.5	62.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	41.9375	2004
23.01.2020 15:26:07	1	1	1	1	75.5	61.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	42.75	2004
23.01.2020 15:26:08	1	1	1	1	75.5	62.75	0	30000	438.7096774	13396.57	30000	0	0	30000	43	2004
23.01.2020 15:26:09	1	1	1	1	75.5	63	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.9375	2004
23.01.2020 15:26:10	1	1	1	1	75.5	62.75	0	30000	438.7096774	13182.12704	30000	0	0	30000	42.875	2004
23.01.2020 15:26:11	1	1	1	1	75.5	62.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.875	2004
23.01.2020 15:26:12	1	1	1	1	75	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 15:26:13	1	1	1	1	75	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 15:26:14	1	1	1	1	75	62.75	0	29905.213	395.6989247	11999.83693	30000	0	0	30000	42.8125	2004
23.01.2020 15:26:15	1	1	1	1	75	62.75	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	42.8125	2004
23.01.2020 15:26:16	1	1	1	1	75	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.5625	2004
23.01.2020 15:26:17	1	1	1	1	75	62.5	0	30000	417.2043011	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:26:18	1	1	1	1	75	63	0	30000	415.0537634	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:26:19	1	1	1	1	75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 15:26:21	1	1	1	1	75	62.75	0	30000	423.655914	12773.62542	30000	0	0	30000	42.6875	2004
23.01.2020 15:26:22	1	1	1	1	75	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.625	2004
23.01.2020 15:26:23	1	1	1	1	75.25	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.1875	2004
23.01.2020 15:26:24	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:26:25	1	1	1	1	75.25	62.75	0	29905.213	387.0967742	11741.36385	30000	0	0	30000	42.75	2004
23.01.2020 15:26:26	1	1	1	1	75.25	62.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	43	2004
23.01.2020 15:26:27	1	1	1	1	75.25	63	0	30000	397.8494624	12128.66578	30000	0	0	30000	43	2004
23.01.2020 15:26:28	1	1	1	1	75.25	63	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:26:29	1	1	1	1	75.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
23.01.2020 15:26:30	1	1	1	1	75.25	62.5	0	30000	415.0537634	12367.56992	30000	0	0	30000	43	2004
23.01.2020 15:26:31	1	1	1	1	75.25	63	0	30000	415.0537634	12348.00098	30000	0	0	30000	42.875	2004
23.01.2020 15:26:32	1	1	1	1	75.25	62.75	0	29478.673	369.8924731	10903.9763	30000	0	0	30000	42.75	2004
23.01.2020 15:26:33	1	1	1	1	75.5	62.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 15:26:34	1	1	1	1	75.5	63.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:26:35	1	1	1	1	75.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:26:36	1	1	1	1	75.5	62.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	42.6875	2004
23.01.2020 15:26:37	1	1	1	1	75.5	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.875	2004
23.01.2020 15:26:38	1	1	1	1	75.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
23.01.2020 15:26:39	1	1	1	1	75.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.625	2004
23.01.2020 15:26:40	1	1	1	1	75.5	62.5	0	30000	440.8602151	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:26:41	1	1	1	1	75.5	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.625	2004
23.01.2020 15:26:42	1	1	1	1	75.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:26:43	1	1	1	1	75.25	62.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.5625	2004
23.01.2020 15:26:44	1	1	1	1	75.25	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.9375	2004
23.01.2020 15:26:45	1	1	1	1	75.25	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.75	2004
23.01.2020 15:26:46	1	1	1	1	75.25	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.8125	2004
23.01.2020 15:26:47	1	1	1	1	75.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.75	2004
23.01.2020 15:26:48	1	1	1	1	75.25	62.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	42.875	2004
23.01.2020 15:26:49	1	1	1	1	75.25	62.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.625	2004
23.01.2020 15:26:50	1	1	1	1	75.25	62.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.625	2004
23.01.2020 15:26:51	1	1	1	1	75.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
23.01.2020 15:26:52	1	1	1	1	75.25	62.25	0	29952.607	466.6666667	14064.36007	30000	0	0	30000	42.375	2004
23.01.2020 15:26:53	1	1	1	1	75.25	62.25	0	30000	464.516129	13913.51616	30000	0	0	30000	42.875	2004
23.01.2020 15:26:54	1	1	1	1	75.25	62.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.6875	2004
23.01.2020 15:26:55	1	1	1	1	75.25	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
23.01.2020 15:27:03	1	1	1	1	75.5	62.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.6875	2004
23.01.2020 15:27:03	1	1	1	1	75.5	62.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.6875	2004
23.01.2020 15:27:03	1	1	1	1	75.5	62.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.6875	2004
23.01.2020 15:27:03	1	1	1	1	75.5	62.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.6875	2004
23.01.2020 15:27:03	1	1	1	1	75.5	62.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.6875	2004
23.01.2020 15:27:03	1	1	1	1	75.5	62.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.6875	2004
23.01.2020 15:27:03	1	1	1	1	75.5	62.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.6875	2004
23.01.2020 15:27:04	1	1	1	1	75.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:27:05	1	1	1	1	75.5	62.75	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:27:06	1	1	1	1	75.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:27:07	1	1	1	1	75.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.5	2004
23.01.2020 15:27:08	1	1	1	1	75.5	62.5	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42.9375	2004
23.01.2020 15:27:09	1	1	1	1	75.5	62.75	0	29952.607	460.2150538	13784.6873	30000	0	0	30000	42.875	2004
23.01.2020 15:27:10	1	1	1	1	75.5	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.6875	2004
23.01.2020 15:27:11	1	1	1	1	75.5	62.5	0	29952.607	419.3548387	12431.98434	30000	0	0	30000	42.75	2004
23.01.2020 15:27:12	1	1	1	1	75.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:27:13	1	1	1	1	75.25	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.9375	2004
23.01.2020 15:27:14	1	1	1	1	75.25	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 15:27:15	1	1	1	1	75.25	63	0	30000	322.5806452	9662.163999	30000	0	0	30000	42.9375	2004
23.01.2020 15:27:16	1	1	1	1	75.25	62.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.8125	2004
23.01.2020 15:27:17	1	1	1	1	75.25	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
23.01.2020 15:27:18	1	1	1	1	75.25	63	0	30000	341.9354839	10451.44457	30000	0	0	30000	43.125	2004
23.01.2020 15:27:19	1	1	1	1	75.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:27:20	1	1	1	1	75.25	62.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.6875	2004
23.01.2020 15:27:21	1	1	1	1	75.25	62.5	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	43.125	2004
23.01.2020 15:27:22	1	1	1	1	75.25	63	0	30047.393	378.4946237	11372.81548	30000	0	0	30000	43	2004
23.01.2020 15:27:23	1	1	1	1	75.25	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 15:27:24	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 15:27:25	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:27:26	1	1	1	1	75.25	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.375	2004
23.01.2020 15:27:27	1	1	1	1	75.25	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.75	2004
23.01.2020 15:27:28	1	1	1	1	75.25	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.375	2004
23.01.2020 15:27:29	1	1	1	1	75.25	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 15:27:30	1	1	1	1	75.25	62.75	0	30000	427.9569892	12560.8132	30000	0	0	30000	43.0625	2004
23.01.2020 15:27:31	1	1	1	1	75.25	63	0	30000	427.9569892	12878.80847	30000	0	0	30000	42.8125	2004
23.01.2020 15:27:32	1	1	1	1	75.5	62.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	43	2004
23.01.2020 15:27:33	1	1	1	1	75.5	63	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:27:34	1	1	1	1	75.5	63	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:27:35	1	1	1	1	75.5	63	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	42.625	2004
23.01.2020 15:27:36	1	1	1	1	75.5	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 15:27:38	1	1	1	1	75.5	63	0	30000	397.8494624	12064.25135	30000	0	0	30000	42.625	2004
23.01.2020 15:27:39	1	1	1	1	75.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:27:40	1	1	1	1	75.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 15:27:41	1	1	1	1	75.5	63	0	30000	378.4946237	11336.93909	30000	0	0	30000	43	2004
23.01.2020 15:27:42	1	1	1	1	75.5	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.1875	2004
23.01.2020 15:27:43	1	1	1	1	75.75	63	0	29952.607	384.9462366	11741.36385	30000	0	0	30000	43	2004
23.01.2020 15:27:44	1	1	1	1	75.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
23.01.2020 15:27:45	1	1	1	1	75.75	62.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:27:46	1	1	1	1	75.75	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 15:27:47	1	1	1	1	75.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
23.01.2020 15:27:48	1	1	1	1	75.75	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 15:27:49	1	1	1	1	75.75	63.25	0	30000	423.655914	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:27:50	1	1	1	1	75.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 15:27:51	1	1	1	1	75.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 15:27:52	1	1	1	1	75.75	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.875	2004
23.01.2020 15:27:53	1	1	1	1	75.75	62.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	43	2004
23.01.2020 15:27:54	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:27:55	1	1	1	1	75.75	62.75	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.5	2004
23.01.2020 15:27:56	1	1	1	1	75.75	62.5	0	29952.607	421.5053763	12560.8132	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:27:57	1	1	1	1	75.75	62.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.625	2004
23.01.2020 15:28:04	1	1	1	1	75.25	62.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	42.4375	2004
23.01.2020 15:28:04	1	1	1	1	75.25	62.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	42.4375	2004
23.01.2020 15:28:04	1	1	1	1	75.25	62.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	42.4375	2004
23.01.2020 15:28:04	1	1	1	1	75.25	62.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	42.4375	2004
23.01.2020 15:28:04	1	1	1	1	75.25	62.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	42.4375	2004
23.01.2020 15:28:04	1	1	1	1	75.25	62.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	42.4375	2004
23.01.2020 15:28:04	1	1	1	1	75.25	62.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	42.4375	2004
23.01.2020 15:28:05	1	1	1	1	75.25	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43	2004
23.01.2020 15:28:06	1	1	1	1	75.25	63	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42.5	2004
23.01.2020 15:28:07	1	1	1	1	75.25	62.5	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	43	2004
23.01.2020 15:28:08	1	1	1	1	75.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 15:28:09	1	1	1	1	75.25	62.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.9375	2004
23.01.2020 15:28:10	1	1	1	1	75.25	62.75	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	42.875	2004
23.01.2020 15:28:11	1	1	1	1	75.25	62.75	0	30000	421.5053763	12773.62542	30000	0	0	30000	42.5625	2004
23.01.2020 15:28:12	1	1	1	1	75.25	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.75	2004
23.01.2020 15:28:13	1	1	1	1	75.25	62.75	0	30000	419.3548387	12794.00973	30000	0	0	30000	42.5625	2004
23.01.2020 15:28:14	1	1	1	1	75.25	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.6875	2004
23.01.2020 15:28:15	1	1	1	1	75.25	62.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.875	2004
23.01.2020 15:28:17	1	1	1	1	75.25	62.75	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	42.6875	2004
23.01.2020 15:28:18	1	1	1	1	75.25	62.5	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:28:19	1	1	1	1	75.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
23.01.2020 15:28:20	1	1	1	1	75.25	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 15:28:21	1	1	1	1	75.25	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.4375	2004
23.01.2020 15:28:22	1	1	1	1	75.25	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.8125	2004
23.01.2020 15:28:23	1	1	1	1	75.25	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 15:28:24	1	1	1	1	75.25	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.75	2004
23.01.2020 15:28:25	1	1	1	1	75.25	62.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.875	2004
23.01.2020 15:28:26	1	1	1	1	75.25	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5	2004
23.01.2020 15:28:27	1	1	1	1	75.25	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 15:28:28	1	1	1	1	75.25	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.5	2004
23.01.2020 15:28:29	1	1	1	1	75.25	62.75	0	30000	311.827957	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:28:30	1	1	1	1	75.25	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 15:28:31	1	1	1	1	75.25	62.75	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	42.6875	2004
23.01.2020 15:28:32	1	1	1	1	75.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.8125	2004
23.01.2020 15:28:33	1	1	1	1	75.75	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.0625	2004
23.01.2020 15:28:34	1	1	1	1	75.75	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.875	2004
23.01.2020 15:28:35	1	1	1	1	75.75	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.875	2004
23.01.2020 15:28:36	1	1	1	1	75.75	62.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 15:28:37	1	1	1	1	75.75	63	0	30000	348.3870968	10370.72269	30000	0	0	30000	43	2004
23.01.2020 15:28:38	1	1	1	1	75.75	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.6875	2004
23.01.2020 15:28:39	1	1	1	1	75.75	62.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.3125	2004
23.01.2020 15:28:40	1	1	1	1	75.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:28:41	1	1	1	1	75.75	62.5	0	30000	341.9354839	10451.44457	30000	0	0	30000	42.9375	2004
23.01.2020 15:28:42	1	1	1	1	75.25	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:28:43	1	1	1	1	75.25	63	0	29905.213	365.5913978	10886.03811	30000	0	0	30000	42.9375	2004
23.01.2020 15:28:44	1	1	1	1	75.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
23.01.2020 15:28:45	1	1	1	1	75.25	63	0	30047.393	367.7419355	11031.98978	30000	0	0	30000	42.5	2004
23.01.2020 15:28:46	1	1	1	1	75.25	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	43	2004
23.01.2020 15:28:47	1	1	1	1	75.25	63	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	43.125	2004
23.01.2020 15:28:48	1	1	1	1	75.25	63	0	29952.607	352.688172	10644.68785	30000	0	0	30000	42.9375	2004
23.01.2020 15:28:49	1	1	1	1	75.25	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	43.125	2004
23.01.2020 15:28:50	1	1	1	1	75.25	63	0	29526.066	309.6774194	9079.988041	30000	0	0	30000	43.125	2004
23.01.2020 15:28:51	1	1	1	1	75.25	63	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	43.3125	2004
23.01.2020 15:28:52	1	1	1	1	75	63.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.8125	2004
23.01.2020 15:28:53	1	1	1	1	75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:28:54	1	1	1	1	75	63.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	43.0625	2004
23.01.2020 15:28:56	1	1	1	1	75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.875	2004
23.01.2020 15:28:57	1	1	1	1	75	62.75	0	29952.607	384.9462366	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:28:58	1	1	1	1	75	62.75	0	30000	395.6989247	12064.25135	30000	0	0	30000	43.125	2004
23.01.2020 15:28:59	1	1	1	1	75	63	0	29952.607	400	12193.08021	30000	0	0	30000	42.75	2004
23.01.2020 15:29:06	1	1	1	1	74.75	62.75	0	30000	419.3548387	12794.00973	30000	0	0	30000	43.4375	2004
23.01.2020 15:29:06	1	1	1	1	74.75	62.75	0	30000	419.3548387	12794.00973	30000	0	0	30000	43.4375	2004
23.01.2020 15:29:06	1	1	1	1	74.75	62.75	0	30000	419.3548387	12794.00973	30000	0	0	30000	43.4375	2004
23.01.2020 15:29:06	1	1	1	1	74.75	62.75	0	30000	419.3548387	12794.00973	30000	0	0	30000	43.4375	2004
23.01.2020 15:29:06	1	1	1	1	74.75	62.75	0	30000	419.3548387	12794.00973	30000	0	0	30000	43.4375	2004
23.01.2020 15:29:06	1	1	1	1	74.75	62.75	0	30000	419.3548387	12794.00973	30000	0	0	30000	43.4375	2004
23.01.2020 15:29:06	1	1	1	1	74.75	62.75	0	30000	419.3548387	12794.00973	30000	0	0	30000	43.4375	2004
23.01.2020 15:29:07	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.5	2004
23.01.2020 15:29:08	1	1	1	1	74.75	63.5	0	30000	419.3548387	12411.60003	30000	0	0	30000	43.1875	2004
23.01.2020 15:29:09	1	1	1	1	74.75	63	0	30000	451.6129032	13354.17063	30000	0	0	30000	43.4375	2004
23.01.2020 15:29:10	1	1	1	1	74.75	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.25	2004
23.01.2020 15:29:11	1	1	1	1	74.75	63.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	43.125	2004
23.01.2020 15:29:12	1	1	1	1	74.5	63	0	30000	415.0537634	12367.56992	30000	0	0	30000	43	2004
23.01.2020 15:29:13	1	1	1	1	74.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:29:14	1	1	1	1	74.5	62.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	43.125	2004
23.01.2020 15:29:15	1	1	1	1	74.5	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 15:29:16	1	1	1	1	74.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 15:29:17	1	1	1	1	74.5	62.75	0	29715.64	365.5913978	10927.6221	30000	0	0	30000	43.125	2004
23.01.2020 15:29:18	1	1	1	1	74.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:29:19	1	1	1	1	74.5	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.9375	2004
23.01.2020 15:29:20	1	1	1	1	74.5	62.75	0	30000	412.9032258	12109.91221	30000	0	0	30000	42.4375	2004
23.01.2020 15:29:21	1	1	1	1	74.5	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
23.01.2020 15:29:22	1	1	1	1	74.5	63	0	29952.607	402.1505376	12109.91221	30000	0	0	30000	43	2004
23.01.2020 15:29:23	1	1	1	1	74.5	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	43	2004
23.01.2020 15:29:24	1	1	1	1	74.5	63	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:29:25	1	1	1	1	74.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.6875	2004
23.01.2020 15:29:26	1	1	1	1	74.5	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:29:27	1	1	1	1	74.5	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:29:28	1	1	1	1	74.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 15:29:29	1	1	1	1	74.5	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.875	2004
23.01.2020 15:29:30	1	1	1	1	74.5	62.75	0	28957.346	356.9892473	10274.50874	30000	0	0	30000	42.875	2004
23.01.2020 15:29:31	1	1	1	1	74.5	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43	2004
23.01.2020 15:29:32	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:29:33	1	1	1	1	75	62.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.6875	2004
23.01.2020 15:29:35	1	1	1	1	75	62.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 15:29:36	1	1	1	1	75	63	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.125	2004
23.01.2020 15:29:37	1	1	1	1	75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 15:29:38	1	1	1	1	75	62.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:29:39	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 15:29:40	1	1	1	1	75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.875	2004
23.01.2020 15:29:41	1	1	1	1	75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 15:29:42	1	1	1	1	75	63	0	30000	378.4946237	11143.69581	30000	0	0	30000	42.9375	2004
23.01.2020 15:29:43	1	1	1	1	74.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
23.01.2020 15:29:44	1	1	1	1	74.75	62.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	43.6875	2004
23.01.2020 15:29:45	1	1	1	1	74.75	63.5	0	30000	372.0430108	11143.69581	30000	0	0	30000	43.1875	2004
23.01.2020 15:29:46	1	1	1	1	74.75	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.625	2004
23.01.2020 15:29:47	1	1	1	1	74.75	63.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.1875	2004
23.01.2020 15:29:48	1	1	1	1	74.75	63	0	29905.213	359.1397849	11014.86696	30000	0	0	30000	42.4375	2004
23.01.2020 15:29:49	1	1	1	1	74.75	63.5	0	29905.213	335.483871	10032.34311	30000	0	0	30000	42.5625	2004
23.01.2020 15:29:50	1	1	1	1	74.75	62.5	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	43	2004
23.01.2020 15:29:51	1	1	1	1	74.75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.8125	2004
23.01.2020 15:29:52	1	1	1	1	74.75	62.75	0	29241.706	415.0537634	12136.8195	30000	0	0	30000	42.625	2004
23.01.2020 15:29:53	1	1	1	1	74.75	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.125	2004
23.01.2020 15:29:54	1	1	1	1	74.75	63	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 15:29:55	1	1	1	1	74.75	62.5	0	30000	445.1612903	13160.92735	30000	0	0	30000	42.6875	2004
23.01.2020 15:29:56	1	1	1	1	74.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
23.01.2020 15:29:57	1	1	1	1	74.75	62.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	42.5	2004
23.01.2020 15:29:58	1	1	1	1	74.75	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.625	2004
23.01.2020 15:29:59	1	1	1	1	74.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
23.01.2020 15:30:00	1	1	1	1	74.75	62.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	43	2004
23.01.2020 15:30:08	1	1	1	1	74.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:30:08	1	1	1	1	74.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:30:08	1	1	1	1	74.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:30:08	1	1	1	1	74.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:30:08	1	1	1	1	74.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:30:08	1	1	1	1	74.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:30:08	1	1	1	1	74.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:30:08	1	1	1	1	74.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:30:09	1	1	1	1	74.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:30:10	1	1	1	1	74.5	63	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
23.01.2020 15:30:11	1	1	1	1	74.5	62.5	0	30047.393	481.7204301	13935.53122	30000	0	0	30000	42.375	2004
23.01.2020 15:30:12	1	1	1	1	74.5	62.25	0	30000	443.0107527	13204.95746	30000	0	0	30000	42.875	2004
23.01.2020 15:30:14	1	1	1	1	74.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 15:30:15	1	1	1	1	74.5	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:30:16	1	1	1	1	74.5	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.625	2004
23.01.2020 15:30:17	1	1	1	1	74.5	62.5	0	29952.607	380.6451613	11612.53499	30000	0	0	30000	42.3125	2004
23.01.2020 15:30:18	1	1	1	1	74.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 15:30:19	1	1	1	1	74.5	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
23.01.2020 15:30:20	1	1	1	1	74.5	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 15:30:21	1	1	1	1	74.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 15:30:22	1	1	1	1	74.5	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.9375	2004
23.01.2020 15:30:23	1	1	1	1	74.25	62.75	0	29952.607	305.3763441	9082.434159	30000	0	0	30000	43.125	2004
23.01.2020 15:30:24	1	1	1	1	74.25	63	0	29146.919	311.827957	9150.925448	30000	0	0	30000	42.875	2004
23.01.2020 15:30:25	1	1	1	1	74.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 15:30:26	1	1	1	1	74.25	63.25	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.4375	2004
23.01.2020 15:30:27	1	1	1	1	74.25	63.25	0	30000	337.6344086	10113.06499	30000	0	0	30000	43.25	2004
23.01.2020 15:30:28	1	1	1	1	74.25	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 15:30:29	1	1	1	1	74.25	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 15:30:30	1	1	1	1	74.25	63	0	30000	339.7849462	10177.47941	30000	0	0	30000	43.25	2004
23.01.2020 15:30:31	1	1	1	1	74.25	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.9375	2004
23.01.2020 15:30:32	1	1	1	1	74.25	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.625	2004
23.01.2020 15:30:33	1	1	1	1	74.25	62.5	0	24502.37	294.6236559	7218.492648	30000	0	0	30000	43.125	2004
23.01.2020 15:30:34	1	1	1	1	74.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 15:30:35	1	1	1	1	74.25	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
23.01.2020 15:30:36	1	1	1	1	74.25	62.75	0	30000	339.7849462	10113.06499	30000	0	0	30000	42.625	2004
23.01.2020 15:30:37	1	1	1	1	74.25	62.5	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	42.9375	2004
23.01.2020 15:30:38	1	1	1	1	74.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
23.01.2020 15:30:39	1	1	1	1	74.25	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.8125	2004
23.01.2020 15:30:40	1	1	1	1	74.25	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
23.01.2020 15:30:41	1	1	1	1	74.25	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
23.01.2020 15:30:42	1	1	1	1	74.25	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:30:43	1	1	1	1	74.25	63.25	0	30000	359.1397849	10499.55155	30000	0	0	30000	42	2004
23.01.2020 15:30:44	1	1	1	1	74.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:30:45	1	1	1	1	74.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 15:30:46	1	1	1	1	74.25	63.25	0	29905.213	348.3870968	10580.27342	30000	0	0	30000	43.125	2004
23.01.2020 15:30:47	1	1	1	1	74.25	63	0	30000	333.3333333	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 15:30:48	1	1	1	1	74.25	63	0	30000	335.483871	9775.500775	30000	0	0	30000	43.3125	2004
23.01.2020 15:30:49	1	1	1	1	74.25	63.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.1875	2004
23.01.2020 15:30:51	1	1	1	1	74.25	63	0	28436.019	329.0322581	9433.044329	30000	0	0	30000	43.1875	2004
23.01.2020 15:30:52	1	1	1	1	74.25	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:30:53	1	1	1	1	74.25	63	0	26018.957	311.827957	8112.956269	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:30:54	1	1	1	1	74.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 15:30:55	1	1	1	1	74.25	63.25	0	30047.393	339.7849462	10128.55706	30000	0	0	30000	43.125	2004
23.01.2020 15:30:56	1	1	1	1	74.25	63	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.125	2004
23.01.2020 15:30:57	1	1	1	1	74.25	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 15:30:58	1	1	1	1	74.25	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 15:30:59	1	1	1	1	74.25	63	0	29905.213	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
23.01.2020 15:31:00	1	1	1	1	74.25	62.75	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.8125	2004
23.01.2020 15:31:01	1	1	1	1	74.25	62.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	43	2004
23.01.2020 15:31:02	1	1	1	1	74.25	63	0	29620.853	322.5806452	9554.53483	30000	0	0	30000	42.9375	2004
23.01.2020 15:31:09	1	1	1	1	74.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:31:09	1	1	1	1	74.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:31:09	1	1	1	1	74.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:31:09	1	1	1	1	74.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:31:09	1	1	1	1	74.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:31:09	1	1	1	1	74.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:31:09	1	1	1	1	74.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:31:10	1	1	1	1	74.5	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.75	2004
23.01.2020 15:31:11	1	1	1	1	74.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
23.01.2020 15:31:12	1	1	1	1	74.5	62.25	0	29668.246	359.1397849	10637.3495	30000	0	0	30000	42.75	2004
23.01.2020 15:31:13	1	1	1	1	74.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.9375	2004
23.01.2020 15:31:14	1	1	1	1	74.5	62.75	0	29905.213	369.8924731	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:31:15	1	1	1	1	74.5	63	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	42.4375	2004
23.01.2020 15:31:16	1	1	1	1	74.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:31:17	1	1	1	1	74.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 15:31:18	1	1	1	1	74.5	63	0	30000	352.688172	10644.68785	30000	0	0	30000	43.1875	2004
23.01.2020 15:31:19	1	1	1	1	74.5	63	0	30047.393	354.8387097	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 15:31:20	1	1	1	1	74.5	63.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 15:31:21	1	1	1	1	74.5	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.3125	2004
23.01.2020 15:31:22	1	1	1	1	74	63.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.75	2004
23.01.2020 15:31:23	1	1	1	1	74	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 15:31:24	1	1	1	1	74	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	43	2004
23.01.2020 15:31:25	1	1	1	1	74	63	0	29952.607	354.8387097	10482.42872	30000	0	0	30000	43.0625	2004
23.01.2020 15:31:26	1	1	1	1	74	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 15:31:27	1	1	1	1	74	63	0	29952.607	352.688172	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 15:31:29	1	1	1	1	74	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43	2004
23.01.2020 15:31:30	1	1	1	1	74	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
23.01.2020 15:31:31	1	1	1	1	74	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:31:32	1	1	1	1	74	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43	2004
23.01.2020 15:31:33	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 15:31:34	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 15:31:35	1	1	1	1	73.75	63	0	30000	369.8924731	11160.81863	30000	0	0	30000	43	2004
23.01.2020 15:31:36	1	1	1	1	73.75	63	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 15:31:37	1	1	1	1	73.75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:31:38	1	1	1	1	73.75	63	0	30000	395.6989247	11833.50094	30000	0	0	30000	43.1875	2004
23.01.2020 15:31:39	1	1	1	1	73.75	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.125	2004
23.01.2020 15:31:40	1	1	1	1	73.75	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	43	2004
23.01.2020 15:31:41	1	1	1	1	73.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43	2004
23.01.2020 15:31:42	1	1	1	1	73.75	63	0	29905.213	391.3978495	11935.4225	30000	0	0	30000	42.6875	2004
23.01.2020 15:31:43	1	1	1	1	74	62.5	0	30000	395.6989247	11676.94942	30000	0	0	30000	43.5625	2004
23.01.2020 15:31:44	1	1	1	1	74	63.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.8125	2004
23.01.2020 15:31:45	1	1	1	1	74	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 15:31:46	1	1	1	1	74	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:31:47	1	1	1	1	74	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 15:31:48	1	1	1	1	74	63	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:31:49	1	1	1	1	74	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 15:31:50	1	1	1	1	74	63	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 15:31:51	1	1	1	1	74	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:31:52	1	1	1	1	74.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:31:53	1	1	1	1	74.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:31:54	1	1	1	1	74.25	63	0	29857.82	372.0430108	11107.81942	30000	0	0	30000	42.4375	2004
23.01.2020 15:31:55	1	1	1	1	74.25	62.25	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 15:31:56	1	1	1	1	74.25	62.75	0	30000	427.9569892	12773.62542	30000	0	0	30000	43.0625	2004
23.01.2020 15:31:57	1	1	1	1	74.25	63	0	30000	417.2043011	12515.96771	30000	0	0	30000	42.9375	2004
23.01.2020 15:31:58	1	1	1	1	74.25	62.75	0	30000	412.9032258	12109.91221	30000	0	0	30000	43	2004
23.01.2020 15:31:59	1	1	1	1	74.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:32:00	1	1	1	1	74.25	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43	2004
23.01.2020 15:32:01	1	1	1	1	74.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
23.01.2020 15:32:02	1	1	1	1	74.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:32:03	1	1	1	1	74.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:32:11	1	1	1	1	74.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:11	1	1	1	1	74.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:11	1	1	1	1	74.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:11	1	1	1	1	74.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:11	1	1	1	1	74.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:11	1	1	1	1	74.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:11	1	1	1	1	74.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:13	1	1	1	1	74.25	62.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	42.8125	2004
23.01.2020 15:32:13	1	1	1	1	74.25	62.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	42.8125	2004
23.01.2020 15:32:14	1	1	1	1	74.25	62.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:15	1	1	1	1	74.25	63	0	30000	400	11935.4225	30000	0	0	30000	42.9375	2004
23.01.2020 15:32:16	1	1	1	1	74.25	62.75	0	30000	404.3010753	12174.32664	30000	0	0	30000	42.875	2004
23.01.2020 15:32:17	1	1	1	1	74.25	62.75	0	30000	404.3010753	11916.66893	30000	0	0	30000	43.0625	2004
23.01.2020 15:32:18	1	1	1	1	74.25	63	0	30000	395.6989247	11833.50094	30000	0	0	30000	42.9375	2004
23.01.2020 15:32:19	1	1	1	1	74.25	62.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	43	2004
23.01.2020 15:32:20	1	1	1	1	74.25	63	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.375	2004
23.01.2020 15:32:21	1	1	1	1	74.25	63.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:32:22	1	1	1	1	74.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.375	2004
23.01.2020 15:32:23	1	1	1	1	74	63.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:24	1	1	1	1	74	63	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:32:25	1	1	1	1	74	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 15:32:26	1	1	1	1	74	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:32:27	1	1	1	1	74	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 15:32:28	1	1	1	1	74	63	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.8125	2004
23.01.2020 15:32:29	1	1	1	1	74	62.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:30	1	1	1	1	74	63	0	30000	395.6989247	11676.94942	30000	0	0	30000	43.0625	2004
23.01.2020 15:32:31	1	1	1	1	74	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:32	1	1	1	1	74	63	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	43.125	2004
23.01.2020 15:32:33	1	1	1	1	74	63	0	30000	417.2043011	12560.8132	30000	0	0	30000	43	2004
23.01.2020 15:32:34	1	1	1	1	74	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 15:32:35	1	1	1	1	74	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:32:36	1	1	1	1	74	62.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.0625	2004
23.01.2020 15:32:37	1	1	1	1	74	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 15:32:38	1	1	1	1	74	62.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:39	1	1	1	1	74	63	0	30000	404.3010753	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:32:40	1	1	1	1	74	63	0	30000	415.0537634	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:32:41	1	1	1	1	74	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:32:42	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:32:43	1	1	1	1	74	63	0	30047.393	421.5053763	12451.55328	30000	0	0	30000	42.4375	2004
23.01.2020 15:32:44	1	1	1	1	74	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:32:45	1	1	1	1	74	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5625	2004
23.01.2020 15:32:47	1	1	1	1	74	62.5	0	30047.393	395.6989247	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:48	1	1	1	1	74	63	0	30000	400	11999.83693	30000	0	0	30000	43.125	2004
23.01.2020 15:32:49	1	1	1	1	74	63	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	43	2004
23.01.2020 15:32:50	1	1	1	1	74	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:32:51	1	1	1	1	74	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 15:32:52	1	1	1	1	74	63.25	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 15:32:53	1	1	1	1	74	63.25	0	30000	432.2580645	13225.34178	30000	0	0	30000	43.0625	2004
23.01.2020 15:32:54	1	1	1	1	74	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.625	2004
23.01.2020 15:32:55	1	1	1	1	74	62.5	0	30000	427.9569892	13032.0985	30000	0	0	30000	43.1875	2004
23.01.2020 15:32:56	1	1	1	1	74	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.0625	2004
23.01.2020 15:32:57	1	1	1	1	74	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	43	2004
23.01.2020 15:32:58	1	1	1	1	74	63	0	30000	458.0645161	13805.88699	30000	0	0	30000	43.3125	2004
23.01.2020 15:32:59	1	1	1	1	74	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 15:33:00	1	1	1	1	74	62.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	42.625	2004
23.01.2020 15:33:01	1	1	1	1	74	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
23.01.2020 15:33:02	1	1	1	1	74	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
23.01.2020 15:33:03	1	1	1	1	74	62.5	0	29952.607	464.516129	13955.10015	30000	0	0	30000	43.125	2004
23.01.2020 15:33:04	1	1	1	1	74	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.0625	2004
23.01.2020 15:33:05	1	1	1	1	74	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:33:12	1	1	1	1	74	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:33:12	1	1	1	1	74	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:33:12	1	1	1	1	74	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:33:12	1	1	1	1	74	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:33:12	1	1	1	1	74	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:33:12	1	1	1	1	74	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:33:12	1	1	1	1	74	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:33:12	1	1	1	1	74	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:33:13	1	1	1	1	74	63	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.8125	2004
23.01.2020 15:33:14	1	1	1	1	74	62.75	0	30000	400	12064.25135	30000	0	0	30000	43	2004
23.01.2020 15:33:15	1	1	1	1	74	63	0	29857.82	359.1397849	10722.96361	30000	0	0	30000	43	2004
23.01.2020 15:33:16	1	1	1	1	74	63	0	30000	404.3010753	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:33:17	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:33:18	1	1	1	1	74	63	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.5625	2004
23.01.2020 15:33:19	1	1	1	1	74	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.8125	2004
23.01.2020 15:33:20	1	1	1	1	74	62.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	43.125	2004
23.01.2020 15:33:21	1	1	1	1	74	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:33:22	1	1	1	1	74	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	43	2004
23.01.2020 15:33:23	1	1	1	1	74	63	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 15:33:25	1	1	1	1	74	62.75	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	43.375	2004
23.01.2020 15:33:26	1	1	1	1	74	63.25	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
23.01.2020 15:33:27	1	1	1	1	74	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43	2004
23.01.2020 15:33:28	1	1	1	1	74	63	0	29952.607	352.688172	10644.68785	30000	0	0	30000	43.125	2004
23.01.2020 15:33:29	1	1	1	1	74	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.25	2004
23.01.2020 15:33:30	1	1	1	1	74	63.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:33:31	1	1	1	1	74	62.75	0	29905.213	380.6451613	11530.18237	30000	0	0	30000	43.0625	2004
23.01.2020 15:33:32	1	1	1	1	74	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:33:33	1	1	1	1	74	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 15:33:34	1	1	1	1	74	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 15:33:35	1	1	1	1	74	63	0	30000	361.2903226	10757.20925	30000	0	0	30000	43.375	2004
23.01.2020 15:33:36	1	1	1	1	74	63.25	0	30000	391.3978495	11612.53499	30000	0	0	30000	43	2004
23.01.2020 15:33:37	1	1	1	1	74	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 15:33:38	1	1	1	1	74	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.8125	2004
23.01.2020 15:33:39	1	1	1	1	74	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 15:33:40	1	1	1	1	74	62.5	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	43.25	2004
23.01.2020 15:33:41	1	1	1	1	74	63.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	43	2004
23.01.2020 15:33:42	1	1	1	1	74.25	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	43	2004
23.01.2020 15:33:43	1	1	1	1	74.25	63	0	30000	423.655914	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 15:33:44	1	1	1	1	74.25	63	0	30000	423.655914	12709.21099	30000	0	0	30000	43.1875	2004
23.01.2020 15:33:45	1	1	1	1	74.25	63	0	30000	423.655914	12709.21099	30000	0	0	30000	43.125	2004
23.01.2020 15:33:46	1	1	1	1	74.25	63	0	30000	427.9569892	13266.92577	30000	0	0	30000	42.5625	2004
23.01.2020 15:33:47	1	1	1	1	74.25	62.5	0	30000	434.4086022	12947.29976	30000	0	0	30000	43.125	2004
23.01.2020 15:33:48	1	1	1	1	74.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:33:49	1	1	1	1	74.25	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:33:50	1	1	1	1	74.25	63	0	30047.393	443.0107527	13225.34178	30000	0	0	30000	43.25	2004
23.01.2020 15:33:51	1	1	1	1	74.25	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 15:33:52	1	1	1	1	74.25	63.25	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	43	2004
23.01.2020 15:33:53	1	1	1	1	74.25	63	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.875	2004
23.01.2020 15:33:54	1	1	1	1	74.25	62.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.9375	2004
23.01.2020 15:33:55	1	1	1	1	74.25	62.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	43.0625	2004
23.01.2020 15:33:56	1	1	1	1	74.25	63	0	30000	488.172043	14580.49085	30000	0	0	30000	42.625	2004
23.01.2020 15:33:57	1	1	1	1	74.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
23.01.2020 15:33:58	1	1	1	1	74.25	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.1875	2004
23.01.2020 15:33:59	1	1	1	1	74.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.25	2004
23.01.2020 15:34:00	1	1	1	1	74.25	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.0625	2004
23.01.2020 15:34:01	1	1	1	1	74.25	63	0	30000	458.0645161	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:34:02	1	1	1	1	74.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
23.01.2020 15:34:03	1	1	1	1	74.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
23.01.2020 15:34:05	1	1	1	1	74.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
23.01.2020 15:34:06	1	1	1	1	74.25	63	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.75	2004
23.01.2020 15:34:07	1	1	1	1	74.25	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.875	2004
23.01.2020 15:34:14	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:34:14	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:34:14	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:34:14	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:34:14	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:34:14	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:34:14	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:34:15	1	1	1	1	74	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 15:34:16	1	1	1	1	74	63	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.9375	2004
23.01.2020 15:34:17	1	1	1	1	74	62.75	0	29857.82	354.8387097	10594.13475	30000	0	0	30000	43.75	2004
23.01.2020 15:34:18	1	1	1	1	74	63.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 15:34:19	1	1	1	1	74	63	0	30000	352.688172	10515.85899	30000	0	0	30000	43.4375	2004
23.01.2020 15:34:20	1	1	1	1	74	63.25	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	43.4375	2004
23.01.2020 15:34:21	1	1	1	1	74	63	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.25	2004
23.01.2020 15:34:22	1	1	1	1	74	63.25	0	29905.213	339.7849462	10387.03014	30000	0	0	30000	42.625	2004
23.01.2020 15:34:23	1	1	1	1	74	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 15:34:24	1	1	1	1	74	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.25	2004
23.01.2020 15:34:25	1	1	1	1	74	63.25	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	43.25	2004
23.01.2020 15:34:26	1	1	1	1	74	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
23.01.2020 15:34:27	1	1	1	1	74	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.4375	2004
23.01.2020 15:34:28	1	1	1	1	74	62.25	0	30000	359.1397849	10499.55155	30000	0	0	30000	43.1875	2004
23.01.2020 15:34:29	1	1	1	1	74	63	0	29952.607	356.9892473	10499.55155	30000	0	0	30000	43.0625	2004
23.01.2020 15:34:30	1	1	1	1	74	63	0	30000	384.9462366	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 15:34:31	1	1	1	1	74	63	0	30000	402.1505376	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 15:34:32	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:34:33	1	1	1	1	74	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:34:34	1	1	1	1	74	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.1875	2004
23.01.2020 15:34:35	1	1	1	1	74	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:34:36	1	1	1	1	74	63	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.625	2004
23.01.2020 15:34:37	1	1	1	1	74	62.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	43	2004
23.01.2020 15:34:38	1	1	1	1	74	63	0	24786.73	378.4946237	9381.675862	30000	0	0	30000	43	2004
23.01.2020 15:34:39	1	1	1	1	74	63	0	30000	425.8064516	12709.21099	30000	0	0	30000	43.1875	2004
23.01.2020 15:34:40	1	1	1	1	74	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 15:34:41	1	1	1	1	74	63	0	30000	445.1612903	13333.78632	30000	0	0	30000	42.5625	2004
23.01.2020 15:34:43	1	1	1	1	74.25	62.5	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.3125	2004
23.01.2020 15:34:44	1	1	1	1	74.25	63.25	0	30000	464.516129	13999.94564	30000	0	0	30000	43.125	2004
23.01.2020 15:34:45	1	1	1	1	74.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
23.01.2020 15:34:46	1	1	1	1	74.25	63	0	29905.213	464.516129	13999.94564	30000	0	0	30000	43	2004
23.01.2020 15:34:47	1	1	1	1	74.25	63	0	29952.607	464.516129	14451.662	30000	0	0	30000	43.125	2004
23.01.2020 15:34:48	1	1	1	1	74.25	63	0	30000	468.8172043	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:34:49	1	1	1	1	74.25	63	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	42.8125	2004
23.01.2020 15:34:50	1	1	1	1	74.25	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.125	2004
23.01.2020 15:34:51	1	1	1	1	74.25	63	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42.9375	2004
23.01.2020 15:34:52	1	1	1	1	74.25	62.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:34:53	1	1	1	1	74.25	63	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.3125	2004
23.01.2020 15:34:54	1	1	1	1	74.25	63.25	0	29952.607	455.9139785	13612.64371	30000	0	0	30000	43.3125	2004
23.01.2020 15:34:55	1	1	1	1	74.25	63.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.9375	2004
23.01.2020 15:34:56	1	1	1	1	74.25	62.75	0	30000	460.2150538	13870.30142	30000	0	0	30000	43.25	2004
23.01.2020 15:34:57	1	1	1	1	74.25	63.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.875	2004
23.01.2020 15:34:58	1	1	1	1	74.25	62.75	0	29905.213	440.8602151	13248.17221	30000	0	0	30000	43.25	2004
23.01.2020 15:34:59	1	1	1	1	74.25	63.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.625	2004
23.01.2020 15:35:00	1	1	1	1	74.25	63.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.125	2004
23.01.2020 15:35:01	1	1	1	1	74.25	63	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:35:02	1	1	1	1	74.25	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 15:35:03	1	1	1	1	74.25	63	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:35:04	1	1	1	1	74.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.8125	2004
23.01.2020 15:35:05	1	1	1	1	74.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:35:06	1	1	1	1	74.25	63	0	30000	427.9569892	13096.51292	30000	0	0	30000	42.9375	2004
23.01.2020 15:35:07	1	1	1	1	74.25	62.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	42.625	2004
23.01.2020 15:35:08	1	1	1	1	74.25	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:35:15	1	1	1	1	74.25	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:35:15	1	1	1	1	74.25	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:35:15	1	1	1	1	74.25	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:35:15	1	1	1	1	74.25	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:35:15	1	1	1	1	74.25	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:35:15	1	1	1	1	74.25	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:35:15	1	1	1	1	74.25	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:35:16	1	1	1	1	74.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.25	2004
23.01.2020 15:35:17	1	1	1	1	74.25	63.25	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:35:18	1	1	1	1	74.25	62.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.75	2004
23.01.2020 15:35:19	1	1	1	1	74.25	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
23.01.2020 15:35:21	1	1	1	1	74.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:35:22	1	1	1	1	74.25	63	0	30000	404.3010753	11935.4225	30000	0	0	30000	43.25	2004
23.01.2020 15:35:23	1	1	1	1	74.25	63.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43	2004
23.01.2020 15:35:24	1	1	1	1	74.25	63	0	30000	384.9462366	11483.70614	30000	0	0	30000	42.625	2004
23.01.2020 15:35:25	1	1	1	1	74.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
23.01.2020 15:35:26	1	1	1	1	74.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 15:35:27	1	1	1	1	74.25	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 15:35:28	1	1	1	1	74.25	63	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 15:35:29	1	1	1	1	74.25	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.1875	2004
23.01.2020 15:35:30	1	1	1	1	74.25	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
23.01.2020 15:35:31	1	1	1	1	74.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.875	2004
23.01.2020 15:35:32	1	1	1	1	74.25	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.875	2004
23.01.2020 15:35:33	1	1	1	1	74	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
23.01.2020 15:35:34	1	1	1	1	74	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	43	2004
23.01.2020 15:35:35	1	1	1	1	74	63	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.375	2004
23.01.2020 15:35:36	1	1	1	1	74	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.625	2004
23.01.2020 15:35:37	1	1	1	1	74	63.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43.25	2004
23.01.2020 15:35:38	1	1	1	1	74	63.25	0	30000	313.9784946	9627.918354	30000	0	0	30000	43	2004
23.01.2020 15:35:39	1	1	1	1	74	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 15:35:40	1	1	1	1	74	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
23.01.2020 15:35:41	1	1	1	1	74	62.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.875	2004
23.01.2020 15:35:42	1	1	1	1	74.25	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
23.01.2020 15:35:43	1	1	1	1	74.25	63	0	30000	341.9354839	10549.28927	30000	0	0	30000	43.1875	2004
23.01.2020 15:35:44	1	1	1	1	74.25	63	0	30000	352.688172	10515.85899	30000	0	0	30000	43.3125	2004
23.01.2020 15:35:45	1	1	1	1	74.25	63.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	43.3125	2004
23.01.2020 15:35:46	1	1	1	1	74.25	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.1875	2004
23.01.2020 15:35:47	1	1	1	1	74.25	63	0	27156.398	305.3763441	8292.338217	30000	0	0	30000	43	2004
23.01.2020 15:35:48	1	1	1	1	74.25	63	0	29952.607	350.5376344	10709.10227	30000	0	0	30000	42.5625	2004
23.01.2020 15:35:49	1	1	1	1	74.25	62.5	0	29810.427	329.0322581	9808.115674	30000	0	0	30000	43.3125	2004
23.01.2020 15:35:50	1	1	1	1	74.25	63.25	0	29905.213	369.8924731	11014.86696	30000	0	0	30000	43	2004
23.01.2020 15:35:51	1	1	1	1	74.25	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 15:35:52	1	1	1	1	74.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 15:35:53	1	1	1	1	74.25	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	43	2004
23.01.2020 15:35:54	1	1	1	1	74.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 15:35:55	1	1	1	1	74.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 15:35:56	1	1	1	1	74.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 15:35:57	1	1	1	1	74.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:35:59	1	1	1	1	74.25	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 15:36:00	1	1	1	1	74.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
23.01.2020 15:36:01	1	1	1	1	74.25	62.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 15:36:02	1	1	1	1	74.25	63	0	30000	412.9032258	12348.00098	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:36:03	1	1	1	1	74	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 15:36:04	1	1	1	1	74	63	0	30000	415.0537634	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:05	1	1	1	1	74	63	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.8125	2004
23.01.2020 15:36:06	1	1	1	1	74	62.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	43.0625	2004
23.01.2020 15:36:07	1	1	1	1	74	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
23.01.2020 15:36:08	1	1	1	1	74	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5625	2004
23.01.2020 15:36:09	1	1	1	1	74	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:36:10	1	1	1	1	74	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
23.01.2020 15:36:17	1	1	1	1	74	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:17	1	1	1	1	74	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:17	1	1	1	1	74	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:17	1	1	1	1	74	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:17	1	1	1	1	74	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:17	1	1	1	1	74	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:17	1	1	1	1	74	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:18	1	1	1	1	74	63	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 15:36:19	1	1	1	1	74	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
23.01.2020 15:36:20	1	1	1	1	74	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.125	2004
23.01.2020 15:36:21	1	1	1	1	74	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.875	2004
23.01.2020 15:36:22	1	1	1	1	73.75	62.75	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.0625	2004
23.01.2020 15:36:23	1	1	1	1	73.75	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43.0625	2004
23.01.2020 15:36:24	1	1	1	1	73.75	63	0	29952.607	292.4731183	8774.223358	30000	0	0	30000	42.9375	2004
23.01.2020 15:36:25	1	1	1	1	73.75	62.75	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.25	2004
23.01.2020 15:36:26	1	1	1	1	73.75	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 15:36:27	1	1	1	1	73.75	63	0	29905.213	294.6236559	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 15:36:28	1	1	1	1	73.75	63	0	30000	298.9247312	9190.063327	30000	0	0	30000	42.8125	2004
23.01.2020 15:36:29	1	1	1	1	73.75	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.0625	2004
23.01.2020 15:36:30	1	1	1	1	73.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
23.01.2020 15:36:31	1	1	1	1	73.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
23.01.2020 15:36:32	1	1	1	1	73.75	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.75	2004
23.01.2020 15:36:33	1	1	1	1	73.75	62.75	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	42.875	2004
23.01.2020 15:36:34	1	1	1	1	73.75	62.75	0	30000	350.5376344	10661.81067	30000	0	0	30000	43	2004
23.01.2020 15:36:35	1	1	1	1	73.75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.5625	2004
23.01.2020 15:36:37	1	1	1	1	73.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
23.01.2020 15:36:38	1	1	1	1	73.75	62.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.25	2004
23.01.2020 15:36:39	1	1	1	1	73.75	63.25	0	30000	335.483871	10113.06499	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:40	1	1	1	1	73.75	63	0	29905.213	333.3333333	9999.728209	30000	0	0	30000	41.875	2004
23.01.2020 15:36:41	1	1	1	1	73.75	61.75	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	42.875	2004
23.01.2020 15:36:42	1	1	1	1	73.75	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.625	2004
23.01.2020 15:36:43	1	1	1	1	73.75	62.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 15:36:44	1	1	1	1	73.75	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:45	1	1	1	1	73.75	63	0	29952.607	361.2903226	10967.57535	30000	0	0	30000	43.125	2004
23.01.2020 15:36:46	1	1	1	1	73.75	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:36:47	1	1	1	1	73.75	63	0	29905.213	382.7956989	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:36:48	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:49	1	1	1	1	73.75	63	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.0625	2004
23.01.2020 15:36:50	1	1	1	1	73.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 15:36:51	1	1	1	1	73.75	63	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.875	2004
23.01.2020 15:36:52	1	1	1	1	73.75	62.75	0	30000	324.7311828	9612.426277	30000	0	0	30000	42.9375	2004
23.01.2020 15:36:53	1	1	1	1	73.75	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.75	2004
23.01.2020 15:36:54	1	1	1	1	73.75	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:55	1	1	1	1	73.75	63.25	0	30000	316.1290323	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:56	1	1	1	1	73.75	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
23.01.2020 15:36:57	1	1	1	1	73.75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.4375	2004
23.01.2020 15:36:58	1	1	1	1	73.75	62.25	0	30000	331.1827957	9646.671921	30000	0	0	30000	43.1875	2004
23.01.2020 15:36:59	1	1	1	1	73.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.75	2004
23.01.2020 15:37:00	1	1	1	1	73.75	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 15:37:01	1	1	1	1	73.75	63	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.125	2004
23.01.2020 15:37:02	1	1	1	1	74	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.8125	2004
23.01.2020 15:37:03	1	1	1	1	74	62.75	0	29478.673	290.3225806	8621.748702	30000	0	0	30000	43.25	2004
23.01.2020 15:37:04	1	1	1	1	74	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
23.01.2020 15:37:05	1	1	1	1	74	63	0	29620.853	296.7741935	8726.931753	30000	0	0	30000	42.9375	2004
23.01.2020 15:37:06	1	1	1	1	74	62.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:37:07	1	1	1	1	74	62.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 15:37:08	1	1	1	1	74	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 15:37:09	1	1	1	1	74	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	43	2004
23.01.2020 15:37:10	1	1	1	1	74	63	0	30000	294.6236559	8774.223358	30000	0	0	30000	43.125	2004
23.01.2020 15:37:11	1	1	1	1	74	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
23.01.2020 15:37:19	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:37:19	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:37:19	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:37:19	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:37:19	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:37:19	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 15:37:20	1	1	1	1	74.25	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 15:37:21	1	1	1	1	74.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
23.01.2020 15:37:22	1	1	1	1	74.25	62.75	0	30000	341.9354839	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 15:37:23	1	1	1	1	74.25	62.75	0	29526.066	320.4301075	9397.16794	30000	0	0	30000	43.1875	2004
23.01.2020 15:37:24	1	1	1	1	74.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 15:37:25	1	1	1	1	74.25	63	0	30000	365.5913978	10967.57535	30000	0	0	30000	43.125	2004
23.01.2020 15:37:26	1	1	1	1	74.25	63	0	29905.213	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 15:37:27	1	1	1	1	74.25	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
23.01.2020 15:37:28	1	1	1	1	74.25	62.5	0	29952.607	356.9892473	10628.3804	30000	0	0	30000	43.0625	2004
23.01.2020 15:37:29	1	1	1	1	74.25	63	0	29905.213	365.5913978	11014.86696	30000	0	0	30000	43.1875	2004
23.01.2020 15:37:30	1	1	1	1	74.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:37:31	1	1	1	1	74.25	62.75	0	30000	395.6989247	11548.12057	30000	0	0	30000	43.375	2004
23.01.2020 15:37:32	1	1	1	1	74.25	63.25	0	30000	395.6989247	11676.94942	30000	0	0	30000	42.875	2004
23.01.2020 15:37:33	1	1	1	1	74.5	62.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 15:37:34	1	1	1	1	74.5	63.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.75	2004
23.01.2020 15:37:35	1	1	1	1	74.5	62.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:37:36	1	1	1	1	74.5	63	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	42.9375	2004
23.01.2020 15:37:37	1	1	1	1	74.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.875	2004
23.01.2020 15:37:38	1	1	1	1	74.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:37:39	1	1	1	1	74.5	63	0	29952.607	380.6451613	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 15:37:40	1	1	1	1	74.5	63	0	30000	395.6989247	11640.25766	30000	0	0	30000	43.1875	2004
23.01.2020 15:37:41	1	1	1	1	74.5	63	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.625	2004
23.01.2020 15:37:42	1	1	1	1	74.5	62.5	0	29952.607	384.9462366	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:37:43	1	1	1	1	74.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 15:37:44	1	1	1	1	74.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:37:45	1	1	1	1	74.5	63	0	30000	384.9462366	11676.94942	30000	0	0	30000	43.1875	2004
23.01.2020 15:37:46	1	1	1	1	74.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 15:37:47	1	1	1	1	74.5	63.25	0	30047.393	384.9462366	11566.05876	30000	0	0	30000	43.1875	2004
23.01.2020 15:37:48	1	1	1	1	74.5	63	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.875	2004
23.01.2020 15:37:49	1	1	1	1	74.5	62.75	0	29905.213	382.7956989	11382.59995	30000	0	0	30000	43.25	2004
23.01.2020 15:37:50	1	1	1	1	74.5	63.25	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	43.125	2004
23.01.2020 15:37:51	1	1	1	1	74.5	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.125	2004
23.01.2020 15:37:52	1	1	1	1	74.5	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.875	2004
23.01.2020 15:37:53	1	1	1	1	74.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:37:55	1	1	1	1	74.5	63	0	30000	382.7956989	11401.35352	30000	0	0	30000	43.1875	2004
23.01.2020 15:37:56	1	1	1	1	74.5	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43	2004
23.01.2020 15:37:57	1	1	1	1	74.5	63	0	30000	389.2473118	11612.53499	30000	0	0	30000	43	2004
23.01.2020 15:37:58	1	1	1	1	74.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 15:37:59	1	1	1	1	74.5	63	0	30047.393	380.6451613	11225.23306	30000	0	0	30000	42.6875	2004
23.01.2020 15:38:00	1	1	1	1	74.5	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.25	2004
23.01.2020 15:38:01	1	1	1	1	74.5	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.25	2004
23.01.2020 15:38:02	1	1	1	1	74.5	63.25	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	43.25	2004
23.01.2020 15:38:03	1	1	1	1	74.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 15:38:04	1	1	1	1	74.75	63	0	30047.393	425.8064516	12709.21099	30000	0	0	30000	42.75	2004
23.01.2020 15:38:05	1	1	1	1	74.75	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.875	2004
23.01.2020 15:38:06	1	1	1	1	74.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:38:07	1	1	1	1	74.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 15:38:08	1	1	1	1	74.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 15:38:09	1	1	1	1	74.75	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:38:10	1	1	1	1	74.75	62.75	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:38:11	1	1	1	1	74.75	63	0	30000	389.2473118	11741.36385	30000	0	0	30000	43.25	2004
23.01.2020 15:38:12	1	1	1	1	74.75	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.125	2004
23.01.2020 15:38:13	1	1	1	1	74.5	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.1875	2004
23.01.2020 15:38:20	1	1	1	1	74.5	63.25	0	30000	397.8494624	11916.66893	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:38:20	1	1	1	1	74.5	63.25	0	30000	397.8494624	11916.66893	30000	0	0	30000	43.0625	2004
23.01.2020 15:38:20	1	1	1	1	74.5	63.25	0	30000	397.8494624	11916.66893	30000	0	0	30000	43.0625	2004
23.01.2020 15:38:20	1	1	1	1	74.5	63.25	0	30000	397.8494624	11916.66893	30000	0	0	30000	43.0625	2004
23.01.2020 15:38:20	1	1	1	1	74.5	63.25	0	30000	397.8494624	11916.66893	30000	0	0	30000	43.0625	2004
23.01.2020 15:38:20	1	1	1	1	74.5	63.25	0	30000	397.8494624	11916.66893	30000	0	0	30000	43.0625	2004
23.01.2020 15:38:20	1	1	1	1	74.5	63.25	0	30000	397.8494624	11916.66893	30000	0	0	30000	43.0625	2004
23.01.2020 15:38:21	1	1	1	1	74.5	63	0	30000	400	11999.83693	30000	0	0	30000	43.25	2004
23.01.2020 15:38:22	1	1	1	1	74.5	63.25	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	43.375	2004
23.01.2020 15:38:23	1	1	1	1	74.5	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 15:38:24	1	1	1	1	74.5	63	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:38:25	1	1	1	1	74.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:38:26	1	1	1	1	74.5	62.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.5625	2004
23.01.2020 15:38:27	1	1	1	1	74.5	62.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 15:38:28	1	1	1	1	74.5	62.75	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:38:29	1	1	1	1	74.5	63	0	30000	432.2580645	12967.68407	30000	0	0	30000	43.25	2004
23.01.2020 15:38:30	1	1	1	1	74.5	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:38:31	1	1	1	1	74.5	63	0	30000	445.1612903	13396.57	30000	0	0	30000	43.125	2004
23.01.2020 15:38:32	1	1	1	1	74.5	63	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 15:38:34	1	1	1	1	74.5	63	0	30000	440.8602151	13289.7562	30000	0	0	30000	43.125	2004
23.01.2020 15:38:35	1	1	1	1	74.5	63	0	30000	445.1612903	13289.7562	30000	0	0	30000	42.8125	2004
23.01.2020 15:38:36	1	1	1	1	74.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 15:38:37	1	1	1	1	74.5	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 15:38:38	1	1	1	1	74.5	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 15:38:39	1	1	1	1	74.5	62.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	43	2004
23.01.2020 15:38:40	1	1	1	1	74.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 15:38:41	1	1	1	1	74.5	63	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.6875	2004
23.01.2020 15:38:42	1	1	1	1	74.5	62.5	0	29526.066	412.9032258	12381.43125	30000	0	0	30000	43.1875	2004
23.01.2020 15:38:43	1	1	1	1	74.5	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.75	2004
23.01.2020 15:38:44	1	1	1	1	74.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.625	2004
23.01.2020 15:38:45	1	1	1	1	74.5	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.8125	2004
23.01.2020 15:38:46	1	1	1	1	74.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.3125	2004
23.01.2020 15:38:47	1	1	1	1	74.5	62.25	0	30000	427.9569892	13096.51292	30000	0	0	30000	43	2004
23.01.2020 15:38:48	1	1	1	1	74.5	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.25	2004
23.01.2020 15:38:49	1	1	1	1	74.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:38:50	1	1	1	1	74.5	62.75	0	30000	464.516129	13913.51616	30000	0	0	30000	43.1875	2004
23.01.2020 15:38:51	1	1	1	1	74.5	63	0	30000	449.4623656	13612.64371	30000	0	0	30000	42.5	2004
23.01.2020 15:38:52	1	1	1	1	74.5	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.9375	2004
23.01.2020 15:38:53	1	1	1	1	75	63	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 15:38:54	1	1	1	1	75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
23.01.2020 15:38:55	1	1	1	1	75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:38:56	1	1	1	1	75	63	0	30000	445.1612903	13119.34335	30000	0	0	30000	43.125	2004
23.01.2020 15:38:57	1	1	1	1	75	63	0	30000	443.0107527	13590.62865	30000	0	0	30000	43.0625	2004
23.01.2020 15:38:58	1	1	1	1	75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:38:59	1	1	1	1	75	63	0	29952.607	427.9569892	13096.51292	30000	0	0	30000	43	2004
23.01.2020 15:39:00	1	1	1	1	75	63	0	30000	427.9569892	13160.92735	30000	0	0	30000	42.875	2004
23.01.2020 15:39:01	1	1	1	1	75	62.75	0	30000	443.0107527	13140.54304	30000	0	0	30000	42.75	2004
23.01.2020 15:39:02	1	1	1	1	75.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
23.01.2020 15:39:03	1	1	1	1	75.5	62.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	43.1875	2004
23.01.2020 15:39:04	1	1	1	1	75.5	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.25	2004
23.01.2020 15:39:05	1	1	1	1	75.5	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.875	2004
23.01.2020 15:39:06	1	1	1	1	75.5	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.625	2004
23.01.2020 15:39:07	1	1	1	1	75.5	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
23.01.2020 15:39:08	1	1	1	1	75.5	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:09	1	1	1	1	75.5	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.1875	2004
23.01.2020 15:39:10	1	1	1	1	75.5	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:11	1	1	1	1	75.5	63	0	29952.607	460.2150538	13913.51616	30000	0	0	30000	42.8125	2004
23.01.2020 15:39:13	1	1	1	1	75	62.75	0	30000	468.8172043	13935.53122	30000	0	0	30000	43	2004
23.01.2020 15:39:14	1	1	1	1	75	63	0	29905.213	464.516129	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 15:39:15	1	1	1	1	75	63	0	30000	464.516129	13935.53122	30000	0	0	30000	43.25	2004
23.01.2020 15:39:22	1	1	1	1	75	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:22	1	1	1	1	75	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:22	1	1	1	1	75	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:22	1	1	1	1	75	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:22	1	1	1	1	75	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:22	1	1	1	1	75	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:22	1	1	1	1	75	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:22	1	1	1	1	75	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:23	1	1	1	1	75.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 15:39:24	1	1	1	1	75.25	62.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:39:25	1	1	1	1	75.25	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 15:39:26	1	1	1	1	75.25	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.875	2004
23.01.2020 15:39:27	1	1	1	1	75.25	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.75	2004
23.01.2020 15:39:28	1	1	1	1	75.25	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.1875	2004
23.01.2020 15:39:29	1	1	1	1	75.25	63	0	30000	415.0537634	12367.56992	30000	0	0	30000	42.9375	2004
23.01.2020 15:39:30	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
23.01.2020 15:39:31	1	1	1	1	75.25	62.25	0	30000	395.6989247	11640.25766	30000	0	0	30000	43.5625	2004
23.01.2020 15:39:32	1	1	1	1	75.25	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 15:39:33	1	1	1	1	75.5	63.25	0	29952.607	397.8494624	12064.25135	30000	0	0	30000	43	2004
23.01.2020 15:39:34	1	1	1	1	75.5	63.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 15:39:35	1	1	1	1	75.5	63	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.875	2004
23.01.2020 15:39:36	1	1	1	1	75.5	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:37	1	1	1	1	75.5	63	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.8125	2004
23.01.2020 15:39:38	1	1	1	1	75.5	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
23.01.2020 15:39:39	1	1	1	1	75.5	63	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	42.8125	2004
23.01.2020 15:39:40	1	1	1	1	75.5	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.3125	2004
23.01.2020 15:39:41	1	1	1	1	75.5	62.25	0	29383.886	335.483871	9794.254342	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:42	1	1	1	1	75.5	63	0	29383.886	331.1827957	9731.47066	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:39:43	1	1	1	1	75.5	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:44	1	1	1	1	75.5	63	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.6875	2004
23.01.2020 15:39:45	1	1	1	1	75.5	62.5	0	30047.393	395.6989247	11548.12057	30000	0	0	30000	42.8125	2004
23.01.2020 15:39:46	1	1	1	1	75.5	62.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:39:47	1	1	1	1	75.5	63.25	0	30000	337.6344086	10032.34311	30000	0	0	30000	42.875	2004
23.01.2020 15:39:48	1	1	1	1	75.5	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 15:39:49	1	1	1	1	75.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
23.01.2020 15:39:50	1	1	1	1	75.5	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.8125	2004
23.01.2020 15:39:51	1	1	1	1	75.5	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:39:53	1	1	1	1	75.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 15:39:54	1	1	1	1	75.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 15:39:55	1	1	1	1	75.75	63	0	29857.82	335.483871	10096.75754	30000	0	0	30000	43.0625	2004
23.01.2020 15:39:56	1	1	1	1	75.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 15:39:57	1	1	1	1	75.75	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.75	2004
23.01.2020 15:39:58	1	1	1	1	75.75	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	42.1875	2004
23.01.2020 15:39:59	1	1	1	1	75.75	62	0	30000	359.1397849	10644.68785	30000	0	0	30000	42.5	2004
23.01.2020 15:40:00	1	1	1	1	75.75	62.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	43	2004
23.01.2020 15:40:01	1	1	1	1	75.75	63	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:02	1	1	1	1	75.75	63	0	30000	352.688172	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:03	1	1	1	1	75.75	63	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	43.25	2004
23.01.2020 15:40:04	1	1	1	1	75.75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:05	1	1	1	1	75.75	63	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.875	2004
23.01.2020 15:40:06	1	1	1	1	75.75	62.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.8125	2004
23.01.2020 15:40:07	1	1	1	1	75.75	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.625	2004
23.01.2020 15:40:08	1	1	1	1	75.75	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.3125	2004
23.01.2020 15:40:09	1	1	1	1	75.75	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 15:40:10	1	1	1	1	75.75	62.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:11	1	1	1	1	75.75	63	0	30000	356.9892473	10692.79483	30000	0	0	30000	42.8125	2004
23.01.2020 15:40:12	1	1	1	1	75.5	63.25	0	29431.28	352.688172	10316.09274	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:13	1	1	1	1	75.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 15:40:14	1	1	1	1	75.5	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	43	2004
23.01.2020 15:40:15	1	1	1	1	75.5	63	0	30000	369.8924731	11160.81863	30000	0	0	30000	43	2004
23.01.2020 15:40:16	1	1	1	1	75.5	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
23.01.2020 15:40:23	1	1	1	1	75.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:23	1	1	1	1	75.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:23	1	1	1	1	75.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:23	1	1	1	1	75.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:23	1	1	1	1	75.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:23	1	1	1	1	75.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:23	1	1	1	1	75.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:24	1	1	1	1	75.75	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:25	1	1	1	1	75.75	63	0	28388.626	292.4731183	8363.275623	30000	0	0	30000	42.6875	2004
23.01.2020 15:40:26	1	1	1	1	75.75	62.5	0	30047.393	339.7849462	10128.55706	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:40:27	1	1	1	1	75.75	63	0	24502.37	292.4731183	7166.308809	30000	0	0	30000	42.9375	2004
23.01.2020 15:40:28	1	1	1	1	75.75	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.875	2004
23.01.2020 15:40:29	1	1	1	1	75.75	62.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:31	1	1	1	1	75.75	63	0	29905.213	326.8817204	9711.086348	30000	0	0	30000	43.25	2004
23.01.2020 15:40:32	1	1	1	1	75.75	63.25	0	29905.213	331.1827957	10064.14264	30000	0	0	30000	42.625	2004
23.01.2020 15:40:33	1	1	1	1	76	62.5	0	29952.607	333.3333333	9935.313783	30000	0	0	30000	42.6875	2004
23.01.2020 15:40:34	1	1	1	1	76	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.8125	2004
23.01.2020 15:40:35	1	1	1	1	76	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
23.01.2020 15:40:36	1	1	1	1	76	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:37	1	1	1	1	76	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
23.01.2020 15:40:38	1	1	1	1	76	62.5	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.75	2004
23.01.2020 15:40:39	1	1	1	1	76	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 15:40:40	1	1	1	1	76	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 15:40:41	1	1	1	1	76	63.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:42	1	1	1	1	76	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:43	1	1	1	1	76.25	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 15:40:44	1	1	1	1	76.25	63	0	30000	324.7311828	9806.484929	30000	0	0	30000	43.125	2004
23.01.2020 15:40:45	1	1	1	1	76.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:46	1	1	1	1	76.25	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.875	2004
23.01.2020 15:40:47	1	1	1	1	76.25	62.75	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	42.875	2004
23.01.2020 15:40:48	1	1	1	1	76.25	62.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:49	1	1	1	1	76.25	63	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	43.75	2004
23.01.2020 15:40:50	1	1	1	1	76.25	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:40:51	1	1	1	1	76.25	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.25	2004
23.01.2020 15:40:52	1	1	1	1	76.25	63.25	0	30000	384.9462366	11843.28541	30000	0	0	30000	42.75	2004
23.01.2020 15:40:53	1	1	1	1	76.25	62.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	43.3125	2004
23.01.2020 15:40:54	1	1	1	1	76.25	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:55	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 15:40:56	1	1	1	1	76.25	62.5	0	25734.597	337.6344086	8744.054576	30000	0	0	30000	43.0625	2004
23.01.2020 15:40:57	1	1	1	1	76.25	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:40:58	1	1	1	1	76.25	63	0	30000	412.9032258	12090.34327	30000	0	0	30000	43.1875	2004
23.01.2020 15:40:59	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
23.01.2020 15:41:00	1	1	1	1	76.25	62.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:41:01	1	1	1	1	76.25	63	0	28293.839	341.9354839	9674.394586	30000	0	0	30000	43.25	2004
23.01.2020 15:41:02	1	1	1	1	76.25	63.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
23.01.2020 15:41:03	1	1	1	1	76.25	62.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 15:41:04	1	1	1	1	76.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004
23.01.2020 15:41:05	1	1	1	1	76.25	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.6875	2004
23.01.2020 15:41:06	1	1	1	1	76.25	62.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 15:41:07	1	1	1	1	76.25	63	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	43.25	2004
23.01.2020 15:41:08	1	1	1	1	76.25	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
23.01.2020 15:41:10	1	1	1	1	76.25	62.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.25	2004
23.01.2020 15:41:11	1	1	1	1	76.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:41:12	1	1	1	1	76.25	63	0	29478.673	311.827957	9035.957927	30000	0	0	30000	43.125	2004
23.01.2020 15:41:13	1	1	1	1	76.25	63	0	29715.64	356.9892473	10671.59514	30000	0	0	30000	43.0625	2004
23.01.2020 15:41:14	1	1	1	1	76.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:41:15	1	1	1	1	76.25	63.25	0	30000	369.8924731	11143.69581	30000	0	0	30000	42.1875	2004
23.01.2020 15:41:16	1	1	1	1	76.25	62	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.8125	2004
23.01.2020 15:41:17	1	1	1	1	76.25	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	43	2004
23.01.2020 15:41:18	1	1	1	1	76.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.4375	2004
23.01.2020 15:41:25	1	1	1	1	76.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:25	1	1	1	1	76.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:25	1	1	1	1	76.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:25	1	1	1	1	76.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:25	1	1	1	1	76.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:25	1	1	1	1	76.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:25	1	1	1	1	76.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:26	1	1	1	1	76.25	63	0	30000	324.7311828	9790.992852	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:27	1	1	1	1	76.25	63	0	30000	329.0322581	9999.728209	30000	0	0	30000	43.0625	2004
23.01.2020 15:41:28	1	1	1	1	76.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.5625	2004
23.01.2020 15:41:29	1	1	1	1	76.25	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.3125	2004
23.01.2020 15:41:30	1	1	1	1	76.25	63.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.3125	2004
23.01.2020 15:41:31	1	1	1	1	76.25	63.5	0	30000	341.9354839	10403.33759	30000	0	0	30000	43.125	2004
23.01.2020 15:41:32	1	1	1	1	76	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.9375	2004
23.01.2020 15:41:33	1	1	1	1	76	62.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:34	1	1	1	1	76	63	0	30000	346.2365591	10613.70369	30000	0	0	30000	43.3125	2004
23.01.2020 15:41:35	1	1	1	1	76	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 15:41:36	1	1	1	1	76	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.875	2004
23.01.2020 15:41:37	1	1	1	1	76	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 15:41:38	1	1	1	1	76	63	0	30000	352.688172	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 15:41:39	1	1	1	1	76	62.75	0	30000	356.9892473	10499.55155	30000	0	0	30000	43.125	2004
23.01.2020 15:41:40	1	1	1	1	76	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.8125	2004
23.01.2020 15:41:41	1	1	1	1	76	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.25	2004
23.01.2020 15:41:42	1	1	1	1	76.25	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:43	1	1	1	1	76.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 15:41:44	1	1	1	1	76.25	63.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	43.25	2004
23.01.2020 15:41:45	1	1	1	1	76.25	63.25	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 15:41:46	1	1	1	1	76.25	62.75	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	43.125	2004
23.01.2020 15:41:47	1	1	1	1	76.25	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	43	2004
23.01.2020 15:41:49	1	1	1	1	76.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 15:41:50	1	1	1	1	76.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 15:41:51	1	1	1	1	76.25	63	0	30000	352.688172	10628.3804	30000	0	0	30000	43.125	2004
23.01.2020 15:41:52	1	1	1	1	76.25	63	0	29857.82	331.1827957	9967.928682	30000	0	0	30000	43.0625	2004
23.01.2020 15:41:53	1	1	1	1	76	63	0	29952.607	324.7311828	9676.840703	30000	0	0	30000	43.25	2004
23.01.2020 15:41:54	1	1	1	1	76	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 15:41:55	1	1	1	1	76	63	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:41:56	1	1	1	1	76	63	0	30000	307.5268817	9275.677439	30000	0	0	30000	42.625	2004
23.01.2020 15:41:57	1	1	1	1	76	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 15:41:58	1	1	1	1	76	63	0	30047.393	311.827957	9354.76857	30000	0	0	30000	43.3125	2004
23.01.2020 15:41:59	1	1	1	1	76	63.25	0	28862.559	303.2258065	8503.519691	30000	0	0	30000	43.4375	2004
23.01.2020 15:42:00	1	1	1	1	76	63.25	0	29952.607	307.5268817	9275.677439	30000	0	0	30000	43.125	2004
23.01.2020 15:42:01	1	1	1	1	76	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.75	2004
23.01.2020 15:42:02	1	1	1	1	76	62.75	0	29905.213	311.827957	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 15:42:03	1	1	1	1	76	63	0	30000	344.0860215	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 15:42:04	1	1	1	1	76	63	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
23.01.2020 15:42:05	1	1	1	1	76	63	0	30047.393	352.688172	10241.89384	30000	0	0	30000	43.0625	2004
23.01.2020 15:42:06	1	1	1	1	76	63	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.875	2004
23.01.2020 15:42:07	1	1	1	1	76	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.875	2004
23.01.2020 15:42:08	1	1	1	1	76	62.75	0	29905.213	316.1290323	9453.428641	30000	0	0	30000	43.4375	2004
23.01.2020 15:42:09	1	1	1	1	76	63.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.3125	2004
23.01.2020 15:42:10	1	1	1	1	76	63.25	0	27061.611	316.1290323	8569.564863	30000	0	0	30000	43.5	2004
23.01.2020 15:42:11	1	1	1	1	76	63.25	0	30000	335.483871	10192.97149	30000	0	0	30000	42.5	2004
23.01.2020 15:42:12	1	1	1	1	76.25	62.5	0	29952.607	335.483871	9999.728209	30000	0	0	30000	43.375	2004
23.01.2020 15:42:13	1	1	1	1	76.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 15:42:14	1	1	1	1	76.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 15:42:15	1	1	1	1	76.25	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.5625	2004
23.01.2020 15:42:16	1	1	1	1	76.25	62.5	0	30047.393	367.7419355	10773.5167	30000	0	0	30000	42.8125	2004
23.01.2020 15:42:17	1	1	1	1	76.25	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.1875	2004
23.01.2020 15:42:18	1	1	1	1	76.25	63	0	30000	384.9462366	11336.93909	30000	0	0	30000	42.8125	2004
23.01.2020 15:42:19	1	1	1	1	76.25	62.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	43	2004
23.01.2020 15:42:27	1	1	1	1	76.25	63	0	29905.213	380.6451613	11483.70614	30000	0	0	30000	42.375	2004
23.01.2020 15:42:27	1	1	1	1	76.25	63	0	29905.213	380.6451613	11483.70614	30000	0	0	30000	42.375	2004
23.01.2020 15:42:27	1	1	1	1	76.25	63	0	29905.213	380.6451613	11483.70614	30000	0	0	30000	42.375	2004
23.01.2020 15:42:27	1	1	1	1	76.25	63	0	29905.213	380.6451613	11483.70614	30000	0	0	30000	42.375	2004
23.01.2020 15:42:27	1	1	1	1	76.25	63	0	29905.213	380.6451613	11483.70614	30000	0	0	30000	42.375	2004
23.01.2020 15:42:27	1	1	1	1	76.25	63	0	29905.213	380.6451613	11483.70614	30000	0	0	30000	42.375	2004
23.01.2020 15:42:27	1	1	1	1	76.25	63	0	29905.213	380.6451613	11483.70614	30000	0	0	30000	42.375	2004
23.01.2020 15:42:28	1	1	1	1	76.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 15:42:29	1	1	1	1	76.25	63.25	0	30000	372.0430108	11031.98978	30000	0	0	30000	42.625	2004
23.01.2020 15:42:30	1	1	1	1	76.25	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 15:42:31	1	1	1	1	76.25	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.875	2004
23.01.2020 15:42:32	1	1	1	1	76.25	62.75	0	28009.479	331.1827957	9215.339874	30000	0	0	30000	43.0625	2004
23.01.2020 15:42:33	1	1	1	1	76.25	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.9375	2004
23.01.2020 15:42:34	1	1	1	1	76.25	62.75	0	29905.213	348.3870968	10353.59987	30000	0	0	30000	42.9375	2004
23.01.2020 15:42:35	1	1	1	1	76.25	62.75	0	30000	391.3978495	11401.35352	30000	0	0	30000	42.375	2004
23.01.2020 15:42:36	1	1	1	1	76.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 15:42:37	1	1	1	1	76.25	63.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.125	2004
23.01.2020 15:42:38	1	1	1	1	76.25	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 15:42:39	1	1	1	1	76.25	63	0	30000	380.6451613	11336.93909	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:42:40	1	1	1	1	76.25	63	0	30000	400	11999.83693	30000	0	0	30000	42.9375	2004
23.01.2020 15:42:41	1	1	1	1	76.25	62.75	0	30000	412.9032258	11852.2545	30000	0	0	30000	43.125	2004
23.01.2020 15:42:42	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:42:43	1	1	1	1	76.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
23.01.2020 15:42:44	1	1	1	1	76.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 15:42:45	1	1	1	1	76.5	63	0	30000	423.655914	12580.38214	30000	0	0	30000	43.6875	2004
23.01.2020 15:42:46	1	1	1	1	76.5	63.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.3125	2004
23.01.2020 15:42:47	1	1	1	1	76.5	63.25	0	30000	419.3548387	12773.62542	30000	0	0	30000	43.0625	2004
23.01.2020 15:42:48	1	1	1	1	76.5	63	0	30000	425.8064516	12540.42889	30000	0	0	30000	43.0625	2004
23.01.2020 15:42:49	1	1	1	1	76.5	63	0	30000	434.4086022	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:42:50	1	1	1	1	76.5	63	0	30000	436.5591398	13096.51292	30000	0	0	30000	42.875	2004
23.01.2020 15:42:51	1	1	1	1	76.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 15:42:52	1	1	1	1	76.5	63	0	30000	419.3548387	12709.21099	30000	0	0	30000	43	2004
23.01.2020 15:42:53	1	1	1	1	76.5	63	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
23.01.2020 15:42:54	1	1	1	1	76.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
23.01.2020 15:42:55	1	1	1	1	76.5	62.5	0	30000	415.0537634	12709.21099	30000	0	0	30000	42.9375	2004
23.01.2020 15:42:56	1	1	1	1	76.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:42:57	1	1	1	1	76.5	62.75	0	29952.607	425.8064516	12540.42889	30000	0	0	30000	43.0625	2004
23.01.2020 15:42:58	1	1	1	1	76.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:42:59	1	1	1	1	76.5	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 15:43:00	1	1	1	1	76.5	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.0625	2004
23.01.2020 15:43:01	1	1	1	1	76.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:43:02	1	1	1	1	76.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.4375	2004
23.01.2020 15:43:03	1	1	1	1	76.5	63.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:43:04	1	1	1	1	76.5	62.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 15:43:06	1	1	1	1	76.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:43:07	1	1	1	1	76.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 15:43:08	1	1	1	1	76.5	62.5	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	43.3125	2004
23.01.2020 15:43:09	1	1	1	1	76.5	63.25	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.125	2004
23.01.2020 15:43:10	1	1	1	1	76.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:43:11	1	1	1	1	76.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 15:43:12	1	1	1	1	76.5	63	0	29905.213	434.4086022	12967.68407	30000	0	0	30000	43.0625	2004
23.01.2020 15:43:13	1	1	1	1	76.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 15:43:14	1	1	1	1	76.5	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.875	2004
23.01.2020 15:43:15	1	1	1	1	76.5	62.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:43:16	1	1	1	1	76.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:43:17	1	1	1	1	76.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:43:18	1	1	1	1	76.5	63	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 15:43:19	1	1	1	1	76.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 15:43:20	1	1	1	1	76.5	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.8125	2004
23.01.2020 15:43:21	1	1	1	1	76.5	62.75	0	30000	395.6989247	11972.92963	30000	0	0	30000	43.1875	2004
23.01.2020 15:43:28	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:43:28	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:43:28	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:43:28	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:43:28	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:43:28	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:43:28	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:43:29	1	1	1	1	76.25	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:43:30	1	1	1	1	76.25	62.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.125	2004
23.01.2020 15:43:31	1	1	1	1	76.25	63	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 15:43:32	1	1	1	1	76.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.3125	2004
23.01.2020 15:43:33	1	1	1	1	76.5	63.25	0	29857.82	404.3010753	12071.5897	30000	0	0	30000	42.9375	2004
23.01.2020 15:43:34	1	1	1	1	76.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.8125	2004
23.01.2020 15:43:35	1	1	1	1	76.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.8125	2004
23.01.2020 15:43:36	1	1	1	1	76.5	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:43:37	1	1	1	1	76.5	63	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.5625	2004
23.01.2020 15:43:38	1	1	1	1	76.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:43:41	1	1	1	1	76.5	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:43:41	1	1	1	1	76.5	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:43:41	1	1	1	1	76.5	63	0	30000	451.6129032	13612.64371	30000	0	0	30000	43.3125	2004
23.01.2020 15:43:42	1	1	1	1	76.25	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:43:43	1	1	1	1	76.25	63	0	30000	438.7096774	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 15:43:45	1	1	1	1	76.25	62.75	0	30000	427.9569892	12689.64205	30000	0	0	30000	42.25	2004
23.01.2020 15:43:46	1	1	1	1	76.25	62.25	0	30000	438.7096774	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 15:43:47	1	1	1	1	76.25	63	0	30000	440.8602151	13160.92735	30000	0	0	30000	42.875	2004
23.01.2020 15:43:48	1	1	1	1	76.25	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.4375	2004
23.01.2020 15:43:49	1	1	1	1	76.25	62.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	43	2004
23.01.2020 15:43:50	1	1	1	1	76.25	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:43:51	1	1	1	1	76.25	63	0	30000	440.8602151	13160.92735	30000	0	0	30000	42.8125	2004
23.01.2020 15:43:52	1	1	1	1	76.25	62.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	43.0625	2004
23.01.2020 15:43:53	1	1	1	1	76.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 15:43:54	1	1	1	1	76.25	63.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.8125	2004
23.01.2020 15:43:55	1	1	1	1	76.25	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.625	2004
23.01.2020 15:43:56	1	1	1	1	76.25	62.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 15:43:57	1	1	1	1	76.25	63	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:43:58	1	1	1	1	76.25	63	0	30000	455.9139785	13741.47256	30000	0	0	30000	43.3125	2004
23.01.2020 15:43:59	1	1	1	1	76.25	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:44:00	1	1	1	1	76.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
23.01.2020 15:44:01	1	1	1	1	76.25	63	0	29905.213	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 15:44:02	1	1	1	1	76.25	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	43.125	2004
23.01.2020 15:44:03	1	1	1	1	76.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
23.01.2020 15:44:04	1	1	1	1	76.5	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
23.01.2020 15:44:05	1	1	1	1	76.5	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.8125	2004
23.01.2020 15:44:06	1	1	1	1	76.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
23.01.2020 15:44:07	1	1	1	1	76.5	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:44:08	1	1	1	1	76.5	62.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.5	2004
23.01.2020 15:44:09	1	1	1	1	76.5	62.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	43.125	2004
23.01.2020 15:44:10	1	1	1	1	76.5	63	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
23.01.2020 15:44:11	1	1	1	1	76.5	63.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.5625	2004
23.01.2020 15:44:12	1	1	1	1	76.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:44:13	1	1	1	1	76.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.25	2004
23.01.2020 15:44:14	1	1	1	1	76.25	63.25	0	30047.393	419.3548387	12599.95108	30000	0	0	30000	42.625	2004
23.01.2020 15:44:15	1	1	1	1	76.25	62.5	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:44:16	1	1	1	1	76.25	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.3125	2004
23.01.2020 15:44:17	1	1	1	1	76.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 15:44:18	1	1	1	1	76.25	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.1875	2004
23.01.2020 15:44:19	1	1	1	1	76.25	63	0	25639.81	296.7741935	7609.05607	30000	0	0	30000	43.125	2004
23.01.2020 15:44:20	1	1	1	1	76.25	63	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.125	2004
23.01.2020 15:44:22	1	1	1	1	76.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 15:44:23	1	1	1	1	76.25	63	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	42.8125	2004
23.01.2020 15:44:30	1	1	1	1	76.25	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:44:30	1	1	1	1	76.25	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:44:30	1	1	1	1	76.25	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:44:30	1	1	1	1	76.25	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:44:30	1	1	1	1	76.25	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:44:30	1	1	1	1	76.25	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:44:30	1	1	1	1	76.25	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:44:31	1	1	1	1	76.25	63	0	30000	266.6666667	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:44:32	1	1	1	1	76.25	63	0	30000	264.516129	7935.205066	30000	0	0	30000	43.3125	2004
23.01.2020 15:44:33	1	1	1	1	76.75	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.1875	2004
23.01.2020 15:44:34	1	1	1	1	76.75	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 15:44:35	1	1	1	1	76.75	63	0	30000	288.172043	8708.993559	30000	0	0	30000	43.25	2004
23.01.2020 15:44:36	1	1	1	1	76.75	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.625	2004
23.01.2020 15:44:37	1	1	1	1	76.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.375	2004
23.01.2020 15:44:38	1	1	1	1	76.75	63.25	0	30000	290.3225806	8695.947599	30000	0	0	30000	43.125	2004
23.01.2020 15:44:39	1	1	1	1	76.75	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 15:44:40	1	1	1	1	76.75	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 15:44:41	1	1	1	1	76.75	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43	2004
23.01.2020 15:44:42	1	1	1	1	76.75	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
23.01.2020 15:44:43	1	1	1	1	76.5	63.25	0	30000	301.0752688	9225.124344	30000	0	0	30000	43.625	2004
23.01.2020 15:44:44	1	1	1	1	76.5	63.5	0	30000	305.3763441	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 15:44:45	1	1	1	1	76.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 15:44:46	1	1	1	1	76.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.3125	2004
23.01.2020 15:44:47	1	1	1	1	76.5	63.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.625	2004
23.01.2020 15:44:48	1	1	1	1	76.5	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 15:44:49	1	1	1	1	76.5	63	0	30000	322.5806452	9821.977006	30000	0	0	30000	43.3125	2004
23.01.2020 15:44:50	1	1	1	1	76.5	63.25	0	30000	331.1827957	9984.236132	30000	0	0	30000	43	2004
23.01.2020 15:44:51	1	1	1	1	76.5	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:44:52	1	1	1	1	76.5	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43	2004
23.01.2020 15:44:53	1	1	1	1	76.5	63	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
23.01.2020 15:44:54	1	1	1	1	76.5	63.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.375	2004
23.01.2020 15:44:55	1	1	1	1	76.5	63.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.3125	2004
23.01.2020 15:44:56	1	1	1	1	76.5	63.25	0	29952.607	320.4301075	9453.428641	30000	0	0	30000	43.1875	2004
23.01.2020 15:44:57	1	1	1	1	76.5	63	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
23.01.2020 15:44:58	1	1	1	1	76.5	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.0625	2004
23.01.2020 15:44:59	1	1	1	1	76.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.9375	2004
23.01.2020 15:45:01	1	1	1	1	76.5	62.75	0	30000	359.1397849	11114.3424	30000	0	0	30000	43.0625	2004
23.01.2020 15:45:02	1	1	1	1	76.5	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:45:03	1	1	1	1	76.5	63	0	29952.607	387.0967742	11612.53499	30000	0	0	30000	43.0625	2004
23.01.2020 15:45:04	1	1	1	1	76.5	63	0	29620.853	378.4946237	11274.97078	30000	0	0	30000	43.25	2004
23.01.2020 15:45:05	1	1	1	1	76.5	63.25	0	30000	397.8494624	12193.08021	30000	0	0	30000	43.1875	2004
23.01.2020 15:45:06	1	1	1	1	76.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 15:45:07	1	1	1	1	76.5	62.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
23.01.2020 15:45:08	1	1	1	1	76.5	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:45:09	1	1	1	1	76.5	63	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:45:10	1	1	1	1	76.5	63	0	29573.46	354.8387097	10557.44299	30000	0	0	30000	43.125	2004
23.01.2020 15:45:11	1	1	1	1	76.5	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	42	2004
23.01.2020 15:45:12	1	1	1	1	76.5	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 15:45:13	1	1	1	1	76.5	63	0	30000	335.483871	9999.728209	30000	0	0	30000	43.4375	2004
23.01.2020 15:45:14	1	1	1	1	76.5	63.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.25	2004
23.01.2020 15:45:15	1	1	1	1	76.5	63.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.3125	2004
23.01.2020 15:45:16	1	1	1	1	76.5	63.25	0	30000	298.9247312	8953.605305	30000	0	0	30000	42.875	2004
23.01.2020 15:45:17	1	1	1	1	76.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.25	2004
23.01.2020 15:45:18	1	1	1	1	76.5	63.25	0	30000	311.827957	9419.182997	30000	0	0	30000	43.25	2004
23.01.2020 15:45:19	1	1	1	1	76.5	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 15:45:20	1	1	1	1	76.5	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004
23.01.2020 15:45:21	1	1	1	1	76.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 15:45:22	1	1	1	1	76.5	63	0	30000	305.3763441	9110.972196	30000	0	0	30000	43.625	2004
23.01.2020 15:45:23	1	1	1	1	76.25	63.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.625	2004
23.01.2020 15:45:24	1	1	1	1	76.25	63	0	30000	301.0752688	9319.707553	30000	0	0	30000	43.25	2004
23.01.2020 15:45:32	1	1	1	1	76.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 15:45:32	1	1	1	1	76.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 15:45:32	1	1	1	1	76.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 15:45:32	1	1	1	1	76.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 15:45:32	1	1	1	1	76.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 15:45:32	1	1	1	1	76.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 15:45:32	1	1	1	1	76.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 15:45:32	1	1	1	1	76.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 15:45:33	1	1	1	1	76.25	63	0	30000	331.1827957	9790.992852	30000	0	0	30000	43.1875	2004
23.01.2020 15:45:34	1	1	1	1	76.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 15:45:35	1	1	1	1	76.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:45:36	1	1	1	1	76.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 15:45:37	1	1	1	1	76.25	63	0	30000	335.483871	10080.45009	30000	0	0	30000	43.375	2004
23.01.2020 15:45:39	1	1	1	1	76.25	63.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.25	2004
23.01.2020 15:45:40	1	1	1	1	76.25	63.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.3125	2004
23.01.2020 15:45:41	1	1	1	1	76.25	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 15:45:42	1	1	1	1	76.25	63	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.3125	2004
23.01.2020 15:45:43	1	1	1	1	76	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 15:45:44	1	1	1	1	76	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 15:45:45	1	1	1	1	76	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 15:45:46	1	1	1	1	76	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.0625	2004
23.01.2020 15:45:47	1	1	1	1	76	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 15:45:48	1	1	1	1	76	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
23.01.2020 15:45:49	1	1	1	1	76	62.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 15:45:50	1	1	1	1	76	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.875	2004
23.01.2020 15:45:51	1	1	1	1	76	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:45:52	1	1	1	1	76	63	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.8125	2004
23.01.2020 15:45:53	1	1	1	1	76	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
23.01.2020 15:45:54	1	1	1	1	76	63.25	0	29952.607	329.0322581	9935.313783	30000	0	0	30000	43.0625	2004
23.01.2020 15:45:55	1	1	1	1	76	63	0	30000	331.1827957	9790.992852	30000	0	0	30000	43.1875	2004
23.01.2020 15:45:56	1	1	1	1	76	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.0625	2004
23.01.2020 15:45:57	1	1	1	1	76	63	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	43.125	2004
23.01.2020 15:45:58	1	1	1	1	76	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
23.01.2020 15:45:59	1	1	1	1	76	63.25	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 15:46:00	1	1	1	1	76	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.9375	2004
23.01.2020 15:46:01	1	1	1	1	76	63.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004
23.01.2020 15:46:02	1	1	1	1	76	62.75	0	30000	305.3763441	9018.019732	30000	0	0	30000	43.1875	2004
23.01.2020 15:46:03	1	1	1	1	76	63	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.375	2004
23.01.2020 15:46:04	1	1	1	1	76	63.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 15:46:05	1	1	1	1	76	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.125	2004
23.01.2020 15:46:06	1	1	1	1	76	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.3125	2004
23.01.2020 15:46:07	1	1	1	1	76	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.4375	2004
23.01.2020 15:46:08	1	1	1	1	76	63.25	0	30047.393	309.6774194	9290.354143	30000	0	0	30000	43.125	2004
23.01.2020 15:46:09	1	1	1	1	76	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.8125	2004
23.01.2020 15:46:10	1	1	1	1	76	62.75	0	29952.607	316.1290323	9612.426277	30000	0	0	30000	43.0625	2004
23.01.2020 15:46:11	1	1	1	1	76	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.875	2004
23.01.2020 15:46:12	1	1	1	1	76	62.75	0	30047.393	350.5376344	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 15:46:13	1	1	1	1	76	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 15:46:14	1	1	1	1	76	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 15:46:16	1	1	1	1	76	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
23.01.2020 15:46:17	1	1	1	1	76	63.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.625	2004
23.01.2020 15:46:18	1	1	1	1	76	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 15:46:19	1	1	1	1	76	63	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.25	2004
23.01.2020 15:46:20	1	1	1	1	76	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:46:21	1	1	1	1	76	63	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	43.25	2004
23.01.2020 15:46:22	1	1	1	1	76	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 15:46:23	1	1	1	1	75.5	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.125	2004
23.01.2020 15:46:24	1	1	1	1	75.5	63	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 15:46:25	1	1	1	1	75.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.25	2004
23.01.2020 15:46:26	1	1	1	1	75.5	63.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.875	2004
23.01.2020 15:46:33	1	1	1	1	75.75	63	0	30000	333.3333333	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 15:46:33	1	1	1	1	75.75	63	0	30000	333.3333333	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 15:46:33	1	1	1	1	75.75	63	0	30000	333.3333333	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 15:46:33	1	1	1	1	75.75	63	0	30000	333.3333333	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 15:46:33	1	1	1	1	75.75	63	0	30000	333.3333333	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 15:46:33	1	1	1	1	75.75	63	0	30000	333.3333333	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 15:46:34	1	1	1	1	75.75	63.25	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	42.875	2004
23.01.2020 15:46:35	1	1	1	1	75.75	62.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 15:46:36	1	1	1	1	75.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.375	2004
23.01.2020 15:46:37	1	1	1	1	75.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 15:46:38	1	1	1	1	75.75	63.25	0	30000	307.5268817	9082.434159	30000	0	0	30000	43.1875	2004
23.01.2020 15:46:39	1	1	1	1	75.75	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.625	2004
23.01.2020 15:46:40	1	1	1	1	75.75	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 15:46:41	1	1	1	1	75.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 15:46:42	1	1	1	1	75.75	63	0	30047.393	309.6774194	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 15:46:43	1	1	1	1	75.75	63	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 15:46:44	1	1	1	1	75.75	63	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	43.125	2004
23.01.2020 15:46:45	1	1	1	1	75.75	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
23.01.2020 15:46:46	1	1	1	1	75.75	63.25	0	29526.066	294.6236559	8713.070421	30000	0	0	30000	43.125	2004
23.01.2020 15:46:47	1	1	1	1	75.75	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
23.01.2020 15:46:48	1	1	1	1	75.75	63.25	0	28815.166	281.7204301	8117.848504	30000	0	0	30000	43	2004
23.01.2020 15:46:49	1	1	1	1	75.75	63	0	30000	316.1290323	9419.182997	30000	0	0	30000	43.25	2004
23.01.2020 15:46:50	1	1	1	1	75.75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 15:46:51	1	1	1	1	75.75	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43	2004
23.01.2020 15:46:52	1	1	1	1	75.75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 15:46:54	1	1	1	1	75.75	63.25	0	30000	318.2795699	9468.920719	30000	0	0	30000	43.125	2004
23.01.2020 15:46:55	1	1	1	1	75.75	63	0	30000	311.827957	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 15:46:56	1	1	1	1	75.75	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 15:46:57	1	1	1	1	75.75	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.25	2004
23.01.2020 15:46:58	1	1	1	1	75.75	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.875	2004
23.01.2020 15:46:59	1	1	1	1	75.75	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.4375	2004
23.01.2020 15:47:00	1	1	1	1	75.75	62.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	43.125	2004
23.01.2020 15:47:01	1	1	1	1	75.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
23.01.2020 15:47:02	1	1	1	1	75.75	63.25	0	29952.607	331.1827957	9790.992852	30000	0	0	30000	42.6875	2004
23.01.2020 15:47:03	1	1	1	1	75.5	62.5	0	29905.213	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
23.01.2020 15:47:04	1	1	1	1	75.5	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:47:05	1	1	1	1	75.5	62.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	43	2004
23.01.2020 15:47:06	1	1	1	1	75.5	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43	2004
23.01.2020 15:47:07	1	1	1	1	75.5	63	0	30000	365.5913978	10920.28375	30000	0	0	30000	43.25	2004
23.01.2020 15:47:08	1	1	1	1	75.5	63.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 15:47:09	1	1	1	1	75.5	63.25	0	30000	363.4408602	10757.20925	30000	0	0	30000	43.1875	2004
23.01.2020 15:47:10	1	1	1	1	75.5	63	0	29336.493	316.1290323	9274.046694	30000	0	0	30000	42.375	2004
23.01.2020 15:47:11	1	1	1	1	75.5	62.25	0	30000	369.8924731	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 15:47:12	1	1	1	1	75.5	63	0	30000	352.688172	10499.55155	30000	0	0	30000	42.875	2004
23.01.2020 15:47:13	1	1	1	1	75.25	62.75	0	29952.607	346.2365591	10709.10227	30000	0	0	30000	43.125	2004
23.01.2020 15:47:14	1	1	1	1	75.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.9375	2004
23.01.2020 15:47:15	1	1	1	1	75.25	62.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	43.375	2004
23.01.2020 15:47:16	1	1	1	1	75.25	63.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.375	2004
23.01.2020 15:47:17	1	1	1	1	75.25	63.25	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	42.9375	2004
23.01.2020 15:47:18	1	1	1	1	75.25	62.75	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	42.6875	2004
23.01.2020 15:47:19	1	1	1	1	75.25	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.6875	2004
23.01.2020 15:47:20	1	1	1	1	75.25	63	0	30000	352.688172	10515.85899	30000	0	0	30000	42.625	2004
23.01.2020 15:47:21	1	1	1	1	75.25	62.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.125	2004
23.01.2020 15:47:22	1	1	1	1	75.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.875	2004
23.01.2020 15:47:23	1	1	1	1	75.5	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 15:47:24	1	1	1	1	75.5	63	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.6875	2004
23.01.2020 15:47:25	1	1	1	1	75.5	62.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.25	2004
23.01.2020 15:47:26	1	1	1	1	75.5	63.25	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	43.25	2004
23.01.2020 15:47:27	1	1	1	1	75.5	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.125	2004
23.01.2020 15:47:35	1	1	1	1	75.5	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.3125	2004
23.01.2020 15:47:35	1	1	1	1	75.5	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.3125	2004
23.01.2020 15:47:35	1	1	1	1	75.5	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.3125	2004
23.01.2020 15:47:35	1	1	1	1	75.5	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.3125	2004
23.01.2020 15:47:35	1	1	1	1	75.5	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.3125	2004
23.01.2020 15:47:35	1	1	1	1	75.5	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.3125	2004
23.01.2020 15:47:35	1	1	1	1	75.5	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.3125	2004
23.01.2020 15:47:36	1	1	1	1	75.5	63.25	0	30094.787	286.0215054	8322.506999	30000	0	0	30000	43	2004
23.01.2020 15:47:37	1	1	1	1	75.5	63	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 15:47:38	1	1	1	1	75.5	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 15:47:39	1	1	1	1	75.5	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.3125	2004
23.01.2020 15:47:40	1	1	1	1	75.5	63.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	43.3125	2004
23.01.2020 15:47:41	1	1	1	1	75.5	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.125	2004
23.01.2020 15:47:42	1	1	1	1	75.5	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.375	2004
23.01.2020 15:47:43	1	1	1	1	75.5	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
23.01.2020 15:47:44	1	1	1	1	75.5	63	0	30000	268.8172043	8258.092572	30000	0	0	30000	43.25	2004
23.01.2020 15:47:45	1	1	1	1	75.5	63.25	0	30000	268.8172043	8128.448346	30000	0	0	30000	43.1875	2004
23.01.2020 15:47:46	1	1	1	1	75.5	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
23.01.2020 15:47:47	1	1	1	1	75.5	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 15:47:48	1	1	1	1	75.5	63	0	29952.607	279.5698925	8580.164705	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:47:49	1	1	1	1	75.5	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	42.75	2004
23.01.2020 15:47:50	1	1	1	1	75.5	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	43.125	2004
23.01.2020 15:47:51	1	1	1	1	75.5	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.1875	2004
23.01.2020 15:47:52	1	1	1	1	75.5	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43	2004
23.01.2020 15:47:53	1	1	1	1	75.25	63	0	30000	290.3225806	8567.118745	30000	0	0	30000	43.125	2004
23.01.2020 15:47:54	1	1	1	1	75.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 15:47:55	1	1	1	1	75.25	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
23.01.2020 15:47:56	1	1	1	1	75.25	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.5625	2004
23.01.2020 15:47:57	1	1	1	1	75.25	63.5	0	29099.526	303.2258065	8823.145707	30000	0	0	30000	42.9375	2004
23.01.2020 15:47:58	1	1	1	1	75.25	63.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.1875	2004
23.01.2020 15:47:59	1	1	1	1	75.25	63	0	30000	311.827957	9290.354143	30000	0	0	30000	43.125	2004
23.01.2020 15:48:00	1	1	1	1	75.25	63	0	29952.607	301.0752688	9160.709918	30000	0	0	30000	43.1875	2004
23.01.2020 15:48:01	1	1	1	1	75.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.125	2004
23.01.2020 15:48:02	1	1	1	1	75.25	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.125	2004
23.01.2020 15:48:03	1	1	1	1	75.25	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.25	2004
23.01.2020 15:48:04	1	1	1	1	75.25	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 15:48:05	1	1	1	1	75.25	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 15:48:06	1	1	1	1	75.25	63	0	29952.607	305.3763441	9354.76857	30000	0	0	30000	43.25	2004
23.01.2020 15:48:07	1	1	1	1	75.25	63.25	0	29952.607	305.3763441	9354.76857	30000	0	0	30000	42.9375	2004
23.01.2020 15:48:08	1	1	1	1	75.25	62.75	0	27630.332	273.1182796	7605.79458	30000	0	0	30000	42.875	2004
23.01.2020 15:48:09	1	1	1	1	75.25	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.1875	2004
23.01.2020 15:48:11	1	1	1	1	75.25	63	0	30047.393	305.3763441	9175.386622	30000	0	0	30000	43.125	2004
23.01.2020 15:48:12	1	1	1	1	75.25	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 15:48:13	1	1	1	1	75.25	63.25	0	30000	303.2258065	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 15:48:14	1	1	1	1	75.25	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	43	2004
23.01.2020 15:48:15	1	1	1	1	75.25	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.0625	2004
23.01.2020 15:48:16	1	1	1	1	75.25	63	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 15:48:17	1	1	1	1	75.25	63	0	30000	316.1290323	9275.677439	30000	0	0	30000	43.3125	2004
23.01.2020 15:48:18	1	1	1	1	75.25	63.25	0	30000	311.827957	9498.274128	30000	0	0	30000	43.1875	2004
23.01.2020 15:48:19	1	1	1	1	75.25	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
23.01.2020 15:48:20	1	1	1	1	75.25	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.5	2004
23.01.2020 15:48:21	1	1	1	1	75.25	62.5	0	30000	277.4193548	8607.071997	30000	0	0	30000	43.0625	2004
23.01.2020 15:48:22	1	1	1	1	75.25	63	0	30000	281.7204301	8322.506999	30000	0	0	30000	43	2004
23.01.2020 15:48:23	1	1	1	1	75.25	63	0	30000	281.7204301	8322.506999	30000	0	0	30000	42.6875	2004
23.01.2020 15:48:24	1	1	1	1	75.25	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
23.01.2020 15:48:25	1	1	1	1	75.25	63	0	30000	275.2688172	8322.506999	30000	0	0	30000	43.25	2004
23.01.2020 15:48:26	1	1	1	1	75.25	63.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.125	2004
23.01.2020 15:48:27	1	1	1	1	75.25	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.25	2004
23.01.2020 15:48:28	1	1	1	1	75.25	63.25	0	30000	279.5698925	8192.862773	30000	0	0	30000	42.5625	2004
23.01.2020 15:48:29	1	1	1	1	75.25	62.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 15:48:36	1	1	1	1	75.5	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 15:48:36	1	1	1	1	75.5	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 15:48:36	1	1	1	1	75.5	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:48:36	1	1	1	1	75.5	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 15:48:36	1	1	1	1	75.5	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 15:48:36	1	1	1	1	75.5	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 15:48:36	1	1	1	1	75.5	63.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 15:48:37	1	1	1	1	75.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
23.01.2020 15:48:38	1	1	1	1	75.5	62.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.125	2004
23.01.2020 15:48:39	1	1	1	1	75.5	63	0	30000	356.9892473	10482.42872	30000	0	0	30000	42.5	2004
23.01.2020 15:48:40	1	1	1	1	75.5	62.5	0	30000	359.1397849	10675.672	30000	0	0	30000	43.125	2004
23.01.2020 15:48:41	1	1	1	1	75.5	63	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.375	2004
23.01.2020 15:48:42	1	1	1	1	75.75	62.25	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	42.75	2004
23.01.2020 15:48:43	1	1	1	1	75.75	62.75	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	43	2004
23.01.2020 15:48:44	1	1	1	1	75.75	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43	2004
23.01.2020 15:48:45	1	1	1	1	75.75	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.125	2004
23.01.2020 15:48:46	1	1	1	1	75.75	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 15:48:47	1	1	1	1	75.75	63	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:48:48	1	1	1	1	75.75	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
23.01.2020 15:48:50	1	1	1	1	75.75	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 15:48:51	1	1	1	1	75.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 15:48:52	1	1	1	1	75.75	62.5	0	29952.607	425.8064516	12669.25774	30000	0	0	30000	43.1875	2004
23.01.2020 15:48:53	1	1	1	1	75.75	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.125	2004
23.01.2020 15:48:54	1	1	1	1	75.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5625	2004
23.01.2020 15:48:55	1	1	1	1	75.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:48:56	1	1	1	1	75.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:48:57	1	1	1	1	75.75	63	0	29952.607	391.3978495	11511.4288	30000	0	0	30000	42.8125	2004
23.01.2020 15:48:58	1	1	1	1	75.75	62.75	0	29952.607	391.3978495	12064.25135	30000	0	0	30000	42.875	2004
23.01.2020 15:48:59	1	1	1	1	75.75	62.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	42.9375	2004
23.01.2020 15:49:00	1	1	1	1	75.75	62.75	0	29952.607	397.8494624	11916.66893	30000	0	0	30000	42.625	2004
23.01.2020 15:49:01	1	1	1	1	75.75	62.5	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:49:02	1	1	1	1	75.75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 15:49:03	1	1	1	1	75.75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
23.01.2020 15:49:04	1	1	1	1	75.75	62.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:49:05	1	1	1	1	75.75	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.875	2004
23.01.2020 15:49:06	1	1	1	1	75.75	62.75	0	30000	395.6989247	11530.18237	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:07	1	1	1	1	75.75	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.125	2004
23.01.2020 15:49:08	1	1	1	1	75.75	63	0	30000	387.0967742	11401.35352	30000	0	0	30000	43.125	2004
23.01.2020 15:49:09	1	1	1	1	75.75	63	0	29905.213	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 15:49:10	1	1	1	1	75.75	63	0	30000	404.3010753	11935.4225	30000	0	0	30000	43	2004
23.01.2020 15:49:11	1	1	1	1	75.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:49:12	1	1	1	1	75.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:13	1	1	1	1	75.75	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
23.01.2020 15:49:14	1	1	1	1	75.75	63	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	43.375	2004
23.01.2020 15:49:15	1	1	1	1	75.75	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 15:49:16	1	1	1	1	75.75	63	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:49:17	1	1	1	1	75.75	62.75	0	30000	389.2473118	11659.01122	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:18	1	1	1	1	75.75	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:19	1	1	1	1	75.75	63	0	29857.82	369.8924731	11107.81942	30000	0	0	30000	43.125	2004
23.01.2020 15:49:20	1	1	1	1	75.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 15:49:21	1	1	1	1	75.75	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
23.01.2020 15:49:22	1	1	1	1	75.5	63	0	30047.393	341.9354839	10387.03014	30000	0	0	30000	43.1875	2004
23.01.2020 15:49:23	1	1	1	1	75.5	63	0	30000	344.0860215	10532.16644	30000	0	0	30000	43.25	2004
23.01.2020 15:49:24	1	1	1	1	75.5	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
23.01.2020 15:49:25	1	1	1	1	75.5	63	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.6875	2004
23.01.2020 15:49:26	1	1	1	1	75.5	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	43	2004
23.01.2020 15:49:28	1	1	1	1	75.5	63	0	30000	372.0430108	11031.98978	30000	0	0	30000	43	2004
23.01.2020 15:49:29	1	1	1	1	75.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 15:49:30	1	1	1	1	75.5	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:31	1	1	1	1	75.5	63	0	28862.559	356.9892473	10365.01508	30000	0	0	30000	42.875	2004
23.01.2020 15:49:38	1	1	1	1	75.75	63	0	30047.393	402.1505376	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:38	1	1	1	1	75.75	63	0	30047.393	402.1505376	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:38	1	1	1	1	75.75	63	0	30047.393	402.1505376	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:38	1	1	1	1	75.75	63	0	30047.393	402.1505376	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:38	1	1	1	1	75.75	63	0	30047.393	402.1505376	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:38	1	1	1	1	75.75	63	0	30047.393	402.1505376	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:38	1	1	1	1	75.75	63	0	30047.393	402.1505376	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:39	1	1	1	1	75.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.875	2004
23.01.2020 15:49:40	1	1	1	1	75.75	62.75	0	29952.607	400	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 15:49:41	1	1	1	1	75.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:42	1	1	1	1	75.75	63	0	29905.213	397.8494624	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:49:43	1	1	1	1	75.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:49:44	1	1	1	1	75.5	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
23.01.2020 15:49:45	1	1	1	1	75.5	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 15:49:46	1	1	1	1	75.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 15:49:47	1	1	1	1	75.5	62.75	0	30000	395.6989247	12018.59049	30000	0	0	30000	42.875	2004
23.01.2020 15:49:48	1	1	1	1	75.5	62.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:49	1	1	1	1	75.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:50	1	1	1	1	75.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 15:49:51	1	1	1	1	75.5	62.75	0	29952.607	400	12064.25135	30000	0	0	30000	42.875	2004
23.01.2020 15:49:52	1	1	1	1	75.5	63.25	0	30094.787	419.3548387	12387.13886	30000	0	0	30000	42.75	2004
23.01.2020 15:49:53	1	1	1	1	75.5	62.75	0	29857.82	389.2473118	11640.25766	30000	0	0	30000	43.0625	2004
23.01.2020 15:49:54	1	1	1	1	75.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.8125	2004
23.01.2020 15:49:55	1	1	1	1	75.5	62.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.9375	2004
23.01.2020 15:49:56	1	1	1	1	75.5	62.75	0	29952.607	397.8494624	11852.2545	30000	0	0	30000	43	2004
23.01.2020 15:49:57	1	1	1	1	75.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:49:58	1	1	1	1	75.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
23.01.2020 15:49:59	1	1	1	1	75.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:00	1	1	1	1	75.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:50:01	1	1	1	1	75.5	63	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:50:02	1	1	1	1	75.75	62.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 15:50:03	1	1	1	1	75.75	62.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.5625	2004
23.01.2020 15:50:05	1	1	1	1	75.75	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:06	1	1	1	1	75.75	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.875	2004
23.01.2020 15:50:07	1	1	1	1	75.75	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	43.125	2004
23.01.2020 15:50:08	1	1	1	1	75.75	63	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.875	2004
23.01.2020 15:50:09	1	1	1	1	75.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:50:10	1	1	1	1	75.75	63	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:11	1	1	1	1	75.75	63	0	30000	451.6129032	13483.81486	30000	0	0	30000	42.5	2004
23.01.2020 15:50:12	1	1	1	1	75.75	62.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.3125	2004
23.01.2020 15:50:13	1	1	1	1	75.5	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.875	2004
23.01.2020 15:50:14	1	1	1	1	75.5	62.75	0	29952.607	445.1612903	13248.17221	30000	0	0	30000	42.8125	2004
23.01.2020 15:50:15	1	1	1	1	75.5	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 15:50:16	1	1	1	1	75.5	63	0	28862.559	412.9032258	11979.45261	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:17	1	1	1	1	75.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:50:18	1	1	1	1	75.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 15:50:19	1	1	1	1	75.5	62.5	0	30000	440.8602151	13096.51292	30000	0	0	30000	42.875	2004
23.01.2020 15:50:20	1	1	1	1	75.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 15:50:21	1	1	1	1	75.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:22	1	1	1	1	75.5	63	0	29952.607	417.2043011	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:50:23	1	1	1	1	75.75	63	0	30000	427.9569892	13096.51292	30000	0	0	30000	43.1875	2004
23.01.2020 15:50:24	1	1	1	1	75.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:50:25	1	1	1	1	75.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 15:50:26	1	1	1	1	75.75	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 15:50:27	1	1	1	1	75.75	62.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.125	2004
23.01.2020 15:50:28	1	1	1	1	75.75	63	0	30000	453.7634409	13591.44402	30000	0	0	30000	43	2004
23.01.2020 15:50:29	1	1	1	1	75.75	63	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.6875	2004
23.01.2020 15:50:30	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:50:31	1	1	1	1	75.75	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:50:32	1	1	1	1	75.75	63.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.25	2004
23.01.2020 15:50:40	1	1	1	1	75.75	62.75	0	30000	464.516129	13805.88699	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:40	1	1	1	1	75.75	62.75	0	30000	464.516129	13805.88699	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:40	1	1	1	1	75.75	62.75	0	30000	464.516129	13805.88699	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:40	1	1	1	1	75.75	62.75	0	30000	464.516129	13805.88699	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:40	1	1	1	1	75.75	62.75	0	30000	464.516129	13805.88699	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:40	1	1	1	1	75.75	62.75	0	30000	464.516129	13805.88699	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:40	1	1	1	1	75.75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5	2004
23.01.2020 15:50:41	1	1	1	1	75.75	62.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.5625	2004
23.01.2020 15:50:42	1	1	1	1	75.5	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.8125	2004
23.01.2020 15:50:44	1	1	1	1	75.5	62.75	0	30000	423.655914	12580.38214	30000	0	0	30000	43.1875	2004
23.01.2020 15:50:45	1	1	1	1	75.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:50:46	1	1	1	1	75.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.375	2004
23.01.2020 15:50:47	1	1	1	1	75.5	62.25	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	42.3125	2004
23.01.2020 15:50:48	1	1	1	1	75.5	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 15:50:49	1	1	1	1	75.5	62.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	43.125	2004
23.01.2020 15:50:50	1	1	1	1	75.5	63	0	30000	412.9032258	12451.55328	30000	0	0	30000	43	2004
23.01.2020 15:50:51	1	1	1	1	75.5	63	0	30000	412.9032258	11833.50094	30000	0	0	30000	43.0625	2004
23.01.2020 15:50:52	1	1	1	1	75.5	63	0	30000	400	12064.25135	30000	0	0	30000	42.875	2004
23.01.2020 15:50:53	1	1	1	1	76	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 15:50:54	1	1	1	1	76	62.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 15:50:55	1	1	1	1	76	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 15:50:56	1	1	1	1	76	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.8125	2004
23.01.2020 15:50:57	1	1	1	1	76	62.75	0	30000	395.6989247	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 15:50:58	1	1	1	1	76	63	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:50:59	1	1	1	1	76	63	0	30000	423.655914	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 15:51:00	1	1	1	1	76	62.5	0	30000	425.8064516	12560.8132	30000	0	0	30000	42.9375	2004
23.01.2020 15:51:01	1	1	1	1	76	62.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.875	2004
23.01.2020 15:51:02	1	1	1	1	76	62.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:51:03	1	1	1	1	76	63	0	30000	445.1612903	13312.58663	30000	0	0	30000	42.75	2004
23.01.2020 15:51:04	1	1	1	1	76	62.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	43	2004
23.01.2020 15:51:05	1	1	1	1	76	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:51:06	1	1	1	1	76	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
23.01.2020 15:51:07	1	1	1	1	76	63.25	0	30047.393	460.2150538	13612.64371	30000	0	0	30000	42.9375	2004
23.01.2020 15:51:08	1	1	1	1	76	62.75	0	30000	451.6129032	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 15:51:09	1	1	1	1	76	63.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.75	2004
23.01.2020 15:51:10	1	1	1	1	76	62.75	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42.75	2004
23.01.2020 15:51:11	1	1	1	1	76	63.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.125	2004
23.01.2020 15:51:12	1	1	1	1	76	63	0	30000	468.8172043	13977.93058	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:13	1	1	1	1	76	63	0	29905.213	468.8172043	14451.662	30000	0	0	30000	42.625	2004
23.01.2020 15:51:14	1	1	1	1	76	62.5	0	30000	466.6666667	14128.7745	30000	0	0	30000	42.875	2004
23.01.2020 15:51:15	1	1	1	1	76	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:51:16	1	1	1	1	76	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43	2004
23.01.2020 15:51:17	1	1	1	1	76	63	0	30000	464.516129	13935.53122	30000	0	0	30000	42.1875	2004
23.01.2020 15:51:18	1	1	1	1	76	62	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.5	2004
23.01.2020 15:51:19	1	1	1	1	76	62.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	43.0625	2004
23.01.2020 15:51:20	1	1	1	1	76	63	0	29905.213	468.8172043	14128.7745	30000	0	0	30000	43	2004
23.01.2020 15:51:22	1	1	1	1	76	63	0	30000	483.8709677	14493.246	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:23	1	1	1	1	75.75	63	0	29905.213	468.8172043	13999.94564	30000	0	0	30000	42.1875	2004
23.01.2020 15:51:24	1	1	1	1	75.75	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.5625	2004
23.01.2020 15:51:25	1	1	1	1	75.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:51:26	1	1	1	1	75.75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
23.01.2020 15:51:27	1	1	1	1	75.75	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	43.125	2004
23.01.2020 15:51:28	1	1	1	1	75.75	63	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.75	2004
23.01.2020 15:51:29	1	1	1	1	75.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:51:30	1	1	1	1	75.75	63	0	29952.607	464.516129	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:51:31	1	1	1	1	75.75	63	0	29905.213	445.1612903	13440.60011	30000	0	0	30000	42.9375	2004
23.01.2020 15:51:32	1	1	1	1	75.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:33	1	1	1	1	76.25	63	0	30000	466.6666667	13827.08667	30000	0	0	30000	43.0625	2004
23.01.2020 15:51:34	1	1	1	1	76.25	63	0	30000	453.7634409	13741.47256	30000	0	0	30000	43.3125	2004
23.01.2020 15:51:41	1	1	1	1	76.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:41	1	1	1	1	76.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:41	1	1	1	1	76.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:41	1	1	1	1	76.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:41	1	1	1	1	76.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:41	1	1	1	1	76.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:41	1	1	1	1	76.25	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:42	1	1	1	1	76.25	63	0	24881.517	395.6989247	9936.129155	30000	0	0	30000	43	2004
23.01.2020 15:51:43	1	1	1	1	76.75	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:44	1	1	1	1	76.75	63	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
23.01.2020 15:51:45	1	1	1	1	76.75	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.625	2004
23.01.2020 15:51:46	1	1	1	1	76.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.3125	2004
23.01.2020 15:51:47	1	1	1	1	76.75	63.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.3125	2004
23.01.2020 15:51:48	1	1	1	1	76.75	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:49	1	1	1	1	76.75	63	0	29952.607	427.9569892	13096.51292	30000	0	0	30000	42.625	2004
23.01.2020 15:51:50	1	1	1	1	76.75	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.1875	2004
23.01.2020 15:51:51	1	1	1	1	76.75	62	0	30000	445.1612903	13333.78632	30000	0	0	30000	43.25	2004
23.01.2020 15:51:52	1	1	1	1	76.5	63.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:51:53	1	1	1	1	76.5	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 15:51:54	1	1	1	1	76.5	63.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 15:51:55	1	1	1	1	76.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 15:51:56	1	1	1	1	76.5	63	0	30000	451.6129032	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 15:51:57	1	1	1	1	76.5	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 15:51:58	1	1	1	1	76.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 15:51:59	1	1	1	1	76.5	63	0	29952.607	453.7634409	13870.30142	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:01	1	1	1	1	76.5	63	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:02	1	1	1	1	76.5	63	0	30000	445.1612903	13333.78632	30000	0	0	30000	43.125	2004
23.01.2020 15:52:03	1	1	1	1	76.75	63	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 15:52:04	1	1	1	1	76.75	63	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:05	1	1	1	1	76.75	63	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.125	2004
23.01.2020 15:52:06	1	1	1	1	76.75	63	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.9375	2004
23.01.2020 15:52:07	1	1	1	1	76.75	62.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	42.6875	2004
23.01.2020 15:52:08	1	1	1	1	76.75	62.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	42.9375	2004
23.01.2020 15:52:09	1	1	1	1	76.75	62.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	42.75	2004
23.01.2020 15:52:10	1	1	1	1	76.75	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43.25	2004
23.01.2020 15:52:11	1	1	1	1	76.75	63.25	0	30000	449.4623656	13333.78632	30000	0	0	30000	42.75	2004
23.01.2020 15:52:12	1	1	1	1	76.75	62.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:13	1	1	1	1	76.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:52:14	1	1	1	1	76.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 15:52:15	1	1	1	1	76.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 15:52:16	1	1	1	1	76.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.375	2004
23.01.2020 15:52:17	1	1	1	1	76.75	62.25	0	29905.213	417.2043011	12451.55328	30000	0	0	30000	42.625	2004
23.01.2020 15:52:18	1	1	1	1	76.75	62.5	0	29383.886	348.3870968	10316.09274	30000	0	0	30000	42.75	2004
23.01.2020 15:52:19	1	1	1	1	76.75	62.75	0	29905.213	363.4408602	11096.40421	30000	0	0	30000	42.4375	2004
23.01.2020 15:52:20	1	1	1	1	76.75	62.25	0	30000	365.5913978	11096.40421	30000	0	0	30000	43.1875	2004
23.01.2020 15:52:21	1	1	1	1	76.75	63	0	30000	361.2903226	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 15:52:22	1	1	1	1	76.75	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:23	1	1	1	1	77	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
23.01.2020 15:52:24	1	1	1	1	77	62.75	0	30000	346.2365591	10225.58639	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:25	1	1	1	1	77	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.625	2004
23.01.2020 15:52:26	1	1	1	1	77	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:27	1	1	1	1	77	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 15:52:28	1	1	1	1	77	63.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.6875	2004
23.01.2020 15:52:29	1	1	1	1	77	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.6875	2004
23.01.2020 15:52:30	1	1	1	1	77	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:31	1	1	1	1	77	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:32	1	1	1	1	77	63	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 15:52:33	1	1	1	1	77	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 15:52:34	1	1	1	1	77	62.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.625	2004
23.01.2020 15:52:35	1	1	1	1	77	62.5	0	29905.213	400	12109.91221	30000	0	0	30000	43.1875	2004
23.01.2020 15:52:43	1	1	1	1	76.75	63	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:52:43	1	1	1	1	76.75	63	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:52:43	1	1	1	1	76.75	63	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:52:43	1	1	1	1	76.75	63	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:52:43	1	1	1	1	76.75	63	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:52:43	1	1	1	1	76.75	63	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:52:43	1	1	1	1	76.75	63	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:52:44	1	1	1	1	76.75	63	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.8125	2004
23.01.2020 15:52:45	1	1	1	1	76.75	62.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.125	2004
23.01.2020 15:52:46	1	1	1	1	76.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 15:52:47	1	1	1	1	76.75	62.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.125	2004
23.01.2020 15:52:48	1	1	1	1	76.75	63	0	29952.607	382.7956989	11530.18237	30000	0	0	30000	43.125	2004
23.01.2020 15:52:49	1	1	1	1	76.75	63	0	29952.607	384.9462366	11612.53499	30000	0	0	30000	43.125	2004
23.01.2020 15:52:50	1	1	1	1	76.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 15:52:51	1	1	1	1	76.75	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.9375	2004
23.01.2020 15:52:52	1	1	1	1	76.75	62.75	0	30000	400	12064.25135	30000	0	0	30000	43.125	2004
23.01.2020 15:52:53	1	1	1	1	76.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.875	2004
23.01.2020 15:52:54	1	1	1	1	76.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:52:55	1	1	1	1	76.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 15:52:56	1	1	1	1	76.5	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:57	1	1	1	1	76.5	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:52:58	1	1	1	1	76.5	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 15:52:59	1	1	1	1	76.5	63	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.8125	2004
23.01.2020 15:53:00	1	1	1	1	76.5	62.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 15:53:01	1	1	1	1	76.5	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:02	1	1	1	1	76.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004
23.01.2020 15:53:03	1	1	1	1	76.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004
23.01.2020 15:53:04	1	1	1	1	76.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
23.01.2020 15:53:05	1	1	1	1	76.75	62.75	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	43.375	2004
23.01.2020 15:53:06	1	1	1	1	76.75	63.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:07	1	1	1	1	76.75	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 15:53:08	1	1	1	1	76.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 15:53:09	1	1	1	1	76.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:10	1	1	1	1	76.75	63	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 15:53:11	1	1	1	1	76.75	63.25	0	30047.393	438.7096774	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 15:53:12	1	1	1	1	76.5	62.75	0	29952.607	425.8064516	12754.05648	30000	0	0	30000	43	2004
23.01.2020 15:53:13	1	1	1	1	76.5	63	0	30000	412.9032258	12348.00098	30000	0	0	30000	42.9375	2004
23.01.2020 15:53:14	1	1	1	1	76.5	62.75	0	29905.213	369.8924731	11143.69581	30000	0	0	30000	42.6875	2004
23.01.2020 15:53:15	1	1	1	1	76.5	62.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:16	1	1	1	1	76.5	63	0	29905.213	341.9354839	10225.58639	30000	0	0	30000	43	2004
23.01.2020 15:53:18	1	1	1	1	76.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
23.01.2020 15:53:19	1	1	1	1	76.5	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:20	1	1	1	1	76.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.1875	2004
23.01.2020 15:53:21	1	1	1	1	76.5	63	0	30094.787	352.688172	10113.06499	30000	0	0	30000	43.1875	2004
23.01.2020 15:53:22	1	1	1	1	76.5	63	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.1875	2004
23.01.2020 15:53:23	1	1	1	1	76.75	63	0	30047.393	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 15:53:24	1	1	1	1	76.75	63	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.1875	2004
23.01.2020 15:53:25	1	1	1	1	76.75	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.125	2004
23.01.2020 15:53:26	1	1	1	1	76.75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:27	1	1	1	1	76.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 15:53:28	1	1	1	1	76.75	63	0	29952.607	335.483871	10192.97149	30000	0	0	30000	42.625	2004
23.01.2020 15:53:29	1	1	1	1	76.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.4375	2004
23.01.2020 15:53:30	1	1	1	1	76.75	62.25	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	43.25	2004
23.01.2020 15:53:31	1	1	1	1	76.75	63.25	0	30000	359.1397849	10611.25758	30000	0	0	30000	42.625	2004
23.01.2020 15:53:32	1	1	1	1	76.75	62.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
23.01.2020 15:53:33	1	1	1	1	76.75	62.75	0	29905.213	367.7419355	11096.40421	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:34	1	1	1	1	76.75	63	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.875	2004
23.01.2020 15:53:35	1	1	1	1	76.75	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 15:53:36	1	1	1	1	76.75	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.9375	2004
23.01.2020 15:53:37	1	1	1	1	76.75	62.75	0	29952.607	391.3978495	11659.01122	30000	0	0	30000	42.9375	2004
23.01.2020 15:53:45	1	1	1	1	76.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 15:53:45	1	1	1	1	76.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 15:53:45	1	1	1	1	76.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:53:45	1	1	1	1	76.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 15:53:45	1	1	1	1	76.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 15:53:45	1	1	1	1	76.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 15:53:45	1	1	1	1	76.5	63.25	0	29810.427	363.4408602	10898.26869	30000	0	0	30000	43.625	2004
23.01.2020 15:53:46	1	1	1	1	76.5	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:47	1	1	1	1	76.5	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 15:53:48	1	1	1	1	76.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.8125	2004
23.01.2020 15:53:49	1	1	1	1	76.5	62.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:53:50	1	1	1	1	76.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 15:53:51	1	1	1	1	76.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:52	1	1	1	1	76.5	63	0	29905.213	369.8924731	11160.81863	30000	0	0	30000	42.9375	2004
23.01.2020 15:53:53	1	1	1	1	76.5	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	43	2004
23.01.2020 15:53:54	1	1	1	1	76.5	63	0	29952.607	365.5913978	11160.81863	30000	0	0	30000	43.1875	2004
23.01.2020 15:53:55	1	1	1	1	76.5	63	0	29905.213	384.9462366	11659.01122	30000	0	0	30000	43.0625	2004
23.01.2020 15:53:57	1	1	1	1	76.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:53:58	1	1	1	1	76.5	63	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:53:59	1	1	1	1	76.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.125	2004
23.01.2020 15:54:00	1	1	1	1	76.5	63	0	29905.213	384.9462366	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 15:54:01	1	1	1	1	76.5	63	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	42.75	2004
23.01.2020 15:54:02	1	1	1	1	76.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 15:54:03	1	1	1	1	76.5	63.25	0	30000	389.2473118	11741.36385	30000	0	0	30000	42.5625	2004
23.01.2020 15:54:04	1	1	1	1	76.5	62.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 15:54:05	1	1	1	1	76.5	62.75	0	30000	395.6989247	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 15:54:06	1	1	1	1	76.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:07	1	1	1	1	76.5	63	0	30000	400	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:08	1	1	1	1	76.5	63	0	30000	389.2473118	11871.00807	30000	0	0	30000	43	2004
23.01.2020 15:54:09	1	1	1	1	76.5	63	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
23.01.2020 15:54:10	1	1	1	1	76.5	62.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.625	2004
23.01.2020 15:54:11	1	1	1	1	76.5	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:54:12	1	1	1	1	76.5	63	0	30000	412.9032258	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 15:54:13	1	1	1	1	76.5	63.25	0	29146.919	378.4946237	11031.98978	30000	0	0	30000	43.125	2004
23.01.2020 15:54:14	1	1	1	1	76.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 15:54:15	1	1	1	1	76.5	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.375	2004
23.01.2020 15:54:16	1	1	1	1	76.5	62.25	0	30000	391.3978495	11530.18237	30000	0	0	30000	43.1875	2004
23.01.2020 15:54:17	1	1	1	1	76.5	63	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.875	2004
23.01.2020 15:54:18	1	1	1	1	76.5	62.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.25	2004
23.01.2020 15:54:19	1	1	1	1	76.5	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:20	1	1	1	1	76.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 15:54:21	1	1	1	1	76.5	63	0	25165.877	369.8924731	9308.292338	30000	0	0	30000	43	2004
23.01.2020 15:54:22	1	1	1	1	76.5	63	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	43.625	2004
23.01.2020 15:54:23	1	1	1	1	76.25	63.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.8125	2004
23.01.2020 15:54:24	1	1	1	1	76.25	62.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.1875	2004
23.01.2020 15:54:25	1	1	1	1	76.25	63.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:54:26	1	1	1	1	76.25	62.75	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42.375	2004
23.01.2020 15:54:27	1	1	1	1	76.25	62.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.375	2004
23.01.2020 15:54:28	1	1	1	1	76.25	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.9375	2004
23.01.2020 15:54:29	1	1	1	1	76.25	62.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.1875	2004
23.01.2020 15:54:30	1	1	1	1	76.25	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:31	1	1	1	1	76.25	63	0	30000	460.2150538	13935.53122	30000	0	0	30000	43	2004
23.01.2020 15:54:32	1	1	1	1	76.5	63	0	30000	458.0645161	13677.05814	30000	0	0	30000	42.375	2004
23.01.2020 15:54:33	1	1	1	1	76.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:34	1	1	1	1	76.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 15:54:36	1	1	1	1	76.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:37	1	1	1	1	76.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
23.01.2020 15:54:38	1	1	1	1	76.5	63	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	43	2004
23.01.2020 15:54:39	1	1	1	1	76.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:46	1	1	1	1	76.5	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
23.01.2020 15:54:46	1	1	1	1	76.5	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
23.01.2020 15:54:46	1	1	1	1	76.5	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
23.01.2020 15:54:46	1	1	1	1	76.5	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
23.01.2020 15:54:46	1	1	1	1	76.5	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
23.01.2020 15:54:46	1	1	1	1	76.5	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
23.01.2020 15:54:46	1	1	1	1	76.5	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5	2004
23.01.2020 15:54:47	1	1	1	1	76.5	62.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.9375	2004
23.01.2020 15:54:48	1	1	1	1	76.5	62.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.75	2004
23.01.2020 15:54:49	1	1	1	1	76.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
23.01.2020 15:54:50	1	1	1	1	76.5	63	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:51	1	1	1	1	76.5	63	0	30000	464.516129	13805.88699	30000	0	0	30000	42.625	2004
23.01.2020 15:54:52	1	1	1	1	76.5	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
23.01.2020 15:54:53	1	1	1	1	76.5	62.5	0	30000	483.8709677	14667.73571	30000	0	0	30000	42.9375	2004
23.01.2020 15:54:54	1	1	1	1	76.5	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.6875	2004
23.01.2020 15:54:55	1	1	1	1	76.5	62.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:56	1	1	1	1	76.5	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.9375	2004
23.01.2020 15:54:57	1	1	1	1	76.5	62.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	43.0625	2004
23.01.2020 15:54:58	1	1	1	1	76.5	63	0	30000	498.9247312	15032.20721	30000	0	0	30000	43	2004
23.01.2020 15:54:59	1	1	1	1	76.5	63	0	30000	490.3225806	14709.31971	30000	0	0	30000	42.8125	2004
23.01.2020 15:55:00	1	1	1	1	76.5	62.75	0	30000	507.5268817	14856.08676	30000	0	0	30000	43.5625	2004
23.01.2020 15:55:01	1	1	1	1	76.5	63.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	43.5	2004
23.01.2020 15:55:02	1	1	1	1	76.5	63.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	43.25	2004
23.01.2020 15:55:03	1	1	1	1	76.75	63.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	43.3125	2004
23.01.2020 15:55:04	1	1	1	1	76.75	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.3125	2004
23.01.2020 15:55:05	1	1	1	1	76.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
23.01.2020 15:55:09	1	1	1	1	76.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43	2004
23.01.2020 15:55:09	1	1	1	1	76.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43	2004
23.01.2020 15:55:09	1	1	1	1	76.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43	2004
23.01.2020 15:55:09	1	1	1	1	76.75	63	0	30000	481.7204301	13999.94564	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:55:10	1	1	1	1	76.75	62.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:55:11	1	1	1	1	76.75	63	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 15:55:12	1	1	1	1	76.75	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 15:55:14	1	1	1	1	76.75	63	0	30000	346.2365591	10515.85899	30000	0	0	30000	42.5625	2004
23.01.2020 15:55:15	1	1	1	1	76.75	62.5	0	29905.213	335.483871	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 15:55:16	1	1	1	1	76.75	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
23.01.2020 15:55:17	1	1	1	1	76.75	63.25	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	42.875	2004
23.01.2020 15:55:18	1	1	1	1	76.75	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 15:55:19	1	1	1	1	76.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
23.01.2020 15:55:20	1	1	1	1	76.75	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 15:55:21	1	1	1	1	76.75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 15:55:22	1	1	1	1	76.75	63	0	30000	311.827957	9419.182997	30000	0	0	30000	43	2004
23.01.2020 15:55:23	1	1	1	1	76.5	63	0	30000	290.3225806	8451.335852	30000	0	0	30000	42.9375	2004
23.01.2020 15:55:24	1	1	1	1	76.5	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.25	2004
23.01.2020 15:55:25	1	1	1	1	76.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
23.01.2020 15:55:26	1	1	1	1	76.5	63	0	30000	288.172043	8658.440464	30000	0	0	30000	43.25	2004
23.01.2020 15:55:27	1	1	1	1	76.5	63.25	0	30047.393	288.172043	8580.164705	30000	0	0	30000	43.125	2004
23.01.2020 15:55:28	1	1	1	1	76.5	63	0	30047.393	288.172043	8644.579132	30000	0	0	30000	43.0625	2004
23.01.2020 15:55:29	1	1	1	1	76.5	63	0	29905.213	326.8817204	9870.899356	30000	0	0	30000	42.6875	2004
23.01.2020 15:55:30	1	1	1	1	76.5	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 15:55:31	1	1	1	1	76.5	63.25	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	43.3125	2004
23.01.2020 15:55:32	1	1	1	1	76.5	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
23.01.2020 15:55:33	1	1	1	1	76.75	63	0	30000	382.7956989	11483.70614	30000	0	0	30000	43	2004
23.01.2020 15:55:34	1	1	1	1	76.75	63	0	30000	391.3978495	11612.53499	30000	0	0	30000	43.25	2004
23.01.2020 15:55:35	1	1	1	1	76.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.75	2004
23.01.2020 15:55:36	1	1	1	1	76.75	62.75	0	29952.607	415.0537634	12858.42416	30000	0	0	30000	43.0625	2004
23.01.2020 15:55:37	1	1	1	1	76.75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:55:38	1	1	1	1	76.75	63	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.375	2004
23.01.2020 15:55:39	1	1	1	1	76.75	63.25	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	43.0625	2004
23.01.2020 15:55:40	1	1	1	1	76.75	63	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.125	2004
23.01.2020 15:55:47	1	1	1	1	76.5	63	0	30000	464.516129	13913.51616	30000	0	0	30000	43.1875	2004
23.01.2020 15:55:47	1	1	1	1	76.5	63	0	30000	464.516129	13913.51616	30000	0	0	30000	43.1875	2004
23.01.2020 15:55:48	1	1	1	1	76.5	63	0	30000	464.516129	13913.51616	30000	0	0	30000	43.1875	2004
23.01.2020 15:55:48	1	1	1	1	76.5	63	0	30000	464.516129	13913.51616	30000	0	0	30000	43.1875	2004
23.01.2020 15:55:48	1	1	1	1	76.5	63	0	30000	464.516129	13913.51616	30000	0	0	30000	43.1875	2004
23.01.2020 15:55:48	1	1	1	1	76.5	63	0	30000	464.516129	13913.51616	30000	0	0	30000	43.1875	2004
23.01.2020 15:55:48	1	1	1	1	76.5	63	0	29952.607	453.7634409	13805.88699	30000	0	0	30000	43.0625	2004
23.01.2020 15:55:49	1	1	1	1	76.5	63	0	29952.607	464.516129	13999.94564	30000	0	0	30000	43.125	2004
23.01.2020 15:55:50	1	1	1	1	76.5	63	0	30000	464.516129	13805.88699	30000	0	0	30000	43.125	2004
23.01.2020 15:55:52	1	1	1	1	76.5	63	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 15:55:53	1	1	1	1	76.5	63	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.875	2004
23.01.2020 15:55:54	1	1	1	1	76.5	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:55:55	1	1	1	1	76.5	62.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.3125	2004
23.01.2020 15:55:56	1	1	1	1	76.5	63.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 15:55:57	1	1	1	1	76.5	63	0	29952.607	455.9139785	13612.64371	30000	0	0	30000	42.875	2004
23.01.2020 15:55:58	1	1	1	1	76.5	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43.125	2004
23.01.2020 15:55:59	1	1	1	1	76.5	63	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.875	2004
23.01.2020 15:56:00	1	1	1	1	76.5	62.75	0	30000	488.172043	14428.83157	30000	0	0	30000	41.875	2004
23.01.2020 15:56:01	1	1	1	1	76.5	61.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	43.125	2004
23.01.2020 15:56:02	1	1	1	1	76.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.25	2004
23.01.2020 15:56:03	1	1	1	1	76.75	63.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	43.125	2004
23.01.2020 15:56:04	1	1	1	1	76.75	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:56:05	1	1	1	1	76.75	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 15:56:06	1	1	1	1	76.75	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.125	2004
23.01.2020 15:56:07	1	1	1	1	76.75	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.1875	2004
23.01.2020 15:56:08	1	1	1	1	76.75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5	2004
23.01.2020 15:56:09	1	1	1	1	76.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:56:10	1	1	1	1	76.75	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 15:56:11	1	1	1	1	76.75	63	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.3125	2004
23.01.2020 15:56:12	1	1	1	1	76.75	63.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	43.3125	2004
23.01.2020 15:56:13	1	1	1	1	77	63.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.6875	2004
23.01.2020 15:56:14	1	1	1	1	77	62.5	0	30000	400	12128.66578	30000	0	0	30000	43	2004
23.01.2020 15:56:15	1	1	1	1	77	63	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.3125	2004
23.01.2020 15:56:16	1	1	1	1	77	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
23.01.2020 15:56:17	1	1	1	1	77	62.5	0	30000	367.7419355	10950.45253	30000	0	0	30000	42.8125	2004
23.01.2020 15:56:18	1	1	1	1	77	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.625	2004
23.01.2020 15:56:19	1	1	1	1	77	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.4375	2004
23.01.2020 15:56:20	1	1	1	1	77	63.25	0	29810.427	316.1290323	9374.33751	30000	0	0	30000	43.625	2004
23.01.2020 15:56:21	1	1	1	1	77	63.5	0	30000	335.483871	9790.992852	30000	0	0	30000	43.5	2004
23.01.2020 15:56:22	1	1	1	1	76.5	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.625	2004
23.01.2020 15:56:23	1	1	1	1	76.5	62.5	0	29952.607	331.1827957	9984.236132	30000	0	0	30000	42.8125	2004
23.01.2020 15:56:24	1	1	1	1	76.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
23.01.2020 15:56:25	1	1	1	1	76.5	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.1875	2004
23.01.2020 15:56:26	1	1	1	1	76.5	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.1875	2004
23.01.2020 15:56:27	1	1	1	1	76.5	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.8125	2004
23.01.2020 15:56:28	1	1	1	1	76.5	62.75	0	29952.607	324.7311828	9935.313783	30000	0	0	30000	43	2004
23.01.2020 15:56:30	1	1	1	1	76.5	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.3125	2004
23.01.2020 15:56:31	1	1	1	1	76.5	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.0625	2004
23.01.2020 15:56:32	1	1	1	1	76.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 15:56:33	1	1	1	1	76.75	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.0625	2004
23.01.2020 15:56:34	1	1	1	1	76.75	63	0	30000	341.9354839	10192.97149	30000	0	0	30000	42.9375	2004
23.01.2020 15:56:35	1	1	1	1	76.75	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
23.01.2020 15:56:36	1	1	1	1	76.75	63	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.125	2004
23.01.2020 15:56:37	1	1	1	1	76.75	63	0	30000	331.1827957	10064.14264	30000	0	0	30000	42.875	2004
23.01.2020 15:56:38	1	1	1	1	76.75	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:56:39	1	1	1	1	76.75	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	43	2004
23.01.2020 15:56:40	1	1	1	1	76.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 15:56:41	1	1	1	1	76.75	63	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	42.75	2004
23.01.2020 15:56:42	1	1	1	1	76.75	62.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43	2004
23.01.2020 15:56:49	1	1	1	1	76.5	62.75	0	30000	316.1290323	9404.506292	30000	0	0	30000	43.125	2004
23.01.2020 15:56:49	1	1	1	1	76.5	62.75	0	30000	316.1290323	9404.506292	30000	0	0	30000	43.125	2004
23.01.2020 15:56:49	1	1	1	1	76.5	62.75	0	30000	316.1290323	9404.506292	30000	0	0	30000	43.125	2004
23.01.2020 15:56:49	1	1	1	1	76.5	62.75	0	30000	316.1290323	9404.506292	30000	0	0	30000	43.125	2004
23.01.2020 15:56:49	1	1	1	1	76.5	62.75	0	30000	316.1290323	9404.506292	30000	0	0	30000	43.125	2004
23.01.2020 15:56:49	1	1	1	1	76.5	62.75	0	30000	316.1290323	9404.506292	30000	0	0	30000	43.125	2004
23.01.2020 15:56:49	1	1	1	1	76.5	62.75	0	30000	316.1290323	9404.506292	30000	0	0	30000	43.125	2004
23.01.2020 15:56:50	1	1	1	1	76.5	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 15:56:51	1	1	1	1	76.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 15:56:52	1	1	1	1	76.5	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 15:56:53	1	1	1	1	76.5	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43	2004
23.01.2020 15:56:54	1	1	1	1	76.5	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 15:56:55	1	1	1	1	76.5	63	0	29952.607	292.4731183	8708.993559	30000	0	0	30000	42.9375	2004
23.01.2020 15:56:56	1	1	1	1	76.5	62.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 15:56:57	1	1	1	1	76.5	63	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 15:56:58	1	1	1	1	76.5	63.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.0625	2004
23.01.2020 15:56:59	1	1	1	1	76.5	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.875	2004
23.01.2020 15:57:00	1	1	1	1	76.5	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.5	2004
23.01.2020 15:57:01	1	1	1	1	76.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.875	2004
23.01.2020 15:57:02	1	1	1	1	76.5	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 15:57:03	1	1	1	1	76.5	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.25	2004
23.01.2020 15:57:04	1	1	1	1	76.5	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.4375	2004
23.01.2020 15:57:05	1	1	1	1	76.5	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	43.125	2004
23.01.2020 15:57:06	1	1	1	1	76.5	63	0	30000	335.483871	10064.14264	30000	0	0	30000	42.8125	2004
23.01.2020 15:57:07	1	1	1	1	76.5	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43	2004
23.01.2020 15:57:09	1	1	1	1	76.5	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5625	2004
23.01.2020 15:57:10	1	1	1	1	76.5	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 15:57:11	1	1	1	1	76.5	62.75	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 15:57:12	1	1	1	1	76.5	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 15:57:13	1	1	1	1	76.25	63	0	30000	335.483871	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 15:57:14	1	1	1	1	76.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.0625	2004
23.01.2020 15:57:15	1	1	1	1	76.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 15:57:16	1	1	1	1	76.25	63	0	29905.213	303.2258065	9067.757454	30000	0	0	30000	43.0625	2004
23.01.2020 15:57:17	1	1	1	1	76.25	63	0	30000	301.0752688	9018.019732	30000	0	0	30000	43.125	2004
23.01.2020 15:57:18	1	1	1	1	76.25	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 15:57:19	1	1	1	1	76.25	63	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.1875	2004
23.01.2020 15:57:20	1	1	1	1	76.25	63	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.625	2004
23.01.2020 15:57:21	1	1	1	1	76.25	62.5	0	30000	270.9677419	7999.619493	30000	0	0	30000	43.375	2004
23.01.2020 15:57:22	1	1	1	1	76.25	63.25	0	30047.393	279.5698925	8322.506999	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:57:23	1	1	1	1	76.25	63	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	42.9375	2004
23.01.2020 15:57:24	1	1	1	1	76.25	62.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	43.1875	2004
23.01.2020 15:57:25	1	1	1	1	76.25	63	0	30000	264.516129	8064.033919	30000	0	0	30000	43.125	2004
23.01.2020 15:57:26	1	1	1	1	76.25	63	0	30000	264.516129	7870.79064	30000	0	0	30000	43.1875	2004
23.01.2020 15:57:27	1	1	1	1	76.25	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.125	2004
23.01.2020 15:57:28	1	1	1	1	76.25	63	0	29952.607	264.516129	7922.974479	30000	0	0	30000	42.75	2004
23.01.2020 15:57:29	1	1	1	1	76.25	62.75	0	29857.82	266.6666667	8167.586226	30000	0	0	30000	42.75	2004
23.01.2020 15:57:30	1	1	1	1	76.25	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.25	2004
23.01.2020 15:57:31	1	1	1	1	76.25	63.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.6875	2004
23.01.2020 15:57:32	1	1	1	1	76.25	62.5	0	30000	288.172043	8644.579132	30000	0	0	30000	43.0625	2004
23.01.2020 15:57:33	1	1	1	1	76	63	0	29952.607	292.4731183	8903.052211	30000	0	0	30000	43.3125	2004
23.01.2020 15:57:34	1	1	1	1	76	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 15:57:35	1	1	1	1	76	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.6875	2004
23.01.2020 15:57:36	1	1	1	1	76	63.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.3125	2004
23.01.2020 15:57:37	1	1	1	1	76	63.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.3125	2004
23.01.2020 15:57:38	1	1	1	1	76	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.4375	2004
23.01.2020 15:57:39	1	1	1	1	76	63	0	29905.213	348.3870968	10515.85899	30000	0	0	30000	42.25	2004
23.01.2020 15:57:40	1	1	1	1	76	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 15:57:41	1	1	1	1	76	63.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.25	2004
23.01.2020 15:57:42	1	1	1	1	76.25	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
23.01.2020 15:57:43	1	1	1	1	76.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
23.01.2020 15:57:51	1	1	1	1	76.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 15:57:51	1	1	1	1	76.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 15:57:51	1	1	1	1	76.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 15:57:51	1	1	1	1	76.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 15:57:51	1	1	1	1	76.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 15:57:51	1	1	1	1	76.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 15:57:51	1	1	1	1	76.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 15:57:52	1	1	1	1	76.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
23.01.2020 15:57:53	1	1	1	1	75.75	62.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	43	2004
23.01.2020 15:57:54	1	1	1	1	75.75	63	0	30000	434.4086022	12967.68407	30000	0	0	30000	43.3125	2004
23.01.2020 15:57:55	1	1	1	1	75.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.25	2004
23.01.2020 15:57:56	1	1	1	1	75.75	63.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 15:57:57	1	1	1	1	75.75	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 15:57:58	1	1	1	1	75.75	63	0	27582.938	395.6989247	10814.28533	30000	0	0	30000	43.0625	2004
23.01.2020 15:57:59	1	1	1	1	75.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 15:58:00	1	1	1	1	75.75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 15:58:01	1	1	1	1	75.75	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.8125	2004
23.01.2020 15:58:02	1	1	1	1	75.75	62.75	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 15:58:03	1	1	1	1	76	62.75	0	30000	453.7634409	13483.81486	30000	0	0	30000	43.125	2004
23.01.2020 15:58:04	1	1	1	1	76	63	0	30047.393	460.2150538	13483.81486	30000	0	0	30000	43.25	2004
23.01.2020 15:58:05	1	1	1	1	76	63.25	0	30000	443.0107527	13204.95746	30000	0	0	30000	43.0625	2004
23.01.2020 15:58:06	1	1	1	1	76	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:58:07	1	1	1	1	76	63	0	30000	427.9569892	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 15:58:08	1	1	1	1	76	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 15:58:09	1	1	1	1	76	63	0	30000	421.5053763	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 15:58:10	1	1	1	1	76	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 15:58:11	1	1	1	1	76	62.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:58:12	1	1	1	1	76	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 15:58:13	1	1	1	1	76	63.25	0	29668.246	384.9462366	11438.86065	30000	0	0	30000	43.375	2004
23.01.2020 15:58:14	1	1	1	1	76	63.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.0625	2004
23.01.2020 15:58:15	1	1	1	1	76	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.4375	2004
23.01.2020 15:58:16	1	1	1	1	76	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.25	2004
23.01.2020 15:58:17	1	1	1	1	76	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
23.01.2020 15:58:18	1	1	1	1	76	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.375	2004
23.01.2020 15:58:19	1	1	1	1	76	63.25	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.625	2004
23.01.2020 15:58:20	1	1	1	1	76	62.5	0	30000	329.0322581	9886.391433	30000	0	0	30000	43.1875	2004
23.01.2020 15:58:21	1	1	1	1	76	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 15:58:22	1	1	1	1	76	63	0	30000	326.8817204	10031.52774	30000	0	0	30000	43.1875	2004
23.01.2020 15:58:23	1	1	1	1	76	63	0	30000	322.5806452	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 15:58:25	1	1	1	1	76	63	0	30000	341.9354839	10241.89384	30000	0	0	30000	43.3125	2004
23.01.2020 15:58:26	1	1	1	1	76	63.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 15:58:27	1	1	1	1	76	63	0	29241.706	309.6774194	9118.310548	30000	0	0	30000	43.125	2004
23.01.2020 15:58:28	1	1	1	1	76	63	0	29715.64	359.1397849	10671.59514	30000	0	0	30000	43.1875	2004
23.01.2020 15:58:29	1	1	1	1	76	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 15:58:30	1	1	1	1	76	63	0	30000	402.1505376	12128.66578	30000	0	0	30000	43.3125	2004
23.01.2020 15:58:31	1	1	1	1	76	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 15:58:32	1	1	1	1	76	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 15:58:33	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 15:58:34	1	1	1	1	75.75	63.25	0	29905.213	389.2473118	11640.25766	30000	0	0	30000	42.5625	2004
23.01.2020 15:58:35	1	1	1	1	75.75	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.125	2004
23.01.2020 15:58:36	1	1	1	1	75.75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.3125	2004
23.01.2020 15:58:37	1	1	1	1	75.75	63.25	0	30000	427.9569892	13182.12704	30000	0	0	30000	42.75	2004
23.01.2020 15:58:38	1	1	1	1	75.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
23.01.2020 15:58:39	1	1	1	1	75.75	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.625	2004
23.01.2020 15:58:40	1	1	1	1	75.75	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	43.25	2004
23.01.2020 15:58:41	1	1	1	1	75.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 15:58:42	1	1	1	1	75.75	62.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.25	2004
23.01.2020 15:58:43	1	1	1	1	75.5	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43	2004
23.01.2020 15:58:44	1	1	1	1	75.5	63	0	30000	427.9569892	12818.4709	30000	0	0	30000	43.0625	2004
23.01.2020 15:58:45	1	1	1	1	75.5	63	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.9375	2004
23.01.2020 15:58:52	1	1	1	1	75.5	63	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.25	2004
23.01.2020 15:58:52	1	1	1	1	75.5	63	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.25	2004
23.01.2020 15:58:52	1	1	1	1	75.5	63	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.25	2004
23.01.2020 15:58:52	1	1	1	1	75.5	63	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.25	2004
23.01.2020 15:58:52	1	1	1	1	75.5	63	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:58:52	1	1	1	1	75.5	63	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.25	2004
23.01.2020 15:58:52	1	1	1	1	75.5	63	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.25	2004
23.01.2020 15:58:53	1	1	1	1	75.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
23.01.2020 15:58:54	1	1	1	1	75.75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 15:58:55	1	1	1	1	75.75	63	0	30000	490.3225806	14773.73413	30000	0	0	30000	42.9375	2004
23.01.2020 15:58:56	1	1	1	1	75.75	63.25	0	30000	496.7741935	14750.9037	30000	0	0	30000	42.375	2004
23.01.2020 15:58:57	1	1	1	1	75.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 15:58:58	1	1	1	1	75.75	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43	2004
23.01.2020 15:58:59	1	1	1	1	75.75	63	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.75	2004
23.01.2020 15:59:00	1	1	1	1	75.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
23.01.2020 15:59:01	1	1	1	1	75.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
23.01.2020 15:59:02	1	1	1	1	75.75	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.0625	2004
23.01.2020 15:59:04	1	1	1	1	75.75	63	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.0625	2004
23.01.2020 15:59:05	1	1	1	1	75.75	63	0	30047.393	503.2258065	15120.26744	30000	0	0	30000	43.25	2004
23.01.2020 15:59:06	1	1	1	1	75.75	63.25	0	30000	488.172043	14773.73413	30000	0	0	30000	43.1875	2004
23.01.2020 15:59:07	1	1	1	1	75.75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
23.01.2020 15:59:08	1	1	1	1	75.75	62.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.1875	2004
23.01.2020 15:59:09	1	1	1	1	75.75	63	0	30000	492.4731183	14902.56299	30000	0	0	30000	43	2004
23.01.2020 15:59:10	1	1	1	1	75.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.625	2004
23.01.2020 15:59:11	1	1	1	1	75.75	62.5	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	42.5	2004
23.01.2020 15:59:12	1	1	1	1	75.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
23.01.2020 15:59:13	1	1	1	1	75.5	62.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.4375	2004
23.01.2020 15:59:14	1	1	1	1	75.5	62.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	43.25	2004
23.01.2020 15:59:15	1	1	1	1	75.5	63.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.3125	2004
23.01.2020 15:59:16	1	1	1	1	75.5	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 15:59:17	1	1	1	1	75.5	63	0	30000	460.2150538	13612.64371	30000	0	0	30000	42.75	2004
23.01.2020 15:59:18	1	1	1	1	75.5	62.75	0	30000	434.4086022	13225.34178	30000	0	0	30000	42.8125	2004
23.01.2020 15:59:19	1	1	1	1	75.5	62.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.3125	2004
23.01.2020 15:59:20	1	1	1	1	75.5	63.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	43.25	2004
23.01.2020 15:59:21	1	1	1	1	75.5	63.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 15:59:22	1	1	1	1	75.5	63	0	30047.393	387.0967742	11483.70614	30000	0	0	30000	43.1875	2004
23.01.2020 15:59:23	1	1	1	1	75.25	63	0	30047.393	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 15:59:24	1	1	1	1	75.25	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.375	2004
23.01.2020 15:59:25	1	1	1	1	75.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:59:26	1	1	1	1	75.25	63	0	29952.607	339.7849462	10096.75754	30000	0	0	30000	43.25	2004
23.01.2020 15:59:27	1	1	1	1	75.25	63.25	0	29952.607	354.8387097	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 15:59:28	1	1	1	1	75.25	63.25	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	43	2004
23.01.2020 15:59:29	1	1	1	1	75.25	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 15:59:30	1	1	1	1	75.25	63	0	30000	335.483871	10080.45009	30000	0	0	30000	43.125	2004
23.01.2020 15:59:31	1	1	1	1	75.25	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.6875	2004
23.01.2020 15:59:32	1	1	1	1	75.25	63.5	0	30000	309.6774194	9275.677439	30000	0	0	30000	43.0625	2004
23.01.2020 15:59:33	1	1	1	1	75.25	63	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.875	2004
23.01.2020 15:59:34	1	1	1	1	75.25	62.75	0	30000	311.827957	9290.354143	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 15:59:35	1	1	1	1	75.25	63	0	30189.573	311.827957	9433.859702	30000	0	0	30000	42.75	2004
23.01.2020 15:59:36	1	1	1	1	75.25	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.25	2004
23.01.2020 15:59:37	1	1	1	1	75.25	63.25	0	29952.607	303.2258065	9082.434159	30000	0	0	30000	43	2004
23.01.2020 15:59:38	1	1	1	1	75.25	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 15:59:39	1	1	1	1	75.25	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 15:59:40	1	1	1	1	75.25	63	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 15:59:41	1	1	1	1	75.25	63	0	29952.607	309.6774194	9275.677439	30000	0	0	30000	43.125	2004
23.01.2020 15:59:43	1	1	1	1	75.25	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 15:59:44	1	1	1	1	75.25	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 15:59:45	1	1	1	1	75.25	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 15:59:46	1	1	1	1	75.25	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 15:59:47	1	1	1	1	75.25	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 15:59:54	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:59:54	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:59:54	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:59:54	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:59:54	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:59:54	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:59:54	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 15:59:55	1	1	1	1	75.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
23.01.2020 15:59:56	1	1	1	1	75.25	63	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.25	2004
23.01.2020 15:59:57	1	1	1	1	75.25	63.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 15:59:58	1	1	1	1	75.25	63	0	29810.427	369.8924731	10671.59514	30000	0	0	30000	43.0625	2004
23.01.2020 15:59:59	1	1	1	1	75.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:00:00	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 16:00:01	1	1	1	1	75.25	63	0	30047.393	421.5053763	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 16:00:02	1	1	1	1	75.25	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 16:00:03	1	1	1	1	75.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5625	2004
23.01.2020 16:00:04	1	1	1	1	75.25	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	43	2004
23.01.2020 16:00:05	1	1	1	1	75.25	63	0	29905.213	440.8602151	13333.78632	30000	0	0	30000	43.0625	2004
23.01.2020 16:00:06	1	1	1	1	75.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 16:00:07	1	1	1	1	75.25	63	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.8125	2004
23.01.2020 16:00:08	1	1	1	1	75.25	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 16:00:09	1	1	1	1	75.25	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.8125	2004
23.01.2020 16:00:10	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:00:11	1	1	1	1	75.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.1875	2004
23.01.2020 16:00:12	1	1	1	1	75.25	63	0	30000	374.1935484	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 16:00:13	1	1	1	1	75	63	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.4375	2004
23.01.2020 16:00:14	1	1	1	1	75	63.25	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	43.1875	2004
23.01.2020 16:00:15	1	1	1	1	75	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 16:00:16	1	1	1	1	75	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:00:17	1	1	1	1	75	63	0	30000	415.0537634	12348.00098	30000	0	0	30000	43	2004
23.01.2020 16:00:18	1	1	1	1	75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:01:04	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
23.01.2020 16:01:05	1	1	1	1	75.25	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.25	2004
23.01.2020 16:01:06	1	1	1	1	75.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.6875	2004
23.01.2020 16:01:07	1	1	1	1	75.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 16:01:08	1	1	1	1	75.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 16:01:09	1	1	1	1	75.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:01:10	1	1	1	1	75.25	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.8125	2004
23.01.2020 16:01:11	1	1	1	1	75.25	62.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.3125	2004
23.01.2020 16:01:12	1	1	1	1	75.25	63.25	0	30000	395.6989247	11704.67208	30000	0	0	30000	42.8125	2004
23.01.2020 16:01:13	1	1	1	1	75.75	62.75	0	29857.82	382.7956989	11447.01438	30000	0	0	30000	43.25	2004
23.01.2020 16:01:14	1	1	1	1	75.75	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
23.01.2020 16:01:15	1	1	1	1	75.75	63	0	30000	372.0430108	11096.40421	30000	0	0	30000	43	2004
23.01.2020 16:01:16	1	1	1	1	75.75	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.125	2004
23.01.2020 16:01:17	1	1	1	1	75.75	63	0	30000	369.8924731	11225.23306	30000	0	0	30000	43.1875	2004
23.01.2020 16:01:18	1	1	1	1	75.75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 16:01:19	1	1	1	1	75.75	63.25	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.625	2004
23.01.2020 16:01:20	1	1	1	1	75.75	62.5	0	30000	400	11935.4225	30000	0	0	30000	42.3125	2004
23.01.2020 16:01:21	1	1	1	1	75.75	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 16:01:22	1	1	1	1	75.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 16:01:23	1	1	1	1	75.75	63	0	30000	466.6666667	13935.53122	30000	0	0	30000	42.9375	2004
23.01.2020 16:01:24	1	1	1	1	75.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.8125	2004
23.01.2020 16:01:25	1	1	1	1	75.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 16:01:26	1	1	1	1	75.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:01:27	1	1	1	1	75.75	63	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 16:01:28	1	1	1	1	75.75	63	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.375	2004
23.01.2020 16:01:29	1	1	1	1	75.75	63.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 16:01:30	1	1	1	1	75.75	62.5	0	30047.393	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 16:01:31	1	1	1	1	75.75	63	0	30000	400	11935.4225	30000	0	0	30000	42.8125	2004
23.01.2020 16:01:32	1	1	1	1	76	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 16:01:33	1	1	1	1	76	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.75	2004
23.01.2020 16:01:34	1	1	1	1	76	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
23.01.2020 16:01:35	1	1	1	1	76	62.25	0	30000	400	12064.25135	30000	0	0	30000	42.8125	2004
23.01.2020 16:01:37	1	1	1	1	76	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
23.01.2020 16:01:38	1	1	1	1	76	63	0	30000	402.1505376	12064.25135	30000	0	0	30000	43.125	2004
23.01.2020 16:01:39	1	1	1	1	76	63	0	29715.64	395.6989247	11758.48667	30000	0	0	30000	42.9375	2004
23.01.2020 16:01:40	1	1	1	1	76	62.75	0	30000	423.655914	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 16:01:41	1	1	1	1	76	62.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.8125	2004
23.01.2020 16:01:42	1	1	1	1	76	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
23.01.2020 16:01:43	1	1	1	1	75.75	62.75	0	30000	415.0537634	12348.00098	30000	0	0	30000	43	2004
23.01.2020 16:01:44	1	1	1	1	75.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
23.01.2020 16:01:45	1	1	1	1	75.75	62.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.125	2004
23.01.2020 16:01:46	1	1	1	1	75.75	63	0	30000	419.3548387	12560.8132	30000	0	0	30000	43.125	2004
23.01.2020 16:01:47	1	1	1	1	75.75	63	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:01:48	1	1	1	1	75.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:01:49	1	1	1	1	75.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:01:50	1	1	1	1	75.75	63	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.9375	2004
23.01.2020 16:01:57	1	1	1	1	76	62	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.5625	2004
23.01.2020 16:01:57	1	1	1	1	76	62	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.5625	2004
23.01.2020 16:01:57	1	1	1	1	76	62	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.5625	2004
23.01.2020 16:01:57	1	1	1	1	76	62	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.5625	2004
23.01.2020 16:01:57	1	1	1	1	76	62	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.5625	2004
23.01.2020 16:01:57	1	1	1	1	76	62	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.5625	2004
23.01.2020 16:01:57	1	1	1	1	76	62	0	30000	438.7096774	13289.7562	30000	0	0	30000	42.5625	2004
23.01.2020 16:01:58	1	1	1	1	76	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.9375	2004
23.01.2020 16:01:59	1	1	1	1	76	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.125	2004
23.01.2020 16:02:00	1	1	1	1	76	63	0	29857.82	453.7634409	13569.42897	30000	0	0	30000	43.1875	2004
23.01.2020 16:02:01	1	1	1	1	76	63	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.9375	2004
23.01.2020 16:02:02	1	1	1	1	76	62.75	0	30000	419.3548387	12560.8132	30000	0	0	30000	42.625	2004
23.01.2020 16:02:03	1	1	1	1	75.75	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	43.125	2004
23.01.2020 16:02:04	1	1	1	1	75.75	63	0	30000	458.0645161	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 16:02:05	1	1	1	1	75.75	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	43	2004
23.01.2020 16:02:06	1	1	1	1	75.75	63	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.0625	2004
23.01.2020 16:02:07	1	1	1	1	75.75	63	0	29905.213	466.6666667	14064.36007	30000	0	0	30000	43.125	2004
23.01.2020 16:02:08	1	1	1	1	75.75	63	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:09	1	1	1	1	75.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
23.01.2020 16:02:10	1	1	1	1	75.75	63.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	43.25	2004
23.01.2020 16:02:11	1	1	1	1	75.75	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:12	1	1	1	1	76.25	62.5	0	29905.213	445.1612903	13333.78632	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:13	1	1	1	1	76.25	62.75	0	30000	432.2580645	13096.51292	30000	0	0	30000	43.0625	2004
23.01.2020 16:02:14	1	1	1	1	76.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 16:02:15	1	1	1	1	76.25	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	43	2004
23.01.2020 16:02:17	1	1	1	1	76.25	63	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.0625	2004
23.01.2020 16:02:18	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 16:02:19	1	1	1	1	76.25	63.25	0	30000	400	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 16:02:20	1	1	1	1	76.25	63	0	30000	354.8387097	10790.63952	30000	0	0	30000	43.25	2004
23.01.2020 16:02:21	1	1	1	1	76.25	63.25	0	30000	335.483871	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 16:02:22	1	1	1	1	76.25	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 16:02:23	1	1	1	1	76.5	63	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 16:02:24	1	1	1	1	76.5	63	0	29952.607	352.688172	10644.68785	30000	0	0	30000	42.6875	2004
23.01.2020 16:02:25	1	1	1	1	76.5	62.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.5	2004
23.01.2020 16:02:26	1	1	1	1	76.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
23.01.2020 16:02:27	1	1	1	1	76.5	62.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	43	2004
23.01.2020 16:02:28	1	1	1	1	76.5	63	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.625	2004
23.01.2020 16:02:29	1	1	1	1	76.5	62.5	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	43.125	2004
23.01.2020 16:02:30	1	1	1	1	76.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 16:02:31	1	1	1	1	76.5	63	0	30000	404.3010753	11999.83693	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:02:32	1	1	1	1	76.5	62.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	42.9375	2004
23.01.2020 16:02:33	1	1	1	1	76.25	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.6875	2004
23.01.2020 16:02:34	1	1	1	1	76.25	62.5	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	42.6875	2004
23.01.2020 16:02:35	1	1	1	1	76.25	62.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.9375	2004
23.01.2020 16:02:36	1	1	1	1	76.25	62.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	43.0625	2004
23.01.2020 16:02:37	1	1	1	1	76.25	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.1875	2004
23.01.2020 16:02:38	1	1	1	1	76.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 16:02:39	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
23.01.2020 16:02:40	1	1	1	1	76.25	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 16:02:41	1	1	1	1	76.25	63	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 16:02:42	1	1	1	1	76.25	63	0	30000	440.8602151	13225.34178	30000	0	0	30000	43.1875	2004
23.01.2020 16:02:43	1	1	1	1	76	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 16:02:44	1	1	1	1	76	62.75	0	30000	440.8602151	13204.95746	30000	0	0	30000	43	2004
23.01.2020 16:02:45	1	1	1	1	76	63	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 16:02:46	1	1	1	1	76	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
23.01.2020 16:02:47	1	1	1	1	76	62.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	43.5	2004
23.01.2020 16:02:48	1	1	1	1	76	63.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 16:02:49	1	1	1	1	76	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 16:02:50	1	1	1	1	76	63.5	0	30000	464.516129	14021.9607	30000	0	0	30000	42.6875	2004
23.01.2020 16:02:51	1	1	1	1	76	62.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	43.125	2004
23.01.2020 16:02:59	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:59	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:59	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:59	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:59	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:59	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:59	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:02:59	1	1	1	1	76.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:03:00	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 16:03:01	1	1	1	1	76.25	62.75	0	29952.607	453.7634409	13591.44402	30000	0	0	30000	43.125	2004
23.01.2020 16:03:02	1	1	1	1	76.25	63	0	30000	438.7096774	13225.34178	30000	0	0	30000	43	2004
23.01.2020 16:03:03	1	1	1	1	76.25	63	0	30047.393	453.7634409	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 16:03:04	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 16:03:05	1	1	1	1	76.25	63	0	30000	427.9569892	12967.68407	30000	0	0	30000	43.1875	2004
23.01.2020 16:03:06	1	1	1	1	76.25	63	0	30000	436.5591398	13096.51292	30000	0	0	30000	42.6875	2004
23.01.2020 16:03:07	1	1	1	1	76.25	62.5	0	30000	445.1612903	13505.01454	30000	0	0	30000	43.0625	2004
23.01.2020 16:03:08	1	1	1	1	76.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 16:03:09	1	1	1	1	76.25	63	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 16:03:10	1	1	1	1	76.25	63	0	30000	451.6129032	13548.22928	30000	0	0	30000	43.25	2004
23.01.2020 16:03:11	1	1	1	1	76.25	63.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.9375	2004
23.01.2020 16:03:12	1	1	1	1	76.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 16:03:13	1	1	1	1	76.5	62.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.875	2004
23.01.2020 16:03:14	1	1	1	1	76.5	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:03:15	1	1	1	1	76.5	63	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:03:16	1	1	1	1	76.5	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 16:03:17	1	1	1	1	76.5	63	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.9375	2004
23.01.2020 16:03:18	1	1	1	1	76.5	62.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 16:03:19	1	1	1	1	76.5	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.25	2004
23.01.2020 16:03:20	1	1	1	1	76.5	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43	2004
23.01.2020 16:03:21	1	1	1	1	76.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:03:22	1	1	1	1	76.5	63	0	30000	425.8064516	12540.42889	30000	0	0	30000	43.125	2004
23.01.2020 16:03:23	1	1	1	1	75.75	63	0	29905.213	423.655914	12689.64205	30000	0	0	30000	43.1875	2004
23.01.2020 16:03:24	1	1	1	1	75.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 16:03:25	1	1	1	1	75.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:03:26	1	1	1	1	75.75	63.25	0	30000	412.9032258	12348.00098	30000	0	0	30000	43	2004
23.01.2020 16:03:27	1	1	1	1	75.75	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:03:28	1	1	1	1	75.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 16:03:29	1	1	1	1	75.75	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.75	2004
23.01.2020 16:03:30	1	1	1	1	75.75	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.25	2004
23.01.2020 16:03:31	1	1	1	1	75.75	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 16:03:32	1	1	1	1	76.25	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 16:03:33	1	1	1	1	76.25	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 16:03:34	1	1	1	1	76.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 16:03:36	1	1	1	1	76.25	63	0	30000	391.3978495	11659.01122	30000	0	0	30000	42.75	2004
23.01.2020 16:03:37	1	1	1	1	76.25	62.75	0	30000	395.6989247	11889.76164	30000	0	0	30000	42.9375	2004
23.01.2020 16:03:38	1	1	1	1	76.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:03:39	1	1	1	1	76.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 16:03:40	1	1	1	1	76.25	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
23.01.2020 16:03:41	1	1	1	1	76.25	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.25	2004
23.01.2020 16:03:42	1	1	1	1	76.25	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
23.01.2020 16:03:43	1	1	1	1	75.75	62	0	29668.246	382.7956989	11438.86065	30000	0	0	30000	42.9375	2004
23.01.2020 16:03:44	1	1	1	1	75.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 16:03:45	1	1	1	1	75.75	63.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.875	2004
23.01.2020 16:03:46	1	1	1	1	75.75	62.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 16:03:47	1	1	1	1	75.75	63	0	29905.213	404.3010753	12367.56992	30000	0	0	30000	42.875	2004
23.01.2020 16:03:48	1	1	1	1	75.75	62.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:03:49	1	1	1	1	75.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 16:03:50	1	1	1	1	75.75	63	0	30000	417.2043011	12515.96771	30000	0	0	30000	43.125	2004
23.01.2020 16:03:51	1	1	1	1	75.75	63	0	30000	404.3010753	11833.50094	30000	0	0	30000	43	2004
23.01.2020 16:03:52	1	1	1	1	75.75	63	0	30000	423.655914	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:03:53	1	1	1	1	76	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:04:01	1	1	1	1	76	63	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:01	1	1	1	1	76	63	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:01	1	1	1	1	76	63	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:01	1	1	1	1	76	63	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:01	1	1	1	1	76	63	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:01	1	1	1	1	76	63	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:04:01	1	1	1	1	76	63	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:01	1	1	1	1	76	63.25	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 16:04:02	1	1	1	1	76	63	0	30000	402.1505376	11916.66893	30000	0	0	30000	43.25	2004
23.01.2020 16:04:03	1	1	1	1	75.75	63.25	0	30000	400	12064.25135	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:04	1	1	1	1	75.75	63.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	43.25	2004
23.01.2020 16:04:05	1	1	1	1	75.75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 16:04:06	1	1	1	1	75.75	63	0	30000	395.6989247	11889.76164	30000	0	0	30000	43.5625	2004
23.01.2020 16:04:07	1	1	1	1	75.75	63.5	0	30000	397.8494624	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 16:04:08	1	1	1	1	75.75	63.25	0	29905.213	391.3978495	11871.00807	30000	0	0	30000	43.375	2004
23.01.2020 16:04:09	1	1	1	1	75.75	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.6875	2004
23.01.2020 16:04:10	1	1	1	1	75.75	62.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 16:04:11	1	1	1	1	75.75	63	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:04:12	1	1	1	1	75.75	63	0	30000	326.8817204	9855.407279	30000	0	0	30000	43.125	2004
23.01.2020 16:04:13	1	1	1	1	75.75	63	0	30000	335.483871	9999.728209	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:15	1	1	1	1	75.75	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:04:16	1	1	1	1	75.75	63	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 16:04:17	1	1	1	1	75.75	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.25	2004
23.01.2020 16:04:18	1	1	1	1	75.75	63.25	0	30000	303.2258065	9384.12198	30000	0	0	30000	42.9375	2004
23.01.2020 16:04:19	1	1	1	1	75.75	62.75	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.1875	2004
23.01.2020 16:04:20	1	1	1	1	75.75	63	0	30000	294.6236559	8824.776452	30000	0	0	30000	42.8125	2004
23.01.2020 16:04:21	1	1	1	1	75.75	62.75	0	30000	294.6236559	8774.223358	30000	0	0	30000	42.875	2004
23.01.2020 16:04:22	1	1	1	1	75.75	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.6875	2004
23.01.2020 16:04:23	1	1	1	1	76.25	62.5	0	30000	309.6774194	9211.263012	30000	0	0	30000	43.375	2004
23.01.2020 16:04:24	1	1	1	1	76.25	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42	2004
23.01.2020 16:04:25	1	1	1	1	76.25	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.125	2004
23.01.2020 16:04:26	1	1	1	1	76.25	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:04:27	1	1	1	1	76.25	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.625	2004
23.01.2020 16:04:28	1	1	1	1	76.25	62.5	0	30000	316.1290323	9340.091865	30000	0	0	30000	42.625	2004
23.01.2020 16:04:29	1	1	1	1	76.25	62.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43	2004
23.01.2020 16:04:30	1	1	1	1	76.25	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 16:04:31	1	1	1	1	76.25	63	0	30000	288.172043	8644.579132	30000	0	0	30000	42.875	2004
23.01.2020 16:04:32	1	1	1	1	76.25	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 16:04:33	1	1	1	1	76.25	63	0	30000	301.0752688	8903.052211	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:34	1	1	1	1	76.25	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	43.0625	2004
23.01.2020 16:04:35	1	1	1	1	76.25	63	0	30000	294.6236559	8695.947599	30000	0	0	30000	42.8125	2004
23.01.2020 16:04:36	1	1	1	1	76.25	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	43	2004
23.01.2020 16:04:37	1	1	1	1	76.25	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.1875	2004
23.01.2020 16:04:38	1	1	1	1	76.25	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:04:39	1	1	1	1	76.25	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:40	1	1	1	1	76.25	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
23.01.2020 16:04:41	1	1	1	1	76.25	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43	2004
23.01.2020 16:04:42	1	1	1	1	76.25	63	0	30000	344.0860215	10387.03014	30000	0	0	30000	42.9375	2004
23.01.2020 16:04:43	1	1	1	1	76.25	62.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:04:44	1	1	1	1	76.25	63	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
23.01.2020 16:04:45	1	1	1	1	76.25	63	0	29952.607	344.0860215	10370.72269	30000	0	0	30000	42.625	2004
23.01.2020 16:04:46	1	1	1	1	76.25	62.5	0	30000	352.688172	10580.27342	30000	0	0	30000	43.625	2004
23.01.2020 16:04:47	1	1	1	1	76.25	63.5	0	29715.64	354.8387097	10543.58166	30000	0	0	30000	43.125	2004
23.01.2020 16:04:48	1	1	1	1	76.25	63	0	30000	352.688172	10515.85899	30000	0	0	30000	43.3125	2004
23.01.2020 16:04:49	1	1	1	1	76.25	63.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 16:04:50	1	1	1	1	76.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 16:04:51	1	1	1	1	76.25	63.25	0	30000	354.8387097	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 16:04:53	1	1	1	1	76.25	63.25	0	29952.607	361.2903226	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 16:04:54	1	1	1	1	76.25	63.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.875	2004
23.01.2020 16:04:55	1	1	1	1	76.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 16:05:02	1	1	1	1	76.25	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:05:02	1	1	1	1	76.25	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:05:02	1	1	1	1	76.25	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:05:02	1	1	1	1	76.25	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:05:02	1	1	1	1	76.25	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:05:02	1	1	1	1	76.25	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:05:02	1	1	1	1	76.25	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:05:03	1	1	1	1	76	63	0	30047.393	391.3978495	11419.29171	30000	0	0	30000	43	2004
23.01.2020 16:05:04	1	1	1	1	76	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
23.01.2020 16:05:05	1	1	1	1	76	62.25	0	30000	387.0967742	11741.36385	30000	0	0	30000	43	2004
23.01.2020 16:05:06	1	1	1	1	76	63	0	30000	391.3978495	11612.53499	30000	0	0	30000	42	2004
23.01.2020 16:05:07	1	1	1	1	76	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.375	2004
23.01.2020 16:05:08	1	1	1	1	76	62.25	0	30000	395.6989247	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 16:05:09	1	1	1	1	76	63	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	42.625	2004
23.01.2020 16:05:10	1	1	1	1	76	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
23.01.2020 16:05:11	1	1	1	1	76	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.3125	2004
23.01.2020 16:05:12	1	1	1	1	76	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:05:13	1	1	1	1	75.75	63	0	30000	391.3978495	11419.29171	30000	0	0	30000	42.9375	2004
23.01.2020 16:05:14	1	1	1	1	75.75	62.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 16:05:15	1	1	1	1	75.75	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 16:05:16	1	1	1	1	75.75	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.125	2004
23.01.2020 16:05:17	1	1	1	1	75.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 16:05:18	1	1	1	1	75.75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 16:05:19	1	1	1	1	75.75	63	0	29857.82	296.7741935	8860.652842	30000	0	0	30000	42.9375	2004
23.01.2020 16:05:20	1	1	1	1	75.75	62.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.4375	2004
23.01.2020 16:05:21	1	1	1	1	75.75	63.25	0	29668.246	279.5698925	8307.014921	30000	0	0	30000	43.25	2004
23.01.2020 16:05:22	1	1	1	1	75.75	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
23.01.2020 16:05:23	1	1	1	1	76	63	0	29905.213	283.8709677	8708.993559	30000	0	0	30000	43.0625	2004
23.01.2020 16:05:24	1	1	1	1	76	63	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.4375	2004
23.01.2020 16:05:25	1	1	1	1	76	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.9375	2004
23.01.2020 16:05:26	1	1	1	1	76	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.9375	2004
23.01.2020 16:05:27	1	1	1	1	76	62.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:05:28	1	1	1	1	76	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 16:05:29	1	1	1	1	76	63.25	0	26919.431	275.2688172	7384.013263	30000	0	0	30000	43.3125	2004
23.01.2020 16:05:30	1	1	1	1	76	63.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 16:05:32	1	1	1	1	76	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 16:05:33	1	1	1	1	75.5	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:05:34	1	1	1	1	75.5	63.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.9375	2004
23.01.2020 16:05:35	1	1	1	1	75.5	62.75	0	30000	296.7741935	8746.500693	30000	0	0	30000	43.3125	2004
23.01.2020 16:05:36	1	1	1	1	75.5	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 16:05:37	1	1	1	1	75.5	63.25	0	29952.607	294.6236559	8760.362025	30000	0	0	30000	43.1875	2004
23.01.2020 16:05:38	1	1	1	1	75.5	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.625	2004
23.01.2020 16:05:39	1	1	1	1	75.5	62.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 16:05:40	1	1	1	1	75.5	63.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 16:05:41	1	1	1	1	75.5	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 16:05:42	1	1	1	1	75.5	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:05:43	1	1	1	1	75.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.8125	2004
23.01.2020 16:05:44	1	1	1	1	75.75	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
23.01.2020 16:05:45	1	1	1	1	75.75	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
23.01.2020 16:05:46	1	1	1	1	75.75	63.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.8125	2004
23.01.2020 16:05:47	1	1	1	1	75.75	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.0625	2004
23.01.2020 16:05:48	1	1	1	1	75.75	63	0	29952.607	288.172043	8708.993559	30000	0	0	30000	43.125	2004
23.01.2020 16:05:49	1	1	1	1	75.75	63	0	29952.607	275.2688172	8245.046612	30000	0	0	30000	43.375	2004
23.01.2020 16:05:50	1	1	1	1	75.75	63.25	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	43.1875	2004
23.01.2020 16:05:51	1	1	1	1	75.75	63	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.8125	2004
23.01.2020 16:05:52	1	1	1	1	75.75	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.1875	2004
23.01.2020 16:05:53	1	1	1	1	76	63	0	30000	273.1182796	8128.448346	30000	0	0	30000	43.25	2004
23.01.2020 16:05:54	1	1	1	1	76	63.25	0	29952.607	262.3655914	8064.033919	30000	0	0	30000	43.1875	2004
23.01.2020 16:05:55	1	1	1	1	76	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	43	2004
23.01.2020 16:05:56	1	1	1	1	76	63	0	30000	277.4193548	8192.862773	30000	0	0	30000	43.125	2004
23.01.2020 16:06:04	1	1	1	1	76	61.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:04	1	1	1	1	76	61.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:04	1	1	1	1	76	61.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:04	1	1	1	1	76	61.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:04	1	1	1	1	76	61.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:04	1	1	1	1	76	61.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:04	1	1	1	1	76	61.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:04	1	1	1	1	76	63	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.875	2004
23.01.2020 16:06:05	1	1	1	1	76	62.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.5625	2004
23.01.2020 16:06:06	1	1	1	1	76	63.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.75	2004
23.01.2020 16:06:07	1	1	1	1	76	62.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	43.3125	2004
23.01.2020 16:06:08	1	1	1	1	76	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.125	2004
23.01.2020 16:06:10	1	1	1	1	76	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:06:11	1	1	1	1	76	63.25	0	30047.393	296.7741935	8838.637784	30000	0	0	30000	43.3125	2004
23.01.2020 16:06:12	1	1	1	1	76	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:06:13	1	1	1	1	76	63.25	0	30000	281.7204301	8580.164705	30000	0	0	30000	43.125	2004
23.01.2020 16:06:14	1	1	1	1	76	63	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
23.01.2020 16:06:15	1	1	1	1	76	63.25	0	30000	298.9247312	8889.190879	30000	0	0	30000	43.25	2004
23.01.2020 16:06:16	1	1	1	1	76	63.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.875	2004
23.01.2020 16:06:17	1	1	1	1	76	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.9375	2004
23.01.2020 16:06:18	1	1	1	1	76	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:06:19	1	1	1	1	76	63	0	30047.393	331.1827957	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:20	1	1	1	1	76	63	0	28815.166	318.2795699	9233.278069	30000	0	0	30000	43	2004
23.01.2020 16:06:21	1	1	1	1	76	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:22	1	1	1	1	76	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.125	2004
23.01.2020 16:06:23	1	1	1	1	76	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 16:06:24	1	1	1	1	76	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.6875	2004
23.01.2020 16:06:25	1	1	1	1	76	62.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:26	1	1	1	1	76	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:27	1	1	1	1	76	63	0	28625.592	251.6129032	7189.954611	30000	0	0	30000	43.25	2004
23.01.2020 16:06:28	1	1	1	1	76	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.375	2004
23.01.2020 16:06:29	1	1	1	1	76	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:30	1	1	1	1	76	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
23.01.2020 16:06:31	1	1	1	1	76	63.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:32	1	1	1	1	76	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
23.01.2020 16:06:33	1	1	1	1	76	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:36	1	1	1	1	76	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:36	1	1	1	1	76	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:36	1	1	1	1	76	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:37	1	1	1	1	76	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:38	1	1	1	1	76	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.625	2004
23.01.2020 16:06:39	1	1	1	1	76	62.5	0	30000	286.0215054	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:40	1	1	1	1	76	63	0	29952.607	288.172043	8708.993559	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:41	1	1	1	1	76	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:42	1	1	1	1	76	63	0	30000	296.7741935	8774.223358	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:43	1	1	1	1	76	63	0	30000	288.172043	8644.579132	30000	0	0	30000	43.4375	2004
23.01.2020 16:06:44	1	1	1	1	76	63.25	0	30000	290.3225806	8682.086266	30000	0	0	30000	43.5	2004
23.01.2020 16:06:45	1	1	1	1	76	63	0	29241.706	262.3655914	7671.839752	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:47	1	1	1	1	76	63	0	30047.393	290.3225806	8722.854891	30000	0	0	30000	43.125	2004
23.01.2020 16:06:48	1	1	1	1	76	63	0	30000	281.7204301	8580.164705	30000	0	0	30000	43.25	2004
23.01.2020 16:06:49	1	1	1	1	76	63.25	0	30000	292.4731183	8567.118745	30000	0	0	30000	43.1875	2004
23.01.2020 16:06:50	1	1	1	1	76	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.25	2004
23.01.2020 16:06:51	1	1	1	1	76	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.9375	2004
23.01.2020 16:06:52	1	1	1	1	76	62.75	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	43.125	2004
23.01.2020 16:06:53	1	1	1	1	76.25	63	0	29905.213	290.3225806	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 16:06:54	1	1	1	1	76.25	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:06:55	1	1	1	1	76.25	63	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.3125	2004
23.01.2020 16:06:56	1	1	1	1	76.25	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:06:57	1	1	1	1	76.25	63.25	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	42.6875	2004
23.01.2020 16:06:58	1	1	1	1	76.25	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:05	1	1	1	1	76	63.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:05	1	1	1	1	76	63.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:05	1	1	1	1	76	63.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:05	1	1	1	1	76	63.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:05	1	1	1	1	76	63.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:05	1	1	1	1	76	63.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:05	1	1	1	1	76	63.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:05	1	1	1	1	76	63	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 16:07:06	1	1	1	1	76	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.0625	2004
23.01.2020 16:07:07	1	1	1	1	76	63	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 16:07:08	1	1	1	1	76	63	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.25	2004
23.01.2020 16:07:09	1	1	1	1	76	63.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.25	2004
23.01.2020 16:07:10	1	1	1	1	76	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:07:11	1	1	1	1	76	63.25	0	29952.607	279.5698925	8451.335852	30000	0	0	30000	42.75	2004
23.01.2020 16:07:12	1	1	1	1	75.75	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.9375	2004
23.01.2020 16:07:13	1	1	1	1	75.75	62.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	42.8125	2004
23.01.2020 16:07:14	1	1	1	1	75.75	62.75	0	30000	273.1182796	8399.967385	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:15	1	1	1	1	75.75	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.25	2004
23.01.2020 16:07:16	1	1	1	1	75.75	63.25	0	30000	270.9677419	8192.862773	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:17	1	1	1	1	75.75	63	0	30000	270.9677419	8116.217759	30000	0	0	30000	43.125	2004
23.01.2020 16:07:18	1	1	1	1	75.75	63	0	30000	275.2688172	7999.619493	30000	0	0	30000	42.625	2004
23.01.2020 16:07:19	1	1	1	1	75.75	62.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.3125	2004
23.01.2020 16:07:20	1	1	1	1	75.75	63.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.4375	2004
23.01.2020 16:07:21	1	1	1	1	75.75	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.375	2004
23.01.2020 16:07:22	1	1	1	1	75.75	63	0	30000	275.2688172	8322.506999	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:23	1	1	1	1	75.75	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43	2004
23.01.2020 16:07:25	1	1	1	1	75.75	63	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.75	2004
23.01.2020 16:07:26	1	1	1	1	75.75	62.75	0	30000	313.9784946	9340.091865	30000	0	0	30000	43.25	2004
23.01.2020 16:07:27	1	1	1	1	75.75	63.25	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	43.125	2004
23.01.2020 16:07:28	1	1	1	1	75.75	63	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:29	1	1	1	1	75.75	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 16:07:30	1	1	1	1	75.75	63.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.8125	2004
23.01.2020 16:07:31	1	1	1	1	75.75	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:32	1	1	1	1	75.5	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
23.01.2020 16:07:33	1	1	1	1	75.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:34	1	1	1	1	75.5	63	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.0625	2004
23.01.2020 16:07:35	1	1	1	1	75.5	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 16:07:36	1	1	1	1	75.5	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.9375	2004
23.01.2020 16:07:37	1	1	1	1	75.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
23.01.2020 16:07:38	1	1	1	1	75.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 16:07:39	1	1	1	1	75.5	62.75	0	30000	363.4408602	10740.08643	30000	0	0	30000	43.0625	2004
23.01.2020 16:07:40	1	1	1	1	75.5	62.75	0	30000	363.4408602	10740.08643	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:07:41	1	1	1	1	75.5	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
23.01.2020 16:07:42	1	1	1	1	75.5	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	43	2004
23.01.2020 16:07:43	1	1	1	1	75.5	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
23.01.2020 16:07:44	1	1	1	1	75.5	63	0	29952.607	339.7849462	10387.03014	30000	0	0	30000	43.25	2004
23.01.2020 16:07:45	1	1	1	1	75.5	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.6875	2004
23.01.2020 16:07:46	1	1	1	1	75.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 16:07:47	1	1	1	1	75.5	63	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 16:07:48	1	1	1	1	75.5	63	0	29715.64	354.8387097	10543.58166	30000	0	0	30000	43.3125	2004
23.01.2020 16:07:49	1	1	1	1	75.5	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.125	2004
23.01.2020 16:07:50	1	1	1	1	75.5	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.125	2004
23.01.2020 16:07:51	1	1	1	1	75.5	63	0	30000	354.8387097	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 16:07:52	1	1	1	1	75.5	63.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.25	2004
23.01.2020 16:07:53	1	1	1	1	75	62.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	43.375	2004
23.01.2020 16:07:54	1	1	1	1	75	63.25	0	30000	352.688172	10580.27342	30000	0	0	30000	43.3125	2004
23.01.2020 16:07:55	1	1	1	1	75	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.3125	2004
23.01.2020 16:07:56	1	1	1	1	75	63.25	0	30000	367.7419355	10903.16093	30000	0	0	30000	42.6875	2004
23.01.2020 16:07:57	1	1	1	1	75	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.25	2004
23.01.2020 16:07:58	1	1	1	1	75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 16:07:59	1	1	1	1	75	62.75	0	30000	380.6451613	11548.12057	30000	0	0	30000	43.375	2004
23.01.2020 16:08:07	1	1	1	1	75.25	62.75	0	30000	352.688172	10661.81067	30000	0	0	30000	43.25	2004
23.01.2020 16:08:07	1	1	1	1	75.25	62.75	0	30000	352.688172	10661.81067	30000	0	0	30000	43.25	2004
23.01.2020 16:08:07	1	1	1	1	75.25	62.75	0	30000	352.688172	10661.81067	30000	0	0	30000	43.25	2004
23.01.2020 16:08:07	1	1	1	1	75.25	62.75	0	30000	352.688172	10661.81067	30000	0	0	30000	43.25	2004
23.01.2020 16:08:07	1	1	1	1	75.25	62.75	0	30000	352.688172	10661.81067	30000	0	0	30000	43.25	2004
23.01.2020 16:08:07	1	1	1	1	75.25	62.75	0	30000	352.688172	10661.81067	30000	0	0	30000	43.25	2004
23.01.2020 16:08:07	1	1	1	1	75.25	62.75	0	30000	352.688172	10661.81067	30000	0	0	30000	43.25	2004
23.01.2020 16:08:08	1	1	1	1	75.25	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43	2004
23.01.2020 16:08:09	1	1	1	1	75.25	63	0	28009.479	333.3333333	9336.015003	30000	0	0	30000	43.25	2004
23.01.2020 16:08:10	1	1	1	1	75.25	63.25	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	42.875	2004
23.01.2020 16:08:11	1	1	1	1	75.25	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43	2004
23.01.2020 16:08:12	1	1	1	1	75.25	63	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.4375	2004
23.01.2020 16:08:13	1	1	1	1	75.25	62.25	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 16:08:14	1	1	1	1	75.25	62.75	0	29952.607	367.7419355	10886.03811	30000	0	0	30000	43.25	2004
23.01.2020 16:08:15	1	1	1	1	75.25	63.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:08:16	1	1	1	1	75.25	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 16:08:17	1	1	1	1	75.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 16:08:18	1	1	1	1	75.25	63	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:08:19	1	1	1	1	75.25	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
23.01.2020 16:08:20	1	1	1	1	75.25	62.75	0	29952.607	298.9247312	9319.707553	30000	0	0	30000	43.1875	2004
23.01.2020 16:08:21	1	1	1	1	75.25	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.25	2004
23.01.2020 16:08:22	1	1	1	1	75.25	63.25	0	30000	296.7741935	8644.579132	30000	0	0	30000	42.75	2004
23.01.2020 16:08:23	1	1	1	1	75	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.125	2004
23.01.2020 16:08:24	1	1	1	1	75	63	0	29952.607	286.0215054	8708.993559	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:08:25	1	1	1	1	75	63	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
23.01.2020 16:08:26	1	1	1	1	75	63.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.125	2004
23.01.2020 16:08:27	1	1	1	1	75	63	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
23.01.2020 16:08:28	1	1	1	1	75	63.25	0	30000	286.0215054	8360.014133	30000	0	0	30000	43.3125	2004
23.01.2020 16:08:29	1	1	1	1	75	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
23.01.2020 16:08:30	1	1	1	1	75	63.25	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 16:08:31	1	1	1	1	75	63	0	30000	303.2258065	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 16:08:32	1	1	1	1	75	63	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	43.125	2004
23.01.2020 16:08:33	1	1	1	1	75.5	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:08:34	1	1	1	1	75.5	63.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.1875	2004
23.01.2020 16:08:35	1	1	1	1	75.5	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.1875	2004
23.01.2020 16:08:36	1	1	1	1	75.5	63	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.25	2004
23.01.2020 16:08:37	1	1	1	1	75.5	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.5625	2004
23.01.2020 16:08:38	1	1	1	1	75.5	63.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.0625	2004
23.01.2020 16:08:39	1	1	1	1	75.5	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.625	2004
23.01.2020 16:08:40	1	1	1	1	75.5	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.25	2004
23.01.2020 16:08:41	1	1	1	1	75.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.25	2004
23.01.2020 16:08:43	1	1	1	1	75.5	63.25	0	29905.213	258.0645161	7729.731199	30000	0	0	30000	43.4375	2004
23.01.2020 16:08:44	1	1	1	1	75.5	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.1875	2004
23.01.2020 16:08:45	1	1	1	1	75.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.9375	2004
23.01.2020 16:08:46	1	1	1	1	75.5	62.75	0	29952.607	251.6129032	7600.902346	30000	0	0	30000	43.0625	2004
23.01.2020 16:08:47	1	1	1	1	75.5	63	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.8125	2004
23.01.2020 16:08:48	1	1	1	1	75.5	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.9375	2004
23.01.2020 16:08:49	1	1	1	1	75.5	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.125	2004
23.01.2020 16:08:50	1	1	1	1	75.5	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.125	2004
23.01.2020 16:08:51	1	1	1	1	75.5	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.8125	2004
23.01.2020 16:08:52	1	1	1	1	75.5	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.75	2004
23.01.2020 16:08:53	1	1	1	1	75	62.75	0	29905.213	268.8172043	8064.033919	30000	0	0	30000	43.1875	2004
23.01.2020 16:08:54	1	1	1	1	75	63	0	30000	268.8172043	8128.448346	30000	0	0	30000	43.3125	2004
23.01.2020 16:08:55	1	1	1	1	75	63.25	0	30000	270.9677419	8116.217759	30000	0	0	30000	43.125	2004
23.01.2020 16:08:56	1	1	1	1	75	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.1875	2004
23.01.2020 16:08:57	1	1	1	1	75	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	43.0625	2004
23.01.2020 16:08:58	1	1	1	1	75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.125	2004
23.01.2020 16:08:59	1	1	1	1	75	63	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.8125	2004
23.01.2020 16:09:00	1	1	1	1	75	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.125	2004
23.01.2020 16:09:01	1	1	1	1	75	63	0	30000	290.3225806	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 16:09:09	1	1	1	1	75.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:09:09	1	1	1	1	75.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:09:09	1	1	1	1	75.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:09:09	1	1	1	1	75.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:09:09	1	1	1	1	75.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:09:09	1	1	1	1	75.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:09:09	1	1	1	1	75.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:09:09	1	1	1	1	75.25	63	0	30000	298.9247312	8903.052211	30000	0	0	30000	43.0625	2004
23.01.2020 16:09:10	1	1	1	1	75.25	63	0	29905.213	311.827957	9324.599788	30000	0	0	30000	42.4375	2004
23.01.2020 16:09:11	1	1	1	1	75.25	62.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.3125	2004
23.01.2020 16:09:12	1	1	1	1	75.25	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.125	2004
23.01.2020 16:09:13	1	1	1	1	75.25	63	0	30000	316.1290323	9290.354143	30000	0	0	30000	43.0625	2004
23.01.2020 16:09:14	1	1	1	1	75.25	63	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 16:09:15	1	1	1	1	75.25	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:09:16	1	1	1	1	75.25	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 16:09:17	1	1	1	1	75.25	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.4375	2004
23.01.2020 16:09:18	1	1	1	1	75.25	63.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.875	2004
23.01.2020 16:09:19	1	1	1	1	75.25	62.75	0	29952.607	313.9784946	9324.599788	30000	0	0	30000	43.125	2004
23.01.2020 16:09:21	1	1	1	1	75.25	63.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
23.01.2020 16:09:22	1	1	1	1	75.25	63.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.125	2004
23.01.2020 16:09:23	1	1	1	1	75.5	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.25	2004
23.01.2020 16:09:24	1	1	1	1	75.5	63.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	42.8125	2004
23.01.2020 16:09:25	1	1	1	1	75.5	62.75	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	43.3125	2004
23.01.2020 16:09:26	1	1	1	1	75.5	63.25	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.9375	2004
23.01.2020 16:09:27	1	1	1	1	75.5	62.75	0	30047.393	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
23.01.2020 16:09:28	1	1	1	1	75.5	63.25	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 16:09:29	1	1	1	1	75.5	63	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.875	2004
23.01.2020 16:09:30	1	1	1	1	75.5	62.75	0	29952.607	286.0215054	8567.118745	30000	0	0	30000	43.0625	2004
23.01.2020 16:09:31	1	1	1	1	75.5	63	0	30000	301.0752688	8889.190879	30000	0	0	30000	42.875	2004
23.01.2020 16:09:32	1	1	1	1	75.5	62.75	0	30000	307.5268817	9160.709918	30000	0	0	30000	43.125	2004
23.01.2020 16:09:33	1	1	1	1	75.25	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 16:09:34	1	1	1	1	75.25	63	0	29952.607	335.483871	9999.728209	30000	0	0	30000	42.8125	2004
23.01.2020 16:09:35	1	1	1	1	75.25	62.75	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	42.9375	2004
23.01.2020 16:09:36	1	1	1	1	75.25	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.25	2004
23.01.2020 16:09:37	1	1	1	1	75.25	63.25	0	29905.213	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
23.01.2020 16:09:38	1	1	1	1	75.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 16:09:39	1	1	1	1	75.25	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.4375	2004
23.01.2020 16:09:40	1	1	1	1	75.25	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.3125	2004
23.01.2020 16:09:41	1	1	1	1	75.25	62.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 16:09:42	1	1	1	1	75.25	63	0	29715.64	356.9892473	10543.58166	30000	0	0	30000	42.8125	2004
23.01.2020 16:09:43	1	1	1	1	75.25	62.75	0	30000	397.8494624	11833.50094	30000	0	0	30000	43.25	2004
23.01.2020 16:09:44	1	1	1	1	75.25	63.25	0	29905.213	395.6989247	11999.83693	30000	0	0	30000	43.25	2004
23.01.2020 16:09:45	1	1	1	1	75.25	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 16:09:46	1	1	1	1	75.25	63	0	30000	412.9032258	11897.09999	30000	0	0	30000	43.375	2004
23.01.2020 16:09:47	1	1	1	1	75.25	63.25	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 16:09:48	1	1	1	1	75.25	62.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.75	2004
23.01.2020 16:09:49	1	1	1	1	75.25	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 16:09:50	1	1	1	1	75.25	63.25	0	29620.853	382.7956989	11274.97078	30000	0	0	30000	43.3125	2004
23.01.2020 16:09:51	1	1	1	1	75.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
23.01.2020 16:09:52	1	1	1	1	75.25	62.75	0	29952.607	389.2473118	11659.01122	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:09:53	1	1	1	1	75.5	62.5	0	30000	384.9462366	11676.94942	30000	0	0	30000	43.25	2004
23.01.2020 16:09:54	1	1	1	1	75.5	63.25	0	28815.166	341.9354839	9852.961161	30000	0	0	30000	43	2004
23.01.2020 16:09:55	1	1	1	1	75.5	63	0	30000	400	11999.83693	30000	0	0	30000	43.5	2004
23.01.2020 16:09:56	1	1	1	1	75.5	63.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	43.0625	2004
23.01.2020 16:09:57	1	1	1	1	75.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:09:59	1	1	1	1	75.5	63.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 16:10:00	1	1	1	1	75.5	63.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.125	2004
23.01.2020 16:10:01	1	1	1	1	75.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 16:10:02	1	1	1	1	75.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 16:10:03	1	1	1	1	75.25	62.75	0	30000	438.7096774	13310.95589	30000	0	0	30000	43	2004
23.01.2020 16:10:10	1	1	1	1	75.25	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
23.01.2020 16:10:10	1	1	1	1	75.25	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
23.01.2020 16:10:10	1	1	1	1	75.25	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
23.01.2020 16:10:10	1	1	1	1	75.25	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
23.01.2020 16:10:10	1	1	1	1	75.25	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
23.01.2020 16:10:10	1	1	1	1	75.25	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
23.01.2020 16:10:10	1	1	1	1	75.25	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
23.01.2020 16:10:10	1	1	1	1	75.25	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
23.01.2020 16:10:11	1	1	1	1	75.25	62	0	30000	419.3548387	12451.55328	30000	0	0	30000	43	2004
23.01.2020 16:10:12	1	1	1	1	75.25	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 16:10:13	1	1	1	1	75	63.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 16:10:14	1	1	1	1	75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 16:10:15	1	1	1	1	75	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 16:10:16	1	1	1	1	75	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:10:17	1	1	1	1	75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 16:10:18	1	1	1	1	75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 16:10:19	1	1	1	1	75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 16:10:20	1	1	1	1	75	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 16:10:21	1	1	1	1	75	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 16:10:22	1	1	1	1	75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 16:10:23	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:10:24	1	1	1	1	75.25	63.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 16:10:25	1	1	1	1	75.25	63	0	30000	434.4086022	12967.68407	30000	0	0	30000	43.125	2004
23.01.2020 16:10:26	1	1	1	1	75.25	63	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.8125	2004
23.01.2020 16:10:27	1	1	1	1	75.25	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.9375	2004
23.01.2020 16:10:28	1	1	1	1	75.25	62.75	0	30000	432.2580645	13096.51292	30000	0	0	30000	43	2004
23.01.2020 16:10:29	1	1	1	1	75.25	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.0625	2004
23.01.2020 16:10:30	1	1	1	1	75.25	63	0	30000	464.516129	13935.53122	30000	0	0	30000	43.125	2004
23.01.2020 16:10:31	1	1	1	1	75.25	63	0	30000	464.516129	13935.53122	30000	0	0	30000	43.125	2004
23.01.2020 16:10:32	1	1	1	1	75.25	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.0625	2004
23.01.2020 16:10:33	1	1	1	1	75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43	2004
23.01.2020 16:10:34	1	1	1	1	75	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.0625	2004
23.01.2020 16:10:35	1	1	1	1	75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
23.01.2020 16:10:37	1	1	1	1	75	63.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:10:38	1	1	1	1	75	63	0	30000	488.172043	14428.83157	30000	0	0	30000	42.875	2004
23.01.2020 16:10:39	1	1	1	1	75	62.75	0	30000	520.4301075	15548.338	30000	0	0	30000	42.875	2004
23.01.2020 16:10:40	1	1	1	1	75	62.75	0	30000	509.6774194	15225.45049	30000	0	0	30000	43.1875	2004
23.01.2020 16:10:41	1	1	1	1	75	63	0	30000	503.2258065	15032.20721	30000	0	0	30000	43.125	2004
23.01.2020 16:10:42	1	1	1	1	75	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.375	2004
23.01.2020 16:10:43	1	1	1	1	74.75	62.25	0	30047.393	516.1290323	15225.45049	30000	0	0	30000	43	2004
23.01.2020 16:10:44	1	1	1	1	74.75	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.0625	2004
23.01.2020 16:10:45	1	1	1	1	74.75	63	0	30000	518.2795699	15548.338	30000	0	0	30000	42.3125	2004
23.01.2020 16:10:46	1	1	1	1	74.75	62.25	0	30000	516.1290323	15289.86492	30000	0	0	30000	43.25	2004
23.01.2020 16:10:47	1	1	1	1	74.75	63.25	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	42.75	2004
23.01.2020 16:10:48	1	1	1	1	74.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.9375	2004
23.01.2020 16:10:49	1	1	1	1	74.75	62.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.1875	2004
23.01.2020 16:10:50	1	1	1	1	74.75	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.125	2004
23.01.2020 16:10:51	1	1	1	1	74.75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
23.01.2020 16:10:52	1	1	1	1	74.75	63	0	30000	507.5268817	15008.56141	30000	0	0	30000	43.25	2004
23.01.2020 16:10:53	1	1	1	1	74.75	63.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.125	2004
23.01.2020 16:10:54	1	1	1	1	74.75	63	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.375	2004
23.01.2020 16:10:55	1	1	1	1	74.75	62.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.125	2004
23.01.2020 16:10:56	1	1	1	1	74.75	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.75	2004
23.01.2020 16:10:57	1	1	1	1	74.75	62.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	43.25	2004
23.01.2020 16:10:58	1	1	1	1	74.75	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.0625	2004
23.01.2020 16:10:59	1	1	1	1	74.75	63	0	30000	505.3763441	15161.03607	30000	0	0	30000	43	2004
23.01.2020 16:11:00	1	1	1	1	74.75	63	0	30000	503.2258065	15032.20721	30000	0	0	30000	43	2004
23.01.2020 16:11:01	1	1	1	1	74.75	63	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.9375	2004
23.01.2020 16:11:02	1	1	1	1	74.75	62.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.25	2004
23.01.2020 16:11:03	1	1	1	1	74.75	63.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.5625	2004
23.01.2020 16:11:04	1	1	1	1	74.75	62.5	0	30000	488.172043	14773.73413	30000	0	0	30000	42.625	2004
23.01.2020 16:11:12	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 16:11:12	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 16:11:12	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 16:11:12	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 16:11:12	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 16:11:12	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 16:11:12	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 16:11:12	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 16:11:12	1	1	1	1	74.75	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.375	2004
23.01.2020 16:11:13	1	1	1	1	75	63.25	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	43	2004
23.01.2020 16:11:14	1	1	1	1	75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.375	2004
23.01.2020 16:11:16	1	1	1	1	75	63.25	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	43.3125	2004
23.01.2020 16:11:17	1	1	1	1	75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 16:11:18	1	1	1	1	75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 16:11:19	1	1	1	1	75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.25	2004
23.01.2020 16:11:20	1	1	1	1	75	63.25	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 16:11:21	1	1	1	1	75	63	0	29620.853	311.827957	9251.216264	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:11:22	1	1	1	1	75	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	43	2004
23.01.2020 16:11:23	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 16:11:24	1	1	1	1	75.25	63	0	30000	337.6344086	10549.28927	30000	0	0	30000	42.9375	2004
23.01.2020 16:11:25	1	1	1	1	75.25	62.75	0	30047.393	337.6344086	10064.14264	30000	0	0	30000	42.75	2004
23.01.2020 16:11:26	1	1	1	1	75.25	62.75	0	30000	326.8817204	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 16:11:27	1	1	1	1	75.25	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.875	2004
23.01.2020 16:11:28	1	1	1	1	75.25	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 16:11:29	1	1	1	1	75.25	63	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
23.01.2020 16:11:30	1	1	1	1	75.25	63	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
23.01.2020 16:11:31	1	1	1	1	75.25	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 16:11:32	1	1	1	1	75.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
23.01.2020 16:11:33	1	1	1	1	75.25	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.0625	2004
23.01.2020 16:11:34	1	1	1	1	75.25	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.3125	2004
23.01.2020 16:11:35	1	1	1	1	75.25	63.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:11:36	1	1	1	1	75.25	63	0	30000	316.1290323	9132.171881	30000	0	0	30000	43.125	2004
23.01.2020 16:11:37	1	1	1	1	75.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 16:11:38	1	1	1	1	75.25	63	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:11:39	1	1	1	1	75.25	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.0625	2004
23.01.2020 16:11:40	1	1	1	1	75.25	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 16:11:41	1	1	1	1	75.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.125	2004
23.01.2020 16:11:42	1	1	1	1	75.25	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 16:11:43	1	1	1	1	75.25	63	0	30000	298.9247312	8903.052211	30000	0	0	30000	43.125	2004
23.01.2020 16:11:44	1	1	1	1	75.25	63	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
23.01.2020 16:11:45	1	1	1	1	75.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:11:46	1	1	1	1	75.25	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 16:11:47	1	1	1	1	75.25	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.875	2004
23.01.2020 16:11:48	1	1	1	1	75.25	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.9375	2004
23.01.2020 16:11:49	1	1	1	1	75.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
23.01.2020 16:11:50	1	1	1	1	75.25	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.6875	2004
23.01.2020 16:11:51	1	1	1	1	75.25	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 16:11:53	1	1	1	1	75.25	63.25	0	29905.213	335.483871	10032.34311	30000	0	0	30000	43.1875	2004
23.01.2020 16:11:54	1	1	1	1	75	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.0625	2004
23.01.2020 16:11:55	1	1	1	1	75	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.8125	2004
23.01.2020 16:11:56	1	1	1	1	75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 16:11:57	1	1	1	1	75	63	0	29952.607	384.9462366	11659.01122	30000	0	0	30000	43.0625	2004
23.01.2020 16:11:58	1	1	1	1	75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.3125	2004
23.01.2020 16:11:59	1	1	1	1	75	63.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.625	2004
23.01.2020 16:12:00	1	1	1	1	75	62.5	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	43	2004
23.01.2020 16:12:01	1	1	1	1	75	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:12:02	1	1	1	1	75	62.75	0	29905.213	400	12193.08021	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:03	1	1	1	1	75	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:04	1	1	1	1	75	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 16:12:05	1	1	1	1	75	63	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:12:06	1	1	1	1	75	63	0	29241.706	412.9032258	12074.03582	30000	0	0	30000	43.125	2004
23.01.2020 16:12:13	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:13	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:13	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:13	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:13	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:13	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:13	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:13	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:14	1	1	1	1	75	63	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.25	2004
23.01.2020 16:12:15	1	1	1	1	75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:16	1	1	1	1	75	63	0	30000	350.5376344	10435.13712	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:17	1	1	1	1	75	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:18	1	1	1	1	75	63	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
23.01.2020 16:12:19	1	1	1	1	75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
23.01.2020 16:12:20	1	1	1	1	75	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:21	1	1	1	1	75	63	0	29905.213	346.2365591	10644.68785	30000	0	0	30000	42.8125	2004
23.01.2020 16:12:22	1	1	1	1	75	62.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:23	1	1	1	1	75	63	0	30000	348.3870968	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:12:24	1	1	1	1	75	63	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	42.6875	2004
23.01.2020 16:12:25	1	1	1	1	75	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.6875	2004
23.01.2020 16:12:26	1	1	1	1	75	62.5	0	30000	354.8387097	10790.63952	30000	0	0	30000	43.25	2004
23.01.2020 16:12:27	1	1	1	1	75	63.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	43.0625	2004
23.01.2020 16:12:28	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.625	2004
23.01.2020 16:12:29	1	1	1	1	75	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:12:30	1	1	1	1	75	63	0	30000	374.1935484	11354.87729	30000	0	0	30000	43.3125	2004
23.01.2020 16:12:32	1	1	1	1	75	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
23.01.2020 16:12:33	1	1	1	1	75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 16:12:34	1	1	1	1	74.75	63.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:35	1	1	1	1	74.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:12:36	1	1	1	1	74.75	63.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:37	1	1	1	1	74.75	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:38	1	1	1	1	74.75	63	0	30000	434.4086022	13225.34178	30000	0	0	30000	42.25	2004
23.01.2020 16:12:39	1	1	1	1	74.75	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 16:12:40	1	1	1	1	74.75	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:41	1	1	1	1	74.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 16:12:42	1	1	1	1	74.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.6875	2004
23.01.2020 16:12:43	1	1	1	1	75	62.5	0	29952.607	421.5053763	12709.21099	30000	0	0	30000	42.8125	2004
23.01.2020 16:12:44	1	1	1	1	75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:12:45	1	1	1	1	75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 16:12:46	1	1	1	1	75	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 16:12:47	1	1	1	1	75	63	0	30000	427.9569892	12709.21099	30000	0	0	30000	42.75	2004
23.01.2020 16:12:48	1	1	1	1	75	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:49	1	1	1	1	75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:12:50	1	1	1	1	75	63.25	0	30000	423.655914	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:12:51	1	1	1	1	75	63	0	30000	423.655914	12709.21099	30000	0	0	30000	43.0625	2004
23.01.2020 16:12:52	1	1	1	1	75	63	0	30000	423.655914	12709.21099	30000	0	0	30000	43.1875	2004
23.01.2020 16:12:53	1	1	1	1	74.75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.25	2004
23.01.2020 16:12:54	1	1	1	1	74.75	63.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.125	2004
23.01.2020 16:12:55	1	1	1	1	74.75	63	0	30000	458.0645161	13805.88699	30000	0	0	30000	43.125	2004
23.01.2020 16:12:56	1	1	1	1	74.75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 16:12:57	1	1	1	1	74.75	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.375	2004
23.01.2020 16:12:58	1	1	1	1	74.75	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 16:12:59	1	1	1	1	74.75	63	0	30000	460.2150538	13870.30142	30000	0	0	30000	43.25	2004
23.01.2020 16:13:00	1	1	1	1	74.75	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:01	1	1	1	1	74.75	63	0	30000	468.8172043	14451.662	30000	0	0	30000	43.125	2004
23.01.2020 16:13:02	1	1	1	1	74.75	63	0	30047.393	492.4731183	14428.83157	30000	0	0	30000	43.0625	2004
23.01.2020 16:13:03	1	1	1	1	74.75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 16:13:04	1	1	1	1	74.75	63	0	29905.213	464.516129	14064.36007	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:05	1	1	1	1	74.75	63	0	30000	507.5268817	15161.03607	30000	0	0	30000	43	2004
23.01.2020 16:13:06	1	1	1	1	74.75	63	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.75	2004
23.01.2020 16:13:07	1	1	1	1	74.75	63.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	43	2004
23.01.2020 16:13:15	1	1	1	1	74.75	63	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42.9375	2004
23.01.2020 16:13:15	1	1	1	1	74.75	63	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42.9375	2004
23.01.2020 16:13:15	1	1	1	1	74.75	63	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42.9375	2004
23.01.2020 16:13:15	1	1	1	1	74.75	63	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42.9375	2004
23.01.2020 16:13:15	1	1	1	1	74.75	63	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42.9375	2004
23.01.2020 16:13:15	1	1	1	1	74.75	63	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42.9375	2004
23.01.2020 16:13:15	1	1	1	1	74.75	63	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42.9375	2004
23.01.2020 16:13:15	1	1	1	1	74.75	63	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42.9375	2004
23.01.2020 16:13:16	1	1	1	1	74.75	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.625	2004
23.01.2020 16:13:17	1	1	1	1	74.75	62.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.25	2004
23.01.2020 16:13:18	1	1	1	1	74.75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 16:13:19	1	1	1	1	74.75	63.25	0	29431.28	333.3333333	9809.746419	30000	0	0	30000	43.375	2004
23.01.2020 16:13:20	1	1	1	1	74.75	63.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:21	1	1	1	1	74.75	63	0	30000	374.1935484	10868.09991	30000	0	0	30000	43.3125	2004
23.01.2020 16:13:22	1	1	1	1	74.75	63.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.875	2004
23.01.2020 16:13:23	1	1	1	1	74.75	62.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:24	1	1	1	1	74.75	63	0	30000	356.9892473	10628.3804	30000	0	0	30000	43.125	2004
23.01.2020 16:13:25	1	1	1	1	74.75	63	0	30000	350.5376344	10580.27342	30000	0	0	30000	43.125	2004
23.01.2020 16:13:26	1	1	1	1	74.75	63	0	29952.607	346.2365591	10225.58639	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:27	1	1	1	1	74.75	63	0	29952.607	341.9354839	10128.55706	30000	0	0	30000	43.125	2004
23.01.2020 16:13:28	1	1	1	1	74.75	63	0	30000	335.483871	10128.55706	30000	0	0	30000	42.875	2004
23.01.2020 16:13:29	1	1	1	1	74.75	62.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.0625	2004
23.01.2020 16:13:30	1	1	1	1	74.75	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.75	2004
23.01.2020 16:13:31	1	1	1	1	74.75	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
23.01.2020 16:13:32	1	1	1	1	74.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:33	1	1	1	1	74.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:13:34	1	1	1	1	74.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.375	2004
23.01.2020 16:13:35	1	1	1	1	74.75	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 16:13:36	1	1	1	1	74.75	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:37	1	1	1	1	74.75	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.3125	2004
23.01.2020 16:13:38	1	1	1	1	74.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 16:13:39	1	1	1	1	74.75	63.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:40	1	1	1	1	74.75	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.875	2004
23.01.2020 16:13:41	1	1	1	1	74.75	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.4375	2004
23.01.2020 16:13:42	1	1	1	1	74.75	62.25	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:13:43	1	1	1	1	74.75	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 16:13:44	1	1	1	1	74.75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:45	1	1	1	1	74.75	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.875	2004
23.01.2020 16:13:46	1	1	1	1	74.75	62.75	0	29431.28	277.4193548	8164.324736	30000	0	0	30000	43.4375	2004
23.01.2020 16:13:48	1	1	1	1	74.75	63.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 16:13:49	1	1	1	1	74.75	63	0	29573.46	298.9247312	8854.129862	30000	0	0	30000	43.5625	2004
23.01.2020 16:13:50	1	1	1	1	74.75	63.5	0	29952.607	311.827957	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 16:13:51	1	1	1	1	74.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
23.01.2020 16:13:52	1	1	1	1	74.75	62.25	0	29905.213	311.827957	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:53	1	1	1	1	74.5	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.75	2004
23.01.2020 16:13:54	1	1	1	1	74.5	62.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.4375	2004
23.01.2020 16:13:55	1	1	1	1	74.5	63.25	0	30000	303.2258065	8967.466638	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:56	1	1	1	1	74.5	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.0625	2004
23.01.2020 16:13:57	1	1	1	1	74.5	63	0	30000	311.827957	9419.182997	30000	0	0	30000	43.1875	2004
23.01.2020 16:13:58	1	1	1	1	74.5	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.5625	2004
23.01.2020 16:13:59	1	1	1	1	74.5	62.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 16:14:00	1	1	1	1	74.5	63	0	29146.919	333.3333333	9746.962737	30000	0	0	30000	43.25	2004
23.01.2020 16:14:01	1	1	1	1	74.5	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.4375	2004
23.01.2020 16:14:02	1	1	1	1	74.5	63.25	0	29905.213	354.8387097	10611.25758	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:03	1	1	1	1	74.5	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.8125	2004
23.01.2020 16:14:04	1	1	1	1	74.5	62.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:14:05	1	1	1	1	74.5	63.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 16:14:06	1	1	1	1	74.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
23.01.2020 16:14:07	1	1	1	1	74.5	62.5	0	30000	387.0967742	11401.35352	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:08	1	1	1	1	74.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:14:09	1	1	1	1	74.5	63	0	30000	400	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:17	1	1	1	1	74.25	63	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:14:17	1	1	1	1	74.25	63	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:14:17	1	1	1	1	74.25	63	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:14:17	1	1	1	1	74.25	63	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:14:17	1	1	1	1	74.25	63	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:14:17	1	1	1	1	74.25	63	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:14:17	1	1	1	1	74.25	63	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:14:17	1	1	1	1	74.25	63.25	0	29952.607	283.8709677	8930.774876	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:14:18	1	1	1	1	74.25	63	0	30000	288.172043	8722.854891	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:19	1	1	1	1	74.25	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.3125	2004
23.01.2020 16:14:20	1	1	1	1	74.25	63.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:14:21	1	1	1	1	74.25	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.375	2004
23.01.2020 16:14:22	1	1	1	1	74.25	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.4375	2004
23.01.2020 16:14:23	1	1	1	1	74.25	63.25	0	30000	281.7204301	8438.289892	30000	0	0	30000	43.375	2004
23.01.2020 16:14:24	1	1	1	1	74.25	63.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.4375	2004
23.01.2020 16:14:25	1	1	1	1	74.25	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:27	1	1	1	1	74.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.75	2004
23.01.2020 16:14:28	1	1	1	1	74.25	63.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:29	1	1	1	1	74.25	62.75	0	28957.346	260.2150538	7534.857174	30000	0	0	30000	43.375	2004
23.01.2020 16:14:30	1	1	1	1	74.25	63.25	0	30000	296.7741935	9031.881064	30000	0	0	30000	43.25	2004
23.01.2020 16:14:31	1	1	1	1	74.25	63.25	0	29905.213	307.5268817	9225.124344	30000	0	0	30000	43.25	2004
23.01.2020 16:14:32	1	1	1	1	74.25	63.25	0	30000	311.827957	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 16:14:33	1	1	1	1	74.25	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 16:14:34	1	1	1	1	74.25	63	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.6875	2004
23.01.2020 16:14:35	1	1	1	1	74.25	62.5	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	43.375	2004
23.01.2020 16:14:36	1	1	1	1	74.25	63.25	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	43	2004
23.01.2020 16:14:37	1	1	1	1	74.25	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43	2004
23.01.2020 16:14:38	1	1	1	1	74.25	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.1875	2004
23.01.2020 16:14:39	1	1	1	1	74.25	62	0	30000	350.5376344	10370.72269	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:40	1	1	1	1	74.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 16:14:41	1	1	1	1	74.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.4375	2004
23.01.2020 16:14:42	1	1	1	1	74.25	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.3125	2004
23.01.2020 16:14:43	1	1	1	1	74.25	63.25	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:14:44	1	1	1	1	74.25	63.25	0	29952.607	335.483871	9999.728209	30000	0	0	30000	43.3125	2004
23.01.2020 16:14:45	1	1	1	1	74.25	63.25	0	29905.213	331.1827957	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 16:14:46	1	1	1	1	74.25	63	0	30000	333.3333333	10080.45009	30000	0	0	30000	43.25	2004
23.01.2020 16:14:47	1	1	1	1	74.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:48	1	1	1	1	74.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 16:14:49	1	1	1	1	74.25	63	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:50	1	1	1	1	74.25	63	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 16:14:51	1	1	1	1	74.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 16:14:52	1	1	1	1	74.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 16:14:53	1	1	1	1	74	63	0	30000	335.483871	9999.728209	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:54	1	1	1	1	74	63	0	30047.393	335.483871	9870.899356	30000	0	0	30000	43.0625	2004
23.01.2020 16:14:55	1	1	1	1	74	63	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.4375	2004
23.01.2020 16:14:56	1	1	1	1	74	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 16:14:57	1	1	1	1	74	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 16:14:58	1	1	1	1	74	63	0	30000	339.7849462	9984.236132	30000	0	0	30000	43.3125	2004
23.01.2020 16:14:59	1	1	1	1	74	63.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.9375	2004
23.01.2020 16:15:00	1	1	1	1	74	62.75	0	30047.393	339.7849462	10144.86451	30000	0	0	30000	43.125	2004
23.01.2020 16:15:01	1	1	1	1	74	63	0	30000	348.3870968	10644.68785	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:15:02	1	1	1	1	74	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.25	2004
23.01.2020 16:15:04	1	1	1	1	73.75	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
23.01.2020 16:15:05	1	1	1	1	73.75	63.25	0	30000	331.1827957	9967.928682	30000	0	0	30000	43.5625	2004
23.01.2020 16:15:06	1	1	1	1	73.75	63.5	0	30000	329.0322581	9886.391433	30000	0	0	30000	43.6875	2004
23.01.2020 16:15:07	1	1	1	1	73.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 16:15:08	1	1	1	1	73.75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:09	1	1	1	1	73.75	63.25	0	30000	337.6344086	9967.928682	30000	0	0	30000	43.125	2004
23.01.2020 16:15:10	1	1	1	1	73.75	63	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:11	1	1	1	1	73.75	63.25	0	30000	311.827957	9419.182997	30000	0	0	30000	43.1875	2004
23.01.2020 16:15:18	1	1	1	1	72.75	63.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:15:18	1	1	1	1	72.75	63.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:15:18	1	1	1	1	72.75	63.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:15:18	1	1	1	1	72.75	63.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:15:18	1	1	1	1	72.75	63.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:15:18	1	1	1	1	72.75	63.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:15:18	1	1	1	1	72.75	63.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:15:19	1	1	1	1	72.75	63.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:20	1	1	1	1	72.75	63.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5	2004
23.01.2020 16:15:21	1	1	1	1	72.75	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:22	1	1	1	1	72.75	63.25	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 16:15:23	1	1	1	1	73.25	63	0	30000	290.3225806	8644.579132	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:24	1	1	1	1	73.25	63.25	0	30000	281.7204301	8594.026038	30000	0	0	30000	43.25	2004
23.01.2020 16:15:25	1	1	1	1	73.25	63.25	0	30000	277.4193548	8192.862773	30000	0	0	30000	43.125	2004
23.01.2020 16:15:26	1	1	1	1	73.25	63	0	30047.393	273.1182796	8192.862773	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:27	1	1	1	1	73.25	63.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:28	1	1	1	1	73.25	63.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.375	2004
23.01.2020 16:15:29	1	1	1	1	73.25	63.25	0	30000	270.9677419	7987.388905	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:30	1	1	1	1	73.25	63.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:31	1	1	1	1	73.25	63.25	0	29952.607	264.516129	7935.205066	30000	0	0	30000	42.75	2004
23.01.2020 16:15:32	1	1	1	1	73.25	62.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	43	2004
23.01.2020 16:15:33	1	1	1	1	73.5	63	0	30000	262.3655914	7806.376213	30000	0	0	30000	43.25	2004
23.01.2020 16:15:34	1	1	1	1	73.5	63.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	42.875	2004
23.01.2020 16:15:35	1	1	1	1	73.5	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.1875	2004
23.01.2020 16:15:36	1	1	1	1	73.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:37	1	1	1	1	73.5	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.1875	2004
23.01.2020 16:15:38	1	1	1	1	73.5	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.25	2004
23.01.2020 16:15:39	1	1	1	1	73.5	63.25	0	30000	266.6666667	7922.974479	30000	0	0	30000	43.375	2004
23.01.2020 16:15:40	1	1	1	1	73.5	63.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.1875	2004
23.01.2020 16:15:41	1	1	1	1	73.5	63	0	30000	268.8172043	8128.448346	30000	0	0	30000	43.25	2004
23.01.2020 16:15:43	1	1	1	1	73.5	63.25	0	30000	268.8172043	7999.619493	30000	0	0	30000	43.75	2004
23.01.2020 16:15:44	1	1	1	1	73.75	63.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.8125	2004
23.01.2020 16:15:45	1	1	1	1	73.75	62.75	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	43.25	2004
23.01.2020 16:15:46	1	1	1	1	73.75	63.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:15:47	1	1	1	1	73.75	63.25	0	29952.607	292.4731183	8838.637784	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:48	1	1	1	1	73.75	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.8125	2004
23.01.2020 16:15:49	1	1	1	1	73.75	62.75	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.25	2004
23.01.2020 16:15:50	1	1	1	1	73.75	63.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:15:51	1	1	1	1	73.75	63.25	0	30047.393	301.0752688	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 16:15:52	1	1	1	1	73.75	63	0	29905.213	275.2688172	8451.335852	30000	0	0	30000	42.75	2004
23.01.2020 16:15:53	1	1	1	1	73.75	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.8125	2004
23.01.2020 16:15:54	1	1	1	1	73.75	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	43.25	2004
23.01.2020 16:15:55	1	1	1	1	73.75	63.25	0	30000	286.0215054	8515.750279	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:56	1	1	1	1	73.75	63.25	0	30000	277.4193548	8386.921425	30000	0	0	30000	43.1875	2004
23.01.2020 16:15:57	1	1	1	1	73.75	63	0	29905.213	268.8172043	8103.171799	30000	0	0	30000	43.375	2004
23.01.2020 16:15:58	1	1	1	1	73.75	63.25	0	30000	268.8172043	7999.619493	30000	0	0	30000	43.3125	2004
23.01.2020 16:15:59	1	1	1	1	73.75	63.25	0	30000	277.4193548	8258.092572	30000	0	0	30000	43.25	2004
23.01.2020 16:16:00	1	1	1	1	73.75	63.25	0	30000	277.4193548	8451.335852	30000	0	0	30000	42.1875	2004
23.01.2020 16:16:01	1	1	1	1	73.75	62	0	30000	273.1182796	8064.033919	30000	0	0	30000	43	2004
23.01.2020 16:16:02	1	1	1	1	73.75	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.8125	2004
23.01.2020 16:16:03	1	1	1	1	73.75	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.25	2004
23.01.2020 16:16:04	1	1	1	1	73.75	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.25	2004
23.01.2020 16:16:05	1	1	1	1	73.75	63.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	43.4375	2004
23.01.2020 16:16:06	1	1	1	1	73.75	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.25	2004
23.01.2020 16:16:07	1	1	1	1	73.75	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.6875	2004
23.01.2020 16:16:08	1	1	1	1	73.75	62.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.375	2004
23.01.2020 16:16:09	1	1	1	1	73.75	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.25	2004
23.01.2020 16:16:10	1	1	1	1	73.75	63.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.125	2004
23.01.2020 16:16:11	1	1	1	1	73.75	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.375	2004
23.01.2020 16:16:12	1	1	1	1	73.75	63.25	0	30000	258.0645161	7665.316772	30000	0	0	30000	43.5	2004
23.01.2020 16:16:20	1	1	1	1	73.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:20	1	1	1	1	73.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:20	1	1	1	1	73.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:20	1	1	1	1	73.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:20	1	1	1	1	73.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:20	1	1	1	1	73.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:20	1	1	1	1	73.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:21	1	1	1	1	73.75	63.25	0	30000	316.1290323	9196.586307	30000	0	0	30000	43.375	2004
23.01.2020 16:16:22	1	1	1	1	73.75	63.25	0	28483.412	290.3225806	8268.692414	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:23	1	1	1	1	73.75	63.25	0	29952.607	305.3763441	9082.434159	30000	0	0	30000	43.6875	2004
23.01.2020 16:16:24	1	1	1	1	73.75	63.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.75	2004
23.01.2020 16:16:25	1	1	1	1	73.75	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:26	1	1	1	1	73.75	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:27	1	1	1	1	73.75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:16:28	1	1	1	1	73.75	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.25	2004
23.01.2020 16:16:29	1	1	1	1	73.75	63.25	0	29952.607	303.2258065	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 16:16:30	1	1	1	1	73.75	63	0	29715.64	294.6236559	8485.581496	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:16:31	1	1	1	1	73.75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.5625	2004
23.01.2020 16:16:32	1	1	1	1	73.75	62.5	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.8125	2004
23.01.2020 16:16:33	1	1	1	1	73.5	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:34	1	1	1	1	73.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.375	2004
23.01.2020 16:16:35	1	1	1	1	73.5	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.25	2004
23.01.2020 16:16:36	1	1	1	1	73.5	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.25	2004
23.01.2020 16:16:37	1	1	1	1	73.5	63.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.375	2004
23.01.2020 16:16:38	1	1	1	1	73.5	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.375	2004
23.01.2020 16:16:39	1	1	1	1	73.5	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.0625	2004
23.01.2020 16:16:40	1	1	1	1	73.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.4375	2004
23.01.2020 16:16:41	1	1	1	1	73.5	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:42	1	1	1	1	73.5	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 16:16:43	1	1	1	1	73.5	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.75	2004
23.01.2020 16:16:44	1	1	1	1	73.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 16:16:45	1	1	1	1	73.5	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.4375	2004
23.01.2020 16:16:46	1	1	1	1	73.5	62.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.375	2004
23.01.2020 16:16:47	1	1	1	1	73.5	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.0625	2004
23.01.2020 16:16:48	1	1	1	1	73.5	63	0	30000	318.2795699	9468.920719	30000	0	0	30000	43.1875	2004
23.01.2020 16:16:49	1	1	1	1	73.5	63	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	42.6875	2004
23.01.2020 16:16:50	1	1	1	1	73.5	62.5	0	30000	322.5806452	9597.749572	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:51	1	1	1	1	73.5	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004
23.01.2020 16:16:52	1	1	1	1	73.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 16:16:53	1	1	1	1	73.75	63.25	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:54	1	1	1	1	73.75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 16:16:55	1	1	1	1	73.75	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.1875	2004
23.01.2020 16:16:56	1	1	1	1	73.75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5625	2004
23.01.2020 16:16:57	1	1	1	1	73.75	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:16:58	1	1	1	1	73.75	63.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.375	2004
23.01.2020 16:17:00	1	1	1	1	73.75	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
23.01.2020 16:17:01	1	1	1	1	73.75	63	0	30000	309.6774194	9483.597423	30000	0	0	30000	43.75	2004
23.01.2020 16:17:02	1	1	1	1	73.75	63.75	0	30000	313.9784946	9340.091865	30000	0	0	30000	43.375	2004
23.01.2020 16:17:03	1	1	1	1	73.75	63.25	0	29810.427	281.7204301	8526.350121	30000	0	0	30000	43.6875	2004
23.01.2020 16:17:04	1	1	1	1	73.75	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
23.01.2020 16:17:05	1	1	1	1	73.75	63.25	0	30000	313.9784946	9692.332781	30000	0	0	30000	43.1875	2004
23.01.2020 16:17:06	1	1	1	1	73.75	63	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.75	2004
23.01.2020 16:17:07	1	1	1	1	73.75	62.75	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	42.8125	2004
23.01.2020 16:17:08	1	1	1	1	73.75	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 16:17:09	1	1	1	1	73.75	63	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.1875	2004
23.01.2020 16:17:10	1	1	1	1	73.75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.3125	2004
23.01.2020 16:17:11	1	1	1	1	73.75	62.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.1875	2004
23.01.2020 16:17:12	1	1	1	1	73.75	63	0	30000	296.7741935	8708.993559	30000	0	0	30000	43.25	2004
23.01.2020 16:17:13	1	1	1	1	73.75	63.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.125	2004
23.01.2020 16:17:14	1	1	1	1	73.75	63	0	29952.607	247.311828	7407.659066	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:17:21	1	1	1	1	73.75	63	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:21	1	1	1	1	73.75	63	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:21	1	1	1	1	73.75	63	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:21	1	1	1	1	73.75	63	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:21	1	1	1	1	73.75	63	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:21	1	1	1	1	73.75	63	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:21	1	1	1	1	73.75	63	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:22	1	1	1	1	73.75	63.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	43.25	2004
23.01.2020 16:17:23	1	1	1	1	74	63.25	0	30000	227.9569892	6774.114641	30000	0	0	30000	43.4375	2004
23.01.2020 16:17:24	1	1	1	1	74	63.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	43.125	2004
23.01.2020 16:17:25	1	1	1	1	74	63	0	30000	245.1612903	7354.659854	30000	0	0	30000	43.25	2004
23.01.2020 16:17:26	1	1	1	1	74	63.25	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:27	1	1	1	1	74	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.1875	2004
23.01.2020 16:17:28	1	1	1	1	74	63	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	43.125	2004
23.01.2020 16:17:29	1	1	1	1	74	63	0	30094.787	273.1182796	8348.598918	30000	0	0	30000	43.125	2004
23.01.2020 16:17:30	1	1	1	1	74	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.0625	2004
23.01.2020 16:17:31	1	1	1	1	74	63	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.25	2004
23.01.2020 16:17:32	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.1875	2004
23.01.2020 16:17:33	1	1	1	1	74.25	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 16:17:34	1	1	1	1	74.25	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.8125	2004
23.01.2020 16:17:35	1	1	1	1	74.25	62.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:17:36	1	1	1	1	74.25	63.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:37	1	1	1	1	74.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:17:39	1	1	1	1	74.25	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
23.01.2020 16:17:40	1	1	1	1	74.25	63.25	0	29952.607	288.172043	8695.947599	30000	0	0	30000	43.5625	2004
23.01.2020 16:17:41	1	1	1	1	74.25	63.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.5	2004
23.01.2020 16:17:42	1	1	1	1	74.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.4375	2004
23.01.2020 16:17:43	1	1	1	1	74.25	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.625	2004
23.01.2020 16:17:44	1	1	1	1	74	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.75	2004
23.01.2020 16:17:45	1	1	1	1	74	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 16:17:46	1	1	1	1	74	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.3125	2004
23.01.2020 16:17:47	1	1	1	1	74	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.5	2004
23.01.2020 16:17:48	1	1	1	1	74	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
23.01.2020 16:17:49	1	1	1	1	74	63.25	0	29952.607	333.3333333	10048.65056	30000	0	0	30000	43.125	2004
23.01.2020 16:17:50	1	1	1	1	74	63	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	43	2004
23.01.2020 16:17:51	1	1	1	1	74	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43	2004
23.01.2020 16:17:52	1	1	1	1	74	63	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.125	2004
23.01.2020 16:17:53	1	1	1	1	73.75	63	0	30000	369.8924731	11079.28139	30000	0	0	30000	43.1875	2004
23.01.2020 16:17:54	1	1	1	1	73.75	63	0	30000	365.5913978	10967.57535	30000	0	0	30000	43.125	2004
23.01.2020 16:17:55	1	1	1	1	73.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
23.01.2020 16:17:56	1	1	1	1	73.75	63	0	29478.673	359.1397849	10443.29084	30000	0	0	30000	42.875	2004
23.01.2020 16:17:57	1	1	1	1	73.75	62.75	0	29952.607	337.6344086	10113.06499	30000	0	0	30000	43.0625	2004
23.01.2020 16:17:58	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:17:59	1	1	1	1	73.75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
23.01.2020 16:18:00	1	1	1	1	73.75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:18:01	1	1	1	1	73.75	63	0	30000	356.9892473	10580.27342	30000	0	0	30000	42.75	2004
23.01.2020 16:18:04	1	1	1	1	73.5	63	0	30094.787	356.9892473	10387.03014	30000	0	0	30000	43	2004
23.01.2020 16:18:04	1	1	1	1	73.5	63	0	30094.787	356.9892473	10387.03014	30000	0	0	30000	43	2004
23.01.2020 16:18:04	1	1	1	1	73.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.1875	2004
23.01.2020 16:18:05	1	1	1	1	73.5	63	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.5	2004
23.01.2020 16:18:06	1	1	1	1	73.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.875	2004
23.01.2020 16:18:07	1	1	1	1	73.5	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
23.01.2020 16:18:08	1	1	1	1	73.5	63	0	30000	333.3333333	9919.821705	30000	0	0	30000	43.25	2004
23.01.2020 16:18:09	1	1	1	1	73.5	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
23.01.2020 16:18:10	1	1	1	1	73.5	63.25	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	43	2004
23.01.2020 16:18:11	1	1	1	1	73.5	63	0	30000	320.4301075	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 16:18:12	1	1	1	1	73.5	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
23.01.2020 16:18:13	1	1	1	1	73.75	62.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:18:14	1	1	1	1	73.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
23.01.2020 16:18:15	1	1	1	1	73.75	62.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.9375	2004
23.01.2020 16:18:23	1	1	1	1	73.75	63.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 16:18:23	1	1	1	1	73.75	63.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 16:18:23	1	1	1	1	73.75	63.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 16:18:23	1	1	1	1	73.75	63.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 16:18:23	1	1	1	1	73.75	63.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 16:18:23	1	1	1	1	73.75	63.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 16:18:23	1	1	1	1	73.75	63.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 16:18:23	1	1	1	1	73.75	63.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
23.01.2020 16:18:24	1	1	1	1	73.75	63	0	30000	294.6236559	8824.776452	30000	0	0	30000	43.25	2004
23.01.2020 16:18:25	1	1	1	1	73.75	63.25	0	30000	283.8709677	8502.704319	30000	0	0	30000	43.1875	2004
23.01.2020 16:18:26	1	1	1	1	73.75	63	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.25	2004
23.01.2020 16:18:27	1	1	1	1	73.75	63.25	0	29905.213	292.4731183	8774.223358	30000	0	0	30000	43.125	2004
23.01.2020 16:18:28	1	1	1	1	73.75	63	0	28625.592	277.4193548	7989.01965	30000	0	0	30000	43.3125	2004
23.01.2020 16:18:29	1	1	1	1	73.75	63.25	0	30047.393	303.2258065	9096.295491	30000	0	0	30000	43.125	2004
23.01.2020 16:18:30	1	1	1	1	73.75	63	0	30047.393	307.5268817	9225.124344	30000	0	0	30000	43.3125	2004
23.01.2020 16:18:31	1	1	1	1	73.75	63.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.125	2004
23.01.2020 16:18:32	1	1	1	1	73.75	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 16:18:33	1	1	1	1	73.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.625	2004
23.01.2020 16:18:34	1	1	1	1	73.75	62.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.8125	2004
23.01.2020 16:18:35	1	1	1	1	73.75	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 16:18:36	1	1	1	1	73.75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.8125	2004
23.01.2020 16:18:37	1	1	1	1	73.75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
23.01.2020 16:18:38	1	1	1	1	73.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
23.01.2020 16:18:39	1	1	1	1	73.75	62.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 16:18:40	1	1	1	1	73.75	62.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.5625	2004
23.01.2020 16:18:41	1	1	1	1	73.75	62.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 16:18:42	1	1	1	1	73.75	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:18:43	1	1	1	1	73.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:18:44	1	1	1	1	73.75	63.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:18:45	1	1	1	1	73.75	63.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43	2004
23.01.2020 16:18:46	1	1	1	1	73.75	63	0	30000	363.4408602	10675.672	30000	0	0	30000	43.3125	2004
23.01.2020 16:18:47	1	1	1	1	73.75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
23.01.2020 16:18:48	1	1	1	1	73.75	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 16:18:49	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.4375	2004
23.01.2020 16:18:50	1	1	1	1	73.75	62.25	0	30000	369.8924731	11014.86696	30000	0	0	30000	43.1875	2004
23.01.2020 16:18:51	1	1	1	1	73.75	63	0	30047.393	367.7419355	11160.81863	30000	0	0	30000	42.9375	2004
23.01.2020 16:18:52	1	1	1	1	73.75	62.75	0	30047.393	387.0967742	11548.12057	30000	0	0	30000	43.3125	2004
23.01.2020 16:18:53	1	1	1	1	73.5	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 16:18:54	1	1	1	1	73.5	62.75	0	29952.607	380.6451613	11483.70614	30000	0	0	30000	42.9375	2004
23.01.2020 16:18:56	1	1	1	1	73.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 16:18:57	1	1	1	1	73.5	63	0	30000	378.4946237	11143.69581	30000	0	0	30000	43.25	2004
23.01.2020 16:18:58	1	1	1	1	73.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.4375	2004
23.01.2020 16:18:59	1	1	1	1	73.5	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 16:19:00	1	1	1	1	73.5	62.75	0	30000	361.2903226	10920.28375	30000	0	0	30000	43.5	2004
23.01.2020 16:19:01	1	1	1	1	73.5	63.5	0	30000	363.4408602	11195.87965	30000	0	0	30000	43.25	2004
23.01.2020 16:19:02	1	1	1	1	73.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 16:19:03	1	1	1	1	73.5	63.25	0	29905.213	339.7849462	10387.03014	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:04	1	1	1	1	73.5	63	0	30000	348.3870968	10644.68785	30000	0	0	30000	43.125	2004
23.01.2020 16:19:05	1	1	1	1	73.5	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.3125	2004
23.01.2020 16:19:06	1	1	1	1	73.5	63.25	0	30047.393	359.1397849	10709.10227	30000	0	0	30000	42.9375	2004
23.01.2020 16:19:07	1	1	1	1	73.5	62.75	0	30000	372.0430108	11031.98978	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:08	1	1	1	1	73.5	63	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 16:19:09	1	1	1	1	73.5	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5	2004
23.01.2020 16:19:10	1	1	1	1	73.5	63.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:11	1	1	1	1	73.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
23.01.2020 16:19:12	1	1	1	1	73.5	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
23.01.2020 16:19:13	1	1	1	1	73.75	62.5	0	29857.82	322.5806452	9566.765417	30000	0	0	30000	43.125	2004
23.01.2020 16:19:14	1	1	1	1	73.75	63	0	30000	352.688172	10580.27342	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:15	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 16:19:16	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
23.01.2020 16:19:17	1	1	1	1	73.75	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.75	2004
23.01.2020 16:19:25	1	1	1	1	73.75	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 16:19:25	1	1	1	1	73.75	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 16:19:25	1	1	1	1	73.75	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 16:19:25	1	1	1	1	73.75	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 16:19:25	1	1	1	1	73.75	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 16:19:25	1	1	1	1	73.75	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 16:19:25	1	1	1	1	73.75	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
23.01.2020 16:19:25	1	1	1	1	73.75	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 16:19:26	1	1	1	1	73.75	63.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:19:27	1	1	1	1	73.75	62.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	43.25	2004
23.01.2020 16:19:28	1	1	1	1	73.75	63.25	0	29146.919	311.827957	9026.173457	30000	0	0	30000	43.3125	2004
23.01.2020 16:19:29	1	1	1	1	73.75	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.625	2004
23.01.2020 16:19:30	1	1	1	1	73.75	62.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:31	1	1	1	1	73.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.4375	2004
23.01.2020 16:19:32	1	1	1	1	73.75	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 16:19:33	1	1	1	1	73.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 16:19:35	1	1	1	1	73.25	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:19:36	1	1	1	1	73.25	63	0	30000	400	12406.7078	30000	0	0	30000	43.5	2004
23.01.2020 16:19:37	1	1	1	1	73.25	63.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.5625	2004
23.01.2020 16:19:38	1	1	1	1	73.25	63.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.375	2004
23.01.2020 16:19:39	1	1	1	1	73.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
23.01.2020 16:19:40	1	1	1	1	73.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 16:19:41	1	1	1	1	73.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:19:42	1	1	1	1	73.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:43	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
23.01.2020 16:19:44	1	1	1	1	74	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:45	1	1	1	1	74	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
23.01.2020 16:19:46	1	1	1	1	74	62.75	0	29715.64	395.6989247	11758.48667	30000	0	0	30000	43.375	2004
23.01.2020 16:19:47	1	1	1	1	74	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:19:48	1	1	1	1	74	63	0	30047.393	402.1505376	12064.25135	30000	0	0	30000	42.75	2004
23.01.2020 16:19:49	1	1	1	1	74	62.75	0	30000	423.655914	12709.21099	30000	0	0	30000	43.3125	2004
23.01.2020 16:19:50	1	1	1	1	74	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:19:51	1	1	1	1	74	63	0	30000	423.655914	12709.21099	30000	0	0	30000	43.3125	2004
23.01.2020 16:19:52	1	1	1	1	74	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:19:53	1	1	1	1	74	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:54	1	1	1	1	74	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:55	1	1	1	1	74	63	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:19:56	1	1	1	1	74	63	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 16:19:57	1	1	1	1	74	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.3125	2004
23.01.2020 16:19:58	1	1	1	1	74	63.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 16:19:59	1	1	1	1	74	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:20:00	1	1	1	1	74	63	0	30000	464.516129	13870.30142	30000	0	0	30000	43.375	2004
23.01.2020 16:20:01	1	1	1	1	74	63.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:02	1	1	1	1	74	63	0	29952.607	470.9677419	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 16:20:03	1	1	1	1	74	63.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	43	2004
23.01.2020 16:20:04	1	1	1	1	74	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.875	2004
23.01.2020 16:20:05	1	1	1	1	74	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:06	1	1	1	1	74	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
23.01.2020 16:20:07	1	1	1	1	74	62.5	0	30000	488.172043	14773.73413	30000	0	0	30000	42.875	2004
23.01.2020 16:20:08	1	1	1	1	74	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.75	2004
23.01.2020 16:20:09	1	1	1	1	74	62.75	0	29952.607	458.0645161	13698.25782	30000	0	0	30000	43.125	2004
23.01.2020 16:20:10	1	1	1	1	74	63	0	30000	460.2150538	13870.30142	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:20:11	1	1	1	1	74	62.75	0	30000	436.5591398	12967.68407	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:13	1	1	1	1	74	63	0	30000	425.8064516	12580.38214	30000	0	0	30000	43.4375	2004
23.01.2020 16:20:14	1	1	1	1	73.5	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 16:20:15	1	1	1	1	73.5	63.25	0	30094.787	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:20:16	1	1	1	1	73.5	62.75	0	30094.787	391.3978495	11741.36385	30000	0	0	30000	43.25	2004
23.01.2020 16:20:17	1	1	1	1	73.5	63.25	0	30094.787	389.2473118	11419.29171	30000	0	0	30000	43.25	2004
23.01.2020 16:20:18	1	1	1	1	73.5	63.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	43	2004
23.01.2020 16:20:19	1	1	1	1	73.5	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.125	2004
23.01.2020 16:20:26	1	1	1	1	73.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:26	1	1	1	1	73.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:26	1	1	1	1	73.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:26	1	1	1	1	73.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:26	1	1	1	1	73.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:26	1	1	1	1	73.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:26	1	1	1	1	73.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:27	1	1	1	1	73.75	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.375	2004
23.01.2020 16:20:28	1	1	1	1	73.75	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.375	2004
23.01.2020 16:20:29	1	1	1	1	73.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:30	1	1	1	1	73.75	63	0	30047.393	335.483871	10064.14264	30000	0	0	30000	43.3125	2004
23.01.2020 16:20:31	1	1	1	1	73.75	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43	2004
23.01.2020 16:20:32	1	1	1	1	73.75	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
23.01.2020 16:20:33	1	1	1	1	74.25	63.25	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.3125	2004
23.01.2020 16:20:34	1	1	1	1	74.25	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.1875	2004
23.01.2020 16:20:35	1	1	1	1	74.25	62	0	30000	309.6774194	9498.274128	30000	0	0	30000	42.875	2004
23.01.2020 16:20:36	1	1	1	1	74.25	62.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	43	2004
23.01.2020 16:20:37	1	1	1	1	74.25	63	0	29905.213	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 16:20:38	1	1	1	1	74.25	63	0	30000	352.688172	10644.68785	30000	0	0	30000	43.3125	2004
23.01.2020 16:20:39	1	1	1	1	74.25	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 16:20:40	1	1	1	1	74.25	63	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	42.8125	2004
23.01.2020 16:20:41	1	1	1	1	74.25	62.75	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	43.0625	2004
23.01.2020 16:20:42	1	1	1	1	74.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
23.01.2020 16:20:43	1	1	1	1	74.25	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	43.25	2004
23.01.2020 16:20:44	1	1	1	1	74.25	63.25	0	30000	352.688172	10451.44457	30000	0	0	30000	43.375	2004
23.01.2020 16:20:45	1	1	1	1	74.25	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
23.01.2020 16:20:46	1	1	1	1	74.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43	2004
23.01.2020 16:20:47	1	1	1	1	74.25	63	0	29810.427	322.5806452	9680.102193	30000	0	0	30000	43	2004
23.01.2020 16:20:48	1	1	1	1	74.25	63	0	27582.938	294.6236559	8185.52442	30000	0	0	30000	43.4375	2004
23.01.2020 16:20:49	1	1	1	1	74.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.4375	2004
23.01.2020 16:20:51	1	1	1	1	74.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
23.01.2020 16:20:52	1	1	1	1	74.25	63.25	0	30000	344.0860215	10128.55706	30000	0	0	30000	43.375	2004
23.01.2020 16:20:53	1	1	1	1	74.25	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.8125	2004
23.01.2020 16:20:54	1	1	1	1	74.5	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.6875	2004
23.01.2020 16:20:55	1	1	1	1	74.5	63.5	0	30000	337.6344086	10192.97149	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:20:56	1	1	1	1	74.5	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
23.01.2020 16:20:57	1	1	1	1	74.5	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 16:20:58	1	1	1	1	74.5	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.25	2004
23.01.2020 16:20:59	1	1	1	1	74.5	63.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.125	2004
23.01.2020 16:21:00	1	1	1	1	74.5	63	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 16:21:01	1	1	1	1	74.5	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.3125	2004
23.01.2020 16:21:02	1	1	1	1	74.5	63.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:21:03	1	1	1	1	74.5	63	0	30000	387.0967742	11676.94942	30000	0	0	30000	43	2004
23.01.2020 16:21:04	1	1	1	1	74.5	63	0	29668.246	365.5913978	10765.36298	30000	0	0	30000	43.375	2004
23.01.2020 16:21:05	1	1	1	1	74.5	63.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.3125	2004
23.01.2020 16:21:06	1	1	1	1	74.5	63.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.375	2004
23.01.2020 16:21:07	1	1	1	1	74.5	63.25	0	28436.019	337.6344086	9601.011062	30000	0	0	30000	43.1875	2004
23.01.2020 16:21:08	1	1	1	1	74.5	63	0	29905.213	397.8494624	12045.49778	30000	0	0	30000	43.25	2004
23.01.2020 16:21:09	1	1	1	1	74.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:21:10	1	1	1	1	74.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 16:21:11	1	1	1	1	74.5	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.75	2004
23.01.2020 16:21:12	1	1	1	1	74.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.5	2004
23.01.2020 16:21:13	1	1	1	1	74.25	63.5	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.8125	2004
23.01.2020 16:21:14	1	1	1	1	74.25	62.75	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	43.4375	2004
23.01.2020 16:21:15	1	1	1	1	74.25	63.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.375	2004
23.01.2020 16:21:16	1	1	1	1	74.25	63.25	0	30000	384.9462366	11401.35352	30000	0	0	30000	43.25	2004
23.01.2020 16:21:17	1	1	1	1	74.25	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 16:21:18	1	1	1	1	74.25	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.4375	2004
23.01.2020 16:21:19	1	1	1	1	74.25	63.25	0	29383.886	384.9462366	11292.90898	30000	0	0	30000	43.3125	2004
23.01.2020 16:21:20	1	1	1	1	74.25	63.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.625	2004
23.01.2020 16:21:28	1	1	1	1	74.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 16:21:28	1	1	1	1	74.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 16:21:28	1	1	1	1	74.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 16:21:28	1	1	1	1	74.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 16:21:28	1	1	1	1	74.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 16:21:28	1	1	1	1	74.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 16:21:28	1	1	1	1	74.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
23.01.2020 16:21:29	1	1	1	1	74.75	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43	2004
23.01.2020 16:21:30	1	1	1	1	74.75	63	0	29478.673	339.7849462	9952.436605	30000	0	0	30000	43.625	2004
23.01.2020 16:21:31	1	1	1	1	74.75	63.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5625	2004
23.01.2020 16:21:32	1	1	1	1	74.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.5625	2004
23.01.2020 16:21:33	1	1	1	1	74.75	63.5	0	30000	404.3010753	11916.66893	30000	0	0	30000	43.75	2004
23.01.2020 16:21:34	1	1	1	1	74.5	63.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 16:21:35	1	1	1	1	74.5	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.8125	2004
23.01.2020 16:21:36	1	1	1	1	74.5	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 16:21:37	1	1	1	1	74.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:21:38	1	1	1	1	74.5	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.9375	2004
23.01.2020 16:21:39	1	1	1	1	74.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:21:40	1	1	1	1	74.5	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 16:21:41	1	1	1	1	74.5	63.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 16:21:42	1	1	1	1	74.5	62.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 16:21:43	1	1	1	1	74.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:21:44	1	1	1	1	74.25	63	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	43.4375	2004
23.01.2020 16:21:45	1	1	1	1	74.25	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.375	2004
23.01.2020 16:21:46	1	1	1	1	74.25	63.25	0	29905.213	395.6989247	12064.25135	30000	0	0	30000	43.1875	2004
23.01.2020 16:21:47	1	1	1	1	74.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 16:21:48	1	1	1	1	74.25	63	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.3125	2004
23.01.2020 16:21:49	1	1	1	1	74.25	62.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.375	2004
23.01.2020 16:21:50	1	1	1	1	74.25	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:21:51	1	1	1	1	74.25	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 16:21:52	1	1	1	1	74.25	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 16:21:53	1	1	1	1	74.25	63	0	30000	434.4086022	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 16:21:54	1	1	1	1	74.25	62.5	0	29336.493	380.6451613	11166.52624	30000	0	0	30000	43.375	2004
23.01.2020 16:21:55	1	1	1	1	74.25	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.3125	2004
23.01.2020 16:21:56	1	1	1	1	74.25	63.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:21:57	1	1	1	1	74.25	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:21:58	1	1	1	1	74.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
23.01.2020 16:21:59	1	1	1	1	74.25	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:00	1	1	1	1	74.25	63.25	0	29952.607	417.2043011	12560.8132	30000	0	0	30000	43	2004
23.01.2020 16:22:01	1	1	1	1	74.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:02	1	1	1	1	74.25	63.25	0	29952.607	397.8494624	11833.50094	30000	0	0	30000	43.25	2004
23.01.2020 16:22:03	1	1	1	1	74.75	63.25	0	29905.213	365.5913978	11096.40421	30000	0	0	30000	43.375	2004
23.01.2020 16:22:04	1	1	1	1	74.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.4375	2004
23.01.2020 16:22:06	1	1	1	1	74.75	63.25	0	28293.839	339.7849462	9690.702036	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:07	1	1	1	1	74.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
23.01.2020 16:22:08	1	1	1	1	74.75	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
23.01.2020 16:22:09	1	1	1	1	74.75	62.75	0	29905.213	378.4946237	11336.93909	30000	0	0	30000	43.1875	2004
23.01.2020 16:22:10	1	1	1	1	74.75	63	0	30000	382.7956989	11319.0009	30000	0	0	30000	43.6875	2004
23.01.2020 16:22:11	1	1	1	1	74.75	63.5	0	30000	382.7956989	11713.64118	30000	0	0	30000	43.375	2004
23.01.2020 16:22:12	1	1	1	1	74.75	63.25	0	30000	367.7419355	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 16:22:13	1	1	1	1	74.75	63	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	43.375	2004
23.01.2020 16:22:14	1	1	1	1	75	63.25	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	42.875	2004
23.01.2020 16:22:15	1	1	1	1	75	62.75	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	42.4375	2004
23.01.2020 16:22:16	1	1	1	1	75	62.25	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	43.1875	2004
23.01.2020 16:22:17	1	1	1	1	75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
23.01.2020 16:22:18	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
23.01.2020 16:22:19	1	1	1	1	75	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 16:22:20	1	1	1	1	75	63.25	0	29952.607	387.0967742	11548.12057	30000	0	0	30000	42.875	2004
23.01.2020 16:22:21	1	1	1	1	75	62.75	0	30000	395.6989247	11889.76164	30000	0	0	30000	43.4375	2004
23.01.2020 16:22:22	1	1	1	1	75	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 16:22:30	1	1	1	1	74.5	63	0	30000	412.9032258	12580.38214	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:22:30	1	1	1	1	74.5	63	0	30000	412.9032258	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:22:30	1	1	1	1	74.5	63	0	30000	412.9032258	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:22:30	1	1	1	1	74.5	63	0	30000	412.9032258	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:22:30	1	1	1	1	74.5	63	0	30000	412.9032258	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:22:30	1	1	1	1	74.5	63	0	30000	412.9032258	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:22:30	1	1	1	1	74.5	63	0	30000	412.9032258	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:22:30	1	1	1	1	74.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5625	2004
23.01.2020 16:22:31	1	1	1	1	74.5	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 16:22:32	1	1	1	1	74.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 16:22:33	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 16:22:34	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:22:35	1	1	1	1	75.25	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:36	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:22:37	1	1	1	1	75.25	62.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 16:22:38	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
23.01.2020 16:22:39	1	1	1	1	75.25	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.25	2004
23.01.2020 16:22:40	1	1	1	1	75.25	63.25	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	43	2004
23.01.2020 16:22:41	1	1	1	1	75.25	63	0	30000	400	12064.25135	30000	0	0	30000	42.1875	2004
23.01.2020 16:22:42	1	1	1	1	75.25	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:43	1	1	1	1	74.75	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:22:45	1	1	1	1	74.75	63.25	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:46	1	1	1	1	74.75	63.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:47	1	1	1	1	74.75	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:48	1	1	1	1	74.75	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.375	2004
23.01.2020 16:22:49	1	1	1	1	74.75	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.375	2004
23.01.2020 16:22:50	1	1	1	1	74.75	63.25	0	29905.213	354.8387097	10611.25758	30000	0	0	30000	43.25	2004
23.01.2020 16:22:51	1	1	1	1	74.75	63.25	0	29952.607	400	12064.25135	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:52	1	1	1	1	74.75	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:22:53	1	1	1	1	74.5	63.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.4375	2004
23.01.2020 16:22:54	1	1	1	1	74.5	63.25	0	30000	363.4408602	10675.672	30000	0	0	30000	43.25	2004
23.01.2020 16:22:55	1	1	1	1	74.5	63.25	0	30000	352.688172	10580.27342	30000	0	0	30000	43.3125	2004
23.01.2020 16:22:56	1	1	1	1	74.5	63.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 16:22:57	1	1	1	1	74.5	63.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 16:22:58	1	1	1	1	74.5	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.375	2004
23.01.2020 16:22:59	1	1	1	1	74.5	63.25	0	30000	354.8387097	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 16:23:00	1	1	1	1	74.5	63	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.25	2004
23.01.2020 16:23:01	1	1	1	1	74.5	63.25	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	42.9375	2004
23.01.2020 16:23:02	1	1	1	1	74.5	62.75	0	30000	395.6989247	11676.94942	30000	0	0	30000	43.375	2004
23.01.2020 16:23:03	1	1	1	1	74.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:23:04	1	1	1	1	74.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
23.01.2020 16:23:05	1	1	1	1	74.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 16:23:06	1	1	1	1	74.5	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.9375	2004
23.01.2020 16:23:07	1	1	1	1	74.5	61.75	0	29715.64	389.2473118	11566.05876	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:23:08	1	1	1	1	74.5	62.75	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	42.75	2004
23.01.2020 16:23:09	1	1	1	1	74.5	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 16:23:10	1	1	1	1	74.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:23:11	1	1	1	1	74.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 16:23:12	1	1	1	1	74.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:23:13	1	1	1	1	74.25	63	0	30000	419.3548387	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:23:14	1	1	1	1	74.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:23:15	1	1	1	1	74.25	63.25	0	30000	423.655914	12709.21099	30000	0	0	30000	43.25	2004
23.01.2020 16:23:16	1	1	1	1	74.25	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.8125	2004
23.01.2020 16:23:17	1	1	1	1	74.25	62.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	43.25	2004
23.01.2020 16:23:18	1	1	1	1	74.25	63.25	0	29952.607	400	12128.66578	30000	0	0	30000	42.75	2004
23.01.2020 16:23:19	1	1	1	1	74.25	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 16:23:20	1	1	1	1	74.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.5	2004
23.01.2020 16:23:21	1	1	1	1	74.25	63.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 16:23:23	1	1	1	1	74.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.4375	2004
23.01.2020 16:23:24	1	1	1	1	74.5	63.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43	2004
23.01.2020 16:23:31	1	1	1	1	74.5	63.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 16:23:31	1	1	1	1	74.5	63.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 16:23:31	1	1	1	1	74.5	63.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 16:23:31	1	1	1	1	74.5	63.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 16:23:31	1	1	1	1	74.5	63.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 16:23:31	1	1	1	1	74.5	63.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 16:23:31	1	1	1	1	74.5	63.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 16:23:32	1	1	1	1	74.5	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.3125	2004
23.01.2020 16:23:33	1	1	1	1	74.5	63.25	0	29905.213	395.6989247	11852.2545	30000	0	0	30000	42.875	2004
23.01.2020 16:23:34	1	1	1	1	74.5	62.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 16:23:35	1	1	1	1	74.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 16:23:36	1	1	1	1	74.5	62.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	43.3125	2004
23.01.2020 16:23:37	1	1	1	1	74.5	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 16:23:38	1	1	1	1	74.5	63.25	0	30000	395.6989247	11676.94942	30000	0	0	30000	43.1875	2004
23.01.2020 16:23:39	1	1	1	1	74.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 16:23:40	1	1	1	1	74.5	63	0	30000	397.8494624	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 16:23:41	1	1	1	1	74.5	63.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	43.25	2004
23.01.2020 16:23:42	1	1	1	1	74.5	63.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 16:23:43	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.1875	2004
23.01.2020 16:23:44	1	1	1	1	74.75	63	0	29810.427	395.6989247	11750.33294	30000	0	0	30000	43.1875	2004
23.01.2020 16:23:45	1	1	1	1	74.75	63	0	30000	397.8494624	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 16:23:46	1	1	1	1	74.75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.25	2004
23.01.2020 16:23:47	1	1	1	1	74.75	63.25	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 16:23:48	1	1	1	1	74.75	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 16:23:49	1	1	1	1	74.75	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 16:23:50	1	1	1	1	74.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.3125	2004
23.01.2020 16:23:51	1	1	1	1	74.75	63.25	0	30000	397.8494624	11871.00807	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:23:52	1	1	1	1	74.75	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
23.01.2020 16:23:53	1	1	1	1	74.75	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.375	2004
23.01.2020 16:23:54	1	1	1	1	74.75	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 16:23:55	1	1	1	1	74.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
23.01.2020 16:23:56	1	1	1	1	74.75	62.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.4375	2004
23.01.2020 16:23:57	1	1	1	1	74.75	63.25	0	30000	412.9032258	12109.91221	30000	0	0	30000	42.875	2004
23.01.2020 16:23:58	1	1	1	1	74.75	62.75	0	25924.171	331.1827957	8554.072786	30000	0	0	30000	43	2004
23.01.2020 16:23:59	1	1	1	1	74.75	63	0	30000	417.2043011	12580.38214	30000	0	0	30000	43.25	2004
23.01.2020 16:24:00	1	1	1	1	74.75	63.25	0	27298.578	356.9892473	9745.331992	30000	0	0	30000	42.9375	2004
23.01.2020 16:24:02	1	1	1	1	74.75	62.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	43.125	2004
23.01.2020 16:24:03	1	1	1	1	74.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 16:24:04	1	1	1	1	75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.3125	2004
23.01.2020 16:24:05	1	1	1	1	75	63.25	0	30000	397.8494624	11676.94942	30000	0	0	30000	43.3125	2004
23.01.2020 16:24:06	1	1	1	1	75	63.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 16:24:07	1	1	1	1	75	63.25	0	28862.559	387.0967742	11110.26554	30000	0	0	30000	43.4375	2004
23.01.2020 16:24:08	1	1	1	1	75	63.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	43.25	2004
23.01.2020 16:24:09	1	1	1	1	75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 16:24:10	1	1	1	1	75	63	0	30000	404.3010753	11916.66893	30000	0	0	30000	43.0625	2004
23.01.2020 16:24:11	1	1	1	1	75	63	0	30000	400	12128.66578	30000	0	0	30000	43.5	2004
23.01.2020 16:24:12	1	1	1	1	75	63.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
23.01.2020 16:24:13	1	1	1	1	75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.375	2004
23.01.2020 16:24:14	1	1	1	1	75	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.25	2004
23.01.2020 16:24:15	1	1	1	1	75	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.25	2004
23.01.2020 16:24:16	1	1	1	1	75	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:24:17	1	1	1	1	75	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43	2004
23.01.2020 16:24:18	1	1	1	1	75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.3125	2004
23.01.2020 16:24:19	1	1	1	1	75	63.25	0	29952.607	395.6989247	11741.36385	30000	0	0	30000	42.9375	2004
23.01.2020 16:24:20	1	1	1	1	75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:24:21	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 16:24:22	1	1	1	1	75	63	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.6875	2004
23.01.2020 16:24:23	1	1	1	1	74.75	62.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.3125	2004
23.01.2020 16:24:24	1	1	1	1	74.75	63.25	0	30000	359.1397849	11049.1126	30000	0	0	30000	43.3125	2004
23.01.2020 16:24:25	1	1	1	1	74.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 16:24:33	1	1	1	1	74.75	63.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:24:33	1	1	1	1	74.75	63.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:24:33	1	1	1	1	74.75	63.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:24:33	1	1	1	1	74.75	63.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:24:33	1	1	1	1	74.75	63.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:24:33	1	1	1	1	74.75	63.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:24:33	1	1	1	1	74.75	63.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:24:33	1	1	1	1	74.75	63.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:24:34	1	1	1	1	74.75	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.25	2004
23.01.2020 16:24:35	1	1	1	1	74.75	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:24:36	1	1	1	1	74.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.375	2004
23.01.2020 16:24:37	1	1	1	1	74.75	63.25	0	0	0	0	30000	0	8	30000	43.5	2004
23.01.2020 16:24:38	1	1	1	1	74.75	63.5	0	10616.114	0	0	30000	0	0	30000	43.375	2004
23.01.2020 16:24:40	1	1	1	1	74.75	63.25	0	11232.227	0	0	30000	0	0	30000	43.3125	2004
23.01.2020 16:24:41	1	1	1	1	74.75	63.25	0	12085.308	0	0	30000	0	0	30000	43.1875	2004
23.01.2020 16:24:42	1	1	1	1	74.75	63	0	12843.602	2.150537634	0	30000	0	0	30000	43.375	2004
23.01.2020 16:24:43	1	1	1	1	74.75	63.25	0	13554.502	4.301075269	28.53803713	30000	0	0	30000	43.375	2004
23.01.2020 16:24:44	1	1	1	1	75	63.25	0	14407.583	6.451612903	123.9366184	30000	0	0	30000	43.625	2004
23.01.2020 16:24:45	1	1	1	1	75	63.5	0	15165.877	12.90322581	195.6893974	30000	0	0	30000	43.3125	2004
23.01.2020 16:24:46	1	1	1	1	75	63.25	0	15876.777	19.35483871	306.580056	30000	0	0	30000	43.375	2004
23.01.2020 16:24:47	1	1	1	1	75	63.25	0	16445.498	21.50537634	430.5166744	30000	0	0	30000	43.6875	2004
23.01.2020 16:24:48	1	1	1	1	75	63.5	0	17488.152	32.25806452	563.4223901	30000	0	0	30000	43.375	2004
23.01.2020 16:24:49	1	1	1	1	75	63.25	0	18151.659	40.86021505	745.2504552	30000	0	0	30000	43.25	2004
23.01.2020 16:24:50	1	1	1	1	75	63.25	0	18530.806	45.16129032	836.5721741	30000	0	0	30000	43.1875	2004
23.01.2020 16:24:51	1	1	1	1	75	63	0	19668.246	60.21505376	1183.920855	30000	0	0	30000	43.1875	2004
23.01.2020 16:24:52	1	1	1	1	75	63	0	20568.72	66.66666667	1373.902645	30000	0	0	30000	43.375	2004
23.01.2020 16:24:53	1	1	1	1	75.25	63.25	0	21279.621	79.56989247	1692.713288	30000	0	0	30000	43.25	2004
23.01.2020 16:24:54	1	1	1	1	75.25	63.25	0	21943.128	92.47311828	2046.584948	30000	0	0	30000	43.1875	2004
23.01.2020 16:24:55	1	1	1	1	75.25	63	0	22796.209	103.2258065	2353.165004	30000	0	0	30000	43.375	2004
23.01.2020 16:24:56	1	1	1	1	75.25	63.25	0	23554.502	111.827957	2587.992281	30000	0	0	30000	43.3125	2004
23.01.2020 16:24:57	1	1	1	1	75.25	63.25	0	24218.009	126.8817204	3124.507379	30000	0	0	30000	43.3125	2004
23.01.2020 16:24:58	1	1	1	1	75.25	63.25	0	24644.55	144.0860215	3557.470171	30000	0	0	30000	43.25	2004
23.01.2020 16:24:59	1	1	1	1	75.25	63.25	0	24928.91	150.5376344	3591.715816	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:00	1	1	1	1	75.25	63.25	0	25497.63	159.1397849	4120.077189	30000	0	0	30000	43.25	2004
23.01.2020 16:25:01	1	1	1	1	75.25	63.25	0	25592.417	159.1397849	4064.631859	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:02	1	1	1	1	75.25	63.25	0	26398.104	174.1935484	4597.885467	30000	0	0	30000	43.25	2004
23.01.2020 16:25:03	1	1	1	1	75	63.25	0	26398.104	169.8924731	4484.548691	30000	0	0	30000	43.1875	2004
23.01.2020 16:25:04	1	1	1	1	75	63	0	26350.711	169.8924731	4476.394966	30000	0	0	30000	43.125	2004
23.01.2020 16:25:05	1	1	1	1	75	63	0	26445.498	169.8924731	4500.856141	30000	0	0	30000	43.375	2004
23.01.2020 16:25:06	1	1	1	1	75	63.25	0	26445.498	169.8924731	4500.856141	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:07	1	1	1	1	75	63.25	0	26445.498	169.8924731	4500.856141	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:08	1	1	1	1	75	63.25	0	26492.891	169.8924731	4492.702416	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:09	1	1	1	1	75	63.25	0	26445.498	169.8924731	4500.856141	30000	0	0	30000	42.5625	2004
23.01.2020 16:25:10	1	1	1	1	75	62.5	0	26492.891	169.8924731	4500.856141	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:11	1	1	1	1	75	63.25	0	26540.284	178.4946237	4737.314163	30000	0	0	30000	43.4375	2004
23.01.2020 16:25:12	1	1	1	1	75	63.25	0	26540.284	184.9462366	4908.542386	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:13	1	1	1	1	75	63.25	0	24218.009	169.8924731	4114.369581	30000	0	0	30000	42.9375	2004
23.01.2020 16:25:14	1	1	1	1	75	62.75	0	26540.284	178.4946237	4737.314163	30000	0	0	30000	43.125	2004
23.01.2020 16:25:15	1	1	1	1	75	63	0	26540.284	169.8924731	4516.348218	30000	0	0	30000	43.125	2004
23.01.2020 16:25:16	1	1	1	1	75	63	0	26587.678	159.1397849	4173.891773	30000	0	0	30000	43.1875	2004
23.01.2020 16:25:18	1	1	1	1	75	63	0	26587.678	167.7419355	4459.272144	30000	0	0	30000	43.375	2004
23.01.2020 16:25:19	1	1	1	1	75	63.25	0	26587.678	169.8924731	4516.348218	30000	0	0	30000	43.375	2004
23.01.2020 16:25:20	1	1	1	1	75	63.25	0	26587.678	178.4946237	4745.467888	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:25:21	1	1	1	1	75	63	0	27014.218	178.4946237	4830.266627	30000	0	0	30000	43.25	2004
23.01.2020 16:25:22	1	1	1	1	75	63.25	0	27630.332	206.4516129	5444.242111	30000	0	0	30000	42.625	2004
23.01.2020 16:25:23	1	1	1	1	75	62.5	0	28009.479	219.3548387	6143.831707	30000	0	0	30000	43	2004
23.01.2020 16:25:24	1	1	1	1	75	63	0	27867.299	221.5053763	6161.769902	30000	0	0	30000	43.625	2004
23.01.2020 16:25:25	1	1	1	1	75	63.5	0	25687.204	212.9032258	5478.487756	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:26	1	1	1	1	75	63.25	0	28293.839	249.4623656	7057.864268	30000	0	0	30000	43.5	2004
23.01.2020 16:25:27	1	1	1	1	75	63	0	29431.28	277.4193548	8164.324736	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:34	1	1	1	1	74.5	62.25	0	29526.066	305.3763441	9016.388987	30000	0	0	30000	43.125	2004
23.01.2020 16:25:34	1	1	1	1	74.5	62.25	0	29526.066	305.3763441	9016.388987	30000	0	0	30000	43.125	2004
23.01.2020 16:25:34	1	1	1	1	74.5	62.25	0	29526.066	305.3763441	9016.388987	30000	0	0	30000	43.125	2004
23.01.2020 16:25:34	1	1	1	1	74.5	62.25	0	29526.066	305.3763441	9016.388987	30000	0	0	30000	43.125	2004
23.01.2020 16:25:34	1	1	1	1	74.5	62.25	0	29526.066	305.3763441	9016.388987	30000	0	0	30000	43.125	2004
23.01.2020 16:25:34	1	1	1	1	74.5	62.25	0	29526.066	305.3763441	9016.388987	30000	0	0	30000	43.125	2004
23.01.2020 16:25:34	1	1	1	1	74.5	62.25	0	29526.066	305.3763441	9016.388987	30000	0	0	30000	43.125	2004
23.01.2020 16:25:35	1	1	1	1	74.5	63	0	29526.066	322.5806452	9524.366048	30000	0	0	30000	43.1875	2004
23.01.2020 16:25:36	1	1	1	1	74.5	63	0	29478.673	318.2795699	9651.564156	30000	0	0	30000	43.1875	2004
23.01.2020 16:25:37	1	1	1	1	74.5	63	0	29526.066	326.8817204	9445.274916	30000	0	0	30000	43.25	2004
23.01.2020 16:25:38	1	1	1	1	74.5	63.25	0	29526.066	322.5806452	9460.766994	30000	0	0	30000	43.0625	2004
23.01.2020 16:25:39	1	1	1	1	74.5	63	0	29526.066	326.8817204	9667.056234	30000	0	0	30000	43.25	2004
23.01.2020 16:25:40	1	1	1	1	74.5	63.25	0	29526.066	341.9354839	10112.24961	30000	0	0	30000	43	2004
23.01.2020 16:25:41	1	1	1	1	74.5	63	0	29526.066	346.2365591	10239.44772	30000	0	0	30000	43.125	2004
23.01.2020 16:25:42	1	1	1	1	74.5	63	0	29336.493	354.8387097	10409.0452	30000	0	0	30000	42.9375	2004
23.01.2020 16:25:43	1	1	1	1	74.25	62.75	0	29431.28	354.8387097	10316.09274	30000	0	0	30000	42.75	2004
23.01.2020 16:25:44	1	1	1	1	74.25	62.75	0	29146.919	331.1827957	9652.379529	30000	0	0	30000	43	2004
23.01.2020 16:25:45	1	1	1	1	74.25	63	0	29573.46	359.1397849	10603.91922	30000	0	0	30000	43.1875	2004
23.01.2020 16:25:46	1	1	1	1	74.25	63	0	29526.066	359.1397849	10621.04205	30000	0	0	30000	43.1875	2004
23.01.2020 16:25:47	1	1	1	1	74.25	63	0	29620.853	359.1397849	10654.47232	30000	0	0	30000	43.1875	2004
23.01.2020 16:25:48	1	1	1	1	74.25	63	0	29383.886	369.8924731	10805.31623	30000	0	0	30000	42.8125	2004
23.01.2020 16:25:49	1	1	1	1	74.25	62.75	0	29715.64	380.6451613	11310.84717	30000	0	0	30000	42.9375	2004
23.01.2020 16:25:50	1	1	1	1	74.25	62.75	0	29810.427	395.6989247	11667.16495	30000	0	0	30000	43	2004
23.01.2020 16:25:51	1	1	1	1	74.25	63	0	29952.607	395.6989247	11704.67208	30000	0	0	30000	43.1875	2004
23.01.2020 16:25:52	1	1	1	1	74.25	63	0	29857.82	395.6989247	11814.74737	30000	0	0	30000	42.5	2004
23.01.2020 16:25:53	1	1	1	1	74.25	62.5	0	29905.213	391.3978495	11704.67208	30000	0	0	30000	43.3125	2004
23.01.2020 16:25:55	1	1	1	1	74.25	63.25	0	29905.213	395.6989247	11704.67208	30000	0	0	30000	43.25	2004
23.01.2020 16:25:56	1	1	1	1	74.25	63.25	0	29857.82	384.9462366	11833.50094	30000	0	0	30000	43	2004
23.01.2020 16:25:57	1	1	1	1	74.25	63	0	29810.427	384.9462366	11474.73704	30000	0	0	30000	43.0625	2004
23.01.2020 16:25:58	1	1	1	1	74.25	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 16:25:59	1	1	1	1	74.25	63	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	43.25	2004
23.01.2020 16:26:00	1	1	1	1	74.25	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:01	1	1	1	1	74.25	63	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.9375	2004
23.01.2020 16:26:02	1	1	1	1	74.25	62.75	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	42.6875	2004
23.01.2020 16:26:03	1	1	1	1	74.25	62.5	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	42.8125	2004
23.01.2020 16:26:04	1	1	1	1	74	62.75	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:26:05	1	1	1	1	74	63	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	43.25	2004
23.01.2020 16:26:06	1	1	1	1	74	63.5	0	29810.427	404.3010753	12007.17528	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:07	1	1	1	1	74	63	0	29905.213	427.9569892	12818.4709	30000	0	0	30000	43	2004
23.01.2020 16:26:08	1	1	1	1	74	63	0	27345.972	395.6989247	10858.31544	30000	0	0	30000	43	2004
23.01.2020 16:26:09	1	1	1	1	74	63	0	29905.213	415.0537634	12709.21099	30000	0	0	30000	42.5625	2004
23.01.2020 16:26:10	1	1	1	1	74	62.5	0	30000	438.7096774	13140.54304	30000	0	0	30000	42.75	2004
23.01.2020 16:26:11	1	1	1	1	74	62.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	43	2004
23.01.2020 16:26:12	1	1	1	1	74	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:13	1	1	1	1	74	63	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.8125	2004
23.01.2020 16:26:14	1	1	1	1	74	62.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 16:26:15	1	1	1	1	74	62.75	0	30000	400	12128.66578	30000	0	0	30000	42.8125	2004
23.01.2020 16:26:16	1	1	1	1	74	62.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.625	2004
23.01.2020 16:26:17	1	1	1	1	74	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
23.01.2020 16:26:18	1	1	1	1	74	62.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	43.125	2004
23.01.2020 16:26:19	1	1	1	1	74	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:20	1	1	1	1	74	63	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.4375	2004
23.01.2020 16:26:21	1	1	1	1	74	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:26:22	1	1	1	1	74	63	0	28862.559	288.172043	8254.831082	30000	0	0	30000	43.0625	2004
23.01.2020 16:26:23	1	1	1	1	74	63	0	30000	322.5806452	9627.918354	30000	0	0	30000	43.25	2004
23.01.2020 16:26:24	1	1	1	1	74	63.25	0	30000	318.2795699	9533.335145	30000	0	0	30000	42.625	2004
23.01.2020 16:26:25	1	1	1	1	74	62.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.375	2004
23.01.2020 16:26:26	1	1	1	1	74	63.25	0	30047.393	337.6344086	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:27	1	1	1	1	74	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.6875	2004
23.01.2020 16:26:28	1	1	1	1	74	62.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 16:26:36	1	1	1	1	74	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 16:26:36	1	1	1	1	74	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 16:26:36	1	1	1	1	74	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 16:26:36	1	1	1	1	74	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 16:26:36	1	1	1	1	74	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 16:26:36	1	1	1	1	74	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 16:26:36	1	1	1	1	74	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 16:26:36	1	1	1	1	74	63.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.25	2004
23.01.2020 16:26:37	1	1	1	1	74	63.25	0	29952.607	296.7741935	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 16:26:38	1	1	1	1	74	63	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:39	1	1	1	1	74	63	0	30000	311.827957	9419.182997	30000	0	0	30000	43.5	2004
23.01.2020 16:26:40	1	1	1	1	74	63.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.375	2004
23.01.2020 16:26:41	1	1	1	1	74	63.25	0	30000	335.483871	10128.55706	30000	0	0	30000	43.5	2004
23.01.2020 16:26:42	1	1	1	1	74	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.3125	2004
23.01.2020 16:26:43	1	1	1	1	74	63.25	0	29905.213	313.9784946	9324.599788	30000	0	0	30000	43.625	2004
23.01.2020 16:26:44	1	1	1	1	74	63.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:45	1	1	1	1	74	63	0	30000	322.5806452	9726.578425	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:46	1	1	1	1	74	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
23.01.2020 16:26:47	1	1	1	1	74	63.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 16:26:48	1	1	1	1	74	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:26:49	1	1	1	1	74	63	0	29952.607	337.6344086	10096.75754	30000	0	0	30000	42.875	2004
23.01.2020 16:26:50	1	1	1	1	74	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 16:26:51	1	1	1	1	74	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.625	2004
23.01.2020 16:26:52	1	1	1	1	74	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:26:53	1	1	1	1	73.75	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:54	1	1	1	1	73.75	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 16:26:55	1	1	1	1	73.75	63	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 16:26:56	1	1	1	1	73.75	63	0	30000	346.2365591	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 16:26:57	1	1	1	1	73.75	63	0	0	0	0	30000	0	8	30000	43.0625	2004
23.01.2020 16:26:58	1	1	1	1	73.75	63	0	0	0	0	30000	0	8	30000	43.375	2004
23.01.2020 16:26:59	1	1	1	1	73.75	63.25	0	10758.294	0	0	30000	0	0	30000	43.375	2004
23.01.2020 16:27:00	1	1	1	1	73.75	63.25	0	11563.981	0	0	30000	0	0	30000	43.0625	2004
23.01.2020 16:27:01	1	1	1	1	73.75	63	0	12274.882	0	0	30000	0	0	30000	43.3125	2004
23.01.2020 16:27:02	1	1	1	1	73.75	63.25	0	13033.175	2.150537634	0	30000	0	0	30000	42.875	2004
23.01.2020 16:27:03	1	1	1	1	74	62.75	0	13886.256	4.301075269	59.52219172	30000	0	0	30000	43.375	2004
23.01.2020 16:27:04	1	1	1	1	74	63.25	0	14644.55	8.602150538	157.3668904	30000	0	0	30000	43.3125	2004
23.01.2020 16:27:05	1	1	1	1	74	63.25	0	15450.237	15.05376344	231.565787	30000	0	0	30000	43.25	2004
23.01.2020 16:27:06	1	1	1	1	74	63.25	0	16208.531	21.50537634	313.1030359	30000	0	0	30000	43.25	2004
23.01.2020 16:27:07	1	1	1	1	74	63.25	0	16966.825	25.80645161	473.7314163	30000	0	0	30000	43.25	2004
23.01.2020 16:27:08	1	1	1	1	74	63.25	0	17677.725	36.55913978	608.267877	30000	0	0	30000	42.9375	2004
23.01.2020 16:27:09	1	1	1	1	74	62.75	0	18436.019	45.16129032	832.4953116	30000	0	0	30000	43.125	2004
23.01.2020 16:27:10	1	1	1	1	74	63	0	19336.493	55.91397849	1036.338434	30000	0	0	30000	43.25	2004
23.01.2020 16:27:12	1	1	1	1	74	63.25	0	20000	62.3655914	1246.704536	30000	0	0	30000	43.375	2004
23.01.2020 16:27:13	1	1	1	1	74	63.25	0	20758.294	70.96774194	1472.562716	30000	0	0	30000	43.0625	2004
23.01.2020 16:27:14	1	1	1	1	74	63	0	21516.588	75.2688172	1619.329764	30000	0	0	30000	43.0625	2004
23.01.2020 16:27:15	1	1	1	1	74	63	0	22369.668	83.87096774	1876.172098	30000	0	0	30000	43.4375	2004
23.01.2020 16:27:16	1	1	1	1	74	63.25	0	23080.569	90.32258065	2084.092083	30000	0	0	30000	43.0625	2004
23.01.2020 16:27:17	1	1	1	1	74	63	0	23649.289	98.92473118	2287.935205	30000	0	0	30000	43.125	2004
23.01.2020 16:27:18	1	1	1	1	74	63	0	24549.763	109.6774194	2697.252195	30000	0	0	30000	42.8125	2004
23.01.2020 16:27:19	1	1	1	1	74	62.75	0	24976.303	113.9784946	2846.46536	30000	0	0	30000	43.125	2004
23.01.2020 16:27:20	1	1	1	1	74	63	0	25071.09	109.6774194	2857.065203	30000	0	0	30000	43.75	2004
23.01.2020 16:27:21	1	1	1	1	74	63.75	0	24976.303	113.9784946	2857.065203	30000	0	0	30000	42.75	2004
23.01.2020 16:27:22	1	1	1	1	74	62.75	0	24976.303	113.9784946	2846.46536	30000	0	0	30000	43.25	2004
23.01.2020 16:27:23	1	1	1	1	73.75	63.25	0	24976.303	109.6774194	2803.250618	30000	0	0	30000	43.25	2004
23.01.2020 16:27:24	1	1	1	1	73.75	63.25	0	24976.303	109.6774194	2749.436034	30000	0	0	30000	43.3125	2004
23.01.2020 16:27:25	1	1	1	1	73.75	63.25	0	24976.303	109.6774194	2631.207023	30000	0	0	30000	43.3125	2004
23.01.2020 16:27:26	1	1	1	1	73.75	63.25	0	25071.09	109.6774194	2749.436034	30000	0	0	30000	43.125	2004
23.01.2020 16:27:27	1	1	1	1	73.75	63	0	24976.303	109.6774194	2749.436034	30000	0	0	30000	43.0625	2004
23.01.2020 16:27:28	1	1	1	1	73.75	63	0	24976.303	105.3763441	2738.836192	30000	0	0	30000	43.3125	2004
23.01.2020 16:27:29	1	1	1	1	73.75	63.25	0	25071.09	109.6774194	2803.250618	30000	0	0	30000	43.25	2004
23.01.2020 16:27:30	1	1	1	1	73.75	63.25	0	24976.303	111.827957	2738.836192	30000	0	0	30000	43.375	2004
23.01.2020 16:27:37	1	1	1	1	73.5	63.25	0	24976.303	111.827957	2738.836192	30000	0	0	30000	43.4375	2004
23.01.2020 16:27:37	1	1	1	1	73.5	63.25	0	24976.303	111.827957	2738.836192	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:27:37	1	1	1	1	73.5	63.25	0	24976.303	111.827957	2738.836192	30000	0	0	30000	43.4375	2004
23.01.2020 16:27:37	1	1	1	1	73.5	63.25	0	24976.303	111.827957	2738.836192	30000	0	0	30000	43.4375	2004
23.01.2020 16:27:37	1	1	1	1	73.5	63.25	0	24976.303	111.827957	2738.836192	30000	0	0	30000	43.4375	2004
23.01.2020 16:27:37	1	1	1	1	73.5	63.25	0	24976.303	111.827957	2738.836192	30000	0	0	30000	43.4375	2004
23.01.2020 16:27:37	1	1	1	1	73.5	63.25	0	24976.303	111.827957	2738.836192	30000	0	0	30000	43.4375	2004
23.01.2020 16:27:38	1	1	1	1	73.5	63.25	0	24976.303	109.6774194	2749.436034	30000	0	0	30000	43.1875	2004
23.01.2020 16:27:39	1	1	1	1	73.5	63	0	25355.45	129.0322581	3271.274427	30000	0	0	30000	43.125	2004
23.01.2020 16:27:40	1	1	1	1	73.5	63	0	26492.891	144.0860215	3824.096975	30000	0	0	30000	43.125	2004
23.01.2020 16:27:41	1	1	1	1	73.5	63	0	26919.431	159.1397849	4349.196858	30000	0	0	30000	43.25	2004
23.01.2020 16:27:42	1	1	1	1	73.5	63.25	0	27014.218	161.2903226	4349.196858	30000	0	0	30000	42.6875	2004
23.01.2020 16:27:43	1	1	1	1	73.75	62.5	0	27630.332	176.344086	4694.099421	30000	0	0	30000	43.125	2004
23.01.2020 16:27:44	1	1	1	1	73.75	63	0	28388.626	189.2473118	5372.489332	30000	0	0	30000	43.125	2004
23.01.2020 16:27:45	1	1	1	1	73.75	63	0	28815.166	206.4516129	5948.957682	30000	0	0	30000	43.0625	2004
23.01.2020 16:27:46	1	1	1	1	73.75	63	0	28957.346	219.3548387	6351.751692	30000	0	0	30000	43.1875	2004
23.01.2020 16:27:47	1	1	1	1	73.75	63	0	29478.673	232.2580645	6846.682793	30000	0	0	30000	43.1875	2004
23.01.2020 16:27:48	1	1	1	1	73.75	63	0	29478.673	234.4086022	6909.466475	30000	0	0	30000	43.125	2004
23.01.2020 16:27:49	1	1	1	1	73.75	63	0	29431.28	243.0107527	7226.646373	30000	0	0	30000	43.0625	2004
23.01.2020 16:27:51	1	1	1	1	73.75	63	0	29478.673	247.311828	7428.85875	30000	0	0	30000	42.875	2004
23.01.2020 16:27:52	1	1	1	1	73.75	62.75	0	29478.673	243.0107527	7238.061588	30000	0	0	30000	42.9375	2004
23.01.2020 16:27:53	1	1	1	1	73.75	62.75	0	29526.066	247.311828	7301.660642	30000	0	0	30000	43.125	2004
23.01.2020 16:27:54	1	1	1	1	73.5	63	0	29431.28	245.1612903	7215.231158	30000	0	0	30000	43.125	2004
23.01.2020 16:27:55	1	1	1	1	73.5	63	0	29478.673	243.0107527	7163.047319	30000	0	0	30000	43.0625	2004
23.01.2020 16:27:56	1	1	1	1	73.5	63	0	29478.673	243.0107527	7151.632104	30000	0	0	30000	43.0625	2004
23.01.2020 16:27:57	1	1	1	1	73.5	63	0	29431.28	249.4623656	7416.628163	30000	0	0	30000	42.8125	2004
23.01.2020 16:27:58	1	1	1	1	73.5	62.75	0	29478.673	251.6129032	7341.613894	30000	0	0	30000	43.1875	2004
23.01.2020 16:27:59	1	1	1	1	73.5	63	0	29478.673	251.6129032	7428.85875	30000	0	0	30000	43.25	2004
23.01.2020 16:28:00	1	1	1	1	73.5	63.25	0	29526.066	245.1612903	7301.660642	30000	0	0	30000	43.25	2004
23.01.2020 16:28:01	1	1	1	1	73.5	63.5	0	29526.066	249.4623656	7301.660642	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:02	1	1	1	1	73.5	63	0	29526.066	258.0645161	7682.439594	30000	0	0	30000	43	2004
23.01.2020 16:28:03	1	1	1	1	74	63	0	29526.066	258.0645161	7619.655913	30000	0	0	30000	43.125	2004
23.01.2020 16:28:04	1	1	1	1	74	63	0	29526.066	260.2150538	7746.038649	30000	0	0	30000	43.3125	2004
23.01.2020 16:28:05	1	1	1	1	74	63.25	0	29526.066	258.0645161	7682.439594	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:06	1	1	1	1	74	63	0	29526.066	260.2150538	7619.655913	30000	0	0	30000	42.9375	2004
23.01.2020 16:28:07	1	1	1	1	74	62.75	0	29478.673	264.516129	7746.038649	30000	0	0	30000	43	2004
23.01.2020 16:28:08	1	1	1	1	74	63	0	29526.066	258.0645161	7682.439594	30000	0	0	30000	43.125	2004
23.01.2020 16:28:09	1	1	1	1	74	63	0	29526.066	258.0645161	7619.655913	30000	0	0	30000	43.125	2004
23.01.2020 16:28:10	1	1	1	1	74	63	0	29526.066	258.0645161	7631.8865	30000	0	0	30000	43	2004
23.01.2020 16:28:11	1	1	1	1	74	63	0	29526.066	253.7634409	7492.457804	30000	0	0	30000	42.75	2004
23.01.2020 16:28:12	1	1	1	1	74	62.75	0	29526.066	247.311828	7365.259696	30000	0	0	30000	43.125	2004
23.01.2020 16:28:13	1	1	1	1	73.5	63	0	29526.066	253.7634409	7416.628163	30000	0	0	30000	43.0625	2004
23.01.2020 16:28:14	1	1	1	1	73.5	63	0	29526.066	255.9139785	7556.056859	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:15	1	1	1	1	73.5	63	0	29526.066	262.3655914	7746.038649	30000	0	0	30000	42.75	2004
23.01.2020 16:28:16	1	1	1	1	73.5	62.75	0	29526.066	279.5698925	8254.01571	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:28:17	1	1	1	1	73.5	63	0	29526.066	283.8709677	8381.213818	30000	0	0	30000	43.125	2004
23.01.2020 16:28:18	1	1	1	1	73.5	63	0	29478.673	288.172043	8635.610035	30000	0	0	30000	42.6875	2004
23.01.2020 16:28:19	1	1	1	1	73.5	62.5	0	29526.066	283.8709677	8317.614764	30000	0	0	30000	42.75	2004
23.01.2020 16:28:20	1	1	1	1	73.5	62.75	0	29526.066	283.8709677	8317.614764	30000	0	0	30000	43.25	2004
23.01.2020 16:28:21	1	1	1	1	73.5	63.25	0	29478.673	275.2688172	8190.416655	30000	0	0	30000	42.8125	2004
23.01.2020 16:28:22	1	1	1	1	73.5	62.75	0	29526.066	275.2688172	8127.632974	30000	0	0	30000	43	2004
23.01.2020 16:28:23	1	1	1	1	73.5	63	0	29526.066	273.1182796	8064.033919	30000	0	0	30000	42.9375	2004
23.01.2020 16:28:24	1	1	1	1	73.5	62.75	0	29526.066	281.7204301	8331.476096	30000	0	0	30000	43	2004
23.01.2020 16:28:25	1	1	1	1	73.5	63	0	29526.066	288.172043	8585.872313	30000	0	0	30000	42.3125	2004
23.01.2020 16:28:26	1	1	1	1	73.5	62.25	0	29526.066	301.0752688	8889.190879	30000	0	0	30000	42.8125	2004
23.01.2020 16:28:27	1	1	1	1	73.5	62.75	0	29526.066	307.5268817	9094.664746	30000	0	0	30000	43.25	2004
23.01.2020 16:28:29	1	1	1	1	73.5	63.25	0	29573.46	307.5268817	9094.664746	30000	0	0	30000	43	2004
23.01.2020 16:28:30	1	1	1	1	73.5	63	0	29573.46	301.0752688	8840.268529	30000	0	0	30000	42.0625	2004
23.01.2020 16:28:31	1	1	1	1	73.5	62	0	29573.46	296.7741935	8840.268529	30000	0	0	30000	43.25	2004
23.01.2020 16:28:32	1	1	1	1	73.5	63.25	0	29573.46	301.0752688	8903.867584	30000	0	0	30000	43.375	2004
23.01.2020 16:28:39	1	1	1	1	73.75	63.5	0	29526.066	313.9784946	9221.862854	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:39	1	1	1	1	73.75	63.5	0	29526.066	313.9784946	9221.862854	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:39	1	1	1	1	73.75	63.5	0	29526.066	313.9784946	9221.862854	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:39	1	1	1	1	73.75	63.5	0	29526.066	313.9784946	9221.862854	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:39	1	1	1	1	73.75	63.5	0	29526.066	313.9784946	9221.862854	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:39	1	1	1	1	73.75	63.5	0	29526.066	313.9784946	9221.862854	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:39	1	1	1	1	73.75	63.5	0	29526.066	313.9784946	9221.862854	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:40	1	1	1	1	73.75	63.25	0	29526.066	316.1290323	9349.060963	30000	0	0	30000	42.9375	2004
23.01.2020 16:28:41	1	1	1	1	73.75	62.75	0	29573.46	316.1290323	9490.935776	30000	0	0	30000	43.1875	2004
23.01.2020 16:28:42	1	1	1	1	73.75	63	0	29620.853	318.2795699	9363.737667	30000	0	0	30000	42.9375	2004
23.01.2020 16:28:43	1	1	1	1	73.5	62.75	0	29620.853	320.4301075	9490.935776	30000	0	0	30000	42.875	2004
23.01.2020 16:28:44	1	1	1	1	73.5	62.75	0	29573.46	313.9784946	9221.862854	30000	0	0	30000	42.875	2004
23.01.2020 16:28:45	1	1	1	1	73.5	62.75	0	29620.853	320.4301075	9490.935776	30000	0	0	30000	43.125	2004
23.01.2020 16:28:46	1	1	1	1	73.5	63	0	29620.853	326.8817204	9618.133884	30000	0	0	30000	43.25	2004
23.01.2020 16:28:47	1	1	1	1	73.5	63.25	0	29620.853	318.2795699	9427.336722	30000	0	0	30000	43.125	2004
23.01.2020 16:28:48	1	1	1	1	73.5	63	0	29620.853	320.4301075	9490.935776	30000	0	0	30000	43.0625	2004
23.01.2020 16:28:49	1	1	1	1	73.5	63	0	29573.46	326.8817204	9682.548311	30000	0	0	30000	43.125	2004
23.01.2020 16:28:50	1	1	1	1	73.5	63	0	29620.853	335.483871	9936.944527	30000	0	0	30000	42.9375	2004
23.01.2020 16:28:51	1	1	1	1	73.5	62.75	0	29573.46	329.0322581	9746.147365	30000	0	0	30000	43	2004
23.01.2020 16:28:52	1	1	1	1	73.5	63	0	29620.853	329.0322581	9618.133884	30000	0	0	30000	43.125	2004
23.01.2020 16:28:53	1	1	1	1	73	63	0	29620.853	326.8817204	9873.345473	30000	0	0	30000	43	2004
23.01.2020 16:28:54	1	1	1	1	73	63	0	29620.853	348.3870968	10382.95328	30000	0	0	30000	43.0625	2004
23.01.2020 16:28:55	1	1	1	1	73	63	0	29620.853	352.688172	10239.44772	30000	0	0	30000	42.625	2004
23.01.2020 16:28:56	1	1	1	1	73	62.5	0	29620.853	359.1397849	10637.3495	30000	0	0	30000	42.9375	2004
23.01.2020 16:28:57	1	1	1	1	73	62.75	0	29620.853	350.5376344	10510.15139	30000	0	0	30000	43.125	2004
23.01.2020 16:28:58	1	1	1	1	73	63	0	29668.246	369.8924731	10956.16014	30000	0	0	30000	42.9375	2004
23.01.2020 16:28:59	1	1	1	1	73	62.75	0	29668.246	378.4946237	11247.24812	30000	0	0	30000	43	2004
23.01.2020 16:29:00	1	1	1	1	73	63	0	29715.64	369.8924731	11037.69739	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:29:46	1	1	1	1	73	63	0	29715.64	258.0645161	7668.578262	30000	0	0	30000	43.1875	2004
23.01.2020 16:29:47	1	1	1	1	73	63	0	29715.64	264.516129	7923.789851	30000	0	0	30000	43.25	2004
23.01.2020 16:29:48	1	1	1	1	73	63.25	0	29715.64	264.516129	7860.190797	30000	0	0	30000	43.1875	2004
23.01.2020 16:29:49	1	1	1	1	73	63	0	29668.246	262.3655914	7860.190797	30000	0	0	30000	43.0625	2004
23.01.2020 16:29:50	1	1	1	1	73	63	0	29763.033	260.2150538	7884.651972	30000	0	0	30000	43.1875	2004
23.01.2020 16:29:51	1	1	1	1	73	63	0	29763.033	264.516129	7860.190797	30000	0	0	30000	43.4375	2004
23.01.2020 16:29:52	1	1	1	1	73	63.25	0	29715.64	262.3655914	7821.052918	30000	0	0	30000	43.0625	2004
23.01.2020 16:29:53	1	1	1	1	73	63	0	29810.427	266.6666667	8141.494306	30000	0	0	30000	43.25	2004
23.01.2020 16:29:54	1	1	1	1	73.25	63.25	0	29715.64	266.6666667	7987.388905	30000	0	0	30000	43.375	2004
23.01.2020 16:29:55	1	1	1	1	73.25	63.25	0	29810.427	275.2688172	7987.388905	30000	0	0	30000	43.75	2004
23.01.2020 16:29:56	1	1	1	1	73.25	63.75	0	29715.64	270.9677419	8051.803332	30000	0	0	30000	43.1875	2004
23.01.2020 16:29:57	1	1	1	1	73.25	63.5	0	29763.033	279.5698925	8333.922213	30000	0	0	30000	43.1875	2004
23.01.2020 16:29:58	1	1	1	1	73.25	63	0	29810.427	279.5698925	8397.521268	30000	0	0	30000	42.75	2004
23.01.2020 16:29:59	1	1	1	1	73.25	62.75	0	29763.033	286.0215054	8526.350121	30000	0	0	30000	43.125	2004
23.01.2020 16:30:00	1	1	1	1	73.25	63	0	29810.427	290.3225806	8498.627456	30000	0	0	30000	42.875	2004
23.01.2020 16:30:01	1	1	1	1	73.25	62.75	0	29763.033	288.172043	8654.363602	30000	0	0	30000	43.25	2004
23.01.2020 16:30:02	1	1	1	1	73.25	63.25	0	29810.427	290.3225806	8654.363602	30000	0	0	30000	43.3125	2004
23.01.2020 16:30:03	1	1	1	1	73.25	63.25	0	29715.64	283.8709677	8718.778028	30000	0	0	30000	43.125	2004
23.01.2020 16:30:04	1	1	1	1	73.25	63	0	29715.64	283.8709677	8498.627456	30000	0	0	30000	43.25	2004
23.01.2020 16:30:05	1	1	1	1	73.25	63.25	0	29763.033	286.0215054	8498.627456	30000	0	0	30000	43.25	2004
23.01.2020 16:30:06	1	1	1	1	73.25	63.25	0	29810.427	283.8709677	8435.028402	30000	0	0	30000	43.25	2004
23.01.2020 16:30:07	1	1	1	1	73.25	63.25	0	29763.033	281.7204301	8397.521268	30000	0	0	30000	43.125	2004
23.01.2020 16:30:08	1	1	1	1	73.25	63	0	29810.427	277.4193548	8256.461827	30000	0	0	30000	43.1875	2004
23.01.2020 16:30:09	1	1	1	1	73.25	63	0	29715.64	273.1182796	8115.402386	30000	0	0	30000	43.1875	2004
23.01.2020 16:30:10	1	1	1	1	73.25	63	0	29810.427	277.4193548	8141.494306	30000	0	0	30000	42.9375	2004
23.01.2020 16:30:11	1	1	1	1	73.25	62.75	0	29810.427	270.9677419	7987.388905	30000	0	0	30000	42.875	2004
23.01.2020 16:30:12	1	1	1	1	73.25	62.75	0	29715.64	262.3655914	7732.177316	30000	0	0	30000	43.25	2004
23.01.2020 16:30:13	1	1	1	1	73	63.25	0	29715.64	260.2150538	7668.578262	30000	0	0	30000	42.8125	2004
23.01.2020 16:30:14	1	1	1	1	73	62.75	0	29715.64	260.2150538	7756.638491	30000	0	0	30000	43.0625	2004
23.01.2020 16:30:15	1	1	1	1	73	63	0	29810.427	264.516129	7821.052918	30000	0	0	30000	43.125	2004
23.01.2020 16:30:16	1	1	1	1	73	63	0	29810.427	264.516129	7949.066398	30000	0	0	30000	43.25	2004
23.01.2020 16:30:17	1	1	1	1	73	63.25	0	29857.82	264.516129	8025.711412	30000	0	0	30000	43.125	2004
23.01.2020 16:30:18	1	1	1	1	73	63	0	29857.82	266.6666667	7884.651972	30000	0	0	30000	43.25	2004
23.01.2020 16:30:19	1	1	1	1	73	63.25	0	29810.427	260.2150538	7732.177316	30000	0	0	30000	42.9375	2004
23.01.2020 16:30:20	1	1	1	1	73	62.75	0	29810.427	262.3655914	7821.052918	30000	0	0	30000	43.1875	2004
23.01.2020 16:30:21	1	1	1	1	73	63	0	29810.427	262.3655914	7949.066398	30000	0	0	30000	43	2004
23.01.2020 16:30:23	1	1	1	1	73	63	0	29810.427	262.3655914	7821.052918	30000	0	0	30000	42.8125	2004
23.01.2020 16:30:24	1	1	1	1	73.25	62.75	0	29810.427	255.9139785	7693.039437	30000	0	0	30000	43	2004
23.01.2020 16:30:25	1	1	1	1	73.25	63	0	29810.427	262.3655914	7756.638491	30000	0	0	30000	43.125	2004
23.01.2020 16:30:26	1	1	1	1	73.25	63	0	29810.427	266.6666667	7884.651972	30000	0	0	30000	43.1875	2004
23.01.2020 16:30:27	1	1	1	1	73.25	63	0	29810.427	268.8172043	8013.480825	30000	0	0	30000	43.0625	2004
23.01.2020 16:30:28	1	1	1	1	73.25	63	0	29810.427	264.516129	7884.651972	30000	0	0	30000	43	2004
23.01.2020 16:30:29	1	1	1	1	73.25	63	0	29810.427	258.0645161	7756.638491	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:30:30	1	1	1	1	73.25	63	0	29810.427	249.4623656	7436.197103	30000	0	0	30000	43.125	2004
23.01.2020 16:30:31	1	1	1	1	73.25	63	0	29810.427	240.8602151	7180.170141	30000	0	0	30000	43.125	2004
23.01.2020 16:30:32	1	1	1	1	73.25	63	0	29810.427	240.8602151	7180.170141	30000	0	0	30000	43.5625	2004
23.01.2020 16:30:33	1	1	1	1	73.25	63.5	0	29810.427	240.8602151	7180.170141	30000	0	0	30000	43.5	2004
23.01.2020 16:30:34	1	1	1	1	73.25	63.5	0	29810.427	240.8602151	6964.911804	30000	0	0	30000	43.1875	2004
23.01.2020 16:30:35	1	1	1	1	73.25	63.25	0	29810.427	240.8602151	7180.170141	30000	0	0	30000	42.5625	2004
23.01.2020 16:30:42	1	1	1	1	73.25	62.5	0	29857.82	247.311828	7459.842905	30000	0	0	30000	43.125	2004
23.01.2020 16:30:42	1	1	1	1	73.25	62.5	0	29857.82	247.311828	7459.842905	30000	0	0	30000	43.125	2004
23.01.2020 16:30:42	1	1	1	1	73.25	62.5	0	29857.82	247.311828	7459.842905	30000	0	0	30000	43.125	2004
23.01.2020 16:30:42	1	1	1	1	73.25	62.5	0	29857.82	247.311828	7459.842905	30000	0	0	30000	43.125	2004
23.01.2020 16:30:42	1	1	1	1	73.25	62.5	0	29857.82	247.311828	7459.842905	30000	0	0	30000	43.125	2004
23.01.2020 16:30:42	1	1	1	1	73.25	62.5	0	29857.82	247.311828	7459.842905	30000	0	0	30000	43.125	2004
23.01.2020 16:30:42	1	1	1	1	73.25	62.5	0	29857.82	247.311828	7459.842905	30000	0	0	30000	43.125	2004
23.01.2020 16:30:42	1	1	1	1	73.25	62.5	0	29857.82	247.311828	7459.842905	30000	0	0	30000	43.125	2004
23.01.2020 16:30:43	1	1	1	1	73.5	63	0	29857.82	251.6129032	7512.026744	30000	0	0	30000	43.1875	2004
23.01.2020 16:30:44	1	1	1	1	73.5	63	0	29905.213	249.4623656	7395.428478	30000	0	0	30000	43	2004
23.01.2020 16:30:45	1	1	1	1	73.5	63	0	29810.427	243.0107527	7371.782676	30000	0	0	30000	43.125	2004
23.01.2020 16:30:46	1	1	1	1	73.5	63	0	29857.82	245.1612903	7331.014052	30000	0	0	30000	43.25	2004
23.01.2020 16:30:47	1	1	1	1	73.5	63.25	0	29857.82	243.0107527	7255.18441	30000	0	0	30000	42.875	2004
23.01.2020 16:30:48	1	1	1	1	73.5	62.75	0	29810.427	240.8602151	7180.170141	30000	0	0	30000	43.125	2004
23.01.2020 16:30:49	1	1	1	1	73.5	63	0	29857.82	240.8602151	7203.000571	30000	0	0	30000	43.1875	2004
23.01.2020 16:30:50	1	1	1	1	73.5	63	0	29857.82	240.8602151	7191.585356	30000	0	0	30000	42.8125	2004
23.01.2020 16:30:51	1	1	1	1	73.5	62.75	0	29857.82	240.8602151	7191.585356	30000	0	0	30000	43.0625	2004
23.01.2020 16:30:52	1	1	1	1	73.5	63	0	29810.427	240.8602151	7180.170141	30000	0	0	30000	43.1875	2004
23.01.2020 16:30:53	1	1	1	1	73	63	0	29810.427	240.8602151	7191.585356	30000	0	0	30000	43	2004
23.01.2020 16:30:54	1	1	1	1	73	63	0	29857.82	240.8602151	7255.18441	30000	0	0	30000	43.125	2004
23.01.2020 16:30:55	1	1	1	1	73	63	0	29810.427	245.1612903	7384.013263	30000	0	0	30000	42.9375	2004
23.01.2020 16:30:56	1	1	1	1	73	62.75	0	29857.82	253.7634409	7576.441171	30000	0	0	30000	43.0625	2004
23.01.2020 16:30:57	1	1	1	1	73	63	0	29857.82	264.516129	7821.052918	30000	0	0	30000	43.0625	2004
23.01.2020 16:30:58	1	1	1	1	73	63	0	29905.213	275.2688172	8232.000652	30000	0	0	30000	43.1875	2004
23.01.2020 16:31:00	1	1	1	1	73	63	0	29857.82	273.1182796	8154.540266	30000	0	0	30000	43.1875	2004
23.01.2020 16:31:01	1	1	1	1	73	63	0	29857.82	275.2688172	8282.553747	30000	0	0	30000	43.125	2004
23.01.2020 16:31:02	1	1	1	1	73	63	0	29857.82	279.5698925	8424.42856	30000	0	0	30000	43.1875	2004
23.01.2020 16:31:03	1	1	1	1	73	63	0	29857.82	283.8709677	8553.257413	30000	0	0	30000	43.1875	2004
23.01.2020 16:31:04	1	1	1	1	72.75	63	0	29905.213	288.172043	8603.810507	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:05	1	1	1	1	72.75	62.75	0	29857.82	286.0215054	8553.257413	30000	0	0	30000	42.6875	2004
23.01.2020 16:31:06	1	1	1	1	72.75	62.5	0	29905.213	283.8709677	8553.257413	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:07	1	1	1	1	72.75	62.75	0	29905.213	288.172043	8682.086266	30000	0	0	30000	43	2004
23.01.2020 16:31:08	1	1	1	1	72.75	63	0	29857.82	286.0215054	8617.67184	30000	0	0	30000	43.0625	2004
23.01.2020 16:31:09	1	1	1	1	72.75	63	0	29905.213	290.3225806	8682.086266	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:10	1	1	1	1	72.75	62.75	0	29905.213	290.3225806	8682.086266	30000	0	0	30000	42.8125	2004
23.01.2020 16:31:11	1	1	1	1	72.75	62.75	0	29905.213	286.0215054	8553.257413	30000	0	0	30000	43.4375	2004
23.01.2020 16:31:12	1	1	1	1	72.75	63.25	0	29857.82	270.9677419	8167.586226	30000	0	0	30000	43.1875	2004
23.01.2020 16:31:13	1	1	1	1	72.75	63	0	29905.213	258.0645161	7717.500612	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:31:14	1	1	1	1	72.5	63.25	0	29905.213	240.8602151	7203.000571	30000	0	0	30000	43	2004
23.01.2020 16:31:15	1	1	1	1	72.5	63	0	29905.213	236.5591398	7203.000571	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:16	1	1	1	1	72.5	62.75	0	29905.213	234.4086022	6998.342076	30000	0	0	30000	43.125	2004
23.01.2020 16:31:17	1	1	1	1	72.5	63	0	29905.213	243.0107527	7266.599625	30000	0	0	30000	42.875	2004
23.01.2020 16:31:18	1	1	1	1	72.5	62.75	0	29905.213	247.311828	7459.842905	30000	0	0	30000	43.125	2004
23.01.2020 16:31:19	1	1	1	1	72.5	63	0	29905.213	251.6129032	7395.428478	30000	0	0	30000	43.125	2004
23.01.2020 16:31:20	1	1	1	1	72.5	63	0	29905.213	258.0645161	7653.086185	30000	0	0	30000	42.875	2004
23.01.2020 16:31:21	1	1	1	1	72.5	62.75	0	29905.213	251.6129032	7459.842905	30000	0	0	30000	42.875	2004
23.01.2020 16:31:22	1	1	1	1	72.5	62.75	0	29905.213	249.4623656	7459.842905	30000	0	0	30000	42.5	2004
23.01.2020 16:31:23	1	1	1	1	72.5	62.5	0	29905.213	240.8602151	7203.000571	30000	0	0	30000	42.8125	2004
23.01.2020 16:31:24	1	1	1	1	72.5	62.75	0	29905.213	240.8602151	7203.000571	30000	0	0	30000	43.125	2004
23.01.2020 16:31:25	1	1	1	1	72.5	63	0	29905.213	243.0107527	7331.014052	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:26	1	1	1	1	72.5	62.75	0	29905.213	253.7634409	7588.671758	30000	0	0	30000	42.6875	2004
23.01.2020 16:31:27	1	1	1	1	72.5	62.5	0	29952.607	264.516129	7909.928519	30000	0	0	30000	43	2004
23.01.2020 16:31:28	1	1	1	1	72.5	63	0	29857.82	268.8172043	8038.757372	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:29	1	1	1	1	72.5	62.75	0	29905.213	264.516129	7974.342946	30000	0	0	30000	43	2004
23.01.2020 16:31:30	1	1	1	1	72.5	63	0	29905.213	262.3655914	7909.928519	30000	0	0	30000	43.1875	2004
23.01.2020 16:31:31	1	1	1	1	72.5	63	0	30000	258.0645161	7524.257332	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:32	1	1	1	1	72.5	62.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:33	1	1	1	1	72.75	62.75	0	29952.607	251.6129032	7472.073492	30000	0	0	30000	43.0625	2004
23.01.2020 16:31:34	1	1	1	1	72.75	63	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.125	2004
23.01.2020 16:31:35	1	1	1	1	72.75	63	0	29905.213	247.311828	7395.428478	30000	0	0	30000	42.6875	2004
23.01.2020 16:31:36	1	1	1	1	72.75	62.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:44	1	1	1	1	73	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
23.01.2020 16:31:44	1	1	1	1	73	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
23.01.2020 16:31:44	1	1	1	1	73	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
23.01.2020 16:31:44	1	1	1	1	73	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
23.01.2020 16:31:44	1	1	1	1	73	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
23.01.2020 16:31:44	1	1	1	1	73	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
23.01.2020 16:31:44	1	1	1	1	73	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
23.01.2020 16:31:45	1	1	1	1	73	63	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	43.0625	2004
23.01.2020 16:31:46	1	1	1	1	73	63	0	29952.607	275.2688172	8232.000652	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:47	1	1	1	1	73	62.75	0	29905.213	277.4193548	8502.704319	30000	0	0	30000	42.9375	2004
23.01.2020 16:31:48	1	1	1	1	73	62.75	0	29952.607	279.5698925	8309.461039	30000	0	0	30000	43.1875	2004
23.01.2020 16:31:49	1	1	1	1	73	63	0	29905.213	281.7204301	8424.42856	30000	0	0	30000	43.4375	2004
23.01.2020 16:31:50	1	1	1	1	73	63.25	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	43.125	2004
23.01.2020 16:31:51	1	1	1	1	73	63	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43.375	2004
23.01.2020 16:31:52	1	1	1	1	73	63.25	0	29952.607	288.172043	8695.947599	30000	0	0	30000	43.125	2004
23.01.2020 16:31:53	1	1	1	1	73.25	63	0	30000	290.3225806	8695.947599	30000	0	0	30000	43.0625	2004
23.01.2020 16:31:54	1	1	1	1	73.25	63	0	30000	288.172043	8567.118745	30000	0	0	30000	43.125	2004
23.01.2020 16:31:55	1	1	1	1	73.25	63	0	29905.213	288.172043	8695.947599	30000	0	0	30000	43.1875	2004
23.01.2020 16:31:56	1	1	1	1	73.25	63	0	29952.607	286.0215054	8708.993559	30000	0	0	30000	42.75	2004
23.01.2020 16:31:57	1	1	1	1	73.25	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:31:58	1	1	1	1	73.25	62.75	0	30000	290.3225806	8838.637784	30000	0	0	30000	42.8125	2004
23.01.2020 16:31:59	1	1	1	1	73.25	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.8125	2004
23.01.2020 16:32:00	1	1	1	1	73.25	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 16:32:01	1	1	1	1	73.25	63	0	30000	303.2258065	9031.881064	30000	0	0	30000	42.6875	2004
23.01.2020 16:32:02	1	1	1	1	73.25	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.75	2004
23.01.2020 16:32:03	1	1	1	1	73.25	62.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.0625	2004
23.01.2020 16:32:04	1	1	1	1	73.25	63	0	29952.607	290.3225806	8903.052211	30000	0	0	30000	43.1875	2004
23.01.2020 16:32:05	1	1	1	1	73.25	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.6875	2004
23.01.2020 16:32:06	1	1	1	1	73.25	62.5	0	30000	298.9247312	8903.052211	30000	0	0	30000	42.875	2004
23.01.2020 16:32:07	1	1	1	1	73.25	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
23.01.2020 16:32:08	1	1	1	1	73.25	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
23.01.2020 16:32:09	1	1	1	1	73.25	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:32:10	1	1	1	1	73.25	63	0	29952.607	311.827957	9419.182997	30000	0	0	30000	42.875	2004
23.01.2020 16:32:11	1	1	1	1	73.25	62.75	0	30000	311.827957	9433.859702	30000	0	0	30000	42.5625	2004
23.01.2020 16:32:12	1	1	1	1	73.25	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.625	2004
23.01.2020 16:32:13	1	1	1	1	73.25	62.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:14	1	1	1	1	73.25	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.75	2004
23.01.2020 16:32:15	1	1	1	1	73.25	62.75	0	30000	279.5698925	8399.967385	30000	0	0	30000	43.125	2004
23.01.2020 16:32:17	1	1	1	1	73.25	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.75	2004
23.01.2020 16:32:18	1	1	1	1	73.25	62.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	43	2004
23.01.2020 16:32:19	1	1	1	1	73.25	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.875	2004
23.01.2020 16:32:20	1	1	1	1	73.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
23.01.2020 16:32:21	1	1	1	1	73.25	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.6875	2004
23.01.2020 16:32:22	1	1	1	1	73.25	62.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	43	2004
23.01.2020 16:32:23	1	1	1	1	73.25	63	0	30000	253.7634409	7741.961786	30000	0	0	30000	43.0625	2004
23.01.2020 16:32:24	1	1	1	1	73.5	63	0	30000	247.311828	7419.07428	30000	0	0	30000	43.0625	2004
23.01.2020 16:32:25	1	1	1	1	73.5	63	0	30000	236.5591398	7225.831	30000	0	0	30000	42.875	2004
23.01.2020 16:32:26	1	1	1	1	73.5	62.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	42.4375	2004
23.01.2020 16:32:27	1	1	1	1	73.5	62.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	43.0625	2004
23.01.2020 16:32:28	1	1	1	1	73.5	63	0	30000	247.311828	7419.07428	30000	0	0	30000	43.6875	2004
23.01.2020 16:32:29	1	1	1	1	73.5	63.5	0	29952.607	255.9139785	7665.316772	30000	0	0	30000	43.6875	2004
23.01.2020 16:32:30	1	1	1	1	73.5	63.5	0	30000	260.2150538	7547.903134	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:31	1	1	1	1	73.5	62.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.875	2004
23.01.2020 16:32:32	1	1	1	1	73.5	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43	2004
23.01.2020 16:32:33	1	1	1	1	73.75	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.125	2004
23.01.2020 16:32:34	1	1	1	1	73.75	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	43	2004
23.01.2020 16:32:35	1	1	1	1	73.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.25	2004
23.01.2020 16:32:36	1	1	1	1	73.75	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.75	2004
23.01.2020 16:32:37	1	1	1	1	73.75	62.75	0	30000	286.0215054	8515.750279	30000	0	0	30000	43.125	2004
23.01.2020 16:32:38	1	1	1	1	73.75	63	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.875	2004
23.01.2020 16:32:46	1	1	1	1	73	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:46	1	1	1	1	73	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:46	1	1	1	1	73	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:32:46	1	1	1	1	73	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:46	1	1	1	1	73	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:46	1	1	1	1	73	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:46	1	1	1	1	73	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:46	1	1	1	1	73	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
23.01.2020 16:32:47	1	1	1	1	73	63	0	30000	320.4301075	9692.332781	30000	0	0	30000	43.25	2004
23.01.2020 16:32:48	1	1	1	1	73	63.25	0	30000	318.2795699	9354.76857	30000	0	0	30000	43	2004
23.01.2020 16:32:49	1	1	1	1	73	63	0	30047.393	339.7849462	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:32:50	1	1	1	1	73	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:51	1	1	1	1	73	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
23.01.2020 16:32:52	1	1	1	1	73	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.1875	2004
23.01.2020 16:32:53	1	1	1	1	72.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.0625	2004
23.01.2020 16:32:54	1	1	1	1	72.5	63	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 16:32:56	1	1	1	1	72.5	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
23.01.2020 16:32:57	1	1	1	1	72.5	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.9375	2004
23.01.2020 16:32:58	1	1	1	1	72.5	62.75	0	30047.393	369.8924731	11031.98978	30000	0	0	30000	43.1875	2004
23.01.2020 16:32:59	1	1	1	1	72.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.0625	2004
23.01.2020 16:33:00	1	1	1	1	72.5	63	0	30047.393	350.5376344	10532.16644	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:01	1	1	1	1	72.5	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:02	1	1	1	1	72.5	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:03	1	1	1	1	72.5	62.75	0	29905.213	359.1397849	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 16:33:04	1	1	1	1	72.5	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:05	1	1	1	1	72.5	62.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	43	2004
23.01.2020 16:33:06	1	1	1	1	72.5	63	0	29905.213	387.0967742	11511.4288	30000	0	0	30000	43.625	2004
23.01.2020 16:33:07	1	1	1	1	72.5	63.5	0	29810.427	382.7956989	11474.73704	30000	0	0	30000	43.25	2004
23.01.2020 16:33:08	1	1	1	1	72.5	63.25	0	30000	395.6989247	11612.53499	30000	0	0	30000	43.1875	2004
23.01.2020 16:33:09	1	1	1	1	72.5	63	0	30000	406.4516129	12193.08021	30000	0	0	30000	43.25	2004
23.01.2020 16:33:10	1	1	1	1	72.5	63.25	0	29905.213	395.6989247	12064.25135	30000	0	0	30000	42.75	2004
23.01.2020 16:33:11	1	1	1	1	72.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 16:33:12	1	1	1	1	72.5	63	0	30000	395.6989247	11676.94942	30000	0	0	30000	42.5	2004
23.01.2020 16:33:13	1	1	1	1	72.75	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.875	2004
23.01.2020 16:33:14	1	1	1	1	72.75	62.75	0	29952.607	380.6451613	11382.59995	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:15	1	1	1	1	72.75	62.75	0	29952.607	389.2473118	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:16	1	1	1	1	72.75	62.75	0	29952.607	384.9462366	11741.36385	30000	0	0	30000	43	2004
23.01.2020 16:33:17	1	1	1	1	72.75	63	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:18	1	1	1	1	72.75	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:19	1	1	1	1	72.75	62.75	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
23.01.2020 16:33:20	1	1	1	1	72.75	62.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	43	2004
23.01.2020 16:33:21	1	1	1	1	72.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
23.01.2020 16:33:22	1	1	1	1	72.75	62.75	0	30000	337.6344086	10113.06499	30000	0	0	30000	43.0625	2004
23.01.2020 16:33:23	1	1	1	1	73	63	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	43.25	2004
23.01.2020 16:33:24	1	1	1	1	73	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.5	2004
23.01.2020 16:33:25	1	1	1	1	73	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:33:26	1	1	1	1	73	62.75	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
23.01.2020 16:33:27	1	1	1	1	73	62.75	0	29905.213	346.2365591	10499.55155	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:28	1	1	1	1	73	62.75	0	29905.213	348.3870968	10515.85899	30000	0	0	30000	42.6875	2004
23.01.2020 16:33:29	1	1	1	1	73	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 16:33:30	1	1	1	1	73	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 16:33:31	1	1	1	1	73	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:32	1	1	1	1	73	62.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.625	2004
23.01.2020 16:33:33	1	1	1	1	73.25	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
23.01.2020 16:33:35	1	1	1	1	73.25	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.0625	2004
23.01.2020 16:33:36	1	1	1	1	73.25	63	0	30000	369.8924731	10950.45253	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:37	1	1	1	1	73.25	62.75	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.625	2004
23.01.2020 16:33:38	1	1	1	1	73.25	62.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:39	1	1	1	1	73.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43	2004
23.01.2020 16:33:40	1	1	1	1	73.25	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.0625	2004
23.01.2020 16:33:47	1	1	1	1	73.5	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.3125	2004
23.01.2020 16:33:47	1	1	1	1	73.5	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.3125	2004
23.01.2020 16:33:47	1	1	1	1	73.5	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.3125	2004
23.01.2020 16:33:47	1	1	1	1	73.5	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.3125	2004
23.01.2020 16:33:47	1	1	1	1	73.5	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.3125	2004
23.01.2020 16:33:47	1	1	1	1	73.5	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.3125	2004
23.01.2020 16:33:47	1	1	1	1	73.5	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.3125	2004
23.01.2020 16:33:48	1	1	1	1	73.5	63.25	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:33:49	1	1	1	1	73.5	63.25	0	30000	400	11935.4225	30000	0	0	30000	42.8125	2004
23.01.2020 16:33:50	1	1	1	1	73.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:51	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:33:52	1	1	1	1	73.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 16:33:53	1	1	1	1	73.5	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.4375	2004
23.01.2020 16:33:54	1	1	1	1	73.5	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
23.01.2020 16:33:55	1	1	1	1	73.5	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	43	2004
23.01.2020 16:33:56	1	1	1	1	73.5	63	0	30000	397.8494624	11954.17607	30000	0	0	30000	42.875	2004
23.01.2020 16:33:57	1	1	1	1	73.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
23.01.2020 16:33:58	1	1	1	1	73.5	62.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	43	2004
23.01.2020 16:33:59	1	1	1	1	73.5	63	0	30000	395.6989247	11640.25766	30000	0	0	30000	42.9375	2004
23.01.2020 16:34:00	1	1	1	1	73.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 16:34:01	1	1	1	1	73.5	62.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	43	2004
23.01.2020 16:34:02	1	1	1	1	73.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
23.01.2020 16:34:03	1	1	1	1	73.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004
23.01.2020 16:34:04	1	1	1	1	73.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 16:34:05	1	1	1	1	73.5	63	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 16:34:06	1	1	1	1	73.5	63	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.9375	2004
23.01.2020 16:34:07	1	1	1	1	73.5	62.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	43	2004
23.01.2020 16:34:08	1	1	1	1	73.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 16:34:09	1	1	1	1	73.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:34:10	1	1	1	1	73.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5625	2004
23.01.2020 16:34:11	1	1	1	1	73.5	62.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	43.0625	2004
23.01.2020 16:34:12	1	1	1	1	73.5	63	0	30000	412.9032258	12451.55328	30000	0	0	30000	43	2004
23.01.2020 16:34:13	1	1	1	1	72.75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
23.01.2020 16:34:15	1	1	1	1	72.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.875	2004
23.01.2020 16:34:16	1	1	1	1	72.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 16:34:17	1	1	1	1	72.75	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:34:18	1	1	1	1	72.75	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
23.01.2020 16:34:19	1	1	1	1	72.75	62.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.75	2004
23.01.2020 16:34:20	1	1	1	1	72.75	62.75	0	29952.607	395.6989247	11741.36385	30000	0	0	30000	43	2004
23.01.2020 16:34:21	1	1	1	1	72.75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
23.01.2020 16:34:22	1	1	1	1	72.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43	2004
23.01.2020 16:34:23	1	1	1	1	72.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 16:34:24	1	1	1	1	73.25	63	0	30000	378.4946237	11437.22991	30000	0	0	30000	42.6875	2004
23.01.2020 16:34:25	1	1	1	1	73.25	62.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.9375	2004
23.01.2020 16:34:26	1	1	1	1	73.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 16:34:27	1	1	1	1	73.25	63	0	29952.607	382.7956989	11401.35352	30000	0	0	30000	43.3125	2004
23.01.2020 16:34:28	1	1	1	1	73.25	63.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.5	2004
23.01.2020 16:34:29	1	1	1	1	73.25	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.5625	2004
23.01.2020 16:34:30	1	1	1	1	73.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 16:34:31	1	1	1	1	73.25	63	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.5625	2004
23.01.2020 16:34:32	1	1	1	1	73.25	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.875	2004
23.01.2020 16:34:33	1	1	1	1	73.75	62.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 16:34:34	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 16:34:35	1	1	1	1	73.75	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.75	2004
23.01.2020 16:34:36	1	1	1	1	73.75	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 16:34:37	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
23.01.2020 16:34:38	1	1	1	1	73.75	63	0	30000	367.7419355	10950.45253	30000	0	0	30000	43	2004
23.01.2020 16:34:39	1	1	1	1	73.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
23.01.2020 16:34:40	1	1	1	1	73.75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43	2004
23.01.2020 16:34:41	1	1	1	1	73.75	63	0	29905.213	369.8924731	11354.87729	30000	0	0	30000	42.25	2004
23.01.2020 16:34:49	1	1	1	1	73.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
23.01.2020 16:34:49	1	1	1	1	73.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
23.01.2020 16:34:49	1	1	1	1	73.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
23.01.2020 16:34:49	1	1	1	1	73.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
23.01.2020 16:34:49	1	1	1	1	73.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
23.01.2020 16:34:49	1	1	1	1	73.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
23.01.2020 16:34:49	1	1	1	1	73.5	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.625	2004
23.01.2020 16:34:50	1	1	1	1	73.5	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 16:34:52	1	1	1	1	73.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 16:34:53	1	1	1	1	73.5	62.75	0	29905.213	372.0430108	11354.87729	30000	0	0	30000	43.0625	2004
23.01.2020 16:34:54	1	1	1	1	73.75	63	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:34:55	1	1	1	1	73.75	62.5	0	30000	369.8924731	11390.75368	30000	0	0	30000	43	2004
23.01.2020 16:34:56	1	1	1	1	73.75	63	0	30000	369.8924731	10967.57535	30000	0	0	30000	42.75	2004
23.01.2020 16:34:57	1	1	1	1	73.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.0625	2004
23.01.2020 16:34:58	1	1	1	1	73.75	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.9375	2004
23.01.2020 16:34:59	1	1	1	1	73.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 16:35:00	1	1	1	1	73.75	62.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.1875	2004
23.01.2020 16:35:01	1	1	1	1	73.75	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 16:35:02	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
23.01.2020 16:35:03	1	1	1	1	73.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.375	2004
23.01.2020 16:35:04	1	1	1	1	74.25	63.25	0	30047.393	397.8494624	12083.00492	30000	0	0	30000	43.125	2004
23.01.2020 16:35:05	1	1	1	1	74.25	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 16:35:06	1	1	1	1	74.25	63.25	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	43	2004
23.01.2020 16:35:07	1	1	1	1	74.25	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:35:08	1	1	1	1	74.25	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 16:35:09	1	1	1	1	74.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
23.01.2020 16:35:10	1	1	1	1	74.25	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.625	2004
23.01.2020 16:35:11	1	1	1	1	74.25	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 16:35:12	1	1	1	1	74.25	62.75	0	29905.213	387.0967742	11612.53499	30000	0	0	30000	43.0625	2004
23.01.2020 16:35:13	1	1	1	1	74.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
23.01.2020 16:35:14	1	1	1	1	74.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 16:35:15	1	1	1	1	74.25	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 16:35:16	1	1	1	1	74.25	63	0	29952.607	400	12064.25135	30000	0	0	30000	42.9375	2004
23.01.2020 16:35:17	1	1	1	1	74.25	62.75	0	30000	397.8494624	12128.66578	30000	0	0	30000	42.9375	2004
23.01.2020 16:35:18	1	1	1	1	74.25	62.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.5625	2004
23.01.2020 16:35:19	1	1	1	1	74.25	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
23.01.2020 16:35:20	1	1	1	1	74.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
23.01.2020 16:35:21	1	1	1	1	74.25	62.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	43.125	2004
23.01.2020 16:35:22	1	1	1	1	74.25	63	0	30000	402.1505376	11916.66893	30000	0	0	30000	42.75	2004
23.01.2020 16:35:23	1	1	1	1	74.25	62.75	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:35:24	1	1	1	1	74.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 16:35:25	1	1	1	1	74.25	63	0	30000	400	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 16:35:26	1	1	1	1	74.25	63	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 16:35:27	1	1	1	1	74.25	62.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	43.125	2004
23.01.2020 16:35:28	1	1	1	1	74.25	63	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.1875	2004
23.01.2020 16:35:29	1	1	1	1	74.25	62	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.1875	2004
23.01.2020 16:35:31	1	1	1	1	74.25	63	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.8125	2004
23.01.2020 16:35:32	1	1	1	1	74.25	62.75	0	29952.607	400	11981.08336	30000	0	0	30000	43.1875	2004
23.01.2020 16:35:33	1	1	1	1	74.25	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 16:35:34	1	1	1	1	74.25	63	0	29952.607	404.3010753	12193.08021	30000	0	0	30000	43.0625	2004
23.01.2020 16:35:35	1	1	1	1	74.25	63	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.75	2004
23.01.2020 16:35:36	1	1	1	1	74.25	62.75	0	29952.607	395.6989247	12128.66578	30000	0	0	30000	43	2004
23.01.2020 16:35:37	1	1	1	1	74.25	63	0	30000	402.1505376	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 16:35:38	1	1	1	1	74.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:35:39	1	1	1	1	74.25	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 16:35:40	1	1	1	1	74.25	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:35:41	1	1	1	1	74.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
23.01.2020 16:35:42	1	1	1	1	74.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 16:35:43	1	1	1	1	74.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:35:50	1	1	1	1	74.25	63	0	30000	445.1612903	13548.22928	30000	0	0	30000	42.75	2004
23.01.2020 16:35:50	1	1	1	1	74.25	63	0	30000	445.1612903	13548.22928	30000	0	0	30000	42.75	2004
23.01.2020 16:35:50	1	1	1	1	74.25	63	0	30000	445.1612903	13548.22928	30000	0	0	30000	42.75	2004
23.01.2020 16:35:50	1	1	1	1	74.25	63	0	30000	445.1612903	13548.22928	30000	0	0	30000	42.75	2004
23.01.2020 16:35:50	1	1	1	1	74.25	63	0	30000	445.1612903	13548.22928	30000	0	0	30000	42.75	2004
23.01.2020 16:35:50	1	1	1	1	74.25	63	0	30000	445.1612903	13548.22928	30000	0	0	30000	42.75	2004
23.01.2020 16:35:51	1	1	1	1	74.25	62.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	42.875	2004
23.01.2020 16:35:52	1	1	1	1	74.25	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43	2004
23.01.2020 16:35:53	1	1	1	1	74.75	63	0	30000	481.7204301	13999.94564	30000	0	0	30000	42.875	2004
23.01.2020 16:35:54	1	1	1	1	74.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
23.01.2020 16:35:55	1	1	1	1	74.75	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.4375	2004
23.01.2020 16:35:56	1	1	1	1	74.75	62.25	0	30000	464.516129	13741.47256	30000	0	0	30000	43.0625	2004
23.01.2020 16:35:57	1	1	1	1	74.75	63	0	30000	458.0645161	13935.53122	30000	0	0	30000	43.25	2004
23.01.2020 16:35:58	1	1	1	1	74.75	63.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.8125	2004
23.01.2020 16:35:59	1	1	1	1	74.75	62.75	0	30000	464.516129	13999.94564	30000	0	0	30000	42.8125	2004
23.01.2020 16:36:00	1	1	1	1	74.75	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 16:36:01	1	1	1	1	74.75	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.0625	2004
23.01.2020 16:36:02	1	1	1	1	74.75	63	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.875	2004
23.01.2020 16:36:03	1	1	1	1	75	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43	2004
23.01.2020 16:36:04	1	1	1	1	75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 16:36:05	1	1	1	1	75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 16:36:06	1	1	1	1	75	63	0	30047.393	443.0107527	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 16:36:07	1	1	1	1	75	62.75	0	29952.607	455.9139785	13805.88699	30000	0	0	30000	43.125	2004
23.01.2020 16:36:09	1	1	1	1	75	63	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.375	2004
23.01.2020 16:36:10	1	1	1	1	75	62.25	0	30000	464.516129	13913.51616	30000	0	0	30000	43.125	2004
23.01.2020 16:36:11	1	1	1	1	75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
23.01.2020 16:36:12	1	1	1	1	75	62.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.0625	2004
23.01.2020 16:36:13	1	1	1	1	75	63	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 16:36:14	1	1	1	1	75.25	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 16:36:15	1	1	1	1	75.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 16:36:16	1	1	1	1	75.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 16:36:17	1	1	1	1	75.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 16:36:18	1	1	1	1	75.25	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 16:36:19	1	1	1	1	75.25	62.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:36:20	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:36:21	1	1	1	1	75.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.1875	2004
23.01.2020 16:36:22	1	1	1	1	75.25	63	0	29905.213	402.1505376	12064.25135	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:36:23	1	1	1	1	75.25	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.6875	2004
23.01.2020 16:36:24	1	1	1	1	75.25	63.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
23.01.2020 16:36:25	1	1	1	1	75.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:36:26	1	1	1	1	75.25	63	0	29952.607	421.5053763	12709.21099	30000	0	0	30000	43.0625	2004
23.01.2020 16:36:27	1	1	1	1	75.25	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	43	2004
23.01.2020 16:36:28	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:36:29	1	1	1	1	75.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:36:30	1	1	1	1	75.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:36:31	1	1	1	1	75.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.6875	2004
23.01.2020 16:36:32	1	1	1	1	75.25	62.5	0	30000	423.655914	12709.21099	30000	0	0	30000	43.0625	2004
23.01.2020 16:36:33	1	1	1	1	75.25	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.125	2004
23.01.2020 16:36:34	1	1	1	1	75.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.8125	2004
23.01.2020 16:36:35	1	1	1	1	75.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
23.01.2020 16:36:36	1	1	1	1	75.25	62.25	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	43.1875	2004
23.01.2020 16:36:37	1	1	1	1	75.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43	2004
23.01.2020 16:36:38	1	1	1	1	75.25	63	0	30000	451.6129032	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 16:36:39	1	1	1	1	75.25	63	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
23.01.2020 16:36:40	1	1	1	1	75.25	62	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 16:36:41	1	1	1	1	75.25	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.9375	2004
23.01.2020 16:36:42	1	1	1	1	75.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:36:43	1	1	1	1	75.25	63	0	30000	417.2043011	12496.39877	30000	0	0	30000	42.9375	2004
23.01.2020 16:36:44	1	1	1	1	75.25	62.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.6875	2004
23.01.2020 16:36:52	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:36:52	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:36:52	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:36:52	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:36:52	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:36:52	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:36:52	1	1	1	1	75.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 16:36:53	1	1	1	1	75.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 16:36:54	1	1	1	1	75.5	63	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	42.6875	2004
23.01.2020 16:36:55	1	1	1	1	75.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
23.01.2020 16:36:56	1	1	1	1	75.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 16:36:57	1	1	1	1	75.5	62.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
23.01.2020 16:36:58	1	1	1	1	75.5	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.25	2004
23.01.2020 16:36:59	1	1	1	1	75.5	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:00	1	1	1	1	75.5	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.3125	2004
23.01.2020 16:37:01	1	1	1	1	75.5	63.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.375	2004
23.01.2020 16:37:02	1	1	1	1	75.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:03	1	1	1	1	75.5	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.75	2004
23.01.2020 16:37:04	1	1	1	1	75.5	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.75	2004
23.01.2020 16:37:05	1	1	1	1	75.5	62.75	0	29905.213	384.9462366	11659.01122	30000	0	0	30000	42.75	2004
23.01.2020 16:37:06	1	1	1	1	75.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:37:07	1	1	1	1	75.5	63.25	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:08	1	1	1	1	75.5	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 16:37:09	1	1	1	1	75.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
23.01.2020 16:37:10	1	1	1	1	75.5	62.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:11	1	1	1	1	75.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
23.01.2020 16:37:12	1	1	1	1	75.5	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:13	1	1	1	1	75.25	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
23.01.2020 16:37:14	1	1	1	1	75.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
23.01.2020 16:37:15	1	1	1	1	75.25	62.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	43	2004
23.01.2020 16:37:16	1	1	1	1	75.25	63	0	30047.393	395.6989247	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 16:37:17	1	1	1	1	75.25	63	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.3125	2004
23.01.2020 16:37:18	1	1	1	1	75.25	63.25	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.75	2004
23.01.2020 16:37:19	1	1	1	1	75.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:20	1	1	1	1	75.25	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.75	2004
23.01.2020 16:37:21	1	1	1	1	75.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:22	1	1	1	1	75.25	63	0	30000	402.1505376	12064.25135	30000	0	0	30000	43.3125	2004
23.01.2020 16:37:23	1	1	1	1	75.25	63.25	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:25	1	1	1	1	75.25	63	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.8125	2004
23.01.2020 16:37:26	1	1	1	1	75.25	62.75	0	30000	406.4516129	12193.08021	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:27	1	1	1	1	75.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:37:28	1	1	1	1	75.25	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:29	1	1	1	1	75.25	63	0	29952.607	384.9462366	11612.53499	30000	0	0	30000	43.125	2004
23.01.2020 16:37:30	1	1	1	1	75.25	63	0	29952.607	400	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:37:31	1	1	1	1	75.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
23.01.2020 16:37:32	1	1	1	1	75.25	62.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	43	2004
23.01.2020 16:37:33	1	1	1	1	75.25	63	0	30000	395.6989247	11612.53499	30000	0	0	30000	42.4375	2004
23.01.2020 16:37:34	1	1	1	1	75.5	62.25	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:35	1	1	1	1	75.5	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:36	1	1	1	1	75.5	63	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.25	2004
23.01.2020 16:37:37	1	1	1	1	75.5	62.25	0	29952.607	395.6989247	12128.66578	30000	0	0	30000	43.125	2004
23.01.2020 16:37:38	1	1	1	1	75.5	63	0	29952.607	395.6989247	11704.67208	30000	0	0	30000	42.9375	2004
23.01.2020 16:37:39	1	1	1	1	75.5	62.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.375	2004
23.01.2020 16:37:40	1	1	1	1	75.5	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.1875	2004
23.01.2020 16:37:41	1	1	1	1	75.5	63.25	0	30000	395.6989247	11852.2545	30000	0	0	30000	43.125	2004
23.01.2020 16:37:42	1	1	1	1	75.5	63	0	30000	395.6989247	12128.66578	30000	0	0	30000	42.75	2004
23.01.2020 16:37:43	1	1	1	1	75.25	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.9375	2004
23.01.2020 16:37:44	1	1	1	1	75.25	62.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.1875	2004
23.01.2020 16:37:45	1	1	1	1	75.25	63	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 16:37:46	1	1	1	1	75.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.25	2004
23.01.2020 16:37:54	1	1	1	1	74.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:37:54	1	1	1	1	74.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:37:54	1	1	1	1	74.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:37:54	1	1	1	1	74.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:37:54	1	1	1	1	74.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:37:54	1	1	1	1	74.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:37:54	1	1	1	1	74.75	63	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 16:37:55	1	1	1	1	74.75	62.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.1875	2004
23.01.2020 16:37:56	1	1	1	1	74.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 16:37:57	1	1	1	1	74.75	63	0	30000	415.0537634	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:37:58	1	1	1	1	74.75	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
23.01.2020 16:37:59	1	1	1	1	74.75	62.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 16:38:00	1	1	1	1	74.75	62.75	0	30000	423.655914	12709.21099	30000	0	0	30000	42.6875	2004
23.01.2020 16:38:01	1	1	1	1	74.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
23.01.2020 16:38:02	1	1	1	1	74.75	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 16:38:04	1	1	1	1	74.5	62.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	43	2004
23.01.2020 16:38:05	1	1	1	1	74.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
23.01.2020 16:38:06	1	1	1	1	74.5	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 16:38:07	1	1	1	1	74.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.3125	2004
23.01.2020 16:38:08	1	1	1	1	74.5	63.25	0	30047.393	453.7634409	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 16:38:09	1	1	1	1	74.5	63	0	29905.213	460.2150538	13805.88699	30000	0	0	30000	43.125	2004
23.01.2020 16:38:10	1	1	1	1	74.5	63	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.5625	2004
23.01.2020 16:38:11	1	1	1	1	74.5	62.5	0	30047.393	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 16:38:12	1	1	1	1	74.5	63	0	30000	417.2043011	12580.38214	30000	0	0	30000	43	2004
23.01.2020 16:38:13	1	1	1	1	74.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:38:14	1	1	1	1	74.75	63	0	30000	400	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 16:38:15	1	1	1	1	74.75	63	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.125	2004
23.01.2020 16:38:16	1	1	1	1	74.75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
23.01.2020 16:38:17	1	1	1	1	74.75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.25	2004
23.01.2020 16:38:18	1	1	1	1	74.75	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.0625	2004
23.01.2020 16:38:19	1	1	1	1	74.75	63	0	30000	318.2795699	9468.920719	30000	0	0	30000	43.4375	2004
23.01.2020 16:38:20	1	1	1	1	74.75	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
23.01.2020 16:38:21	1	1	1	1	74.75	63.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.1875	2004
23.01.2020 16:38:22	1	1	1	1	74.75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.875	2004
23.01.2020 16:38:23	1	1	1	1	75	62.75	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.125	2004
23.01.2020 16:38:24	1	1	1	1	75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.1875	2004
23.01.2020 16:38:25	1	1	1	1	75	63	0	29952.607	283.8709677	8515.750279	30000	0	0	30000	43.3125	2004
23.01.2020 16:38:26	1	1	1	1	75	63.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.125	2004
23.01.2020 16:38:27	1	1	1	1	75	63	0	30047.393	281.7204301	8322.506999	30000	0	0	30000	42.9375	2004
23.01.2020 16:38:28	1	1	1	1	75	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.125	2004
23.01.2020 16:38:29	1	1	1	1	75	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	43.0625	2004
23.01.2020 16:38:30	1	1	1	1	75	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.125	2004
23.01.2020 16:38:31	1	1	1	1	75	63	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.1875	2004
23.01.2020 16:38:32	1	1	1	1	75	63	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.875	2004
23.01.2020 16:38:33	1	1	1	1	75	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.1875	2004
23.01.2020 16:38:34	1	1	1	1	75	63	0	29952.607	270.9677419	8128.448346	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:38:35	1	1	1	1	75	63	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.125	2004
23.01.2020 16:38:36	1	1	1	1	75	62	0	30000	268.8172043	8192.862773	30000	0	0	30000	43.125	2004
23.01.2020 16:38:37	1	1	1	1	75	63	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.8125	2004
23.01.2020 16:38:38	1	1	1	1	75	62.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	43.0625	2004
23.01.2020 16:38:39	1	1	1	1	75	63	0	30000	273.1182796	8180.632185	30000	0	0	30000	42.9375	2004
23.01.2020 16:38:40	1	1	1	1	75	62.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.3125	2004
23.01.2020 16:38:42	1	1	1	1	75	63.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.1875	2004
23.01.2020 16:38:43	1	1	1	1	75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
23.01.2020 16:38:44	1	1	1	1	75.25	63	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.375	2004
23.01.2020 16:38:45	1	1	1	1	75.25	63.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	43	2004
23.01.2020 16:38:46	1	1	1	1	75.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
23.01.2020 16:38:47	1	1	1	1	75.25	63.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
23.01.2020 16:38:48	1	1	1	1	75.25	62.5	0	30000	279.5698925	8309.461039	30000	0	0	30000	43.125	2004
23.01.2020 16:38:55	1	1	1	1	75.25	63	0	30000	281.7204301	8424.42856	30000	0	0	30000	43.5625	2004
23.01.2020 16:38:55	1	1	1	1	75.25	63	0	30000	281.7204301	8424.42856	30000	0	0	30000	43.5625	2004
23.01.2020 16:38:55	1	1	1	1	75.25	63	0	30000	281.7204301	8424.42856	30000	0	0	30000	43.5625	2004
23.01.2020 16:38:55	1	1	1	1	75.25	63	0	30000	281.7204301	8424.42856	30000	0	0	30000	43.5625	2004
23.01.2020 16:38:55	1	1	1	1	75.25	63	0	30000	281.7204301	8424.42856	30000	0	0	30000	43.5625	2004
23.01.2020 16:38:55	1	1	1	1	75.25	63	0	30000	281.7204301	8424.42856	30000	0	0	30000	43.5625	2004
23.01.2020 16:38:55	1	1	1	1	75.25	63	0	30000	281.7204301	8424.42856	30000	0	0	30000	43.5625	2004
23.01.2020 16:38:56	1	1	1	1	75.25	63.5	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:38:57	1	1	1	1	75.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.5	2004
23.01.2020 16:38:58	1	1	1	1	75.25	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.1875	2004
23.01.2020 16:38:59	1	1	1	1	75.25	63	0	30000	288.172043	8644.579132	30000	0	0	30000	42.875	2004
23.01.2020 16:39:00	1	1	1	1	75.25	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.375	2004
23.01.2020 16:39:01	1	1	1	1	75.25	62.25	0	30000	286.0215054	8708.993559	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:02	1	1	1	1	75.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.25	2004
23.01.2020 16:39:03	1	1	1	1	75.5	63.25	0	29905.213	275.2688172	8451.335852	30000	0	0	30000	43.25	2004
23.01.2020 16:39:04	1	1	1	1	75.5	63.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:05	1	1	1	1	75.5	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:06	1	1	1	1	75.5	63	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.6875	2004
23.01.2020 16:39:07	1	1	1	1	75.5	62.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:08	1	1	1	1	75.5	63	0	30000	281.7204301	8580.164705	30000	0	0	30000	43.25	2004
23.01.2020 16:39:09	1	1	1	1	75.5	63.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.25	2004
23.01.2020 16:39:10	1	1	1	1	75.5	63.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.25	2004
23.01.2020 16:39:11	1	1	1	1	75.5	63.25	0	29952.607	279.5698925	8580.164705	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:12	1	1	1	1	75.5	63	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.25	2004
23.01.2020 16:39:13	1	1	1	1	75.25	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	42.3125	2004
23.01.2020 16:39:14	1	1	1	1	75.25	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
23.01.2020 16:39:15	1	1	1	1	75.25	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.8125	2004
23.01.2020 16:39:16	1	1	1	1	75.25	62.75	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.375	2004
23.01.2020 16:39:17	1	1	1	1	75.25	63.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.3125	2004
23.01.2020 16:39:18	1	1	1	1	75.25	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:39:20	1	1	1	1	75.25	62.75	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	43.0625	2004
23.01.2020 16:39:21	1	1	1	1	75.25	63	0	30000	316.1290323	9468.920719	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:22	1	1	1	1	75.25	63	0	30047.393	316.1290323	9419.182997	30000	0	0	30000	43.125	2004
23.01.2020 16:39:23	1	1	1	1	75.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.125	2004
23.01.2020 16:39:24	1	1	1	1	75.25	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	43	2004
23.01.2020 16:39:25	1	1	1	1	75.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.3125	2004
23.01.2020 16:39:26	1	1	1	1	75.25	63.25	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.875	2004
23.01.2020 16:39:27	1	1	1	1	75.25	62.75	0	30000	311.827957	9419.182997	30000	0	0	30000	43.125	2004
23.01.2020 16:39:28	1	1	1	1	75.25	63	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:29	1	1	1	1	75.25	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.25	2004
23.01.2020 16:39:30	1	1	1	1	75.25	63.25	0	30000	337.6344086	9919.821705	30000	0	0	30000	43.125	2004
23.01.2020 16:39:31	1	1	1	1	75.25	63	0	29952.607	326.8817204	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 16:39:32	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 16:39:33	1	1	1	1	75.25	63	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	42.875	2004
23.01.2020 16:39:34	1	1	1	1	75	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	43.3125	2004
23.01.2020 16:39:35	1	1	1	1	75	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.4375	2004
23.01.2020 16:39:36	1	1	1	1	75	63.25	0	29905.213	326.8817204	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:37	1	1	1	1	75	63	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	43.25	2004
23.01.2020 16:39:38	1	1	1	1	75	63.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 16:39:39	1	1	1	1	75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:40	1	1	1	1	75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:41	1	1	1	1	75	63	0	30000	361.2903226	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:39:42	1	1	1	1	75	63	0	29952.607	363.4408602	11031.98978	30000	0	0	30000	43.0625	2004
23.01.2020 16:39:43	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:39:44	1	1	1	1	74.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:45	1	1	1	1	74.5	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
23.01.2020 16:39:46	1	1	1	1	74.5	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:47	1	1	1	1	74.5	63	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.875	2004
23.01.2020 16:39:48	1	1	1	1	74.5	62.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.75	2004
23.01.2020 16:39:49	1	1	1	1	74.5	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.9375	2004
23.01.2020 16:39:57	1	1	1	1	74.75	62.5	0	30000	361.2903226	10838.7465	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:57	1	1	1	1	74.75	62.5	0	30000	361.2903226	10838.7465	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:57	1	1	1	1	74.75	62.5	0	30000	361.2903226	10838.7465	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:57	1	1	1	1	74.75	62.5	0	30000	361.2903226	10838.7465	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:57	1	1	1	1	74.75	62.5	0	30000	361.2903226	10838.7465	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:57	1	1	1	1	74.75	62.5	0	30000	361.2903226	10838.7465	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:57	1	1	1	1	74.75	62.5	0	30000	361.2903226	10838.7465	30000	0	0	30000	43.1875	2004
23.01.2020 16:39:58	1	1	1	1	74.75	63	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	41.9375	2004
23.01.2020 16:39:59	1	1	1	1	74.75	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 16:40:00	1	1	1	1	74.75	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.125	2004
23.01.2020 16:40:01	1	1	1	1	74.75	63	0	30000	352.688172	10709.10227	30000	0	0	30000	42.75	2004
23.01.2020 16:40:02	1	1	1	1	74.75	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.1875	2004
23.01.2020 16:40:03	1	1	1	1	74.75	63	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:40:04	1	1	1	1	74.25	63	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.1875	2004
23.01.2020 16:40:05	1	1	1	1	74.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
23.01.2020 16:40:06	1	1	1	1	74.25	62.5	0	30000	372.0430108	11031.98978	30000	0	0	30000	42.875	2004
23.01.2020 16:40:07	1	1	1	1	74.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 16:40:08	1	1	1	1	74.25	62.75	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	42.9375	2004
23.01.2020 16:40:09	1	1	1	1	74.25	62.75	0	30047.393	369.8924731	11031.98978	30000	0	0	30000	42.875	2004
23.01.2020 16:40:10	1	1	1	1	74.25	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
23.01.2020 16:40:11	1	1	1	1	74.25	63	0	30047.393	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
23.01.2020 16:40:12	1	1	1	1	74.25	63	0	29146.919	363.4408602	10467.75202	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:13	1	1	1	1	74.25	63.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 16:40:14	1	1	1	1	74.25	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.4375	2004
23.01.2020 16:40:15	1	1	1	1	74.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.75	2004
23.01.2020 16:40:16	1	1	1	1	74.25	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.625	2004
23.01.2020 16:40:17	1	1	1	1	74.25	62.5	0	29715.64	331.1827957	9840.730574	30000	0	0	30000	43.125	2004
23.01.2020 16:40:18	1	1	1	1	74.25	63	0	30000	326.8817204	9582.257495	30000	0	0	30000	43.25	2004
23.01.2020 16:40:19	1	1	1	1	74.25	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 16:40:20	1	1	1	1	74.25	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:40:21	1	1	1	1	74.25	63	0	29857.82	275.2688172	8282.553747	30000	0	0	30000	43.0625	2004
23.01.2020 16:40:22	1	1	1	1	74.25	63	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:40:23	1	1	1	1	74	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43	2004
23.01.2020 16:40:24	1	1	1	1	74	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:25	1	1	1	1	74	63.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:40:26	1	1	1	1	74	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.1875	2004
23.01.2020 16:40:27	1	1	1	1	74	63	0	30000	303.2258065	8967.466638	30000	0	0	30000	43.1875	2004
23.01.2020 16:40:28	1	1	1	1	74	63	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 16:40:29	1	1	1	1	74	63	0	30000	303.2258065	9082.434159	30000	0	0	30000	42.125	2004
23.01.2020 16:40:30	1	1	1	1	74	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
23.01.2020 16:40:31	1	1	1	1	74	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:32	1	1	1	1	74	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:40:33	1	1	1	1	74.5	63	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.0625	2004
23.01.2020 16:40:34	1	1	1	1	74.5	63	0	30000	316.1290323	9548.01185	30000	0	0	30000	43	2004
23.01.2020 16:40:36	1	1	1	1	74.5	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
23.01.2020 16:40:37	1	1	1	1	74.5	62	0	29857.82	303.2258065	8925.067268	30000	0	0	30000	43	2004
23.01.2020 16:40:38	1	1	1	1	74.5	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:40:39	1	1	1	1	74.5	63	0	30000	324.7311828	9676.840703	30000	0	0	30000	43.125	2004
23.01.2020 16:40:40	1	1	1	1	74.5	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.75	2004
23.01.2020 16:40:41	1	1	1	1	74.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
23.01.2020 16:40:42	1	1	1	1	74.5	63	0	29715.64	301.0752688	9074.280434	30000	0	0	30000	42.6875	2004
23.01.2020 16:40:43	1	1	1	1	74.5	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:40:44	1	1	1	1	74.5	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43	2004
23.01.2020 16:40:45	1	1	1	1	74.5	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.1875	2004
23.01.2020 16:40:46	1	1	1	1	74.5	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.0625	2004
23.01.2020 16:40:47	1	1	1	1	74.5	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:40:48	1	1	1	1	74.5	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.125	2004
23.01.2020 16:40:49	1	1	1	1	74.5	63	0	30047.393	290.3225806	8644.579132	30000	0	0	30000	43.25	2004
23.01.2020 16:40:50	1	1	1	1	74.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
23.01.2020 16:40:51	1	1	1	1	74.5	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:59	1	1	1	1	74.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:59	1	1	1	1	74.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:59	1	1	1	1	74.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:59	1	1	1	1	74.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:59	1	1	1	1	74.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:59	1	1	1	1	74.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 16:40:59	1	1	1	1	74.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
23.01.2020 16:41:01	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.3125	2004
23.01.2020 16:41:01	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.3125	2004
23.01.2020 16:41:01	1	1	1	1	74.5	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.3125	2004
23.01.2020 16:41:02	1	1	1	1	74.5	63.25	0	29952.607	301.0752688	9082.434159	30000	0	0	30000	43.125	2004
23.01.2020 16:41:03	1	1	1	1	73.5	63	0	30000	303.2258065	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:41:04	1	1	1	1	73.5	63	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.125	2004
23.01.2020 16:41:05	1	1	1	1	73.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
23.01.2020 16:41:06	1	1	1	1	73.5	63	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:07	1	1	1	1	73.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
23.01.2020 16:41:08	1	1	1	1	73.5	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
23.01.2020 16:41:09	1	1	1	1	73.5	63.25	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:10	1	1	1	1	73.5	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.0625	2004
23.01.2020 16:41:11	1	1	1	1	73.5	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
23.01.2020 16:41:12	1	1	1	1	73.5	62.75	0	30000	316.1290323	9676.840703	30000	0	0	30000	43.125	2004
23.01.2020 16:41:13	1	1	1	1	72.75	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:41:15	1	1	1	1	72.75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:16	1	1	1	1	72.75	63	0	30000	288.172043	8644.579132	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:17	1	1	1	1	72.75	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43.125	2004
23.01.2020 16:41:18	1	1	1	1	72.75	63	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:19	1	1	1	1	72.75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.4375	2004
23.01.2020 16:41:20	1	1	1	1	72.75	62.25	0	29905.213	292.4731183	8903.052211	30000	0	0	30000	42.8125	2004
23.01.2020 16:41:21	1	1	1	1	72.75	62.75	0	30000	303.2258065	8810.099747	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:22	1	1	1	1	72.75	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:23	1	1	1	1	72.75	63	0	29905.213	294.6236559	8874.514174	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:24	1	1	1	1	73.25	63	0	29905.213	307.5268817	9483.597423	30000	0	0	30000	42.4375	2004
23.01.2020 16:41:25	1	1	1	1	73.25	62.25	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.8125	2004
23.01.2020 16:41:26	1	1	1	1	73.25	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.0625	2004
23.01.2020 16:41:27	1	1	1	1	73.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43	2004
23.01.2020 16:41:28	1	1	1	1	73.25	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43	2004
23.01.2020 16:41:29	1	1	1	1	73.25	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.125	2004
23.01.2020 16:41:30	1	1	1	1	73.25	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.4375	2004
23.01.2020 16:41:31	1	1	1	1	73.25	63.25	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:41:32	1	1	1	1	73.25	63.25	0	30047.393	290.3225806	8722.854891	30000	0	0	30000	42.6875	2004
23.01.2020 16:41:33	1	1	1	1	73.75	63.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.375	2004
23.01.2020 16:41:34	1	1	1	1	73.75	62.25	0	29905.213	292.4731183	8838.637784	30000	0	0	30000	42.9375	2004
23.01.2020 16:41:35	1	1	1	1	73.75	62.75	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	43.0625	2004
23.01.2020 16:41:36	1	1	1	1	73.75	63	0	30000	298.9247312	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:37	1	1	1	1	73.75	63	0	29905.213	296.7741935	9096.295491	30000	0	0	30000	42.875	2004
23.01.2020 16:41:38	1	1	1	1	73.75	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.125	2004
23.01.2020 16:41:39	1	1	1	1	73.75	63	0	30047.393	309.6774194	9225.124344	30000	0	0	30000	43.0625	2004
23.01.2020 16:41:40	1	1	1	1	73.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
23.01.2020 16:41:41	1	1	1	1	73.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
23.01.2020 16:41:42	1	1	1	1	73.75	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.875	2004
23.01.2020 16:41:43	1	1	1	1	74	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 16:41:44	1	1	1	1	74	63	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:45	1	1	1	1	74	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.6875	2004
23.01.2020 16:41:46	1	1	1	1	74	62.5	0	29952.607	301.0752688	9146.848585	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:47	1	1	1	1	74	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 16:41:48	1	1	1	1	74	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:49	1	1	1	1	74	63	0	29810.427	301.0752688	8974.80499	30000	0	0	30000	43.0625	2004
23.01.2020 16:41:50	1	1	1	1	74	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:41:52	1	1	1	1	74	63	0	30000	305.3763441	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:41:53	1	1	1	1	74	63	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
23.01.2020 16:42:00	1	1	1	1	74	63	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:00	1	1	1	1	74	63	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:00	1	1	1	1	74	63	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:00	1	1	1	1	74	63	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:00	1	1	1	1	74	63	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:00	1	1	1	1	74	63	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:00	1	1	1	1	74	63	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:01	1	1	1	1	74	63	0	29905.213	301.0752688	9003.343027	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:02	1	1	1	1	74	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
23.01.2020 16:42:03	1	1	1	1	74	63.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:04	1	1	1	1	73.5	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 16:42:05	1	1	1	1	73.5	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:06	1	1	1	1	73.5	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:07	1	1	1	1	73.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:08	1	1	1	1	73.5	63	0	30000	322.5806452	9806.484929	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:09	1	1	1	1	73.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5625	2004
23.01.2020 16:42:10	1	1	1	1	73.5	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:11	1	1	1	1	73.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:12	1	1	1	1	73.5	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:13	1	1	1	1	73.75	63	0	30000	326.8817204	9886.391433	30000	0	0	30000	43.3125	2004
23.01.2020 16:42:14	1	1	1	1	73.75	63.25	0	30047.393	329.0322581	9612.426277	30000	0	0	30000	43.3125	2004
23.01.2020 16:42:15	1	1	1	1	73.75	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:42:16	1	1	1	1	73.75	63.25	0	30142.18	326.8817204	9741.25513	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:17	1	1	1	1	73.75	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:18	1	1	1	1	73.75	63	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	42.875	2004
23.01.2020 16:42:19	1	1	1	1	73.75	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.25	2004
23.01.2020 16:42:20	1	1	1	1	73.75	62.25	0	30000	303.2258065	8938.928601	30000	0	0	30000	43.3125	2004
23.01.2020 16:42:21	1	1	1	1	73.75	63.25	0	30000	309.6774194	9067.757454	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:22	1	1	1	1	73.75	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	43	2004
23.01.2020 16:42:23	1	1	1	1	73.75	63	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.125	2004
23.01.2020 16:42:24	1	1	1	1	73.75	63	0	30000	322.5806452	9582.257495	30000	0	0	30000	42.625	2004
23.01.2020 16:42:25	1	1	1	1	73.75	62.5	0	30000	350.5376344	10435.13712	30000	0	0	30000	43.125	2004
23.01.2020 16:42:26	1	1	1	1	73.75	63	0	29952.607	348.3870968	10644.68785	30000	0	0	30000	43.25	2004
23.01.2020 16:42:27	1	1	1	1	73.75	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:28	1	1	1	1	73.75	63	0	30000	352.688172	10644.68785	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:29	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 16:42:31	1	1	1	1	73.75	63.25	0	29952.607	346.2365591	10241.89384	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:32	1	1	1	1	73.75	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.375	2004
23.01.2020 16:42:33	1	1	1	1	73.75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.8125	2004
23.01.2020 16:42:34	1	1	1	1	74	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:35	1	1	1	1	74	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43	2004
23.01.2020 16:42:36	1	1	1	1	74	63	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.0625	2004
23.01.2020 16:42:37	1	1	1	1	74	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43	2004
23.01.2020 16:42:38	1	1	1	1	74	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.9375	2004
23.01.2020 16:42:39	1	1	1	1	74	62.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.125	2004
23.01.2020 16:42:40	1	1	1	1	74	63	0	30000	298.9247312	8889.190879	30000	0	0	30000	43.375	2004
23.01.2020 16:42:41	1	1	1	1	74	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.75	2004
23.01.2020 16:42:42	1	1	1	1	74	62.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:43	1	1	1	1	74	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.9375	2004
23.01.2020 16:42:44	1	1	1	1	74	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:45	1	1	1	1	74	63	0	30000	307.5268817	9211.263012	30000	0	0	30000	43.3125	2004
23.01.2020 16:42:46	1	1	1	1	74	63.25	0	29952.607	313.9784946	9404.506292	30000	0	0	30000	43.1875	2004
23.01.2020 16:42:47	1	1	1	1	74	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 16:42:48	1	1	1	1	74	63.25	0	30000	352.688172	10790.63952	30000	0	0	30000	42.9375	2004
23.01.2020 16:42:49	1	1	1	1	74	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.6875	2004
23.01.2020 16:42:50	1	1	1	1	74	63.5	0	30000	363.4408602	10692.79483	30000	0	0	30000	43.3125	2004
23.01.2020 16:42:51	1	1	1	1	74	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
23.01.2020 16:42:52	1	1	1	1	74	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 16:42:53	1	1	1	1	73.75	63.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.8125	2004
23.01.2020 16:42:54	1	1	1	1	73.75	62.75	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	43.25	2004
23.01.2020 16:43:02	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:02	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:02	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:02	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:02	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:43:02	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:02	1	1	1	1	73.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:02	1	1	1	1	73.75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:43:03	1	1	1	1	73.75	62.75	0	29668.246	389.2473118	11566.05876	30000	0	0	30000	43.0625	2004
23.01.2020 16:43:04	1	1	1	1	73.75	63	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 16:43:05	1	1	1	1	73.75	63	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	43.3125	2004
23.01.2020 16:43:06	1	1	1	1	73.75	63.25	0	30000	400	12064.25135	30000	0	0	30000	42.8125	2004
23.01.2020 16:43:07	1	1	1	1	73.75	62.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.0625	2004
23.01.2020 16:43:08	1	1	1	1	73.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:43:10	1	1	1	1	73.75	63.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.75	2004
23.01.2020 16:43:11	1	1	1	1	73.75	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 16:43:12	1	1	1	1	73.75	63	0	30000	372.0430108	11096.40421	30000	0	0	30000	43.25	2004
23.01.2020 16:43:13	1	1	1	1	73.75	63.25	0	29952.607	354.8387097	10611.25758	30000	0	0	30000	43.125	2004
23.01.2020 16:43:14	1	1	1	1	73.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
23.01.2020 16:43:15	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:43:16	1	1	1	1	73.75	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:43:17	1	1	1	1	73.75	63	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.3125	2004
23.01.2020 16:43:18	1	1	1	1	73.75	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.3125	2004
23.01.2020 16:43:19	1	1	1	1	73.75	63.25	0	30000	311.827957	9419.182997	30000	0	0	30000	43.3125	2004
23.01.2020 16:43:20	1	1	1	1	73.75	63.25	0	30000	326.8817204	9935.313783	30000	0	0	30000	43	2004
23.01.2020 16:43:21	1	1	1	1	73.75	63	0	29905.213	331.1827957	9984.236132	30000	0	0	30000	42.5625	2004
23.01.2020 16:43:22	1	1	1	1	73.75	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 16:43:23	1	1	1	1	73.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.3125	2004
23.01.2020 16:43:24	1	1	1	1	73.25	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:25	1	1	1	1	73.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
23.01.2020 16:43:26	1	1	1	1	73.25	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.5625	2004
23.01.2020 16:43:27	1	1	1	1	73.25	63.5	0	30000	320.4301075	9419.182997	30000	0	0	30000	43.3125	2004
23.01.2020 16:43:28	1	1	1	1	73.25	63.25	0	29146.919	335.483871	9777.946892	30000	0	0	30000	42.875	2004
23.01.2020 16:43:29	1	1	1	1	73.25	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:43:30	1	1	1	1	73.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:31	1	1	1	1	73.25	63	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:32	1	1	1	1	73.25	63	0	29715.64	359.1397849	10671.59514	30000	0	0	30000	43	2004
23.01.2020 16:43:33	1	1	1	1	73.25	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.0625	2004
23.01.2020 16:43:34	1	1	1	1	73.25	63	0	30000	365.5913978	11049.1126	30000	0	0	30000	42.875	2004
23.01.2020 16:43:35	1	1	1	1	73.25	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.125	2004
23.01.2020 16:43:36	1	1	1	1	73.25	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.375	2004
23.01.2020 16:43:37	1	1	1	1	73.25	62.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.0625	2004
23.01.2020 16:43:38	1	1	1	1	73.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.5	2004
23.01.2020 16:43:39	1	1	1	1	73.25	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:43:40	1	1	1	1	73.25	63	0	29952.607	369.8924731	11014.86696	30000	0	0	30000	42.5	2004
23.01.2020 16:43:41	1	1	1	1	73.25	62.5	0	30000	380.6451613	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:42	1	1	1	1	73.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:43	1	1	1	1	73.25	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:43:44	1	1	1	1	73.25	63	0	30000	356.9892473	10546.84315	30000	0	0	30000	43.125	2004
23.01.2020 16:43:45	1	1	1	1	73.25	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 16:43:46	1	1	1	1	73.25	62.75	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	42.8125	2004
23.01.2020 16:43:48	1	1	1	1	73.25	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43	2004
23.01.2020 16:43:49	1	1	1	1	73.25	63	0	29857.82	344.0860215	10209.27894	30000	0	0	30000	43.3125	2004
23.01.2020 16:43:50	1	1	1	1	73.25	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.1875	2004
23.01.2020 16:43:51	1	1	1	1	73.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 16:43:52	1	1	1	1	73.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 16:43:53	1	1	1	1	73.25	63.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.9375	2004
23.01.2020 16:43:54	1	1	1	1	72.5	62.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	43.25	2004
23.01.2020 16:43:55	1	1	1	1	72.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 16:43:56	1	1	1	1	72.5	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
23.01.2020 16:44:04	1	1	1	1	73	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.375	2004
23.01.2020 16:44:04	1	1	1	1	73	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.375	2004
23.01.2020 16:44:04	1	1	1	1	73	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.375	2004
23.01.2020 16:44:04	1	1	1	1	73	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.375	2004
23.01.2020 16:44:04	1	1	1	1	73	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.375	2004
23.01.2020 16:44:04	1	1	1	1	73	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.375	2004
23.01.2020 16:44:04	1	1	1	1	73	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.375	2004
23.01.2020 16:44:04	1	1	1	1	73	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.375	2004
23.01.2020 16:44:05	1	1	1	1	73	63.25	0	29905.213	369.8924731	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:06	1	1	1	1	73	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.875	2004
23.01.2020 16:44:07	1	1	1	1	73	63.5	0	29952.607	365.5913978	10967.57535	30000	0	0	30000	43.125	2004
23.01.2020 16:44:08	1	1	1	1	73	63	0	29810.427	359.1397849	10705.84078	30000	0	0	30000	42.8125	2004
23.01.2020 16:44:09	1	1	1	1	73	62.75	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	43.125	2004
23.01.2020 16:44:10	1	1	1	1	73	63	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 16:44:11	1	1	1	1	73	62.75	0	28625.592	307.5268817	8850.052999	30000	0	0	30000	43.25	2004
23.01.2020 16:44:12	1	1	1	1	73	63.25	0	29905.213	359.1397849	10757.20925	30000	0	0	30000	42.75	2004
23.01.2020 16:44:13	1	1	1	1	72.75	62.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:14	1	1	1	1	72.75	63	0	30000	337.6344086	10032.34311	30000	0	0	30000	43.25	2004
23.01.2020 16:44:15	1	1	1	1	72.75	63.25	0	28957.346	329.0322581	9527.627538	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:16	1	1	1	1	72.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:44:17	1	1	1	1	72.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43	2004
23.01.2020 16:44:18	1	1	1	1	72.75	63	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	43	2004
23.01.2020 16:44:19	1	1	1	1	72.75	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:20	1	1	1	1	72.75	63	0	30000	356.9892473	10499.55155	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:21	1	1	1	1	72.75	63	0	29952.607	382.7956989	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:22	1	1	1	1	72.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 16:44:23	1	1	1	1	72.75	63	0	29905.213	384.9462366	11954.17607	30000	0	0	30000	42.8125	2004
23.01.2020 16:44:25	1	1	1	1	72.75	62.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	43	2004
23.01.2020 16:44:26	1	1	1	1	72.75	63	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:44:27	1	1	1	1	72.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:44:28	1	1	1	1	72.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:44:29	1	1	1	1	72.75	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.4375	2004
23.01.2020 16:44:30	1	1	1	1	72.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:44:31	1	1	1	1	72.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:44:32	1	1	1	1	72.75	63	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	43.3125	2004
23.01.2020 16:44:33	1	1	1	1	72.75	63.25	0	29905.213	384.9462366	11659.01122	30000	0	0	30000	43.0625	2004
23.01.2020 16:44:34	1	1	1	1	73	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.6875	2004
23.01.2020 16:44:35	1	1	1	1	73	62.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:36	1	1	1	1	73	63	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 16:44:37	1	1	1	1	73	62.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	43.125	2004
23.01.2020 16:44:38	1	1	1	1	73	63	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.5	2004
23.01.2020 16:44:39	1	1	1	1	73	62.5	0	29952.607	425.8064516	12798.08659	30000	0	0	30000	43.25	2004
23.01.2020 16:44:40	1	1	1	1	73	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:41	1	1	1	1	73	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 16:44:42	1	1	1	1	73	62.5	0	30047.393	445.1612903	13289.7562	30000	0	0	30000	43.0625	2004
23.01.2020 16:44:43	1	1	1	1	73	63	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 16:44:44	1	1	1	1	73.5	63.25	0	29905.213	412.9032258	12515.96771	30000	0	0	30000	42.8125	2004
23.01.2020 16:44:45	1	1	1	1	73.5	62.75	0	30000	423.655914	12560.8132	30000	0	0	30000	43.625	2004
23.01.2020 16:44:46	1	1	1	1	73.5	63.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.375	2004
23.01.2020 16:44:47	1	1	1	1	73.5	62.25	0	30000	415.0537634	12749.16424	30000	0	0	30000	42.8125	2004
23.01.2020 16:44:48	1	1	1	1	73.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:49	1	1	1	1	73.5	63	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 16:44:50	1	1	1	1	73.5	63.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:44:51	1	1	1	1	73.5	62.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 16:44:52	1	1	1	1	73.5	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:44:53	1	1	1	1	73.25	63	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.875	2004
23.01.2020 16:44:54	1	1	1	1	73.25	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:55	1	1	1	1	73.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.1875	2004
23.01.2020 16:44:56	1	1	1	1	73.25	63	0	30047.393	434.4086022	13096.51292	30000	0	0	30000	43.375	2004
23.01.2020 16:44:57	1	1	1	1	73.25	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:45:05	1	1	1	1	73	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:45:05	1	1	1	1	73	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:45:05	1	1	1	1	73	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:45:05	1	1	1	1	73	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:45:05	1	1	1	1	73	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:45:05	1	1	1	1	73	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:45:05	1	1	1	1	73	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
23.01.2020 16:45:06	1	1	1	1	73	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:45:07	1	1	1	1	73	62.75	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	43.3125	2004
23.01.2020 16:45:08	1	1	1	1	73	63.25	0	29905.213	395.6989247	11852.2545	30000	0	0	30000	43.0625	2004
23.01.2020 16:45:09	1	1	1	1	73	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 16:45:10	1	1	1	1	73	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 16:45:11	1	1	1	1	73	63	0	30047.393	412.9032258	12193.08021	30000	0	0	30000	42.625	2004
23.01.2020 16:45:12	1	1	1	1	73	62.5	0	30000	384.9462366	11419.29171	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:45:13	1	1	1	1	73	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 16:45:14	1	1	1	1	73.5	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.25	2004
23.01.2020 16:45:15	1	1	1	1	73.5	63.25	0	29952.607	337.6344086	9984.236132	30000	0	0	30000	43	2004
23.01.2020 16:45:16	1	1	1	1	73.5	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43	2004
23.01.2020 16:45:17	1	1	1	1	73.5	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
23.01.2020 16:45:18	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
23.01.2020 16:45:19	1	1	1	1	73.5	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.25	2004
23.01.2020 16:45:20	1	1	1	1	73.5	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.125	2004
23.01.2020 16:45:21	1	1	1	1	73.5	63	0	30000	277.4193548	8245.046612	30000	0	0	30000	42.75	2004
23.01.2020 16:45:22	1	1	1	1	73.5	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.6875	2004
23.01.2020 16:45:23	1	1	1	1	73.5	63.5	0	30000	247.311828	7483.488707	30000	0	0	30000	43.6875	2004
23.01.2020 16:45:24	1	1	1	1	73.75	63.25	0	30047.393	247.311828	7419.07428	30000	0	0	30000	43.25	2004
23.01.2020 16:45:25	1	1	1	1	73.75	63.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.375	2004
23.01.2020 16:45:26	1	1	1	1	73.75	63.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	42.8125	2004
23.01.2020 16:45:27	1	1	1	1	73.75	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.1875	2004
23.01.2020 16:45:28	1	1	1	1	73.75	63	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.8125	2004
23.01.2020 16:45:29	1	1	1	1	73.75	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.4375	2004
23.01.2020 16:45:30	1	1	1	1	73.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.0625	2004
23.01.2020 16:45:31	1	1	1	1	73.75	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.0625	2004
23.01.2020 16:45:32	1	1	1	1	73.75	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.0625	2004
23.01.2020 16:45:33	1	1	1	1	73.75	63	0	29905.213	270.9677419	8180.632185	30000	0	0	30000	43.125	2004
23.01.2020 16:45:34	1	1	1	1	73.75	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.3125	2004
23.01.2020 16:45:35	1	1	1	1	73.75	63.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 16:45:36	1	1	1	1	73.75	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.25	2004
23.01.2020 16:45:37	1	1	1	1	73.75	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.1875	2004
23.01.2020 16:45:38	1	1	1	1	73.75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.125	2004
23.01.2020 16:45:39	1	1	1	1	73.75	63	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.1875	2004
23.01.2020 16:45:40	1	1	1	1	73.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.125	2004
23.01.2020 16:45:42	1	1	1	1	73.75	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.9375	2004
23.01.2020 16:45:43	1	1	1	1	73.75	62.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.125	2004
23.01.2020 16:45:44	1	1	1	1	74	63	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	43.25	2004
23.01.2020 16:45:45	1	1	1	1	74	63.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.3125	2004
23.01.2020 16:45:46	1	1	1	1	74	63.25	0	30000	279.5698925	8373.875465	30000	0	0	30000	43.25	2004
23.01.2020 16:45:47	1	1	1	1	74	63.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.3125	2004
23.01.2020 16:45:48	1	1	1	1	74	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.375	2004
23.01.2020 16:45:49	1	1	1	1	74	63.25	0	29952.607	273.1182796	8322.506999	30000	0	0	30000	43.1875	2004
23.01.2020 16:45:50	1	1	1	1	74	63	0	29952.607	268.8172043	8192.862773	30000	0	0	30000	43.1875	2004
23.01.2020 16:45:51	1	1	1	1	74	63	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.5	2004
23.01.2020 16:45:52	1	1	1	1	74	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.25	2004
23.01.2020 16:45:53	1	1	1	1	74	63.25	0	29905.213	279.5698925	8438.289892	30000	0	0	30000	43.125	2004
23.01.2020 16:45:54	1	1	1	1	74	63	0	30000	281.7204301	8386.921425	30000	0	0	30000	43.3125	2004
23.01.2020 16:45:55	1	1	1	1	74	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 16:45:56	1	1	1	1	74	63	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:45:57	1	1	1	1	74	62.75	0	29952.607	273.1182796	8180.632185	30000	0	0	30000	42.8125	2004
23.01.2020 16:45:58	1	1	1	1	74	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	43.0625	2004
23.01.2020 16:45:59	1	1	1	1	74	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.8125	2004
23.01.2020 16:46:07	1	1	1	1	74.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:07	1	1	1	1	74.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:07	1	1	1	1	74.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:07	1	1	1	1	74.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:07	1	1	1	1	74.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:07	1	1	1	1	74.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:07	1	1	1	1	74.25	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:07	1	1	1	1	74.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
23.01.2020 16:46:08	1	1	1	1	74.25	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.1875	2004
23.01.2020 16:46:09	1	1	1	1	74.25	63	0	30000	273.1182796	8322.506999	30000	0	0	30000	42.9375	2004
23.01.2020 16:46:10	1	1	1	1	74.25	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.25	2004
23.01.2020 16:46:11	1	1	1	1	74.25	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43	2004
23.01.2020 16:46:12	1	1	1	1	74.25	63	0	30000	264.516129	7935.205066	30000	0	0	30000	42.875	2004
23.01.2020 16:46:13	1	1	1	1	74	62.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.6875	2004
23.01.2020 16:46:14	1	1	1	1	74	62.5	0	30000	245.1612903	7419.07428	30000	0	0	30000	43.1875	2004
23.01.2020 16:46:15	1	1	1	1	74	63	0	30000	253.7634409	7612.31756	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:16	1	1	1	1	74	63	0	30000	258.0645161	7612.31756	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:17	1	1	1	1	74	63	0	29905.213	249.4623656	7612.31756	30000	0	0	30000	42.875	2004
23.01.2020 16:46:18	1	1	1	1	74	62.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.125	2004
23.01.2020 16:46:19	1	1	1	1	74	63	0	30000	240.8602151	7225.831	30000	0	0	30000	43.1875	2004
23.01.2020 16:46:21	1	1	1	1	74	63	0	30000	234.4086022	7031.772348	30000	0	0	30000	43.25	2004
23.01.2020 16:46:22	1	1	1	1	74	63.25	0	30000	240.8602151	7290.245427	30000	0	0	30000	42.75	2004
23.01.2020 16:46:23	1	1	1	1	74	62.75	0	30000	243.0107527	7278.830212	30000	0	0	30000	43.125	2004
23.01.2020 16:46:24	1	1	1	1	74	63	0	30000	240.8602151	7225.831	30000	0	0	30000	43.3125	2004
23.01.2020 16:46:25	1	1	1	1	74	63.25	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	43.125	2004
23.01.2020 16:46:26	1	1	1	1	74	63	0	30047.393	240.8602151	7225.831	30000	0	0	30000	43.4375	2004
23.01.2020 16:46:27	1	1	1	1	74	63.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	43.125	2004
23.01.2020 16:46:28	1	1	1	1	74	63	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.9375	2004
23.01.2020 16:46:29	1	1	1	1	74	62.75	0	29952.607	243.0107527	7290.245427	30000	0	0	30000	43.25	2004
23.01.2020 16:46:30	1	1	1	1	74	63.25	0	30000	247.311828	7483.488707	30000	0	0	30000	43.25	2004
23.01.2020 16:46:31	1	1	1	1	74	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.25	2004
23.01.2020 16:46:32	1	1	1	1	74	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.125	2004
23.01.2020 16:46:33	1	1	1	1	74	62	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.1875	2004
23.01.2020 16:46:34	1	1	1	1	74	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
23.01.2020 16:46:35	1	1	1	1	74	63	0	29952.607	283.8709677	8644.579132	30000	0	0	30000	43.125	2004
23.01.2020 16:46:36	1	1	1	1	74	63	0	29905.213	277.4193548	8360.014133	30000	0	0	30000	43.3125	2004
23.01.2020 16:46:37	1	1	1	1	74	63.25	0	30000	288.172043	8567.118745	30000	0	0	30000	43.0625	2004
23.01.2020 16:46:38	1	1	1	1	74	63	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	43.5625	2004
23.01.2020 16:46:39	1	1	1	1	74	63.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.1875	2004
23.01.2020 16:46:40	1	1	1	1	74	63	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:46:41	1	1	1	1	74	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.5625	2004
23.01.2020 16:46:42	1	1	1	1	74	62.5	0	30000	281.7204301	8322.506999	30000	0	0	30000	43.5625	2004
23.01.2020 16:46:43	1	1	1	1	74	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	42.1875	2004
23.01.2020 16:46:44	1	1	1	1	74	62	0	30000	288.172043	8644.579132	30000	0	0	30000	43.1875	2004
23.01.2020 16:46:45	1	1	1	1	74	63	0	30000	288.172043	8708.993559	30000	0	0	30000	42.875	2004
23.01.2020 16:46:46	1	1	1	1	74	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	43.3125	2004
23.01.2020 16:46:47	1	1	1	1	74	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.3125	2004
23.01.2020 16:46:48	1	1	1	1	74	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
23.01.2020 16:46:49	1	1	1	1	74	63.25	0	30000	268.8172043	8051.803332	30000	0	0	30000	43.1875	2004
23.01.2020 16:46:50	1	1	1	1	74	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.125	2004
23.01.2020 16:46:51	1	1	1	1	74	63	0	29905.213	266.6666667	7974.342946	30000	0	0	30000	43.375	2004
23.01.2020 16:46:52	1	1	1	1	74	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.6875	2004
23.01.2020 16:46:53	1	1	1	1	74	62.5	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	43.125	2004
23.01.2020 16:46:54	1	1	1	1	74	63	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.125	2004
23.01.2020 16:46:55	1	1	1	1	74	63	0	30000	264.516129	7935.205066	30000	0	0	30000	43.4375	2004
23.01.2020 16:46:56	1	1	1	1	74	63.25	0	30000	268.8172043	8128.448346	30000	0	0	30000	43	2004
23.01.2020 16:46:57	1	1	1	1	74	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
23.01.2020 16:46:58	1	1	1	1	74	63.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.875	2004
23.01.2020 16:47:00	1	1	1	1	74	62.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.25	2004
23.01.2020 16:47:01	1	1	1	1	74	63.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.625	2004
23.01.2020 16:47:08	1	1	1	1	74.25	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:08	1	1	1	1	74.25	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:08	1	1	1	1	74.25	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:08	1	1	1	1	74.25	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:08	1	1	1	1	74.25	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:08	1	1	1	1	74.25	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:08	1	1	1	1	74.25	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:09	1	1	1	1	74.25	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
23.01.2020 16:47:10	1	1	1	1	74.25	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 16:47:11	1	1	1	1	74.25	63.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43	2004
23.01.2020 16:47:12	1	1	1	1	74.25	63	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.5	2004
23.01.2020 16:47:13	1	1	1	1	74.25	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.4375	2004
23.01.2020 16:47:14	1	1	1	1	74.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:47:15	1	1	1	1	74.25	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.6875	2004
23.01.2020 16:47:16	1	1	1	1	74.25	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.9375	2004
23.01.2020 16:47:17	1	1	1	1	74.25	62.75	0	30000	288.172043	8580.164705	30000	0	0	30000	42.9375	2004
23.01.2020 16:47:18	1	1	1	1	74.25	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.6875	2004
23.01.2020 16:47:19	1	1	1	1	74.25	62.5	0	29952.607	262.3655914	8064.033919	30000	0	0	30000	43.25	2004
23.01.2020 16:47:20	1	1	1	1	74.25	63.25	0	29952.607	270.9677419	8128.448346	30000	0	0	30000	43.5625	2004
23.01.2020 16:47:21	1	1	1	1	74.25	63.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.1875	2004
23.01.2020 16:47:22	1	1	1	1	74.25	63.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.125	2004
23.01.2020 16:47:23	1	1	1	1	74.5	63	0	29905.213	258.0645161	7741.961786	30000	0	0	30000	42.8125	2004
23.01.2020 16:47:24	1	1	1	1	74.5	62.75	0	30000	260.2150538	7741.961786	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:47:25	1	1	1	1	74.5	63.25	0	29952.607	255.9139785	7676.731987	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:26	1	1	1	1	74.5	63.25	0	29952.607	258.0645161	7935.205066	30000	0	0	30000	43.0625	2004
23.01.2020 16:47:27	1	1	1	1	74.5	63	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.5625	2004
23.01.2020 16:47:28	1	1	1	1	74.5	62.5	0	30000	251.6129032	7676.731987	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:29	1	1	1	1	74.5	63.25	0	29905.213	253.7634409	7806.376213	30000	0	0	30000	43	2004
23.01.2020 16:47:30	1	1	1	1	74.5	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.375	2004
23.01.2020 16:47:31	1	1	1	1	74.5	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
23.01.2020 16:47:32	1	1	1	1	74.5	63.25	0	29952.607	279.5698925	8451.335852	30000	0	0	30000	43.125	2004
23.01.2020 16:47:33	1	1	1	1	74.5	63	0	29715.64	277.4193548	8243.415867	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:34	1	1	1	1	74.5	63.25	0	29905.213	270.9677419	8258.092572	30000	0	0	30000	42.6875	2004
23.01.2020 16:47:35	1	1	1	1	74.5	62.5	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.125	2004
23.01.2020 16:47:36	1	1	1	1	74.5	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.25	2004
23.01.2020 16:47:38	1	1	1	1	74.5	63.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:39	1	1	1	1	74.5	63.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.75	2004
23.01.2020 16:47:40	1	1	1	1	74.5	62.75	0	30000	260.2150538	7818.6068	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:41	1	1	1	1	74.5	63.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.9375	2004
23.01.2020 16:47:42	1	1	1	1	74.5	62.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	43.1875	2004
23.01.2020 16:47:43	1	1	1	1	74.5	63	0	30000	253.7634409	7676.731987	30000	0	0	30000	43.25	2004
23.01.2020 16:47:44	1	1	1	1	74.5	63.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.9375	2004
23.01.2020 16:47:45	1	1	1	1	74.5	62.75	0	30000	260.2150538	7676.731987	30000	0	0	30000	43.0625	2004
23.01.2020 16:47:46	1	1	1	1	74.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.625	2004
23.01.2020 16:47:47	1	1	1	1	74.5	62.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:48	1	1	1	1	74.5	63.25	0	30000	260.2150538	7729.731199	30000	0	0	30000	42.75	2004
23.01.2020 16:47:49	1	1	1	1	74.5	62.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	43.125	2004
23.01.2020 16:47:50	1	1	1	1	74.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.1875	2004
23.01.2020 16:47:51	1	1	1	1	74.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.3125	2004
23.01.2020 16:47:52	1	1	1	1	74.5	62.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.6875	2004
23.01.2020 16:47:53	1	1	1	1	74.5	62.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.3125	2004
23.01.2020 16:47:54	1	1	1	1	74.75	63.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.1875	2004
23.01.2020 16:47:55	1	1	1	1	74.75	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.25	2004
23.01.2020 16:47:56	1	1	1	1	74.75	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
23.01.2020 16:47:57	1	1	1	1	74.75	63.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.1875	2004
23.01.2020 16:47:58	1	1	1	1	74.75	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.75	2004
23.01.2020 16:47:59	1	1	1	1	74.75	63.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.6875	2004
23.01.2020 16:48:00	1	1	1	1	74.75	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.75	2004
23.01.2020 16:48:01	1	1	1	1	74.75	63.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.25	2004
23.01.2020 16:48:02	1	1	1	1	74.75	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.0625	2004
23.01.2020 16:48:10	1	1	1	1	75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 16:48:10	1	1	1	1	75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 16:48:10	1	1	1	1	75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 16:48:10	1	1	1	1	75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 16:48:10	1	1	1	1	75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 16:48:10	1	1	1	1	75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:48:10	1	1	1	1	75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
23.01.2020 16:48:10	1	1	1	1	75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:48:11	1	1	1	1	75	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.875	2004
23.01.2020 16:48:12	1	1	1	1	75	62.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.75	2004
23.01.2020 16:48:13	1	1	1	1	74.75	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
23.01.2020 16:48:14	1	1	1	1	74.75	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.6875	2004
23.01.2020 16:48:15	1	1	1	1	74.75	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 16:48:17	1	1	1	1	74.75	63.25	0	30000	341.9354839	10096.75754	30000	0	0	30000	43.0625	2004
23.01.2020 16:48:18	1	1	1	1	74.75	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 16:48:19	1	1	1	1	74.75	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.25	2004
23.01.2020 16:48:20	1	1	1	1	74.75	63.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.75	2004
23.01.2020 16:48:21	1	1	1	1	74.75	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 16:48:22	1	1	1	1	74.75	63	0	29952.607	311.827957	9707.824858	30000	0	0	30000	43.0625	2004
23.01.2020 16:48:23	1	1	1	1	74.75	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.3125	2004
23.01.2020 16:48:24	1	1	1	1	74	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.375	2004
23.01.2020 16:48:25	1	1	1	1	74	63.25	0	29952.607	333.3333333	9775.500775	30000	0	0	30000	43.1875	2004
23.01.2020 16:48:26	1	1	1	1	74	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43	2004
23.01.2020 16:48:27	1	1	1	1	74	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 16:48:28	1	1	1	1	74	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.8125	2004
23.01.2020 16:48:29	1	1	1	1	74	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.4375	2004
23.01.2020 16:48:30	1	1	1	1	74	63.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
23.01.2020 16:48:31	1	1	1	1	74	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 16:48:32	1	1	1	1	74	63.25	0	29952.607	348.3870968	10451.44457	30000	0	0	30000	43.3125	2004
23.01.2020 16:48:33	1	1	1	1	74	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
23.01.2020 16:48:34	1	1	1	1	74.25	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.1875	2004
23.01.2020 16:48:35	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 16:48:36	1	1	1	1	74.25	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.9375	2004
23.01.2020 16:48:37	1	1	1	1	74.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5625	2004
23.01.2020 16:48:38	1	1	1	1	74.25	63.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.25	2004
23.01.2020 16:48:39	1	1	1	1	74.25	63.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.3125	2004
23.01.2020 16:48:40	1	1	1	1	74.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:48:41	1	1	1	1	74.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:48:42	1	1	1	1	74.25	63	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.6875	2004
23.01.2020 16:48:43	1	1	1	1	74.5	62.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.8125	2004
23.01.2020 16:48:44	1	1	1	1	74.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
23.01.2020 16:48:45	1	1	1	1	74.5	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 16:48:46	1	1	1	1	74.5	63	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 16:48:47	1	1	1	1	74.5	63	0	30094.787	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
23.01.2020 16:48:48	1	1	1	1	74.5	63	0	30000	378.4946237	11437.22991	30000	0	0	30000	43.25	2004
23.01.2020 16:48:49	1	1	1	1	74.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 16:48:50	1	1	1	1	74.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.6875	2004
23.01.2020 16:48:51	1	1	1	1	74.5	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
23.01.2020 16:48:52	1	1	1	1	74.5	62.75	0	30000	395.6989247	11805.77827	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:49:38	1	1	1	1	74.5	63.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:49:39	1	1	1	1	74.5	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 16:49:40	1	1	1	1	74.5	62.5	0	30000	425.8064516	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:49:41	1	1	1	1	74.5	63	0	30000	412.9032258	12367.56992	30000	0	0	30000	43.25	2004
23.01.2020 16:49:42	1	1	1	1	74.5	63.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	43.1875	2004
23.01.2020 16:49:43	1	1	1	1	74.5	63	0	30000	434.4086022	12818.4709	30000	0	0	30000	43	2004
23.01.2020 16:49:44	1	1	1	1	74.25	63	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	43.0625	2004
23.01.2020 16:49:45	1	1	1	1	74.25	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.8125	2004
23.01.2020 16:49:46	1	1	1	1	74.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 16:49:47	1	1	1	1	74.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:49:48	1	1	1	1	74.25	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 16:49:49	1	1	1	1	74.25	63.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.6875	2004
23.01.2020 16:49:50	1	1	1	1	74.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 16:49:51	1	1	1	1	74.25	63	0	30000	438.7096774	13140.54304	30000	0	0	30000	42.875	2004
23.01.2020 16:49:52	1	1	1	1	74.25	62.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
23.01.2020 16:49:53	1	1	1	1	74.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.75	2004
23.01.2020 16:49:54	1	1	1	1	74.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 16:49:55	1	1	1	1	74.75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 16:49:56	1	1	1	1	74.75	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.875	2004
23.01.2020 16:49:57	1	1	1	1	74.75	62.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:49:58	1	1	1	1	74.75	63	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.375	2004
23.01.2020 16:49:59	1	1	1	1	74.75	62.25	0	30000	397.8494624	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:00	1	1	1	1	74.75	63	0	30000	419.3548387	12709.21099	30000	0	0	30000	43.125	2004
23.01.2020 16:50:01	1	1	1	1	74.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
23.01.2020 16:50:02	1	1	1	1	74.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 16:50:03	1	1	1	1	74.5	62.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.125	2004
23.01.2020 16:50:04	1	1	1	1	74.5	63	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:50:05	1	1	1	1	74.5	63	0	30000	419.3548387	12709.21099	30000	0	0	30000	43	2004
23.01.2020 16:50:13	1	1	1	1	74.5	63	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:13	1	1	1	1	74.5	63	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:13	1	1	1	1	74.5	63	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:13	1	1	1	1	74.5	63	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:13	1	1	1	1	74.5	63	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:13	1	1	1	1	74.5	63	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:13	1	1	1	1	74.5	63	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:13	1	1	1	1	74.5	63	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:14	1	1	1	1	74.75	63	0	29810.427	412.9032258	12308.8631	30000	0	0	30000	43.125	2004
23.01.2020 16:50:15	1	1	1	1	74.75	63	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.3125	2004
23.01.2020 16:50:16	1	1	1	1	74.75	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.25	2004
23.01.2020 16:50:17	1	1	1	1	74.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
23.01.2020 16:50:18	1	1	1	1	74.75	63.25	0	30000	400	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:19	1	1	1	1	74.75	63	0	30000	400	11871.00807	30000	0	0	30000	42.875	2004
23.01.2020 16:50:20	1	1	1	1	74.75	62.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:21	1	1	1	1	74.75	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:50:22	1	1	1	1	74.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:23	1	1	1	1	74.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 16:50:24	1	1	1	1	74.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.75	2004
23.01.2020 16:50:25	1	1	1	1	74.75	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	42.9375	2004
23.01.2020 16:50:26	1	1	1	1	74.75	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.875	2004
23.01.2020 16:50:27	1	1	1	1	74.75	62.75	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:28	1	1	1	1	74.75	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.8125	2004
23.01.2020 16:50:29	1	1	1	1	74.75	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	43.125	2004
23.01.2020 16:50:30	1	1	1	1	74.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:50:31	1	1	1	1	74.75	63	0	29952.607	335.483871	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 16:50:32	1	1	1	1	74.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 16:50:33	1	1	1	1	74.75	63.25	0	29810.427	307.5268817	9167.232898	30000	0	0	30000	43.625	2004
23.01.2020 16:50:34	1	1	1	1	75	63.5	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.4375	2004
23.01.2020 16:50:35	1	1	1	1	75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.5	2004
23.01.2020 16:50:36	1	1	1	1	75	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:37	1	1	1	1	75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:38	1	1	1	1	75	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:39	1	1	1	1	75	63	0	29905.213	303.2258065	9067.757454	30000	0	0	30000	43	2004
23.01.2020 16:50:40	1	1	1	1	75	63	0	29952.607	303.2258065	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:41	1	1	1	1	75	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
23.01.2020 16:50:42	1	1	1	1	75	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:43	1	1	1	1	75.25	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:50:44	1	1	1	1	75.25	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.3125	2004
23.01.2020 16:50:45	1	1	1	1	75.25	63.25	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 16:50:46	1	1	1	1	75.25	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.8125	2004
23.01.2020 16:50:47	1	1	1	1	75.25	62.75	0	30000	307.5268817	9239.801049	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:48	1	1	1	1	75.25	63	0	30000	324.7311828	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:49	1	1	1	1	75.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:51	1	1	1	1	75.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.3125	2004
23.01.2020 16:50:52	1	1	1	1	75.25	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.375	2004
23.01.2020 16:50:53	1	1	1	1	75.25	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.125	2004
23.01.2020 16:50:54	1	1	1	1	75.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.3125	2004
23.01.2020 16:50:55	1	1	1	1	75.25	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:50:56	1	1	1	1	75.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
23.01.2020 16:50:57	1	1	1	1	75.25	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.375	2004
23.01.2020 16:50:58	1	1	1	1	75.25	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.875	2004
23.01.2020 16:50:59	1	1	1	1	75.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
23.01.2020 16:51:00	1	1	1	1	75.25	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:01	1	1	1	1	75.25	63	0	30000	384.9462366	11760.11741	30000	0	0	30000	43	2004
23.01.2020 16:51:02	1	1	1	1	75.25	63	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.125	2004
23.01.2020 16:51:03	1	1	1	1	75.25	63	0	30000	400	12064.25135	30000	0	0	30000	43.0625	2004
23.01.2020 16:51:04	1	1	1	1	75.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.25	2004
23.01.2020 16:51:05	1	1	1	1	75.25	63.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:51:06	1	1	1	1	75.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
23.01.2020 16:51:07	1	1	1	1	75.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:15	1	1	1	1	75.25	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:15	1	1	1	1	75.25	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:15	1	1	1	1	75.25	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:15	1	1	1	1	75.25	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:15	1	1	1	1	75.25	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:15	1	1	1	1	75.25	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:15	1	1	1	1	75.25	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:15	1	1	1	1	75.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
23.01.2020 16:51:16	1	1	1	1	75.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
23.01.2020 16:51:17	1	1	1	1	75.25	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.25	2004
23.01.2020 16:51:18	1	1	1	1	75.25	63.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.125	2004
23.01.2020 16:51:19	1	1	1	1	75.25	63	0	30000	331.1827957	10064.14264	30000	0	0	30000	43.25	2004
23.01.2020 16:51:20	1	1	1	1	75.25	63.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.1875	2004
23.01.2020 16:51:21	1	1	1	1	75.25	62	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	43.3125	2004
23.01.2020 16:51:22	1	1	1	1	75.25	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:23	1	1	1	1	75.25	63	0	30000	303.2258065	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:24	1	1	1	1	75.25	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.625	2004
23.01.2020 16:51:25	1	1	1	1	75.25	62.5	0	30000	298.9247312	8981.32797	30000	0	0	30000	43	2004
23.01.2020 16:51:26	1	1	1	1	75.25	63	0	30047.393	301.0752688	8824.776452	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:27	1	1	1	1	75.25	63	0	30000	296.7741935	8774.223358	30000	0	0	30000	43.25	2004
23.01.2020 16:51:29	1	1	1	1	75.25	63.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	43	2004
23.01.2020 16:51:30	1	1	1	1	75.25	63	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:31	1	1	1	1	75.25	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:32	1	1	1	1	75.25	63	0	29952.607	303.2258065	8938.928601	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:33	1	1	1	1	75.25	63	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:34	1	1	1	1	75.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.3125	2004
23.01.2020 16:51:35	1	1	1	1	75.25	63.25	0	29952.607	329.0322581	9806.484929	30000	0	0	30000	43.0625	2004
23.01.2020 16:51:36	1	1	1	1	75.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.3125	2004
23.01.2020 16:51:37	1	1	1	1	75.25	62.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.875	2004
23.01.2020 16:51:38	1	1	1	1	75.25	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:39	1	1	1	1	75.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:40	1	1	1	1	75.25	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.3125	2004
23.01.2020 16:51:41	1	1	1	1	75.25	63.25	0	29905.213	313.9784946	9419.182997	30000	0	0	30000	43.25	2004
23.01.2020 16:51:42	1	1	1	1	75.25	63.25	0	29952.607	305.3763441	9018.019732	30000	0	0	30000	42.8125	2004
23.01.2020 16:51:43	1	1	1	1	75.25	62.75	0	29715.64	301.0752688	8882.667899	30000	0	0	30000	42.5625	2004
23.01.2020 16:51:44	1	1	1	1	75.5	62.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:45	1	1	1	1	75.5	63	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	43.0625	2004
23.01.2020 16:51:46	1	1	1	1	75.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:47	1	1	1	1	75.5	63	0	30000	322.5806452	9533.335145	30000	0	0	30000	42.6875	2004
23.01.2020 16:51:48	1	1	1	1	75.5	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
23.01.2020 16:51:49	1	1	1	1	75.5	62.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:51:50	1	1	1	1	75.5	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
23.01.2020 16:51:51	1	1	1	1	75.5	63	0	30000	320.4301075	9597.749572	30000	0	0	30000	43.4375	2004
23.01.2020 16:51:52	1	1	1	1	75.5	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
23.01.2020 16:51:53	1	1	1	1	75.5	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.75	2004
23.01.2020 16:51:54	1	1	1	1	76	63.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
23.01.2020 16:51:55	1	1	1	1	76	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.3125	2004
23.01.2020 16:51:56	1	1	1	1	76	63.25	0	30047.393	322.5806452	9483.597423	30000	0	0	30000	42.625	2004
23.01.2020 16:51:57	1	1	1	1	76	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.0625	2004
23.01.2020 16:51:58	1	1	1	1	76	63	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
23.01.2020 16:51:59	1	1	1	1	76	63	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:52:00	1	1	1	1	76	63	0	29905.213	333.3333333	9967.928682	30000	0	0	30000	42.875	2004
23.01.2020 16:52:01	1	1	1	1	76	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 16:52:02	1	1	1	1	76	63	0	30000	335.483871	10192.97149	30000	0	0	30000	43.125	2004
23.01.2020 16:52:03	1	1	1	1	75.75	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	43	2004
23.01.2020 16:52:04	1	1	1	1	75.75	63	0	30000	359.1397849	10644.68785	30000	0	0	30000	43.125	2004
23.01.2020 16:52:05	1	1	1	1	75.75	63	0	30000	350.5376344	10353.59987	30000	0	0	30000	43.25	2004
23.01.2020 16:52:06	1	1	1	1	75.75	63.25	0	29905.213	339.7849462	10161.17196	30000	0	0	30000	43.375	2004
23.01.2020 16:52:08	1	1	1	1	75.75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.375	2004
23.01.2020 16:52:09	1	1	1	1	75.75	63.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.25	2004
23.01.2020 16:52:16	1	1	1	1	76	63.25	0	14075.829	6.451612903	59.52219172	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:16	1	1	1	1	76	63.25	0	14075.829	6.451612903	59.52219172	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:16	1	1	1	1	76	63.25	0	14075.829	6.451612903	59.52219172	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:16	1	1	1	1	76	63.25	0	14075.829	6.451612903	59.52219172	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:16	1	1	1	1	76	63.25	0	14075.829	6.451612903	59.52219172	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:16	1	1	1	1	76	63.25	0	14075.829	6.451612903	59.52219172	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:16	1	1	1	1	76	63.25	0	14075.829	6.451612903	59.52219172	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:16	1	1	1	1	76	63.25	0	14075.829	6.451612903	59.52219172	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:17	1	1	1	1	76	63.25	0	14786.73	8.602150538	158.9976354	30000	0	0	30000	43.25	2004
23.01.2020 16:52:18	1	1	1	1	76	63.25	0	15497.63	15.05376344	235.6426494	30000	0	0	30000	43.375	2004
23.01.2020 16:52:19	1	1	1	1	76	63.25	0	16350.711	19.35483871	316.3645259	30000	0	0	30000	43.3125	2004
23.01.2020 16:52:20	1	1	1	1	76	63.25	0	17109.005	27.95698925	477.8082787	30000	0	0	30000	43.3125	2004
23.01.2020 16:52:21	1	1	1	1	76	63.25	0	17914.692	36.55913978	654.7441089	30000	0	0	30000	43.3125	2004
23.01.2020 16:52:22	1	1	1	1	76	63.25	0	18672.986	43.01075269	760.7425325	30000	0	0	30000	43.25	2004
23.01.2020 16:52:23	1	1	1	1	76	63.25	0	18909.953	40.86021505	812.9263719	30000	0	0	30000	43.3125	2004
23.01.2020 16:52:24	1	1	1	1	76.25	63.25	0	20189.573	58.06451613	1085.260783	30000	0	0	30000	43.3125	2004
23.01.2020 16:52:25	1	1	1	1	76.25	63.25	0	20995.261	64.51612903	1399.179192	30000	0	0	30000	43.375	2004
23.01.2020 16:52:26	1	1	1	1	76.25	63.25	0	21753.555	79.56989247	1730.220422	30000	0	0	30000	43.3125	2004
23.01.2020 16:52:29	1	1	1	1	76.25	63.25	0	24075.829	113.9784946	2738.020819	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:29	1	1	1	1	76.25	63.25	0	24075.829	113.9784946	2738.020819	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:29	1	1	1	1	76.25	63.25	0	24075.829	113.9784946	2738.020819	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:30	1	1	1	1	76.25	63.25	0	24502.37	129.0322581	3161.199141	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:31	1	1	1	1	76.25	63.25	0	24881.517	144.0860215	3584.377463	30000	0	0	30000	43.5	2004
23.01.2020 16:52:32	1	1	1	1	76.25	63.5	0	25402.844	159.1397849	4159.215068	30000	0	0	30000	43.25	2004
23.01.2020 16:52:33	1	1	1	1	76.25	63.25	0	25639.81	165.5913978	4190.199223	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:52:34	1	1	1	1	76.25	63.25	0	25639.81	167.7419355	4363.873563	30000	0	0	30000	43.25	2004
23.01.2020 16:52:35	1	1	1	1	76.25	63.25	0	25639.81	169.8924731	4355.719838	30000	0	0	30000	43.1875	2004
23.01.2020 16:52:36	1	1	1	1	76.25	63	0	25639.81	169.8924731	4355.719838	30000	0	0	30000	43.375	2004
23.01.2020 16:52:37	1	1	1	1	76.25	63.25	0	25734.597	169.8924731	4372.027288	30000	0	0	30000	42.875	2004
23.01.2020 16:52:38	1	1	1	1	76.25	62.75	0	25734.597	169.8924731	4537.547903	30000	0	0	30000	43.375	2004
23.01.2020 16:52:39	1	1	1	1	76.25	63.25	0	25734.597	178.4946237	4592.993232	30000	0	0	30000	42.5625	2004
23.01.2020 16:52:40	1	1	1	1	76.25	62.5	0	25734.597	182.7956989	4592.993232	30000	0	0	30000	43.1875	2004
23.01.2020 16:52:41	1	1	1	1	76.25	63	0	25734.597	180.6451613	4648.438562	30000	0	0	30000	43.1875	2004
23.01.2020 16:52:42	1	1	1	1	76.25	63	0	25734.597	180.6451613	4592.993232	30000	0	0	30000	43.375	2004
23.01.2020 16:52:43	1	1	1	1	76	63.25	0	25734.597	184.9462366	4776.452043	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:44	1	1	1	1	76	63.25	0	25734.597	178.4946237	4703.883891	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:46	1	1	1	1	76	63.25	0	25734.597	184.9462366	4831.897372	30000	0	0	30000	43.3125	2004
23.01.2020 16:52:47	1	1	1	1	76	63.25	0	25734.597	189.2473118	4814.77455	30000	0	0	30000	43.375	2004
23.01.2020 16:52:48	1	1	1	1	76	63.25	0	25734.597	184.9462366	4759.32922	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:49	1	1	1	1	76	63.25	0	25734.597	189.2473118	4870.219879	30000	0	0	30000	43.375	2004
23.01.2020 16:52:50	1	1	1	1	76	63.25	0	25734.597	189.2473118	4870.219879	30000	0	0	30000	43.375	2004
23.01.2020 16:52:51	1	1	1	1	76	63.25	0	25829.384	189.2473118	4888.158074	30000	0	0	30000	43.375	2004
23.01.2020 16:52:52	1	1	1	1	76	63.25	0	25924.171	191.3978495	4906.096268	30000	0	0	30000	43.3125	2004
23.01.2020 16:52:53	1	1	1	1	76	63.25	0	26777.251	208.6021505	5700.269073	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:54	1	1	1	1	76	63.25	0	27109.005	219.3548387	5946.511565	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:55	1	1	1	1	76	63.25	0	27440.758	234.4086022	6431.658196	30000	0	0	30000	43.1875	2004
23.01.2020 16:52:56	1	1	1	1	76	63	0	27298.578	249.4623656	6809.991031	30000	0	0	30000	43.25	2004
23.01.2020 16:52:57	1	1	1	1	76	63.25	0	27630.332	264.516129	7358.736716	30000	0	0	30000	43.1875	2004
23.01.2020 16:52:58	1	1	1	1	76	63	0	28009.479	279.5698925	7769.684451	30000	0	0	30000	43.4375	2004
23.01.2020 16:52:59	1	1	1	1	76	63.25	0	28672.986	294.6236559	8489.658359	30000	0	0	30000	43.4375	2004
23.01.2020 16:53:00	1	1	1	1	76	63.25	0	29099.526	311.827957	9088.141766	30000	0	0	30000	43.0625	2004
23.01.2020 16:53:01	1	1	1	1	76	63	0	28862.559	322.5806452	9371.891392	30000	0	0	30000	43.1875	2004
23.01.2020 16:53:02	1	1	1	1	76	63	0	29383.886	337.6344086	9841.545946	30000	0	0	30000	43.3125	2004
23.01.2020 16:53:03	1	1	1	1	76	63.25	0	29431.28	352.688172	10443.29084	30000	0	0	30000	42.875	2004
23.01.2020 16:53:04	1	1	1	1	75.25	62.75	0	29715.64	369.8924731	11009.15935	30000	0	0	30000	43.1875	2004
23.01.2020 16:53:05	1	1	1	1	75.25	63	0	29620.853	369.8924731	10956.16014	30000	0	0	30000	43.25	2004
23.01.2020 16:53:06	1	1	1	1	75.25	63.25	0	29905.213	372.0430108	11319.0009	30000	0	0	30000	43.125	2004
23.01.2020 16:53:07	1	1	1	1	75.25	63	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:53:08	1	1	1	1	75.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.5	2004
23.01.2020 16:53:09	1	1	1	1	75.25	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
23.01.2020 16:53:10	1	1	1	1	75.25	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
23.01.2020 16:53:18	1	1	1	1	74.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.25	2004
23.01.2020 16:53:18	1	1	1	1	74.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.25	2004
23.01.2020 16:53:18	1	1	1	1	74.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.25	2004
23.01.2020 16:53:18	1	1	1	1	74.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.25	2004
23.01.2020 16:53:18	1	1	1	1	74.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.25	2004
23.01.2020 16:53:18	1	1	1	1	74.25	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:53:18	1	1	1	1	74.25	62.25	0	30000	412.9032258	12154.7577	30000	0	0	30000	43.125	2004
23.01.2020 16:53:19	1	1	1	1	74.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 16:53:20	1	1	1	1	74.25	63.25	0	29905.213	372.0430108	11125.75762	30000	0	0	30000	43.125	2004
23.01.2020 16:53:21	1	1	1	1	74.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
23.01.2020 16:53:22	1	1	1	1	74.25	62.25	0	30000	400	11704.67208	30000	0	0	30000	43.4375	2004
23.01.2020 16:53:24	1	1	1	1	73.5	63.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 16:53:25	1	1	1	1	73.5	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.25	2004
23.01.2020 16:53:26	1	1	1	1	73.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:53:27	1	1	1	1	73.5	62.75	0	29431.28	378.4946237	11121.68075	30000	0	0	30000	43.25	2004
23.01.2020 16:53:28	1	1	1	1	73.5	63.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	43.1875	2004
23.01.2020 16:53:29	1	1	1	1	73.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:53:30	1	1	1	1	73.5	63.25	0	30000	425.8064516	12580.38214	30000	0	0	30000	43.125	2004
23.01.2020 16:53:31	1	1	1	1	73.5	63	0	30000	440.8602151	13289.7562	30000	0	0	30000	42.8125	2004
23.01.2020 16:53:32	1	1	1	1	73.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 16:53:33	1	1	1	1	73.5	63	0	30000	440.8602151	13289.7562	30000	0	0	30000	43.1875	2004
23.01.2020 16:53:34	1	1	1	1	73.5	63	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.3125	2004
23.01.2020 16:53:35	1	1	1	1	73.5	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 16:53:36	1	1	1	1	73.5	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.5625	2004
23.01.2020 16:53:37	1	1	1	1	73.5	62.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 16:53:38	1	1	1	1	73.5	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 16:53:39	1	1	1	1	73.5	62.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.25	2004
23.01.2020 16:53:40	1	1	1	1	73.5	63.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.9375	2004
23.01.2020 16:53:41	1	1	1	1	73.5	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.5625	2004
23.01.2020 16:53:42	1	1	1	1	73.5	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
23.01.2020 16:53:43	1	1	1	1	73.5	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.125	2004
23.01.2020 16:53:44	1	1	1	1	74.25	63	0	30000	438.7096774	12967.68407	30000	0	0	30000	43.0625	2004
23.01.2020 16:53:45	1	1	1	1	74.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.625	2004
23.01.2020 16:53:46	1	1	1	1	74.25	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.375	2004
23.01.2020 16:53:47	1	1	1	1	74.25	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.5	2004
23.01.2020 16:53:48	1	1	1	1	74.25	63.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	43.3125	2004
23.01.2020 16:53:49	1	1	1	1	74.25	63.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 16:53:50	1	1	1	1	74.25	63	0	30000	432.2580645	12967.68407	30000	0	0	30000	43.25	2004
23.01.2020 16:53:51	1	1	1	1	74.25	63.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:53:52	1	1	1	1	74.25	63	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.1875	2004
23.01.2020 16:53:53	1	1	1	1	75	63	0	29905.213	440.8602151	13225.34178	30000	0	0	30000	43.0625	2004
23.01.2020 16:53:54	1	1	1	1	75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.0625	2004
23.01.2020 16:53:55	1	1	1	1	75	62	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	42.9375	2004
23.01.2020 16:53:56	1	1	1	1	75	62.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	43.3125	2004
23.01.2020 16:53:57	1	1	1	1	75	63.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.0625	2004
23.01.2020 16:53:58	1	1	1	1	75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
23.01.2020 16:53:59	1	1	1	1	75	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	43.125	2004
23.01.2020 16:54:00	1	1	1	1	75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:54:01	1	1	1	1	75	63	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:54:03	1	1	1	1	75	63	0	29905.213	427.9569892	13096.51292	30000	0	0	30000	43.0625	2004
23.01.2020 16:54:04	1	1	1	1	75	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 16:54:05	1	1	1	1	75	62.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 16:54:06	1	1	1	1	75	62.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	43	2004
23.01.2020 16:54:07	1	1	1	1	75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 16:54:08	1	1	1	1	75	63	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	43.0625	2004
23.01.2020 16:54:09	1	1	1	1	75	63	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 16:54:10	1	1	1	1	75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 16:54:11	1	1	1	1	75	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.8125	2004
23.01.2020 16:54:12	1	1	1	1	75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:54:19	1	1	1	1	74.75	63.25	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 16:54:19	1	1	1	1	74.75	63.25	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 16:54:19	1	1	1	1	74.75	63.25	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 16:54:19	1	1	1	1	74.75	63.25	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 16:54:19	1	1	1	1	74.75	63.25	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 16:54:19	1	1	1	1	74.75	63.25	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 16:54:19	1	1	1	1	74.75	63.25	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 16:54:19	1	1	1	1	74.75	63.25	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	43.375	2004
23.01.2020 16:54:20	1	1	1	1	74.75	63.25	0	30047.393	372.0430108	11160.81863	30000	0	0	30000	42.875	2004
23.01.2020 16:54:21	1	1	1	1	74.75	62.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.0625	2004
23.01.2020 16:54:22	1	1	1	1	74.75	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 16:54:23	1	1	1	1	74.75	63	0	30000	378.4946237	11437.22991	30000	0	0	30000	43	2004
23.01.2020 16:54:24	1	1	1	1	75	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:54:25	1	1	1	1	75	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
23.01.2020 16:54:26	1	1	1	1	75	63	0	29905.213	384.9462366	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 16:54:27	1	1	1	1	75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 16:54:28	1	1	1	1	75	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
23.01.2020 16:54:29	1	1	1	1	75	63.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
23.01.2020 16:54:30	1	1	1	1	75	63	0	29952.607	395.6989247	12064.25135	30000	0	0	30000	42.625	2004
23.01.2020 16:54:31	1	1	1	1	75	62.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.875	2004
23.01.2020 16:54:32	1	1	1	1	75	62.75	0	30000	427.9569892	12560.8132	30000	0	0	30000	42.8125	2004
23.01.2020 16:54:33	1	1	1	1	74.75	62.75	0	30000	423.655914	12560.8132	30000	0	0	30000	43.25	2004
23.01.2020 16:54:34	1	1	1	1	74.75	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.25	2004
23.01.2020 16:54:35	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 16:54:36	1	1	1	1	74.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 16:54:37	1	1	1	1	74.75	63.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.125	2004
23.01.2020 16:54:38	1	1	1	1	74.75	63	0	30000	464.516129	13999.94564	30000	0	0	30000	43.0625	2004
23.01.2020 16:54:39	1	1	1	1	74.75	63	0	30000	464.516129	13935.53122	30000	0	0	30000	42.625	2004
23.01.2020 16:54:40	1	1	1	1	74.75	62.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 16:54:42	1	1	1	1	74.75	63	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.75	2004
23.01.2020 16:54:43	1	1	1	1	74.75	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 16:54:44	1	1	1	1	74.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 16:54:45	1	1	1	1	74.75	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 16:54:46	1	1	1	1	74.75	63	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:54:47	1	1	1	1	74.75	63	0	30000	453.7634409	13312.58663	30000	0	0	30000	43.0625	2004
23.01.2020 16:54:48	1	1	1	1	74.75	63	0	30000	451.6129032	13483.81486	30000	0	0	30000	42.5625	2004
23.01.2020 16:54:49	1	1	1	1	74.75	62.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 16:54:50	1	1	1	1	74.75	63	0	30000	464.516129	13999.94564	30000	0	0	30000	43.125	2004
23.01.2020 16:54:51	1	1	1	1	74.75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.3125	2004
23.01.2020 16:54:52	1	1	1	1	74.75	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.9375	2004
23.01.2020 16:54:53	1	1	1	1	74.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 16:54:54	1	1	1	1	74.5	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:54:55	1	1	1	1	74.5	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.25	2004
23.01.2020 16:54:56	1	1	1	1	74.5	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.25	2004
23.01.2020 16:54:57	1	1	1	1	74.5	63.25	0	29241.706	384.9462366	11256.21722	30000	0	0	30000	43.125	2004
23.01.2020 16:54:58	1	1	1	1	74.5	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 16:54:59	1	1	1	1	74.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
23.01.2020 16:55:00	1	1	1	1	74.5	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 16:55:01	1	1	1	1	74.5	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43	2004
23.01.2020 16:55:02	1	1	1	1	74.5	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
23.01.2020 16:55:03	1	1	1	1	74.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
23.01.2020 16:55:04	1	1	1	1	74.75	63	0	30000	438.7096774	12838.03984	30000	0	0	30000	42.375	2004
23.01.2020 16:55:05	1	1	1	1	74.75	62.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	43.125	2004
23.01.2020 16:55:06	1	1	1	1	74.75	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:55:07	1	1	1	1	74.75	63.25	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	43.625	2004
23.01.2020 16:55:08	1	1	1	1	74.75	63.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.25	2004
23.01.2020 16:55:09	1	1	1	1	74.75	63.25	0	30000	438.7096774	13354.17063	30000	0	0	30000	43.3125	2004
23.01.2020 16:55:10	1	1	1	1	74.75	63.25	0	30000	423.655914	12773.62542	30000	0	0	30000	42.75	2004
23.01.2020 16:55:11	1	1	1	1	74.75	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 16:55:12	1	1	1	1	74.75	63	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 16:55:13	1	1	1	1	75	63	0	30000	380.6451613	11319.0009	30000	0	0	30000	43.1875	2004
23.01.2020 16:55:21	1	1	1	1	75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:55:21	1	1	1	1	75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:55:21	1	1	1	1	75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:55:21	1	1	1	1	75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:55:21	1	1	1	1	75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:55:21	1	1	1	1	75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:55:21	1	1	1	1	75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
23.01.2020 16:55:22	1	1	1	1	75	63	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.0625	2004
23.01.2020 16:55:23	1	1	1	1	75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.375	2004
23.01.2020 16:55:24	1	1	1	1	74.5	63.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.1875	2004
23.01.2020 16:55:25	1	1	1	1	74.5	63	0	30000	296.7741935	9110.972196	30000	0	0	30000	43.25	2004
23.01.2020 16:55:26	1	1	1	1	74.5	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
23.01.2020 16:55:27	1	1	1	1	74.5	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.3125	2004
23.01.2020 16:55:28	1	1	1	1	74.5	63.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.4375	2004
23.01.2020 16:55:29	1	1	1	1	74.5	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	43.0625	2004
23.01.2020 16:55:30	1	1	1	1	74.5	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:55:31	1	1	1	1	74.5	63.25	0	30047.393	288.172043	8644.579132	30000	0	0	30000	43.1875	2004
23.01.2020 16:55:32	1	1	1	1	74.5	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
23.01.2020 16:55:33	1	1	1	1	74.5	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43.25	2004
23.01.2020 16:55:34	1	1	1	1	75	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43	2004
23.01.2020 16:55:35	1	1	1	1	75	63	0	30000	290.3225806	8774.223358	30000	0	0	30000	42.875	2004
23.01.2020 16:55:36	1	1	1	1	75	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.375	2004
23.01.2020 16:55:37	1	1	1	1	75	63.25	0	30000	294.6236559	8852.499117	30000	0	0	30000	43.1875	2004
23.01.2020 16:55:38	1	1	1	1	75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.1875	2004
23.01.2020 16:55:39	1	1	1	1	75	63	0	30000	288.172043	8708.993559	30000	0	0	30000	43.125	2004
23.01.2020 16:55:40	1	1	1	1	75	63	0	30000	288.172043	8631.533172	30000	0	0	30000	43.5	2004
23.01.2020 16:55:41	1	1	1	1	75	63.5	0	30047.393	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
23.01.2020 16:55:42	1	1	1	1	75	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.1875	2004
23.01.2020 16:55:43	1	1	1	1	75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.1875	2004
23.01.2020 16:55:44	1	1	1	1	75	63	0	30047.393	292.4731183	8580.164705	30000	0	0	30000	43.75	2004
23.01.2020 16:55:45	1	1	1	1	75	63.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.875	2004
23.01.2020 16:55:46	1	1	1	1	75	62.75	0	30047.393	290.3225806	8708.993559	30000	0	0	30000	43.5	2004
23.01.2020 16:55:47	1	1	1	1	75	63.5	0	30047.393	298.9247312	8695.947599	30000	0	0	30000	43.1875	2004
23.01.2020 16:55:48	1	1	1	1	75	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.6875	2004
23.01.2020 16:55:49	1	1	1	1	75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
23.01.2020 16:55:50	1	1	1	1	75	63.25	0	30000	290.3225806	8838.637784	30000	0	0	30000	43.4375	2004
23.01.2020 16:55:51	1	1	1	1	75	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
23.01.2020 16:55:52	1	1	1	1	75	63.25	0	30000	326.8817204	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 16:55:53	1	1	1	1	75.25	63	0	30000	316.1290323	9676.840703	30000	0	0	30000	43.3125	2004
23.01.2020 16:55:54	1	1	1	1	75.25	63.25	0	30000	322.5806452	9597.749572	30000	0	0	30000	43.3125	2004
23.01.2020 16:55:55	1	1	1	1	75.25	63.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	43.3125	2004
23.01.2020 16:55:56	1	1	1	1	75.25	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
23.01.2020 16:55:57	1	1	1	1	75.25	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.25	2004
23.01.2020 16:55:59	1	1	1	1	75.25	63.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.8125	2004
23.01.2020 16:56:00	1	1	1	1	75.25	62.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 16:56:01	1	1	1	1	75.25	63.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.4375	2004
23.01.2020 16:56:02	1	1	1	1	75.25	63.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:03	1	1	1	1	75.25	63	0	30000	346.2365591	10451.44457	30000	0	0	30000	43.125	2004
23.01.2020 16:56:04	1	1	1	1	75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
23.01.2020 16:56:05	1	1	1	1	75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 16:56:06	1	1	1	1	75	63.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:56:07	1	1	1	1	75	63.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.625	2004
23.01.2020 16:56:08	1	1	1	1	75	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.125	2004
23.01.2020 16:56:09	1	1	1	1	75	63	0	30000	346.2365591	10370.72269	30000	0	0	30000	43.25	2004
23.01.2020 16:56:10	1	1	1	1	75	63.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.3125	2004
23.01.2020 16:56:11	1	1	1	1	75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43	2004
23.01.2020 16:56:12	1	1	1	1	75	63	0	30000	335.483871	9919.821705	30000	0	0	30000	43.5	2004
23.01.2020 16:56:13	1	1	1	1	75	63.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.875	2004
23.01.2020 16:56:14	1	1	1	1	74.75	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:56:15	1	1	1	1	74.75	62.5	0	29952.607	346.2365591	10257.38592	30000	0	0	30000	42.9375	2004
23.01.2020 16:56:23	1	1	1	1	74.75	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:23	1	1	1	1	74.75	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:23	1	1	1	1	74.75	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:23	1	1	1	1	74.75	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:23	1	1	1	1	74.75	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:23	1	1	1	1	74.75	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:23	1	1	1	1	74.75	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:23	1	1	1	1	74.75	63	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:23	1	1	1	1	74.75	63	0	30000	400	11935.4225	30000	0	0	30000	42.3125	2004
23.01.2020 16:56:24	1	1	1	1	75	62.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:25	1	1	1	1	75	63	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.5625	2004
23.01.2020 16:56:26	1	1	1	1	75	63.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
23.01.2020 16:56:27	1	1	1	1	75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:28	1	1	1	1	75	63	0	29905.213	404.3010753	12348.00098	30000	0	0	30000	42.625	2004
23.01.2020 16:56:29	1	1	1	1	75	63	0	29952.607	400	12128.66578	30000	0	0	30000	43.25	2004
23.01.2020 16:56:30	1	1	1	1	75	63.25	0	29905.213	395.6989247	11833.50094	30000	0	0	30000	43.125	2004
23.01.2020 16:56:31	1	1	1	1	75	63	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.1875	2004
23.01.2020 16:56:32	1	1	1	1	75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 16:56:33	1	1	1	1	74.75	63	0	30000	389.2473118	11612.53499	30000	0	0	30000	43.0625	2004
23.01.2020 16:56:34	1	1	1	1	74.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:56:35	1	1	1	1	74.75	62.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	43.3125	2004
23.01.2020 16:56:36	1	1	1	1	74.75	63.25	0	30000	400	12128.66578	30000	0	0	30000	42.375	2004
23.01.2020 16:56:37	1	1	1	1	74.75	62.25	0	30000	412.9032258	12620.33539	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:39	1	1	1	1	74.75	63	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	42.9375	2004
23.01.2020 16:56:40	1	1	1	1	74.75	62.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	43.25	2004
23.01.2020 16:56:41	1	1	1	1	74.75	63.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	43.125	2004
23.01.2020 16:56:42	1	1	1	1	74.75	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.25	2004
23.01.2020 16:56:43	1	1	1	1	74.75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.25	2004
23.01.2020 16:56:44	1	1	1	1	74.75	63.25	0	30000	404.3010753	11833.50094	30000	0	0	30000	43.25	2004
23.01.2020 16:56:45	1	1	1	1	74.75	63.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	42.6875	2004
23.01.2020 16:56:46	1	1	1	1	74.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
23.01.2020 16:56:47	1	1	1	1	74.75	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.4375	2004
23.01.2020 16:56:48	1	1	1	1	74.75	63.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.8125	2004
23.01.2020 16:56:49	1	1	1	1	74.75	62.75	0	28815.166	400	11588.07382	30000	0	0	30000	41.9375	2004
23.01.2020 16:56:50	1	1	1	1	74.75	61.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 16:56:51	1	1	1	1	74.75	63.25	0	30000	415.0537634	12367.56992	30000	0	0	30000	43.25	2004
23.01.2020 16:56:52	1	1	1	1	74.75	63.25	0	30000	412.9032258	12090.34327	30000	0	0	30000	43.375	2004
23.01.2020 16:56:53	1	1	1	1	74.75	63.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	43.125	2004
23.01.2020 16:56:54	1	1	1	1	74.25	63	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	42.875	2004
23.01.2020 16:56:55	1	1	1	1	74.25	62.75	0	30000	423.655914	12540.42889	30000	0	0	30000	43.3125	2004
23.01.2020 16:56:56	1	1	1	1	74.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:56:57	1	1	1	1	74.25	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
23.01.2020 16:56:58	1	1	1	1	74.25	63	0	30000	412.9032258	12580.38214	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:56:59	1	1	1	1	74.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 16:57:00	1	1	1	1	74.25	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.625	2004
23.01.2020 16:57:01	1	1	1	1	74.25	62.5	0	30000	389.2473118	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 16:57:02	1	1	1	1	74.25	63.25	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	42.5	2004
23.01.2020 16:57:03	1	1	1	1	74.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.3125	2004
23.01.2020 16:57:04	1	1	1	1	74	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.375	2004
23.01.2020 16:57:05	1	1	1	1	74	63.25	0	30000	395.6989247	11833.50094	30000	0	0	30000	43.875	2004
23.01.2020 16:57:06	1	1	1	1	74	63.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.4375	2004
23.01.2020 16:57:07	1	1	1	1	74	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.8125	2004
23.01.2020 16:57:08	1	1	1	1	74	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.375	2004
23.01.2020 16:57:09	1	1	1	1	74	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
23.01.2020 16:57:10	1	1	1	1	74	63	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.1875	2004
23.01.2020 16:57:11	1	1	1	1	74	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.4375	2004
23.01.2020 16:57:12	1	1	1	1	74	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.3125	2004
23.01.2020 16:57:13	1	1	1	1	73.75	63.25	0	30000	378.4946237	11548.12057	30000	0	0	30000	43.0625	2004
23.01.2020 16:57:14	1	1	1	1	73.75	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
23.01.2020 16:57:15	1	1	1	1	73.75	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.375	2004
23.01.2020 16:57:17	1	1	1	1	73.75	63.25	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	43.0625	2004
23.01.2020 16:57:24	1	1	1	1	74	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:57:24	1	1	1	1	74	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:57:24	1	1	1	1	74	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:57:24	1	1	1	1	74	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:57:24	1	1	1	1	74	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:57:24	1	1	1	1	74	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:57:24	1	1	1	1	74	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.875	2004
23.01.2020 16:57:25	1	1	1	1	74	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.8125	2004
23.01.2020 16:57:26	1	1	1	1	74	62.75	0	29905.213	382.7956989	11530.18237	30000	0	0	30000	43.375	2004
23.01.2020 16:57:27	1	1	1	1	74	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
23.01.2020 16:57:28	1	1	1	1	74	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.3125	2004
23.01.2020 16:57:29	1	1	1	1	74	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
23.01.2020 16:57:30	1	1	1	1	74	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
23.01.2020 16:57:31	1	1	1	1	74	63.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.1875	2004
23.01.2020 16:57:32	1	1	1	1	74	63	0	30000	387.0967742	11382.59995	30000	0	0	30000	43.25	2004
23.01.2020 16:57:33	1	1	1	1	74	63.25	0	29952.607	389.2473118	11612.53499	30000	0	0	30000	43.0625	2004
23.01.2020 16:57:34	1	1	1	1	74.25	63	0	30047.393	387.0967742	11548.12057	30000	0	0	30000	43.375	2004
23.01.2020 16:57:35	1	1	1	1	74.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.3125	2004
23.01.2020 16:57:36	1	1	1	1	74.25	63.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.9375	2004
23.01.2020 16:57:37	1	1	1	1	74.25	62.75	0	29336.493	316.1290323	9258.554616	30000	0	0	30000	43.1875	2004
23.01.2020 16:57:38	1	1	1	1	74.25	63	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.375	2004
23.01.2020 16:57:39	1	1	1	1	74.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.125	2004
23.01.2020 16:57:40	1	1	1	1	74.25	63	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.4375	2004
23.01.2020 16:57:41	1	1	1	1	74.25	63.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 16:57:42	1	1	1	1	74.25	63	0	30000	335.483871	9999.728209	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:57:43	1	1	1	1	74.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.6875	2004
23.01.2020 16:57:44	1	1	1	1	74.5	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
23.01.2020 16:57:45	1	1	1	1	74.5	63.25	0	29810.427	298.9247312	8974.80499	30000	0	0	30000	43.5	2004
23.01.2020 16:57:46	1	1	1	1	74.5	63.25	0	30000	335.483871	10080.45009	30000	0	0	30000	43.25	2004
23.01.2020 16:57:47	1	1	1	1	74.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 16:57:48	1	1	1	1	74.5	63	0	28199.052	316.1290323	8553.257413	30000	0	0	30000	43.375	2004
23.01.2020 16:57:49	1	1	1	1	74.5	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.375	2004
23.01.2020 16:57:50	1	1	1	1	74.5	63.25	0	30000	354.8387097	10515.85899	30000	0	0	30000	43.25	2004
23.01.2020 16:57:51	1	1	1	1	74.5	63.25	0	29857.82	320.4301075	9582.257495	30000	0	0	30000	43.3125	2004
23.01.2020 16:57:52	1	1	1	1	74.5	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.0625	2004
23.01.2020 16:57:53	1	1	1	1	74.25	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.125	2004
23.01.2020 16:57:54	1	1	1	1	74.25	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.625	2004
23.01.2020 16:57:56	1	1	1	1	74.25	62.5	0	30000	346.2365591	10515.85899	30000	0	0	30000	43.3125	2004
23.01.2020 16:57:57	1	1	1	1	74.25	63.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.625	2004
23.01.2020 16:57:58	1	1	1	1	74.25	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.9375	2004
23.01.2020 16:57:59	1	1	1	1	74.25	62.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.75	2004
23.01.2020 16:58:00	1	1	1	1	74.25	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	43.0625	2004
23.01.2020 16:58:01	1	1	1	1	74.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.125	2004
23.01.2020 16:58:02	1	1	1	1	74.25	63	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
23.01.2020 16:58:03	1	1	1	1	74.25	63	0	30000	350.5376344	10370.72269	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:04	1	1	1	1	73.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 16:58:05	1	1	1	1	73.75	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.875	2004
23.01.2020 16:58:06	1	1	1	1	73.75	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
23.01.2020 16:58:07	1	1	1	1	73.75	62	0	30000	339.7849462	10064.14264	30000	0	0	30000	43.1875	2004
23.01.2020 16:58:08	1	1	1	1	73.75	63	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
23.01.2020 16:58:09	1	1	1	1	73.75	63.25	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
23.01.2020 16:58:10	1	1	1	1	73.75	63	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:58:11	1	1	1	1	73.75	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.0625	2004
23.01.2020 16:58:12	1	1	1	1	73.75	63	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:13	1	1	1	1	73.75	63.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.1875	2004
23.01.2020 16:58:14	1	1	1	1	74	63	0	30000	348.3870968	10241.89384	30000	0	0	30000	43	2004
23.01.2020 16:58:15	1	1	1	1	74	63	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
23.01.2020 16:58:16	1	1	1	1	74	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
23.01.2020 16:58:17	1	1	1	1	74	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.25	2004
23.01.2020 16:58:18	1	1	1	1	74	63.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	43.0625	2004
23.01.2020 16:58:26	1	1	1	1	73.75	62.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:26	1	1	1	1	73.75	62.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:26	1	1	1	1	73.75	62.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:26	1	1	1	1	73.75	62.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:26	1	1	1	1	73.75	62.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:26	1	1	1	1	73.75	62.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:26	1	1	1	1	73.75	62.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:26	1	1	1	1	73.75	62.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:58:27	1	1	1	1	73.75	62.5	0	30047.393	313.9784946	9354.76857	30000	0	0	30000	42.9375	2004
23.01.2020 16:58:28	1	1	1	1	73.75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.0625	2004
23.01.2020 16:58:29	1	1	1	1	73.75	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
23.01.2020 16:58:30	1	1	1	1	73.75	63	0	30000	313.9784946	9548.01185	30000	0	0	30000	42.6875	2004
23.01.2020 16:58:31	1	1	1	1	73.75	62.5	0	29905.213	311.827957	9261.000734	30000	0	0	30000	43.25	2004
23.01.2020 16:58:32	1	1	1	1	73.75	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.125	2004
23.01.2020 16:58:33	1	1	1	1	73.5	63	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.5625	2004
23.01.2020 16:58:35	1	1	1	1	73.5	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43	2004
23.01.2020 16:58:36	1	1	1	1	73.5	63	0	30094.787	346.2365591	10128.55706	30000	0	0	30000	43.0625	2004
23.01.2020 16:58:37	1	1	1	1	73.5	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.5	2004
23.01.2020 16:58:38	1	1	1	1	73.5	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.125	2004
23.01.2020 16:58:39	1	1	1	1	73.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
23.01.2020 16:58:40	1	1	1	1	73.5	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.1875	2004
23.01.2020 16:58:41	1	1	1	1	73.5	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.75	2004
23.01.2020 16:58:42	1	1	1	1	73.5	62.75	0	30000	311.827957	9627.918354	30000	0	0	30000	43.25	2004
23.01.2020 16:58:43	1	1	1	1	73.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.25	2004
23.01.2020 16:58:44	1	1	1	1	73.25	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.25	2004
23.01.2020 16:58:45	1	1	1	1	73.25	63.25	0	30000	307.5268817	9211.263012	30000	0	0	30000	43.125	2004
23.01.2020 16:58:46	1	1	1	1	73.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.625	2004
23.01.2020 16:58:47	1	1	1	1	73.25	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.4375	2004
23.01.2020 16:58:48	1	1	1	1	73.25	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:49	1	1	1	1	73.25	63.25	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	43.375	2004
23.01.2020 16:58:50	1	1	1	1	73.25	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:51	1	1	1	1	73.25	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.3125	2004
23.01.2020 16:58:52	1	1	1	1	73.25	63.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.125	2004
23.01.2020 16:58:53	1	1	1	1	73.25	63	0	30000	335.483871	9999.728209	30000	0	0	30000	42.75	2004
23.01.2020 16:58:54	1	1	1	1	73	62.75	0	30047.393	341.9354839	9999.728209	30000	0	0	30000	43.25	2004
23.01.2020 16:58:55	1	1	1	1	73	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.375	2004
23.01.2020 16:58:56	1	1	1	1	73	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.5	2004
23.01.2020 16:58:57	1	1	1	1	73	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
23.01.2020 16:58:58	1	1	1	1	73	63	0	30000	335.483871	10064.14264	30000	0	0	30000	42.75	2004
23.01.2020 16:58:59	1	1	1	1	73	62.75	0	30000	337.6344086	10257.38592	30000	0	0	30000	43.8125	2004
23.01.2020 16:59:00	1	1	1	1	73	63.75	0	30000	341.9354839	10241.89384	30000	0	0	30000	43	2004
23.01.2020 16:59:01	1	1	1	1	73	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5	2004
23.01.2020 16:59:02	1	1	1	1	73	63.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.625	2004
23.01.2020 16:59:03	1	1	1	1	73.25	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.3125	2004
23.01.2020 16:59:04	1	1	1	1	73.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5	2004
23.01.2020 16:59:05	1	1	1	1	73.25	63.5	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	43.0625	2004
23.01.2020 16:59:06	1	1	1	1	73.25	63	0	29952.607	363.4408602	10740.08643	30000	0	0	30000	43.25	2004
23.01.2020 16:59:07	1	1	1	1	73.25	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.625	2004
23.01.2020 16:59:08	1	1	1	1	73.25	62.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:09	1	1	1	1	73.25	63	0	30047.393	404.3010753	11935.4225	30000	0	0	30000	43	2004
23.01.2020 16:59:10	1	1	1	1	73.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:59:11	1	1	1	1	73.25	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:12	1	1	1	1	73.25	63	0	30000	427.9569892	12773.62542	30000	0	0	30000	43.4375	2004
23.01.2020 16:59:14	1	1	1	1	72.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.6875	2004
23.01.2020 16:59:15	1	1	1	1	72.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 16:59:16	1	1	1	1	72.75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 16:59:17	1	1	1	1	72.75	63.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 16:59:18	1	1	1	1	72.75	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43	2004
23.01.2020 16:59:19	1	1	1	1	72.75	63	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:20	1	1	1	1	72.75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:27	1	1	1	1	72.5	63	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:27	1	1	1	1	72.5	63	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:27	1	1	1	1	72.5	63	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:27	1	1	1	1	72.5	63	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:27	1	1	1	1	72.5	63	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:27	1	1	1	1	72.5	63	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:27	1	1	1	1	72.5	63	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:27	1	1	1	1	72.5	63	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:28	1	1	1	1	72.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
23.01.2020 16:59:29	1	1	1	1	72.5	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:30	1	1	1	1	72.5	63	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 16:59:31	1	1	1	1	72.5	62.75	0	30000	468.8172043	14474.49243	30000	0	0	30000	42.625	2004
23.01.2020 16:59:32	1	1	1	1	72.5	62.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 16:59:33	1	1	1	1	72.5	63.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 16:59:34	1	1	1	1	72.5	62.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	43.25	2004
23.01.2020 16:59:35	1	1	1	1	72.5	63.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.375	2004
23.01.2020 16:59:36	1	1	1	1	72.5	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.4375	2004
23.01.2020 16:59:37	1	1	1	1	72.5	63.25	0	29952.607	449.4623656	13612.64371	30000	0	0	30000	42.875	2004
23.01.2020 16:59:38	1	1	1	1	72.5	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 16:59:39	1	1	1	1	72.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.625	2004
23.01.2020 16:59:40	1	1	1	1	72.5	63.5	0	29952.607	458.0645161	13935.53122	30000	0	0	30000	42.875	2004
23.01.2020 16:59:41	1	1	1	1	72.5	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 16:59:42	1	1	1	1	72.5	63.75	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	43.375	2004
23.01.2020 16:59:43	1	1	1	1	72.75	63.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.3125	2004
23.01.2020 16:59:44	1	1	1	1	72.75	63.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.75	2004
23.01.2020 16:59:45	1	1	1	1	72.75	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.8125	2004
23.01.2020 16:59:46	1	1	1	1	72.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 16:59:47	1	1	1	1	72.75	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.875	2004
23.01.2020 16:59:48	1	1	1	1	72.75	62.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
23.01.2020 16:59:49	1	1	1	1	72.75	63	0	30000	464.516129	13935.53122	30000	0	0	30000	43.25	2004
23.01.2020 16:59:50	1	1	1	1	72.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
23.01.2020 16:59:52	1	1	1	1	72.75	63	0	29952.607	460.2150538	13741.47256	30000	0	0	30000	42.75	2004
23.01.2020 16:59:53	1	1	1	1	72.75	62.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	43.25	2004
23.01.2020 16:59:54	1	1	1	1	72.5	63.25	0	30000	427.9569892	13096.51292	30000	0	0	30000	43.25	2004
23.01.2020 16:59:55	1	1	1	1	72.5	63.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 16:59:56	1	1	1	1	72.5	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 16:59:57	1	1	1	1	72.5	62.75	0	29952.607	415.0537634	12431.98434	30000	0	0	30000	43.0625	2004
23.01.2020 16:59:58	1	1	1	1	72.5	63	0	30000	438.7096774	12947.29976	30000	0	0	30000	42.9375	2004
23.01.2020 16:59:59	1	1	1	1	72.5	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.3125	2004
23.01.2020 17:00:00	1	1	1	1	72.5	63.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	42.6875	2004
23.01.2020 17:00:01	1	1	1	1	72.5	62.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	42.875	2004
23.01.2020 17:00:02	1	1	1	1	72.5	62.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 17:00:03	1	1	1	1	72.5	63.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	42.75	2004
23.01.2020 17:00:04	1	1	1	1	72.25	62.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.5625	2004
23.01.2020 17:00:05	1	1	1	1	72.25	62.5	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:06	1	1	1	1	72.25	63	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.375	2004
23.01.2020 17:00:07	1	1	1	1	72.25	63.25	0	29905.213	427.9569892	12818.4709	30000	0	0	30000	42.875	2004
23.01.2020 17:00:08	1	1	1	1	72.25	62.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	43	2004
23.01.2020 17:00:09	1	1	1	1	72.25	63	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.4375	2004
23.01.2020 17:00:10	1	1	1	1	72.25	63.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.5	2004
23.01.2020 17:00:11	1	1	1	1	72.25	62.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.3125	2004
23.01.2020 17:00:12	1	1	1	1	72.25	63.25	0	30000	438.7096774	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 17:00:13	1	1	1	1	72.25	62.75	0	30000	453.7634409	13805.88699	30000	0	0	30000	43.25	2004
23.01.2020 17:00:14	1	1	1	1	71.75	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
23.01.2020 17:00:15	1	1	1	1	71.75	62	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.3125	2004
23.01.2020 17:00:16	1	1	1	1	71.75	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	43	2004
23.01.2020 17:00:17	1	1	1	1	71.75	63	0	30000	458.0645161	13805.88699	30000	0	0	30000	43.625	2004
23.01.2020 17:00:18	1	1	1	1	71.75	63.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.6875	2004
23.01.2020 17:00:19	1	1	1	1	71.75	63.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	42.9375	2004
23.01.2020 17:00:20	1	1	1	1	71.75	62.75	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	43.8125	2004
23.01.2020 17:00:21	1	1	1	1	71.75	63.25	0	30000	451.6129032	13741.47256	30000	0	0	30000	42.6875	2004
23.01.2020 17:00:29	1	1	1	1	71.5	63.25	0	30000	464.516129	13805.88699	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:29	1	1	1	1	71.5	63.25	0	30000	464.516129	13805.88699	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:29	1	1	1	1	71.5	63.25	0	30000	464.516129	13805.88699	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:29	1	1	1	1	71.5	63.25	0	30000	464.516129	13805.88699	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:29	1	1	1	1	71.5	63.25	0	30000	464.516129	13805.88699	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:29	1	1	1	1	71.5	63.25	0	30000	464.516129	13805.88699	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:30	1	1	1	1	71.5	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.375	2004
23.01.2020 17:00:31	1	1	1	1	71.5	63.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	43.375	2004
23.01.2020 17:00:32	1	1	1	1	71.5	63.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:33	1	1	1	1	71.5	63	0	30000	468.8172043	14128.7745	30000	0	0	30000	43.3125	2004
23.01.2020 17:00:34	1	1	1	1	71	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.9375	2004
23.01.2020 17:00:35	1	1	1	1	71	62.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:36	1	1	1	1	71	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.75	2004
23.01.2020 17:00:37	1	1	1	1	71	62.75	0	30000	464.516129	13698.25782	30000	0	0	30000	43.0625	2004
23.01.2020 17:00:38	1	1	1	1	71	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.3125	2004
23.01.2020 17:00:39	1	1	1	1	71	63.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:00:40	1	1	1	1	71	63	0	30000	468.8172043	13999.94564	30000	0	0	30000	43.25	2004
23.01.2020 17:00:41	1	1	1	1	71	63.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	42.9375	2004
23.01.2020 17:00:42	1	1	1	1	71	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 17:00:43	1	1	1	1	71	63	0	30000	451.6129032	13548.22928	30000	0	0	30000	43.25	2004
23.01.2020 17:00:44	1	1	1	1	71.25	63.25	0	30000	445.1612903	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 17:00:45	1	1	1	1	71.25	63	0	30000	460.2150538	13741.47256	30000	0	0	30000	43.0625	2004
23.01.2020 17:00:46	1	1	1	1	71.25	63	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	43.4375	2004
23.01.2020 17:00:47	1	1	1	1	71.25	63.25	0	30000	460.2150538	13870.30142	30000	0	0	30000	42.75	2004
23.01.2020 17:00:48	1	1	1	1	71.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
23.01.2020 17:00:49	1	1	1	1	71.25	62.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.875	2004
23.01.2020 17:00:50	1	1	1	1	71.25	62.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	43.125	2004
23.01.2020 17:00:51	1	1	1	1	71.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.25	2004
23.01.2020 17:00:52	1	1	1	1	71.25	63.25	0	30000	464.516129	13999.94564	30000	0	0	30000	43.0625	2004
23.01.2020 17:00:53	1	1	1	1	71.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
23.01.2020 17:00:54	1	1	1	1	71.25	63	0	30000	483.8709677	14451.662	30000	0	0	30000	42.6875	2004
23.01.2020 17:00:55	1	1	1	1	71.25	62.5	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	43	2004
23.01.2020 17:00:56	1	1	1	1	71.25	63	0	30000	483.8709677	14603.32128	30000	0	0	30000	43.3125	2004
23.01.2020 17:00:57	1	1	1	1	71.25	63.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.375	2004
23.01.2020 17:00:58	1	1	1	1	71.25	63.25	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	43.875	2004
23.01.2020 17:00:59	1	1	1	1	71.25	63.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
23.01.2020 17:01:00	1	1	1	1	71.25	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.1875	2004
23.01.2020 17:01:01	1	1	1	1	71.25	62	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.125	2004
23.01.2020 17:01:02	1	1	1	1	71.25	63	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:03	1	1	1	1	71	63.25	0	30000	492.4731183	14727.2579	30000	0	0	30000	43.25	2004
23.01.2020 17:01:04	1	1	1	1	71	63.25	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	43	2004
23.01.2020 17:01:06	1	1	1	1	71	63	0	30000	509.6774194	15483.92357	30000	0	0	30000	42.625	2004
23.01.2020 17:01:07	1	1	1	1	71	62.5	0	30000	520.4301075	15548.338	30000	0	0	30000	43.0625	2004
23.01.2020 17:01:08	1	1	1	1	71	63	0	30000	518.2795699	15483.92357	30000	0	0	30000	43.125	2004
23.01.2020 17:01:09	1	1	1	1	71	63	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.1875	2004
23.01.2020 17:01:10	1	1	1	1	71	63	0	30000	511.827957	15289.86492	30000	0	0	30000	43.25	2004
23.01.2020 17:01:11	1	1	1	1	71	63.25	0	30000	511.827957	15354.27935	30000	0	0	30000	43.25	2004
23.01.2020 17:01:12	1	1	1	1	71	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.5	2004
23.01.2020 17:01:13	1	1	1	1	71	62.5	0	30000	511.827957	15483.92357	30000	0	0	30000	43.3125	2004
23.01.2020 17:01:14	1	1	1	1	71	63.25	0	30000	524.7311828	15960.10111	30000	0	0	30000	43.125	2004
23.01.2020 17:01:15	1	1	1	1	71	63	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.3125	2004
23.01.2020 17:01:16	1	1	1	1	71	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.25	2004
23.01.2020 17:01:17	1	1	1	1	71	63.25	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	43.0625	2004
23.01.2020 17:01:18	1	1	1	1	71	63	0	30047.393	518.2795699	15548.338	30000	0	0	30000	43.3125	2004
23.01.2020 17:01:19	1	1	1	1	71	63.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.75	2004
23.01.2020 17:01:20	1	1	1	1	71	62.75	0	30000	518.2795699	15677.16685	30000	0	0	30000	43.1875	2004
23.01.2020 17:01:21	1	1	1	1	71	63	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.25	2004
23.01.2020 17:01:22	1	1	1	1	71	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.9375	2004
23.01.2020 17:01:23	1	1	1	1	71	62.75	0	30000	509.6774194	15354.27935	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:01:31	1	1	1	1	70.75	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:31	1	1	1	1	70.75	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:31	1	1	1	1	70.75	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:31	1	1	1	1	70.75	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:31	1	1	1	1	70.75	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:31	1	1	1	1	70.75	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:31	1	1	1	1	70.75	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:31	1	1	1	1	70.75	63.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:32	1	1	1	1	70.75	63.25	0	29620.853	533.3333333	15975.59318	30000	0	0	30000	42.625	2004
23.01.2020 17:01:33	1	1	1	1	70.75	62.5	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	42.9375	2004
23.01.2020 17:01:34	1	1	1	1	70.5	62.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43.375	2004
23.01.2020 17:01:35	1	1	1	1	70.5	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.25	2004
23.01.2020 17:01:36	1	1	1	1	70.5	63.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	43.125	2004
23.01.2020 17:01:37	1	1	1	1	70.5	63	0	29857.82	535.483871	15655.96717	30000	0	0	30000	43.375	2004
23.01.2020 17:01:38	1	1	1	1	70.5	63.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.25	2004
23.01.2020 17:01:39	1	1	1	1	70.5	62.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.9375	2004
23.01.2020 17:01:40	1	1	1	1	70.5	62.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.25	2004
23.01.2020 17:01:41	1	1	1	1	70.5	63.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.25	2004
23.01.2020 17:01:42	1	1	1	1	70.5	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
23.01.2020 17:01:43	1	1	1	1	70.25	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.375	2004
23.01.2020 17:01:44	1	1	1	1	70.25	63.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.9375	2004
23.01.2020 17:01:45	1	1	1	1	70.25	62.75	0	29715.64	541.9354839	15975.59318	30000	0	0	30000	43.0625	2004
23.01.2020 17:01:47	1	1	1	1	70.25	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43	2004
23.01.2020 17:01:48	1	1	1	1	70.25	63	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	42.8125	2004
23.01.2020 17:01:49	1	1	1	1	70.25	62.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.875	2004
23.01.2020 17:01:50	1	1	1	1	70.25	62.75	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	43.4375	2004
23.01.2020 17:01:51	1	1	1	1	70.25	63.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	42.8125	2004
23.01.2020 17:01:52	1	1	1	1	70.25	62.75	0	29952.607	516.1290323	15548.338	30000	0	0	30000	42.8125	2004
23.01.2020 17:01:53	1	1	1	1	70.25	62.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	43.0625	2004
23.01.2020 17:01:54	1	1	1	1	70	63	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.125	2004
23.01.2020 17:01:55	1	1	1	1	70	63	0	29952.607	535.483871	16039.19224	30000	0	0	30000	43.375	2004
23.01.2020 17:01:56	1	1	1	1	70	63.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	43.0625	2004
23.01.2020 17:01:57	1	1	1	1	70	63	0	29810.427	535.483871	16001.6851	30000	0	0	30000	43	2004
23.01.2020 17:01:58	1	1	1	1	70	63	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.0625	2004
23.01.2020 17:01:59	1	1	1	1	70	63	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	42.75	2004
23.01.2020 17:02:00	1	1	1	1	70	62.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	43.0625	2004
23.01.2020 17:02:01	1	1	1	1	70	63	0	29715.64	535.483871	16026.96165	30000	0	0	30000	43.0625	2004
23.01.2020 17:02:02	1	1	1	1	70	63	0	30000	533.3333333	16089.74533	30000	0	0	30000	43.3125	2004
23.01.2020 17:02:03	1	1	1	1	70	63.25	0	29763.033	535.483871	15911.99413	30000	0	0	30000	42.875	2004
23.01.2020 17:02:04	1	1	1	1	69.75	62.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.25	2004
23.01.2020 17:02:05	1	1	1	1	69.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:06	1	1	1	1	69.75	63.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	43.1875	2004
23.01.2020 17:02:07	1	1	1	1	69.75	63	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:02:08	1	1	1	1	69.75	63.25	0	30000	520.4301075	15548.338	30000	0	0	30000	43.375	2004
23.01.2020 17:02:09	1	1	1	1	69.75	63.25	0	29952.607	526.8817204	15870.41013	30000	0	0	30000	42.875	2004
23.01.2020 17:02:10	1	1	1	1	69.75	62.75	0	30000	511.827957	15177.34352	30000	0	0	30000	42.9375	2004
23.01.2020 17:02:11	1	1	1	1	69.75	62.75	0	30000	535.483871	15934.82456	30000	0	0	30000	43.375	2004
23.01.2020 17:02:12	1	1	1	1	69.75	63.25	0	30000	516.1290323	15548.338	30000	0	0	30000	42.1875	2004
23.01.2020 17:02:13	1	1	1	1	69.75	62	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.25	2004
23.01.2020 17:02:14	1	1	1	1	69.25	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.375	2004
23.01.2020 17:02:15	1	1	1	1	69.25	63.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.125	2004
23.01.2020 17:02:16	1	1	1	1	69.25	63	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.0625	2004
23.01.2020 17:02:17	1	1	1	1	69.25	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.75	2004
23.01.2020 17:02:18	1	1	1	1	69.25	63.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	42.6875	2004
23.01.2020 17:02:19	1	1	1	1	69.25	62.5	0	30000	488.172043	14709.31971	30000	0	0	30000	43.0625	2004
23.01.2020 17:02:20	1	1	1	1	69.25	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.1875	2004
23.01.2020 17:02:21	1	1	1	1	69.25	63	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.375	2004
23.01.2020 17:02:22	1	1	1	1	69.25	63.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	42.75	2004
23.01.2020 17:02:23	1	1	1	1	69.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
23.01.2020 17:02:24	1	1	1	1	69.25	63	0	30000	481.7204301	14128.7745	30000	0	0	30000	43.125	2004
23.01.2020 17:02:32	1	1	1	1	69.25	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:32	1	1	1	1	69.25	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:32	1	1	1	1	69.25	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:32	1	1	1	1	69.25	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:32	1	1	1	1	69.25	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:32	1	1	1	1	69.25	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:32	1	1	1	1	69.25	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:32	1	1	1	1	69.25	63.25	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:33	1	1	1	1	69.25	63.25	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	43.1875	2004
23.01.2020 17:02:34	1	1	1	1	69.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
23.01.2020 17:02:35	1	1	1	1	69.25	63.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.3125	2004
23.01.2020 17:02:36	1	1	1	1	69.25	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:37	1	1	1	1	69.25	63.25	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	43.25	2004
23.01.2020 17:02:38	1	1	1	1	69.25	63.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:39	1	1	1	1	69.25	63.25	0	30000	404.3010753	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:40	1	1	1	1	69.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 17:02:41	1	1	1	1	69.25	63	0	30000	419.3548387	12709.21099	30000	0	0	30000	43.25	2004
23.01.2020 17:02:42	1	1	1	1	69.25	63.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:43	1	1	1	1	69.25	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.625	2004
23.01.2020 17:02:44	1	1	1	1	69.25	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.125	2004
23.01.2020 17:02:45	1	1	1	1	69.25	63	0	30000	494.6236559	14773.73413	30000	0	0	30000	43.25	2004
23.01.2020 17:02:46	1	1	1	1	69.25	63.25	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	43.125	2004
23.01.2020 17:02:47	1	1	1	1	69.25	63	0	30000	516.1290323	15548.338	30000	0	0	30000	43.0625	2004
23.01.2020 17:02:48	1	1	1	1	69.25	63	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	43	2004
23.01.2020 17:02:49	1	1	1	1	69.25	63	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.875	2004
23.01.2020 17:02:50	1	1	1	1	69.25	62.75	0	29952.607	518.2795699	15677.16685	30000	0	0	30000	43.375	2004
23.01.2020 17:02:51	1	1	1	1	69.25	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:02:52	1	1	1	1	69.25	63	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.5	2004
23.01.2020 17:02:53	1	1	1	1	69.25	63.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.125	2004
23.01.2020 17:02:54	1	1	1	1	69.25	63	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	43.3125	2004
23.01.2020 17:02:55	1	1	1	1	69.25	63.25	0	30000	507.5268817	15201.80469	30000	0	0	30000	43.0625	2004
23.01.2020 17:02:56	1	1	1	1	69.25	63	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.3125	2004
23.01.2020 17:02:57	1	1	1	1	69.25	63	0	30000	503.2258065	14902.56299	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:58	1	1	1	1	69.25	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.4375	2004
23.01.2020 17:02:59	1	1	1	1	69.25	63.25	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	42.0625	2004
23.01.2020 17:03:00	1	1	1	1	69.25	62	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.3125	2004
23.01.2020 17:03:01	1	1	1	1	69.25	63.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	43	2004
23.01.2020 17:03:02	1	1	1	1	69.25	63	0	26682.464	481.7204301	12853.53192	30000	0	0	30000	43.1875	2004
23.01.2020 17:03:03	1	1	1	1	69	63	0	30000	537.6344086	16000.05436	30000	0	0	30000	42.5625	2004
23.01.2020 17:03:05	1	1	1	1	69	62.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.1875	2004
23.01.2020 17:03:06	1	1	1	1	69	63	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43	2004
23.01.2020 17:03:07	1	1	1	1	69	63	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	43.1875	2004
23.01.2020 17:03:08	1	1	1	1	69	63	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
23.01.2020 17:03:09	1	1	1	1	69	63	0	29952.607	522.5806452	15741.58128	30000	0	0	30000	43.5	2004
23.01.2020 17:03:10	1	1	1	1	69	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
23.01.2020 17:03:11	1	1	1	1	69	63	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	43	2004
23.01.2020 17:03:12	1	1	1	1	69	63	0	29952.607	522.5806452	15652.70568	30000	0	0	30000	42.8125	2004
23.01.2020 17:03:13	1	1	1	1	69	62.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.875	2004
23.01.2020 17:03:14	1	1	1	1	68.5	62.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.3125	2004
23.01.2020 17:03:15	1	1	1	1	68.5	63.25	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	42.8125	2004
23.01.2020 17:03:16	1	1	1	1	68.5	62.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43	2004
23.01.2020 17:03:17	1	1	1	1	68.5	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.25	2004
23.01.2020 17:03:18	1	1	1	1	68.5	63.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.25	2004
23.01.2020 17:03:19	1	1	1	1	68.5	63.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.875	2004
23.01.2020 17:03:20	1	1	1	1	68.5	62.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.9375	2004
23.01.2020 17:03:21	1	1	1	1	68.5	62.75	0	29952.607	529.0322581	15934.82456	30000	0	0	30000	43.4375	2004
23.01.2020 17:03:22	1	1	1	1	68.5	63.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.1875	2004
23.01.2020 17:03:23	1	1	1	1	68.5	63	0	29810.427	526.8817204	15949.50126	30000	0	0	30000	42.625	2004
23.01.2020 17:03:24	1	1	1	1	68.25	62.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.1875	2004
23.01.2020 17:03:25	1	1	1	1	68.25	63	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.375	2004
23.01.2020 17:03:26	1	1	1	1	68.25	63.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.0625	2004
23.01.2020 17:03:34	1	1	1	1	68.25	63	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.5	2004
23.01.2020 17:03:34	1	1	1	1	68.25	63	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.5	2004
23.01.2020 17:03:34	1	1	1	1	68.25	63	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.5	2004
23.01.2020 17:03:34	1	1	1	1	68.25	63	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.5	2004
23.01.2020 17:03:34	1	1	1	1	68.25	63	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.5	2004
23.01.2020 17:03:34	1	1	1	1	68.25	63	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.5	2004
23.01.2020 17:03:34	1	1	1	1	68	63.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.25	2004
23.01.2020 17:03:35	1	1	1	1	68	63.25	0	29905.213	503.2258065	15483.92357	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:03:36	1	1	1	1	68	63.25	0	30000	501.0752688	15161.03607	30000	0	0	30000	42.375	2004
23.01.2020 17:03:37	1	1	1	1	68	63.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.125	2004
23.01.2020 17:03:38	1	1	1	1	68	63	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	42.75	2004
23.01.2020 17:03:39	1	1	1	1	68	62.75	0	30000	518.2795699	15548.338	30000	0	0	30000	42.1875	2004
23.01.2020 17:03:40	1	1	1	1	68	62	0	30000	501.0752688	14902.56299	30000	0	0	30000	43.125	2004
23.01.2020 17:03:41	1	1	1	1	68	63	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.3125	2004
23.01.2020 17:03:42	1	1	1	1	68	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.4375	2004
23.01.2020 17:03:44	1	1	1	1	67.75	63.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.3125	2004
23.01.2020 17:03:45	1	1	1	1	67.75	63.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.5	2004
23.01.2020 17:03:46	1	1	1	1	67.75	63.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.0625	2004
23.01.2020 17:03:47	1	1	1	1	67.75	63	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.875	2004
23.01.2020 17:03:48	1	1	1	1	67.75	62.75	0	30000	501.0752688	15161.03607	30000	0	0	30000	43.1875	2004
23.01.2020 17:03:49	1	1	1	1	67.75	63	0	30000	501.0752688	15055.85302	30000	0	0	30000	42.3125	2004
23.01.2020 17:03:50	1	1	1	1	67.75	62.25	0	30000	507.5268817	15072.97584	30000	0	0	30000	43.25	2004
23.01.2020 17:03:51	1	1	1	1	67.75	63.25	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	43.375	2004
23.01.2020 17:03:52	1	1	1	1	67.75	63.25	0	30047.393	531.1827957	15677.16685	30000	0	0	30000	42.875	2004
23.01.2020 17:03:53	1	1	1	1	67.75	62.75	0	29905.213	486.0215054	14534.01462	30000	0	0	30000	43.4375	2004
23.01.2020 17:03:54	1	1	1	1	67.75	63.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.125	2004
23.01.2020 17:03:57	1	1	1	1	67.75	63.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.25	2004
23.01.2020 17:03:57	1	1	1	1	67.75	63.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.25	2004
23.01.2020 17:03:57	1	1	1	1	67.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.1875	2004
23.01.2020 17:03:58	1	1	1	1	67.75	63	0	30047.393	533.3333333	15805.99571	30000	0	0	30000	43.375	2004
23.01.2020 17:03:59	1	1	1	1	67.75	63.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.875	2004
23.01.2020 17:04:00	1	1	1	1	67.75	62.75	0	29952.607	488.172043	14709.31971	30000	0	0	30000	42.3125	2004
23.01.2020 17:04:01	1	1	1	1	67.75	62.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.25	2004
23.01.2020 17:04:02	1	1	1	1	67.75	63.25	0	29857.82	531.1827957	15885.08684	30000	0	0	30000	42.75	2004
23.01.2020 17:04:03	1	1	1	1	67.75	62.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.75	2004
23.01.2020 17:04:04	1	1	1	1	67.25	62.75	0	30000	533.3333333	15949.50126	30000	0	0	30000	43.125	2004
23.01.2020 17:04:05	1	1	1	1	67.25	63	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	43.25	2004
23.01.2020 17:04:06	1	1	1	1	67.25	63.25	0	30047.393	524.7311828	15741.58128	30000	0	0	30000	42.8125	2004
23.01.2020 17:04:07	1	1	1	1	67.25	62.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	43.375	2004
23.01.2020 17:04:08	1	1	1	1	67.25	63.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	43.25	2004
23.01.2020 17:04:09	1	1	1	1	67.25	63.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.5	2004
23.01.2020 17:04:10	1	1	1	1	67.25	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
23.01.2020 17:04:11	1	1	1	1	67.25	63	0	30000	533.3333333	16064.46878	30000	0	0	30000	43.3125	2004
23.01.2020 17:04:12	1	1	1	1	67.25	63.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.375	2004
23.01.2020 17:04:13	1	1	1	1	67.25	63.25	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	42.75	2004
23.01.2020 17:04:14	1	1	1	1	67	62.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.875	2004
23.01.2020 17:04:15	1	1	1	1	67	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.625	2004
23.01.2020 17:04:16	1	1	1	1	67	63.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.5625	2004
23.01.2020 17:04:17	1	1	1	1	67	62.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.4375	2004
23.01.2020 17:04:18	1	1	1	1	67	63.25	0	29905.213	535.483871	16064.46878	30000	0	0	30000	43.25	2004
23.01.2020 17:04:19	1	1	1	1	67	63.25	0	30000	518.2795699	15548.338	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:04:20	1	1	1	1	67	63	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.375	2004
23.01.2020 17:04:21	1	1	1	1	67	63.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	42.625	2004
23.01.2020 17:04:23	1	1	1	1	67	62.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.75	2004
23.01.2020 17:04:24	1	1	1	1	66.75	62.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	43.375	2004
23.01.2020 17:04:25	1	1	1	1	66.75	63.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.3125	2004
23.01.2020 17:04:26	1	1	1	1	66.75	63.25	0	30000	520.4301075	15548.338	30000	0	0	30000	43.5	2004
23.01.2020 17:04:27	1	1	1	1	66.75	63.5	0	30000	516.1290323	15459.4624	30000	0	0	30000	43.5	2004
23.01.2020 17:04:28	1	1	1	1	66.75	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.5	2004
23.01.2020 17:04:35	1	1	1	1	66.25	62.75	0	29526.066	464.516129	13715.38064	30000	0	0	30000	42.5625	2004
23.01.2020 17:04:35	1	1	1	1	66.25	62.75	0	29526.066	464.516129	13715.38064	30000	0	0	30000	42.5625	2004
23.01.2020 17:04:35	1	1	1	1	66.25	62.75	0	29526.066	464.516129	13715.38064	30000	0	0	30000	42.5625	2004
23.01.2020 17:04:35	1	1	1	1	66.25	62.75	0	29526.066	464.516129	13715.38064	30000	0	0	30000	42.5625	2004
23.01.2020 17:04:35	1	1	1	1	66.25	62.75	0	29526.066	464.516129	13715.38064	30000	0	0	30000	42.5625	2004
23.01.2020 17:04:35	1	1	1	1	66.25	62.75	0	29526.066	464.516129	13715.38064	30000	0	0	30000	42.5625	2004
23.01.2020 17:04:35	1	1	1	1	66.25	62.75	0	29526.066	464.516129	13715.38064	30000	0	0	30000	42.5625	2004
23.01.2020 17:04:36	1	1	1	1	66.25	62.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.9375	2004
23.01.2020 17:04:37	1	1	1	1	66.25	62.75	0	30000	516.1290323	15548.338	30000	0	0	30000	42.875	2004
23.01.2020 17:04:38	1	1	1	1	66.25	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.0625	2004
23.01.2020 17:04:39	1	1	1	1	66.25	63	0	30000	511.827957	15483.92357	30000	0	0	30000	43.25	2004
23.01.2020 17:04:40	1	1	1	1	66.25	63.25	0	30000	507.5268817	15096.62164	30000	0	0	30000	43.375	2004
23.01.2020 17:04:41	1	1	1	1	66.25	63.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	42.875	2004
23.01.2020 17:04:42	1	1	1	1	66.25	62.75	0	30000	516.1290323	15677.16685	30000	0	0	30000	43.25	2004
23.01.2020 17:04:43	1	1	1	1	66.25	63.25	0	29952.607	518.2795699	15548.338	30000	0	0	30000	43.375	2004
23.01.2020 17:04:44	1	1	1	1	66.5	63.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.875	2004
23.01.2020 17:04:45	1	1	1	1	66.5	62.75	0	30000	516.1290323	15548.338	30000	0	0	30000	42.5625	2004
23.01.2020 17:04:46	1	1	1	1	66.5	62.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.375	2004
23.01.2020 17:04:47	1	1	1	1	66.5	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.375	2004
23.01.2020 17:04:48	1	1	1	1	66.5	63.25	0	30000	526.8817204	15781.53453	30000	0	0	30000	43.25	2004
23.01.2020 17:04:49	1	1	1	1	66.5	63.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.375	2004
23.01.2020 17:04:50	1	1	1	1	66.5	63.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	43.25	2004
23.01.2020 17:04:51	1	1	1	1	66.5	63.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.8125	2004
23.01.2020 17:04:52	1	1	1	1	66.5	63.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.375	2004
23.01.2020 17:04:53	1	1	1	1	66.5	63.25	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	43.75	2004
23.01.2020 17:04:54	1	1	1	1	66.5	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
23.01.2020 17:04:55	1	1	1	1	66.5	63.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
23.01.2020 17:04:56	1	1	1	1	66.5	63	0	30000	529.0322581	15934.82456	30000	0	0	30000	42	2004
23.01.2020 17:04:57	1	1	1	1	66.5	62	0	30000	531.1827957	16000.05436	30000	0	0	30000	43.4375	2004
23.01.2020 17:04:58	1	1	1	1	66.5	63.25	0	29857.82	531.1827957	15706.52026	30000	0	0	30000	42.8125	2004
23.01.2020 17:04:59	1	1	1	1	66.5	62.75	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	43.125	2004
23.01.2020 17:05:01	1	1	1	1	66.5	63	0	30000	533.3333333	16244.6661	30000	0	0	30000	43.3125	2004
23.01.2020 17:05:02	1	1	1	1	66.5	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.3125	2004
23.01.2020 17:05:03	1	1	1	1	66.5	63.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	43	2004
23.01.2020 17:05:04	1	1	1	1	66.25	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:05:05	1	1	1	1	66.25	63.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.1875	2004
23.01.2020 17:05:06	1	1	1	1	66.25	63	0	29952.607	526.8817204	15845.94896	30000	0	0	30000	43.3125	2004
23.01.2020 17:05:07	1	1	1	1	66.25	63.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	43.25	2004
23.01.2020 17:05:08	1	1	1	1	66.25	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.4375	2004
23.01.2020 17:05:09	1	1	1	1	66.25	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
23.01.2020 17:05:10	1	1	1	1	66.25	63	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.4375	2004
23.01.2020 17:05:11	1	1	1	1	66.25	63.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.375	2004
23.01.2020 17:05:12	1	1	1	1	66.25	63.25	0	30000	518.2795699	15548.338	30000	0	0	30000	43.125	2004
23.01.2020 17:05:13	1	1	1	1	66.25	63	0	28625.592	496.7741935	14438.61604	30000	0	0	30000	42.8125	2004
23.01.2020 17:05:14	1	1	1	1	66	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.9375	2004
23.01.2020 17:05:15	1	1	1	1	66	62.75	0	30000	516.1290323	15289.86492	30000	0	0	30000	43.125	2004
23.01.2020 17:05:16	1	1	1	1	66	63	0	30000	511.827957	15289.86492	30000	0	0	30000	43.3125	2004
23.01.2020 17:05:17	1	1	1	1	66	63.25	0	29905.213	503.2258065	15137.39026	30000	0	0	30000	42.625	2004
23.01.2020 17:05:18	1	1	1	1	66	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.375	2004
23.01.2020 17:05:19	1	1	1	1	66	63.25	0	30000	496.7741935	14773.73413	30000	0	0	30000	42.8125	2004
23.01.2020 17:05:20	1	1	1	1	66	62.75	0	29383.886	488.172043	14366.86326	30000	0	0	30000	43.125	2004
23.01.2020 17:05:21	1	1	1	1	66	63	0	29952.607	516.1290323	15548.338	30000	0	0	30000	43.375	2004
23.01.2020 17:05:22	1	1	1	1	66	63.25	0	30000	520.4301075	15459.4624	30000	0	0	30000	43.4375	2004
23.01.2020 17:05:23	1	1	1	1	66	63.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	43	2004
23.01.2020 17:05:24	1	1	1	1	66	63	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.125	2004
23.01.2020 17:05:25	1	1	1	1	66	63	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	43.5	2004
23.01.2020 17:05:26	1	1	1	1	66	63.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.9375	2004
23.01.2020 17:05:27	1	1	1	1	66	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.75	2004
23.01.2020 17:05:28	1	1	1	1	66	62.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	43	2004
23.01.2020 17:05:29	1	1	1	1	66	63	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.375	2004
23.01.2020 17:05:37	1	1	1	1	65.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.125	2004
23.01.2020 17:05:37	1	1	1	1	65.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.125	2004
23.01.2020 17:05:37	1	1	1	1	65.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.125	2004
23.01.2020 17:05:37	1	1	1	1	65.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.125	2004
23.01.2020 17:05:37	1	1	1	1	65.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.125	2004
23.01.2020 17:05:37	1	1	1	1	65.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.125	2004
23.01.2020 17:05:37	1	1	1	1	65.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.125	2004
23.01.2020 17:05:37	1	1	1	1	65.75	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.75	2004
23.01.2020 17:05:38	1	1	1	1	65.75	62.75	0	30000	492.4731183	14838.14856	30000	0	0	30000	42.75	2004
23.01.2020 17:05:40	1	1	1	1	65.75	62.75	0	30000	492.4731183	14902.56299	30000	0	0	30000	43.5	2004
23.01.2020 17:05:41	1	1	1	1	65.75	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.9375	2004
23.01.2020 17:05:42	1	1	1	1	65.75	62.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.5	2004
23.01.2020 17:05:43	1	1	1	1	65.75	63.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.3125	2004
23.01.2020 17:05:44	1	1	1	1	65.75	63.25	0	29905.213	492.4731183	14879.73256	30000	0	0	30000	43.25	2004
23.01.2020 17:05:45	1	1	1	1	65.75	63.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.25	2004
23.01.2020 17:05:46	1	1	1	1	65.75	63.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.3125	2004
23.01.2020 17:05:47	1	1	1	1	65.75	62.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.25	2004
23.01.2020 17:05:48	1	1	1	1	65.75	63.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:05:49	1	1	1	1	65.75	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.375	2004
23.01.2020 17:05:50	1	1	1	1	65.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
23.01.2020 17:05:51	1	1	1	1	65.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
23.01.2020 17:05:52	1	1	1	1	65.75	63.25	0	30000	464.516129	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 17:05:53	1	1	1	1	65.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
23.01.2020 17:05:54	1	1	1	1	65.5	62.75	0	30000	466.6666667	14064.36007	30000	0	0	30000	42.6875	2004
23.01.2020 17:05:55	1	1	1	1	65.5	62.5	0	29905.213	443.0107527	13248.17221	30000	0	0	30000	43.25	2004
23.01.2020 17:05:56	1	1	1	1	65.5	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.375	2004
23.01.2020 17:05:57	1	1	1	1	65.5	63.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	42.625	2004
23.01.2020 17:05:58	1	1	1	1	65.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 17:05:59	1	1	1	1	65.5	63	0	30000	468.8172043	13999.94564	30000	0	0	30000	43	2004
23.01.2020 17:06:00	1	1	1	1	65.5	63	0	30000	466.6666667	13977.93058	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:01	1	1	1	1	65.5	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
23.01.2020 17:06:02	1	1	1	1	65.5	62.75	0	30000	468.8172043	14451.662	30000	0	0	30000	43.375	2004
23.01.2020 17:06:03	1	1	1	1	65.5	63.25	0	30000	460.2150538	13870.30142	30000	0	0	30000	43.5625	2004
23.01.2020 17:06:04	1	1	1	1	64.75	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
23.01.2020 17:06:05	1	1	1	1	64.75	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.4375	2004
23.01.2020 17:06:06	1	1	1	1	64.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:07	1	1	1	1	64.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5	2004
23.01.2020 17:06:08	1	1	1	1	64.75	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5	2004
23.01.2020 17:06:09	1	1	1	1	64.75	63.5	0	30000	468.8172043	14451.662	30000	0	0	30000	43.4375	2004
23.01.2020 17:06:10	1	1	1	1	64.75	63.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.8125	2004
23.01.2020 17:06:11	1	1	1	1	64.75	63.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.375	2004
23.01.2020 17:06:12	1	1	1	1	64.75	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.6875	2004
23.01.2020 17:06:13	1	1	1	1	64.75	63.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.4375	2004
23.01.2020 17:06:14	1	1	1	1	64.75	63.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.9375	2004
23.01.2020 17:06:15	1	1	1	1	64.75	62.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	43.375	2004
23.01.2020 17:06:16	1	1	1	1	64.75	63.25	0	29668.246	438.7096774	13036.17536	30000	0	0	30000	43	2004
23.01.2020 17:06:18	1	1	1	1	64.75	63	0	29905.213	419.3548387	12560.8132	30000	0	0	30000	42.4375	2004
23.01.2020 17:06:19	1	1	1	1	64.75	62.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.375	2004
23.01.2020 17:06:20	1	1	1	1	64.75	63.25	0	30000	440.8602151	13160.92735	30000	0	0	30000	42.625	2004
23.01.2020 17:06:21	1	1	1	1	64.75	62.5	0	24218.009	352.688172	8593.210665	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:22	1	1	1	1	64.75	63.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:23	1	1	1	1	64.75	63.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	43.5	2004
23.01.2020 17:06:24	1	1	1	1	65	63.5	0	29952.607	436.5591398	13096.51292	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:25	1	1	1	1	65	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:06:26	1	1	1	1	65	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
23.01.2020 17:06:27	1	1	1	1	65	63	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.9375	2004
23.01.2020 17:06:28	1	1	1	1	65	62.75	0	28815.166	369.8924731	10348.70763	30000	0	0	30000	43.4375	2004
23.01.2020 17:06:29	1	1	1	1	65	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
23.01.2020 17:06:30	1	1	1	1	65	63.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.375	2004
23.01.2020 17:06:31	1	1	1	1	65	63.25	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	41.75	2004
23.01.2020 17:06:39	1	1	1	1	65	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:06:39	1	1	1	1	65	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:39	1	1	1	1	65	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:39	1	1	1	1	65	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:39	1	1	1	1	65	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:39	1	1	1	1	65	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:39	1	1	1	1	65	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:39	1	1	1	1	65	63.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:39	1	1	1	1	65	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.375	2004
23.01.2020 17:06:40	1	1	1	1	65	63.25	0	30000	395.6989247	11889.76164	30000	0	0	30000	43.4375	2004
23.01.2020 17:06:41	1	1	1	1	65	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.625	2004
23.01.2020 17:06:42	1	1	1	1	65	63.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.125	2004
23.01.2020 17:06:43	1	1	1	1	65	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.375	2004
23.01.2020 17:06:44	1	1	1	1	64.75	63.25	0	26445.498	311.827957	8317.614764	30000	0	0	30000	42.8125	2004
23.01.2020 17:06:45	1	1	1	1	64.75	62.75	0	29715.64	380.6451613	11211.37173	30000	0	0	30000	43.125	2004
23.01.2020 17:06:46	1	1	1	1	64.75	63	0	30000	400	11935.4225	30000	0	0	30000	43.4375	2004
23.01.2020 17:06:47	1	1	1	1	64.75	63.25	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
23.01.2020 17:06:48	1	1	1	1	64.75	63	0	29715.64	337.6344086	10032.34311	30000	0	0	30000	43.5	2004
23.01.2020 17:06:49	1	1	1	1	64.75	63.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	43	2004
23.01.2020 17:06:50	1	1	1	1	64.75	63	0	29905.213	389.2473118	11676.94942	30000	0	0	30000	43.5	2004
23.01.2020 17:06:51	1	1	1	1	64.75	63.5	0	29810.427	384.9462366	11438.86065	30000	0	0	30000	43.4375	2004
23.01.2020 17:06:52	1	1	1	1	64.75	63.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	43.5625	2004
23.01.2020 17:06:53	1	1	1	1	65	63.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	43.4375	2004
23.01.2020 17:06:54	1	1	1	1	65	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
23.01.2020 17:06:55	1	1	1	1	65	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.75	2004
23.01.2020 17:06:57	1	1	1	1	65	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:58	1	1	1	1	65	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 17:06:59	1	1	1	1	65	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.4375	2004
23.01.2020 17:07:00	1	1	1	1	65	63.25	0	30000	423.655914	12580.38214	30000	0	0	30000	43.1875	2004
23.01.2020 17:07:01	1	1	1	1	65	63	0	30000	419.3548387	12709.21099	30000	0	0	30000	43	2004
23.01.2020 17:07:02	1	1	1	1	65	63	0	30000	425.8064516	12709.21099	30000	0	0	30000	43.25	2004
23.01.2020 17:07:03	1	1	1	1	65	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.4375	2004
23.01.2020 17:07:04	1	1	1	1	64.5	63.25	0	30000	427.9569892	12560.8132	30000	0	0	30000	43.3125	2004
23.01.2020 17:07:05	1	1	1	1	64.5	63.25	0	30000	423.655914	12644.79656	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:06	1	1	1	1	64.5	63.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	43.6875	2004
23.01.2020 17:07:07	1	1	1	1	64.5	63.5	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	43.375	2004
23.01.2020 17:07:08	1	1	1	1	64.5	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.5	2004
23.01.2020 17:07:09	1	1	1	1	64.5	63.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.6875	2004
23.01.2020 17:07:10	1	1	1	1	64.5	62.5	0	29336.493	412.9032258	12113.1737	30000	0	0	30000	43.25	2004
23.01.2020 17:07:11	1	1	1	1	64.5	63.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.4375	2004
23.01.2020 17:07:12	1	1	1	1	64.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 17:07:13	1	1	1	1	64.5	62.75	0	0	0	0	30000	0	8	30000	43.8125	2004
23.01.2020 17:07:14	1	1	1	1	64.5	63.75	0	10426.54	0	0	30000	0	0	30000	43.625	2004
23.01.2020 17:07:15	1	1	1	1	64.5	63.5	0	11184.834	0	0	30000	0	0	30000	43.4375	2004
23.01.2020 17:07:16	1	1	1	1	64.5	63.25	0	12085.308	0	0	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:07:17	1	1	1	1	64.5	63.5	0	12890.995	2.150537634	27.72266464	30000	0	0	30000	43.5	2004
23.01.2020 17:07:18	1	1	1	1	64.5	63.5	0	13601.896	6.451612903	87.24485636	30000	0	0	30000	43.6875	2004
23.01.2020 17:07:19	1	1	1	1	64.5	63.5	0	14407.583	8.602150538	154.920773	30000	0	0	30000	43.6875	2004
23.01.2020 17:07:20	1	1	1	1	64.5	63.5	0	15165.877	15.05376344	228.304297	30000	0	0	30000	43.5	2004
23.01.2020 17:07:21	1	1	1	1	64.5	63.5	0	15876.777	19.35483871	344.902563	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:22	1	1	1	1	64.5	63.5	0	16729.858	25.80645161	431.3320469	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:23	1	1	1	1	64.5	63.5	0	17535.545	43.01075269	601.7448971	30000	0	0	30000	43.4375	2004
23.01.2020 17:07:24	1	1	1	1	64.5	63.25	0	18293.839	40.86021505	745.2504552	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:25	1	1	1	1	64.5	63.5	0	19052.133	49.46236559	941.7552252	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:26	1	1	1	1	64.5	63.5	0	19810.427	60.21505376	1195.336069	30000	0	0	30000	43.625	2004
23.01.2020 17:07:27	1	1	1	1	64.5	63.5	0	20521.327	66.66666667	1547.576985	30000	0	0	30000	43.4375	2004
23.01.2020 17:07:28	1	1	1	1	64.5	63.25	0	21374.408	79.56989247	1700.05164	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:29	1	1	1	1	64.5	63.5	0	22132.701	88.17204301	1998.477971	30000	0	0	30000	43.6875	2004
23.01.2020 17:07:30	1	1	1	1	64.5	63.5	0	22748.815	103.2258065	2201.505721	30000	0	0	30000	44.0625	2004
23.01.2020 17:07:31	1	1	1	1	64.5	63.5	0	23696.682	109.6774194	2593.699889	30000	0	0	30000	43.625	2004
23.01.2020 17:07:32	1	1	1	1	64.5	63.5	0	24407.583	137.6344086	3372.380616	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:40	1	1	1	1	64.25	63.5	0	26208.531	208.6021505	5467.072541	30000	0	0	30000	43.625	2004
23.01.2020 17:07:40	1	1	1	1	64.25	63.5	0	26208.531	208.6021505	5467.072541	30000	0	0	30000	43.625	2004
23.01.2020 17:07:40	1	1	1	1	64.25	63.5	0	26208.531	208.6021505	5467.072541	30000	0	0	30000	43.625	2004
23.01.2020 17:07:40	1	1	1	1	64.25	63.5	0	26208.531	208.6021505	5467.072541	30000	0	0	30000	43.625	2004
23.01.2020 17:07:40	1	1	1	1	64.25	63.5	0	26208.531	208.6021505	5467.072541	30000	0	0	30000	43.625	2004
23.01.2020 17:07:40	1	1	1	1	64.25	63.5	0	26208.531	208.6021505	5467.072541	30000	0	0	30000	43.625	2004
23.01.2020 17:07:40	1	1	1	1	64.25	63.5	0	26208.531	208.6021505	5467.072541	30000	0	0	30000	43.625	2004
23.01.2020 17:07:41	1	1	1	1	64.25	63.5	0	26208.531	208.6021505	5467.072541	30000	0	0	30000	43.625	2004
23.01.2020 17:07:42	1	1	1	1	64.25	63.5	0	26113.744	206.4516129	5579.593945	30000	0	0	30000	43.75	2004
23.01.2020 17:07:43	1	1	1	1	64.25	63.75	0	26208.531	208.6021505	5446.688229	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:44	1	1	1	1	64	63.5	0	26113.744	208.6021505	5467.072541	30000	0	0	30000	43.625	2004
23.01.2020 17:07:45	1	1	1	1	64	63.5	0	26113.744	206.4516129	5467.072541	30000	0	0	30000	43.4375	2004
23.01.2020 17:07:46	1	1	1	1	64	63.25	0	26113.744	206.4516129	5410.811839	30000	0	0	30000	43.625	2004
23.01.2020 17:07:47	1	1	1	1	64	63.5	0	26208.531	206.4516129	5446.688229	30000	0	0	30000	43.75	2004
23.01.2020 17:07:48	1	1	1	1	64	63.75	0	26113.744	206.4516129	5410.811839	30000	0	0	30000	43.625	2004
23.01.2020 17:07:49	1	1	1	1	64	63.5	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.6875	2004
23.01.2020 17:07:50	1	1	1	1	64	63.5	0	26208.531	206.4516129	5410.811839	30000	0	0	30000	43.25	2004
23.01.2020 17:07:51	1	1	1	1	64	63.25	0	26208.531	206.4516129	5410.811839	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:52	1	1	1	1	64	63.5	0	26113.744	212.9032258	5559.209632	30000	0	0	30000	43.75	2004
23.01.2020 17:07:53	1	1	1	1	64	63.75	0	26208.531	219.3548387	5559.209632	30000	0	0	30000	43.625	2004
23.01.2020 17:07:54	1	1	1	1	64	63.5	0	26113.744	210.7526882	5559.209632	30000	0	0	30000	43.5	2004
23.01.2020 17:07:55	1	1	1	1	64	63.5	0	26398.104	208.6021505	5619.547196	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:56	1	1	1	1	64	63.5	0	26777.251	236.5591398	6276.737423	30000	0	0	30000	43.6875	2004
23.01.2020 17:07:57	1	1	1	1	64	63.5	0	26018.957	240.8602151	6278.368168	30000	0	0	30000	43.5625	2004
23.01.2020 17:07:58	1	1	1	1	64	63.5	0	27582.938	264.516129	7355.475226	30000	0	0	30000	43.625	2004
23.01.2020 17:07:59	1	1	1	1	64	63.5	0	27298.578	264.516129	7220.938766	30000	0	0	30000	43.25	2004
23.01.2020 17:08:00	1	1	1	1	64	63.25	0	27819.905	277.4193548	7750.930884	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:08:01	1	1	1	1	64	63.5	0	28009.479	294.6236559	8071.372272	30000	0	0	30000	42.25	2004
23.01.2020 17:08:02	1	1	1	1	64	62.25	0	28341.232	309.6774194	8671.486424	30000	0	0	30000	43.5625	2004
23.01.2020 17:08:03	1	1	1	1	64	63.5	0	28530.806	309.6774194	8820.69959	30000	0	0	30000	43.6875	2004
23.01.2020 17:08:04	1	1	1	1	63.5	63.5	0	28957.346	331.1827957	9589.595847	30000	0	0	30000	43.0625	2004
23.01.2020 17:08:05	1	1	1	1	63.5	63	0	27440.758	313.9784946	8556.518903	30000	0	0	30000	43.375	2004
23.01.2020 17:08:06	1	1	1	1	63.5	63.25	0	28625.592	324.7311828	9419.182997	30000	0	0	30000	43.5625	2004
23.01.2020 17:08:07	1	1	1	1	63.5	63.5	0	28957.346	339.7849462	9839.099829	30000	0	0	30000	43.75	2004
23.01.2020 17:08:08	1	1	1	1	63.5	63.75	0	28862.559	350.5376344	10241.07847	30000	0	0	30000	43.5625	2004
23.01.2020 17:08:09	1	1	1	1	63.5	63.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.5	2004
23.01.2020 17:08:10	1	1	1	1	63.5	63.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
23.01.2020 17:08:11	1	1	1	1	63.5	63.25	0	29573.46	400	11893.02313	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:12	1	1	1	1	63.5	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 17:08:14	1	1	1	1	63.5	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.5	2004
23.01.2020 17:08:15	1	1	1	1	63.5	63.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.625	2004
23.01.2020 17:08:16	1	1	1	1	63.5	63.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.375	2004
23.01.2020 17:08:17	1	1	1	1	63.5	63.25	0	29905.213	363.4408602	10722.96361	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:18	1	1	1	1	63.5	63.25	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	43.625	2004
23.01.2020 17:08:19	1	1	1	1	63.5	63.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	43.3125	2004
23.01.2020 17:08:20	1	1	1	1	63.5	63.25	0	29620.853	348.3870968	10255.75517	30000	0	0	30000	43.625	2004
23.01.2020 17:08:21	1	1	1	1	63.5	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 17:08:22	1	1	1	1	63.5	63	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	43.375	2004
23.01.2020 17:08:23	1	1	1	1	63.5	63.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:24	1	1	1	1	63	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:25	1	1	1	1	63	63.25	0	30000	427.9569892	13032.0985	30000	0	0	30000	43.375	2004
23.01.2020 17:08:26	1	1	1	1	63	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:08:27	1	1	1	1	63	63.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	43.5	2004
23.01.2020 17:08:28	1	1	1	1	63	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
23.01.2020 17:08:29	1	1	1	1	63	62.5	0	30000	436.5591398	13160.92735	30000	0	0	30000	43	2004
23.01.2020 17:08:30	1	1	1	1	63	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 17:08:31	1	1	1	1	63	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:08:32	1	1	1	1	63	63.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 17:08:33	1	1	1	1	63	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 17:08:34	1	1	1	1	63.5	63	0	30000	432.2580645	12967.68407	30000	0	0	30000	43.25	2004
23.01.2020 17:08:42	1	1	1	1	63.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:42	1	1	1	1	63.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:42	1	1	1	1	63.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:42	1	1	1	1	63.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:42	1	1	1	1	63.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:42	1	1	1	1	63.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:42	1	1	1	1	63.5	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 17:08:43	1	1	1	1	63.5	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43	2004
23.01.2020 17:08:44	1	1	1	1	63	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:08:45	1	1	1	1	63	62.75	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	43.25	2004
23.01.2020 17:08:46	1	1	1	1	63	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:47	1	1	1	1	63	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:48	1	1	1	1	63	62.75	0	29952.607	415.0537634	12348.00098	30000	0	0	30000	43.125	2004
23.01.2020 17:08:49	1	1	1	1	63	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:50	1	1	1	1	63	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.25	2004
23.01.2020 17:08:51	1	1	1	1	63	63.25	0	30000	419.3548387	12515.96771	30000	0	0	30000	43.1875	2004
23.01.2020 17:08:53	1	1	1	1	63	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 17:08:54	1	1	1	1	63	63.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	43.5	2004
23.01.2020 17:08:55	1	1	1	1	63	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 17:08:56	1	1	1	1	63	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:08:57	1	1	1	1	63	63.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	43.6875	2004
23.01.2020 17:08:58	1	1	1	1	63	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.4375	2004
23.01.2020 17:08:59	1	1	1	1	63	63.25	0	30000	427.9569892	12709.21099	30000	0	0	30000	43.625	2004
23.01.2020 17:09:00	1	1	1	1	63	63.5	0	30047.393	423.655914	12729.5953	30000	0	0	30000	43.0625	2004
23.01.2020 17:09:01	1	1	1	1	63	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 17:09:02	1	1	1	1	63	62.75	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	42.875	2004
23.01.2020 17:09:03	1	1	1	1	63	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
23.01.2020 17:09:04	1	1	1	1	62.5	62.75	0	29905.213	419.3548387	12709.21099	30000	0	0	30000	43.5625	2004
23.01.2020 17:09:05	1	1	1	1	62.5	63.5	0	30000	423.655914	12580.38214	30000	0	0	30000	42.1875	2004
23.01.2020 17:09:06	1	1	1	1	62.5	62	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 17:09:07	1	1	1	1	62.5	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.625	2004
23.01.2020 17:09:08	1	1	1	1	62.5	63.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:09:09	1	1	1	1	62.5	63.5	0	29952.607	432.2580645	12838.03984	30000	0	0	30000	43.3125	2004
23.01.2020 17:09:10	1	1	1	1	62.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 17:09:11	1	1	1	1	62.5	63.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	43.5	2004
23.01.2020 17:09:12	1	1	1	1	62.5	63.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.375	2004
23.01.2020 17:09:13	1	1	1	1	62.5	63.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.4375	2004
23.01.2020 17:09:14	1	1	1	1	62.5	63.25	0	29952.607	432.2580645	13225.34178	30000	0	0	30000	43.375	2004
23.01.2020 17:09:15	1	1	1	1	62.5	63.25	0	29052.133	423.655914	12327.61667	30000	0	0	30000	43.4375	2004
23.01.2020 17:09:16	1	1	1	1	62.5	63.25	0	30000	443.0107527	13333.78632	30000	0	0	30000	43.5	2004
23.01.2020 17:09:17	1	1	1	1	62.5	63.5	0	30000	445.1612903	13375.37032	30000	0	0	30000	43.25	2004
23.01.2020 17:09:18	1	1	1	1	62.5	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
23.01.2020 17:09:19	1	1	1	1	62.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 17:09:20	1	1	1	1	62.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.4375	2004
23.01.2020 17:09:21	1	1	1	1	62.5	63.25	0	29810.427	440.8602151	13142.17378	30000	0	0	30000	43.4375	2004
23.01.2020 17:09:22	1	1	1	1	62.5	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.75	2004
23.01.2020 17:09:23	1	1	1	1	62.5	63.75	0	30000	458.0645161	13677.05814	30000	0	0	30000	43.375	2004
23.01.2020 17:09:24	1	1	1	1	62	63.25	0	29905.213	434.4086022	13225.34178	30000	0	0	30000	43.375	2004
23.01.2020 17:09:25	1	1	1	1	62	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 17:09:26	1	1	1	1	62	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.6875	2004
23.01.2020 17:09:27	1	1	1	1	62	63.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.875	2004
23.01.2020 17:09:28	1	1	1	1	62	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:09:29	1	1	1	1	62	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 17:09:31	1	1	1	1	62	63	0	30000	445.1612903	13375.37032	30000	0	0	30000	43	2004
23.01.2020 17:09:32	1	1	1	1	62	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 17:09:33	1	1	1	1	62	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.5	2004
23.01.2020 17:09:34	1	1	1	1	61.75	63.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.5625	2004
23.01.2020 17:09:35	1	1	1	1	61.75	63.5	0	29905.213	451.6129032	13548.22928	30000	0	0	30000	43.1875	2004
23.01.2020 17:09:36	1	1	1	1	61.75	63	0	30000	449.4623656	13462.61517	30000	0	0	30000	43.125	2004
23.01.2020 17:09:43	1	1	1	1	61.75	63.5	0	29952.607	417.2043011	12411.60003	30000	0	0	30000	43	2004
23.01.2020 17:09:44	1	1	1	1	61.75	63.5	0	29952.607	417.2043011	12411.60003	30000	0	0	30000	43	2004
23.01.2020 17:09:44	1	1	1	1	61.75	63.5	0	29952.607	417.2043011	12411.60003	30000	0	0	30000	43	2004
23.01.2020 17:09:44	1	1	1	1	61.75	63.5	0	29952.607	417.2043011	12411.60003	30000	0	0	30000	43	2004
23.01.2020 17:09:44	1	1	1	1	61.75	63.5	0	29952.607	417.2043011	12411.60003	30000	0	0	30000	43	2004
23.01.2020 17:09:44	1	1	1	1	61.75	63.5	0	29952.607	417.2043011	12411.60003	30000	0	0	30000	43	2004
23.01.2020 17:09:44	1	1	1	1	61.75	63.5	0	29952.607	417.2043011	12411.60003	30000	0	0	30000	43	2004
23.01.2020 17:09:44	1	1	1	1	61.5	63	0	30000	460.2150538	13741.47256	30000	0	0	30000	43.3125	2004
23.01.2020 17:09:45	1	1	1	1	61.5	63.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	43.375	2004
23.01.2020 17:09:46	1	1	1	1	61.5	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
23.01.2020 17:09:47	1	1	1	1	61.5	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.1875	2004
23.01.2020 17:09:48	1	1	1	1	61.5	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.4375	2004
23.01.2020 17:09:49	1	1	1	1	61.5	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 17:09:50	1	1	1	1	61.5	63	0	30000	434.4086022	12947.29976	30000	0	0	30000	43.375	2004
23.01.2020 17:09:51	1	1	1	1	61.5	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 17:09:52	1	1	1	1	61.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:09:53	1	1	1	1	61.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
23.01.2020 17:09:54	1	1	1	1	61.25	62.75	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 17:09:55	1	1	1	1	61.25	63.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.5	2004
23.01.2020 17:09:56	1	1	1	1	61.25	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
23.01.2020 17:09:57	1	1	1	1	61.25	63	0	30000	427.9569892	12709.21099	30000	0	0	30000	43.375	2004
23.01.2020 17:09:58	1	1	1	1	61.25	63.25	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	43.125	2004
23.01.2020 17:09:59	1	1	1	1	61.25	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.3125	2004
23.01.2020 17:10:00	1	1	1	1	61.25	63.25	0	30000	436.5591398	12818.4709	30000	0	0	30000	43.5625	2004
23.01.2020 17:10:01	1	1	1	1	61.25	63.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.9375	2004
23.01.2020 17:10:02	1	1	1	1	61.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:10:03	1	1	1	1	61.25	63.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 17:10:04	1	1	1	1	61.25	63	0	30000	434.4086022	13032.0985	30000	0	0	30000	43.5625	2004
23.01.2020 17:10:05	1	1	1	1	61.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 17:10:06	1	1	1	1	61.25	63	0	30000	419.3548387	12773.62542	30000	0	0	30000	43.3125	2004
23.01.2020 17:10:08	1	1	1	1	61.25	63.25	0	30000	440.8602151	13160.92735	30000	0	0	30000	42.0625	2004
23.01.2020 17:10:09	1	1	1	1	61.25	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
23.01.2020 17:10:10	1	1	1	1	61.25	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.5625	2004
23.01.2020 17:10:11	1	1	1	1	61.25	62.5	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	43.1875	2004
23.01.2020 17:10:12	1	1	1	1	61.25	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.4375	2004
23.01.2020 17:10:13	1	1	1	1	61.25	63.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:10:14	1	1	1	1	60.75	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:10:15	1	1	1	1	60.75	63.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	43.375	2004
23.01.2020 17:10:16	1	1	1	1	60.75	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:10:17	1	1	1	1	60.75	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.625	2004
23.01.2020 17:10:18	1	1	1	1	60.75	63.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.4375	2004
23.01.2020 17:10:19	1	1	1	1	60.75	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 17:10:20	1	1	1	1	60.75	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.375	2004
23.01.2020 17:10:21	1	1	1	1	60.75	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.75	2004
23.01.2020 17:10:22	1	1	1	1	60.75	62.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.4375	2004
23.01.2020 17:10:23	1	1	1	1	60.75	63.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	43.5	2004
23.01.2020 17:10:24	1	1	1	1	60.5	63.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	43	2004
23.01.2020 17:10:25	1	1	1	1	60.5	63	0	29952.607	436.5591398	13096.51292	30000	0	0	30000	43.375	2004
23.01.2020 17:10:26	1	1	1	1	60.5	63.25	0	30000	438.7096774	13140.54304	30000	0	0	30000	42.5625	2004
23.01.2020 17:10:27	1	1	1	1	60.5	62.5	0	30000	432.2580645	13096.51292	30000	0	0	30000	43.1875	2004
23.01.2020 17:10:28	1	1	1	1	60.5	63	0	24502.37	359.1397849	8799.499905	30000	0	0	30000	43.25	2004
23.01.2020 17:10:29	1	1	1	1	60.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 17:10:30	1	1	1	1	60.5	63.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	43	2004
23.01.2020 17:10:31	1	1	1	1	60.5	63	0	30000	427.9569892	12754.05648	30000	0	0	30000	43.5625	2004
23.01.2020 17:10:32	1	1	1	1	60.5	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.625	2004
23.01.2020 17:10:33	1	1	1	1	60.5	63.5	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 17:10:34	1	1	1	1	60.5	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:10:35	1	1	1	1	60.5	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
23.01.2020 17:10:36	1	1	1	1	60.5	62.75	0	30000	438.7096774	12967.68407	30000	0	0	30000	43.5625	2004
23.01.2020 17:10:37	1	1	1	1	60.5	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 17:10:45	1	1	1	1	60.25	63.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	43.375	2004
23.01.2020 17:10:45	1	1	1	1	60.25	63.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	43.375	2004
23.01.2020 17:10:45	1	1	1	1	60.25	63.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	43.375	2004
23.01.2020 17:10:45	1	1	1	1	60.25	63.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	43.375	2004
23.01.2020 17:10:45	1	1	1	1	60.25	63.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	43.375	2004
23.01.2020 17:10:45	1	1	1	1	60.25	63.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	43.375	2004
23.01.2020 17:10:45	1	1	1	1	60.25	63.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	43	2004
23.01.2020 17:10:47	1	1	1	1	60.25	63	0	30000	464.516129	13569.42897	30000	0	0	30000	43.1875	2004
23.01.2020 17:10:48	1	1	1	1	60.25	63	0	29952.607	453.7634409	13805.88699	30000	0	0	30000	43.1875	2004
23.01.2020 17:10:49	1	1	1	1	60.25	63	0	30000	458.0645161	13805.88699	30000	0	0	30000	43.5	2004
23.01.2020 17:10:50	1	1	1	1	60.25	63.5	0	30000	458.0645161	13720.27288	30000	0	0	30000	43.3125	2004
23.01.2020 17:10:51	1	1	1	1	60.25	63.25	0	29715.64	438.7096774	13036.17536	30000	0	0	30000	43.3125	2004
23.01.2020 17:10:52	1	1	1	1	60.25	63.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 17:10:53	1	1	1	1	60.25	63	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	43.4375	2004
23.01.2020 17:10:54	1	1	1	1	60	63.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.125	2004
23.01.2020 17:10:55	1	1	1	1	60	63	0	30000	458.0645161	13612.64371	30000	0	0	30000	42.9375	2004
23.01.2020 17:10:56	1	1	1	1	60	62.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	43.0625	2004
23.01.2020 17:10:57	1	1	1	1	60	63	0	29146.919	425.8064516	12513.52159	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:10:58	1	1	1	1	60	62.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.8125	2004
23.01.2020 17:10:59	1	1	1	1	60	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.375	2004
23.01.2020 17:11:00	1	1	1	1	60	63.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	43.0625	2004
23.01.2020 17:11:01	1	1	1	1	60	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.1875	2004
23.01.2020 17:11:02	1	1	1	1	60	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.3125	2004
23.01.2020 17:11:03	1	1	1	1	60	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.1875	2004
23.01.2020 17:11:04	1	1	1	1	59.5	63	0	29715.64	369.8924731	10927.6221	30000	0	0	30000	43.0625	2004
23.01.2020 17:11:05	1	1	1	1	59.5	63	0	30000	427.9569892	12967.68407	30000	0	0	30000	43.375	2004
23.01.2020 17:11:06	1	1	1	1	59.5	63.25	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	43.1875	2004
23.01.2020 17:11:07	1	1	1	1	59.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 17:11:08	1	1	1	1	59.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 17:11:09	1	1	1	1	59.5	63.5	0	26919.431	395.6989247	10670.77977	30000	0	0	30000	43.4375	2004
23.01.2020 17:11:10	1	1	1	1	59.5	63.25	0	30000	432.2580645	13032.0985	30000	0	0	30000	43.375	2004
23.01.2020 17:11:11	1	1	1	1	59.5	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.75	2004
23.01.2020 17:11:12	1	1	1	1	59.5	62.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	42.875	2004
23.01.2020 17:11:13	1	1	1	1	59.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.4375	2004
23.01.2020 17:11:14	1	1	1	1	59.75	63.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.6875	2004
23.01.2020 17:11:15	1	1	1	1	59.75	62.5	0	27630.332	404.3010753	11170.6031	30000	0	0	30000	43.3125	2004
23.01.2020 17:11:16	1	1	1	1	59.75	63.25	0	30000	440.8602151	13160.92735	30000	0	0	30000	43.4375	2004
23.01.2020 17:11:17	1	1	1	1	59.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:11:18	1	1	1	1	59.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:11:19	1	1	1	1	59.75	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.3125	2004
23.01.2020 17:11:20	1	1	1	1	59.75	63.25	0	28341.232	335.483871	9568.396162	30000	0	0	30000	43.5	2004
23.01.2020 17:11:21	1	1	1	1	59.75	63.5	0	30000	434.4086022	13160.92735	30000	0	0	30000	43.8125	2004
23.01.2020 17:11:22	1	1	1	1	59.75	63.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	43.6875	2004
23.01.2020 17:11:23	1	1	1	1	59.5	63.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.5625	2004
23.01.2020 17:11:24	1	1	1	1	59.5	63.5	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	43.5	2004
23.01.2020 17:11:26	1	1	1	1	59.5	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.5	2004
23.01.2020 17:11:27	1	1	1	1	59.5	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 17:11:28	1	1	1	1	59.5	63.25	0	30000	436.5591398	13032.0985	30000	0	0	30000	42.9375	2004
23.01.2020 17:11:29	1	1	1	1	59.5	62.75	0	29952.607	427.9569892	12798.08659	30000	0	0	30000	43.1875	2004
23.01.2020 17:11:30	1	1	1	1	59.5	63	0	30000	436.5591398	12798.08659	30000	0	0	30000	42.875	2004
23.01.2020 17:11:31	1	1	1	1	59.5	62.75	0	30000	443.0107527	13633.84339	30000	0	0	30000	43.5	2004
23.01.2020 17:11:32	1	1	1	1	59.5	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.5	2004
23.01.2020 17:11:33	1	1	1	1	59.5	63.5	0	29952.607	438.7096774	13119.34335	30000	0	0	30000	42.875	2004
23.01.2020 17:11:34	1	1	1	1	59	62.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.375	2004
23.01.2020 17:11:35	1	1	1	1	59	63.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.375	2004
23.01.2020 17:11:36	1	1	1	1	59	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.375	2004
23.01.2020 17:11:37	1	1	1	1	59	63.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	43.25	2004
23.01.2020 17:11:38	1	1	1	1	59	63.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	43.25	2004
23.01.2020 17:11:39	1	1	1	1	59	63.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	43.4375	2004
23.01.2020 17:11:47	1	1	1	1	58.75	63.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 17:11:47	1	1	1	1	58.75	63.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:11:47	1	1	1	1	58.75	63.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 17:11:47	1	1	1	1	58.75	63.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 17:11:47	1	1	1	1	58.75	63.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 17:11:47	1	1	1	1	58.75	63.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 17:11:47	1	1	1	1	58.75	63.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	43.25	2004
23.01.2020 17:11:47	1	1	1	1	58.75	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.5	2004
23.01.2020 17:11:48	1	1	1	1	58.75	63.5	0	30000	455.9139785	13677.05814	30000	0	0	30000	43.3125	2004
23.01.2020 17:11:49	1	1	1	1	58.75	63.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.875	2004
23.01.2020 17:11:50	1	1	1	1	58.75	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.3125	2004
23.01.2020 17:11:51	1	1	1	1	58.75	63.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	43	2004
23.01.2020 17:11:52	1	1	1	1	58.75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
23.01.2020 17:11:53	1	1	1	1	58.75	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.25	2004
23.01.2020 17:11:54	1	1	1	1	58.75	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
23.01.2020 17:11:55	1	1	1	1	58.75	62.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.875	2004
23.01.2020 17:11:56	1	1	1	1	58.75	62.75	0	30000	445.1612903	13119.34335	30000	0	0	30000	43.4375	2004
23.01.2020 17:11:57	1	1	1	1	58.75	63.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	43.4375	2004
23.01.2020 17:11:58	1	1	1	1	58.75	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.5	2004
23.01.2020 17:11:59	1	1	1	1	58.75	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.6875	2004
23.01.2020 17:12:00	1	1	1	1	58.75	63.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.4375	2004
23.01.2020 17:12:01	1	1	1	1	58.75	63.25	0	30000	445.1612903	13225.34178	30000	0	0	30000	43.6875	2004
23.01.2020 17:12:02	1	1	1	1	58.75	63.25	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	43.0625	2004
23.01.2020 17:12:03	1	1	1	1	58.25	63	0	30000	466.6666667	13935.53122	30000	0	0	30000	42.9375	2004
23.01.2020 17:12:05	1	1	1	1	58.25	62.75	0	30000	464.516129	13999.94564	30000	0	0	30000	43.0625	2004
23.01.2020 17:12:06	1	1	1	1	58.25	63	0	30000	464.516129	13935.53122	30000	0	0	30000	43.25	2004
23.01.2020 17:12:07	1	1	1	1	58.25	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.8125	2004
23.01.2020 17:12:08	1	1	1	1	58.25	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.3125	2004
23.01.2020 17:12:09	1	1	1	1	58.25	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.375	2004
23.01.2020 17:12:10	1	1	1	1	58.25	63.25	0	30000	460.2150538	13720.27288	30000	0	0	30000	43.0625	2004
23.01.2020 17:12:11	1	1	1	1	58.25	63	0	29336.493	404.3010753	11860.40823	30000	0	0	30000	42.75	2004
23.01.2020 17:12:12	1	1	1	1	58.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.375	2004
23.01.2020 17:12:13	1	1	1	1	58.25	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.4375	2004
23.01.2020 17:12:14	1	1	1	1	58	63.25	0	30000	423.655914	12773.62542	30000	0	0	30000	42.9375	2004
23.01.2020 17:12:15	1	1	1	1	58	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.5	2004
23.01.2020 17:12:16	1	1	1	1	58	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
23.01.2020 17:12:17	1	1	1	1	58	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004
23.01.2020 17:12:18	1	1	1	1	58	63.5	0	30000	438.7096774	13354.17063	30000	0	0	30000	42.9375	2004
23.01.2020 17:12:19	1	1	1	1	58	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 17:12:20	1	1	1	1	58	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.375	2004
23.01.2020 17:12:21	1	1	1	1	58	63.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	43.3125	2004
23.01.2020 17:12:22	1	1	1	1	58	63.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	43.375	2004
23.01.2020 17:12:23	1	1	1	1	58	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5625	2004
23.01.2020 17:12:24	1	1	1	1	58	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
23.01.2020 17:12:25	1	1	1	1	58	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
23.01.2020 17:12:26	1	1	1	1	58	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.4375	2004
23.01.2020 17:12:27	1	1	1	1	58	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.3125	2004
23.01.2020 17:12:28	1	1	1	1	58	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
23.01.2020 17:12:29	1	1	1	1	58	63	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	43.625	2004
23.01.2020 17:12:30	1	1	1	1	58	63.5	0	30000	427.9569892	13008.45269	30000	0	0	30000	43.25	2004
23.01.2020 17:12:31	1	1	1	1	58	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
23.01.2020 17:12:32	1	1	1	1	58	63.25	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
23.01.2020 17:12:33	1	1	1	1	58	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.375	2004
23.01.2020 17:12:34	1	1	1	1	57.75	63.25	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	43.25	2004
23.01.2020 17:12:35	1	1	1	1	57.75	63.25	0	30000	443.0107527	13160.92735	30000	0	0	30000	43.5	2004
23.01.2020 17:12:36	1	1	1	1	57.75	63.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	43.375	2004
23.01.2020 17:12:37	1	1	1	1	57.75	63.25	0	30000	445.1612903	13140.54304	30000	0	0	30000	42.9375	2004
23.01.2020 17:12:38	1	1	1	1	57.75	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	43.1875	2004
23.01.2020 17:12:39	1	1	1	1	57.75	63	0	30000	438.7096774	12967.68407	30000	0	0	30000	43.625	2004
23.01.2020 17:12:40	1	1	1	1	57.75	63.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.125	2004
23.01.2020 17:12:48	1	1	1	1	57.75	63	0	29952.607	427.9569892	12733.67217	30000	0	0	30000	43.125	2004
23.01.2020 17:12:48	1	1	1	1	57.75	63	0	29952.607	427.9569892	12733.67217	30000	0	0	30000	43.125	2004
23.01.2020 17:12:48	1	1	1	1	57.75	63	0	29952.607	427.9569892	12733.67217	30000	0	0	30000	43.125	2004
23.01.2020 17:12:48	1	1	1	1	57.75	63	0	29952.607	427.9569892	12733.67217	30000	0	0	30000	43.125	2004
23.01.2020 17:12:48	1	1	1	1	57.75	63	0	29952.607	427.9569892	12733.67217	30000	0	0	30000	43.125	2004
23.01.2020 17:12:48	1	1	1	1	57.75	63	0	29952.607	427.9569892	12733.67217	30000	0	0	30000	43.125	2004
23.01.2020 17:12:48	1	1	1	1	57.75	63	0	29952.607	427.9569892	12733.67217	30000	0	0	30000	43.125	2004
23.01.2020 17:12:49	1	1	1	1	57.75	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.1875	2004
23.01.2020 17:12:50	1	1	1	1	57.75	63	0	30000	417.2043011	12451.55328	30000	0	0	30000	43.0625	2004
23.01.2020 17:12:51	1	1	1	1	57.75	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.4375	2004
23.01.2020 17:12:52	1	1	1	1	57.75	63.25	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
23.01.2020 17:12:53	1	1	1	1	57.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
23.01.2020 17:12:54	1	1	1	1	57.5	63.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.5	2004
23.01.2020 17:12:55	1	1	1	1	57.5	63.5	0	29763.033	404.3010753	11950.0992	30000	0	0	30000	43.4375	2004
23.01.2020 17:12:56	1	1	1	1	57.5	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
23.01.2020 17:13:17	1	1	1	1	57	62.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	43.125	2004
23.01.2020 17:13:17	1	1	1	1	57	62.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	43.125	2004
23.01.2020 17:13:17	1	1	1	1	57	62.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	43.125	2004
23.01.2020 17:13:17	1	1	1	1	57	62.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	43.125	2004
23.01.2020 17:13:17	1	1	1	1	57	62.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	43.125	2004
23.01.2020 17:13:17	1	1	1	1	57	63	0	29952.607	391.3978495	11659.01122	30000	0	0	30000	42.8125	2004