

Com-Port	Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values			Dip-Switch 6-8 auf 0									
Adr. Übernehmen	Set Umax 30000 V															
OekoTube Adresse:	31 ON OFF Auto															
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:25:11	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	15.9375	2004
21.01.2020 09:25:12	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	15.75	2004
21.01.2020 09:25:13	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	15.75	2004
21.01.2020 09:25:14	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:25:15	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:16	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:25:17	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:25:19	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:20	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:25:21	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:22	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:23	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:25:24	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:25	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:25:26	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:27	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:25:28	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:25:29	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:30	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.8125	2004
21.01.2020 09:25:31	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:32	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:33	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:34	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:35	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:36	1	0	1	1	19	35.75	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:25:37	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:25:38	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:39	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:25:40	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	15.9375	2004
21.01.2020 09:25:41	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:42	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:43	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:44	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:45	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:46	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:25:47	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:25:48	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:25:49	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:25:50	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:25:51	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	15.9375	2004
21.01.2020 09:25:52	1	0	1	1	19.25	35.75	0	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:25:53	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:54	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:55	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:25:57	1	0	1	1	19.25	35.75	0	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:25:58	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:25:59	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:00	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:26:01	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:26:02	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:26:08	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:08	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:08	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:08	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:08	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:08	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:08	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:09	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:10	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:26:11	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	15.875	2004
21.01.2020 09:26:12	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:13	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:14	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:15	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:26:16	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:26:17	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:18	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	15.9375	2004
21.01.2020 09:26:19	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:26:20	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:26:21	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:26:22	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:26:23	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:24	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	15.9375	2004
21.01.2020 09:26:25	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:26	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:26:27	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:28	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:29	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:26:30	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:26:31	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:26:32	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:26:33	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	15.9375	2004
21.01.2020 09:26:35	1	0	1	1	19	35.75	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:36	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:26:37	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:26:38	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:26:39	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:26:40	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:26:41	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:42	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:43	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:44	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:26:45	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:26:46	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:26:47	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16	2004
21.01.2020 09:26:48	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:49	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:50	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:26:51	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:26:52	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:53	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:54	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:26:55	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:26:56	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:26:57	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:26:58	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:26:59	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:00	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:27:01	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:27:02	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:27:03	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:27:09	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:09	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:09	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:09	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:09	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:09	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:27:10	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:27:11	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:27:12	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:27:13	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:27:15	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:16	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:27:17	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:27:18	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:27:19	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:27:20	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:27:21	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:27:22	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:27:23	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:27:24	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.0625	2004
21.01.2020 09:27:25	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:27:26	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:27:27	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:27:28	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:27:29	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:30	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:27:31	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:27:32	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:27:33	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:34	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:35	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:27:36	1	0	1	1	19	36	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:27:37	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:27:38	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:27:39	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:27:40	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:27:41	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:27:42	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:27:43	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:27:44	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:27:45	1	0	1	1	19	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:27:46	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:27:47	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:27:48	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:27:49	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:27:50	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:27:51	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:27:52	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:27:54	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:27:55	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.1875	2004
21.01.2020 09:27:56	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:27:57	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.125	2004
21.01.2020 09:27:58	1	0	1	1	19.25	36	0	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:27:59	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:28:00	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:28:01	1	0	1	1	19	36	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:02	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:28:03	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:04	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:05	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:28:11	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:11	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:11	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:11	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:11	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:11	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:11	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:11	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:12	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:13	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:14	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:15	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:28:16	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:17	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:28:18	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:19	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:20	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:21	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:22	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:28:23	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:28:24	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:28:25	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:28:26	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:28:27	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:28:28	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:28:29	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:28:30	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:31	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:33	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:28:34	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:28:35	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:28:36	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:28:37	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:28:38	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:28:39	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:28:40	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:41	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:28:42	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:43	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:28:44	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:28:45	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:28:46	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:28:47	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:28:48	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:28:49	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:28:50	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:28:51	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:28:52	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:28:53	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:28:54	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:28:55	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.25	2004
21.01.2020 09:28:56	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:57	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:28:58	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:28:59	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:29:00	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:01	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	19.6875	2004
21.01.2020 09:29:02	1	0	1	1	19	39.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:03	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:04	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:05	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:29:06	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:29:12	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:12	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:12	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:12	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:13	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:14	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:15	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:29:16	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:29:17	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:29:18	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:19	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:20	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:29:21	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:29:22	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:29:23	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:24	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:25	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:26	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:29:27	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:29:28	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:29:29	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:29:30	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:29:31	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:29:32	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:29:33	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:29:34	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:29:35	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:29:36	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:29:37	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:29:38	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:29:39	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:29:40	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:41	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:29:42	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:29:43	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:29:44	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:29:45	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:29:46	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.3125	2004
21.01.2020 09:29:47	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:29:49	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:50	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:29:51	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:52	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:29:53	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:29:54	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:29:55	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:29:56	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:29:57	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:29:58	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:29:59	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:30:00	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:30:01	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
21.01.2020 09:30:02	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:30:03	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:30:04	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:30:05	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:30:06	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:30:07	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:08	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:30:14	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:30:14	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:30:14	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:30:14	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:30:14	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:30:14	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:30:15	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:30:16	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:17	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:18	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	18.125	2004
21.01.2020 09:30:19	1	0	1	1	19.25	38	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:30:20	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:21	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:30:22	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:30:23	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:30:24	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:25	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:30:27	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:28	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:30:29	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:30:30	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:30:31	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:30:32	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:30:33	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:30:34	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:30:35	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:30:36	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:30:37	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:30:38	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:30:39	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:40	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:30:41	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:30:42	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:30:43	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:30:44	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:30:45	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:30:46	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:30:47	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:30:48	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:30:49	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:30:50	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:51	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:30:52	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:30:53	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:54	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:30:55	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:30:56	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	16.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:30:57	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:30:58	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:30:59	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:00	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:31:01	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:02	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:31:03	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:05	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:06	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:31:07	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:08	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:31:09	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:31:10	1	0	1	1	19	36.25	0	0	0	0	30000	0	0	30000	16.5625	2004
21.01.2020 09:31:16	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:16	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:16	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:16	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:16	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:16	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:31:17	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:31:18	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:31:19	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:20	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:21	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:31:22	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:23	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:24	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:25	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:31:26	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:27	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
21.01.2020 09:31:28	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:29	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:31:30	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:31:31	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:32	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:33	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:34	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:31:35	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:36	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:31:37	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:31:38	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:31:39	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:40	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	16.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:31:41	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:31:43	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:44	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:31:45	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.4375	2004
21.01.2020 09:31:46	1	0	1	1	19.25	36.25	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:47	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:31:48	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:31:49	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:50	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:31:51	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:52	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:31:53	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:31:54	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:31:55	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:31:56	1	0	1	1	19	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:31:57	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:31:58	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:31:59	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:32:00	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:32:01	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:32:02	1	0	1	1	19	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:32:03	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:32:04	1	0	1	1	19	37.25	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:32:05	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:32:06	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:32:07	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:08	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:09	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:32:10	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:32:11	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:32:21	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:21	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:21	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:21	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:21	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:21	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:21	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:21	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:21	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:22	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:32:23	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:24	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:32:25	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:32:26	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:32:27	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:32:28	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:32:29	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:30	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:32:31	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:32:32	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:32:33	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:32:34	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:35	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:32:36	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:32:37	1	0	1	1	19	36.5	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:38	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:32:39	1	0	1	1	19	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:32:40	1	0	1	1	19	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:41	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:42	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:32:43	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:32:44	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:32:45	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:32:46	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:32:47	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:32:48	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:32:49	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:32:50	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:32:51	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:32:52	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	19.375	2004
21.01.2020 09:32:53	1	0	1	1	19.25	39.25	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:32:54	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:32:55	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:32:56	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:32:57	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:32:58	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:33:00	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:33:01	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:33:02	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:03	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:33:04	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:33:05	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:33:06	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:33:07	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:33:08	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:33:09	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:33:10	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:33:11	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:33:12	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:33:13	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:33:19	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:33:19	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:33:19	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:33:19	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:33:19	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:33:19	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:33:20	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:21	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:33:22	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:33:23	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:33:24	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:25	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:26	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:27	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:28	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:33:29	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:33:30	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	20.0625	2004
21.01.2020 09:33:31	1	0	1	1	19.25	40	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:33:32	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:33:33	1	0	1	1	19.25	40	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:33:34	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:33:35	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:33:36	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:33:38	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:39	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:33:40	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:33:41	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:33:42	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:33:43	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:33:44	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:33:45	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:33:46	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:33:47	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:48	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:33:49	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:33:50	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:33:51	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:33:52	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:33:53	1	0	1	1	19.25	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:33:54	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:55	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:33:56	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:33:57	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:33:58	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:33:59	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:00	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:34:01	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:34:02	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:03	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:34:04	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
21.01.2020 09:34:05	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:34:06	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.6875	2004
21.01.2020 09:34:07	1	0	1	1	19.25	36.5	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:34:08	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:09	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:34:10	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:34:11	1	0	1	1	19.5	36.75	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:34:12	1	0	1	1	19.5	37	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:34:13	1	0	1	1	19.5	37	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:34:14	1	0	1	1	19.5	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:20	1	0	1	1	19.5	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:20	1	0	1	1	19.5	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:20	1	0	1	1	19.5	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:20	1	0	1	1	19.5	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:21	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:22	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:23	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:34:24	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:34:25	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:26	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:34:27	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:34:28	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:29	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:34:30	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:34:31	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:32	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:34:33	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:34	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:34:35	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:36	1	0	1	1	19.25	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:34:37	1	0	1	1	19.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:34:38	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:34:39	1	0	1	1	19.25	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:40	1	0	1	1	19.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:34:41	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:42	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:43	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:44	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:45	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:34:46	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:34:47	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	17.6875	2004
21.01.2020 09:34:48	1	0	1	1	19.5	37.5	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:34:49	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	20.0625	2004
21.01.2020 09:34:50	1	0	1	1	19.5	40	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:51	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:34:52	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:54	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:34:55	1	0	1	1	19.75	37.25	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:34:56	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:34:57	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:34:58	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:34:59	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:00	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:35:01	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:35:02	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:35:03	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:04	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:35:05	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:35:06	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:35:07	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:35:08	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:35:09	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:10	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:35:11	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:35:12	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:13	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:35:14	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:35:15	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:35:16	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:35:22	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:35:22	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:35:22	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:35:22	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:35:22	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:35:22	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:35:22	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:35:23	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:35:27	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:35:27	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:35:27	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:35:27	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:28	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:35:29	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:35:30	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:35:32	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:33	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:34	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:35	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:35:36	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:37	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:35:38	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:39	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:35:40	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:41	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:35:42	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:35:43	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:35:44	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:45	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:35:46	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:47	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:48	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:35:49	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:35:50	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:35:51	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:35:52	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:35:53	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:35:54	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:35:55	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:35:56	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:35:57	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:35:58	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:35:59	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:00	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:36:01	1	0	1	1	20.5	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:36:02	1	0	1	1	20.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:03	1	0	1	1	20.5	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:36:04	1	0	1	1	20.5	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:05	1	0	1	1	20.5	37	0	0	0	0	0	30000	0	0	30000	19.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:36:06	1	0	1	1	20.5	39.25	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:36:07	1	0	1	1	20.5	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:08	1	0	1	1	20.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:10	1	0	1	1	20.5	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:11	1	0	1	1	21	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:36:12	1	0	1	1	21	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:36:13	1	0	1	1	21	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:36:14	1	0	1	1	21	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:36:15	1	0	1	1	21	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:16	1	0	1	1	21	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:17	1	0	1	1	21	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:36:18	1	0	1	1	21	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:24	1	0	1	1	21.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:24	1	0	1	1	21.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:24	1	0	1	1	21.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:24	1	0	1	1	21.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:24	1	0	1	1	21.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:24	1	0	1	1	21.25	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:36:25	1	0	1	1	21.25	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:36:26	1	0	1	1	21.25	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:27	1	0	1	1	21.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:36:28	1	0	1	1	21.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:36:29	1	0	1	1	21.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:36:30	1	0	1	1	21.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:36:31	1	0	1	1	21.75	36.75	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:36:32	1	0	1	1	21.75	37.25	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:33	1	0	1	1	21.75	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:36:34	1	0	1	1	21.75	36.75	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:36:35	1	0	1	1	21.75	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:36:36	1	0	1	1	21.75	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:36:37	1	0	1	1	21.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:38	1	0	1	1	21.75	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:36:39	1	0	1	1	21.75	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:36:40	1	0	1	1	21.75	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:36:41	1	0	1	1	22.75	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:36:42	1	0	1	1	22.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:36:43	1	0	1	1	22.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:36:44	1	0	1	1	22.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:45	1	0	1	1	22.75	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:36:46	1	0	1	1	22.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:47	1	0	1	1	22.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:36:49	1	0	1	1	22.75	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:36:50	1	0	1	1	22.75	37.25	0	0	0	0	0	30000	0	0	30000	16.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:36:51	1	0	1	1	23.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:36:52	1	0	1	1	23.25	36.75	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:36:53	1	0	1	1	23.25	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:36:54	1	0	1	1	23.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:36:55	1	0	1	1	23.25	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:36:56	1	0	1	1	23.25	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:36:57	1	0	1	1	23.25	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:36:58	1	0	1	1	23.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:36:59	1	0	1	1	23.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:37:00	1	0	1	1	23.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:37:01	1	0	1	1	24.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:02	1	0	1	1	24.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:37:03	1	0	1	1	24.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:37:04	1	0	1	1	24.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:05	1	0	1	1	24.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:06	1	0	1	1	24.25	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:37:07	1	0	1	1	24.25	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:08	1	0	1	1	24.25	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:37:09	1	0	1	1	24.25	37.25	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:37:10	1	0	1	1	24.25	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:11	1	0	1	1	25.25	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:37:12	1	0	1	1	25.25	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:13	1	0	1	1	25.25	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:37:14	1	0	1	1	25.25	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:37:15	1	0	1	1	25.25	37.25	0	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:37:16	1	0	1	1	25.25	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:17	1	0	1	1	25.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:18	1	0	1	1	25.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:19	1	0	1	1	25.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:25	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:25	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:25	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:25	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:25	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:25	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:25	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:27	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:28	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:37:29	1	0	1	1	26	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:30	1	0	1	1	26	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:31	1	0	1	1	26.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:37:32	1	0	1	1	26.75	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:37:33	1	0	1	1	26.75	36.75	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:37:34	1	0	1	1	26.75	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:37:35	1	0	1	1	26.75	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:36	1	0	1	1	26.75	37	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:37:37	1	0	1	1	26.75	37	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:37:38	1	0	1	1	26.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:39	1	0	1	1	26.75	37	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:40	1	0	1	1	26.75	37	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:37:41	1	0	1	1	27.5	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:37:42	1	0	1	1	27.5	37	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:37:43	1	0	1	1	27.5	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:44	1	0	1	1	27.5	37	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:37:45	1	0	1	1	27.5	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:46	1	0	1	1	27.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:47	1	0	1	1	27.5	37	0	0	0	0	30000	0	0	30000	16.8125	2004
21.01.2020 09:37:48	1	0	1	1	27.5	36.75	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:37:49	1	0	1	1	27.5	37.25	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:37:50	1	0	1	1	27.5	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:51	1	0	1	1	28.25	37	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:52	1	0	1	1	28.25	37	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:37:53	1	0	1	1	28.25	37	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:37:54	1	0	1	1	28.25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:37:55	1	0	1	1	28.25	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:56	1	0	1	1	28.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:37:57	1	0	1	1	28.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:37:58	1	0	1	1	28.25	37	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:37:59	1	0	1	1	28.25	37	0	0	0	0	30000	0	0	30000	18.3125	2004
21.01.2020 09:38:00	1	0	1	1	28.25	38.25	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:38:01	1	0	1	1	28.5	37	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:02	1	0	1	1	28.5	37	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:38:03	1	0	1	1	28.5	37	0	0	0	0	30000	0	0	30000	16.75	2004
21.01.2020 09:38:05	1	0	1	1	28.5	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:38:06	1	0	1	1	28.5	37	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:38:07	1	0	1	1	28.5	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:38:08	1	0	1	1	28.5	37.25	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:38:09	1	0	1	1	28.5	36.75	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:38:10	1	0	1	1	28.5	37.25	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:11	1	0	1	1	29.5	36.75	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:38:12	1	0	1	1	29.5	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:38:13	1	0	1	1	29.5	37	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:38:14	1	0	1	1	29.5	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:15	1	0	1	1	29.5	37	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:16	1	0	1	1	29.5	37	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:38:17	1	0	1	1	29.5	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:18	1	0	1	1	29.5	36.75	0	0	0	0	30000	0	0	30000	17.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:38:19	1	0	1	1	29.5	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:38:20	1	0	1	1	29.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:38:21	1	0	1	1	30	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:38:27	1	0	1	1	30	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:27	1	0	1	1	30	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:27	1	0	1	1	30	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:27	1	0	1	1	30	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:27	1	0	1	1	30	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:27	1	0	1	1	30	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:28	1	0	1	1	30	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:38:29	1	0	1	1	30	37.25	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:38:30	1	0	1	1	30	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:31	1	0	1	1	30.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:32	1	0	1	1	30.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:33	1	0	1	1	30.75	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:38:34	1	0	1	1	30.75	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:38:35	1	0	1	1	30.75	37.25	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:36	1	0	1	1	30.75	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:37	1	0	1	1	30.75	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:38:38	1	0	1	1	30.75	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:39	1	0	1	1	30.75	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:40	1	0	1	1	30.75	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:38:41	1	0	1	1	31.25	37.25	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:38:42	1	0	1	1	31.25	37	0	0	0	0	0	30000	0	0	30000	17.4375	2004
21.01.2020 09:38:44	1	0	1	1	31.25	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:38:45	1	0	1	1	31.25	37.25	0	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:38:46	1	0	1	1	31.25	36.75	0	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:38:47	1	0	1	1	31.25	37.25	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:48	1	0	1	1	31.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:38:49	1	0	1	1	31.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:38:50	1	0	1	1	31.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:51	1	0	1	1	31.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:38:52	1	0	1	1	31.75	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:38:53	1	0	1	1	31.75	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:54	1	0	1	1	31.75	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:38:55	1	0	1	1	31.75	37	0	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:38:56	1	0	1	1	31.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:38:57	1	0	1	1	31.75	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:38:58	1	0	1	1	31.75	36.75	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:38:59	1	0	1	1	31.75	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:39:00	1	0	1	1	31.75	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:01	1	0	1	1	32.5	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:39:02	1	0	1	1	32.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 09:39:03	1	0	1	1	32.5	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:04	1	0	1	1	32.5	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:39:05	1	0	1	1	32.5	37.25	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:39:06	1	0	1	1	32.5	37	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:39:07	1	0	1	1	32.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:39:08	1	0	1	1	32.5	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:09	1	0	1	1	32.5	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:39:10	1	0	1	1	32.5	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:11	1	0	1	1	32.75	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:39:12	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:13	1	0	1	1	32.75	37	0	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:39:14	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:15	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:16	1	0	1	1	32.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:17	1	0	1	1	32.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:18	1	0	1	1	32.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:39:19	1	0	1	1	32.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:20	1	0	1	1	32.75	37	0	0	0	0	0	30000	0	0	30000	20.25	2004
21.01.2020 09:39:22	1	0	1	1	33.5	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:39:23	1	0	1	1	33.5	37	0	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:39:28	1	0	1	1	33.5	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:28	1	0	1	1	33.5	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:28	1	0	1	1	33.5	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:28	1	0	1	1	33.5	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:28	1	0	1	1	33.5	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:29	1	0	1	1	33.5	37.25	0	0	0	0	0	30000	0	0	30000	17.625	2004
21.01.2020 09:39:30	1	0	1	1	33.5	37.5	0	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:39:31	1	0	1	1	33.75	37.25	0	0	0	0	0	30000	0	0	30000	17.5625	2004
21.01.2020 09:39:32	1	0	1	1	33.75	37.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:39:33	1	0	1	1	33.75	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:39:34	1	0	1	1	33.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:39:35	1	0	1	1	33.75	37	0	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:39:36	1	0	1	1	33.75	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:37	1	0	1	1	33.75	37.25	0	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:39:38	1	0	1	1	33.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:39	1	0	1	1	33.75	37	0	0	0	0	0	30000	0	0	30000	17.4375	2004
21.01.2020 09:39:40	1	0	1	1	33.75	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:41	1	0	1	1	34	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:42	1	0	1	1	34	37.25	0	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:39:43	1	0	1	1	34	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:44	1	0	1	1	34	37	0	0	0	0	0	30000	0	0	30000	17.5625	2004
21.01.2020 09:39:45	1	0	1	1	34	37.5	0	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:39:46	1	0	1	1	34	37.25	0	0	0	0	0	30000	0	0	30000	16.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:39:47	1	0	1	1	34	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
21.01.2020 09:39:48	1	0	1	1	34	36.75	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:39:49	1	0	1	1	34	37.25	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:39:50	1	0	1	1	34	37	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:51	1	0	1	1	34.5	37	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:52	1	0	1	1	34.5	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
21.01.2020 09:39:53	1	0	1	1	34.5	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:54	1	0	1	1	34.5	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:39:55	1	0	1	1	34.5	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:56	1	0	1	1	34.5	37	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:57	1	0	1	1	34.5	37	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:39:59	1	0	1	1	34.5	37.25	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:40:00	1	0	1	1	34.5	37	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:01	1	0	1	1	35	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:40:02	1	0	1	1	35	37	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:40:03	1	0	1	1	35	37	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:04	1	0	1	1	35	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:05	1	0	1	1	35	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:06	1	0	1	1	35	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:40:07	1	0	1	1	35	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:08	1	0	1	1	35	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:40:09	1	0	1	1	35	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:40:10	1	0	1	1	35	37	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:40:11	1	0	1	1	35.5	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
21.01.2020 09:40:12	1	0	1	1	35.5	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:40:13	1	0	1	1	35.5	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:14	1	0	1	1	35.5	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:40:15	1	0	1	1	35.5	37	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:40:16	1	0	1	1	35.5	37	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:17	1	0	1	1	35.5	37.25	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:40:18	1	0	1	1	35.5	37	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:19	1	0	1	1	35.5	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:20	1	0	1	1	35.5	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:21	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:40:22	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:23	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:40:24	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	16.9375	2004
21.01.2020 09:40:30	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:40:30	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:40:30	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:40:30	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:40:30	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
21.01.2020 09:40:30	1	0	1	1	35.75	37	0	0	0	0	30000	0	0	30000	17.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:40:31	1	0	1	1	36.5	37	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:40:32	1	0	1	1	36.5	37	0	0	0	0	30000	0	0	30000	17.4375	2004
21.01.2020 09:40:33	1	0	1	1	36.5	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
21.01.2020 09:40:34	1	0	1	1	36.5	37.5	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:35	1	0	1	1	36.5	37.25	0	0	0	0	30000	0	0	30000	18.0625	2004
21.01.2020 09:40:36	1	0	1	1	36.5	38	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:38	1	0	1	1	36.5	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
21.01.2020 09:40:39	1	0	1	1	36.5	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:40:40	1	0	1	1	36.5	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:40:41	1	0	1	1	37	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:42	1	0	1	1	37	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:40:43	1	0	1	1	37	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:40:44	1	0	1	1	37	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:40:45	1	0	1	1	37	37	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:40:46	1	0	1	1	37	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:40:47	1	0	1	1	37	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:40:48	1	0	1	1	37	37	0	0	0	0	30000	0	0	30000	17.375	2004
21.01.2020 09:40:49	1	0	1	1	37	37.25	0	0	0	0	30000	0	0	30000	17	2004
21.01.2020 09:40:50	1	0	1	1	37	37	0	0	0	0	30000	0	0	30000	17.25	2004
21.01.2020 09:40:51	1	0	1	1	37.5	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
21.01.2020 09:40:52	1	1	1	1	37.5	37.25	0	9620.8531	0	0	30000	0	0	30000	17.1875	2004
21.01.2020 09:40:53	1	1	1	1	37.5	37	0	10947.867	0	0	30000	0	0	30000	17.4375	2004
21.01.2020 09:40:54	1	1	1	1	37.5	37.25	0	11706.161	0	0	30000	0	0	30000	17.0625	2004
21.01.2020 09:40:55	1	1	1	1	37.5	37	0	12464.455	0	0	30000	0	0	30000	17.4375	2004
21.01.2020 09:40:56	1	1	1	1	37.5	37.25	0	13222.749	2.150537634	27.72266464	30000	0	0	30000	17.0625	2004
21.01.2020 09:40:57	1	1	1	1	37.5	37	0	13981.043	6.451612903	120.6751284	30000	0	0	30000	16.9375	2004
21.01.2020 09:40:58	1	1	1	1	37.5	36.75	0	14786.73	12.90322581	190.7971625	30000	0	0	30000	17.125	2004
21.01.2020 09:40:59	1	1	1	1	37.5	37	0	15497.63	19.35483871	299.2417036	30000	0	0	30000	18.4375	2004
21.01.2020 09:41:00	1	1	1	1	37.5	38.25	0	16255.924	25.80645161	384.0404425	30000	0	0	30000	17.125	2004
21.01.2020 09:41:01	1	1	1	1	37.75	37	0	17109.005	32.25806452	548.7456853	30000	0	0	30000	17.125	2004
21.01.2020 09:41:02	1	1	1	1	37.75	37	0	17819.905	38.70967742	768.080885	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:03	1	1	1	1	37.75	36.75	0	18578.199	53.76344086	956.43193	30000	0	0	30000	16.75	2004
21.01.2020 09:41:04	1	1	1	1	37.75	36.75	0	19336.493	64.51612903	1247.519909	30000	0	0	30000	17.625	2004
21.01.2020 09:41:05	1	1	1	1	37.75	37.5	0	20189.573	75.2688172	1519.038948	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:06	1	1	1	1	37.75	36.75	0	20900.474	86.02150538	1842.741826	30000	0	0	30000	16.875	2004
21.01.2020 09:41:07	1	1	1	1	37.75	36.75	0	21563.981	94.62365591	2086.5382	30000	0	0	30000	16.75	2004
21.01.2020 09:41:08	1	1	1	1	37.75	36.75	0	22417.062	113.9784946	2554.562009	30000	0	0	30000	17.1875	2004
21.01.2020 09:41:09	1	1	1	1	37.75	37	0	23080.569	129.0322581	2977.740331	30000	0	0	30000	17.125	2004
21.01.2020 09:41:10	1	1	1	1	37.75	37	0	23175.355	129.0322581	2989.970918	30000	0	0	30000	17.4375	2004
21.01.2020 09:41:11	1	1	1	1	38	37.25	0	24075.829	144.0860215	3468.59457	30000	0	0	30000	17.8125	2004
21.01.2020 09:41:12	1	1	1	1	38	37.75	0	24834.123	159.1397849	4012.44802	30000	0	0	30000	17.8125	2004
21.01.2020 09:41:13	1	1	1	1	38	37.75	0	25639.81	176.344086	4457.641399	30000	0	0	30000	17.3125	2004
21.01.2020 09:41:14	1	1	1	1	38	37.25	0	26255.924	189.2473118	4968.87995	30000	0	0	30000	19.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:41:16	1	1	1	1	38	39.5	0	26350.711	206.4516129	5440.165249	30000	0	0	30000	18.9375	2004
21.01.2020 09:41:17	1	1	1	1	38	37	0	27867.299	225.8064516	6341.15185	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:18	1	1	1	1	38	36.75	0	28483.412	251.6129032	7227.461745	30000	0	0	30000	17.5625	2004
21.01.2020 09:41:19	1	1	1	1	38	37.5	0	27630.332	266.6666667	7427.228005	30000	0	0	30000	17	2004
21.01.2020 09:41:20	1	1	1	1	38	37	0	28672.986	279.5698925	8015.926943	30000	0	0	30000	17.0625	2004
21.01.2020 09:41:21	1	1	1	1	39	37	0	29146.919	298.9247312	8586.687685	30000	0	0	30000	18.0625	2004
21.01.2020 09:41:22	1	1	1	1	39	38	0	29336.493	307.5268817	9055.526867	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:23	1	1	1	1	39	36.75	0	29478.673	329.0322581	9698.855761	30000	0	0	30000	17.625	2004
21.01.2020 09:41:24	1	1	1	1	39	37.5	0	29857.82	339.7849462	10144.86451	30000	0	0	30000	18.0625	2004
21.01.2020 09:41:25	1	1	1	1	39	38	0	29810.427	356.9892473	10641.42636	30000	0	0	30000	17.375	2004
21.01.2020 09:41:26	1	1	1	1	39	37.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	16.8125	2004
21.01.2020 09:41:32	1	1	1	1	38.75	37.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:32	1	1	1	1	38.75	37.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:32	1	1	1	1	38.75	37.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:32	1	1	1	1	38.75	37.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:32	1	1	1	1	38.75	36.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	16.875	2004
21.01.2020 09:41:33	1	1	1	1	38.75	36.75	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	17	2004
21.01.2020 09:41:34	1	1	1	1	38.75	37	0	30000	378.4946237	11160.81863	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:35	1	1	1	1	38.75	36.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	17.5	2004
21.01.2020 09:41:36	1	1	1	1	38.75	37.5	0	30000	374.1935484	11354.87729	30000	0	0	30000	17.4375	2004
21.01.2020 09:41:37	1	1	1	1	38.75	37.25	0	30000	367.7419355	11014.86696	30000	0	0	30000	17.0625	2004
21.01.2020 09:41:38	1	1	1	1	38.75	37	0	30000	365.5913978	10996.92876	30000	0	0	30000	17.5	2004
21.01.2020 09:41:39	1	1	1	1	38.75	37.5	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	17.5	2004
21.01.2020 09:41:40	1	1	1	1	38.75	37.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	17.625	2004
21.01.2020 09:41:41	1	1	1	1	39.5	37.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	17.3125	2004
21.01.2020 09:41:42	1	1	1	1	39.5	37.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	17.75	2004
21.01.2020 09:41:43	1	1	1	1	39.5	37.75	0	30047.393	378.4946237	11125.75762	30000	0	0	30000	17.125	2004
21.01.2020 09:41:44	1	1	1	1	39.5	37	0	30000	378.4946237	11225.23306	30000	0	0	30000	17.0625	2004
21.01.2020 09:41:45	1	1	1	1	39.5	37	0	30000	380.6451613	11419.29171	30000	0	0	30000	16.9375	2004
21.01.2020 09:41:46	1	1	1	1	39.5	36.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	17.1875	2004
21.01.2020 09:41:47	1	1	1	1	39.5	37	0	30000	395.6989247	11871.00807	30000	0	0	30000	17.1875	2004
21.01.2020 09:41:48	1	1	1	1	39.5	37	0	30000	378.4946237	11354.87729	30000	0	0	30000	16.75	2004
21.01.2020 09:41:49	1	1	1	1	39.5	36.75	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	17.125	2004
21.01.2020 09:41:50	1	1	1	1	39.5	37	0	30000	395.6989247	11833.50094	30000	0	0	30000	17.6875	2004
21.01.2020 09:41:51	1	1	1	1	40	37.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.5625	2004
21.01.2020 09:41:52	1	1	1	1	40	37.5	0	29905.213	380.6451613	11676.94942	30000	0	0	30000	19.3125	2004
21.01.2020 09:41:54	1	1	1	1	40	39.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	17.6875	2004
21.01.2020 09:41:55	1	1	1	1	40	37.5	0	30000	367.7419355	11160.81863	30000	0	0	30000	17.125	2004
21.01.2020 09:41:56	1	1	1	1	40	37	0	30000	378.4946237	11160.81863	30000	0	0	30000	17.1875	2004
21.01.2020 09:41:57	1	1	1	1	40	37	0	30000	363.4408602	10773.5167	30000	0	0	30000	16.875	2004
21.01.2020 09:41:58	1	1	1	1	40	36.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	17.6875	2004
21.01.2020 09:41:59	1	1	1	1	40	37.5	0	30047.393	395.6989247	11676.94942	30000	0	0	30000	17.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:42:00	1	1	1	1	40	37	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.5625	2004
21.01.2020 09:42:01	1	1	1	1	40.5	37.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	16.875	2004
21.01.2020 09:42:02	1	1	1	1	40.5	36.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	17.5	2004
21.01.2020 09:42:03	1	1	1	1	40.5	37.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	17.125	2004
21.01.2020 09:42:04	1	1	1	1	40.5	37	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	17.4375	2004
21.01.2020 09:42:05	1	1	1	1	40.5	37.25	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	17.75	2004
21.01.2020 09:42:06	1	1	1	1	40.5	37.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	17.5625	2004
21.01.2020 09:42:07	1	1	1	1	40.5	37.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.6875	2004
21.01.2020 09:42:08	1	1	1	1	40.5	37.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	16.9375	2004
21.01.2020 09:42:09	1	1	1	1	40.5	36.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	17.75	2004
21.01.2020 09:42:10	1	1	1	1	40.5	37.75	0	29905.213	412.9032258	12729.5953	30000	0	0	30000	18.125	2004
21.01.2020 09:42:11	1	1	1	1	41.5	38	0	30000	415.0537634	12451.55328	30000	0	0	30000	17.25	2004
21.01.2020 09:42:12	1	1	1	1	41.5	37.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	17.1875	2004
21.01.2020 09:42:13	1	1	1	1	41.5	37	0	30000	404.3010753	12128.66578	30000	0	0	30000	17.875	2004
21.01.2020 09:42:14	1	1	1	1	41.5	37.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	17.375	2004
21.01.2020 09:42:15	1	1	1	1	41.5	37.25	0	29857.82	427.9569892	12798.08659	30000	0	0	30000	17.0625	2004
21.01.2020 09:42:16	1	1	1	1	41.5	37	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	17.625	2004
21.01.2020 09:42:17	1	1	1	1	41.5	37.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	17.125	2004
21.01.2020 09:42:18	1	1	1	1	41.5	37	0	30000	438.7096774	13160.92735	30000	0	0	30000	17.4375	2004
21.01.2020 09:42:19	1	1	1	1	41.5	37.25	0	29715.64	445.1612903	13270.18726	30000	0	0	30000	17.625	2004
21.01.2020 09:42:20	1	1	1	1	41.5	37.5	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	17.5625	2004
21.01.2020 09:42:21	1	1	1	1	42	37.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.5	2004
21.01.2020 09:42:22	1	1	1	1	42	37.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	17.5	2004
21.01.2020 09:42:23	1	1	1	1	42	37.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.375	2004
21.01.2020 09:42:24	1	1	1	1	42	37.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	17.125	2004
21.01.2020 09:42:25	1	1	1	1	42	37	0	29952.607	406.4516129	12193.08021	30000	0	0	30000	16.9375	2004
21.01.2020 09:42:26	1	1	1	1	42	36.75	0	30000	400	11935.4225	30000	0	0	30000	18.0625	2004
21.01.2020 09:42:27	1	1	1	1	42	38	0	30000	427.9569892	12967.68407	30000	0	0	30000	17.6875	2004
21.01.2020 09:42:33	1	1	1	1	42.75	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.5625	2004
21.01.2020 09:42:33	1	1	1	1	42.75	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.5625	2004
21.01.2020 09:42:33	1	1	1	1	42.75	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.5625	2004
21.01.2020 09:42:33	1	1	1	1	42.75	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.5625	2004
21.01.2020 09:42:33	1	1	1	1	42.75	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.5625	2004
21.01.2020 09:42:34	1	1	1	1	42.75	38	0	30000	412.9032258	12387.13886	30000	0	0	30000	17	2004
21.01.2020 09:42:35	1	1	1	1	42.75	37	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.5	2004
21.01.2020 09:42:36	1	1	1	1	42.75	37.5	0	30000	417.2043011	12515.96771	30000	0	0	30000	17.75	2004
21.01.2020 09:42:37	1	1	1	1	42.75	37.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	17.375	2004
21.01.2020 09:42:38	1	1	1	1	42.75	37.25	0	30000	415.0537634	12515.96771	30000	0	0	30000	17.6875	2004
21.01.2020 09:42:39	1	1	1	1	42.75	37.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	17.5625	2004
21.01.2020 09:42:40	1	1	1	1	42.75	37.5	0	29952.607	412.9032258	12193.08021	30000	0	0	30000	17.3125	2004
21.01.2020 09:42:41	1	1	1	1	43.25	37.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	17.5	2004
21.01.2020 09:42:42	1	1	1	1	43.25	37.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.1875	2004
21.01.2020 09:42:43	1	1	1	1	43.25	38	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:42:44	1	1	1	1	43.25	37.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	17.625	2004
21.01.2020 09:42:45	1	1	1	1	43.25	37.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	17.625	2004
21.01.2020 09:42:46	1	1	1	1	43.25	37.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.5	2004
21.01.2020 09:42:47	1	1	1	1	43.25	37.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	17.6875	2004
21.01.2020 09:42:48	1	1	1	1	43.25	37.5	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	17.8125	2004
21.01.2020 09:42:49	1	1	1	1	43.25	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.4375	2004
21.01.2020 09:42:50	1	1	1	1	43.25	37.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	18.8125	2004
21.01.2020 09:42:51	1	1	1	1	44.5	38.75	0	30000	406.4516129	12387.13886	30000	0	0	30000	17.5625	2004
21.01.2020 09:42:52	1	1	1	1	44.5	37.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.5625	2004
21.01.2020 09:42:53	1	1	1	1	44.5	37.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	17.6875	2004
21.01.2020 09:42:54	1	1	1	1	44.5	37.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	17.6875	2004
21.01.2020 09:42:55	1	1	1	1	44.5	37.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	18	2004
21.01.2020 09:42:56	1	1	1	1	44.5	38	0	30047.393	384.9462366	11548.12057	30000	0	0	30000	17.8125	2004
21.01.2020 09:42:57	1	1	1	1	44.5	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.25	2004
21.01.2020 09:42:58	1	1	1	1	44.5	37.25	0	30000	397.8494624	12018.59049	30000	0	0	30000	17.375	2004
21.01.2020 09:42:59	1	1	1	1	44.5	37.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	17.625	2004
21.01.2020 09:43:00	1	1	1	1	44.5	37.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	17.8125	2004
21.01.2020 09:43:01	1	1	1	1	45	37.75	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	17.9375	2004
21.01.2020 09:43:02	1	1	1	1	45	37.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	17.8125	2004
21.01.2020 09:43:03	1	1	1	1	45	37.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	17.5625	2004
21.01.2020 09:43:04	1	1	1	1	45	37.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.1875	2004
21.01.2020 09:43:05	1	1	1	1	45	37	0	30000	404.3010753	11897.09999	30000	0	0	30000	17.875	2004
21.01.2020 09:43:06	1	1	1	1	45	37.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	17.875	2004
21.01.2020 09:43:07	1	1	1	1	45	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.375	2004
21.01.2020 09:43:08	1	1	1	1	45	37.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.5	2004
21.01.2020 09:43:09	1	1	1	1	45	38.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.375	2004
21.01.2020 09:43:11	1	1	1	1	45	38.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	19	2004
21.01.2020 09:43:12	1	1	1	1	45.5	39	0	30000	415.0537634	12580.38214	30000	0	0	30000	18.75	2004
21.01.2020 09:43:13	1	1	1	1	45.5	38.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	17.75	2004
21.01.2020 09:43:14	1	1	1	1	45.5	38.75	0	30000	432.2580645	13160.92735	30000	0	0	30000	17.875	2004
21.01.2020 09:43:15	1	1	1	1	45.5	37.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	17.5625	2004
21.01.2020 09:43:16	1	1	1	1	45.5	37.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	17.25	2004
21.01.2020 09:43:17	1	1	1	1	45.5	37.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	18.0625	2004
21.01.2020 09:43:18	1	1	1	1	45.5	38	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	17.5625	2004
21.01.2020 09:43:19	1	1	1	1	45.5	37.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	17.75	2004
21.01.2020 09:43:20	1	1	1	1	45.5	37.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.3125	2004
21.01.2020 09:43:21	1	1	1	1	45.5	37.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	17.875	2004
21.01.2020 09:43:22	1	1	1	1	45.5	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.4375	2004
21.01.2020 09:43:23	1	1	1	1	45.5	37.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	17.8125	2004
21.01.2020 09:43:24	1	1	1	1	45.5	37.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	17.8125	2004
21.01.2020 09:43:25	1	1	1	1	45.5	37.75	0	29905.213	434.4086022	13096.51292	30000	0	0	30000	17.5625	2004
21.01.2020 09:43:26	1	1	1	1	45.5	37.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	17.6875	2004
21.01.2020 09:43:27	1	1	1	1	45.5	37.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	17.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:43:28	1	1	1	1	45.5	37.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.0625	2004
21.01.2020 09:43:29	1	1	1	1	45.5	38	0	30000	464.516129	13935.53122	30000	0	0	30000	17.75	2004
21.01.2020 09:43:35	1	1	1	1	46	37.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18	2004
21.01.2020 09:43:35	1	1	1	1	46	37.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18	2004
21.01.2020 09:43:35	1	1	1	1	46	37.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18	2004
21.01.2020 09:43:35	1	1	1	1	46	37.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18	2004
21.01.2020 09:43:35	1	1	1	1	46	38	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	17.75	2004
21.01.2020 09:43:36	1	1	1	1	46	37.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.75	2004
21.01.2020 09:43:37	1	1	1	1	46	37.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	18.125	2004
21.01.2020 09:43:38	1	1	1	1	46	38	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	17.75	2004
21.01.2020 09:43:39	1	1	1	1	46	37.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.125	2004
21.01.2020 09:43:40	1	1	1	1	46	38	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.5	2004
21.01.2020 09:43:41	1	1	1	1	47	38.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	17.9375	2004
21.01.2020 09:43:42	1	1	1	1	47	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.375	2004
21.01.2020 09:43:43	1	1	1	1	47	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.0625	2004
21.01.2020 09:43:44	1	1	1	1	47	38	0	30000	404.3010753	12128.66578	30000	0	0	30000	18.375	2004
21.01.2020 09:43:45	1	1	1	1	47	38.25	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	18	2004
21.01.2020 09:43:46	1	1	1	1	47	38	0	30000	443.0107527	13289.7562	30000	0	0	30000	17.875	2004
21.01.2020 09:43:47	1	1	1	1	47	37.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	18.5	2004
21.01.2020 09:43:48	1	1	1	1	47	38.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	18.625	2004
21.01.2020 09:43:50	1	1	1	1	47	38.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	18.0625	2004
21.01.2020 09:43:51	1	1	1	1	47	38	0	30047.393	453.7634409	13354.17063	30000	0	0	30000	19	2004
21.01.2020 09:43:52	1	1	1	1	47.75	37.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.5625	2004
21.01.2020 09:43:53	1	1	1	1	47.75	38.5	0	29905.213	434.4086022	12798.08659	30000	0	0	30000	17.375	2004
21.01.2020 09:43:54	1	1	1	1	47.75	37.25	0	30047.393	438.7096774	12967.68407	30000	0	0	30000	17.75	2004
21.01.2020 09:43:55	1	1	1	1	47.75	37.75	0	30000	445.1612903	13183.75778	30000	0	0	30000	18	2004
21.01.2020 09:43:56	1	1	1	1	47.75	38	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.25	2004
21.01.2020 09:43:57	1	1	1	1	47.75	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.9375	2004
21.01.2020 09:43:58	1	1	1	1	47.75	37.75	0	30047.393	438.7096774	13182.12704	30000	0	0	30000	18.375	2004
21.01.2020 09:43:59	1	1	1	1	47.75	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.25	2004
21.01.2020 09:44:00	1	1	1	1	47.75	38.25	0	29952.607	434.4086022	13096.51292	30000	0	0	30000	18.5	2004
21.01.2020 09:44:01	1	1	1	1	48.5	38.5	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	17.8125	2004
21.01.2020 09:44:02	1	1	1	1	48.5	37.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	17.5625	2004
21.01.2020 09:44:03	1	1	1	1	48.5	37.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.0625	2004
21.01.2020 09:44:04	1	1	1	1	48.5	38	0	30000	434.4086022	13096.51292	30000	0	0	30000	18.125	2004
21.01.2020 09:44:05	1	1	1	1	48.5	38	0	30000	449.4623656	13483.81486	30000	0	0	30000	17.5625	2004
21.01.2020 09:44:06	1	1	1	1	48.5	37.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.9375	2004
21.01.2020 09:44:07	1	1	1	1	48.5	37.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	17.75	2004
21.01.2020 09:44:08	1	1	1	1	48.5	37.75	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	17.8125	2004
21.01.2020 09:44:09	1	1	1	1	48.5	37.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	18.5625	2004
21.01.2020 09:44:10	1	1	1	1	48.5	38.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	17.8125	2004
21.01.2020 09:44:11	1	1	1	1	49.5	37.75	0	30000	432.2580645	13096.51292	30000	0	0	30000	17.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:44:12	1	1	1	1	49.5	37.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.0625	2004
21.01.2020 09:44:13	1	1	1	1	49.5	38	0	30000	440.8602151	13160.92735	30000	0	0	30000	17.875	2004
21.01.2020 09:44:14	1	1	1	1	49.5	37.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	17.75	2004
21.01.2020 09:44:15	1	1	1	1	49.5	37.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	17.4375	2004
21.01.2020 09:44:16	1	1	1	1	49.5	37.25	0	30000	464.516129	13999.94564	30000	0	0	30000	18	2004
21.01.2020 09:44:17	1	1	1	1	49.5	38	0	30000	460.2150538	13741.47256	30000	0	0	30000	17.9375	2004
21.01.2020 09:44:18	1	1	1	1	49.5	37.75	0	30000	464.516129	13935.53122	30000	0	0	30000	17.875	2004
21.01.2020 09:44:19	1	1	1	1	49.5	37.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	17.8125	2004
21.01.2020 09:44:20	1	1	1	1	49.5	37.75	0	30000	455.9139785	13440.60011	30000	0	0	30000	17.8125	2004
21.01.2020 09:44:21	1	1	1	1	50.5	37.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	18	2004
21.01.2020 09:44:22	1	1	1	1	50.5	38	0	30000	445.1612903	13312.58663	30000	0	0	30000	18.0625	2004
21.01.2020 09:44:23	1	1	1	1	50.5	38	0	30000	466.6666667	13999.94564	30000	0	0	30000	17.8125	2004
21.01.2020 09:44:24	1	1	1	1	50.5	37.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	17.75	2004
21.01.2020 09:44:25	1	1	1	1	50.5	37.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	18.125	2004
21.01.2020 09:44:27	1	1	1	1	50.5	38	0	30000	455.9139785	13677.05814	30000	0	0	30000	18	2004
21.01.2020 09:44:28	1	1	1	1	50.5	38	0	30000	453.7634409	13612.64371	30000	0	0	30000	20.5	2004
21.01.2020 09:44:29	1	1	1	1	50.5	40.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.125	2004
21.01.2020 09:44:30	1	1	1	1	50.5	37.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	18.75	2004
21.01.2020 09:44:31	1	1	1	1	52	38.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	17.8125	2004
21.01.2020 09:44:37	1	1	1	1	52	37.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	17.6875	2004
21.01.2020 09:44:37	1	1	1	1	52	37.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	17.6875	2004
21.01.2020 09:44:37	1	1	1	1	52	37.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	17.6875	2004
21.01.2020 09:44:37	1	1	1	1	52	37.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	17.6875	2004
21.01.2020 09:44:37	1	1	1	1	52	37.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	17.6875	2004
21.01.2020 09:44:37	1	1	1	1	52	37.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	18.5625	2004
21.01.2020 09:44:38	1	1	1	1	52	38.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.0625	2004
21.01.2020 09:44:39	1	1	1	1	52	38	0	30000	423.655914	12709.21099	30000	0	0	30000	18.25	2004
21.01.2020 09:44:40	1	1	1	1	52	38.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	17.8125	2004
21.01.2020 09:44:41	1	1	1	1	52.25	37.75	0	30047.393	438.7096774	12967.68407	30000	0	0	30000	18.0625	2004
21.01.2020 09:44:42	1	1	1	1	52.25	38	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.75	2004
21.01.2020 09:44:43	1	1	1	1	52.25	38.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.0625	2004
21.01.2020 09:44:44	1	1	1	1	52.25	38	0	30000	427.9569892	12838.03984	30000	0	0	30000	18	2004
21.01.2020 09:44:45	1	1	1	1	52.25	38	0	30000	417.2043011	12348.00098	30000	0	0	30000	18	2004
21.01.2020 09:44:46	1	1	1	1	52.25	38	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.0625	2004
21.01.2020 09:44:47	1	1	1	1	52.25	38	0	30000	436.5591398	13160.92735	30000	0	0	30000	18	2004
21.01.2020 09:44:48	1	1	1	1	52.25	38	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.75	2004
21.01.2020 09:44:49	1	1	1	1	52.25	37.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	18	2004
21.01.2020 09:44:50	1	1	1	1	52.25	38	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.875	2004
21.01.2020 09:44:51	1	1	1	1	53	38.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	18.375	2004
21.01.2020 09:44:52	1	1	1	1	53	38.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.1875	2004
21.01.2020 09:44:53	1	1	1	1	53	38	0	30000	432.2580645	12967.68407	30000	0	0	30000	17.9375	2004
21.01.2020 09:44:54	1	1	1	1	53	37.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	18	2004
21.01.2020 09:44:55	1	1	1	1	53	38	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:44:56	1	1	1	1	53	37.75	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	17.875	2004
21.01.2020 09:44:57	1	1	1	1	53	37.75	0	30000	419.3548387	12773.62542	30000	0	0	30000	17.875	2004
21.01.2020 09:44:58	1	1	1	1	53	37.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	17.8125	2004
21.01.2020 09:44:59	1	1	1	1	53	37.75	0	29952.607	395.6989247	12064.25135	30000	0	0	30000	17.75	2004
21.01.2020 09:45:00	1	1	1	1	53	37.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	17.9375	2004
21.01.2020 09:45:01	1	1	1	1	53	37.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	19.125	2004
21.01.2020 09:45:02	1	1	1	1	53	39	0	30000	434.4086022	13032.0985	30000	0	0	30000	17.9375	2004
21.01.2020 09:45:03	1	1	1	1	53	37.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:05	1	1	1	1	53	38	0	30000	464.516129	13935.53122	30000	0	0	30000	20.5	2004
21.01.2020 09:45:06	1	1	1	1	53	40.5	0	30000	440.8602151	13160.92735	30000	0	0	30000	19.0625	2004
21.01.2020 09:45:07	1	1	1	1	53	38	0	30000	451.6129032	13612.64371	30000	0	0	30000	18.375	2004
21.01.2020 09:45:08	1	1	1	1	53	38.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	17.75	2004
21.01.2020 09:45:09	1	1	1	1	53	37.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.625	2004
21.01.2020 09:45:10	1	1	1	1	53	38.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.5625	2004
21.01.2020 09:45:11	1	1	1	1	53.75	38.5	0	29905.213	432.2580645	13225.34178	30000	0	0	30000	18.25	2004
21.01.2020 09:45:12	1	1	1	1	53.75	38.25	0	30000	470.9677419	14128.7745	30000	0	0	30000	17.9375	2004
21.01.2020 09:45:13	1	1	1	1	53.75	37.75	0	30000	481.7204301	14193.18892	30000	0	0	30000	17.75	2004
21.01.2020 09:45:14	1	1	1	1	53.75	37.75	0	30000	481.7204301	14451.662	30000	0	0	30000	18.1875	2004
21.01.2020 09:45:15	1	1	1	1	53.75	38	0	30000	464.516129	13999.94564	30000	0	0	30000	18.375	2004
21.01.2020 09:45:16	1	1	1	1	53.75	38.25	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	18.125	2004
21.01.2020 09:45:17	1	1	1	1	53.75	38	0	30000	481.7204301	14451.662	30000	0	0	30000	17.75	2004
21.01.2020 09:45:18	1	1	1	1	53.75	37.75	0	30000	481.7204301	14451.662	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:19	1	1	1	1	53.75	38	0	30000	490.3225806	14773.73413	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:20	1	1	1	1	53.75	38	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:21	1	1	1	1	54.5	38	0	30000	488.172043	14644.90528	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:22	1	1	1	1	54.5	38	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	18.1875	2004
21.01.2020 09:45:23	1	1	1	1	54.5	38	0	30000	496.7741935	14727.2579	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:24	1	1	1	1	54.5	38	0	30000	501.0752688	15032.20721	30000	0	0	30000	17.6875	2004
21.01.2020 09:45:25	1	1	1	1	54.5	37.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	18.3125	2004
21.01.2020 09:45:26	1	1	1	1	54.5	38.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	18.875	2004
21.01.2020 09:45:27	1	1	1	1	54.5	38.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	18.4375	2004
21.01.2020 09:45:28	1	1	1	1	54.5	38.25	0	30000	488.172043	14469.6002	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:29	1	1	1	1	54.5	38	0	30000	492.4731183	14838.14856	30000	0	0	30000	17.875	2004
21.01.2020 09:45:30	1	1	1	1	54.5	37.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	17.875	2004
21.01.2020 09:45:31	1	1	1	1	55.75	37.75	0	29905.213	496.7741935	15161.03607	30000	0	0	30000	18.125	2004
21.01.2020 09:45:32	1	1	1	1	55.75	38	0	30000	464.516129	13913.51616	30000	0	0	30000	18	2004
21.01.2020 09:45:38	1	1	1	1	55.75	38	0	30000	464.516129	13741.47256	30000	0	0	30000	18.1875	2004
21.01.2020 09:45:38	1	1	1	1	55.75	38	0	30000	464.516129	13741.47256	30000	0	0	30000	18.1875	2004
21.01.2020 09:45:38	1	1	1	1	55.75	38	0	30000	464.516129	13741.47256	30000	0	0	30000	18.1875	2004
21.01.2020 09:45:38	1	1	1	1	55.75	38	0	30000	464.516129	13741.47256	30000	0	0	30000	18.1875	2004
21.01.2020 09:45:38	1	1	1	1	55.75	38	0	30000	464.516129	13741.47256	30000	0	0	30000	18.1875	2004
21.01.2020 09:45:38	1	1	1	1	55.75	38	0	30047.393	481.7204301	14451.662	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:39	1	1	1	1	55.75	38	0	30000	466.6666667	13999.94564	30000	0	0	30000	18.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:45:40	1	1	1	1	55.75	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:41	1	1	1	1	57.25	38	0	30000	481.7204301	14451.662	30000	0	0	30000	19.3125	2004
21.01.2020 09:45:43	1	1	1	1	57.25	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.375	2004
21.01.2020 09:45:44	1	1	1	1	57.25	39.25	0	30000	481.7204301	14193.18892	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:45	1	1	1	1	57.25	38	0	29952.607	464.516129	13935.53122	30000	0	0	30000	18.8125	2004
21.01.2020 09:45:46	1	1	1	1	57.25	38.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	18.5625	2004
21.01.2020 09:45:47	1	1	1	1	57.25	38	0	30000	468.8172043	13999.94564	30000	0	0	30000	18.625	2004
21.01.2020 09:45:48	1	1	1	1	57.25	38.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:49	1	1	1	1	57.25	38	0	30000	468.8172043	14064.36007	30000	0	0	30000	18.5	2004
21.01.2020 09:45:50	1	1	1	1	57.25	38.5	0	30000	470.9677419	14193.18892	30000	0	0	30000	18.1875	2004
21.01.2020 09:45:51	1	1	1	1	58.5	38	0	29952.607	473.1182796	14019.51458	30000	0	0	30000	18	2004
21.01.2020 09:45:52	1	1	1	1	58.5	38	0	30000	481.7204301	14406.00114	30000	0	0	30000	18.25	2004
21.01.2020 09:45:53	1	1	1	1	58.5	38.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:54	1	1	1	1	58.5	38	0	29952.607	481.7204301	14451.662	30000	0	0	30000	18.6875	2004
21.01.2020 09:45:55	1	1	1	1	58.5	38.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	18.0625	2004
21.01.2020 09:45:56	1	1	1	1	58.5	38	0	30000	481.7204301	14451.662	30000	0	0	30000	18.6875	2004
21.01.2020 09:45:57	1	1	1	1	58.5	38.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	18.25	2004
21.01.2020 09:45:58	1	1	1	1	58.5	38.25	0	29952.607	488.172043	14709.31971	30000	0	0	30000	18.4375	2004
21.01.2020 09:45:59	1	1	1	1	58.5	38.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	17.875	2004
21.01.2020 09:46:00	1	1	1	1	58.5	37.75	0	30000	488.172043	14644.90528	30000	0	0	30000	18.0625	2004
21.01.2020 09:46:01	1	1	1	1	59.25	38	0	30000	481.7204301	14451.662	30000	0	0	30000	18.8125	2004
21.01.2020 09:46:02	1	1	1	1	59.25	38.75	0	29952.607	473.1182796	14128.7745	30000	0	0	30000	18.75	2004
21.01.2020 09:46:03	1	1	1	1	59.25	38.75	0	29905.213	464.516129	14451.662	30000	0	0	30000	18.75	2004
21.01.2020 09:46:04	1	1	1	1	59.25	38.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	18.5625	2004
21.01.2020 09:46:05	1	1	1	1	59.25	38.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.1875	2004
21.01.2020 09:46:06	1	1	1	1	59.25	39	0	30000	481.7204301	14451.662	30000	0	0	30000	18.75	2004
21.01.2020 09:46:07	1	1	1	1	59.25	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	18.25	2004
21.01.2020 09:46:08	1	1	1	1	59.25	38.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	18.25	2004
21.01.2020 09:46:09	1	1	1	1	59.25	38.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	19.4375	2004
21.01.2020 09:46:10	1	1	1	1	59.25	39.25	0	29905.213	486.0215054	14644.90528	30000	0	0	30000	18.1875	2004
21.01.2020 09:46:11	1	1	1	1	59.75	38	0	30000	486.0215054	14644.90528	30000	0	0	30000	18.75	2004
21.01.2020 09:46:12	1	1	1	1	59.75	38.75	0	29952.607	498.9247312	14902.56299	30000	0	0	30000	18.6875	2004
21.01.2020 09:46:13	1	1	1	1	59.75	38.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	18.3125	2004
21.01.2020 09:46:14	1	1	1	1	59.75	38.25	0	30000	481.7204301	14451.662	30000	0	0	30000	18.75	2004
21.01.2020 09:46:15	1	1	1	1	59.75	38.75	0	30000	496.7741935	14879.73256	30000	0	0	30000	18.4375	2004
21.01.2020 09:46:16	1	1	1	1	59.75	38.25	0	30000	486.0215054	14534.01462	30000	0	0	30000	18.375	2004
21.01.2020 09:46:17	1	1	1	1	59.75	38.25	0	30000	488.172043	14644.90528	30000	0	0	30000	18.125	2004
21.01.2020 09:46:18	1	1	1	1	59.75	38	0	30000	486.0215054	14516.07643	30000	0	0	30000	18.1875	2004
21.01.2020 09:46:19	1	1	1	1	59.75	38	0	30047.393	481.7204301	14451.662	30000	0	0	30000	19	2004
21.01.2020 09:46:21	1	1	1	1	59.75	39	0	30000	481.7204301	14451.662	30000	0	0	30000	18.5	2004
21.01.2020 09:46:22	1	1	1	1	60.5	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5	2004
21.01.2020 09:46:23	1	1	1	1	60.5	40.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	19.125	2004
21.01.2020 09:46:24	1	1	1	1	60.5	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:46:25	1	1	1	1	60.5	39	0	30000	481.7204301	14451.662	30000	0	0	30000	20.625	2004
21.01.2020 09:46:26	1	1	1	1	60.5	38.25	0	30000	481.7204301	14451.662	30000	0	0	30000	18.6875	2004
21.01.2020 09:46:27	1	1	1	1	60.5	38.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	18.8125	2004
21.01.2020 09:46:28	1	1	1	1	60.5	38.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	18.25	2004
21.01.2020 09:46:29	1	1	1	1	60.5	38.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	18.25	2004
21.01.2020 09:46:30	1	1	1	1	60.5	38.25	0	30000	464.516129	13870.30142	30000	0	0	30000	18.25	2004
21.01.2020 09:46:31	1	1	1	1	61	38.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	19.4375	2004
21.01.2020 09:46:32	1	1	1	1	61	39.25	0	30000	466.6666667	13591.44402	30000	0	0	30000	19.75	2004
21.01.2020 09:46:33	1	1	1	1	61	39.75	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	18.75	2004
21.01.2020 09:46:34	1	1	1	1	61	38.75	0	30047.393	481.7204301	13935.53122	30000	0	0	30000	20.25	2004
21.01.2020 09:46:40	1	1	1	1	61	39.25	0	30000	464.516129	13741.47256	30000	0	0	30000	18.9375	2004
21.01.2020 09:46:40	1	1	1	1	61	39.25	0	30000	464.516129	13741.47256	30000	0	0	30000	18.9375	2004
21.01.2020 09:46:40	1	1	1	1	61	39.25	0	30000	464.516129	13741.47256	30000	0	0	30000	18.9375	2004
21.01.2020 09:46:40	1	1	1	1	61	39.25	0	30000	464.516129	13741.47256	30000	0	0	30000	18.9375	2004
21.01.2020 09:46:40	1	1	1	1	61	38.75	0	29905.213	458.0645161	13784.6873	30000	0	0	30000	18.5625	2004
21.01.2020 09:46:41	1	1	1	1	62.5	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18.75	2004
21.01.2020 09:46:42	1	1	1	1	62.5	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	18.25	2004
21.01.2020 09:46:43	1	1	1	1	62.5	38.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	18.9375	2004
21.01.2020 09:46:44	1	1	1	1	62.5	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	18.625	2004
21.01.2020 09:46:45	1	1	1	1	62.5	38.5	0	30000	466.6666667	14128.7745	30000	0	0	30000	18.875	2004
21.01.2020 09:46:46	1	1	1	1	62.5	38.75	0	30000	473.1182796	14064.36007	30000	0	0	30000	18.6875	2004
21.01.2020 09:46:47	1	1	1	1	62.5	38.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	19	2004
21.01.2020 09:46:48	1	1	1	1	62.5	39	0	29952.607	481.7204301	14451.662	30000	0	0	30000	18.5	2004
21.01.2020 09:46:49	1	1	1	1	62.5	38.5	0	30000	464.516129	13999.94564	30000	0	0	30000	18.5	2004
21.01.2020 09:46:50	1	1	1	1	62.5	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.25	2004
21.01.2020 09:46:51	1	1	1	1	63	38.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	19.0625	2004
21.01.2020 09:46:54	1	1	1	1	63	38.5	0	30000	460.2150538	13784.6873	30000	0	0	30000	18.25	2004
21.01.2020 09:46:54	1	1	1	1	63	38.5	0	30000	460.2150538	13784.6873	30000	0	0	30000	18.25	2004
21.01.2020 09:46:54	1	1	1	1	63	38.25	0	30000	449.4623656	13333.78632	30000	0	0	30000	18.6875	2004
21.01.2020 09:46:55	1	1	1	1	63	38.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	18.125	2004
21.01.2020 09:46:56	1	1	1	1	63	38	0	30000	464.516129	13870.30142	30000	0	0	30000	19.375	2004
21.01.2020 09:46:57	1	1	1	1	63	39.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	18.625	2004
21.01.2020 09:46:58	1	1	1	1	63	38.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	19.3125	2004
21.01.2020 09:47:00	1	1	1	1	63	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.75	2004
21.01.2020 09:47:01	1	1	1	1	63	39.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	19.25	2004
21.01.2020 09:47:02	1	1	1	1	64	39.25	0	29952.607	488.172043	14534.01462	30000	0	0	30000	19.625	2004
21.01.2020 09:47:03	1	1	1	1	64	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18.375	2004
21.01.2020 09:47:04	1	1	1	1	64	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	18.75	2004
21.01.2020 09:47:05	1	1	1	1	64	38.75	0	30000	481.7204301	14406.00114	30000	0	0	30000	18.6875	2004
21.01.2020 09:47:06	1	1	1	1	64	38.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	19.0625	2004
21.01.2020 09:47:07	1	1	1	1	64	39	0	30000	486.0215054	14580.49085	30000	0	0	30000	19.625	2004
21.01.2020 09:47:08	1	1	1	1	64	39.5	0	30000	511.827957	15354.27935	30000	0	0	30000	18.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:47:09	1	1	1	1	64	38.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	18.5	2004
21.01.2020 09:47:10	1	1	1	1	64	38.5	0	29763.033	520.4301075	15337.15652	30000	0	0	30000	18.5625	2004
21.01.2020 09:47:11	1	1	1	1	64.5	38.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	19.6875	2004
21.01.2020 09:47:12	1	1	1	1	64.5	39.5	0	29905.213	531.1827957	15934.82456	30000	0	0	30000	18.25	2004
21.01.2020 09:47:13	1	1	1	1	64.5	38.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	19.0625	2004
21.01.2020 09:47:14	1	1	1	1	64.5	39	0	30000	520.4301075	15548.338	30000	0	0	30000	19.25	2004
21.01.2020 09:47:15	1	1	1	1	64.5	39.25	0	30000	509.6774194	15201.80469	30000	0	0	30000	19.1875	2004
21.01.2020 09:47:16	1	1	1	1	64.5	39	0	30000	520.4301075	15548.338	30000	0	0	30000	18.5625	2004
21.01.2020 09:47:17	1	1	1	1	64.5	38.5	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	19.0625	2004
21.01.2020 09:47:18	1	1	1	1	64.5	39	0	30000	516.1290323	15612.75243	30000	0	0	30000	19.625	2004
21.01.2020 09:47:19	1	1	1	1	64.5	39.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	18.4375	2004
21.01.2020 09:47:20	1	1	1	1	64.5	38.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	19.1875	2004
21.01.2020 09:47:21	1	1	1	1	65.75	39	0	30000	516.1290323	15483.92357	30000	0	0	30000	18.75	2004
21.01.2020 09:47:22	1	1	1	1	65.75	38.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	18.875	2004
21.01.2020 09:47:23	1	1	1	1	65.75	38.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	19.625	2004
21.01.2020 09:47:24	1	1	1	1	65.75	39.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	19.4375	2004
21.01.2020 09:47:25	1	1	1	1	65.75	39.25	0	30000	507.5268817	15532.84592	30000	0	0	30000	19.25	2004
21.01.2020 09:47:26	1	1	1	1	65.75	39.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	19.875	2004
21.01.2020 09:47:27	1	1	1	1	65.75	39.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	18.5625	2004
21.01.2020 09:47:28	1	1	1	1	65.75	38.5	0	30000	505.3763441	15225.45049	30000	0	0	30000	18.5625	2004
21.01.2020 09:47:29	1	1	1	1	65.75	38.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	18.5625	2004
21.01.2020 09:47:30	1	1	1	1	65.75	38.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	18.5625	2004
21.01.2020 09:47:31	1	1	1	1	66	38.5	0	30047.393	483.8709677	14580.49085	30000	0	0	30000	19.1875	2004
21.01.2020 09:47:32	1	1	1	1	66	39	0	30000	503.2258065	15096.62164	30000	0	0	30000	19.625	2004
21.01.2020 09:47:33	1	1	1	1	66	39.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	19	2004
21.01.2020 09:47:34	1	1	1	1	66	39	0	30000	503.2258065	15096.62164	30000	0	0	30000	18.9375	2004
21.01.2020 09:47:35	1	1	1	1	66	38.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	19.25	2004
21.01.2020 09:47:41	1	1	1	1	66	40	0	30000	503.2258065	15225.45049	30000	0	0	30000	21.0625	2004
21.01.2020 09:47:41	1	1	1	1	66	40	0	30000	503.2258065	15225.45049	30000	0	0	30000	21.0625	2004
21.01.2020 09:47:41	1	1	1	1	66	40	0	30000	503.2258065	15225.45049	30000	0	0	30000	21.0625	2004
21.01.2020 09:47:41	1	1	1	1	66	40	0	30000	503.2258065	15225.45049	30000	0	0	30000	21.0625	2004
21.01.2020 09:47:41	1	1	1	1	66	40	0	30000	503.2258065	15225.45049	30000	0	0	30000	21.0625	2004
21.01.2020 09:47:42	1	1	1	1	67.25	41	0	30000	492.4731183	14773.73413	30000	0	0	30000	18.75	2004
21.01.2020 09:47:43	1	1	1	1	67.25	39.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.0625	2004
21.01.2020 09:47:44	1	1	1	1	67.25	39	0	30000	490.3225806	14773.73413	30000	0	0	30000	19.5	2004
21.01.2020 09:47:45	1	1	1	1	67.25	39.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	18.5625	2004
21.01.2020 09:47:46	1	1	1	1	67.25	38.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	19.0625	2004
21.01.2020 09:47:47	1	1	1	1	67.25	39	0	30000	496.7741935	14902.56299	30000	0	0	30000	18.8125	2004
21.01.2020 09:47:48	1	1	1	1	67.25	38.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	18.875	2004
21.01.2020 09:47:49	1	1	1	1	67.25	38.75	0	30000	490.3225806	14667.73571	30000	0	0	30000	18.8125	2004
21.01.2020 09:47:50	1	1	1	1	67.25	38.75	0	30000	492.4731183	14797.37994	30000	0	0	30000	18.5625	2004
21.01.2020 09:47:51	1	1	1	1	67	38.5	0	30000	494.6236559	14727.2579	30000	0	0	30000	18.625	2004
21.01.2020 09:47:52	1	1	1	1	67	38.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	19.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:47:53	1	1	1	1	67	39.25	0	30000	488.172043	14644.90528	30000	0	0	30000	19.1875	2004
21.01.2020 09:47:54	1	1	1	1	67	39	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.25	2004
21.01.2020 09:47:55	1	1	1	1	67	39.25	0	30000	486.0215054	14773.73413	30000	0	0	30000	19.125	2004
21.01.2020 09:47:56	1	1	1	1	67	39	0	29952.607	464.516129	13849.10173	30000	0	0	30000	18.75	2004
21.01.2020 09:47:57	1	1	1	1	67	38.75	0	30000	464.516129	13762.67225	30000	0	0	30000	19.625	2004
21.01.2020 09:47:58	1	1	1	1	67	39.5	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	18.75	2004
21.01.2020 09:47:59	1	1	1	1	67	38.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	19.6875	2004
21.01.2020 09:48:00	1	1	1	1	67	39.5	0	30000	494.6236559	14598.42905	30000	0	0	30000	19.9375	2004
21.01.2020 09:48:01	1	1	1	1	67.25	39.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	19.25	2004
21.01.2020 09:48:02	1	1	1	1	67.25	39.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.5	2004
21.01.2020 09:48:03	1	1	1	1	67.25	39.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	19.75	2004
21.01.2020 09:48:04	1	1	1	1	67.25	39.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.0625	2004
21.01.2020 09:48:05	1	1	1	1	67.25	39	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	19.125	2004
21.01.2020 09:48:06	1	1	1	1	67.25	39	0	30000	492.4731183	14773.73413	30000	0	0	30000	19.1875	2004
21.01.2020 09:48:07	1	1	1	1	67.25	39	0	30000	494.6236559	14773.73413	30000	0	0	30000	18.6875	2004
21.01.2020 09:48:08	1	1	1	1	67.25	38.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.4375	2004
21.01.2020 09:48:09	1	1	1	1	67.25	39.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	19	2004
21.01.2020 09:48:10	1	1	1	1	67.25	39	0	30000	501.0752688	15055.85302	30000	0	0	30000	18.8125	2004
21.01.2020 09:48:11	1	1	1	1	68	38.75	0	30000	488.172043	14644.90528	30000	0	0	30000	19.4375	2004
21.01.2020 09:48:12	1	1	1	1	68	39.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	19.0625	2004
21.01.2020 09:48:13	1	1	1	1	68	39	0	30000	494.6236559	14838.14856	30000	0	0	30000	19.9375	2004
21.01.2020 09:48:14	1	1	1	1	68	39.75	0	30000	498.9247312	15337.9719	30000	0	0	30000	19.0625	2004
21.01.2020 09:48:15	1	1	1	1	68	39	0	30000	488.172043	14580.49085	30000	0	0	30000	19.5	2004
21.01.2020 09:48:17	1	1	1	1	68	39.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	19.875	2004
21.01.2020 09:48:18	1	1	1	1	68	39.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	19.3125	2004
21.01.2020 09:48:19	1	1	1	1	68	39.25	0	30000	488.172043	14644.90528	30000	0	0	30000	19.1875	2004
21.01.2020 09:48:20	1	1	1	1	68	39	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.5	2004
21.01.2020 09:48:21	1	1	1	1	68	40.5	0	29952.607	498.9247312	14879.73256	30000	0	0	30000	18.8125	2004
21.01.2020 09:48:22	1	1	1	1	69.75	38.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	19.5625	2004
21.01.2020 09:48:23	1	1	1	1	69.75	39.5	0	29905.213	509.6774194	15354.27935	30000	0	0	30000	19.375	2004
21.01.2020 09:48:24	1	1	1	1	69.75	39.25	0	30047.393	516.1290323	15418.69377	30000	0	0	30000	19.3125	2004
21.01.2020 09:48:25	1	1	1	1	69.75	39.25	0	30000	516.1290323	15289.86492	30000	0	0	30000	18.875	2004
21.01.2020 09:48:26	1	1	1	1	69.75	38.75	0	30000	511.827957	15418.69377	30000	0	0	30000	19.5	2004
21.01.2020 09:48:27	1	1	1	1	69.75	39.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	18.9375	2004
21.01.2020 09:48:28	1	1	1	1	69.75	38.75	0	30000	488.172043	14773.73413	30000	0	0	30000	19.5	2004
21.01.2020 09:48:29	1	1	1	1	69.75	39.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	19.3125	2004
21.01.2020 09:48:30	1	1	1	1	69.75	39.25	0	30000	496.7741935	14879.73256	30000	0	0	30000	19.4375	2004
21.01.2020 09:48:31	1	1	1	1	70	39.25	0	30000	490.3225806	14902.56299	30000	0	0	30000	19.4375	2004
21.01.2020 09:48:32	1	1	1	1	70	39.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.0625	2004
21.01.2020 09:48:33	1	1	1	1	70	40	0	30000	492.4731183	14838.14856	30000	0	0	30000	18.8125	2004
21.01.2020 09:48:34	1	1	1	1	70	38.75	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	18.875	2004
21.01.2020 09:48:35	1	1	1	1	70	38.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.25	2004
21.01.2020 09:48:36	1	1	1	1	70	39.25	0	30000	518.2795699	15548.338	30000	0	0	30000	20	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:48:37	1	1	1	1	70	40	0	30000	531.1827957	15934.82456	30000	0	0	30000	19.5	2004
21.01.2020 09:48:43	1	1	1	1	70.25	39.25	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	20	2004
21.01.2020 09:48:43	1	1	1	1	70.25	39.25	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	20	2004
21.01.2020 09:48:43	1	1	1	1	70.25	39.25	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	20	2004
21.01.2020 09:48:43	1	1	1	1	70.25	39.25	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	20	2004
21.01.2020 09:48:43	1	1	1	1	70.25	40	0	30000	511.827957	15354.27935	30000	0	0	30000	19.1875	2004
21.01.2020 09:48:44	1	1	1	1	70.25	39	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.0625	2004
21.01.2020 09:48:45	1	1	1	1	70.25	39	0	30000	522.5806452	15741.58128	30000	0	0	30000	19	2004
21.01.2020 09:48:46	1	1	1	1	70.25	39	0	30000	507.5268817	15289.86492	30000	0	0	30000	19.875	2004
21.01.2020 09:48:47	1	1	1	1	70.25	39.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	19.1875	2004
21.01.2020 09:48:48	1	1	1	1	70.25	39	0	30000	509.6774194	15289.86492	30000	0	0	30000	19.4375	2004
21.01.2020 09:48:49	1	1	1	1	70.25	39.25	0	30000	516.1290323	15548.338	30000	0	0	30000	19.0625	2004
21.01.2020 09:48:50	1	1	1	1	70.25	39	0	30000	520.4301075	15612.75243	30000	0	0	30000	19.0625	2004
21.01.2020 09:48:51	1	1	1	1	71.75	39	0	30000	520.4301075	15741.58128	30000	0	0	30000	19.3125	2004
21.01.2020 09:48:52	1	1	1	1	71.75	39.25	0	30000	501.0752688	15008.56141	30000	0	0	30000	19.0625	2004
21.01.2020 09:48:53	1	1	1	1	71.75	39	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	18.875	2004
21.01.2020 09:48:55	1	1	1	1	71.75	38.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.375	2004
21.01.2020 09:48:56	1	1	1	1	71.75	39.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	19.5625	2004
21.01.2020 09:48:57	1	1	1	1	71.75	39.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	22	2004
21.01.2020 09:48:58	1	1	1	1	71.75	42	0	30000	518.2795699	15548.338	30000	0	0	30000	21.125	2004
21.01.2020 09:48:59	1	1	1	1	71.75	39	0	29952.607	503.2258065	15354.27935	30000	0	0	30000	19.25	2004
21.01.2020 09:49:00	1	1	1	1	71.75	39.25	0	30000	520.4301075	15435.00122	30000	0	0	30000	20.5	2004
21.01.2020 09:49:01	1	1	1	1	71.75	40.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	19.4375	2004
21.01.2020 09:49:02	1	1	1	1	71.75	39.25	0	30000	516.1290323	15435.00122	30000	0	0	30000	20.5	2004
21.01.2020 09:49:03	1	1	1	1	71.75	40.5	0	30000	516.1290323	15418.69377	30000	0	0	30000	19.5	2004
21.01.2020 09:49:04	1	1	1	1	71.75	39.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.1875	2004
21.01.2020 09:49:05	1	1	1	1	71.75	39	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.3125	2004
21.01.2020 09:49:06	1	1	1	1	71.75	39.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	19.25	2004
21.01.2020 09:49:07	1	1	1	1	71.75	39.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	18.9375	2004
21.01.2020 09:49:08	1	1	1	1	71.75	38.75	0	30047.393	522.5806452	15627.42913	30000	0	0	30000	19.4375	2004
21.01.2020 09:49:09	1	1	1	1	71.75	39.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.1875	2004
21.01.2020 09:49:10	1	1	1	1	71.75	39	0	30000	498.9247312	15032.20721	30000	0	0	30000	19.625	2004
21.01.2020 09:49:11	1	1	1	1	71.75	39.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.625	2004
21.01.2020 09:49:12	1	1	1	1	71.75	40.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	19.9375	2004
21.01.2020 09:49:13	1	1	1	1	71.75	39.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	19.4375	2004
21.01.2020 09:49:14	1	1	1	1	71.75	39.25	0	30000	511.827957	15354.27935	30000	0	0	30000	20.125	2004
21.01.2020 09:49:15	1	1	1	1	71.75	40	0	30000	516.1290323	15289.86492	30000	0	0	30000	19.9375	2004
21.01.2020 09:49:16	1	1	1	1	71.75	39.75	0	29952.607	516.1290323	15306.17237	30000	0	0	30000	20.1875	2004
21.01.2020 09:49:17	1	1	1	1	71.75	40	0	30000	533.3333333	15934.82456	30000	0	0	30000	19.5	2004
21.01.2020 09:49:18	1	1	1	1	71.75	39.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	20.625	2004
21.01.2020 09:49:19	1	1	1	1	71.75	40.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	19.25	2004
21.01.2020 09:49:20	1	1	1	1	71.75	39.25	0	30000	496.7741935	14991.43859	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:49:21	1	1	1	1	71.5	39	0	30000	505.3763441	15161.03607	30000	0	0	30000	19.125	2004
21.01.2020 09:49:22	1	1	1	1	71.5	39	0	30000	518.2795699	15612.75243	30000	0	0	30000	19.9375	2004
21.01.2020 09:49:23	1	1	1	1	71.5	39.75	0	30000	520.4301075	15548.338	30000	0	0	30000	20.25	2004
21.01.2020 09:49:24	1	1	1	1	71.5	40.25	0	30000	509.6774194	15483.92357	30000	0	0	30000	20.125	2004
21.01.2020 09:49:25	1	1	1	1	71.5	40	0	30000	507.5268817	15225.45049	30000	0	0	30000	20.3125	2004
21.01.2020 09:49:26	1	1	1	1	71.5	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.75	2004
21.01.2020 09:49:27	1	1	1	1	71.5	39.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	19.25	2004
21.01.2020 09:49:28	1	1	1	1	71.5	39.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	19.125	2004
21.01.2020 09:49:29	1	1	1	1	71.5	39	0	30000	481.7204301	14451.662	30000	0	0	30000	19.5	2004
21.01.2020 09:49:30	1	1	1	1	71.5	39.5	0	30094.787	501.0752688	14926.20879	30000	0	0	30000	19.375	2004
21.01.2020 09:49:32	1	1	1	1	72.75	39.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.1875	2004
21.01.2020 09:49:33	1	1	1	1	72.75	40	0	30000	509.6774194	15289.86492	30000	0	0	30000	20.0625	2004
21.01.2020 09:49:34	1	1	1	1	72.75	40	0	30000	507.5268817	15289.86492	30000	0	0	30000	20.125	2004
21.01.2020 09:49:35	1	1	1	1	72.75	40	0	30000	492.4731183	14750.9037	30000	0	0	30000	20.4375	2004
21.01.2020 09:49:36	1	1	1	1	72.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.625	2004
21.01.2020 09:49:37	1	1	1	1	72.75	39.5	0	29952.607	503.2258065	15354.27935	30000	0	0	30000	21.5	2004
21.01.2020 09:49:38	1	1	1	1	72.75	40.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	19.625	2004
21.01.2020 09:49:39	1	1	1	1	72.75	39.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	19	2004
21.01.2020 09:49:45	1	1	1	1	74	39	0	30000	507.5268817	15225.45049	30000	0	0	30000	19.6875	2004
21.01.2020 09:49:45	1	1	1	1	74	39	0	30000	507.5268817	15225.45049	30000	0	0	30000	19.6875	2004
21.01.2020 09:49:45	1	1	1	1	74	39	0	30000	507.5268817	15225.45049	30000	0	0	30000	19.6875	2004
21.01.2020 09:49:45	1	1	1	1	74	39	0	30000	507.5268817	15225.45049	30000	0	0	30000	19.6875	2004
21.01.2020 09:49:45	1	1	1	1	74	39.5	0	29952.607	511.827957	15354.27935	30000	0	0	30000	19.375	2004
21.01.2020 09:49:46	1	1	1	1	74	39.25	0	30000	511.827957	15289.86492	30000	0	0	30000	19.375	2004
21.01.2020 09:49:47	1	1	1	1	74	39.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20	2004
21.01.2020 09:49:48	1	1	1	1	74	40	0	30000	516.1290323	15354.27935	30000	0	0	30000	19.6875	2004
21.01.2020 09:49:49	1	1	1	1	74	39.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.5	2004
21.01.2020 09:49:50	1	1	1	1	74	40.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.75	2004
21.01.2020 09:49:51	1	1	1	1	75.5	39.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	19.6875	2004
21.01.2020 09:49:52	1	1	1	1	75.5	39.5	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	19.9375	2004
21.01.2020 09:49:53	1	1	1	1	75.5	39.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.625	2004
21.01.2020 09:49:54	1	1	1	1	75.5	39.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	19.8125	2004
21.01.2020 09:49:55	1	1	1	1	75.5	39.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	19.5625	2004
21.01.2020 09:49:56	1	1	1	1	75.5	39.5	0	30000	516.1290323	15241.75794	30000	0	0	30000	21	2004
21.01.2020 09:49:57	1	1	1	1	75.5	41	0	30000	511.827957	15443.15495	30000	0	0	30000	19.75	2004
21.01.2020 09:49:58	1	1	1	1	75.5	39.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.6875	2004
21.01.2020 09:49:59	1	1	1	1	75.5	39.5	0	30000	505.3763441	15225.45049	30000	0	0	30000	19.3125	2004
21.01.2020 09:50:00	1	1	1	1	75.5	39.25	0	30000	522.5806452	15435.00122	30000	0	0	30000	20	2004
21.01.2020 09:50:01	1	1	1	1	76.25	40	0	30000	533.3333333	15781.53453	30000	0	0	30000	19.5625	2004
21.01.2020 09:50:02	1	1	1	1	76.25	39.5	0	29952.607	520.4301075	15652.70568	30000	0	0	30000	20.875	2004
21.01.2020 09:50:03	1	1	1	1	76.25	40.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	19.625	2004
21.01.2020 09:50:04	1	1	1	1	76.25	39.5	0	30047.393	529.0322581	15805.99571	30000	0	0	30000	19.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:50:05	1	1	1	1	76.25	39.25	0	30000	518.2795699	15548.338	30000	0	0	30000	20.8125	2004
21.01.2020 09:50:06	1	1	1	1	76.25	40.75	0	30000	516.1290323	15612.75243	30000	0	0	30000	19.3125	2004
21.01.2020 09:50:07	1	1	1	1	76.25	39.25	0	29952.607	518.2795699	15677.16685	30000	0	0	30000	20.9375	2004
21.01.2020 09:50:08	1	1	1	1	76.25	40.75	0	30000	511.827957	15354.27935	30000	0	0	30000	19.6875	2004
21.01.2020 09:50:09	1	1	1	1	76.25	39.5	0	29952.607	529.0322581	15934.82456	30000	0	0	30000	19.5	2004
21.01.2020 09:50:11	1	1	1	1	76.25	39.5	0	30047.393	524.7311828	15677.16685	30000	0	0	30000	19.375	2004
21.01.2020 09:50:12	1	1	1	1	76	39.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	20.125	2004
21.01.2020 09:50:13	1	1	1	1	76	40	0	30000	520.4301075	15548.338	30000	0	0	30000	19.75	2004
21.01.2020 09:50:14	1	1	1	1	76	39.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.375	2004
21.01.2020 09:50:15	1	1	1	1	76	40.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	20.125	2004
21.01.2020 09:50:16	1	1	1	1	76	40	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.9375	2004
21.01.2020 09:50:17	1	1	1	1	76	40.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	19.5625	2004
21.01.2020 09:50:18	1	1	1	1	76	40.5	0	29952.607	518.2795699	15677.16685	30000	0	0	30000	19.8125	2004
21.01.2020 09:50:19	1	1	1	1	76	39.75	0	30000	524.7311828	15934.82456	30000	0	0	30000	19.75	2004
21.01.2020 09:50:20	1	1	1	1	76	39.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	20	2004
21.01.2020 09:50:21	1	1	1	1	76.5	40	0	30000	516.1290323	15548.338	30000	0	0	30000	19.4375	2004
21.01.2020 09:50:22	1	1	1	1	76.5	39.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	20	2004
21.01.2020 09:50:23	1	1	1	1	76.5	40	0	30000	520.4301075	15548.338	30000	0	0	30000	19.5625	2004
21.01.2020 09:50:24	1	1	1	1	76.5	39.5	0	30000	511.827957	15483.92357	30000	0	0	30000	20.25	2004
21.01.2020 09:50:25	1	1	1	1	76.5	40.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	21.25	2004
21.01.2020 09:50:26	1	1	1	1	76.5	41.25	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	20.125	2004
21.01.2020 09:50:27	1	1	1	1	76.5	40	0	30000	533.3333333	16064.46878	30000	0	0	30000	20.375	2004
21.01.2020 09:50:28	1	1	1	1	76.5	40.25	0	30000	524.7311828	15831.27225	30000	0	0	30000	19.875	2004
21.01.2020 09:50:29	1	1	1	1	76.5	39.75	0	29857.82	535.483871	16181.06705	30000	0	0	30000	20.1875	2004
21.01.2020 09:50:30	1	1	1	1	76.5	40	0	30000	526.8817204	15805.99571	30000	0	0	30000	20	2004
21.01.2020 09:50:31	1	1	1	1	76.25	40	0	30000	526.8817204	15805.99571	30000	0	0	30000	20.6875	2004
21.01.2020 09:50:32	1	1	1	1	76.25	40.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	19.75	2004
21.01.2020 09:50:33	1	1	1	1	76.25	39.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	20.0625	2004
21.01.2020 09:50:34	1	1	1	1	76.25	40	0	29810.427	535.483871	15962.54722	30000	0	0	30000	19.5625	2004
21.01.2020 09:50:35	1	1	1	1	76.25	39.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	20	2004
21.01.2020 09:50:36	1	1	1	1	76.25	40	0	29905.213	535.483871	15949.50126	30000	0	0	30000	20.5	2004
21.01.2020 09:50:37	1	1	1	1	76.25	40.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	20.25	2004
21.01.2020 09:50:38	1	1	1	1	76.25	40.25	0	30047.393	533.3333333	16000.05436	30000	0	0	30000	19.6875	2004
21.01.2020 09:50:39	1	1	1	1	76.25	39.5	0	29952.607	516.1290323	15548.338	30000	0	0	30000	20	2004
21.01.2020 09:50:40	1	1	1	1	76.25	40	0	30000	518.2795699	15548.338	30000	0	0	30000	19.8125	2004
21.01.2020 09:50:46	1	1	1	1	77	39.5	0	30000	524.7311828	16000.05436	30000	0	0	30000	20.25	2004
21.01.2020 09:50:46	1	1	1	1	77	39.5	0	30000	524.7311828	16000.05436	30000	0	0	30000	20.25	2004
21.01.2020 09:50:46	1	1	1	1	77	39.5	0	30000	524.7311828	16000.05436	30000	0	0	30000	20.25	2004
21.01.2020 09:50:46	1	1	1	1	77	39.5	0	30000	524.7311828	16000.05436	30000	0	0	30000	20.25	2004
21.01.2020 09:50:46	1	1	1	1	77	39.5	0	30000	524.7311828	16000.05436	30000	0	0	30000	20.25	2004
21.01.2020 09:50:46	1	1	1	1	77	40.25	0	29952.607	503.2258065	15225.45049	30000	0	0	30000	20.875	2004
21.01.2020 09:50:47	1	1	1	1	77	40.75	0	29905.213	511.827957	15354.27935	30000	0	0	30000	19.9375	2004
21.01.2020 09:50:49	1	1	1	1	77	39.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:50:50	1	1	1	1	77	40	0	29905.213	518.2795699	15498.60028	30000	0	0	30000	20.3125	2004
21.01.2020 09:50:51	1	1	1	1	77	40.25	0	29905.213	516.1290323	15741.58128	30000	0	0	30000	20.3125	2004
21.01.2020 09:50:52	1	1	1	1	79.25	40.25	0	30000	526.8817204	15652.70568	30000	0	0	30000	20	2004
21.01.2020 09:50:53	1	1	1	1	79.25	40	0	30000	524.7311828	15895.68668	30000	0	0	30000	21.5	2004
21.01.2020 09:50:54	1	1	1	1	79.25	41.5	0	30047.393	520.4301075	15483.92357	30000	0	0	30000	19.5	2004
21.01.2020 09:50:55	1	1	1	1	79.25	39.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.1875	2004
21.01.2020 09:50:56	1	1	1	1	79.25	41.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.3125	2004
21.01.2020 09:50:57	1	1	1	1	79.25	40.25	0	30000	511.827957	15289.86492	30000	0	0	30000	19.9375	2004
21.01.2020 09:50:58	1	1	1	1	79.25	39.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	19.8125	2004
21.01.2020 09:50:59	1	1	1	1	79.25	39.75	0	30000	522.5806452	15548.338	30000	0	0	30000	20.375	2004
21.01.2020 09:51:00	1	1	1	1	79.25	40.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	20.4375	2004
21.01.2020 09:51:01	1	1	1	1	79.75	40.25	0	29952.607	526.8817204	16000.05436	30000	0	0	30000	20.1875	2004
21.01.2020 09:51:02	1	1	1	1	79.75	40	0	30000	520.4301075	15483.92357	30000	0	0	30000	19.75	2004
21.01.2020 09:51:03	1	1	1	1	79.75	39.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	20.875	2004
21.01.2020 09:51:04	1	1	1	1	79.75	40.75	0	29905.213	533.3333333	16257.71206	30000	0	0	30000	19.75	2004
21.01.2020 09:51:05	1	1	1	1	79.75	39.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.1875	2004
21.01.2020 09:51:06	1	1	1	1	79.75	41	0	29952.607	524.7311828	15756.25798	30000	0	0	30000	20.9375	2004
21.01.2020 09:51:07	1	1	1	1	79.75	40.75	0	30000	516.1290323	15266.21912	30000	0	0	30000	20.8125	2004
21.01.2020 09:51:08	1	1	1	1	79.75	40.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	19.75	2004
21.01.2020 09:51:09	1	1	1	1	79.75	39.75	0	30000	531.1827957	15960.10111	30000	0	0	30000	19.8125	2004
21.01.2020 09:51:10	1	1	1	1	79.75	39.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	20.125	2004
21.01.2020 09:51:11	1	1	1	1	80.75	40	0	30047.393	518.2795699	15548.338	30000	0	0	30000	20.3125	2004
21.01.2020 09:51:12	1	1	1	1	80.75	40.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	19.8125	2004
21.01.2020 09:51:13	1	1	1	1	80.75	39.75	0	30000	516.1290323	15548.338	30000	0	0	30000	20.3125	2004
21.01.2020 09:51:14	1	1	1	1	80.75	40.25	0	29952.607	507.5268817	15201.80469	30000	0	0	30000	19.75	2004
21.01.2020 09:51:15	1	1	1	1	80.75	39.75	0	30000	511.827957	15289.86492	30000	0	0	30000	19.6875	2004
21.01.2020 09:51:16	1	1	1	1	80.75	39.5	0	30000	518.2795699	15548.338	30000	0	0	30000	20.125	2004
21.01.2020 09:51:17	1	1	1	1	80.75	40	0	29952.607	533.3333333	15910.36338	30000	0	0	30000	21.4375	2004
21.01.2020 09:51:18	1	1	1	1	80.75	41.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.6875	2004
21.01.2020 09:51:19	1	1	1	1	80.75	40.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	19.875	2004
21.01.2020 09:51:20	1	1	1	1	80.75	39.75	0	29952.607	529.0322581	15870.41013	30000	0	0	30000	20.4375	2004
21.01.2020 09:51:21	1	1	1	1	80	40.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	20.0625	2004
21.01.2020 09:51:22	1	1	1	1	80	40	0	30000	531.1827957	15870.41013	30000	0	0	30000	20.1875	2004
21.01.2020 09:51:23	1	1	1	1	80	40	0	30000	516.1290323	15435.00122	30000	0	0	30000	19.8125	2004
21.01.2020 09:51:24	1	1	1	1	80	39.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	20.6875	2004
21.01.2020 09:51:25	1	1	1	1	80	40.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	19.625	2004
21.01.2020 09:51:27	1	1	1	1	80	39.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	20	2004
21.01.2020 09:51:28	1	1	1	1	80	40	0	30000	496.7741935	14902.56299	30000	0	0	30000	20	2004
21.01.2020 09:51:29	1	1	1	1	80	40	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.375	2004
21.01.2020 09:51:30	1	1	1	1	80	40.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.5625	2004
21.01.2020 09:51:31	1	1	1	1	80	40.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.6875	2004
21.01.2020 09:51:32	1	1	1	1	80.5	40.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	20.125	2004
21.01.2020 09:51:33	1	1	1	1	80.5	40	0	30000	494.6236559	14773.73413	30000	0	0	30000	19.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:51:34	1	1	1	1	80.5	39.75	0	30000	511.827957	15354.27935	30000	0	0	30000	20.375	2004
21.01.2020 09:51:35	1	1	1	1	80.5	42.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	20.25	2004
21.01.2020 09:51:36	1	1	1	1	80.5	40.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.3125	2004
21.01.2020 09:51:37	1	1	1	1	80.5	40.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	19.75	2004
21.01.2020 09:51:38	1	1	1	1	80.5	39.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.5	2004
21.01.2020 09:51:39	1	1	1	1	80.5	40.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.1875	2004
21.01.2020 09:51:40	1	1	1	1	80.5	40	0	30000	507.5268817	15289.86492	30000	0	0	30000	20.8125	2004
21.01.2020 09:51:41	1	1	1	1	81	40.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	20.6875	2004
21.01.2020 09:51:42	1	1	1	1	81	40.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	20.625	2004
21.01.2020 09:51:48	1	1	1	1	81	40.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.375	2004
21.01.2020 09:51:48	1	1	1	1	81	40.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.375	2004
21.01.2020 09:51:48	1	1	1	1	81	40.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.375	2004
21.01.2020 09:51:48	1	1	1	1	81	40.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.375	2004
21.01.2020 09:51:48	1	1	1	1	81	40.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	20.375	2004
21.01.2020 09:51:49	1	1	1	1	81	40.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.375	2004
21.01.2020 09:51:50	1	1	1	1	81	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.9375	2004
21.01.2020 09:51:51	1	1	1	1	82.25	39.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.5	2004
21.01.2020 09:51:52	1	1	1	1	82.25	40.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	20.375	2004
21.01.2020 09:51:53	1	1	1	1	82.25	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.8125	2004
21.01.2020 09:51:54	1	1	1	1	82.25	39.75	0	30000	496.7741935	15161.03607	30000	0	0	30000	20.1875	2004
21.01.2020 09:51:55	1	1	1	1	82.25	40	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.4375	2004
21.01.2020 09:51:56	1	1	1	1	82.25	40.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	20	2004
21.01.2020 09:51:57	1	1	1	1	82.25	40	0	30000	520.4301075	15741.58128	30000	0	0	30000	20.3125	2004
21.01.2020 09:51:58	1	1	1	1	82.25	40.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	20.4375	2004
21.01.2020 09:51:59	1	1	1	1	82.25	40.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	21.25	2004
21.01.2020 09:52:00	1	1	1	1	82.25	41.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.5	2004
21.01.2020 09:52:01	1	1	1	1	82.75	40.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.5	2004
21.01.2020 09:52:02	1	1	1	1	82.75	40.5	0	30000	516.1290323	15418.69377	30000	0	0	30000	20.8125	2004
21.01.2020 09:52:03	1	1	1	1	82.75	40.75	0	30000	511.827957	15548.338	30000	0	0	30000	20.6875	2004
21.01.2020 09:52:04	1	1	1	1	82.75	40.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	20.25	2004
21.01.2020 09:52:05	1	1	1	1	82.75	40.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	20.25	2004
21.01.2020 09:52:07	1	1	1	1	82.75	40.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	20.375	2004
21.01.2020 09:52:08	1	1	1	1	82.75	40.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.375	2004
21.01.2020 09:52:09	1	1	1	1	82.75	40.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	20.6875	2004
21.01.2020 09:52:10	1	1	1	1	82.75	40.5	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	20.1875	2004
21.01.2020 09:52:11	1	1	1	1	82.75	40	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	21.1875	2004
21.01.2020 09:52:12	1	1	1	1	83.75	41	0	30000	516.1290323	15548.338	30000	0	0	30000	20.625	2004
21.01.2020 09:52:13	1	1	1	1	83.75	40.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	22.875	2004
21.01.2020 09:52:14	1	1	1	1	83.75	42.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.0625	2004
21.01.2020 09:52:15	1	1	1	1	83.75	40	0	30000	518.2795699	15612.75243	30000	0	0	30000	20.875	2004
21.01.2020 09:52:16	1	1	1	1	83.75	40.75	0	29905.213	511.827957	15523.87682	30000	0	0	30000	21	2004
21.01.2020 09:52:17	1	1	1	1	83.75	41	0	30000	516.1290323	15354.27935	30000	0	0	30000	20.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:52:18	1	1	1	1	83.75	40.75	0	30000	511.827957	15483.92357	30000	0	0	30000	21	2004
21.01.2020 09:52:19	1	1	1	1	83.75	41	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	21.5	2004
21.01.2020 09:52:20	1	1	1	1	83.75	41.5	0	30000	511.827957	15483.92357	30000	0	0	30000	20.5	2004
21.01.2020 09:52:21	1	1	1	1	84.25	40.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	20.375	2004
21.01.2020 09:52:22	1	1	1	1	84.25	40.25	0	30000	511.827957	15418.69377	30000	0	0	30000	21	2004
21.01.2020 09:52:23	1	1	1	1	84.25	41	0	30000	511.827957	15354.27935	30000	0	0	30000	20.3125	2004
21.01.2020 09:52:24	1	1	1	1	84.25	40.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.5	2004
21.01.2020 09:52:25	1	1	1	1	84.25	40.5	0	30000	509.6774194	15241.75794	30000	0	0	30000	20.625	2004
21.01.2020 09:52:26	1	1	1	1	84.25	40.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	20.5	2004
21.01.2020 09:52:27	1	1	1	1	84.25	40.5	0	30000	522.5806452	15652.70568	30000	0	0	30000	20.5	2004
21.01.2020 09:52:28	1	1	1	1	84.25	40.5	0	29952.607	529.0322581	15910.36338	30000	0	0	30000	20.4375	2004
21.01.2020 09:52:29	1	1	1	1	84.25	40.25	0	30000	522.5806452	15766.85783	30000	0	0	30000	20.5	2004
21.01.2020 09:52:30	1	1	1	1	84.25	40.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	20.3125	2004
21.01.2020 09:52:31	1	1	1	1	84	40.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.5625	2004
21.01.2020 09:52:32	1	1	1	1	84	40.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	20.875	2004
21.01.2020 09:52:33	1	1	1	1	84	40.75	0	30000	520.4301075	15548.338	30000	0	0	30000	20.25	2004
21.01.2020 09:52:34	1	1	1	1	84	40.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	20.8125	2004
21.01.2020 09:52:35	1	1	1	1	84	40.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.8125	2004
21.01.2020 09:52:36	1	1	1	1	84	40.75	0	30000	518.2795699	15548.338	30000	0	0	30000	20.4375	2004
21.01.2020 09:52:37	1	1	1	1	84	40.25	0	29952.607	516.1290323	15548.338	30000	0	0	30000	21	2004
21.01.2020 09:52:38	1	1	1	1	84	41	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	20.25	2004
21.01.2020 09:52:39	1	1	1	1	84	40.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	20.8125	2004
21.01.2020 09:52:40	1	1	1	1	84	40.75	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	21	2004
21.01.2020 09:52:41	1	1	1	1	84.5	41	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.875	2004
21.01.2020 09:52:42	1	1	1	1	84.5	40.75	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	20.9375	2004
21.01.2020 09:52:43	1	1	1	1	84.5	40.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	21.1875	2004
21.01.2020 09:52:49	1	1	1	1	84.5	41	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.5625	2004
21.01.2020 09:52:49	1	1	1	1	84.5	41	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.5625	2004
21.01.2020 09:52:49	1	1	1	1	84.5	41	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.5625	2004
21.01.2020 09:52:49	1	1	1	1	84.5	41	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.5625	2004
21.01.2020 09:52:50	1	1	1	1	84.5	40.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	21.4375	2004
21.01.2020 09:52:51	1	1	1	1	84.5	41.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.375	2004
21.01.2020 09:52:52	1	1	1	1	85.5	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	21.6875	2004
21.01.2020 09:52:53	1	1	1	1	85.5	42.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.1875	2004
21.01.2020 09:52:54	1	1	1	1	85.5	40	0	30000	486.0215054	14580.49085	30000	0	0	30000	20.375	2004
21.01.2020 09:52:55	1	1	1	1	85.5	40.25	0	30000	488.172043	14644.90528	30000	0	0	30000	21.1875	2004
21.01.2020 09:52:56	1	1	1	1	85.5	41	0	30000	494.6236559	14838.14856	30000	0	0	30000	21	2004
21.01.2020 09:52:57	1	1	1	1	85.5	41	0	30000	494.6236559	14838.14856	30000	0	0	30000	20.5	2004
21.01.2020 09:52:58	1	1	1	1	85.5	40.5	0	30000	488.172043	14644.90528	30000	0	0	30000	22.25	2004
21.01.2020 09:52:59	1	1	1	1	85.5	42.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	21.25	2004
21.01.2020 09:53:00	1	1	1	1	85.5	41.25	0	29952.607	496.7741935	14967.79279	30000	0	0	30000	21.125	2004
21.01.2020 09:53:01	1	1	1	1	86.5	41	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:53:02	1	1	1	1	86.5	40.5	0	30000	516.1290323	15225.45049	30000	0	0	30000	21.1875	2004
21.01.2020 09:53:03	1	1	1	1	86.5	41	0	30000	503.2258065	15032.20721	30000	0	0	30000	21.5625	2004
21.01.2020 09:53:04	1	1	1	1	86.5	41.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	20.5	2004
21.01.2020 09:53:05	1	1	1	1	86.5	40.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	20.9375	2004
21.01.2020 09:53:06	1	1	1	1	86.5	40.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.25	2004
21.01.2020 09:53:07	1	1	1	1	86.5	41.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	20.8125	2004
21.01.2020 09:53:08	1	1	1	1	86.5	40.75	0	30000	524.7311828	15435.00122	30000	0	0	30000	20.75	2004
21.01.2020 09:53:09	1	1	1	1	86.5	40.75	0	30000	518.2795699	15741.58128	30000	0	0	30000	20.5	2004
21.01.2020 09:53:10	1	1	1	1	86.5	40.5	0	29952.607	516.1290323	15548.338	30000	0	0	30000	21.25	2004
21.01.2020 09:53:11	1	1	1	1	87.25	41.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	20.875	2004
21.01.2020 09:53:12	1	1	1	1	87.25	40.75	0	30000	524.7311828	15691.84356	30000	0	0	30000	21.0625	2004
21.01.2020 09:53:13	1	1	1	1	87.25	41	0	30000	529.0322581	15741.58128	30000	0	0	30000	20.9375	2004
21.01.2020 09:53:14	1	1	1	1	87.25	40.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	20.5625	2004
21.01.2020 09:53:15	1	1	1	1	87.25	40.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	21.3125	2004
21.01.2020 09:53:16	1	1	1	1	87.25	41.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.25	2004
21.01.2020 09:53:17	1	1	1	1	87.25	41.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	21.25	2004
21.01.2020 09:53:18	1	1	1	1	87.25	41.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	21.5	2004
21.01.2020 09:53:19	1	1	1	1	87.25	41.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	20.5	2004
21.01.2020 09:53:20	1	1	1	1	87.25	40.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	21.375	2004
21.01.2020 09:53:21	1	1	1	1	87.25	41.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.5	2004
21.01.2020 09:53:22	1	1	1	1	87.25	41.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	21.5	2004
21.01.2020 09:53:23	1	1	1	1	87.25	41.5	0	30000	516.1290323	15548.338	30000	0	0	30000	21.6875	2004
21.01.2020 09:53:25	1	1	1	1	87.25	41.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	22.3125	2004
21.01.2020 09:53:26	1	1	1	1	87.25	42.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	21.0625	2004
21.01.2020 09:53:27	1	1	1	1	87.25	41	0	30000	529.0322581	15805.99571	30000	0	0	30000	21.25	2004
21.01.2020 09:53:28	1	1	1	1	87.25	41.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.125	2004
21.01.2020 09:53:29	1	1	1	1	87.25	41	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.25	2004
21.01.2020 09:53:30	1	1	1	1	87.25	41.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.9375	2004
21.01.2020 09:53:31	1	1	1	1	87.25	41.75	0	30000	518.2795699	15677.16685	30000	0	0	30000	20.8125	2004
21.01.2020 09:53:32	1	1	1	1	88.25	41.25	0	30000	524.7311828	15241.75794	30000	0	0	30000	20.6875	2004
21.01.2020 09:53:33	1	1	1	1	88.25	40.5	0	30047.393	533.3333333	15652.70568	30000	0	0	30000	22	2004
21.01.2020 09:53:34	1	1	1	1	88.25	42	0	30000	529.0322581	15870.41013	30000	0	0	30000	20.625	2004
21.01.2020 09:53:35	1	1	1	1	88.25	40.5	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	22.4375	2004
21.01.2020 09:53:36	1	1	1	1	88.25	42.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	21	2004
21.01.2020 09:53:37	1	1	1	1	88.25	41	0	30000	520.4301075	15741.58128	30000	0	0	30000	21.6875	2004
21.01.2020 09:53:38	1	1	1	1	88.25	41.5	0	30000	516.1290323	15418.69377	30000	0	0	30000	21.4375	2004
21.01.2020 09:53:39	1	1	1	1	88.25	41.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	20.6875	2004
21.01.2020 09:53:40	1	1	1	1	88.25	40.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	21.4375	2004
21.01.2020 09:53:41	1	1	1	1	88.25	41.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.3125	2004
21.01.2020 09:53:42	1	1	1	1	88.25	41.25	0	29952.607	531.1827957	15934.82456	30000	0	0	30000	21	2004
21.01.2020 09:53:43	1	1	1	1	88.25	41	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.3125	2004
21.01.2020 09:53:44	1	1	1	1	88.25	41.25	0	30000	518.2795699	15741.58128	30000	0	0	30000	20.875	2004
21.01.2020 09:53:45	1	1	1	1	88.25	40.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:53:51	1	1	1	1	88.25	41.75	0	30000	529.0322581	16000.05436	30000	0	0	30000	21.75	2004
21.01.2020 09:53:51	1	1	1	1	88.25	41.75	0	30000	529.0322581	16000.05436	30000	0	0	30000	21.75	2004
21.01.2020 09:53:51	1	1	1	1	88.25	41.75	0	30000	529.0322581	16000.05436	30000	0	0	30000	21.75	2004
21.01.2020 09:53:51	1	1	1	1	88.25	41.75	0	30000	529.0322581	16000.05436	30000	0	0	30000	21.75	2004
21.01.2020 09:53:51	1	1	1	1	88.25	41.75	0	30000	529.0322581	16000.05436	30000	0	0	30000	21.75	2004
21.01.2020 09:53:51	1	1	1	1	88.5	41.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	21.4375	2004
21.01.2020 09:53:52	1	1	1	1	88.5	41.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	20.8125	2004
21.01.2020 09:53:53	1	1	1	1	88.5	40.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	21.8125	2004
21.01.2020 09:53:54	1	1	1	1	88.5	41.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	22	2004
21.01.2020 09:53:55	1	1	1	1	88.5	42	0	30000	533.3333333	15756.25798	30000	0	0	30000	21.625	2004
21.01.2020 09:53:56	1	1	1	1	88.5	41.5	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	22	2004
21.01.2020 09:53:57	1	1	1	1	88.5	42	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	22.8125	2004
21.01.2020 09:53:58	1	1	1	1	88.5	42.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.8125	2004
21.01.2020 09:53:59	1	1	1	1	88.5	42.75	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	21.125	2004
21.01.2020 09:54:00	1	1	1	1	88.5	41	0	30000	529.0322581	15805.99571	30000	0	0	30000	21.375	2004
21.01.2020 09:54:02	1	1	1	1	89	41.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	21.375	2004
21.01.2020 09:54:03	1	1	1	1	89	41.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	21.1875	2004
21.01.2020 09:54:04	1	1	1	1	89	41	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22	2004
21.01.2020 09:54:05	1	1	1	1	89	42	0	29763.033	535.483871	15911.99413	30000	0	0	30000	21.875	2004
21.01.2020 09:54:06	1	1	1	1	89	41.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	21.625	2004
21.01.2020 09:54:07	1	1	1	1	89	41.5	0	29810.427	531.1827957	15962.54722	30000	0	0	30000	21.9375	2004
21.01.2020 09:54:08	1	1	1	1	89	41.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	22.25	2004
21.01.2020 09:54:09	1	1	1	1	89	42.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	22.3125	2004
21.01.2020 09:54:10	1	1	1	1	89	41	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	21.3125	2004
21.01.2020 09:54:11	1	1	1	1	90.5	41.25	0	29668.246	539.7849462	15861.44103	30000	0	0	30000	20.875	2004
21.01.2020 09:54:12	1	1	1	1	90.5	40.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	21.75	2004
21.01.2020 09:54:13	1	1	1	1	90.5	41.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	21.5	2004
21.01.2020 09:54:14	1	1	1	1	90.5	41.5	0	29431.28	537.6344086	16038.37687	30000	0	0	30000	22.375	2004
21.01.2020 09:54:15	1	1	1	1	90.5	42.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	21.6875	2004
21.01.2020 09:54:16	1	1	1	1	90.5	41.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	21.875	2004
21.01.2020 09:54:17	1	1	1	1	90.5	41.75	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	21.3125	2004
21.01.2020 09:54:18	1	1	1	1	90.5	41.25	0	29478.673	539.7849462	15885.90221	30000	0	0	30000	21.1875	2004
21.01.2020 09:54:19	1	1	1	1	90.5	41	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	22.6875	2004
21.01.2020 09:54:20	1	1	1	1	90.5	42.5	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	21.4375	2004
21.01.2020 09:54:21	1	1	1	1	90.25	41.25	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	21.6875	2004
21.01.2020 09:54:22	1	1	1	1	90.25	41.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	21.1875	2004
21.01.2020 09:54:23	1	1	1	1	90.25	41	0	29620.853	526.8817204	15911.99413	30000	0	0	30000	21.1875	2004
21.01.2020 09:54:24	1	1	1	1	90.25	41	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	20.875	2004
21.01.2020 09:54:25	1	1	1	1	90.25	40.75	0	29620.853	539.7849462	15836.16449	30000	0	0	30000	21.5	2004
21.01.2020 09:54:26	1	1	1	1	90.25	41.5	0	29715.64	533.3333333	16154.97513	30000	0	0	30000	22.5	2004
21.01.2020 09:54:27	1	1	1	1	90.25	42.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	21.6875	2004
21.01.2020 09:54:28	1	1	1	1	90.25	41.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.5	2004
21.01.2020 09:54:29	1	1	1	1	90.25	42.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	21.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:54:30	1	1	1	1	90.25	41.25	0	29526.066	537.6344086	15836.16449	30000	0	0	30000	22.5	2004
21.01.2020 09:54:31	1	1	1	1	90.25	42.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	21.8125	2004
21.01.2020 09:54:32	1	1	1	1	90.25	41.75	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	22.0625	2004
21.01.2020 09:54:33	1	1	1	1	90.25	42	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	22.0625	2004
21.01.2020 09:54:34	1	1	1	1	90.25	42	0	29620.853	544.0860215	15836.16449	30000	0	0	30000	21.5625	2004
21.01.2020 09:54:35	1	1	1	1	90.25	41.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	22.0625	2004
21.01.2020 09:54:36	1	1	1	1	90.25	42	0	29620.853	533.3333333	15975.59318	30000	0	0	30000	22.5625	2004
21.01.2020 09:54:37	1	1	1	1	90.25	42.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	21.6875	2004
21.01.2020 09:54:38	1	1	1	1	90.25	41.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	21.375	2004
21.01.2020 09:54:39	1	1	1	1	90.25	41.25	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	23.0625	2004
21.01.2020 09:54:41	1	1	1	1	90.25	43	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.4375	2004
21.01.2020 09:54:42	1	1	1	1	90.75	42.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	21.625	2004
21.01.2020 09:54:43	1	1	1	1	90.75	41.5	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	22.6875	2004
21.01.2020 09:54:44	1	1	1	1	90.75	42.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	20.6875	2004
21.01.2020 09:54:45	1	1	1	1	90.75	40.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	21.75	2004
21.01.2020 09:54:46	1	1	1	1	90.75	41.75	0	29905.213	537.6344086	15898.94817	30000	0	0	30000	22.75	2004
21.01.2020 09:54:47	1	1	1	1	90.75	42.75	0	29620.853	537.6344086	15886.71758	30000	0	0	30000	23.1875	2004
21.01.2020 09:54:53	1	1	1	1	91.75	41.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	21.5	2004
21.01.2020 09:54:53	1	1	1	1	91.75	41.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	21.5	2004
21.01.2020 09:54:53	1	1	1	1	91.75	41.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	21.5	2004
21.01.2020 09:54:53	1	1	1	1	91.75	41.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	21.5	2004
21.01.2020 09:54:53	1	1	1	1	91.75	41.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	21.5	2004
21.01.2020 09:54:53	1	1	1	1	91.75	41.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	21.125	2004
21.01.2020 09:54:54	1	1	1	1	91.75	41	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	21.9375	2004
21.01.2020 09:54:55	1	1	1	1	91.75	41.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	22.125	2004
21.01.2020 09:54:56	1	1	1	1	91.75	42	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	22	2004
21.01.2020 09:54:57	1	1	1	1	91.75	42	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	21.875	2004
21.01.2020 09:54:58	1	1	1	1	91.75	41.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	22.375	2004
21.01.2020 09:54:59	1	1	1	1	91.75	42.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	21.9375	2004
21.01.2020 09:55:00	1	1	1	1	91.75	41.75	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	21.5	2004
21.01.2020 09:55:01	1	1	1	1	90.75	41.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	21.6875	2004
21.01.2020 09:55:02	1	1	1	1	90.75	41.5	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	22.4375	2004
21.01.2020 09:55:03	1	1	1	1	90.75	42.25	0	29478.673	539.7849462	15848.39508	30000	0	0	30000	23.0625	2004
21.01.2020 09:55:04	1	1	1	1	90.75	43	0	29431.28	546.2365591	15708.96638	30000	0	0	30000	21.6875	2004
21.01.2020 09:55:05	1	1	1	1	90.75	41.5	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	21.875	2004
21.01.2020 09:55:06	1	1	1	1	90.75	41.75	0	29383.886	537.6344086	15835.34912	30000	0	0	30000	22.625	2004
21.01.2020 09:55:07	1	1	1	1	90.75	42.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	22	2004
21.01.2020 09:55:08	1	1	1	1	90.75	42	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	22.3125	2004
21.01.2020 09:55:09	1	1	1	1	90.75	42.25	0	29573.46	541.9354839	15810.07257	30000	0	0	30000	21.375	2004
21.01.2020 09:55:10	1	1	1	1	90.75	41.25	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	21.625	2004
21.01.2020 09:55:11	1	1	1	1	92	41.5	0	29620.853	535.483871	15797.84198	30000	0	0	30000	21.8125	2004
21.01.2020 09:55:12	1	1	1	1	92	41.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	21.375	2004
21.01.2020 09:55:13	1	1	1	1	92	41.25	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	22.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:55:14	1	1	1	1	92	42.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	22.9375	2004
21.01.2020 09:55:15	1	1	1	1	92	42.75	0	29383.886	550.5376344	15960.91648	30000	0	0	30000	21.25	2004
21.01.2020 09:55:16	1	1	1	1	92	41.25	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	22.75	2004
21.01.2020 09:55:18	1	1	1	1	92	42.75	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	22	2004
21.01.2020 09:55:19	1	1	1	1	92	42	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	21.5	2004
21.01.2020 09:55:20	1	1	1	1	92	41.5	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	21.5625	2004
21.01.2020 09:55:21	1	1	1	1	92	41.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	21.75	2004
21.01.2020 09:55:22	1	1	1	1	93.25	41.75	0	29810.427	550.5376344	16103.60666	30000	0	0	30000	22.1875	2004
21.01.2020 09:55:23	1	1	1	1	93.25	42	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	22.0625	2004
21.01.2020 09:55:24	1	1	1	1	93.25	42	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	21.8125	2004
21.01.2020 09:55:25	1	1	1	1	93.25	41.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	23.5625	2004
21.01.2020 09:55:26	1	1	1	1	93.25	43.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	22.5625	2004
21.01.2020 09:55:27	1	1	1	1	93.25	42.5	0	29336.493	541.9354839	15683.68983	30000	0	0	30000	23.375	2004
21.01.2020 09:55:28	1	1	1	1	93.25	43.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	22.375	2004
21.01.2020 09:55:29	1	1	1	1	93.25	41.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	21.0625	2004
21.01.2020 09:55:30	1	1	1	1	93.25	41	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	22.0625	2004
21.01.2020 09:55:31	1	1	1	1	93.25	42	0	29431.28	541.9354839	16064.46878	30000	0	0	30000	22.5625	2004
21.01.2020 09:55:32	1	1	1	1	93.25	42.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	22.1875	2004
21.01.2020 09:55:33	1	1	1	1	93.25	42	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	22.3125	2004
21.01.2020 09:55:34	1	1	1	1	93.25	42.25	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	22.875	2004
21.01.2020 09:55:35	1	1	1	1	93.25	42.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	21.5625	2004
21.01.2020 09:55:36	1	1	1	1	93.25	41.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	21.625	2004
21.01.2020 09:55:37	1	1	1	1	93.25	41.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	22.75	2004
21.01.2020 09:55:38	1	1	1	1	93.25	42.75	0	29383.886	537.6344086	15885.90221	30000	0	0	30000	22.375	2004
21.01.2020 09:55:39	1	1	1	1	93.25	42.25	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	21.4375	2004
21.01.2020 09:55:40	1	1	1	1	93.25	41.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	23	2004
21.01.2020 09:55:41	1	1	1	1	91.5	43	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	22.875	2004
21.01.2020 09:55:42	1	1	1	1	91.5	42.75	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	22.1875	2004
21.01.2020 09:55:43	1	1	1	1	91.5	42	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	22.3125	2004
21.01.2020 09:55:44	1	1	1	1	91.5	42.25	0	29289.1	541.9354839	15846.76433	30000	0	0	30000	21.8125	2004
21.01.2020 09:55:45	1	1	1	1	91.5	41.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	22.75	2004
21.01.2020 09:55:46	1	1	1	1	91.5	42.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	22.375	2004
21.01.2020 09:55:47	1	1	1	1	91.5	42.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	22.4375	2004
21.01.2020 09:55:48	1	1	1	1	91.5	42.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	22.6875	2004
21.01.2020 09:55:54	1	1	1	1	91	42	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	21.625	2004
21.01.2020 09:55:54	1	1	1	1	91	42	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	21.625	2004
21.01.2020 09:55:54	1	1	1	1	91	42	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	21.625	2004
21.01.2020 09:55:54	1	1	1	1	91	42	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	21.625	2004
21.01.2020 09:55:54	1	1	1	1	91	42	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	21.625	2004
21.01.2020 09:55:54	1	1	1	1	91	41.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	22	2004
21.01.2020 09:55:55	1	1	1	1	91	42	0	29336.493	546.2365591	16075.884	30000	0	0	30000	22.6875	2004
21.01.2020 09:55:57	1	1	1	1	91	42.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	21.9375	2004
21.01.2020 09:55:58	1	1	1	1	91	41.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	22.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:55:59	1	1	1	1	91	42	0	29052.133	546.2365591	15754.62724	30000	0	0	30000	22.4375	2004
21.01.2020 09:56:00	1	1	1	1	91	42.25	0	29241.706	535.483871	15658.41329	30000	0	0	30000	22.5	2004
21.01.2020 09:56:01	1	1	1	1	91	42.5	0	29289.1	541.9354839	15935.63993	30000	0	0	30000	23.375	2004
21.01.2020 09:56:02	1	1	1	1	92.75	43.25	0	29383.886	550.5376344	16203.08211	30000	0	0	30000	21.8125	2004
21.01.2020 09:56:03	1	1	1	1	92.75	41.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	23.4375	2004
21.01.2020 09:56:04	1	1	1	1	92.75	43.25	0	29526.066	550.5376344	16255.26595	30000	0	0	30000	22.8125	2004
21.01.2020 09:56:05	1	1	1	1	92.75	42.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	23.0625	2004
21.01.2020 09:56:06	1	1	1	1	92.75	43	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	22.0625	2004
21.01.2020 09:56:07	1	1	1	1	92.75	42	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	21.5	2004
21.01.2020 09:56:08	1	1	1	1	92.75	42.5	0	29146.919	535.483871	15858.17955	30000	0	0	30000	22	2004
21.01.2020 09:56:09	1	1	1	1	92.75	42	0	29241.706	550.5376344	16150.89827	30000	0	0	30000	22.0625	2004
21.01.2020 09:56:10	1	1	1	1	92.75	42	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	20.9375	2004
21.01.2020 09:56:11	1	1	1	1	94	40.75	0	29383.886	546.2365591	16203.08211	30000	0	0	30000	21.875	2004
21.01.2020 09:56:12	1	1	1	1	94	41.75	0	29241.706	544.0860215	15669.8285	30000	0	0	30000	22.5625	2004
21.01.2020 09:56:13	1	1	1	1	94	42.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	21.9375	2004
21.01.2020 09:56:14	1	1	1	1	94	41.75	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	21.625	2004
21.01.2020 09:56:15	1	1	1	1	94	41.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	21.9375	2004
21.01.2020 09:56:16	1	1	1	1	94	41.75	0	29146.919	541.9354839	16046.53059	30000	0	0	30000	21.3125	2004
21.01.2020 09:56:17	1	1	1	1	94	41.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23	2004
21.01.2020 09:56:18	1	1	1	1	94	43	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	22.625	2004
21.01.2020 09:56:19	1	1	1	1	94	42.5	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	21.5	2004
21.01.2020 09:56:20	1	1	1	1	94	41.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	22.0625	2004
21.01.2020 09:56:21	1	1	1	1	95.25	42	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	21.8125	2004
21.01.2020 09:56:22	1	1	1	1	95.25	41.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	23	2004
21.01.2020 09:56:23	1	1	1	1	95.25	43	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	22.9375	2004
21.01.2020 09:56:24	1	1	1	1	95.25	42.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.25	2004
21.01.2020 09:56:25	1	1	1	1	95.25	42.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	22.9375	2004
21.01.2020 09:56:26	1	1	1	1	95.25	42.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	23.3125	2004
21.01.2020 09:56:27	1	1	1	1	95.25	43.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	23	2004
21.01.2020 09:56:28	1	1	1	1	95.25	43	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	22.4375	2004
21.01.2020 09:56:29	1	1	1	1	95.25	42.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	22.8125	2004
21.01.2020 09:56:30	1	1	1	1	95.25	42.75	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	21.4375	2004
21.01.2020 09:56:31	1	1	1	1	96.25	41.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	21.75	2004
21.01.2020 09:56:32	1	1	1	1	96.25	41.75	0	29383.886	546.2365591	16075.884	30000	0	0	30000	21.625	2004
21.01.2020 09:56:33	1	1	1	1	96.25	41.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	22.3125	2004
21.01.2020 09:56:34	1	1	1	1	96.25	42.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	22.625	2004
21.01.2020 09:56:36	1	1	1	1	96.25	42.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	22.625	2004
21.01.2020 09:56:37	1	1	1	1	96.25	42.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	22.0625	2004
21.01.2020 09:56:38	1	1	1	1	96.25	42	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	22.9375	2004
21.01.2020 09:56:39	1	1	1	1	96.25	42.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	22.75	2004
21.01.2020 09:56:40	1	1	1	1	96.25	42.75	0	29526.066	546.2365591	16255.26595	30000	0	0	30000	22.375	2004
21.01.2020 09:56:41	1	1	1	1	96.25	42.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.625	2004
21.01.2020 09:56:42	1	1	1	1	96.25	43.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	21.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:56:43	1	1	1	1	96.25	41.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	21.75	2004
21.01.2020 09:56:44	1	1	1	1	96.25	41.75	0	29289.1	544.0860215	16061.20729	30000	0	0	30000	24.4375	2004
21.01.2020 09:56:45	1	1	1	1	96.25	44.25	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	24	2004
21.01.2020 09:56:46	1	1	1	1	96.25	44	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	22.125	2004
21.01.2020 09:56:47	1	1	1	1	96.25	42.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	22.5625	2004
21.01.2020 09:56:48	1	1	1	1	96.25	42.5	0	29146.919	550.5376344	15795.39586	30000	0	0	30000	22.1875	2004
21.01.2020 09:56:49	1	1	1	1	96.25	42	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	22.625	2004
21.01.2020 09:56:50	1	1	1	1	96.25	42.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	22.5	2004
21.01.2020 09:56:56	1	1	1	1	97.25	42.75	0	29431.28	546.2365591	15949.50126	30000	0	0	30000	23.375	2004
21.01.2020 09:56:56	1	1	1	1	97.25	42.75	0	29431.28	546.2365591	15949.50126	30000	0	0	30000	23.375	2004
21.01.2020 09:56:56	1	1	1	1	97.25	42.75	0	29431.28	546.2365591	15949.50126	30000	0	0	30000	23.375	2004
21.01.2020 09:56:56	1	1	1	1	97.25	42.75	0	29431.28	546.2365591	15949.50126	30000	0	0	30000	23.375	2004
21.01.2020 09:56:56	1	1	1	1	97.25	43.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	21.5625	2004
21.01.2020 09:56:57	1	1	1	1	97.25	41.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	21.875	2004
21.01.2020 09:56:58	1	1	1	1	97.25	41.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	21.75	2004
21.01.2020 09:56:59	1	1	1	1	97.25	41.75	0	29431.28	544.0860215	16203.08211	30000	0	0	30000	21.8125	2004
21.01.2020 09:57:00	1	1	1	1	97.25	41.75	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	22.3125	2004
21.01.2020 09:57:01	1	1	1	1	98.5	42.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	22.4375	2004
21.01.2020 09:57:02	1	1	1	1	98.5	42.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	21.625	2004
21.01.2020 09:57:03	1	1	1	1	98.5	41.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	23	2004
21.01.2020 09:57:04	1	1	1	1	98.5	43	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	22.625	2004
21.01.2020 09:57:05	1	1	1	1	98.5	42.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	22.5625	2004
21.01.2020 09:57:06	1	1	1	1	98.5	42.5	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	22.3125	2004
21.01.2020 09:57:07	1	1	1	1	98.5	42.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	22.5	2004
21.01.2020 09:57:08	1	1	1	1	98.5	42.5	0	29099.526	550.5376344	15832.08763	30000	0	0	30000	22.75	2004
21.01.2020 09:57:09	1	1	1	1	98.5	42.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.5	2004
21.01.2020 09:57:10	1	1	1	1	98.5	43.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	22.125	2004
21.01.2020 09:57:11	1	1	1	1	99.5	42	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	22.75	2004
21.01.2020 09:57:12	1	1	1	1	99.5	42.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	23.25	2004
21.01.2020 09:57:13	1	1	1	1	99.5	43.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	22.375	2004
21.01.2020 09:57:15	1	1	1	1	99.5	42.25	0	28862.559	550.5376344	16004.13122	30000	0	0	30000	21.9375	2004
21.01.2020 09:57:16	1	1	1	1	99.5	41.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	22.1875	2004
21.01.2020 09:57:17	1	1	1	1	99.5	42	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	22.5	2004
21.01.2020 09:57:18	1	1	1	1	99.5	42.5	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	22.3125	2004
21.01.2020 09:57:19	1	1	1	1	99.5	42.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	22.1875	2004
21.01.2020 09:57:20	1	1	1	1	99.5	42	0	29052.133	550.5376344	16145.19066	30000	0	0	30000	22.6875	2004
21.01.2020 09:57:21	1	1	1	1	99.5	42.5	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	23.125	2004
21.01.2020 09:57:22	1	1	1	1	99.25	43	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	22.125	2004
21.01.2020 09:57:23	1	1	1	1	99.25	42	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.25	2004
21.01.2020 09:57:24	1	1	1	1	99.25	44.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.375	2004
21.01.2020 09:57:25	1	1	1	1	99.25	44.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	23.5	2004
21.01.2020 09:57:26	1	1	1	1	99.25	43.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:57:27	1	1	1	1	99.25	42.75	0	29146.919	550.5376344	16124.80635	30000	0	0	30000	23.0625	2004
21.01.2020 09:57:28	1	1	1	1	99.25	43	0	29052.133	550.5376344	16108.4989	30000	0	0	30000	24.25	2004
21.01.2020 09:57:29	1	1	1	1	99.25	44.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	23.4375	2004
21.01.2020 09:57:30	1	1	1	1	99.25	43.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	23	2004
21.01.2020 09:57:31	1	1	1	1	100.3	43	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	23.625	2004
21.01.2020 09:57:32	1	1	1	1	100.3	43.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	21.9375	2004
21.01.2020 09:57:33	1	1	1	1	100.3	41.75	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	23.125	2004
21.01.2020 09:57:34	1	1	1	1	100.3	43	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	22.9375	2004
21.01.2020 09:57:35	1	1	1	1	100.3	42.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	22.125	2004
21.01.2020 09:57:36	1	1	1	1	100.3	42	0	29146.919	539.7849462	15858.17955	30000	0	0	30000	23.0625	2004
21.01.2020 09:57:37	1	1	1	1	100.3	43	0	29146.919	541.9354839	16046.53059	30000	0	0	30000	22.875	2004
21.01.2020 09:57:38	1	1	1	1	100.3	42.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	24.5	2004
21.01.2020 09:57:39	1	1	1	1	100.3	44.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	22.6875	2004
21.01.2020 09:57:40	1	1	1	1	100.3	42.5	0	29146.919	552.688172	16020.43867	30000	0	0	30000	22.8125	2004
21.01.2020 09:57:41	1	1	1	1	101	42.75	0	29052.133	550.5376344	15868.77939	30000	0	0	30000	22.625	2004
21.01.2020 09:57:42	1	1	1	1	101	42.5	0	29004.739	550.5376344	16056.31506	30000	0	0	30000	22.75	2004
21.01.2020 09:57:43	1	1	1	1	101	42.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	22.8125	2004
21.01.2020 09:57:44	1	1	1	1	101	42.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.4375	2004
21.01.2020 09:57:45	1	1	1	1	101	42.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	22.1875	2004
21.01.2020 09:57:46	1	1	1	1	101	42	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	23.9375	2004
21.01.2020 09:57:47	1	1	1	1	101	43.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	23.25	2004
21.01.2020 09:57:48	1	1	1	1	101	43.25	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	24.0625	2004
21.01.2020 09:57:49	1	1	1	1	101	44	0	29336.493	546.2365591	15909.54801	30000	0	0	30000	22.4375	2004
21.01.2020 09:57:50	1	1	1	1	101	42.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	23.125	2004
21.01.2020 09:57:51	1	1	1	1	101.5	43	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	22	2004
21.01.2020 09:57:57	1	1	1	1	101.5	43.5	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	23	2004
21.01.2020 09:57:57	1	1	1	1	101.5	43.5	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	23	2004
21.01.2020 09:57:57	1	1	1	1	101.5	43.5	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	23	2004
21.01.2020 09:57:57	1	1	1	1	101.5	43.5	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	23	2004
21.01.2020 09:57:57	1	1	1	1	101.5	43.5	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	23	2004
21.01.2020 09:57:58	1	1	1	1	101.5	43	0	29431.28	546.2365591	15960.91648	30000	0	0	30000	23.6875	2004
21.01.2020 09:57:59	1	1	1	1	101.5	43.5	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	23.3125	2004
21.01.2020 09:58:00	1	1	1	1	101.5	43.25	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	23.4375	2004
21.01.2020 09:58:01	1	1	1	1	101.5	43.25	0	29289.1	546.2365591	16098.71443	30000	0	0	30000	24.1875	2004
21.01.2020 09:58:02	1	1	1	1	102.3	44	0	29383.886	550.5376344	15835.34912	30000	0	0	30000	24.0625	2004
21.01.2020 09:58:03	1	1	1	1	102.3	44	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	25.0625	2004
21.01.2020 09:58:04	1	1	1	1	102.3	43.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	22.4375	2004
21.01.2020 09:58:05	1	1	1	1	102.3	42.25	0	29099.526	550.5376344	16171.28258	30000	0	0	30000	22.5625	2004
21.01.2020 09:58:06	1	1	1	1	102.3	42.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	22.75	2004
21.01.2020 09:58:07	1	1	1	1	102.3	42.75	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	23.1875	2004
21.01.2020 09:58:08	1	1	1	1	102.3	43	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	23.3125	2004
21.01.2020 09:58:09	1	1	1	1	102.3	43.25	0	29289.1	544.0860215	15972.33169	30000	0	0	30000	23.4375	2004
21.01.2020 09:58:10	1	1	1	1	102.3	43.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	22.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:58:11	1	1	1	1	102.3	42.75	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	23.0625	2004
21.01.2020 09:58:12	1	1	1	1	102.3	43	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.25	2004
21.01.2020 09:58:13	1	1	1	1	102.3	43.25	0	29052.133	546.2365591	16056.31506	30000	0	0	30000	23.375	2004
21.01.2020 09:58:14	1	1	1	1	102.3	43.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	23.4375	2004
21.01.2020 09:58:15	1	1	1	1	102.3	43.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.125	2004
21.01.2020 09:58:16	1	1	1	1	102.3	42	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	23.625	2004
21.01.2020 09:58:17	1	1	1	1	102.3	43.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	23.5625	2004
21.01.2020 09:58:18	1	1	1	1	102.3	43.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24	2004
21.01.2020 09:58:21	1	1	1	1	102.3	42	0	29241.706	552.688172	16161.49811	30000	0	0	30000	24	2004
21.01.2020 09:58:21	1	1	1	1	102.3	42	0	29241.706	552.688172	16161.49811	30000	0	0	30000	24	2004
21.01.2020 09:58:21	1	1	1	1	101.5	44	0	29052.133	544.0860215	15920.96323	30000	0	0	30000	24.0625	2004
21.01.2020 09:58:22	1	1	1	1	101.5	44	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	23.6875	2004
21.01.2020 09:58:23	1	1	1	1	101.5	43.5	0	28957.346	539.7849462	15817.41092	30000	0	0	30000	22.0625	2004
21.01.2020 09:58:24	1	1	1	1	101.5	42	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	23.875	2004
21.01.2020 09:58:25	1	1	1	1	101.5	43.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.6875	2004
21.01.2020 09:58:26	1	1	1	1	101.5	42.5	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	23.75	2004
21.01.2020 09:58:27	1	1	1	1	101.5	43.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.375	2004
21.01.2020 09:58:28	1	1	1	1	101.5	43.25	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	24.125	2004
21.01.2020 09:58:29	1	1	1	1	101.5	44	0	29241.706	550.5376344	16287.06547	30000	0	0	30000	23.5	2004
21.01.2020 09:58:30	1	1	1	1	101.5	43.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	23.25	2004
21.01.2020 09:58:32	1	1	1	1	101	43.25	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	22.1875	2004
21.01.2020 09:58:33	1	1	1	1	101	42	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	23.6875	2004
21.01.2020 09:58:34	1	1	1	1	101	43.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	22.6875	2004
21.01.2020 09:58:35	1	1	1	1	101	42.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.75	2004
21.01.2020 09:58:36	1	1	1	1	101	42.75	0	29241.706	550.5376344	16150.89827	30000	0	0	30000	24	2004
21.01.2020 09:58:37	1	1	1	1	101	44	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.8125	2004
21.01.2020 09:58:38	1	1	1	1	101	43.75	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	23.125	2004
21.01.2020 09:58:39	1	1	1	1	101	43	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.6875	2004
21.01.2020 09:58:40	1	1	1	1	101	42.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	25	2004
21.01.2020 09:58:41	1	1	1	1	101	45	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	24.375	2004
21.01.2020 09:58:42	1	1	1	1	103	44.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	24.3125	2004
21.01.2020 09:58:43	1	1	1	1	103	44	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23	2004
21.01.2020 09:58:44	1	1	1	1	103	43	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23	2004
21.01.2020 09:58:45	1	1	1	1	103	43	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.5625	2004
21.01.2020 09:58:46	1	1	1	1	103	43.5	0	29099.526	550.5376344	15868.77939	30000	0	0	30000	24.625	2004
21.01.2020 09:58:47	1	1	1	1	103	44.5	0	29146.919	539.7849462	15920.96323	30000	0	0	30000	22.625	2004
21.01.2020 09:58:48	1	1	1	1	103	42.5	0	29336.493	550.5376344	15732.61218	30000	0	0	30000	23.9375	2004
21.01.2020 09:58:49	1	1	1	1	103	43.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	23.4375	2004
21.01.2020 09:58:50	1	1	1	1	103	43.25	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	23.75	2004
21.01.2020 09:58:51	1	1	1	1	102.3	43.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	23.0625	2004
21.01.2020 09:58:52	1	1	1	1	102.3	43	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	23.5625	2004
21.01.2020 09:58:53	1	1	1	1	102.3	43.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	23.3125	2004
21.01.2020 09:58:59	1	1	1	1	102.3	42.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:58:59	1	1	1	1	102.3	42.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.3125	2004
21.01.2020 09:58:59	1	1	1	1	102.3	42.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.3125	2004
21.01.2020 09:58:59	1	1	1	1	102.3	42.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.3125	2004
21.01.2020 09:58:59	1	1	1	1	102.3	42.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.3125	2004
21.01.2020 09:58:59	1	1	1	1	102.3	43.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	24.1875	2004
21.01.2020 09:59:00	1	1	1	1	102.3	44	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.1875	2004
21.01.2020 09:59:01	1	1	1	1	102.3	43	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	23.0625	2004
21.01.2020 09:59:02	1	1	1	1	102.3	43	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.375	2004
21.01.2020 09:59:03	1	1	1	1	102.3	43.25	0	29146.919	550.5376344	16171.28258	30000	0	0	30000	24.3125	2004
21.01.2020 09:59:04	1	1	1	1	102.3	44.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	22.8125	2004
21.01.2020 09:59:05	1	1	1	1	102.3	42.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	22.8125	2004
21.01.2020 09:59:06	1	1	1	1	102.3	42.75	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	23.375	2004
21.01.2020 09:59:07	1	1	1	1	102.3	43.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.6875	2004
21.01.2020 09:59:09	1	1	1	1	102.3	43.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	22.3125	2004
21.01.2020 09:59:10	1	1	1	1	102.3	42.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	23.3125	2004
21.01.2020 09:59:11	1	1	1	1	102.3	43.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	22.3125	2004
21.01.2020 09:59:12	1	1	1	1	102.5	42.25	0	28957.346	552.688172	16128.88321	30000	0	0	30000	22.9375	2004
21.01.2020 09:59:13	1	1	1	1	102.5	42.75	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	22.75	2004
21.01.2020 09:59:14	1	1	1	1	102.5	42.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	22.9375	2004
21.01.2020 09:59:15	1	1	1	1	102.5	42.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24.5	2004
21.01.2020 09:59:16	1	1	1	1	102.5	44.5	0	29052.133	556.9892473	16066.09953	30000	0	0	30000	23.5	2004
21.01.2020 09:59:17	1	1	1	1	102.5	43.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	25.1875	2004
21.01.2020 09:59:18	1	1	1	1	102.5	45	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	22.8125	2004
21.01.2020 09:59:19	1	1	1	1	102.5	42.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.8125	2004
21.01.2020 09:59:20	1	1	1	1	102.5	43.75	0	29146.919	552.688172	16046.53059	30000	0	0	30000	22.9375	2004
21.01.2020 09:59:21	1	1	1	1	102.5	42.75	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	23.375	2004
21.01.2020 09:59:22	1	1	1	1	103.3	42	0	29146.919	552.688172	16108.4989	30000	0	0	30000	23.5	2004
21.01.2020 09:59:23	1	1	1	1	103.3	43.5	0	28862.559	546.2365591	15827.19539	30000	0	0	30000	23.0625	2004
21.01.2020 09:59:24	1	1	1	1	103.3	43	0	29099.526	552.688172	16108.4989	30000	0	0	30000	23.25	2004
21.01.2020 09:59:25	1	1	1	1	103.3	43.25	0	29052.133	552.688172	16004.13122	30000	0	0	30000	22.375	2004
21.01.2020 09:59:26	1	1	1	1	103.3	42.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	23.9375	2004
21.01.2020 09:59:27	1	1	1	1	103.3	43.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	22.9375	2004
21.01.2020 09:59:28	1	1	1	1	103.3	42.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	25.1875	2004
21.01.2020 09:59:29	1	1	1	1	103.3	45	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	22.375	2004
21.01.2020 09:59:30	1	1	1	1	103.3	42.25	0	29004.739	552.688172	16056.31506	30000	0	0	30000	23	2004
21.01.2020 09:59:31	1	1	1	1	101.8	43	0	29099.526	552.688172	15806.81108	30000	0	0	30000	23.375	2004
21.01.2020 09:59:32	1	1	1	1	101.8	43.25	0	29146.919	550.5376344	16171.28258	30000	0	0	30000	23.8125	2004
21.01.2020 09:59:33	1	1	1	1	101.8	43.75	0	29099.526	552.688172	16056.31506	30000	0	0	30000	22.8125	2004
21.01.2020 09:59:34	1	1	1	1	101.8	42.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.25	2004
21.01.2020 09:59:35	1	1	1	1	101.8	43.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.4375	2004
21.01.2020 09:59:36	1	1	1	1	101.8	43.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	23.5	2004
21.01.2020 09:59:37	1	1	1	1	101.8	43.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.75	2004
21.01.2020 09:59:38	1	1	1	1	101.8	43.75	0	29099.526	550.5376344	15894.87131	30000	0	0	30000	23.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 09:59:39	1	1	1	1	101.8	43.5	0	28957.346	541.9354839	15994.34675	30000	0	0	30000	23.3125	2004
21.01.2020 09:59:40	1	1	1	1	101.8	43.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	23.3125	2004
21.01.2020 09:59:41	1	1	1	1	101.5	43.25	0	29241.706	552.688172	16098.71443	30000	0	0	30000	24.3125	2004
21.01.2020 09:59:42	1	1	1	1	101.5	44.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.375	2004
21.01.2020 09:59:43	1	1	1	1	101.5	43.25	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	24.3125	2004
21.01.2020 09:59:44	1	1	1	1	101.5	44.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	24.125	2004
21.01.2020 09:59:45	1	1	1	1	101.5	44	0	29478.673	546.2365591	16229.17403	30000	0	0	30000	23.875	2004
21.01.2020 09:59:46	1	1	1	1	101.5	43.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	22.6875	2004
21.01.2020 09:59:48	1	1	1	1	101.5	42.5	0	29241.706	550.5376344	16108.4989	30000	0	0	30000	24.125	2004
21.01.2020 09:59:49	1	1	1	1	101.5	44	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	23.4375	2004
21.01.2020 09:59:50	1	1	1	1	101.5	43.25	0	29146.919	550.5376344	16171.28258	30000	0	0	30000	22.9375	2004
21.01.2020 09:59:51	1	1	1	1	101.5	42.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	23.3125	2004
21.01.2020 09:59:52	1	1	1	1	102	43.25	0	29289.1	546.2365591	15935.63993	30000	0	0	30000	24.0625	2004
21.01.2020 09:59:53	1	1	1	1	102	44	0	29289.1	546.2365591	16098.71443	30000	0	0	30000	23.875	2004
21.01.2020 09:59:54	1	1	1	1	102	43.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	24.625	2004
21.01.2020 09:59:55	1	1	1	1	102	44.5	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	23.875	2004
21.01.2020 10:00:01	1	1	1	1	103.5	43.75	0	29099.526	550.5376344	15920.96323	30000	0	0	30000	23.125	2004
21.01.2020 10:00:01	1	1	1	1	103.5	43.75	0	29099.526	550.5376344	15920.96323	30000	0	0	30000	23.125	2004
21.01.2020 10:00:01	1	1	1	1	103.5	43.75	0	29099.526	550.5376344	15920.96323	30000	0	0	30000	23.125	2004
21.01.2020 10:00:01	1	1	1	1	103.5	43.75	0	29099.526	550.5376344	15920.96323	30000	0	0	30000	23.125	2004
21.01.2020 10:00:01	1	1	1	1	103.5	43.75	0	29099.526	550.5376344	15920.96323	30000	0	0	30000	23.125	2004
21.01.2020 10:00:01	1	1	1	1	103.5	43.75	0	29099.526	550.5376344	15920.96323	30000	0	0	30000	23.125	2004
21.01.2020 10:00:02	1	1	1	1	103.5	43	0	29146.919	537.6344086	15983.74691	30000	0	0	30000	24.6875	2004
21.01.2020 10:00:03	1	1	1	1	103.5	44.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	22.9375	2004
21.01.2020 10:00:04	1	1	1	1	103.5	42.75	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	24.125	2004
21.01.2020 10:00:05	1	1	1	1	103.5	44	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.9375	2004
21.01.2020 10:00:06	1	1	1	1	103.5	43.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	23.375	2004
21.01.2020 10:00:07	1	1	1	1	103.5	43.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.0625	2004
21.01.2020 10:00:08	1	1	1	1	103.5	43	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	23.4375	2004
21.01.2020 10:00:09	1	1	1	1	103.5	43.25	0	28957.346	552.688172	16056.31506	30000	0	0	30000	24.3125	2004
21.01.2020 10:00:10	1	1	1	1	103.5	44.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	23.375	2004
21.01.2020 10:00:11	1	1	1	1	103.5	43.25	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	22.9375	2004
21.01.2020 10:00:12	1	1	1	1	103.5	42.75	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	24.875	2004
21.01.2020 10:00:13	1	1	1	1	103.5	44.75	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	23.875	2004
21.01.2020 10:00:14	1	1	1	1	103.5	43.75	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	23.375	2004
21.01.2020 10:00:15	1	1	1	1	103.5	43.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.6875	2004
21.01.2020 10:00:16	1	1	1	1	103.5	43.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	24.8125	2004
21.01.2020 10:00:17	1	1	1	1	103.5	44.75	0	28909.953	554.8387097	15951.94738	30000	0	0	30000	24.6875	2004
21.01.2020 10:00:18	1	1	1	1	103.5	44.5	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	24.375	2004
21.01.2020 10:00:19	1	1	1	1	103.5	44.25	0	28957.346	552.688172	16128.88321	30000	0	0	30000	23	2004
21.01.2020 10:00:20	1	1	1	1	103.5	43	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.5	2004
21.01.2020 10:00:21	1	1	1	1	104	43.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	23.6875	2004
21.01.2020 10:00:22	1	1	1	1	104	43.5	0	29146.919	546.2365591	15832.08763	30000	0	0	30000	24.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:00:23	1	1	1	1	104	44.5	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	24.375	2004
21.01.2020 10:00:25	1	1	1	1	104	44.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	24.5625	2004
21.01.2020 10:00:26	1	1	1	1	104	44.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	23.0625	2004
21.01.2020 10:00:27	1	1	1	1	104	43	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24.9375	2004
21.01.2020 10:00:28	1	1	1	1	104	44.75	0	29146.919	554.8387097	16296.84994	30000	0	0	30000	24.1875	2004
21.01.2020 10:00:29	1	1	1	1	104	44	0	28957.346	544.0860215	15942.16291	30000	0	0	30000	24	2004
21.01.2020 10:00:30	1	1	1	1	104	44	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	25.375	2004
21.01.2020 10:00:31	1	1	1	1	104	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.3125	2004
21.01.2020 10:00:32	1	1	1	1	104.5	44.25	0	28957.346	548.3870968	16056.31506	30000	0	0	30000	24.375	2004
21.01.2020 10:00:33	1	1	1	1	104.5	44.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	23.625	2004
21.01.2020 10:00:34	1	1	1	1	104.5	43.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23.75	2004
21.01.2020 10:00:35	1	1	1	1	104.5	43.75	0	28909.953	552.688172	15978.0393	30000	0	0	30000	24.6875	2004
21.01.2020 10:00:36	1	1	1	1	104.5	44.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24.375	2004
21.01.2020 10:00:37	1	1	1	1	104.5	44.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.6875	2004
21.01.2020 10:00:38	1	1	1	1	104.5	45.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	24.8125	2004
21.01.2020 10:00:39	1	1	1	1	104.5	43.5	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	24.875	2004
21.01.2020 10:00:40	1	1	1	1	104.5	44.75	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	24.4375	2004
21.01.2020 10:00:41	1	1	1	1	105	44.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	23.625	2004
21.01.2020 10:00:42	1	1	1	1	105	43.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	24.6875	2004
21.01.2020 10:00:43	1	1	1	1	105	44.5	0	29052.133	544.0860215	16046.53059	30000	0	0	30000	24.625	2004
21.01.2020 10:00:44	1	1	1	1	105	44.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	25	2004
21.01.2020 10:00:45	1	1	1	1	105	45	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	24.4375	2004
21.01.2020 10:00:46	1	1	1	1	105	44.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.875	2004
21.01.2020 10:00:47	1	1	1	1	105	42.75	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	25.375	2004
21.01.2020 10:00:48	1	1	1	1	105	45.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	24.8125	2004
21.01.2020 10:00:49	1	1	1	1	105	44.75	0	28957.346	539.7849462	15994.34675	30000	0	0	30000	24.1875	2004
21.01.2020 10:00:50	1	1	1	1	105	44	0	29052.133	552.688172	16004.13122	30000	0	0	30000	24.75	2004
21.01.2020 10:00:51	1	1	1	1	106	44.75	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	25	2004
21.01.2020 10:00:52	1	1	1	1	106	45	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.5625	2004
21.01.2020 10:00:53	1	1	1	1	106	43.5	0	29052.133	552.688172	15942.16291	30000	0	0	30000	24.4375	2004
21.01.2020 10:00:54	1	1	1	1	106	44.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24.375	2004
21.01.2020 10:00:55	1	1	1	1	106	44.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.25	2004
21.01.2020 10:00:56	1	1	1	1	106	44.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	25.0625	2004
21.01.2020 10:01:02	1	1	1	1	104.5	44.5	0	29146.919	554.8387097	16082.40698	30000	0	0	30000	24.75	2004
21.01.2020 10:01:02	1	1	1	1	104.5	44.5	0	29146.919	554.8387097	16082.40698	30000	0	0	30000	24.75	2004
21.01.2020 10:01:02	1	1	1	1	104.5	44.5	0	29146.919	554.8387097	16082.40698	30000	0	0	30000	24.75	2004
21.01.2020 10:01:02	1	1	1	1	104.5	44.5	0	29146.919	554.8387097	16082.40698	30000	0	0	30000	24.75	2004
21.01.2020 10:01:02	1	1	1	1	104.5	44.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	24.6875	2004
21.01.2020 10:01:04	1	1	1	1	104.5	44.5	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	23.1875	2004
21.01.2020 10:01:05	1	1	1	1	104.5	43	0	28862.559	550.5376344	15942.16291	30000	0	0	30000	23.875	2004
21.01.2020 10:01:06	1	1	1	1	104.5	43.75	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	25.25	2004
21.01.2020 10:01:07	1	1	1	1	104.5	45.25	0	29052.133	559.1397849	16119.09874	30000	0	0	30000	25.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:01:08	1	1	1	1	104.5	45	0	28909.953	552.688172	16004.13122	30000	0	0	30000	23.375	2004
21.01.2020 10:01:09	1	1	1	1	104.5	43.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23.9375	2004
21.01.2020 10:01:10	1	1	1	1	104.5	43.75	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	24.6875	2004
21.01.2020 10:01:11	1	1	1	1	104.5	44.5	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	25.1875	2004
21.01.2020 10:01:12	1	1	1	1	104.8	45	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	24.625	2004
21.01.2020 10:01:13	1	1	1	1	104.8	44.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	23.5625	2004
21.01.2020 10:01:14	1	1	1	1	104.8	43.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	25.5625	2004
21.01.2020 10:01:15	1	1	1	1	104.8	45.5	0	28815.166	552.688172	15987.82377	30000	0	0	30000	25.5	2004
21.01.2020 10:01:16	1	1	1	1	104.8	45.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	25.3125	2004
21.01.2020 10:01:17	1	1	1	1	104.8	44.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	23.6875	2004
21.01.2020 10:01:18	1	1	1	1	104.8	43.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.1875	2004
21.01.2020 10:01:19	1	1	1	1	104.8	45	0	28909.953	552.688172	16004.13122	30000	0	0	30000	23.375	2004
21.01.2020 10:01:20	1	1	1	1	104.8	43.25	0	28957.346	552.688172	15942.16291	30000	0	0	30000	24.625	2004
21.01.2020 10:01:21	1	1	1	1	106	44.5	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	24	2004
21.01.2020 10:01:22	1	1	1	1	106	44	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	24.6875	2004
21.01.2020 10:01:23	1	1	1	1	106	44.5	0	28815.166	552.688172	15951.94738	30000	0	0	30000	24.1875	2004
21.01.2020 10:01:24	1	1	1	1	106	44	0	28815.166	552.688172	15925.85546	30000	0	0	30000	25.25	2004
21.01.2020 10:01:25	1	1	1	1	106	45.25	0	28957.346	554.8387097	16119.09874	30000	0	0	30000	24.75	2004
21.01.2020 10:01:26	1	1	1	1	106	44.75	0	28483.412	550.5376344	15794.58049	30000	0	0	30000	23.5625	2004
21.01.2020 10:01:27	1	1	1	1	106	43.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.625	2004
21.01.2020 10:01:28	1	1	1	1	106	45.5	0	28862.559	552.688172	16164.7596	30000	0	0	30000	24.9375	2004
21.01.2020 10:01:29	1	1	1	1	106	44.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	24.625	2004
21.01.2020 10:01:30	1	1	1	1	106	44.5	0	28578.199	554.8387097	16066.9149	30000	0	0	30000	25.3125	2004
21.01.2020 10:01:31	1	1	1	1	106	45.25	0	28815.166	554.8387097	15908.73264	30000	0	0	30000	24.5	2004
21.01.2020 10:01:32	1	1	1	1	106	44.5	0	28815.166	546.2365591	16013.91569	30000	0	0	30000	24.6875	2004
21.01.2020 10:01:33	1	1	1	1	106	44.5	0	28578.199	552.688172	15794.58049	30000	0	0	30000	22.9375	2004
21.01.2020 10:01:34	1	1	1	1	106	42.75	0	29099.526	556.9892473	16207.97434	30000	0	0	30000	24.875	2004
21.01.2020 10:01:35	1	1	1	1	106	44.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	25.4375	2004
21.01.2020 10:01:36	1	1	1	1	106	45.25	0	28625.592	552.688172	15925.85546	30000	0	0	30000	23.375	2004
21.01.2020 10:01:37	1	1	1	1	106	43.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	24.3125	2004
21.01.2020 10:01:38	1	1	1	1	106	44.25	0	28862.559	559.1397849	16075.884	30000	0	0	30000	23.625	2004
21.01.2020 10:01:39	1	1	1	1	106	43.5	0	28815.166	546.2365591	16049.79208	30000	0	0	30000	24.8125	2004
21.01.2020 10:01:40	1	1	1	1	106	44.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	24.5	2004
21.01.2020 10:01:42	1	1	1	1	105.5	44.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	24.9375	2004
21.01.2020 10:01:43	1	1	1	1	105.5	44.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	25.0625	2004
21.01.2020 10:01:44	1	1	1	1	105.5	45	0	28862.559	554.8387097	16075.884	30000	0	0	30000	24.25	2004
21.01.2020 10:01:45	1	1	1	1	105.5	44.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	24.9375	2004
21.01.2020 10:01:46	1	1	1	1	105.5	44.75	0	28909.953	548.3870968	16066.09953	30000	0	0	30000	24.1875	2004
21.01.2020 10:01:47	1	1	1	1	105.5	44	0	28909.953	556.9892473	16013.91569	30000	0	0	30000	24.25	2004
21.01.2020 10:01:48	1	1	1	1	105.5	44.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	24.1875	2004
21.01.2020 10:01:49	1	1	1	1	105.5	44	0	28862.559	550.5376344	16252.81983	30000	0	0	30000	23	2004
21.01.2020 10:01:50	1	1	1	1	105.5	43	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	25.0625	2004
21.01.2020 10:01:51	1	1	1	1	105.5	45	0	28578.199	550.5376344	15733.42755	30000	0	0	30000	24.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:01:52	1	1	1	1	106.3	44.5	0	28862.559	550.5376344	16252.81983	30000	0	0	30000	24.5	2004
21.01.2020 10:01:53	1	1	1	1	106.3	44.5	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	26	2004
21.01.2020 10:01:54	1	1	1	1	106.3	46	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	25.25	2004
21.01.2020 10:01:55	1	1	1	1	106.3	44.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	24.75	2004
21.01.2020 10:01:56	1	1	1	1	106.3	44.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	24.125	2004
21.01.2020 10:01:57	1	1	1	1	106.3	44	0	28815.166	552.688172	15925.85546	30000	0	0	30000	25.125	2004
21.01.2020 10:01:58	1	1	1	1	106.3	45	0	28862.559	556.9892473	16075.884	30000	0	0	30000	24.25	2004
21.01.2020 10:02:04	1	1	1	1	106.3	44	0	28625.592	552.688172	15925.85546	30000	0	0	30000	24.125	2004
21.01.2020 10:02:04	1	1	1	1	106.3	44	0	28625.592	552.688172	15925.85546	30000	0	0	30000	24.125	2004
21.01.2020 10:02:04	1	1	1	1	106.3	44	0	28625.592	552.688172	15925.85546	30000	0	0	30000	24.125	2004
21.01.2020 10:02:04	1	1	1	1	106.3	44	0	28625.592	552.688172	15925.85546	30000	0	0	30000	24.125	2004
21.01.2020 10:02:04	1	1	1	1	106.3	44	0	28862.559	554.8387097	15863.88715	30000	0	0	30000	24.75	2004
21.01.2020 10:02:05	1	1	1	1	106.3	44.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	24.9375	2004
21.01.2020 10:02:06	1	1	1	1	106.3	44.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	25.375	2004
21.01.2020 10:02:07	1	1	1	1	106.3	45.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	24.9375	2004
21.01.2020 10:02:08	1	1	1	1	106.3	44.75	0	28909.953	550.5376344	16040.00761	30000	0	0	30000	25.5	2004
21.01.2020 10:02:09	1	1	1	1	106.3	45.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	24.4375	2004
21.01.2020 10:02:10	1	1	1	1	106.3	44.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	24.125	2004
21.01.2020 10:02:11	1	1	1	1	106	44	0	28815.166	554.8387097	16075.884	30000	0	0	30000	23.8125	2004
21.01.2020 10:02:12	1	1	1	1	106	43.75	0	28862.559	554.8387097	15925.85546	30000	0	0	30000	24.5625	2004
21.01.2020 10:02:13	1	1	1	1	106	44.5	0	28862.559	559.1397849	15987.82377	30000	0	0	30000	24.8125	2004
21.01.2020 10:02:14	1	1	1	1	106	44.75	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	25.625	2004
21.01.2020 10:02:15	1	1	1	1	106	45.5	0	28672.986	552.688172	15925.85546	30000	0	0	30000	23.625	2004
21.01.2020 10:02:16	1	1	1	1	106	43.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	24.6875	2004
21.01.2020 10:02:17	1	1	1	1	106	44.5	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	24.625	2004
21.01.2020 10:02:18	1	1	1	1	106	44.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	24.8125	2004
21.01.2020 10:02:19	1	1	1	1	106	44.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	24.6875	2004
21.01.2020 10:02:21	1	1	1	1	106	44.5	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	24.25	2004
21.01.2020 10:02:22	1	1	1	1	106.3	44.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.25	2004
21.01.2020 10:02:23	1	1	1	1	106.3	45.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	24.75	2004
21.01.2020 10:02:24	1	1	1	1	106.3	44.75	0	29099.526	556.9892473	16145.19066	30000	0	0	30000	25.875	2004
21.01.2020 10:02:25	1	1	1	1	106.3	45.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	26.125	2004
21.01.2020 10:02:26	1	1	1	1	106.3	46	0	28862.559	552.688172	15951.94738	30000	0	0	30000	24.6875	2004
21.01.2020 10:02:27	1	1	1	1	106.3	44.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	25.5625	2004
21.01.2020 10:02:28	1	1	1	1	106.3	45.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	25.3125	2004
21.01.2020 10:02:29	1	1	1	1	106.3	45.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	26.1875	2004
21.01.2020 10:02:30	1	1	1	1	106.3	46	0	28862.559	552.688172	15951.94738	30000	0	0	30000	25.4375	2004
21.01.2020 10:02:31	1	1	1	1	106.3	45.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	24.5625	2004
21.01.2020 10:02:32	1	1	1	1	107	44.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	24.8125	2004
21.01.2020 10:02:33	1	1	1	1	107	44.75	0	28957.346	559.1397849	16004.13122	30000	0	0	30000	25.625	2004
21.01.2020 10:02:34	1	1	1	1	107	46	0	28862.559	552.688172	16066.09953	30000	0	0	30000	26	2004
21.01.2020 10:02:35	1	1	1	1	107	46	0	28957.346	554.8387097	16119.09874	30000	0	0	30000	25.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:02:36	1	1	1	1	107	45	0	28862.559	552.688172	15951.94738	30000	0	0	30000	24.9375	2004
21.01.2020 10:02:37	1	1	1	1	107	44.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	25.5625	2004
21.01.2020 10:02:38	1	1	1	1	107	45.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	23.875	2004
21.01.2020 10:02:39	1	1	1	1	107	43.75	0	28578.199	552.688172	15794.58049	30000	0	0	30000	24.9375	2004
21.01.2020 10:02:40	1	1	1	1	107	44.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	24.75	2004
21.01.2020 10:02:41	1	1	1	1	105.5	44.75	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	25	2004
21.01.2020 10:02:42	1	1	1	1	105.5	45	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	25.0625	2004
21.01.2020 10:02:43	1	1	1	1	105.5	45	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	24.9375	2004
21.01.2020 10:02:44	1	1	1	1	105.5	44.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	25.1875	2004
21.01.2020 10:02:45	1	1	1	1	105.5	45	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	24.1875	2004
21.01.2020 10:02:46	1	1	1	1	105.5	44	0	29052.133	556.9892473	16431.38641	30000	0	0	30000	25.125	2004
21.01.2020 10:02:47	1	1	1	1	105.5	45	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	24.5625	2004
21.01.2020 10:02:48	1	1	1	1	105.5	44.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	25.375	2004
21.01.2020 10:02:49	1	1	1	1	105.5	45.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	25.375	2004
21.01.2020 10:02:50	1	1	1	1	105.5	45.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	25.5625	2004
21.01.2020 10:02:51	1	1	1	1	105	45.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24.4375	2004
21.01.2020 10:02:52	1	1	1	1	105	44.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	23.9375	2004
21.01.2020 10:02:53	1	1	1	1	105	43.75	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	24.125	2004
21.01.2020 10:02:54	1	1	1	1	105	44	0	28815.166	556.9892473	15759.51947	30000	0	0	30000	23.875	2004
21.01.2020 10:02:55	1	1	1	1	105	43.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	24.9375	2004
21.01.2020 10:02:56	1	1	1	1	105	44.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	24.875	2004
21.01.2020 10:02:57	1	1	1	1	105	44.75	0	28625.592	554.8387097	15908.73264	30000	0	0	30000	26.25	2004
21.01.2020 10:02:58	1	1	1	1	105	46.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	26.125	2004
21.01.2020 10:03:00	1	1	1	1	105	46	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.1875	2004
21.01.2020 10:03:05	1	1	1	1	105.3	45	0	28862.559	556.9892473	16199.82062	30000	0	0	30000	25.0625	2004
21.01.2020 10:03:05	1	1	1	1	105.3	45	0	28862.559	556.9892473	16199.82062	30000	0	0	30000	25.0625	2004
21.01.2020 10:03:05	1	1	1	1	105.3	45	0	28862.559	556.9892473	16199.82062	30000	0	0	30000	25.0625	2004
21.01.2020 10:03:05	1	1	1	1	105.3	45	0	28862.559	556.9892473	16199.82062	30000	0	0	30000	25.0625	2004
21.01.2020 10:03:05	1	1	1	1	105.3	45	0	28862.559	556.9892473	16199.82062	30000	0	0	30000	25.0625	2004
21.01.2020 10:03:06	1	1	1	1	105.3	45	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26	2004
21.01.2020 10:03:07	1	1	1	1	105.3	46	0	28483.412	550.5376344	15829.64151	30000	0	0	30000	24.9375	2004
21.01.2020 10:03:08	1	1	1	1	105.3	44.75	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	25.375	2004
21.01.2020 10:03:09	1	1	1	1	105.3	45.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.5	2004
21.01.2020 10:03:10	1	1	1	1	105.3	45.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	25.375	2004
21.01.2020 10:03:11	1	1	1	1	105.3	45.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	26.375	2004
21.01.2020 10:03:12	1	1	1	1	105.3	46.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	25.4375	2004
21.01.2020 10:03:13	1	1	1	1	105.3	45.75	0	28436.019	556.9892473	15864.70252	30000	0	0	30000	26.1875	2004
21.01.2020 10:03:14	1	1	1	1	105.3	46	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	24.9375	2004
21.01.2020 10:03:15	1	1	1	1	105.3	44.75	0	28815.166	556.9892473	16297.66532	30000	0	0	30000	25.1875	2004
21.01.2020 10:03:16	1	1	1	1	105.3	45	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	25.75	2004
21.01.2020 10:03:17	1	1	1	1	105.3	45.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	24.6875	2004
21.01.2020 10:03:18	1	1	1	1	105.3	44.5	0	28625.592	554.8387097	16093.82219	30000	0	0	30000	25.75	2004
21.01.2020 10:03:19	1	1	1	1	105.3	45.75	0	28483.412	554.8387097	15864.70252	30000	0	0	30000	24.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:03:20	1	1	1	1	105.3	44.75	0	28625.592	556.9892473	16093.82219	30000	0	0	30000	26.3125	2004
21.01.2020 10:03:21	1	1	1	1	105.8	46.25	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	25.6875	2004
21.01.2020 10:03:22	1	1	1	1	105.8	45.5	0	28578.199	565.5913978	15987.0084	30000	0	0	30000	24.75	2004
21.01.2020 10:03:23	1	1	1	1	105.8	44.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.0625	2004
21.01.2020 10:03:24	1	1	1	1	105.8	45	0	28672.986	559.1397849	16031.85389	30000	0	0	30000	25.5625	2004
21.01.2020 10:03:25	1	1	1	1	105.8	45.5	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	24.625	2004
21.01.2020 10:03:26	1	1	1	1	105.8	44.5	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	25.375	2004
21.01.2020 10:03:27	1	1	1	1	105.8	45.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	24.125	2004
21.01.2020 10:03:28	1	1	1	1	105.8	44	0	28625.592	561.2903226	15917.70174	30000	0	0	30000	25.75	2004
21.01.2020 10:03:29	1	1	1	1	105.8	45.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	25	2004
21.01.2020 10:03:30	1	1	1	1	105.8	45	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	25.375	2004
21.01.2020 10:03:31	1	1	1	1	104	45.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	24.9375	2004
21.01.2020 10:03:32	1	1	1	1	104	44.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	25.375	2004
21.01.2020 10:03:33	1	1	1	1	104	45.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	26.0625	2004
21.01.2020 10:03:34	1	1	1	1	104	46	0	28625.592	559.1397849	16093.82219	30000	0	0	30000	25.6875	2004
21.01.2020 10:03:35	1	1	1	1	104	45.5	0	28625.592	559.1397849	16031.85389	30000	0	0	30000	26.4375	2004
21.01.2020 10:03:37	1	1	1	1	104	46.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	25.6875	2004
21.01.2020 10:03:38	1	1	1	1	104	45.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	25.6875	2004
21.01.2020 10:03:39	1	1	1	1	104	45.5	0	28530.806	561.2903226	16163.12886	30000	0	0	30000	23.9375	2004
21.01.2020 10:03:40	1	1	1	1	104	43.75	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	25.25	2004
21.01.2020 10:03:41	1	1	1	1	104	45.25	0	28483.412	552.688172	16040.00761	30000	0	0	30000	25.0625	2004
21.01.2020 10:03:42	1	1	1	1	104.5	45	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.125	2004
21.01.2020 10:03:43	1	1	1	1	104.5	46	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	25.5	2004
21.01.2020 10:03:44	1	1	1	1	104.5	45.5	0	28483.412	556.9892473	15952.76275	30000	0	0	30000	25.375	2004
21.01.2020 10:03:45	1	1	1	1	104.5	45.25	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	25.125	2004
21.01.2020 10:03:46	1	1	1	1	104.5	45	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	24.3125	2004
21.01.2020 10:03:47	1	1	1	1	104.5	44.25	0	28293.839	559.1397849	15706.52026	30000	0	0	30000	24.9375	2004
21.01.2020 10:03:48	1	1	1	1	104.5	44.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.125	2004
21.01.2020 10:03:49	1	1	1	1	104.5	46	0	28578.199	561.2903226	16421.60194	30000	0	0	30000	25.6875	2004
21.01.2020 10:03:50	1	1	1	1	104.5	45.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	26.8125	2004
21.01.2020 10:03:51	1	1	1	1	104.5	46.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	26.25	2004
21.01.2020 10:03:52	1	1	1	1	105.8	45	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	25.5	2004
21.01.2020 10:03:53	1	1	1	1	105.8	45.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	26.3125	2004
21.01.2020 10:03:54	1	1	1	1	105.8	46.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	24.8125	2004
21.01.2020 10:03:55	1	1	1	1	105.8	44.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	24.6875	2004
21.01.2020 10:03:56	1	1	1	1	105.8	44.5	0	28483.412	563.4408602	16101.97592	30000	0	0	30000	25.625	2004
21.01.2020 10:03:57	1	1	1	1	105.8	45.5	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	25.5	2004
21.01.2020 10:03:58	1	1	1	1	105.8	45.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	26.3125	2004
21.01.2020 10:03:59	1	1	1	1	105.8	46.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	24.625	2004
21.01.2020 10:04:00	1	1	1	1	105.8	44.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	25	2004
21.01.2020 10:04:01	1	1	1	1	106.3	45	0	28625.592	563.4408602	16154.97513	30000	0	0	30000	25.5	2004
21.01.2020 10:04:07	1	1	1	1	106.3	45	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.125	2004
21.01.2020 10:04:07	1	1	1	1	106.3	45	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:04:07	1	1	1	1	106.3	45	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.125	2004
21.01.2020 10:04:07	1	1	1	1	106.3	45	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.125	2004
21.01.2020 10:04:07	1	1	1	1	106.3	45	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.125	2004
21.01.2020 10:04:07	1	1	1	1	106.3	45	0	28625.592	561.2903226	16128.88321	30000	0	0	30000	24.375	2004
21.01.2020 10:04:08	1	1	1	1	106.3	44.25	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	25.4375	2004
21.01.2020 10:04:09	1	1	1	1	106.3	45.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	25.8125	2004
21.01.2020 10:04:10	1	1	1	1	106.3	45.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.3125	2004
21.01.2020 10:04:11	1	1	1	1	106.3	45.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	25.625	2004
21.01.2020 10:04:12	1	1	1	1	106.3	45.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	24.8125	2004
21.01.2020 10:04:13	1	1	1	1	106.3	44.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	24.9375	2004
21.01.2020 10:04:14	1	1	1	1	106.3	44.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	25.25	2004
21.01.2020 10:04:16	1	1	1	1	106.3	45.25	0	28483.412	563.4408602	16347.40304	30000	0	0	30000	25.125	2004
21.01.2020 10:04:17	1	1	1	1	106.3	45	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	25.875	2004
21.01.2020 10:04:18	1	1	1	1	106.3	45.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	26.125	2004
21.01.2020 10:04:19	1	1	1	1	106.3	46	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	25.1875	2004
21.01.2020 10:04:20	1	1	1	1	106.3	45	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	25.5	2004
21.01.2020 10:04:21	1	1	1	1	106.3	45.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.125	2004
21.01.2020 10:04:22	1	1	1	1	106	46	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	26.625	2004
21.01.2020 10:04:23	1	1	1	1	106	46.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.75	2004
21.01.2020 10:04:24	1	1	1	1	106	45.75	0	28436.019	559.1397849	15872.85625	30000	0	0	30000	25.5	2004
21.01.2020 10:04:25	1	1	1	1	106	45.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	25.3125	2004
21.01.2020 10:04:26	1	1	1	1	106	45.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	25.8125	2004
21.01.2020 10:04:27	1	1	1	1	106	45.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	26.5	2004
21.01.2020 10:04:28	1	1	1	1	106	46.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	25.9375	2004
21.01.2020 10:04:29	1	1	1	1	106	45.75	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	27	2004
21.01.2020 10:04:30	1	1	1	1	106	47	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	25.125	2004
21.01.2020 10:04:31	1	1	1	1	107.5	46	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	24.6875	2004
21.01.2020 10:04:32	1	1	1	1	107.5	44.5	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	24.625	2004
21.01.2020 10:04:33	1	1	1	1	107.5	44.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	25.4375	2004
21.01.2020 10:04:34	1	1	1	1	107.5	45.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	26.375	2004
21.01.2020 10:04:35	1	1	1	1	107.5	46.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	24.875	2004
21.01.2020 10:04:36	1	1	1	1	107.5	44.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	26.0625	2004
21.01.2020 10:04:37	1	1	1	1	107.5	46	0	28483.412	556.9892473	16163.12886	30000	0	0	30000	25.8125	2004
21.01.2020 10:04:38	1	1	1	1	107.5	45.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	25	2004
21.01.2020 10:04:39	1	1	1	1	107.5	45	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	25.75	2004
21.01.2020 10:04:40	1	1	1	1	107.5	45.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	26.0625	2004
21.01.2020 10:04:41	1	1	1	1	107.5	46	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.8125	2004
21.01.2020 10:04:42	1	1	1	1	107.5	45.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.25	2004
21.01.2020 10:04:43	1	1	1	1	107.5	45.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.625	2004
21.01.2020 10:04:44	1	1	1	1	107.5	45.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	26	2004
21.01.2020 10:04:45	1	1	1	1	107.5	46	0	28815.166	548.3870968	16173.7287	30000	0	0	30000	25.375	2004
21.01.2020 10:04:46	1	1	1	1	107.5	45.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.25	2004
21.01.2020 10:04:47	1	1	1	1	107.5	46.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	26.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:04:48	1	1	1	1	107.5	46.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	25.0625	2004
21.01.2020 10:04:49	1	1	1	1	107.5	45	0	28578.199	559.1397849	15943.79366	30000	0	0	30000	25	2004
21.01.2020 10:04:50	1	1	1	1	107.5	45	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	25.6875	2004
21.01.2020 10:04:51	1	1	1	1	108.5	45.5	0	28625.592	563.4408602	16163.12886	30000	0	0	30000	25.375	2004
21.01.2020 10:04:53	1	1	1	1	108.5	45.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	26.125	2004
21.01.2020 10:04:54	1	1	1	1	108.5	46	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	25.375	2004
21.01.2020 10:04:55	1	1	1	1	108.5	45.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	25.0625	2004
21.01.2020 10:04:56	1	1	1	1	108.5	45	0	28483.412	554.8387097	15742.39665	30000	0	0	30000	25.1875	2004
21.01.2020 10:04:57	1	1	1	1	108.5	45	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	26.125	2004
21.01.2020 10:04:58	1	1	1	1	108.5	46	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	25.5	2004
21.01.2020 10:04:59	1	1	1	1	108.5	45.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	25.625	2004
21.01.2020 10:05:00	1	1	1	1	108.5	45.5	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	26	2004
21.01.2020 10:05:01	1	1	1	1	108.5	46	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	25.8125	2004
21.01.2020 10:05:02	1	1	1	1	108	45.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	25.125	2004
21.01.2020 10:05:03	1	1	1	1	108	45	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	25.625	2004
21.01.2020 10:05:09	1	1	1	1	108	46.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	26.6875	2004
21.01.2020 10:05:09	1	1	1	1	108	46.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	26.6875	2004
21.01.2020 10:05:09	1	1	1	1	108	46.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	26.6875	2004
21.01.2020 10:05:09	1	1	1	1	108	46.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	26.6875	2004
21.01.2020 10:05:09	1	1	1	1	108	44.75	0	28530.806	563.4408602	15978.85467	30000	0	0	30000	25.625	2004
21.01.2020 10:05:10	1	1	1	1	108	45.5	0	28815.166	559.1397849	16031.85389	30000	0	0	30000	27.125	2004
21.01.2020 10:05:11	1	1	1	1	108	47	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	26.375	2004
21.01.2020 10:05:12	1	1	1	1	108	46.25	0	28578.199	559.1397849	16190.03615	30000	0	0	30000	26.5625	2004
21.01.2020 10:05:13	1	1	1	1	108	46.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.3125	2004
21.01.2020 10:05:14	1	1	1	1	108	46.25	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	25.8125	2004
21.01.2020 10:05:15	1	1	1	1	108	45.75	0	28672.986	561.2903226	16066.9149	30000	0	0	30000	26.8125	2004
21.01.2020 10:05:16	1	1	1	1	108	46.75	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	26.125	2004
21.01.2020 10:05:17	1	1	1	1	108	46	0	28578.199	561.2903226	15742.39665	30000	0	0	30000	25.875	2004
21.01.2020 10:05:18	1	1	1	1	108	45.75	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	25.875	2004
21.01.2020 10:05:19	1	1	1	1	108	45.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	26.3125	2004
21.01.2020 10:05:20	1	1	1	1	108	46.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.9375	2004
21.01.2020 10:05:21	1	1	1	1	108.5	45.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	26.375	2004
21.01.2020 10:05:22	1	1	1	1	108.5	46.25	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	24.8125	2004
21.01.2020 10:05:23	1	1	1	1	108.5	44.75	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	26.5625	2004
21.01.2020 10:05:24	1	1	1	1	108.5	46.5	0	28815.166	559.1397849	15969.88558	30000	0	0	30000	25.5	2004
21.01.2020 10:05:25	1	1	1	1	108.5	45.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	25.9375	2004
21.01.2020 10:05:26	1	1	1	1	108.5	45.75	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	25.375	2004
21.01.2020 10:05:27	1	1	1	1	108.5	45.25	0	28625.592	552.688172	16049.79208	30000	0	0	30000	25.5625	2004
21.01.2020 10:05:28	1	1	1	1	108.5	45.5	0	28672.986	554.8387097	15882.64072	30000	0	0	30000	25.8125	2004
21.01.2020 10:05:29	1	1	1	1	108.5	45.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.125	2004
21.01.2020 10:05:31	1	1	1	1	108.5	45	0	28625.592	552.688172	15733.42755	30000	0	0	30000	25	2004
21.01.2020 10:05:32	1	1	1	1	107.5	45	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	26.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:05:33	1	1	1	1	107.5	46.25	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	26.5625	2004
21.01.2020 10:05:34	1	1	1	1	107.5	46.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	25.375	2004
21.01.2020 10:05:35	1	1	1	1	107.5	45.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	27.375	2004
21.01.2020 10:05:36	1	1	1	1	107.5	47.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	25.9375	2004
21.01.2020 10:05:37	1	1	1	1	107.5	45.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.4375	2004
21.01.2020 10:05:38	1	1	1	1	107.5	45.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	26.1875	2004
21.01.2020 10:05:39	1	1	1	1	107.5	46	0	28625.592	552.688172	15820.67241	30000	0	0	30000	25.875	2004
21.01.2020 10:05:40	1	1	1	1	107.5	45.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.5	2004
21.01.2020 10:05:41	1	1	1	1	107.5	45.5	0	28862.559	563.4408602	16049.79208	30000	0	0	30000	26.6875	2004
21.01.2020 10:05:42	1	1	1	1	108.3	46.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	26.3125	2004
21.01.2020 10:05:43	1	1	1	1	108.3	46.25	0	28672.986	554.8387097	15785.61139	30000	0	0	30000	27.375	2004
21.01.2020 10:05:44	1	1	1	1	108.3	47.25	0	28625.592	552.688172	15969.88558	30000	0	0	30000	27.1875	2004
21.01.2020 10:05:45	1	1	1	1	108.3	47	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	27.25	2004
21.01.2020 10:05:46	1	1	1	1	108.3	47.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	26.625	2004
21.01.2020 10:05:47	1	1	1	1	108.3	47	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	26.875	2004
21.01.2020 10:05:48	1	1	1	1	108.3	46.75	0	28957.346	556.9892473	16190.85152	30000	0	0	30000	25.6875	2004
21.01.2020 10:05:49	1	1	1	1	108.3	45.5	0	28672.986	552.688172	15820.67241	30000	0	0	30000	25.8125	2004
21.01.2020 10:05:50	1	1	1	1	108.3	45.75	0	28862.559	559.1397849	16075.884	30000	0	0	30000	26.5	2004
21.01.2020 10:05:51	1	1	1	1	108.3	46.5	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	26.6875	2004
21.01.2020 10:05:52	1	1	1	1	108.3	46.5	0	28862.559	559.1397849	16075.884	30000	0	0	30000	25.5	2004
21.01.2020 10:05:53	1	1	1	1	108.3	45.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	26.75	2004
21.01.2020 10:05:54	1	1	1	1	108.3	46.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	26.875	2004
21.01.2020 10:05:55	1	1	1	1	108.3	46.75	0	28530.806	556.9892473	15978.85467	30000	0	0	30000	25.9375	2004
21.01.2020 10:05:56	1	1	1	1	108.3	45.75	0	28862.559	563.4408602	16075.884	30000	0	0	30000	26.9375	2004
21.01.2020 10:05:57	1	1	1	1	108.3	46.75	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	26	2004
21.01.2020 10:05:58	1	1	1	1	108.3	46	0	28862.559	556.9892473	16075.884	30000	0	0	30000	26.5	2004
21.01.2020 10:05:59	1	1	1	1	108.3	46.5	0	28578.199	552.688172	15908.73264	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:00	1	1	1	1	108.3	46.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.375	2004
21.01.2020 10:06:01	1	1	1	1	108.5	45.25	0	28815.166	546.2365591	16049.79208	30000	0	0	30000	27.25	2004
21.01.2020 10:06:02	1	1	1	1	108.5	47.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	26.25	2004
21.01.2020 10:06:03	1	1	1	1	108.5	46.25	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	27.125	2004
21.01.2020 10:06:04	1	1	1	1	108.5	47	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	26.125	2004
21.01.2020 10:06:10	1	1	1	1	108.5	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:10	1	1	1	1	108.5	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:10	1	1	1	1	108.5	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:10	1	1	1	1	108.5	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:10	1	1	1	1	108.5	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:11	1	1	1	1	108.5	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.875	2004
21.01.2020 10:06:12	1	1	1	1	108.5	45.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.4375	2004
21.01.2020 10:06:13	1	1	1	1	108.5	46.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.125	2004
21.01.2020 10:06:14	1	1	1	1	108.5	46	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	26.3125	2004
21.01.2020 10:06:15	1	1	1	1	108.5	46.25	0	28578.199	559.1397849	16163.12886	30000	0	0	30000	25.9375	2004
21.01.2020 10:06:16	1	1	1	1	108.5	45.75	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	24.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:06:17	1	1	1	1	108.5	44.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	27.25	2004
21.01.2020 10:06:18	1	1	1	1	108.5	47.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	26.5	2004
21.01.2020 10:06:19	1	1	1	1	108.5	46.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:20	1	1	1	1	108.5	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.9375	2004
21.01.2020 10:06:21	1	1	1	1	108.5	46.75	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	27.0625	2004
21.01.2020 10:06:22	1	1	1	1	109	47	0	28436.019	561.2903226	15689.39744	30000	0	0	30000	27.3125	2004
21.01.2020 10:06:23	1	1	1	1	109	47.25	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	26.9375	2004
21.01.2020 10:06:24	1	1	1	1	109	46.75	0	28341.232	561.2903226	15872.85625	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:25	1	1	1	1	109	45.5	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	26.375	2004
21.01.2020 10:06:26	1	1	1	1	109	46.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	26.0625	2004
21.01.2020 10:06:27	1	1	1	1	109	46	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	25.875	2004
21.01.2020 10:06:28	1	1	1	1	109	45.75	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:29	1	1	1	1	109	46.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27.0625	2004
21.01.2020 10:06:30	1	1	1	1	109	47	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	26.75	2004
21.01.2020 10:06:31	1	1	1	1	108.5	46.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	26.1875	2004
21.01.2020 10:06:32	1	1	1	1	108.5	46	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	26	2004
21.01.2020 10:06:33	1	1	1	1	108.5	46	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	26.5	2004
21.01.2020 10:06:34	1	1	1	1	108.5	46.5	0	28341.232	559.1397849	15934.00919	30000	0	0	30000	25.375	2004
21.01.2020 10:06:35	1	1	1	1	108.5	45.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.75	2004
21.01.2020 10:06:36	1	1	1	1	108.5	45.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	26	2004
21.01.2020 10:06:37	1	1	1	1	108.5	46	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	26.125	2004
21.01.2020 10:06:38	1	1	1	1	108.5	46	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27	2004
21.01.2020 10:06:39	1	1	1	1	108.5	47	0	28483.412	563.4408602	16171.28258	30000	0	0	30000	26.8125	2004
21.01.2020 10:06:40	1	1	1	1	108.5	46.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	26.3125	2004
21.01.2020 10:06:41	1	1	1	1	109	46.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	26.1875	2004
21.01.2020 10:06:42	1	1	1	1	109	46	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	25.4375	2004
21.01.2020 10:06:43	1	1	1	1	109	45.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	26.5	2004
21.01.2020 10:06:44	1	1	1	1	109	46.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	25.75	2004
21.01.2020 10:06:45	1	1	1	1	109	45.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	27	2004
21.01.2020 10:06:46	1	1	1	1	109	47	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	27.3125	2004
21.01.2020 10:06:48	1	1	1	1	109	47.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	25.75	2004
21.01.2020 10:06:49	1	1	1	1	109	45.75	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	25.5	2004
21.01.2020 10:06:50	1	1	1	1	109	45.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	25.625	2004
21.01.2020 10:06:51	1	1	1	1	109	45.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27	2004
21.01.2020 10:06:52	1	1	1	1	108.3	47	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.875	2004
21.01.2020 10:06:53	1	1	1	1	108.3	45.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	26.6875	2004
21.01.2020 10:06:54	1	1	1	1	108.3	46.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	25.125	2004
21.01.2020 10:06:55	1	1	1	1	108.3	45	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.9375	2004
21.01.2020 10:06:56	1	1	1	1	108.3	45.75	0	28815.166	561.2903226	16066.9149	30000	0	0	30000	26	2004
21.01.2020 10:06:57	1	1	1	1	108.3	46	0	28672.986	561.2903226	15978.85467	30000	0	0	30000	25.6875	2004
21.01.2020 10:06:58	1	1	1	1	108.3	45.5	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	27.375	2004
21.01.2020 10:06:59	1	1	1	1	108.3	47.25	0	28625.592	565.5913978	16040.00761	30000	0	0	30000	27.25	2004
21.01.2020 10:07:00	1	1	1	1	108.3	47.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	27.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:07:01	1	1	1	1	108.3	47.5	0	28483.412	559.1397849	15742.39665	30000	0	0	30000	27.1875	2004
21.01.2020 10:07:02	1	1	1	1	106.5	47	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	27	2004
21.01.2020 10:07:03	1	1	1	1	106.5	47	0	28530.806	556.9892473	16163.12886	30000	0	0	30000	27.5625	2004
21.01.2020 10:07:04	1	1	1	1	106.5	47	0	28625.592	563.4408602	16154.97513	30000	0	0	30000	25.875	2004
21.01.2020 10:07:05	1	1	1	1	106.5	45.75	0	28483.412	561.2903226	16075.06863	30000	0	0	30000	27.1875	2004
21.01.2020 10:07:06	1	1	1	1	106.5	47	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	24.875	2004
21.01.2020 10:07:12	1	1	1	1	104.8	45.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.5	2004
21.01.2020 10:07:12	1	1	1	1	104.8	45.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.5	2004
21.01.2020 10:07:12	1	1	1	1	104.8	45.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.5	2004
21.01.2020 10:07:12	1	1	1	1	104.8	45.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.5	2004
21.01.2020 10:07:12	1	1	1	1	104.8	46.5	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	27.1875	2004
21.01.2020 10:07:13	1	1	1	1	104.8	47	0	28293.839	561.2903226	16090.5607	30000	0	0	30000	25.8125	2004
21.01.2020 10:07:14	1	1	1	1	104.8	45.75	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	26	2004
21.01.2020 10:07:15	1	1	1	1	104.8	46	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	27.0625	2004
21.01.2020 10:07:16	1	1	1	1	104.8	47	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	26.9375	2004
21.01.2020 10:07:17	1	1	1	1	104.8	46.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	25.625	2004
21.01.2020 10:07:18	1	1	1	1	104.8	45.5	0	28293.839	559.1397849	15934.00919	30000	0	0	30000	26.4375	2004
21.01.2020 10:07:19	1	1	1	1	104.8	46.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	27.4375	2004
21.01.2020 10:07:20	1	1	1	1	104.8	47.25	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	26.875	2004
21.01.2020 10:07:21	1	1	1	1	104.5	46.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	26.375	2004
21.01.2020 10:07:22	1	1	1	1	104.5	46.25	0	28625.592	563.4408602	16101.97592	30000	0	0	30000	26.9375	2004
21.01.2020 10:07:23	1	1	1	1	104.5	46.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.5	2004
21.01.2020 10:07:24	1	1	1	1	104.5	45.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	26.25	2004
21.01.2020 10:07:25	1	1	1	1	104.5	46.25	0	28578.199	561.2903226	16128.88321	30000	0	0	30000	26.875	2004
21.01.2020 10:07:27	1	1	1	1	104.5	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.75	2004
21.01.2020 10:07:28	1	1	1	1	104.5	46.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	26.25	2004
21.01.2020 10:07:29	1	1	1	1	104.5	46.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	27.25	2004
21.01.2020 10:07:30	1	1	1	1	104.5	47.25	0	28815.166	561.2903226	16066.9149	30000	0	0	30000	26	2004
21.01.2020 10:07:31	1	1	1	1	104.5	46	0	28388.626	556.9892473	15811.70331	30000	0	0	30000	26.5	2004
21.01.2020 10:07:32	1	1	1	1	104.8	46.5	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	27.5	2004
21.01.2020 10:07:33	1	1	1	1	104.8	47.5	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	26.875	2004
21.01.2020 10:07:34	1	1	1	1	104.8	46.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.625	2004
21.01.2020 10:07:35	1	1	1	1	104.8	46.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.0625	2004
21.01.2020 10:07:36	1	1	1	1	104.8	47	0	28436.019	565.5913978	15934.00919	30000	0	0	30000	25.875	2004
21.01.2020 10:07:37	1	1	1	1	104.8	45.75	0	28436.019	561.2903226	15689.39744	30000	0	0	30000	27.0625	2004
21.01.2020 10:07:38	1	1	1	1	104.8	47	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	26.8125	2004
21.01.2020 10:07:39	1	1	1	1	104.8	46.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27	2004
21.01.2020 10:07:40	1	1	1	1	104.8	47	0	28530.806	559.1397849	15952.76275	30000	0	0	30000	27.0625	2004
21.01.2020 10:07:41	1	1	1	1	104.8	47	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	27.125	2004
21.01.2020 10:07:42	1	1	1	1	106.3	47	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	26.5	2004
21.01.2020 10:07:43	1	1	1	1	106.3	47.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	27.5	2004
21.01.2020 10:07:44	1	1	1	1	106.3	47.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	27.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:07:45	1	1	1	1	106.3	47.5	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	27.75	2004
21.01.2020 10:07:46	1	1	1	1	106.3	47.75	0	28388.626	561.2903226	15968.25483	30000	0	0	30000	27.5625	2004
21.01.2020 10:07:47	1	1	1	1	106.3	47.5	0	28388.626	559.1397849	15846.76433	30000	0	0	30000	26.0625	2004
21.01.2020 10:07:48	1	1	1	1	106.3	46	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	26.125	2004
21.01.2020 10:07:49	1	1	1	1	106.3	46	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	27.5625	2004
21.01.2020 10:07:50	1	1	1	1	106.3	47.5	0	28483.412	554.8387097	16163.12886	30000	0	0	30000	26	2004
21.01.2020 10:07:51	1	1	1	1	107.5	46	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	27.75	2004
21.01.2020 10:07:52	1	1	1	1	107.5	47.75	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	27.6875	2004
21.01.2020 10:07:53	1	1	1	1	107.5	47.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	26.5625	2004
21.01.2020 10:07:54	1	1	1	1	107.5	46.5	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	26.125	2004
21.01.2020 10:07:55	1	1	1	1	107.5	46	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	25.375	2004
21.01.2020 10:07:56	1	1	1	1	107.5	45.25	0	28578.199	561.2903226	15917.70174	30000	0	0	30000	25.9375	2004
21.01.2020 10:07:57	1	1	1	1	107.5	45.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	26.125	2004
21.01.2020 10:07:58	1	1	1	1	107.5	46	0	28388.626	559.1397849	15811.70331	30000	0	0	30000	27.25	2004
21.01.2020 10:07:59	1	1	1	1	107.5	47.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	27.625	2004
21.01.2020 10:08:00	1	1	1	1	107.5	47.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	25.9375	2004
21.01.2020 10:08:01	1	1	1	1	108	45.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	26.9375	2004
21.01.2020 10:08:02	1	1	1	1	108	46.75	0	28672.986	559.1397849	16173.7287	30000	0	0	30000	27.4375	2004
21.01.2020 10:08:03	1	1	1	1	108	47.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	27.3125	2004
21.01.2020 10:08:05	1	1	1	1	108	47.25	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	27.25	2004
21.01.2020 10:08:06	1	1	1	1	108	47.25	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	27.9375	2004
21.01.2020 10:08:07	1	1	1	1	108	47.75	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	25.375	2004
21.01.2020 10:08:08	1	1	1	1	108	45.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	27.625	2004
21.01.2020 10:08:14	1	1	1	1	108.5	45.75	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	27.8125	2004
21.01.2020 10:08:14	1	1	1	1	108.5	45.75	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	27.8125	2004
21.01.2020 10:08:14	1	1	1	1	108.5	45.75	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	27.8125	2004
21.01.2020 10:08:14	1	1	1	1	108.5	45.75	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	27.8125	2004
21.01.2020 10:08:14	1	1	1	1	108.5	47.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	27.8125	2004
21.01.2020 10:08:15	1	1	1	1	108.5	47.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	26.75	2004
21.01.2020 10:08:16	1	1	1	1	108.5	46.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	26.625	2004
21.01.2020 10:08:17	1	1	1	1	108.5	46.5	0	28341.232	572.0430108	16029.40777	30000	0	0	30000	26.875	2004
21.01.2020 10:08:18	1	1	1	1	108.5	46.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	26.8125	2004
21.01.2020 10:08:19	1	1	1	1	108.5	46.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	27.5	2004
21.01.2020 10:08:20	1	1	1	1	108.5	47.5	0	28293.839	567.7419355	16300.11143	30000	0	0	30000	27.375	2004
21.01.2020 10:08:21	1	1	1	1	108.5	47.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	26.5625	2004
21.01.2020 10:08:22	1	1	1	1	110.3	47.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	27.1875	2004
21.01.2020 10:08:23	1	1	1	1	110.3	47	0	28436.019	567.7419355	16056.31506	30000	0	0	30000	27.375	2004
21.01.2020 10:08:24	1	1	1	1	110.3	47.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	26.625	2004
21.01.2020 10:08:25	1	1	1	1	110.3	46.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	27.0625	2004
21.01.2020 10:08:26	1	1	1	1	110.3	47	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	27.0625	2004
21.01.2020 10:08:27	1	1	1	1	110.3	47	0	28199.052	578.4946237	15961.73185	30000	0	0	30000	26.1875	2004
21.01.2020 10:08:28	1	1	1	1	110.3	46	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	25.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:08:29	1	1	1	1	110.3	45.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	27.125	2004
21.01.2020 10:08:30	1	1	1	1	110.3	47	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	27.5625	2004
21.01.2020 10:08:31	1	1	1	1	110.5	47.5	0	27962.085	567.7419355	15902.20966	30000	0	0	30000	27.375	2004
21.01.2020 10:08:32	1	1	1	1	110.5	47.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.625	2004
21.01.2020 10:08:33	1	1	1	1	110.5	47.5	0	27962.085	569.8924731	15875.30237	30000	0	0	30000	27.75	2004
21.01.2020 10:08:34	1	1	1	1	110.5	47.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	27.375	2004
21.01.2020 10:08:35	1	1	1	1	110.5	47.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	26.4375	2004
21.01.2020 10:08:36	1	1	1	1	110.5	46.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	27.125	2004
21.01.2020 10:08:37	1	1	1	1	110.5	47	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.0625	2004
21.01.2020 10:08:38	1	1	1	1	110.5	47	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	26.9375	2004
21.01.2020 10:08:39	1	1	1	1	110.5	46.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	27.375	2004
21.01.2020 10:08:40	1	1	1	1	110.5	47.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	26.8125	2004
21.01.2020 10:08:41	1	1	1	1	111	46.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	27.5625	2004
21.01.2020 10:08:43	1	1	1	1	111	47.5	0	28199.052	576.344086	16009.83883	30000	0	0	30000	27.875	2004
21.01.2020 10:08:44	1	1	1	1	111	47.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	28.125	2004
21.01.2020 10:08:45	1	1	1	1	111	48	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	26.6875	2004
21.01.2020 10:08:46	1	1	1	1	111	46.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	26.0625	2004
21.01.2020 10:08:47	1	1	1	1	111	46	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	28.125	2004
21.01.2020 10:08:48	1	1	1	1	111	48	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	27.0625	2004
21.01.2020 10:08:49	1	1	1	1	111	47	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	26.9375	2004
21.01.2020 10:08:50	1	1	1	1	111	46.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	26.1875	2004
21.01.2020 10:08:51	1	1	1	1	111	46	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	27.5625	2004
21.01.2020 10:08:52	1	1	1	1	111	47.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	27.75	2004
21.01.2020 10:08:53	1	1	1	1	111	47.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	27.625	2004
21.01.2020 10:08:54	1	1	1	1	111	47.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	26.125	2004
21.01.2020 10:08:55	1	1	1	1	111	46	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	28.125	2004
21.01.2020 10:08:56	1	1	1	1	111	48	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	28	2004
21.01.2020 10:08:57	1	1	1	1	111	48	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.5	2004
21.01.2020 10:08:58	1	1	1	1	111	47.5	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	28.4375	2004
21.01.2020 10:08:59	1	1	1	1	111	48.25	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	27.8125	2004
21.01.2020 10:09:00	1	1	1	1	111	46.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	27.3125	2004
21.01.2020 10:09:01	1	1	1	1	111	47.25	0	28530.806	563.4408602	16075.06863	30000	0	0	30000	26.875	2004
21.01.2020 10:09:02	1	1	1	1	111	46.75	0	28341.232	554.8387097	15724.45846	30000	0	0	30000	28.25	2004
21.01.2020 10:09:03	1	1	1	1	111	48.25	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	27.5625	2004
21.01.2020 10:09:04	1	1	1	1	111	47.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	27	2004
21.01.2020 10:09:05	1	1	1	1	111	47	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	26.5	2004
21.01.2020 10:09:06	1	1	1	1	111	46.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	27	2004
21.01.2020 10:09:07	1	1	1	1	111	47	0	28293.839	565.5913978	16150.89827	30000	0	0	30000	27.125	2004
21.01.2020 10:09:08	1	1	1	1	111	47	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	27.4375	2004
21.01.2020 10:09:09	1	1	1	1	111	47.25	0	28436.019	565.5913978	15995.16212	30000	0	0	30000	27.4375	2004
21.01.2020 10:09:15	1	1	1	1	111	47.75	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	26.3125	2004
21.01.2020 10:09:15	1	1	1	1	111	47.75	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	26.3125	2004
21.01.2020 10:09:15	1	1	1	1	111	47.75	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	26.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:09:15	1	1	1	1	111	47.75	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	26.3125	2004
21.01.2020 10:09:15	1	1	1	1	111	47.75	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	26.3125	2004
21.01.2020 10:09:15	1	1	1	1	111	46.25	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	26.3125	2004
21.01.2020 10:09:16	1	1	1	1	111	46.25	0	28293.839	561.2903226	15706.52026	30000	0	0	30000	28.3125	2004
21.01.2020 10:09:17	1	1	1	1	111	48.25	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	28.3125	2004
21.01.2020 10:09:18	1	1	1	1	111	48.25	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	27.625	2004
21.01.2020 10:09:19	1	1	1	1	111	47.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.8125	2004
21.01.2020 10:09:21	1	1	1	1	111	47.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	27.5	2004
21.01.2020 10:09:22	1	1	1	1	110.8	47.5	0	28009.479	559.1397849	15948.68589	30000	0	0	30000	27.625	2004
21.01.2020 10:09:23	1	1	1	1	110.8	47.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	27.25	2004
21.01.2020 10:09:24	1	1	1	1	110.8	47.25	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	27.9375	2004
21.01.2020 10:09:25	1	1	1	1	110.8	47.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	27.8125	2004
21.01.2020 10:09:26	1	1	1	1	110.8	47.75	0	28388.626	567.7419355	16117.468	30000	0	0	30000	27.8125	2004
21.01.2020 10:09:27	1	1	1	1	110.8	47.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	27.125	2004
21.01.2020 10:09:28	1	1	1	1	110.8	47	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	27.5625	2004
21.01.2020 10:09:29	1	1	1	1	110.8	47.5	0	28341.232	563.4408602	15888.34833	30000	0	0	30000	28	2004
21.01.2020 10:09:30	1	1	1	1	110.8	48	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	28.3125	2004
21.01.2020 10:09:31	1	1	1	1	110.8	48.25	0	28341.232	565.5913978	16063.65341	30000	0	0	30000	27.25	2004
21.01.2020 10:09:32	1	1	1	1	111.3	47.25	0	28341.232	563.4408602	16117.468	30000	0	0	30000	27.8125	2004
21.01.2020 10:09:33	1	1	1	1	111.3	47.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	27.625	2004
21.01.2020 10:09:34	1	1	1	1	111.3	47.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	28.1875	2004
21.01.2020 10:09:35	1	1	1	1	111.3	48	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	27.5	2004
21.01.2020 10:09:36	1	1	1	1	111.3	47.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	27.625	2004
21.01.2020 10:09:37	1	1	1	1	111.3	47.5	0	28293.839	569.8924731	15948.68589	30000	0	0	30000	26.5625	2004
21.01.2020 10:09:38	1	1	1	1	111.3	48	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	27.6875	2004
21.01.2020 10:09:39	1	1	1	1	111.3	47.5	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	27	2004
21.01.2020 10:09:40	1	1	1	1	111.3	47	0	28293.839	559.1397849	15907.10189	30000	0	0	30000	28.4375	2004
21.01.2020 10:09:41	1	1	1	1	111.3	48.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	27.8125	2004
21.01.2020 10:09:42	1	1	1	1	111.3	47.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	28.375	2004
21.01.2020 10:09:43	1	1	1	1	111.3	48.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	27.875	2004
21.01.2020 10:09:44	1	1	1	1	111.3	47.75	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	26.9375	2004
21.01.2020 10:09:45	1	1	1	1	111.3	46.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.4375	2004
21.01.2020 10:09:46	1	1	1	1	111.3	48.25	0	28388.626	565.5913978	15934.00919	30000	0	0	30000	28.375	2004
21.01.2020 10:09:49	1	1	1	1	111.3	47.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	27.9375	2004
21.01.2020 10:09:49	1	1	1	1	111.3	47.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	27.9375	2004
21.01.2020 10:09:49	1	1	1	1	111.3	47.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	28.5	2004
21.01.2020 10:09:50	1	1	1	1	111.3	48.5	0	28483.412	561.2903226	15750.55038	30000	0	0	30000	27.875	2004
21.01.2020 10:09:51	1	1	1	1	113	47.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	27.8125	2004
21.01.2020 10:09:52	1	1	1	1	113	47.75	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	27.5	2004
21.01.2020 10:09:53	1	1	1	1	113	47.5	0	28341.232	565.5913978	15907.10189	30000	0	0	30000	28.5	2004
21.01.2020 10:09:54	1	1	1	1	113	48.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	27.625	2004
21.01.2020 10:09:55	1	1	1	1	113	47.5	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	28.3125	2004
21.01.2020 10:09:56	1	1	1	1	113	48.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	28.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:09:58	1	1	1	1	113	48.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	27.9375	2004
21.01.2020 10:09:59	1	1	1	1	113	47.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	26.5625	2004
21.01.2020 10:10:00	1	1	1	1	113	46.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	27.9375	2004
21.01.2020 10:10:01	1	1	1	1	113	47.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	28.5	2004
21.01.2020 10:10:02	1	1	1	1	112.8	48.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	28.25	2004
21.01.2020 10:10:03	1	1	1	1	112.8	48.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	27.5625	2004
21.01.2020 10:10:04	1	1	1	1	112.8	47.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	28.5	2004
21.01.2020 10:10:05	1	1	1	1	112.8	48.5	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	27.25	2004
21.01.2020 10:10:06	1	1	1	1	112.8	47.25	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	27.8125	2004
21.01.2020 10:10:07	1	1	1	1	112.8	47.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	26.25	2004
21.01.2020 10:10:08	1	1	1	1	112.8	46.25	0	28009.479	569.8924731	16009.83883	30000	0	0	30000	27.625	2004
21.01.2020 10:10:09	1	1	1	1	112.8	47.5	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	27.5	2004
21.01.2020 10:10:10	1	1	1	1	112.8	47.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	28.375	2004
21.01.2020 10:10:11	1	1	1	1	112.8	48.25	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	27.875	2004
21.01.2020 10:10:17	1	1	1	1	112.3	48	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	27.6875	2004
21.01.2020 10:10:17	1	1	1	1	112.3	48	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	27.6875	2004
21.01.2020 10:10:17	1	1	1	1	112.3	48	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	27.6875	2004
21.01.2020 10:10:17	1	1	1	1	112.3	48	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	27.6875	2004
21.01.2020 10:10:17	1	1	1	1	112.3	48	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	27.6875	2004
21.01.2020 10:10:17	1	1	1	1	112.3	47.5	0	28388.626	563.4408602	16029.40777	30000	0	0	30000	26.5625	2004
21.01.2020 10:10:18	1	1	1	1	112.3	46.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	27.1875	2004
21.01.2020 10:10:19	1	1	1	1	112.3	47	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	27.1875	2004
21.01.2020 10:10:20	1	1	1	1	112.3	47	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	27.25	2004
21.01.2020 10:10:21	1	1	1	1	112.5	47.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	26.8125	2004
21.01.2020 10:10:22	1	1	1	1	112.5	46.75	0	28436.019	563.4408602	16232.43552	30000	0	0	30000	28.5625	2004
21.01.2020 10:10:23	1	1	1	1	112.5	48.5	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	28.5625	2004
21.01.2020 10:10:24	1	1	1	1	112.5	48.5	0	28578.199	565.5913978	16101.97592	30000	0	0	30000	27.75	2004
21.01.2020 10:10:25	1	1	1	1	112.5	47.75	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	28.0625	2004
21.01.2020 10:10:26	1	1	1	1	112.5	48	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	26.9375	2004
21.01.2020 10:10:27	1	1	1	1	112.5	46.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	27.75	2004
21.01.2020 10:10:28	1	1	1	1	112.5	47.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	27.9375	2004
21.01.2020 10:10:29	1	1	1	1	112.5	47.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	28.375	2004
21.01.2020 10:10:30	1	1	1	1	112.5	48.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	27.5	2004
21.01.2020 10:10:31	1	1	1	1	112.8	47.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	27.875	2004
21.01.2020 10:10:32	1	1	1	1	112.8	47.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	28.0625	2004
21.01.2020 10:10:33	1	1	1	1	112.8	48	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	26.875	2004
21.01.2020 10:10:34	1	1	1	1	112.8	46.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	27.8125	2004
21.01.2020 10:10:36	1	1	1	1	112.8	47.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	28.25	2004
21.01.2020 10:10:37	1	1	1	1	112.8	48.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.5	2004
21.01.2020 10:10:38	1	1	1	1	112.8	48.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	27.5625	2004
21.01.2020 10:10:39	1	1	1	1	112.8	47.5	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	27.625	2004
21.01.2020 10:10:40	1	1	1	1	112.8	47.5	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	28.875	2004
21.01.2020 10:10:41	1	1	1	1	112.8	48.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	27.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:10:42	1	1	1	1	112.5	47.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	27	2004
21.01.2020 10:10:43	1	1	1	1	112.5	47	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	28.0625	2004
21.01.2020 10:10:44	1	1	1	1	112.5	48	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	27.6875	2004
21.01.2020 10:10:45	1	1	1	1	112.5	47.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	28.4375	2004
21.01.2020 10:10:46	1	1	1	1	112.5	48.25	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	27.8125	2004
21.01.2020 10:10:47	1	1	1	1	112.5	47.75	0	28388.626	567.7419355	15995.16212	30000	0	0	30000	27.375	2004
21.01.2020 10:10:48	1	1	1	1	112.5	47.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	28.0625	2004
21.01.2020 10:10:49	1	1	1	1	112.5	48	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	27.6875	2004
21.01.2020 10:10:50	1	1	1	1	112.5	47.5	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	27.1875	2004
21.01.2020 10:10:51	1	1	1	1	112.5	47	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	29	2004
21.01.2020 10:10:52	1	1	1	1	112	49	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	27.5625	2004
21.01.2020 10:10:53	1	1	1	1	112	47.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.5	2004
21.01.2020 10:10:54	1	1	1	1	112	48.5	0	28578.199	565.5913978	15952.76275	30000	0	0	30000	28.625	2004
21.01.2020 10:10:55	1	1	1	1	112	46.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.75	2004
21.01.2020 10:10:56	1	1	1	1	112	47.75	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	28.625	2004
21.01.2020 10:10:57	1	1	1	1	112	48.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	28.625	2004
21.01.2020 10:10:58	1	1	1	1	112	48.5	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	28.625	2004
21.01.2020 10:10:59	1	1	1	1	112	48.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.6875	2004
21.01.2020 10:11:00	1	1	1	1	112	48.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	27.75	2004
21.01.2020 10:11:01	1	1	1	1	112.5	47.75	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	27.5625	2004
21.01.2020 10:11:02	1	1	1	1	112.5	47.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.125	2004
21.01.2020 10:11:03	1	1	1	1	112.5	47	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	28.25	2004
21.01.2020 10:11:04	1	1	1	1	112.5	48.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	27.0625	2004
21.01.2020 10:11:05	1	1	1	1	112.5	47	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	27.8125	2004
21.01.2020 10:11:06	1	1	1	1	112.5	47.75	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	27.5625	2004
21.01.2020 10:11:07	1	1	1	1	112.5	47.5	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	28	2004
21.01.2020 10:11:08	1	1	1	1	112.5	48	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	27.1875	2004
21.01.2020 10:11:09	1	1	1	1	112.5	47	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	28.0625	2004
21.01.2020 10:11:10	1	1	1	1	112.5	48	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	28.875	2004
21.01.2020 10:11:11	1	1	1	1	112.8	48.75	0	28199.052	567.7419355	16185.14391	30000	0	0	30000	28.5625	2004
21.01.2020 10:11:12	1	1	1	1	112.8	48.5	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	28.625	2004
21.01.2020 10:11:19	1	1	1	1	112.8	47.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	28.3125	2004
21.01.2020 10:11:19	1	1	1	1	112.8	47.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	28.3125	2004
21.01.2020 10:11:19	1	1	1	1	112.8	47.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	28.3125	2004
21.01.2020 10:11:19	1	1	1	1	112.8	47.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	28.3125	2004
21.01.2020 10:11:19	1	1	1	1	112.8	48.25	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	27.625	2004
21.01.2020 10:11:20	1	1	1	1	112.8	47.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	28.5	2004
21.01.2020 10:11:21	1	1	1	1	112.8	48.5	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	27.25	2004
21.01.2020 10:11:22	1	1	1	1	112.8	47.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	28.5625	2004
21.01.2020 10:11:23	1	1	1	1	112.8	48.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	28.625	2004
21.01.2020 10:11:24	1	1	1	1	112.8	48.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	26.6875	2004
21.01.2020 10:11:25	1	1	1	1	112.8	46.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	26.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:11:26	1	1	1	1	112.8	46.75	0	28246.445	567.7419355	16123.99098	30000	0	0	30000	27.8125	2004
21.01.2020 10:11:27	1	1	1	1	112.8	47.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29	2004
21.01.2020 10:11:28	1	1	1	1	112.8	49	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	27.75	2004
21.01.2020 10:11:29	1	1	1	1	112.8	47.75	0	28293.839	565.5913978	15888.34833	30000	0	0	30000	27.25	2004
21.01.2020 10:11:30	1	1	1	1	112.8	47.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	27.375	2004
21.01.2020 10:11:31	1	1	1	1	112.8	47.25	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	28.5625	2004
21.01.2020 10:11:32	1	1	1	1	112.5	48.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	29.1875	2004
21.01.2020 10:11:33	1	1	1	1	112.5	49	0	28293.839	565.5913978	15766.85783	30000	0	0	30000	28.4375	2004
21.01.2020 10:11:34	1	1	1	1	112.5	48.25	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	28.5	2004
21.01.2020 10:11:35	1	1	1	1	112.5	46.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	26.875	2004
21.01.2020 10:11:36	1	1	1	1	112.5	46.75	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	28.6875	2004
21.01.2020 10:11:37	1	1	1	1	112.5	48.5	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	27.5	2004
21.01.2020 10:11:38	1	1	1	1	112.5	47.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.9375	2004
21.01.2020 10:11:39	1	1	1	1	112.5	48.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.4375	2004
21.01.2020 10:11:40	1	1	1	1	112.5	48.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	27.8125	2004
21.01.2020 10:11:41	1	1	1	1	111.5	47.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	27.8125	2004
21.01.2020 10:11:42	1	1	1	1	111.5	47.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.3125	2004
21.01.2020 10:11:43	1	1	1	1	111.5	48.25	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	27.75	2004
21.01.2020 10:11:44	1	1	1	1	111.5	47.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	28.9375	2004
21.01.2020 10:11:45	1	1	1	1	111.5	48.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.6875	2004
21.01.2020 10:11:46	1	1	1	1	111.5	47.5	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	28.8125	2004
21.01.2020 10:11:47	1	1	1	1	111.5	48.75	0	28199.052	561.2903226	16002.50048	30000	0	0	30000	27.25	2004
21.01.2020 10:11:48	1	1	1	1	111.5	47.25	0	28388.626	567.7419355	16117.468	30000	0	0	30000	28.75	2004
21.01.2020 10:11:49	1	1	1	1	111.5	48.75	0	28199.052	574.1935484	16009.83883	30000	0	0	30000	28.25	2004
21.01.2020 10:11:50	1	1	1	1	111.5	48.25	0	28341.232	576.344086	15948.68589	30000	0	0	30000	27.875	2004
21.01.2020 10:11:51	1	1	1	1	111.3	47.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	27.3125	2004
21.01.2020 10:11:52	1	1	1	1	111.3	47.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.4375	2004
21.01.2020 10:11:54	1	1	1	1	111.3	48.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	27.5625	2004
21.01.2020 10:11:55	1	1	1	1	111.3	47.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	28.125	2004
21.01.2020 10:11:56	1	1	1	1	111.3	48	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	27.8125	2004
21.01.2020 10:11:57	1	1	1	1	111.3	47.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	29.125	2004
21.01.2020 10:11:58	1	1	1	1	111.3	49	0	28293.839	567.7419355	16185.14391	30000	0	0	30000	29.0625	2004
21.01.2020 10:11:59	1	1	1	1	111.3	49	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	28.75	2004
21.01.2020 10:12:00	1	1	1	1	111.3	48.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	27.75	2004
21.01.2020 10:12:01	1	1	1	1	111.3	47.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.8125	2004
21.01.2020 10:12:02	1	1	1	1	111.3	47.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	27.8125	2004
21.01.2020 10:12:03	1	1	1	1	111.3	47.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	27.875	2004
21.01.2020 10:12:04	1	1	1	1	111.3	47.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	28.625	2004
21.01.2020 10:12:05	1	1	1	1	111.3	48.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	28.625	2004
21.01.2020 10:12:06	1	1	1	1	111.3	48.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	26.4375	2004
21.01.2020 10:12:07	1	1	1	1	111.3	46.25	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	28.0625	2004
21.01.2020 10:12:08	1	1	1	1	111.3	48	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	28.1875	2004
21.01.2020 10:12:09	1	1	1	1	111.3	48	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	27.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:12:10	1	1	1	1	111.3	47.5	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	28.375	2004
21.01.2020 10:12:11	1	1	1	1	111.3	48.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	26.75	2004
21.01.2020 10:12:12	1	1	1	1	110	46.75	0	28009.479	567.7419355	16312.34202	30000	0	0	30000	28.9375	2004
21.01.2020 10:12:13	1	1	1	1	110	48.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.375	2004
21.01.2020 10:12:14	1	1	1	1	110	48.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.375	2004
21.01.2020 10:12:20	1	1	1	1	110	48.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	26.625	2004
21.01.2020 10:12:20	1	1	1	1	110	48.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	26.625	2004
21.01.2020 10:12:20	1	1	1	1	110	48.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	26.625	2004
21.01.2020 10:12:20	1	1	1	1	110	48.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	26.625	2004
21.01.2020 10:12:20	1	1	1	1	110	46.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.5	2004
21.01.2020 10:12:21	1	1	1	1	108.8	47.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.9375	2004
21.01.2020 10:12:22	1	1	1	1	108.8	47.75	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	28.0625	2004
21.01.2020 10:12:23	1	1	1	1	108.8	48	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	28.3125	2004
21.01.2020 10:12:24	1	1	1	1	108.8	48.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.625	2004
21.01.2020 10:12:25	1	1	1	1	108.8	48.5	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	27.0625	2004
21.01.2020 10:12:26	1	1	1	1	108.8	47	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	27.4375	2004
21.01.2020 10:12:27	1	1	1	1	108.8	47.25	0	28293.839	572.0430108	16123.99098	30000	0	0	30000	28.5625	2004
21.01.2020 10:12:28	1	1	1	1	108.8	48.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	27.8125	2004
21.01.2020 10:12:29	1	1	1	1	108.8	47.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.625	2004
21.01.2020 10:12:30	1	1	1	1	108.8	48.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	28.625	2004
21.01.2020 10:12:31	1	1	1	1	109.5	48.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	28.4375	2004
21.01.2020 10:12:32	1	1	1	1	109.5	48.25	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	29.0625	2004
21.01.2020 10:12:34	1	1	1	1	109.5	49	0	27914.692	576.344086	15968.25483	30000	0	0	30000	28.8125	2004
21.01.2020 10:12:35	1	1	1	1	109.5	48.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	29.1875	2004
21.01.2020 10:12:36	1	1	1	1	109.5	49	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	26.8125	2004
21.01.2020 10:12:37	1	1	1	1	109.5	46.75	0	28341.232	572.0430108	16212.05121	30000	0	0	30000	28.0625	2004
21.01.2020 10:12:38	1	1	1	1	109.5	48	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.25	2004
21.01.2020 10:12:39	1	1	1	1	109.5	49.25	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	28.25	2004
21.01.2020 10:12:40	1	1	1	1	109.5	48.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.3125	2004
21.01.2020 10:12:41	1	1	1	1	109.5	49.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	28.5	2004
21.01.2020 10:12:42	1	1	1	1	110.8	48.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	28.5	2004
21.01.2020 10:12:43	1	1	1	1	110.8	48.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	29.4375	2004
21.01.2020 10:12:44	1	1	1	1	110.8	49.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.25	2004
21.01.2020 10:12:45	1	1	1	1	110.8	49.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.6875	2004
21.01.2020 10:12:46	1	1	1	1	110.8	48.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.6875	2004
21.01.2020 10:12:47	1	1	1	1	110.8	48.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	29.375	2004
21.01.2020 10:12:48	1	1	1	1	110.8	49.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.1875	2004
21.01.2020 10:12:49	1	1	1	1	110.8	49	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	29.5625	2004
21.01.2020 10:12:50	1	1	1	1	110.8	49.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	28.875	2004
21.01.2020 10:12:51	1	1	1	1	110.8	48.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	29.625	2004
21.01.2020 10:12:52	1	1	1	1	111.5	49.5	0	28009.479	561.2903226	15961.73185	30000	0	0	30000	27.6875	2004
21.01.2020 10:12:53	1	1	1	1	111.5	47.5	0	27914.692	563.4408602	15934.82456	30000	0	0	30000	29.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:12:54	1	1	1	1	111.5	49.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	29	2004
21.01.2020 10:12:55	1	1	1	1	111.5	49	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	28.1875	2004
21.01.2020 10:12:56	1	1	1	1	111.5	48	0	28009.479	576.344086	16203.08211	30000	0	0	30000	27.75	2004
21.01.2020 10:12:57	1	1	1	1	111.5	47.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	28.0625	2004
21.01.2020 10:12:58	1	1	1	1	111.5	48	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	28.25	2004
21.01.2020 10:12:59	1	1	1	1	111.5	48.25	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	28.5	2004
21.01.2020 10:13:00	1	1	1	1	111.5	48.5	0	27819.905	569.8924731	15827.19539	30000	0	0	30000	28.9375	2004
21.01.2020 10:13:01	1	1	1	1	112	48.75	0	27867.299	567.7419355	15995.16212	30000	0	0	30000	28.625	2004
21.01.2020 10:13:02	1	1	1	1	112	48.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	28.4375	2004
21.01.2020 10:13:03	1	1	1	1	112	48.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	28.0625	2004
21.01.2020 10:13:04	1	1	1	1	112	48	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.4375	2004
21.01.2020 10:13:05	1	1	1	1	112	49.25	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	28	2004
21.01.2020 10:13:06	1	1	1	1	112	48	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	28.125	2004
21.01.2020 10:13:07	1	1	1	1	112	48	0	28009.479	580.6451613	16142.74454	30000	0	0	30000	28.75	2004
21.01.2020 10:13:08	1	1	1	1	112	48.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	27.375	2004
21.01.2020 10:13:09	1	1	1	1	112	47.25	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	27.375	2004
21.01.2020 10:13:10	1	1	1	1	112	47.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	29.125	2004
21.01.2020 10:13:11	1	1	1	1	112.5	49	0	27914.692	574.1935484	16148.45215	30000	0	0	30000	28.875	2004
21.01.2020 10:13:13	1	1	1	1	112.5	48.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	29.125	2004
21.01.2020 10:13:14	1	1	1	1	112.5	49	0	27725.118	576.344086	15864.70252	30000	0	0	30000	29	2004
21.01.2020 10:13:15	1	1	1	1	112.5	49	0	27867.299	576.344086	16120.72949	30000	0	0	30000	28.5625	2004
21.01.2020 10:13:16	1	1	1	1	112.5	48.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	28.375	2004
21.01.2020 10:13:22	1	1	1	1	112.5	49.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	28.875	2004
21.01.2020 10:13:22	1	1	1	1	112.5	49.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	28.875	2004
21.01.2020 10:13:22	1	1	1	1	112.5	49.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	28.875	2004
21.01.2020 10:13:22	1	1	1	1	112.5	49.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	28.875	2004
21.01.2020 10:13:22	1	1	1	1	113	48.75	0	27725.118	572.0430108	15913.62487	30000	0	0	30000	28.75	2004
21.01.2020 10:13:23	1	1	1	1	113	48.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	29.25	2004
21.01.2020 10:13:24	1	1	1	1	113	49.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	28	2004
21.01.2020 10:13:25	1	1	1	1	113	48	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	28.375	2004
21.01.2020 10:13:26	1	1	1	1	113	48.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	29.125	2004
21.01.2020 10:13:27	1	1	1	1	113	49	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	28.3125	2004
21.01.2020 10:13:28	1	1	1	1	113	48.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	29.3125	2004
21.01.2020 10:13:29	1	1	1	1	113	49.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	28.4375	2004
21.01.2020 10:13:30	1	1	1	1	113	48.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	29.5625	2004
21.01.2020 10:13:31	1	1	1	1	113	49.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29	2004
21.01.2020 10:13:32	1	1	1	1	112.8	49.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	28.8125	2004
21.01.2020 10:13:33	1	1	1	1	112.8	48.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	28.6875	2004
21.01.2020 10:13:34	1	1	1	1	112.8	48.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	27.6875	2004
21.01.2020 10:13:35	1	1	1	1	112.8	47.5	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	28.5625	2004
21.01.2020 10:13:36	1	1	1	1	112.8	48.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	28.5	2004
21.01.2020 10:13:37	1	1	1	1	112.8	48.5	0	28009.479	569.8924731	16203.08211	30000	0	0	30000	29.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:13:38	1	1	1	1	112.8	49.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	28.875	2004
21.01.2020 10:13:39	1	1	1	1	112.8	48.75	0	28199.052	576.344086	15961.73185	30000	0	0	30000	29.5	2004
21.01.2020 10:13:40	1	1	1	1	112.8	49.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	28.25	2004
21.01.2020 10:13:41	1	1	1	1	112.8	48.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	28.5	2004
21.01.2020 10:13:42	1	1	1	1	112.8	48.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.3125	2004
21.01.2020 10:13:43	1	1	1	1	112.8	48.25	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	28.25	2004
21.01.2020 10:13:44	1	1	1	1	112.8	48.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	28.75	2004
21.01.2020 10:13:45	1	1	1	1	112.8	48.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	28.3125	2004
21.01.2020 10:13:46	1	1	1	1	112.8	48.25	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	29.25	2004
21.01.2020 10:13:47	1	1	1	1	112.8	49.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.625	2004
21.01.2020 10:13:48	1	1	1	1	112.8	49.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	28.4375	2004
21.01.2020 10:13:50	1	1	1	1	112.8	48.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.625	2004
21.01.2020 10:13:51	1	1	1	1	112.8	49.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	28.75	2004
21.01.2020 10:13:52	1	1	1	1	112.3	48.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	29.4375	2004
21.01.2020 10:13:53	1	1	1	1	112.3	49.25	0	27867.299	563.4408602	16000.86973	30000	0	0	30000	29.625	2004
21.01.2020 10:13:54	1	1	1	1	112.3	49.5	0	28009.479	574.1935484	15841.8721	30000	0	0	30000	29.1875	2004
21.01.2020 10:13:55	1	1	1	1	112.3	49	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	28.6875	2004
21.01.2020 10:13:56	1	1	1	1	112.3	48.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	28	2004
21.01.2020 10:13:57	1	1	1	1	112.3	48	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.8125	2004
21.01.2020 10:13:58	1	1	1	1	112.3	49.75	0	27962.085	574.1935484	16203.08211	30000	0	0	30000	29.125	2004
21.01.2020 10:13:59	1	1	1	1	112.3	49	0	27914.692	576.344086	15968.25483	30000	0	0	30000	29.0625	2004
21.01.2020 10:14:00	1	1	1	1	112.3	49	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	29.1875	2004
21.01.2020 10:14:01	1	1	1	1	112.3	49	0	28009.479	574.1935484	15995.16212	30000	0	0	30000	29.0625	2004
21.01.2020 10:14:02	1	1	1	1	113.5	49	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	29.625	2004
21.01.2020 10:14:03	1	1	1	1	113.5	49.5	0	27630.332	565.5913978	15745.65814	30000	0	0	30000	29.875	2004
21.01.2020 10:14:04	1	1	1	1	113.5	49.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	29.8125	2004
21.01.2020 10:14:05	1	1	1	1	113.5	49.75	0	28009.479	572.0430108	15907.91727	30000	0	0	30000	29.6875	2004
21.01.2020 10:14:06	1	1	1	1	113.5	49.5	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	28.75	2004
21.01.2020 10:14:07	1	1	1	1	113.5	48.75	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	29.375	2004
21.01.2020 10:14:08	1	1	1	1	113.5	49.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	28.25	2004
21.01.2020 10:14:09	1	1	1	1	113.5	48.25	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	30.0625	2004
21.01.2020 10:14:10	1	1	1	1	113.5	49.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	28.9375	2004
21.01.2020 10:14:11	1	1	1	1	113	48.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	28.9375	2004
21.01.2020 10:14:12	1	1	1	1	113	48.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	29.6875	2004
21.01.2020 10:14:13	1	1	1	1	113	49.5	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	29.6875	2004
21.01.2020 10:14:14	1	1	1	1	113	49.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	29.3125	2004
21.01.2020 10:14:15	1	1	1	1	113	49.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	29.4375	2004
21.01.2020 10:14:16	1	1	1	1	113	49.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	29.5	2004
21.01.2020 10:14:17	1	1	1	1	113	49.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	29.0625	2004
21.01.2020 10:14:24	1	1	1	1	113.5	49.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	28.9375	2004
21.01.2020 10:14:24	1	1	1	1	113.5	49.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	28.9375	2004
21.01.2020 10:14:24	1	1	1	1	113.5	49.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	28.9375	2004
21.01.2020 10:14:24	1	1	1	1	113.5	49.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	28.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:14:24	1	1	1	1	113.5	49.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	28.9375	2004
21.01.2020 10:14:24	1	1	1	1	113.5	49.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	28.9375	2004
21.01.2020 10:14:24	1	1	1	1	113.5	48.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	29.875	2004
21.01.2020 10:14:25	1	1	1	1	113.5	49.75	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	29.5625	2004
21.01.2020 10:14:26	1	1	1	1	113.5	49.5	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	29.25	2004
21.01.2020 10:14:28	1	1	1	1	113.5	49.25	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	28	2004
21.01.2020 10:14:29	1	1	1	1	113.5	48	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	29.0625	2004
21.01.2020 10:14:30	1	1	1	1	113.5	49	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	28.4375	2004
21.01.2020 10:14:31	1	1	1	1	113.5	48.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	28.5	2004
21.01.2020 10:14:32	1	1	1	1	112.8	48.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	29.75	2004
21.01.2020 10:14:33	1	1	1	1	112.8	49.75	0	27914.692	572.0430108	16115.83725	30000	0	0	30000	28.625	2004
21.01.2020 10:14:34	1	1	1	1	112.8	48.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	27.625	2004
21.01.2020 10:14:35	1	1	1	1	112.8	47.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.5	2004
21.01.2020 10:14:36	1	1	1	1	112.8	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29	2004
21.01.2020 10:14:37	1	1	1	1	112.8	49	0	28009.479	572.0430108	16055.49969	30000	0	0	30000	29.5	2004
21.01.2020 10:14:38	1	1	1	1	112.8	49.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	29.875	2004
21.01.2020 10:14:39	1	1	1	1	112.8	49.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	28.8125	2004
21.01.2020 10:14:40	1	1	1	1	112.8	48.75	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	29.25	2004
21.01.2020 10:14:41	1	1	1	1	112.8	49.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	28.4375	2004
21.01.2020 10:14:42	1	1	1	1	113	48.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.125	2004
21.01.2020 10:14:43	1	1	1	1	113	49	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	28.6875	2004
21.01.2020 10:14:44	1	1	1	1	113	48.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	29.5	2004
21.01.2020 10:14:45	1	1	1	1	113	49.5	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	28.75	2004
21.01.2020 10:14:46	1	1	1	1	113	48.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	29.8125	2004
21.01.2020 10:14:47	1	1	1	1	113	49.75	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	28.8125	2004
21.01.2020 10:14:48	1	1	1	1	113	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.5625	2004
21.01.2020 10:14:49	1	1	1	1	113	48.5	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	29.1875	2004
21.01.2020 10:14:50	1	1	1	1	113	49	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	29.125	2004
21.01.2020 10:14:51	1	1	1	1	113	49	0	28009.479	576.344086	16082.40698	30000	0	0	30000	29.0625	2004
21.01.2020 10:14:52	1	1	1	1	113	49	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.125	2004
21.01.2020 10:14:53	1	1	1	1	113	49	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	28.5625	2004
21.01.2020 10:14:54	1	1	1	1	113	48.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	30	2004
21.01.2020 10:14:55	1	1	1	1	113	50	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.0625	2004
21.01.2020 10:14:56	1	1	1	1	113	50	0	28009.479	576.344086	16203.08211	30000	0	0	30000	29.5625	2004
21.01.2020 10:14:57	1	1	1	1	113	49.5	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	30	2004
21.01.2020 10:14:58	1	1	1	1	113	50	0	27867.299	569.8924731	15674.72073	30000	0	0	30000	29.3125	2004
21.01.2020 10:14:59	1	1	1	1	113	49.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.875	2004
21.01.2020 10:15:00	1	1	1	1	113	49.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.3125	2004
21.01.2020 10:15:01	1	1	1	1	113	49.25	0	27819.905	567.7419355	15973.96244	30000	0	0	30000	30.0625	2004
21.01.2020 10:15:02	1	1	1	1	113	50	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	30	2004
21.01.2020 10:15:03	1	1	1	1	113	50	0	28009.479	576.344086	16082.40698	30000	0	0	30000	30.125	2004
21.01.2020 10:15:04	1	1	1	1	113	50	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	30.125	2004
21.01.2020 10:15:06	1	1	1	1	113	50	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	28.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:15:07	1	1	1	1	113	48.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	29.625	2004
21.01.2020 10:15:08	1	1	1	1	113	49.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.0625	2004
21.01.2020 10:15:09	1	1	1	1	113	50	0	27867.299	576.344086	15973.96244	30000	0	0	30000	29.625	2004
21.01.2020 10:15:10	1	1	1	1	113	49.5	0	27630.332	576.344086	16153.34439	30000	0	0	30000	28.1875	2004
21.01.2020 10:15:11	1	1	1	1	113	48	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	30.1875	2004
21.01.2020 10:15:12	1	1	1	1	112.8	50	0	27630.332	576.344086	15864.70252	30000	0	0	30000	29.875	2004
21.01.2020 10:15:13	1	1	1	1	112.8	49.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	28.75	2004
21.01.2020 10:15:14	1	1	1	1	112.8	48.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	29.875	2004
21.01.2020 10:15:15	1	1	1	1	112.8	49.75	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	29.5	2004
21.01.2020 10:15:16	1	1	1	1	112.8	49.5	0	27867.299	580.6451613	16033.48463	30000	0	0	30000	29.8125	2004
21.01.2020 10:15:17	1	1	1	1	112.8	49.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	28.6875	2004
21.01.2020 10:15:18	1	1	1	1	112.8	48.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	29.25	2004
21.01.2020 10:15:19	1	1	1	1	112.8	49.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	29.625	2004
21.01.2020 10:15:26	1	1	1	1	112.5	50.25	0	28009.479	572.0430108	15781.53453	30000	0	0	30000	29.625	2004
21.01.2020 10:15:26	1	1	1	1	112.5	50.25	0	28009.479	572.0430108	15781.53453	30000	0	0	30000	29.625	2004
21.01.2020 10:15:26	1	1	1	1	112.5	50.25	0	28009.479	572.0430108	15781.53453	30000	0	0	30000	29.625	2004
21.01.2020 10:15:26	1	1	1	1	112.5	50.25	0	28009.479	572.0430108	15781.53453	30000	0	0	30000	29.625	2004
21.01.2020 10:15:26	1	1	1	1	112.5	50.25	0	28009.479	572.0430108	15781.53453	30000	0	0	30000	29.625	2004
21.01.2020 10:15:26	1	1	1	1	112.5	50.25	0	28009.479	572.0430108	15781.53453	30000	0	0	30000	29.625	2004
21.01.2020 10:15:26	1	1	1	1	112.5	49.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	29.5	2004
21.01.2020 10:15:27	1	1	1	1	112.5	49.75	0	27819.905	569.8924731	15800.2881	30000	0	0	30000	29.6875	2004
21.01.2020 10:15:28	1	1	1	1	112.5	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30	2004
21.01.2020 10:15:29	1	1	1	1	112.5	50	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	28.6875	2004
21.01.2020 10:15:30	1	1	1	1	112.5	48.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.25	2004
21.01.2020 10:15:31	1	1	1	1	112.8	50.25	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	30.1875	2004
21.01.2020 10:15:32	1	1	1	1	112.8	50	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	29.5	2004
21.01.2020 10:15:33	1	1	1	1	112.8	49.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	30	2004
21.01.2020 10:15:34	1	1	1	1	112.8	50	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	28.5625	2004
21.01.2020 10:15:35	1	1	1	1	112.8	48.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	30.1875	2004
21.01.2020 10:15:36	1	1	1	1	112.8	50	0	28009.479	576.344086	16142.74454	30000	0	0	30000	29.6875	2004
21.01.2020 10:15:37	1	1	1	1	112.8	49.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	28.25	2004
21.01.2020 10:15:38	1	1	1	1	112.8	48.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	27.75	2004
21.01.2020 10:15:39	1	1	1	1	112.8	47.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	29.4375	2004
21.01.2020 10:15:40	1	1	1	1	112.8	49.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	28.9375	2004
21.01.2020 10:15:41	1	1	1	1	112.3	48.75	0	28341.232	572.0430108	16273.20414	30000	0	0	30000	29.375	2004
21.01.2020 10:15:42	1	1	1	1	112.3	49.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.25	2004
21.01.2020 10:15:44	1	1	1	1	112.3	50.25	0	28293.839	572.0430108	16185.14391	30000	0	0	30000	29.8125	2004
21.01.2020 10:15:45	1	1	1	1	112.3	49.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	30	2004
21.01.2020 10:15:46	1	1	1	1	112.3	50	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	29.5625	2004
21.01.2020 10:15:47	1	1	1	1	112.3	49.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	29.0625	2004
21.01.2020 10:15:48	1	1	1	1	112.3	49	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	30.1875	2004
21.01.2020 10:15:49	1	1	1	1	112.3	50	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	30	2004
21.01.2020 10:15:50	1	1	1	1	112.3	50	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	29.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:15:51	1	1	1	1	112.3	49.25	0	28436.019	565.5913978	16029.40777	30000	0	0	30000	29.625	2004
21.01.2020 10:15:52	1	1	1	1	113	49.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	30	2004
21.01.2020 10:15:53	1	1	1	1	113	50	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.375	2004
21.01.2020 10:15:54	1	1	1	1	113	50.25	0	28388.626	567.7419355	16117.468	30000	0	0	30000	28.6875	2004
21.01.2020 10:15:55	1	1	1	1	113	48.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	28.875	2004
21.01.2020 10:15:56	1	1	1	1	113	48.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	30	2004
21.01.2020 10:15:57	1	1	1	1	113	50	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	29.5	2004
21.01.2020 10:15:58	1	1	1	1	113	49.5	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	30.0625	2004
21.01.2020 10:15:59	1	1	1	1	113	50	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	29.6875	2004
21.01.2020 10:16:00	1	1	1	1	113	49.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	28.9375	2004
21.01.2020 10:16:01	1	1	1	1	113	48.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	30.5	2004
21.01.2020 10:16:02	1	1	1	1	113.3	50.5	0	28293.839	572.0430108	16070.17639	30000	0	0	30000	28.125	2004
21.01.2020 10:16:03	1	1	1	1	113.3	48	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	29.5	2004
21.01.2020 10:16:04	1	1	1	1	113.3	49.5	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	29.6875	2004
21.01.2020 10:16:05	1	1	1	1	113.3	49.5	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	28.5	2004
21.01.2020 10:16:06	1	1	1	1	113.3	49.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	30.0625	2004
21.01.2020 10:16:07	1	1	1	1	113.3	50	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	29.3125	2004
21.01.2020 10:16:08	1	1	1	1	113.3	49.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.9375	2004
21.01.2020 10:16:09	1	1	1	1	113.3	49.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	28.5	2004
21.01.2020 10:16:10	1	1	1	1	113.3	48.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.75	2004
21.01.2020 10:16:11	1	1	1	1	112.8	49.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	29.6875	2004
21.01.2020 10:16:12	1	1	1	1	112.8	49.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.8125	2004
21.01.2020 10:16:13	1	1	1	1	112.8	49.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.9375	2004
21.01.2020 10:16:14	1	1	1	1	112.8	49.75	0	28009.479	563.4408602	16022.06942	30000	0	0	30000	29.5	2004
21.01.2020 10:16:15	1	1	1	1	112.8	49.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.0625	2004
21.01.2020 10:16:16	1	1	1	1	112.8	50	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	28.4375	2004
21.01.2020 10:16:17	1	1	1	1	112.8	48.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.0625	2004
21.01.2020 10:16:18	1	1	1	1	112.8	50	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.5	2004
21.01.2020 10:16:19	1	1	1	1	112.8	48.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.6875	2004
21.01.2020 10:16:20	1	1	1	1	112.8	48.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29.0625	2004
21.01.2020 10:16:27	1	1	1	1	113	47.75	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	27.9375	2004
21.01.2020 10:16:27	1	1	1	1	113	47.75	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	27.9375	2004
21.01.2020 10:16:27	1	1	1	1	113	47.75	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	27.9375	2004
21.01.2020 10:16:27	1	1	1	1	113	47.75	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	27.9375	2004
21.01.2020 10:16:27	1	1	1	1	113	47.75	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	27.9375	2004
21.01.2020 10:16:27	1	1	1	1	113	47.75	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	27.9375	2004
21.01.2020 10:16:28	1	1	1	1	113	47.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.25	2004
21.01.2020 10:16:29	1	1	1	1	113	48.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.875	2004
21.01.2020 10:16:30	1	1	1	1	113	49.75	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	29.875	2004
21.01.2020 10:16:31	1	1	1	1	113	49.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.4375	2004
21.01.2020 10:16:32	1	1	1	1	112	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.25	2004
21.01.2020 10:16:33	1	1	1	1	112	50.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	29.6875	2004
21.01.2020 10:16:34	1	1	1	1	112	49.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	29.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:16:35	1	1	1	1	112	49.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.25	2004
21.01.2020 10:16:36	1	1	1	1	112	49.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	30.375	2004
21.01.2020 10:16:37	1	1	1	1	112	50.25	0	27962.085	574.1935484	16022.06942	30000	0	0	30000	29	2004
21.01.2020 10:16:38	1	1	1	1	112	49	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.625	2004
21.01.2020 10:16:39	1	1	1	1	112	49.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.9375	2004
21.01.2020 10:16:40	1	1	1	1	112	49.75	0	27914.692	576.344086	16000.86973	30000	0	0	30000	28.9375	2004
21.01.2020 10:16:41	1	1	1	1	112	48.75	0	27962.085	567.7419355	15907.91727	30000	0	0	30000	29.4375	2004
21.01.2020 10:16:42	1	1	1	1	113	49.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	30.25	2004
21.01.2020 10:16:43	1	1	1	1	113	50.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	29.5	2004
21.01.2020 10:16:44	1	1	1	1	113	49.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	28.5625	2004
21.01.2020 10:16:45	1	1	1	1	113	48.5	0	28009.479	576.344086	16191.66689	30000	0	0	30000	29.5	2004
21.01.2020 10:16:46	1	1	1	1	113	49.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29.8125	2004
21.01.2020 10:16:47	1	1	1	1	113	49.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	30.3125	2004
21.01.2020 10:16:48	1	1	1	1	113	50.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	29.75	2004
21.01.2020 10:16:49	1	1	1	1	113	49.75	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	30.4375	2004
21.01.2020 10:16:50	1	1	1	1	113	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.0625	2004
21.01.2020 10:16:51	1	1	1	1	113.3	50	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.5625	2004
21.01.2020 10:16:52	1	1	1	1	113.3	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.875	2004
21.01.2020 10:16:53	1	1	1	1	113.3	49.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.125	2004
21.01.2020 10:16:54	1	1	1	1	113.3	49	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	29.5625	2004
21.01.2020 10:16:55	1	1	1	1	113.3	49.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.5625	2004
21.01.2020 10:16:56	1	1	1	1	113.3	49.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	30.0625	2004
21.01.2020 10:16:57	1	1	1	1	113.3	50	0	28009.479	576.344086	16082.40698	30000	0	0	30000	28.5625	2004
21.01.2020 10:16:58	1	1	1	1	113.3	48.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	30.625	2004
21.01.2020 10:17:00	1	1	1	1	113.3	50.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	28.0625	2004
21.01.2020 10:17:01	1	1	1	1	113.3	48	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	30.4375	2004
21.01.2020 10:17:02	1	1	1	1	113.5	50.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.0625	2004
21.01.2020 10:17:03	1	1	1	1	113.5	50	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.3125	2004
21.01.2020 10:17:04	1	1	1	1	113.5	49.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	30.6875	2004
21.01.2020 10:17:05	1	1	1	1	113.5	50.5	0	28199.052	576.344086	16191.66689	30000	0	0	30000	30.125	2004
21.01.2020 10:17:06	1	1	1	1	113.5	50	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.75	2004
21.01.2020 10:17:07	1	1	1	1	113.5	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.3125	2004
21.01.2020 10:17:08	1	1	1	1	113.5	50.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.375	2004
21.01.2020 10:17:09	1	1	1	1	113.5	49.25	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	29.875	2004
21.01.2020 10:17:10	1	1	1	1	113.5	49.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.625	2004
21.01.2020 10:17:11	1	1	1	1	113.5	50.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.1875	2004
21.01.2020 10:17:12	1	1	1	1	113.3	50	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	30.5625	2004
21.01.2020 10:17:13	1	1	1	1	113.3	50.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.5625	2004
21.01.2020 10:17:14	1	1	1	1	113.3	50.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	29.8125	2004
21.01.2020 10:17:15	1	1	1	1	113.3	49.75	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	30.6875	2004
21.01.2020 10:17:16	1	1	1	1	113.3	50.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	30.3125	2004
21.01.2020 10:17:17	1	1	1	1	113.3	50.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	30.125	2004
21.01.2020 10:17:18	1	1	1	1	113.3	50	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	30	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:17:19	1	1	1	1	113.3	50	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.8125	2004
21.01.2020 10:17:20	1	1	1	1	113.3	50.75	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	30.9375	2004
21.01.2020 10:17:21	1	1	1	1	114.3	50.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.625	2004
21.01.2020 10:17:22	1	1	1	1	114.3	50.5	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	29.5625	2004
21.01.2020 10:17:29	1	1	1	1	114.3	49.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.4375	2004
21.01.2020 10:17:29	1	1	1	1	114.3	49.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.4375	2004
21.01.2020 10:17:29	1	1	1	1	114.3	49.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.4375	2004
21.01.2020 10:17:29	1	1	1	1	114.3	49.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.4375	2004
21.01.2020 10:17:29	1	1	1	1	114.3	49.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.4375	2004
21.01.2020 10:17:29	1	1	1	1	114.3	50.25	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	30.4375	2004
21.01.2020 10:17:30	1	1	1	1	114.3	50.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.3125	2004
21.01.2020 10:17:31	1	1	1	1	113	50.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	28.875	2004
21.01.2020 10:17:32	1	1	1	1	113	48.75	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	29.1875	2004
21.01.2020 10:17:33	1	1	1	1	113	49	0	27867.299	567.7419355	15821.48778	30000	0	0	30000	30.75	2004
21.01.2020 10:17:34	1	1	1	1	113	50.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.4375	2004
21.01.2020 10:17:35	1	1	1	1	113	50.25	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	29.25	2004
21.01.2020 10:17:37	1	1	1	1	113	49.25	0	28246.445	567.7419355	16070.17639	30000	0	0	30000	29.9375	2004
21.01.2020 10:17:38	1	1	1	1	113	49.75	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	28.5625	2004
21.01.2020 10:17:39	1	1	1	1	113	48.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	29.125	2004
21.01.2020 10:17:40	1	1	1	1	113	49	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	30.25	2004
21.01.2020 10:17:41	1	1	1	1	113	50.25	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	29.125	2004
21.01.2020 10:17:42	1	1	1	1	112.3	49	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	30.8125	2004
21.01.2020 10:17:43	1	1	1	1	112.3	50.75	0	28293.839	569.8924731	16036.74612	30000	0	0	30000	29.8125	2004
21.01.2020 10:17:44	1	1	1	1	112.3	49.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	30.875	2004
21.01.2020 10:17:45	1	1	1	1	112.3	50.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.4375	2004
21.01.2020 10:17:46	1	1	1	1	112.3	50.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.8125	2004
21.01.2020 10:17:47	1	1	1	1	112.3	50.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.125	2004
21.01.2020 10:17:48	1	1	1	1	112.3	50	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.625	2004
21.01.2020 10:17:49	1	1	1	1	112.3	49.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.1875	2004
21.01.2020 10:17:50	1	1	1	1	112.3	49	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	30.3125	2004
21.01.2020 10:17:51	1	1	1	1	112.3	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.4375	2004
21.01.2020 10:17:52	1	1	1	1	113.3	48.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.5625	2004
21.01.2020 10:17:53	1	1	1	1	113.3	49.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	28.4375	2004
21.01.2020 10:17:54	1	1	1	1	113.3	48.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.6875	2004
21.01.2020 10:17:55	1	1	1	1	113.3	49.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	29.125	2004
21.01.2020 10:17:56	1	1	1	1	113.3	49	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.625	2004
21.01.2020 10:17:57	1	1	1	1	113.3	50.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	29.9375	2004
21.01.2020 10:17:58	1	1	1	1	113.3	50.5	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	30.3125	2004
21.01.2020 10:17:59	1	1	1	1	113.3	50.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	30.4375	2004
21.01.2020 10:18:00	1	1	1	1	113.3	50.25	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	30.3125	2004
21.01.2020 10:18:01	1	1	1	1	112.8	50.25	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	29.0625	2004
21.01.2020 10:18:02	1	1	1	1	112.8	49	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:18:03	1	1	1	1	112.8	49.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.0625	2004
21.01.2020 10:18:04	1	1	1	1	112.8	50	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30	2004
21.01.2020 10:18:05	1	1	1	1	112.8	50	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30.25	2004
21.01.2020 10:18:06	1	1	1	1	112.8	50.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.75	2004
21.01.2020 10:18:07	1	1	1	1	112.8	49.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	30.75	2004
21.01.2020 10:18:08	1	1	1	1	112.8	50.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	30.6875	2004
21.01.2020 10:18:09	1	1	1	1	112.8	50.5	0	27962.085	572.0430108	15961.73185	30000	0	0	30000	30.1875	2004
21.01.2020 10:18:10	1	1	1	1	112.8	50	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	30.0625	2004
21.01.2020 10:18:11	1	1	1	1	112.5	50	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.0625	2004
21.01.2020 10:18:12	1	1	1	1	112.5	50	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	31.0625	2004
21.01.2020 10:18:13	1	1	1	1	112.5	51	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	30.9375	2004
21.01.2020 10:18:15	1	1	1	1	112.5	50.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	29.625	2004
21.01.2020 10:18:16	1	1	1	1	112.5	49.5	0	27914.692	576.344086	15941.34754	30000	0	0	30000	29.625	2004
21.01.2020 10:18:17	1	1	1	1	112.5	49.5	0	27819.905	576.344086	15827.19539	30000	0	0	30000	28.875	2004
21.01.2020 10:18:18	1	1	1	1	112.5	48.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	28.25	2004
21.01.2020 10:18:19	1	1	1	1	112.5	48.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	30.25	2004
21.01.2020 10:18:20	1	1	1	1	112.5	50.25	0	27914.692	567.7419355	15934.82456	30000	0	0	30000	29.8125	2004
21.01.2020 10:18:21	1	1	1	1	112.5	49.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.5625	2004
21.01.2020 10:18:22	1	1	1	1	112.8	49.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	30.1875	2004
21.01.2020 10:18:23	1	1	1	1	112.8	50	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	30.0625	2004
21.01.2020 10:18:24	1	1	1	1	112.8	50	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.5	2004
21.01.2020 10:18:30	1	1	1	1	112.8	49.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	30.375	2004
21.01.2020 10:18:30	1	1	1	1	112.8	49.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	30.375	2004
21.01.2020 10:18:30	1	1	1	1	112.8	49.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	30.375	2004
21.01.2020 10:18:30	1	1	1	1	112.8	49.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	30.375	2004
21.01.2020 10:18:30	1	1	1	1	112.8	49.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	30.375	2004
21.01.2020 10:18:30	1	1	1	1	112.8	49.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	30.375	2004
21.01.2020 10:18:30	1	1	1	1	112.8	49.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	30.375	2004
21.01.2020 10:18:31	1	1	1	1	112.8	50.25	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	30.375	2004
21.01.2020 10:18:32	1	1	1	1	112.8	50.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	29.875	2004
21.01.2020 10:18:33	1	1	1	1	112.8	49.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31	2004
21.01.2020 10:18:34	1	1	1	1	112.8	51	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	31.0625	2004
21.01.2020 10:18:35	1	1	1	1	112.8	51	0	28009.479	576.344086	16082.40698	30000	0	0	30000	31.1875	2004
21.01.2020 10:18:36	1	1	1	1	112.8	51	0	27914.692	578.4946237	15881.00997	30000	0	0	30000	30.75	2004
21.01.2020 10:18:37	1	1	1	1	112.8	49.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	30.1875	2004
21.01.2020 10:18:38	1	1	1	1	112.8	50	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	30.375	2004
21.01.2020 10:18:39	1	1	1	1	112.8	50.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	31	2004
21.01.2020 10:18:40	1	1	1	1	112.8	51	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	29.125	2004
21.01.2020 10:18:41	1	1	1	1	113.3	49	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.4375	2004
21.01.2020 10:18:42	1	1	1	1	113.3	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.3125	2004
21.01.2020 10:18:43	1	1	1	1	113.3	51.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	30.3125	2004
21.01.2020 10:18:44	1	1	1	1	113.3	50.25	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	30.9375	2004
21.01.2020 10:18:45	1	1	1	1	113.3	50.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.9375	2004
21.01.2020 10:18:46	1	1	1	1	113.3	49.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:18:47	1	1	1	1	113.3	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.1875	2004
21.01.2020 10:18:48	1	1	1	1	113.3	51	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	31.1875	2004
21.01.2020 10:18:49	1	1	1	1	113.3	51	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.75	2004
21.01.2020 10:18:50	1	1	1	1	113.3	50.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	30.3125	2004
21.01.2020 10:18:51	1	1	1	1	113.5	50.25	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	29.9375	2004
21.01.2020 10:18:53	1	1	1	1	113.5	49.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	30.4375	2004
21.01.2020 10:18:54	1	1	1	1	113.5	50.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	30.5625	2004
21.01.2020 10:18:55	1	1	1	1	113.5	50.5	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	30.25	2004
21.01.2020 10:18:56	1	1	1	1	113.5	50.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	30.375	2004
21.01.2020 10:18:57	1	1	1	1	113.5	50.25	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	31.1875	2004
21.01.2020 10:18:58	1	1	1	1	113.5	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.1875	2004
21.01.2020 10:18:59	1	1	1	1	113.5	50	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30	2004
21.01.2020 10:19:00	1	1	1	1	113.5	50	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	30.125	2004
21.01.2020 10:19:01	1	1	1	1	113.5	50	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	29.8125	2004
21.01.2020 10:19:02	1	1	1	1	113	49.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	30.8125	2004
21.01.2020 10:19:03	1	1	1	1	113	50.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30.6875	2004
21.01.2020 10:19:04	1	1	1	1	113	50.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	29.8125	2004
21.01.2020 10:19:05	1	1	1	1	113	49.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.25	2004
21.01.2020 10:19:06	1	1	1	1	113	50.25	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	29.625	2004
21.01.2020 10:19:07	1	1	1	1	113	49.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.25	2004
21.01.2020 10:19:08	1	1	1	1	113	51.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	31.125	2004
21.01.2020 10:19:09	1	1	1	1	113	51	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	30.375	2004
21.01.2020 10:19:10	1	1	1	1	113	50.25	0	28009.479	576.344086	15961.73185	30000	0	0	30000	30.8125	2004
21.01.2020 10:19:11	1	1	1	1	113	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.125	2004
21.01.2020 10:19:12	1	1	1	1	113.8	50	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31	2004
21.01.2020 10:19:13	1	1	1	1	113.8	51	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	30.75	2004
21.01.2020 10:19:14	1	1	1	1	113.8	50.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	30.625	2004
21.01.2020 10:19:15	1	1	1	1	113.8	50.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.25	2004
21.01.2020 10:19:16	1	1	1	1	113.8	50.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.125	2004
21.01.2020 10:19:17	1	1	1	1	113.8	51	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.5	2004
21.01.2020 10:19:18	1	1	1	1	113.8	49.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.875	2004
21.01.2020 10:19:19	1	1	1	1	113.8	50.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.75	2004
21.01.2020 10:19:20	1	1	1	1	113.8	50.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	30.5	2004
21.01.2020 10:19:21	1	1	1	1	114	50.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.25	2004
21.01.2020 10:19:22	1	1	1	1	114	50.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.6875	2004
21.01.2020 10:19:23	1	1	1	1	114	49.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	30.5	2004
21.01.2020 10:19:24	1	1	1	1	114	50.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.0625	2004
21.01.2020 10:19:25	1	1	1	1	114	51	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.5	2004
21.01.2020 10:19:32	1	1	1	1	113.3	50.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	30	2004
21.01.2020 10:19:32	1	1	1	1	113.3	50.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	30	2004
21.01.2020 10:19:32	1	1	1	1	113.3	50.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	30	2004
21.01.2020 10:19:32	1	1	1	1	113.3	50.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	30	2004
21.01.2020 10:19:32	1	1	1	1	113.3	50.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	30	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:19:32	1	1	1	1	113.3	50.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	30	2004
21.01.2020 10:19:33	1	1	1	1	113.3	50	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	30.25	2004
21.01.2020 10:19:34	1	1	1	1	113.3	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.9375	2004
21.01.2020 10:19:35	1	1	1	1	113.3	50.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	30.1875	2004
21.01.2020 10:19:36	1	1	1	1	113.3	50	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	30.75	2004
21.01.2020 10:19:37	1	1	1	1	113.3	50.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.75	2004
21.01.2020 10:19:38	1	1	1	1	113.3	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.5	2004
21.01.2020 10:19:39	1	1	1	1	113.3	50.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.375	2004
21.01.2020 10:19:40	1	1	1	1	113.3	50.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.25	2004
21.01.2020 10:19:41	1	1	1	1	113.3	50.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.25	2004
21.01.2020 10:19:42	1	1	1	1	113.5	51.25	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	29.5	2004
21.01.2020 10:19:43	1	1	1	1	113.5	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.25	2004
21.01.2020 10:19:44	1	1	1	1	113.5	50.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.0625	2004
21.01.2020 10:19:45	1	1	1	1	113.5	51	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	30.375	2004
21.01.2020 10:19:46	1	1	1	1	113.5	50.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	30	2004
21.01.2020 10:19:47	1	1	1	1	113.5	50	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	30.9375	2004
21.01.2020 10:19:48	1	1	1	1	113.5	50.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	30.25	2004
21.01.2020 10:19:49	1	1	1	1	113.5	50.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	30.25	2004
21.01.2020 10:19:50	1	1	1	1	113.5	50.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	31.125	2004
21.01.2020 10:19:51	1	1	1	1	113.5	51	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.375	2004
21.01.2020 10:19:52	1	1	1	1	113.8	51.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	31.1875	2004
21.01.2020 10:19:53	1	1	1	1	113.8	51	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.75	2004
21.01.2020 10:19:54	1	1	1	1	113.8	51.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	31.4375	2004
21.01.2020 10:19:55	1	1	1	1	113.8	51.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	31.5	2004
21.01.2020 10:19:56	1	1	1	1	113.8	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.125	2004
21.01.2020 10:19:57	1	1	1	1	113.8	51	0	28199.052	569.8924731	15721.19697	30000	0	0	30000	30.375	2004
21.01.2020 10:19:58	1	1	1	1	113.8	50.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.1875	2004
21.01.2020 10:19:59	1	1	1	1	113.8	49	0	28199.052	572.0430108	15841.8721	30000	0	0	30000	30.5625	2004
21.01.2020 10:20:00	1	1	1	1	113.8	50.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	30.5625	2004
21.01.2020 10:20:01	1	1	1	1	114.3	50.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	31.375	2004
21.01.2020 10:20:02	1	1	1	1	114.3	51.25	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	31.1875	2004
21.01.2020 10:20:03	1	1	1	1	114.3	51	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29.9375	2004
21.01.2020 10:20:04	1	1	1	1	114.3	49.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.125	2004
21.01.2020 10:20:05	1	1	1	1	114.3	51	0	27819.905	567.7419355	15821.48778	30000	0	0	30000	31.4375	2004
21.01.2020 10:20:06	1	1	1	1	114.3	51.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	31.375	2004
21.01.2020 10:20:07	1	1	1	1	114.3	51.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31	2004
21.01.2020 10:20:09	1	1	1	1	114.3	51	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	31	2004
21.01.2020 10:20:10	1	1	1	1	114.3	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.75	2004
21.01.2020 10:20:11	1	1	1	1	114.3	50.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.4375	2004
21.01.2020 10:20:12	1	1	1	1	113.8	50.25	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	31	2004
21.01.2020 10:20:13	1	1	1	1	113.8	51	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.5	2004
21.01.2020 10:20:14	1	1	1	1	113.8	50.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.1875	2004
21.01.2020 10:20:15	1	1	1	1	113.8	49	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	30.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:20:16	1	1	1	1	113.8	50.5	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	31.1875	2004
21.01.2020 10:20:17	1	1	1	1	113.8	51	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	30.75	2004
21.01.2020 10:20:18	1	1	1	1	113.8	50.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	30.25	2004
21.01.2020 10:20:19	1	1	1	1	113.8	50.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.375	2004
21.01.2020 10:20:20	1	1	1	1	113.8	51.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	30.75	2004
21.01.2020 10:20:21	1	1	1	1	113.8	50.75	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	31.0625	2004
21.01.2020 10:20:22	1	1	1	1	113.8	51	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	30.8125	2004
21.01.2020 10:20:23	1	1	1	1	113.8	50.75	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	31.4375	2004
21.01.2020 10:20:24	1	1	1	1	113.8	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.75	2004
21.01.2020 10:20:25	1	1	1	1	113.8	51.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.0625	2004
21.01.2020 10:20:26	1	1	1	1	113.8	51	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31.625	2004
21.01.2020 10:20:27	1	1	1	1	113.8	51.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	31.5625	2004
21.01.2020 10:20:34	1	1	1	1	113.8	51.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.625	2004
21.01.2020 10:20:34	1	1	1	1	113.8	51.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.625	2004
21.01.2020 10:20:34	1	1	1	1	113.8	51.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.625	2004
21.01.2020 10:20:34	1	1	1	1	113.8	51.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.625	2004
21.01.2020 10:20:34	1	1	1	1	113.8	51.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.625	2004
21.01.2020 10:20:34	1	1	1	1	113.8	51.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.625	2004
21.01.2020 10:20:34	1	1	1	1	113.8	50.5	0	28199.052	572.0430108	16312.34202	30000	0	0	30000	31.125	2004
21.01.2020 10:20:35	1	1	1	1	113.8	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.0625	2004
21.01.2020 10:20:36	1	1	1	1	113.8	51	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	30.1875	2004
21.01.2020 10:20:37	1	1	1	1	113.8	50	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.625	2004
21.01.2020 10:20:38	1	1	1	1	113.8	51.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.0625	2004
21.01.2020 10:20:39	1	1	1	1	113.8	51	0	28293.839	572.0430108	16185.14391	30000	0	0	30000	30.3125	2004
21.01.2020 10:20:40	1	1	1	1	113.8	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.75	2004
21.01.2020 10:20:41	1	1	1	1	113.5	50.75	0	28199.052	572.0430108	15948.68589	30000	0	0	30000	31.0625	2004
21.01.2020 10:20:42	1	1	1	1	113.5	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.1875	2004
21.01.2020 10:20:43	1	1	1	1	113.5	51	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31.6875	2004
21.01.2020 10:20:44	1	1	1	1	113.5	51.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.5625	2004
21.01.2020 10:20:45	1	1	1	1	113.5	51.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31	2004
21.01.2020 10:20:46	1	1	1	1	113.5	51	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	31.0625	2004
21.01.2020 10:20:48	1	1	1	1	113.5	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.25	2004
21.01.2020 10:20:49	1	1	1	1	113.5	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.625	2004
21.01.2020 10:20:50	1	1	1	1	113.5	50.5	0	28009.479	567.7419355	15781.53453	30000	0	0	30000	31.625	2004
21.01.2020 10:20:51	1	1	1	1	113.5	51.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.875	2004
21.01.2020 10:20:52	1	1	1	1	113.8	50.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	30.8125	2004
21.01.2020 10:20:53	1	1	1	1	113.8	50.75	0	28009.479	569.8924731	15721.19697	30000	0	0	30000	31.1875	2004
21.01.2020 10:20:54	1	1	1	1	113.8	51	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.4375	2004
21.01.2020 10:20:55	1	1	1	1	113.8	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.4375	2004
21.01.2020 10:20:56	1	1	1	1	113.8	50.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.1875	2004
21.01.2020 10:20:57	1	1	1	1	113.8	51	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	31.0625	2004
21.01.2020 10:20:58	1	1	1	1	113.8	51	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.3125	2004
21.01.2020 10:20:59	1	1	1	1	113.8	51.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:21:00	1	1	1	1	113.8	51.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.4375	2004
21.01.2020 10:21:01	1	1	1	1	113.8	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.3125	2004
21.01.2020 10:21:02	1	1	1	1	113.8	50.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.5	2004
21.01.2020 10:21:03	1	1	1	1	113.8	50.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.625	2004
21.01.2020 10:21:04	1	1	1	1	113.8	50.5	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	30.9375	2004
21.01.2020 10:21:05	1	1	1	1	113.8	50.75	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	31.9375	2004
21.01.2020 10:21:06	1	1	1	1	113.8	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.9375	2004
21.01.2020 10:21:07	1	1	1	1	113.8	49.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.0625	2004
21.01.2020 10:21:08	1	1	1	1	113.8	51	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.3125	2004
21.01.2020 10:21:09	1	1	1	1	113.8	50.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.6875	2004
21.01.2020 10:21:10	1	1	1	1	113.8	51.5	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	31.625	2004
21.01.2020 10:21:11	1	1	1	1	113.8	51.5	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	31.8125	2004
21.01.2020 10:21:12	1	1	1	1	113.8	52.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	31.5	2004
21.01.2020 10:21:13	1	1	1	1	113.8	51.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.5625	2004
21.01.2020 10:21:17	1	1	1	1	113.8	50.5	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	31.0625	2004
21.01.2020 10:21:17	1	1	1	1	113.8	50.5	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	31.0625	2004
21.01.2020 10:21:17	1	1	1	1	113.8	50.5	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	31.0625	2004
21.01.2020 10:21:17	1	1	1	1	113.8	51	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.5	2004
21.01.2020 10:21:18	1	1	1	1	113.8	50.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.75	2004
21.01.2020 10:21:19	1	1	1	1	113.8	49.75	0	27867.299	567.7419355	15968.25483	30000	0	0	30000	31.1875	2004
21.01.2020 10:21:20	1	1	1	1	113.8	51	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	31.625	2004
21.01.2020 10:21:21	1	1	1	1	114.3	51.5	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	31.125	2004
21.01.2020 10:21:22	1	1	1	1	114.3	51	0	28009.479	576.344086	16252.00446	30000	0	0	30000	31.0625	2004
21.01.2020 10:21:23	1	1	1	1	114.3	51	0	27630.332	569.8924731	15854.10268	30000	0	0	30000	31.25	2004
21.01.2020 10:21:24	1	1	1	1	114.3	51.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	31.9375	2004
21.01.2020 10:21:26	1	1	1	1	114.3	51.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.9375	2004
21.01.2020 10:21:27	1	1	1	1	114.3	51.75	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	31.3125	2004
21.01.2020 10:21:28	1	1	1	1	114.3	51.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.75	2004
21.01.2020 10:21:29	1	1	1	1	114.3	51.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	31.4375	2004
21.01.2020 10:21:35	1	1	1	1	113.3	51	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	31.9375	2004
21.01.2020 10:21:35	1	1	1	1	113.3	51	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	31.9375	2004
21.01.2020 10:21:35	1	1	1	1	113.3	51	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	31.9375	2004
21.01.2020 10:21:35	1	1	1	1	113.3	51	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	31.9375	2004
21.01.2020 10:21:35	1	1	1	1	113.3	51	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	31.9375	2004
21.01.2020 10:21:35	1	1	1	1	113.3	51	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	31.9375	2004
21.01.2020 10:21:36	1	1	1	1	113.3	51.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.625	2004
21.01.2020 10:21:37	1	1	1	1	113.3	51.5	0	28009.479	572.0430108	16252.00446	30000	0	0	30000	31.8125	2004
21.01.2020 10:21:38	1	1	1	1	113.3	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.0625	2004
21.01.2020 10:21:39	1	1	1	1	113.3	50	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	31.625	2004
21.01.2020 10:21:40	1	1	1	1	113.3	51.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	31	2004
21.01.2020 10:21:41	1	1	1	1	113.3	51	0	28009.479	563.4408602	16082.40698	30000	0	0	30000	30.625	2004
21.01.2020 10:21:42	1	1	1	1	113.5	50.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	30.375	2004
21.01.2020 10:21:43	1	1	1	1	113.5	50.25	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	30.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:21:44	1	1	1	1	113.5	50.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.25	2004
21.01.2020 10:21:45	1	1	1	1	113.5	51.25	0	28009.479	576.344086	15961.73185	30000	0	0	30000	31.625	2004
21.01.2020 10:21:46	1	1	1	1	113.5	51.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	32.1875	2004
21.01.2020 10:21:47	1	1	1	1	113.5	52	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32	2004
21.01.2020 10:21:48	1	1	1	1	113.5	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.4375	2004
21.01.2020 10:21:49	1	1	1	1	113.5	51.75	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	30.9375	2004
21.01.2020 10:21:50	1	1	1	1	113.5	50.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	31.375	2004
21.01.2020 10:21:51	1	1	1	1	114	51.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.8125	2004
21.01.2020 10:21:52	1	1	1	1	114	50.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	31.1875	2004
21.01.2020 10:21:53	1	1	1	1	114	51	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	31.5625	2004
21.01.2020 10:21:54	1	1	1	1	114	51.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	30.8125	2004
21.01.2020 10:21:55	1	1	1	1	114	50.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.25	2004
21.01.2020 10:21:56	1	1	1	1	114	50.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.75	2004
21.01.2020 10:21:57	1	1	1	1	114	50.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	32	2004
21.01.2020 10:21:58	1	1	1	1	114	52	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.5625	2004
21.01.2020 10:21:59	1	1	1	1	114	50.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.0625	2004
21.01.2020 10:22:00	1	1	1	1	114	51	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.25	2004
21.01.2020 10:22:01	1	1	1	1	114	51.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	32.0625	2004
21.01.2020 10:22:03	1	1	1	1	114	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.875	2004
21.01.2020 10:22:04	1	1	1	1	114	51.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.5625	2004
21.01.2020 10:22:05	1	1	1	1	114	50.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.5625	2004
21.01.2020 10:22:06	1	1	1	1	114	51.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	31.875	2004
21.01.2020 10:22:07	1	1	1	1	114	51.75	0	28009.479	569.8924731	15694.28967	30000	0	0	30000	32.1875	2004
21.01.2020 10:22:08	1	1	1	1	114	52	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	31.875	2004
21.01.2020 10:22:09	1	1	1	1	114	51	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.625	2004
21.01.2020 10:22:10	1	1	1	1	114	50.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	31.5	2004
21.01.2020 10:22:11	1	1	1	1	114	51.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31	2004
21.01.2020 10:22:12	1	1	1	1	114.3	51	0	28009.479	572.0430108	15995.16212	30000	0	0	30000	29.75	2004
21.01.2020 10:22:13	1	1	1	1	114.3	49.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	31.875	2004
21.01.2020 10:22:14	1	1	1	1	114.3	51.75	0	28199.052	574.1935484	16252.00446	30000	0	0	30000	31.4375	2004
21.01.2020 10:22:15	1	1	1	1	114.3	51.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	30.125	2004
21.01.2020 10:22:16	1	1	1	1	114.3	50	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.25	2004
21.01.2020 10:22:17	1	1	1	1	114.3	51.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	31.9375	2004
21.01.2020 10:22:18	1	1	1	1	114.3	51.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	30.5	2004
21.01.2020 10:22:19	1	1	1	1	114.3	50.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	31.5625	2004
21.01.2020 10:22:20	1	1	1	1	114.3	51.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.5625	2004
21.01.2020 10:22:21	1	1	1	1	114.3	51.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.625	2004
21.01.2020 10:22:22	1	1	1	1	114.3	51.5	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	31.875	2004
21.01.2020 10:22:23	1	1	1	1	114.3	51.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	31.6875	2004
21.01.2020 10:22:24	1	1	1	1	114.3	51.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	31.3125	2004
21.01.2020 10:22:25	1	1	1	1	114.3	51.25	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	32.1875	2004
21.01.2020 10:22:26	1	1	1	1	114.3	52	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32.25	2004
21.01.2020 10:22:27	1	1	1	1	114.3	52	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	32	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:22:28	1	1	1	1	114.3	52	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.625	2004
21.01.2020 10:22:29	1	1	1	1	114.3	51.5	0	27819.905	567.7419355	16027.77702	30000	0	0	30000	30.5625	2004
21.01.2020 10:22:30	1	1	1	1	114.3	50.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	30.9375	2004
21.01.2020 10:22:37	1	1	1	1	114	50.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.125	2004
21.01.2020 10:22:37	1	1	1	1	114	50.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.125	2004
21.01.2020 10:22:37	1	1	1	1	114	50.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.125	2004
21.01.2020 10:22:37	1	1	1	1	114	50.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.125	2004
21.01.2020 10:22:37	1	1	1	1	114	50.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.125	2004
21.01.2020 10:22:37	1	1	1	1	114	50.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.125	2004
21.01.2020 10:22:37	1	1	1	1	114	51	0	27819.905	576.344086	15973.96244	30000	0	0	30000	30.75	2004
21.01.2020 10:22:38	1	1	1	1	114	50.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31.75	2004
21.01.2020 10:22:39	1	1	1	1	114	51.75	0	27725.118	576.344086	16033.48463	30000	0	0	30000	31.9375	2004
21.01.2020 10:22:41	1	1	1	1	114	51.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	31.75	2004
21.01.2020 10:22:42	1	1	1	1	113.3	51.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	31	2004
21.01.2020 10:22:43	1	1	1	1	113.3	51	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	32.0625	2004
21.01.2020 10:22:44	1	1	1	1	113.3	52	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	32.1875	2004
21.01.2020 10:22:45	1	1	1	1	113.3	52	0	27630.332	576.344086	15745.65814	30000	0	0	30000	32.3125	2004
21.01.2020 10:22:46	1	1	1	1	113.3	52.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	31.8125	2004
21.01.2020 10:22:47	1	1	1	1	113.3	51.75	0	27630.332	576.344086	16093.00682	30000	0	0	30000	31.875	2004
21.01.2020 10:22:48	1	1	1	1	113.3	51.75	0	27914.692	582.7956989	16061.20729	30000	0	0	30000	32.1875	2004
21.01.2020 10:22:49	1	1	1	1	113.3	52	0	27725.118	576.344086	16033.48463	30000	0	0	30000	31.4375	2004
21.01.2020 10:22:50	1	1	1	1	113.3	51.25	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	32.4375	2004
21.01.2020 10:22:51	1	1	1	1	113.3	52.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	32.0625	2004
21.01.2020 10:22:52	1	1	1	1	113.8	52	0	27819.905	578.4946237	15864.70252	30000	0	0	30000	31.875	2004
21.01.2020 10:22:53	1	1	1	1	113.8	51.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32	2004
21.01.2020 10:22:54	1	1	1	1	113.8	52	0	27867.299	576.344086	16061.20729	30000	0	0	30000	30.75	2004
21.01.2020 10:22:55	1	1	1	1	113.8	50.75	0	27772.512	572.0430108	15973.96244	30000	0	0	30000	31.3125	2004
21.01.2020 10:22:56	1	1	1	1	113.8	51.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	32.25	2004
21.01.2020 10:22:57	1	1	1	1	113.8	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.5625	2004
21.01.2020 10:22:58	1	1	1	1	113.8	51.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	32	2004
21.01.2020 10:22:59	1	1	1	1	113.8	52	0	28009.479	576.344086	16082.40698	30000	0	0	30000	31.375	2004
21.01.2020 10:23:00	1	1	1	1	113.8	51.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	30.8125	2004
21.01.2020 10:23:01	1	1	1	1	113.8	50.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	31.4375	2004
21.01.2020 10:23:02	1	1	1	1	113.8	51.25	0	27914.692	567.7419355	16022.06942	30000	0	0	30000	32	2004
21.01.2020 10:23:03	1	1	1	1	113.8	52	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	31.9375	2004
21.01.2020 10:23:04	1	1	1	1	113.8	51.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	32.125	2004
21.01.2020 10:23:05	1	1	1	1	113.8	52	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.375	2004
21.01.2020 10:23:06	1	1	1	1	113.8	52.25	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	31.5625	2004
21.01.2020 10:23:07	1	1	1	1	113.8	52	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	31	2004
21.01.2020 10:23:08	1	1	1	1	113.8	51	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	31.6875	2004
21.01.2020 10:23:09	1	1	1	1	113.8	51.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.9375	2004
21.01.2020 10:23:10	1	1	1	1	113.8	51.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.5	2004
21.01.2020 10:23:11	1	1	1	1	114.3	51.5	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	32.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:23:12	1	1	1	1	114.3	52	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	31.75	2004
21.01.2020 10:23:13	1	1	1	1	114.3	51.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.1875	2004
21.01.2020 10:23:14	1	1	1	1	114.3	52	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	31.8125	2004
21.01.2020 10:23:15	1	1	1	1	114.3	51.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.1875	2004
21.01.2020 10:23:16	1	1	1	1	114.3	51	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	31.6875	2004
21.01.2020 10:23:17	1	1	1	1	114.3	51.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	31.375	2004
21.01.2020 10:23:19	1	1	1	1	114.3	51.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.4375	2004
21.01.2020 10:23:20	1	1	1	1	114.3	52.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	31.5	2004
21.01.2020 10:23:21	1	1	1	1	114.3	51.5	0	27867.299	574.1935484	15854.10268	30000	0	0	30000	31.6875	2004
21.01.2020 10:23:22	1	1	1	1	113.8	51.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31	2004
21.01.2020 10:23:23	1	1	1	1	113.8	51	0	27630.332	569.8924731	15854.10268	30000	0	0	30000	31.875	2004
21.01.2020 10:23:24	1	1	1	1	113.8	51.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	31.875	2004
21.01.2020 10:23:25	1	1	1	1	113.8	51.75	0	27962.085	576.344086	15934.82456	30000	0	0	30000	31.625	2004
21.01.2020 10:23:26	1	1	1	1	113.8	51.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	30.625	2004
21.01.2020 10:23:27	1	1	1	1	113.8	50.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.25	2004
21.01.2020 10:23:28	1	1	1	1	113.8	52.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	32.1875	2004
21.01.2020 10:23:29	1	1	1	1	113.8	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.25	2004
21.01.2020 10:23:30	1	1	1	1	113.8	51.25	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	31.9375	2004
21.01.2020 10:23:31	1	1	1	1	113.8	51.75	0	27819.905	565.5913978	15881.00997	30000	0	0	30000	31.5	2004
21.01.2020 10:23:32	1	1	1	1	113.3	51.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31	2004
21.01.2020 10:23:38	1	1	1	1	113.3	51.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	31.8125	2004
21.01.2020 10:23:38	1	1	1	1	113.3	51.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	31.8125	2004
21.01.2020 10:23:38	1	1	1	1	113.3	51.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	31.8125	2004
21.01.2020 10:23:38	1	1	1	1	113.3	51.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	31.8125	2004
21.01.2020 10:23:38	1	1	1	1	113.3	51.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	31.8125	2004
21.01.2020 10:23:38	1	1	1	1	113.3	51.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	31.8125	2004
21.01.2020 10:23:39	1	1	1	1	113.3	51.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.875	2004
21.01.2020 10:23:40	1	1	1	1	113.3	50.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	32.3125	2004
21.01.2020 10:23:41	1	1	1	1	113.3	52.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.5625	2004
21.01.2020 10:23:42	1	1	1	1	113.5	51.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.8125	2004
21.01.2020 10:23:43	1	1	1	1	113.5	51.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.75	2004
21.01.2020 10:23:44	1	1	1	1	113.5	52.75	0	27867.299	569.8924731	15794.58049	30000	0	0	30000	31.875	2004
21.01.2020 10:23:45	1	1	1	1	113.5	52.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.1875	2004
21.01.2020 10:23:46	1	1	1	1	113.5	51	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	32.1875	2004
21.01.2020 10:23:47	1	1	1	1	113.5	52	0	27914.692	569.8924731	16027.77702	30000	0	0	30000	31.75	2004
21.01.2020 10:23:48	1	1	1	1	113.5	51.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	31.6875	2004
21.01.2020 10:23:49	1	1	1	1	113.5	51.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.25	2004
21.01.2020 10:23:50	1	1	1	1	113.5	52.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.5	2004
21.01.2020 10:23:51	1	1	1	1	114.3	52.5	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	32.125	2004
21.01.2020 10:23:52	1	1	1	1	114.3	52	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	31.8125	2004
21.01.2020 10:23:53	1	1	1	1	114.3	51.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.375	2004
21.01.2020 10:23:54	1	1	1	1	114.3	52.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	32.625	2004
21.01.2020 10:23:56	1	1	1	1	114.3	52.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:23:57	1	1	1	1	114.3	52.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	31.75	2004
21.01.2020 10:23:58	1	1	1	1	114.3	51.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	31.5	2004
21.01.2020 10:23:59	1	1	1	1	114.3	51.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.8125	2004
21.01.2020 10:24:00	1	1	1	1	114.3	51.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	31.75	2004
21.01.2020 10:24:01	1	1	1	1	114.3	51.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	32.4375	2004
21.01.2020 10:24:02	1	1	1	1	114	52.25	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	32.375	2004
21.01.2020 10:24:03	1	1	1	1	114	52.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.5625	2004
21.01.2020 10:24:04	1	1	1	1	114	52.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	31.5625	2004
21.01.2020 10:24:05	1	1	1	1	114	51.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	32.4375	2004
21.01.2020 10:24:06	1	1	1	1	114	52.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	32.4375	2004
21.01.2020 10:24:07	1	1	1	1	114	52.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.75	2004
21.01.2020 10:24:08	1	1	1	1	114	52.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	31.75	2004
21.01.2020 10:24:09	1	1	1	1	114	51.75	0	28199.052	576.344086	16191.66689	30000	0	0	30000	31.75	2004
21.01.2020 10:24:10	1	1	1	1	114	51.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	32.625	2004
21.01.2020 10:24:11	1	1	1	1	114	52.5	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	32.5625	2004
21.01.2020 10:24:12	1	1	1	1	113.5	52.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.75	2004
21.01.2020 10:24:13	1	1	1	1	113.5	52.75	0	27962.085	576.344086	16027.77702	30000	0	0	30000	31.375	2004
21.01.2020 10:24:14	1	1	1	1	113.5	51.25	0	27630.332	576.344086	15745.65814	30000	0	0	30000	32.5625	2004
21.01.2020 10:24:15	1	1	1	1	113.5	52.5	0	27914.692	574.1935484	16120.72949	30000	0	0	30000	32.75	2004
21.01.2020 10:24:16	1	1	1	1	113.5	52.75	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	32.5625	2004
21.01.2020 10:24:17	1	1	1	1	113.5	52.5	0	27867.299	576.344086	16088.11459	30000	0	0	30000	32.5625	2004
21.01.2020 10:24:18	1	1	1	1	113.5	52.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.6875	2004
21.01.2020 10:24:19	1	1	1	1	113.5	51.5	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	32.625	2004
21.01.2020 10:24:20	1	1	1	1	113.5	52.5	0	27962.085	569.8924731	16055.49969	30000	0	0	30000	32.75	2004
21.01.2020 10:24:21	1	1	1	1	113.5	52.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	31	2004
21.01.2020 10:24:22	1	1	1	1	114	51	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	32.4375	2004
21.01.2020 10:24:23	1	1	1	1	114	52.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	32.4375	2004
21.01.2020 10:24:24	1	1	1	1	114	52.25	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	31.3125	2004
21.01.2020 10:24:25	1	1	1	1	114	51.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	32.4375	2004
21.01.2020 10:24:26	1	1	1	1	114	52.25	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	32.5	2004
21.01.2020 10:24:27	1	1	1	1	114	52.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	32.5	2004
21.01.2020 10:24:28	1	1	1	1	114	52.5	0	27867.299	576.344086	15627.42913	30000	0	0	30000	32.4375	2004
21.01.2020 10:24:29	1	1	1	1	114	52.25	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	32.4375	2004
21.01.2020 10:24:30	1	1	1	1	114	52.25	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	32.625	2004
21.01.2020 10:24:31	1	1	1	1	114.5	52.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	30.25	2004
21.01.2020 10:24:32	1	1	1	1	114.5	50.25	0	27819.905	572.0430108	15745.65814	30000	0	0	30000	32.5625	2004
21.01.2020 10:24:34	1	1	1	1	114.5	52.5	0	27914.692	569.8924731	15821.48778	30000	0	0	30000	32.125	2004
21.01.2020 10:24:40	1	1	1	1	114.5	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.3125	2004
21.01.2020 10:24:40	1	1	1	1	114.5	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.3125	2004
21.01.2020 10:24:40	1	1	1	1	114.5	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.3125	2004
21.01.2020 10:24:40	1	1	1	1	114.5	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.3125	2004
21.01.2020 10:24:40	1	1	1	1	114.5	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.3125	2004
21.01.2020 10:24:40	1	1	1	1	114.5	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:24:41	1	1	1	1	114.5	52.25	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	32.75	2004
21.01.2020 10:24:42	1	1	1	1	114	52.75	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	32.5	2004
21.01.2020 10:24:43	1	1	1	1	114	52.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	31.4375	2004
21.01.2020 10:24:44	1	1	1	1	114	51.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.625	2004
21.01.2020 10:24:45	1	1	1	1	114	52.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	32.375	2004
21.01.2020 10:24:46	1	1	1	1	114	52.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	32.1875	2004
21.01.2020 10:24:47	1	1	1	1	114	52	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	31.9375	2004
21.01.2020 10:24:48	1	1	1	1	114	51.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	31.75	2004
21.01.2020 10:24:49	1	1	1	1	114	51.75	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	32.625	2004
21.01.2020 10:24:50	1	1	1	1	114	52.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	32.3125	2004
21.01.2020 10:24:51	1	1	1	1	114	52.25	0	27962.085	578.4946237	16055.49969	30000	0	0	30000	31.4375	2004
21.01.2020 10:24:52	1	1	1	1	114.8	51.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.5625	2004
21.01.2020 10:24:53	1	1	1	1	114.8	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.1875	2004
21.01.2020 10:24:54	1	1	1	1	114.8	52	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.1875	2004
21.01.2020 10:24:55	1	1	1	1	114.8	52	0	27962.085	569.8924731	15875.30237	30000	0	0	30000	32.4375	2004
21.01.2020 10:24:56	1	1	1	1	114.8	52.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.375	2004
21.01.2020 10:24:57	1	1	1	1	114.8	51.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	33	2004
21.01.2020 10:24:58	1	1	1	1	114.8	53	0	28293.839	567.7419355	16245.48148	30000	0	0	30000	32.6875	2004
21.01.2020 10:24:59	1	1	1	1	114.8	52	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	32.75	2004
21.01.2020 10:25:00	1	1	1	1	114.8	52.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	32.5	2004
21.01.2020 10:25:01	1	1	1	1	115.5	52.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	32.875	2004
21.01.2020 10:25:02	1	1	1	1	115.5	52.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	32.4375	2004
21.01.2020 10:25:03	1	1	1	1	115.5	52.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.875	2004
21.01.2020 10:25:04	1	1	1	1	115.5	52.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	32.5625	2004
21.01.2020 10:25:05	1	1	1	1	115.5	52.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.0625	2004
21.01.2020 10:25:06	1	1	1	1	115.5	52	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.25	2004
21.01.2020 10:25:07	1	1	1	1	115.5	51.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.6875	2004
21.01.2020 10:25:08	1	1	1	1	115.5	52.5	0	27819.905	563.4408602	16027.77702	30000	0	0	30000	32.1875	2004
21.01.2020 10:25:09	1	1	1	1	115.5	52	0	27630.332	569.8924731	15854.10268	30000	0	0	30000	32.625	2004
21.01.2020 10:25:11	1	1	1	1	115.5	52.5	0	27630.332	572.0430108	15800.2881	30000	0	0	30000	32.5625	2004
21.01.2020 10:25:12	1	1	1	1	115	52.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	32.375	2004
21.01.2020 10:25:13	1	1	1	1	115	52.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32.1875	2004
21.01.2020 10:25:14	1	1	1	1	115	52	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.8125	2004
21.01.2020 10:25:15	1	1	1	1	115	52.75	0	27962.085	574.1935484	15995.16212	30000	0	0	30000	32.5	2004
21.01.2020 10:25:16	1	1	1	1	115	52.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	32.8125	2004
21.01.2020 10:25:17	1	1	1	1	115	52.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	32.5625	2004
21.01.2020 10:25:18	1	1	1	1	115	52.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	32.8125	2004
21.01.2020 10:25:19	1	1	1	1	115	52.75	0	27962.085	569.8924731	16022.06942	30000	0	0	30000	32.25	2004
21.01.2020 10:25:20	1	1	1	1	115	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.125	2004
21.01.2020 10:25:21	1	1	1	1	115	53	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.8125	2004
21.01.2020 10:25:22	1	1	1	1	115.3	52.75	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	33.0625	2004
21.01.2020 10:25:23	1	1	1	1	115.3	53	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.1875	2004
21.01.2020 10:25:24	1	1	1	1	115.3	52	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	32.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:25:25	1	1	1	1	115.3	52.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.3125	2004
21.01.2020 10:25:26	1	1	1	1	115.3	52.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.9375	2004
21.01.2020 10:25:27	1	1	1	1	115.3	52.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	32.75	2004
21.01.2020 10:25:28	1	1	1	1	115.3	52.75	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	32	2004
21.01.2020 10:25:29	1	1	1	1	115.3	52	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32.875	2004
21.01.2020 10:25:30	1	1	1	1	115.3	52.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.9375	2004
21.01.2020 10:25:31	1	1	1	1	115.3	52.75	0	28009.479	580.6451613	16022.06942	30000	0	0	30000	32.875	2004
21.01.2020 10:25:32	1	1	1	1	115	52.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.8125	2004
21.01.2020 10:25:33	1	1	1	1	115	52.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	32.375	2004
21.01.2020 10:25:34	1	1	1	1	115	52.25	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	32.5625	2004
21.01.2020 10:25:35	1	1	1	1	115	52.5	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	33.0625	2004
21.01.2020 10:25:41	1	1	1	1	115	52.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	32	2004
21.01.2020 10:25:41	1	1	1	1	115	52.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	32	2004
21.01.2020 10:25:41	1	1	1	1	115	52.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	32	2004
21.01.2020 10:25:41	1	1	1	1	115	52.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	32	2004
21.01.2020 10:25:41	1	1	1	1	115	52.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	32.8125	2004
21.01.2020 10:25:41	1	1	1	1	115	52	0	28009.479	574.1935484	15934.82456	30000	0	0	30000	32.8125	2004
21.01.2020 10:25:42	1	1	1	1	115	52.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.625	2004
21.01.2020 10:25:43	1	1	1	1	115	52.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	33.0625	2004
21.01.2020 10:25:44	1	1	1	1	115	53	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.1875	2004
21.01.2020 10:25:45	1	1	1	1	115	52	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32	2004
21.01.2020 10:25:46	1	1	1	1	115	52	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.4375	2004
21.01.2020 10:25:47	1	1	1	1	115	52.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	32.125	2004
21.01.2020 10:25:48	1	1	1	1	115	52	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.6875	2004
21.01.2020 10:25:49	1	1	1	1	115	52.5	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	32.5	2004
21.01.2020 10:25:51	1	1	1	1	115	52.5	0	28199.052	578.4946237	16191.66689	30000	0	0	30000	31.4375	2004
21.01.2020 10:25:52	1	1	1	1	115.3	51.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.125	2004
21.01.2020 10:25:53	1	1	1	1	115.3	52	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	33.125	2004
21.01.2020 10:25:54	1	1	1	1	115.3	53	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.875	2004
21.01.2020 10:25:55	1	1	1	1	115.3	52.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	31.75	2004
21.01.2020 10:25:56	1	1	1	1	115.3	51.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	32.375	2004
21.01.2020 10:25:57	1	1	1	1	115.3	52.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.625	2004
21.01.2020 10:25:58	1	1	1	1	115.3	52.5	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	31.25	2004
21.01.2020 10:25:59	1	1	1	1	115.3	51.25	0	27819.905	565.5913978	15881.00997	30000	0	0	30000	30.25	2004
21.01.2020 10:26:00	1	1	1	1	115.3	50.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	32.9375	2004
21.01.2020 10:26:01	1	1	1	1	115.3	52.75	0	27630.332	567.7419355	15800.2881	30000	0	0	30000	32.875	2004
21.01.2020 10:26:02	1	1	1	1	115.3	52.75	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	32.625	2004
21.01.2020 10:26:03	1	1	1	1	115.3	52.5	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	32.6875	2004
21.01.2020 10:26:04	1	1	1	1	115.3	52.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	33	2004
21.01.2020 10:26:05	1	1	1	1	115.3	53	0	27914.692	576.344086	16061.20729	30000	0	0	30000	32.6875	2004
21.01.2020 10:26:06	1	1	1	1	115.3	52.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	33.1875	2004
21.01.2020 10:26:07	1	1	1	1	115.3	53	0	27914.692	563.4408602	16203.08211	30000	0	0	30000	31.8125	2004
21.01.2020 10:26:08	1	1	1	1	115.3	51.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:26:09	1	1	1	1	115.3	52.25	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	32.25	2004
21.01.2020 10:26:10	1	1	1	1	115.3	52.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	31.875	2004
21.01.2020 10:26:11	1	1	1	1	115.3	51.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	33.125	2004
21.01.2020 10:26:12	1	1	1	1	115	53	0	27819.905	576.344086	16120.72949	30000	0	0	30000	32.4375	2004
21.01.2020 10:26:13	1	1	1	1	115	52.25	0	27867.299	576.344086	15913.62487	30000	0	0	30000	32.375	2004
21.01.2020 10:26:14	1	1	1	1	115	52.25	0	27962.085	576.344086	16082.40698	30000	0	0	30000	33.0625	2004
21.01.2020 10:26:15	1	1	1	1	115	53	0	27819.905	576.344086	16093.00682	30000	0	0	30000	32.9375	2004
21.01.2020 10:26:16	1	1	1	1	115	52.75	0	27819.905	576.344086	15924.22472	30000	0	0	30000	32.5625	2004
21.01.2020 10:26:17	1	1	1	1	115	52.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	33.125	2004
21.01.2020 10:26:18	1	1	1	1	115	53	0	27819.905	576.344086	16240.58924	30000	0	0	30000	33.1875	2004
21.01.2020 10:26:19	1	1	1	1	115	51.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31.625	2004
21.01.2020 10:26:20	1	1	1	1	115	51.5	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	31.4375	2004
21.01.2020 10:26:21	1	1	1	1	114.8	51.25	0	27630.332	572.0430108	16093.00682	30000	0	0	30000	33.0625	2004
21.01.2020 10:26:22	1	1	1	1	114.8	53	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	32.5625	2004
21.01.2020 10:26:23	1	1	1	1	114.8	52.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	32.8125	2004
21.01.2020 10:26:24	1	1	1	1	114.8	52.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	32.5625	2004
21.01.2020 10:26:25	1	1	1	1	114.8	52.5	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	31.25	2004
21.01.2020 10:26:26	1	1	1	1	114.8	51.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31.625	2004
21.01.2020 10:26:27	1	1	1	1	114.8	51.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	33.125	2004
21.01.2020 10:26:28	1	1	1	1	114.8	53	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	31.625	2004
21.01.2020 10:26:30	1	1	1	1	114.8	51.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	31.9375	2004
21.01.2020 10:26:31	1	1	1	1	114.8	51.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	32.4375	2004
21.01.2020 10:26:32	1	1	1	1	113.5	52.25	0	27867.299	576.344086	15913.62487	30000	0	0	30000	32.75	2004
21.01.2020 10:26:33	1	1	1	1	113.5	52.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.125	2004
21.01.2020 10:26:34	1	1	1	1	113.5	52	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	31.9375	2004
21.01.2020 10:26:35	1	1	1	1	113.5	51.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	33.0625	2004
21.01.2020 10:26:36	1	1	1	1	113.5	53	0	27725.118	576.344086	15978.85467	30000	0	0	30000	32	2004
21.01.2020 10:26:37	1	1	1	1	113.5	52	0	27867.299	576.344086	16033.48463	30000	0	0	30000	32.4375	2004
21.01.2020 10:26:43	1	1	1	1	113.3	52.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.9375	2004
21.01.2020 10:26:43	1	1	1	1	113.3	52.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.9375	2004
21.01.2020 10:26:43	1	1	1	1	113.3	52.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.9375	2004
21.01.2020 10:26:43	1	1	1	1	113.3	52.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.9375	2004
21.01.2020 10:26:43	1	1	1	1	113.3	52.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.9375	2004
21.01.2020 10:26:43	1	1	1	1	113.3	52.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.9375	2004
21.01.2020 10:26:44	1	1	1	1	113.3	52.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	33.1875	2004
21.01.2020 10:26:45	1	1	1	1	113.3	53	0	27819.905	576.344086	15973.96244	30000	0	0	30000	31.9375	2004
21.01.2020 10:26:46	1	1	1	1	113.3	51.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	31.8125	2004
21.01.2020 10:26:47	1	1	1	1	113.3	51.75	0	27725.118	576.344086	16033.48463	30000	0	0	30000	31.8125	2004
21.01.2020 10:26:48	1	1	1	1	113.3	51.75	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	32.5625	2004
21.01.2020 10:26:49	1	1	1	1	113.3	52.5	0	27819.905	578.4946237	16038.37687	30000	0	0	30000	32.0625	2004
21.01.2020 10:26:50	1	1	1	1	113.3	52	0	27772.512	565.5913978	16000.86973	30000	0	0	30000	32.3125	2004
21.01.2020 10:26:51	1	1	1	1	113.3	52.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	31.5	2004
21.01.2020 10:26:52	1	1	1	1	113.5	51.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	31.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:26:53	1	1	1	1	113.5	51.75	0	27819.905	578.4946237	15745.65814	30000	0	0	30000	33.125	2004
21.01.2020 10:26:54	1	1	1	1	113.5	53	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.125	2004
21.01.2020 10:26:55	1	1	1	1	113.5	52	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	33.4375	2004
21.01.2020 10:26:56	1	1	1	1	113.5	53.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.0625	2004
21.01.2020 10:26:57	1	1	1	1	113.5	52	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.875	2004
21.01.2020 10:26:58	1	1	1	1	113.5	52.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	32.875	2004
21.01.2020 10:26:59	1	1	1	1	113.5	52.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.1875	2004
21.01.2020 10:27:00	1	1	1	1	113.5	52	0	27630.332	572.0430108	15854.10268	30000	0	0	30000	30.75	2004
21.01.2020 10:27:01	1	1	1	1	113.3	50.75	0	27630.332	572.0430108	15686.95132	30000	0	0	30000	32.6875	2004
21.01.2020 10:27:02	1	1	1	1	113.3	52.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	32.5625	2004
21.01.2020 10:27:03	1	1	1	1	113.3	52.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.75	2004
21.01.2020 10:27:04	1	1	1	1	113.3	51.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	32.8125	2004
21.01.2020 10:27:05	1	1	1	1	113.3	52.75	0	27914.692	576.344086	16088.11459	30000	0	0	30000	33	2004
21.01.2020 10:27:06	1	1	1	1	113.3	53	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	31.8125	2004
21.01.2020 10:27:08	1	1	1	1	113.3	51.75	0	28009.479	576.344086	16055.49969	30000	0	0	30000	31.0625	2004
21.01.2020 10:27:09	1	1	1	1	113.3	51	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	32.4375	2004
21.01.2020 10:27:10	1	1	1	1	113.3	52.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	32.4375	2004
21.01.2020 10:27:11	1	1	1	1	113.3	52.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	33.4375	2004
21.01.2020 10:27:12	1	1	1	1	113.3	53.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	32.4375	2004
21.01.2020 10:27:13	1	1	1	1	113.3	52.25	0	27819.905	576.344086	16061.20729	30000	0	0	30000	33.375	2004
21.01.2020 10:27:14	1	1	1	1	113.3	53.25	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	32.3125	2004
21.01.2020 10:27:15	1	1	1	1	113.3	52.25	0	27819.905	580.6451613	16300.92681	30000	0	0	30000	33.125	2004
21.01.2020 10:27:16	1	1	1	1	113.3	53	0	27867.299	576.344086	15973.96244	30000	0	0	30000	32.4375	2004
21.01.2020 10:27:17	1	1	1	1	113.3	52.25	0	27772.512	572.0430108	15973.96244	30000	0	0	30000	31.5	2004
21.01.2020 10:27:18	1	1	1	1	113.3	51.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	31.9375	2004
21.01.2020 10:27:19	1	1	1	1	113.3	51.75	0	27962.085	576.344086	15848.39508	30000	0	0	30000	32.3125	2004
21.01.2020 10:27:20	1	1	1	1	113.3	52.25	0	27914.692	576.344086	15734.24293	30000	0	0	30000	32.5625	2004
21.01.2020 10:27:21	1	1	1	1	113.3	52.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	31.0625	2004
21.01.2020 10:27:22	1	1	1	1	111.8	51	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.875	2004
21.01.2020 10:27:23	1	1	1	1	111.8	52.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	32.125	2004
21.01.2020 10:27:24	1	1	1	1	111.8	52	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	33.0625	2004
21.01.2020 10:27:25	1	1	1	1	111.8	53	0	27725.118	576.344086	15978.85467	30000	0	0	30000	32.875	2004
21.01.2020 10:27:26	1	1	1	1	111.8	52.75	0	27867.299	567.7419355	16088.11459	30000	0	0	30000	32.4375	2004
21.01.2020 10:27:27	1	1	1	1	111.8	52.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	33	2004
21.01.2020 10:27:28	1	1	1	1	111.8	53	0	27772.512	572.0430108	15567.90694	30000	0	0	30000	33.375	2004
21.01.2020 10:27:29	1	1	1	1	111.8	53.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	33.0625	2004
21.01.2020 10:27:30	1	1	1	1	111.8	53	0	27962.085	576.344086	16115.83725	30000	0	0	30000	32.875	2004
21.01.2020 10:27:31	1	1	1	1	111.8	52.75	0	27914.692	576.344086	16061.20729	30000	0	0	30000	32.625	2004
21.01.2020 10:27:32	1	1	1	1	112.3	52.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	31.4375	2004
21.01.2020 10:27:33	1	1	1	1	112.3	51.25	0	27914.692	565.5913978	16055.49969	30000	0	0	30000	33.625	2004
21.01.2020 10:27:34	1	1	1	1	112.3	53.5	0	27914.692	578.4946237	16027.77702	30000	0	0	30000	33.4375	2004
21.01.2020 10:27:35	1	1	1	1	112.3	53.25	0	27867.299	567.7419355	15854.10268	30000	0	0	30000	32.875	2004
21.01.2020 10:27:36	1	1	1	1	112.3	52.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:27:37	1	1	1	1	112.3	53.5	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	32.75	2004
21.01.2020 10:27:38	1	1	1	1	112.3	52.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31	2004
21.01.2020 10:27:44	1	1	1	1	112	53.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	33	2004
21.01.2020 10:27:44	1	1	1	1	112	53.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	33	2004
21.01.2020 10:27:44	1	1	1	1	112	53.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	33	2004
21.01.2020 10:27:44	1	1	1	1	112	53.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	33	2004
21.01.2020 10:27:44	1	1	1	1	112	53.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	33	2004
21.01.2020 10:27:45	1	1	1	1	112	53	0	27914.692	567.7419355	15875.30237	30000	0	0	30000	32.5625	2004
21.01.2020 10:27:46	1	1	1	1	112	52.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	31.9375	2004
21.01.2020 10:27:47	1	1	1	1	112	51.75	0	27914.692	569.8924731	15848.39508	30000	0	0	30000	32.375	2004
21.01.2020 10:27:48	1	1	1	1	112	52.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	33.5	2004
21.01.2020 10:27:49	1	1	1	1	112	53.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	33.375	2004
21.01.2020 10:27:50	1	1	1	1	112	53.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.375	2004
21.01.2020 10:27:51	1	1	1	1	112	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.125	2004
21.01.2020 10:27:52	1	1	1	1	112.5	52	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	31.5	2004
21.01.2020 10:27:53	1	1	1	1	112.5	51.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	31.9375	2004
21.01.2020 10:27:54	1	1	1	1	112.5	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.6875	2004
21.01.2020 10:27:55	1	1	1	1	112.5	51.5	0	28199.052	574.1935484	15841.8721	30000	0	0	30000	31.6875	2004
21.01.2020 10:27:56	1	1	1	1	112.5	51.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.6875	2004
21.01.2020 10:27:57	1	1	1	1	112.5	52.5	0	27914.692	559.1397849	15875.30237	30000	0	0	30000	33.625	2004
21.01.2020 10:27:58	1	1	1	1	112.5	53.5	0	28199.052	567.7419355	16252.00446	30000	0	0	30000	33.25	2004
21.01.2020 10:27:59	1	1	1	1	112.5	53.25	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	32.1875	2004
21.01.2020 10:28:00	1	1	1	1	112.5	52	0	28199.052	567.7419355	15781.53453	30000	0	0	30000	31	2004
21.01.2020 10:28:01	1	1	1	1	112.5	51	0	28341.232	567.7419355	16191.66689	30000	0	0	30000	30.875	2004
21.01.2020 10:28:02	1	1	1	1	112.5	50.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.375	2004
21.01.2020 10:28:03	1	1	1	1	112.5	51.25	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	32.4375	2004
21.01.2020 10:28:04	1	1	1	1	112.5	52.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.5	2004
21.01.2020 10:28:05	1	1	1	1	112.5	51.5	0	28009.479	576.344086	16022.06942	30000	0	0	30000	32.4375	2004
21.01.2020 10:28:06	1	1	1	1	112.5	52.25	0	28009.479	576.344086	16022.06942	30000	0	0	30000	32.6875	2004
21.01.2020 10:28:07	1	1	1	1	112.5	52.5	0	28293.839	580.6451613	16252.00446	30000	0	0	30000	32.4375	2004
21.01.2020 10:28:08	1	1	1	1	112.5	52.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	33	2004
21.01.2020 10:28:09	1	1	1	1	112.5	53	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.1875	2004
21.01.2020 10:28:10	1	1	1	1	112.5	52	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	30.6875	2004
21.01.2020 10:28:11	1	1	1	1	112.5	50.5	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	32.6875	2004
21.01.2020 10:28:12	1	1	1	1	112.3	52.5	0	28199.052	572.0430108	16082.40698	30000	0	0	30000	33	2004
21.01.2020 10:28:13	1	1	1	1	112.3	53	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	33.4375	2004
21.01.2020 10:28:14	1	1	1	1	112.3	53.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	33.6875	2004
21.01.2020 10:28:15	1	1	1	1	112.3	53.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.5625	2004
21.01.2020 10:28:16	1	1	1	1	112.3	52	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	32.875	2004
21.01.2020 10:28:17	1	1	1	1	112.3	52.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.0625	2004
21.01.2020 10:28:18	1	1	1	1	112.3	51	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	31.25	2004
21.01.2020 10:28:19	1	1	1	1	112.3	51.25	0	28293.839	572.0430108	16191.66689	30000	0	0	30000	32.625	2004
21.01.2020 10:28:20	1	1	1	1	112.3	52.5	0	28009.479	572.0430108	16373.49496	30000	0	0	30000	32.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:28:21	1	1	1	1	113.5	52.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	32.125	2004
21.01.2020 10:28:22	1	1	1	1	113.5	52	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	33.375	2004
21.01.2020 10:28:24	1	1	1	1	113.5	53.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.5625	2004
21.01.2020 10:28:25	1	1	1	1	113.5	53.5	0	27914.692	569.8924731	15848.39508	30000	0	0	30000	33.5625	2004
21.01.2020 10:28:26	1	1	1	1	113.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.8125	2004
21.01.2020 10:28:27	1	1	1	1	113.5	52.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	32.4375	2004
21.01.2020 10:28:28	1	1	1	1	113.5	52.25	0	28009.479	580.6451613	16142.74454	30000	0	0	30000	32.4375	2004
21.01.2020 10:28:29	1	1	1	1	113.5	52.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.0625	2004
21.01.2020 10:28:30	1	1	1	1	113.5	51	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	33.1875	2004
21.01.2020 10:28:31	1	1	1	1	113.5	53	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	33.5	2004
21.01.2020 10:28:32	1	1	1	1	113.5	53.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	32.125	2004
21.01.2020 10:28:33	1	1	1	1	113.5	52	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32.625	2004
21.01.2020 10:28:34	1	1	1	1	113.5	52.5	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	32.625	2004
21.01.2020 10:28:35	1	1	1	1	113.5	52.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	32	2004
21.01.2020 10:28:36	1	1	1	1	113.5	52	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	31.875	2004
21.01.2020 10:28:37	1	1	1	1	113.5	51.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32	2004
21.01.2020 10:28:38	1	1	1	1	113.5	52	0	27914.692	563.4408602	16142.74454	30000	0	0	30000	32.875	2004
21.01.2020 10:28:39	1	1	1	1	113.5	52.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	31.375	2004
21.01.2020 10:28:40	1	1	1	1	113.5	51.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.875	2004
21.01.2020 10:28:46	1	1	1	1	112.8	52.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	32.5	2004
21.01.2020 10:28:46	1	1	1	1	112.8	52.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	32.5	2004
21.01.2020 10:28:46	1	1	1	1	112.8	52.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	32.5	2004
21.01.2020 10:28:46	1	1	1	1	112.8	52.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	32.5	2004
21.01.2020 10:28:46	1	1	1	1	112.8	52.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.375	2004
21.01.2020 10:28:47	1	1	1	1	112.8	53.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.5625	2004
21.01.2020 10:28:48	1	1	1	1	112.8	53.5	0	27819.905	569.8924731	15734.24293	30000	0	0	30000	33.75	2004
21.01.2020 10:28:49	1	1	1	1	112.8	53.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	32.1875	2004
21.01.2020 10:28:50	1	1	1	1	112.8	52	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	33.5	2004
21.01.2020 10:28:51	1	1	1	1	112.8	53.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	32.375	2004
21.01.2020 10:28:52	1	1	1	1	113.5	52.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	31.9375	2004
21.01.2020 10:28:53	1	1	1	1	113.5	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.8125	2004
21.01.2020 10:28:54	1	1	1	1	113.5	53.25	0	27772.512	569.8924731	15913.62487	30000	0	0	30000	33.8125	2004
21.01.2020 10:28:55	1	1	1	1	113.5	53.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.5	2004
21.01.2020 10:28:56	1	1	1	1	113.5	52.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.875	2004
21.01.2020 10:28:57	1	1	1	1	113.5	53.75	0	28199.052	576.344086	16312.34202	30000	0	0	30000	32.25	2004
21.01.2020 10:28:58	1	1	1	1	113.5	52.25	0	27914.692	569.8924731	15761.15022	30000	0	0	30000	33.25	2004
21.01.2020 10:28:59	1	1	1	1	113.5	53.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.9375	2004
21.01.2020 10:29:00	1	1	1	1	113.5	53.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.4375	2004
21.01.2020 10:29:01	1	1	1	1	114	52.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	32.5625	2004
21.01.2020 10:29:03	1	1	1	1	114	52.5	0	27867.299	567.7419355	16055.49969	30000	0	0	30000	33.625	2004
21.01.2020 10:29:04	1	1	1	1	114	53.5	0	28009.479	576.344086	16022.06942	30000	0	0	30000	32.375	2004
21.01.2020 10:29:05	1	1	1	1	114	52.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	33.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:29:06	1	1	1	1	114	53.75	0	27867.299	572.0430108	15848.39508	30000	0	0	30000	33.5625	2004
21.01.2020 10:29:07	1	1	1	1	114	53.5	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	32.5625	2004
21.01.2020 10:29:08	1	1	1	1	114	52.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	33.4375	2004
21.01.2020 10:29:09	1	1	1	1	114	53.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	33.375	2004
21.01.2020 10:29:10	1	1	1	1	114	53.25	0	28009.479	576.344086	16115.83725	30000	0	0	30000	33.6875	2004
21.01.2020 10:29:11	1	1	1	1	114	53.5	0	27819.905	576.344086	16240.58924	30000	0	0	30000	32.1875	2004
21.01.2020 10:29:12	1	1	1	1	114	52	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.0625	2004
21.01.2020 10:29:13	1	1	1	1	114	53	0	27630.332	569.8924731	15924.22472	30000	0	0	30000	33.8125	2004
21.01.2020 10:29:14	1	1	1	1	114	53.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	33.5625	2004
21.01.2020 10:29:15	1	1	1	1	114	53.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	33.8125	2004
21.01.2020 10:29:16	1	1	1	1	114	53.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.6875	2004
21.01.2020 10:29:17	1	1	1	1	114	52.5	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	32.875	2004
21.01.2020 10:29:18	1	1	1	1	114	52.75	0	27772.512	572.0430108	16093.00682	30000	0	0	30000	33.5625	2004
21.01.2020 10:29:19	1	1	1	1	114	53.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.75	2004
21.01.2020 10:29:20	1	1	1	1	114	53.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	32.0625	2004
21.01.2020 10:29:21	1	1	1	1	114	52	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.75	2004
21.01.2020 10:29:22	1	1	1	1	114.3	53.75	0	27630.332	578.4946237	16153.34439	30000	0	0	30000	32.8125	2004
21.01.2020 10:29:23	1	1	1	1	114.3	52.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.5	2004
21.01.2020 10:29:24	1	1	1	1	114.3	53.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.4375	2004
21.01.2020 10:29:25	1	1	1	1	114.3	53.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	33.875	2004
21.01.2020 10:29:26	1	1	1	1	114.3	53.75	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	33.375	2004
21.01.2020 10:29:27	1	1	1	1	114.3	53.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	33.3125	2004
21.01.2020 10:29:28	1	1	1	1	114.3	53.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.9375	2004
21.01.2020 10:29:29	1	1	1	1	114.3	52.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	32.375	2004
21.01.2020 10:29:30	1	1	1	1	114.3	52.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	31.875	2004
21.01.2020 10:29:31	1	1	1	1	114.3	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.125	2004
21.01.2020 10:29:32	1	1	1	1	114.3	53	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	33.5	2004
21.01.2020 10:29:33	1	1	1	1	114.3	53.75	0	27819.905	582.7956989	16093.00682	30000	0	0	30000	33.9375	2004
21.01.2020 10:29:34	1	1	1	1	114.3	53.75	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	31.8125	2004
21.01.2020 10:29:35	1	1	1	1	114.3	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32	2004
21.01.2020 10:29:36	1	1	1	1	114.3	52	0	27819.905	574.1935484	15886.71758	30000	0	0	30000	31.1875	2004
21.01.2020 10:29:37	1	1	1	1	114.3	51	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	32.8125	2004
21.01.2020 10:29:38	1	1	1	1	114.3	52.75	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	33.125	2004
21.01.2020 10:29:39	1	1	1	1	114.3	53	0	27962.085	576.344086	16055.49969	30000	0	0	30000	31.8125	2004
21.01.2020 10:29:40	1	1	1	1	114.3	51.75	0	27819.905	567.7419355	16000.86973	30000	0	0	30000	32.5625	2004
21.01.2020 10:29:42	1	1	1	1	113.5	52.5	0	27962.085	574.1935484	15995.16212	30000	0	0	30000	31.9375	2004
21.01.2020 10:29:48	1	1	1	1	113.5	52.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.5	2004
21.01.2020 10:29:48	1	1	1	1	113.5	52.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.5	2004
21.01.2020 10:29:48	1	1	1	1	113.5	52.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.5	2004
21.01.2020 10:29:48	1	1	1	1	113.5	52.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.5	2004
21.01.2020 10:29:48	1	1	1	1	113.5	52.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.5	2004
21.01.2020 10:29:48	1	1	1	1	113.5	52.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.5	2004
21.01.2020 10:29:49	1	1	1	1	113.5	53.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:29:50	1	1	1	1	113.5	52.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.375	2004
21.01.2020 10:29:51	1	1	1	1	113.5	52.25	0	27772.512	572.0430108	15973.96244	30000	0	0	30000	33.75	2004
21.01.2020 10:29:52	1	1	1	1	113.8	53.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	33.125	2004
21.01.2020 10:29:53	1	1	1	1	113.8	53	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	33.9375	2004
21.01.2020 10:29:54	1	1	1	1	113.8	53.75	0	27725.118	576.344086	16033.48463	30000	0	0	30000	31.9375	2004
21.01.2020 10:29:55	1	1	1	1	113.8	51.75	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	32.6875	2004
21.01.2020 10:29:56	1	1	1	1	113.8	52.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	33.875	2004
21.01.2020 10:29:57	1	1	1	1	113.8	53.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	32.3125	2004
21.01.2020 10:29:58	1	1	1	1	113.8	52.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	33.0625	2004
21.01.2020 10:29:59	1	1	1	1	113.8	53	0	27819.905	574.1935484	15946.23977	30000	0	0	30000	31.3125	2004
21.01.2020 10:30:00	1	1	1	1	113.8	51.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.375	2004
21.01.2020 10:30:01	1	1	1	1	113.8	53.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	33.375	2004
21.01.2020 10:30:02	1	1	1	1	113.5	53.25	0	27819.905	574.1935484	15913.62487	30000	0	0	30000	32.0625	2004
21.01.2020 10:30:03	1	1	1	1	113.5	52	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	33.125	2004
21.01.2020 10:30:04	1	1	1	1	113.5	53	0	27630.332	567.7419355	16000.86973	30000	0	0	30000	33.9375	2004
21.01.2020 10:30:05	1	1	1	1	113.5	53.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	33.3125	2004
21.01.2020 10:30:06	1	1	1	1	113.5	53.25	0	27772.512	576.344086	15924.22472	30000	0	0	30000	33.8125	2004
21.01.2020 10:30:07	1	1	1	1	113.5	53.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	32	2004
21.01.2020 10:30:08	1	1	1	1	113.5	52	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	34.3125	2004
21.01.2020 10:30:09	1	1	1	1	113.5	54.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32.9375	2004
21.01.2020 10:30:10	1	1	1	1	113.5	52.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	33.4375	2004
21.01.2020 10:30:11	1	1	1	1	114.3	53.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	34.3125	2004
21.01.2020 10:30:12	1	1	1	1	114.3	54.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	33	2004
21.01.2020 10:30:13	1	1	1	1	114.3	53	0	27867.299	574.1935484	16207.97434	30000	0	0	30000	33.4375	2004
21.01.2020 10:30:14	1	1	1	1	114.3	53.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	32.125	2004
21.01.2020 10:30:15	1	1	1	1	114.3	52	0	27867.299	576.344086	15973.96244	30000	0	0	30000	33.25	2004
21.01.2020 10:30:16	1	1	1	1	114.3	53.25	0	27630.332	567.7419355	15924.22472	30000	0	0	30000	32.4375	2004
21.01.2020 10:30:17	1	1	1	1	114.3	52.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.4375	2004
21.01.2020 10:30:18	1	1	1	1	114.3	51.25	0	27725.118	576.344086	15978.85467	30000	0	0	30000	32.75	2004
21.01.2020 10:30:19	1	1	1	1	114.3	52.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.75	2004
21.01.2020 10:30:21	1	1	1	1	114.3	52.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	34.25	2004
21.01.2020 10:30:22	1	1	1	1	113.8	54.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	34.125	2004
21.01.2020 10:30:23	1	1	1	1	113.8	54	0	27819.905	576.344086	15924.22472	30000	0	0	30000	33.4375	2004
21.01.2020 10:30:24	1	1	1	1	113.8	53.25	0	27582.938	574.1935484	15956.02424	30000	0	0	30000	33.3125	2004
21.01.2020 10:30:25	1	1	1	1	113.8	53.25	0	27772.512	584.9462366	16043.2691	30000	0	0	30000	31.75	2004
21.01.2020 10:30:26	1	1	1	1	113.8	51.75	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	31.375	2004
21.01.2020 10:30:27	1	1	1	1	113.8	51.25	0	27867.299	578.4946237	16153.34439	30000	0	0	30000	33.9375	2004
21.01.2020 10:30:28	1	1	1	1	113.8	53.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	31.8125	2004
21.01.2020 10:30:29	1	1	1	1	113.8	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	31.9375	2004
21.01.2020 10:30:30	1	1	1	1	113.8	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.1875	2004
21.01.2020 10:30:31	1	1	1	1	113.8	52	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	31.625	2004
21.01.2020 10:30:32	1	1	1	1	112.3	51.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.4375	2004
21.01.2020 10:30:33	1	1	1	1	112.3	53.25	0	27630.332	576.344086	15745.65814	30000	0	0	30000	33.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:30:34	1	1	1	1	112.3	53.25	0	27772.512	576.344086	16093.00682	30000	0	0	30000	31.3125	2004
21.01.2020 10:30:35	1	1	1	1	112.3	51.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.375	2004
21.01.2020 10:30:36	1	1	1	1	112.3	53.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	33.125	2004
21.01.2020 10:30:37	1	1	1	1	112.3	53	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.3125	2004
21.01.2020 10:30:38	1	1	1	1	112.3	54.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.5625	2004
21.01.2020 10:30:39	1	1	1	1	112.3	53.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	32.4375	2004
21.01.2020 10:30:40	1	1	1	1	112.3	52.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	32.8125	2004
21.01.2020 10:30:41	1	1	1	1	112.3	52.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.25	2004
21.01.2020 10:30:42	1	1	1	1	113.8	54.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.8125	2004
21.01.2020 10:30:43	1	1	1	1	113.8	53.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	33.3125	2004
21.01.2020 10:30:49	1	1	1	1	113.8	53.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	34.25	2004
21.01.2020 10:30:49	1	1	1	1	113.8	53.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	34.25	2004
21.01.2020 10:30:49	1	1	1	1	113.8	53.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	34.25	2004
21.01.2020 10:30:49	1	1	1	1	113.8	54.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	33.25	2004
21.01.2020 10:30:50	1	1	1	1	113.8	53	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	31.4375	2004
21.01.2020 10:30:51	1	1	1	1	113.5	51.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.1875	2004
21.01.2020 10:30:52	1	1	1	1	113.5	53	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	33.9375	2004
21.01.2020 10:30:53	1	1	1	1	113.5	53.75	0	27440.758	576.344086	15929.11695	30000	0	0	30000	33.8125	2004
21.01.2020 10:30:54	1	1	1	1	113.5	53.75	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	33.25	2004
21.01.2020 10:30:55	1	1	1	1	113.5	53.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.4375	2004
21.01.2020 10:30:56	1	1	1	1	113.5	52.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.75	2004
21.01.2020 10:30:57	1	1	1	1	113.5	52.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	34.1875	2004
21.01.2020 10:30:59	1	1	1	1	113.5	54	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32.875	2004
21.01.2020 10:31:00	1	1	1	1	113.5	52.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	34.3125	2004
21.01.2020 10:31:01	1	1	1	1	113.5	54.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	33.4375	2004
21.01.2020 10:31:02	1	1	1	1	112.8	53.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.3125	2004
21.01.2020 10:31:03	1	1	1	1	112.8	52.25	0	27867.299	572.0430108	16148.45215	30000	0	0	30000	34.375	2004
21.01.2020 10:31:04	1	1	1	1	112.8	54.25	0	27440.758	569.8924731	15756.25798	30000	0	0	30000	33	2004
21.01.2020 10:31:05	1	1	1	1	112.8	53	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	33.125	2004
21.01.2020 10:31:06	1	1	1	1	112.8	53	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.6875	2004
21.01.2020 10:31:07	1	1	1	1	112.8	53.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.875	2004
21.01.2020 10:31:08	1	1	1	1	112.8	53.75	0	27772.512	580.6451613	15983.74691	30000	0	0	30000	32.3125	2004
21.01.2020 10:31:09	1	1	1	1	112.8	52.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	32.125	2004
21.01.2020 10:31:10	1	1	1	1	112.8	52	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.25	2004
21.01.2020 10:31:11	1	1	1	1	112.8	54.25	0	27867.299	584.9462366	15973.96244	30000	0	0	30000	32.5	2004
21.01.2020 10:31:12	1	1	1	1	112.8	52.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.625	2004
21.01.2020 10:31:13	1	1	1	1	112.8	53.5	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	33.125	2004
21.01.2020 10:31:14	1	1	1	1	112.8	53	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	33.4375	2004
21.01.2020 10:31:15	1	1	1	1	112.8	53.25	0	27630.332	576.344086	15745.65814	30000	0	0	30000	33.6875	2004
21.01.2020 10:31:16	1	1	1	1	112.8	53.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.375	2004
21.01.2020 10:31:17	1	1	1	1	112.8	54.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	32.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:31:18	1	1	1	1	112.8	52.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	33.1875	2004
21.01.2020 10:31:19	1	1	1	1	112.8	53	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.25	2004
21.01.2020 10:31:20	1	1	1	1	112.8	54.25	0	27819.905	580.6451613	16038.37687	30000	0	0	30000	33.4375	2004
21.01.2020 10:31:21	1	1	1	1	112.8	53.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34	2004
21.01.2020 10:31:22	1	1	1	1	113.8	54	0	27819.905	578.4946237	15864.70252	30000	0	0	30000	33.25	2004
21.01.2020 10:31:23	1	1	1	1	113.8	53.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.5625	2004
21.01.2020 10:31:24	1	1	1	1	113.8	54.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	32.6875	2004
21.01.2020 10:31:25	1	1	1	1	113.8	52.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.25	2004
21.01.2020 10:31:26	1	1	1	1	113.8	54.25	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	33.125	2004
21.01.2020 10:31:27	1	1	1	1	113.8	53	0	27582.938	576.344086	15897.31742	30000	0	0	30000	34.6875	2004
21.01.2020 10:31:28	1	1	1	1	113.8	54.5	0	27725.118	578.4946237	16038.37687	30000	0	0	30000	34.8125	2004
21.01.2020 10:31:29	1	1	1	1	113.8	54.75	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	34.125	2004
21.01.2020 10:31:30	1	1	1	1	113.8	54.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.5625	2004
21.01.2020 10:31:31	1	1	1	1	114.8	52.5	0	27819.905	574.1935484	15745.65814	30000	0	0	30000	33.8125	2004
21.01.2020 10:31:32	1	1	1	1	114.8	53.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	34.3125	2004
21.01.2020 10:31:33	1	1	1	1	114.8	54.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	32.8125	2004
21.01.2020 10:31:34	1	1	1	1	114.8	52.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	33.625	2004
21.01.2020 10:31:35	1	1	1	1	114.8	53.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	33.6875	2004
21.01.2020 10:31:37	1	1	1	1	114.8	53.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.5625	2004
21.01.2020 10:31:38	1	1	1	1	114.8	54.5	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	33.875	2004
21.01.2020 10:31:39	1	1	1	1	114.8	53.75	0	27914.692	576.344086	16088.11459	30000	0	0	30000	34.375	2004
21.01.2020 10:31:40	1	1	1	1	114.8	54.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	34.5625	2004
21.01.2020 10:31:41	1	1	1	1	114.8	54.5	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	33.8125	2004
21.01.2020 10:31:42	1	1	1	1	114	53.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	33.1875	2004
21.01.2020 10:31:43	1	1	1	1	114	53	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	33.875	2004
21.01.2020 10:31:44	1	1	1	1	114	53.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	33.9375	2004
21.01.2020 10:31:45	1	1	1	1	114	53.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.375	2004
21.01.2020 10:31:51	1	1	1	1	114	54	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.25	2004
21.01.2020 10:31:51	1	1	1	1	114	54	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.25	2004
21.01.2020 10:31:51	1	1	1	1	114	54	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.25	2004
21.01.2020 10:31:51	1	1	1	1	114	54	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.25	2004
21.01.2020 10:31:51	1	1	1	1	114	54	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.25	2004
21.01.2020 10:31:52	1	1	1	1	113.8	54.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	33.125	2004
21.01.2020 10:31:53	1	1	1	1	113.8	53	0	27819.905	569.8924731	15973.96244	30000	0	0	30000	33.6875	2004
21.01.2020 10:31:54	1	1	1	1	113.8	53.5	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	34.5	2004
21.01.2020 10:31:55	1	1	1	1	113.8	54.5	0	27772.512	574.1935484	15924.22472	30000	0	0	30000	34.125	2004
21.01.2020 10:31:56	1	1	1	1	113.8	54	0	27819.905	576.344086	16181.06705	30000	0	0	30000	33.625	2004
21.01.2020 10:31:57	1	1	1	1	113.8	53.5	0	27725.118	576.344086	15924.22472	30000	0	0	30000	33.875	2004
21.01.2020 10:31:58	1	1	1	1	113.8	53.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.625	2004
21.01.2020 10:31:59	1	1	1	1	113.8	54.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	33.25	2004
21.01.2020 10:32:00	1	1	1	1	113.8	53.25	0	27725.118	576.344086	16033.48463	30000	0	0	30000	33.875	2004
21.01.2020 10:32:01	1	1	1	1	113.8	53.75	0	27819.905	580.6451613	15924.22472	30000	0	0	30000	34.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:32:02	1	1	1	1	114.3	54.75	0	27867.299	576.344086	15854.10268	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:03	1	1	1	1	114.3	54.5	0	27725.118	576.344086	16033.48463	30000	0	0	30000	33.625	2004
21.01.2020 10:32:04	1	1	1	1	114.3	53.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	34.875	2004
21.01.2020 10:32:05	1	1	1	1	114.3	54.75	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	34.375	2004
21.01.2020 10:32:06	1	1	1	1	114.3	54.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.8125	2004
21.01.2020 10:32:07	1	1	1	1	114.3	54.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.9375	2004
21.01.2020 10:32:08	1	1	1	1	114.3	54.5	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	33.9375	2004
21.01.2020 10:32:09	1	1	1	1	114.3	53.75	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	33.25	2004
21.01.2020 10:32:10	1	1	1	1	114.3	53.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	34.4375	2004
21.01.2020 10:32:11	1	1	1	1	114	54.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	33.625	2004
21.01.2020 10:32:12	1	1	1	1	114	53.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	33.125	2004
21.01.2020 10:32:13	1	1	1	1	114	53	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	33.4375	2004
21.01.2020 10:32:15	1	1	1	1	114	53.25	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	34.125	2004
21.01.2020 10:32:16	1	1	1	1	114	54	0	27819.905	580.6451613	15745.65814	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:17	1	1	1	1	114	54.5	0	27725.118	576.344086	16038.37687	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:18	1	1	1	1	114	54.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	33.875	2004
21.01.2020 10:32:19	1	1	1	1	114	53.75	0	27819.905	576.344086	16061.20729	30000	0	0	30000	34.6875	2004
21.01.2020 10:32:20	1	1	1	1	114	54.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	34.625	2004
21.01.2020 10:32:21	1	1	1	1	114	54.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	34.6875	2004
21.01.2020 10:32:22	1	1	1	1	113.5	54.5	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	34.5	2004
21.01.2020 10:32:23	1	1	1	1	113.5	54.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	33.75	2004
21.01.2020 10:32:24	1	1	1	1	113.5	53.75	0	27630.332	572.0430108	15919.33248	30000	0	0	30000	34.6875	2004
21.01.2020 10:32:25	1	1	1	1	113.5	54.5	0	27725.118	576.344086	15983.74691	30000	0	0	30000	34.625	2004
21.01.2020 10:32:26	1	1	1	1	113.5	54.5	0	27630.332	576.344086	16006.57734	30000	0	0	30000	34.3125	2004
21.01.2020 10:32:27	1	1	1	1	113.5	54.25	0	27772.512	576.344086	15924.22472	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:28	1	1	1	1	113.5	54.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	33.4375	2004
21.01.2020 10:32:29	1	1	1	1	113.5	53.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:30	1	1	1	1	113.5	54.5	0	27725.118	574.1935484	16033.48463	30000	0	0	30000	34.5	2004
21.01.2020 10:32:31	1	1	1	1	113.5	54.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	34.25	2004
21.01.2020 10:32:32	1	1	1	1	114	54.25	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	34.625	2004
21.01.2020 10:32:33	1	1	1	1	114	54.5	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	34.625	2004
21.01.2020 10:32:34	1	1	1	1	114	54.5	0	27772.512	576.344086	15919.33248	30000	0	0	30000	34.625	2004
21.01.2020 10:32:35	1	1	1	1	114	54.5	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	34.625	2004
21.01.2020 10:32:36	1	1	1	1	114	54.5	0	27914.692	578.4946237	16175.35944	30000	0	0	30000	34.75	2004
21.01.2020 10:32:37	1	1	1	1	114	54.75	0	27867.299	576.344086	15854.10268	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:38	1	1	1	1	114	54.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.6875	2004
21.01.2020 10:32:39	1	1	1	1	114	54.5	0	27630.332	576.344086	16006.57734	30000	0	0	30000	34.625	2004
21.01.2020 10:32:40	1	1	1	1	114	54.5	0	27772.512	576.344086	15983.74691	30000	0	0	30000	34.6875	2004
21.01.2020 10:32:41	1	1	1	1	114	54.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.5	2004
21.01.2020 10:32:45	1	1	1	1	114.8	55	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.875	2004
21.01.2020 10:32:45	1	1	1	1	114.8	55	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.875	2004
21.01.2020 10:32:45	1	1	1	1	114.8	55	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.875	2004
21.01.2020 10:32:45	1	1	1	1	114.8	53.75	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:32:46	1	1	1	1	114.8	54.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.6875	2004
21.01.2020 10:32:53	1	1	1	1	115	54.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:53	1	1	1	1	115	54.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:53	1	1	1	1	115	54.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:53	1	1	1	1	115	54.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:53	1	1	1	1	115	54.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:53	1	1	1	1	115	54.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.5625	2004
21.01.2020 10:32:54	1	1	1	1	115	54.5	0	28199.052	576.344086	16191.66689	30000	0	0	30000	32.6875	2004
21.01.2020 10:32:55	1	1	1	1	115	52.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.3125	2004
21.01.2020 10:32:56	1	1	1	1	115	53.25	0	27819.905	572.0430108	15707.33563	30000	0	0	30000	34.625	2004
21.01.2020 10:32:57	1	1	1	1	115	54.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	34.6875	2004
21.01.2020 10:32:58	1	1	1	1	115	54.5	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	34.625	2004
21.01.2020 10:32:59	1	1	1	1	115	54.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	34.8125	2004
21.01.2020 10:33:00	1	1	1	1	115	54.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	34.875	2004
21.01.2020 10:33:01	1	1	1	1	115	54.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	34.8125	2004
21.01.2020 10:33:02	1	1	1	1	115.3	54.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	34.75	2004
21.01.2020 10:33:03	1	1	1	1	115.3	54.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	33.0625	2004
21.01.2020 10:33:04	1	1	1	1	115.3	53	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.6875	2004
21.01.2020 10:33:05	1	1	1	1	115.3	54.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.8125	2004
21.01.2020 10:33:06	1	1	1	1	115.3	54.75	0	27867.299	576.344086	16088.11459	30000	0	0	30000	33.4375	2004
21.01.2020 10:33:07	1	1	1	1	115.3	53.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	34.6875	2004
21.01.2020 10:33:08	1	1	1	1	115.3	54.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.375	2004
21.01.2020 10:33:09	1	1	1	1	115.3	54.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.75	2004
21.01.2020 10:33:10	1	1	1	1	115.3	54.75	0	27962.085	576.344086	16203.08211	30000	0	0	30000	34.6875	2004
21.01.2020 10:33:11	1	1	1	1	115.3	54.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	34.75	2004
21.01.2020 10:33:12	1	1	1	1	114.5	54.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.4375	2004
21.01.2020 10:33:13	1	1	1	1	114.5	54.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.75	2004
21.01.2020 10:33:14	1	1	1	1	114.5	54.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.5625	2004
21.01.2020 10:33:15	1	1	1	1	114.5	54.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.8125	2004
21.01.2020 10:33:16	1	1	1	1	114.5	54.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.5	2004
21.01.2020 10:33:17	1	1	1	1	114.5	54.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.375	2004
21.01.2020 10:33:18	1	1	1	1	114.5	54.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.9375	2004
21.01.2020 10:33:19	1	1	1	1	114.5	53.75	0	27819.905	576.344086	16240.58924	30000	0	0	30000	34.875	2004
21.01.2020 10:33:20	1	1	1	1	114.5	54.75	0	27867.299	576.344086	16093.00682	30000	0	0	30000	34.125	2004
21.01.2020 10:33:21	1	1	1	1	114.5	54	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.75	2004
21.01.2020 10:33:22	1	1	1	1	114.5	54.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.5625	2004
21.01.2020 10:33:23	1	1	1	1	114.5	54.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	34.875	2004
21.01.2020 10:33:24	1	1	1	1	114.5	54.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.875	2004
21.01.2020 10:33:25	1	1	1	1	114.5	54.75	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	34.6875	2004
21.01.2020 10:33:26	1	1	1	1	114.5	54.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.875	2004
21.01.2020 10:33:27	1	1	1	1	114.5	54.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.625	2004
21.01.2020 10:33:28	1	1	1	1	114.5	54.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.5	2004
21.01.2020 10:33:30	1	1	1	1	114.5	54.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:33:31	1	1	1	1	114.5	54.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.9375	2004
21.01.2020 10:33:32	1	1	1	1	114.3	53.75	0	27819.905	576.344086	15924.22472	30000	0	0	30000	34.5	2004
21.01.2020 10:33:33	1	1	1	1	114.3	54.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	34.875	2004
21.01.2020 10:33:34	1	1	1	1	114.3	54.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.0625	2004
21.01.2020 10:33:35	1	1	1	1	114.3	55	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.9375	2004
21.01.2020 10:33:36	1	1	1	1	114.3	54.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.875	2004
21.01.2020 10:33:37	1	1	1	1	114.3	53.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	34.875	2004
21.01.2020 10:33:38	1	1	1	1	114.3	54.75	0	27867.299	580.6451613	16240.58924	30000	0	0	30000	34.9375	2004
21.01.2020 10:33:39	1	1	1	1	114.3	54.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	34.875	2004
21.01.2020 10:33:40	1	1	1	1	114.3	54.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.125	2004
21.01.2020 10:33:41	1	1	1	1	114.3	54	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	34.9375	2004
21.01.2020 10:33:42	1	1	1	1	114	54.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.625	2004
21.01.2020 10:33:43	1	1	1	1	114	54.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.875	2004
21.01.2020 10:33:44	1	1	1	1	114	54.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	34.3125	2004
21.01.2020 10:33:45	1	1	1	1	114	54.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.875	2004
21.01.2020 10:33:46	1	1	1	1	114	54.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	33.875	2004
21.01.2020 10:33:47	1	1	1	1	114	53.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.0625	2004
21.01.2020 10:33:48	1	1	1	1	114	55	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.625	2004
21.01.2020 10:33:54	1	1	1	1	114.5	53	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	34.875	2004
21.01.2020 10:33:54	1	1	1	1	114.5	53	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	34.875	2004
21.01.2020 10:33:54	1	1	1	1	114.5	53	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	34.875	2004
21.01.2020 10:33:54	1	1	1	1	114.5	53	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	34.875	2004
21.01.2020 10:33:54	1	1	1	1	114.5	54.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	34.625	2004
21.01.2020 10:33:55	1	1	1	1	114.5	54.5	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	34.8125	2004
21.01.2020 10:33:56	1	1	1	1	114.5	54.75	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	35	2004
21.01.2020 10:33:57	1	1	1	1	114.5	55	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.875	2004
21.01.2020 10:33:58	1	1	1	1	114.5	54.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.3125	2004
21.01.2020 10:33:59	1	1	1	1	114.5	54.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	34.875	2004
21.01.2020 10:34:00	1	1	1	1	114.5	54.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.1875	2004
21.01.2020 10:34:01	1	1	1	1	114.5	55	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	35.3125	2004
21.01.2020 10:34:02	1	1	1	1	115	53.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	34.8125	2004
21.01.2020 10:34:03	1	1	1	1	115	54.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	34.6875	2004
21.01.2020 10:34:04	1	1	1	1	115	54.5	0	27914.692	576.344086	16296.03457	30000	0	0	30000	34.9375	2004
21.01.2020 10:34:05	1	1	1	1	115	54.75	0	27630.332	578.4946237	16033.48463	30000	0	0	30000	34.5	2004
21.01.2020 10:34:06	1	1	1	1	115	54.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.625	2004
21.01.2020 10:34:07	1	1	1	1	115	54.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.5625	2004
21.01.2020 10:34:09	1	1	1	1	115	54.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.875	2004
21.01.2020 10:34:10	1	1	1	1	115	54.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.125	2004
21.01.2020 10:34:11	1	1	1	1	115	54	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.875	2004
21.01.2020 10:34:12	1	1	1	1	114.3	54.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	34.3125	2004
21.01.2020 10:34:13	1	1	1	1	114.3	54.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	33.6875	2004
21.01.2020 10:34:14	1	1	1	1	114.3	53.5	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	34.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:34:15	1	1	1	1	114.3	54.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.875	2004
21.01.2020 10:34:16	1	1	1	1	114.3	54.75	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	35.125	2004
21.01.2020 10:34:17	1	1	1	1	114.3	55	0	27630.332	578.4946237	15805.18033	30000	0	0	30000	35.125	2004
21.01.2020 10:34:18	1	1	1	1	114.3	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.125	2004
21.01.2020 10:34:19	1	1	1	1	114.3	54	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	34.625	2004
21.01.2020 10:34:20	1	1	1	1	114.3	54.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.8125	2004
21.01.2020 10:34:21	1	1	1	1	114.3	53.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.5	2004
21.01.2020 10:34:22	1	1	1	1	114	54.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.25	2004
21.01.2020 10:34:23	1	1	1	1	114	53.25	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	34.5	2004
21.01.2020 10:34:24	1	1	1	1	114	54.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	34.6875	2004
21.01.2020 10:34:25	1	1	1	1	114	54.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	34.625	2004
21.01.2020 10:34:26	1	1	1	1	114	54.5	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	34.9375	2004
21.01.2020 10:34:27	1	1	1	1	114	54.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	34.75	2004
21.01.2020 10:34:28	1	1	1	1	114	54.75	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	34.3125	2004
21.01.2020 10:34:29	1	1	1	1	114	54.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	34.375	2004
21.01.2020 10:34:30	1	1	1	1	114	54.25	0	27630.332	576.344086	15805.18033	30000	0	0	30000	34.125	2004
21.01.2020 10:34:31	1	1	1	1	114	54	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.875	2004
21.01.2020 10:34:32	1	1	1	1	114	54.75	0	27630.332	576.344086	15745.65814	30000	0	0	30000	34.875	2004
21.01.2020 10:34:33	1	1	1	1	114	54.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.875	2004
21.01.2020 10:34:34	1	1	1	1	114	53.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.5625	2004
21.01.2020 10:34:35	1	1	1	1	114	54.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.125	2004
21.01.2020 10:34:36	1	1	1	1	114	55	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35	2004
21.01.2020 10:34:37	1	1	1	1	114	55	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	34.9375	2004
21.01.2020 10:34:38	1	1	1	1	114	54.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.0625	2004
21.01.2020 10:34:39	1	1	1	1	114	55	0	27819.905	584.9462366	15983.74691	30000	0	0	30000	34.25	2004
21.01.2020 10:34:40	1	1	1	1	114	54.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.0625	2004
21.01.2020 10:34:41	1	1	1	1	114	55.5	0	27535.545	576.344086	15956.02424	30000	0	0	30000	35.1875	2004
21.01.2020 10:34:42	1	1	1	1	114	55	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	34.9375	2004
21.01.2020 10:34:43	1	1	1	1	114	54.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	33.9375	2004
21.01.2020 10:34:44	1	1	1	1	114	53.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	34.4375	2004
21.01.2020 10:34:45	1	1	1	1	114	54.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.875	2004
21.01.2020 10:34:47	1	1	1	1	114	54.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.125	2004
21.01.2020 10:34:48	1	1	1	1	114	55	0	27819.905	576.344086	15973.96244	30000	0	0	30000	33.75	2004
21.01.2020 10:34:49	1	1	1	1	114	53.75	0	27582.938	572.0430108	15864.70252	30000	0	0	30000	34.5	2004
21.01.2020 10:34:50	1	1	1	1	114	54.5	0	27725.118	578.4946237	15924.22472	30000	0	0	30000	33.0625	2004
21.01.2020 10:34:56	1	1	1	1	113.3	55	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.125	2004
21.01.2020 10:34:56	1	1	1	1	113.3	55	0	27819.905	574.1935484	16038.37687	30000	0	0	30000	34.625	2004
21.01.2020 10:34:56	1	1	1	1	113.3	55	0	27819.905	574.1935484	16038.37687	30000	0	0	30000	34.625	2004
21.01.2020 10:34:56	1	1	1	1	113.3	55	0	27819.905	574.1935484	16038.37687	30000	0	0	30000	34.625	2004
21.01.2020 10:34:56	1	1	1	1	113.3	55	0	27819.905	574.1935484	16038.37687	30000	0	0	30000	34.625	2004
21.01.2020 10:34:56	1	1	1	1	113.3	55	0	27819.905	574.1935484	16038.37687	30000	0	0	30000	34.625	2004
21.01.2020 10:34:57	1	1	1	1	113.3	54.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.1875	2004
21.01.2020 10:34:58	1	1	1	1	113.3	55	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	34.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:34:59	1	1	1	1	113.3	54.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	33.1875	2004
21.01.2020 10:35:00	1	1	1	1	113.3	53	0	27962.085	576.344086	16115.83725	30000	0	0	30000	34.625	2004
21.01.2020 10:35:01	1	1	1	1	113.3	54.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.0625	2004
21.01.2020 10:35:02	1	1	1	1	113	55	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.75	2004
21.01.2020 10:35:03	1	1	1	1	113	54.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.5	2004
21.01.2020 10:35:04	1	1	1	1	113	54.5	0	27582.938	574.1935484	15869.59476	30000	0	0	30000	34.625	2004
21.01.2020 10:35:05	1	1	1	1	113	54.5	0	27772.512	580.6451613	15983.74691	30000	0	0	30000	33.9375	2004
21.01.2020 10:35:06	1	1	1	1	113	53.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	34.875	2004
21.01.2020 10:35:07	1	1	1	1	113	54.75	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	33.875	2004
21.01.2020 10:35:08	1	1	1	1	113	53.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.1875	2004
21.01.2020 10:35:09	1	1	1	1	113	54	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.1875	2004
21.01.2020 10:35:10	1	1	1	1	113	55	0	27630.332	576.344086	16153.34439	30000	0	0	30000	34.75	2004
21.01.2020 10:35:11	1	1	1	1	113	54.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34	2004
21.01.2020 10:35:12	1	1	1	1	113	54	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.875	2004
21.01.2020 10:35:13	1	1	1	1	113	54.75	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	35.125	2004
21.01.2020 10:35:14	1	1	1	1	113	55	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	34.8125	2004
21.01.2020 10:35:15	1	1	1	1	113	54.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	34.5	2004
21.01.2020 10:35:16	1	1	1	1	113	54.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.75	2004
21.01.2020 10:35:17	1	1	1	1	113	55.75	0	27582.938	580.6451613	16162.31348	30000	0	0	30000	35.1875	2004
21.01.2020 10:35:18	1	1	1	1	113	55	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	34.1875	2004
21.01.2020 10:35:19	1	1	1	1	113	54	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	35.25	2004
21.01.2020 10:35:20	1	1	1	1	113	55	0	27582.938	576.344086	15897.31742	30000	0	0	30000	35.3125	2004
21.01.2020 10:35:21	1	1	1	1	113.3	55.25	0	27630.332	578.4946237	16212.86658	30000	0	0	30000	34.875	2004
21.01.2020 10:35:22	1	1	1	1	113.3	54.75	0	27440.758	574.1935484	15873.67162	30000	0	0	30000	34.9375	2004
21.01.2020 10:35:23	1	1	1	1	113.3	54.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	35.5	2004
21.01.2020 10:35:24	1	1	1	1	113.3	55.5	0	27535.545	576.344086	15897.31742	30000	0	0	30000	34.75	2004
21.01.2020 10:35:25	1	1	1	1	113.3	54.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.1875	2004
21.01.2020 10:35:27	1	1	1	1	113.3	55	0	27582.938	580.6451613	15869.59476	30000	0	0	30000	34.625	2004
21.01.2020 10:35:28	1	1	1	1	113.3	54.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.9375	2004
21.01.2020 10:35:29	1	1	1	1	113.3	53.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.3125	2004
21.01.2020 10:35:30	1	1	1	1	113.3	55.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.3125	2004
21.01.2020 10:35:31	1	1	1	1	113.3	55.25	0	27440.758	574.1935484	15873.67162	30000	0	0	30000	35.4375	2004
21.01.2020 10:35:32	1	1	1	1	112.5	55.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.9375	2004
21.01.2020 10:35:33	1	1	1	1	112.5	53.75	0	27582.938	580.6451613	15638.02897	30000	0	0	30000	35.3125	2004
21.01.2020 10:35:34	1	1	1	1	112.5	55.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	35.375	2004
21.01.2020 10:35:35	1	1	1	1	112.5	55.25	0	27582.938	578.4946237	15756.25798	30000	0	0	30000	34.875	2004
21.01.2020 10:35:36	1	1	1	1	112.5	54.75	0	27630.332	578.4946237	16280.54249	30000	0	0	30000	35.375	2004
21.01.2020 10:35:37	1	1	1	1	112.5	55.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	34.75	2004
21.01.2020 10:35:38	1	1	1	1	112.5	54.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.875	2004
21.01.2020 10:35:39	1	1	1	1	112.5	54.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	35.1875	2004
21.01.2020 10:35:40	1	1	1	1	112.5	55	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.3125	2004
21.01.2020 10:35:41	1	1	1	1	112.5	55.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.3125	2004
21.01.2020 10:35:42	1	1	1	1	113.3	55.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:35:43	1	1	1	1	113.3	54.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	34.6875	2004
21.01.2020 10:35:44	1	1	1	1	113.3	54.5	0	27582.938	576.344086	15897.31742	30000	0	0	30000	34.8125	2004
21.01.2020 10:35:45	1	1	1	1	113.3	54.75	0	27582.938	576.344086	15718.75085	30000	0	0	30000	34.875	2004
21.01.2020 10:35:46	1	1	1	1	113.3	54.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.3125	2004
21.01.2020 10:35:47	1	1	1	1	113.3	55.25	0	27819.905	578.4946237	16038.37687	30000	0	0	30000	34.875	2004
21.01.2020 10:35:48	1	1	1	1	113.3	54.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	35.125	2004
21.01.2020 10:35:49	1	1	1	1	113.3	55	0	27772.512	576.344086	16033.48463	30000	0	0	30000	34.1875	2004
21.01.2020 10:35:50	1	1	1	1	113.3	54	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.875	2004
21.01.2020 10:35:51	1	1	1	1	113.3	54.75	0	27819.905	576.344086	16061.20729	30000	0	0	30000	35.3125	2004
21.01.2020 10:35:57	1	1	1	1	112.8	54.75	0	27535.545	576.344086	15869.59476	30000	0	0	30000	35.0625	2004
21.01.2020 10:35:57	1	1	1	1	112.8	54.75	0	27535.545	576.344086	15869.59476	30000	0	0	30000	35.0625	2004
21.01.2020 10:35:57	1	1	1	1	112.8	54.75	0	27535.545	576.344086	15869.59476	30000	0	0	30000	35.0625	2004
21.01.2020 10:35:57	1	1	1	1	112.8	54.75	0	27535.545	576.344086	15869.59476	30000	0	0	30000	35.0625	2004
21.01.2020 10:35:57	1	1	1	1	112.8	54.75	0	27535.545	576.344086	15869.59476	30000	0	0	30000	35.0625	2004
21.01.2020 10:35:58	1	1	1	1	112.8	55	0	27819.905	576.344086	16006.57734	30000	0	0	30000	34.8125	2004
21.01.2020 10:35:59	1	1	1	1	112.8	54.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	33.5	2004
21.01.2020 10:36:00	1	1	1	1	112.8	53.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.9375	2004
21.01.2020 10:36:01	1	1	1	1	112.5	53.75	0	27772.512	576.344086	15973.96244	30000	0	0	30000	35.0625	2004
21.01.2020 10:36:02	1	1	1	1	112.5	55	0	27962.085	578.4946237	16175.35944	30000	0	0	30000	34.875	2004
21.01.2020 10:36:04	1	1	1	1	112.5	54.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	34.875	2004
21.01.2020 10:36:05	1	1	1	1	112.5	54.75	0	27819.905	578.4946237	16120.72949	30000	0	0	30000	34.375	2004
21.01.2020 10:36:06	1	1	1	1	112.5	54.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.4375	2004
21.01.2020 10:36:07	1	1	1	1	112.5	55.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.0625	2004
21.01.2020 10:36:08	1	1	1	1	112.5	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.25	2004
21.01.2020 10:36:09	1	1	1	1	112.5	55.25	0	27772.512	578.4946237	15978.85467	30000	0	0	30000	35.3125	2004
21.01.2020 10:36:10	1	1	1	1	112.5	55.25	0	27819.905	578.4946237	15864.70252	30000	0	0	30000	35.0625	2004
21.01.2020 10:36:11	1	1	1	1	112.5	55	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.1875	2004
21.01.2020 10:36:12	1	1	1	1	112.5	55	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.3125	2004
21.01.2020 10:36:13	1	1	1	1	112.5	55.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	35.4375	2004
21.01.2020 10:36:14	1	1	1	1	112.5	55.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.1875	2004
21.01.2020 10:36:15	1	1	1	1	112.5	55	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.625	2004
21.01.2020 10:36:16	1	1	1	1	112.5	55.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.375	2004
21.01.2020 10:36:17	1	1	1	1	112.5	55.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	35.5625	2004
21.01.2020 10:36:18	1	1	1	1	112.5	55.5	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	35.5625	2004
21.01.2020 10:36:19	1	1	1	1	112.5	55.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	34.0625	2004
21.01.2020 10:36:20	1	1	1	1	112.5	54	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.4375	2004
21.01.2020 10:36:21	1	1	1	1	112.5	55.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.5	2004
21.01.2020 10:36:22	1	1	1	1	113	55.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	35.25	2004
21.01.2020 10:36:23	1	1	1	1	113	55.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.3125	2004
21.01.2020 10:36:24	1	1	1	1	113	55.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	35.125	2004
21.01.2020 10:36:25	1	1	1	1	113	55	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35	2004
21.01.2020 10:36:26	1	1	1	1	113	55	0	27914.692	576.344086	16027.77702	30000	0	0	30000	35.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:36:27	1	1	1	1	113	55.5	0	27819.905	574.1935484	15864.70252	30000	0	0	30000	35.625	2004
21.01.2020 10:36:28	1	1	1	1	113	55.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	35.1875	2004
21.01.2020 10:36:29	1	1	1	1	113	55	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	35.5	2004
21.01.2020 10:36:30	1	1	1	1	113	55.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.0625	2004
21.01.2020 10:36:31	1	1	1	1	113	55	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	35.5625	2004
21.01.2020 10:36:32	1	1	1	1	112.3	55.5	0	27725.118	576.344086	15864.70252	30000	0	0	30000	35.5625	2004
21.01.2020 10:36:33	1	1	1	1	112.3	55.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	35.5625	2004
21.01.2020 10:36:34	1	1	1	1	112.3	55.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	34.75	2004
21.01.2020 10:36:35	1	1	1	1	112.3	54.75	0	27772.512	574.1935484	16033.48463	30000	0	0	30000	35.875	2004
21.01.2020 10:36:36	1	1	1	1	112.3	55.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36	2004
21.01.2020 10:36:37	1	1	1	1	112.3	56	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.6875	2004
21.01.2020 10:36:38	1	1	1	1	112.3	55.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	34.375	2004
21.01.2020 10:36:39	1	1	1	1	112.3	54.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	35.3125	2004
21.01.2020 10:36:40	1	1	1	1	112.3	55.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.5	2004
21.01.2020 10:36:42	1	1	1	1	112.8	55.5	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	35.5625	2004
21.01.2020 10:36:43	1	1	1	1	112.8	55.5	0	27630.332	576.344086	15973.96244	30000	0	0	30000	35.25	2004
21.01.2020 10:36:44	1	1	1	1	112.8	55.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	35.4375	2004
21.01.2020 10:36:45	1	1	1	1	112.8	55.25	0	27914.692	576.344086	15734.24293	30000	0	0	30000	35.6875	2004
21.01.2020 10:36:46	1	1	1	1	112.8	55.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.875	2004
21.01.2020 10:36:47	1	1	1	1	112.8	54.75	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	35.625	2004
21.01.2020 10:36:48	1	1	1	1	112.8	55.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	35.3125	2004
21.01.2020 10:36:49	1	1	1	1	112.8	55.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	35.0625	2004
21.01.2020 10:36:50	1	1	1	1	112.8	55	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	35.5	2004
21.01.2020 10:36:51	1	1	1	1	112.8	55.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.6875	2004
21.01.2020 10:36:52	1	1	1	1	112.8	55.5	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	34.8125	2004
21.01.2020 10:36:53	1	1	1	1	112.8	54.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.4375	2004
21.01.2020 10:36:59	1	1	1	1	112.8	54.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	35.6875	2004
21.01.2020 10:36:59	1	1	1	1	112.8	54.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	35.6875	2004
21.01.2020 10:36:59	1	1	1	1	112.8	54.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	35.6875	2004
21.01.2020 10:36:59	1	1	1	1	112.8	54.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	35.6875	2004
21.01.2020 10:36:59	1	1	1	1	112.8	54.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	35.6875	2004
21.01.2020 10:36:59	1	1	1	1	112.8	55.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	35.5	2004
21.01.2020 10:37:00	1	1	1	1	112.8	55.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.75	2004
21.01.2020 10:37:01	1	1	1	1	112.8	55.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.4375	2004
21.01.2020 10:37:02	1	1	1	1	113.3	55.25	0	27630.332	567.7419355	16033.48463	30000	0	0	30000	35.375	2004
21.01.2020 10:37:03	1	1	1	1	113.3	55.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.6875	2004
21.01.2020 10:37:04	1	1	1	1	113.3	55.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.1875	2004
21.01.2020 10:37:05	1	1	1	1	113.3	55	0	27630.332	576.344086	16043.2691	30000	0	0	30000	35	2004
21.01.2020 10:37:06	1	1	1	1	113.3	55	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	35.3125	2004
21.01.2020 10:37:07	1	1	1	1	113.3	55.25	0	27725.118	576.344086	15924.22472	30000	0	0	30000	35.625	2004
21.01.2020 10:37:08	1	1	1	1	113.3	55.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.625	2004
21.01.2020 10:37:09	1	1	1	1	113.3	55.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	35.4375	2004
21.01.2020 10:37:10	1	1	1	1	113.3	55.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:37:11	1	1	1	1	113.3	55.5	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	35.6875	2004
21.01.2020 10:37:12	1	1	1	1	113	55.5	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	35.6875	2004
21.01.2020 10:37:13	1	1	1	1	113	55.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.8125	2004
21.01.2020 10:37:14	1	1	1	1	113	55.75	0	27630.332	572.0430108	16033.48463	30000	0	0	30000	35.375	2004
21.01.2020 10:37:15	1	1	1	1	113	55.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.8125	2004
21.01.2020 10:37:16	1	1	1	1	113	55.25	0	27819.905	580.6451613	16033.48463	30000	0	0	30000	35.1875	2004
21.01.2020 10:37:17	1	1	1	1	113	55	0	27772.512	576.344086	16033.48463	30000	0	0	30000	35.5625	2004
21.01.2020 10:37:18	1	1	1	1	113	55.5	0	27772.512	578.4946237	16125.62172	30000	0	0	30000	35.6875	2004
21.01.2020 10:37:20	1	1	1	1	113	55.5	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	35.625	2004
21.01.2020 10:37:21	1	1	1	1	113	55.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.75	2004
21.01.2020 10:37:22	1	1	1	1	113.3	55.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	35.5625	2004
21.01.2020 10:37:23	1	1	1	1	113.3	55.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	35.25	2004
21.01.2020 10:37:24	1	1	1	1	113.3	55.25	0	27582.938	582.7956989	16047.34596	30000	0	0	30000	35.125	2004
21.01.2020 10:37:25	1	1	1	1	113.3	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.5	2004
21.01.2020 10:37:26	1	1	1	1	113.3	55.5	0	27535.545	576.344086	15956.02424	30000	0	0	30000	35.6875	2004
21.01.2020 10:37:27	1	1	1	1	113.3	55.5	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	34.3125	2004
21.01.2020 10:37:28	1	1	1	1	113.3	54.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.125	2004
21.01.2020 10:37:29	1	1	1	1	113.3	55	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	34.25	2004
21.01.2020 10:37:30	1	1	1	1	113.3	54.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	35.125	2004
21.01.2020 10:37:31	1	1	1	1	113.3	55	0	27630.332	576.344086	15919.33248	30000	0	0	30000	35.9375	2004
21.01.2020 10:37:32	1	1	1	1	112.8	55.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.6875	2004
21.01.2020 10:37:33	1	1	1	1	112.8	55.5	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	35.8125	2004
21.01.2020 10:37:34	1	1	1	1	112.8	55.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	34.8125	2004
21.01.2020 10:37:35	1	1	1	1	112.8	54.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.0625	2004
21.01.2020 10:37:36	1	1	1	1	112.8	55	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.4375	2004
21.01.2020 10:37:37	1	1	1	1	112.8	55.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	34.625	2004
21.01.2020 10:37:38	1	1	1	1	112.8	54.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	35.6875	2004
21.01.2020 10:37:39	1	1	1	1	112.8	55.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.875	2004
21.01.2020 10:37:40	1	1	1	1	112.8	55.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	35.8125	2004
21.01.2020 10:37:41	1	1	1	1	112.8	55.75	0	27630.332	569.8924731	15978.85467	30000	0	0	30000	35	2004
21.01.2020 10:37:42	1	1	1	1	113.3	55	0	27867.299	578.4946237	15627.42913	30000	0	0	30000	34.1875	2004
21.01.2020 10:37:43	1	1	1	1	113.3	54	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	35.75	2004
21.01.2020 10:37:44	1	1	1	1	113.3	55.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.875	2004
21.01.2020 10:37:45	1	1	1	1	113.3	54.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	35.4375	2004
21.01.2020 10:37:46	1	1	1	1	113.3	55.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.6875	2004
21.01.2020 10:37:47	1	1	1	1	113.3	55.5	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	34.5	2004
21.01.2020 10:37:48	1	1	1	1	113.3	54.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	35.0625	2004
21.01.2020 10:37:49	1	1	1	1	113.3	55	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	34.9375	2004
21.01.2020 10:37:50	1	1	1	1	113.3	54.75	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	35.5625	2004
21.01.2020 10:37:51	1	1	1	1	113.3	55.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.1875	2004
21.01.2020 10:37:52	1	1	1	1	113	55	0	28009.479	576.344086	15961.73185	30000	0	0	30000	35.9375	2004
21.01.2020 10:37:53	1	1	1	1	113	55.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.9375	2004
21.01.2020 10:37:54	1	1	1	1	113	55.5	0	27867.299	576.344086	16148.45215	30000	0	0	30000	35.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:38:01	1	1	1	1	113	55.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.4375	2004
21.01.2020 10:38:01	1	1	1	1	113	55.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.4375	2004
21.01.2020 10:38:01	1	1	1	1	113	55.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.4375	2004
21.01.2020 10:38:01	1	1	1	1	113	55.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.4375	2004
21.01.2020 10:38:01	1	1	1	1	113	55.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.6875	2004
21.01.2020 10:38:02	1	1	1	1	113	55.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	35.1875	2004
21.01.2020 10:38:03	1	1	1	1	113	55	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.75	2004
21.01.2020 10:38:04	1	1	1	1	113	55.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	35.9375	2004
21.01.2020 10:38:05	1	1	1	1	113	55.75	0	27867.299	576.344086	16148.45215	30000	0	0	30000	35.3125	2004
21.01.2020 10:38:06	1	1	1	1	113	55.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.75	2004
21.01.2020 10:38:07	1	1	1	1	113	55.75	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	35.9375	2004
21.01.2020 10:38:08	1	1	1	1	113	55.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.75	2004
21.01.2020 10:38:09	1	1	1	1	113	55.75	0	27725.118	584.9462366	16102.79129	30000	0	0	30000	35.8125	2004
21.01.2020 10:38:10	1	1	1	1	113	55.75	0	27630.332	576.344086	16153.34439	30000	0	0	30000	35.75	2004
21.01.2020 10:38:11	1	1	1	1	113	55.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.75	2004
21.01.2020 10:38:12	1	1	1	1	112.8	55.75	0	27914.692	582.7956989	16000.86973	30000	0	0	30000	35.125	2004
21.01.2020 10:38:13	1	1	1	1	112.8	55	0	27819.905	574.1935484	16093.00682	30000	0	0	30000	34.5625	2004
21.01.2020 10:38:14	1	1	1	1	112.8	54.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.875	2004
21.01.2020 10:38:15	1	1	1	1	112.8	54.75	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	35.5625	2004
21.01.2020 10:38:16	1	1	1	1	112.8	55.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.8125	2004
21.01.2020 10:38:17	1	1	1	1	112.8	55.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	35.3125	2004
21.01.2020 10:38:18	1	1	1	1	112.8	55.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	35.75	2004
21.01.2020 10:38:19	1	1	1	1	112.8	55.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36	2004
21.01.2020 10:38:20	1	1	1	1	112.8	56	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.375	2004
21.01.2020 10:38:21	1	1	1	1	112.8	55.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	36.0625	2004
21.01.2020 10:38:22	1	1	1	1	113	56	0	27630.332	576.344086	15973.96244	30000	0	0	30000	36.0625	2004
21.01.2020 10:38:23	1	1	1	1	113	56	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	35.25	2004
21.01.2020 10:38:24	1	1	1	1	113	55.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.9375	2004
21.01.2020 10:38:25	1	1	1	1	113	55.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.5	2004
21.01.2020 10:38:26	1	1	1	1	113	55.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.3125	2004
21.01.2020 10:38:27	1	1	1	1	113	55.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.125	2004
21.01.2020 10:38:28	1	1	1	1	113	56	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	36.125	2004
21.01.2020 10:38:29	1	1	1	1	113	56	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.9375	2004
21.01.2020 10:38:30	1	1	1	1	113	55.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.9375	2004
21.01.2020 10:38:31	1	1	1	1	113	55.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	36.0625	2004
21.01.2020 10:38:32	1	1	1	1	112.8	55.75	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	35.6875	2004
21.01.2020 10:38:33	1	1	1	1	112.8	55.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36	2004
21.01.2020 10:38:34	1	1	1	1	112.8	56	0	28009.479	576.344086	16055.49969	30000	0	0	30000	36.0625	2004
21.01.2020 10:38:36	1	1	1	1	112.8	56	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.9375	2004
21.01.2020 10:38:37	1	1	1	1	112.8	55.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	35.6875	2004
21.01.2020 10:38:38	1	1	1	1	112.8	55.5	0	27867.299	576.344086	15913.62487	30000	0	0	30000	36	2004
21.01.2020 10:38:39	1	1	1	1	112.8	56	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:38:40	1	1	1	1	112.8	56	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	35.4375	2004
21.01.2020 10:38:41	1	1	1	1	112.8	55.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	34.625	2004
21.01.2020 10:38:42	1	1	1	1	112.5	54.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.875	2004
21.01.2020 10:38:43	1	1	1	1	112.5	54.75	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	36.0625	2004
21.01.2020 10:38:44	1	1	1	1	112.5	56	0	27867.299	576.344086	15973.96244	30000	0	0	30000	36	2004
21.01.2020 10:38:45	1	1	1	1	112.5	56	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.875	2004
21.01.2020 10:38:46	1	1	1	1	112.5	55.75	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	35.1875	2004
21.01.2020 10:38:47	1	1	1	1	112.5	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.6875	2004
21.01.2020 10:38:48	1	1	1	1	112.5	55.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.9375	2004
21.01.2020 10:38:49	1	1	1	1	112.5	55.75	0	27630.332	576.344086	16038.37687	30000	0	0	30000	36.0625	2004
21.01.2020 10:38:50	1	1	1	1	112.5	56	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.6875	2004
21.01.2020 10:38:51	1	1	1	1	112.5	54.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.5625	2004
21.01.2020 10:38:52	1	1	1	1	112.3	55.5	0	27819.905	569.8924731	16240.58924	30000	0	0	30000	35.5	2004
21.01.2020 10:38:53	1	1	1	1	112.3	55.5	0	27819.905	574.1935484	15924.22472	30000	0	0	30000	35.75	2004
21.01.2020 10:38:54	1	1	1	1	112.3	55.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	35.5	2004
21.01.2020 10:38:55	1	1	1	1	112.3	55.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	35.75	2004
21.01.2020 10:38:56	1	1	1	1	112.3	55.75	0	27630.332	574.1935484	15978.85467	30000	0	0	30000	35.875	2004
21.01.2020 10:39:02	1	1	1	1	112.5	54.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.125	2004
21.01.2020 10:39:02	1	1	1	1	112.5	54.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.125	2004
21.01.2020 10:39:02	1	1	1	1	112.5	54.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.125	2004
21.01.2020 10:39:02	1	1	1	1	112.5	54.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.125	2004
21.01.2020 10:39:02	1	1	1	1	112.5	54.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.125	2004
21.01.2020 10:39:02	1	1	1	1	112.5	54.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.125	2004
21.01.2020 10:39:03	1	1	1	1	112.5	56	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.125	2004
21.01.2020 10:39:04	1	1	1	1	112.5	56	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	36.125	2004
21.01.2020 10:39:05	1	1	1	1	112.5	56	0	27630.332	569.8924731	15973.96244	30000	0	0	30000	36.0625	2004
21.01.2020 10:39:06	1	1	1	1	112.5	56	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.25	2004
21.01.2020 10:39:07	1	1	1	1	112.5	56.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.125	2004
21.01.2020 10:39:08	1	1	1	1	112.5	56	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.3125	2004
21.01.2020 10:39:09	1	1	1	1	112.5	55.25	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	35.6875	2004
21.01.2020 10:39:10	1	1	1	1	112.5	55.5	0	27867.299	582.7956989	16093.00682	30000	0	0	30000	36.5	2004
21.01.2020 10:39:11	1	1	1	1	112.8	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.1875	2004
21.01.2020 10:39:12	1	1	1	1	112.8	56	0	27630.332	576.344086	16093.00682	30000	0	0	30000	36.25	2004
21.01.2020 10:39:13	1	1	1	1	112.8	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.125	2004
21.01.2020 10:39:15	1	1	1	1	112.8	56	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36	2004
21.01.2020 10:39:16	1	1	1	1	112.8	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.0625	2004
21.01.2020 10:39:17	1	1	1	1	112.8	56	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	35.3125	2004
21.01.2020 10:39:18	1	1	1	1	112.8	55.25	0	27819.905	578.4946237	15864.70252	30000	0	0	30000	36.1875	2004
21.01.2020 10:39:19	1	1	1	1	112.8	56	0	27725.118	580.6451613	15983.74691	30000	0	0	30000	36.125	2004
21.01.2020 10:39:20	1	1	1	1	112.8	56	0	27535.545	578.4946237	15983.74691	30000	0	0	30000	35.0625	2004
21.01.2020 10:39:21	1	1	1	1	112.8	55	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	35.4375	2004
21.01.2020 10:39:22	1	1	1	1	112	55.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	36.1875	2004
21.01.2020 10:39:23	1	1	1	1	112	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:39:24	1	1	1	1	112	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.0625	2004
21.01.2020 10:39:25	1	1	1	1	112	56	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	35.5	2004
21.01.2020 10:39:26	1	1	1	1	112	55.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.125	2004
21.01.2020 10:39:27	1	1	1	1	112	56	0	27772.512	584.9462366	16102.79129	30000	0	0	30000	34.1875	2004
21.01.2020 10:39:28	1	1	1	1	112	54	0	27440.758	578.4946237	15819.04167	30000	0	0	30000	35.4375	2004
21.01.2020 10:39:29	1	1	1	1	112	55.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	35.6875	2004
21.01.2020 10:39:30	1	1	1	1	112	55.5	0	27440.758	576.344086	15869.59476	30000	0	0	30000	35.5	2004
21.01.2020 10:39:31	1	1	1	1	112	55.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	36	2004
21.01.2020 10:39:32	1	1	1	1	112.8	56	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	36.125	2004
21.01.2020 10:39:33	1	1	1	1	112.8	56	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	36.25	2004
21.01.2020 10:39:34	1	1	1	1	112.8	56.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	35.75	2004
21.01.2020 10:39:35	1	1	1	1	112.8	55.75	0	27535.545	576.344086	15873.67162	30000	0	0	30000	36.1875	2004
21.01.2020 10:39:36	1	1	1	1	112.8	56	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	35.125	2004
21.01.2020 10:39:37	1	1	1	1	112.8	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36	2004
21.01.2020 10:39:38	1	1	1	1	112.8	56	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	35.4375	2004
21.01.2020 10:39:39	1	1	1	1	112.8	55.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.6875	2004
21.01.2020 10:39:40	1	1	1	1	112.8	55.5	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	35	2004
21.01.2020 10:39:41	1	1	1	1	112.8	55	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	36	2004
21.01.2020 10:39:42	1	1	1	1	112.3	56	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.0625	2004
21.01.2020 10:39:43	1	1	1	1	112.3	56	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	35.75	2004
21.01.2020 10:39:44	1	1	1	1	112.3	55.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.3125	2004
21.01.2020 10:39:45	1	1	1	1	112.3	56.25	0	27819.905	569.8924731	16033.48463	30000	0	0	30000	36.3125	2004
21.01.2020 10:39:46	1	1	1	1	112.3	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.4375	2004
21.01.2020 10:39:47	1	1	1	1	112.3	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.3125	2004
21.01.2020 10:39:48	1	1	1	1	112.3	56.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36.625	2004
21.01.2020 10:39:49	1	1	1	1	112.3	56.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.1875	2004
21.01.2020 10:39:50	1	1	1	1	112.3	56	0	27819.905	578.4946237	15745.65814	30000	0	0	30000	35.875	2004
21.01.2020 10:39:51	1	1	1	1	113	56.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	36.25	2004
21.01.2020 10:39:52	1	1	1	1	113	56.25	0	27725.118	576.344086	16033.48463	30000	0	0	30000	36.125	2004
21.01.2020 10:39:54	1	1	1	1	113	56	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.375	2004
21.01.2020 10:39:55	1	1	1	1	113	56.25	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	35.5	2004
21.01.2020 10:39:56	1	1	1	1	113	55.5	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	35.9375	2004
21.01.2020 10:39:57	1	1	1	1	113	55.75	0	27867.299	582.7956989	16153.34439	30000	0	0	30000	36.375	2004
21.01.2020 10:39:58	1	1	1	1	113	56.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	35.75	2004
21.01.2020 10:40:04	1	1	1	1	112.3	56	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.5	2004
21.01.2020 10:40:04	1	1	1	1	112.3	56	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.5	2004
21.01.2020 10:40:04	1	1	1	1	112.3	56	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.5	2004
21.01.2020 10:40:04	1	1	1	1	112.3	56	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.5	2004
21.01.2020 10:40:04	1	1	1	1	112.3	56	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.5	2004
21.01.2020 10:40:05	1	1	1	1	112.3	55.5	0	27630.332	576.344086	15805.18033	30000	0	0	30000	36.25	2004
21.01.2020 10:40:06	1	1	1	1	112.3	56.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.375	2004
21.01.2020 10:40:07	1	1	1	1	112.3	55.25	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	36.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:40:08	1	1	1	1	112.3	56	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	35.1875	2004
21.01.2020 10:40:09	1	1	1	1	112.3	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.8125	2004
21.01.2020 10:40:10	1	1	1	1	112.3	55.75	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	36.25	2004
21.01.2020 10:40:11	1	1	1	1	112.3	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.3125	2004
21.01.2020 10:40:12	1	1	1	1	112.8	56.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	35.8125	2004
21.01.2020 10:40:13	1	1	1	1	112.8	55.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	35.4375	2004
21.01.2020 10:40:14	1	1	1	1	112.8	55.25	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	35.25	2004
21.01.2020 10:40:15	1	1	1	1	112.8	55.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.375	2004
21.01.2020 10:40:16	1	1	1	1	112.8	56.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	36.4375	2004
21.01.2020 10:40:17	1	1	1	1	112.8	56.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	35.625	2004
21.01.2020 10:40:18	1	1	1	1	112.8	55.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.5625	2004
21.01.2020 10:40:19	1	1	1	1	112.8	56.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.3125	2004
21.01.2020 10:40:20	1	1	1	1	112.8	56.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.4375	2004
21.01.2020 10:40:21	1	1	1	1	112.8	56.25	0	27725.118	580.6451613	16102.79129	30000	0	0	30000	36.4375	2004
21.01.2020 10:40:22	1	1	1	1	113	56.25	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	36.25	2004
21.01.2020 10:40:23	1	1	1	1	113	56.25	0	27345.972	576.344086	15933.19381	30000	0	0	30000	35.0625	2004
21.01.2020 10:40:24	1	1	1	1	113	55	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	36.3125	2004
21.01.2020 10:40:25	1	1	1	1	113	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.3125	2004
21.01.2020 10:40:26	1	1	1	1	113	56.25	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	35.5	2004
21.01.2020 10:40:27	1	1	1	1	113	55.5	0	27819.905	582.7956989	16043.2691	30000	0	0	30000	35.3125	2004
21.01.2020 10:40:28	1	1	1	1	113	55.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	36.5	2004
21.01.2020 10:40:29	1	1	1	1	113	56.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	36.25	2004
21.01.2020 10:40:30	1	1	1	1	113	56.25	0	27582.938	576.344086	15873.67162	30000	0	0	30000	36.6875	2004
21.01.2020 10:40:31	1	1	1	1	112.8	56.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	36.375	2004
21.01.2020 10:40:32	1	1	1	1	112.8	56.25	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	35.1875	2004
21.01.2020 10:40:34	1	1	1	1	112.8	55	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	36.0625	2004
21.01.2020 10:40:35	1	1	1	1	112.8	56	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.375	2004
21.01.2020 10:40:36	1	1	1	1	112.8	56.25	0	27867.299	578.4946237	15745.65814	30000	0	0	30000	36.4375	2004
21.01.2020 10:40:37	1	1	1	1	112.8	56.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	36.375	2004
21.01.2020 10:40:38	1	1	1	1	112.8	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.9375	2004
21.01.2020 10:40:39	1	1	1	1	112.8	55.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	36.3125	2004
21.01.2020 10:40:40	1	1	1	1	112.8	56.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36	2004
21.01.2020 10:40:41	1	1	1	1	112.8	56	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.875	2004
21.01.2020 10:40:42	1	1	1	1	112.3	55.75	0	27819.905	576.344086	15983.74691	30000	0	0	30000	36.0625	2004
21.01.2020 10:40:43	1	1	1	1	112.3	56	0	28199.052	574.1935484	16130.51396	30000	0	0	30000	36.5	2004
21.01.2020 10:40:44	1	1	1	1	112.3	56.5	0	28009.479	576.344086	16022.06942	30000	0	0	30000	36.4375	2004
21.01.2020 10:40:45	1	1	1	1	112.3	56.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.4375	2004
21.01.2020 10:40:46	1	1	1	1	112.3	56.25	0	27867.299	574.1935484	16235.69701	30000	0	0	30000	36.0625	2004
21.01.2020 10:40:47	1	1	1	1	112.3	56	0	27867.299	576.344086	16033.48463	30000	0	0	30000	36.5	2004
21.01.2020 10:40:48	1	1	1	1	112.3	56.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	36.125	2004
21.01.2020 10:40:49	1	1	1	1	112.3	56	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.4375	2004
21.01.2020 10:40:50	1	1	1	1	112.3	56.25	0	27582.938	576.344086	15869.59476	30000	0	0	30000	36.5	2004
21.01.2020 10:40:51	1	1	1	1	112.3	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:40:52	1	1	1	1	112.5	56.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.5	2004
21.01.2020 10:40:53	1	1	1	1	112.5	56.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	35.25	2004
21.01.2020 10:40:54	1	1	1	1	112.5	55.25	0	27962.085	567.7419355	16082.40698	30000	0	0	30000	34.9375	2004
21.01.2020 10:40:55	1	1	1	1	112.5	54.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	36.5	2004
21.01.2020 10:40:56	1	1	1	1	112.5	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.6875	2004
21.01.2020 10:40:57	1	1	1	1	112.5	55.5	0	27914.692	572.0430108	16000.86973	30000	0	0	30000	36.5	2004
21.01.2020 10:40:58	1	1	1	1	112.5	56.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.5	2004
21.01.2020 10:40:59	1	1	1	1	112.5	55.5	0	27630.332	567.7419355	15924.22472	30000	0	0	30000	36.125	2004
21.01.2020 10:41:05	1	1	1	1	111.8	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.75	2004
21.01.2020 10:41:05	1	1	1	1	111.8	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.75	2004
21.01.2020 10:41:05	1	1	1	1	111.8	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.75	2004
21.01.2020 10:41:05	1	1	1	1	111.8	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.75	2004
21.01.2020 10:41:05	1	1	1	1	111.8	55.75	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	36.625	2004
21.01.2020 10:41:06	1	1	1	1	111.8	56.5	0	27630.332	574.1935484	15745.65814	30000	0	0	30000	36.0625	2004
21.01.2020 10:41:07	1	1	1	1	111.8	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.25	2004
21.01.2020 10:41:08	1	1	1	1	111.8	55.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.5625	2004
21.01.2020 10:41:09	1	1	1	1	111.8	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.9375	2004
21.01.2020 10:41:10	1	1	1	1	111.8	55.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	36.125	2004
21.01.2020 10:41:12	1	1	1	1	112.3	56	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.375	2004
21.01.2020 10:41:13	1	1	1	1	112.3	55.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	35.3125	2004
21.01.2020 10:41:14	1	1	1	1	112.3	55.25	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	36.625	2004
21.01.2020 10:41:15	1	1	1	1	112.3	56.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.875	2004
21.01.2020 10:41:16	1	1	1	1	112.3	54.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	35.75	2004
21.01.2020 10:41:17	1	1	1	1	112.3	55.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.3125	2004
21.01.2020 10:41:18	1	1	1	1	112.3	56.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	36.6875	2004
21.01.2020 10:41:19	1	1	1	1	112.3	56.5	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	35.75	2004
21.01.2020 10:41:20	1	1	1	1	112.3	55.75	0	27535.545	576.344086	15929.11695	30000	0	0	30000	36.375	2004
21.01.2020 10:41:21	1	1	1	1	112.3	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	35	2004
21.01.2020 10:41:22	1	1	1	1	112	55	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	36.5	2004
21.01.2020 10:41:23	1	1	1	1	112	56.5	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	36.75	2004
21.01.2020 10:41:24	1	1	1	1	112	56.75	0	27535.545	582.7956989	16047.34596	30000	0	0	30000	35.25	2004
21.01.2020 10:41:25	1	1	1	1	112	55.25	0	27440.758	576.344086	15991.90063	30000	0	0	30000	35.875	2004
21.01.2020 10:41:26	1	1	1	1	112	55.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	36.375	2004
21.01.2020 10:41:27	1	1	1	1	112	56.25	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	36.625	2004
21.01.2020 10:41:28	1	1	1	1	112	56.5	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	36.5625	2004
21.01.2020 10:41:29	1	1	1	1	112	56.5	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	36.625	2004
21.01.2020 10:41:30	1	1	1	1	112	56.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	36	2004
21.01.2020 10:41:31	1	1	1	1	112	56	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	35.125	2004
21.01.2020 10:41:32	1	1	1	1	111.8	55	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	36.8125	2004
21.01.2020 10:41:33	1	1	1	1	111.8	56.75	0	27440.758	584.9462366	16312.34202	30000	0	0	30000	36.4375	2004
21.01.2020 10:41:34	1	1	1	1	111.8	56.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	36.5	2004
21.01.2020 10:41:35	1	1	1	1	111.8	56.5	0	27440.758	574.1935484	15873.67162	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:41:36	1	1	1	1	111.8	55.75	0	27630.332	576.344086	15897.31742	30000	0	0	30000	36.375	2004
21.01.2020 10:41:37	1	1	1	1	111.8	56.25	0	27582.938	576.344086	16015.54644	30000	0	0	30000	36.1875	2004
21.01.2020 10:41:38	1	1	1	1	111.8	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.3125	2004
21.01.2020 10:41:39	1	1	1	1	111.8	55.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	35.5625	2004
21.01.2020 10:41:40	1	1	1	1	111.8	55.5	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	36.1875	2004
21.01.2020 10:41:41	1	1	1	1	111.8	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.125	2004
21.01.2020 10:41:42	1	1	1	1	112	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.6875	2004
21.01.2020 10:41:43	1	1	1	1	112	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.625	2004
21.01.2020 10:41:44	1	1	1	1	112	56.5	0	27867.299	576.344086	16120.72949	30000	0	0	30000	36.0625	2004
21.01.2020 10:41:45	1	1	1	1	112	56	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.5	2004
21.01.2020 10:41:46	1	1	1	1	112	56.5	0	27867.299	574.1935484	16148.45215	30000	0	0	30000	36.6875	2004
21.01.2020 10:41:47	1	1	1	1	112	56.5	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	36.375	2004
21.01.2020 10:41:48	1	1	1	1	112	56.25	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	36.75	2004
21.01.2020 10:41:50	1	1	1	1	112	56.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	36.625	2004
21.01.2020 10:41:51	1	1	1	1	112	56.5	0	27867.299	569.8924731	16027.77702	30000	0	0	30000	36.75	2004
21.01.2020 10:41:52	1	1	1	1	112.8	56.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.75	2004
21.01.2020 10:41:53	1	1	1	1	112.8	56.75	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	35.625	2004
21.01.2020 10:41:54	1	1	1	1	112.8	55.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.625	2004
21.01.2020 10:41:55	1	1	1	1	112.8	56.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.625	2004
21.01.2020 10:41:56	1	1	1	1	112.8	56.5	0	27819.905	567.7419355	16061.20729	30000	0	0	30000	36.6875	2004
21.01.2020 10:41:57	1	1	1	1	112.8	56.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.75	2004
21.01.2020 10:41:58	1	1	1	1	112.8	56.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.6875	2004
21.01.2020 10:41:59	1	1	1	1	112.8	55.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	36.375	2004
21.01.2020 10:42:00	1	1	1	1	112.8	56.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.5	2004
21.01.2020 10:42:01	1	1	1	1	112.8	56.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.8125	2004
21.01.2020 10:42:07	1	1	1	1	112.8	55.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.5	2004
21.01.2020 10:42:07	1	1	1	1	112.8	55.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.5	2004
21.01.2020 10:42:07	1	1	1	1	112.8	55.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.5	2004
21.01.2020 10:42:07	1	1	1	1	112.8	55.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.5	2004
21.01.2020 10:42:07	1	1	1	1	112.8	55.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.5	2004
21.01.2020 10:42:07	1	1	1	1	112.8	56.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36.625	2004
21.01.2020 10:42:08	1	1	1	1	112.8	56.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	36.8125	2004
21.01.2020 10:42:09	1	1	1	1	112.8	56.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	36.75	2004
21.01.2020 10:42:10	1	1	1	1	112.8	56.75	0	27914.692	576.344086	16061.20729	30000	0	0	30000	36.0625	2004
21.01.2020 10:42:11	1	1	1	1	112.8	56	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.6875	2004
21.01.2020 10:42:12	1	1	1	1	112	56.5	0	27725.118	582.7956989	15983.74691	30000	0	0	30000	36.5	2004
21.01.2020 10:42:13	1	1	1	1	112	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.75	2004
21.01.2020 10:42:14	1	1	1	1	112	56.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.75	2004
21.01.2020 10:42:15	1	1	1	1	112	56.75	0	27772.512	572.0430108	15864.70252	30000	0	0	30000	35.4375	2004
21.01.2020 10:42:16	1	1	1	1	112	55.25	0	27914.692	580.6451613	16148.45215	30000	0	0	30000	36.25	2004
21.01.2020 10:42:17	1	1	1	1	112	56.25	0	27819.905	576.344086	15913.62487	30000	0	0	30000	36	2004
21.01.2020 10:42:18	1	1	1	1	112	56	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	36.75	2004
21.01.2020 10:42:19	1	1	1	1	112	56.75	0	27914.692	578.4946237	15941.34754	30000	0	0	30000	36.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:42:20	1	1	1	1	112	56.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.625	2004
21.01.2020 10:42:21	1	1	1	1	112	56.5	0	27914.692	576.344086	16088.11459	30000	0	0	30000	36.5625	2004
21.01.2020 10:42:22	1	1	1	1	111.8	56.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	36.4375	2004
21.01.2020 10:42:23	1	1	1	1	111.8	56.25	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	35.5625	2004
21.01.2020 10:42:24	1	1	1	1	111.8	55.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.9375	2004
21.01.2020 10:42:25	1	1	1	1	111.8	56.75	0	27819.905	569.8924731	15627.42913	30000	0	0	30000	36.1875	2004
21.01.2020 10:42:26	1	1	1	1	111.8	56.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	36.1875	2004
21.01.2020 10:42:28	1	1	1	1	111.8	56	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.125	2004
21.01.2020 10:42:29	1	1	1	1	111.8	56	0	27962.085	574.1935484	16263.41967	30000	0	0	30000	36.375	2004
21.01.2020 10:42:30	1	1	1	1	111.8	56.25	0	27819.905	576.344086	15919.33248	30000	0	0	30000	36.875	2004
21.01.2020 10:42:31	1	1	1	1	111.8	56.75	0	27914.692	576.344086	16115.83725	30000	0	0	30000	35.9375	2004
21.01.2020 10:42:32	1	1	1	1	112	55.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.8125	2004
21.01.2020 10:42:33	1	1	1	1	112	55.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	36.875	2004
21.01.2020 10:42:34	1	1	1	1	112	56.75	0	27867.299	569.8924731	15913.62487	30000	0	0	30000	36.375	2004
21.01.2020 10:42:35	1	1	1	1	112	56.25	0	27962.085	576.344086	16000.86973	30000	0	0	30000	36.1875	2004
21.01.2020 10:42:36	1	1	1	1	112	56	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	36.5	2004
21.01.2020 10:42:37	1	1	1	1	112	56.5	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	36.75	2004
21.01.2020 10:42:38	1	1	1	1	112	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.5625	2004
21.01.2020 10:42:39	1	1	1	1	112	56.5	0	27772.512	576.344086	15864.70252	30000	0	0	30000	35.4375	2004
21.01.2020 10:42:40	1	1	1	1	112	55.25	0	27772.512	574.1935484	15805.18033	30000	0	0	30000	34.9375	2004
21.01.2020 10:42:41	1	1	1	1	112	54.75	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	37	2004
21.01.2020 10:42:42	1	1	1	1	112	57	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	35.375	2004
21.01.2020 10:42:43	1	1	1	1	112	55.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	37	2004
21.01.2020 10:42:44	1	1	1	1	112	57	0	27867.299	576.344086	16093.00682	30000	0	0	30000	35.6875	2004
21.01.2020 10:42:45	1	1	1	1	112	55.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	35.875	2004
21.01.2020 10:42:46	1	1	1	1	112	55.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.875	2004
21.01.2020 10:42:47	1	1	1	1	112	55.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36.5625	2004
21.01.2020 10:42:48	1	1	1	1	112	56.5	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	36.8125	2004
21.01.2020 10:42:49	1	1	1	1	112	56.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	36.1875	2004
21.01.2020 10:42:50	1	1	1	1	112	56	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.5	2004
21.01.2020 10:42:51	1	1	1	1	112	56.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36.9375	2004
21.01.2020 10:42:52	1	1	1	1	112.3	56.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	36.875	2004
21.01.2020 10:42:53	1	1	1	1	112.3	56.75	0	27725.118	565.5913978	15913.62487	30000	0	0	30000	35.3125	2004
21.01.2020 10:42:54	1	1	1	1	112.3	55.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	37.0625	2004
21.01.2020 10:42:55	1	1	1	1	112.3	57	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	36.9375	2004
21.01.2020 10:42:56	1	1	1	1	112.3	56.75	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	36.6875	2004
21.01.2020 10:42:57	1	1	1	1	112.3	56.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	37.125	2004
21.01.2020 10:42:58	1	1	1	1	112.3	57	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.5625	2004
21.01.2020 10:42:59	1	1	1	1	112.3	56.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37	2004
21.01.2020 10:43:00	1	1	1	1	112.3	57	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	36.1875	2004
21.01.2020 10:43:01	1	1	1	1	112.3	56	0	28009.479	576.344086	16082.40698	30000	0	0	30000	37	2004
21.01.2020 10:43:02	1	1	1	1	112.5	57	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.1875	2004
21.01.2020 10:43:09	1	1	1	1	112.5	56.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	35.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:43:09	1	1	1	1	112.5	56.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	35.3125	2004
21.01.2020 10:43:09	1	1	1	1	112.5	56.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	35.3125	2004
21.01.2020 10:43:09	1	1	1	1	112.5	56.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	35.3125	2004
21.01.2020 10:43:09	1	1	1	1	112.5	56.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	35.3125	2004
21.01.2020 10:43:09	1	1	1	1	112.5	56.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	35.3125	2004
21.01.2020 10:43:10	1	1	1	1	112.5	55.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.375	2004
21.01.2020 10:43:11	1	1	1	1	112.5	56.25	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	35.875	2004
21.01.2020 10:43:12	1	1	1	1	113	55.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.625	2004
21.01.2020 10:43:13	1	1	1	1	113	56.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	37	2004
21.01.2020 10:43:14	1	1	1	1	113	57	0	27582.938	578.4946237	15897.31742	30000	0	0	30000	37.0625	2004
21.01.2020 10:43:15	1	1	1	1	113	57	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.6875	2004
21.01.2020 10:43:16	1	1	1	1	113	55.5	0	27819.905	576.344086	15864.70252	30000	0	0	30000	36.75	2004
21.01.2020 10:43:17	1	1	1	1	113	56.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.3125	2004
21.01.2020 10:43:18	1	1	1	1	113	56.25	0	27914.692	574.1935484	15941.34754	30000	0	0	30000	36.4375	2004
21.01.2020 10:43:19	1	1	1	1	113	56.25	0	27819.905	578.4946237	16181.06705	30000	0	0	30000	37.0625	2004
21.01.2020 10:43:20	1	1	1	1	113	57	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37	2004
21.01.2020 10:43:21	1	1	1	1	113	57	0	27867.299	584.9462366	15745.65814	30000	0	0	30000	37.0625	2004
21.01.2020 10:43:22	1	1	1	1	112.5	57	0	27630.332	576.344086	15864.70252	30000	0	0	30000	36.8125	2004
21.01.2020 10:43:23	1	1	1	1	112.5	56.75	0	27630.332	576.344086	15745.65814	30000	0	0	30000	35.875	2004
21.01.2020 10:43:24	1	1	1	1	112.5	55.75	0	27962.085	576.344086	16142.74454	30000	0	0	30000	36.8125	2004
21.01.2020 10:43:25	1	1	1	1	112.5	56.75	0	27867.299	580.6451613	16033.48463	30000	0	0	30000	36.125	2004
21.01.2020 10:43:26	1	1	1	1	112.5	56	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.0625	2004
21.01.2020 10:43:27	1	1	1	1	112.5	57	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	36.625	2004
21.01.2020 10:43:28	1	1	1	1	112.5	56.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	37.1875	2004
21.01.2020 10:43:29	1	1	1	1	112.5	57	0	27867.299	576.344086	16093.00682	30000	0	0	30000	36.4375	2004
21.01.2020 10:43:30	1	1	1	1	112.5	56.25	0	27725.118	576.344086	15924.22472	30000	0	0	30000	36.625	2004
21.01.2020 10:43:31	1	1	1	1	112.5	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.875	2004
21.01.2020 10:43:32	1	1	1	1	112.5	56.75	0	27962.085	578.4946237	16148.45215	30000	0	0	30000	37.0625	2004
21.01.2020 10:43:33	1	1	1	1	112.5	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.1875	2004
21.01.2020 10:43:34	1	1	1	1	112.5	56	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.0625	2004
21.01.2020 10:43:35	1	1	1	1	112.5	56	0	27819.905	569.8924731	16000.86973	30000	0	0	30000	37.125	2004
21.01.2020 10:43:36	1	1	1	1	112.5	57	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	36.875	2004
21.01.2020 10:43:37	1	1	1	1	112.5	56.75	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	36	2004
21.01.2020 10:43:38	1	1	1	1	112.5	56	0	27819.905	576.344086	15913.62487	30000	0	0	30000	37	2004
21.01.2020 10:43:39	1	1	1	1	112.5	57	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.375	2004
21.01.2020 10:43:40	1	1	1	1	112.5	57.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.5	2004
21.01.2020 10:43:41	1	1	1	1	112.5	56.5	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	37.3125	2004
21.01.2020 10:43:42	1	1	1	1	112.5	57.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	37	2004
21.01.2020 10:43:44	1	1	1	1	112.5	57	0	27725.118	569.8924731	16033.48463	30000	0	0	30000	37	2004
21.01.2020 10:43:45	1	1	1	1	112.5	57	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	36	2004
21.01.2020 10:43:46	1	1	1	1	112.5	56	0	27630.332	572.0430108	15627.42913	30000	0	0	30000	35.875	2004
21.01.2020 10:43:47	1	1	1	1	112.5	55.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	36.875	2004
21.01.2020 10:43:48	1	1	1	1	112.5	56.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:43:49	1	1	1	1	112.5	56.5	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	37.0625	2004
21.01.2020 10:43:50	1	1	1	1	112.5	57	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	37.1875	2004
21.01.2020 10:43:51	1	1	1	1	112.5	57	0	27630.332	576.344086	16033.48463	30000	0	0	30000	36.75	2004
21.01.2020 10:43:52	1	1	1	1	112.5	56.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.5625	2004
21.01.2020 10:43:53	1	1	1	1	112.5	56.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.5625	2004
21.01.2020 10:43:54	1	1	1	1	112.5	56.5	0	27819.905	576.344086	15978.85467	30000	0	0	30000	37.0625	2004
21.01.2020 10:43:55	1	1	1	1	112.5	57	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.375	2004
21.01.2020 10:43:56	1	1	1	1	112.5	56.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	36.875	2004
21.01.2020 10:43:57	1	1	1	1	112.5	56.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	36.9375	2004
21.01.2020 10:43:58	1	1	1	1	112.5	56.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	37.0625	2004
21.01.2020 10:43:59	1	1	1	1	112.5	57	0	27867.299	576.344086	15973.96244	30000	0	0	30000	36.3125	2004
21.01.2020 10:44:00	1	1	1	1	112.5	56.25	0	27867.299	578.4946237	16148.45215	30000	0	0	30000	37.125	2004
21.01.2020 10:44:01	1	1	1	1	112.5	57	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	36.9375	2004
21.01.2020 10:44:02	1	1	1	1	112.5	56.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	37.1875	2004
21.01.2020 10:44:03	1	1	1	1	112.5	57	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	37.1875	2004
21.01.2020 10:44:04	1	1	1	1	112.5	57	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.125	2004
21.01.2020 10:44:10	1	1	1	1	112.5	56.75	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	36.125	2004
21.01.2020 10:44:10	1	1	1	1	112.5	56.75	0	27914.692	574.1935484	15745.65814	30000	0	0	30000	36.6875	2004
21.01.2020 10:44:10	1	1	1	1	112.5	56	0	27630.332	574.1935484	15745.65814	30000	0	0	30000	36.6875	2004
21.01.2020 10:44:10	1	1	1	1	112.5	56	0	27630.332	574.1935484	15745.65814	30000	0	0	30000	36.6875	2004
21.01.2020 10:44:10	1	1	1	1	112.5	56	0	27630.332	574.1935484	15745.65814	30000	0	0	30000	36.6875	2004
21.01.2020 10:44:13	1	1	1	1	113	56.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	37.125	2004
21.01.2020 10:44:13	1	1	1	1	113	56.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	37.125	2004
21.01.2020 10:44:13	1	1	1	1	113	57	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	36.875	2004
21.01.2020 10:44:14	1	1	1	1	113	56.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	37.0625	2004
21.01.2020 10:44:15	1	1	1	1	113	57	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	37.125	2004
21.01.2020 10:44:16	1	1	1	1	113	57	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	37.25	2004
21.01.2020 10:44:17	1	1	1	1	113	57.25	0	27914.692	576.344086	16027.77702	30000	0	0	30000	36.875	2004
21.01.2020 10:44:18	1	1	1	1	113	56.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.375	2004
21.01.2020 10:44:19	1	1	1	1	113	57.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	36.9375	2004
21.01.2020 10:44:20	1	1	1	1	113	56.75	0	27819.905	576.344086	15864.70252	30000	0	0	30000	37.3125	2004
21.01.2020 10:44:22	1	1	1	1	113	57.25	0	27630.332	576.344086	15745.65814	30000	0	0	30000	36.4375	2004
21.01.2020 10:44:23	1	1	1	1	113.5	57.25	0	27630.332	567.7419355	15864.70252	30000	0	0	30000	36.4375	2004
21.01.2020 10:44:24	1	1	1	1	113.5	56.25	0	27867.299	576.344086	16093.00682	30000	0	0	30000	37.125	2004
21.01.2020 10:44:25	1	1	1	1	113.5	57	0	27819.905	576.344086	16093.00682	30000	0	0	30000	37.3125	2004
21.01.2020 10:44:26	1	1	1	1	113.5	57.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.0625	2004
21.01.2020 10:44:27	1	1	1	1	113.5	57	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.6875	2004
21.01.2020 10:44:28	1	1	1	1	113.5	56.5	0	27630.332	576.344086	16102.79129	30000	0	0	30000	37.3125	2004
21.01.2020 10:44:29	1	1	1	1	113.5	57.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.3125	2004
21.01.2020 10:44:30	1	1	1	1	113.5	57.25	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	36.6875	2004
21.01.2020 10:44:31	1	1	1	1	113.5	56.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	37.1875	2004
21.01.2020 10:44:32	1	1	1	1	114	57	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	36.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:44:33	1	1	1	1	114	56.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.3125	2004
21.01.2020 10:44:34	1	1	1	1	114	57.25	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	36.625	2004
21.01.2020 10:44:35	1	1	1	1	114	56.5	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	37.25	2004
21.01.2020 10:44:36	1	1	1	1	114	57.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.9375	2004
21.01.2020 10:44:37	1	1	1	1	114	56.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	37.1875	2004
21.01.2020 10:44:38	1	1	1	1	114	57	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	36.25	2004
21.01.2020 10:44:39	1	1	1	1	114	56.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	37.125	2004
21.01.2020 10:44:40	1	1	1	1	114	57	0	27914.692	576.344086	16115.83725	30000	0	0	30000	36.6875	2004
21.01.2020 10:44:41	1	1	1	1	114	56.5	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	37.3125	2004
21.01.2020 10:44:42	1	1	1	1	114.5	57.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	37.3125	2004
21.01.2020 10:44:43	1	1	1	1	114.5	57.25	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	37.3125	2004
21.01.2020 10:44:44	1	1	1	1	114.5	57.25	0	27867.299	565.5913978	15968.25483	30000	0	0	30000	35.75	2004
21.01.2020 10:44:45	1	1	1	1	114.5	55.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	36.9375	2004
21.01.2020 10:44:46	1	1	1	1	114.5	56.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	37.1875	2004
21.01.2020 10:44:47	1	1	1	1	114.5	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.1875	2004
21.01.2020 10:44:48	1	1	1	1	114.5	57	0	27630.332	576.344086	15973.96244	30000	0	0	30000	36.75	2004
21.01.2020 10:44:49	1	1	1	1	114.5	56.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.5625	2004
21.01.2020 10:44:50	1	1	1	1	114.5	56.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	37.25	2004
21.01.2020 10:44:51	1	1	1	1	114.5	57.25	0	27819.905	574.1935484	15854.10268	30000	0	0	30000	37.25	2004
21.01.2020 10:44:52	1	1	1	1	114.8	57.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.3125	2004
21.01.2020 10:44:53	1	1	1	1	114.8	57.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.0625	2004
21.01.2020 10:44:54	1	1	1	1	114.8	57	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.8125	2004
21.01.2020 10:44:55	1	1	1	1	114.8	56.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	37.0625	2004
21.01.2020 10:44:56	1	1	1	1	114.8	57	0	27772.512	576.344086	15864.70252	30000	0	0	30000	36.75	2004
21.01.2020 10:44:57	1	1	1	1	114.8	56.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.0625	2004
21.01.2020 10:44:58	1	1	1	1	114.8	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.125	2004
21.01.2020 10:44:59	1	1	1	1	114.8	57	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	37.375	2004
21.01.2020 10:45:00	1	1	1	1	114.8	57.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.5625	2004
21.01.2020 10:45:02	1	1	1	1	114.8	57.5	0	27819.905	569.8924731	16061.20729	30000	0	0	30000	36.6875	2004
21.01.2020 10:45:03	1	1	1	1	114.8	56.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	37.25	2004
21.01.2020 10:45:04	1	1	1	1	114.8	57.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	37.375	2004
21.01.2020 10:45:05	1	1	1	1	114.8	57.25	0	27725.118	574.1935484	15973.96244	30000	0	0	30000	37.1875	2004
21.01.2020 10:45:06	1	1	1	1	114.8	57	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	36.25	2004
21.01.2020 10:45:12	1	1	1	1	114.8	57	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	36.875	2004
21.01.2020 10:45:12	1	1	1	1	114.8	57	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	36.875	2004
21.01.2020 10:45:12	1	1	1	1	114.8	57	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	36.875	2004
21.01.2020 10:45:12	1	1	1	1	114.8	57	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	36.875	2004
21.01.2020 10:45:12	1	1	1	1	114.8	57	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	36.875	2004
21.01.2020 10:45:12	1	1	1	1	114.8	57	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	36.875	2004
21.01.2020 10:45:12	1	1	1	1	114.8	57	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	36.875	2004
21.01.2020 10:45:13	1	1	1	1	114.8	56.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.3125	2004
21.01.2020 10:45:14	1	1	1	1	114.8	57.25	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	37	2004
21.01.2020 10:45:15	1	1	1	1	114.8	57	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.4375	2004
21.01.2020 10:45:16	1	1	1	1	114.8	57.25	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	36.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:45:17	1	1	1	1	114.8	56.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	37.4375	2004
21.01.2020 10:45:18	1	1	1	1	114.8	57.25	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	36.125	2004
21.01.2020 10:45:19	1	1	1	1	114.8	56	0	27914.692	582.7956989	16240.58924	30000	0	0	30000	37.25	2004
21.01.2020 10:45:20	1	1	1	1	114.8	57.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.25	2004
21.01.2020 10:45:21	1	1	1	1	114.8	57.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.8125	2004
21.01.2020 10:45:22	1	1	1	1	114	56.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	37.4375	2004
21.01.2020 10:45:23	1	1	1	1	114	57.25	0	27630.332	578.4946237	15897.31742	30000	0	0	30000	36.75	2004
21.01.2020 10:45:24	1	1	1	1	114	56.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.8125	2004
21.01.2020 10:45:25	1	1	1	1	114	56.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.375	2004
21.01.2020 10:45:26	1	1	1	1	114	57.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	37.0625	2004
21.01.2020 10:45:27	1	1	1	1	114	57	0	27867.299	576.344086	16093.00682	30000	0	0	30000	36.75	2004
21.01.2020 10:45:28	1	1	1	1	114	56.75	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	36.5625	2004
21.01.2020 10:45:29	1	1	1	1	114	56.5	0	27535.545	578.4946237	15983.74691	30000	0	0	30000	36.75	2004
21.01.2020 10:45:30	1	1	1	1	114	56.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	37.375	2004
21.01.2020 10:45:31	1	1	1	1	114	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.4375	2004
21.01.2020 10:45:32	1	1	1	1	114.3	57.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	36.875	2004
21.01.2020 10:45:33	1	1	1	1	114.3	56.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.8125	2004
21.01.2020 10:45:34	1	1	1	1	114.3	56.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.375	2004
21.01.2020 10:45:35	1	1	1	1	114.3	57.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.8125	2004
21.01.2020 10:45:36	1	1	1	1	114.3	56.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.625	2004
21.01.2020 10:45:37	1	1	1	1	114.3	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.125	2004
21.01.2020 10:45:39	1	1	1	1	114.3	57	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	36.6875	2004
21.01.2020 10:45:40	1	1	1	1	114.3	57.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	36.4375	2004
21.01.2020 10:45:41	1	1	1	1	114.3	56.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.3125	2004
21.01.2020 10:45:42	1	1	1	1	115.3	57.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	37.125	2004
21.01.2020 10:45:43	1	1	1	1	115.3	57	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37.5	2004
21.01.2020 10:45:44	1	1	1	1	115.3	57.5	0	28009.479	576.344086	16055.49969	30000	0	0	30000	37.375	2004
21.01.2020 10:45:45	1	1	1	1	115.3	57.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	37.3125	2004
21.01.2020 10:45:46	1	1	1	1	115.3	57.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	37.3125	2004
21.01.2020 10:45:47	1	1	1	1	115.3	57.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	37.125	2004
21.01.2020 10:45:48	1	1	1	1	115.3	57	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.875	2004
21.01.2020 10:45:49	1	1	1	1	115.3	56.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	37.4375	2004
21.01.2020 10:45:50	1	1	1	1	115.3	57.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	37	2004
21.01.2020 10:45:51	1	1	1	1	115.3	57	0	27867.299	576.344086	16000.86973	30000	0	0	30000	37.5625	2004
21.01.2020 10:45:52	1	1	1	1	115.8	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.5625	2004
21.01.2020 10:45:53	1	1	1	1	115.8	57.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.5	2004
21.01.2020 10:45:54	1	1	1	1	115.8	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.8125	2004
21.01.2020 10:45:55	1	1	1	1	115.8	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.375	2004
21.01.2020 10:45:56	1	1	1	1	115.8	57.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37	2004
21.01.2020 10:45:57	1	1	1	1	115.8	57	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.3125	2004
21.01.2020 10:45:58	1	1	1	1	115.8	57.25	0	27440.758	576.344086	15873.67162	30000	0	0	30000	37.1875	2004
21.01.2020 10:45:59	1	1	1	1	115.8	57	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	36.625	2004
21.01.2020 10:46:00	1	1	1	1	115.8	56.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:46:01	1	1	1	1	115.8	57.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	37.5	2004
21.01.2020 10:46:02	1	1	1	1	115.5	57.5	0	27440.758	574.1935484	15756.25798	30000	0	0	30000	37.3125	2004
21.01.2020 10:46:03	1	1	1	1	115.5	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.75	2004
21.01.2020 10:46:04	1	1	1	1	115.5	55.75	0	27725.118	578.4946237	16066.09953	30000	0	0	30000	36.75	2004
21.01.2020 10:46:05	1	1	1	1	115.5	56.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	37.75	2004
21.01.2020 10:46:06	1	1	1	1	115.5	57.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.5625	2004
21.01.2020 10:46:07	1	1	1	1	115.5	57.5	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	37.25	2004
21.01.2020 10:46:13	1	1	1	1	115.3	57.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.5	2004
21.01.2020 10:46:13	1	1	1	1	115.3	57.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.5	2004
21.01.2020 10:46:13	1	1	1	1	115.3	57.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.5	2004
21.01.2020 10:46:13	1	1	1	1	115.3	57.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.5	2004
21.01.2020 10:46:13	1	1	1	1	115.3	57.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.4375	2004
21.01.2020 10:46:14	1	1	1	1	115.3	57.25	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	37.4375	2004
21.01.2020 10:46:15	1	1	1	1	115.3	57.25	0	27440.758	580.6451613	16165.57497	30000	0	0	30000	37.8125	2004
21.01.2020 10:46:17	1	1	1	1	115.3	57.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	37.75	2004
21.01.2020 10:46:18	1	1	1	1	115.3	57.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37.1875	2004
21.01.2020 10:46:19	1	1	1	1	115.3	57.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.625	2004
21.01.2020 10:46:20	1	1	1	1	115.3	56.5	0	27582.938	580.6451613	15837.79523	30000	0	0	30000	37.4375	2004
21.01.2020 10:46:21	1	1	1	1	115.3	57.25	0	27630.332	580.6451613	15638.02897	30000	0	0	30000	36.875	2004
21.01.2020 10:46:22	1	1	1	1	115	56.75	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	37.25	2004
21.01.2020 10:46:23	1	1	1	1	115	57.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.5	2004
21.01.2020 10:46:24	1	1	1	1	115	57.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	36.6875	2004
21.01.2020 10:46:25	1	1	1	1	115	56.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	37.375	2004
21.01.2020 10:46:26	1	1	1	1	115	57.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.4375	2004
21.01.2020 10:46:27	1	1	1	1	115	57.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.3125	2004
21.01.2020 10:46:28	1	1	1	1	115	57.25	0	27630.332	580.6451613	15929.11695	30000	0	0	30000	37.625	2004
21.01.2020 10:46:29	1	1	1	1	115	57.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.4375	2004
21.01.2020 10:46:30	1	1	1	1	115	57.25	0	27630.332	578.4946237	16221.0203	30000	0	0	30000	36.75	2004
21.01.2020 10:46:31	1	1	1	1	115	56.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	37.6875	2004
21.01.2020 10:46:32	1	1	1	1	115	57.5	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	36	2004
21.01.2020 10:46:33	1	1	1	1	115	56	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.375	2004
21.01.2020 10:46:34	1	1	1	1	115	57.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.3125	2004
21.01.2020 10:46:35	1	1	1	1	115	57.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	37.5625	2004
21.01.2020 10:46:36	1	1	1	1	115	57.5	0	27440.758	578.4946237	15987.82377	30000	0	0	30000	36.75	2004
21.01.2020 10:46:37	1	1	1	1	115	56.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.5625	2004
21.01.2020 10:46:38	1	1	1	1	115	57.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	37	2004
21.01.2020 10:46:39	1	1	1	1	115	57	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	37.625	2004
21.01.2020 10:46:40	1	1	1	1	115	57.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.25	2004
21.01.2020 10:46:41	1	1	1	1	115	57.25	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	37.625	2004
21.01.2020 10:46:42	1	1	1	1	115.3	57.5	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	37.25	2004
21.01.2020 10:46:43	1	1	1	1	115.3	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.5625	2004
21.01.2020 10:46:44	1	1	1	1	115.3	57.5	0	27867.299	589.2473118	16102.79129	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:46:45	1	1	1	1	115.3	56.5	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	37.6875	2004
21.01.2020 10:46:46	1	1	1	1	115.3	57.5	0	27582.938	578.4946237	15897.31742	30000	0	0	30000	37.375	2004
21.01.2020 10:46:47	1	1	1	1	115.3	57.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.6875	2004
21.01.2020 10:46:48	1	1	1	1	115.3	57.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.5625	2004
21.01.2020 10:46:49	1	1	1	1	115.3	57.5	0	27772.512	574.1935484	16033.48463	30000	0	0	30000	37.125	2004
21.01.2020 10:46:50	1	1	1	1	115.3	57	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.6875	2004
21.01.2020 10:46:51	1	1	1	1	115.3	57.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	37.5625	2004
21.01.2020 10:46:52	1	1	1	1	114.8	57.5	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	37.6875	2004
21.01.2020 10:46:53	1	1	1	1	114.8	57.5	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	37.6875	2004
21.01.2020 10:46:55	1	1	1	1	114.8	57.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	38.0625	2004
21.01.2020 10:46:56	1	1	1	1	114.8	57.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	37.6875	2004
21.01.2020 10:46:57	1	1	1	1	114.8	57.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.375	2004
21.01.2020 10:46:58	1	1	1	1	114.8	57.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.5625	2004
21.01.2020 10:46:59	1	1	1	1	114.8	57.5	0	27582.938	574.1935484	15897.31742	30000	0	0	30000	37.5625	2004
21.01.2020 10:47:00	1	1	1	1	114.8	57.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.625	2004
21.01.2020 10:47:01	1	1	1	1	114.8	57.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	37.6875	2004
21.01.2020 10:47:02	1	1	1	1	114.5	57.5	0	27725.118	587.0967742	15924.22472	30000	0	0	30000	37.6875	2004
21.01.2020 10:47:03	1	1	1	1	114.5	57.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
21.01.2020 10:47:04	1	1	1	1	114.5	57.75	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	37.5625	2004
21.01.2020 10:47:05	1	1	1	1	114.5	57.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.625	2004
21.01.2020 10:47:06	1	1	1	1	114.5	57.5	0	27440.758	582.7956989	15877.74848	30000	0	0	30000	37.8125	2004
21.01.2020 10:47:07	1	1	1	1	114.5	57.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	37.75	2004
21.01.2020 10:47:08	1	1	1	1	114.5	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.3125	2004
21.01.2020 10:47:09	1	1	1	1	114.5	57.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.875	2004
21.01.2020 10:47:15	1	1	1	1	113.8	56.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	37.75	2004
21.01.2020 10:47:15	1	1	1	1	113.8	56.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	37.75	2004
21.01.2020 10:47:15	1	1	1	1	113.8	56.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	37.75	2004
21.01.2020 10:47:15	1	1	1	1	113.8	56.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	37.75	2004
21.01.2020 10:47:15	1	1	1	1	113.8	56.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	37.75	2004
21.01.2020 10:47:15	1	1	1	1	113.8	56.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	37.75	2004
21.01.2020 10:47:16	1	1	1	1	113.8	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.5	2004
21.01.2020 10:47:17	1	1	1	1	113.8	57.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	36.875	2004
21.01.2020 10:47:18	1	1	1	1	113.8	56.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	37.75	2004
21.01.2020 10:47:19	1	1	1	1	113.8	57.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	37.8125	2004
21.01.2020 10:47:20	1	1	1	1	113.8	57.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	37.5	2004
21.01.2020 10:47:21	1	1	1	1	113.8	57.5	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	37.5625	2004
21.01.2020 10:47:22	1	1	1	1	114	57.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
21.01.2020 10:47:23	1	1	1	1	114	57.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	37.5625	2004
21.01.2020 10:47:24	1	1	1	1	114	57.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.5625	2004
21.01.2020 10:47:25	1	1	1	1	114	57.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	37.5625	2004
21.01.2020 10:47:26	1	1	1	1	114	57.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	37.4375	2004
21.01.2020 10:47:27	1	1	1	1	114	57.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.875	2004
21.01.2020 10:47:28	1	1	1	1	114	56.75	0	27535.545	576.344086	16134.59082	30000	0	0	30000	37.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:47:29	1	1	1	1	114	57.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.625	2004
21.01.2020 10:47:30	1	1	1	1	114	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.5625	2004
21.01.2020 10:47:31	1	1	1	1	114	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.8125	2004
21.01.2020 10:47:33	1	1	1	1	114.3	57.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38	2004
21.01.2020 10:47:34	1	1	1	1	114.3	58	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	37.6875	2004
21.01.2020 10:47:35	1	1	1	1	114.3	57.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.5	2004
21.01.2020 10:47:36	1	1	1	1	114.3	58	0	27914.692	576.344086	16088.11459	30000	0	0	30000	36.75	2004
21.01.2020 10:47:37	1	1	1	1	114.3	56.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.1875	2004
21.01.2020 10:47:38	1	1	1	1	114.3	57	0	27819.905	576.344086	15973.96244	30000	0	0	30000	37.5	2004
21.01.2020 10:47:39	1	1	1	1	114.3	57.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	37.875	2004
21.01.2020 10:47:40	1	1	1	1	114.3	57.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	37.3125	2004
21.01.2020 10:47:41	1	1	1	1	114.3	57.25	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	37.8125	2004
21.01.2020 10:47:42	1	1	1	1	114	57.75	0	27725.118	576.344086	16093.00682	30000	0	0	30000	37.75	2004
21.01.2020 10:47:43	1	1	1	1	114	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.625	2004
21.01.2020 10:47:44	1	1	1	1	114	57.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.75	2004
21.01.2020 10:47:45	1	1	1	1	114	57.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	37.6875	2004
21.01.2020 10:47:46	1	1	1	1	114	57.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.3125	2004
21.01.2020 10:47:47	1	1	1	1	114	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.5	2004
21.01.2020 10:47:48	1	1	1	1	114	57.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	37.875	2004
21.01.2020 10:47:49	1	1	1	1	114	57.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.75	2004
21.01.2020 10:47:50	1	1	1	1	114	57.75	0	27819.905	578.4946237	15973.96244	30000	0	0	30000	37.75	2004
21.01.2020 10:47:51	1	1	1	1	114	57.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.875	2004
21.01.2020 10:47:52	1	1	1	1	112.5	57.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	37.75	2004
21.01.2020 10:47:53	1	1	1	1	112.5	57.75	0	27914.692	576.344086	16148.45215	30000	0	0	30000	37.9375	2004
21.01.2020 10:47:54	1	1	1	1	112.5	57.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	36.875	2004
21.01.2020 10:47:55	1	1	1	1	112.5	56.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38	2004
21.01.2020 10:47:56	1	1	1	1	112.5	58	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.625	2004
21.01.2020 10:47:57	1	1	1	1	112.5	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.8125	2004
21.01.2020 10:47:58	1	1	1	1	112.5	57.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	36.75	2004
21.01.2020 10:47:59	1	1	1	1	112.5	56.75	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	36.75	2004
21.01.2020 10:48:00	1	1	1	1	112.5	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.8125	2004
21.01.2020 10:48:01	1	1	1	1	112.5	57.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	37.8125	2004
21.01.2020 10:48:02	1	1	1	1	111.8	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.9375	2004
21.01.2020 10:48:03	1	1	1	1	111.8	57.75	0	27819.905	576.344086	15924.22472	30000	0	0	30000	36.0625	2004
21.01.2020 10:48:04	1	1	1	1	111.8	56	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.6875	2004
21.01.2020 10:48:05	1	1	1	1	111.8	57.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.875	2004
21.01.2020 10:48:06	1	1	1	1	111.8	56.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.8125	2004
21.01.2020 10:48:07	1	1	1	1	111.8	57.75	0	27725.118	576.344086	15983.74691	30000	0	0	30000	37.9375	2004
21.01.2020 10:48:08	1	1	1	1	111.8	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
21.01.2020 10:48:09	1	1	1	1	111.8	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
21.01.2020 10:48:10	1	1	1	1	111.8	58	0	27582.938	574.1935484	15897.31742	30000	0	0	30000	37.625	2004
21.01.2020 10:48:17	1	1	1	1	112.5	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:48:17	1	1	1	1	112.5	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:48:17	1	1	1	1	112.5	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:48:17	1	1	1	1	112.5	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:48:17	1	1	1	1	112.5	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:48:17	1	1	1	1	112.5	58	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.75	2004
21.01.2020 10:48:18	1	1	1	1	112.5	57.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	37.9375	2004
21.01.2020 10:48:19	1	1	1	1	112.5	57.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.5	2004
21.01.2020 10:48:20	1	1	1	1	112.5	57.5	0	27630.332	576.344086	16102.79129	30000	0	0	30000	37.875	2004
21.01.2020 10:48:21	1	1	1	1	112.5	57.75	0	27582.938	578.4946237	16075.06863	30000	0	0	30000	37.375	2004
21.01.2020 10:48:22	1	1	1	1	113	57.25	0	27630.332	574.1935484	15837.79523	30000	0	0	30000	37.375	2004
21.01.2020 10:48:23	1	1	1	1	113	57.25	0	27772.512	576.344086	15983.74691	30000	0	0	30000	38	2004
21.01.2020 10:48:24	1	1	1	1	113	58	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.625	2004
21.01.2020 10:48:25	1	1	1	1	113	57.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.8125	2004
21.01.2020 10:48:26	1	1	1	1	113	57.75	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	38.0625	2004
21.01.2020 10:48:27	1	1	1	1	113	58	0	27819.905	576.344086	15983.74691	30000	0	0	30000	38	2004
21.01.2020 10:48:28	1	1	1	1	113	58	0	28009.479	576.344086	16142.74454	30000	0	0	30000	38.0625	2004
21.01.2020 10:48:29	1	1	1	1	113	58	0	27772.512	572.0430108	15973.96244	30000	0	0	30000	38.1875	2004
21.01.2020 10:48:30	1	1	1	1	113	58	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	38	2004
21.01.2020 10:48:31	1	1	1	1	113	58	0	27867.299	578.4946237	15913.62487	30000	0	0	30000	37.8125	2004
21.01.2020 10:48:32	1	1	1	1	113.5	57.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38	2004
21.01.2020 10:48:33	1	1	1	1	113.5	58	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	37.5625	2004
21.01.2020 10:48:34	1	1	1	1	113.5	57.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	37.5	2004
21.01.2020 10:48:35	1	1	1	1	113.5	57.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37.9375	2004
21.01.2020 10:48:36	1	1	1	1	113.5	57.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	37.4375	2004
21.01.2020 10:48:37	1	1	1	1	113.5	57.25	0	27725.118	576.344086	16033.48463	30000	0	0	30000	37.875	2004
21.01.2020 10:48:38	1	1	1	1	113.5	57.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.125	2004
21.01.2020 10:48:39	1	1	1	1	113.5	58	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	38	2004
21.01.2020 10:48:40	1	1	1	1	113.5	58	0	27867.299	576.344086	16093.00682	30000	0	0	30000	37.6875	2004
21.01.2020 10:48:41	1	1	1	1	113.5	57.5	0	27914.692	576.344086	16061.20729	30000	0	0	30000	38	2004
21.01.2020 10:48:42	1	1	1	1	113	58	0	27819.905	576.344086	15745.65814	30000	0	0	30000	38	2004
21.01.2020 10:48:43	1	1	1	1	113	58	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.875	2004
21.01.2020 10:48:44	1	1	1	1	113	57.75	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	37.4375	2004
21.01.2020 10:48:45	1	1	1	1	113	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37	2004
21.01.2020 10:48:46	1	1	1	1	113	57	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.5	2004
21.01.2020 10:48:47	1	1	1	1	113	57.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.625	2004
21.01.2020 10:48:48	1	1	1	1	113	57.5	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	37.1875	2004
21.01.2020 10:48:49	1	1	1	1	113	57	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	37.5625	2004
21.01.2020 10:48:50	1	1	1	1	113	57.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.0625	2004
21.01.2020 10:48:51	1	1	1	1	113	58	0	27819.905	576.344086	16093.00682	30000	0	0	30000	38	2004
21.01.2020 10:48:53	1	1	1	1	113.8	58	0	27630.332	576.344086	15745.65814	30000	0	0	30000	37.75	2004
21.01.2020 10:48:54	1	1	1	1	113.8	57.75	0	27582.938	576.344086	15837.79523	30000	0	0	30000	37.5625	2004
21.01.2020 10:48:55	1	1	1	1	113.8	57.5	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	38.25	2004
21.01.2020 10:48:56	1	1	1	1	113.8	58.25	0	27867.299	576.344086	15941.34754	30000	0	0	30000	37.875	2004
21.01.2020 10:48:57	1	1	1	1	113.8	57.25	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:48:58	1	1	1	1	113.8	58.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	37.1875	2004
21.01.2020 10:48:59	1	1	1	1	113.8	57	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:00	1	1	1	1	113.8	58	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	38.125	2004
21.01.2020 10:49:01	1	1	1	1	113.8	58	0	28009.479	576.344086	16082.40698	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:02	1	1	1	1	114.5	58	0	27867.299	565.5913978	16027.77702	30000	0	0	30000	37.875	2004
21.01.2020 10:49:03	1	1	1	1	114.5	57.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	38.0625	2004
21.01.2020 10:49:04	1	1	1	1	114.5	58	0	27819.905	572.0430108	15941.34754	30000	0	0	30000	38.125	2004
21.01.2020 10:49:05	1	1	1	1	114.5	58	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	38.0625	2004
21.01.2020 10:49:06	1	1	1	1	114.5	58	0	27582.938	576.344086	15897.31742	30000	0	0	30000	37.875	2004
21.01.2020 10:49:07	1	1	1	1	114.5	57.75	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	38.125	2004
21.01.2020 10:49:08	1	1	1	1	114.5	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.5625	2004
21.01.2020 10:49:09	1	1	1	1	114.5	57.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.8125	2004
21.01.2020 10:49:10	1	1	1	1	114.5	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.8125	2004
21.01.2020 10:49:11	1	1	1	1	114.5	57.75	0	27630.332	567.7419355	15864.70252	30000	0	0	30000	37.25	2004
21.01.2020 10:49:12	1	1	1	1	114	57.25	0	27630.332	578.4946237	16015.54644	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:18	1	1	1	1	114	58	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:18	1	1	1	1	114	58	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:18	1	1	1	1	114	58	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:18	1	1	1	1	114	58	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:18	1	1	1	1	114	58	0	27819.905	587.0967742	16332.72633	30000	0	0	30000	37.875	2004
21.01.2020 10:49:18	1	1	1	1	114	58	0	27819.905	587.0967742	16332.72633	30000	0	0	30000	37.875	2004
21.01.2020 10:49:19	1	1	1	1	114	57.75	0	27535.545	576.344086	15956.02424	30000	0	0	30000	37.5	2004
21.01.2020 10:49:20	1	1	1	1	114	57.5	0	27582.938	576.344086	15924.22472	30000	0	0	30000	37.75	2004
21.01.2020 10:49:21	1	1	1	1	114	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.8125	2004
21.01.2020 10:49:22	1	1	1	1	113.8	57.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	37.9375	2004
21.01.2020 10:49:23	1	1	1	1	113.8	57.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.8125	2004
21.01.2020 10:49:24	1	1	1	1	113.8	57.75	0	27630.332	576.344086	16038.37687	30000	0	0	30000	37.5	2004
21.01.2020 10:49:25	1	1	1	1	113.8	57.5	0	27582.938	576.344086	15956.02424	30000	0	0	30000	37.6875	2004
21.01.2020 10:49:26	1	1	1	1	113.8	57.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	36.75	2004
21.01.2020 10:49:27	1	1	1	1	113.8	56.75	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	37.9375	2004
21.01.2020 10:49:28	1	1	1	1	113.8	57.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	38.125	2004
21.01.2020 10:49:29	1	1	1	1	113.8	58	0	27582.938	574.1935484	15983.74691	30000	0	0	30000	38.25	2004
21.01.2020 10:49:30	1	1	1	1	113.8	58.25	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	38.0625	2004
21.01.2020 10:49:32	1	1	1	1	113.8	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:33	1	1	1	1	114.3	58	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.0625	2004
21.01.2020 10:49:34	1	1	1	1	114.3	58	0	27725.118	576.344086	15983.74691	30000	0	0	30000	38.5625	2004
21.01.2020 10:49:35	1	1	1	1	114.3	58.5	0	27819.905	578.4946237	16181.06705	30000	0	0	30000	38.25	2004
21.01.2020 10:49:36	1	1	1	1	114.3	58	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.8125	2004
21.01.2020 10:49:37	1	1	1	1	114.3	57.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.625	2004
21.01.2020 10:49:38	1	1	1	1	114.3	57.5	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	38	2004
21.01.2020 10:49:39	1	1	1	1	114.3	58	0	27819.905	584.9462366	16157.42125	30000	0	0	30000	37.9375	2004
21.01.2020 10:49:40	1	1	1	1	114.3	57.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.125	2004
21.01.2020 10:49:41	1	1	1	1	114.3	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:49:42	1	1	1	1	114.3	57.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38	2004
21.01.2020 10:49:43	1	1	1	1	114.3	58	0	27535.545	576.344086	15956.02424	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:44	1	1	1	1	114.3	58	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:45	1	1	1	1	114.3	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.25	2004
21.01.2020 10:49:46	1	1	1	1	114.3	58.25	0	27819.905	578.4946237	16043.2691	30000	0	0	30000	38.0625	2004
21.01.2020 10:49:47	1	1	1	1	114.3	58	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.3125	2004
21.01.2020 10:49:48	1	1	1	1	114.3	57.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.25	2004
21.01.2020 10:49:49	1	1	1	1	114.3	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:50	1	1	1	1	114.3	58	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	38	2004
21.01.2020 10:49:51	1	1	1	1	114.3	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
21.01.2020 10:49:52	1	1	1	1	114.5	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.9375	2004
21.01.2020 10:49:53	1	1	1	1	114.5	57.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.3125	2004
21.01.2020 10:49:54	1	1	1	1	114.5	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:55	1	1	1	1	114.5	58	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.6875	2004
21.01.2020 10:49:56	1	1	1	1	114.5	57.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	38.125	2004
21.01.2020 10:49:57	1	1	1	1	114.5	58	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.6875	2004
21.01.2020 10:49:58	1	1	1	1	114.5	57.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.1875	2004
21.01.2020 10:49:59	1	1	1	1	114.5	58	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	38.25	2004
21.01.2020 10:50:00	1	1	1	1	114.5	58.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	37.875	2004
21.01.2020 10:50:01	1	1	1	1	114.5	57.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	38.1875	2004
21.01.2020 10:50:02	1	1	1	1	114.3	58	0	27867.299	576.344086	15973.96244	30000	0	0	30000	37.9375	2004
21.01.2020 10:50:03	1	1	1	1	114.3	57.75	0	27630.332	569.8924731	15924.22472	30000	0	0	30000	38.125	2004
21.01.2020 10:50:04	1	1	1	1	114.3	58	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	38.1875	2004
21.01.2020 10:50:05	1	1	1	1	114.3	58	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	38.25	2004
21.01.2020 10:50:06	1	1	1	1	114.3	58.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.1875	2004
21.01.2020 10:50:07	1	1	1	1	114.3	58	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	37.75	2004
21.01.2020 10:50:08	1	1	1	1	114.3	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.125	2004
21.01.2020 10:50:09	1	1	1	1	114.3	58	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.1875	2004
21.01.2020 10:50:11	1	1	1	1	114.3	58	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.1875	2004
21.01.2020 10:50:12	1	1	1	1	114.3	58	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	37.75	2004
21.01.2020 10:50:13	1	1	1	1	115	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.125	2004
21.01.2020 10:50:14	1	1	1	1	115	58	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	38.5	2004
21.01.2020 10:50:20	1	1	1	1	115	58	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	38	2004
21.01.2020 10:50:20	1	1	1	1	115	58	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	38	2004
21.01.2020 10:50:20	1	1	1	1	115	58	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	38	2004
21.01.2020 10:50:20	1	1	1	1	115	58	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	38.375	2004
21.01.2020 10:50:20	1	1	1	1	115	58	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	38.375	2004
21.01.2020 10:50:20	1	1	1	1	115	58	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	38.375	2004
21.01.2020 10:50:21	1	1	1	1	115	58.25	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	38.3125	2004
21.01.2020 10:50:22	1	1	1	1	115	58.25	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	37.6875	2004
21.01.2020 10:50:23	1	1	1	1	115	57.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.4375	2004
21.01.2020 10:50:24	1	1	1	1	115	58.25	0	27440.758	576.344086	15873.67162	30000	0	0	30000	38.25	2004
21.01.2020 10:50:25	1	1	1	1	115	58.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	38	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:50:26	1	1	1	1	115	58	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	38.125	2004
21.01.2020 10:50:27	1	1	1	1	115	58	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	38.375	2004
21.01.2020 10:50:28	1	1	1	1	115	58.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.625	2004
21.01.2020 10:50:29	1	1	1	1	115	57.5	0	27630.332	580.6451613	16075.06863	30000	0	0	30000	37.125	2004
21.01.2020 10:50:30	1	1	1	1	115	57	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.375	2004
21.01.2020 10:50:31	1	1	1	1	115	58.25	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	38.25	2004
21.01.2020 10:50:32	1	1	1	1	115	58.25	0	27393.365	576.344086	15873.67162	30000	0	0	30000	38.375	2004
21.01.2020 10:50:33	1	1	1	1	115	58.25	0	27630.332	584.9462366	15991.90063	30000	0	0	30000	38.375	2004
21.01.2020 10:50:34	1	1	1	1	115	58.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.625	2004
21.01.2020 10:50:35	1	1	1	1	115	58.5	0	27440.758	572.0430108	15933.19381	30000	0	0	30000	38.25	2004
21.01.2020 10:50:36	1	1	1	1	115	58.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.3125	2004
21.01.2020 10:50:37	1	1	1	1	115	58.25	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	38.3125	2004
21.01.2020 10:50:38	1	1	1	1	115	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.0625	2004
21.01.2020 10:50:39	1	1	1	1	115	58	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.1875	2004
21.01.2020 10:50:40	1	1	1	1	115	58	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.625	2004
21.01.2020 10:50:41	1	1	1	1	115	58.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.3125	2004
21.01.2020 10:50:42	1	1	1	1	115.8	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.3125	2004
21.01.2020 10:50:43	1	1	1	1	115.8	57.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	38.375	2004
21.01.2020 10:50:44	1	1	1	1	115.8	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.125	2004
21.01.2020 10:50:45	1	1	1	1	115.8	58	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	36.75	2004
21.01.2020 10:50:46	1	1	1	1	115.8	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.4375	2004
21.01.2020 10:50:47	1	1	1	1	115.8	58.25	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	38.375	2004
21.01.2020 10:50:49	1	1	1	1	115.8	58.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.4375	2004
21.01.2020 10:50:50	1	1	1	1	115.8	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.6875	2004
21.01.2020 10:50:51	1	1	1	1	115.8	58.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.6875	2004
21.01.2020 10:50:52	1	1	1	1	115.8	58.5	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	38.25	2004
21.01.2020 10:50:53	1	1	1	1	115.3	58.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	38.3125	2004
21.01.2020 10:50:54	1	1	1	1	115.3	58.25	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	37.6875	2004
21.01.2020 10:50:55	1	1	1	1	115.3	57.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.4375	2004
21.01.2020 10:50:56	1	1	1	1	115.3	58.25	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	38.1875	2004
21.01.2020 10:50:57	1	1	1	1	115.3	58	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.0625	2004
21.01.2020 10:50:58	1	1	1	1	115.3	58	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.4375	2004
21.01.2020 10:50:59	1	1	1	1	115.3	58.25	0	27772.512	580.6451613	16212.86658	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:00	1	1	1	1	115.3	58.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	37.75	2004
21.01.2020 10:51:01	1	1	1	1	115.3	57.75	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	38.5	2004
21.01.2020 10:51:02	1	1	1	1	114.3	58.5	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:03	1	1	1	1	114.3	58.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.1875	2004
21.01.2020 10:51:04	1	1	1	1	114.3	58	0	27582.938	580.6451613	16047.34596	30000	0	0	30000	38.375	2004
21.01.2020 10:51:05	1	1	1	1	114.3	58.25	0	27630.332	580.6451613	16221.0203	30000	0	0	30000	38.25	2004
21.01.2020 10:51:06	1	1	1	1	114.3	58.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	38.25	2004
21.01.2020 10:51:07	1	1	1	1	114.3	58.25	0	27582.938	576.344086	15873.67162	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:08	1	1	1	1	114.3	58.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.375	2004
21.01.2020 10:51:09	1	1	1	1	114.3	58.25	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:51:10	1	1	1	1	114.3	58.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.3125	2004
21.01.2020 10:51:11	1	1	1	1	114.3	58.25	0	27535.545	584.9462366	16047.34596	30000	0	0	30000	38.25	2004
21.01.2020 10:51:12	1	1	1	1	114.3	58.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:13	1	1	1	1	114.3	58.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.375	2004
21.01.2020 10:51:14	1	1	1	1	114.3	58.25	0	27582.938	584.9462366	16162.31348	30000	0	0	30000	38.1875	2004
21.01.2020 10:51:15	1	1	1	1	114.3	58	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.5	2004
21.01.2020 10:51:21	1	1	1	1	114.3	58.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.125	2004
21.01.2020 10:51:21	1	1	1	1	114.3	58.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.125	2004
21.01.2020 10:51:21	1	1	1	1	114.3	58.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.125	2004
21.01.2020 10:51:21	1	1	1	1	114.3	58.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.125	2004
21.01.2020 10:51:22	1	1	1	1	114.3	58.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.125	2004
21.01.2020 10:51:22	1	1	1	1	114.3	58	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.5625	2004
21.01.2020 10:51:23	1	1	1	1	114.3	58.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:24	1	1	1	1	114.3	58.25	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	38.5	2004
21.01.2020 10:51:26	1	1	1	1	114.3	58.5	0	27630.332	587.0967742	16221.0203	30000	0	0	30000	38	2004
21.01.2020 10:51:27	1	1	1	1	114.3	58	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	38.625	2004
21.01.2020 10:51:28	1	1	1	1	114.3	58.5	0	27440.758	582.7956989	16047.34596	30000	0	0	30000	38.5625	2004
21.01.2020 10:51:29	1	1	1	1	114.3	58.5	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	38.6875	2004
21.01.2020 10:51:30	1	1	1	1	114.3	58.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:31	1	1	1	1	114.3	58.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.3125	2004
21.01.2020 10:51:32	1	1	1	1	113.5	58.25	0	27582.938	580.6451613	15810.07257	30000	0	0	30000	37.6875	2004
21.01.2020 10:51:33	1	1	1	1	113.5	57.5	0	27440.758	574.1935484	16134.59082	30000	0	0	30000	38.1875	2004
21.01.2020 10:51:34	1	1	1	1	113.5	58	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	38.5	2004
21.01.2020 10:51:35	1	1	1	1	113.5	58.5	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	38.5625	2004
21.01.2020 10:51:36	1	1	1	1	113.5	58.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:37	1	1	1	1	113.5	58.25	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	37.875	2004
21.01.2020 10:51:38	1	1	1	1	113.5	57.75	0	27772.512	578.4946237	16066.09953	30000	0	0	30000	37.9375	2004
21.01.2020 10:51:39	1	1	1	1	113.5	57.75	0	27582.938	576.344086	15869.59476	30000	0	0	30000	38	2004
21.01.2020 10:51:40	1	1	1	1	113.5	58	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.75	2004
21.01.2020 10:51:41	1	1	1	1	113.5	57.75	0	27345.972	576.344086	15933.19381	30000	0	0	30000	38.5625	2004
21.01.2020 10:51:42	1	1	1	1	113	58.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38	2004
21.01.2020 10:51:43	1	1	1	1	113	58	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.5	2004
21.01.2020 10:51:44	1	1	1	1	113	58.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.1875	2004
21.01.2020 10:51:45	1	1	1	1	113	58	0	27582.938	576.344086	15924.22472	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:46	1	1	1	1	113	58.25	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	37.875	2004
21.01.2020 10:51:47	1	1	1	1	113	57.75	0	27630.332	574.1935484	15837.79523	30000	0	0	30000	38.1875	2004
21.01.2020 10:51:48	1	1	1	1	113	58	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	38.5	2004
21.01.2020 10:51:49	1	1	1	1	113	58.5	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:50	1	1	1	1	113	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.3125	2004
21.01.2020 10:51:51	1	1	1	1	113	58.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	38.625	2004
21.01.2020 10:51:52	1	1	1	1	113.5	58.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.5625	2004
21.01.2020 10:51:53	1	1	1	1	113.5	58.5	0	27535.545	576.344086	15929.11695	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:51:54	1	1	1	1	113.5	58.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	37.875	2004
21.01.2020 10:51:55	1	1	1	1	113.5	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.875	2004
21.01.2020 10:51:56	1	1	1	1	113.5	57.75	0	27582.938	576.344086	15956.02424	30000	0	0	30000	38.375	2004
21.01.2020 10:51:57	1	1	1	1	113.5	58.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	38.4375	2004
21.01.2020 10:51:58	1	1	1	1	113.5	58.25	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	38.6875	2004
21.01.2020 10:51:59	1	1	1	1	113.5	58.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	38.0625	2004
21.01.2020 10:52:00	1	1	1	1	113.5	58	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	38.125	2004
21.01.2020 10:52:01	1	1	1	1	113.5	58	0	27914.692	576.344086	16148.45215	30000	0	0	30000	38.3125	2004
21.01.2020 10:52:02	1	1	1	1	113.8	58.25	0	27819.905	584.9462366	15924.22472	30000	0	0	30000	37.875	2004
21.01.2020 10:52:04	1	1	1	1	113.8	57.75	0	27819.905	576.344086	16061.20729	30000	0	0	30000	38	2004
21.01.2020 10:52:05	1	1	1	1	113.8	58	0	27867.299	576.344086	16061.20729	30000	0	0	30000	38.625	2004
21.01.2020 10:52:06	1	1	1	1	113.8	58.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.6875	2004
21.01.2020 10:52:07	1	1	1	1	113.8	58.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	39.0625	2004
21.01.2020 10:52:08	1	1	1	1	113.8	59	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38.625	2004
21.01.2020 10:52:09	1	1	1	1	113.8	58.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	38.5625	2004
21.01.2020 10:52:10	1	1	1	1	113.8	58.75	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	38.1875	2004
21.01.2020 10:52:11	1	1	1	1	113.8	58	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.625	2004
21.01.2020 10:52:12	1	1	1	1	114.3	58.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	37.625	2004
21.01.2020 10:52:13	1	1	1	1	114.3	57.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.75	2004
21.01.2020 10:52:14	1	1	1	1	114.3	58.75	0	27867.299	578.4946237	16148.45215	30000	0	0	30000	38.5625	2004
21.01.2020 10:52:15	1	1	1	1	114.3	58.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.25	2004
21.01.2020 10:52:16	1	1	1	1	114.3	58.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.375	2004
21.01.2020 10:52:17	1	1	1	1	114.3	58.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	38.125	2004
21.01.2020 10:52:23	1	1	1	1	113.8	58.25	0	27630.332	582.7956989	16038.37687	30000	0	0	30000	38.75	2004
21.01.2020 10:52:23	1	1	1	1	113.8	58.25	0	27630.332	582.7956989	16038.37687	30000	0	0	30000	38.75	2004
21.01.2020 10:52:23	1	1	1	1	113.8	58.25	0	27630.332	582.7956989	16038.37687	30000	0	0	30000	38.75	2004
21.01.2020 10:52:23	1	1	1	1	113.8	58.25	0	27630.332	582.7956989	16038.37687	30000	0	0	30000	38.75	2004
21.01.2020 10:52:23	1	1	1	1	113.8	58.25	0	27630.332	582.7956989	16038.37687	30000	0	0	30000	38.75	2004
21.01.2020 10:52:23	1	1	1	1	113.8	58.25	0	27630.332	582.7956989	16038.37687	30000	0	0	30000	38.75	2004
21.01.2020 10:52:24	1	1	1	1	113.8	58.75	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	38.5	2004
21.01.2020 10:52:25	1	1	1	1	113.8	58.5	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	38.5	2004
21.01.2020 10:52:26	1	1	1	1	113.8	58.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.125	2004
21.01.2020 10:52:27	1	1	1	1	113.8	58	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.5	2004
21.01.2020 10:52:28	1	1	1	1	113.8	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.4375	2004
21.01.2020 10:52:29	1	1	1	1	113.8	58.25	0	27630.332	572.0430108	16102.79129	30000	0	0	30000	37.9375	2004
21.01.2020 10:52:30	1	1	1	1	113.8	57.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	38.0625	2004
21.01.2020 10:52:31	1	1	1	1	113.8	58	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	38	2004
21.01.2020 10:52:32	1	1	1	1	114.3	58	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.375	2004
21.01.2020 10:52:33	1	1	1	1	114.3	58.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	38.25	2004
21.01.2020 10:52:34	1	1	1	1	114.3	58.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.75	2004
21.01.2020 10:52:35	1	1	1	1	114.3	58.75	0	27772.512	576.344086	15745.65814	30000	0	0	30000	38.4375	2004
21.01.2020 10:52:36	1	1	1	1	114.3	58.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	37.25	2004
21.01.2020 10:52:37	1	1	1	1	114.3	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:52:38	1	1	1	1	114.3	58.5	0	27914.692	572.0430108	16115.83725	30000	0	0	30000	38.1875	2004
21.01.2020 10:52:39	1	1	1	1	114.3	58	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	38.625	2004
21.01.2020 10:52:40	1	1	1	1	114.3	58.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	38.75	2004
21.01.2020 10:52:42	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.5	2004
21.01.2020 10:52:43	1	1	1	1	114.5	58.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	38	2004
21.01.2020 10:52:44	1	1	1	1	114.5	58	0	27867.299	576.344086	16061.20729	30000	0	0	30000	38.6875	2004
21.01.2020 10:52:45	1	1	1	1	114.5	58.5	0	27914.692	576.344086	16148.45215	30000	0	0	30000	38.75	2004
21.01.2020 10:52:46	1	1	1	1	114.5	58.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	39	2004
21.01.2020 10:52:47	1	1	1	1	114.5	59	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	38.8125	2004
21.01.2020 10:52:48	1	1	1	1	114.5	58.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	38.8125	2004
21.01.2020 10:52:49	1	1	1	1	114.5	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.6875	2004
21.01.2020 10:52:50	1	1	1	1	114.5	58.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.3125	2004
21.01.2020 10:52:51	1	1	1	1	114.5	58.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	38.375	2004
21.01.2020 10:52:52	1	1	1	1	114.5	58.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	38.6875	2004
21.01.2020 10:52:53	1	1	1	1	114.5	58.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.625	2004
21.01.2020 10:52:54	1	1	1	1	114.5	58.5	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	38.25	2004
21.01.2020 10:52:55	1	1	1	1	114.5	58.25	0	27440.758	576.344086	15933.19381	30000	0	0	30000	38.3125	2004
21.01.2020 10:52:56	1	1	1	1	114.5	58.25	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	38.625	2004
21.01.2020 10:52:57	1	1	1	1	114.5	58.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.75	2004
21.01.2020 10:52:58	1	1	1	1	114.5	58.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	38.1875	2004
21.01.2020 10:52:59	1	1	1	1	114.5	58	0	27440.758	576.344086	15991.90063	30000	0	0	30000	38.0625	2004
21.01.2020 10:53:00	1	1	1	1	114.5	58	0	27535.545	580.6451613	15814.9648	30000	0	0	30000	38.3125	2004
21.01.2020 10:53:01	1	1	1	1	114.5	58.25	0	27440.758	578.4946237	16193.29764	30000	0	0	30000	37.8125	2004
21.01.2020 10:53:02	1	1	1	1	114.5	57.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	38.5	2004
21.01.2020 10:53:03	1	1	1	1	114.5	58.5	0	27582.938	576.344086	15924.22472	30000	0	0	30000	38.75	2004
21.01.2020 10:53:04	1	1	1	1	114.5	58.75	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	38.6875	2004
21.01.2020 10:53:05	1	1	1	1	114.5	58.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	38.1875	2004
21.01.2020 10:53:06	1	1	1	1	114.5	58	0	27440.758	580.6451613	16193.29764	30000	0	0	30000	38.9375	2004
21.01.2020 10:53:07	1	1	1	1	114.5	58.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	38.5	2004
21.01.2020 10:53:08	1	1	1	1	114.5	58.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.3125	2004
21.01.2020 10:53:09	1	1	1	1	114.5	58.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.6875	2004
21.01.2020 10:53:10	1	1	1	1	114.5	58.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.25	2004
21.01.2020 10:53:11	1	1	1	1	114.5	58.25	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	38.25	2004
21.01.2020 10:53:12	1	1	1	1	114.8	58.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	38.6875	2004
21.01.2020 10:53:13	1	1	1	1	114.8	58.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.9375	2004
21.01.2020 10:53:14	1	1	1	1	114.8	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	38.375	2004
21.01.2020 10:53:15	1	1	1	1	114.8	58.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.8125	2004
21.01.2020 10:53:16	1	1	1	1	114.8	58.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:53:17	1	1	1	1	114.8	58.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	38.5	2004
21.01.2020 10:53:18	1	1	1	1	114.8	58.5	0	27440.758	584.9462366	15701.62803	30000	0	0	30000	38.625	2004
21.01.2020 10:53:25	1	1	1	1	114.3	58.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.75	2004
21.01.2020 10:53:25	1	1	1	1	114.3	58.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.75	2004
21.01.2020 10:53:25	1	1	1	1	114.3	58.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:53:25	1	1	1	1	114.3	58.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.75	2004
21.01.2020 10:53:25	1	1	1	1	114.3	58.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.75	2004
21.01.2020 10:53:25	1	1	1	1	114.3	58.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.75	2004
21.01.2020 10:53:26	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.125	2004
21.01.2020 10:53:27	1	1	1	1	114.3	59	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	38.8125	2004
21.01.2020 10:53:28	1	1	1	1	114.3	58	0	27819.905	576.344086	16093.00682	30000	0	0	30000	38.8125	2004
21.01.2020 10:53:29	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.875	2004
21.01.2020 10:53:30	1	1	1	1	114.3	57.75	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	38.5	2004
21.01.2020 10:53:31	1	1	1	1	114.3	58.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.0625	2004
21.01.2020 10:53:32	1	1	1	1	114.3	59	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	38.5625	2004
21.01.2020 10:53:33	1	1	1	1	114.3	58.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	38.875	2004
21.01.2020 10:53:34	1	1	1	1	114.3	58.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	39	2004
21.01.2020 10:53:35	1	1	1	1	114.3	59	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.4375	2004
21.01.2020 10:53:36	1	1	1	1	114.3	58.25	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	38.375	2004
21.01.2020 10:53:37	1	1	1	1	114.3	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.5625	2004
21.01.2020 10:53:38	1	1	1	1	114.3	58.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.4375	2004
21.01.2020 10:53:39	1	1	1	1	114.3	58.25	0	27582.938	576.344086	15810.07257	30000	0	0	30000	38.875	2004
21.01.2020 10:53:40	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.875	2004
21.01.2020 10:53:41	1	1	1	1	114.3	58.75	0	27630.332	576.344086	16066.09953	30000	0	0	30000	38.875	2004
21.01.2020 10:53:42	1	1	1	1	114.3	58.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.75	2004
21.01.2020 10:53:43	1	1	1	1	114.3	58.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38	2004
21.01.2020 10:53:44	1	1	1	1	114.3	58	0	27819.905	572.0430108	15805.18033	30000	0	0	30000	38.1875	2004
21.01.2020 10:53:45	1	1	1	1	114.3	58	0	27772.512	578.4946237	16038.37687	30000	0	0	30000	38.625	2004
21.01.2020 10:53:46	1	1	1	1	114.3	58.5	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	39	2004
21.01.2020 10:53:47	1	1	1	1	114.3	59	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.8125	2004
21.01.2020 10:53:48	1	1	1	1	114.3	58.75	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	38.375	2004
21.01.2020 10:53:49	1	1	1	1	114.3	58.25	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	38.875	2004
21.01.2020 10:53:50	1	1	1	1	114.3	58.75	0	27962.085	572.0430108	15727.71995	30000	0	0	30000	38.875	2004
21.01.2020 10:53:51	1	1	1	1	114.3	58.75	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	38.6875	2004
21.01.2020 10:53:52	1	1	1	1	114	58.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.8125	2004
21.01.2020 10:53:53	1	1	1	1	114	58.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	38.9375	2004
21.01.2020 10:53:54	1	1	1	1	114	58.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	38.8125	2004
21.01.2020 10:53:55	1	1	1	1	114	58.75	0	27914.692	574.1935484	15907.91727	30000	0	0	30000	38.125	2004
21.01.2020 10:53:56	1	1	1	1	114	58	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	38.9375	2004
21.01.2020 10:53:57	1	1	1	1	114	58.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	38.9375	2004
21.01.2020 10:53:59	1	1	1	1	114	58.75	0	27962.085	576.344086	15907.91727	30000	0	0	30000	38.8125	2004
21.01.2020 10:54:00	1	1	1	1	114	58.75	0	27962.085	576.344086	16115.83725	30000	0	0	30000	37.75	2004
21.01.2020 10:54:01	1	1	1	1	114	57.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	38.875	2004
21.01.2020 10:54:02	1	1	1	1	114	58.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.25	2004
21.01.2020 10:54:03	1	1	1	1	114.8	59.25	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	37.5	2004
21.01.2020 10:54:04	1	1	1	1	114.8	57.5	0	27819.905	569.8924731	16000.86973	30000	0	0	30000	38.75	2004
21.01.2020 10:54:05	1	1	1	1	114.8	58.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.875	2004
21.01.2020 10:54:06	1	1	1	1	114.8	58.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:54:07	1	1	1	1	114.8	58.75	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	38.6875	2004
21.01.2020 10:54:08	1	1	1	1	114.8	58.5	0	27819.905	576.344086	15745.65814	30000	0	0	30000	38.75	2004
21.01.2020 10:54:09	1	1	1	1	114.8	58.75	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:10	1	1	1	1	114.8	58.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	38.625	2004
21.01.2020 10:54:11	1	1	1	1	114.8	58.5	0	27630.332	576.344086	16066.09953	30000	0	0	30000	39	2004
21.01.2020 10:54:12	1	1	1	1	114.8	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:13	1	1	1	1	114.8	58.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	38.875	2004
21.01.2020 10:54:14	1	1	1	1	114.8	58.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	38.875	2004
21.01.2020 10:54:15	1	1	1	1	114.8	58.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	38.875	2004
21.01.2020 10:54:16	1	1	1	1	114.8	58.75	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	38.25	2004
21.01.2020 10:54:17	1	1	1	1	114.8	58.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	38.6875	2004
21.01.2020 10:54:18	1	1	1	1	114.8	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.5	2004
21.01.2020 10:54:19	1	1	1	1	114.8	58.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39	2004
21.01.2020 10:54:20	1	1	1	1	114.8	59	0	27725.118	574.1935484	16093.00682	30000	0	0	30000	38.875	2004
21.01.2020 10:54:26	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:26	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:26	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:26	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:26	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:26	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:26	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:27	1	1	1	1	114.3	58.75	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	39.125	2004
21.01.2020 10:54:28	1	1	1	1	114.3	59	0	27630.332	576.344086	15978.85467	30000	0	0	30000	38.75	2004
21.01.2020 10:54:29	1	1	1	1	114.3	58.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39	2004
21.01.2020 10:54:30	1	1	1	1	114.3	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.625	2004
21.01.2020 10:54:31	1	1	1	1	114.3	58.5	0	27819.905	576.344086	15983.74691	30000	0	0	30000	39	2004
21.01.2020 10:54:32	1	1	1	1	114.3	59	0	27630.332	578.4946237	15810.07257	30000	0	0	30000	38.5	2004
21.01.2020 10:54:33	1	1	1	1	114.3	58.5	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:34	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39	2004
21.01.2020 10:54:35	1	1	1	1	114.3	59	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39	2004
21.01.2020 10:54:36	1	1	1	1	114.3	59	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:38	1	1	1	1	114.3	58.75	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	38.3125	2004
21.01.2020 10:54:39	1	1	1	1	114.3	58.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	38.5	2004
21.01.2020 10:54:40	1	1	1	1	114.3	58.5	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	38.625	2004
21.01.2020 10:54:41	1	1	1	1	114.3	58.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.875	2004
21.01.2020 10:54:42	1	1	1	1	114.3	58.75	0	27867.299	587.0967742	15859.81029	30000	0	0	30000	39	2004
21.01.2020 10:54:43	1	1	1	1	114.5	59	0	27630.332	576.344086	15978.85467	30000	0	0	30000	39.4375	2004
21.01.2020 10:54:44	1	1	1	1	114.5	58.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:45	1	1	1	1	114.5	58.75	0	27819.905	565.5913978	15973.96244	30000	0	0	30000	38.6875	2004
21.01.2020 10:54:46	1	1	1	1	114.5	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39	2004
21.01.2020 10:54:47	1	1	1	1	114.5	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.6875	2004
21.01.2020 10:54:48	1	1	1	1	114.5	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.25	2004
21.01.2020 10:54:49	1	1	1	1	114.5	58.25	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	39	2004
21.01.2020 10:54:50	1	1	1	1	114.5	59	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:54:51	1	1	1	1	114.5	58.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	38.625	2004
21.01.2020 10:54:52	1	1	1	1	114.3	58.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	39.0625	2004
21.01.2020 10:54:53	1	1	1	1	114.3	59	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:54	1	1	1	1	114.3	58.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.1875	2004
21.01.2020 10:54:55	1	1	1	1	114.3	57	0	28009.479	576.344086	16082.40698	30000	0	0	30000	39	2004
21.01.2020 10:54:56	1	1	1	1	114.3	59	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	38.9375	2004
21.01.2020 10:54:57	1	1	1	1	114.3	58.75	0	27962.085	574.1935484	15941.34754	30000	0	0	30000	39	2004
21.01.2020 10:54:58	1	1	1	1	114.3	59	0	27630.332	576.344086	15973.96244	30000	0	0	30000	38.75	2004
21.01.2020 10:54:59	1	1	1	1	114.3	58.75	0	27772.512	572.0430108	15973.96244	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:00	1	1	1	1	114.3	59	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	38.5625	2004
21.01.2020 10:55:01	1	1	1	1	114.3	58.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:02	1	1	1	1	114.3	59	0	28009.479	576.344086	16142.74454	30000	0	0	30000	39	2004
21.01.2020 10:55:03	1	1	1	1	114.3	59	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	39.125	2004
21.01.2020 10:55:04	1	1	1	1	114.3	59	0	27962.085	572.0430108	15961.73185	30000	0	0	30000	38.3125	2004
21.01.2020 10:55:05	1	1	1	1	114.3	58.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	39	2004
21.01.2020 10:55:06	1	1	1	1	114.3	59	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	39.125	2004
21.01.2020 10:55:07	1	1	1	1	114.3	59	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	38.8125	2004
21.01.2020 10:55:08	1	1	1	1	114.3	58.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	38.8125	2004
21.01.2020 10:55:09	1	1	1	1	114.3	58.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	38.4375	2004
21.01.2020 10:55:10	1	1	1	1	114.3	58.25	0	27819.905	576.344086	15864.70252	30000	0	0	30000	39.25	2004
21.01.2020 10:55:11	1	1	1	1	114.3	59.25	0	27630.332	576.344086	16212.86658	30000	0	0	30000	39.1875	2004
21.01.2020 10:55:12	1	1	1	1	114.8	59	0	27867.299	580.6451613	16120.72949	30000	0	0	30000	38.125	2004
21.01.2020 10:55:13	1	1	1	1	114.8	58	0	27725.118	574.1935484	15978.85467	30000	0	0	30000	38.75	2004
21.01.2020 10:55:14	1	1	1	1	114.8	58.75	0	27819.905	576.344086	15686.95132	30000	0	0	30000	38.5	2004
21.01.2020 10:55:16	1	1	1	1	114.8	58.5	0	27725.118	572.0430108	15919.33248	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:17	1	1	1	1	114.8	59	0	27867.299	580.6451613	16207.97434	30000	0	0	30000	38.75	2004
21.01.2020 10:55:18	1	1	1	1	114.8	58.75	0	27867.299	576.344086	16181.06705	30000	0	0	30000	39.25	2004
21.01.2020 10:55:19	1	1	1	1	114.8	59.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:20	1	1	1	1	114.8	59	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	38.375	2004
21.01.2020 10:55:21	1	1	1	1	114.8	58.25	0	27819.905	578.4946237	15745.65814	30000	0	0	30000	38.875	2004
21.01.2020 10:55:22	1	1	1	1	113.8	58.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.6875	2004
21.01.2020 10:55:28	1	1	1	1	113.8	59	0	27867.299	580.6451613	16000.86973	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:28	1	1	1	1	113.8	59	0	27867.299	580.6451613	16000.86973	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:28	1	1	1	1	113.8	59	0	27867.299	580.6451613	16000.86973	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:28	1	1	1	1	113.8	59	0	27867.299	580.6451613	16000.86973	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:28	1	1	1	1	113.8	59	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.1875	2004
21.01.2020 10:55:29	1	1	1	1	113.8	59	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:30	1	1	1	1	113.8	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.1875	2004
21.01.2020 10:55:31	1	1	1	1	113.8	59	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.125	2004
21.01.2020 10:55:32	1	1	1	1	113.8	59	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	39.1875	2004
21.01.2020 10:55:33	1	1	1	1	113.8	59	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:34	1	1	1	1	113.8	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:55:35	1	1	1	1	113.8	58.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	38.625	2004
21.01.2020 10:55:36	1	1	1	1	113.8	58.5	0	27725.118	576.344086	16093.00682	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:37	1	1	1	1	113.8	59	0	27819.905	576.344086	15973.96244	30000	0	0	30000	39.125	2004
21.01.2020 10:55:41	1	1	1	1	113.8	59	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	38.8125	2004
21.01.2020 10:55:41	1	1	1	1	113.8	59	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	38.8125	2004
21.01.2020 10:55:41	1	1	1	1	113.8	59	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	38.8125	2004
21.01.2020 10:55:41	1	1	1	1	113.8	58.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:42	1	1	1	1	114.3	59	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.4375	2004
21.01.2020 10:55:43	1	1	1	1	114.3	58.25	0	27630.332	576.344086	15973.96244	30000	0	0	30000	39.0625	2004
21.01.2020 10:55:44	1	1	1	1	114.3	59	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.75	2004
21.01.2020 10:55:45	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.875	2004
21.01.2020 10:55:46	1	1	1	1	114.3	58.75	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	38.8125	2004
21.01.2020 10:55:47	1	1	1	1	114.3	58.75	0	27772.512	576.344086	15919.33248	30000	0	0	30000	39.25	2004
21.01.2020 10:55:48	1	1	1	1	114.3	59.25	0	27772.512	576.344086	16093.00682	30000	0	0	30000	39.125	2004
21.01.2020 10:55:49	1	1	1	1	114.3	59	0	27772.512	576.344086	15973.96244	30000	0	0	30000	39.1875	2004
21.01.2020 10:55:50	1	1	1	1	114.3	59	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	39	2004
21.01.2020 10:55:51	1	1	1	1	114.3	59	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	38.9375	2004
21.01.2020 10:55:53	1	1	1	1	114.5	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.1875	2004
21.01.2020 10:55:54	1	1	1	1	114.5	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39	2004
21.01.2020 10:55:55	1	1	1	1	114.5	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.125	2004
21.01.2020 10:55:56	1	1	1	1	114.5	59	0	27867.299	584.9462366	16093.00682	30000	0	0	30000	38.875	2004
21.01.2020 10:55:57	1	1	1	1	114.5	58.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.8125	2004
21.01.2020 10:55:58	1	1	1	1	114.5	58.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	39.125	2004
21.01.2020 10:55:59	1	1	1	1	114.5	59	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.4375	2004
21.01.2020 10:56:00	1	1	1	1	114.5	59.25	0	27819.905	572.0430108	15745.65814	30000	0	0	30000	39.3125	2004
21.01.2020 10:56:01	1	1	1	1	114.5	58.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	39.125	2004
21.01.2020 10:56:02	1	1	1	1	114.5	59	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.25	2004
21.01.2020 10:56:03	1	1	1	1	114.5	59.25	0	27819.905	576.344086	16153.34439	30000	0	0	30000	39.3125	2004
21.01.2020 10:56:04	1	1	1	1	114.5	59.25	0	27582.938	576.344086	15897.31742	30000	0	0	30000	38.875	2004
21.01.2020 10:56:05	1	1	1	1	114.5	58.75	0	27867.299	582.7956989	16093.00682	30000	0	0	30000	39.0625	2004
21.01.2020 10:56:06	1	1	1	1	114.5	59	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.25	2004
21.01.2020 10:56:07	1	1	1	1	114.5	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.8125	2004
21.01.2020 10:56:08	1	1	1	1	114.5	58.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	39.25	2004
21.01.2020 10:56:09	1	1	1	1	114.5	59.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.125	2004
21.01.2020 10:56:10	1	1	1	1	114.5	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.3125	2004
21.01.2020 10:56:11	1	1	1	1	114.5	59.25	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	39.0625	2004
21.01.2020 10:56:12	1	1	1	1	114	59	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	39.25	2004
21.01.2020 10:56:13	1	1	1	1	114	59.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	39.0625	2004
21.01.2020 10:56:14	1	1	1	1	114	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.25	2004
21.01.2020 10:56:15	1	1	1	1	114	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.4375	2004
21.01.2020 10:56:16	1	1	1	1	114	59.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	38.5	2004
21.01.2020 10:56:17	1	1	1	1	114	58.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.1875	2004
21.01.2020 10:56:18	1	1	1	1	114	59	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:56:19	1	1	1	1	114	58.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.375	2004
21.01.2020 10:56:20	1	1	1	1	114	59.25	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	39.1875	2004
21.01.2020 10:56:21	1	1	1	1	114	59	0	27914.692	576.344086	16148.45215	30000	0	0	30000	39.375	2004
21.01.2020 10:56:22	1	1	1	1	114	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.125	2004
21.01.2020 10:56:23	1	1	1	1	114	59	0	27867.299	576.344086	16061.20729	30000	0	0	30000	38.75	2004
21.01.2020 10:56:30	1	1	1	1	114	59	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.8125	2004
21.01.2020 10:56:30	1	1	1	1	114	59	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.8125	2004
21.01.2020 10:56:30	1	1	1	1	114	59	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.8125	2004
21.01.2020 10:56:30	1	1	1	1	114	59	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.8125	2004
21.01.2020 10:56:30	1	1	1	1	114	59	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.8125	2004
21.01.2020 10:56:30	1	1	1	1	114	58.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	39.25	2004
21.01.2020 10:56:32	1	1	1	1	114	59.25	0	27962.085	576.344086	16088.11459	30000	0	0	30000	39.25	2004
21.01.2020 10:56:33	1	1	1	1	114	59.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	39.25	2004
21.01.2020 10:56:34	1	1	1	1	114	59.25	0	27630.332	569.8924731	15973.96244	30000	0	0	30000	39.125	2004
21.01.2020 10:56:35	1	1	1	1	114	59	0	28009.479	576.344086	16142.74454	30000	0	0	30000	39.0625	2004
21.01.2020 10:56:36	1	1	1	1	114	59	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	39.3125	2004
21.01.2020 10:56:37	1	1	1	1	114	59.25	0	27962.085	563.4408602	15961.73185	30000	0	0	30000	39.1875	2004
21.01.2020 10:56:38	1	1	1	1	114	59	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	38.875	2004
21.01.2020 10:56:39	1	1	1	1	114	58.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	39.375	2004
21.01.2020 10:56:40	1	1	1	1	114	59	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	39.0625	2004
21.01.2020 10:56:41	1	1	1	1	114	59	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	39.0625	2004
21.01.2020 10:56:42	1	1	1	1	114.8	59	0	28009.479	578.4946237	16022.06942	30000	0	0	30000	39.1875	2004
21.01.2020 10:56:43	1	1	1	1	114.8	59	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	38.75	2004
21.01.2020 10:56:44	1	1	1	1	114.8	58.75	0	27867.299	578.4946237	16033.48463	30000	0	0	30000	39.25	2004
21.01.2020 10:56:45	1	1	1	1	114.8	59.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	39.5	2004
21.01.2020 10:56:46	1	1	1	1	114.8	59.5	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	39.125	2004
21.01.2020 10:56:47	1	1	1	1	114.8	59	0	27867.299	576.344086	16088.11459	30000	0	0	30000	39.1875	2004
21.01.2020 10:56:48	1	1	1	1	114.8	59	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.25	2004
21.01.2020 10:56:49	1	1	1	1	114.8	59.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	39.4375	2004
21.01.2020 10:56:50	1	1	1	1	114.8	59.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.875	2004
21.01.2020 10:56:51	1	1	1	1	114.8	58.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	39.25	2004
21.01.2020 10:56:52	1	1	1	1	114.3	59.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	38.9375	2004
21.01.2020 10:56:53	1	1	1	1	114.3	58.75	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	38.8125	2004
21.01.2020 10:56:54	1	1	1	1	114.3	58.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	39.0625	2004
21.01.2020 10:56:55	1	1	1	1	114.3	59	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.6875	2004
21.01.2020 10:56:56	1	1	1	1	114.3	58.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.5	2004
21.01.2020 10:56:57	1	1	1	1	114.3	59.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	39.375	2004
21.01.2020 10:56:58	1	1	1	1	114.3	59.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	39.125	2004
21.01.2020 10:56:59	1	1	1	1	114.3	59	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	38.9375	2004
21.01.2020 10:57:00	1	1	1	1	114.3	58.75	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	39.0625	2004
21.01.2020 10:57:01	1	1	1	1	114.3	59	0	27867.299	576.344086	16093.00682	30000	0	0	30000	39.125	2004
21.01.2020 10:57:02	1	1	1	1	114.3	59	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:57:03	1	1	1	1	114.3	59.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	39	2004
21.01.2020 10:57:04	1	1	1	1	114.3	59	0	27819.905	578.4946237	16066.09953	30000	0	0	30000	39.125	2004
21.01.2020 10:57:05	1	1	1	1	114.3	59	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.3125	2004
21.01.2020 10:57:06	1	1	1	1	114.3	59.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	39.5	2004
21.01.2020 10:57:07	1	1	1	1	114.3	59.5	0	27582.938	576.344086	15983.74691	30000	0	0	30000	39.25	2004
21.01.2020 10:57:09	1	1	1	1	114.3	59.25	0	27630.332	576.344086	15956.02424	30000	0	0	30000	39.25	2004
21.01.2020 10:57:10	1	1	1	1	114.3	59.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.4375	2004
21.01.2020 10:57:11	1	1	1	1	114.3	59.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.25	2004
21.01.2020 10:57:12	1	1	1	1	114.3	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.3125	2004
21.01.2020 10:57:13	1	1	1	1	114	59.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	38.875	2004
21.01.2020 10:57:14	1	1	1	1	114	58.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	39.5625	2004
21.01.2020 10:57:15	1	1	1	1	114	59.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.5	2004
21.01.2020 10:57:16	1	1	1	1	114	59.5	0	27440.758	572.0430108	15991.90063	30000	0	0	30000	39.5625	2004
21.01.2020 10:57:17	1	1	1	1	114	59.5	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	39.5	2004
21.01.2020 10:57:18	1	1	1	1	114	59.5	0	27345.972	580.6451613	15933.19381	30000	0	0	30000	38.375	2004
21.01.2020 10:57:19	1	1	1	1	114	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.6875	2004
21.01.2020 10:57:20	1	1	1	1	114	58.5	0	27440.758	578.4946237	15987.82377	30000	0	0	30000	39.1875	2004
21.01.2020 10:57:21	1	1	1	1	114	59	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.375	2004
21.01.2020 10:57:22	1	1	1	1	114.3	59.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.4375	2004
21.01.2020 10:57:23	1	1	1	1	114.3	59.25	0	27630.332	587.0967742	16162.31348	30000	0	0	30000	39.125	2004
21.01.2020 10:57:24	1	1	1	1	114.3	59	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.625	2004
21.01.2020 10:57:25	1	1	1	1	114.3	59.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.4375	2004
21.01.2020 10:57:31	1	1	1	1	114.3	59.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	39.125	2004
21.01.2020 10:57:31	1	1	1	1	114.3	59.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	39.125	2004
21.01.2020 10:57:31	1	1	1	1	114.3	59.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	39.125	2004
21.01.2020 10:57:31	1	1	1	1	114.3	59.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	39.125	2004
21.01.2020 10:57:31	1	1	1	1	114.3	59.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	39.125	2004
21.01.2020 10:57:31	1	1	1	1	114.3	59.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	39.125	2004
21.01.2020 10:57:32	1	1	1	1	114.8	59	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	39.125	2004
21.01.2020 10:57:33	1	1	1	1	114.8	59	0	27819.905	576.344086	15864.70252	30000	0	0	30000	39.5	2004
21.01.2020 10:57:34	1	1	1	1	114.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.4375	2004
21.01.2020 10:57:35	1	1	1	1	114.8	59.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.1875	2004
21.01.2020 10:57:36	1	1	1	1	114.8	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.875	2004
21.01.2020 10:57:37	1	1	1	1	114.8	58.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.5625	2004
21.01.2020 10:57:38	1	1	1	1	114.8	59.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.5	2004
21.01.2020 10:57:39	1	1	1	1	114.8	59.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.375	2004
21.01.2020 10:57:40	1	1	1	1	114.8	59.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.625	2004
21.01.2020 10:57:41	1	1	1	1	114.8	59.5	0	27867.299	580.6451613	16153.34439	30000	0	0	30000	39.5	2004
21.01.2020 10:57:42	1	1	1	1	114.8	59.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.625	2004
21.01.2020 10:57:43	1	1	1	1	114.8	59.5	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	38.9375	2004
21.01.2020 10:57:44	1	1	1	1	114.8	58.75	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	39.3125	2004
21.01.2020 10:57:45	1	1	1	1	114.8	59.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.75	2004
21.01.2020 10:57:46	1	1	1	1	114.8	59.75	0	27582.938	576.344086	15924.22472	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:57:48	1	1	1	1	114.8	59	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	39.5625	2004
21.01.2020 10:57:49	1	1	1	1	114.8	59.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	39.375	2004
21.01.2020 10:57:50	1	1	1	1	114.8	59.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	39.0625	2004
21.01.2020 10:57:51	1	1	1	1	114.8	59	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	39.5625	2004
21.01.2020 10:57:52	1	1	1	1	114.8	59.5	0	28009.479	572.0430108	15814.9648	30000	0	0	30000	39.5625	2004
21.01.2020 10:57:53	1	1	1	1	114.8	59.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	38.875	2004
21.01.2020 10:57:54	1	1	1	1	114.8	58.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	39.75	2004
21.01.2020 10:57:55	1	1	1	1	114.8	59.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	39.625	2004
21.01.2020 10:57:56	1	1	1	1	114.8	59.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	39.8125	2004
21.01.2020 10:57:57	1	1	1	1	114.8	59.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.875	2004
21.01.2020 10:57:58	1	1	1	1	114.8	59.25	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	39.375	2004
21.01.2020 10:57:59	1	1	1	1	114.8	59.25	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	39.4375	2004
21.01.2020 10:58:00	1	1	1	1	114.8	59.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	39.5625	2004
21.01.2020 10:58:01	1	1	1	1	114.8	59.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	38.75	2004
21.01.2020 10:58:02	1	1	1	1	114.8	58.75	0	27914.692	574.1935484	16323.75724	30000	0	0	30000	39.625	2004
21.01.2020 10:58:03	1	1	1	1	114.8	59.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	39.6875	2004
21.01.2020 10:58:04	1	1	1	1	114.8	59.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	39.4375	2004
21.01.2020 10:58:05	1	1	1	1	114.8	59.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.5625	2004
21.01.2020 10:58:06	1	1	1	1	114.8	59.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	39.5625	2004
21.01.2020 10:58:07	1	1	1	1	114.8	59.5	0	27582.938	576.344086	15983.74691	30000	0	0	30000	38.3125	2004
21.01.2020 10:58:08	1	1	1	1	114.8	58.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.3125	2004
21.01.2020 10:58:09	1	1	1	1	114.8	59.25	0	27725.118	576.344086	15978.85467	30000	0	0	30000	39.625	2004
21.01.2020 10:58:10	1	1	1	1	114.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5625	2004
21.01.2020 10:58:11	1	1	1	1	114.8	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.1875	2004
21.01.2020 10:58:12	1	1	1	1	114.8	59	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	39.25	2004
21.01.2020 10:58:13	1	1	1	1	114.8	59.25	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	39.375	2004
21.01.2020 10:58:14	1	1	1	1	114.8	59.25	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	39.625	2004
21.01.2020 10:58:15	1	1	1	1	114.8	59.5	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	39.75	2004
21.01.2020 10:58:16	1	1	1	1	114.8	59.75	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	38.9375	2004
21.01.2020 10:58:17	1	1	1	1	114.8	58.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	39.75	2004
21.01.2020 10:58:18	1	1	1	1	114.8	59.75	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	39.75	2004
21.01.2020 10:58:19	1	1	1	1	114.8	59.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	39.5625	2004
21.01.2020 10:58:20	1	1	1	1	114.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.875	2004
21.01.2020 10:58:21	1	1	1	1	114.8	58.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	39.4375	2004
21.01.2020 10:58:22	1	1	1	1	115	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5625	2004
21.01.2020 10:58:23	1	1	1	1	115	59.5	0	27440.758	569.8924731	15956.02424	30000	0	0	30000	39.4375	2004
21.01.2020 10:58:24	1	1	1	1	115	59.25	0	27867.299	580.6451613	16181.06705	30000	0	0	30000	39.5625	2004
21.01.2020 10:58:25	1	1	1	1	115	59.5	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	39.25	2004
21.01.2020 10:58:27	1	1	1	1	115	59.25	0	27819.905	576.344086	15978.85467	30000	0	0	30000	39.5	2004
21.01.2020 10:58:33	1	1	1	1	115	59.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.5	2004
21.01.2020 10:58:33	1	1	1	1	115	59.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.5	2004
21.01.2020 10:58:33	1	1	1	1	115	59.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.5	2004
21.01.2020 10:58:33	1	1	1	1	115	59.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:58:33	1	1	1	1	115	59.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.5	2004
21.01.2020 10:58:33	1	1	1	1	115.3	58.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.8125	2004
21.01.2020 10:58:34	1	1	1	1	115.3	59.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	39.0625	2004
21.01.2020 10:58:35	1	1	1	1	115.3	59.75	0	27867.299	574.1935484	16148.45215	30000	0	0	30000	39.5	2004
21.01.2020 10:58:36	1	1	1	1	115.3	59.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	39.625	2004
21.01.2020 10:58:37	1	1	1	1	115.3	59.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	38.9375	2004
21.01.2020 10:58:38	1	1	1	1	115.3	58.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	39.125	2004
21.01.2020 10:58:39	1	1	1	1	115.3	59	0	27630.332	576.344086	16033.48463	30000	0	0	30000	39.3125	2004
21.01.2020 10:58:40	1	1	1	1	115.3	59.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.625	2004
21.01.2020 10:58:41	1	1	1	1	115.3	59.5	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	39.375	2004
21.01.2020 10:58:42	1	1	1	1	115	59.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	39.4375	2004
21.01.2020 10:58:43	1	1	1	1	115	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.6875	2004
21.01.2020 10:58:44	1	1	1	1	115	59.5	0	27867.299	576.344086	16120.72949	30000	0	0	30000	39.625	2004
21.01.2020 10:58:45	1	1	1	1	115	59.5	0	27867.299	574.1935484	15854.10268	30000	0	0	30000	38.875	2004
21.01.2020 10:58:46	1	1	1	1	115	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.4375	2004
21.01.2020 10:58:47	1	1	1	1	115	59.25	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	39.3125	2004
21.01.2020 10:58:48	1	1	1	1	115	59.25	0	27914.692	576.344086	16061.20729	30000	0	0	30000	39.75	2004
21.01.2020 10:58:49	1	1	1	1	115	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.6875	2004
21.01.2020 10:58:50	1	1	1	1	115	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.6875	2004
21.01.2020 10:58:51	1	1	1	1	115	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
21.01.2020 10:58:52	1	1	1	1	114.8	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
21.01.2020 10:58:53	1	1	1	1	114.8	59.5	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	39.625	2004
21.01.2020 10:58:54	1	1	1	1	114.8	59.5	0	27582.938	576.344086	15924.22472	30000	0	0	30000	39.625	2004
21.01.2020 10:58:55	1	1	1	1	114.8	59.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.375	2004
21.01.2020 10:58:56	1	1	1	1	114.8	59.25	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
21.01.2020 10:58:57	1	1	1	1	114.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
21.01.2020 10:58:58	1	1	1	1	114.8	59.75	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	39.3125	2004
21.01.2020 10:58:59	1	1	1	1	114.8	59.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	39.75	2004
21.01.2020 10:59:00	1	1	1	1	114.8	59.75	0	27819.905	563.4408602	15854.10268	30000	0	0	30000	39	2004
21.01.2020 10:59:01	1	1	1	1	114.8	59	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.375	2004
21.01.2020 10:59:02	1	1	1	1	114.5	59.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	39.5625	2004
21.01.2020 10:59:03	1	1	1	1	114.5	59.5	0	27867.299	576.344086	16027.77702	30000	0	0	30000	39.625	2004
21.01.2020 10:59:05	1	1	1	1	114.5	59.5	0	27725.118	576.344086	15864.70252	30000	0	0	30000	39.75	2004
21.01.2020 10:59:06	1	1	1	1	114.5	59.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	39.25	2004
21.01.2020 10:59:07	1	1	1	1	114.5	59.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.6875	2004
21.01.2020 10:59:08	1	1	1	1	114.5	59.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.75	2004
21.01.2020 10:59:09	1	1	1	1	114.5	59.75	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	39.6875	2004
21.01.2020 10:59:10	1	1	1	1	114.5	59.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.0625	2004
21.01.2020 10:59:11	1	1	1	1	114.5	59	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40	2004
21.01.2020 10:59:12	1	1	1	1	114.5	60	0	27819.905	576.344086	16153.34439	30000	0	0	30000	39.8125	2004
21.01.2020 10:59:13	1	1	1	1	114.8	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.9375	2004
21.01.2020 10:59:14	1	1	1	1	114.8	60	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	39.75	2004
21.01.2020 10:59:15	1	1	1	1	114.8	59.75	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 10:59:16	1	1	1	1	114.8	59	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	39.5625	2004
21.01.2020 10:59:17	1	1	1	1	114.8	59.5	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	39.3125	2004
21.01.2020 10:59:18	1	1	1	1	114.8	59.25	0	27630.332	574.1935484	16162.31348	30000	0	0	30000	39.6875	2004
21.01.2020 10:59:19	1	1	1	1	114.8	59.5	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	39.6875	2004
21.01.2020 10:59:20	1	1	1	1	114.8	59.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.875	2004
21.01.2020 10:59:21	1	1	1	1	114.8	59.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.3125	2004
21.01.2020 10:59:22	1	1	1	1	114.5	59.25	0	27630.332	576.344086	15837.79523	30000	0	0	30000	39.625	2004
21.01.2020 10:59:23	1	1	1	1	114.5	59.5	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	39.5	2004
21.01.2020 10:59:24	1	1	1	1	114.5	59.5	0	27488.152	578.4946237	15873.67162	30000	0	0	30000	39.6875	2004
21.01.2020 10:59:25	1	1	1	1	114.5	59.5	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	39.625	2004
21.01.2020 10:59:26	1	1	1	1	114.5	59.5	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	39.8125	2004
21.01.2020 10:59:27	1	1	1	1	114.5	59.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	39.6875	2004
21.01.2020 10:59:28	1	1	1	1	114.5	59.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.875	2004
21.01.2020 10:59:34	1	1	1	1	115	59.75	0	27440.758	576.344086	16075.06863	30000	0	0	30000	39.1875	2004
21.01.2020 10:59:34	1	1	1	1	115	59.75	0	27440.758	576.344086	16075.06863	30000	0	0	30000	39.1875	2004
21.01.2020 10:59:34	1	1	1	1	115	59.75	0	27440.758	576.344086	16075.06863	30000	0	0	30000	39.1875	2004
21.01.2020 10:59:34	1	1	1	1	115	59.75	0	27440.758	576.344086	16075.06863	30000	0	0	30000	39.1875	2004
21.01.2020 10:59:34	1	1	1	1	115	59.75	0	27440.758	576.344086	16075.06863	30000	0	0	30000	39.1875	2004
21.01.2020 10:59:34	1	1	1	1	115	59.75	0	27440.758	576.344086	16075.06863	30000	0	0	30000	39.1875	2004
21.01.2020 10:59:34	1	1	1	1	115	59.75	0	27440.758	576.344086	16075.06863	30000	0	0	30000	39.1875	2004
21.01.2020 10:59:35	1	1	1	1	115	59	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.75	2004
21.01.2020 10:59:36	1	1	1	1	115	59.75	0	27440.758	578.4946237	16134.59082	30000	0	0	30000	39.75	2004
21.01.2020 10:59:37	1	1	1	1	115	59.75	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	39.75	2004
21.01.2020 10:59:38	1	1	1	1	115	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.375	2004
21.01.2020 10:59:39	1	1	1	1	115	59.25	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	39.3125	2004
21.01.2020 10:59:40	1	1	1	1	115	59.25	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	39.875	2004
21.01.2020 10:59:41	1	1	1	1	115	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.5625	2004
21.01.2020 10:59:42	1	1	1	1	114.8	59.5	0	27582.938	576.344086	15924.22472	30000	0	0	30000	39.8125	2004
21.01.2020 10:59:44	1	1	1	1	114.8	59.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.75	2004
21.01.2020 10:59:45	1	1	1	1	114.8	59.75	0	27582.938	582.7956989	15873.67162	30000	0	0	30000	39.8125	2004
21.01.2020 10:59:46	1	1	1	1	114.8	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.9375	2004
21.01.2020 10:59:47	1	1	1	1	114.8	59.75	0	27772.512	576.344086	16093.00682	30000	0	0	30000	39.6875	2004
21.01.2020 10:59:48	1	1	1	1	114.8	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.75	2004
21.01.2020 10:59:49	1	1	1	1	114.8	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.0625	2004
21.01.2020 10:59:50	1	1	1	1	114.8	60	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	39.75	2004
21.01.2020 10:59:51	1	1	1	1	114.8	59.75	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	39.75	2004
21.01.2020 10:59:52	1	1	1	1	114.8	59.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.8125	2004
21.01.2020 10:59:53	1	1	1	1	114.8	59.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.75	2004
21.01.2020 10:59:54	1	1	1	1	114.8	59.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.8125	2004
21.01.2020 10:59:55	1	1	1	1	114.8	59.75	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	39.625	2004
21.01.2020 10:59:56	1	1	1	1	114.8	59.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	39.6875	2004
21.01.2020 10:59:57	1	1	1	1	114.8	59.5	0	27298.578	578.4946237	15850.84119	30000	0	0	30000	39.5	2004
21.01.2020 10:59:58	1	1	1	1	114.8	59.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.9375	2004
21.01.2020 10:59:59	1	1	1	1	114.8	58.75	0	27772.512	580.6451613	16212.86658	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:00:00	1	1	1	1	114.8	59.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	39.8125	2004
21.01.2020 11:00:01	1	1	1	1	114.8	59.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	39.75	2004
21.01.2020 11:00:02	1	1	1	1	115	59.75	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	40	2004
21.01.2020 11:00:03	1	1	1	1	115	60	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.5	2004
21.01.2020 11:00:04	1	1	1	1	115	59.5	0	27630.332	574.1935484	16043.2691	30000	0	0	30000	39.8125	2004
21.01.2020 11:00:05	1	1	1	1	115	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.9375	2004
21.01.2020 11:00:06	1	1	1	1	115	59.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.5	2004
21.01.2020 11:00:07	1	1	1	1	115	59.5	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	39.75	2004
21.01.2020 11:00:08	1	1	1	1	115	59.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.9375	2004
21.01.2020 11:00:09	1	1	1	1	115	59.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	39.875	2004
21.01.2020 11:00:10	1	1	1	1	115	59.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.875	2004
21.01.2020 11:00:11	1	1	1	1	115	59.75	0	27440.758	572.0430108	15869.59476	30000	0	0	30000	39.8125	2004
21.01.2020 11:00:12	1	1	1	1	114.5	59.75	0	27772.512	578.4946237	16097.89906	30000	0	0	30000	39.75	2004
21.01.2020 11:00:13	1	1	1	1	114.5	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.4375	2004
21.01.2020 11:00:14	1	1	1	1	114.5	59.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.75	2004
21.01.2020 11:00:15	1	1	1	1	114.5	59.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.9375	2004
21.01.2020 11:00:16	1	1	1	1	114.5	59.75	0	27535.545	576.344086	15869.59476	30000	0	0	30000	39.9375	2004
21.01.2020 11:00:17	1	1	1	1	114.5	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.75	2004
21.01.2020 11:00:18	1	1	1	1	114.5	59.75	0	27488.152	580.6451613	15933.19381	30000	0	0	30000	39.8125	2004
21.01.2020 11:00:19	1	1	1	1	114.5	59.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	39.5625	2004
21.01.2020 11:00:20	1	1	1	1	114.5	59.5	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	39.8125	2004
21.01.2020 11:00:22	1	1	1	1	114.5	59.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	39.8125	2004
21.01.2020 11:00:23	1	1	1	1	114.5	59.75	0	27393.365	582.7956989	16051.42282	30000	0	0	30000	39.75	2004
21.01.2020 11:00:24	1	1	1	1	114.5	59.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.5	2004
21.01.2020 11:00:25	1	1	1	1	114.5	59.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	39.9375	2004
21.01.2020 11:00:26	1	1	1	1	114.5	59.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	40	2004
21.01.2020 11:00:27	1	1	1	1	114.5	60	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40	2004
21.01.2020 11:00:28	1	1	1	1	114.5	60	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	39.6875	2004
21.01.2020 11:00:29	1	1	1	1	114.5	59.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.9375	2004
21.01.2020 11:00:30	1	1	1	1	114.5	59.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.9375	2004
21.01.2020 11:00:36	1	1	1	1	114	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40	2004
21.01.2020 11:00:36	1	1	1	1	114	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40	2004
21.01.2020 11:00:36	1	1	1	1	114	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40	2004
21.01.2020 11:00:36	1	1	1	1	114	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40	2004
21.01.2020 11:00:36	1	1	1	1	114	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40	2004
21.01.2020 11:00:36	1	1	1	1	114	58.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40	2004
21.01.2020 11:00:37	1	1	1	1	114	60	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.625	2004
21.01.2020 11:00:38	1	1	1	1	114	59.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	39.875	2004
21.01.2020 11:00:39	1	1	1	1	114	59.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.6875	2004
21.01.2020 11:00:40	1	1	1	1	114	59.5	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	39.0625	2004
21.01.2020 11:00:41	1	1	1	1	114	59	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.0625	2004
21.01.2020 11:00:42	1	1	1	1	113.8	60	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40	2004
21.01.2020 11:00:43	1	1	1	1	113.8	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:00:44	1	1	1	1	113.8	59.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	39.75	2004
21.01.2020 11:00:45	1	1	1	1	113.8	59.75	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	39.625	2004
21.01.2020 11:00:46	1	1	1	1	113.8	59.5	0	27819.905	569.8924731	16033.48463	30000	0	0	30000	39.75	2004
21.01.2020 11:00:47	1	1	1	1	113.8	59.75	0	27630.332	578.4946237	16066.09953	30000	0	0	30000	39.4375	2004
21.01.2020 11:00:48	1	1	1	1	113.8	59.25	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	39.75	2004
21.01.2020 11:00:49	1	1	1	1	113.8	59.75	0	27867.299	576.344086	16088.11459	30000	0	0	30000	39.6875	2004
21.01.2020 11:00:50	1	1	1	1	113.8	59.5	0	27819.905	576.344086	15864.70252	30000	0	0	30000	39.875	2004
21.01.2020 11:00:51	1	1	1	1	113.8	59.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	39.9375	2004
21.01.2020 11:00:52	1	1	1	1	114	59.75	0	27867.299	580.6451613	15973.96244	30000	0	0	30000	39.75	2004
21.01.2020 11:00:53	1	1	1	1	114	59.75	0	27867.299	576.344086	16088.11459	30000	0	0	30000	39.6875	2004
21.01.2020 11:00:54	1	1	1	1	114	59.5	0	27535.545	576.344086	15897.31742	30000	0	0	30000	39.75	2004
21.01.2020 11:00:55	1	1	1	1	114	59.75	0	27819.905	576.344086	15978.85467	30000	0	0	30000	39.1875	2004
21.01.2020 11:00:56	1	1	1	1	114	59	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40	2004
21.01.2020 11:00:57	1	1	1	1	114	60	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.5625	2004
21.01.2020 11:00:59	1	1	1	1	114	59.5	0	27819.905	576.344086	15924.22472	30000	0	0	30000	39.875	2004
21.01.2020 11:01:00	1	1	1	1	114	59.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.0625	2004
21.01.2020 11:01:01	1	1	1	1	114	60	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	39.5625	2004
21.01.2020 11:01:02	1	1	1	1	114	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.75	2004
21.01.2020 11:01:03	1	1	1	1	114	59.75	0	27867.299	576.344086	16148.45215	30000	0	0	30000	40.0625	2004
21.01.2020 11:01:04	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.0625	2004
21.01.2020 11:01:05	1	1	1	1	114	60	0	27867.299	576.344086	16120.72949	30000	0	0	30000	40.1875	2004
21.01.2020 11:01:06	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.125	2004
21.01.2020 11:01:07	1	1	1	1	114	60	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	40.5	2004
21.01.2020 11:01:08	1	1	1	1	114	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.875	2004
21.01.2020 11:01:09	1	1	1	1	114	59.75	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	39.875	2004
21.01.2020 11:01:10	1	1	1	1	114	60	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.9375	2004
21.01.2020 11:01:11	1	1	1	1	114	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.0625	2004
21.01.2020 11:01:12	1	1	1	1	114.3	60	0	27440.758	578.4946237	15696.73579	30000	0	0	30000	40.0625	2004
21.01.2020 11:01:13	1	1	1	1	114.3	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.0625	2004
21.01.2020 11:01:14	1	1	1	1	114.3	60	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	39.75	2004
21.01.2020 11:01:15	1	1	1	1	114.3	59.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.9375	2004
21.01.2020 11:01:16	1	1	1	1	114.3	59.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	39.75	2004
21.01.2020 11:01:17	1	1	1	1	114.3	59.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	40.125	2004
21.01.2020 11:01:18	1	1	1	1	114.3	60	0	27582.938	582.7956989	16015.54644	30000	0	0	30000	40	2004
21.01.2020 11:01:19	1	1	1	1	114.3	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.875	2004
21.01.2020 11:01:20	1	1	1	1	114.3	59.75	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	40.125	2004
21.01.2020 11:01:21	1	1	1	1	114.3	60	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.9375	2004
21.01.2020 11:01:22	1	1	1	1	114	59.75	0	27630.332	582.7956989	16075.06863	30000	0	0	30000	39.6875	2004
21.01.2020 11:01:23	1	1	1	1	114	59.5	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	39.75	2004
21.01.2020 11:01:24	1	1	1	1	114	59.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.1875	2004
21.01.2020 11:01:25	1	1	1	1	114	60	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40	2004
21.01.2020 11:01:26	1	1	1	1	114	60	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	40.125	2004
21.01.2020 11:01:27	1	1	1	1	114	60	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:01:28	1	1	1	1	114	60	0	27819.905	584.9462366	15924.22472	30000	0	0	30000	39.4375	2004
21.01.2020 11:01:29	1	1	1	1	114	59.25	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	39.8125	2004
21.01.2020 11:01:30	1	1	1	1	114	59.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.625	2004
21.01.2020 11:01:31	1	1	1	1	114	59.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	39.8125	2004
21.01.2020 11:01:38	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
21.01.2020 11:01:38	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
21.01.2020 11:01:38	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
21.01.2020 11:01:38	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
21.01.2020 11:01:38	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
21.01.2020 11:01:38	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
21.01.2020 11:01:39	1	1	1	1	114	59.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40	2004
21.01.2020 11:01:40	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
21.01.2020 11:01:41	1	1	1	1	114	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.25	2004
21.01.2020 11:01:42	1	1	1	1	114	59.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.125	2004
21.01.2020 11:01:43	1	1	1	1	114.5	60	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.25	2004
21.01.2020 11:01:44	1	1	1	1	114.5	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
21.01.2020 11:01:45	1	1	1	1	114.5	60	0	27630.332	572.0430108	16093.00682	30000	0	0	30000	40.375	2004
21.01.2020 11:01:46	1	1	1	1	114.5	60.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:01:47	1	1	1	1	114.5	60.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.125	2004
21.01.2020 11:01:48	1	1	1	1	114.5	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.3125	2004
21.01.2020 11:01:49	1	1	1	1	114.5	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.625	2004
21.01.2020 11:01:50	1	1	1	1	114.5	59.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
21.01.2020 11:01:51	1	1	1	1	114.5	60	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
21.01.2020 11:01:52	1	1	1	1	114.5	60.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	40.125	2004
21.01.2020 11:01:53	1	1	1	1	114.5	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.875	2004
21.01.2020 11:01:54	1	1	1	1	114.5	59.75	0	27440.758	582.7956989	16134.59082	30000	0	0	30000	40	2004
21.01.2020 11:01:55	1	1	1	1	114.5	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.125	2004
21.01.2020 11:01:56	1	1	1	1	114.5	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.875	2004
21.01.2020 11:01:57	1	1	1	1	114.5	59.75	0	27819.905	584.9462366	16212.86658	30000	0	0	30000	39.8125	2004
21.01.2020 11:01:58	1	1	1	1	114.5	59.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.0625	2004
21.01.2020 11:01:59	1	1	1	1	114.5	60	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.125	2004
21.01.2020 11:02:00	1	1	1	1	114.5	60	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:01	1	1	1	1	114.5	60	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.9375	2004
21.01.2020 11:02:02	1	1	1	1	114.5	59.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.875	2004
21.01.2020 11:02:03	1	1	1	1	114.5	59.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.125	2004
21.01.2020 11:02:04	1	1	1	1	114.5	60	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.125	2004
21.01.2020 11:02:05	1	1	1	1	114.5	60	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:06	1	1	1	1	114.5	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:07	1	1	1	1	114.5	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:08	1	1	1	1	114.5	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:09	1	1	1	1	114.5	60	0	27725.118	576.344086	15983.74691	30000	0	0	30000	40	2004
21.01.2020 11:02:10	1	1	1	1	114.5	60	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	40.25	2004
21.01.2020 11:02:11	1	1	1	1	114.5	60.25	0	27630.332	580.6451613	16097.89906	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:02:12	1	1	1	1	114.3	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.125	2004
21.01.2020 11:02:13	1	1	1	1	114.3	60	0	27440.758	576.344086	15814.9648	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:14	1	1	1	1	114.3	60	0	27630.332	587.0967742	15956.02424	30000	0	0	30000	40.25	2004
21.01.2020 11:02:16	1	1	1	1	114.3	60.25	0	27630.332	576.344086	15691.84356	30000	0	0	30000	39.5625	2004
21.01.2020 11:02:17	1	1	1	1	114.3	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.25	2004
21.01.2020 11:02:18	1	1	1	1	114.3	60.25	0	27440.758	576.344086	15873.67162	30000	0	0	30000	39.6875	2004
21.01.2020 11:02:19	1	1	1	1	114.3	59.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:20	1	1	1	1	114.3	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.25	2004
21.01.2020 11:02:21	1	1	1	1	114.3	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:22	1	1	1	1	114.3	60.25	0	27630.332	572.0430108	16033.48463	30000	0	0	30000	40	2004
21.01.2020 11:02:23	1	1	1	1	114.3	60	0	27440.758	578.4946237	15756.25798	30000	0	0	30000	39.1875	2004
21.01.2020 11:02:24	1	1	1	1	114.3	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:25	1	1	1	1	114.3	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.5625	2004
21.01.2020 11:02:26	1	1	1	1	114.3	60.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.625	2004
21.01.2020 11:02:27	1	1	1	1	114.3	60.25	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:28	1	1	1	1	114.3	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:29	1	1	1	1	114.3	60	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.25	2004
21.01.2020 11:02:30	1	1	1	1	114.3	60.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:31	1	1	1	1	114.3	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.25	2004
21.01.2020 11:02:32	1	1	1	1	114.5	60.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:33	1	1	1	1	114.5	60.25	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:39	1	1	1	1	114.5	60.5	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:39	1	1	1	1	114.5	60.5	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:39	1	1	1	1	114.5	60.5	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:39	1	1	1	1	114.5	60.5	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:39	1	1	1	1	114.5	60.5	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:39	1	1	1	1	114.5	60.5	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:39	1	1	1	1	114.5	60.5	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:40	1	1	1	1	114.5	60.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.25	2004
21.01.2020 11:02:41	1	1	1	1	114.5	60.25	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:42	1	1	1	1	114	60	0	27582.938	576.344086	15897.31742	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:43	1	1	1	1	114	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.9375	2004
21.01.2020 11:02:44	1	1	1	1	114	59.75	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
21.01.2020 11:02:45	1	1	1	1	114	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.6875	2004
21.01.2020 11:02:46	1	1	1	1	114	59.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:47	1	1	1	1	114	60.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.375	2004
21.01.2020 11:02:48	1	1	1	1	114	60.25	0	27725.118	580.6451613	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:49	1	1	1	1	114	60.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	40.3125	2004
21.01.2020 11:02:50	1	1	1	1	114	60.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.0625	2004
21.01.2020 11:02:51	1	1	1	1	114	60	0	27725.118	576.344086	15983.74691	30000	0	0	30000	39.875	2004
21.01.2020 11:02:52	1	1	1	1	114	59.75	0	27488.152	578.4946237	15873.67162	30000	0	0	30000	39.75	2004
21.01.2020 11:02:54	1	1	1	1	114	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.9375	2004
21.01.2020 11:02:55	1	1	1	1	114	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:56	1	1	1	1	114	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:02:57	1	1	1	1	114	60.25	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	40.0625	2004
21.01.2020 11:02:58	1	1	1	1	114	60	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	40.1875	2004
21.01.2020 11:02:59	1	1	1	1	114	60	0	27630.332	580.6451613	16273.20414	30000	0	0	30000	40.4375	2004
21.01.2020 11:03:00	1	1	1	1	114	60.25	0	27440.758	572.0430108	15814.9648	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:01	1	1	1	1	114	60.25	0	27725.118	576.344086	15805.18033	30000	0	0	30000	40.375	2004
21.01.2020 11:03:02	1	1	1	1	114	60.25	0	27630.332	576.344086	16212.86658	30000	0	0	30000	40.0625	2004
21.01.2020 11:03:03	1	1	1	1	114.8	60	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	40.4375	2004
21.01.2020 11:03:04	1	1	1	1	114.8	60.25	0	27725.118	576.344086	15924.22472	30000	0	0	30000	40.375	2004
21.01.2020 11:03:05	1	1	1	1	114.8	60.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	40.125	2004
21.01.2020 11:03:06	1	1	1	1	114.8	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.375	2004
21.01.2020 11:03:07	1	1	1	1	114.8	60.25	0	27345.972	578.4946237	15873.67162	30000	0	0	30000	40.1875	2004
21.01.2020 11:03:08	1	1	1	1	114.8	60	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40	2004
21.01.2020 11:03:09	1	1	1	1	114.8	60	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.375	2004
21.01.2020 11:03:10	1	1	1	1	114.8	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.0625	2004
21.01.2020 11:03:11	1	1	1	1	114.8	60	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.75	2004
21.01.2020 11:03:12	1	1	1	1	114.8	59.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	39.9375	2004
21.01.2020 11:03:13	1	1	1	1	114.8	59.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	40.25	2004
21.01.2020 11:03:14	1	1	1	1	114.8	60.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	39.3125	2004
21.01.2020 11:03:15	1	1	1	1	114.8	59.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.125	2004
21.01.2020 11:03:16	1	1	1	1	114.8	60	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:17	1	1	1	1	114.8	60.25	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	40.125	2004
21.01.2020 11:03:18	1	1	1	1	114.8	60	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	40.0625	2004
21.01.2020 11:03:19	1	1	1	1	114.8	60	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	40.25	2004
21.01.2020 11:03:20	1	1	1	1	114.8	60.25	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	40.125	2004
21.01.2020 11:03:21	1	1	1	1	114.8	60	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	39.4375	2004
21.01.2020 11:03:22	1	1	1	1	114.8	59.25	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	40.125	2004
21.01.2020 11:03:23	1	1	1	1	114.8	60	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	40.375	2004
21.01.2020 11:03:24	1	1	1	1	114.8	60.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:25	1	1	1	1	114.8	60.25	0	27298.578	574.1935484	15877.74848	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:26	1	1	1	1	114.8	60.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40	2004
21.01.2020 11:03:27	1	1	1	1	114.8	60	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	40.4375	2004
21.01.2020 11:03:28	1	1	1	1	114.8	60.25	0	27630.332	582.7956989	16221.0203	30000	0	0	30000	39.25	2004
21.01.2020 11:03:29	1	1	1	1	114.8	59.25	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	40.0625	2004
21.01.2020 11:03:30	1	1	1	1	114.8	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.125	2004
21.01.2020 11:03:32	1	1	1	1	114.8	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.4375	2004
21.01.2020 11:03:33	1	1	1	1	114.3	60.25	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:34	1	1	1	1	114.3	60.25	0	27630.332	578.4946237	15837.79523	30000	0	0	30000	40.125	2004
21.01.2020 11:03:35	1	1	1	1	114.3	60	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:41	1	1	1	1	114.3	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:41	1	1	1	1	114.3	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:41	1	1	1	1	114.3	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:41	1	1	1	1	114.3	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:41	1	1	1	1	114.3	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:41	1	1	1	1	114.3	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:03:41	1	1	1	1	114.3	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:42	1	1	1	1	114.3	60.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.0625	2004
21.01.2020 11:03:43	1	1	1	1	114.3	60.25	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	40.375	2004
21.01.2020 11:03:44	1	1	1	1	114.3	60.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	40.375	2004
21.01.2020 11:03:45	1	1	1	1	114.3	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:46	1	1	1	1	114.3	60.25	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	40.4375	2004
21.01.2020 11:03:47	1	1	1	1	114.3	60.25	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	40.25	2004
21.01.2020 11:03:48	1	1	1	1	114.3	60.25	0	27630.332	580.6451613	15805.18033	30000	0	0	30000	40.25	2004
21.01.2020 11:03:49	1	1	1	1	114.3	60.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.375	2004
21.01.2020 11:03:50	1	1	1	1	114.3	60.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.4375	2004
21.01.2020 11:03:51	1	1	1	1	114.3	59.25	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	40.5	2004
21.01.2020 11:03:52	1	1	1	1	114.3	60.5	0	27819.905	578.4946237	15973.96244	30000	0	0	30000	39.9375	2004
21.01.2020 11:03:53	1	1	1	1	114.3	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.5	2004
21.01.2020 11:03:54	1	1	1	1	114.3	60.5	0	28009.479	576.344086	16203.08211	30000	0	0	30000	40.3125	2004
21.01.2020 11:03:55	1	1	1	1	114.3	60.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.5	2004
21.01.2020 11:03:56	1	1	1	1	114.3	60.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	40.0625	2004
21.01.2020 11:03:57	1	1	1	1	114.3	60	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	40.5625	2004
21.01.2020 11:03:58	1	1	1	1	114.3	60.5	0	27630.332	576.344086	15946.23977	30000	0	0	30000	40.4375	2004
21.01.2020 11:03:59	1	1	1	1	114.3	60.25	0	27819.905	572.0430108	15859.81029	30000	0	0	30000	40.3125	2004
21.01.2020 11:04:00	1	1	1	1	114.3	60.25	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	39.625	2004
21.01.2020 11:04:01	1	1	1	1	114.3	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:02	1	1	1	1	115	60.5	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	40.25	2004
21.01.2020 11:04:03	1	1	1	1	115	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
21.01.2020 11:04:04	1	1	1	1	115	60.5	0	27582.938	576.344086	15983.74691	30000	0	0	30000	40.25	2004
21.01.2020 11:04:05	1	1	1	1	115	60.25	0	27630.332	587.0967742	16102.79129	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:06	1	1	1	1	115	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.3125	2004
21.01.2020 11:04:07	1	1	1	1	115	60.25	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	39.6875	2004
21.01.2020 11:04:08	1	1	1	1	115	59.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	39.375	2004
21.01.2020 11:04:09	1	1	1	1	115	59.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.25	2004
21.01.2020 11:04:11	1	1	1	1	115	60.25	0	27582.938	578.4946237	16075.06863	30000	0	0	30000	40.25	2004
21.01.2020 11:04:12	1	1	1	1	115	60.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.375	2004
21.01.2020 11:04:13	1	1	1	1	114.3	60.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.5	2004
21.01.2020 11:04:14	1	1	1	1	114.3	60.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.875	2004
21.01.2020 11:04:15	1	1	1	1	114.3	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
21.01.2020 11:04:16	1	1	1	1	114.3	59.75	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	40.25	2004
21.01.2020 11:04:17	1	1	1	1	114.3	60.25	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:18	1	1	1	1	114.3	60.5	0	27345.972	580.6451613	15933.19381	30000	0	0	30000	40.5	2004
21.01.2020 11:04:19	1	1	1	1	114.3	60.5	0	27582.938	578.4946237	16102.79129	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:20	1	1	1	1	114.3	60.5	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	40.8125	2004
21.01.2020 11:04:21	1	1	1	1	114.3	60.75	0	27535.545	576.344086	15929.11695	30000	0	0	30000	40.8125	2004
21.01.2020 11:04:22	1	1	1	1	114.8	60.25	0	27630.332	584.9462366	16075.06863	30000	0	0	30000	40.625	2004
21.01.2020 11:04:23	1	1	1	1	114.8	60.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	40.1875	2004
21.01.2020 11:04:24	1	1	1	1	114.8	60	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:04:25	1	1	1	1	114.8	60.5	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	40.3125	2004
21.01.2020 11:04:26	1	1	1	1	114.8	60.25	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	40.5	2004
21.01.2020 11:04:27	1	1	1	1	114.8	60.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:28	1	1	1	1	114.8	60.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.5	2004
21.01.2020 11:04:29	1	1	1	1	114.8	60.5	0	27819.905	580.6451613	16097.89906	30000	0	0	30000	40.375	2004
21.01.2020 11:04:30	1	1	1	1	114.8	60.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	39.75	2004
21.01.2020 11:04:31	1	1	1	1	114.8	59.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:32	1	1	1	1	114.3	60.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.625	2004
21.01.2020 11:04:33	1	1	1	1	114.3	60.5	0	27725.118	576.344086	15924.22472	30000	0	0	30000	40.4375	2004
21.01.2020 11:04:34	1	1	1	1	114.3	60.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.4375	2004
21.01.2020 11:04:35	1	1	1	1	114.3	60.25	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:36	1	1	1	1	114.3	60.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.3125	2004
21.01.2020 11:04:43	1	1	1	1	114	60.5	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	40.625	2004
21.01.2020 11:04:43	1	1	1	1	114	60.5	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	40.625	2004
21.01.2020 11:04:43	1	1	1	1	114	60.5	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	40.625	2004
21.01.2020 11:04:43	1	1	1	1	114	60.5	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	40.625	2004
21.01.2020 11:04:43	1	1	1	1	114	60.5	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	40.625	2004
21.01.2020 11:04:43	1	1	1	1	114	60.5	0	27345.972	576.344086	15819.04167	30000	0	0	30000	39.5	2004
21.01.2020 11:04:44	1	1	1	1	114	59.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:45	1	1	1	1	114	60.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.125	2004
21.01.2020 11:04:46	1	1	1	1	114	60	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	40.25	2004
21.01.2020 11:04:47	1	1	1	1	114	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.4375	2004
21.01.2020 11:04:49	1	1	1	1	114	60.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.0625	2004
21.01.2020 11:04:50	1	1	1	1	114	60	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	40.375	2004
21.01.2020 11:04:51	1	1	1	1	114	60.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:52	1	1	1	1	114	60.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.5625	2004
21.01.2020 11:04:53	1	1	1	1	114	60.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	40.75	2004
21.01.2020 11:04:54	1	1	1	1	114	60.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	39.8125	2004
21.01.2020 11:04:55	1	1	1	1	114	59.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
21.01.2020 11:04:56	1	1	1	1	114	60.5	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	40.9375	2004
21.01.2020 11:04:57	1	1	1	1	114	60.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.5	2004
21.01.2020 11:04:58	1	1	1	1	114	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41	2004
21.01.2020 11:04:59	1	1	1	1	114	61	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	40.625	2004
21.01.2020 11:05:00	1	1	1	1	114	60.5	0	27582.938	578.4946237	15810.07257	30000	0	0	30000	40.6875	2004
21.01.2020 11:05:01	1	1	1	1	114	61	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.5	2004
21.01.2020 11:05:02	1	1	1	1	114.5	60.5	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	40.1875	2004
21.01.2020 11:05:03	1	1	1	1	114.5	60	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	40.5625	2004
21.01.2020 11:05:04	1	1	1	1	114.5	60.5	0	27630.332	589.2473118	16075.06863	30000	0	0	30000	40.5625	2004
21.01.2020 11:05:05	1	1	1	1	114.5	60.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.375	2004
21.01.2020 11:05:06	1	1	1	1	114.5	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.75	2004
21.01.2020 11:05:07	1	1	1	1	114.5	59.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.75	2004
21.01.2020 11:05:08	1	1	1	1	114.5	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:05:09	1	1	1	1	114.5	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.375	2004
21.01.2020 11:05:10	1	1	1	1	114.5	60.25	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	40.0625	2004
21.01.2020 11:05:11	1	1	1	1	114.5	60	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	40.5	2004
21.01.2020 11:05:12	1	1	1	1	114.3	60.5	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	40.25	2004
21.01.2020 11:05:13	1	1	1	1	114.3	60.25	0	27582.938	576.344086	16102.79129	30000	0	0	30000	40.8125	2004
21.01.2020 11:05:14	1	1	1	1	114.3	60.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.3125	2004
21.01.2020 11:05:15	1	1	1	1	114.3	60.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.6875	2004
21.01.2020 11:05:16	1	1	1	1	114.3	60.5	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	40.3125	2004
21.01.2020 11:05:17	1	1	1	1	114.3	60.25	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	40.3125	2004
21.01.2020 11:05:18	1	1	1	1	114.3	60.25	0	27298.578	569.8924731	15760.33485	30000	0	0	30000	40.75	2004
21.01.2020 11:05:19	1	1	1	1	114.3	60.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	40.4375	2004
21.01.2020 11:05:20	1	1	1	1	114.3	60.25	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	40.125	2004
21.01.2020 11:05:21	1	1	1	1	114.3	60	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	40.5625	2004
21.01.2020 11:05:22	1	1	1	1	114	60.5	0	27440.758	574.1935484	16047.34596	30000	0	0	30000	40.3125	2004
21.01.2020 11:05:23	1	1	1	1	114	60.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	40.375	2004
21.01.2020 11:05:24	1	1	1	1	114	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.375	2004
21.01.2020 11:05:25	1	1	1	1	114	59.25	0	27582.938	578.4946237	15756.25798	30000	0	0	30000	40.625	2004
21.01.2020 11:05:27	1	1	1	1	114	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.75	2004
21.01.2020 11:05:28	1	1	1	1	114	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.75	2004
21.01.2020 11:05:29	1	1	1	1	114	60.75	0	27582.938	576.344086	15983.74691	30000	0	0	30000	40.625	2004
21.01.2020 11:05:30	1	1	1	1	114	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.75	2004
21.01.2020 11:05:31	1	1	1	1	114	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.8125	2004
21.01.2020 11:05:32	1	1	1	1	114	59.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
21.01.2020 11:05:33	1	1	1	1	114.3	60.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.1875	2004
21.01.2020 11:05:34	1	1	1	1	114.3	60	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.8125	2004
21.01.2020 11:05:35	1	1	1	1	114.3	60.75	0	27772.512	584.9462366	16102.79129	30000	0	0	30000	40.5	2004
21.01.2020 11:05:36	1	1	1	1	114.3	60.5	0	27582.938	576.344086	15897.31742	30000	0	0	30000	40.3125	2004
21.01.2020 11:05:37	1	1	1	1	114.3	60.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.5625	2004
21.01.2020 11:05:38	1	1	1	1	114.3	60.5	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	40.375	2004
21.01.2020 11:05:44	1	1	1	1	114.8	60.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	40.1875	2004
21.01.2020 11:05:44	1	1	1	1	114.8	60.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	40.1875	2004
21.01.2020 11:05:44	1	1	1	1	114.8	60.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	40.1875	2004
21.01.2020 11:05:44	1	1	1	1	114.8	60.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	40.1875	2004
21.01.2020 11:05:44	1	1	1	1	114.8	60.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	40.1875	2004
21.01.2020 11:05:45	1	1	1	1	114.8	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.25	2004
21.01.2020 11:05:46	1	1	1	1	114.8	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
21.01.2020 11:05:47	1	1	1	1	114.8	60.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.75	2004
21.01.2020 11:05:48	1	1	1	1	114.8	60.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.4375	2004
21.01.2020 11:05:49	1	1	1	1	114.8	60.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	40.25	2004
21.01.2020 11:05:50	1	1	1	1	114.8	60.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.5	2004
21.01.2020 11:05:51	1	1	1	1	114.8	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.875	2004
21.01.2020 11:05:52	1	1	1	1	115	60.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:05:53	1	1	1	1	115	60.75	0	27535.545	576.344086	16015.54644	30000	0	0	30000	40.8125	2004
21.01.2020 11:05:54	1	1	1	1	115	60.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	39.875	2004
21.01.2020 11:05:55	1	1	1	1	115	59.75	0	27582.938	584.9462366	15956.02424	30000	0	0	30000	40.375	2004
21.01.2020 11:05:56	1	1	1	1	115	60.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.625	2004
21.01.2020 11:05:57	1	1	1	1	115	60.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.875	2004
21.01.2020 11:05:58	1	1	1	1	115	60.75	0	27440.758	578.4946237	15987.82377	30000	0	0	30000	40.875	2004
21.01.2020 11:05:59	1	1	1	1	115	60.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	40.875	2004
21.01.2020 11:06:00	1	1	1	1	115	60.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40.75	2004
21.01.2020 11:06:01	1	1	1	1	115	60.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.875	2004
21.01.2020 11:06:02	1	1	1	1	114.3	60.75	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	39.75	2004
21.01.2020 11:06:03	1	1	1	1	114.3	59.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.6875	2004
21.01.2020 11:06:05	1	1	1	1	114.3	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
21.01.2020 11:06:06	1	1	1	1	114.3	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.125	2004
21.01.2020 11:06:07	1	1	1	1	114.3	60	0	27440.758	580.6451613	16165.57497	30000	0	0	30000	40.875	2004
21.01.2020 11:06:08	1	1	1	1	114.3	60.75	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	40.9375	2004
21.01.2020 11:06:09	1	1	1	1	114.3	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.8125	2004
21.01.2020 11:06:10	1	1	1	1	114.3	60.75	0	27630.332	580.6451613	16066.09953	30000	0	0	30000	40.25	2004
21.01.2020 11:06:11	1	1	1	1	114.3	60.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.6875	2004
21.01.2020 11:06:12	1	1	1	1	114.3	60.5	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	40.75	2004
21.01.2020 11:06:13	1	1	1	1	114.5	60.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.875	2004
21.01.2020 11:06:14	1	1	1	1	114.5	60.75	0	27630.332	584.9462366	16221.0203	30000	0	0	30000	40.75	2004
21.01.2020 11:06:15	1	1	1	1	114.5	60.75	0	27535.545	578.4946237	15933.19381	30000	0	0	30000	40.25	2004
21.01.2020 11:06:16	1	1	1	1	114.5	60.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.9375	2004
21.01.2020 11:06:17	1	1	1	1	114.5	60.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.4375	2004
21.01.2020 11:06:18	1	1	1	1	114.5	60.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.5	2004
21.01.2020 11:06:19	1	1	1	1	114.5	59.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	40.875	2004
21.01.2020 11:06:20	1	1	1	1	114.5	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40	2004
21.01.2020 11:06:21	1	1	1	1	114.5	60	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	40.75	2004
21.01.2020 11:06:22	1	1	1	1	114.3	60.75	0	27345.972	582.7956989	15850.84119	30000	0	0	30000	40.625	2004
21.01.2020 11:06:23	1	1	1	1	114.3	60.5	0	27298.578	580.6451613	15819.04167	30000	0	0	30000	40.3125	2004
21.01.2020 11:06:24	1	1	1	1	114.3	60.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.5625	2004
21.01.2020 11:06:25	1	1	1	1	114.3	60.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40.6875	2004
21.01.2020 11:06:26	1	1	1	1	114.3	60.5	0	27345.972	576.344086	15995.9775	30000	0	0	30000	40.8125	2004
21.01.2020 11:06:27	1	1	1	1	114.3	60.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.8125	2004
21.01.2020 11:06:28	1	1	1	1	114.3	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41	2004
21.01.2020 11:06:29	1	1	1	1	114.3	61	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	40.6875	2004
21.01.2020 11:06:30	1	1	1	1	114.3	60.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.5625	2004
21.01.2020 11:06:31	1	1	1	1	114.3	60.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.3125	2004
21.01.2020 11:06:32	1	1	1	1	114.3	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.75	2004
21.01.2020 11:06:33	1	1	1	1	114.3	60.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	40.75	2004
21.01.2020 11:06:34	1	1	1	1	114.3	60.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	40.9375	2004
21.01.2020 11:06:35	1	1	1	1	114.3	60.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	40.875	2004
21.01.2020 11:06:36	1	1	1	1	114.3	60.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:06:37	1	1	1	1	114.3	60.75	0	27345.972	582.7956989	15991.90063	30000	0	0	30000	40.1875	2004
21.01.2020 11:06:38	1	1	1	1	114.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.5	2004
21.01.2020 11:06:39	1	1	1	1	114.3	60.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	40.25	2004
21.01.2020 11:06:46	1	1	1	1	113.5	60.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41	2004
21.01.2020 11:06:46	1	1	1	1	113.5	60.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41	2004
21.01.2020 11:06:46	1	1	1	1	113.5	60.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41	2004
21.01.2020 11:06:46	1	1	1	1	113.5	60.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41	2004
21.01.2020 11:06:46	1	1	1	1	113.5	60.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41	2004
21.01.2020 11:06:46	1	1	1	1	113.5	60.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41	2004
21.01.2020 11:06:47	1	1	1	1	113.5	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.875	2004
21.01.2020 11:06:48	1	1	1	1	113.5	60.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.8125	2004
21.01.2020 11:06:49	1	1	1	1	113.5	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.5	2004
21.01.2020 11:06:50	1	1	1	1	113.5	60.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	40.8125	2004
21.01.2020 11:06:51	1	1	1	1	113.5	60.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.9375	2004
21.01.2020 11:06:52	1	1	1	1	113.5	60.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.875	2004
21.01.2020 11:06:53	1	1	1	1	113.8	60.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.5625	2004
21.01.2020 11:06:54	1	1	1	1	113.8	60.5	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	40.875	2004
21.01.2020 11:06:55	1	1	1	1	113.8	60.75	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	41	2004
21.01.2020 11:06:56	1	1	1	1	113.8	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41	2004
21.01.2020 11:06:57	1	1	1	1	113.8	60.5	0	27440.758	576.344086	15991.90063	30000	0	0	30000	40.875	2004
21.01.2020 11:06:58	1	1	1	1	113.8	60.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.0625	2004
21.01.2020 11:06:59	1	1	1	1	113.8	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41	2004
21.01.2020 11:07:00	1	1	1	1	113.8	61	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	41	2004
21.01.2020 11:07:01	1	1	1	1	113.8	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.8125	2004
21.01.2020 11:07:02	1	1	1	1	114	60.75	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	40.8125	2004
21.01.2020 11:07:03	1	1	1	1	114	60.75	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	40.9375	2004
21.01.2020 11:07:04	1	1	1	1	114	60.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.875	2004
21.01.2020 11:07:05	1	1	1	1	114	60.75	0	27535.545	582.7956989	16051.42282	30000	0	0	30000	40.25	2004
21.01.2020 11:07:09	1	1	1	1	114	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.875	2004
21.01.2020 11:07:09	1	1	1	1	114	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.875	2004
21.01.2020 11:07:09	1	1	1	1	114	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.875	2004
21.01.2020 11:07:09	1	1	1	1	114	60.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41	2004
21.01.2020 11:07:10	1	1	1	1	114	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41	2004
21.01.2020 11:07:11	1	1	1	1	114	61	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	40.9375	2004
21.01.2020 11:07:12	1	1	1	1	114	60.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	40.8125	2004
21.01.2020 11:07:13	1	1	1	1	114	60.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	40.9375	2004
21.01.2020 11:07:14	1	1	1	1	114	60.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41	2004
21.01.2020 11:07:15	1	1	1	1	114	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.3125	2004
21.01.2020 11:07:16	1	1	1	1	114	60.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.3125	2004
21.01.2020 11:07:17	1	1	1	1	114	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41	2004
21.01.2020 11:07:18	1	1	1	1	114	61	0	27440.758	584.9462366	16165.57497	30000	0	0	30000	40.875	2004
21.01.2020 11:07:19	1	1	1	1	114	60.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	40.8125	2004
21.01.2020 11:07:21	1	1	1	1	114	60.75	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:07:22	1	1	1	1	114	61	0	27345.972	578.4946237	15933.19381	30000	0	0	30000	40.9375	2004
21.01.2020 11:07:23	1	1	1	1	114	60.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	40.9375	2004
21.01.2020 11:07:24	1	1	1	1	114	60.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	40.5	2004
21.01.2020 11:07:25	1	1	1	1	114	60.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
21.01.2020 11:07:26	1	1	1	1	114	60.75	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	41	2004
21.01.2020 11:07:27	1	1	1	1	114	61	0	27582.938	580.6451613	16193.29764	30000	0	0	30000	40.8125	2004
21.01.2020 11:07:28	1	1	1	1	114	60.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	41.125	2004
21.01.2020 11:07:29	1	1	1	1	114	61	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.5	2004
21.01.2020 11:07:30	1	1	1	1	114	60.5	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	40.375	2004
21.01.2020 11:07:31	1	1	1	1	114	60.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.375	2004
21.01.2020 11:07:32	1	1	1	1	114	61.25	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	40.5625	2004
21.01.2020 11:07:33	1	1	1	1	113.8	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
21.01.2020 11:07:34	1	1	1	1	113.8	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.375	2004
21.01.2020 11:07:35	1	1	1	1	113.8	60.25	0	27440.758	584.9462366	16168.83646	30000	0	0	30000	40.25	2004
21.01.2020 11:07:36	1	1	1	1	113.8	60.25	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	39.75	2004
21.01.2020 11:07:37	1	1	1	1	113.8	59.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	40.875	2004
21.01.2020 11:07:38	1	1	1	1	113.8	60.75	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	40.375	2004
21.01.2020 11:07:39	1	1	1	1	113.8	60.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.3125	2004
21.01.2020 11:07:40	1	1	1	1	113.8	60.25	0	27582.938	582.7956989	15756.25798	30000	0	0	30000	41.0625	2004
21.01.2020 11:07:41	1	1	1	1	113.8	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
21.01.2020 11:07:47	1	1	1	1	113	60	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	41.0625	2004
21.01.2020 11:07:47	1	1	1	1	113	60	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	41.0625	2004
21.01.2020 11:07:47	1	1	1	1	113	60	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	41.0625	2004
21.01.2020 11:07:47	1	1	1	1	113	60	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	41.0625	2004
21.01.2020 11:07:47	1	1	1	1	113	60	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	41.0625	2004
21.01.2020 11:07:47	1	1	1	1	113	60	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	41.0625	2004
21.01.2020 11:07:47	1	1	1	1	113	60	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	41.0625	2004
21.01.2020 11:07:48	1	1	1	1	113	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41	2004
21.01.2020 11:07:49	1	1	1	1	113	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.625	2004
21.01.2020 11:07:50	1	1	1	1	113	60.5	0	27440.758	576.344086	16047.34596	30000	0	0	30000	40.9375	2004
21.01.2020 11:07:51	1	1	1	1	113	60.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.25	2004
21.01.2020 11:07:52	1	1	1	1	112.8	61.25	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	40.625	2004
21.01.2020 11:07:53	1	1	1	1	112.8	60.5	0	27867.299	582.7956989	16212.86658	30000	0	0	30000	40.5	2004
21.01.2020 11:07:54	1	1	1	1	112.8	60.5	0	27630.332	578.4946237	16332.72633	30000	0	0	30000	40.9375	2004
21.01.2020 11:07:55	1	1	1	1	112.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.875	2004
21.01.2020 11:07:56	1	1	1	1	112.8	60.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	40.8125	2004
21.01.2020 11:07:57	1	1	1	1	112.8	60.75	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	41.0625	2004
21.01.2020 11:07:58	1	1	1	1	112.8	61	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	41.0625	2004
21.01.2020 11:08:00	1	1	1	1	112.8	61	0	27630.332	576.344086	16153.34439	30000	0	0	30000	41	2004
21.01.2020 11:08:01	1	1	1	1	112.8	61	0	27535.545	578.4946237	16075.06863	30000	0	0	30000	41.0625	2004
21.01.2020 11:08:02	1	1	1	1	112.8	61	0	27725.118	580.6451613	15983.74691	30000	0	0	30000	40.9375	2004
21.01.2020 11:08:03	1	1	1	1	113.3	60.75	0	27819.905	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
21.01.2020 11:08:04	1	1	1	1	113.3	60.75	0	27440.758	580.6451613	15819.04167	30000	0	0	30000	40.9375	2004
21.01.2020 11:08:05	1	1	1	1	113.3	60.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:08:06	1	1	1	1	113.3	61	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	40.4375	2004
21.01.2020 11:08:07	1	1	1	1	113.3	60.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.8125	2004
21.01.2020 11:08:08	1	1	1	1	113.3	60.75	0	27440.758	574.1935484	15933.19381	30000	0	0	30000	41	2004
21.01.2020 11:08:09	1	1	1	1	113.3	61	0	27345.972	576.344086	15991.90063	30000	0	0	30000	41.125	2004
21.01.2020 11:08:10	1	1	1	1	113.3	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.0625	2004
21.01.2020 11:08:11	1	1	1	1	113.3	61	0	27582.938	580.6451613	16280.54249	30000	0	0	30000	40.875	2004
21.01.2020 11:08:12	1	1	1	1	113.3	60.75	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	40.9375	2004
21.01.2020 11:08:13	1	1	1	1	113.5	60.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	40.875	2004
21.01.2020 11:08:14	1	1	1	1	113.5	60.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	41.0625	2004
21.01.2020 11:08:15	1	1	1	1	113.5	61	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	40.5	2004
21.01.2020 11:08:16	1	1	1	1	113.5	60.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.8125	2004
21.01.2020 11:08:17	1	1	1	1	113.5	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.125	2004
21.01.2020 11:08:18	1	1	1	1	113.5	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.125	2004
21.01.2020 11:08:19	1	1	1	1	113.5	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.25	2004
21.01.2020 11:08:20	1	1	1	1	113.5	61.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.5	2004
21.01.2020 11:08:21	1	1	1	1	113.5	60.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.125	2004
21.01.2020 11:08:22	1	1	1	1	113.8	61	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41	2004
21.01.2020 11:08:23	1	1	1	1	113.8	61	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	40.8125	2004
21.01.2020 11:08:24	1	1	1	1	113.8	60.75	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	41	2004
21.01.2020 11:08:25	1	1	1	1	113.8	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
21.01.2020 11:08:26	1	1	1	1	113.8	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.125	2004
21.01.2020 11:08:27	1	1	1	1	113.8	61	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	40.9375	2004
21.01.2020 11:08:28	1	1	1	1	113.8	60.75	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	41	2004
21.01.2020 11:08:29	1	1	1	1	113.8	61	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.875	2004
21.01.2020 11:08:30	1	1	1	1	113.8	60.75	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	41.0625	2004
21.01.2020 11:08:31	1	1	1	1	113.8	61	0	27867.299	578.4946237	16181.06705	30000	0	0	30000	40.9375	2004
21.01.2020 11:08:32	1	1	1	1	114	60.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.375	2004
21.01.2020 11:08:33	1	1	1	1	114	60.25	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	41.25	2004
21.01.2020 11:08:34	1	1	1	1	114	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.25	2004
21.01.2020 11:08:35	1	1	1	1	114	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
21.01.2020 11:08:36	1	1	1	1	114	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.875	2004
21.01.2020 11:08:38	1	1	1	1	114	60.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.75	2004
21.01.2020 11:08:39	1	1	1	1	114	60.75	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	41.25	2004
21.01.2020 11:08:40	1	1	1	1	114	61.25	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	41.0625	2004
21.01.2020 11:08:41	1	1	1	1	114	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.1875	2004
21.01.2020 11:08:42	1	1	1	1	114	61	0	27772.512	574.1935484	16033.48463	30000	0	0	30000	41.0625	2004
21.01.2020 11:08:43	1	1	1	1	114.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
21.01.2020 11:08:49	1	1	1	1	114.5	60	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.25	2004
21.01.2020 11:08:49	1	1	1	1	114.5	60	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.25	2004
21.01.2020 11:08:49	1	1	1	1	114.5	60	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.25	2004
21.01.2020 11:08:49	1	1	1	1	114.5	60	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.25	2004
21.01.2020 11:08:49	1	1	1	1	114.5	60	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.25	2004
21.01.2020 11:08:49	1	1	1	1	114.5	60	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:08:50	1	1	1	1	114.5	61.25	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41	2004
21.01.2020 11:08:51	1	1	1	1	114.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
21.01.2020 11:08:52	1	1	1	1	114.5	61	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	41.375	2004
21.01.2020 11:08:53	1	1	1	1	115	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.6875	2004
21.01.2020 11:08:54	1	1	1	1	115	60.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.25	2004
21.01.2020 11:08:55	1	1	1	1	115	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.3125	2004
21.01.2020 11:08:56	1	1	1	1	115	61.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.25	2004
21.01.2020 11:08:57	1	1	1	1	115	61.25	0	27440.758	578.4946237	15819.04167	30000	0	0	30000	40.875	2004
21.01.2020 11:08:58	1	1	1	1	115	60.75	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	41.3125	2004
21.01.2020 11:08:59	1	1	1	1	115	61.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.3125	2004
21.01.2020 11:09:00	1	1	1	1	115	61.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.1875	2004
21.01.2020 11:09:01	1	1	1	1	115	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.6875	2004
21.01.2020 11:09:02	1	1	1	1	114.8	60.5	0	27630.332	576.344086	16043.2691	30000	0	0	30000	41.1875	2004
21.01.2020 11:09:03	1	1	1	1	114.8	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.3125	2004
21.01.2020 11:09:04	1	1	1	1	114.8	61.25	0	27630.332	580.6451613	16221.0203	30000	0	0	30000	40.1875	2004
21.01.2020 11:09:05	1	1	1	1	114.8	60	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	40.4375	2004
21.01.2020 11:09:06	1	1	1	1	114.8	60.25	0	27440.758	580.6451613	15696.73579	30000	0	0	30000	40.8125	2004
21.01.2020 11:09:07	1	1	1	1	114.8	60.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	40.5625	2004
21.01.2020 11:09:08	1	1	1	1	114.8	60.5	0	27582.938	576.344086	15956.02424	30000	0	0	30000	41.3125	2004
21.01.2020 11:09:09	1	1	1	1	114.8	61.25	0	27535.545	576.344086	16075.06863	30000	0	0	30000	41.1875	2004
21.01.2020 11:09:10	1	1	1	1	114.8	61	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	41.0625	2004
21.01.2020 11:09:11	1	1	1	1	114.8	61	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	41	2004
21.01.2020 11:09:12	1	1	1	1	114	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.25	2004
21.01.2020 11:09:13	1	1	1	1	114	61.25	0	27582.938	580.6451613	16221.0203	30000	0	0	30000	41.25	2004
21.01.2020 11:09:14	1	1	1	1	114	61.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.0625	2004
21.01.2020 11:09:15	1	1	1	1	114	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.5	2004
21.01.2020 11:09:17	1	1	1	1	114	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.0625	2004
21.01.2020 11:09:18	1	1	1	1	114	61	0	27582.938	576.344086	15983.74691	30000	0	0	30000	40.375	2004
21.01.2020 11:09:19	1	1	1	1	114	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
21.01.2020 11:09:20	1	1	1	1	114	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
21.01.2020 11:09:21	1	1	1	1	114	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.9375	2004
21.01.2020 11:09:22	1	1	1	1	114	60.75	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	41.25	2004
21.01.2020 11:09:23	1	1	1	1	114.3	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.25	2004
21.01.2020 11:09:24	1	1	1	1	114.3	61.25	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	41.375	2004
21.01.2020 11:09:25	1	1	1	1	114.3	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
21.01.2020 11:09:26	1	1	1	1	114.3	60.5	0	27630.332	580.6451613	16273.20414	30000	0	0	30000	41.1875	2004
21.01.2020 11:09:27	1	1	1	1	114.3	61	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:28	1	1	1	1	114.3	61.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.9375	2004
21.01.2020 11:09:29	1	1	1	1	114.3	60.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.5625	2004
21.01.2020 11:09:30	1	1	1	1	114.3	61.5	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:31	1	1	1	1	114.3	61.25	0	27582.938	582.7956989	15873.67162	30000	0	0	30000	39.9375	2004
21.01.2020 11:09:32	1	1	1	1	114.3	59.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.1875	2004
21.01.2020 11:09:33	1	1	1	1	113.8	61.25	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:09:34	1	1	1	1	113.8	61.25	0	27582.938	576.344086	15897.31742	30000	0	0	30000	41.1875	2004
21.01.2020 11:09:35	1	1	1	1	113.8	61	0	27582.938	576.344086	15837.79523	30000	0	0	30000	41.3125	2004
21.01.2020 11:09:36	1	1	1	1	113.8	61.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.875	2004
21.01.2020 11:09:37	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
21.01.2020 11:09:38	1	1	1	1	113.8	60.5	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	41.375	2004
21.01.2020 11:09:39	1	1	1	1	113.8	61.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.25	2004
21.01.2020 11:09:40	1	1	1	1	113.8	61.25	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	40.8125	2004
21.01.2020 11:09:41	1	1	1	1	113.8	60.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.25	2004
21.01.2020 11:09:42	1	1	1	1	114.5	61.25	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	41.3125	2004
21.01.2020 11:09:43	1	1	1	1	114.5	61.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	41.125	2004
21.01.2020 11:09:44	1	1	1	1	114.5	61	0	27867.299	584.9462366	15924.22472	30000	0	0	30000	40.0625	2004
21.01.2020 11:09:50	1	1	1	1	114.5	61	0	27725.118	580.6451613	16093.00682	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:50	1	1	1	1	114.5	61	0	27725.118	580.6451613	16093.00682	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:50	1	1	1	1	114.5	61	0	27725.118	580.6451613	16093.00682	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:50	1	1	1	1	114.5	61	0	27725.118	580.6451613	16093.00682	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:50	1	1	1	1	114.5	61	0	27725.118	580.6451613	16093.00682	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:50	1	1	1	1	114.5	61	0	27725.118	580.6451613	16093.00682	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:50	1	1	1	1	114.5	61	0	27725.118	580.6451613	16093.00682	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:51	1	1	1	1	114.5	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.0625	2004
21.01.2020 11:09:52	1	1	1	1	114.5	61	0	27630.332	569.8924731	15946.23977	30000	0	0	30000	41.3125	2004
21.01.2020 11:09:53	1	1	1	1	114.5	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.4375	2004
21.01.2020 11:09:54	1	1	1	1	114.5	61.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	41.125	2004
21.01.2020 11:09:55	1	1	1	1	114.5	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.25	2004
21.01.2020 11:09:57	1	1	1	1	114.5	61.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.5625	2004
21.01.2020 11:09:58	1	1	1	1	114.5	60.5	0	27630.332	589.2473118	16162.31348	30000	0	0	30000	40.9375	2004
21.01.2020 11:09:59	1	1	1	1	114.5	60.75	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
21.01.2020 11:10:00	1	1	1	1	114.5	61.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.125	2004
21.01.2020 11:10:01	1	1	1	1	114.5	61	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	41.4375	2004
21.01.2020 11:10:02	1	1	1	1	114.5	61.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	41.4375	2004
21.01.2020 11:10:03	1	1	1	1	114	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
21.01.2020 11:10:04	1	1	1	1	114	60.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	41	2004
21.01.2020 11:10:05	1	1	1	1	114	61	0	27819.905	584.9462366	15983.74691	30000	0	0	30000	41.1875	2004
21.01.2020 11:10:06	1	1	1	1	114	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.25	2004
21.01.2020 11:10:07	1	1	1	1	114	61.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41	2004
21.01.2020 11:10:08	1	1	1	1	114	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41	2004
21.01.2020 11:10:09	1	1	1	1	114	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
21.01.2020 11:10:10	1	1	1	1	114	61	0	27440.758	574.1935484	15584.21439	30000	0	0	30000	41.125	2004
21.01.2020 11:10:11	1	1	1	1	114	61	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.5625	2004
21.01.2020 11:10:12	1	1	1	1	114	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.25	2004
21.01.2020 11:10:13	1	1	1	1	113.8	61.25	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	41.3125	2004
21.01.2020 11:10:14	1	1	1	1	113.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.5	2004
21.01.2020 11:10:15	1	1	1	1	113.8	60.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.25	2004
21.01.2020 11:10:16	1	1	1	1	113.8	61.25	0	27535.545	582.7956989	15873.67162	30000	0	0	30000	41.375	2004
21.01.2020 11:10:17	1	1	1	1	113.8	61.25	0	27630.332	587.0967742	16221.0203	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:10:18	1	1	1	1	113.8	61.25	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	41.25	2004
21.01.2020 11:10:19	1	1	1	1	113.8	61.25	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41.375	2004
21.01.2020 11:10:20	1	1	1	1	113.8	61.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41	2004
21.01.2020 11:10:21	1	1	1	1	113.8	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.25	2004
21.01.2020 11:10:22	1	1	1	1	113.5	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.6875	2004
21.01.2020 11:10:23	1	1	1	1	113.5	60.5	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	41.25	2004
21.01.2020 11:10:24	1	1	1	1	113.5	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.1875	2004
21.01.2020 11:10:25	1	1	1	1	113.5	61	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.1875	2004
21.01.2020 11:10:26	1	1	1	1	113.5	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.375	2004
21.01.2020 11:10:27	1	1	1	1	113.5	61.25	0	27582.938	582.7956989	16134.59082	30000	0	0	30000	41.5625	2004
21.01.2020 11:10:28	1	1	1	1	113.5	61.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.9375	2004
21.01.2020 11:10:29	1	1	1	1	113.5	60.75	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	40.8125	2004
21.01.2020 11:10:30	1	1	1	1	113.5	60.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.375	2004
21.01.2020 11:10:31	1	1	1	1	113.5	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.25	2004
21.01.2020 11:10:32	1	1	1	1	113	61.25	0	27535.545	582.7956989	16106.86815	30000	0	0	30000	41.5	2004
21.01.2020 11:10:33	1	1	1	1	113	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40.9375	2004
21.01.2020 11:10:34	1	1	1	1	113	60.75	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	41.5	2004
21.01.2020 11:10:36	1	1	1	1	113	61.5	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	41.25	2004
21.01.2020 11:10:37	1	1	1	1	113	61.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.4375	2004
21.01.2020 11:10:38	1	1	1	1	113	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.1875	2004
21.01.2020 11:10:39	1	1	1	1	113	61	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	41.3125	2004
21.01.2020 11:10:40	1	1	1	1	113	61.25	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	41.375	2004
21.01.2020 11:10:41	1	1	1	1	113	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.4375	2004
21.01.2020 11:10:42	1	1	1	1	113	61.25	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	41.25	2004
21.01.2020 11:10:43	1	1	1	1	112.8	61.25	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	40.9375	2004
21.01.2020 11:10:44	1	1	1	1	112.8	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
21.01.2020 11:10:45	1	1	1	1	112.8	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.3125	2004
21.01.2020 11:10:46	1	1	1	1	112.8	61.25	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	40.75	2004
21.01.2020 11:10:52	1	1	1	1	112.8	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.75	2004
21.01.2020 11:10:52	1	1	1	1	112.8	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.75	2004
21.01.2020 11:10:52	1	1	1	1	112.8	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.75	2004
21.01.2020 11:10:52	1	1	1	1	112.8	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.75	2004
21.01.2020 11:10:52	1	1	1	1	112.8	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.75	2004
21.01.2020 11:10:52	1	1	1	1	112.8	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.75	2004
21.01.2020 11:10:53	1	1	1	1	112.8	60.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.8125	2004
21.01.2020 11:10:54	1	1	1	1	112.8	60.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.375	2004
21.01.2020 11:10:55	1	1	1	1	112.8	61.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	41.5625	2004
21.01.2020 11:10:56	1	1	1	1	112.8	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.3125	2004
21.01.2020 11:10:57	1	1	1	1	112.8	61.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	41.1875	2004
21.01.2020 11:10:58	1	1	1	1	112.8	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.3125	2004
21.01.2020 11:10:59	1	1	1	1	112.8	61.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.4375	2004
21.01.2020 11:11:00	1	1	1	1	112.8	61.25	0	27867.299	584.9462366	16181.06705	30000	0	0	30000	41.375	2004
21.01.2020 11:11:01	1	1	1	1	112.8	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:11:02	1	1	1	1	113.3	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.4375	2004
21.01.2020 11:11:03	1	1	1	1	113.3	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.5	2004
21.01.2020 11:11:04	1	1	1	1	113.3	61.5	0	27630.332	582.7956989	15956.02424	30000	0	0	30000	41.125	2004
21.01.2020 11:11:05	1	1	1	1	113.3	61	0	27582.938	580.6451613	15897.31742	30000	0	0	30000	40.875	2004
21.01.2020 11:11:06	1	1	1	1	113.3	60.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.4375	2004
21.01.2020 11:11:07	1	1	1	1	113.3	61.25	0	27535.545	578.4946237	15814.9648	30000	0	0	30000	41.4375	2004
21.01.2020 11:11:08	1	1	1	1	113.3	61.25	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	41.4375	2004
21.01.2020 11:11:09	1	1	1	1	113.3	61.25	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	41.5	2004
21.01.2020 11:11:10	1	1	1	1	113.3	61.5	0	27440.758	572.0430108	16075.06863	30000	0	0	30000	41.25	2004
21.01.2020 11:11:11	1	1	1	1	113.3	61.25	0	27630.332	582.7956989	15956.02424	30000	0	0	30000	41.3125	2004
21.01.2020 11:11:12	1	1	1	1	113	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.6875	2004
21.01.2020 11:11:13	1	1	1	1	113	60.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.0625	2004
21.01.2020 11:11:15	1	1	1	1	113	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.125	2004
21.01.2020 11:11:16	1	1	1	1	113	61	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41	2004
21.01.2020 11:11:17	1	1	1	1	113	61	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.6875	2004
21.01.2020 11:11:18	1	1	1	1	113	60.5	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	40.8125	2004
21.01.2020 11:11:19	1	1	1	1	113	60.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.8125	2004
21.01.2020 11:11:20	1	1	1	1	113	60.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:11:21	1	1	1	1	113	61.5	0	27345.972	572.0430108	15933.19381	30000	0	0	30000	41.25	2004
21.01.2020 11:11:22	1	1	1	1	113	61.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41	2004
21.01.2020 11:11:23	1	1	1	1	111	61	0	27440.758	576.344086	15933.19381	30000	0	0	30000	41.5625	2004
21.01.2020 11:11:24	1	1	1	1	111	61.5	0	27630.332	582.7956989	16075.06863	30000	0	0	30000	41.4375	2004
21.01.2020 11:11:25	1	1	1	1	111	61.25	0	27393.365	584.9462366	15991.90063	30000	0	0	30000	40.9375	2004
21.01.2020 11:11:26	1	1	1	1	111	60.75	0	27345.972	582.7956989	15933.19381	30000	0	0	30000	41.375	2004
21.01.2020 11:11:27	1	1	1	1	111	61.25	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	41.625	2004
21.01.2020 11:11:28	1	1	1	1	111	61.5	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	41.1875	2004
21.01.2020 11:11:29	1	1	1	1	111	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.1875	2004
21.01.2020 11:11:30	1	1	1	1	111	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.75	2004
21.01.2020 11:11:31	1	1	1	1	111	61.5	0	27582.938	589.2473118	15991.90063	30000	0	0	30000	41.4375	2004
21.01.2020 11:11:32	1	1	1	1	111.3	61.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	41.1875	2004
21.01.2020 11:11:33	1	1	1	1	111.3	61	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.6875	2004
21.01.2020 11:11:34	1	1	1	1	111.3	61.5	0	27630.332	589.2473118	16134.59082	30000	0	0	30000	41.25	2004
21.01.2020 11:11:35	1	1	1	1	111.3	61.25	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	41	2004
21.01.2020 11:11:36	1	1	1	1	111.3	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.0625	2004
21.01.2020 11:11:37	1	1	1	1	111.3	61	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.3125	2004
21.01.2020 11:11:38	1	1	1	1	111.3	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.9375	2004
21.01.2020 11:11:39	1	1	1	1	111.3	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.375	2004
21.01.2020 11:11:40	1	1	1	1	111.3	61.25	0	27535.545	582.7956989	16134.59082	30000	0	0	30000	41.5	2004
21.01.2020 11:11:41	1	1	1	1	111.3	61.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.4375	2004
21.01.2020 11:11:42	1	1	1	1	110.8	61.25	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.3125	2004
21.01.2020 11:11:43	1	1	1	1	110.8	61.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.625	2004
21.01.2020 11:11:44	1	1	1	1	110.8	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.5	2004
21.01.2020 11:11:45	1	1	1	1	110.8	61.5	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:11:46	1	1	1	1	110.8	61.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.25	2004
21.01.2020 11:11:47	1	1	1	1	110.8	61.25	0	27440.758	582.7956989	16047.34596	30000	0	0	30000	41.25	2004
21.01.2020 11:11:54	1	1	1	1	111	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:11:54	1	1	1	1	111	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:11:54	1	1	1	1	111	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:11:54	1	1	1	1	111	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:11:54	1	1	1	1	111	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:11:54	1	1	1	1	111	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:11:55	1	1	1	1	111	61.5	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:11:56	1	1	1	1	111	61.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	41.625	2004
21.01.2020 11:11:57	1	1	1	1	111	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.3125	2004
21.01.2020 11:11:58	1	1	1	1	111	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.375	2004
21.01.2020 11:11:59	1	1	1	1	111	61.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	41.1875	2004
21.01.2020 11:12:00	1	1	1	1	111	61	0	27582.938	580.6451613	16134.59082	30000	0	0	30000	41.5	2004
21.01.2020 11:12:01	1	1	1	1	111	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.0625	2004
21.01.2020 11:12:02	1	1	1	1	111	61	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.375	2004
21.01.2020 11:12:03	1	1	1	1	110.8	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5	2004
21.01.2020 11:12:04	1	1	1	1	110.8	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.1875	2004
21.01.2020 11:12:05	1	1	1	1	110.8	61	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	41.625	2004
21.01.2020 11:12:06	1	1	1	1	110.8	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5625	2004
21.01.2020 11:12:07	1	1	1	1	110.8	61.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.75	2004
21.01.2020 11:12:08	1	1	1	1	110.8	61.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.625	2004
21.01.2020 11:12:09	1	1	1	1	110.8	61.75	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	41.625	2004
21.01.2020 11:12:10	1	1	1	1	110.8	61.5	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	41.625	2004
21.01.2020 11:12:11	1	1	1	1	110.8	61.5	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	41.5	2004
21.01.2020 11:12:12	1	1	1	1	110.8	61.5	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	41.4375	2004
21.01.2020 11:12:13	1	1	1	1	110.8	61.25	0	27630.332	584.9462366	15956.02424	30000	0	0	30000	41.25	2004
21.01.2020 11:12:14	1	1	1	1	110.8	61.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.625	2004
21.01.2020 11:12:15	1	1	1	1	110.8	61.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.3125	2004
21.01.2020 11:12:16	1	1	1	1	110.8	61.25	0	27630.332	587.0967742	16043.2691	30000	0	0	30000	41.8125	2004
21.01.2020 11:12:17	1	1	1	1	110.8	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.5625	2004
21.01.2020 11:12:18	1	1	1	1	110.8	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.625	2004
21.01.2020 11:12:19	1	1	1	1	110.8	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.125	2004
21.01.2020 11:12:20	1	1	1	1	110.8	61	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	40.5625	2004
21.01.2020 11:12:21	1	1	1	1	110.8	60.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.3125	2004
21.01.2020 11:12:22	1	1	1	1	109.8	61.25	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	41.1875	2004
21.01.2020 11:12:23	1	1	1	1	109.8	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
21.01.2020 11:12:24	1	1	1	1	109.8	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.3125	2004
21.01.2020 11:12:25	1	1	1	1	109.8	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41	2004
21.01.2020 11:12:26	1	1	1	1	109.8	61	0	27440.758	584.9462366	15819.04167	30000	0	0	30000	40.1875	2004
21.01.2020 11:12:27	1	1	1	1	109.8	60	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
21.01.2020 11:12:28	1	1	1	1	109.8	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.6875	2004
21.01.2020 11:12:30	1	1	1	1	109.8	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:12:31	1	1	1	1	109.8	61.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.4375	2004
21.01.2020 11:12:32	1	1	1	1	109.8	61.25	0	27535.545	584.9462366	16047.34596	30000	0	0	30000	41.375	2004
21.01.2020 11:12:33	1	1	1	1	109.8	61.25	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	41.625	2004
21.01.2020 11:12:34	1	1	1	1	109.8	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.6875	2004
21.01.2020 11:12:35	1	1	1	1	109.8	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.5	2004
21.01.2020 11:12:36	1	1	1	1	109.8	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
21.01.2020 11:12:37	1	1	1	1	109.8	61.75	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	41.125	2004
21.01.2020 11:12:38	1	1	1	1	109.8	61	0	27440.758	580.6451613	15987.82377	30000	0	0	30000	41.6875	2004
21.01.2020 11:12:39	1	1	1	1	109.8	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.25	2004
21.01.2020 11:12:40	1	1	1	1	109.8	61.25	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.6875	2004
21.01.2020 11:12:41	1	1	1	1	109.8	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
21.01.2020 11:12:42	1	1	1	1	109.8	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
21.01.2020 11:12:43	1	1	1	1	109.5	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.125	2004
21.01.2020 11:12:44	1	1	1	1	109.5	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
21.01.2020 11:12:45	1	1	1	1	109.5	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.25	2004
21.01.2020 11:12:46	1	1	1	1	109.5	61.25	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	41.5	2004
21.01.2020 11:12:47	1	1	1	1	109.5	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.625	2004
21.01.2020 11:12:48	1	1	1	1	109.5	60.5	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	41.4375	2004
21.01.2020 11:12:49	1	1	1	1	109.5	61.25	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.4375	2004
21.01.2020 11:12:55	1	1	1	1	109	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.625	2004
21.01.2020 11:12:55	1	1	1	1	109	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.625	2004
21.01.2020 11:12:55	1	1	1	1	109	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.625	2004
21.01.2020 11:12:55	1	1	1	1	109	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.625	2004
21.01.2020 11:12:55	1	1	1	1	109	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.625	2004
21.01.2020 11:12:55	1	1	1	1	109	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.625	2004
21.01.2020 11:12:56	1	1	1	1	109	61.5	0	27582.938	576.344086	15897.31742	30000	0	0	30000	41.625	2004
21.01.2020 11:12:57	1	1	1	1	109	61.5	0	27630.332	580.6451613	16038.37687	30000	0	0	30000	41	2004
21.01.2020 11:12:58	1	1	1	1	109	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5	2004
21.01.2020 11:12:59	1	1	1	1	109	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.375	2004
21.01.2020 11:13:00	1	1	1	1	109	61.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
21.01.2020 11:13:01	1	1	1	1	109	61.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.5625	2004
21.01.2020 11:13:02	1	1	1	1	110	61.5	0	27630.332	584.9462366	16221.0203	30000	0	0	30000	40.75	2004
21.01.2020 11:13:03	1	1	1	1	110	60.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.4375	2004
21.01.2020 11:13:04	1	1	1	1	110	61.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41	2004
21.01.2020 11:13:05	1	1	1	1	110	61	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.875	2004
21.01.2020 11:13:06	1	1	1	1	110	61.75	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	40.75	2004
21.01.2020 11:13:07	1	1	1	1	110	60.75	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	41.75	2004
21.01.2020 11:13:09	1	1	1	1	110	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.625	2004
21.01.2020 11:13:10	1	1	1	1	110	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.4375	2004
21.01.2020 11:13:11	1	1	1	1	110	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
21.01.2020 11:13:12	1	1	1	1	110	61.5	0	27535.545	584.9462366	16110.12964	30000	0	0	30000	41.5625	2004
21.01.2020 11:13:13	1	1	1	1	110.5	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.25	2004
21.01.2020 11:13:14	1	1	1	1	110.5	61.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:13:15	1	1	1	1	110.5	61.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.1875	2004
21.01.2020 11:13:16	1	1	1	1	110.5	61	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:17	1	1	1	1	110.5	61.75	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	41.5	2004
21.01.2020 11:13:18	1	1	1	1	110.5	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.3125	2004
21.01.2020 11:13:19	1	1	1	1	110.5	61.25	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	41.6875	2004
21.01.2020 11:13:20	1	1	1	1	110.5	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.75	2004
21.01.2020 11:13:21	1	1	1	1	110.5	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:22	1	1	1	1	110.5	61.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	41.875	2004
21.01.2020 11:13:23	1	1	1	1	110.8	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.5625	2004
21.01.2020 11:13:24	1	1	1	1	110.8	61.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.25	2004
21.01.2020 11:13:25	1	1	1	1	110.8	61.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.75	2004
21.01.2020 11:13:26	1	1	1	1	110.8	60.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42	2004
21.01.2020 11:13:27	1	1	1	1	110.8	62	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:28	1	1	1	1	110.8	61.75	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	41.75	2004
21.01.2020 11:13:29	1	1	1	1	110.8	61.75	0	27535.545	584.9462366	16075.06863	30000	0	0	30000	41	2004
21.01.2020 11:13:30	1	1	1	1	110.8	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:31	1	1	1	1	110.8	61.75	0	27582.938	587.0967742	15991.90063	30000	0	0	30000	41.5625	2004
21.01.2020 11:13:32	1	1	1	1	111.5	61.5	0	27535.545	578.4946237	16075.06863	30000	0	0	30000	41.6875	2004
21.01.2020 11:13:33	1	1	1	1	111.5	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
21.01.2020 11:13:34	1	1	1	1	111.5	61.5	0	27345.972	578.4946237	15936.4553	30000	0	0	30000	41.625	2004
21.01.2020 11:13:35	1	1	1	1	111.5	61.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.5625	2004
21.01.2020 11:13:36	1	1	1	1	111.5	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
21.01.2020 11:13:37	1	1	1	1	111.5	61.5	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
21.01.2020 11:13:38	1	1	1	1	111.5	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.0625	2004
21.01.2020 11:13:39	1	1	1	1	111.5	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41	2004
21.01.2020 11:13:40	1	1	1	1	111.5	61	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.75	2004
21.01.2020 11:13:41	1	1	1	1	111.5	61.75	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	41.625	2004
21.01.2020 11:13:42	1	1	1	1	111.5	61.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.5	2004
21.01.2020 11:13:43	1	1	1	1	111.5	61.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	41.625	2004
21.01.2020 11:13:44	1	1	1	1	111.5	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:13:45	1	1	1	1	111.5	61.5	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	41.875	2004
21.01.2020 11:13:47	1	1	1	1	111.5	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.5	2004
21.01.2020 11:13:48	1	1	1	1	111.5	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.875	2004
21.01.2020 11:13:49	1	1	1	1	111.5	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.875	2004
21.01.2020 11:13:50	1	1	1	1	111.5	61.75	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	41.9375	2004
21.01.2020 11:13:51	1	1	1	1	111.5	61.75	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	41.625	2004
21.01.2020 11:13:57	1	1	1	1	111.8	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:57	1	1	1	1	111.8	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:57	1	1	1	1	111.8	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:57	1	1	1	1	111.8	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:57	1	1	1	1	111.8	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:57	1	1	1	1	111.8	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
21.01.2020 11:13:58	1	1	1	1	111.8	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:13:59	1	1	1	1	111.8	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.75	2004
21.01.2020 11:14:00	1	1	1	1	111.8	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.6875	2004
21.01.2020 11:14:01	1	1	1	1	111.8	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
21.01.2020 11:14:02	1	1	1	1	111.8	61.75	0	27535.545	582.7956989	16106.86815	30000	0	0	30000	42	2004
21.01.2020 11:14:03	1	1	1	1	112.5	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
21.01.2020 11:14:04	1	1	1	1	112.5	62	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.4375	2004
21.01.2020 11:14:05	1	1	1	1	112.5	62	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	41.75	2004
21.01.2020 11:14:06	1	1	1	1	112.5	61.75	0	27345.972	578.4946237	15991.90063	30000	0	0	30000	41.8125	2004
21.01.2020 11:14:07	1	1	1	1	112.5	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
21.01.2020 11:14:08	1	1	1	1	112.5	61.75	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	41.25	2004
21.01.2020 11:14:09	1	1	1	1	112.5	61.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.25	2004
21.01.2020 11:14:10	1	1	1	1	112.5	61.25	0	27630.332	589.2473118	16193.29764	30000	0	0	30000	41.9375	2004
21.01.2020 11:14:11	1	1	1	1	112.5	61.75	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	39.9375	2004
21.01.2020 11:14:12	1	1	1	1	113	59.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.8125	2004
21.01.2020 11:14:13	1	1	1	1	113	61.75	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.8125	2004
21.01.2020 11:14:14	1	1	1	1	113	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.1875	2004
21.01.2020 11:14:15	1	1	1	1	113	61	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.875	2004
21.01.2020 11:14:16	1	1	1	1	113	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
21.01.2020 11:14:17	1	1	1	1	113	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.9375	2004
21.01.2020 11:14:18	1	1	1	1	113	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42	2004
21.01.2020 11:14:19	1	1	1	1	113	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.875	2004
21.01.2020 11:14:20	1	1	1	1	113	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.5625	2004
21.01.2020 11:14:21	1	1	1	1	113	59.5	0	27345.972	582.7956989	15991.90063	30000	0	0	30000	41.8125	2004
21.01.2020 11:14:22	1	1	1	1	113	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.875	2004
21.01.2020 11:14:23	1	1	1	1	113	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.3125	2004
21.01.2020 11:14:25	1	1	1	1	113	61.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.9375	2004
21.01.2020 11:14:26	1	1	1	1	113	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
21.01.2020 11:14:27	1	1	1	1	113	61.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	40.9375	2004
21.01.2020 11:14:28	1	1	1	1	113	60.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.9375	2004
21.01.2020 11:14:29	1	1	1	1	113	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.9375	2004
21.01.2020 11:14:30	1	1	1	1	113	61.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.6875	2004
21.01.2020 11:14:31	1	1	1	1	113	61.5	0	27440.758	580.6451613	15929.11695	30000	0	0	30000	41.9375	2004
21.01.2020 11:14:32	1	1	1	1	113	61.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
21.01.2020 11:14:33	1	1	1	1	113.5	61.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.125	2004
21.01.2020 11:14:34	1	1	1	1	113.5	62	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	42.0625	2004
21.01.2020 11:14:35	1	1	1	1	113.5	62	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	41.5625	2004
21.01.2020 11:14:36	1	1	1	1	113.5	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
21.01.2020 11:14:37	1	1	1	1	113.5	61.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.25	2004
21.01.2020 11:14:38	1	1	1	1	113.5	61.25	0	27440.758	578.4946237	15756.25798	30000	0	0	30000	41.9375	2004
21.01.2020 11:14:39	1	1	1	1	113.5	61.75	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	41.625	2004
21.01.2020 11:14:40	1	1	1	1	113.5	61.5	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	42.1875	2004
21.01.2020 11:14:41	1	1	1	1	113.5	62	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	42.1875	2004
21.01.2020 11:14:42	1	1	1	1	113.5	62	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:14:43	1	1	1	1	113.5	61.5	0	27962.085	576.344086	16055.49969	30000	0	0	30000	41.9375	2004
21.01.2020 11:14:44	1	1	1	1	113.5	61.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.5625	2004
21.01.2020 11:14:45	1	1	1	1	113.5	61.5	0	28009.479	576.344086	16022.06942	30000	0	0	30000	41.6875	2004
21.01.2020 11:14:46	1	1	1	1	113.5	61.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.25	2004
21.01.2020 11:14:47	1	1	1	1	113.5	61.25	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	41.9375	2004
21.01.2020 11:14:48	1	1	1	1	113.5	61.75	0	27819.905	574.1935484	15913.62487	30000	0	0	30000	41.875	2004
21.01.2020 11:14:49	1	1	1	1	113.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
21.01.2020 11:14:50	1	1	1	1	113.5	61.75	0	27772.512	576.344086	16033.48463	30000	0	0	30000	41.5625	2004
21.01.2020 11:14:51	1	1	1	1	113.5	61.5	0	27819.905	576.344086	16212.86658	30000	0	0	30000	41.5	2004
21.01.2020 11:14:52	1	1	1	1	113.3	61.5	0	27962.085	576.344086	16055.49969	30000	0	0	30000	41.875	2004
21.01.2020 11:14:59	1	1	1	1	113.3	61	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	42	2004
21.01.2020 11:14:59	1	1	1	1	113.3	61	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	42	2004
21.01.2020 11:14:59	1	1	1	1	113.3	61	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	42	2004
21.01.2020 11:14:59	1	1	1	1	113.3	61	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	42	2004
21.01.2020 11:14:59	1	1	1	1	113.3	61	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	42	2004
21.01.2020 11:14:59	1	1	1	1	113.3	62	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	42	2004
21.01.2020 11:15:00	1	1	1	1	113.3	62	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	41.25	2004
21.01.2020 11:15:01	1	1	1	1	113.3	61.25	0	27867.299	565.5913978	15907.91727	30000	0	0	30000	42.1875	2004
21.01.2020 11:15:03	1	1	1	1	114	62	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.9375	2004
21.01.2020 11:15:04	1	1	1	1	114	60.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	42.0625	2004
21.01.2020 11:15:05	1	1	1	1	114	62	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	41.4375	2004
21.01.2020 11:15:06	1	1	1	1	114	61.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.6875	2004
21.01.2020 11:15:07	1	1	1	1	114	61.5	0	27630.332	576.344086	15973.96244	30000	0	0	30000	41.5625	2004
21.01.2020 11:15:08	1	1	1	1	114	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.8125	2004
21.01.2020 11:15:09	1	1	1	1	114	61.75	0	27772.512	578.4946237	16033.48463	30000	0	0	30000	41.625	2004
21.01.2020 11:15:10	1	1	1	1	114	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.9375	2004
21.01.2020 11:15:11	1	1	1	1	114	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
21.01.2020 11:15:12	1	1	1	1	114	61.75	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.625	2004
21.01.2020 11:15:13	1	1	1	1	114.3	61.5	0	27772.512	574.1935484	16093.00682	30000	0	0	30000	41.4375	2004
21.01.2020 11:15:14	1	1	1	1	114.3	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.0625	2004
21.01.2020 11:15:15	1	1	1	1	114.3	62	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.875	2004
21.01.2020 11:15:16	1	1	1	1	114.3	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
21.01.2020 11:15:17	1	1	1	1	114.3	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42	2004
21.01.2020 11:15:18	1	1	1	1	114.3	62	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.9375	2004
21.01.2020 11:15:19	1	1	1	1	114.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
21.01.2020 11:15:20	1	1	1	1	114.3	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.375	2004
21.01.2020 11:15:21	1	1	1	1	114.3	61.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.9375	2004
21.01.2020 11:15:22	1	1	1	1	114.5	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
21.01.2020 11:15:23	1	1	1	1	114.5	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.375	2004
21.01.2020 11:15:24	1	1	1	1	114.5	61.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42	2004
21.01.2020 11:15:25	1	1	1	1	114.5	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.9375	2004
21.01.2020 11:15:26	1	1	1	1	114.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:15:27	1	1	1	1	114.5	61.5	0	27772.512	576.344086	15983.74691	30000	0	0	30000	41.6875	2004
21.01.2020 11:15:28	1	1	1	1	114.5	61.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	40.5625	2004
21.01.2020 11:15:29	1	1	1	1	114.5	60.5	0	27819.905	580.6451613	16066.09953	30000	0	0	30000	41.875	2004
21.01.2020 11:15:30	1	1	1	1	114.5	61.75	0	27582.938	576.344086	15983.74691	30000	0	0	30000	42.0625	2004
21.01.2020 11:15:31	1	1	1	1	114.5	62	0	27582.938	574.1935484	15983.74691	30000	0	0	30000	41.5	2004
21.01.2020 11:15:32	1	1	1	1	114.3	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.1875	2004
21.01.2020 11:15:33	1	1	1	1	114.3	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.1875	2004
21.01.2020 11:15:34	1	1	1	1	114.3	62	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	42.125	2004
21.01.2020 11:15:35	1	1	1	1	114.3	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
21.01.2020 11:15:36	1	1	1	1	114.3	61.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.5625	2004
21.01.2020 11:15:37	1	1	1	1	114.3	61.5	0	27582.938	584.9462366	15987.82377	30000	0	0	30000	42	2004
21.01.2020 11:15:38	1	1	1	1	114.3	62	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.6875	2004
21.01.2020 11:15:39	1	1	1	1	114.3	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.75	2004
21.01.2020 11:15:40	1	1	1	1	114.3	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.125	2004
21.01.2020 11:15:42	1	1	1	1	114.3	62	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	40.75	2004
21.01.2020 11:15:43	1	1	1	1	115	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.625	2004
21.01.2020 11:15:44	1	1	1	1	115	61.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.125	2004
21.01.2020 11:15:45	1	1	1	1	115	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.875	2004
21.01.2020 11:15:46	1	1	1	1	115	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.8125	2004
21.01.2020 11:15:47	1	1	1	1	115	61.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	41.5625	2004
21.01.2020 11:15:48	1	1	1	1	115	61.5	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	42.125	2004
21.01.2020 11:15:49	1	1	1	1	115	62	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.9375	2004
21.01.2020 11:15:50	1	1	1	1	115	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.75	2004
21.01.2020 11:15:51	1	1	1	1	115	61.75	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	41.125	2004
21.01.2020 11:15:52	1	1	1	1	115	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.1875	2004
21.01.2020 11:15:53	1	1	1	1	115.5	62	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	42.0625	2004
21.01.2020 11:15:54	1	1	1	1	115.5	62	0	27535.545	582.7956989	16075.06863	30000	0	0	30000	41.9375	2004
21.01.2020 11:16:00	1	1	1	1	115.5	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:00	1	1	1	1	115.5	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:00	1	1	1	1	115.5	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:00	1	1	1	1	115.5	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:00	1	1	1	1	115.5	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:00	1	1	1	1	115.5	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:01	1	1	1	1	115.5	61.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	42	2004
21.01.2020 11:16:02	1	1	1	1	115	62	0	27582.938	576.344086	16102.79129	30000	0	0	30000	42.125	2004
21.01.2020 11:16:03	1	1	1	1	115	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.125	2004
21.01.2020 11:16:04	1	1	1	1	115	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.0625	2004
21.01.2020 11:16:05	1	1	1	1	115	62	0	27535.545	576.344086	15901.39429	30000	0	0	30000	42.0625	2004
21.01.2020 11:16:06	1	1	1	1	115	62	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.1875	2004
21.01.2020 11:16:07	1	1	1	1	115	61	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	42	2004
21.01.2020 11:16:08	1	1	1	1	115	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.125	2004
21.01.2020 11:16:09	1	1	1	1	115	62	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	41.9375	2004
21.01.2020 11:16:10	1	1	1	1	115	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:16:11	1	1	1	1	115	61.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.75	2004
21.01.2020 11:16:12	1	1	1	1	114.8	61.75	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:13	1	1	1	1	114.8	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
21.01.2020 11:16:14	1	1	1	1	114.8	61.5	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:15	1	1	1	1	114.8	62	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	42.125	2004
21.01.2020 11:16:16	1	1	1	1	114.8	62	0	27630.332	574.1935484	16125.62172	30000	0	0	30000	42.125	2004
21.01.2020 11:16:17	1	1	1	1	114.8	62	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	41.375	2004
21.01.2020 11:16:19	1	1	1	1	114.8	61.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42	2004
21.01.2020 11:16:20	1	1	1	1	114.8	62	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	40.9375	2004
21.01.2020 11:16:21	1	1	1	1	114.8	60.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.125	2004
21.01.2020 11:16:22	1	1	1	1	114.8	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.0625	2004
21.01.2020 11:16:23	1	1	1	1	114.5	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:24	1	1	1	1	114.5	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.25	2004
21.01.2020 11:16:25	1	1	1	1	114.5	62.25	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:26	1	1	1	1	114.5	62	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	41.8125	2004
21.01.2020 11:16:27	1	1	1	1	114.5	61.75	0	27298.578	576.344086	15850.84119	30000	0	0	30000	41.9375	2004
21.01.2020 11:16:28	1	1	1	1	114.5	61.75	0	27630.332	580.6451613	16075.06863	30000	0	0	30000	42.0625	2004
21.01.2020 11:16:29	1	1	1	1	114.5	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
21.01.2020 11:16:30	1	1	1	1	114.5	61	0	27867.299	576.344086	15973.96244	30000	0	0	30000	41.4375	2004
21.01.2020 11:16:31	1	1	1	1	114.5	61.25	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.8125	2004
21.01.2020 11:16:32	1	1	1	1	114.5	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.625	2004
21.01.2020 11:16:33	1	1	1	1	114.3	61.5	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:34	1	1	1	1	114.3	62	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	42.125	2004
21.01.2020 11:16:35	1	1	1	1	114.3	62	0	27867.299	576.344086	16093.00682	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:36	1	1	1	1	114.3	62	0	27582.938	578.4946237	15814.9648	30000	0	0	30000	42.25	2004
21.01.2020 11:16:37	1	1	1	1	114.3	62.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	42.125	2004
21.01.2020 11:16:38	1	1	1	1	114.3	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.4375	2004
21.01.2020 11:16:39	1	1	1	1	114.3	62	0	27630.332	574.1935484	16273.20414	30000	0	0	30000	42.125	2004
21.01.2020 11:16:40	1	1	1	1	114.3	62	0	27630.332	576.344086	15745.65814	30000	0	0	30000	42.125	2004
21.01.2020 11:16:41	1	1	1	1	114.3	62	0	27867.299	576.344086	16120.72949	30000	0	0	30000	41.875	2004
21.01.2020 11:16:42	1	1	1	1	114.5	61.75	0	27630.332	576.344086	16212.86658	30000	0	0	30000	41.375	2004
21.01.2020 11:16:43	1	1	1	1	114.5	61.25	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	42.125	2004
21.01.2020 11:16:44	1	1	1	1	114.5	62	0	27630.332	569.8924731	15864.70252	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:45	1	1	1	1	114.5	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.125	2004
21.01.2020 11:16:46	1	1	1	1	114.5	62	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	42.1875	2004
21.01.2020 11:16:47	1	1	1	1	114.5	62	0	27630.332	576.344086	15973.96244	30000	0	0	30000	42	2004
21.01.2020 11:16:48	1	1	1	1	114.5	62	0	27725.118	572.0430108	15686.95132	30000	0	0	30000	42	2004
21.01.2020 11:16:49	1	1	1	1	114.5	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41	2004
21.01.2020 11:16:50	1	1	1	1	114.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
21.01.2020 11:16:51	1	1	1	1	114.5	61.75	0	27867.299	582.7956989	15745.65814	30000	0	0	30000	41.8125	2004
21.01.2020 11:16:52	1	1	1	1	114.3	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.8125	2004
21.01.2020 11:16:53	1	1	1	1	114.3	61.75	0	27867.299	572.0430108	16207.97434	30000	0	0	30000	42	2004
21.01.2020 11:16:54	1	1	1	1	114.3	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:16:55	1	1	1	1	114.3	62	0	28009.479	576.344086	16022.06942	30000	0	0	30000	41.9375	2004
21.01.2020 11:17:02	1	1	1	1	114.3	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.25	2004
21.01.2020 11:17:02	1	1	1	1	114.3	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.25	2004
21.01.2020 11:17:02	1	1	1	1	114.3	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.25	2004
21.01.2020 11:17:02	1	1	1	1	114.3	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.25	2004
21.01.2020 11:17:02	1	1	1	1	114.3	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.25	2004
21.01.2020 11:17:02	1	1	1	1	114.3	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.25	2004
21.01.2020 11:17:03	1	1	1	1	114.3	61.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.0625	2004
21.01.2020 11:17:04	1	1	1	1	114.3	62	0	27630.332	572.0430108	15919.33248	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:05	1	1	1	1	114.3	62	0	27819.905	576.344086	16093.00682	30000	0	0	30000	42.125	2004
21.01.2020 11:17:06	1	1	1	1	114.3	62	0	27819.905	576.344086	15864.70252	30000	0	0	30000	42.25	2004
21.01.2020 11:17:07	1	1	1	1	114.3	62.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:08	1	1	1	1	114.3	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.0625	2004
21.01.2020 11:17:09	1	1	1	1	114.3	62	0	27582.938	576.344086	15897.31742	30000	0	0	30000	42	2004
21.01.2020 11:17:10	1	1	1	1	114.3	62	0	27582.938	576.344086	15924.22472	30000	0	0	30000	41.6875	2004
21.01.2020 11:17:11	1	1	1	1	114.3	61.5	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	42.125	2004
21.01.2020 11:17:12	1	1	1	1	114.3	62	0	27630.332	576.344086	16033.48463	30000	0	0	30000	41.6875	2004
21.01.2020 11:17:13	1	1	1	1	115	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:14	1	1	1	1	115	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.0625	2004
21.01.2020 11:17:15	1	1	1	1	115	62	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:16	1	1	1	1	115	62	0	27535.545	576.344086	15814.9648	30000	0	0	30000	42.5	2004
21.01.2020 11:17:17	1	1	1	1	115	61.5	0	27725.118	576.344086	16153.34439	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:18	1	1	1	1	115	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.9375	2004
21.01.2020 11:17:19	1	1	1	1	115	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.375	2004
21.01.2020 11:17:20	1	1	1	1	115	61.25	0	27819.905	580.6451613	16033.48463	30000	0	0	30000	42.0625	2004
21.01.2020 11:17:21	1	1	1	1	115	62	0	27630.332	576.344086	15864.70252	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:22	1	1	1	1	115.3	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.375	2004
21.01.2020 11:17:23	1	1	1	1	115.3	60.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.125	2004
21.01.2020 11:17:24	1	1	1	1	115.3	62	0	27630.332	576.344086	15864.70252	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:25	1	1	1	1	115.3	62	0	27535.545	576.344086	15956.02424	30000	0	0	30000	41.875	2004
21.01.2020 11:17:26	1	1	1	1	115.3	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
21.01.2020 11:17:27	1	1	1	1	115.3	61.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	42.0625	2004
21.01.2020 11:17:28	1	1	1	1	115.3	62	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:29	1	1	1	1	115.3	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.0625	2004
21.01.2020 11:17:30	1	1	1	1	115.3	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.6875	2004
21.01.2020 11:17:31	1	1	1	1	115.3	61.5	0	27725.118	576.344086	15745.65814	30000	0	0	30000	41.75	2004
21.01.2020 11:17:32	1	1	1	1	115	61.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.9375	2004
21.01.2020 11:17:33	1	1	1	1	115	61.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	42.25	2004
21.01.2020 11:17:34	1	1	1	1	115	62.25	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	42.0625	2004
21.01.2020 11:17:36	1	1	1	1	115	62	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.3125	2004
21.01.2020 11:17:37	1	1	1	1	115	61.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.25	2004
21.01.2020 11:17:38	1	1	1	1	115	62.25	0	27582.938	574.1935484	15983.74691	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:39	1	1	1	1	115	62	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:17:40	1	1	1	1	115	62	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.25	2004
21.01.2020 11:17:41	1	1	1	1	115	62.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	42.0625	2004
21.01.2020 11:17:42	1	1	1	1	115	62	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:43	1	1	1	1	115	62	0	27440.758	576.344086	16075.06863	30000	0	0	30000	41.6875	2004
21.01.2020 11:17:44	1	1	1	1	115	61.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:45	1	1	1	1	115	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
21.01.2020 11:17:46	1	1	1	1	115	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.25	2004
21.01.2020 11:17:47	1	1	1	1	115	62.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	42.125	2004
21.01.2020 11:17:48	1	1	1	1	115	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.3125	2004
21.01.2020 11:17:49	1	1	1	1	115	62.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.5	2004
21.01.2020 11:17:50	1	1	1	1	115	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.25	2004
21.01.2020 11:17:51	1	1	1	1	115	62.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.125	2004
21.01.2020 11:17:52	1	1	1	1	115	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.375	2004
21.01.2020 11:17:53	1	1	1	1	115.3	62.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42.1875	2004
21.01.2020 11:17:54	1	1	1	1	115.3	62	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	42.375	2004
21.01.2020 11:17:55	1	1	1	1	115.3	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.3125	2004
21.01.2020 11:17:56	1	1	1	1	115.3	62.25	0	27630.332	576.344086	15978.85467	30000	0	0	30000	42.6875	2004
21.01.2020 11:17:57	1	1	1	1	115.3	62	0	27630.332	576.344086	16033.48463	30000	0	0	30000	42.1875	2004
21.01.2020 11:18:03	1	1	1	1	115.8	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.25	2004
21.01.2020 11:18:03	1	1	1	1	115.8	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.25	2004
21.01.2020 11:18:03	1	1	1	1	115.8	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.25	2004
21.01.2020 11:18:03	1	1	1	1	115.8	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.25	2004
21.01.2020 11:18:03	1	1	1	1	115.8	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.25	2004
21.01.2020 11:18:03	1	1	1	1	115.8	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.25	2004
21.01.2020 11:18:04	1	1	1	1	115.8	62.25	0	27582.938	580.6451613	16134.59082	30000	0	0	30000	42.1875	2004
21.01.2020 11:18:05	1	1	1	1	115.8	62	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.9375	2004
21.01.2020 11:18:06	1	1	1	1	115.8	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.625	2004
21.01.2020 11:18:07	1	1	1	1	115.8	61.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42	2004
21.01.2020 11:18:08	1	1	1	1	115.8	62	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	42.1875	2004
21.01.2020 11:18:09	1	1	1	1	115.8	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:10	1	1	1	1	115.8	62.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.6875	2004
21.01.2020 11:18:11	1	1	1	1	115.8	61.5	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	42.1875	2004
21.01.2020 11:18:12	1	1	1	1	115	62	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004
21.01.2020 11:18:14	1	1	1	1	115	62	0	27345.972	572.0430108	15933.19381	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:15	1	1	1	1	115	62.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.375	2004
21.01.2020 11:18:16	1	1	1	1	115	62.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.25	2004
21.01.2020 11:18:17	1	1	1	1	115	62.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.25	2004
21.01.2020 11:18:18	1	1	1	1	115	62.25	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	41.6875	2004
21.01.2020 11:18:19	1	1	1	1	115	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:20	1	1	1	1	115	62.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.1875	2004
21.01.2020 11:18:21	1	1	1	1	115	62	0	27440.758	582.7956989	16106.86815	30000	0	0	30000	41.6875	2004
21.01.2020 11:18:22	1	1	1	1	115	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.25	2004
21.01.2020 11:18:23	1	1	1	1	115.3	62.25	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:18:24	1	1	1	1	115.3	62.25	0	27298.578	580.6451613	15651.07493	30000	0	0	30000	42.125	2004
21.01.2020 11:18:25	1	1	1	1	115.3	62	0	27345.972	584.9462366	16228.35866	30000	0	0	30000	42.375	2004
21.01.2020 11:18:26	1	1	1	1	115.3	62.25	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	42.375	2004
21.01.2020 11:18:27	1	1	1	1	115.3	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.4375	2004
21.01.2020 11:18:28	1	1	1	1	115.3	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.4375	2004
21.01.2020 11:18:29	1	1	1	1	115.3	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.25	2004
21.01.2020 11:18:30	1	1	1	1	115.3	62.25	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.3125	2004
21.01.2020 11:18:31	1	1	1	1	115.3	61.25	0	27345.972	578.4946237	15760.33485	30000	0	0	30000	42.25	2004
21.01.2020 11:18:32	1	1	1	1	115.3	62.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.5	2004
21.01.2020 11:18:33	1	1	1	1	115.5	62.5	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	42.25	2004
21.01.2020 11:18:36	1	1	1	1	115.5	62.25	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:36	1	1	1	1	115.5	62.25	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:36	1	1	1	1	115.5	62.25	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:37	1	1	1	1	115.5	62.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	42.1875	2004
21.01.2020 11:18:38	1	1	1	1	115.5	62	0	27440.758	580.6451613	15987.82377	30000	0	0	30000	42.1875	2004
21.01.2020 11:18:39	1	1	1	1	115.5	62	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	42.125	2004
21.01.2020 11:18:40	1	1	1	1	115.5	62	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.75	2004
21.01.2020 11:18:41	1	1	1	1	115.5	61.75	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	42.375	2004
21.01.2020 11:18:42	1	1	1	1	114.5	62.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	42.25	2004
21.01.2020 11:18:43	1	1	1	1	114.5	62.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.25	2004
21.01.2020 11:18:44	1	1	1	1	114.5	62.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.5	2004
21.01.2020 11:18:45	1	1	1	1	114.5	62.5	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	42.375	2004
21.01.2020 11:18:46	1	1	1	1	114.5	62.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	42.25	2004
21.01.2020 11:18:47	1	1	1	1	114.5	62.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.25	2004
21.01.2020 11:18:48	1	1	1	1	114.5	62.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:49	1	1	1	1	114.5	62.25	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	42.1875	2004
21.01.2020 11:18:50	1	1	1	1	114.5	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.375	2004
21.01.2020 11:18:51	1	1	1	1	114.5	62.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	42.4375	2004
21.01.2020 11:18:53	1	1	1	1	115.8	62.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.4375	2004
21.01.2020 11:18:54	1	1	1	1	115.8	62.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	42.25	2004
21.01.2020 11:18:55	1	1	1	1	115.8	62.25	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	42.4375	2004
21.01.2020 11:18:56	1	1	1	1	115.8	62.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:57	1	1	1	1	115.8	62.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:58	1	1	1	1	115.8	62.25	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	42.3125	2004
21.01.2020 11:18:59	1	1	1	1	115.8	62.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:05	1	1	1	1	115.5	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:05	1	1	1	1	115.5	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:05	1	1	1	1	115.5	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:05	1	1	1	1	115.5	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:05	1	1	1	1	115.5	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:05	1	1	1	1	115.5	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:06	1	1	1	1	115.5	62.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42.1875	2004
21.01.2020 11:19:07	1	1	1	1	115.5	62	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:19:08	1	1	1	1	115.5	62	0	27630.332	587.0967742	16102.79129	30000	0	0	30000	42.25	2004
21.01.2020 11:19:09	1	1	1	1	115.5	62.25	0	27630.332	580.6451613	15929.11695	30000	0	0	30000	42.375	2004
21.01.2020 11:19:10	1	1	1	1	115.5	62.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.9375	2004
21.01.2020 11:19:11	1	1	1	1	115.5	61.75	0	27440.758	576.344086	15933.19381	30000	0	0	30000	42.25	2004
21.01.2020 11:19:12	1	1	1	1	115.5	62.25	0	27582.938	582.7956989	15956.02424	30000	0	0	30000	42.375	2004
21.01.2020 11:19:13	1	1	1	1	115.3	62.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.1875	2004
21.01.2020 11:19:14	1	1	1	1	115.3	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.375	2004
21.01.2020 11:19:15	1	1	1	1	115.3	62.25	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	41.875	2004
21.01.2020 11:19:16	1	1	1	1	115.3	61.75	0	27440.758	580.6451613	16168.83646	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:17	1	1	1	1	115.3	62.25	0	27630.332	584.9462366	16134.59082	30000	0	0	30000	42.25	2004
21.01.2020 11:19:18	1	1	1	1	115.3	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.5	2004
21.01.2020 11:19:19	1	1	1	1	115.3	62.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.375	2004
21.01.2020 11:19:20	1	1	1	1	115.3	62.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.375	2004
21.01.2020 11:19:21	1	1	1	1	115.3	62.25	0	27582.938	584.9462366	16106.86815	30000	0	0	30000	42.3125	2004
21.01.2020 11:19:22	1	1	1	1	115.5	62.25	0	27345.972	576.344086	15936.4553	30000	0	0	30000	42.5	2004
21.01.2020 11:19:23	1	1	1	1	115.5	62.5	0	27440.758	572.0430108	15991.90063	30000	0	0	30000	42.25	2004
21.01.2020 11:19:24	1	1	1	1	115.5	62.25	0	27630.332	584.9462366	16075.06863	30000	0	0	30000	42.0625	2004
21.01.2020 11:19:25	1	1	1	1	115.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.5625	2004
21.01.2020 11:19:26	1	1	1	1	115.5	62.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.3125	2004
21.01.2020 11:19:27	1	1	1	1	115.5	62.25	0	27393.365	582.7956989	15991.90063	30000	0	0	30000	42.5	2004
21.01.2020 11:19:28	1	1	1	1	115.5	62.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.25	2004
21.01.2020 11:19:29	1	1	1	1	115.5	62.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.5625	2004
21.01.2020 11:19:31	1	1	1	1	115.5	62.5	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:32	1	1	1	1	115.5	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.5625	2004
21.01.2020 11:19:33	1	1	1	1	115.5	62.5	0	27582.938	582.7956989	16047.34596	30000	0	0	30000	42.0625	2004
21.01.2020 11:19:34	1	1	1	1	115.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
21.01.2020 11:19:35	1	1	1	1	115.5	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:36	1	1	1	1	115.5	62.25	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	42.5625	2004
21.01.2020 11:19:37	1	1	1	1	115.5	62.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.5	2004
21.01.2020 11:19:38	1	1	1	1	115.5	62.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.375	2004
21.01.2020 11:19:39	1	1	1	1	115.5	62.25	0	27440.758	576.344086	15756.25798	30000	0	0	30000	41.8125	2004
21.01.2020 11:19:40	1	1	1	1	115.5	61.75	0	27582.938	584.9462366	15756.25798	30000	0	0	30000	41.875	2004
21.01.2020 11:19:41	1	1	1	1	115.5	61.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	41.375	2004
21.01.2020 11:19:42	1	1	1	1	115.5	61.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:43	1	1	1	1	115	62.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.375	2004
21.01.2020 11:19:44	1	1	1	1	115	62.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.9375	2004
21.01.2020 11:19:45	1	1	1	1	115	61.75	0	27582.938	582.7956989	15987.82377	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:46	1	1	1	1	115	62.25	0	27440.758	576.344086	15991.90063	30000	0	0	30000	42.375	2004
21.01.2020 11:19:47	1	1	1	1	115	62.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.1875	2004
21.01.2020 11:19:48	1	1	1	1	115	62	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	42.5625	2004
21.01.2020 11:19:49	1	1	1	1	115	62.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	42.8125	2004
21.01.2020 11:19:50	1	1	1	1	115	62.75	0	27630.332	578.4946237	15778.27304	30000	0	0	30000	42.25	2004
21.01.2020 11:19:51	1	1	1	1	115	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:19:52	1	1	1	1	115.5	62	0	27725.118	576.344086	15924.22472	30000	0	0	30000	41.75	2004
21.01.2020 11:19:53	1	1	1	1	115.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.3125	2004
21.01.2020 11:19:54	1	1	1	1	115.5	62.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	42.4375	2004
21.01.2020 11:19:55	1	1	1	1	115.5	62.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.5	2004
21.01.2020 11:19:56	1	1	1	1	115.5	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.5	2004
21.01.2020 11:19:57	1	1	1	1	115.5	62.5	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	42.375	2004
21.01.2020 11:19:58	1	1	1	1	115.5	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.5	2004
21.01.2020 11:19:59	1	1	1	1	115.5	62.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	42.5	2004
21.01.2020 11:20:00	1	1	1	1	115.5	62.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:07	1	1	1	1	115.5	62.25	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:07	1	1	1	1	115.5	62.25	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:07	1	1	1	1	115.5	62.25	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:07	1	1	1	1	115.5	62.25	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:07	1	1	1	1	115.5	62.25	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:07	1	1	1	1	115.5	62.25	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:08	1	1	1	1	115.5	62.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:09	1	1	1	1	115.5	62.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.5	2004
21.01.2020 11:20:10	1	1	1	1	115.5	62.5	0	27582.938	584.9462366	16051.42282	30000	0	0	30000	42.6875	2004
21.01.2020 11:20:11	1	1	1	1	115.5	62.5	0	27393.365	580.6451613	15933.19381	30000	0	0	30000	42.25	2004
21.01.2020 11:20:12	1	1	1	1	115.5	62.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:13	1	1	1	1	115	62.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42	2004
21.01.2020 11:20:14	1	1	1	1	115	62	0	27582.938	584.9462366	16162.31348	30000	0	0	30000	42.375	2004
21.01.2020 11:20:15	1	1	1	1	115	62.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:16	1	1	1	1	115	62.5	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:17	1	1	1	1	115	62.25	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:18	1	1	1	1	115	62.5	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:19	1	1	1	1	115	62.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:20	1	1	1	1	115	62.5	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	42.375	2004
21.01.2020 11:20:21	1	1	1	1	115	62.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	42.5	2004
21.01.2020 11:20:22	1	1	1	1	115	62.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	42.5	2004
21.01.2020 11:20:23	1	1	1	1	115.3	62.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.5	2004
21.01.2020 11:20:24	1	1	1	1	115.3	62.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.25	2004
21.01.2020 11:20:25	1	1	1	1	115.3	62.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.625	2004
21.01.2020 11:20:26	1	1	1	1	115.3	62.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:27	1	1	1	1	115.3	62.25	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:28	1	1	1	1	115.3	62.5	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:29	1	1	1	1	115.3	62.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.6875	2004
21.01.2020 11:20:30	1	1	1	1	115.3	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:31	1	1	1	1	115.3	62.25	0	27440.758	572.0430108	15991.90063	30000	0	0	30000	42.5	2004
21.01.2020 11:20:32	1	1	1	1	115.3	62.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.75	2004
21.01.2020 11:20:33	1	1	1	1	115.3	61.75	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	42.1875	2004
21.01.2020 11:20:34	1	1	1	1	115.3	62	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	42.625	2004
21.01.2020 11:20:35	1	1	1	1	115.3	62.5	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:20:36	1	1	1	1	115.3	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:37	1	1	1	1	115.3	62.5	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	42.125	2004
21.01.2020 11:20:38	1	1	1	1	115.3	62	0	27535.545	580.6451613	16134.59082	30000	0	0	30000	42.1875	2004
21.01.2020 11:20:39	1	1	1	1	115.3	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.1875	2004
21.01.2020 11:20:40	1	1	1	1	115.3	62	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.625	2004
21.01.2020 11:20:41	1	1	1	1	115.3	62.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	42.1875	2004
21.01.2020 11:20:42	1	1	1	1	116.3	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.625	2004
21.01.2020 11:20:43	1	1	1	1	116.3	62.5	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	42.625	2004
21.01.2020 11:20:44	1	1	1	1	116.3	62.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.125	2004
21.01.2020 11:20:45	1	1	1	1	116.3	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:47	1	1	1	1	116.3	62.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
21.01.2020 11:20:48	1	1	1	1	116.3	62	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:49	1	1	1	1	116.3	62.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.5625	2004
21.01.2020 11:20:50	1	1	1	1	116.3	62.5	0	27535.545	582.7956989	16193.29764	30000	0	0	30000	42.75	2004
21.01.2020 11:20:51	1	1	1	1	116.3	62.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.625	2004
21.01.2020 11:20:52	1	1	1	1	116.3	62.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.75	2004
21.01.2020 11:20:53	1	1	1	1	116	61.75	0	27535.545	582.7956989	16134.59082	30000	0	0	30000	42.4375	2004
21.01.2020 11:20:54	1	1	1	1	116	62.25	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	42.625	2004
21.01.2020 11:20:55	1	1	1	1	116	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.6875	2004
21.01.2020 11:20:56	1	1	1	1	116	62.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	42.5	2004
21.01.2020 11:20:57	1	1	1	1	116	62.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.5	2004
21.01.2020 11:20:58	1	1	1	1	116	62.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.75	2004
21.01.2020 11:20:59	1	1	1	1	116	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.4375	2004
21.01.2020 11:21:00	1	1	1	1	116	62.25	0	27535.545	584.9462366	16110.12964	30000	0	0	30000	42.625	2004
21.01.2020 11:21:01	1	1	1	1	116	62.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	42.625	2004
21.01.2020 11:21:02	1	1	1	1	116	62.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.375	2004
21.01.2020 11:21:08	1	1	1	1	116.3	62.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.75	2004
21.01.2020 11:21:08	1	1	1	1	116.3	62.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.75	2004
21.01.2020 11:21:08	1	1	1	1	116.3	62.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.75	2004
21.01.2020 11:21:08	1	1	1	1	116.3	62.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.75	2004
21.01.2020 11:21:08	1	1	1	1	116.3	62.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.75	2004
21.01.2020 11:21:08	1	1	1	1	116.3	62.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.75	2004
21.01.2020 11:21:09	1	1	1	1	116.3	62.5	0	27345.972	582.7956989	15850.84119	30000	0	0	30000	42.3125	2004
21.01.2020 11:21:10	1	1	1	1	116.3	62.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	42.4375	2004
21.01.2020 11:21:11	1	1	1	1	116.3	62.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.9375	2004
21.01.2020 11:21:12	1	1	1	1	115.8	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.25	2004
21.01.2020 11:21:13	1	1	1	1	115.8	62.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.5625	2004
21.01.2020 11:21:14	1	1	1	1	115.8	62.5	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	42.5625	2004
21.01.2020 11:21:15	1	1	1	1	115.8	62.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	42.625	2004
21.01.2020 11:21:16	1	1	1	1	115.8	62.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.8125	2004
21.01.2020 11:21:17	1	1	1	1	115.8	62.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.4375	2004
21.01.2020 11:21:18	1	1	1	1	115.8	62.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.5625	2004
21.01.2020 11:21:19	1	1	1	1	115.8	62.5	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:21:20	1	1	1	1	115.8	62.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.625	2004
21.01.2020 11:21:21	1	1	1	1	115.8	62.5	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	42.5	2004
21.01.2020 11:21:22	1	1	1	1	114.5	62.5	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	42.1875	2004
21.01.2020 11:21:24	1	1	1	1	114.5	62	0	27298.578	580.6451613	15826.38002	30000	0	0	30000	42.8125	2004
21.01.2020 11:21:25	1	1	1	1	114.5	62.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.375	2004
21.01.2020 11:21:26	1	1	1	1	114.5	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
21.01.2020 11:21:27	1	1	1	1	114.5	62	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	42.5	2004
21.01.2020 11:21:28	1	1	1	1	114.5	62.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.5625	2004
21.01.2020 11:21:29	1	1	1	1	114.5	62.5	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	42.75	2004
21.01.2020 11:21:30	1	1	1	1	114.5	62.75	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	42.5625	2004
21.01.2020 11:21:31	1	1	1	1	114.5	62.5	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	42.25	2004
21.01.2020 11:21:32	1	1	1	1	114.5	62.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.625	2004
21.01.2020 11:21:33	1	1	1	1	114	62.5	0	27345.972	587.0967742	16082.40698	30000	0	0	30000	42.5	2004
21.01.2020 11:21:34	1	1	1	1	114	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.6875	2004
21.01.2020 11:21:35	1	1	1	1	114	62.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.625	2004
21.01.2020 11:21:36	1	1	1	1	114	61.5	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	42.625	2004
21.01.2020 11:21:37	1	1	1	1	114	62.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.125	2004
21.01.2020 11:21:38	1	1	1	1	114	62	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	42.6875	2004
21.01.2020 11:21:39	1	1	1	1	114	62.5	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	41.875	2004
21.01.2020 11:21:40	1	1	1	1	114	61.75	0	27345.972	580.6451613	15964.17797	30000	0	0	30000	42.625	2004
21.01.2020 11:21:41	1	1	1	1	114	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.6875	2004
21.01.2020 11:21:42	1	1	1	1	114	62.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.1875	2004
21.01.2020 11:21:43	1	1	1	1	113.8	62	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.6875	2004
21.01.2020 11:21:44	1	1	1	1	113.8	62.5	0	27345.972	589.2473118	15936.4553	30000	0	0	30000	42.875	2004
21.01.2020 11:21:45	1	1	1	1	113.8	62.75	0	27535.545	584.9462366	16165.57497	30000	0	0	30000	42.625	2004
21.01.2020 11:21:46	1	1	1	1	113.8	62.5	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	42.375	2004
21.01.2020 11:21:47	1	1	1	1	113.8	62.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	42.8125	2004
21.01.2020 11:21:48	1	1	1	1	113.8	62.75	0	27345.972	582.7956989	15909.54801	30000	0	0	30000	42.3125	2004
21.01.2020 11:21:49	1	1	1	1	113.8	62.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.6875	2004
21.01.2020 11:21:50	1	1	1	1	113.8	62.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.5	2004
21.01.2020 11:21:51	1	1	1	1	113.8	62.5	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	42.5625	2004
21.01.2020 11:21:52	1	1	1	1	113.5	62.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.25	2004
21.01.2020 11:21:53	1	1	1	1	113.5	62.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.6875	2004
21.01.2020 11:21:54	1	1	1	1	113.5	62.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.3125	2004
21.01.2020 11:21:55	1	1	1	1	113.5	62.25	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	42.75	2004
21.01.2020 11:21:56	1	1	1	1	113.5	62.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	42.625	2004
21.01.2020 11:21:57	1	1	1	1	113.5	62.5	0	27582.938	578.4946237	15869.59476	30000	0	0	30000	42.5	2004
21.01.2020 11:21:58	1	1	1	1	113.5	62.5	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	42.4375	2004
21.01.2020 11:21:59	1	1	1	1	113.5	62.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.25	2004
21.01.2020 11:22:00	1	1	1	1	113.5	62.25	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	42.75	2004
21.01.2020 11:22:01	1	1	1	1	113.5	62.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	42.6875	2004
21.01.2020 11:22:03	1	1	1	1	113.8	62.5	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	42.3125	2004
21.01.2020 11:22:04	1	1	1	1	113.8	62.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:22:10	1	1	1	1	113.8	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.1875	2004
21.01.2020 11:22:10	1	1	1	1	113.8	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.1875	2004
21.01.2020 11:22:10	1	1	1	1	113.8	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.1875	2004
21.01.2020 11:22:10	1	1	1	1	113.8	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.1875	2004
21.01.2020 11:22:10	1	1	1	1	113.8	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.1875	2004
21.01.2020 11:22:10	1	1	1	1	113.8	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.1875	2004
21.01.2020 11:22:11	1	1	1	1	113.8	62	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	42.875	2004
21.01.2020 11:22:12	1	1	1	1	113.8	62.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.6875	2004
21.01.2020 11:22:13	1	1	1	1	113.8	62.5	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	42.4375	2004
21.01.2020 11:22:14	1	1	1	1	113.8	62.25	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	42.625	2004
21.01.2020 11:22:15	1	1	1	1	113.8	62.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	42.1875	2004
21.01.2020 11:22:16	1	1	1	1	113.8	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.6875	2004
21.01.2020 11:22:17	1	1	1	1	113.8	62.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.1875	2004
21.01.2020 11:22:18	1	1	1	1	113.8	62	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.375	2004
21.01.2020 11:22:19	1	1	1	1	113.8	62.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.9375	2004
21.01.2020 11:22:20	1	1	1	1	113.8	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.625	2004
21.01.2020 11:22:21	1	1	1	1	113.8	62.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.75	2004
21.01.2020 11:22:22	1	1	1	1	113.8	62.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.75	2004
21.01.2020 11:22:23	1	1	1	1	114.3	62.75	0	27535.545	587.0967742	16193.29764	30000	0	0	30000	43.0625	2004
21.01.2020 11:22:24	1	1	1	1	114.3	63	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.875	2004
21.01.2020 11:22:25	1	1	1	1	114.3	61.75	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	42.0625	2004
21.01.2020 11:22:26	1	1	1	1	114.3	62.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.0625	2004
21.01.2020 11:22:27	1	1	1	1	114.3	62	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	42.5	2004
21.01.2020 11:22:28	1	1	1	1	114.3	62.5	0	27298.578	580.6451613	16085.66847	30000	0	0	30000	42.25	2004
21.01.2020 11:22:29	1	1	1	1	114.3	62.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	42.75	2004
21.01.2020 11:22:30	1	1	1	1	114.3	62.75	0	27109.005	584.9462366	15826.38002	30000	0	0	30000	42.8125	2004
21.01.2020 11:22:31	1	1	1	1	114.3	62.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	42.625	2004
21.01.2020 11:22:32	1	1	1	1	114.5	62.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.8125	2004
21.01.2020 11:22:33	1	1	1	1	114.5	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.5	2004
21.01.2020 11:22:34	1	1	1	1	114.5	62.5	0	27440.758	584.9462366	16168.83646	30000	0	0	30000	42.625	2004
21.01.2020 11:22:35	1	1	1	1	114.5	62.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.75	2004
21.01.2020 11:22:36	1	1	1	1	114.5	62.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.625	2004
21.01.2020 11:22:37	1	1	1	1	114.5	62.5	0	27345.972	580.6451613	16054.68431	30000	0	0	30000	42.8125	2004
21.01.2020 11:22:38	1	1	1	1	114.5	62.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.625	2004
21.01.2020 11:22:39	1	1	1	1	114.5	62.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.8125	2004
21.01.2020 11:22:40	1	1	1	1	114.5	62.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004
21.01.2020 11:22:42	1	1	1	1	114.5	62	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	42.5625	2004
21.01.2020 11:22:43	1	1	1	1	114.5	62.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.8125	2004
21.01.2020 11:22:44	1	1	1	1	114.5	62.75	0	27345.972	580.6451613	15674.72073	30000	0	0	30000	42.0625	2004
21.01.2020 11:22:45	1	1	1	1	114.5	62	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	42.6875	2004
21.01.2020 11:22:46	1	1	1	1	114.5	62.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.75	2004
21.01.2020 11:22:47	1	1	1	1	114.5	62.75	0	27440.758	584.9462366	16312.34202	30000	0	0	30000	42.25	2004
21.01.2020 11:22:48	1	1	1	1	114.5	62.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:22:49	1	1	1	1	114.5	62.75	0	27440.758	584.9462366	16106.86815	30000	0	0	30000	42.8125	2004
21.01.2020 11:22:50	1	1	1	1	114.5	62.75	0	27440.758	584.9462366	16165.57497	30000	0	0	30000	42.9375	2004
21.01.2020 11:22:51	1	1	1	1	114.5	62.75	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	42.6875	2004
21.01.2020 11:22:52	1	1	1	1	114.5	62.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.3125	2004
21.01.2020 11:22:53	1	1	1	1	114.3	61.25	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	42.625	2004
21.01.2020 11:22:54	1	1	1	1	114.3	62.5	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	42.875	2004
21.01.2020 11:22:55	1	1	1	1	114.3	62.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.8125	2004
21.01.2020 11:22:56	1	1	1	1	114.3	62.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.875	2004
21.01.2020 11:22:57	1	1	1	1	114.3	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.4375	2004
21.01.2020 11:22:58	1	1	1	1	114.3	62.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.4375	2004
21.01.2020 11:22:59	1	1	1	1	114.3	62.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.6875	2004
21.01.2020 11:23:00	1	1	1	1	114.3	62.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.375	2004
21.01.2020 11:23:01	1	1	1	1	114.3	62.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:02	1	1	1	1	114.3	62.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:03	1	1	1	1	114	62.75	0	27535.545	589.2473118	16110.12964	30000	0	0	30000	43.0625	2004
21.01.2020 11:23:04	1	1	1	1	114	63	0	27109.005	576.344086	15826.38002	30000	0	0	30000	43	2004
21.01.2020 11:23:05	1	1	1	1	114	62.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:12	1	1	1	1	114	62.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:12	1	1	1	1	114	62.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:12	1	1	1	1	114	62.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:12	1	1	1	1	114	62.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:12	1	1	1	1	114	62.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:12	1	1	1	1	114	62.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:12	1	1	1	1	114	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:13	1	1	1	1	114	62.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.6875	2004
21.01.2020 11:23:14	1	1	1	1	114	62.5	0	27156.398	580.6451613	15740.76591	30000	0	0	30000	42.625	2004
21.01.2020 11:23:15	1	1	1	1	114	62.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.6875	2004
21.01.2020 11:23:16	1	1	1	1	114	62.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.875	2004
21.01.2020 11:23:17	1	1	1	1	114	62.75	0	27109.005	580.6451613	15798.65735	30000	0	0	30000	42.5625	2004
21.01.2020 11:23:18	1	1	1	1	114	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:19	1	1	1	1	114	62	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42.75	2004
21.01.2020 11:23:20	1	1	1	1	114	62.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.75	2004
21.01.2020 11:23:22	1	1	1	1	114	62.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.75	2004
21.01.2020 11:23:23	1	1	1	1	114	62.75	0	27109.005	582.7956989	15968.25483	30000	0	0	30000	42.75	2004
21.01.2020 11:23:24	1	1	1	1	114	62.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.3125	2004
21.01.2020 11:23:25	1	1	1	1	114	62.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.6875	2004
21.01.2020 11:23:26	1	1	1	1	114	62.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.75	2004
21.01.2020 11:23:27	1	1	1	1	114	62.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	43	2004
21.01.2020 11:23:28	1	1	1	1	114	63	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.75	2004
21.01.2020 11:23:29	1	1	1	1	114	62.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:30	1	1	1	1	114	62.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	42.3125	2004
21.01.2020 11:23:31	1	1	1	1	114	62.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:32	1	1	1	1	114	62.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:23:33	1	1	1	1	113	62.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.875	2004
21.01.2020 11:23:34	1	1	1	1	113	62.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	42.875	2004
21.01.2020 11:23:35	1	1	1	1	113	62.75	0	27298.578	572.0430108	15850.84119	30000	0	0	30000	42.6875	2004
21.01.2020 11:23:36	1	1	1	1	113	62.5	0	27393.365	582.7956989	15991.90063	30000	0	0	30000	43.0625	2004
21.01.2020 11:23:37	1	1	1	1	113	63	0	27440.758	576.344086	15991.90063	30000	0	0	30000	42.875	2004
21.01.2020 11:23:38	1	1	1	1	113	62.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:39	1	1	1	1	113	62.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:40	1	1	1	1	113	62.75	0	27440.758	589.2473118	15991.90063	30000	0	0	30000	42.75	2004
21.01.2020 11:23:41	1	1	1	1	113	62.75	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	42.6875	2004
21.01.2020 11:23:42	1	1	1	1	113	62.5	0	27345.972	578.4946237	15936.4553	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:43	1	1	1	1	113.8	62.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.625	2004
21.01.2020 11:23:44	1	1	1	1	113.8	62.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42.5625	2004
21.01.2020 11:23:45	1	1	1	1	113.8	62.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:46	1	1	1	1	113.8	62.75	0	27867.299	584.9462366	16043.2691	30000	0	0	30000	42.625	2004
21.01.2020 11:23:47	1	1	1	1	113.8	62.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:48	1	1	1	1	113.8	62.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:49	1	1	1	1	113.8	62.75	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	42.8125	2004
21.01.2020 11:23:50	1	1	1	1	113.8	62.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.1875	2004
21.01.2020 11:23:51	1	1	1	1	113.8	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.875	2004
21.01.2020 11:23:52	1	1	1	1	113.8	62.75	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	42.75	2004
21.01.2020 11:23:53	1	1	1	1	113.8	62.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	42.6875	2004
21.01.2020 11:23:54	1	1	1	1	113.8	62.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.9375	2004
21.01.2020 11:23:55	1	1	1	1	113.8	62.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.9375	2004
21.01.2020 11:23:56	1	1	1	1	113.8	62.75	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42.9375	2004
21.01.2020 11:23:58	1	1	1	1	113.8	62.75	0	27440.758	582.7956989	16106.86815	30000	0	0	30000	42.5	2004
21.01.2020 11:23:59	1	1	1	1	113.8	62.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.8125	2004
21.01.2020 11:24:00	1	1	1	1	113.8	62.75	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	42.75	2004
21.01.2020 11:24:01	1	1	1	1	113.8	62.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.6875	2004
21.01.2020 11:24:02	1	1	1	1	113.8	62.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.5	2004
21.01.2020 11:24:03	1	1	1	1	113.5	62.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.75	2004
21.01.2020 11:24:04	1	1	1	1	113.5	62.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	43.0625	2004
21.01.2020 11:24:05	1	1	1	1	113.5	63	0	27819.905	580.6451613	16273.20414	30000	0	0	30000	42.9375	2004
21.01.2020 11:24:06	1	1	1	1	113.5	62.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.125	2004
21.01.2020 11:24:07	1	1	1	1	113.5	62	0	27440.758	576.344086	16106.86815	30000	0	0	30000	42.75	2004
21.01.2020 11:24:13	1	1	1	1	114.3	62.75	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	42.625	2004
21.01.2020 11:24:13	1	1	1	1	114.3	62.75	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	42.625	2004
21.01.2020 11:24:13	1	1	1	1	114.3	62.75	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	42.625	2004
21.01.2020 11:24:13	1	1	1	1	114.3	62.75	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	42.625	2004
21.01.2020 11:24:13	1	1	1	1	114.3	62.75	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	42.625	2004
21.01.2020 11:24:14	1	1	1	1	114.3	62.5	0	27345.972	580.6451613	15909.54801	30000	0	0	30000	42.875	2004
21.01.2020 11:24:15	1	1	1	1	114.3	62.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	42.25	2004
21.01.2020 11:24:16	1	1	1	1	114.3	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:24:17	1	1	1	1	114.3	62.75	0	27393.365	582.7956989	15936.4553	30000	0	0	30000	42.6875	2004
21.01.2020 11:24:18	1	1	1	1	114.3	62.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	42.9375	2004
21.01.2020 11:24:19	1	1	1	1	114.3	62.75	0	27298.578	582.7956989	15936.4553	30000	0	0	30000	43.125	2004
21.01.2020 11:24:20	1	1	1	1	114.3	63	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	43	2004
21.01.2020 11:24:21	1	1	1	1	114.3	63	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.5625	2004
21.01.2020 11:24:22	1	1	1	1	113.5	62.5	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	42.75	2004
21.01.2020 11:24:23	1	1	1	1	113.5	62.75	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	42.875	2004
21.01.2020 11:24:24	1	1	1	1	113.5	62.75	0	27582.938	582.7956989	16134.59082	30000	0	0	30000	42.6875	2004
21.01.2020 11:24:25	1	1	1	1	113.5	62.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.9375	2004
21.01.2020 11:24:26	1	1	1	1	113.5	62.75	0	27345.972	580.6451613	16110.12964	30000	0	0	30000	42.6875	2004
21.01.2020 11:24:27	1	1	1	1	113.5	62.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	43	2004
21.01.2020 11:24:28	1	1	1	1	113.5	63	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.6875	2004
21.01.2020 11:24:29	1	1	1	1	113.5	62.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	43	2004
21.01.2020 11:24:30	1	1	1	1	113.5	63	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42.25	2004
21.01.2020 11:24:31	1	1	1	1	113.5	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.875	2004
21.01.2020 11:24:32	1	1	1	1	112.8	62.75	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	42.75	2004
21.01.2020 11:24:33	1	1	1	1	112.8	62.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.875	2004
21.01.2020 11:24:34	1	1	1	1	112.8	62.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.8125	2004
21.01.2020 11:24:36	1	1	1	1	112.8	62.75	0	27819.905	580.6451613	16360.449	30000	0	0	30000	42.625	2004
21.01.2020 11:24:37	1	1	1	1	112.8	62.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.8125	2004
21.01.2020 11:24:38	1	1	1	1	112.8	62.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.6875	2004
21.01.2020 11:24:39	1	1	1	1	112.8	62.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.9375	2004
21.01.2020 11:24:40	1	1	1	1	112.8	62.75	0	27867.299	584.9462366	16061.20729	30000	0	0	30000	42.6875	2004
21.01.2020 11:24:41	1	1	1	1	112.8	62.5	0	27630.332	576.344086	15978.85467	30000	0	0	30000	42.25	2004
21.01.2020 11:24:42	1	1	1	1	112.8	62.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	42.9375	2004
21.01.2020 11:24:43	1	1	1	1	113	62.75	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	42.8125	2004
21.01.2020 11:24:44	1	1	1	1	113	62.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.0625	2004
21.01.2020 11:24:45	1	1	1	1	113	62	0	27630.332	576.344086	16043.2691	30000	0	0	30000	43	2004
21.01.2020 11:24:46	1	1	1	1	113	63	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	43.125	2004
21.01.2020 11:24:47	1	1	1	1	113	63	0	27440.758	578.4946237	15929.11695	30000	0	0	30000	42.25	2004
21.01.2020 11:24:48	1	1	1	1	113	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.8125	2004
21.01.2020 11:24:49	1	1	1	1	113	62.75	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	42.8125	2004
21.01.2020 11:24:50	1	1	1	1	113	62.75	0	27345.972	576.344086	15991.90063	30000	0	0	30000	41.6875	2004
21.01.2020 11:24:51	1	1	1	1	113	61.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	43	2004
21.01.2020 11:24:52	1	1	1	1	113	63	0	27630.332	576.344086	15745.65814	30000	0	0	30000	43	2004
21.01.2020 11:24:53	1	1	1	1	112.8	63	0	27440.758	574.1935484	15756.25798	30000	0	0	30000	42.6875	2004
21.01.2020 11:24:54	1	1	1	1	112.8	62.5	0	27630.332	582.7956989	16075.06863	30000	0	0	30000	43.0625	2004
21.01.2020 11:24:55	1	1	1	1	112.8	63	0	27582.938	576.344086	15956.02424	30000	0	0	30000	42.75	2004
21.01.2020 11:24:56	1	1	1	1	112.8	62.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	43.375	2004
21.01.2020 11:24:57	1	1	1	1	112.8	63.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	42.5	2004
21.01.2020 11:24:58	1	1	1	1	112.8	62.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.9375	2004
21.01.2020 11:24:59	1	1	1	1	112.8	62.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.9375	2004
21.01.2020 11:25:00	1	1	1	1	112.8	62.75	0	27630.332	578.4946237	16212.86658	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:25:01	1	1	1	1	112.8	62.5	0	27440.758	578.4946237	15901.39429	30000	0	0	30000	43	2004
21.01.2020 11:25:02	1	1	1	1	112.8	63	0	27535.545	574.1935484	16043.2691	30000	0	0	30000	42.875	2004
21.01.2020 11:25:03	1	1	1	1	112.8	62.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	42.6875	2004
21.01.2020 11:25:04	1	1	1	1	112.8	62.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	43.0625	2004
21.01.2020 11:25:05	1	1	1	1	112.8	63	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	43	2004
21.01.2020 11:25:06	1	1	1	1	112.8	63	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	43.125	2004
21.01.2020 11:25:07	1	1	1	1	112.8	63	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.75	2004
21.01.2020 11:25:08	1	1	1	1	112.8	62.75	0	27582.938	574.1935484	16043.2691	30000	0	0	30000	42.875	2004
21.01.2020 11:25:15	1	1	1	1	113	63	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	43	2004
21.01.2020 11:25:15	1	1	1	1	113	63	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	43	2004
21.01.2020 11:25:15	1	1	1	1	113	63	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	43	2004
21.01.2020 11:25:15	1	1	1	1	113	63	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	43	2004
21.01.2020 11:25:15	1	1	1	1	113	63	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	43	2004
21.01.2020 11:25:16	1	1	1	1	113	63	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	42.625	2004
21.01.2020 11:25:17	1	1	1	1	113	62.5	0	27582.938	578.4946237	16075.06863	30000	0	0	30000	42.9375	2004
21.01.2020 11:25:18	1	1	1	1	113	62.75	0	27393.365	580.6451613	15936.4553	30000	0	0	30000	43.125	2004
21.01.2020 11:25:19	1	1	1	1	113	63	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	42.0625	2004
21.01.2020 11:25:20	1	1	1	1	113	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	43	2004
21.01.2020 11:25:21	1	1	1	1	113	63	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	42.75	2004
21.01.2020 11:25:22	1	1	1	1	113	62.75	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	42.75	2004
21.01.2020 11:25:23	1	1	1	1	113	62.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	42.4375	2004
21.01.2020 11:25:24	1	1	1	1	113	62.25	0	27440.758	580.6451613	16075.06863	30000	0	0	30000	43.1875	2004
21.01.2020 11:25:25	1	1	1	1	113	63	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.875	2004
21.01.2020 11:25:26	1	1	1	1	113	62.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.8125	2004
21.01.2020 11:25:27	1	1	1	1	113	62.75	0	27440.758	578.4946237	16106.86815	30000	0	0	30000	42.8125	2004
21.01.2020 11:25:28	1	1	1	1	113	62.75	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	42.8125	2004
21.01.2020 11:25:29	1	1	1	1	113	62.75	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	43.125	2004
21.01.2020 11:25:30	1	1	1	1	113	63	0	27298.578	578.4946237	15936.4553	30000	0	0	30000	43.0625	2004
21.01.2020 11:25:31	1	1	1	1	113	63	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	43	2004
21.01.2020 11:25:32	1	1	1	1	113	63	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	43.0625	2004
21.01.2020 11:25:33	1	1	1	1	114	63	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	43.125	2004
21.01.2020 11:25:34	1	1	1	1	114	63	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.6875	2004
21.01.2020 11:25:35	1	1	1	1	114	62.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	43.125	2004
21.01.2020 11:25:36	1	1	1	1	114	63	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.5625	2004
21.01.2020 11:25:37	1	1	1	1	114	62.5	0	27298.578	582.7956989	16085.66847	30000	0	0	30000	43.5	2004
21.01.2020 11:25:38	1	1	1	1	114	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.9375	2004
21.01.2020 11:25:39	1	1	1	1	114	62.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	42.8125	2004
21.01.2020 11:25:40	1	1	1	1	114	62.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.4375	2004
21.01.2020 11:25:41	1	1	1	1	114	62.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	43.1875	2004
21.01.2020 11:25:42	1	1	1	1	113.3	63	0	27535.545	584.9462366	16110.12964	30000	0	0	30000	43	2004
21.01.2020 11:25:43	1	1	1	1	113.3	63	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	43.125	2004
21.01.2020 11:25:44	1	1	1	1	113.3	63	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:25:45	1	1	1	1	113.3	63	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.0625	2004
21.01.2020 11:25:46	1	1	1	1	113.3	63	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	43	2004
21.01.2020 11:25:47	1	1	1	1	113.3	63	0	27109.005	576.344086	15968.25483	30000	0	0	30000	43.125	2004
21.01.2020 11:25:48	1	1	1	1	113.3	63	0	27345.972	587.0967742	16172.09795	30000	0	0	30000	43	2004
21.01.2020 11:25:49	1	1	1	1	113.3	63	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	43.125	2004
21.01.2020 11:25:50	1	1	1	1	113.3	63	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	43.125	2004
21.01.2020 11:25:52	1	1	1	1	113.3	63	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.8125	2004
21.01.2020 11:25:53	1	1	1	1	113.5	62.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.625	2004
21.01.2020 11:25:54	1	1	1	1	113.5	62.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	43.0625	2004
21.01.2020 11:25:55	1	1	1	1	113.5	63	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	43	2004
21.01.2020 11:25:56	1	1	1	1	113.5	63	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	43.125	2004
21.01.2020 11:25:57	1	1	1	1	113.5	63	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	42.8125	2004
21.01.2020 11:25:58	1	1	1	1	113.5	62.75	0	27109.005	580.6451613	15915.25562	30000	0	0	30000	42.8125	2004
21.01.2020 11:25:59	1	1	1	1	113.5	62.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	43.0625	2004
21.01.2020 11:26:00	1	1	1	1	113.5	63	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	43.125	2004
21.01.2020 11:26:01	1	1	1	1	113.5	63	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	42.625	2004
21.01.2020 11:26:02	1	1	1	1	113.5	62.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.5625	2004
21.01.2020 11:26:03	1	1	1	1	114	62.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	43	2004
21.01.2020 11:26:04	1	1	1	1	114	63	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	43.0625	2004
21.01.2020 11:26:05	1	1	1	1	114	63	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	42.9375	2004
21.01.2020 11:26:06	1	1	1	1	114	62.75	0	26966.825	584.9462366	15917.70174	30000	0	0	30000	42.8125	2004
21.01.2020 11:26:07	1	1	1	1	114	62.75	0	27061.611	587.0967742	15945.4244	30000	0	0	30000	43.1875	2004
21.01.2020 11:26:08	1	1	1	1	114	63	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	43	2004
21.01.2020 11:26:09	1	1	1	1	114	63	0	27109.005	589.2473118	16090.5607	30000	0	0	30000	43	2004
21.01.2020 11:26:10	1	1	1	1	114	63	0	26966.825	589.2473118	15975.59318	30000	0	0	30000	43	2004
21.01.2020 11:26:16	1	1	1	1	114.5	63	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	42.875	2004
21.01.2020 11:26:16	1	1	1	1	114.5	63	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	42.875	2004
21.01.2020 11:26:16	1	1	1	1	114.5	63	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	42.875	2004
21.01.2020 11:26:16	1	1	1	1	114.5	63	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	42.875	2004
21.01.2020 11:26:16	1	1	1	1	114.5	63	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	42.875	2004
21.01.2020 11:26:16	1	1	1	1	114.5	63	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	42.875	2004
21.01.2020 11:26:17	1	1	1	1	114.5	62.75	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	43.0625	2004
21.01.2020 11:26:18	1	1	1	1	114.5	63	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.3125	2004
21.01.2020 11:26:19	1	1	1	1	114.5	63.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	43.1875	2004
21.01.2020 11:26:20	1	1	1	1	114.5	63	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	43.25	2004
21.01.2020 11:26:21	1	1	1	1	114.5	63.25	0	27109.005	587.0967742	15798.65735	30000	0	0	30000	43.0625	2004
21.01.2020 11:26:22	1	1	1	1	114.8	63	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	42.8125	2004
21.01.2020 11:26:23	1	1	1	1	114.8	62.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	43.25	2004
21.01.2020 11:26:24	1	1	1	1	114.8	63.25	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	43.125	2004
21.01.2020 11:26:25	1	1	1	1	114.8	63	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	42.0625	2004
21.01.2020 11:26:26	1	1	1	1	114.8	62	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	43.0625	2004
21.01.2020 11:26:27	1	1	1	1	114.8	63	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	42.4375	2004
21.01.2020 11:26:28	1	1	1	1	114.8	62.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:26:29	1	1	1	1	114.8	62.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	42.9375	2004
21.01.2020 11:26:31	1	1	1	1	114.8	62.75	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	43.1875	2004
21.01.2020 11:26:32	1	1	1	1	114.8	63	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	43	2004
21.01.2020 11:26:33	1	1	1	1	114.8	63	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	43.0625	2004
21.01.2020 11:26:34	1	1	1	1	114.8	63	0	26919.431	589.2473118	15862.25641	30000	0	0	30000	43.25	2004
21.01.2020 11:26:35	1	1	1	1	114.8	63.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	43	2004
21.01.2020 11:26:36	1	1	1	1	114.8	63	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	42.9375	2004
21.01.2020 11:26:37	1	1	1	1	114.8	62.75	0	27156.398	593.5483871	16118.28337	30000	0	0	30000	42.8125	2004
21.01.2020 11:26:38	1	1	1	1	114.8	62.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	43.125	2004
21.01.2020 11:26:39	1	1	1	1	114.8	63	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	43.25	2004
21.01.2020 11:26:40	1	1	1	1	114.8	63.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	43.1875	2004
21.01.2020 11:26:41	1	1	1	1	114.8	63	0	27061.611	595.6989247	16004.13122	30000	0	0	30000	43.1875	2004
21.01.2020 11:26:42	1	1	1	1	114.8	63	0	26966.825	587.0967742	16004.13122	30000	0	0	30000	43.1875	2004
21.01.2020 11:26:43	1	1	1	1	114.3	63	0	27061.611	591.3978495	15832.08763	30000	0	0	30000	42.6875	2004
21.01.2020 11:26:44	1	1	1	1	114.3	62.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	43.0625	2004
21.01.2020 11:26:45	1	1	1	1	114.3	63	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	42.9375	2004
21.01.2020 11:26:46	1	1	1	1	114.3	62.75	0	26966.825	593.5483871	16119.91411	30000	0	0	30000	42.9375	2004
21.01.2020 11:26:47	1	1	1	1	114.3	62.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	43.1875	2004
21.01.2020 11:26:48	1	1	1	1	114.3	63	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	43.0625	2004
21.01.2020 11:26:49	1	1	1	1	114.3	63	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	43.125	2004
21.01.2020 11:26:50	1	1	1	1	114.3	63	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	43.1875	2004
21.01.2020 11:26:51	1	1	1	1	114.3	63	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	43.375	2004
21.01.2020 11:26:52	1	1	1	1	114.3	63.25	0	26872.038	597.8494624	15835.34912	30000	0	0	30000	43.25	2004
21.01.2020 11:26:53	1	1	1	1	114.5	63.25	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	43.375	2004
21.01.2020 11:26:54	1	1	1	1	114.5	63.25	0	26872.038	589.2473118	15891.60982	30000	0	0	30000	43.5	2004
21.01.2020 11:26:55	1	1	1	1	114.5	63.5	0	26824.645	589.2473118	15835.34912	30000	0	0	30000	43.4375	2004
21.01.2020 11:26:56	1	1	1	1	114.5	63.25	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	42.9375	2004
21.01.2020 11:26:57	1	1	1	1	114.5	62.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	42.5625	2004
21.01.2020 11:26:58	1	1	1	1	114.5	62.5	0	27109.005	593.5483871	16176.99019	30000	0	0	30000	43.125	2004
21.01.2020 11:26:59	1	1	1	1	114.5	63	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	43.0625	2004
21.01.2020 11:27:00	1	1	1	1	114.5	63	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	42.75	2004
21.01.2020 11:27:01	1	1	1	1	114.5	62.75	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	42.75	2004
21.01.2020 11:27:02	1	1	1	1	114.3	62.75	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	43.1875	2004
21.01.2020 11:27:03	1	1	1	1	114.3	63	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	43.3125	2004
21.01.2020 11:27:04	1	1	1	1	114.3	63.25	0	26919.431	593.5483871	15775.82692	30000	0	0	30000	43.0625	2004
21.01.2020 11:27:05	1	1	1	1	114.3	63	0	26919.431	591.3978495	15804.36496	30000	0	0	30000	43.375	2004
21.01.2020 11:27:06	1	1	1	1	114.3	63.25	0	27061.611	593.5483871	16295.2192	30000	0	0	30000	42.1875	2004
21.01.2020 11:27:07	1	1	1	1	114.3	62	0	26966.825	591.3978495	15920.14785	30000	0	0	30000	42.9375	2004
21.01.2020 11:27:09	1	1	1	1	114.3	62.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	43.125	2004
21.01.2020 11:27:10	1	1	1	1	114.3	63	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	43	2004
21.01.2020 11:27:11	1	1	1	1	114.3	63	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	43.3125	2004
21.01.2020 11:27:12	1	1	1	1	114.3	63.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	42.5625	2004
21.01.2020 11:27:18	1	1	1	1	113.8	63	0	27298.578	595.6989247	16031.85389	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:27:18	1	1	1	1	113.8	63	0	27298.578	595.6989247	16031.85389	30000	0	0	30000	42.9375	2004
21.01.2020 11:27:18	1	1	1	1	113.8	63	0	27298.578	595.6989247	16031.85389	30000	0	0	30000	42.9375	2004
21.01.2020 11:27:18	1	1	1	1	113.8	63	0	27298.578	595.6989247	16031.85389	30000	0	0	30000	42.9375	2004
21.01.2020 11:27:18	1	1	1	1	113.8	63	0	27298.578	595.6989247	16031.85389	30000	0	0	30000	42.9375	2004
21.01.2020 11:27:18	1	1	1	1	113.8	63	0	27298.578	595.6989247	16031.85389	30000	0	0	30000	42.9375	2004
21.01.2020 11:27:19	1	1	1	1	113.8	62.75	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	42.875	2004
21.01.2020 11:27:20	1	1	1	1	113.8	62.75	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	43.3125	2004
21.01.2020 11:27:21	1	1	1	1	113.8	63.25	0	27061.611	595.6989247	16148.45215	30000	0	0	30000	43	2004
21.01.2020 11:27:22	1	1	1	1	113.8	63	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	43.3125	2004
21.01.2020 11:27:23	1	1	1	1	113.8	63.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	43.1875	2004
21.01.2020 11:27:24	1	1	1	1	113.8	63	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	43.1875	2004
21.01.2020 11:27:25	1	1	1	1	113.8	63	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	43.125	2004
21.01.2020 11:27:26	1	1	1	1	113.8	63	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	43.375	2004
21.01.2020 11:27:27	1	1	1	1	113.8	63.25	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	43.125	2004
21.01.2020 11:27:28	1	1	1	1	113.8	63	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	43.25	2004
21.01.2020 11:27:29	1	1	1	1	113.8	63.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	42.5625	2004
21.01.2020 11:27:30	1	1	1	1	113.8	62.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	43.25	2004
21.01.2020 11:27:31	1	1	1	1	113.8	63.25	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	43.5	2004
21.01.2020 11:27:32	1	1	1	1	113.8	63.5	0	26777.251	593.5483871	15863.88715	30000	0	0	30000	42.75	2004
21.01.2020 11:27:33	1	1	1	1	114	62.75	0	26824.645	593.5483871	15722.01234	30000	0	0	30000	43.4375	2004
21.01.2020 11:27:34	1	1	1	1	114	63.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	43.1875	2004
21.01.2020 11:27:35	1	1	1	1	114	63	0	26966.825	593.5483871	15975.59318	30000	0	0	30000	42.6875	2004
21.01.2020 11:27:36	1	1	1	1	114	62.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	42.75	2004
21.01.2020 11:27:37	1	1	1	1	114	62.75	0	26872.038	593.5483871	15863.88715	30000	0	0	30000	42.5625	2004
21.01.2020 11:27:38	1	1	1	1	114	62.5	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	43.1875	2004
21.01.2020 11:27:39	1	1	1	1	114	63	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	42.6875	2004
21.01.2020 11:27:40	1	1	1	1	114	62.5	0	26682.464	591.3978495	15836.97986	30000	0	0	30000	42.8125	2004
21.01.2020 11:27:41	1	1	1	1	114	62.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	43.1875	2004
21.01.2020 11:27:42	1	1	1	1	113.3	63	0	27061.611	602.1505376	16178.62093	30000	0	0	30000	43.3125	2004
21.01.2020 11:27:43	1	1	1	1	113.3	63.25	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	42.8125	2004
21.01.2020 11:27:44	1	1	1	1	113.3	62.75	0	26824.645	595.6989247	15778.27304	30000	0	0	30000	43.3125	2004
21.01.2020 11:27:45	1	1	1	1	113.3	63.25	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	42.875	2004
21.01.2020 11:27:47	1	1	1	1	113.3	62.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	43.1875	2004
21.01.2020 11:27:48	1	1	1	1	113.3	63	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	43.3125	2004
21.01.2020 11:27:49	1	1	1	1	113.3	63.25	0	26872.038	589.2473118	16035.93075	30000	0	0	30000	43	2004
21.01.2020 11:27:50	1	1	1	1	113.3	63	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	43	2004
21.01.2020 11:27:51	1	1	1	1	113.3	63	0	26824.645	589.2473118	15863.88715	30000	0	0	30000	42.875	2004
21.01.2020 11:27:52	1	1	1	1	113.3	62.75	0	27109.005	595.6989247	16031.85389	30000	0	0	30000	42.9375	2004
21.01.2020 11:27:53	1	1	1	1	113.3	62.75	0	26824.645	589.2473118	15748.10426	30000	0	0	30000	42.6875	2004
21.01.2020 11:27:54	1	1	1	1	113.3	62.5	0	27109.005	597.8494624	16207.15897	30000	0	0	30000	42.6875	2004
21.01.2020 11:27:55	1	1	1	1	113.3	62.5	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	43.125	2004
21.01.2020 11:27:56	1	1	1	1	113.3	63	0	26777.251	593.5483871	15836.97986	30000	0	0	30000	42.8125	2004
21.01.2020 11:27:57	1	1	1	1	113.3	62.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:27:58	1	1	1	1	113.3	63.25	0	26777.251	593.5483871	15921.7786	30000	0	0	30000	43.1875	2004
21.01.2020 11:27:59	1	1	1	1	113.3	63	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	43	2004
21.01.2020 11:28:00	1	1	1	1	113.3	63	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	42.4375	2004
21.01.2020 11:28:01	1	1	1	1	113.3	62.25	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	43.25	2004
21.01.2020 11:28:02	1	1	1	1	113.3	63.25	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	42.875	2004
21.01.2020 11:28:03	1	1	1	1	113	62.75	0	26872.038	593.5483871	15748.10426	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:04	1	1	1	1	113	63	0	26777.251	595.6989247	15894.05593	30000	0	0	30000	43.0625	2004
21.01.2020 11:28:05	1	1	1	1	113	63	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	43.3125	2004
21.01.2020 11:28:06	1	1	1	1	113	63.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	43	2004
21.01.2020 11:28:07	1	1	1	1	113	63	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	43.0625	2004
21.01.2020 11:28:08	1	1	1	1	113	63	0	26824.645	593.5483871	15893.24056	30000	0	0	30000	42.8125	2004
21.01.2020 11:28:09	1	1	1	1	113	62.75	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	42.75	2004
21.01.2020 11:28:10	1	1	1	1	113	62.75	0	26919.431	595.6989247	15920.14785	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:11	1	1	1	1	113	63	0	26919.431	593.5483871	15775.82692	30000	0	0	30000	43.4375	2004
21.01.2020 11:28:12	1	1	1	1	113	63.25	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	43.25	2004
21.01.2020 11:28:13	1	1	1	1	113	63.25	0	26919.431	595.6989247	15748.10426	30000	0	0	30000	43.375	2004
21.01.2020 11:28:20	1	1	1	1	113	63	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:20	1	1	1	1	113	63	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:20	1	1	1	1	113	63	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:20	1	1	1	1	113	63	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:20	1	1	1	1	113	63	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:20	1	1	1	1	113	63	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:20	1	1	1	1	113	63	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	42.6875	2004
21.01.2020 11:28:21	1	1	1	1	113	62.5	0	27014.218	591.3978495	15889.97907	30000	0	0	30000	43.4375	2004
21.01.2020 11:28:22	1	1	1	1	112.5	63.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	43.0625	2004
21.01.2020 11:28:23	1	1	1	1	112.5	63	0	27156.398	593.5483871	16118.28337	30000	0	0	30000	43.375	2004
21.01.2020 11:28:25	1	1	1	1	112.5	63.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:26	1	1	1	1	112.5	63	0	27156.398	595.6989247	16176.99019	30000	0	0	30000	42.6875	2004
21.01.2020 11:28:27	1	1	1	1	112.5	62.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	43.3125	2004
21.01.2020 11:28:28	1	1	1	1	112.5	63.25	0	27061.611	587.0967742	15801.91884	30000	0	0	30000	43.5	2004
21.01.2020 11:28:29	1	1	1	1	112.5	63.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:30	1	1	1	1	112.5	63	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	43.0625	2004
21.01.2020 11:28:31	1	1	1	1	112.5	63	0	26872.038	591.3978495	15949.50126	30000	0	0	30000	43.1875	2004
21.01.2020 11:28:32	1	1	1	1	112.5	63	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	43.4375	2004
21.01.2020 11:28:33	1	1	1	1	112	63.25	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	43.25	2004
21.01.2020 11:28:34	1	1	1	1	112	63.25	0	26966.825	591.3978495	15920.14785	30000	0	0	30000	43	2004
21.01.2020 11:28:35	1	1	1	1	112	63	0	26966.825	593.5483871	16062.02267	30000	0	0	30000	43.3125	2004
21.01.2020 11:28:36	1	1	1	1	112	63.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	43.125	2004
21.01.2020 11:28:37	1	1	1	1	112	63	0	26919.431	587.0967742	15775.82692	30000	0	0	30000	42.75	2004
21.01.2020 11:28:38	1	1	1	1	112	62.75	0	27061.611	593.5483871	15715.48936	30000	0	0	30000	42.875	2004
21.01.2020 11:28:39	1	1	1	1	112	62.75	0	27061.611	591.3978495	15945.4244	30000	0	0	30000	43.0625	2004
21.01.2020 11:28:40	1	1	1	1	112	63	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	43.5	2004
21.01.2020 11:28:41	1	1	1	1	112	63.5	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:28:42	1	1	1	1	112	63.25	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	43.5625	2004
21.01.2020 11:28:43	1	1	1	1	112.5	63.5	0	26966.825	589.2473118	15945.4244	30000	0	0	30000	42.875	2004
21.01.2020 11:28:44	1	1	1	1	112.5	62.75	0	27156.398	589.2473118	16031.85389	30000	0	0	30000	43.375	2004
21.01.2020 11:28:45	1	1	1	1	112.5	63.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	43.25	2004
21.01.2020 11:28:46	1	1	1	1	112.5	63.25	0	27061.611	591.3978495	15975.59318	30000	0	0	30000	43.375	2004
21.01.2020 11:28:47	1	1	1	1	112.5	63.25	0	27109.005	595.6989247	16031.85389	30000	0	0	30000	43.625	2004
21.01.2020 11:28:48	1	1	1	1	112.5	63.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	43.125	2004
21.01.2020 11:28:49	1	1	1	1	112.5	63	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	43.625	2004
21.01.2020 11:28:50	1	1	1	1	112.5	63.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	43.0625	2004
21.01.2020 11:28:51	1	1	1	1	112.5	62.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	42.375	2004
21.01.2020 11:28:52	1	1	1	1	111.8	62.25	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	43.375	2004
21.01.2020 11:28:53	1	1	1	1	111.8	63.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.375	2004
21.01.2020 11:28:54	1	1	1	1	111.8	63.25	0	27298.578	593.5483871	15942.97828	30000	0	0	30000	42.5	2004
21.01.2020 11:28:55	1	1	1	1	111.8	62.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	43.125	2004
21.01.2020 11:28:56	1	1	1	1	111.8	63	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	42.6875	2004
21.01.2020 11:28:57	1	1	1	1	111.8	62.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.875	2004
21.01.2020 11:28:58	1	1	1	1	111.8	62.75	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	43.3125	2004
21.01.2020 11:28:59	1	1	1	1	111.8	63.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	43.1875	2004
21.01.2020 11:29:00	1	1	1	1	111.8	63	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	43	2004
21.01.2020 11:29:01	1	1	1	1	111.8	63	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	43.0625	2004
21.01.2020 11:29:03	1	1	1	1	111.3	63	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	43.1875	2004
21.01.2020 11:29:04	1	1	1	1	111.3	63	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	43.0625	2004
21.01.2020 11:29:05	1	1	1	1	111.3	63	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.3125	2004
21.01.2020 11:29:06	1	1	1	1	111.3	63.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	43.125	2004
21.01.2020 11:29:07	1	1	1	1	111.3	63	0	27014.218	584.9462366	15887.53295	30000	0	0	30000	43.3125	2004
21.01.2020 11:29:08	1	1	1	1	111.3	63.25	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	43.3125	2004
21.01.2020 11:29:09	1	1	1	1	111.3	63.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.9375	2004
21.01.2020 11:29:10	1	1	1	1	111.3	62.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	43.1875	2004
21.01.2020 11:29:11	1	1	1	1	111.3	63	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	43.3125	2004
21.01.2020 11:29:12	1	1	1	1	111.3	63.25	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	43.25	2004
21.01.2020 11:29:13	1	1	1	1	111	63.25	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	43.25	2004
21.01.2020 11:29:14	1	1	1	1	111	63.25	0	27156.398	587.0967742	16261.78893	30000	0	0	30000	43	2004
21.01.2020 11:29:15	1	1	1	1	111	63	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.3125	2004
21.01.2020 11:29:21	1	1	1	1	111	62	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:21	1	1	1	1	111	62	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:21	1	1	1	1	111	62	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:21	1	1	1	1	111	62	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:21	1	1	1	1	111	62	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:21	1	1	1	1	111	62	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:22	1	1	1	1	111	63.25	0	27867.299	565.5913978	15821.48778	30000	0	0	30000	43.125	2004
21.01.2020 11:29:23	1	1	1	1	110.5	63	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:24	1	1	1	1	110.5	63.25	0	28293.839	561.2903226	16029.40777	30000	0	0	30000	43.1875	2004
21.01.2020 11:29:25	1	1	1	1	110.5	63	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:29:26	1	1	1	1	110.5	63.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	42.9375	2004
21.01.2020 11:29:27	1	1	1	1	110.5	62.75	0	28483.412	569.8924731	16144.37529	30000	0	0	30000	42.6875	2004
21.01.2020 11:29:28	1	1	1	1	110.5	62.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.9375	2004
21.01.2020 11:29:29	1	1	1	1	110.5	62.75	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	43.5	2004
21.01.2020 11:29:30	1	1	1	1	110.5	63.5	0	28009.479	561.2903226	15781.53453	30000	0	0	30000	43.25	2004
21.01.2020 11:29:31	1	1	1	1	110.5	63.25	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	43.0625	2004
21.01.2020 11:29:32	1	1	1	1	110.3	63	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	42.8125	2004
21.01.2020 11:29:33	1	1	1	1	110.3	62.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	42.625	2004
21.01.2020 11:29:34	1	1	1	1	110.3	62.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43	2004
21.01.2020 11:29:35	1	1	1	1	110.3	63	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	42.5625	2004
21.01.2020 11:29:36	1	1	1	1	110.3	62.5	0	28388.626	556.9892473	15960.91648	30000	0	0	30000	43.375	2004
21.01.2020 11:29:37	1	1	1	1	110.3	63.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	43	2004
21.01.2020 11:29:38	1	1	1	1	110.3	63	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.25	2004
21.01.2020 11:29:39	1	1	1	1	110.3	63.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	43.1875	2004
21.01.2020 11:29:41	1	1	1	1	110.3	63	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	42.875	2004
21.01.2020 11:29:42	1	1	1	1	110.3	62.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.3125	2004
21.01.2020 11:29:43	1	1	1	1	110.3	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.0625	2004
21.01.2020 11:29:44	1	1	1	1	110.3	63	0	28483.412	563.4408602	15838.61061	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:45	1	1	1	1	110.3	63.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	43.375	2004
21.01.2020 11:29:46	1	1	1	1	110.3	63.25	0	28341.232	569.8924731	15819.85704	30000	0	0	30000	43.5	2004
21.01.2020 11:29:47	1	1	1	1	110.3	63.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:48	1	1	1	1	110.3	63.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.5625	2004
21.01.2020 11:29:49	1	1	1	1	110.3	63.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	42.875	2004
21.01.2020 11:29:50	1	1	1	1	110.3	62.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:51	1	1	1	1	110.3	63.25	0	27867.299	569.8924731	15973.96244	30000	0	0	30000	43.0625	2004
21.01.2020 11:29:52	1	1	1	1	110.3	63	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	43.3125	2004
21.01.2020 11:29:53	1	1	1	1	109.8	63.25	0	27914.692	569.8924731	15788.05751	30000	0	0	30000	43.375	2004
21.01.2020 11:29:54	1	1	1	1	109.8	63.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	43.1875	2004
21.01.2020 11:29:55	1	1	1	1	109.8	63	0	27867.299	574.1935484	15854.10268	30000	0	0	30000	43.5	2004
21.01.2020 11:29:56	1	1	1	1	109.8	63.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	43.4375	2004
21.01.2020 11:29:57	1	1	1	1	109.8	63.25	0	27962.085	574.1935484	16142.74454	30000	0	0	30000	43.3125	2004
21.01.2020 11:29:58	1	1	1	1	109.8	63.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	43	2004
21.01.2020 11:29:59	1	1	1	1	109.8	63	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	43.4375	2004
21.01.2020 11:30:00	1	1	1	1	109.8	63.25	0	27819.905	576.344086	16061.20729	30000	0	0	30000	43.125	2004
21.01.2020 11:30:01	1	1	1	1	109.8	63	0	27725.118	578.4946237	15924.22472	30000	0	0	30000	43.25	2004
21.01.2020 11:30:04	1	1	1	1	109	63.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	43.5	2004
21.01.2020 11:30:04	1	1	1	1	109	63.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	43.5	2004
21.01.2020 11:30:04	1	1	1	1	109	63.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	43	2004
21.01.2020 11:30:05	1	1	1	1	109	63	0	27867.299	576.344086	15973.96244	30000	0	0	30000	42.75	2004
21.01.2020 11:30:06	1	1	1	1	109	62.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	43.6875	2004
21.01.2020 11:30:07	1	1	1	1	109	63.5	0	27630.332	572.0430108	15886.71758	30000	0	0	30000	42.75	2004
21.01.2020 11:30:08	1	1	1	1	109	63.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	43.5	2004
21.01.2020 11:30:09	1	1	1	1	109	63.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:30:10	1	1	1	1	109	63.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	43.3125	2004
21.01.2020 11:30:11	1	1	1	1	109	63.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	43.0625	2004
21.01.2020 11:30:12	1	1	1	1	109	63	0	27819.905	580.6451613	16066.09953	30000	0	0	30000	43.5625	2004
21.01.2020 11:30:13	1	1	1	1	109	63.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	43.3125	2004
21.01.2020 11:30:14	1	1	1	1	109	63.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	43.375	2004
21.01.2020 11:30:15	1	1	1	1	109	63.25	0	27819.905	578.4946237	15745.65814	30000	0	0	30000	42.9375	2004
21.01.2020 11:30:16	1	1	1	1	109	62.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	43	2004
21.01.2020 11:30:23	1	1	1	1	108.3	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
21.01.2020 11:30:23	1	1	1	1	108.3	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
21.01.2020 11:30:23	1	1	1	1	108.3	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
21.01.2020 11:30:23	1	1	1	1	108.3	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
21.01.2020 11:30:23	1	1	1	1	108.3	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
21.01.2020 11:30:23	1	1	1	1	108.3	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
21.01.2020 11:30:24	1	1	1	1	108.3	63.5	0	29052.133	552.688172	15942.16291	30000	0	0	30000	43.25	2004
21.01.2020 11:30:25	1	1	1	1	108.3	63.25	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	43.0625	2004
21.01.2020 11:30:26	1	1	1	1	108.3	63	0	28909.953	552.688172	15951.94738	30000	0	0	30000	43.25	2004
21.01.2020 11:30:27	1	1	1	1	108.3	63.25	0	28909.953	552.688172	15889.97907	30000	0	0	30000	43.0625	2004
21.01.2020 11:30:28	1	1	1	1	108.3	63	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.3125	2004
21.01.2020 11:30:29	1	1	1	1	108.3	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.875	2004
21.01.2020 11:30:30	1	1	1	1	108.3	62.75	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	43.25	2004
21.01.2020 11:30:31	1	1	1	1	108.3	63.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	43.375	2004
21.01.2020 11:30:32	1	1	1	1	108.3	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.25	2004
21.01.2020 11:30:33	1	1	1	1	108	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.125	2004
21.01.2020 11:30:34	1	1	1	1	108	63	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43	2004
21.01.2020 11:30:35	1	1	1	1	108	63	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	43.5625	2004
21.01.2020 11:30:36	1	1	1	1	108	63.5	0	28815.166	556.9892473	16137.85231	30000	0	0	30000	43.125	2004
21.01.2020 11:30:37	1	1	1	1	108	63	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	43.5625	2004
21.01.2020 11:30:38	1	1	1	1	108	63.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.4375	2004
21.01.2020 11:30:39	1	1	1	1	108	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.3125	2004
21.01.2020 11:30:40	1	1	1	1	108	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.125	2004
21.01.2020 11:30:41	1	1	1	1	108	63	0	28815.166	552.688172	16049.79208	30000	0	0	30000	43.1875	2004
21.01.2020 11:30:42	1	1	1	1	108	63	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	43.3125	2004
21.01.2020 11:30:43	1	1	1	1	108.3	63.25	0	28578.199	550.5376344	15820.67241	30000	0	0	30000	43.3125	2004
21.01.2020 11:30:44	1	1	1	1	108.3	63.25	0	28625.592	556.9892473	15987.82377	30000	0	0	30000	43.5	2004
21.01.2020 11:30:45	1	1	1	1	108.3	63.5	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	43.25	2004
21.01.2020 11:30:46	1	1	1	1	108.3	63.25	0	28388.626	569.8924731	16056.31506	30000	0	0	30000	43.625	2004
21.01.2020 11:30:47	1	1	1	1	108.3	63.5	0	28341.232	567.7419355	16117.468	30000	0	0	30000	43.0625	2004
21.01.2020 11:30:48	1	1	1	1	108.3	63.25	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	43.625	2004
21.01.2020 11:30:49	1	1	1	1	108.3	63.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43	2004
21.01.2020 11:30:50	1	1	1	1	108.3	63	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	42.9375	2004
21.01.2020 11:30:51	1	1	1	1	108.3	62.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.125	2004
21.01.2020 11:30:52	1	1	1	1	108.3	63	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.375	2004
21.01.2020 11:30:53	1	1	1	1	108.3	63.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:30:54	1	1	1	1	108.3	62.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	43.625	2004
21.01.2020 11:30:55	1	1	1	1	108.3	63.5	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	43.0625	2004
21.01.2020 11:30:57	1	1	1	1	108.3	63	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.3125	2004
21.01.2020 11:30:58	1	1	1	1	108.3	63.25	0	28009.479	576.344086	16191.66689	30000	0	0	30000	43	2004
21.01.2020 11:30:59	1	1	1	1	108.3	63	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.9375	2004
21.01.2020 11:31:00	1	1	1	1	108.3	62.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:01	1	1	1	1	108.3	63.25	0	27867.299	567.7419355	15821.48778	30000	0	0	30000	43	2004
21.01.2020 11:31:02	1	1	1	1	108.3	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.1875	2004
21.01.2020 11:31:03	1	1	1	1	107.3	63	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	43.375	2004
21.01.2020 11:31:04	1	1	1	1	107.3	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.5	2004
21.01.2020 11:31:05	1	1	1	1	107.3	63.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:06	1	1	1	1	107.3	63.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	43.1875	2004
21.01.2020 11:31:07	1	1	1	1	107.3	63	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.125	2004
21.01.2020 11:31:08	1	1	1	1	107.3	63	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	43.4375	2004
21.01.2020 11:31:09	1	1	1	1	107.3	63.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.5625	2004
21.01.2020 11:31:10	1	1	1	1	107.3	63.5	0	28293.839	565.5913978	16123.99098	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:11	1	1	1	1	107.3	63.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.5625	2004
21.01.2020 11:31:12	1	1	1	1	107.3	63.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.4375	2004
21.01.2020 11:31:13	1	1	1	1	107.3	63.25	0	28009.479	561.2903226	15961.73185	30000	0	0	30000	43.125	2004
21.01.2020 11:31:14	1	1	1	1	107.3	63	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.25	2004
21.01.2020 11:31:15	1	1	1	1	107.3	63.25	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	43.5	2004
21.01.2020 11:31:16	1	1	1	1	107.3	63.5	0	27914.692	563.4408602	15848.39508	30000	0	0	30000	43.1875	2004
21.01.2020 11:31:17	1	1	1	1	107.3	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.5625	2004
21.01.2020 11:31:18	1	1	1	1	107.3	63.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	43.5625	2004
21.01.2020 11:31:24	1	1	1	1	106.8	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:24	1	1	1	1	106.8	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:24	1	1	1	1	106.8	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:24	1	1	1	1	106.8	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:24	1	1	1	1	106.8	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:24	1	1	1	1	106.8	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:25	1	1	1	1	106.8	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.25	2004
21.01.2020 11:31:26	1	1	1	1	106.8	63.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	43.4375	2004
21.01.2020 11:31:27	1	1	1	1	106.8	63.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.5	2004
21.01.2020 11:31:28	1	1	1	1	106.8	63.5	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	43.0625	2004
21.01.2020 11:31:29	1	1	1	1	106.8	63	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	43.1875	2004
21.01.2020 11:31:30	1	1	1	1	106.8	63	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	42.4375	2004
21.01.2020 11:31:31	1	1	1	1	106.8	62.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.25	2004
21.01.2020 11:31:32	1	1	1	1	106.3	63.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.25	2004
21.01.2020 11:31:33	1	1	1	1	106.3	63.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.0625	2004
21.01.2020 11:31:34	1	1	1	1	106.3	63	0	30000	520.4301075	15548.338	30000	0	0	30000	43.125	2004
21.01.2020 11:31:36	1	1	1	1	106.3	63	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:37	1	1	1	1	106.3	63.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.1875	2004
21.01.2020 11:31:38	1	1	1	1	106.3	63	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:31:39	1	1	1	1	106.3	63.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.0625	2004
21.01.2020 11:31:40	1	1	1	1	106.3	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.5625	2004
21.01.2020 11:31:41	1	1	1	1	106.3	63.5	0	30000	496.7741935	14967.79279	30000	0	0	30000	43.5	2004
21.01.2020 11:31:42	1	1	1	1	106.3	63.5	0	30000	496.7741935	15079.49882	30000	0	0	30000	43.375	2004
21.01.2020 11:31:43	1	1	1	1	106.3	63.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.625	2004
21.01.2020 11:31:44	1	1	1	1	106.3	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.5	2004
21.01.2020 11:31:45	1	1	1	1	106.3	63.5	0	30000	516.1290323	15726.90457	30000	0	0	30000	43.4375	2004
21.01.2020 11:31:46	1	1	1	1	106.3	63.25	0	30000	520.4301075	15548.338	30000	0	0	30000	43.375	2004
21.01.2020 11:31:47	1	1	1	1	106.3	63.25	0	30047.393	535.483871	15870.41013	30000	0	0	30000	43.125	2004
21.01.2020 11:31:48	1	1	1	1	106.3	63	0	30000	535.483871	16064.46878	30000	0	0	30000	43.5	2004
21.01.2020 11:31:49	1	1	1	1	106.3	63.5	0	29905.213	537.6344086	15859.81029	30000	0	0	30000	43.625	2004
21.01.2020 11:31:50	1	1	1	1	106.3	63.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.5625	2004
21.01.2020 11:31:51	1	1	1	1	106.3	63.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.4375	2004
21.01.2020 11:31:52	1	1	1	1	106.3	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.5625	2004
21.01.2020 11:31:53	1	1	1	1	105.8	63.5	0	29146.919	544.0860215	15909.54801	30000	0	0	30000	43.375	2004
21.01.2020 11:31:54	1	1	1	1	105.8	63.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	43.5	2004
21.01.2020 11:31:55	1	1	1	1	105.8	63.5	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	43.375	2004
21.01.2020 11:31:56	1	1	1	1	105.8	63.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.3125	2004
21.01.2020 11:31:57	1	1	1	1	105.8	63.25	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	43.25	2004
21.01.2020 11:31:58	1	1	1	1	105.8	63.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.625	2004
21.01.2020 11:31:59	1	1	1	1	105.8	63.5	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	42.8125	2004
21.01.2020 11:32:00	1	1	1	1	105.8	62.75	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	43.75	2004
21.01.2020 11:32:01	1	1	1	1	105.8	63.75	0	28815.166	561.2903226	15987.82377	30000	0	0	30000	43.5625	2004
21.01.2020 11:32:02	1	1	1	1	105.8	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.6875	2004
21.01.2020 11:32:03	1	1	1	1	104.8	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.6875	2004
21.01.2020 11:32:04	1	1	1	1	104.8	63.5	0	28578.199	554.8387097	15882.64072	30000	0	0	30000	43.375	2004
21.01.2020 11:32:05	1	1	1	1	104.8	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.0625	2004
21.01.2020 11:32:06	1	1	1	1	104.8	63	0	28578.199	559.1397849	15943.79366	30000	0	0	30000	43.3125	2004
21.01.2020 11:32:07	1	1	1	1	104.8	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.3125	2004
21.01.2020 11:32:08	1	1	1	1	104.8	63.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.5	2004
21.01.2020 11:32:09	1	1	1	1	104.8	63.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	43.1875	2004
21.01.2020 11:32:10	1	1	1	1	104.8	63	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.9375	2004
21.01.2020 11:32:11	1	1	1	1	104.8	62.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	43.375	2004
21.01.2020 11:32:12	1	1	1	1	102.5	63.25	0	28388.626	563.4408602	16205.52823	30000	0	0	30000	43.1875	2004
21.01.2020 11:32:14	1	1	1	1	102.5	63	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.5	2004
21.01.2020 11:32:15	1	1	1	1	102.5	63.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	43.5625	2004
21.01.2020 11:32:16	1	1	1	1	102.5	63.5	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	43.75	2004
21.01.2020 11:32:17	1	1	1	1	102.5	63.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	43.375	2004
21.01.2020 11:32:18	1	1	1	1	102.5	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
21.01.2020 11:32:19	1	1	1	1	102.5	63.25	0	29099.526	544.0860215	15832.08763	30000	0	0	30000	43	2004
21.01.2020 11:32:20	1	1	1	1	102.5	63	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	43.5625	2004
21.01.2020 11:32:26	1	1	1	1	101.5	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.875	2004
21.01.2020 11:32:26	1	1	1	1	101.5	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:32:26	1	1	1	1	101.5	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.875	2004
21.01.2020 11:32:26	1	1	1	1	101.5	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.875	2004
21.01.2020 11:32:26	1	1	1	1	101.5	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.875	2004
21.01.2020 11:32:26	1	1	1	1	101.5	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.875	2004
21.01.2020 11:32:27	1	1	1	1	101.5	62.75	0	30000	522.5806452	15612.75243	30000	0	0	30000	43.1875	2004
21.01.2020 11:32:28	1	1	1	1	101.5	63	0	30000	516.1290323	15548.338	30000	0	0	30000	42.9375	2004
21.01.2020 11:32:29	1	1	1	1	101.5	62.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.4375	2004
21.01.2020 11:32:30	1	1	1	1	101.5	63.25	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	43.3125	2004
21.01.2020 11:32:31	1	1	1	1	101.5	63.25	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	43.625	2004
21.01.2020 11:32:32	1	1	1	1	101.5	63.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.3125	2004
21.01.2020 11:32:33	1	1	1	1	101.8	63.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.6875	2004
21.01.2020 11:32:34	1	1	1	1	101.8	63.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.25	2004
21.01.2020 11:32:35	1	1	1	1	101.8	63.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	43.375	2004
21.01.2020 11:32:36	1	1	1	1	101.8	63.25	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	43.375	2004
21.01.2020 11:32:37	1	1	1	1	101.8	63.25	0	29668.246	541.9354839	16141.92917	30000	0	0	30000	43.5625	2004
21.01.2020 11:32:38	1	1	1	1	101.8	63.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.0625	2004
21.01.2020 11:32:39	1	1	1	1	101.8	64	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	43.25	2004
21.01.2020 11:32:40	1	1	1	1	101.8	63.25	0	29620.853	539.7849462	16040.00761	30000	0	0	30000	43.6875	2004
21.01.2020 11:32:41	1	1	1	1	101.8	63.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	43.4375	2004
21.01.2020 11:32:42	1	1	1	1	102	63.5	0	29526.066	537.6344086	15975.59318	30000	0	0	30000	43.4375	2004
21.01.2020 11:32:43	1	1	1	1	102	63.25	0	29573.46	537.6344086	16269.12728	30000	0	0	30000	43.6875	2004
21.01.2020 11:32:44	1	1	1	1	102	63.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	43.4375	2004
21.01.2020 11:32:45	1	1	1	1	102	63.25	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	43.625	2004
21.01.2020 11:32:46	1	1	1	1	102	63.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	42.5	2004
21.01.2020 11:32:47	1	1	1	1	102	62.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.625	2004
21.01.2020 11:32:48	1	1	1	1	102	63.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	43.3125	2004
21.01.2020 11:32:49	1	1	1	1	102	63.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	43.4375	2004
21.01.2020 11:32:50	1	1	1	1	102	63.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.5625	2004
21.01.2020 11:32:52	1	1	1	1	102	63.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	43.375	2004
21.01.2020 11:32:53	1	1	1	1	100.3	63.25	0	28009.479	509.6774194	14275.54154	30000	0	0	30000	43.5	2004
21.01.2020 11:32:54	1	1	1	1	100.3	63.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.625	2004
21.01.2020 11:32:55	1	1	1	1	100.3	63.5	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	43.5625	2004
21.01.2020 11:32:56	1	1	1	1	100.3	63.5	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	42.9375	2004
21.01.2020 11:32:57	1	1	1	1	100.3	62.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.625	2004
21.01.2020 11:32:58	1	1	1	1	100.3	63.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	44	2004
21.01.2020 11:32:59	1	1	1	1	100.3	64	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.625	2004
21.01.2020 11:33:00	1	1	1	1	100.3	63.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.375	2004
21.01.2020 11:33:01	1	1	1	1	100.3	63.25	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	43.75	2004
21.01.2020 11:33:02	1	1	1	1	100.3	63.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	43.6875	2004
21.01.2020 11:33:03	1	1	1	1	99.5	63.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.1875	2004
21.01.2020 11:33:04	1	1	1	1	99.5	63	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.625	2004
21.01.2020 11:33:05	1	1	1	1	99.5	63.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	43.75	2004
21.01.2020 11:33:06	1	1	1	1	99.5	63.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:33:07	1	1	1	1	99.5	63.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.4375	2004
21.01.2020 11:33:08	1	1	1	1	99.5	63.25	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	43.5625	2004
21.01.2020 11:33:09	1	1	1	1	99.5	63.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.75	2004
21.01.2020 11:33:10	1	1	1	1	99.5	62.75	0	29099.526	552.688172	16082.40698	30000	0	0	30000	43.6875	2004
21.01.2020 11:33:11	1	1	1	1	99.5	63.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.625	2004
21.01.2020 11:33:12	1	1	1	1	99.5	63.5	0	28578.199	550.5376344	15794.58049	30000	0	0	30000	43	2004
21.01.2020 11:33:13	1	1	1	1	99.25	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.6875	2004
21.01.2020 11:33:14	1	1	1	1	99.25	63.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.625	2004
21.01.2020 11:33:15	1	1	1	1	99.25	63.5	0	28625.592	554.8387097	16111.76039	30000	0	0	30000	43.6875	2004
21.01.2020 11:33:16	1	1	1	1	99.25	63.5	0	28909.953	554.8387097	16013.91569	30000	0	0	30000	42.75	2004
21.01.2020 11:33:17	1	1	1	1	99.25	62.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	43.5625	2004
21.01.2020 11:33:18	1	1	1	1	99.25	63.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.25	2004
21.01.2020 11:33:19	1	1	1	1	99.25	63.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.625	2004
21.01.2020 11:33:20	1	1	1	1	99.25	63.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.9375	2004
21.01.2020 11:33:21	1	1	1	1	99.25	63.75	0	29146.919	548.3870968	15920.96323	30000	0	0	30000	43.6875	2004
21.01.2020 11:33:28	1	1	1	1	99	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
21.01.2020 11:33:28	1	1	1	1	99	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
21.01.2020 11:33:28	1	1	1	1	99	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
21.01.2020 11:33:28	1	1	1	1	99	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
21.01.2020 11:33:28	1	1	1	1	99	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
21.01.2020 11:33:28	1	1	1	1	99	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004
21.01.2020 11:33:28	1	1	1	1	99	63	0	29952.607	464.516129	13870.30142	30000	0	0	30000	43.6875	2004
21.01.2020 11:33:30	1	1	1	1	99	63.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.1875	2004
21.01.2020 11:33:31	1	1	1	1	99	63	0	30000	449.4623656	13612.64371	30000	0	0	30000	43.625	2004
21.01.2020 11:33:32	1	1	1	1	99	63.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	42.9375	2004
21.01.2020 11:33:33	1	1	1	1	99.5	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.0625	2004
21.01.2020 11:33:34	1	1	1	1	99.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
21.01.2020 11:33:35	1	1	1	1	99.5	63.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.375	2004
21.01.2020 11:33:36	1	1	1	1	99.5	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.0625	2004
21.01.2020 11:33:37	1	1	1	1	99.5	63	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	43.1875	2004
21.01.2020 11:33:38	1	1	1	1	99.5	63	0	29952.607	505.3763441	15137.39026	30000	0	0	30000	43.375	2004
21.01.2020 11:33:39	1	1	1	1	99.5	63.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	43.625	2004
21.01.2020 11:33:40	1	1	1	1	99.5	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.625	2004
21.01.2020 11:33:41	1	1	1	1	99.5	63.5	0	29810.427	466.6666667	13975.48447	30000	0	0	30000	43.3125	2004
21.01.2020 11:33:42	1	1	1	1	99.5	63.25	0	29905.213	496.7741935	15008.56141	30000	0	0	30000	43.5625	2004
21.01.2020 11:33:43	1	1	1	1	99.75	63.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	43.6875	2004
21.01.2020 11:33:44	1	1	1	1	99.75	63.5	0	29952.607	494.6236559	14773.73413	30000	0	0	30000	43.5625	2004
21.01.2020 11:33:45	1	1	1	1	99.75	63.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	43.1875	2004
21.01.2020 11:33:46	1	1	1	1	99.75	63	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.75	2004
21.01.2020 11:33:47	1	1	1	1	99.75	63.75	0	30000	526.8817204	15677.16685	30000	0	0	30000	42.5625	2004
21.01.2020 11:33:48	1	1	1	1	99.75	62.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.125	2004
21.01.2020 11:33:49	1	1	1	1	99.75	63	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43	2004
21.01.2020 11:33:50	1	1	1	1	99.75	63	0	30000	535.483871	16064.46878	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:33:51	1	1	1	1	99.75	63.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.4375	2004
21.01.2020 11:33:52	1	1	1	1	99.75	63.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.75	2004
21.01.2020 11:33:53	1	1	1	1	99.5	63.75	0	29810.427	455.9139785	13740.65719	30000	0	0	30000	43.4375	2004
21.01.2020 11:33:54	1	1	1	1	99.5	63.25	0	29952.607	466.6666667	14451.662	30000	0	0	30000	43.5625	2004
21.01.2020 11:33:55	1	1	1	1	99.5	63.5	0	30000	453.7634409	13591.44402	30000	0	0	30000	41.9375	2004
21.01.2020 11:33:56	1	1	1	1	99.5	61.75	0	30000	445.1612903	13269.37189	30000	0	0	30000	43.0625	2004
21.01.2020 11:33:57	1	1	1	1	99.5	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.125	2004
21.01.2020 11:33:58	1	1	1	1	99.5	64	0	30000	419.3548387	12580.38214	30000	0	0	30000	44.1875	2004
21.01.2020 11:33:59	1	1	1	1	99.5	64	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
21.01.2020 11:34:00	1	1	1	1	99.5	63.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.375	2004
21.01.2020 11:34:01	1	1	1	1	99.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.75	2004
21.01.2020 11:34:02	1	1	1	1	100	63.75	0	30000	425.8064516	12560.8132	30000	0	0	30000	43.8125	2004
21.01.2020 11:34:03	1	1	1	1	100	63.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:04	1	1	1	1	100	63.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.3125	2004
21.01.2020 11:34:05	1	1	1	1	100	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.5	2004
21.01.2020 11:34:06	1	1	1	1	100	63.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	43.1875	2004
21.01.2020 11:34:08	1	1	1	1	100	63	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	43.625	2004
21.01.2020 11:34:09	1	1	1	1	100	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.75	2004
21.01.2020 11:34:10	1	1	1	1	100	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43.375	2004
21.01.2020 11:34:11	1	1	1	1	100	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:12	1	1	1	1	100	63.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	43.625	2004
21.01.2020 11:34:13	1	1	1	1	99.5	63.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	43.4375	2004
21.01.2020 11:34:14	1	1	1	1	99.5	63.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	43.625	2004
21.01.2020 11:34:15	1	1	1	1	99.5	63.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	43.3125	2004
21.01.2020 11:34:16	1	1	1	1	99.5	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:17	1	1	1	1	99.5	63.5	0	29478.673	533.3333333	15911.99413	30000	0	0	30000	42.0625	2004
21.01.2020 11:34:18	1	1	1	1	99.5	62	0	29810.427	539.7849462	15911.99413	30000	0	0	30000	43.75	2004
21.01.2020 11:34:19	1	1	1	1	99.5	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
21.01.2020 11:34:20	1	1	1	1	99.5	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.5625	2004
21.01.2020 11:34:21	1	1	1	1	99.5	62.5	0	29952.607	460.2150538	13698.25782	30000	0	0	30000	43.625	2004
21.01.2020 11:34:22	1	1	1	1	99.5	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.75	2004
21.01.2020 11:34:23	1	1	1	1	99.25	63.75	0	30000	427.9569892	12858.42416	30000	0	0	30000	43.25	2004
21.01.2020 11:34:29	1	1	1	1	99.25	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:29	1	1	1	1	99.25	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:29	1	1	1	1	99.25	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:29	1	1	1	1	99.25	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:29	1	1	1	1	99.25	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:29	1	1	1	1	99.25	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:29	1	1	1	1	99.25	63.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:30	1	1	1	1	99.25	63.5	0	30000	423.655914	12709.21099	30000	0	0	30000	43.5	2004
21.01.2020 11:34:31	1	1	1	1	99.25	63.5	0	30000	427.9569892	12773.62542	30000	0	0	30000	43.1875	2004
21.01.2020 11:34:32	1	1	1	1	99.25	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004
21.01.2020 11:34:33	1	1	1	1	99.25	62	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	43.8125	2004
21.01.2020 11:34:34	1	1	1	1	99.25	63.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:34:35	1	1	1	1	99.25	63.5	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	44.1875	2004
21.01.2020 11:34:36	1	1	1	1	99.25	64	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.6875	2004
21.01.2020 11:34:37	1	1	1	1	99.25	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.125	2004
21.01.2020 11:34:38	1	1	1	1	99.25	64	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.75	2004
21.01.2020 11:34:39	1	1	1	1	99.25	63.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.625	2004
21.01.2020 11:34:40	1	1	1	1	99.25	63.5	0	30000	443.0107527	13160.92735	30000	0	0	30000	43.8125	2004
21.01.2020 11:34:41	1	1	1	1	99.25	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43.8125	2004
21.01.2020 11:34:42	1	1	1	1	99.5	63.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.1875	2004
21.01.2020 11:34:43	1	1	1	1	99.5	63	0	30000	466.6666667	14064.36007	30000	0	0	30000	43.625	2004
21.01.2020 11:34:44	1	1	1	1	99.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.375	2004
21.01.2020 11:34:46	1	1	1	1	99.5	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
21.01.2020 11:34:47	1	1	1	1	99.5	62.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	43.375	2004
21.01.2020 11:34:48	1	1	1	1	99.5	63.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.75	2004
21.01.2020 11:34:49	1	1	1	1	99.5	63.75	0	30000	511.827957	15483.92357	30000	0	0	30000	43.5	2004
21.01.2020 11:34:50	1	1	1	1	99.5	63.5	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	43.1875	2004
21.01.2020 11:34:51	1	1	1	1	99.5	63	0	29715.64	535.483871	15848.39508	30000	0	0	30000	43.4375	2004
21.01.2020 11:34:52	1	1	1	1	99.5	63.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	43.875	2004
21.01.2020 11:34:53	1	1	1	1	98.75	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.25	2004
21.01.2020 11:34:54	1	1	1	1	98.75	63.25	0	29715.64	501.0752688	15017.53051	30000	0	0	30000	43.5625	2004
21.01.2020 11:34:55	1	1	1	1	98.75	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.5625	2004
21.01.2020 11:34:56	1	1	1	1	98.75	63.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	43.8125	2004
21.01.2020 11:34:57	1	1	1	1	98.75	63.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.4375	2004
21.01.2020 11:34:58	1	1	1	1	98.75	63.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.75	2004
21.01.2020 11:34:59	1	1	1	1	98.75	63.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.6875	2004
21.01.2020 11:35:00	1	1	1	1	98.75	63.5	0	29146.919	548.3870968	15732.61218	30000	0	0	30000	43.1875	2004
21.01.2020 11:35:01	1	1	1	1	98.75	63	0	29099.526	541.9354839	15770.11932	30000	0	0	30000	43.3125	2004
21.01.2020 11:35:02	1	1	1	1	98.75	63.25	0	29099.526	544.0860215	16046.53059	30000	0	0	30000	43.5625	2004
21.01.2020 11:35:03	1	1	1	1	98.75	63.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.4375	2004
21.01.2020 11:35:04	1	1	1	1	98.75	63.25	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	43.5625	2004
21.01.2020 11:35:05	1	1	1	1	98.75	63.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.0625	2004
21.01.2020 11:35:06	1	1	1	1	98.75	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
21.01.2020 11:35:07	1	1	1	1	98.75	63.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.25	2004
21.01.2020 11:35:08	1	1	1	1	98.75	63.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	43.625	2004
21.01.2020 11:35:09	1	1	1	1	98.75	63.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.5	2004
21.01.2020 11:35:10	1	1	1	1	98.75	63.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43.5625	2004
21.01.2020 11:35:11	1	1	1	1	98.75	63.5	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	43.1875	2004
21.01.2020 11:35:12	1	1	1	1	98.75	63	0	29336.493	541.9354839	15924.22472	30000	0	0	30000	43.6875	2004
21.01.2020 11:35:13	1	1	1	1	98.5	63.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.1875	2004
21.01.2020 11:35:14	1	1	1	1	98.5	64	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.5625	2004
21.01.2020 11:35:15	1	1	1	1	98.5	63.5	0	29289.1	544.0860215	16150.89827	30000	0	0	30000	43.8125	2004
21.01.2020 11:35:16	1	1	1	1	98.5	63	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	43.625	2004
21.01.2020 11:35:17	1	1	1	1	98.5	63.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.8125	2004
21.01.2020 11:35:18	1	1	1	1	98.5	63.75	0	29952.607	507.5268817	15201.80469	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:35:19	1	1	1	1	98.5	63.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
21.01.2020 11:35:20	1	1	1	1	98.5	63.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	44	2004
21.01.2020 11:35:21	1	1	1	1	98.5	64	0	30000	466.6666667	13870.30142	30000	0	0	30000	43.625	2004
21.01.2020 11:35:22	1	1	1	1	98.25	63.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.875	2004
21.01.2020 11:35:24	1	1	1	1	98.25	63.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	43.875	2004
21.01.2020 11:35:25	1	1	1	1	98.25	63.75	0	30000	395.6989247	11548.12057	30000	0	0	30000	43.75	2004
21.01.2020 11:35:31	1	1	1	1	98.25	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.6875	2004
21.01.2020 11:35:31	1	1	1	1	98.25	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.6875	2004
21.01.2020 11:35:31	1	1	1	1	98.25	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.6875	2004
21.01.2020 11:35:31	1	1	1	1	98.25	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.6875	2004
21.01.2020 11:35:31	1	1	1	1	98.25	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.6875	2004
21.01.2020 11:35:32	1	1	1	1	98.25	63.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.8125	2004
21.01.2020 11:35:33	1	1	1	1	98.5	63.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.9375	2004
21.01.2020 11:35:34	1	1	1	1	98.5	63.75	0	29905.213	346.2365591	10353.59987	30000	0	0	30000	42.875	2004
21.01.2020 11:35:35	1	1	1	1	98.5	62.75	0	30000	389.2473118	11530.18237	30000	0	0	30000	44	2004
21.01.2020 11:35:36	1	1	1	1	98.5	64	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.9375	2004
21.01.2020 11:35:37	1	1	1	1	98.5	63.75	0	29905.213	337.6344086	10032.34311	30000	0	0	30000	43.875	2004
21.01.2020 11:35:38	1	1	1	1	98.5	63.75	0	29905.213	350.5376344	10580.27342	30000	0	0	30000	43.75	2004
21.01.2020 11:35:39	1	1	1	1	98.5	63.75	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	43.8125	2004
21.01.2020 11:35:40	1	1	1	1	98.5	63.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	44	2004
21.01.2020 11:35:41	1	1	1	1	98.5	64	0	29952.607	339.7849462	10128.55706	30000	0	0	30000	43.6875	2004
21.01.2020 11:35:42	1	1	1	1	98.5	63.5	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 11:35:43	1	1	1	1	98.25	63	0	30000	352.688172	10580.27342	30000	0	0	30000	44	2004
21.01.2020 11:35:44	1	1	1	1	98.25	64	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.875	2004
21.01.2020 11:35:45	1	1	1	1	98.25	63.75	0	30000	352.688172	10580.27342	30000	0	0	30000	43.0625	2004
21.01.2020 11:35:46	1	1	1	1	98.25	63	0	29715.64	341.9354839	10160.35659	30000	0	0	30000	43.875	2004
21.01.2020 11:35:47	1	1	1	1	98.25	63.75	0	30000	356.9892473	10628.3804	30000	0	0	30000	43.875	2004
21.01.2020 11:35:48	1	1	1	1	98.25	63.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.8125	2004
21.01.2020 11:35:49	1	1	1	1	98.25	63.75	0	30000	369.8924731	10967.57535	30000	0	0	30000	43.8125	2004
21.01.2020 11:35:50	1	1	1	1	98.25	63.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.8125	2004
21.01.2020 11:35:51	1	1	1	1	98.25	63.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	43.8125	2004
21.01.2020 11:35:52	1	1	1	1	98.25	63.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.3125	2004
21.01.2020 11:35:53	1	1	1	1	97.75	63.25	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	44.25	2004
21.01.2020 11:35:54	1	1	1	1	97.75	64.25	0	29952.607	363.4408602	11096.40421	30000	0	0	30000	43.8125	2004
21.01.2020 11:35:55	1	1	1	1	97.75	63.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.75	2004
21.01.2020 11:35:56	1	1	1	1	97.75	63.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.5625	2004
21.01.2020 11:35:57	1	1	1	1	97.75	63.5	0	30000	395.6989247	12166.98829	30000	0	0	30000	44	2004
21.01.2020 11:35:58	1	1	1	1	97.75	64	0	30000	400	11935.4225	30000	0	0	30000	44.0625	2004
21.01.2020 11:35:59	1	1	1	1	97.75	64	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.75	2004
21.01.2020 11:36:00	1	1	1	1	97.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
21.01.2020 11:36:01	1	1	1	1	97.75	63	0	24976.303	339.7849462	8416.274835	30000	0	0	30000	43.875	2004
21.01.2020 11:36:03	1	1	1	1	97.25	63.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:36:04	1	1	1	1	97.25	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 11:36:05	1	1	1	1	97.25	63.25	0	30000	423.655914	12709.21099	30000	0	0	30000	43.6875	2004
21.01.2020 11:36:06	1	1	1	1	97.25	63.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	43.0625	2004
21.01.2020 11:36:07	1	1	1	1	97.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.9375	2004
21.01.2020 11:36:08	1	1	1	1	97.25	63.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	44	2004
21.01.2020 11:36:09	1	1	1	1	97.25	64	0	29715.64	359.1397849	10671.59514	30000	0	0	30000	43.75	2004
21.01.2020 11:36:10	1	1	1	1	97.25	63.75	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	42.5625	2004
21.01.2020 11:36:11	1	1	1	1	97.25	62.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.6875	2004
21.01.2020 11:36:12	1	1	1	1	97.25	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
21.01.2020 11:36:13	1	1	1	1	95.75	63.25	0	30000	423.655914	12580.38214	30000	0	0	30000	43.9375	2004
21.01.2020 11:36:14	1	1	1	1	95.75	63.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.875	2004
21.01.2020 11:36:15	1	1	1	1	95.75	63.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.75	2004
21.01.2020 11:36:16	1	1	1	1	95.75	63.75	0	29289.1	400	11822.08572	30000	0	0	30000	44	2004
21.01.2020 11:36:17	1	1	1	1	95.75	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
21.01.2020 11:36:18	1	1	1	1	95.75	63	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	43.6875	2004
21.01.2020 11:36:19	1	1	1	1	95.75	63.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.5	2004
21.01.2020 11:36:20	1	1	1	1	95.75	63.5	0	0	0	0	30000	0	8	30000	43.25	2004
21.01.2020 11:36:21	1	1	1	1	95.75	63.25	0	10142.18	0	0	30000	0	0	30000	44.375	2004
21.01.2020 11:36:22	1	1	1	1	95.75	64.25	0	10853.081	0	0	30000	0	0	30000	44.125	2004
21.01.2020 11:36:23	1	1	1	1	95.25	64	0	11706.161	0	0	30000	0	0	30000	43.25	2004
21.01.2020 11:36:24	1	1	1	1	95.25	63.25	0	12464.455	0	0	30000	0	0	30000	43.9375	2004
21.01.2020 11:36:25	1	1	1	1	95.25	63.75	0	13175.355	0	0	30000	0	0	30000	44.0625	2004
21.01.2020 11:36:26	1	1	1	1	95.25	64	0	13933.649	2.150537634	59.52219172	30000	0	0	30000	44.0625	2004
21.01.2020 11:36:33	1	1	1	1	95.25	64.5	0	18625.592	38.70967742	720.7892806	30000	0	0	30000	43.875	2004
21.01.2020 11:36:33	1	1	1	1	95.25	64.5	0	18625.592	38.70967742	720.7892806	30000	0	0	30000	43.875	2004
21.01.2020 11:36:33	1	1	1	1	95.25	64.5	0	18625.592	38.70967742	720.7892806	30000	0	0	30000	43.875	2004
21.01.2020 11:36:33	1	1	1	1	95.25	64.5	0	18625.592	38.70967742	720.7892806	30000	0	0	30000	43.875	2004
21.01.2020 11:36:33	1	1	1	1	95.25	64.5	0	18625.592	38.70967742	720.7892806	30000	0	0	30000	43.875	2004
21.01.2020 11:36:33	1	1	1	1	95.25	64.5	0	18625.592	38.70967742	720.7892806	30000	0	0	30000	43.875	2004
21.01.2020 11:36:33	1	1	1	1	95.25	64.5	0	18625.592	38.70967742	720.7892806	30000	0	0	30000	43.875	2004
21.01.2020 11:36:33	1	1	1	1	95.5	63.75	0	19383.886	43.01075269	874.8946811	30000	0	0	30000	44.125	2004
21.01.2020 11:36:34	1	1	1	1	95.5	64	0	20189.573	51.61290323	1044.492159	30000	0	0	30000	44.125	2004
21.01.2020 11:36:35	1	1	1	1	95.5	64	0	20900.474	60.21505376	1258.119751	30000	0	0	30000	44	2004
21.01.2020 11:36:36	1	1	1	1	95.5	64	0	21706.161	79.56989247	1715.543718	30000	0	0	30000	44.0625	2004
21.01.2020 11:36:37	1	1	1	1	95.5	64	0	22559.242	90.32258065	1984.616639	30000	0	0	30000	44.0625	2004
21.01.2020 11:36:38	1	1	1	1	95.5	64	0	23270.142	103.2258065	2451.825075	30000	0	0	30000	44.0625	2004
21.01.2020 11:36:39	1	1	1	1	95.5	64	0	23838.863	113.9784946	2716.821134	30000	0	0	30000	43.8125	2004
21.01.2020 11:36:41	1	1	1	1	95.5	63.75	0	24218.009	129.0322581	3072.32354	30000	0	0	30000	43.9375	2004
21.01.2020 11:36:42	1	1	1	1	95.5	63.75	0	24075.829	126.8817204	3106.569184	30000	0	0	30000	43.9375	2004
21.01.2020 11:36:43	1	1	1	1	95.25	63.75	0	24075.829	129.0322581	3106.569184	30000	0	0	30000	43.875	2004
21.01.2020 11:36:44	1	1	1	1	95.25	63.75	0	25260.664	144.0860215	3639.00742	30000	0	0	30000	44.0625	2004
21.01.2020 11:36:45	1	1	1	1	95.25	64	0	26066.351	163.4408602	4195.90683	30000	0	0	30000	43.875	2004
21.01.2020 11:36:46	1	1	1	1	95.25	63.75	0	26824.645	167.7419355	4441.333949	30000	0	0	30000	44.125	2004
21.01.2020 11:36:47	1	1	1	1	95.25	64	0	26777.251	206.4516129	5528.225478	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:36:48	1	1	1	1	95.25	63.75	0	26445.498	206.4516129	5479.303128	30000	0	0	30000	44.0625	2004
21.01.2020 11:36:49	1	1	1	1	95.25	64	0	26824.645	206.4516129	5528.225478	30000	0	0	30000	44	2004
21.01.2020 11:36:50	1	1	1	1	95.25	64	0	27819.905	191.3978495	5324.382355	30000	0	0	30000	44	2004
21.01.2020 11:36:51	1	1	1	1	95.25	64	0	26587.678	206.4516129	5088.739706	30000	0	0	30000	43.875	2004
21.01.2020 11:36:52	1	1	1	1	95.25	63.75	0	26445.498	206.4516129	5459.734189	30000	0	0	30000	44	2004
21.01.2020 11:36:53	1	1	1	1	94.5	64	0	27630.332	221.5053763	6060.663713	30000	0	0	30000	44.0625	2004
21.01.2020 11:36:54	1	1	1	1	94.5	64	0	27630.332	234.4086022	6476.503683	30000	0	0	30000	43.9375	2004
21.01.2020 11:36:55	1	1	1	1	94.5	63.75	0	28388.626	247.311828	7081.51007	30000	0	0	30000	44	2004
21.01.2020 11:36:56	1	1	1	1	94.5	64	0	24976.303	225.8064516	5628.516294	30000	0	0	30000	44	2004
21.01.2020 11:36:57	1	1	1	1	94.5	64	0	28625.592	277.4193548	8055.880195	30000	0	0	30000	43.8125	2004
21.01.2020 11:36:58	1	1	1	1	94.5	63.75	0	28957.346	294.6236559	8531.242356	30000	0	0	30000	43.875	2004
21.01.2020 11:36:59	1	1	1	1	94.5	63.75	0	29336.493	309.6774194	9021.281222	30000	0	0	30000	44.1875	2004
21.01.2020 11:37:00	1	1	1	1	94.5	64	0	28957.346	320.4301075	9278.123556	30000	0	0	30000	43.8125	2004
21.01.2020 11:37:01	1	1	1	1	94.5	63.75	0	29715.64	341.9354839	10096.75754	30000	0	0	30000	44.0625	2004
21.01.2020 11:37:02	1	1	1	1	94.5	64	0	30000	331.1827957	10064.14264	30000	0	0	30000	43.6875	2004
21.01.2020 11:37:03	1	1	1	1	94	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:04	1	1	1	1	94	63.75	0	29620.853	309.6774194	9172.940505	30000	0	0	30000	43.75	2004
21.01.2020 11:37:05	1	1	1	1	94	63.75	0	29905.213	339.7849462	10177.47941	30000	0	0	30000	43.875	2004
21.01.2020 11:37:06	1	1	1	1	94	63.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.875	2004
21.01.2020 11:37:07	1	1	1	1	94	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	44.125	2004
21.01.2020 11:37:08	1	1	1	1	94	64	0	30000	335.483871	10128.55706	30000	0	0	30000	43.8125	2004
21.01.2020 11:37:09	1	1	1	1	94	63.75	0	29668.246	303.2258065	8917.728916	30000	0	0	30000	44.0625	2004
21.01.2020 11:37:10	1	1	1	1	94	64	0	29952.607	348.3870968	10644.68785	30000	0	0	30000	43.875	2004
21.01.2020 11:37:11	1	1	1	1	94	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.75	2004
21.01.2020 11:37:12	1	1	1	1	94.75	64.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:13	1	1	1	1	94.75	63.75	0	28483.412	309.6774194	8820.69959	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:14	1	1	1	1	94.75	63.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.6875	2004
21.01.2020 11:37:15	1	1	1	1	94.75	63.5	0	29526.066	378.4946237	11193.43353	30000	0	0	30000	43.875	2004
21.01.2020 11:37:16	1	1	1	1	94.75	63.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.875	2004
21.01.2020 11:37:17	1	1	1	1	94.75	63.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	44	2004
21.01.2020 11:37:18	1	1	1	1	94.75	64	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:20	1	1	1	1	94.75	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5625	2004
21.01.2020 11:37:21	1	1	1	1	94.75	63.5	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	43.6875	2004
21.01.2020 11:37:22	1	1	1	1	94.75	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.875	2004
21.01.2020 11:37:23	1	1	1	1	94.75	63.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.875	2004
21.01.2020 11:37:24	1	1	1	1	94.75	63.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.1875	2004
21.01.2020 11:37:25	1	1	1	1	94.75	62	0	29905.213	322.5806452	9646.671921	30000	0	0	30000	43.875	2004
21.01.2020 11:37:26	1	1	1	1	94.75	63.75	0	30000	320.4301075	9468.920719	30000	0	0	30000	43.875	2004
21.01.2020 11:37:27	1	1	1	1	94.75	63.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.875	2004
21.01.2020 11:37:28	1	1	1	1	94.75	63.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	44.125	2004
21.01.2020 11:37:34	1	1	1	1	94.5	64	0	10616.114	0	0	30000	0	0	30000	44	2004
21.01.2020 11:37:34	1	1	1	1	94.5	64	0	10616.114	0	0	30000	0	0	30000	44	2004
21.01.2020 11:37:34	1	1	1	1	94.5	64	0	10616.114	0	0	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:37:34	1	1	1	1	94.5	64	0	10616.114	0	0	30000	0	0	30000	44	2004
21.01.2020 11:37:34	1	1	1	1	94.5	64	0	10616.114	0	0	30000	0	0	30000	44	2004
21.01.2020 11:37:34	1	1	1	1	94.5	64	0	10616.114	0	0	30000	0	0	30000	44	2004
21.01.2020 11:37:35	1	1	1	1	94.5	64	0	11327.014	0	0	30000	0	0	30000	44	2004
21.01.2020 11:37:36	1	1	1	1	94.5	64	0	12085.308	0	0	30000	0	0	30000	43.875	2004
21.01.2020 11:37:37	1	1	1	1	94.5	63.75	0	12843.602	0	0	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:38	1	1	1	1	94.5	63.75	0	13601.896	2.150537634	58.70681923	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:39	1	1	1	1	94.5	63.75	0	13175.355	2.150537634	27.72266464	30000	0	0	30000	43.8125	2004
21.01.2020 11:37:40	1	1	1	1	94.5	63.75	0	15213.27	10.75268817	163.0744979	30000	0	0	30000	44	2004
21.01.2020 11:37:41	1	1	1	1	94.5	64	0	15876.777	15.05376344	273.1497839	30000	0	0	30000	44	2004
21.01.2020 11:37:42	1	1	1	1	94.5	64	0	16729.858	23.65591398	395.4556573	30000	0	0	30000	44.0625	2004
21.01.2020 11:37:43	1	1	1	1	94	64	0	17535.545	30.10752688	527.5460006	30000	0	0	30000	44	2004
21.01.2020 11:37:44	1	1	1	1	94	64	0	18293.839	34.40860215	668.6054413	30000	0	0	30000	43.875	2004
21.01.2020 11:37:45	1	1	1	1	94	63.75	0	19052.133	40.86021505	777.8653548	30000	0	0	30000	44.1875	2004
21.01.2020 11:37:46	1	1	1	1	94	64	0	19857.82	47.31182796	939.3091077	30000	0	0	30000	44.0625	2004
21.01.2020 11:37:47	1	1	1	1	94	64	0	20616.114	53.76344086	1108.091213	30000	0	0	30000	44.4375	2004
21.01.2020 11:37:48	1	1	1	1	94	64.25	0	21374.408	66.66666667	1424.455739	30000	0	0	30000	44	2004
21.01.2020 11:37:49	1	1	1	1	94	64	0	22132.701	83.87096774	1855.787786	30000	0	0	30000	44.3125	2004
21.01.2020 11:37:50	1	1	1	1	94	64.25	0	22843.602	103.2258065	2264.289403	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:51	1	1	1	1	94	64	0	23696.682	109.6774194	2593.699889	30000	0	0	30000	44	2004
21.01.2020 11:37:52	1	1	1	1	93.75	64	0	24407.583	129.0322581	3359.334656	30000	0	0	30000	44.0625	2004
21.01.2020 11:37:53	1	1	1	1	93.75	64	0	25260.664	137.6344086	3476.748295	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:54	1	1	1	1	93.75	63.75	0	22748.815	137.6344086	3131.030359	30000	0	0	30000	44.1875	2004
21.01.2020 11:37:55	1	1	1	1	93.75	64	0	26540.284	169.8924731	4509.009866	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:57	1	1	1	1	93.75	63.75	0	26966.825	189.2473118	5103.416411	30000	0	0	30000	44.1875	2004
21.01.2020 11:37:58	1	1	1	1	93.75	64	0	27156.398	191.3978495	5635.854646	30000	0	0	30000	43.9375	2004
21.01.2020 11:37:59	1	1	1	1	93.75	63.75	0	27962.085	219.3548387	6182.969587	30000	0	0	30000	43.8125	2004
21.01.2020 11:38:00	1	1	1	1	93.75	63.75	0	26919.431	219.3548387	5894.327725	30000	0	0	30000	44	2004
21.01.2020 11:38:01	1	1	1	1	93.75	64	0	26540.284	225.8064516	6174.815862	30000	0	0	30000	44	2004
21.01.2020 11:38:02	1	1	1	1	93.75	64	0	25450.237	215.0537634	5472.780148	30000	0	0	30000	44.0625	2004
21.01.2020 11:38:03	1	1	1	1	92.75	64	0	27345.972	251.6129032	6821.406246	30000	0	0	30000	44.0625	2004
21.01.2020 11:38:04	1	1	1	1	92.75	64	0	28009.479	243.0107527	6614.301633	30000	0	0	30000	43.375	2004
21.01.2020 11:38:05	1	1	1	1	92.75	63.25	0	27298.578	262.3655914	7220.938766	30000	0	0	30000	44.0625	2004
21.01.2020 11:38:06	1	1	1	1	92.75	64	0	27582.938	279.5698925	7697.931672	30000	0	0	30000	43.5	2004
21.01.2020 11:38:07	1	1	1	1	92.75	63.5	0	23507.109	247.311828	5813.605849	30000	0	0	30000	43.9375	2004
21.01.2020 11:38:08	1	1	1	1	92.75	63.75	0	29478.673	305.3763441	9065.311336	30000	0	0	30000	44.0625	2004
21.01.2020 11:38:09	1	1	1	1	92.75	64	0	28199.052	322.5806452	9156.633055	30000	0	0	30000	44	2004
21.01.2020 11:38:10	1	1	1	1	92.75	64	0	28862.559	339.7849462	9868.453238	30000	0	0	30000	44.25	2004
21.01.2020 11:38:11	1	1	1	1	92.75	64.25	0	28815.166	339.7849462	9852.961161	30000	0	0	30000	44.125	2004
21.01.2020 11:38:12	1	1	1	1	92.75	64	0	28483.412	369.8924731	10535.42793	30000	0	0	30000	43.875	2004
21.01.2020 11:38:13	1	1	1	1	92.5	63.75	0	28815.166	365.5913978	10596.58087	30000	0	0	30000	44	2004
21.01.2020 11:38:14	1	1	1	1	92.5	64	0	29857.82	378.4946237	11190.17204	30000	0	0	30000	43.875	2004
21.01.2020 11:38:15	1	1	1	1	92.5	63.75	0	29526.066	400	11727.50251	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:38:16	1	1	1	1	92.5	63.75	0	29810.427	412.9032258	12308.8631	30000	0	0	30000	44	2004
21.01.2020 11:38:17	1	1	1	1	92.5	64	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.5625	2004
21.01.2020 11:38:18	1	1	1	1	92.5	63.5	0	29715.64	387.0967742	11438.86065	30000	0	0	30000	44	2004
21.01.2020 11:38:19	1	1	1	1	92.5	64	0	29383.886	427.9569892	12701.05727	30000	0	0	30000	44	2004
21.01.2020 11:38:20	1	1	1	1	92.5	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.875	2004
21.01.2020 11:38:21	1	1	1	1	92.5	63.75	0	30000	397.8494624	11852.2545	30000	0	0	30000	44.0625	2004
21.01.2020 11:38:22	1	1	1	1	92.5	64	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	43.5	2004
21.01.2020 11:38:23	1	1	1	1	92	63.5	0	29620.853	372.0430108	11019.75919	30000	0	0	30000	43.4375	2004
21.01.2020 11:38:24	1	1	1	1	92	63.25	0	30000	367.7419355	10967.57535	30000	0	0	30000	43.5625	2004
21.01.2020 11:38:25	1	1	1	1	92	63.5	0	30000	346.2365591	10241.89384	30000	0	0	30000	43.8125	2004
21.01.2020 11:38:26	1	1	1	1	92	63.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	44	2004
21.01.2020 11:38:27	1	1	1	1	92	64	0	30000	344.0860215	10257.38592	30000	0	0	30000	44.1875	2004
21.01.2020 11:38:28	1	1	1	1	92	64	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.625	2004
21.01.2020 11:38:29	1	1	1	1	92	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	44.375	2004
21.01.2020 11:38:36	1	1	1	1	92.25	63.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.875	2004
21.01.2020 11:38:36	1	1	1	1	92.25	63.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.875	2004
21.01.2020 11:38:36	1	1	1	1	92.25	63.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.875	2004
21.01.2020 11:38:36	1	1	1	1	92.25	63.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.875	2004
21.01.2020 11:38:36	1	1	1	1	92.25	63.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.875	2004
21.01.2020 11:38:36	1	1	1	1	92.25	63.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.875	2004
21.01.2020 11:38:36	1	1	1	1	92.25	63.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.875	2004
21.01.2020 11:38:37	1	1	1	1	92.25	63.75	0	29715.64	348.3870968	10288.37007	30000	0	0	30000	43.625	2004
21.01.2020 11:38:38	1	1	1	1	92.25	63.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.75	2004
21.01.2020 11:38:39	1	1	1	1	92.25	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.8125	2004
21.01.2020 11:38:40	1	1	1	1	92.25	63.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.9375	2004
21.01.2020 11:38:41	1	1	1	1	92.25	63.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	43.5625	2004
21.01.2020 11:38:42	1	1	1	1	92.25	63.5	0	29620.853	348.3870968	10382.95328	30000	0	0	30000	44	2004
21.01.2020 11:38:43	1	1	1	1	92.25	64	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.875	2004
21.01.2020 11:38:44	1	1	1	1	92.25	63.75	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.75	2004
21.01.2020 11:38:45	1	1	1	1	92.25	63.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	44	2004
21.01.2020 11:38:46	1	1	1	1	92.25	64	0	30000	316.1290323	9483.597423	30000	0	0	30000	44	2004
21.01.2020 11:38:47	1	1	1	1	92.25	64	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.875	2004
21.01.2020 11:38:48	1	1	1	1	92.25	63.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.9375	2004
21.01.2020 11:38:49	1	1	1	1	92.25	63.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	44.125	2004
21.01.2020 11:38:50	1	1	1	1	92.25	64	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.75	2004
21.01.2020 11:38:51	1	1	1	1	92.25	63.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.8125	2004
21.01.2020 11:38:52	1	1	1	1	92.25	63.75	0	29431.28	262.3655914	7733.808061	30000	0	0	30000	43.875	2004
21.01.2020 11:38:53	1	1	1	1	92.75	63.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.3125	2004
21.01.2020 11:38:54	1	1	1	1	92.75	63.25	0	30000	335.483871	9999.728209	30000	0	0	30000	43.9375	2004
21.01.2020 11:38:55	1	1	1	1	92.75	63.75	0	29905.213	305.3763441	9196.586307	30000	0	0	30000	43.75	2004
21.01.2020 11:38:56	1	1	1	1	92.75	63.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.875	2004
21.01.2020 11:38:57	1	1	1	1	92.75	63.75	0	29146.919	286.0215054	8336.368331	30000	0	0	30000	43.9375	2004
21.01.2020 11:38:58	1	1	1	1	92.75	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.8125	2004
21.01.2020 11:38:59	1	1	1	1	92.75	63.75	0	27914.692	301.0752688	8209.985595	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:39:00	1	1	1	1	92.75	63.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:01	1	1	1	1	92.75	63.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.875	2004
21.01.2020 11:39:02	1	1	1	1	92.75	63.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:03	1	1	1	1	92.25	63.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 11:39:04	1	1	1	1	92.25	63.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
21.01.2020 11:39:05	1	1	1	1	92.25	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.625	2004
21.01.2020 11:39:06	1	1	1	1	92.25	63.5	0	29905.213	367.7419355	11061.34319	30000	0	0	30000	44.25	2004
21.01.2020 11:39:07	1	1	1	1	92.25	64.25	0	29952.607	365.5913978	11354.87729	30000	0	0	30000	44.375	2004
21.01.2020 11:39:08	1	1	1	1	92.25	64.25	0	30000	397.8494624	11769.08651	30000	0	0	30000	43.5625	2004
21.01.2020 11:39:09	1	1	1	1	92.25	63.5	0	29715.64	331.1827957	9777.13152	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:10	1	1	1	1	92.25	63.75	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:11	1	1	1	1	92.25	63.75	0	29952.607	380.6451613	11401.35352	30000	0	0	30000	43.875	2004
21.01.2020 11:39:13	1	1	1	1	92.5	63.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	44.125	2004
21.01.2020 11:39:14	1	1	1	1	92.5	64	0	29952.607	339.7849462	10241.89384	30000	0	0	30000	43.9375	2004
21.01.2020 11:39:15	1	1	1	1	92.5	63.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:16	1	1	1	1	92.5	63.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.625	2004
21.01.2020 11:39:17	1	1	1	1	92.5	63.5	0	25450.237	307.5268817	7825.945153	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:18	1	1	1	1	92.5	63.75	0	30047.393	380.6451613	11225.23306	30000	0	0	30000	43.9375	2004
21.01.2020 11:39:19	1	1	1	1	92.5	63.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.875	2004
21.01.2020 11:39:20	1	1	1	1	92.5	63.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.9375	2004
21.01.2020 11:39:21	1	1	1	1	92.5	63.75	0	29715.64	359.1397849	10671.59514	30000	0	0	30000	43.9375	2004
21.01.2020 11:39:22	1	1	1	1	92.5	63.75	0	30000	367.7419355	10967.57535	30000	0	0	30000	43.6875	2004
21.01.2020 11:39:23	1	1	1	1	92.25	63.5	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:24	1	1	1	1	92.25	63.75	0	28578.199	283.8709677	8179.816813	30000	0	0	30000	43.9375	2004
21.01.2020 11:39:25	1	1	1	1	92.25	63.75	0	30000	346.2365591	10515.85899	30000	0	0	30000	43.6875	2004
21.01.2020 11:39:26	1	1	1	1	92.25	63.5	0	28388.626	279.5698925	7997.173375	30000	0	0	30000	44.0625	2004
21.01.2020 11:39:27	1	1	1	1	92.25	64	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.875	2004
21.01.2020 11:39:28	1	1	1	1	92.25	63.75	0	29952.607	322.5806452	9468.920719	30000	0	0	30000	43.875	2004
21.01.2020 11:39:29	1	1	1	1	92.25	63.75	0	30000	313.9784946	9548.01185	30000	0	0	30000	44	2004
21.01.2020 11:39:30	1	1	1	1	92.25	64	0	30047.393	313.9784946	9419.182997	30000	0	0	30000	43.75	2004
21.01.2020 11:39:31	1	1	1	1	92.25	63.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.6875	2004
21.01.2020 11:39:38	1	1	1	1	92.25	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 11:39:38	1	1	1	1	92.25	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 11:39:38	1	1	1	1	92.25	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 11:39:38	1	1	1	1	92.25	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 11:39:38	1	1	1	1	92.25	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 11:39:38	1	1	1	1	92.25	64	0	30000	384.9462366	11382.59995	30000	0	0	30000	43.9375	2004
21.01.2020 11:39:39	1	1	1	1	92.25	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:40	1	1	1	1	92.25	63.75	0	29952.607	365.5913978	10950.45253	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:41	1	1	1	1	92.25	63.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.5625	2004
21.01.2020 11:39:42	1	1	1	1	92.25	63.5	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.875	2004
21.01.2020 11:39:43	1	1	1	1	91.75	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:39:44	1	1	1	1	91.75	63.75	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	43.3125	2004
21.01.2020 11:39:45	1	1	1	1	91.75	63.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	44.375	2004
21.01.2020 11:39:46	1	1	1	1	91.75	63.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
21.01.2020 11:39:47	1	1	1	1	91.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.8125	2004
21.01.2020 11:39:48	1	1	1	1	91.75	63.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.875	2004
21.01.2020 11:39:49	1	1	1	1	91.75	63.75	0	26492.891	283.8709677	7463.104395	30000	0	0	30000	43.5	2004
21.01.2020 11:39:51	1	1	1	1	91.75	63.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.75	2004
21.01.2020 11:39:52	1	1	1	1	91.75	63.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.75	2004
21.01.2020 11:39:53	1	1	1	1	91.5	63.75	0	29810.427	281.7204301	8411.3826	30000	0	0	30000	43.625	2004
21.01.2020 11:39:54	1	1	1	1	91.5	63.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.6875	2004
21.01.2020 11:39:55	1	1	1	1	91.5	63.5	0	29905.213	305.3763441	9354.76857	30000	0	0	30000	43.875	2004
21.01.2020 11:39:56	1	1	1	1	91.5	63.75	0	30047.393	309.6774194	9290.354143	30000	0	0	30000	43.9375	2004
21.01.2020 11:39:57	1	1	1	1	91.5	63.75	0	29052.133	266.6666667	7534.857174	30000	0	0	30000	43.9375	2004
21.01.2020 11:39:58	1	1	1	1	91.5	63.75	0	30000	311.827957	9483.597423	30000	0	0	30000	43.75	2004
21.01.2020 11:39:59	1	1	1	1	91.5	63.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	44.125	2004
21.01.2020 11:40:00	1	1	1	1	91.5	64	0	29952.607	301.0752688	9018.019732	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:01	1	1	1	1	91.5	63.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	44	2004
21.01.2020 11:40:02	1	1	1	1	91.5	64	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.875	2004
21.01.2020 11:40:03	1	1	1	1	91.5	63.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:04	1	1	1	1	91.5	63.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:05	1	1	1	1	91.5	63.75	0	29952.607	309.6774194	9404.506292	30000	0	0	30000	44	2004
21.01.2020 11:40:06	1	1	1	1	91.5	64	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.75	2004
21.01.2020 11:40:07	1	1	1	1	91.5	63.75	0	29905.213	307.5268817	9225.124344	30000	0	0	30000	43.8125	2004
21.01.2020 11:40:08	1	1	1	1	91.5	63.75	0	30000	288.172043	8708.993559	30000	0	0	30000	43.8125	2004
21.01.2020 11:40:09	1	1	1	1	91.5	63.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.8125	2004
21.01.2020 11:40:10	1	1	1	1	91.5	63.75	0	30000	294.6236559	8708.993559	30000	0	0	30000	43.6875	2004
21.01.2020 11:40:11	1	1	1	1	91.5	63.5	0	30000	303.2258065	8967.466638	30000	0	0	30000	43.75	2004
21.01.2020 11:40:12	1	1	1	1	91.5	63.75	0	30000	296.7741935	8708.993559	30000	0	0	30000	43.875	2004
21.01.2020 11:40:13	1	1	1	1	91.5	63.75	0	30000	296.7741935	9031.881064	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:14	1	1	1	1	91.5	63.75	0	29905.213	290.3225806	8708.993559	30000	0	0	30000	44.0625	2004
21.01.2020 11:40:15	1	1	1	1	91.5	64	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:16	1	1	1	1	91.5	63.75	0	30000	294.6236559	8824.776452	30000	0	0	30000	43.8125	2004
21.01.2020 11:40:17	1	1	1	1	91.5	63.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:18	1	1	1	1	91.5	63.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:19	1	1	1	1	91.5	63.75	0	29810.427	329.0322581	9744.51662	30000	0	0	30000	43.8125	2004
21.01.2020 11:40:20	1	1	1	1	91.5	63.75	0	29905.213	372.0430108	11419.29171	30000	0	0	30000	44.0625	2004
21.01.2020 11:40:21	1	1	1	1	91.5	64	0	30000	387.0967742	11530.18237	30000	0	0	30000	43.75	2004
21.01.2020 11:40:22	1	1	1	1	91.5	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.4375	2004
21.01.2020 11:40:23	1	1	1	1	91.5	64.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	44	2004
21.01.2020 11:40:24	1	1	1	1	91.5	64	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	44	2004
21.01.2020 11:40:25	1	1	1	1	91.5	63.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.4375	2004
21.01.2020 11:40:26	1	1	1	1	91.5	63.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	43.875	2004
21.01.2020 11:40:27	1	1	1	1	91.5	63.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:40:28	1	1	1	1	91.5	63.75	0	30000	434.4086022	13160.92735	30000	0	0	30000	43.8125	2004
21.01.2020 11:40:30	1	1	1	1	91.5	63.75	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	43.8125	2004
21.01.2020 11:40:31	1	1	1	1	91.5	63.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.6875	2004
21.01.2020 11:40:32	1	1	1	1	91.5	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 11:40:33	1	1	1	1	91	63.25	0	0	0	0	30000	0	8	30000	44.1875	2004
21.01.2020 11:40:39	1	1	1	1	91	64	0	14123.223	2.150537634	30.16878211	30000	0	0	30000	44	2004
21.01.2020 11:40:39	1	1	1	1	91	64	0	14123.223	2.150537634	30.16878211	30000	0	0	30000	44	2004
21.01.2020 11:40:39	1	1	1	1	91	64	0	14123.223	2.150537634	30.16878211	30000	0	0	30000	44	2004
21.01.2020 11:40:39	1	1	1	1	91	64	0	14123.223	2.150537634	30.16878211	30000	0	0	30000	44	2004
21.01.2020 11:40:39	1	1	1	1	91	64	0	14123.223	2.150537634	30.16878211	30000	0	0	30000	44	2004
21.01.2020 11:40:40	1	1	1	1	91	64	0	14834.123	6.451612903	95.39858125	30000	0	0	30000	43.875	2004
21.01.2020 11:40:41	1	1	1	1	91	63.75	0	15497.63	12.90322581	199.7662599	30000	0	0	30000	43.1875	2004
21.01.2020 11:40:42	1	1	1	1	91	63	0	16398.104	19.35483871	353.0562879	30000	0	0	30000	43.875	2004
21.01.2020 11:40:43	1	1	1	1	91.75	63.75	0	16682.464	23.65591398	358.7638953	30000	0	0	30000	44.125	2004
21.01.2020 11:40:44	1	1	1	1	91.75	64	0	17914.692	32.25806452	537.3304705	30000	0	0	30000	43.875	2004
21.01.2020 11:40:45	1	1	1	1	91.75	63.75	0	17962.085	32.25806452	578.9144674	30000	0	0	30000	44.0625	2004
21.01.2020 11:40:46	1	1	1	1	91.75	64	0	19478.673	47.31182796	921.3709129	30000	0	0	30000	44	2004
21.01.2020 11:40:47	1	1	1	1	91.75	64	0	20236.967	58.06451613	1218.166499	30000	0	0	30000	44.0625	2004
21.01.2020 11:40:48	1	1	1	1	91.75	64	0	20995.261	66.66666667	1399.179192	30000	0	0	30000	44	2004
21.01.2020 11:40:49	1	1	1	1	91.75	64	0	21800.948	79.56989247	1734.297285	30000	0	0	30000	43.75	2004
21.01.2020 11:40:50	1	1	1	1	91.75	63.75	0	22559.242	105.3763441	2323.811595	30000	0	0	30000	44.0625	2004
21.01.2020 11:40:51	1	1	1	1	91.75	64	0	22985.782	113.9784946	2619.791808	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:52	1	1	1	1	91.75	63.75	0	0	0	0	30000	0	8	30000	43.9375	2004
21.01.2020 11:40:53	1	1	1	1	91	63.75	0	10142.18	0	0	30000	0	0	30000	44.25	2004
21.01.2020 11:40:54	1	1	1	1	91	64.25	0	10853.081	0	0	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:55	1	1	1	1	91	63.75	0	11611.374	0	0	30000	0	0	30000	43.9375	2004
21.01.2020 11:40:56	1	1	1	1	91	63.75	0	12464.455	0	0	30000	0	0	30000	43.875	2004
21.01.2020 11:40:57	1	1	1	1	91	63.75	0	13222.749	2.150537634	56.26070176	30000	0	0	30000	44.0625	2004
21.01.2020 11:40:58	1	1	1	1	91	64	0	13886.256	6.451612903	88.87560134	30000	0	0	30000	44	2004
21.01.2020 11:40:59	1	1	1	1	91	64	0	14739.336	12.90322581	189.1664175	30000	0	0	30000	44	2004
21.01.2020 11:41:00	1	1	1	1	91	64	0	15497.63	19.35483871	335.1180931	30000	0	0	30000	44.5	2004
21.01.2020 11:41:01	1	1	1	1	91	64.5	0	16255.924	27.95698925	454.1624766	30000	0	0	30000	44	2004
21.01.2020 11:41:02	1	1	1	1	91	64	0	17014.218	34.40860215	585.4374473	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:03	1	1	1	1	91	64.5	0	17867.299	40.86021505	806.4033919	30000	0	0	30000	43.875	2004
21.01.2020 11:41:04	1	1	1	1	91	63.75	0	18530.806	51.61290323	961.3241649	30000	0	0	30000	43.875	2004
21.01.2020 11:41:05	1	1	1	1	91	63.75	0	19336.493	60.21505376	1164.351915	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:06	1	1	1	1	91	64	0	20142.18	70.96774194	1422.009621	30000	0	0	30000	43.9375	2004
21.01.2020 11:41:08	1	1	1	1	91	63.75	0	20900.474	81.72043011	1662.544506	30000	0	0	30000	43.875	2004
21.01.2020 11:41:09	1	1	1	1	91	63.75	0	21563.981	103.2258065	2245.535836	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:10	1	1	1	1	91	64	0	22417.062	120.4301075	2699.698312	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:11	1	1	1	1	91	64	0	23175.355	137.6344086	3189.737178	30000	0	0	30000	44.1875	2004
21.01.2020 11:41:12	1	1	1	1	91	64	0	23649.289	144.0860215	3305.520072	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:41:13	1	1	1	1	90.25	63	0	24218.009	161.2903226	3853.450385	30000	0	0	30000	43.9375	2004
21.01.2020 11:41:14	1	1	1	1	90.25	63.75	0	24407.583	163.4408602	3988.802218	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:15	1	1	1	1	90.25	64	0	24407.583	165.5913978	3936.618378	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:16	1	1	1	1	90.25	64	0	24407.583	163.4408602	4040.986057	30000	0	0	30000	43.9375	2004
21.01.2020 11:41:17	1	1	1	1	90.25	63.75	0	24407.583	163.4408602	3988.802218	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:18	1	1	1	1	90.25	64	0	26113.744	169.8924731	4436.441714	30000	0	0	30000	43.8125	2004
21.01.2020 11:41:19	1	1	1	1	90.25	63.75	0	24691.943	161.2903226	4035.27845	30000	0	0	30000	44.125	2004
21.01.2020 11:41:20	1	1	1	1	90.25	64	0	24834.123	152.688172	3791.482075	30000	0	0	30000	44	2004
21.01.2020 11:41:21	1	1	1	1	90.25	64	0	25402.844	156.9892473	3878.726932	30000	0	0	30000	44	2004
21.01.2020 11:41:22	1	1	1	1	90.25	64	0	25545.024	156.9892473	4010.001903	30000	0	0	30000	44	2004
21.01.2020 11:41:23	1	1	1	1	89.75	64	0	25308.057	152.688172	3871.388579	30000	0	0	30000	44	2004
21.01.2020 11:41:24	1	1	1	1	89.75	64	0	25071.09	152.688172	4050.770527	30000	0	0	30000	44	2004
21.01.2020 11:41:25	1	1	1	1	89.75	64	0	24976.303	161.2903226	4027.940097	30000	0	0	30000	43.875	2004
21.01.2020 11:41:26	1	1	1	1	89.75	63.75	0	24549.763	161.2903226	4019.786372	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:27	1	1	1	1	89.75	64	0	24407.583	163.4408602	3988.802218	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:28	1	1	1	1	89.75	64	0	26445.498	169.8924731	4484.548691	30000	0	0	30000	44	2004
21.01.2020 11:41:32	1	1	1	1	89.75	64	0	24218.009	163.4408602	3957.818063	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:32	1	1	1	1	89.75	64	0	24218.009	163.4408602	3957.818063	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:32	1	1	1	1	89.75	64	0	24218.009	163.4408602	3957.818063	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:32	1	1	1	1	89.75	64	0	24407.583	163.4408602	4040.986057	30000	0	0	30000	43.9375	2004
21.01.2020 11:41:33	1	1	1	1	89.75	63.75	0	24123.223	163.4408602	3942.325986	30000	0	0	30000	44	2004
21.01.2020 11:41:34	1	1	1	1	89.75	64	0	24218.009	163.4408602	4010.001903	30000	0	0	30000	44.125	2004
21.01.2020 11:41:41	1	1	1	1	89.75	64	0	24028.436	165.5913978	3978.202375	30000	0	0	30000	43.8125	2004
21.01.2020 11:41:41	1	1	1	1	89.75	64	0	24028.436	165.5913978	3978.202375	30000	0	0	30000	43.8125	2004
21.01.2020 11:41:41	1	1	1	1	89.75	64	0	24028.436	165.5913978	3978.202375	30000	0	0	30000	43.8125	2004
21.01.2020 11:41:41	1	1	1	1	89.75	64	0	24028.436	165.5913978	3978.202375	30000	0	0	30000	43.8125	2004
21.01.2020 11:41:41	1	1	1	1	89.75	64	0	24028.436	165.5913978	3978.202375	30000	0	0	30000	43.8125	2004
21.01.2020 11:41:41	1	1	1	1	89.75	64	0	24218.009	163.4408602	3957.818063	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:42	1	1	1	1	89.5	64	0	24218.009	163.4408602	4010.001903	30000	0	0	30000	44	2004
21.01.2020 11:41:43	1	1	1	1	89.5	64	0	24218.009	167.7419355	4062.185742	30000	0	0	30000	44	2004
21.01.2020 11:41:44	1	1	1	1	89.5	64	0	24123.223	165.5913978	3994.509825	30000	0	0	30000	43.875	2004
21.01.2020 11:41:45	1	1	1	1	89.5	63.75	0	24123.223	165.5913978	3994.509825	30000	0	0	30000	43.875	2004
21.01.2020 11:41:47	1	1	1	1	89.5	63.75	0	24218.009	165.5913978	4010.001903	30000	0	0	30000	43.875	2004
21.01.2020 11:41:48	1	1	1	1	89.5	63.75	0	24218.009	163.4408602	4010.001903	30000	0	0	30000	43.8125	2004
21.01.2020 11:41:49	1	1	1	1	89.5	63.75	0	24218.009	165.5913978	4010.001903	30000	0	0	30000	44.125	2004
21.01.2020 11:41:50	1	1	1	1	89.5	64	0	24218.009	163.4408602	3957.818063	30000	0	0	30000	43.9375	2004
21.01.2020 11:41:51	1	1	1	1	89.5	63.75	0	24170.616	163.4408602	4010.001903	30000	0	0	30000	43.875	2004
21.01.2020 11:41:52	1	1	1	1	89.5	63.75	0	24123.223	165.5913978	4001.848178	30000	0	0	30000	43.875	2004
21.01.2020 11:41:53	1	1	1	1	89	63.75	0	24786.73	174.1935484	4210.583535	30000	0	0	30000	43.9375	2004
21.01.2020 11:41:54	1	1	1	1	89	63.75	0	25734.597	206.4516129	5312.96714	30000	0	0	30000	44	2004
21.01.2020 11:41:55	1	1	1	1	89	64	0	25308.057	191.3978495	4852.281684	30000	0	0	30000	44.0625	2004
21.01.2020 11:41:56	1	1	1	1	89	64	0	25355.45	193.5483871	4906.911641	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:41:57	1	1	1	1	89	63.75	0	25355.45	206.4516129	4961.541598	30000	0	0	30000	43.875	2004
21.01.2020 11:41:58	1	1	1	1	89	63.75	0	24976.303	191.3978495	4798.4671	30000	0	0	30000	43.9375	2004
21.01.2020 11:41:59	1	1	1	1	89	63.75	0	25355.45	193.5483871	4961.541598	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:00	1	1	1	1	89	63.75	0	25450.237	195.6989247	5254.260321	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:01	1	1	1	1	89	63.75	0	25355.45	206.4516129	4852.281684	30000	0	0	30000	44	2004
21.01.2020 11:42:02	1	1	1	1	89	64	0	24976.303	193.5483871	4833.528117	30000	0	0	30000	44.125	2004
21.01.2020 11:42:03	1	1	1	1	89.25	64	0	24976.303	191.3978495	4833.528117	30000	0	0	30000	44	2004
21.01.2020 11:42:04	1	1	1	1	89.25	64	0	25402.844	206.4516129	5244.475851	30000	0	0	30000	44	2004
21.01.2020 11:42:05	1	1	1	1	89.25	64	0	25118.483	191.3978495	4870.219879	30000	0	0	30000	44	2004
21.01.2020 11:42:06	1	1	1	1	89.25	64	0	25165.877	206.4516129	4924.849836	30000	0	0	30000	43.8125	2004
21.01.2020 11:42:07	1	1	1	1	89.25	63.75	0	25260.664	193.5483871	4897.942543	30000	0	0	30000	43.5625	2004
21.01.2020 11:42:08	1	1	1	1	89.25	63.5	0	25450.237	195.6989247	5254.260321	30000	0	0	30000	44.0625	2004
21.01.2020 11:42:09	1	1	1	1	89.25	64	0	25355.45	206.4516129	5234.691382	30000	0	0	30000	44	2004
21.01.2020 11:42:10	1	1	1	1	89.25	64	0	26113.744	195.6989247	5109.939391	30000	0	0	30000	43.8125	2004
21.01.2020 11:42:11	1	1	1	1	89.25	63.75	0	25829.384	206.4516129	5063.463159	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:12	1	1	1	1	89.25	63.75	0	25876.777	195.6989247	5063.463159	30000	0	0	30000	44.0625	2004
21.01.2020 11:42:13	1	1	1	1	89	64	0	26018.957	191.3978495	4988.44889	30000	0	0	30000	44.0625	2004
21.01.2020 11:42:14	1	1	1	1	89	64	0	25734.597	195.6989247	5332.53608	30000	0	0	30000	44.1875	2004
21.01.2020 11:42:15	1	1	1	1	89	64	0	25734.597	191.3978495	4924.849836	30000	0	0	30000	43.625	2004
21.01.2020 11:42:16	1	1	1	1	89	63.5	0	25734.597	191.3978495	4943.603403	30000	0	0	30000	43.875	2004
21.01.2020 11:42:17	1	1	1	1	89	63.75	0	25876.777	191.3978495	4924.849836	30000	0	0	30000	44.375	2004
21.01.2020 11:42:18	1	1	1	1	89	64.25	0	25213.27	189.2473118	4843.312587	30000	0	0	30000	44.1875	2004
21.01.2020 11:42:19	1	1	1	1	89	64	0	25639.81	191.3978495	5016.986927	30000	0	0	30000	43.8125	2004
21.01.2020 11:42:20	1	1	1	1	89	63.75	0	25734.597	206.4516129	5312.96714	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:21	1	1	1	1	89	63.75	0	25450.237	206.4516129	5254.260321	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:22	1	1	1	1	88.25	63.75	0	25450.237	206.4516129	4980.295165	30000	0	0	30000	44	2004
21.01.2020 11:42:23	1	1	1	1	88.25	64	0	25165.877	193.5483871	4924.849836	30000	0	0	30000	43.875	2004
21.01.2020 11:42:25	1	1	1	1	88.25	63.75	0	25308.057	206.4516129	5224.906912	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:26	1	1	1	1	88.25	63.75	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	43.8125	2004
21.01.2020 11:42:27	1	1	1	1	88.25	63.75	0	25924.171	206.4516129	5352.10502	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:28	1	1	1	1	88.25	63.75	0	25687.204	206.4516129	5026.771397	30000	0	0	30000	43.75	2004
21.01.2020 11:42:29	1	1	1	1	88.25	63.75	0	26113.744	206.4516129	5109.939391	30000	0	0	30000	43.875	2004
21.01.2020 11:42:30	1	1	1	1	88.25	63.75	0	25734.597	193.5483871	4980.295165	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:31	1	1	1	1	88.25	63.75	0	25876.777	193.5483871	4952.5725	30000	0	0	30000	44	2004
21.01.2020 11:42:32	1	1	1	1	88.25	64	0	26587.678	206.4516129	5508.656538	30000	0	0	30000	43.875	2004
21.01.2020 11:42:33	1	1	1	1	88.25	63.75	0	25687.204	189.2473118	4915.880738	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:34	1	1	1	1	88.25	63.75	0	26113.744	193.5483871	4997.417987	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:35	1	1	1	1	88.25	63.75	0	26113.744	191.3978495	4997.417987	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:36	1	1	1	1	88.25	63.75	0	26018.957	195.6989247	5035.740494	30000	0	0	30000	43.6875	2004
21.01.2020 11:42:42	1	1	1	1	88.25	63.75	0	26113.744	189.2473118	4997.417987	30000	0	0	30000	43.3125	2004
21.01.2020 11:42:42	1	1	1	1	88.25	63.75	0	26113.744	189.2473118	4997.417987	30000	0	0	30000	43.3125	2004
21.01.2020 11:42:42	1	1	1	1	88.25	63.75	0	26113.744	189.2473118	4997.417987	30000	0	0	30000	43.3125	2004
21.01.2020 11:42:42	1	1	1	1	88.25	63.75	0	26113.744	189.2473118	4997.417987	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:42:42	1	1	1	1	88.25	63.75	0	26113.744	189.2473118	4997.417987	30000	0	0	30000	43.3125	2004
21.01.2020 11:42:42	1	1	1	1	88.25	63.75	0	26113.744	189.2473118	4997.417987	30000	0	0	30000	43.3125	2004
21.01.2020 11:42:43	1	1	1	1	88	63.25	0	26113.744	193.5483871	4997.417987	30000	0	0	30000	44	2004
21.01.2020 11:42:44	1	1	1	1	88	64	0	26113.744	189.2473118	4997.417987	30000	0	0	30000	43.9375	2004
21.01.2020 11:42:45	1	1	1	1	88	63.75	0	25639.81	184.9462366	4924.849836	30000	0	0	30000	43.8125	2004
21.01.2020 11:42:46	1	1	1	1	88	63.75	0	25734.597	193.5483871	4924.849836	30000	0	0	30000	44	2004
21.01.2020 11:42:47	1	1	1	1	88	64	0	26587.678	208.6021505	5469.518658	30000	0	0	30000	44	2004
21.01.2020 11:42:48	1	1	1	1	88	64	0	25687.204	206.4516129	5303.182671	30000	0	0	30000	44	2004
21.01.2020 11:42:49	1	1	1	1	88	64	0	25165.877	206.4516129	4816.405294	30000	0	0	30000	44.0625	2004
21.01.2020 11:42:50	1	1	1	1	88	64	0	25308.057	191.3978495	4961.541598	30000	0	0	30000	44.0625	2004
21.01.2020 11:42:51	1	1	1	1	88	64	0	25450.237	206.4516129	5254.260321	30000	0	0	30000	44	2004
21.01.2020 11:42:52	1	1	1	1	88	64	0	25165.877	191.3978495	4816.405294	30000	0	0	30000	43.875	2004
21.01.2020 11:42:53	1	1	1	1	87.75	63.75	0	25734.597	219.3548387	5675.807898	30000	0	0	30000	44.1875	2004
21.01.2020 11:42:54	1	1	1	1	87.75	64	0	25639.81	221.5053763	5623.624059	30000	0	0	30000	44	2004
21.01.2020 11:42:55	1	1	1	1	87.75	64	0	26303.318	232.2580645	5825.836436	30000	0	0	30000	44.0625	2004
21.01.2020 11:42:56	1	1	1	1	87.75	64	0	26492.891	230.1075269	6095.72473	30000	0	0	30000	44	2004
21.01.2020 11:42:57	1	1	1	1	87.75	64	0	26018.957	232.2580645	6098.98622	30000	0	0	30000	44.1875	2004
21.01.2020 11:42:58	1	1	1	1	87.75	64	0	25924.171	232.2580645	5965.265132	30000	0	0	30000	44.0625	2004
21.01.2020 11:42:59	1	1	1	1	87.75	64	0	26018.957	227.9569892	5965.265132	30000	0	0	30000	44	2004
21.01.2020 11:43:00	1	1	1	1	87.75	64	0	23554.502	210.7526882	5014.540809	30000	0	0	30000	44	2004
21.01.2020 11:43:02	1	1	1	1	87.75	64	0	25924.171	232.2580645	6020.710461	30000	0	0	30000	44.125	2004
21.01.2020 11:43:03	1	1	1	1	87.25	64	0	25924.171	232.2580645	5998.695404	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:04	1	1	1	1	87.25	64	0	25924.171	232.2580645	6020.710461	30000	0	0	30000	43.9375	2004
21.01.2020 11:43:05	1	1	1	1	87.25	63.75	0	25924.171	232.2580645	6076.155791	30000	0	0	30000	44	2004
21.01.2020 11:43:06	1	1	1	1	87.25	64	0	25734.597	232.2580645	5976.680347	30000	0	0	30000	42.25	2004
21.01.2020 11:43:07	1	1	1	1	87.25	62.25	0	25071.09	221.5053763	5573.886337	30000	0	0	30000	43.9375	2004
21.01.2020 11:43:08	1	1	1	1	87.25	63.75	0	26018.957	232.2580645	6042.725518	30000	0	0	30000	44	2004
21.01.2020 11:43:09	1	1	1	1	87.25	64	0	26113.744	230.1075269	6008.479874	30000	0	0	30000	44	2004
21.01.2020 11:43:10	1	1	1	1	87.25	64	0	25355.45	236.5591398	5943.250075	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:11	1	1	1	1	87.25	64	0	26066.351	232.2580645	6064.740576	30000	0	0	30000	44	2004
21.01.2020 11:43:12	1	1	1	1	87.25	64	0	26018.957	232.2580645	6020.710461	30000	0	0	30000	43.9375	2004
21.01.2020 11:43:13	1	1	1	1	86.75	63.75	0	25924.171	232.2580645	5965.265132	30000	0	0	30000	43.8125	2004
21.01.2020 11:43:14	1	1	1	1	86.75	63.75	0	25876.777	232.2580645	6010.110619	30000	0	0	30000	43.9375	2004
21.01.2020 11:43:15	1	1	1	1	86.75	63.75	0	25971.564	230.1075269	5909.00443	30000	0	0	30000	43.6875	2004
21.01.2020 11:43:16	1	1	1	1	86.75	63.5	0	26303.318	230.1075269	6052.509988	30000	0	0	30000	43.875	2004
21.01.2020 11:43:17	1	1	1	1	86.75	63.75	0	26208.531	225.8064516	5974.234229	30000	0	0	30000	43.875	2004
21.01.2020 11:43:18	1	1	1	1	86.75	63.75	0	25971.564	227.9569892	5986.464817	30000	0	0	30000	43.8125	2004
21.01.2020 11:43:19	1	1	1	1	86.75	63.75	0	26113.744	225.8064516	5952.219172	30000	0	0	30000	43.8125	2004
21.01.2020 11:43:20	1	1	1	1	86.75	63.75	0	26635.071	225.8064516	6014.187481	30000	0	0	30000	43.875	2004
21.01.2020 11:43:21	1	1	1	1	86.75	63.75	0	26682.464	225.8064516	6081.863398	30000	0	0	30000	43.875	2004
21.01.2020 11:43:22	1	1	1	1	86.75	63.75	0	26777.251	232.2580645	6045.987008	30000	0	0	30000	44.125	2004
21.01.2020 11:43:23	1	1	1	1	86.75	64	0	26303.318	225.8064516	5882.912511	30000	0	0	30000	43.9375	2004
21.01.2020 11:43:24	1	1	1	1	86.75	63.75	0	26682.464	225.8064516	6196.830919	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:43:25	1	1	1	1	86.75	64	0	26350.711	227.9569892	6006.849129	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:26	1	1	1	1	86.75	64	0	25639.81	221.5053763	5679.069388	30000	0	0	30000	43.875	2004
21.01.2020 11:43:27	1	1	1	1	86.75	63.75	0	26113.744	232.2580645	6030.494931	30000	0	0	30000	44	2004
21.01.2020 11:43:28	1	1	1	1	86.75	64	0	26208.531	230.1075269	5784.252439	30000	0	0	30000	44	2004
21.01.2020 11:43:29	1	1	1	1	86.75	64	0	26066.351	230.1075269	5997.880032	30000	0	0	30000	44.25	2004
21.01.2020 11:43:30	1	1	1	1	86.75	64.25	0	26398.104	232.2580645	6176.446607	30000	0	0	30000	43.9375	2004
21.01.2020 11:43:31	1	1	1	1	86.75	63.75	0	26018.957	230.1075269	6042.725518	30000	0	0	30000	43.625	2004
21.01.2020 11:43:32	1	1	1	1	86.75	63.5	0	25734.597	232.2580645	5976.680347	30000	0	0	30000	44	2004
21.01.2020 11:43:33	1	1	1	1	87.25	64	0	26113.744	232.2580645	6064.740576	30000	0	0	30000	43.875	2004
21.01.2020 11:43:34	1	1	1	1	87.25	63.75	0	26303.318	230.1075269	6052.509988	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:35	1	1	1	1	87.25	64	0	26587.678	232.2580645	6117.739787	30000	0	0	30000	43.8125	2004
21.01.2020 11:43:36	1	1	1	1	87.25	63.75	0	26113.744	230.1075269	6064.740576	30000	0	0	30000	44.125	2004
21.01.2020 11:43:37	1	1	1	1	87.25	64	0	26350.711	227.9569892	5995.433914	30000	0	0	30000	44.3125	2004
21.01.2020 11:43:44	1	1	1	1	87.5	63.75	0	26587.678	227.9569892	6117.739787	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:44	1	1	1	1	87.5	63.75	0	26587.678	227.9569892	6117.739787	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:44	1	1	1	1	87.5	63.75	0	26587.678	227.9569892	6117.739787	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:44	1	1	1	1	87.5	63.75	0	26587.678	227.9569892	6117.739787	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:44	1	1	1	1	87.5	63.75	0	26587.678	227.9569892	6117.739787	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:44	1	1	1	1	87.5	63.75	0	26587.678	227.9569892	6117.739787	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:45	1	1	1	1	87.5	64	0	26824.645	225.8064516	6056.586851	30000	0	0	30000	43.875	2004
21.01.2020 11:43:46	1	1	1	1	87.5	63.75	0	26540.284	225.8064516	5992.987797	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:47	1	1	1	1	87.5	64	0	26587.678	225.8064516	6003.587639	30000	0	0	30000	44	2004
21.01.2020 11:43:48	1	1	1	1	87.5	64	0	26682.464	225.8064516	6024.787324	30000	0	0	30000	44.125	2004
21.01.2020 11:43:49	1	1	1	1	87.5	64	0	26492.891	225.8064516	5992.987797	30000	0	0	30000	43.9375	2004
21.01.2020 11:43:50	1	1	1	1	87.5	63.75	0	26540.284	225.8064516	5992.987797	30000	0	0	30000	44.125	2004
21.01.2020 11:43:51	1	1	1	1	87.5	64	0	26350.711	225.8064516	5939.173212	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:52	1	1	1	1	87.5	64	0	26587.678	225.8064516	6003.587639	30000	0	0	30000	44	2004
21.01.2020 11:43:53	1	1	1	1	87.25	64	0	26777.251	249.4623656	6737.422879	30000	0	0	30000	44	2004
21.01.2020 11:43:54	1	1	1	1	87.25	64	0	27014.218	262.3655914	7029.326231	30000	0	0	30000	43.875	2004
21.01.2020 11:43:55	1	1	1	1	87.25	63.75	0	26824.645	262.3655914	7025.249368	30000	0	0	30000	43.875	2004
21.01.2020 11:43:56	1	1	1	1	87.25	63.75	0	27109.005	260.2150538	7112.494224	30000	0	0	30000	43.9375	2004
21.01.2020 11:43:57	1	1	1	1	87.25	63.75	0	26682.464	262.3655914	6999.972821	30000	0	0	30000	44	2004
21.01.2020 11:43:58	1	1	1	1	87.25	64	0	26872.038	260.2150538	6991.819096	30000	0	0	30000	44.0625	2004
21.01.2020 11:43:59	1	1	1	1	87.25	64	0	26777.251	262.3655914	7095.371402	30000	0	0	30000	44	2004
21.01.2020 11:44:00	1	1	1	1	87.25	64	0	26872.038	258.0645161	6991.819096	30000	0	0	30000	44	2004
21.01.2020 11:44:01	1	1	1	1	87.25	64	0	27014.218	258.0645161	7041.556818	30000	0	0	30000	43.8125	2004
21.01.2020 11:44:02	1	1	1	1	87.25	63.75	0	26587.678	262.3655914	6849.12891	30000	0	0	30000	44.125	2004
21.01.2020 11:44:03	1	1	1	1	87.25	64	0	26777.251	262.3655914	7025.249368	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:04	1	1	1	1	87.25	63.75	0	26777.251	260.2150538	6967.357921	30000	0	0	30000	44	2004
21.01.2020 11:44:05	1	1	1	1	87.25	64	0	27298.578	258.0645161	7044.818308	30000	0	0	30000	44.125	2004
21.01.2020 11:44:06	1	1	1	1	87.25	64	0	27014.218	258.0645161	6959.204196	30000	0	0	30000	43.5	2004
21.01.2020 11:44:07	1	1	1	1	87.25	63.5	0	27109.005	258.0645161	7008.126546	30000	0	0	30000	43.8125	2004
21.01.2020 11:44:08	1	1	1	1	87.25	63.75	0	26919.431	260.2150538	7004.865056	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:44:09	1	1	1	1	87.25	63.75	0	26966.825	260.2150538	6946.973609	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:10	1	1	1	1	87.25	63.75	0	26824.645	260.2150538	7049.710543	30000	0	0	30000	43.5625	2004
21.01.2020 11:44:11	1	1	1	1	87.25	63.5	0	26919.431	258.0645161	6946.973609	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:12	1	1	1	1	87.25	63.75	0	26587.678	262.3655914	6975.511646	30000	0	0	30000	44	2004
21.01.2020 11:44:13	1	1	1	1	87	64	0	27014.218	260.2150538	7041.556818	30000	0	0	30000	44.1875	2004
21.01.2020 11:44:14	1	1	1	1	87	64	0	27014.218	258.0645161	6959.204196	30000	0	0	30000	43.8125	2004
21.01.2020 11:44:15	1	1	1	1	87	63.75	0	26824.645	262.3655914	7037.479955	30000	0	0	30000	44.0625	2004
21.01.2020 11:44:16	1	1	1	1	87	64.25	0	25450.237	245.1612903	6239.230288	30000	0	0	30000	43.5625	2004
21.01.2020 11:44:17	1	1	1	1	87	63.5	0	26824.645	262.3655914	7037.479955	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:19	1	1	1	1	87	63.75	0	26966.825	260.2150538	7017.095643	30000	0	0	30000	43.4375	2004
21.01.2020 11:44:20	1	1	1	1	87	63.25	0	26682.464	262.3655914	6942.896747	30000	0	0	30000	43.6875	2004
21.01.2020 11:44:21	1	1	1	1	87	63.5	0	26350.711	262.3655914	6913.543337	30000	0	0	30000	44	2004
21.01.2020 11:44:22	1	1	1	1	87	64	0	26540.284	262.3655914	6975.511646	30000	0	0	30000	43.625	2004
21.01.2020 11:44:23	1	1	1	1	86.75	63.5	0	26682.464	262.3655914	6999.972821	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:24	1	1	1	1	86.75	63.75	0	26966.825	258.0645161	7017.095643	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:25	1	1	1	1	86.75	63.75	0	27109.005	258.0645161	6995.895958	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:26	1	1	1	1	86.75	63.75	0	27109.005	258.0645161	6995.895958	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:27	1	1	1	1	86.75	63.75	0	27109.005	260.2150538	7066.017993	30000	0	0	30000	44.0625	2004
21.01.2020 11:44:28	1	1	1	1	86.75	64	0	26966.825	258.0645161	6959.204196	30000	0	0	30000	43.8125	2004
21.01.2020 11:44:29	1	1	1	1	86.75	63.75	0	27061.611	258.0645161	6995.895958	30000	0	0	30000	44	2004
21.01.2020 11:44:30	1	1	1	1	86.75	64	0	26966.825	260.2150538	7017.095643	30000	0	0	30000	44	2004
21.01.2020 11:44:31	1	1	1	1	86.75	64	0	26966.825	258.0645161	6959.204196	30000	0	0	30000	44.1875	2004
21.01.2020 11:44:32	1	1	1	1	86.75	64	0	27061.611	258.0645161	7041.556818	30000	0	0	30000	44	2004
21.01.2020 11:44:33	1	1	1	1	86.75	64	0	26587.678	262.3655914	7032.58772	30000	0	0	30000	43.6875	2004
21.01.2020 11:44:34	1	1	1	1	86.75	63.5	0	26682.464	260.2150538	6942.896747	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:35	1	1	1	1	86.75	63.75	0	26966.825	260.2150538	7017.095643	30000	0	0	30000	43.8125	2004
21.01.2020 11:44:36	1	1	1	1	86.75	63.75	0	26729.858	262.3655914	6999.972821	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:37	1	1	1	1	86.75	63.75	0	26824.645	262.3655914	7049.710543	30000	0	0	30000	43.875	2004
21.01.2020 11:44:38	1	1	1	1	86.75	63.75	0	26824.645	266.6666667	7037.479955	30000	0	0	30000	43.6875	2004
21.01.2020 11:44:39	1	1	1	1	86.75	63.5	0	26777.251	260.2150538	6967.357921	30000	0	0	30000	43.875	2004
21.01.2020 11:44:46	1	1	1	1	86.5	64	0	27440.758	255.9139785	7021.987878	30000	0	0	30000	43.875	2004
21.01.2020 11:44:46	1	1	1	1	86.5	64	0	27440.758	255.9139785	7021.987878	30000	0	0	30000	43.875	2004
21.01.2020 11:44:46	1	1	1	1	86.5	64	0	27440.758	255.9139785	7021.987878	30000	0	0	30000	43.875	2004
21.01.2020 11:44:46	1	1	1	1	86.5	64	0	27440.758	255.9139785	7021.987878	30000	0	0	30000	43.875	2004
21.01.2020 11:44:46	1	1	1	1	86.5	64	0	27440.758	255.9139785	7021.987878	30000	0	0	30000	43.875	2004
21.01.2020 11:44:46	1	1	1	1	86.5	64	0	27440.758	255.9139785	7021.987878	30000	0	0	30000	43.875	2004
21.01.2020 11:44:46	1	1	1	1	86.5	63.75	0	27109.005	253.7634409	6937.189139	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:47	1	1	1	1	86.5	63.75	0	27345.972	253.7634409	6938.819884	30000	0	0	30000	43.8125	2004
21.01.2020 11:44:48	1	1	1	1	86.5	63.75	0	27582.938	258.0645161	7058.67964	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:49	1	1	1	1	86.5	63.75	0	27298.578	258.0645161	7044.818308	30000	0	0	30000	44	2004
21.01.2020 11:44:50	1	1	1	1	86.5	64	0	27298.578	258.0645161	6949.419727	30000	0	0	30000	44	2004
21.01.2020 11:44:51	1	1	1	1	86.5	64	0	27109.005	258.0645161	6995.895958	30000	0	0	30000	44.1875	2004
21.01.2020 11:44:52	1	1	1	1	86.5	64	0	27061.611	258.0645161	6983.665371	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:44:53	1	1	1	1	86.75	63.75	0	27440.758	281.7204301	7789.253391	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:54	1	1	1	1	86.75	63.75	0	27630.332	290.3225806	7962.112358	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:55	1	1	1	1	86.75	63.75	0	27867.299	286.0215054	7970.266083	30000	0	0	30000	43.875	2004
21.01.2020 11:44:57	1	1	1	1	86.75	63.75	0	27630.332	290.3225806	8021.63455	30000	0	0	30000	43.9375	2004
21.01.2020 11:44:58	1	1	1	1	86.75	63.75	0	27630.332	290.3225806	7962.112358	30000	0	0	30000	43.1875	2004
21.01.2020 11:44:59	1	1	1	1	86.75	63	0	27630.332	290.3225806	8021.63455	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:00	1	1	1	1	86.75	63.75	0	27725.118	288.172043	7962.112358	30000	0	0	30000	43.8125	2004
21.01.2020 11:45:01	1	1	1	1	86.75	63.75	0	27819.905	283.8709677	8030.603647	30000	0	0	30000	43.75	2004
21.01.2020 11:45:02	1	1	1	1	86.75	63.75	0	27535.545	294.6236559	8084.418232	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:03	1	1	1	1	86.25	63.75	0	27298.578	290.3225806	7925.420596	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:04	1	1	1	1	86.25	63.75	0	27440.758	290.3225806	7966.189221	30000	0	0	30000	43.875	2004
21.01.2020 11:45:05	1	1	1	1	86.25	63.75	0	27630.332	292.4731183	7962.112358	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:06	1	1	1	1	86.25	63.75	0	27819.905	288.172043	8076.264507	30000	0	0	30000	43.5	2004
21.01.2020 11:45:07	1	1	1	1	86.25	63.5	0	27819.905	288.172043	8016.742315	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:08	1	1	1	1	86.25	63.75	0	27582.938	288.172043	7948.251026	30000	0	0	30000	43.8125	2004
21.01.2020 11:45:09	1	1	1	1	86.25	63.75	0	27630.332	288.172043	8021.63455	30000	0	0	30000	43.875	2004
21.01.2020 11:45:10	1	1	1	1	86.25	63.75	0	27867.299	290.3225806	8076.264507	30000	0	0	30000	43.8125	2004
21.01.2020 11:45:11	1	1	1	1	86.25	63.75	0	27725.118	290.3225806	7902.590167	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:12	1	1	1	1	86.25	63.75	0	27582.938	290.3225806	8007.773218	30000	0	0	30000	43.875	2004
21.01.2020 11:45:13	1	1	1	1	86.75	63.75	0	27440.758	292.4731183	7966.189221	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:14	1	1	1	1	86.75	63.75	0	27630.332	288.172043	8021.63455	30000	0	0	30000	44	2004
21.01.2020 11:45:15	1	1	1	1	86.75	64	0	27630.332	292.4731183	7962.112358	30000	0	0	30000	44	2004
21.01.2020 11:45:16	1	1	1	1	86.75	64	0	27345.972	292.4731183	7997.988748	30000	0	0	30000	44.0625	2004
21.01.2020 11:45:17	1	1	1	1	86.75	64	0	27440.758	294.6236559	8143.125051	30000	0	0	30000	44	2004
21.01.2020 11:45:18	1	1	1	1	86.75	64	0	27014.218	296.7741935	8030.603647	30000	0	0	30000	44.0625	2004
21.01.2020 11:45:19	1	1	1	1	86.75	64	0	26824.645	296.7741935	7902.590167	30000	0	0	30000	43.6875	2004
21.01.2020 11:45:20	1	1	1	1	86.75	63.5	0	26919.431	296.7741935	7989.01965	30000	0	0	30000	44	2004
21.01.2020 11:45:21	1	1	1	1	86.75	64	0	27345.972	294.6236559	8056.695567	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:22	1	1	1	1	86.75	63.75	0	26966.825	296.7741935	8002.880983	30000	0	0	30000	43.875	2004
21.01.2020 11:45:23	1	1	1	1	86.75	63.75	0	26966.825	294.6236559	7944.989536	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:24	1	1	1	1	86.75	63.75	0	26872.038	294.6236559	7916.451499	30000	0	0	30000	44	2004
21.01.2020 11:45:25	1	1	1	1	86.75	64	0	26682.464	301.0752688	7975.973691	30000	0	0	30000	43.875	2004
21.01.2020 11:45:26	1	1	1	1	86.75	63.75	0	26824.645	298.9247312	7888.728834	30000	0	0	30000	44	2004
21.01.2020 11:45:27	1	1	1	1	86.75	64	0	27109.005	298.9247312	8045.280352	30000	0	0	30000	44	2004
21.01.2020 11:45:28	1	1	1	1	86.75	64	0	27014.218	296.7741935	8002.880983	30000	0	0	30000	43.75	2004
21.01.2020 11:45:29	1	1	1	1	86.75	63.75	0	27298.578	296.7741935	7986.573533	30000	0	0	30000	43.8125	2004
21.01.2020 11:45:30	1	1	1	1	86.75	63.75	0	27440.758	294.6236559	8084.418232	30000	0	0	30000	44.1875	2004
21.01.2020 11:45:31	1	1	1	1	86.75	64	0	27440.758	290.3225806	7966.189221	30000	0	0	30000	44.125	2004
21.01.2020 11:45:32	1	1	1	1	86.75	64	0	27298.578	290.3225806	7925.420596	30000	0	0	30000	44	2004
21.01.2020 11:45:33	1	1	1	1	87	64.5	0	27345.972	296.7741935	7938.466556	30000	0	0	30000	44	2004
21.01.2020 11:45:35	1	1	1	1	87	64	0	27440.758	294.6236559	8084.418232	30000	0	0	30000	43.8125	2004
21.01.2020 11:45:36	1	1	1	1	87	63.75	0	27061.611	294.6236559	7972.712201	30000	0	0	30000	43.75	2004
21.01.2020 11:45:37	1	1	1	1	87	63.75	0	27298.578	294.6236559	7984.127416	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:45:38	1	1	1	1	87	63.25	0	27109.005	298.9247312	8089.310467	30000	0	0	30000	43.8125	2004
21.01.2020 11:45:39	1	1	1	1	87	63.75	0	27061.611	298.9247312	8089.310467	30000	0	0	30000	43.625	2004
21.01.2020 11:45:40	1	1	1	1	87	63.5	0	27440.758	290.3225806	8084.418232	30000	0	0	30000	43.75	2004
21.01.2020 11:45:41	1	1	1	1	87	63.75	0	27440.758	296.7741935	8143.125051	30000	0	0	30000	43.875	2004
21.01.2020 11:45:47	1	1	1	1	86.75	63.75	0	26966.825	294.6236559	8002.880983	30000	0	0	30000	43.75	2004
21.01.2020 11:45:47	1	1	1	1	86.75	63.75	0	26966.825	294.6236559	8002.880983	30000	0	0	30000	43.75	2004
21.01.2020 11:45:47	1	1	1	1	86.75	63.75	0	26966.825	294.6236559	8002.880983	30000	0	0	30000	43.75	2004
21.01.2020 11:45:47	1	1	1	1	86.75	63.75	0	26966.825	294.6236559	8002.880983	30000	0	0	30000	43.75	2004
21.01.2020 11:45:47	1	1	1	1	86.75	63.75	0	26966.825	294.6236559	8002.880983	30000	0	0	30000	43.75	2004
21.01.2020 11:45:47	1	1	1	1	86.75	63.75	0	26966.825	294.6236559	8002.880983	30000	0	0	30000	43.75	2004
21.01.2020 11:45:47	1	1	1	1	86.75	63.75	0	26966.825	294.6236559	8002.880983	30000	0	0	30000	43.75	2004
21.01.2020 11:45:48	1	1	1	1	86.75	63.75	0	27109.005	290.3225806	8059.141685	30000	0	0	30000	43.875	2004
21.01.2020 11:45:49	1	1	1	1	86.75	63.75	0	27109.005	294.6236559	7986.573533	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:50	1	1	1	1	86.75	63.75	0	27061.611	290.3225806	7856.113935	30000	0	0	30000	44.0625	2004
21.01.2020 11:45:51	1	1	1	1	86.75	64	0	27819.905	292.4731183	8136.602071	30000	0	0	30000	43.875	2004
21.01.2020 11:45:52	1	1	1	1	86.75	63.75	0	27109.005	294.6236559	7986.573533	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:53	1	1	1	1	86.75	63.75	0	27345.972	309.6774194	8527.165493	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:54	1	1	1	1	86.75	63.75	0	28009.479	318.2795699	8899.790721	30000	0	0	30000	43.875	2004
21.01.2020 11:45:55	1	1	1	1	86.75	63.75	0	27440.758	322.5806452	8851.683744	30000	0	0	30000	43.9375	2004
21.01.2020 11:45:56	1	1	1	1	86.75	63.75	0	27630.332	326.8817204	9031.881064	30000	0	0	30000	43.875	2004
21.01.2020 11:45:57	1	1	1	1	86.75	63.75	0	27535.545	322.5806452	8881.852526	30000	0	0	30000	44	2004
21.01.2020 11:45:58	1	1	1	1	86.75	64	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	43.875	2004
21.01.2020 11:45:59	1	1	1	1	86.75	63.75	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44	2004
21.01.2020 11:46:00	1	1	1	1	86.75	64	0	27298.578	329.0322581	8997.63542	30000	0	0	30000	43.75	2004
21.01.2020 11:46:01	1	1	1	1	86.75	63.75	0	27535.545	329.0322581	9028.619574	30000	0	0	30000	44	2004
21.01.2020 11:46:02	1	1	1	1	86.75	64	0	27440.758	320.4301075	8910.390563	30000	0	0	30000	44.0625	2004
21.01.2020 11:46:03	1	1	1	1	86.75	64	0	27630.332	324.7311828	9031.881064	30000	0	0	30000	43.875	2004
21.01.2020 11:46:04	1	1	1	1	86.75	63.75	0	27630.332	326.8817204	9093.849374	30000	0	0	30000	43.875	2004
21.01.2020 11:46:05	1	1	1	1	86.75	63.75	0	27582.938	326.8817204	9016.388987	30000	0	0	30000	44.0625	2004
21.01.2020 11:46:06	1	1	1	1	86.75	64	0	27582.938	326.8817204	9075.095806	30000	0	0	30000	44	2004
21.01.2020 11:46:07	1	1	1	1	86.75	64	0	27819.905	329.0322581	8972.358873	30000	0	0	30000	43.875	2004
21.01.2020 11:46:08	1	1	1	1	86.75	63.75	0	27725.118	322.5806452	9033.511809	30000	0	0	30000	44.1875	2004
21.01.2020 11:46:09	1	1	1	1	86.75	64	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44.375	2004
21.01.2020 11:46:10	1	1	1	1	86.75	64.25	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	43.5625	2004
21.01.2020 11:46:11	1	1	1	1	86.75	63.5	0	27582.938	326.8817204	9016.388987	30000	0	0	30000	43.875	2004
21.01.2020 11:46:12	1	1	1	1	86.75	63.75	0	27298.578	329.0322581	9040.850162	30000	0	0	30000	43.875	2004
21.01.2020 11:46:14	1	1	1	1	86.75	64	0	27582.938	326.8817204	9075.095806	30000	0	0	30000	43.4375	2004
21.01.2020 11:46:15	1	1	1	1	86.75	63.25	0	27535.545	326.8817204	8956.866795	30000	0	0	30000	43.0625	2004
21.01.2020 11:46:16	1	1	1	1	86.75	63	0	27298.578	326.8817204	9173.755877	30000	0	0	30000	44	2004
21.01.2020 11:46:17	1	1	1	1	86.75	64	0	27440.758	329.0322581	9028.619574	30000	0	0	30000	43.875	2004
21.01.2020 11:46:18	1	1	1	1	86.75	63.75	0	27630.332	322.5806452	8912.836681	30000	0	0	30000	43.9375	2004
21.01.2020 11:46:19	1	1	1	1	86.75	63.75	0	27819.905	322.5806452	9033.511809	30000	0	0	30000	44.0625	2004
21.01.2020 11:46:20	1	1	1	1	86.75	64	0	27440.758	324.7311828	8969.912755	30000	0	0	30000	43.5	2004
21.01.2020 11:46:21	1	1	1	1	86.75	63.5	0	27914.692	326.8817204	9124.833528	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:46:22	1	1	1	1	86.75	64	0	27298.578	329.0322581	8982.143342	30000	0	0	30000	43.9375	2004
21.01.2020 11:46:23	1	1	1	1	86.5	63.75	0	27298.578	329.0322581	8982.143342	30000	0	0	30000	43.875	2004
21.01.2020 11:46:24	1	1	1	1	86.5	63.75	0	27345.972	331.1827957	9056.342239	30000	0	0	30000	44	2004
21.01.2020 11:46:25	1	1	1	1	86.5	64	0	27298.578	331.1827957	8876.960291	30000	0	0	30000	43.6875	2004
21.01.2020 11:46:26	1	1	1	1	86.5	63.5	0	27156.398	331.1827957	9040.850162	30000	0	0	30000	43.8125	2004
21.01.2020 11:46:27	1	1	1	1	86.5	63.75	0	27109.005	331.1827957	8978.06648	30000	0	0	30000	43.875	2004
21.01.2020 11:46:28	1	1	1	1	86.5	63.75	0	27061.611	329.0322581	8961.75903	30000	0	0	30000	43.9375	2004
21.01.2020 11:46:29	1	1	1	1	86.5	63.75	0	27061.611	333.3333333	9020.465849	30000	0	0	30000	43.1875	2004
21.01.2020 11:46:30	1	1	1	1	86.5	63	0	27345.972	329.0322581	9028.619574	30000	0	0	30000	43.8125	2004
21.01.2020 11:46:31	1	1	1	1	86.5	63.75	0	27109.005	326.8817204	8982.143342	30000	0	0	30000	43.375	2004
21.01.2020 11:46:32	1	1	1	1	86.5	63.25	0	27061.611	329.0322581	8903.867584	30000	0	0	30000	44	2004
21.01.2020 11:46:33	1	1	1	1	86.5	64	0	27061.611	333.3333333	9020.465849	30000	0	0	30000	43.875	2004
21.01.2020 11:46:34	1	1	1	1	86.5	63.75	0	27156.398	335.483871	9094.664746	30000	0	0	30000	44	2004
21.01.2020 11:46:35	1	1	1	1	86.5	64	0	27298.578	326.8817204	8923.436523	30000	0	0	30000	44.0625	2004
21.01.2020 11:46:36	1	1	1	1	86.5	64	0	27109.005	331.1827957	8961.75903	30000	0	0	30000	43.875	2004
21.01.2020 11:46:37	1	1	1	1	86.5	63.75	0	27298.578	326.8817204	8923.436523	30000	0	0	30000	43.875	2004
21.01.2020 11:46:38	1	1	1	1	86.5	63.75	0	27298.578	329.0322581	8982.143342	30000	0	0	30000	43.9375	2004
21.01.2020 11:46:39	1	1	1	1	86.5	63.75	0	27109.005	329.0322581	8919.359661	30000	0	0	30000	43.8125	2004
21.01.2020 11:46:40	1	1	1	1	86.5	63.75	0	27061.611	331.1827957	9020.465849	30000	0	0	30000	43.9375	2004
21.01.2020 11:46:41	1	1	1	1	86.5	63.75	0	26966.825	333.3333333	9178.648112	30000	0	0	30000	43.9375	2004
21.01.2020 11:46:42	1	1	1	1	86.5	63.75	0	27061.611	335.483871	8872.883429	30000	0	0	30000	43.875	2004
21.01.2020 11:46:49	1	1	1	1	86.75	64.25	0	26919.431	335.483871	9031.065692	30000	0	0	30000	44.0625	2004
21.01.2020 11:46:49	1	1	1	1	86.75	64.25	0	26919.431	335.483871	9031.065692	30000	0	0	30000	44.0625	2004
21.01.2020 11:46:49	1	1	1	1	86.75	64.25	0	26919.431	335.483871	9031.065692	30000	0	0	30000	44.0625	2004
21.01.2020 11:46:49	1	1	1	1	86.75	64.25	0	26919.431	335.483871	9031.065692	30000	0	0	30000	44.0625	2004
21.01.2020 11:46:49	1	1	1	1	86.75	64	0	26824.645	333.3333333	8999.266165	30000	0	0	30000	43.8125	2004
21.01.2020 11:46:50	1	1	1	1	86.75	63.75	0	27061.611	335.483871	9020.465849	30000	0	0	30000	44.375	2004
21.01.2020 11:46:52	1	1	1	1	86.75	63.5	0	26966.825	333.3333333	8988.666322	30000	0	0	30000	43.875	2004
21.01.2020 11:46:53	1	1	1	1	86.75	63.75	0	27109.005	367.7419355	10097.57291	30000	0	0	30000	43.9375	2004
21.01.2020 11:46:54	1	1	1	1	86.75	63.75	0	27440.758	359.1397849	9854.591906	30000	0	0	30000	44.0625	2004
21.01.2020 11:46:55	1	1	1	1	86.75	64	0	27156.398	363.4408602	9921.45245	30000	0	0	30000	43.4375	2004
21.01.2020 11:46:56	1	1	1	1	86.75	63.25	0	27440.758	367.7419355	10149.75675	30000	0	0	30000	43.875	2004
21.01.2020 11:46:57	1	1	1	1	86.75	63.75	0	27061.611	369.8924731	9951.621232	30000	0	0	30000	44	2004
21.01.2020 11:46:58	1	1	1	1	86.75	64	0	26872.038	359.1397849	9783.654499	30000	0	0	30000	43.25	2004
21.01.2020 11:46:59	1	1	1	1	86.75	63.25	0	27298.578	365.5913978	9997.282092	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:00	1	1	1	1	86.75	63.75	0	27535.545	363.4408602	9972.820917	30000	0	0	30000	44	2004
21.01.2020 11:47:01	1	1	1	1	86.75	64	0	27061.611	363.4408602	9835.022966	30000	0	0	30000	43.4375	2004
21.01.2020 11:47:02	1	1	1	1	86.75	63.25	0	27440.758	363.4408602	10091.04993	30000	0	0	30000	44	2004
21.01.2020 11:47:03	1	1	1	1	86.25	64	0	27109.005	369.8924731	10027.45087	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:04	1	1	1	1	86.25	63.75	0	27298.578	363.4408602	10055.98891	30000	0	0	30000	43.875	2004
21.01.2020 11:47:05	1	1	1	1	86.25	63.75	0	27298.578	365.5913978	10038.86609	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:47:06	1	1	1	1	86.25	63.5	0	27298.578	369.8924731	10097.57291	30000	0	0	30000	43.625	2004
21.01.2020 11:47:07	1	1	1	1	86.25	63.5	0	27440.758	369.8924731	10091.04993	30000	0	0	30000	43.8125	2004
21.01.2020 11:47:08	1	1	1	1	86.25	63.75	0	27298.578	372.0430108	10038.86609	30000	0	0	30000	43.375	2004
21.01.2020 11:47:09	1	1	1	1	86.25	63.25	0	27014.218	359.1397849	9718.4247	30000	0	0	30000	43.8125	2004
21.01.2020 11:47:10	1	1	1	1	86.25	63.75	0	27298.578	367.7419355	9921.45245	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:11	1	1	1	1	86.25	63.75	0	27298.578	367.7419355	9735.547523	30000	0	0	30000	43.875	2004
21.01.2020 11:47:12	1	1	1	1	86.25	63.75	0	27109.005	363.4408602	9735.547523	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:13	1	1	1	1	86.75	63.75	0	27014.218	363.4408602	9835.022966	30000	0	0	30000	44.0625	2004
21.01.2020 11:47:14	1	1	1	1	86.75	64	0	27298.578	363.4408602	9921.45245	30000	0	0	30000	43.75	2004
21.01.2020 11:47:15	1	1	1	1	86.75	63.75	0	26966.825	363.4408602	9800.777322	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:16	1	1	1	1	86.75	63.75	0	27582.938	367.7419355	10007.06656	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:17	1	1	1	1	86.75	63.75	0	27345.972	365.5913978	9955.698095	30000	0	0	30000	44	2004
21.01.2020 11:47:18	1	1	1	1	86.75	64	0	27298.578	361.2903226	9804.038812	30000	0	0	30000	43.75	2004
21.01.2020 11:47:19	1	1	1	1	86.75	63.75	0	27440.758	363.4408602	9854.591906	30000	0	0	30000	43.8125	2004
21.01.2020 11:47:20	1	1	1	1	86.75	63.75	0	27819.905	359.1397849	9990.759112	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:21	1	1	1	1	86.75	63.75	0	28293.839	359.1397849	10126.92632	30000	0	0	30000	43.75	2004
21.01.2020 11:47:22	1	1	1	1	86.75	63.75	0	27867.299	359.1397849	10007.88193	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:23	1	1	1	1	87	63.75	0	27962.085	354.8387097	9921.45245	30000	0	0	30000	43.8125	2004
21.01.2020 11:47:24	1	1	1	1	87	63.75	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44	2004
21.01.2020 11:47:25	1	1	1	1	87	64	0	28009.479	359.1397849	9998.912837	30000	0	0	30000	43.8125	2004
21.01.2020 11:47:26	1	1	1	1	87	63.75	0	28199.052	356.9892473	10126.92632	30000	0	0	30000	43.8125	2004
21.01.2020 11:47:27	1	1	1	1	87	63.75	0	28009.479	359.1397849	9998.912837	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:28	1	1	1	1	87	63.75	0	27819.905	356.9892473	9990.759112	30000	0	0	30000	43.75	2004
21.01.2020 11:47:29	1	1	1	1	87	63.75	0	27867.299	359.1397849	10007.88193	30000	0	0	30000	44.0625	2004
21.01.2020 11:47:31	1	1	1	1	87	64	0	27630.332	363.4408602	9863.561003	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:32	1	1	1	1	87	63.75	0	27630.332	356.9892473	9931.23692	30000	0	0	30000	43.8125	2004
21.01.2020 11:47:33	1	1	1	1	87	63.75	0	27819.905	356.9892473	9931.23692	30000	0	0	30000	43.9375	2004
21.01.2020 11:47:34	1	1	1	1	87	63.75	0	27962.085	356.9892473	9981.790014	30000	0	0	30000	43.75	2004
21.01.2020 11:47:35	1	1	1	1	87	63.75	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	44	2004
21.01.2020 11:47:36	1	1	1	1	87	64	0	28009.479	356.9892473	9938.575272	30000	0	0	30000	43.375	2004
21.01.2020 11:47:37	1	1	1	1	87	63.25	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	44	2004
21.01.2020 11:47:38	1	1	1	1	87	64	0	27819.905	356.9892473	9931.23692	30000	0	0	30000	44	2004
21.01.2020 11:47:39	1	1	1	1	87	64	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	43.875	2004
21.01.2020 11:47:40	1	1	1	1	87	63.75	0	28199.052	354.8387097	10066.58875	30000	0	0	30000	43.1875	2004
21.01.2020 11:47:41	1	1	1	1	87	63	0	28199.052	354.8387097	10005.43582	30000	0	0	30000	43.8125	2004
21.01.2020 11:47:42	1	1	1	1	87	63.75	0	28009.479	354.8387097	9938.575272	30000	0	0	30000	43.875	2004
21.01.2020 11:47:43	1	1	1	1	87	63.75	0	28293.839	352.688172	10005.43582	30000	0	0	30000	43.875	2004
21.01.2020 11:47:44	1	1	1	1	87	63.75	0	28483.412	350.5376344	9984.236132	30000	0	0	30000	43.875	2004
21.01.2020 11:47:50	1	1	1	1	87	63.75	0	28388.626	356.9892473	10134.26467	30000	0	0	30000	43.875	2004
21.01.2020 11:47:50	1	1	1	1	87	63.75	0	28388.626	356.9892473	10134.26467	30000	0	0	30000	43.875	2004
21.01.2020 11:47:50	1	1	1	1	87	63.75	0	28388.626	356.9892473	10134.26467	30000	0	0	30000	43.875	2004
21.01.2020 11:47:50	1	1	1	1	87	63.75	0	28388.626	356.9892473	10134.26467	30000	0	0	30000	43.875	2004
21.01.2020 11:47:50	1	1	1	1	87	63.75	0	28388.626	356.9892473	10134.26467	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:47:50	1	1	1	1	87	63.75	0	28388.626	356.9892473	10134.26467	30000	0	0	30000	43.875	2004
21.01.2020 11:47:51	1	1	1	1	87	63.75	0	28199.052	354.8387097	10005.43582	30000	0	0	30000	43.6875	2004
21.01.2020 11:47:52	1	1	1	1	87	63.5	0	28341.232	356.9892473	10117.14185	30000	0	0	30000	44	2004
21.01.2020 11:47:53	1	1	1	1	87.5	64	0	28815.166	382.7956989	11092.32734	30000	0	0	30000	44	2004
21.01.2020 11:47:54	1	1	1	1	87.5	64	0	28815.166	382.7956989	10968.39073	30000	0	0	30000	44.0625	2004
21.01.2020 11:47:55	1	1	1	1	87.5	64	0	28815.166	382.7956989	11092.32734	30000	0	0	30000	43.5	2004
21.01.2020 11:47:56	1	1	1	1	87.5	63.5	0	28625.592	384.9462366	11018.94382	30000	0	0	30000	43.4375	2004
21.01.2020 11:47:57	1	1	1	1	87.5	63.25	0	28388.626	389.2473118	11049.92798	30000	0	0	30000	43.875	2004
21.01.2020 11:47:58	1	1	1	1	87.5	63.75	0	28293.839	389.2473118	11092.32734	30000	0	0	30000	43.875	2004
21.01.2020 11:47:59	1	1	1	1	87.5	63.75	0	28293.839	389.2473118	11031.17441	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:00	1	1	1	1	87.5	64	0	28483.412	389.2473118	11086.61974	30000	0	0	30000	43.8125	2004
21.01.2020 11:48:01	1	1	1	1	87.5	63.75	0	28293.839	395.6989247	11092.32734	30000	0	0	30000	44	2004
21.01.2020 11:48:02	1	1	1	1	87.5	64	0	28009.479	387.0967742	10975.72908	30000	0	0	30000	43.5625	2004
21.01.2020 11:48:03	1	1	1	1	88.25	63.5	0	28009.479	395.6989247	11083.35825	30000	0	0	30000	44	2004
21.01.2020 11:48:04	1	1	1	1	88.25	64	0	28199.052	389.2473118	11013.23621	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:05	1	1	1	1	88.25	63.75	0	28199.052	391.3978495	11218.71008	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:06	1	1	1	1	88.25	64	0	28293.839	387.0967742	10915.39151	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:08	1	1	1	1	88.25	63.75	0	28009.479	391.3978495	10962.68312	30000	0	0	30000	43.5625	2004
21.01.2020 11:48:09	1	1	1	1	88.25	63.75	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	43.625	2004
21.01.2020 11:48:10	1	1	1	1	88.25	63.5	0	28199.052	395.6989247	11036.88202	30000	0	0	30000	43.875	2004
21.01.2020 11:48:11	1	1	1	1	88.25	63.75	0	28199.052	389.2473118	10855.05395	30000	0	0	30000	43.8125	2004
21.01.2020 11:48:12	1	1	1	1	88.25	63.75	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	44	2004
21.01.2020 11:48:13	1	1	1	1	88.25	64	0	28388.626	391.3978495	11049.92798	30000	0	0	30000	43.875	2004
21.01.2020 11:48:14	1	1	1	1	88.25	63.75	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	43.8125	2004
21.01.2020 11:48:15	1	1	1	1	88.25	63.75	0	27819.905	395.6989247	11008.34398	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:16	1	1	1	1	88.25	63.75	0	28293.839	395.6989247	11031.17441	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:17	1	1	1	1	88.25	63.75	0	28388.626	384.9462366	10855.05395	30000	0	0	30000	43.875	2004
21.01.2020 11:48:18	1	1	1	1	88.25	63.75	0	28341.232	384.9462366	10909.68391	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:19	1	1	1	1	88.25	63.75	0	28293.839	384.9462366	10975.72908	30000	0	0	30000	43.75	2004
21.01.2020 11:48:20	1	1	1	1	88.25	63.75	0	28009.479	384.9462366	10902.34555	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:21	1	1	1	1	88.25	64	0	28199.052	389.2473118	10975.72908	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:22	1	1	1	1	88.25	63.75	0	28009.479	391.3978495	11083.35825	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:23	1	1	1	1	88	64	0	28388.626	395.6989247	11233.38679	30000	0	0	30000	43.875	2004
21.01.2020 11:48:24	1	1	1	1	88	63.75	0	28009.479	384.9462366	10781.67043	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:25	1	1	1	1	88	64	0	28199.052	389.2473118	11036.88202	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:26	1	1	1	1	88	63.75	0	28009.479	391.3978495	10962.68312	30000	0	0	30000	43.6875	2004
21.01.2020 11:48:27	1	1	1	1	88	63.5	0	28578.199	387.0967742	11062.15856	30000	0	0	30000	43.75	2004
21.01.2020 11:48:28	1	1	1	1	88	63.75	0	28436.019	391.3978495	11068.68154	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:29	1	1	1	1	88	64	0	28293.839	391.3978495	11073.57378	30000	0	0	30000	43.8125	2004
21.01.2020 11:48:30	1	1	1	1	88	63.75	0	28436.019	384.9462366	10988.77504	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:31	1	1	1	1	88	63.75	0	28815.166	382.7956989	11092.32734	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:32	1	1	1	1	88	63.75	0	28436.019	384.9462366	10946.37567	30000	0	0	30000	44	2004
21.01.2020 11:48:33	1	1	1	1	88.75	64	0	28815.166	380.6451613	10968.39073	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:48:34	1	1	1	1	88.75	63.75	0	28815.166	378.4946237	11030.35904	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:35	1	1	1	1	88.75	63.75	0	28815.166	382.7956989	10968.39073	30000	0	0	30000	43.75	2004
21.01.2020 11:48:36	1	1	1	1	88.75	63.75	0	28957.346	380.6451613	11146.9573	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:37	1	1	1	1	88.75	64	0	28815.166	380.6451613	10968.39073	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:38	1	1	1	1	88.75	64	0	28815.166	378.4946237	11110.26554	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:39	1	1	1	1	88.75	63.75	0	28625.592	380.6451613	10968.39073	30000	0	0	30000	43.9375	2004
21.01.2020 11:48:40	1	1	1	1	88.75	63.75	0	28815.166	382.7956989	11030.35904	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:41	1	1	1	1	88.75	64	0	28815.166	378.4946237	10906.42242	30000	0	0	30000	44	2004
21.01.2020 11:48:42	1	1	1	1	88.75	64	0	28862.559	378.4946237	11022.20531	30000	0	0	30000	44.0625	2004
21.01.2020 11:48:43	1	1	1	1	88.75	64	0	28957.346	382.7956989	11022.20531	30000	0	0	30000	43.875	2004
21.01.2020 11:48:44	1	1	1	1	88.75	63.75	0	28862.559	380.6451613	10986.32892	30000	0	0	30000	43.875	2004
21.01.2020 11:48:46	1	1	1	1	88.75	63.75	0	28957.346	378.4946237	11076.0199	30000	0	0	30000	44.375	2004
21.01.2020 11:48:52	1	1	1	1	88.75	63.75	0	28625.592	387.0967742	11018.94382	30000	0	0	30000	44	2004
21.01.2020 11:48:52	1	1	1	1	88.75	63.75	0	28625.592	387.0967742	11018.94382	30000	0	0	30000	44	2004
21.01.2020 11:48:52	1	1	1	1	88.75	63.75	0	28625.592	387.0967742	11018.94382	30000	0	0	30000	44	2004
21.01.2020 11:48:52	1	1	1	1	88.75	63.75	0	28625.592	387.0967742	11018.94382	30000	0	0	30000	44	2004
21.01.2020 11:48:52	1	1	1	1	88.75	63.75	0	28625.592	387.0967742	11018.94382	30000	0	0	30000	44	2004
21.01.2020 11:48:52	1	1	1	1	88.75	63.75	0	28625.592	387.0967742	11018.94382	30000	0	0	30000	44	2004
21.01.2020 11:48:53	1	1	1	1	89.5	64	0	28199.052	412.9032258	11460.87571	30000	0	0	30000	43.875	2004
21.01.2020 11:48:54	1	1	1	1	89.5	63.75	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.25	2004
21.01.2020 11:48:55	1	1	1	1	89.5	63.25	0	28388.626	419.3548387	11904.43834	30000	0	0	30000	43.5	2004
21.01.2020 11:48:56	1	1	1	1	89.5	63.5	0	28483.412	419.3548387	11944.3916	30000	0	0	30000	43.8125	2004
21.01.2020 11:48:57	1	1	1	1	89.5	63.75	0	28625.592	417.2043011	11861.2236	30000	0	0	30000	43.875	2004
21.01.2020 11:48:58	1	1	1	1	89.5	63.75	0	28483.412	419.3548387	11944.3916	30000	0	0	30000	43.875	2004
21.01.2020 11:48:59	1	1	1	1	89.5	63.75	0	28625.592	419.3548387	12207.75691	30000	0	0	30000	44	2004
21.01.2020 11:49:00	1	1	1	1	89.5	64	0	28625.592	419.3548387	12003.91379	30000	0	0	30000	43.25	2004
21.01.2020 11:49:01	1	1	1	1	89.5	63.25	0	28625.592	425.8064516	12127.03503	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:02	1	1	1	1	89.5	63.75	0	28293.839	415.0537634	12006.35991	30000	0	0	30000	43.75	2004
21.01.2020 11:49:03	1	1	1	1	89.25	63.75	0	28578.199	425.8064516	12087.08178	30000	0	0	30000	43.875	2004
21.01.2020 11:49:04	1	1	1	1	89.25	63.75	0	28436.019	425.8064516	12026.74422	30000	0	0	30000	43.75	2004
21.01.2020 11:49:05	1	1	1	1	89.25	63.75	0	28436.019	425.8064516	12108.28147	30000	0	0	30000	44	2004
21.01.2020 11:49:06	1	1	1	1	89.25	64	0	28293.839	423.655914	11986.79097	30000	0	0	30000	43.875	2004
21.01.2020 11:49:07	1	1	1	1	89.25	63.75	0	28341.232	419.3548387	11884.8694	30000	0	0	30000	43.5	2004
21.01.2020 11:49:08	1	1	1	1	89.25	63.5	0	28293.839	425.8064516	12007.17528	30000	0	0	30000	43.875	2004
21.01.2020 11:49:09	1	1	1	1	89.25	63.75	0	28293.839	419.3548387	11986.79097	30000	0	0	30000	43.625	2004
21.01.2020 11:49:10	1	1	1	1	89.25	63.5	0	28199.052	425.8064516	12007.17528	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:11	1	1	1	1	89.25	63.75	0	28009.479	419.3548387	11926.4534	30000	0	0	30000	43.8125	2004
21.01.2020 11:49:12	1	1	1	1	89.25	63.75	0	28483.412	423.655914	11924.82266	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:13	1	1	1	1	89.75	63.75	0	28009.479	427.9569892	12067.51284	30000	0	0	30000	43.875	2004
21.01.2020 11:49:14	1	1	1	1	89.75	63.75	0	28199.052	427.9569892	12007.17528	30000	0	0	30000	43.875	2004
21.01.2020 11:49:15	1	1	1	1	89.75	63.75	0	28388.626	423.655914	12006.35991	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:16	1	1	1	1	89.75	63.75	0	28436.019	419.3548387	11924.82266	30000	0	0	30000	44.125	2004
21.01.2020 11:49:17	1	1	1	1	89.75	64	0	28199.052	425.8064516	12007.17528	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:49:18	1	1	1	1	89.75	63.5	0	28436.019	415.0537634	11721.79491	30000	0	0	30000	43.5625	2004
21.01.2020 11:49:19	1	1	1	1	89.75	63.5	0	28625.592	419.3548387	12003.91379	30000	0	0	30000	43.875	2004
21.01.2020 11:49:20	1	1	1	1	89.75	63.75	0	28625.592	412.9032258	11819.63961	30000	0	0	30000	43.8125	2004
21.01.2020 11:49:21	1	1	1	1	89.75	63.75	0	28957.346	417.2043011	12143.34248	30000	0	0	30000	43.5625	2004
21.01.2020 11:49:22	1	1	1	1	89.75	63.5	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.6875	2004
21.01.2020 11:49:24	1	1	1	1	89.5	63.5	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.75	2004
21.01.2020 11:49:25	1	1	1	1	89.5	63.75	0	28625.592	419.3548387	12003.91379	30000	0	0	30000	44	2004
21.01.2020 11:49:26	1	1	1	1	89.5	64	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:27	1	1	1	1	89.5	63.75	0	28578.199	419.3548387	11984.34485	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:28	1	1	1	1	89.5	63.75	0	25592.417	346.2365591	9208.001522	30000	0	0	30000	44.0625	2004
21.01.2020 11:49:29	1	1	1	1	89.5	64	0	28815.166	415.0537634	11959.88367	30000	0	0	30000	44.0625	2004
21.01.2020 11:49:30	1	1	1	1	89.5	64	0	28625.592	412.9032258	11959.88367	30000	0	0	30000	43.8125	2004
21.01.2020 11:49:31	1	1	1	1	89.5	63.75	0	29052.133	412.9032258	11995.76006	30000	0	0	30000	43.0625	2004
21.01.2020 11:49:32	1	1	1	1	89.5	63	0	28957.346	412.9032258	12018.59049	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:33	1	1	1	1	89.75	63.75	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	43.625	2004
21.01.2020 11:49:34	1	1	1	1	89.75	63.5	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	43.8125	2004
21.01.2020 11:49:35	1	1	1	1	89.75	63.75	0	29336.493	406.4516129	12132.74264	30000	0	0	30000	44.0625	2004
21.01.2020 11:49:36	1	1	1	1	89.75	64	0	29241.706	404.3010753	12074.03582	30000	0	0	30000	44.125	2004
21.01.2020 11:49:37	1	1	1	1	89.75	64	0	29289.1	406.4516129	11923.19191	30000	0	0	30000	44	2004
21.01.2020 11:49:38	1	1	1	1	89.75	64	0	29004.739	404.3010753	11745.44071	30000	0	0	30000	43.6875	2004
21.01.2020 11:49:39	1	1	1	1	89.75	63.5	0	29526.066	412.9032258	12211.0184	30000	0	0	30000	44.0625	2004
21.01.2020 11:49:40	1	1	1	1	89.75	64	0	29573.46	412.9032258	12211.0184	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:41	1	1	1	1	89.75	63.75	0	29431.28	412.9032258	12132.74264	30000	0	0	30000	44	2004
21.01.2020 11:49:42	1	1	1	1	89.75	64	0	29336.493	412.9032258	11860.40823	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:43	1	1	1	1	91.25	63.75	0	29241.706	404.3010753	12074.03582	30000	0	0	30000	44	2004
21.01.2020 11:49:44	1	1	1	1	91.25	64	0	29620.853	412.9032258	12230.58734	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:45	1	1	1	1	91.25	63.75	0	29383.886	412.9032258	12132.74264	30000	0	0	30000	44.0625	2004
21.01.2020 11:49:46	1	1	1	1	91.25	64	0	29052.133	404.3010753	11995.76006	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:47	1	1	1	1	91.25	63.75	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	43.9375	2004
21.01.2020 11:49:54	1	1	1	1	90.25	63	0	29478.673	445.1612903	12995.40673	30000	0	0	30000	44	2004
21.01.2020 11:49:54	1	1	1	1	90.25	63	0	29478.673	445.1612903	12995.40673	30000	0	0	30000	44	2004
21.01.2020 11:49:54	1	1	1	1	90.25	63	0	29478.673	445.1612903	12995.40673	30000	0	0	30000	44	2004
21.01.2020 11:49:54	1	1	1	1	90.25	63	0	29478.673	445.1612903	12995.40673	30000	0	0	30000	44	2004
21.01.2020 11:49:54	1	1	1	1	90.25	63	0	29478.673	445.1612903	12995.40673	30000	0	0	30000	44	2004
21.01.2020 11:49:54	1	1	1	1	90.25	64	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	44	2004
21.01.2020 11:49:55	1	1	1	1	90.25	64	0	29383.886	443.0107527	12996.22211	30000	0	0	30000	43.625	2004
21.01.2020 11:49:56	1	1	1	1	90.25	63.5	0	29383.886	440.8602151	12953.82274	30000	0	0	30000	44.1875	2004
21.01.2020 11:49:57	1	1	1	1	90.25	64	0	29383.886	443.0107527	12869.83937	30000	0	0	30000	43.5625	2004
21.01.2020 11:49:58	1	1	1	1	90.25	63.5	0	29431.28	387.0967742	11392.38442	30000	0	0	30000	43.75	2004
21.01.2020 11:49:59	1	1	1	1	90.25	63.75	0	29099.526	451.6129032	13078.57473	30000	0	0	30000	43.5625	2004
21.01.2020 11:50:00	1	1	1	1	90.25	63.5	0	29099.526	445.1612903	12932.62305	30000	0	0	30000	44.125	2004
21.01.2020 11:50:01	1	1	1	1	90.25	64	0	28862.559	445.1612903	12847.82431	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:50:02	1	1	1	1	90.25	64	0	29099.526	445.1612903	12975.02242	30000	0	0	30000	44.3125	2004
21.01.2020 11:50:04	1	1	1	1	90	64.25	0	28862.559	445.1612903	12847.82431	30000	0	0	30000	43.5625	2004
21.01.2020 11:50:05	1	1	1	1	90	64	0	29146.919	451.6129032	13099.77441	30000	0	0	30000	43.75	2004
21.01.2020 11:50:06	1	1	1	1	90	63.75	0	28957.346	451.6129032	13139.72767	30000	0	0	30000	44	2004
21.01.2020 11:50:07	1	1	1	1	90	64	0	29146.919	449.4623656	13225.34178	30000	0	0	30000	44	2004
21.01.2020 11:50:08	1	1	1	1	90	64	0	29241.706	455.9139785	12975.02242	30000	0	0	30000	43.625	2004
21.01.2020 11:50:09	1	1	1	1	90	63.5	0	29099.526	460.2150538	13182.12704	30000	0	0	30000	43.9375	2004
21.01.2020 11:50:10	1	1	1	1	90	63.75	0	29099.526	453.7634409	13350.90914	30000	0	0	30000	44	2004
21.01.2020 11:50:11	1	1	1	1	90	64	0	29146.919	453.7634409	13225.34178	30000	0	0	30000	43.9375	2004
21.01.2020 11:50:12	1	1	1	1	90	63.75	0	28483.412	453.7634409	12924.46933	30000	0	0	30000	43.5625	2004
21.01.2020 11:50:13	1	1	1	1	91.25	63.5	0	28672.986	451.6129032	13075.31324	30000	0	0	30000	43.6875	2004
21.01.2020 11:50:14	1	1	1	1	91.25	63.5	0	28436.019	449.4623656	12679.04221	30000	0	0	30000	43.875	2004
21.01.2020 11:50:15	1	1	1	1	91.25	63.75	0	28815.166	449.4623656	13075.31324	30000	0	0	30000	43.9375	2004
21.01.2020 11:50:16	1	1	1	1	91.25	63.75	0	28957.346	453.7634409	13139.72767	30000	0	0	30000	43.875	2004
21.01.2020 11:50:17	1	1	1	1	91.25	63.75	0	28815.166	451.6129032	12827.44	30000	0	0	30000	43.9375	2004
21.01.2020 11:50:18	1	1	1	1	91.25	63.75	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.0625	2004
21.01.2020 11:50:19	1	1	1	1	91.25	64	0	29146.919	445.1612903	13099.77441	30000	0	0	30000	43.625	2004
21.01.2020 11:50:20	1	1	1	1	91.25	63.5	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	43.25	2004
21.01.2020 11:50:21	1	1	1	1	91.25	63.25	0	29336.493	443.0107527	13059.00579	30000	0	0	30000	44	2004
21.01.2020 11:50:22	1	1	1	1	91.25	64	0	29336.493	445.1612903	13059.00579	30000	0	0	30000	43.625	2004
21.01.2020 11:50:23	1	1	1	1	90.75	63.5	0	29478.673	440.8602151	13016.60642	30000	0	0	30000	43.875	2004
21.01.2020 11:50:24	1	1	1	1	90.75	63.75	0	24976.303	378.4946237	9506.427853	30000	0	0	30000	43.8125	2004
21.01.2020 11:50:25	1	1	1	1	90.75	63.75	0	29715.64	438.7096774	13036.17536	30000	0	0	30000	43.9375	2004
21.01.2020 11:50:26	1	1	1	1	90.75	63.75	0	29668.246	438.7096774	13036.17536	30000	0	0	30000	43.6875	2004
21.01.2020 11:50:27	1	1	1	1	90.75	63.5	0	29715.64	436.5591398	12972.57631	30000	0	0	30000	43.8125	2004
21.01.2020 11:50:28	1	1	1	1	90.75	63.75	0	29668.246	436.5591398	12930.99231	30000	0	0	30000	43.4375	2004
21.01.2020 11:50:29	1	1	1	1	90.75	63.25	0	29715.64	438.7096774	13036.17536	30000	0	0	30000	44	2004
21.01.2020 11:50:30	1	1	1	1	90.75	64	0	29336.493	443.0107527	12996.22211	30000	0	0	30000	44	2004
21.01.2020 11:50:31	1	1	1	1	90.75	64	0	29383.886	438.7096774	12869.83937	30000	0	0	30000	43.625	2004
21.01.2020 11:50:32	1	1	1	1	90.75	63.5	0	29668.246	438.7096774	13058.19042	30000	0	0	30000	43.6875	2004
21.01.2020 11:50:33	1	1	1	1	91	63.5	0	29526.066	440.8602151	13037.8061	30000	0	0	30000	43.5625	2004
21.01.2020 11:50:34	1	1	1	1	91	63.5	0	29336.493	443.0107527	12996.22211	30000	0	0	30000	43.9375	2004
21.01.2020 11:50:35	1	1	1	1	91	63.75	0	29526.066	443.0107527	12953.00737	30000	0	0	30000	43.6875	2004
21.01.2020 11:50:36	1	1	1	1	91	63.5	0	29336.493	443.0107527	12932.62305	30000	0	0	30000	43.75	2004
21.01.2020 11:50:37	1	1	1	1	91	63.75	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	43.5	2004
21.01.2020 11:50:38	1	1	1	1	91	63.5	0	29336.493	443.0107527	12932.62305	30000	0	0	30000	44.125	2004
21.01.2020 11:50:39	1	1	1	1	91	64	0	29336.493	438.7096774	12932.62305	30000	0	0	30000	43.875	2004
21.01.2020 11:50:40	1	1	1	1	91	63.75	0	29146.919	443.0107527	12912.23874	30000	0	0	30000	44.3125	2004
21.01.2020 11:50:42	1	1	1	1	91	64.25	0	29289.1	445.1612903	13059.00579	30000	0	0	30000	43.75	2004
21.01.2020 11:50:43	1	1	1	1	91	63.75	0	29383.886	443.0107527	12953.82274	30000	0	0	30000	44.0625	2004
21.01.2020 11:50:44	1	1	1	1	91.5	64.25	0	29431.28	438.7096774	12911.42337	30000	0	0	30000	43.875	2004
21.01.2020 11:50:45	1	1	1	1	91.5	63.75	0	28578.199	369.8924731	10570.48895	30000	0	0	30000	44	2004
21.01.2020 11:50:46	1	1	1	1	91.5	64	0	29336.493	443.0107527	12932.62305	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:50:47	1	1	1	1	91.5	63.25	0	29431.28	438.7096774	12911.42337	30000	0	0	30000	43.875	2004
21.01.2020 11:50:48	1	1	1	1	91.5	63.75	0	26919.431	363.4408602	9858.668769	30000	0	0	30000	43.875	2004
21.01.2020 11:50:49	1	1	1	1	91.5	63.75	0	29526.066	445.1612903	13270.18726	30000	0	0	30000	43.9375	2004
21.01.2020 11:50:55	1	1	1	1	90.75	64	0	29146.919	468.8172043	13601.22849	30000	0	0	30000	43.375	2004
21.01.2020 11:50:55	1	1	1	1	90.75	64	0	29146.919	468.8172043	13601.22849	30000	0	0	30000	43.375	2004
21.01.2020 11:50:55	1	1	1	1	90.75	64	0	29146.919	468.8172043	13601.22849	30000	0	0	30000	43.375	2004
21.01.2020 11:50:55	1	1	1	1	90.75	64	0	29146.919	468.8172043	13601.22849	30000	0	0	30000	43.375	2004
21.01.2020 11:50:55	1	1	1	1	90.75	64	0	29146.919	468.8172043	13601.22849	30000	0	0	30000	43.375	2004
21.01.2020 11:50:55	1	1	1	1	90.75	64	0	29146.919	468.8172043	13601.22849	30000	0	0	30000	43.375	2004
21.01.2020 11:50:56	1	1	1	1	90.75	63.25	0	29146.919	468.8172043	14086.37513	30000	0	0	30000	43.5625	2004
21.01.2020 11:50:57	1	1	1	1	90.75	63.5	0	29241.706	481.7204301	14109.20556	30000	0	0	30000	44.125	2004
21.01.2020 11:50:58	1	1	1	1	90.75	64	0	29146.919	481.7204301	13601.22849	30000	0	0	30000	43.8125	2004
21.01.2020 11:50:59	1	1	1	1	90.75	63.75	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.125	2004
21.01.2020 11:51:00	1	1	1	1	90.75	64	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	43.875	2004
21.01.2020 11:51:01	1	1	1	1	90.75	63.75	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.875	2004
21.01.2020 11:51:02	1	1	1	1	90.75	63.75	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.9375	2004
21.01.2020 11:51:03	1	1	1	1	91.75	63.75	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	43.8125	2004
21.01.2020 11:51:04	1	1	1	1	91.75	63.75	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	43.625	2004
21.01.2020 11:51:05	1	1	1	1	91.75	63.5	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	44	2004
21.01.2020 11:51:06	1	1	1	1	91.75	64	0	28862.559	486.0215054	13965.7	30000	0	0	30000	44.125	2004
21.01.2020 11:51:07	1	1	1	1	91.75	64	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	43.9375	2004
21.01.2020 11:51:08	1	1	1	1	91.75	63.75	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.875	2004
21.01.2020 11:51:09	1	1	1	1	91.75	63.75	0	28862.559	488.172043	14089.63662	30000	0	0	30000	44.1875	2004
21.01.2020 11:51:10	1	1	1	1	91.75	64	0	28957.346	486.0215054	14011.36086	30000	0	0	30000	43.3125	2004
21.01.2020 11:51:11	1	1	1	1	91.75	63.25	0	28815.166	486.0215054	14066.80619	30000	0	0	30000	43.5625	2004
21.01.2020 11:51:12	1	1	1	1	91.75	63.5	0	28578.199	483.8709677	13827.90205	30000	0	0	30000	44	2004
21.01.2020 11:51:13	1	1	1	1	91.75	64	0	28815.166	483.8709677	14089.63662	30000	0	0	30000	43.9375	2004
21.01.2020 11:51:14	1	1	1	1	91.75	63.75	0	28625.592	488.172043	13827.90205	30000	0	0	30000	43.5	2004
21.01.2020 11:51:15	1	1	1	1	91.75	63.5	0	29052.133	488.172043	14136.11285	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:16	1	1	1	1	91.75	63.5	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	43.875	2004
21.01.2020 11:51:17	1	1	1	1	91.75	63.75	0	28578.199	488.172043	13951.02329	30000	0	0	30000	44	2004
21.01.2020 11:51:18	1	1	1	1	91.75	64	0	28815.166	483.8709677	14089.63662	30000	0	0	30000	44.0625	2004
21.01.2020 11:51:19	1	1	1	1	91.75	64	0	29052.133	488.172043	14011.36086	30000	0	0	30000	44.1875	2004
21.01.2020 11:51:21	1	1	1	1	91.75	64	0	29099.526	481.7204301	14102.68258	30000	0	0	30000	43.4375	2004
21.01.2020 11:51:22	1	1	1	1	91.75	63.25	0	29099.526	483.8709677	14040.71427	30000	0	0	30000	43.875	2004
21.01.2020 11:51:23	1	1	1	1	91.75	64	0	28957.346	483.8709677	14011.36086	30000	0	0	30000	43.8125	2004
21.01.2020 11:51:24	1	1	1	1	91.75	63.75	0	28957.346	483.8709677	14057.02172	30000	0	0	30000	43.8125	2004
21.01.2020 11:51:25	1	1	1	1	91.75	63.75	0	28862.559	488.172043	14089.63662	30000	0	0	30000	44	2004
21.01.2020 11:51:26	1	1	1	1	91.75	64	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	43.25	2004
21.01.2020 11:51:27	1	1	1	1	91.75	63.25	0	28246.445	481.7204301	13652.59696	30000	0	0	30000	44	2004
21.01.2020 11:51:28	1	1	1	1	91.75	64	0	29052.133	481.7204301	13949.39255	30000	0	0	30000	44	2004
21.01.2020 11:51:29	1	1	1	1	91.75	64	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.625	2004
21.01.2020 11:51:30	1	1	1	1	91.75	63.5	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:51:31	1	1	1	1	91.75	63.25	0	29052.133	481.7204301	13972.22298	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:32	1	1	1	1	91.75	63.5	0	29052.133	481.7204301	14017.88384	30000	0	0	30000	44.0625	2004
21.01.2020 11:51:33	1	1	1	1	91.75	64	0	28957.346	483.8709677	14011.36086	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:34	1	1	1	1	91.75	63.5	0	27630.332	412.9032258	11408.69187	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:35	1	1	1	1	91.75	63.5	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	44	2004
21.01.2020 11:51:36	1	1	1	1	91.75	64	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.8125	2004
21.01.2020 11:51:37	1	1	1	1	91.75	63.75	0	28957.346	481.7204301	13513.16827	30000	0	0	30000	44	2004
21.01.2020 11:51:38	1	1	1	1	91.75	64	0	29146.919	481.7204301	13726.79586	30000	0	0	30000	43.875	2004
21.01.2020 11:51:39	1	1	1	1	91.75	63.75	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.1875	2004
21.01.2020 11:51:40	1	1	1	1	91.75	64	0	29099.526	483.8709677	14017.88384	30000	0	0	30000	43.875	2004
21.01.2020 11:51:41	1	1	1	1	91.75	63.75	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	43.75	2004
21.01.2020 11:51:42	1	1	1	1	91.75	63.75	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.125	2004
21.01.2020 11:51:43	1	1	1	1	91.75	64	0	28909.953	481.7204301	13949.39255	30000	0	0	30000	43.75	2004
21.01.2020 11:51:44	1	1	1	1	91.75	63.75	0	29146.919	481.7204301	14017.88384	30000	0	0	30000	44.0625	2004
21.01.2020 11:51:45	1	1	1	1	91.75	64	0	29099.526	481.7204301	14102.68258	30000	0	0	30000	44.0625	2004
21.01.2020 11:51:46	1	1	1	1	91.75	64	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	43.0625	2004
21.01.2020 11:51:47	1	1	1	1	91.75	63	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	43.9375	2004
21.01.2020 11:51:48	1	1	1	1	91.75	63.75	0	29052.133	481.7204301	14017.88384	30000	0	0	30000	43.4375	2004
21.01.2020 11:51:49	1	1	1	1	91.75	63.25	0	29099.526	481.7204301	14228.24994	30000	0	0	30000	44.125	2004
21.01.2020 11:51:50	1	1	1	1	91.75	64	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.875	2004
21.01.2020 11:51:57	1	1	1	1	92.25	63.75	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:57	1	1	1	1	92.25	63.75	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:57	1	1	1	1	92.25	63.75	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:57	1	1	1	1	92.25	63.75	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:57	1	1	1	1	92.25	63.75	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:57	1	1	1	1	92.25	63.75	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	43.6875	2004
21.01.2020 11:51:58	1	1	1	1	92.25	63.5	0	28815.166	516.1290323	14934.36251	30000	0	0	30000	43.875	2004
21.01.2020 11:51:59	1	1	1	1	92.25	63.75	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	44.4375	2004
21.01.2020 11:52:00	1	1	1	1	92.25	63.5	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	43.9375	2004
21.01.2020 11:52:01	1	1	1	1	92.25	63.75	0	28909.953	516.1290323	14945.77773	30000	0	0	30000	43.75	2004
21.01.2020 11:52:02	1	1	1	1	92.25	63.75	0	29052.133	520.4301075	15007.74604	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:03	1	1	1	1	92	64	0	28957.346	516.1290323	15056.66839	30000	0	0	30000	44	2004
21.01.2020 11:52:04	1	1	1	1	92	64	0	29146.919	518.2795699	15105.59074	30000	0	0	30000	43.875	2004
21.01.2020 11:52:05	1	1	1	1	92	63.75	0	29099.526	518.2795699	15105.59074	30000	0	0	30000	43.6875	2004
21.01.2020 11:52:06	1	1	1	1	92	63.5	0	29099.526	516.1290323	14893.59389	30000	0	0	30000	43.3125	2004
21.01.2020 11:52:07	1	1	1	1	92	63.25	0	28957.346	507.5268817	15019.16125	30000	0	0	30000	44.125	2004
21.01.2020 11:52:08	1	1	1	1	92	64	0	29099.526	516.1290323	15081.12956	30000	0	0	30000	43	2004
21.01.2020 11:52:09	1	1	1	1	92	63	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	44	2004
21.01.2020 11:52:10	1	1	1	1	92	64	0	28957.346	516.1290323	14921.31655	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:11	1	1	1	1	92	64	0	28957.346	516.1290323	15007.74604	30000	0	0	30000	43.6875	2004
21.01.2020 11:52:12	1	1	1	1	92	63.5	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	43.75	2004
21.01.2020 11:52:13	1	1	1	1	91.5	63.75	0	28957.346	522.5806452	15319.21833	30000	0	0	30000	43.6875	2004
21.01.2020 11:52:14	1	1	1	1	91.5	63.5	0	28957.346	516.1290323	15007.74604	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:52:15	1	1	1	1	91.5	64	0	28862.559	518.2795699	14958.82369	30000	0	0	30000	43.875	2004
21.01.2020 11:52:16	1	1	1	1	91.5	63.75	0	29336.493	516.1290323	15141.46713	30000	0	0	30000	43.5625	2004
21.01.2020 11:52:17	1	1	1	1	91.5	63.5	0	29146.919	511.827957	14918.05506	30000	0	0	30000	43.875	2004
21.01.2020 11:52:18	1	1	1	1	91.5	63.75	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:19	1	1	1	1	91.5	64	0	29052.133	516.1290323	14893.59389	30000	0	0	30000	44.125	2004
21.01.2020 11:52:20	1	1	1	1	91.5	64	0	29383.886	516.1290323	15141.46713	30000	0	0	30000	43.625	2004
21.01.2020 11:52:21	1	1	1	1	91.5	63.5	0	29289.1	516.1290323	15117.00595	30000	0	0	30000	43.625	2004
21.01.2020 11:52:22	1	1	1	1	91.5	63.5	0	29052.133	516.1290323	15056.66839	30000	0	0	30000	43.75	2004
21.01.2020 11:52:23	1	1	1	1	92	63.75	0	28957.346	511.827957	14945.77773	30000	0	0	30000	43.875	2004
21.01.2020 11:52:24	1	1	1	1	92	63.75	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	43.5	2004
21.01.2020 11:52:25	1	1	1	1	92	63.5	0	28815.166	518.2795699	14934.36251	30000	0	0	30000	43.9375	2004
21.01.2020 11:52:26	1	1	1	1	92	63.75	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:27	1	1	1	1	92	64	0	29052.133	516.1290323	14994.70008	30000	0	0	30000	44	2004
21.01.2020 11:52:28	1	1	1	1	92	64	0	29336.493	511.827957	15015.08439	30000	0	0	30000	43.25	2004
21.01.2020 11:52:29	1	1	1	1	92	63.25	0	29146.919	516.1290323	14807.16441	30000	0	0	30000	44.25	2004
21.01.2020 11:52:30	1	1	1	1	92	64.25	0	29289.1	509.6774194	14903.37836	30000	0	0	30000	43.9375	2004
21.01.2020 11:52:31	1	1	1	1	92	63.75	0	29526.066	511.827957	15112.11372	30000	0	0	30000	43.875	2004
21.01.2020 11:52:32	1	1	1	1	92	63.75	0	29052.133	511.827957	14807.16441	30000	0	0	30000	44	2004
21.01.2020 11:52:33	1	1	1	1	92	64	0	29336.493	509.6774194	14951.48534	30000	0	0	30000	44.1875	2004
21.01.2020 11:52:34	1	1	1	1	92	64	0	29241.706	507.5268817	14840.59468	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:36	1	1	1	1	92	64	0	29383.886	509.6774194	14888.70166	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:37	1	1	1	1	92	64	0	29620.853	503.2258065	14842.22542	30000	0	0	30000	44.5	2004
21.01.2020 11:52:38	1	1	1	1	92	64.5	0	29526.066	503.2258065	14921.31655	30000	0	0	30000	44.125	2004
21.01.2020 11:52:39	1	1	1	1	92	63.75	0	29431.28	505.3763441	15000.40769	30000	0	0	30000	44	2004
21.01.2020 11:52:40	1	1	1	1	92	64	0	29620.853	507.5268817	15033.02259	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:41	1	1	1	1	92	64	0	29431.28	516.1290323	15000.40769	30000	0	0	30000	43.75	2004
21.01.2020 11:52:42	1	1	1	1	92	63.75	0	29478.673	507.5268817	14897.67075	30000	0	0	30000	43.625	2004
21.01.2020 11:52:43	1	1	1	1	92	63.5	0	29478.673	509.6774194	15112.11372	30000	0	0	30000	44.125	2004
21.01.2020 11:52:44	1	1	1	1	92	64	0	29336.493	516.1290323	14990.62322	30000	0	0	30000	43.6875	2004
21.01.2020 11:52:45	1	1	1	1	92	63.5	0	29431.28	516.1290323	14951.48534	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:46	1	1	1	1	92	64	0	29146.919	516.1290323	14855.27138	30000	0	0	30000	43.875	2004
21.01.2020 11:52:47	1	1	1	1	92	63.75	0	29146.919	516.1290323	14855.27138	30000	0	0	30000	43.75	2004
21.01.2020 11:52:48	1	1	1	1	92	63.75	0	29526.066	511.827957	15200.17395	30000	0	0	30000	44.1875	2004
21.01.2020 11:52:49	1	1	1	1	92	64	0	29146.919	509.6774194	14830.81021	30000	0	0	30000	44.125	2004
21.01.2020 11:52:50	1	1	1	1	92	64	0	29099.526	516.1290323	14994.70008	30000	0	0	30000	43.8125	2004
21.01.2020 11:52:51	1	1	1	1	92	63.75	0	29146.919	516.1290323	15043.62243	30000	0	0	30000	44.125	2004
21.01.2020 11:52:52	1	1	1	1	92	64	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	44.125	2004
21.01.2020 11:52:58	1	1	1	1	91.75	63.5	0	29810.427	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:58	1	1	1	1	91.75	63.5	0	29810.427	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:58	1	1	1	1	91.75	63.5	0	29810.427	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:58	1	1	1	1	91.75	63.5	0	29810.427	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:58	1	1	1	1	91.75	63.5	0	29810.427	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 11:52:58	1	1	1	1	91.75	63.5	0	29810.427	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:53:01	1	1	1	1	91.75	64	0	29620.853	541.9354839	16103.60666	30000	0	0	30000	43.9375	2004
21.01.2020 11:53:01	1	1	1	1	91.75	64	0	29620.853	541.9354839	16103.60666	30000	0	0	30000	43.9375	2004
21.01.2020 11:53:01	1	1	1	1	91.75	63.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.6875	2004
21.01.2020 11:53:02	1	1	1	1	91.75	63.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	44	2004
21.01.2020 11:53:03	1	1	1	1	91.75	64	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.5	2004
21.01.2020 11:53:04	1	1	1	1	91.75	63.5	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	43.6875	2004
21.01.2020 11:53:05	1	1	1	1	91.75	63.5	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	43.6875	2004
21.01.2020 11:53:06	1	1	1	1	91.75	63.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.8125	2004
21.01.2020 11:53:07	1	1	1	1	91.75	63.75	0	29052.133	537.6344086	15770.11932	30000	0	0	30000	43.8125	2004
21.01.2020 11:53:08	1	1	1	1	91.75	63.75	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	43.1875	2004
21.01.2020 11:53:09	1	1	1	1	91.75	63	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	44	2004
21.01.2020 11:53:10	1	1	1	1	91.75	64	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	43.6875	2004
21.01.2020 11:53:11	1	1	1	1	91.75	63.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	44.1875	2004
21.01.2020 11:53:12	1	1	1	1	91.75	64	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	43.4375	2004
21.01.2020 11:53:14	1	1	1	1	92	63.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	44.4375	2004
21.01.2020 11:53:15	1	1	1	1	92	64.25	0	29336.493	548.3870968	15795.39586	30000	0	0	30000	44.3125	2004
21.01.2020 11:53:16	1	1	1	1	92	64.25	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	43.875	2004
21.01.2020 11:53:17	1	1	1	1	92	63.75	0	29336.493	546.2365591	15909.54801	30000	0	0	30000	43.625	2004
21.01.2020 11:53:18	1	1	1	1	92	63.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.875	2004
21.01.2020 11:53:19	1	1	1	1	92	63.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	43.75	2004
21.01.2020 11:53:20	1	1	1	1	92	63.75	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	44	2004
21.01.2020 11:53:21	1	1	1	1	92	64	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43.5	2004
21.01.2020 11:53:22	1	1	1	1	92	63.5	0	29526.066	533.3333333	15836.16449	30000	0	0	30000	44	2004
21.01.2020 11:53:23	1	1	1	1	92.25	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.8125	2004
21.01.2020 11:53:24	1	1	1	1	92.25	63.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	44	2004
21.01.2020 11:53:25	1	1	1	1	92.25	64	0	30047.393	529.0322581	15934.82456	30000	0	0	30000	44.0625	2004
21.01.2020 11:53:26	1	1	1	1	92.25	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.375	2004
21.01.2020 11:53:27	1	1	1	1	92.25	63.25	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	44.1875	2004
21.01.2020 11:53:28	1	1	1	1	92.25	64	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	44.125	2004
21.01.2020 11:53:29	1	1	1	1	92.25	64	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.75	2004
21.01.2020 11:53:30	1	1	1	1	92.25	63.75	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	43.625	2004
21.01.2020 11:53:31	1	1	1	1	92.25	63.5	0	29905.213	526.8817204	15756.25798	30000	0	0	30000	44	2004
21.01.2020 11:53:32	1	1	1	1	92.25	64	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	44	2004
21.01.2020 11:53:33	1	1	1	1	92.5	64	0	29289.1	541.9354839	15898.1328	30000	0	0	30000	44.0625	2004
21.01.2020 11:53:34	1	1	1	1	92.5	64	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.3125	2004
21.01.2020 11:53:35	1	1	1	1	92.5	63.25	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	43.875	2004
21.01.2020 11:53:36	1	1	1	1	92.5	63.75	0	29668.246	535.483871	16040.00761	30000	0	0	30000	43.6875	2004
21.01.2020 11:53:37	1	1	1	1	92.5	63.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.875	2004
21.01.2020 11:53:38	1	1	1	1	92.5	63.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	44	2004
21.01.2020 11:53:39	1	1	1	1	92.5	64	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	43.75	2004
21.01.2020 11:53:40	1	1	1	1	92.5	63.75	0	29336.493	537.6344086	16013.10032	30000	0	0	30000	44.1875	2004
21.01.2020 11:53:41	1	1	1	1	92.5	64	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	43.875	2004
21.01.2020 11:53:42	1	1	1	1	92.5	63.75	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:53:43	1	1	1	1	92.25	64	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	44.0625	2004
21.01.2020 11:53:44	1	1	1	1	92.25	64	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.1875	2004
21.01.2020 11:53:45	1	1	1	1	92.25	64	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	43.625	2004
21.01.2020 11:53:46	1	1	1	1	92.25	63.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.3125	2004
21.01.2020 11:53:47	1	1	1	1	92.25	64.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.875	2004
21.01.2020 11:53:48	1	1	1	1	92.25	63.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	43.5625	2004
21.01.2020 11:53:49	1	1	1	1	92.25	63.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.125	2004
21.01.2020 11:53:50	1	1	1	1	92.25	64	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.1875	2004
21.01.2020 11:53:52	1	1	1	1	92.25	63	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	43.8125	2004
21.01.2020 11:53:53	1	1	1	1	92.25	63.75	0	29431.28	541.9354839	15797.84198	30000	0	0	30000	44.5625	2004
21.01.2020 11:53:54	1	1	1	1	92.25	64.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:00	1	1	1	1	92.25	63.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:00	1	1	1	1	92.25	63.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:00	1	1	1	1	92.25	63.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:00	1	1	1	1	92.25	63.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:00	1	1	1	1	92.25	63.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:00	1	1	1	1	92.25	63.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:00	1	1	1	1	92.25	63.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:01	1	1	1	1	92.25	63.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.75	2004
21.01.2020 11:54:02	1	1	1	1	92.25	63.75	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	43.9375	2004
21.01.2020 11:54:03	1	1	1	1	92.25	63.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:04	1	1	1	1	92.25	63.75	0	29431.28	503.2258065	14897.67075	30000	0	0	30000	44.125	2004
21.01.2020 11:54:05	1	1	1	1	92.25	64	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44.125	2004
21.01.2020 11:54:06	1	1	1	1	92.25	64	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	44.25	2004
21.01.2020 11:54:07	1	1	1	1	92.25	64.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:08	1	1	1	1	92.25	63.75	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	43.875	2004
21.01.2020 11:54:09	1	1	1	1	92.25	63.75	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.875	2004
21.01.2020 11:54:10	1	1	1	1	92.25	63.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44	2004
21.01.2020 11:54:11	1	1	1	1	92.25	64	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	44.1875	2004
21.01.2020 11:54:12	1	1	1	1	92.25	64	0	29099.526	548.3870968	16046.53059	30000	0	0	30000	44.0625	2004
21.01.2020 11:54:13	1	1	1	1	92.5	64	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	44	2004
21.01.2020 11:54:14	1	1	1	1	92.5	64	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.6875	2004
21.01.2020 11:54:15	1	1	1	1	92.5	63.5	0	29289.1	550.5376344	16213.68195	30000	0	0	30000	43.5	2004
21.01.2020 11:54:16	1	1	1	1	92.5	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44	2004
21.01.2020 11:54:17	1	1	1	1	92.5	64	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.6875	2004
21.01.2020 11:54:18	1	1	1	1	92.5	63.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:19	1	1	1	1	92.5	63.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.125	2004
21.01.2020 11:54:20	1	1	1	1	92.5	64	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.25	2004
21.01.2020 11:54:21	1	1	1	1	92.5	63.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	43.9375	2004
21.01.2020 11:54:22	1	1	1	1	92.5	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
21.01.2020 11:54:23	1	1	1	1	92.25	63.5	0	29099.526	552.688172	16020.43867	30000	0	0	30000	43.5	2004
21.01.2020 11:54:24	1	1	1	1	92.25	63.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	43.875	2004
21.01.2020 11:54:25	1	1	1	1	92.25	63.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.75	2004
21.01.2020 11:54:26	1	1	1	1	92.25	63.75	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:54:27	1	1	1	1	92.25	63.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:29	1	1	1	1	92.25	63.75	0	29383.886	550.5376344	16113.39113	30000	0	0	30000	44	2004
21.01.2020 11:54:30	1	1	1	1	92.25	64	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.4375	2004
21.01.2020 11:54:31	1	1	1	1	92.25	63.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.3125	2004
21.01.2020 11:54:32	1	1	1	1	92.25	64.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.1875	2004
21.01.2020 11:54:33	1	1	1	1	92.25	64	0	29905.213	535.483871	16077.51474	30000	0	0	30000	44.4375	2004
21.01.2020 11:54:34	1	1	1	1	92.5	64.25	0	29620.853	539.7849462	15861.44103	30000	0	0	30000	43.875	2004
21.01.2020 11:54:35	1	1	1	1	92.5	63.75	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	44.0625	2004
21.01.2020 11:54:36	1	1	1	1	92.5	64	0	29715.64	541.9354839	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 11:54:37	1	1	1	1	92.5	64	0	29857.82	529.0322581	16013.10032	30000	0	0	30000	44.0625	2004
21.01.2020 11:54:38	1	1	1	1	92.5	64	0	30000	529.0322581	15934.82456	30000	0	0	30000	43.6875	2004
21.01.2020 11:54:39	1	1	1	1	92.5	63.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:40	1	1	1	1	92.5	63.75	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	43.375	2004
21.01.2020 11:54:41	1	1	1	1	92.5	63.25	0	29905.213	537.6344086	15770.11932	30000	0	0	30000	44	2004
21.01.2020 11:54:42	1	1	1	1	92.5	64	0	29573.46	544.0860215	16052.2382	30000	0	0	30000	43.75	2004
21.01.2020 11:54:43	1	1	1	1	92	63.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44	2004
21.01.2020 11:54:44	1	1	1	1	92	64	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.75	2004
21.01.2020 11:54:45	1	1	1	1	92	63.75	0	29431.28	539.7849462	15911.99413	30000	0	0	30000	43.8125	2004
21.01.2020 11:54:46	1	1	1	1	92	63.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	44	2004
21.01.2020 11:54:47	1	1	1	1	92	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44	2004
21.01.2020 11:54:48	1	1	1	1	92	64	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	44.125	2004
21.01.2020 11:54:49	1	1	1	1	92	64	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	44	2004
21.01.2020 11:54:50	1	1	1	1	92	64	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.875	2004
21.01.2020 11:54:51	1	1	1	1	92	63.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44.1875	2004
21.01.2020 11:54:52	1	1	1	1	92	64	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	43.9375	2004
21.01.2020 11:54:53	1	1	1	1	92.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
21.01.2020 11:54:54	1	1	1	1	92.25	63.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.9375	2004
21.01.2020 11:54:55	1	1	1	1	92.25	63.75	0	29573.46	539.7849462	15937.27068	30000	0	0	30000	43.8125	2004
21.01.2020 11:55:02	1	1	1	1	92.25	64	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.875	2004
21.01.2020 11:55:02	1	1	1	1	92.25	64	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.875	2004
21.01.2020 11:55:02	1	1	1	1	92.25	64	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.875	2004
21.01.2020 11:55:02	1	1	1	1	92.25	64	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.875	2004
21.01.2020 11:55:02	1	1	1	1	92.25	64	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.875	2004
21.01.2020 11:55:02	1	1	1	1	92.25	63.75	0	29383.886	541.9354839	15646.1827	30000	0	0	30000	44.1875	2004
21.01.2020 11:55:03	1	1	1	1	92.5	64	0	29526.066	537.6344086	16000.86973	30000	0	0	30000	44.0625	2004
21.01.2020 11:55:04	1	1	1	1	92.5	64	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	44.125	2004
21.01.2020 11:55:05	1	1	1	1	92.5	64	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	43.75	2004
21.01.2020 11:55:06	1	1	1	1	92.5	63.75	0	29715.64	509.6774194	15337.15652	30000	0	0	30000	44.125	2004
21.01.2020 11:55:07	1	1	1	1	92.5	64	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	44.0625	2004
21.01.2020 11:55:09	1	1	1	1	92.5	64	0	29715.64	518.2795699	15096.62164	30000	0	0	30000	44.0625	2004
21.01.2020 11:55:10	1	1	1	1	92.5	64	0	29810.427	524.7311828	15706.52026	30000	0	0	30000	43.375	2004
21.01.2020 11:55:11	1	1	1	1	92.5	63.25	0	29241.706	546.2365591	16061.20729	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:55:12	1	1	1	1	92.5	64	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	43.1875	2004
21.01.2020 11:55:13	1	1	1	1	92.5	63	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	43.9375	2004
21.01.2020 11:55:14	1	1	1	1	92.25	64.25	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	44	2004
21.01.2020 11:55:15	1	1	1	1	92.25	64	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	44.125	2004
21.01.2020 11:55:16	1	1	1	1	92.25	64	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	44.1875	2004
21.01.2020 11:55:17	1	1	1	1	92.25	64	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	43.8125	2004
21.01.2020 11:55:18	1	1	1	1	92.25	63.75	0	29431.28	550.5376344	16075.884	30000	0	0	30000	43.9375	2004
21.01.2020 11:55:19	1	1	1	1	92.25	63.75	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	44.1875	2004
21.01.2020 11:55:20	1	1	1	1	92.25	64	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	43.8125	2004
21.01.2020 11:55:21	1	1	1	1	92.25	63.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	43.875	2004
21.01.2020 11:55:22	1	1	1	1	92.25	63.75	0	29431.28	541.9354839	16000.86973	30000	0	0	30000	43.75	2004
21.01.2020 11:55:23	1	1	1	1	92.5	63.75	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	44	2004
21.01.2020 11:55:24	1	1	1	1	92.5	64	0	30000	498.9247312	15032.20721	30000	0	0	30000	44	2004
21.01.2020 11:55:25	1	1	1	1	92.5	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44	2004
21.01.2020 11:55:26	1	1	1	1	92.5	64	0	30000	490.3225806	14773.73413	30000	0	0	30000	44.125	2004
21.01.2020 11:55:27	1	1	1	1	92.5	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.125	2004
21.01.2020 11:55:28	1	1	1	1	92.5	64	0	29905.213	443.0107527	13269.37189	30000	0	0	30000	44.1875	2004
21.01.2020 11:55:29	1	1	1	1	92.5	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
21.01.2020 11:55:30	1	1	1	1	92.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
21.01.2020 11:55:31	1	1	1	1	92.5	64	0	30000	488.172043	14644.90528	30000	0	0	30000	43.9375	2004
21.01.2020 11:55:32	1	1	1	1	92.5	63.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.25	2004
21.01.2020 11:55:33	1	1	1	1	92.5	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.125	2004
21.01.2020 11:55:34	1	1	1	1	92.5	64	0	29336.493	445.1612903	13185.38852	30000	0	0	30000	43.8125	2004
21.01.2020 11:55:35	1	1	1	1	92.5	63.75	0	29952.607	520.4301075	15805.99571	30000	0	0	30000	44	2004
21.01.2020 11:55:36	1	1	1	1	92.5	64	0	29431.28	464.516129	13671.35053	30000	0	0	30000	44.0625	2004
21.01.2020 11:55:37	1	1	1	1	92.5	64	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.1875	2004
21.01.2020 11:55:38	1	1	1	1	92.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.875	2004
21.01.2020 11:55:39	1	1	1	1	92.5	63.75	0	29952.607	455.9139785	13569.42897	30000	0	0	30000	44.25	2004
21.01.2020 11:55:40	1	1	1	1	92.5	64.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.875	2004
21.01.2020 11:55:41	1	1	1	1	92.5	63.75	0	30000	481.7204301	13935.53122	30000	0	0	30000	43.5	2004
21.01.2020 11:55:42	1	1	1	1	92.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 11:55:43	1	1	1	1	92.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 11:55:44	1	1	1	1	92.75	64	0	30000	464.516129	13999.94564	30000	0	0	30000	44.125	2004
21.01.2020 11:55:45	1	1	1	1	92.75	64	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.875	2004
21.01.2020 11:55:46	1	1	1	1	92.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 11:55:48	1	1	1	1	92.75	64	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.1875	2004
21.01.2020 11:55:49	1	1	1	1	92.75	63	0	30000	488.172043	14644.90528	30000	0	0	30000	43.625	2004
21.01.2020 11:55:50	1	1	1	1	92.75	63.5	0	29952.607	503.2258065	15032.20721	30000	0	0	30000	44.125	2004
21.01.2020 11:55:51	1	1	1	1	92.75	64	0	29905.213	496.7741935	15137.39026	30000	0	0	30000	43.625	2004
21.01.2020 11:55:52	1	1	1	1	92.75	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.3125	2004
21.01.2020 11:55:53	1	1	1	1	93	64.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	44	2004
21.01.2020 11:55:54	1	1	1	1	93	64	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.25	2004
21.01.2020 11:55:55	1	1	1	1	93	64.25	0	29715.64	535.483871	15848.39508	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:55:56	1	1	1	1	93	64	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 11:55:57	1	1	1	1	93	64	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.4375	2004
21.01.2020 11:56:03	1	1	1	1	93	64	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	44.25	2004
21.01.2020 11:56:03	1	1	1	1	93	64	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	44.25	2004
21.01.2020 11:56:03	1	1	1	1	93	64	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	44.25	2004
21.01.2020 11:56:03	1	1	1	1	93	64	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	44.25	2004
21.01.2020 11:56:03	1	1	1	1	93	64	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	44.25	2004
21.01.2020 11:56:03	1	1	1	1	93	64	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	44.25	2004
21.01.2020 11:56:04	1	1	1	1	93	64.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.375	2004
21.01.2020 11:56:05	1	1	1	1	93	63.25	0	29526.066	539.7849462	16064.46878	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:06	1	1	1	1	93	64	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	44.25	2004
21.01.2020 11:56:07	1	1	1	1	93	64.25	0	29905.213	511.827957	15241.75794	30000	0	0	30000	43.6875	2004
21.01.2020 11:56:08	1	1	1	1	93	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.6875	2004
21.01.2020 11:56:09	1	1	1	1	93	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 11:56:10	1	1	1	1	93	64	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44	2004
21.01.2020 11:56:11	1	1	1	1	93	64	0	29715.64	529.0322581	15911.99413	30000	0	0	30000	43.875	2004
21.01.2020 11:56:12	1	1	1	1	93	63.75	0	29431.28	537.6344086	16038.37687	30000	0	0	30000	44.25	2004
21.01.2020 11:56:13	1	1	1	1	92.75	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.875	2004
21.01.2020 11:56:14	1	1	1	1	92.75	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:15	1	1	1	1	92.75	64	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	43.6875	2004
21.01.2020 11:56:16	1	1	1	1	92.75	63.5	0	29478.673	516.1290323	15214.85065	30000	0	0	30000	44.375	2004
21.01.2020 11:56:17	1	1	1	1	92.75	64.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.3125	2004
21.01.2020 11:56:18	1	1	1	1	92.75	64.25	0	29810.427	539.7849462	16116.65262	30000	0	0	30000	44.125	2004
21.01.2020 11:56:19	1	1	1	1	92.75	64	0	29905.213	490.3225806	14727.2579	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:20	1	1	1	1	92.75	64	0	29573.46	481.7204301	14269.01856	30000	0	0	30000	43.6875	2004
21.01.2020 11:56:21	1	1	1	1	92.75	63.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.4375	2004
21.01.2020 11:56:22	1	1	1	1	92.75	63.25	0	26066.351	481.7204301	12556.73634	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:23	1	1	1	1	93	64	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.3125	2004
21.01.2020 11:56:24	1	1	1	1	93	63.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:25	1	1	1	1	93	64	0	29857.82	483.8709677	14446.76977	30000	0	0	30000	44.25	2004
21.01.2020 11:56:27	1	1	1	1	93	64.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:28	1	1	1	1	93	64	0	30000	522.5806452	15741.58128	30000	0	0	30000	44.0625	2004
21.01.2020 11:56:29	1	1	1	1	93	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.8125	2004
21.01.2020 11:56:30	1	1	1	1	93	63.75	0	29952.607	518.2795699	15548.338	30000	0	0	30000	44.625	2004
21.01.2020 11:56:31	1	1	1	1	93	64.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.0625	2004
21.01.2020 11:56:32	1	1	1	1	93	64	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	44.3125	2004
21.01.2020 11:56:33	1	1	1	1	92.75	64.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.75	2004
21.01.2020 11:56:34	1	1	1	1	92.75	63.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.25	2004
21.01.2020 11:56:35	1	1	1	1	92.75	64.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.3125	2004
21.01.2020 11:56:36	1	1	1	1	92.75	63.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.0625	2004
21.01.2020 11:56:37	1	1	1	1	92.75	64	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	44.25	2004
21.01.2020 11:56:38	1	1	1	1	92.75	64.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.3125	2004
21.01.2020 11:56:39	1	1	1	1	92.75	64.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:56:40	1	1	1	1	92.75	63.5	0	29810.427	544.0860215	15911.99413	30000	0	0	30000	44.125	2004
21.01.2020 11:56:41	1	1	1	1	92.75	64	0	29810.427	533.3333333	16052.2382	30000	0	0	30000	44.25	2004
21.01.2020 11:56:42	1	1	1	1	92.75	64.25	0	30000	520.4301075	15483.92357	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:43	1	1	1	1	92.5	64	0	29952.607	535.483871	16039.19224	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:44	1	1	1	1	92.5	64	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:45	1	1	1	1	92.5	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.125	2004
21.01.2020 11:56:46	1	1	1	1	92.5	64	0	28388.626	445.1612903	12616.25853	30000	0	0	30000	44.25	2004
21.01.2020 11:56:47	1	1	1	1	92.5	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.3125	2004
21.01.2020 11:56:48	1	1	1	1	92.5	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.8125	2004
21.01.2020 11:56:49	1	1	1	1	92.5	63.75	0	26113.744	464.516129	12130.29652	30000	0	0	30000	44.1875	2004
21.01.2020 11:56:50	1	1	1	1	92.5	64	0	29146.919	466.6666667	13601.22849	30000	0	0	30000	44.25	2004
21.01.2020 11:56:51	1	1	1	1	92.5	64.25	0	29857.82	533.3333333	16052.2382	30000	0	0	30000	44.3125	2004
21.01.2020 11:56:52	1	1	1	1	92.5	64.25	0	29763.033	535.483871	15911.99413	30000	0	0	30000	44.375	2004
21.01.2020 11:56:53	1	1	1	1	93	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.125	2004
21.01.2020 11:56:54	1	1	1	1	93	64	0	29905.213	533.3333333	16077.51474	30000	0	0	30000	44.0625	2004
21.01.2020 11:56:55	1	1	1	1	93	64	0	30000	533.3333333	15934.82456	30000	0	0	30000	43.8125	2004
21.01.2020 11:56:56	1	1	1	1	93	63.75	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	43.6875	2004
21.01.2020 11:56:57	1	1	1	1	93	63.5	0	29526.066	453.7634409	13397.38537	30000	0	0	30000	43.5625	2004
21.01.2020 11:56:58	1	1	1	1	93	63.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.125	2004
21.01.2020 11:57:05	1	1	1	1	92.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
21.01.2020 11:57:05	1	1	1	1	92.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
21.01.2020 11:57:05	1	1	1	1	92.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
21.01.2020 11:57:05	1	1	1	1	92.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
21.01.2020 11:57:05	1	1	1	1	92.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
21.01.2020 11:57:05	1	1	1	1	92.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
21.01.2020 11:57:05	1	1	1	1	92.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.125	2004
21.01.2020 11:57:06	1	1	1	1	92.75	63	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.1875	2004
21.01.2020 11:57:07	1	1	1	1	92.75	64	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.75	2004
21.01.2020 11:57:08	1	1	1	1	92.75	63.75	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.375	2004
21.01.2020 11:57:09	1	1	1	1	92.75	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.1875	2004
21.01.2020 11:57:10	1	1	1	1	92.75	64.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.3125	2004
21.01.2020 11:57:11	1	1	1	1	92.75	64.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.6875	2004
21.01.2020 11:57:12	1	1	1	1	92.75	63.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.1875	2004
21.01.2020 11:57:13	1	1	1	1	92.75	64	0	28815.166	468.8172043	13571.05971	30000	0	0	30000	43.0625	2004
21.01.2020 11:57:14	1	1	1	1	92.75	63	0	30000	494.6236559	14838.14856	30000	0	0	30000	44	2004
21.01.2020 11:57:15	1	1	1	1	92.75	64	0	29952.607	505.3763441	15225.45049	30000	0	0	30000	44.1875	2004
21.01.2020 11:57:16	1	1	1	1	92.75	64	0	30000	498.9247312	14902.56299	30000	0	0	30000	44.3125	2004
21.01.2020 11:57:17	1	1	1	1	92.75	64.25	0	29526.066	458.0645161	13524.58348	30000	0	0	30000	44	2004
21.01.2020 11:57:18	1	1	1	1	92.75	64	0	30000	501.0752688	15096.62164	30000	0	0	30000	43.625	2004
21.01.2020 11:57:19	1	1	1	1	92.75	63.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	43.8125	2004
21.01.2020 11:57:20	1	1	1	1	92.75	63.75	0	29526.066	464.516129	13778.16432	30000	0	0	30000	44.3125	2004
21.01.2020 11:57:21	1	1	1	1	92.75	64.25	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.3125	2004
21.01.2020 11:57:22	1	1	1	1	92.75	64.25	0	29905.213	494.6236559	14773.73413	30000	0	0	30000	43.625	2004
21.01.2020 11:57:23	1	1	1	1	92.75	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:57:24	1	1	1	1	92.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
21.01.2020 11:57:25	1	1	1	1	92.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
21.01.2020 11:57:26	1	1	1	1	92.75	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	44.0625	2004
21.01.2020 11:57:27	1	1	1	1	92.75	64	0	30000	486.0215054	14516.07643	30000	0	0	30000	43.875	2004
21.01.2020 11:57:28	1	1	1	1	92.75	63.75	0	29905.213	496.7741935	15032.20721	30000	0	0	30000	44.1875	2004
21.01.2020 11:57:29	1	1	1	1	92.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.75	2004
21.01.2020 11:57:30	1	1	1	1	92.75	63.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	43.75	2004
21.01.2020 11:57:31	1	1	1	1	92.75	63.75	0	29905.213	468.8172043	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 11:57:32	1	1	1	1	92.75	64	0	30000	468.8172043	14128.7745	30000	0	0	30000	44.125	2004
21.01.2020 11:57:33	1	1	1	1	93.25	64	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.8125	2004
21.01.2020 11:57:34	1	1	1	1	93.25	63.75	0	30094.787	481.7204301	14128.7745	30000	0	0	30000	44.25	2004
21.01.2020 11:57:35	1	1	1	1	93.25	64.25	0	29905.213	419.3548387	12560.8132	30000	0	0	30000	44.1875	2004
21.01.2020 11:57:36	1	1	1	1	93.25	64	0	28625.592	378.4946237	10816.73144	30000	0	0	30000	44.125	2004
21.01.2020 11:57:37	1	1	1	1	93.25	64	0	27345.972	335.483871	9115.049058	30000	0	0	30000	44.125	2004
21.01.2020 11:57:38	1	1	1	1	93.25	64	0	30000	419.3548387	12580.38214	30000	0	0	30000	44.375	2004
21.01.2020 11:57:39	1	1	1	1	93.25	64.25	0	30000	460.2150538	13870.30142	30000	0	0	30000	44.125	2004
21.01.2020 11:57:40	1	1	1	1	93.25	64	0	29905.213	395.6989247	11916.66893	30000	0	0	30000	44.125	2004
21.01.2020 11:57:41	1	1	1	1	93.25	64	0	29810.427	391.3978495	11704.67208	30000	0	0	30000	44.4375	2004
21.01.2020 11:57:43	1	1	1	1	93.25	64.25	0	25118.483	378.4946237	9362.106923	30000	0	0	30000	43.375	2004
21.01.2020 11:57:44	1	1	1	1	93.25	63.25	0	30000	451.6129032	13354.17063	30000	0	0	30000	43.6875	2004
21.01.2020 11:57:45	1	1	1	1	93.25	63.5	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	44.125	2004
21.01.2020 11:57:46	1	1	1	1	93.25	64	0	29952.607	438.7096774	13140.54304	30000	0	0	30000	44.375	2004
21.01.2020 11:57:47	1	1	1	1	93.25	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.125	2004
21.01.2020 11:57:48	1	1	1	1	93.25	64	0	30000	445.1612903	13333.78632	30000	0	0	30000	44.6875	2004
21.01.2020 11:57:49	1	1	1	1	93.25	64.25	0	29620.853	427.9569892	12675.78072	30000	0	0	30000	44.375	2004
21.01.2020 11:57:50	1	1	1	1	93.25	64.25	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	44.25	2004
21.01.2020 11:57:51	1	1	1	1	93.25	64.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	44.1875	2004
21.01.2020 11:57:52	1	1	1	1	93.25	64	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.1875	2004
21.01.2020 11:57:53	1	1	1	1	93	64	0	30000	440.8602151	13289.7562	30000	0	0	30000	44.4375	2004
21.01.2020 11:57:54	1	1	1	1	93	64.25	0	29857.82	421.5053763	12669.25774	30000	0	0	30000	44.3125	2004
21.01.2020 11:57:55	1	1	1	1	93	64.25	0	30000	404.3010753	11916.66893	30000	0	0	30000	44.3125	2004
21.01.2020 11:57:56	1	1	1	1	93	64.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	44.0625	2004
21.01.2020 11:57:57	1	1	1	1	93	64	0	28436.019	346.2365591	9923.083195	30000	0	0	30000	44.25	2004
21.01.2020 11:57:58	1	1	1	1	93	64.25	0	29952.607	432.2580645	12838.03984	30000	0	0	30000	44.25	2004
21.01.2020 11:57:59	1	1	1	1	93	64.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.4375	2004
21.01.2020 11:58:00	1	1	1	1	93	64.25	0	29952.607	432.2580645	13096.51292	30000	0	0	30000	44.3125	2004
21.01.2020 11:58:07	1	1	1	1	92.5	64.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	43.4375	2004
21.01.2020 11:58:07	1	1	1	1	92.5	64.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	43.4375	2004
21.01.2020 11:58:07	1	1	1	1	92.5	64.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	43.4375	2004
21.01.2020 11:58:07	1	1	1	1	92.5	64.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	43.4375	2004
21.01.2020 11:58:07	1	1	1	1	92.5	64.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	43.4375	2004
21.01.2020 11:58:07	1	1	1	1	92.5	64.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	43.4375	2004
21.01.2020 11:58:07	1	1	1	1	92.5	63.25	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:58:08	1	1	1	1	92.5	63.75	0	29810.427	460.2150538	13718.64213	30000	0	0	30000	44.25	2004
21.01.2020 11:58:09	1	1	1	1	92.5	64.25	0	30000	483.8709677	14451.662	30000	0	0	30000	44.375	2004
21.01.2020 11:58:10	1	1	1	1	92.5	64.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43.9375	2004
21.01.2020 11:58:11	1	1	1	1	92.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 11:58:12	1	1	1	1	92.5	64	0	30000	486.0215054	14644.90528	30000	0	0	30000	44.125	2004
21.01.2020 11:58:13	1	1	1	1	92.5	64	0	30000	468.8172043	14064.36007	30000	0	0	30000	43.5625	2004
21.01.2020 11:58:14	1	1	1	1	92.5	63.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.3125	2004
21.01.2020 11:58:15	1	1	1	1	92.5	64.25	0	29952.607	464.516129	13827.08667	30000	0	0	30000	44.25	2004
21.01.2020 11:58:16	1	1	1	1	92.5	64.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.125	2004
21.01.2020 11:58:17	1	1	1	1	92.5	64	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
21.01.2020 11:58:18	1	1	1	1	92.5	64.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	43.75	2004
21.01.2020 11:58:20	1	1	1	1	92.5	63.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 11:58:21	1	1	1	1	92.5	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.75	2004
21.01.2020 11:58:22	1	1	1	1	92.5	63.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.625	2004
21.01.2020 11:58:23	1	1	1	1	92.5	63.5	0	29952.607	380.6451613	11336.93909	30000	0	0	30000	44.375	2004
21.01.2020 11:58:24	1	1	1	1	92.5	64.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	43.875	2004
21.01.2020 11:58:25	1	1	1	1	92.5	63.75	0	29146.919	298.9247312	8712.255049	30000	0	0	30000	44.625	2004
21.01.2020 11:58:26	1	1	1	1	92.5	64.5	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	44.8125	2004
21.01.2020 11:58:27	1	1	1	1	92.5	64.75	0	29905.213	382.7956989	11382.59995	30000	0	0	30000	44.0625	2004
21.01.2020 11:58:28	1	1	1	1	92.5	64	0	28957.346	415.0537634	12057.72837	30000	0	0	30000	44.3125	2004
21.01.2020 11:58:29	1	1	1	1	92.5	64.25	0	29715.64	389.2473118	11566.05876	30000	0	0	30000	44.4375	2004
21.01.2020 11:58:30	1	1	1	1	92.5	64.25	0	30000	464.516129	14043.97576	30000	0	0	30000	44.25	2004
21.01.2020 11:58:31	1	1	1	1	92.5	64.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	43.75	2004
21.01.2020 11:58:32	1	1	1	1	92.5	63.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	44.3125	2004
21.01.2020 11:58:33	1	1	1	1	92.5	64.25	0	29289.1	438.7096774	12996.22211	30000	0	0	30000	43.8125	2004
21.01.2020 11:58:34	1	1	1	1	92.5	63.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	44.4375	2004
21.01.2020 11:58:35	1	1	1	1	92.5	64.25	0	29905.213	404.3010753	11878.34642	30000	0	0	30000	44.0625	2004
21.01.2020 11:58:36	1	1	1	1	92.5	64	0	29952.607	415.0537634	12431.98434	30000	0	0	30000	44.25	2004
21.01.2020 11:58:37	1	1	1	1	92.5	64.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	44.1875	2004
21.01.2020 11:58:38	1	1	1	1	92.5	64	0	29905.213	449.4623656	13462.61517	30000	0	0	30000	44.1875	2004
21.01.2020 11:58:39	1	1	1	1	92.5	64	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	43.4375	2004
21.01.2020 11:58:40	1	1	1	1	92.5	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.25	2004
21.01.2020 11:58:41	1	1	1	1	92.5	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.75	2004
21.01.2020 11:58:42	1	1	1	1	92.5	63.75	0	28815.166	363.4408602	10472.64425	30000	0	0	30000	44.375	2004
21.01.2020 11:58:43	1	1	1	1	92.5	64.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	44.25	2004
21.01.2020 11:58:44	1	1	1	1	92.5	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.125	2004
21.01.2020 11:58:45	1	1	1	1	92.5	64	0	30000	464.516129	13935.53122	30000	0	0	30000	44.25	2004
21.01.2020 11:58:46	1	1	1	1	92.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
21.01.2020 11:58:47	1	1	1	1	92.5	63.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.125	2004
21.01.2020 11:58:48	1	1	1	1	92.5	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.6875	2004
21.01.2020 11:58:49	1	1	1	1	92.5	63.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.5625	2004
21.01.2020 11:58:50	1	1	1	1	92.5	63.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.0625	2004
21.01.2020 11:58:51	1	1	1	1	92.5	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:58:52	1	1	1	1	92.5	64.25	0	30000	501.0752688	15161.03607	30000	0	0	30000	44.1875	2004
21.01.2020 11:58:53	1	1	1	1	92.5	64	0	30000	498.9247312	14902.56299	30000	0	0	30000	44.1875	2004
21.01.2020 11:58:54	1	1	1	1	92.5	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.125	2004
21.01.2020 11:58:55	1	1	1	1	92.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
21.01.2020 11:58:56	1	1	1	1	92.5	64.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	44	2004
21.01.2020 11:58:57	1	1	1	1	92.5	64	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	44.375	2004
21.01.2020 11:58:59	1	1	1	1	92.5	64.25	0	28436.019	339.7849462	9723.316935	30000	0	0	30000	43.625	2004
21.01.2020 11:59:00	1	1	1	1	92.5	63.5	0	28815.166	292.4731183	8503.519691	30000	0	0	30000	44.1875	2004
21.01.2020 11:59:01	1	1	1	1	92.5	64	0	28815.166	283.8709677	8179.816813	30000	0	0	30000	43.9375	2004
21.01.2020 11:59:02	1	1	1	1	92.5	63.75	0	29905.213	341.9354839	10161.17196	30000	0	0	30000	44.375	2004
21.01.2020 11:59:08	1	1	1	1	92.25	64	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.75	2004
21.01.2020 11:59:08	1	1	1	1	92.25	64	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.75	2004
21.01.2020 11:59:08	1	1	1	1	92.25	64	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.75	2004
21.01.2020 11:59:08	1	1	1	1	92.25	64	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.75	2004
21.01.2020 11:59:08	1	1	1	1	92.25	64	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.75	2004
21.01.2020 11:59:08	1	1	1	1	92.25	64	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.75	2004
21.01.2020 11:59:09	1	1	1	1	92.25	63.75	0	29099.526	273.1182796	7960.481613	30000	0	0	30000	44.3125	2004
21.01.2020 11:59:10	1	1	1	1	92.25	64.25	0	29905.213	311.827957	9231.647324	30000	0	0	30000	43.875	2004
21.01.2020 11:59:11	1	1	1	1	92.25	63.75	0	29810.427	322.5806452	9631.179844	30000	0	0	30000	44.125	2004
21.01.2020 11:59:12	1	1	1	1	92.25	64	0	30000	329.0322581	9870.899356	30000	0	0	30000	44.1875	2004
21.01.2020 11:59:13	1	1	1	1	92.25	64	0	29905.213	309.6774194	9211.263012	30000	0	0	30000	44.375	2004
21.01.2020 11:59:14	1	1	1	1	92.25	64.25	0	29620.853	311.827957	9378.414372	30000	0	0	30000	44.25	2004
21.01.2020 11:59:15	1	1	1	1	92.25	64.25	0	29952.607	303.2258065	9067.757454	30000	0	0	30000	44.25	2004
21.01.2020 11:59:16	1	1	1	1	92.25	64.25	0	29810.427	296.7741935	8846.791509	30000	0	0	30000	43.75	2004
21.01.2020 11:59:17	1	1	1	1	92.25	63.75	0	29952.607	354.8387097	10628.3804	30000	0	0	30000	44.0625	2004
21.01.2020 11:59:18	1	1	1	1	92.25	64	0	29241.706	322.5806452	9495.012638	30000	0	0	30000	44.1875	2004
21.01.2020 11:59:19	1	1	1	1	92.25	64	0	29099.526	339.7849462	9746.147365	30000	0	0	30000	44.3125	2004
21.01.2020 11:59:20	1	1	1	1	92.25	64.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	44	2004
21.01.2020 11:59:21	1	1	1	1	92.25	64	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.5625	2004
21.01.2020 11:59:22	1	1	1	1	92.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
21.01.2020 11:59:23	1	1	1	1	91.5	64.5	0	30000	505.3763441	14902.56299	30000	0	0	30000	43.1875	2004
21.01.2020 11:59:24	1	1	1	1	91.5	63	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.4375	2004
21.01.2020 11:59:25	1	1	1	1	91.5	64.25	0	30000	516.1290323	15177.34352	30000	0	0	30000	43.3125	2004
21.01.2020 11:59:26	1	1	1	1	91.5	63.25	0	29905.213	490.3225806	14902.56299	30000	0	0	30000	44.5625	2004
21.01.2020 11:59:27	1	1	1	1	91.5	64.5	0	30000	507.5268817	15032.20721	30000	0	0	30000	44.25	2004
21.01.2020 11:59:28	1	1	1	1	91.5	64.25	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	44.125	2004
21.01.2020 11:59:29	1	1	1	1	91.5	64	0	30000	492.4731183	14838.14856	30000	0	0	30000	44.5	2004
21.01.2020 11:59:30	1	1	1	1	91.5	64.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.375	2004
21.01.2020 11:59:31	1	1	1	1	91.5	64.25	0	30000	511.827957	15354.27935	30000	0	0	30000	44.0625	2004
21.01.2020 11:59:32	1	1	1	1	91.5	64	0	29905.213	494.6236559	14773.73413	30000	0	0	30000	43.875	2004
21.01.2020 11:59:33	1	1	1	1	91.75	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.625	2004
21.01.2020 11:59:34	1	1	1	1	91.75	63.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	44	2004
21.01.2020 11:59:35	1	1	1	1	91.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 11:59:37	1	1	1	1	91.75	64	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	44.375	2004
21.01.2020 11:59:38	1	1	1	1	91.75	64.25	0	26682.464	415.0537634	11017.31308	30000	0	0	30000	44.375	2004
21.01.2020 11:59:39	1	1	1	1	91.75	64.25	0	28957.346	365.5913978	10399.26073	30000	0	0	30000	43.75	2004
21.01.2020 11:59:40	1	1	1	1	91.75	63.75	0	29573.46	367.7419355	10875.43826	30000	0	0	30000	44.125	2004
21.01.2020 11:59:41	1	1	1	1	91.75	64	0	30000	419.3548387	12580.38214	30000	0	0	30000	44.75	2004
21.01.2020 11:59:42	1	1	1	1	91.75	64.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	44.0625	2004
21.01.2020 11:59:43	1	1	1	1	91.75	64	0	30000	415.0537634	12387.13886	30000	0	0	30000	44.5625	2004
21.01.2020 11:59:44	1	1	1	1	91.75	64.5	0	30000	419.3548387	12431.98434	30000	0	0	30000	44.625	2004
21.01.2020 11:59:45	1	1	1	1	91.75	64.25	0	29857.82	374.1935484	11301.0627	30000	0	0	30000	44.4375	2004
21.01.2020 11:59:46	1	1	1	1	91.75	64.25	0	30000	402.1505376	12045.49778	30000	0	0	30000	44.3125	2004
21.01.2020 11:59:47	1	1	1	1	91.75	64.25	0	29620.853	369.8924731	10892.56108	30000	0	0	30000	44.125	2004
21.01.2020 11:59:48	1	1	1	1	91.75	64	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	44.3125	2004
21.01.2020 11:59:49	1	1	1	1	91.75	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.125	2004
21.01.2020 11:59:50	1	1	1	1	91.75	64	0	30000	458.0645161	13805.88699	30000	0	0	30000	43.9375	2004
21.01.2020 11:59:51	1	1	1	1	91.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
21.01.2020 11:59:52	1	1	1	1	91.75	64.25	0	27914.692	380.6451613	10625.11891	30000	0	0	30000	44.3125	2004
21.01.2020 11:59:53	1	1	1	1	91.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
21.01.2020 11:59:54	1	1	1	1	91.5	64	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.75	2004
21.01.2020 11:59:55	1	1	1	1	91.5	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.6875	2004
21.01.2020 11:59:56	1	1	1	1	91.5	63.5	0	30000	503.2258065	14879.73256	30000	0	0	30000	44.375	2004
21.01.2020 11:59:57	1	1	1	1	91.5	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.6875	2004
21.01.2020 11:59:58	1	1	1	1	91.5	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.4375	2004
21.01.2020 11:59:59	1	1	1	1	91.5	63.25	0	28862.559	460.2150538	13282.41785	30000	0	0	30000	44.25	2004
21.01.2020 12:00:00	1	1	1	1	91.5	64.25	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	44.25	2004
21.01.2020 12:00:01	1	1	1	1	91.5	64.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.25	2004
21.01.2020 12:00:02	1	1	1	1	91.5	64.25	0	29289.1	483.8709677	14194.81967	30000	0	0	30000	44.375	2004
21.01.2020 12:00:03	1	1	1	1	92	64.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.875	2004
21.01.2020 12:00:10	1	1	1	1	92	64.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	44.0625	2004
21.01.2020 12:00:10	1	1	1	1	92	64.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	44.0625	2004
21.01.2020 12:00:10	1	1	1	1	92	64.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	44.0625	2004
21.01.2020 12:00:10	1	1	1	1	92	64.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	44.0625	2004
21.01.2020 12:00:10	1	1	1	1	92	64.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	44.0625	2004
21.01.2020 12:00:10	1	1	1	1	92	64	0	29431.28	481.7204301	13860.51695	30000	0	0	30000	43.625	2004
21.01.2020 12:00:11	1	1	1	1	92	63.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	44.1875	2004
21.01.2020 12:00:12	1	1	1	1	92	64	0	29952.607	535.483871	16013.10032	30000	0	0	30000	44.125	2004
21.01.2020 12:00:13	1	1	1	1	91.5	64	0	28009.479	481.7204301	13552.30615	30000	0	0	30000	44.1875	2004
21.01.2020 12:00:15	1	1	1	1	91.5	64	0	29857.82	494.6236559	14744.38072	30000	0	0	30000	44.4375	2004
21.01.2020 12:00:16	1	1	1	1	91.5	64.25	0	29810.427	535.483871	15975.59318	30000	0	0	30000	44.3125	2004
21.01.2020 12:00:17	1	1	1	1	91.5	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.25	2004
21.01.2020 12:00:18	1	1	1	1	91.5	64.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	43.8125	2004
21.01.2020 12:00:19	1	1	1	1	91.5	63.75	0	30000	511.827957	15483.92357	30000	0	0	30000	44.5	2004
21.01.2020 12:00:20	1	1	1	1	91.5	64.5	0	29952.607	518.2795699	15548.338	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:00:21	1	1	1	1	91.5	64.25	0	29952.607	496.7741935	14856.08676	30000	0	0	30000	44.25	2004
21.01.2020 12:00:22	1	1	1	1	91.5	64.5	0	30000	518.2795699	15612.75243	30000	0	0	30000	43.875	2004
21.01.2020 12:00:23	1	1	1	1	91.25	63.75	0	29668.246	481.7204301	13950.20792	30000	0	0	30000	44.1875	2004
21.01.2020 12:00:24	1	1	1	1	91.25	64	0	29952.607	505.3763441	14984.10024	30000	0	0	30000	43.8125	2004
21.01.2020 12:00:25	1	1	1	1	91.25	63.75	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	43.875	2004
21.01.2020 12:00:26	1	1	1	1	91.25	63.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
21.01.2020 12:00:27	1	1	1	1	91.25	64.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	44.4375	2004
21.01.2020 12:00:28	1	1	1	1	91.25	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.375	2004
21.01.2020 12:00:29	1	1	1	1	91.25	64.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	44.1875	2004
21.01.2020 12:00:30	1	1	1	1	91.25	64	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.375	2004
21.01.2020 12:00:31	1	1	1	1	91.25	64.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.3125	2004
21.01.2020 12:00:32	1	1	1	1	91.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 12:00:33	1	1	1	1	91.5	64.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.4375	2004
21.01.2020 12:00:34	1	1	1	1	91.5	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
21.01.2020 12:00:35	1	1	1	1	91.5	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.375	2004
21.01.2020 12:00:36	1	1	1	1	91.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
21.01.2020 12:00:37	1	1	1	1	91.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 12:00:38	1	1	1	1	91.5	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.25	2004
21.01.2020 12:00:39	1	1	1	1	91.5	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.25	2004
21.01.2020 12:00:40	1	1	1	1	91.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 12:00:41	1	1	1	1	91.5	64.25	0	27867.299	455.9139785	12726.33381	30000	0	0	30000	44.4375	2004
21.01.2020 12:00:42	1	1	1	1	91.5	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.875	2004
21.01.2020 12:00:43	1	1	1	1	91.75	63.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.1875	2004
21.01.2020 12:00:44	1	1	1	1	91.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
21.01.2020 12:00:45	1	1	1	1	91.75	63.75	0	30000	503.2258065	15008.56141	30000	0	0	30000	43.875	2004
21.01.2020 12:00:46	1	1	1	1	91.75	63.75	0	29857.82	464.516129	13891.5011	30000	0	0	30000	44.4375	2004
21.01.2020 12:00:47	1	1	1	1	91.75	64.25	0	27630.332	445.1612903	12299.894	30000	0	0	30000	44.25	2004
21.01.2020 12:00:48	1	1	1	1	91.75	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.25	2004
21.01.2020 12:00:49	1	1	1	1	91.75	64.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	43.5	2004
21.01.2020 12:00:50	1	1	1	1	91.75	63.5	0	26777.251	453.7634409	12171.88052	30000	0	0	30000	44.0625	2004
21.01.2020 12:00:51	1	1	1	1	91.75	64	0	29620.853	481.7204301	14291.84899	30000	0	0	30000	44.1875	2004
21.01.2020 12:00:52	1	1	1	1	91.75	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.5	2004
21.01.2020 12:00:53	1	1	1	1	91.5	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.0625	2004
21.01.2020 12:00:55	1	1	1	1	91.5	64	0	29431.28	453.7634409	13439.78474	30000	0	0	30000	43.9375	2004
21.01.2020 12:00:56	1	1	1	1	91.5	63.75	0	29810.427	481.7204301	14383.17071	30000	0	0	30000	43.875	2004
21.01.2020 12:00:57	1	1	1	1	91.5	63.75	0	29952.607	483.8709677	14493.246	30000	0	0	30000	44.1875	2004
21.01.2020 12:00:58	1	1	1	1	91.5	64	0	28957.346	445.1612903	12828.25537	30000	0	0	30000	44.5	2004
21.01.2020 12:00:59	1	1	1	1	91.5	64.5	0	26113.744	455.9139785	11961.51442	30000	0	0	30000	44.625	2004
21.01.2020 12:01:00	1	1	1	1	91.5	64.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.25	2004
21.01.2020 12:01:01	1	1	1	1	91.5	64	0	29952.607	494.6236559	14879.73256	30000	0	0	30000	44.3125	2004
21.01.2020 12:01:02	1	1	1	1	91.5	64.25	0	30000	522.5806452	15652.70568	30000	0	0	30000	44.25	2004
21.01.2020 12:01:03	1	1	1	1	91.25	64.25	0	29478.673	460.2150538	13544.15242	30000	0	0	30000	44.3125	2004
21.01.2020 12:01:04	1	1	1	1	91.25	64.25	0	29146.919	486.0215054	14228.24994	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:01:05	1	1	1	1	91.25	63.25	0	29952.607	490.3225806	14750.9037	30000	0	0	30000	44.5	2004
21.01.2020 12:01:11	1	1	1	1	91.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5	2004
21.01.2020 12:01:11	1	1	1	1	91.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5	2004
21.01.2020 12:01:11	1	1	1	1	91.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5	2004
21.01.2020 12:01:11	1	1	1	1	91.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5	2004
21.01.2020 12:01:11	1	1	1	1	91.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5	2004
21.01.2020 12:01:11	1	1	1	1	91.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5	2004
21.01.2020 12:01:12	1	1	1	1	91.25	64.5	0	28815.166	449.4623656	13075.31324	30000	0	0	30000	44.3125	2004
21.01.2020 12:01:13	1	1	1	1	91.25	64.25	0	30000	511.827957	15289.86492	30000	0	0	30000	43.75	2004
21.01.2020 12:01:14	1	1	1	1	91.25	63.75	0	29478.673	468.8172043	13671.35053	30000	0	0	30000	44.375	2004
21.01.2020 12:01:15	1	1	1	1	91.25	64.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.1875	2004
21.01.2020 12:01:16	1	1	1	1	91.25	64	0	30000	498.9247312	14902.56299	30000	0	0	30000	44.4375	2004
21.01.2020 12:01:17	1	1	1	1	91.25	64.25	0	26919.431	453.7634409	12193.08021	30000	0	0	30000	44.5	2004
21.01.2020 12:01:18	1	1	1	1	91.25	64.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.1875	2004
21.01.2020 12:01:19	1	1	1	1	91.25	64	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.0625	2004
21.01.2020 12:01:20	1	1	1	1	91.25	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.1875	2004
21.01.2020 12:01:21	1	1	1	1	91.25	64	0	29905.213	481.7204301	14083.92901	30000	0	0	30000	44.0625	2004
21.01.2020 12:01:22	1	1	1	1	91.25	64	0	27962.085	455.9139785	12688.01131	30000	0	0	30000	44.0625	2004
21.01.2020 12:01:23	1	1	1	1	91.25	64	0	29241.706	466.6666667	13771.64134	30000	0	0	30000	44.3125	2004
21.01.2020 12:01:24	1	1	1	1	91.25	64.25	0	28009.479	481.7204301	13584.10567	30000	0	0	30000	44.4375	2004
21.01.2020 12:01:25	1	1	1	1	91.25	64.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	44	2004
21.01.2020 12:01:26	1	1	1	1	91.25	64	0	30000	505.3763441	15096.62164	30000	0	0	30000	43.75	2004
21.01.2020 12:01:27	1	1	1	1	91.25	63.75	0	28199.052	464.516129	13098.95904	30000	0	0	30000	44.375	2004
21.01.2020 12:01:28	1	1	1	1	91.25	64.25	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	43.875	2004
21.01.2020 12:01:29	1	1	1	1	91.25	63.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	44.125	2004
21.01.2020 12:01:30	1	1	1	1	91.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
21.01.2020 12:01:31	1	1	1	1	91.25	64.5	0	30000	464.516129	13935.53122	30000	0	0	30000	44.5	2004
21.01.2020 12:01:33	1	1	1	1	91.25	64.5	0	30047.393	483.8709677	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:01:34	1	1	1	1	91.5	64	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.1875	2004
21.01.2020 12:01:35	1	1	1	1	91.5	64	0	29336.493	481.7204301	13816.48683	30000	0	0	30000	44.25	2004
21.01.2020 12:01:36	1	1	1	1	91.5	64.25	0	29952.607	507.5268817	15137.39026	30000	0	0	30000	44.25	2004
21.01.2020 12:01:37	1	1	1	1	91.5	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.6875	2004
21.01.2020 12:01:38	1	1	1	1	91.5	64.5	0	28862.559	445.1612903	12785.85601	30000	0	0	30000	44.4375	2004
21.01.2020 12:01:39	1	1	1	1	91.5	64.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.9375	2004
21.01.2020 12:01:40	1	1	1	1	91.5	64	0	29478.673	481.7204301	14200.52727	30000	0	0	30000	44	2004
21.01.2020 12:01:41	1	1	1	1	91.5	64	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	43.6875	2004
21.01.2020 12:01:42	1	1	1	1	91.5	63.5	0	29336.493	464.516129	13627.32041	30000	0	0	30000	44.25	2004
21.01.2020 12:01:43	1	1	1	1	91	64.25	0	29952.607	518.2795699	15548.338	30000	0	0	30000	44.0625	2004
21.01.2020 12:01:44	1	1	1	1	91	64	0	29857.82	494.6236559	14856.08676	30000	0	0	30000	44.3125	2004
21.01.2020 12:01:45	1	1	1	1	91	64.25	0	28341.232	494.6236559	14017.88384	30000	0	0	30000	43.75	2004
21.01.2020 12:01:46	1	1	1	1	91	63.75	0	30000	524.7311828	16025.33091	30000	0	0	30000	44.375	2004
21.01.2020 12:01:47	1	1	1	1	91	64.25	0	27630.332	438.7096774	12121.32743	30000	0	0	30000	44.4375	2004
21.01.2020 12:01:48	1	1	1	1	91	64.25	0	29620.853	509.6774194	15096.62164	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:01:49	1	1	1	1	91	64.5	0	28862.559	466.6666667	13469.13815	30000	0	0	30000	44.1875	2004
21.01.2020 12:01:50	1	1	1	1	91	64	0	28815.166	440.8602151	12703.50338	30000	0	0	30000	44.375	2004
21.01.2020 12:01:51	1	1	1	1	91	64.25	0	29620.853	492.4731183	14587.01383	30000	0	0	30000	43.125	2004
21.01.2020 12:01:52	1	1	1	1	91	63	0	29952.607	516.1290323	15548.338	30000	0	0	30000	44.5	2004
21.01.2020 12:01:53	1	1	1	1	91.25	64.5	0	29952.607	520.4301075	15612.75243	30000	0	0	30000	44.3125	2004
21.01.2020 12:01:54	1	1	1	1	91.25	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	44.5	2004
21.01.2020 12:01:55	1	1	1	1	91.25	64.5	0	29763.033	535.483871	16026.96165	30000	0	0	30000	44.25	2004
21.01.2020 12:01:56	1	1	1	1	91.25	64.25	0	29573.46	501.0752688	14818.57962	30000	0	0	30000	44.5	2004
21.01.2020 12:01:57	1	1	1	1	91.25	64.5	0	29620.853	481.7204301	14246.18813	30000	0	0	30000	44.5625	2004
21.01.2020 12:01:58	1	1	1	1	91.25	64.5	0	29715.64	526.8817204	15655.96717	30000	0	0	30000	44.375	2004
21.01.2020 12:01:59	1	1	1	1	91.25	64.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.4375	2004
21.01.2020 12:02:00	1	1	1	1	91.25	64.25	0	29857.82	488.172043	14575.59862	30000	0	0	30000	44	2004
21.01.2020 12:02:01	1	1	1	1	91.25	64	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	44.375	2004
21.01.2020 12:02:02	1	1	1	1	91.25	64.25	0	29857.82	516.1290323	15435.00122	30000	0	0	30000	44.125	2004
21.01.2020 12:02:03	1	1	1	1	92.75	64	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	43.5	2004
21.01.2020 12:02:04	1	1	1	1	92.75	63.5	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	44.3125	2004
21.01.2020 12:02:05	1	1	1	1	92.75	64.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.625	2004
21.01.2020 12:02:06	1	1	1	1	92.75	64.5	0	29573.46	496.7741935	14691.38151	30000	0	0	30000	44.5625	2004
21.01.2020 12:02:13	1	1	1	1	92.75	64.25	0	29573.46	496.7741935	14714.21194	30000	0	0	30000	44.4375	2004
21.01.2020 12:02:13	1	1	1	1	92.75	64.25	0	29573.46	496.7741935	14714.21194	30000	0	0	30000	44.4375	2004
21.01.2020 12:02:13	1	1	1	1	92.75	64.25	0	29573.46	496.7741935	14714.21194	30000	0	0	30000	44.4375	2004
21.01.2020 12:02:13	1	1	1	1	92.75	64.25	0	29573.46	496.7741935	14714.21194	30000	0	0	30000	44.4375	2004
21.01.2020 12:02:13	1	1	1	1	92.75	64.25	0	29573.46	496.7741935	14714.21194	30000	0	0	30000	44.4375	2004
21.01.2020 12:02:13	1	1	1	1	92.75	64.25	0	29573.46	496.7741935	14714.21194	30000	0	0	30000	44.4375	2004
21.01.2020 12:02:14	1	1	1	1	91.25	64.25	0	26066.351	494.6236559	12892.6698	30000	0	0	30000	44.375	2004
21.01.2020 12:02:15	1	1	1	1	91.25	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.25	2004
21.01.2020 12:02:16	1	1	1	1	91.25	64.25	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	44.125	2004
21.01.2020 12:02:17	1	1	1	1	91.25	64	0	29620.853	544.0860215	16090.5607	30000	0	0	30000	44.75	2004
21.01.2020 12:02:18	1	1	1	1	91.25	64.75	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	44.1875	2004
21.01.2020 12:02:19	1	1	1	1	91.25	64.25	0	30000	529.0322581	15845.94896	30000	0	0	30000	44.3125	2004
21.01.2020 12:02:20	1	1	1	1	91.25	64.25	0	28009.479	516.1290323	14456.55424	30000	0	0	30000	44.5	2004
21.01.2020 12:02:21	1	1	1	1	91.25	64.5	0	29526.066	464.516129	13737.3957	30000	0	0	30000	44.25	2004
21.01.2020 12:02:22	1	1	1	1	91.25	64.25	0	26398.104	481.7204301	12716.54934	30000	0	0	30000	44.5	2004
21.01.2020 12:02:23	1	1	1	1	91.25	64.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.125	2004
21.01.2020 12:02:24	1	1	1	1	91.25	64	0	29146.919	501.0752688	14604.13666	30000	0	0	30000	44.0625	2004
21.01.2020 12:02:25	1	1	1	1	91.25	64	0	30000	509.6774194	15225.45049	30000	0	0	30000	44.1875	2004
21.01.2020 12:02:26	1	1	1	1	91.25	64	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	43.625	2004
21.01.2020 12:02:27	1	1	1	1	91.25	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.375	2004
21.01.2020 12:02:28	1	1	1	1	91.25	64.25	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	44.1875	2004
21.01.2020 12:02:29	1	1	1	1	91.25	64	0	29810.427	464.516129	13847.47099	30000	0	0	30000	44.3125	2004
21.01.2020 12:02:30	1	1	1	1	91.25	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.5	2004
21.01.2020 12:02:31	1	1	1	1	91.25	64.5	0	29952.607	412.9032258	12025.92885	30000	0	0	30000	44.1875	2004
21.01.2020 12:02:32	1	1	1	1	91.25	64	0	29905.213	395.6989247	11787.84008	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:02:33	1	1	1	1	91.25	64.25	0	29905.213	389.2473118	11640.25766	30000	0	0	30000	44.5625	2004
21.01.2020 12:02:34	1	1	1	1	91.25	64.5	0	29526.066	367.7419355	10921.09912	30000	0	0	30000	44.4375	2004
21.01.2020 12:02:35	1	1	1	1	91.25	64.25	0	27156.398	346.2365591	9402.060174	30000	0	0	30000	44	2004
21.01.2020 12:02:36	1	1	1	1	91.25	64	0	30000	425.8064516	12838.03984	30000	0	0	30000	44.25	2004
21.01.2020 12:02:37	1	1	1	1	91.25	64.25	0	29857.82	395.6989247	11795.9938	30000	0	0	30000	44.5625	2004
21.01.2020 12:02:38	1	1	1	1	91.25	64.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	44.1875	2004
21.01.2020 12:02:39	1	1	1	1	91.25	64	0	26113.744	346.2365591	9040.850162	30000	0	0	30000	44.625	2004
21.01.2020 12:02:40	1	1	1	1	91.25	64.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	44.0625	2004
21.01.2020 12:02:41	1	1	1	1	91.25	64	0	30000	387.0967742	11548.12057	30000	0	0	30000	43	2004
21.01.2020 12:02:42	1	1	1	1	91.25	63	0	29905.213	391.3978495	11640.25766	30000	0	0	30000	44.5	2004
21.01.2020 12:02:43	1	1	1	1	90.75	64.5	0	29857.82	389.2473118	11704.67208	30000	0	0	30000	44.375	2004
21.01.2020 12:02:44	1	1	1	1	90.75	64.25	0	30000	440.8602151	13160.92735	30000	0	0	30000	44.5	2004
21.01.2020 12:02:45	1	1	1	1	90.75	64.5	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	44.5	2004
21.01.2020 12:02:46	1	1	1	1	90.75	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.5625	2004
21.01.2020 12:02:47	1	1	1	1	90.75	64.5	0	29715.64	460.2150538	13675.42739	30000	0	0	30000	44.5	2004
21.01.2020 12:02:49	1	1	1	1	90.75	64.5	0	29383.886	460.2150538	13544.15242	30000	0	0	30000	44.5625	2004
21.01.2020 12:02:50	1	1	1	1	90.75	64.5	0	30000	488.172043	14773.73413	30000	0	0	30000	43.9375	2004
21.01.2020 12:02:51	1	1	1	1	90.75	63.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	44.375	2004
21.01.2020 12:02:52	1	1	1	1	90.75	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.25	2004
21.01.2020 12:02:53	1	1	1	1	90.75	63.25	0	29715.64	460.2150538	13803.44087	30000	0	0	30000	44.625	2004
21.01.2020 12:02:54	1	1	1	1	91	64.5	0	29905.213	492.4731183	14773.73413	30000	0	0	30000	44.5	2004
21.01.2020 12:02:55	1	1	1	1	91	64.5	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.375	2004
21.01.2020 12:02:56	1	1	1	1	91	64.25	0	28625.592	445.1612903	12742.64126	30000	0	0	30000	44.375	2004
21.01.2020 12:02:57	1	1	1	1	91	64.25	0	28815.166	443.0107527	12765.47169	30000	0	0	30000	44.75	2004
21.01.2020 12:02:58	1	1	1	1	91	64.75	0	29668.246	460.2150538	13567.79822	30000	0	0	30000	44.25	2004
21.01.2020 12:02:59	1	1	1	1	91	64.25	0	29905.213	507.5268817	15266.21912	30000	0	0	30000	44.625	2004
21.01.2020 12:03:00	1	1	1	1	91	64.5	0	28862.559	449.4623656	12847.82431	30000	0	0	30000	44.5	2004
21.01.2020 12:03:01	1	1	1	1	91	64.5	0	27298.578	445.1612903	12172.69589	30000	0	0	30000	43.875	2004
21.01.2020 12:03:02	1	1	1	1	91	63.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:03	1	1	1	1	91.25	64.25	0	29905.213	481.7204301	13955.10015	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:04	1	1	1	1	91.25	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.0625	2004
21.01.2020 12:03:05	1	1	1	1	91.25	64	0	29573.46	490.3225806	14587.01383	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:06	1	1	1	1	91.25	64.25	0	29668.246	445.1612903	13185.38852	30000	0	0	30000	44.125	2004
21.01.2020 12:03:07	1	1	1	1	91.25	64	0	30000	490.3225806	14644.90528	30000	0	0	30000	44.625	2004
21.01.2020 12:03:08	1	1	1	1	91.25	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.1875	2004
21.01.2020 12:03:14	1	1	1	1	90.75	64.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:14	1	1	1	1	90.75	64.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:15	1	1	1	1	90.75	64.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:15	1	1	1	1	90.75	64.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:15	1	1	1	1	90.75	64.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:15	1	1	1	1	90.75	64.25	0	29289.1	483.8709677	14194.81967	30000	0	0	30000	44.625	2004
21.01.2020 12:03:16	1	1	1	1	90.75	64.5	0	27819.905	481.7204301	13424.29266	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:03:17	1	1	1	1	90.75	63	0	27914.692	460.2150538	12824.99388	30000	0	0	30000	44.5	2004
21.01.2020 12:03:18	1	1	1	1	90.75	64.5	0	30000	511.827957	15225.45049	30000	0	0	30000	44.25	2004
21.01.2020 12:03:19	1	1	1	1	90.75	64.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.5	2004
21.01.2020 12:03:20	1	1	1	1	90.75	64.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.375	2004
21.01.2020 12:03:21	1	1	1	1	90.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
21.01.2020 12:03:22	1	1	1	1	90.75	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:23	1	1	1	1	90.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
21.01.2020 12:03:24	1	1	1	1	90.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
21.01.2020 12:03:26	1	1	1	1	90.25	64.25	0	24786.73	397.8494624	9808.115674	30000	0	0	30000	44.625	2004
21.01.2020 12:03:27	1	1	1	1	90.25	64.5	0	29952.607	466.6666667	14128.7745	30000	0	0	30000	44.1875	2004
21.01.2020 12:03:28	1	1	1	1	90.25	64	0	30000	415.0537634	12411.60003	30000	0	0	30000	44.5625	2004
21.01.2020 12:03:29	1	1	1	1	90.25	64.5	0	30000	445.1612903	13548.22928	30000	0	0	30000	44.1875	2004
21.01.2020 12:03:30	1	1	1	1	90.25	64	0	25260.664	367.7419355	9561.05781	30000	0	0	30000	44.25	2004
21.01.2020 12:03:31	1	1	1	1	90.25	64.25	0	29905.213	438.7096774	13289.7562	30000	0	0	30000	44.625	2004
21.01.2020 12:03:32	1	1	1	1	90.25	64.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	44.375	2004
21.01.2020 12:03:33	1	1	1	1	90.25	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44	2004
21.01.2020 12:03:34	1	1	1	1	90.5	64	0	26777.251	415.0537634	11133.09597	30000	0	0	30000	43.625	2004
21.01.2020 12:03:35	1	1	1	1	90.5	63.5	0	29857.82	423.655914	12629.30449	30000	0	0	30000	44.25	2004
21.01.2020 12:03:36	1	1	1	1	90.5	64.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	44.5	2004
21.01.2020 12:03:37	1	1	1	1	90.5	64.5	0	29810.427	369.8924731	11044.22037	30000	0	0	30000	44.625	2004
21.01.2020 12:03:38	1	1	1	1	90.5	64.5	0	30000	395.6989247	11852.2545	30000	0	0	30000	44.5	2004
21.01.2020 12:03:39	1	1	1	1	90.5	64.5	0	27061.611	331.1827957	8961.75903	30000	0	0	30000	44.625	2004
21.01.2020 12:03:40	1	1	1	1	90.5	64.5	0	29336.493	387.0967742	11292.90898	30000	0	0	30000	43.625	2004
21.01.2020 12:03:41	1	1	1	1	90.5	63.5	0	29905.213	404.3010753	12367.56992	30000	0	0	30000	44.5625	2004
21.01.2020 12:03:42	1	1	1	1	90.5	64.5	0	29526.066	391.3978495	11702.22597	30000	0	0	30000	44.625	2004
21.01.2020 12:03:43	1	1	1	1	90.75	64.5	0	29905.213	387.0967742	11741.36385	30000	0	0	30000	44.5	2004
21.01.2020 12:03:44	1	1	1	1	90.75	64.5	0	29431.28	395.6989247	11645.96527	30000	0	0	30000	44.375	2004
21.01.2020 12:03:45	1	1	1	1	90.75	64.25	0	29620.853	402.1505376	12013.69826	30000	0	0	30000	44.5	2004
21.01.2020 12:03:46	1	1	1	1	90.75	64.5	0	27298.578	363.4408602	9921.45245	30000	0	0	30000	44.5625	2004
21.01.2020 12:03:47	1	1	1	1	90.75	64.5	0	29857.82	412.9032258	12392.03109	30000	0	0	30000	44.625	2004
21.01.2020 12:03:48	1	1	1	1	90.75	64.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	44.3125	2004
21.01.2020 12:03:49	1	1	1	1	90.75	64.25	0	25308.057	350.5376344	8871.252684	30000	0	0	30000	44.625	2004
21.01.2020 12:03:50	1	1	1	1	90.75	64.5	0	29952.607	443.0107527	13248.17221	30000	0	0	30000	44.375	2004
21.01.2020 12:03:51	1	1	1	1	90.75	64.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	44.5625	2004
21.01.2020 12:03:52	1	1	1	1	90.75	64.5	0	29905.213	453.7634409	13935.53122	30000	0	0	30000	44.375	2004
21.01.2020 12:03:53	1	1	1	1	90.5	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.4375	2004
21.01.2020 12:03:54	1	1	1	1	90.5	63.25	0	29715.64	449.4623656	13227.78789	30000	0	0	30000	44.3125	2004
21.01.2020 12:03:55	1	1	1	1	90.5	64.25	0	28815.166	440.8602151	12703.50338	30000	0	0	30000	44.375	2004
21.01.2020 12:03:56	1	1	1	1	90.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
21.01.2020 12:03:57	1	1	1	1	90.5	64.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	44.625	2004
21.01.2020 12:03:58	1	1	1	1	90.5	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 12:03:59	1	1	1	1	90.5	64	0	27298.578	415.0537634	11349.98505	30000	0	0	30000	44.5	2004
21.01.2020 12:04:00	1	1	1	1	90.5	64.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:04:01	1	1	1	1	90.5	64.5	0	28436.019	451.6129032	12780.96377	30000	0	0	30000	44.0625	2004
21.01.2020 12:04:02	1	1	1	1	90.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
21.01.2020 12:04:04	1	1	1	1	91	64.25	0	30000	488.172043	14709.31971	30000	0	0	30000	44.3125	2004
21.01.2020 12:04:05	1	1	1	1	91	64.25	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	44.5625	2004
21.01.2020 12:04:06	1	1	1	1	91	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
21.01.2020 12:04:07	1	1	1	1	91	63.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.375	2004
21.01.2020 12:04:08	1	1	1	1	91	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
21.01.2020 12:04:09	1	1	1	1	91	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
21.01.2020 12:04:10	1	1	1	1	91	64.5	0	28436.019	445.1612903	12637.45821	30000	0	0	30000	44.25	2004
21.01.2020 12:04:16	1	1	1	1	91.25	64.5	0	29905.213	488.172043	14622.07485	30000	0	0	30000	44.5	2004
21.01.2020 12:04:16	1	1	1	1	91.25	64.5	0	29905.213	488.172043	14622.07485	30000	0	0	30000	44.5	2004
21.01.2020 12:04:16	1	1	1	1	91.25	64.5	0	29905.213	488.172043	14622.07485	30000	0	0	30000	44.5	2004
21.01.2020 12:04:16	1	1	1	1	91.25	64.5	0	29905.213	488.172043	14622.07485	30000	0	0	30000	44.5	2004
21.01.2020 12:04:16	1	1	1	1	91.25	64.5	0	29905.213	488.172043	14622.07485	30000	0	0	30000	44.5	2004
21.01.2020 12:04:16	1	1	1	1	91.25	64.5	0	29905.213	488.172043	14622.07485	30000	0	0	30000	44.5	2004
21.01.2020 12:04:17	1	1	1	1	91.25	64.5	0	30000	516.1290323	15548.338	30000	0	0	30000	44.625	2004
21.01.2020 12:04:18	1	1	1	1	91.25	64.5	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	43.9375	2004
21.01.2020 12:04:19	1	1	1	1	91.25	63.75	0	29952.607	503.2258065	15072.97584	30000	0	0	30000	44.5	2004
21.01.2020 12:04:20	1	1	1	1	91.25	64.5	0	29952.607	501.0752688	14984.10024	30000	0	0	30000	44.5625	2004
21.01.2020 12:04:21	1	1	1	1	91.25	64.5	0	29905.213	490.3225806	14750.9037	30000	0	0	30000	44.25	2004
21.01.2020 12:04:22	1	1	1	1	91.25	64.25	0	28009.479	445.1612903	12468.67611	30000	0	0	30000	44.5625	2004
21.01.2020 12:04:23	1	1	1	1	91.5	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:24	1	1	1	1	91.5	64.25	0	29905.213	481.7204301	14383.17071	30000	0	0	30000	44.5	2004
21.01.2020 12:04:25	1	1	1	1	91.5	64.5	0	28957.346	458.0645161	13263.66428	30000	0	0	30000	44.1875	2004
21.01.2020 12:04:28	1	1	1	1	91.5	64.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:28	1	1	1	1	91.5	64.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:28	1	1	1	1	91.5	64.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:29	1	1	1	1	91.5	64.25	0	29905.213	490.3225806	14644.90528	30000	0	0	30000	44.5	2004
21.01.2020 12:04:30	1	1	1	1	91.5	64.5	0	30000	492.4731183	14622.07485	30000	0	0	30000	44.625	2004
21.01.2020 12:04:31	1	1	1	1	91.5	64.5	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:32	1	1	1	1	91.5	64.25	0	29905.213	464.516129	13933.0851	30000	0	0	30000	44.3125	2004
21.01.2020 12:04:33	1	1	1	1	91.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
21.01.2020 12:04:34	1	1	1	1	91.25	64	0	29952.607	486.0215054	14469.6002	30000	0	0	30000	44.625	2004
21.01.2020 12:04:35	1	1	1	1	91.25	64.5	0	27962.085	460.2150538	12846.19357	30000	0	0	30000	44.5	2004
21.01.2020 12:04:36	1	1	1	1	91.25	64.5	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	43.8125	2004
21.01.2020 12:04:37	1	1	1	1	91.25	63.75	0	28436.019	445.1612903	12658.6579	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:38	1	1	1	1	91.25	64.25	0	27440.758	460.2150538	12628.48911	30000	0	0	30000	44.5	2004
21.01.2020 12:04:39	1	1	1	1	91.25	64.5	0	28815.166	443.0107527	12765.47169	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:40	1	1	1	1	91.25	64.25	0	28815.166	443.0107527	12703.50338	30000	0	0	30000	44.3125	2004
21.01.2020 12:04:41	1	1	1	1	91.25	64.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:43	1	1	1	1	91.25	64.25	0	28862.559	445.1612903	12847.82431	30000	0	0	30000	44.3125	2004
21.01.2020 12:04:44	1	1	1	1	91.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
21.01.2020 12:04:45	1	1	1	1	91.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:04:46	1	1	1	1	91.75	64.5	0	26113.744	445.1612903	11624.76558	30000	0	0	30000	44.375	2004
21.01.2020 12:04:47	1	1	1	1	91.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.5	2004
21.01.2020 12:04:48	1	1	1	1	91.75	63.5	0	29810.427	445.1612903	13270.18726	30000	0	0	30000	44.5625	2004
21.01.2020 12:04:49	1	1	1	1	91.75	64.5	0	29952.607	507.5268817	15201.80469	30000	0	0	30000	44.5	2004
21.01.2020 12:04:50	1	1	1	1	91.75	64.5	0	27109.005	455.9139785	12504.5525	30000	0	0	30000	44.625	2004
21.01.2020 12:04:51	1	1	1	1	91.75	64.5	0	29857.82	486.0215054	14511.18419	30000	0	0	30000	44.6875	2004
21.01.2020 12:04:52	1	1	1	1	91.75	64.5	0	29620.853	460.2150538	13567.79822	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:53	1	1	1	1	91.5	64.25	0	29810.427	511.827957	15257.25002	30000	0	0	30000	44.625	2004
21.01.2020 12:04:54	1	1	1	1	91.5	64.5	0	29857.82	466.6666667	13783.05656	30000	0	0	30000	44.4375	2004
21.01.2020 12:04:55	1	1	1	1	91.5	64.25	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.5625	2004
21.01.2020 12:04:56	1	1	1	1	91.5	64.5	0	28815.166	449.4623656	13075.31324	30000	0	0	30000	44.25	2004
21.01.2020 12:04:57	1	1	1	1	91.5	64.25	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	44.25	2004
21.01.2020 12:04:58	1	1	1	1	91.5	64.25	0	30000	507.5268817	15032.20721	30000	0	0	30000	44.1875	2004
21.01.2020 12:04:59	1	1	1	1	91.5	64	0	26966.825	481.7204301	12990.5145	30000	0	0	30000	44.1875	2004
21.01.2020 12:05:00	1	1	1	1	91.5	64	0	28862.559	460.2150538	13282.41785	30000	0	0	30000	44.5	2004
21.01.2020 12:05:01	1	1	1	1	91.5	64.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.625	2004
21.01.2020 12:05:02	1	1	1	1	91.5	64.5	0	29952.607	494.6236559	14879.73256	30000	0	0	30000	44.5	2004
21.01.2020 12:05:03	1	1	1	1	91.25	64.5	0	29857.82	486.0215054	14423.93934	30000	0	0	30000	44	2004
21.01.2020 12:05:04	1	1	1	1	91.25	64	0	29952.607	516.1290323	15330.63354	30000	0	0	30000	43.75	2004
21.01.2020 12:05:05	1	1	1	1	91.25	63.75	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.3125	2004
21.01.2020 12:05:06	1	1	1	1	91.25	64.25	0	28909.953	481.7204301	13593.07477	30000	0	0	30000	44.625	2004
21.01.2020 12:05:07	1	1	1	1	91.25	64.5	0	26682.464	481.7204301	12853.53192	30000	0	0	30000	44.4375	2004
21.01.2020 12:05:08	1	1	1	1	91.25	64.25	0	29715.64	516.1290323	15337.15652	30000	0	0	30000	44.5	2004
21.01.2020 12:05:09	1	1	1	1	91.25	64.5	0	29668.246	481.7204301	13972.22298	30000	0	0	30000	44.625	2004
21.01.2020 12:05:10	1	1	1	1	91.25	64.5	0	26540.284	481.7204301	12442.58419	30000	0	0	30000	44.0625	2004
21.01.2020 12:05:11	1	1	1	1	91.25	64	0	26445.498	458.0645161	12135.18876	30000	0	0	30000	44.625	2004
21.01.2020 12:05:18	1	1	1	1	91.25	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.125	2004
21.01.2020 12:05:18	1	1	1	1	91.25	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.125	2004
21.01.2020 12:05:18	1	1	1	1	91.25	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.125	2004
21.01.2020 12:05:18	1	1	1	1	91.25	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.125	2004
21.01.2020 12:05:18	1	1	1	1	91.25	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.125	2004
21.01.2020 12:05:18	1	1	1	1	91.25	64	0	29526.066	494.6236559	14667.73571	30000	0	0	30000	44.375	2004
21.01.2020 12:05:19	1	1	1	1	91.25	64.25	0	27298.578	486.0215054	13326.44797	30000	0	0	30000	44.6875	2004
21.01.2020 12:05:20	1	1	1	1	91.25	64.5	0	27914.692	481.7204301	13447.12309	30000	0	0	30000	44.4375	2004
21.01.2020 12:05:22	1	1	1	1	91.25	64.25	0	29857.82	509.6774194	15193.65097	30000	0	0	30000	44.375	2004
21.01.2020 12:05:23	1	1	1	1	91.25	64.25	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	43.875	2004
21.01.2020 12:05:24	1	1	1	1	91.75	63.75	0	29857.82	535.483871	16026.96165	30000	0	0	30000	44.4375	2004
21.01.2020 12:05:25	1	1	1	1	91.75	64.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.375	2004
21.01.2020 12:05:26	1	1	1	1	91.75	64.25	0	29526.066	481.7204301	14246.18813	30000	0	0	30000	43.875	2004
21.01.2020 12:05:27	1	1	1	1	91.75	63.75	0	29952.607	509.6774194	15266.21912	30000	0	0	30000	44.625	2004
21.01.2020 12:05:28	1	1	1	1	91.75	64.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	44.1875	2004
21.01.2020 12:05:29	1	1	1	1	91.75	64	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:05:30	1	1	1	1	91.75	64.75	0	28957.346	466.6666667	13637.92026	30000	0	0	30000	44.3125	2004
21.01.2020 12:05:31	1	1	1	1	91.75	64.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.625	2004
21.01.2020 12:05:32	1	1	1	1	91.75	64.5	0	29289.1	481.7204301	14109.20556	30000	0	0	30000	44.625	2004
21.01.2020 12:05:33	1	1	1	1	90.5	64.5	0	29952.607	524.7311828	15627.42913	30000	0	0	30000	44.5	2004
21.01.2020 12:05:34	1	1	1	1	90.5	64.5	0	29810.427	516.1290323	15410.54005	30000	0	0	30000	44.1875	2004
21.01.2020 12:05:35	1	1	1	1	90.5	64	0	29146.919	481.7204301	14102.68258	30000	0	0	30000	44.125	2004
21.01.2020 12:05:36	1	1	1	1	90.5	64	0	28862.559	488.172043	14089.63662	30000	0	0	30000	44	2004
21.01.2020 12:05:37	1	1	1	1	90.5	64	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43.75	2004
21.01.2020 12:05:38	1	1	1	1	90.5	63.75	0	29715.64	488.172043	14506.29196	30000	0	0	30000	44.1875	2004
21.01.2020 12:05:39	1	1	1	1	90.5	64	0	29336.493	445.1612903	13185.38852	30000	0	0	30000	44.5	2004
21.01.2020 12:05:40	1	1	1	1	90.5	64.5	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	44.5	2004
21.01.2020 12:05:41	1	1	1	1	90.5	64.5	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.9375	2004
21.01.2020 12:05:42	1	1	1	1	90.5	63.75	0	29810.427	539.7849462	16309.08053	30000	0	0	30000	44.3125	2004
21.01.2020 12:05:43	1	1	1	1	90.75	64.25	0	29857.82	503.2258065	15064.82211	30000	0	0	30000	44.5625	2004
21.01.2020 12:05:44	1	1	1	1	90.75	64.5	0	29573.46	490.3225806	14436.9853	30000	0	0	30000	44.4375	2004
21.01.2020 12:05:45	1	1	1	1	90.75	64.25	0	29810.427	516.1290323	15386.07887	30000	0	0	30000	44.4375	2004
21.01.2020 12:05:46	1	1	1	1	90.75	64.25	0	29763.033	501.0752688	15064.82211	30000	0	0	30000	43.8125	2004
21.01.2020 12:05:47	1	1	1	1	90.75	63.75	0	29857.82	526.8817204	15730.98144	30000	0	0	30000	44.625	2004
21.01.2020 12:05:48	1	1	1	1	90.75	64.5	0	30000	533.3333333	16064.46878	30000	0	0	30000	43.625	2004
21.01.2020 12:05:49	1	1	1	1	90.75	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.375	2004
21.01.2020 12:05:50	1	1	1	1	90.75	64.25	0	29952.607	516.1290323	15523.87682	30000	0	0	30000	43.5625	2004
21.01.2020 12:05:51	1	1	1	1	90.75	63.5	0	29952.607	518.2795699	15459.4624	30000	0	0	30000	43.5	2004
21.01.2020 12:05:52	1	1	1	1	90.75	63.5	0	29857.82	511.827957	15435.00122	30000	0	0	30000	44.625	2004
21.01.2020 12:05:53	1	1	1	1	91.25	64.5	0	29905.213	516.1290323	15306.17237	30000	0	0	30000	44.4375	2004
21.01.2020 12:05:54	1	1	1	1	91.25	64.25	0	29146.919	520.4301075	15218.11214	30000	0	0	30000	43.875	2004
21.01.2020 12:05:55	1	1	1	1	91.25	63.75	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	44.5	2004
21.01.2020 12:05:56	1	1	1	1	91.25	64.5	0	29857.82	541.9354839	15962.54722	30000	0	0	30000	44.5	2004
21.01.2020 12:05:57	1	1	1	1	91.25	64.5	0	29573.46	544.0860215	16026.96165	30000	0	0	30000	43.9375	2004
21.01.2020 12:05:58	1	1	1	1	91.25	63.75	0	29905.213	522.5806452	15627.42913	30000	0	0	30000	43.4375	2004
21.01.2020 12:06:00	1	1	1	1	91.25	63.25	0	29478.673	544.0860215	15759.51947	30000	0	0	30000	44.25	2004
21.01.2020 12:06:01	1	1	1	1	91.25	64.25	0	28483.412	481.7204301	13866.22455	30000	0	0	30000	44.625	2004
21.01.2020 12:06:02	1	1	1	1	91.25	64.5	0	28815.166	488.172043	14066.80619	30000	0	0	30000	44.5	2004
21.01.2020 12:06:03	1	1	1	1	91.25	64.5	0	26303.318	481.7204301	12670.88848	30000	0	0	30000	44.1875	2004
21.01.2020 12:06:04	1	1	1	1	91.25	64	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.4375	2004
21.01.2020 12:06:05	1	1	1	1	91.25	64.25	0	29146.919	496.7741935	14479.38467	30000	0	0	30000	44.625	2004
21.01.2020 12:06:06	1	1	1	1	91.25	64.5	0	29573.46	509.6774194	15072.97584	30000	0	0	30000	44.5	2004
21.01.2020 12:06:07	1	1	1	1	91.25	64.5	0	26777.251	505.3763441	13614.27445	30000	0	0	30000	44.8125	2004
21.01.2020 12:06:08	1	1	1	1	91.25	64.75	0	28815.166	488.172043	14066.80619	30000	0	0	30000	44.3125	2004
21.01.2020 12:06:09	1	1	1	1	91.25	64.25	0	26919.431	511.827957	13662.38143	30000	0	0	30000	44.3125	2004
21.01.2020 12:06:10	1	1	1	1	91.25	64.75	0	29905.213	533.3333333	15834.53374	30000	0	0	30000	44.1875	2004
21.01.2020 12:06:11	1	1	1	1	91.25	64	0	29810.427	544.0860215	16090.5607	30000	0	0	30000	44.6875	2004
21.01.2020 12:06:12	1	1	1	1	91.25	64.5	0	28009.479	516.1290323	14516.07643	30000	0	0	30000	44	2004
21.01.2020 12:06:13	1	1	1	1	91.75	64	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:06:20	1	1	1	1	91.75	64.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.5	2004
21.01.2020 12:06:20	1	1	1	1	91.75	64.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.5	2004
21.01.2020 12:06:20	1	1	1	1	91.75	64.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.5	2004
21.01.2020 12:06:20	1	1	1	1	91.75	64.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.5	2004
21.01.2020 12:06:20	1	1	1	1	91.75	64.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.5	2004
21.01.2020 12:06:20	1	1	1	1	91.75	64.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	44.625	2004
21.01.2020 12:06:21	1	1	1	1	91.75	64.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.625	2004
21.01.2020 12:06:22	1	1	1	1	91.75	64.5	0	29857.82	507.5268817	15089.28329	30000	0	0	30000	44.5625	2004
21.01.2020 12:06:23	1	1	1	1	91.75	64.5	0	29336.493	516.1290323	15141.46713	30000	0	0	30000	43.875	2004
21.01.2020 12:06:24	1	1	1	1	91.75	63.75	0	28009.479	501.0752688	14034.19129	30000	0	0	30000	44.1875	2004
21.01.2020 12:06:25	1	1	1	1	91.75	64	0	29715.64	494.6236559	14633.49007	30000	0	0	30000	44.3125	2004
21.01.2020 12:06:26	1	1	1	1	91.75	64.25	0	27630.332	488.172043	13606.9361	30000	0	0	30000	44.625	2004
21.01.2020 12:06:27	1	1	1	1	91.75	64.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	44.625	2004
21.01.2020 12:06:28	1	1	1	1	91.75	64.5	0	29952.607	524.7311828	15627.42913	30000	0	0	30000	44.625	2004
21.01.2020 12:06:29	1	1	1	1	91.75	64.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5	2004
21.01.2020 12:06:30	1	1	1	1	91.75	64.5	0	29146.919	511.827957	14918.05506	30000	0	0	30000	44.375	2004
21.01.2020 12:06:31	1	1	1	1	91.75	64.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.625	2004
21.01.2020 12:06:32	1	1	1	1	91.75	64.5	0	29810.427	520.4301075	15538.55353	30000	0	0	30000	44.3125	2004
21.01.2020 12:06:33	1	1	1	1	91.75	64.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	44.125	2004
21.01.2020 12:06:34	1	1	1	1	91.75	64	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	44.625	2004
21.01.2020 12:06:35	1	1	1	1	91.75	64.5	0	26445.498	486.0215054	12886.14682	30000	0	0	30000	44.3125	2004
21.01.2020 12:06:36	1	1	1	1	91.75	64.25	0	29857.82	518.2795699	15474.1391	30000	0	0	30000	44.5625	2004
21.01.2020 12:06:38	1	1	1	1	91.75	64.5	0	29004.739	438.7096774	12641.53507	30000	0	0	30000	44.375	2004
21.01.2020 12:06:39	1	1	1	1	91.75	64.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.625	2004
21.01.2020 12:06:40	1	1	1	1	91.75	63.5	0	29857.82	529.0322581	15949.50126	30000	0	0	30000	44.625	2004
21.01.2020 12:06:41	1	1	1	1	91.75	64.5	0	27962.085	516.1290323	14516.07643	30000	0	0	30000	44.5	2004
21.01.2020 12:06:42	1	1	1	1	91.75	64.5	0	29620.853	490.3225806	14523.41478	30000	0	0	30000	43.8125	2004
21.01.2020 12:06:43	1	1	1	1	91.75	63.75	0	29526.066	524.7311828	15581.76827	30000	0	0	30000	44.4375	2004
21.01.2020 12:06:44	1	1	1	1	92.25	64.25	0	29146.919	518.2795699	15231.1581	30000	0	0	30000	43.875	2004
21.01.2020 12:06:45	1	1	1	1	92.25	63.75	0	29668.246	516.1290323	15312.69535	30000	0	0	30000	44.75	2004
21.01.2020 12:06:46	1	1	1	1	92.25	64.75	0	26587.678	505.3763441	13403.09298	30000	0	0	30000	44.25	2004
21.01.2020 12:06:47	1	1	1	1	92.25	64.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	44.8125	2004
21.01.2020 12:06:48	1	1	1	1	92.25	64.75	0	26540.284	496.7741935	12956.26886	30000	0	0	30000	45.125	2004
21.01.2020 12:06:49	1	1	1	1	92.25	64.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.1875	2004
21.01.2020 12:06:50	1	1	1	1	92.25	64	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.4375	2004
21.01.2020 12:06:51	1	1	1	1	92.25	64.25	0	29336.493	486.0215054	14194.81967	30000	0	0	30000	44.5625	2004
21.01.2020 12:06:52	1	1	1	1	92.25	64.5	0	28578.199	511.827957	14774.54951	30000	0	0	30000	44.5625	2004
21.01.2020 12:06:53	1	1	1	1	92.5	64.5	0	27298.578	460.2150538	12504.5525	30000	0	0	30000	43.9375	2004
21.01.2020 12:06:54	1	1	1	1	92.5	63.75	0	29526.066	488.172043	14436.9853	30000	0	0	30000	44.625	2004
21.01.2020 12:06:55	1	1	1	1	92.5	64.5	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	44.6875	2004
21.01.2020 12:06:56	1	1	1	1	92.5	64.5	0	29715.64	524.7311828	15528.76906	30000	0	0	30000	44.375	2004
21.01.2020 12:06:57	1	1	1	1	92.5	64.25	0	0	0	0	30000	0	8	30000	44.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:06:58	1	1	1	1	92.5	64.75	0	9810.4265	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:06:59	1	1	1	1	92.5	64.5	0	11232.227	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:07:00	1	1	1	1	92.5	64.5	0	12180.095	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:07:01	1	1	1	1	92.5	64.75	0	12369.668	2.150537634	26.09191966	30000	0	0	30000	44.5625	2004
21.01.2020 12:07:02	1	1	1	1	92.5	64.5	0	13601.896	10.75268817	116.598266	30000	0	0	30000	44.75	2004
21.01.2020 12:07:03	1	1	1	1	92.75	64.75	0	12748.815	6.451612903	81.53724893	30000	0	0	30000	44.625	2004
21.01.2020 12:07:04	1	1	1	1	92.75	64.5	0	15165.877	23.65591398	326.1489957	30000	0	0	30000	44.625	2004
21.01.2020 12:07:05	1	1	1	1	92.75	64.5	0	15450.237	23.65591398	499.823336	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:06	1	1	1	1	92.75	64.5	0	16729.858	43.01075269	681.6514011	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:07	1	1	1	1	92.75	64.5	0	17440.758	49.46236559	940.1244802	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:08	1	1	1	1	92.75	64.5	0	18104.265	60.21505376	1090.153018	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:09	1	1	1	1	92.75	64.5	0	18909.953	70.96774194	1341.287745	30000	0	0	30000	44.75	2004
21.01.2020 12:07:10	1	1	1	1	92.75	64.75	0	19810.427	90.32258065	1746.527872	30000	0	0	30000	44.625	2004
21.01.2020 12:07:11	1	1	1	1	92.75	64.5	0	20331.754	103.2258065	2098.768788	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:12	1	1	1	1	92.75	64.5	0	18104.265	94.62365591	1751.420107	30000	0	0	30000	44.75	2004
21.01.2020 12:07:13	1	1	1	1	92.25	64.75	0	18625.592	94.62365591	1927.540565	30000	0	0	30000	44.625	2004
21.01.2020 12:07:14	1	1	1	1	92.25	64.5	0	22322.275	137.6344086	3072.32354	30000	0	0	30000	44.5625	2004
21.01.2020 12:07:21	1	1	1	1	92.25	64.5	0	23601.896	144.0860215	3407.441633	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:21	1	1	1	1	92.25	64.5	0	23601.896	144.0860215	3407.441633	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:21	1	1	1	1	92.25	64.5	0	23601.896	144.0860215	3407.441633	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:21	1	1	1	1	92.25	64.5	0	23601.896	144.0860215	3407.441633	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:21	1	1	1	1	92.25	64.5	0	23601.896	144.0860215	3407.441633	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:21	1	1	1	1	92.25	64.5	0	23601.896	144.0860215	3407.441633	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:22	1	1	1	1	92.25	64.5	0	21943.128	150.5376344	3255.78235	30000	0	0	30000	44.5625	2004
21.01.2020 12:07:23	1	1	1	1	92.25	64.5	0	23080.569	152.688172	3524.039899	30000	0	0	30000	44.75	2004
21.01.2020 12:07:24	1	1	1	1	90.75	64.75	0	23080.569	152.688172	3524.039899	30000	0	0	30000	44.75	2004
21.01.2020 12:07:25	1	1	1	1	90.75	64.75	0	23744.076	152.688172	3625.146088	30000	0	0	30000	44.8125	2004
21.01.2020 12:07:26	1	1	1	1	90.75	64.75	0	21516.588	141.9354839	3106.569184	30000	0	0	30000	44.875	2004
21.01.2020 12:07:27	1	1	1	1	90.75	64.75	0	21943.128	152.688172	3303.073954	30000	0	0	30000	44.75	2004
21.01.2020 12:07:28	1	1	1	1	90.75	64.5	0	21563.981	152.688172	3292.474112	30000	0	0	30000	44.625	2004
21.01.2020 12:07:29	1	1	1	1	90.75	64.5	0	23696.682	189.2473118	4322.289566	30000	0	0	30000	44.625	2004
21.01.2020 12:07:30	1	1	1	1	90.75	64.5	0	23222.749	189.2473118	4403.826815	30000	0	0	30000	44.875	2004
21.01.2020 12:07:31	1	1	1	1	90.75	64.75	0	26635.071	225.8064516	6081.863398	30000	0	0	30000	44.8125	2004
21.01.2020 12:07:32	1	1	1	1	90.75	64.75	0	26729.858	253.7634409	6794.498954	30000	0	0	30000	44.625	2004
21.01.2020 12:07:33	1	1	1	1	89.25	64.5	0	26872.038	266.6666667	7120.647949	30000	0	0	30000	44.375	2004
21.01.2020 12:07:34	1	1	1	1	89.25	64.25	0	25734.597	247.311828	6411.273884	30000	0	0	30000	44.5625	2004
21.01.2020 12:07:35	1	1	1	1	89.25	64.5	0	24597.156	266.6666667	6558.856304	30000	0	0	30000	44.875	2004
21.01.2020 12:07:36	1	1	1	1	89.25	64.75	0	27582.938	275.2688172	7592.748621	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:37	1	1	1	1	89.25	64.5	0	26113.744	303.2258065	7974.342946	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:38	1	1	1	1	89.25	64.5	0	24218.009	288.172043	7030.956976	30000	0	0	30000	44.625	2004
21.01.2020 12:07:39	1	1	1	1	89.25	64.5	0	28436.019	305.3763441	8485.581496	30000	0	0	30000	44.5	2004
21.01.2020 12:07:40	1	1	1	1	89.25	64.5	0	21469.194	253.7634409	5459.734189	30000	0	0	30000	44.625	2004
21.01.2020 12:07:41	1	1	1	1	89.25	64.5	0	26303.318	270.9677419	7127.170929	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:07:42	1	1	1	1	89.25	64.5	0	25450.237	288.172043	7333.460169	30000	0	0	30000	44.625	2004
21.01.2020 12:07:43	1	1	1	1	87.5	64.5	0	27440.758	288.172043	7789.253391	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:44	1	1	1	1	87.5	64.5	0	28009.479	288.172043	8131.709836	30000	0	0	30000	44.625	2004
21.01.2020 12:07:45	1	1	1	1	87.5	64.5	0	26966.825	309.6774194	8292.338217	30000	0	0	30000	44.75	2004
21.01.2020 12:07:46	1	1	1	1	87.5	64.75	0	27914.692	309.6774194	8523.904003	30000	0	0	30000	44.5625	2004
21.01.2020 12:07:47	1	1	1	1	87.5	64.5	0	26066.351	266.6666667	6951.050472	30000	0	0	30000	44.5625	2004
21.01.2020 12:07:48	1	1	1	1	87.5	64.5	0	28293.839	329.0322581	9278.123556	30000	0	0	30000	44.75	2004
21.01.2020 12:07:49	1	1	1	1	87.5	64.75	0	25545.024	290.3225806	7415.81279	30000	0	0	30000	44.75	2004
21.01.2020 12:07:50	1	1	1	1	87.5	64.75	0	27014.218	290.3225806	7914.820754	30000	0	0	30000	44.8125	2004
21.01.2020 12:07:51	1	1	1	1	87.5	64.75	0	23554.502	279.5698925	6584.948224	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:53	1	1	1	1	87.5	64.5	0	28199.052	350.5376344	9884.760688	30000	0	0	30000	44.625	2004
21.01.2020 12:07:54	1	1	1	1	90.25	64.5	0	26208.531	341.9354839	8929.144131	30000	0	0	30000	44.625	2004
21.01.2020 12:07:55	1	1	1	1	90.25	64.5	0	25450.237	309.6774194	7896.067187	30000	0	0	30000	44.6875	2004
21.01.2020 12:07:56	1	1	1	1	90.25	64.5	0	26966.825	356.9892473	9568.396162	30000	0	0	30000	44.625	2004
21.01.2020 12:07:57	1	1	1	1	90.25	64.5	0	26113.744	333.3333333	8704.101324	30000	0	0	30000	44.4375	2004
21.01.2020 12:07:58	1	1	1	1	90.25	64.25	0	27535.545	359.1397849	9888.837551	30000	0	0	30000	44.625	2004
21.01.2020 12:07:59	1	1	1	1	90.25	64.5	0	28483.412	400	11270.89392	30000	0	0	30000	44.625	2004
21.01.2020 12:08:00	1	1	1	1	90.25	64.5	0	27345.972	363.4408602	9938.575272	30000	0	0	30000	44.625	2004
21.01.2020 12:08:01	1	1	1	1	90.25	64.5	0	27819.905	395.6989247	11008.34398	30000	0	0	30000	44.8125	2004
21.01.2020 12:08:02	1	1	1	1	90.25	64.75	0	28815.166	384.9462366	11092.32734	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:03	1	1	1	1	90.25	64.5	0	28672.986	384.9462366	11092.32734	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:04	1	1	1	1	90.75	64.5	0	27630.332	369.8924731	10529.72033	30000	0	0	30000	44.75	2004
21.01.2020 12:08:05	1	1	1	1	90.75	64.75	0	0	0	0	30000	0	8	30000	44.25	2004
21.01.2020 12:08:06	1	1	1	1	90.75	62	0	10142.18	0	0	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:07	1	1	1	1	90.75	64.5	0	10947.867	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:08:08	1	1	1	1	90.75	64.5	0	11042.654	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:08:09	1	1	1	1	90.75	64.5	0	12037.915	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:08:10	1	1	1	1	90.75	64.5	0	12843.602	4.301075269	55.44532927	30000	0	0	30000	44.5625	2004
21.01.2020 12:08:11	1	1	1	1	90.75	64.5	0	14075.829	12.90322581	181.0126926	30000	0	0	30000	44.625	2004
21.01.2020 12:08:12	1	1	1	1	90.75	64.5	0	14786.73	19.35483871	286.1957438	30000	0	0	30000	44.625	2004
21.01.2020 12:08:13	1	1	1	1	90	64.5	0	15497.63	30.10752688	468.8391814	30000	0	0	30000	44.125	2004
21.01.2020 12:08:14	1	1	1	1	90	64	0	16350.711	36.55913978	560.9762727	30000	0	0	30000	44.75	2004
21.01.2020 12:08:15	1	1	1	1	90	64.75	0	16682.464	36.55913978	609.898622	30000	0	0	30000	44.625	2004
21.01.2020 12:08:16	1	1	1	1	90	64.5	0	17867.299	55.91397849	1037.153806	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:23	1	1	1	1	90	64.5	0	22132.701	116.1290323	2521.94711	30000	0	0	30000	44.625	2004
21.01.2020 12:08:23	1	1	1	1	90	64.5	0	22132.701	116.1290323	2521.94711	30000	0	0	30000	44.625	2004
21.01.2020 12:08:23	1	1	1	1	90	64.5	0	22132.701	116.1290323	2521.94711	30000	0	0	30000	44.625	2004
21.01.2020 12:08:23	1	1	1	1	90	64.5	0	22132.701	116.1290323	2521.94711	30000	0	0	30000	44.625	2004
21.01.2020 12:08:23	1	1	1	1	90	64.5	0	22132.701	116.1290323	2521.94711	30000	0	0	30000	44.625	2004
21.01.2020 12:08:23	1	1	1	1	90	64.5	0	22132.701	116.1290323	2521.94711	30000	0	0	30000	44.625	2004
21.01.2020 12:08:23	1	1	1	1	90	64.5	0	22132.701	116.1290323	2521.94711	30000	0	0	30000	44.625	2004
21.01.2020 12:08:23	1	1	1	1	90	64.5	0	22132.701	116.1290323	2521.94711	30000	0	0	30000	44.625	2004
21.01.2020 12:08:23	1	1	1	1	90	64.5	0	22132.701	116.1290323	2521.94711	30000	0	0	30000	44.625	2004
21.01.2020 12:08:23	1	1	1	1	90.25	64.5	0	21516.588	124.7311828	2735.574702	30000	0	0	30000	44.5625	2004
21.01.2020 12:08:24	1	1	1	1	90.25	64.5	0	22559.242	137.6344086	3098.415459	30000	0	0	30000	44.625	2004
21.01.2020 12:08:25	1	1	1	1	90.25	64.5	0	21090.047	126.8817204	2669.52953	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:08:26	1	1	1	1	90.25	64.5	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	44.625	2004
21.01.2020 12:08:27	1	1	1	1	90.25	64.5	0	21137.441	137.6344086	2902.726062	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:28	1	1	1	1	90.25	64.5	0	19668.246	120.4301075	2368.657082	30000	0	0	30000	44.625	2004
21.01.2020 12:08:29	1	1	1	1	90.25	64.5	0	21137.441	124.7311828	2687.467725	30000	0	0	30000	44.75	2004
21.01.2020 12:08:30	1	1	1	1	90.25	64.75	0	22132.701	144.0860215	3188.921806	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:32	1	1	1	1	90.25	64.5	0	24218.009	176.344086	4114.369581	30000	0	0	30000	44.75	2004
21.01.2020 12:08:33	1	1	1	1	90.25	64.75	0	24218.009	169.8924731	4114.369581	30000	0	0	30000	44.625	2004
21.01.2020 12:08:34	1	1	1	1	89	64.5	0	20236.967	137.6344086	2785.312424	30000	0	0	30000	44.5625	2004
21.01.2020 12:08:35	1	1	1	1	89	64.5	0	24739.336	167.7419355	4035.27845	30000	0	0	30000	44.625	2004
21.01.2020 12:08:36	1	1	1	1	89	64.5	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.625	2004
21.01.2020 12:08:37	1	1	1	1	89	64.5	0	23080.569	152.688172	3524.039899	30000	0	0	30000	44.1875	2004
21.01.2020 12:08:38	1	1	1	1	89	64	0	24976.303	159.1397849	3912.972576	30000	0	0	30000	44.625	2004
21.01.2020 12:08:39	1	1	1	1	89	64.5	0	22322.275	137.6344086	3059.27758	30000	0	0	30000	44.625	2004
21.01.2020 12:08:40	1	1	1	1	89	64.5	0	23175.355	165.5913978	3886.880657	30000	0	0	30000	44.625	2004
21.01.2020 12:08:41	1	1	1	1	89	64.5	0	23838.863	169.8924731	4049.955155	30000	0	0	30000	44.625	2004
21.01.2020 12:08:42	1	1	1	1	89	64.5	0	23317.536	144.0860215	3352.811676	30000	0	0	30000	44.8125	2004
21.01.2020 12:08:43	1	1	1	1	89	64.75	0	21374.408	144.0860215	3170.983611	30000	0	0	30000	44.8125	2004
21.01.2020 12:08:44	1	1	1	1	90.5	64	0	23649.289	144.0860215	3393.580301	30000	0	0	30000	44.625	2004
21.01.2020 12:08:45	1	1	1	1	90.5	64.5	0	24597.156	167.7419355	4125.784796	30000	0	0	30000	44.625	2004
21.01.2020 12:08:46	1	1	1	1	90.5	64.5	0	20900.474	152.688172	3190.552551	30000	0	0	30000	44.625	2004
21.01.2020 12:08:47	1	1	1	1	90.5	64.5	0	24218.009	189.2473118	4583.208763	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:48	1	1	1	1	90.5	64.5	0	24028.436	191.3978495	4547.332373	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:49	1	1	1	1	90.5	64.5	0	25639.81	217.2043011	5568.994102	30000	0	0	30000	44	2004
21.01.2020 12:08:50	1	1	1	1	90.5	64	0	26587.678	225.8064516	6003.587639	30000	0	0	30000	44.75	2004
21.01.2020 12:08:51	1	1	1	1	90.5	64.75	0	26113.744	247.311828	6457.750116	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:52	1	1	1	1	90.5	64.5	0	27298.578	260.2150538	7162.231946	30000	0	0	30000	44.625	2004
21.01.2020 12:08:53	1	1	1	1	90.5	64.5	0	26113.744	253.7634409	6570.271519	30000	0	0	30000	44.5625	2004
21.01.2020 12:08:54	1	1	1	1	90.5	64.5	0	25687.204	279.5698925	7125.540184	30000	0	0	30000	44.625	2004
21.01.2020 12:08:55	1	1	1	1	90.5	64.5	0	26919.431	277.4193548	7467.99663	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:56	1	1	1	1	90.5	64.5	0	24407.583	288.172043	6978.773136	30000	0	0	30000	44.75	2004
21.01.2020 12:08:57	1	1	1	1	90.5	64.75	0	25639.81	281.7204301	7278.01484	30000	0	0	30000	44.6875	2004
21.01.2020 12:08:58	1	1	1	1	90.5	64.5	0	21563.981	262.3655914	5610.578099	30000	0	0	30000	44.625	2004
21.01.2020 12:08:59	1	1	1	1	90.5	64.5	0	25165.877	298.9247312	7630.255755	30000	0	0	30000	44.6875	2004
21.01.2020 12:09:00	1	1	1	1	90.5	64.5	0	24739.336	290.3225806	7221.754138	30000	0	0	30000	44.625	2004
21.01.2020 12:09:01	1	1	1	1	90.5	64.5	0	26587.678	311.827957	8290.707472	30000	0	0	30000	43.5625	2004
21.01.2020 12:09:02	1	1	1	1	90.5	63.5	0	26113.744	337.6344086	8816.622727	30000	0	0	30000	44.6875	2004
21.01.2020 12:09:03	1	1	1	1	87.5	64.5	0	26824.645	339.7849462	9130.541136	30000	0	0	30000	43.0625	2004
21.01.2020 12:09:04	1	1	1	1	87.5	63	0	26113.744	350.5376344	9153.371565	30000	0	0	30000	44.625	2004
21.01.2020 12:09:05	1	1	1	1	87.5	64.5	0	26113.744	367.7419355	9602.641807	30000	0	0	30000	44.6875	2004
21.01.2020 12:09:06	1	1	1	1	87.5	64.5	0	27298.578	372.0430108	10156.27973	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:07	1	1	1	1	87.5	64.5	0	26445.498	372.0430108	9707.009485	30000	0	0	30000	44.625	2004
21.01.2020 12:09:08	1	1	1	1	87.5	64.5	0	28009.479	382.7956989	10660.9953	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:10	1	1	1	1	87.5	64.5	0	28530.806	417.2043011	11922.37654	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:09:11	1	1	1	1	87.5	64	0	25402.844	341.9354839	8686.163129	30000	0	0	30000	43.75	2004
21.01.2020 12:09:12	1	1	1	1	87.5	63.75	0	26350.711	395.6989247	10426.98339	30000	0	0	30000	44.1875	2004
21.01.2020 12:09:13	1	1	1	1	87.5	64	0	28815.166	389.2473118	11216.26396	30000	0	0	30000	44.625	2004
21.01.2020 12:09:14	1	1	1	1	88.5	64.5	0	27914.692	404.3010753	11225.23306	30000	0	0	30000	44.125	2004
21.01.2020 12:09:15	1	1	1	1	88.5	64	0	26966.825	404.3010753	10902.34555	30000	0	0	30000	44.625	2004
21.01.2020 12:09:16	1	1	1	1	88.5	64.5	0	26777.251	404.3010753	11017.31308	30000	0	0	30000	44.5	2004
21.01.2020 12:09:17	1	1	1	1	88.5	64.5	0	29099.526	412.9032258	12015.329	30000	0	0	30000	44.625	2004
21.01.2020 12:09:18	1	1	1	1	88.5	64.5	0	27819.905	372.0430108	10219.87878	30000	0	0	30000	44.625	2004
21.01.2020 12:09:24	1	1	1	1	89	64.5	0	29526.066	451.6129032	13270.18726	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:24	1	1	1	1	89	64.5	0	29526.066	451.6129032	13270.18726	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:24	1	1	1	1	89	64.5	0	29526.066	451.6129032	13270.18726	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:24	1	1	1	1	89	64.5	0	29526.066	451.6129032	13270.18726	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:24	1	1	1	1	89	64.5	0	29526.066	451.6129032	13270.18726	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:24	1	1	1	1	89	64.5	0	29526.066	451.6129032	13270.18726	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:25	1	1	1	1	89	64.5	0	28483.412	466.6666667	13292.20232	30000	0	0	30000	44.75	2004
21.01.2020 12:09:26	1	1	1	1	89	64.75	0	29810.427	481.7204301	14337.50985	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:27	1	1	1	1	89	64.5	0	28815.166	404.3010753	11650.04213	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:28	1	1	1	1	89	64.5	0	25924.171	427.9569892	11093.95809	30000	0	0	30000	44.8125	2004
21.01.2020 12:09:29	1	1	1	1	89	64.75	0	28815.166	417.2043011	12103.38923	30000	0	0	30000	44.8125	2004
21.01.2020 12:09:30	1	1	1	1	89	64.75	0	27867.299	453.7634409	12383.87737	30000	0	0	30000	44.625	2004
21.01.2020 12:09:31	1	1	1	1	89	64.5	0	28862.559	481.7204301	13926.56212	30000	0	0	30000	44.75	2004
21.01.2020 12:09:32	1	1	1	1	89	64.75	0	27345.972	412.9032258	11291.27823	30000	0	0	30000	44.625	2004
21.01.2020 12:09:33	1	1	1	1	89	64.5	0	28009.479	486.0215054	13644.44324	30000	0	0	30000	43.9375	2004
21.01.2020 12:09:34	1	1	1	1	89	63.75	0	29431.28	494.6236559	14556.84505	30000	0	0	30000	44.4375	2004
21.01.2020 12:09:35	1	1	1	1	89	64.25	0	29620.853	507.5268817	14969.42353	30000	0	0	30000	44.4375	2004
21.01.2020 12:09:36	1	1	1	1	89	64.25	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	44.75	2004
21.01.2020 12:09:37	1	1	1	1	89	64.75	0	27867.299	468.8172043	13424.29266	30000	0	0	30000	44.6875	2004
21.01.2020 12:09:38	1	1	1	1	89	64.5	0	29526.066	526.8817204	15581.76827	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:39	1	1	1	1	89	64.5	0	30000	524.7311828	15627.42913	30000	0	0	30000	44.625	2004
21.01.2020 12:09:40	1	1	1	1	89	64.5	0	29905.213	522.5806452	15652.70568	30000	0	0	30000	43.6875	2004
21.01.2020 12:09:41	1	1	1	1	89	63.5	0	29715.64	490.3225806	14506.29196	30000	0	0	30000	44.5	2004
21.01.2020 12:09:42	1	1	1	1	89	64.5	0	29905.213	516.1290323	15498.60028	30000	0	0	30000	43.75	2004
21.01.2020 12:09:43	1	1	1	1	89.25	63.75	0	29526.066	483.8709677	14309.78719	30000	0	0	30000	44.5	2004
21.01.2020 12:09:44	1	1	1	1	89.25	64.5	0	29857.82	507.5268817	15217.29677	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:45	1	1	1	1	89.25	64.5	0	29952.607	522.5806452	15652.70568	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:46	1	1	1	1	89.25	64.5	0	26445.498	486.0215054	12716.54934	30000	0	0	30000	44.625	2004
21.01.2020 12:09:47	1	1	1	1	89.25	64.5	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:49	1	1	1	1	89.25	64.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.375	2004
21.01.2020 12:09:50	1	1	1	1	89.25	64.25	0	28625.592	481.7204301	13880.90126	30000	0	0	30000	43.6875	2004
21.01.2020 12:09:51	1	1	1	1	89.25	63.5	0	29668.246	518.2795699	15376.2944	30000	0	0	30000	44.1875	2004
21.01.2020 12:09:52	1	1	1	1	89.25	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.4375	2004
21.01.2020 12:09:53	1	1	1	1	89.25	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.125	2004
21.01.2020 12:09:54	1	1	1	1	89.75	64	0	29431.28	533.3333333	16038.37687	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:09:55	1	1	1	1	89.75	64	0	0	0	0	30000	0	8	30000	43.6875	2004
21.01.2020 12:09:56	1	1	1	1	89.75	63.5	0	10379.147	0	0	30000	0	0	30000	44.875	2004
21.01.2020 12:09:57	1	1	1	1	89.75	64.75	0	11184.834	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:09:58	1	1	1	1	89.75	64.5	0	11137.441	0	0	30000	0	0	30000	45	2004
21.01.2020 12:09:59	1	1	1	1	89.75	65	0	12701.422	2.150537634	54.62995679	30000	0	0	30000	44.9375	2004
21.01.2020 12:10:00	1	1	1	1	89.75	64.75	0	13507.109	6.451612903	86.42948387	30000	0	0	30000	44.5625	2004
21.01.2020 12:10:01	1	1	1	1	89.75	64.75	0	14312.796	12.90322581	184.2741826	30000	0	0	30000	44.5	2004
21.01.2020 12:10:02	1	1	1	1	89.75	64.5	0	14976.303	21.50537634	322.0721333	30000	0	0	30000	44.5625	2004
21.01.2020 12:10:03	1	1	1	1	90.25	64.5	0	15781.991	30.10752688	474.5467888	30000	0	0	30000	43.875	2004
21.01.2020 12:10:04	1	1	1	1	90.25	63.75	0	16682.464	38.70967742	602.5602696	30000	0	0	30000	44.375	2004
21.01.2020 12:10:05	1	1	1	1	90.25	64.25	0	17156.398	47.31182796	772.1577474	30000	0	0	30000	44.5625	2004
21.01.2020 12:10:06	1	1	1	1	90.25	64.5	0	17582.938	51.61290323	905.0634632	30000	0	0	30000	44.6875	2004
21.01.2020 12:10:07	1	1	1	1	90.25	64.5	0	18341.232	58.06451613	985.7853396	30000	0	0	30000	44.625	2004
21.01.2020 12:10:08	1	1	1	1	90.25	64.5	0	17440.758	62.3655914	1127.660153	30000	0	0	30000	44.8125	2004
21.01.2020 12:10:09	1	1	1	1	90.25	64.75	0	20047.393	79.56989247	1590.791727	30000	0	0	30000	44.625	2004
21.01.2020 12:10:10	1	1	1	1	90.25	64.5	0	21232.227	109.6774194	2328.70383	30000	0	0	30000	44.625	2004
21.01.2020 12:10:11	1	1	1	1	90.25	64.5	0	21943.128	116.1290323	2548.039029	30000	0	0	30000	44.625	2004
21.01.2020 12:10:12	1	1	1	1	90.25	64.5	0	20947.867	120.4301075	2528.470089	30000	0	0	30000	44.75	2004
21.01.2020 12:10:13	1	1	1	1	90	64.75	0	21563.981	137.6344086	2967.955861	30000	0	0	30000	44.75	2004
21.01.2020 12:10:14	1	1	1	1	90	64.75	0	21895.735	129.0322581	3020.1397	30000	0	0	30000	44.6875	2004
21.01.2020 12:10:15	1	1	1	1	90	64.5	0	21753.555	126.8817204	2760.035876	30000	0	0	30000	44.625	2004
21.01.2020 12:10:16	1	1	1	1	90	64.5	0	23554.502	156.9892473	3589.269698	30000	0	0	30000	44.4375	2004
21.01.2020 12:10:17	1	1	1	1	90	64.25	0	22890.995	152.688172	3494.686489	30000	0	0	30000	44.75	2004
21.01.2020 12:10:18	1	1	1	1	90	64.75	0	23317.536	156.9892473	3660.207105	30000	0	0	30000	44.625	2004
21.01.2020 12:10:19	1	1	1	1	90	64.5	0	21042.654	141.9354839	2896.203082	30000	0	0	30000	44.625	2004
21.01.2020 12:10:26	1	1	1	1	89.75	64.5	0	26966.825	245.1612903	6472.42682	30000	0	0	30000	44.5	2004
21.01.2020 12:10:26	1	1	1	1	89.75	64.5	0	26966.825	245.1612903	6472.42682	30000	0	0	30000	44.5	2004
21.01.2020 12:10:26	1	1	1	1	89.75	64.5	0	26966.825	245.1612903	6472.42682	30000	0	0	30000	44.5	2004
21.01.2020 12:10:26	1	1	1	1	89.75	64.5	0	26966.825	245.1612903	6472.42682	30000	0	0	30000	44.5	2004
21.01.2020 12:10:26	1	1	1	1	89.75	64.5	0	26966.825	245.1612903	6472.42682	30000	0	0	30000	44.5	2004
21.01.2020 12:10:26	1	1	1	1	89.75	64.5	0	26966.825	245.1612903	6472.42682	30000	0	0	30000	44.5	2004
21.01.2020 12:10:26	1	1	1	1	89.75	64.5	0	26303.318	227.9569892	6052.509988	30000	0	0	30000	44.5625	2004
21.01.2020 12:10:28	1	1	1	1	89.75	64.5	0	26540.284	264.516129	7020.357133	30000	0	0	30000	44.5625	2004
21.01.2020 12:10:29	1	1	1	1	89.75	64.5	0	27440.758	296.7741935	8143.125051	30000	0	0	30000	44.625	2004
21.01.2020 12:10:30	1	1	1	1	89.75	64.5	0	28009.479	313.9784946	8673.932542	30000	0	0	30000	44.625	2004
21.01.2020 12:10:31	1	1	1	1	89.75	64.5	0	27630.332	329.0322581	9090.587884	30000	0	0	30000	44.625	2004
21.01.2020 12:10:32	1	1	1	1	89.75	64.5	0	26540.284	281.7204301	7476.965727	30000	0	0	30000	44.625	2004
21.01.2020 12:10:33	1	1	1	1	89.75	64.5	0	27298.578	313.9784946	8512.488789	30000	0	0	30000	43.9375	2004
21.01.2020 12:10:34	1	1	1	1	90	63.75	0	27582.938	322.5806452	8897.344604	30000	0	0	30000	44.5625	2004
21.01.2020 12:10:35	1	1	1	1	90	64.5	0	27772.512	346.2365591	9565.950045	30000	0	0	30000	44.625	2004
21.01.2020 12:10:36	1	1	1	1	90	64.5	0	27630.332	341.9354839	9565.950045	30000	0	0	30000	44.1875	2004
21.01.2020 12:10:37	1	1	1	1	90	64	0	27440.758	335.483871	9173.755877	30000	0	0	30000	44.6875	2004
21.01.2020 12:10:38	1	1	1	1	90	64.5	0	24976.303	341.9354839	8540.211453	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:10:39	1	1	1	1	90	64.75	0	27440.758	378.4946237	10386.21477	30000	0	0	30000	43.875	2004
21.01.2020 12:10:40	1	1	1	1	90	64.5	0	28483.412	404.3010753	11515.50567	30000	0	0	30000	44.375	2004
21.01.2020 12:10:41	1	1	1	1	90	64.25	0	28578.199	419.3548387	11984.34485	30000	0	0	30000	43.6875	2004
21.01.2020 12:10:42	1	1	1	1	90	63.5	0	28957.346	378.4946237	11146.9573	30000	0	0	30000	44.625	2004
21.01.2020 12:10:43	1	1	1	1	88.75	64.5	0	28009.479	404.3010753	11323.89313	30000	0	0	30000	44.375	2004
21.01.2020 12:10:44	1	1	1	1	88.75	64.25	0	28293.839	369.8924731	10744.97866	30000	0	0	30000	44.4375	2004
21.01.2020 12:10:45	1	1	1	1	88.75	64.25	0	26824.645	412.9032258	11095.58883	30000	0	0	30000	43.9375	2004
21.01.2020 12:10:46	1	1	1	1	88.75	63.75	0	29146.919	404.3010753	11822.08572	30000	0	0	30000	44.5625	2004
21.01.2020 12:10:47	1	1	1	1	88.75	64.5	0	29715.64	438.7096774	13036.17536	30000	0	0	30000	44.375	2004
21.01.2020 12:10:48	1	1	1	1	88.75	64.25	0	29715.64	438.7096774	12972.57631	30000	0	0	30000	44.5625	2004
21.01.2020 12:10:49	1	1	1	1	88.75	64.5	0	29526.066	412.9032258	12211.0184	30000	0	0	30000	44.4375	2004
21.01.2020 12:10:50	1	1	1	1	88.75	64.25	0	28815.166	434.4086022	12641.53507	30000	0	0	30000	44	2004
21.01.2020 12:10:51	1	1	1	1	88.75	64	0	28388.626	438.7096774	12453.9994	30000	0	0	30000	44.4375	2004
21.01.2020 12:10:52	1	1	1	1	88.75	64.25	0	29146.919	443.0107527	12975.02242	30000	0	0	30000	44.4375	2004
21.01.2020 12:10:53	1	1	1	1	87.5	64.25	0	28341.232	455.9139785	13003.56046	30000	0	0	30000	44.5	2004
21.01.2020 12:10:54	1	1	1	1	87.5	64.5	0	28957.346	481.7204301	13903.73169	30000	0	0	30000	44.5	2004
21.01.2020 12:10:55	1	1	1	1	87.5	64.5	0	27061.611	440.8602151	11893.02313	30000	0	0	30000	44.625	2004
21.01.2020 12:10:56	1	1	1	1	87.5	64.5	0	27630.332	451.6129032	12623.59688	30000	0	0	30000	44.5	2004
21.01.2020 12:10:57	1	1	1	1	87.5	64.5	0	27962.085	404.3010753	11305.13956	30000	0	0	30000	44.375	2004
21.01.2020 12:10:58	1	1	1	1	87.5	64.25	0	26445.498	427.9569892	11296.98584	30000	0	0	30000	44.5	2004
21.01.2020 12:10:59	1	1	1	1	87.5	64.5	0	29857.82	494.6236559	14768.02653	30000	0	0	30000	44.125	2004
21.01.2020 12:11:00	1	1	1	1	87.5	64	0	29952.607	501.0752688	15072.97584	30000	0	0	30000	44.625	2004
21.01.2020 12:11:01	1	1	1	1	87.5	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.5625	2004
21.01.2020 12:11:02	1	1	1	1	87.5	64.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44	2004
21.01.2020 12:11:03	1	1	1	1	89.5	64	0	29952.607	490.3225806	14750.9037	30000	0	0	30000	44.3125	2004
21.01.2020 12:11:05	1	1	1	1	89.5	64.25	0	28009.479	445.1612903	12408.33854	30000	0	0	30000	43.8125	2004
21.01.2020 12:11:06	1	1	1	1	89.5	63.75	0	28815.166	492.4731183	14190.7428	30000	0	0	30000	44.125	2004
21.01.2020 12:11:07	1	1	1	1	89.5	64	0	29905.213	507.5268817	15330.63354	30000	0	0	30000	44.5625	2004
21.01.2020 12:11:08	1	1	1	1	89.5	64.5	0	29146.919	503.2258065	14604.13666	30000	0	0	30000	44.375	2004
21.01.2020 12:11:09	1	1	1	1	89.5	64.25	0	28957.346	505.3763441	14634.30544	30000	0	0	30000	44.1875	2004
21.01.2020 12:11:10	1	1	1	1	89.5	64	0	29573.46	492.4731183	14564.1834	30000	0	0	30000	44.0625	2004
21.01.2020 12:11:11	1	1	1	1	89.5	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.5	2004
21.01.2020 12:11:12	1	1	1	1	89.5	64.5	0	29715.64	501.0752688	14936.80863	30000	0	0	30000	44.5	2004
21.01.2020 12:11:13	1	1	1	1	89.5	64.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.5	2004
21.01.2020 12:11:14	1	1	1	1	89	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.3125	2004
21.01.2020 12:11:15	1	1	1	1	89	64.25	0	30000	522.5806452	15652.70568	30000	0	0	30000	45	2004
21.01.2020 12:11:16	1	1	1	1	89	65	0	29952.607	535.483871	16064.46878	30000	0	0	30000	44.4375	2004
21.01.2020 12:11:17	1	1	1	1	89	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.625	2004
21.01.2020 12:11:18	1	1	1	1	89	64.5	0	29905.213	516.1290323	15498.60028	30000	0	0	30000	44.3125	2004
21.01.2020 12:11:19	1	1	1	1	89	64.5	0	30000	526.8817204	15523.87682	30000	0	0	30000	44.5	2004
21.01.2020 12:11:20	1	1	1	1	89	64.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.625	2004
21.01.2020 12:11:21	1	1	1	1	89	64.5	0	29573.46	537.6344086	16052.2382	30000	0	0	30000	44.25	2004
21.01.2020 12:11:28	1	1	1	1	89.75	64.25	0	29810.427	498.9247312	14808.79515	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:11:28	1	1	1	1	89.75	64.25	0	29810.427	498.9247312	14808.79515	30000	0	0	30000	44.5625	2004
21.01.2020 12:11:28	1	1	1	1	89.75	64.25	0	29810.427	498.9247312	14808.79515	30000	0	0	30000	44.5625	2004
21.01.2020 12:11:28	1	1	1	1	89.75	64.25	0	29810.427	498.9247312	14808.79515	30000	0	0	30000	44.5625	2004
21.01.2020 12:11:28	1	1	1	1	89.75	64.25	0	29810.427	498.9247312	14808.79515	30000	0	0	30000	44.5625	2004
21.01.2020 12:11:28	1	1	1	1	89.75	64.5	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	44.125	2004
21.01.2020 12:11:29	1	1	1	1	89.75	64	0	29526.066	494.6236559	14691.38151	30000	0	0	30000	44.6875	2004
21.01.2020 12:11:30	1	1	1	1	89.75	64.5	0	27298.578	488.172043	13326.44797	30000	0	0	30000	44.5625	2004
21.01.2020 12:11:31	1	1	1	1	89.75	64.5	0	29383.886	539.7849462	15949.50126	30000	0	0	30000	44.5	2004
21.01.2020 12:11:32	1	1	1	1	89.75	64.5	0	29857.82	535.483871	16116.65262	30000	0	0	30000	44.3125	2004
21.01.2020 12:11:33	1	1	1	1	90.5	64.25	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	44.5625	2004
21.01.2020 12:11:34	1	1	1	1	90.5	64.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.5	2004
21.01.2020 12:11:35	1	1	1	1	90.5	64.5	0	29620.853	541.9354839	16013.91569	30000	0	0	30000	44.6875	2004
21.01.2020 12:11:36	1	1	1	1	90.5	64.5	0	29526.066	483.8709677	14286.14139	30000	0	0	30000	44.1875	2004
21.01.2020 12:11:37	1	1	1	1	90.5	64	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.4375	2004
21.01.2020 12:11:38	1	1	1	1	90.5	64.25	0	29336.493	548.3870968	16150.89827	30000	0	0	30000	44.5	2004
21.01.2020 12:11:39	1	1	1	1	90.5	64.5	0	28009.479	490.3225806	13793.6564	30000	0	0	30000	44.5	2004
21.01.2020 12:11:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 12:11:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 12:11:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 12:11:44	1	0	1	1	92.75	20	0	0	0	0	30000	0	0	30000	0	2004
21.01.2020 12:11:45	1	1	1	1	92.75	65	0	0	0	0	30000	0	0	30000	44.8125	2004
21.01.2020 12:11:46	1	1	1	1	92.75	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
21.01.2020 12:11:47	1	1	1	1	92.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
21.01.2020 12:11:48	1	1	1	1	92.75	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
21.01.2020 12:11:49	1	1	1	1	92.75	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
21.01.2020 12:11:50	1	1	1	1	92.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
21.01.2020 12:11:51	1	1	1	1	92.75	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:11:52	1	1	1	1	92.75	64.75	0	0	0	0	30000	0	0	30000	44.6875	2004
21.01.2020 12:11:53	1	1	1	1	92.75	64.5	0	0	0	0	30000	0	0	30000	42.1875	2004
21.01.2020 12:11:54	1	1	1	1	91	62	0	9620.8531	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:11:55	1	1	1	1	91	64.75	0	11042.654	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:11:56	1	1	1	1	91	64.5	0	11753.555	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:11:57	1	1	1	1	91	64.5	0	12417.062	2.150537634	26.09191966	30000	0	0	30000	44.5	2004
21.01.2020 12:11:58	1	1	1	1	91	64.5	0	13127.962	6.451612903	83.9833664	30000	0	0	30000	44.6875	2004
21.01.2020 12:11:59	1	1	1	1	91	64.5	0	12938.389	10.75268817	110.8906585	30000	0	0	30000	44.5625	2004
21.01.2020 12:12:00	1	1	1	1	91	64.5	0	14786.73	19.35483871	286.1957438	30000	0	0	30000	44.625	2004
21.01.2020 12:12:01	1	1	1	1	91	64.5	0	15687.204	30.10752688	473.7314163	30000	0	0	30000	44.625	2004
21.01.2020 12:12:02	1	1	1	1	91	64.5	0	15829.384	34.40860215	543.0380779	30000	0	0	30000	44.9375	2004
21.01.2020 12:12:03	1	1	1	1	91	64.75	0	17156.398	49.46236559	847.9873889	30000	0	0	30000	45.0625	2004
21.01.2020 12:12:04	1	1	1	1	90.5	65	0	17914.692	60.21505376	1078.737803	30000	0	0	30000	44.625	2004
21.01.2020 12:12:05	1	1	1	1	90.5	64.75	0	18767.773	66.66666667	1247.519909	30000	0	0	30000	44.625	2004
21.01.2020 12:12:06	1	1	1	1	90.5	64.5	0	19431.28	77.41935484	1461.962873	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:12:07	1	1	1	1	90.5	64.75	0	20189.573	94.62365591	1871.279863	30000	0	0	30000	44.5	2004
21.01.2020 12:12:08	1	1	1	1	90.5	64.5	0	20995.261	120.4301075	2528.470089	30000	0	0	30000	44.625	2004
21.01.2020 12:12:09	1	1	1	1	90.5	64.5	0	18815.166	107.5268817	2062.892398	30000	0	0	30000	44.625	2004
21.01.2020 12:12:10	1	1	1	1	90.5	64.5	0	20236.967	124.7311828	2567.607969	30000	0	0	30000	44.625	2004
21.01.2020 12:12:11	1	1	1	1	90.5	64.5	0	23270.142	152.688172	3338.950344	30000	0	0	30000	44.5625	2004
21.01.2020 12:12:12	1	1	1	1	90.5	64.5	0	23933.649	182.7956989	4425.841872	30000	0	0	30000	44.5	2004
21.01.2020 12:12:13	1	1	1	1	89.5	64.5	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	43.1875	2004
21.01.2020 12:12:14	1	1	1	1	89.5	63	0	25592.417	212.9032258	5273.829261	30000	0	0	30000	44.125	2004
21.01.2020 12:12:15	1	1	1	1	89.5	64	0	24928.91	212.9032258	5307.259533	30000	0	0	30000	44.625	2004
21.01.2020 12:12:16	1	1	1	1	89.5	64.5	0	27109.005	292.4731183	7986.573533	30000	0	0	30000	43.875	2004
21.01.2020 12:12:17	1	1	1	1	89.5	63.75	0	25450.237	322.5806452	8224.6623	30000	0	0	30000	44.75	2004
21.01.2020 12:12:18	1	1	1	1	89.5	64.75	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.5625	2004
21.01.2020 12:12:20	1	1	1	1	89.5	64.5	0	29431.28	516.1290323	15214.85065	30000	0	0	30000	44.25	2004
21.01.2020 12:12:21	1	1	1	1	89.5	64.25	0	24407.583	445.1612903	10864.83842	30000	0	0	30000	44.625	2004
21.01.2020 12:12:22	1	1	1	1	89.5	64.5	0	29383.886	516.1290323	15190.38948	30000	0	0	30000	44.3125	2004
21.01.2020 12:12:23	1	1	1	1	89.5	64.25	0	23981.043	445.1612903	10674.85663	30000	0	0	30000	44.625	2004
21.01.2020 12:12:29	1	1	1	1	89.25	64	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	44.625	2004
21.01.2020 12:12:29	1	1	1	1	89.25	64	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	44.625	2004
21.01.2020 12:12:29	1	1	1	1	89.25	64	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	44.625	2004
21.01.2020 12:12:29	1	1	1	1	89.25	64	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	44.625	2004
21.01.2020 12:12:29	1	1	1	1	89.25	64	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	44.625	2004
21.01.2020 12:12:29	1	1	1	1	89.25	64	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	44.625	2004
21.01.2020 12:12:30	1	1	1	1	89.25	64.5	0	29668.246	458.0645161	13611.01296	30000	0	0	30000	44.5625	2004
21.01.2020 12:12:31	1	1	1	1	89.25	64.5	0	29620.853	453.7634409	13334.60169	30000	0	0	30000	44.625	2004
21.01.2020 12:12:32	1	1	1	1	89.25	64.5	0	29383.886	453.7634409	13544.15242	30000	0	0	30000	44.1875	2004
21.01.2020 12:12:33	1	1	1	1	89.25	64	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.4375	2004
21.01.2020 12:12:34	1	1	1	1	92.25	64.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.125	2004
21.01.2020 12:12:35	1	1	1	1	92.25	64	0	29952.607	492.4731183	14902.56299	30000	0	0	30000	43.875	2004
21.01.2020 12:12:36	1	1	1	1	92.25	63.75	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.5	2004
21.01.2020 12:12:37	1	1	1	1	92.25	64.5	0	29810.427	481.7204301	14383.17071	30000	0	0	30000	44.3125	2004
21.01.2020 12:12:38	1	1	1	1	92.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.625	2004
21.01.2020 12:12:39	1	1	1	1	92.25	64.5	0	27298.578	440.8602151	12034.89794	30000	0	0	30000	44.5	2004
21.01.2020 12:12:40	1	1	1	1	92.25	64.5	0	29526.066	488.172043	14476.93855	30000	0	0	30000	43.625	2004
21.01.2020 12:12:41	1	1	1	1	92.25	63.5	0	29810.427	496.7741935	14808.79515	30000	0	0	30000	44.1875	2004
21.01.2020 12:12:42	1	1	1	1	92.25	64	0	29146.919	464.516129	13539.26019	30000	0	0	30000	44.625	2004
21.01.2020 12:12:43	1	1	1	1	92.25	64.5	0	29952.607	535.483871	15974.77781	30000	0	0	30000	44.5625	2004
21.01.2020 12:12:44	1	1	1	1	90.75	63.5	0	29905.213	518.2795699	15498.60028	30000	0	0	30000	44.5625	2004
21.01.2020 12:12:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 12:12:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 12:12:47	1	0	1	1	89.25	20	0	0	0	0	30000	0	0	0	0	2004
21.01.2020 12:12:48	1	1	1	1	89.25	62	0	0	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:12:49	1	1	1	1	89.25	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:12:50	1	1	1	1	89.25	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
21.01.2020 12:12:51	1	1	1	1	89.25	64.75	0	0	0	0	0	30000	0	0	30000	44.875	2004
21.01.2020 12:12:52	1	1	1	1	89.25	64.75	0	0	0	0	0	30000	0	0	30000	44.9375	2004
21.01.2020 12:12:53	1	1	1	1	89.25	64.75	0	0	0	0	0	30000	0	0	30000	44.8125	2004
21.01.2020 12:12:54	1	1	1	1	89.25	64.75	0	0	0	0	0	30000	0	0	30000	44.875	2004
21.01.2020 12:12:55	1	1	1	1	89.25	64.75	0	0	0	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:12:56	1	1	1	1	89.25	64.75	0	0	0	0	0	30000	0	0	30000	44.6875	2004
21.01.2020 12:12:58	1	1	1	1	91.25	64.5	0	0	0	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:12:59	1	1	1	1	91.25	64.75	0	10710.9	0	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:13:00	1	1	1	1	91.25	64.5	0	11421.801	0	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:13:01	1	1	1	1	91.25	64.5	0	12369.668	2.150537634	26.09191966	30000	0	0	30000	44.6875	2004	
21.01.2020 12:13:02	1	1	1	1	91.25	64.5	0	13033.175	6.451612903	83.9833664	30000	0	0	30000	44.5	2004	
21.01.2020 12:13:03	1	1	1	1	91.25	64.5	0	12180.095	4.301075269	52.18383932	30000	0	0	30000	44.625	2004	
21.01.2020 12:13:04	1	1	1	1	91.25	64.5	0	14644.55	19.35483871	282.1188813	30000	0	0	30000	44.4375	2004	
21.01.2020 12:13:05	1	1	1	1	91.25	64.25	0	15308.057	27.95698925	427.2551844	30000	0	0	30000	44.5625	2004	
21.01.2020 12:13:06	1	1	1	1	91.25	64.5	0	16066.351	32.25806452	552.8225478	30000	0	0	30000	44.5625	2004	
21.01.2020 12:13:07	1	1	1	1	91.25	64.5	0	16919.431	45.16129032	799.880412	30000	0	0	30000	44.6875	2004	
21.01.2020 12:13:08	1	1	1	1	90.25	64.5	0	17677.725	60.21505376	1102.383606	30000	0	0	30000	44.625	2004	
21.01.2020 12:13:09	1	1	1	1	90.25	64.5	0	18341.232	64.51612903	1143.15223	30000	0	0	30000	44.625	2004	
21.01.2020 12:13:10	1	1	1	1	90.25	64.5	0	19099.526	73.11827957	1355.149077	30000	0	0	30000	44.5	2004	
21.01.2020 12:13:11	1	1	1	1	90.25	64.5	0	20000	88.17204301	1810.126926	30000	0	0	30000	44.5625	2004	
21.01.2020 12:13:12	1	1	1	1	90.25	64.5	0	20758.294	113.9784946	2365.395592	30000	0	0	30000	44.5625	2004	
21.01.2020 12:13:13	1	1	1	1	90.25	64.5	0	21469.194	120.4301075	2574.130949	30000	0	0	30000	44.5625	2004	
21.01.2020 12:13:14	1	1	1	1	90.25	64.5	0	22132.701	137.6344086	3046.23162	30000	0	0	30000	44.5625	2004	
21.01.2020 12:13:15	1	1	1	1	90.25	64.5	0	23080.569	163.4408602	3771.913136	30000	0	0	30000	44.5	2004	
21.01.2020 12:13:16	1	1	1	1	90.25	64.5	0	23791.469	169.8924731	4049.955155	30000	0	0	30000	44.6875	2004	
21.01.2020 12:13:17	1	1	1	1	90.25	64.5	0	24597.156	206.4516129	5068.355394	30000	0	0	30000	44.5	2004	
21.01.2020 12:13:18	1	1	1	1	89.75	64.5	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44.625	2004	
21.01.2020 12:13:19	1	1	1	1	89.75	64.5	0	26066.351	219.3548387	5773.652597	30000	0	0	30000	44.5625	2004	
21.01.2020 12:13:20	1	1	1	1	89.75	64.5	0	26919.431	253.7634409	6889.082162	30000	0	0	30000	44.875	2004	
21.01.2020 12:13:21	1	1	1	1	89.75	64.75	0	27725.118	322.5806452	9153.371565	30000	0	0	30000	44.75	2004	
21.01.2020 12:13:22	1	1	1	1	89.75	64.75	0	28436.019	359.1397849	10212.54043	30000	0	0	30000	44.625	2004	
21.01.2020 12:13:23	1	1	1	1	89.75	64.5	0	29241.706	481.7204301	14086.37513	30000	0	0	30000	44.9375	2004	
21.01.2020 12:13:24	1	1	1	1	89.75	64	0	26398.104	516.1290323	13592.2594	30000	0	0	30000	44.4375	2004	
21.01.2020 12:13:31	1	1	1	1	89.5	63.75	0	29857.82	563.4408602	16795.85791	30000	0	0	30000	44.4375	2004	
21.01.2020 12:13:31	1	1	1	1	89.5	63.75	0	29857.82	563.4408602	16795.85791	30000	0	0	30000	44.4375	2004	
21.01.2020 12:13:31	1	1	1	1	89.5	63.75	0	29857.82	563.4408602	16795.85791	30000	0	0	30000	44.4375	2004	
21.01.2020 12:13:31	1	1	1	1	89.5	63.75	0	29857.82	563.4408602	16795.85791	30000	0	0	30000	44.4375	2004	
21.01.2020 12:13:31	1	1	1	1	89.5	63.75	0	29857.82	563.4408602	16795.85791	30000	0	0	30000	44.4375	2004	
21.01.2020 12:13:31	1	1	1	1	89.5	63.75	0	29857.82	563.4408602	16795.85791	30000	0	0	30000	44.4375	2004	
21.01.2020 12:13:31	1	1	1	1	89.5	63.75	0	29857.82	563.4408602	16795.85791	30000	0	0	30000	44.4375	2004	
21.01.2020 12:13:31	1	1	1	1	89.5	64.25	0	30000	567.7419355	16967.08613	30000	0	0	30000	43.875	2004	
21.01.2020 12:13:32	1	1	1	1	89.5	63.75	0	25592.417	458.0645161	11700.59522	30000	0	0	30000	44.3125	2004	
21.01.2020 12:13:33	1	1	1	1	89.5	64.25	0	29905.213	529.0322581	15756.25798	30000	0	0	30000	44.5	2004	
21.01.2020 12:13:34	1	1	1	1	89.5	64.5	0	29146.919	537.6344086	15732.61218	30000	0	0	30000	44.5	2004	

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:13:35	1	1	1	1	89.5	64.5	0	28009.479	453.7634409	12709.21099	30000	0	0	30000	44.5	2004
21.01.2020 12:13:37	1	1	1	1	89.5	64.5	0	10426.54	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:13:38	1	1	1	1	88.75	64.5	0	10710.9	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:13:39	1	1	1	1	88.75	64.5	0	10853.081	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:13:40	1	1	1	1	88.75	64.5	0	12843.602	2.150537634	26.90729215	30000	0	0	30000	44.625	2004
21.01.2020 12:13:41	1	1	1	1	88.75	64.5	0	13412.322	4.301075269	57.07607425	30000	0	0	30000	44.5	2004
21.01.2020 12:13:42	1	1	1	1	88.75	64.5	0	14312.796	15.05376344	215.2583372	30000	0	0	30000	44.5625	2004
21.01.2020 12:13:43	1	1	1	1	88.75	64.5	0	14976.303	19.35483871	289.4572337	30000	0	0	30000	44.5625	2004
21.01.2020 12:13:44	1	1	1	1	88.75	64.5	0	15213.27	23.65591398	392.1941674	30000	0	0	30000	44.625	2004
21.01.2020 12:13:45	1	1	1	1	88.75	64.5	0	16682.464	36.55913978	609.898622	30000	0	0	30000	44.5	2004
21.01.2020 12:13:46	1	1	1	1	88.75	64.5	0	17393.365	51.61290323	822.7108417	30000	0	0	30000	44.4375	2004
21.01.2020 12:13:47	1	1	1	1	88.75	64.25	0	18151.659	60.21505376	1092.599136	30000	0	0	30000	44.625	2004
21.01.2020 12:13:48	1	1	1	1	89.75	64.5	0	18909.953	66.66666667	1219.797244	30000	0	0	30000	44.5625	2004
21.01.2020 12:13:49	1	1	1	1	89.75	64.5	0	19668.246	83.87096774	1649.498546	30000	0	0	30000	44.5	2004
21.01.2020 12:13:50	1	1	1	1	89.75	64.5	0	20568.72	103.2258065	2128.122197	30000	0	0	30000	44.5	2004
21.01.2020 12:13:51	1	1	1	1	89.75	64.5	0	21279.621	126.8817204	2608.376593	30000	0	0	30000	44.5625	2004
21.01.2020 12:13:52	1	1	1	1	89.75	64.5	0	21943.128	139.7849462	3020.1397	30000	0	0	30000	44.4375	2004
21.01.2020 12:13:53	1	1	1	1	89.75	64.25	0	22748.815	150.5376344	3480.009784	30000	0	0	30000	44.5	2004
21.01.2020 12:13:54	1	1	1	1	89.75	64.5	0	23601.896	184.9462366	4314.135841	30000	0	0	30000	44.5	2004
21.01.2020 12:13:55	1	1	1	1	89.75	64.5	0	24407.583	206.4516129	5029.217514	30000	0	0	30000	44.625	2004
21.01.2020 12:13:56	1	1	1	1	89.75	64.5	0	24549.763	206.4516129	5058.570924	30000	0	0	30000	44.5	2004
21.01.2020 12:13:57	1	1	1	1	89.75	64.5	0	25734.597	236.5591398	6232.707308	30000	0	0	30000	44.5	2004
21.01.2020 12:13:58	1	1	1	1	89	64.5	0	9431.2796	0	0	30000	0	0	30000	44.8125	2004
21.01.2020 12:13:59	1	1	1	1	89	64.75	0	10663.507	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:14:00	1	1	1	1	89	64.5	0	11706.161	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:01	1	1	1	1	89	64.25	0	12559.242	2.150537634	26.90729215	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:02	1	1	1	1	89	64.5	0	13317.536	8.602150538	85.61411138	30000	0	0	30000	44.625	2004
21.01.2020 12:14:03	1	1	1	1	89	64.5	0	12464.455	6.451612903	79.90650395	30000	0	0	30000	44.625	2004
21.01.2020 12:14:04	1	1	1	1	89	64.5	0	14834.123	23.65591398	350.6101704	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:05	1	1	1	1	89	64.25	0	15687.204	30.10752688	472.1006713	30000	0	0	30000	44.625	2004
21.01.2020 12:14:06	1	1	1	1	89	64.5	0	15876.777	36.55913978	546.2995679	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:07	1	1	1	1	89	64.5	0	17014.218	51.61290323	841.464409	30000	0	0	30000	44.625	2004
21.01.2020 12:14:08	1	1	1	1	89	64.5	0	17914.692	62.3655914	1155.382817	30000	0	0	30000	44.375	2004
21.01.2020 12:14:09	1	1	1	1	89	64.25	0	18767.773	70.96774194	1412.225152	30000	0	0	30000	44.625	2004
21.01.2020 12:14:10	1	1	1	1	89	64.5	0	19431.28	81.72043011	1633.191096	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:11	1	1	1	1	89	64.5	0	20189.573	94.62365591	1910.417743	30000	0	0	30000	44.625	2004
21.01.2020 12:14:12	1	1	1	1	89	64.5	0	21042.654	120.4301075	2528.470089	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:13	1	1	1	1	89	64.25	0	21800.948	137.6344086	3000.570761	30000	0	0	30000	44.625	2004
21.01.2020 12:14:14	1	1	1	1	89	64.5	0	22511.848	150.5376344	3388.688066	30000	0	0	30000	44.625	2004
21.01.2020 12:14:16	1	1	1	1	89	64.5	0	23317.536	169.8924731	4111.923464	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:17	1	1	1	1	89	64.5	0	24075.829	191.3978495	4598.70084	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:18	1	1	1	1	88.75	64.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:19	1	1	1	1	88.75	64.5	0	23412.322	206.4516129	4833.528117	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:14:20	1	1	1	1	88.75	64.5	0	26398.104	240.8602151	6358.274672	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:21	1	1	1	1	88.75	64.25	0	22132.701	236.5591398	5187.399777	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:22	1	1	1	1	88.75	64.25	0	27440.758	316.1290323	8674.747914	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:23	1	1	1	1	88.75	64.5	0	27535.545	337.6344086	9296.877123	30000	0	0	30000	44.5	2004
21.01.2020 12:14:24	1	1	1	1	88.75	64.5	0	27630.332	365.5913978	10160.35659	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:25	1	1	1	1	88.75	64.25	0	27819.905	367.7419355	10170.14106	30000	0	0	30000	44.625	2004
21.01.2020 12:14:26	1	1	1	1	88.75	64.5	0	27630.332	322.5806452	8779.115593	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:32	1	1	1	1	88.75	63.25	0	28436.019	458.0645161	12780.96377	30000	0	0	30000	43.8125	2004
21.01.2020 12:14:32	1	1	1	1	88.75	63.25	0	28436.019	458.0645161	12780.96377	30000	0	0	30000	43.8125	2004
21.01.2020 12:14:32	1	1	1	1	88.75	63.25	0	28436.019	458.0645161	12780.96377	30000	0	0	30000	43.8125	2004
21.01.2020 12:14:32	1	1	1	1	88.75	63.25	0	28436.019	458.0645161	12780.96377	30000	0	0	30000	43.8125	2004
21.01.2020 12:14:32	1	1	1	1	88.75	63.25	0	28436.019	458.0645161	12780.96377	30000	0	0	30000	43.8125	2004
21.01.2020 12:14:33	1	1	1	1	88.75	63.75	0	29620.853	520.4301075	15415.43228	30000	0	0	30000	44.1875	2004
21.01.2020 12:14:34	1	1	1	1	88.75	64	0	25924.171	481.7204301	12543.69038	30000	0	0	30000	43.875	2004
21.01.2020 12:14:35	1	1	1	1	88.75	63.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:36	1	1	1	1	88.75	64.25	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	44	2004
21.01.2020 12:14:37	1	1	1	1	88.75	64	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	44.6875	2004
21.01.2020 12:14:38	1	1	1	1	87.75	64.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.375	2004
21.01.2020 12:14:39	1	1	1	1	87.75	64.25	0	27914.692	516.1290323	14516.07643	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:40	1	1	1	1	87.75	64.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.5	2004
21.01.2020 12:14:41	1	1	1	1	87.75	64.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.3125	2004
21.01.2020 12:14:42	1	1	1	1	87.75	64.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	44.5	2004
21.01.2020 12:14:43	1	1	1	1	87.75	64.5	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	44.5	2004
21.01.2020 12:14:44	1	1	1	1	87.75	64.5	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	44.5	2004
21.01.2020 12:14:45	1	1	1	1	87.75	64.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:46	1	1	1	1	87.75	64.5	0	25734.597	453.7634409	11676.94942	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:47	1	1	1	1	88.75	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.375	2004
21.01.2020 12:14:48	1	1	1	1	88.75	64.25	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	44.125	2004
21.01.2020 12:14:49	1	1	1	1	88.75	64	0	29241.706	550.5376344	16061.20729	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:50	1	1	1	1	88.75	64.25	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	44	2004
21.01.2020 12:14:51	1	1	1	1	88.75	64	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	44.5	2004
21.01.2020 12:14:52	1	1	1	1	88.75	64.5	0	29526.066	529.0322581	15683.68983	30000	0	0	30000	44.5625	2004
21.01.2020 12:14:54	1	1	1	1	88.75	64.5	0	28957.346	550.5376344	16243.85073	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:55	1	1	1	1	88.75	64.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	44.375	2004
21.01.2020 12:14:56	1	1	1	1	88.75	64.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.4375	2004
21.01.2020 12:14:57	1	1	1	1	88.75	64.25	0	29052.133	552.688172	16030.22314	30000	0	0	30000	44.5	2004
21.01.2020 12:14:58	1	1	1	1	90	64.5	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	43.9375	2004
21.01.2020 12:14:59	1	1	1	1	90	63.75	0	28625.592	552.688172	15925.85546	30000	0	0	30000	44.4375	2004
21.01.2020 12:15:00	1	1	1	1	90	64.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.5	2004
21.01.2020 12:15:01	1	1	1	1	90	64.5	0	29052.133	546.2365591	16145.19066	30000	0	0	30000	44.375	2004
21.01.2020 12:15:02	1	1	1	1	90	64.25	0	29099.526	552.688172	16056.31506	30000	0	0	30000	43.875	2004
21.01.2020 12:15:03	1	1	1	1	90	63.75	0	29052.133	554.8387097	16306.63441	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:15:04	1	1	1	1	90	64.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.1875	2004
21.01.2020 12:15:05	1	1	1	1	90	64	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.375	2004
21.01.2020 12:15:06	1	1	1	1	90	64.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	44	2004
21.01.2020 12:15:07	1	1	1	1	90	64	0	29052.133	546.2365591	15692.65893	30000	0	0	30000	44.25	2004
21.01.2020 12:15:08	1	1	1	1	89.75	64.25	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	44.1875	2004
21.01.2020 12:15:09	1	1	1	1	89.75	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.5625	2004
21.01.2020 12:15:10	1	1	1	1	89.75	64.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	44.125	2004
21.01.2020 12:15:11	1	1	1	1	89.75	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:12	1	1	1	1	89.75	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.25	2004
21.01.2020 12:15:13	1	1	1	1	89.75	64.25	0	29526.066	503.2258065	14945.77773	30000	0	0	30000	44.4375	2004
21.01.2020 12:15:14	1	1	1	1	89.75	64.25	0	29289.1	544.0860215	16061.20729	30000	0	0	30000	44.125	2004
21.01.2020 12:15:15	1	1	1	1	89.75	64	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:16	1	1	1	1	89.75	64.25	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	44.875	2004
21.01.2020 12:15:17	1	1	1	1	89.75	64.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.8125	2004
21.01.2020 12:15:18	1	1	1	1	90.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.25	2004
21.01.2020 12:15:19	1	1	1	1	90.25	64.25	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	44.375	2004
21.01.2020 12:15:20	1	1	1	1	90.25	64.25	0	29810.427	533.3333333	15848.39508	30000	0	0	30000	43.875	2004
21.01.2020 12:15:21	1	1	1	1	90.25	63.75	0	25734.597	460.2150538	11932.16101	30000	0	0	30000	44.375	2004
21.01.2020 12:15:22	1	1	1	1	90.25	64.25	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	43.875	2004
21.01.2020 12:15:23	1	1	1	1	90.25	63.75	0	29336.493	535.483871	16013.10032	30000	0	0	30000	44.25	2004
21.01.2020 12:15:24	1	1	1	1	90.25	64.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.1875	2004
21.01.2020 12:15:25	1	1	1	1	90.25	64	0	29241.706	537.6344086	15960.91648	30000	0	0	30000	44.1875	2004
21.01.2020 12:15:26	1	1	1	1	90.25	64	0	29526.066	509.6774194	15263.773	30000	0	0	30000	44.0625	2004
21.01.2020 12:15:27	1	1	1	1	89.75	64	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	44.5625	2004
21.01.2020 12:15:34	1	1	1	1	89.75	64	0	24976.303	466.6666667	11708.74895	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:34	1	1	1	1	89.75	64	0	24976.303	466.6666667	11708.74895	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:34	1	1	1	1	89.75	64	0	24976.303	466.6666667	11708.74895	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:34	1	1	1	1	89.75	64	0	24976.303	466.6666667	11708.74895	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:34	1	1	1	1	89.75	64	0	24976.303	466.6666667	11708.74895	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:34	1	1	1	1	89.75	64	0	24976.303	466.6666667	11708.74895	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:35	1	1	1	1	89.75	64.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	44.5	2004
21.01.2020 12:15:36	1	1	1	1	89.75	64.5	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.5	2004
21.01.2020 12:15:37	1	1	1	1	89.75	64.5	0	28388.626	483.8709677	13881.71663	30000	0	0	30000	44.125	2004
21.01.2020 12:15:38	1	1	1	1	90.5	64	0	27962.085	488.172043	13650.15084	30000	0	0	30000	44.625	2004
21.01.2020 12:15:39	1	1	1	1	90.5	64.5	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	43.8125	2004
21.01.2020 12:15:40	1	1	1	1	90.5	63.75	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	44.5	2004
21.01.2020 12:15:41	1	1	1	1	90.5	64.5	0	29573.46	509.6774194	15072.97584	30000	0	0	30000	44.25	2004
21.01.2020 12:15:42	1	1	1	1	90.5	64.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.25	2004
21.01.2020 12:15:43	1	1	1	1	90.5	64.25	0	29289.1	552.688172	15607.04482	30000	0	0	30000	44.0625	2004
21.01.2020 12:15:44	1	1	1	1	90.5	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.125	2004
21.01.2020 12:15:45	1	1	1	1	90.5	64	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.1875	2004
21.01.2020 12:15:46	1	1	1	1	90.5	64	0	29383.886	539.7849462	15949.50126	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:47	1	1	1	1	90.5	64.25	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:15:48	1	1	1	1	91	63.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.3125	2004
21.01.2020 12:15:49	1	1	1	1	91	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.0625	2004
21.01.2020 12:15:50	1	1	1	1	91	63	0	28862.559	481.7204301	13593.07477	30000	0	0	30000	43.5	2004
21.01.2020 12:15:51	1	1	1	1	91	63.5	0	28957.346	494.6236559	14384.80146	30000	0	0	30000	43.8125	2004
21.01.2020 12:15:52	1	1	1	1	91	63.75	0	29905.213	492.4731183	14662.84348	30000	0	0	30000	44.375	2004
21.01.2020 12:15:53	1	1	1	1	91	64.25	0	30000	503.2258065	14902.56299	30000	0	0	30000	44.4375	2004
21.01.2020 12:15:56	1	1	1	1	91	64	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.8125	2004
21.01.2020 12:15:56	1	1	1	1	91	64	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.8125	2004
21.01.2020 12:15:56	1	1	1	1	91	64	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.8125	2004
21.01.2020 12:15:57	1	1	1	1	91	64.5	0	26777.251	464.516129	12460.52238	30000	0	0	30000	44.0625	2004
21.01.2020 12:15:58	1	1	1	1	91	64	0	27962.085	460.2150538	12890.22368	30000	0	0	30000	44	2004
21.01.2020 12:15:59	1	1	1	1	91	64	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	44.0625	2004
21.01.2020 12:16:00	1	1	1	1	91	64	0	27867.299	451.6129032	12764.65632	30000	0	0	30000	43.9375	2004
21.01.2020 12:16:01	1	1	1	1	91	63.75	0	29573.46	464.516129	13737.3957	30000	0	0	30000	44.3125	2004
21.01.2020 12:16:02	1	1	1	1	91	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.75	2004
21.01.2020 12:16:03	1	1	1	1	91	63.75	0	28009.479	458.0645161	12829.88612	30000	0	0	30000	44.375	2004
21.01.2020 12:16:04	1	1	1	1	91	64.25	0	29857.82	466.6666667	13933.0851	30000	0	0	30000	44.375	2004
21.01.2020 12:16:05	1	1	1	1	91	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
21.01.2020 12:16:06	1	1	1	1	91	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.8125	2004
21.01.2020 12:16:07	1	1	1	1	91	63.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.5	2004
21.01.2020 12:16:08	1	1	1	1	91	64.5	0	29905.213	496.7741935	14750.9037	30000	0	0	30000	44.4375	2004
21.01.2020 12:16:09	1	1	1	1	91	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.75	2004
21.01.2020 12:16:11	1	1	1	1	91	63.75	0	30000	516.1290323	15612.75243	30000	0	0	30000	44.5	2004
21.01.2020 12:16:12	1	1	1	1	91	64.5	0	29905.213	468.8172043	14061.91395	30000	0	0	30000	44.125	2004
21.01.2020 12:16:13	1	1	1	1	91	64	0	26919.431	488.172043	13164.18884	30000	0	0	30000	44.3125	2004
21.01.2020 12:16:14	1	1	1	1	91	64.25	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	44.5625	2004
21.01.2020 12:16:15	1	1	1	1	91	64.5	0	28009.479	445.1612903	12468.67611	30000	0	0	30000	43.75	2004
21.01.2020 12:16:16	1	1	1	1	91	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.4375	2004
21.01.2020 12:16:17	1	1	1	1	91	64.25	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.4375	2004
21.01.2020 12:16:18	1	1	1	1	89.75	64.25	0	29052.133	526.8817204	15331.44892	30000	0	0	30000	44.25	2004
21.01.2020 12:16:19	1	1	1	1	89.75	64.25	0	27440.758	466.6666667	12805.42494	30000	0	0	30000	44.3125	2004
21.01.2020 12:16:20	1	1	1	1	89.75	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.4375	2004
21.01.2020 12:16:21	1	1	1	1	89.75	64.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.375	2004
21.01.2020 12:16:22	1	1	1	1	89.75	64.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.3125	2004
21.01.2020 12:16:23	1	1	1	1	89.75	64.25	0	29478.673	451.6129032	13227.78789	30000	0	0	30000	43.75	2004
21.01.2020 12:16:24	1	1	1	1	89.75	63.75	0	30000	481.7204301	13955.10015	30000	0	0	30000	43.8125	2004
21.01.2020 12:16:25	1	1	1	1	89.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
21.01.2020 12:16:26	1	1	1	1	89.75	64	0	29952.607	464.516129	13913.51616	30000	0	0	30000	44.5625	2004
21.01.2020 12:16:27	1	1	1	1	89.75	64.5	0	30000	488.172043	14644.90528	30000	0	0	30000	43.6875	2004
21.01.2020 12:16:28	1	1	1	1	89.75	63.5	0	29289.1	445.1612903	13059.00579	30000	0	0	30000	44	2004
21.01.2020 12:16:29	1	1	1	1	89.75	64	0	29857.82	445.1612903	13291.38695	30000	0	0	30000	43.4375	2004
21.01.2020 12:16:36	1	1	1	1	89.75	63.75	0	29857.82	464.516129	13676.24276	30000	0	0	30000	44.75	2004
21.01.2020 12:16:36	1	1	1	1	89.75	63.75	0	29857.82	464.516129	13676.24276	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:16:36	1	1	1	1	89.75	63.75	0	29857.82	464.516129	13676.24276	30000	0	0	30000	44.75	2004
21.01.2020 12:16:36	1	1	1	1	89.75	63.75	0	29857.82	464.516129	13676.24276	30000	0	0	30000	44.75	2004
21.01.2020 12:16:36	1	1	1	1	89.75	63.75	0	29857.82	464.516129	13676.24276	30000	0	0	30000	44.75	2004
21.01.2020 12:16:36	1	1	1	1	89.75	63.75	0	29857.82	464.516129	13676.24276	30000	0	0	30000	44.75	2004
21.01.2020 12:16:36	1	1	1	1	89.75	64.75	0	29857.82	464.516129	13869.48604	30000	0	0	30000	44.375	2004
21.01.2020 12:16:37	1	1	1	1	90.25	64.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	44.3125	2004
21.01.2020 12:16:38	1	1	1	1	90.25	64.25	0	29905.213	486.0215054	14598.42905	30000	0	0	30000	44.0625	2004
21.01.2020 12:16:39	1	1	1	1	90.25	64	0	27819.905	453.7634409	12623.59688	30000	0	0	30000	44.4375	2004
21.01.2020 12:16:40	1	1	1	1	90.25	64.25	0	29810.427	458.0645161	13611.01296	30000	0	0	30000	44.375	2004
21.01.2020 12:16:41	1	1	1	1	90.25	64.25	0	27867.299	451.6129032	12524.93681	30000	0	0	30000	44.0625	2004
21.01.2020 12:16:42	1	1	1	1	90.25	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.5	2004
21.01.2020 12:16:43	1	1	1	1	90.25	64.5	0	27582.938	481.7204301	13310.14052	30000	0	0	30000	44.1875	2004
21.01.2020 12:16:44	1	1	1	1	90.25	64	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	43.8125	2004
21.01.2020 12:16:45	1	1	1	1	90.25	63.75	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	43.375	2004
21.01.2020 12:16:46	1	1	1	1	90.25	63.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	43.875	2004
21.01.2020 12:16:48	1	1	1	1	91	63.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	44.375	2004
21.01.2020 12:16:49	1	1	1	1	91	64.25	0	29810.427	488.172043	14551.95282	30000	0	0	30000	44.0625	2004
21.01.2020 12:16:50	1	1	1	1	91	64	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	44.5	2004
21.01.2020 12:16:51	1	1	1	1	91	64.5	0	29905.213	516.1290323	15177.34352	30000	0	0	30000	44.25	2004
21.01.2020 12:16:52	1	1	1	1	91	64.25	0	29478.673	466.6666667	13778.16432	30000	0	0	30000	44.0625	2004
21.01.2020 12:16:53	1	1	1	1	91	64	0	29099.526	483.8709677	14102.68258	30000	0	0	30000	44.5	2004
21.01.2020 12:16:54	1	1	1	1	91	64.5	0	29857.82	488.172043	14598.42905	30000	0	0	30000	44.1875	2004
21.01.2020 12:16:55	1	1	1	1	91	64	0	29431.28	449.4623656	13354.17063	30000	0	0	30000	44.4375	2004
21.01.2020 12:16:56	1	1	1	1	91	64.25	0	29763.033	537.6344086	15911.99413	30000	0	0	30000	44.25	2004
21.01.2020 12:16:57	1	1	1	1	91	64.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.4375	2004
21.01.2020 12:16:58	1	1	1	1	91.25	64.25	0	0	0	0	30000	0	8	30000	44.0625	2004
21.01.2020 12:16:59	1	1	1	1	91.25	64	0	10000	0	0	30000	0	0	30000	44.6875	2004
21.01.2020 12:17:00	1	1	1	1	91.25	64.5	0	10853.081	0	0	30000	0	0	30000	44.6875	2004
21.01.2020 12:17:01	1	1	1	1	91.25	64.5	0	11611.374	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:02	1	1	1	1	91.25	64.5	0	11848.341	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:03	1	1	1	1	91.25	64.5	0	12654.028	2.150537634	26.90729215	30000	0	0	30000	44.625	2004
21.01.2020 12:17:04	1	1	1	1	91.25	64.5	0	13791.469	8.602150538	88.87560134	30000	0	0	30000	44.625	2004
21.01.2020 12:17:05	1	1	1	1	91.25	64.5	0	14691.943	15.05376344	220.9659446	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:06	1	1	1	1	91.25	64.5	0	15213.27	23.65591398	359.5792678	30000	0	0	30000	44.5	2004
21.01.2020 12:17:07	1	1	1	1	91.25	64.5	0	16303.318	30.10752688	489.2234936	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:08	1	1	1	1	91.5	64.5	0	17014.218	40.86021505	694.6973609	30000	0	0	30000	44.375	2004
21.01.2020 12:17:09	1	1	1	1	91.5	64.25	0	17772.512	51.61290323	917.2940505	30000	0	0	30000	44.625	2004
21.01.2020 12:17:10	1	1	1	1	91.5	64.5	0	18151.659	51.61290323	897.7251108	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:11	1	1	1	1	91.5	64.5	0	19241.706	62.3655914	1196.966814	30000	0	0	30000	44.75	2004
21.01.2020 12:17:12	1	1	1	1	91.5	64.75	0	20142.18	79.56989247	1602.206942	30000	0	0	30000	44.5	2004
21.01.2020 12:17:13	1	1	1	1	91.5	64.5	0	20853.081	96.77419355	2018.046911	30000	0	0	30000	44.8125	2004
21.01.2020 12:17:14	1	1	1	1	91.5	64.75	0	21706.161	109.6774194	2380.072296	30000	0	0	30000	44.625	2004
21.01.2020 12:17:15	1	1	1	1	91.5	64.5	0	22417.062	122.5806452	2747.805289	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:17:16	1	1	1	1	91.5	64.25	0	23080.569	137.6344086	3189.737178	30000	0	0	30000	44.3125	2004
21.01.2020 12:17:17	1	1	1	1	91	64.25	0	23791.469	137.6344086	3274.535917	30000	0	0	30000	44.5	2004
21.01.2020 12:17:18	1	1	1	1	91	64.5	0	24691.943	169.8924731	4194.276085	30000	0	0	30000	44.5	2004
21.01.2020 12:17:19	1	1	1	1	91	64.5	0	25450.237	182.7956989	4542.440138	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:20	1	1	1	1	91	64.5	0	25165.877	169.8924731	4274.997962	30000	0	0	30000	44.5	2004
21.01.2020 12:17:21	1	1	1	1	91	64.5	0	26682.464	193.5483871	5163.753975	30000	0	0	30000	44.6875	2004
21.01.2020 12:17:22	1	1	1	1	91	64.5	0	26919.431	215.0537634	5731.253228	30000	0	0	30000	44.625	2004
21.01.2020 12:17:23	1	1	1	1	91	64.5	0	24454.976	178.4946237	4425.841872	30000	0	0	30000	44.5	2004
21.01.2020 12:17:24	1	1	1	1	91	64.5	0	26682.464	219.3548387	5794.852282	30000	0	0	30000	44.625	2004
21.01.2020 12:17:26	1	1	1	1	91	64.5	0	26824.645	223.655914	5931.019487	30000	0	0	30000	43.5625	2004
21.01.2020 12:17:27	1	1	1	1	91	63.5	0	26919.431	232.2580645	6067.186693	30000	0	0	30000	44.625	2004
21.01.2020 12:17:28	1	1	1	1	90.25	64.5	0	26777.251	253.7634409	6737.422879	30000	0	0	30000	44.5	2004
21.01.2020 12:17:29	1	1	1	1	90.25	64.5	0	27630.332	264.516129	7418.258908	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:30	1	1	1	1	90.25	64.5	0	27867.299	283.8709677	7910.743892	30000	0	0	30000	44.4375	2004
21.01.2020 12:17:31	1	1	1	1	90.25	64.25	0	29336.493	296.7741935	8769.331123	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:37	1	1	1	1	90.25	64.5	0	27345.972	322.5806452	8879.406409	30000	0	0	30000	44.625	2004
21.01.2020 12:17:37	1	1	1	1	90.25	64.5	0	27345.972	322.5806452	8879.406409	30000	0	0	30000	44.625	2004
21.01.2020 12:17:37	1	1	1	1	90.25	64.5	0	27345.972	322.5806452	8879.406409	30000	0	0	30000	44.625	2004
21.01.2020 12:17:37	1	1	1	1	90.25	64.5	0	27345.972	322.5806452	8879.406409	30000	0	0	30000	44.625	2004
21.01.2020 12:17:37	1	1	1	1	90.25	64.5	0	27345.972	322.5806452	8879.406409	30000	0	0	30000	44.625	2004
21.01.2020 12:17:37	1	1	1	1	90.25	64.5	0	27345.972	322.5806452	8879.406409	30000	0	0	30000	44.625	2004
21.01.2020 12:17:38	1	1	1	1	90	64.5	0	29810.427	329.0322581	9808.115674	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:39	1	1	1	1	90	64.5	0	29526.066	298.9247312	8889.190879	30000	0	0	30000	44.375	2004
21.01.2020 12:17:40	1	1	1	1	90	64.25	0	29857.82	329.0322581	9680.102193	30000	0	0	30000	44.3125	2004
21.01.2020 12:17:41	1	1	1	1	90	64.25	0	29857.82	326.8817204	9760.008697	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:42	1	1	1	1	90	64.5	0	29857.82	337.6344086	10144.86451	30000	0	0	30000	44.5625	2004
21.01.2020 12:17:43	1	1	1	1	90	64.5	0	29905.213	363.4408602	10850.97709	30000	0	0	30000	44.6875	2004
21.01.2020 12:17:44	1	1	1	1	90	64.5	0	24407.583	305.3763441	7534.857174	30000	0	0	30000	44.375	2004
21.01.2020 12:17:45	1	1	1	1	90	64.25	0	28815.166	303.2258065	8737.531596	30000	0	0	30000	44.6875	2004
21.01.2020 12:17:46	1	1	1	1	90	64.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	44.3125	2004
21.01.2020 12:17:47	1	1	1	1	90	64.25	0	28862.559	361.2903226	10648.76471	30000	0	0	30000	44.375	2004
21.01.2020 12:17:48	1	1	1	1	89.5	64.25	0	29573.46	337.6344086	9921.45245	30000	0	0	30000	43.5625	2004
21.01.2020 12:17:49	1	1	1	1	89.5	63.5	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	44.625	2004
21.01.2020 12:17:50	1	1	1	1	89.5	64.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	44.375	2004
21.01.2020 12:17:51	1	1	1	1	89.5	64.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	44.3125	2004
21.01.2020 12:17:52	1	1	1	1	89.5	64.25	0	29620.853	335.483871	10000.54358	30000	0	0	30000	43.9375	2004
21.01.2020 12:17:53	1	1	1	1	89.5	63.75	0	0	0	0	30000	0	8	30000	44.125	2004
21.01.2020 12:17:54	1	1	1	1	89.5	64.25	0	0	0	0	30000	0	8	30000	44.75	2004
21.01.2020 12:17:55	1	1	1	1	89.5	64.75	0	10663.507	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:17:56	1	1	1	1	89.5	64.5	0	11421.801	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:17:57	1	1	1	1	90.5	64.5	0	12180.095	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:17:58	1	1	1	1	90.5	64.5	0	12985.782	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:17:59	1	1	1	1	90.5	64.5	0	13744.076	2.150537634	29.35340962	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:18:00	1	1	1	1	90.5	64.25	0	14454.976	6.451612903	92.95246378	30000	0	0	30000	44.5625	2004
21.01.2020 12:18:01	1	1	1	1	90.5	64.5	0	15308.057	10.75268817	163.8898704	30000	0	0	30000	44.5	2004
21.01.2020 12:18:02	1	1	1	1	90.5	64.5	0	16066.351	19.35483871	310.6569184	30000	0	0	30000	44.5625	2004
21.01.2020 12:18:03	1	1	1	1	90.5	64.5	0	16777.251	25.80645161	396.2710298	30000	0	0	30000	44.5	2004
21.01.2020 12:18:05	1	1	1	1	90.5	64.5	0	17535.545	32.25806452	565.0531351	30000	0	0	30000	44.375	2004
21.01.2020 12:18:06	1	1	1	1	90.5	64.25	0	18341.232	40.86021505	749.3273177	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:07	1	1	1	1	90.5	64.25	0	19004.739	40.86021505	776.2346098	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:08	1	1	1	1	90.25	64.25	0	19857.82	55.91397849	1067.322589	30000	0	0	30000	44.375	2004
21.01.2020 12:18:09	1	1	1	1	90.25	64.25	0	20521.327	60.21505376	1191.259207	30000	0	0	30000	44.375	2004
21.01.2020 12:18:10	1	1	1	1	90.25	64.25	0	21374.408	75.2688172	1608.729921	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:11	1	1	1	1	90.25	64.25	0	22227.488	88.17204301	1959.340092	30000	0	0	30000	44.5	2004
21.01.2020 12:18:12	1	1	1	1	90.25	64.5	0	22985.782	103.2258065	2362.949474	30000	0	0	30000	44.25	2004
21.01.2020 12:18:13	1	1	1	1	90.25	64.25	0	23696.682	109.6774194	2644.252983	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:14	1	1	1	1	90.25	64.25	0	23838.863	113.9784946	2716.821134	30000	0	0	30000	44.5625	2004
21.01.2020 12:18:15	1	1	1	1	90.25	64.5	0	21469.194	103.2258065	2206.397956	30000	0	0	30000	44.5625	2004
21.01.2020 12:18:16	1	1	1	1	90.25	64.5	0	24218.009	120.4301075	2916.587394	30000	0	0	30000	44.625	2004
21.01.2020 12:18:17	1	1	1	1	90.25	64.5	0	23649.289	120.4301075	2848.096105	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:18	1	1	1	1	90	64.25	0	24976.303	144.0860215	3598.238795	30000	0	0	30000	44.5625	2004
21.01.2020 12:18:19	1	1	1	1	90	64.5	0	24502.37	152.688172	3740.928981	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:20	1	1	1	1	90	64.25	0	25308.057	156.9892473	3972.494768	30000	0	0	30000	44.5	2004
21.01.2020 12:18:21	1	1	1	1	90	64.5	0	24691.943	169.8924731	4194.276085	30000	0	0	30000	44.5625	2004
21.01.2020 12:18:22	1	1	1	1	90	64.5	0	25639.81	169.8924731	4355.719838	30000	0	0	30000	44.5625	2004
21.01.2020 12:18:23	1	1	1	1	90	64.5	0	26966.825	191.3978495	5161.307857	30000	0	0	30000	44.375	2004
21.01.2020 12:18:24	1	1	1	1	90	64.25	0	25876.777	206.4516129	5352.10502	30000	0	0	30000	44	2004
21.01.2020 12:18:25	1	1	1	1	90	64	0	26398.104	210.7526882	5619.547196	30000	0	0	30000	44.5	2004
21.01.2020 12:18:26	1	1	1	1	90	64.5	0	26587.678	206.4516129	5489.087598	30000	0	0	30000	44.5	2004
21.01.2020 12:18:27	1	1	1	1	90	64.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	43.8125	2004
21.01.2020 12:18:28	1	1	1	1	89.25	63.75	0	29146.919	232.2580645	6894.78977	30000	0	0	30000	44.5	2004
21.01.2020 12:18:29	1	1	1	1	89.25	64.5	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:30	1	1	1	1	89.25	64.25	0	26208.531	217.2043011	5727.991738	30000	0	0	30000	44.75	2004
21.01.2020 12:18:31	1	1	1	1	89.25	64.75	0	27582.938	221.5053763	6109.586063	30000	0	0	30000	44.6875	2004
21.01.2020 12:18:32	1	1	1	1	89.25	64.5	0	27298.578	219.3548387	5956.296035	30000	0	0	30000	43.5	2004
21.01.2020 12:18:39	1	1	1	1	88	64.5	0	26445.498	270.9677419	7222.569511	30000	0	0	30000	44.375	2004
21.01.2020 12:18:39	1	1	1	1	88	64.5	0	26445.498	270.9677419	7222.569511	30000	0	0	30000	44.375	2004
21.01.2020 12:18:39	1	1	1	1	88	64.5	0	26445.498	270.9677419	7222.569511	30000	0	0	30000	44.375	2004
21.01.2020 12:18:39	1	1	1	1	88	64.5	0	26445.498	270.9677419	7222.569511	30000	0	0	30000	44.375	2004
21.01.2020 12:18:39	1	1	1	1	88	64.5	0	26445.498	270.9677419	7222.569511	30000	0	0	30000	44.375	2004
21.01.2020 12:18:39	1	1	1	1	88	64.25	0	27298.578	294.6236559	8042.834235	30000	0	0	30000	44.3125	2004
21.01.2020 12:18:40	1	1	1	1	88	64.25	0	28957.346	322.5806452	9340.907238	30000	0	0	30000	44.125	2004
21.01.2020 12:18:41	1	1	1	1	88	64	0	27298.578	307.5268817	8395.07515	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:42	1	1	1	1	88	64.25	0	27630.332	329.0322581	9090.587884	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:44	1	1	1	1	88	64.25	0	27393.365	329.0322581	8997.63542	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:18:45	1	1	1	1	88	64.25	0	27582.938	339.7849462	9371.891392	30000	0	0	30000	44.25	2004
21.01.2020 12:18:46	1	1	1	1	88	64.25	0	27440.758	341.9354839	9382.491235	30000	0	0	30000	44.5	2004
21.01.2020 12:18:47	1	1	1	1	88	64.5	0	28436.019	369.8924731	10596.58087	30000	0	0	30000	44.3125	2004
21.01.2020 12:18:48	1	1	1	1	87.75	64.25	0	27867.299	369.8924731	10307.93901	30000	0	0	30000	44.25	2004
21.01.2020 12:18:49	1	1	1	1	87.75	64.25	0	28483.412	363.4408602	10351.96912	30000	0	0	30000	44.375	2004
21.01.2020 12:18:50	1	1	1	1	87.75	64.25	0	28388.626	400	11477.18316	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:51	1	1	1	1	87.75	64.25	0	28483.412	412.9032258	11760.93279	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:52	1	1	1	1	87.75	64.25	0	24218.009	372.0430108	9009.866007	30000	0	0	30000	44.5	2004
21.01.2020 12:18:53	1	1	1	1	87.75	64.5	0	28862.559	427.9569892	12537.98277	30000	0	0	30000	44	2004
21.01.2020 12:18:54	1	1	1	1	87.75	64	0	29715.64	412.9032258	12333.32427	30000	0	0	30000	44.25	2004
21.01.2020 12:18:55	1	1	1	1	87.75	64.25	0	24028.436	391.3978495	9334.384258	30000	0	0	30000	44.125	2004
21.01.2020 12:18:56	1	1	1	1	87.75	64	0	29715.64	466.6666667	13867.03993	30000	0	0	30000	44	2004
21.01.2020 12:18:57	1	1	1	1	87.75	64	0	29526.066	481.7204301	14246.18813	30000	0	0	30000	44.5	2004
21.01.2020 12:18:58	1	1	1	1	88.75	64.5	0	29383.886	481.7204301	13860.51695	30000	0	0	30000	44.4375	2004
21.01.2020 12:18:59	1	1	1	1	88.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
21.01.2020 12:19:00	1	1	1	1	88.75	64.25	0	29383.886	468.8172043	13860.51695	30000	0	0	30000	43.9375	2004
21.01.2020 12:19:01	1	1	1	1	88.75	63.75	0	28246.445	384.9462366	10855.05395	30000	0	0	30000	43.6875	2004
21.01.2020 12:19:02	1	1	1	1	88.75	63.5	0	30000	488.172043	14644.90528	30000	0	0	30000	43.6875	2004
21.01.2020 12:19:03	1	1	1	1	88.75	63.5	0	29905.213	488.172043	14727.2579	30000	0	0	30000	44.125	2004
21.01.2020 12:19:04	1	1	1	1	88.75	64	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.1875	2004
21.01.2020 12:19:05	1	1	1	1	88.75	64	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.0625	2004
21.01.2020 12:19:06	1	1	1	1	88.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
21.01.2020 12:19:07	1	1	1	1	88.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
21.01.2020 12:19:08	1	1	1	1	88.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
21.01.2020 12:19:09	1	1	1	1	88.5	64.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	43.625	2004
21.01.2020 12:19:10	1	1	1	1	88.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
21.01.2020 12:19:11	1	1	1	1	88.5	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.1875	2004
21.01.2020 12:19:12	1	1	1	1	88.5	64.25	0	29146.919	449.4623656	13162.5581	30000	0	0	30000	44.0625	2004
21.01.2020 12:19:13	1	1	1	1	88.5	64	0	30000	466.6666667	13977.93058	30000	0	0	30000	43.9375	2004
21.01.2020 12:19:14	1	1	1	1	88.5	63.75	0	27867.299	369.8924731	10367.4612	30000	0	0	30000	43.5	2004
21.01.2020 12:19:15	1	1	1	1	88.5	63.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.25	2004
21.01.2020 12:19:16	1	1	1	1	88.5	64.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	44	2004
21.01.2020 12:19:17	1	1	1	1	88.5	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.125	2004
21.01.2020 12:19:18	1	1	1	1	88.5	64	0	28815.166	341.9354839	9852.961161	30000	0	0	30000	44.1875	2004
21.01.2020 12:19:19	1	1	1	1	88.5	64	0	28009.479	389.2473118	10902.34555	30000	0	0	30000	44.3125	2004
21.01.2020 12:19:20	1	1	1	1	88.5	64.25	0	29289.1	365.5913978	10661.81067	30000	0	0	30000	44.25	2004
21.01.2020 12:19:21	1	1	1	1	88.5	64.25	0	29810.427	395.6989247	11731.57938	30000	0	0	30000	44.3125	2004
21.01.2020 12:19:23	1	1	1	1	88.5	64.25	0	30000	421.5053763	12709.21099	30000	0	0	30000	43.8125	2004
21.01.2020 12:19:24	1	1	1	1	88.5	63.75	0	29620.853	359.1397849	10637.3495	30000	0	0	30000	44.25	2004
21.01.2020 12:19:25	1	1	1	1	88.5	64.25	0	27867.299	305.3763441	8464.381812	30000	0	0	30000	44.375	2004
21.01.2020 12:19:26	1	1	1	1	88.5	64.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	44.0625	2004
21.01.2020 12:19:27	1	1	1	1	88.5	64	0	26777.251	296.7741935	7975.973691	30000	0	0	30000	43.9375	2004
21.01.2020 12:19:28	1	1	1	1	88.5	63.75	0	29715.64	365.5913978	10799.60862	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:19:29	1	1	1	1	88.5	64	0	26540.284	348.3870968	9189.247955	30000	0	0	30000	44.125	2004
21.01.2020 12:19:30	1	1	1	1	88.5	64	0	27345.972	365.5913978	10055.98891	30000	0	0	30000	44.3125	2004
21.01.2020 12:19:31	1	1	1	1	88.5	64.25	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	44.3125	2004
21.01.2020 12:19:32	1	1	1	1	88.5	64.25	0	30000	451.6129032	13741.47256	30000	0	0	30000	43.75	2004
21.01.2020 12:19:33	1	1	1	1	88.5	63.75	0	30047.393	455.9139785	13741.47256	30000	0	0	30000	44.3125	2004
21.01.2020 12:19:34	1	1	1	1	88.5	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.3125	2004
21.01.2020 12:19:40	1	1	1	1	90	64	0	30000	455.9139785	13741.47256	30000	0	0	30000	44.5	2004
21.01.2020 12:19:40	1	1	1	1	90	64	0	30000	455.9139785	13741.47256	30000	0	0	30000	44.5	2004
21.01.2020 12:19:40	1	1	1	1	90	64	0	30000	455.9139785	13741.47256	30000	0	0	30000	44.5	2004
21.01.2020 12:19:40	1	1	1	1	90	64	0	30000	455.9139785	13741.47256	30000	0	0	30000	44.5	2004
21.01.2020 12:19:40	1	1	1	1	90	64	0	30000	455.9139785	13741.47256	30000	0	0	30000	44.5	2004
21.01.2020 12:19:41	1	1	1	1	90	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 12:19:42	1	1	1	1	90	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
21.01.2020 12:19:43	1	1	1	1	90	64.25	0	28341.232	458.0645161	13042.69834	30000	0	0	30000	43.9375	2004
21.01.2020 12:19:44	1	1	1	1	90	63.75	0	29620.853	511.827957	15160.22069	30000	0	0	30000	44.375	2004
21.01.2020 12:19:45	1	1	1	1	90	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.1875	2004
21.01.2020 12:19:46	1	1	1	1	90	64	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44.25	2004
21.01.2020 12:19:47	1	1	1	1	90	64.25	0	30000	507.5268817	15008.56141	30000	0	0	30000	44.375	2004
21.01.2020 12:19:48	1	1	1	1	89.25	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.375	2004
21.01.2020 12:19:49	1	1	1	1	89.25	64.25	0	30000	518.2795699	15459.4624	30000	0	0	30000	43.875	2004
21.01.2020 12:19:50	1	1	1	1	89.25	63.75	0	29905.213	498.9247312	14856.08676	30000	0	0	30000	44.5	2004
21.01.2020 12:19:51	1	1	1	1	89.25	64	0	29715.64	535.483871	16040.00761	30000	0	0	30000	44.125	2004
21.01.2020 12:19:52	1	1	1	1	89.25	64	0	30000	526.8817204	15870.41013	30000	0	0	30000	44.25	2004
21.01.2020 12:19:53	1	1	1	1	89.25	64.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	44.25	2004
21.01.2020 12:19:54	1	1	1	1	89.25	64.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	43.6875	2004
21.01.2020 12:19:55	1	1	1	1	89.25	63.5	0	26066.351	481.7204301	12635.01209	30000	0	0	30000	43.5	2004
21.01.2020 12:19:56	1	1	1	1	89.25	63.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44	2004
21.01.2020 12:19:57	1	1	1	1	88.5	64	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.5625	2004
21.01.2020 12:19:58	1	1	1	1	88.5	63.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.1875	2004
21.01.2020 12:19:59	1	1	1	1	88.5	64	0	29952.607	503.2258065	15096.62164	30000	0	0	30000	44.125	2004
21.01.2020 12:20:01	1	1	1	1	88.5	64	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.625	2004
21.01.2020 12:20:02	1	1	1	1	88.5	63.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.1875	2004
21.01.2020 12:20:03	1	1	1	1	88.5	64	0	29336.493	488.172043	14321.2024	30000	0	0	30000	43.9375	2004
21.01.2020 12:20:04	1	1	1	1	88.5	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.125	2004
21.01.2020 12:20:05	1	1	1	1	88.5	64	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.25	2004
21.01.2020 12:20:06	1	1	1	1	88.5	64.25	0	29715.64	537.6344086	15861.44103	30000	0	0	30000	44.125	2004
21.01.2020 12:20:07	1	1	1	1	88.5	64	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.25	2004
21.01.2020 12:20:08	1	1	1	1	89.25	64.25	0	29289.1	481.7204301	14132.03599	30000	0	0	30000	44.125	2004
21.01.2020 12:20:09	1	1	1	1	89.25	64	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	44.25	2004
21.01.2020 12:20:10	1	1	1	1	89.25	64.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.4375	2004
21.01.2020 12:20:11	1	1	1	1	89.25	64.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.875	2004
21.01.2020 12:20:12	1	1	1	1	89.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:20:13	1	1	1	1	89.25	63.5	0	29715.64	511.827957	15144.72862	30000	0	0	30000	44.1875	2004
21.01.2020 12:20:14	1	1	1	1	89.25	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.6875	2004
21.01.2020 12:20:15	1	1	1	1	89.25	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.875	2004
21.01.2020 12:20:16	1	1	1	1	89.25	63.75	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	44.3125	2004
21.01.2020 12:20:17	1	1	1	1	89.25	64.25	0	28436.019	481.7204301	13698.25782	30000	0	0	30000	44.1875	2004
21.01.2020 12:20:18	1	1	1	1	90	64	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	44.0625	2004
21.01.2020 12:20:19	1	1	1	1	90	64	0	30000	535.483871	16064.46878	30000	0	0	30000	44.25	2004
21.01.2020 12:20:20	1	1	1	1	90	64.25	0	28009.479	460.2150538	12829.88612	30000	0	0	30000	44	2004
21.01.2020 12:20:21	1	1	1	1	90	64	0	30000	507.5268817	15249.91167	30000	0	0	30000	44.0625	2004
21.01.2020 12:20:22	1	1	1	1	90	64	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.125	2004
21.01.2020 12:20:23	1	1	1	1	90	64	0	30000	529.0322581	15677.16685	30000	0	0	30000	44.0625	2004
21.01.2020 12:20:24	1	1	1	1	90	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.0625	2004
21.01.2020 12:20:25	1	1	1	1	90	64	0	30000	518.2795699	15548.338	30000	0	0	30000	43.8125	2004
21.01.2020 12:20:26	1	1	1	1	90	63.75	0	26872.038	481.7204301	12944.85364	30000	0	0	30000	44.1875	2004
21.01.2020 12:20:27	1	1	1	1	90	64	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	44.375	2004
21.01.2020 12:20:28	1	1	1	1	90	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.0625	2004
21.01.2020 12:20:29	1	1	1	1	90	64	0	29668.246	486.0215054	14459.81573	30000	0	0	30000	43.125	2004
21.01.2020 12:20:30	1	1	1	1	90	64.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	44.0625	2004
21.01.2020 12:20:31	1	1	1	1	90	64	0	30000	531.1827957	15781.53453	30000	0	0	30000	44.125	2004
21.01.2020 12:20:32	1	1	1	1	90	64	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	44.125	2004
21.01.2020 12:20:33	1	1	1	1	90	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.125	2004
21.01.2020 12:20:34	1	1	1	1	90	64	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	44.1875	2004
21.01.2020 12:20:35	1	1	1	1	90	64	0	30000	518.2795699	15548.338	30000	0	0	30000	43.75	2004
21.01.2020 12:20:42	1	1	1	1	88.75	64	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	44.375	2004
21.01.2020 12:20:42	1	1	1	1	88.75	64	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	44.375	2004
21.01.2020 12:20:42	1	1	1	1	88.75	64	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	44.375	2004
21.01.2020 12:20:42	1	1	1	1	88.75	64	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	44.375	2004
21.01.2020 12:20:42	1	1	1	1	88.75	64	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	44.375	2004
21.01.2020 12:20:43	1	1	1	1	88.75	64.25	0	29715.64	535.483871	16040.00761	30000	0	0	30000	44.125	2004
21.01.2020 12:20:44	1	1	1	1	88.75	64	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
21.01.2020 12:20:45	1	1	1	1	88.75	64.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	44	2004
21.01.2020 12:20:46	1	1	1	1	88.75	64	0	29952.607	516.1290323	15741.58128	30000	0	0	30000	44.25	2004
21.01.2020 12:20:47	1	1	1	1	88.75	64.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	44.3125	2004
21.01.2020 12:20:48	1	1	1	1	90	64.25	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	43.875	2004
21.01.2020 12:20:49	1	1	1	1	90	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	44	2004
21.01.2020 12:20:50	1	1	1	1	90	64	0	29905.213	507.5268817	15153.69771	30000	0	0	30000	44.125	2004
21.01.2020 12:20:51	1	1	1	1	90	64	0	29905.213	516.1290323	15306.17237	30000	0	0	30000	44.125	2004
21.01.2020 12:20:52	1	1	1	1	90	64	0	28862.559	460.2150538	13261.21817	30000	0	0	30000	44.3125	2004
21.01.2020 12:20:53	1	1	1	1	90	64.25	0	30000	535.483871	16064.46878	30000	0	0	30000	44.375	2004
21.01.2020 12:20:54	1	1	1	1	90	64.25	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	44.125	2004
21.01.2020 12:20:55	1	1	1	1	90	64	0	29763.033	541.9354839	16347.40304	30000	0	0	30000	44	2004
21.01.2020 12:20:56	1	1	1	1	90	64	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:20:57	1	1	1	1	90	63.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44	2004
21.01.2020 12:20:58	1	1	1	1	89.5	64	0	29905.213	516.1290323	15548.338	30000	0	0	30000	44.25	2004
21.01.2020 12:20:59	1	1	1	1	89.5	64.25	0	29952.607	524.7311828	15717.1201	30000	0	0	30000	44.125	2004
21.01.2020 12:21:00	1	1	1	1	89.5	64	0	29715.64	529.0322581	15783.98065	30000	0	0	30000	44.375	2004
21.01.2020 12:21:01	1	1	1	1	89.5	64.25	0	28862.559	438.7096774	12599.95108	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:02	1	1	1	1	89.5	64	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	44.375	2004
21.01.2020 12:21:03	1	1	1	1	89.5	64.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	44.625	2004
21.01.2020 12:21:04	1	1	1	1	89.5	64.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.375	2004
21.01.2020 12:21:05	1	1	1	1	89.5	63.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.9375	2004
21.01.2020 12:21:06	1	1	1	1	89.5	63.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.3125	2004
21.01.2020 12:21:07	1	1	1	1	89.5	64.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	44.375	2004
21.01.2020 12:21:08	1	1	1	1	90	64.25	0	30000	544.0860215	16013.10032	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:09	1	1	1	1	90	64	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.25	2004
21.01.2020 12:21:10	1	1	1	1	90	64.25	0	28815.166	481.7204301	13942.86957	30000	0	0	30000	44.125	2004
21.01.2020 12:21:11	1	1	1	1	90	64	0	29905.213	516.1290323	15418.69377	30000	0	0	30000	43.875	2004
21.01.2020 12:21:12	1	1	1	1	90	63.75	0	29952.607	511.827957	15330.63354	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:13	1	1	1	1	90	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.4375	2004
21.01.2020 12:21:14	1	1	1	1	90	64.25	0	29431.28	460.2150538	13544.15242	30000	0	0	30000	44.125	2004
21.01.2020 12:21:15	1	1	1	1	90	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.0625	2004
21.01.2020 12:21:17	1	1	1	1	90	64	0	29905.213	544.0860215	16077.51474	30000	0	0	30000	44.25	2004
21.01.2020 12:21:18	1	1	1	1	91	64.25	0	26445.498	486.0215054	12899.19278	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:19	1	1	1	1	91	64	0	29715.64	496.7741935	14761.50355	30000	0	0	30000	44.375	2004
21.01.2020 12:21:20	1	1	1	1	91	64.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.3125	2004
21.01.2020 12:21:21	1	1	1	1	91	64.25	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	44	2004
21.01.2020 12:21:22	1	1	1	1	91	64	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:23	1	1	1	1	91	64	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	43.8125	2004
21.01.2020 12:21:24	1	1	1	1	91	63.75	0	29620.853	529.0322581	15886.71758	30000	0	0	30000	44.25	2004
21.01.2020 12:21:25	1	1	1	1	91	64.25	0	29715.64	490.3225806	14633.49007	30000	0	0	30000	44.0625	2004
21.01.2020 12:21:26	1	1	1	1	91	64	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 12:21:27	1	1	1	1	91	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.0625	2004
21.01.2020 12:21:28	1	1	1	1	90.5	64	0	28009.479	486.0215054	13672.98127	30000	0	0	30000	43.6875	2004
21.01.2020 12:21:29	1	1	1	1	90.5	63.5	0	29146.919	464.516129	13539.26019	30000	0	0	30000	44.3125	2004
21.01.2020 12:21:30	1	1	1	1	90.5	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44	2004
21.01.2020 12:21:31	1	1	1	1	90.5	64	0	29431.28	464.516129	13671.35053	30000	0	0	30000	44.0625	2004
21.01.2020 12:21:32	1	1	1	1	90.5	64	0	29810.427	501.0752688	14936.80863	30000	0	0	30000	44.25	2004
21.01.2020 12:21:33	1	1	1	1	90.5	64.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.5625	2004
21.01.2020 12:21:34	1	1	1	1	90.5	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.8125	2004
21.01.2020 12:21:35	1	1	1	1	90.5	63.75	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.375	2004
21.01.2020 12:21:36	1	1	1	1	90.5	64.25	0	29431.28	481.7204301	14154.86641	30000	0	0	30000	43.75	2004
21.01.2020 12:21:37	1	1	1	1	90.5	63.75	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.125	2004
21.01.2020 12:21:43	1	1	1	1	90.5	64	0	29857.82	468.8172043	14383.17071	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:43	1	1	1	1	90.5	64	0	29857.82	468.8172043	14383.17071	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:43	1	1	1	1	90.5	64	0	29857.82	468.8172043	14383.17071	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:21:43	1	1	1	1	90.5	64	0	29857.82	468.8172043	14383.17071	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:43	1	1	1	1	90.5	64	0	29857.82	468.8172043	14383.17071	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:43	1	1	1	1	90.5	64	0	29857.82	468.8172043	14383.17071	30000	0	0	30000	44.1875	2004
21.01.2020 12:21:44	1	1	1	1	90.5	64	0	26398.104	464.516129	12284.40192	30000	0	0	30000	44.75	2004
21.01.2020 12:21:45	1	1	1	1	90.5	64.75	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.125	2004
21.01.2020 12:21:46	1	1	1	1	90.5	64	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.375	2004
21.01.2020 12:21:47	1	1	1	1	90.5	64.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.25	2004
21.01.2020 12:21:48	1	1	1	1	90.5	63.75	0	29952.607	516.1290323	15677.16685	30000	0	0	30000	44.125	2004
21.01.2020 12:21:49	1	1	1	1	90.5	64	0	29810.427	509.6774194	15257.25002	30000	0	0	30000	43.125	2004
21.01.2020 12:21:50	1	1	1	1	90.5	63	0	29526.066	458.0645161	13546.59854	30000	0	0	30000	43.75	2004
21.01.2020 12:21:51	1	1	1	1	90.5	63.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.0625	2004
21.01.2020 12:21:52	1	1	1	1	90.5	64	0	30000	492.4731183	14902.56299	30000	0	0	30000	44.4375	2004
21.01.2020 12:21:53	1	1	1	1	90.5	64.25	0	29431.28	464.516129	13671.35053	30000	0	0	30000	44.3125	2004
21.01.2020 12:21:54	1	1	1	1	90.5	64.25	0	29620.853	464.516129	13759.41076	30000	0	0	30000	44.125	2004
21.01.2020 12:21:56	1	1	1	1	90.5	64	0	29620.853	481.7204301	14332.61762	30000	0	0	30000	43.5625	2004
21.01.2020 12:21:57	1	1	1	1	90.5	63.5	0	29952.607	488.172043	14598.42905	30000	0	0	30000	44.125	2004
21.01.2020 12:21:58	1	1	1	1	90.5	64	0	29905.213	464.516129	13891.5011	30000	0	0	30000	44.25	2004
21.01.2020 12:21:59	1	1	1	1	90.5	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 12:22:00	1	1	1	1	90.5	64	0	29146.919	453.7634409	13225.34178	30000	0	0	30000	44.5	2004
21.01.2020 12:22:01	1	1	1	1	90.5	64.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 12:22:02	1	1	1	1	90.5	64	0	27345.972	464.516129	12702.68801	30000	0	0	30000	43.375	2004
21.01.2020 12:22:03	1	1	1	1	90.5	63.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.375	2004
21.01.2020 12:22:04	1	1	1	1	90.5	64.25	0	29336.493	481.7204301	13816.48683	30000	0	0	30000	44.25	2004
21.01.2020 12:22:05	1	1	1	1	90.5	64.25	0	29952.607	483.8709677	14580.49085	30000	0	0	30000	44	2004
21.01.2020 12:22:06	1	1	1	1	90.5	64	0	29857.82	466.6666667	13933.0851	30000	0	0	30000	44.25	2004
21.01.2020 12:22:07	1	1	1	1	90.5	64.25	0	29810.427	464.516129	13847.47099	30000	0	0	30000	44	2004
21.01.2020 12:22:08	1	1	1	1	90.25	64	0	28862.559	445.1612903	12847.82431	30000	0	0	30000	43.6875	2004
21.01.2020 12:22:09	1	1	1	1	90.25	63.5	0	29715.64	449.4623656	13227.78789	30000	0	0	30000	44	2004
21.01.2020 12:22:10	1	1	1	1	90.25	64	0	29431.28	453.7634409	13227.78789	30000	0	0	30000	44.0625	2004
21.01.2020 12:22:11	1	1	1	1	90.25	64	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.9375	2004
21.01.2020 12:22:12	1	1	1	1	90.25	63.75	0	29099.526	453.7634409	13204.14209	30000	0	0	30000	44.0625	2004
21.01.2020 12:22:13	1	1	1	1	90.25	64	0	30000	492.4731183	14709.31971	30000	0	0	30000	44.4375	2004
21.01.2020 12:22:14	1	1	1	1	90.25	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.4375	2004
21.01.2020 12:22:15	1	1	1	1	90.25	64.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.125	2004
21.01.2020 12:22:16	1	1	1	1	90.25	64	0	30000	509.6774194	15354.27935	30000	0	0	30000	43.625	2004
21.01.2020 12:22:17	1	1	1	1	90.25	63.5	0	29573.46	464.516129	13737.3957	30000	0	0	30000	44.1875	2004
21.01.2020 12:22:18	1	1	1	1	90.25	64	0	29383.886	445.1612903	13080.20547	30000	0	0	30000	43.5625	2004
21.01.2020 12:22:19	1	1	1	1	90.25	63.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.1875	2004
21.01.2020 12:22:20	1	1	1	1	90.25	64	0	29715.64	460.2150538	13611.01296	30000	0	0	30000	44.4375	2004
21.01.2020 12:22:21	1	1	1	1	90.25	64.25	0	28483.412	445.1612903	12679.04221	30000	0	0	30000	44.4375	2004
21.01.2020 12:22:22	1	1	1	1	90.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 12:22:23	1	1	1	1	90.25	64.25	0	29857.82	445.1612903	13312.58663	30000	0	0	30000	44.4375	2004
21.01.2020 12:22:24	1	1	1	1	90.25	64.25	0	26919.431	449.4623656	11962.32979	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:22:25	1	1	1	1	90.25	64	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	43.9375	2004
21.01.2020 12:22:26	1	1	1	1	90.25	63.75	0	29573.46	460.2150538	13631.39728	30000	0	0	30000	43.3125	2004
21.01.2020 12:22:27	1	1	1	1	90.75	63.25	0	29905.213	486.0215054	14516.07643	30000	0	0	30000	44.125	2004
21.01.2020 12:22:28	1	1	1	1	90.75	64	0	28388.626	443.0107527	12576.30528	30000	0	0	30000	44.375	2004
21.01.2020 12:22:29	1	1	1	1	90.75	64.25	0	29526.066	453.7634409	13524.58348	30000	0	0	30000	44.375	2004
21.01.2020 12:22:30	1	1	1	1	90.75	64.25	0	29526.066	507.5268817	14945.77773	30000	0	0	30000	43.75	2004
21.01.2020 12:22:31	1	1	1	1	90.75	63.75	0	28199.052	468.8172043	13159.29661	30000	0	0	30000	44.1875	2004
21.01.2020 12:22:33	1	1	1	1	90.75	64	0	28909.953	458.0645161	13282.41785	30000	0	0	30000	44.1875	2004
21.01.2020 12:22:34	1	1	1	1	90.75	64	0	29952.607	507.5268817	15177.34352	30000	0	0	30000	44.25	2004
21.01.2020 12:22:35	1	1	1	1	90.75	64.25	0	29810.427	486.0215054	14446.76977	30000	0	0	30000	44.125	2004
21.01.2020 12:22:36	1	1	1	1	90.75	64	0	29526.066	460.2150538	13588.18253	30000	0	0	30000	44.3125	2004
21.01.2020 12:22:37	1	1	1	1	90.75	64.25	0	29620.853	539.7849462	16078.33012	30000	0	0	30000	43.9375	2004
21.01.2020 12:22:38	1	1	1	1	91.25	63.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	44.125	2004
21.01.2020 12:22:39	1	1	1	1	91.25	64	0	29905.213	492.4731183	14598.42905	30000	0	0	30000	44.4375	2004
21.01.2020 12:22:45	1	1	1	1	91.25	64.25	0	28341.232	494.6236559	13886.60887	30000	0	0	30000	44	2004
21.01.2020 12:22:45	1	1	1	1	91.25	64.25	0	28341.232	494.6236559	13886.60887	30000	0	0	30000	44	2004
21.01.2020 12:22:45	1	1	1	1	91.25	64.25	0	28341.232	494.6236559	13886.60887	30000	0	0	30000	44	2004
21.01.2020 12:22:45	1	1	1	1	91.25	64.25	0	28341.232	494.6236559	13886.60887	30000	0	0	30000	44	2004
21.01.2020 12:22:45	1	1	1	1	91.25	64.25	0	28341.232	494.6236559	13886.60887	30000	0	0	30000	44	2004
21.01.2020 12:22:45	1	1	1	1	91.25	64.25	0	28341.232	494.6236559	13886.60887	30000	0	0	30000	44	2004
21.01.2020 12:22:46	1	1	1	1	91.25	64	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	44.4375	2004
21.01.2020 12:22:47	1	1	1	1	91.25	64.25	0	29146.919	468.8172043	13579.21344	30000	0	0	30000	44.0625	2004
21.01.2020 12:22:48	1	1	1	1	91	64	0	29857.82	494.6236559	14727.2579	30000	0	0	30000	44.1875	2004
21.01.2020 12:22:49	1	1	1	1	91	64	0	29336.493	501.0752688	14573.1525	30000	0	0	30000	44.125	2004
21.01.2020 12:22:50	1	1	1	1	91	64	0	29952.607	511.827957	15483.92357	30000	0	0	30000	44.3125	2004
21.01.2020 12:22:51	1	1	1	1	91	64.25	0	30000	518.2795699	15588.29125	30000	0	0	30000	43.6875	2004
21.01.2020 12:22:52	1	1	1	1	91	63.5	0	28530.806	453.7634409	12924.46933	30000	0	0	30000	43.75	2004
21.01.2020 12:22:53	1	1	1	1	91	63.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.4375	2004
21.01.2020 12:22:54	1	1	1	1	91	64.25	0	30000	524.7311828	15498.60028	30000	0	0	30000	44.625	2004
21.01.2020 12:22:55	1	1	1	1	91	64.5	0	29431.28	445.1612903	13101.40516	30000	0	0	30000	43.6875	2004
21.01.2020 12:22:56	1	1	1	1	91	63.5	0	29052.133	445.1612903	12932.62305	30000	0	0	30000	44.125	2004
21.01.2020 12:22:57	1	1	1	1	91	64	0	28957.346	503.2258065	14681.59704	30000	0	0	30000	44.25	2004
21.01.2020 12:22:58	1	1	1	1	90.5	64.25	0	27345.972	451.6129032	12152.31158	30000	0	0	30000	44.25	2004
21.01.2020 12:22:59	1	1	1	1	90.5	64.25	0	29336.493	464.516129	13627.32041	30000	0	0	30000	44.125	2004
21.01.2020 12:23:00	1	1	1	1	90.5	64	0	28483.412	496.7741935	14196.45041	30000	0	0	30000	43.125	2004
21.01.2020 12:23:01	1	1	1	1	90.5	63	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.1875	2004
21.01.2020 12:23:02	1	1	1	1	90.5	64	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.5	2004
21.01.2020 12:23:03	1	1	1	1	90.5	64.5	0	29431.28	488.172043	14344.03283	30000	0	0	30000	44.625	2004
21.01.2020 12:23:04	1	1	1	1	90.5	64.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.375	2004
21.01.2020 12:23:05	1	1	1	1	90.5	64.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	44.25	2004
21.01.2020 12:23:06	1	1	1	1	90.5	64.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.25	2004
21.01.2020 12:23:07	1	1	1	1	91	64.25	0	30000	531.1827957	15805.99571	30000	0	0	30000	44	2004
21.01.2020 12:23:08	1	1	1	1	91	64	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:23:09	1	1	1	1	91	64.25	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	44.0625	2004
21.01.2020 12:23:10	1	1	1	1	91	64	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.8125	2004
21.01.2020 12:23:11	1	1	1	1	91	63.75	0	29905.213	522.5806452	15652.70568	30000	0	0	30000	43.75	2004
21.01.2020 12:23:12	1	1	1	1	91	63.75	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	44.625	2004
21.01.2020 12:23:14	1	1	1	1	91	64.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	44.375	2004
21.01.2020 12:23:15	1	1	1	1	91	64.25	0	27109.005	494.6236559	13466.69203	30000	0	0	30000	44.25	2004
21.01.2020 12:23:16	1	1	1	1	91	64.25	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	44.4375	2004
21.01.2020 12:23:17	1	1	1	1	91	64.25	0	29241.706	468.8172043	14086.37513	30000	0	0	30000	44.25	2004
21.01.2020 12:23:18	1	1	1	1	90.75	64.25	0	29478.673	481.7204301	14223.3577	30000	0	0	30000	44.25	2004
21.01.2020 12:23:19	1	1	1	1	90.75	64.25	0	29905.213	492.4731183	14662.84348	30000	0	0	30000	44.1875	2004
21.01.2020 12:23:20	1	1	1	1	90.75	64	0	27914.692	507.5268817	14191.55818	30000	0	0	30000	44.125	2004
21.01.2020 12:23:21	1	1	1	1	90.75	64	0	29478.673	464.516129	13566.16748	30000	0	0	30000	43.5	2004
21.01.2020 12:23:22	1	1	1	1	90.75	63.5	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.9375	2004
21.01.2020 12:23:23	1	1	1	1	90.75	63.75	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	44.4375	2004
21.01.2020 12:23:24	1	1	1	1	90.75	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.1875	2004
21.01.2020 12:23:25	1	1	1	1	90.75	64	0	29715.64	537.6344086	15988.63914	30000	0	0	30000	44.0625	2004
21.01.2020 12:23:26	1	1	1	1	90.75	64	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	44.375	2004
21.01.2020 12:23:27	1	1	1	1	90.75	64.25	0	29715.64	494.6236559	14697.90449	30000	0	0	30000	44.1875	2004
21.01.2020 12:23:28	1	1	1	1	91.75	64	0	26682.464	494.6236559	13254.69519	30000	0	0	30000	44.4375	2004
21.01.2020 12:23:29	1	1	1	1	91.75	64.25	0	26398.104	483.8709677	12772.81005	30000	0	0	30000	44.5	2004
21.01.2020 12:23:30	1	1	1	1	91.75	64.5	0	29620.853	481.7204301	13800.99475	30000	0	0	30000	44.0625	2004
21.01.2020 12:23:31	1	1	1	1	91.75	64	0	29905.213	507.5268817	14936.80863	30000	0	0	30000	44.4375	2004
21.01.2020 12:23:32	1	1	1	1	91.75	64.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.3125	2004
21.01.2020 12:23:33	1	1	1	1	91.75	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
21.01.2020 12:23:34	1	1	1	1	91.75	64.25	0	26682.464	453.7634409	11877.53105	30000	0	0	30000	44.375	2004
21.01.2020 12:23:35	1	1	1	1	91.75	64.25	0	29857.82	535.483871	16077.51474	30000	0	0	30000	44.1875	2004
21.01.2020 12:23:36	1	1	1	1	91.75	64	0	28862.559	425.8064516	12269.72522	30000	0	0	30000	43.125	2004
21.01.2020 12:23:37	1	1	1	1	91.75	63	0	29431.28	453.7634409	13354.17063	30000	0	0	30000	44.25	2004
21.01.2020 12:23:38	1	1	1	1	91	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
21.01.2020 12:23:39	1	1	1	1	91	64.25	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	44.5	2004
21.01.2020 12:23:40	1	1	1	1	91	64.5	0	29478.673	464.516129	14246.18813	30000	0	0	30000	44.375	2004
21.01.2020 12:23:47	1	1	1	1	91	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44	2004
21.01.2020 12:23:47	1	1	1	1	91	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44	2004
21.01.2020 12:23:47	1	1	1	1	91	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44	2004
21.01.2020 12:23:47	1	1	1	1	91	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44	2004
21.01.2020 12:23:47	1	1	1	1	91	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44	2004
21.01.2020 12:23:47	1	1	1	1	91.25	64	0	29952.607	488.172043	14644.90528	30000	0	0	30000	44.5625	2004
21.01.2020 12:23:48	1	1	1	1	91.25	64.5	0	29952.607	483.8709677	14493.246	30000	0	0	30000	44.5	2004
21.01.2020 12:23:49	1	1	1	1	91.25	64.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.0625	2004
21.01.2020 12:23:50	1	1	1	1	91.25	64	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.375	2004
21.01.2020 12:23:51	1	1	1	1	91.25	64.25	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.125	2004
21.01.2020 12:23:53	1	1	1	1	91.25	64	0	30000	518.2795699	15612.75243	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:23:54	1	1	1	1	91.25	63.75	0	29478.673	507.5268817	14873.20958	30000	0	0	30000	44.375	2004
21.01.2020 12:23:55	1	1	1	1	91.25	64.25	0	29905.213	533.3333333	15859.81029	30000	0	0	30000	44.125	2004
21.01.2020 12:23:56	1	1	1	1	91.25	64	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	43.375	2004
21.01.2020 12:23:57	1	1	1	1	91.25	63.25	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	44.4375	2004
21.01.2020 12:23:58	1	1	1	1	91	64.25	0	29905.213	535.483871	16077.51474	30000	0	0	30000	44.1875	2004
21.01.2020 12:23:59	1	1	1	1	91	64	0	28625.592	458.0645161	13112.005	30000	0	0	30000	44.4375	2004
21.01.2020 12:24:00	1	1	1	1	91	64.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.4375	2004
21.01.2020 12:24:01	1	1	1	1	91	63.25	0	29289.1	539.7849462	15898.1328	30000	0	0	30000	43.8125	2004
21.01.2020 12:24:02	1	1	1	1	91	63.75	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	43.8125	2004
21.01.2020 12:24:03	1	1	1	1	91	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.4375	2004
21.01.2020 12:24:04	1	1	1	1	91	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.1875	2004
21.01.2020 12:24:05	1	1	1	1	91	64	0	28815.166	509.6774194	14562.55266	30000	0	0	30000	44	2004
21.01.2020 12:24:06	1	1	1	1	91	64	0	29526.066	535.483871	16026.96165	30000	0	0	30000	44.25	2004
21.01.2020 12:24:07	1	1	1	1	91	64.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	44.1875	2004
21.01.2020 12:24:08	1	1	1	1	91	64	0	29241.706	533.3333333	15646.1827	30000	0	0	30000	44.3125	2004
21.01.2020 12:24:09	1	1	1	1	91	64.25	0	28341.232	483.8709677	13629.76653	30000	0	0	30000	44.375	2004
21.01.2020 12:24:10	1	1	1	1	91	64.25	0	25734.597	481.7204301	12396.92333	30000	0	0	30000	43.125	2004
21.01.2020 12:24:11	1	1	1	1	91	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.875	2004
21.01.2020 12:24:12	1	1	1	1	91	63.75	0	28199.052	516.1290323	14554.39893	30000	0	0	30000	44.3125	2004
21.01.2020 12:24:13	1	1	1	1	91	64.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	44.4375	2004
21.01.2020 12:24:14	1	1	1	1	91	64.25	0	29715.64	520.4301075	15400.75558	30000	0	0	30000	43.9375	2004
21.01.2020 12:24:15	1	1	1	1	91	63.75	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	44.1875	2004
21.01.2020 12:24:16	1	1	1	1	91	64	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.5625	2004
21.01.2020 12:24:17	1	1	1	1	91	63.5	0	28009.479	516.1290323	14456.55424	30000	0	0	30000	43.9375	2004
21.01.2020 12:24:18	1	1	1	1	91.75	63.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	44.375	2004
21.01.2020 12:24:19	1	1	1	1	91.75	64.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	44.5	2004
21.01.2020 12:24:20	1	1	1	1	91.75	64.5	0	29336.493	507.5268817	14888.70166	30000	0	0	30000	44.75	2004
21.01.2020 12:24:21	1	1	1	1	91.75	64.75	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	43.5625	2004
21.01.2020 12:24:22	1	1	1	1	91.75	63.5	0	26113.744	464.516129	12579.56677	30000	0	0	30000	44.625	2004
21.01.2020 12:24:23	1	1	1	1	91.75	64.75	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.5625	2004
21.01.2020 12:24:24	1	1	1	1	91.75	64.5	0	28672.986	455.9139785	13261.21817	30000	0	0	30000	44.625	2004
21.01.2020 12:24:25	1	1	1	1	91.75	64.5	0	29905.213	492.4731183	14815.31813	30000	0	0	30000	44.5625	2004
21.01.2020 12:24:26	1	1	1	1	91.75	64.5	0	29857.82	466.6666667	13740.65719	30000	0	0	30000	43.875	2004
21.01.2020 12:24:27	1	1	1	1	91.5	63.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
21.01.2020 12:24:28	1	1	1	1	91.5	64.25	0	27962.085	453.7634409	12665.99625	30000	0	0	30000	44.4375	2004
21.01.2020 12:24:29	1	1	1	1	91.5	64.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.625	2004
21.01.2020 12:24:30	1	1	1	1	91.5	64.5	0	29289.1	451.6129032	13059.00579	30000	0	0	30000	44.4375	2004
21.01.2020 12:24:32	1	1	1	1	91.5	64.25	0	29810.427	460.2150538	13869.48604	30000	0	0	30000	44.375	2004
21.01.2020 12:24:33	1	1	1	1	91.5	64.25	0	29810.427	481.7204301	14383.17071	30000	0	0	30000	43.5625	2004
21.01.2020 12:24:34	1	1	1	1	91.5	63.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.3125	2004
21.01.2020 12:24:35	1	1	1	1	91.5	64.25	0	29810.427	453.7634409	13526.21423	30000	0	0	30000	44.1875	2004
21.01.2020 12:24:36	1	1	1	1	91.5	64	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.375	2004
21.01.2020 12:24:37	1	1	1	1	91.5	64.25	0	29952.607	483.8709677	14493.246	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:24:38	1	1	1	1	91.5	64.25	0	29715.64	481.7204301	14423.93934	30000	0	0	30000	43.9375	2004
21.01.2020 12:24:39	1	1	1	1	91.5	63.75	0	29810.427	494.6236559	14697.90449	30000	0	0	30000	44.125	2004
21.01.2020 12:24:40	1	1	1	1	91.5	64	0	29905.213	509.6774194	15217.29677	30000	0	0	30000	44.625	2004
21.01.2020 12:24:41	1	1	1	1	91.5	64.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.5	2004
21.01.2020 12:24:42	1	1	1	1	91.5	64.5	0	29478.673	464.516129	13629.76653	30000	0	0	30000	44.25	2004
21.01.2020 12:24:48	1	1	1	1	91.5	64.25	0	29857.82	464.516129	13847.47099	30000	0	0	30000	43.875	2004
21.01.2020 12:24:48	1	1	1	1	91.5	64.25	0	29857.82	464.516129	13847.47099	30000	0	0	30000	43.875	2004
21.01.2020 12:24:48	1	1	1	1	91.5	64.25	0	29857.82	464.516129	13847.47099	30000	0	0	30000	43.875	2004
21.01.2020 12:24:48	1	1	1	1	91.5	64.25	0	29857.82	464.516129	13847.47099	30000	0	0	30000	43.875	2004
21.01.2020 12:24:48	1	1	1	1	91.5	64.25	0	29857.82	464.516129	13847.47099	30000	0	0	30000	43.875	2004
21.01.2020 12:24:48	1	1	1	1	91.5	64.25	0	29857.82	464.516129	13847.47099	30000	0	0	30000	43.875	2004
21.01.2020 12:24:49	1	1	1	1	91.5	63.75	0	29668.246	464.516129	13759.41076	30000	0	0	30000	44.1875	2004
21.01.2020 12:24:50	1	1	1	1	91.5	64	0	27109.005	464.516129	12592.61273	30000	0	0	30000	44.4375	2004
21.01.2020 12:24:51	1	1	1	1	91.5	64.25	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	44.625	2004
21.01.2020 12:24:52	1	1	1	1	91.5	64.5	0	29431.28	466.6666667	13437.33862	30000	0	0	30000	44.5	2004
21.01.2020 12:24:53	1	1	1	1	91.5	64.5	0	0	0	0	30000	0	8	30000	44.3125	2004
21.01.2020 12:24:54	1	1	1	1	91.5	64.25	0	10426.54	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:24:55	1	1	1	1	91.5	64.5	0	11184.834	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:24:56	1	1	1	1	91.5	64.5	0	11943.128	0	0	30000	0	0	30000	44.6875	2004
21.01.2020 12:24:57	1	1	1	1	91.5	64.5	0	11658.768	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:24:58	1	1	1	1	91.75	64.5	0	12890.995	4.301075269	55.44532927	30000	0	0	30000	44.875	2004
21.01.2020 12:24:59	1	1	1	1	91.75	64.75	0	14265.403	12.90322581	183.4588101	30000	0	0	30000	44.9375	2004
21.01.2020 12:25:00	1	1	1	1	91.75	64.75	0	14786.73	15.05376344	222.5966896	30000	0	0	30000	44.5	2004
21.01.2020 12:25:01	1	1	1	1	91.75	64.5	0	15687.204	25.80645161	406.0554997	30000	0	0	30000	44.875	2004
21.01.2020 12:25:02	1	1	1	1	91.75	64.5	0	16492.891	32.25806452	529.9921181	30000	0	0	30000	44.625	2004
21.01.2020 12:25:03	1	1	1	1	91.75	64.5	0	17298.578	40.86021505	671.0515587	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:04	1	1	1	1	91.75	64.5	0	18009.479	51.61290323	970.2932623	30000	0	0	30000	44.625	2004
21.01.2020 12:25:05	1	1	1	1	91.75	64.5	0	17819.905	51.61290323	919.740168	30000	0	0	30000	44.4375	2004
21.01.2020 12:25:06	1	1	1	1	91.75	64.25	0	19668.246	70.96774194	1479.901068	30000	0	0	30000	44.5	2004
21.01.2020 12:25:07	1	1	1	1	91.25	64.5	0	20379.147	83.87096774	1664.990623	30000	0	0	30000	44.625	2004
21.01.2020 12:25:09	1	1	1	1	91.25	64.5	0	21090.047	103.2258065	2177.044547	30000	0	0	30000	44.0625	2004
21.01.2020 12:25:10	1	1	1	1	91.25	64	0	21943.128	113.9784946	2548.039029	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:11	1	1	1	1	91.25	64.5	0	22559.242	120.4301075	2739.651564	30000	0	0	30000	44.75	2004
21.01.2020 12:25:12	1	1	1	1	91.25	64.75	0	23317.536	139.7849462	3265.56682	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:13	1	1	1	1	91.25	64.5	0	24075.829	163.4408602	3926.833909	30000	0	0	30000	44.625	2004
21.01.2020 12:25:14	1	1	1	1	91.25	64.5	0	24218.009	169.8924731	4114.369581	30000	0	0	30000	44.625	2004
21.01.2020 12:25:15	1	1	1	1	91.25	64.5	0	24928.91	189.2473118	4708.776126	30000	0	0	30000	44.625	2004
21.01.2020 12:25:16	1	1	1	1	91.25	64.5	0	25213.27	206.4516129	5195.553502	30000	0	0	30000	44.625	2004
21.01.2020 12:25:17	1	1	1	1	91.25	64.5	0	26540.284	221.5053763	5878.835648	30000	0	0	30000	44.5	2004
21.01.2020 12:25:18	1	1	1	1	90.75	64.5	0	27440.758	247.311828	6786.345229	30000	0	0	30000	44.625	2004
21.01.2020 12:25:19	1	1	1	1	90.75	64.5	0	27298.578	234.4086022	6399.043296	30000	0	0	30000	44.625	2004
21.01.2020 12:25:20	1	1	1	1	90.75	64.5	0	28483.412	277.4193548	8112.140896	30000	0	0	30000	44.625	2004
21.01.2020 12:25:21	1	1	1	1	90.75	64.5	0	26872.038	277.4193548	7454.135297	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:25:22	1	1	1	1	90.75	64	0	26208.531	270.9677419	7157.339711	30000	0	0	30000	44	2004
21.01.2020 12:25:23	1	1	1	1	90.75	64	0	25924.171	275.2688172	7079.879325	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:24	1	1	1	1	90.75	64.5	0	27203.791	279.5698925	7591.933248	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:25	1	1	1	1	90.75	64.5	0	26777.251	270.9677419	7326.121817	30000	0	0	30000	44.625	2004
21.01.2020 12:25:26	1	1	1	1	90.75	64.5	0	27109.005	296.7741935	8045.280352	30000	0	0	30000	44.6875	2004
21.01.2020 12:25:27	1	1	1	1	90.75	64.5	0	27440.758	311.827957	8408.936482	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:28	1	1	1	1	88	64.5	0	29146.919	311.827957	9150.925448	30000	0	0	30000	44.5	2004
21.01.2020 12:25:29	1	1	1	1	88	64.5	0	27819.905	322.5806452	8973.989618	30000	0	0	30000	44.4375	2004
21.01.2020 12:25:30	1	1	1	1	88	64.25	0	28199.052	344.0860215	9763.270187	30000	0	0	30000	44.5	2004
21.01.2020 12:25:31	1	1	1	1	88	64.5	0	29526.066	352.688172	10476.72112	30000	0	0	30000	44.625	2004
21.01.2020 12:25:32	1	1	1	1	88	64.5	0	28009.479	341.9354839	9577.36526	30000	0	0	30000	44.625	2004
21.01.2020 12:25:33	1	1	1	1	88	64.5	0	28009.479	378.4946237	10601.47311	30000	0	0	30000	44.4375	2004
21.01.2020 12:25:34	1	1	1	1	88	64.25	0	0	0	0	30000	0	8	30000	44.375	2004
21.01.2020 12:25:35	1	1	1	1	88	64.25	0	10331.754	0	0	30000	0	0	30000	44.6875	2004
21.01.2020 12:25:36	1	1	1	1	88	64.5	0	11137.441	0	0	30000	0	0	30000	44.9375	2004
21.01.2020 12:25:37	1	1	1	1	88	64.75	0	11848.341	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:38	1	1	1	1	91	64.5	0	12654.028	0	0	30000	0	0	30000	45	2004
21.01.2020 12:25:39	1	1	1	1	91	65	0	13175.355	2.150537634	27.72266464	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:40	1	1	1	1	91	64.5	0	14170.616	6.451612903	121.4905009	30000	0	0	30000	44.6875	2004
21.01.2020 12:25:41	1	1	1	1	91	64.75	0	14928.91	15.05376344	224.2274346	30000	0	0	30000	44.625	2004
21.01.2020 12:25:42	1	1	1	1	91	64.5	0	15734.597	23.65591398	371.8098551	30000	0	0	30000	44.5	2004
21.01.2020 12:25:43	1	1	1	1	91	64.5	0	16445.498	30.10752688	494.931101	30000	0	0	30000	44.5	2004
21.01.2020 12:25:50	1	1	1	1	90.25	64.5	0	21137.441	92.47311828	1954.447857	30000	0	0	30000	44.25	2004
21.01.2020 12:25:50	1	1	1	1	90.25	64.5	0	21137.441	92.47311828	1954.447857	30000	0	0	30000	44.25	2004
21.01.2020 12:25:50	1	1	1	1	90.25	64.5	0	21137.441	92.47311828	1954.447857	30000	0	0	30000	44.25	2004
21.01.2020 12:25:50	1	1	1	1	90.25	64.5	0	21137.441	92.47311828	1954.447857	30000	0	0	30000	44.25	2004
21.01.2020 12:25:50	1	1	1	1	90.25	64.5	0	21137.441	92.47311828	1954.447857	30000	0	0	30000	44.25	2004
21.01.2020 12:25:51	1	1	1	1	90.25	64.25	0	21895.735	103.2258065	2260.21254	30000	0	0	30000	44.5	2004
21.01.2020 12:25:52	1	1	1	1	90.25	64.5	0	22559.242	120.4301075	2716.821134	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:53	1	1	1	1	90.25	64.5	0	23459.716	137.6344086	3228.875058	30000	0	0	30000	44.625	2004
21.01.2020 12:25:54	1	1	1	1	90.25	64.5	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:55	1	1	1	1	90.25	64.5	0	20616.114	126.8817204	2615.714946	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:56	1	1	1	1	90.25	64.5	0	24597.156	150.5376344	3663.468595	30000	0	0	30000	44	2004
21.01.2020 12:25:57	1	1	1	1	90.25	64	0	24028.436	163.4408602	3926.833909	30000	0	0	30000	44.5625	2004
21.01.2020 12:25:58	1	1	1	1	90	64.5	0	25402.844	184.9462366	4798.4671	30000	0	0	30000	44.5	2004
21.01.2020 12:25:59	1	1	1	1	90	64.5	0	26682.464	189.2473118	5049.601826	30000	0	0	30000	44.5	2004
21.01.2020 12:26:00	1	1	1	1	90	64.5	0	26682.464	206.4516129	5221.645422	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:01	1	1	1	1	90	64.5	0	23838.863	206.4516129	4931.372815	30000	0	0	30000	44.625	2004
21.01.2020 12:26:02	1	1	1	1	90	64.5	0	23649.289	206.4516129	4882.450466	30000	0	0	30000	44.4375	2004
21.01.2020 12:26:03	1	1	1	1	90	64.25	0	26350.711	234.4086022	6052.509988	30000	0	0	30000	44.3125	2004
21.01.2020 12:26:04	1	1	1	1	90	64.25	0	26777.251	236.5591398	6333.813497	30000	0	0	30000	44.5	2004
21.01.2020 12:26:05	1	1	1	1	90	64.5	0	27582.938	251.6129032	6928.220042	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:26:06	1	1	1	1	90	64.5	0	27109.005	221.5053763	6004.403011	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:07	1	1	1	1	90	64.5	0	26066.351	230.1075269	6008.479874	30000	0	0	30000	43.875	2004
21.01.2020 12:26:08	1	1	1	1	90.75	63.75	0	26682.464	249.4623656	6737.422879	30000	0	0	30000	44.5	2004
21.01.2020 12:26:09	1	1	1	1	90.75	64.5	0	26777.251	251.6129032	6737.422879	30000	0	0	30000	44.5	2004
21.01.2020 12:26:10	1	1	1	1	90.75	64.5	0	28009.479	277.4193548	7769.684451	30000	0	0	30000	44.3125	2004
21.01.2020 12:26:11	1	1	1	1	90.75	64.25	0	26208.531	258.0645161	6706.438725	30000	0	0	30000	44.4375	2004
21.01.2020 12:26:12	1	1	1	1	90.75	64.25	0	26113.744	262.3655914	6794.498954	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:13	1	1	1	1	90.75	64.5	0	26682.464	270.9677419	7229.907863	30000	0	0	30000	44.5	2004
21.01.2020 12:26:14	1	1	1	1	90.75	64.5	0	24218.009	251.6129032	6093.278613	30000	0	0	30000	44.375	2004
21.01.2020 12:26:15	1	1	1	1	90.75	64.25	0	22417.062	221.5053763	5061.832414	30000	0	0	30000	44.625	2004
21.01.2020 12:26:16	1	1	1	1	90.75	64.5	0	25687.204	249.4623656	6408.012394	30000	0	0	30000	44.375	2004
21.01.2020 12:26:17	1	1	1	1	90.75	64.25	0	26445.498	268.8172043	7096.186775	30000	0	0	30000	44.625	2004
21.01.2020 12:26:18	1	1	1	1	91.5	64.5	0	26682.464	253.7634409	6770.853151	30000	0	0	30000	44.375	2004
21.01.2020 12:26:19	1	1	1	1	91.5	64.25	0	27345.972	294.6236559	8261.354062	30000	0	0	30000	44.375	2004
21.01.2020 12:26:20	1	1	1	1	91.5	64.25	0	27819.905	329.0322581	9153.371565	30000	0	0	30000	44.5	2004
21.01.2020 12:26:21	1	1	1	1	91.5	64.5	0	28009.479	344.0860215	9577.36526	30000	0	0	30000	44	2004
21.01.2020 12:26:22	1	1	1	1	91.5	64	0	27914.692	359.1397849	9905.145	30000	0	0	30000	44.25	2004
21.01.2020 12:26:23	1	1	1	1	91.5	64.25	0	26777.251	346.2365591	9270.785204	30000	0	0	30000	44.4375	2004
21.01.2020 12:26:25	1	1	1	1	91.5	64.25	0	28625.592	372.0430108	10649.58008	30000	0	0	30000	44.4375	2004
21.01.2020 12:26:26	1	1	1	1	91.5	64.25	0	28199.052	380.6451613	10733.56345	30000	0	0	30000	44.5	2004
21.01.2020 12:26:27	1	1	1	1	91.5	64.5	0	28957.346	380.6451613	11022.20531	30000	0	0	30000	44.625	2004
21.01.2020 12:26:28	1	1	1	1	89	64.5	0	27298.578	359.1397849	9804.038812	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:29	1	1	1	1	89	64.5	0	29526.066	378.4946237	11193.43353	30000	0	0	30000	44.5	2004
21.01.2020 12:26:30	1	1	1	1	89	64.5	0	0	0	0	30000	0	8	30000	44.6875	2004
21.01.2020 12:26:31	1	1	1	1	89	64.5	0	10142.18	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:26:32	1	1	1	1	89	64.75	0	10947.867	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:26:33	1	1	1	1	89	64.5	0	11706.161	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:26:34	1	1	1	1	89	64.5	0	12464.455	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:26:35	1	1	1	1	89	64.5	0	13222.749	2.150537634	56.26070176	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:36	1	1	1	1	89	64.5	0	14075.829	8.602150538	150.8439105	30000	0	0	30000	44.625	2004
21.01.2020 12:26:37	1	1	1	1	89	64.5	0	14786.73	10.75268817	158.9976354	30000	0	0	30000	44.625	2004
21.01.2020 12:26:38	1	1	1	1	89.75	64.5	0	15497.63	15.05376344	233.1965319	30000	0	0	30000	42.6875	2004
21.01.2020 12:26:39	1	1	1	1	89.75	62.5	0	16350.711	25.80645161	386.4865599	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:40	1	1	1	1	89.75	64.5	0	17109.005	34.40860215	551.1918028	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:41	1	1	1	1	89.75	64.5	0	17867.299	40.86021505	768.080885	30000	0	0	30000	44.625	2004
21.01.2020 12:26:42	1	1	1	1	89.75	64.5	0	18672.986	53.76344086	1003.723534	30000	0	0	30000	44.375	2004
21.01.2020 12:26:43	1	1	1	1	89.75	64.25	0	19431.28	64.51612903	1253.227516	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:44	1	1	1	1	89.75	64.5	0	20142.18	75.2688172	1515.777458	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:45	1	1	1	1	89.75	64.5	0	21042.654	88.17204301	1760.389204	30000	0	0	30000	44.625	2004
21.01.2020 12:26:52	1	1	1	1	89	64.5	0	23744.076	163.4408602	3888.511402	30000	0	0	30000	44.4375	2004
21.01.2020 12:26:52	1	1	1	1	89	64.5	0	23744.076	163.4408602	3888.511402	30000	0	0	30000	44.4375	2004
21.01.2020 12:26:52	1	1	1	1	89	64.5	0	23744.076	163.4408602	3888.511402	30000	0	0	30000	44.4375	2004
21.01.2020 12:26:52	1	1	1	1	89	64.5	0	23744.076	163.4408602	3888.511402	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:26:52	1	1	1	1	89	64.5	0	23744.076	163.4408602	3888.511402	30000	0	0	30000	44.4375	2004
21.01.2020 12:26:52	1	1	1	1	89	64.5	0	23744.076	163.4408602	3888.511402	30000	0	0	30000	44.4375	2004
21.01.2020 12:26:52	1	1	1	1	89	64.25	0	23744.076	156.9892473	3625.146088	30000	0	0	30000	44.5	2004
21.01.2020 12:26:53	1	1	1	1	89	64.5	0	23744.076	159.1397849	3778.436116	30000	0	0	30000	44.5625	2004
21.01.2020 12:26:54	1	1	1	1	89	64.5	0	20853.081	137.6344086	2870.111162	30000	0	0	30000	44.75	2004
21.01.2020 12:26:55	1	1	1	1	89	64.75	0	25355.45	165.5913978	4307.612861	30000	0	0	30000	44.625	2004
21.01.2020 12:26:56	1	1	1	1	89	64.5	0	24786.73	163.4408602	4050.770527	30000	0	0	30000	44.75	2004
21.01.2020 12:26:57	1	1	1	1	88.5	64.5	0	25592.417	195.6989247	5008.017829	30000	0	0	30000	44.625	2004
21.01.2020 12:26:58	1	1	1	1	88.5	64.5	0	25592.417	206.4516129	5283.613731	30000	0	0	30000	44.5	2004
21.01.2020 12:26:59	1	1	1	1	88.5	64.5	0	26398.104	221.5053763	5847.036121	30000	0	0	30000	44.625	2004
21.01.2020 12:27:00	1	1	1	1	88.5	64.5	0	26682.464	245.1612903	6598.809556	30000	0	0	30000	44.4375	2004
21.01.2020 12:27:02	1	1	1	1	88.5	64.25	0	28388.626	270.9677419	7692.224064	30000	0	0	30000	44.5625	2004
21.01.2020 12:27:03	1	1	1	1	88.5	64.5	0	26682.464	245.1612903	6598.809556	30000	0	0	30000	44.5625	2004
21.01.2020 12:27:04	1	1	1	1	88.5	64.5	0	27630.332	240.8602151	6655.070258	30000	0	0	30000	44.625	2004
21.01.2020 12:27:05	1	1	1	1	88.5	64.5	0	28815.166	286.0215054	8241.785122	30000	0	0	30000	44.4375	2004
21.01.2020 12:27:06	1	1	1	1	88.5	64.25	0	25734.597	262.3655914	6751.284212	30000	0	0	30000	44.5	2004
21.01.2020 12:27:07	1	1	1	1	88.5	64.5	0	24502.37	247.311828	6059.032968	30000	0	0	30000	44.625	2004
21.01.2020 12:27:08	1	1	1	1	87	64.5	0	27061.611	279.5698925	7565.025956	30000	0	0	30000	43.875	2004
21.01.2020 12:27:09	1	1	1	1	87	63.75	0	27298.578	320.4301075	8747.316066	30000	0	0	30000	44.5	2004
21.01.2020 12:27:10	1	1	1	1	87	64.5	0	27630.332	309.6774194	8615.225722	30000	0	0	30000	44.5625	2004
21.01.2020 12:27:11	1	1	1	1	87	64.5	0	27630.332	324.7311828	8972.358873	30000	0	0	30000	44.625	2004
21.01.2020 12:27:12	1	1	1	1	87	64.5	0	27962.085	344.0860215	9577.36526	30000	0	0	30000	44.625	2004
21.01.2020 12:27:13	1	1	1	1	87	64.5	0	27914.692	352.688172	9905.145	30000	0	0	30000	44.5	2004
21.01.2020 12:27:14	1	1	1	1	87	64.5	0	28815.166	389.2473118	11154.29565	30000	0	0	30000	44	2004
21.01.2020 12:27:15	1	1	1	1	87	64	0	29715.64	395.6989247	11758.48667	30000	0	0	30000	44.3125	2004
21.01.2020 12:27:16	1	1	1	1	87	64.25	0	28815.166	380.6451613	11092.32734	30000	0	0	30000	44.25	2004
21.01.2020 12:27:17	1	1	1	1	87	64.25	0	27867.299	380.6451613	10727.04047	30000	0	0	30000	44.625	2004
21.01.2020 12:27:18	1	1	1	1	86.75	64.5	0	27867.299	380.6451613	10625.11891	30000	0	0	30000	44.5625	2004
21.01.2020 12:27:19	1	1	1	1	86.75	64.5	0	28815.166	397.8494624	11464.1372	30000	0	0	30000	44.5	2004
21.01.2020 12:27:20	1	1	1	1	86.75	64.5	0	29810.427	417.2043011	12372.46215	30000	0	0	30000	44.5625	2004
21.01.2020 12:27:21	1	1	1	1	86.75	64.5	0	29526.066	380.6451613	11238.27902	30000	0	0	30000	44.5	2004
21.01.2020 12:27:24	1	1	1	1	86.75	64.25	0	28672.986	412.9032258	11897.91536	30000	0	0	30000	44.375	2004
21.01.2020 12:27:24	1	1	1	1	86.75	64.25	0	28672.986	412.9032258	11897.91536	30000	0	0	30000	44.375	2004
21.01.2020 12:27:24	1	1	1	1	86.75	64.25	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	44.375	2004
21.01.2020 12:27:25	1	1	1	1	86.75	64.25	0	29952.607	440.8602151	13248.17221	30000	0	0	30000	44.5	2004
21.01.2020 12:27:26	1	1	1	1	86.75	64.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	44.4375	2004
21.01.2020 12:27:27	1	1	1	1	86.75	64.25	0	29905.213	438.7096774	13098.95904	30000	0	0	30000	44.5625	2004
21.01.2020 12:27:28	1	1	1	1	88.25	64.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.5	2004
21.01.2020 12:27:29	1	1	1	1	88.25	64.5	0	30000	464.516129	13870.30142	30000	0	0	30000	44.5	2004
21.01.2020 12:27:30	1	1	1	1	88.25	64.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.0625	2004
21.01.2020 12:27:31	1	1	1	1	88.25	64	0	30000	460.2150538	13805.88699	30000	0	0	30000	44.375	2004
21.01.2020 12:27:32	1	1	1	1	88.25	64.25	0	30000	438.7096774	12967.68407	30000	0	0	30000	44.0625	2004
21.01.2020 12:27:33	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:27:34	1	1	1	1	88.25	64.5	0	29905.213	404.3010753	12025.92885	30000	0	0	30000	44.8125	2004
21.01.2020 12:27:35	1	1	1	1	88.25	64	0	29905.213	395.6989247	11833.50094	30000	0	0	30000	44.4375	2004
21.01.2020 12:27:36	1	1	1	1	88.25	64.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	44.3125	2004
21.01.2020 12:27:37	1	1	1	1	88.75	64.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	44.4375	2004
21.01.2020 12:27:38	1	1	1	1	88.75	64.25	0	29905.213	425.8064516	12733.67217	30000	0	0	30000	44.5	2004
21.01.2020 12:27:39	1	1	1	1	88.75	64.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.25	2004
21.01.2020 12:27:41	1	1	1	1	88.75	64.25	0	29573.46	365.5913978	10811.83921	30000	0	0	30000	44.375	2004
21.01.2020 12:27:42	1	1	1	1	88.75	64.25	0	29952.607	434.4086022	13225.34178	30000	0	0	30000	44.5	2004
21.01.2020 12:27:43	1	1	1	1	88.75	64.5	0	29146.919	369.8924731	10780.85505	30000	0	0	30000	44.25	2004
21.01.2020 12:27:44	1	1	1	1	88.75	64.25	0	25450.237	372.0430108	9558.611692	30000	0	0	30000	44.3125	2004
21.01.2020 12:27:45	1	1	1	1	88.75	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.5625	2004
21.01.2020 12:27:46	1	1	1	1	88.75	64.5	0	30000	464.516129	13935.53122	30000	0	0	30000	44.4375	2004
21.01.2020 12:27:47	1	1	1	1	88.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 12:27:53	1	1	1	1	88.75	64.25	0	28862.559	458.0645161	13220.44954	30000	0	0	30000	44.375	2004
21.01.2020 12:27:53	1	1	1	1	88.75	64.25	0	28862.559	458.0645161	13220.44954	30000	0	0	30000	44.375	2004
21.01.2020 12:27:53	1	1	1	1	88.75	64.25	0	28862.559	458.0645161	13220.44954	30000	0	0	30000	44.375	2004
21.01.2020 12:27:53	1	1	1	1	88.75	64.25	0	28862.559	458.0645161	13220.44954	30000	0	0	30000	44.375	2004
21.01.2020 12:27:53	1	1	1	1	88.75	64.25	0	28862.559	458.0645161	13220.44954	30000	0	0	30000	44.375	2004
21.01.2020 12:27:53	1	1	1	1	88.75	64.25	0	28862.559	458.0645161	13220.44954	30000	0	0	30000	44.375	2004
21.01.2020 12:27:54	1	1	1	1	88.75	64.25	0	29905.213	496.7741935	14879.73256	30000	0	0	30000	43.875	2004
21.01.2020 12:27:55	1	1	1	1	88.75	63.75	0	29857.82	494.6236559	14744.38072	30000	0	0	30000	43.3125	2004
21.01.2020 12:27:56	1	1	1	1	88.75	63.25	0	29620.853	451.6129032	13461.7998	30000	0	0	30000	44.25	2004
21.01.2020 12:27:57	1	1	1	1	88.75	64.25	0	30000	481.7204301	13999.94564	30000	0	0	30000	43.4375	2004
21.01.2020 12:27:58	1	1	1	1	88.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
21.01.2020 12:27:59	1	1	1	1	88.75	63.75	0	30000	483.8709677	14428.83157	30000	0	0	30000	44	2004
21.01.2020 12:28:00	1	1	1	1	88.75	64	0	28483.412	468.8172043	13292.20232	30000	0	0	30000	44.1875	2004
21.01.2020 12:28:01	1	1	1	1	88.75	64	0	30000	494.6236559	14773.73413	30000	0	0	30000	43.875	2004
21.01.2020 12:28:02	1	1	1	1	88.75	63.75	0	29905.213	466.6666667	13955.10015	30000	0	0	30000	44.375	2004
21.01.2020 12:28:03	1	1	1	1	88.75	64.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.0625	2004
21.01.2020 12:28:04	1	1	1	1	88.75	64	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.375	2004
21.01.2020 12:28:05	1	1	1	1	88.75	64.25	0	29099.526	453.7634409	13204.14209	30000	0	0	30000	44.3125	2004
21.01.2020 12:28:06	1	1	1	1	88.75	64.25	0	29715.64	466.6666667	13867.03993	30000	0	0	30000	44.125	2004
21.01.2020 12:28:07	1	1	1	1	88.75	64	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44	2004
21.01.2020 12:28:08	1	1	1	1	89	64	0	29905.213	488.172043	14750.9037	30000	0	0	30000	43.9375	2004
21.01.2020 12:28:09	1	1	1	1	89	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.0625	2004
21.01.2020 12:28:10	1	1	1	1	89	64	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.75	2004
21.01.2020 12:28:11	1	1	1	1	89	63.75	0	29573.46	464.516129	13737.3957	30000	0	0	30000	44.25	2004
21.01.2020 12:28:12	1	1	1	1	89	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	43.875	2004
21.01.2020 12:28:13	1	1	1	1	89	63.75	0	26303.318	481.7204301	12625.22762	30000	0	0	30000	44.4375	2004
21.01.2020 12:28:14	1	1	1	1	89	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.5625	2004
21.01.2020 12:28:15	1	1	1	1	89	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.3125	2004
21.01.2020 12:28:16	1	1	1	1	89	64.25	0	29810.427	481.7204301	14378.27848	30000	0	0	30000	44.375	2004
21.01.2020 12:28:17	1	1	1	1	88.75	64.25	0	29573.46	455.9139785	13419.40043	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:28:18	1	1	1	1	88.75	64.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	44	2004
21.01.2020 12:28:19	1	1	1	1	88.75	64	0	29526.066	445.1612903	13122.60484	30000	0	0	30000	43.875	2004
21.01.2020 12:28:21	1	1	1	1	88.75	63.75	0	30000	490.3225806	14686.48928	30000	0	0	30000	44.375	2004
21.01.2020 12:28:22	1	1	1	1	88.75	64.25	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	44.3125	2004
21.01.2020 12:28:23	1	1	1	1	88.75	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.6875	2004
21.01.2020 12:28:24	1	1	1	1	88.75	63.5	0	29857.82	460.2150538	13805.07162	30000	0	0	30000	44.375	2004
21.01.2020 12:28:25	1	1	1	1	88.75	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
21.01.2020 12:28:26	1	1	1	1	88.75	64.25	0	30000	490.3225806	14902.56299	30000	0	0	30000	44.0625	2004
21.01.2020 12:28:27	1	1	1	1	88.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
21.01.2020 12:28:28	1	1	1	1	89.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:28:29	1	1	1	1	89.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 12:28:30	1	1	1	1	89.5	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.0625	2004
21.01.2020 12:28:31	1	1	1	1	89.5	64	0	29905.213	464.516129	13891.5011	30000	0	0	30000	44.125	2004
21.01.2020 12:28:32	1	1	1	1	89.5	64	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.375	2004
21.01.2020 12:28:33	1	1	1	1	89.5	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.375	2004
21.01.2020 12:28:34	1	1	1	1	89.5	64.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	44.375	2004
21.01.2020 12:28:35	1	1	1	1	89.5	64.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	44.125	2004
21.01.2020 12:28:36	1	1	1	1	89.5	64	0	29905.213	400	11897.09999	30000	0	0	30000	44	2004
21.01.2020 12:28:37	1	1	1	1	89.5	64	0	28625.592	419.3548387	11984.34485	30000	0	0	30000	43.9375	2004
21.01.2020 12:28:38	1	1	1	1	89.25	63.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	44.25	2004
21.01.2020 12:28:39	1	1	1	1	89.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 12:28:40	1	1	1	1	89.25	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.25	2004
21.01.2020 12:28:41	1	1	1	1	89.25	64.25	0	29905.213	481.7204301	14019.51458	30000	0	0	30000	44.375	2004
21.01.2020 12:28:42	1	1	1	1	89.25	64.25	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	44.25	2004
21.01.2020 12:28:43	1	1	1	1	89.25	64.25	0	29715.64	378.4946237	11247.24812	30000	0	0	30000	43.75	2004
21.01.2020 12:28:44	1	1	1	1	89.25	63.75	0	29715.64	350.5376344	10416.38355	30000	0	0	30000	44.5	2004
21.01.2020 12:28:45	1	1	1	1	89.25	64.5	0	29905.213	400	12025.92885	30000	0	0	30000	44.375	2004
21.01.2020 12:28:46	1	1	1	1	89.25	64.25	0	29620.853	352.688172	10382.95328	30000	0	0	30000	44.375	2004
21.01.2020 12:28:47	1	1	1	1	89.25	64.25	0	29905.213	389.2473118	11640.25766	30000	0	0	30000	44.375	2004
21.01.2020 12:28:48	1	1	1	1	89.75	64.25	0	28957.346	352.688172	10150.57212	30000	0	0	30000	44.25	2004
21.01.2020 12:28:55	1	1	1	1	89.75	63.75	0	29526.066	361.2903226	10603.91922	30000	0	0	30000	43.5625	2004
21.01.2020 12:28:55	1	1	1	1	89.75	63.75	0	29526.066	361.2903226	10603.91922	30000	0	0	30000	43.5625	2004
21.01.2020 12:28:55	1	1	1	1	89.75	63.75	0	29526.066	361.2903226	10603.91922	30000	0	0	30000	43.5625	2004
21.01.2020 12:28:55	1	1	1	1	89.75	63.75	0	29526.066	361.2903226	10603.91922	30000	0	0	30000	43.5625	2004
21.01.2020 12:28:55	1	1	1	1	89.75	63.75	0	29526.066	361.2903226	10603.91922	30000	0	0	30000	43.5625	2004
21.01.2020 12:28:55	1	1	1	1	89.75	63.5	0	29810.427	400	11987.60634	30000	0	0	30000	44.4375	2004
21.01.2020 12:28:56	1	1	1	1	89.75	64.25	0	29952.607	397.8494624	11897.09999	30000	0	0	30000	44.375	2004
21.01.2020 12:28:57	1	1	1	1	89.75	64.25	0	27298.578	356.9892473	9745.331992	30000	0	0	30000	44.4375	2004
21.01.2020 12:28:58	1	1	1	1	89.75	64.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:00	1	1	1	1	89.75	64.25	0	29383.886	378.4946237	10949.63716	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:01	1	1	1	1	89.75	64.25	0	30000	440.8602151	13119.34335	30000	0	0	30000	44.0625	2004
21.01.2020 12:29:02	1	1	1	1	89.75	64	0	28341.232	378.4946237	10727.04047	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:29:03	1	1	1	1	89.75	64	0	29526.066	395.6989247	11683.4724	30000	0	0	30000	44.1875	2004
21.01.2020 12:29:04	1	1	1	1	89.75	64	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.25	2004
21.01.2020 12:29:05	1	1	1	1	89.75	64.25	0	27630.332	380.6451613	10516.67437	30000	0	0	30000	44.5	2004
21.01.2020 12:29:06	1	1	1	1	89.75	64.5	0	29668.246	438.7096774	13099.77441	30000	0	0	30000	44.625	2004
21.01.2020 12:29:07	1	1	1	1	89.75	64.5	0	30047.393	432.2580645	12838.03984	30000	0	0	30000	43.9375	2004
21.01.2020 12:29:08	1	1	1	1	89.5	63.75	0	29715.64	417.2043011	12333.32427	30000	0	0	30000	44.5	2004
21.01.2020 12:29:09	1	1	1	1	89.5	64.5	0	29146.919	378.4946237	11031.98978	30000	0	0	30000	44.5	2004
21.01.2020 12:29:10	1	1	1	1	89.5	64.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	44.25	2004
21.01.2020 12:29:11	1	1	1	1	89.5	64.25	0	29810.427	372.0430108	11301.0627	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:12	1	1	1	1	89.5	64.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	44.5625	2004
21.01.2020 12:29:13	1	1	1	1	89.5	64.5	0	26919.431	404.3010753	10767.80909	30000	0	0	30000	43.8125	2004
21.01.2020 12:29:14	1	1	1	1	89.5	63.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.6875	2004
21.01.2020 12:29:15	1	1	1	1	89.5	63.5	0	30000	436.5591398	12798.08659	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:16	1	1	1	1	89.5	64.25	0	29336.493	453.7634409	13311.77126	30000	0	0	30000	44.1875	2004
21.01.2020 12:29:17	1	1	1	1	89.5	64	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.5	2004
21.01.2020 12:29:18	1	1	1	1	90.25	64.5	0	28957.346	350.5376344	10150.57212	30000	0	0	30000	44.25	2004
21.01.2020 12:29:19	1	1	1	1	90.25	64.25	0	0	0	0	30000	0	8	30000	44.1875	2004
21.01.2020 12:29:20	1	1	1	1	90.25	64	0	9810.4265	0	0	30000	0	0	30000	42	2004
21.01.2020 12:29:21	1	1	1	1	90.25	62	0	10616.114	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:29:22	1	1	1	1	90.25	64.5	0	11753.555	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:29:23	1	1	1	1	90.25	64.5	0	12464.455	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:29:24	1	1	1	1	90.25	64.5	0	13175.355	2.150537634	56.26070176	30000	0	0	30000	44.5625	2004
21.01.2020 12:29:25	1	1	1	1	90.25	64.5	0	14170.616	10.75268817	151.659283	30000	0	0	30000	44.5625	2004
21.01.2020 12:29:26	1	1	1	1	90.25	64.5	0	14691.943	12.90322581	189.1664175	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:27	1	1	1	1	90.25	64.25	0	15639.81	21.50537634	335.9334656	30000	0	0	30000	44.375	2004
21.01.2020 12:29:28	1	1	1	1	90	64.25	0	16303.318	27.95698925	455.7932215	30000	0	0	30000	44.5	2004
21.01.2020 12:29:29	1	1	1	1	90	64.5	0	17109.005	36.55913978	625.3906993	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:30	1	1	1	1	90	64.25	0	17914.692	43.01075269	691.435871	30000	0	0	30000	44.875	2004
21.01.2020 12:29:31	1	1	1	1	90	64.75	0	18151.659	43.01075269	819.4493518	30000	0	0	30000	44.625	2004
21.01.2020 12:29:32	1	1	1	1	90	64.5	0	19383.886	55.91397849	1042.046041	30000	0	0	30000	44.875	2004
21.01.2020 12:29:33	1	1	1	1	90	64.75	0	20189.573	70.96774194	1479.085696	30000	0	0	30000	44.9375	2004
21.01.2020 12:29:34	1	1	1	1	90	64.5	0	20947.867	83.87096774	1850.895551	30000	0	0	30000	44.3125	2004
21.01.2020 12:29:35	1	1	1	1	90	64.25	0	21753.555	105.3763441	2296.904302	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:36	1	1	1	1	90	64.25	0	22511.848	116.1290323	2614.084201	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:37	1	1	1	1	90	64.25	0	22890.995	124.7311828	2805.696736	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:39	1	1	1	1	90	64.25	0	22369.668	126.8817204	3085.3695	30000	0	0	30000	44.625	2004
21.01.2020 12:29:40	1	1	1	1	90	64.5	0	22796.209	124.7311828	2690.729215	30000	0	0	30000	44.625	2004
21.01.2020 12:29:41	1	1	1	1	90	64.5	0	21800.948	124.7311828	2813.035088	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:42	1	1	1	1	90	64.25	0	21943.128	137.6344086	3020.1397	30000	0	0	30000	44.5625	2004
21.01.2020 12:29:43	1	1	1	1	90	64.5	0	22227.488	129.0322581	3059.27758	30000	0	0	30000	44.625	2004
21.01.2020 12:29:44	1	1	1	1	90	64.5	0	20236.967	137.6344086	2785.312424	30000	0	0	30000	44.5	2004
21.01.2020 12:29:45	1	1	1	1	90	64.5	0	22748.815	144.0860215	3277.797407	30000	0	0	30000	43.4375	2004
21.01.2020 12:29:46	1	1	1	1	90	63.25	0	22274.882	144.0860215	3209.306118	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:29:47	1	1	1	1	90	64.5	0	23933.649	167.7419355	4014.078765	30000	0	0	30000	44.625	2004
21.01.2020 12:29:48	1	1	1	1	89.25	64.5	0	24976.303	165.5913978	4189.38385	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:49	1	1	1	1	89.25	64.25	0	23744.076	167.7419355	3982.279238	30000	0	0	30000	44.625	2004
21.01.2020 12:29:50	1	1	1	1	89.25	64.5	0	23649.289	167.7419355	4017.340255	30000	0	0	30000	44.625	2004
21.01.2020 12:29:56	1	1	1	1	89.25	64.5	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.5	2004
21.01.2020 12:29:56	1	1	1	1	89.25	64.5	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.5	2004
21.01.2020 12:29:56	1	1	1	1	89.25	64.5	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.5	2004
21.01.2020 12:29:56	1	1	1	1	89.25	64.5	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.5	2004
21.01.2020 12:29:56	1	1	1	1	89.25	64.5	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.5	2004
21.01.2020 12:29:56	1	1	1	1	89.25	64.5	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.5	2004
21.01.2020 12:29:56	1	1	1	1	89.25	64.5	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.5	2004
21.01.2020 12:29:57	1	1	1	1	89.25	64.5	0	23744.076	167.7419355	3982.279238	30000	0	0	30000	44.4375	2004
21.01.2020 12:29:58	1	1	1	1	89.5	64.25	0	23838.863	169.8924731	3982.279238	30000	0	0	30000	44.5	2004
21.01.2020 12:29:59	1	1	1	1	89.5	64.5	0	23838.863	167.7419355	3998.586688	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:00	1	1	1	1	89.5	64.25	0	23838.863	167.7419355	3998.586688	30000	0	0	30000	44.5625	2004
21.01.2020 12:30:01	1	1	1	1	89.5	64.5	0	23838.863	169.8924731	3998.586688	30000	0	0	30000	44.5625	2004
21.01.2020 12:30:02	1	1	1	1	89.5	64.5	0	23838.863	167.7419355	3998.586688	30000	0	0	30000	44.5	2004
21.01.2020 12:30:03	1	1	1	1	89.5	64.5	0	23080.569	163.4408602	3921.126301	30000	0	0	30000	44.625	2004
21.01.2020 12:30:04	1	1	1	1	89.5	64.5	0	23838.863	167.7419355	3998.586688	30000	0	0	30000	44.5	2004
21.01.2020 12:30:05	1	1	1	1	89.5	64.5	0	24028.436	169.8924731	4081.754682	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:06	1	1	1	1	89.5	64.25	0	23886.256	167.7419355	4049.955155	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:07	1	1	1	1	89.5	64.25	0	23791.469	167.7419355	3990.432963	30000	0	0	30000	44.5	2004
21.01.2020 12:30:08	1	1	1	1	89.25	64.5	0	23933.649	167.7419355	4014.078765	30000	0	0	30000	44.5	2004
21.01.2020 12:30:09	1	1	1	1	89.25	64.5	0	23933.649	169.8924731	4065.447232	30000	0	0	30000	44.375	2004
21.01.2020 12:30:10	1	1	1	1	89.25	64.25	0	23838.863	167.7419355	4006.740413	30000	0	0	30000	44.875	2004
21.01.2020 12:30:11	1	1	1	1	89.25	64.75	0	24123.223	169.8924731	4089.908406	30000	0	0	30000	44.625	2004
21.01.2020 12:30:12	1	1	1	1	89.25	64.5	0	23981.043	167.7419355	3970.864023	30000	0	0	30000	44.625	2004
21.01.2020 12:30:13	1	1	1	1	89.25	64.25	0	24075.829	167.7419355	4098.062131	30000	0	0	30000	44.3125	2004
21.01.2020 12:30:14	1	1	1	1	89.25	64.25	0	23933.649	165.5913978	3962.710298	30000	0	0	30000	44.5625	2004
21.01.2020 12:30:15	1	1	1	1	89.25	64.5	0	24218.009	169.8924731	4062.185742	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:17	1	1	1	1	89.25	64.25	0	23886.256	167.7419355	3895.849754	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:18	1	1	1	1	89.25	64.25	0	23933.649	165.5913978	4014.078765	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:19	1	1	1	1	89.25	64.25	0	23838.863	167.7419355	3998.586688	30000	0	0	30000	44.5	2004
21.01.2020 12:30:20	1	1	1	1	89.25	64.5	0	25071.09	206.4516129	5175.984562	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:21	1	1	1	1	89.25	64.25	0	24218.009	191.3978495	4634.577229	30000	0	0	30000	44.5625	2004
21.01.2020 12:30:22	1	1	1	1	89.25	64.5	0	24597.156	193.5483871	4707.145381	30000	0	0	30000	44.5625	2004
21.01.2020 12:30:23	1	1	1	1	89.25	64.5	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.5625	2004
21.01.2020 12:30:24	1	1	1	1	89.25	64.5	0	24881.517	206.4516129	5136.846683	30000	0	0	30000	44.5	2004
21.01.2020 12:30:25	1	1	1	1	89.25	64.5	0	24739.336	206.4516129	5097.708803	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:26	1	1	1	1	89.25	64.25	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.625	2004
21.01.2020 12:30:27	1	1	1	1	89.25	64.5	0	24407.583	195.6989247	4776.452043	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:28	1	1	1	1	90	64.25	0	24549.763	206.4516129	5078.139864	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:29	1	1	1	1	90	64.25	0	24549.763	206.4516129	5078.139864	30000	0	0	30000	44.5	2004
21.01.2020 12:30:30	1	1	1	1	90	64.5	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:30:31	1	1	1	1	90	64.25	0	24502.37	193.5483871	5058.570924	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:32	1	1	1	1	90	64.25	0	24739.336	191.3978495	5107.493273	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:33	1	1	1	1	90	64.25	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44.375	2004
21.01.2020 12:30:34	1	1	1	1	90	64.25	0	24976.303	206.4516129	5175.984562	30000	0	0	30000	44.25	2004
21.01.2020 12:30:35	1	1	1	1	90	64.25	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44.3125	2004
21.01.2020 12:30:36	1	1	1	1	90	64.25	0	25308.057	206.4516129	5215.122442	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:37	1	1	1	1	90	64.25	0	25071.09	206.4516129	5175.984562	30000	0	0	30000	44.375	2004
21.01.2020 12:30:38	1	1	1	1	88.75	64.25	0	24928.91	206.4516129	5136.846683	30000	0	0	30000	43.9375	2004
21.01.2020 12:30:39	1	1	1	1	88.75	63.75	0	24976.303	206.4516129	4824.559019	30000	0	0	30000	44.5625	2004
21.01.2020 12:30:40	1	1	1	1	88.75	64.5	0	24881.517	206.4516129	5136.846683	30000	0	0	30000	44.3125	2004
21.01.2020 12:30:41	1	1	1	1	88.75	64.25	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.3125	2004
21.01.2020 12:30:42	1	1	1	1	88.75	64.25	0	24928.91	206.4516129	5146.631153	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:43	1	1	1	1	88.75	64.25	0	24549.763	195.6989247	4804.174707	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:44	1	1	1	1	88.75	64.25	0	24834.123	206.4516129	5117.277743	30000	0	0	30000	44.375	2004
21.01.2020 12:30:45	1	1	1	1	88.75	64.25	0	24597.156	206.4516129	4813.143805	30000	0	0	30000	44	2004
21.01.2020 12:30:46	1	1	1	1	88.75	64	0	24834.123	206.4516129	5136.846683	30000	0	0	30000	44.5625	2004
21.01.2020 12:30:47	1	1	1	1	88.75	64.5	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.5	2004
21.01.2020 12:30:48	1	1	1	1	87.75	64.5	0	24218.009	195.6989247	4738.944908	30000	0	0	30000	44.375	2004
21.01.2020 12:30:49	1	1	1	1	87.75	64.25	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.25	2004
21.01.2020 12:30:50	1	1	1	1	87.75	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.375	2004
21.01.2020 12:30:51	1	1	1	1	87.75	64.25	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.4375	2004
21.01.2020 12:30:58	1	1	1	1	88.25	64.25	0	24218.009	189.2473118	5039.001984	30000	0	0	30000	44.625	2004
21.01.2020 12:30:58	1	1	1	1	88.25	64.25	0	24218.009	189.2473118	5039.001984	30000	0	0	30000	44.625	2004
21.01.2020 12:30:58	1	1	1	1	88.25	64.25	0	24218.009	189.2473118	5039.001984	30000	0	0	30000	44.625	2004
21.01.2020 12:30:58	1	1	1	1	88.25	64.25	0	24218.009	189.2473118	5039.001984	30000	0	0	30000	44.625	2004
21.01.2020 12:30:58	1	1	1	1	88.25	64.25	0	24218.009	189.2473118	5039.001984	30000	0	0	30000	44.625	2004
21.01.2020 12:30:59	1	1	1	1	88.25	64.5	0	24407.583	206.4516129	4634.577229	30000	0	0	30000	44.3125	2004
21.01.2020 12:31:00	1	1	1	1	88.25	64.25	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	43.25	2004
21.01.2020 12:31:01	1	1	1	1	88.25	63.25	0	24549.763	206.4516129	5078.139864	30000	0	0	30000	44.3125	2004
21.01.2020 12:31:02	1	1	1	1	88.25	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.25	2004
21.01.2020 12:31:03	1	1	1	1	88.25	64.25	0	24454.976	206.4516129	5058.570924	30000	0	0	30000	44.3125	2004
21.01.2020 12:31:04	1	1	1	1	88.25	64.25	0	24360.19	206.4516129	4999.864105	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:05	1	1	1	1	88.25	64.25	0	24218.009	195.6989247	4999.864105	30000	0	0	30000	44.5	2004
21.01.2020 12:31:06	1	1	1	1	88.25	64.5	0	24218.009	193.5483871	4999.864105	30000	0	0	30000	44.5	2004
21.01.2020 12:31:07	1	1	1	1	88.25	64.5	0	24218.009	193.5483871	4686.761069	30000	0	0	30000	44.375	2004
21.01.2020 12:31:08	1	1	1	1	88.5	64.25	0	24218.009	195.6989247	4999.864105	30000	0	0	30000	43.875	2004
21.01.2020 12:31:09	1	1	1	1	88.5	63.75	0	24454.976	206.4516129	5058.570924	30000	0	0	30000	44	2004
21.01.2020 12:31:10	1	1	1	1	88.5	64	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.375	2004
21.01.2020 12:31:11	1	1	1	1	88.5	64.25	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:12	1	1	1	1	88.5	64.25	0	24834.123	206.4516129	5117.277743	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:13	1	1	1	1	88.5	64.25	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:14	1	1	1	1	88.5	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:31:15	1	1	1	1	88.5	64.25	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:16	1	1	1	1	88.5	64.25	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.25	2004
21.01.2020 12:31:17	1	1	1	1	88.5	64.25	0	24786.73	206.4516129	5097.708803	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:18	1	1	1	1	87.75	64.25	0	24644.55	193.5483871	4831.897372	30000	0	0	30000	44.5625	2004
21.01.2020 12:31:19	1	1	1	1	87.75	64.5	0	24881.517	206.4516129	4752.80624	30000	0	0	30000	44.3125	2004
21.01.2020 12:31:20	1	1	1	1	87.75	64.25	0	25924.171	215.0537634	5630.147039	30000	0	0	30000	44.625	2004
21.01.2020 12:31:21	1	1	1	1	87.75	64.5	0	25876.777	232.2580645	5943.250075	30000	0	0	30000	44	2004
21.01.2020 12:31:22	1	1	1	1	87.75	64	0	25165.877	232.2580645	5844.590004	30000	0	0	30000	44.3125	2004
21.01.2020 12:31:23	1	1	1	1	87.75	64.25	0	25497.63	236.5591398	6031.310304	30000	0	0	30000	44.375	2004
21.01.2020 12:31:24	1	1	1	1	87.75	64.25	0	25355.45	232.2580645	5943.250075	30000	0	0	30000	44.375	2004
21.01.2020 12:31:25	1	1	1	1	87.75	64.25	0	25355.45	234.4086022	5997.880032	30000	0	0	30000	44.25	2004
21.01.2020 12:31:26	1	1	1	1	87.75	64.25	0	25071.09	236.5591398	5930.204115	30000	0	0	30000	44.375	2004
21.01.2020 12:31:27	1	1	1	1	87.75	64.25	0	25355.45	240.8602151	5888.620118	30000	0	0	30000	44.6875	2004
21.01.2020 12:31:28	1	1	1	1	87.75	64.5	0	25165.877	234.4086022	5898.404588	30000	0	0	30000	44.25	2004
21.01.2020 12:31:29	1	1	1	1	87.75	64.5	0	25355.45	232.2580645	5833.990161	30000	0	0	30000	44.3125	2004
21.01.2020 12:31:30	1	1	1	1	87.75	64.25	0	25639.81	232.2580645	5966.080504	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:32	1	1	1	1	87.75	64.25	0	25734.597	230.1075269	6054.140733	30000	0	0	30000	43.6875	2004
21.01.2020 12:31:33	1	1	1	1	87.75	63.5	0	25734.597	232.2580645	5976.680347	30000	0	0	30000	43.75	2004
21.01.2020 12:31:34	1	1	1	1	87.75	63.75	0	25734.597	232.2580645	6032.125676	30000	0	0	30000	44.25	2004
21.01.2020 12:31:35	1	1	1	1	87.75	64.25	0	25639.81	234.4086022	6076.155791	30000	0	0	30000	44.25	2004
21.01.2020 12:31:36	1	1	1	1	87.75	64.25	0	26113.744	240.8602151	6233.522681	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:37	1	1	1	1	87.75	64.25	0	25734.597	232.2580645	6032.125676	30000	0	0	30000	44.375	2004
21.01.2020 12:31:38	1	1	1	1	88.25	64.25	0	25450.237	234.4086022	5965.265132	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:39	1	1	1	1	88.25	64.25	0	25308.057	232.2580645	5943.250075	30000	0	0	30000	44.375	2004
21.01.2020 12:31:40	1	1	1	1	88.25	64.25	0	25545.024	236.5591398	6042.725518	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:41	1	1	1	1	88.25	64.25	0	25639.81	234.4086022	5998.695404	30000	0	0	30000	44.25	2004
21.01.2020 12:31:42	1	1	1	1	88.25	64.25	0	25497.63	236.5591398	6031.310304	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:43	1	1	1	1	88.25	64.25	0	25450.237	240.8602151	5965.265132	30000	0	0	30000	44.375	2004
21.01.2020 12:31:44	1	1	1	1	88.25	64.25	0	25924.171	232.2580645	6076.155791	30000	0	0	30000	44.375	2004
21.01.2020 12:31:45	1	1	1	1	88.25	64.25	0	25592.417	236.5591398	6042.725518	30000	0	0	30000	44.5	2004
21.01.2020 12:31:46	1	1	1	1	88.25	64.5	0	25734.597	232.2580645	6032.125676	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:47	1	1	1	1	88.25	64.25	0	25734.597	232.2580645	6032.125676	30000	0	0	30000	44.25	2004
21.01.2020 12:31:48	1	1	1	1	88.25	64.25	0	25450.237	236.5591398	6031.310304	30000	0	0	30000	44.5625	2004
21.01.2020 12:31:49	1	1	1	1	88.25	64.5	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.5	2004
21.01.2020 12:31:50	1	1	1	1	88.25	64.5	0	26066.351	227.9569892	6008.479874	30000	0	0	30000	44.4375	2004
21.01.2020 12:31:51	1	1	1	1	88.25	64.25	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.25	2004
21.01.2020 12:31:52	1	1	1	1	88.25	64.25	0	25639.81	232.2580645	6010.110619	30000	0	0	30000	44.25	2004
21.01.2020 12:31:53	1	1	1	1	88.25	64.25	0	25355.45	236.5591398	5997.880032	30000	0	0	30000	44.1875	2004
21.01.2020 12:32:00	1	1	1	1	87.25	64.25	0	26066.351	230.1075269	6054.140733	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:00	1	1	1	1	87.25	64.25	0	26066.351	230.1075269	6054.140733	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:00	1	1	1	1	87.25	64.25	0	26066.351	230.1075269	6054.140733	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:00	1	1	1	1	87.25	64.25	0	26066.351	230.1075269	6054.140733	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:00	1	1	1	1	87.25	64.25	0	26066.351	230.1075269	6054.140733	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:32:00	1	1	1	1	87.25	64.25	0	26066.351	230.1075269	6054.140733	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:00	1	1	1	1	87.25	64.25	0	26113.744	232.2580645	6064.740576	30000	0	0	30000	44.4375	2004
21.01.2020 12:32:01	1	1	1	1	87.25	64.25	0	26113.744	230.1075269	6064.740576	30000	0	0	30000	44.375	2004
21.01.2020 12:32:02	1	1	1	1	87.25	64.25	0	25924.171	232.2580645	5887.804745	30000	0	0	30000	44.375	2004
21.01.2020 12:32:03	1	1	1	1	87.25	64.25	0	26113.744	227.9569892	5952.219172	30000	0	0	30000	44.1875	2004
21.01.2020 12:32:04	1	1	1	1	87.25	64	0	26113.744	225.8064516	5952.219172	30000	0	0	30000	44.4375	2004
21.01.2020 12:32:05	1	1	1	1	87.25	64.25	0	26208.531	234.4086022	6030.494931	30000	0	0	30000	43.5625	2004
21.01.2020 12:32:06	1	1	1	1	87.25	63.5	0	26208.531	230.1075269	6008.479874	30000	0	0	30000	44.625	2004
21.01.2020 12:32:07	1	1	1	1	87.25	64.5	0	25876.777	232.2580645	5998.695404	30000	0	0	30000	44.75	2004
21.01.2020 12:32:08	1	1	1	1	87	64	0	26255.924	230.1075269	6041.094773	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:09	1	1	1	1	87	64.25	0	25924.171	232.2580645	6020.710461	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:11	1	1	1	1	87	64.25	0	26350.711	227.9569892	5949.773055	30000	0	0	30000	44.4375	2004
21.01.2020 12:32:12	1	1	1	1	87	64.25	0	26208.531	227.9569892	5917.973528	30000	0	0	30000	44.5625	2004
21.01.2020 12:32:13	1	1	1	1	87	64.5	0	26208.531	227.9569892	6030.494931	30000	0	0	30000	44.375	2004
21.01.2020 12:32:14	1	1	1	1	87	64.25	0	0	0	0	30000	0	8	30000	44.5625	2004
21.01.2020 12:32:15	1	1	1	1	87	64.5	0	10000	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:32:16	1	1	1	1	87	64.5	0	10853.081	0	0	30000	0	0	30000	44.375	2004
21.01.2020 12:32:17	1	1	1	1	87	64.25	0	11611.374	0	0	30000	0	0	30000	44.4375	2004
21.01.2020 12:32:18	1	1	1	1	87.25	64.25	0	12322.275	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:32:19	1	1	1	1	87.25	64.5	0	13127.962	4.301075269	27.72266464	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:20	1	1	1	1	87.25	64.25	0	13886.256	6.451612903	119.0443834	30000	0	0	30000	44.375	2004
21.01.2020 12:32:21	1	1	1	1	87.25	64.25	0	14739.336	12.90322581	189.1664175	30000	0	0	30000	44.125	2004
21.01.2020 12:32:22	1	1	1	1	87.25	64	0	15402.844	19.35483871	298.4263311	30000	0	0	30000	44.375	2004
21.01.2020 12:32:23	1	1	1	1	87.25	64.25	0	16161.137	27.95698925	487.5927486	30000	0	0	30000	44.4375	2004
21.01.2020 12:32:24	1	1	1	1	87.25	64.25	0	16966.825	40.86021505	693.0666159	30000	0	0	30000	44.375	2004
21.01.2020 12:32:25	1	1	1	1	87.25	64.25	0	17772.512	49.46236559	878.9715435	30000	0	0	30000	44.375	2004
21.01.2020 12:32:26	1	1	1	1	87.25	64.25	0	18530.806	58.06451613	1115.429565	30000	0	0	30000	44.375	2004
21.01.2020 12:32:27	1	1	1	1	87.25	64.25	0	19099.526	66.66666667	1272.796456	30000	0	0	30000	44.5	2004
21.01.2020 12:32:28	1	1	1	1	87.25	64.5	0	20047.393	79.56989247	1551.653847	30000	0	0	30000	44.375	2004
21.01.2020 12:32:29	1	1	1	1	87.25	64.25	0	20853.081	94.62365591	2018.046911	30000	0	0	30000	43.6875	2004
21.01.2020 12:32:30	1	1	1	1	87.25	63.5	0	21374.408	113.9784946	2435.517626	30000	0	0	30000	44.375	2004
21.01.2020 12:32:31	1	1	1	1	87.25	64.25	0	21753.555	129.0322581	2806.512108	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:32	1	1	1	1	87.25	64.25	0	23033.175	137.6344086	3176.691218	30000	0	0	30000	44.5625	2004
21.01.2020 12:32:33	1	1	1	1	87.25	64.5	0	23175.355	159.1397849	3638.192047	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:34	1	1	1	1	87.25	64.25	0	23080.569	159.1397849	3524.039899	30000	0	0	30000	44.1875	2004
21.01.2020 12:32:35	1	1	1	1	87.25	64	0	23744.076	174.1935484	4135.569266	30000	0	0	30000	44.25	2004
21.01.2020 12:32:36	1	1	1	1	87.25	64.25	0	23981.043	178.4946237	4279.890197	30000	0	0	30000	44.375	2004
21.01.2020 12:32:37	1	1	1	1	87.25	64.25	0	24218.009	189.2473118	4583.208763	30000	0	0	30000	44.375	2004
21.01.2020 12:32:38	1	1	1	1	87.25	64.25	0	24644.55	206.4516129	5097.708803	30000	0	0	30000	44.375	2004
21.01.2020 12:32:39	1	1	1	1	87.25	64.25	0	24786.73	206.4516129	5107.493273	30000	0	0	30000	44.5625	2004
21.01.2020 12:32:40	1	1	1	1	87.25	64.5	0	25165.877	219.3548387	5465.441796	30000	0	0	30000	44.1875	2004
21.01.2020 12:32:41	1	1	1	1	87.25	64	0	26966.825	240.8602151	6495.25725	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:42	1	1	1	1	87.25	64.25	0	26018.957	234.4086022	6020.710461	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:32:43	1	1	1	1	87.25	64.5	0	25639.81	234.4086022	6064.740576	30000	0	0	30000	44.25	2004
21.01.2020 12:32:44	1	1	1	1	87.25	64.25	0	25402.844	234.4086022	5965.265132	30000	0	0	30000	44.625	2004
21.01.2020 12:32:45	1	1	1	1	87.25	64.5	0	25402.844	240.8602151	6063.925203	30000	0	0	30000	44.75	2004
21.01.2020 12:32:46	1	1	1	1	87.25	64.25	0	25497.63	236.5591398	5976.680347	30000	0	0	30000	44.125	2004
21.01.2020 12:32:47	1	1	1	1	87	64	0	25402.844	236.5591398	5954.66529	30000	0	0	30000	44.25	2004
21.01.2020 12:32:49	1	1	1	1	87	64.25	0	25118.483	240.8602151	5876.389531	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:50	1	1	1	1	87	64.25	0	25592.417	240.8602151	6230.261191	30000	0	0	30000	44.125	2004
21.01.2020 12:32:51	1	1	1	1	87	64	0	25545.024	236.5591398	5987.280189	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:52	1	1	1	1	87	64.25	0	25402.844	236.5591398	6019.895089	30000	0	0	30000	44.25	2004
21.01.2020 12:32:53	1	1	1	1	87	64.25	0	24976.303	240.8602151	5962.003642	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:54	1	1	1	1	87	64.25	0	25260.664	234.4086022	5975.049602	30000	0	0	30000	44.3125	2004
21.01.2020 12:32:55	1	1	1	1	87	64.25	0	25355.45	236.5591398	5943.250075	30000	0	0	30000	44.375	2004
21.01.2020 12:33:01	1	1	1	1	87.25	64	0	25260.664	240.8602151	5898.404588	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:01	1	1	1	1	87.25	64	0	25260.664	240.8602151	5898.404588	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:01	1	1	1	1	87.25	64	0	25260.664	240.8602151	5898.404588	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:01	1	1	1	1	87.25	64	0	25260.664	240.8602151	5898.404588	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:01	1	1	1	1	87.25	64	0	25260.664	240.8602151	5898.404588	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:01	1	1	1	1	87.25	64	0	25260.664	240.8602151	5898.404588	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:01	1	1	1	1	87.25	64	0	25260.664	240.8602151	5898.404588	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:02	1	1	1	1	87.25	64	0	25355.45	236.5591398	5943.250075	30000	0	0	30000	43.6875	2004
21.01.2020 12:33:03	1	1	1	1	87.25	63.5	0	25355.45	234.4086022	5997.880032	30000	0	0	30000	44.375	2004
21.01.2020 12:33:04	1	1	1	1	87.25	64.25	0	25308.057	236.5591398	5931.83486	30000	0	0	30000	44.4375	2004
21.01.2020 12:33:05	1	1	1	1	87.25	64.25	0	25639.81	232.2580645	6020.710461	30000	0	0	30000	44.375	2004
21.01.2020 12:33:06	1	1	1	1	87.25	64.25	0	25545.024	234.4086022	5987.280189	30000	0	0	30000	44.25	2004
21.01.2020 12:33:07	1	1	1	1	87.25	64.25	0	25545.024	234.4086022	6042.725518	30000	0	0	30000	44.625	2004
21.01.2020 12:33:08	1	1	1	1	86.25	64.5	0	25592.417	240.8602151	6042.725518	30000	0	0	30000	44.375	2004
21.01.2020 12:33:09	1	1	1	1	86.25	64.25	0	25165.877	240.8602151	6061.479086	30000	0	0	30000	44.375	2004
21.01.2020 12:33:10	1	1	1	1	86.25	64.25	0	24928.91	236.5591398	6015.818226	30000	0	0	30000	44.25	2004
21.01.2020 12:33:11	1	1	1	1	86.25	64.25	0	25734.597	236.5591398	5976.680347	30000	0	0	30000	44.3125	2004
21.01.2020 12:33:12	1	1	1	1	86.25	64.25	0	25639.81	232.2580645	6010.110619	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:13	1	1	1	1	86.25	64	0	25402.844	234.4086022	5900.035333	30000	0	0	30000	44.3125	2004
21.01.2020 12:33:14	1	1	1	1	86.25	64.25	0	25355.45	236.5591398	6107.139945	30000	0	0	30000	43.3125	2004
21.01.2020 12:33:15	1	1	1	1	86.25	63.25	0	25308.057	236.5591398	6107.139945	30000	0	0	30000	44.125	2004
21.01.2020 12:33:16	1	1	1	1	86.25	64	0	25734.597	234.4086022	5976.680347	30000	0	0	30000	44.375	2004
21.01.2020 12:33:17	1	1	1	1	86.25	64.25	0	25355.45	230.1075269	5965.265132	30000	0	0	30000	44.125	2004
21.01.2020 12:33:18	1	1	1	1	85.5	64	0	25450.237	240.8602151	6129.970375	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:19	1	1	1	1	85.5	64	0	25734.597	232.2580645	5976.680347	30000	0	0	30000	44.4375	2004
21.01.2020 12:33:20	1	1	1	1	85.5	64.25	0	25450.237	234.4086022	6031.310304	30000	0	0	30000	44.25	2004
21.01.2020 12:33:21	1	1	1	1	85.5	64.25	0	25545.024	236.5591398	6042.725518	30000	0	0	30000	44.4375	2004
21.01.2020 12:33:22	1	1	1	1	85.5	64.25	0	21943.128	208.6021505	4576.685783	30000	0	0	30000	44.625	2004
21.01.2020 12:33:23	1	1	1	1	85.5	64.5	0	26018.957	266.6666667	6938.004512	30000	0	0	30000	44.3125	2004
21.01.2020 12:33:24	1	1	1	1	85.5	64.25	0	22748.815	232.2580645	5283.613731	30000	0	0	30000	44.4375	2004
21.01.2020 12:33:25	1	1	1	1	85.5	64.25	0	26208.531	266.6666667	6988.557606	30000	0	0	30000	44.375	2004
21.01.2020 12:33:26	1	1	1	1	85.5	64.25	0	26018.957	270.9677419	7062.756503	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:33:28	1	1	1	1	85.5	64.25	0	26303.318	266.6666667	7070.094855	30000	0	0	30000	44.375	2004
21.01.2020 12:33:29	1	1	1	1	85.5	64.25	0	26018.957	268.8172043	6968.173294	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:30	1	1	1	1	85.5	64	0	25924.171	268.8172043	6968.173294	30000	0	0	30000	43.8125	2004
21.01.2020 12:33:31	1	1	1	1	85.5	63.75	0	26066.351	270.9677419	7119.017204	30000	0	0	30000	44.25	2004
21.01.2020 12:33:32	1	1	1	1	85.5	64.25	0	26208.531	268.8172043	7019.541761	30000	0	0	30000	44.125	2004
21.01.2020 12:33:33	1	1	1	1	85.5	64	0	26255.924	266.6666667	7013.834153	30000	0	0	30000	44.375	2004
21.01.2020 12:33:34	1	1	1	1	85.5	64.25	0	26113.744	266.6666667	6907.020357	30000	0	0	30000	44.375	2004
21.01.2020 12:33:35	1	1	1	1	85.5	64.25	0	25734.597	260.2150538	6695.838882	30000	0	0	30000	44.375	2004
21.01.2020 12:33:36	1	1	1	1	85.5	64.25	0	26398.104	264.516129	7039.1107	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:37	1	1	1	1	85.5	64	0	26398.104	266.6666667	6982.034626	30000	0	0	30000	43.8125	2004
21.01.2020 12:33:38	1	1	1	1	86	63.75	0	26398.104	266.6666667	7039.1107	30000	0	0	30000	43.8125	2004
21.01.2020 12:33:39	1	1	1	1	86	63.75	0	26303.318	266.6666667	7013.834153	30000	0	0	30000	44.3125	2004
21.01.2020 12:33:40	1	1	1	1	86	64.25	0	26113.744	262.3655914	6988.557606	30000	0	0	30000	44.375	2004
21.01.2020 12:33:41	1	1	1	1	86	64.25	0	26445.498	264.516129	6995.080586	30000	0	0	30000	43.8125	2004
21.01.2020 12:33:42	1	1	1	1	86	63.75	0	26113.744	270.9677419	7006.495801	30000	0	0	30000	44.25	2004
21.01.2020 12:33:43	1	1	1	1	86	64.25	0	26018.957	268.8172043	6994.265213	30000	0	0	30000	44.4375	2004
21.01.2020 12:33:44	1	1	1	1	86	64.25	0	26113.744	268.8172043	7019.541761	30000	0	0	30000	44.4375	2004
21.01.2020 12:33:45	1	1	1	1	86	64.25	0	25924.171	268.8172043	6968.173294	30000	0	0	30000	44.25	2004
21.01.2020 12:33:46	1	1	1	1	86	64.25	0	25734.597	270.9677419	7028.510858	30000	0	0	30000	43.9375	2004
21.01.2020 12:33:47	1	1	1	1	86	63.75	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	43.1875	2004
21.01.2020 12:33:48	1	1	1	1	86	63	0	25734.597	270.9677419	7053.787405	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:49	1	1	1	1	86	64	0	25639.81	270.9677419	6892.343652	30000	0	0	30000	44.4375	2004
21.01.2020 12:33:50	1	1	1	1	86	64.25	0	25924.171	270.9677419	6968.173294	30000	0	0	30000	44.0625	2004
21.01.2020 12:33:51	1	1	1	1	86	64	0	25734.597	270.9677419	6862.17487	30000	0	0	30000	44.375	2004
21.01.2020 12:33:52	1	1	1	1	86	64.25	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.25	2004
21.01.2020 12:33:53	1	1	1	1	86	64.25	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:54	1	1	1	1	86	64	0	26066.351	266.6666667	7019.541761	30000	0	0	30000	44.3125	2004
21.01.2020 12:33:55	1	1	1	1	86	64.25	0	25545.024	268.8172043	6976.327019	30000	0	0	30000	44.1875	2004
21.01.2020 12:33:56	1	1	1	1	86	64	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.25	2004
21.01.2020 12:34:03	1	1	1	1	86.25	64.5	0	25734.597	275.2688172	7083.956187	30000	0	0	30000	43.875	2004
21.01.2020 12:34:03	1	1	1	1	86.25	64.5	0	25734.597	275.2688172	7083.956187	30000	0	0	30000	43.875	2004
21.01.2020 12:34:03	1	1	1	1	86.25	64.5	0	25734.597	275.2688172	7083.956187	30000	0	0	30000	43.875	2004
21.01.2020 12:34:03	1	1	1	1	86.25	64.5	0	25734.597	275.2688172	7083.956187	30000	0	0	30000	43.875	2004
21.01.2020 12:34:03	1	1	1	1	86.25	64.5	0	25734.597	275.2688172	7083.956187	30000	0	0	30000	43.875	2004
21.01.2020 12:34:03	1	1	1	1	86.25	63.75	0	25497.63	275.2688172	7073.356345	30000	0	0	30000	44.5	2004
21.01.2020 12:34:04	1	1	1	1	86.25	64.25	0	25545.024	273.1182796	6989.372979	30000	0	0	30000	44.375	2004
21.01.2020 12:34:05	1	1	1	1	86.25	64.25	0	25545.024	268.8172043	6976.327019	30000	0	0	30000	43.9375	2004
21.01.2020 12:34:07	1	1	1	1	86.25	63.75	0	25497.63	273.1182796	7086.402305	30000	0	0	30000	44.25	2004
21.01.2020 12:34:08	1	1	1	1	86.5	64.25	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.3125	2004
21.01.2020 12:34:09	1	1	1	1	86.5	64.25	0	25545.024	270.9677419	6976.327019	30000	0	0	30000	44.375	2004
21.01.2020 12:34:10	1	1	1	1	86.5	64.25	0	25545.024	275.2688172	7031.772348	30000	0	0	30000	44.25	2004
21.01.2020 12:34:11	1	1	1	1	86.5	64.25	0	25497.63	273.1182796	6963.281059	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:34:12	1	1	1	1	86.5	64	0	25450.237	273.1182796	6950.235099	30000	0	0	30000	44.3125	2004
21.01.2020 12:34:13	1	1	1	1	86.5	64.25	0	25924.171	268.8172043	6968.173294	30000	0	0	30000	44.0625	2004
21.01.2020 12:34:14	1	1	1	1	86.5	64	0	25876.777	268.8172043	6942.896747	30000	0	0	30000	44.3125	2004
21.01.2020 12:34:15	1	1	1	1	86.5	64.25	0	25924.171	270.9677419	6968.173294	30000	0	0	30000	44.1875	2004
21.01.2020 12:34:16	1	1	1	1	86.5	64	0	25734.597	264.516129	7079.879325	30000	0	0	30000	44.125	2004
21.01.2020 12:34:17	1	1	1	1	86.5	64	0	26066.351	268.8172043	7006.495801	30000	0	0	30000	44.375	2004
21.01.2020 12:34:18	1	1	1	1	86.25	64.25	0	25687.204	270.9677419	6946.973609	30000	0	0	30000	44.25	2004
21.01.2020 12:34:19	1	1	1	1	86.25	64.25	0	25639.81	266.6666667	6946.973609	30000	0	0	30000	44.25	2004
21.01.2020 12:34:20	1	1	1	1	86.25	64.25	0	25924.171	273.1182796	7079.879325	30000	0	0	30000	44.3125	2004
21.01.2020 12:34:21	1	1	1	1	86.25	64.25	0	26018.957	270.9677419	6968.173294	30000	0	0	30000	44.375	2004
21.01.2020 12:34:22	1	1	1	1	86.25	64.25	0	26208.531	294.6236559	7721.577474	30000	0	0	30000	43.4375	2004
21.01.2020 12:34:23	1	1	1	1	86.25	63.25	0	26350.711	305.3763441	8032.234392	30000	0	0	30000	44.125	2004
21.01.2020 12:34:24	1	1	1	1	86.25	64	0	26492.891	301.0752688	7990.650395	30000	0	0	30000	44.3125	2004
21.01.2020 12:34:25	1	1	1	1	86.25	64.25	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	43.875	2004
21.01.2020 12:34:26	1	1	1	1	86.25	63.75	0	26398.104	294.6236559	7975.973691	30000	0	0	30000	43.5625	2004
21.01.2020 12:34:27	1	1	1	1	86.25	63.5	0	26445.498	301.0752688	7790.884136	30000	0	0	30000	44.25	2004
21.01.2020 12:34:28	1	1	1	1	86.25	64.25	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.1875	2004
21.01.2020 12:34:29	1	1	1	1	86.25	64	0	25924.171	286.0215054	7470.442747	30000	0	0	30000	44.25	2004
21.01.2020 12:34:30	1	1	1	1	86.25	64.25	0	27014.218	301.0752688	8060.77243	30000	0	0	30000	44.375	2004
21.01.2020 12:34:31	1	1	1	1	86.25	64.25	0	26587.678	298.9247312	7947.435654	30000	0	0	30000	44.125	2004
21.01.2020 12:34:32	1	1	1	1	86.25	64	0	26587.678	298.9247312	7947.435654	30000	0	0	30000	44.125	2004
21.01.2020 12:34:33	1	1	1	1	86.25	64	0	26824.645	298.9247312	8018.37306	30000	0	0	30000	44.1875	2004
21.01.2020 12:34:34	1	1	1	1	86.25	64	0	26208.531	303.2258065	7918.082244	30000	0	0	30000	43.9375	2004
21.01.2020 12:34:35	1	1	1	1	86.25	63.75	0	26492.891	298.9247312	7918.897616	30000	0	0	30000	44.25	2004
21.01.2020 12:34:36	1	1	1	1	86.25	64.25	0	25734.597	298.9247312	7665.316772	30000	0	0	30000	43.8125	2004
21.01.2020 12:34:37	1	1	1	1	86.25	63.75	0	26492.891	303.2258065	8033.049765	30000	0	0	30000	44.125	2004
21.01.2020 12:34:38	1	1	1	1	86.25	64	0	26919.431	296.7741935	8046.911097	30000	0	0	30000	44.1875	2004
21.01.2020 12:34:39	1	1	1	1	86.25	64	0	26540.284	301.0752688	7990.650395	30000	0	0	30000	44.3125	2004
21.01.2020 12:34:40	1	1	1	1	86.25	64.25	0	26919.431	301.0752688	8090.125839	30000	0	0	30000	44.625	2004
21.01.2020 12:34:41	1	1	1	1	86.25	64.5	0	26303.318	303.2258065	8032.234392	30000	0	0	30000	44.5	2004
21.01.2020 12:34:42	1	1	1	1	86.25	64.5	0	26255.924	305.3763441	8002.880983	30000	0	0	30000	44.3125	2004
21.01.2020 12:34:44	1	1	1	1	86.25	63.25	0	27109.005	298.9247312	8103.171799	30000	0	0	30000	44.25	2004
21.01.2020 12:34:45	1	1	1	1	86.25	64.25	0	26445.498	305.3763441	8004.511728	30000	0	0	30000	44.3125	2004
21.01.2020 12:34:46	1	1	1	1	86.25	64.25	0	26919.431	298.9247312	8046.911097	30000	0	0	30000	43.625	2004
21.01.2020 12:34:47	1	1	1	1	86.25	63.5	0	26682.464	301.0752688	8090.125839	30000	0	0	30000	44	2004
21.01.2020 12:34:48	1	1	1	1	86.25	64	0	26540.284	301.0752688	7990.650395	30000	0	0	30000	43.9375	2004
21.01.2020 12:34:49	1	1	1	1	86.25	63.75	0	26492.891	303.2258065	8047.72647	30000	0	0	30000	43.625	2004
21.01.2020 12:34:50	1	1	1	1	86.25	63.5	0	26445.498	294.6236559	7990.650395	30000	0	0	30000	44.0625	2004
21.01.2020 12:34:51	1	1	1	1	86.25	64	0	26682.464	301.0752688	8090.125839	30000	0	0	30000	44.25	2004
21.01.2020 12:34:52	1	1	1	1	86.25	64.25	0	26587.678	303.2258065	8061.587802	30000	0	0	30000	44.25	2004
21.01.2020 12:34:53	1	1	1	1	86.25	64.25	0	26398.104	301.0752688	8018.37306	30000	0	0	30000	44.25	2004
21.01.2020 12:34:54	1	1	1	1	86.25	64.25	0	26398.104	303.2258065	8004.511728	30000	0	0	30000	44.4375	2004
21.01.2020 12:34:55	1	1	1	1	86.25	64.25	0	26350.711	301.0752688	8004.511728	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:34:56	1	1	1	1	86.25	64.25	0	26492.891	301.0752688	7990.650395	30000	0	0	30000	44.3125	2004
21.01.2020 12:34:57	1	1	1	1	86.25	64.25	0	26540.284	301.0752688	7990.650395	30000	0	0	30000	44.25	2004
21.01.2020 12:34:58	1	1	1	1	86.25	64.25	0	26303.318	303.2258065	7975.158318	30000	0	0	30000	44.25	2004
21.01.2020 12:35:05	1	1	1	1	86.25	64	0	26492.891	303.2258065	8018.37306	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:05	1	1	1	1	86.25	64	0	26492.891	303.2258065	8018.37306	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:05	1	1	1	1	86.25	64	0	26492.891	303.2258065	8018.37306	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:05	1	1	1	1	86.25	64	0	26492.891	303.2258065	8018.37306	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:05	1	1	1	1	86.25	64	0	26492.891	303.2258065	8018.37306	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:05	1	1	1	1	86.25	64	0	26492.891	303.2258065	8018.37306	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:05	1	1	1	1	86.25	64.25	0	26398.104	301.0752688	7933.574321	30000	0	0	30000	44.1875	2004
21.01.2020 12:35:06	1	1	1	1	86.25	64	0	26398.104	298.9247312	8132.525209	30000	0	0	30000	44.375	2004
21.01.2020 12:35:07	1	1	1	1	86.25	64.25	0	26113.744	307.5268817	8030.603647	30000	0	0	30000	44.1875	2004
21.01.2020 12:35:08	1	1	1	1	86.5	64	0	26350.711	303.2258065	8060.77243	30000	0	0	30000	44.25	2004
21.01.2020 12:35:09	1	1	1	1	86.5	64.25	0	26587.678	303.2258065	8061.587802	30000	0	0	30000	44.4375	2004
21.01.2020 12:35:10	1	1	1	1	86.5	64.25	0	26018.957	305.3763441	7944.989536	30000	0	0	30000	44.1875	2004
21.01.2020 12:35:11	1	1	1	1	86.5	64	0	26113.744	307.5268817	8030.603647	30000	0	0	30000	44.1875	2004
21.01.2020 12:35:12	1	1	1	1	86.5	64	0	26303.318	303.2258065	7975.158318	30000	0	0	30000	44.125	2004
21.01.2020 12:35:13	1	1	1	1	86.5	64	0	26113.744	305.3763441	7974.342946	30000	0	0	30000	44.1875	2004
21.01.2020 12:35:14	1	1	1	1	86.5	64	0	26824.645	301.0752688	8032.234392	30000	0	0	30000	43.8125	2004
21.01.2020 12:35:15	1	1	1	1	86.5	63.75	0	27014.218	301.0752688	7944.989536	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:16	1	1	1	1	86.5	64.25	0	26682.464	298.9247312	7861.00617	30000	0	0	30000	43.6875	2004
21.01.2020 12:35:17	1	1	1	1	86.5	63.5	0	27061.611	294.6236559	8030.603647	30000	0	0	30000	43.8125	2004
21.01.2020 12:35:18	1	1	1	1	86.25	63.75	0	27109.005	296.7741935	8059.141685	30000	0	0	30000	43.6875	2004
21.01.2020 12:35:19	1	1	1	1	86.25	63.5	0	26919.431	298.9247312	7931.128204	30000	0	0	30000	44.375	2004
21.01.2020 12:35:20	1	1	1	1	86.25	64.25	0	27298.578	292.4731183	7984.127416	30000	0	0	30000	44.125	2004
21.01.2020 12:35:22	1	1	1	1	86.25	64	0	28199.052	322.5806452	9035.142554	30000	0	0	30000	44.25	2004
21.01.2020 12:35:23	1	1	1	1	86.25	64.25	0	27440.758	326.8817204	9028.619574	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:24	1	1	1	1	86.25	64.25	0	27914.692	322.5806452	9064.495964	30000	0	0	30000	44.1875	2004
21.01.2020 12:35:25	1	1	1	1	86.25	64	0	27819.905	322.5806452	8973.989618	30000	0	0	30000	43.875	2004
21.01.2020 12:35:26	1	1	1	1	86.25	63.75	0	27819.905	322.5806452	8973.989618	30000	0	0	30000	44.125	2004
21.01.2020 12:35:27	1	1	1	1	86.25	64	0	27819.905	322.5806452	8973.989618	30000	0	0	30000	44.25	2004
21.01.2020 12:35:28	1	1	1	1	86.5	64.25	0	27867.299	320.4301075	8989.481695	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:29	1	1	1	1	86.5	64.25	0	27630.332	324.7311828	9031.881064	30000	0	0	30000	44.4375	2004
21.01.2020 12:35:30	1	1	1	1	86.5	64.25	0	27440.758	331.1827957	9087.326394	30000	0	0	30000	44.1875	2004
21.01.2020 12:35:31	1	1	1	1	86.5	64	0	27156.398	329.0322581	8982.143342	30000	0	0	30000	43.75	2004
21.01.2020 12:35:32	1	1	1	1	86.5	63.75	0	27867.299	326.8817204	9093.849374	30000	0	0	30000	44.25	2004
21.01.2020 12:35:33	1	1	1	1	86.5	64.25	0	27582.938	326.8817204	8881.852526	30000	0	0	30000	43.8125	2004
21.01.2020 12:35:34	1	1	1	1	86.5	63.75	0	27819.905	326.8817204	9093.849374	30000	0	0	30000	43.9375	2004
21.01.2020 12:35:35	1	1	1	1	86.5	63.75	0	27630.332	326.8817204	9062.865219	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:36	1	1	1	1	86.5	64.25	0	27630.332	329.0322581	9090.587884	30000	0	0	30000	44.0625	2004
21.01.2020 12:35:37	1	1	1	1	86.5	64	0	28009.479	322.5806452	9035.142554	30000	0	0	30000	44.375	2004
21.01.2020 12:35:38	1	1	1	1	86.5	64.25	0	27630.332	326.8817204	9031.881064	30000	0	0	30000	44	2004
21.01.2020 12:35:39	1	1	1	1	86.5	64	0	27440.758	331.1827957	9087.326394	30000	0	0	30000	44.1875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
21.01.2020 12:35:40	1	1	1	1	86.5	64	0	27440.758	329.0322581	8997.63542	30000	0	0	30000	43.9375	2004
21.01.2020 12:35:41	1	1	1	1	86.5	63.75	0	27867.299	329.0322581	9093.849374	30000	0	0	30000	44.0625	2004
21.01.2020 12:35:42	1	1	1	1	86.5	64	0	27298.578	326.8817204	8982.143342	30000	0	0	30000	44.4375	2004
21.01.2020 12:35:43	1	1	1	1	86.5	64.25	0	27582.938	329.0322581	9059.603729	30000	0	0	30000	43.8125	2004
21.01.2020 12:35:44	1	1	1	1	86.5	63.75	0	27440.758	326.8817204	8969.912755	30000	0	0	30000	44.125	2004
21.01.2020 12:35:45	1	1	1	1	86.5	64	0	27156.398	326.8817204	8923.436523	30000	0	0	30000	44.375	2004
21.01.2020 12:35:46	1	1	1	1	86.5	64.25	0	27298.578	329.0322581	8982.143342	30000	0	0	30000	44.125	2004
21.01.2020 12:35:47	1	1	1	1	86.5	64	0	27440.758	320.4301075	9028.619574	30000	0	0	30000	43.6875	2004
21.01.2020 12:35:48	1	1	1	1	86.25	63.5	0	27298.578	326.8817204	8923.436523	30000	0	0	30000	44.25	2004
21.01.2020 12:35:49	1	1	1	1	86.25	64.25	0	27345.972	326.8817204	8997.63542	30000	0	0	30000	44.125	2004
21.01.2020 12:35:50	1	1	1	1	86.25	64	0	27345.972	326.8817204	8938.928601	30000	0	0	30000	44.125	2004
21.01.2020 12:35:51	1	1	1	1	86.25	64	0	27440.758	329.0322581	9028.619574	30000	0	0	30000	43.9375	2004
21.01.2020 12:35:52	1	1	1	1	86.25	63.75	0	27440.758	326.8817204	9028.619574	30000	0	0	30000	44.25	2004
21.01.2020 12:35:53	1	1	1	1	86.25	64.25	0	27440.758	329.0322581	9028.619574	30000	0	0	30000	44.375	2004
21.01.2020 12:35:54	1	1	1	1	86.25	64.25	0	27440.758	329.0322581	9028.619574	30000	0	0	30000	44.25	2004
21.01.2020 12:35:55	1	1	1	1	86.25	64.25	0	27630.332	324.7311828	8972.358873	30000	0	0	30000	44.375	2004
21.01.2020 12:35:56	1	1	1	1	86.25	64.25	0	27630.332	337.6344086	9075.095806	30000	0	0	30000	44.375	2004
21.01.2020 12:35:57	1	1	1	1	86.25	64.25	0	27630.332	326.8817204	9090.587884	30000	0	0	30000	44.3125	2004
21.01.2020 12:35:58	1	1	1	1	86	64.25	0	27345.972	326.8817204	8938.928601	30000	0	0	30000	44.625	2004
21.01.2020 12:36:00	1	1	1	1	86	64.5	0	27440.758	326.8817204	8851.683744	30000	0	0	30000	44.3125	2004
21.01.2020 12:36:06	1	1	1	1	86	64	0	27345.972	329.0322581	9028.619574	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:06	1	1	1	1	86	64	0	27345.972	329.0322581	9028.619574	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:06	1	1	1	1	86	64	0	27345.972	329.0322581	9028.619574	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:06	1	1	1	1	86	64	0	27345.972	329.0322581	9028.619574	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:06	1	1	1	1	86	64	0	27345.972	329.0322581	9028.619574	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:06	1	1	1	1	86	64	0	27345.972	329.0322581	9028.619574	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:06	1	1	1	1	86	64	0	27345.972	329.0322581	9028.619574	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:07	1	1	1	1	86	64	0	27440.758	329.0322581	8969.912755	30000	0	0	30000	44.3125	2004
21.01.2020 12:36:08	1	1	1	1	86	64.25	0	26919.431	331.1827957	8915.282798	30000	0	0	30000	44.25	2004
21.01.2020 12:36:09	1	1	1	1	86	64.25	0	27156.398	333.3333333	9051.450004	30000	0	0	30000	44.125	2004
21.01.2020 12:36:10	1	1	1	1	86	64	0	26966.825	331.1827957	8988.666322	30000	0	0	30000	44.125	2004
21.01.2020 12:36:11	1	1	1	1	86	64	0	27109.005	329.0322581	9035.957927	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:12	1	1	1	1	86	64	0	27061.611	331.1827957	8961.75903	30000	0	0	30000	43.9375	2004
21.01.2020 12:36:13	1	1	1	1	86	63.75	0	26966.825	331.1827957	8988.666322	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:14	1	1	1	1	86	64	0	27582.938	329.0322581	8969.912755	30000	0	0	30000	44.0625	2004
21.01.2020 12:36:15	1	1	1	1	86	64	0	26966.825	335.483871	9046.557769	30000	0	0	30000	44	2004
21.01.2020 12:36:16	1	1	1	1	86	64	0	27298.578	329.0322581	8997.63542	30000	0	0	30000	44.25	2004
21.01.2020 12:36:17	1	1	1	1	86	64.25	0	26966.825	333.3333333	8988.666322	30000	0	0	30000	43.25	2004
21.01.2020 12:36:18	1	1	1	1	86	63.25	0	27345.972	326.8817204	8938.928601	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:19	1	1	1	1	86	64	0	27535.545	326.8817204	9059.603729	30000	0	0	30000	44.3125	2004
21.01.2020 12:36:20	1	1	1	1	86	64.25	0	27156.398	331.1827957	9094.664746	30000	0	0	30000	44.25	2004
21.01.2020 12:36:21	1	1	1	1	86	64.25	0	27345.972	326.8817204	8997.63542	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:22	1	1	1	1	86	64	0	27867.299	363.4408602	9990.759112	30000	0	0	30000	44.125	2004
21.01.2020 12:36:23	1	1	1	1	86	64	0	26445.498	346.2365591	9026.173457	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:36:24	1	1	1	1	86	64.25	0	27109.005	363.4408602	9910.852608	30000	0	0	30000	44.375	2004
21.01.2020 12:36:25	1	1	1	1	86	64.25	0	27725.118	356.9892473	9863.561003	30000	0	0	30000	44	2004
21.01.2020 12:36:26	1	1	1	1	86	64	0	27772.512	359.1397849	9923.083195	30000	0	0	30000	44.375	2004
21.01.2020 12:36:27	1	1	1	1	86	64.25	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	43.75	2004
21.01.2020 12:36:28	1	1	1	1	86	63.75	0	27962.085	356.9892473	9981.790014	30000	0	0	30000	44.25	2004
21.01.2020 12:36:29	1	1	1	1	86	64.25	0	28436.019	359.1397849	10212.54043	30000	0	0	30000	43.8125	2004
21.01.2020 12:36:30	1	1	1	1	86	63.75	0	28388.626	356.9892473	10195.41761	30000	0	0	30000	43.1875	2004
21.01.2020 12:36:31	1	1	1	1	86	63	0	28009.479	354.8387097	10005.43582	30000	0	0	30000	44.25	2004
21.01.2020 12:36:32	1	1	1	1	86	64.25	0	27914.692	354.8387097	9905.145	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:33	1	1	1	1	86	64	0	27962.085	359.1397849	10025.00476	30000	0	0	30000	44.25	2004
21.01.2020 12:36:34	1	1	1	1	86	64.25	0	28199.052	354.8387097	10005.43582	30000	0	0	30000	44.4375	2004
21.01.2020 12:36:35	1	1	1	1	86	64.25	0	28009.479	356.9892473	9938.575272	30000	0	0	30000	44.375	2004
21.01.2020 12:36:36	1	1	1	1	86	64.25	0	27630.332	359.1397849	9923.083195	30000	0	0	30000	43.9375	2004
21.01.2020 12:36:38	1	1	1	1	86	64	0	27819.905	356.9892473	9931.23692	30000	0	0	30000	44.125	2004
21.01.2020 12:36:39	1	1	1	1	86	64	0	27914.692	356.9892473	9964.667192	30000	0	0	30000	44.125	2004
21.01.2020 12:36:40	1	1	1	1	86	64	0	28009.479	356.9892473	9938.575272	30000	0	0	30000	44.25	2004
21.01.2020 12:36:41	1	1	1	1	86	64.25	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	43.9375	2004
21.01.2020 12:36:42	1	1	1	1	86	63.75	0	28009.479	352.688172	9938.575272	30000	0	0	30000	44.3125	2004
21.01.2020 12:36:43	1	1	1	1	86	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.125	2004
21.01.2020 12:36:44	1	1	1	1	86	64	0	27914.692	348.3870968	9921.45245	30000	0	0	30000	44.3125	2004
21.01.2020 12:36:45	1	1	1	1	86	64.25	0	27867.299	356.9892473	9888.022178	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:46	1	1	1	1	86	64	0	27962.085	359.1397849	10042.12758	30000	0	0	30000	44.3125	2004
21.01.2020 12:36:47	1	1	1	1	86	64.25	0	27962.085	359.1397849	10042.12758	30000	0	0	30000	44	2004
21.01.2020 12:36:48	1	1	1	1	86	64	0	28009.479	359.1397849	9938.575272	30000	0	0	30000	44.4375	2004
21.01.2020 12:36:49	1	1	1	1	86	64.25	0	27630.332	354.8387097	9811.377164	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:50	1	1	1	1	86	64	0	27867.299	356.9892473	9948.359742	30000	0	0	30000	44.0625	2004
21.01.2020 12:36:51	1	1	1	1	86	64	0	27819.905	359.1397849	9990.759112	30000	0	0	30000	44.125	2004
21.01.2020 12:36:52	1	1	1	1	86	64	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:53	1	1	1	1	86	64	0	27630.332	359.1397849	9923.083195	30000	0	0	30000	43.75	2004
21.01.2020 12:36:54	1	1	1	1	86	63.75	0	27867.299	359.1397849	10007.88193	30000	0	0	30000	44.1875	2004
21.01.2020 12:36:55	1	1	1	1	86	64	0	27819.905	354.8387097	9870.899356	30000	0	0	30000	43.6875	2004
21.01.2020 12:36:56	1	1	1	1	86	63.5	0	27440.758	363.4408602	9854.591906	30000	0	0	30000	44	2004
21.01.2020 12:36:57	1	1	1	1	86	64	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	43.5	2004
21.01.2020 12:36:58	1	1	1	1	85.75	63.5	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44.375	2004
21.01.2020 12:36:59	1	1	1	1	85.75	64.25	0	27914.692	359.1397849	10025.00476	30000	0	0	30000	44	2004
21.01.2020 12:37:00	1	1	1	1	85.75	64	0	27440.758	359.1397849	9972.820917	30000	0	0	30000	44.0625	2004
21.01.2020 12:37:01	1	1	1	1	85.75	64	0	27345.972	363.4408602	9938.575272	30000	0	0	30000	44.1875	2004
21.01.2020 12:37:08	1	1	1	1	85.75	64	0	27630.332	361.2903226	10041.31221	30000	0	0	30000	44.25	2004
21.01.2020 12:37:08	1	1	1	1	85.75	64	0	27630.332	361.2903226	10041.31221	30000	0	0	30000	44.25	2004
21.01.2020 12:37:08	1	1	1	1	85.75	64	0	27630.332	361.2903226	10041.31221	30000	0	0	30000	44.25	2004
21.01.2020 12:37:08	1	1	1	1	85.75	64	0	27630.332	361.2903226	10041.31221	30000	0	0	30000	44.25	2004
21.01.2020 12:37:08	1	1	1	1	85.75	64	0	27630.332	361.2903226	10041.31221	30000	0	0	30000	44.25	2004
21.01.2020 12:37:08	1	1	1	1	85.75	64	0	27630.332	361.2903226	10041.31221	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:37:08	1	1	1	1	86	64.25	0	27298.578	359.1397849	9804.038812	30000	0	0	30000	44.25	2004
21.01.2020 12:37:09	1	1	1	1	86	64.25	0	27345.972	363.4408602	9938.575272	30000	0	0	30000	44.3125	2004
21.01.2020 12:37:10	1	1	1	1	86	64.25	0	27298.578	365.5913978	10038.86609	30000	0	0	30000	43.75	2004
21.01.2020 12:37:11	1	1	1	1	86	63.75	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44.1875	2004
21.01.2020 12:37:12	1	1	1	1	86	64	0	27440.758	359.1397849	9854.591906	30000	0	0	30000	44.1875	2004
21.01.2020 12:37:13	1	1	1	1	86	64	0	27298.578	363.4408602	9980.159269	30000	0	0	30000	44.1875	2004
21.01.2020 12:37:14	1	1	1	1	86	64	0	28341.232	363.4408602	10178.29478	30000	0	0	30000	44.3125	2004
21.01.2020 12:37:15	1	1	1	1	86	64.25	0	27914.692	359.1397849	10025.00476	30000	0	0	30000	44.25	2004
21.01.2020 12:37:17	1	1	1	1	86	64.25	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44.1875	2004
21.01.2020 12:37:18	1	1	1	1	85.75	64	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44.25	2004
21.01.2020 12:37:19	1	1	1	1	85.75	64.25	0	27535.545	361.2903226	10024.18938	30000	0	0	30000	44.4375	2004
21.01.2020 12:37:20	1	1	1	1	85.75	64.25	0	27867.299	363.4408602	10110.61887	30000	0	0	30000	43.9375	2004
21.01.2020 12:37:21	1	1	1	1	85.75	63.75	0	27630.332	365.5913978	10230.47862	30000	0	0	30000	44.1875	2004
21.01.2020 12:37:22	1	1	1	1	85.75	64	0	28341.232	395.6989247	11214.63322	30000	0	0	30000	44.25	2004
21.01.2020 12:37:23	1	1	1	1	85.75	64.25	0	28293.839	389.2473118	10975.72908	30000	0	0	30000	44.125	2004
21.01.2020 12:37:24	1	1	1	1	85.75	64	0	27819.905	395.6989247	11008.34398	30000	0	0	30000	44.125	2004
21.01.2020 12:37:25	1	1	1	1	85.75	64	0	28483.412	389.2473118	11086.61974	30000	0	0	30000	44.25	2004
21.01.2020 12:37:26	1	1	1	1	85.75	64.25	0	28199.052	384.9462366	10915.39151	30000	0	0	30000	43.9375	2004
21.01.2020 12:37:27	1	1	1	1	85.75	63.75	0	28483.412	395.6989247	11190.98742	30000	0	0	30000	43.9375	2004
21.01.2020 12:37:28	1	1	1	1	85.75	63.75	0	28388.626	391.3978495	11111.08091	30000	0	0	30000	44.25	2004
21.01.2020 12:37:29	1	1	1	1	85.75	64.25	0	28199.052	389.2473118	10975.72908	30000	0	0	30000	44.1875	2004
21.01.2020 12:37:30	1	1	1	1	85.75	64	0	28625.592	384.9462366	11018.94382	30000	0	0	30000	44.1875	2004
21.01.2020 12:37:31	1	1	1	1	85.75	64	0	28293.839	384.9462366	10970.83684	30000	0	0	30000	44.0625	2004
21.01.2020 12:37:32	1	1	1	1	85.75	64	0	28199.052	391.3978495	11036.88202	30000	0	0	30000	43.625	2004
21.01.2020 12:37:33	1	1	1	1	85.75	63.5	0	28199.052	389.2473118	10975.72908	30000	0	0	30000	44.3125	2004
21.01.2020 12:37:34	1	1	1	1	85.75	64.25	0	28199.052	389.2473118	10975.72908	30000	0	0	30000	44.0625	2004
21.01.2020 12:37:35	1	1	1	1	85.75	64	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	44	2004
21.01.2020 12:37:36	1	1	1	1	85.75	64	0	28436.019	389.2473118	11068.68154	30000	0	0	30000	44.25	2004
21.01.2020 12:37:37	1	1	1	1	85.75	64.25	0	28388.626	384.9462366	10927.6221	30000	0	0	30000	44.1875	2004
21.01.2020 12:37:38	1	1	1	1	87.25	64	0	28009.479	389.2473118	10902.34555	30000	0	0	30000	44.0625	2004
21.01.2020 12:37:39	1	1	1	1	87.25	64	0	28341.232	384.9462366	10970.83684	30000	0	0	30000	44.125	2004
21.01.2020 12:37:40	1	1	1	1	87.25	64	0	28625.592	384.9462366	11001.00563	30000	0	0	30000	44.3125	2004
21.01.2020 12:37:41	1	1	1	1	87.25	64.25	0	28625.592	384.9462366	11018.94382	30000	0	0	30000	44.25	2004
21.01.2020 12:37:42	1	1	1	1	87.25	64.25	0	28199.052	387.0967742	10975.72908	30000	0	0	30000	44.375	2004
21.01.2020 12:37:43	1	1	1	1	87.25	64.25	0	28199.052	389.2473118	10975.72908	30000	0	0	30000	44.3125	2004
21.01.2020 12:37:44	1	1	1	1	87.25	64.25	0	28199.052	389.2473118	10915.39151	30000	0	0	30000	44.0625	2004
21.01.2020 12:37:45	1	1	1	1	87.25	64	0	28341.232	384.9462366	10890.93034	30000	0	0	30000	44.125	2004
21.01.2020 12:37:46	1	1	1	1	87.25	64	0	28293.839	387.0967742	11013.23621	30000	0	0	30000	43.75	2004
21.01.2020 12:37:47	1	1	1	1	87.25	63.75	0	28388.626	384.9462366	10970.83684	30000	0	0	30000	44	2004
21.01.2020 12:37:48	1	1	1	1	87	64	0	28199.052	395.6989247	11036.88202	30000	0	0	30000	44.25	2004
21.01.2020 12:37:49	1	1	1	1	87	64.25	0	28341.232	389.2473118	11049.92798	30000	0	0	30000	44.25	2004
21.01.2020 12:37:50	1	1	1	1	87	64.25	0	28341.232	389.2473118	10855.05395	30000	0	0	30000	43.625	2004
21.01.2020 12:37:51	1	1	1	1	87	63.5	0	28009.479	395.6989247	11083.35825	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:37:52	1	1	1	1	87	63.75	0	27867.299	389.2473118	10865.65379	30000	0	0	30000	44.375	2004
21.01.2020 12:37:53	1	1	1	1	87	64.25	0	28199.052	391.3978495	11036.88202	30000	0	0	30000	44.625	2004
21.01.2020 12:37:55	1	1	1	1	87	64.5	0	28388.626	387.0967742	11049.92798	30000	0	0	30000	44.375	2004
21.01.2020 12:37:56	1	1	1	1	87	64.5	0	28293.839	389.2473118	11013.23621	30000	0	0	30000	44.125	2004
21.01.2020 12:37:57	1	1	1	1	87	64	0	28388.626	389.2473118	11111.08091	30000	0	0	30000	44.3125	2004
21.01.2020 12:37:58	1	1	1	1	86.75	64.25	0	28578.199	384.9462366	11001.00563	30000	0	0	30000	44.3125	2004
21.01.2020 12:37:59	1	1	1	1	86.75	64.25	0	28009.479	395.6989247	11083.35825	30000	0	0	30000	44.3125	2004
21.01.2020 12:38:00	1	1	1	1	86.75	64.25	0	28293.839	389.2473118	11036.88202	30000	0	0	30000	44	2004
21.01.2020 12:38:01	1	1	1	1	86.75	64	0	28436.019	391.3978495	11129.83448	30000	0	0	30000	44.0625	2004
21.01.2020 12:38:02	1	1	1	1	86.75	64	0	27819.905	395.6989247	11067.86617	30000	0	0	30000	44.25	2004
21.01.2020 12:38:03	1	1	1	1	86.75	64.25	0	27630.332	395.6989247	10992.03653	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:09	1	1	1	1	86	64.25	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	44.25	2004
21.01.2020 12:38:09	1	1	1	1	86	64.25	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	44.25	2004
21.01.2020 12:38:09	1	1	1	1	86	64.25	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	44.25	2004
21.01.2020 12:38:09	1	1	1	1	86	64.25	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	44.25	2004
21.01.2020 12:38:09	1	1	1	1	86	64.25	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	44.25	2004
21.01.2020 12:38:09	1	1	1	1	86	64.25	0	28199.052	395.6989247	11158.37252	30000	0	0	30000	44.25	2004
21.01.2020 12:38:10	1	1	1	1	86	64.25	0	28388.626	387.0967742	10988.77504	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:11	1	1	1	1	86	64	0	28436.019	384.9462366	11007.52861	30000	0	0	30000	44.125	2004
21.01.2020 12:38:12	1	1	1	1	86	64	0	27914.692	389.2473118	10865.65379	30000	0	0	30000	44.25	2004
21.01.2020 12:38:13	1	1	1	1	86	64.25	0	28199.052	387.0967742	10855.05395	30000	0	0	30000	44.3125	2004
21.01.2020 12:38:14	1	1	1	1	86	64.25	0	28341.232	395.6989247	10952.08328	30000	0	0	30000	43.625	2004
21.01.2020 12:38:15	1	1	1	1	86	63.5	0	28293.839	389.2473118	10975.72908	30000	0	0	30000	43.875	2004
21.01.2020 12:38:16	1	1	1	1	86	63.75	0	28578.199	387.0967742	11123.3115	30000	0	0	30000	44.0625	2004
21.01.2020 12:38:17	1	1	1	1	86	64	0	28293.839	389.2473118	11013.23621	30000	0	0	30000	44	2004
21.01.2020 12:38:18	1	1	1	1	86.25	64	0	28436.019	384.9462366	10946.37567	30000	0	0	30000	44.3125	2004
21.01.2020 12:38:19	1	1	1	1	86.25	64.25	0	28199.052	389.2473118	10962.68312	30000	0	0	30000	44.0625	2004
21.01.2020 12:38:20	1	1	1	1	86.25	64	0	28199.052	395.6989247	11036.88202	30000	0	0	30000	44.125	2004
21.01.2020 12:38:21	1	1	1	1	86.25	64	0	28388.626	387.0967742	10946.37567	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:22	1	1	1	1	86.25	64	0	28199.052	415.0537634	11703.85671	30000	0	0	30000	44.25	2004
21.01.2020 12:38:23	1	1	1	1	86.25	64.25	0	28815.166	421.5053763	12083.82029	30000	0	0	30000	43.875	2004
21.01.2020 12:38:24	1	1	1	1	86.25	63.75	0	28436.019	425.8064516	12108.28147	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:25	1	1	1	1	86.25	64	0	24786.73	378.4946237	9381.675862	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:26	1	1	1	1	86.25	64	0	28625.592	419.3548387	12003.91379	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:27	1	1	1	1	86.25	64	0	28388.626	421.5053763	11924.82266	30000	0	0	30000	43.875	2004
21.01.2020 12:38:28	1	1	1	1	85.5	63.75	0	28199.052	423.655914	11825.34721	30000	0	0	30000	44.0625	2004
21.01.2020 12:38:29	1	1	1	1	85.5	64	0	28009.479	419.3548387	11946.02234	30000	0	0	30000	44	2004
21.01.2020 12:38:30	1	1	1	1	85.5	64	0	28341.232	423.655914	12067.51284	30000	0	0	30000	43.8125	2004
21.01.2020 12:38:31	1	1	1	1	85.5	63.75	0	28388.626	423.655914	12087.89715	30000	0	0	30000	44.5	2004
21.01.2020 12:38:33	1	1	1	1	85.5	64.5	0	28341.232	419.3548387	11904.43834	30000	0	0	30000	44.5	2004
21.01.2020 12:38:34	1	1	1	1	85.5	64.5	0	27962.085	425.8064516	11926.4534	30000	0	0	30000	44.6875	2004
21.01.2020 12:38:35	1	1	1	1	85.5	64.25	0	28199.052	417.2043011	11946.02234	30000	0	0	30000	44.125	2004
21.01.2020 12:38:36	1	1	1	1	85.5	64	0	28009.479	425.8064516	12007.17528	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:38:37	1	1	1	1	85.5	64	0	28009.479	419.3548387	11986.79097	30000	0	0	30000	44.125	2004
21.01.2020 12:38:38	1	1	1	1	85.5	64	0	28625.592	419.3548387	12003.91379	30000	0	0	30000	43.9375	2004
21.01.2020 12:38:39	1	1	1	1	85.5	63.75	0	28293.839	425.8064516	12067.51284	30000	0	0	30000	44.125	2004
21.01.2020 12:38:40	1	1	1	1	85.5	64	0	28388.626	419.3548387	12087.89715	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:41	1	1	1	1	85.5	64	0	28199.052	425.8064516	11946.02234	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:42	1	1	1	1	85.5	64	0	28293.839	425.8064516	12047.12853	30000	0	0	30000	44	2004
21.01.2020 12:38:43	1	1	1	1	85.5	64	0	28388.626	421.5053763	12026.74422	30000	0	0	30000	44.125	2004
21.01.2020 12:38:44	1	1	1	1	85.5	64	0	28246.445	425.8064516	12067.51284	30000	0	0	30000	43.875	2004
21.01.2020 12:38:45	1	1	1	1	85.5	63.75	0	28199.052	427.9569892	11986.79097	30000	0	0	30000	44	2004
21.01.2020 12:38:46	1	1	1	1	85.5	64	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	44.125	2004
21.01.2020 12:38:47	1	1	1	1	85.5	64	0	27962.085	427.9569892	11986.79097	30000	0	0	30000	44.0625	2004
21.01.2020 12:38:48	1	1	1	1	86	64	0	28199.052	427.9569892	12067.51284	30000	0	0	30000	44.3125	2004
21.01.2020 12:38:51	1	1	1	1	86	64.25	0	27867.299	425.8064516	11925.63803	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:51	1	1	1	1	86	64.25	0	27867.299	425.8064516	11925.63803	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:51	1	1	1	1	86	64.25	0	27867.299	425.8064516	11925.63803	30000	0	0	30000	44.1875	2004
21.01.2020 12:38:52	1	1	1	1	86	64	0	28341.232	423.655914	12087.89715	30000	0	0	30000	44.3125	2004
21.01.2020 12:38:53	1	1	1	1	86	64.25	0	28009.479	427.9569892	12067.51284	30000	0	0	30000	44.0625	2004
21.01.2020 12:38:54	1	1	1	1	86	64	0	28293.839	427.9569892	12108.28147	30000	0	0	30000	44.125	2004
21.01.2020 12:38:55	1	1	1	1	86	64	0	28341.232	425.8064516	12067.51284	30000	0	0	30000	43.8125	2004
21.01.2020 12:38:56	1	1	1	1	86	63.75	0	28199.052	427.9569892	12067.51284	30000	0	0	30000	43.875	2004
21.01.2020 12:38:57	1	1	1	1	86	63.75	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	44	2004
21.01.2020 12:38:58	1	1	1	1	86	64	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	44.125	2004
21.01.2020 12:38:59	1	1	1	1	86	64	0	28293.839	427.9569892	12108.28147	30000	0	0	30000	44.25	2004
21.01.2020 12:39:00	1	1	1	1	86	64.25	0	28009.479	427.9569892	11926.4534	30000	0	0	30000	44.25	2004
21.01.2020 12:39:01	1	1	1	1	86	64.25	0	24360.19	382.7956989	9290.354143	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:02	1	1	1	1	86	64	0	27867.299	427.9569892	11884.8694	30000	0	0	30000	44.25	2004
21.01.2020 12:39:03	1	1	1	1	86	64.25	0	28009.479	425.8064516	11986.79097	30000	0	0	30000	44	2004
21.01.2020 12:39:04	1	1	1	1	86	64	0	28199.052	425.8064516	12007.17528	30000	0	0	30000	44.125	2004
21.01.2020 12:39:11	1	1	1	1	86	64	0	28009.479	425.8064516	12067.51284	30000	0	0	30000	44.5	2004
21.01.2020 12:39:11	1	1	1	1	86	64	0	28009.479	425.8064516	12067.51284	30000	0	0	30000	44.5	2004
21.01.2020 12:39:11	1	1	1	1	86	64	0	28009.479	425.8064516	12067.51284	30000	0	0	30000	44.5	2004
21.01.2020 12:39:11	1	1	1	1	86	64	0	28009.479	425.8064516	12067.51284	30000	0	0	30000	44.5	2004
21.01.2020 12:39:11	1	1	1	1	86	64	0	28009.479	425.8064516	12067.51284	30000	0	0	30000	44.5	2004
21.01.2020 12:39:12	1	1	1	1	86	64.5	0	28009.479	425.8064516	11926.4534	30000	0	0	30000	44.4375	2004
21.01.2020 12:39:13	1	1	1	1	86	64	0	27819.905	427.9569892	11905.25372	30000	0	0	30000	44.3125	2004
21.01.2020 12:39:14	1	1	1	1	86	64.25	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:15	1	1	1	1	86	64	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	43.8125	2004
21.01.2020 12:39:16	1	1	1	1	86	63.75	0	27819.905	427.9569892	11905.25372	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:17	1	1	1	1	86	64	0	27630.332	427.9569892	11824.53184	30000	0	0	30000	44.25	2004
21.01.2020 12:39:18	1	1	1	1	86.25	64.25	0	28009.479	432.2580645	12106.65072	30000	0	0	30000	44.125	2004
21.01.2020 12:39:19	1	1	1	1	86.25	64	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	44.0625	2004
21.01.2020 12:39:20	1	1	1	1	86.25	64	0	27630.332	423.655914	11824.53184	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:39:21	1	1	1	1	86.25	64	0	28009.479	425.8064516	11926.4534	30000	0	0	30000	44.25	2004
21.01.2020 12:39:22	1	1	1	1	86.25	64.25	0	28388.626	445.1612903	12637.45821	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:23	1	1	1	1	86.25	64	0	27630.332	404.3010753	11230.1253	30000	0	0	30000	44.375	2004
21.01.2020 12:39:24	1	1	1	1	86.25	64.25	0	28341.232	460.2150538	13103.85128	30000	0	0	30000	44.25	2004
21.01.2020 12:39:25	1	1	1	1	86.25	64.25	0	28483.412	455.9139785	12985.62227	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:26	1	1	1	1	86.25	64	0	28009.479	453.7634409	13098.95904	30000	0	0	30000	43.9375	2004
21.01.2020 12:39:27	1	1	1	1	86.25	63.75	0	28199.052	464.516129	13098.95904	30000	0	0	30000	43.8125	2004
21.01.2020 12:39:28	1	1	1	1	86.75	63.75	0	28199.052	464.516129	13098.95904	30000	0	0	30000	44.3125	2004
21.01.2020 12:39:29	1	1	1	1	86.75	64.25	0	27867.299	464.516129	12944.85364	30000	0	0	30000	44.3125	2004
21.01.2020 12:39:30	1	1	1	1	86.75	64.25	0	28483.412	460.2150538	13107.92814	30000	0	0	30000	44.125	2004
21.01.2020 12:39:31	1	1	1	1	86.75	64	0	28578.199	453.7634409	12967.68407	30000	0	0	30000	43.4375	2004
21.01.2020 12:39:32	1	1	1	1	86.75	63.25	0	28009.479	460.2150538	13037.8061	30000	0	0	30000	44.125	2004
21.01.2020 12:39:33	1	1	1	1	86.75	64	0	28388.626	466.6666667	12860.0549	30000	0	0	30000	44.25	2004
21.01.2020 12:39:34	1	1	1	1	86.75	64.25	0	28388.626	458.0645161	13003.56046	30000	0	0	30000	43.8125	2004
21.01.2020 12:39:35	1	1	1	1	86.75	63.75	0	28625.592	460.2150538	13112.005	30000	0	0	30000	44.0625	2004
21.01.2020 12:39:36	1	1	1	1	86.75	64	0	28815.166	451.6129032	12951.37662	30000	0	0	30000	43.9375	2004
21.01.2020 12:39:37	1	1	1	1	86.75	63.75	0	28436.019	445.1612903	12924.46933	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:38	1	1	1	1	87	64	0	24597.156	412.9032258	10195.41761	30000	0	0	30000	43.6875	2004
21.01.2020 12:39:39	1	1	1	1	87	63.5	0	28815.166	451.6129032	13075.31324	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:40	1	1	1	1	87	64	0	28483.412	453.7634409	12903.26964	30000	0	0	30000	44.0625	2004
21.01.2020 12:39:41	1	1	1	1	87	64	0	28483.412	453.7634409	12924.46933	30000	0	0	30000	44.0625	2004
21.01.2020 12:39:42	1	1	1	1	87	64	0	28341.232	460.2150538	13020.68328	30000	0	0	30000	44.25	2004
21.01.2020 12:39:43	1	1	1	1	87	64.25	0	28625.592	455.9139785	12967.68407	30000	0	0	30000	44.125	2004
21.01.2020 12:39:44	1	1	1	1	87	64	0	28388.626	455.9139785	13086.72845	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:45	1	1	1	1	87	64	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	44	2004
21.01.2020 12:39:46	1	1	1	1	87	64	0	28388.626	455.9139785	13003.56046	30000	0	0	30000	44	2004
21.01.2020 12:39:47	1	1	1	1	87	64	0	28483.412	458.0645161	13046.7752	30000	0	0	30000	44.3125	2004
21.01.2020 12:39:49	1	1	1	1	87.25	64.25	0	28009.479	464.516129	12890.22368	30000	0	0	30000	44.375	2004
21.01.2020 12:39:50	1	1	1	1	87.25	64.25	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:51	1	1	1	1	87.25	64	0	28388.626	460.2150538	13003.56046	30000	0	0	30000	44.3125	2004
21.01.2020 12:39:52	1	1	1	1	87.25	64.5	0	28388.626	460.2150538	13064.7134	30000	0	0	30000	43.8125	2004
21.01.2020 12:39:53	1	1	1	1	87.25	63.75	0	28341.232	460.2150538	13064.7134	30000	0	0	30000	44.125	2004
21.01.2020 12:39:54	1	1	1	1	87.25	64	0	28388.626	458.0645161	13003.56046	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:55	1	1	1	1	87.25	64	0	27914.692	460.2150538	12846.19357	30000	0	0	30000	44.375	2004
21.01.2020 12:39:56	1	1	1	1	87.25	64.25	0	28009.479	464.516129	12890.22368	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:57	1	1	1	1	87.25	64	0	28341.232	460.2150538	13020.68328	30000	0	0	30000	44.1875	2004
21.01.2020 12:39:58	1	1	1	1	87.5	64	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.125	2004
21.01.2020 12:39:59	1	1	1	1	87.5	64	0	28341.232	460.2150538	12981.5454	30000	0	0	30000	44.25	2004
21.01.2020 12:40:00	1	1	1	1	87.5	64.25	0	28009.479	460.2150538	13010.89881	30000	0	0	30000	43.625	2004
21.01.2020 12:40:01	1	1	1	1	87.5	63.5	0	28341.232	460.2150538	13042.69834	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:02	1	1	1	1	87.5	64	0	28199.052	455.9139785	12795.64048	30000	0	0	30000	44.125	2004
21.01.2020 12:40:03	1	1	1	1	87.5	64	0	28388.626	464.516129	13042.69834	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:04	1	1	1	1	87.5	64	0	28009.479	464.516129	12769.54856	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:40:05	1	1	1	1	87.5	64	0	28199.052	464.516129	13098.95904	30000	0	0	30000	44	2004
21.01.2020 12:40:06	1	1	1	1	87.5	64	0	28436.019	455.9139785	12964.42258	30000	0	0	30000	44.0625	2004
21.01.2020 12:40:13	1	1	1	1	88	64.25	0	28341.232	453.7634409	12881.25459	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:13	1	1	1	1	88	64.25	0	28341.232	453.7634409	12881.25459	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:13	1	1	1	1	88	64.25	0	28341.232	453.7634409	12881.25459	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:13	1	1	1	1	88	64.25	0	28341.232	453.7634409	12881.25459	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:13	1	1	1	1	88	64.25	0	28341.232	453.7634409	12881.25459	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:13	1	1	1	1	88	64.25	0	28341.232	453.7634409	12881.25459	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:13	1	1	1	1	88	64	0	28293.839	460.2150538	13225.34178	30000	0	0	30000	43.8125	2004
21.01.2020 12:40:14	1	1	1	1	88	63.75	0	28436.019	464.516129	13025.57552	30000	0	0	30000	44.3125	2004
21.01.2020 12:40:15	1	1	1	1	88	64.25	0	28815.166	453.7634409	13013.34493	30000	0	0	30000	44.125	2004
21.01.2020 12:40:16	1	1	1	1	88	64	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.125	2004
21.01.2020 12:40:17	1	1	1	1	88	64	0	28578.199	449.4623656	12967.68407	30000	0	0	30000	44	2004
21.01.2020 12:40:18	1	1	1	1	87.5	64	0	28625.592	451.6129032	12988.88376	30000	0	0	30000	44.3125	2004
21.01.2020 12:40:19	1	1	1	1	87.5	64.25	0	28625.592	460.2150538	12967.68407	30000	0	0	30000	44.0625	2004
21.01.2020 12:40:20	1	1	1	1	87.5	64	0	28578.199	458.0645161	13151.95825	30000	0	0	30000	44	2004
21.01.2020 12:40:21	1	1	1	1	87.5	64	0	28625.592	455.9139785	13112.005	30000	0	0	30000	44.125	2004
21.01.2020 12:40:22	1	1	1	1	87.5	64	0	28909.953	483.8709677	14011.36086	30000	0	0	30000	44.3125	2004
21.01.2020 12:40:23	1	1	1	1	87.5	64.25	0	29052.133	486.0215054	14181.77371	30000	0	0	30000	44.0625	2004
21.01.2020 12:40:24	1	1	1	1	87.5	64	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:25	1	1	1	1	87.5	64	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44	2004
21.01.2020 12:40:27	1	1	1	1	87.5	64	0	28862.559	481.7204301	13903.73169	30000	0	0	30000	44.3125	2004
21.01.2020 12:40:28	1	1	1	1	87.5	64.25	0	28957.346	488.172043	14136.11285	30000	0	0	30000	43.4375	2004
21.01.2020 12:40:29	1	1	1	1	88	64	0	28862.559	481.7204301	13965.7	30000	0	0	30000	44.125	2004
21.01.2020 12:40:30	1	1	1	1	88	64	0	28815.166	486.0215054	14066.80619	30000	0	0	30000	44.25	2004
21.01.2020 12:40:31	1	1	1	1	88	64.25	0	28815.166	490.3225806	14190.7428	30000	0	0	30000	44	2004
21.01.2020 12:40:32	1	1	1	1	88	64	0	28578.199	488.172043	14012.17623	30000	0	0	30000	43.25	2004
21.01.2020 12:40:33	1	1	1	1	88	63.25	0	28625.592	490.3225806	13951.02329	30000	0	0	30000	44.0625	2004
21.01.2020 12:40:34	1	1	1	1	88	64	0	28815.166	488.172043	14066.80619	30000	0	0	30000	44.0625	2004
21.01.2020 12:40:35	1	1	1	1	88	64	0	28578.199	492.4731183	14073.32917	30000	0	0	30000	44.0625	2004
21.01.2020 12:40:36	1	1	1	1	88	64	0	28862.559	488.172043	14089.63662	30000	0	0	30000	43.875	2004
21.01.2020 12:40:37	1	1	1	1	88	63.75	0	28815.166	488.172043	14066.80619	30000	0	0	30000	44.0625	2004
21.01.2020 12:40:38	1	1	1	1	88.5	64	0	29241.706	481.7204301	14086.37513	30000	0	0	30000	44.0625	2004
21.01.2020 12:40:39	1	1	1	1	88.5	64	0	28625.592	488.172043	13973.85372	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:40	1	1	1	1	88.5	64	0	28625.592	488.172043	13973.85372	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:41	1	1	1	1	88.5	64	0	28815.166	486.0215054	14004.83788	30000	0	0	30000	44.125	2004
21.01.2020 12:40:42	1	1	1	1	88.5	64	0	28815.166	483.8709677	13965.7	30000	0	0	30000	43.8125	2004
21.01.2020 12:40:43	1	1	1	1	88.5	63.75	0	28815.166	486.0215054	14004.83788	30000	0	0	30000	43.25	2004
21.01.2020 12:40:44	1	1	1	1	88.5	63.25	0	29241.706	486.0215054	14165.46626	30000	0	0	30000	44.4375	2004
21.01.2020 12:40:45	1	1	1	1	88.5	64.25	0	28625.592	488.172043	14066.80619	30000	0	0	30000	43.8125	2004
21.01.2020 12:40:46	1	1	1	1	88.5	63.75	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:47	1	1	1	1	88.5	64	0	28815.166	486.0215054	14004.83788	30000	0	0	30000	44.125	2004
21.01.2020 12:40:48	1	1	1	1	87.75	64	0	28625.592	486.0215054	14066.80619	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:40:49	1	1	1	1	87.75	64	0	28625.592	490.3225806	14066.80619	30000	0	0	30000	44.125	2004
21.01.2020 12:40:50	1	1	1	1	87.75	64	0	28625.592	486.0215054	14066.80619	30000	0	0	30000	43.625	2004
21.01.2020 12:40:51	1	1	1	1	87.75	63.5	0	28815.166	488.172043	14066.80619	30000	0	0	30000	43.875	2004
21.01.2020 12:40:52	1	1	1	1	87.75	63.75	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.0625	2004
21.01.2020 12:40:53	1	1	1	1	87.75	64	0	28815.166	490.3225806	14066.80619	30000	0	0	30000	44	2004
21.01.2020 12:40:54	1	1	1	1	87.75	64	0	28815.166	488.172043	14066.80619	30000	0	0	30000	44.1875	2004
21.01.2020 12:40:55	1	1	1	1	87.75	64	0	28625.592	490.3225806	13973.85372	30000	0	0	30000	43.9375	2004
21.01.2020 12:40:56	1	1	1	1	87.75	63.75	0	28625.592	481.7204301	13880.90126	30000	0	0	30000	43.9375	2004
21.01.2020 12:40:57	1	1	1	1	87.75	63.75	0	28815.166	486.0215054	14066.80619	30000	0	0	30000	44	2004
21.01.2020 12:40:58	1	1	1	1	88	64	0	28625.592	488.172043	13951.02329	30000	0	0	30000	43.8125	2004
21.01.2020 12:40:59	1	1	1	1	88	63.75	0	28815.166	486.0215054	14004.83788	30000	0	0	30000	44.125	2004
21.01.2020 12:41:00	1	1	1	1	88	64	0	28862.559	483.8709677	14089.63662	30000	0	0	30000	43.875	2004
21.01.2020 12:41:01	1	1	1	1	88	63.75	0	28436.019	488.172043	14026.85293	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:02	1	1	1	1	88	64	0	28483.412	490.3225806	13904.54706	30000	0	0	30000	43.75	2004
21.01.2020 12:41:04	1	1	1	1	88	63.75	0	28483.412	488.172043	13951.02329	30000	0	0	30000	44	2004
21.01.2020 12:41:05	1	1	1	1	88	64	0	28672.986	488.172043	13973.85372	30000	0	0	30000	44.25	2004
21.01.2020 12:41:06	1	1	1	1	88	64.25	0	28672.986	488.172043	14066.80619	30000	0	0	30000	44.125	2004
21.01.2020 12:41:07	1	1	1	1	88	64	0	28578.199	492.4731183	14026.85293	30000	0	0	30000	44.3125	2004
21.01.2020 12:41:08	1	1	1	1	88.75	64	0	29431.28	464.516129	13671.35053	30000	0	0	30000	44	2004
21.01.2020 12:41:14	1	1	1	1	88.75	64	0	28293.839	496.7741935	14008.09937	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:14	1	1	1	1	88.75	64	0	28293.839	496.7741935	14008.09937	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:14	1	1	1	1	88.75	64	0	28293.839	496.7741935	14008.09937	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:14	1	1	1	1	88.75	64	0	28293.839	496.7741935	14008.09937	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:14	1	1	1	1	88.75	64	0	28293.839	496.7741935	14008.09937	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:14	1	1	1	1	88.75	64	0	28293.839	496.7741935	14008.09937	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:15	1	1	1	1	88.75	64	0	28625.592	488.172043	13973.85372	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:16	1	1	1	1	88.75	64	0	28341.232	492.4731183	13956.7309	30000	0	0	30000	44	2004
21.01.2020 12:41:17	1	1	1	1	88.75	64	0	28578.199	490.3225806	13951.02329	30000	0	0	30000	43.625	2004
21.01.2020 12:41:18	1	1	1	1	88.75	63.5	0	28578.199	488.172043	13973.85372	30000	0	0	30000	44.125	2004
21.01.2020 12:41:19	1	1	1	1	88.75	64	0	28578.199	488.172043	13951.02329	30000	0	0	30000	44.1875	2004
21.01.2020 12:41:20	1	1	1	1	88.75	64	0	28815.166	483.8709677	13942.86957	30000	0	0	30000	44.25	2004
21.01.2020 12:41:21	1	1	1	1	88.75	64.25	0	28862.559	488.172043	14089.63662	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:22	1	1	1	1	88.75	64	0	28957.346	501.0752688	14619.62873	30000	0	0	30000	43.625	2004
21.01.2020 12:41:23	1	1	1	1	88.75	63.5	0	28815.166	503.2258065	14500.58435	30000	0	0	30000	43.3125	2004
21.01.2020 12:41:24	1	1	1	1	88.75	63.25	0	28957.346	518.2795699	14945.77773	30000	0	0	30000	44.1875	2004
21.01.2020 12:41:25	1	1	1	1	88.75	64	0	29099.526	524.7311828	15419.50915	30000	0	0	30000	43.9375	2004
21.01.2020 12:41:26	1	1	1	1	88.75	63.75	0	28815.166	520.4301075	14934.36251	30000	0	0	30000	43.5625	2004
21.01.2020 12:41:27	1	1	1	1	88.75	63.5	0	28483.412	524.7311828	15006.93067	30000	0	0	30000	43.6875	2004
21.01.2020 12:41:28	1	1	1	1	88.5	63.5	0	28578.199	524.7311828	14995.51545	30000	0	0	30000	44	2004
21.01.2020 12:41:29	1	1	1	1	88.5	64	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.25	2004
21.01.2020 12:41:30	1	1	1	1	88.5	64.25	0	28815.166	522.5806452	14958.82369	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:31	1	1	1	1	88.5	64	0	28815.166	518.2795699	14934.36251	30000	0	0	30000	43.5625	2004
21.01.2020 12:41:32	1	1	1	1	88.5	63.5	0	28815.166	518.2795699	14934.36251	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:41:33	1	1	1	1	88.5	64	0	28578.199	518.2795699	14811.24127	30000	0	0	30000	43.75	2004
21.01.2020 12:41:34	1	1	1	1	88.5	63.75	0	28815.166	520.4301075	15058.29913	30000	0	0	30000	44.125	2004
21.01.2020 12:41:35	1	1	1	1	88.5	64	0	28815.166	526.8817204	15206.69693	30000	0	0	30000	43.875	2004
21.01.2020 12:41:36	1	1	1	1	88.5	63.75	0	28436.019	518.2795699	14737.85774	30000	0	0	30000	43.9375	2004
21.01.2020 12:41:37	1	1	1	1	88.5	63.75	0	28957.346	520.4301075	15132.49803	30000	0	0	30000	43.75	2004
21.01.2020 12:41:38	1	1	1	1	89.5	63.75	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:39	1	1	1	1	89.5	64	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	43.625	2004
21.01.2020 12:41:40	1	1	1	1	89.5	63.5	0	29052.133	520.4301075	15143.91324	30000	0	0	30000	43.9375	2004
21.01.2020 12:41:41	1	1	1	1	89.5	63.75	0	29146.919	518.2795699	15280.89582	30000	0	0	30000	44.1875	2004
21.01.2020 12:41:43	1	1	1	1	89.5	64	0	28862.559	516.1290323	14896.85538	30000	0	0	30000	43.6875	2004
21.01.2020 12:41:44	1	1	1	1	89.5	63.5	0	29052.133	518.2795699	15007.74604	30000	0	0	30000	44.125	2004
21.01.2020 12:41:45	1	1	1	1	89.5	64	0	28625.592	520.4301075	14958.82369	30000	0	0	30000	43.625	2004
21.01.2020 12:41:46	1	1	1	1	89.5	63.5	0	28483.412	526.8817204	15006.93067	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:47	1	1	1	1	89.5	64.25	0	28625.592	522.5806452	14934.36251	30000	0	0	30000	44.125	2004
21.01.2020 12:41:48	1	1	1	1	89.75	64	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.125	2004
21.01.2020 12:41:49	1	1	1	1	89.75	64	0	28815.166	516.1290323	14872.39421	30000	0	0	30000	44.0625	2004
21.01.2020 12:41:50	1	1	1	1	89.75	64	0	28909.953	520.4301075	15132.49803	30000	0	0	30000	43.9375	2004
21.01.2020 12:41:51	1	1	1	1	89.75	63.75	0	29099.526	520.4301075	15105.59074	30000	0	0	30000	44.25	2004
21.01.2020 12:41:52	1	1	1	1	89.75	64.25	0	28862.559	520.4301075	14934.36251	30000	0	0	30000	43.75	2004
21.01.2020 12:41:53	1	1	1	1	89.75	63.75	0	28862.559	520.4301075	14934.36251	30000	0	0	30000	43.5	2004
21.01.2020 12:41:54	1	1	1	1	89.75	63.5	0	29052.133	516.1290323	14882.99405	30000	0	0	30000	44.3125	2004
21.01.2020 12:41:55	1	1	1	1	89.75	64.25	0	29099.526	520.4301075	15168.37442	30000	0	0	30000	44.125	2004
21.01.2020 12:41:56	1	1	1	1	89.75	64	0	28625.592	518.2795699	14934.36251	30000	0	0	30000	43.75	2004
21.01.2020 12:41:57	1	1	1	1	89.75	63.75	0	28957.346	524.7311828	15194.46634	30000	0	0	30000	44.125	2004
21.01.2020 12:41:58	1	1	1	1	89.75	64	0	24597.156	443.0107527	10896.63795	30000	0	0	30000	44	2004
21.01.2020 12:41:59	1	1	1	1	89.75	64	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44	2004
21.01.2020 12:42:00	1	1	1	1	89.75	64	0	28862.559	522.5806452	15082.76031	30000	0	0	30000	43.9375	2004
21.01.2020 12:42:01	1	1	1	1	89.75	63.75	0	28909.953	518.2795699	14958.82369	30000	0	0	30000	44.125	2004
21.01.2020 12:42:02	1	1	1	1	89.75	64	0	28957.346	516.1290323	14994.70008	30000	0	0	30000	44.25	2004
21.01.2020 12:42:03	1	1	1	1	89.75	64.25	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:04	1	1	1	1	89.75	64	0	28862.559	520.4301075	15082.76031	30000	0	0	30000	43.75	2004
21.01.2020 12:42:05	1	1	1	1	89.75	63.75	0	28815.166	518.2795699	15144.72862	30000	0	0	30000	43.75	2004
21.01.2020 12:42:06	1	1	1	1	89.75	63.75	0	28815.166	516.1290323	14774.54951	30000	0	0	30000	44	2004
21.01.2020 12:42:07	1	1	1	1	89.75	64	0	28815.166	520.4301075	15058.29913	30000	0	0	30000	44.3125	2004
21.01.2020 12:42:08	1	1	1	1	89.5	64.25	0	28625.592	518.2795699	14835.70244	30000	0	0	30000	44.0625	2004
21.01.2020 12:42:09	1	1	1	1	89.5	64	0	28578.199	518.2795699	14958.82369	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:16	1	1	1	1	89.5	64.25	0	28862.559	518.2795699	14958.82369	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:16	1	1	1	1	89.5	64.25	0	28862.559	518.2795699	14958.82369	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:16	1	1	1	1	89.5	64.25	0	28862.559	518.2795699	14958.82369	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:16	1	1	1	1	89.5	64.25	0	28862.559	518.2795699	14958.82369	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:16	1	1	1	1	89.5	64.25	0	28862.559	518.2795699	14958.82369	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:16	1	1	1	1	89.5	64.25	0	28862.559	518.2795699	14958.82369	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:16	1	1	1	1	89.5	64	0	28957.346	516.1290323	15007.74604	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:42:17	1	1	1	1	89.5	63.5	0	28957.346	520.4301075	15007.74604	30000	0	0	30000	44.3125	2004
21.01.2020 12:42:18	1	1	1	1	90	64.25	0	29146.919	518.2795699	15105.59074	30000	0	0	30000	44.0625	2004
21.01.2020 12:42:19	1	1	1	1	90	64	0	28957.346	522.5806452	15132.49803	30000	0	0	30000	44.0625	2004
21.01.2020 12:42:21	1	1	1	1	90	64	0	29099.526	518.2795699	15081.12956	30000	0	0	30000	44.0625	2004
21.01.2020 12:42:22	1	1	1	1	90	64	0	28578.199	518.2795699	14811.24127	30000	0	0	30000	44.0625	2004
21.01.2020 12:42:23	1	1	1	1	90	64	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.875	2004
21.01.2020 12:42:24	1	1	1	1	90	63.75	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	44.5625	2004
21.01.2020 12:42:25	1	1	1	1	90	64.5	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	43.5	2004
21.01.2020 12:42:26	1	1	1	1	90	64	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	44.125	2004
21.01.2020 12:42:27	1	1	1	1	90	64	0	29526.066	546.2365591	16154.15976	30000	0	0	30000	44.0625	2004
21.01.2020 12:42:28	1	1	1	1	90.75	64	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	43.8125	2004
21.01.2020 12:42:29	1	1	1	1	90.75	63.75	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	44	2004
21.01.2020 12:42:30	1	1	1	1	90.75	64	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	43.875	2004
21.01.2020 12:42:31	1	1	1	1	90.75	63.75	0	29810.427	535.483871	15848.39508	30000	0	0	30000	44	2004
21.01.2020 12:42:32	1	1	1	1	90.75	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.6875	2004
21.01.2020 12:42:33	1	1	1	1	90.75	63.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.8125	2004
21.01.2020 12:42:34	1	1	1	1	90.75	63.75	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	44.125	2004
21.01.2020 12:42:35	1	1	1	1	90.75	64	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:36	1	1	1	1	90.75	64	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	43.8125	2004
21.01.2020 12:42:37	1	1	1	1	90.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.375	2004
21.01.2020 12:42:38	1	1	1	1	91.25	64.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.75	2004
21.01.2020 12:42:39	1	1	1	1	91.25	63.75	0	29905.213	509.6774194	15241.75794	30000	0	0	30000	43.8125	2004
21.01.2020 12:42:40	1	1	1	1	91.25	63.75	0	29431.28	445.1612903	12975.02242	30000	0	0	30000	43.75	2004
21.01.2020 12:42:41	1	1	1	1	91.25	63.75	0	29146.919	449.4623656	13099.77441	30000	0	0	30000	43.4375	2004
21.01.2020 12:42:42	1	1	1	1	91.25	63.25	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.0625	2004
21.01.2020 12:42:43	1	1	1	1	91.25	64	0	26872.038	453.7634409	12193.08021	30000	0	0	30000	44	2004
21.01.2020 12:42:44	1	1	1	1	91.25	64	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.0625	2004
21.01.2020 12:42:45	1	1	1	1	91.25	64	0	26540.284	427.9569892	11472.29092	30000	0	0	30000	43.8125	2004
21.01.2020 12:42:46	1	1	1	1	91.25	63.75	0	29526.066	445.1612903	13419.40043	30000	0	0	30000	44.125	2004
21.01.2020 12:42:47	1	1	1	1	91.25	64	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.875	2004
21.01.2020 12:42:48	1	1	1	1	91	63.75	0	29526.066	466.6666667	13905.36243	30000	0	0	30000	44.25	2004
21.01.2020 12:42:49	1	1	1	1	91	64.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43.8125	2004
21.01.2020 12:42:50	1	1	1	1	91	63.75	0	29905.213	511.827957	15548.338	30000	0	0	30000	44.1875	2004
21.01.2020 12:42:51	1	1	1	1	91	64	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	44.125	2004
21.01.2020 12:42:52	1	1	1	1	91	64	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	44.25	2004
21.01.2020 12:42:53	1	1	1	1	91	64.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.625	2004
21.01.2020 12:42:54	1	1	1	1	91	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.9375	2004
21.01.2020 12:42:55	1	1	1	1	91	63.75	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	43.0625	2004
21.01.2020 12:42:56	1	1	1	1	91	63	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	44.125	2004
21.01.2020 12:42:57	1	1	1	1	91	64	0	30000	518.2795699	15483.92357	30000	0	0	30000	43.9375	2004
21.01.2020 12:42:58	1	1	1	1	91.75	63.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.1875	2004
21.01.2020 12:43:00	1	1	1	1	91.75	64	0	29431.28	507.5268817	14936.80863	30000	0	0	30000	43.8125	2004
21.01.2020 12:43:01	1	1	1	1	91.75	63.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:43:02	1	1	1	1	91.75	63.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.1875	2004
21.01.2020 12:43:03	1	1	1	1	91.75	64	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.5625	2004
21.01.2020 12:43:04	1	1	1	1	91.75	64.5	0	29431.28	464.516129	13671.35053	30000	0	0	30000	44.375	2004
21.01.2020 12:43:05	1	1	1	1	91.75	64	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	44.0625	2004
21.01.2020 12:43:06	1	1	1	1	91.75	64	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	44.125	2004
21.01.2020 12:43:07	1	1	1	1	91.75	64	0	26635.071	494.6236559	13254.69519	30000	0	0	30000	43.8125	2004
21.01.2020 12:43:08	1	1	1	1	91.75	63.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.9375	2004
21.01.2020 12:43:09	1	1	1	1	91.75	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.6875	2004
21.01.2020 12:43:10	1	1	1	1	91.75	63.5	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	44.0625	2004
21.01.2020 12:43:11	1	1	1	1	91.75	64	0	29715.64	535.483871	15975.59318	30000	0	0	30000	44.3125	2004
21.01.2020 12:43:18	1	1	1	1	91.75	64	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	43.9375	2004
21.01.2020 12:43:18	1	1	1	1	91.75	64	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	43.9375	2004
21.01.2020 12:43:18	1	1	1	1	91.75	64	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	43.9375	2004
21.01.2020 12:43:18	1	1	1	1	91.75	64	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	43.9375	2004
21.01.2020 12:43:18	1	1	1	1	91.75	64	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	43.9375	2004
21.01.2020 12:43:18	1	1	1	1	91.75	63.75	0	29905.213	492.4731183	14856.08676	30000	0	0	30000	44	2004
21.01.2020 12:43:19	1	1	1	1	91.75	64	0	30000	520.4301075	15548.338	30000	0	0	30000	44.1875	2004
21.01.2020 12:43:20	1	1	1	1	91.75	64	0	30000	522.5806452	15435.00122	30000	0	0	30000	44.3125	2004
21.01.2020 12:43:21	1	1	1	1	91.75	64.25	0	29952.607	516.1290323	15435.00122	30000	0	0	30000	44.125	2004
21.01.2020 12:43:22	1	1	1	1	91.75	64	0	29526.066	492.4731183	14540.5376	30000	0	0	30000	43.9375	2004
21.01.2020 12:43:23	1	1	1	1	91.75	63.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.125	2004
21.01.2020 12:43:24	1	1	1	1	91.75	64	0	29099.526	464.516129	13726.79586	30000	0	0	30000	44.1875	2004
21.01.2020 12:43:25	1	1	1	1	91.75	64	0	30000	509.6774194	15330.63354	30000	0	0	30000	43.4375	2004
21.01.2020 12:43:26	1	1	1	1	91.75	63.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44	2004
21.01.2020 12:43:27	1	1	1	1	91.75	64	0	29146.919	494.6236559	14392.95518	30000	0	0	30000	43.8125	2004
21.01.2020 12:43:28	1	1	1	1	92	63.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.0625	2004
21.01.2020 12:43:29	1	1	1	1	92	64	0	29905.213	511.827957	15306.17237	30000	0	0	30000	44.25	2004
21.01.2020 12:43:30	1	1	1	1	92	64.25	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	43.6875	2004
21.01.2020 12:43:31	1	1	1	1	92	63.5	0	28578.199	464.516129	13336.23244	30000	0	0	30000	42.5625	2004
21.01.2020 12:43:32	1	1	1	1	92	62.5	0	30000	529.0322581	16000.05436	30000	0	0	30000	44	2004
21.01.2020 12:43:33	1	1	1	1	92	64	0	30000	524.7311828	15717.1201	30000	0	0	30000	43.75	2004
21.01.2020 12:43:34	1	1	1	1	92	63.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.8125	2004
21.01.2020 12:43:35	1	1	1	1	92	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	44.1875	2004
21.01.2020 12:43:36	1	1	1	1	92	64	0	29905.213	498.9247312	15008.56141	30000	0	0	30000	43.875	2004
21.01.2020 12:43:37	1	1	1	1	92	63.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	43.8125	2004
21.01.2020 12:43:39	1	1	1	1	92	63.75	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	43.75	2004
21.01.2020 12:43:40	1	1	1	1	92	63.75	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.4375	2004
21.01.2020 12:43:41	1	1	1	1	92	64.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.4375	2004
21.01.2020 12:43:42	1	1	1	1	92	64.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	44.3125	2004
21.01.2020 12:43:43	1	1	1	1	92	64	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	44	2004
21.01.2020 12:43:44	1	1	1	1	92	64	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.1875	2004
21.01.2020 12:43:45	1	1	1	1	92	64	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:43:46	1	1	1	1	92	63.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.875	2004
21.01.2020 12:43:47	1	1	1	1	92	63.75	0	29715.64	535.483871	16103.60666	30000	0	0	30000	43.875	2004
21.01.2020 12:43:48	1	1	1	1	91.5	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.875	2004
21.01.2020 12:43:49	1	1	1	1	91.5	63.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	44.25	2004
21.01.2020 12:43:50	1	1	1	1	91.5	64.25	0	29241.706	544.0860215	16024.51553	30000	0	0	30000	44.0625	2004
21.01.2020 12:43:51	1	1	1	1	91.5	64	0	29715.64	541.9354839	16013.91569	30000	0	0	30000	43.5	2004
21.01.2020 12:43:52	1	1	1	1	91.5	63.5	0	29857.82	533.3333333	16077.51474	30000	0	0	30000	44.1875	2004
21.01.2020 12:43:53	1	1	1	1	91.5	64	0	27156.398	483.8709677	13116.89724	30000	0	0	30000	43.375	2004
21.01.2020 12:43:54	1	1	1	1	91.5	63.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44.25	2004
21.01.2020 12:43:55	1	1	1	1	91.5	64.25	0	29289.1	546.2365591	16046.53059	30000	0	0	30000	44.3125	2004
21.01.2020 12:43:56	1	1	1	1	91.5	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.0625	2004
21.01.2020 12:43:57	1	1	1	1	91.5	64	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	43.8125	2004
21.01.2020 12:43:58	1	1	1	1	92.25	63.75	0	29905.213	541.9354839	16206.3436	30000	0	0	30000	43.8125	2004
21.01.2020 12:43:59	1	1	1	1	92.25	63.75	0	29478.673	541.9354839	15759.51947	30000	0	0	30000	43.5625	2004
21.01.2020 12:44:00	1	1	1	1	92.25	63.5	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	43.9375	2004
21.01.2020 12:44:01	1	1	1	1	92.25	63.75	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	43.6875	2004
21.01.2020 12:44:02	1	1	1	1	92.25	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.1875	2004
21.01.2020 12:44:03	1	1	1	1	92.25	64	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.1875	2004
21.01.2020 12:44:04	1	1	1	1	92.25	64	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	44.3125	2004
21.01.2020 12:44:05	1	1	1	1	92.25	64.25	0	29857.82	516.1290323	15498.60028	30000	0	0	30000	44	2004
21.01.2020 12:44:06	1	1	1	1	92.25	64	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	44.1875	2004
21.01.2020 12:44:07	1	1	1	1	92.25	64	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.1875	2004
21.01.2020 12:44:08	1	1	1	1	92	64	0	29383.886	533.3333333	16013.10032	30000	0	0	30000	44	2004
21.01.2020 12:44:09	1	1	1	1	92	64	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	44.25	2004
21.01.2020 12:44:10	1	1	1	1	92	64.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	44.5	2004
21.01.2020 12:44:11	1	1	1	1	92	64.5	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	44	2004
21.01.2020 12:44:12	1	1	1	1	92	64	0	29810.427	541.9354839	16116.65262	30000	0	0	30000	43.9375	2004
21.01.2020 12:44:19	1	1	1	1	92.25	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	44	2004
21.01.2020 12:44:19	1	1	1	1	92.25	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	44	2004
21.01.2020 12:44:19	1	1	1	1	92.25	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	44	2004
21.01.2020 12:44:19	1	1	1	1	92.25	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	44	2004
21.01.2020 12:44:19	1	1	1	1	92.25	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	44	2004
21.01.2020 12:44:19	1	1	1	1	92.25	64.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	44	2004
21.01.2020 12:44:20	1	1	1	1	92.25	64	0	29383.886	550.5376344	15987.0084	30000	0	0	30000	44.0625	2004
21.01.2020 12:44:21	1	1	1	1	92.25	64	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43.8125	2004
21.01.2020 12:44:22	1	1	1	1	92.25	63.75	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	44.3125	2004
21.01.2020 12:44:23	1	1	1	1	92.25	64.25	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	44.0625	2004
21.01.2020 12:44:24	1	1	1	1	92.25	64	0	29905.213	511.827957	15217.29677	30000	0	0	30000	43.375	2004
21.01.2020 12:44:25	1	1	1	1	92.25	63.25	0	29620.853	550.5376344	16052.2382	30000	0	0	30000	43.8125	2004
21.01.2020 12:44:26	1	1	1	1	92.25	63.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.9375	2004
21.01.2020 12:44:27	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	15783.98065	30000	0	0	30000	43.9375	2004
21.01.2020 12:44:28	1	1	1	1	92.25	63.75	0	29905.213	503.2258065	15177.34352	30000	0	0	30000	43.875	2004
21.01.2020 12:44:29	1	1	1	1	92.25	63.75	0	29573.46	533.3333333	15620.09078	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:44:30	1	1	1	1	92.25	64	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	43.875	2004
21.01.2020 12:44:31	1	1	1	1	92.25	63.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.4375	2004
21.01.2020 12:44:32	1	1	1	1	92.25	63.25	0	29668.246	483.8709677	14332.61762	30000	0	0	30000	44.0625	2004
21.01.2020 12:44:33	1	1	1	1	92.25	64	0	26445.498	483.8709677	12795.64048	30000	0	0	30000	43.9375	2004
21.01.2020 12:44:34	1	1	1	1	92.25	63.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	43.6875	2004
21.01.2020 12:44:35	1	1	1	1	92.25	63.5	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	44.375	2004
21.01.2020 12:44:36	1	1	1	1	92.25	64.25	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	44.125	2004
21.01.2020 12:44:37	1	1	1	1	92.25	64	0	27725.118	460.2150538	12715.73397	30000	0	0	30000	44	2004
21.01.2020 12:44:38	1	1	1	1	91.75	64	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.875	2004
21.01.2020 12:44:39	1	1	1	1	91.75	63.75	0	29573.46	539.7849462	15810.07257	30000	0	0	30000	44.125	2004
21.01.2020 12:44:40	1	1	1	1	91.75	64	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	44.1875	2004
21.01.2020 12:44:41	1	1	1	1	91.75	64	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	43.8125	2004
21.01.2020 12:44:42	1	1	1	1	91.75	63.75	0	29952.607	518.2795699	15498.60028	30000	0	0	30000	44.1875	2004
21.01.2020 12:44:43	1	1	1	1	91.75	64	0	29810.427	505.3763441	15017.53051	30000	0	0	30000	43.8125	2004
21.01.2020 12:44:44	1	1	1	1	91.75	63.75	0	29383.886	537.6344086	15885.90221	30000	0	0	30000	43.6875	2004
21.01.2020 12:44:45	1	1	1	1	91.75	63.5	0	29715.64	522.5806452	15528.76906	30000	0	0	30000	43.875	2004
21.01.2020 12:44:46	1	1	1	1	91.75	63.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.25	2004
21.01.2020 12:44:47	1	1	1	1	91.75	63.25	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	43.625	2004
21.01.2020 12:44:48	1	1	1	1	92	63.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	43.75	2004
21.01.2020 12:44:49	1	1	1	1	92	63.75	0	28483.412	453.7634409	12924.46933	30000	0	0	30000	44.375	2004
21.01.2020 12:44:50	1	1	1	1	92	64.25	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	43.9375	2004
21.01.2020 12:44:51	1	1	1	1	92	63.75	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	44.1875	2004
21.01.2020 12:44:52	1	1	1	1	92	64	0	29431.28	550.5376344	15898.1328	30000	0	0	30000	44.25	2004
21.01.2020 12:44:54	1	1	1	1	92	64.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44.25	2004
21.01.2020 12:44:55	1	1	1	1	92	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.8125	2004
21.01.2020 12:44:56	1	1	1	1	92	63.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	44.3125	2004
21.01.2020 12:44:57	1	1	1	1	92	64.25	0	29336.493	546.2365591	15909.54801	30000	0	0	30000	44.625	2004
21.01.2020 12:44:58	1	1	1	1	92	64.5	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	44.1875	2004
21.01.2020 12:44:59	1	1	1	1	92	64	0	29668.246	533.3333333	15861.44103	30000	0	0	30000	44.1875	2004
21.01.2020 12:45:00	1	1	1	1	92	64.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	44.25	2004
21.01.2020 12:45:01	1	1	1	1	92	64.25	0	29715.64	518.2795699	15528.76906	30000	0	0	30000	44.25	2004
21.01.2020 12:45:02	1	1	1	1	92	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44	2004
21.01.2020 12:45:03	1	1	1	1	92	64	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.25	2004
21.01.2020 12:45:04	1	1	1	1	92	63.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.875	2004
21.01.2020 12:45:05	1	1	1	1	92	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	44.1875	2004
21.01.2020 12:45:06	1	1	1	1	92	64	0	29146.919	544.0860215	15909.54801	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:07	1	1	1	1	92	64.25	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	44.0625	2004
21.01.2020 12:45:08	1	1	1	1	91.75	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.875	2004
21.01.2020 12:45:09	1	1	1	1	91.75	63.75	0	29099.526	533.3333333	15545.07651	30000	0	0	30000	44.1875	2004
21.01.2020 12:45:10	1	1	1	1	91.75	64	0	29336.493	546.2365591	15846.76433	30000	0	0	30000	44	2004
21.01.2020 12:45:11	1	1	1	1	91.75	64	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.9375	2004
21.01.2020 12:45:12	1	1	1	1	91.75	63.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.4375	2004
21.01.2020 12:45:13	1	1	1	1	91.75	63.25	0	27819.905	522.5806452	14538.09148	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:45:14	1	1	1	1	91.75	64.25	0	0	0	0	30000	0	8	30000	41.75	2004
21.01.2020 12:45:21	1	1	1	1	92.25	64.25	0	14265.403	12.90322581	183.4588101	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:21	1	1	1	1	92.25	64.25	0	14265.403	12.90322581	183.4588101	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:21	1	1	1	1	92.25	64.25	0	14265.403	12.90322581	183.4588101	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:21	1	1	1	1	92.25	64.25	0	14265.403	12.90322581	183.4588101	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:21	1	1	1	1	92.25	64.25	0	14265.403	12.90322581	183.4588101	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:21	1	1	1	1	92.25	64.25	0	15165.877	21.50537634	326.1489957	30000	0	0	30000	44.375	2004
21.01.2020 12:45:22	1	1	1	1	92.25	64.25	0	15876.777	34.40860215	546.2995679	30000	0	0	30000	44.375	2004
21.01.2020 12:45:23	1	1	1	1	92.25	64.25	0	16682.464	43.01075269	681.6514011	30000	0	0	30000	44.375	2004
21.01.2020 12:45:24	1	1	1	1	92.25	64.25	0	17488.152	53.76344086	940.1244802	30000	0	0	30000	44.25	2004
21.01.2020 12:45:25	1	1	1	1	92.25	64.25	0	15781.991	53.76344086	847.9873889	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:26	1	1	1	1	92.25	64.25	0	16066.351	60.21505376	967.0317723	30000	0	0	30000	44.375	2004
21.01.2020 12:45:27	1	1	1	1	92.25	64.25	0	19668.246	92.47311828	1860.680021	30000	0	0	30000	44.5	2004
21.01.2020 12:45:28	1	1	1	1	91.75	64.5	0	20521.327	105.3763441	2172.152312	30000	0	0	30000	44.375	2004
21.01.2020 12:45:29	1	1	1	1	91.75	64.25	0	21279.621	129.0322581	2699.698312	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:30	1	1	1	1	91.75	64.25	0	21943.128	144.0860215	3161.199141	30000	0	0	30000	44.375	2004
21.01.2020 12:45:31	1	1	1	1	91.75	64.25	0	22511.848	161.2903226	3630.853695	30000	0	0	30000	44.3125	2004
21.01.2020 12:45:33	1	1	1	1	91.75	64.25	0	22559.242	159.1397849	3541.162721	30000	0	0	30000	44.5	2004
21.01.2020 12:45:34	1	1	1	1	91.75	64.5	0	22559.242	167.7419355	3815.94325	30000	0	0	30000	44.375	2004
21.01.2020 12:45:35	1	1	1	1	91.75	64.25	0	24786.73	189.2473118	4681.868834	30000	0	0	30000	43.75	2004
21.01.2020 12:45:36	1	1	1	1	91.75	63.75	0	23838.863	206.4516129	4921.588346	30000	0	0	30000	44.5	2004
21.01.2020 12:45:37	1	1	1	1	91.75	64.5	0	24028.436	206.4516129	4960.726225	30000	0	0	30000	44.6875	2004
21.01.2020 12:45:38	1	1	1	1	91.75	64.5	0	24834.123	217.2043011	5383.089175	30000	0	0	30000	44.5	2004
21.01.2020 12:45:39	1	1	1	1	91.75	64.5	0	25639.81	234.4086022	6064.740576	30000	0	0	30000	44.375	2004
21.01.2020 12:45:40	1	1	1	1	91.75	64.25	0	24502.37	247.311828	6059.032968	30000	0	0	30000	44.5625	2004
21.01.2020 12:45:41	1	1	1	1	91.75	64.5	0	26445.498	266.6666667	7052.15666	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:42	1	1	1	1	91.75	64.25	0	26872.038	307.5268817	8321.691626	30000	0	0	30000	44.1875	2004
21.01.2020 12:45:43	1	1	1	1	91.75	64	0	26587.678	294.6236559	7776.207431	30000	0	0	30000	44.375	2004
21.01.2020 12:45:44	1	1	1	1	91.75	64.25	0	26113.744	335.483871	8816.622727	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:45	1	1	1	1	91.75	64.25	0	26350.711	305.3763441	7975.158318	30000	0	0	30000	44.125	2004
21.01.2020 12:45:46	1	1	1	1	91.75	64	0	24739.336	320.4301075	7941.728046	30000	0	0	30000	44.3125	2004
21.01.2020 12:45:47	1	1	1	1	91.75	64.25	0	24454.976	288.172043	7113.309597	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:48	1	1	1	1	91.5	64.25	0	26682.464	322.5806452	8607.071997	30000	0	0	30000	44	2004
21.01.2020 12:45:49	1	1	1	1	91.5	64	0	27440.758	335.483871	9205.555405	30000	0	0	30000	44.25	2004
21.01.2020 12:45:50	1	1	1	1	91.5	64.25	0	27298.578	359.1397849	9804.038812	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:51	1	1	1	1	91.5	64.25	0	27582.938	369.8924731	10202.75596	30000	0	0	30000	44.1875	2004
21.01.2020 12:45:52	1	1	1	1	91.5	64	0	27630.332	378.4946237	10457.96755	30000	0	0	30000	44.125	2004
21.01.2020 12:45:53	1	1	1	1	91.5	64	0	28625.592	369.8924731	10720.51749	30000	0	0	30000	44.25	2004
21.01.2020 12:45:54	1	1	1	1	91.5	64.25	0	26350.711	387.0967742	10143.23377	30000	0	0	30000	44.5	2004
21.01.2020 12:45:55	1	1	1	1	91.5	64.5	0	27298.578	412.9032258	11330.41611	30000	0	0	30000	44.4375	2004
21.01.2020 12:45:56	1	1	1	1	91.5	64.25	0	24028.436	369.8924731	8938.928601	30000	0	0	30000	44.0625	2004
21.01.2020 12:45:57	1	1	1	1	91.5	64	0	28578.199	419.3548387	11984.34485	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:45:58	1	1	1	1	90.75	63.5	0	28862.559	453.7634409	13096.51292	30000	0	0	30000	43.8125	2004
21.01.2020 12:45:59	1	1	1	1	90.75	63.75	0	27109.005	438.7096774	11871.82344	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:00	1	1	1	1	90.75	64.25	0	0	0	0	30000	0	8	30000	41.75	2004
21.01.2020 12:46:01	1	1	1	1	90.75	61.75	0	10331.754	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:46:02	1	1	1	1	90.75	64.5	0	11184.834	0	0	30000	0	0	30000	44.375	2004
21.01.2020 12:46:03	1	1	1	1	90.75	64.25	0	11943.128	0	0	30000	0	0	30000	44.375	2004
21.01.2020 12:46:04	1	1	1	1	90.75	64.25	0	12654.028	2.150537634	26.90729215	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:05	1	1	1	1	90.75	64.25	0	13175.355	6.451612903	84.79873889	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:06	1	1	1	1	90.75	64.25	0	13127.962	10.75268817	112.5214035	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:07	1	1	1	1	90.75	64.25	0	14976.303	25.80645161	322.0721333	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:08	1	1	1	1	91	64.25	0	15829.384	30.10752688	476.1775338	30000	0	0	30000	44.1875	2004
21.01.2020 12:46:10	1	1	1	1	91	64	0	16682.464	40.86021505	673.4976762	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:11	1	1	1	1	91	64.25	0	17345.972	51.61290323	895.2789933	30000	0	0	30000	44.5625	2004
21.01.2020 12:46:12	1	1	1	1	91	64.5	0	18009.479	58.06451613	1086.891528	30000	0	0	30000	44.375	2004
21.01.2020 12:46:13	1	1	1	1	91	64.25	0	18909.953	75.2688172	1422.824994	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:14	1	1	1	1	91	64.25	0	19526.066	79.56989247	1553.284592	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:15	1	1	1	1	91	64.25	0	20379.147	94.62365591	1923.463702	30000	0	0	30000	44.75	2004
21.01.2020 12:46:16	1	1	1	1	91	64.75	0	21137.441	113.9784946	2408.610333	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:22	1	1	1	1	90.75	64.25	0	25545.024	217.2043011	5547.794417	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:22	1	1	1	1	90.75	64.25	0	25545.024	217.2043011	5547.794417	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:22	1	1	1	1	90.75	64.25	0	25545.024	217.2043011	5547.794417	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:22	1	1	1	1	90.75	64.25	0	25545.024	217.2043011	5547.794417	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:22	1	1	1	1	90.75	64.25	0	25545.024	217.2043011	5547.794417	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:22	1	1	1	1	90.75	64.25	0	25545.024	217.2043011	5547.794417	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:23	1	1	1	1	90.75	64.25	0	26018.957	236.5591398	6244.122523	30000	0	0	30000	44.375	2004
21.01.2020 12:46:24	1	1	1	1	90.75	64.25	0	25734.597	247.311828	6363.982279	30000	0	0	30000	44.375	2004
21.01.2020 12:46:25	1	1	1	1	90.75	64.25	0	24218.009	236.5591398	5676.623271	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:26	1	1	1	1	90.75	64.25	0	27109.005	303.2258065	8205.09336	30000	0	0	30000	44.1875	2004
21.01.2020 12:46:27	1	1	1	1	90.75	64	0	26587.678	281.7204301	7547.087761	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:28	1	1	1	1	90.25	64.25	0	26777.251	294.6236559	7888.728834	30000	0	0	30000	44.25	2004
21.01.2020 12:46:29	1	1	1	1	90.25	64.25	0	28862.559	341.9354839	9868.453238	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:30	1	1	1	1	90.25	64.25	0	26777.251	341.9354839	9114.233686	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:31	1	1	1	1	90.25	64.25	0	26777.251	326.8817204	8753.023673	30000	0	0	30000	44.1875	2004
21.01.2020 12:46:32	1	1	1	1	90.25	64	0	27298.578	337.6344086	9275.677439	30000	0	0	30000	44.375	2004
21.01.2020 12:46:33	1	1	1	1	90.25	64.25	0	27819.905	365.5913978	9923.083195	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:34	1	1	1	1	90.25	64.25	0	27630.332	369.8924731	10219.87878	30000	0	0	30000	44.375	2004
21.01.2020 12:46:35	1	1	1	1	90.25	64.25	0	27819.905	372.0430108	10279.40097	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:36	1	1	1	1	90.25	64.25	0	22748.815	329.0322581	7500.611529	30000	0	0	30000	43.5625	2004
21.01.2020 12:46:37	1	1	1	1	90.25	63.5	0	27582.938	404.3010753	11072.75841	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:38	1	1	1	1	89.25	64.25	0	29526.066	412.9032258	12191.44946	30000	0	0	30000	44.125	2004
21.01.2020 12:46:39	1	1	1	1	89.25	64	0	26113.744	356.9892473	9378.414372	30000	0	0	30000	44.375	2004
21.01.2020 12:46:40	1	1	1	1	89.25	64.25	0	27298.578	412.9032258	11036.88202	30000	0	0	30000	44	2004
21.01.2020 12:46:41	1	1	1	1	89.25	64	0	27630.332	412.9032258	11486.96763	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:46:42	1	1	1	1	89.25	63.75	0	22985.782	356.9892473	8171.663088	30000	0	0	30000	43.9375	2004
21.01.2020 12:46:43	1	1	1	1	89.25	63.75	0	26350.711	356.9892473	9446.090289	30000	0	0	30000	44.5625	2004
21.01.2020 12:46:44	1	1	1	1	89.25	64.5	0	27630.332	419.3548387	11586.44307	30000	0	0	30000	44.25	2004
21.01.2020 12:46:45	1	1	1	1	89.25	64.25	0	27630.332	419.3548387	11586.44307	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:46	1	1	1	1	89.25	64.25	0	29431.28	419.3548387	12321.90906	30000	0	0	30000	44.375	2004
21.01.2020 12:46:48	1	1	1	1	89.25	64.25	0	28341.232	451.6129032	12758.94871	30000	0	0	30000	44.375	2004
21.01.2020 12:46:49	1	1	1	1	89.5	64.25	0	29478.673	464.516129	13671.35053	30000	0	0	30000	43.75	2004
21.01.2020 12:46:50	1	1	1	1	89.5	63.75	0	29810.427	449.4623656	13164.18884	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:51	1	1	1	1	89.5	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.125	2004
21.01.2020 12:46:52	1	1	1	1	89.5	64	0	29905.213	501.0752688	14984.10024	30000	0	0	30000	44.0625	2004
21.01.2020 12:46:53	1	1	1	1	89.5	64	0	29857.82	483.8709677	14598.42905	30000	0	0	30000	44.375	2004
21.01.2020 12:46:54	1	1	1	1	89.5	64.25	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	44.5	2004
21.01.2020 12:46:55	1	1	1	1	89.5	64.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44	2004
21.01.2020 12:46:56	1	1	1	1	89.5	64.25	0	29146.919	466.6666667	13601.22849	30000	0	0	30000	44.125	2004
21.01.2020 12:46:57	1	1	1	1	89.5	64	0	30000	516.1290323	15418.69377	30000	0	0	30000	44.3125	2004
21.01.2020 12:46:58	1	1	1	1	89.75	64.25	0	28625.592	481.7204301	13789.57954	30000	0	0	30000	44.4375	2004
21.01.2020 12:46:59	1	1	1	1	89.75	64.25	0	29526.066	481.7204301	14246.18813	30000	0	0	30000	44.25	2004
21.01.2020 12:47:00	1	1	1	1	89.75	64.25	0	30000	520.4301075	15483.92357	30000	0	0	30000	44.1875	2004
21.01.2020 12:47:01	1	1	1	1	89.75	64	0	29052.133	460.2150538	13263.66428	30000	0	0	30000	44.3125	2004
21.01.2020 12:47:02	1	1	1	1	89.75	64.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.3125	2004
21.01.2020 12:47:03	1	1	1	1	89.75	64.25	0	29573.46	539.7849462	15899.76354	30000	0	0	30000	43.5625	2004
21.01.2020 12:47:04	1	1	1	1	89.75	63.5	0	29383.886	544.0860215	16075.884	30000	0	0	30000	44.375	2004
21.01.2020 12:47:05	1	1	1	1	89.75	64.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.125	2004
21.01.2020 12:47:06	1	1	1	1	89.75	64	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	43.625	2004
21.01.2020 12:47:07	1	1	1	1	89.75	63.5	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.125	2004
21.01.2020 12:47:08	1	1	1	1	89.75	64	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.0625	2004
21.01.2020 12:47:09	1	1	1	1	89.75	64	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	44.125	2004
21.01.2020 12:47:10	1	1	1	1	89.75	64	0	29810.427	529.0322581	15770.11932	30000	0	0	30000	43.875	2004
21.01.2020 12:47:11	1	1	1	1	89.75	63.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	44.25	2004
21.01.2020 12:47:12	1	1	1	1	89.75	64.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 12:47:13	1	1	1	1	89.75	63.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44.25	2004
21.01.2020 12:47:14	1	1	1	1	89.75	64.25	0	29052.133	544.0860215	15806.81108	30000	0	0	30000	44.1875	2004
21.01.2020 12:47:15	1	1	1	1	89.75	64	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.3125	2004
21.01.2020 12:47:16	1	1	1	1	89.75	64.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.1875	2004
21.01.2020 12:47:17	1	1	1	1	89.75	64	0	29431.28	544.0860215	16075.884	30000	0	0	30000	44.3125	2004
21.01.2020 12:47:24	1	1	1	1	90	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:47:24	1	1	1	1	90	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:47:24	1	1	1	1	90	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:47:24	1	1	1	1	90	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:47:24	1	1	1	1	90	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:47:24	1	1	1	1	90	64	0	30000	423.655914	12560.8132	30000	0	0	30000	44.375	2004
21.01.2020 12:47:25	1	1	1	1	90	64.25	0	29715.64	367.7419355	10927.6221	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:47:26	1	1	1	1	90	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.3125	2004
21.01.2020 12:47:28	1	1	1	1	90	64.25	0	30000	400	11897.09999	30000	0	0	30000	44.25	2004
21.01.2020 12:47:29	1	1	1	1	89.75	64.25	0	28009.479	335.483871	9396.352567	30000	0	0	30000	43.375	2004
21.01.2020 12:47:30	1	1	1	1	89.75	63.25	0	29905.213	395.6989247	11833.50094	30000	0	0	30000	44.375	2004
21.01.2020 12:47:31	1	1	1	1	89.75	64.25	0	29478.673	378.4946237	11157.55714	30000	0	0	30000	44.375	2004
21.01.2020 12:47:32	1	1	1	1	89.75	64.25	0	29857.82	412.9032258	12328.43204	30000	0	0	30000	44.5	2004
21.01.2020 12:47:33	1	1	1	1	89.75	64.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	44.3125	2004
21.01.2020 12:47:34	1	1	1	1	89.75	64.25	0	24881.517	348.3870968	8721.224146	30000	0	0	30000	44.6875	2004
21.01.2020 12:47:35	1	1	1	1	89.75	63.25	0	30000	481.7204301	14064.36007	30000	0	0	30000	44.3125	2004
21.01.2020 12:47:36	1	1	1	1	89.75	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.25	2004
21.01.2020 12:47:37	1	1	1	1	89.75	64.25	0	30000	427.9569892	12733.67217	30000	0	0	30000	44	2004
21.01.2020 12:47:38	1	1	1	1	89.5	64	0	30000	468.8172043	13999.94564	30000	0	0	30000	43.8125	2004
21.01.2020 12:47:39	1	1	1	1	89.5	63.75	0	30000	464.516129	13999.94564	30000	0	0	30000	43.8125	2004
21.01.2020 12:47:40	1	1	1	1	89.5	63.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.75	2004
21.01.2020 12:47:41	1	1	1	1	89.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
21.01.2020 12:47:42	1	1	1	1	89.5	64.5	0	30000	488.172043	14644.90528	30000	0	0	30000	43.875	2004
21.01.2020 12:47:43	1	1	1	1	89.5	63.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.5	2004
21.01.2020 12:47:44	1	1	1	1	89.5	63.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.0625	2004
21.01.2020 12:47:45	1	1	1	1	89.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
21.01.2020 12:47:46	1	1	1	1	89.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:47:47	1	1	1	1	89.5	64	0	29905.213	460.2150538	13569.42897	30000	0	0	30000	44.1875	2004
21.01.2020 12:47:48	1	1	1	1	89.25	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	44	2004
21.01.2020 12:47:49	1	1	1	1	89.25	64	0	30000	488.172043	14902.56299	30000	0	0	30000	44.1875	2004
21.01.2020 12:47:50	1	1	1	1	89.25	64	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.125	2004
21.01.2020 12:47:51	1	1	1	1	89.25	64	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	44.25	2004
21.01.2020 12:47:52	1	1	1	1	89.25	64.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.25	2004
21.01.2020 12:47:53	1	1	1	1	89.25	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.9375	2004
21.01.2020 12:47:54	1	1	1	1	89.25	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.1875	2004
21.01.2020 12:47:55	1	1	1	1	89.25	64	0	25545.024	348.3870968	8970.728128	30000	0	0	30000	44.5	2004
21.01.2020 12:47:56	1	1	1	1	89.25	64.5	0	29715.64	363.4408602	10671.59514	30000	0	0	30000	44.375	2004
21.01.2020 12:47:57	1	1	1	1	89.25	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.1875	2004
21.01.2020 12:47:58	1	1	1	1	89.75	64	0	30000	464.516129	13849.10173	30000	0	0	30000	44.4375	2004
21.01.2020 12:47:59	1	1	1	1	89.75	64.25	0	29905.213	453.7634409	13784.6873	30000	0	0	30000	44	2004
21.01.2020 12:48:00	1	1	1	1	89.75	64	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	44.25	2004
21.01.2020 12:48:01	1	1	1	1	89.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 12:48:02	1	1	1	1	89.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 12:48:03	1	1	1	1	89.75	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.25	2004
21.01.2020 12:48:04	1	1	1	1	89.75	64.25	0	29573.46	412.9032258	12230.58734	30000	0	0	30000	43.625	2004
21.01.2020 12:48:05	1	1	1	1	89.75	63.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.3125	2004
21.01.2020 12:48:07	1	1	1	1	89.75	64.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.0625	2004
21.01.2020 12:48:08	1	1	1	1	89.75	64	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44	2004
21.01.2020 12:48:09	1	1	1	1	90	64	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.125	2004
21.01.2020 12:48:10	1	1	1	1	90	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:48:11	1	1	1	1	90	64	0	29383.886	466.6666667	13690.1041	30000	0	0	30000	44.625	2004
21.01.2020 12:48:12	1	1	1	1	90	64.5	0	30000	496.7741935	14879.73256	30000	0	0	30000	44.5625	2004
21.01.2020 12:48:13	1	1	1	1	90	64.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.375	2004
21.01.2020 12:48:14	1	1	1	1	90	63.75	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.25	2004
21.01.2020 12:48:15	1	1	1	1	90	64.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.6875	2004
21.01.2020 12:48:16	1	1	1	1	90	63.5	0	29857.82	494.6236559	14791.67233	30000	0	0	30000	43.9375	2004
21.01.2020 12:48:17	1	1	1	1	90	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	44	2004
21.01.2020 12:48:18	1	1	1	1	90.5	64	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	44.375	2004
21.01.2020 12:48:19	1	1	1	1	90.5	64.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	43.9375	2004
21.01.2020 12:48:26	1	1	1	1	90.5	64.25	0	29715.64	490.3225806	14633.49007	30000	0	0	30000	43.625	2004
21.01.2020 12:48:26	1	1	1	1	90.5	64.25	0	29715.64	490.3225806	14633.49007	30000	0	0	30000	43.625	2004
21.01.2020 12:48:26	1	1	1	1	90.5	64.25	0	29715.64	490.3225806	14633.49007	30000	0	0	30000	43.625	2004
21.01.2020 12:48:26	1	1	1	1	90.5	64.25	0	29715.64	490.3225806	14633.49007	30000	0	0	30000	43.625	2004
21.01.2020 12:48:26	1	1	1	1	90.5	64.25	0	29715.64	490.3225806	14633.49007	30000	0	0	30000	43.625	2004
21.01.2020 12:48:26	1	1	1	1	90.5	63.5	0	29478.673	445.1612903	13101.40516	30000	0	0	30000	44.125	2004
21.01.2020 12:48:27	1	1	1	1	90.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.125	2004
21.01.2020 12:48:28	1	1	1	1	90.25	64	0	28815.166	443.0107527	12827.44	30000	0	0	30000	44.25	2004
21.01.2020 12:48:29	1	1	1	1	90.25	64.25	0	30000	492.4731183	14622.07485	30000	0	0	30000	44.4375	2004
21.01.2020 12:48:30	1	1	1	1	90.25	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.1875	2004
21.01.2020 12:48:31	1	1	1	1	90.25	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.4375	2004
21.01.2020 12:48:32	1	1	1	1	90.25	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.875	2004
21.01.2020 12:48:33	1	1	1	1	90.25	63.75	0	28672.986	445.1612903	12619.52002	30000	0	0	30000	43.5	2004
21.01.2020 12:48:34	1	1	1	1	90.25	63.5	0	26113.744	466.6666667	12185.74185	30000	0	0	30000	44	2004
21.01.2020 12:48:35	1	1	1	1	90.25	64	0	28483.412	460.2150538	13766.74911	30000	0	0	30000	44.375	2004
21.01.2020 12:48:36	1	1	1	1	90.25	64.25	0	29810.427	466.6666667	13803.44087	30000	0	0	30000	43.3125	2004
21.01.2020 12:48:37	1	1	1	1	90.25	63.25	0	28009.479	486.0215054	13552.30615	30000	0	0	30000	44.125	2004
21.01.2020 12:48:38	1	1	1	1	90.5	64	0	29620.853	445.1612903	13185.38852	30000	0	0	30000	44.375	2004
21.01.2020 12:48:39	1	1	1	1	90.5	64.25	0	29810.427	468.8172043	13911.07004	30000	0	0	30000	44.1875	2004
21.01.2020 12:48:40	1	1	1	1	90.5	64	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	43.5625	2004
21.01.2020 12:48:41	1	1	1	1	90.5	63.5	0	30000	496.7741935	14879.73256	30000	0	0	30000	44.1875	2004
21.01.2020 12:48:42	1	1	1	1	90.5	64	0	30000	531.1827957	15934.82456	30000	0	0	30000	44.3125	2004
21.01.2020 12:48:43	1	1	1	1	90.5	64.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	44.4375	2004
21.01.2020 12:48:44	1	1	1	1	90.5	64.25	0	29573.46	453.7634409	13440.60011	30000	0	0	30000	44.3125	2004
21.01.2020 12:48:46	1	1	1	1	90.5	64.25	0	28862.559	445.1612903	12847.82431	30000	0	0	30000	44.4375	2004
21.01.2020 12:48:47	1	1	1	1	90.5	64.25	0	28815.166	507.5268817	14686.48928	30000	0	0	30000	44.1875	2004
21.01.2020 12:48:48	1	1	1	1	90.5	64	0	28862.559	445.1612903	12847.82431	30000	0	0	30000	44.5	2004
21.01.2020 12:48:49	1	1	1	1	91	64.5	0	30000	520.4301075	15548.338	30000	0	0	30000	44.3125	2004
21.01.2020 12:48:50	1	1	1	1	91	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.75	2004
21.01.2020 12:48:51	1	1	1	1	91	64.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	43.5	2004
21.01.2020 12:48:52	1	1	1	1	91	64	0	29905.213	533.3333333	16077.51474	30000	0	0	30000	43.5625	2004
21.01.2020 12:48:53	1	1	1	1	91	63.5	0	29810.427	464.516129	13847.47099	30000	0	0	30000	44	2004
21.01.2020 12:48:54	1	1	1	1	91	64	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:48:55	1	1	1	1	91	64.25	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	44.3125	2004
21.01.2020 12:48:56	1	1	1	1	91	64.25	0	29715.64	546.2365591	15797.84198	30000	0	0	30000	44.1875	2004
21.01.2020 12:48:57	1	1	1	1	91	64	0	29810.427	501.0752688	15001.22306	30000	0	0	30000	44	2004
21.01.2020 12:48:58	1	1	1	1	91.25	64	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	44.5	2004
21.01.2020 12:48:59	1	1	1	1	91.25	64.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	44.25	2004
21.01.2020 12:49:00	1	1	1	1	91.25	64.25	0	29715.64	550.5376344	16078.33012	30000	0	0	30000	44.3125	2004
21.01.2020 12:49:01	1	1	1	1	91.25	64.25	0	29336.493	541.9354839	15872.85625	30000	0	0	30000	44.3125	2004
21.01.2020 12:49:02	1	1	1	1	91.25	64.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	44.125	2004
21.01.2020 12:49:03	1	1	1	1	91.25	64	0	29383.886	548.3870968	15987.0084	30000	0	0	30000	44.25	2004
21.01.2020 12:49:04	1	1	1	1	91.25	64.25	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	44.1875	2004
21.01.2020 12:49:05	1	1	1	1	91.25	64	0	29620.853	494.6236559	14564.1834	30000	0	0	30000	44.3125	2004
21.01.2020 12:49:06	1	1	1	1	91.25	64.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44	2004
21.01.2020 12:49:07	1	1	1	1	91.25	64	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.1875	2004
21.01.2020 12:49:08	1	1	1	1	91.25	64	0	29715.64	501.0752688	14889.51703	30000	0	0	30000	44.5625	2004
21.01.2020 12:49:09	1	1	1	1	91.25	64.5	0	29905.213	531.1827957	15949.50126	30000	0	0	30000	44.1875	2004
21.01.2020 12:49:10	1	1	1	1	91.25	64	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	44.25	2004
21.01.2020 12:49:11	1	1	1	1	91.25	64.25	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	44	2004
21.01.2020 12:49:12	1	1	1	1	91.25	64	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.75	2004
21.01.2020 12:49:13	1	1	1	1	91.25	63.75	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	44.25	2004
21.01.2020 12:49:14	1	1	1	1	91.25	64.25	0	29857.82	522.5806452	15667.38238	30000	0	0	30000	44.1875	2004
21.01.2020 12:49:15	1	1	1	1	91.25	64	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	44	2004
21.01.2020 12:49:16	1	1	1	1	91.25	64	0	29478.673	535.483871	16026.96165	30000	0	0	30000	43.875	2004
21.01.2020 12:49:17	1	1	1	1	91.25	63.75	0	29383.886	509.6774194	15063.19137	30000	0	0	30000	44.125	2004
21.01.2020 12:49:18	1	1	1	1	90.75	64	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	43.875	2004
21.01.2020 12:49:19	1	1	1	1	90.75	63.75	0	29620.853	535.483871	15925.04009	30000	0	0	30000	44.1875	2004
21.01.2020 12:49:20	1	1	1	1	90.75	64	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.25	2004
21.01.2020 12:49:27	1	1	1	1	90.75	64.5	0	26682.464	483.8709677	12910.608	30000	0	0	30000	44.125	2004
21.01.2020 12:49:27	1	1	1	1	90.75	64.5	0	26682.464	483.8709677	12910.608	30000	0	0	30000	44.125	2004
21.01.2020 12:49:27	1	1	1	1	90.75	64.5	0	26682.464	483.8709677	12910.608	30000	0	0	30000	44.125	2004
21.01.2020 12:49:27	1	1	1	1	90.75	64.5	0	26682.464	483.8709677	12910.608	30000	0	0	30000	44.125	2004
21.01.2020 12:49:27	1	1	1	1	90.75	64.5	0	26682.464	483.8709677	12910.608	30000	0	0	30000	44.125	2004
21.01.2020 12:49:27	1	1	1	1	90.75	64.5	0	26682.464	483.8709677	12910.608	30000	0	0	30000	44.125	2004
21.01.2020 12:49:28	1	1	1	1	90.75	64	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	43.9375	2004
21.01.2020 12:49:29	1	1	1	1	91.25	63.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44.0625	2004
21.01.2020 12:49:30	1	1	1	1	91.25	64	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	44.125	2004
21.01.2020 12:49:31	1	1	1	1	91.25	63.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	43.5625	2004
21.01.2020 12:49:32	1	1	1	1	91.25	63.5	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.1875	2004
21.01.2020 12:49:33	1	1	1	1	91.25	64	0	29146.919	544.0860215	16098.71443	30000	0	0	30000	43.9375	2004
21.01.2020 12:49:34	1	1	1	1	91.25	63.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	44.3125	2004
21.01.2020 12:49:35	1	1	1	1	91.25	64.25	0	28293.839	481.7204301	13774.08746	30000	0	0	30000	44.1875	2004
21.01.2020 12:49:36	1	1	1	1	91.25	64	0	29715.64	539.7849462	15783.98065	30000	0	0	30000	44.25	2004
21.01.2020 12:49:37	1	1	1	1	91.25	64.25	0	29526.066	488.172043	14413.33949	30000	0	0	30000	44.125	2004
21.01.2020 12:49:38	1	1	1	1	91	64	0	29857.82	518.2795699	15449.67793	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:49:39	1	1	1	1	91	64	0	29857.82	520.4301075	15627.42913	30000	0	0	30000	43.8125	2004
21.01.2020 12:49:40	1	1	1	1	91	63.75	0	29526.066	533.3333333	16115.83725	30000	0	0	30000	43.625	2004
21.01.2020 12:49:41	1	1	1	1	91	63.5	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	44.3125	2004
21.01.2020 12:49:42	1	1	1	1	91	64.25	0	29289.1	529.0322581	15519.79996	30000	0	0	30000	44.375	2004
21.01.2020 12:49:43	1	1	1	1	91	64.25	0	29526.066	544.0860215	16281.35787	30000	0	0	30000	43.8125	2004
21.01.2020 12:49:44	1	1	1	1	91	63.75	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	44.375	2004
21.01.2020 12:49:45	1	1	1	1	91	64.25	0	29431.28	550.5376344	16165.57497	30000	0	0	30000	44.1875	2004
21.01.2020 12:49:46	1	1	1	1	91	64	0	28388.626	445.1612903	12637.45821	30000	0	0	30000	44.3125	2004
21.01.2020 12:49:47	1	1	1	1	91	64.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.125	2004
21.01.2020 12:49:48	1	1	1	1	90.75	64	0	29241.706	550.5376344	15795.39586	30000	0	0	30000	44.3125	2004
21.01.2020 12:49:49	1	1	1	1	90.75	64.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.875	2004
21.01.2020 12:49:50	1	1	1	1	90.75	63.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.5	2004
21.01.2020 12:49:51	1	1	1	1	90.75	64.5	0	29905.213	539.7849462	16116.65262	30000	0	0	30000	43.875	2004
21.01.2020 12:49:52	1	1	1	1	90.75	63.75	0	27630.332	494.6236559	13666.45829	30000	0	0	30000	43.5625	2004
21.01.2020 12:49:53	1	1	1	1	90.75	63.5	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	44.125	2004
21.01.2020 12:49:54	1	1	1	1	90.75	64	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.875	2004
21.01.2020 12:49:55	1	1	1	1	90.75	63.75	0	26066.351	501.0752688	13140.54304	30000	0	0	30000	43.75	2004
21.01.2020 12:49:56	1	1	1	1	90.75	63.75	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	44.25	2004
21.01.2020 12:49:57	1	1	1	1	90.75	64.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.125	2004
21.01.2020 12:49:58	1	1	1	1	91.25	64	0	28957.346	498.9247312	14509.55345	30000	0	0	30000	44.3125	2004
21.01.2020 12:49:59	1	1	1	1	91.25	64.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	43.875	2004
21.01.2020 12:50:00	1	1	1	1	91.25	63.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	43.8125	2004
21.01.2020 12:50:02	1	1	1	1	91.25	63.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:03	1	1	1	1	91.25	64.25	0	26018.957	496.7741935	13036.99073	30000	0	0	30000	44.1875	2004
21.01.2020 12:50:04	1	1	1	1	91.25	64	0	29289.1	556.9892473	15983.74691	30000	0	0	30000	44.0625	2004
21.01.2020 12:50:05	1	1	1	1	91.25	64	0	29668.246	520.4301075	15288.23417	30000	0	0	30000	44.5625	2004
21.01.2020 12:50:06	1	1	1	1	91.25	64.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	44.125	2004
21.01.2020 12:50:07	1	1	1	1	91.25	64	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	44.4375	2004
21.01.2020 12:50:08	1	1	1	1	91.25	64.25	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	44.5	2004
21.01.2020 12:50:09	1	1	1	1	91	64.5	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	44.4375	2004
21.01.2020 12:50:10	1	1	1	1	91	64.25	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	44.25	2004
21.01.2020 12:50:11	1	1	1	1	91	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.75	2004
21.01.2020 12:50:12	1	1	1	1	91	63.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.4375	2004
21.01.2020 12:50:13	1	1	1	1	91	64.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.375	2004
21.01.2020 12:50:14	1	1	1	1	91	64.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.5625	2004
21.01.2020 12:50:15	1	1	1	1	91	64.5	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	44.375	2004
21.01.2020 12:50:16	1	1	1	1	91	64.25	0	29478.673	546.2365591	16165.57497	30000	0	0	30000	44.5	2004
21.01.2020 12:50:19	1	1	1	1	91	64	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:19	1	1	1	1	91	64	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:19	1	1	1	1	91	64	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:20	1	1	1	1	91	64.25	0	29573.46	516.1290323	15288.23417	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:21	1	1	1	1	91	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44.1875	2004
21.01.2020 12:50:22	1	1	1	1	91	64	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:50:29	1	1	1	1	90.5	64	0	29431.28	550.5376344	15860.62566	30000	0	0	30000	44.375	2004
21.01.2020 12:50:29	1	1	1	1	90.5	64	0	29431.28	550.5376344	15860.62566	30000	0	0	30000	44.375	2004
21.01.2020 12:50:29	1	1	1	1	90.5	64	0	29431.28	550.5376344	15860.62566	30000	0	0	30000	44.375	2004
21.01.2020 12:50:29	1	1	1	1	90.5	64	0	29431.28	550.5376344	15860.62566	30000	0	0	30000	44.375	2004
21.01.2020 12:50:29	1	1	1	1	90.5	64	0	29431.28	550.5376344	15860.62566	30000	0	0	30000	44.375	2004
21.01.2020 12:50:29	1	1	1	1	90.5	64	0	29431.28	550.5376344	15860.62566	30000	0	0	30000	44.375	2004
21.01.2020 12:50:29	1	1	1	1	90.5	64.25	0	29810.427	526.8817204	15577.69141	30000	0	0	30000	44.4375	2004
21.01.2020 12:50:30	1	1	1	1	90.5	64.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.25	2004
21.01.2020 12:50:31	1	1	1	1	90.5	64.25	0	29336.493	496.7741935	14510.36882	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:32	1	1	1	1	90.5	64.25	0	29336.493	511.827957	14951.48534	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:33	1	1	1	1	90.5	64.25	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	43.375	2004
21.01.2020 12:50:34	1	1	1	1	90.5	63.25	0	28957.346	464.516129	13513.16827	30000	0	0	30000	43.8125	2004
21.01.2020 12:50:35	1	1	1	1	90.5	63.75	0	27867.299	458.0645161	12742.64126	30000	0	0	30000	43.9375	2004
21.01.2020 12:50:36	1	1	1	1	90.5	63.75	0	29573.46	453.7634409	13419.40043	30000	0	0	30000	43.125	2004
21.01.2020 12:50:37	1	1	1	1	90.5	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.4375	2004
21.01.2020 12:50:39	1	1	1	1	91.25	64.25	0	29905.213	481.7204301	14686.48928	30000	0	0	30000	44.375	2004
21.01.2020 12:50:40	1	1	1	1	91.25	64.25	0	29146.919	464.516129	13601.22849	30000	0	0	30000	44.4375	2004
21.01.2020 12:50:41	1	1	1	1	91.25	64.25	0	29146.919	460.2150538	13413.69282	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:42	1	1	1	1	91.25	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.25	2004
21.01.2020 12:50:43	1	1	1	1	91.25	64.25	0	29810.427	460.2150538	13655.04308	30000	0	0	30000	44.25	2004
21.01.2020 12:50:44	1	1	1	1	91.25	64.25	0	29905.213	486.0215054	14598.42905	30000	0	0	30000	44.25	2004
21.01.2020 12:50:45	1	1	1	1	91.25	64.25	0	26777.251	440.8602151	11762.56353	30000	0	0	30000	44.25	2004
21.01.2020 12:50:46	1	1	1	1	91.25	64.25	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:47	1	1	1	1	91.25	64.25	0	26303.318	481.7204301	12387.95423	30000	0	0	30000	44.3125	2004
21.01.2020 12:50:48	1	1	1	1	91.25	64.25	0	28436.019	443.0107527	12597.50496	30000	0	0	30000	44	2004
21.01.2020 12:50:49	1	1	1	1	90.75	64.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	44.1875	2004
21.01.2020 12:50:50	1	1	1	1	90.75	64	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	44.1875	2004
21.01.2020 12:50:51	1	1	1	1	90.75	64	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	43.5625	2004
21.01.2020 12:50:52	1	1	1	1	90.75	63.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.375	2004
21.01.2020 12:50:53	1	1	1	1	90.75	63.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	44.5625	2004
21.01.2020 12:50:54	1	1	1	1	90.75	64.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	44.5	2004
21.01.2020 12:50:55	1	1	1	1	90.75	64.5	0	28009.479	488.172043	13672.98127	30000	0	0	30000	44.4375	2004
21.01.2020 12:50:56	1	1	1	1	90.75	64.25	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	43.375	2004
21.01.2020 12:50:57	1	1	1	1	90.75	63.25	0	29620.853	455.9139785	13567.79822	30000	0	0	30000	43.6875	2004
21.01.2020 12:50:58	1	1	1	1	91	63.5	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.25	2004
21.01.2020 12:50:59	1	1	1	1	91	64.25	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	44.25	2004
21.01.2020 12:51:00	1	1	1	1	91	64.25	0	29146.919	464.516129	13391.67776	30000	0	0	30000	44.25	2004
21.01.2020 12:51:01	1	1	1	1	91	64.25	0	28862.559	445.1612903	12641.53507	30000	0	0	30000	44.25	2004
21.01.2020 12:51:02	1	1	1	1	91	64.25	0	29905.213	464.516129	13891.5011	30000	0	0	30000	43.625	2004
21.01.2020 12:51:03	1	1	1	1	91	63.5	0	29336.493	445.1612903	12996.22211	30000	0	0	30000	43.8125	2004
21.01.2020 12:51:04	1	1	1	1	91	63.75	0	29620.853	445.1612903	13504.19917	30000	0	0	30000	44.375	2004
21.01.2020 12:51:05	1	1	1	1	91	64.25	0	30000	503.2258065	14902.56299	30000	0	0	30000	44.3125	2004
21.01.2020 12:51:06	1	1	1	1	91	64.25	0	26066.351	453.7634409	11827.79333	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:51:07	1	1	1	1	91	64.25	0	29952.607	507.5268817	15483.92357	30000	0	0	30000	44.3125	2004
21.01.2020 12:51:08	1	1	1	1	91.25	64.25	0	27298.578	443.0107527	12093.60476	30000	0	0	30000	44.3125	2004
21.01.2020 12:51:09	1	1	1	1	91.25	64.25	0	27582.938	443.0107527	12219.17213	30000	0	0	30000	44.125	2004
21.01.2020 12:51:10	1	1	1	1	91.25	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.625	2004
21.01.2020 12:51:11	1	1	1	1	91.25	63.5	0	29905.213	481.7204301	14469.6002	30000	0	0	30000	44	2004
21.01.2020 12:51:12	1	1	1	1	91.25	64	0	30000	520.4301075	15612.75243	30000	0	0	30000	44.25	2004
21.01.2020 12:51:13	1	1	1	1	91.25	64.25	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	44.4375	2004
21.01.2020 12:51:14	1	1	1	1	91.25	64.25	0	29857.82	488.172043	14598.42905	30000	0	0	30000	44.3125	2004
21.01.2020 12:51:15	1	1	1	1	91.25	64.25	0	29336.493	492.4731183	14446.76977	30000	0	0	30000	44.1875	2004
21.01.2020 12:51:16	1	1	1	1	91.25	64	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.3125	2004
21.01.2020 12:51:18	1	1	1	1	91.25	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.375	2004
21.01.2020 12:51:19	1	1	1	1	90.75	64.25	0	29573.46	460.2150538	13610.19759	30000	0	0	30000	44.1875	2004
21.01.2020 12:51:20	1	1	1	1	90.75	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
21.01.2020 12:51:21	1	1	1	1	90.75	64.25	0	29810.427	453.7634409	13655.04308	30000	0	0	30000	43.625	2004
21.01.2020 12:51:22	1	1	1	1	90.75	63.5	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	44.4375	2004
21.01.2020 12:51:23	1	1	1	1	90.75	64.25	0	29905.213	481.7204301	14083.92901	30000	0	0	30000	44.125	2004
21.01.2020 12:51:24	1	1	1	1	90.75	64	0	27630.332	445.1612903	12299.894	30000	0	0	30000	44	2004
21.01.2020 12:51:30	1	1	1	1	91.25	64.25	0	29857.82	492.4731183	14575.59862	30000	0	0	30000	44.125	2004
21.01.2020 12:51:30	1	1	1	1	91.25	64.25	0	29857.82	492.4731183	14575.59862	30000	0	0	30000	44.125	2004
21.01.2020 12:51:30	1	1	1	1	91.25	64.25	0	29857.82	492.4731183	14575.59862	30000	0	0	30000	44.125	2004
21.01.2020 12:51:30	1	1	1	1	91.25	64.25	0	29857.82	492.4731183	14575.59862	30000	0	0	30000	44.125	2004
21.01.2020 12:51:30	1	1	1	1	91.25	64.25	0	29857.82	492.4731183	14575.59862	30000	0	0	30000	44.125	2004
21.01.2020 12:51:30	1	1	1	1	91.25	64.25	0	29857.82	492.4731183	14575.59862	30000	0	0	30000	44.125	2004
21.01.2020 12:51:31	1	1	1	1	91.25	64	0	27867.299	460.2150538	12824.99388	30000	0	0	30000	44.25	2004
21.01.2020 12:51:32	1	1	1	1	91.25	64.25	0	29715.64	464.516129	13867.03993	30000	0	0	30000	44.25	2004
21.01.2020 12:51:33	1	1	1	1	91.25	64.25	0	26919.431	453.7634409	12352.07784	30000	0	0	30000	44.5	2004
21.01.2020 12:51:34	1	1	1	1	91.25	64.5	0	28199.052	481.7204301	13644.44324	30000	0	0	30000	44.25	2004
21.01.2020 12:51:35	1	1	1	1	91.25	64.25	0	30000	501.0752688	14879.73256	30000	0	0	30000	44.25	2004
21.01.2020 12:51:36	1	1	1	1	91.25	64.25	0	28862.559	481.7204301	13903.73169	30000	0	0	30000	43.875	2004
21.01.2020 12:51:37	1	1	1	1	91.25	63.75	0	29952.607	496.7741935	14856.08676	30000	0	0	30000	44.1875	2004
21.01.2020 12:51:38	1	1	1	1	90.25	64	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.0625	2004
21.01.2020 12:51:39	1	1	1	1	90.25	64	0	29857.82	483.8709677	14423.93934	30000	0	0	30000	43.9375	2004
21.01.2020 12:51:40	1	1	1	1	90.25	63.75	0	29952.607	490.3225806	14727.2579	30000	0	0	30000	43.8125	2004
21.01.2020 12:51:41	1	1	1	1	90.25	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	44.375	2004
21.01.2020 12:51:42	1	1	1	1	90.25	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.4375	2004
21.01.2020 12:51:43	1	1	1	1	90.25	64.25	0	29289.1	445.1612903	13059.00579	30000	0	0	30000	44.5	2004
21.01.2020 12:51:44	1	1	1	1	90.25	64.5	0	27109.005	412.9032258	11173.86459	30000	0	0	30000	44.5625	2004
21.01.2020 12:51:45	1	1	1	1	90.25	64.5	0	26113.744	481.7204301	12556.73634	30000	0	0	30000	44.375	2004
21.01.2020 12:51:46	1	1	1	1	90.25	64.25	0	29952.607	509.6774194	15112.92909	30000	0	0	30000	44.4375	2004
21.01.2020 12:51:47	1	1	1	1	90.25	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.4375	2004
21.01.2020 12:51:48	1	1	1	1	91	64.25	0	26445.498	464.516129	12385.50811	30000	0	0	30000	44.4375	2004
21.01.2020 12:51:49	1	1	1	1	91	64.25	0	26492.891	453.7634409	12043.05167	30000	0	0	30000	43.875	2004
21.01.2020 12:51:50	1	1	1	1	91	63.75	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:51:51	1	1	1	1	91	64.25	0	29952.607	492.4731183	14727.2579	30000	0	0	30000	44.5625	2004
21.01.2020 12:51:52	1	1	1	1	91	64.5	0	29905.213	516.1290323	15548.338	30000	0	0	30000	44.25	2004
21.01.2020 12:51:53	1	1	1	1	91	64.25	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	44.3125	2004
21.01.2020 12:51:54	1	1	1	1	91	64.25	0	29857.82	496.7741935	14984.10024	30000	0	0	30000	44.4375	2004
21.01.2020 12:51:55	1	1	1	1	91	64.25	0	29952.607	518.2795699	15548.338	30000	0	0	30000	44.5625	2004
21.01.2020 12:51:57	1	1	1	1	91	64.5	0	28815.166	481.7204301	13789.57954	30000	0	0	30000	44.375	2004
21.01.2020 12:51:58	1	1	1	1	91	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.25	2004
21.01.2020 12:51:59	1	1	1	1	90.25	64.25	0	28388.626	445.1612903	12637.45821	30000	0	0	30000	44.25	2004
21.01.2020 12:52:00	1	1	1	1	90.25	64.25	0	27298.578	486.0215054	13326.44797	30000	0	0	30000	44.25	2004
21.01.2020 12:52:01	1	1	1	1	90.25	64.25	0	29905.213	507.5268817	15354.27935	30000	0	0	30000	44.25	2004
21.01.2020 12:52:02	1	1	1	1	90.25	64.25	0	28862.559	481.7204301	13593.07477	30000	0	0	30000	43.9375	2004
21.01.2020 12:52:03	1	1	1	1	90.25	63.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	44.4375	2004
21.01.2020 12:52:04	1	1	1	1	90.25	64.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.9375	2004
21.01.2020 12:52:05	1	1	1	1	90.25	63.75	0	29620.853	544.0860215	15963.3626	30000	0	0	30000	44.5625	2004
21.01.2020 12:52:06	1	1	1	1	90.25	64.5	0	29715.64	516.1290323	15337.15652	30000	0	0	30000	43.8125	2004
21.01.2020 12:52:07	1	1	1	1	90.25	64.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	44.0625	2004
21.01.2020 12:52:08	1	1	1	1	90.25	64	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.0625	2004
21.01.2020 12:52:09	1	1	1	1	90.25	64	0	29857.82	516.1290323	15474.1391	30000	0	0	30000	44.5625	2004
21.01.2020 12:52:10	1	1	1	1	90.25	64.5	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	44.3125	2004
21.01.2020 12:52:11	1	1	1	1	90.25	64.25	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	44.4375	2004
21.01.2020 12:52:12	1	1	1	1	90.25	64.25	0	27582.938	496.7741935	13785.50268	30000	0	0	30000	44.25	2004
21.01.2020 12:52:13	1	1	1	1	90.25	64.25	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	44.5	2004
21.01.2020 12:52:14	1	1	1	1	90.25	64.5	0	29336.493	544.0860215	16050.60745	30000	0	0	30000	44.1875	2004
21.01.2020 12:52:15	1	1	1	1	90.25	64	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	44.375	2004
21.01.2020 12:52:16	1	1	1	1	90.25	64.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.3125	2004
21.01.2020 12:52:17	1	1	1	1	90.25	64.25	0	26208.531	492.4731183	12906.53113	30000	0	0	30000	44.3125	2004
21.01.2020 12:52:18	1	1	1	1	91	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.25	2004
21.01.2020 12:52:19	1	1	1	1	91	64.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.375	2004
21.01.2020 12:52:20	1	1	1	1	91	64.25	0	29526.066	507.5268817	15009.37678	30000	0	0	30000	44.3125	2004
21.01.2020 12:52:21	1	1	1	1	91	64.25	0	29383.886	546.2365591	16203.08211	30000	0	0	30000	44.1875	2004
21.01.2020 12:52:22	1	1	1	1	91	64	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	44.3125	2004
21.01.2020 12:52:23	1	1	1	1	91	64.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.0625	2004
21.01.2020 12:52:24	1	1	1	1	91	64	0	26018.957	496.7741935	12925.2847	30000	0	0	30000	44.4375	2004
21.01.2020 12:52:25	1	1	1	1	91	64.25	0	29336.493	546.2365591	16113.39113	30000	0	0	30000	43.75	2004
21.01.2020 12:52:32	1	1	1	1	91.5	64.25	0	29383.886	539.7849462	15835.34912	30000	0	0	30000	44.125	2004
21.01.2020 12:52:32	1	1	1	1	91.5	64.25	0	29383.886	539.7849462	15835.34912	30000	0	0	30000	44.125	2004
21.01.2020 12:52:32	1	1	1	1	91.5	64.25	0	29383.886	539.7849462	15835.34912	30000	0	0	30000	44.125	2004
21.01.2020 12:52:32	1	1	1	1	91.5	64.25	0	29383.886	539.7849462	15835.34912	30000	0	0	30000	44.125	2004
21.01.2020 12:52:32	1	1	1	1	91.5	64.25	0	29383.886	539.7849462	15835.34912	30000	0	0	30000	44.125	2004
21.01.2020 12:52:32	1	1	1	1	91.5	64.25	0	29383.886	539.7849462	15835.34912	30000	0	0	30000	44.125	2004
21.01.2020 12:52:32	1	1	1	1	91.5	64	0	29289.1	464.516129	13627.32041	30000	0	0	30000	43.5	2004
21.01.2020 12:52:33	1	1	1	1	91.5	63.5	0	29810.427	488.172043	14575.59862	30000	0	0	30000	44.4375	2004
21.01.2020 12:52:34	1	1	1	1	91.5	64.25	0	29952.607	490.3225806	14902.56299	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:52:36	1	1	1	1	91.5	64	0	26445.498	453.7634409	11729.94863	30000	0	0	30000	44.4375	2004
21.01.2020 12:52:37	1	1	1	1	91.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
21.01.2020 12:52:38	1	1	1	1	91.5	63.75	0	29715.64	453.7634409	13483.81486	30000	0	0	30000	44.3125	2004
21.01.2020 12:52:39	1	1	1	1	91.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:52:40	1	1	1	1	91.25	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.4375	2004
21.01.2020 12:52:41	1	1	1	1	91.25	64.25	0	29620.853	440.8602151	13058.19042	30000	0	0	30000	44.375	2004
21.01.2020 12:52:42	1	1	1	1	91.25	64.25	0	29952.607	460.2150538	13784.6873	30000	0	0	30000	44.625	2004
21.01.2020 12:52:43	1	1	1	1	91.25	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.875	2004
21.01.2020 12:52:44	1	1	1	1	91.25	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	43.9375	2004
21.01.2020 12:52:45	1	1	1	1	91.25	64.5	0	29905.213	449.4623656	13312.58663	30000	0	0	30000	44.4375	2004
21.01.2020 12:52:46	1	1	1	1	91.25	64.25	0	29526.066	460.2150538	13694.99633	30000	0	0	30000	44.1875	2004
21.01.2020 12:52:47	1	1	1	1	91.25	64	0	27630.332	481.7204301	13401.46223	30000	0	0	30000	44.25	2004
21.01.2020 12:52:48	1	1	1	1	91.75	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.125	2004
21.01.2020 12:52:49	1	1	1	1	91.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.8125	2004
21.01.2020 12:52:50	1	1	1	1	91.75	63.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.9375	2004
21.01.2020 12:52:51	1	1	1	1	91.75	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	44.5625	2004
21.01.2020 12:52:52	1	1	1	1	91.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
21.01.2020 12:52:53	1	1	1	1	91.75	64	0	30000	464.516129	13913.51616	30000	0	0	30000	43.5625	2004
21.01.2020 12:52:54	1	1	1	1	91.75	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
21.01.2020 12:52:55	1	1	1	1	91.75	64	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.4375	2004
21.01.2020 12:52:56	1	1	1	1	91.75	64.25	0	30000	464.516129	14064.36007	30000	0	0	30000	44.5	2004
21.01.2020 12:52:57	1	1	1	1	91.75	64.5	0	29620.853	419.3548387	12421.3845	30000	0	0	30000	44.5	2004
21.01.2020 12:52:58	1	1	1	1	92	64.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.3125	2004
21.01.2020 12:52:59	1	1	1	1	92	64.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	43.9375	2004
21.01.2020 12:53:00	1	1	1	1	92	63.75	0	30000	453.7634409	13935.53122	30000	0	0	30000	44.0625	2004
21.01.2020 12:53:01	1	1	1	1	92	64	0	29905.213	453.7634409	13569.42897	30000	0	0	30000	44.0625	2004
21.01.2020 12:53:02	1	1	1	1	92	64	0	30000	460.2150538	13805.88699	30000	0	0	30000	44.3125	2004
21.01.2020 12:53:03	1	1	1	1	92	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:53:04	1	1	1	1	92	64	0	30000	481.7204301	13999.94564	30000	0	0	30000	44.5	2004
21.01.2020 12:53:05	1	1	1	1	92	64.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	43.5625	2004
21.01.2020 12:53:06	1	1	1	1	92	63.5	0	29905.213	395.6989247	11833.50094	30000	0	0	30000	44.5	2004
21.01.2020 12:53:07	1	1	1	1	92	64.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.4375	2004
21.01.2020 12:53:08	1	1	1	1	91.75	64.25	0	29905.213	395.6989247	11833.50094	30000	0	0	30000	44.5625	2004
21.01.2020 12:53:09	1	1	1	1	91.75	64.5	0	27819.905	350.5376344	9751.854972	30000	0	0	30000	44.125	2004
21.01.2020 12:53:10	1	1	1	1	91.75	64	0	26966.825	335.483871	9046.557769	30000	0	0	30000	44.25	2004
21.01.2020 12:53:11	1	1	1	1	91.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
21.01.2020 12:53:12	1	1	1	1	91.75	64	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	43.875	2004
21.01.2020 12:53:13	1	1	1	1	91.75	63.75	0	29478.673	372.0430108	10966.75998	30000	0	0	30000	44.5	2004
21.01.2020 12:53:15	1	1	1	1	91.75	64.5	0	29905.213	382.7956989	11382.59995	30000	0	0	30000	43.9375	2004
21.01.2020 12:53:16	1	1	1	1	91.75	63.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	44.4375	2004
21.01.2020 12:53:17	1	1	1	1	91.75	64.25	0	27109.005	359.1397849	9752.670345	30000	0	0	30000	44.4375	2004
21.01.2020 12:53:18	1	1	1	1	91.75	64.25	0	24407.583	337.6344086	8256.461827	30000	0	0	30000	44.4375	2004
21.01.2020 12:53:19	1	1	1	1	91.25	64.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:53:20	1	1	1	1	91.25	64.25	0	28009.479	294.6236559	8192.0474	30000	0	0	30000	44.6875	2004
21.01.2020 12:53:21	1	1	1	1	91.25	64.5	0	29668.246	311.827957	9265.892969	30000	0	0	30000	44.1875	2004
21.01.2020 12:53:22	1	1	1	1	91.25	64	0	28862.559	320.4301075	9309.923083	30000	0	0	30000	44.8125	2004
21.01.2020 12:53:23	1	1	1	1	91.25	64.75	0	25592.417	354.8387097	9097.926236	30000	0	0	30000	44.9375	2004
21.01.2020 12:53:24	1	1	1	1	91.25	64.25	0	29905.213	427.9569892	12798.08659	30000	0	0	30000	43.8125	2004
21.01.2020 12:53:25	1	1	1	1	91.25	63.75	0	29620.853	412.9032258	12230.58734	30000	0	0	30000	44.1875	2004
21.01.2020 12:53:26	1	1	1	1	91.25	64	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	44.3125	2004
21.01.2020 12:53:27	1	1	1	1	91.25	64.25	0	29905.213	427.9569892	12818.4709	30000	0	0	30000	44.625	2004
21.01.2020 12:53:34	1	1	1	1	92.25	64.25	0	29810.427	453.7634409	13526.21423	30000	0	0	30000	44.1875	2004
21.01.2020 12:53:34	1	1	1	1	92.25	64.25	0	29810.427	453.7634409	13526.21423	30000	0	0	30000	44.1875	2004
21.01.2020 12:53:34	1	1	1	1	92.25	64.25	0	29810.427	453.7634409	13526.21423	30000	0	0	30000	44.1875	2004
21.01.2020 12:53:34	1	1	1	1	92.25	64.25	0	29810.427	453.7634409	13526.21423	30000	0	0	30000	44.1875	2004
21.01.2020 12:53:34	1	1	1	1	92.25	64.25	0	29810.427	453.7634409	13526.21423	30000	0	0	30000	44.1875	2004
21.01.2020 12:53:34	1	1	1	1	92.25	64	0	29478.673	464.516129	13756.14927	30000	0	0	30000	43.875	2004
21.01.2020 12:53:35	1	1	1	1	92.25	63.75	0	27914.692	449.4623656	12426.27674	30000	0	0	30000	44.4375	2004
21.01.2020 12:53:36	1	1	1	1	92.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
21.01.2020 12:53:37	1	1	1	1	92.25	63.75	0	29905.213	464.516129	13891.5011	30000	0	0	30000	44.3125	2004
21.01.2020 12:53:38	1	1	1	1	90.5	64.25	0	30000	453.7634409	13591.44402	30000	0	0	30000	44.5	2004
21.01.2020 12:53:39	1	1	1	1	90.5	64.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	44.375	2004
21.01.2020 12:53:40	1	1	1	1	90.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
21.01.2020 12:53:41	1	1	1	1	90.5	63.75	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	44.5625	2004
21.01.2020 12:53:42	1	1	1	1	90.5	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 12:53:43	1	1	1	1	90.5	64.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	44.125	2004
21.01.2020 12:53:44	1	1	1	1	90.5	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.5	2004
21.01.2020 12:53:45	1	1	1	1	90.5	64.5	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	44.375	2004
21.01.2020 12:53:46	1	1	1	1	90.5	64.25	0	30000	464.516129	14451.662	30000	0	0	30000	44.5	2004
21.01.2020 12:53:47	1	1	1	1	90.5	64.5	0	29952.607	445.1612903	13462.61517	30000	0	0	30000	44.4375	2004
21.01.2020 12:53:48	1	1	1	1	90.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.875	2004
21.01.2020 12:53:49	1	1	1	1	90.75	63.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	44.4375	2004
21.01.2020 12:53:50	1	1	1	1	90.75	64.25	0	29952.607	483.8709677	14493.246	30000	0	0	30000	44.5625	2004
21.01.2020 12:53:51	1	1	1	1	90.75	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44	2004
21.01.2020 12:53:53	1	1	1	1	90.75	64	0	26066.351	449.4623656	11582.36621	30000	0	0	30000	44.5	2004
21.01.2020 12:53:54	1	1	1	1	90.75	64.5	0	27867.299	453.7634409	12665.99625	30000	0	0	30000	44.3125	2004
21.01.2020 12:53:55	1	1	1	1	90.75	64.25	0	28436.019	458.0645161	13025.57552	30000	0	0	30000	44.625	2004
21.01.2020 12:53:56	1	1	1	1	90.75	64.5	0	30000	494.6236559	14622.07485	30000	0	0	30000	44.1875	2004
21.01.2020 12:53:57	1	1	1	1	90.75	64	0	29431.28	443.0107527	13101.40516	30000	0	0	30000	43.875	2004
21.01.2020 12:53:58	1	1	1	1	90.75	63.75	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	43.875	2004
21.01.2020 12:53:59	1	1	1	1	90.5	63.75	0	29620.853	468.8172043	13800.99475	30000	0	0	30000	44.375	2004
21.01.2020 12:54:00	1	1	1	1	90.5	64.25	0	28815.166	488.172043	14066.80619	30000	0	0	30000	44.6875	2004
21.01.2020 12:54:01	1	1	1	1	90.5	64.5	0	28199.052	501.0752688	14200.52727	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:02	1	1	1	1	90.5	64	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:03	1	1	1	1	90.5	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:54:04	1	1	1	1	90.5	63.75	0	29620.853	518.2795699	15351.83323	30000	0	0	30000	43.8125	2004
21.01.2020 12:54:05	1	1	1	1	90.5	63.75	0	29431.28	537.6344086	15823.11853	30000	0	0	30000	43.25	2004
21.01.2020 12:54:06	1	1	1	1	90.5	63.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.3125	2004
21.01.2020 12:54:07	1	1	1	1	90.5	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.1875	2004
21.01.2020 12:54:08	1	1	1	1	90	64	0	28815.166	488.172043	14066.80619	30000	0	0	30000	44.3125	2004
21.01.2020 12:54:09	1	1	1	1	90	64.25	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	44.3125	2004
21.01.2020 12:54:10	1	1	1	1	90	64.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	44.1875	2004
21.01.2020 12:54:11	1	1	1	1	90	64	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:12	1	1	1	1	90	64	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	44.3125	2004
21.01.2020 12:54:13	1	1	1	1	90	64.25	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	44.4375	2004
21.01.2020 12:54:14	1	1	1	1	90	64.25	0	29620.853	496.7741935	14714.21194	30000	0	0	30000	44.375	2004
21.01.2020 12:54:15	1	1	1	1	90	64.25	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44	2004
21.01.2020 12:54:16	1	1	1	1	90	64	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	44.3125	2004
21.01.2020 12:54:17	1	1	1	1	90	64.25	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	44	2004
21.01.2020 12:54:18	1	1	1	1	90.75	64	0	29526.066	541.9354839	15823.11853	30000	0	0	30000	44.375	2004
21.01.2020 12:54:19	1	1	1	1	90.75	64.25	0	29810.427	522.5806452	15577.69141	30000	0	0	30000	43.625	2004
21.01.2020 12:54:20	1	1	1	1	90.75	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.375	2004
21.01.2020 12:54:21	1	1	1	1	90.75	64.25	0	28815.166	464.516129	13323.18648	30000	0	0	30000	44.375	2004
21.01.2020 12:54:22	1	1	1	1	90.75	64.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.125	2004
21.01.2020 12:54:23	1	1	1	1	90.75	64	0	29715.64	464.516129	13867.03993	30000	0	0	30000	44.5	2004
21.01.2020 12:54:24	1	1	1	1	90.75	64.5	0	30000	483.8709677	14773.73413	30000	0	0	30000	44.25	2004
21.01.2020 12:54:25	1	1	1	1	90.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
21.01.2020 12:54:26	1	1	1	1	90.75	64.25	0	29715.64	443.0107527	13099.77441	30000	0	0	30000	44.5625	2004
21.01.2020 12:54:27	1	1	1	1	90.75	64.5	0	29573.46	453.7634409	13419.40043	30000	0	0	30000	44.4375	2004
21.01.2020 12:54:28	1	1	1	1	90.75	64.25	0	29810.427	481.7204301	14314.67942	30000	0	0	30000	43.875	2004
21.01.2020 12:54:35	1	1	1	1	90.75	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:35	1	1	1	1	90.75	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:35	1	1	1	1	90.75	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:35	1	1	1	1	90.75	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:35	1	1	1	1	90.75	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:35	1	1	1	1	90.75	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:36	1	1	1	1	90.75	64	0	29241.706	486.0215054	14274.72617	30000	0	0	30000	44.25	2004
21.01.2020 12:54:37	1	1	1	1	90.75	64.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	44.5625	2004
21.01.2020 12:54:38	1	1	1	1	90.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:39	1	1	1	1	90.75	64	0	29715.64	427.9569892	12716.54934	30000	0	0	30000	44.75	2004
21.01.2020 12:54:40	1	1	1	1	90.75	64.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.25	2004
21.01.2020 12:54:41	1	1	1	1	90.75	64.25	0	27345.972	352.688172	9585.518985	30000	0	0	30000	44.75	2004
21.01.2020 12:54:42	1	1	1	1	90.75	64.75	0	29620.853	397.8494624	11803.33216	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:43	1	1	1	1	90.75	64	0	25165.877	339.7849462	8604.62588	30000	0	0	30000	44.0625	2004
21.01.2020 12:54:44	1	1	1	1	90.75	63.5	0	29952.607	402.1505376	12025.92885	30000	0	0	30000	44.4375	2004
21.01.2020 12:54:45	1	1	1	1	90.75	64.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	44.5	2004
21.01.2020 12:54:46	1	1	1	1	90.75	64.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.75	2004
21.01.2020 12:54:47	1	1	1	1	90.75	63.75	0	28341.232	320.4301075	8974.80499	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:54:48	1	1	1	1	91.5	63.75	0	29905.213	404.3010753	12348.00098	30000	0	0	30000	44.5	2004
21.01.2020 12:54:49	1	1	1	1	91.5	64.5	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	44.3125	2004
21.01.2020 12:54:50	1	1	1	1	91.5	64.25	0	29715.64	354.8387097	10607.99609	30000	0	0	30000	44.125	2004
21.01.2020 12:54:51	1	1	1	1	91.5	64	0	29810.427	365.5913978	10961.86775	30000	0	0	30000	44.1875	2004
21.01.2020 12:54:52	1	1	1	1	91.5	64	0	29905.213	384.9462366	11575.84323	30000	0	0	30000	44.3125	2004
21.01.2020 12:54:53	1	1	1	1	91.5	64.25	0	29715.64	378.4946237	11247.24812	30000	0	0	30000	44.4375	2004
21.01.2020 12:54:54	1	1	1	1	91.5	64.25	0	29857.82	378.4946237	11301.0627	30000	0	0	30000	44.375	2004
21.01.2020 12:54:55	1	1	1	1	91.5	64.25	0	29763.033	378.4946237	11247.24812	30000	0	0	30000	44.375	2004
21.01.2020 12:54:56	1	1	1	1	91.5	64.25	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	44.375	2004
21.01.2020 12:54:57	1	1	1	1	91.5	64.25	0	29857.82	359.1397849	10740.08643	30000	0	0	30000	44	2004
21.01.2020 12:54:58	1	1	1	1	90.25	64	0	26540.284	311.827957	8276.030767	30000	0	0	30000	44.5625	2004
21.01.2020 12:54:59	1	1	1	1	90.25	64.5	0	29715.64	369.8924731	11247.24812	30000	0	0	30000	44.5	2004
21.01.2020 12:55:00	1	1	1	1	90.25	64.5	0	29620.853	303.2258065	8917.728916	30000	0	0	30000	44.25	2004
21.01.2020 12:55:01	1	1	1	1	90.25	64.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	44.375	2004
21.01.2020 12:55:02	1	1	1	1	90.25	64.25	0	29052.133	369.8924731	10745.79404	30000	0	0	30000	43.875	2004
21.01.2020 12:55:03	1	1	1	1	90.25	63.75	0	29715.64	350.5376344	10543.58166	30000	0	0	30000	44.1875	2004
21.01.2020 12:55:04	1	1	1	1	90.25	64	0	28341.232	296.7741935	8424.42856	30000	0	0	30000	44.3125	2004
21.01.2020 12:55:05	1	1	1	1	90.25	64.25	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	44.5	2004
21.01.2020 12:55:06	1	1	1	1	90.25	64.5	0	29146.919	335.483871	9574.10377	30000	0	0	30000	44.5	2004
21.01.2020 12:55:07	1	1	1	1	90.25	64.5	0	29810.427	378.4946237	11107.81942	30000	0	0	30000	44.4375	2004
21.01.2020 12:55:08	1	1	1	1	91	64.25	0	29526.066	341.9354839	10112.24961	30000	0	0	30000	44.625	2004
21.01.2020 12:55:09	1	1	1	1	91	64.5	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44.3125	2004
21.01.2020 12:55:11	1	1	1	1	91	64.25	0	28483.412	326.8817204	9310.738456	30000	0	0	30000	44.625	2004
21.01.2020 12:55:12	1	1	1	1	91	64.5	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44.375	2004
21.01.2020 12:55:13	1	1	1	1	91	64.25	0	25734.597	369.8924731	9515.396951	30000	0	0	30000	44.5625	2004
21.01.2020 12:55:14	1	1	1	1	91	64.5	0	29905.213	382.7956989	11511.4288	30000	0	0	30000	43.8125	2004
21.01.2020 12:55:15	1	1	1	1	91	63.75	0	29668.246	365.5913978	10927.6221	30000	0	0	30000	44.5625	2004
21.01.2020 12:55:16	1	1	1	1	91	64.5	0	29810.427	378.4946237	11301.0627	30000	0	0	30000	44.4375	2004
21.01.2020 12:55:17	1	1	1	1	91	64.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	44.25	2004
21.01.2020 12:55:18	1	1	1	1	91	64.25	0	29952.607	412.9032258	12154.7577	30000	0	0	30000	44.5	2004
21.01.2020 12:55:19	1	1	1	1	90.5	64.5	0	29857.82	412.9032258	12348.00098	30000	0	0	30000	44	2004
21.01.2020 12:55:20	1	1	1	1	90.5	64	0	29715.64	395.6989247	11758.48667	30000	0	0	30000	44.25	2004
21.01.2020 12:55:21	1	1	1	1	90.5	64.25	0	29431.28	395.6989247	11437.22991	30000	0	0	30000	44.625	2004
21.01.2020 12:55:22	1	1	1	1	90.5	64.5	0	29526.066	359.1397849	10586.7964	30000	0	0	30000	44.4375	2004
21.01.2020 12:55:23	1	1	1	1	90.5	64.25	0	29715.64	346.2365591	10288.37007	30000	0	0	30000	44.375	2004
21.01.2020 12:55:24	1	1	1	1	90.5	64.25	0	29431.28	326.8817204	9809.746419	30000	0	0	30000	44.625	2004
21.01.2020 12:55:25	1	1	1	1	90.5	64.5	0	27914.692	326.8817204	9184.35572	30000	0	0	30000	44.625	2004
21.01.2020 12:55:26	1	1	1	1	90.5	64.5	0	29336.493	322.5806452	9243.877912	30000	0	0	30000	44.4375	2004
21.01.2020 12:55:27	1	1	1	1	90.5	64.25	0	27819.905	316.1290323	8794.60767	30000	0	0	30000	44.5625	2004
21.01.2020 12:55:28	1	1	1	1	91	64.5	0	26113.744	346.2365591	9040.850162	30000	0	0	30000	44.5625	2004
21.01.2020 12:55:29	1	1	1	1	91	64.5	0	29857.82	350.5376344	10448.99845	30000	0	0	30000	44.3125	2004
21.01.2020 12:55:30	1	1	1	1	91	64.25	0	29478.673	341.9354839	10079.63471	30000	0	0	30000	43.25	2004
21.01.2020 12:55:37	1	1	1	1	91	64.5	0	28957.346	412.9032258	11917.4843	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:55:37	1	1	1	1	91	64.5	0	28957.346	412.9032258	11917.4843	30000	0	0	30000	44.3125	2004
21.01.2020 12:55:37	1	1	1	1	91	64.5	0	28957.346	412.9032258	11917.4843	30000	0	0	30000	44.3125	2004
21.01.2020 12:55:37	1	1	1	1	91	64.5	0	28957.346	412.9032258	11917.4843	30000	0	0	30000	44.3125	2004
21.01.2020 12:55:37	1	1	1	1	91	64.5	0	28957.346	412.9032258	11917.4843	30000	0	0	30000	44.3125	2004
21.01.2020 12:55:37	1	1	1	1	91	64.5	0	28957.346	412.9032258	11917.4843	30000	0	0	30000	44.3125	2004
21.01.2020 12:55:37	1	1	1	1	91	64.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.5625	2004
21.01.2020 12:55:38	1	1	1	1	90.5	64.5	0	28009.479	466.6666667	13070.421	30000	0	0	30000	43.9375	2004
21.01.2020 12:55:39	1	1	1	1	90.5	63.75	0	30000	483.8709677	14428.83157	30000	0	0	30000	44.5	2004
21.01.2020 12:55:40	1	1	1	1	90.5	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
21.01.2020 12:55:41	1	1	1	1	90.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
21.01.2020 12:55:42	1	1	1	1	90.5	64.5	0	29905.213	488.172043	14727.2579	30000	0	0	30000	44.625	2004
21.01.2020 12:55:43	1	1	1	1	90.5	64.5	0	29146.919	481.7204301	13726.79586	30000	0	0	30000	44	2004
21.01.2020 12:55:44	1	1	1	1	90.5	64	0	26303.318	464.516129	12218.35675	30000	0	0	30000	44.125	2004
21.01.2020 12:55:45	1	1	1	1	90.5	64	0	29146.919	464.516129	13350.90914	30000	0	0	30000	44.5	2004
21.01.2020 12:55:46	1	1	1	1	90.5	64.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.625	2004
21.01.2020 12:55:48	1	1	1	1	90.5	64.5	0	29431.28	464.516129	13607.75147	30000	0	0	30000	44.0625	2004
21.01.2020 12:55:49	1	1	1	1	90.5	64	0	0	0	0	30000	0	8	30000	44.3125	2004
21.01.2020 12:55:50	1	1	1	1	90.5	64.25	0	10426.54	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:55:51	1	1	1	1	90.5	64.75	0	11184.834	0	0	30000	0	0	30000	44.75	2004
21.01.2020 12:55:52	1	1	1	1	90.5	64.75	0	11943.128	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:55:53	1	1	1	1	90.5	64.5	0	12701.422	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:55:54	1	1	1	1	90.5	64.5	0	13459.716	4.301075269	86.42948387	30000	0	0	30000	44.5625	2004
21.01.2020 12:55:55	1	1	1	1	90.5	64.5	0	14265.403	10.75268817	153.290028	30000	0	0	30000	44.5625	2004
21.01.2020 12:55:56	1	1	1	1	90.5	64.5	0	14976.303	15.05376344	224.2274346	30000	0	0	30000	44.625	2004
21.01.2020 12:55:57	1	1	1	1	90.5	64.5	0	15829.384	25.80645161	374.2559726	30000	0	0	30000	44.8125	2004
21.01.2020 12:55:58	1	1	1	1	90.5	64.75	0	16682.464	30.10752688	502.2694534	30000	0	0	30000	44.875	2004
21.01.2020 12:55:59	1	1	1	1	91.25	64.75	0	17156.398	38.70967742	627.0214443	30000	0	0	30000	45	2004
21.01.2020 12:56:00	1	1	1	1	91.25	64.5	0	18151.659	53.76344086	975.1854972	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:01	1	1	1	1	91.25	64.5	0	17772.512	51.61290323	917.2940505	30000	0	0	30000	44.625	2004
21.01.2020 12:56:02	1	1	1	1	91.25	64.5	0	16824.645	55.91397849	940.1244802	30000	0	0	30000	44.4375	2004
21.01.2020 12:56:03	1	1	1	1	91.25	64.25	0	20331.754	83.87096774	1704.943875	30000	0	0	30000	44.625	2004
21.01.2020 12:56:04	1	1	1	1	91.25	64.5	0	21232.227	103.2258065	2191.721251	30000	0	0	30000	44.6875	2004
21.01.2020 12:56:05	1	1	1	1	91.25	64.5	0	21943.128	122.5806452	2689.09847	30000	0	0	30000	44.625	2004
21.01.2020 12:56:06	1	1	1	1	91.25	64.5	0	22748.815	129.0322581	2886.418612	30000	0	0	30000	44.625	2004
21.01.2020 12:56:07	1	1	1	1	91.25	64.5	0	21943.128	126.8817204	2808.142853	30000	0	0	30000	44.625	2004
21.01.2020 12:56:08	1	1	1	1	90.5	64.5	0	22464.455	137.6344086	3085.3695	30000	0	0	30000	44.625	2004
21.01.2020 12:56:09	1	1	1	1	90.5	64.5	0	19099.526	109.6774194	2094.691925	30000	0	0	30000	44.6875	2004
21.01.2020 12:56:10	1	1	1	1	90.5	64.5	0	21895.735	137.6344086	3013.616721	30000	0	0	30000	44.625	2004
21.01.2020 12:56:11	1	1	1	1	90.5	64.5	0	23554.502	152.688172	3595.792678	30000	0	0	30000	44.625	2004
21.01.2020 12:56:12	1	1	1	1	90.5	64.5	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.6875	2004
21.01.2020 12:56:13	1	1	1	1	90.5	64.5	0	23412.322	161.2903226	3725.436904	30000	0	0	30000	44.625	2004
21.01.2020 12:56:14	1	1	1	1	90.5	64.5	0	19952.607	137.6344086	2752.697524	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:15	1	1	1	1	90.5	64.5	0	23791.469	152.688172	3632.48444	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:56:16	1	1	1	1	90.5	64.25	0	24218.009	182.7956989	4426.657245	30000	0	0	30000	44.625	2004
21.01.2020 12:56:17	1	1	1	1	90.5	64.5	0	24928.91	189.2473118	4717.745223	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:18	1	1	1	1	90.5	64.5	0	24218.009	189.2473118	4583.208763	30000	0	0	30000	44.5	2004
21.01.2020 12:56:19	1	1	1	1	90.5	64.5	0	25450.237	208.6021505	5308.890278	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:20	1	1	1	1	90.5	64.5	0	25213.27	206.4516129	5205.337972	30000	0	0	30000	44.4375	2004
21.01.2020 12:56:21	1	1	1	1	90.5	64.25	0	26066.351	217.2043011	5538.82532	30000	0	0	30000	44.625	2004
21.01.2020 12:56:22	1	1	1	1	90.5	64.5	0	26208.531	240.8602151	6312.613812	30000	0	0	30000	44.625	2004
21.01.2020 12:56:23	1	1	1	1	90.5	64.5	0	25497.63	212.9032258	5493.164461	30000	0	0	30000	44.5	2004
21.01.2020 12:56:25	1	1	1	1	90.5	64.5	0	25545.024	221.5053763	5668.469546	30000	0	0	30000	44.6875	2004
21.01.2020 12:56:26	1	1	1	1	90.5	64.5	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.625	2004
21.01.2020 12:56:27	1	1	1	1	90.5	64.5	0	27630.332	240.8602151	6655.070258	30000	0	0	30000	44.625	2004
21.01.2020 12:56:28	1	1	1	1	90.5	64.5	0	25592.417	206.4516129	5273.829261	30000	0	0	30000	44.6875	2004
21.01.2020 12:56:29	1	1	1	1	90.5	64.5	0	0	0	0	30000	0	8	30000	44.5	2004
21.01.2020 12:56:30	1	1	1	1	90.5	64.5	0	0	0	0	30000	0	8	30000	44.75	2004
21.01.2020 12:56:31	1	1	1	1	90.5	64.75	0	10663.507	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:56:32	1	1	1	1	90.5	64.5	0	11469.194	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:56:38	1	1	1	1	90	65	0	16161.137	23.65591398	379.96358	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:38	1	1	1	1	90	65	0	16161.137	23.65591398	379.96358	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:38	1	1	1	1	90	65	0	16161.137	23.65591398	379.96358	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:38	1	1	1	1	90	65	0	16161.137	23.65591398	379.96358	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:38	1	1	1	1	90	65	0	16161.137	23.65591398	379.96358	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:38	1	1	1	1	90	65	0	16161.137	23.65591398	379.96358	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:39	1	1	1	1	90	64.5	0	16824.645	27.95698925	469.6545539	30000	0	0	30000	44.625	2004
21.01.2020 12:56:40	1	1	1	1	90	64.5	0	17630.332	36.55913978	721.6046531	30000	0	0	30000	44.625	2004
21.01.2020 12:56:41	1	1	1	1	90	64.5	0	18436.019	43.01075269	792.5420596	30000	0	0	30000	44.4375	2004
21.01.2020 12:56:42	1	1	1	1	90	64.25	0	18815.166	47.31182796	892.0175033	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:43	1	1	1	1	90	64.5	0	17867.299	49.46236559	883.0484059	30000	0	0	30000	44.6875	2004
21.01.2020 12:56:44	1	1	1	1	90	64.5	0	20710.9	70.96774194	1469.301226	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:45	1	1	1	1	90	64.5	0	21516.588	83.87096774	1804.419319	30000	0	0	30000	44.625	2004
21.01.2020 12:56:46	1	1	1	1	90	64.5	0	20236.967	88.17204301	1784.035007	30000	0	0	30000	44.625	2004
21.01.2020 12:56:47	1	1	1	1	90	64.5	0	23033.175	116.1290323	2674.421765	30000	0	0	30000	44.5	2004
21.01.2020 12:56:48	1	1	1	1	89.25	64.5	0	23744.076	122.5806452	2859.51132	30000	0	0	30000	44.625	2004
21.01.2020 12:56:49	1	1	1	1	89.25	64.5	0	24502.37	150.5376344	3687.929769	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:50	1	1	1	1	89.25	64.5	0	25308.057	167.7419355	4128.230913	30000	0	0	30000	44.6875	2004
21.01.2020 12:56:51	1	1	1	1	89.25	64.5	0	25924.171	165.5913978	4292.120784	30000	0	0	30000	44.625	2004
21.01.2020 12:56:52	1	1	1	1	89.25	64.5	0	25734.597	163.4408602	4261.136629	30000	0	0	30000	44.0625	2004
21.01.2020 12:56:53	1	1	1	1	89.25	64	0	27582.938	191.3978495	5278.721496	30000	0	0	30000	44.625	2004
21.01.2020 12:56:54	1	1	1	1	89.25	64.5	0	26587.678	189.2473118	5031.663632	30000	0	0	30000	44.625	2004
21.01.2020 12:56:55	1	1	1	1	89.25	64.5	0	27109.005	234.4086022	6110.401435	30000	0	0	30000	44.625	2004
21.01.2020 12:56:56	1	1	1	1	89.25	64.5	0	23886.256	208.6021505	4982.741282	30000	0	0	30000	44.5	2004
21.01.2020 12:56:57	1	1	1	1	89.25	64.5	0	28815.166	253.7634409	7374.228794	30000	0	0	30000	44.5625	2004
21.01.2020 12:56:58	1	1	1	1	88.25	64.5	0	28009.479	245.1612903	6805.914168	30000	0	0	30000	44.625	2004
21.01.2020 12:56:59	1	1	1	1	88.25	64.5	0	26966.825	245.1612903	6495.25725	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:57:00	1	1	1	1	88.25	64.5	0	24834.123	221.5053763	5607.316609	30000	0	0	30000	44.625	2004
21.01.2020 12:57:01	1	1	1	1	88.25	64.5	0	29289.1	277.4193548	8049.357215	30000	0	0	30000	44.4375	2004
21.01.2020 12:57:02	1	1	1	1	88.25	64.25	0	28957.346	286.0215054	8219.770065	30000	0	0	30000	44.625	2004
21.01.2020 12:57:04	1	1	1	1	88.25	64.5	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	44.625	2004
21.01.2020 12:57:05	1	1	1	1	88.25	64.5	0	28815.166	266.6666667	7684.070339	30000	0	0	30000	44.625	2004
21.01.2020 12:57:06	1	1	1	1	88.25	64.5	0	27867.299	277.4193548	7863.452287	30000	0	0	30000	44.6875	2004
21.01.2020 12:57:07	1	1	1	1	88.25	64.5	0	28293.839	281.7204301	7970.266083	30000	0	0	30000	44.5	2004
21.01.2020 12:57:08	1	1	1	1	88.25	64.5	0	27630.332	286.0215054	7929.497459	30000	0	0	30000	44.5625	2004
21.01.2020 12:57:09	1	1	1	1	87.5	64.5	0	28483.412	301.0752688	8636.425407	30000	0	0	30000	44.5625	2004
21.01.2020 12:57:10	1	1	1	1	87.5	64.5	0	29478.673	301.0752688	8938.113228	30000	0	0	30000	44.4375	2004
21.01.2020 12:57:11	1	1	1	1	87.5	64.25	0	27819.905	305.3763441	8495.365966	30000	0	0	30000	44.4375	2004
21.01.2020 12:57:12	1	1	1	1	87.5	64.25	0	29526.066	339.7849462	9985.051504	30000	0	0	30000	44.5625	2004
21.01.2020 12:57:13	1	1	1	1	87.5	64.5	0	29146.919	326.8817204	9527.627538	30000	0	0	30000	44.5	2004
21.01.2020 12:57:14	1	1	1	1	87.5	64.5	0	29573.46	350.5376344	10366.64583	30000	0	0	30000	44.125	2004
21.01.2020 12:57:15	1	1	1	1	87.5	64	0	29668.246	350.5376344	10382.95328	30000	0	0	30000	44.9375	2004
21.01.2020 12:57:16	1	1	1	1	87.5	64.75	0	29336.493	341.9354839	10030.71236	30000	0	0	30000	44.5625	2004
21.01.2020 12:57:17	1	1	1	1	87.5	64.5	0	28436.019	380.6451613	10824.0698	30000	0	0	30000	44.5	2004
21.01.2020 12:57:18	1	1	1	1	87.25	64.5	0	0	0	0	30000	0	8	30000	44.625	2004
21.01.2020 12:57:19	1	1	1	1	87.25	64.5	0	10616.114	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:57:20	1	1	1	1	87.25	64.5	0	11232.227	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:57:21	1	1	1	1	87.25	64.5	0	12085.308	0	0	30000	0	0	30000	44.5	2004
21.01.2020 12:57:22	1	1	1	1	87.25	64.5	0	12843.602	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:57:23	1	1	1	1	87.25	64.5	0	13507.109	2.150537634	57.89144674	30000	0	0	30000	44.625	2004
21.01.2020 12:57:24	1	1	1	1	87.25	64.5	0	13981.043	6.451612903	89.69097383	30000	0	0	30000	44.75	2004
21.01.2020 12:57:25	1	1	1	1	87.25	64.75	0	15165.877	12.90322581	195.6893974	30000	0	0	30000	44.5625	2004
21.01.2020 12:57:26	1	1	1	1	87.25	64.5	0	15876.777	19.35483871	306.580056	30000	0	0	30000	44.5	2004
21.01.2020 12:57:27	1	1	1	1	87.25	64.5	0	16492.891	23.65591398	430.5166744	30000	0	0	30000	44.5625	2004
21.01.2020 12:57:28	1	1	1	1	88.25	64.5	0	17393.365	36.55913978	635.1751692	30000	0	0	30000	44.5625	2004
21.01.2020 12:57:29	1	1	1	1	88.25	64.5	0	17819.905	38.70967742	689.805126	30000	0	0	30000	44.625	2004
21.01.2020 12:57:30	1	1	1	1	88.25	64.5	0	18909.953	53.76344086	976.0008697	30000	0	0	30000	44.4375	2004
21.01.2020 12:57:31	1	1	1	1	88.25	64.25	0	19668.246	66.66666667	1311.118963	30000	0	0	30000	44.625	2004
21.01.2020 12:57:32	1	1	1	1	88.25	64.5	0	18767.773	66.66666667	1250.781399	30000	0	0	30000	44.625	2004
21.01.2020 12:57:33	1	1	1	1	88.25	64.5	0	21279.621	90.32258065	1921.832957	30000	0	0	30000	44.4375	2004
21.01.2020 12:57:40	1	1	1	1	87.75	64.5	0	25355.45	169.8924731	4307.612861	30000	0	0	30000	44.625	2004
21.01.2020 12:57:40	1	1	1	1	87.75	64.5	0	25355.45	169.8924731	4307.612861	30000	0	0	30000	44.625	2004
21.01.2020 12:57:40	1	1	1	1	87.75	64.5	0	25355.45	169.8924731	4307.612861	30000	0	0	30000	44.625	2004
21.01.2020 12:57:40	1	1	1	1	87.75	64.5	0	25355.45	169.8924731	4307.612861	30000	0	0	30000	44.625	2004
21.01.2020 12:57:40	1	1	1	1	87.75	64.5	0	25355.45	169.8924731	4307.612861	30000	0	0	30000	44.625	2004
21.01.2020 12:57:40	1	1	1	1	87.75	64.5	0	25355.45	169.8924731	4307.612861	30000	0	0	30000	44.625	2004
21.01.2020 12:57:40	1	1	1	1	87.75	64.5	0	26492.891	206.4516129	5004.75634	30000	0	0	30000	44.5625	2004
21.01.2020 12:57:41	1	1	1	1	87.75	64.5	0	26113.744	189.2473118	4941.972658	30000	0	0	30000	44.625	2004
21.01.2020 12:57:43	1	1	1	1	87.75	64.5	0	27345.972	217.2043011	5939.173212	30000	0	0	30000	44.5	2004
21.01.2020 12:57:44	1	1	1	1	87.75	64.5	0	24502.37	189.2473118	4628.054249	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:57:45	1	1	1	1	87.75	64.5	0	27819.905	206.4516129	5704.345935	30000	0	0	30000	44.25	2004
21.01.2020 12:57:46	1	1	1	1	87.75	64.25	0	25829.384	208.6021505	5519.25638	30000	0	0	30000	44.625	2004
21.01.2020 12:57:47	1	1	1	1	87.75	64.5	0	26066.351	210.7526882	5436.903759	30000	0	0	30000	44.3125	2004
21.01.2020 12:57:48	1	1	1	1	87.75	64.25	0	25734.597	217.2043011	5423.042427	30000	0	0	30000	44.125	2004
21.01.2020 12:57:49	1	1	1	1	89	64	0	25734.597	227.9569892	5976.680347	30000	0	0	30000	44.4375	2004
21.01.2020 12:57:50	1	1	1	1	89	64.25	0	28341.232	243.0107527	6886.636045	30000	0	0	30000	44.5	2004
21.01.2020 12:57:51	1	1	1	1	89	64.5	0	27962.085	258.0645161	7216.046531	30000	0	0	30000	44.625	2004
21.01.2020 12:57:52	1	1	1	1	89	64.5	0	26303.318	249.4623656	6505.04172	30000	0	0	30000	44.0625	2004
21.01.2020 12:57:53	1	1	1	1	89	64	0	26303.318	273.1182796	7196.477591	30000	0	0	30000	44.5	2004
21.01.2020 12:57:54	1	1	1	1	89	64.5	0	26777.251	273.1182796	7286.983937	30000	0	0	30000	44.5	2004
21.01.2020 12:57:55	1	1	1	1	89	64.5	0	28293.839	309.6774194	8761.99277	30000	0	0	30000	44.125	2004
21.01.2020 12:57:56	1	1	1	1	89	64.5	0	28625.592	326.8817204	9341.72261	30000	0	0	30000	44.4375	2004
21.01.2020 12:57:57	1	1	1	1	89	64.25	0	28578.199	350.5376344	9984.236132	30000	0	0	30000	44.375	2004
21.01.2020 12:57:58	1	1	1	1	87.75	64.25	0	29526.066	354.8387097	10476.72112	30000	0	0	30000	44.3125	2004
21.01.2020 12:57:59	1	1	1	1	87.75	64.25	0	28388.626	354.8387097	10151.38749	30000	0	0	30000	44.0625	2004
21.01.2020 12:58:00	1	1	1	1	87.75	64	0	26682.464	316.1290323	8404.85962	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:01	1	1	1	1	87.75	64.25	0	27440.758	359.1397849	9854.591906	30000	0	0	30000	44.5	2004
21.01.2020 12:58:02	1	1	1	1	87.75	64.5	0	28909.953	341.9354839	10025.82013	30000	0	0	30000	44.5	2004
21.01.2020 12:58:03	1	1	1	1	87.75	64.5	0	28341.232	359.1397849	10195.41761	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:04	1	1	1	1	87.75	64.25	0	28009.479	350.5376344	9817.900144	30000	0	0	30000	44.3125	2004
21.01.2020 12:58:05	1	1	1	1	87.75	64.25	0	28009.479	367.7419355	10299.78529	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:06	1	1	1	1	87.75	64.25	0	29810.427	391.3978495	11630.47319	30000	0	0	30000	44.3125	2004
21.01.2020 12:58:07	1	1	1	1	87.75	64.25	0	29241.706	402.1505376	11759.30204	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:08	1	1	1	1	86.5	64.25	0	28199.052	348.3870968	9763.270187	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:09	1	1	1	1	86.5	64.5	0	28009.479	350.5376344	10126.92632	30000	0	0	30000	44.0625	2004
21.01.2020 12:58:10	1	1	1	1	86.5	64	0	29952.607	423.655914	12411.60003	30000	0	0	30000	44.5	2004
21.01.2020 12:58:11	1	1	1	1	86.5	64.5	0	28436.019	397.8494624	11332.04686	30000	0	0	30000	44.25	2004
21.01.2020 12:58:12	1	1	1	1	86.5	64.25	0	0	0	0	30000	0	8	30000	44.5	2004
21.01.2020 12:58:13	1	1	1	1	86.5	64.5	0	10094.787	0	0	30000	0	0	30000	44.6875	2004
21.01.2020 12:58:14	1	1	1	1	86.5	64.5	0	10758.294	0	0	30000	0	0	30000	44.625	2004
21.01.2020 12:58:15	1	1	1	1	86.5	64.5	0	11611.374	0	0	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:16	1	1	1	1	86.5	64.25	0	12369.668	0	0	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:17	1	1	1	1	86.5	64.5	0	12796.209	4.301075269	26.90729215	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:18	1	1	1	1	87.25	64.5	0	13886.256	6.451612903	88.87560134	30000	0	0	30000	44.5	2004
21.01.2020 12:58:19	1	1	1	1	87.25	64.5	0	14691.943	12.90322581	220.9659446	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:20	1	1	1	1	87.25	64.25	0	15450.237	21.50537634	331.8566032	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:21	1	1	1	1	87.25	64.25	0	15687.204	23.65591398	404.4247547	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:23	1	1	1	1	87.25	64.5	0	16919.431	36.55913978	618.0523469	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:24	1	1	1	1	87.25	64.25	0	17819.905	47.31182796	840.6490365	30000	0	0	30000	44.5	2004
21.01.2020 12:58:25	1	1	1	1	87.25	64.5	0	18530.806	53.76344086	1035.523061	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:26	1	1	1	1	87.25	64.25	0	19052.133	58.06451613	1105.645096	30000	0	0	30000	44.625	2004
21.01.2020 12:58:27	1	1	1	1	87.25	64.5	0	17582.938	58.06451613	1020.846357	30000	0	0	30000	44.625	2004
21.01.2020 12:58:28	1	1	1	1	87.25	64.5	0	20853.081	81.72043011	1704.128503	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:58:29	1	1	1	1	87	64.5	0	21563.981	96.77419355	2040.061968	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:30	1	1	1	1	87	64.5	0	21943.128	109.6774194	2406.164216	30000	0	0	30000	44.625	2004
21.01.2020 12:58:31	1	1	1	1	87	64.5	0	21943.128	109.6774194	2474.655505	30000	0	0	30000	44.5	2004
21.01.2020 12:58:32	1	1	1	1	87	64.5	0	21943.128	107.5268817	2406.164216	30000	0	0	30000	44.875	2004
21.01.2020 12:58:33	1	1	1	1	87	64.75	0	21943.128	109.6774194	2406.164216	30000	0	0	30000	44.625	2004
21.01.2020 12:58:34	1	1	1	1	87	64.5	0	21943.128	111.827957	2406.164216	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:35	1	1	1	1	87	64.75	0	21943.128	105.3763441	2406.164216	30000	0	0	30000	44.5	2004
21.01.2020 12:58:42	1	1	1	1	87.25	64.5	0	21943.128	105.3763441	2311.581007	30000	0	0	30000	44.375	2004
21.01.2020 12:58:42	1	1	1	1	87.25	64.5	0	21943.128	105.3763441	2311.581007	30000	0	0	30000	44.375	2004
21.01.2020 12:58:42	1	1	1	1	87.25	64.5	0	21943.128	105.3763441	2311.581007	30000	0	0	30000	44.375	2004
21.01.2020 12:58:42	1	1	1	1	87.25	64.5	0	21943.128	105.3763441	2311.581007	30000	0	0	30000	44.375	2004
21.01.2020 12:58:42	1	1	1	1	87.25	64.5	0	21943.128	105.3763441	2311.581007	30000	0	0	30000	44.375	2004
21.01.2020 12:58:42	1	1	1	1	87.25	64.25	0	21943.128	103.2258065	2311.581007	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:43	1	1	1	1	87.25	64.5	0	21943.128	103.2258065	2284.673715	30000	0	0	30000	44.375	2004
21.01.2020 12:58:44	1	1	1	1	87.25	64.25	0	22132.701	105.3763441	2265.104775	30000	0	0	30000	44.5	2004
21.01.2020 12:58:45	1	1	1	1	87.25	64.5	0	21943.128	103.2258065	2265.104775	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:46	1	1	1	1	87.25	64.5	0	21943.128	105.3763441	2331.965319	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:47	1	1	1	1	87.25	64.25	0	21943.128	107.5268817	2358.872612	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:48	1	1	1	1	87	64.5	0	21943.128	109.6774194	2406.164216	30000	0	0	30000	44.375	2004
21.01.2020 12:58:49	1	1	1	1	87	64.25	0	21943.128	109.6774194	2406.164216	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:50	1	1	1	1	87	64.5	0	22748.815	120.4301075	2739.651564	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:51	1	1	1	1	87	64.25	0	22748.815	126.8817204	2935.340962	30000	0	0	30000	44.5	2004
21.01.2020 12:58:52	1	1	1	1	87	64.5	0	22559.242	124.7311828	2861.957438	30000	0	0	30000	44.4375	2004
21.01.2020 12:58:53	1	1	1	1	87	64.25	0	21943.128	137.6344086	3020.1397	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:54	1	1	1	1	87	64.5	0	22369.668	124.7311828	2790.204658	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:55	1	1	1	1	87	64.5	0	23080.569	120.4301075	2828.527165	30000	0	0	30000	44.5625	2004
21.01.2020 12:58:56	1	1	1	1	87	64.5	0	23791.469	139.7849462	3274.535917	30000	0	0	30000	44.5	2004
21.01.2020 12:58:57	1	1	1	1	87	64.5	0	23649.289	161.2903226	3762.944038	30000	0	0	30000	44.375	2004
21.01.2020 12:58:58	1	1	1	1	86.5	64.25	0	22322.275	137.6344086	3078.84652	30000	0	0	30000	44.5625	2004
21.01.2020 12:59:00	1	1	1	1	86.5	64.5	0	23744.076	152.688172	3625.146088	30000	0	0	30000	43.75	2004
21.01.2020 12:59:01	1	1	1	1	86.5	63.75	0	23554.502	167.7419355	3950.479711	30000	0	0	30000	44.5	2004
21.01.2020 12:59:02	1	1	1	1	86.5	64.5	0	20000	137.6344086	2752.697524	30000	0	0	30000	44.375	2004
21.01.2020 12:59:03	1	1	1	1	86.5	64.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.5625	2004
21.01.2020 12:59:04	1	1	1	1	86.5	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:05	1	1	1	1	86.5	64.25	0	23507.109	169.8924731	3993.694453	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:06	1	1	1	1	86.5	64.25	0	23554.502	167.7419355	4001.032805	30000	0	0	30000	44.375	2004
21.01.2020 12:59:07	1	1	1	1	86.5	64.25	0	23507.109	167.7419355	4001.032805	30000	0	0	30000	44.375	2004
21.01.2020 12:59:08	1	1	1	1	86.5	64.25	0	23649.289	169.8924731	4017.340255	30000	0	0	30000	44.5625	2004
21.01.2020 12:59:09	1	1	1	1	86	64.5	0	0	0	0	30000	0	8	30000	44.4375	2004
21.01.2020 12:59:10	1	1	1	1	86	64.25	0	0	0	0	30000	0	8	30000	44.625	2004
21.01.2020 12:59:11	1	1	1	1	86	64.5	0	10663.507	0	0	30000	0	0	30000	44.875	2004
21.01.2020 12:59:12	1	1	1	1	86	64.75	0	11421.801	0	0	30000	0	0	30000	45	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:59:13	1	1	1	1	86	65	0	12180.095	0	0	30000	0	0	30000	43.8125	2004
21.01.2020 12:59:14	1	1	1	1	86	64.75	0	12938.389	2.150537634	27.72266464	30000	0	0	30000	44.5625	2004
21.01.2020 12:59:15	1	1	1	1	86	64.5	0	13744.076	6.451612903	88.06022885	30000	0	0	30000	44.5	2004
21.01.2020 12:59:16	1	1	1	1	86	64.5	0	14454.976	10.75268817	185.9049276	30000	0	0	30000	44.375	2004
21.01.2020 12:59:17	1	1	1	1	86	64.25	0	15213.27	17.20430108	294.3494686	30000	0	0	30000	44.375	2004
21.01.2020 12:59:18	1	1	1	1	86.75	64.25	0	16066.351	27.95698925	414.2092246	30000	0	0	30000	44.5	2004
21.01.2020 12:59:19	1	1	1	1	86.75	64.5	0	16729.858	34.40860215	577.2837224	30000	0	0	30000	44.625	2004
21.01.2020 12:59:20	1	1	1	1	86.75	64.5	0	17535.545	47.31182796	829.2338217	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:21	1	1	1	1	86.75	64.25	0	17867.299	47.31182796	806.4033919	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:22	1	1	1	1	86.75	64.25	0	19099.526	60.21505376	1149.67521	30000	0	0	30000	44.5	2004
21.01.2020 12:59:23	1	1	1	1	86.75	64.5	0	19289.1	66.66666667	1285.842416	30000	0	0	30000	44.5	2004
21.01.2020 12:59:24	1	1	1	1	86.75	64.5	0	19431.28	70.96774194	1378.794879	30000	0	0	30000	44.5	2004
21.01.2020 12:59:25	1	1	1	1	86.75	64.5	0	19478.673	70.96774194	1382.056369	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:26	1	1	1	1	86.75	64.25	0	19668.246	75.2688172	1479.901068	30000	0	0	30000	44.5	2004
21.01.2020 12:59:27	1	1	1	1	86.75	64.5	0	19668.246	77.41935484	1529.63879	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:28	1	1	1	1	86.5	64.25	0	19668.246	79.56989247	1564.699807	30000	0	0	30000	44.5625	2004
21.01.2020 12:59:29	1	1	1	1	86.5	64.5	0	19668.246	79.56989247	1572.038159	30000	0	0	30000	44.375	2004
21.01.2020 12:59:30	1	1	1	1	86.5	64.25	0	19763.033	79.56989247	1572.038159	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:31	1	1	1	1	86.5	64.25	0	19668.246	75.2688172	1522.300438	30000	0	0	30000	44.5	2004
21.01.2020 12:59:32	1	1	1	1	86.5	64.5	0	19668.246	79.56989247	1479.901068	30000	0	0	30000	44.5	2004
21.01.2020 12:59:33	1	1	1	1	86.5	64.5	0	19668.246	79.56989247	1479.901068	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:34	1	1	1	1	86.5	64.25	0	19668.246	75.2688172	1522.300438	30000	0	0	30000	44.5625	2004
21.01.2020 12:59:35	1	1	1	1	86.5	64.5	0	19763.033	77.41935484	1479.901068	30000	0	0	30000	44.5	2004
21.01.2020 12:59:36	1	1	1	1	86.5	64.5	0	19668.246	75.2688172	1479.901068	30000	0	0	30000	44.5625	2004
21.01.2020 12:59:43	1	1	1	1	86.5	64.5	0	19668.246	79.56989247	1572.038159	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:43	1	1	1	1	86.5	64.5	0	19668.246	79.56989247	1572.038159	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:43	1	1	1	1	86.5	64.5	0	19668.246	79.56989247	1572.038159	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:43	1	1	1	1	86.5	64.5	0	19668.246	79.56989247	1572.038159	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:43	1	1	1	1	86.5	64.5	0	19668.246	79.56989247	1572.038159	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:43	1	1	1	1	86.5	64.5	0	19668.246	79.56989247	1572.038159	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:44	1	1	1	1	86.5	64.25	0	20236.967	88.17204301	1784.035007	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:45	1	1	1	1	86.5	64.25	0	20853.081	103.2258065	2018.046911	30000	0	0	30000	44.5	2004
21.01.2020 12:59:46	1	1	1	1	86.5	64.5	0	21563.981	105.3763441	2271.627755	30000	0	0	30000	44.625	2004
21.01.2020 12:59:47	1	1	1	1	86.5	64.5	0	22227.488	129.0322581	2819.558068	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:48	1	1	1	1	86.5	64.25	0	21895.735	109.6774194	2406.164216	30000	0	0	30000	44.3125	2004
21.01.2020 12:59:49	1	1	1	1	86.25	64.25	0	22796.209	139.7849462	3186.475688	30000	0	0	30000	44.625	2004
21.01.2020 12:59:50	1	1	1	1	86.25	64.5	0	23080.569	144.0860215	3325.089011	30000	0	0	30000	44.5	2004
21.01.2020 12:59:51	1	1	1	1	86.25	64.5	0	23317.536	159.1397849	3702.606474	30000	0	0	30000	44.625	2004
21.01.2020 12:59:52	1	1	1	1	86.25	64.5	0	23175.355	148.3870968	3495.501862	30000	0	0	30000	44.5	2004
21.01.2020 12:59:53	1	1	1	1	86.25	64.5	0	23364.929	163.4408602	3818.389368	30000	0	0	30000	44.375	2004
21.01.2020 12:59:54	1	1	1	1	86.25	64.25	0	21943.128	137.6344086	3020.1397	30000	0	0	30000	44.3125	2004
21.01.2020 12:59:55	1	1	1	1	86.25	64.25	0	23222.749	144.0860215	3352.811676	30000	0	0	30000	44.375	2004
21.01.2020 12:59:56	1	1	1	1	86.25	64.25	0	23554.502	169.8924731	3993.694453	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 12:59:57	1	1	1	1	86.25	64.25	0	23459.716	152.688172	3589.269698	30000	0	0	30000	44.4375	2004
21.01.2020 12:59:58	1	1	1	1	86.25	64.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.375	2004
21.01.2020 12:59:59	1	1	1	1	86.25	64.25	0	23601.896	169.8924731	4009.18653	30000	0	0	30000	44.375	2004
21.01.2020 13:00:00	1	1	1	1	86.25	64.25	0	23601.896	169.8924731	4001.032805	30000	0	0	30000	44.375	2004
21.01.2020 13:00:01	1	1	1	1	86.25	64.25	0	23886.256	159.1397849	3639.822792	30000	0	0	30000	44.5	2004
21.01.2020 13:00:02	1	1	1	1	86.25	64.5	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	43.8125	2004
21.01.2020 13:00:03	1	1	1	1	86.25	63.75	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.25	2004
21.01.2020 13:00:04	1	1	1	1	86.25	64.25	0	23601.896	169.8924731	3950.479711	30000	0	0	30000	44.3125	2004
21.01.2020 13:00:05	1	1	1	1	86.25	64.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.1875	2004
21.01.2020 13:00:06	1	1	1	1	86.25	64	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.4375	2004
21.01.2020 13:00:07	1	1	1	1	86.25	64.25	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.3125	2004
21.01.2020 13:00:08	1	1	1	1	85.75	64.25	0	23601.896	169.8924731	4017.340255	30000	0	0	30000	44.25	2004
21.01.2020 13:00:09	1	1	1	1	85.75	64.25	0	23601.896	169.8924731	4001.032805	30000	0	0	30000	44.4375	2004
21.01.2020 13:00:10	1	1	1	1	85.75	64.25	0	23838.863	152.688172	3639.822792	30000	0	0	30000	44.5	2004
21.01.2020 13:00:11	1	1	1	1	85.75	64.5	0	23270.142	174.1935484	3952.925828	30000	0	0	30000	44.375	2004
21.01.2020 13:00:12	1	1	1	1	85.75	64.25	0	23412.322	169.8924731	3977.387003	30000	0	0	30000	44.5	2004
21.01.2020 13:00:13	1	1	1	1	85.75	64.5	0	23412.322	169.8924731	3977.387003	30000	0	0	30000	44.375	2004
21.01.2020 13:00:14	1	1	1	1	85.75	64.25	0	23317.536	169.8924731	3961.079553	30000	0	0	30000	44.5	2004
21.01.2020 13:00:15	1	1	1	1	85.75	64.5	0	23791.469	189.2473118	4502.486886	30000	0	0	30000	44.0625	2004
21.01.2020 13:00:17	1	1	1	1	85.75	64	0	24170.616	206.4516129	4990.079635	30000	0	0	30000	44.375	2004
21.01.2020 13:00:18	1	1	1	1	85.75	64.25	0	24218.009	193.5483871	4686.761069	30000	0	0	30000	44.5625	2004
21.01.2020 13:00:19	1	1	1	1	86.25	64.5	0	24218.009	206.4516129	5039.001984	30000	0	0	30000	44.25	2004
21.01.2020 13:00:20	1	1	1	1	86.25	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.375	2004
21.01.2020 13:00:21	1	1	1	1	86.25	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.375	2004
21.01.2020 13:00:22	1	1	1	1	86.25	64.25	0	24218.009	195.6989247	5039.001984	30000	0	0	30000	44.375	2004
21.01.2020 13:00:23	1	1	1	1	86.25	64.25	0	24360.19	206.4516129	4738.944908	30000	0	0	30000	44.1875	2004
21.01.2020 13:00:24	1	1	1	1	86.25	64	0	24218.009	189.2473118	4671.268991	30000	0	0	30000	44.5	2004
21.01.2020 13:00:25	1	1	1	1	86.25	64.5	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.375	2004
21.01.2020 13:00:26	1	1	1	1	86.25	64.25	0	24407.583	193.5483871	4634.577229	30000	0	0	30000	44.5625	2004
21.01.2020 13:00:27	1	1	1	1	86.25	64.5	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	43.5625	2004
21.01.2020 13:00:28	1	1	1	1	86.25	63.5	0	24407.583	195.6989247	4738.944908	30000	0	0	30000	44.75	2004
21.01.2020 13:00:29	1	1	1	1	86	64.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.3125	2004
21.01.2020 13:00:30	1	1	1	1	86	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.5	2004
21.01.2020 13:00:31	1	1	1	1	86	64.5	0	24407.583	206.4516129	4999.864105	30000	0	0	30000	44.8125	2004
21.01.2020 13:00:32	1	1	1	1	86	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	43.8125	2004
21.01.2020 13:00:33	1	1	1	1	86	63.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.3125	2004
21.01.2020 13:00:34	1	1	1	1	86	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.3125	2004
21.01.2020 13:00:35	1	1	1	1	86	64.25	0	23270.142	189.2473118	4403.826815	30000	0	0	30000	43.3125	2004
21.01.2020 13:00:36	1	1	1	1	86	63.25	0	24218.009	195.6989247	4738.944908	30000	0	0	30000	44.375	2004
21.01.2020 13:00:37	1	1	1	1	86	64.25	0	24407.583	195.6989247	4776.452043	30000	0	0	30000	44.375	2004
21.01.2020 13:00:38	1	1	1	1	85.5	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.375	2004
21.01.2020 13:00:45	1	1	1	1	85.5	64.25	0	24218.009	206.4516129	5039.001984	30000	0	0	30000	44.125	2004
21.01.2020 13:00:45	1	1	1	1	85.5	64.25	0	24218.009	206.4516129	5039.001984	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:00:45	1	1	1	1	85.5	64.25	0	24218.009	206.4516129	5039.001984	30000	0	0	30000	44.125	2004
21.01.2020 13:00:45	1	1	1	1	85.5	64.25	0	24218.009	206.4516129	5039.001984	30000	0	0	30000	44.125	2004
21.01.2020 13:00:45	1	1	1	1	85.5	64.25	0	24218.009	206.4516129	5039.001984	30000	0	0	30000	44.125	2004
21.01.2020 13:00:45	1	1	1	1	85.5	64.25	0	24218.009	206.4516129	5039.001984	30000	0	0	30000	44.125	2004
21.01.2020 13:00:45	1	1	1	1	85.5	64	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.375	2004
21.01.2020 13:00:46	1	1	1	1	85.5	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.3125	2004
21.01.2020 13:00:47	1	1	1	1	85.5	64.25	0	24407.583	206.4516129	4583.208763	30000	0	0	30000	44.3125	2004
21.01.2020 13:00:48	1	1	1	1	85.25	64.25	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.5	2004
21.01.2020 13:00:49	1	1	1	1	85.25	64.5	0	24407.583	189.2473118	4671.268991	30000	0	0	30000	44.25	2004
21.01.2020 13:00:50	1	1	1	1	85.25	64.25	0	24407.583	195.6989247	4776.452043	30000	0	0	30000	44.375	2004
21.01.2020 13:00:51	1	1	1	1	85.25	64.25	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.5	2004
21.01.2020 13:00:52	1	1	1	1	85.25	64.5	0	24218.009	191.3978495	4671.268991	30000	0	0	30000	44.375	2004
21.01.2020 13:00:53	1	1	1	1	85.25	64.25	0	24360.19	206.4516129	4776.452043	30000	0	0	30000	44.375	2004
21.01.2020 13:00:55	1	1	1	1	85.25	64.25	0	24407.583	193.5483871	4634.577229	30000	0	0	30000	44.3125	2004
21.01.2020 13:00:56	1	1	1	1	85.25	64.25	0	24454.976	206.4516129	4671.268991	30000	0	0	30000	44.375	2004
21.01.2020 13:00:57	1	1	1	1	85.25	64.25	0	24407.583	191.3978495	4723.452831	30000	0	0	30000	44.5	2004
21.01.2020 13:00:58	1	1	1	1	85.25	64.5	0	24407.583	189.2473118	4619.085152	30000	0	0	30000	43.9375	2004
21.01.2020 13:00:59	1	1	1	1	84.75	63.75	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.4375	2004
21.01.2020 13:01:00	1	1	1	1	84.75	64.25	0	24407.583	191.3978495	4723.452831	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:01	1	1	1	1	84.75	64.25	0	24407.583	189.2473118	4583.208763	30000	0	0	30000	44.4375	2004
21.01.2020 13:01:02	1	1	1	1	84.75	64.25	0	24407.583	189.2473118	4583.208763	30000	0	0	30000	44.4375	2004
21.01.2020 13:01:03	1	1	1	1	84.75	64.25	0	24218.009	191.3978495	4723.452831	30000	0	0	30000	44.1875	2004
21.01.2020 13:01:04	1	1	1	1	84.75	64	0	24360.19	193.5483871	4671.268991	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:05	1	1	1	1	84.75	64.25	0	24360.19	191.3978495	4671.268991	30000	0	0	30000	44.25	2004
21.01.2020 13:01:06	1	1	1	1	84.75	64.25	0	24407.583	193.5483871	4686.761069	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:07	1	1	1	1	84.75	64.25	0	24218.009	206.4516129	4738.944908	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:08	1	1	1	1	84.75	64.25	0	24218.009	193.5483871	4776.452043	30000	0	0	30000	44.625	2004
21.01.2020 13:01:09	1	1	1	1	84.75	64.5	0	24407.583	206.4516129	4776.452043	30000	0	0	30000	44.375	2004
21.01.2020 13:01:10	1	1	1	1	84.75	64.5	0	24218.009	206.4516129	4686.761069	30000	0	0	30000	44.375	2004
21.01.2020 13:01:11	1	1	1	1	84.75	64.25	0	24218.009	193.5483871	5039.001984	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:12	1	1	1	1	84.75	64.25	0	24407.583	206.4516129	4776.452043	30000	0	0	30000	44.375	2004
21.01.2020 13:01:13	1	1	1	1	84.75	64.25	0	24218.009	193.5483871	4776.452043	30000	0	0	30000	43.6875	2004
21.01.2020 13:01:14	1	1	1	1	84.75	63.5	0	24407.583	193.5483871	4776.452043	30000	0	0	30000	44.375	2004
21.01.2020 13:01:15	1	1	1	1	84.75	64.25	0	24407.583	193.5483871	4634.577229	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:16	1	1	1	1	84.75	64.25	0	24218.009	191.3978495	4723.452831	30000	0	0	30000	43.75	2004
21.01.2020 13:01:17	1	1	1	1	84.75	63.75	0	24407.583	191.3978495	4610.116055	30000	0	0	30000	44.375	2004
21.01.2020 13:01:18	1	1	1	1	85	64.25	0	23744.076	178.4946237	4340.227761	30000	0	0	30000	44.1875	2004
21.01.2020 13:01:19	1	1	1	1	85	64	0	24407.583	184.9462366	4460.902889	30000	0	0	30000	44.4375	2004
21.01.2020 13:01:20	1	1	1	1	85	64.25	0	24407.583	182.7956989	4513.902101	30000	0	0	30000	44.25	2004
21.01.2020 13:01:21	1	1	1	1	85	64.25	0	24407.583	180.6451613	4356.535211	30000	0	0	30000	44.25	2004
21.01.2020 13:01:22	1	1	1	1	85	64.25	0	24407.583	176.344086	4251.352159	30000	0	0	30000	43.8125	2004
21.01.2020 13:01:23	1	1	1	1	85	63.75	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:24	1	1	1	1	85	64.25	0	24407.583	189.2473118	4619.085152	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:01:25	1	1	1	1	85	64.25	0	24407.583	189.2473118	4619.085152	30000	0	0	30000	44.375	2004
21.01.2020 13:01:26	1	1	1	1	85	64.25	0	24407.583	189.2473118	4619.085152	30000	0	0	30000	44.375	2004
21.01.2020 13:01:27	1	1	1	1	85	64.25	0	24407.583	189.2473118	4619.085152	30000	0	0	30000	43.5625	2004
21.01.2020 13:01:28	1	1	1	1	84.75	63.5	0	24407.583	189.2473118	4619.085152	30000	0	0	30000	44.25	2004
21.01.2020 13:01:29	1	1	1	1	84.75	64.25	0	24407.583	189.2473118	4637.023347	30000	0	0	30000	44.1875	2004
21.01.2020 13:01:30	1	1	1	1	84.75	64	0	24407.583	180.6451613	4356.535211	30000	0	0	30000	43.75	2004
21.01.2020 13:01:31	1	1	1	1	84.75	63.75	0	24407.583	169.8924731	4146.169108	30000	0	0	30000	44.25	2004
21.01.2020 13:01:33	1	1	1	1	84.75	64.25	0	24454.976	169.8924731	4146.169108	30000	0	0	30000	44.375	2004
21.01.2020 13:01:34	1	1	1	1	84.75	64.25	0	24407.583	163.4408602	3988.802218	30000	0	0	30000	44.375	2004
21.01.2020 13:01:35	1	1	1	1	84.75	64.25	0	24407.583	165.5913978	4040.986057	30000	0	0	30000	44.25	2004
21.01.2020 13:01:36	1	1	1	1	84.75	64.25	0	24407.583	163.4408602	3988.802218	30000	0	0	30000	43.9375	2004
21.01.2020 13:01:37	1	1	1	1	84.75	63.75	0	24407.583	165.5913978	4093.985269	30000	0	0	30000	44.1875	2004
21.01.2020 13:01:38	1	1	1	1	84.75	64	0	24407.583	167.7419355	4093.985269	30000	0	0	30000	44.125	2004
21.01.2020 13:01:39	1	1	1	1	84.75	64	0	24218.009	163.4408602	4093.985269	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:40	1	1	1	1	84.75	64.25	0	24407.583	169.8924731	4146.169108	30000	0	0	30000	44.1875	2004
21.01.2020 13:01:47	1	1	1	1	84.75	64	0	24502.37	152.688172	3740.928981	30000	0	0	30000	44.125	2004
21.01.2020 13:01:47	1	1	1	1	84.75	64	0	24502.37	152.688172	3740.928981	30000	0	0	30000	44.125	2004
21.01.2020 13:01:47	1	1	1	1	84.75	64	0	24502.37	152.688172	3740.928981	30000	0	0	30000	44.125	2004
21.01.2020 13:01:47	1	1	1	1	84.75	64	0	24502.37	152.688172	3740.928981	30000	0	0	30000	44.125	2004
21.01.2020 13:01:47	1	1	1	1	84.75	64	0	24502.37	152.688172	3740.928981	30000	0	0	30000	44.125	2004
21.01.2020 13:01:49	1	1	1	1	84.75	64.25	0	24454.976	150.5376344	3621.069225	30000	0	0	30000	44.375	2004
21.01.2020 13:01:49	1	1	1	1	84.75	64.25	0	24454.976	150.5376344	3621.069225	30000	0	0	30000	44.375	2004
21.01.2020 13:01:49	1	1	1	1	84.75	64.25	0	24454.976	150.5376344	3621.069225	30000	0	0	30000	44.375	2004
21.01.2020 13:01:50	1	1	1	1	84.75	64.25	0	24407.583	150.5376344	3674.068437	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:51	1	1	1	1	84.75	64.25	0	24407.583	148.3870968	3687.929769	30000	0	0	30000	44.1875	2004
21.01.2020 13:01:52	1	1	1	1	84.75	64	0	24502.37	152.688172	3635.74593	30000	0	0	30000	44.25	2004
21.01.2020 13:01:53	1	1	1	1	84.75	64.25	0	24549.763	152.688172	3748.267333	30000	0	0	30000	44.1875	2004
21.01.2020 13:01:54	1	1	1	1	84.75	64	0	24549.763	152.688172	3748.267333	30000	0	0	30000	43.625	2004
21.01.2020 13:01:55	1	1	1	1	84.75	63.5	0	24549.763	152.688172	3755.605686	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:56	1	1	1	1	84.75	64.25	0	24549.763	152.688172	3748.267333	30000	0	0	30000	44.3125	2004
21.01.2020 13:01:57	1	1	1	1	84.75	64.25	0	24502.37	156.9892473	3853.450385	30000	0	0	30000	44.375	2004
21.01.2020 13:01:58	1	1	1	1	84	64.25	0	24549.763	161.2903226	4019.786372	30000	0	0	30000	44.125	2004
21.01.2020 13:01:59	1	1	1	1	84	64	0	24549.763	167.7419355	4012.44802	30000	0	0	30000	44.3125	2004
21.01.2020 13:02:00	1	1	1	1	84	64.25	0	22132.701	144.0860215	3188.921806	30000	0	0	30000	43.5	2004
21.01.2020 13:02:01	1	1	1	1	84	63.5	0	24597.156	169.8924731	4162.476558	30000	0	0	30000	44.1875	2004
21.01.2020 13:02:02	1	1	1	1	84	64	0	24502.37	169.8924731	4170.630283	30000	0	0	30000	44.25	2004
21.01.2020 13:02:03	1	1	1	1	84	64.25	0	24502.37	169.8924731	4381.811758	30000	0	0	30000	44.25	2004
21.01.2020 13:02:04	1	1	1	1	84	64.25	0	24549.763	178.4946237	4381.811758	30000	0	0	30000	44.3125	2004
21.01.2020 13:02:05	1	1	1	1	84	64.25	0	24549.763	174.1935484	4328.812546	30000	0	0	30000	44.1875	2004
21.01.2020 13:02:06	1	1	1	1	84	64	0	24549.763	178.4946237	4486.994809	30000	0	0	30000	44.125	2004
21.01.2020 13:02:07	1	1	1	1	84	64	0	24549.763	182.7956989	4486.994809	30000	0	0	30000	44	2004
21.01.2020 13:02:08	1	1	1	1	83.75	64	0	24549.763	184.9462366	4548.963118	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:02:09	1	1	1	1	83.75	64	0	24549.763	184.9462366	4539.994021	30000	0	0	30000	44.3125	2004
21.01.2020 13:02:10	1	1	1	1	83.75	64.25	0	24502.37	182.7956989	4645.992444	30000	0	0	30000	44.1875	2004
21.01.2020 13:02:12	1	1	1	1	83.75	64	0	24549.763	182.7956989	4495.963906	30000	0	0	30000	43.5	2004
21.01.2020 13:02:13	1	1	1	1	83.75	63.5	0	24502.37	191.3978495	4698.176284	30000	0	0	30000	44.25	2004
21.01.2020 13:02:14	1	1	1	1	83.75	64.25	0	24549.763	193.5483871	4698.176284	30000	0	0	30000	44.3125	2004
21.01.2020 13:02:15	1	1	1	1	83.75	64.25	0	24502.37	195.6989247	4804.174707	30000	0	0	30000	44.25	2004
21.01.2020 13:02:16	1	1	1	1	83.75	64.25	0	24549.763	191.3978495	4698.176284	30000	0	0	30000	44.1875	2004
21.01.2020 13:02:17	1	1	1	1	83.75	64	0	23981.043	191.3978495	4580.762645	30000	0	0	30000	44.25	2004
21.01.2020 13:02:18	1	1	1	1	83.75	64.25	0	24549.763	195.6989247	5078.139864	30000	0	0	30000	44.4375	2004
21.01.2020 13:02:19	1	1	1	1	83.5	64.25	0	24549.763	206.4516129	5068.355394	30000	0	0	30000	44.25	2004
21.01.2020 13:02:20	1	1	1	1	83.5	64.25	0	24360.19	191.3978495	4671.268991	30000	0	0	30000	44.25	2004
21.01.2020 13:02:21	1	1	1	1	83.5	64.25	0	24597.156	191.3978495	4813.143805	30000	0	0	30000	44.25	2004
21.01.2020 13:02:22	1	1	1	1	83.5	64.25	0	23649.289	189.2473118	4475.579594	30000	0	0	30000	44	2004
21.01.2020 13:02:23	1	1	1	1	83.5	64	0	24597.156	191.3978495	4654.961542	30000	0	0	30000	44.1875	2004
21.01.2020 13:02:24	1	1	1	1	83.5	64	0	24549.763	189.2473118	4654.961542	30000	0	0	30000	43.875	2004
21.01.2020 13:02:25	1	1	1	1	83.5	63.75	0	24597.156	191.3978495	4707.145381	30000	0	0	30000	44.5625	2004
21.01.2020 13:02:26	1	1	1	1	83.5	64.5	0	24597.156	191.3978495	4707.145381	30000	0	0	30000	44.6875	2004
21.01.2020 13:02:27	1	1	1	1	83.5	63.75	0	24597.156	191.3978495	4707.145381	30000	0	0	30000	44	2004
21.01.2020 13:02:28	1	1	1	1	83.75	64	0	24597.156	189.2473118	4654.961542	30000	0	0	30000	44.125	2004
21.01.2020 13:02:29	1	1	1	1	83.75	64	0	24597.156	191.3978495	4707.145381	30000	0	0	30000	44	2004
21.01.2020 13:02:30	1	1	1	1	83.75	64	0	24597.156	189.2473118	4654.961542	30000	0	0	30000	44.25	2004
21.01.2020 13:02:31	1	1	1	1	83.75	64.25	0	24597.156	189.2473118	4654.961542	30000	0	0	30000	44.125	2004
21.01.2020 13:02:32	1	1	1	1	83.75	64	0	24597.156	189.2473118	4654.961542	30000	0	0	30000	44.1875	2004
21.01.2020 13:02:33	1	1	1	1	83.75	64	0	24597.156	189.2473118	4654.961542	30000	0	0	30000	44.25	2004
21.01.2020 13:02:34	1	1	1	1	83.75	64.25	0	24549.763	189.2473118	4654.961542	30000	0	0	30000	44.25	2004
21.01.2020 13:02:35	1	1	1	1	83.75	64.25	0	24597.156	191.3978495	4539.994021	30000	0	0	30000	44.3125	2004
21.01.2020 13:02:36	1	1	1	1	83.75	64.25	0	24597.156	193.5483871	4813.143805	30000	0	0	30000	44.1875	2004
21.01.2020 13:02:37	1	1	1	1	83.75	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:02:38	1	1	1	1	84	64	0	24549.763	189.2473118	4654.961542	30000	0	0	30000	44.0625	2004
21.01.2020 13:02:39	1	1	1	1	84	64	0	24597.156	206.4516129	4760.144593	30000	0	0	30000	44.25	2004
21.01.2020 13:02:40	1	1	1	1	84	64.25	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44	2004
21.01.2020 13:02:41	1	1	1	1	84	64	0	24597.156	193.5483871	4760.144593	30000	0	0	30000	44.0625	2004
21.01.2020 13:02:48	1	1	1	1	84	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:02:48	1	1	1	1	84	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:02:48	1	1	1	1	84	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:02:48	1	1	1	1	84	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:02:48	1	1	1	1	84	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:02:48	1	1	1	1	84.5	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.0625	2004
21.01.2020 13:02:50	1	1	1	1	84.5	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	43.9375	2004
21.01.2020 13:02:51	1	1	1	1	84.5	63.75	0	24597.156	206.4516129	4698.176284	30000	0	0	30000	44.25	2004
21.01.2020 13:02:52	1	1	1	1	84.5	64.25	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.375	2004
21.01.2020 13:02:53	1	1	1	1	84.5	64.25	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:02:54	1	1	1	1	84.5	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	43.8125	2004
21.01.2020 13:02:55	1	1	1	1	84.5	63.75	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	43.6875	2004
21.01.2020 13:02:56	1	1	1	1	84.5	63.5	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	43.125	2004
21.01.2020 13:02:57	1	1	1	1	84.5	63	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	43.5	2004
21.01.2020 13:02:58	1	1	1	1	84.5	63.5	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:02:59	1	1	1	1	84.5	64	0	24691.943	208.6021505	5097.708803	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:00	1	1	1	1	84.5	64	0	24644.55	208.6021505	5130.323703	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:01	1	1	1	1	84.5	64	0	24549.763	206.4516129	5078.139864	30000	0	0	30000	44.3125	2004
21.01.2020 13:03:02	1	1	1	1	84.5	64.25	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.0625	2004
21.01.2020 13:03:03	1	1	1	1	84.5	64	0	24691.943	208.6021505	5150.708015	30000	0	0	30000	44.5	2004
21.01.2020 13:03:04	1	1	1	1	84.5	64.5	0	24691.943	210.7526882	5150.708015	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:05	1	1	1	1	84.5	64	0	24644.55	208.6021505	5150.708015	30000	0	0	30000	43.5625	2004
21.01.2020 13:03:06	1	1	1	1	84.5	64.5	0	24691.943	212.9032258	5183.322915	30000	0	0	30000	44.0625	2004
21.01.2020 13:03:07	1	1	1	1	84.5	64	0	24597.156	212.9032258	5236.322126	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:08	1	1	1	1	85.25	64	0	24597.156	208.6021505	5078.139864	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:09	1	1	1	1	85.25	64	0	24597.156	212.9032258	5256.706439	30000	0	0	30000	44.125	2004
21.01.2020 13:03:10	1	1	1	1	85.25	64	0	24691.943	212.9032258	5256.706439	30000	0	0	30000	44.25	2004
21.01.2020 13:03:11	1	1	1	1	85.25	64.25	0	24691.943	212.9032258	5236.322126	30000	0	0	30000	43.5	2004
21.01.2020 13:03:12	1	1	1	1	85.25	63.5	0	24597.156	215.0537634	5256.706439	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:13	1	1	1	1	85.25	64	0	24691.943	221.5053763	5362.704862	30000	0	0	30000	44.25	2004
21.01.2020 13:03:14	1	1	1	1	85.25	64.25	0	24597.156	210.7526882	5342.32055	30000	0	0	30000	44.125	2004
21.01.2020 13:03:15	1	1	1	1	85.25	64	0	24644.55	215.0537634	5362.704862	30000	0	0	30000	44.25	2004
21.01.2020 13:03:16	1	1	1	1	85.25	64.25	0	24644.55	217.2043011	5362.704862	30000	0	0	30000	44.0625	2004
21.01.2020 13:03:17	1	1	1	1	85.25	64	0	24691.943	212.9032258	5256.706439	30000	0	0	30000	44.125	2004
21.01.2020 13:03:18	1	1	1	1	85	64	0	24597.156	210.7526882	5203.707227	30000	0	0	30000	44	2004
21.01.2020 13:03:19	1	1	1	1	85	64	0	24691.943	208.6021505	5256.706439	30000	0	0	30000	44.125	2004
21.01.2020 13:03:20	1	1	1	1	85	64	0	24644.55	208.6021505	5150.708015	30000	0	0	30000	44.25	2004
21.01.2020 13:03:21	1	1	1	1	85	64.25	0	24597.156	208.6021505	5203.707227	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:22	1	1	1	1	85	64	0	24597.156	210.7526882	5130.323703	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:23	1	1	1	1	85	64	0	24691.943	208.6021505	5150.708015	30000	0	0	30000	44.125	2004
21.01.2020 13:03:24	1	1	1	1	85	64	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.25	2004
21.01.2020 13:03:25	1	1	1	1	85	64.25	0	24644.55	206.4516129	5097.708803	30000	0	0	30000	44.125	2004
21.01.2020 13:03:26	1	1	1	1	85	64	0	24644.55	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:03:27	1	1	1	1	85	64	0	24644.55	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:03:29	1	1	1	1	85	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:30	1	1	1	1	85	64	0	24691.943	206.4516129	5078.139864	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:31	1	1	1	1	85	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:03:32	1	1	1	1	85	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.125	2004
21.01.2020 13:03:33	1	1	1	1	85	64	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:34	1	1	1	1	85	64	0	24597.156	206.4516129	5097.708803	30000	0	0	30000	44.0625	2004
21.01.2020 13:03:35	1	1	1	1	85	64	0	24597.156	206.4516129	5097.708803	30000	0	0	30000	44	2004
21.01.2020 13:03:36	1	1	1	1	85	64	0	24644.55	206.4516129	5078.139864	30000	0	0	30000	44.0625	2004
21.01.2020 13:03:37	1	1	1	1	85	64	0	24644.55	206.4516129	5097.708803	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:03:38	1	1	1	1	85	64	0	24691.943	206.4516129	4831.897372	30000	0	0	30000	44.125	2004
21.01.2020 13:03:39	1	1	1	1	84.75	64	0	24691.943	193.5483871	4760.144593	30000	0	0	30000	44.125	2004
21.01.2020 13:03:40	1	1	1	1	84.75	64	0	24597.156	191.3978495	4725.898948	30000	0	0	30000	44.0625	2004
21.01.2020 13:03:41	1	1	1	1	84.75	64	0	24597.156	191.3978495	4707.145381	30000	0	0	30000	44.1875	2004
21.01.2020 13:03:42	1	1	1	1	84.75	64	0	24691.943	191.3978495	4831.897372	30000	0	0	30000	44.5625	2004
21.01.2020 13:03:43	1	1	1	1	84.75	64.5	0	24691.943	191.3978495	4707.145381	30000	0	0	30000	44.5	2004
21.01.2020 13:03:50	1	1	1	1	84.25	63.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	43.9375	2004
21.01.2020 13:03:50	1	1	1	1	84.25	63.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	43.9375	2004
21.01.2020 13:03:50	1	1	1	1	84.25	63.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	43.9375	2004
21.01.2020 13:03:50	1	1	1	1	84.25	63.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	43.9375	2004
21.01.2020 13:03:50	1	1	1	1	84.25	63.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	43.9375	2004
21.01.2020 13:03:50	1	1	1	1	84.25	63.75	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	43.3125	2004
21.01.2020 13:03:51	1	1	1	1	84.25	63.25	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.0625	2004
21.01.2020 13:03:52	1	1	1	1	84.25	64	0	24597.156	206.4516129	5097.708803	30000	0	0	30000	43.875	2004
21.01.2020 13:03:53	1	1	1	1	84.25	63.75	0	24691.943	206.4516129	5107.493273	30000	0	0	30000	43.625	2004
21.01.2020 13:03:54	1	1	1	1	84.25	63.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	43.5625	2004
21.01.2020 13:03:55	1	1	1	1	84.25	63.5	0	24739.336	206.4516129	5107.493273	30000	0	0	30000	43.9375	2004
21.01.2020 13:03:56	1	1	1	1	84.25	63.75	0	24739.336	206.4516129	5107.493273	30000	0	0	30000	44.0625	2004
21.01.2020 13:03:57	1	1	1	1	84.25	64	0	24786.73	206.4516129	5107.493273	30000	0	0	30000	44.0625	2004
21.01.2020 13:03:58	1	1	1	1	83.25	64	0	22890.995	178.4946237	4085.831544	30000	0	0	30000	44.125	2004
21.01.2020 13:03:59	1	1	1	1	83.25	64	0	24739.336	206.4516129	5107.493273	30000	0	0	30000	43.8125	2004
21.01.2020 13:04:00	1	1	1	1	83.25	63.75	0	24691.943	206.4516129	5170.276955	30000	0	0	30000	43.9375	2004
21.01.2020 13:04:01	1	1	1	1	83.25	63.75	0	24739.336	206.4516129	5097.708803	30000	0	0	30000	44.0625	2004
21.01.2020 13:04:02	1	1	1	1	83.25	64	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.125	2004
21.01.2020 13:04:03	1	1	1	1	83.25	64	0	24644.55	193.5483871	4707.145381	30000	0	0	30000	44	2004
21.01.2020 13:04:04	1	1	1	1	83.25	64	0	24739.336	206.4516129	5117.277743	30000	0	0	30000	44	2004
21.01.2020 13:04:06	1	1	1	1	83.25	64	0	24786.73	208.6021505	5170.276955	30000	0	0	30000	43.3125	2004
21.01.2020 13:04:07	1	1	1	1	83.25	63.25	0	24786.73	212.9032258	5277.090751	30000	0	0	30000	44.0625	2004
21.01.2020 13:04:08	1	1	1	1	83.25	64	0	24881.517	212.9032258	5296.659691	30000	0	0	30000	44.0625	2004
21.01.2020 13:04:09	1	1	1	1	83	64	0	24881.517	212.9032258	5296.659691	30000	0	0	30000	44.125	2004
21.01.2020 13:04:10	1	1	1	1	83	64	0	24928.91	217.2043011	5414.073329	30000	0	0	30000	44.0625	2004
21.01.2020 13:04:11	1	1	1	1	83	64	0	24928.91	219.3548387	5414.073329	30000	0	0	30000	44	2004
21.01.2020 13:04:12	1	1	1	1	83	64	0	24881.517	212.9032258	5286.875221	30000	0	0	30000	43.875	2004
21.01.2020 13:04:13	1	1	1	1	83	63.75	0	24928.91	217.2043011	5414.073329	30000	0	0	30000	43.1875	2004
21.01.2020 13:04:14	1	1	1	1	83	63	0	24976.303	215.0537634	5445.057484	30000	0	0	30000	43.875	2004
21.01.2020 13:04:15	1	1	1	1	83	63.75	0	24976.303	221.5053763	5489.087598	30000	0	0	30000	43.9375	2004
21.01.2020 13:04:16	1	1	1	1	83	63.75	0	24976.303	219.3548387	5552.686652	30000	0	0	30000	43.8125	2004
21.01.2020 13:04:17	1	1	1	1	83	63.75	0	24976.303	219.3548387	5498.872068	30000	0	0	30000	43.9375	2004
21.01.2020 13:04:18	1	1	1	1	83	63.75	0	25071.09	215.0537634	5317.044003	30000	0	0	30000	44	2004
21.01.2020 13:04:19	1	1	1	1	83	64	0	25071.09	212.9032258	5337.428315	30000	0	0	30000	44.1875	2004
21.01.2020 13:04:20	1	1	1	1	83	64	0	24976.303	217.2043011	5337.428315	30000	0	0	30000	44.4375	2004
21.01.2020 13:04:21	1	1	1	1	83	64.25	0	24976.303	212.9032258	5337.428315	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:04:22	1	1	1	1	83	64	0	25118.483	217.2043011	5455.657326	30000	0	0	30000	44.625	2004
21.01.2020 13:04:23	1	1	1	1	83	64.25	0	25118.483	215.0537634	5401.842742	30000	0	0	30000	44.25	2004
21.01.2020 13:04:24	1	1	1	1	83	64.25	0	25071.09	217.2043011	5509.47191	30000	0	0	30000	44	2004
21.01.2020 13:04:25	1	1	1	1	83	64	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.125	2004
21.01.2020 13:04:26	1	1	1	1	83	64	0	25118.483	208.6021505	5249.368086	30000	0	0	30000	44.125	2004
21.01.2020 13:04:27	1	1	1	1	83	64	0	25118.483	206.4516129	5249.368086	30000	0	0	30000	44.0625	2004
21.01.2020 13:04:28	1	1	1	1	84.25	64	0	25118.483	208.6021505	5293.398201	30000	0	0	30000	44.1875	2004
21.01.2020 13:04:29	1	1	1	1	84.25	64	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.125	2004
21.01.2020 13:04:30	1	1	1	1	84.25	64	0	25165.877	212.9032258	5303.182671	30000	0	0	30000	44.1875	2004
21.01.2020 13:04:31	1	1	1	1	84.25	64	0	25260.664	212.9032258	5377.381567	30000	0	0	30000	44.125	2004
21.01.2020 13:04:32	1	1	1	1	84.25	64	0	25260.664	215.0537634	5486.641481	30000	0	0	30000	44	2004
21.01.2020 13:04:33	1	1	1	1	84.25	64	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.1875	2004
21.01.2020 13:04:34	1	1	1	1	84.25	64	0	25260.664	212.9032258	5377.381567	30000	0	0	30000	44	2004
21.01.2020 13:04:35	1	1	1	1	84.25	64	0	25260.664	210.7526882	5323.566983	30000	0	0	30000	43.9375	2004
21.01.2020 13:04:36	1	1	1	1	84.25	63.75	0	24691.943	189.2473118	4725.898948	30000	0	0	30000	44.1875	2004
21.01.2020 13:04:37	1	1	1	1	84.25	64	0	25308.057	208.6021505	5387.98141	30000	0	0	30000	43.625	2004
21.01.2020 13:04:38	1	1	1	1	84.5	63.5	0	25308.057	212.9032258	5397.765879	30000	0	0	30000	43.9375	2004
21.01.2020 13:04:39	1	1	1	1	84.5	63.75	0	25260.664	212.9032258	5377.381567	30000	0	0	30000	44.125	2004
21.01.2020 13:04:40	1	1	1	1	84.5	64	0	25260.664	212.9032258	5387.98141	30000	0	0	30000	43.8125	2004
21.01.2020 13:04:41	1	1	1	1	84.5	63.75	0	22890.995	191.3978495	4380.996385	30000	0	0	30000	43.9375	2004
21.01.2020 13:04:42	1	1	1	1	84.5	63.75	0	25308.057	212.9032258	5377.381567	30000	0	0	30000	43.875	2004
21.01.2020 13:04:44	1	1	1	1	84.5	63.75	0	25308.057	212.9032258	5387.98141	30000	0	0	30000	43.8125	2004
21.01.2020 13:04:45	1	1	1	1	84.5	63.75	0	25308.057	210.7526882	5278.721496	30000	0	0	30000	44.125	2004
21.01.2020 13:04:52	1	1	1	1	84	64	0	25355.45	212.9032258	5288.505966	30000	0	0	30000	43.8125	2004
21.01.2020 13:04:52	1	1	1	1	84	64	0	25355.45	212.9032258	5288.505966	30000	0	0	30000	43.8125	2004
21.01.2020 13:04:52	1	1	1	1	84	64	0	25355.45	212.9032258	5288.505966	30000	0	0	30000	43.8125	2004
21.01.2020 13:04:52	1	1	1	1	84	64	0	25355.45	212.9032258	5288.505966	30000	0	0	30000	43.8125	2004
21.01.2020 13:04:52	1	1	1	1	84	64	0	25355.45	212.9032258	5288.505966	30000	0	0	30000	43.8125	2004
21.01.2020 13:04:52	1	1	1	1	84	63.75	0	23649.289	206.4516129	4882.450466	30000	0	0	30000	44.0625	2004
21.01.2020 13:04:53	1	1	1	1	84	64	0	25355.45	219.3548387	5507.025793	30000	0	0	30000	43.9375	2004
21.01.2020 13:04:54	1	1	1	1	84	63.75	0	25355.45	215.0537634	5397.765879	30000	0	0	30000	43.9375	2004
21.01.2020 13:04:55	1	1	1	1	84	63.75	0	25355.45	217.2043011	5452.395836	30000	0	0	30000	44	2004
21.01.2020 13:04:56	1	1	1	1	84	64	0	25355.45	215.0537634	5452.395836	30000	0	0	30000	44	2004
21.01.2020 13:04:57	1	1	1	1	84	64	0	25355.45	217.2043011	5507.025793	30000	0	0	30000	43.3125	2004
21.01.2020 13:04:58	1	1	1	1	84	63.25	0	25355.45	215.0537634	5397.765879	30000	0	0	30000	44	2004
21.01.2020 13:04:59	1	1	1	1	84.25	64	0	25355.45	217.2043011	5507.025793	30000	0	0	30000	43.8125	2004
21.01.2020 13:05:00	1	1	1	1	84.25	63.75	0	25355.45	215.0537634	5452.395836	30000	0	0	30000	44.375	2004
21.01.2020 13:05:01	1	1	1	1	84.25	64.25	0	25355.45	215.0537634	5507.025793	30000	0	0	30000	43.4375	2004
21.01.2020 13:05:02	1	1	1	1	84.25	63.25	0	25355.45	215.0537634	5452.395836	30000	0	0	30000	44	2004
21.01.2020 13:05:03	1	1	1	1	84.25	64	0	25355.45	217.2043011	5507.025793	30000	0	0	30000	43.25	2004
21.01.2020 13:05:04	1	1	1	1	84.25	63.25	0	25355.45	215.0537634	5507.025793	30000	0	0	30000	43.8125	2004
21.01.2020 13:05:05	1	1	1	1	84.25	63.75	0	25402.844	219.3548387	5572.255592	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:05:06	1	1	1	1	84.25	63.75	0	25402.844	217.2043011	5527.410105	30000	0	0	30000	44	2004
21.01.2020 13:05:07	1	1	1	1	84.25	64	0	25402.844	221.5053763	5507.025793	30000	0	0	30000	43.875	2004
21.01.2020 13:05:08	1	1	1	1	85	63.75	0	25355.45	219.3548387	5626.885549	30000	0	0	30000	43.8125	2004
21.01.2020 13:05:09	1	1	1	1	85	63.75	0	25308.057	206.4516129	5234.691382	30000	0	0	30000	44.0625	2004
21.01.2020 13:05:10	1	1	1	1	85	64	0	25450.237	208.6021505	5308.890278	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:11	1	1	1	1	85	63.75	0	25497.63	225.8064516	5767.94499	30000	0	0	30000	44	2004
21.01.2020 13:05:12	1	1	1	1	85	64	0	25545.024	225.8064516	5767.94499	30000	0	0	30000	44	2004
21.01.2020 13:05:13	1	1	1	1	85	64	0	25545.024	221.5053763	5713.315033	30000	0	0	30000	44	2004
21.01.2020 13:05:14	1	1	1	1	85	64	0	25545.024	223.655914	5713.315033	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:15	1	1	1	1	85	63.75	0	25545.024	221.5053763	5713.315033	30000	0	0	30000	44	2004
21.01.2020 13:05:16	1	1	1	1	85	64	0	25497.63	212.9032258	5657.869703	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:17	1	1	1	1	85	63.75	0	24881.517	212.9032258	5404.288859	30000	0	0	30000	44	2004
21.01.2020 13:05:18	1	1	1	1	85.25	64	0	25545.024	219.3548387	5657.869703	30000	0	0	30000	44	2004
21.01.2020 13:05:19	1	1	1	1	85.25	64	0	25545.024	217.2043011	5493.164461	30000	0	0	30000	44.0625	2004
21.01.2020 13:05:20	1	1	1	1	85.25	64	0	25545.024	219.3548387	5603.239747	30000	0	0	30000	43.8125	2004
21.01.2020 13:05:22	1	1	1	1	85.25	63.75	0	25545.024	221.5053763	5767.94499	30000	0	0	30000	44	2004
21.01.2020 13:05:23	1	1	1	1	85.25	64	0	25639.81	225.8064516	5679.069388	30000	0	0	30000	44.125	2004
21.01.2020 13:05:24	1	1	1	1	85.25	64	0	24218.009	191.3978495	4583.208763	30000	0	0	30000	43.75	2004
21.01.2020 13:05:25	1	1	1	1	85.25	63.75	0	25687.204	230.1075269	5844.590004	30000	0	0	30000	44.125	2004
21.01.2020 13:05:26	1	1	1	1	85.25	64	0	25639.81	227.9569892	5844.590004	30000	0	0	30000	44	2004
21.01.2020 13:05:27	1	1	1	1	85.25	64	0	25639.81	225.8064516	5789.144674	30000	0	0	30000	43.875	2004
21.01.2020 13:05:28	1	1	1	1	85.25	63.75	0	25639.81	227.9569892	5844.590004	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:29	1	1	1	1	85	63.75	0	25592.417	225.8064516	5899.21996	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:30	1	1	1	1	85	63.75	0	25639.81	230.1075269	5899.21996	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:31	1	1	1	1	85	63.75	0	25639.81	227.9569892	5789.144674	30000	0	0	30000	43.875	2004
21.01.2020 13:05:32	1	1	1	1	85	63.75	0	25355.45	206.4516129	5234.691382	30000	0	0	30000	43.375	2004
21.01.2020 13:05:33	1	1	1	1	85	63.25	0	25639.81	230.1075269	5899.21996	30000	0	0	30000	43.875	2004
21.01.2020 13:05:34	1	1	1	1	85	63.75	0	25639.81	232.2580645	6010.110619	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:35	1	1	1	1	85	63.75	0	25639.81	232.2580645	5954.66529	30000	0	0	30000	43.625	2004
21.01.2020 13:05:36	1	1	1	1	85	63.5	0	25639.81	225.8064516	5734.514717	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:37	1	1	1	1	85	63.75	0	25545.024	212.9032258	5547.794417	30000	0	0	30000	44.25	2004
21.01.2020 13:05:38	1	1	1	1	85	64.25	0	25639.81	234.4086022	6010.110619	30000	0	0	30000	44.1875	2004
21.01.2020 13:05:39	1	1	1	1	85.5	64	0	25592.417	232.2580645	6010.110619	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:40	1	1	1	1	85.5	64	0	25592.417	232.2580645	6175.631234	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:41	1	1	1	1	85.5	63.75	0	25639.81	240.8602151	6175.631234	30000	0	0	30000	43.6875	2004
21.01.2020 13:05:42	1	1	1	1	85.5	63.5	0	25639.81	240.8602151	6064.740576	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:43	1	1	1	1	85.5	63.75	0	25639.81	236.5591398	5944.065447	30000	0	0	30000	43.625	2004
21.01.2020 13:05:44	1	1	1	1	85.5	63.5	0	25687.204	240.8602151	6187.046449	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:45	1	1	1	1	85.5	63.75	0	25687.204	240.8602151	6241.676406	30000	0	0	30000	44	2004
21.01.2020 13:05:46	1	1	1	1	85.5	64	0	25687.204	240.8602151	6131.60112	30000	0	0	30000	44	2004
21.01.2020 13:05:53	1	1	1	1	85.25	63.75	0	25687.204	232.2580645	6187.046449	30000	0	0	30000	42.8125	2004
21.01.2020 13:05:53	1	1	1	1	85.25	63.75	0	25687.204	232.2580645	6187.046449	30000	0	0	30000	42.8125	2004
21.01.2020 13:05:53	1	1	1	1	85.25	63.75	0	25687.204	232.2580645	6187.046449	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:05:53	1	1	1	1	85.25	63.75	0	25687.204	232.2580645	6187.046449	30000	0	0	30000	42.8125	2004
21.01.2020 13:05:53	1	1	1	1	85.25	63.75	0	25687.204	232.2580645	6187.046449	30000	0	0	30000	42.8125	2004
21.01.2020 13:05:53	1	1	1	1	85.25	63.75	0	25687.204	232.2580645	6187.046449	30000	0	0	30000	42.8125	2004
21.01.2020 13:05:53	1	1	1	1	85.25	62.75	0	25687.204	236.5591398	6076.155791	30000	0	0	30000	44	2004
21.01.2020 13:05:54	1	1	1	1	85.25	64	0	25687.204	240.8602151	6187.046449	30000	0	0	30000	43.9375	2004
21.01.2020 13:05:55	1	1	1	1	85.25	63.75	0	25687.204	240.8602151	6187.046449	30000	0	0	30000	43.4375	2004
21.01.2020 13:05:56	1	1	1	1	85.25	63.25	0	25734.597	243.0107527	6253.091621	30000	0	0	30000	43.875	2004
21.01.2020 13:05:57	1	1	1	1	85.25	63.75	0	25734.597	247.311828	6363.982279	30000	0	0	30000	44.0625	2004
21.01.2020 13:05:58	1	1	1	1	85.5	64	0	25734.597	243.0107527	6288.152638	30000	0	0	30000	44	2004
21.01.2020 13:06:00	1	1	1	1	85.5	64	0	25734.597	240.8602151	6198.461664	30000	0	0	30000	44	2004
21.01.2020 13:06:01	1	1	1	1	85.5	64	0	25734.597	243.0107527	6308.53695	30000	0	0	30000	44.0625	2004
21.01.2020 13:06:02	1	1	1	1	85.5	64	0	25876.777	243.0107527	6276.737423	30000	0	0	30000	44.125	2004
21.01.2020 13:06:03	1	1	1	1	85.5	64	0	25734.597	243.0107527	6276.737423	30000	0	0	30000	44	2004
21.01.2020 13:06:04	1	1	1	1	85.5	64	0	25734.597	240.8602151	6399.043296	30000	0	0	30000	44	2004
21.01.2020 13:06:05	1	1	1	1	85.5	64	0	25734.597	243.0107527	6221.292094	30000	0	0	30000	44.0625	2004
21.01.2020 13:06:06	1	1	1	1	85.5	64	0	25734.597	240.8602151	6253.091621	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:07	1	1	1	1	85.5	63.75	0	25734.597	245.1612903	6332.182752	30000	0	0	30000	44.0625	2004
21.01.2020 13:06:08	1	1	1	1	85.5	64	0	25734.597	245.1612903	6363.982279	30000	0	0	30000	43.8125	2004
21.01.2020 13:06:09	1	1	1	1	85.5	63.75	0	25734.597	251.6129032	6363.982279	30000	0	0	30000	44	2004
21.01.2020 13:06:10	1	1	1	1	85.5	64	0	25734.597	249.4623656	6419.427609	30000	0	0	30000	43.75	2004
21.01.2020 13:06:11	1	1	1	1	85.5	63.75	0	25734.597	249.4623656	6498.51874	30000	0	0	30000	44	2004
21.01.2020 13:06:12	1	1	1	1	85.5	64	0	25734.597	247.311828	6363.982279	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:13	1	1	1	1	85.5	63.75	0	25734.597	251.6129032	6498.51874	30000	0	0	30000	44	2004
21.01.2020 13:06:14	1	1	1	1	85.5	64	0	25734.597	251.6129032	6474.872938	30000	0	0	30000	44.0625	2004
21.01.2020 13:06:15	1	1	1	1	85.5	64	0	25734.597	253.7634409	6530.318267	30000	0	0	30000	44.3125	2004
21.01.2020 13:06:16	1	1	1	1	85.5	64.25	0	25876.777	247.311828	6363.982279	30000	0	0	30000	44.3125	2004
21.01.2020 13:06:17	1	1	1	1	85.5	64.25	0	25734.597	245.1612903	6308.53695	30000	0	0	30000	43.75	2004
21.01.2020 13:06:18	1	1	1	1	85.5	63.75	0	25734.597	245.1612903	6253.091621	30000	0	0	30000	44.375	2004
21.01.2020 13:06:19	1	1	1	1	84.75	63.75	0	25734.597	243.0107527	6276.737423	30000	0	0	30000	44	2004
21.01.2020 13:06:20	1	1	1	1	84.75	64	0	25829.384	247.311828	6253.091621	30000	0	0	30000	44.125	2004
21.01.2020 13:06:21	1	1	1	1	84.75	64	0	25734.597	236.5591398	6109.586063	30000	0	0	30000	44	2004
21.01.2020 13:06:22	1	1	1	1	84.75	64	0	25734.597	234.4086022	5976.680347	30000	0	0	30000	44	2004
21.01.2020 13:06:23	1	1	1	1	84.75	64	0	25734.597	236.5591398	6087.571005	30000	0	0	30000	43.875	2004
21.01.2020 13:06:24	1	1	1	1	84.75	63.75	0	25734.597	236.5591398	6087.571005	30000	0	0	30000	44.0625	2004
21.01.2020 13:06:25	1	1	1	1	84.75	64	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	43.875	2004
21.01.2020 13:06:26	1	1	1	1	84.75	63.75	0	25734.597	236.5591398	6109.586063	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:27	1	1	1	1	84.75	63.75	0	25734.597	236.5591398	6032.125676	30000	0	0	30000	44.0625	2004
21.01.2020 13:06:28	1	1	1	1	85	64	0	25734.597	236.5591398	6221.292094	30000	0	0	30000	44.125	2004
21.01.2020 13:06:29	1	1	1	1	85	64	0	25734.597	240.8602151	6221.292094	30000	0	0	30000	44	2004
21.01.2020 13:06:30	1	1	1	1	85	64	0	25734.597	240.8602151	6221.292094	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:31	1	1	1	1	85	63.75	0	25734.597	232.2580645	6054.140733	30000	0	0	30000	43.4375	2004
21.01.2020 13:06:32	1	1	1	1	85	63.25	0	25734.597	232.2580645	6032.125676	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:33	1	1	1	1	85	63.75	0	25734.597	240.8602151	6087.571005	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:06:34	1	1	1	1	85	63.5	0	25734.597	240.8602151	6087.571005	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:35	1	1	1	1	85	63.75	0	25734.597	240.8602151	6198.461664	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:36	1	1	1	1	85	63.75	0	25734.597	240.8602151	6221.292094	30000	0	0	30000	44	2004
21.01.2020 13:06:37	1	1	1	1	85	64	0	25734.597	243.0107527	6332.182752	30000	0	0	30000	43.875	2004
21.01.2020 13:06:39	1	1	1	1	85.25	63.75	0	25734.597	243.0107527	6253.091621	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:40	1	1	1	1	85.25	63.75	0	25734.597	240.8602151	6221.292094	30000	0	0	30000	43.8125	2004
21.01.2020 13:06:41	1	1	1	1	85.25	63.75	0	25734.597	240.8602151	6198.461664	30000	0	0	30000	43.75	2004
21.01.2020 13:06:42	1	1	1	1	85.25	63.75	0	25734.597	240.8602151	6276.737423	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:43	1	1	1	1	85.25	63.75	0	25734.597	240.8602151	6198.461664	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:44	1	1	1	1	85.25	63.75	0	25734.597	240.8602151	6087.571005	30000	0	0	30000	44	2004
21.01.2020 13:06:45	1	1	1	1	85.25	64	0	25734.597	240.8602151	6276.737423	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:46	1	1	1	1	85.25	63.75	0	25734.597	243.0107527	6253.091621	30000	0	0	30000	44.1875	2004
21.01.2020 13:06:47	1	1	1	1	85.25	64	0	25734.597	243.0107527	6276.737423	30000	0	0	30000	44.25	2004
21.01.2020 13:06:48	1	1	1	1	85.25	64.25	0	25734.597	245.1612903	6387.628081	30000	0	0	30000	44	2004
21.01.2020 13:06:55	1	1	1	1	85.75	63.5	0	25734.597	245.1612903	6308.53695	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:55	1	1	1	1	85.75	63.5	0	25734.597	245.1612903	6308.53695	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:55	1	1	1	1	85.75	63.5	0	25734.597	245.1612903	6308.53695	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:55	1	1	1	1	85.75	63.75	0	25734.597	247.311828	6308.53695	30000	0	0	30000	44	2004
21.01.2020 13:06:55	1	1	1	1	85.75	63.75	0	25734.597	247.311828	6308.53695	30000	0	0	30000	44	2004
21.01.2020 13:06:55	1	1	1	1	85.75	63.75	0	25734.597	247.311828	6308.53695	30000	0	0	30000	44	2004
21.01.2020 13:06:55	1	1	1	1	85.75	63.75	0	25734.597	247.311828	6308.53695	30000	0	0	30000	44	2004
21.01.2020 13:06:56	1	1	1	1	85.75	64	0	25734.597	247.311828	6387.628081	30000	0	0	30000	44.3125	2004
21.01.2020 13:06:57	1	1	1	1	85.75	63.25	0	25734.597	249.4623656	6363.982279	30000	0	0	30000	44	2004
21.01.2020 13:06:58	1	1	1	1	84.75	64	0	25734.597	247.311828	6399.043296	30000	0	0	30000	43.9375	2004
21.01.2020 13:06:59	1	1	1	1	84.75	63.75	0	25876.777	249.4623656	6387.628081	30000	0	0	30000	43.875	2004
21.01.2020 13:07:00	1	1	1	1	84.75	63.75	0	25734.597	249.4623656	6474.872938	30000	0	0	30000	44	2004
21.01.2020 13:07:01	1	1	1	1	84.75	64	0	25734.597	251.6129032	6363.982279	30000	0	0	30000	44.125	2004
21.01.2020 13:07:02	1	1	1	1	84.75	64	0	25734.597	251.6129032	6522.164542	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:03	1	1	1	1	84.75	63.75	0	25734.597	251.6129032	6498.51874	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:04	1	1	1	1	84.75	63.75	0	25876.777	253.7634409	6566.194657	30000	0	0	30000	42.9375	2004
21.01.2020 13:07:05	1	1	1	1	84.75	62.75	0	25734.597	251.6129032	6498.51874	30000	0	0	30000	44.0625	2004
21.01.2020 13:07:06	1	1	1	1	84.75	64	0	25734.597	249.4623656	6419.427609	30000	0	0	30000	43.25	2004
21.01.2020 13:07:07	1	1	1	1	84.75	63.25	0	25734.597	253.7634409	6363.982279	30000	0	0	30000	43.9375	2004
21.01.2020 13:07:08	1	1	1	1	84.25	63.75	0	25734.597	251.6129032	6498.51874	30000	0	0	30000	43.9375	2004
21.01.2020 13:07:09	1	1	1	1	84.25	63.75	0	25734.597	249.4623656	6498.51874	30000	0	0	30000	43.9375	2004
21.01.2020 13:07:10	1	1	1	1	84.25	63.75	0	25924.171	251.6129032	6522.164542	30000	0	0	30000	44.125	2004
21.01.2020 13:07:11	1	1	1	1	84.25	64	0	25734.597	251.6129032	6553.964069	30000	0	0	30000	43.9375	2004
21.01.2020 13:07:12	1	1	1	1	84.25	63.75	0	25734.597	255.9139785	6585.763596	30000	0	0	30000	43.875	2004
21.01.2020 13:07:13	1	1	1	1	84.25	63.75	0	25734.597	243.0107527	6411.273884	30000	0	0	30000	44	2004
21.01.2020 13:07:14	1	1	1	1	84.25	64	0	25734.597	251.6129032	6474.872938	30000	0	0	30000	43.875	2004
21.01.2020 13:07:15	1	1	1	1	84.25	63.75	0	25734.597	251.6129032	6363.982279	30000	0	0	30000	43.9375	2004
21.01.2020 13:07:17	1	1	1	1	84.25	63.75	0	25876.777	251.6129032	6510.749327	30000	0	0	30000	43.875	2004
21.01.2020 13:07:18	1	1	1	1	84.25	63.75	0	25829.384	249.4623656	6387.628081	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:07:19	1	1	1	1	84.5	64	0	25734.597	247.311828	6443.073411	30000	0	0	30000	43.6875	2004
21.01.2020 13:07:20	1	1	1	1	84.5	63.5	0	25734.597	243.0107527	6276.737423	30000	0	0	30000	43.6875	2004
21.01.2020 13:07:21	1	1	1	1	84.5	63.5	0	25876.777	236.5591398	6132.416492	30000	0	0	30000	43.875	2004
21.01.2020 13:07:22	1	1	1	1	84.5	63.75	0	25734.597	234.4086022	6065.555948	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:23	1	1	1	1	84.5	63.75	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	43.75	2004
21.01.2020 13:07:24	1	1	1	1	84.5	63.75	0	25924.171	232.2580645	6020.710461	30000	0	0	30000	43.9375	2004
21.01.2020 13:07:25	1	1	1	1	84.5	63.75	0	25734.597	234.4086022	6054.140733	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:26	1	1	1	1	84.5	63.75	0	25829.384	234.4086022	6054.140733	30000	0	0	30000	43.875	2004
21.01.2020 13:07:27	1	1	1	1	84.5	63.75	0	25734.597	234.4086022	6054.140733	30000	0	0	30000	44	2004
21.01.2020 13:07:28	1	1	1	1	84.5	64	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44	2004
21.01.2020 13:07:29	1	1	1	1	83.75	64	0	25924.171	232.2580645	5953.849917	30000	0	0	30000	43.9375	2004
21.01.2020 13:07:30	1	1	1	1	83.75	63.75	0	25734.597	227.9569892	5953.849917	30000	0	0	30000	44.0625	2004
21.01.2020 13:07:31	1	1	1	1	83.75	64	0	25924.171	234.4086022	6076.155791	30000	0	0	30000	43.6875	2004
21.01.2020 13:07:32	1	1	1	1	83.75	63.5	0	25734.597	232.2580645	5998.695404	30000	0	0	30000	43.625	2004
21.01.2020 13:07:33	1	1	1	1	83.75	63.5	0	25734.597	236.5591398	6109.586063	30000	0	0	30000	43.875	2004
21.01.2020 13:07:34	1	1	1	1	83.75	63.75	0	25734.597	234.4086022	6109.586063	30000	0	0	30000	44	2004
21.01.2020 13:07:35	1	1	1	1	83.75	64	0	25734.597	236.5591398	6165.031392	30000	0	0	30000	44.375	2004
21.01.2020 13:07:36	1	1	1	1	83.75	64.25	0	25734.597	240.8602151	6176.446607	30000	0	0	30000	43.875	2004
21.01.2020 13:07:37	1	1	1	1	83.75	63.75	0	25734.597	240.8602151	6232.707308	30000	0	0	30000	43.875	2004
21.01.2020 13:07:38	1	1	1	1	84.25	63.75	0	25734.597	240.8602151	6221.292094	30000	0	0	30000	43.9375	2004
21.01.2020 13:07:39	1	1	1	1	84.25	63.75	0	25734.597	243.0107527	6253.091621	30000	0	0	30000	43.875	2004
21.01.2020 13:07:40	1	1	1	1	84.25	63.75	0	25734.597	243.0107527	6343.597967	30000	0	0	30000	43.875	2004
21.01.2020 13:07:41	1	1	1	1	84.25	63.75	0	25734.597	245.1612903	6308.53695	30000	0	0	30000	43.875	2004
21.01.2020 13:07:42	1	1	1	1	84.25	63.75	0	25734.597	247.311828	6363.982279	30000	0	0	30000	43.875	2004
21.01.2020 13:07:43	1	1	1	1	84.25	63.75	0	25734.597	247.311828	6419.427609	30000	0	0	30000	43.875	2004
21.01.2020 13:07:44	1	1	1	1	84.25	63.75	0	25876.777	249.4623656	6522.164542	30000	0	0	30000	43.875	2004
21.01.2020 13:07:45	1	1	1	1	84.25	63.75	0	25734.597	249.4623656	6522.164542	30000	0	0	30000	43.9375	2004
21.01.2020 13:07:46	1	1	1	1	84.25	63.75	0	25876.777	251.6129032	6522.164542	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:47	1	1	1	1	84.25	63.75	0	25734.597	249.4623656	6510.749327	30000	0	0	30000	43.75	2004
21.01.2020 13:07:48	1	1	1	1	85	63.75	0	25734.597	251.6129032	6530.318267	30000	0	0	30000	43.6875	2004
21.01.2020 13:07:49	1	1	1	1	85	63.5	0	25734.597	249.4623656	6363.982279	30000	0	0	30000	43.875	2004
21.01.2020 13:07:56	1	1	1	1	85	63.75	0	25876.777	249.4623656	6466.719213	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:56	1	1	1	1	85	63.75	0	25876.777	249.4623656	6466.719213	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:56	1	1	1	1	85	63.75	0	25876.777	249.4623656	6466.719213	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:56	1	1	1	1	85	63.75	0	25876.777	249.4623656	6466.719213	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:56	1	1	1	1	85	63.75	0	25876.777	249.4623656	6466.719213	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:56	1	1	1	1	85	63.75	0	25876.777	249.4623656	6466.719213	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:57	1	1	1	1	85	63.75	0	25876.777	253.7634409	6498.51874	30000	0	0	30000	43.8125	2004
21.01.2020 13:07:58	1	1	1	1	85	63.75	0	25734.597	253.7634409	6553.964069	30000	0	0	30000	43.875	2004
21.01.2020 13:07:59	1	1	1	1	85.25	63.75	0	25924.171	253.7634409	6522.164542	30000	0	0	30000	43.875	2004
21.01.2020 13:08:00	1	1	1	1	85.25	63.75	0	25924.171	255.9139785	6633.870573	30000	0	0	30000	43.75	2004
21.01.2020 13:08:01	1	1	1	1	85.25	63.75	0	25829.384	255.9139785	6621.639986	30000	0	0	30000	43.8125	2004
21.01.2020 13:08:02	1	1	1	1	85.25	63.75	0	25829.384	255.9139785	6677.900688	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:08:03	1	1	1	1	85.25	63.75	0	25876.777	255.9139785	6621.639986	30000	0	0	30000	43.875	2004
21.01.2020 13:08:04	1	1	1	1	85.25	63.75	0	25734.597	255.9139785	6690.131275	30000	0	0	30000	43.8125	2004
21.01.2020 13:08:05	1	1	1	1	85.25	63.75	0	25924.171	260.2150538	6633.870573	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:06	1	1	1	1	85.25	63.75	0	25876.777	255.9139785	6677.900688	30000	0	0	30000	43.875	2004
21.01.2020 13:08:07	1	1	1	1	85.25	63.75	0	25924.171	255.9139785	6621.639986	30000	0	0	30000	43.75	2004
21.01.2020 13:08:08	1	1	1	1	85.25	63.75	0	25924.171	253.7634409	6522.164542	30000	0	0	30000	43.75	2004
21.01.2020 13:08:09	1	1	1	1	85.5	63.75	0	25876.777	249.4623656	6411.273884	30000	0	0	30000	43.75	2004
21.01.2020 13:08:10	1	1	1	1	85.5	63.75	0	25734.597	251.6129032	6498.51874	30000	0	0	30000	43.875	2004
21.01.2020 13:08:11	1	1	1	1	85.5	63.75	0	25734.597	251.6129032	6498.51874	30000	0	0	30000	44	2004
21.01.2020 13:08:12	1	1	1	1	85.5	64	0	25876.777	249.4623656	6578.425244	30000	0	0	30000	44.1875	2004
21.01.2020 13:08:13	1	1	1	1	85.5	64	0	25924.171	251.6129032	6522.164542	30000	0	0	30000	44.4375	2004
21.01.2020 13:08:14	1	1	1	1	85.5	64.25	0	25924.171	249.4623656	6466.719213	30000	0	0	30000	43.875	2004
21.01.2020 13:08:15	1	1	1	1	85.5	64	0	25876.777	245.1612903	6343.597967	30000	0	0	30000	43.6875	2004
21.01.2020 13:08:16	1	1	1	1	85.5	63.5	0	25876.777	240.8602151	6244.122523	30000	0	0	30000	43.875	2004
21.01.2020 13:08:17	1	1	1	1	85.5	63.75	0	25924.171	236.5591398	6132.416492	30000	0	0	30000	43.8125	2004
21.01.2020 13:08:18	1	1	1	1	85.25	63.75	0	25924.171	234.4086022	6020.710461	30000	0	0	30000	43.875	2004
21.01.2020 13:08:19	1	1	1	1	85.25	63.75	0	25876.777	234.4086022	6244.122523	30000	0	0	30000	43.75	2004
21.01.2020 13:08:20	1	1	1	1	85.25	63.75	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	43.875	2004
21.01.2020 13:08:21	1	1	1	1	85.25	63.75	0	25924.171	240.8602151	6299.567853	30000	0	0	30000	43.25	2004
21.01.2020 13:08:22	1	1	1	1	85.25	63.25	0	25924.171	247.311828	6411.273884	30000	0	0	30000	43.875	2004
21.01.2020 13:08:23	1	1	1	1	85.25	63.75	0	25924.171	247.311828	6411.273884	30000	0	0	30000	43.8125	2004
21.01.2020 13:08:24	1	1	1	1	85.25	63.75	0	25924.171	247.311828	6411.273884	30000	0	0	30000	43.8125	2004
21.01.2020 13:08:25	1	1	1	1	85.25	63.75	0	25924.171	247.311828	6355.013182	30000	0	0	30000	43.6875	2004
21.01.2020 13:08:26	1	1	1	1	85.25	63.5	0	25876.777	247.311828	6466.719213	30000	0	0	30000	43.875	2004
21.01.2020 13:08:27	1	1	1	1	85.25	63.75	0	25924.171	245.1612903	6355.013182	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:28	1	1	1	1	85	63.75	0	25924.171	247.311828	6411.273884	30000	0	0	30000	43.75	2004
21.01.2020 13:08:29	1	1	1	1	85	63.75	0	25924.171	245.1612903	6355.013182	30000	0	0	30000	43.75	2004
21.01.2020 13:08:30	1	1	1	1	85	63.75	0	25924.171	243.0107527	6299.567853	30000	0	0	30000	43.875	2004
21.01.2020 13:08:31	1	1	1	1	85	63.75	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	43.875	2004
21.01.2020 13:08:32	1	1	1	1	85	63.75	0	25924.171	232.2580645	6020.710461	30000	0	0	30000	43.875	2004
21.01.2020 13:08:34	1	1	1	1	85	63.75	0	25876.777	236.5591398	6132.416492	30000	0	0	30000	43.5625	2004
21.01.2020 13:08:35	1	1	1	1	85	63.5	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	43.8125	2004
21.01.2020 13:08:36	1	1	1	1	85	63.75	0	25924.171	245.1612903	6411.273884	30000	0	0	30000	43.5625	2004
21.01.2020 13:08:37	1	1	1	1	85	63.5	0	25924.171	243.0107527	6299.567853	30000	0	0	30000	43.8125	2004
21.01.2020 13:08:38	1	1	1	1	85	63.75	0	25924.171	243.0107527	6411.273884	30000	0	0	30000	43.8125	2004
21.01.2020 13:08:39	1	1	1	1	85.25	63.75	0	25924.171	227.9569892	5853.559101	30000	0	0	30000	43.875	2004
21.01.2020 13:08:40	1	1	1	1	85.25	63.75	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	43.5625	2004
21.01.2020 13:08:41	1	1	1	1	85.25	63.5	0	25924.171	243.0107527	6244.122523	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:42	1	1	1	1	85.25	63.75	0	25734.597	234.4086022	6244.122523	30000	0	0	30000	43.6875	2004
21.01.2020 13:08:43	1	1	1	1	85.25	63.5	0	25924.171	236.5591398	6244.122523	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:44	1	1	1	1	85.25	63.75	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	43.875	2004
21.01.2020 13:08:45	1	1	1	1	85.25	63.75	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	43.625	2004
21.01.2020 13:08:46	1	1	1	1	85.25	63.5	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:08:47	1	1	1	1	85.25	63.75	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:48	1	1	1	1	85.25	63.75	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	43.625	2004
21.01.2020 13:08:49	1	1	1	1	84.75	63.5	0	25639.81	227.9569892	5899.21996	30000	0	0	30000	43.75	2004
21.01.2020 13:08:50	1	1	1	1	84.75	63.75	0	25924.171	240.8602151	6244.122523	30000	0	0	30000	44.3125	2004
21.01.2020 13:08:51	1	1	1	1	84.75	64.25	0	25924.171	234.4086022	6076.155791	30000	0	0	30000	43.8125	2004
21.01.2020 13:08:58	1	1	1	1	84.75	63	0	25924.171	227.9569892	5909.00443	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:58	1	1	1	1	84.75	63	0	25924.171	227.9569892	5909.00443	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:58	1	1	1	1	84.75	63	0	25924.171	227.9569892	5909.00443	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:58	1	1	1	1	84.75	63	0	25924.171	227.9569892	5909.00443	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:58	1	1	1	1	84.75	63	0	25924.171	227.9569892	5909.00443	30000	0	0	30000	43.9375	2004
21.01.2020 13:08:58	1	1	1	1	85	63.75	0	25924.171	221.5053763	5741.85307	30000	0	0	30000	43.625	2004
21.01.2020 13:08:59	1	1	1	1	85	63.5	0	25924.171	215.0537634	5630.147039	30000	0	0	30000	43.75	2004
21.01.2020 13:09:00	1	1	1	1	85	63.75	0	25924.171	217.2043011	5686.407741	30000	0	0	30000	43.8125	2004
21.01.2020 13:09:01	1	1	1	1	85	63.75	0	25924.171	219.3548387	5686.407741	30000	0	0	30000	43.625	2004
21.01.2020 13:09:02	1	1	1	1	85	63.5	0	26018.957	221.5053763	5686.407741	30000	0	0	30000	43.6875	2004
21.01.2020 13:09:03	1	1	1	1	85	63.5	0	25924.171	219.3548387	5741.85307	30000	0	0	30000	42.4375	2004
21.01.2020 13:09:04	1	1	1	1	85	62.25	0	25924.171	225.8064516	5853.559101	30000	0	0	30000	43.625	2004
21.01.2020 13:09:05	1	1	1	1	85	63.5	0	25924.171	225.8064516	5741.85307	30000	0	0	30000	43.75	2004
21.01.2020 13:09:06	1	1	1	1	85	63.75	0	25924.171	227.9569892	6076.155791	30000	0	0	30000	43.9375	2004
21.01.2020 13:09:07	1	1	1	1	85	63.75	0	25924.171	227.9569892	5853.559101	30000	0	0	30000	43.625	2004
21.01.2020 13:09:08	1	1	1	1	85.25	63.5	0	25924.171	225.8064516	5965.265132	30000	0	0	30000	43.625	2004
21.01.2020 13:09:09	1	1	1	1	85.25	63.5	0	26018.957	232.2580645	5965.265132	30000	0	0	30000	43.75	2004
21.01.2020 13:09:11	1	1	1	1	85.25	63.75	0	26018.957	227.9569892	5741.85307	30000	0	0	30000	43.75	2004
21.01.2020 13:09:12	1	1	1	1	85.25	63.75	0	25924.171	221.5053763	5853.559101	30000	0	0	30000	43.75	2004
21.01.2020 13:09:13	1	1	1	1	85.25	63.75	0	26018.957	221.5053763	5763.052755	30000	0	0	30000	43.875	2004
21.01.2020 13:09:14	1	1	1	1	85.25	63.75	0	26018.957	221.5053763	5686.407741	30000	0	0	30000	43.875	2004
21.01.2020 13:09:15	1	1	1	1	85.25	63.75	0	26018.957	208.6021505	5427.119289	30000	0	0	30000	43.8125	2004
21.01.2020 13:09:16	1	1	1	1	85.25	63.75	0	26018.957	206.4516129	5371.67396	30000	0	0	30000	43.6875	2004
21.01.2020 13:09:17	1	1	1	1	85.25	63.5	0	25924.171	193.5483871	5073.247629	30000	0	0	30000	44	2004
21.01.2020 13:09:18	1	1	1	1	85.25	64	0	26018.957	191.3978495	4794.390237	30000	0	0	30000	43.9375	2004
21.01.2020 13:09:19	1	1	1	1	85.25	63.75	0	26018.957	191.3978495	4979.479792	30000	0	0	30000	43.75	2004
21.01.2020 13:09:20	1	1	1	1	85.25	63.75	0	26018.957	195.6989247	5073.247629	30000	0	0	30000	43.8125	2004
21.01.2020 13:09:21	1	1	1	1	85.25	63.75	0	25924.171	206.4516129	5352.10502	30000	0	0	30000	43.9375	2004
21.01.2020 13:09:22	1	1	1	1	85.25	63.75	0	26066.351	206.4516129	5381.45843	30000	0	0	30000	43.8125	2004
21.01.2020 13:09:23	1	1	1	1	85.25	63.75	0	26018.957	206.4516129	5352.10502	30000	0	0	30000	43.75	2004
21.01.2020 13:09:24	1	1	1	1	85.25	63.75	0	26018.957	195.6989247	5035.740494	30000	0	0	30000	43.6875	2004
21.01.2020 13:09:25	1	1	1	1	85.25	63.5	0	26018.957	193.5483871	5091.185823	30000	0	0	30000	43.8125	2004
21.01.2020 13:09:26	1	1	1	1	85.25	63.75	0	26018.957	189.2473118	4924.034463	30000	0	0	30000	43.75	2004
21.01.2020 13:09:27	1	1	1	1	85.25	63.75	0	25971.564	182.7956989	4756.06773	30000	0	0	30000	43.5	2004
21.01.2020 13:09:28	1	1	1	1	85.25	63.5	0	26018.957	184.9462366	4756.06773	30000	0	0	30000	44	2004
21.01.2020 13:09:29	1	1	1	1	84	64	0	26018.957	189.2473118	4924.034463	30000	0	0	30000	43.5625	2004
21.01.2020 13:09:30	1	1	1	1	84	63.5	0	26018.957	206.4516129	5371.67396	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:09:31	1	1	1	1	84	64	0	26018.957	191.3978495	4906.096268	30000	0	0	30000	43.4375	2004
21.01.2020 13:09:32	1	1	1	1	84	63.25	0	26018.957	189.2473118	4979.479792	30000	0	0	30000	43.625	2004
21.01.2020 13:09:33	1	1	1	1	84	63.5	0	26066.351	206.4516129	5381.45843	30000	0	0	30000	43.875	2004
21.01.2020 13:09:34	1	1	1	1	84	63.75	0	26066.351	208.6021505	5381.45843	30000	0	0	30000	43.6875	2004
21.01.2020 13:09:35	1	1	1	1	84	63.5	0	26066.351	215.0537634	5538.82532	30000	0	0	30000	43.8125	2004
21.01.2020 13:09:36	1	1	1	1	84	63.75	0	26018.957	219.3548387	5651.346724	30000	0	0	30000	43.6875	2004
21.01.2020 13:09:37	1	1	1	1	84	63.5	0	26066.351	225.8064516	5885.358628	30000	0	0	30000	43.75	2004
21.01.2020 13:09:38	1	1	1	1	83.75	63.75	0	26066.351	227.9569892	5941.61933	30000	0	0	30000	43.4375	2004
21.01.2020 13:09:39	1	1	1	1	83.75	63.25	0	26066.351	230.1075269	6054.140733	30000	0	0	30000	43.875	2004
21.01.2020 13:09:40	1	1	1	1	83.75	63.75	0	26066.351	234.4086022	6109.586063	30000	0	0	30000	43.75	2004
21.01.2020 13:09:41	1	1	1	1	83.75	63.75	0	26066.351	240.8602151	6165.846764	30000	0	0	30000	43.75	2004
21.01.2020 13:09:42	1	1	1	1	83.75	63.75	0	26066.351	240.8602151	6278.368168	30000	0	0	30000	43.75	2004
21.01.2020 13:09:43	1	1	1	1	83.75	63.75	0	26066.351	236.5591398	6165.846764	30000	0	0	30000	43.25	2004
21.01.2020 13:09:44	1	1	1	1	83.75	63.25	0	26066.351	243.0107527	6333.813497	30000	0	0	30000	43.5625	2004
21.01.2020 13:09:45	1	1	1	1	83.75	63.5	0	26113.744	240.8602151	6289.783383	30000	0	0	30000	43.0625	2004
21.01.2020 13:09:46	1	1	1	1	83.75	63	0	26113.744	240.8602151	6289.783383	30000	0	0	30000	43.5625	2004
21.01.2020 13:09:47	1	1	1	1	83.75	63.5	0	26113.744	240.8602151	6289.783383	30000	0	0	30000	43.5	2004
21.01.2020 13:09:48	1	1	1	1	83.25	63.5	0	26113.744	240.8602151	6289.783383	30000	0	0	30000	43.625	2004
21.01.2020 13:09:50	1	1	1	1	83.25	63.5	0	26113.744	236.5591398	6121.001277	30000	0	0	30000	43.1875	2004
21.01.2020 13:09:51	1	1	1	1	83.25	63	0	26113.744	223.655914	5895.95847	30000	0	0	30000	43.6875	2004
21.01.2020 13:09:52	1	1	1	1	83.25	63.5	0	26113.744	210.7526882	5559.209632	30000	0	0	30000	43.8125	2004
21.01.2020 13:09:53	1	1	1	1	83.25	63.75	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:00	1	1	1	1	83.25	63.5	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:00	1	1	1	1	83.25	63.5	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:00	1	1	1	1	83.25	63.5	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:00	1	1	1	1	83.25	63.5	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:00	1	1	1	1	83.25	63.5	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:00	1	1	1	1	83.25	63.5	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:01	1	1	1	1	83.25	63.75	0	26208.531	206.4516129	5410.811839	30000	0	0	30000	43.875	2004
21.01.2020 13:10:02	1	1	1	1	83.25	63.75	0	26208.531	206.4516129	5410.811839	30000	0	0	30000	43.9375	2004
21.01.2020 13:10:03	1	1	1	1	83.25	63.75	0	26113.744	206.4516129	5410.811839	30000	0	0	30000	43.75	2004
21.01.2020 13:10:04	1	1	1	1	83.25	63.75	0	26255.924	206.4516129	5410.811839	30000	0	0	30000	43.9375	2004
21.01.2020 13:10:05	1	1	1	1	83.25	63.75	0	26208.531	206.4516129	5391.242899	30000	0	0	30000	43.75	2004
21.01.2020 13:10:06	1	1	1	1	83.25	63.75	0	26208.531	206.4516129	5410.811839	30000	0	0	30000	43.625	2004
21.01.2020 13:10:07	1	1	1	1	83.25	63.5	0	26255.924	206.4516129	5420.596309	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:08	1	1	1	1	83.25	63.75	0	26208.531	206.4516129	5410.811839	30000	0	0	30000	44.1875	2004
21.01.2020 13:10:09	1	1	1	1	84	64	0	26113.744	208.6021505	5523.333243	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:10	1	1	1	1	84	63.75	0	26208.531	212.9032258	5559.209632	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:11	1	1	1	1	84	63.75	0	26208.531	212.9032258	5758.975892	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:12	1	1	1	1	84	63.5	0	26208.531	217.2043011	5748.37605	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:13	1	1	1	1	84	63.75	0	26208.531	217.2043011	5692.115348	30000	0	0	30000	43.875	2004
21.01.2020 13:10:14	1	1	1	1	84	63.75	0	26255.924	221.5053763	5804.636752	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:10:15	1	1	1	1	84	63.75	0	26113.744	221.5053763	5784.252439	30000	0	0	30000	43.875	2004
21.01.2020 13:10:16	1	1	1	1	84	63.75	0	26113.744	217.2043011	5784.252439	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:17	1	1	1	1	84	63.75	0	26113.744	221.5053763	5784.252439	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:18	1	1	1	1	84.25	63.5	0	26255.924	225.8064516	5917.973528	30000	0	0	30000	43.875	2004
21.01.2020 13:10:19	1	1	1	1	84.25	63.75	0	26255.924	221.5053763	5804.636752	30000	0	0	30000	43.875	2004
21.01.2020 13:10:20	1	1	1	1	84.25	63.75	0	26255.924	221.5053763	5825.836436	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:21	1	1	1	1	84.25	63.75	0	26255.924	217.2043011	5748.37605	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:22	1	1	1	1	84.25	63.75	0	26255.924	212.9032258	5579.593945	30000	0	0	30000	43.625	2004
21.01.2020 13:10:23	1	1	1	1	84.25	63.5	0	26255.924	212.9032258	5467.072541	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:24	1	1	1	1	84.25	63.5	0	26255.924	208.6021505	5410.811839	30000	0	0	30000	43.875	2004
21.01.2020 13:10:25	1	1	1	1	84.25	63.75	0	26255.924	206.4516129	5420.596309	30000	0	0	30000	43.875	2004
21.01.2020 13:10:26	1	1	1	1	84.25	63.75	0	26255.924	206.4516129	5410.811839	30000	0	0	30000	43.9375	2004
21.01.2020 13:10:28	1	1	1	1	84.25	63.75	0	26255.924	189.2473118	5025.140652	30000	0	0	30000	43.875	2004
21.01.2020 13:10:29	1	1	1	1	84.5	63.75	0	26208.531	189.2473118	4790.313375	30000	0	0	30000	43.5625	2004
21.01.2020 13:10:30	1	1	1	1	84.5	63.5	0	26303.318	189.2473118	4977.849047	30000	0	0	30000	43.9375	2004
21.01.2020 13:10:31	1	1	1	1	84.5	63.75	0	26303.318	191.3978495	5034.109749	30000	0	0	30000	43.75	2004
21.01.2020 13:10:32	1	1	1	1	84.5	63.75	0	26303.318	206.4516129	5430.380779	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:33	1	1	1	1	84.5	63.5	0	26303.318	206.4516129	5430.380779	30000	0	0	30000	43.3125	2004
21.01.2020 13:10:34	1	1	1	1	84.5	63.25	0	26303.318	206.4516129	5430.380779	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:35	1	1	1	1	84.5	63.75	0	26303.318	206.4516129	5016.171554	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:36	1	1	1	1	84.5	63.75	0	26303.318	206.4516129	5430.380779	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:37	1	1	1	1	84.5	63.5	0	26350.711	206.4516129	5440.165249	30000	0	0	30000	43.75	2004
21.01.2020 13:10:38	1	1	1	1	84.5	63.75	0	26303.318	206.4516129	5430.380779	30000	0	0	30000	43.4375	2004
21.01.2020 13:10:39	1	1	1	1	84.5	63.25	0	26303.318	206.4516129	5430.380779	30000	0	0	30000	43.875	2004
21.01.2020 13:10:40	1	1	1	1	84.5	63.75	0	26303.318	206.4516129	5430.380779	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:41	1	1	1	1	84.5	63.5	0	26303.318	208.6021505	5430.380779	30000	0	0	30000	43.75	2004
21.01.2020 13:10:42	1	1	1	1	84.5	63.75	0	26350.711	210.7526882	5609.762727	30000	0	0	30000	43.625	2004
21.01.2020 13:10:43	1	1	1	1	84.5	63.5	0	26350.711	212.9032258	5656.238958	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:44	1	1	1	1	84.5	63.75	0	26350.711	215.0537634	5780.175577	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:45	1	1	1	1	84.5	63.75	0	26350.711	221.5053763	5847.036121	30000	0	0	30000	43.625	2004
21.01.2020 13:10:46	1	1	1	1	84.5	63.5	0	26350.711	221.5053763	5836.436279	30000	0	0	30000	44.25	2004
21.01.2020 13:10:47	1	1	1	1	84.5	64.25	0	26350.711	225.8064516	5949.773055	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:48	1	1	1	1	84.5	63.75	0	26350.711	230.1075269	6063.109831	30000	0	0	30000	44.1875	2004
21.01.2020 13:10:49	1	1	1	1	84.5	63.75	0	26350.711	232.2580645	6130.785747	30000	0	0	30000	43.75	2004
21.01.2020 13:10:50	1	1	1	1	84.5	63.75	0	26350.711	232.2580645	6187.861822	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:51	1	1	1	1	84.5	63.75	0	26350.711	232.2580645	6176.446607	30000	0	0	30000	43.8125	2004
21.01.2020 13:10:52	1	1	1	1	84.5	63.75	0	26350.711	232.2580645	6176.446607	30000	0	0	30000	43.6875	2004
21.01.2020 13:10:53	1	1	1	1	84.5	63.5	0	26445.498	240.8602151	6358.274672	30000	0	0	30000	43.875	2004
21.01.2020 13:10:54	1	1	1	1	84.5	63.75	0	26398.104	236.5591398	6244.122523	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:01	1	1	1	1	84.5	63.75	0	26445.498	240.8602151	6358.274672	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:01	1	1	1	1	84.5	63.75	0	26445.498	240.8602151	6358.274672	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:01	1	1	1	1	84.5	63.75	0	26445.498	240.8602151	6358.274672	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:01	1	1	1	1	84.5	63.75	0	26445.498	240.8602151	6358.274672	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:11:01	1	1	1	1	84.5	63.75	0	26445.498	240.8602151	6358.274672	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:01	1	1	1	1	84.5	63.75	0	26445.498	240.8602151	6358.274672	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:01	1	1	1	1	84.5	63.75	0	26445.498	240.8602151	6358.274672	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:02	1	1	1	1	84.5	63.75	0	26398.104	240.8602151	6358.274672	30000	0	0	30000	43.625	2004
21.01.2020 13:11:03	1	1	1	1	84.5	63.5	0	26350.711	236.5591398	6244.122523	30000	0	0	30000	43.875	2004
21.01.2020 13:11:04	1	1	1	1	84.5	63.75	0	26445.498	236.5591398	6255.537738	30000	0	0	30000	43.875	2004
21.01.2020 13:11:05	1	1	1	1	84.5	63.75	0	26445.498	240.8602151	6369.689887	30000	0	0	30000	43.75	2004
21.01.2020 13:11:07	1	1	1	1	84.5	63.75	0	26445.498	240.8602151	6255.537738	30000	0	0	30000	43.75	2004
21.01.2020 13:11:08	1	1	1	1	84.5	63.75	0	26445.498	236.5591398	6381.105102	30000	0	0	30000	43.75	2004
21.01.2020 13:11:09	1	1	1	1	84.25	63.75	0	26445.498	240.8602151	6369.689887	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:10	1	1	1	1	84.25	63.5	0	26398.104	236.5591398	6369.689887	30000	0	0	30000	43.5625	2004
21.01.2020 13:11:11	1	1	1	1	84.25	63.5	0	26445.498	240.8602151	6369.689887	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:12	1	1	1	1	84.25	63.5	0	26398.104	236.5591398	6358.274672	30000	0	0	30000	43.75	2004
21.01.2020 13:11:13	1	1	1	1	84.25	63.75	0	26445.498	236.5591398	6369.689887	30000	0	0	30000	43.625	2004
21.01.2020 13:11:14	1	1	1	1	84.25	63.5	0	26445.498	240.8602151	6312.613812	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:15	1	1	1	1	84.25	63.5	0	26445.498	240.8602151	6369.689887	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:16	1	1	1	1	84.25	63.75	0	26445.498	236.5591398	6369.689887	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:17	1	1	1	1	84.25	63.5	0	26445.498	240.8602151	6369.689887	30000	0	0	30000	43.75	2004
21.01.2020 13:11:18	1	1	1	1	84.25	63.75	0	26445.498	240.8602151	6255.537738	30000	0	0	30000	43.625	2004
21.01.2020 13:11:19	1	1	1	1	84	63.5	0	26492.891	230.1075269	6107.139945	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:20	1	1	1	1	84	63.5	0	26492.891	217.2043011	5630.147039	30000	0	0	30000	43.75	2004
21.01.2020 13:11:21	1	1	1	1	84	63.75	0	26445.498	210.7526882	5573.070965	30000	0	0	30000	43.875	2004
21.01.2020 13:11:22	1	1	1	1	84	63.75	0	26445.498	206.4516129	5630.147039	30000	0	0	30000	43.75	2004
21.01.2020 13:11:23	1	1	1	1	84	63.75	0	26445.498	208.6021505	5630.147039	30000	0	0	30000	43.3125	2004
21.01.2020 13:11:24	1	1	1	1	84	63.25	0	26445.498	212.9032258	5697.007583	30000	0	0	30000	44	2004
21.01.2020 13:11:25	1	1	1	1	84	64	0	26492.891	217.2043011	5630.147039	30000	0	0	30000	43.9375	2004
21.01.2020 13:11:26	1	1	1	1	84	63.75	0	26492.891	217.2043011	5754.083657	30000	0	0	30000	44.25	2004
21.01.2020 13:11:27	1	1	1	1	84	64.25	0	26540.284	212.9032258	5650.531351	30000	0	0	30000	43.75	2004
21.01.2020 13:11:28	1	1	1	1	84.5	64	0	26540.284	210.7526882	5536.379203	30000	0	0	30000	43.75	2004
21.01.2020 13:11:29	1	1	1	1	84.5	63.75	0	26540.284	206.4516129	5479.303128	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:30	1	1	1	1	84.5	63.75	0	26540.284	206.4516129	5479.303128	30000	0	0	30000	43.75	2004
21.01.2020 13:11:31	1	1	1	1	84.5	63.75	0	26540.284	208.6021505	5536.379203	30000	0	0	30000	43.75	2004
21.01.2020 13:11:32	1	1	1	1	84.5	63.75	0	26540.284	212.9032258	5593.455277	30000	0	0	30000	43.75	2004
21.01.2020 13:11:33	1	1	1	1	84.5	63.75	0	26540.284	217.2043011	5764.6835	30000	0	0	30000	43.5625	2004
21.01.2020 13:11:34	1	1	1	1	84.5	63.5	0	26540.284	219.3548387	5764.6835	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:35	1	1	1	1	84.5	63.75	0	26492.891	217.2043011	5821.759574	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:36	1	1	1	1	84.5	63.5	0	26540.284	221.5053763	5878.835648	30000	0	0	30000	43.625	2004
21.01.2020 13:11:37	1	1	1	1	84.5	63.5	0	26540.284	221.5053763	5878.835648	30000	0	0	30000	43.75	2004
21.01.2020 13:11:38	1	1	1	1	84.5	63.75	0	26587.678	223.655914	5888.620118	30000	0	0	30000	43.8125	2004
21.01.2020 13:11:39	1	1	1	1	84.5	63.75	0	26587.678	221.5053763	5878.835648	30000	0	0	30000	43.75	2004
21.01.2020 13:11:40	1	1	1	1	84.5	63.75	0	26540.284	225.8064516	6003.587639	30000	0	0	30000	43.75	2004
21.01.2020 13:11:41	1	1	1	1	84.5	63.75	0	26587.678	230.1075269	6117.739787	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:42	1	1	1	1	84.5	63.5	0	26540.284	232.2580645	6221.292094	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:11:43	1	1	1	1	84.5	63.75	0	26587.678	234.4086022	6117.739787	30000	0	0	30000	43.75	2004
21.01.2020 13:11:45	1	1	1	1	84.5	63.75	0	26587.678	234.4086022	6231.891936	30000	0	0	30000	43.625	2004
21.01.2020 13:11:46	1	1	1	1	84.5	63.5	0	26587.678	236.5591398	6288.96801	30000	0	0	30000	43.75	2004
21.01.2020 13:11:47	1	1	1	1	84.5	63.75	0	26587.678	240.8602151	6403.935531	30000	0	0	30000	43.625	2004
21.01.2020 13:11:48	1	1	1	1	84.5	63.5	0	26587.678	240.8602151	6231.891936	30000	0	0	30000	43.875	2004
21.01.2020 13:11:49	1	1	1	1	84.25	63.75	0	26587.678	236.5591398	6288.96801	30000	0	0	30000	43.75	2004
21.01.2020 13:11:50	1	1	1	1	84.25	63.75	0	26587.678	236.5591398	6231.891936	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:51	1	1	1	1	84.25	63.5	0	26587.678	240.8602151	6346.044084	30000	0	0	30000	43.875	2004
21.01.2020 13:11:52	1	1	1	1	84.25	63.75	0	26587.678	230.1075269	6117.739787	30000	0	0	30000	43.5625	2004
21.01.2020 13:11:53	1	1	1	1	84.25	63.5	0	26587.678	221.5053763	6081.863398	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:54	1	1	1	1	84.25	63.5	0	26682.464	219.3548387	5842.143886	30000	0	0	30000	43.75	2004
21.01.2020 13:11:55	1	1	1	1	84.25	63.75	0	26682.464	219.3548387	5852.743728	30000	0	0	30000	43.6875	2004
21.01.2020 13:11:56	1	1	1	1	84.25	63.5	0	26635.071	219.3548387	5909.819803	30000	0	0	30000	43.3125	2004
21.01.2020 13:12:03	1	1	1	1	84.25	63.75	0	26682.464	225.8064516	6024.787324	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:03	1	1	1	1	84.25	63.75	0	26682.464	225.8064516	6024.787324	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:03	1	1	1	1	84.25	63.75	0	26682.464	225.8064516	6024.787324	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:03	1	1	1	1	84.25	63.75	0	26682.464	225.8064516	6024.787324	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:03	1	1	1	1	84.25	63.75	0	26682.464	225.8064516	6024.787324	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:03	1	1	1	1	84.25	63.75	0	26682.464	225.8064516	6024.787324	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:03	1	1	1	1	84.25	63.5	0	26682.464	227.9569892	6139.754845	30000	0	0	30000	44.125	2004
21.01.2020 13:12:04	1	1	1	1	84.25	64	0	26682.464	232.2580645	6196.830919	30000	0	0	30000	43.9375	2004
21.01.2020 13:12:05	1	1	1	1	84.25	63.75	0	26682.464	230.1075269	6311.79844	30000	0	0	30000	43.9375	2004
21.01.2020 13:12:06	1	1	1	1	84.25	63.75	0	26682.464	240.8602151	6426.765961	30000	0	0	30000	44.125	2004
21.01.2020 13:12:07	1	1	1	1	84.25	63.75	0	26587.678	240.8602151	6426.765961	30000	0	0	30000	43.625	2004
21.01.2020 13:12:08	1	1	1	1	84.25	63.5	0	26445.498	234.4086022	6187.861822	30000	0	0	30000	43.625	2004
21.01.2020 13:12:09	1	1	1	1	84.25	63.5	0	26682.464	240.8602151	6426.765961	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:10	1	1	1	1	84.25	63.5	0	26682.464	240.8602151	6426.765961	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:11	1	1	1	1	84.25	63.5	0	26682.464	243.0107527	6483.842035	30000	0	0	30000	43.0625	2004
21.01.2020 13:12:12	1	1	1	1	84.25	63	0	26777.251	247.311828	6621.639986	30000	0	0	30000	43.8125	2004
21.01.2020 13:12:13	1	1	1	1	84.25	63.75	0	26729.858	245.1612903	6691.76202	30000	0	0	30000	43.75	2004
21.01.2020 13:12:14	1	1	1	1	84.25	63.75	0	26682.464	243.0107527	6483.842035	30000	0	0	30000	43.75	2004
21.01.2020 13:12:15	1	1	1	1	84.25	63.75	0	26777.251	243.0107527	6506.672465	30000	0	0	30000	43.625	2004
21.01.2020 13:12:16	1	1	1	1	84.25	63.5	0	26682.464	243.0107527	6564.563912	30000	0	0	30000	43.75	2004
21.01.2020 13:12:17	1	1	1	1	84.25	63.75	0	26682.464	243.0107527	6621.639986	30000	0	0	30000	43.75	2004
21.01.2020 13:12:18	1	1	1	1	84	63.75	0	26777.251	240.8602151	6311.79844	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:19	1	1	1	1	84	63.5	0	26729.858	240.8602151	6426.765961	30000	0	0	30000	43.875	2004
21.01.2020 13:12:20	1	1	1	1	84	63.75	0	26682.464	240.8602151	6426.765961	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:21	1	1	1	1	84	63.5	0	26777.251	240.8602151	6483.842035	30000	0	0	30000	43.75	2004
21.01.2020 13:12:23	1	1	1	1	84	63.75	0	26777.251	247.311828	6621.639986	30000	0	0	30000	43.8125	2004
21.01.2020 13:12:24	1	1	1	1	84	63.75	0	26777.251	245.1612903	6621.639986	30000	0	0	30000	43.625	2004
21.01.2020 13:12:25	1	1	1	1	84	63.5	0	26777.251	247.311828	6621.639986	30000	0	0	30000	43.625	2004
21.01.2020 13:12:26	1	1	1	1	84	63.5	0	26777.251	243.0107527	6506.672465	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:27	1	1	1	1	84	63.5	0	26777.251	245.1612903	6621.639986	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:12:28	1	1	1	1	84	63.75	0	26824.645	245.1612903	6564.563912	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:29	1	1	1	1	84	63.5	0	26777.251	243.0107527	6506.672465	30000	0	0	30000	43.8125	2004
21.01.2020 13:12:30	1	1	1	1	84	63.75	0	26777.251	243.0107527	6506.672465	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:31	1	1	1	1	84	63.5	0	26824.645	240.8602151	6449.596391	30000	0	0	30000	43.625	2004
21.01.2020 13:12:32	1	1	1	1	84	63.5	0	26777.251	236.5591398	6391.704944	30000	0	0	30000	43.9375	2004
21.01.2020 13:12:33	1	1	1	1	84	63.75	0	26777.251	234.4086022	6449.596391	30000	0	0	30000	43.75	2004
21.01.2020 13:12:34	1	1	1	1	84	63.75	0	26777.251	234.4086022	6276.737423	30000	0	0	30000	43.625	2004
21.01.2020 13:12:35	1	1	1	1	84	63.5	0	26824.645	234.4086022	6287.337265	30000	0	0	30000	43.875	2004
21.01.2020 13:12:36	1	1	1	1	84	63.75	0	26824.645	230.1075269	6172.369744	30000	0	0	30000	43.5	2004
21.01.2020 13:12:37	1	1	1	1	84	63.5	0	26824.645	221.5053763	5941.61933	30000	0	0	30000	43.75	2004
21.01.2020 13:12:38	1	1	1	1	84	63.75	0	26824.645	221.5053763	5941.61933	30000	0	0	30000	43.75	2004
21.01.2020 13:12:39	1	1	1	1	84	63.75	0	26777.251	221.5053763	5931.019487	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:40	1	1	1	1	84	63.5	0	26777.251	221.5053763	5873.128041	30000	0	0	30000	43.875	2004
21.01.2020 13:12:41	1	1	1	1	84	63.75	0	26824.645	225.8064516	6056.586851	30000	0	0	30000	44.125	2004
21.01.2020 13:12:42	1	1	1	1	84	64	0	26824.645	230.1075269	6182.969587	30000	0	0	30000	43.5	2004
21.01.2020 13:12:43	1	1	1	1	84	63.5	0	26872.038	227.9569892	6056.586851	30000	0	0	30000	43.875	2004
21.01.2020 13:12:44	1	1	1	1	84	63.75	0	26824.645	232.2580645	6230.261191	30000	0	0	30000	44.125	2004
21.01.2020 13:12:45	1	1	1	1	84	63.75	0	26777.251	234.4086022	6287.337265	30000	0	0	30000	43.625	2004
21.01.2020 13:12:46	1	1	1	1	84	63.5	0	26872.038	236.5591398	6425.950588	30000	0	0	30000	43.8125	2004
21.01.2020 13:12:47	1	1	1	1	84	63.75	0	26872.038	236.5591398	6345.228712	30000	0	0	30000	43.3125	2004
21.01.2020 13:12:48	1	1	1	1	84	63.25	0	26872.038	236.5591398	6472.42682	30000	0	0	30000	43.5625	2004
21.01.2020 13:12:49	1	1	1	1	84	63.5	0	26824.645	234.4086022	6472.42682	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:50	1	1	1	1	84	63.5	0	26872.038	236.5591398	6298.75248	30000	0	0	30000	43.6875	2004
21.01.2020 13:12:51	1	1	1	1	84	63.5	0	26919.431	236.5591398	6240.861033	30000	0	0	30000	43.75	2004
21.01.2020 13:12:52	1	1	1	1	84	63.75	0	26824.645	258.0645161	6934.743022	30000	0	0	30000	43.625	2004
21.01.2020 13:12:53	1	1	1	1	84	63.5	0	26824.645	258.0645161	6934.743022	30000	0	0	30000	43.375	2004
21.01.2020 13:12:54	1	1	1	1	84	63.25	0	26919.431	255.9139785	6876.851575	30000	0	0	30000	43.75	2004
21.01.2020 13:12:55	1	1	1	1	84	63.75	0	26872.038	253.7634409	6876.851575	30000	0	0	30000	43.875	2004
21.01.2020 13:12:56	1	1	1	1	84	63.75	0	26872.038	260.2150538	6922.512434	30000	0	0	30000	43.75	2004
21.01.2020 13:12:57	1	1	1	1	84	63.75	0	26919.431	258.0645161	6946.973609	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:04	1	1	1	1	84	63.25	0	26919.431	255.9139785	6946.973609	30000	0	0	30000	43.625	2004
21.01.2020 13:13:04	1	1	1	1	84	63.25	0	26919.431	255.9139785	6946.973609	30000	0	0	30000	43.625	2004
21.01.2020 13:13:04	1	1	1	1	84	63.25	0	26919.431	255.9139785	6946.973609	30000	0	0	30000	43.625	2004
21.01.2020 13:13:04	1	1	1	1	84	63.25	0	26919.431	255.9139785	6946.973609	30000	0	0	30000	43.625	2004
21.01.2020 13:13:04	1	1	1	1	84	63.25	0	26919.431	255.9139785	6946.973609	30000	0	0	30000	43.625	2004
21.01.2020 13:13:05	1	1	1	1	84	63.5	0	26919.431	258.0645161	6946.973609	30000	0	0	30000	43.75	2004
21.01.2020 13:13:06	1	1	1	1	84	63.75	0	26919.431	258.0645161	6946.973609	30000	0	0	30000	43.75	2004
21.01.2020 13:13:07	1	1	1	1	84	63.75	0	26919.431	258.0645161	7004.865056	30000	0	0	30000	43.75	2004
21.01.2020 13:13:08	1	1	1	1	84	63.75	0	26919.431	255.9139785	6889.082162	30000	0	0	30000	43.875	2004
21.01.2020 13:13:09	1	1	1	1	84.25	63.75	0	26919.431	253.7634409	6831.190716	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:10	1	1	1	1	84.25	63.5	0	26966.825	251.6129032	6784.714484	30000	0	0	30000	43.125	2004
21.01.2020 13:13:11	1	1	1	1	84.25	63	0	26966.825	247.311828	6668.93159	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:13:12	1	1	1	1	84.25	63.5	0	26966.825	240.8602151	6495.25725	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:13	1	1	1	1	84.25	63.5	0	26966.825	232.2580645	6262.876091	30000	0	0	30000	43.3125	2004
21.01.2020 13:13:14	1	1	1	1	84.25	63.25	0	26919.431	225.8064516	6147.093197	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:17	1	1	1	1	84.25	62.5	0	26966.825	234.4086022	6320.767537	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:17	1	1	1	1	84.25	62.5	0	26966.825	234.4086022	6320.767537	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:17	1	1	1	1	84.25	63.75	0	26966.825	236.5591398	6378.658984	30000	0	0	30000	43.5625	2004
21.01.2020 13:13:18	1	1	1	1	84.25	63.5	0	26966.825	234.4086022	6320.767537	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:19	1	1	1	1	83.75	63.5	0	26966.825	234.4086022	6320.767537	30000	0	0	30000	43.75	2004
21.01.2020 13:13:20	1	1	1	1	83.75	63.75	0	26966.825	232.2580645	6262.876091	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:21	1	1	1	1	83.75	63.75	0	27061.611	236.5591398	6320.767537	30000	0	0	30000	43.875	2004
21.01.2020 13:13:22	1	1	1	1	83.75	63.75	0	27014.218	234.4086022	6342.782595	30000	0	0	30000	44	2004
21.01.2020 13:13:23	1	1	1	1	83.75	64	0	26966.825	232.2580645	6320.767537	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:24	1	1	1	1	83.75	63.75	0	27061.611	227.9569892	6168.292882	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:25	1	1	1	1	83.75	63.75	0	26966.825	225.8064516	6215.584486	30000	0	0	30000	43.75	2004
21.01.2020 13:13:26	1	1	1	1	83.75	63.75	0	26966.825	225.8064516	6089.20175	30000	0	0	30000	43.875	2004
21.01.2020 13:13:27	1	1	1	1	83.75	63.75	0	26966.825	225.8064516	6147.093197	30000	0	0	30000	43.875	2004
21.01.2020 13:13:28	1	1	1	1	84	63.75	0	27061.611	225.8064516	6110.401435	30000	0	0	30000	41.75	2004
21.01.2020 13:13:29	1	1	1	1	84	61.75	0	27061.611	227.9569892	6110.401435	30000	0	0	30000	43.875	2004
21.01.2020 13:13:30	1	1	1	1	84	63.75	0	26966.825	225.8064516	6099.801593	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:31	1	1	1	1	84	63.75	0	26966.825	227.9569892	6089.20175	30000	0	0	30000	43.75	2004
21.01.2020 13:13:32	1	1	1	1	84	63.75	0	27061.611	232.2580645	6284.891148	30000	0	0	30000	43.875	2004
21.01.2020 13:13:33	1	1	1	1	84	63.75	0	27061.611	230.1075269	6226.999701	30000	0	0	30000	43.75	2004
21.01.2020 13:13:34	1	1	1	1	84	63.75	0	27014.218	221.5053763	6110.401435	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:35	1	1	1	1	84	63.5	0	27061.611	219.3548387	5935.911722	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:36	1	1	1	1	84	63.5	0	27109.005	217.2043011	5877.204903	30000	0	0	30000	43.5625	2004
21.01.2020 13:13:37	1	1	1	1	84	63.5	0	27061.611	219.3548387	5935.911722	30000	0	0	30000	43.875	2004
21.01.2020 13:13:39	1	1	1	1	84	63.75	0	27061.611	221.5053763	5993.803169	30000	0	0	30000	43.625	2004
21.01.2020 13:13:40	1	1	1	1	84	63.5	0	27061.611	227.9569892	6168.292882	30000	0	0	30000	43.75	2004
21.01.2020 13:13:41	1	1	1	1	84	63.75	0	27014.218	232.2580645	6284.891148	30000	0	0	30000	43.75	2004
21.01.2020 13:13:42	1	1	1	1	84	63.75	0	27014.218	230.1075269	6342.782595	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:43	1	1	1	1	84	63.75	0	27061.611	240.8602151	6401.489414	30000	0	0	30000	42.625	2004
21.01.2020 13:13:44	1	1	1	1	84	62.5	0	27109.005	240.8602151	6529.502895	30000	0	0	30000	43.875	2004
21.01.2020 13:13:45	1	1	1	1	84	63.75	0	27109.005	240.8602151	6529.502895	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:46	1	1	1	1	84	63.75	0	27109.005	243.0107527	6587.394341	30000	0	0	30000	43.75	2004
21.01.2020 13:13:47	1	1	1	1	84	63.75	0	27109.005	245.1612903	6646.101161	30000	0	0	30000	43.5	2004
21.01.2020 13:13:48	1	1	1	1	84	63.5	0	27109.005	247.311828	6762.699427	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:49	1	1	1	1	83.75	63.5	0	27109.005	249.4623656	6808.360286	30000	0	0	30000	43.375	2004
21.01.2020 13:13:50	1	1	1	1	83.75	63.25	0	27109.005	253.7634409	6879.297692	30000	0	0	30000	43.8125	2004
21.01.2020 13:13:51	1	1	1	1	83.75	63.75	0	27109.005	251.6129032	6820.590873	30000	0	0	30000	43.5625	2004
21.01.2020 13:13:52	1	1	1	1	83.75	63.5	0	27109.005	249.4623656	6703.992607	30000	0	0	30000	43.75	2004
21.01.2020 13:13:53	1	1	1	1	83.75	63.75	0	27109.005	251.6129032	6808.360286	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:54	1	1	1	1	83.75	63.5	0	27109.005	249.4623656	6703.992607	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:55	1	1	1	1	83.75	63.5	0	27298.578	251.6129032	6703.992607	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:13:56	1	1	1	1	83.75	63.5	0	27109.005	253.7634409	6890.712907	30000	0	0	30000	43.625	2004
21.01.2020 13:13:57	1	1	1	1	83.75	63.5	0	27156.398	253.7634409	6890.712907	30000	0	0	30000	43.6875	2004
21.01.2020 13:13:58	1	1	1	1	83.75	63.5	0	27109.005	266.6666667	7300.029897	30000	0	0	30000	43.9375	2004
21.01.2020 13:13:59	1	1	1	1	83.75	63.75	0	27109.005	266.6666667	7300.029897	30000	0	0	30000	43.8125	2004
21.01.2020 13:14:06	1	1	1	1	83.75	63.5	0	27109.005	266.6666667	7357.921344	30000	0	0	30000	43.4375	2004
21.01.2020 13:14:06	1	1	1	1	83.75	63.5	0	27109.005	266.6666667	7357.921344	30000	0	0	30000	43.4375	2004
21.01.2020 13:14:06	1	1	1	1	83.75	63.5	0	27109.005	266.6666667	7357.921344	30000	0	0	30000	43.4375	2004
21.01.2020 13:14:06	1	1	1	1	83.75	63.5	0	27109.005	266.6666667	7357.921344	30000	0	0	30000	43.4375	2004
21.01.2020 13:14:06	1	1	1	1	83.75	63.5	0	27109.005	266.6666667	7357.921344	30000	0	0	30000	43.4375	2004
21.01.2020 13:14:06	1	1	1	1	83.75	63.25	0	27156.398	268.8172043	7338.352404	30000	0	0	30000	43.6875	2004
21.01.2020 13:14:07	1	1	1	1	83.75	63.5	0	27156.398	268.8172043	7573.179681	30000	0	0	30000	43.5625	2004
21.01.2020 13:14:08	1	1	1	1	83.75	63.5	0	27156.398	275.2688172	7416.628163	30000	0	0	30000	43.6875	2004
21.01.2020 13:14:09	1	1	1	1	83.75	63.5	0	27298.578	270.9677419	7357.921344	30000	0	0	30000	43.75	2004
21.01.2020 13:14:10	1	1	1	1	83.75	63.75	0	27298.578	275.2688172	7455.766042	30000	0	0	30000	43.75	2004
21.01.2020 13:14:11	1	1	1	1	83.75	63.75	0	27109.005	275.2688172	7514.472862	30000	0	0	30000	43.8125	2004
21.01.2020 13:14:12	1	1	1	1	83.75	63.75	0	27109.005	275.2688172	7462.289022	30000	0	0	30000	43.8125	2004
21.01.2020 13:14:13	1	1	1	1	83.75	63.75	0	27109.005	275.2688172	7520.180469	30000	0	0	30000	43.75	2004
21.01.2020 13:14:14	1	1	1	1	83.75	63.75	0	27156.398	277.4193548	7573.179681	30000	0	0	30000	43.875	2004
21.01.2020 13:14:15	1	1	1	1	83.75	63.75	0	27109.005	281.7204301	7636.778735	30000	0	0	30000	43.75	2004
21.01.2020 13:14:16	1	1	1	1	83.75	63.75	0	27156.398	283.8709677	7749.300139	30000	0	0	30000	43.75	2004
21.01.2020 13:14:18	1	1	1	1	83.75	63.75	0	27298.578	286.0215054	7767.238333	30000	0	0	30000	43.875	2004
21.01.2020 13:14:19	1	1	1	1	84	63.75	0	27298.578	283.8709677	7690.593319	30000	0	0	30000	43.625	2004
21.01.2020 13:14:20	1	1	1	1	84	63.5	0	27298.578	294.6236559	7925.420596	30000	0	0	30000	43.6875	2004
21.01.2020 13:14:21	1	1	1	1	84	63.5	0	27298.578	283.8709677	7749.300139	30000	0	0	30000	43.8125	2004
21.01.2020 13:14:22	1	1	1	1	84	63.75	0	27298.578	283.8709677	7749.300139	30000	0	0	30000	43.6875	2004
21.01.2020 13:14:23	1	1	1	1	84	63.5	0	27156.398	281.7204301	7636.778735	30000	0	0	30000	43.5625	2004
21.01.2020 13:14:24	1	1	1	1	84	63.5	0	27298.578	277.4193548	7631.8865	30000	0	0	30000	43.75	2004
21.01.2020 13:14:25	1	1	1	1	84	63.75	0	27109.005	268.8172043	7300.029897	30000	0	0	30000	43.6875	2004
21.01.2020 13:14:26	1	1	1	1	84	63.5	0	27109.005	266.6666667	7279.645585	30000	0	0	30000	43.875	2004
21.01.2020 13:14:27	1	1	1	1	84	63.75	0	27298.578	264.516129	7220.938766	30000	0	0	30000	43.875	2004
21.01.2020 13:14:28	1	1	1	1	84	63.75	0	27156.398	258.0645161	7162.231946	30000	0	0	30000	43.75	2004
21.01.2020 13:14:29	1	1	1	1	84	63.75	0	27298.578	258.0645161	7103.525127	30000	0	0	30000	43.6875	2004
21.01.2020 13:14:30	1	1	1	1	84	63.5	0	27298.578	255.9139785	6986.111489	30000	0	0	30000	43.6875	2004
21.01.2020 13:14:31	1	1	1	1	84	63.5	0	27298.578	249.4623656	6868.69785	30000	0	0	30000	43.5625	2004
21.01.2020 13:14:32	1	1	1	1	84	63.5	0	27298.578	251.6129032	6868.69785	30000	0	0	30000	43.6875	2004
21.01.2020 13:14:33	1	1	1	1	84	63.5	0	27298.578	255.9139785	6890.712907	30000	0	0	30000	43.6875	2004
21.01.2020 13:14:34	1	1	1	1	84	63.5	0	27298.578	258.0645161	7279.645585	30000	0	0	30000	43.5625	2004
21.01.2020 13:14:35	1	1	1	1	84	63.5	0	27298.578	266.6666667	7279.645585	30000	0	0	30000	43.5625	2004
21.01.2020 13:14:36	1	1	1	1	84	63.5	0	27298.578	260.2150538	7103.525127	30000	0	0	30000	43.8125	2004
21.01.2020 13:14:37	1	1	1	1	84	63.75	0	27298.578	260.2150538	7279.645585	30000	0	0	30000	43.5625	2004
21.01.2020 13:14:38	1	1	1	1	84	63.5	0	27298.578	266.6666667	7279.645585	30000	0	0	30000	44	2004
21.01.2020 13:14:39	1	1	1	1	84	64	0	27298.578	270.9677419	7338.352404	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:14:40	1	1	1	1	84	63.5	0	27345.972	273.1182796	7467.99663	30000	0	0	30000	44.25	2004
21.01.2020 13:14:41	1	1	1	1	84	63.5	0	27345.972	266.6666667	7279.645585	30000	0	0	30000	43.5	2004
21.01.2020 13:14:42	1	1	1	1	84	63.5	0	27345.972	264.516129	7233.169353	30000	0	0	30000	43.75	2004
21.01.2020 13:14:43	1	1	1	1	84	63.75	0	27345.972	266.6666667	7233.169353	30000	0	0	30000	43.4375	2004
21.01.2020 13:14:44	1	1	1	1	84	63.25	0	27345.972	266.6666667	7350.582991	30000	0	0	30000	43.0625	2004
21.01.2020 13:14:45	1	1	1	1	84	63	0	27345.972	283.8709677	7821.052918	30000	0	0	30000	43.75	2004
21.01.2020 13:14:46	1	1	1	1	84	63.75	0	27345.972	290.3225806	7938.466556	30000	0	0	30000	43.625	2004
21.01.2020 13:14:47	1	1	1	1	84	63.5	0	27345.972	290.3225806	7938.466556	30000	0	0	30000	43.625	2004
21.01.2020 13:14:48	1	1	1	1	83.75	63.5	0	27345.972	290.3225806	7938.466556	30000	0	0	30000	43.5	2004
21.01.2020 13:14:49	1	1	1	1	83.75	63.5	0	27298.578	292.4731183	8056.695567	30000	0	0	30000	43.4375	2004
21.01.2020 13:14:50	1	1	1	1	83.75	63.25	0	27345.972	292.4731183	7938.466556	30000	0	0	30000	43.3125	2004
21.01.2020 13:14:51	1	1	1	1	83.75	63.25	0	27440.758	292.4731183	7938.466556	30000	0	0	30000	43.4375	2004
21.01.2020 13:14:52	1	1	1	1	83.75	63.25	0	27345.972	290.3225806	8025.711412	30000	0	0	30000	43.4375	2004
21.01.2020 13:14:53	1	1	1	1	83.75	63.25	0	27440.758	292.4731183	7997.988748	30000	0	0	30000	43.625	2004
21.01.2020 13:14:54	1	1	1	1	83.75	63.5	0	27345.972	290.3225806	7966.189221	30000	0	0	30000	43.5	2004
21.01.2020 13:14:56	1	1	1	1	83.75	63.5	0	27440.758	290.3225806	7966.189221	30000	0	0	30000	43.5	2004
21.01.2020 13:14:57	1	1	1	1	83.75	63.5	0	27440.758	292.4731183	8025.711412	30000	0	0	30000	43.625	2004
21.01.2020 13:14:58	1	1	1	1	83.75	63.5	0	27440.758	292.4731183	8084.418232	30000	0	0	30000	43.5	2004
21.01.2020 13:14:59	1	1	1	1	83.75	63.5	0	27345.972	292.4731183	7997.988748	30000	0	0	30000	43.8125	2004
21.01.2020 13:15:00	1	1	1	1	83.75	63.75	0	27393.365	288.172043	7879.759737	30000	0	0	30000	43.6875	2004
21.01.2020 13:15:01	1	1	1	1	83.75	63.5	0	27345.972	275.2688172	7586.225641	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:08	1	1	1	1	83.75	63.25	0	27440.758	292.4731183	7966.189221	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:08	1	1	1	1	83.75	63.25	0	27440.758	292.4731183	7966.189221	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:08	1	1	1	1	83.75	63.25	0	27440.758	292.4731183	7966.189221	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:08	1	1	1	1	83.75	63.25	0	27440.758	292.4731183	7966.189221	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:08	1	1	1	1	83.75	63.25	0	27440.758	292.4731183	7966.189221	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:08	1	1	1	1	83.75	63.5	0	27440.758	292.4731183	8025.711412	30000	0	0	30000	43.3125	2004
21.01.2020 13:15:09	1	1	1	1	84	63.25	0	27440.758	292.4731183	7966.189221	30000	0	0	30000	43.4375	2004
21.01.2020 13:15:10	1	1	1	1	84	63.25	0	27440.758	288.172043	7907.482402	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:11	1	1	1	1	84	63.5	0	27440.758	292.4731183	8084.418232	30000	0	0	30000	42.4375	2004
21.01.2020 13:15:12	1	1	1	1	84	62.25	0	27440.758	286.0215054	7847.96021	30000	0	0	30000	43.4375	2004
21.01.2020 13:15:13	1	1	1	1	84	63.25	0	27440.758	281.7204301	7730.546571	30000	0	0	30000	43.5	2004
21.01.2020 13:15:14	1	1	1	1	84	63.5	0	27440.758	286.0215054	7934.389694	30000	0	0	30000	43	2004
21.01.2020 13:15:15	1	1	1	1	84	63	0	27440.758	303.2258065	8363.275623	30000	0	0	30000	43.375	2004
21.01.2020 13:15:16	1	1	1	1	84	63.25	0	27582.938	288.172043	7948.251026	30000	0	0	30000	43.6875	2004
21.01.2020 13:15:17	1	1	1	1	84	63.5	0	27582.938	286.0215054	7888.728834	30000	0	0	30000	43.1875	2004
21.01.2020 13:15:18	1	1	1	1	84	63	0	27582.938	283.8709677	7830.022015	30000	0	0	30000	43.9375	2004
21.01.2020 13:15:19	1	1	1	1	84	63.5	0	27440.758	296.7741935	8025.711412	30000	0	0	30000	43.75	2004
21.01.2020 13:15:20	1	1	1	1	84	63.75	0	27440.758	277.4193548	7730.546571	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:21	1	1	1	1	84	63.5	0	27440.758	279.5698925	7756.638491	30000	0	0	30000	43.25	2004
21.01.2020 13:15:22	1	1	1	1	84	63.25	0	27535.545	292.4731183	7966.189221	30000	0	0	30000	43.125	2004
21.01.2020 13:15:23	1	1	1	1	84	63	0	27440.758	270.9677419	7435.38173	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:15:24	1	1	1	1	84	63.5	0	27440.758	264.516129	7258.4459	30000	0	0	30000	43.75	2004
21.01.2020 13:15:25	1	1	1	1	84	63.75	0	27582.938	258.0645161	7118.201832	30000	0	0	30000	43.6875	2004
21.01.2020 13:15:26	1	1	1	1	84	63.5	0	27582.938	260.2150538	7236.430843	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:27	1	1	1	1	84	63.5	0	27440.758	273.1182796	7494.088549	30000	0	0	30000	43.5	2004
21.01.2020 13:15:28	1	1	1	1	84	63.5	0	27582.938	279.5698925	7651.45544	30000	0	0	30000	43.4375	2004
21.01.2020 13:15:29	1	1	1	1	84	63.25	0	27582.938	275.2688172	7592.748621	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:30	1	1	1	1	84	63.5	0	27582.938	286.0215054	7830.022015	30000	0	0	30000	43.625	2004
21.01.2020 13:15:31	1	1	1	1	84	63.5	0	27535.545	283.8709677	7830.022015	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:33	1	1	1	1	84	63.5	0	27535.545	288.172043	7993.911885	30000	0	0	30000	43.625	2004
21.01.2020 13:15:34	1	1	1	1	84	63.5	0	27535.545	288.172043	7888.728834	30000	0	0	30000	43.625	2004
21.01.2020 13:15:35	1	1	1	1	84	63.5	0	27582.938	296.7741935	8185.52442	30000	0	0	30000	43.5	2004
21.01.2020 13:15:36	1	1	1	1	84	63.5	0	27582.938	294.6236559	8126.002229	30000	0	0	30000	43.625	2004
21.01.2020 13:15:37	1	1	1	1	84	63.5	0	27535.545	294.6236559	8126.002229	30000	0	0	30000	43.5625	2004
21.01.2020 13:15:38	1	1	1	1	84	63.5	0	27582.938	303.2258065	8363.275623	30000	0	0	30000	43.3125	2004
21.01.2020 13:15:39	1	1	1	1	84.25	63.25	0	27582.938	294.6236559	8126.002229	30000	0	0	30000	42.875	2004
21.01.2020 13:15:40	1	1	1	1	84.25	62.75	0	27630.332	296.7741935	8258.907944	30000	0	0	30000	43.4375	2004
21.01.2020 13:15:41	1	1	1	1	84.25	63.25	0	27630.332	288.172043	7816.160683	30000	0	0	30000	43.5	2004
21.01.2020 13:15:42	1	1	1	1	84.25	63.5	0	27582.938	309.6774194	8541.842198	30000	0	0	30000	43.4375	2004
21.01.2020 13:15:43	1	1	1	1	84.25	63.25	0	27582.938	290.3225806	8007.773218	30000	0	0	30000	43.625	2004
21.01.2020 13:15:44	1	1	1	1	84.25	63.5	0	27582.938	309.6774194	8600.549017	30000	0	0	30000	43.375	2004
21.01.2020 13:15:45	1	1	1	1	84.25	63.25	0	27582.938	292.4731183	8067.295409	30000	0	0	30000	43.125	2004
21.01.2020 13:15:46	1	1	1	1	84.25	63	0	27582.938	290.3225806	8007.773218	30000	0	0	30000	43.5	2004
21.01.2020 13:15:47	1	1	1	1	84.25	63.5	0	27582.938	309.6774194	8600.549017	30000	0	0	30000	43.4375	2004
21.01.2020 13:15:48	1	1	1	1	84.25	63.25	0	27582.938	290.3225806	8007.773218	30000	0	0	30000	43.75	2004
21.01.2020 13:15:49	1	1	1	1	84	63.75	0	27630.332	288.172043	8021.63455	30000	0	0	30000	42.75	2004
21.01.2020 13:15:50	1	1	1	1	84	62.75	0	27630.332	303.2258065	8556.518903	30000	0	0	30000	43	2004
21.01.2020 13:15:51	1	1	1	1	84	63	0	27630.332	294.6236559	8139.863561	30000	0	0	30000	43.5	2004
21.01.2020 13:15:52	1	1	1	1	84	63.5	0	27630.332	298.9247312	8067.295409	30000	0	0	30000	43.375	2004
21.01.2020 13:15:53	1	1	1	1	84	63.25	0	27630.332	288.172043	7962.112358	30000	0	0	30000	44.0625	2004
21.01.2020 13:15:54	1	1	1	1	84	64	0	27630.332	292.4731183	8139.863561	30000	0	0	30000	43.75	2004
21.01.2020 13:15:55	1	1	1	1	84	63.75	0	27630.332	290.3225806	8021.63455	30000	0	0	30000	43.8125	2004
21.01.2020 13:15:56	1	1	1	1	84	63.75	0	27630.332	309.6774194	8615.225722	30000	0	0	30000	43.9375	2004
21.01.2020 13:15:57	1	1	1	1	84	63.5	0	27630.332	290.3225806	8021.63455	30000	0	0	30000	43.0625	2004
21.01.2020 13:15:58	1	1	1	1	84.25	63	0	27630.332	292.4731183	8139.863561	30000	0	0	30000	43.5	2004
21.01.2020 13:15:59	1	1	1	1	84.25	63.5	0	27630.332	303.2258065	8377.952328	30000	0	0	30000	43.3125	2004
21.01.2020 13:16:00	1	1	1	1	84.25	63.25	0	27819.905	329.0322581	8972.358873	30000	0	0	30000	43.5	2004
21.01.2020 13:16:01	1	1	1	1	84.25	63.5	0	27630.332	301.0752688	8377.952328	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:02	1	1	1	1	84.25	63.5	0	27630.332	316.1290323	8913.652053	30000	0	0	30000	43.6875	2004
21.01.2020 13:16:09	1	1	1	1	84.25	63.5	0	27819.905	307.5268817	8496.996711	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:09	1	1	1	1	84.25	63.5	0	27819.905	307.5268817	8496.996711	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:09	1	1	1	1	84.25	63.5	0	27819.905	307.5268817	8496.996711	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:09	1	1	1	1	84.25	63.5	0	27819.905	307.5268817	8496.996711	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:09	1	1	1	1	84.25	63.5	0	27819.905	307.5268817	8496.996711	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:16:09	1	1	1	1	84.25	63.5	0	27819.905	307.5268817	8496.996711	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:09	1	1	1	1	84.25	63.5	0	27630.332	309.6774194	8615.225722	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:10	1	1	1	1	84.25	63.5	0	27630.332	318.2795699	8734.270106	30000	0	0	30000	43.6875	2004
21.01.2020 13:16:12	1	1	1	1	84.25	63.5	0	27819.905	305.3763441	8437.47452	30000	0	0	30000	43.5	2004
21.01.2020 13:16:13	1	1	1	1	84.25	63.5	0	27630.332	320.4301075	8853.314489	30000	0	0	30000	43.4375	2004
21.01.2020 13:16:14	1	1	1	1	84.25	63.25	0	27630.332	329.0322581	9090.587884	30000	0	0	30000	43.4375	2004
21.01.2020 13:16:15	1	1	1	1	84.25	63.25	0	27819.905	324.7311828	9033.511809	30000	0	0	30000	43.5	2004
21.01.2020 13:16:16	1	1	1	1	84.25	63.5	0	27819.905	331.1827957	9150.110075	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:17	1	1	1	1	84.25	63.5	0	27725.118	333.3333333	9269.154459	30000	0	0	30000	43.125	2004
21.01.2020 13:16:18	1	1	1	1	84.25	63	0	27630.332	335.483871	9269.154459	30000	0	0	30000	43.375	2004
21.01.2020 13:16:19	1	1	1	1	84.25	63.25	0	27630.332	352.688172	9923.083195	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:20	1	1	1	1	84.25	63.5	0	27819.905	329.0322581	9153.371565	30000	0	0	30000	43	2004
21.01.2020 13:16:21	1	1	1	1	84.25	63	0	27772.512	341.9354839	9479.520561	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:22	1	1	1	1	84.25	63.5	0	27819.905	341.9354839	9452.613269	30000	0	0	30000	43.625	2004
21.01.2020 13:16:23	1	1	1	1	84.25	63.5	0	27819.905	352.688172	9870.899356	30000	0	0	30000	43.5	2004
21.01.2020 13:16:24	1	1	1	1	84.25	63.5	0	27630.332	348.3870968	9751.854972	30000	0	0	30000	43.3125	2004
21.01.2020 13:16:25	1	1	1	1	84.25	63.25	0	27819.905	359.1397849	9956.513467	30000	0	0	30000	43.75	2004
21.01.2020 13:16:26	1	1	1	1	84.25	63.75	0	27440.758	365.5913978	9972.820917	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:27	1	1	1	1	84.25	63.5	0	27298.578	363.4408602	9921.45245	30000	0	0	30000	43.375	2004
21.01.2020 13:16:28	1	1	1	1	84.25	63.25	0	27440.758	363.4408602	9938.575272	30000	0	0	30000	43.6875	2004
21.01.2020 13:16:29	1	1	1	1	84.25	63.5	0	27440.758	356.9892473	9854.591906	30000	0	0	30000	43.0625	2004
21.01.2020 13:16:30	1	1	1	1	84.25	63	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	43.625	2004
21.01.2020 13:16:31	1	1	1	1	84.25	63.5	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	43.375	2004
21.01.2020 13:16:32	1	1	1	1	84.25	63.25	0	27345.972	363.4408602	9938.575272	30000	0	0	30000	43.125	2004
21.01.2020 13:16:33	1	1	1	1	84.25	63	0	27345.972	363.4408602	9938.575272	30000	0	0	30000	43.6875	2004
21.01.2020 13:16:34	1	1	1	1	84.25	63.5	0	27345.972	365.5913978	9997.282092	30000	0	0	30000	43.5	2004
21.01.2020 13:16:35	1	1	1	1	84.25	63.5	0	27393.365	363.4408602	9938.575272	30000	0	0	30000	43.25	2004
21.01.2020 13:16:36	1	1	1	1	84.25	63.5	0	27582.938	359.1397849	9905.960373	30000	0	0	30000	43.375	2004
21.01.2020 13:16:37	1	1	1	1	84.25	63.25	0	27630.332	363.4408602	10100.8344	30000	0	0	30000	43.5	2004
21.01.2020 13:16:38	1	1	1	1	84.25	63.5	0	27440.758	363.4408602	9972.820917	30000	0	0	30000	43.6875	2004
21.01.2020 13:16:39	1	1	1	1	84.25	63.5	0	27535.545	363.4408602	9972.820917	30000	0	0	30000	43.625	2004
21.01.2020 13:16:40	1	1	1	1	84.25	63.5	0	27440.758	363.4408602	9854.591906	30000	0	0	30000	43.375	2004
21.01.2020 13:16:41	1	1	1	1	84.25	63.25	0	27345.972	363.4408602	9938.575272	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:42	1	1	1	1	84.25	63.5	0	27582.938	367.7419355	10024.18938	30000	0	0	30000	43.625	2004
21.01.2020 13:16:43	1	1	1	1	84.25	63.5	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	43.4375	2004
21.01.2020 13:16:44	1	1	1	1	84.25	63.25	0	27630.332	365.5913978	9923.083195	30000	0	0	30000	43.5	2004
21.01.2020 13:16:45	1	1	1	1	84.25	63.5	0	27440.758	363.4408602	10031.52774	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:46	1	1	1	1	84.25	63.5	0	27345.972	363.4408602	9938.575272	30000	0	0	30000	43.375	2004
21.01.2020 13:16:47	1	1	1	1	84.25	63.25	0	27440.758	363.4408602	10149.75675	30000	0	0	30000	43.5	2004
21.01.2020 13:16:48	1	1	1	1	84.5	63.5	0	27440.758	365.5913978	9854.591906	30000	0	0	30000	42.875	2004
21.01.2020 13:16:49	1	1	1	1	84.5	62.75	0	27440.758	367.7419355	9997.282092	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:51	1	1	1	1	84.5	63.5	0	27298.578	359.1397849	9804.038812	30000	0	0	30000	43.625	2004
21.01.2020 13:16:52	1	1	1	1	84.5	63.5	0	27440.758	363.4408602	9972.820917	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:16:53	1	1	1	1	84.5	63.5	0	27345.972	367.7419355	10114.69573	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:54	1	1	1	1	84.5	63.5	0	27298.578	369.8924731	9980.159269	30000	0	0	30000	43.5625	2004
21.01.2020 13:16:55	1	1	1	1	84.5	63.5	0	27298.578	365.5913978	9980.159269	30000	0	0	30000	42.8125	2004
21.01.2020 13:16:56	1	1	1	1	84.5	62.75	0	27345.972	365.5913978	10055.98891	30000	0	0	30000	43.5	2004
21.01.2020 13:16:57	1	1	1	1	84.5	63.5	0	27014.218	369.8924731	10009.51268	30000	0	0	30000	43.5	2004
21.01.2020 13:16:58	1	1	1	1	84.5	63.5	0	26966.825	369.8924731	9974.451662	30000	0	0	30000	43.5	2004
21.01.2020 13:16:59	1	1	1	1	84.5	63.5	0	27109.005	367.7419355	9835.022966	30000	0	0	30000	42.8125	2004
21.01.2020 13:17:00	1	1	1	1	84.5	62.75	0	27109.005	369.8924731	9968.744055	30000	0	0	30000	43.5625	2004
21.01.2020 13:17:01	1	1	1	1	84.5	63.5	0	27298.578	367.7419355	10038.86609	30000	0	0	30000	43.6875	2004
21.01.2020 13:17:02	1	1	1	1	84.5	63.5	0	27109.005	369.8924731	10085.34232	30000	0	0	30000	43.5	2004
21.01.2020 13:17:03	1	1	1	1	84.5	63.5	0	26966.825	369.8924731	10032.34311	30000	0	0	30000	43.625	2004
21.01.2020 13:17:04	1	1	1	1	84.5	63.5	0	27298.578	367.7419355	10038.86609	30000	0	0	30000	43.4375	2004
21.01.2020 13:17:11	1	1	1	1	84.5	63.5	0	27440.758	363.4408602	10091.04993	30000	0	0	30000	43.5	2004
21.01.2020 13:17:11	1	1	1	1	84.5	63.5	0	27440.758	363.4408602	10091.04993	30000	0	0	30000	43.5	2004
21.01.2020 13:17:11	1	1	1	1	84.5	63.5	0	27440.758	363.4408602	10091.04993	30000	0	0	30000	43.5	2004
21.01.2020 13:17:11	1	1	1	1	84.5	63.5	0	27440.758	363.4408602	10091.04993	30000	0	0	30000	43.5	2004
21.01.2020 13:17:11	1	1	1	1	84.5	63.5	0	27440.758	363.4408602	10091.04993	30000	0	0	30000	43.5	2004
21.01.2020 13:17:11	1	1	1	1	84.5	63.5	0	27440.758	367.7419355	10091.04993	30000	0	0	30000	43.3125	2004
21.01.2020 13:17:12	1	1	1	1	84.5	63.25	0	27298.578	365.5913978	10038.86609	30000	0	0	30000	43.5625	2004
21.01.2020 13:17:13	1	1	1	1	84.5	63.5	0	27298.578	363.4408602	9921.45245	30000	0	0	30000	43.6875	2004
21.01.2020 13:17:14	1	1	1	1	84.5	63.5	0	27630.332	369.8924731	10160.35659	30000	0	0	30000	43.625	2004
21.01.2020 13:17:15	1	1	1	1	84.5	63.5	0	27962.085	378.4946237	10583.53491	30000	0	0	30000	43.5	2004
21.01.2020 13:17:16	1	1	1	1	84.5	63.5	0	27962.085	380.6451613	10643.0571	30000	0	0	30000	43.75	2004
21.01.2020 13:17:17	1	1	1	1	84.5	63.75	0	28009.479	369.8924731	10282.66246	30000	0	0	30000	43.625	2004
21.01.2020 13:17:18	1	1	1	1	84.75	63.5	0	28009.479	367.7419355	10299.78529	30000	0	0	30000	43.1875	2004
21.01.2020 13:17:19	1	1	1	1	84.75	63	0	27962.085	369.8924731	10601.47311	30000	0	0	30000	43.4375	2004
21.01.2020 13:17:20	1	1	1	1	84.75	63.25	0	28009.479	380.6451613	10660.9953	30000	0	0	30000	43.6875	2004
21.01.2020 13:17:21	1	1	1	1	84.75	63.5	0	27962.085	363.4408602	10161.98733	30000	0	0	30000	43.5	2004
21.01.2020 13:17:22	1	1	1	1	84.75	63.5	0	28009.479	378.4946237	10601.47311	30000	0	0	30000	43.5625	2004
21.01.2020 13:17:23	1	1	1	1	84.75	63.5	0	28009.479	389.2473118	10781.67043	30000	0	0	30000	43.6875	2004
21.01.2020 13:17:24	1	1	1	1	84.75	63.5	0	28009.479	378.4946237	10601.47311	30000	0	0	30000	43.4375	2004
21.01.2020 13:17:25	1	1	1	1	84.75	63.25	0	28009.479	387.0967742	10902.34555	30000	0	0	30000	43.5	2004
21.01.2020 13:17:27	1	1	1	1	84.75	63.5	0	28009.479	382.7956989	11158.37252	30000	0	0	30000	43.6875	2004
21.01.2020 13:17:28	1	1	1	1	84.75	63.5	0	28009.479	372.0430108	10420.46041	30000	0	0	30000	43.5	2004
21.01.2020 13:17:29	1	1	1	1	84.75	63.5	0	28009.479	367.7419355	10430.24488	30000	0	0	30000	43.625	2004
21.01.2020 13:17:30	1	1	1	1	84.75	63.5	0	28009.479	369.8924731	10430.24488	30000	0	0	30000	43.25	2004
21.01.2020 13:17:31	1	1	1	1	84.75	63.25	0	28009.479	350.5376344	9577.36526	30000	0	0	30000	43.3125	2004
21.01.2020 13:17:32	1	1	1	1	84.75	63.25	0	28009.479	318.2795699	9096.295491	30000	0	0	30000	43.625	2004
21.01.2020 13:17:33	1	1	1	1	84.75	63.5	0	28009.479	316.1290323	8854.129862	30000	0	0	30000	43.4375	2004
21.01.2020 13:17:34	1	1	1	1	84.75	63.25	0	28009.479	316.1290323	8854.129862	30000	0	0	30000	43.5	2004
21.01.2020 13:17:35	1	1	1	1	84.75	63.5	0	28199.052	329.0322581	9278.123556	30000	0	0	30000	43.5	2004
21.01.2020 13:17:36	1	1	1	1	84.75	63.5	0	28009.479	326.8817204	9155.817683	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:17:37	1	1	1	1	84.75	63.5	0	28009.479	335.483871	9399.614057	30000	0	0	30000	43.5625	2004
21.01.2020 13:17:38	1	1	1	1	84.75	63.5	0	28009.479	322.5806452	9096.295491	30000	0	0	30000	43.1875	2004
21.01.2020 13:17:39	1	1	1	1	84.5	63	0	28009.479	309.6774194	8732.639361	30000	0	0	30000	43.4375	2004
21.01.2020 13:17:40	1	1	1	1	84.5	63.25	0	28009.479	309.6774194	8732.639361	30000	0	0	30000	43.5625	2004
21.01.2020 13:17:41	1	1	1	1	84.5	63.5	0	28199.052	303.2258065	8549.995923	30000	0	0	30000	43.375	2004
21.01.2020 13:17:42	1	1	1	1	84.5	63.25	0	28199.052	275.2688172	7762.346098	30000	0	0	30000	43.25	2004
21.01.2020 13:17:43	1	1	1	1	84.5	63.25	0	28199.052	273.1182796	7701.193162	30000	0	0	30000	43.3125	2004
21.01.2020 13:17:44	1	1	1	1	84.5	63.25	0	28199.052	268.8172043	7640.855598	30000	0	0	30000	43.3125	2004
21.01.2020 13:17:45	1	1	1	1	84.5	63.25	0	28199.052	266.6666667	7337.537032	30000	0	0	30000	43.5	2004
21.01.2020 13:17:46	1	1	1	1	84.5	63.5	0	28293.839	279.5698925	7944.174164	30000	0	0	30000	43.0625	2004
21.01.2020 13:17:47	1	1	1	1	84.5	63	0	28293.839	273.1182796	7727.285081	30000	0	0	30000	43.75	2004
21.01.2020 13:17:48	1	1	1	1	84.5	63.75	0	28199.052	275.2688172	7822.683663	30000	0	0	30000	43.5	2004
21.01.2020 13:17:49	1	1	1	1	84.5	63.5	0	28199.052	268.8172043	7579.702661	30000	0	0	30000	43.6875	2004
21.01.2020 13:17:50	1	1	1	1	84.5	63.5	0	28293.839	275.2688172	7788.438018	30000	0	0	30000	43.375	2004
21.01.2020 13:17:51	1	1	1	1	84.5	63.25	0	28341.232	270.9677419	7666.132145	30000	0	0	30000	43.5	2004
21.01.2020 13:17:52	1	1	1	1	84.5	63.5	0	28341.232	277.4193548	7788.438018	30000	0	0	30000	43.0625	2004
21.01.2020 13:17:53	1	1	1	1	84.5	63	0	28293.839	279.5698925	7909.928519	30000	0	0	30000	43.625	2004
21.01.2020 13:17:54	1	1	1	1	84.5	63.5	0	28199.052	281.7204301	7944.174164	30000	0	0	30000	43.375	2004
21.01.2020 13:17:55	1	1	1	1	84.5	63.25	0	28293.839	288.172043	8166.770853	30000	0	0	30000	43.375	2004
21.01.2020 13:17:56	1	1	1	1	84.5	63.25	0	28199.052	277.4193548	7970.266083	30000	0	0	30000	43.5	2004
21.01.2020 13:17:57	1	1	1	1	84.5	63.5	0	28341.232	292.4731183	8227.92379	30000	0	0	30000	43.125	2004
21.01.2020 13:17:58	1	1	1	1	84.25	63	0	28341.232	281.7204301	7970.266083	30000	0	0	30000	43.3125	2004
21.01.2020 13:17:59	1	1	1	1	84.25	63.25	0	28293.839	283.8709677	8045.280352	30000	0	0	30000	43.5625	2004
21.01.2020 13:18:00	1	1	1	1	84.25	63.5	0	28293.839	275.2688172	7861.821542	30000	0	0	30000	43.5	2004
21.01.2020 13:18:01	1	1	1	1	84.25	63.5	0	28341.232	288.172043	8105.617916	30000	0	0	30000	43.25	2004
21.01.2020 13:18:02	1	1	1	1	84.25	63.25	0	28341.232	286.0215054	8166.770853	30000	0	0	30000	43.5	2004
21.01.2020 13:18:04	1	1	1	1	84.25	63.5	0	28388.626	296.7741935	8485.581496	30000	0	0	30000	43.4375	2004
21.01.2020 13:18:05	1	1	1	1	84.25	63.25	0	28341.232	303.2258065	8532.873101	30000	0	0	30000	42.4375	2004
21.01.2020 13:18:06	1	1	1	1	84.25	62.25	0	28388.626	309.6774194	8851.683744	30000	0	0	30000	43.5	2004
21.01.2020 13:18:12	1	1	1	1	84	63.25	0	28436.019	303.2258065	8758.73128	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:12	1	1	1	1	84	63.25	0	28436.019	303.2258065	8758.73128	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:12	1	1	1	1	84	63.25	0	28436.019	303.2258065	8758.73128	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:12	1	1	1	1	84	63.25	0	28436.019	303.2258065	8758.73128	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:12	1	1	1	1	84	63.25	0	28436.019	303.2258065	8758.73128	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:12	1	1	1	1	84	63.25	0	28436.019	303.2258065	8758.73128	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:13	1	1	1	1	84	63.25	0	28388.626	309.6774194	8806.022885	30000	0	0	30000	42.8125	2004
21.01.2020 13:18:14	1	1	1	1	84	62.75	0	28436.019	309.6774194	8744.869948	30000	0	0	30000	43.4375	2004
21.01.2020 13:18:15	1	1	1	1	84	63.25	0	28436.019	305.3763441	8683.717011	30000	0	0	30000	43.375	2004
21.01.2020 13:18:16	1	1	1	1	84	63.25	0	28483.412	322.5806452	9187.61721	30000	0	0	30000	43.5	2004
21.01.2020 13:18:17	1	1	1	1	84	63.5	0	28483.412	356.9892473	10167.69494	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:18	1	1	1	1	84	63.25	0	28483.412	356.9892473	10228.84788	30000	0	0	30000	43.5	2004
21.01.2020 13:18:19	1	1	1	1	84.25	63.5	0	28483.412	361.2903226	10228.84788	30000	0	0	30000	43.125	2004
21.01.2020 13:18:20	1	1	1	1	84.25	63	0	28578.199	363.4408602	10228.84788	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:18:21	1	1	1	1	84.25	62.75	0	28483.412	384.9462366	10780.85505	30000	0	0	30000	43.6875	2004
21.01.2020 13:18:22	1	1	1	1	84.25	63.5	0	28009.479	395.6989247	10962.68312	30000	0	0	30000	43.4375	2004
21.01.2020 13:18:23	1	1	1	1	84.25	63.25	0	28436.019	384.9462366	10946.37567	30000	0	0	30000	43.1875	2004
21.01.2020 13:18:24	1	1	1	1	84.25	63	0	28530.806	384.9462366	11001.00563	30000	0	0	30000	43.4375	2004
21.01.2020 13:18:25	1	1	1	1	84.25	63.25	0	28530.806	378.4946237	10842.00799	30000	0	0	30000	43.75	2004
21.01.2020 13:18:26	1	1	1	1	84.25	63.75	0	28578.199	380.6451613	10859.94619	30000	0	0	30000	43.5	2004
21.01.2020 13:18:27	1	1	1	1	84.25	63.5	0	28578.199	378.4946237	10816.73144	30000	0	0	30000	44	2004
21.01.2020 13:18:28	1	1	1	1	84.25	64	0	28625.592	369.8924731	10570.48895	30000	0	0	30000	43.5	2004
21.01.2020 13:18:29	1	1	1	1	84.75	63.5	0	28578.199	382.7956989	11001.00563	30000	0	0	30000	43.1875	2004
21.01.2020 13:18:30	1	1	1	1	84.75	63	0	28483.412	387.0967742	10903.16093	30000	0	0	30000	43.0625	2004
21.01.2020 13:18:31	1	1	1	1	84.75	63	0	28625.592	372.0430108	10906.42242	30000	0	0	30000	43.625	2004
21.01.2020 13:18:32	1	1	1	1	84.75	63.5	0	28625.592	378.4946237	10816.73144	30000	0	0	30000	43.5	2004
21.01.2020 13:18:33	1	1	1	1	84.75	63.5	0	28625.592	369.8924731	10588.42715	30000	0	0	30000	43.4375	2004
21.01.2020 13:18:34	1	1	1	1	84.75	63.25	0	28578.199	365.5913978	10526.45884	30000	0	0	30000	43.4375	2004
21.01.2020 13:18:35	1	1	1	1	84.75	63.25	0	28625.592	350.5376344	10017.6664	30000	0	0	30000	43.4375	2004
21.01.2020 13:18:36	1	1	1	1	84.75	63.25	0	28625.592	335.483871	9541.48887	30000	0	0	30000	43.6875	2004
21.01.2020 13:18:37	1	1	1	1	84.75	63.5	0	28625.592	339.7849462	9852.961161	30000	0	0	30000	43.375	2004
21.01.2020 13:18:38	1	1	1	1	84.75	63.25	0	28578.199	339.7849462	9787.731362	30000	0	0	30000	43.25	2004
21.01.2020 13:18:39	1	1	1	1	84.75	63.25	0	28625.592	356.9892473	10157.0951	30000	0	0	30000	43.5	2004
21.01.2020 13:18:40	1	1	1	1	84.75	63.5	0	28530.806	361.2903226	10588.42715	30000	0	0	30000	43.5	2004
21.01.2020 13:18:42	1	1	1	1	84.75	63.5	0	28625.592	378.4946237	10631.64189	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:43	1	1	1	1	84.75	63.25	0	28625.592	363.4408602	10403.33759	30000	0	0	30000	43.5	2004
21.01.2020 13:18:44	1	1	1	1	84.75	63.5	0	28483.412	384.9462366	10964.31386	30000	0	0	30000	43.5	2004
21.01.2020 13:18:45	1	1	1	1	84.75	63.5	0	28625.592	378.4946237	10834.66964	30000	0	0	30000	43.25	2004
21.01.2020 13:18:46	1	1	1	1	84.75	63.25	0	28625.592	378.4946237	11030.35904	30000	0	0	30000	43.375	2004
21.01.2020 13:18:47	1	1	1	1	84.75	63.25	0	28293.839	380.6451613	10927.6221	30000	0	0	30000	43.5	2004
21.01.2020 13:18:48	1	1	1	1	84.75	63.5	0	28483.412	389.2473118	11025.4668	30000	0	0	30000	43.625	2004
21.01.2020 13:18:49	1	1	1	1	84.75	63.5	0	28815.166	378.4946237	10834.66964	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:50	1	1	1	1	84.75	63.25	0	28578.199	367.7419355	10649.58008	30000	0	0	30000	43.125	2004
21.01.2020 13:18:51	1	1	1	1	84.75	63	0	28388.626	380.6451613	10946.37567	30000	0	0	30000	43.5	2004
21.01.2020 13:18:52	1	1	1	1	84.75	63.5	0	28578.199	384.9462366	11402.16889	30000	0	0	30000	43.5625	2004
21.01.2020 13:18:53	1	1	1	1	84.75	63.5	0	28625.592	369.8924731	10906.42242	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:54	1	1	1	1	84.75	63.25	0	28815.166	367.7419355	10658.54918	30000	0	0	30000	43.5625	2004
21.01.2020 13:18:55	1	1	1	1	84.75	63.5	0	28625.592	384.9462366	10877.88438	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:56	1	1	1	1	84.75	63.25	0	28815.166	378.4946237	10906.42242	30000	0	0	30000	42.5625	2004
21.01.2020 13:18:57	1	1	1	1	84.75	62.5	0	28815.166	359.1397849	10348.70763	30000	0	0	30000	43.5	2004
21.01.2020 13:18:58	1	1	1	1	84.75	63.5	0	28815.166	380.6451613	10968.39073	30000	0	0	30000	43.3125	2004
21.01.2020 13:18:59	1	1	1	1	85.25	63.25	0	28815.166	378.4946237	10906.42242	30000	0	0	30000	43.5	2004
21.01.2020 13:19:00	1	1	1	1	85.25	63.5	0	28815.166	380.6451613	10968.39073	30000	0	0	30000	43.5	2004
21.01.2020 13:19:01	1	1	1	1	85.25	63.5	0	28815.166	380.6451613	11092.32734	30000	0	0	30000	43.5	2004
21.01.2020 13:19:02	1	1	1	1	85.25	63.5	0	28815.166	384.9462366	10968.39073	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:03	1	1	1	1	85.25	63.5	0	28625.592	382.7956989	10913.76077	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:04	1	1	1	1	85.25	63.5	0	28625.592	380.6451613	10968.39073	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:19:05	1	1	1	1	85.25	63.25	0	28862.559	382.7956989	10986.32892	30000	0	0	30000	43.5	2004
21.01.2020 13:19:06	1	1	1	1	85.25	63.5	0	28625.592	378.4946237	10906.42242	30000	0	0	30000	43.875	2004
21.01.2020 13:19:07	1	1	1	1	85.25	63.75	0	28625.592	382.7956989	10968.39073	30000	0	0	30000	43.625	2004
21.01.2020 13:19:14	1	1	1	1	85	63.5	0	28530.806	387.0967742	11123.3115	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:14	1	1	1	1	85	63.5	0	28530.806	387.0967742	11123.3115	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:14	1	1	1	1	85	63.5	0	28530.806	387.0967742	11123.3115	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:14	1	1	1	1	85	63.5	0	28530.806	387.0967742	11123.3115	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:14	1	1	1	1	85	63.5	0	28530.806	387.0967742	11123.3115	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:14	1	1	1	1	85	63.5	0	28530.806	387.0967742	11123.3115	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:14	1	1	1	1	85	63.5	0	28815.166	382.7956989	11092.32734	30000	0	0	30000	43.3125	2004
21.01.2020 13:19:15	1	1	1	1	85	63.25	0	28815.166	397.8494624	11464.1372	30000	0	0	30000	43.375	2004
21.01.2020 13:19:16	1	1	1	1	85	63.25	0	28909.953	412.9032258	11956.62218	30000	0	0	30000	43.1875	2004
21.01.2020 13:19:17	1	1	1	1	85	63	0	29052.133	412.9032258	11995.76006	30000	0	0	30000	43.0625	2004
21.01.2020 13:19:18	1	1	1	1	85	63	0	29052.133	412.9032258	11745.44071	30000	0	0	30000	43.375	2004
21.01.2020 13:19:20	1	1	1	1	85	63.25	0	28957.346	415.0537634	12018.59049	30000	0	0	30000	43.125	2004
21.01.2020 13:19:21	1	1	1	1	85	63	0	29052.133	412.9032258	11707.1182	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:22	1	1	1	1	85	63.5	0	28957.346	412.9032258	12348.00098	30000	0	0	30000	43.125	2004
21.01.2020 13:19:23	1	1	1	1	85	63	0	29052.133	412.9032258	12077.29731	30000	0	0	30000	43.5	2004
21.01.2020 13:19:24	1	1	1	1	85	63.5	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.3125	2004
21.01.2020 13:19:25	1	1	1	1	85	63.25	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.1875	2004
21.01.2020 13:19:26	1	1	1	1	85	63	0	28815.166	412.9032258	11917.4843	30000	0	0	30000	43.375	2004
21.01.2020 13:19:27	1	1	1	1	85	63.25	0	29052.133	412.9032258	11956.62218	30000	0	0	30000	43.125	2004
21.01.2020 13:19:28	1	1	1	1	85	63	0	28862.559	419.3548387	12103.38923	30000	0	0	30000	43.3125	2004
21.01.2020 13:19:29	1	1	1	1	84.75	63.25	0	28578.199	412.9032258	11819.63961	30000	0	0	30000	43.375	2004
21.01.2020 13:19:30	1	1	1	1	84.75	63.25	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:31	1	1	1	1	84.75	63.5	0	28862.559	412.9032258	11917.4843	30000	0	0	30000	43.4375	2004
21.01.2020 13:19:32	1	1	1	1	84.75	63.25	0	29099.526	412.9032258	11995.76006	30000	0	0	30000	43.25	2004
21.01.2020 13:19:33	1	1	1	1	84.75	63.25	0	28862.559	412.9032258	11917.4843	30000	0	0	30000	43.6875	2004
21.01.2020 13:19:34	1	1	1	1	84.75	63.5	0	28625.592	419.3548387	12003.91379	30000	0	0	30000	43.3125	2004
21.01.2020 13:19:35	1	1	1	1	84.75	63.25	0	28957.346	412.9032258	11937.05324	30000	0	0	30000	43.5	2004
21.01.2020 13:19:36	1	1	1	1	84.75	63.5	0	29052.133	415.0537634	12182.48036	30000	0	0	30000	43.4375	2004
21.01.2020 13:19:37	1	1	1	1	84.75	63.25	0	28862.559	415.0537634	11979.45261	30000	0	0	30000	43.4375	2004
21.01.2020 13:19:38	1	1	1	1	84.75	63.25	0	28957.346	412.9032258	12038.15943	30000	0	0	30000	43.1875	2004
21.01.2020 13:19:39	1	1	1	1	85	63	0	29052.133	412.9032258	11995.76006	30000	0	0	30000	43.375	2004
21.01.2020 13:19:40	1	1	1	1	85	63.25	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	43.375	2004
21.01.2020 13:19:41	1	1	1	1	85	63.25	0	29146.919	404.3010753	11783.76322	30000	0	0	30000	43.4375	2004
21.01.2020 13:19:42	1	1	1	1	85	63.25	0	29241.706	391.3978495	11444.56826	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:43	1	1	1	1	85	63.5	0	29099.526	412.9032258	12015.329	30000	0	0	30000	43.8125	2004
21.01.2020 13:19:44	1	1	1	1	85	63.75	0	29241.706	404.3010753	11783.76322	30000	0	0	30000	43.625	2004
21.01.2020 13:19:45	1	1	1	1	85	63.5	0	29146.919	404.3010753	11595.41217	30000	0	0	30000	43.5	2004
21.01.2020 13:19:46	1	1	1	1	85	63.5	0	29241.706	389.2473118	11400.53815	30000	0	0	30000	43.25	2004
21.01.2020 13:19:47	1	1	1	1	85	63.25	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.3125	2004
21.01.2020 13:19:48	1	1	1	1	85.25	63.25	0	28862.559	415.0537634	11917.4843	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:19:49	1	1	1	1	85.25	63.25	0	29146.919	412.9032258	11826.97796	30000	0	0	30000	43	2004
21.01.2020 13:19:50	1	1	1	1	85.25	63	0	29099.526	412.9032258	11995.76006	30000	0	0	30000	43.375	2004
21.01.2020 13:19:51	1	1	1	1	85.25	63.25	0	29099.526	412.9032258	12034.89794	30000	0	0	30000	43.4375	2004
21.01.2020 13:19:52	1	1	1	1	85.25	63.25	0	28957.346	419.3548387	12018.59049	30000	0	0	30000	43.5	2004
21.01.2020 13:19:53	1	1	1	1	85.25	63.5	0	29052.133	419.3548387	11956.62218	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:54	1	1	1	1	85.25	63.5	0	29099.526	412.9032258	12015.329	30000	0	0	30000	43.625	2004
21.01.2020 13:19:55	1	1	1	1	85.25	63.5	0	28862.559	412.9032258	11979.45261	30000	0	0	30000	43.5625	2004
21.01.2020 13:19:56	1	1	1	1	85.25	63.5	0	28862.559	412.9032258	11956.62218	30000	0	0	30000	43.25	2004
21.01.2020 13:19:58	1	1	1	1	85.25	63.25	0	28815.166	415.0537634	11959.88367	30000	0	0	30000	43.4375	2004
21.01.2020 13:19:59	1	1	1	1	85	63.25	0	28815.166	415.0537634	11959.88367	30000	0	0	30000	43.3125	2004
21.01.2020 13:20:00	1	1	1	1	85	63.25	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.4375	2004
21.01.2020 13:20:01	1	1	1	1	85	63.25	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.25	2004
21.01.2020 13:20:02	1	1	1	1	85	63.25	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.5	2004
21.01.2020 13:20:03	1	1	1	1	85	63.5	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.625	2004
21.01.2020 13:20:04	1	1	1	1	85	63.5	0	28815.166	412.9032258	11979.45261	30000	0	0	30000	43.4375	2004
21.01.2020 13:20:05	1	1	1	1	85	63.25	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.3125	2004
21.01.2020 13:20:06	1	1	1	1	85	63.25	0	28957.346	417.2043011	12143.34248	30000	0	0	30000	42.75	2004
21.01.2020 13:20:07	1	1	1	1	85	62.75	0	28862.559	415.0537634	12041.42092	30000	0	0	30000	43.625	2004
21.01.2020 13:20:08	1	1	1	1	85	63.5	0	28862.559	419.3548387	12103.38923	30000	0	0	30000	43.1875	2004
21.01.2020 13:20:09	1	1	1	1	85.5	63	0	28957.346	417.2043011	12018.59049	30000	0	0	30000	43.5	2004
21.01.2020 13:20:16	1	1	1	1	85.5	63.25	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.0625	2004
21.01.2020 13:20:16	1	1	1	1	85.5	63.25	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.0625	2004
21.01.2020 13:20:16	1	1	1	1	85.5	63.25	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.0625	2004
21.01.2020 13:20:16	1	1	1	1	85.5	63.25	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.0625	2004
21.01.2020 13:20:16	1	1	1	1	85.5	63.25	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	43.0625	2004
21.01.2020 13:20:16	1	1	1	1	85.5	63	0	29241.706	443.0107527	12953.82274	30000	0	0	30000	43.4375	2004
21.01.2020 13:20:17	1	1	1	1	85.5	63.25	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	43.8125	2004
21.01.2020 13:20:18	1	1	1	1	85.5	63.75	0	29146.919	443.0107527	12975.02242	30000	0	0	30000	43.125	2004
21.01.2020 13:20:19	1	1	1	1	85	63	0	29146.919	445.1612903	13099.77441	30000	0	0	30000	43.5	2004
21.01.2020 13:20:20	1	1	1	1	85	63.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	43.3125	2004
21.01.2020 13:20:21	1	1	1	1	85	63.25	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	43.875	2004
21.01.2020 13:20:22	1	1	1	1	85	63.75	0	28957.346	443.0107527	12828.25537	30000	0	0	30000	42.875	2004
21.01.2020 13:20:23	1	1	1	1	85	62.75	0	29146.919	443.0107527	12953.82274	30000	0	0	30000	43.4375	2004
21.01.2020 13:20:24	1	1	1	1	85	63.25	0	29241.706	443.0107527	12953.82274	30000	0	0	30000	43.375	2004
21.01.2020 13:20:25	1	1	1	1	85	63.25	0	29431.28	438.7096774	12995.40673	30000	0	0	30000	43.125	2004
21.01.2020 13:20:26	1	1	1	1	85	63	0	29478.673	440.8602151	13080.20547	30000	0	0	30000	43.25	2004
21.01.2020 13:20:27	1	1	1	1	85	63.25	0	29526.066	427.9569892	12656.21178	30000	0	0	30000	43.5	2004
21.01.2020 13:20:28	1	1	1	1	85.25	63.5	0	29383.886	438.7096774	12891.03906	30000	0	0	30000	43.1875	2004
21.01.2020 13:20:29	1	1	1	1	85.25	63	0	29573.46	425.8064516	12612.18166	30000	0	0	30000	42.875	2004
21.01.2020 13:20:30	1	1	1	1	85.25	62.75	0	29526.066	427.9569892	12656.21178	30000	0	0	30000	42.625	2004
21.01.2020 13:20:31	1	1	1	1	85.25	62.5	0	29620.853	419.3548387	12401.81556	30000	0	0	30000	43.625	2004
21.01.2020 13:20:32	1	1	1	1	85.25	63.5	0	29573.46	440.8602151	13101.40516	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:20:33	1	1	1	1	85.25	63	0	29620.853	425.8064516	12612.18166	30000	0	0	30000	43.625	2004
21.01.2020 13:20:34	1	1	1	1	85.25	63.5	0	29668.246	427.9569892	12548.58261	30000	0	0	30000	43.625	2004
21.01.2020 13:20:35	1	1	1	1	85.25	63.5	0	29478.673	440.8602151	12975.02242	30000	0	0	30000	43.375	2004
21.01.2020 13:20:37	1	1	1	1	85.25	63.25	0	29431.28	438.7096774	12911.42337	30000	0	0	30000	43.3125	2004
21.01.2020 13:20:38	1	1	1	1	85.25	63.25	0	29146.919	445.1612903	13016.60642	30000	0	0	30000	43.5	2004
21.01.2020 13:20:39	1	1	1	1	84.75	63.5	0	29146.919	443.0107527	12912.23874	30000	0	0	30000	43.3125	2004
21.01.2020 13:20:40	1	1	1	1	84.75	63.25	0	29241.706	443.0107527	12786.67138	30000	0	0	30000	43.5625	2004
21.01.2020 13:20:41	1	1	1	1	84.75	63.5	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	43.5	2004
21.01.2020 13:20:42	1	1	1	1	84.75	63.5	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	43.5	2004
21.01.2020 13:20:43	1	1	1	1	84.75	63.5	0	29526.066	443.0107527	13059.00579	30000	0	0	30000	43.375	2004
21.01.2020 13:20:44	1	1	1	1	84.75	63.25	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	43.0625	2004
21.01.2020 13:20:45	1	1	1	1	84.75	63	0	29336.493	445.1612903	13037.8061	30000	0	0	30000	43.5625	2004
21.01.2020 13:20:46	1	1	1	1	84.75	63.5	0	28862.559	445.1612903	12869.024	30000	0	0	30000	43.625	2004
21.01.2020 13:20:47	1	1	1	1	84.75	63.5	0	29146.919	449.4623656	12953.82274	30000	0	0	30000	43.25	2004
21.01.2020 13:20:48	1	1	1	1	84.75	63.25	0	29052.133	453.7634409	13139.72767	30000	0	0	30000	43.375	2004
21.01.2020 13:20:49	1	1	1	1	85.75	63.25	0	28815.166	451.6129032	13075.31324	30000	0	0	30000	43.25	2004
21.01.2020 13:20:50	1	1	1	1	85.75	63.25	0	28625.592	453.7634409	12988.88376	30000	0	0	30000	43.5625	2004
21.01.2020 13:20:51	1	1	1	1	85.75	63.5	0	28578.199	445.1612903	12721.44158	30000	0	0	30000	43.625	2004
21.01.2020 13:20:52	1	1	1	1	85.75	63.5	0	28483.412	453.7634409	12924.46933	30000	0	0	30000	43.1875	2004
21.01.2020 13:20:53	1	1	1	1	85.75	63	0	28625.592	449.4623656	12844.56282	30000	0	0	30000	43.625	2004
21.01.2020 13:20:54	1	1	1	1	85.75	63.5	0	28815.166	460.2150538	12951.37662	30000	0	0	30000	43.4375	2004
21.01.2020 13:20:55	1	1	1	1	85.75	63.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	43.5	2004
21.01.2020 13:20:56	1	1	1	1	85.75	63.5	0	28483.412	453.7634409	13046.7752	30000	0	0	30000	43.125	2004
21.01.2020 13:20:57	1	1	1	1	85.75	63	0	28578.199	453.7634409	12967.68407	30000	0	0	30000	43.75	2004
21.01.2020 13:20:58	1	1	1	1	85.75	63.75	0	28815.166	453.7634409	13199.24986	30000	0	0	30000	43.3125	2004
21.01.2020 13:20:59	1	1	1	1	85.5	63.25	0	28625.592	458.0645161	13089.98994	30000	0	0	30000	43.625	2004
21.01.2020 13:21:00	1	1	1	1	85.5	63.5	0	28483.412	451.6129032	13089.98994	30000	0	0	30000	43.8125	2004
21.01.2020 13:21:01	1	1	1	1	85.5	63.75	0	28815.166	451.6129032	13075.31324	30000	0	0	30000	43.875	2004
21.01.2020 13:21:02	1	1	1	1	85.5	63.75	0	28862.559	460.2150538	13096.51292	30000	0	0	30000	43.625	2004
21.01.2020 13:21:03	1	1	1	1	85.5	63.5	0	28815.166	453.7634409	13096.51292	30000	0	0	30000	43.5	2004
21.01.2020 13:21:04	1	1	1	1	85.5	63.5	0	28672.986	451.6129032	13075.31324	30000	0	0	30000	43.125	2004
21.01.2020 13:21:05	1	1	1	1	85.5	63	0	28578.199	453.7634409	12967.68407	30000	0	0	30000	43.6875	2004
21.01.2020 13:21:06	1	1	1	1	85.5	63.5	0	28625.592	453.7634409	12967.68407	30000	0	0	30000	43.4375	2004
21.01.2020 13:21:07	1	1	1	1	85.5	63.25	0	28815.166	451.6129032	13075.31324	30000	0	0	30000	43.625	2004
21.01.2020 13:21:08	1	1	1	1	86	63.5	0	28957.346	458.0645161	13263.66428	30000	0	0	30000	43.4375	2004
21.01.2020 13:21:09	1	1	1	1	86	63.25	0	28625.592	453.7634409	12844.56282	30000	0	0	30000	43.625	2004
21.01.2020 13:21:10	1	1	1	1	86	63.5	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	43.75	2004
21.01.2020 13:21:17	1	1	1	1	86	63	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	43.1875	2004
21.01.2020 13:21:17	1	1	1	1	86	63	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	43.1875	2004
21.01.2020 13:21:17	1	1	1	1	86	63	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	43.1875	2004
21.01.2020 13:21:17	1	1	1	1	86	63	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	43.1875	2004
21.01.2020 13:21:17	1	1	1	1	86	63	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	43.1875	2004
21.01.2020 13:21:17	1	1	1	1	86	63	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:21:18	1	1	1	1	86	63	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.6875	2004
21.01.2020 13:21:19	1	1	1	1	85.75	63.5	0	29478.673	481.7204301	14223.3577	30000	0	0	30000	43.5	2004
21.01.2020 13:21:20	1	1	1	1	85.75	63.5	0	29620.853	464.516129	14314.67942	30000	0	0	30000	43.4375	2004
21.01.2020 13:21:21	1	1	1	1	85.75	63.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.5625	2004
21.01.2020 13:21:22	1	1	1	1	85.75	63.5	0	29478.673	481.7204301	14200.52727	30000	0	0	30000	43.625	2004
21.01.2020 13:21:23	1	1	1	1	85.75	63.5	0	29289.1	466.6666667	13752.88778	30000	0	0	30000	43.4375	2004
21.01.2020 13:21:24	1	1	1	1	85.75	63.25	0	29336.493	481.7204301	13816.48683	30000	0	0	30000	43.4375	2004
21.01.2020 13:21:25	1	1	1	1	85.75	63.25	0	29431.28	468.8172043	13860.51695	30000	0	0	30000	43.5625	2004
21.01.2020 13:21:26	1	1	1	1	85.75	63.5	0	29478.673	481.7204301	13860.51695	30000	0	0	30000	43.5	2004
21.01.2020 13:21:27	1	1	1	1	85.75	63.5	0	29715.64	481.7204301	13995.05341	30000	0	0	30000	43.5625	2004
21.01.2020 13:21:28	1	1	1	1	85.75	63.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.5	2004
21.01.2020 13:21:29	1	1	1	1	86	63.5	0	29099.526	466.6666667	13579.21344	30000	0	0	30000	43.75	2004
21.01.2020 13:21:30	1	1	1	1	86	63.75	0	29241.706	481.7204301	14040.71427	30000	0	0	30000	43.625	2004
21.01.2020 13:21:31	1	1	1	1	86	63.5	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	43.1875	2004
21.01.2020 13:21:32	1	1	1	1	86	63	0	28957.346	464.516129	13637.92026	30000	0	0	30000	43.5	2004
21.01.2020 13:21:33	1	1	1	1	86	63.5	0	29146.919	468.8172043	13726.79586	30000	0	0	30000	43.3125	2004
21.01.2020 13:21:34	1	1	1	1	86	63.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	43.4375	2004
21.01.2020 13:21:35	1	1	1	1	86	63.25	0	29383.886	481.7204301	14177.69684	30000	0	0	30000	43.125	2004
21.01.2020 13:21:36	1	1	1	1	86	63	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.5	2004
21.01.2020 13:21:37	1	1	1	1	86	63.5	0	29431.28	481.7204301	13816.48683	30000	0	0	30000	43.4375	2004
21.01.2020 13:21:38	1	1	1	1	86	63.25	0	29431.28	481.7204301	14132.03599	30000	0	0	30000	44.0625	2004
21.01.2020 13:21:39	1	1	1	1	86.5	64	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	42.9375	2004
21.01.2020 13:21:40	1	1	1	1	86.5	62.75	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	43.5625	2004
21.01.2020 13:21:41	1	1	1	1	86.5	63.75	0	28815.166	481.7204301	13942.86957	30000	0	0	30000	43.625	2004
21.01.2020 13:21:42	1	1	1	1	86.5	63.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.5	2004
21.01.2020 13:21:43	1	1	1	1	86.5	63.5	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	43.4375	2004
21.01.2020 13:21:44	1	1	1	1	86.5	63.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.5625	2004
21.01.2020 13:21:45	1	1	1	1	86.5	63.5	0	28957.346	481.7204301	14079.85215	30000	0	0	30000	43.5	2004
21.01.2020 13:21:46	1	1	1	1	86.5	63.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.375	2004
21.01.2020 13:21:47	1	1	1	1	86.5	63.25	0	29146.919	481.7204301	14109.20556	30000	0	0	30000	43.5	2004
21.01.2020 13:21:48	1	1	1	1	86.75	63.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.25	2004
21.01.2020 13:21:49	1	1	1	1	86.75	63.25	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	43.6875	2004
21.01.2020 13:21:50	1	1	1	1	86.75	63.5	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	43.3125	2004
21.01.2020 13:21:51	1	1	1	1	86.75	63.25	0	29052.133	481.7204301	14079.85215	30000	0	0	30000	43.5625	2004
21.01.2020 13:21:52	1	1	1	1	86.75	63.5	0	28957.346	468.8172043	13995.05341	30000	0	0	30000	43.5	2004
21.01.2020 13:21:54	1	1	1	1	86.75	63.5	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	43.5	2004
21.01.2020 13:21:55	1	1	1	1	86.75	63.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.75	2004
21.01.2020 13:21:56	1	1	1	1	86.75	63.75	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	43.3125	2004
21.01.2020 13:21:57	1	1	1	1	86.75	63.25	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	43.5625	2004
21.01.2020 13:21:58	1	1	1	1	86.75	63.5	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	43.625	2004
21.01.2020 13:21:59	1	1	1	1	87.25	63.5	0	29052.133	483.8709677	14205.41951	30000	0	0	30000	43.25	2004
21.01.2020 13:22:00	1	1	1	1	87.25	63.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.375	2004
21.01.2020 13:22:01	1	1	1	1	87.25	63.25	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:22:02	1	1	1	1	87.25	63.5	0	28957.346	486.0215054	14136.11285	30000	0	0	30000	43.625	2004
21.01.2020 13:22:03	1	1	1	1	87.25	63.5	0	28862.559	486.0215054	13965.7	30000	0	0	30000	43.625	2004
21.01.2020 13:22:04	1	1	1	1	87.25	63.5	0	28957.346	481.7204301	14011.36086	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:05	1	1	1	1	87.25	63.25	0	28862.559	483.8709677	13965.7	30000	0	0	30000	43.125	2004
21.01.2020 13:22:06	1	1	1	1	87.25	63	0	28815.166	486.0215054	13942.86957	30000	0	0	30000	43.375	2004
21.01.2020 13:22:07	1	1	1	1	87.25	63.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.3125	2004
21.01.2020 13:22:08	1	1	1	1	87.25	63.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	43.5	2004
21.01.2020 13:22:09	1	1	1	1	87	63.5	0	28957.346	488.172043	14136.11285	30000	0	0	30000	43.375	2004
21.01.2020 13:22:10	1	1	1	1	87	63.25	0	28815.166	483.8709677	13880.90126	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:11	1	1	1	1	87	63.25	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	43.375	2004
21.01.2020 13:22:12	1	1	1	1	87	63.25	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	43.75	2004
21.01.2020 13:22:19	1	1	1	1	87	63.5	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:19	1	1	1	1	87	63.5	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:19	1	1	1	1	87	63.5	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:19	1	1	1	1	87	63.5	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:19	1	1	1	1	87	63.5	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:19	1	1	1	1	87	63.5	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:19	1	1	1	1	87.5	63.25	0	29810.427	501.0752688	15064.82211	30000	0	0	30000	43.1875	2004
21.01.2020 13:22:20	1	1	1	1	87.5	62.75	0	29715.64	494.6236559	14808.79515	30000	0	0	30000	43.625	2004
21.01.2020 13:22:21	1	1	1	1	87.5	63.5	0	29526.066	507.5268817	15009.37678	30000	0	0	30000	43.5625	2004
21.01.2020 13:22:22	1	1	1	1	87.5	63.5	0	29668.246	505.3763441	15081.12956	30000	0	0	30000	43.375	2004
21.01.2020 13:22:23	1	1	1	1	87.5	63.25	0	29289.1	501.0752688	14825.91797	30000	0	0	30000	43.5625	2004
21.01.2020 13:22:24	1	1	1	1	87.5	63.5	0	29478.673	507.5268817	14984.91561	30000	0	0	30000	43.5	2004
21.01.2020 13:22:25	1	1	1	1	87.5	63.5	0	29336.493	509.6774194	14903.37836	30000	0	0	30000	43.5625	2004
21.01.2020 13:22:26	1	1	1	1	87.5	63.5	0	29763.033	503.2258065	15017.53051	30000	0	0	30000	43.0625	2004
21.01.2020 13:22:27	1	1	1	1	87.5	63	0	29620.853	481.7204301	14291.84899	30000	0	0	30000	43.625	2004
21.01.2020 13:22:28	1	1	1	1	87.75	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.625	2004
21.01.2020 13:22:29	1	1	1	1	87.75	63.5	0	29478.673	505.3763441	14873.20958	30000	0	0	30000	43.5625	2004
21.01.2020 13:22:30	1	1	1	1	87.75	63.5	0	29715.64	503.2258065	14889.51703	30000	0	0	30000	43.75	2004
21.01.2020 13:22:31	1	1	1	1	87.75	63.75	0	29810.427	498.9247312	14936.80863	30000	0	0	30000	43.3125	2004
21.01.2020 13:22:33	1	1	1	1	87.75	63.25	0	29810.427	503.2258065	15017.53051	30000	0	0	30000	42.875	2004
21.01.2020 13:22:34	1	1	1	1	87.75	62.75	0	29715.64	505.3763441	15017.53051	30000	0	0	30000	43.0625	2004
21.01.2020 13:22:35	1	1	1	1	87.75	63	0	29668.246	503.2258065	14842.22542	30000	0	0	30000	43.3125	2004
21.01.2020 13:22:36	1	1	1	1	87.75	63.25	0	29905.213	507.5268817	15177.34352	30000	0	0	30000	43.25	2004
21.01.2020 13:22:37	1	1	1	1	87.75	63.25	0	29620.853	503.2258065	14842.22542	30000	0	0	30000	43.3125	2004
21.01.2020 13:22:38	1	1	1	1	87.75	63.25	0	29715.64	503.2258065	15017.53051	30000	0	0	30000	43.375	2004
21.01.2020 13:22:39	1	1	1	1	88	63.25	0	29715.64	503.2258065	14953.11608	30000	0	0	30000	43.6875	2004
21.01.2020 13:22:40	1	1	1	1	88	63.5	0	29810.427	503.2258065	14761.50355	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:41	1	1	1	1	88	63.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.375	2004
21.01.2020 13:22:42	1	1	1	1	88	63.25	0	30000	501.0752688	14879.73256	30000	0	0	30000	43.5	2004
21.01.2020 13:22:43	1	1	1	1	88	63.5	0	29857.82	501.0752688	15048.51466	30000	0	0	30000	43.125	2004
21.01.2020 13:22:44	1	1	1	1	88	63	0	29905.213	501.0752688	14984.10024	30000	0	0	30000	43.8125	2004
21.01.2020 13:22:45	1	1	1	1	88	63.75	0	30000	488.172043	14838.14856	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:22:46	1	1	1	1	88	63.25	0	29905.213	503.2258065	15112.92909	30000	0	0	30000	43.3125	2004
21.01.2020 13:22:47	1	1	1	1	88	63.25	0	29857.82	503.2258065	15112.92909	30000	0	0	30000	43.375	2004
21.01.2020 13:22:48	1	1	1	1	88	63.25	0	29573.46	507.5268817	14945.77773	30000	0	0	30000	43.25	2004
21.01.2020 13:22:49	1	1	1	1	88.5	63.25	0	29715.64	507.5268817	15129.23654	30000	0	0	30000	43.625	2004
21.01.2020 13:22:50	1	1	1	1	88.5	63.5	0	29620.853	503.2258065	15033.02259	30000	0	0	30000	43.5625	2004
21.01.2020 13:22:51	1	1	1	1	88.5	63.5	0	29573.46	507.5268817	15009.37678	30000	0	0	30000	43.75	2004
21.01.2020 13:22:52	1	1	1	1	88.5	63.75	0	29857.82	503.2258065	15024.86886	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:53	1	1	1	1	88.5	63.25	0	29952.607	496.7741935	15096.62164	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:54	1	1	1	1	88.5	63.25	0	29715.64	507.5268817	15272.7421	30000	0	0	30000	43.375	2004
21.01.2020 13:22:55	1	1	1	1	88.5	63.25	0	29715.64	503.2258065	14889.51703	30000	0	0	30000	43.4375	2004
21.01.2020 13:22:56	1	1	1	1	88.5	63.25	0	29857.82	509.6774194	15001.22306	30000	0	0	30000	43.25	2004
21.01.2020 13:22:57	1	1	1	1	88.5	63.25	0	29620.853	503.2258065	15288.23417	30000	0	0	30000	43.6875	2004
21.01.2020 13:22:58	1	1	1	1	88.5	63.5	0	29668.246	507.5268817	15312.69535	30000	0	0	30000	43.25	2004
21.01.2020 13:22:59	1	1	1	1	89.25	63.25	0	29620.853	498.9247312	15017.53051	30000	0	0	30000	43.5	2004
21.01.2020 13:23:00	1	1	1	1	89.25	63.5	0	29715.64	503.2258065	15017.53051	30000	0	0	30000	43.625	2004
21.01.2020 13:23:01	1	1	1	1	89.25	63.5	0	29857.82	505.3763441	15089.28329	30000	0	0	30000	43.625	2004
21.01.2020 13:23:02	1	1	1	1	89.25	63.5	0	29620.853	503.2258065	14842.22542	30000	0	0	30000	43.75	2004
21.01.2020 13:23:03	1	1	1	1	89.25	63.75	0	29478.673	507.5268817	14873.20958	30000	0	0	30000	43.8125	2004
21.01.2020 13:23:04	1	1	1	1	89.25	63.75	0	29810.427	501.0752688	15064.82211	30000	0	0	30000	43.75	2004
21.01.2020 13:23:05	1	1	1	1	89.25	63.75	0	29715.64	505.3763441	14953.11608	30000	0	0	30000	43.5	2004
21.01.2020 13:23:06	1	1	1	1	89.25	63.5	0	29668.246	507.5268817	15081.12956	30000	0	0	30000	43.5	2004
21.01.2020 13:23:07	1	1	1	1	89.25	63.5	0	29478.673	507.5268817	14921.31655	30000	0	0	30000	43.625	2004
21.01.2020 13:23:08	1	1	1	1	89.25	63.5	0	29431.28	503.2258065	14746.82684	30000	0	0	30000	43.6875	2004
21.01.2020 13:23:09	1	1	1	1	89.25	63.5	0	29620.853	507.5268817	14969.42353	30000	0	0	30000	43.6875	2004
21.01.2020 13:23:11	1	1	1	1	89.25	63.5	0	29715.64	503.2258065	14953.11608	30000	0	0	30000	43.5625	2004
21.01.2020 13:23:12	1	1	1	1	89.25	63.5	0	29573.46	505.3763441	15033.02259	30000	0	0	30000	43.5	2004
21.01.2020 13:23:13	1	1	1	1	89.25	63.5	0	29715.64	507.5268817	15017.53051	30000	0	0	30000	43.625	2004
21.01.2020 13:23:14	1	1	1	1	89.25	63.5	0	29620.853	507.5268817	14921.31655	30000	0	0	30000	43.4375	2004
21.01.2020 13:23:20	1	1	1	1	88.5	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.125	2004
21.01.2020 13:23:20	1	1	1	1	88.5	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.125	2004
21.01.2020 13:23:20	1	1	1	1	88.5	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.125	2004
21.01.2020 13:23:20	1	1	1	1	88.5	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.125	2004
21.01.2020 13:23:20	1	1	1	1	88.5	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.125	2004
21.01.2020 13:23:20	1	1	1	1	88.5	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.125	2004
21.01.2020 13:23:21	1	1	1	1	88.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.4375	2004
21.01.2020 13:23:22	1	1	1	1	88.5	63.25	0	29952.607	464.516129	14064.36007	30000	0	0	30000	43.375	2004
21.01.2020 13:23:23	1	1	1	1	88.5	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
21.01.2020 13:23:24	1	1	1	1	88.5	63.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.5625	2004
21.01.2020 13:23:25	1	1	1	1	88.5	63.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
21.01.2020 13:23:26	1	1	1	1	88.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.25	2004
21.01.2020 13:23:27	1	1	1	1	88.5	63.25	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	43.5625	2004
21.01.2020 13:23:28	1	1	1	1	88.5	63.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.375	2004
21.01.2020 13:23:29	1	1	1	1	88.75	63.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:23:30	1	1	1	1	88.75	63	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.9375	2004
21.01.2020 13:23:31	1	1	1	1	88.75	63.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.125	2004
21.01.2020 13:23:32	1	1	1	1	88.75	63	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.375	2004
21.01.2020 13:23:33	1	1	1	1	88.75	63.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	43.625	2004
21.01.2020 13:23:34	1	1	1	1	88.75	63.5	0	30000	516.1290323	15395.04797	30000	0	0	30000	43.1875	2004
21.01.2020 13:23:35	1	1	1	1	88.75	63	0	30000	516.1290323	15266.21912	30000	0	0	30000	43.9375	2004
21.01.2020 13:23:36	1	1	1	1	88.75	63.75	0	30000	516.1290323	15459.4624	30000	0	0	30000	43.5	2004
21.01.2020 13:23:37	1	1	1	1	88.75	63.5	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	43.75	2004
21.01.2020 13:23:38	1	1	1	1	89.25	63.75	0	30000	503.2258065	15249.91167	30000	0	0	30000	43.375	2004
21.01.2020 13:23:39	1	1	1	1	89.25	63.25	0	29952.607	505.3763441	15289.86492	30000	0	0	30000	42.625	2004
21.01.2020 13:23:40	1	1	1	1	89.25	62.5	0	30000	520.4301075	15548.338	30000	0	0	30000	43.75	2004
21.01.2020 13:23:41	1	1	1	1	89.25	63.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.9375	2004
21.01.2020 13:23:42	1	1	1	1	89.25	62.75	0	29715.64	481.7204301	14360.34028	30000	0	0	30000	43.625	2004
21.01.2020 13:23:43	1	1	1	1	89.25	63.5	0	29952.607	529.0322581	15627.42913	30000	0	0	30000	43.125	2004
21.01.2020 13:23:44	1	1	1	1	89.25	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
21.01.2020 13:23:45	1	1	1	1	89.25	63	0	29715.64	509.6774194	15144.72862	30000	0	0	30000	43.5625	2004
21.01.2020 13:23:46	1	1	1	1	89.25	63.5	0	29857.82	533.3333333	15898.94817	30000	0	0	30000	43.4375	2004
21.01.2020 13:23:48	1	1	1	1	89.25	63.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.5	2004
21.01.2020 13:23:49	1	1	1	1	89.5	63.5	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	43.5625	2004
21.01.2020 13:23:50	1	1	1	1	89.5	63.5	0	26303.318	494.6236559	12953.00737	30000	0	0	30000	43.3125	2004
21.01.2020 13:23:51	1	1	1	1	89.5	63.25	0	29715.64	541.9354839	16052.2382	30000	0	0	30000	43.5	2004
21.01.2020 13:23:52	1	1	1	1	89.5	63.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	43.0625	2004
21.01.2020 13:23:53	1	1	1	1	89.5	63	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.5625	2004
21.01.2020 13:23:54	1	1	1	1	89.5	63.5	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	43.625	2004
21.01.2020 13:23:55	1	1	1	1	89.5	63.5	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	43.4375	2004
21.01.2020 13:23:56	1	1	1	1	89.5	63.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.4375	2004
21.01.2020 13:23:57	1	1	1	1	89.5	63.25	0	29526.066	541.9354839	16243.03536	30000	0	0	30000	43.5625	2004
21.01.2020 13:23:58	1	1	1	1	89.5	63.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	43.0625	2004
21.01.2020 13:23:59	1	1	1	1	89.75	63	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	43.375	2004
21.01.2020 13:24:00	1	1	1	1	89.75	63.25	0	29526.066	533.3333333	15747.28889	30000	0	0	30000	43.5625	2004
21.01.2020 13:24:01	1	1	1	1	89.75	63.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:02	1	1	1	1	89.75	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:03	1	1	1	1	89.75	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.375	2004
21.01.2020 13:24:04	1	1	1	1	89.75	63.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.375	2004
21.01.2020 13:24:05	1	1	1	1	89.75	63.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	43.75	2004
21.01.2020 13:24:06	1	1	1	1	89.75	63.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:07	1	1	1	1	89.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.875	2004
21.01.2020 13:24:08	1	1	1	1	89.75	63.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.625	2004
21.01.2020 13:24:09	1	1	1	1	89.5	63.5	0	29431.28	544.0860215	16229.17403	30000	0	0	30000	43.75	2004
21.01.2020 13:24:10	1	1	1	1	89.5	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
21.01.2020 13:24:11	1	1	1	1	89.5	63.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	43.75	2004
21.01.2020 13:24:12	1	1	1	1	89.5	63.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.4375	2004
21.01.2020 13:24:13	1	1	1	1	89.5	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:24:14	1	1	1	1	89.5	63.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.0625	2004
21.01.2020 13:24:15	1	1	1	1	89.5	63	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43.9375	2004
21.01.2020 13:24:22	1	1	1	1	89.75	63	0	29336.493	537.6344086	15708.96638	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:22	1	1	1	1	89.75	63	0	29336.493	537.6344086	15708.96638	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:22	1	1	1	1	89.75	63	0	29336.493	537.6344086	15708.96638	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:22	1	1	1	1	89.75	63	0	29336.493	537.6344086	15708.96638	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:22	1	1	1	1	89.75	63	0	29336.493	537.6344086	15708.96638	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:22	1	1	1	1	89.75	63	0	29336.493	537.6344086	15708.96638	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:22	1	1	1	1	89.75	63.75	0	29573.46	541.9354839	16179.43631	30000	0	0	30000	43.75	2004
21.01.2020 13:24:23	1	1	1	1	89.75	63.75	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	43.625	2004
21.01.2020 13:24:24	1	1	1	1	89.75	63.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43.5625	2004
21.01.2020 13:24:25	1	1	1	1	89.75	63.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.5	2004
21.01.2020 13:24:27	1	1	1	1	89.75	63.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.4375	2004
21.01.2020 13:24:28	1	1	1	1	89.75	63.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.75	2004
21.01.2020 13:24:29	1	1	1	1	89.5	63.75	0	29431.28	535.483871	15885.90221	30000	0	0	30000	43.625	2004
21.01.2020 13:24:30	1	1	1	1	89.5	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.625	2004
21.01.2020 13:24:31	1	1	1	1	89.5	63.5	0	29478.673	535.483871	15873.67162	30000	0	0	30000	43.3125	2004
21.01.2020 13:24:32	1	1	1	1	89.5	63.25	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	43.375	2004
21.01.2020 13:24:33	1	1	1	1	89.5	63.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.75	2004
21.01.2020 13:24:34	1	1	1	1	89.5	63.75	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	42.9375	2004
21.01.2020 13:24:35	1	1	1	1	89.5	62.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	43.875	2004
21.01.2020 13:24:36	1	1	1	1	89.5	63.75	0	29810.427	541.9354839	16116.65262	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:37	1	1	1	1	89.5	63.5	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	43.375	2004
21.01.2020 13:24:38	1	1	1	1	89.5	63.25	0	29383.886	483.8709677	14194.81967	30000	0	0	30000	43.3125	2004
21.01.2020 13:24:39	1	1	1	1	89.75	63.25	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	43.625	2004
21.01.2020 13:24:40	1	1	1	1	89.75	63.5	0	29715.64	541.9354839	15975.59318	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:41	1	1	1	1	89.75	63.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:44	1	1	1	1	89.75	63.5	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:44	1	1	1	1	89.75	63.5	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:44	1	1	1	1	89.75	63.5	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:45	1	1	1	1	89.75	63.5	0	29526.066	539.7849462	15722.01234	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:46	1	1	1	1	89.75	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.75	2004
21.01.2020 13:24:47	1	1	1	1	89.75	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:48	1	1	1	1	89.75	63.75	0	29763.033	541.9354839	16154.97513	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:49	1	1	1	1	90.25	63.75	0	29905.213	539.7849462	15987.82377	30000	0	0	30000	42.75	2004
21.01.2020 13:24:50	1	1	1	1	90.25	62.75	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	43.625	2004
21.01.2020 13:24:51	1	1	1	1	90.25	63.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:52	1	1	1	1	90.25	63.5	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	43.4375	2004
21.01.2020 13:24:53	1	1	1	1	90.25	63.25	0	29952.607	522.5806452	15627.42913	30000	0	0	30000	43.125	2004
21.01.2020 13:24:54	1	1	1	1	90.25	63	0	29289.1	541.9354839	15898.1328	30000	0	0	30000	43.6875	2004
21.01.2020 13:24:55	1	1	1	1	90.25	63.5	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	43.8125	2004
21.01.2020 13:24:56	1	1	1	1	90.25	63.75	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	44	2004
21.01.2020 13:24:57	1	1	1	1	90.25	63.75	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:24:58	1	1	1	1	91.25	63.5	0	29478.673	541.9354839	16026.96165	30000	0	0	30000	42.9375	2004
21.01.2020 13:24:59	1	1	1	1	91.25	62.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:00	1	1	1	1	91.25	63.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	43.75	2004
21.01.2020 13:25:01	1	1	1	1	91.25	63.75	0	29336.493	548.3870968	16024.51553	30000	0	0	30000	43.375	2004
21.01.2020 13:25:02	1	1	1	1	91.25	63.25	0	29146.919	537.6344086	15732.61218	30000	0	0	30000	43.875	2004
21.01.2020 13:25:03	1	1	1	1	91.25	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.75	2004
21.01.2020 13:25:04	1	1	1	1	91.25	63.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.625	2004
21.01.2020 13:25:06	1	1	1	1	91.25	63.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.625	2004
21.01.2020 13:25:07	1	1	1	1	91.25	63.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.875	2004
21.01.2020 13:25:08	1	1	1	1	91.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.75	2004
21.01.2020 13:25:09	1	1	1	1	91.5	63.75	0	29431.28	537.6344086	16013.10032	30000	0	0	30000	43.75	2004
21.01.2020 13:25:10	1	1	1	1	91.5	63.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.5625	2004
21.01.2020 13:25:11	1	1	1	1	91.5	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.6875	2004
21.01.2020 13:25:12	1	1	1	1	91.5	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.4375	2004
21.01.2020 13:25:13	1	1	1	1	91.5	63.25	0	29336.493	550.5376344	15909.54801	30000	0	0	30000	43.8125	2004
21.01.2020 13:25:14	1	1	1	1	91.5	63.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.8125	2004
21.01.2020 13:25:15	1	1	1	1	91.5	63.75	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	43.625	2004
21.01.2020 13:25:16	1	1	1	1	91.5	63.5	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	43.8125	2004
21.01.2020 13:25:17	1	1	1	1	91.5	63.75	0	29431.28	537.6344086	16038.37687	30000	0	0	30000	43.75	2004
21.01.2020 13:25:24	1	1	1	1	91.75	63	0	29431.28	544.0860215	15797.84198	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:24	1	1	1	1	91.75	63	0	29431.28	544.0860215	15797.84198	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:24	1	1	1	1	91.75	63	0	29431.28	544.0860215	15797.84198	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:24	1	1	1	1	91.75	63	0	29431.28	544.0860215	15797.84198	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:24	1	1	1	1	91.75	63	0	29431.28	544.0860215	15797.84198	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:24	1	1	1	1	91.75	63	0	29431.28	544.0860215	15797.84198	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:24	1	1	1	1	91.75	63.5	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	43.4375	2004
21.01.2020 13:25:25	1	1	1	1	91.75	63.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.9375	2004
21.01.2020 13:25:26	1	1	1	1	91.75	63.75	0	29620.853	537.6344086	16167.20572	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:27	1	1	1	1	91.75	63.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.75	2004
21.01.2020 13:25:28	1	1	1	1	91.75	63.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	43.625	2004
21.01.2020 13:25:29	1	1	1	1	92	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.875	2004
21.01.2020 13:25:30	1	1	1	1	92	63.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.9375	2004
21.01.2020 13:25:31	1	1	1	1	92	63.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	44	2004
21.01.2020 13:25:32	1	1	1	1	92	64	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
21.01.2020 13:25:33	1	1	1	1	92	63.25	0	29241.706	546.2365591	16187.59003	30000	0	0	30000	43.9375	2004
21.01.2020 13:25:34	1	1	1	1	92	63.75	0	29431.28	541.9354839	15823.11853	30000	0	0	30000	44.1875	2004
21.01.2020 13:25:35	1	1	1	1	92	63.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 13:25:36	1	1	1	1	92	63.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	43.875	2004
21.01.2020 13:25:37	1	1	1	1	92	63.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.4375	2004
21.01.2020 13:25:38	1	1	1	1	91.75	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.75	2004
21.01.2020 13:25:39	1	1	1	1	91.75	63.75	0	29099.526	492.4731183	14307.34107	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:40	1	1	1	1	91.75	63.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.25	2004
21.01.2020 13:25:41	1	1	1	1	91.75	63.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:25:42	1	1	1	1	91.75	63.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.3125	2004
21.01.2020 13:25:43	1	1	1	1	91.75	63.25	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	44	2004
21.01.2020 13:25:45	1	1	1	1	91.75	64	0	29715.64	541.9354839	16078.33012	30000	0	0	30000	43.4375	2004
21.01.2020 13:25:46	1	1	1	1	91.75	63.25	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	43.5	2004
21.01.2020 13:25:47	1	1	1	1	91.75	63.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	43.25	2004
21.01.2020 13:25:48	1	1	1	1	91.75	63.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	43.6875	2004
21.01.2020 13:25:49	1	1	1	1	91.75	63.5	0	29478.673	501.0752688	14984.91561	30000	0	0	30000	43.75	2004
21.01.2020 13:25:50	1	1	1	1	91.75	63.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	43.8125	2004
21.01.2020 13:25:51	1	1	1	1	91.75	63.75	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	43.5	2004
21.01.2020 13:25:52	1	1	1	1	91.75	63.5	0	29289.1	546.2365591	15935.63993	30000	0	0	30000	43.9375	2004
21.01.2020 13:25:53	1	1	1	1	91.75	63.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.5	2004
21.01.2020 13:25:54	1	1	1	1	91.75	63.5	0	29289.1	541.9354839	15935.63993	30000	0	0	30000	43.1875	2004
21.01.2020 13:25:55	1	1	1	1	91.75	63	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	43.75	2004
21.01.2020 13:25:56	1	1	1	1	91.75	63.75	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	43.375	2004
21.01.2020 13:25:57	1	1	1	1	91.75	63.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.625	2004
21.01.2020 13:25:58	1	1	1	1	91.75	63.5	0	29478.673	546.2365591	15987.0084	30000	0	0	30000	43.9375	2004
21.01.2020 13:25:59	1	1	1	1	92.5	63.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.5625	2004
21.01.2020 13:26:00	1	1	1	1	92.5	63.5	0	29526.066	541.9354839	16307.44979	30000	0	0	30000	43.6875	2004
21.01.2020 13:26:01	1	1	1	1	92.5	63.5	0	29431.28	546.2365591	16101.97592	30000	0	0	30000	43.5	2004
21.01.2020 13:26:02	1	1	1	1	92.5	63.5	0	29431.28	550.5376344	16038.37687	30000	0	0	30000	43.8125	2004
21.01.2020 13:26:03	1	1	1	1	92.5	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.3125	2004
21.01.2020 13:26:04	1	1	1	1	92.5	63.25	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	43.375	2004
21.01.2020 13:26:05	1	1	1	1	92.5	63.25	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	43.9375	2004
21.01.2020 13:26:06	1	1	1	1	92.5	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.875	2004
21.01.2020 13:26:07	1	1	1	1	92.5	63.75	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	44	2004
21.01.2020 13:26:08	1	1	1	1	92.5	64	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.5	2004
21.01.2020 13:26:09	1	1	1	1	92.75	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.125	2004
21.01.2020 13:26:10	1	1	1	1	92.75	63	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.625	2004
21.01.2020 13:26:11	1	1	1	1	92.75	63.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.8125	2004
21.01.2020 13:26:12	1	1	1	1	92.75	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.375	2004
21.01.2020 13:26:13	1	1	1	1	92.75	64.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.6875	2004
21.01.2020 13:26:14	1	1	1	1	92.75	63.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.8125	2004
21.01.2020 13:26:15	1	1	1	1	92.75	63.75	0	29668.246	535.483871	15797.84198	30000	0	0	30000	43.375	2004
21.01.2020 13:26:16	1	1	1	1	92.75	63.25	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	43.9375	2004
21.01.2020 13:26:17	1	1	1	1	92.75	63.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.5625	2004
21.01.2020 13:26:18	1	1	1	1	92.25	63.5	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	43.3125	2004
21.01.2020 13:26:25	1	1	1	1	92.25	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.625	2004
21.01.2020 13:26:25	1	1	1	1	92.25	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.625	2004
21.01.2020 13:26:25	1	1	1	1	92.25	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.625	2004
21.01.2020 13:26:25	1	1	1	1	92.25	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.625	2004
21.01.2020 13:26:25	1	1	1	1	92.25	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.625	2004
21.01.2020 13:26:25	1	1	1	1	92.25	63.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.625	2004
21.01.2020 13:26:26	1	1	1	1	92.25	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:26:27	1	1	1	1	92.25	63.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	43.5625	2004
21.01.2020 13:26:28	1	1	1	1	92.25	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
21.01.2020 13:26:29	1	1	1	1	92.75	63.75	0	30000	492.4731183	14644.90528	30000	0	0	30000	43.6875	2004
21.01.2020 13:26:30	1	1	1	1	92.75	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
21.01.2020 13:26:31	1	1	1	1	92.75	63.75	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	43.625	2004
21.01.2020 13:26:32	1	1	1	1	92.75	63.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	43.8125	2004
21.01.2020 13:26:33	1	1	1	1	92.75	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	43.625	2004
21.01.2020 13:26:34	1	1	1	1	92.75	63.5	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	43.625	2004
21.01.2020 13:26:35	1	1	1	1	92.75	63.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.8125	2004
21.01.2020 13:26:36	1	1	1	1	92.75	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.9375	2004
21.01.2020 13:26:37	1	1	1	1	92.75	62.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.5	2004
21.01.2020 13:26:38	1	1	1	1	92.75	63.5	0	29099.526	464.516129	13517.24513	30000	0	0	30000	43.9375	2004
21.01.2020 13:26:39	1	1	1	1	92.75	63.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.4375	2004
21.01.2020 13:26:40	1	1	1	1	92.75	63.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.4375	2004
21.01.2020 13:26:41	1	1	1	1	92.75	63.25	0	30000	518.2795699	15548.338	30000	0	0	30000	43.4375	2004
21.01.2020 13:26:42	1	1	1	1	92.75	63.25	0	29526.066	535.483871	15810.07257	30000	0	0	30000	43.6875	2004
21.01.2020 13:26:43	1	1	1	1	92.75	63.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	43.375	2004
21.01.2020 13:26:44	1	1	1	1	92.75	63.25	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	43.8125	2004
21.01.2020 13:26:45	1	1	1	1	92.75	63.75	0	29620.853	544.0860215	16179.43631	30000	0	0	30000	43.125	2004
21.01.2020 13:26:46	1	1	1	1	92.75	63	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.8125	2004
21.01.2020 13:26:47	1	1	1	1	92.75	63.75	0	29478.673	537.6344086	15975.59318	30000	0	0	30000	43.5625	2004
21.01.2020 13:26:48	1	1	1	1	92.75	63.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.3125	2004
21.01.2020 13:26:49	1	1	1	1	92	63.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44	2004
21.01.2020 13:26:50	1	1	1	1	92	64	0	26018.957	492.4731183	12836.4091	30000	0	0	30000	43.9375	2004
21.01.2020 13:26:51	1	1	1	1	92	63.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.0625	2004
21.01.2020 13:26:52	1	1	1	1	92	64	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	43.9375	2004
21.01.2020 13:26:53	1	1	1	1	92	63.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.6875	2004
21.01.2020 13:26:54	1	1	1	1	92	63.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.875	2004
21.01.2020 13:26:55	1	1	1	1	92	63.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	43.875	2004
21.01.2020 13:26:56	1	1	1	1	92	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.625	2004
21.01.2020 13:26:57	1	1	1	1	92	63.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.625	2004
21.01.2020 13:26:58	1	1	1	1	92	63.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	43.6875	2004
21.01.2020 13:26:59	1	1	1	1	92	63.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	44.0625	2004
21.01.2020 13:27:00	1	1	1	1	92	64	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	43.375	2004
21.01.2020 13:27:02	1	1	1	1	92	63.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	43.8125	2004
21.01.2020 13:27:03	1	1	1	1	92	63.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	44	2004
21.01.2020 13:27:04	1	1	1	1	92	64	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.5	2004
21.01.2020 13:27:05	1	1	1	1	92	63.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.625	2004
21.01.2020 13:27:06	1	1	1	1	92	63.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.625	2004
21.01.2020 13:27:07	1	1	1	1	92	63.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	43.75	2004
21.01.2020 13:27:08	1	1	1	1	92	63.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.5	2004
21.01.2020 13:27:09	1	1	1	1	92.5	63.5	0	29431.28	550.5376344	15987.0084	30000	0	0	30000	43.875	2004
21.01.2020 13:27:10	1	1	1	1	92.5	63.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:27:11	1	1	1	1	92.5	63.25	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	43.75	2004
21.01.2020 13:27:12	1	1	1	1	92.5	63.75	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	43.6875	2004
21.01.2020 13:27:13	1	1	1	1	92.5	63.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.875	2004
21.01.2020 13:27:14	1	1	1	1	92.5	63.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.875	2004
21.01.2020 13:27:15	1	1	1	1	92.5	63.75	0	28909.953	546.2365591	15889.97907	30000	0	0	30000	43.75	2004
21.01.2020 13:27:16	1	1	1	1	92.5	63.75	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	43.1875	2004
21.01.2020 13:27:17	1	1	1	1	92.5	63	0	28957.346	539.7849462	15957.65499	30000	0	0	30000	43.875	2004
21.01.2020 13:27:18	1	1	1	1	92.5	63.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.3125	2004
21.01.2020 13:27:19	1	1	1	1	92.25	63.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	43.25	2004
21.01.2020 13:27:20	1	1	1	1	92.25	63.25	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	43.6875	2004
21.01.2020 13:27:21	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.625	2004
21.01.2020 13:27:22	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.625	2004
21.01.2020 13:27:23	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.625	2004
21.01.2020 13:27:24	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.625	2004
21.01.2020 13:27:25	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.625	2004
21.01.2020 13:27:26	1	1	1	1	92.25	63.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.8125	2004
21.01.2020 13:27:27	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.625	2004
21.01.2020 13:27:28	1	1	1	1	92.25	63.75	0	29573.46	537.6344086	16115.83725	30000	0	0	30000	43.6875	2004
21.01.2020 13:27:29	1	1	1	1	93	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.1875	2004
21.01.2020 13:27:30	1	1	1	1	93	64	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44	2004
21.01.2020 13:27:31	1	1	1	1	93	63.5	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.4375	2004
21.01.2020 13:27:32	1	1	1	1	93	63.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.9375	2004
21.01.2020 13:27:33	1	1	1	1	93	63.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.875	2004
21.01.2020 13:27:34	1	1	1	1	93	63.75	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	44	2004
21.01.2020 13:27:35	1	1	1	1	93	64	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.75	2004
21.01.2020 13:27:36	1	1	1	1	93	63.75	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43.25	2004
21.01.2020 13:27:37	1	1	1	1	93	63.25	0	29810.427	541.9354839	16219.38956	30000	0	0	30000	43.6875	2004
21.01.2020 13:27:38	1	1	1	1	93.25	63.5	0	29763.033	539.7849462	15911.99413	30000	0	0	30000	43.75	2004
21.01.2020 13:27:39	1	1	1	1	93.25	63.75	0	29620.853	539.7849462	16115.83725	30000	0	0	30000	43.8125	2004
21.01.2020 13:27:40	1	1	1	1	93.25	63.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.8125	2004
21.01.2020 13:27:41	1	1	1	1	93.25	63.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.5625	2004
21.01.2020 13:27:42	1	1	1	1	93.25	63.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.875	2004
21.01.2020 13:27:43	1	1	1	1	93.25	63.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.5625	2004
21.01.2020 13:27:44	1	1	1	1	93.25	63.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.75	2004
21.01.2020 13:27:45	1	1	1	1	93.25	63.75	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	43.4375	2004
21.01.2020 13:27:46	1	1	1	1	93.25	63.75	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	43.4375	2004
21.01.2020 13:27:47	1	1	1	1	93.25	63.25	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	43.875	2004
21.01.2020 13:27:48	1	1	1	1	93.25	63.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.6875	2004
21.01.2020 13:27:49	1	1	1	1	93	63.5	0	29905.213	507.5268817	15177.34352	30000	0	0	30000	43.375	2004
21.01.2020 13:27:50	1	1	1	1	93	63.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.75	2004
21.01.2020 13:27:51	1	1	1	1	93	63.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.375	2004
21.01.2020 13:27:52	1	1	1	1	93	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.3125	2004
21.01.2020 13:27:53	1	1	1	1	93	63.25	0	27345.972	481.7204301	13150.32751	30000	0	0	30000	43.875	2004
21.01.2020 13:27:54	1	1	1	1	93	63.75	0	29715.64	546.2365591	15988.63914	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:27:55	1	1	1	1	93	63.75	0	26966.825	486.0215054	13048.40595	30000	0	0	30000	43.8125	2004
21.01.2020 13:27:56	1	1	1	1	93	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.6875	2004
21.01.2020 13:27:57	1	1	1	1	93	63.5	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	43.5625	2004
21.01.2020 13:27:58	1	1	1	1	93	63.5	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	43.75	2004
21.01.2020 13:27:59	1	1	1	1	92.75	63.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.6875	2004
21.01.2020 13:28:00	1	1	1	1	92.75	63.5	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	43	2004
21.01.2020 13:28:01	1	1	1	1	92.75	63	0	29289.1	546.2365591	15935.63993	30000	0	0	30000	43.9375	2004
21.01.2020 13:28:02	1	1	1	1	92.75	63.75	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	44	2004
21.01.2020 13:28:03	1	1	1	1	92.75	64	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.625	2004
21.01.2020 13:28:04	1	1	1	1	92.75	63.5	0	29052.133	544.0860215	15832.08763	30000	0	0	30000	43.8125	2004
21.01.2020 13:28:05	1	1	1	1	92.75	63.75	0	29099.526	550.5376344	15754.62724	30000	0	0	30000	43.0625	2004
21.01.2020 13:28:06	1	1	1	1	92.75	63	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.5625	2004
21.01.2020 13:28:07	1	1	1	1	92.75	63.5	0	29146.919	541.9354839	16098.71443	30000	0	0	30000	43.625	2004
21.01.2020 13:28:08	1	1	1	1	92.75	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.625	2004
21.01.2020 13:28:09	1	1	1	1	92.75	63.5	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	43.9375	2004
21.01.2020 13:28:10	1	1	1	1	92.75	63.25	0	29289.1	552.688172	16150.89827	30000	0	0	30000	43.125	2004
21.01.2020 13:28:11	1	1	1	1	92.75	63	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.75	2004
21.01.2020 13:28:12	1	1	1	1	92.75	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.75	2004
21.01.2020 13:28:13	1	1	1	1	92.75	63.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.875	2004
21.01.2020 13:28:14	1	1	1	1	92.75	63.75	0	29241.706	541.9354839	16035.11538	30000	0	0	30000	43.9375	2004
21.01.2020 13:28:15	1	1	1	1	92.75	63.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	43.625	2004
21.01.2020 13:28:17	1	1	1	1	92.75	63.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.3125	2004
21.01.2020 13:28:18	1	1	1	1	92.75	63.25	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.8125	2004
21.01.2020 13:28:19	1	1	1	1	92.5	63.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.4375	2004
21.01.2020 13:28:20	1	1	1	1	92.5	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.125	2004
21.01.2020 13:28:21	1	1	1	1	92.5	64	0	29289.1	550.5376344	16161.49811	30000	0	0	30000	43.9375	2004
21.01.2020 13:28:22	1	1	1	1	92.5	63.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.75	2004
21.01.2020 13:28:29	1	1	1	1	92.5	63.75	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	43.75	2004
21.01.2020 13:28:29	1	1	1	1	92.5	63.75	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	43.75	2004
21.01.2020 13:28:29	1	1	1	1	92.5	63.75	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	43.75	2004
21.01.2020 13:28:29	1	1	1	1	92.5	63.75	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	43.75	2004
21.01.2020 13:28:29	1	1	1	1	92.5	63.75	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	43.75	2004
21.01.2020 13:28:29	1	1	1	1	93.25	63.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	43.6875	2004
21.01.2020 13:28:30	1	1	1	1	93.25	63.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.9375	2004
21.01.2020 13:28:31	1	1	1	1	93.25	63.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.75	2004
21.01.2020 13:28:32	1	1	1	1	93.25	62.75	0	29810.427	520.4301075	15514.09235	30000	0	0	30000	43.4375	2004
21.01.2020 13:28:33	1	1	1	1	93.25	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.875	2004
21.01.2020 13:28:34	1	1	1	1	93.25	63.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44	2004
21.01.2020 13:28:35	1	1	1	1	93.25	64	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	43.5625	2004
21.01.2020 13:28:36	1	1	1	1	93.25	63.5	0	29336.493	548.3870968	15909.54801	30000	0	0	30000	43.6875	2004
21.01.2020 13:28:37	1	1	1	1	93.25	63.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	43.6875	2004
21.01.2020 13:28:38	1	1	1	1	93.25	63.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:28:39	1	1	1	1	92.75	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.4375	2004
21.01.2020 13:28:40	1	1	1	1	92.75	63.25	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	43.875	2004
21.01.2020 13:28:41	1	1	1	1	92.75	63.75	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	43.9375	2004
21.01.2020 13:28:42	1	1	1	1	92.75	63.75	0	29573.46	552.688172	16064.46878	30000	0	0	30000	44.1875	2004
21.01.2020 13:28:43	1	1	1	1	92.75	64	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	43.9375	2004
21.01.2020 13:28:44	1	1	1	1	92.75	63.75	0	29289.1	539.7849462	15960.91648	30000	0	0	30000	43.25	2004
21.01.2020 13:28:45	1	1	1	1	92.75	63.25	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	43.625	2004
21.01.2020 13:28:46	1	1	1	1	92.75	63.5	0	29478.673	546.2365591	16139.48305	30000	0	0	30000	43.875	2004
21.01.2020 13:28:47	1	1	1	1	92.75	63.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43.6875	2004
21.01.2020 13:28:48	1	1	1	1	92.75	63.5	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	43.75	2004
21.01.2020 13:28:49	1	1	1	1	92.5	63.5	0	29241.706	548.3870968	15983.74691	30000	0	0	30000	43.625	2004
21.01.2020 13:28:50	1	1	1	1	92.5	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.875	2004
21.01.2020 13:28:51	1	1	1	1	92.5	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.8125	2004
21.01.2020 13:28:52	1	1	1	1	92.5	63.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.6875	2004
21.01.2020 13:28:53	1	1	1	1	92.5	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.0625	2004
21.01.2020 13:28:55	1	1	1	1	92.5	64	0	29146.919	550.5376344	15957.65499	30000	0	0	30000	43.9375	2004
21.01.2020 13:28:56	1	1	1	1	92.5	63.75	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	43.5	2004
21.01.2020 13:28:57	1	1	1	1	92.5	63.5	0	29099.526	550.5376344	16234.06626	30000	0	0	30000	43.875	2004
21.01.2020 13:28:58	1	1	1	1	92.5	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	43.25	2004
21.01.2020 13:28:59	1	1	1	1	92.25	63.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	44	2004
21.01.2020 13:29:00	1	1	1	1	92.25	64	0	29146.919	550.5376344	15806.81108	30000	0	0	30000	43.6875	2004
21.01.2020 13:29:01	1	1	1	1	92.25	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.6875	2004
21.01.2020 13:29:02	1	1	1	1	92.25	63.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	43.6875	2004
21.01.2020 13:29:03	1	1	1	1	92.25	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.5625	2004
21.01.2020 13:29:04	1	1	1	1	92.25	63.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.4375	2004
21.01.2020 13:29:05	1	1	1	1	92.25	63.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.875	2004
21.01.2020 13:29:06	1	1	1	1	92.25	63.75	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	43.1875	2004
21.01.2020 13:29:07	1	1	1	1	92.25	63	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	43.75	2004
21.01.2020 13:29:08	1	1	1	1	92.25	63.75	0	29052.133	548.3870968	15931.56307	30000	0	0	30000	44.125	2004
21.01.2020 13:29:09	1	1	1	1	92.25	64	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.8125	2004
21.01.2020 13:29:10	1	1	1	1	92.25	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.875	2004
21.01.2020 13:29:11	1	1	1	1	92.25	63.75	0	29052.133	548.3870968	15879.37923	30000	0	0	30000	43.6875	2004
21.01.2020 13:29:12	1	1	1	1	92.25	63.5	0	29289.1	546.2365591	16035.11538	30000	0	0	30000	44.0625	2004
21.01.2020 13:29:13	1	1	1	1	92.25	64	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	43.9375	2004
21.01.2020 13:29:14	1	1	1	1	92.25	63.75	0	29289.1	548.3870968	15858.17955	30000	0	0	30000	44.125	2004
21.01.2020 13:29:15	1	1	1	1	92.25	64	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	43.9375	2004
21.01.2020 13:29:16	1	1	1	1	92.25	63.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.9375	2004
21.01.2020 13:29:17	1	1	1	1	92.25	62.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	43.625	2004
21.01.2020 13:29:18	1	1	1	1	92.25	63.5	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	43.5625	2004
21.01.2020 13:29:19	1	1	1	1	91.75	63.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	43.9375	2004
21.01.2020 13:29:20	1	1	1	1	91.75	63.75	0	29573.46	533.3333333	15836.16449	30000	0	0	30000	43.5625	2004
21.01.2020 13:29:21	1	1	1	1	91.75	63.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	43.9375	2004
21.01.2020 13:29:22	1	1	1	1	91.75	63.75	0	29620.853	535.483871	16013.91569	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:29:23	1	1	1	1	91.75	63.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.125	2004
21.01.2020 13:29:30	1	1	1	1	92	63.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.875	2004
21.01.2020 13:29:30	1	1	1	1	92	63.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.875	2004
21.01.2020 13:29:30	1	1	1	1	92	63.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.875	2004
21.01.2020 13:29:30	1	1	1	1	92	63.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.875	2004
21.01.2020 13:29:30	1	1	1	1	92	63.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.875	2004
21.01.2020 13:29:30	1	1	1	1	92	63.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.875	2004
21.01.2020 13:29:30	1	1	1	1	92	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.1875	2004
21.01.2020 13:29:31	1	1	1	1	92	63	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
21.01.2020 13:29:32	1	1	1	1	92	63.5	0	30000	496.7741935	14967.79279	30000	0	0	30000	43.9375	2004
21.01.2020 13:29:34	1	1	1	1	92	63.75	0	30000	486.0215054	14451.662	30000	0	0	30000	43.4375	2004
21.01.2020 13:29:35	1	1	1	1	92	63.25	0	30000	492.4731183	14902.56299	30000	0	0	30000	43.9375	2004
21.01.2020 13:29:36	1	1	1	1	92	63.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.3125	2004
21.01.2020 13:29:37	1	1	1	1	92	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.6875	2004
21.01.2020 13:29:38	1	1	1	1	92	63.5	0	29952.607	520.4301075	15652.70568	30000	0	0	30000	43.6875	2004
21.01.2020 13:29:39	1	1	1	1	92	63.5	0	30000	509.6774194	15201.80469	30000	0	0	30000	43.3125	2004
21.01.2020 13:29:40	1	1	1	1	92	63.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	43.75	2004
21.01.2020 13:29:41	1	1	1	1	92	63.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	43.5	2004
21.01.2020 13:29:42	1	1	1	1	92	63.5	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	43.875	2004
21.01.2020 13:29:43	1	1	1	1	92	63.75	0	29620.853	464.516129	13759.41076	30000	0	0	30000	43.875	2004
21.01.2020 13:29:44	1	1	1	1	92	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
21.01.2020 13:29:45	1	1	1	1	92	63.75	0	30000	511.827957	15418.69377	30000	0	0	30000	44	2004
21.01.2020 13:29:46	1	1	1	1	92	64	0	28815.166	445.1612903	12827.44	30000	0	0	30000	43.25	2004
21.01.2020 13:29:47	1	1	1	1	92	63.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	43.75	2004
21.01.2020 13:29:48	1	1	1	1	92	63.75	0	30000	511.827957	15483.92357	30000	0	0	30000	44.125	2004
21.01.2020 13:29:49	1	1	1	1	91.5	64	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.6875	2004
21.01.2020 13:29:50	1	1	1	1	91.5	63.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.8125	2004
21.01.2020 13:29:51	1	1	1	1	91.5	63.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	44	2004
21.01.2020 13:29:52	1	1	1	1	91.5	64	0	28957.346	481.7204301	13903.73169	30000	0	0	30000	43.4375	2004
21.01.2020 13:29:53	1	1	1	1	91.5	63.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.8125	2004
21.01.2020 13:29:54	1	1	1	1	91.5	63.75	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.0625	2004
21.01.2020 13:29:55	1	1	1	1	91.5	64	0	29715.64	466.6666667	13867.03993	30000	0	0	30000	43.8125	2004
21.01.2020 13:29:56	1	1	1	1	91.5	63.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.1875	2004
21.01.2020 13:29:57	1	1	1	1	91.5	63	0	29336.493	455.9139785	13374.55494	30000	0	0	30000	44	2004
21.01.2020 13:29:58	1	1	1	1	91.5	64	0	30000	511.827957	15483.92357	30000	0	0	30000	43.5625	2004
21.01.2020 13:29:59	1	1	1	1	91	63.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.875	2004
21.01.2020 13:30:00	1	1	1	1	91	63.75	0	29905.213	488.172043	14662.84348	30000	0	0	30000	43.25	2004
21.01.2020 13:30:01	1	1	1	1	91	63.25	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	42.625	2004
21.01.2020 13:30:02	1	1	1	1	91	62.5	0	30000	516.1290323	15225.45049	30000	0	0	30000	43.625	2004
21.01.2020 13:30:03	1	1	1	1	91	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.75	2004
21.01.2020 13:30:04	1	1	1	1	91	63.75	0	30000	505.3763441	15032.20721	30000	0	0	30000	44.1875	2004
21.01.2020 13:30:05	1	1	1	1	91	64	0	29146.919	483.8709677	14102.68258	30000	0	0	30000	44	2004
21.01.2020 13:30:06	1	1	1	1	91	64	0	29905.213	501.0752688	15137.39026	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:30:07	1	1	1	1	91	64.25	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	43.0625	2004
21.01.2020 13:30:08	1	1	1	1	91	63	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
21.01.2020 13:30:09	1	1	1	1	91	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
21.01.2020 13:30:10	1	1	1	1	91	63.75	0	30000	518.2795699	15483.92357	30000	0	0	30000	43.9375	2004
21.01.2020 13:30:11	1	1	1	1	91	63.75	0	29905.213	507.5268817	15289.86492	30000	0	0	30000	44.125	2004
21.01.2020 13:30:13	1	1	1	1	91	64	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.0625	2004
21.01.2020 13:30:14	1	1	1	1	91	64	0	29905.213	535.483871	16077.51474	30000	0	0	30000	43.3125	2004
21.01.2020 13:30:15	1	1	1	1	91	63.25	0	29952.607	509.6774194	15266.21912	30000	0	0	30000	43.375	2004
21.01.2020 13:30:16	1	1	1	1	91	63.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	43.75	2004
21.01.2020 13:30:17	1	1	1	1	91	63.75	0	29952.607	486.0215054	14493.246	30000	0	0	30000	42.75	2004
21.01.2020 13:30:18	1	1	1	1	91	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
21.01.2020 13:30:19	1	1	1	1	91	63.5	0	29905.213	464.516129	13999.94564	30000	0	0	30000	43.875	2004
21.01.2020 13:30:20	1	1	1	1	91	63.75	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	43.4375	2004
21.01.2020 13:30:21	1	1	1	1	91	63.25	0	30000	440.8602151	12990.5145	30000	0	0	30000	43.875	2004
21.01.2020 13:30:22	1	1	1	1	91	63.75	0	29478.673	346.2365591	10206.01745	30000	0	0	30000	43.875	2004
21.01.2020 13:30:23	1	1	1	1	91	63.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
21.01.2020 13:30:24	1	1	1	1	91	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	44.25	2004
21.01.2020 13:30:25	1	1	1	1	91	64.25	0	24407.583	324.7311828	7820.237545	30000	0	0	30000	44.125	2004
21.01.2020 13:30:32	1	1	1	1	90.75	63.25	0	29715.64	369.8924731	10782.4858	30000	0	0	30000	43.875	2004
21.01.2020 13:30:32	1	1	1	1	90.75	63.25	0	29715.64	369.8924731	10782.4858	30000	0	0	30000	43.875	2004
21.01.2020 13:30:32	1	1	1	1	90.75	63.25	0	29715.64	369.8924731	10782.4858	30000	0	0	30000	43.875	2004
21.01.2020 13:30:32	1	1	1	1	90.75	63.25	0	29715.64	369.8924731	10782.4858	30000	0	0	30000	43.875	2004
21.01.2020 13:30:32	1	1	1	1	90.75	63.25	0	29715.64	369.8924731	10782.4858	30000	0	0	30000	43.875	2004
21.01.2020 13:30:32	1	1	1	1	90.75	63.75	0	24691.943	322.5806452	8071.372272	30000	0	0	30000	43.625	2004
21.01.2020 13:30:33	1	1	1	1	90.75	63.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.9375	2004
21.01.2020 13:30:34	1	1	1	1	90.75	63.75	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	43.3125	2004
21.01.2020 13:30:35	1	1	1	1	90.75	63.25	0	29857.82	352.688172	10482.42872	30000	0	0	30000	43.75	2004
21.01.2020 13:30:36	1	1	1	1	90.75	63.75	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	44	2004
21.01.2020 13:30:37	1	1	1	1	90.75	64	0	29905.213	384.9462366	11871.00807	30000	0	0	30000	43.9375	2004
21.01.2020 13:30:38	1	1	1	1	90.75	63.75	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	43.75	2004
21.01.2020 13:30:39	1	1	1	1	90.75	63.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.6875	2004
21.01.2020 13:30:40	1	1	1	1	90.75	63.5	0	29905.213	382.7956989	11511.4288	30000	0	0	30000	44.125	2004
21.01.2020 13:30:41	1	1	1	1	90.75	64	0	28341.232	350.5376344	9934.49841	30000	0	0	30000	43.875	2004
21.01.2020 13:30:42	1	1	1	1	90.75	63.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.4375	2004
21.01.2020 13:30:43	1	1	1	1	90.75	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
21.01.2020 13:30:44	1	1	1	1	90.75	64.25	0	30000	464.516129	13999.94564	30000	0	0	30000	44.0625	2004
21.01.2020 13:30:45	1	1	1	1	90.75	63.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.8125	2004
21.01.2020 13:30:46	1	1	1	1	90.75	63.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.9375	2004
21.01.2020 13:30:47	1	1	1	1	90.75	63.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.5	2004
21.01.2020 13:30:48	1	1	1	1	90.75	63.5	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	43.9375	2004
21.01.2020 13:30:49	1	1	1	1	90.75	63.75	0	29905.213	350.5376344	10482.42872	30000	0	0	30000	42.9375	2004
21.01.2020 13:30:50	1	1	1	1	90.75	62.75	0	29146.919	389.2473118	11282.30913	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:30:52	1	1	1	1	90.75	63.75	0	29905.213	350.5376344	10466.12127	30000	0	0	30000	43.75	2004
21.01.2020 13:30:53	1	1	1	1	90.75	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.8125	2004
21.01.2020 13:30:54	1	1	1	1	90.75	63.75	0	27440.758	301.0752688	8261.354062	30000	0	0	30000	44.0625	2004
21.01.2020 13:30:55	1	1	1	1	90.75	64	0	29715.64	369.8924731	11054.82021	30000	0	0	30000	43.1875	2004
21.01.2020 13:30:56	1	1	1	1	90.75	63	0	29478.673	318.2795699	9445.274916	30000	0	0	30000	44.0625	2004
21.01.2020 13:30:57	1	1	1	1	90.75	64	0	29620.853	384.9462366	11402.16889	30000	0	0	30000	44.125	2004
21.01.2020 13:30:58	1	1	1	1	90.75	64	0	28862.559	363.4408602	10489.76708	30000	0	0	30000	43.8125	2004
21.01.2020 13:30:59	1	1	1	1	90.25	63.75	0	24407.583	318.2795699	7715.869867	30000	0	0	30000	43.8125	2004
21.01.2020 13:31:00	1	1	1	1	90.25	63.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.8125	2004
21.01.2020 13:31:01	1	1	1	1	90.25	63.75	0	29668.246	378.4946237	11310.84717	30000	0	0	30000	43.875	2004
21.01.2020 13:31:02	1	1	1	1	90.25	63.75	0	30000	419.3548387	12560.8132	30000	0	0	30000	43.75	2004
21.01.2020 13:31:03	1	1	1	1	90.25	63.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.875	2004
21.01.2020 13:31:04	1	1	1	1	90.25	63.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
21.01.2020 13:31:05	1	1	1	1	90.25	63.75	0	30000	483.8709677	14451.662	30000	0	0	30000	42.8125	2004
21.01.2020 13:31:06	1	1	1	1	90.25	62.75	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	43.6875	2004
21.01.2020 13:31:07	1	1	1	1	90.25	63.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.5625	2004
21.01.2020 13:31:08	1	1	1	1	90.25	63.5	0	30000	505.3763441	14984.10024	30000	0	0	30000	43.8125	2004
21.01.2020 13:31:09	1	1	1	1	90.25	63.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	44	2004
21.01.2020 13:31:10	1	1	1	1	90.25	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44	2004
21.01.2020 13:31:11	1	1	1	1	90.25	64	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.5625	2004
21.01.2020 13:31:12	1	1	1	1	90.25	63.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44	2004
21.01.2020 13:31:13	1	1	1	1	90.25	64	0	30000	529.0322581	15934.82456	30000	0	0	30000	43.8125	2004
21.01.2020 13:31:14	1	1	1	1	90.25	63.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	44	2004
21.01.2020 13:31:15	1	1	1	1	90.25	64	0	29810.427	516.1290323	15346.12562	30000	0	0	30000	43.375	2004
21.01.2020 13:31:16	1	1	1	1	90.25	63.25	0	29905.213	522.5806452	15820.67241	30000	0	0	30000	43.875	2004
21.01.2020 13:31:17	1	1	1	1	90.25	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.3125	2004
21.01.2020 13:31:18	1	1	1	1	90.25	62.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.4375	2004
21.01.2020 13:31:19	1	1	1	1	90	63.25	0	27867.299	468.8172043	13004.37583	30000	0	0	30000	43.9375	2004
21.01.2020 13:31:20	1	1	1	1	90	63.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.8125	2004
21.01.2020 13:31:21	1	1	1	1	90	63.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.4375	2004
21.01.2020 13:31:22	1	1	1	1	90	64.25	0	30000	492.4731183	14838.14856	30000	0	0	30000	44.1875	2004
21.01.2020 13:31:23	1	1	1	1	90	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
21.01.2020 13:31:24	1	1	1	1	90	64.25	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	43.75	2004
21.01.2020 13:31:25	1	1	1	1	90	63.75	0	30000	481.7204301	14406.00114	30000	0	0	30000	43.9375	2004
21.01.2020 13:31:26	1	1	1	1	90	63.75	0	28388.626	460.2150538	13025.57552	30000	0	0	30000	44.1875	2004
21.01.2020 13:31:33	1	1	1	1	90	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.0625	2004
21.01.2020 13:31:33	1	1	1	1	90	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.0625	2004
21.01.2020 13:31:33	1	1	1	1	90	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.0625	2004
21.01.2020 13:31:33	1	1	1	1	90	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.0625	2004
21.01.2020 13:31:33	1	1	1	1	90	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.0625	2004
21.01.2020 13:31:33	1	1	1	1	90	63.5	0	30000	511.827957	15289.86492	30000	0	0	30000	43.0625	2004
21.01.2020 13:31:34	1	1	1	1	90	63	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.5	2004
21.01.2020 13:31:35	1	1	1	1	90	63.5	0	26303.318	453.7634409	11935.4225	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:31:36	1	1	1	1	90	64	0	29905.213	496.7741935	15137.39026	30000	0	0	30000	43.625	2004
21.01.2020 13:31:37	1	1	1	1	90	63.5	0	29241.706	509.6774194	14903.37836	30000	0	0	30000	43.9375	2004
21.01.2020 13:31:38	1	1	1	1	90	63.75	0	29715.64	486.0215054	14506.29196	30000	0	0	30000	43.5625	2004
21.01.2020 13:31:39	1	1	1	1	89.5	63.5	0	26066.351	464.516129	12086.26641	30000	0	0	30000	44	2004
21.01.2020 13:31:40	1	1	1	1	89.5	64	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	43.9375	2004
21.01.2020 13:31:41	1	1	1	1	89.5	63.75	0	30000	518.2795699	15523.87682	30000	0	0	30000	43.5625	2004
21.01.2020 13:31:42	1	1	1	1	89.5	63.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.625	2004
21.01.2020 13:31:43	1	1	1	1	89.5	63.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.625	2004
21.01.2020 13:31:44	1	1	1	1	89.5	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.125	2004
21.01.2020 13:31:45	1	1	1	1	89.5	64	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.0625	2004
21.01.2020 13:31:46	1	1	1	1	89.5	64	0	30000	524.7311828	15741.58128	30000	0	0	30000	43.875	2004
21.01.2020 13:31:47	1	1	1	1	89.5	63.75	0	29526.066	458.0645161	13588.18253	30000	0	0	30000	44	2004
21.01.2020 13:31:48	1	1	1	1	89.5	64	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.5	2004
21.01.2020 13:31:49	1	1	1	1	89.5	63.5	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	44	2004
21.01.2020 13:31:50	1	1	1	1	89.5	64	0	29763.033	535.483871	15962.54722	30000	0	0	30000	44.125	2004
21.01.2020 13:31:51	1	1	1	1	89.5	64	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	43.8125	2004
21.01.2020 13:31:52	1	1	1	1	89.5	63.75	0	29905.213	503.2258065	14960.45443	30000	0	0	30000	43.25	2004
21.01.2020 13:31:53	1	1	1	1	89.5	63.25	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	43.5625	2004
21.01.2020 13:31:54	1	1	1	1	89.5	63.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.75	2004
21.01.2020 13:31:55	1	1	1	1	89.5	63.75	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	44.125	2004
21.01.2020 13:31:56	1	1	1	1	89.5	64	0	29857.82	539.7849462	15834.53374	30000	0	0	30000	44	2004
21.01.2020 13:31:57	1	1	1	1	89.5	64	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	43.9375	2004
21.01.2020 13:31:58	1	1	1	1	89.5	63.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	44	2004
21.01.2020 13:31:59	1	1	1	1	89.5	64	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	43.9375	2004
21.01.2020 13:32:00	1	1	1	1	89.5	63.75	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	44.125	2004
21.01.2020 13:32:01	1	1	1	1	89.5	64	0	28483.412	455.9139785	13046.7752	30000	0	0	30000	43.3125	2004
21.01.2020 13:32:02	1	1	1	1	89.5	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.375	2004
21.01.2020 13:32:03	1	1	1	1	89.5	63.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	44	2004
21.01.2020 13:32:04	1	1	1	1	89.5	64	0	28862.559	453.7634409	13096.51292	30000	0	0	30000	43.75	2004
21.01.2020 13:32:05	1	1	1	1	89.5	63.75	0	27867.299	453.7634409	12644.79656	30000	0	0	30000	43.6875	2004
21.01.2020 13:32:06	1	1	1	1	89.5	63.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.875	2004
21.01.2020 13:32:07	1	1	1	1	89.5	63.75	0	29952.607	501.0752688	14727.2579	30000	0	0	30000	43.6875	2004
21.01.2020 13:32:09	1	1	1	1	89.5	63.5	0	29905.213	481.7204301	14493.246	30000	0	0	30000	44.125	2004
21.01.2020 13:32:10	1	1	1	1	89.5	64	0	29905.213	505.3763441	15137.39026	30000	0	0	30000	43.5625	2004
21.01.2020 13:32:11	1	1	1	1	89.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
21.01.2020 13:32:12	1	1	1	1	89.5	64	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	43.875	2004
21.01.2020 13:32:13	1	1	1	1	89.5	63.75	0	29857.82	468.8172043	14406.00114	30000	0	0	30000	44	2004
21.01.2020 13:32:14	1	1	1	1	89.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
21.01.2020 13:32:15	1	1	1	1	89.5	63.75	0	29952.607	496.7741935	14856.08676	30000	0	0	30000	43.3125	2004
21.01.2020 13:32:16	1	1	1	1	89.5	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.875	2004
21.01.2020 13:32:17	1	1	1	1	89.5	63.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	44	2004
21.01.2020 13:32:18	1	1	1	1	89.5	64	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.0625	2004
21.01.2020 13:32:19	1	1	1	1	89.25	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:32:20	1	1	1	1	89.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5	2004
21.01.2020 13:32:21	1	1	1	1	89.25	63.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.9375	2004
21.01.2020 13:32:22	1	1	1	1	89.25	63.75	0	30000	438.7096774	13076.12861	30000	0	0	30000	43.5625	2004
21.01.2020 13:32:23	1	1	1	1	89.25	63.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.0625	2004
21.01.2020 13:32:24	1	1	1	1	89.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
21.01.2020 13:32:25	1	1	1	1	89.25	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.4375	2004
21.01.2020 13:32:26	1	1	1	1	89.25	63.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.4375	2004
21.01.2020 13:32:27	1	1	1	1	89.25	63.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.4375	2004
21.01.2020 13:32:28	1	1	1	1	89.25	63.25	0	29620.853	468.8172043	13823.00981	30000	0	0	30000	43.5625	2004
21.01.2020 13:32:35	1	1	1	1	88.75	63.75	0	29905.213	483.8709677	14534.01462	30000	0	0	30000	43.8125	2004
21.01.2020 13:32:35	1	1	1	1	88.75	63.75	0	29905.213	483.8709677	14534.01462	30000	0	0	30000	43.8125	2004
21.01.2020 13:32:35	1	1	1	1	88.75	63.75	0	29905.213	483.8709677	14534.01462	30000	0	0	30000	43.8125	2004
21.01.2020 13:32:35	1	1	1	1	88.75	63.75	0	28199.052	453.7634409	12795.64048	30000	0	0	30000	43.6875	2004
21.01.2020 13:32:35	1	1	1	1	88.75	63.75	0	28199.052	453.7634409	12795.64048	30000	0	0	30000	43.6875	2004
21.01.2020 13:32:35	1	1	1	1	88.75	63.75	0	28199.052	453.7634409	12795.64048	30000	0	0	30000	43.6875	2004
21.01.2020 13:32:35	1	1	1	1	88.75	63.75	0	28199.052	453.7634409	12795.64048	30000	0	0	30000	43.6875	2004
21.01.2020 13:32:36	1	1	1	1	88.75	63.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
21.01.2020 13:32:37	1	1	1	1	88.75	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.0625	2004
21.01.2020 13:32:38	1	1	1	1	88.75	64	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.1875	2004
21.01.2020 13:32:39	1	1	1	1	88.75	64	0	29478.673	464.516129	13778.16432	30000	0	0	30000	44.4375	2004
21.01.2020 13:32:40	1	1	1	1	88.75	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.3125	2004
21.01.2020 13:32:41	1	1	1	1	88.75	64.25	0	29526.066	458.0645161	13524.58348	30000	0	0	30000	44.1875	2004
21.01.2020 13:32:42	1	1	1	1	88.75	63.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.5625	2004
21.01.2020 13:32:43	1	1	1	1	88.75	63.5	0	30000	488.172043	14644.90528	30000	0	0	30000	43.875	2004
21.01.2020 13:32:44	1	1	1	1	88.75	63.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	43.3125	2004
21.01.2020 13:32:45	1	1	1	1	88.75	63.25	0	29810.427	455.9139785	13590.62865	30000	0	0	30000	43.5	2004
21.01.2020 13:32:47	1	1	1	1	88.75	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
21.01.2020 13:32:48	1	1	1	1	88.75	63.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.25	2004
21.01.2020 13:32:49	1	1	1	1	88.25	63.25	0	29905.213	490.3225806	14902.56299	30000	0	0	30000	43.75	2004
21.01.2020 13:32:50	1	1	1	1	88.25	63.75	0	29383.886	466.6666667	13712.11915	30000	0	0	30000	43.4375	2004
21.01.2020 13:32:51	1	1	1	1	88.25	63.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44	2004
21.01.2020 13:32:52	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
21.01.2020 13:32:53	1	1	1	1	88.25	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44	2004
21.01.2020 13:32:54	1	1	1	1	88.25	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.4375	2004
21.01.2020 13:32:55	1	1	1	1	88.25	63.25	0	30000	496.7741935	14838.14856	30000	0	0	30000	43.125	2004
21.01.2020 13:32:56	1	1	1	1	88.25	63	0	29526.066	468.8172043	13968.96149	30000	0	0	30000	43.0625	2004
21.01.2020 13:32:57	1	1	1	1	88.25	63	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44	2004
21.01.2020 13:32:58	1	1	1	1	88.25	64	0	29952.607	490.3225806	14838.14856	30000	0	0	30000	43.5	2004
21.01.2020 13:32:59	1	1	1	1	88	63.5	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.0625	2004
21.01.2020 13:33:00	1	1	1	1	88	64	0	29810.427	481.7204301	13911.07004	30000	0	0	30000	43.875	2004
21.01.2020 13:33:01	1	1	1	1	88	63.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.9375	2004
21.01.2020 13:33:02	1	1	1	1	88	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.9375	2004
21.01.2020 13:33:03	1	1	1	1	88	63.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:33:04	1	1	1	1	88	63.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	43.625	2004
21.01.2020 13:33:05	1	1	1	1	88	63.5	0	29857.82	537.6344086	15949.50126	30000	0	0	30000	43.375	2004
21.01.2020 13:33:06	1	1	1	1	88	63.25	0	29810.427	481.7204301	14383.17071	30000	0	0	30000	43.1875	2004
21.01.2020 13:33:07	1	1	1	1	88	63	0	29905.213	492.4731183	14791.67233	30000	0	0	30000	43.75	2004
21.01.2020 13:33:08	1	1	1	1	88	63.75	0	29810.427	503.2258065	15064.82211	30000	0	0	30000	43.9375	2004
21.01.2020 13:33:09	1	1	1	1	88.25	63.75	0	29478.673	468.8172043	13905.36243	30000	0	0	30000	44.1875	2004
21.01.2020 13:33:10	1	1	1	1	88.25	64	0	29952.607	537.6344086	16039.19224	30000	0	0	30000	44.0625	2004
21.01.2020 13:33:11	1	1	1	1	88.25	64	0	26303.318	445.1612903	11708.74895	30000	0	0	30000	44	2004
21.01.2020 13:33:12	1	1	1	1	88.25	64	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	43.625	2004
21.01.2020 13:33:13	1	1	1	1	88.25	63.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.625	2004
21.01.2020 13:33:14	1	1	1	1	88.25	63.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.9375	2004
21.01.2020 13:33:15	1	1	1	1	88.25	63.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.6875	2004
21.01.2020 13:33:16	1	1	1	1	88.25	63.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.625	2004
21.01.2020 13:33:17	1	1	1	1	88.25	63.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	44.0625	2004
21.01.2020 13:33:18	1	1	1	1	88.25	64	0	29099.526	367.7419355	10745.79404	30000	0	0	30000	43.6875	2004
21.01.2020 13:33:19	1	1	1	1	88	63.5	0	25687.204	356.9892473	9225.124344	30000	0	0	30000	44.3125	2004
21.01.2020 13:33:20	1	1	1	1	88	64.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.875	2004
21.01.2020 13:33:21	1	1	1	1	88	63.25	0	28436.019	283.8709677	8255.646454	30000	0	0	30000	44.125	2004
21.01.2020 13:33:22	1	1	1	1	88	64	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.9375	2004
21.01.2020 13:33:23	1	1	1	1	88	63.75	0	30000	335.483871	10032.34311	30000	0	0	30000	43.6875	2004
21.01.2020 13:33:25	1	1	1	1	88	63.5	0	29620.853	279.5698925	8357.568016	30000	0	0	30000	44	2004
21.01.2020 13:33:26	1	1	1	1	88	64	0	29952.607	335.483871	9984.236132	30000	0	0	30000	43.3125	2004
21.01.2020 13:33:27	1	1	1	1	88	63.25	0	29526.066	283.8709677	8381.213818	30000	0	0	30000	43.75	2004
21.01.2020 13:33:28	1	1	1	1	88	63.75	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	44	2004
21.01.2020 13:33:29	1	1	1	1	87.5	64	0	28957.346	341.9354839	9901.068138	30000	0	0	30000	43.625	2004
21.01.2020 13:33:30	1	1	1	1	87.5	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	44.125	2004
21.01.2020 13:33:37	1	1	1	1	87.5	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 13:33:37	1	1	1	1	87.5	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 13:33:37	1	1	1	1	87.5	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 13:33:37	1	1	1	1	87.5	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 13:33:37	1	1	1	1	87.5	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 13:33:37	1	1	1	1	87.5	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44	2004
21.01.2020 13:33:37	1	1	1	1	87.5	64	0	29478.673	335.483871	9889.652923	30000	0	0	30000	43.9375	2004
21.01.2020 13:33:38	1	1	1	1	87.5	63.75	0	29905.213	363.4408602	10868.09991	30000	0	0	30000	43	2004
21.01.2020 13:33:39	1	1	1	1	87.5	63	0	29146.919	356.9892473	10404.96834	30000	0	0	30000	44.0625	2004
21.01.2020 13:33:40	1	1	1	1	87.5	64	0	30000	384.9462366	11548.12057	30000	0	0	30000	44	2004
21.01.2020 13:33:41	1	1	1	1	87.5	64	0	30000	406.4516129	12193.08021	30000	0	0	30000	44.125	2004
21.01.2020 13:33:42	1	1	1	1	87.5	64	0	29952.607	341.9354839	10225.58639	30000	0	0	30000	43.75	2004
21.01.2020 13:33:43	1	1	1	1	87.5	63.75	0	28957.346	354.8387097	10274.50874	30000	0	0	30000	44.0625	2004
21.01.2020 13:33:44	1	1	1	1	87.5	64	0	28009.479	316.1290323	8854.129862	30000	0	0	30000	44	2004
21.01.2020 13:33:45	1	1	1	1	87.5	64	0	29620.853	354.8387097	10527.27421	30000	0	0	30000	44	2004
21.01.2020 13:33:46	1	1	1	1	87.5	64	0	29905.213	354.8387097	10675.672	30000	0	0	30000	44.0625	2004
21.01.2020 13:33:47	1	1	1	1	87.5	64	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:33:48	1	1	1	1	87.5	64	0	29289.1	356.9892473	10472.64425	30000	0	0	30000	43.375	2004
21.01.2020 13:33:49	1	1	1	1	87.25	63.25	0	29952.607	380.6451613	11190.17204	30000	0	0	30000	44	2004
21.01.2020 13:33:50	1	1	1	1	87.25	64	0	29431.28	372.0430108	11139.61895	30000	0	0	30000	44.125	2004
21.01.2020 13:33:51	1	1	1	1	87.25	64	0	28815.166	339.7849462	9729.024543	30000	0	0	30000	44.125	2004
21.01.2020 13:33:52	1	1	1	1	87.25	64	0	29857.82	339.7849462	10144.86451	30000	0	0	30000	44.125	2004
21.01.2020 13:33:53	1	1	1	1	87.25	64	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.125	2004
21.01.2020 13:33:54	1	1	1	1	87.25	64	0	29810.427	348.3870968	10320.98497	30000	0	0	30000	43.5	2004
21.01.2020 13:33:55	1	1	1	1	87.25	63.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	43.9375	2004
21.01.2020 13:33:56	1	1	1	1	87.25	63.75	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	44.3125	2004
21.01.2020 13:33:57	1	1	1	1	87.25	64.25	0	29905.213	395.6989247	11852.2545	30000	0	0	30000	44.5	2004
21.01.2020 13:33:58	1	1	1	1	87	63.75	0	28862.559	415.0537634	12392.03109	30000	0	0	30000	44.125	2004
21.01.2020 13:33:59	1	1	1	1	87	64	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.8125	2004
21.01.2020 13:34:00	1	1	1	1	87	63.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.1875	2004
21.01.2020 13:34:02	1	1	1	1	87	64	0	29715.64	395.6989247	11795.9938	30000	0	0	30000	44	2004
21.01.2020 13:34:03	1	1	1	1	87	64	0	30000	427.9569892	12754.05648	30000	0	0	30000	44	2004
21.01.2020 13:34:04	1	1	1	1	87	64	0	29478.673	427.9569892	12953.00737	30000	0	0	30000	44.125	2004
21.01.2020 13:34:05	1	1	1	1	87	64	0	25355.45	341.9354839	8669.855679	30000	0	0	30000	43.5	2004
21.01.2020 13:34:06	1	1	1	1	87	63.5	0	29952.607	378.4946237	11319.0009	30000	0	0	30000	44	2004
21.01.2020 13:34:07	1	1	1	1	87	64	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.125	2004
21.01.2020 13:34:08	1	1	1	1	87	64	0	29573.46	384.9462366	11384.2307	30000	0	0	30000	44	2004
21.01.2020 13:34:09	1	1	1	1	86.5	64	0	30000	425.8064516	12773.62542	30000	0	0	30000	44.0625	2004
21.01.2020 13:34:10	1	1	1	1	86.5	64	0	30000	453.7634409	13333.78632	30000	0	0	30000	43.9375	2004
21.01.2020 13:34:11	1	1	1	1	86.5	63.75	0	29905.213	387.0967742	11640.25766	30000	0	0	30000	43.875	2004
21.01.2020 13:34:12	1	1	1	1	86.5	63.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.8125	2004
21.01.2020 13:34:13	1	1	1	1	86.5	63.75	0	30000	453.7634409	13741.47256	30000	0	0	30000	44.125	2004
21.01.2020 13:34:14	1	1	1	1	86.5	64	0	29715.64	404.3010753	12013.69826	30000	0	0	30000	43.3125	2004
21.01.2020 13:34:15	1	1	1	1	86.5	63.25	0	30000	464.516129	13870.30142	30000	0	0	30000	43.75	2004
21.01.2020 13:34:16	1	1	1	1	86.5	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.8125	2004
21.01.2020 13:34:17	1	1	1	1	86.5	63.75	0	27440.758	339.7849462	9323.784416	30000	0	0	30000	44.125	2004
21.01.2020 13:34:18	1	1	1	1	86.5	64	0	28862.559	369.8924731	10737.64031	30000	0	0	30000	43.5	2004
21.01.2020 13:34:19	1	1	1	1	85.75	63.5	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	44.1875	2004
21.01.2020 13:34:20	1	1	1	1	85.75	64	0	28815.166	301.0752688	8613.594977	30000	0	0	30000	44.0625	2004
21.01.2020 13:34:21	1	1	1	1	85.75	64	0	25165.877	303.2258065	7684.885712	30000	0	0	30000	44	2004
21.01.2020 13:34:22	1	1	1	1	85.75	64	0	30000	402.1505376	11935.4225	30000	0	0	30000	43.8125	2004
21.01.2020 13:34:23	1	1	1	1	85.75	63.75	0	0	0	0	30000	0	8	30000	43.3125	2004
21.01.2020 13:34:24	1	1	1	1	85.75	63.25	0	0	0	0	30000	0	8	30000	44.3125	2004
21.01.2020 13:34:25	1	1	1	1	85.75	64.25	0	10663.507	0	0	30000	0	0	30000	44	2004
21.01.2020 13:34:26	1	1	1	1	85.75	64	0	11421.801	0	0	30000	0	0	30000	44.25	2004
21.01.2020 13:34:27	1	1	1	1	85.75	64.25	0	12227.488	0	0	30000	0	0	30000	44.125	2004
21.01.2020 13:34:28	1	1	1	1	85.75	64	0	12985.782	2.150537634	27.72266464	30000	0	0	30000	44.1875	2004
21.01.2020 13:34:29	1	1	1	1	86.25	64	0	13744.076	6.451612903	88.06022885	30000	0	0	30000	42.1875	2004
21.01.2020 13:34:30	1	1	1	1	86.25	62	0	14454.976	10.75268817	154.920773	30000	0	0	30000	44.125	2004
21.01.2020 13:34:31	1	1	1	1	86.25	64	0	15308.057	15.05376344	229.935042	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:34:38	1	1	1	1	86.25	64.25	0	19810.427	60.21505376	1195.336069	30000	0	0	30000	44.5	2004
21.01.2020 13:34:38	1	1	1	1	86.25	64.25	0	19810.427	60.21505376	1195.336069	30000	0	0	30000	44.5	2004
21.01.2020 13:34:38	1	1	1	1	86.25	64.25	0	19810.427	60.21505376	1195.336069	30000	0	0	30000	44.5	2004
21.01.2020 13:34:38	1	1	1	1	86.25	64.25	0	19810.427	60.21505376	1195.336069	30000	0	0	30000	44.5	2004
21.01.2020 13:34:38	1	1	1	1	86.25	64.25	0	19810.427	60.21505376	1195.336069	30000	0	0	30000	44.5	2004
21.01.2020 13:34:38	1	1	1	1	86.25	64.5	0	20616.114	66.66666667	1373.902645	30000	0	0	30000	43.9375	2004
21.01.2020 13:34:39	1	1	1	1	85.75	64.5	0	21516.588	79.56989247	1708.205365	30000	0	0	30000	44.125	2004
21.01.2020 13:34:40	1	1	1	1	85.75	64	0	21658.768	81.72043011	1762.019949	30000	0	0	30000	44.0625	2004
21.01.2020 13:34:41	1	1	1	1	85.75	64	0	21706.161	83.87096774	1808.496181	30000	0	0	30000	44.25	2004
21.01.2020 13:34:43	1	1	1	1	85.75	64.25	0	21706.161	83.87096774	1769.358302	30000	0	0	30000	44.0625	2004
21.01.2020 13:34:44	1	1	1	1	85.75	64	0	21563.981	83.87096774	1808.496181	30000	0	0	30000	44.1875	2004
21.01.2020 13:34:45	1	1	1	1	85.75	64	0	21563.981	88.17204301	1900.633273	30000	0	0	30000	44.125	2004
21.01.2020 13:34:46	1	1	1	1	85.75	64	0	21563.981	88.17204301	1909.60237	30000	0	0	30000	44.125	2004
21.01.2020 13:34:47	1	1	1	1	85.75	64	0	21563.981	90.32258065	1947.109505	30000	0	0	30000	43.9375	2004
21.01.2020 13:34:48	1	1	1	1	85.75	63.75	0	21658.768	94.62365591	2058.000163	30000	0	0	30000	44	2004
21.01.2020 13:34:49	1	1	1	1	85.25	64	0	21658.768	94.62365591	2040.061968	30000	0	0	30000	44.0625	2004
21.01.2020 13:34:50	1	1	1	1	85.25	64	0	21658.768	103.2258065	2040.061968	30000	0	0	30000	44.0625	2004
21.01.2020 13:34:51	1	1	1	1	85.25	64	0	21563.981	98.92473118	2245.535836	30000	0	0	30000	44.1875	2004
21.01.2020 13:34:52	1	1	1	1	85.25	64	0	21563.981	96.77419355	2086.5382	30000	0	0	30000	44.1875	2004
21.01.2020 13:34:53	1	1	1	1	85.25	64	0	21753.555	103.2258065	2235.751366	30000	0	0	30000	43.4375	2004
21.01.2020 13:34:54	1	1	1	1	85.25	63.25	0	21563.981	103.2258065	2225.966896	30000	0	0	30000	44.125	2004
21.01.2020 13:34:55	1	1	1	1	85.25	64	0	21563.981	105.3763441	2271.627755	30000	0	0	30000	44.1875	2004
21.01.2020 13:34:56	1	1	1	1	85.25	64	0	21563.981	105.3763441	2271.627755	30000	0	0	30000	44	2004
21.01.2020 13:34:57	1	1	1	1	85.25	64	0	21563.981	105.3763441	2271.627755	30000	0	0	30000	44.25	2004
21.01.2020 13:34:58	1	1	1	1	85.25	64.25	0	21706.161	109.6774194	2271.627755	30000	0	0	30000	44.0625	2004
21.01.2020 13:34:59	1	1	1	1	85	64	0	21563.981	109.6774194	2364.580219	30000	0	0	30000	44.1875	2004
21.01.2020 13:35:00	1	1	1	1	85	64	0	21800.948	109.6774194	2484.439975	30000	0	0	30000	44.25	2004
21.01.2020 13:35:01	1	1	1	1	85	64.25	0	22559.242	129.0322581	2856.24983	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:02	1	1	1	1	85	64	0	23080.569	137.6344086	3176.691218	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:03	1	1	1	1	85	64	0	24028.436	148.3870968	3616.992363	30000	0	0	30000	44	2004
21.01.2020 13:35:04	1	1	1	1	85	64	0	23033.175	152.688172	3615.361618	30000	0	0	30000	44.1875	2004
21.01.2020 13:35:05	1	1	1	1	85	64	0	24881.517	189.2473118	4717.745223	30000	0	0	30000	44.125	2004
21.01.2020 13:35:06	1	1	1	1	85	64	0	24218.009	169.8924731	4114.369581	30000	0	0	30000	44.25	2004
21.01.2020 13:35:07	1	1	1	1	85	64.25	0	24218.009	178.4946237	4322.289566	30000	0	0	30000	44.125	2004
21.01.2020 13:35:08	1	1	1	1	85	64	0	24218.009	176.344086	4114.369581	30000	0	0	30000	44.1875	2004
21.01.2020 13:35:09	1	1	1	1	85.25	64	0	24691.943	191.3978495	4725.898948	30000	0	0	30000	43.625	2004
21.01.2020 13:35:10	1	1	1	1	85.25	63.5	0	24786.73	206.4516129	4850.650939	30000	0	0	30000	44.1875	2004
21.01.2020 13:35:11	1	1	1	1	85.25	64	0	26445.498	206.4516129	5459.734189	30000	0	0	30000	44	2004
21.01.2020 13:35:12	1	1	1	1	85.25	64	0	24928.91	206.4516129	5156.415623	30000	0	0	30000	44.1875	2004
21.01.2020 13:35:13	1	1	1	1	85.25	64	0	25118.483	206.4516129	5185.769032	30000	0	0	30000	43.75	2004
21.01.2020 13:35:14	1	1	1	1	85.25	63.75	0	26113.744	219.3548387	5559.209632	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:15	1	1	1	1	85.25	64	0	24170.616	195.6989247	4729.975811	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:35:16	1	1	1	1	85.25	63.75	0	26919.431	219.3548387	5894.327725	30000	0	0	30000	44.4375	2004
21.01.2020 13:35:17	1	1	1	1	85.25	64.25	0	27582.938	234.4086022	6465.088468	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:18	1	1	1	1	84.25	64	0	28957.346	249.4623656	7161.416574	30000	0	0	30000	44.1875	2004
21.01.2020 13:35:19	1	1	1	1	84.25	64	0	28009.479	273.1182796	7701.193162	30000	0	0	30000	43.4375	2004
21.01.2020 13:35:20	1	1	1	1	84.25	63.25	0	23459.716	243.0107527	5661.946566	30000	0	0	30000	44.1875	2004
21.01.2020 13:35:22	1	1	1	1	84.25	64	0	27867.299	277.4193548	7730.546571	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:23	1	1	1	1	84.25	64	0	28578.199	286.0215054	8173.293833	30000	0	0	30000	44.1875	2004
21.01.2020 13:35:24	1	1	1	1	84.25	64	0	28815.166	305.3763441	8737.531596	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:25	1	1	1	1	84.25	64	0	29146.919	337.6344086	9840.730574	30000	0	0	30000	44	2004
21.01.2020 13:35:26	1	1	1	1	84.25	64	0	29383.886	337.6344086	9920.637078	30000	0	0	30000	44	2004
21.01.2020 13:35:27	1	1	1	1	84.25	64	0	29526.066	346.2365591	10239.44772	30000	0	0	30000	43.875	2004
21.01.2020 13:35:28	1	1	1	1	84.25	63.75	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	44.1875	2004
21.01.2020 13:35:29	1	1	1	1	83	64	0	28909.953	346.2365591	10025.82013	30000	0	0	30000	44.125	2004
21.01.2020 13:35:30	1	1	1	1	83	64	0	29810.427	337.6344086	10144.86451	30000	0	0	30000	43.5	2004
21.01.2020 13:35:31	1	1	1	1	83	63.5	0	29905.213	331.1827957	9952.436605	30000	0	0	30000	43.875	2004
21.01.2020 13:35:32	1	1	1	1	83	63.75	0	29952.607	365.5913978	10950.45253	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:33	1	1	1	1	83	64	0	29526.066	391.3978495	11702.22597	30000	0	0	30000	43.8125	2004
21.01.2020 13:35:40	1	1	1	1	83	64	0	25497.63	335.483871	8569.564863	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:40	1	1	1	1	83	64	0	25497.63	335.483871	8569.564863	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:40	1	1	1	1	83	64	0	25497.63	335.483871	8569.564863	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:40	1	1	1	1	83	64	0	25497.63	335.483871	8569.564863	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:40	1	1	1	1	83	64	0	25497.63	335.483871	8569.564863	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:40	1	1	1	1	83	64	0	25497.63	335.483871	8569.564863	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:41	1	1	1	1	83	64	0	24691.943	320.4301075	7911.559264	30000	0	0	30000	44.125	2004
21.01.2020 13:35:42	1	1	1	1	83	64	0	29715.64	389.2473118	11630.47319	30000	0	0	30000	43.9375	2004
21.01.2020 13:35:43	1	1	1	1	83	63.75	0	29857.82	356.9892473	10658.54918	30000	0	0	30000	43.75	2004
21.01.2020 13:35:44	1	1	1	1	83	63.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.0625	2004
21.01.2020 13:35:45	1	1	1	1	83	64	0	30000	384.9462366	11483.70614	30000	0	0	30000	44.125	2004
21.01.2020 13:35:46	1	1	1	1	83	64	0	30000	354.8387097	10628.3804	30000	0	0	30000	43.375	2004
21.01.2020 13:35:47	1	1	1	1	83	63.25	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	43.9375	2004
21.01.2020 13:35:48	1	1	1	1	83	63.75	0	29905.213	363.4408602	10868.09991	30000	0	0	30000	44.125	2004
21.01.2020 13:35:49	1	1	1	1	83	64	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.75	2004
21.01.2020 13:35:50	1	1	1	1	83	63.75	0	29478.673	326.8817204	9636.072079	30000	0	0	30000	43.8125	2004
21.01.2020 13:35:51	1	1	1	1	83	63.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.875	2004
21.01.2020 13:35:52	1	1	1	1	83	63.75	0	29905.213	341.9354839	10225.58639	30000	0	0	30000	43.625	2004
21.01.2020 13:35:53	1	1	1	1	83	63.5	0	29905.213	341.9354839	10257.38592	30000	0	0	30000	44.25	2004
21.01.2020 13:35:54	1	1	1	1	83	64.25	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	44.3125	2004
21.01.2020 13:35:55	1	1	1	1	83	64.25	0	29905.213	389.2473118	11704.67208	30000	0	0	30000	44.125	2004
21.01.2020 13:35:56	1	1	1	1	83	64	0	29810.427	395.6989247	11731.57938	30000	0	0	30000	44.375	2004
21.01.2020 13:35:57	1	1	1	1	83	63.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.9375	2004
21.01.2020 13:35:58	1	1	1	1	82.25	63.75	0	29810.427	359.1397849	10705.84078	30000	0	0	30000	43.875	2004
21.01.2020 13:35:59	1	1	1	1	82.25	63.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:36:01	1	1	1	1	82.25	63.75	0	29810.427	404.3010753	12308.8631	30000	0	0	30000	43.8125	2004
21.01.2020 13:36:02	1	1	1	1	82.25	63.75	0	30000	425.8064516	12560.8132	30000	0	0	30000	44.125	2004
21.01.2020 13:36:03	1	1	1	1	82.25	64	0	30000	404.3010753	12128.66578	30000	0	0	30000	44	2004
21.01.2020 13:36:04	1	1	1	1	82.25	64	0	29763.033	350.5376344	10416.38355	30000	0	0	30000	44	2004
21.01.2020 13:36:05	1	1	1	1	82.25	64	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.9375	2004
21.01.2020 13:36:06	1	1	1	1	82.25	63.75	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	43.375	2004
21.01.2020 13:36:07	1	1	1	1	82.25	63.25	0	29336.493	331.1827957	9857.853396	30000	0	0	30000	43.9375	2004
21.01.2020 13:36:08	1	1	1	1	82.25	63.75	0	30047.393	423.655914	12451.55328	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:09	1	1	1	1	81.75	64	0	29905.213	374.1935484	11548.12057	30000	0	0	30000	44.125	2004
21.01.2020 13:36:10	1	1	1	1	81.75	64	0	0	0	0	30000	0	8	30000	44.25	2004
21.01.2020 13:36:13	1	1	1	1	81.75	64.25	0	10947.867	0	0	30000	0	0	30000	44	2004
21.01.2020 13:36:13	1	1	1	1	81.75	64.25	0	10947.867	0	0	30000	0	0	30000	44	2004
21.01.2020 13:36:13	1	1	1	1	81.75	64	0	11706.161	0	0	30000	0	0	30000	44.125	2004
21.01.2020 13:36:14	1	1	1	1	81.75	64	0	12464.455	0	26.90729215	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:15	1	1	1	1	81.75	64	0	13270.142	6.451612903	57.07607425	30000	0	0	30000	44	2004
21.01.2020 13:36:16	1	1	1	1	81.75	64	0	13981.043	6.451612903	89.69097383	30000	0	0	30000	44	2004
21.01.2020 13:36:17	1	1	1	1	81.75	64	0	14786.73	12.90322581	190.7971625	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:18	1	1	1	1	81.75	64	0	15592.417	19.35483871	299.2417036	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:19	1	1	1	1	82.25	64	0	16350.711	25.80645161	421.547577	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:20	1	1	1	1	82.25	64	0	17014.218	32.25806452	551.1918028	30000	0	0	30000	44.125	2004
21.01.2020 13:36:21	1	1	1	1	82.25	64	0	17867.299	43.01075269	806.4033919	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:22	1	1	1	1	82.25	64	0	18672.986	51.61290323	963.7702824	30000	0	0	30000	44	2004
21.01.2020 13:36:23	1	1	1	1	82.25	64	0	19383.886	60.21505376	1170.059522	30000	0	0	30000	44.125	2004
21.01.2020 13:36:24	1	1	1	1	82.25	64	0	20189.573	66.66666667	1345.364607	30000	0	0	30000	44.1875	2004
21.01.2020 13:36:25	1	1	1	1	82.25	64	0	20995.261	77.41935484	1580.191884	30000	0	0	30000	44	2004
21.01.2020 13:36:26	1	1	1	1	82.25	64	0	21753.555	94.62365591	2104.476395	30000	0	0	30000	44.125	2004
21.01.2020 13:36:27	1	1	1	1	82.25	64	0	22511.848	109.6774194	2468.947898	30000	0	0	30000	44.25	2004
21.01.2020 13:36:28	1	1	1	1	82.25	64.25	0	23317.536	120.4301075	2808.142853	30000	0	0	30000	44.125	2004
21.01.2020 13:36:29	1	1	1	1	82	64	0	24075.829	129.0322581	3106.569184	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:30	1	1	1	1	82	64	0	24218.009	129.0322581	3124.507379	30000	0	0	30000	44.1875	2004
21.01.2020 13:36:31	1	1	1	1	82	64	0	25165.877	141.9354839	3625.96146	30000	0	0	30000	43.75	2004
21.01.2020 13:36:32	1	1	1	1	82	63.75	0	25213.27	139.7849462	3530.562879	30000	0	0	30000	44.1875	2004
21.01.2020 13:36:33	1	1	1	1	82	64	0	25260.664	137.6344086	3517.516919	30000	0	0	30000	44.5625	2004
21.01.2020 13:36:34	1	1	1	1	82	64.5	0	25165.877	139.7849462	3517.516919	30000	0	0	30000	44.125	2004
21.01.2020 13:36:41	1	1	1	1	81.75	64	0	25213.27	137.6344086	3463.702335	30000	0	0	30000	44	2004
21.01.2020 13:36:41	1	1	1	1	81.75	64	0	25213.27	137.6344086	3463.702335	30000	0	0	30000	44	2004
21.01.2020 13:36:41	1	1	1	1	81.75	64	0	25213.27	137.6344086	3463.702335	30000	0	0	30000	44	2004
21.01.2020 13:36:41	1	1	1	1	81.75	64	0	25213.27	137.6344086	3463.702335	30000	0	0	30000	44	2004
21.01.2020 13:36:41	1	1	1	1	81.75	64	0	25213.27	137.6344086	3463.702335	30000	0	0	30000	44	2004
21.01.2020 13:36:41	1	1	1	1	81.75	64	0	25213.27	137.6344086	3463.702335	30000	0	0	30000	44	2004
21.01.2020 13:36:42	1	1	1	1	81.75	64	0	25165.877	137.6344086	3463.702335	30000	0	0	30000	44.25	2004
21.01.2020 13:36:43	1	1	1	1	81.75	64.25	0	25165.877	137.6344086	3463.702335	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:44	1	1	1	1	81.75	64	0	25260.664	137.6344086	3476.748295	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:36:45	1	1	1	1	81.75	64	0	25165.877	137.6344086	3463.702335	30000	0	0	30000	44	2004
21.01.2020 13:36:46	1	1	1	1	81.75	64	0	25260.664	137.6344086	3463.702335	30000	0	0	30000	43.3125	2004
21.01.2020 13:36:47	1	1	1	1	81.75	63.25	0	25260.664	137.6344086	3463.702335	30000	0	0	30000	44.125	2004
21.01.2020 13:36:48	1	1	1	1	81.75	64	0	25165.877	137.6344086	3530.562879	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:49	1	1	1	1	81.25	64	0	25260.664	141.9354839	3530.562879	30000	0	0	30000	43.6875	2004
21.01.2020 13:36:50	1	1	1	1	81.25	63.5	0	25260.664	144.0860215	3585.192836	30000	0	0	30000	44.125	2004
21.01.2020 13:36:51	1	1	1	1	81.25	64	0	25165.877	141.9354839	3625.96146	30000	0	0	30000	44.1875	2004
21.01.2020 13:36:52	1	1	1	1	81.25	64	0	25734.597	161.2903226	4094.800641	30000	0	0	30000	44.125	2004
21.01.2020 13:36:53	1	1	1	1	81.25	64	0	26350.711	169.8924731	4476.394966	30000	0	0	30000	44	2004
21.01.2020 13:36:54	1	1	1	1	81.25	64	0	26113.744	174.1935484	4436.441714	30000	0	0	30000	44	2004
21.01.2020 13:36:55	1	1	1	1	81.25	64	0	27962.085	191.3978495	5351.289647	30000	0	0	30000	43.875	2004
21.01.2020 13:36:56	1	1	1	1	81.25	63.75	0	23175.355	163.4408602	3787.405213	30000	0	0	30000	44.1875	2004
21.01.2020 13:36:57	1	1	1	1	81.25	64	0	27298.578	225.8064516	6046.802381	30000	0	0	30000	43.875	2004
21.01.2020 13:36:58	1	1	1	1	81.25	63.75	0	25734.597	210.7526882	5478.487756	30000	0	0	30000	44.0625	2004
21.01.2020 13:36:59	1	1	1	1	80.75	64	0	26682.464	219.3548387	5852.743728	30000	0	0	30000	43.8125	2004
21.01.2020 13:37:00	1	1	1	1	80.75	63.75	0	26966.825	234.4086022	6320.767537	30000	0	0	30000	44.125	2004
21.01.2020 13:37:01	1	1	1	1	80.75	64	0	27440.758	234.4086022	6491.180388	30000	0	0	30000	44.1875	2004
21.01.2020 13:37:02	1	1	1	1	80.75	64	0	27061.611	249.4623656	6739.053624	30000	0	0	30000	44	2004
21.01.2020 13:37:03	1	1	1	1	80.75	64	0	26966.825	268.8172043	7248.66143	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:04	1	1	1	1	80.75	63.75	0	27156.398	279.5698925	7631.8865	30000	0	0	30000	44.125	2004
21.01.2020 13:37:05	1	1	1	1	80.75	64	0	27630.332	298.9247312	8258.907944	30000	0	0	30000	43.8125	2004
21.01.2020 13:37:06	1	1	1	1	80.75	63.75	0	27819.905	309.6774194	8615.225722	30000	0	0	30000	44.125	2004
21.01.2020 13:37:07	1	1	1	1	80.75	64	0	27914.692	326.8817204	9124.833528	30000	0	0	30000	44.0625	2004
21.01.2020 13:37:08	1	1	1	1	80.75	64	0	26919.431	324.7311828	8756.285163	30000	0	0	30000	44	2004
21.01.2020 13:37:09	1	1	1	1	80.25	64	0	27914.692	333.3333333	9380.86049	30000	0	0	30000	43.8125	2004
21.01.2020 13:37:10	1	1	1	1	80.25	63.75	0	28009.479	352.688172	9878.237708	30000	0	0	30000	43.8125	2004
21.01.2020 13:37:11	1	1	1	1	80.25	63.75	0	28815.166	363.4408602	10472.64425	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:12	1	1	1	1	80.25	63.75	0	0	0	0	30000	0	8	30000	43.8125	2004
21.01.2020 13:37:13	1	1	1	1	80.25	63.75	0	9668.2464	0	0	30000	0	0	30000	44.3125	2004
21.01.2020 13:37:14	1	1	1	1	80.25	64.25	0	10853.081	0	0	30000	0	0	30000	44	2004
21.01.2020 13:37:15	1	1	1	1	80.25	63.75	0	11658.768	0	0	30000	0	0	30000	44.125	2004
21.01.2020 13:37:17	1	1	1	1	80.25	64	0	12322.275	0	0	30000	0	0	30000	44.125	2004
21.01.2020 13:37:18	1	1	1	1	80.25	64	0	13175.355	2.150537634	27.72266464	30000	0	0	30000	43.875	2004
21.01.2020 13:37:19	1	1	1	1	80.5	63.75	0	13933.649	6.451612903	89.69097383	30000	0	0	30000	43.875	2004
21.01.2020 13:37:20	1	1	1	1	80.5	63.75	0	14691.943	10.75268817	157.3668904	30000	0	0	30000	44.1875	2004
21.01.2020 13:37:21	1	1	1	1	80.5	64	0	15450.237	15.05376344	232.3811595	30000	0	0	30000	44.125	2004
21.01.2020 13:37:22	1	1	1	1	80.5	64	0	16255.924	17.20430108	244.6117468	30000	0	0	30000	44	2004
21.01.2020 13:37:23	1	1	1	1	80.5	64	0	17014.218	21.50537634	365.2868752	30000	0	0	30000	44	2004
21.01.2020 13:37:24	1	1	1	1	80.5	64	0	17772.512	30.10752688	534.884353	30000	0	0	30000	43.875	2004
21.01.2020 13:37:25	1	1	1	1	80.5	63.75	0	17014.218	27.95698925	475.3621613	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:26	1	1	1	1	80.5	63.75	0	19336.493	47.31182796	914.847933	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:27	1	1	1	1	80.5	63.75	0	20047.393	51.61290323	1082.814666	30000	0	0	30000	43.625	2004
21.01.2020 13:37:28	1	1	1	1	80.5	63.5	0	20853.081	60.21505376	1255.673634	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:37:29	1	1	1	1	80.25	64	0	21658.768	66.66666667	1437.501699	30000	0	0	30000	43.875	2004
21.01.2020 13:37:30	1	1	1	1	80.25	63.75	0	22369.668	75.2688172	1735.112657	30000	0	0	30000	44.125	2004
21.01.2020 13:37:31	1	1	1	1	80.25	64	0	23175.355	88.17204301	2043.323458	30000	0	0	30000	44.125	2004
21.01.2020 13:37:32	1	1	1	1	80.25	64	0	23459.716	96.77419355	2274.889245	30000	0	0	30000	44.0625	2004
21.01.2020 13:37:33	1	1	1	1	80.25	64	0	24407.583	111.827957	2781.235561	30000	0	0	30000	44.125	2004
21.01.2020 13:37:34	1	1	1	1	80.25	64	0	24407.583	116.1290323	2834.234773	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:35	1	1	1	1	80.25	63.75	0	24407.583	116.1290323	2781.235561	30000	0	0	30000	44.125	2004
21.01.2020 13:37:36	1	1	1	1	80.25	64	0	24218.009	120.4301075	2939.417824	30000	0	0	30000	44	2004
21.01.2020 13:37:43	1	1	1	1	80.25	63.75	0	24407.583	137.6344086	3359.334656	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:43	1	1	1	1	80.25	63.75	0	24407.583	137.6344086	3359.334656	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:43	1	1	1	1	80.25	63.75	0	24407.583	137.6344086	3359.334656	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:43	1	1	1	1	80.25	63.75	0	24407.583	137.6344086	3359.334656	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:43	1	1	1	1	80.25	63.75	0	24407.583	137.6344086	3359.334656	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:43	1	1	1	1	80.25	63.75	0	24360.19	137.6344086	3359.334656	30000	0	0	30000	44.0625	2004
21.01.2020 13:37:44	1	1	1	1	80.25	64	0	24407.583	137.6344086	3333.242736	30000	0	0	30000	44	2004
21.01.2020 13:37:45	1	1	1	1	80.25	64	0	24407.583	137.6344086	3359.334656	30000	0	0	30000	43.875	2004
21.01.2020 13:37:46	1	1	1	1	80.25	63.75	0	24218.009	137.6344086	3411.518495	30000	0	0	30000	44.0625	2004
21.01.2020 13:37:47	1	1	1	1	80.25	64	0	24407.583	144.0860215	3516.701546	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:48	1	1	1	1	80.25	63.75	0	24407.583	144.0860215	3516.701546	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:49	1	1	1	1	80	63.75	0	24218.009	144.0860215	3488.978882	30000	0	0	30000	44.1875	2004
21.01.2020 13:37:50	1	1	1	1	80	64	0	24218.009	139.7849462	3516.701546	30000	0	0	30000	44	2004
21.01.2020 13:37:51	1	1	1	1	80	64	0	24218.009	139.7849462	3411.518495	30000	0	0	30000	44	2004
21.01.2020 13:37:52	1	1	1	1	80	64.25	0	24407.583	139.7849462	3384.611203	30000	0	0	30000	43.875	2004
21.01.2020 13:37:54	1	1	1	1	80	63.75	0	25071.09	152.688172	3834.696817	30000	0	0	30000	44	2004
21.01.2020 13:37:55	1	1	1	1	80	64	0	25924.171	169.8924731	4372.027288	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:56	1	1	1	1	80	63.75	0	26587.678	184.9462366	5040.632729	30000	0	0	30000	44.0625	2004
21.01.2020 13:37:57	1	1	1	1	80	64	0	27393.365	195.6989247	5233.876009	30000	0	0	30000	44	2004
21.01.2020 13:37:58	1	1	1	1	80	64	0	27582.938	221.5053763	6098.98622	30000	0	0	30000	43.9375	2004
21.01.2020 13:37:59	1	1	1	1	79.5	63.75	0	28436.019	230.1075269	6615.117006	30000	0	0	30000	43.875	2004
21.01.2020 13:38:00	1	1	1	1	79.5	63.75	0	28815.166	212.9032258	6134.86261	30000	0	0	30000	43.875	2004
21.01.2020 13:38:01	1	1	1	1	79.5	63.75	0	28957.346	230.1075269	6663.223983	30000	0	0	30000	43.625	2004
21.01.2020 13:38:02	1	1	1	1	79.5	63.5	0	29099.526	232.2580645	6769.222406	30000	0	0	30000	43.875	2004
21.01.2020 13:38:03	1	1	1	1	79.5	63.75	0	29241.706	232.2580645	6769.222406	30000	0	0	30000	43.875	2004
21.01.2020 13:38:04	1	1	1	1	79.5	63.75	0	29241.706	232.2580645	6854.021145	30000	0	0	30000	43.6875	2004
21.01.2020 13:38:05	1	1	1	1	79.5	63.5	0	29146.919	249.4623656	7270.676487	30000	0	0	30000	43.875	2004
21.01.2020 13:38:06	1	1	1	1	79.5	63.75	0	29241.706	247.311828	7082.325442	30000	0	0	30000	43.9375	2004
21.01.2020 13:38:07	1	1	1	1	79.5	63.75	0	29241.706	251.6129032	7369.336559	30000	0	0	30000	43.9375	2004
21.01.2020 13:38:08	1	1	1	1	79.5	63.75	0	29289.1	253.7634409	7444.350828	30000	0	0	30000	44	2004
21.01.2020 13:38:09	1	1	1	1	79.25	64	0	29336.493	249.4623656	7380.751773	30000	0	0	30000	43.875	2004
21.01.2020 13:38:10	1	1	1	1	79.25	63.75	0	29336.493	266.6666667	7558.502976	30000	0	0	30000	43.9375	2004
21.01.2020 13:38:11	1	1	1	1	79.25	63.75	0	29336.493	270.9677419	7949.066398	30000	0	0	30000	43.1875	2004
21.01.2020 13:38:12	1	1	1	1	79.25	63	0	29383.886	270.9677419	8011.85008	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:38:13	1	1	1	1	79.25	63.75	0	29383.886	296.7741935	8642.948387	30000	0	0	30000	43.8125	2004
21.01.2020 13:38:14	1	1	1	1	79.25	63.75	0	29289.1	270.9677419	7949.066398	30000	0	0	30000	44	2004
21.01.2020 13:38:15	1	1	1	1	79.25	64	0	29099.526	301.0752688	8761.177398	30000	0	0	30000	43.375	2004
21.01.2020 13:38:16	1	1	1	1	79.25	63.25	0	29383.886	307.5268817	9035.957927	30000	0	0	30000	43.9375	2004
21.01.2020 13:38:17	1	1	1	1	79.25	63.75	0	29146.919	326.8817204	9464.843856	30000	0	0	30000	43.75	2004
21.01.2020 13:38:18	1	1	1	1	79.25	63.75	0	29146.919	303.2258065	8837.822412	30000	0	0	30000	43.5	2004
21.01.2020 13:38:19	1	1	1	1	79.25	63.5	0	29526.066	354.8387097	10493.84394	30000	0	0	30000	43.6875	2004
21.01.2020 13:38:20	1	1	1	1	79.25	63.5	0	26398.104	301.0752688	8004.511728	30000	0	0	30000	43.375	2004
21.01.2020 13:38:21	1	1	1	1	79.25	63.25	0	29810.427	322.5806452	9615.687767	30000	0	0	30000	43.875	2004
21.01.2020 13:38:22	1	1	1	1	79.25	63.75	0	29810.427	307.5268817	9231.647324	30000	0	0	30000	43.75	2004
21.01.2020 13:38:23	1	1	1	1	79.25	63.75	0	29810.427	292.4731183	8718.778028	30000	0	0	30000	43.8125	2004
21.01.2020 13:38:24	1	1	1	1	79.25	63.75	0	29810.427	277.4193548	8411.3826	30000	0	0	30000	43.8125	2004
21.01.2020 13:38:25	1	1	1	1	79.25	63.75	0	29668.246	286.0215054	8626.640937	30000	0	0	30000	43.25	2004
21.01.2020 13:38:26	1	1	1	1	79.25	63.25	0	29810.427	294.6236559	8782.377083	30000	0	0	30000	43.875	2004
21.01.2020 13:38:27	1	1	1	1	79.25	63.75	0	29810.427	313.9784946	9438.751937	30000	0	0	30000	43.625	2004
21.01.2020 13:38:28	1	1	1	1	79.25	63.5	0	29857.82	350.5376344	10320.98497	30000	0	0	30000	43.8125	2004
21.01.2020 13:38:29	1	1	1	1	78.5	63.75	0	29905.213	365.5913978	10932.51434	30000	0	0	30000	44.25	2004
21.01.2020 13:38:30	1	1	1	1	78.5	64.25	0	29905.213	356.9892473	10740.08643	30000	0	0	30000	43.8125	2004
21.01.2020 13:38:32	1	1	1	1	78.5	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
21.01.2020 13:38:33	1	1	1	1	78.5	63.25	0	29905.213	329.0322581	9855.407279	30000	0	0	30000	43.5625	2004
21.01.2020 13:38:34	1	1	1	1	78.5	63.5	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	43.9375	2004
21.01.2020 13:38:35	1	1	1	1	78.5	63.75	0	29146.919	380.6451613	11093.95809	30000	0	0	30000	43.75	2004
21.01.2020 13:38:36	1	1	1	1	78.5	63.75	0	29668.246	397.8494624	11822.08572	30000	0	0	30000	43.375	2004
21.01.2020 13:38:37	1	1	1	1	78.5	63.25	0	29715.64	415.0537634	12313.75533	30000	0	0	30000	43.6875	2004
21.01.2020 13:38:38	1	1	1	1	78.5	63.5	0	29383.886	427.9569892	12574.67453	30000	0	0	30000	43.125	2004
21.01.2020 13:38:45	1	1	1	1	78.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 13:38:45	1	1	1	1	78.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 13:38:45	1	1	1	1	78.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 13:38:45	1	1	1	1	78.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 13:38:45	1	1	1	1	78.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 13:38:45	1	1	1	1	78.25	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.375	2004
21.01.2020 13:38:46	1	1	1	1	78.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.8125	2004
21.01.2020 13:38:47	1	1	1	1	78.25	63.75	0	30000	421.5053763	12709.21099	30000	0	0	30000	43.6875	2004
21.01.2020 13:38:48	1	1	1	1	78.25	63.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.8125	2004
21.01.2020 13:38:49	1	1	1	1	77.75	63.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.5625	2004
21.01.2020 13:38:50	1	1	1	1	77.75	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.8125	2004
21.01.2020 13:38:51	1	1	1	1	77.75	63.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.8125	2004
21.01.2020 13:38:52	1	1	1	1	77.75	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.6875	2004
21.01.2020 13:38:53	1	1	1	1	77.75	63.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.5	2004
21.01.2020 13:38:54	1	1	1	1	77.75	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.75	2004
21.01.2020 13:38:55	1	1	1	1	77.75	63.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.6875	2004
21.01.2020 13:38:56	1	1	1	1	77.75	63.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:38:57	1	1	1	1	77.75	63.5	0	30000	337.6344086	9984.236132	30000	0	0	30000	43.375	2004
21.01.2020 13:38:58	1	1	1	1	77.75	63.25	0	29952.607	311.827957	9324.599788	30000	0	0	30000	43.5625	2004
21.01.2020 13:38:59	1	1	1	1	77.75	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.75	2004
21.01.2020 13:39:00	1	1	1	1	77.75	63.75	0	28815.166	301.0752688	8675.563286	30000	0	0	30000	43.625	2004
21.01.2020 13:39:01	1	1	1	1	77.75	63.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 13:39:02	1	1	1	1	77.75	63	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	43.6875	2004
21.01.2020 13:39:03	1	1	1	1	77.75	63.5	0	30000	335.483871	10128.55706	30000	0	0	30000	43.625	2004
21.01.2020 13:39:04	1	1	1	1	77.75	63.5	0	30047.393	335.483871	10209.27894	30000	0	0	30000	43.5	2004
21.01.2020 13:39:05	1	1	1	1	77.75	63.5	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	43.25	2004
21.01.2020 13:39:06	1	1	1	1	77.75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	44.125	2004
21.01.2020 13:39:07	1	1	1	1	77.75	64	0	30000	341.9354839	10257.38592	30000	0	0	30000	44.1875	2004
21.01.2020 13:39:08	1	1	1	1	77.75	64	0	30000	335.483871	10064.14264	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:10	1	1	1	1	78	63.75	0	29905.213	331.1827957	9903.514255	30000	0	0	30000	43.75	2004
21.01.2020 13:39:11	1	1	1	1	78	63.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.875	2004
21.01.2020 13:39:12	1	1	1	1	78	63.75	0	29952.607	309.6774194	9067.757454	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:13	1	1	1	1	78	63.75	0	29905.213	298.9247312	8967.466638	30000	0	0	30000	43.75	2004
21.01.2020 13:39:14	1	1	1	1	78	63.75	0	30000	288.172043	8644.579132	30000	0	0	30000	43.6875	2004
21.01.2020 13:39:15	1	1	1	1	78	63.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:16	1	1	1	1	78	63.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.6875	2004
21.01.2020 13:39:17	1	1	1	1	78	63.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.75	2004
21.01.2020 13:39:18	1	1	1	1	78	63.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:19	1	1	1	1	77.75	63.75	0	30000	288.172043	8580.164705	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:20	1	1	1	1	77.75	63.75	0	30000	288.172043	8580.164705	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:21	1	1	1	1	77.75	63.75	0	29952.607	279.5698925	8438.289892	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:22	1	1	1	1	77.75	63.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.875	2004
21.01.2020 13:39:23	1	1	1	1	77.75	63.75	0	29810.427	288.172043	8539.396081	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:24	1	1	1	1	77.75	63.75	0	29952.607	301.0752688	9018.019732	30000	0	0	30000	43.625	2004
21.01.2020 13:39:25	1	1	1	1	77.75	63.5	0	30000	290.3225806	8644.579132	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:26	1	1	1	1	77.75	63.75	0	30000	288.172043	8644.579132	30000	0	0	30000	43.75	2004
21.01.2020 13:39:27	1	1	1	1	77.75	63.75	0	30047.393	292.4731183	8580.164705	30000	0	0	30000	43.5625	2004
21.01.2020 13:39:28	1	1	1	1	77.75	63.5	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43.6875	2004
21.01.2020 13:39:29	1	1	1	1	77.5	63.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	44	2004
21.01.2020 13:39:30	1	1	1	1	77.5	64	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.9375	2004
21.01.2020 13:39:31	1	1	1	1	77.5	63.75	0	30000	301.0752688	8903.052211	30000	0	0	30000	43.5625	2004
21.01.2020 13:39:32	1	1	1	1	77.5	63.5	0	29905.213	286.0215054	8580.164705	30000	0	0	30000	44.0625	2004
21.01.2020 13:39:33	1	1	1	1	77.5	64	0	29810.427	288.172043	8589.949175	30000	0	0	30000	44	2004
21.01.2020 13:39:34	1	1	1	1	77.5	64	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.75	2004
21.01.2020 13:39:35	1	1	1	1	77.5	63.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:36	1	1	1	1	77.5	63.75	0	29952.607	324.7311828	9726.578425	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:37	1	1	1	1	77.5	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.6875	2004
21.01.2020 13:39:38	1	1	1	1	77.5	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.0625	2004
21.01.2020 13:39:39	1	1	1	1	77.25	62	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:46	1	1	1	1	77.25	64	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:39:46	1	1	1	1	77.25	64	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.5	2004
21.01.2020 13:39:46	1	1	1	1	77.25	64	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.5	2004
21.01.2020 13:39:46	1	1	1	1	77.25	64	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.5	2004
21.01.2020 13:39:46	1	1	1	1	77.25	64	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.5	2004
21.01.2020 13:39:46	1	1	1	1	77.25	63.5	0	28909.953	318.2795699	9124.018156	30000	0	0	30000	44.1875	2004
21.01.2020 13:39:47	1	1	1	1	77.25	64	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.875	2004
21.01.2020 13:39:48	1	1	1	1	77.25	63.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	43.9375	2004
21.01.2020 13:39:50	1	1	1	1	77.25	64	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.75	2004
21.01.2020 13:39:51	1	1	1	1	77.25	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.9375	2004
21.01.2020 13:39:52	1	1	1	1	77.25	63.75	0	26587.678	346.2365591	9205.555405	30000	0	0	30000	43.375	2004
21.01.2020 13:39:53	1	1	1	1	77.25	63.25	0	29952.607	363.4408602	10757.20925	30000	0	0	30000	43.75	2004
21.01.2020 13:39:54	1	1	1	1	77.25	63.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	44	2004
21.01.2020 13:39:55	1	1	1	1	77.25	64	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.6875	2004
21.01.2020 13:39:56	1	1	1	1	77.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.625	2004
21.01.2020 13:39:57	1	1	1	1	77.25	63.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.6875	2004
21.01.2020 13:39:58	1	1	1	1	77.25	63.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.8125	2004
21.01.2020 13:39:59	1	1	1	1	77.5	63.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.9375	2004
21.01.2020 13:40:00	1	1	1	1	77.5	63.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.75	2004
21.01.2020 13:40:01	1	1	1	1	77.5	63.75	0	29905.213	329.0322581	10064.14264	30000	0	0	30000	43.6875	2004
21.01.2020 13:40:02	1	1	1	1	77.5	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.3125	2004
21.01.2020 13:40:03	1	1	1	1	77.5	63.25	0	29952.607	333.3333333	10048.65056	30000	0	0	30000	43.875	2004
21.01.2020 13:40:04	1	1	1	1	77.5	63.75	0	30000	305.3763441	9018.019732	30000	0	0	30000	43.75	2004
21.01.2020 13:40:05	1	1	1	1	77.5	63.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.8125	2004
21.01.2020 13:40:06	1	1	1	1	77.5	63.75	0	29952.607	311.827957	9340.091865	30000	0	0	30000	43.5	2004
21.01.2020 13:40:07	1	1	1	1	77.5	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.75	2004
21.01.2020 13:40:08	1	1	1	1	77.5	63.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
21.01.2020 13:40:09	1	1	1	1	77.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.6875	2004
21.01.2020 13:40:10	1	1	1	1	77.5	63.5	0	30047.393	352.688172	10661.81067	30000	0	0	30000	43.5625	2004
21.01.2020 13:40:11	1	1	1	1	77.5	63.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.625	2004
21.01.2020 13:40:12	1	1	1	1	77.5	63.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	43.75	2004
21.01.2020 13:40:13	1	1	1	1	77.5	63.75	0	29952.607	341.9354839	10322.61571	30000	0	0	30000	43.5	2004
21.01.2020 13:40:14	1	1	1	1	77.5	63.5	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	43.5625	2004
21.01.2020 13:40:15	1	1	1	1	77.5	63.5	0	29905.213	298.9247312	8938.928601	30000	0	0	30000	43.9375	2004
21.01.2020 13:40:16	1	1	1	1	77.5	63.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.9375	2004
21.01.2020 13:40:17	1	1	1	1	77.5	63.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	43.75	2004
21.01.2020 13:40:18	1	1	1	1	77.5	63.75	0	29905.213	320.4301075	9646.671921	30000	0	0	30000	43.75	2004
21.01.2020 13:40:19	1	1	1	1	77.25	63.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	43.75	2004
21.01.2020 13:40:20	1	1	1	1	77.25	63.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
21.01.2020 13:40:21	1	1	1	1	77.25	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43	2004
21.01.2020 13:40:22	1	1	1	1	77.25	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.8125	2004
21.01.2020 13:40:23	1	1	1	1	77.25	63.75	0	29952.607	352.688172	10644.68785	30000	0	0	30000	43.625	2004
21.01.2020 13:40:24	1	1	1	1	77.25	63.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:40:25	1	1	1	1	77.25	63	0	29905.213	331.1827957	9999.728209	30000	0	0	30000	43.9375	2004
21.01.2020 13:40:26	1	1	1	1	77.25	63.75	0	30000	311.827957	9354.76857	30000	0	0	30000	44.25	2004
21.01.2020 13:40:27	1	1	1	1	77.25	64.25	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	43.8125	2004
21.01.2020 13:40:29	1	1	1	1	77.25	63.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.9375	2004
21.01.2020 13:40:30	1	1	1	1	77	64.25	0	29146.919	296.7741935	8649.471367	30000	0	0	30000	43.875	2004
21.01.2020 13:40:31	1	1	1	1	77	63.75	0	29952.607	303.2258065	9354.76857	30000	0	0	30000	43.8125	2004
21.01.2020 13:40:32	1	1	1	1	77	63.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 13:40:33	1	1	1	1	77	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.875	2004
21.01.2020 13:40:34	1	1	1	1	77	63.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
21.01.2020 13:40:35	1	1	1	1	77	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.875	2004
21.01.2020 13:40:36	1	1	1	1	77	63.75	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	43.75	2004
21.01.2020 13:40:37	1	1	1	1	77	63.75	0	30000	326.8817204	9548.01185	30000	0	0	30000	43.9375	2004
21.01.2020 13:40:38	1	1	1	1	77	63.75	0	29715.64	316.1290323	9393.90645	30000	0	0	30000	43.8125	2004
21.01.2020 13:40:39	1	1	1	1	76.75	63.75	0	30000	307.5268817	9354.76857	30000	0	0	30000	43.6875	2004
21.01.2020 13:40:40	1	1	1	1	76.75	63.5	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.9375	2004
21.01.2020 13:40:41	1	1	1	1	76.75	63.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.625	2004
21.01.2020 13:40:48	1	1	1	1	76.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
21.01.2020 13:40:48	1	1	1	1	76.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
21.01.2020 13:40:48	1	1	1	1	76.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
21.01.2020 13:40:48	1	1	1	1	76.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
21.01.2020 13:40:48	1	1	1	1	76.75	63.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
21.01.2020 13:40:48	1	1	1	1	76.75	63.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.5625	2004
21.01.2020 13:40:49	1	1	1	1	76.75	63.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.6875	2004
21.01.2020 13:40:50	1	1	1	1	76.75	63.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.5625	2004
21.01.2020 13:40:51	1	1	1	1	76.75	63.5	0	29952.607	387.0967742	11548.12057	30000	0	0	30000	43.8125	2004
21.01.2020 13:40:52	1	1	1	1	76.75	63.75	0	0	0	0	30000	0	8	30000	43.75	2004
21.01.2020 13:40:53	1	1	1	1	76.75	63.75	0	10284.36	0	0	30000	0	0	30000	44.125	2004
21.01.2020 13:40:54	1	1	1	1	76.75	64	0	10805.687	0	0	30000	0	0	30000	43.9375	2004
21.01.2020 13:40:55	1	1	1	1	76.75	63.75	0	11611.374	0	0	30000	0	0	30000	43.8125	2004
21.01.2020 13:40:56	1	1	1	1	76.75	63.75	0	12417.062	0	0	30000	0	0	30000	42.6875	2004
21.01.2020 13:40:57	1	1	1	1	76.75	62.5	0	13080.569	2.150537634	27.72266464	30000	0	0	30000	43.8125	2004
21.01.2020 13:40:58	1	1	1	1	76.75	63.75	0	13886.256	8.602150538	88.87560134	30000	0	0	30000	43.875	2004
21.01.2020 13:40:59	1	1	1	1	77	63.75	0	14691.943	12.90322581	189.1664175	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:00	1	1	1	1	77	63.75	0	15450.237	17.20430108	298.4263311	30000	0	0	30000	43.875	2004
21.01.2020 13:41:01	1	1	1	1	77	63.75	0	16208.531	23.65591398	383.22507	30000	0	0	30000	43.875	2004
21.01.2020 13:41:02	1	1	1	1	77	63.75	0	16966.825	30.10752688	510.4231783	30000	0	0	30000	43.875	2004
21.01.2020 13:41:03	1	1	1	1	77	63.75	0	17772.512	38.70967742	725.6815155	30000	0	0	30000	43.75	2004
21.01.2020 13:41:04	1	1	1	1	77	63.75	0	18530.806	51.61290323	956.43193	30000	0	0	30000	44.3125	2004
21.01.2020 13:41:05	1	1	1	1	77	64.25	0	19289.1	64.51612903	1202.674422	30000	0	0	30000	43.9375	2004
21.01.2020 13:41:06	1	1	1	1	77	63.75	0	20000	75.2688172	1458.701383	30000	0	0	30000	44.125	2004
21.01.2020 13:41:08	1	1	1	1	77	63.75	0	20853.081	86.02150538	1838.664963	30000	0	0	30000	43.9375	2004
21.01.2020 13:41:09	1	1	1	1	77	63.75	0	21563.981	103.2258065	2245.535836	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:41:10	1	1	1	1	77	63.25	0	22322.275	120.4301075	2693.990705	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:11	1	1	1	1	77	63.75	0	23080.569	137.6344086	3176.691218	30000	0	0	30000	43.9375	2004
21.01.2020 13:41:12	1	1	1	1	77	63.75	0	23933.649	159.1397849	3757.236431	30000	0	0	30000	43.6875	2004
21.01.2020 13:41:13	1	1	1	1	77	63.5	0	24502.37	178.4946237	4372.84266	30000	0	0	30000	43.75	2004
21.01.2020 13:41:14	1	1	1	1	77	63.75	0	24739.336	189.2473118	4681.868834	30000	0	0	30000	43.3125	2004
21.01.2020 13:41:15	1	1	1	1	77	63.25	0	25260.664	206.4516129	4924.849836	30000	0	0	30000	43.875	2004
21.01.2020 13:41:16	1	1	1	1	77	63.75	0	25734.597	217.2043011	5609.762727	30000	0	0	30000	43.875	2004
21.01.2020 13:41:17	1	1	1	1	77	63.75	0	26208.531	212.9032258	5579.593945	30000	0	0	30000	43.6875	2004
21.01.2020 13:41:18	1	1	1	1	77	63.5	0	26113.744	189.2473118	4941.972658	30000	0	0	30000	43.75	2004
21.01.2020 13:41:19	1	1	1	1	76.75	63.75	0	26113.744	169.8924731	4436.441714	30000	0	0	30000	43.875	2004
21.01.2020 13:41:20	1	1	1	1	76.75	63.75	0	26208.531	163.4408602	4380.181013	30000	0	0	30000	43.6875	2004
21.01.2020 13:41:21	1	1	1	1	76.75	63.5	0	26113.744	163.4408602	4339.412388	30000	0	0	30000	43.9375	2004
21.01.2020 13:41:22	1	1	1	1	76.75	63.75	0	26113.744	152.688172	3987.171473	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:23	1	1	1	1	76.75	63.75	0	26113.744	150.5376344	3930.910771	30000	0	0	30000	43.75	2004
21.01.2020 13:41:24	1	1	1	1	76.75	63.75	0	26113.744	144.0860215	3762.128666	30000	0	0	30000	43.75	2004
21.01.2020 13:41:25	1	1	1	1	76.75	63.75	0	26208.531	150.5376344	3874.650069	30000	0	0	30000	43.625	2004
21.01.2020 13:41:26	1	1	1	1	76.75	63.5	0	26113.744	150.5376344	3987.171473	30000	0	0	30000	43.75	2004
21.01.2020 13:41:27	1	1	1	1	76.75	63.75	0	26113.744	152.688172	3987.171473	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:28	1	1	1	1	76.75	63.75	0	26113.744	159.1397849	4283.151686	30000	0	0	30000	43.6875	2004
21.01.2020 13:41:29	1	1	1	1	76.5	63.5	0	26208.531	167.7419355	4395.67309	30000	0	0	30000	43.6875	2004
21.01.2020 13:41:30	1	1	1	1	76.5	63.5	0	26208.531	180.6451613	4677.791971	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:31	1	1	1	1	76.5	63.75	0	26113.744	184.9462366	4829.451254	30000	0	0	30000	43.875	2004
21.01.2020 13:41:32	1	1	1	1	76.5	63.75	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:33	1	1	1	1	76.5	63.75	0	26113.744	206.4516129	5128.692958	30000	0	0	30000	43.9375	2004
21.01.2020 13:41:34	1	1	1	1	76.5	63.75	0	26113.744	191.3978495	5053.678689	30000	0	0	30000	43.875	2004
21.01.2020 13:41:35	1	1	1	1	76.5	63.75	0	26682.464	212.9032258	5680.700133	30000	0	0	30000	43.9375	2004
21.01.2020 13:41:36	1	1	1	1	76.5	63.75	0	27298.578	232.2580645	6399.043296	30000	0	0	30000	43.5625	2004
21.01.2020 13:41:37	1	1	1	1	76.5	63.5	0	27582.938	249.4623656	6786.345229	30000	0	0	30000	43.875	2004
21.01.2020 13:41:38	1	1	1	1	76.5	63.75	0	27914.692	262.3655914	7383.197891	30000	0	0	30000	43.6875	2004
21.01.2020 13:41:39	1	1	1	1	76.25	63.5	0	27819.905	264.516129	7286.168565	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:40	1	1	1	1	76.25	63.75	0	27914.692	279.5698925	7730.546571	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:41	1	1	1	1	76.25	63.75	0	27819.905	296.7741935	8196.124263	30000	0	0	30000	43.5	2004
21.01.2020 13:41:42	1	1	1	1	76.25	63.5	0	28293.839	303.2258065	8593.210665	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:49	1	1	1	1	76.5	63.5	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.75	2004
21.01.2020 13:41:49	1	1	1	1	76.5	63.5	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.75	2004
21.01.2020 13:41:49	1	1	1	1	76.5	63.5	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.75	2004
21.01.2020 13:41:49	1	1	1	1	76.5	63.5	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.75	2004
21.01.2020 13:41:49	1	1	1	1	76.5	63.5	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	43.75	2004
21.01.2020 13:41:50	1	1	1	1	76.5	63.75	0	29289.1	432.2580645	12680.67295	30000	0	0	30000	43.5	2004
21.01.2020 13:41:51	1	1	1	1	76.5	63.5	0	29289.1	445.1612903	13016.60642	30000	0	0	30000	43.5	2004
21.01.2020 13:41:52	1	1	1	1	76.5	63.5	0	29431.28	445.1612903	13101.40516	30000	0	0	30000	43.75	2004
21.01.2020 13:41:53	1	1	1	1	76.5	63.75	0	29526.066	460.2150538	13673.79665	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:41:54	1	1	1	1	76.5	63.5	0	29715.64	402.1505376	12013.69826	30000	0	0	30000	43.5625	2004
21.01.2020 13:41:55	1	1	1	1	76.5	63.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	43.8125	2004
21.01.2020 13:41:56	1	1	1	1	76.5	63.75	0	29810.427	490.3225806	14616.36724	30000	0	0	30000	42.8125	2004
21.01.2020 13:41:57	1	1	1	1	76.5	62.75	0	29905.213	455.9139785	13698.25782	30000	0	0	30000	43.0625	2004
21.01.2020 13:41:58	1	1	1	1	76.5	63	0	30000	501.0752688	14902.56299	30000	0	0	30000	43.75	2004
21.01.2020 13:41:59	1	1	1	1	76	63.75	0	29620.853	468.8172043	13823.00981	30000	0	0	30000	43.3125	2004
21.01.2020 13:42:00	1	1	1	1	76	63.25	0	29715.64	505.3763441	15081.12956	30000	0	0	30000	43.875	2004
21.01.2020 13:42:01	1	1	1	1	76	63.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.8125	2004
21.01.2020 13:42:02	1	1	1	1	76	63.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.625	2004
21.01.2020 13:42:03	1	1	1	1	76	63.5	0	30000	524.7311828	15523.87682	30000	0	0	30000	43.8125	2004
21.01.2020 13:42:04	1	1	1	1	76	63.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.75	2004
21.01.2020 13:42:05	1	1	1	1	76	63.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	43	2004
21.01.2020 13:42:06	1	1	1	1	76	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.0625	2004
21.01.2020 13:42:07	1	1	1	1	76	63	0	28815.166	501.0752688	14314.67942	30000	0	0	30000	43.5625	2004
21.01.2020 13:42:08	1	1	1	1	76	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.375	2004
21.01.2020 13:42:09	1	1	1	1	75.25	63.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.4375	2004
21.01.2020 13:42:10	1	1	1	1	75.25	63.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	43.375	2004
21.01.2020 13:42:11	1	1	1	1	75.25	63.25	0	29905.213	505.3763441	15330.63354	30000	0	0	30000	42.8125	2004
21.01.2020 13:42:12	1	1	1	1	75.25	62.75	0	30000	520.4301075	15548.338	30000	0	0	30000	43.75	2004
21.01.2020 13:42:13	1	1	1	1	75.25	63.75	0	28625.592	432.2580645	12579.56677	30000	0	0	30000	43.5	2004
21.01.2020 13:42:14	1	1	1	1	75.25	63.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:15	1	1	1	1	75.25	63.5	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	43.1875	2004
21.01.2020 13:42:16	1	1	1	1	75.25	63	0	0	0	0	30000	0	8	30000	41.25	2004
21.01.2020 13:42:17	1	1	1	1	75.25	61.25	0	10426.54	0	0	30000	0	0	30000	44.0625	2004
21.01.2020 13:42:18	1	1	1	1	75.25	64	0	11279.621	0	0	30000	0	0	30000	43.8125	2004
21.01.2020 13:42:19	1	1	1	1	75.5	63.75	0	12085.308	0	0	30000	0	0	30000	43.75	2004
21.01.2020 13:42:20	1	1	1	1	75.5	63.75	0	12843.602	2.150537634	26.90729215	30000	0	0	30000	43.8125	2004
21.01.2020 13:42:21	1	1	1	1	75.5	63.75	0	13601.896	4.301075269	57.89144674	30000	0	0	30000	44	2004
21.01.2020 13:42:22	1	1	1	1	75.5	64	0	14407.583	6.451612903	123.9366184	30000	0	0	30000	44	2004
21.01.2020 13:42:24	1	1	1	1	75.5	64	0	15165.877	10.75268817	163.0744979	30000	0	0	30000	44.1875	2004
21.01.2020 13:42:25	1	1	1	1	75.5	64	0	15876.777	15.05376344	238.9041394	30000	0	0	30000	44.25	2004
21.01.2020 13:42:26	1	1	1	1	75.5	63.75	0	16729.858	19.35483871	359.5792678	30000	0	0	30000	43.8125	2004
21.01.2020 13:42:27	1	1	1	1	75.5	63.75	0	17488.152	25.80645161	488.4081211	30000	0	0	30000	43.875	2004
21.01.2020 13:42:28	1	1	1	1	75.5	63.75	0	18293.839	34.40860215	585.4374473	30000	0	0	30000	43.5625	2004
21.01.2020 13:42:29	1	1	1	1	75	63.5	0	19052.133	38.70967742	780.3114723	30000	0	0	30000	43.75	2004
21.01.2020 13:42:30	1	1	1	1	75	63.75	0	19810.427	49.46236559	976.8162422	30000	0	0	30000	43.75	2004
21.01.2020 13:42:31	1	1	1	1	75	63.75	0	20521.327	53.76344086	1240.996929	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:32	1	1	1	1	75	63.5	0	21279.621	60.21505376	1280.950181	30000	0	0	30000	43.8125	2004
21.01.2020 13:42:33	1	1	1	1	75	63.75	0	22132.701	70.96774194	1570.407414	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:34	1	1	1	1	75	63.5	0	22890.995	81.72043011	1870.464491	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:35	1	1	1	1	75	63.5	0	23554.502	90.32258065	2127.306825	30000	0	0	30000	43.75	2004
21.01.2020 13:42:36	1	1	1	1	75	63.75	0	24360.19	109.6774194	2939.417824	30000	0	0	30000	43.8125	2004
21.01.2020 13:42:37	1	1	1	1	75	63.75	0	25071.09	126.8817204	3180.768081	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:42:38	1	1	1	1	75	63.75	0	25260.664	137.6344086	3476.748295	30000	0	0	30000	43.8125	2004
21.01.2020 13:42:39	1	1	1	1	74.5	63.75	0	25260.664	137.6344086	3476.748295	30000	0	0	30000	43.75	2004
21.01.2020 13:42:40	1	1	1	1	74.5	63.75	0	25260.664	137.6344086	3476.748295	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:41	1	1	1	1	74.5	63.5	0	25260.664	137.6344086	3476.748295	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:42	1	1	1	1	74.5	63.5	0	25260.664	137.6344086	3530.562879	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:43	1	1	1	1	74.5	63.5	0	25308.057	137.6344086	3483.271274	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:44	1	1	1	1	74.5	63.5	0	25260.664	139.7849462	3530.562879	30000	0	0	30000	43.625	2004
21.01.2020 13:42:51	1	1	1	1	74.5	63.5	0	25260.664	144.0860215	3646.345772	30000	0	0	30000	43.75	2004
21.01.2020 13:42:51	1	1	1	1	74.5	63.5	0	25260.664	144.0860215	3646.345772	30000	0	0	30000	43.75	2004
21.01.2020 13:42:51	1	1	1	1	74.5	63.5	0	25260.664	144.0860215	3646.345772	30000	0	0	30000	43.75	2004
21.01.2020 13:42:51	1	1	1	1	74.5	63.5	0	25260.664	144.0860215	3646.345772	30000	0	0	30000	43.75	2004
21.01.2020 13:42:51	1	1	1	1	74.5	63.75	0	25260.664	144.0860215	3639.00742	30000	0	0	30000	43.625	2004
21.01.2020 13:42:52	1	1	1	1	74.5	63.5	0	25308.057	144.0860215	3530.562879	30000	0	0	30000	43.625	2004
21.01.2020 13:42:53	1	1	1	1	74.5	63.5	0	25260.664	144.0860215	3639.00742	30000	0	0	30000	43.75	2004
21.01.2020 13:42:54	1	1	1	1	74.5	63.75	0	25308.057	150.5376344	3748.267333	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:55	1	1	1	1	74.5	63.5	0	25260.664	150.5376344	3856.711875	30000	0	0	30000	43.75	2004
21.01.2020 13:42:56	1	1	1	1	74.5	63.75	0	25260.664	152.688172	3856.711875	30000	0	0	30000	43.625	2004
21.01.2020 13:42:57	1	1	1	1	74.5	63.5	0	25355.45	156.9892473	3979.83312	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:58	1	1	1	1	74.5	63.5	0	25924.171	174.1935484	4570.978175	30000	0	0	30000	43.6875	2004
21.01.2020 13:42:59	1	1	1	1	74.75	63.5	0	26966.825	184.9462366	4986.818145	30000	0	0	30000	43.75	2004
21.01.2020 13:43:00	1	1	1	1	74.75	63.75	0	25402.844	178.4946237	4534.286413	30000	0	0	30000	43.625	2004
21.01.2020 13:43:01	1	1	1	1	74.75	63.5	0	28199.052	208.6021505	5882.097138	30000	0	0	30000	44.0625	2004
21.01.2020 13:43:03	1	1	1	1	74.75	64	0	28388.626	208.6021505	5851.112983	30000	0	0	30000	43.6875	2004
21.01.2020 13:43:04	1	1	1	1	74.75	63.75	0	28341.232	217.2043011	6155.246922	30000	0	0	30000	43.8125	2004
21.01.2020 13:43:05	1	1	1	1	74.75	63.75	0	28625.592	225.8064516	6474.057565	30000	0	0	30000	43.75	2004
21.01.2020 13:43:06	1	1	1	1	74.75	63.75	0	28957.346	247.311828	7161.416574	30000	0	0	30000	43.75	2004
21.01.2020 13:43:07	1	1	1	1	74.75	63.75	0	29052.133	253.7634409	7371.782676	30000	0	0	30000	43.625	2004
21.01.2020 13:43:08	1	1	1	1	74.75	63.5	0	29099.526	253.7634409	7446.796945	30000	0	0	30000	43.6875	2004
21.01.2020 13:43:09	1	1	1	1	74.75	63.5	0	29099.526	255.9139785	7384.013263	30000	0	0	30000	43.875	2004
21.01.2020 13:43:10	1	1	1	1	74.75	63.75	0	29052.133	249.4623656	7321.229582	30000	0	0	30000	43.6875	2004
21.01.2020 13:43:11	1	1	1	1	74.75	63.5	0	29146.919	247.311828	7082.325442	30000	0	0	30000	43.75	2004
21.01.2020 13:43:12	1	1	1	1	74.75	63.75	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	43.75	2004
21.01.2020 13:43:13	1	1	1	1	74.75	63.75	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	43.5	2004
21.01.2020 13:43:14	1	1	1	1	74.75	63.5	0	29146.919	270.9677419	7960.481613	30000	0	0	30000	43.75	2004
21.01.2020 13:43:15	1	1	1	1	74.75	63.75	0	29146.919	294.6236559	8586.687685	30000	0	0	30000	43.6875	2004
21.01.2020 13:43:16	1	1	1	1	74.75	63.5	0	29241.706	288.172043	8426.059305	30000	0	0	30000	43.625	2004
21.01.2020 13:43:17	1	1	1	1	74.75	63.5	0	29146.919	281.7204301	8439.920637	30000	0	0	30000	43.5625	2004
21.01.2020 13:43:18	1	1	1	1	74.75	63.5	0	29289.1	264.516129	7734.623434	30000	0	0	30000	43.625	2004
21.01.2020 13:43:19	1	1	1	1	74.5	63.5	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	42.3125	2004
21.01.2020 13:43:20	1	1	1	1	74.5	62.25	0	29241.706	234.4086022	6894.78977	30000	0	0	30000	43.6875	2004
21.01.2020 13:43:21	1	1	1	1	74.5	63.5	0	29241.706	251.6129032	7357.105971	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:43:22	1	1	1	1	74.5	63	0	29241.706	247.311828	7306.552877	30000	0	0	30000	43.4375	2004
21.01.2020 13:43:23	1	1	1	1	74.5	63.25	0	29289.1	249.4623656	7357.105971	30000	0	0	30000	43.5625	2004
21.01.2020 13:43:24	1	1	1	1	74.5	63.5	0	29241.706	258.0645161	7521.811214	30000	0	0	30000	43.125	2004
21.01.2020 13:43:25	1	1	1	1	74.5	63	0	29241.706	258.0645161	7482.673335	30000	0	0	30000	43.5625	2004
21.01.2020 13:43:26	1	1	1	1	74.5	63.5	0	29241.706	253.7634409	7357.105971	30000	0	0	30000	43.5625	2004
21.01.2020 13:43:27	1	1	1	1	74.5	63.5	0	28862.559	240.8602151	7013.834153	30000	0	0	30000	43.5625	2004
21.01.2020 13:43:28	1	1	1	1	74.5	63.5	0	29241.706	243.0107527	7105.971245	30000	0	0	30000	43.375	2004
21.01.2020 13:43:29	1	1	1	1	74.25	63.25	0	29146.919	230.1075269	6769.222406	30000	0	0	30000	43.8125	2004
21.01.2020 13:43:30	1	1	1	1	74.25	63.75	0	29241.706	212.9032258	6225.368956	30000	0	0	30000	43.375	2004
21.01.2020 13:43:31	1	1	1	1	74.25	63.25	0	29336.493	227.9569892	6624.086103	30000	0	0	30000	43.75	2004
21.01.2020 13:43:32	1	1	1	1	74.25	63.75	0	29336.493	230.1075269	6750.468839	30000	0	0	30000	43.625	2004
21.01.2020 13:43:33	1	1	1	1	74.25	63.5	0	29336.493	227.9569892	6750.468839	30000	0	0	30000	43.6875	2004
21.01.2020 13:43:34	1	1	1	1	74.25	63.5	0	29383.886	251.6129032	7392.982361	30000	0	0	30000	43.75	2004
21.01.2020 13:43:35	1	1	1	1	74.25	63.75	0	29383.886	251.6129032	7392.982361	30000	0	0	30000	43.375	2004
21.01.2020 13:43:36	1	1	1	1	74.25	63.25	0	29383.886	247.311828	7330.198679	30000	0	0	30000	43.5625	2004
21.01.2020 13:43:37	1	1	1	1	74.25	63.5	0	29383.886	247.311828	7255.18441	30000	0	0	30000	43.5625	2004
21.01.2020 13:43:38	1	1	1	1	74.25	63.5	0	29383.886	245.1612903	7266.599625	30000	0	0	30000	43.625	2004
21.01.2020 13:43:40	1	1	1	1	74.5	63.5	0	29336.493	245.1612903	7128.801674	30000	0	0	30000	44.0625	2004
21.01.2020 13:43:41	1	1	1	1	74.5	64	0	29383.886	247.311828	7266.599625	30000	0	0	30000	43.625	2004
21.01.2020 13:43:42	1	1	1	1	74.5	63.5	0	29383.886	270.9677419	7974.342946	30000	0	0	30000	43.75	2004
21.01.2020 13:43:43	1	1	1	1	74.5	63.75	0	29383.886	264.516129	7772.130568	30000	0	0	30000	43.625	2004
21.01.2020 13:43:44	1	1	1	1	74.5	63.5	0	29336.493	253.7634409	7444.350828	30000	0	0	30000	43.3125	2004
21.01.2020 13:43:45	1	1	1	1	74.5	63.25	0	29336.493	258.0645161	7570.733563	30000	0	0	30000	43.5625	2004
21.01.2020 13:43:46	1	1	1	1	74.5	63.5	0	29383.886	270.9677419	7962.112358	30000	0	0	30000	43.625	2004
21.01.2020 13:43:53	1	1	1	1	73.75	63.5	0	29336.493	281.7204301	8341.260566	30000	0	0	30000	43.625	2004
21.01.2020 13:43:53	1	1	1	1	73.75	63.5	0	29336.493	281.7204301	8341.260566	30000	0	0	30000	43.625	2004
21.01.2020 13:43:53	1	1	1	1	73.75	63.5	0	29336.493	281.7204301	8341.260566	30000	0	0	30000	43.625	2004
21.01.2020 13:43:53	1	1	1	1	73.75	63.5	0	29336.493	281.7204301	8341.260566	30000	0	0	30000	43.625	2004
21.01.2020 13:43:53	1	1	1	1	73.75	63.5	0	29336.493	281.7204301	8341.260566	30000	0	0	30000	43.625	2004
21.01.2020 13:43:53	1	1	1	1	73.75	63.5	0	29383.886	275.2688172	8011.85008	30000	0	0	30000	42.8125	2004
21.01.2020 13:43:54	1	1	1	1	73.75	62.75	0	29383.886	264.516129	7784.361156	30000	0	0	30000	43.1875	2004
21.01.2020 13:43:55	1	1	1	1	73.75	63	0	29383.886	258.0645161	7582.964151	30000	0	0	30000	43.625	2004
21.01.2020 13:43:56	1	1	1	1	73.75	63.5	0	29383.886	260.2150538	7633.517245	30000	0	0	30000	43.625	2004
21.01.2020 13:43:57	1	1	1	1	73.75	63.5	0	29383.886	258.0645161	7444.350828	30000	0	0	30000	43.5625	2004
21.01.2020 13:43:58	1	1	1	1	73.75	63.5	0	29383.886	251.6129032	7582.964151	30000	0	0	30000	43.75	2004
21.01.2020 13:43:59	1	1	1	1	74	63.75	0	29383.886	258.0645161	7531.595684	30000	0	0	30000	43.625	2004
21.01.2020 13:44:00	1	1	1	1	74	63.5	0	29383.886	255.9139785	7380.751773	30000	0	0	30000	43.6875	2004
21.01.2020 13:44:01	1	1	1	1	74	63.5	0	29383.886	273.1182796	7949.066398	30000	0	0	30000	43.6875	2004
21.01.2020 13:44:02	1	1	1	1	74	63.5	0	29336.493	268.8172043	8024.89604	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:03	1	1	1	1	74	63.5	0	29383.886	294.6236559	8580.164705	30000	0	0	30000	43.75	2004
21.01.2020 13:44:04	1	1	1	1	74	63.75	0	29431.28	296.7741935	8670.671052	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:05	1	1	1	1	74	63.5	0	29383.886	288.172043	8467.643302	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:44:06	1	1	1	1	74	63.5	0	29383.886	303.2258065	8909.575191	30000	0	0	30000	43.375	2004
21.01.2020 13:44:07	1	1	1	1	74	63.25	0	29336.493	292.4731183	8642.948387	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:08	1	1	1	1	74	63.5	0	29383.886	313.9784946	9210.447639	30000	0	0	30000	43.8125	2004
21.01.2020 13:44:09	1	1	1	1	74	63.75	0	29431.28	303.2258065	8894.898486	30000	0	0	30000	43.5	2004
21.01.2020 13:44:10	1	1	1	1	74	63.5	0	29383.886	303.2258065	8909.575191	30000	0	0	30000	43.6875	2004
21.01.2020 13:44:11	1	1	1	1	74	63.5	0	29383.886	311.827957	9177.017367	30000	0	0	30000	43.5	2004
21.01.2020 13:44:12	1	1	1	1	74	63.5	0	29478.673	311.827957	9191.694072	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:13	1	1	1	1	74	63.5	0	29241.706	279.5698925	8237.70826	30000	0	0	30000	43.1875	2004
21.01.2020 13:44:14	1	1	1	1	74	63	0	29478.673	305.3763441	9065.311336	30000	0	0	30000	43.8125	2004
21.01.2020 13:44:15	1	1	1	1	74	63.75	0	29431.28	298.9247312	8875.329546	30000	0	0	30000	43.4375	2004
21.01.2020 13:44:16	1	1	1	1	74	63.25	0	29478.673	281.7204301	8304.568804	30000	0	0	30000	43.75	2004
21.01.2020 13:44:18	1	1	1	1	74	63.75	0	29478.673	277.4193548	8177.370696	30000	0	0	30000	44.125	2004
21.01.2020 13:44:19	1	1	1	1	74	64	0	29526.066	292.4731183	8635.610035	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:20	1	1	1	1	73.75	63.5	0	29526.066	266.6666667	7809.637703	30000	0	0	30000	43.625	2004
21.01.2020 13:44:21	1	1	1	1	73.75	63.75	0	29526.066	249.4623656	7428.85875	30000	0	0	30000	43.4375	2004
21.01.2020 13:44:22	1	1	1	1	73.75	63.25	0	29526.066	245.1612903	7163.047319	30000	0	0	30000	43.5	2004
21.01.2020 13:44:23	1	1	1	1	73.75	63.5	0	29478.673	234.4086022	6973.065529	30000	0	0	30000	43.6875	2004
21.01.2020 13:44:24	1	1	1	1	73.75	63.5	0	29431.28	227.9569892	6708.884842	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:25	1	1	1	1	73.75	63.5	0	29478.673	221.5053763	6730.084527	30000	0	0	30000	43.4375	2004
21.01.2020 13:44:26	1	1	1	1	73.75	63.25	0	29526.066	221.5053763	6540.102737	30000	0	0	30000	43.4375	2004
21.01.2020 13:44:27	1	1	1	1	73.75	63.25	0	29478.673	227.9569892	6793.683581	30000	0	0	30000	43.5	2004
21.01.2020 13:44:28	1	1	1	1	73.75	63.5	0	29526.066	230.1075269	6857.282635	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:29	1	1	1	1	73.5	63.5	0	29526.066	223.655914	6540.102737	30000	0	0	30000	43.4375	2004
21.01.2020 13:44:30	1	1	1	1	73.5	63.25	0	29526.066	217.2043011	6349.305574	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:31	1	1	1	1	73.5	63.5	0	29526.066	208.6021505	6158.508412	30000	0	0	30000	43.5	2004
21.01.2020 13:44:32	1	1	1	1	73.5	63.5	0	29526.066	206.4516129	6095.72473	30000	0	0	30000	43.4375	2004
21.01.2020 13:44:33	1	1	1	1	73.5	63.25	0	29526.066	212.9032258	6285.70652	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:34	1	1	1	1	73.5	63.5	0	29478.673	206.4516129	6095.72473	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:35	1	1	1	1	73.5	63.5	0	29526.066	206.4516129	6095.72473	30000	0	0	30000	43.4375	2004
21.01.2020 13:44:36	1	1	1	1	73.5	63.25	0	29526.066	206.4516129	6105.5092	30000	0	0	30000	43.75	2004
21.01.2020 13:44:37	1	1	1	1	73.5	63.75	0	29573.46	206.4516129	6105.5092	30000	0	0	30000	43.25	2004
21.01.2020 13:44:38	1	1	1	1	73.5	63.25	0	29573.46	193.5483871	5660.315821	30000	0	0	30000	43.3125	2004
21.01.2020 13:44:39	1	1	1	1	74	63.25	0	29526.066	191.3978495	5723.914875	30000	0	0	30000	43.5	2004
21.01.2020 13:44:40	1	1	1	1	74	63.5	0	29526.066	206.4516129	6105.5092	30000	0	0	30000	43.1875	2004
21.01.2020 13:44:41	1	1	1	1	74	63	0	29668.246	206.4516129	6134.86261	30000	0	0	30000	43.625	2004
21.01.2020 13:44:42	1	1	1	1	74	63.5	0	29715.64	206.4516129	6125.07814	30000	0	0	30000	43.6875	2004
21.01.2020 13:44:43	1	1	1	1	74	63.5	0	29715.64	206.4516129	6134.86261	30000	0	0	30000	43.6875	2004
21.01.2020 13:44:44	1	1	1	1	74	63.5	0	29810.427	206.4516129	6134.86261	30000	0	0	30000	43.5	2004
21.01.2020 13:44:45	1	1	1	1	74	63.5	0	29715.64	206.4516129	6134.86261	30000	0	0	30000	43.625	2004
21.01.2020 13:44:46	1	1	1	1	74	63.5	0	29810.427	206.4516129	6218.030604	30000	0	0	30000	43.875	2004
21.01.2020 13:44:47	1	1	1	1	74	63.75	0	29810.427	206.4516129	6154.431549	30000	0	0	30000	43.625	2004
21.01.2020 13:44:54	1	1	1	1	74.5	63.5	0	29715.64	217.2043011	6453.673253	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:54	1	1	1	1	74.5	63.5	0	29715.64	217.2043011	6453.673253	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:44:54	1	1	1	1	74.5	63.5	0	29715.64	217.2043011	6453.673253	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:54	1	1	1	1	74.5	63.5	0	29715.64	217.2043011	6453.673253	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:54	1	1	1	1	74.5	63.5	0	29715.64	217.2043011	6453.673253	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:54	1	1	1	1	74.5	63.5	0	29715.64	217.2043011	6453.673253	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:54	1	1	1	1	74.5	63.5	0	29810.427	217.2043011	6453.673253	30000	0	0	30000	43.5625	2004
21.01.2020 13:44:55	1	1	1	1	74.5	63.5	0	29810.427	219.3548387	6602.886419	30000	0	0	30000	43.625	2004
21.01.2020 13:44:56	1	1	1	1	74.5	63.5	0	29810.427	212.9032258	6326.475145	30000	0	0	30000	43.625	2004
21.01.2020 13:44:57	1	1	1	1	74.5	63.5	0	29715.64	221.5053763	6581.686734	30000	0	0	30000	43.5	2004
21.01.2020 13:44:59	1	1	1	1	74.5	63.5	0	29763.033	221.5053763	6581.686734	30000	0	0	30000	44.0625	2004
21.01.2020 13:45:00	1	1	1	1	74.5	64	0	29763.033	234.4086022	6964.911804	30000	0	0	30000	43.4375	2004
21.01.2020 13:45:01	1	1	1	1	74.5	63.25	0	29810.427	240.8602151	7180.170141	30000	0	0	30000	43.9375	2004
21.01.2020 13:45:02	1	1	1	1	74.5	63.75	0	29715.64	236.5591398	7029.326231	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:03	1	1	1	1	74.5	63.5	0	29763.033	234.4086022	6987.742234	30000	0	0	30000	43.75	2004
21.01.2020 13:45:04	1	1	1	1	74.5	63.75	0	29715.64	240.8602151	6964.911804	30000	0	0	30000	43.625	2004
21.01.2020 13:45:05	1	1	1	1	74.5	63.5	0	29763.033	232.2580645	6964.911804	30000	0	0	30000	43.375	2004
21.01.2020 13:45:06	1	1	1	1	74.5	63.25	0	29810.427	234.4086022	7051.341288	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:07	1	1	1	1	74.5	63.5	0	29810.427	236.5591398	6964.911804	30000	0	0	30000	43.625	2004
21.01.2020 13:45:08	1	1	1	1	74.5	63.5	0	29810.427	234.4086022	6987.742234	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:09	1	1	1	1	74.5	63.5	0	29810.427	240.8602151	7180.170141	30000	0	0	30000	43.625	2004
21.01.2020 13:45:10	1	1	1	1	74.5	63.5	0	29810.427	240.8602151	7157.339711	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:11	1	1	1	1	74.5	63.5	0	29810.427	251.6129032	7500.611529	30000	0	0	30000	43.5	2004
21.01.2020 13:45:12	1	1	1	1	74.5	63.5	0	29810.427	249.4623656	7500.611529	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:13	1	1	1	1	74.5	63.5	0	29810.427	251.6129032	7500.611529	30000	0	0	30000	43.625	2004
21.01.2020 13:45:14	1	1	1	1	74.5	63.5	0	29763.033	262.3655914	7795.776371	30000	0	0	30000	43.5	2004
21.01.2020 13:45:15	1	1	1	1	74.5	63.5	0	29810.427	260.2150538	7732.177316	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:16	1	1	1	1	74.5	63.5	0	29763.033	264.516129	7795.776371	30000	0	0	30000	43.625	2004
21.01.2020 13:45:17	1	1	1	1	74.5	63.5	0	29810.427	262.3655914	7860.190797	30000	0	0	30000	43.375	2004
21.01.2020 13:45:18	1	1	1	1	74.5	63.25	0	29715.64	258.0645161	7693.039437	30000	0	0	30000	43.625	2004
21.01.2020 13:45:19	1	1	1	1	74.5	63.5	0	29810.427	266.6666667	7923.789851	30000	0	0	30000	43.5	2004
21.01.2020 13:45:20	1	1	1	1	74.5	63.5	0	29810.427	273.1182796	8141.494306	30000	0	0	30000	43.5	2004
21.01.2020 13:45:21	1	1	1	1	74.5	63.5	0	29810.427	275.2688172	8205.908733	30000	0	0	30000	43.0625	2004
21.01.2020 13:45:22	1	1	1	1	74.5	63	0	29810.427	270.9677419	8077.079879	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:23	1	1	1	1	74.5	63.5	0	29810.427	260.2150538	7693.039437	30000	0	0	30000	43.5	2004
21.01.2020 13:45:24	1	1	1	1	74.5	63.5	0	29810.427	251.6129032	7500.611529	30000	0	0	30000	42.9375	2004
21.01.2020 13:45:25	1	1	1	1	74.5	62.75	0	29810.427	253.7634409	7693.039437	30000	0	0	30000	43.25	2004
21.01.2020 13:45:26	1	1	1	1	74.5	63.25	0	29810.427	251.6129032	7436.197103	30000	0	0	30000	43.4375	2004
21.01.2020 13:45:27	1	1	1	1	74.5	63.25	0	29715.64	240.8602151	7308.183622	30000	0	0	30000	43.625	2004
21.01.2020 13:45:28	1	1	1	1	74.5	63.5	0	29857.82	264.516129	7821.052918	30000	0	0	30000	43.1875	2004
21.01.2020 13:45:29	1	1	1	1	74.25	63	0	29810.427	266.6666667	7962.112358	30000	0	0	30000	43.625	2004
21.01.2020 13:45:30	1	1	1	1	74.25	63.5	0	29857.82	275.2688172	8141.494306	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:31	1	1	1	1	74.25	63.5	0	29810.427	270.9677419	8077.079879	30000	0	0	30000	43.625	2004
21.01.2020 13:45:32	1	1	1	1	74.25	63.5	0	29810.427	266.6666667	7949.066398	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:33	1	1	1	1	74.25	63.5	0	29810.427	262.3655914	7756.638491	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:45:34	1	1	1	1	74.25	63	0	29810.427	260.2150538	7821.052918	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:35	1	1	1	1	74.25	63.5	0	29810.427	288.172043	8626.640937	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:37	1	1	1	1	74.25	63.5	0	29810.427	286.0215054	8654.363602	30000	0	0	30000	43.3125	2004
21.01.2020 13:45:38	1	1	1	1	74.25	63.25	0	29810.427	294.6236559	8718.778028	30000	0	0	30000	43.5	2004
21.01.2020 13:45:39	1	1	1	1	74.25	63.5	0	29810.427	288.172043	8526.350121	30000	0	0	30000	44.0625	2004
21.01.2020 13:45:40	1	1	1	1	74.5	64	0	29810.427	307.5268817	9167.232898	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:41	1	1	1	1	74.5	63.5	0	29810.427	307.5268817	9167.232898	30000	0	0	30000	43.4375	2004
21.01.2020 13:45:42	1	1	1	1	74.5	63.25	0	29810.427	305.3763441	9167.232898	30000	0	0	30000	43	2004
21.01.2020 13:45:43	1	1	1	1	74.5	63	0	29810.427	318.2795699	9487.674286	30000	0	0	30000	43.5	2004
21.01.2020 13:45:44	1	1	1	1	74.5	63.5	0	29715.64	322.5806452	9680.102193	30000	0	0	30000	43.5625	2004
21.01.2020 13:45:45	1	1	1	1	74.5	63.5	0	29810.427	333.3333333	9952.436605	30000	0	0	30000	43.125	2004
21.01.2020 13:45:46	1	1	1	1	74.5	63	0	29715.64	322.5806452	9744.51662	30000	0	0	30000	43.6875	2004
21.01.2020 13:45:47	1	1	1	1	74.5	63.5	0	29763.033	339.7849462	10064.95801	30000	0	0	30000	43.25	2004
21.01.2020 13:45:48	1	1	1	1	74.5	63.25	0	29763.033	335.483871	10000.54358	30000	0	0	30000	43.25	2004
21.01.2020 13:45:49	1	1	1	1	74.5	63.25	0	29857.82	333.3333333	9936.129155	30000	0	0	30000	43.4375	2004
21.01.2020 13:45:56	1	1	1	1	74.5	63.5	0	29810.427	348.3870968	10448.99845	30000	0	0	30000	43.25	2004
21.01.2020 13:45:56	1	1	1	1	74.5	63.5	0	29810.427	348.3870968	10448.99845	30000	0	0	30000	43.25	2004
21.01.2020 13:45:56	1	1	1	1	74.5	63.5	0	29810.427	348.3870968	10448.99845	30000	0	0	30000	43.25	2004
21.01.2020 13:45:56	1	1	1	1	74.5	63.5	0	29810.427	348.3870968	10448.99845	30000	0	0	30000	43.25	2004
21.01.2020 13:45:56	1	1	1	1	74.5	63.5	0	29810.427	348.3870968	10448.99845	30000	0	0	30000	43.25	2004
21.01.2020 13:45:56	1	1	1	1	74.5	63.25	0	29810.427	350.5376344	10448.99845	30000	0	0	30000	43.4375	2004
21.01.2020 13:45:57	1	1	1	1	74.5	63.25	0	29810.427	341.9354839	10192.97149	30000	0	0	30000	43.625	2004
21.01.2020 13:45:58	1	1	1	1	74.5	63.5	0	29810.427	350.5376344	10448.99845	30000	0	0	30000	43.4375	2004
21.01.2020 13:45:59	1	1	1	1	74.5	63.25	0	29810.427	350.5376344	10448.99845	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:00	1	1	1	1	74.5	63.5	0	29810.427	367.7419355	10961.86775	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:01	1	1	1	1	74.5	63.5	0	29810.427	350.5376344	10543.58166	30000	0	0	30000	43.5	2004
21.01.2020 13:46:02	1	1	1	1	74.5	63.5	0	29810.427	337.6344086	10000.54358	30000	0	0	30000	43.3125	2004
21.01.2020 13:46:03	1	1	1	1	74.5	63.25	0	29810.427	339.7849462	10160.35659	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:04	1	1	1	1	74.5	63.5	0	29857.82	337.6344086	10064.95801	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:05	1	1	1	1	74.5	63.5	0	29810.427	341.9354839	10192.97149	30000	0	0	30000	43.5	2004
21.01.2020 13:46:06	1	1	1	1	74.5	63.5	0	29857.82	350.5376344	10385.3994	30000	0	0	30000	42.875	2004
21.01.2020 13:46:07	1	1	1	1	74.5	62.75	0	29810.427	337.6344086	10080.45009	30000	0	0	30000	42.75	2004
21.01.2020 13:46:08	1	1	1	1	74.5	62.75	0	29810.427	346.2365591	10337.29242	30000	0	0	30000	43.625	2004
21.01.2020 13:46:09	1	1	1	1	74.5	63.5	0	29905.213	348.3870968	10337.29242	30000	0	0	30000	43.625	2004
21.01.2020 13:46:10	1	1	1	1	74.5	63.5	0	29810.427	341.9354839	10128.55706	30000	0	0	30000	43.25	2004
21.01.2020 13:46:11	1	1	1	1	74.5	63.25	0	29857.82	350.5376344	10482.42872	30000	0	0	30000	43.6875	2004
21.01.2020 13:46:12	1	1	1	1	74.5	63.5	0	29905.213	331.1827957	9919.821705	30000	0	0	30000	43.6875	2004
21.01.2020 13:46:13	1	1	1	1	74.5	63.5	0	29905.213	333.3333333	9967.928682	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:14	1	1	1	1	74.5	63.5	0	29952.607	344.0860215	10257.38592	30000	0	0	30000	43.5	2004
21.01.2020 13:46:16	1	1	1	1	74.5	63.5	0	29952.607	326.8817204	9775.500775	30000	0	0	30000	44.125	2004
21.01.2020 13:46:17	1	1	1	1	74.5	64	0	30000	350.5376344	10370.72269	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:18	1	1	1	1	74.5	63.5	0	29905.213	363.4408602	10886.03811	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:46:19	1	1	1	1	74.5	63.75	0	29905.213	369.8924731	11079.28139	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:20	1	1	1	1	74.5	63.5	0	29952.607	369.8924731	11014.86696	30000	0	0	30000	43.5	2004
21.01.2020 13:46:21	1	1	1	1	74.5	63.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:22	1	1	1	1	74.5	63.5	0	29905.213	348.3870968	10482.42872	30000	0	0	30000	43.6875	2004
21.01.2020 13:46:23	1	1	1	1	74.5	63.5	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.5	2004
21.01.2020 13:46:24	1	1	1	1	74.5	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 13:46:25	1	1	1	1	74.5	63	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:26	1	1	1	1	74.5	63.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.1875	2004
21.01.2020 13:46:27	1	1	1	1	74.5	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.4375	2004
21.01.2020 13:46:28	1	1	1	1	74.5	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.6875	2004
21.01.2020 13:46:29	1	1	1	1	74.25	63.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:30	1	1	1	1	74.25	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5	2004
21.01.2020 13:46:31	1	1	1	1	74.25	63.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:32	1	1	1	1	74.25	63.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.5	2004
21.01.2020 13:46:33	1	1	1	1	74.25	63.5	0	30000	311.827957	9340.091865	30000	0	0	30000	43.625	2004
21.01.2020 13:46:34	1	1	1	1	74.25	63.5	0	30000	316.1290323	9612.426277	30000	0	0	30000	43.4375	2004
21.01.2020 13:46:35	1	1	1	1	74.25	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43	2004
21.01.2020 13:46:36	1	1	1	1	74.25	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.75	2004
21.01.2020 13:46:37	1	1	1	1	74.25	62.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:38	1	1	1	1	74.25	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
21.01.2020 13:46:39	1	1	1	1	74	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.375	2004
21.01.2020 13:46:40	1	1	1	1	74	63.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:41	1	1	1	1	74	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.4375	2004
21.01.2020 13:46:42	1	1	1	1	74	63.25	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:43	1	1	1	1	74	63.5	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.4375	2004
21.01.2020 13:46:44	1	1	1	1	74	63.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.5625	2004
21.01.2020 13:46:45	1	1	1	1	74	63.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.5	2004
21.01.2020 13:46:46	1	1	1	1	74	63.5	0	28436.019	288.172043	8194.493518	30000	0	0	30000	42.9375	2004
21.01.2020 13:46:47	1	1	1	1	74	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.5	2004
21.01.2020 13:46:48	1	1	1	1	74	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.4375	2004
21.01.2020 13:46:49	1	1	1	1	74.5	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.625	2004
21.01.2020 13:46:50	1	1	1	1	74.5	63.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.4375	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:58	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 13:46:59	1	1	1	1	74.25	63	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	43.5625	2004
21.01.2020 13:47:00	1	1	1	1	74.25	63.5	0	30000	290.3225806	8838.637784	30000	0	0	30000	43.625	2004
21.01.2020 13:47:01	1	1	1	1	74.25	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.5	2004
21.01.2020 13:47:02	1	1	1	1	74.25	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:47:03	1	1	1	1	74.25	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.5	2004
21.01.2020 13:47:04	1	1	1	1	74.25	63.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.375	2004
21.01.2020 13:47:05	1	1	1	1	74.25	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.375	2004
21.01.2020 13:47:06	1	1	1	1	74.25	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.3125	2004
21.01.2020 13:47:07	1	1	1	1	74.25	63.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.375	2004
21.01.2020 13:47:08	1	1	1	1	74.25	63.25	0	29952.607	324.7311828	9806.484929	30000	0	0	30000	43.4375	2004
21.01.2020 13:47:09	1	1	1	1	74.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
21.01.2020 13:47:10	1	1	1	1	74.5	63.25	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.4375	2004
21.01.2020 13:47:11	1	1	1	1	74.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
21.01.2020 13:47:12	1	1	1	1	74.5	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
21.01.2020 13:47:13	1	1	1	1	74.5	63	0	29857.82	337.6344086	10080.45009	30000	0	0	30000	43.4375	2004
21.01.2020 13:47:14	1	1	1	1	74.5	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.375	2004
21.01.2020 13:47:15	1	1	1	1	74.5	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.375	2004
21.01.2020 13:47:16	1	1	1	1	74.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.5625	2004
21.01.2020 13:47:17	1	1	1	1	74.5	63.5	0	29905.213	283.8709677	8580.164705	30000	0	0	30000	43.5	2004
21.01.2020 13:47:18	1	1	1	1	74.5	63.5	0	30000	288.172043	8644.579132	30000	0	0	30000	43.25	2004
21.01.2020 13:47:19	1	1	1	1	74.25	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.625	2004
21.01.2020 13:47:20	1	1	1	1	74.25	63.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.5	2004
21.01.2020 13:47:21	1	1	1	1	74.25	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.5625	2004
21.01.2020 13:47:22	1	1	1	1	74.25	63.5	0	30000	288.172043	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 13:47:23	1	1	1	1	74.25	63.25	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
21.01.2020 13:47:24	1	1	1	1	74.25	63.25	0	30000	286.0215054	8708.993559	30000	0	0	30000	43	2004
21.01.2020 13:47:25	1	1	1	1	74.25	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.375	2004
21.01.2020 13:47:26	1	1	1	1	74.25	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.6875	2004
21.01.2020 13:47:27	1	1	1	1	74.25	63.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.625	2004
21.01.2020 13:47:28	1	1	1	1	74.25	63.5	0	29952.607	255.9139785	7741.961786	30000	0	0	30000	43.5	2004
21.01.2020 13:47:29	1	1	1	1	74.25	63.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	43.3125	2004
21.01.2020 13:47:30	1	1	1	1	74.25	63.25	0	30000	249.4623656	7483.488707	30000	0	0	30000	43.5	2004
21.01.2020 13:47:31	1	1	1	1	74.25	63.5	0	29952.607	264.516129	7987.388905	30000	0	0	30000	43.5625	2004
21.01.2020 13:47:32	1	1	1	1	74.25	63.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.0625	2004
21.01.2020 13:47:33	1	1	1	1	74.25	63	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.0625	2004
21.01.2020 13:47:35	1	1	1	1	74.25	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.5625	2004
21.01.2020 13:47:36	1	1	1	1	74.25	63.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.4375	2004
21.01.2020 13:47:37	1	1	1	1	74.25	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	44	2004
21.01.2020 13:47:38	1	1	1	1	74.25	64	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.9375	2004
21.01.2020 13:47:40	1	1	1	1	74.5	63.5	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.5625	2004
21.01.2020 13:47:40	1	1	1	1	74.5	63.5	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.5625	2004
21.01.2020 13:47:41	1	1	1	1	74.5	63.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.5	2004
21.01.2020 13:47:42	1	1	1	1	74.5	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
21.01.2020 13:47:43	1	1	1	1	74.5	63.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	42.6875	2004
21.01.2020 13:47:44	1	1	1	1	74.5	62.5	0	30000	329.0322581	9999.728209	30000	0	0	30000	43.625	2004
21.01.2020 13:47:45	1	1	1	1	74.5	63.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.4375	2004
21.01.2020 13:47:46	1	1	1	1	74.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:47:47	1	1	1	1	74.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 13:47:48	1	1	1	1	74.5	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.4375	2004
21.01.2020 13:47:49	1	1	1	1	74.25	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.0625	2004
21.01.2020 13:47:50	1	1	1	1	74.25	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.6875	2004
21.01.2020 13:47:51	1	1	1	1	74.25	63.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	43.0625	2004
21.01.2020 13:47:52	1	1	1	1	74.25	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.5625	2004
21.01.2020 13:47:59	1	1	1	1	74.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 13:47:59	1	1	1	1	74.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 13:47:59	1	1	1	1	74.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 13:47:59	1	1	1	1	74.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 13:47:59	1	1	1	1	74.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 13:47:59	1	1	1	1	74.5	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.25	2004
21.01.2020 13:48:00	1	1	1	1	74.5	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.375	2004
21.01.2020 13:48:01	1	1	1	1	74.5	63.25	0	29905.213	346.2365591	10387.03014	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:02	1	1	1	1	74.5	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.25	2004
21.01.2020 13:48:03	1	1	1	1	74.5	63.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.3125	2004
21.01.2020 13:48:04	1	1	1	1	74.5	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.6875	2004
21.01.2020 13:48:05	1	1	1	1	74.5	63.5	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	43.5625	2004
21.01.2020 13:48:06	1	1	1	1	74.5	63.5	0	30047.393	369.8924731	10967.57535	30000	0	0	30000	43.1875	2004
21.01.2020 13:48:07	1	1	1	1	74.5	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.5625	2004
21.01.2020 13:48:08	1	1	1	1	74.5	63.5	0	30047.393	369.8924731	10903.16093	30000	0	0	30000	43.5625	2004
21.01.2020 13:48:09	1	1	1	1	74.5	63.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:10	1	1	1	1	74.5	63.25	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:12	1	1	1	1	74.5	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.625	2004
21.01.2020 13:48:13	1	1	1	1	74.5	63.5	0	29952.607	346.2365591	10499.55155	30000	0	0	30000	44	2004
21.01.2020 13:48:14	1	1	1	1	74.5	64	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.625	2004
21.01.2020 13:48:15	1	1	1	1	74.5	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5	2004
21.01.2020 13:48:16	1	1	1	1	74.5	63.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.5	2004
21.01.2020 13:48:17	1	1	1	1	74.5	63.25	0	30000	288.172043	8838.637784	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:18	1	1	1	1	74.5	63.25	0	29952.607	279.5698925	8373.875465	30000	0	0	30000	43.375	2004
21.01.2020 13:48:19	1	1	1	1	74.25	63.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:20	1	1	1	1	74.25	63.25	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	43.5625	2004
21.01.2020 13:48:21	1	1	1	1	74.25	63.5	0	30000	288.172043	8852.499117	30000	0	0	30000	43.1875	2004
21.01.2020 13:48:22	1	1	1	1	74.25	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 13:48:23	1	1	1	1	74.25	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:24	1	1	1	1	74.25	63.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.625	2004
21.01.2020 13:48:25	1	1	1	1	74.25	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.375	2004
21.01.2020 13:48:26	1	1	1	1	74.25	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.5	2004
21.01.2020 13:48:27	1	1	1	1	74.25	63.5	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.0625	2004
21.01.2020 13:48:28	1	1	1	1	74.25	63	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:29	1	1	1	1	74.5	63.25	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	43.25	2004
21.01.2020 13:48:30	1	1	1	1	74.5	63.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:48:31	1	1	1	1	74.5	63.25	0	30000	277.4193548	8258.092572	30000	0	0	30000	43.5625	2004
21.01.2020 13:48:32	1	1	1	1	74.5	63.5	0	30000	288.172043	8580.164705	30000	0	0	30000	43.5	2004
21.01.2020 13:48:33	1	1	1	1	74.5	63.5	0	30000	288.172043	8708.993559	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:34	1	1	1	1	74.5	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:35	1	1	1	1	74.5	63.25	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 13:48:36	1	1	1	1	74.5	63.25	0	30000	303.2258065	9082.434159	30000	0	0	30000	43.375	2004
21.01.2020 13:48:37	1	1	1	1	74.5	63.25	0	29905.213	292.4731183	8967.466638	30000	0	0	30000	42.875	2004
21.01.2020 13:48:38	1	1	1	1	74.5	62.75	0	30000	316.1290323	9612.426277	30000	0	0	30000	43.0625	2004
21.01.2020 13:48:39	1	1	1	1	74.75	63	0	30047.393	313.9784946	9354.76857	30000	0	0	30000	43.25	2004
21.01.2020 13:48:40	1	1	1	1	74.75	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.1875	2004
21.01.2020 13:48:41	1	1	1	1	74.75	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.8125	2004
21.01.2020 13:48:42	1	1	1	1	74.75	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 13:48:43	1	1	1	1	74.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
21.01.2020 13:48:44	1	1	1	1	74.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
21.01.2020 13:48:45	1	1	1	1	74.75	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.5	2004
21.01.2020 13:48:46	1	1	1	1	74.75	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
21.01.2020 13:48:47	1	1	1	1	74.75	63.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.75	2004
21.01.2020 13:48:49	1	1	1	1	74.75	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.3125	2004
21.01.2020 13:48:50	1	1	1	1	74.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:51	1	1	1	1	74.5	63.25	0	29952.607	318.2795699	9597.749572	30000	0	0	30000	43.8125	2004
21.01.2020 13:48:52	1	1	1	1	74.5	63.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.5	2004
21.01.2020 13:48:53	1	1	1	1	74.5	63.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.4375	2004
21.01.2020 13:48:54	1	1	1	1	74.5	63.25	0	30000	305.3763441	9110.972196	30000	0	0	30000	43.75	2004
21.01.2020 13:49:01	1	1	1	1	73.75	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.25	2004
21.01.2020 13:49:01	1	1	1	1	73.75	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.25	2004
21.01.2020 13:49:01	1	1	1	1	73.75	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.25	2004
21.01.2020 13:49:01	1	1	1	1	73.75	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.25	2004
21.01.2020 13:49:01	1	1	1	1	73.75	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.25	2004
21.01.2020 13:49:01	1	1	1	1	73.75	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
21.01.2020 13:49:02	1	1	1	1	73.75	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:03	1	1	1	1	73.75	63.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:04	1	1	1	1	73.75	63.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.4375	2004
21.01.2020 13:49:05	1	1	1	1	73.75	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.375	2004
21.01.2020 13:49:06	1	1	1	1	73.75	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.25	2004
21.01.2020 13:49:07	1	1	1	1	73.75	63.25	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	42.8125	2004
21.01.2020 13:49:08	1	1	1	1	73.75	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
21.01.2020 13:49:09	1	1	1	1	74.25	63.25	0	29952.607	346.2365591	10225.58639	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:10	1	1	1	1	74.25	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.25	2004
21.01.2020 13:49:11	1	1	1	1	74.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
21.01.2020 13:49:12	1	1	1	1	74.25	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:13	1	1	1	1	74.25	63.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 13:49:14	1	1	1	1	74.25	63	0	30000	329.0322581	9935.313783	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:49:15	1	1	1	1	74.25	63.5	0	30047.393	350.5376344	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 13:49:16	1	1	1	1	74.25	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:17	1	1	1	1	74.25	63.25	0	30000	326.8817204	9676.840703	30000	0	0	30000	43.4375	2004
21.01.2020 13:49:18	1	1	1	1	74.25	63.25	0	30000	322.5806452	9468.920719	30000	0	0	30000	43.25	2004
21.01.2020 13:49:19	1	1	1	1	74.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43	2004
21.01.2020 13:49:20	1	1	1	1	74.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.5	2004
21.01.2020 13:49:21	1	1	1	1	74.5	63.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	43	2004
21.01.2020 13:49:22	1	1	1	1	74.5	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.5	2004
21.01.2020 13:49:23	1	1	1	1	74.5	63.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:24	1	1	1	1	74.5	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.25	2004
21.01.2020 13:49:25	1	1	1	1	74.5	63.25	0	30000	288.172043	8580.164705	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:27	1	1	1	1	74.5	63.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:28	1	1	1	1	74.5	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:29	1	1	1	1	74.5	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.625	2004
21.01.2020 13:49:30	1	1	1	1	74.5	63.5	0	29905.213	279.5698925	8386.921425	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:31	1	1	1	1	74.5	63.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.9375	2004
21.01.2020 13:49:32	1	1	1	1	74.5	63.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 13:49:33	1	1	1	1	74.5	63	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.375	2004
21.01.2020 13:49:34	1	1	1	1	74.5	63.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.5	2004
21.01.2020 13:49:35	1	1	1	1	74.5	63.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.25	2004
21.01.2020 13:49:36	1	1	1	1	74.5	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
21.01.2020 13:49:37	1	1	1	1	74.5	63	0	29952.607	288.172043	8580.164705	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:38	1	1	1	1	74.5	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.375	2004
21.01.2020 13:49:39	1	1	1	1	74.75	63.25	0	30000	286.0215054	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:40	1	1	1	1	74.75	63.25	0	30000	290.3225806	8788.08469	30000	0	0	30000	43.4375	2004
21.01.2020 13:49:41	1	1	1	1	74.75	63.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.6875	2004
21.01.2020 13:49:42	1	1	1	1	74.75	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
21.01.2020 13:49:43	1	1	1	1	74.75	63.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.5	2004
21.01.2020 13:49:44	1	1	1	1	74.75	63.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.25	2004
21.01.2020 13:49:45	1	1	1	1	74.75	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.5625	2004
21.01.2020 13:49:46	1	1	1	1	74.75	63.5	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	43.4375	2004
21.01.2020 13:49:47	1	1	1	1	74.75	63.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.4375	2004
21.01.2020 13:49:48	1	1	1	1	74.75	63.25	0	29905.213	292.4731183	8967.466638	30000	0	0	30000	43.5	2004
21.01.2020 13:49:49	1	1	1	1	75.5	63.5	0	29952.607	303.2258065	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 13:49:50	1	1	1	1	75.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:51	1	1	1	1	75.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 13:49:52	1	1	1	1	75.5	63.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.125	2004
21.01.2020 13:49:53	1	1	1	1	75.5	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.4375	2004
21.01.2020 13:49:54	1	1	1	1	75.5	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.75	2004
21.01.2020 13:49:55	1	1	1	1	75.5	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
21.01.2020 13:50:02	1	1	1	1	75.25	63	0	30000	292.4731183	8695.947599	30000	0	0	30000	43.5	2004
21.01.2020 13:50:02	1	1	1	1	75.25	63	0	30000	292.4731183	8695.947599	30000	0	0	30000	43.5	2004
21.01.2020 13:50:02	1	1	1	1	75.25	63	0	30000	292.4731183	8695.947599	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:50:02	1	1	1	1	75.25	63	0	30000	292.4731183	8695.947599	30000	0	0	30000	43.5	2004
21.01.2020 13:50:02	1	1	1	1	75.25	63	0	30000	292.4731183	8695.947599	30000	0	0	30000	43.5	2004
21.01.2020 13:50:02	1	1	1	1	75.25	63	0	30000	292.4731183	8695.947599	30000	0	0	30000	43.5	2004
21.01.2020 13:50:02	1	1	1	1	75.25	63.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.875	2004
21.01.2020 13:50:03	1	1	1	1	75.25	62.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 13:50:04	1	1	1	1	75.25	63.25	0	30000	301.0752688	8838.637784	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:05	1	1	1	1	75.25	63.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	43	2004
21.01.2020 13:50:07	1	1	1	1	75.25	63	0	30000	288.172043	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 13:50:08	1	1	1	1	75.25	63	0	29905.213	279.5698925	8322.506999	30000	0	0	30000	43.375	2004
21.01.2020 13:50:09	1	1	1	1	75.25	63.25	0	30000	270.9677419	8051.803332	30000	0	0	30000	43.1875	2004
21.01.2020 13:50:10	1	1	1	1	75.5	63	0	30000	279.5698925	8438.289892	30000	0	0	30000	43.375	2004
21.01.2020 13:50:11	1	1	1	1	75.5	63.25	0	30000	279.5698925	8373.875465	30000	0	0	30000	43.8125	2004
21.01.2020 13:50:12	1	1	1	1	75.5	63.75	0	30000	283.8709677	8502.704319	30000	0	0	30000	43.5	2004
21.01.2020 13:50:13	1	1	1	1	75.5	63.5	0	29952.607	277.4193548	8451.335852	30000	0	0	30000	43.875	2004
21.01.2020 13:50:14	1	1	1	1	75.5	63.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:15	1	1	1	1	75.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.25	2004
21.01.2020 13:50:16	1	1	1	1	75.5	63.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 13:50:17	1	1	1	1	75.5	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:18	1	1	1	1	75.5	63.25	0	29952.607	320.4301075	9533.335145	30000	0	0	30000	43.0625	2004
21.01.2020 13:50:19	1	1	1	1	76	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.3125	2004
21.01.2020 13:50:20	1	1	1	1	76	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.5	2004
21.01.2020 13:50:21	1	1	1	1	76	63.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.25	2004
21.01.2020 13:50:22	1	1	1	1	76	63.25	0	30047.393	288.172043	8788.08469	30000	0	0	30000	43.5	2004
21.01.2020 13:50:23	1	1	1	1	76	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:24	1	1	1	1	76	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:25	1	1	1	1	76	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43	2004
21.01.2020 13:50:26	1	1	1	1	76	63	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:27	1	1	1	1	76	63.25	0	30000	296.7741935	8708.993559	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:28	1	1	1	1	76	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:29	1	1	1	1	76	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:30	1	1	1	1	76	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.1875	2004
21.01.2020 13:50:31	1	1	1	1	76	63	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.3125	2004
21.01.2020 13:50:32	1	1	1	1	76	63.25	0	30000	275.2688172	8064.033919	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:33	1	1	1	1	76	63.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	42.375	2004
21.01.2020 13:50:34	1	1	1	1	76	62.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.3125	2004
21.01.2020 13:50:35	1	1	1	1	76	63.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:36	1	1	1	1	76	63.25	0	30000	249.4623656	7547.903134	30000	0	0	30000	43	2004
21.01.2020 13:50:37	1	1	1	1	76	63	0	30000	255.9139785	7665.316772	30000	0	0	30000	43.125	2004
21.01.2020 13:50:38	1	1	1	1	76	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.3125	2004
21.01.2020 13:50:39	1	1	1	1	76.25	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.3125	2004
21.01.2020 13:50:40	1	1	1	1	76.25	63.25	0	30000	273.1182796	8128.448346	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:41	1	1	1	1	76.25	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:42	1	1	1	1	76.25	63.25	0	30047.393	290.3225806	8708.993559	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:50:43	1	1	1	1	76.25	63.5	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	43.625	2004
21.01.2020 13:50:44	1	1	1	1	76.25	63.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:46	1	1	1	1	76.25	63.25	0	30000	277.4193548	8309.461039	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:47	1	1	1	1	76.25	63.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.4375	2004
21.01.2020 13:50:48	1	1	1	1	76.25	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.375	2004
21.01.2020 13:50:49	1	1	1	1	76.25	63.25	0	29952.607	264.516129	7999.619493	30000	0	0	30000	43.125	2004
21.01.2020 13:50:50	1	1	1	1	76.25	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.8125	2004
21.01.2020 13:50:51	1	1	1	1	76.25	63.75	0	30000	283.8709677	8322.506999	30000	0	0	30000	43.75	2004
21.01.2020 13:50:52	1	1	1	1	76.25	63.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.5625	2004
21.01.2020 13:50:53	1	1	1	1	76.25	63	0	30000	264.516129	7794.145626	30000	0	0	30000	43.375	2004
21.01.2020 13:50:54	1	1	1	1	76.25	63.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.3125	2004
21.01.2020 13:50:55	1	1	1	1	76.25	63.25	0	29952.607	275.2688172	8245.046612	30000	0	0	30000	43.3125	2004
21.01.2020 13:50:56	1	1	1	1	76.25	63.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.5625	2004
21.01.2020 13:50:57	1	1	1	1	76.25	63.5	0	30000	270.9677419	7794.145626	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:04	1	1	1	1	76	63	0	30000	288.172043	8695.947599	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:04	1	1	1	1	76	63	0	30000	288.172043	8695.947599	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:04	1	1	1	1	76	63	0	30000	288.172043	8695.947599	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:04	1	1	1	1	76	63	0	30000	288.172043	8695.947599	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:04	1	1	1	1	76	63	0	30000	288.172043	8695.947599	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:04	1	1	1	1	76	63	0	30000	288.172043	8695.947599	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:04	1	1	1	1	76	63.5	0	30000	301.0752688	8953.605305	30000	0	0	30000	42.125	2004
21.01.2020 13:51:05	1	1	1	1	76	62	0	30047.393	298.9247312	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 13:51:06	1	1	1	1	76	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:07	1	1	1	1	76	63.25	0	30000	311.827957	9419.182997	30000	0	0	30000	43.375	2004
21.01.2020 13:51:08	1	1	1	1	76	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.375	2004
21.01.2020 13:51:09	1	1	1	1	76	63.25	0	30000	344.0860215	10241.89384	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:10	1	1	1	1	76	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.3125	2004
21.01.2020 13:51:11	1	1	1	1	76	63.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:12	1	1	1	1	76	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:13	1	1	1	1	76	63.5	0	30000	382.7956989	11695.70299	30000	0	0	30000	43.3125	2004
21.01.2020 13:51:14	1	1	1	1	76	63.25	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 13:51:15	1	1	1	1	76	62.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:16	1	1	1	1	76	63.5	0	30047.393	331.1827957	9999.728209	30000	0	0	30000	42.875	2004
21.01.2020 13:51:17	1	1	1	1	76	62.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:18	1	1	1	1	76	63.25	0	30000	313.9784946	9340.091865	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:19	1	1	1	1	76	63.25	0	30000	309.6774194	9305.030848	30000	0	0	30000	43.375	2004
21.01.2020 13:51:20	1	1	1	1	76	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
21.01.2020 13:51:21	1	1	1	1	76	63.25	0	29857.82	292.4731183	8668.224934	30000	0	0	30000	43.3125	2004
21.01.2020 13:51:22	1	1	1	1	76	63.25	0	30000	311.827957	9369.445275	30000	0	0	30000	43.25	2004
21.01.2020 13:51:23	1	1	1	1	76	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
21.01.2020 13:51:25	1	1	1	1	76	63	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	43	2004
21.01.2020 13:51:26	1	1	1	1	76	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.75	2004
21.01.2020 13:51:27	1	1	1	1	76	62.75	0	30000	298.9247312	8838.637784	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:51:28	1	1	1	1	76	63.25	0	30000	288.172043	8708.993559	30000	0	0	30000	43.6875	2004
21.01.2020 13:51:29	1	1	1	1	76	63.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
21.01.2020 13:51:30	1	1	1	1	75.75	62.5	0	30047.393	273.1182796	8064.033919	30000	0	0	30000	43.75	2004
21.01.2020 13:51:31	1	1	1	1	75.75	63.75	0	29905.213	251.6129032	7547.903134	30000	0	0	30000	44	2004
21.01.2020 13:51:32	1	1	1	1	75.75	63.25	0	30000	247.311828	7407.659066	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:33	1	1	1	1	75.75	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.3125	2004
21.01.2020 13:51:34	1	1	1	1	75.75	63.25	0	29905.213	258.0645161	7935.205066	30000	0	0	30000	43.375	2004
21.01.2020 13:51:35	1	1	1	1	75.75	63.25	0	29952.607	268.8172043	8051.803332	30000	0	0	30000	43.5	2004
21.01.2020 13:51:36	1	1	1	1	75.75	63.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.625	2004
21.01.2020 13:51:37	1	1	1	1	75.75	62.5	0	30000	288.172043	8580.164705	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:38	1	1	1	1	75.75	63.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	43	2004
21.01.2020 13:51:39	1	1	1	1	76.25	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.3125	2004
21.01.2020 13:51:40	1	1	1	1	76.25	63.25	0	29952.607	279.5698925	8580.164705	30000	0	0	30000	43.375	2004
21.01.2020 13:51:41	1	1	1	1	76.25	63.25	0	29952.607	290.3225806	8838.637784	30000	0	0	30000	43.375	2004
21.01.2020 13:51:42	1	1	1	1	76.25	63.25	0	30000	296.7741935	8916.913543	30000	0	0	30000	43.375	2004
21.01.2020 13:51:43	1	1	1	1	76.25	63.25	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	42.875	2004
21.01.2020 13:51:44	1	1	1	1	76.25	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
21.01.2020 13:51:45	1	1	1	1	76.25	63.25	0	30000	303.2258065	9369.445275	30000	0	0	30000	43.375	2004
21.01.2020 13:51:46	1	1	1	1	76.25	63.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42	2004
21.01.2020 13:51:47	1	1	1	1	76.25	62	0	30000	303.2258065	9160.709918	30000	0	0	30000	43	2004
21.01.2020 13:51:48	1	1	1	1	76.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.8125	2004
21.01.2020 13:51:49	1	1	1	1	76	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.5625	2004
21.01.2020 13:51:50	1	1	1	1	76	63.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.8125	2004
21.01.2020 13:51:51	1	1	1	1	76	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:52	1	1	1	1	76	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.375	2004
21.01.2020 13:51:53	1	1	1	1	76	63.25	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	43.375	2004
21.01.2020 13:51:54	1	1	1	1	76	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:55	1	1	1	1	76	63.25	0	29952.607	307.5268817	9354.76857	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:56	1	1	1	1	76	63.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.4375	2004
21.01.2020 13:51:57	1	1	1	1	76	63.25	0	29905.213	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
21.01.2020 13:51:58	1	1	1	1	76	62.75	0	30047.393	324.7311828	9741.25513	30000	0	0	30000	42.8125	2004
21.01.2020 13:52:05	1	1	1	1	75	63.25	0	30000	296.7741935	8824.776452	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:05	1	1	1	1	75	63.25	0	30000	296.7741935	8824.776452	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:05	1	1	1	1	75	63.25	0	30000	296.7741935	8824.776452	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:05	1	1	1	1	75	63.25	0	30000	296.7741935	8824.776452	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:05	1	1	1	1	75	63.25	0	30000	296.7741935	8824.776452	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:05	1	1	1	1	75	63.25	0	30000	296.7741935	8824.776452	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:06	1	1	1	1	75	63.25	0	29715.64	290.3225806	8626.640937	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:07	1	1	1	1	75	63.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.1875	2004
21.01.2020 13:52:08	1	1	1	1	75	63	0	30000	286.0215054	8644.579132	30000	0	0	30000	44	2004
21.01.2020 13:52:09	1	1	1	1	75	64	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.625	2004
21.01.2020 13:52:10	1	1	1	1	74.25	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.375	2004
21.01.2020 13:52:11	1	1	1	1	74.25	63.25	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:52:12	1	1	1	1	74.25	63.5	0	30000	294.6236559	8774.223358	30000	0	0	30000	43.375	2004
21.01.2020 13:52:13	1	1	1	1	74.25	63.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.3125	2004
21.01.2020 13:52:14	1	1	1	1	74.25	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.9375	2004
21.01.2020 13:52:15	1	1	1	1	74.25	62.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.3125	2004
21.01.2020 13:52:16	1	1	1	1	74.25	63.25	0	30000	253.7634409	7676.731987	30000	0	0	30000	43.5625	2004
21.01.2020 13:52:17	1	1	1	1	74.25	63.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	42.9375	2004
21.01.2020 13:52:18	1	1	1	1	74.25	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:19	1	1	1	1	75	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.3125	2004
21.01.2020 13:52:20	1	1	1	1	75	63.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.5625	2004
21.01.2020 13:52:21	1	1	1	1	75	63.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.75	2004
21.01.2020 13:52:22	1	1	1	1	75	62.75	0	30000	281.7204301	8386.921425	30000	0	0	30000	43.125	2004
21.01.2020 13:52:23	1	1	1	1	75	63	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:24	1	1	1	1	75	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.375	2004
21.01.2020 13:52:25	1	1	1	1	75	63.25	0	30000	268.8172043	8051.803332	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:26	1	1	1	1	75	63.25	0	29905.213	262.3655914	7935.205066	30000	0	0	30000	43.125	2004
21.01.2020 13:52:27	1	1	1	1	75	63	0	30000	260.2150538	7935.205066	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:28	1	1	1	1	75	63.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.5	2004
21.01.2020 13:52:29	1	1	1	1	75.5	63.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	43.375	2004
21.01.2020 13:52:30	1	1	1	1	75.5	63.25	0	30000	247.311828	7419.07428	30000	0	0	30000	43.4375	2004
21.01.2020 13:52:31	1	1	1	1	75.5	63.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	43.5	2004
21.01.2020 13:52:32	1	1	1	1	75.5	63.5	0	30000	234.4086022	6967.357921	30000	0	0	30000	42.875	2004
21.01.2020 13:52:33	1	1	1	1	75.5	62.75	0	30000	227.9569892	6902.943495	30000	0	0	30000	43.5	2004
21.01.2020 13:52:34	1	1	1	1	75.5	63.5	0	30047.393	232.2580645	6967.357921	30000	0	0	30000	43.5	2004
21.01.2020 13:52:35	1	1	1	1	75.5	63.5	0	29952.607	240.8602151	7290.245427	30000	0	0	30000	43.5625	2004
21.01.2020 13:52:36	1	1	1	1	75.5	63.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	43.375	2004
21.01.2020 13:52:37	1	1	1	1	75.5	63.25	0	30000	247.311828	7419.07428	30000	0	0	30000	42.8125	2004
21.01.2020 13:52:38	1	1	1	1	75.5	62.75	0	30000	258.0645161	7536.487919	30000	0	0	30000	43.125	2004
21.01.2020 13:52:39	1	1	1	1	75.5	63	0	30000	260.2150538	7999.619493	30000	0	0	30000	43.5	2004
21.01.2020 13:52:40	1	1	1	1	75.5	63.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.5	2004
21.01.2020 13:52:42	1	1	1	1	75.5	63.5	0	30000	268.8172043	7999.619493	30000	0	0	30000	42.875	2004
21.01.2020 13:52:43	1	1	1	1	75.5	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.5625	2004
21.01.2020 13:52:44	1	1	1	1	75.5	63.5	0	30000	268.8172043	8128.448346	30000	0	0	30000	43.3125	2004
21.01.2020 13:52:45	1	1	1	1	75.5	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.6875	2004
21.01.2020 13:52:46	1	1	1	1	75.5	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.375	2004
21.01.2020 13:52:47	1	1	1	1	75.5	63.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.625	2004
21.01.2020 13:52:48	1	1	1	1	75.5	63.5	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	43.125	2004
21.01.2020 13:52:49	1	1	1	1	75.25	63.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.25	2004
21.01.2020 13:52:50	1	1	1	1	75.25	63.25	0	29952.607	283.8709677	8644.579132	30000	0	0	30000	43.5625	2004
21.01.2020 13:52:51	1	1	1	1	75.25	63.5	0	30047.393	309.6774194	8967.466638	30000	0	0	30000	43.3125	2004
21.01.2020 13:52:52	1	1	1	1	75.25	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.375	2004
21.01.2020 13:52:53	1	1	1	1	75.25	63.25	0	30000	320.4301075	9324.599788	30000	0	0	30000	42.25	2004
21.01.2020 13:52:54	1	1	1	1	75.25	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.5625	2004
21.01.2020 13:52:55	1	1	1	1	75.25	63.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:52:56	1	1	1	1	75.25	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.1875	2004
21.01.2020 13:52:57	1	1	1	1	75.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.375	2004
21.01.2020 13:52:58	1	1	1	1	75.25	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.375	2004
21.01.2020 13:52:59	1	1	1	1	74.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.375	2004
21.01.2020 13:53:00	1	1	1	1	74.5	62.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	43.5	2004
21.01.2020 13:53:07	1	1	1	1	74.5	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 13:53:07	1	1	1	1	74.5	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 13:53:07	1	1	1	1	74.5	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 13:53:07	1	1	1	1	74.5	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 13:53:07	1	1	1	1	74.5	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 13:53:07	1	1	1	1	74.5	63.25	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	43.25	2004
21.01.2020 13:53:08	1	1	1	1	74.5	63.25	0	30047.393	305.3763441	9031.881064	30000	0	0	30000	42.875	2004
21.01.2020 13:53:09	1	1	1	1	74.75	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.25	2004
21.01.2020 13:53:10	1	1	1	1	74.75	63.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.25	2004
21.01.2020 13:53:11	1	1	1	1	74.75	63.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.25	2004
21.01.2020 13:53:12	1	1	1	1	74.75	63.25	0	30000	296.7741935	9060.419101	30000	0	0	30000	43.5	2004
21.01.2020 13:53:13	1	1	1	1	74.75	63.5	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
21.01.2020 13:53:14	1	1	1	1	74.75	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:15	1	1	1	1	74.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:16	1	1	1	1	74.75	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.375	2004
21.01.2020 13:53:17	1	1	1	1	74.75	63.25	0	30000	331.1827957	10080.45009	30000	0	0	30000	43.375	2004
21.01.2020 13:53:19	1	1	1	1	74.75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:20	1	1	1	1	75.25	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 13:53:21	1	1	1	1	75.25	63	0	29952.607	348.3870968	10435.13712	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:22	1	1	1	1	75.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
21.01.2020 13:53:23	1	1	1	1	75.25	63.5	0	29952.607	335.483871	10064.14264	30000	0	0	30000	43.375	2004
21.01.2020 13:53:24	1	1	1	1	75.25	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.875	2004
21.01.2020 13:53:25	1	1	1	1	75.25	63.75	0	29905.213	313.9784946	9324.599788	30000	0	0	30000	43.375	2004
21.01.2020 13:53:26	1	1	1	1	75.25	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.5	2004
21.01.2020 13:53:27	1	1	1	1	75.25	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.5625	2004
21.01.2020 13:53:28	1	1	1	1	75.25	63.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.375	2004
21.01.2020 13:53:29	1	1	1	1	74.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.0625	2004
21.01.2020 13:53:30	1	1	1	1	74.75	63	0	30047.393	309.6774194	9354.76857	30000	0	0	30000	43.375	2004
21.01.2020 13:53:31	1	1	1	1	74.75	63.25	0	30000	307.5268817	9096.295491	30000	0	0	30000	43.125	2004
21.01.2020 13:53:32	1	1	1	1	74.75	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.375	2004
21.01.2020 13:53:33	1	1	1	1	74.75	63.25	0	30000	288.172043	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 13:53:34	1	1	1	1	74.75	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 13:53:35	1	1	1	1	74.75	63.25	0	30000	283.8709677	8386.921425	30000	0	0	30000	42.75	2004
21.01.2020 13:53:36	1	1	1	1	74.75	62.75	0	30047.393	290.3225806	8580.164705	30000	0	0	30000	43.375	2004
21.01.2020 13:53:37	1	1	1	1	74.75	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:38	1	1	1	1	74.75	63.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.0625	2004
21.01.2020 13:53:39	1	1	1	1	73.5	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:53:40	1	1	1	1	73.5	63.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.75	2004
21.01.2020 13:53:41	1	1	1	1	73.5	62.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:42	1	1	1	1	73.5	63.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:43	1	1	1	1	73.5	63.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:44	1	1	1	1	73.5	63.25	0	30000	268.8172043	8192.862773	30000	0	0	30000	43	2004
21.01.2020 13:53:45	1	1	1	1	73.5	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.1875	2004
21.01.2020 13:53:46	1	1	1	1	73.5	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:47	1	1	1	1	73.5	63.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.375	2004
21.01.2020 13:53:48	1	1	1	1	73.5	63.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.1875	2004
21.01.2020 13:53:49	1	1	1	1	73.5	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.3125	2004
21.01.2020 13:53:50	1	1	1	1	73.5	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	43	2004
21.01.2020 13:53:51	1	1	1	1	73.5	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.375	2004
21.01.2020 13:53:52	1	1	1	1	73.5	63.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.9375	2004
21.01.2020 13:53:53	1	1	1	1	73.5	62.75	0	30000	268.8172043	7974.342946	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:54	1	1	1	1	73.5	63.25	0	29336.493	251.6129032	7507.134509	30000	0	0	30000	42.875	2004
21.01.2020 13:53:55	1	1	1	1	73.5	62.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.0625	2004
21.01.2020 13:53:56	1	1	1	1	73.5	63	0	30000	264.516129	7999.619493	30000	0	0	30000	43.375	2004
21.01.2020 13:53:58	1	1	1	1	73.5	63.25	0	30000	262.3655914	8089.310467	30000	0	0	30000	43.4375	2004
21.01.2020 13:53:59	1	1	1	1	73.5	63.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.9375	2004
21.01.2020 13:54:00	1	1	1	1	74.25	62.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.8125	2004
21.01.2020 13:54:01	1	1	1	1	74.25	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.375	2004
21.01.2020 13:54:02	1	1	1	1	74.25	63.25	0	29905.213	279.5698925	8438.289892	30000	0	0	30000	43.0625	2004
21.01.2020 13:54:09	1	1	1	1	74.25	63	0	30000	298.9247312	8774.223358	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:09	1	1	1	1	74.25	63	0	30000	298.9247312	8774.223358	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:09	1	1	1	1	74.25	63	0	30000	298.9247312	8774.223358	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:09	1	1	1	1	74.25	63	0	30000	298.9247312	8774.223358	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:09	1	1	1	1	74	63.25	0	29905.213	294.6236559	8824.776452	30000	0	0	30000	43.125	2004
21.01.2020 13:54:10	1	1	1	1	74	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.9375	2004
21.01.2020 13:54:11	1	1	1	1	74	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.3125	2004
21.01.2020 13:54:12	1	1	1	1	74	63.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.375	2004
21.01.2020 13:54:13	1	1	1	1	74	63.25	0	30000	292.4731183	8852.499117	30000	0	0	30000	43.375	2004
21.01.2020 13:54:14	1	1	1	1	74	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:15	1	1	1	1	74	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.4375	2004
21.01.2020 13:54:16	1	1	1	1	74	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.375	2004
21.01.2020 13:54:17	1	1	1	1	74	63.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.375	2004
21.01.2020 13:54:18	1	1	1	1	74	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.25	2004
21.01.2020 13:54:19	1	1	1	1	73.5	63.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.375	2004
21.01.2020 13:54:20	1	1	1	1	73.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.375	2004
21.01.2020 13:54:21	1	1	1	1	73.5	63.25	0	30000	316.1290323	9369.445275	30000	0	0	30000	42.1875	2004
21.01.2020 13:54:22	1	1	1	1	73.5	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.25	2004
21.01.2020 13:54:23	1	1	1	1	73.5	62.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:54:24	1	1	1	1	73.5	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.5625	2004
21.01.2020 13:54:25	1	1	1	1	73.5	63.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004
21.01.2020 13:54:26	1	1	1	1	73.5	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:27	1	1	1	1	73.5	63.25	0	29905.213	298.9247312	9031.881064	30000	0	0	30000	43.25	2004
21.01.2020 13:54:28	1	1	1	1	73.5	63.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 13:54:29	1	1	1	1	73.75	63.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.0625	2004
21.01.2020 13:54:30	1	1	1	1	73.75	63	0	30000	264.516129	7935.205066	30000	0	0	30000	43.3125	2004
21.01.2020 13:54:31	1	1	1	1	73.75	63.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.25	2004
21.01.2020 13:54:32	1	1	1	1	73.75	63.25	0	30047.393	268.8172043	7935.205066	30000	0	0	30000	43.25	2004
21.01.2020 13:54:33	1	1	1	1	73.75	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.0625	2004
21.01.2020 13:54:35	1	1	1	1	73.75	63	0	29905.213	273.1182796	8322.506999	30000	0	0	30000	42.8125	2004
21.01.2020 13:54:36	1	1	1	1	73.75	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 13:54:37	1	1	1	1	73.75	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
21.01.2020 13:54:38	1	1	1	1	73.75	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 13:54:39	1	1	1	1	73.75	63	0	29905.213	296.7741935	8903.052211	30000	0	0	30000	43.25	2004
21.01.2020 13:54:40	1	1	1	1	74.25	63.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.5	2004
21.01.2020 13:54:41	1	1	1	1	74.25	63.5	0	29905.213	275.2688172	8451.335852	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:42	1	1	1	1	74.25	63.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.6875	2004
21.01.2020 13:54:43	1	1	1	1	74.25	63.5	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	43.875	2004
21.01.2020 13:54:44	1	1	1	1	74.25	63.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.25	2004
21.01.2020 13:54:45	1	1	1	1	74.25	63.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.25	2004
21.01.2020 13:54:46	1	1	1	1	74.25	63.25	0	30000	288.172043	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 13:54:47	1	1	1	1	74.25	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.375	2004
21.01.2020 13:54:48	1	1	1	1	74.25	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.9375	2004
21.01.2020 13:54:49	1	1	1	1	74.25	62.75	0	29952.607	288.172043	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 13:54:50	1	1	1	1	74.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.375	2004
21.01.2020 13:54:51	1	1	1	1	74.25	63.25	0	30000	305.3763441	9211.263012	30000	0	0	30000	42.875	2004
21.01.2020 13:54:52	1	1	1	1	74.25	62.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:53	1	1	1	1	74.25	63.25	0	30047.393	311.827957	9354.76857	30000	0	0	30000	43.25	2004
21.01.2020 13:54:54	1	1	1	1	74.25	63.25	0	30000	307.5268817	9354.76857	30000	0	0	30000	43.0625	2004
21.01.2020 13:54:55	1	1	1	1	74.25	63	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.125	2004
21.01.2020 13:54:56	1	1	1	1	74.25	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.1875	2004
21.01.2020 13:54:57	1	1	1	1	74.25	63	0	30000	335.483871	9870.899356	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:58	1	1	1	1	74.25	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.4375	2004
21.01.2020 13:54:59	1	1	1	1	74	63.25	0	30000	369.8924731	10868.09991	30000	0	0	30000	43.125	2004
21.01.2020 13:55:00	1	1	1	1	74	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.25	2004
21.01.2020 13:55:01	1	1	1	1	74	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.25	2004
21.01.2020 13:55:02	1	1	1	1	74	63.25	0	30000	380.6451613	11401.35352	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:03	1	1	1	1	74	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:10	1	1	1	1	74	63.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:10	1	1	1	1	74	63.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:10	1	1	1	1	74	63.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:10	1	1	1	1	74	63.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:55:10	1	1	1	1	74	63.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:10	1	1	1	1	74	63.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:10	1	1	1	1	74	63	0	29952.607	367.7419355	11160.81863	30000	0	0	30000	43.125	2004
21.01.2020 13:55:11	1	1	1	1	74	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:13	1	1	1	1	74	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.125	2004
21.01.2020 13:55:14	1	1	1	1	74	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43	2004
21.01.2020 13:55:15	1	1	1	1	74	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.125	2004
21.01.2020 13:55:16	1	1	1	1	74	63	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.8125	2004
21.01.2020 13:55:17	1	1	1	1	74	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
21.01.2020 13:55:18	1	1	1	1	74	63	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.3125	2004
21.01.2020 13:55:19	1	1	1	1	74	63.25	0	30047.393	387.0967742	11612.53499	30000	0	0	30000	43.25	2004
21.01.2020 13:55:20	1	1	1	1	73.25	63.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	43.75	2004
21.01.2020 13:55:21	1	1	1	1	73.25	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:22	1	1	1	1	73.25	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:23	1	1	1	1	73.25	63.5	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	42.0625	2004
21.01.2020 13:55:24	1	1	1	1	73.25	62	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:25	1	1	1	1	73.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
21.01.2020 13:55:26	1	1	1	1	73.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
21.01.2020 13:55:27	1	1	1	1	73.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
21.01.2020 13:55:28	1	1	1	1	73.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
21.01.2020 13:55:29	1	1	1	1	74.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
21.01.2020 13:55:30	1	1	1	1	74.25	63.25	0	29952.607	369.8924731	11031.98978	30000	0	0	30000	43	2004
21.01.2020 13:55:31	1	1	1	1	74.25	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
21.01.2020 13:55:32	1	1	1	1	74.25	63.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.375	2004
21.01.2020 13:55:33	1	1	1	1	74.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
21.01.2020 13:55:34	1	1	1	1	74.25	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.375	2004
21.01.2020 13:55:35	1	1	1	1	74.25	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.875	2004
21.01.2020 13:55:36	1	1	1	1	74.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
21.01.2020 13:55:37	1	1	1	1	74.25	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.125	2004
21.01.2020 13:55:38	1	1	1	1	74.25	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 13:55:39	1	1	1	1	74.75	63.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	43.375	2004
21.01.2020 13:55:40	1	1	1	1	74.75	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 13:55:41	1	1	1	1	74.75	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.9375	2004
21.01.2020 13:55:42	1	1	1	1	74.75	62.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.25	2004
21.01.2020 13:55:43	1	1	1	1	74.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 13:55:44	1	1	1	1	74.75	63.25	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	43.25	2004
21.01.2020 13:55:45	1	1	1	1	74.75	63.25	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	43.4375	2004
21.01.2020 13:55:46	1	1	1	1	74.75	63.25	0	30000	331.1827957	9839.099829	30000	0	0	30000	42.9375	2004
21.01.2020 13:55:47	1	1	1	1	74.75	62.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
21.01.2020 13:55:48	1	1	1	1	74.75	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.3125	2004
21.01.2020 13:55:49	1	1	1	1	74.75	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.125	2004
21.01.2020 13:55:50	1	1	1	1	74.75	63	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
21.01.2020 13:55:52	1	1	1	1	74.75	62	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:55:53	1	1	1	1	74.75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
21.01.2020 13:55:54	1	1	1	1	74.75	63	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	43.375	2004
21.01.2020 13:55:55	1	1	1	1	74.75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 13:55:56	1	1	1	1	74.75	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
21.01.2020 13:55:57	1	1	1	1	74.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
21.01.2020 13:55:58	1	1	1	1	74.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
21.01.2020 13:55:59	1	1	1	1	74.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.25	2004
21.01.2020 13:56:00	1	1	1	1	74.5	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.625	2004
21.01.2020 13:56:01	1	1	1	1	74.5	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 13:56:02	1	1	1	1	74.5	63	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	43.125	2004
21.01.2020 13:56:03	1	1	1	1	74.5	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.125	2004
21.01.2020 13:56:04	1	1	1	1	74.5	63	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	43.1875	2004
21.01.2020 13:56:05	1	1	1	1	74.5	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.375	2004
21.01.2020 13:56:12	1	1	1	1	75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
21.01.2020 13:56:12	1	1	1	1	75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
21.01.2020 13:56:12	1	1	1	1	75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
21.01.2020 13:56:12	1	1	1	1	75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
21.01.2020 13:56:12	1	1	1	1	75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.5	2004
21.01.2020 13:56:12	1	1	1	1	75	63.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	43	2004
21.01.2020 13:56:13	1	1	1	1	75	63	0	29431.28	341.9354839	10063.32726	30000	0	0	30000	42.3125	2004
21.01.2020 13:56:14	1	1	1	1	75	62.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.3125	2004
21.01.2020 13:56:15	1	1	1	1	75	63.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 13:56:16	1	1	1	1	75	63	0	30000	367.7419355	11096.40421	30000	0	0	30000	43.3125	2004
21.01.2020 13:56:17	1	1	1	1	75	63.25	0	30000	359.1397849	11031.98978	30000	0	0	30000	42.5625	2004
21.01.2020 13:56:18	1	1	1	1	75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
21.01.2020 13:56:19	1	1	1	1	75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004
21.01.2020 13:56:20	1	1	1	1	75	63	0	30000	337.6344086	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 13:56:21	1	1	1	1	75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 13:56:22	1	1	1	1	75	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.1875	2004
21.01.2020 13:56:23	1	1	1	1	75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
21.01.2020 13:56:24	1	1	1	1	75	63	0	29241.706	369.8924731	10896.63795	30000	0	0	30000	42.625	2004
21.01.2020 13:56:25	1	1	1	1	75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 13:56:26	1	1	1	1	75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
21.01.2020 13:56:27	1	1	1	1	75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
21.01.2020 13:56:28	1	1	1	1	75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
21.01.2020 13:56:29	1	1	1	1	75.5	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
21.01.2020 13:56:30	1	1	1	1	75.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.0625	2004
21.01.2020 13:56:32	1	1	1	1	75.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.375	2004
21.01.2020 13:56:33	1	1	1	1	75.5	63.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.8125	2004
21.01.2020 13:56:34	1	1	1	1	75.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
21.01.2020 13:56:35	1	1	1	1	75.5	63	0	30000	363.4408602	10920.28375	30000	0	0	30000	43	2004
21.01.2020 13:56:36	1	1	1	1	75.5	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:56:37	1	1	1	1	75.5	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.1875	2004
21.01.2020 13:56:38	1	1	1	1	75.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 13:56:39	1	1	1	1	75.5	63	0	30000	378.4946237	11336.93909	30000	0	0	30000	43.125	2004
21.01.2020 13:56:40	1	1	1	1	76	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.6875	2004
21.01.2020 13:56:41	1	1	1	1	76	63.5	0	30000	372.0430108	11143.69581	30000	0	0	30000	43.3125	2004
21.01.2020 13:56:42	1	1	1	1	76	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
21.01.2020 13:56:43	1	1	1	1	76	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
21.01.2020 13:56:44	1	1	1	1	76	63	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
21.01.2020 13:56:45	1	1	1	1	76	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.0625	2004
21.01.2020 13:56:46	1	1	1	1	76	63	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 13:56:47	1	1	1	1	76	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.0625	2004
21.01.2020 13:56:48	1	1	1	1	76	63	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.9375	2004
21.01.2020 13:56:49	1	1	1	1	76.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
21.01.2020 13:56:50	1	1	1	1	76.25	63	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.75	2004
21.01.2020 13:56:51	1	1	1	1	76.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
21.01.2020 13:56:52	1	1	1	1	76.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
21.01.2020 13:56:53	1	1	1	1	76.25	63.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	43.25	2004
21.01.2020 13:56:54	1	1	1	1	76.25	63.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.8125	2004
21.01.2020 13:56:55	1	1	1	1	76.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
21.01.2020 13:56:56	1	1	1	1	76.25	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.8125	2004
21.01.2020 13:56:57	1	1	1	1	76.25	62.75	0	30000	369.8924731	10903.16093	30000	0	0	30000	43.25	2004
21.01.2020 13:56:58	1	1	1	1	76.25	63.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.875	2004
21.01.2020 13:56:59	1	1	1	1	76	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
21.01.2020 13:57:00	1	1	1	1	76	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:01	1	1	1	1	76	63	0	30000	378.4946237	11079.28139	30000	0	0	30000	43	2004
21.01.2020 13:57:02	1	1	1	1	76	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
21.01.2020 13:57:03	1	1	1	1	76	62.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	43.375	2004
21.01.2020 13:57:04	1	1	1	1	76	63.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
21.01.2020 13:57:05	1	1	1	1	76	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
21.01.2020 13:57:06	1	1	1	1	76	63	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.125	2004
21.01.2020 13:57:13	1	1	1	1	76.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:13	1	1	1	1	76.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:13	1	1	1	1	76.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:13	1	1	1	1	76.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:13	1	1	1	1	76.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:13	1	1	1	1	76.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:13	1	1	1	1	76.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:14	1	1	1	1	76.75	63	0	30000	363.4408602	10967.57535	30000	0	0	30000	43.125	2004
21.01.2020 13:57:15	1	1	1	1	76.75	63	0	30000	380.6451613	11125.75762	30000	0	0	30000	43.0625	2004
21.01.2020 13:57:16	1	1	1	1	76.75	63	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:17	1	1	1	1	76.75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.6875	2004
21.01.2020 13:57:18	1	1	1	1	76.75	63.5	0	29952.607	335.483871	9839.099829	30000	0	0	30000	43.75	2004
21.01.2020 13:57:19	1	1	1	1	76.75	63.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:20	1	1	1	1	76.75	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:57:21	1	1	1	1	76.75	62.75	0	29952.607	316.1290323	9676.840703	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:22	1	1	1	1	76.75	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.125	2004
21.01.2020 13:57:23	1	1	1	1	76.75	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.0625	2004
21.01.2020 13:57:24	1	1	1	1	76.75	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.8125	2004
21.01.2020 13:57:25	1	1	1	1	76.75	62.75	0	30000	339.7849462	10241.89384	30000	0	0	30000	43.125	2004
21.01.2020 13:57:26	1	1	1	1	76.75	63	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	43.25	2004
21.01.2020 13:57:27	1	1	1	1	76.75	63.25	0	30047.393	356.9892473	10515.85899	30000	0	0	30000	43.375	2004
21.01.2020 13:57:28	1	1	1	1	76.75	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.0625	2004
21.01.2020 13:57:29	1	1	1	1	76.75	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.3125	2004
21.01.2020 13:57:30	1	1	1	1	76.75	63.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.3125	2004
21.01.2020 13:57:31	1	1	1	1	76.75	63.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.6875	2004
21.01.2020 13:57:32	1	1	1	1	76.75	62.5	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	43.0625	2004
21.01.2020 13:57:33	1	1	1	1	76.75	63	0	30000	391.3978495	11676.94942	30000	0	0	30000	43.125	2004
21.01.2020 13:57:34	1	1	1	1	76.75	63	0	28862.559	378.4946237	10924.36061	30000	0	0	30000	43.25	2004
21.01.2020 13:57:35	1	1	1	1	76.75	63.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	43.125	2004
21.01.2020 13:57:36	1	1	1	1	76.75	63	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.3125	2004
21.01.2020 13:57:37	1	1	1	1	76.75	62.25	0	30000	389.2473118	11871.00807	30000	0	0	30000	42.375	2004
21.01.2020 13:57:38	1	1	1	1	76.75	62.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.3125	2004
21.01.2020 13:57:39	1	1	1	1	77	63.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:40	1	1	1	1	77	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
21.01.2020 13:57:41	1	1	1	1	77	63	0	29810.427	415.0537634	12372.46215	30000	0	0	30000	42.875	2004
21.01.2020 13:57:42	1	1	1	1	77	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
21.01.2020 13:57:43	1	1	1	1	77	62.75	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	42.8125	2004
21.01.2020 13:57:44	1	1	1	1	77	62.75	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	42.6875	2004
21.01.2020 13:57:45	1	1	1	1	77	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43	2004
21.01.2020 13:57:46	1	1	1	1	77	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
21.01.2020 13:57:48	1	1	1	1	77	63	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	42.625	2004
21.01.2020 13:57:49	1	1	1	1	77	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
21.01.2020 13:57:50	1	1	1	1	77	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.1875	2004
21.01.2020 13:57:51	1	1	1	1	77	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
21.01.2020 13:57:52	1	1	1	1	77	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
21.01.2020 13:57:53	1	1	1	1	77	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
21.01.2020 13:57:54	1	1	1	1	77	62.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.1875	2004
21.01.2020 13:57:55	1	1	1	1	77	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
21.01.2020 13:57:56	1	1	1	1	77	62.75	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	43.5625	2004
21.01.2020 13:57:57	1	1	1	1	77	63.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.25	2004
21.01.2020 13:57:58	1	1	1	1	77	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
21.01.2020 13:57:59	1	1	1	1	77	63.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
21.01.2020 13:58:00	1	1	1	1	77	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5625	2004
21.01.2020 13:58:01	1	1	1	1	77	62.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.875	2004
21.01.2020 13:58:02	1	1	1	1	77	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
21.01.2020 13:58:03	1	1	1	1	77	63	0	30000	415.0537634	12515.96771	30000	0	0	30000	42.375	2004
21.01.2020 13:58:04	1	1	1	1	77	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:58:05	1	1	1	1	77	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
21.01.2020 13:58:06	1	1	1	1	77	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
21.01.2020 13:58:07	1	1	1	1	77	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
21.01.2020 13:58:08	1	1	1	1	77	63	0	29715.64	440.8602151	13099.77441	30000	0	0	30000	43.1875	2004
21.01.2020 13:58:15	1	1	1	1	76.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
21.01.2020 13:58:15	1	1	1	1	76.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
21.01.2020 13:58:15	1	1	1	1	76.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
21.01.2020 13:58:15	1	1	1	1	76.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
21.01.2020 13:58:15	1	1	1	1	76.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
21.01.2020 13:58:15	1	1	1	1	76.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
21.01.2020 13:58:15	1	1	1	1	76.25	62.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.8125	2004
21.01.2020 13:58:16	1	1	1	1	76.25	62.75	0	30000	438.7096774	13076.12861	30000	0	0	30000	43.0625	2004
21.01.2020 13:58:17	1	1	1	1	76.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
21.01.2020 13:58:18	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
21.01.2020 13:58:19	1	1	1	1	76.75	63.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.0625	2004
21.01.2020 13:58:20	1	1	1	1	76.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
21.01.2020 13:58:21	1	1	1	1	76.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
21.01.2020 13:58:22	1	1	1	1	76.75	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.875	2004
21.01.2020 13:58:23	1	1	1	1	76.75	62.75	0	30000	400	12128.66578	30000	0	0	30000	42.9375	2004
21.01.2020 13:58:24	1	1	1	1	76.75	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
21.01.2020 13:58:25	1	1	1	1	76.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
21.01.2020 13:58:27	1	1	1	1	76.75	63	0	30000	415.0537634	12515.96771	30000	0	0	30000	43.1875	2004
21.01.2020 13:58:28	1	1	1	1	76.75	63	0	30000	421.5053763	12580.38214	30000	0	0	30000	42.5625	2004
21.01.2020 13:58:29	1	1	1	1	76.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
21.01.2020 13:58:30	1	1	1	1	77.25	63	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.625	2004
21.01.2020 13:58:31	1	1	1	1	77.25	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
21.01.2020 13:58:32	1	1	1	1	77.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
21.01.2020 13:58:33	1	1	1	1	77.25	63	0	30000	400	11935.4225	30000	0	0	30000	42.8125	2004
21.01.2020 13:58:34	1	1	1	1	77.25	62.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	43.4375	2004
21.01.2020 13:58:35	1	1	1	1	77.25	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.0625	2004
21.01.2020 13:58:36	1	1	1	1	77.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.75	2004
21.01.2020 13:58:37	1	1	1	1	77.25	63.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.625	2004
21.01.2020 13:58:38	1	1	1	1	77.25	62.5	0	30000	382.7956989	11483.70614	30000	0	0	30000	43.1875	2004
21.01.2020 13:58:39	1	1	1	1	77.75	63.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.1875	2004
21.01.2020 13:58:40	1	1	1	1	77.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
21.01.2020 13:58:41	1	1	1	1	77.75	63	0	30000	391.3978495	11676.94942	30000	0	0	30000	43.125	2004
21.01.2020 13:58:42	1	1	1	1	77.75	63	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 13:58:43	1	1	1	1	77.75	63.25	0	29905.213	395.6989247	12064.25135	30000	0	0	30000	43.0625	2004
21.01.2020 13:58:44	1	1	1	1	77.75	63	0	30000	400	11999.83693	30000	0	0	30000	42.75	2004
21.01.2020 13:58:45	1	1	1	1	77.75	62.75	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
21.01.2020 13:58:46	1	1	1	1	77.75	62.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.6875	2004
21.01.2020 13:58:47	1	1	1	1	77.75	62.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43	2004
21.01.2020 13:58:48	1	1	1	1	77.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:58:49	1	1	1	1	77.75	63	0	30000	400	12128.66578	30000	0	0	30000	43.125	2004
21.01.2020 13:58:50	1	1	1	1	77.75	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.875	2004
21.01.2020 13:58:51	1	1	1	1	77.75	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.1875	2004
21.01.2020 13:58:52	1	1	1	1	77.75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
21.01.2020 13:58:53	1	1	1	1	77.75	63.25	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	43.125	2004
21.01.2020 13:58:54	1	1	1	1	77.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
21.01.2020 13:58:55	1	1	1	1	77.75	62.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	42.875	2004
21.01.2020 13:58:56	1	1	1	1	77.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
21.01.2020 13:58:57	1	1	1	1	77.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
21.01.2020 13:58:58	1	1	1	1	77.75	63.25	0	30000	406.4516129	12193.08021	30000	0	0	30000	43.25	2004
21.01.2020 13:58:59	1	1	1	1	77.75	63.25	0	29905.213	382.7956989	11530.18237	30000	0	0	30000	42.9375	2004
21.01.2020 13:59:00	1	1	1	1	77.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:01	1	1	1	1	77.75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.125	2004
21.01.2020 13:59:02	1	1	1	1	77.75	63	0	30000	423.655914	12709.21099	30000	0	0	30000	43.25	2004
21.01.2020 13:59:03	1	1	1	1	77.75	63.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.25	2004
21.01.2020 13:59:05	1	1	1	1	77.75	62.25	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.5	2004
21.01.2020 13:59:06	1	1	1	1	77.75	62.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:08	1	1	1	1	77.75	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
21.01.2020 13:59:08	1	1	1	1	77.75	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
21.01.2020 13:59:09	1	1	1	1	77.75	62.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
21.01.2020 13:59:10	1	1	1	1	78	63.25	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	43.1875	2004
21.01.2020 13:59:17	1	1	1	1	78	63.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	43.25	2004
21.01.2020 13:59:17	1	1	1	1	78	63.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	43.25	2004
21.01.2020 13:59:17	1	1	1	1	78	63.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	43.25	2004
21.01.2020 13:59:17	1	1	1	1	78	63.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	43.25	2004
21.01.2020 13:59:17	1	1	1	1	78	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:17	1	1	1	1	78	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:18	1	1	1	1	78	63.25	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	43.0625	2004
21.01.2020 13:59:19	1	1	1	1	78	63	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.1875	2004
21.01.2020 13:59:20	1	1	1	1	78	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
21.01.2020 13:59:21	1	1	1	1	78	63.25	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	43.25	2004
21.01.2020 13:59:22	1	1	1	1	78	63.25	0	25260.664	324.7311828	8202.647243	30000	0	0	30000	43.1875	2004
21.01.2020 13:59:23	1	1	1	1	78	63	0	30000	350.5376344	10532.16644	30000	0	0	30000	42.875	2004
21.01.2020 13:59:24	1	1	1	1	78	62.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.1875	2004
21.01.2020 13:59:25	1	1	1	1	78	63	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
21.01.2020 13:59:26	1	1	1	1	78	63	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.8125	2004
21.01.2020 13:59:27	1	1	1	1	78	62.75	0	30047.393	367.7419355	10903.16093	30000	0	0	30000	43.25	2004
21.01.2020 13:59:28	1	1	1	1	78	63.25	0	30000	352.688172	10644.68785	30000	0	0	30000	43.0625	2004
21.01.2020 13:59:29	1	1	1	1	78.25	63	0	30000	365.5913978	10967.57535	30000	0	0	30000	43.1875	2004
21.01.2020 13:59:30	1	1	1	1	78.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
21.01.2020 13:59:31	1	1	1	1	78.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
21.01.2020 13:59:32	1	1	1	1	78.25	63.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 13:59:33	1	1	1	1	78.25	63.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.75	2004
21.01.2020 13:59:34	1	1	1	1	78.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 13:59:35	1	1	1	1	78.25	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
21.01.2020 13:59:36	1	1	1	1	78.25	63.25	0	30047.393	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
21.01.2020 13:59:37	1	1	1	1	78.25	62.75	0	30000	363.4408602	10757.20925	30000	0	0	30000	42.75	2004
21.01.2020 13:59:38	1	1	1	1	78.25	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:39	1	1	1	1	78.25	63.25	0	29715.64	311.827957	9329.492023	30000	0	0	30000	43.375	2004
21.01.2020 13:59:40	1	1	1	1	78.25	63.25	0	29952.607	348.3870968	10451.44457	30000	0	0	30000	42.9375	2004
21.01.2020 13:59:41	1	1	1	1	78.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.1875	2004
21.01.2020 13:59:43	1	1	1	1	78.25	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:44	1	1	1	1	78.25	63.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:45	1	1	1	1	78.25	63.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.25	2004
21.01.2020 13:59:46	1	1	1	1	78.25	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
21.01.2020 13:59:47	1	1	1	1	78.25	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:48	1	1	1	1	78.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 13:59:49	1	1	1	1	78.25	62.75	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:50	1	1	1	1	78.25	63.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:51	1	1	1	1	78.25	63.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.625	2004
21.01.2020 13:59:52	1	1	1	1	78.25	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
21.01.2020 13:59:53	1	1	1	1	78.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:54	1	1	1	1	78.25	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:55	1	1	1	1	78.25	63.25	0	30000	341.9354839	10451.44457	30000	0	0	30000	43.4375	2004
21.01.2020 13:59:56	1	1	1	1	78.25	63.25	0	29715.64	326.8817204	9713.532465	30000	0	0	30000	43.3125	2004
21.01.2020 13:59:57	1	1	1	1	78.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
21.01.2020 13:59:58	1	1	1	1	78.25	63	0	30000	335.483871	10064.14264	30000	0	0	30000	42.75	2004
21.01.2020 13:59:59	1	1	1	1	78.5	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:00:00	1	1	1	1	78.5	63	0	29952.607	316.1290323	9453.428641	30000	0	0	30000	43.125	2004
21.01.2020 14:00:01	1	1	1	1	78.5	63	0	30000	333.3333333	9984.236132	30000	0	0	30000	43.1875	2004
21.01.2020 14:00:02	1	1	1	1	78.5	63	0	30000	350.5376344	10370.72269	30000	0	0	30000	43.4375	2004
21.01.2020 14:00:03	1	1	1	1	78.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
21.01.2020 14:00:04	1	1	1	1	78.5	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
21.01.2020 14:00:05	1	1	1	1	78.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
21.01.2020 14:00:06	1	1	1	1	78.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
21.01.2020 14:00:07	1	1	1	1	78.5	62.75	0	30000	346.2365591	10370.72269	30000	0	0	30000	43.25	2004
21.01.2020 14:00:08	1	1	1	1	78.5	63.25	0	30000	333.3333333	9870.899356	30000	0	0	30000	43.3125	2004
21.01.2020 14:00:09	1	1	1	1	78.5	63.25	0	29952.607	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:00:10	1	1	1	1	78.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
21.01.2020 14:00:11	1	1	1	1	78.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.25	2004
21.01.2020 14:00:19	1	1	1	1	78.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.875	2004
21.01.2020 14:00:19	1	1	1	1	78.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.875	2004
21.01.2020 14:00:19	1	1	1	1	78.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.875	2004
21.01.2020 14:00:19	1	1	1	1	78.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.875	2004
21.01.2020 14:00:19	1	1	1	1	78.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:00:19	1	1	1	1	78.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.875	2004
21.01.2020 14:00:19	1	1	1	1	78.5	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.875	2004
21.01.2020 14:00:19	1	1	1	1	78.75	62.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	43.375	2004
21.01.2020 14:00:20	1	1	1	1	78.75	63.25	0	29952.607	296.7741935	8824.776452	30000	0	0	30000	43.125	2004
21.01.2020 14:00:21	1	1	1	1	78.75	63	0	29952.607	313.9784946	9354.76857	30000	0	0	30000	42.5	2004
21.01.2020 14:00:23	1	1	1	1	78.75	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.0625	2004
21.01.2020 14:00:24	1	1	1	1	78.75	63	0	30000	309.6774194	9096.295491	30000	0	0	30000	43.25	2004
21.01.2020 14:00:25	1	1	1	1	78.75	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.4375	2004
21.01.2020 14:00:26	1	1	1	1	78.75	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.1875	2004
21.01.2020 14:00:27	1	1	1	1	78.75	63	0	29952.607	298.9247312	8953.605305	30000	0	0	30000	43	2004
21.01.2020 14:00:28	1	1	1	1	78.75	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
21.01.2020 14:00:29	1	1	1	1	78.75	63.25	0	29905.213	290.3225806	8682.086266	30000	0	0	30000	42.25	2004
21.01.2020 14:00:30	1	1	1	1	79	62.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.375	2004
21.01.2020 14:00:31	1	1	1	1	79	63.25	0	29905.213	286.0215054	8695.947599	30000	0	0	30000	43.3125	2004
21.01.2020 14:00:32	1	1	1	1	79	63.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.125	2004
21.01.2020 14:00:33	1	1	1	1	79	63	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.5625	2004
21.01.2020 14:00:34	1	1	1	1	79	63.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.3125	2004
21.01.2020 14:00:35	1	1	1	1	79	63.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.3125	2004
21.01.2020 14:00:36	1	1	1	1	79	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
21.01.2020 14:00:37	1	1	1	1	79	62.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	43	2004
21.01.2020 14:00:38	1	1	1	1	79	63	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.9375	2004
21.01.2020 14:00:39	1	1	1	1	78.5	62.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.3125	2004
21.01.2020 14:00:40	1	1	1	1	78.5	63.25	0	30000	270.9677419	8192.862773	30000	0	0	30000	43.0625	2004
21.01.2020 14:00:41	1	1	1	1	78.5	63	0	30000	281.7204301	8438.289892	30000	0	0	30000	43.25	2004
21.01.2020 14:00:42	1	1	1	1	78.5	63.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.3125	2004
21.01.2020 14:00:43	1	1	1	1	78.5	63.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.3125	2004
21.01.2020 14:00:44	1	1	1	1	78.5	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.375	2004
21.01.2020 14:00:45	1	1	1	1	78.5	63.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.5	2004
21.01.2020 14:00:46	1	1	1	1	78.5	63.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.375	2004
21.01.2020 14:00:47	1	1	1	1	78.5	63.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.375	2004
21.01.2020 14:00:48	1	1	1	1	78.5	63.25	0	30000	288.172043	8580.164705	30000	0	0	30000	43.1875	2004
21.01.2020 14:00:49	1	1	1	1	78.5	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:00:50	1	1	1	1	78.5	63	0	30000	286.0215054	8708.993559	30000	0	0	30000	43.4375	2004
21.01.2020 14:00:51	1	1	1	1	78.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.375	2004
21.01.2020 14:00:52	1	1	1	1	78.5	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	43.375	2004
21.01.2020 14:00:53	1	1	1	1	78.5	63.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	43.375	2004
21.01.2020 14:00:54	1	1	1	1	78.5	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.3125	2004
21.01.2020 14:00:55	1	1	1	1	78.5	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.0625	2004
21.01.2020 14:00:56	1	1	1	1	78.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.5	2004
21.01.2020 14:00:57	1	1	1	1	78.5	63.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.125	2004
21.01.2020 14:00:58	1	1	1	1	78.5	63	0	30000	288.172043	8708.993559	30000	0	0	30000	43.375	2004
21.01.2020 14:00:59	1	1	1	1	78	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.1875	2004
21.01.2020 14:01:00	1	1	1	1	78	63	0	30000	281.7204301	8386.921425	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:01:02	1	1	1	1	78	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.5	2004
21.01.2020 14:01:03	1	1	1	1	78	63.5	0	29952.607	288.172043	8644.579132	30000	0	0	30000	43.4375	2004
21.01.2020 14:01:04	1	1	1	1	78	63.25	0	30000	288.172043	8580.164705	30000	0	0	30000	43.25	2004
21.01.2020 14:01:05	1	1	1	1	78	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.375	2004
21.01.2020 14:01:06	1	1	1	1	78	63.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.3125	2004
21.01.2020 14:01:07	1	1	1	1	78	63.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:01:08	1	1	1	1	78	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.25	2004
21.01.2020 14:01:09	1	1	1	1	78	63.25	0	30000	296.7741935	9031.881064	30000	0	0	30000	43.25	2004
21.01.2020 14:01:10	1	1	1	1	77.75	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.125	2004
21.01.2020 14:01:11	1	1	1	1	77.75	63	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.5	2004
21.01.2020 14:01:12	1	1	1	1	77.75	63.5	0	30000	286.0215054	8502.704319	30000	0	0	30000	43.5625	2004
21.01.2020 14:01:13	1	1	1	1	77.75	63.5	0	29905.213	275.2688172	8295.599706	30000	0	0	30000	43.8125	2004
21.01.2020 14:01:20	1	1	1	1	78	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.25	2004
21.01.2020 14:01:20	1	1	1	1	78	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.25	2004
21.01.2020 14:01:20	1	1	1	1	78	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.25	2004
21.01.2020 14:01:20	1	1	1	1	78	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.25	2004
21.01.2020 14:01:20	1	1	1	1	78	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.25	2004
21.01.2020 14:01:20	1	1	1	1	78	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.25	2004
21.01.2020 14:01:20	1	1	1	1	78	63.25	0	29905.213	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
21.01.2020 14:01:21	1	1	1	1	78	62.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	43	2004
21.01.2020 14:01:22	1	1	1	1	78	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
21.01.2020 14:01:23	1	1	1	1	78	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.375	2004
21.01.2020 14:01:24	1	1	1	1	78	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.375	2004
21.01.2020 14:01:25	1	1	1	1	78	63.25	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43	2004
21.01.2020 14:01:26	1	1	1	1	78	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.25	2004
21.01.2020 14:01:27	1	1	1	1	78	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.25	2004
21.01.2020 14:01:28	1	1	1	1	78	63.25	0	29620.853	339.7849462	10096.75754	30000	0	0	30000	43.3125	2004
21.01.2020 14:01:29	1	1	1	1	77.5	63.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 14:01:30	1	1	1	1	77.5	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.875	2004
21.01.2020 14:01:31	1	1	1	1	77.5	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	43.3125	2004
21.01.2020 14:01:32	1	1	1	1	77.5	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
21.01.2020 14:01:33	1	1	1	1	77.5	63	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.125	2004
21.01.2020 14:01:34	1	1	1	1	77.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
21.01.2020 14:01:35	1	1	1	1	77.5	63.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.3125	2004
21.01.2020 14:01:36	1	1	1	1	77.5	63.25	0	30047.393	337.6344086	10128.55706	30000	0	0	30000	43.25	2004
21.01.2020 14:01:37	1	1	1	1	77.5	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
21.01.2020 14:01:38	1	1	1	1	77.5	63	0	29952.607	352.688172	10644.68785	30000	0	0	30000	42.8125	2004
21.01.2020 14:01:39	1	1	1	1	77.5	62.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.3125	2004
21.01.2020 14:01:40	1	1	1	1	77.5	63.25	0	30000	361.2903226	10740.08643	30000	0	0	30000	43.25	2004
21.01.2020 14:01:42	1	1	1	1	77.5	63.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	42.6875	2004
21.01.2020 14:01:43	1	1	1	1	77.5	62.5	0	30047.393	352.688172	10597.39624	30000	0	0	30000	43.375	2004
21.01.2020 14:01:44	1	1	1	1	77.5	63.25	0	30094.787	346.2365591	10192.97149	30000	0	0	30000	43.25	2004
21.01.2020 14:01:45	1	1	1	1	77.5	63.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:01:46	1	1	1	1	77.5	63.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.875	2004
21.01.2020 14:01:47	1	1	1	1	77.5	62.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.25	2004
21.01.2020 14:01:48	1	1	1	1	77.5	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.9375	2004
21.01.2020 14:01:49	1	1	1	1	77.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
21.01.2020 14:01:50	1	1	1	1	77.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.75	2004
21.01.2020 14:01:51	1	1	1	1	77.25	63.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 14:01:52	1	1	1	1	77.25	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.6875	2004
21.01.2020 14:01:53	1	1	1	1	77.25	63.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.6875	2004
21.01.2020 14:01:54	1	1	1	1	77.25	62.5	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	43.1875	2004
21.01.2020 14:01:55	1	1	1	1	77.25	63	0	30000	391.3978495	11676.94942	30000	0	0	30000	43.375	2004
21.01.2020 14:01:56	1	1	1	1	77.25	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 14:01:57	1	1	1	1	77.25	63.25	0	30000	372.0430108	11096.40421	30000	0	0	30000	43.3125	2004
21.01.2020 14:01:58	1	1	1	1	77.25	63.25	0	30047.393	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
21.01.2020 14:01:59	1	1	1	1	76.75	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.8125	2004
21.01.2020 14:02:00	1	1	1	1	76.75	62.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.25	2004
21.01.2020 14:02:01	1	1	1	1	76.75	63.25	0	30047.393	387.0967742	11612.53499	30000	0	0	30000	43.1875	2004
21.01.2020 14:02:02	1	1	1	1	76.75	63	0	30000	389.2473118	11659.01122	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:03	1	1	1	1	76.75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
21.01.2020 14:02:04	1	1	1	1	76.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
21.01.2020 14:02:05	1	1	1	1	76.75	63	0	29952.607	412.9032258	12025.92885	30000	0	0	30000	42.625	2004
21.01.2020 14:02:06	1	1	1	1	76.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 14:02:07	1	1	1	1	76.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 14:02:08	1	1	1	1	76.75	63.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.6875	2004
21.01.2020 14:02:09	1	1	1	1	77	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:10	1	1	1	1	77	63.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	43	2004
21.01.2020 14:02:11	1	1	1	1	77	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.4375	2004
21.01.2020 14:02:12	1	1	1	1	77	63.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:13	1	1	1	1	77	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.125	2004
21.01.2020 14:02:14	1	1	1	1	77	63	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	43.375	2004
21.01.2020 14:02:21	1	1	1	1	77.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:21	1	1	1	1	77.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:21	1	1	1	1	77.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:21	1	1	1	1	77.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:21	1	1	1	1	77.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:21	1	1	1	1	77.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:21	1	1	1	1	77.25	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:22	1	1	1	1	77.25	63.25	0	30000	296.7741935	9031.881064	30000	0	0	30000	43.125	2004
21.01.2020 14:02:23	1	1	1	1	77.25	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:24	1	1	1	1	77.25	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.25	2004
21.01.2020 14:02:25	1	1	1	1	77.25	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.25	2004
21.01.2020 14:02:26	1	1	1	1	77.25	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
21.01.2020 14:02:27	1	1	1	1	77.25	62.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:02:28	1	1	1	1	77.25	63	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	43.25	2004
21.01.2020 14:02:29	1	1	1	1	77.25	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:02:30	1	1	1	1	77	63.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.0625	2004
21.01.2020 14:02:31	1	1	1	1	77	63	0	30000	255.9139785	7676.731987	30000	0	0	30000	43.1875	2004
21.01.2020 14:02:32	1	1	1	1	77	63.25	0	30000	249.4623656	7483.488707	30000	0	0	30000	43	2004
21.01.2020 14:02:33	1	1	1	1	77	63	0	30000	243.0107527	7290.245427	30000	0	0	30000	43.1875	2004
21.01.2020 14:02:34	1	1	1	1	77	63	0	30000	243.0107527	7290.245427	30000	0	0	30000	43.1875	2004
21.01.2020 14:02:35	1	1	1	1	77	63	0	30000	240.8602151	7225.831	30000	0	0	30000	43.1875	2004
21.01.2020 14:02:36	1	1	1	1	77	63	0	30000	245.1612903	7354.659854	30000	0	0	30000	43.1875	2004
21.01.2020 14:02:37	1	1	1	1	77	63	0	30000	247.311828	7225.831	30000	0	0	30000	43.0625	2004
21.01.2020 14:02:38	1	1	1	1	77	63	0	30000	240.8602151	7160.601201	30000	0	0	30000	43.375	2004
21.01.2020 14:02:39	1	1	1	1	77	63.25	0	30000	230.1075269	6838.529068	30000	0	0	30000	42.875	2004
21.01.2020 14:02:40	1	1	1	1	77	62.75	0	30000	223.655914	6774.114641	30000	0	0	30000	43.125	2004
21.01.2020 14:02:41	1	1	1	1	77	63	0	29952.607	234.4086022	7225.831	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:42	1	1	1	1	77	63.25	0	30000	236.5591398	7096.186775	30000	0	0	30000	42.9375	2004
21.01.2020 14:02:43	1	1	1	1	77	62.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	43.3125	2004
21.01.2020 14:02:44	1	1	1	1	77	63.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.25	2004
21.01.2020 14:02:45	1	1	1	1	77	63.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.0625	2004
21.01.2020 14:02:46	1	1	1	1	77	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43	2004
21.01.2020 14:02:47	1	1	1	1	77	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 14:02:48	1	1	1	1	77	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.25	2004
21.01.2020 14:02:49	1	1	1	1	77.25	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.0625	2004
21.01.2020 14:02:50	1	1	1	1	77.25	63	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.125	2004
21.01.2020 14:02:51	1	1	1	1	77.25	63	0	30000	290.3225806	8567.118745	30000	0	0	30000	42.875	2004
21.01.2020 14:02:52	1	1	1	1	77.25	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
21.01.2020 14:02:53	1	1	1	1	77.25	63.25	0	29905.213	292.4731183	9096.295491	30000	0	0	30000	43.25	2004
21.01.2020 14:02:54	1	1	1	1	77.25	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
21.01.2020 14:02:56	1	1	1	1	77.25	63	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
21.01.2020 14:02:57	1	1	1	1	77.25	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.0625	2004
21.01.2020 14:02:58	1	1	1	1	77.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.125	2004
21.01.2020 14:02:59	1	1	1	1	77.25	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.0625	2004
21.01.2020 14:03:00	1	1	1	1	76.75	63	0	30094.787	333.3333333	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:03:01	1	1	1	1	76.75	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.625	2004
21.01.2020 14:03:02	1	1	1	1	76.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
21.01.2020 14:03:03	1	1	1	1	76.75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.75	2004
21.01.2020 14:03:04	1	1	1	1	76.75	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.4375	2004
21.01.2020 14:03:05	1	1	1	1	76.75	63.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
21.01.2020 14:03:06	1	1	1	1	76.75	63.25	0	30000	369.8924731	11354.87729	30000	0	0	30000	43.25	2004
21.01.2020 14:03:07	1	1	1	1	76.75	63.25	0	29905.213	378.4946237	11125.75762	30000	0	0	30000	43.4375	2004
21.01.2020 14:03:08	1	1	1	1	76.75	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.6875	2004
21.01.2020 14:03:09	1	1	1	1	76.75	63.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
21.01.2020 14:03:10	1	1	1	1	76.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.4375	2004
21.01.2020 14:03:11	1	1	1	1	76.75	62	0	30000	412.9032258	12451.55328	30000	0	0	30000	43.5	2004
21.01.2020 14:03:12	1	1	1	1	76.75	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
21.01.2020 14:03:13	1	1	1	1	76.75	63	0	29905.213	417.2043011	12580.38214	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:03:14	1	1	1	1	76.75	63.25	0	30047.393	434.4086022	12838.03984	30000	0	0	30000	43.1875	2004
21.01.2020 14:03:15	1	1	1	1	76.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.25	2004
21.01.2020 14:03:16	1	1	1	1	76.75	63.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.5625	2004
21.01.2020 14:03:23	1	1	1	1	76.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
21.01.2020 14:03:23	1	1	1	1	76.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
21.01.2020 14:03:23	1	1	1	1	76.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
21.01.2020 14:03:23	1	1	1	1	76.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
21.01.2020 14:03:23	1	1	1	1	76.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
21.01.2020 14:03:23	1	1	1	1	76.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
21.01.2020 14:03:23	1	1	1	1	76.5	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.3125	2004
21.01.2020 14:03:24	1	1	1	1	76.5	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
21.01.2020 14:03:25	1	1	1	1	76.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:03:26	1	1	1	1	76.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 14:03:27	1	1	1	1	76.5	62.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	43.3125	2004
21.01.2020 14:03:28	1	1	1	1	76.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 14:03:29	1	1	1	1	76.25	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.625	2004
21.01.2020 14:03:30	1	1	1	1	76.25	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.25	2004
21.01.2020 14:03:31	1	1	1	1	76.25	63.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.1875	2004
21.01.2020 14:03:32	1	1	1	1	76.25	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.6875	2004
21.01.2020 14:03:33	1	1	1	1	76.25	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
21.01.2020 14:03:35	1	1	1	1	76.25	62.5	0	29952.607	337.6344086	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:03:36	1	1	1	1	76.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.375	2004
21.01.2020 14:03:37	1	1	1	1	76.25	63.25	0	29952.607	311.827957	9419.182997	30000	0	0	30000	43.0625	2004
21.01.2020 14:03:38	1	1	1	1	76.25	63	0	29905.213	303.2258065	8938.928601	30000	0	0	30000	43.25	2004
21.01.2020 14:03:39	1	1	1	1	76.25	63.25	0	30000	298.9247312	8903.052211	30000	0	0	30000	43.1875	2004
21.01.2020 14:03:40	1	1	1	1	76	63	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
21.01.2020 14:03:41	1	1	1	1	76	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 14:03:42	1	1	1	1	76	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
21.01.2020 14:03:43	1	1	1	1	76	63.25	0	30000	337.6344086	10113.06499	30000	0	0	30000	43.4375	2004
21.01.2020 14:03:44	1	1	1	1	76	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
21.01.2020 14:03:45	1	1	1	1	76	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.3125	2004
21.01.2020 14:03:46	1	1	1	1	76	63.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	42.9375	2004
21.01.2020 14:03:47	1	1	1	1	76	62.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.75	2004
21.01.2020 14:03:48	1	1	1	1	76	63.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
21.01.2020 14:03:49	1	1	1	1	76.25	63	0	30047.393	350.5376344	10192.97149	30000	0	0	30000	43.0625	2004
21.01.2020 14:03:50	1	1	1	1	76.25	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 14:03:51	1	1	1	1	76.25	62.75	0	30047.393	369.8924731	11031.98978	30000	0	0	30000	43.3125	2004
21.01.2020 14:03:52	1	1	1	1	76.25	63.25	0	30000	397.8494624	11640.25766	30000	0	0	30000	43.0625	2004
21.01.2020 14:03:53	1	1	1	1	76.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.1875	2004
21.01.2020 14:03:54	1	1	1	1	76.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
21.01.2020 14:03:55	1	1	1	1	76.25	62.75	0	30047.393	406.4516129	12193.08021	30000	0	0	30000	43.375	2004
21.01.2020 14:03:56	1	1	1	1	76.25	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.8125	2004
21.01.2020 14:03:57	1	1	1	1	76.25	62.75	0	29526.066	378.4946237	11193.43353	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:03:58	1	1	1	1	76.25	63	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.125	2004
21.01.2020 14:03:59	1	1	1	1	75.75	63	0	30000	445.1612903	13333.78632	30000	0	0	30000	42.875	2004
21.01.2020 14:04:00	1	1	1	1	75.75	62.75	0	29905.213	415.0537634	12411.60003	30000	0	0	30000	42.6875	2004
21.01.2020 14:04:01	1	1	1	1	75.75	62.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	43.125	2004
21.01.2020 14:04:02	1	1	1	1	75.75	63	0	29952.607	458.0645161	13805.88699	30000	0	0	30000	43.4375	2004
21.01.2020 14:04:03	1	1	1	1	75.75	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
21.01.2020 14:04:04	1	1	1	1	75.75	62.75	0	29952.607	453.7634409	13999.94564	30000	0	0	30000	43.0625	2004
21.01.2020 14:04:05	1	1	1	1	75.75	63	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:06	1	1	1	1	75.75	63.25	0	29857.82	481.7204301	14061.91395	30000	0	0	30000	42.625	2004
21.01.2020 14:04:07	1	1	1	1	75.75	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.9375	2004
21.01.2020 14:04:08	1	1	1	1	75.75	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.25	2004
21.01.2020 14:04:09	1	1	1	1	75.5	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
21.01.2020 14:04:10	1	1	1	1	75.5	62.75	0	29905.213	464.516129	14128.7745	30000	0	0	30000	43.0625	2004
21.01.2020 14:04:11	1	1	1	1	75.5	63	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	42.875	2004
21.01.2020 14:04:13	1	1	1	1	75.5	62.75	0	30000	481.7204301	13999.94564	30000	0	0	30000	43.0625	2004
21.01.2020 14:04:14	1	1	1	1	75.5	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.875	2004
21.01.2020 14:04:15	1	1	1	1	75.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 14:04:16	1	1	1	1	75.5	63.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.9375	2004
21.01.2020 14:04:17	1	1	1	1	75.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:04:18	1	1	1	1	75.5	63.25	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	43.25	2004
21.01.2020 14:04:25	1	1	1	1	75.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:25	1	1	1	1	75.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:25	1	1	1	1	75.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:25	1	1	1	1	75.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:25	1	1	1	1	75.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:25	1	1	1	1	75.5	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:25	1	1	1	1	75.5	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.5625	2004
21.01.2020 14:04:26	1	1	1	1	75.5	63.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:27	1	1	1	1	75.5	63.25	0	29905.213	294.6236559	8889.190879	30000	0	0	30000	43.4375	2004
21.01.2020 14:04:28	1	1	1	1	75.5	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.125	2004
21.01.2020 14:04:29	1	1	1	1	75.75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:30	1	1	1	1	75.75	63.25	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	42.6875	2004
21.01.2020 14:04:31	1	1	1	1	75.75	62.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.6875	2004
21.01.2020 14:04:32	1	1	1	1	75.75	62.5	0	29952.607	292.4731183	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 14:04:33	1	1	1	1	75.75	63	0	29952.607	292.4731183	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:34	1	1	1	1	75.75	63.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 14:04:35	1	1	1	1	75.75	63	0	29952.607	341.9354839	10225.58639	30000	0	0	30000	43.375	2004
21.01.2020 14:04:36	1	1	1	1	75.75	63.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	43.1875	2004
21.01.2020 14:04:37	1	1	1	1	75.75	63	0	30000	369.8924731	11031.98978	30000	0	0	30000	43.0625	2004
21.01.2020 14:04:38	1	1	1	1	75.75	63	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43.125	2004
21.01.2020 14:04:39	1	1	1	1	75.5	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
21.01.2020 14:04:40	1	1	1	1	75.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
21.01.2020 14:04:41	1	1	1	1	75.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:04:42	1	1	1	1	75.5	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
21.01.2020 14:04:43	1	1	1	1	75.5	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
21.01.2020 14:04:44	1	1	1	1	75.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
21.01.2020 14:04:45	1	1	1	1	75.5	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.25	2004
21.01.2020 14:04:46	1	1	1	1	75.5	63.25	0	30000	400	11935.4225	30000	0	0	30000	42.8125	2004
21.01.2020 14:04:47	1	1	1	1	75.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
21.01.2020 14:04:48	1	1	1	1	75.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
21.01.2020 14:04:49	1	1	1	1	75.25	62.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	43.1875	2004
21.01.2020 14:04:51	1	1	1	1	75.25	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 14:04:52	1	1	1	1	75.25	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.0625	2004
21.01.2020 14:04:53	1	1	1	1	75.25	63	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.9375	2004
21.01.2020 14:04:54	1	1	1	1	75.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
21.01.2020 14:04:55	1	1	1	1	75.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.1875	2004
21.01.2020 14:04:56	1	1	1	1	75.25	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.125	2004
21.01.2020 14:04:57	1	1	1	1	75.25	63	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
21.01.2020 14:04:58	1	1	1	1	75.25	63	0	29952.607	415.0537634	12515.96771	30000	0	0	30000	43.25	2004
21.01.2020 14:04:59	1	1	1	1	75.25	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
21.01.2020 14:05:00	1	1	1	1	75	62.75	0	29952.607	395.6989247	11723.42565	30000	0	0	30000	43.125	2004
21.01.2020 14:05:01	1	1	1	1	75	63	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:02	1	1	1	1	75	63	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.125	2004
21.01.2020 14:05:03	1	1	1	1	75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.5625	2004
21.01.2020 14:05:04	1	1	1	1	75	63.5	0	29715.64	384.9462366	11438.86065	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:05	1	1	1	1	75	62.75	0	29668.246	329.0322581	9761.639442	30000	0	0	30000	43	2004
21.01.2020 14:05:06	1	1	1	1	75	63	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.9375	2004
21.01.2020 14:05:07	1	1	1	1	75	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.25	2004
21.01.2020 14:05:08	1	1	1	1	75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
21.01.2020 14:05:09	1	1	1	1	74.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.8125	2004
21.01.2020 14:05:10	1	1	1	1	74.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.3125	2004
21.01.2020 14:05:11	1	1	1	1	74.75	63.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.3125	2004
21.01.2020 14:05:12	1	1	1	1	74.75	63.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	43.4375	2004
21.01.2020 14:05:13	1	1	1	1	74.75	63.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.375	2004
21.01.2020 14:05:14	1	1	1	1	74.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
21.01.2020 14:05:15	1	1	1	1	74.75	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.25	2004
21.01.2020 14:05:16	1	1	1	1	74.75	63.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.25	2004
21.01.2020 14:05:17	1	1	1	1	74.75	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.5	2004
21.01.2020 14:05:18	1	1	1	1	74.75	63.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:19	1	1	1	1	73.75	63	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.0625	2004
21.01.2020 14:05:26	1	1	1	1	73.75	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:26	1	1	1	1	73.75	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:26	1	1	1	1	73.75	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:26	1	1	1	1	73.75	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:26	1	1	1	1	73.75	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:26	1	1	1	1	73.75	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:05:26	1	1	1	1	73.75	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.3125	2004
21.01.2020 14:05:27	1	1	1	1	73.75	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.25	2004
21.01.2020 14:05:28	1	1	1	1	73.75	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
21.01.2020 14:05:29	1	1	1	1	73.5	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.75	2004
21.01.2020 14:05:31	1	1	1	1	73.5	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.4375	2004
21.01.2020 14:05:32	1	1	1	1	73.5	63.25	0	28862.559	292.4731183	8378.7677	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:33	1	1	1	1	73.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.625	2004
21.01.2020 14:05:34	1	1	1	1	73.5	63.5	0	30047.393	311.827957	9160.709918	30000	0	0	30000	42.9375	2004
21.01.2020 14:05:35	1	1	1	1	73.5	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.3125	2004
21.01.2020 14:05:36	1	1	1	1	73.5	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.3125	2004
21.01.2020 14:05:37	1	1	1	1	73.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:05:38	1	1	1	1	73.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:05:39	1	1	1	1	73.5	63.25	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
21.01.2020 14:05:40	1	1	1	1	74.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
21.01.2020 14:05:41	1	1	1	1	74.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
21.01.2020 14:05:42	1	1	1	1	74.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.75	2004
21.01.2020 14:05:43	1	1	1	1	74.25	63.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.75	2004
21.01.2020 14:05:44	1	1	1	1	74.25	63.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:45	1	1	1	1	74.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.75	2004
21.01.2020 14:05:46	1	1	1	1	74.25	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:47	1	1	1	1	74.25	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.9375	2004
21.01.2020 14:05:48	1	1	1	1	74.25	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:49	1	1	1	1	74.25	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.375	2004
21.01.2020 14:05:50	1	1	1	1	74.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
21.01.2020 14:05:51	1	1	1	1	74.25	63.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:52	1	1	1	1	74.25	63	0	30047.393	389.2473118	11676.94942	30000	0	0	30000	43.1875	2004
21.01.2020 14:05:53	1	1	1	1	74.25	63	0	30000	412.9032258	12426.27674	30000	0	0	30000	43.0625	2004
21.01.2020 14:05:54	1	1	1	1	74.25	63	0	30000	400	12128.66578	30000	0	0	30000	43.5	2004
21.01.2020 14:05:55	1	1	1	1	74.25	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
21.01.2020 14:05:56	1	1	1	1	74.25	63.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.875	2004
21.01.2020 14:05:57	1	1	1	1	74.25	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.375	2004
21.01.2020 14:05:58	1	1	1	1	74.25	63.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	43.3125	2004
21.01.2020 14:05:59	1	1	1	1	74.5	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:00	1	1	1	1	74.5	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
21.01.2020 14:06:01	1	1	1	1	74.5	63	0	28625.592	397.8494624	11464.1372	30000	0	0	30000	43.125	2004
21.01.2020 14:06:02	1	1	1	1	74.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
21.01.2020 14:06:03	1	1	1	1	74.5	63.25	0	29905.213	412.9032258	12128.66578	30000	0	0	30000	43.25	2004
21.01.2020 14:06:04	1	1	1	1	74.5	63.25	0	30000	415.0537634	12348.00098	30000	0	0	30000	43.375	2004
21.01.2020 14:06:05	1	1	1	1	74.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.1875	2004
21.01.2020 14:06:06	1	1	1	1	74.5	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:07	1	1	1	1	74.5	63.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.0625	2004
21.01.2020 14:06:08	1	1	1	1	74.5	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	43.125	2004
21.01.2020 14:06:10	1	1	1	1	74.25	63	0	30000	458.0645161	13741.47256	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:06:11	1	1	1	1	74.25	63	0	29905.213	434.4086022	13160.92735	30000	0	0	30000	43.25	2004
21.01.2020 14:06:12	1	1	1	1	74.25	63.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	42.9375	2004
21.01.2020 14:06:13	1	1	1	1	74.25	62.75	0	30000	417.2043011	12814.39404	30000	0	0	30000	43.375	2004
21.01.2020 14:06:14	1	1	1	1	74.25	63.25	0	30000	400	11999.83693	30000	0	0	30000	42.5	2004
21.01.2020 14:06:15	1	1	1	1	74.25	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
21.01.2020 14:06:16	1	1	1	1	74.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.9375	2004
21.01.2020 14:06:17	1	1	1	1	74.25	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:18	1	1	1	1	74.25	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
21.01.2020 14:06:19	1	1	1	1	74.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.25	2004
21.01.2020 14:06:20	1	1	1	1	74.5	63.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	42.75	2004
21.01.2020 14:06:21	1	1	1	1	74.5	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:28	1	1	1	1	74.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:06:28	1	1	1	1	74.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:06:28	1	1	1	1	74.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:06:28	1	1	1	1	74.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:06:28	1	1	1	1	74.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:06:28	1	1	1	1	74.5	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
21.01.2020 14:06:28	1	1	1	1	74.5	63.25	0	29952.607	320.4301075	9533.335145	30000	0	0	30000	43.125	2004
21.01.2020 14:06:29	1	1	1	1	74.25	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.8125	2004
21.01.2020 14:06:30	1	1	1	1	74.25	62.75	0	30000	303.2258065	8953.605305	30000	0	0	30000	43.5	2004
21.01.2020 14:06:31	1	1	1	1	74.25	63.5	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	43.375	2004
21.01.2020 14:06:32	1	1	1	1	74.25	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:33	1	1	1	1	74.25	63.25	0	30000	311.827957	9340.091865	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:34	1	1	1	1	74.25	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.1875	2004
21.01.2020 14:06:35	1	1	1	1	74.25	63	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.125	2004
21.01.2020 14:06:36	1	1	1	1	74.25	63	0	30000	322.5806452	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:06:37	1	1	1	1	74.25	63.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	43.375	2004
21.01.2020 14:06:38	1	1	1	1	74.25	63.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
21.01.2020 14:06:39	1	1	1	1	74.25	63	0	30000	324.7311828	9676.840703	30000	0	0	30000	43.125	2004
21.01.2020 14:06:40	1	1	1	1	74.25	63	0	29146.919	326.8817204	9464.843856	30000	0	0	30000	43.375	2004
21.01.2020 14:06:41	1	1	1	1	74.25	63.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.1875	2004
21.01.2020 14:06:42	1	1	1	1	74.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
21.01.2020 14:06:43	1	1	1	1	74.25	63	0	29905.213	326.8817204	9790.992852	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:44	1	1	1	1	74.25	63.25	0	29905.213	311.827957	9389.014215	30000	0	0	30000	42.875	2004
21.01.2020 14:06:45	1	1	1	1	74.25	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	43.0625	2004
21.01.2020 14:06:46	1	1	1	1	74.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.4375	2004
21.01.2020 14:06:47	1	1	1	1	74.25	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
21.01.2020 14:06:49	1	1	1	1	74.25	63	0	30000	335.483871	9999.728209	30000	0	0	30000	43.125	2004
21.01.2020 14:06:50	1	1	1	1	74.25	63	0	30000	322.5806452	9548.01185	30000	0	0	30000	42.8125	2004
21.01.2020 14:06:51	1	1	1	1	74.25	62.75	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:52	1	1	1	1	74.25	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
21.01.2020 14:06:53	1	1	1	1	74.25	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:54	1	1	1	1	74.25	63.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:06:55	1	1	1	1	74.25	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.375	2004
21.01.2020 14:06:56	1	1	1	1	74.25	63.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.4375	2004
21.01.2020 14:06:57	1	1	1	1	74.25	63.25	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:06:58	1	1	1	1	74.25	63.25	0	29952.607	281.7204301	8424.42856	30000	0	0	30000	43.0625	2004
21.01.2020 14:06:59	1	1	1	1	74.25	63	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	43	2004
21.01.2020 14:07:00	1	1	1	1	74.5	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 14:07:01	1	1	1	1	74.5	63	0	29905.213	288.172043	8644.579132	30000	0	0	30000	43.75	2004
21.01.2020 14:07:02	1	1	1	1	74.5	63.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.6875	2004
21.01.2020 14:07:03	1	1	1	1	74.5	63.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 14:07:04	1	1	1	1	74.5	63.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.375	2004
21.01.2020 14:07:05	1	1	1	1	74.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:06	1	1	1	1	74.5	63.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.8125	2004
21.01.2020 14:07:07	1	1	1	1	74.5	62.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:08	1	1	1	1	74.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:09	1	1	1	1	74.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
21.01.2020 14:07:10	1	1	1	1	74.25	63	0	30000	329.0322581	9855.407279	30000	0	0	30000	43.4375	2004
21.01.2020 14:07:11	1	1	1	1	74.25	63.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.375	2004
21.01.2020 14:07:12	1	1	1	1	74.25	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.125	2004
21.01.2020 14:07:13	1	1	1	1	74.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
21.01.2020 14:07:14	1	1	1	1	74.25	63	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:07:15	1	1	1	1	74.25	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
21.01.2020 14:07:16	1	1	1	1	74.25	63	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.125	2004
21.01.2020 14:07:17	1	1	1	1	74.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
21.01.2020 14:07:18	1	1	1	1	74.25	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:19	1	1	1	1	74.25	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
21.01.2020 14:07:20	1	1	1	1	74.25	63.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.4375	2004
21.01.2020 14:07:21	1	1	1	1	74.25	63.25	0	29952.607	288.172043	8708.993559	30000	0	0	30000	43.375	2004
21.01.2020 14:07:22	1	1	1	1	74.25	63.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.125	2004
21.01.2020 14:07:30	1	1	1	1	74.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:30	1	1	1	1	74.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:30	1	1	1	1	74.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:30	1	1	1	1	74.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:30	1	1	1	1	74.5	63.25	0	29952.607	288.172043	8708.993559	30000	0	0	30000	43.5	2004
21.01.2020 14:07:31	1	1	1	1	74.5	63.5	0	30000	294.6236559	8774.223358	30000	0	0	30000	42.8125	2004
21.01.2020 14:07:32	1	1	1	1	74.5	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
21.01.2020 14:07:33	1	1	1	1	74.5	63.25	0	30000	286.0215054	8515.750279	30000	0	0	30000	43.375	2004
21.01.2020 14:07:34	1	1	1	1	74.5	63.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.1875	2004
21.01.2020 14:07:35	1	1	1	1	74.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43	2004
21.01.2020 14:07:36	1	1	1	1	74.5	63	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.1875	2004
21.01.2020 14:07:37	1	1	1	1	74.5	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.0625	2004
21.01.2020 14:07:38	1	1	1	1	74.5	63	0	30000	275.2688172	8322.506999	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:07:39	1	1	1	1	74.5	63	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.8125	2004
21.01.2020 14:07:40	1	1	1	1	74.5	63.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.5	2004
21.01.2020 14:07:41	1	1	1	1	74.5	63.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.5	2004
21.01.2020 14:07:42	1	1	1	1	74.5	63.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.375	2004
21.01.2020 14:07:43	1	1	1	1	74.5	63	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.125	2004
21.01.2020 14:07:44	1	1	1	1	74.5	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:45	1	1	1	1	74.5	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
21.01.2020 14:07:46	1	1	1	1	74.5	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.5625	2004
21.01.2020 14:07:47	1	1	1	1	74.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:48	1	1	1	1	74.5	63.25	0	30000	286.0215054	8515.750279	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:49	1	1	1	1	74.75	63.25	0	29905.213	301.0752688	8953.605305	30000	0	0	30000	43.25	2004
21.01.2020 14:07:50	1	1	1	1	74.75	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.375	2004
21.01.2020 14:07:51	1	1	1	1	74.75	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.3125	2004
21.01.2020 14:07:52	1	1	1	1	74.75	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43	2004
21.01.2020 14:07:53	1	1	1	1	74.75	63	0	29952.607	290.3225806	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:07:54	1	1	1	1	74.75	63	0	30000	288.172043	8644.579132	30000	0	0	30000	43.125	2004
21.01.2020 14:07:55	1	1	1	1	74.75	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.25	2004
21.01.2020 14:07:56	1	1	1	1	74.75	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	43.0625	2004
21.01.2020 14:07:57	1	1	1	1	74.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.4375	2004
21.01.2020 14:07:58	1	1	1	1	74.75	63.25	0	29905.213	320.4301075	9612.426277	30000	0	0	30000	43.4375	2004
21.01.2020 14:07:59	1	1	1	1	74.5	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:00	1	1	1	1	74.5	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43	2004
21.01.2020 14:08:01	1	1	1	1	74.5	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43	2004
21.01.2020 14:08:02	1	1	1	1	74.5	63	0	30000	337.6344086	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 14:08:03	1	1	1	1	74.5	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.4375	2004
21.01.2020 14:08:05	1	1	1	1	74.5	63.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 14:08:06	1	1	1	1	74.5	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
21.01.2020 14:08:07	1	1	1	1	74.5	63.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:08	1	1	1	1	74.5	63.25	0	29952.607	378.4946237	11125.75762	30000	0	0	30000	43.1875	2004
21.01.2020 14:08:09	1	1	1	1	74.5	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.875	2004
21.01.2020 14:08:10	1	1	1	1	74.25	62.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.75	2004
21.01.2020 14:08:11	1	1	1	1	74.25	62.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:12	1	1	1	1	74.25	63.25	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:13	1	1	1	1	74.25	63.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.1875	2004
21.01.2020 14:08:14	1	1	1	1	74.25	63	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:15	1	1	1	1	74.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:16	1	1	1	1	74.25	63.25	0	29952.607	335.483871	10128.55706	30000	0	0	30000	42.8125	2004
21.01.2020 14:08:17	1	1	1	1	74.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:18	1	1	1	1	74.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
21.01.2020 14:08:19	1	1	1	1	74.25	63.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.625	2004
21.01.2020 14:08:20	1	1	1	1	74.5	63.5	0	30000	316.1290323	9419.182997	30000	0	0	30000	42.6875	2004
21.01.2020 14:08:21	1	1	1	1	74.5	63.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.375	2004
21.01.2020 14:08:22	1	1	1	1	74.5	63.25	0	29952.607	318.2795699	9741.25513	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:08:23	1	1	1	1	74.5	63	0	30000	324.7311828	9676.840703	30000	0	0	30000	42.75	2004
21.01.2020 14:08:24	1	1	1	1	74.5	62.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:31	1	1	1	1	74.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
21.01.2020 14:08:31	1	1	1	1	74.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
21.01.2020 14:08:31	1	1	1	1	74.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
21.01.2020 14:08:31	1	1	1	1	74.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
21.01.2020 14:08:31	1	1	1	1	74.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
21.01.2020 14:08:31	1	1	1	1	74.25	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
21.01.2020 14:08:31	1	1	1	1	74.25	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.4375	2004
21.01.2020 14:08:32	1	1	1	1	74.25	63.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.1875	2004
21.01.2020 14:08:33	1	1	1	1	74.25	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.25	2004
21.01.2020 14:08:34	1	1	1	1	74.25	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.5625	2004
21.01.2020 14:08:35	1	1	1	1	74.25	63.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.8125	2004
21.01.2020 14:08:36	1	1	1	1	74.25	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.375	2004
21.01.2020 14:08:37	1	1	1	1	74.25	63.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.125	2004
21.01.2020 14:08:38	1	1	1	1	74.25	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.4375	2004
21.01.2020 14:08:39	1	1	1	1	74.25	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.75	2004
21.01.2020 14:08:40	1	1	1	1	74.25	62.75	0	29905.213	322.5806452	9870.899356	30000	0	0	30000	43.375	2004
21.01.2020 14:08:42	1	1	1	1	74.25	63.25	0	29952.607	305.3763441	9146.848585	30000	0	0	30000	42.375	2004
21.01.2020 14:08:43	1	1	1	1	74.25	62.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.4375	2004
21.01.2020 14:08:44	1	1	1	1	74.25	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
21.01.2020 14:08:45	1	1	1	1	74.25	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.375	2004
21.01.2020 14:08:46	1	1	1	1	74.25	63.25	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.25	2004
21.01.2020 14:08:47	1	1	1	1	74.25	63.25	0	30000	324.7311828	9726.578425	30000	0	0	30000	43.375	2004
21.01.2020 14:08:48	1	1	1	1	74.25	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.25	2004
21.01.2020 14:08:49	1	1	1	1	74.25	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.1875	2004
21.01.2020 14:08:50	1	1	1	1	73.5	63	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 14:08:51	1	1	1	1	73.5	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:52	1	1	1	1	73.5	63.25	0	30000	335.483871	9999.728209	30000	0	0	30000	43.4375	2004
21.01.2020 14:08:53	1	1	1	1	73.5	63.25	0	30000	320.4301075	9692.332781	30000	0	0	30000	43.3125	2004
21.01.2020 14:08:54	1	1	1	1	73.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004
21.01.2020 14:08:55	1	1	1	1	73.5	63	0	30000	346.2365591	10192.97149	30000	0	0	30000	43	2004
21.01.2020 14:08:56	1	1	1	1	73.5	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
21.01.2020 14:08:57	1	1	1	1	73.5	63.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.375	2004
21.01.2020 14:08:58	1	1	1	1	73.5	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 14:08:59	1	1	1	1	73.5	63.25	0	30000	318.2795699	9741.25513	30000	0	0	30000	43.1875	2004
21.01.2020 14:09:00	1	1	1	1	73.5	63	0	30000	335.483871	9999.728209	30000	0	0	30000	43.1875	2004
21.01.2020 14:09:01	1	1	1	1	73.5	63	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	42.9375	2004
21.01.2020 14:09:02	1	1	1	1	73.5	62.75	0	30000	350.5376344	10257.38592	30000	0	0	30000	43.5	2004
21.01.2020 14:09:03	1	1	1	1	73.5	63.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.125	2004
21.01.2020 14:09:04	1	1	1	1	73.5	63	0	30000	322.5806452	9806.484929	30000	0	0	30000	43	2004
21.01.2020 14:09:05	1	1	1	1	73.5	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.0625	2004
21.01.2020 14:09:06	1	1	1	1	73.5	63	0	29905.213	329.0322581	9935.313783	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:09:07	1	1	1	1	73.5	63	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.125	2004
21.01.2020 14:09:08	1	1	1	1	73.5	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.5625	2004
21.01.2020 14:09:09	1	1	1	1	73.25	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 14:09:10	1	1	1	1	73.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
21.01.2020 14:09:11	1	1	1	1	73.25	63	0	30000	350.5376344	10387.03014	30000	0	0	30000	42.8125	2004
21.01.2020 14:09:12	1	1	1	1	73.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.375	2004
21.01.2020 14:09:13	1	1	1	1	73.25	63.25	0	30000	333.3333333	9870.899356	30000	0	0	30000	43	2004
21.01.2020 14:09:14	1	1	1	1	73.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
21.01.2020 14:09:15	1	1	1	1	73.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.125	2004
21.01.2020 14:09:16	1	1	1	1	73.25	63	0	29952.607	311.827957	9612.426277	30000	0	0	30000	43	2004
21.01.2020 14:09:17	1	1	1	1	73.25	63	0	29905.213	288.172043	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 14:09:18	1	1	1	1	73.25	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.375	2004
21.01.2020 14:09:19	1	1	1	1	73.75	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.375	2004
21.01.2020 14:09:21	1	1	1	1	73.75	63.25	0	30000	288.172043	8580.164705	30000	0	0	30000	43.3125	2004
21.01.2020 14:09:22	1	1	1	1	73.75	63.25	0	30047.393	298.9247312	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:09:23	1	1	1	1	73.75	63.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.3125	2004
21.01.2020 14:09:24	1	1	1	1	73.75	63.25	0	30000	262.3655914	7717.500612	30000	0	0	30000	43.1875	2004
21.01.2020 14:09:25	1	1	1	1	73.75	63	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	43.4375	2004
21.01.2020 14:09:26	1	1	1	1	73.75	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.375	2004
21.01.2020 14:09:33	1	1	1	1	74	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.25	2004
21.01.2020 14:09:33	1	1	1	1	74	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.25	2004
21.01.2020 14:09:33	1	1	1	1	74	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.25	2004
21.01.2020 14:09:33	1	1	1	1	74	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.25	2004
21.01.2020 14:09:33	1	1	1	1	74	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.25	2004
21.01.2020 14:09:33	1	1	1	1	74	63.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.0625	2004
21.01.2020 14:09:34	1	1	1	1	74	63	0	30000	249.4623656	7547.903134	30000	0	0	30000	43.1875	2004
21.01.2020 14:09:35	1	1	1	1	74	63	0	30000	247.311828	7419.07428	30000	0	0	30000	43.1875	2004
21.01.2020 14:09:36	1	1	1	1	74	63	0	30000	260.2150538	7717.500612	30000	0	0	30000	43.75	2004
21.01.2020 14:09:37	1	1	1	1	74	63.75	0	30000	283.8709677	8502.704319	30000	0	0	30000	43.875	2004
21.01.2020 14:09:38	1	1	1	1	74	63.75	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	43.375	2004
21.01.2020 14:09:39	1	1	1	1	74	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.375	2004
21.01.2020 14:09:40	1	1	1	1	74	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.375	2004
21.01.2020 14:09:41	1	1	1	1	74	63.25	0	29952.607	318.2795699	9548.01185	30000	0	0	30000	43.0625	2004
21.01.2020 14:09:42	1	1	1	1	74	63	0	30000	329.0322581	9999.728209	30000	0	0	30000	43.375	2004
21.01.2020 14:09:43	1	1	1	1	74	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.3125	2004
21.01.2020 14:09:44	1	1	1	1	74	63.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.375	2004
21.01.2020 14:09:45	1	1	1	1	74	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43	2004
21.01.2020 14:09:46	1	1	1	1	74	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	43	2004
21.01.2020 14:09:47	1	1	1	1	74	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.1875	2004
21.01.2020 14:09:48	1	1	1	1	74	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
21.01.2020 14:09:49	1	1	1	1	74	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
21.01.2020 14:09:50	1	1	1	1	74	62.75	0	30000	344.0860215	10128.55706	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:09:51	1	1	1	1	74	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.8125	2004
21.01.2020 14:09:52	1	1	1	1	74	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.9375	2004
21.01.2020 14:09:53	1	1	1	1	74	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.375	2004
21.01.2020 14:09:54	1	1	1	1	74	63.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.25	2004
21.01.2020 14:09:55	1	1	1	1	74	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:09:56	1	1	1	1	74	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
21.01.2020 14:09:57	1	1	1	1	74	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.3125	2004
21.01.2020 14:09:58	1	1	1	1	74	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.0625	2004
21.01.2020 14:09:59	1	1	1	1	73.75	63	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	43.375	2004
21.01.2020 14:10:01	1	1	1	1	73.75	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.375	2004
21.01.2020 14:10:02	1	1	1	1	73.75	63.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
21.01.2020 14:10:03	1	1	1	1	73.75	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
21.01.2020 14:10:04	1	1	1	1	73.75	63.25	0	30000	335.483871	10128.55706	30000	0	0	30000	43	2004
21.01.2020 14:10:05	1	1	1	1	73.75	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.375	2004
21.01.2020 14:10:06	1	1	1	1	73.75	63.25	0	30000	333.3333333	9935.313783	30000	0	0	30000	43.125	2004
21.01.2020 14:10:07	1	1	1	1	73.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
21.01.2020 14:10:08	1	1	1	1	73.75	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.25	2004
21.01.2020 14:10:09	1	1	1	1	73.75	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.375	2004
21.01.2020 14:10:10	1	1	1	1	73.75	63.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	43	2004
21.01.2020 14:10:11	1	1	1	1	73.75	63	0	29905.213	313.9784946	9597.749572	30000	0	0	30000	43.375	2004
21.01.2020 14:10:12	1	1	1	1	73.75	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.125	2004
21.01.2020 14:10:13	1	1	1	1	73.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.375	2004
21.01.2020 14:10:14	1	1	1	1	73.75	63.25	0	30000	352.688172	10580.27342	30000	0	0	30000	43.625	2004
21.01.2020 14:10:15	1	1	1	1	73.75	63.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.1875	2004
21.01.2020 14:10:16	1	1	1	1	73.75	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.875	2004
21.01.2020 14:10:17	1	1	1	1	73.75	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
21.01.2020 14:10:18	1	1	1	1	73.75	63.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.125	2004
21.01.2020 14:10:19	1	1	1	1	74	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.25	2004
21.01.2020 14:10:20	1	1	1	1	74	63.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.3125	2004
21.01.2020 14:10:21	1	1	1	1	74	63.25	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	41.8125	2004
21.01.2020 14:10:22	1	1	1	1	74	61.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.25	2004
21.01.2020 14:10:23	1	1	1	1	74	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.1875	2004
21.01.2020 14:10:24	1	1	1	1	74	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.4375	2004
21.01.2020 14:10:25	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.25	2004
21.01.2020 14:10:26	1	1	1	1	74	63.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 14:10:27	1	1	1	1	74	63.25	0	29952.607	288.172043	8708.993559	30000	0	0	30000	42.5	2004
21.01.2020 14:10:34	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
21.01.2020 14:10:34	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
21.01.2020 14:10:34	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
21.01.2020 14:10:34	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
21.01.2020 14:10:34	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
21.01.2020 14:10:34	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
21.01.2020 14:10:34	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
21.01.2020 14:10:34	1	1	1	1	74	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:10:37	1	1	1	1	74	63.25	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.875	2004
21.01.2020 14:10:37	1	1	1	1	74	63.25	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.875	2004
21.01.2020 14:10:37	1	1	1	1	74	62.75	0	29905.213	324.7311828	9806.484929	30000	0	0	30000	42.4375	2004
21.01.2020 14:10:38	1	1	1	1	74	62.25	0	29952.607	318.2795699	9483.597423	30000	0	0	30000	43.4375	2004
21.01.2020 14:10:40	1	1	1	1	74	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.3125	2004
21.01.2020 14:10:41	1	1	1	1	74	63.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.5	2004
21.01.2020 14:10:42	1	1	1	1	74	63.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.25	2004
21.01.2020 14:10:43	1	1	1	1	74	63.25	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	42.9375	2004
21.01.2020 14:10:44	1	1	1	1	74	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.5625	2004
21.01.2020 14:10:45	1	1	1	1	74	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.3125	2004
21.01.2020 14:10:46	1	1	1	1	74	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.1875	2004
21.01.2020 14:10:47	1	1	1	1	74	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 14:10:48	1	1	1	1	74	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:10:49	1	1	1	1	74	63.25	0	30000	305.3763441	8938.928601	30000	0	0	30000	43.1875	2004
21.01.2020 14:10:50	1	1	1	1	74.25	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.4375	2004
21.01.2020 14:10:51	1	1	1	1	74.25	63.25	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.9375	2004
21.01.2020 14:10:52	1	1	1	1	74.25	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.25	2004
21.01.2020 14:10:53	1	1	1	1	74.25	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	43.1875	2004
21.01.2020 14:10:54	1	1	1	1	74.25	63	0	29952.607	309.6774194	9275.677439	30000	0	0	30000	43.4375	2004
21.01.2020 14:10:55	1	1	1	1	74.25	63.25	0	29668.246	294.6236559	8740.793086	30000	0	0	30000	43.5625	2004
21.01.2020 14:10:56	1	1	1	1	74.25	63.5	0	29905.213	303.2258065	9096.295491	30000	0	0	30000	43.6875	2004
21.01.2020 14:10:57	1	1	1	1	74.25	63.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.6875	2004
21.01.2020 14:10:58	1	1	1	1	74.25	63.5	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:10:59	1	1	1	1	74.25	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.375	2004
21.01.2020 14:11:00	1	1	1	1	74.25	63.25	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.375	2004
21.01.2020 14:11:01	1	1	1	1	74.25	63.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.125	2004
21.01.2020 14:11:02	1	1	1	1	74.25	63	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.5	2004
21.01.2020 14:11:03	1	1	1	1	74.25	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
21.01.2020 14:11:04	1	1	1	1	74.25	63.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.125	2004
21.01.2020 14:11:05	1	1	1	1	74.25	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.9375	2004
21.01.2020 14:11:06	1	1	1	1	74.25	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.25	2004
21.01.2020 14:11:07	1	1	1	1	74.25	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.625	2004
21.01.2020 14:11:08	1	1	1	1	74.25	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.125	2004
21.01.2020 14:11:09	1	1	1	1	73.5	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	43	2004
21.01.2020 14:11:10	1	1	1	1	73.5	63	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.3125	2004
21.01.2020 14:11:11	1	1	1	1	73.5	62.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.5625	2004
21.01.2020 14:11:12	1	1	1	1	73.5	62.5	0	30000	352.688172	10644.68785	30000	0	0	30000	42.8125	2004
21.01.2020 14:11:13	1	1	1	1	73.5	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
21.01.2020 14:11:14	1	1	1	1	73.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
21.01.2020 14:11:15	1	1	1	1	73.5	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43	2004
21.01.2020 14:11:17	1	1	1	1	73.5	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.9375	2004
21.01.2020 14:11:18	1	1	1	1	73.5	62.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
21.01.2020 14:11:19	1	1	1	1	73.5	62.5	0	30000	305.3763441	9354.76857	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:11:20	1	1	1	1	73.5	63	0	30000	316.1290323	9756.747207	30000	0	0	30000	42.9375	2004
21.01.2020 14:11:21	1	1	1	1	73.5	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.125	2004
21.01.2020 14:11:22	1	1	1	1	73.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.1875	2004
21.01.2020 14:11:23	1	1	1	1	73.5	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5	2004
21.01.2020 14:11:24	1	1	1	1	73.5	62.5	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	43.25	2004
21.01.2020 14:11:25	1	1	1	1	73.5	63.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.375	2004
21.01.2020 14:11:26	1	1	1	1	73.5	63.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.125	2004
21.01.2020 14:11:27	1	1	1	1	73.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.3125	2004
21.01.2020 14:11:28	1	1	1	1	73.5	63.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.375	2004
21.01.2020 14:11:29	1	1	1	1	73.5	63.25	0	30000	281.7204301	8309.461039	30000	0	0	30000	43.0625	2004
21.01.2020 14:11:36	1	1	1	1	74	63.25	0	30000	326.8817204	9711.086348	30000	0	0	30000	43.3125	2004
21.01.2020 14:11:36	1	1	1	1	74	63.25	0	30000	326.8817204	9711.086348	30000	0	0	30000	43.3125	2004
21.01.2020 14:11:36	1	1	1	1	74	63.25	0	30000	326.8817204	9711.086348	30000	0	0	30000	43.3125	2004
21.01.2020 14:11:36	1	1	1	1	74	63.25	0	30000	326.8817204	9711.086348	30000	0	0	30000	43.3125	2004
21.01.2020 14:11:36	1	1	1	1	74	63.25	0	30000	326.8817204	9711.086348	30000	0	0	30000	43.3125	2004
21.01.2020 14:11:36	1	1	1	1	74	63.25	0	30000	318.2795699	9404.506292	30000	0	0	30000	43.75	2004
21.01.2020 14:11:37	1	1	1	1	74	63.25	0	29715.64	316.1290323	9521.104558	30000	0	0	30000	43.3125	2004
21.01.2020 14:11:38	1	1	1	1	74	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004
21.01.2020 14:11:39	1	1	1	1	74.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.875	2004
21.01.2020 14:11:40	1	1	1	1	74.25	62.75	0	30047.393	344.0860215	10257.38592	30000	0	0	30000	43.3125	2004
21.01.2020 14:11:41	1	1	1	1	74.25	63.25	0	30047.393	339.7849462	10128.55706	30000	0	0	30000	43.25	2004
21.01.2020 14:11:42	1	1	1	1	74.25	63.25	0	30000	333.3333333	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:11:43	1	1	1	1	74.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:11:44	1	1	1	1	74.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.375	2004
21.01.2020 14:11:45	1	1	1	1	74.25	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.6875	2004
21.01.2020 14:11:46	1	1	1	1	74.25	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:11:47	1	1	1	1	74.25	63.25	0	29952.607	333.3333333	10192.97149	30000	0	0	30000	43	2004
21.01.2020 14:11:48	1	1	1	1	74.25	63	0	29146.919	350.5376344	10216.61729	30000	0	0	30000	43.25	2004
21.01.2020 14:11:49	1	1	1	1	73.75	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.75	2004
21.01.2020 14:11:50	1	1	1	1	73.75	62.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 14:11:51	1	1	1	1	73.75	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.375	2004
21.01.2020 14:11:52	1	1	1	1	73.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
21.01.2020 14:11:53	1	1	1	1	73.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
21.01.2020 14:11:54	1	1	1	1	73.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.1875	2004
21.01.2020 14:11:56	1	1	1	1	73.75	63	0	29952.607	359.1397849	10740.08643	30000	0	0	30000	43	2004
21.01.2020 14:11:57	1	1	1	1	73.75	63	0	30000	400	12064.25135	30000	0	0	30000	43	2004
21.01.2020 14:11:58	1	1	1	1	73.75	63	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	43.375	2004
21.01.2020 14:11:59	1	1	1	1	73.75	63.25	0	29668.246	352.688172	10671.59514	30000	0	0	30000	42.75	2004
21.01.2020 14:12:00	1	1	1	1	73.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
21.01.2020 14:12:01	1	1	1	1	73.5	62.75	0	30000	365.5913978	11096.40421	30000	0	0	30000	42.875	2004
21.01.2020 14:12:02	1	1	1	1	73.5	62.75	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.6875	2004
21.01.2020 14:12:03	1	1	1	1	73.5	62.5	0	30000	380.6451613	11401.35352	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:12:04	1	1	1	1	73.5	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.375	2004
21.01.2020 14:12:05	1	1	1	1	73.5	63.25	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
21.01.2020 14:12:06	1	1	1	1	73.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
21.01.2020 14:12:07	1	1	1	1	73.5	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.375	2004
21.01.2020 14:12:08	1	1	1	1	73.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
21.01.2020 14:12:09	1	1	1	1	73.5	62.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.375	2004
21.01.2020 14:12:10	1	1	1	1	73.5	63.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	43	2004
21.01.2020 14:12:11	1	1	1	1	73.5	63	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.8125	2004
21.01.2020 14:12:12	1	1	1	1	73.5	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.0625	2004
21.01.2020 14:12:13	1	1	1	1	73.5	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.6875	2004
21.01.2020 14:12:14	1	1	1	1	73.5	63.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
21.01.2020 14:12:15	1	1	1	1	73.5	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
21.01.2020 14:12:16	1	1	1	1	73.5	63	0	30000	384.9462366	11566.05876	30000	0	0	30000	43.3125	2004
21.01.2020 14:12:17	1	1	1	1	73.5	63.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	43.25	2004
21.01.2020 14:12:18	1	1	1	1	73.5	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.375	2004
21.01.2020 14:12:19	1	1	1	1	74.25	63.25	0	30000	369.8924731	11014.86696	30000	0	0	30000	43.0625	2004
21.01.2020 14:12:20	1	1	1	1	74.25	63	0	30000	352.688172	10644.68785	30000	0	0	30000	43.125	2004
21.01.2020 14:12:21	1	1	1	1	74.25	63	0	29952.607	354.8387097	10628.3804	30000	0	0	30000	43	2004
21.01.2020 14:12:22	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
21.01.2020 14:12:23	1	1	1	1	74.25	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
21.01.2020 14:12:24	1	1	1	1	74.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.4375	2004
21.01.2020 14:12:25	1	1	1	1	74.25	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.4375	2004
21.01.2020 14:12:26	1	1	1	1	74.25	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:12:27	1	1	1	1	74.25	63.25	0	30000	331.1827957	9919.821705	30000	0	0	30000	43.0625	2004
21.01.2020 14:12:28	1	1	1	1	74.25	63	0	30000	348.3870968	10709.10227	30000	0	0	30000	42.875	2004
21.01.2020 14:12:29	1	1	1	1	74.5	62.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	43.25	2004
21.01.2020 14:12:30	1	1	1	1	74.5	63.25	0	29526.066	354.8387097	10459.59829	30000	0	0	30000	43.1875	2004
21.01.2020 14:12:38	1	1	1	1	74.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:12:38	1	1	1	1	74.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:12:38	1	1	1	1	74.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:12:38	1	1	1	1	74.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:12:38	1	1	1	1	74.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:12:38	1	1	1	1	74.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:12:38	1	1	1	1	74.5	62.25	0	30000	344.0860215	10241.89384	30000	0	0	30000	42.25	2004
21.01.2020 14:12:39	1	1	1	1	74.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.375	2004
21.01.2020 14:12:40	1	1	1	1	73.75	63.25	0	30000	350.5376344	10499.55155	30000	0	0	30000	42.5	2004
21.01.2020 14:12:41	1	1	1	1	73.75	62.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 14:12:42	1	1	1	1	73.75	63	0	30000	352.688172	10515.85899	30000	0	0	30000	43.1875	2004
21.01.2020 14:12:43	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 14:12:44	1	1	1	1	73.75	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
21.01.2020 14:12:45	1	1	1	1	73.75	63	0	30000	350.5376344	10387.03014	30000	0	0	30000	43.0625	2004
21.01.2020 14:12:46	1	1	1	1	73.75	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.9375	2004
21.01.2020 14:12:47	1	1	1	1	73.75	62.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:12:48	1	1	1	1	73.75	63.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.125	2004
21.01.2020 14:12:49	1	1	1	1	73.75	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	43.0625	2004
21.01.2020 14:12:50	1	1	1	1	74	63	0	29905.213	341.9354839	10257.38592	30000	0	0	30000	43.75	2004
21.01.2020 14:12:51	1	1	1	1	74	63.75	0	29146.919	335.483871	9715.16321	30000	0	0	30000	43.3125	2004
21.01.2020 14:12:52	1	1	1	1	74	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
21.01.2020 14:12:53	1	1	1	1	74	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.8125	2004
21.01.2020 14:12:54	1	1	1	1	74	62.75	0	29952.607	354.8387097	10499.55155	30000	0	0	30000	43.3125	2004
21.01.2020 14:12:55	1	1	1	1	74	63.25	0	29715.64	320.4301075	9552.088713	30000	0	0	30000	42.6875	2004
21.01.2020 14:12:56	1	1	1	1	74	62.5	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	42.75	2004
21.01.2020 14:12:57	1	1	1	1	74	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
21.01.2020 14:12:58	1	1	1	1	74	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
21.01.2020 14:12:59	1	1	1	1	74.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
21.01.2020 14:13:00	1	1	1	1	74.25	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
21.01.2020 14:13:01	1	1	1	1	74.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
21.01.2020 14:13:02	1	1	1	1	74.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
21.01.2020 14:13:03	1	1	1	1	74.25	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.375	2004
21.01.2020 14:13:04	1	1	1	1	74.25	63.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.75	2004
21.01.2020 14:13:05	1	1	1	1	74.25	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
21.01.2020 14:13:06	1	1	1	1	74.25	63	0	30000	404.3010753	11897.09999	30000	0	0	30000	43.0625	2004
21.01.2020 14:13:07	1	1	1	1	74.25	63	0	24881.517	341.9354839	8523.904003	30000	0	0	30000	43.125	2004
21.01.2020 14:13:08	1	1	1	1	74.25	63	0	29905.213	400	12064.25135	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:09	1	1	1	1	74.25	63	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	42.6875	2004
21.01.2020 14:13:10	1	1	1	1	74.25	62.5	0	30000	384.9462366	11511.4288	30000	0	0	30000	43.3125	2004
21.01.2020 14:13:12	1	1	1	1	74.25	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
21.01.2020 14:13:13	1	1	1	1	74.25	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
21.01.2020 14:13:14	1	1	1	1	74.25	62.75	0	30000	363.4408602	11031.98978	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:15	1	1	1	1	74.25	63	0	30000	350.5376344	10580.27342	30000	0	0	30000	43	2004
21.01.2020 14:13:16	1	1	1	1	74.25	63	0	30000	309.6774194	9419.182997	30000	0	0	30000	43.125	2004
21.01.2020 14:13:17	1	1	1	1	74.25	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
21.01.2020 14:13:18	1	1	1	1	74.25	62.75	0	29952.607	298.9247312	9096.295491	30000	0	0	30000	42.9375	2004
21.01.2020 14:13:19	1	1	1	1	74.25	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
21.01.2020 14:13:20	1	1	1	1	74	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
21.01.2020 14:13:21	1	1	1	1	74	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.3125	2004
21.01.2020 14:13:22	1	1	1	1	74	63.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	43.375	2004
21.01.2020 14:13:23	1	1	1	1	74	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.75	2004
21.01.2020 14:13:24	1	1	1	1	74	62.75	0	30000	350.5376344	10387.03014	30000	0	0	30000	43	2004
21.01.2020 14:13:25	1	1	1	1	74	63	0	30000	350.5376344	10499.55155	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:26	1	1	1	1	74	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.8125	2004
21.01.2020 14:13:27	1	1	1	1	74	62.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.25	2004
21.01.2020 14:13:28	1	1	1	1	74	63.25	0	30000	309.6774194	9513.766206	30000	0	0	30000	43.625	2004
21.01.2020 14:13:29	1	1	1	1	74	63.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.3125	2004
21.01.2020 14:13:30	1	1	1	1	74.25	62.25	0	30047.393	283.8709677	8594.026038	30000	0	0	30000	43.4375	2004
21.01.2020 14:13:31	1	1	1	1	74.25	63.25	0	30047.393	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:13:32	1	1	1	1	74.25	63	0	30000	268.8172043	7935.205066	30000	0	0	30000	42.9375	2004
21.01.2020 14:13:39	1	1	1	1	74.25	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:39	1	1	1	1	74.25	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:39	1	1	1	1	74.25	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:39	1	1	1	1	74.25	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:39	1	1	1	1	74.25	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:39	1	1	1	1	74.5	63	0	28862.559	260.2150538	7510.395999	30000	0	0	30000	43.3125	2004
21.01.2020 14:13:40	1	1	1	1	74.5	63.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	43	2004
21.01.2020 14:13:41	1	1	1	1	74.5	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:42	1	1	1	1	74.5	63	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:43	1	1	1	1	74.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.125	2004
21.01.2020 14:13:44	1	1	1	1	74.5	63	0	30000	275.2688172	8245.046612	30000	0	0	30000	43.4375	2004
21.01.2020 14:13:45	1	1	1	1	74.5	63.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	43.0625	2004
21.01.2020 14:13:46	1	1	1	1	74.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.125	2004
21.01.2020 14:13:47	1	1	1	1	74.5	63	0	29952.607	283.8709677	8438.289892	30000	0	0	30000	43.125	2004
21.01.2020 14:13:48	1	1	1	1	74.5	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 14:13:50	1	1	1	1	74.5	63	0	29952.607	309.6774194	9211.263012	30000	0	0	30000	43.1875	2004
21.01.2020 14:13:51	1	1	1	1	74.5	63	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.3125	2004
21.01.2020 14:13:52	1	1	1	1	74.5	63.25	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	43.25	2004
21.01.2020 14:13:53	1	1	1	1	74.5	63.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.125	2004
21.01.2020 14:13:54	1	1	1	1	74.5	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.9375	2004
21.01.2020 14:13:55	1	1	1	1	74.5	62.75	0	30047.393	331.1827957	9886.391433	30000	0	0	30000	43.0625	2004
21.01.2020 14:13:56	1	1	1	1	74.5	63	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.875	2004
21.01.2020 14:13:57	1	1	1	1	74.5	62.75	0	29905.213	346.2365591	10353.59987	30000	0	0	30000	43.25	2004
21.01.2020 14:13:58	1	1	1	1	74.5	63.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	43	2004
21.01.2020 14:13:59	1	1	1	1	74.5	63	0	30000	335.483871	9999.728209	30000	0	0	30000	42.3125	2004
21.01.2020 14:14:00	1	1	1	1	74.25	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.8125	2004
21.01.2020 14:14:01	1	1	1	1	74.25	62.75	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	43.125	2004
21.01.2020 14:14:02	1	1	1	1	74.25	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:03	1	1	1	1	74.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.9375	2004
21.01.2020 14:14:04	1	1	1	1	74.25	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.6875	2004
21.01.2020 14:14:05	1	1	1	1	74.25	62.5	0	30047.393	384.9462366	11419.29171	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:06	1	1	1	1	74.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.625	2004
21.01.2020 14:14:07	1	1	1	1	74.25	63.5	0	28957.346	303.2258065	8842.714647	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:08	1	1	1	1	74.25	63	0	30047.393	378.4946237	11225.23306	30000	0	0	30000	42.75	2004
21.01.2020 14:14:09	1	1	1	1	74.25	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	43.5625	2004
21.01.2020 14:14:10	1	1	1	1	73.75	63.25	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:11	1	1	1	1	73.75	63	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.9375	2004
21.01.2020 14:14:12	1	1	1	1	73.75	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	43.125	2004
21.01.2020 14:14:13	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
21.01.2020 14:14:14	1	1	1	1	73.75	63.25	0	30000	367.7419355	10903.16093	30000	0	0	30000	42.8125	2004
21.01.2020 14:14:15	1	1	1	1	73.75	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:14:16	1	1	1	1	73.75	63	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	43	2004
21.01.2020 14:14:17	1	1	1	1	73.75	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:18	1	1	1	1	73.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
21.01.2020 14:14:19	1	1	1	1	73.75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.25	2004
21.01.2020 14:14:20	1	1	1	1	73.75	63.25	0	30000	324.7311828	9582.257495	30000	0	0	30000	42.5	2004
21.01.2020 14:14:21	1	1	1	1	73.75	62.5	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:22	1	1	1	1	73.75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
21.01.2020 14:14:23	1	1	1	1	73.75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:24	1	1	1	1	73.75	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:25	1	1	1	1	73.75	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:14:26	1	1	1	1	73.75	63.25	0	30047.393	296.7741935	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 14:14:28	1	1	1	1	73.75	63	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:29	1	1	1	1	73.75	63	0	29905.213	292.4731183	8746.500693	30000	0	0	30000	42.75	2004
21.01.2020 14:14:30	1	1	1	1	73.5	62.75	0	29905.213	294.6236559	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:14:31	1	1	1	1	73.5	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.875	2004
21.01.2020 14:14:32	1	1	1	1	73.5	62.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.0625	2004
21.01.2020 14:14:33	1	1	1	1	73.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.25	2004
21.01.2020 14:14:34	1	1	1	1	73.5	63.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:41	1	1	1	1	74	63	0	30000	296.7741935	8695.947599	30000	0	0	30000	43.125	2004
21.01.2020 14:14:41	1	1	1	1	74	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 14:14:41	1	1	1	1	74	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 14:14:41	1	1	1	1	74	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 14:14:41	1	1	1	1	74	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 14:14:41	1	1	1	1	74	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 14:14:41	1	1	1	1	74	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 14:14:42	1	1	1	1	74	63	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.125	2004
21.01.2020 14:14:43	1	1	1	1	74	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.125	2004
21.01.2020 14:14:44	1	1	1	1	74	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.5	2004
21.01.2020 14:14:45	1	1	1	1	74	62.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.5	2004
21.01.2020 14:14:46	1	1	1	1	74	62.5	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	43.5625	2004
21.01.2020 14:14:47	1	1	1	1	74	63.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
21.01.2020 14:14:48	1	1	1	1	74	62	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.8125	2004
21.01.2020 14:14:49	1	1	1	1	74	63.75	0	30000	326.8817204	9999.728209	30000	0	0	30000	42.75	2004
21.01.2020 14:14:50	1	1	1	1	73.75	63	0	29952.607	335.483871	10128.55706	30000	0	0	30000	43.3125	2004
21.01.2020 14:14:51	1	1	1	1	73.75	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.1875	2004
21.01.2020 14:14:52	1	1	1	1	73.75	63	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.0625	2004
21.01.2020 14:14:53	1	1	1	1	73.75	63	0	30000	352.688172	10515.85899	30000	0	0	30000	43	2004
21.01.2020 14:14:54	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.375	2004
21.01.2020 14:14:55	1	1	1	1	73.75	63.25	0	30047.393	372.0430108	10757.20925	30000	0	0	30000	43	2004
21.01.2020 14:14:56	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
21.01.2020 14:14:57	1	1	1	1	73.75	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 14:14:58	1	1	1	1	73.75	63.25	0	29857.82	341.9354839	10128.55706	30000	0	0	30000	43.375	2004
21.01.2020 14:14:59	1	1	1	1	73.75	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:15:00	1	1	1	1	73.75	63.25	0	30000	326.8817204	9468.920719	30000	0	0	30000	43.25	2004
21.01.2020 14:15:01	1	1	1	1	73.75	63.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.3125	2004
21.01.2020 14:15:02	1	1	1	1	73.75	63.25	0	30000	294.6236559	8695.947599	30000	0	0	30000	43.375	2004
21.01.2020 14:15:03	1	1	1	1	73.75	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.375	2004
21.01.2020 14:15:04	1	1	1	1	73.75	63.25	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	43.1875	2004
21.01.2020 14:15:06	1	1	1	1	73.75	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	43.3125	2004
21.01.2020 14:15:07	1	1	1	1	73.75	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.125	2004
21.01.2020 14:15:08	1	1	1	1	73.75	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.25	2004
21.01.2020 14:15:09	1	1	1	1	73.75	63.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	43.0625	2004
21.01.2020 14:15:10	1	1	1	1	73.75	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.1875	2004
21.01.2020 14:15:11	1	1	1	1	73.75	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 14:15:12	1	1	1	1	73.75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.25	2004
21.01.2020 14:15:13	1	1	1	1	73.75	63.25	0	30000	305.3763441	9031.881064	30000	0	0	30000	43.1875	2004
21.01.2020 14:15:14	1	1	1	1	73.75	63	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.0625	2004
21.01.2020 14:15:15	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43	2004
21.01.2020 14:15:16	1	1	1	1	73.75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
21.01.2020 14:15:17	1	1	1	1	73.75	62.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.3125	2004
21.01.2020 14:15:18	1	1	1	1	73.75	63.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.1875	2004
21.01.2020 14:15:19	1	1	1	1	73.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
21.01.2020 14:15:20	1	1	1	1	73.75	63.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	43.3125	2004
21.01.2020 14:15:21	1	1	1	1	73.75	63.25	0	30000	318.2795699	9419.182997	30000	0	0	30000	43.25	2004
21.01.2020 14:15:22	1	1	1	1	73.75	63.25	0	30000	337.6344086	10257.38592	30000	0	0	30000	43.3125	2004
21.01.2020 14:15:23	1	1	1	1	73.75	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 14:15:24	1	1	1	1	73.75	63	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.6875	2004
21.01.2020 14:15:25	1	1	1	1	73.75	63.5	0	30000	335.483871	10064.14264	30000	0	0	30000	43.5625	2004
21.01.2020 14:15:26	1	1	1	1	73.75	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.3125	2004
21.01.2020 14:15:27	1	1	1	1	73.75	63.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.6875	2004
21.01.2020 14:15:28	1	1	1	1	73.75	63.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.3125	2004
21.01.2020 14:15:29	1	1	1	1	73.75	63.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.1875	2004
21.01.2020 14:15:30	1	1	1	1	73.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.375	2004
21.01.2020 14:15:31	1	1	1	1	73.75	63.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.125	2004
21.01.2020 14:15:32	1	1	1	1	73.75	63	0	29905.213	337.6344086	10128.55706	30000	0	0	30000	43.3125	2004
21.01.2020 14:15:33	1	1	1	1	73.75	63.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:15:34	1	1	1	1	73.75	63.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.25	2004
21.01.2020 14:15:35	1	1	1	1	73.75	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
21.01.2020 14:15:42	1	1	1	1	73.75	63	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:15:42	1	1	1	1	73.75	63	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:15:42	1	1	1	1	73.75	63	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:15:42	1	1	1	1	73.75	63	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:15:42	1	1	1	1	73.75	63	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:15:42	1	1	1	1	73.75	63	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:15:42	1	1	1	1	73.75	63.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.625	2004
21.01.2020 14:15:43	1	1	1	1	73.75	62.5	0	29905.213	354.8387097	10611.25758	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:15:44	1	1	1	1	73.75	63.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.3125	2004
21.01.2020 14:15:46	1	1	1	1	73.75	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004
21.01.2020 14:15:47	1	1	1	1	73.75	63.25	0	30000	378.4946237	11372.81548	30000	0	0	30000	43.25	2004
21.01.2020 14:15:48	1	1	1	1	73.75	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
21.01.2020 14:15:49	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 14:15:50	1	1	1	1	73.5	63	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.9375	2004
21.01.2020 14:15:51	1	1	1	1	73.5	62.75	0	30000	400	11935.4225	30000	0	0	30000	42.5625	2004
21.01.2020 14:15:52	1	1	1	1	73.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 14:15:53	1	1	1	1	73.5	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.375	2004
21.01.2020 14:15:54	1	1	1	1	73.5	63.25	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	42.875	2004
21.01.2020 14:15:55	1	1	1	1	73.5	62.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	43	2004
21.01.2020 14:15:56	1	1	1	1	73.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.5	2004
21.01.2020 14:15:57	1	1	1	1	73.5	63.5	0	29952.607	356.9892473	10499.55155	30000	0	0	30000	43.25	2004
21.01.2020 14:15:58	1	1	1	1	73.5	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
21.01.2020 14:15:59	1	1	1	1	73.5	62.75	0	30094.787	387.0967742	11354.87729	30000	0	0	30000	42.875	2004
21.01.2020 14:16:00	1	1	1	1	73.5	62.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.0625	2004
21.01.2020 14:16:01	1	1	1	1	73.5	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.125	2004
21.01.2020 14:16:02	1	1	1	1	73.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.25	2004
21.01.2020 14:16:03	1	1	1	1	73.5	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.625	2004
21.01.2020 14:16:04	1	1	1	1	73.5	63.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	43.125	2004
21.01.2020 14:16:05	1	1	1	1	73.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.375	2004
21.01.2020 14:16:06	1	1	1	1	73.5	63.25	0	29952.607	356.9892473	10628.3804	30000	0	0	30000	43.1875	2004
21.01.2020 14:16:07	1	1	1	1	73.5	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
21.01.2020 14:16:08	1	1	1	1	73.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.375	2004
21.01.2020 14:16:09	1	1	1	1	74	63.25	0	30047.393	412.9032258	12451.55328	30000	0	0	30000	43	2004
21.01.2020 14:16:10	1	1	1	1	74	63	0	29905.213	395.6989247	11935.4225	30000	0	0	30000	43.125	2004
21.01.2020 14:16:11	1	1	1	1	74	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
21.01.2020 14:16:12	1	1	1	1	74	62.75	0	30000	432.2580645	12947.29976	30000	0	0	30000	43.125	2004
21.01.2020 14:16:13	1	1	1	1	74	63	0	30000	421.5053763	12580.38214	30000	0	0	30000	43.125	2004
21.01.2020 14:16:14	1	1	1	1	74	63	0	30000	384.9462366	11612.53499	30000	0	0	30000	43.1875	2004
21.01.2020 14:16:15	1	1	1	1	74	63	0	30000	378.4946237	10996.92876	30000	0	0	30000	42.6875	2004
21.01.2020 14:16:16	1	1	1	1	74	62.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
21.01.2020 14:16:17	1	1	1	1	74	63.25	0	30000	335.483871	10064.14264	30000	0	0	30000	43.3125	2004
21.01.2020 14:16:18	1	1	1	1	74	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
21.01.2020 14:16:19	1	1	1	1	73.5	63	0	30000	303.2258065	9369.445275	30000	0	0	30000	43.25	2004
21.01.2020 14:16:20	1	1	1	1	73.5	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.25	2004
21.01.2020 14:16:21	1	1	1	1	73.5	63.25	0	30000	279.5698925	8464.381812	30000	0	0	30000	43.125	2004
21.01.2020 14:16:22	1	1	1	1	73.5	63	0	29952.607	279.5698925	8580.164705	30000	0	0	30000	43.25	2004
21.01.2020 14:16:24	1	1	1	1	73.5	63.25	0	30000	264.516129	7935.205066	30000	0	0	30000	43.125	2004
21.01.2020 14:16:25	1	1	1	1	73.5	63	0	30000	258.0645161	7676.731987	30000	0	0	30000	43.125	2004
21.01.2020 14:16:26	1	1	1	1	73.5	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.8125	2004
21.01.2020 14:16:27	1	1	1	1	73.5	62.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.1875	2004
21.01.2020 14:16:28	1	1	1	1	73.5	63	0	29952.607	266.6666667	7935.205066	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:16:29	1	1	1	1	73.5	63	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	43.375	2004
21.01.2020 14:16:30	1	1	1	1	73.75	63.25	0	30000	277.4193548	8542.657571	30000	0	0	30000	43.3125	2004
21.01.2020 14:16:31	1	1	1	1	73.75	63.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:16:32	1	1	1	1	73.75	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 14:16:33	1	1	1	1	73.75	63.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.3125	2004
21.01.2020 14:16:34	1	1	1	1	73.75	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
21.01.2020 14:16:35	1	1	1	1	73.75	63	0	29952.607	335.483871	10257.38592	30000	0	0	30000	43.375	2004
21.01.2020 14:16:36	1	1	1	1	73.75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
21.01.2020 14:16:37	1	1	1	1	73.75	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:16:44	1	1	1	1	73.5	63.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
21.01.2020 14:16:44	1	1	1	1	73.5	63.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
21.01.2020 14:16:44	1	1	1	1	73.5	63.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
21.01.2020 14:16:44	1	1	1	1	73.5	63.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
21.01.2020 14:16:44	1	1	1	1	73.5	63.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
21.01.2020 14:16:44	1	1	1	1	73.5	63.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.875	2004
21.01.2020 14:16:45	1	1	1	1	73.5	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.25	2004
21.01.2020 14:16:46	1	1	1	1	73.5	63.25	0	30000	344.0860215	10580.27342	30000	0	0	30000	43.1875	2004
21.01.2020 14:16:47	1	1	1	1	73.5	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.3125	2004
21.01.2020 14:16:48	1	1	1	1	73.5	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
21.01.2020 14:16:49	1	1	1	1	73	62.75	0	30000	369.8924731	11390.75368	30000	0	0	30000	42.875	2004
21.01.2020 14:16:50	1	1	1	1	73	62.75	0	30000	372.0430108	11031.98978	30000	0	0	30000	43.3125	2004
21.01.2020 14:16:51	1	1	1	1	73	63.25	0	29952.607	369.8924731	11143.69581	30000	0	0	30000	43.25	2004
21.01.2020 14:16:52	1	1	1	1	73	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.1875	2004
21.01.2020 14:16:53	1	1	1	1	73	63	0	30000	374.1935484	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 14:16:54	1	1	1	1	73	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
21.01.2020 14:16:55	1	1	1	1	73	63.25	0	30000	369.8924731	11354.87729	30000	0	0	30000	43	2004
21.01.2020 14:16:56	1	1	1	1	73	63	0	29952.607	356.9892473	10903.16093	30000	0	0	30000	43	2004
21.01.2020 14:16:57	1	1	1	1	73	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 14:16:58	1	1	1	1	73	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43.125	2004
21.01.2020 14:16:59	1	1	1	1	73.5	63	0	30000	359.1397849	10709.10227	30000	0	0	30000	43	2004
21.01.2020 14:17:01	1	1	1	1	73.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
21.01.2020 14:17:02	1	1	1	1	73.5	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 14:17:03	1	1	1	1	73.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
21.01.2020 14:17:04	1	1	1	1	73.5	63.25	0	28293.839	303.2258065	8549.995923	30000	0	0	30000	43.25	2004
21.01.2020 14:17:05	1	1	1	1	73.5	63.25	0	28009.479	305.3763441	8613.594977	30000	0	0	30000	43.3125	2004
21.01.2020 14:17:06	1	1	1	1	73.5	63.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.125	2004
21.01.2020 14:17:07	1	1	1	1	73.5	63	0	30000	384.9462366	11401.35352	30000	0	0	30000	43.125	2004
21.01.2020 14:17:08	1	1	1	1	73.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
21.01.2020 14:17:09	1	1	1	1	73.5	63.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.25	2004
21.01.2020 14:17:10	1	1	1	1	73.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 14:17:11	1	1	1	1	73.5	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.6875	2004
21.01.2020 14:17:12	1	1	1	1	73.5	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:17:13	1	1	1	1	73.5	63.25	0	29383.886	350.5376344	10283.47784	30000	0	0	30000	42.6875	2004
21.01.2020 14:17:14	1	1	1	1	73.5	62.5	0	29620.853	352.688172	10430.24488	30000	0	0	30000	43.125	2004
21.01.2020 14:17:15	1	1	1	1	73.5	63	0	30000	359.1397849	10692.79483	30000	0	0	30000	42.875	2004
21.01.2020 14:17:16	1	1	1	1	73.5	62.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.9375	2004
21.01.2020 14:17:17	1	1	1	1	73.5	62.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.25	2004
21.01.2020 14:17:18	1	1	1	1	73.5	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.25	2004
21.01.2020 14:17:19	1	1	1	1	73.5	63.25	0	29431.28	296.7741935	8734.270106	30000	0	0	30000	43.3125	2004
21.01.2020 14:17:20	1	1	1	1	73.25	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
21.01.2020 14:17:21	1	1	1	1	73.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.3125	2004
21.01.2020 14:17:22	1	1	1	1	73.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
21.01.2020 14:17:23	1	1	1	1	73.25	63	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:17:24	1	1	1	1	73.25	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.3125	2004
21.01.2020 14:17:25	1	1	1	1	73.25	63.25	0	30000	309.6774194	9419.182997	30000	0	0	30000	43.1875	2004
21.01.2020 14:17:26	1	1	1	1	73.25	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.375	2004
21.01.2020 14:17:27	1	1	1	1	73.25	63.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	43	2004
21.01.2020 14:17:28	1	1	1	1	73.25	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	43	2004
21.01.2020 14:17:29	1	1	1	1	73.5	63	0	29857.82	294.6236559	8796.238415	30000	0	0	30000	43.1875	2004
21.01.2020 14:17:30	1	1	1	1	73.5	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
21.01.2020 14:17:31	1	1	1	1	73.5	63.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	42.9375	2004
21.01.2020 14:17:32	1	1	1	1	73.5	62.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	43.375	2004
21.01.2020 14:17:33	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
21.01.2020 14:17:34	1	1	1	1	73.5	63.25	0	30000	326.8817204	9855.407279	30000	0	0	30000	43.1875	2004
21.01.2020 14:17:35	1	1	1	1	73.5	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
21.01.2020 14:17:36	1	1	1	1	73.5	63	0	30047.393	329.0322581	9886.391433	30000	0	0	30000	43	2004
21.01.2020 14:17:37	1	1	1	1	73.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
21.01.2020 14:17:39	1	1	1	1	73.5	63	0	30000	329.0322581	9855.407279	30000	0	0	30000	43.3125	2004
21.01.2020 14:17:46	1	1	1	1	73	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 14:17:46	1	1	1	1	73	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 14:17:46	1	1	1	1	73	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 14:17:46	1	1	1	1	73	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 14:17:46	1	1	1	1	73	63.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 14:17:46	1	1	1	1	73	62.75	0	28625.592	313.9784946	9047.373142	30000	0	0	30000	43.3125	2004
21.01.2020 14:17:47	1	1	1	1	73	63.25	0	29857.82	348.3870968	10418.0143	30000	0	0	30000	43.125	2004
21.01.2020 14:17:48	1	1	1	1	73	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.375	2004
21.01.2020 14:17:49	1	1	1	1	73	62.25	0	30000	348.3870968	10225.58639	30000	0	0	30000	43.25	2004
21.01.2020 14:17:50	1	1	1	1	72.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.3125	2004
21.01.2020 14:17:51	1	1	1	1	72.25	63.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.0625	2004
21.01.2020 14:17:52	1	1	1	1	72.25	63	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.8125	2004
21.01.2020 14:17:53	1	1	1	1	72.25	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
21.01.2020 14:17:54	1	1	1	1	72.25	63	0	28862.559	354.8387097	10241.07847	30000	0	0	30000	43.1875	2004
21.01.2020 14:17:55	1	1	1	1	72.25	63	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.25	2004
21.01.2020 14:17:56	1	1	1	1	72.25	63.25	0	30000	359.1397849	10644.68785	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:17:57	1	1	1	1	72.25	63.25	0	30047.393	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
21.01.2020 14:17:58	1	1	1	1	72.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
21.01.2020 14:17:59	1	1	1	1	72.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
21.01.2020 14:18:00	1	1	1	1	71.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
21.01.2020 14:18:01	1	1	1	1	71.75	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
21.01.2020 14:18:02	1	1	1	1	71.75	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
21.01.2020 14:18:03	1	1	1	1	71.75	63	0	30000	419.3548387	12431.98434	30000	0	0	30000	43	2004
21.01.2020 14:18:04	1	1	1	1	71.75	63	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
21.01.2020 14:18:05	1	1	1	1	71.75	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.25	2004
21.01.2020 14:18:06	1	1	1	1	71.75	63.25	0	30000	397.8494624	12128.66578	30000	0	0	30000	43.0625	2004
21.01.2020 14:18:07	1	1	1	1	71.75	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
21.01.2020 14:18:08	1	1	1	1	71.75	62.75	0	29952.607	402.1505376	12109.91221	30000	0	0	30000	43.125	2004
21.01.2020 14:18:09	1	1	1	1	72	63	0	30000	404.3010753	12064.25135	30000	0	0	30000	43.125	2004
21.01.2020 14:18:10	1	1	1	1	72	63	0	30000	412.9032258	12406.7078	30000	0	0	30000	43.1875	2004
21.01.2020 14:18:11	1	1	1	1	72	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
21.01.2020 14:18:12	1	1	1	1	72	63	0	30000	400	12064.25135	30000	0	0	30000	43.3125	2004
21.01.2020 14:18:13	1	1	1	1	72	63.25	0	30000	380.6451613	11401.35352	30000	0	0	30000	42.75	2004
21.01.2020 14:18:14	1	1	1	1	72	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
21.01.2020 14:18:15	1	1	1	1	72	63	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.625	2004
21.01.2020 14:18:16	1	1	1	1	72	62.5	0	29905.213	374.1935484	11354.87729	30000	0	0	30000	42.25	2004
21.01.2020 14:18:18	1	1	1	1	72	62.25	0	30000	337.6344086	10048.65056	30000	0	0	30000	43.25	2004
21.01.2020 14:18:19	1	1	1	1	72	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43	2004
21.01.2020 14:18:20	1	1	1	1	72.25	63	0	30000	307.5268817	9290.354143	30000	0	0	30000	43	2004
21.01.2020 14:18:21	1	1	1	1	72.25	63	0	30000	311.827957	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:18:22	1	1	1	1	72.25	63	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.3125	2004
21.01.2020 14:18:23	1	1	1	1	72.25	63.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:18:24	1	1	1	1	72.25	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.125	2004
21.01.2020 14:18:25	1	1	1	1	72.25	63	0	30000	326.8817204	9612.426277	30000	0	0	30000	43.125	2004
21.01.2020 14:18:26	1	1	1	1	72.25	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.9375	2004
21.01.2020 14:18:27	1	1	1	1	72.25	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
21.01.2020 14:18:28	1	1	1	1	72.25	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.25	2004
21.01.2020 14:18:29	1	1	1	1	72.25	62.25	0	30000	262.3655914	7999.619493	30000	0	0	30000	43.0625	2004
21.01.2020 14:18:30	1	1	1	1	72.75	63	0	30000	255.9139785	7676.731987	30000	0	0	30000	43.0625	2004
21.01.2020 14:18:31	1	1	1	1	72.75	63	0	30000	273.1182796	8205.908733	30000	0	0	30000	43.125	2004
21.01.2020 14:18:32	1	1	1	1	72.75	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.0625	2004
21.01.2020 14:18:33	1	1	1	1	72.75	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.125	2004
21.01.2020 14:18:34	1	1	1	1	72.75	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.125	2004
21.01.2020 14:18:35	1	1	1	1	72.75	63	0	30000	270.9677419	8271.138532	30000	0	0	30000	43.4375	2004
21.01.2020 14:18:36	1	1	1	1	72.75	63.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	43.375	2004
21.01.2020 14:18:37	1	1	1	1	72.75	63.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.1875	2004
21.01.2020 14:18:38	1	1	1	1	72.75	63	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.6875	2004
21.01.2020 14:18:39	1	1	1	1	72.75	63.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.75	2004
21.01.2020 14:18:40	1	1	1	1	73.5	63.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:18:47	1	1	1	1	73.5	63	0	30000	249.4623656	7547.903134	30000	0	0	30000	43.125	2004
21.01.2020 14:18:47	1	1	1	1	73.5	63	0	30000	249.4623656	7547.903134	30000	0	0	30000	43.125	2004
21.01.2020 14:18:47	1	1	1	1	73.5	63	0	30000	249.4623656	7547.903134	30000	0	0	30000	43.125	2004
21.01.2020 14:18:47	1	1	1	1	73.5	63	0	30000	249.4623656	7547.903134	30000	0	0	30000	43.125	2004
21.01.2020 14:18:47	1	1	1	1	73.5	63	0	30000	249.4623656	7547.903134	30000	0	0	30000	43.125	2004
21.01.2020 14:18:47	1	1	1	1	73.5	63	0	30000	251.6129032	7419.07428	30000	0	0	30000	42.8125	2004
21.01.2020 14:18:48	1	1	1	1	73.5	62.75	0	30000	245.1612903	7547.903134	30000	0	0	30000	43.1875	2004
21.01.2020 14:18:49	1	1	1	1	73.5	63	0	30000	247.311828	7419.07428	30000	0	0	30000	42.9375	2004
21.01.2020 14:18:50	1	1	1	1	73.5	62.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.8125	2004
21.01.2020 14:18:51	1	1	1	1	73.5	62.75	0	30000	236.5591398	7290.245427	30000	0	0	30000	43.0625	2004
21.01.2020 14:18:52	1	1	1	1	73.5	63	0	30000	236.5591398	7096.186775	30000	0	0	30000	43.125	2004
21.01.2020 14:18:53	1	1	1	1	73.5	63	0	30000	234.4086022	6902.943495	30000	0	0	30000	43.3125	2004
21.01.2020 14:18:54	1	1	1	1	73.5	63.25	0	30000	243.0107527	7343.244639	30000	0	0	30000	43.1875	2004
21.01.2020 14:18:55	1	1	1	1	73.5	63	0	30000	247.311828	7419.07428	30000	0	0	30000	42.875	2004
21.01.2020 14:18:57	1	1	1	1	73.5	62.75	0	30000	236.5591398	7096.186775	30000	0	0	30000	43.125	2004
21.01.2020 14:18:58	1	1	1	1	73.5	63	0	30000	236.5591398	7096.186775	30000	0	0	30000	43.1875	2004
21.01.2020 14:18:59	1	1	1	1	73.5	63	0	30000	236.5591398	7096.186775	30000	0	0	30000	43	2004
21.01.2020 14:19:00	1	1	1	1	73.75	63	0	30000	240.8602151	7225.831	30000	0	0	30000	43.3125	2004
21.01.2020 14:19:01	1	1	1	1	73.75	63.25	0	30000	240.8602151	7225.831	30000	0	0	30000	42.6875	2004
21.01.2020 14:19:02	1	1	1	1	73.75	62.5	0	29857.82	236.5591398	7203.000571	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:03	1	1	1	1	73.75	63	0	30000	236.5591398	7096.186775	30000	0	0	30000	43.125	2004
21.01.2020 14:19:04	1	1	1	1	73.75	63	0	30000	249.4623656	7419.07428	30000	0	0	30000	43.125	2004
21.01.2020 14:19:05	1	1	1	1	73.75	63	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.8125	2004
21.01.2020 14:19:06	1	1	1	1	73.75	62.75	0	30000	247.311828	7290.245427	30000	0	0	30000	43.25	2004
21.01.2020 14:19:07	1	1	1	1	73.75	63.25	0	29952.607	243.0107527	7354.659854	30000	0	0	30000	43	2004
21.01.2020 14:19:08	1	1	1	1	73.75	63	0	30000	245.1612903	7290.245427	30000	0	0	30000	43.125	2004
21.01.2020 14:19:09	1	1	1	1	73.75	63	0	30000	240.8602151	7225.831	30000	0	0	30000	43.0625	2004
21.01.2020 14:19:10	1	1	1	1	74	63	0	30000	243.0107527	7290.245427	30000	0	0	30000	43.125	2004
21.01.2020 14:19:11	1	1	1	1	74	63	0	29952.607	240.8602151	7290.245427	30000	0	0	30000	43.25	2004
21.01.2020 14:19:12	1	1	1	1	74	63.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:13	1	1	1	1	74	63	0	30000	251.6129032	7612.31756	30000	0	0	30000	42.8125	2004
21.01.2020 14:19:14	1	1	1	1	74	62.75	0	30000	249.4623656	7343.244639	30000	0	0	30000	43.0625	2004
21.01.2020 14:19:15	1	1	1	1	74	63	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:16	1	1	1	1	74	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.125	2004
21.01.2020 14:19:17	1	1	1	1	74	63	0	29952.607	251.6129032	7676.731987	30000	0	0	30000	43	2004
21.01.2020 14:19:18	1	1	1	1	74	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:19	1	1	1	1	74	63	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:20	1	1	1	1	74.25	63	0	29905.213	249.4623656	7547.903134	30000	0	0	30000	43.625	2004
21.01.2020 14:19:21	1	1	1	1	74.25	63.5	0	30000	264.516129	7935.205066	30000	0	0	30000	43.0625	2004
21.01.2020 14:19:22	1	1	1	1	74.25	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:23	1	1	1	1	74.25	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:19:24	1	1	1	1	74.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:19:25	1	1	1	1	74.25	62.75	0	29905.213	262.3655914	7845.514092	30000	0	0	30000	43.0625	2004
21.01.2020 14:19:26	1	1	1	1	74.25	63	0	30000	270.9677419	8064.033919	30000	0	0	30000	43	2004
21.01.2020 14:19:27	1	1	1	1	74.25	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.75	2004
21.01.2020 14:19:28	1	1	1	1	74.25	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.25	2004
21.01.2020 14:19:29	1	1	1	1	74.25	63.25	0	30000	277.4193548	8386.921425	30000	0	0	30000	43.0625	2004
21.01.2020 14:19:30	1	1	1	1	74.25	63	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:31	1	1	1	1	74.25	63	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	43.375	2004
21.01.2020 14:19:32	1	1	1	1	74.25	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5	2004
21.01.2020 14:19:33	1	1	1	1	74.25	62.5	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.9375	2004
21.01.2020 14:19:34	1	1	1	1	74.25	62.75	0	30000	318.2795699	9821.977006	30000	0	0	30000	43.25	2004
21.01.2020 14:19:36	1	1	1	1	74.25	63.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:37	1	1	1	1	74.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.3125	2004
21.01.2020 14:19:38	1	1	1	1	74.25	63.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:39	1	1	1	1	74.25	63	0	30000	352.688172	10515.85899	30000	0	0	30000	43.25	2004
21.01.2020 14:19:40	1	1	1	1	74.5	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:41	1	1	1	1	74.5	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.625	2004
21.01.2020 14:19:42	1	1	1	1	74.5	62.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.8125	2004
21.01.2020 14:19:49	1	1	1	1	74.5	62.75	0	29952.607	350.5376344	10580.27342	30000	0	0	30000	43.125	2004
21.01.2020 14:19:49	1	1	1	1	74.5	62.75	0	29952.607	350.5376344	10580.27342	30000	0	0	30000	43.125	2004
21.01.2020 14:19:49	1	1	1	1	74.5	62.75	0	29952.607	350.5376344	10580.27342	30000	0	0	30000	43.125	2004
21.01.2020 14:19:49	1	1	1	1	74.5	62.75	0	29952.607	350.5376344	10580.27342	30000	0	0	30000	43.125	2004
21.01.2020 14:19:49	1	1	1	1	74.5	62.75	0	29952.607	350.5376344	10580.27342	30000	0	0	30000	43.125	2004
21.01.2020 14:19:49	1	1	1	1	74.5	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:19:50	1	1	1	1	74.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
21.01.2020 14:19:51	1	1	1	1	74.25	62.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	43.1875	2004
21.01.2020 14:19:52	1	1	1	1	74.25	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
21.01.2020 14:19:53	1	1	1	1	74.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.9375	2004
21.01.2020 14:19:54	1	1	1	1	74.25	62.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	42.875	2004
21.01.2020 14:19:55	1	1	1	1	74.25	62.75	0	30000	372.0430108	11143.69581	30000	0	0	30000	42.875	2004
21.01.2020 14:19:56	1	1	1	1	74.25	62.75	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	43.125	2004
21.01.2020 14:19:57	1	1	1	1	74.25	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	43.5	2004
21.01.2020 14:19:58	1	1	1	1	74.25	63.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	43	2004
21.01.2020 14:19:59	1	1	1	1	74.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
21.01.2020 14:20:00	1	1	1	1	74.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
21.01.2020 14:20:01	1	1	1	1	74.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
21.01.2020 14:20:02	1	1	1	1	74.5	63	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.9375	2004
21.01.2020 14:20:03	1	1	1	1	74.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	43	2004
21.01.2020 14:20:04	1	1	1	1	74.5	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.8125	2004
21.01.2020 14:20:05	1	1	1	1	74.5	62.75	0	30000	359.1397849	10482.42872	30000	0	0	30000	43.1875	2004
21.01.2020 14:20:06	1	1	1	1	74.5	63	0	30000	356.9892473	10790.63952	30000	0	0	30000	43.0625	2004
21.01.2020 14:20:07	1	1	1	1	74.5	63	0	30000	354.8387097	10773.5167	30000	0	0	30000	43	2004
21.01.2020 14:20:08	1	1	1	1	74.5	63	0	30000	380.6451613	11354.87729	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:20:09	1	1	1	1	74.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
21.01.2020 14:20:10	1	1	1	1	74.75	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.1875	2004
21.01.2020 14:20:11	1	1	1	1	74.75	63	0	30000	382.7956989	11612.53499	30000	0	0	30000	42.75	2004
21.01.2020 14:20:12	1	1	1	1	74.75	62.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:20:14	1	1	1	1	74.75	63	0	29952.607	387.0967742	11548.12057	30000	0	0	30000	42.8125	2004
21.01.2020 14:20:15	1	1	1	1	74.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
21.01.2020 14:20:16	1	1	1	1	74.75	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.9375	2004
21.01.2020 14:20:17	1	1	1	1	74.75	62.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.9375	2004
21.01.2020 14:20:18	1	1	1	1	74.75	62.75	0	30000	316.1290323	9468.920719	30000	0	0	30000	43.1875	2004
21.01.2020 14:20:19	1	1	1	1	74.75	63	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 14:20:20	1	1	1	1	74.75	63	0	29952.607	305.3763441	9290.354143	30000	0	0	30000	43.125	2004
21.01.2020 14:20:21	1	1	1	1	74.75	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
21.01.2020 14:20:22	1	1	1	1	74.75	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.3125	2004
21.01.2020 14:20:23	1	1	1	1	74.75	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	43.1875	2004
21.01.2020 14:20:24	1	1	1	1	74.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
21.01.2020 14:20:25	1	1	1	1	74.75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
21.01.2020 14:20:26	1	1	1	1	74.75	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.125	2004
21.01.2020 14:20:27	1	1	1	1	74.75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.1875	2004
21.01.2020 14:20:28	1	1	1	1	74.75	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43.0625	2004
21.01.2020 14:20:29	1	1	1	1	74.75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.1875	2004
21.01.2020 14:20:30	1	1	1	1	74.5	63	0	30000	320.4301075	9483.597423	30000	0	0	30000	42.75	2004
21.01.2020 14:20:31	1	1	1	1	74.5	62.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.125	2004
21.01.2020 14:20:32	1	1	1	1	74.5	63	0	29952.607	316.1290323	9324.599788	30000	0	0	30000	42.8125	2004
21.01.2020 14:20:33	1	1	1	1	74.5	62.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.3125	2004
21.01.2020 14:20:34	1	1	1	1	74.5	63.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:20:35	1	1	1	1	74.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.375	2004
21.01.2020 14:20:36	1	1	1	1	74.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.8125	2004
21.01.2020 14:20:37	1	1	1	1	74.5	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.5	2004
21.01.2020 14:20:38	1	1	1	1	74.5	63.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.3125	2004
21.01.2020 14:20:39	1	1	1	1	74.75	63.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.5625	2004
21.01.2020 14:20:40	1	1	1	1	74.75	62.5	0	30000	311.827957	9290.354143	30000	0	0	30000	43.25	2004
21.01.2020 14:20:41	1	1	1	1	74.75	63.25	0	29905.213	307.5268817	9419.182997	30000	0	0	30000	42.875	2004
21.01.2020 14:20:42	1	1	1	1	74.75	62.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:20:43	1	1	1	1	74.75	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.0625	2004
21.01.2020 14:20:51	1	1	1	1	74.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:20:51	1	1	1	1	74.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:20:51	1	1	1	1	74.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:20:51	1	1	1	1	74.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:20:51	1	1	1	1	74.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:20:51	1	1	1	1	74.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:20:52	1	1	1	1	74.75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
21.01.2020 14:20:53	1	1	1	1	74.75	63	0	30000	283.8709677	8373.875465	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:20:54	1	1	1	1	74.75	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.0625	2004
21.01.2020 14:20:55	1	1	1	1	74.75	63	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.125	2004
21.01.2020 14:20:56	1	1	1	1	74.75	63	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.625	2004
21.01.2020 14:20:57	1	1	1	1	74.75	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.125	2004
21.01.2020 14:20:58	1	1	1	1	74.75	63	0	29952.607	266.6666667	7987.388905	30000	0	0	30000	42.875	2004
21.01.2020 14:20:59	1	1	1	1	74.75	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43	2004
21.01.2020 14:21:00	1	1	1	1	74.75	63	0	29905.213	262.3655914	7806.376213	30000	0	0	30000	43.0625	2004
21.01.2020 14:21:01	1	1	1	1	74.75	63	0	30000	255.9139785	7547.903134	30000	0	0	30000	43.0625	2004
21.01.2020 14:21:02	1	1	1	1	74.75	63	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.1875	2004
21.01.2020 14:21:03	1	1	1	1	74.75	63	0	29952.607	255.9139785	7741.961786	30000	0	0	30000	43	2004
21.01.2020 14:21:04	1	1	1	1	74.75	63	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.9375	2004
21.01.2020 14:21:05	1	1	1	1	74.75	62.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	43.375	2004
21.01.2020 14:21:06	1	1	1	1	74.75	63.25	0	30000	247.311828	7419.07428	30000	0	0	30000	42.8125	2004
21.01.2020 14:21:07	1	1	1	1	74.75	62.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	43.125	2004
21.01.2020 14:21:08	1	1	1	1	74.75	63	0	30000	247.311828	7419.07428	30000	0	0	30000	43	2004
21.01.2020 14:21:09	1	1	1	1	74.75	63	0	30000	245.1612903	7290.245427	30000	0	0	30000	42.9375	2004
21.01.2020 14:21:10	1	1	1	1	75	62.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	43.125	2004
21.01.2020 14:21:11	1	1	1	1	75	63	0	30000	240.8602151	7225.831	30000	0	0	30000	42.875	2004
21.01.2020 14:21:12	1	1	1	1	75	62.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	42.75	2004
21.01.2020 14:21:13	1	1	1	1	75	62.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	43.0625	2004
21.01.2020 14:21:14	1	1	1	1	75	63	0	29905.213	243.0107527	7419.07428	30000	0	0	30000	43.75	2004
21.01.2020 14:21:15	1	1	1	1	75	63.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.625	2004
21.01.2020 14:21:16	1	1	1	1	75	63.5	0	30000	251.6129032	7536.487919	30000	0	0	30000	42.75	2004
21.01.2020 14:21:17	1	1	1	1	75	63.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	43.25	2004
21.01.2020 14:21:18	1	1	1	1	75	63.25	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	43.25	2004
21.01.2020 14:21:19	1	1	1	1	75	63.25	0	29905.213	264.516129	7794.145626	30000	0	0	30000	43.25	2004
21.01.2020 14:21:20	1	1	1	1	75	63.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.875	2004
21.01.2020 14:21:21	1	1	1	1	75	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:21:22	1	1	1	1	75	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.8125	2004
21.01.2020 14:21:23	1	1	1	1	75	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.9375	2004
21.01.2020 14:21:24	1	1	1	1	75	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.8125	2004
21.01.2020 14:21:25	1	1	1	1	75	62.75	0	30000	286.0215054	8515.750279	30000	0	0	30000	43.0625	2004
21.01.2020 14:21:26	1	1	1	1	75	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 14:21:27	1	1	1	1	75	63	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	43.125	2004
21.01.2020 14:21:28	1	1	1	1	75	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.0625	2004
21.01.2020 14:21:29	1	1	1	1	75	63	0	29857.82	266.6666667	7962.112358	30000	0	0	30000	43.25	2004
21.01.2020 14:21:30	1	1	1	1	75	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.125	2004
21.01.2020 14:21:32	1	1	1	1	75	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43.1875	2004
21.01.2020 14:21:33	1	1	1	1	75	63	0	30000	288.172043	8708.993559	30000	0	0	30000	43	2004
21.01.2020 14:21:34	1	1	1	1	75	63	0	29905.213	288.172043	8708.993559	30000	0	0	30000	43.1875	2004
21.01.2020 14:21:35	1	1	1	1	75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.875	2004
21.01.2020 14:21:36	1	1	1	1	75	62.75	0	30047.393	296.7741935	8996.004675	30000	0	0	30000	42.875	2004
21.01.2020 14:21:37	1	1	1	1	75	62.75	0	30000	294.6236559	8967.466638	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:21:38	1	1	1	1	75	63.25	0	30047.393	296.7741935	8852.499117	30000	0	0	30000	42.9375	2004
21.01.2020 14:21:39	1	1	1	1	75	62.75	0	29952.607	294.6236559	8810.099747	30000	0	0	30000	43.125	2004
21.01.2020 14:21:40	1	1	1	1	74.75	63	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:21:41	1	1	1	1	74.75	63	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	43.25	2004
21.01.2020 14:21:42	1	1	1	1	74.75	63.25	0	30000	294.6236559	8824.776452	30000	0	0	30000	43	2004
21.01.2020 14:21:43	1	1	1	1	74.75	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.0625	2004
21.01.2020 14:21:44	1	1	1	1	74.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
21.01.2020 14:21:45	1	1	1	1	74.75	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.125	2004
21.01.2020 14:21:52	1	1	1	1	74.75	63.25	0	29905.213	273.1182796	8607.071997	30000	0	0	30000	43.125	2004
21.01.2020 14:21:52	1	1	1	1	74.75	63.25	0	29905.213	273.1182796	8607.071997	30000	0	0	30000	43.125	2004
21.01.2020 14:21:52	1	1	1	1	74.75	63.25	0	29905.213	273.1182796	8607.071997	30000	0	0	30000	43.125	2004
21.01.2020 14:21:52	1	1	1	1	74.75	63.25	0	29905.213	273.1182796	8607.071997	30000	0	0	30000	43.125	2004
21.01.2020 14:21:52	1	1	1	1	74.75	63.25	0	29905.213	273.1182796	8607.071997	30000	0	0	30000	43.125	2004
21.01.2020 14:21:52	1	1	1	1	74.75	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.375	2004
21.01.2020 14:21:53	1	1	1	1	74.75	63.25	0	29952.607	270.9677419	8116.217759	30000	0	0	30000	42.8125	2004
21.01.2020 14:21:54	1	1	1	1	74.75	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.5	2004
21.01.2020 14:21:55	1	1	1	1	74.75	63.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.3125	2004
21.01.2020 14:21:56	1	1	1	1	74.75	63.25	0	30000	262.3655914	7794.145626	30000	0	0	30000	42.8125	2004
21.01.2020 14:21:57	1	1	1	1	74.75	62.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.1875	2004
21.01.2020 14:21:58	1	1	1	1	74.75	63	0	30000	260.2150538	7999.619493	30000	0	0	30000	43.1875	2004
21.01.2020 14:21:59	1	1	1	1	75.25	63	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:00	1	1	1	1	75.25	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.125	2004
21.01.2020 14:22:01	1	1	1	1	75.25	63	0	29952.607	270.9677419	8128.448346	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:05	1	1	1	1	75.25	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.125	2004
21.01.2020 14:22:05	1	1	1	1	75.25	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.125	2004
21.01.2020 14:22:05	1	1	1	1	75.25	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.125	2004
21.01.2020 14:22:05	1	1	1	1	75.25	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:06	1	1	1	1	75.25	63	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
21.01.2020 14:22:07	1	1	1	1	75.25	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.9375	2004
21.01.2020 14:22:09	1	1	1	1	75.25	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.125	2004
21.01.2020 14:22:10	1	1	1	1	75	63	0	30000	279.5698925	8607.071997	30000	0	0	30000	43	2004
21.01.2020 14:22:11	1	1	1	1	75	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:12	1	1	1	1	75	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	43	2004
21.01.2020 14:22:13	1	1	1	1	75	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.125	2004
21.01.2020 14:22:14	1	1	1	1	75	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.4375	2004
21.01.2020 14:22:15	1	1	1	1	75	62.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.1875	2004
21.01.2020 14:22:16	1	1	1	1	75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.1875	2004
21.01.2020 14:22:17	1	1	1	1	75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.125	2004
21.01.2020 14:22:18	1	1	1	1	75	63	0	30000	294.6236559	8644.579132	30000	0	0	30000	43.1875	2004
21.01.2020 14:22:19	1	1	1	1	75	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.3125	2004
21.01.2020 14:22:20	1	1	1	1	75.25	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:21	1	1	1	1	75.25	63	0	30000	247.311828	7419.07428	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:22:22	1	1	1	1	75.25	63.25	0	29952.607	240.8602151	7225.831	30000	0	0	30000	43.125	2004
21.01.2020 14:22:23	1	1	1	1	75.25	63	0	30047.393	249.4623656	7419.07428	30000	0	0	30000	43.125	2004
21.01.2020 14:22:24	1	1	1	1	75.25	63	0	30000	247.311828	7419.07428	30000	0	0	30000	43.125	2004
21.01.2020 14:22:25	1	1	1	1	75.25	63	0	30047.393	249.4623656	7419.07428	30000	0	0	30000	42.625	2004
21.01.2020 14:22:26	1	1	1	1	75.25	62.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.5625	2004
21.01.2020 14:22:27	1	1	1	1	75.25	62.5	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	42.8125	2004
21.01.2020 14:22:28	1	1	1	1	75.25	62.75	0	29952.607	266.6666667	7922.974479	30000	0	0	30000	43.1875	2004
21.01.2020 14:22:29	1	1	1	1	75.25	63	0	29905.213	275.2688172	8192.862773	30000	0	0	30000	42.5625	2004
21.01.2020 14:22:30	1	1	1	1	75	62.5	0	29952.607	243.0107527	7483.488707	30000	0	0	30000	43.125	2004
21.01.2020 14:22:31	1	1	1	1	75	63	0	30000	273.1182796	8322.506999	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:32	1	1	1	1	75	63	0	30000	290.3225806	8644.579132	30000	0	0	30000	43.6875	2004
21.01.2020 14:22:33	1	1	1	1	75	63.5	0	29952.607	292.4731183	8838.637784	30000	0	0	30000	43.125	2004
21.01.2020 14:22:34	1	1	1	1	75	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:35	1	1	1	1	75	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:36	1	1	1	1	75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.875	2004
21.01.2020 14:22:37	1	1	1	1	75	62.75	0	30047.393	303.2258065	9031.881064	30000	0	0	30000	43	2004
21.01.2020 14:22:38	1	1	1	1	75	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.9375	2004
21.01.2020 14:22:39	1	1	1	1	75	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.625	2004
21.01.2020 14:22:40	1	1	1	1	75	62.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:41	1	1	1	1	75	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.875	2004
21.01.2020 14:22:42	1	1	1	1	75	62.75	0	29905.213	331.1827957	9967.928682	30000	0	0	30000	43.1875	2004
21.01.2020 14:22:43	1	1	1	1	75	63	0	30000	337.6344086	10257.38592	30000	0	0	30000	43.3125	2004
21.01.2020 14:22:44	1	1	1	1	75	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	42.8125	2004
21.01.2020 14:22:45	1	1	1	1	75	62.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:47	1	1	1	1	75	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.75	2004
21.01.2020 14:22:54	1	1	1	1	74.75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:54	1	1	1	1	74.75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:54	1	1	1	1	74.75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:54	1	1	1	1	74.75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:54	1	1	1	1	74.75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:54	1	1	1	1	74.75	63	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:55	1	1	1	1	74.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
21.01.2020 14:22:56	1	1	1	1	74.75	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.125	2004
21.01.2020 14:22:57	1	1	1	1	74.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.75	2004
21.01.2020 14:22:58	1	1	1	1	74.75	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.125	2004
21.01.2020 14:22:59	1	1	1	1	74.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:23:00	1	1	1	1	75	63	0	30000	352.688172	10597.39624	30000	0	0	30000	42.9375	2004
21.01.2020 14:23:01	1	1	1	1	75	62.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:02	1	1	1	1	75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.125	2004
21.01.2020 14:23:03	1	1	1	1	75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.25	2004
21.01.2020 14:23:04	1	1	1	1	75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.25	2004
21.01.2020 14:23:05	1	1	1	1	75	63.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:23:06	1	1	1	1	75	62.75	0	29952.607	374.1935484	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 14:23:07	1	1	1	1	75	62.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:08	1	1	1	1	75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
21.01.2020 14:23:09	1	1	1	1	75	62.75	0	30000	374.1935484	11372.81548	30000	0	0	30000	43.375	2004
21.01.2020 14:23:10	1	1	1	1	74.75	63.25	0	29952.607	369.8924731	11031.98978	30000	0	0	30000	43.125	2004
21.01.2020 14:23:11	1	1	1	1	74.75	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.25	2004
21.01.2020 14:23:12	1	1	1	1	74.75	63.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.5625	2004
21.01.2020 14:23:13	1	1	1	1	74.75	62.75	0	30000	348.3870968	10644.68785	30000	0	0	30000	43.0625	2004
21.01.2020 14:23:14	1	1	1	1	74.75	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
21.01.2020 14:23:15	1	1	1	1	74.75	63	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.875	2004
21.01.2020 14:23:16	1	1	1	1	74.75	62.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:17	1	1	1	1	74.75	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
21.01.2020 14:23:18	1	1	1	1	74.75	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.75	2004
21.01.2020 14:23:19	1	1	1	1	74	62.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.875	2004
21.01.2020 14:23:20	1	1	1	1	74	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:21	1	1	1	1	74	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.75	2004
21.01.2020 14:23:22	1	1	1	1	74	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.4375	2004
21.01.2020 14:23:23	1	1	1	1	74	62.25	0	30000	337.6344086	9984.236132	30000	0	0	30000	43.0625	2004
21.01.2020 14:23:24	1	1	1	1	74	63	0	30000	331.1827957	9999.728209	30000	0	0	30000	43	2004
21.01.2020 14:23:26	1	1	1	1	74	63	0	30000	326.8817204	9741.25513	30000	0	0	30000	43.0625	2004
21.01.2020 14:23:27	1	1	1	1	74	63	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.0625	2004
21.01.2020 14:23:28	1	1	1	1	74	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
21.01.2020 14:23:29	1	1	1	1	74	62.75	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	43	2004
21.01.2020 14:23:30	1	1	1	1	74	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.125	2004
21.01.2020 14:23:31	1	1	1	1	74	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.0625	2004
21.01.2020 14:23:32	1	1	1	1	74	63	0	30000	311.827957	9211.263012	30000	0	0	30000	43.3125	2004
21.01.2020 14:23:33	1	1	1	1	74	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.8125	2004
21.01.2020 14:23:34	1	1	1	1	74	62.75	0	29952.607	301.0752688	8953.605305	30000	0	0	30000	43.0625	2004
21.01.2020 14:23:35	1	1	1	1	74	63	0	30000	298.9247312	9018.019732	30000	0	0	30000	43.3125	2004
21.01.2020 14:23:36	1	1	1	1	74	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.25	2004
21.01.2020 14:23:37	1	1	1	1	74	63.25	0	30000	313.9784946	9498.274128	30000	0	0	30000	43.125	2004
21.01.2020 14:23:38	1	1	1	1	74	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
21.01.2020 14:23:39	1	1	1	1	74	62.75	0	30000	316.1290323	9340.091865	30000	0	0	30000	43	2004
21.01.2020 14:23:40	1	1	1	1	73.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.8125	2004
21.01.2020 14:23:41	1	1	1	1	73.25	62.75	0	29952.607	324.7311828	9662.163999	30000	0	0	30000	42.75	2004
21.01.2020 14:23:42	1	1	1	1	73.25	62.75	0	29952.607	326.8817204	9790.992852	30000	0	0	30000	43.125	2004
21.01.2020 14:23:43	1	1	1	1	73.25	63	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:44	1	1	1	1	73.25	63	0	27630.332	290.3225806	8076.264507	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:45	1	1	1	1	73.25	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.3125	2004
21.01.2020 14:23:46	1	1	1	1	73.25	63.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
21.01.2020 14:23:47	1	1	1	1	73.25	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.5625	2004
21.01.2020 14:23:48	1	1	1	1	73.25	63.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
21.01.2020 14:23:55	1	1	1	1	73.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:23:55	1	1	1	1	73.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:55	1	1	1	1	73.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:55	1	1	1	1	73.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:55	1	1	1	1	73.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:55	1	1	1	1	73.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:55	1	1	1	1	73.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:56	1	1	1	1	73.75	63	0	30000	333.3333333	9855.407279	30000	0	0	30000	42.75	2004
21.01.2020 14:23:57	1	1	1	1	73.75	62.75	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.9375	2004
21.01.2020 14:23:58	1	1	1	1	73.75	62.75	0	30000	318.2795699	9340.091865	30000	0	0	30000	43.1875	2004
21.01.2020 14:23:59	1	1	1	1	73.75	63	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.125	2004
21.01.2020 14:24:00	1	1	1	1	73.75	63	0	29905.213	305.3763441	9003.343027	30000	0	0	30000	43.0625	2004
21.01.2020 14:24:01	1	1	1	1	73.75	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.125	2004
21.01.2020 14:24:03	1	1	1	1	73.75	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.375	2004
21.01.2020 14:24:04	1	1	1	1	73.75	63.25	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	43.0625	2004
21.01.2020 14:24:05	1	1	1	1	73.75	63	0	29952.607	359.1397849	10709.10227	30000	0	0	30000	43	2004
21.01.2020 14:24:06	1	1	1	1	73.75	63	0	30000	365.5913978	10773.5167	30000	0	0	30000	43	2004
21.01.2020 14:24:07	1	1	1	1	73.75	63	0	29715.64	352.688172	10671.59514	30000	0	0	30000	43.1875	2004
21.01.2020 14:24:08	1	1	1	1	73.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
21.01.2020 14:24:09	1	1	1	1	73.75	62.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
21.01.2020 14:24:10	1	1	1	1	73	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
21.01.2020 14:24:11	1	1	1	1	73	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43	2004
21.01.2020 14:24:12	1	1	1	1	73	63	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.1875	2004
21.01.2020 14:24:13	1	1	1	1	73	63	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
21.01.2020 14:24:14	1	1	1	1	73	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
21.01.2020 14:24:15	1	1	1	1	73	63	0	30000	352.688172	10709.10227	30000	0	0	30000	43	2004
21.01.2020 14:24:16	1	1	1	1	73	63	0	30047.393	367.7419355	11031.98978	30000	0	0	30000	42.8125	2004
21.01.2020 14:24:17	1	1	1	1	73	62.75	0	30142.18	374.1935484	11160.81863	30000	0	0	30000	43.125	2004
21.01.2020 14:24:18	1	1	1	1	73	63	0	30000	372.0430108	11354.87729	30000	0	0	30000	43.3125	2004
21.01.2020 14:24:19	1	1	1	1	73	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
21.01.2020 14:24:20	1	1	1	1	72.75	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:24:21	1	1	1	1	72.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:24:22	1	1	1	1	72.75	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.0625	2004
21.01.2020 14:24:23	1	1	1	1	72.75	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	42	2004
21.01.2020 14:24:24	1	1	1	1	72.75	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
21.01.2020 14:24:25	1	1	1	1	72.75	62.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.8125	2004
21.01.2020 14:24:26	1	1	1	1	72.75	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	43	2004
21.01.2020 14:24:27	1	1	1	1	72.75	63	0	29952.607	290.3225806	8774.223358	30000	0	0	30000	42.9375	2004
21.01.2020 14:24:28	1	1	1	1	72.75	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:24:29	1	1	1	1	72.75	63.25	0	30000	283.8709677	8708.993559	30000	0	0	30000	43.75	2004
21.01.2020 14:24:30	1	1	1	1	73	63.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.75	2004
21.01.2020 14:24:31	1	1	1	1	73	63	0	30000	288.172043	8644.579132	30000	0	0	30000	43.125	2004
21.01.2020 14:24:32	1	1	1	1	73	63	0	30000	288.172043	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:24:33	1	1	1	1	73	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:24:34	1	1	1	1	73	63	0	30000	281.7204301	8580.164705	30000	0	0	30000	42.25	2004
21.01.2020 14:24:35	1	1	1	1	73	62.25	0	30000	288.172043	8708.993559	30000	0	0	30000	42.9375	2004
21.01.2020 14:24:36	1	1	1	1	73	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.4375	2004
21.01.2020 14:24:37	1	1	1	1	73	62.25	0	30000	307.5268817	9082.434159	30000	0	0	30000	42.6875	2004
21.01.2020 14:24:38	1	1	1	1	73	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.8125	2004
21.01.2020 14:24:39	1	1	1	1	73	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43	2004
21.01.2020 14:24:40	1	1	1	1	73	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.9375	2004
21.01.2020 14:24:42	1	1	1	1	73	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.0625	2004
21.01.2020 14:24:43	1	1	1	1	73	63	0	29905.213	322.5806452	9646.671921	30000	0	0	30000	42.875	2004
21.01.2020 14:24:44	1	1	1	1	73	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.0625	2004
21.01.2020 14:24:45	1	1	1	1	73	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.0625	2004
21.01.2020 14:24:46	1	1	1	1	73	63	0	30047.393	311.827957	9290.354143	30000	0	0	30000	42.8125	2004
21.01.2020 14:24:47	1	1	1	1	73	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	43	2004
21.01.2020 14:24:48	1	1	1	1	73	63	0	30000	313.9784946	9340.091865	30000	0	0	30000	43.125	2004
21.01.2020 14:24:49	1	1	1	1	73	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43	2004
21.01.2020 14:24:50	1	1	1	1	72.25	63	0	29905.213	298.9247312	9160.709918	30000	0	0	30000	43	2004
21.01.2020 14:24:57	1	1	1	1	72.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:24:57	1	1	1	1	72.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:24:57	1	1	1	1	72.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:24:57	1	1	1	1	72.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:24:57	1	1	1	1	72.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:24:57	1	1	1	1	72.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:24:57	1	1	1	1	72.25	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.0625	2004
21.01.2020 14:24:58	1	1	1	1	72.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.8125	2004
21.01.2020 14:24:59	1	1	1	1	72.25	62.75	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	42.9375	2004
21.01.2020 14:25:00	1	1	1	1	72	62.75	0	29952.607	290.3225806	8553.257413	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:01	1	1	1	1	72	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.5625	2004
21.01.2020 14:25:02	1	1	1	1	72	62.5	0	30000	320.4301075	9597.749572	30000	0	0	30000	43.0625	2004
21.01.2020 14:25:03	1	1	1	1	72	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.75	2004
21.01.2020 14:25:04	1	1	1	1	72	62.75	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	43.125	2004
21.01.2020 14:25:05	1	1	1	1	72	63	0	30000	316.1290323	9225.124344	30000	0	0	30000	43.25	2004
21.01.2020 14:25:06	1	1	1	1	72	63.25	0	30000	301.0752688	9160.709918	30000	0	0	30000	43.5625	2004
21.01.2020 14:25:07	1	1	1	1	72	63.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.9375	2004
21.01.2020 14:25:08	1	1	1	1	72	62.75	0	30000	288.172043	8774.223358	30000	0	0	30000	43	2004
21.01.2020 14:25:09	1	1	1	1	72.75	63	0	29905.213	288.172043	8580.164705	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:10	1	1	1	1	72.75	63	0	30000	290.3225806	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:25:11	1	1	1	1	72.75	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.875	2004
21.01.2020 14:25:12	1	1	1	1	72.75	62.75	0	30000	326.8817204	9821.977006	30000	0	0	30000	43.125	2004
21.01.2020 14:25:13	1	1	1	1	72.75	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:14	1	1	1	1	72.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:15	1	1	1	1	72.75	63	0	30000	290.3225806	8567.118745	30000	0	0	30000	42.875	2004
21.01.2020 14:25:16	1	1	1	1	72.75	62.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.0625	2004
21.01.2020 14:25:17	1	1	1	1	72.75	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:25:18	1	1	1	1	72.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:20	1	1	1	1	72.5	63	0	30000	309.6774194	9419.182997	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:21	1	1	1	1	72.5	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:22	1	1	1	1	72.5	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.125	2004
21.01.2020 14:25:23	1	1	1	1	72.5	63	0	29952.607	298.9247312	9096.295491	30000	0	0	30000	42.9375	2004
21.01.2020 14:25:24	1	1	1	1	72.5	62.75	0	30000	298.9247312	8903.052211	30000	0	0	30000	43	2004
21.01.2020 14:25:25	1	1	1	1	72.5	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:26	1	1	1	1	72.5	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:27	1	1	1	1	72.5	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:25:28	1	1	1	1	72.5	63	0	30000	305.3763441	9290.354143	30000	0	0	30000	43.0625	2004
21.01.2020 14:25:29	1	1	1	1	72.5	63	0	30000	311.827957	9146.848585	30000	0	0	30000	43	2004
21.01.2020 14:25:30	1	1	1	1	72.5	63	0	30000	311.827957	9354.76857	30000	0	0	30000	42.6875	2004
21.01.2020 14:25:31	1	1	1	1	72.5	62.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.9375	2004
21.01.2020 14:25:32	1	1	1	1	72.5	62.75	0	30000	313.9784946	9290.354143	30000	0	0	30000	43.3125	2004
21.01.2020 14:25:33	1	1	1	1	72.5	63.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
21.01.2020 14:25:34	1	1	1	1	72.5	63	0	30000	298.9247312	8903.052211	30000	0	0	30000	43.125	2004
21.01.2020 14:25:35	1	1	1	1	72.5	63	0	29952.607	292.4731183	8903.052211	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:36	1	1	1	1	72.5	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:37	1	1	1	1	72.5	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 14:25:38	1	1	1	1	72.5	63.25	0	30000	277.4193548	8386.921425	30000	0	0	30000	43.25	2004
21.01.2020 14:25:39	1	1	1	1	72.5	63.25	0	30000	273.1182796	8322.506999	30000	0	0	30000	42.75	2004
21.01.2020 14:25:40	1	1	1	1	72.5	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.625	2004
21.01.2020 14:25:41	1	1	1	1	72.5	62.5	0	30047.393	301.0752688	8903.052211	30000	0	0	30000	42.6875	2004
21.01.2020 14:25:42	1	1	1	1	72.5	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.875	2004
21.01.2020 14:25:43	1	1	1	1	72.5	62.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.8125	2004
21.01.2020 14:25:44	1	1	1	1	72.5	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.75	2004
21.01.2020 14:25:45	1	1	1	1	72.5	63.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.25	2004
21.01.2020 14:25:46	1	1	1	1	72.5	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43	2004
21.01.2020 14:25:47	1	1	1	1	72.5	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.875	2004
21.01.2020 14:25:48	1	1	1	1	72.5	62.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.125	2004
21.01.2020 14:25:49	1	1	1	1	72	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.9375	2004
21.01.2020 14:25:50	1	1	1	1	72	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:25:51	1	1	1	1	72	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.125	2004
21.01.2020 14:25:58	1	1	1	1	72	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:58	1	1	1	1	72	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:58	1	1	1	1	72	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:58	1	1	1	1	72	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:58	1	1	1	1	72	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:58	1	1	1	1	72	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:25:59	1	1	1	1	72	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.875	2004
21.01.2020 14:26:00	1	1	1	1	71.5	62.75	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43.125	2004
21.01.2020 14:26:01	1	1	1	1	71.5	63	0	29573.46	266.6666667	7949.881771	30000	0	0	30000	43	2004
21.01.2020 14:26:02	1	1	1	1	71.5	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:26:03	1	1	1	1	71.5	63.25	0	30000	296.7741935	8889.190879	30000	0	0	30000	42.875	2004
21.01.2020 14:26:04	1	1	1	1	71.5	62.75	0	30000	292.4731183	8553.257413	30000	0	0	30000	42.8125	2004
21.01.2020 14:26:05	1	1	1	1	71.5	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.8125	2004
21.01.2020 14:26:06	1	1	1	1	71.5	62.75	0	30000	288.172043	8631.533172	30000	0	0	30000	43.125	2004
21.01.2020 14:26:07	1	1	1	1	71.5	63	0	29952.607	286.0215054	8644.579132	30000	0	0	30000	42.625	2004
21.01.2020 14:26:08	1	1	1	1	71.5	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:09	1	1	1	1	71.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:10	1	1	1	1	71.25	63	0	29952.607	333.3333333	9855.407279	30000	0	0	30000	43.25	2004
21.01.2020 14:26:11	1	1	1	1	71.25	63.25	0	30000	335.483871	10128.55706	30000	0	0	30000	43.25	2004
21.01.2020 14:26:12	1	1	1	1	71.25	63.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.375	2004
21.01.2020 14:26:13	1	1	1	1	71.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:14	1	1	1	1	71.25	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.0625	2004
21.01.2020 14:26:15	1	1	1	1	71.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.25	2004
21.01.2020 14:26:16	1	1	1	1	71.25	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:17	1	1	1	1	71.25	63	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:18	1	1	1	1	71.25	63	0	29336.493	296.7741935	8656.809719	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:19	1	1	1	1	71.25	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43	2004
21.01.2020 14:26:20	1	1	1	1	71.25	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:26:21	1	1	1	1	71.25	63	0	30000	316.1290323	9419.182997	30000	0	0	30000	43.0625	2004
21.01.2020 14:26:22	1	1	1	1	71.25	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.4375	2004
21.01.2020 14:26:23	1	1	1	1	71.25	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.375	2004
21.01.2020 14:26:24	1	1	1	1	71.25	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.6875	2004
21.01.2020 14:26:25	1	1	1	1	71.25	63.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	43.25	2004
21.01.2020 14:26:26	1	1	1	1	71.25	63.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	43	2004
21.01.2020 14:26:27	1	1	1	1	71.25	63	0	30000	307.5268817	9003.343027	30000	0	0	30000	43	2004
21.01.2020 14:26:28	1	1	1	1	71.25	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.0625	2004
21.01.2020 14:26:29	1	1	1	1	72.25	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43.25	2004
21.01.2020 14:26:30	1	1	1	1	72.25	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:31	1	1	1	1	72.25	63	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	43	2004
21.01.2020 14:26:32	1	1	1	1	72.25	63	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.6875	2004
21.01.2020 14:26:33	1	1	1	1	72.25	62.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:34	1	1	1	1	72.25	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.25	2004
21.01.2020 14:26:35	1	1	1	1	72.25	63.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:37	1	1	1	1	72.25	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:38	1	1	1	1	72.25	63	0	30000	311.827957	9419.182997	30000	0	0	30000	43.3125	2004
21.01.2020 14:26:39	1	1	1	1	72.25	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:40	1	1	1	1	72.5	63	0	30000	303.2258065	8953.605305	30000	0	0	30000	42.9375	2004
21.01.2020 14:26:41	1	1	1	1	72.5	62.75	0	30047.393	298.9247312	9046.557769	30000	0	0	30000	43.1875	2004
21.01.2020 14:26:42	1	1	1	1	72.5	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.125	2004
21.01.2020 14:26:43	1	1	1	1	72.5	63	0	29952.607	301.0752688	8953.605305	30000	0	0	30000	43.25	2004
21.01.2020 14:26:44	1	1	1	1	72.5	63.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.25	2004
21.01.2020 14:26:45	1	1	1	1	72.5	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004
21.01.2020 14:26:46	1	1	1	1	72.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:26:47	1	1	1	1	72.5	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.375	2004
21.01.2020 14:26:48	1	1	1	1	72.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.0625	2004
21.01.2020 14:26:49	1	1	1	1	72.5	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.4375	2004
21.01.2020 14:26:50	1	1	1	1	72.75	63.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.125	2004
21.01.2020 14:26:51	1	1	1	1	72.75	63	0	30000	303.2258065	8967.466638	30000	0	0	30000	43.25	2004
21.01.2020 14:26:52	1	1	1	1	72.75	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.75	2004
21.01.2020 14:26:53	1	1	1	1	72.75	62.75	0	30000	290.3225806	8774.223358	30000	0	0	30000	42.9375	2004
21.01.2020 14:27:00	1	1	1	1	72.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.8125	2004
21.01.2020 14:27:00	1	1	1	1	72.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.8125	2004
21.01.2020 14:27:00	1	1	1	1	72.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.8125	2004
21.01.2020 14:27:00	1	1	1	1	72.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.8125	2004
21.01.2020 14:27:00	1	1	1	1	72.75	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	42.8125	2004
21.01.2020 14:27:00	1	1	1	1	72.75	62.75	0	29952.607	292.4731183	8774.223358	30000	0	0	30000	43.3125	2004
21.01.2020 14:27:01	1	1	1	1	72.75	63.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.75	2004
21.01.2020 14:27:02	1	1	1	1	72.75	62.75	0	30047.393	301.0752688	8903.052211	30000	0	0	30000	43.625	2004
21.01.2020 14:27:03	1	1	1	1	72.75	63.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.3125	2004
21.01.2020 14:27:04	1	1	1	1	72.75	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.25	2004
21.01.2020 14:27:05	1	1	1	1	72.75	63.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.0625	2004
21.01.2020 14:27:06	1	1	1	1	72.75	63	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.5	2004
21.01.2020 14:27:07	1	1	1	1	72.75	62.5	0	30000	301.0752688	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:27:08	1	1	1	1	72.75	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004
21.01.2020 14:27:09	1	1	1	1	72.75	62.75	0	30000	301.0752688	9018.019732	30000	0	0	30000	43.3125	2004
21.01.2020 14:27:10	1	1	1	1	72.75	63.25	0	29905.213	301.0752688	9067.757454	30000	0	0	30000	43.3125	2004
21.01.2020 14:27:11	1	1	1	1	72.75	63.25	0	30000	316.1290323	9340.091865	30000	0	0	30000	43.25	2004
21.01.2020 14:27:12	1	1	1	1	72.75	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.375	2004
21.01.2020 14:27:13	1	1	1	1	72.75	62.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:14	1	1	1	1	72.75	63	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:16	1	1	1	1	72.75	63	0	30047.393	296.7741935	8708.993559	30000	0	0	30000	43.25	2004
21.01.2020 14:27:17	1	1	1	1	72.75	63.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:18	1	1	1	1	72.75	63	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:19	1	1	1	1	72.75	63	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.25	2004
21.01.2020 14:27:20	1	1	1	1	72.75	63.25	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	42.9375	2004
21.01.2020 14:27:21	1	1	1	1	72.75	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.3125	2004
21.01.2020 14:27:22	1	1	1	1	72.75	63.25	0	29952.607	255.9139785	7741.961786	30000	0	0	30000	43.375	2004
21.01.2020 14:27:23	1	1	1	1	72.75	63.25	0	29952.607	253.7634409	7741.961786	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:24	1	1	1	1	72.75	63	0	30000	253.7634409	7676.731987	30000	0	0	30000	42.875	2004
21.01.2020 14:27:25	1	1	1	1	72.75	62.75	0	30000	251.6129032	7536.487919	30000	0	0	30000	43.125	2004
21.01.2020 14:27:26	1	1	1	1	72.75	63	0	30000	255.9139785	7612.31756	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:27	1	1	1	1	72.75	63	0	30000	253.7634409	7676.731987	30000	0	0	30000	43.125	2004
21.01.2020 14:27:28	1	1	1	1	72.75	63	0	29905.213	247.311828	7536.487919	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:29	1	1	1	1	72.75	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.125	2004
21.01.2020 14:27:30	1	1	1	1	73.25	63	0	30000	262.3655914	7806.376213	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:27:31	1	1	1	1	73.25	63	0	30000	266.6666667	8064.033919	30000	0	0	30000	43.375	2004
21.01.2020 14:27:32	1	1	1	1	73.25	63.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:33	1	1	1	1	73.25	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:34	1	1	1	1	73.25	63	0	30000	288.172043	8515.750279	30000	0	0	30000	43.25	2004
21.01.2020 14:27:35	1	1	1	1	73.25	63.25	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.8125	2004
21.01.2020 14:27:36	1	1	1	1	73.25	62.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:37	1	1	1	1	73.25	63	0	30000	294.6236559	8708.993559	30000	0	0	30000	43	2004
21.01.2020 14:27:38	1	1	1	1	73.25	63	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.25	2004
21.01.2020 14:27:39	1	1	1	1	73.25	63.25	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:40	1	1	1	1	73.5	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.4375	2004
21.01.2020 14:27:41	1	1	1	1	73.5	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.4375	2004
21.01.2020 14:27:42	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.625	2004
21.01.2020 14:27:43	1	1	1	1	73.5	63.5	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	42.75	2004
21.01.2020 14:27:44	1	1	1	1	73.5	63.5	0	30000	329.0322581	9741.25513	30000	0	0	30000	43.25	2004
21.01.2020 14:27:45	1	1	1	1	73.5	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:46	1	1	1	1	73.5	63	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:27:47	1	1	1	1	73.5	63	0	30000	324.7311828	9741.25513	30000	0	0	30000	43.1875	2004
21.01.2020 14:27:48	1	1	1	1	73.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
21.01.2020 14:27:49	1	1	1	1	72.75	63	0	30000	311.827957	9483.597423	30000	0	0	30000	43.125	2004
21.01.2020 14:27:50	1	1	1	1	72.75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.125	2004
21.01.2020 14:27:51	1	1	1	1	72.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.6875	2004
21.01.2020 14:27:52	1	1	1	1	72.75	62.5	0	30000	296.7741935	8889.190879	30000	0	0	30000	43.125	2004
21.01.2020 14:27:54	1	1	1	1	72.75	63	0	30000	313.9784946	9483.597423	30000	0	0	30000	43	2004
21.01.2020 14:27:55	1	1	1	1	72.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.25	2004
21.01.2020 14:28:02	1	1	1	1	72.5	62.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:28:02	1	1	1	1	72.5	62.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:28:02	1	1	1	1	72.5	62.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:28:02	1	1	1	1	72.5	62.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:28:02	1	1	1	1	72.5	62.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:28:02	1	1	1	1	72.5	62.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:28:02	1	1	1	1	72.5	62.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:28:02	1	1	1	1	72.5	62.5	0	30000	309.6774194	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:28:03	1	1	1	1	72.5	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43	2004
21.01.2020 14:28:04	1	1	1	1	72.5	63	0	30000	318.2795699	9389.014215	30000	0	0	30000	43	2004
21.01.2020 14:28:05	1	1	1	1	72.5	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.25	2004
21.01.2020 14:28:06	1	1	1	1	72.5	63.25	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	42.875	2004
21.01.2020 14:28:07	1	1	1	1	72.5	62.75	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	42.5	2004
21.01.2020 14:28:08	1	1	1	1	72.5	62.5	0	30000	356.9892473	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:28:09	1	1	1	1	72.5	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.6875	2004
21.01.2020 14:28:10	1	1	1	1	72.75	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	43	2004
21.01.2020 14:28:11	1	1	1	1	72.75	63	0	30000	348.3870968	10257.38592	30000	0	0	30000	43.3125	2004
21.01.2020 14:28:12	1	1	1	1	72.75	63.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	43.1875	2004
21.01.2020 14:28:13	1	1	1	1	72.75	63	0	29620.853	301.0752688	8903.867584	30000	0	0	30000	42.875	2004
21.01.2020 14:28:14	1	1	1	1	72.75	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:28:15	1	1	1	1	72.75	63.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.125	2004
21.01.2020 14:28:16	1	1	1	1	72.75	63	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.1875	2004
21.01.2020 14:28:17	1	1	1	1	72.75	63	0	30000	301.0752688	9096.295491	30000	0	0	30000	43.125	2004
21.01.2020 14:28:18	1	1	1	1	72.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
21.01.2020 14:28:19	1	1	1	1	72.75	63	0	29905.213	292.4731183	8903.052211	30000	0	0	30000	43.5	2004
21.01.2020 14:28:20	1	1	1	1	73.25	63.5	0	30000	290.3225806	8644.579132	30000	0	0	30000	43.125	2004
21.01.2020 14:28:21	1	1	1	1	73.25	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43.375	2004
21.01.2020 14:28:22	1	1	1	1	73.25	63.25	0	30000	277.4193548	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:28:23	1	1	1	1	73.25	63	0	29952.607	266.6666667	8128.448346	30000	0	0	30000	43.3125	2004
21.01.2020 14:28:24	1	1	1	1	73.25	63	0	29905.213	268.8172043	8128.448346	30000	0	0	30000	42.375	2004
21.01.2020 14:28:25	1	1	1	1	73.25	62.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.1875	2004
21.01.2020 14:28:26	1	1	1	1	73.25	63	0	30000	258.0645161	7806.376213	30000	0	0	30000	43.125	2004
21.01.2020 14:28:27	1	1	1	1	73.25	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.125	2004
21.01.2020 14:28:28	1	1	1	1	73.25	63	0	30000	260.2150538	7741.961786	30000	0	0	30000	43.0625	2004
21.01.2020 14:28:29	1	1	1	1	73.25	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.75	2004
21.01.2020 14:28:30	1	1	1	1	73.25	62.75	0	29905.213	264.516129	8064.033919	30000	0	0	30000	42.9375	2004
21.01.2020 14:28:31	1	1	1	1	73.25	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.125	2004
21.01.2020 14:28:33	1	1	1	1	73.25	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	43	2004
21.01.2020 14:28:34	1	1	1	1	73.25	63	0	30000	301.0752688	9018.019732	30000	0	0	30000	43.125	2004
21.01.2020 14:28:35	1	1	1	1	73.25	63	0	30047.393	301.0752688	8967.466638	30000	0	0	30000	42.75	2004
21.01.2020 14:28:36	1	1	1	1	73.25	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:28:37	1	1	1	1	73.25	63	0	30047.393	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
21.01.2020 14:28:38	1	1	1	1	73.25	63	0	30000	298.9247312	9096.295491	30000	0	0	30000	43.25	2004
21.01.2020 14:28:39	1	1	1	1	73.25	63.25	0	30000	298.9247312	8981.32797	30000	0	0	30000	42.6875	2004
21.01.2020 14:28:40	1	1	1	1	73	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.75	2004
21.01.2020 14:28:41	1	1	1	1	73	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
21.01.2020 14:28:42	1	1	1	1	73	63.25	0	29905.213	301.0752688	9031.881064	30000	0	0	30000	43	2004
21.01.2020 14:28:43	1	1	1	1	73	63	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	43.0625	2004
21.01.2020 14:28:44	1	1	1	1	73	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.5	2004
21.01.2020 14:28:45	1	1	1	1	73	62.5	0	30000	316.1290323	9354.76857	30000	0	0	30000	43.25	2004
21.01.2020 14:28:46	1	1	1	1	73	63.25	0	30000	303.2258065	9160.709918	30000	0	0	30000	43.125	2004
21.01.2020 14:28:47	1	1	1	1	73	63	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	43	2004
21.01.2020 14:28:48	1	1	1	1	73	63	0	29905.213	331.1827957	9870.899356	30000	0	0	30000	42.6875	2004
21.01.2020 14:28:49	1	1	1	1	73	62.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	43.125	2004
21.01.2020 14:28:50	1	1	1	1	73.25	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
21.01.2020 14:28:51	1	1	1	1	73.25	63	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 14:28:52	1	1	1	1	73.25	63	0	30000	354.8387097	10515.85899	30000	0	0	30000	43.1875	2004
21.01.2020 14:28:53	1	1	1	1	73.25	63	0	30000	341.9354839	10403.33759	30000	0	0	30000	42.875	2004
21.01.2020 14:28:54	1	1	1	1	73.25	62.75	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	43	2004
21.01.2020 14:28:55	1	1	1	1	73.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.8125	2004
21.01.2020 14:28:56	1	1	1	1	73.25	62.75	0	29952.607	356.9892473	10920.28375	30000	0	0	30000	43.1875	2004
21.01.2020 14:29:03	1	1	1	1	73	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
21.01.2020 14:29:03	1	1	1	1	73	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:29:03	1	1	1	1	73	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
21.01.2020 14:29:03	1	1	1	1	73	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
21.01.2020 14:29:03	1	1	1	1	73	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
21.01.2020 14:29:03	1	1	1	1	73	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
21.01.2020 14:29:03	1	1	1	1	73	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.125	2004
21.01.2020 14:29:04	1	1	1	1	73	63	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.9375	2004
21.01.2020 14:29:05	1	1	1	1	73	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
21.01.2020 14:29:06	1	1	1	1	73	62.75	0	29952.607	367.7419355	10950.45253	30000	0	0	30000	42.875	2004
21.01.2020 14:29:07	1	1	1	1	73	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.25	2004
21.01.2020 14:29:08	1	1	1	1	73	63.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 14:29:09	1	1	1	1	73	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
21.01.2020 14:29:11	1	1	1	1	73	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.8125	2004
21.01.2020 14:29:12	1	1	1	1	73	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.0625	2004
21.01.2020 14:29:13	1	1	1	1	73	63	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	43.125	2004
21.01.2020 14:29:14	1	1	1	1	73	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
21.01.2020 14:29:15	1	1	1	1	73	62.75	0	29952.607	361.2903226	10773.5167	30000	0	0	30000	43.25	2004
21.01.2020 14:29:16	1	1	1	1	73	63.25	0	30000	378.4946237	11031.98978	30000	0	0	30000	43.25	2004
21.01.2020 14:29:17	1	1	1	1	73	63.25	0	29952.607	356.9892473	10903.16093	30000	0	0	30000	43	2004
21.01.2020 14:29:18	1	1	1	1	73	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:29:19	1	1	1	1	73	63.25	0	29952.607	339.7849462	10241.89384	30000	0	0	30000	43.125	2004
21.01.2020 14:29:20	1	1	1	1	72.5	63	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.3125	2004
21.01.2020 14:29:21	1	1	1	1	72.5	63.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	43	2004
21.01.2020 14:29:22	1	1	1	1	72.5	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
21.01.2020 14:29:23	1	1	1	1	72.5	63	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	42.0625	2004
21.01.2020 14:29:24	1	1	1	1	72.5	62	0	30000	283.8709677	8451.335852	30000	0	0	30000	43	2004
21.01.2020 14:29:25	1	1	1	1	72.5	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.0625	2004
21.01.2020 14:29:26	1	1	1	1	72.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.75	2004
21.01.2020 14:29:27	1	1	1	1	72.5	62.75	0	30000	251.6129032	7612.31756	30000	0	0	30000	43.1875	2004
21.01.2020 14:29:28	1	1	1	1	72.5	63	0	30000	255.9139785	7612.31756	30000	0	0	30000	43.1875	2004
21.01.2020 14:29:29	1	1	1	1	72.5	63	0	30000	258.0645161	7741.961786	30000	0	0	30000	43.1875	2004
21.01.2020 14:29:30	1	1	1	1	72.5	63	0	30000	253.7634409	7612.31756	30000	0	0	30000	43.0625	2004
21.01.2020 14:29:31	1	1	1	1	72.5	63	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.1875	2004
21.01.2020 14:29:32	1	1	1	1	72.5	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.1875	2004
21.01.2020 14:29:33	1	1	1	1	72.5	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.25	2004
21.01.2020 14:29:34	1	1	1	1	72.5	63.25	0	29952.607	290.3225806	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:29:35	1	1	1	1	72.5	62.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.75	2004
21.01.2020 14:29:36	1	1	1	1	72.5	62.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.8125	2004
21.01.2020 14:29:37	1	1	1	1	72.5	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.375	2004
21.01.2020 14:29:38	1	1	1	1	72.5	63.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	43.3125	2004
21.01.2020 14:29:39	1	1	1	1	72.5	63.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.1875	2004
21.01.2020 14:29:40	1	1	1	1	73	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	43.125	2004
21.01.2020 14:29:41	1	1	1	1	73	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	43.125	2004
21.01.2020 14:29:42	1	1	1	1	73	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:29:43	1	1	1	1	73	63.25	0	30047.393	311.827957	9354.76857	30000	0	0	30000	43.25	2004
21.01.2020 14:29:44	1	1	1	1	73	63.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.375	2004
21.01.2020 14:29:45	1	1	1	1	73	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:29:46	1	1	1	1	73	63	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	43.3125	2004
21.01.2020 14:29:47	1	1	1	1	73	63.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	43	2004
21.01.2020 14:29:49	1	1	1	1	73	63	0	29952.607	292.4731183	8708.993559	30000	0	0	30000	43.3125	2004
21.01.2020 14:29:50	1	1	1	1	73	63.25	0	30000	288.172043	8644.579132	30000	0	0	30000	43.25	2004
21.01.2020 14:29:51	1	1	1	1	73	63.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	42.6875	2004
21.01.2020 14:29:52	1	1	1	1	73	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.25	2004
21.01.2020 14:29:53	1	1	1	1	73	63.25	0	30000	288.172043	8580.164705	30000	0	0	30000	43.25	2004
21.01.2020 14:29:54	1	1	1	1	73	63.25	0	29952.607	288.172043	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:29:55	1	1	1	1	73	63	0	29952.607	288.172043	8644.579132	30000	0	0	30000	42.4375	2004
21.01.2020 14:29:56	1	1	1	1	73	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.9375	2004
21.01.2020 14:29:57	1	1	1	1	73	62.75	0	30000	305.3763441	9369.445275	30000	0	0	30000	43.25	2004
21.01.2020 14:29:58	1	1	1	1	73	63.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	43.3125	2004
21.01.2020 14:30:05	1	1	1	1	72.25	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:05	1	1	1	1	72.25	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:05	1	1	1	1	72.25	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:05	1	1	1	1	72.25	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:05	1	1	1	1	72.25	62.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:05	1	1	1	1	72.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:06	1	1	1	1	72.25	63	0	29905.213	316.1290323	9438.751937	30000	0	0	30000	43.125	2004
21.01.2020 14:30:07	1	1	1	1	72.25	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:08	1	1	1	1	72.25	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.0625	2004
21.01.2020 14:30:09	1	1	1	1	72.25	63	0	30000	318.2795699	9483.597423	30000	0	0	30000	43.125	2004
21.01.2020 14:30:10	1	1	1	1	71.75	63	0	29952.607	311.827957	9419.182997	30000	0	0	30000	43.25	2004
21.01.2020 14:30:11	1	1	1	1	71.75	63.25	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:12	1	1	1	1	71.75	63	0	29952.607	326.8817204	9726.578425	30000	0	0	30000	43.25	2004
21.01.2020 14:30:13	1	1	1	1	71.75	63.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.125	2004
21.01.2020 14:30:14	1	1	1	1	71.75	63	0	29905.213	320.4301075	9741.25513	30000	0	0	30000	42.9375	2004
21.01.2020 14:30:15	1	1	1	1	71.75	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.75	2004
21.01.2020 14:30:16	1	1	1	1	71.75	63.75	0	30000	316.1290323	9612.426277	30000	0	0	30000	43	2004
21.01.2020 14:30:17	1	1	1	1	71.75	63.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:18	1	1	1	1	71.75	63	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.375	2004
21.01.2020 14:30:19	1	1	1	1	72.5	63.25	0	29952.607	318.2795699	9483.597423	30000	0	0	30000	43.125	2004
21.01.2020 14:30:20	1	1	1	1	72.5	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:21	1	1	1	1	72.5	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
21.01.2020 14:30:22	1	1	1	1	72.5	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004
21.01.2020 14:30:23	1	1	1	1	72.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.375	2004
21.01.2020 14:30:24	1	1	1	1	72.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
21.01.2020 14:30:25	1	1	1	1	72.5	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.6875	2004
21.01.2020 14:30:27	1	1	1	1	72.5	62.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:30:28	1	1	1	1	72.5	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
21.01.2020 14:30:29	1	1	1	1	72.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
21.01.2020 14:30:30	1	1	1	1	73	62.75	0	30047.393	337.6344086	10128.55706	30000	0	0	30000	42.9375	2004
21.01.2020 14:30:31	1	1	1	1	73	62.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.125	2004
21.01.2020 14:30:32	1	1	1	1	73	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43	2004
21.01.2020 14:30:33	1	1	1	1	73	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43	2004
21.01.2020 14:30:34	1	1	1	1	73	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:30:35	1	1	1	1	73	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:36	1	1	1	1	73	63	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:37	1	1	1	1	73	63	0	30000	326.8817204	9870.899356	30000	0	0	30000	43.25	2004
21.01.2020 14:30:38	1	1	1	1	73	63.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.6875	2004
21.01.2020 14:30:39	1	1	1	1	73	62.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.0625	2004
21.01.2020 14:30:40	1	1	1	1	72.75	63	0	30000	333.3333333	9935.313783	30000	0	0	30000	42.75	2004
21.01.2020 14:30:41	1	1	1	1	72.75	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.5625	2004
21.01.2020 14:30:42	1	1	1	1	72.75	62.5	0	29952.607	333.3333333	10192.97149	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:43	1	1	1	1	72.75	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.875	2004
21.01.2020 14:30:44	1	1	1	1	72.75	62.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
21.01.2020 14:30:45	1	1	1	1	72.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004
21.01.2020 14:30:46	1	1	1	1	72.75	63	0	30000	337.6344086	10192.97149	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:47	1	1	1	1	72.75	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.1875	2004
21.01.2020 14:30:48	1	1	1	1	72.75	63	0	30000	354.8387097	10451.44457	30000	0	0	30000	43.3125	2004
21.01.2020 14:30:49	1	1	1	1	72.75	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.125	2004
21.01.2020 14:30:50	1	1	1	1	73.5	63	0	30000	352.688172	10644.68785	30000	0	0	30000	42.875	2004
21.01.2020 14:30:51	1	1	1	1	73.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.25	2004
21.01.2020 14:30:52	1	1	1	1	73.5	63.25	0	30047.393	337.6344086	10144.86451	30000	0	0	30000	43	2004
21.01.2020 14:30:53	1	1	1	1	73.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:30:54	1	1	1	1	73.5	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
21.01.2020 14:30:55	1	1	1	1	73.5	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
21.01.2020 14:30:56	1	1	1	1	73.5	62.75	0	30047.393	341.9354839	10113.06499	30000	0	0	30000	43.25	2004
21.01.2020 14:30:57	1	1	1	1	73.5	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
21.01.2020 14:30:58	1	1	1	1	73.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
21.01.2020 14:30:59	1	1	1	1	73.75	62.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	43.25	2004
21.01.2020 14:31:07	1	1	1	1	73.75	63	0	30000	400	11999.83693	30000	0	0	30000	42.875	2004
21.01.2020 14:31:07	1	1	1	1	73.75	63	0	30000	400	11999.83693	30000	0	0	30000	42.875	2004
21.01.2020 14:31:07	1	1	1	1	73.75	63	0	30000	400	11999.83693	30000	0	0	30000	42.875	2004
21.01.2020 14:31:07	1	1	1	1	73.75	63	0	30000	400	11999.83693	30000	0	0	30000	42.875	2004
21.01.2020 14:31:07	1	1	1	1	73.75	63	0	30000	400	11999.83693	30000	0	0	30000	42.875	2004
21.01.2020 14:31:07	1	1	1	1	73.75	63	0	30000	400	11999.83693	30000	0	0	30000	42.875	2004
21.01.2020 14:31:07	1	1	1	1	73.75	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
21.01.2020 14:31:08	1	1	1	1	73.75	63	0	30000	395.6989247	11805.77827	30000	0	0	30000	43.25	2004
21.01.2020 14:31:09	1	1	1	1	73.75	63.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.25	2004
21.01.2020 14:31:10	1	1	1	1	73.75	63.25	0	30000	404.3010753	12045.49778	30000	0	0	30000	42.625	2004
21.01.2020 14:31:11	1	1	1	1	73.75	62.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:31:12	1	1	1	1	73.75	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
21.01.2020 14:31:13	1	1	1	1	73.75	63	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.125	2004
21.01.2020 14:31:14	1	1	1	1	73.75	63	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.1875	2004
21.01.2020 14:31:15	1	1	1	1	73.75	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:31:16	1	1	1	1	73.75	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.9375	2004
21.01.2020 14:31:17	1	1	1	1	73.75	62.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	43.0625	2004
21.01.2020 14:31:18	1	1	1	1	73.75	63	0	29905.213	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
21.01.2020 14:31:19	1	1	1	1	73.75	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.875	2004
21.01.2020 14:31:20	1	1	1	1	73.75	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.125	2004
21.01.2020 14:31:21	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.375	2004
21.01.2020 14:31:22	1	1	1	1	73.75	63.25	0	30000	324.7311828	9806.484929	30000	0	0	30000	43.0625	2004
21.01.2020 14:31:23	1	1	1	1	73.75	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	43.125	2004
21.01.2020 14:31:24	1	1	1	1	73.75	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
21.01.2020 14:31:25	1	1	1	1	73.75	63	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.6875	2004
21.01.2020 14:31:26	1	1	1	1	73.75	62.5	0	30047.393	313.9784946	9433.859702	30000	0	0	30000	43.125	2004
21.01.2020 14:31:27	1	1	1	1	73.75	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.25	2004
21.01.2020 14:31:28	1	1	1	1	73.75	63.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.9375	2004
21.01.2020 14:31:29	1	1	1	1	73.75	62.75	0	30000	309.6774194	9275.677439	30000	0	0	30000	43.0625	2004
21.01.2020 14:31:30	1	1	1	1	73.75	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.125	2004
21.01.2020 14:31:31	1	1	1	1	73.75	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	43.25	2004
21.01.2020 14:31:32	1	1	1	1	73.75	63.25	0	30094.787	339.7849462	9935.313783	30000	0	0	30000	42.875	2004
21.01.2020 14:31:33	1	1	1	1	73.75	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.375	2004
21.01.2020 14:31:34	1	1	1	1	73.75	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
21.01.2020 14:31:35	1	1	1	1	73.75	62.75	0	30000	324.7311828	9821.977006	30000	0	0	30000	43.625	2004
21.01.2020 14:31:36	1	1	1	1	73.75	63	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.3125	2004
21.01.2020 14:31:37	1	1	1	1	73.75	62.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.0625	2004
21.01.2020 14:31:38	1	1	1	1	73.75	63	0	30000	350.5376344	10580.27342	30000	0	0	30000	43.125	2004
21.01.2020 14:31:39	1	1	1	1	73.5	63	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.25	2004
21.01.2020 14:31:40	1	1	1	1	73.5	63.25	0	26587.678	320.4301075	8633.163917	30000	0	0	30000	43.0625	2004
21.01.2020 14:31:41	1	1	1	1	73.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
21.01.2020 14:31:42	1	1	1	1	73.5	62.75	0	30000	367.7419355	10644.68785	30000	0	0	30000	42.5625	2004
21.01.2020 14:31:43	1	1	1	1	73.5	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	43	2004
21.01.2020 14:31:45	1	1	1	1	73.5	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
21.01.2020 14:31:46	1	1	1	1	73.5	63	0	29952.607	367.7419355	11160.81863	30000	0	0	30000	42.625	2004
21.01.2020 14:31:47	1	1	1	1	73.5	62.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.5625	2004
21.01.2020 14:31:48	1	1	1	1	73.5	62.5	0	30000	335.483871	9999.728209	30000	0	0	30000	43.125	2004
21.01.2020 14:31:49	1	1	1	1	73.5	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 14:31:50	1	1	1	1	73.5	63	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:31:51	1	1	1	1	73.5	63	0	30000	331.1827957	9870.899356	30000	0	0	30000	43	2004
21.01.2020 14:31:52	1	1	1	1	73.5	63	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.6875	2004
21.01.2020 14:31:53	1	1	1	1	73.5	62.5	0	30047.393	354.8387097	10644.68785	30000	0	0	30000	42.875	2004
21.01.2020 14:31:54	1	1	1	1	73.5	62.75	0	29952.607	341.9354839	10032.34311	30000	0	0	30000	43.125	2004
21.01.2020 14:31:55	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:31:56	1	1	1	1	73.5	63	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.125	2004
21.01.2020 14:31:57	1	1	1	1	73.5	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
21.01.2020 14:31:58	1	1	1	1	73.5	62.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	43.3125	2004
21.01.2020 14:31:59	1	1	1	1	73.5	63.25	0	30000	339.7849462	10064.14264	30000	0	0	30000	43.3125	2004
21.01.2020 14:32:00	1	1	1	1	73.75	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:01	1	1	1	1	73.75	63	0	30000	356.9892473	10644.68785	30000	0	0	30000	43.3125	2004
21.01.2020 14:32:08	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
21.01.2020 14:32:08	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
21.01.2020 14:32:08	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
21.01.2020 14:32:08	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
21.01.2020 14:32:08	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
21.01.2020 14:32:08	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
21.01.2020 14:32:09	1	1	1	1	73.75	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:10	1	1	1	1	74	63	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:11	1	1	1	1	74	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.375	2004
21.01.2020 14:32:12	1	1	1	1	74	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:13	1	1	1	1	74	63	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.125	2004
21.01.2020 14:32:14	1	1	1	1	74	63	0	30000	350.5376344	10387.03014	30000	0	0	30000	43.5625	2004
21.01.2020 14:32:15	1	1	1	1	74	63.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.125	2004
21.01.2020 14:32:16	1	1	1	1	74	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.25	2004
21.01.2020 14:32:17	1	1	1	1	74	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
21.01.2020 14:32:18	1	1	1	1	74	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.125	2004
21.01.2020 14:32:19	1	1	1	1	73.75	63	0	30047.393	333.3333333	9870.899356	30000	0	0	30000	43.25	2004
21.01.2020 14:32:20	1	1	1	1	73.75	63.25	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	42.875	2004
21.01.2020 14:32:21	1	1	1	1	73.75	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:22	1	1	1	1	73.75	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.875	2004
21.01.2020 14:32:23	1	1	1	1	73.75	62.75	0	29952.607	283.8709677	8451.335852	30000	0	0	30000	42.875	2004
21.01.2020 14:32:25	1	1	1	1	73.75	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:26	1	1	1	1	73.75	63	0	30000	288.172043	8708.993559	30000	0	0	30000	42.9375	2004
21.01.2020 14:32:27	1	1	1	1	73.75	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004
21.01.2020 14:32:28	1	1	1	1	73.75	62.75	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:32:29	1	1	1	1	73.75	62.25	0	30000	277.4193548	8386.921425	30000	0	0	30000	43.0625	2004
21.01.2020 14:32:30	1	1	1	1	73.75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43	2004
21.01.2020 14:32:31	1	1	1	1	73.75	63	0	30000	283.8709677	8515.750279	30000	0	0	30000	43.125	2004
21.01.2020 14:32:32	1	1	1	1	73.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.6875	2004
21.01.2020 14:32:33	1	1	1	1	73.75	62.5	0	30000	283.8709677	8438.289892	30000	0	0	30000	43	2004
21.01.2020 14:32:34	1	1	1	1	73.75	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43.3125	2004
21.01.2020 14:32:35	1	1	1	1	73.75	63.25	0	30000	273.1182796	8116.217759	30000	0	0	30000	43.125	2004
21.01.2020 14:32:36	1	1	1	1	73.75	63	0	29952.607	288.172043	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 14:32:37	1	1	1	1	73.75	63	0	30000	286.0215054	8438.289892	30000	0	0	30000	42.5625	2004
21.01.2020 14:32:38	1	1	1	1	73.75	62.5	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:39	1	1	1	1	73.75	63	0	29952.607	279.5698925	8515.750279	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:32:40	1	1	1	1	74.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:41	1	1	1	1	74.25	63	0	30000	316.1290323	9483.597423	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:42	1	1	1	1	74.25	63	0	30000	322.5806452	9806.484929	30000	0	0	30000	43.375	2004
21.01.2020 14:32:43	1	1	1	1	74.25	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
21.01.2020 14:32:44	1	1	1	1	74.25	63	0	30000	339.7849462	10257.38592	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:45	1	1	1	1	74.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43	2004
21.01.2020 14:32:46	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
21.01.2020 14:32:47	1	1	1	1	74.25	62.5	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	42.8125	2004
21.01.2020 14:32:48	1	1	1	1	74.25	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 14:32:49	1	1	1	1	74.25	63	0	30000	337.6344086	10064.14264	30000	0	0	30000	43	2004
21.01.2020 14:32:50	1	1	1	1	73.75	63	0	30000	335.483871	10064.14264	30000	0	0	30000	43.0625	2004
21.01.2020 14:32:51	1	1	1	1	73.75	63	0	30000	329.0322581	9999.728209	30000	0	0	30000	43.0625	2004
21.01.2020 14:32:52	1	1	1	1	73.75	63	0	29952.607	318.2795699	9676.840703	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:53	1	1	1	1	73.75	63	0	30000	311.827957	9483.597423	30000	0	0	30000	43.25	2004
21.01.2020 14:32:54	1	1	1	1	73.75	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:55	1	1	1	1	73.75	63	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.875	2004
21.01.2020 14:32:56	1	1	1	1	73.75	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	43.0625	2004
21.01.2020 14:32:57	1	1	1	1	73.75	62.75	0	30000	337.6344086	9984.236132	30000	0	0	30000	43.3125	2004
21.01.2020 14:32:58	1	1	1	1	73.75	63.25	0	30000	324.7311828	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:32:59	1	1	1	1	73.75	63	0	30000	333.3333333	10064.14264	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:00	1	1	1	1	73.75	63	0	30000	335.483871	10128.55706	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:01	1	1	1	1	73.75	63	0	30000	324.7311828	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:33:03	1	1	1	1	73.75	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	43.25	2004
21.01.2020 14:33:10	1	1	1	1	73.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:10	1	1	1	1	73.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:33:10	1	1	1	1	73.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:33:10	1	1	1	1	73.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:33:10	1	1	1	1	73.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:33:10	1	1	1	1	73.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:33:10	1	1	1	1	73.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:33:11	1	1	1	1	73.25	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.3125	2004
21.01.2020 14:33:12	1	1	1	1	73.25	63.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 14:33:13	1	1	1	1	73.25	63	0	30000	354.8387097	10773.5167	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:14	1	1	1	1	73.25	63	0	30000	337.6344086	10192.97149	30000	0	0	30000	43	2004
21.01.2020 14:33:15	1	1	1	1	73.25	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:16	1	1	1	1	73.25	63	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
21.01.2020 14:33:17	1	1	1	1	73.25	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
21.01.2020 14:33:18	1	1	1	1	73.25	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.0625	2004
21.01.2020 14:33:19	1	1	1	1	73.25	63	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:20	1	1	1	1	73.5	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:21	1	1	1	1	73.5	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.125	2004
21.01.2020 14:33:22	1	1	1	1	73.5	63	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:23	1	1	1	1	73.5	63	0	30000	249.4623656	7483.488707	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:33:24	1	1	1	1	73.5	62.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	43.0625	2004
21.01.2020 14:33:25	1	1	1	1	73.5	63	0	30000	245.1612903	7419.07428	30000	0	0	30000	42.9375	2004
21.01.2020 14:33:26	1	1	1	1	73.5	62.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.3125	2004
21.01.2020 14:33:27	1	1	1	1	73.5	63.25	0	30000	268.8172043	7870.79064	30000	0	0	30000	42.75	2004
21.01.2020 14:33:28	1	1	1	1	73.5	62.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	43.3125	2004
21.01.2020 14:33:29	1	1	1	1	73.5	63.25	0	29905.213	266.6666667	8064.033919	30000	0	0	30000	42.875	2004
21.01.2020 14:33:33	1	1	1	1	73.75	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.125	2004
21.01.2020 14:33:33	1	1	1	1	73.75	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.125	2004
21.01.2020 14:33:33	1	1	1	1	73.75	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.125	2004
21.01.2020 14:33:33	1	1	1	1	73.75	63	0	30000	273.1182796	8192.862773	30000	0	0	30000	43.5625	2004
21.01.2020 14:33:34	1	1	1	1	73.75	63.5	0	30000	279.5698925	8515.750279	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:35	1	1	1	1	73.75	63	0	30000	279.5698925	8322.506999	30000	0	0	30000	43.25	2004
21.01.2020 14:33:36	1	1	1	1	73.75	63.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:33:37	1	1	1	1	73.75	63	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	43.0625	2004
21.01.2020 14:33:38	1	1	1	1	73.75	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.0625	2004
21.01.2020 14:33:39	1	1	1	1	74	63	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:41	1	1	1	1	74	63	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	43.375	2004
21.01.2020 14:33:42	1	1	1	1	74	63.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	43.125	2004
21.01.2020 14:33:43	1	1	1	1	74	63	0	30000	333.3333333	9806.484929	30000	0	0	30000	43.3125	2004
21.01.2020 14:33:44	1	1	1	1	74	63.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:45	1	1	1	1	74	63	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:46	1	1	1	1	74	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
21.01.2020 14:33:47	1	1	1	1	74	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	43.3125	2004
21.01.2020 14:33:48	1	1	1	1	74	63.25	0	30000	363.4408602	11031.98978	30000	0	0	30000	43.0625	2004
21.01.2020 14:33:49	1	1	1	1	74	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.625	2004
21.01.2020 14:33:50	1	1	1	1	72.75	62.5	0	29952.607	352.688172	10692.79483	30000	0	0	30000	43.125	2004
21.01.2020 14:33:51	1	1	1	1	72.75	63	0	30000	372.0430108	11096.40421	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:52	1	1	1	1	72.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.25	2004
21.01.2020 14:33:53	1	1	1	1	72.75	63.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.1875	2004
21.01.2020 14:33:54	1	1	1	1	72.75	63	0	30000	363.4408602	11031.98978	30000	0	0	30000	43.0625	2004
21.01.2020 14:33:55	1	1	1	1	72.75	63	0	30000	341.9354839	10387.03014	30000	0	0	30000	43.125	2004
21.01.2020 14:33:56	1	1	1	1	72.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5625	2004
21.01.2020 14:33:57	1	1	1	1	72.75	62.5	0	30000	348.3870968	10644.68785	30000	0	0	30000	43.0625	2004
21.01.2020 14:33:58	1	1	1	1	72.75	63	0	29905.213	322.5806452	9775.500775	30000	0	0	30000	43	2004
21.01.2020 14:33:59	1	1	1	1	72.75	63	0	29952.607	348.3870968	10499.55155	30000	0	0	30000	43.3125	2004
21.01.2020 14:34:00	1	1	1	1	72.5	63.25	0	30000	359.1397849	10967.57535	30000	0	0	30000	42.9375	2004
21.01.2020 14:34:01	1	1	1	1	72.5	62.75	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	43.3125	2004
21.01.2020 14:34:02	1	1	1	1	72.5	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.25	2004
21.01.2020 14:34:03	1	1	1	1	72.5	63.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	43.3125	2004
21.01.2020 14:34:04	1	1	1	1	72.5	63.25	0	30000	369.8924731	11079.28139	30000	0	0	30000	43.25	2004
21.01.2020 14:34:11	1	1	1	1	72.25	63	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.3125	2004
21.01.2020 14:34:11	1	1	1	1	72.25	63	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.3125	2004
21.01.2020 14:34:11	1	1	1	1	72.25	63	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:34:11	1	1	1	1	72.25	63	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.3125	2004
21.01.2020 14:34:11	1	1	1	1	72.25	63	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.3125	2004
21.01.2020 14:34:11	1	1	1	1	72.25	63	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.3125	2004
21.01.2020 14:34:11	1	1	1	1	72.25	63	0	30000	350.5376344	10451.44457	30000	0	0	30000	43.3125	2004
21.01.2020 14:34:12	1	1	1	1	72.25	63.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	43.375	2004
21.01.2020 14:34:13	1	1	1	1	72.25	63.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:34:14	1	1	1	1	72.25	63.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.1875	2004
21.01.2020 14:34:15	1	1	1	1	72.25	63	0	30000	346.2365591	10257.38592	30000	0	0	30000	43.0625	2004
21.01.2020 14:34:16	1	1	1	1	72.25	63	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.6875	2004
21.01.2020 14:34:17	1	1	1	1	72.25	62.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	43.25	2004
21.01.2020 14:34:18	1	1	1	1	72.25	63.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
21.01.2020 14:34:19	1	1	1	1	72.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.375	2004
21.01.2020 14:34:20	1	1	1	1	72.25	63.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.9375	2004
21.01.2020 14:34:22	1	1	1	1	72.25	62.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	43	2004
21.01.2020 14:34:23	1	1	1	1	72.25	63	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.375	2004
21.01.2020 14:34:24	1	1	1	1	72.25	63.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	42.8125	2004
21.01.2020 14:34:25	1	1	1	1	72.25	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	42.875	2004
21.01.2020 14:34:26	1	1	1	1	72.25	62.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	43.1875	2004
21.01.2020 14:34:27	1	1	1	1	72.25	63	0	30000	348.3870968	10451.44457	30000	0	0	30000	43	2004
21.01.2020 14:34:28	1	1	1	1	72.25	63	0	29952.607	356.9892473	10499.55155	30000	0	0	30000	43.0625	2004
21.01.2020 14:34:29	1	1	1	1	72.25	63	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
21.01.2020 14:34:30	1	1	1	1	72.75	63	0	30000	378.4946237	11483.70614	30000	0	0	30000	43.125	2004
21.01.2020 14:34:31	1	1	1	1	72.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.1875	2004
21.01.2020 14:34:32	1	1	1	1	72.75	63	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.6875	2004
21.01.2020 14:34:33	1	1	1	1	72.75	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
21.01.2020 14:34:34	1	1	1	1	72.75	63	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	43.125	2004
21.01.2020 14:34:35	1	1	1	1	72.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
21.01.2020 14:34:36	1	1	1	1	72.75	63	0	29952.607	378.4946237	11225.23306	30000	0	0	30000	42.75	2004
21.01.2020 14:34:37	1	1	1	1	72.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 14:34:38	1	1	1	1	72.75	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.875	2004
21.01.2020 14:34:39	1	1	1	1	72.75	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.375	2004
21.01.2020 14:34:40	1	1	1	1	73.5	63.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.375	2004
21.01.2020 14:34:41	1	1	1	1	73.5	63.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.1875	2004
21.01.2020 14:34:42	1	1	1	1	73.5	63	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.375	2004
21.01.2020 14:34:43	1	1	1	1	73.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 14:34:44	1	1	1	1	73.5	62.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
21.01.2020 14:34:45	1	1	1	1	73.5	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
21.01.2020 14:34:46	1	1	1	1	73.5	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.0625	2004
21.01.2020 14:34:47	1	1	1	1	73.5	63	0	30000	391.3978495	11612.53499	30000	0	0	30000	43.1875	2004
21.01.2020 14:34:48	1	1	1	1	73.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
21.01.2020 14:34:49	1	1	1	1	73.5	63	0	30000	395.6989247	11741.36385	30000	0	0	30000	43.125	2004
21.01.2020 14:34:50	1	1	1	1	73.25	63	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.875	2004
21.01.2020 14:34:51	1	1	1	1	73.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:34:52	1	1	1	1	73.25	62.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.4375	2004
21.01.2020 14:34:53	1	1	1	1	73.25	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
21.01.2020 14:34:54	1	1	1	1	73.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.5625	2004
21.01.2020 14:34:55	1	1	1	1	73.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
21.01.2020 14:34:56	1	1	1	1	73.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.9375	2004
21.01.2020 14:34:57	1	1	1	1	73.25	62.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.5	2004
21.01.2020 14:34:58	1	1	1	1	73.25	62.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.9375	2004
21.01.2020 14:35:00	1	1	1	1	73.5	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.125	2004
21.01.2020 14:35:01	1	1	1	1	73.5	63	0	30000	404.3010753	11852.2545	30000	0	0	30000	43.3125	2004
21.01.2020 14:35:02	1	1	1	1	73.5	63.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.75	2004
21.01.2020 14:35:03	1	1	1	1	73.5	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
21.01.2020 14:35:04	1	1	1	1	73.5	63	0	29857.82	402.1505376	12090.34327	30000	0	0	30000	42.6875	2004
21.01.2020 14:35:05	1	1	1	1	73.5	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.9375	2004
21.01.2020 14:35:06	1	1	1	1	73.5	62.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.4375	2004
21.01.2020 14:35:13	1	1	1	1	73.75	63	0	29952.607	400	11833.50094	30000	0	0	30000	43.125	2004
21.01.2020 14:35:13	1	1	1	1	73.75	63	0	29952.607	400	11833.50094	30000	0	0	30000	43.125	2004
21.01.2020 14:35:13	1	1	1	1	73.75	63	0	29952.607	400	11833.50094	30000	0	0	30000	43.125	2004
21.01.2020 14:35:13	1	1	1	1	73.75	63	0	29952.607	400	11833.50094	30000	0	0	30000	43.125	2004
21.01.2020 14:35:13	1	1	1	1	73.75	63	0	29952.607	400	11833.50094	30000	0	0	30000	43.125	2004
21.01.2020 14:35:13	1	1	1	1	73.75	63	0	29952.607	400	11833.50094	30000	0	0	30000	43.125	2004
21.01.2020 14:35:13	1	1	1	1	73.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
21.01.2020 14:35:14	1	1	1	1	73.75	62.75	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
21.01.2020 14:35:15	1	1	1	1	73.75	62.5	0	29383.886	387.0967742	11292.90898	30000	0	0	30000	43.0625	2004
21.01.2020 14:35:16	1	1	1	1	73.75	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.875	2004
21.01.2020 14:35:17	1	1	1	1	73.75	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	43.3125	2004
21.01.2020 14:35:18	1	1	1	1	73.75	63.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	43.125	2004
21.01.2020 14:35:19	1	1	1	1	73.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:35:20	1	1	1	1	73.5	63	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	43.1875	2004
21.01.2020 14:35:21	1	1	1	1	73.5	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 14:35:22	1	1	1	1	73.5	63	0	29905.213	268.8172043	8192.862773	30000	0	0	30000	43.5	2004
21.01.2020 14:35:23	1	1	1	1	73.5	63.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:35:24	1	1	1	1	73.5	63	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.1875	2004
21.01.2020 14:35:25	1	1	1	1	73.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.0625	2004
21.01.2020 14:35:26	1	1	1	1	73.5	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.125	2004
21.01.2020 14:35:27	1	1	1	1	73.5	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.125	2004
21.01.2020 14:35:28	1	1	1	1	73.5	63	0	30000	316.1290323	9419.182997	30000	0	0	30000	43.25	2004
21.01.2020 14:35:29	1	1	1	1	73.5	63.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	43.3125	2004
21.01.2020 14:35:30	1	1	1	1	74	63.25	0	30000	335.483871	9999.728209	30000	0	0	30000	43.125	2004
21.01.2020 14:35:31	1	1	1	1	74	63	0	29905.213	341.9354839	10387.03014	30000	0	0	30000	43.5625	2004
21.01.2020 14:35:32	1	1	1	1	74	63.5	0	30000	365.5913978	10773.5167	30000	0	0	30000	43.6875	2004
21.01.2020 14:35:33	1	1	1	1	74	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.3125	2004
21.01.2020 14:35:34	1	1	1	1	74	63.25	0	30000	352.688172	10580.27342	30000	0	0	30000	43.125	2004
21.01.2020 14:35:35	1	1	1	1	74	63	0	27298.578	311.827957	8512.488789	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:35:36	1	1	1	1	74	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.25	2004
21.01.2020 14:35:37	1	1	1	1	74	63.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.0625	2004
21.01.2020 14:35:38	1	1	1	1	74	63	0	30047.393	354.8387097	10515.85899	30000	0	0	30000	42.5625	2004
21.01.2020 14:35:40	1	1	1	1	74	62.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	43.125	2004
21.01.2020 14:35:41	1	1	1	1	74	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
21.01.2020 14:35:42	1	1	1	1	74	62.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	43.125	2004
21.01.2020 14:35:43	1	1	1	1	74	63	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.4375	2004
21.01.2020 14:35:44	1	1	1	1	74	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
21.01.2020 14:35:45	1	1	1	1	74	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.9375	2004
21.01.2020 14:35:46	1	1	1	1	74	62.75	0	29715.64	400	12013.69826	30000	0	0	30000	43.125	2004
21.01.2020 14:35:47	1	1	1	1	74	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43.125	2004
21.01.2020 14:35:48	1	1	1	1	74	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.25	2004
21.01.2020 14:35:49	1	1	1	1	74	63.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
21.01.2020 14:35:50	1	1	1	1	74.25	63	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.375	2004
21.01.2020 14:35:51	1	1	1	1	74.25	63.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	43.125	2004
21.01.2020 14:35:52	1	1	1	1	74.25	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.4375	2004
21.01.2020 14:35:53	1	1	1	1	74.25	63.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
21.01.2020 14:35:54	1	1	1	1	74.25	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
21.01.2020 14:35:55	1	1	1	1	74.25	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.375	2004
21.01.2020 14:35:56	1	1	1	1	74.25	63.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
21.01.2020 14:35:57	1	1	1	1	74.25	62.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	43.0625	2004
21.01.2020 14:35:58	1	1	1	1	74.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004
21.01.2020 14:35:59	1	1	1	1	74.25	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:00	1	1	1	1	74.25	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:01	1	1	1	1	74.25	63	0	29952.607	356.9892473	10628.3804	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:02	1	1	1	1	74.25	63	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
21.01.2020 14:36:03	1	1	1	1	74.25	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:04	1	1	1	1	74.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
21.01.2020 14:36:05	1	1	1	1	74.25	63	0	30094.787	382.7956989	11160.81863	30000	0	0	30000	42.9375	2004
21.01.2020 14:36:06	1	1	1	1	74.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
21.01.2020 14:36:07	1	1	1	1	74.25	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.9375	2004
21.01.2020 14:36:15	1	1	1	1	74	62.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:15	1	1	1	1	74	62.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:15	1	1	1	1	74	62.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:15	1	1	1	1	74	62.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:15	1	1	1	1	74	62.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:15	1	1	1	1	74	62.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:15	1	1	1	1	74	62.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:15	1	1	1	1	74	62.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:15	1	1	1	1	74	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:17	1	1	1	1	74	63	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:18	1	1	1	1	74	63	0	30000	389.2473118	11659.01122	30000	0	0	30000	43.3125	2004
21.01.2020 14:36:19	1	1	1	1	74	63.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:20	1	1	1	1	74	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:36:21	1	1	1	1	74	63	0	30000	369.8924731	11143.69581	30000	0	0	30000	43.375	2004
21.01.2020 14:36:22	1	1	1	1	74	63.25	0	29905.213	337.6344086	10192.97149	30000	0	0	30000	43.125	2004
21.01.2020 14:36:23	1	1	1	1	74	63	0	30000	341.9354839	10192.97149	30000	0	0	30000	43.25	2004
21.01.2020 14:36:24	1	1	1	1	74	63.25	0	29952.607	324.7311828	9741.25513	30000	0	0	30000	43.125	2004
21.01.2020 14:36:25	1	1	1	1	74	63	0	30047.393	296.7741935	8903.052211	30000	0	0	30000	43.25	2004
21.01.2020 14:36:26	1	1	1	1	74	63.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:27	1	1	1	1	74	63	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:28	1	1	1	1	74	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:29	1	1	1	1	74	63	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.125	2004
21.01.2020 14:36:30	1	1	1	1	74	63	0	30000	268.8172043	8192.862773	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:31	1	1	1	1	74	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:32	1	1	1	1	74	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43.3125	2004
21.01.2020 14:36:33	1	1	1	1	74	63.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.9375	2004
21.01.2020 14:36:34	1	1	1	1	74	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:35	1	1	1	1	74	63	0	30000	288.172043	8644.579132	30000	0	0	30000	43	2004
21.01.2020 14:36:36	1	1	1	1	74	63	0	29715.64	260.2150538	7732.177316	30000	0	0	30000	42.9375	2004
21.01.2020 14:36:37	1	1	1	1	74	62.75	0	30000	281.7204301	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:38	1	1	1	1	74	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.125	2004
21.01.2020 14:36:39	1	1	1	1	74	63	0	30000	275.2688172	8192.862773	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:40	1	1	1	1	73.75	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.125	2004
21.01.2020 14:36:41	1	1	1	1	73.75	63	0	30000	270.9677419	8064.033919	30000	0	0	30000	43.25	2004
21.01.2020 14:36:42	1	1	1	1	73.75	63.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.875	2004
21.01.2020 14:36:43	1	1	1	1	73.75	62.75	0	30000	264.516129	7999.619493	30000	0	0	30000	42.75	2004
21.01.2020 14:36:44	1	1	1	1	73.75	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	43.25	2004
21.01.2020 14:36:45	1	1	1	1	73.75	63.25	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	43.1875	2004
21.01.2020 14:36:46	1	1	1	1	73.75	63	0	30000	286.0215054	8451.335852	30000	0	0	30000	43	2004
21.01.2020 14:36:47	1	1	1	1	73.75	63	0	30047.393	279.5698925	8335.552958	30000	0	0	30000	43.5625	2004
21.01.2020 14:36:48	1	1	1	1	73.75	63.5	0	30000	288.172043	8708.993559	30000	0	0	30000	43.4375	2004
21.01.2020 14:36:49	1	1	1	1	73.75	63.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.6875	2004
21.01.2020 14:36:50	1	1	1	1	74	63.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.4375	2004
21.01.2020 14:36:51	1	1	1	1	74	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.9375	2004
21.01.2020 14:36:52	1	1	1	1	74	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:53	1	1	1	1	74	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:54	1	1	1	1	74	63	0	30000	294.6236559	8903.052211	30000	0	0	30000	43.4375	2004
21.01.2020 14:36:56	1	1	1	1	74	63.25	0	29952.607	301.0752688	8967.466638	30000	0	0	30000	43.25	2004
21.01.2020 14:36:57	1	1	1	1	74	63.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
21.01.2020 14:36:58	1	1	1	1	74	63	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.4375	2004
21.01.2020 14:36:59	1	1	1	1	74	62.25	0	29952.607	305.3763441	9096.295491	30000	0	0	30000	43.1875	2004
21.01.2020 14:37:00	1	1	1	1	73.75	63	0	29905.213	296.7741935	8838.637784	30000	0	0	30000	43.25	2004
21.01.2020 14:37:01	1	1	1	1	73.75	63.25	0	30000	294.6236559	8967.466638	30000	0	0	30000	43.1875	2004
21.01.2020 14:37:02	1	1	1	1	73.75	63	0	30000	292.4731183	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:37:03	1	1	1	1	73.75	63	0	30000	292.4731183	8644.579132	30000	0	0	30000	42.8125	2004
21.01.2020 14:37:04	1	1	1	1	73.75	62.75	0	29952.607	281.7204301	8708.993559	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:37:05	1	1	1	1	73.75	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43.0625	2004
21.01.2020 14:37:06	1	1	1	1	73.75	63	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.1875	2004
21.01.2020 14:37:07	1	1	1	1	73.75	62	0	30000	298.9247312	9031.881064	30000	0	0	30000	43.1875	2004
21.01.2020 14:37:08	1	1	1	1	73.75	63	0	29952.607	294.6236559	8631.533172	30000	0	0	30000	43.1875	2004
21.01.2020 14:37:09	1	1	1	1	73.75	63	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.875	2004
21.01.2020 14:37:16	1	1	1	1	73.5	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
21.01.2020 14:37:16	1	1	1	1	73.5	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
21.01.2020 14:37:16	1	1	1	1	73.5	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
21.01.2020 14:37:16	1	1	1	1	73.5	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
21.01.2020 14:37:16	1	1	1	1	73.5	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
21.01.2020 14:37:16	1	1	1	1	73.5	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
21.01.2020 14:37:16	1	1	1	1	73.5	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.6875	2004
21.01.2020 14:37:17	1	1	1	1	73.5	62.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	43	2004
21.01.2020 14:37:18	1	1	1	1	73.5	63	0	30000	262.3655914	7935.205066	30000	0	0	30000	43.125	2004
21.01.2020 14:37:19	1	1	1	1	73.5	63	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.9375	2004
21.01.2020 14:37:20	1	1	1	1	73.5	62.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	43.1875	2004
21.01.2020 14:37:21	1	1	1	1	73.5	63	0	30000	249.4623656	7419.07428	30000	0	0	30000	43	2004
21.01.2020 14:37:22	1	1	1	1	73.5	63	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.875	2004
21.01.2020 14:37:23	1	1	1	1	73.5	62.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.6875	2004
21.01.2020 14:37:24	1	1	1	1	73.5	62.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	42.8125	2004
21.01.2020 14:37:25	1	1	1	1	73.5	62.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	43.5	2004
21.01.2020 14:37:26	1	1	1	1	73.5	63.5	0	30000	264.516129	7935.205066	30000	0	0	30000	42.75	2004
21.01.2020 14:37:27	1	1	1	1	73.5	62.75	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	43.5625	2004
21.01.2020 14:37:28	1	1	1	1	73.5	63.5	0	30000	258.0645161	7600.902346	30000	0	0	30000	43.25	2004
21.01.2020 14:37:29	1	1	1	1	73.5	62.75	0	30000	264.516129	7999.619493	30000	0	0	30000	43.0625	2004
21.01.2020 14:37:30	1	1	1	1	73.5	63	0	30000	286.0215054	8438.289892	30000	0	0	30000	42.875	2004
21.01.2020 14:37:31	1	1	1	1	73.5	62.75	0	30000	296.7741935	8824.776452	30000	0	0	30000	43.0625	2004
21.01.2020 14:37:33	1	1	1	1	73.5	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.125	2004
21.01.2020 14:37:34	1	1	1	1	73.5	63	0	29952.607	301.0752688	8967.466638	30000	0	0	30000	43	2004
21.01.2020 14:37:35	1	1	1	1	73.5	63	0	29952.607	311.827957	9354.76857	30000	0	0	30000	43	2004
21.01.2020 14:37:36	1	1	1	1	73.5	63	0	30000	322.5806452	9533.335145	30000	0	0	30000	42.875	2004
21.01.2020 14:37:37	1	1	1	1	73.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
21.01.2020 14:37:38	1	1	1	1	73.5	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
21.01.2020 14:37:39	1	1	1	1	73.5	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
21.01.2020 14:37:40	1	1	1	1	73.5	63.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
21.01.2020 14:37:41	1	1	1	1	73.5	63	0	28862.559	331.1827957	9620.580002	30000	0	0	30000	43.1875	2004
21.01.2020 14:37:42	1	1	1	1	73.5	63	0	30000	339.7849462	10192.97149	30000	0	0	30000	43.125	2004
21.01.2020 14:37:43	1	1	1	1	73.5	63	0	29905.213	346.2365591	10387.03014	30000	0	0	30000	43.0625	2004
21.01.2020 14:37:44	1	1	1	1	73.5	63	0	30047.393	354.8387097	10644.68785	30000	0	0	30000	43.125	2004
21.01.2020 14:37:45	1	1	1	1	73.5	63	0	30000	350.5376344	10451.44457	30000	0	0	30000	42.9375	2004
21.01.2020 14:37:46	1	1	1	1	73.5	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 14:37:47	1	1	1	1	73.5	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.9375	2004
21.01.2020 14:37:48	1	1	1	1	73.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:37:49	1	1	1	1	73.5	63	0	30047.393	331.1827957	9935.313783	30000	0	0	30000	42.75	2004
21.01.2020 14:37:50	1	1	1	1	73.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5625	2004
21.01.2020 14:37:51	1	1	1	1	73.5	62.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.875	2004
21.01.2020 14:37:52	1	1	1	1	73.5	62.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.8125	2004
21.01.2020 14:37:53	1	1	1	1	73.5	62.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	42.8125	2004
21.01.2020 14:37:54	1	1	1	1	73.5	62.75	0	30047.393	369.8924731	11114.3424	30000	0	0	30000	42.875	2004
21.01.2020 14:37:55	1	1	1	1	73.5	62.75	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	42.9375	2004
21.01.2020 14:37:56	1	1	1	1	73.5	62.75	0	29810.427	354.8387097	10577.8273	30000	0	0	30000	42.9375	2004
21.01.2020 14:37:57	1	1	1	1	73.5	62.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.75	2004
21.01.2020 14:37:58	1	1	1	1	73.5	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
21.01.2020 14:37:59	1	1	1	1	73.5	63	0	30000	382.7956989	11354.87729	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:00	1	1	1	1	73.25	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.9375	2004
21.01.2020 14:38:01	1	1	1	1	73.25	62.75	0	29905.213	372.0430108	11160.81863	30000	0	0	30000	43.125	2004
21.01.2020 14:38:02	1	1	1	1	73.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:03	1	1	1	1	73.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:04	1	1	1	1	73.25	63	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
21.01.2020 14:38:05	1	1	1	1	73.25	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:06	1	1	1	1	73.25	63	0	29952.607	384.9462366	11741.36385	30000	0	0	30000	43.125	2004
21.01.2020 14:38:07	1	1	1	1	73.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.5	2004
21.01.2020 14:38:08	1	1	1	1	73.25	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.875	2004
21.01.2020 14:38:09	1	1	1	1	73	62.75	0	29952.607	387.0967742	11548.12057	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:11	1	1	1	1	73	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:18	1	1	1	1	73	63	0	29952.607	301.0752688	9225.124344	30000	0	0	30000	43	2004
21.01.2020 14:38:18	1	1	1	1	73	63	0	29952.607	301.0752688	9225.124344	30000	0	0	30000	43	2004
21.01.2020 14:38:18	1	1	1	1	73	63	0	29952.607	301.0752688	9225.124344	30000	0	0	30000	43	2004
21.01.2020 14:38:18	1	1	1	1	73	63	0	29952.607	301.0752688	9225.124344	30000	0	0	30000	43	2004
21.01.2020 14:38:18	1	1	1	1	73	63	0	29952.607	301.0752688	9225.124344	30000	0	0	30000	43	2004
21.01.2020 14:38:18	1	1	1	1	73	63	0	29952.607	301.0752688	9225.124344	30000	0	0	30000	43	2004
21.01.2020 14:38:18	1	1	1	1	73	63	0	29952.607	301.0752688	9225.124344	30000	0	0	30000	43	2004
21.01.2020 14:38:19	1	1	1	1	73	63	0	30000	296.7741935	9031.881064	30000	0	0	30000	43.1875	2004
21.01.2020 14:38:20	1	1	1	1	73	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:21	1	1	1	1	73	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.3125	2004
21.01.2020 14:38:22	1	1	1	1	73	62.25	0	30047.393	296.7741935	8708.993559	30000	0	0	30000	43.25	2004
21.01.2020 14:38:23	1	1	1	1	73	63.25	0	30000	288.172043	8580.164705	30000	0	0	30000	42.8125	2004
21.01.2020 14:38:24	1	1	1	1	73	62.75	0	30047.393	288.172043	8644.579132	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:25	1	1	1	1	73	63	0	30000	288.172043	8644.579132	30000	0	0	30000	43.1875	2004
21.01.2020 14:38:26	1	1	1	1	73	63	0	30000	286.0215054	8424.42856	30000	0	0	30000	43.125	2004
21.01.2020 14:38:27	1	1	1	1	73	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:28	1	1	1	1	73	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:38:29	1	1	1	1	73	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:38:30	1	1	1	1	73.25	63	0	30000	296.7741935	8838.637784	30000	0	0	30000	42.5625	2004
21.01.2020 14:38:31	1	1	1	1	73.25	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	43.125	2004
21.01.2020 14:38:32	1	1	1	1	73.25	63	0	30047.393	298.9247312	8838.637784	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:38:33	1	1	1	1	73.25	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43	2004
21.01.2020 14:38:34	1	1	1	1	73.25	63	0	29952.607	279.5698925	8451.335852	30000	0	0	30000	42.8125	2004
21.01.2020 14:38:35	1	1	1	1	73.25	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:36	1	1	1	1	73.25	63	0	30000	288.172043	8580.164705	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:37	1	1	1	1	73.25	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.875	2004
21.01.2020 14:38:38	1	1	1	1	73.25	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	43	2004
21.01.2020 14:38:39	1	1	1	1	73.25	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43	2004
21.01.2020 14:38:40	1	1	1	1	73.25	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:41	1	1	1	1	73.25	63	0	30000	277.4193548	8386.921425	30000	0	0	30000	43	2004
21.01.2020 14:38:42	1	1	1	1	73.25	63	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:43	1	1	1	1	73.25	63	0	30000	268.8172043	8192.862773	30000	0	0	30000	42.6875	2004
21.01.2020 14:38:44	1	1	1	1	73.25	62.5	0	30000	268.8172043	8322.506999	30000	0	0	30000	43.375	2004
21.01.2020 14:38:45	1	1	1	1	73.25	63.25	0	30000	266.6666667	8012.665453	30000	0	0	30000	43.3125	2004
21.01.2020 14:38:46	1	1	1	1	73.25	63.25	0	30000	262.3655914	7794.145626	30000	0	0	30000	42.75	2004
21.01.2020 14:38:47	1	1	1	1	73.25	63	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	43	2004
21.01.2020 14:38:48	1	1	1	1	73.25	63	0	29952.607	279.5698925	8322.506999	30000	0	0	30000	42.9375	2004
21.01.2020 14:38:50	1	1	1	1	73.25	62.75	0	29952.607	270.9677419	8128.448346	30000	0	0	30000	42.9375	2004
21.01.2020 14:38:51	1	1	1	1	73.25	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43	2004
21.01.2020 14:38:52	1	1	1	1	73.25	63	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	43	2004
21.01.2020 14:38:53	1	1	1	1	73.25	63	0	29905.213	268.8172043	8064.033919	30000	0	0	30000	42.9375	2004
21.01.2020 14:38:54	1	1	1	1	73.25	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	43.1875	2004
21.01.2020 14:38:55	1	1	1	1	73.25	63	0	30000	277.4193548	8180.632185	30000	0	0	30000	42.6875	2004
21.01.2020 14:38:56	1	1	1	1	73.25	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	43.125	2004
21.01.2020 14:38:57	1	1	1	1	73.25	63	0	30000	288.172043	8708.993559	30000	0	0	30000	42.625	2004
21.01.2020 14:38:58	1	1	1	1	73.25	62.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.0625	2004
21.01.2020 14:38:59	1	1	1	1	73.25	63	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	43.125	2004
21.01.2020 14:39:00	1	1	1	1	73.25	63	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.75	2004
21.01.2020 14:39:01	1	1	1	1	73.25	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	43.1875	2004
21.01.2020 14:39:02	1	1	1	1	73.25	63	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.875	2004
21.01.2020 14:39:03	1	1	1	1	73.25	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:04	1	1	1	1	73.25	62.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	42.5625	2004
21.01.2020 14:39:05	1	1	1	1	73.25	62.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	43.125	2004
21.01.2020 14:39:06	1	1	1	1	73.25	63	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:07	1	1	1	1	73.25	63	0	30000	322.5806452	9468.920719	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:08	1	1	1	1	73.25	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.25	2004
21.01.2020 14:39:09	1	1	1	1	73.25	63.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.125	2004
21.01.2020 14:39:10	1	1	1	1	73	63	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.1875	2004
21.01.2020 14:39:11	1	1	1	1	73	62	0	29905.213	322.5806452	9870.899356	30000	0	0	30000	43.1875	2004
21.01.2020 14:39:12	1	1	1	1	73	63	0	30000	339.7849462	10064.14264	30000	0	0	30000	43	2004
21.01.2020 14:39:19	1	1	1	1	73	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004
21.01.2020 14:39:19	1	1	1	1	73	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004
21.01.2020 14:39:19	1	1	1	1	73	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004
21.01.2020 14:39:19	1	1	1	1	73	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:39:19	1	1	1	1	73	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004
21.01.2020 14:39:19	1	1	1	1	73	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004
21.01.2020 14:39:19	1	1	1	1	73	63	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.875	2004
21.01.2020 14:39:20	1	1	1	1	72.75	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:21	1	1	1	1	72.75	62.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.625	2004
21.01.2020 14:39:22	1	1	1	1	72.75	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.8125	2004
21.01.2020 14:39:23	1	1	1	1	72.75	62.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:24	1	1	1	1	72.75	62.75	0	29905.213	262.3655914	7870.79064	30000	0	0	30000	43.375	2004
21.01.2020 14:39:25	1	1	1	1	72.75	62.75	0	30000	264.516129	7935.205066	30000	0	0	30000	42.875	2004
21.01.2020 14:39:26	1	1	1	1	72.75	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:39:28	1	1	1	1	72.75	63	0	30000	296.7741935	8903.052211	30000	0	0	30000	43.125	2004
21.01.2020 14:39:29	1	1	1	1	72.75	63	0	29810.427	288.172043	8589.949175	30000	0	0	30000	43	2004
21.01.2020 14:39:30	1	1	1	1	72.75	63	0	30000	292.4731183	8708.993559	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:31	1	1	1	1	72.75	63	0	30000	290.3225806	8708.993559	30000	0	0	30000	43	2004
21.01.2020 14:39:32	1	1	1	1	72.75	63	0	30000	288.172043	8580.164705	30000	0	0	30000	41.8125	2004
21.01.2020 14:39:33	1	1	1	1	72.75	61.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:34	1	1	1	1	72.75	62.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.875	2004
21.01.2020 14:39:35	1	1	1	1	72.75	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:36	1	1	1	1	72.75	63	0	30000	264.516129	7870.79064	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:37	1	1	1	1	72.75	63	0	30000	279.5698925	8245.046612	30000	0	0	30000	41.625	2004
21.01.2020 14:39:38	1	1	1	1	72.75	61.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:39	1	1	1	1	72.75	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.625	2004
21.01.2020 14:39:40	1	1	1	1	73	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:41	1	1	1	1	73	63	0	29952.607	283.8709677	8515.750279	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:42	1	1	1	1	73	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:43	1	1	1	1	73	63	0	30000	279.5698925	8180.632185	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:44	1	1	1	1	73	63	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:45	1	1	1	1	73	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.1875	2004
21.01.2020 14:39:46	1	1	1	1	73	63	0	30000	279.5698925	8386.921425	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:47	1	1	1	1	73	63	0	30000	279.5698925	8451.335852	30000	0	0	30000	43	2004
21.01.2020 14:39:48	1	1	1	1	73	63	0	30000	281.7204301	8451.335852	30000	0	0	30000	43.125	2004
21.01.2020 14:39:49	1	1	1	1	73	63	0	30000	277.4193548	8322.506999	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:50	1	1	1	1	72.75	63	0	30000	273.1182796	8128.448346	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:51	1	1	1	1	72.75	62.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:52	1	1	1	1	72.75	63	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.875	2004
21.01.2020 14:39:53	1	1	1	1	72.75	62.75	0	30000	296.7741935	9060.419101	30000	0	0	30000	42.4375	2004
21.01.2020 14:39:54	1	1	1	1	72.75	62.25	0	30000	298.9247312	8838.637784	30000	0	0	30000	42.9375	2004
21.01.2020 14:39:55	1	1	1	1	72.75	62.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	43.0625	2004
21.01.2020 14:39:56	1	1	1	1	72.75	63	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.75	2004
21.01.2020 14:39:57	1	1	1	1	72.75	62.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	42.5	2004
21.01.2020 14:39:58	1	1	1	1	72.75	62.5	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	42.75	2004
21.01.2020 14:39:59	1	1	1	1	72.75	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.75	2004
21.01.2020 14:40:00	1	1	1	1	73	62.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:40:01	1	1	1	1	73	63	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.6875	2004
21.01.2020 14:40:02	1	1	1	1	73	62.5	0	30000	313.9784946	9498.274128	30000	0	0	30000	43	2004
21.01.2020 14:40:03	1	1	1	1	73	63.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:04	1	1	1	1	73	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:06	1	1	1	1	73	62.75	0	29905.213	307.5268817	9389.014215	30000	0	0	30000	42.6875	2004
21.01.2020 14:40:07	1	1	1	1	73	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
21.01.2020 14:40:08	1	1	1	1	73	63	0	30000	311.827957	9354.76857	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:09	1	1	1	1	73	63	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:10	1	1	1	1	72.75	62.75	0	29905.213	307.5268817	9160.709918	30000	0	0	30000	43	2004
21.01.2020 14:40:11	1	1	1	1	72.75	63	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:12	1	1	1	1	72.75	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:40:13	1	1	1	1	72.75	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:14	1	1	1	1	72.75	62.75	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:21	1	1	1	1	73	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:21	1	1	1	1	73	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:21	1	1	1	1	73	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:21	1	1	1	1	73	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:21	1	1	1	1	73	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:21	1	1	1	1	73	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:21	1	1	1	1	73	63	0	30000	333.3333333	9870.899356	30000	0	0	30000	42.875	2004
21.01.2020 14:40:22	1	1	1	1	73	62.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:23	1	1	1	1	73	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.875	2004
21.01.2020 14:40:24	1	1	1	1	73	62.75	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	42.875	2004
21.01.2020 14:40:25	1	1	1	1	73	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:26	1	1	1	1	73	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.6875	2004
21.01.2020 14:40:27	1	1	1	1	73	62.5	0	30000	307.5268817	9160.709918	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:28	1	1	1	1	73	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.875	2004
21.01.2020 14:40:29	1	1	1	1	73	62.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	43	2004
21.01.2020 14:40:30	1	1	1	1	72.75	63	0	30000	292.4731183	8996.004675	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:31	1	1	1	1	72.75	62.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.875	2004
21.01.2020 14:40:32	1	1	1	1	72.75	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5	2004
21.01.2020 14:40:33	1	1	1	1	72.75	62.5	0	29952.607	288.172043	8695.947599	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:34	1	1	1	1	72.75	62.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:35	1	1	1	1	72.75	62.75	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	42.5	2004
21.01.2020 14:40:36	1	1	1	1	72.75	62.5	0	30000	288.172043	8708.993559	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:37	1	1	1	1	72.75	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
21.01.2020 14:40:38	1	1	1	1	72.75	63	0	30000	309.6774194	9290.354143	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:39	1	1	1	1	72.75	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.3125	2004
21.01.2020 14:40:40	1	1	1	1	72.5	63.25	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	43.1875	2004
21.01.2020 14:40:41	1	1	1	1	72.5	63	0	30000	331.1827957	9870.899356	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:42	1	1	1	1	72.5	62.75	0	30000	350.5376344	10403.33759	30000	0	0	30000	42.875	2004
21.01.2020 14:40:43	1	1	1	1	72.5	62.75	0	29952.607	341.9354839	10225.58639	30000	0	0	30000	43	2004
21.01.2020 14:40:45	1	1	1	1	72.5	63	0	29952.607	352.688172	10499.55155	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:40:46	1	1	1	1	72.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:47	1	1	1	1	72.5	62.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.875	2004
21.01.2020 14:40:48	1	1	1	1	72.5	62.75	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:49	1	1	1	1	72.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:50	1	1	1	1	72.5	62.75	0	29952.607	331.1827957	10128.55706	30000	0	0	30000	42.375	2004
21.01.2020 14:40:51	1	1	1	1	72.5	62.25	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:52	1	1	1	1	72.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.9375	2004
21.01.2020 14:40:53	1	1	1	1	72.5	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:54	1	1	1	1	72.5	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:55	1	1	1	1	72.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
21.01.2020 14:40:56	1	1	1	1	72.5	62.75	0	29952.607	346.2365591	10515.85899	30000	0	0	30000	42.5625	2004
21.01.2020 14:40:57	1	1	1	1	72.5	62.5	0	30000	352.688172	10644.68785	30000	0	0	30000	42.5625	2004
21.01.2020 14:40:58	1	1	1	1	72.5	62.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.0625	2004
21.01.2020 14:40:59	1	1	1	1	72.5	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.625	2004
21.01.2020 14:41:00	1	1	1	1	72.5	62.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:01	1	1	1	1	72.5	62.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:02	1	1	1	1	72.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.75	2004
21.01.2020 14:41:03	1	1	1	1	72.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.75	2004
21.01.2020 14:41:04	1	1	1	1	72.5	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
21.01.2020 14:41:05	1	1	1	1	72.5	62.25	0	30047.393	372.0430108	11031.98978	30000	0	0	30000	42.625	2004
21.01.2020 14:41:06	1	1	1	1	72.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:07	1	1	1	1	72.5	62.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.875	2004
21.01.2020 14:41:08	1	1	1	1	72.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.6875	2004
21.01.2020 14:41:09	1	1	1	1	72.5	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
21.01.2020 14:41:10	1	1	1	1	72.5	62.5	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	42.8125	2004
21.01.2020 14:41:11	1	1	1	1	72.5	62.75	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	42.75	2004
21.01.2020 14:41:12	1	1	1	1	72.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:13	1	1	1	1	72.5	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5625	2004
21.01.2020 14:41:14	1	1	1	1	72.5	62.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.875	2004
21.01.2020 14:41:15	1	1	1	1	72.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:23	1	1	1	1	72.5	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
21.01.2020 14:41:23	1	1	1	1	72.5	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
21.01.2020 14:41:23	1	1	1	1	72.5	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
21.01.2020 14:41:23	1	1	1	1	72.5	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
21.01.2020 14:41:23	1	1	1	1	72.5	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
21.01.2020 14:41:23	1	1	1	1	72.5	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
21.01.2020 14:41:23	1	1	1	1	72.5	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
21.01.2020 14:41:24	1	1	1	1	72.5	63	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.6875	2004
21.01.2020 14:41:25	1	1	1	1	72.5	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.875	2004
21.01.2020 14:41:26	1	1	1	1	72.5	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:27	1	1	1	1	72.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.6875	2004
21.01.2020 14:41:28	1	1	1	1	72.5	62.5	0	30000	326.8817204	9790.992852	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:29	1	1	1	1	72.5	62.75	0	30000	326.8817204	9582.257495	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:41:30	1	1	1	1	72.5	62.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:31	1	1	1	1	72.5	62.75	0	29905.213	322.5806452	9870.899356	30000	0	0	30000	42.875	2004
21.01.2020 14:41:32	1	1	1	1	72.5	62.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.1875	2004
21.01.2020 14:41:33	1	1	1	1	72.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.375	2004
21.01.2020 14:41:34	1	1	1	1	72.5	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
21.01.2020 14:41:35	1	1	1	1	72.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	43	2004
21.01.2020 14:41:36	1	1	1	1	72.5	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	43.125	2004
21.01.2020 14:41:37	1	1	1	1	72.5	63	0	30000	301.0752688	8824.776452	30000	0	0	30000	42.6875	2004
21.01.2020 14:41:38	1	1	1	1	72.5	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5	2004
21.01.2020 14:41:39	1	1	1	1	72.5	62.5	0	30047.393	288.172043	8644.579132	30000	0	0	30000	42.875	2004
21.01.2020 14:41:40	1	1	1	1	72.5	62.75	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.625	2004
21.01.2020 14:41:41	1	1	1	1	72.5	62.5	0	29952.607	309.6774194	9211.263012	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:42	1	1	1	1	72.5	62.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.8125	2004
21.01.2020 14:41:43	1	1	1	1	72.5	62.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.75	2004
21.01.2020 14:41:44	1	1	1	1	72.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:45	1	1	1	1	72.5	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.4375	2004
21.01.2020 14:41:46	1	1	1	1	72.5	62.25	0	30000	307.5268817	9305.030848	30000	0	0	30000	42.625	2004
21.01.2020 14:41:47	1	1	1	1	72.5	62.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	43	2004
21.01.2020 14:41:48	1	1	1	1	72.5	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.8125	2004
21.01.2020 14:41:49	1	1	1	1	72.5	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.875	2004
21.01.2020 14:41:50	1	1	1	1	72	62.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.875	2004
21.01.2020 14:41:51	1	1	1	1	72	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:52	1	1	1	1	72	62.75	0	30000	307.5268817	9369.445275	30000	0	0	30000	43	2004
21.01.2020 14:41:53	1	1	1	1	72	63	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.875	2004
21.01.2020 14:41:54	1	1	1	1	72	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.9375	2004
21.01.2020 14:41:55	1	1	1	1	72	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.4375	2004
21.01.2020 14:41:56	1	1	1	1	72	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.75	2004
21.01.2020 14:41:57	1	1	1	1	72	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.8125	2004
21.01.2020 14:41:58	1	1	1	1	72	62.75	0	30000	322.5806452	9870.899356	30000	0	0	30000	42.1875	2004
21.01.2020 14:41:59	1	1	1	1	72	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
21.01.2020 14:42:01	1	1	1	1	72	63.25	0	30000	333.3333333	9935.313783	30000	0	0	30000	42.625	2004
21.01.2020 14:42:02	1	1	1	1	72	62.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.9375	2004
21.01.2020 14:42:03	1	1	1	1	72	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	43.0625	2004
21.01.2020 14:42:04	1	1	1	1	72	63	0	30000	326.8817204	9806.484929	30000	0	0	30000	43	2004
21.01.2020 14:42:05	1	1	1	1	72	63	0	30000	326.8817204	9741.25513	30000	0	0	30000	43	2004
21.01.2020 14:42:06	1	1	1	1	72	63	0	30000	341.9354839	10192.97149	30000	0	0	30000	42.9375	2004
21.01.2020 14:42:07	1	1	1	1	72	62.75	0	30000	333.3333333	10128.55706	30000	0	0	30000	42.75	2004
21.01.2020 14:42:08	1	1	1	1	72	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.4375	2004
21.01.2020 14:42:09	1	1	1	1	72	62.25	0	29905.213	318.2795699	9483.597423	30000	0	0	30000	42.3125	2004
21.01.2020 14:42:10	1	1	1	1	71.5	62.25	0	29952.607	335.483871	10419.64504	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:11	1	1	1	1	71.5	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.75	2004
21.01.2020 14:42:12	1	1	1	1	71.5	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.5	2004
21.01.2020 14:42:13	1	1	1	1	71.5	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:42:14	1	1	1	1	71.5	62.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:15	1	1	1	1	71.5	62.75	0	29952.607	331.1827957	9839.099829	30000	0	0	30000	42.9375	2004
21.01.2020 14:42:16	1	1	1	1	71.5	62.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.9375	2004
21.01.2020 14:42:17	1	1	1	1	71.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.875	2004
21.01.2020 14:42:25	1	1	1	1	71.5	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:42:25	1	1	1	1	71.5	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:42:25	1	1	1	1	71.5	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:42:25	1	1	1	1	71.5	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:42:25	1	1	1	1	71.5	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:42:25	1	1	1	1	71.5	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:42:25	1	1	1	1	71.5	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:42:25	1	1	1	1	71.5	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.875	2004
21.01.2020 14:42:25	1	1	1	1	71.5	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.9375	2004
21.01.2020 14:42:26	1	1	1	1	71.5	62.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.875	2004
21.01.2020 14:42:27	1	1	1	1	71.5	62.75	0	30000	309.6774194	9146.848585	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:28	1	1	1	1	71.5	62.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.625	2004
21.01.2020 14:42:29	1	1	1	1	71.5	62.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.75	2004
21.01.2020 14:42:30	1	1	1	1	71.25	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:31	1	1	1	1	71.25	62.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.625	2004
21.01.2020 14:42:32	1	1	1	1	71.25	62.5	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	43	2004
21.01.2020 14:42:33	1	1	1	1	71.25	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:34	1	1	1	1	71.25	62.75	0	30000	335.483871	10192.97149	30000	0	0	30000	42.9375	2004
21.01.2020 14:42:35	1	1	1	1	71.25	62.75	0	29952.607	331.1827957	9870.899356	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:36	1	1	1	1	71.25	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	43.25	2004
21.01.2020 14:42:37	1	1	1	1	71.25	63.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
21.01.2020 14:42:38	1	1	1	1	71.25	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	43.0625	2004
21.01.2020 14:42:40	1	1	1	1	71	63	0	30000	324.7311828	9741.25513	30000	0	0	30000	42.875	2004
21.01.2020 14:42:41	1	1	1	1	71	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.375	2004
21.01.2020 14:42:42	1	1	1	1	71	62.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.875	2004
21.01.2020 14:42:43	1	1	1	1	71	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.625	2004
21.01.2020 14:42:44	1	1	1	1	71	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:45	1	1	1	1	71	62.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5	2004
21.01.2020 14:42:46	1	1	1	1	71	62.5	0	30000	290.3225806	8695.947599	30000	0	0	30000	42.3125	2004
21.01.2020 14:42:47	1	1	1	1	71	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.75	2004
21.01.2020 14:42:48	1	1	1	1	71	62.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:49	1	1	1	1	71	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.1875	2004
21.01.2020 14:42:50	1	1	1	1	70.75	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.75	2004
21.01.2020 14:42:51	1	1	1	1	70.75	62.75	0	30000	298.9247312	8838.637784	30000	0	0	30000	42.875	2004
21.01.2020 14:42:52	1	1	1	1	70.75	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.6875	2004
21.01.2020 14:42:53	1	1	1	1	70.75	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:54	1	1	1	1	70.75	62.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.875	2004
21.01.2020 14:42:55	1	1	1	1	70.75	62.75	0	30000	286.0215054	8838.637784	30000	0	0	30000	42.625	2004
21.01.2020 14:42:56	1	1	1	1	70.75	62.5	0	30000	288.172043	8644.579132	30000	0	0	30000	42.8125	2004
21.01.2020 14:42:57	1	1	1	1	70.75	62.75	0	30000	290.3225806	8644.579132	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:42:58	1	1	1	1	70.75	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.375	2004
21.01.2020 14:42:59	1	1	1	1	70.75	62.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.6875	2004
21.01.2020 14:43:00	1	1	1	1	71	62.5	0	30000	288.172043	8644.579132	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:01	1	1	1	1	71	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:43:02	1	1	1	1	71	62.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:03	1	1	1	1	71	62.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.25	2004
21.01.2020 14:43:04	1	1	1	1	71	62.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	42.9375	2004
21.01.2020 14:43:05	1	1	1	1	71	62.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	42.5	2004
21.01.2020 14:43:06	1	1	1	1	71	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.5625	2004
21.01.2020 14:43:07	1	1	1	1	71	62.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:08	1	1	1	1	71	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.75	2004
21.01.2020 14:43:09	1	1	1	1	71	62.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.9375	2004
21.01.2020 14:43:10	1	1	1	1	71	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.75	2004
21.01.2020 14:43:11	1	1	1	1	71	62.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.3125	2004
21.01.2020 14:43:12	1	1	1	1	71	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.9375	2004
21.01.2020 14:43:13	1	1	1	1	71	62.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.625	2004
21.01.2020 14:43:14	1	1	1	1	71	62.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	43.0625	2004
21.01.2020 14:43:15	1	1	1	1	71	63	0	30047.393	316.1290323	9498.274128	30000	0	0	30000	43.25	2004
21.01.2020 14:43:17	1	1	1	1	71	62.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:18	1	1	1	1	71	62.75	0	29905.213	311.827957	9354.76857	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:19	1	1	1	1	71	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.125	2004
21.01.2020 14:43:26	1	1	1	1	71.25	62.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	43	2004
21.01.2020 14:43:26	1	1	1	1	71.25	62.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	43	2004
21.01.2020 14:43:26	1	1	1	1	71.25	62.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	43	2004
21.01.2020 14:43:26	1	1	1	1	71.25	62.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	43	2004
21.01.2020 14:43:26	1	1	1	1	71.25	62.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	43	2004
21.01.2020 14:43:26	1	1	1	1	71.25	62.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	43	2004
21.01.2020 14:43:26	1	1	1	1	71.25	62.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	43	2004
21.01.2020 14:43:27	1	1	1	1	71.25	63	0	30000	335.483871	10128.55706	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:28	1	1	1	1	71.25	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
21.01.2020 14:43:29	1	1	1	1	71.25	62.75	0	30000	346.2365591	10515.85899	30000	0	0	30000	42.75	2004
21.01.2020 14:43:30	1	1	1	1	71.5	62.75	0	29905.213	365.5913978	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:43:31	1	1	1	1	71.5	62.25	0	29952.607	361.2903226	11160.81863	30000	0	0	30000	42.875	2004
21.01.2020 14:43:32	1	1	1	1	71.5	62.75	0	30047.393	372.0430108	11160.81863	30000	0	0	30000	42.75	2004
21.01.2020 14:43:33	1	1	1	1	71.5	62.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:34	1	1	1	1	71.5	62.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.9375	2004
21.01.2020 14:43:35	1	1	1	1	71.5	62.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
21.01.2020 14:43:36	1	1	1	1	71.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
21.01.2020 14:43:37	1	1	1	1	71.5	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.625	2004
21.01.2020 14:43:38	1	1	1	1	71.5	62.5	0	30000	384.9462366	11401.35352	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:39	1	1	1	1	71.5	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
21.01.2020 14:43:40	1	1	1	1	71.5	62.25	0	30000	395.6989247	11659.01122	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:41	1	1	1	1	71.5	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:43:42	1	1	1	1	71.5	63	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
21.01.2020 14:43:43	1	1	1	1	71.5	62.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.625	2004
21.01.2020 14:43:44	1	1	1	1	71.5	62.5	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	42.8125	2004
21.01.2020 14:43:45	1	1	1	1	71.5	62.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.3125	2004
21.01.2020 14:43:46	1	1	1	1	71.5	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.75	2004
21.01.2020 14:43:47	1	1	1	1	71.5	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.75	2004
21.01.2020 14:43:48	1	1	1	1	71.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
21.01.2020 14:43:49	1	1	1	1	71.5	62.5	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	42.75	2004
21.01.2020 14:43:50	1	1	1	1	72	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
21.01.2020 14:43:51	1	1	1	1	72	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
21.01.2020 14:43:52	1	1	1	1	72	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
21.01.2020 14:43:53	1	1	1	1	72	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
21.01.2020 14:43:54	1	1	1	1	72	62.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	43.125	2004
21.01.2020 14:43:56	1	1	1	1	72	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
21.01.2020 14:43:57	1	1	1	1	72	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
21.01.2020 14:43:58	1	1	1	1	72	62.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.625	2004
21.01.2020 14:43:59	1	1	1	1	72	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:00	1	1	1	1	71.75	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.8125	2004
21.01.2020 14:44:01	1	1	1	1	71.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
21.01.2020 14:44:02	1	1	1	1	71.75	62.5	0	30047.393	404.3010753	12064.25135	30000	0	0	30000	42.75	2004
21.01.2020 14:44:03	1	1	1	1	71.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
21.01.2020 14:44:04	1	1	1	1	71.75	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.4375	2004
21.01.2020 14:44:05	1	1	1	1	71.75	62.25	0	30000	400	11871.00807	30000	0	0	30000	42.625	2004
21.01.2020 14:44:06	1	1	1	1	71.75	62.5	0	30000	400	11871.00807	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:07	1	1	1	1	71.75	62.5	0	29952.607	404.3010753	12174.32664	30000	0	0	30000	42.75	2004
21.01.2020 14:44:08	1	1	1	1	71.75	62.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.5	2004
21.01.2020 14:44:09	1	1	1	1	71.75	62.5	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	42.1875	2004
21.01.2020 14:44:10	1	1	1	1	72	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:11	1	1	1	1	72	62.5	0	30000	412.9032258	12406.7078	30000	0	0	30000	42.8125	2004
21.01.2020 14:44:12	1	1	1	1	72	62.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.875	2004
21.01.2020 14:44:13	1	1	1	1	72	62.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.75	2004
21.01.2020 14:44:14	1	1	1	1	72	62.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.625	2004
21.01.2020 14:44:15	1	1	1	1	72	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:16	1	1	1	1	72	62.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.75	2004
21.01.2020 14:44:17	1	1	1	1	72	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:18	1	1	1	1	72	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.375	2004
21.01.2020 14:44:19	1	1	1	1	72	62.25	0	30000	320.4301075	9597.749572	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:20	1	1	1	1	72.25	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5	2004
21.01.2020 14:44:27	1	1	1	1	72.25	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:27	1	1	1	1	72.25	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:27	1	1	1	1	72.25	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:27	1	1	1	1	72.25	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:27	1	1	1	1	72.25	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:44:27	1	1	1	1	72.25	62.5	0	29952.607	326.8817204	9999.728209	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:27	1	1	1	1	72.25	62.5	0	29952.607	326.8817204	9999.728209	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:28	1	1	1	1	72.25	62.5	0	30000	335.483871	9999.728209	30000	0	0	30000	42.75	2004
21.01.2020 14:44:29	1	1	1	1	72.25	62.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.1875	2004
21.01.2020 14:44:30	1	1	1	1	72.75	62	0	30000	322.5806452	9646.671921	30000	0	0	30000	43	2004
21.01.2020 14:44:31	1	1	1	1	72.75	63	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:32	1	1	1	1	72.75	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	43.125	2004
21.01.2020 14:44:34	1	1	1	1	72.75	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
21.01.2020 14:44:35	1	1	1	1	72.75	62.25	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	42.8125	2004
21.01.2020 14:44:36	1	1	1	1	72.75	62.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:37	1	1	1	1	72.75	62.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:38	1	1	1	1	72.75	62.5	0	30000	331.1827957	9806.484929	30000	0	0	30000	42.5	2004
21.01.2020 14:44:39	1	1	1	1	72.75	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:40	1	1	1	1	73	62.5	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	42.625	2004
21.01.2020 14:44:41	1	1	1	1	73	62.5	0	30000	337.6344086	9999.728209	30000	0	0	30000	42.625	2004
21.01.2020 14:44:42	1	1	1	1	73	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.625	2004
21.01.2020 14:44:43	1	1	1	1	73	62.5	0	30047.393	339.7849462	10192.97149	30000	0	0	30000	42.9375	2004
21.01.2020 14:44:44	1	1	1	1	73	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:45	1	1	1	1	73	62.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:46	1	1	1	1	73	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.5	2004
21.01.2020 14:44:47	1	1	1	1	73	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.75	2004
21.01.2020 14:44:48	1	1	1	1	73	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
21.01.2020 14:44:49	1	1	1	1	73	62.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.625	2004
21.01.2020 14:44:50	1	1	1	1	73	62.5	0	29905.213	367.7419355	11354.87729	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:51	1	1	1	1	73	62.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.5625	2004
21.01.2020 14:44:52	1	1	1	1	73	62.5	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:53	1	1	1	1	73	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.75	2004
21.01.2020 14:44:54	1	1	1	1	73	62.75	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
21.01.2020 14:44:55	1	1	1	1	73	62.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	42.625	2004
21.01.2020 14:44:56	1	1	1	1	73	62.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.625	2004
21.01.2020 14:44:57	1	1	1	1	73	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
21.01.2020 14:45:00	1	1	1	1	73	62.5	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	42.5625	2004
21.01.2020 14:45:00	1	1	1	1	73	62.5	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	42.5625	2004
21.01.2020 14:45:00	1	1	1	1	73	62.5	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	42.5625	2004
21.01.2020 14:45:01	1	1	1	1	73	62.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
21.01.2020 14:45:02	1	1	1	1	73	62.75	0	30000	412.9032258	12406.7078	30000	0	0	30000	42.75	2004
21.01.2020 14:45:03	1	1	1	1	73	62.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.625	2004
21.01.2020 14:45:04	1	1	1	1	73	62.5	0	30047.393	412.9032258	12064.25135	30000	0	0	30000	42.5	2004
21.01.2020 14:45:05	1	1	1	1	73	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:06	1	1	1	1	73	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
21.01.2020 14:45:07	1	1	1	1	73	62.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.5	2004
21.01.2020 14:45:08	1	1	1	1	73	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
21.01.2020 14:45:09	1	1	1	1	73	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:45:10	1	1	1	1	73	62.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:12	1	1	1	1	73	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.4375	2004
21.01.2020 14:45:13	1	1	1	1	73	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.25	2004
21.01.2020 14:45:14	1	1	1	1	73	62.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.5	2004
21.01.2020 14:45:15	1	1	1	1	73	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5625	2004
21.01.2020 14:45:16	1	1	1	1	73	62.5	0	30000	384.9462366	11760.11741	30000	0	0	30000	42.4375	2004
21.01.2020 14:45:17	1	1	1	1	73	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
21.01.2020 14:45:18	1	1	1	1	73	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.75	2004
21.01.2020 14:45:19	1	1	1	1	73	62.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.75	2004
21.01.2020 14:45:20	1	1	1	1	73.25	62.75	0	30000	326.8817204	9790.992852	30000	0	0	30000	42.875	2004
21.01.2020 14:45:21	1	1	1	1	73.25	62.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.625	2004
21.01.2020 14:45:22	1	1	1	1	73.25	62.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.6875	2004
21.01.2020 14:45:30	1	1	1	1	73.25	62.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:30	1	1	1	1	73.25	62.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:30	1	1	1	1	73.25	62.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:30	1	1	1	1	73.25	62.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:30	1	1	1	1	73.25	62.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:30	1	1	1	1	73.25	62.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:30	1	1	1	1	73.25	62.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:30	1	1	1	1	73.25	62.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:30	1	1	1	1	73.25	62.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:30	1	1	1	1	73.75	62.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.5625	2004
21.01.2020 14:45:31	1	1	1	1	73.75	62.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.6875	2004
21.01.2020 14:45:32	1	1	1	1	73.75	62.5	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.75	2004
21.01.2020 14:45:33	1	1	1	1	73.75	62.75	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.125	2004
21.01.2020 14:45:34	1	1	1	1	73.75	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.375	2004
21.01.2020 14:45:35	1	1	1	1	73.75	62.25	0	30000	286.0215054	8553.257413	30000	0	0	30000	42.6875	2004
21.01.2020 14:45:36	1	1	1	1	73.75	62.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.6875	2004
21.01.2020 14:45:37	1	1	1	1	73.75	62.5	0	30000	311.827957	9483.597423	30000	0	0	30000	42.6875	2004
21.01.2020 14:45:38	1	1	1	1	73.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
21.01.2020 14:45:39	1	1	1	1	73.75	62.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	42.3125	2004
21.01.2020 14:45:40	1	1	1	1	73.75	62.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.1875	2004
21.01.2020 14:45:41	1	1	1	1	73.75	62	0	29952.607	335.483871	10048.65056	30000	0	0	30000	42.5	2004
21.01.2020 14:45:42	1	1	1	1	73.75	62.5	0	29952.607	326.8817204	10064.14264	30000	0	0	30000	42.625	2004
21.01.2020 14:45:43	1	1	1	1	73.75	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.8125	2004
21.01.2020 14:45:44	1	1	1	1	73.75	62.75	0	29905.213	369.8924731	11455.1681	30000	0	0	30000	42.625	2004
21.01.2020 14:45:45	1	1	1	1	73.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
21.01.2020 14:45:46	1	1	1	1	73.75	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.25	2004
21.01.2020 14:45:47	1	1	1	1	73.75	62.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.9375	2004
21.01.2020 14:45:48	1	1	1	1	73.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.6875	2004
21.01.2020 14:45:49	1	1	1	1	73.75	62.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	43.0625	2004
21.01.2020 14:45:51	1	1	1	1	73.5	63	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.8125	2004
21.01.2020 14:45:52	1	1	1	1	73.5	61.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.6875	2004
21.01.2020 14:45:53	1	1	1	1	73.5	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
21.01.2020 14:45:54	1	1	1	1	73.5	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:45:55	1	1	1	1	73.5	62.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5625	2004
21.01.2020 14:45:56	1	1	1	1	73.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
21.01.2020 14:45:57	1	1	1	1	73.5	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.6875	2004
21.01.2020 14:45:58	1	1	1	1	73.5	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.625	2004
21.01.2020 14:45:59	1	1	1	1	73.5	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
21.01.2020 14:46:00	1	1	1	1	73.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
21.01.2020 14:46:01	1	1	1	1	73.5	62.75	0	30000	384.9462366	11741.36385	30000	0	0	30000	42.8125	2004
21.01.2020 14:46:02	1	1	1	1	73.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
21.01.2020 14:46:03	1	1	1	1	73.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:04	1	1	1	1	73.5	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.6875	2004
21.01.2020 14:46:05	1	1	1	1	73.5	62.5	0	30000	365.5913978	11049.1126	30000	0	0	30000	42.875	2004
21.01.2020 14:46:06	1	1	1	1	73.5	62.75	0	29952.607	382.7956989	11401.35352	30000	0	0	30000	42.6875	2004
21.01.2020 14:46:07	1	1	1	1	73.5	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.5625	2004
21.01.2020 14:46:08	1	1	1	1	73.5	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5625	2004
21.01.2020 14:46:09	1	1	1	1	73.5	62.5	0	29952.607	382.7956989	11401.35352	30000	0	0	30000	42.5625	2004
21.01.2020 14:46:10	1	1	1	1	73.5	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.1875	2004
21.01.2020 14:46:11	1	1	1	1	73.5	62	0	30000	378.4946237	11225.23306	30000	0	0	30000	42.6875	2004
21.01.2020 14:46:12	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:46:13	1	1	1	1	73.5	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.6875	2004
21.01.2020 14:46:14	1	1	1	1	73.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.6875	2004
21.01.2020 14:46:15	1	1	1	1	73.5	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5625	2004
21.01.2020 14:46:16	1	1	1	1	73.5	62.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.6875	2004
21.01.2020 14:46:17	1	1	1	1	73.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.625	2004
21.01.2020 14:46:18	1	1	1	1	73.5	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.75	2004
21.01.2020 14:46:19	1	1	1	1	73.5	62.75	0	30000	350.5376344	10387.03014	30000	0	0	30000	42.625	2004
21.01.2020 14:46:20	1	1	1	1	73.5	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.625	2004
21.01.2020 14:46:21	1	1	1	1	73.5	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.75	2004
21.01.2020 14:46:22	1	1	1	1	73.5	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.5	2004
21.01.2020 14:46:23	1	1	1	1	73.5	62.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.75	2004
21.01.2020 14:46:31	1	1	1	1	73.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:31	1	1	1	1	73.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:31	1	1	1	1	73.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:31	1	1	1	1	73.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:31	1	1	1	1	73.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:31	1	1	1	1	73.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:31	1	1	1	1	73.25	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:32	1	1	1	1	73.25	62.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.75	2004
21.01.2020 14:46:33	1	1	1	1	73.25	62.75	0	30000	346.2365591	10241.89384	30000	0	0	30000	42.5	2004
21.01.2020 14:46:34	1	1	1	1	73.25	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.5	2004
21.01.2020 14:46:35	1	1	1	1	73.25	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.4375	2004
21.01.2020 14:46:36	1	1	1	1	73.25	62.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.5	2004
21.01.2020 14:46:37	1	1	1	1	73.25	62.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.75	2004
21.01.2020 14:46:38	1	1	1	1	73.25	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:46:39	1	1	1	1	73.25	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.625	2004
21.01.2020 14:46:40	1	1	1	1	73.25	62.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.375	2004
21.01.2020 14:46:41	1	1	1	1	73.25	62.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.625	2004
21.01.2020 14:46:42	1	1	1	1	73.25	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5	2004
21.01.2020 14:46:43	1	1	1	1	73.25	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.5625	2004
21.01.2020 14:46:44	1	1	1	1	73.25	62.5	0	30000	337.6344086	10419.64504	30000	0	0	30000	42.625	2004
21.01.2020 14:46:45	1	1	1	1	73.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
21.01.2020 14:46:46	1	1	1	1	73.25	62.5	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	42.125	2004
21.01.2020 14:46:47	1	1	1	1	73.25	62	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.5	2004
21.01.2020 14:46:48	1	1	1	1	73.25	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.4375	2004
21.01.2020 14:46:49	1	1	1	1	73.25	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.5625	2004
21.01.2020 14:46:50	1	1	1	1	73.25	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.375	2004
21.01.2020 14:46:51	1	1	1	1	73.25	62.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.5	2004
21.01.2020 14:46:52	1	1	1	1	73.25	62.5	0	30000	352.688172	10644.68785	30000	0	0	30000	42.4375	2004
21.01.2020 14:46:53	1	1	1	1	73.25	62.25	0	30000	352.688172	10515.85899	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:54	1	1	1	1	73.25	62.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.5	2004
21.01.2020 14:46:55	1	1	1	1	73.25	62.5	0	29905.213	346.2365591	10499.55155	30000	0	0	30000	42.3125	2004
21.01.2020 14:46:56	1	1	1	1	73.25	62.25	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	42.4375	2004
21.01.2020 14:46:57	1	1	1	1	73.25	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.625	2004
21.01.2020 14:46:58	1	1	1	1	73.25	62.5	0	30000	335.483871	9967.928682	30000	0	0	30000	42.375	2004
21.01.2020 14:46:59	1	1	1	1	73.25	62.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.5625	2004
21.01.2020 14:47:00	1	1	1	1	73.25	62.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	42	2004
21.01.2020 14:47:01	1	1	1	1	73.25	62	0	29952.607	346.2365591	10306.30827	30000	0	0	30000	42.4375	2004
21.01.2020 14:47:02	1	1	1	1	73.25	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:03	1	1	1	1	73.25	62.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:04	1	1	1	1	73.25	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:47:05	1	1	1	1	73.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
21.01.2020 14:47:07	1	1	1	1	73.25	62.75	0	29905.213	380.6451613	11548.12057	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:08	1	1	1	1	73.25	62.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.5625	2004
21.01.2020 14:47:09	1	1	1	1	73.25	62.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
21.01.2020 14:47:10	1	1	1	1	73.25	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
21.01.2020 14:47:11	1	1	1	1	73.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
21.01.2020 14:47:12	1	1	1	1	73.25	62.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.25	2004
21.01.2020 14:47:13	1	1	1	1	73.25	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:14	1	1	1	1	73.25	62.25	0	30000	341.9354839	10128.55706	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:15	1	1	1	1	73.25	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.5	2004
21.01.2020 14:47:16	1	1	1	1	73.25	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
21.01.2020 14:47:17	1	1	1	1	73.25	62.5	0	30000	335.483871	9999.728209	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:18	1	1	1	1	73.25	62.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.4375	2004
21.01.2020 14:47:19	1	1	1	1	73.25	62.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.875	2004
21.01.2020 14:47:20	1	1	1	1	73.25	61.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.625	2004
21.01.2020 14:47:21	1	1	1	1	73.25	62.5	0	30094.787	307.5268817	9225.124344	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:22	1	1	1	1	73.25	62.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:47:23	1	1	1	1	73.25	62.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:24	1	1	1	1	73.25	62.25	0	30000	311.827957	9483.597423	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:25	1	1	1	1	73.25	62.25	0	30047.393	301.0752688	9096.295491	30000	0	0	30000	42.5	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:32	1	1	1	1	73	62.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:33	1	1	1	1	73	62.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.3125	2004
21.01.2020 14:47:34	1	1	1	1	73	62.25	0	30000	288.172043	8708.993559	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:35	1	1	1	1	73	62.5	0	29952.607	292.4731183	8838.637784	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:36	1	1	1	1	73	62.5	0	29952.607	288.172043	8708.993559	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:37	1	1	1	1	73	62.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.5	2004
21.01.2020 14:47:38	1	1	1	1	73	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.375	2004
21.01.2020 14:47:39	1	1	1	1	73	62.25	0	30047.393	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
21.01.2020 14:47:40	1	1	1	1	73.25	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.4375	2004
21.01.2020 14:47:41	1	1	1	1	73.25	62.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5	2004
21.01.2020 14:47:42	1	1	1	1	73.25	62.5	0	30047.393	298.9247312	8967.466638	30000	0	0	30000	42.5625	2004
21.01.2020 14:47:44	1	1	1	1	73.25	62.5	0	29905.213	292.4731183	8824.776452	30000	0	0	30000	42.4375	2004
21.01.2020 14:47:45	1	1	1	1	73.25	62.25	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:46	1	1	1	1	73.25	62.75	0	30047.393	294.6236559	8774.223358	30000	0	0	30000	42.5	2004
21.01.2020 14:47:47	1	1	1	1	73.25	62.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.25	2004
21.01.2020 14:47:48	1	1	1	1	73.25	62.25	0	30000	294.6236559	9031.881064	30000	0	0	30000	42.375	2004
21.01.2020 14:47:49	1	1	1	1	73.25	62.25	0	30000	292.4731183	8824.776452	30000	0	0	30000	42.1875	2004
21.01.2020 14:47:50	1	1	1	1	73.25	62	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	42.6875	2004
21.01.2020 14:47:51	1	1	1	1	73.25	62.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	42.4375	2004
21.01.2020 14:47:52	1	1	1	1	73.25	62.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.625	2004
21.01.2020 14:47:53	1	1	1	1	73.25	62.5	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.4375	2004
21.01.2020 14:47:54	1	1	1	1	73.25	62.25	0	30000	329.0322581	9999.728209	30000	0	0	30000	42.375	2004
21.01.2020 14:47:55	1	1	1	1	73.25	62.25	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	42.25	2004
21.01.2020 14:47:56	1	1	1	1	73.25	62.25	0	30000	363.4408602	11031.98978	30000	0	0	30000	42.25	2004
21.01.2020 14:47:57	1	1	1	1	73.25	62.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.5	2004
21.01.2020 14:47:58	1	1	1	1	73.25	62.5	0	29905.213	329.0322581	10064.14264	30000	0	0	30000	42.75	2004
21.01.2020 14:47:59	1	1	1	1	73.25	62.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:00	1	1	1	1	73	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:01	1	1	1	1	73	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:02	1	1	1	1	73	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:03	1	1	1	1	73	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.8125	2004
21.01.2020 14:48:04	1	1	1	1	73	61.75	0	29952.607	346.2365591	10451.44457	30000	0	0	30000	42.6875	2004
21.01.2020 14:48:05	1	1	1	1	73	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
21.01.2020 14:48:06	1	1	1	1	73	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:48:07	1	1	1	1	73	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
21.01.2020 14:48:08	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
21.01.2020 14:48:09	1	1	1	1	73	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
21.01.2020 14:48:10	1	1	1	1	72.75	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.5	2004
21.01.2020 14:48:11	1	1	1	1	72.75	62.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.5	2004
21.01.2020 14:48:12	1	1	1	1	72.75	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.4375	2004
21.01.2020 14:48:13	1	1	1	1	72.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:14	1	1	1	1	72.75	62.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:15	1	1	1	1	72.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.625	2004
21.01.2020 14:48:16	1	1	1	1	72.75	62.5	0	30000	339.7849462	9984.236132	30000	0	0	30000	42.25	2004
21.01.2020 14:48:17	1	1	1	1	72.75	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.4375	2004
21.01.2020 14:48:18	1	1	1	1	72.75	62.25	0	30000	326.8817204	10064.14264	30000	0	0	30000	42.5	2004
21.01.2020 14:48:19	1	1	1	1	72.75	62.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.625	2004
21.01.2020 14:48:20	1	1	1	1	72.75	62.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.5	2004
21.01.2020 14:48:22	1	1	1	1	72.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:23	1	1	1	1	72.75	62.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.625	2004
21.01.2020 14:48:24	1	1	1	1	72.75	62.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.9375	2004
21.01.2020 14:48:25	1	1	1	1	72.75	62.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:26	1	1	1	1	72.75	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5	2004
21.01.2020 14:48:27	1	1	1	1	72.75	62.5	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	42.625	2004
21.01.2020 14:48:34	1	1	1	1	72.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:48:34	1	1	1	1	72.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:48:34	1	1	1	1	72.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:48:34	1	1	1	1	72.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:48:34	1	1	1	1	72.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:48:34	1	1	1	1	72.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:48:34	1	1	1	1	72.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.75	2004
21.01.2020 14:48:35	1	1	1	1	72.75	62.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.4375	2004
21.01.2020 14:48:36	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.5	2004
21.01.2020 14:48:37	1	1	1	1	72.75	62.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.375	2004
21.01.2020 14:48:38	1	1	1	1	72.75	62.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.75	2004
21.01.2020 14:48:39	1	1	1	1	72.75	62.75	0	30000	264.516129	7870.79064	30000	0	0	30000	42.6875	2004
21.01.2020 14:48:40	1	1	1	1	72.75	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:41	1	1	1	1	72.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
21.01.2020 14:48:42	1	1	1	1	72.75	62.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.5	2004
21.01.2020 14:48:43	1	1	1	1	72.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.625	2004
21.01.2020 14:48:44	1	1	1	1	72.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5	2004
21.01.2020 14:48:45	1	1	1	1	72.75	62.5	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	42	2004
21.01.2020 14:48:46	1	1	1	1	72.75	62	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	42.125	2004
21.01.2020 14:48:47	1	1	1	1	72.75	62	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.1875	2004
21.01.2020 14:48:48	1	1	1	1	72.75	62	0	30000	260.2150538	7935.205066	30000	0	0	30000	41.875	2004
21.01.2020 14:48:49	1	1	1	1	72.75	61.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.5625	2004
21.01.2020 14:48:50	1	1	1	1	72.75	62.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:48:51	1	1	1	1	72.75	62.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.625	2004
21.01.2020 14:48:52	1	1	1	1	72.75	62.5	0	30000	251.6129032	7612.31756	30000	0	0	30000	42.5	2004
21.01.2020 14:48:53	1	1	1	1	72.75	62.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	42.4375	2004
21.01.2020 14:48:54	1	1	1	1	72.75	62.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.5	2004
21.01.2020 14:48:55	1	1	1	1	72.75	62.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.375	2004
21.01.2020 14:48:56	1	1	1	1	72.75	62.25	0	30000	240.8602151	7290.245427	30000	0	0	30000	42.6875	2004
21.01.2020 14:48:57	1	1	1	1	72.75	62.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.3125	2004
21.01.2020 14:48:58	1	1	1	1	72.75	62.25	0	30000	268.8172043	8128.448346	30000	0	0	30000	42.625	2004
21.01.2020 14:48:59	1	1	1	1	72.75	62.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.5	2004
21.01.2020 14:49:01	1	1	1	1	72.75	62.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	43.0625	2004
21.01.2020 14:49:02	1	1	1	1	72.75	63	0	29952.607	268.8172043	8192.862773	30000	0	0	30000	42.625	2004
21.01.2020 14:49:03	1	1	1	1	72.75	62.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.8125	2004
21.01.2020 14:49:04	1	1	1	1	72.75	62.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.625	2004
21.01.2020 14:49:05	1	1	1	1	72.75	62.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.625	2004
21.01.2020 14:49:06	1	1	1	1	72.75	62.5	0	29952.607	290.3225806	8774.223358	30000	0	0	30000	42.4375	2004
21.01.2020 14:49:07	1	1	1	1	72.75	62.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.5	2004
21.01.2020 14:49:08	1	1	1	1	72.75	62.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:09	1	1	1	1	72.75	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.4375	2004
21.01.2020 14:49:10	1	1	1	1	72.5	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.4375	2004
21.01.2020 14:49:11	1	1	1	1	72.5	62.25	0	29952.607	324.7311828	9662.163999	30000	0	0	30000	42.375	2004
21.01.2020 14:49:12	1	1	1	1	72.5	62.25	0	29952.607	326.8817204	9855.407279	30000	0	0	30000	42.125	2004
21.01.2020 14:49:13	1	1	1	1	72.5	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:14	1	1	1	1	72.5	62.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.4375	2004
21.01.2020 14:49:15	1	1	1	1	72.5	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.4375	2004
21.01.2020 14:49:16	1	1	1	1	72.5	62.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	42.3125	2004
21.01.2020 14:49:17	1	1	1	1	72.5	62.25	0	29952.607	281.7204301	8488.842986	30000	0	0	30000	42.4375	2004
21.01.2020 14:49:18	1	1	1	1	72.5	62.25	0	30000	281.7204301	8386.921425	30000	0	0	30000	42.1875	2004
21.01.2020 14:49:19	1	1	1	1	72.5	62	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.6875	2004
21.01.2020 14:49:20	1	1	1	1	73	62.5	0	30000	283.8709677	8502.704319	30000	0	0	30000	42.8125	2004
21.01.2020 14:49:21	1	1	1	1	73	62.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.4375	2004
21.01.2020 14:49:22	1	1	1	1	73	62.25	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:23	1	1	1	1	73	62.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:24	1	1	1	1	73	62.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.6875	2004
21.01.2020 14:49:25	1	1	1	1	73	62.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.375	2004
21.01.2020 14:49:26	1	1	1	1	73	62.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	42.6875	2004
21.01.2020 14:49:27	1	1	1	1	73	62.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.625	2004
21.01.2020 14:49:28	1	1	1	1	73	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.5	2004
21.01.2020 14:49:35	1	1	1	1	73	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:35	1	1	1	1	73	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:35	1	1	1	1	73	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:36	1	1	1	1	73	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:36	1	1	1	1	73	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:36	1	1	1	1	73	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:49:36	1	1	1	1	73	62.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:36	1	1	1	1	73	62.5	0	30000	311.827957	9290.354143	30000	0	0	30000	42.75	2004
21.01.2020 14:49:37	1	1	1	1	73	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.4375	2004
21.01.2020 14:49:38	1	1	1	1	73	62.25	0	29952.607	320.4301075	9662.163999	30000	0	0	30000	42.5	2004
21.01.2020 14:49:40	1	1	1	1	73	62.5	0	29905.213	298.9247312	9031.881064	30000	0	0	30000	42.125	2004
21.01.2020 14:49:41	1	1	1	1	73	62	0	30000	286.0215054	8567.118745	30000	0	0	30000	42.8125	2004
21.01.2020 14:49:42	1	1	1	1	73	62.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.0625	2004
21.01.2020 14:49:43	1	1	1	1	73	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	43	2004
21.01.2020 14:49:44	1	1	1	1	73	61.5	0	30000	264.516129	8064.033919	30000	0	0	30000	42.625	2004
21.01.2020 14:49:45	1	1	1	1	73	62.5	0	30000	283.8709677	8438.289892	30000	0	0	30000	41.9375	2004
21.01.2020 14:49:46	1	1	1	1	73	61.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.625	2004
21.01.2020 14:49:47	1	1	1	1	73	62.5	0	29952.607	292.4731183	8774.223358	30000	0	0	30000	42.5	2004
21.01.2020 14:49:48	1	1	1	1	73	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.4375	2004
21.01.2020 14:49:49	1	1	1	1	73	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.625	2004
21.01.2020 14:49:50	1	1	1	1	72.75	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
21.01.2020 14:49:51	1	1	1	1	72.75	62	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42.5	2004
21.01.2020 14:49:52	1	1	1	1	72.75	62.5	0	30000	331.1827957	9919.821705	30000	0	0	30000	42.1875	2004
21.01.2020 14:49:53	1	1	1	1	72.75	62	0	30000	329.0322581	9999.728209	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:54	1	1	1	1	72.75	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:55	1	1	1	1	72.75	62.5	0	30000	324.7311828	9676.840703	30000	0	0	30000	42.5	2004
21.01.2020 14:49:56	1	1	1	1	72.75	62.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.625	2004
21.01.2020 14:49:57	1	1	1	1	72.75	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.5625	2004
21.01.2020 14:49:58	1	1	1	1	72.75	62.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.25	2004
21.01.2020 14:49:59	1	1	1	1	72.75	62.25	0	30000	335.483871	10048.65056	30000	0	0	30000	42.4375	2004
21.01.2020 14:50:00	1	1	1	1	73	62.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.5	2004
21.01.2020 14:50:01	1	1	1	1	73	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.5	2004
21.01.2020 14:50:02	1	1	1	1	73	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:03	1	1	1	1	73	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:04	1	1	1	1	73	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.4375	2004
21.01.2020 14:50:05	1	1	1	1	73	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.75	2004
21.01.2020 14:50:06	1	1	1	1	73	62.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:07	1	1	1	1	73	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
21.01.2020 14:50:08	1	1	1	1	73	61.75	0	30000	329.0322581	9999.728209	30000	0	0	30000	42.5	2004
21.01.2020 14:50:09	1	1	1	1	73	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.625	2004
21.01.2020 14:50:10	1	1	1	1	72.75	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.625	2004
21.01.2020 14:50:11	1	1	1	1	72.75	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.6875	2004
21.01.2020 14:50:12	1	1	1	1	72.75	62.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.5	2004
21.01.2020 14:50:13	1	1	1	1	72.75	62.5	0	30000	335.483871	10128.55706	30000	0	0	30000	42.25	2004
21.01.2020 14:50:14	1	1	1	1	72.75	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.375	2004
21.01.2020 14:50:15	1	1	1	1	72.75	62.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.125	2004
21.01.2020 14:50:16	1	1	1	1	72.75	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.5	2004
21.01.2020 14:50:18	1	1	1	1	72.75	62.5	0	29952.607	329.0322581	9806.484929	30000	0	0	30000	42.375	2004
21.01.2020 14:50:19	1	1	1	1	72.75	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:50:20	1	1	1	1	72.75	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.875	2004
21.01.2020 14:50:21	1	1	1	1	72.75	62.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	42.5	2004
21.01.2020 14:50:22	1	1	1	1	72.75	62.25	0	30000	294.6236559	8708.993559	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:23	1	1	1	1	72.75	62.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:24	1	1	1	1	72.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:25	1	1	1	1	72.75	62.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.3125	2004
21.01.2020 14:50:26	1	1	1	1	72.75	62.25	0	30000	292.4731183	8760.362025	30000	0	0	30000	42.4375	2004
21.01.2020 14:50:27	1	1	1	1	72.75	62.25	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.375	2004
21.01.2020 14:50:28	1	1	1	1	72.75	62.25	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	42.4375	2004
21.01.2020 14:50:29	1	1	1	1	72.75	62.25	0	30000	283.8709677	8464.381812	30000	0	0	30000	42.5	2004
21.01.2020 14:50:30	1	1	1	1	72.75	62.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	42	2004
21.01.2020 14:50:37	1	1	1	1	72.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.1875	2004
21.01.2020 14:50:37	1	1	1	1	72.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.1875	2004
21.01.2020 14:50:37	1	1	1	1	72.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.1875	2004
21.01.2020 14:50:37	1	1	1	1	72.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.1875	2004
21.01.2020 14:50:37	1	1	1	1	72.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.1875	2004
21.01.2020 14:50:37	1	1	1	1	72.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.1875	2004
21.01.2020 14:50:37	1	1	1	1	72.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.1875	2004
21.01.2020 14:50:37	1	1	1	1	72.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.1875	2004
21.01.2020 14:50:38	1	1	1	1	72.75	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.3125	2004
21.01.2020 14:50:39	1	1	1	1	72.75	62.25	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	42.375	2004
21.01.2020 14:50:40	1	1	1	1	72.75	62.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.4375	2004
21.01.2020 14:50:41	1	1	1	1	72.75	62.25	0	30000	288.172043	8580.164705	30000	0	0	30000	42.5	2004
21.01.2020 14:50:42	1	1	1	1	72.75	62.5	0	29905.213	283.8709677	8644.579132	30000	0	0	30000	41.3125	2004
21.01.2020 14:50:43	1	1	1	1	72.75	61.25	0	30000	290.3225806	8838.637784	30000	0	0	30000	42.5	2004
21.01.2020 14:50:44	1	1	1	1	72.75	62.5	0	30000	290.3225806	8644.579132	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:45	1	1	1	1	72.75	62.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.4375	2004
21.01.2020 14:50:46	1	1	1	1	72.75	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.25	2004
21.01.2020 14:50:47	1	1	1	1	72.75	62.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.4375	2004
21.01.2020 14:50:48	1	1	1	1	72.75	62.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.5	2004
21.01.2020 14:50:49	1	1	1	1	72.75	62.5	0	29905.213	273.1182796	8451.335852	30000	0	0	30000	42.0625	2004
21.01.2020 14:50:50	1	1	1	1	72.75	62	0	30094.787	288.172043	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:51	1	1	1	1	72.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:52	1	1	1	1	72.75	62.5	0	30000	298.9247312	8838.637784	30000	0	0	30000	42.375	2004
21.01.2020 14:50:53	1	1	1	1	72.75	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.5625	2004
21.01.2020 14:50:54	1	1	1	1	72.75	62.5	0	29952.607	281.7204301	8386.921425	30000	0	0	30000	42.375	2004
21.01.2020 14:50:55	1	1	1	1	72.75	62.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.375	2004
21.01.2020 14:50:57	1	1	1	1	72.75	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.125	2004
21.01.2020 14:50:58	1	1	1	1	72.75	62	0	29952.607	292.4731183	8838.637784	30000	0	0	30000	42.9375	2004
21.01.2020 14:50:59	1	1	1	1	72.75	62.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.9375	2004
21.01.2020 14:51:00	1	1	1	1	72.75	62.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.5	2004
21.01.2020 14:51:01	1	1	1	1	72.75	62.5	0	30000	298.9247312	8903.052211	30000	0	0	30000	42.625	2004
21.01.2020 14:51:02	1	1	1	1	72.75	62.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.375	2004
21.01.2020 14:51:03	1	1	1	1	72.75	62.25	0	30000	290.3225806	8903.052211	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:51:04	1	1	1	1	72.75	62.5	0	30000	307.5268817	9211.263012	30000	0	0	30000	42.375	2004
21.01.2020 14:51:05	1	1	1	1	72.75	62.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.375	2004
21.01.2020 14:51:06	1	1	1	1	72.75	62.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.3125	2004
21.01.2020 14:51:07	1	1	1	1	72.75	62.25	0	30047.393	296.7741935	8838.637784	30000	0	0	30000	42.25	2004
21.01.2020 14:51:08	1	1	1	1	72.75	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.1875	2004
21.01.2020 14:51:09	1	1	1	1	72.75	62	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.6875	2004
21.01.2020 14:51:10	1	1	1	1	72.5	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.125	2004
21.01.2020 14:51:11	1	1	1	1	72.5	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.1875	2004
21.01.2020 14:51:12	1	1	1	1	72.5	62	0	30000	307.5268817	9290.354143	30000	0	0	30000	42.4375	2004
21.01.2020 14:51:13	1	1	1	1	72.5	62.25	0	29952.607	303.2258065	9290.354143	30000	0	0	30000	42.5625	2004
21.01.2020 14:51:14	1	1	1	1	72.5	62.5	0	29905.213	298.9247312	8953.605305	30000	0	0	30000	42.4375	2004
21.01.2020 14:51:15	1	1	1	1	72.5	62.25	0	30000	303.2258065	9031.881064	30000	0	0	30000	42.375	2004
21.01.2020 14:51:16	1	1	1	1	72.5	62.25	0	30000	307.5268817	9096.295491	30000	0	0	30000	42.4375	2004
21.01.2020 14:51:17	1	1	1	1	72.5	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.3125	2004
21.01.2020 14:51:18	1	1	1	1	72.5	62.25	0	29952.607	313.9784946	9275.677439	30000	0	0	30000	42.4375	2004
21.01.2020 14:51:19	1	1	1	1	72.5	62.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004
21.01.2020 14:51:20	1	1	1	1	72.5	62.5	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	41.4375	2004
21.01.2020 14:51:21	1	1	1	1	72.5	61.25	0	29952.607	326.8817204	9662.163999	30000	0	0	30000	42.375	2004
21.01.2020 14:51:22	1	1	1	1	72.5	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.4375	2004
21.01.2020 14:51:23	1	1	1	1	72.5	62.25	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
21.01.2020 14:51:24	1	1	1	1	72.5	62	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.0625	2004
21.01.2020 14:51:25	1	1	1	1	72.5	62	0	29952.607	352.688172	10644.68785	30000	0	0	30000	42.5	2004
21.01.2020 14:51:26	1	1	1	1	72.5	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
21.01.2020 14:51:27	1	1	1	1	72.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.0625	2004
21.01.2020 14:51:28	1	1	1	1	72.5	62	0	29952.607	352.688172	10644.68785	30000	0	0	30000	42.1875	2004
21.01.2020 14:51:29	1	1	1	1	72.5	62	0	30000	352.688172	10515.85899	30000	0	0	30000	42.3125	2004
21.01.2020 14:51:30	1	1	1	1	72.25	62.25	0	30000	341.9354839	10403.33759	30000	0	0	30000	42.1875	2004
21.01.2020 14:51:31	1	1	1	1	72.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:51:39	1	1	1	1	72.25	62.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	41.875	2004
21.01.2020 14:51:39	1	1	1	1	72.25	62.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	41.875	2004
21.01.2020 14:51:39	1	1	1	1	72.25	62.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	41.875	2004
21.01.2020 14:51:39	1	1	1	1	72.25	62.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	41.875	2004
21.01.2020 14:51:39	1	1	1	1	72.25	62.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	41.875	2004
21.01.2020 14:51:39	1	1	1	1	72.25	62.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	41.875	2004
21.01.2020 14:51:39	1	1	1	1	72.25	62.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	41.875	2004
21.01.2020 14:51:40	1	1	1	1	71.75	61.75	0	29905.213	331.1827957	9999.728209	30000	0	0	30000	42.4375	2004
21.01.2020 14:51:41	1	1	1	1	71.75	62.25	0	30000	344.0860215	10678.11812	30000	0	0	30000	42.375	2004
21.01.2020 14:51:42	1	1	1	1	71.75	62.25	0	30000	346.2365591	10192.97149	30000	0	0	30000	42.375	2004
21.01.2020 14:51:43	1	1	1	1	71.75	62.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.4375	2004
21.01.2020 14:51:44	1	1	1	1	71.75	62.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	42.5	2004
21.01.2020 14:51:45	1	1	1	1	71.75	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
21.01.2020 14:51:46	1	1	1	1	71.75	62.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.375	2004
21.01.2020 14:51:47	1	1	1	1	71.75	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:51:48	1	1	1	1	71.75	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	42.25	2004
21.01.2020 14:51:49	1	1	1	1	71.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
21.01.2020 14:51:50	1	1	1	1	71.5	62	0	30000	346.2365591	10322.61571	30000	0	0	30000	42.3125	2004
21.01.2020 14:51:51	1	1	1	1	71.5	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.25	2004
21.01.2020 14:51:52	1	1	1	1	71.5	62.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.125	2004
21.01.2020 14:51:53	1	1	1	1	71.5	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.4375	2004
21.01.2020 14:51:54	1	1	1	1	71.5	62.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.375	2004
21.01.2020 14:51:55	1	1	1	1	71.5	62.25	0	30000	350.5376344	10387.03014	30000	0	0	30000	42.3125	2004
21.01.2020 14:51:56	1	1	1	1	71.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
21.01.2020 14:51:57	1	1	1	1	71.5	61.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.375	2004
21.01.2020 14:51:58	1	1	1	1	71.5	62.25	0	30000	367.7419355	10967.57535	30000	0	0	30000	42.375	2004
21.01.2020 14:51:59	1	1	1	1	71.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:00	1	1	1	1	71.75	62	0	30000	359.1397849	10790.63952	30000	0	0	30000	42.5	2004
21.01.2020 14:52:01	1	1	1	1	71.75	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.3125	2004
21.01.2020 14:52:02	1	1	1	1	71.75	62.25	0	30000	335.483871	9999.728209	30000	0	0	30000	42.4375	2004
21.01.2020 14:52:03	1	1	1	1	71.75	62.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.375	2004
21.01.2020 14:52:04	1	1	1	1	71.75	62.25	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	42.4375	2004
21.01.2020 14:52:05	1	1	1	1	71.75	62.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.375	2004
21.01.2020 14:52:06	1	1	1	1	71.75	62.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.375	2004
21.01.2020 14:52:07	1	1	1	1	71.75	62.25	0	30000	266.6666667	7781.099666	30000	0	0	30000	42.375	2004
21.01.2020 14:52:08	1	1	1	1	71.75	62.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:09	1	1	1	1	71.75	62	0	30000	277.4193548	8258.092572	30000	0	0	30000	42.5	2004
21.01.2020 14:52:10	1	1	1	1	71.5	62.5	0	30000	273.1182796	8322.506999	30000	0	0	30000	42.3125	2004
21.01.2020 14:52:12	1	1	1	1	71.5	62.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.3125	2004
21.01.2020 14:52:13	1	1	1	1	71.5	62.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.25	2004
21.01.2020 14:52:14	1	1	1	1	71.5	62.25	0	30000	288.172043	8644.579132	30000	0	0	30000	41.9375	2004
21.01.2020 14:52:15	1	1	1	1	71.5	61.75	0	30000	281.7204301	8386.921425	30000	0	0	30000	42.875	2004
21.01.2020 14:52:16	1	1	1	1	71.5	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.3125	2004
21.01.2020 14:52:17	1	1	1	1	71.5	62.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.25	2004
21.01.2020 14:52:18	1	1	1	1	71.5	62.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.3125	2004
21.01.2020 14:52:19	1	1	1	1	71.5	62.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:20	1	1	1	1	71.25	62	0	30000	290.3225806	8695.947599	30000	0	0	30000	42.125	2004
21.01.2020 14:52:21	1	1	1	1	71.25	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.4375	2004
21.01.2020 14:52:22	1	1	1	1	71.25	62.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.0625	2004
21.01.2020 14:52:23	1	1	1	1	71.25	62	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	42.375	2004
21.01.2020 14:52:24	1	1	1	1	71.25	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.375	2004
21.01.2020 14:52:25	1	1	1	1	71.25	62.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:26	1	1	1	1	71.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.25	2004
21.01.2020 14:52:27	1	1	1	1	71.25	62.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	42	2004
21.01.2020 14:52:28	1	1	1	1	71.25	62	0	29952.607	341.9354839	10515.85899	30000	0	0	30000	42.375	2004
21.01.2020 14:52:29	1	1	1	1	71.25	62.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:30	1	1	1	1	71	62	0	30047.393	356.9892473	10644.68785	30000	0	0	30000	42.4375	2004
21.01.2020 14:52:31	1	1	1	1	71	62.25	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:52:32	1	1	1	1	71	62.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.4375	2004
21.01.2020 14:52:33	1	1	1	1	71	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.25	2004
21.01.2020 14:52:40	1	1	1	1	70.5	62.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:40	1	1	1	1	70.5	62.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:40	1	1	1	1	70.5	62.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:40	1	1	1	1	70.5	62.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:40	1	1	1	1	70.5	62.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:40	1	1	1	1	70.5	62.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:40	1	1	1	1	70.5	62.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:41	1	1	1	1	70.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
21.01.2020 14:52:42	1	1	1	1	70.5	62.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:43	1	1	1	1	70.5	62	0	30000	389.2473118	11530.18237	30000	0	0	30000	42.25	2004
21.01.2020 14:52:44	1	1	1	1	70.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
21.01.2020 14:52:45	1	1	1	1	70.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:46	1	1	1	1	70.5	62	0	30000	378.4946237	11079.28139	30000	0	0	30000	42.125	2004
21.01.2020 14:52:47	1	1	1	1	70.5	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.8125	2004
21.01.2020 14:52:48	1	1	1	1	70.5	61.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:50	1	1	1	1	70.5	62	0	29905.213	395.6989247	11833.50094	30000	0	0	30000	42.3125	2004
21.01.2020 14:52:51	1	1	1	1	70.75	62.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.25	2004
21.01.2020 14:52:52	1	1	1	1	70.75	62.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.125	2004
21.01.2020 14:52:53	1	1	1	1	70.75	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:54	1	1	1	1	70.75	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:55	1	1	1	1	70.75	62	0	29952.607	380.6451613	11676.94942	30000	0	0	30000	42.25	2004
21.01.2020 14:52:56	1	1	1	1	70.75	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
21.01.2020 14:52:57	1	1	1	1	70.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
21.01.2020 14:52:58	1	1	1	1	70.75	62	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
21.01.2020 14:52:59	1	1	1	1	70.75	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:00	1	1	1	1	71	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.25	2004
21.01.2020 14:53:01	1	1	1	1	71	62.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.375	2004
21.01.2020 14:53:02	1	1	1	1	71	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.9375	2004
21.01.2020 14:53:03	1	1	1	1	71	61.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.0625	2004
21.01.2020 14:53:04	1	1	1	1	71	62	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.875	2004
21.01.2020 14:53:05	1	1	1	1	71	61.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
21.01.2020 14:53:06	1	1	1	1	71	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.375	2004
21.01.2020 14:53:07	1	1	1	1	71	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.3125	2004
21.01.2020 14:53:08	1	1	1	1	71	62.25	0	30000	316.1290323	9324.599788	30000	0	0	30000	42.375	2004
21.01.2020 14:53:09	1	1	1	1	71	62.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.4375	2004
21.01.2020 14:53:10	1	1	1	1	71	62.25	0	30047.393	341.9354839	10064.14264	30000	0	0	30000	42.375	2004
21.01.2020 14:53:11	1	1	1	1	71	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.125	2004
21.01.2020 14:53:12	1	1	1	1	71	62	0	30000	301.0752688	9096.295491	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:13	1	1	1	1	71	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.5	2004
21.01.2020 14:53:14	1	1	1	1	71	62.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:15	1	1	1	1	71	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:53:16	1	1	1	1	71	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:17	1	1	1	1	71	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.8125	2004
21.01.2020 14:53:18	1	1	1	1	71	61.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.25	2004
21.01.2020 14:53:19	1	1	1	1	71	62.25	0	29952.607	339.7849462	10387.03014	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:20	1	1	1	1	70.5	62	0	30000	346.2365591	10192.97149	30000	0	0	30000	42.25	2004
21.01.2020 14:53:21	1	1	1	1	70.5	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:22	1	1	1	1	70.5	62	0	30047.393	326.8817204	9806.484929	30000	0	0	30000	41.125	2004
21.01.2020 14:53:23	1	1	1	1	70.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.0625	2004
21.01.2020 14:53:24	1	1	1	1	70.5	62	0	30000	341.9354839	10192.97149	30000	0	0	30000	41.875	2004
21.01.2020 14:53:25	1	1	1	1	70.5	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
21.01.2020 14:53:26	1	1	1	1	70.5	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.0625	2004
21.01.2020 14:53:28	1	1	1	1	70.5	62	0	29905.213	339.7849462	10257.38592	30000	0	0	30000	41.9375	2004
21.01.2020 14:53:29	1	1	1	1	70.5	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:30	1	1	1	1	70.5	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42	2004
21.01.2020 14:53:31	1	1	1	1	71	62	0	30000	298.9247312	8953.605305	30000	0	0	30000	42.375	2004
21.01.2020 14:53:32	1	1	1	1	71	62.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.25	2004
21.01.2020 14:53:33	1	1	1	1	71	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:34	1	1	1	1	71	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.3125	2004
21.01.2020 14:53:35	1	1	1	1	71	62.75	0	30000	311.827957	9419.182997	30000	0	0	30000	42.25	2004
21.01.2020 14:53:42	1	1	1	1	71.5	62	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	42.125	2004
21.01.2020 14:53:42	1	1	1	1	71.5	62	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	42.125	2004
21.01.2020 14:53:42	1	1	1	1	71.5	62	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	42.125	2004
21.01.2020 14:53:42	1	1	1	1	71.5	62	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	42.125	2004
21.01.2020 14:53:42	1	1	1	1	71.5	62	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	42.125	2004
21.01.2020 14:53:42	1	1	1	1	71.5	62	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	42.125	2004
21.01.2020 14:53:42	1	1	1	1	71.5	62	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	42.125	2004
21.01.2020 14:53:43	1	1	1	1	71.5	62	0	30094.787	354.8387097	10257.38592	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:44	1	1	1	1	71.5	62	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	42	2004
21.01.2020 14:53:45	1	1	1	1	71.5	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:46	1	1	1	1	71.5	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.875	2004
21.01.2020 14:53:47	1	1	1	1	71.5	61.75	0	30000	350.5376344	10451.44457	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:48	1	1	1	1	71.5	62	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.8125	2004
21.01.2020 14:53:49	1	1	1	1	71.5	61.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:50	1	1	1	1	71.5	62	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.25	2004
21.01.2020 14:53:51	1	1	1	1	71.5	62.25	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:52	1	1	1	1	71.5	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.375	2004
21.01.2020 14:53:53	1	1	1	1	71.5	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:54	1	1	1	1	71.5	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:55	1	1	1	1	71.5	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:56	1	1	1	1	71.5	62	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.3125	2004
21.01.2020 14:53:57	1	1	1	1	71.5	62.25	0	30000	281.7204301	8438.289892	30000	0	0	30000	42.3125	2004
21.01.2020 14:53:58	1	1	1	1	71.5	62.25	0	30000	279.5698925	8192.862773	30000	0	0	30000	42.1875	2004
21.01.2020 14:53:59	1	1	1	1	71.5	62	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:54:00	1	1	1	1	71.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:01	1	1	1	1	71.75	62	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:02	1	1	1	1	71.75	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.3125	2004
21.01.2020 14:54:03	1	1	1	1	71.75	62.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	41.6875	2004
21.01.2020 14:54:04	1	1	1	1	71.75	61.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:05	1	1	1	1	71.75	62	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.125	2004
21.01.2020 14:54:07	1	1	1	1	71.75	62	0	30000	290.3225806	8631.533172	30000	0	0	30000	42.125	2004
21.01.2020 14:54:08	1	1	1	1	71.75	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:09	1	1	1	1	71.75	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.125	2004
21.01.2020 14:54:10	1	1	1	1	71.75	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:11	1	1	1	1	72	62	0	30000	313.9784946	9290.354143	30000	0	0	30000	42.125	2004
21.01.2020 14:54:12	1	1	1	1	72	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.125	2004
21.01.2020 14:54:13	1	1	1	1	72	61	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:14	1	1	1	1	72	62.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.125	2004
21.01.2020 14:54:15	1	1	1	1	72	62	0	30000	288.172043	8708.993559	30000	0	0	30000	41.9375	2004
21.01.2020 14:54:16	1	1	1	1	72	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	42	2004
21.01.2020 14:54:17	1	1	1	1	72	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:18	1	1	1	1	72	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.125	2004
21.01.2020 14:54:19	1	1	1	1	72	62	0	30000	283.8709677	8644.579132	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:20	1	1	1	1	72.25	62	0	30000	279.5698925	8451.335852	30000	0	0	30000	41.75	2004
21.01.2020 14:54:21	1	1	1	1	72.25	61.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.75	2004
21.01.2020 14:54:22	1	1	1	1	72.25	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.375	2004
21.01.2020 14:54:23	1	1	1	1	72.25	62.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.125	2004
21.01.2020 14:54:24	1	1	1	1	72.25	62	0	30000	283.8709677	8322.506999	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:25	1	1	1	1	72.25	62	0	30000	290.3225806	8644.579132	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:26	1	1	1	1	72.25	62	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:27	1	1	1	1	72.25	62	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.375	2004
21.01.2020 14:54:28	1	1	1	1	72.25	62.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:29	1	1	1	1	72.25	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42	2004
21.01.2020 14:54:30	1	1	1	1	72.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:31	1	1	1	1	72.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:32	1	1	1	1	72.75	62	0	30000	318.2795699	9340.091865	30000	0	0	30000	42.3125	2004
21.01.2020 14:54:33	1	1	1	1	72.75	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:34	1	1	1	1	72.75	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:35	1	1	1	1	72.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.25	2004
21.01.2020 14:54:36	1	1	1	1	72.75	62.25	0	30000	335.483871	10128.55706	30000	0	0	30000	41.875	2004
21.01.2020 14:54:44	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:44	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:44	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:44	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:44	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:44	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:44	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004
21.01.2020 14:54:44	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:54:44	1	1	1	1	72.75	62	0	29952.607	309.6774194	9096.295491	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:46	1	1	1	1	72.75	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.3125	2004
21.01.2020 14:54:47	1	1	1	1	72.75	61.25	0	30000	311.827957	9290.354143	30000	0	0	30000	42.125	2004
21.01.2020 14:54:48	1	1	1	1	72.75	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.125	2004
21.01.2020 14:54:49	1	1	1	1	72.75	62	0	30000	303.2258065	9160.709918	30000	0	0	30000	41.9375	2004
21.01.2020 14:54:50	1	1	1	1	72.75	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.875	2004
21.01.2020 14:54:51	1	1	1	1	72.5	61.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.125	2004
21.01.2020 14:54:52	1	1	1	1	72.5	62.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:53	1	1	1	1	72.5	62	0	30000	316.1290323	9612.426277	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:54	1	1	1	1	72.5	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:55	1	1	1	1	72.5	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:56	1	1	1	1	72.5	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:57	1	1	1	1	72.5	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.1875	2004
21.01.2020 14:54:58	1	1	1	1	72.5	62	0	29905.213	311.827957	9419.182997	30000	0	0	30000	41.5	2004
21.01.2020 14:54:59	1	1	1	1	72.5	61.5	0	30047.393	309.6774194	9369.445275	30000	0	0	30000	42.3125	2004
21.01.2020 14:55:00	1	1	1	1	72.75	62.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.0625	2004
21.01.2020 14:55:01	1	1	1	1	72.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
21.01.2020 14:55:02	1	1	1	1	72.75	61.75	0	30094.787	311.827957	9290.354143	30000	0	0	30000	42.0625	2004
21.01.2020 14:55:03	1	1	1	1	72.75	62	0	30047.393	316.1290323	9498.274128	30000	0	0	30000	41.9375	2004
21.01.2020 14:55:04	1	1	1	1	72.75	61.75	0	30047.393	316.1290323	9419.182997	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:05	1	1	1	1	72.75	62	0	30000	307.5268817	9290.354143	30000	0	0	30000	42	2004
21.01.2020 14:55:06	1	1	1	1	72.75	62	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.125	2004
21.01.2020 14:55:07	1	1	1	1	72.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.875	2004
21.01.2020 14:55:08	1	1	1	1	72.75	61.75	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:09	1	1	1	1	72.75	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:10	1	1	1	1	72.75	62	0	30047.393	313.9784946	9290.354143	30000	0	0	30000	42.25	2004
21.01.2020 14:55:11	1	1	1	1	72.75	62.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.125	2004
21.01.2020 14:55:12	1	1	1	1	72.75	62	0	30000	286.0215054	8567.118745	30000	0	0	30000	42.3125	2004
21.01.2020 14:55:13	1	1	1	1	72.75	62.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.125	2004
21.01.2020 14:55:14	1	1	1	1	72.75	62	0	30000	288.172043	8708.993559	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:15	1	1	1	1	72.75	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:16	1	1	1	1	72.75	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.875	2004
21.01.2020 14:55:17	1	1	1	1	72.75	61.75	0	30000	268.8172043	7870.79064	30000	0	0	30000	42.25	2004
21.01.2020 14:55:18	1	1	1	1	72.75	62.25	0	29952.607	260.2150538	7999.619493	30000	0	0	30000	42.0625	2004
21.01.2020 14:55:19	1	1	1	1	72.75	62	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.125	2004
21.01.2020 14:55:20	1	1	1	1	73	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:21	1	1	1	1	73	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.0625	2004
21.01.2020 14:55:22	1	1	1	1	73	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:24	1	1	1	1	73	62	0	30000	294.6236559	8708.993559	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:25	1	1	1	1	73	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.125	2004
21.01.2020 14:55:26	1	1	1	1	73	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.6875	2004
21.01.2020 14:55:27	1	1	1	1	73	61.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.5	2004
21.01.2020 14:55:28	1	1	1	1	73	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:55:29	1	1	1	1	73	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
21.01.2020 14:55:30	1	1	1	1	73.25	62	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.6875	2004
21.01.2020 14:55:31	1	1	1	1	73.25	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	42	2004
21.01.2020 14:55:32	1	1	1	1	73.25	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:33	1	1	1	1	73.25	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004
21.01.2020 14:55:34	1	1	1	1	73.25	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
21.01.2020 14:55:35	1	1	1	1	73.25	62	0	30000	341.9354839	10241.89384	30000	0	0	30000	42.3125	2004
21.01.2020 14:55:36	1	1	1	1	73.25	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:37	1	1	1	1	73.25	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:38	1	1	1	1	73.25	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:46	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
21.01.2020 14:55:46	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
21.01.2020 14:55:46	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
21.01.2020 14:55:46	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
21.01.2020 14:55:46	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
21.01.2020 14:55:46	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
21.01.2020 14:55:46	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
21.01.2020 14:55:46	1	1	1	1	73	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
21.01.2020 14:55:47	1	1	1	1	73	62	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.0625	2004
21.01.2020 14:55:48	1	1	1	1	73	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:49	1	1	1	1	73	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.5	2004
21.01.2020 14:55:50	1	1	1	1	73.25	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.125	2004
21.01.2020 14:55:51	1	1	1	1	73.25	62	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.6875	2004
21.01.2020 14:55:52	1	1	1	1	73.25	61.5	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:53	1	1	1	1	73.25	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:54	1	1	1	1	73.25	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:55	1	1	1	1	73.25	62	0	29952.607	382.7956989	11401.35352	30000	0	0	30000	41.4375	2004
21.01.2020 14:55:56	1	1	1	1	73.25	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
21.01.2020 14:55:57	1	1	1	1	73.25	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
21.01.2020 14:55:58	1	1	1	1	73.25	62	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.1875	2004
21.01.2020 14:55:59	1	1	1	1	73.25	62	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:00	1	1	1	1	73.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
21.01.2020 14:56:02	1	1	1	1	73.25	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.125	2004
21.01.2020 14:56:03	1	1	1	1	73.25	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.9375	2004
21.01.2020 14:56:04	1	1	1	1	73.25	61.75	0	29952.607	404.3010753	12193.08021	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:05	1	1	1	1	73.25	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:06	1	1	1	1	73.25	62	0	30000	402.1505376	12128.66578	30000	0	0	30000	41.6875	2004
21.01.2020 14:56:07	1	1	1	1	73.25	61.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.5	2004
21.01.2020 14:56:08	1	1	1	1	73.25	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
21.01.2020 14:56:09	1	1	1	1	73.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
21.01.2020 14:56:10	1	1	1	1	73	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:11	1	1	1	1	73	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
21.01.2020 14:56:12	1	1	1	1	73	61.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:56:13	1	1	1	1	73	62	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
21.01.2020 14:56:14	1	1	1	1	73	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:15	1	1	1	1	73	62	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.125	2004
21.01.2020 14:56:16	1	1	1	1	73	62	0	30000	335.483871	10144.86451	30000	0	0	30000	42.0625	2004
21.01.2020 14:56:17	1	1	1	1	73	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:18	1	1	1	1	73	62	0	29952.607	309.6774194	9275.677439	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:19	1	1	1	1	73	62	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:20	1	1	1	1	73	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:21	1	1	1	1	73	62	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:22	1	1	1	1	73	62	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:23	1	1	1	1	73	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	42	2004
21.01.2020 14:56:24	1	1	1	1	73	62	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.3125	2004
21.01.2020 14:56:25	1	1	1	1	73	62.25	0	30000	290.3225806	8644.579132	30000	0	0	30000	42.125	2004
21.01.2020 14:56:28	1	1	1	1	73	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.125	2004
21.01.2020 14:56:28	1	1	1	1	73	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	42.125	2004
21.01.2020 14:56:28	1	1	1	1	73	62	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:29	1	1	1	1	73	62	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.6875	2004
21.01.2020 14:56:30	1	1	1	1	73	61.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	42	2004
21.01.2020 14:56:31	1	1	1	1	73	62	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	42	2004
21.01.2020 14:56:32	1	1	1	1	73	62	0	29905.213	277.4193548	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:56:33	1	1	1	1	73	62.25	0	30000	279.5698925	8258.092572	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:34	1	1	1	1	73	62	0	30000	275.2688172	8192.862773	30000	0	0	30000	41.5625	2004
21.01.2020 14:56:35	1	1	1	1	73	61.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.9375	2004
21.01.2020 14:56:36	1	1	1	1	73	61.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.0625	2004
21.01.2020 14:56:37	1	1	1	1	73	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.75	2004
21.01.2020 14:56:38	1	1	1	1	73	61.75	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	42.125	2004
21.01.2020 14:56:40	1	1	1	1	73	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:47	1	1	1	1	72.75	62.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.125	2004
21.01.2020 14:56:47	1	1	1	1	72.75	62.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.125	2004
21.01.2020 14:56:47	1	1	1	1	72.75	62.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.125	2004
21.01.2020 14:56:47	1	1	1	1	72.75	62.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.125	2004
21.01.2020 14:56:47	1	1	1	1	72.75	62.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.125	2004
21.01.2020 14:56:47	1	1	1	1	72.75	62.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.125	2004
21.01.2020 14:56:47	1	1	1	1	72.75	62.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.125	2004
21.01.2020 14:56:48	1	1	1	1	72.75	62	0	29952.607	245.1612903	7419.07428	30000	0	0	30000	42.0625	2004
21.01.2020 14:56:49	1	1	1	1	72.75	62	0	30000	258.0645161	7806.376213	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:50	1	1	1	1	73	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:51	1	1	1	1	73	62	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.0625	2004
21.01.2020 14:56:52	1	1	1	1	73	62	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:53	1	1	1	1	73	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.1875	2004
21.01.2020 14:56:54	1	1	1	1	73	61	0	30000	268.8172043	7999.619493	30000	0	0	30000	42.1875	2004
21.01.2020 14:56:55	1	1	1	1	73	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.6875	2004
21.01.2020 14:56:56	1	1	1	1	73	61.5	0	30000	268.8172043	8141.494306	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:56:57	1	1	1	1	73	62	0	30000	264.516129	7999.619493	30000	0	0	30000	42	2004
21.01.2020 14:56:58	1	1	1	1	73	62	0	30000	266.6666667	7999.619493	30000	0	0	30000	42	2004
21.01.2020 14:56:59	1	1	1	1	73	62	0	30000	266.6666667	7935.205066	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:00	1	1	1	1	72.75	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:01	1	1	1	1	72.75	62	0	29952.607	260.2150538	7794.145626	30000	0	0	30000	41.6875	2004
21.01.2020 14:57:02	1	1	1	1	72.75	61.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:03	1	1	1	1	72.75	62	0	30000	253.7634409	7676.731987	30000	0	0	30000	41.9375	2004
21.01.2020 14:57:04	1	1	1	1	72.75	61.75	0	30047.393	262.3655914	7870.79064	30000	0	0	30000	42.125	2004
21.01.2020 14:57:05	1	1	1	1	72.75	62	0	29905.213	275.2688172	8258.092572	30000	0	0	30000	42	2004
21.01.2020 14:57:06	1	1	1	1	72.75	62	0	30000	279.5698925	8322.506999	30000	0	0	30000	41.875	2004
21.01.2020 14:57:07	1	1	1	1	72.75	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.75	2004
21.01.2020 14:57:08	1	1	1	1	72.75	61.75	0	30000	288.172043	8644.579132	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:09	1	1	1	1	72.75	62	0	30000	294.6236559	8774.223358	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:10	1	1	1	1	72.75	62	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:11	1	1	1	1	72.75	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:12	1	1	1	1	72.75	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:13	1	1	1	1	72.75	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:14	1	1	1	1	72.75	62	0	30000	301.0752688	9110.972196	30000	0	0	30000	41.1875	2004
21.01.2020 14:57:15	1	1	1	1	72.75	61	0	30000	283.8709677	8580.164705	30000	0	0	30000	42.125	2004
21.01.2020 14:57:16	1	1	1	1	72.75	62	0	30000	273.1182796	8180.632185	30000	0	0	30000	42.3125	2004
21.01.2020 14:57:17	1	1	1	1	72.75	62.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.1875	2004
21.01.2020 14:57:19	1	1	1	1	72.75	61	0	29905.213	262.3655914	7870.79064	30000	0	0	30000	42.0625	2004
21.01.2020 14:57:20	1	1	1	1	72.75	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	42.4375	2004
21.01.2020 14:57:21	1	1	1	1	72.75	62.25	0	30000	273.1182796	8128.448346	30000	0	0	30000	42.0625	2004
21.01.2020 14:57:22	1	1	1	1	72.75	62	0	30000	266.6666667	7806.376213	30000	0	0	30000	42.0625	2004
21.01.2020 14:57:23	1	1	1	1	72.75	62	0	30000	268.8172043	8128.448346	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:24	1	1	1	1	72.75	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	42.3125	2004
21.01.2020 14:57:25	1	1	1	1	72.75	62.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.375	2004
21.01.2020 14:57:26	1	1	1	1	72.75	62.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	42.75	2004
21.01.2020 14:57:27	1	1	1	1	72.75	62.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	42	2004
21.01.2020 14:57:28	1	1	1	1	72.75	62.25	0	30000	296.7741935	8774.223358	30000	0	0	30000	41.9375	2004
21.01.2020 14:57:29	1	1	1	1	72.75	61.75	0	29905.213	296.7741935	9096.295491	30000	0	0	30000	42.0625	2004
21.01.2020 14:57:30	1	1	1	1	72.75	62	0	29952.607	301.0752688	8967.466638	30000	0	0	30000	42	2004
21.01.2020 14:57:31	1	1	1	1	72.75	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:32	1	1	1	1	72.75	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.0625	2004
21.01.2020 14:57:33	1	1	1	1	72.75	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.125	2004
21.01.2020 14:57:34	1	1	1	1	72.75	62	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.8125	2004
21.01.2020 14:57:35	1	1	1	1	72.75	61.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:36	1	1	1	1	72.75	62	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.125	2004
21.01.2020 14:57:37	1	1	1	1	72.75	62	0	30000	311.827957	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:38	1	1	1	1	72.75	62	0	29952.607	311.827957	9354.76857	30000	0	0	30000	42	2004
21.01.2020 14:57:39	1	1	1	1	72.75	62	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	42.125	2004
21.01.2020 14:57:40	1	1	1	1	72.75	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:57:41	1	1	1	1	72.75	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.125	2004
21.01.2020 14:57:48	1	1	1	1	72.75	61.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:48	1	1	1	1	72.75	61.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:48	1	1	1	1	72.75	61.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:48	1	1	1	1	72.75	61.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:48	1	1	1	1	72.75	61.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:48	1	1	1	1	72.75	61.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:48	1	1	1	1	72.75	61.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:49	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:50	1	1	1	1	72.5	62	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:51	1	1	1	1	72.5	62	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.5	2004
21.01.2020 14:57:52	1	1	1	1	72.5	61.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.8125	2004
21.01.2020 14:57:53	1	1	1	1	72.5	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.0625	2004
21.01.2020 14:57:54	1	1	1	1	72.5	62	0	30000	313.9784946	9548.01185	30000	0	0	30000	42.125	2004
21.01.2020 14:57:55	1	1	1	1	72.5	62	0	30000	311.827957	9419.182997	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:56	1	1	1	1	72.5	62	0	30000	313.9784946	9578.180632	30000	0	0	30000	42.1875	2004
21.01.2020 14:57:58	1	1	1	1	72.5	62	0	30047.393	313.9784946	9627.918354	30000	0	0	30000	41.9375	2004
21.01.2020 14:57:59	1	1	1	1	72.5	61.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42	2004
21.01.2020 14:58:00	1	1	1	1	72.5	62	0	30000	324.7311828	9741.25513	30000	0	0	30000	42	2004
21.01.2020 14:58:01	1	1	1	1	72.5	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.0625	2004
21.01.2020 14:58:02	1	1	1	1	72.5	62	0	30000	313.9784946	9612.426277	30000	0	0	30000	41.875	2004
21.01.2020 14:58:03	1	1	1	1	72.5	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:04	1	1	1	1	72.5	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:05	1	1	1	1	72.5	62	0	29905.213	305.3763441	9354.76857	30000	0	0	30000	42.25	2004
21.01.2020 14:58:06	1	1	1	1	72.5	62.25	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5625	2004
21.01.2020 14:58:07	1	1	1	1	72.5	62.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:08	1	1	1	1	72.5	62.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	42	2004
21.01.2020 14:58:09	1	1	1	1	72.5	62	0	30000	320.4301075	9676.840703	30000	0	0	30000	41.6875	2004
21.01.2020 14:58:10	1	1	1	1	72.75	61.5	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	42.0625	2004
21.01.2020 14:58:11	1	1	1	1	72.75	62	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.625	2004
21.01.2020 14:58:12	1	1	1	1	72.75	61.5	0	29952.607	313.9784946	9612.426277	30000	0	0	30000	40.6875	2004
21.01.2020 14:58:13	1	1	1	1	72.75	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.125	2004
21.01.2020 14:58:14	1	1	1	1	72.75	62	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:15	1	1	1	1	72.75	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:16	1	1	1	1	72.75	62	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:17	1	1	1	1	72.75	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:18	1	1	1	1	72.75	62	0	30000	290.3225806	8838.637784	30000	0	0	30000	42.125	2004
21.01.2020 14:58:19	1	1	1	1	72.75	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.125	2004
21.01.2020 14:58:20	1	1	1	1	72.5	62	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:21	1	1	1	1	72.5	62	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.9375	2004
21.01.2020 14:58:22	1	1	1	1	72.5	61.75	0	30000	303.2258065	9018.019732	30000	0	0	30000	40.9375	2004
21.01.2020 14:58:23	1	1	1	1	72.5	60.75	0	30000	305.3763441	9146.848585	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:24	1	1	1	1	72.5	62	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:58:25	1	1	1	1	72.5	61.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:26	1	1	1	1	72.5	62	0	30000	275.2688172	8192.862773	30000	0	0	30000	42.125	2004
21.01.2020 14:58:27	1	1	1	1	72.5	62	0	29905.213	260.2150538	8192.862773	30000	0	0	30000	42.0625	2004
21.01.2020 14:58:28	1	1	1	1	72.5	62	0	30000	268.8172043	7935.205066	30000	0	0	30000	42.125	2004
21.01.2020 14:58:29	1	1	1	1	72.5	62	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	42	2004
21.01.2020 14:58:30	1	1	1	1	72.25	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.125	2004
21.01.2020 14:58:31	1	1	1	1	72.25	62	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.0625	2004
21.01.2020 14:58:32	1	1	1	1	72.25	62	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:33	1	1	1	1	72.25	62	0	30047.393	268.8172043	8064.033919	30000	0	0	30000	41.8125	2004
21.01.2020 14:58:34	1	1	1	1	72.25	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.0625	2004
21.01.2020 14:58:36	1	1	1	1	72.25	62	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.25	2004
21.01.2020 14:58:37	1	1	1	1	72.25	62.25	0	30000	251.6129032	7419.07428	30000	0	0	30000	42.125	2004
21.01.2020 14:58:38	1	1	1	1	72.25	62	0	30000	262.3655914	7806.376213	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:39	1	1	1	1	72.25	62	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.6875	2004
21.01.2020 14:58:40	1	1	1	1	72.25	61.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	42.0625	2004
21.01.2020 14:58:41	1	1	1	1	72.25	62	0	30000	270.9677419	8128.448346	30000	0	0	30000	42.0625	2004
21.01.2020 14:58:42	1	1	1	1	72.25	62	0	29905.213	268.8172043	8192.862773	30000	0	0	30000	42.125	2004
21.01.2020 14:58:43	1	1	1	1	72.25	62	0	30000	264.516129	7922.974479	30000	0	0	30000	42.4375	2004
21.01.2020 14:58:50	1	1	1	1	72	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
21.01.2020 14:58:50	1	1	1	1	72	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
21.01.2020 14:58:50	1	1	1	1	72	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
21.01.2020 14:58:50	1	1	1	1	72	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
21.01.2020 14:58:50	1	1	1	1	72	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
21.01.2020 14:58:50	1	1	1	1	72	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
21.01.2020 14:58:50	1	1	1	1	72	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
21.01.2020 14:58:51	1	1	1	1	72	61.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	42	2004
21.01.2020 14:58:52	1	1	1	1	72	62	0	30000	316.1290323	9354.76857	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:53	1	1	1	1	72	62	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.125	2004
21.01.2020 14:58:54	1	1	1	1	72	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.0625	2004
21.01.2020 14:58:55	1	1	1	1	72	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:56	1	1	1	1	72	62	0	30000	346.2365591	10257.38592	30000	0	0	30000	41.9375	2004
21.01.2020 14:58:57	1	1	1	1	72	61.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:58	1	1	1	1	72	62	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	42.1875	2004
21.01.2020 14:58:59	1	1	1	1	72	62	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.1875	2004
21.01.2020 14:59:00	1	1	1	1	72	62	0	29952.607	318.2795699	9548.01185	30000	0	0	30000	42.125	2004
21.01.2020 14:59:01	1	1	1	1	72	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.1875	2004
21.01.2020 14:59:02	1	1	1	1	72	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:03	1	1	1	1	72	62	0	30000	322.5806452	9726.578425	30000	0	0	30000	42	2004
21.01.2020 14:59:04	1	1	1	1	72	62	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:05	1	1	1	1	72	62	0	29952.607	324.7311828	9806.484929	30000	0	0	30000	41.9375	2004
21.01.2020 14:59:06	1	1	1	1	72	61.75	0	30047.393	331.1827957	9741.25513	30000	0	0	30000	42.1875	2004
21.01.2020 14:59:07	1	1	1	1	72	62	0	30000	348.3870968	10241.89384	30000	0	0	30000	42	2004
21.01.2020 14:59:08	1	1	1	1	72	62	0	29905.213	337.6344086	10128.55706	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:59:09	1	1	1	1	72	62	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	42.125	2004
21.01.2020 14:59:10	1	1	1	1	72	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.125	2004
21.01.2020 14:59:11	1	1	1	1	72	62	0	30000	339.7849462	10257.38592	30000	0	0	30000	42.125	2004
21.01.2020 14:59:12	1	1	1	1	72	62	0	30000	356.9892473	10903.16093	30000	0	0	30000	41.375	2004
21.01.2020 14:59:14	1	1	1	1	72	61.25	0	30000	335.483871	10128.55706	30000	0	0	30000	42	2004
21.01.2020 14:59:15	1	1	1	1	72	62	0	30000	318.2795699	9354.76857	30000	0	0	30000	41.9375	2004
21.01.2020 14:59:16	1	1	1	1	72	61.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.25	2004
21.01.2020 14:59:17	1	1	1	1	72	62.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.8125	2004
21.01.2020 14:59:18	1	1	1	1	72	61.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	42.1875	2004
21.01.2020 14:59:19	1	1	1	1	72	62	0	30000	292.4731183	8708.993559	30000	0	0	30000	42.125	2004
21.01.2020 14:59:20	1	1	1	1	72	62	0	30000	277.4193548	8322.506999	30000	0	0	30000	42	2004
21.01.2020 14:59:21	1	1	1	1	72	62	0	29952.607	270.9677419	8128.448346	30000	0	0	30000	42.125	2004
21.01.2020 14:59:22	1	1	1	1	72	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.125	2004
21.01.2020 14:59:23	1	1	1	1	72	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	42.1875	2004
21.01.2020 14:59:24	1	1	1	1	72	62.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	41.75	2004
21.01.2020 14:59:25	1	1	1	1	72	61.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:26	1	1	1	1	72	62	0	30000	264.516129	7935.205066	30000	0	0	30000	42	2004
21.01.2020 14:59:27	1	1	1	1	72	62	0	30000	258.0645161	7741.961786	30000	0	0	30000	42	2004
21.01.2020 14:59:28	1	1	1	1	72	62	0	30000	264.516129	7870.79064	30000	0	0	30000	41.9375	2004
21.01.2020 14:59:29	1	1	1	1	72	61.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:30	1	1	1	1	71.75	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.125	2004
21.01.2020 14:59:31	1	1	1	1	71.75	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	42.125	2004
21.01.2020 14:59:32	1	1	1	1	71.75	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	41.9375	2004
21.01.2020 14:59:33	1	1	1	1	71.75	61.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	42.1875	2004
21.01.2020 14:59:34	1	1	1	1	71.75	62	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.9375	2004
21.01.2020 14:59:35	1	1	1	1	71.75	61.75	0	29952.607	255.9139785	7665.316772	30000	0	0	30000	41.875	2004
21.01.2020 14:59:36	1	1	1	1	71.75	61.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	42	2004
21.01.2020 14:59:37	1	1	1	1	71.75	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:38	1	1	1	1	71.75	62	0	30000	262.3655914	7870.79064	30000	0	0	30000	41.9375	2004
21.01.2020 14:59:39	1	1	1	1	71.75	61.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:40	1	1	1	1	72	62	0	29905.213	258.0645161	7806.376213	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:41	1	1	1	1	72	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.9375	2004
21.01.2020 14:59:42	1	1	1	1	72	61.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:43	1	1	1	1	72	62	0	30000	249.4623656	7419.07428	30000	0	0	30000	40.875	2004
21.01.2020 14:59:44	1	1	1	1	72	60.75	0	30000	262.3655914	7794.145626	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:52	1	1	1	1	71.75	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:52	1	1	1	1	71.75	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:52	1	1	1	1	71.75	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:52	1	1	1	1	71.75	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:52	1	1	1	1	71.75	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:52	1	1	1	1	71.75	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:52	1	1	1	1	71.75	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:53	1	1	1	1	71.75	62	0	30000	262.3655914	7870.79064	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 14:59:54	1	1	1	1	71.75	61.75	0	30000	260.2150538	7794.145626	30000	0	0	30000	41.875	2004
21.01.2020 14:59:55	1	1	1	1	71.75	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.9375	2004
21.01.2020 14:59:56	1	1	1	1	71.75	61.75	0	30000	264.516129	7935.205066	30000	0	0	30000	41.5	2004
21.01.2020 14:59:57	1	1	1	1	71.75	61.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	41.875	2004
21.01.2020 14:59:58	1	1	1	1	71.75	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.0625	2004
21.01.2020 14:59:59	1	1	1	1	71.75	62	0	30000	264.516129	7935.205066	30000	0	0	30000	42.5625	2004
21.01.2020 15:00:00	1	1	1	1	71.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.5625	2004
21.01.2020 15:00:01	1	1	1	1	71.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.8125	2004
21.01.2020 15:00:02	1	1	1	1	71.75	61.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.1875	2004
21.01.2020 15:00:03	1	1	1	1	71.75	62	0	30000	275.2688172	8192.862773	30000	0	0	30000	41.875	2004
21.01.2020 15:00:04	1	1	1	1	71.75	61.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.125	2004
21.01.2020 15:00:05	1	1	1	1	71.75	62	0	30000	288.172043	8644.579132	30000	0	0	30000	42.1875	2004
21.01.2020 15:00:06	1	1	1	1	71.75	62	0	30000	281.7204301	8373.875465	30000	0	0	30000	42	2004
21.01.2020 15:00:07	1	1	1	1	71.75	62	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.75	2004
21.01.2020 15:00:08	1	1	1	1	71.75	61.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	41.5	2004
21.01.2020 15:00:09	1	1	1	1	71.75	61.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:10	1	1	1	1	71.5	62	0	30000	281.7204301	8386.921425	30000	0	0	30000	42	2004
21.01.2020 15:00:11	1	1	1	1	71.5	62	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:12	1	1	1	1	71.5	62	0	30000	288.172043	8644.579132	30000	0	0	30000	40.8125	2004
21.01.2020 15:00:13	1	1	1	1	71.5	60.75	0	29952.607	281.7204301	8515.750279	30000	0	0	30000	41.9375	2004
21.01.2020 15:00:14	1	1	1	1	71.5	61.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:15	1	1	1	1	71.5	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:16	1	1	1	1	71.5	62	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.8125	2004
21.01.2020 15:00:17	1	1	1	1	71.5	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.1875	2004
21.01.2020 15:00:18	1	1	1	1	71.5	62	0	30000	253.7634409	7612.31756	30000	0	0	30000	41.6875	2004
21.01.2020 15:00:19	1	1	1	1	71.5	61.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:20	1	1	1	1	71.25	62	0	30000	249.4623656	7483.488707	30000	0	0	30000	42.125	2004
21.01.2020 15:00:21	1	1	1	1	71.25	62	0	29952.607	247.311828	7483.488707	30000	0	0	30000	42.1875	2004
21.01.2020 15:00:22	1	1	1	1	71.25	62	0	30000	255.9139785	7472.073492	30000	0	0	30000	41.9375	2004
21.01.2020 15:00:23	1	1	1	1	71.25	61.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.875	2004
21.01.2020 15:00:24	1	1	1	1	71.25	61.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:25	1	1	1	1	71.25	62	0	30000	247.311828	7354.659854	30000	0	0	30000	41.9375	2004
21.01.2020 15:00:26	1	1	1	1	71.25	61.75	0	30000	260.2150538	7536.487919	30000	0	0	30000	41.9375	2004
21.01.2020 15:00:27	1	1	1	1	71.25	61.75	0	29952.607	270.9677419	8064.033919	30000	0	0	30000	41.875	2004
21.01.2020 15:00:28	1	1	1	1	71.25	61.75	0	30000	288.172043	8708.993559	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:29	1	1	1	1	71.25	62	0	30000	288.172043	8774.223358	30000	0	0	30000	42.1875	2004
21.01.2020 15:00:31	1	1	1	1	71.5	62	0	30000	288.172043	8708.993559	30000	0	0	30000	41.5625	2004
21.01.2020 15:00:32	1	1	1	1	71.5	61.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:33	1	1	1	1	71.5	62	0	30000	281.7204301	8464.381812	30000	0	0	30000	42	2004
21.01.2020 15:00:34	1	1	1	1	71.5	62	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.9375	2004
21.01.2020 15:00:35	1	1	1	1	71.5	61.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42	2004
21.01.2020 15:00:36	1	1	1	1	71.5	62	0	30000	255.9139785	7676.731987	30000	0	0	30000	42	2004
21.01.2020 15:00:37	1	1	1	1	71.5	62	0	30000	236.5591398	7096.186775	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:00:38	1	1	1	1	71.5	62.25	0	30000	227.9569892	6774.114641	30000	0	0	30000	41.875	2004
21.01.2020 15:00:39	1	1	1	1	71.5	61.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	42.1875	2004
21.01.2020 15:00:40	1	1	1	1	71.5	62	0	29952.607	234.4086022	7021.172506	30000	0	0	30000	41.9375	2004
21.01.2020 15:00:41	1	1	1	1	71.75	61.75	0	30000	236.5591398	7096.186775	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:42	1	1	1	1	71.75	62	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.875	2004
21.01.2020 15:00:43	1	1	1	1	71.75	61.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	42.0625	2004
21.01.2020 15:00:44	1	1	1	1	71.75	62	0	29905.213	230.1075269	6902.943495	30000	0	0	30000	41.75	2004
21.01.2020 15:00:45	1	1	1	1	71.75	61.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	41.8125	2004
21.01.2020 15:00:46	1	1	1	1	71.75	61.75	0	30000	230.1075269	6967.357921	30000	0	0	30000	42	2004
21.01.2020 15:00:53	1	1	1	1	71.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
21.01.2020 15:00:53	1	1	1	1	71.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
21.01.2020 15:00:53	1	1	1	1	71.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
21.01.2020 15:00:53	1	1	1	1	71.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
21.01.2020 15:00:53	1	1	1	1	71.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
21.01.2020 15:00:53	1	1	1	1	71.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
21.01.2020 15:00:53	1	1	1	1	71.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
21.01.2020 15:00:53	1	1	1	1	71.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	42	2004
21.01.2020 15:00:54	1	1	1	1	71.75	62	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
21.01.2020 15:00:55	1	1	1	1	71.75	61.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	41.375	2004
21.01.2020 15:00:56	1	1	1	1	71.75	61.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	41.9375	2004
21.01.2020 15:00:57	1	1	1	1	71.75	61.75	0	30000	247.311828	7483.488707	30000	0	0	30000	41.3125	2004
21.01.2020 15:00:58	1	1	1	1	71.75	61.25	0	29952.607	253.7634409	7676.731987	30000	0	0	30000	41.9375	2004
21.01.2020 15:00:59	1	1	1	1	71.75	61.75	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	41.5	2004
21.01.2020 15:01:00	1	1	1	1	71.75	61.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.8125	2004
21.01.2020 15:01:01	1	1	1	1	71.75	61.75	0	30047.393	275.2688172	8064.033919	30000	0	0	30000	41.875	2004
21.01.2020 15:01:02	1	1	1	1	71.75	61.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	42	2004
21.01.2020 15:01:03	1	1	1	1	71.75	62	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.1875	2004
21.01.2020 15:01:04	1	1	1	1	71.75	62	0	30000	268.8172043	8128.448346	30000	0	0	30000	41.6875	2004
21.01.2020 15:01:05	1	1	1	1	71.75	61.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.5	2004
21.01.2020 15:01:06	1	1	1	1	71.75	61.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.9375	2004
21.01.2020 15:01:07	1	1	1	1	71.75	61.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	42	2004
21.01.2020 15:01:09	1	1	1	1	71.75	62	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.6875	2004
21.01.2020 15:01:10	1	1	1	1	71.75	61.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.75	2004
21.01.2020 15:01:11	1	1	1	1	71.25	61.75	0	30094.787	309.6774194	9031.881064	30000	0	0	30000	41.8125	2004
21.01.2020 15:01:12	1	1	1	1	71.25	61.75	0	30000	298.9247312	8903.052211	30000	0	0	30000	41.875	2004
21.01.2020 15:01:13	1	1	1	1	71.25	61.75	0	30000	311.827957	9419.182997	30000	0	0	30000	42.125	2004
21.01.2020 15:01:14	1	1	1	1	71.25	62	0	30000	305.3763441	9096.295491	30000	0	0	30000	42	2004
21.01.2020 15:01:15	1	1	1	1	71.25	62	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.125	2004
21.01.2020 15:01:16	1	1	1	1	71.25	62	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.875	2004
21.01.2020 15:01:17	1	1	1	1	71.25	61.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.3125	2004
21.01.2020 15:01:18	1	1	1	1	71.25	62.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.125	2004
21.01.2020 15:01:19	1	1	1	1	71.25	62	0	30000	279.5698925	8386.921425	30000	0	0	30000	42.1875	2004
21.01.2020 15:01:20	1	1	1	1	71.5	62.25	0	29952.607	281.7204301	8736.716223	30000	0	0	30000	42.1875	2004
21.01.2020 15:01:21	1	1	1	1	71.5	62	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:01:22	1	1	1	1	71.5	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.8125	2004
21.01.2020 15:01:23	1	1	1	1	71.5	61.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.875	2004
21.01.2020 15:01:24	1	1	1	1	71.5	61.75	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	41.75	2004
21.01.2020 15:01:25	1	1	1	1	71.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.5625	2004
21.01.2020 15:01:26	1	1	1	1	71.5	61.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	41.5625	2004
21.01.2020 15:01:27	1	1	1	1	71.5	61.5	0	30000	255.9139785	7612.31756	30000	0	0	30000	41.9375	2004
21.01.2020 15:01:28	1	1	1	1	71.5	61.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	41.75	2004
21.01.2020 15:01:29	1	1	1	1	71.5	61.75	0	30000	253.7634409	7741.961786	30000	0	0	30000	41.875	2004
21.01.2020 15:01:30	1	1	1	1	71.25	61.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	42.0625	2004
21.01.2020 15:01:31	1	1	1	1	71.25	62	0	30000	245.1612903	7354.659854	30000	0	0	30000	41.3125	2004
21.01.2020 15:01:32	1	1	1	1	71.25	61.25	0	30000	240.8602151	7225.831	30000	0	0	30000	41.875	2004
21.01.2020 15:01:33	1	1	1	1	71.25	61.75	0	30000	234.4086022	7096.186775	30000	0	0	30000	42.0625	2004
21.01.2020 15:01:34	1	1	1	1	71.25	62	0	30000	236.5591398	6967.357921	30000	0	0	30000	42	2004
21.01.2020 15:01:35	1	1	1	1	71.25	62	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:01:36	1	1	1	1	71.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	42	2004
21.01.2020 15:01:37	1	1	1	1	71.25	62	0	30000	232.2580645	6752.099584	30000	0	0	30000	41.625	2004
21.01.2020 15:01:38	1	1	1	1	71.25	61.5	0	30000	225.8064516	6774.114641	30000	0	0	30000	41.875	2004
21.01.2020 15:01:39	1	1	1	1	71.25	61.75	0	30000	223.655914	6644.470416	30000	0	0	30000	41.625	2004
21.01.2020 15:01:40	1	1	1	1	71	61.5	0	30000	232.2580645	6902.943495	30000	0	0	30000	41.875	2004
21.01.2020 15:01:41	1	1	1	1	71	61.75	0	29952.607	232.2580645	6967.357921	30000	0	0	30000	41.125	2004
21.01.2020 15:01:42	1	1	1	1	71	61	0	30000	221.5053763	6838.529068	30000	0	0	30000	41.625	2004
21.01.2020 15:01:43	1	1	1	1	71	61.5	0	30000	227.9569892	6838.529068	30000	0	0	30000	42.0625	2004
21.01.2020 15:01:44	1	1	1	1	71	62	0	30000	227.9569892	6967.357921	30000	0	0	30000	41.9375	2004
21.01.2020 15:01:45	1	1	1	1	71	61.75	0	30000	223.655914	6838.529068	30000	0	0	30000	42	2004
21.01.2020 15:01:47	1	1	1	1	71	62	0	30000	227.9569892	6902.943495	30000	0	0	30000	42	2004
21.01.2020 15:01:48	1	1	1	1	71	62	0	30000	227.9569892	6838.529068	30000	0	0	30000	41.8125	2004
21.01.2020 15:01:55	1	1	1	1	70.25	61.75	0	30000	210.7526882	6257.983856	30000	0	0	30000	42.1875	2004
21.01.2020 15:01:55	1	1	1	1	70.25	61.75	0	30000	210.7526882	6257.983856	30000	0	0	30000	42.1875	2004
21.01.2020 15:01:55	1	1	1	1	70.25	61.75	0	30000	210.7526882	6257.983856	30000	0	0	30000	42.1875	2004
21.01.2020 15:01:55	1	1	1	1	70.25	61.75	0	30000	210.7526882	6257.983856	30000	0	0	30000	42.1875	2004
21.01.2020 15:01:55	1	1	1	1	70.25	61.75	0	30000	210.7526882	6257.983856	30000	0	0	30000	42.1875	2004
21.01.2020 15:01:55	1	1	1	1	70.25	61.75	0	30000	210.7526882	6257.983856	30000	0	0	30000	42.1875	2004
21.01.2020 15:01:56	1	1	1	1	70.25	62	0	30000	206.4516129	6193.569429	30000	0	0	30000	41.875	2004
21.01.2020 15:01:57	1	1	1	1	70.25	61.75	0	30000	210.7526882	6386.812709	30000	0	0	30000	42.3125	2004
21.01.2020 15:01:58	1	1	1	1	70.25	62.25	0	30000	208.6021505	6257.983856	30000	0	0	30000	41.6875	2004
21.01.2020 15:01:59	1	1	1	1	70.25	62	0	30000	217.2043011	6580.055989	30000	0	0	30000	41.4375	2004
21.01.2020 15:02:00	1	1	1	1	70.25	61.25	0	30000	234.4086022	6902.943495	30000	0	0	30000	41.8125	2004
21.01.2020 15:02:01	1	1	1	1	70.25	61.75	0	30000	227.9569892	6838.529068	30000	0	0	30000	41.6875	2004
21.01.2020 15:02:02	1	1	1	1	70.25	61.5	0	30000	227.9569892	6774.114641	30000	0	0	30000	41.3125	2004
21.01.2020 15:02:03	1	1	1	1	70.25	61.25	0	30000	212.9032258	6515.641562	30000	0	0	30000	41.8125	2004
21.01.2020 15:02:04	1	1	1	1	70.25	61.75	0	29952.607	212.9032258	6580.055989	30000	0	0	30000	41.9375	2004
21.01.2020 15:02:05	1	1	1	1	70.25	61.75	0	30000	227.9569892	6774.114641	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:02:06	1	1	1	1	70.25	61.75	0	30000	227.9569892	6774.114641	30000	0	0	30000	41.8125	2004
21.01.2020 15:02:07	1	1	1	1	70.25	61.75	0	30000	227.9569892	6838.529068	30000	0	0	30000	41.9375	2004
21.01.2020 15:02:08	1	1	1	1	70.25	61.75	0	30000	232.2580645	6956.758079	30000	0	0	30000	41.875	2004
21.01.2020 15:02:09	1	1	1	1	70.25	61.75	0	30000	236.5591398	7096.186775	30000	0	0	30000	41.875	2004
21.01.2020 15:02:10	1	1	1	1	70.25	61.75	0	30000	243.0107527	7214.415786	30000	0	0	30000	41.8125	2004
21.01.2020 15:02:11	1	1	1	1	70.25	61.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.875	2004
21.01.2020 15:02:12	1	1	1	1	70.25	61.75	0	30000	275.2688172	8386.921425	30000	0	0	30000	41.875	2004
21.01.2020 15:02:13	1	1	1	1	70.25	61.75	0	29952.607	268.8172043	8051.803332	30000	0	0	30000	41.375	2004
21.01.2020 15:02:14	1	1	1	1	70.25	61.25	0	30000	260.2150538	7870.79064	30000	0	0	30000	41.8125	2004
21.01.2020 15:02:15	1	1	1	1	70.25	61.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.8125	2004
21.01.2020 15:02:16	1	1	1	1	70.25	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.1875	2004
21.01.2020 15:02:17	1	1	1	1	70.25	61	0	30000	249.4623656	7483.488707	30000	0	0	30000	41.75	2004
21.01.2020 15:02:18	1	1	1	1	70.25	61.75	0	30000	247.311828	7483.488707	30000	0	0	30000	41.5625	2004
21.01.2020 15:02:19	1	1	1	1	70.25	61.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	41.75	2004
21.01.2020 15:02:20	1	1	1	1	69.25	61.75	0	30000	264.516129	7935.205066	30000	0	0	30000	41.75	2004
21.01.2020 15:02:21	1	1	1	1	69.25	61.75	0	30000	273.1182796	8322.506999	30000	0	0	30000	41.6875	2004
21.01.2020 15:02:22	1	1	1	1	69.25	61.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.4375	2004
21.01.2020 15:02:23	1	1	1	1	69.25	61.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	42	2004
21.01.2020 15:02:25	1	1	1	1	69.25	62	0	30000	251.6129032	7612.31756	30000	0	0	30000	41.9375	2004
21.01.2020 15:02:26	1	1	1	1	69.25	61.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	41.5625	2004
21.01.2020 15:02:27	1	1	1	1	69.25	61.5	0	30000	247.311828	7483.488707	30000	0	0	30000	41.8125	2004
21.01.2020 15:02:28	1	1	1	1	69.25	61.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.25	2004
21.01.2020 15:02:29	1	1	1	1	69.25	61.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.625	2004
21.01.2020 15:02:30	1	1	1	1	69.25	61.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.6875	2004
21.01.2020 15:02:31	1	1	1	1	69	61.5	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	41.875	2004
21.01.2020 15:02:32	1	1	1	1	69	61.75	0	30000	268.8172043	8192.862773	30000	0	0	30000	42	2004
21.01.2020 15:02:33	1	1	1	1	69	62	0	30000	264.516129	7935.205066	30000	0	0	30000	41.875	2004
21.01.2020 15:02:34	1	1	1	1	69	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42.375	2004
21.01.2020 15:02:35	1	1	1	1	69	62.25	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	42.125	2004
21.01.2020 15:02:36	1	1	1	1	69	62	0	30000	264.516129	7935.205066	30000	0	0	30000	42.1875	2004
21.01.2020 15:02:37	1	1	1	1	69	62.25	0	30000	264.516129	7935.205066	30000	0	0	30000	42	2004
21.01.2020 15:02:38	1	1	1	1	69	62	0	30000	279.5698925	8386.921425	30000	0	0	30000	42	2004
21.01.2020 15:02:39	1	1	1	1	69	62	0	30000	305.3763441	9354.76857	30000	0	0	30000	41.9375	2004
21.01.2020 15:02:40	1	1	1	1	69.25	61.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.9375	2004
21.01.2020 15:02:41	1	1	1	1	69.25	61.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.75	2004
21.01.2020 15:02:42	1	1	1	1	69.25	61.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.9375	2004
21.01.2020 15:02:43	1	1	1	1	69.25	61.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.25	2004
21.01.2020 15:02:44	1	1	1	1	69.25	61.25	0	30000	311.827957	9483.597423	30000	0	0	30000	41.875	2004
21.01.2020 15:02:45	1	1	1	1	69.25	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
21.01.2020 15:02:46	1	1	1	1	69.25	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.4375	2004
21.01.2020 15:02:47	1	1	1	1	69.25	61.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.875	2004
21.01.2020 15:02:48	1	1	1	1	69.25	61.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.875	2004
21.01.2020 15:02:49	1	1	1	1	69.25	61.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:02:56	1	1	1	1	69.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
21.01.2020 15:02:56	1	1	1	1	69.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
21.01.2020 15:02:56	1	1	1	1	69.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
21.01.2020 15:02:56	1	1	1	1	69.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
21.01.2020 15:02:56	1	1	1	1	69.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
21.01.2020 15:02:56	1	1	1	1	69.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
21.01.2020 15:02:56	1	1	1	1	69.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.875	2004
21.01.2020 15:02:57	1	1	1	1	69.5	61.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.875	2004
21.01.2020 15:02:58	1	1	1	1	69.5	61.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	42	2004
21.01.2020 15:02:59	1	1	1	1	69.5	62	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:00	1	1	1	1	69.75	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.375	2004
21.01.2020 15:03:02	1	1	1	1	69.75	61.25	0	30000	324.7311828	9806.484929	30000	0	0	30000	41.875	2004
21.01.2020 15:03:03	1	1	1	1	69.75	61.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	41.9375	2004
21.01.2020 15:03:04	1	1	1	1	69.75	61.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.75	2004
21.01.2020 15:03:05	1	1	1	1	69.75	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.875	2004
21.01.2020 15:03:06	1	1	1	1	69.75	61.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.875	2004
21.01.2020 15:03:07	1	1	1	1	69.75	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.75	2004
21.01.2020 15:03:08	1	1	1	1	69.75	61.75	0	29952.607	320.4301075	9870.899356	30000	0	0	30000	41.5625	2004
21.01.2020 15:03:09	1	1	1	1	69.75	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.75	2004
21.01.2020 15:03:10	1	1	1	1	69.75	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.9375	2004
21.01.2020 15:03:11	1	1	1	1	70.25	61.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:12	1	1	1	1	70.25	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
21.01.2020 15:03:13	1	1	1	1	70.25	61.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	42	2004
21.01.2020 15:03:14	1	1	1	1	70.25	62	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.8125	2004
21.01.2020 15:03:15	1	1	1	1	70.25	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.875	2004
21.01.2020 15:03:16	1	1	1	1	70.25	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.75	2004
21.01.2020 15:03:17	1	1	1	1	70.25	61.75	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	41.875	2004
21.01.2020 15:03:18	1	1	1	1	70.25	61.75	0	30047.393	303.2258065	9096.295491	30000	0	0	30000	41.3125	2004
21.01.2020 15:03:19	1	1	1	1	70.25	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:20	1	1	1	1	70.5	61.75	0	30000	281.7204301	8438.289892	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:21	1	1	1	1	70.5	61.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.75	2004
21.01.2020 15:03:22	1	1	1	1	70.5	61.75	0	29905.213	273.1182796	8258.092572	30000	0	0	30000	41.5	2004
21.01.2020 15:03:23	1	1	1	1	70.5	61.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:24	1	1	1	1	70.5	61.75	0	30000	286.0215054	8644.579132	30000	0	0	30000	41.9375	2004
21.01.2020 15:03:25	1	1	1	1	70.5	61.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.6875	2004
21.01.2020 15:03:26	1	1	1	1	70.5	61.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.6875	2004
21.01.2020 15:03:27	1	1	1	1	70.5	61.5	0	30000	247.311828	7419.07428	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:28	1	1	1	1	70.5	61.75	0	29952.607	234.4086022	7225.831	30000	0	0	30000	41.375	2004
21.01.2020 15:03:29	1	1	1	1	70.5	61.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	41.875	2004
21.01.2020 15:03:30	1	1	1	1	70.5	61.75	0	30000	240.8602151	7096.186775	30000	0	0	30000	41.875	2004
21.01.2020 15:03:31	1	1	1	1	70.5	61.75	0	30000	227.9569892	6774.114641	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:32	1	1	1	1	70.5	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	41	2004
21.01.2020 15:03:33	1	1	1	1	70.5	61	0	30000	243.0107527	7096.186775	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:03:34	1	1	1	1	70.5	60.5	0	30000	243.0107527	7225.831	30000	0	0	30000	41.875	2004
21.01.2020 15:03:35	1	1	1	1	70.5	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:36	1	1	1	1	70.5	61.75	0	29952.607	243.0107527	7290.245427	30000	0	0	30000	41.375	2004
21.01.2020 15:03:37	1	1	1	1	70.5	61.25	0	30047.393	253.7634409	7612.31756	30000	0	0	30000	41.75	2004
21.01.2020 15:03:38	1	1	1	1	70.5	61.75	0	30000	258.0645161	7612.31756	30000	0	0	30000	41.625	2004
21.01.2020 15:03:39	1	1	1	1	70.5	61.5	0	30000	260.2150538	7870.79064	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:41	1	1	1	1	70.5	61.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.75	2004
21.01.2020 15:03:42	1	1	1	1	70.5	61.75	0	30000	290.3225806	8580.164705	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:43	1	1	1	1	70.5	61.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.9375	2004
21.01.2020 15:03:44	1	1	1	1	70.5	61.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.75	2004
21.01.2020 15:03:45	1	1	1	1	70.5	61.75	0	30000	296.7741935	8760.362025	30000	0	0	30000	41.875	2004
21.01.2020 15:03:46	1	1	1	1	70.5	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.75	2004
21.01.2020 15:03:47	1	1	1	1	70.5	61.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	41.3125	2004
21.01.2020 15:03:48	1	1	1	1	70.5	61.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.625	2004
21.01.2020 15:03:49	1	1	1	1	70.5	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.75	2004
21.01.2020 15:03:50	1	1	1	1	70.5	61.75	0	29952.607	318.2795699	9741.25513	30000	0	0	30000	41.8125	2004
21.01.2020 15:03:51	1	1	1	1	70.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.875	2004
21.01.2020 15:03:58	1	1	1	1	70.5	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.75	2004
21.01.2020 15:03:58	1	1	1	1	70.5	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.75	2004
21.01.2020 15:03:58	1	1	1	1	70.5	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.75	2004
21.01.2020 15:03:58	1	1	1	1	70.5	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.75	2004
21.01.2020 15:03:58	1	1	1	1	70.5	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.75	2004
21.01.2020 15:03:58	1	1	1	1	70.5	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.75	2004
21.01.2020 15:03:58	1	1	1	1	70.5	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.75	2004
21.01.2020 15:03:59	1	1	1	1	70.5	61.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.6875	2004
21.01.2020 15:04:00	1	1	1	1	70.5	61.5	0	30000	322.5806452	9806.484929	30000	0	0	30000	41.8125	2004
21.01.2020 15:04:01	1	1	1	1	70.5	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.6875	2004
21.01.2020 15:04:02	1	1	1	1	70.5	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.8125	2004
21.01.2020 15:04:03	1	1	1	1	70.5	61.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:04:04	1	1	1	1	70.5	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.5	2004
21.01.2020 15:04:05	1	1	1	1	70.5	61.5	0	29952.607	313.9784946	9404.506292	30000	0	0	30000	41.625	2004
21.01.2020 15:04:06	1	1	1	1	70.5	61.5	0	30000	309.6774194	9483.597423	30000	0	0	30000	41.6875	2004
21.01.2020 15:04:07	1	1	1	1	70.5	61.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.6875	2004
21.01.2020 15:04:08	1	1	1	1	70.5	61.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.6875	2004
21.01.2020 15:04:09	1	1	1	1	70.5	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.25	2004
21.01.2020 15:04:10	1	1	1	1	70.5	61.25	0	29905.213	322.5806452	9582.257495	30000	0	0	30000	41.625	2004
21.01.2020 15:04:11	1	1	1	1	70.5	61.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.6875	2004
21.01.2020 15:04:12	1	1	1	1	70.5	61.5	0	29905.213	311.827957	9483.597423	30000	0	0	30000	41.875	2004
21.01.2020 15:04:13	1	1	1	1	70.5	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.5625	2004
21.01.2020 15:04:14	1	1	1	1	70.5	61.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.6875	2004
21.01.2020 15:04:15	1	1	1	1	70.5	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.6875	2004
21.01.2020 15:04:16	1	1	1	1	70.5	61.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.625	2004
21.01.2020 15:04:17	1	1	1	1	70.5	61.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:04:18	1	1	1	1	70.5	61.5	0	30000	298.9247312	8889.190879	30000	0	0	30000	41.625	2004
21.01.2020 15:04:19	1	1	1	1	70.5	61.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.5625	2004
21.01.2020 15:04:21	1	1	1	1	70.5	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.5625	2004
21.01.2020 15:04:22	1	1	1	1	70.5	61.5	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	41.8125	2004
21.01.2020 15:04:23	1	1	1	1	70.5	61.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	41.625	2004
21.01.2020 15:04:24	1	1	1	1	70.5	61.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.75	2004
21.01.2020 15:04:25	1	1	1	1	70.5	61.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.6875	2004
21.01.2020 15:04:26	1	1	1	1	70.5	61.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.0625	2004
21.01.2020 15:04:27	1	1	1	1	70.5	61	0	30000	275.2688172	8322.506999	30000	0	0	30000	41.75	2004
21.01.2020 15:04:28	1	1	1	1	70.5	61.75	0	30000	266.6666667	7987.388905	30000	0	0	30000	41.8125	2004
21.01.2020 15:04:29	1	1	1	1	70.5	61.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	41.5625	2004
21.01.2020 15:04:30	1	1	1	1	70.5	61.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.625	2004
21.01.2020 15:04:31	1	1	1	1	70.75	61.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	41.75	2004
21.01.2020 15:04:32	1	1	1	1	70.75	61.75	0	30000	240.8602151	7225.831	30000	0	0	30000	42.1875	2004
21.01.2020 15:04:33	1	1	1	1	70.75	61.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.75	2004
21.01.2020 15:04:34	1	1	1	1	70.75	61.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.625	2004
21.01.2020 15:04:35	1	1	1	1	70.75	61.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	41.625	2004
21.01.2020 15:04:36	1	1	1	1	70.75	61.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.625	2004
21.01.2020 15:04:37	1	1	1	1	70.75	61.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	41.5625	2004
21.01.2020 15:04:38	1	1	1	1	70.75	61.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	41.625	2004
21.01.2020 15:04:39	1	1	1	1	70.75	61.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.75	2004
21.01.2020 15:04:40	1	1	1	1	71	61.75	0	29952.607	266.6666667	8038.757372	30000	0	0	30000	41.75	2004
21.01.2020 15:04:41	1	1	1	1	71	61.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	41.625	2004
21.01.2020 15:04:42	1	1	1	1	71	61.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.625	2004
21.01.2020 15:04:43	1	1	1	1	71	61.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.5625	2004
21.01.2020 15:04:44	1	1	1	1	71	61.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.625	2004
21.01.2020 15:04:45	1	1	1	1	71	61.5	0	30047.393	275.2688172	8192.862773	30000	0	0	30000	41.4375	2004
21.01.2020 15:04:46	1	1	1	1	71	61.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.625	2004
21.01.2020 15:04:47	1	1	1	1	71	61.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	40.9375	2004
21.01.2020 15:04:48	1	1	1	1	71	60.75	0	30000	275.2688172	8116.217759	30000	0	0	30000	41.4375	2004
21.01.2020 15:04:49	1	1	1	1	71	61.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.5	2004
21.01.2020 15:04:50	1	1	1	1	71	61.5	0	30000	279.5698925	8424.42856	30000	0	0	30000	41.875	2004
21.01.2020 15:04:51	1	1	1	1	71	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.5625	2004
21.01.2020 15:04:52	1	1	1	1	71	61.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.4375	2004
21.01.2020 15:05:00	1	1	1	1	71	61.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	41.1875	2004
21.01.2020 15:05:00	1	1	1	1	71	61.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	41.1875	2004
21.01.2020 15:05:00	1	1	1	1	71	61.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	41.1875	2004
21.01.2020 15:05:00	1	1	1	1	71	61.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	41.1875	2004
21.01.2020 15:05:00	1	1	1	1	71	61.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	41.1875	2004
21.01.2020 15:05:00	1	1	1	1	71	61.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	41.1875	2004
21.01.2020 15:05:00	1	1	1	1	71	61.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	41.1875	2004
21.01.2020 15:05:01	1	1	1	1	71.25	61	0	30000	288.172043	8424.42856	30000	0	0	30000	41.5625	2004
21.01.2020 15:05:02	1	1	1	1	71.25	61.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:05:03	1	1	1	1	71.25	61.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.8125	2004
21.01.2020 15:05:04	1	1	1	1	71.25	61.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.375	2004
21.01.2020 15:05:05	1	1	1	1	71.25	61.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.5625	2004
21.01.2020 15:05:06	1	1	1	1	71.25	61.5	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	40.9375	2004
21.01.2020 15:05:07	1	1	1	1	71.25	60.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.5625	2004
21.01.2020 15:05:08	1	1	1	1	71.25	61.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.9375	2004
21.01.2020 15:05:09	1	1	1	1	71.25	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.75	2004
21.01.2020 15:05:10	1	1	1	1	71.25	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.8125	2004
21.01.2020 15:05:11	1	1	1	1	71.25	61.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.8125	2004
21.01.2020 15:05:12	1	1	1	1	71.25	61.75	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.0625	2004
21.01.2020 15:05:13	1	1	1	1	71.25	61.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	41.6875	2004
21.01.2020 15:05:14	1	1	1	1	71.25	61.5	0	30000	324.7311828	9612.426277	30000	0	0	30000	41.5625	2004
21.01.2020 15:05:15	1	1	1	1	71.25	61.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.25	2004
21.01.2020 15:05:16	1	1	1	1	71.25	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.5	2004
21.01.2020 15:05:17	1	1	1	1	71.25	61.5	0	30000	301.0752688	8838.637784	30000	0	0	30000	41.625	2004
21.01.2020 15:05:18	1	1	1	1	71.25	61.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.5	2004
21.01.2020 15:05:19	1	1	1	1	71.25	61.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.625	2004
21.01.2020 15:05:20	1	1	1	1	71.25	61.5	0	29905.213	296.7741935	9031.881064	30000	0	0	30000	41.4375	2004
21.01.2020 15:05:21	1	1	1	1	71.25	61.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.6875	2004
21.01.2020 15:05:22	1	1	1	1	71.25	61.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.625	2004
21.01.2020 15:05:23	1	1	1	1	71.25	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.5625	2004
21.01.2020 15:05:24	1	1	1	1	71.25	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.3125	2004
21.01.2020 15:05:25	1	1	1	1	71.25	61.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.625	2004
21.01.2020 15:05:26	1	1	1	1	71.25	61.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.625	2004
21.01.2020 15:05:27	1	1	1	1	71.25	61.5	0	30000	281.7204301	8386.921425	30000	0	0	30000	41.5	2004
21.01.2020 15:05:28	1	1	1	1	71.25	61.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.625	2004
21.01.2020 15:05:29	1	1	1	1	71.25	61.5	0	30000	277.4193548	8245.046612	30000	0	0	30000	41.625	2004
21.01.2020 15:05:30	1	1	1	1	71.75	61.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.5625	2004
21.01.2020 15:05:31	1	1	1	1	71.75	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.6875	2004
21.01.2020 15:05:32	1	1	1	1	71.75	61.5	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	41.375	2004
21.01.2020 15:05:33	1	1	1	1	71.75	61.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.5	2004
21.01.2020 15:05:34	1	1	1	1	71.75	61.5	0	30000	236.5591398	7096.186775	30000	0	0	30000	41.5	2004
21.01.2020 15:05:35	1	1	1	1	71.75	61.5	0	30000	236.5591398	7225.831	30000	0	0	30000	41.625	2004
21.01.2020 15:05:36	1	1	1	1	71.75	61.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	41.0625	2004
21.01.2020 15:05:37	1	1	1	1	71.75	61	0	30000	245.1612903	7419.07428	30000	0	0	30000	40.9375	2004
21.01.2020 15:05:39	1	1	1	1	71.75	60.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.5625	2004
21.01.2020 15:05:40	1	1	1	1	71.75	61.5	0	30000	253.7634409	7741.961786	30000	0	0	30000	41.3125	2004
21.01.2020 15:05:41	1	1	1	1	71.75	61.25	0	30000	253.7634409	7536.487919	30000	0	0	30000	41.5625	2004
21.01.2020 15:05:42	1	1	1	1	71.75	61.5	0	30000	245.1612903	7624.548148	30000	0	0	30000	41.25	2004
21.01.2020 15:05:43	1	1	1	1	71.75	61.25	0	30000	255.9139785	7676.731987	30000	0	0	30000	41.5625	2004
21.01.2020 15:05:44	1	1	1	1	71.75	61.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.5	2004
21.01.2020 15:05:45	1	1	1	1	71.75	61.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	41.6875	2004
21.01.2020 15:05:46	1	1	1	1	71.75	61.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:05:47	1	1	1	1	71.75	61.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.375	2004
21.01.2020 15:05:48	1	1	1	1	71.75	61.25	0	30000	262.3655914	7741.961786	30000	0	0	30000	42.0625	2004
21.01.2020 15:05:49	1	1	1	1	71.75	62	0	30000	262.3655914	7870.79064	30000	0	0	30000	41.9375	2004
21.01.2020 15:05:50	1	1	1	1	71.75	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.875	2004
21.01.2020 15:05:51	1	1	1	1	72	61.75	0	30000	264.516129	7999.619493	30000	0	0	30000	42	2004
21.01.2020 15:05:52	1	1	1	1	72	61.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.5	2004
21.01.2020 15:05:53	1	1	1	1	72	61.5	0	29905.213	266.6666667	7922.974479	30000	0	0	30000	41.6875	2004
21.01.2020 15:05:54	1	1	1	1	72	61.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:02	1	1	1	1	72	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.625	2004
21.01.2020 15:06:02	1	1	1	1	72	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.625	2004
21.01.2020 15:06:02	1	1	1	1	72	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.625	2004
21.01.2020 15:06:02	1	1	1	1	72	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.625	2004
21.01.2020 15:06:02	1	1	1	1	72	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.625	2004
21.01.2020 15:06:02	1	1	1	1	72	61.5	0	29952.607	311.827957	9354.76857	30000	0	0	30000	41.625	2004
21.01.2020 15:06:03	1	1	1	1	72	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.625	2004
21.01.2020 15:06:04	1	1	1	1	72	61.5	0	29952.607	311.827957	9354.76857	30000	0	0	30000	41.1875	2004
21.01.2020 15:06:05	1	1	1	1	72	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.4375	2004
21.01.2020 15:06:06	1	1	1	1	72	61.25	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	41.375	2004
21.01.2020 15:06:07	1	1	1	1	72	61.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:08	1	1	1	1	72	61.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:09	1	1	1	1	72	61.5	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	41.5	2004
21.01.2020 15:06:10	1	1	1	1	72	61.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.6875	2004
21.01.2020 15:06:11	1	1	1	1	72	61.5	0	30000	313.9784946	9513.766206	30000	0	0	30000	41.1875	2004
21.01.2020 15:06:12	1	1	1	1	72	61	0	30000	311.827957	9354.76857	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:13	1	1	1	1	72	61.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.5	2004
21.01.2020 15:06:14	1	1	1	1	72	61.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.0625	2004
21.01.2020 15:06:15	1	1	1	1	72	61	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:17	1	1	1	1	72	61.5	0	29952.607	322.5806452	9711.086348	30000	0	0	30000	41.3125	2004
21.01.2020 15:06:18	1	1	1	1	72	61.25	0	30000	333.3333333	9935.313783	30000	0	0	30000	41.6875	2004
21.01.2020 15:06:19	1	1	1	1	72	61.5	0	30000	341.9354839	10241.89384	30000	0	0	30000	41.8125	2004
21.01.2020 15:06:20	1	1	1	1	72	61.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.6875	2004
21.01.2020 15:06:21	1	1	1	1	72.25	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.375	2004
21.01.2020 15:06:22	1	1	1	1	72.25	61.25	0	30000	335.483871	9999.728209	30000	0	0	30000	41.375	2004
21.01.2020 15:06:23	1	1	1	1	72.25	61.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.6875	2004
21.01.2020 15:06:24	1	1	1	1	72.25	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.5	2004
21.01.2020 15:06:25	1	1	1	1	72.25	61.5	0	30000	344.0860215	10192.97149	30000	0	0	30000	41.625	2004
21.01.2020 15:06:26	1	1	1	1	72.25	61.5	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	41.75	2004
21.01.2020 15:06:27	1	1	1	1	72.25	61.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	41.625	2004
21.01.2020 15:06:28	1	1	1	1	72.25	61.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.125	2004
21.01.2020 15:06:29	1	1	1	1	72.25	62	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.25	2004
21.01.2020 15:06:30	1	1	1	1	72.25	61.25	0	29952.607	313.9784946	9612.426277	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:06:31	1	1	1	1	72.5	61.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:06:32	1	1	1	1	72.5	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.6875	2004
21.01.2020 15:06:33	1	1	1	1	72.5	61.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:34	1	1	1	1	72.5	61.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.375	2004
21.01.2020 15:06:35	1	1	1	1	72.5	61.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.625	2004
21.01.2020 15:06:36	1	1	1	1	72.5	61.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.5	2004
21.01.2020 15:06:37	1	1	1	1	72.5	61.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.5	2004
21.01.2020 15:06:38	1	1	1	1	72.5	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
21.01.2020 15:06:39	1	1	1	1	72.5	61.5	0	30000	320.4301075	9597.749572	30000	0	0	30000	41.5	2004
21.01.2020 15:06:40	1	1	1	1	72.5	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.5	2004
21.01.2020 15:06:41	1	1	1	1	72.5	61.5	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:42	1	1	1	1	72.5	61.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	41.4375	2004
21.01.2020 15:06:43	1	1	1	1	72.5	61.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.5	2004
21.01.2020 15:06:44	1	1	1	1	72.5	61.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:45	1	1	1	1	72.5	61.5	0	30000	316.1290323	9354.76857	30000	0	0	30000	41.25	2004
21.01.2020 15:06:46	1	1	1	1	72.5	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:47	1	1	1	1	72.5	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.4375	2004
21.01.2020 15:06:48	1	1	1	1	72.5	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.25	2004
21.01.2020 15:06:49	1	1	1	1	72.5	61.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.625	2004
21.01.2020 15:06:50	1	1	1	1	72.5	61.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.5	2004
21.01.2020 15:06:51	1	1	1	1	72.5	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.5625	2004
21.01.2020 15:06:52	1	1	1	1	72.5	61.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.0625	2004
21.01.2020 15:06:53	1	1	1	1	72.5	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.5	2004
21.01.2020 15:06:55	1	1	1	1	72.5	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.3125	2004
21.01.2020 15:06:56	1	1	1	1	72.5	61.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.4375	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:04	1	1	1	1	72.5	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:07:05	1	1	1	1	72.5	61.5	0	30000	359.1397849	10644.68785	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:06	1	1	1	1	72.5	61.5	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	41.625	2004
21.01.2020 15:07:07	1	1	1	1	72.5	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:08	1	1	1	1	72.5	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.9375	2004
21.01.2020 15:07:09	1	1	1	1	72.5	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.625	2004
21.01.2020 15:07:10	1	1	1	1	73	61.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.6875	2004
21.01.2020 15:07:11	1	1	1	1	73	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
21.01.2020 15:07:12	1	1	1	1	73	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	41.4375	2004
21.01.2020 15:07:13	1	1	1	1	73	61.25	0	30000	341.9354839	10225.58639	30000	0	0	30000	41.5	2004
21.01.2020 15:07:14	1	1	1	1	73	61.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:07:15	1	1	1	1	73	61.25	0	30000	337.6344086	10192.97149	30000	0	0	30000	41.625	2004
21.01.2020 15:07:16	1	1	1	1	73	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.5	2004
21.01.2020 15:07:17	1	1	1	1	73	61.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:07:18	1	1	1	1	73	61	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.5	2004
21.01.2020 15:07:19	1	1	1	1	73	61.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:20	1	1	1	1	72.5	61.5	0	29952.607	290.3225806	8838.637784	30000	0	0	30000	41.4375	2004
21.01.2020 15:07:21	1	1	1	1	72.5	61.25	0	29905.213	294.6236559	8903.052211	30000	0	0	30000	40.9375	2004
21.01.2020 15:07:22	1	1	1	1	72.5	60.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:23	1	1	1	1	72.5	61.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	41	2004
21.01.2020 15:07:24	1	1	1	1	72.5	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.5	2004
21.01.2020 15:07:25	1	1	1	1	72.5	61.5	0	30000	290.3225806	8838.637784	30000	0	0	30000	41.375	2004
21.01.2020 15:07:26	1	1	1	1	72.5	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:27	1	1	1	1	72.5	61.5	0	30000	303.2258065	9031.881064	30000	0	0	30000	41.4375	2004
21.01.2020 15:07:28	1	1	1	1	72.5	61.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	41.5	2004
21.01.2020 15:07:29	1	1	1	1	72.5	61.5	0	29952.607	286.0215054	8708.993559	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:30	1	1	1	1	72.5	61.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.125	2004
21.01.2020 15:07:32	1	1	1	1	72.5	61	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:33	1	1	1	1	72.5	61.5	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	41.3125	2004
21.01.2020 15:07:34	1	1	1	1	72.5	61.25	0	30000	255.9139785	7612.31756	30000	0	0	30000	41.625	2004
21.01.2020 15:07:35	1	1	1	1	72.5	61.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	41.3125	2004
21.01.2020 15:07:36	1	1	1	1	72.5	61.25	0	30000	264.516129	7935.205066	30000	0	0	30000	41.4375	2004
21.01.2020 15:07:37	1	1	1	1	72.5	61.25	0	30000	264.516129	7870.79064	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:38	1	1	1	1	72.5	61.5	0	30000	264.516129	7935.205066	30000	0	0	30000	41.5	2004
21.01.2020 15:07:39	1	1	1	1	72.5	61.5	0	30000	268.8172043	7999.619493	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:40	1	1	1	1	72.5	61.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	41.3125	2004
21.01.2020 15:07:41	1	1	1	1	73	61.25	0	29905.213	275.2688172	8386.921425	30000	0	0	30000	41.5	2004
21.01.2020 15:07:42	1	1	1	1	73	61.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.6875	2004
21.01.2020 15:07:43	1	1	1	1	73	61.5	0	30000	286.0215054	8515.750279	30000	0	0	30000	41.625	2004
21.01.2020 15:07:44	1	1	1	1	73	61.5	0	30000	288.172043	8644.579132	30000	0	0	30000	40.5	2004
21.01.2020 15:07:45	1	1	1	1	73	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42	2004
21.01.2020 15:07:46	1	1	1	1	73	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.625	2004
21.01.2020 15:07:47	1	1	1	1	73	61.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.375	2004
21.01.2020 15:07:48	1	1	1	1	73	61	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.4375	2004
21.01.2020 15:07:49	1	1	1	1	73	61.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.3125	2004
21.01.2020 15:07:50	1	1	1	1	73	61.25	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	41.375	2004
21.01.2020 15:07:51	1	1	1	1	73	61.25	0	30094.787	313.9784946	9160.709918	30000	0	0	30000	41.375	2004
21.01.2020 15:07:52	1	1	1	1	73	61.25	0	29952.607	303.2258065	9082.434159	30000	0	0	30000	41.3125	2004
21.01.2020 15:07:56	1	1	1	1	73	61.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.25	2004
21.01.2020 15:07:56	1	1	1	1	73	61.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.25	2004
21.01.2020 15:07:56	1	1	1	1	73	61.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.25	2004
21.01.2020 15:07:56	1	1	1	1	73	61.25	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	41.5625	2004
21.01.2020 15:07:57	1	1	1	1	73	61.5	0	30000	339.7849462	10177.47941	30000	0	0	30000	41.625	2004
21.01.2020 15:08:05	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:08:05	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5	2004
21.01.2020 15:08:05	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5	2004
21.01.2020 15:08:05	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5	2004
21.01.2020 15:08:05	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5	2004
21.01.2020 15:08:05	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5	2004
21.01.2020 15:08:05	1	1	1	1	72.5	61.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.5	2004
21.01.2020 15:08:06	1	1	1	1	72.5	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.5	2004
21.01.2020 15:08:07	1	1	1	1	72.5	61.5	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	41.625	2004
21.01.2020 15:08:08	1	1	1	1	72.5	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.125	2004
21.01.2020 15:08:09	1	1	1	1	72.5	61	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.375	2004
21.01.2020 15:08:11	1	1	1	1	72.5	61.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.25	2004
21.01.2020 15:08:12	1	1	1	1	72.5	61.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.3125	2004
21.01.2020 15:08:13	1	1	1	1	72.5	61.25	0	29952.607	339.7849462	10387.03014	30000	0	0	30000	41.1875	2004
21.01.2020 15:08:14	1	1	1	1	72.5	61	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.4375	2004
21.01.2020 15:08:15	1	1	1	1	72.5	61.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.4375	2004
21.01.2020 15:08:16	1	1	1	1	72.5	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.25	2004
21.01.2020 15:08:17	1	1	1	1	72.5	61.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.4375	2004
21.01.2020 15:08:18	1	1	1	1	72.5	61.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.5	2004
21.01.2020 15:08:19	1	1	1	1	72.5	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.5	2004
21.01.2020 15:08:20	1	1	1	1	72.5	61.5	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	41.4375	2004
21.01.2020 15:08:21	1	1	1	1	72.75	61.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.5625	2004
21.01.2020 15:08:22	1	1	1	1	72.75	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.5625	2004
21.01.2020 15:08:23	1	1	1	1	72.75	61.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	41.5	2004
21.01.2020 15:08:24	1	1	1	1	72.75	61.5	0	30094.787	326.8817204	9548.01185	30000	0	0	30000	41.8125	2004
21.01.2020 15:08:25	1	1	1	1	72.75	61.75	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	41.9375	2004
21.01.2020 15:08:26	1	1	1	1	72.75	61.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.625	2004
21.01.2020 15:08:27	1	1	1	1	72.75	61.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.5625	2004
21.01.2020 15:08:28	1	1	1	1	72.75	61.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.5625	2004
21.01.2020 15:08:29	1	1	1	1	72.75	61.5	0	30000	307.5268817	9003.343027	30000	0	0	30000	40.75	2004
21.01.2020 15:08:30	1	1	1	1	72.75	60.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	41.1875	2004
21.01.2020 15:08:31	1	1	1	1	72.75	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.125	2004
21.01.2020 15:08:32	1	1	1	1	72.75	61	0	30000	331.1827957	9711.086348	30000	0	0	30000	41.125	2004
21.01.2020 15:08:33	1	1	1	1	72.75	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.4375	2004
21.01.2020 15:08:34	1	1	1	1	72.75	61.25	0	30000	311.827957	9290.354143	30000	0	0	30000	41.5	2004
21.01.2020 15:08:35	1	1	1	1	72.75	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.5625	2004
21.01.2020 15:08:36	1	1	1	1	72.75	61.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.4375	2004
21.01.2020 15:08:37	1	1	1	1	72.75	61.25	0	30000	301.0752688	9160.709918	30000	0	0	30000	41.5	2004
21.01.2020 15:08:38	1	1	1	1	72.75	61.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.375	2004
21.01.2020 15:08:39	1	1	1	1	72.75	61.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	41.5	2004
21.01.2020 15:08:40	1	1	1	1	72.75	61.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.375	2004
21.01.2020 15:08:41	1	1	1	1	72.75	61.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.4375	2004
21.01.2020 15:08:42	1	1	1	1	72.75	61.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:08:43	1	1	1	1	72.75	61.25	0	29952.607	292.4731183	8810.099747	30000	0	0	30000	40.6875	2004
21.01.2020 15:08:44	1	1	1	1	72.75	60.5	0	29952.607	292.4731183	8838.637784	30000	0	0	30000	41.5625	2004
21.01.2020 15:08:45	1	1	1	1	72.75	61.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.125	2004
21.01.2020 15:08:46	1	1	1	1	72.75	61	0	30000	283.8709677	8451.335852	30000	0	0	30000	41	2004
21.01.2020 15:08:47	1	1	1	1	72.75	61	0	29952.607	279.5698925	8451.335852	30000	0	0	30000	41.375	2004
21.01.2020 15:08:49	1	1	1	1	72.75	61.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.5	2004
21.01.2020 15:08:50	1	1	1	1	72.75	61.5	0	30000	286.0215054	8451.335852	30000	0	0	30000	41.5	2004
21.01.2020 15:08:51	1	1	1	1	73	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.3125	2004
21.01.2020 15:08:52	1	1	1	1	73	61.25	0	30094.787	290.3225806	8658.440464	30000	0	0	30000	40.875	2004
21.01.2020 15:08:53	1	1	1	1	73	60.75	0	30000	281.7204301	8438.289892	30000	0	0	30000	41.1875	2004
21.01.2020 15:08:54	1	1	1	1	73	61	0	30000	281.7204301	8515.750279	30000	0	0	30000	41.4375	2004
21.01.2020 15:08:55	1	1	1	1	73	61.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.3125	2004
21.01.2020 15:08:56	1	1	1	1	73	61.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.3125	2004
21.01.2020 15:08:57	1	1	1	1	73	61.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.4375	2004
21.01.2020 15:08:58	1	1	1	1	73	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.25	2004
21.01.2020 15:08:59	1	1	1	1	73	61.25	0	30000	292.4731183	8580.164705	30000	0	0	30000	41.375	2004
21.01.2020 15:09:06	1	1	1	1	73.25	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:09:06	1	1	1	1	73.25	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:09:06	1	1	1	1	73.25	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:09:06	1	1	1	1	73.25	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:09:06	1	1	1	1	73.25	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:09:06	1	1	1	1	73.25	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:09:06	1	1	1	1	73.25	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:09:07	1	1	1	1	73.25	60.75	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	41.4375	2004
21.01.2020 15:09:08	1	1	1	1	73.25	61.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.5625	2004
21.01.2020 15:09:09	1	1	1	1	73.25	61.5	0	29952.607	301.0752688	9160.709918	30000	0	0	30000	41.5	2004
21.01.2020 15:09:10	1	1	1	1	73.25	61.5	0	30000	294.6236559	8967.466638	30000	0	0	30000	41.375	2004
21.01.2020 15:09:11	1	1	1	1	73.25	61.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.4375	2004
21.01.2020 15:09:12	1	1	1	1	73.25	61.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.4375	2004
21.01.2020 15:09:13	1	1	1	1	73.25	61.25	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	41.5625	2004
21.01.2020 15:09:14	1	1	1	1	73.25	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.375	2004
21.01.2020 15:09:15	1	1	1	1	73.25	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.25	2004
21.01.2020 15:09:16	1	1	1	1	73.25	61.25	0	30000	335.483871	10128.55706	30000	0	0	30000	41.1875	2004
21.01.2020 15:09:17	1	1	1	1	73.25	61	0	30000	344.0860215	10257.38592	30000	0	0	30000	41.125	2004
21.01.2020 15:09:18	1	1	1	1	73.25	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.4375	2004
21.01.2020 15:09:19	1	1	1	1	73.25	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.1875	2004
21.01.2020 15:09:20	1	1	1	1	73.25	61	0	30000	354.8387097	10644.68785	30000	0	0	30000	41	2004
21.01.2020 15:09:21	1	1	1	1	73.25	61	0	29905.213	348.3870968	10709.10227	30000	0	0	30000	41.5625	2004
21.01.2020 15:09:22	1	1	1	1	73.25	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.0625	2004
21.01.2020 15:09:23	1	1	1	1	73.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:09:24	1	1	1	1	73.25	61.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.5625	2004
21.01.2020 15:09:25	1	1	1	1	73.25	61.5	0	30000	348.3870968	10370.72269	30000	0	0	30000	41.125	2004
21.01.2020 15:09:27	1	1	1	1	73.25	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:09:28	1	1	1	1	73.25	61	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.375	2004
21.01.2020 15:09:29	1	1	1	1	73.25	61.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	41.5	2004
21.01.2020 15:09:30	1	1	1	1	73.25	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.1875	2004
21.01.2020 15:09:31	1	1	1	1	73.25	61	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	41.5	2004
21.01.2020 15:09:32	1	1	1	1	73.25	61.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.5	2004
21.01.2020 15:09:33	1	1	1	1	73.25	61.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.3125	2004
21.01.2020 15:09:34	1	1	1	1	73.25	61.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.5	2004
21.01.2020 15:09:35	1	1	1	1	73.25	61.5	0	30000	316.1290323	9354.76857	30000	0	0	30000	41.4375	2004
21.01.2020 15:09:36	1	1	1	1	73.25	61.25	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	41.375	2004
21.01.2020 15:09:37	1	1	1	1	73.25	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.375	2004
21.01.2020 15:09:38	1	1	1	1	73.25	61.25	0	30000	303.2258065	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:09:39	1	1	1	1	73.25	61.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	41.5	2004
21.01.2020 15:09:40	1	1	1	1	73.25	61.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.25	2004
21.01.2020 15:09:41	1	1	1	1	73.5	61.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.9375	2004
21.01.2020 15:09:42	1	1	1	1	73.5	61.75	0	30000	298.9247312	8838.637784	30000	0	0	30000	41.5625	2004
21.01.2020 15:09:43	1	1	1	1	73.5	62	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.25	2004
21.01.2020 15:09:44	1	1	1	1	73.5	61.25	0	30000	288.172043	8708.993559	30000	0	0	30000	41.1875	2004
21.01.2020 15:09:45	1	1	1	1	73.5	61	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.4375	2004
21.01.2020 15:09:46	1	1	1	1	73.5	61.25	0	29952.607	290.3225806	8760.362025	30000	0	0	30000	41.25	2004
21.01.2020 15:09:47	1	1	1	1	73.5	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.0625	2004
21.01.2020 15:09:48	1	1	1	1	73.5	61	0	30000	301.0752688	8967.466638	30000	0	0	30000	41	2004
21.01.2020 15:09:49	1	1	1	1	73.5	61	0	30000	296.7741935	8708.993559	30000	0	0	30000	41.125	2004
21.01.2020 15:09:50	1	1	1	1	73.5	61	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.5	2004
21.01.2020 15:09:51	1	1	1	1	73.5	61.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.3125	2004
21.01.2020 15:09:52	1	1	1	1	73.5	61.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.5625	2004
21.01.2020 15:09:53	1	1	1	1	73.5	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.3125	2004
21.01.2020 15:09:54	1	1	1	1	73.5	61.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	41.3125	2004
21.01.2020 15:09:55	1	1	1	1	73.5	61.25	0	29952.607	309.6774194	9225.124344	30000	0	0	30000	40.875	2004
21.01.2020 15:09:56	1	1	1	1	73.5	60.75	0	30000	313.9784946	9275.677439	30000	0	0	30000	41.5	2004
21.01.2020 15:09:57	1	1	1	1	73.5	61.5	0	30047.393	331.1827957	9870.899356	30000	0	0	30000	41.5625	2004
21.01.2020 15:09:58	1	1	1	1	73.5	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:09:59	1	1	1	1	73.5	61.5	0	30000	350.5376344	10709.10227	30000	0	0	30000	41.0625	2004
21.01.2020 15:10:00	1	1	1	1	73.5	61	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	41.5625	2004
21.01.2020 15:10:08	1	1	1	1	73.5	60.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
21.01.2020 15:10:08	1	1	1	1	73.5	60.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
21.01.2020 15:10:08	1	1	1	1	73.5	60.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
21.01.2020 15:10:08	1	1	1	1	73.5	60.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
21.01.2020 15:10:08	1	1	1	1	73.5	60.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
21.01.2020 15:10:08	1	1	1	1	73.5	60.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
21.01.2020 15:10:08	1	1	1	1	73.5	60.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
21.01.2020 15:10:09	1	1	1	1	73.5	61.25	0	30047.393	365.5913978	10903.16093	30000	0	0	30000	41.0625	2004
21.01.2020 15:10:10	1	1	1	1	73.5	61	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.5	2004
21.01.2020 15:10:11	1	1	1	1	73.25	61.5	0	30000	369.8924731	11354.87729	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:10:12	1	1	1	1	73.25	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.3125	2004
21.01.2020 15:10:13	1	1	1	1	73.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
21.01.2020 15:10:14	1	1	1	1	73.25	61.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.3125	2004
21.01.2020 15:10:15	1	1	1	1	73.25	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.1875	2004
21.01.2020 15:10:16	1	1	1	1	73.25	61	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.375	2004
21.01.2020 15:10:17	1	1	1	1	73.25	61.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.875	2004
21.01.2020 15:10:18	1	1	1	1	73.25	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.375	2004
21.01.2020 15:10:19	1	1	1	1	73.25	61.25	0	30000	335.483871	9999.728209	30000	0	0	30000	41.75	2004
21.01.2020 15:10:20	1	1	1	1	73.25	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.125	2004
21.01.2020 15:10:21	1	1	1	1	73.25	61.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.625	2004
21.01.2020 15:10:22	1	1	1	1	73.25	60.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5	2004
21.01.2020 15:10:23	1	1	1	1	73.25	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.625	2004
21.01.2020 15:10:24	1	1	1	1	73.25	61.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.125	2004
21.01.2020 15:10:25	1	1	1	1	73.25	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.375	2004
21.01.2020 15:10:26	1	1	1	1	73.25	61.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5	2004
21.01.2020 15:10:27	1	1	1	1	73.25	61.5	0	30000	346.2365591	10128.55706	30000	0	0	30000	41.375	2004
21.01.2020 15:10:28	1	1	1	1	73.25	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.125	2004
21.01.2020 15:10:29	1	1	1	1	73.25	61	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	41.3125	2004
21.01.2020 15:10:30	1	1	1	1	73.5	61.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.3125	2004
21.01.2020 15:10:31	1	1	1	1	73.5	61.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.5625	2004
21.01.2020 15:10:32	1	1	1	1	73.5	61.5	0	29952.607	288.172043	8631.533172	30000	0	0	30000	41.4375	2004
21.01.2020 15:10:33	1	1	1	1	73.5	61.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.125	2004
21.01.2020 15:10:34	1	1	1	1	73.5	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.125	2004
21.01.2020 15:10:35	1	1	1	1	73.5	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.4375	2004
21.01.2020 15:10:36	1	1	1	1	73.5	61.25	0	29952.607	281.7204301	8644.579132	30000	0	0	30000	41.4375	2004
21.01.2020 15:10:37	1	1	1	1	73.5	61.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.4375	2004
21.01.2020 15:10:38	1	1	1	1	73.5	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.4375	2004
21.01.2020 15:10:39	1	1	1	1	73.5	61.25	0	30047.393	303.2258065	9254.477754	30000	0	0	30000	41.25	2004
21.01.2020 15:10:40	1	1	1	1	73.5	61.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	41.5	2004
21.01.2020 15:10:42	1	1	1	1	73.5	61.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.5	2004
21.01.2020 15:10:43	1	1	1	1	73.5	61.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.5625	2004
21.01.2020 15:10:44	1	1	1	1	73.5	61.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.5625	2004
21.01.2020 15:10:45	1	1	1	1	73.5	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.1875	2004
21.01.2020 15:10:46	1	1	1	1	73.5	61	0	29905.213	305.3763441	9354.76857	30000	0	0	30000	41.4375	2004
21.01.2020 15:10:47	1	1	1	1	73.5	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.125	2004
21.01.2020 15:10:48	1	1	1	1	73.5	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.375	2004
21.01.2020 15:10:49	1	1	1	1	73.5	61.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.4375	2004
21.01.2020 15:10:50	1	1	1	1	73.5	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5625	2004
21.01.2020 15:10:51	1	1	1	1	73.5	61.5	0	29905.213	346.2365591	10580.27342	30000	0	0	30000	41.1875	2004
21.01.2020 15:10:52	1	1	1	1	73.5	61	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.375	2004
21.01.2020 15:10:53	1	1	1	1	73.5	61.25	0	30000	365.5913978	11096.40421	30000	0	0	30000	41	2004
21.01.2020 15:10:54	1	1	1	1	73.5	61	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.5	2004
21.01.2020 15:10:55	1	1	1	1	73.5	61.5	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:10:56	1	1	1	1	73.5	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.5	2004
21.01.2020 15:10:57	1	1	1	1	73.5	61.5	0	30000	365.5913978	11160.81863	30000	0	0	30000	41.375	2004
21.01.2020 15:10:58	1	1	1	1	73.5	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.0625	2004
21.01.2020 15:10:59	1	1	1	1	73.5	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.375	2004
21.01.2020 15:11:00	1	1	1	1	73.75	61.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.0625	2004
21.01.2020 15:11:01	1	1	1	1	73.75	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.25	2004
21.01.2020 15:11:02	1	1	1	1	73.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.375	2004
21.01.2020 15:11:10	1	1	1	1	73.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
21.01.2020 15:11:10	1	1	1	1	73.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
21.01.2020 15:11:10	1	1	1	1	73.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
21.01.2020 15:11:10	1	1	1	1	73.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
21.01.2020 15:11:10	1	1	1	1	73.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
21.01.2020 15:11:10	1	1	1	1	73.25	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.375	2004
21.01.2020 15:11:11	1	1	1	1	73.25	61.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	41.625	2004
21.01.2020 15:11:12	1	1	1	1	73.25	61.5	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	41	2004
21.01.2020 15:11:13	1	1	1	1	73.25	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5	2004
21.01.2020 15:11:14	1	1	1	1	73.25	61.5	0	30000	380.6451613	11190.17204	30000	0	0	30000	41.1875	2004
21.01.2020 15:11:15	1	1	1	1	73.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.375	2004
21.01.2020 15:11:16	1	1	1	1	73.25	61.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.125	2004
21.01.2020 15:11:17	1	1	1	1	73.25	61	0	30047.393	339.7849462	10128.55706	30000	0	0	30000	41.5625	2004
21.01.2020 15:11:18	1	1	1	1	73.25	61.5	0	29952.607	329.0322581	9935.313783	30000	0	0	30000	41.375	2004
21.01.2020 15:11:20	1	1	1	1	73.25	61.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.375	2004
21.01.2020 15:11:21	1	1	1	1	73.5	61.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	41.25	2004
21.01.2020 15:11:22	1	1	1	1	73.5	61.25	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	41.375	2004
21.01.2020 15:11:23	1	1	1	1	73.5	61.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.125	2004
21.01.2020 15:11:24	1	1	1	1	73.5	61	0	30000	320.4301075	9483.597423	30000	0	0	30000	41.25	2004
21.01.2020 15:11:25	1	1	1	1	73.5	61.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.375	2004
21.01.2020 15:11:26	1	1	1	1	73.5	61.25	0	30000	309.6774194	9160.709918	30000	0	0	30000	41.375	2004
21.01.2020 15:11:27	1	1	1	1	73.5	61.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.3125	2004
21.01.2020 15:11:28	1	1	1	1	73.5	61.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.5	2004
21.01.2020 15:11:29	1	1	1	1	73.5	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41	2004
21.01.2020 15:11:30	1	1	1	1	73.5	61	0	30000	344.0860215	10257.38592	30000	0	0	30000	41.3125	2004
21.01.2020 15:11:31	1	1	1	1	73.25	61.25	0	29905.213	333.3333333	10192.97149	30000	0	0	30000	41.1875	2004
21.01.2020 15:11:32	1	1	1	1	73.25	61	0	30000	329.0322581	9855.407279	30000	0	0	30000	41.375	2004
21.01.2020 15:11:33	1	1	1	1	73.25	61.25	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	40.8125	2004
21.01.2020 15:11:34	1	1	1	1	73.25	60.75	0	29905.213	318.2795699	9612.426277	30000	0	0	30000	41.8125	2004
21.01.2020 15:11:35	1	1	1	1	73.25	61.75	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	40.75	2004
21.01.2020 15:11:36	1	1	1	1	73.25	61	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.5	2004
21.01.2020 15:11:37	1	1	1	1	73.25	61.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.4375	2004
21.01.2020 15:11:38	1	1	1	1	73.25	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.375	2004
21.01.2020 15:11:39	1	1	1	1	73.25	61.25	0	29905.213	313.9784946	9354.76857	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:11:40	1	1	1	1	72.5	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.3125	2004
21.01.2020 15:11:41	1	1	1	1	72.5	61.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.375	2004
21.01.2020 15:11:42	1	1	1	1	72.5	61.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	41.25	2004
21.01.2020 15:11:43	1	1	1	1	72.5	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.5	2004
21.01.2020 15:11:44	1	1	1	1	72.5	61.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.4375	2004
21.01.2020 15:11:45	1	1	1	1	72.5	61.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.75	2004
21.01.2020 15:11:46	1	1	1	1	72.5	60.75	0	30000	311.827957	9225.124344	30000	0	0	30000	41.1875	2004
21.01.2020 15:11:47	1	1	1	1	72.5	61	0	30000	311.827957	9419.182997	30000	0	0	30000	41.4375	2004
21.01.2020 15:11:48	1	1	1	1	72.5	61.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.375	2004
21.01.2020 15:11:49	1	1	1	1	72.5	61.25	0	30000	288.172043	8644.579132	30000	0	0	30000	41.3125	2004
21.01.2020 15:11:50	1	1	1	1	71.75	61.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	41.3125	2004
21.01.2020 15:11:51	1	1	1	1	71.75	61.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	41.375	2004
21.01.2020 15:11:52	1	1	1	1	71.75	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.375	2004
21.01.2020 15:11:53	1	1	1	1	71.75	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.3125	2004
21.01.2020 15:11:54	1	1	1	1	71.75	61.25	0	30000	288.172043	8708.993559	30000	0	0	30000	41.5	2004
21.01.2020 15:11:55	1	1	1	1	71.75	61.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	40.9375	2004
21.01.2020 15:11:57	1	1	1	1	71.75	60.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.5	2004
21.01.2020 15:11:58	1	1	1	1	71.75	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.1875	2004
21.01.2020 15:11:59	1	1	1	1	71.75	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.25	2004
21.01.2020 15:12:00	1	1	1	1	71.75	61.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:01	1	1	1	1	71.75	61.25	0	30047.393	294.6236559	8708.993559	30000	0	0	30000	41.125	2004
21.01.2020 15:12:02	1	1	1	1	71.75	61	0	30000	288.172043	8580.164705	30000	0	0	30000	41.375	2004
21.01.2020 15:12:03	1	1	1	1	71.75	61.25	0	30000	283.8709677	8644.579132	30000	0	0	30000	41	2004
21.01.2020 15:12:04	1	1	1	1	71.75	61	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.875	2004
21.01.2020 15:12:11	1	1	1	1	71.5	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:11	1	1	1	1	71.5	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:11	1	1	1	1	71.5	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:11	1	1	1	1	71.5	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:11	1	1	1	1	71.5	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:11	1	1	1	1	71.5	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:11	1	1	1	1	71.5	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:11	1	1	1	1	71.5	61.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:12	1	1	1	1	71.5	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.8125	2004
21.01.2020 15:12:13	1	1	1	1	71.5	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.375	2004
21.01.2020 15:12:14	1	1	1	1	71.5	61	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	41.4375	2004
21.01.2020 15:12:15	1	1	1	1	71.5	61.25	0	30000	326.8817204	9726.578425	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:16	1	1	1	1	71.5	61.25	0	29952.607	322.5806452	9870.899356	30000	0	0	30000	41.5	2004
21.01.2020 15:12:17	1	1	1	1	71.5	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.1875	2004
21.01.2020 15:12:18	1	1	1	1	71.5	61	0	29952.607	307.5268817	9354.76857	30000	0	0	30000	41.1875	2004
21.01.2020 15:12:19	1	1	1	1	71.5	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.4375	2004
21.01.2020 15:12:20	1	1	1	1	71.25	61.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	41.25	2004
21.01.2020 15:12:21	1	1	1	1	71.25	61.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	41.1875	2004
21.01.2020 15:12:22	1	1	1	1	71.25	61	0	30000	245.1612903	7354.659854	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:23	1	1	1	1	71.25	61.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:12:24	1	1	1	1	71.25	61.25	0	30000	247.311828	7419.07428	30000	0	0	30000	41.375	2004
21.01.2020 15:12:25	1	1	1	1	71.25	61.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:26	1	1	1	1	71.25	61.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	41	2004
21.01.2020 15:12:27	1	1	1	1	71.25	61	0	30000	240.8602151	7290.245427	30000	0	0	30000	41.4375	2004
21.01.2020 15:12:28	1	1	1	1	71.25	61.25	0	30000	236.5591398	7074.171717	30000	0	0	30000	41.5	2004
21.01.2020 15:12:29	1	1	1	1	71.25	61.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	41.375	2004
21.01.2020 15:12:30	1	1	1	1	71	61.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	41.4375	2004
21.01.2020 15:12:31	1	1	1	1	71	61.25	0	30000	236.5591398	7021.172506	30000	0	0	30000	41.375	2004
21.01.2020 15:12:32	1	1	1	1	71	61.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.375	2004
21.01.2020 15:12:33	1	1	1	1	71	61.25	0	30000	240.8602151	7225.831	30000	0	0	30000	41.0625	2004
21.01.2020 15:12:34	1	1	1	1	71	61	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.375	2004
21.01.2020 15:12:36	1	1	1	1	71	61.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.5	2004
21.01.2020 15:12:37	1	1	1	1	71	61.5	0	30000	262.3655914	7794.145626	30000	0	0	30000	41.5	2004
21.01.2020 15:12:38	1	1	1	1	71	61.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.25	2004
21.01.2020 15:12:39	1	1	1	1	71	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.5	2004
21.01.2020 15:12:40	1	1	1	1	71	61.5	0	30000	316.1290323	9290.354143	30000	0	0	30000	41.125	2004
21.01.2020 15:12:41	1	1	1	1	71.5	61	0	30000	316.1290323	9548.01185	30000	0	0	30000	41.5	2004
21.01.2020 15:12:42	1	1	1	1	71.5	61.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.375	2004
21.01.2020 15:12:43	1	1	1	1	71.5	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.5	2004
21.01.2020 15:12:44	1	1	1	1	71.5	61.5	0	30000	324.7311828	9726.578425	30000	0	0	30000	41.1875	2004
21.01.2020 15:12:45	1	1	1	1	71.5	61	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.4375	2004
21.01.2020 15:12:46	1	1	1	1	71.5	61.25	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	41.3125	2004
21.01.2020 15:12:47	1	1	1	1	71.5	61.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.5	2004
21.01.2020 15:12:48	1	1	1	1	71.5	61.5	0	30000	316.1290323	9468.920719	30000	0	0	30000	41.0625	2004
21.01.2020 15:12:49	1	1	1	1	71.5	61	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	41	2004
21.01.2020 15:12:50	1	1	1	1	71.5	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.1875	2004
21.01.2020 15:12:51	1	1	1	1	71.25	61	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.8125	2004
21.01.2020 15:12:52	1	1	1	1	71.25	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.8125	2004
21.01.2020 15:12:53	1	1	1	1	71.25	61.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	41.25	2004
21.01.2020 15:12:54	1	1	1	1	71.25	61.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	41.625	2004
21.01.2020 15:12:55	1	1	1	1	71.25	61.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.4375	2004
21.01.2020 15:12:56	1	1	1	1	71.25	61.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	41	2004
21.01.2020 15:12:57	1	1	1	1	71.25	61	0	30000	337.6344086	10064.14264	30000	0	0	30000	41.375	2004
21.01.2020 15:12:58	1	1	1	1	71.25	61.25	0	30000	350.5376344	10387.03014	30000	0	0	30000	41.1875	2004
21.01.2020 15:12:59	1	1	1	1	71.25	61	0	30000	337.6344086	10192.97149	30000	0	0	30000	41.4375	2004
21.01.2020 15:13:00	1	1	1	1	70.75	61.25	0	30000	329.0322581	9935.313783	30000	0	0	30000	41.1875	2004
21.01.2020 15:13:01	1	1	1	1	70.75	61	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.5	2004
21.01.2020 15:13:02	1	1	1	1	70.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:13:03	1	1	1	1	70.75	60.75	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	41.125	2004
21.01.2020 15:13:04	1	1	1	1	70.75	61	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:05	1	1	1	1	70.75	61.25	0	30047.393	369.8924731	11031.98978	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:13	1	1	1	1	70.75	60.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	41.25	2004
21.01.2020 15:13:13	1	1	1	1	70.75	60.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:13:13	1	1	1	1	70.75	60.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	41.25	2004
21.01.2020 15:13:13	1	1	1	1	70.75	60.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	41.25	2004
21.01.2020 15:13:13	1	1	1	1	70.75	60.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	41.25	2004
21.01.2020 15:13:13	1	1	1	1	70.75	60.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	41.25	2004
21.01.2020 15:13:13	1	1	1	1	70.75	60.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	41.25	2004
21.01.2020 15:13:13	1	1	1	1	70.75	61.25	0	30000	378.4946237	11336.93909	30000	0	0	30000	41.375	2004
21.01.2020 15:13:15	1	1	1	1	70.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:16	1	1	1	1	70.75	61.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
21.01.2020 15:13:17	1	1	1	1	70.75	61.25	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	41.0625	2004
21.01.2020 15:13:18	1	1	1	1	70.75	61	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:19	1	1	1	1	70.75	61.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.4375	2004
21.01.2020 15:13:20	1	1	1	1	70.75	61.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.375	2004
21.01.2020 15:13:21	1	1	1	1	70.5	61.25	0	30000	286.0215054	8386.921425	30000	0	0	30000	40.6875	2004
21.01.2020 15:13:22	1	1	1	1	70.5	60.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.1875	2004
21.01.2020 15:13:23	1	1	1	1	70.5	61	0	30000	288.172043	8515.750279	30000	0	0	30000	41.125	2004
21.01.2020 15:13:24	1	1	1	1	70.5	61	0	29905.213	275.2688172	8451.335852	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:25	1	1	1	1	70.5	61.25	0	30000	279.5698925	8464.381812	30000	0	0	30000	41.375	2004
21.01.2020 15:13:26	1	1	1	1	70.5	61.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:27	1	1	1	1	70.5	61.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:13:28	1	1	1	1	70.5	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.375	2004
21.01.2020 15:13:29	1	1	1	1	70.5	61.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.8125	2004
21.01.2020 15:13:30	1	1	1	1	70.5	61.75	0	30000	326.8817204	9935.313783	30000	0	0	30000	41.5	2004
21.01.2020 15:13:31	1	1	1	1	70.5	61.5	0	30000	329.0322581	9662.163999	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:32	1	1	1	1	70.5	61.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:13:33	1	1	1	1	70.5	61	0	29952.607	331.1827957	10128.55706	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:34	1	1	1	1	70.5	61.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.1875	2004
21.01.2020 15:13:35	1	1	1	1	70.5	61	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.375	2004
21.01.2020 15:13:36	1	1	1	1	70.5	61.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.4375	2004
21.01.2020 15:13:37	1	1	1	1	70.5	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	40.75	2004
21.01.2020 15:13:38	1	1	1	1	70.5	60.75	0	29905.213	346.2365591	10387.03014	30000	0	0	30000	41.375	2004
21.01.2020 15:13:39	1	1	1	1	70.5	61.25	0	30000	346.2365591	10096.75754	30000	0	0	30000	41.25	2004
21.01.2020 15:13:40	1	1	1	1	70.5	61.25	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	41.125	2004
21.01.2020 15:13:41	1	1	1	1	70.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.1875	2004
21.01.2020 15:13:42	1	1	1	1	70.5	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.375	2004
21.01.2020 15:13:43	1	1	1	1	70.5	61.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:44	1	1	1	1	70.5	61.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.375	2004
21.01.2020 15:13:45	1	1	1	1	70.5	61.25	0	30000	352.688172	10515.85899	30000	0	0	30000	41.5625	2004
21.01.2020 15:13:46	1	1	1	1	70.5	61.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.125	2004
21.01.2020 15:13:47	1	1	1	1	70.5	61	0	30000	346.2365591	10257.38592	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:48	1	1	1	1	70.5	61.25	0	30000	346.2365591	10192.97149	30000	0	0	30000	41.375	2004
21.01.2020 15:13:49	1	1	1	1	70.5	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.4375	2004
21.01.2020 15:13:50	1	1	1	1	70.25	61.25	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	40.3125	2004
21.01.2020 15:13:51	1	1	1	1	70.25	60.25	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:13:53	1	1	1	1	70.25	61.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.375	2004
21.01.2020 15:13:54	1	1	1	1	70.25	61.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.375	2004
21.01.2020 15:13:55	1	1	1	1	70.25	61.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	41	2004
21.01.2020 15:13:56	1	1	1	1	70.25	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:57	1	1	1	1	70.25	61.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.3125	2004
21.01.2020 15:13:58	1	1	1	1	70.25	61.25	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	41.125	2004
21.01.2020 15:13:59	1	1	1	1	70.25	61	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.5	2004
21.01.2020 15:14:00	1	1	1	1	70.25	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.125	2004
21.01.2020 15:14:01	1	1	1	1	70.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
21.01.2020 15:14:02	1	1	1	1	70.25	61.25	0	30000	354.8387097	10580.27342	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:03	1	1	1	1	70.25	60.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	41.375	2004
21.01.2020 15:14:04	1	1	1	1	70.25	61.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.3125	2004
21.01.2020 15:14:05	1	1	1	1	70.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.25	2004
21.01.2020 15:14:06	1	1	1	1	70.25	61.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	41.0625	2004
21.01.2020 15:14:07	1	1	1	1	70.25	61	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.375	2004
21.01.2020 15:14:14	1	1	1	1	71	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:14	1	1	1	1	71	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:14	1	1	1	1	71	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:14	1	1	1	1	71	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:14	1	1	1	1	71	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:14	1	1	1	1	71	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:14	1	1	1	1	71	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:15	1	1	1	1	71	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.25	2004
21.01.2020 15:14:16	1	1	1	1	71	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.1875	2004
21.01.2020 15:14:17	1	1	1	1	71	61	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.375	2004
21.01.2020 15:14:18	1	1	1	1	71	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.375	2004
21.01.2020 15:14:19	1	1	1	1	71	61.25	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	41.125	2004
21.01.2020 15:14:20	1	1	1	1	71.25	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
21.01.2020 15:14:21	1	1	1	1	71.25	61	0	30000	341.9354839	10192.97149	30000	0	0	30000	41.125	2004
21.01.2020 15:14:22	1	1	1	1	71.25	61	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.3125	2004
21.01.2020 15:14:23	1	1	1	1	71.25	61.25	0	30047.393	333.3333333	9999.728209	30000	0	0	30000	41.1875	2004
21.01.2020 15:14:24	1	1	1	1	71.25	61	0	30000	335.483871	10128.55706	30000	0	0	30000	41.25	2004
21.01.2020 15:14:25	1	1	1	1	71.25	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.0625	2004
21.01.2020 15:14:26	1	1	1	1	71.25	61	0	29905.213	335.483871	10064.14264	30000	0	0	30000	41.4375	2004
21.01.2020 15:14:27	1	1	1	1	71.25	61.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.3125	2004
21.01.2020 15:14:28	1	1	1	1	71.25	61.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	41	2004
21.01.2020 15:14:29	1	1	1	1	71.25	61	0	30000	329.0322581	9468.920719	30000	0	0	30000	40.875	2004
21.01.2020 15:14:30	1	1	1	1	71.75	60.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:14:32	1	1	1	1	71.75	61	0	30000	335.483871	10128.55706	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:33	1	1	1	1	71.75	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.3125	2004
21.01.2020 15:14:34	1	1	1	1	71.75	61.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	41.3125	2004
21.01.2020 15:14:35	1	1	1	1	71.75	61.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	41	2004
21.01.2020 15:14:36	1	1	1	1	71.75	61	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:14:37	1	1	1	1	71.75	60.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.25	2004
21.01.2020 15:14:38	1	1	1	1	71.75	61.25	0	30000	356.9892473	10790.63952	30000	0	0	30000	41.1875	2004
21.01.2020 15:14:39	1	1	1	1	71.75	61	0	30000	350.5376344	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:14:40	1	1	1	1	71.75	60.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.125	2004
21.01.2020 15:14:41	1	1	1	1	72	61	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.25	2004
21.01.2020 15:14:42	1	1	1	1	72	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.625	2004
21.01.2020 15:14:43	1	1	1	1	72	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
21.01.2020 15:14:44	1	1	1	1	72	61	0	30000	391.3978495	11676.94942	30000	0	0	30000	40.75	2004
21.01.2020 15:14:45	1	1	1	1	72	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.75	2004
21.01.2020 15:14:46	1	1	1	1	72	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.5625	2004
21.01.2020 15:14:47	1	1	1	1	72	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
21.01.2020 15:14:48	1	1	1	1	72	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41	2004
21.01.2020 15:14:49	1	1	1	1	72	61	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.6875	2004
21.01.2020 15:14:50	1	1	1	1	72.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
21.01.2020 15:14:51	1	1	1	1	72.25	61.25	0	29952.607	382.7956989	11676.94942	30000	0	0	30000	41.125	2004
21.01.2020 15:14:52	1	1	1	1	72.25	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
21.01.2020 15:14:53	1	1	1	1	72.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
21.01.2020 15:14:54	1	1	1	1	72.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
21.01.2020 15:14:55	1	1	1	1	72.25	60.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.3125	2004
21.01.2020 15:14:56	1	1	1	1	72.25	61.25	0	30000	421.5053763	12411.60003	30000	0	0	30000	41.25	2004
21.01.2020 15:14:57	1	1	1	1	72.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
21.01.2020 15:14:58	1	1	1	1	72.25	61.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
21.01.2020 15:14:59	1	1	1	1	72.25	61.25	0	30000	419.3548387	12387.13886	30000	0	0	30000	41.0625	2004
21.01.2020 15:15:00	1	1	1	1	72.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
21.01.2020 15:15:01	1	1	1	1	72.5	61.25	0	30094.787	427.9569892	12580.38214	30000	0	0	30000	41.1875	2004
21.01.2020 15:15:02	1	1	1	1	72.5	61	0	30047.393	417.2043011	12387.13886	30000	0	0	30000	41.125	2004
21.01.2020 15:15:03	1	1	1	1	72.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.875	2004
21.01.2020 15:15:04	1	1	1	1	72.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
21.01.2020 15:15:05	1	1	1	1	72.5	61.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.125	2004
21.01.2020 15:15:06	1	1	1	1	72.5	61	0	29952.607	419.3548387	12729.5953	30000	0	0	30000	41.25	2004
21.01.2020 15:15:07	1	1	1	1	72.5	61.25	0	30000	423.655914	12773.62542	30000	0	0	30000	41.3125	2004
21.01.2020 15:15:09	1	1	1	1	72.5	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
21.01.2020 15:15:16	1	1	1	1	72.75	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:15:16	1	1	1	1	72.75	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:15:16	1	1	1	1	72.75	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:15:16	1	1	1	1	72.75	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:15:16	1	1	1	1	72.75	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:15:16	1	1	1	1	72.75	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:15:16	1	1	1	1	72.75	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:15:16	1	1	1	1	72.75	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:15:17	1	1	1	1	72.75	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.375	2004
21.01.2020 15:15:18	1	1	1	1	72.75	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.1875	2004
21.01.2020 15:15:19	1	1	1	1	72.75	61	0	30000	303.2258065	8967.466638	30000	0	0	30000	41.25	2004
21.01.2020 15:15:20	1	1	1	1	72.75	61.25	0	30000	288.172043	8644.579132	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:15:21	1	1	1	1	73.25	61	0	29952.607	296.7741935	8810.099747	30000	0	0	30000	41.4375	2004
21.01.2020 15:15:22	1	1	1	1	73.25	61.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.1875	2004
21.01.2020 15:15:23	1	1	1	1	73.25	61	0	29952.607	279.5698925	8451.335852	30000	0	0	30000	41.1875	2004
21.01.2020 15:15:24	1	1	1	1	73.25	61	0	30000	283.8709677	8438.289892	30000	0	0	30000	41.4375	2004
21.01.2020 15:15:25	1	1	1	1	73.25	61.25	0	30000	290.3225806	8644.579132	30000	0	0	30000	40.625	2004
21.01.2020 15:15:26	1	1	1	1	73.25	60.5	0	30000	290.3225806	8774.223358	30000	0	0	30000	40.25	2004
21.01.2020 15:15:27	1	1	1	1	73.25	60.25	0	30000	311.827957	9419.182997	30000	0	0	30000	41.375	2004
21.01.2020 15:15:28	1	1	1	1	73.25	61.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.9375	2004
21.01.2020 15:15:29	1	1	1	1	73.25	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.9375	2004
21.01.2020 15:15:30	1	1	1	1	73.5	60.75	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	41.125	2004
21.01.2020 15:15:31	1	1	1	1	73.5	61	0	30000	356.9892473	10644.68785	30000	0	0	30000	40.5	2004
21.01.2020 15:15:32	1	1	1	1	73.5	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.125	2004
21.01.2020 15:15:33	1	1	1	1	73.5	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.375	2004
21.01.2020 15:15:34	1	1	1	1	73.5	61.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.375	2004
21.01.2020 15:15:35	1	1	1	1	73.5	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
21.01.2020 15:15:36	1	1	1	1	73.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
21.01.2020 15:15:37	1	1	1	1	73.5	61.25	0	30000	387.0967742	11419.29171	30000	0	0	30000	41.375	2004
21.01.2020 15:15:38	1	1	1	1	73.5	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.25	2004
21.01.2020 15:15:39	1	1	1	1	73.5	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41	2004
21.01.2020 15:15:40	1	1	1	1	73.5	61	0	29952.607	387.0967742	11612.53499	30000	0	0	30000	41.1875	2004
21.01.2020 15:15:41	1	1	1	1	73.5	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.125	2004
21.01.2020 15:15:42	1	1	1	1	73.5	61	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.125	2004
21.01.2020 15:15:43	1	1	1	1	73.5	61	0	30000	404.3010753	12406.7078	30000	0	0	30000	41.3125	2004
21.01.2020 15:15:44	1	1	1	1	73.5	61.25	0	30000	395.6989247	11805.77827	30000	0	0	30000	41.1875	2004
21.01.2020 15:15:45	1	1	1	1	73.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
21.01.2020 15:15:47	1	1	1	1	73.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
21.01.2020 15:15:48	1	1	1	1	73.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004
21.01.2020 15:15:49	1	1	1	1	73.5	60.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.125	2004
21.01.2020 15:15:50	1	1	1	1	73.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.0625	2004
21.01.2020 15:15:51	1	1	1	1	73.25	61	0	30000	423.655914	12709.21099	30000	0	0	30000	40.5625	2004
21.01.2020 15:15:52	1	1	1	1	73.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
21.01.2020 15:15:53	1	1	1	1	73.25	61.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.1875	2004
21.01.2020 15:15:54	1	1	1	1	73.25	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.125	2004
21.01.2020 15:15:55	1	1	1	1	73.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
21.01.2020 15:15:56	1	1	1	1	73.25	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.75	2004
21.01.2020 15:15:57	1	1	1	1	73.25	60.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	40.75	2004
21.01.2020 15:15:58	1	1	1	1	73.25	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.5	2004
21.01.2020 15:15:59	1	1	1	1	73.25	60.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.0625	2004
21.01.2020 15:16:00	1	1	1	1	73.25	61	0	30000	423.655914	12709.21099	30000	0	0	30000	40.875	2004
21.01.2020 15:16:01	1	1	1	1	73.75	60.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.375	2004
21.01.2020 15:16:02	1	1	1	1	73.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
21.01.2020 15:16:03	1	1	1	1	73.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
21.01.2020 15:16:04	1	1	1	1	73.75	60.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:16:05	1	1	1	1	73.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.375	2004
21.01.2020 15:16:06	1	1	1	1	73.75	61.25	0	30000	421.5053763	12560.8132	30000	0	0	30000	41	2004
21.01.2020 15:16:07	1	1	1	1	73.75	61	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	41.25	2004
21.01.2020 15:16:08	1	1	1	1	73.75	61.25	0	30000	415.0537634	12411.60003	30000	0	0	30000	41.125	2004
21.01.2020 15:16:09	1	1	1	1	73.75	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.6875	2004
21.01.2020 15:16:10	1	1	1	1	73.5	60.5	0	30000	397.8494624	12128.66578	30000	0	0	30000	41	2004
21.01.2020 15:16:18	1	1	1	1	73.5	61	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.8125	2004
21.01.2020 15:16:18	1	1	1	1	73.5	61	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.8125	2004
21.01.2020 15:16:18	1	1	1	1	73.5	61	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.8125	2004
21.01.2020 15:16:18	1	1	1	1	73.5	61	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.8125	2004
21.01.2020 15:16:18	1	1	1	1	73.5	61	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.8125	2004
21.01.2020 15:16:18	1	1	1	1	73.5	61	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.8125	2004
21.01.2020 15:16:18	1	1	1	1	73.5	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.25	2004
21.01.2020 15:16:19	1	1	1	1	73.5	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.0625	2004
21.01.2020 15:16:20	1	1	1	1	73.75	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.1875	2004
21.01.2020 15:16:21	1	1	1	1	73.75	61	0	29905.213	301.0752688	8967.466638	30000	0	0	30000	41.375	2004
21.01.2020 15:16:22	1	1	1	1	73.75	61.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:16:23	1	1	1	1	73.75	60.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	41.125	2004
21.01.2020 15:16:25	1	1	1	1	73.75	61	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.125	2004
21.01.2020 15:16:26	1	1	1	1	73.75	61	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.25	2004
21.01.2020 15:16:27	1	1	1	1	73.75	61.25	0	30000	270.9677419	8192.862773	30000	0	0	30000	40.9375	2004
21.01.2020 15:16:28	1	1	1	1	73.75	60.75	0	30000	260.2150538	7870.79064	30000	0	0	30000	41.25	2004
21.01.2020 15:16:29	1	1	1	1	73.75	61.25	0	30000	247.311828	7483.488707	30000	0	0	30000	40.9375	2004
21.01.2020 15:16:30	1	1	1	1	73.75	60.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	41	2004
21.01.2020 15:16:31	1	1	1	1	74	61	0	30000	262.3655914	7806.376213	30000	0	0	30000	40.8125	2004
21.01.2020 15:16:32	1	1	1	1	74	60.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.25	2004
21.01.2020 15:16:33	1	1	1	1	74	61.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.125	2004
21.01.2020 15:16:34	1	1	1	1	74	61	0	30000	277.4193548	8258.092572	30000	0	0	30000	41.1875	2004
21.01.2020 15:16:35	1	1	1	1	74	61	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.5625	2004
21.01.2020 15:16:36	1	1	1	1	74	60.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	41.375	2004
21.01.2020 15:16:37	1	1	1	1	74	61.25	0	30000	288.172043	8644.579132	30000	0	0	30000	41.375	2004
21.01.2020 15:16:38	1	1	1	1	74	61.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.0625	2004
21.01.2020 15:16:39	1	1	1	1	74	61	0	29905.213	292.4731183	8838.637784	30000	0	0	30000	41.0625	2004
21.01.2020 15:16:40	1	1	1	1	74	61	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.25	2004
21.01.2020 15:16:41	1	1	1	1	74.5	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.875	2004
21.01.2020 15:16:42	1	1	1	1	74.5	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41	2004
21.01.2020 15:16:43	1	1	1	1	74.5	61	0	30000	322.5806452	9533.335145	30000	0	0	30000	41.25	2004
21.01.2020 15:16:44	1	1	1	1	74.5	61.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.25	2004
21.01.2020 15:16:45	1	1	1	1	74.5	61.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.125	2004
21.01.2020 15:16:46	1	1	1	1	74.5	61	0	30000	333.3333333	10128.55706	30000	0	0	30000	40.9375	2004
21.01.2020 15:16:47	1	1	1	1	74.5	60.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	41.3125	2004
21.01.2020 15:16:48	1	1	1	1	74.5	61.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:16:49	1	1	1	1	74.5	61.25	0	30047.393	322.5806452	9612.426277	30000	0	0	30000	40.875	2004
21.01.2020 15:16:50	1	1	1	1	73.75	60.75	0	30000	311.827957	9340.091865	30000	0	0	30000	41.125	2004
21.01.2020 15:16:51	1	1	1	1	73.75	61	0	29952.607	311.827957	9324.599788	30000	0	0	30000	40.625	2004
21.01.2020 15:16:52	1	1	1	1	73.75	60.5	0	29952.607	316.1290323	9612.426277	30000	0	0	30000	41.0625	2004
21.01.2020 15:16:53	1	1	1	1	73.75	61	0	30000	316.1290323	9468.920719	30000	0	0	30000	41.125	2004
21.01.2020 15:16:54	1	1	1	1	73.75	61	0	30000	320.4301075	9676.840703	30000	0	0	30000	41.3125	2004
21.01.2020 15:16:55	1	1	1	1	73.75	61.25	0	30047.393	322.5806452	9612.426277	30000	0	0	30000	41	2004
21.01.2020 15:16:56	1	1	1	1	73.75	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.1875	2004
21.01.2020 15:16:57	1	1	1	1	73.75	61	0	29905.213	341.9354839	10370.72269	30000	0	0	30000	41.25	2004
21.01.2020 15:16:58	1	1	1	1	73.75	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.875	2004
21.01.2020 15:16:59	1	1	1	1	73.75	60.75	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	41.375	2004
21.01.2020 15:17:00	1	1	1	1	74	61.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.3125	2004
21.01.2020 15:17:02	1	1	1	1	74	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.625	2004
21.01.2020 15:17:03	1	1	1	1	74	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
21.01.2020 15:17:04	1	1	1	1	74	61.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.125	2004
21.01.2020 15:17:05	1	1	1	1	74	61	0	30000	378.4946237	11225.23306	30000	0	0	30000	41.375	2004
21.01.2020 15:17:06	1	1	1	1	74	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:07	1	1	1	1	74	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
21.01.2020 15:17:08	1	1	1	1	74	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.25	2004
21.01.2020 15:17:09	1	1	1	1	74	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.25	2004
21.01.2020 15:17:10	1	1	1	1	74	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
21.01.2020 15:17:11	1	1	1	1	73.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.8125	2004
21.01.2020 15:17:12	1	1	1	1	73.75	60.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	40.875	2004
21.01.2020 15:17:20	1	1	1	1	73.75	61.5	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:20	1	1	1	1	73.75	61.5	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:20	1	1	1	1	73.75	61.5	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:20	1	1	1	1	73.75	61.5	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:20	1	1	1	1	73.75	61.5	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:20	1	1	1	1	73.75	61.5	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:20	1	1	1	1	73.75	61.5	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:20	1	1	1	1	73.75	61.5	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:21	1	1	1	1	73.75	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.6875	2004
21.01.2020 15:17:22	1	1	1	1	73.75	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.125	2004
21.01.2020 15:17:23	1	1	1	1	73.75	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.9375	2004
21.01.2020 15:17:24	1	1	1	1	73.75	60.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.25	2004
21.01.2020 15:17:25	1	1	1	1	73.75	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:26	1	1	1	1	73.75	61	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.3125	2004
21.01.2020 15:17:27	1	1	1	1	73.75	61.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	40.9375	2004
21.01.2020 15:17:28	1	1	1	1	73.75	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:29	1	1	1	1	73.75	61	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:30	1	1	1	1	73.25	61	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.3125	2004
21.01.2020 15:17:31	1	1	1	1	73.25	61.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.375	2004
21.01.2020 15:17:32	1	1	1	1	73.25	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:17:33	1	1	1	1	73.25	61	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.125	2004
21.01.2020 15:17:34	1	1	1	1	73.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.125	2004
21.01.2020 15:17:35	1	1	1	1	73.25	61	0	29905.213	365.5913978	10886.03811	30000	0	0	30000	41	2004
21.01.2020 15:17:36	1	1	1	1	73.25	61	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.125	2004
21.01.2020 15:17:37	1	1	1	1	73.25	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
21.01.2020 15:17:38	1	1	1	1	73.25	60.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.0625	2004
21.01.2020 15:17:39	1	1	1	1	73.25	61	0	30000	389.2473118	11871.00807	30000	0	0	30000	41.25	2004
21.01.2020 15:17:41	1	1	1	1	73.25	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
21.01.2020 15:17:42	1	1	1	1	73.25	61	0	29905.213	380.6451613	11530.18237	30000	0	0	30000	41.3125	2004
21.01.2020 15:17:43	1	1	1	1	73.25	61.25	0	29952.607	389.2473118	11612.53499	30000	0	0	30000	41.0625	2004
21.01.2020 15:17:44	1	1	1	1	73.25	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.8125	2004
21.01.2020 15:17:45	1	1	1	1	73.25	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
21.01.2020 15:17:46	1	1	1	1	73.25	61.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.0625	2004
21.01.2020 15:17:47	1	1	1	1	73.25	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.25	2004
21.01.2020 15:17:48	1	1	1	1	73.25	61.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	41	2004
21.01.2020 15:17:49	1	1	1	1	73.25	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.9375	2004
21.01.2020 15:17:50	1	1	1	1	73.25	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5625	2004
21.01.2020 15:17:51	1	1	1	1	73	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:52	1	1	1	1	73	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.125	2004
21.01.2020 15:17:53	1	1	1	1	73	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
21.01.2020 15:17:54	1	1	1	1	73	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:55	1	1	1	1	73	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.8125	2004
21.01.2020 15:17:56	1	1	1	1	73	60.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.1875	2004
21.01.2020 15:17:57	1	1	1	1	73	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
21.01.2020 15:17:58	1	1	1	1	73	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
21.01.2020 15:17:59	1	1	1	1	73	61.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.3125	2004
21.01.2020 15:18:00	1	1	1	1	73	61.25	0	29952.607	397.8494624	11999.83693	30000	0	0	30000	41.5	2004
21.01.2020 15:18:01	1	1	1	1	72.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
21.01.2020 15:18:02	1	1	1	1	72.75	61.75	0	30000	402.1505376	11999.83693	30000	0	0	30000	41	2004
21.01.2020 15:18:03	1	1	1	1	72.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.625	2004
21.01.2020 15:18:04	1	1	1	1	72.75	60.5	0	30000	395.6989247	11659.01122	30000	0	0	30000	40.8125	2004
21.01.2020 15:18:05	1	1	1	1	72.75	60.75	0	29952.607	400	11897.09999	30000	0	0	30000	40.5625	2004
21.01.2020 15:18:06	1	1	1	1	72.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
21.01.2020 15:18:07	1	1	1	1	72.75	61	0	30000	400	11935.4225	30000	0	0	30000	41.3125	2004
21.01.2020 15:18:08	1	1	1	1	72.75	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
21.01.2020 15:18:09	1	1	1	1	72.75	61	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.25	2004
21.01.2020 15:18:10	1	1	1	1	72.5	61.25	0	30000	400	11999.83693	30000	0	0	30000	41.3125	2004
21.01.2020 15:18:11	1	1	1	1	72.5	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.25	2004
21.01.2020 15:18:12	1	1	1	1	72.5	61.25	0	29952.607	389.2473118	11659.01122	30000	0	0	30000	41	2004
21.01.2020 15:18:13	1	1	1	1	72.5	61	0	30000	378.4946237	11225.23306	30000	0	0	30000	41.125	2004
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:18:24	1	1	1	1	72.5	61	0	29905.213	301.0752688	9290.354143	30000	0	0	30000	41.25	2004
21.01.2020 15:18:25	1	1	1	1	72.5	61.25	0	30000	288.172043	8838.637784	30000	0	0	30000	41	2004
21.01.2020 15:18:26	1	1	1	1	72.5	61	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.3125	2004
21.01.2020 15:18:27	1	1	1	1	72.5	61.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.125	2004
21.01.2020 15:18:28	1	1	1	1	72.5	61	0	29952.607	286.0215054	8644.579132	30000	0	0	30000	41.25	2004
21.01.2020 15:18:29	1	1	1	1	72.5	61.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.125	2004
21.01.2020 15:18:30	1	1	1	1	72.5	61	0	30000	292.4731183	8774.223358	30000	0	0	30000	41.125	2004
21.01.2020 15:18:31	1	1	1	1	72.5	61	0	30000	303.2258065	9160.709918	30000	0	0	30000	41.0625	2004
21.01.2020 15:18:32	1	1	1	1	72.5	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.125	2004
21.01.2020 15:18:33	1	1	1	1	72.5	61	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
21.01.2020 15:18:34	1	1	1	1	72.5	61	0	30000	316.1290323	9548.01185	30000	0	0	30000	41.1875	2004
21.01.2020 15:18:35	1	1	1	1	72.5	61	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.25	2004
21.01.2020 15:18:36	1	1	1	1	72.5	61.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.25	2004
21.01.2020 15:18:37	1	1	1	1	72.5	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.1875	2004
21.01.2020 15:18:38	1	1	1	1	72.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.5625	2004
21.01.2020 15:18:39	1	1	1	1	72.5	61.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.25	2004
21.01.2020 15:18:40	1	1	1	1	72.5	61.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.6875	2004
21.01.2020 15:18:41	1	1	1	1	72.75	60.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.375	2004
21.01.2020 15:18:42	1	1	1	1	72.75	61.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	41.4375	2004
21.01.2020 15:18:43	1	1	1	1	72.75	61.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.1875	2004
21.01.2020 15:18:44	1	1	1	1	72.75	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.0625	2004
21.01.2020 15:18:45	1	1	1	1	72.75	61	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.375	2004
21.01.2020 15:18:46	1	1	1	1	72.75	61.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.0625	2004
21.01.2020 15:18:47	1	1	1	1	72.75	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.75	2004
21.01.2020 15:18:48	1	1	1	1	72.75	60.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.375	2004
21.01.2020 15:18:49	1	1	1	1	72.75	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.375	2004
21.01.2020 15:18:50	1	1	1	1	72.5	61.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.125	2004
21.01.2020 15:18:51	1	1	1	1	72.5	61	0	29952.607	339.7849462	10096.75754	30000	0	0	30000	41.0625	2004
21.01.2020 15:18:52	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.3125	2004
21.01.2020 15:18:53	1	1	1	1	72.5	61.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:18:54	1	1	1	1	72.5	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:18:55	1	1	1	1	72.5	60.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.125	2004
21.01.2020 15:18:56	1	1	1	1	72.5	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.3125	2004
21.01.2020 15:18:57	1	1	1	1	72.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
21.01.2020 15:18:59	1	1	1	1	72.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.25	2004
21.01.2020 15:19:00	1	1	1	1	72.5	61.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:19:01	1	1	1	1	72.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:19:02	1	1	1	1	72.5	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	41	2004
21.01.2020 15:19:03	1	1	1	1	72.5	61	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.1875	2004
21.01.2020 15:19:04	1	1	1	1	72.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.25	2004
21.01.2020 15:19:05	1	1	1	1	72.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
21.01.2020 15:19:06	1	1	1	1	72.5	61.25	0	30000	352.688172	10628.3804	30000	0	0	30000	41.0625	2004
21.01.2020 15:19:07	1	1	1	1	72.5	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.1875	2004
21.01.2020 15:19:08	1	1	1	1	72.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.8125	2004
21.01.2020 15:19:09	1	1	1	1	72.5	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.125	2004
21.01.2020 15:19:10	1	1	1	1	72.5	61	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	41	2004
21.01.2020 15:19:11	1	1	1	1	72.25	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.1875	2004
21.01.2020 15:19:12	1	1	1	1	72.25	61	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.25	2004
21.01.2020 15:19:13	1	1	1	1	72.25	61.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.6875	2004
21.01.2020 15:19:14	1	1	1	1	72.25	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.1875	2004
21.01.2020 15:19:15	1	1	1	1	72.25	61	0	30047.393	350.5376344	10387.03014	30000	0	0	30000	40.875	2004
21.01.2020 15:19:22	1	1	1	1	72.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
21.01.2020 15:19:22	1	1	1	1	72.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
21.01.2020 15:19:22	1	1	1	1	72.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
21.01.2020 15:19:22	1	1	1	1	72.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
21.01.2020 15:19:22	1	1	1	1	72.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
21.01.2020 15:19:22	1	1	1	1	72.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
21.01.2020 15:19:22	1	1	1	1	72.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
21.01.2020 15:19:22	1	1	1	1	72.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
21.01.2020 15:19:25	1	1	1	1	72.25	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.9375	2004
21.01.2020 15:19:25	1	1	1	1	72.25	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.9375	2004
21.01.2020 15:19:25	1	1	1	1	72.25	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41	2004
21.01.2020 15:19:26	1	1	1	1	72.25	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.125	2004
21.01.2020 15:19:27	1	1	1	1	72.25	61	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.25	2004
21.01.2020 15:19:28	1	1	1	1	72.25	61.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.1875	2004
21.01.2020 15:19:29	1	1	1	1	72.25	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.75	2004
21.01.2020 15:19:30	1	1	1	1	72.25	60.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	40.875	2004
21.01.2020 15:19:31	1	1	1	1	72.25	60.75	0	30000	311.827957	9419.182997	30000	0	0	30000	41.25	2004
21.01.2020 15:19:32	1	1	1	1	72.25	61.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.8125	2004
21.01.2020 15:19:33	1	1	1	1	72.25	60.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.625	2004
21.01.2020 15:19:34	1	1	1	1	72.25	60.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	41.375	2004
21.01.2020 15:19:35	1	1	1	1	72.25	61.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.125	2004
21.01.2020 15:19:37	1	1	1	1	72.25	61	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.1875	2004
21.01.2020 15:19:38	1	1	1	1	72.25	61	0	30000	279.5698925	8322.506999	30000	0	0	30000	41.125	2004
21.01.2020 15:19:39	1	1	1	1	72.25	61	0	30000	277.4193548	8451.335852	30000	0	0	30000	41.125	2004
21.01.2020 15:19:40	1	1	1	1	72.25	61	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	41.3125	2004
21.01.2020 15:19:41	1	1	1	1	72.25	61.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.8125	2004
21.01.2020 15:19:42	1	1	1	1	72.25	60.75	0	29905.213	275.2688172	8386.921425	30000	0	0	30000	41.125	2004
21.01.2020 15:19:43	1	1	1	1	72.25	61	0	29952.607	275.2688172	8245.046612	30000	0	0	30000	41.3125	2004
21.01.2020 15:19:44	1	1	1	1	72.25	61.25	0	30000	268.8172043	8116.217759	30000	0	0	30000	41.0625	2004
21.01.2020 15:19:45	1	1	1	1	72.25	61	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:19:46	1	1	1	1	72.25	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.25	2004
21.01.2020 15:19:47	1	1	1	1	72.25	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.0625	2004
21.01.2020 15:19:48	1	1	1	1	72.25	61	0	30000	311.827957	9354.76857	30000	0	0	30000	40.6875	2004
21.01.2020 15:19:49	1	1	1	1	72.25	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.125	2004
21.01.2020 15:19:50	1	1	1	1	72.25	61	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.3125	2004
21.01.2020 15:19:51	1	1	1	1	72.25	61.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	41.3125	2004
21.01.2020 15:19:52	1	1	1	1	72.25	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
21.01.2020 15:19:53	1	1	1	1	72.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.625	2004
21.01.2020 15:19:54	1	1	1	1	72.25	60.5	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	40.75	2004
21.01.2020 15:19:55	1	1	1	1	72.25	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.5	2004
21.01.2020 15:19:56	1	1	1	1	72.25	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.375	2004
21.01.2020 15:19:57	1	1	1	1	72.25	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41	2004
21.01.2020 15:19:58	1	1	1	1	72.25	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.1875	2004
21.01.2020 15:19:59	1	1	1	1	72.25	61	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.8125	2004
21.01.2020 15:20:00	1	1	1	1	72.25	60.75	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	41.0625	2004
21.01.2020 15:20:01	1	1	1	1	72.25	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.1875	2004
21.01.2020 15:20:02	1	1	1	1	72.25	61	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.0625	2004
21.01.2020 15:20:03	1	1	1	1	72.25	61	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.1875	2004
21.01.2020 15:20:04	1	1	1	1	72.25	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41	2004
21.01.2020 15:20:05	1	1	1	1	72.25	61	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	41.0625	2004
21.01.2020 15:20:06	1	1	1	1	72.25	61	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:20:07	1	1	1	1	72.25	61	0	30000	326.8817204	9935.313783	30000	0	0	30000	41	2004
21.01.2020 15:20:08	1	1	1	1	72.25	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.125	2004
21.01.2020 15:20:09	1	1	1	1	72.25	61	0	30094.787	359.1397849	10451.44457	30000	0	0	30000	41.125	2004
21.01.2020 15:20:10	1	1	1	1	72.25	61	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	41.1875	2004
21.01.2020 15:20:11	1	1	1	1	72.25	61	0	30047.393	356.9892473	10644.68785	30000	0	0	30000	40.9375	2004
21.01.2020 15:20:12	1	1	1	1	72.25	60.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.0625	2004
21.01.2020 15:20:14	1	1	1	1	72.25	61	0	30000	341.9354839	10387.03014	30000	0	0	30000	41	2004
21.01.2020 15:20:15	1	1	1	1	72.25	61	0	29952.607	331.1827957	9870.899356	30000	0	0	30000	41.125	2004
21.01.2020 15:20:16	1	1	1	1	72.25	61	0	30000	335.483871	9919.821705	30000	0	0	30000	40.8125	2004
21.01.2020 15:20:17	1	1	1	1	72.25	60.75	0	30000	337.6344086	10257.38592	30000	0	0	30000	41.125	2004
21.01.2020 15:20:24	1	1	1	1	72	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 15:20:24	1	1	1	1	72	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 15:20:24	1	1	1	1	72	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 15:20:24	1	1	1	1	72	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 15:20:24	1	1	1	1	72	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 15:20:24	1	1	1	1	72	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 15:20:24	1	1	1	1	72	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 15:20:25	1	1	1	1	72	60.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.5625	2004
21.01.2020 15:20:26	1	1	1	1	72	60.5	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	40.375	2004
21.01.2020 15:20:27	1	1	1	1	72	60.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.125	2004
21.01.2020 15:20:28	1	1	1	1	72	61	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.1875	2004
21.01.2020 15:20:29	1	1	1	1	72	61	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:20:30	1	1	1	1	72	61.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	41.125	2004
21.01.2020 15:20:31	1	1	1	1	72.25	61	0	30000	264.516129	7999.619493	30000	0	0	30000	41.3125	2004
21.01.2020 15:20:32	1	1	1	1	72.25	61.25	0	30000	258.0645161	7612.31756	30000	0	0	30000	40.875	2004
21.01.2020 15:20:33	1	1	1	1	72.25	60.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.3125	2004
21.01.2020 15:20:34	1	1	1	1	72.25	61.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	41.5625	2004
21.01.2020 15:20:35	1	1	1	1	72.25	61.5	0	29952.607	253.7634409	7676.731987	30000	0	0	30000	41.0625	2004
21.01.2020 15:20:36	1	1	1	1	72.25	61.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.1875	2004
21.01.2020 15:20:37	1	1	1	1	72.25	61	0	30000	247.311828	7407.659066	30000	0	0	30000	41.0625	2004
21.01.2020 15:20:38	1	1	1	1	72.25	61	0	30000	249.4623656	7419.07428	30000	0	0	30000	41.1875	2004
21.01.2020 15:20:39	1	1	1	1	72.25	61	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.125	2004
21.01.2020 15:20:40	1	1	1	1	72.25	61	0	30000	262.3655914	7806.376213	30000	0	0	30000	40.125	2004
21.01.2020 15:20:41	1	1	1	1	72.25	60	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.1875	2004
21.01.2020 15:20:42	1	1	1	1	72.25	61	0	30000	288.172043	8580.164705	30000	0	0	30000	41	2004
21.01.2020 15:20:43	1	1	1	1	72.25	61	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.25	2004
21.01.2020 15:20:44	1	1	1	1	72.25	61.25	0	30000	298.9247312	8760.362025	30000	0	0	30000	41.3125	2004
21.01.2020 15:20:45	1	1	1	1	72.25	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.3125	2004
21.01.2020 15:20:46	1	1	1	1	72.25	60.25	0	30047.393	341.9354839	10128.55706	30000	0	0	30000	40.6875	2004
21.01.2020 15:20:47	1	1	1	1	72.25	60.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.75	2004
21.01.2020 15:20:48	1	1	1	1	72.25	60.75	0	29905.213	322.5806452	9676.840703	30000	0	0	30000	41.0625	2004
21.01.2020 15:20:49	1	1	1	1	72.25	61	0	30000	329.0322581	9806.484929	30000	0	0	30000	41.125	2004
21.01.2020 15:20:50	1	1	1	1	72	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.9375	2004
21.01.2020 15:20:51	1	1	1	1	72	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41	2004
21.01.2020 15:20:53	1	1	1	1	72	61	0	30000	337.6344086	10192.97149	30000	0	0	30000	40.875	2004
21.01.2020 15:20:54	1	1	1	1	72	60.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.625	2004
21.01.2020 15:20:55	1	1	1	1	72	60.5	0	30000	337.6344086	10192.97149	30000	0	0	30000	41	2004
21.01.2020 15:20:56	1	1	1	1	72	61	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.125	2004
21.01.2020 15:20:57	1	1	1	1	72	61	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.1875	2004
21.01.2020 15:20:58	1	1	1	1	72	61	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	40.75	2004
21.01.2020 15:20:59	1	1	1	1	72	60.75	0	30000	352.688172	10515.85899	30000	0	0	30000	40.9375	2004
21.01.2020 15:21:00	1	1	1	1	72	60.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.9375	2004
21.01.2020 15:21:01	1	1	1	1	71.75	60.75	0	29905.213	333.3333333	9999.728209	30000	0	0	30000	41.125	2004
21.01.2020 15:21:02	1	1	1	1	71.75	61	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:03	1	1	1	1	71.75	61	0	30000	337.6344086	10192.97149	30000	0	0	30000	41.25	2004
21.01.2020 15:21:04	1	1	1	1	71.75	61.25	0	29952.607	341.9354839	10515.85899	30000	0	0	30000	41.25	2004
21.01.2020 15:21:05	1	1	1	1	71.75	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	40.75	2004
21.01.2020 15:21:06	1	1	1	1	71.75	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
21.01.2020 15:21:07	1	1	1	1	71.75	61	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.75	2004
21.01.2020 15:21:08	1	1	1	1	71.75	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.125	2004
21.01.2020 15:21:09	1	1	1	1	71.75	61	0	30000	339.7849462	9999.728209	30000	0	0	30000	41.3125	2004
21.01.2020 15:21:10	1	1	1	1	71.75	61.25	0	30047.393	333.3333333	9999.728209	30000	0	0	30000	41.25	2004
21.01.2020 15:21:11	1	1	1	1	72	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:12	1	1	1	1	72	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.125	2004
21.01.2020 15:21:13	1	1	1	1	72	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:21:14	1	1	1	1	72	61.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.25	2004
21.01.2020 15:21:15	1	1	1	1	72	60.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	41.25	2004
21.01.2020 15:21:16	1	1	1	1	72	61.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.25	2004
21.01.2020 15:21:17	1	1	1	1	72	61.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	41.125	2004
21.01.2020 15:21:18	1	1	1	1	72	61	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.25	2004
21.01.2020 15:21:26	1	1	1	1	72.25	61	0	29905.213	326.8817204	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:26	1	1	1	1	72.25	61	0	29905.213	326.8817204	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:26	1	1	1	1	72.25	61	0	29905.213	326.8817204	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:26	1	1	1	1	72.25	61	0	29905.213	326.8817204	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:26	1	1	1	1	72.25	61	0	29905.213	326.8817204	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:26	1	1	1	1	72.25	61	0	29905.213	326.8817204	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:26	1	1	1	1	72.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.3125	2004
21.01.2020 15:21:27	1	1	1	1	72.25	61.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.0625	2004
21.01.2020 15:21:28	1	1	1	1	72.25	61	0	30047.393	307.5268817	9225.124344	30000	0	0	30000	41.125	2004
21.01.2020 15:21:29	1	1	1	1	72.25	61	0	30000	296.7741935	8760.362025	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:31	1	1	1	1	72	61	0	29952.607	296.7741935	9096.295491	30000	0	0	30000	40.625	2004
21.01.2020 15:21:32	1	1	1	1	72	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.8125	2004
21.01.2020 15:21:33	1	1	1	1	72	60.75	0	29905.213	275.2688172	8438.289892	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:34	1	1	1	1	72	61	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.125	2004
21.01.2020 15:21:35	1	1	1	1	72	61	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.875	2004
21.01.2020 15:21:36	1	1	1	1	72	60.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:37	1	1	1	1	72	61	0	30000	251.6129032	7419.07428	30000	0	0	30000	41.25	2004
21.01.2020 15:21:38	1	1	1	1	72	61.25	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	41.1875	2004
21.01.2020 15:21:39	1	1	1	1	72	61	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	41.25	2004
21.01.2020 15:21:40	1	1	1	1	72	61.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	41.3125	2004
21.01.2020 15:21:41	1	1	1	1	72	61.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	41.3125	2004
21.01.2020 15:21:42	1	1	1	1	72	61.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.125	2004
21.01.2020 15:21:43	1	1	1	1	72	61	0	30000	262.3655914	7935.205066	30000	0	0	30000	40.625	2004
21.01.2020 15:21:44	1	1	1	1	72	60.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	41.25	2004
21.01.2020 15:21:45	1	1	1	1	72	61.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.3125	2004
21.01.2020 15:21:46	1	1	1	1	72	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.125	2004
21.01.2020 15:21:47	1	1	1	1	72	61	0	30047.393	253.7634409	7547.903134	30000	0	0	30000	41.3125	2004
21.01.2020 15:21:48	1	1	1	1	72	61.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.3125	2004
21.01.2020 15:21:49	1	1	1	1	72	61.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.9375	2004
21.01.2020 15:21:50	1	1	1	1	72	60.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.8125	2004
21.01.2020 15:21:51	1	1	1	1	72	61.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	40.75	2004
21.01.2020 15:21:52	1	1	1	1	72	60.75	0	30000	281.7204301	8386.921425	30000	0	0	30000	41.5625	2004
21.01.2020 15:21:53	1	1	1	1	72	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.125	2004
21.01.2020 15:21:54	1	1	1	1	72	61	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	41	2004
21.01.2020 15:21:55	1	1	1	1	72	61.5	0	30000	288.172043	8708.993559	30000	0	0	30000	41	2004
21.01.2020 15:21:56	1	1	1	1	72	61	0	30000	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:21:57	1	1	1	1	72	60.75	0	30000	288.172043	8644.579132	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:21:58	1	1	1	1	72	61	0	29952.607	288.172043	8644.579132	30000	0	0	30000	41.25	2004
21.01.2020 15:21:59	1	1	1	1	72	61.25	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	41	2004
21.01.2020 15:22:00	1	1	1	1	72	61	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.375	2004
21.01.2020 15:22:01	1	1	1	1	72	61.25	0	30000	290.3225806	8695.947599	30000	0	0	30000	41.125	2004
21.01.2020 15:22:02	1	1	1	1	72	61	0	30000	279.5698925	8322.506999	30000	0	0	30000	41.125	2004
21.01.2020 15:22:03	1	1	1	1	72	61	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.1875	2004
21.01.2020 15:22:04	1	1	1	1	72	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.0625	2004
21.01.2020 15:22:05	1	1	1	1	72	61	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.9375	2004
21.01.2020 15:22:06	1	1	1	1	72	60.75	0	30000	294.6236559	8903.052211	30000	0	0	30000	41.0625	2004
21.01.2020 15:22:07	1	1	1	1	72	61	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.125	2004
21.01.2020 15:22:09	1	1	1	1	72	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.125	2004
21.01.2020 15:22:10	1	1	1	1	72	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	41	2004
21.01.2020 15:22:11	1	1	1	1	71.25	61	0	29905.213	322.5806452	9741.25513	30000	0	0	30000	41	2004
21.01.2020 15:22:12	1	1	1	1	71.25	61	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.9375	2004
21.01.2020 15:22:13	1	1	1	1	71.25	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.9375	2004
21.01.2020 15:22:14	1	1	1	1	71.25	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.125	2004
21.01.2020 15:22:15	1	1	1	1	71.25	61	0	30000	307.5268817	9160.709918	30000	0	0	30000	41.0625	2004
21.01.2020 15:22:16	1	1	1	1	71.25	61	0	30000	296.7741935	8981.32797	30000	0	0	30000	41.0625	2004
21.01.2020 15:22:17	1	1	1	1	71.25	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	41	2004
21.01.2020 15:22:18	1	1	1	1	71.25	61	0	30000	288.172043	8580.164705	30000	0	0	30000	41.1875	2004
21.01.2020 15:22:19	1	1	1	1	71.25	61	0	29952.607	266.6666667	8258.092572	30000	0	0	30000	41.25	2004
21.01.2020 15:22:20	1	1	1	1	71.25	61.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	40.875	2004
21.01.2020 15:22:27	1	1	1	1	70.75	61	0	30047.393	311.827957	9354.76857	30000	0	0	30000	41.25	2004
21.01.2020 15:22:27	1	1	1	1	70.75	61	0	30047.393	311.827957	9354.76857	30000	0	0	30000	41.25	2004
21.01.2020 15:22:27	1	1	1	1	70.75	61	0	30047.393	311.827957	9354.76857	30000	0	0	30000	41.25	2004
21.01.2020 15:22:27	1	1	1	1	70.75	61	0	30047.393	311.827957	9354.76857	30000	0	0	30000	41.25	2004
21.01.2020 15:22:27	1	1	1	1	70.75	61	0	30047.393	311.827957	9354.76857	30000	0	0	30000	41.25	2004
21.01.2020 15:22:27	1	1	1	1	70.75	61	0	30047.393	311.827957	9354.76857	30000	0	0	30000	41.25	2004
21.01.2020 15:22:27	1	1	1	1	70.75	61	0	30047.393	311.827957	9354.76857	30000	0	0	30000	41.25	2004
21.01.2020 15:22:28	1	1	1	1	70.75	61.25	0	30000	303.2258065	9018.019732	30000	0	0	30000	41.1875	2004
21.01.2020 15:22:29	1	1	1	1	70.75	61	0	30094.787	294.6236559	8903.052211	30000	0	0	30000	41.1875	2004
21.01.2020 15:22:30	1	1	1	1	70.75	61	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.6875	2004
21.01.2020 15:22:31	1	1	1	1	70.75	60.5	0	29905.213	301.0752688	9160.709918	30000	0	0	30000	41.5	2004
21.01.2020 15:22:32	1	1	1	1	70.75	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.5	2004
21.01.2020 15:22:33	1	1	1	1	70.75	61.5	0	29952.607	264.516129	7935.205066	30000	0	0	30000	40.8125	2004
21.01.2020 15:22:34	1	1	1	1	70.75	61.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	41	2004
21.01.2020 15:22:35	1	1	1	1	70.75	61	0	29952.607	249.4623656	7612.31756	30000	0	0	30000	40.875	2004
21.01.2020 15:22:36	1	1	1	1	70.75	60.75	0	30000	264.516129	8128.448346	30000	0	0	30000	40.875	2004
21.01.2020 15:22:37	1	1	1	1	70.75	60.75	0	30000	266.6666667	7922.974479	30000	0	0	30000	41.25	2004
21.01.2020 15:22:38	1	1	1	1	70.75	61.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.1875	2004
21.01.2020 15:22:39	1	1	1	1	70.75	61	0	30000	279.5698925	8451.335852	30000	0	0	30000	41.25	2004
21.01.2020 15:22:40	1	1	1	1	70.25	61.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.0625	2004
21.01.2020 15:22:41	1	1	1	1	70.25	61	0	30000	286.0215054	8644.579132	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:22:42	1	1	1	1	70.25	61	0	29905.213	270.9677419	8322.506999	30000	0	0	30000	41.0625	2004
21.01.2020 15:22:43	1	1	1	1	70.25	61	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.0625	2004
21.01.2020 15:22:44	1	1	1	1	70.25	61	0	29952.607	288.172043	8708.993559	30000	0	0	30000	40.8125	2004
21.01.2020 15:22:45	1	1	1	1	70.25	60.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.1875	2004
21.01.2020 15:22:46	1	1	1	1	70.25	61	0	30000	294.6236559	8903.052211	30000	0	0	30000	41.25	2004
21.01.2020 15:22:48	1	1	1	1	70.25	61.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.125	2004
21.01.2020 15:22:49	1	1	1	1	70.25	61	0	30000	318.2795699	9612.426277	30000	0	0	30000	41	2004
21.01.2020 15:22:50	1	1	1	1	70.25	61	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	40.9375	2004
21.01.2020 15:22:51	1	1	1	1	70.25	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.1875	2004
21.01.2020 15:22:52	1	1	1	1	70.25	61	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.625	2004
21.01.2020 15:22:53	1	1	1	1	70.25	60.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
21.01.2020 15:22:54	1	1	1	1	70.25	61	0	30000	329.0322581	9999.728209	30000	0	0	30000	41.125	2004
21.01.2020 15:22:55	1	1	1	1	70.25	61	0	30000	318.2795699	9483.597423	30000	0	0	30000	41	2004
21.01.2020 15:22:56	1	1	1	1	70.25	61	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.0625	2004
21.01.2020 15:22:57	1	1	1	1	70.25	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.1875	2004
21.01.2020 15:22:58	1	1	1	1	70.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41	2004
21.01.2020 15:22:59	1	1	1	1	70.25	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.6875	2004
21.01.2020 15:23:00	1	1	1	1	70.25	60.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:23:01	1	1	1	1	70.25	61	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:02	1	1	1	1	70.25	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:03	1	1	1	1	70.25	61	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.125	2004
21.01.2020 15:23:04	1	1	1	1	70.25	61	0	30000	318.2795699	9548.01185	30000	0	0	30000	41	2004
21.01.2020 15:23:05	1	1	1	1	70.25	61	0	30000	311.827957	9419.182997	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:06	1	1	1	1	70.25	61	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:07	1	1	1	1	70.25	61	0	30000	322.5806452	9483.597423	30000	0	0	30000	40.9375	2004
21.01.2020 15:23:08	1	1	1	1	70.25	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.125	2004
21.01.2020 15:23:09	1	1	1	1	70.25	61	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.625	2004
21.01.2020 15:23:10	1	1	1	1	70.25	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
21.01.2020 15:23:11	1	1	1	1	70.25	60.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.5	2004
21.01.2020 15:23:12	1	1	1	1	70.25	61.25	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	40.6875	2004
21.01.2020 15:23:13	1	1	1	1	70.25	60.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.9375	2004
21.01.2020 15:23:14	1	1	1	1	70.25	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.9375	2004
21.01.2020 15:23:15	1	1	1	1	70.25	60.75	0	30000	311.827957	9419.182997	30000	0	0	30000	40.8125	2004
21.01.2020 15:23:16	1	1	1	1	70.25	60.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	41	2004
21.01.2020 15:23:17	1	1	1	1	70.25	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:18	1	1	1	1	70.25	61	0	30000	320.4301075	9676.840703	30000	0	0	30000	41.125	2004
21.01.2020 15:23:19	1	1	1	1	70.25	61	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.75	2004
21.01.2020 15:23:20	1	1	1	1	70.75	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.1875	2004
21.01.2020 15:23:21	1	1	1	1	70.75	61	0	30000	311.827957	9354.76857	30000	0	0	30000	41.1875	2004
21.01.2020 15:23:29	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41	2004
21.01.2020 15:23:29	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41	2004
21.01.2020 15:23:29	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41	2004
21.01.2020 15:23:29	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:23:29	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41	2004
21.01.2020 15:23:29	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41	2004
21.01.2020 15:23:29	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41	2004
21.01.2020 15:23:30	1	1	1	1	70.75	61	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	40.9375	2004
21.01.2020 15:23:31	1	1	1	1	70.75	60.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	41	2004
21.01.2020 15:23:32	1	1	1	1	70.75	61	0	30000	268.8172043	7999.619493	30000	0	0	30000	40.6875	2004
21.01.2020 15:23:33	1	1	1	1	70.75	60.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	41	2004
21.01.2020 15:23:34	1	1	1	1	70.75	61	0	30000	253.7634409	7612.31756	30000	0	0	30000	41.125	2004
21.01.2020 15:23:35	1	1	1	1	70.75	61	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.125	2004
21.01.2020 15:23:36	1	1	1	1	70.75	61	0	30000	262.3655914	7935.205066	30000	0	0	30000	41.25	2004
21.01.2020 15:23:37	1	1	1	1	70.75	61.25	0	30000	264.516129	7935.205066	30000	0	0	30000	41	2004
21.01.2020 15:23:38	1	1	1	1	70.75	61	0	30000	268.8172043	7999.619493	30000	0	0	30000	40.75	2004
21.01.2020 15:23:39	1	1	1	1	70.75	60.75	0	29905.213	270.9677419	7974.342946	30000	0	0	30000	40.9375	2004
21.01.2020 15:23:40	1	1	1	1	70.75	60.75	0	30000	286.0215054	8594.026038	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:41	1	1	1	1	70.75	61	0	29952.607	290.3225806	8903.052211	30000	0	0	30000	40.875	2004
21.01.2020 15:23:42	1	1	1	1	70.75	60.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	41.1875	2004
21.01.2020 15:23:43	1	1	1	1	70.75	61	0	29952.607	294.6236559	8967.466638	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:44	1	1	1	1	70.75	61	0	30000	294.6236559	8774.223358	30000	0	0	30000	41	2004
21.01.2020 15:23:45	1	1	1	1	70.75	61	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.3125	2004
21.01.2020 15:23:46	1	1	1	1	70.75	61.25	0	30047.393	313.9784946	9513.766206	30000	0	0	30000	40.6875	2004
21.01.2020 15:23:47	1	1	1	1	70.75	60.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.375	2004
21.01.2020 15:23:48	1	1	1	1	70.75	61.25	0	29952.607	305.3763441	9290.354143	30000	0	0	30000	41.3125	2004
21.01.2020 15:23:49	1	1	1	1	70.75	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41	2004
21.01.2020 15:23:50	1	1	1	1	71	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.875	2004
21.01.2020 15:23:51	1	1	1	1	71	60.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.3125	2004
21.01.2020 15:23:52	1	1	1	1	71	61.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:53	1	1	1	1	71	61	0	30000	298.9247312	8903.052211	30000	0	0	30000	40.625	2004
21.01.2020 15:23:54	1	1	1	1	71	60.5	0	30000	307.5268817	9096.295491	30000	0	0	30000	40.5625	2004
21.01.2020 15:23:55	1	1	1	1	71	60.5	0	29952.607	309.6774194	9225.124344	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:56	1	1	1	1	71	61	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	40.4375	2004
21.01.2020 15:23:57	1	1	1	1	71	60.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.125	2004
21.01.2020 15:23:58	1	1	1	1	71	61	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.0625	2004
21.01.2020 15:23:59	1	1	1	1	71	61	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.25	2004
21.01.2020 15:24:00	1	1	1	1	70.75	61.25	0	30000	260.2150538	7870.79064	30000	0	0	30000	41	2004
21.01.2020 15:24:01	1	1	1	1	70.75	61	0	29952.607	270.9677419	7974.342946	30000	0	0	30000	41.25	2004
21.01.2020 15:24:03	1	1	1	1	70.75	61.25	0	30000	277.4193548	8258.092572	30000	0	0	30000	41.1875	2004
21.01.2020 15:24:04	1	1	1	1	70.75	61	0	30000	264.516129	7999.619493	30000	0	0	30000	40.5	2004
21.01.2020 15:24:05	1	1	1	1	70.75	60.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	41.125	2004
21.01.2020 15:24:06	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.1875	2004
21.01.2020 15:24:07	1	1	1	1	70.75	61	0	30000	253.7634409	7676.731987	30000	0	0	30000	41.1875	2004
21.01.2020 15:24:08	1	1	1	1	70.75	61	0	30000	249.4623656	7483.488707	30000	0	0	30000	40.9375	2004
21.01.2020 15:24:09	1	1	1	1	70.75	60.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.125	2004
21.01.2020 15:24:10	1	1	1	1	70.75	61	0	30000	270.9677419	8322.506999	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:24:11	1	1	1	1	70.5	60.75	0	30000	279.5698925	8309.461039	30000	0	0	30000	40.75	2004
21.01.2020 15:24:12	1	1	1	1	70.5	60.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.75	2004
21.01.2020 15:24:13	1	1	1	1	70.5	60.75	0	29952.607	303.2258065	9225.124344	30000	0	0	30000	41	2004
21.01.2020 15:24:14	1	1	1	1	70.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:15	1	1	1	1	70.5	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.9375	2004
21.01.2020 15:24:16	1	1	1	1	70.5	60.75	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:17	1	1	1	1	70.5	61	0	30000	305.3763441	9096.295491	30000	0	0	30000	41	2004
21.01.2020 15:24:18	1	1	1	1	70.5	61	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:19	1	1	1	1	70.5	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.125	2004
21.01.2020 15:24:20	1	1	1	1	70.5	61	0	29952.607	303.2258065	9225.124344	30000	0	0	30000	41	2004
21.01.2020 15:24:21	1	1	1	1	70	61	0	30000	313.9784946	9225.124344	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:22	1	1	1	1	70	61	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.9375	2004
21.01.2020 15:24:23	1	1	1	1	70	60.75	0	30000	288.172043	8644.579132	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:30	1	1	1	1	70	61	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.75	2004
21.01.2020 15:24:30	1	1	1	1	70	61	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.75	2004
21.01.2020 15:24:30	1	1	1	1	70	61	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.75	2004
21.01.2020 15:24:31	1	1	1	1	70	61	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.75	2004
21.01.2020 15:24:31	1	1	1	1	70	61	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.75	2004
21.01.2020 15:24:31	1	1	1	1	70	61	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.75	2004
21.01.2020 15:24:31	1	1	1	1	70	61	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.75	2004
21.01.2020 15:24:31	1	1	1	1	70	60.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.9375	2004
21.01.2020 15:24:32	1	1	1	1	70	60.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	41	2004
21.01.2020 15:24:33	1	1	1	1	70	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:34	1	1	1	1	70	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.8125	2004
21.01.2020 15:24:35	1	1	1	1	70	60.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:36	1	1	1	1	70	61	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.625	2004
21.01.2020 15:24:37	1	1	1	1	70	60.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:38	1	1	1	1	70	61	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.6875	2004
21.01.2020 15:24:39	1	1	1	1	70	60.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	41.125	2004
21.01.2020 15:24:40	1	1	1	1	70.5	61	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.9375	2004
21.01.2020 15:24:42	1	1	1	1	70.5	60.75	0	30000	268.8172043	8128.448346	30000	0	0	30000	41.125	2004
21.01.2020 15:24:43	1	1	1	1	70.5	61	0	30000	268.8172043	8064.033919	30000	0	0	30000	41	2004
21.01.2020 15:24:44	1	1	1	1	70.5	61	0	29905.213	281.7204301	8451.335852	30000	0	0	30000	41.25	2004
21.01.2020 15:24:45	1	1	1	1	70.5	61.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	41.125	2004
21.01.2020 15:24:46	1	1	1	1	70.5	61	0	29952.607	275.2688172	8245.046612	30000	0	0	30000	41.125	2004
21.01.2020 15:24:47	1	1	1	1	70.5	61	0	30000	286.0215054	8644.579132	30000	0	0	30000	41.1875	2004
21.01.2020 15:24:48	1	1	1	1	70.5	61	0	30000	286.0215054	8451.335852	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:49	1	1	1	1	70.5	61	0	29952.607	279.5698925	8451.335852	30000	0	0	30000	41	2004
21.01.2020 15:24:50	1	1	1	1	70.5	61	0	30000	277.4193548	8322.506999	30000	0	0	30000	41	2004
21.01.2020 15:24:51	1	1	1	1	70.75	61	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:52	1	1	1	1	70.75	61	0	30000	262.3655914	7870.79064	30000	0	0	30000	41.125	2004
21.01.2020 15:24:53	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.1875	2004
21.01.2020 15:24:54	1	1	1	1	70.75	61	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:24:55	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:56	1	1	1	1	70.75	61	0	30000	270.9677419	8064.033919	30000	0	0	30000	40.6875	2004
21.01.2020 15:24:57	1	1	1	1	70.75	60.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:58	1	1	1	1	70.75	61	0	30000	270.9677419	8141.494306	30000	0	0	30000	41.0625	2004
21.01.2020 15:24:59	1	1	1	1	70.75	61	0	30000	266.6666667	8128.448346	30000	0	0	30000	41.0625	2004
21.01.2020 15:25:00	1	1	1	1	70.75	61	0	30000	262.3655914	7870.79064	30000	0	0	30000	41	2004
21.01.2020 15:25:01	1	1	1	1	70.75	61	0	30000	253.7634409	7612.31756	30000	0	0	30000	41.125	2004
21.01.2020 15:25:02	1	1	1	1	70.75	61	0	30000	249.4623656	7547.903134	30000	0	0	30000	41	2004
21.01.2020 15:25:03	1	1	1	1	70.75	61	0	30000	247.311828	7419.07428	30000	0	0	30000	40.3125	2004
21.01.2020 15:25:04	1	1	1	1	70.75	60.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	41	2004
21.01.2020 15:25:05	1	1	1	1	70.75	61	0	30000	262.3655914	7806.376213	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:06	1	1	1	1	70.75	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.625	2004
21.01.2020 15:25:07	1	1	1	1	70.75	61.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	40.8125	2004
21.01.2020 15:25:08	1	1	1	1	70.75	60.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	40.9375	2004
21.01.2020 15:25:09	1	1	1	1	70.75	60.75	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5	2004
21.01.2020 15:25:10	1	1	1	1	71	60.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	41.0625	2004
21.01.2020 15:25:11	1	1	1	1	71	61	0	30000	245.1612903	7354.659854	30000	0	0	30000	40.75	2004
21.01.2020 15:25:12	1	1	1	1	71	60.75	0	30000	247.311828	7419.07428	30000	0	0	30000	40.8125	2004
21.01.2020 15:25:13	1	1	1	1	71	60.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.5625	2004
21.01.2020 15:25:14	1	1	1	1	71	60.5	0	30000	240.8602151	7225.831	30000	0	0	30000	41	2004
21.01.2020 15:25:15	1	1	1	1	71	61	0	30000	245.1612903	7483.488707	30000	0	0	30000	40.75	2004
21.01.2020 15:25:16	1	1	1	1	71	60.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	40.75	2004
21.01.2020 15:25:17	1	1	1	1	71	60.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.9375	2004
21.01.2020 15:25:18	1	1	1	1	71	60.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.9375	2004
21.01.2020 15:25:20	1	1	1	1	71	60.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.1875	2004
21.01.2020 15:25:21	1	1	1	1	71.25	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.8125	2004
21.01.2020 15:25:22	1	1	1	1	71.25	60.75	0	30000	260.2150538	7741.961786	30000	0	0	30000	40.75	2004
21.01.2020 15:25:23	1	1	1	1	71.25	60.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.875	2004
21.01.2020 15:25:24	1	1	1	1	71.25	60.75	0	30000	255.9139785	7612.31756	30000	0	0	30000	40.4375	2004
21.01.2020 15:25:25	1	1	1	1	71.25	60.25	0	30000	249.4623656	7483.488707	30000	0	0	30000	41.0625	2004
21.01.2020 15:25:32	1	1	1	1	71.5	60.75	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:32	1	1	1	1	71.5	60.75	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:32	1	1	1	1	71.5	60.75	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:32	1	1	1	1	71.5	60.75	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:32	1	1	1	1	71.5	60.75	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:32	1	1	1	1	71.5	60.75	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:32	1	1	1	1	71.5	60.75	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:32	1	1	1	1	71.5	60.75	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:33	1	1	1	1	71.5	61	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.5	2004
21.01.2020 15:25:34	1	1	1	1	71.5	60.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	40.75	2004
21.01.2020 15:25:35	1	1	1	1	71.5	60.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.5625	2004
21.01.2020 15:25:36	1	1	1	1	71.5	60.5	0	30000	275.2688172	8192.862773	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:37	1	1	1	1	71.5	61	0	30000	268.8172043	8128.448346	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:38	1	1	1	1	71.5	61	0	30000	279.5698925	8322.506999	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:25:39	1	1	1	1	71.5	60.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.625	2004
21.01.2020 15:25:40	1	1	1	1	71.5	60.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	41	2004
21.01.2020 15:25:41	1	1	1	1	71.5	61	0	30000	253.7634409	7536.487919	30000	0	0	30000	40.8125	2004
21.01.2020 15:25:42	1	1	1	1	71.5	60.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:25:43	1	1	1	1	71.5	61	0	30000	221.5053763	6644.470416	30000	0	0	30000	41.125	2004
21.01.2020 15:25:44	1	1	1	1	71.5	61	0	30000	225.8064516	6774.114641	30000	0	0	30000	40.9375	2004
21.01.2020 15:25:45	1	1	1	1	71.5	60.75	0	29952.607	243.0107527	7354.659854	30000	0	0	30000	40.9375	2004
21.01.2020 15:25:46	1	1	1	1	71.5	61.25	0	30000	240.8602151	7313.075857	30000	0	0	30000	40.9375	2004
21.01.2020 15:25:47	1	1	1	1	71.5	60.75	0	29952.607	232.2580645	7031.772348	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:48	1	1	1	1	71.5	61	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.3125	2004
21.01.2020 15:25:49	1	1	1	1	71.5	60.25	0	30000	227.9569892	6967.357921	30000	0	0	30000	40.5	2004
21.01.2020 15:25:50	1	1	1	1	71.75	60.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.75	2004
21.01.2020 15:25:51	1	1	1	1	71.75	60.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	41	2004
21.01.2020 15:25:52	1	1	1	1	71.75	61	0	30000	232.2580645	6774.114641	30000	0	0	30000	41.1875	2004
21.01.2020 15:25:53	1	1	1	1	71.75	61	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.9375	2004
21.01.2020 15:25:54	1	1	1	1	71.75	60.75	0	30047.393	234.4086022	6838.529068	30000	0	0	30000	40.875	2004
21.01.2020 15:25:55	1	1	1	1	71.75	60.75	0	30000	227.9569892	6902.943495	30000	0	0	30000	40.625	2004
21.01.2020 15:25:56	1	1	1	1	71.75	60.5	0	30000	230.1075269	6902.943495	30000	0	0	30000	41.125	2004
21.01.2020 15:25:58	1	1	1	1	71.75	61	0	30000	240.8602151	7225.831	30000	0	0	30000	40.8125	2004
21.01.2020 15:25:59	1	1	1	1	71.75	60.75	0	29952.607	243.0107527	7290.245427	30000	0	0	30000	41	2004
21.01.2020 15:26:00	1	1	1	1	71.75	61	0	30000	247.311828	7419.07428	30000	0	0	30000	40.25	2004
21.01.2020 15:26:01	1	1	1	1	72	60.25	0	30000	247.311828	7419.07428	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:02	1	1	1	1	72	61	0	30000	243.0107527	7354.659854	30000	0	0	30000	40.6875	2004
21.01.2020 15:26:03	1	1	1	1	72	60.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.875	2004
21.01.2020 15:26:04	1	1	1	1	72	60.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	41.125	2004
21.01.2020 15:26:05	1	1	1	1	72	61	0	30000	240.8602151	7225.831	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:06	1	1	1	1	72	61	0	30000	232.2580645	6967.357921	30000	0	0	30000	41	2004
21.01.2020 15:26:07	1	1	1	1	72	61	0	30000	243.0107527	7560.133721	30000	0	0	30000	40.6875	2004
21.01.2020 15:26:08	1	1	1	1	72	60.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	40.875	2004
21.01.2020 15:26:09	1	1	1	1	72	60.75	0	30094.787	243.0107527	7225.831	30000	0	0	30000	40.75	2004
21.01.2020 15:26:10	1	1	1	1	72	60.75	0	30000	240.8602151	7225.831	30000	0	0	30000	41	2004
21.01.2020 15:26:11	1	1	1	1	72	61	0	30000	240.8602151	7225.831	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:12	1	1	1	1	72	61	0	30000	240.8602151	7225.831	30000	0	0	30000	40.625	2004
21.01.2020 15:26:13	1	1	1	1	72	60.5	0	30000	236.5591398	7085.586932	30000	0	0	30000	40.3125	2004
21.01.2020 15:26:14	1	1	1	1	72	60.25	0	30000	234.4086022	7096.186775	30000	0	0	30000	41	2004
21.01.2020 15:26:15	1	1	1	1	72	61	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.9375	2004
21.01.2020 15:26:16	1	1	1	1	72	60.75	0	30000	227.9569892	6838.529068	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:17	1	1	1	1	72	61	0	30000	223.655914	6774.114641	30000	0	0	30000	40.875	2004
21.01.2020 15:26:18	1	1	1	1	72	60.75	0	30000	225.8064516	6774.114641	30000	0	0	30000	40.9375	2004
21.01.2020 15:26:19	1	1	1	1	72	60.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.9375	2004
21.01.2020 15:26:20	1	1	1	1	72	60.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	41	2004
21.01.2020 15:26:21	1	1	1	1	72.25	61	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.125	2004
21.01.2020 15:26:22	1	1	1	1	72.25	61	0	30047.393	266.6666667	7999.619493	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:26:23	1	1	1	1	72.25	61	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.125	2004
21.01.2020 15:26:24	1	1	1	1	72.25	61	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.5	2004
21.01.2020 15:26:25	1	1	1	1	72.25	60.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:26	1	1	1	1	72.25	61	0	30000	258.0645161	7818.6068	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:34	1	1	1	1	72.25	61	0	30000	247.311828	7483.488707	30000	0	0	30000	40.875	2004
21.01.2020 15:26:36	1	1	1	1	72.25	60.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	41	2004
21.01.2020 15:26:37	1	1	1	1	72.25	61	0	30000	247.311828	7419.07428	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:38	1	1	1	1	72.25	61	0	30000	245.1612903	7419.07428	30000	0	0	30000	40.9375	2004
21.01.2020 15:26:39	1	1	1	1	72.25	60.75	0	30000	240.8602151	7225.831	30000	0	0	30000	40.8125	2004
21.01.2020 15:26:40	1	1	1	1	72.25	60.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	40.5625	2004
21.01.2020 15:26:41	1	1	1	1	72.25	60.5	0	30000	247.311828	7547.903134	30000	0	0	30000	41	2004
21.01.2020 15:26:42	1	1	1	1	72.25	61	0	30000	251.6129032	7547.903134	30000	0	0	30000	41	2004
21.01.2020 15:26:43	1	1	1	1	72.25	61	0	30000	249.4623656	7483.488707	30000	0	0	30000	40.6875	2004
21.01.2020 15:26:44	1	1	1	1	72.25	60.5	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	40.625	2004
21.01.2020 15:26:45	1	1	1	1	72.25	60.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:46	1	1	1	1	72.25	61	0	30000	251.6129032	7612.31756	30000	0	0	30000	40.9375	2004
21.01.2020 15:26:47	1	1	1	1	72.25	60.75	0	30000	247.311828	7419.07428	30000	0	0	30000	40.8125	2004
21.01.2020 15:26:48	1	1	1	1	72.25	60.75	0	30000	264.516129	7806.376213	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:49	1	1	1	1	72.25	61	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.9375	2004
21.01.2020 15:26:50	1	1	1	1	72.25	60.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	41	2004
21.01.2020 15:26:51	1	1	1	1	72.5	61	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	41.125	2004
21.01.2020 15:26:52	1	1	1	1	72.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	41	2004
21.01.2020 15:26:53	1	1	1	1	72.5	61	0	30000	309.6774194	9354.76857	30000	0	0	30000	41	2004
21.01.2020 15:26:54	1	1	1	1	72.5	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:55	1	1	1	1	72.5	61	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.8125	2004
21.01.2020 15:26:56	1	1	1	1	72.5	60.75	0	30047.393	316.1290323	9290.354143	30000	0	0	30000	41.125	2004
21.01.2020 15:26:57	1	1	1	1	72.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:58	1	1	1	1	72.5	61	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.0625	2004
21.01.2020 15:26:59	1	1	1	1	72.5	61	0	30000	324.7311828	9806.484929	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:00	1	1	1	1	72.5	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.6875	2004
21.01.2020 15:27:01	1	1	1	1	72.5	60.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.5	2004
21.01.2020 15:27:02	1	1	1	1	72.5	61.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.8125	2004
21.01.2020 15:27:03	1	1	1	1	72.5	60.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.5625	2004
21.01.2020 15:27:04	1	1	1	1	72.5	60.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	41	2004
21.01.2020 15:27:05	1	1	1	1	72.5	61	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.6875	2004
21.01.2020 15:27:06	1	1	1	1	72.5	60.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:27:07	1	1	1	1	72.5	60.5	0	29952.607	335.483871	10113.06499	30000	0	0	30000	40.5625	2004
21.01.2020 15:27:08	1	1	1	1	72.5	60.5	0	29952.607	324.7311828	9806.484929	30000	0	0	30000	40.875	2004
21.01.2020 15:27:09	1	1	1	1	72.5	60.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.0625	2004
21.01.2020 15:27:10	1	1	1	1	72.75	61	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.9375	2004
21.01.2020 15:27:11	1	1	1	1	72.75	59.75	0	30047.393	326.8817204	9676.840703	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:12	1	1	1	1	72.75	60.75	0	30000	339.7849462	10144.86451	30000	0	0	30000	41	2004
21.01.2020 15:27:14	1	1	1	1	72.75	61	0	29952.607	337.6344086	10177.47941	30000	0	0	30000	40.875	2004
21.01.2020 15:27:15	1	1	1	1	72.75	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.75	2004
21.01.2020 15:27:16	1	1	1	1	72.75	60.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.125	2004
21.01.2020 15:27:17	1	1	1	1	72.75	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.6875	2004
21.01.2020 15:27:18	1	1	1	1	72.75	60.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.8125	2004
21.01.2020 15:27:19	1	1	1	1	72.75	60.75	0	29952.607	311.827957	9483.597423	30000	0	0	30000	40.875	2004
21.01.2020 15:27:20	1	1	1	1	72.75	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.25	2004
21.01.2020 15:27:21	1	1	1	1	73	60.25	0	30000	335.483871	9999.728209	30000	0	0	30000	40.875	2004
21.01.2020 15:27:22	1	1	1	1	73	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41	2004
21.01.2020 15:27:23	1	1	1	1	73	61	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.875	2004
21.01.2020 15:27:24	1	1	1	1	73	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5	2004
21.01.2020 15:27:25	1	1	1	1	73	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:26	1	1	1	1	73	60.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.6875	2004
21.01.2020 15:27:27	1	1	1	1	73	60.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.875	2004
21.01.2020 15:27:28	1	1	1	1	73	60.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.6875	2004
21.01.2020 15:27:35	1	1	1	1	73	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:35	1	1	1	1	73	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:35	1	1	1	1	73	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:35	1	1	1	1	73	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:35	1	1	1	1	73	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:35	1	1	1	1	73	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:35	1	1	1	1	73	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:35	1	1	1	1	73	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:36	1	1	1	1	73	60.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.75	2004
21.01.2020 15:27:37	1	1	1	1	73	60.75	0	30000	286.0215054	8424.42856	30000	0	0	30000	40.6875	2004
21.01.2020 15:27:38	1	1	1	1	73	60.5	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:39	1	1	1	1	73	60.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:40	1	1	1	1	73	60.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:41	1	1	1	1	73.25	60.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.4375	2004
21.01.2020 15:27:42	1	1	1	1	73.25	61	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.8125	2004
21.01.2020 15:27:43	1	1	1	1	73.25	60.75	0	30000	275.2688172	8064.033919	30000	0	0	30000	40.8125	2004
21.01.2020 15:27:44	1	1	1	1	73.25	60.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	41	2004
21.01.2020 15:27:45	1	1	1	1	73.25	61	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:46	1	1	1	1	73.25	60.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:47	1	1	1	1	73.25	60.75	0	30000	264.516129	7935.205066	30000	0	0	30000	41.125	2004
21.01.2020 15:27:48	1	1	1	1	73.25	61	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	41.125	2004
21.01.2020 15:27:49	1	1	1	1	73.25	61	0	29952.607	255.9139785	7676.731987	30000	0	0	30000	41.0625	2004
21.01.2020 15:27:50	1	1	1	1	72.75	61	0	30000	258.0645161	7676.731987	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:27:51	1	1	1	1	72.75	60.25	0	29952.607	255.9139785	7741.961786	30000	0	0	30000	41.125	2004
21.01.2020 15:27:53	1	1	1	1	72.75	61	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.0625	2004
21.01.2020 15:27:54	1	1	1	1	72.75	61	0	30000	247.311828	7547.903134	30000	0	0	30000	40.8125	2004
21.01.2020 15:27:55	1	1	1	1	72.75	60.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	40.875	2004
21.01.2020 15:27:56	1	1	1	1	72.75	60.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	40.9375	2004
21.01.2020 15:27:57	1	1	1	1	72.75	60.75	0	30000	251.6129032	7676.731987	30000	0	0	30000	41	2004
21.01.2020 15:27:58	1	1	1	1	72.75	61	0	30000	253.7634409	7472.073492	30000	0	0	30000	40.8125	2004
21.01.2020 15:27:59	1	1	1	1	72.75	60.75	0	30000	275.2688172	7999.619493	30000	0	0	30000	40.9375	2004
21.01.2020 15:28:00	1	1	1	1	72.75	60.75	0	30000	264.516129	7935.205066	30000	0	0	30000	40.875	2004
21.01.2020 15:28:01	1	1	1	1	72.75	60.75	0	30000	268.8172043	7999.619493	30000	0	0	30000	40.9375	2004
21.01.2020 15:28:02	1	1	1	1	72.75	60.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	40.9375	2004
21.01.2020 15:28:03	1	1	1	1	72.75	60.75	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	40.5625	2004
21.01.2020 15:28:04	1	1	1	1	72.75	60.5	0	30000	264.516129	7935.205066	30000	0	0	30000	40.625	2004
21.01.2020 15:28:05	1	1	1	1	72.75	60.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.0625	2004
21.01.2020 15:28:06	1	1	1	1	72.75	61	0	30000	255.9139785	7676.731987	30000	0	0	30000	40.6875	2004
21.01.2020 15:28:07	1	1	1	1	72.75	60.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.6875	2004
21.01.2020 15:28:08	1	1	1	1	72.75	60.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	41.0625	2004
21.01.2020 15:28:09	1	1	1	1	72.75	61	0	30000	262.3655914	7870.79064	30000	0	0	30000	41	2004
21.01.2020 15:28:10	1	1	1	1	72.75	61	0	30000	264.516129	7999.619493	30000	0	0	30000	40.9375	2004
21.01.2020 15:28:11	1	1	1	1	72.5	60.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	41.0625	2004
21.01.2020 15:28:12	1	1	1	1	72.5	61	0	30000	264.516129	7935.205066	30000	0	0	30000	40.9375	2004
21.01.2020 15:28:13	1	1	1	1	72.5	60.75	0	30000	262.3655914	7717.500612	30000	0	0	30000	40.1875	2004
21.01.2020 15:28:14	1	1	1	1	72.5	60	0	30000	253.7634409	7741.961786	30000	0	0	30000	41	2004
21.01.2020 15:28:15	1	1	1	1	72.5	61	0	30000	260.2150538	7870.79064	30000	0	0	30000	40.6875	2004
21.01.2020 15:28:16	1	1	1	1	72.5	60.5	0	30000	264.516129	7935.205066	30000	0	0	30000	40.5	2004
21.01.2020 15:28:17	1	1	1	1	72.5	60.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.375	2004
21.01.2020 15:28:18	1	1	1	1	72.5	61.25	0	29952.607	264.516129	7999.619493	30000	0	0	30000	40.3125	2004
21.01.2020 15:28:19	1	1	1	1	72.5	61.25	0	30000	255.9139785	7676.731987	30000	0	0	30000	40.875	2004
21.01.2020 15:28:20	1	1	1	1	72.5	60.75	0	30000	240.8602151	7430.489495	30000	0	0	30000	40.9375	2004
21.01.2020 15:28:21	1	1	1	1	72.5	60.75	0	30000	247.311828	7419.07428	30000	0	0	30000	41	2004
21.01.2020 15:28:22	1	1	1	1	72.5	61	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.5625	2004
21.01.2020 15:28:23	1	1	1	1	72.5	60.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	40.9375	2004
21.01.2020 15:28:24	1	1	1	1	72.5	60.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.9375	2004
21.01.2020 15:28:25	1	1	1	1	72.5	60.75	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	40.875	2004
21.01.2020 15:28:26	1	1	1	1	72.5	60.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.4375	2004
21.01.2020 15:28:27	1	1	1	1	72.5	60.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	41	2004
21.01.2020 15:28:28	1	1	1	1	72.5	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	41	2004
21.01.2020 15:28:29	1	1	1	1	72.5	61	0	30000	311.827957	9354.76857	30000	0	0	30000	41	2004
21.01.2020 15:28:37	1	1	1	1	72.75	60.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:28:37	1	1	1	1	72.75	60.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:28:37	1	1	1	1	72.75	60.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:28:37	1	1	1	1	72.75	60.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:28:37	1	1	1	1	72.75	60.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:28:37	1	1	1	1	72.75	60.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:28:37	1	1	1	1	72.75	60.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:28:38	1	1	1	1	72.75	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.6875	2004
21.01.2020 15:28:39	1	1	1	1	72.75	60.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.6875	2004
21.01.2020 15:28:40	1	1	1	1	72.75	60.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	41	2004
21.01.2020 15:28:41	1	1	1	1	72.5	61	0	30000	346.2365591	10257.38592	30000	0	0	30000	40.875	2004
21.01.2020 15:28:42	1	1	1	1	72.5	60.75	0	30000	350.5376344	10387.03014	30000	0	0	30000	41.1875	2004
21.01.2020 15:28:43	1	1	1	1	72.5	61	0	30000	341.9354839	10387.03014	30000	0	0	30000	40.9375	2004
21.01.2020 15:28:44	1	1	1	1	72.5	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41	2004
21.01.2020 15:28:45	1	1	1	1	72.5	61	0	29952.607	348.3870968	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:28:46	1	1	1	1	72.5	60.75	0	29952.607	335.483871	10257.38592	30000	0	0	30000	41.125	2004
21.01.2020 15:28:47	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41	2004
21.01.2020 15:28:48	1	1	1	1	72.5	61	0	30000	337.6344086	10192.97149	30000	0	0	30000	41.0625	2004
21.01.2020 15:28:49	1	1	1	1	72.5	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.125	2004
21.01.2020 15:28:50	1	1	1	1	72.5	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.75	2004
21.01.2020 15:28:51	1	1	1	1	72.5	60.75	0	29952.607	341.9354839	10192.97149	30000	0	0	30000	40.625	2004
21.01.2020 15:28:52	1	1	1	1	72.5	60.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
21.01.2020 15:28:53	1	1	1	1	72.5	61	0	29905.213	337.6344086	10192.97149	30000	0	0	30000	41.125	2004
21.01.2020 15:28:54	1	1	1	1	72.5	61	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	41	2004
21.01.2020 15:28:55	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.625	2004
21.01.2020 15:28:56	1	1	1	1	72.5	60.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.4375	2004
21.01.2020 15:28:57	1	1	1	1	72.5	61.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.3125	2004
21.01.2020 15:28:58	1	1	1	1	72.5	60.5	0	29905.213	326.8817204	9999.728209	30000	0	0	30000	40.875	2004
21.01.2020 15:28:59	1	1	1	1	72.5	60.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.9375	2004
21.01.2020 15:29:00	1	1	1	1	72.75	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:29:01	1	1	1	1	72.75	60.75	0	30000	335.483871	10128.55706	30000	0	0	30000	40.5625	2004
21.01.2020 15:29:02	1	1	1	1	72.75	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
21.01.2020 15:29:03	1	1	1	1	72.75	60.75	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	40.9375	2004
21.01.2020 15:29:04	1	1	1	1	72.75	60.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	41	2004
21.01.2020 15:29:05	1	1	1	1	72.75	61	0	30000	335.483871	9999.728209	30000	0	0	30000	40.8125	2004
21.01.2020 15:29:06	1	1	1	1	72.75	60.75	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	40.875	2004
21.01.2020 15:29:07	1	1	1	1	72.75	60.75	0	30000	335.483871	9999.728209	30000	0	0	30000	40.875	2004
21.01.2020 15:29:08	1	1	1	1	72.75	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41	2004
21.01.2020 15:29:10	1	1	1	1	72.75	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.1875	2004
21.01.2020 15:29:11	1	1	1	1	72.5	61	0	29952.607	318.2795699	9676.840703	30000	0	0	30000	41.0625	2004
21.01.2020 15:29:12	1	1	1	1	72.5	61	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.9375	2004
21.01.2020 15:29:13	1	1	1	1	72.5	60.75	0	29905.213	322.5806452	9726.578425	30000	0	0	30000	41.0625	2004
21.01.2020 15:29:14	1	1	1	1	72.5	61	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.0625	2004
21.01.2020 15:29:15	1	1	1	1	72.5	61	0	30000	292.4731183	8838.637784	30000	0	0	30000	41	2004
21.01.2020 15:29:16	1	1	1	1	72.5	61	0	29905.213	277.4193548	8451.335852	30000	0	0	30000	40.1875	2004
21.01.2020 15:29:17	1	1	1	1	72.5	60	0	29905.213	292.4731183	8774.223358	30000	0	0	30000	40.4375	2004
21.01.2020 15:29:18	1	1	1	1	72.5	60.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.875	2004
21.01.2020 15:29:19	1	1	1	1	72.5	60.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:29:20	1	1	1	1	72.5	61	0	30000	305.3763441	9160.709918	30000	0	0	30000	41	2004
21.01.2020 15:29:21	1	1	1	1	72.75	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.875	2004
21.01.2020 15:29:22	1	1	1	1	72.75	60.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.75	2004
21.01.2020 15:29:23	1	1	1	1	72.75	60.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.75	2004
21.01.2020 15:29:24	1	1	1	1	72.75	60.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	41	2004
21.01.2020 15:29:25	1	1	1	1	72.75	61	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.6875	2004
21.01.2020 15:29:26	1	1	1	1	72.75	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.9375	2004
21.01.2020 15:29:27	1	1	1	1	72.75	60.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.125	2004
21.01.2020 15:29:28	1	1	1	1	72.75	61	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.8125	2004
21.01.2020 15:29:29	1	1	1	1	72.75	60.75	0	30000	292.4731183	8760.362025	30000	0	0	30000	41	2004
21.01.2020 15:29:30	1	1	1	1	72.75	61	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	41.0625	2004
21.01.2020 15:29:31	1	1	1	1	72.5	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.5	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:39	1	1	1	1	72.5	60.75	0	30000	335.483871	9999.728209	30000	0	0	30000	40.6875	2004
21.01.2020 15:29:40	1	1	1	1	72.5	60.5	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	41	2004
21.01.2020 15:29:41	1	1	1	1	72.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.0625	2004
21.01.2020 15:29:42	1	1	1	1	72.5	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:43	1	1	1	1	72.5	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.9375	2004
21.01.2020 15:29:44	1	1	1	1	72.5	60.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40.75	2004
21.01.2020 15:29:45	1	1	1	1	72.5	60.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:29:47	1	1	1	1	72.5	60.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	41	2004
21.01.2020 15:29:48	1	1	1	1	72.5	61	0	29952.607	352.688172	10773.5167	30000	0	0	30000	40.875	2004
21.01.2020 15:29:49	1	1	1	1	72.5	60.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.0625	2004
21.01.2020 15:29:50	1	1	1	1	72.5	61	0	30047.393	339.7849462	10128.55706	30000	0	0	30000	40.5625	2004
21.01.2020 15:29:51	1	1	1	1	72.75	60.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.9375	2004
21.01.2020 15:29:52	1	1	1	1	72.75	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:29:53	1	1	1	1	72.75	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:29:54	1	1	1	1	72.75	60.5	0	30000	341.9354839	10241.89384	30000	0	0	30000	40.25	2004
21.01.2020 15:29:55	1	1	1	1	72.75	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.4375	2004
21.01.2020 15:29:56	1	1	1	1	72.75	60.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	40.875	2004
21.01.2020 15:29:57	1	1	1	1	72.75	60.75	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	40	2004
21.01.2020 15:29:58	1	1	1	1	72.75	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004
21.01.2020 15:29:59	1	1	1	1	72.75	60.75	0	30000	352.688172	10515.85899	30000	0	0	30000	41	2004
21.01.2020 15:30:00	1	1	1	1	72.75	61	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.8125	2004
21.01.2020 15:30:01	1	1	1	1	72.5	60.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.875	2004
21.01.2020 15:30:02	1	1	1	1	72.5	60.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.875	2004
21.01.2020 15:30:03	1	1	1	1	72.5	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:30:04	1	1	1	1	72.5	60.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.8125	2004
21.01.2020 15:30:05	1	1	1	1	72.5	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.9375	2004
21.01.2020 15:30:06	1	1	1	1	72.5	60.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	41	2004
21.01.2020 15:30:07	1	1	1	1	72.5	61	0	30000	311.827957	9354.76857	30000	0	0	30000	40.6875	2004
21.01.2020 15:30:08	1	1	1	1	72.5	60.5	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:30:09	1	1	1	1	72.5	60.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	40.8125	2004
21.01.2020 15:30:10	1	1	1	1	72.5	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	40.875	2004
21.01.2020 15:30:11	1	1	1	1	72.5	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.9375	2004
21.01.2020 15:30:12	1	1	1	1	72.5	60.75	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	41.25	2004
21.01.2020 15:30:13	1	1	1	1	72.5	61.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.875	2004
21.01.2020 15:30:14	1	1	1	1	72.5	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.125	2004
21.01.2020 15:30:15	1	1	1	1	72.5	61	0	30000	288.172043	8631.533172	30000	0	0	30000	40.8125	2004
21.01.2020 15:30:16	1	1	1	1	72.5	61	0	29952.607	286.0215054	8708.993559	30000	0	0	30000	40.8125	2004
21.01.2020 15:30:17	1	1	1	1	72.5	60.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	40.875	2004
21.01.2020 15:30:18	1	1	1	1	72.5	60.75	0	30000	262.3655914	7999.619493	30000	0	0	30000	40.625	2004
21.01.2020 15:30:19	1	1	1	1	72.5	60.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.0625	2004
21.01.2020 15:30:20	1	1	1	1	72.5	61	0	30000	260.2150538	7806.376213	30000	0	0	30000	41.0625	2004
21.01.2020 15:30:21	1	1	1	1	72.5	61	0	29905.213	253.7634409	7676.731987	30000	0	0	30000	41	2004
21.01.2020 15:30:22	1	1	1	1	72.5	61	0	30000	249.4623656	7483.488707	30000	0	0	30000	39.8125	2004
21.01.2020 15:30:23	1	1	1	1	72.5	59.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	41.0625	2004
21.01.2020 15:30:25	1	1	1	1	72.5	61	0	29952.607	247.311828	7419.07428	30000	0	0	30000	41.0625	2004
21.01.2020 15:30:26	1	1	1	1	72.5	61	0	30000	247.311828	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 15:30:27	1	1	1	1	72.5	60.25	0	29952.607	258.0645161	7676.731987	30000	0	0	30000	40.9375	2004
21.01.2020 15:30:28	1	1	1	1	72.5	60.75	0	30000	260.2150538	7741.961786	30000	0	0	30000	40.625	2004
21.01.2020 15:30:29	1	1	1	1	72.5	60.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	40.875	2004
21.01.2020 15:30:30	1	1	1	1	72.5	60.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.4375	2004
21.01.2020 15:30:31	1	1	1	1	72.25	60.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	41.0625	2004
21.01.2020 15:30:32	1	1	1	1	72.25	61	0	30000	251.6129032	7612.31756	30000	0	0	30000	41	2004
21.01.2020 15:30:33	1	1	1	1	72.25	61	0	30000	260.2150538	7612.31756	30000	0	0	30000	41	2004
21.01.2020 15:30:40	1	1	1	1	72.25	60.5	0	30000	247.311828	7354.659854	30000	0	0	30000	40.625	2004
21.01.2020 15:30:40	1	1	1	1	72.25	60.5	0	30000	247.311828	7354.659854	30000	0	0	30000	40.625	2004
21.01.2020 15:30:40	1	1	1	1	72.25	60.5	0	30000	247.311828	7354.659854	30000	0	0	30000	40.625	2004
21.01.2020 15:30:40	1	1	1	1	72.25	60.5	0	30000	247.311828	7354.659854	30000	0	0	30000	40.625	2004
21.01.2020 15:30:40	1	1	1	1	72.25	60.5	0	30000	247.311828	7354.659854	30000	0	0	30000	40.625	2004
21.01.2020 15:30:40	1	1	1	1	72.25	60.5	0	30000	247.311828	7354.659854	30000	0	0	30000	40.625	2004
21.01.2020 15:30:41	1	1	1	1	72.25	60.5	0	29952.607	245.1612903	7354.659854	30000	0	0	30000	40.6875	2004
21.01.2020 15:30:42	1	1	1	1	72.25	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.8125	2004
21.01.2020 15:30:43	1	1	1	1	72.25	60.75	0	30000	247.311828	7419.07428	30000	0	0	30000	40.9375	2004
21.01.2020 15:30:44	1	1	1	1	72.25	60.75	0	30000	234.4086022	7237.246215	30000	0	0	30000	40.625	2004
21.01.2020 15:30:45	1	1	1	1	72.25	60.5	0	30000	240.8602151	7160.601201	30000	0	0	30000	40.8125	2004
21.01.2020 15:30:46	1	1	1	1	72.25	60.75	0	30000	240.8602151	6967.357921	30000	0	0	30000	40.75	2004
21.01.2020 15:30:47	1	1	1	1	72.25	60.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:30:48	1	1	1	1	72.25	61	0	30000	253.7634409	7547.903134	30000	0	0	30000	40.5	2004
21.01.2020 15:30:49	1	1	1	1	72.25	60.5	0	29952.607	247.311828	7419.07428	30000	0	0	30000	40.4375	2004
21.01.2020 15:30:53	1	1	1	1	72.25	61.25	0	30000	230.1075269	6967.357921	30000	0	0	30000	40.875	2004
21.01.2020 15:30:53	1	1	1	1	72.25	61.25	0	30000	230.1075269	6967.357921	30000	0	0	30000	40.875	2004
21.01.2020 15:30:53	1	1	1	1	72.25	60.75	0	30000	243.0107527	7225.831	30000	0	0	30000	41.3125	2004
21.01.2020 15:30:54	1	1	1	1	72.25	61.25	0	30000	236.5591398	7096.186775	30000	0	0	30000	41.375	2004
21.01.2020 15:30:55	1	1	1	1	72.25	60.75	0	29952.607	227.9569892	6838.529068	30000	0	0	30000	40.9375	2004
21.01.2020 15:30:56	1	1	1	1	72.25	60.75	0	30000	230.1075269	6838.529068	30000	0	0	30000	40.75	2004
21.01.2020 15:30:57	1	1	1	1	72.25	60.75	0	29952.607	225.8064516	6902.943495	30000	0	0	30000	40.75	2004
21.01.2020 15:30:58	1	1	1	1	72.25	60.75	0	29952.607	225.8064516	6774.114641	30000	0	0	30000	41.125	2004
21.01.2020 15:30:59	1	1	1	1	72.25	61	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.875	2004
21.01.2020 15:31:00	1	1	1	1	72.25	60.75	0	29952.607	232.2580645	7031.772348	30000	0	0	30000	40.75	2004
21.01.2020 15:31:01	1	1	1	1	72.25	60.75	0	29952.607	232.2580645	7021.172506	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:03	1	1	1	1	72.25	60.75	0	30000	236.5591398	7031.772348	30000	0	0	30000	40.75	2004
21.01.2020 15:31:04	1	1	1	1	72.25	60.75	0	29952.607	236.5591398	7096.186775	30000	0	0	30000	41	2004
21.01.2020 15:31:05	1	1	1	1	72.25	61	0	30000	240.8602151	7225.831	30000	0	0	30000	40.5625	2004
21.01.2020 15:31:06	1	1	1	1	72.25	60.5	0	30000	232.2580645	7031.772348	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:07	1	1	1	1	72.25	60.75	0	30000	234.4086022	6967.357921	30000	0	0	30000	40.375	2004
21.01.2020 15:31:08	1	1	1	1	72.25	60.25	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	40.875	2004
21.01.2020 15:31:09	1	1	1	1	72.25	60.75	0	29952.607	232.2580645	6902.943495	30000	0	0	30000	40.625	2004
21.01.2020 15:31:10	1	1	1	1	72.25	60.5	0	30000	232.2580645	7031.772348	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:11	1	1	1	1	72	60.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.9375	2004
21.01.2020 15:31:12	1	1	1	1	72	60.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.375	2004
21.01.2020 15:31:13	1	1	1	1	72	60.25	0	30000	217.2043011	6515.641562	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:14	1	1	1	1	72	60.75	0	29952.607	219.3548387	6644.470416	30000	0	0	30000	40.875	2004
21.01.2020 15:31:15	1	1	1	1	72	60.75	0	30000	219.3548387	6515.641562	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:16	1	1	1	1	72	60.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.75	2004
21.01.2020 15:31:17	1	1	1	1	72	60.75	0	30000	221.5053763	6634.685946	30000	0	0	30000	40.625	2004
21.01.2020 15:31:18	1	1	1	1	72	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	40.9375	2004
21.01.2020 15:31:19	1	1	1	1	72	60.75	0	30000	212.9032258	6322.398282	30000	0	0	30000	41.0625	2004
21.01.2020 15:31:20	1	1	1	1	72	61	0	30000	212.9032258	6248.199386	30000	0	0	30000	41	2004
21.01.2020 15:31:21	1	1	1	1	71.75	61	0	30000	212.9032258	6386.812709	30000	0	0	30000	40.9375	2004
21.01.2020 15:31:22	1	1	1	1	71.75	60.75	0	30000	219.3548387	6570.271519	30000	0	0	30000	41	2004
21.01.2020 15:31:23	1	1	1	1	71.75	61	0	30000	240.8602151	7225.831	30000	0	0	30000	41.0625	2004
21.01.2020 15:31:24	1	1	1	1	71.75	61	0	30000	247.311828	7419.07428	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:25	1	1	1	1	71.75	60.75	0	29952.607	247.311828	7343.244639	30000	0	0	30000	40.25	2004
21.01.2020 15:31:26	1	1	1	1	71.75	60.25	0	30000	243.0107527	7214.415786	30000	0	0	30000	41.0625	2004
21.01.2020 15:31:27	1	1	1	1	71.75	61	0	30000	227.9569892	6752.099584	30000	0	0	30000	40.75	2004
21.01.2020 15:31:28	1	1	1	1	71.75	60.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.5625	2004
21.01.2020 15:31:29	1	1	1	1	71.75	60.5	0	30000	240.8602151	7225.831	30000	0	0	30000	40.6875	2004
21.01.2020 15:31:30	1	1	1	1	71.75	60.5	0	30000	247.311828	7483.488707	30000	0	0	30000	41	2004
21.01.2020 15:31:31	1	1	1	1	72	61	0	30000	258.0645161	7741.961786	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:31:32	1	1	1	1	72	61.25	0	30000	266.6666667	7922.974479	30000	0	0	30000	40.875	2004
21.01.2020 15:31:33	1	1	1	1	72	60.5	0	30000	266.6666667	8141.494306	30000	0	0	30000	40.875	2004
21.01.2020 15:31:34	1	1	1	1	72	60.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	41	2004
21.01.2020 15:31:42	1	1	1	1	72	60.75	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:42	1	1	1	1	72	60.75	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:42	1	1	1	1	72	60.75	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:42	1	1	1	1	72	60.75	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:42	1	1	1	1	72	60.75	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:42	1	1	1	1	72	60.75	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:42	1	1	1	1	72	60.75	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:42	1	1	1	1	72	60.75	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:43	1	1	1	1	72	60.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:44	1	1	1	1	72	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.875	2004
21.01.2020 15:31:45	1	1	1	1	72	60.75	0	30000	309.6774194	9483.597423	30000	0	0	30000	41.0625	2004
21.01.2020 15:31:46	1	1	1	1	72	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.9375	2004
21.01.2020 15:31:47	1	1	1	1	72	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.625	2004
21.01.2020 15:31:48	1	1	1	1	72	60.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.625	2004
21.01.2020 15:31:49	1	1	1	1	72	60.5	0	30000	316.1290323	9676.840703	30000	0	0	30000	40.75	2004
21.01.2020 15:31:50	1	1	1	1	72	60.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.875	2004
21.01.2020 15:31:51	1	1	1	1	72	60.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:52	1	1	1	1	72	60.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:53	1	1	1	1	72	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5625	2004
21.01.2020 15:31:54	1	1	1	1	72	60.5	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	40.75	2004
21.01.2020 15:31:55	1	1	1	1	72	60.75	0	29952.607	335.483871	10064.14264	30000	0	0	30000	40.875	2004
21.01.2020 15:31:56	1	1	1	1	72	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.5	2004
21.01.2020 15:31:57	1	1	1	1	72	60.5	0	30000	335.483871	10064.14264	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:58	1	1	1	1	72	60.75	0	30000	335.483871	9870.899356	30000	0	0	30000	40.8125	2004
21.01.2020 15:31:59	1	1	1	1	72	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.25	2004
21.01.2020 15:32:00	1	1	1	1	72	60.25	0	29952.607	329.0322581	9855.407279	30000	0	0	30000	40.9375	2004
21.01.2020 15:32:01	1	1	1	1	72	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.75	2004
21.01.2020 15:32:02	1	1	1	1	72	60.75	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	40.8125	2004
21.01.2020 15:32:03	1	1	1	1	72	60.75	0	30000	348.3870968	10370.72269	30000	0	0	30000	40.9375	2004
21.01.2020 15:32:04	1	1	1	1	72	60.75	0	30000	344.0860215	10451.44457	30000	0	0	30000	40.875	2004
21.01.2020 15:32:05	1	1	1	1	72	60.75	0	30000	352.688172	10580.27342	30000	0	0	30000	40.8125	2004
21.01.2020 15:32:06	1	1	1	1	72	60.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.375	2004
21.01.2020 15:32:07	1	1	1	1	72	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
21.01.2020 15:32:08	1	1	1	1	72	60.75	0	30000	348.3870968	10499.55155	30000	0	0	30000	40.75	2004
21.01.2020 15:32:09	1	1	1	1	72	60.75	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	40.6875	2004
21.01.2020 15:32:10	1	1	1	1	72	60.5	0	30000	359.1397849	10967.57535	30000	0	0	30000	40.8125	2004
21.01.2020 15:32:11	1	1	1	1	72.25	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.1875	2004
21.01.2020 15:32:12	1	1	1	1	72.25	60	0	30000	363.4408602	10967.57535	30000	0	0	30000	41	2004
21.01.2020 15:32:13	1	1	1	1	72.25	61	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.625	2004
21.01.2020 15:32:14	1	1	1	1	72.25	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:32:15	1	1	1	1	72.25	60.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:32:16	1	1	1	1	72.25	60.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	41	2004
21.01.2020 15:32:17	1	1	1	1	72.25	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5625	2004
21.01.2020 15:32:18	1	1	1	1	72.25	60.5	0	29952.607	329.0322581	9855.407279	30000	0	0	30000	40.625	2004
21.01.2020 15:32:20	1	1	1	1	72.25	60.5	0	29952.607	337.6344086	10387.03014	30000	0	0	30000	40.6875	2004
21.01.2020 15:32:21	1	1	1	1	72	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5625	2004
21.01.2020 15:32:22	1	1	1	1	72	60.5	0	30000	316.1290323	9612.426277	30000	0	0	30000	41	2004
21.01.2020 15:32:23	1	1	1	1	72	61	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.4375	2004
21.01.2020 15:32:24	1	1	1	1	72	60.25	0	29952.607	311.827957	9354.76857	30000	0	0	30000	40.5	2004
21.01.2020 15:32:25	1	1	1	1	72	60.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.6875	2004
21.01.2020 15:32:26	1	1	1	1	72	60.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.3125	2004
21.01.2020 15:32:27	1	1	1	1	72	60.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.9375	2004
21.01.2020 15:32:28	1	1	1	1	72	60.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.875	2004
21.01.2020 15:32:29	1	1	1	1	72	60.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.8125	2004
21.01.2020 15:32:30	1	1	1	1	72	60.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.375	2004
21.01.2020 15:32:31	1	1	1	1	72	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.4375	2004
21.01.2020 15:32:32	1	1	1	1	72	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.625	2004
21.01.2020 15:32:33	1	1	1	1	72	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.8125	2004
21.01.2020 15:32:34	1	1	1	1	72	60.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.8125	2004
21.01.2020 15:32:35	1	1	1	1	72	60.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.0625	2004
21.01.2020 15:32:36	1	1	1	1	72	61	0	30000	316.1290323	9627.918354	30000	0	0	30000	40.875	2004
21.01.2020 15:32:43	1	1	1	1	71.75	60.75	0	30047.393	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
21.01.2020 15:32:43	1	1	1	1	71.75	60.75	0	30047.393	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
21.01.2020 15:32:43	1	1	1	1	71.75	60.75	0	30047.393	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
21.01.2020 15:32:43	1	1	1	1	71.75	60.75	0	30047.393	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
21.01.2020 15:32:43	1	1	1	1	71.75	60.75	0	30047.393	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
21.01.2020 15:32:43	1	1	1	1	71.75	60.75	0	30047.393	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
21.01.2020 15:32:43	1	1	1	1	71.75	60.75	0	30047.393	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
21.01.2020 15:32:44	1	1	1	1	71.75	60.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	39.9375	2004
21.01.2020 15:32:45	1	1	1	1	71.75	59.75	0	30000	307.5268817	9160.709918	30000	0	0	30000	40.5	2004
21.01.2020 15:32:46	1	1	1	1	71.75	60.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.75	2004
21.01.2020 15:32:47	1	1	1	1	71.75	60.75	0	30000	303.2258065	9225.124344	30000	0	0	30000	41.3125	2004
21.01.2020 15:32:48	1	1	1	1	71.75	61.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.3125	2004
21.01.2020 15:32:49	1	1	1	1	71.75	60	0	29905.213	288.172043	8838.637784	30000	0	0	30000	41	2004
21.01.2020 15:32:50	1	1	1	1	71	61	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.875	2004
21.01.2020 15:32:51	1	1	1	1	71	60.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	40.0625	2004
21.01.2020 15:32:52	1	1	1	1	71	60	0	30000	296.7741935	8889.190879	30000	0	0	30000	40.75	2004
21.01.2020 15:32:53	1	1	1	1	71	60.75	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	40.8125	2004
21.01.2020 15:32:54	1	1	1	1	71	60.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.875	2004
21.01.2020 15:32:55	1	1	1	1	71	60.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.9375	2004
21.01.2020 15:32:56	1	1	1	1	71	60.75	0	29952.607	298.9247312	9096.295491	30000	0	0	30000	41.0625	2004
21.01.2020 15:32:58	1	1	1	1	71	61	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.375	2004
21.01.2020 15:32:59	1	1	1	1	71	60.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.6875	2004
21.01.2020 15:33:00	1	1	1	1	71	60.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:33:01	1	1	1	1	70.5	60.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.375	2004
21.01.2020 15:33:02	1	1	1	1	70.5	60.25	0	29905.213	311.827957	9340.091865	30000	0	0	30000	40.8125	2004
21.01.2020 15:33:03	1	1	1	1	70.5	60.75	0	30000	307.5268817	9160.709918	30000	0	0	30000	40.875	2004
21.01.2020 15:33:04	1	1	1	1	70.5	60.75	0	30000	322.5806452	9726.578425	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:05	1	1	1	1	70.5	60.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.5	2004
21.01.2020 15:33:06	1	1	1	1	70.5	60.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.8125	2004
21.01.2020 15:33:07	1	1	1	1	70.5	60.75	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	40.3125	2004
21.01.2020 15:33:08	1	1	1	1	70.5	60.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.6875	2004
21.01.2020 15:33:09	1	1	1	1	70.5	60.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.875	2004
21.01.2020 15:33:10	1	1	1	1	70.5	60.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	40.8125	2004
21.01.2020 15:33:11	1	1	1	1	70	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	40.875	2004
21.01.2020 15:33:12	1	1	1	1	70	60.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.75	2004
21.01.2020 15:33:13	1	1	1	1	70	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.375	2004
21.01.2020 15:33:14	1	1	1	1	70	60.25	0	29905.213	341.9354839	10370.72269	30000	0	0	30000	40.625	2004
21.01.2020 15:33:15	1	1	1	1	70	60.5	0	30000	335.483871	10128.55706	30000	0	0	30000	39.9375	2004
21.01.2020 15:33:16	1	1	1	1	70	59.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.75	2004
21.01.2020 15:33:17	1	1	1	1	70	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.125	2004
21.01.2020 15:33:18	1	1	1	1	70	61	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:19	1	1	1	1	70	60.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41	2004
21.01.2020 15:33:20	1	1	1	1	70	61	0	30000	292.4731183	8708.993559	30000	0	0	30000	40.75	2004
21.01.2020 15:33:21	1	1	1	1	70	60.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	41	2004
21.01.2020 15:33:22	1	1	1	1	70	61	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.875	2004
21.01.2020 15:33:23	1	1	1	1	70	60.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:33:24	1	1	1	1	70	60.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.8125	2004
21.01.2020 15:33:25	1	1	1	1	70	60.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.75	2004
21.01.2020 15:33:26	1	1	1	1	70	60.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	41	2004
21.01.2020 15:33:27	1	1	1	1	70	61	0	30000	311.827957	9354.76857	30000	0	0	30000	41.3125	2004
21.01.2020 15:33:28	1	1	1	1	70	60.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.8125	2004
21.01.2020 15:33:29	1	1	1	1	70	60.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.375	2004
21.01.2020 15:33:30	1	1	1	1	70	60.25	0	30000	294.6236559	8774.223358	30000	0	0	30000	40.6875	2004
21.01.2020 15:33:31	1	1	1	1	70	60.5	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	40.875	2004
21.01.2020 15:33:32	1	1	1	1	70	60.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	40.5625	2004
21.01.2020 15:33:33	1	1	1	1	70	60.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.875	2004
21.01.2020 15:33:34	1	1	1	1	70	60.75	0	30000	288.172043	8644.579132	30000	0	0	30000	40.3125	2004
21.01.2020 15:33:35	1	1	1	1	70	60.25	0	29952.607	288.172043	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:33:37	1	1	1	1	70	60.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.75	2004
21.01.2020 15:33:38	1	1	1	1	70	60.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.6875	2004
21.01.2020 15:33:45	1	1	1	1	69.5	60.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:45	1	1	1	1	69.5	60.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:45	1	1	1	1	69.5	60.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:45	1	1	1	1	69.5	60.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:45	1	1	1	1	69.5	60.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:45	1	1	1	1	69.5	60.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:33:45	1	1	1	1	69.5	60.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:46	1	1	1	1	69.5	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.4375	2004
21.01.2020 15:33:47	1	1	1	1	69.5	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.875	2004
21.01.2020 15:33:48	1	1	1	1	69.5	60.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	40.875	2004
21.01.2020 15:33:49	1	1	1	1	69.5	60.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:50	1	1	1	1	69.5	60.75	0	29952.607	318.2795699	9676.840703	30000	0	0	30000	40.5625	2004
21.01.2020 15:33:51	1	1	1	1	69.5	60.5	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	40.6875	2004
21.01.2020 15:33:52	1	1	1	1	69.5	60.5	0	30000	331.1827957	9950.80586	30000	0	0	30000	40.375	2004
21.01.2020 15:33:53	1	1	1	1	69.5	60.25	0	30000	341.9354839	10113.06499	30000	0	0	30000	40.75	2004
21.01.2020 15:33:54	1	1	1	1	69.5	60.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.9375	2004
21.01.2020 15:33:55	1	1	1	1	69.5	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41	2004
21.01.2020 15:33:56	1	1	1	1	69.5	61	0	30000	331.1827957	10064.14264	30000	0	0	30000	40.5625	2004
21.01.2020 15:33:57	1	1	1	1	69.5	60.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.75	2004
21.01.2020 15:33:58	1	1	1	1	69.5	60.75	0	29905.213	322.5806452	9662.163999	30000	0	0	30000	40.5	2004
21.01.2020 15:33:59	1	1	1	1	69.5	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004
21.01.2020 15:34:00	1	1	1	1	69.5	60.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:01	1	1	1	1	69	60.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.625	2004
21.01.2020 15:34:02	1	1	1	1	69	60.5	0	30000	322.5806452	9483.597423	30000	0	0	30000	40.875	2004
21.01.2020 15:34:03	1	1	1	1	69	60.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.75	2004
21.01.2020 15:34:04	1	1	1	1	69	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.125	2004
21.01.2020 15:34:05	1	1	1	1	69	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.125	2004
21.01.2020 15:34:06	1	1	1	1	69	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.625	2004
21.01.2020 15:34:07	1	1	1	1	69	60.75	0	30000	335.483871	9999.728209	30000	0	0	30000	40.625	2004
21.01.2020 15:34:08	1	1	1	1	69	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:34:09	1	1	1	1	69	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.8125	2004
21.01.2020 15:34:10	1	1	1	1	69.25	60.75	0	30047.393	329.0322581	9806.484929	30000	0	0	30000	40.8125	2004
21.01.2020 15:34:11	1	1	1	1	69.25	60.75	0	30000	322.5806452	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:34:12	1	1	1	1	69.25	60.75	0	30000	341.9354839	10096.75754	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:13	1	1	1	1	69.25	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.375	2004
21.01.2020 15:34:15	1	1	1	1	69.25	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5625	2004
21.01.2020 15:34:16	1	1	1	1	69.25	60.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.8125	2004
21.01.2020 15:34:17	1	1	1	1	69.25	60.75	0	30000	305.3763441	9146.848585	30000	0	0	30000	40.625	2004
21.01.2020 15:34:18	1	1	1	1	69.25	60.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.5625	2004
21.01.2020 15:34:19	1	1	1	1	69.25	60.5	0	30000	277.4193548	8192.862773	30000	0	0	30000	40.5	2004
21.01.2020 15:34:20	1	1	1	1	69.25	60.5	0	30000	288.172043	8644.579132	30000	0	0	30000	40.875	2004
21.01.2020 15:34:21	1	1	1	1	69.75	60.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.875	2004
21.01.2020 15:34:22	1	1	1	1	69.75	60.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:23	1	1	1	1	69.75	60.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	40.5625	2004
21.01.2020 15:34:24	1	1	1	1	69.75	60.5	0	30000	326.8817204	9886.391433	30000	0	0	30000	40.625	2004
21.01.2020 15:34:25	1	1	1	1	69.75	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
21.01.2020 15:34:26	1	1	1	1	69.75	60.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.625	2004
21.01.2020 15:34:27	1	1	1	1	69.75	60.5	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	40.875	2004
21.01.2020 15:34:28	1	1	1	1	69.75	60.75	0	30047.393	320.4301075	9548.01185	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:34:29	1	1	1	1	69.75	60.75	0	30000	335.483871	10128.55706	30000	0	0	30000	40.25	2004
21.01.2020 15:34:30	1	1	1	1	69.75	60.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.3125	2004
21.01.2020 15:34:31	1	1	1	1	70.25	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.8125	2004
21.01.2020 15:34:32	1	1	1	1	70.25	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.5	2004
21.01.2020 15:34:33	1	1	1	1	70.25	60.5	0	29905.213	356.9892473	10757.20925	30000	0	0	30000	40.75	2004
21.01.2020 15:34:34	1	1	1	1	70.25	60.75	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	40.5625	2004
21.01.2020 15:34:35	1	1	1	1	70.25	60.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.9375	2004
21.01.2020 15:34:36	1	1	1	1	70.25	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.375	2004
21.01.2020 15:34:37	1	1	1	1	70.25	60.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.5625	2004
21.01.2020 15:34:38	1	1	1	1	70.25	60.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.5625	2004
21.01.2020 15:34:39	1	1	1	1	70.25	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
21.01.2020 15:34:47	1	1	1	1	70.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:47	1	1	1	1	70.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:47	1	1	1	1	70.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:47	1	1	1	1	70.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:47	1	1	1	1	70.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:47	1	1	1	1	70.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:47	1	1	1	1	70.5	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.75	2004
21.01.2020 15:34:48	1	1	1	1	70.5	60.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	40.6875	2004
21.01.2020 15:34:49	1	1	1	1	70.5	60.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	40.5625	2004
21.01.2020 15:34:50	1	1	1	1	71	60.5	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	40.8125	2004
21.01.2020 15:34:51	1	1	1	1	71	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.4375	2004
21.01.2020 15:34:53	1	1	1	1	71	60.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	41	2004
21.01.2020 15:34:54	1	1	1	1	71	61	0	30000	356.9892473	10644.68785	30000	0	0	30000	40.75	2004
21.01.2020 15:34:55	1	1	1	1	71	60.75	0	30000	352.688172	10644.68785	30000	0	0	30000	40.8125	2004
21.01.2020 15:34:56	1	1	1	1	71	60.75	0	30000	354.8387097	10580.27342	30000	0	0	30000	40.8125	2004
21.01.2020 15:34:57	1	1	1	1	71	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:34:58	1	1	1	1	71	60.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.875	2004
21.01.2020 15:34:59	1	1	1	1	71	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	40.8125	2004
21.01.2020 15:35:00	1	1	1	1	71	60.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.625	2004
21.01.2020 15:35:01	1	1	1	1	71	60.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.25	2004
21.01.2020 15:35:02	1	1	1	1	71	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.6875	2004
21.01.2020 15:35:03	1	1	1	1	71	60.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	40.625	2004
21.01.2020 15:35:04	1	1	1	1	71	60.5	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	40.3125	2004
21.01.2020 15:35:05	1	1	1	1	71	60.25	0	30047.393	359.1397849	10644.68785	30000	0	0	30000	40.4375	2004
21.01.2020 15:35:06	1	1	1	1	71	60.25	0	29952.607	346.2365591	10515.85899	30000	0	0	30000	40.75	2004
21.01.2020 15:35:07	1	1	1	1	71	60.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.5625	2004
21.01.2020 15:35:08	1	1	1	1	71	60.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.75	2004
21.01.2020 15:35:09	1	1	1	1	71	60.75	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	40.8125	2004
21.01.2020 15:35:10	1	1	1	1	71	60.75	0	30000	352.688172	10644.68785	30000	0	0	30000	40.25	2004
21.01.2020 15:35:11	1	1	1	1	70.75	60.25	0	30000	354.8387097	10482.42872	30000	0	0	30000	40.875	2004
21.01.2020 15:35:12	1	1	1	1	70.75	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:35:13	1	1	1	1	70.75	60.5	0	29952.607	335.483871	9839.099829	30000	0	0	30000	40.6875	2004
21.01.2020 15:35:14	1	1	1	1	70.75	60.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.875	2004
21.01.2020 15:35:15	1	1	1	1	70.75	60.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	40.75	2004
21.01.2020 15:35:16	1	1	1	1	70.75	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41	2004
21.01.2020 15:35:17	1	1	1	1	70.75	61	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:35:18	1	1	1	1	70.75	60.75	0	30000	350.5376344	10451.44457	30000	0	0	30000	40.4375	2004
21.01.2020 15:35:19	1	1	1	1	70.75	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.625	2004
21.01.2020 15:35:20	1	1	1	1	70.75	60.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	40.125	2004
21.01.2020 15:35:21	1	1	1	1	71.25	60	0	29905.213	329.0322581	9855.407279	30000	0	0	30000	40.5625	2004
21.01.2020 15:35:22	1	1	1	1	71.25	60.5	0	30000	329.0322581	9741.25513	30000	0	0	30000	41.1875	2004
21.01.2020 15:35:23	1	1	1	1	71.25	61	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.5625	2004
21.01.2020 15:35:24	1	1	1	1	71.25	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.625	2004
21.01.2020 15:35:25	1	1	1	1	71.25	60.5	0	30000	335.483871	10064.14264	30000	0	0	30000	39.9375	2004
21.01.2020 15:35:26	1	1	1	1	71.25	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.875	2004
21.01.2020 15:35:27	1	1	1	1	71.25	60.75	0	30000	352.688172	10387.03014	30000	0	0	30000	40.25	2004
21.01.2020 15:35:28	1	1	1	1	71.25	60.25	0	29952.607	346.2365591	10225.58639	30000	0	0	30000	40.6875	2004
21.01.2020 15:35:30	1	1	1	1	71.25	60.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.875	2004
21.01.2020 15:35:31	1	1	1	1	71.25	60.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.625	2004
21.01.2020 15:35:32	1	1	1	1	71.25	60.5	0	30047.393	359.1397849	10790.63952	30000	0	0	30000	40.6875	2004
21.01.2020 15:35:33	1	1	1	1	71.25	60.5	0	30000	350.5376344	10644.68785	30000	0	0	30000	40.4375	2004
21.01.2020 15:35:34	1	1	1	1	71.25	60.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	40.625	2004
21.01.2020 15:35:35	1	1	1	1	71.25	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:35:36	1	1	1	1	71.25	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.875	2004
21.01.2020 15:35:37	1	1	1	1	71.25	60.75	0	30000	333.3333333	9984.236132	30000	0	0	30000	40.3125	2004
21.01.2020 15:35:38	1	1	1	1	71.25	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5625	2004
21.01.2020 15:35:39	1	1	1	1	71.25	60.5	0	29905.213	337.6344086	10048.65056	30000	0	0	30000	40.3125	2004
21.01.2020 15:35:40	1	1	1	1	71.25	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41	2004
21.01.2020 15:35:41	1	1	1	1	71.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.375	2004
21.01.2020 15:35:48	1	1	1	1	71.25	60.25	0	30000	352.688172	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:35:48	1	1	1	1	71.25	60.25	0	30000	352.688172	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:35:48	1	1	1	1	71.25	60.25	0	30000	352.688172	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:35:48	1	1	1	1	71.25	60.25	0	30000	352.688172	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:35:48	1	1	1	1	71.25	60.25	0	30000	352.688172	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:35:48	1	1	1	1	71.25	60.25	0	30000	352.688172	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:35:48	1	1	1	1	71.25	60.25	0	30000	352.688172	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:35:49	1	1	1	1	71.25	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.8125	2004
21.01.2020 15:35:50	1	1	1	1	71.25	60.75	0	30000	389.2473118	11530.18237	30000	0	0	30000	40.5	2004
21.01.2020 15:35:51	1	1	1	1	71.5	60.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.8125	2004
21.01.2020 15:35:52	1	1	1	1	71.5	60.75	0	30000	389.2473118	11548.12057	30000	0	0	30000	40.6875	2004
21.01.2020 15:35:53	1	1	1	1	71.5	60.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	40.8125	2004
21.01.2020 15:35:54	1	1	1	1	71.5	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.8125	2004
21.01.2020 15:35:55	1	1	1	1	71.5	60.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	40.625	2004
21.01.2020 15:35:56	1	1	1	1	71.5	60.5	0	29952.607	384.9462366	11612.53499	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:35:57	1	1	1	1	71.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
21.01.2020 15:35:58	1	1	1	1	71.5	60.75	0	30000	378.4946237	11778.87098	30000	0	0	30000	40.25	2004
21.01.2020 15:35:59	1	1	1	1	71.5	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.3125	2004
21.01.2020 15:36:00	1	1	1	1	71.5	60.25	0	29905.213	404.3010753	12109.91221	30000	0	0	30000	40.375	2004
21.01.2020 15:36:01	1	1	1	1	71.75	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.625	2004
21.01.2020 15:36:02	1	1	1	1	71.75	60.5	0	30000	395.6989247	11659.01122	30000	0	0	30000	40.4375	2004
21.01.2020 15:36:03	1	1	1	1	71.75	60.25	0	29905.213	387.0967742	11935.4225	30000	0	0	30000	40.75	2004
21.01.2020 15:36:04	1	1	1	1	71.75	60.75	0	30000	391.3978495	11548.12057	30000	0	0	30000	40.625	2004
21.01.2020 15:36:05	1	1	1	1	71.75	60.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	40.4375	2004
21.01.2020 15:36:06	1	1	1	1	71.75	60.25	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	40.25	2004
21.01.2020 15:36:07	1	1	1	1	71.75	60.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.75	2004
21.01.2020 15:36:09	1	1	1	1	71.75	60.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	40.5	2004
21.01.2020 15:36:10	1	1	1	1	71.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.625	2004
21.01.2020 15:36:11	1	1	1	1	72	60.5	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	40.5	2004
21.01.2020 15:36:12	1	1	1	1	72	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
21.01.2020 15:36:13	1	1	1	1	72	60.75	0	30000	384.9462366	11676.94942	30000	0	0	30000	40.9375	2004
21.01.2020 15:36:14	1	1	1	1	72	60.75	0	30000	400	11871.00807	30000	0	0	30000	40.25	2004
21.01.2020 15:36:15	1	1	1	1	72	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
21.01.2020 15:36:16	1	1	1	1	72	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.125	2004
21.01.2020 15:36:17	1	1	1	1	72	60	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	40.75	2004
21.01.2020 15:36:18	1	1	1	1	72	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
21.01.2020 15:36:19	1	1	1	1	72	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.375	2004
21.01.2020 15:36:20	1	1	1	1	72	60.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.75	2004
21.01.2020 15:36:21	1	1	1	1	72	60.75	0	29905.213	384.9462366	11741.36385	30000	0	0	30000	40.25	2004
21.01.2020 15:36:22	1	1	1	1	72	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.1875	2004
21.01.2020 15:36:23	1	1	1	1	72	60	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.375	2004
21.01.2020 15:36:24	1	1	1	1	72	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.75	2004
21.01.2020 15:36:25	1	1	1	1	72	60.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
21.01.2020 15:36:26	1	1	1	1	72	60.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.6875	2004
21.01.2020 15:36:27	1	1	1	1	72	60.5	0	30000	352.688172	10580.27342	30000	0	0	30000	40.25	2004
21.01.2020 15:36:28	1	1	1	1	72	60.25	0	29952.607	346.2365591	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:36:29	1	1	1	1	72	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.5625	2004
21.01.2020 15:36:30	1	1	1	1	72	60.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.5625	2004
21.01.2020 15:36:31	1	1	1	1	72.25	60.5	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:36:32	1	1	1	1	72.25	60.5	0	29905.213	367.7419355	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:36:33	1	1	1	1	72.25	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.625	2004
21.01.2020 15:36:34	1	1	1	1	72.25	60.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	40.375	2004
21.01.2020 15:36:35	1	1	1	1	72.25	60.25	0	29952.607	346.2365591	10370.72269	30000	0	0	30000	40.875	2004
21.01.2020 15:36:36	1	1	1	1	72.25	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.5	2004
21.01.2020 15:36:37	1	1	1	1	72.25	60.5	0	29952.607	346.2365591	10257.38592	30000	0	0	30000	40.75	2004
21.01.2020 15:36:38	1	1	1	1	72.25	60.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	40.6875	2004
21.01.2020 15:36:39	1	1	1	1	72.25	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.75	2004
21.01.2020 15:36:40	1	1	1	1	72.25	60.75	0	30000	352.688172	10499.55155	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:36:41	1	1	1	1	72.25	60.5	0	30000	350.5376344	10387.03014	30000	0	0	30000	40.5625	2004
21.01.2020 15:36:42	1	1	1	1	72.25	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.625	2004
21.01.2020 15:36:50	1	1	1	1	72.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:36:50	1	1	1	1	72.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:36:50	1	1	1	1	72.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:36:50	1	1	1	1	72.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:36:50	1	1	1	1	72.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:36:50	1	1	1	1	72.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:36:50	1	1	1	1	72.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:36:51	1	1	1	1	72.25	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.8125	2004
21.01.2020 15:36:52	1	1	1	1	72.25	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.875	2004
21.01.2020 15:36:53	1	1	1	1	72.25	60.75	0	30000	352.688172	10644.68785	30000	0	0	30000	40.375	2004
21.01.2020 15:36:54	1	1	1	1	72.25	60.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:36:55	1	1	1	1	72.25	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:36:56	1	1	1	1	72.25	60.5	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:36:57	1	1	1	1	72.25	60.5	0	30000	352.688172	10563.96597	30000	0	0	30000	40.1875	2004
21.01.2020 15:36:58	1	1	1	1	72.25	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.3125	2004
21.01.2020 15:36:59	1	1	1	1	72.25	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.6875	2004
21.01.2020 15:37:00	1	1	1	1	72.25	60.5	0	29952.607	350.5376344	10451.44457	30000	0	0	30000	40.875	2004
21.01.2020 15:37:01	1	1	1	1	72.25	60.75	0	29952.607	344.0860215	10257.38592	30000	0	0	30000	40.75	2004
21.01.2020 15:37:02	1	1	1	1	72.25	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004
21.01.2020 15:37:03	1	1	1	1	72.25	60.75	0	29905.213	335.483871	10128.55706	30000	0	0	30000	40.1875	2004
21.01.2020 15:37:04	1	1	1	1	72.25	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.375	2004
21.01.2020 15:37:05	1	1	1	1	72.25	60.25	0	30000	324.7311828	9870.899356	30000	0	0	30000	40.4375	2004
21.01.2020 15:37:06	1	1	1	1	72.25	60.25	0	30000	335.483871	10128.55706	30000	0	0	30000	40.375	2004
21.01.2020 15:37:07	1	1	1	1	72.25	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.625	2004
21.01.2020 15:37:08	1	1	1	1	72.25	60.5	0	30000	335.483871	10064.14264	30000	0	0	30000	40.8125	2004
21.01.2020 15:37:09	1	1	1	1	72.25	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.375	2004
21.01.2020 15:37:10	1	1	1	1	72.25	60.25	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	40.25	2004
21.01.2020 15:37:11	1	1	1	1	72.25	60.25	0	29952.607	316.1290323	9533.335145	30000	0	0	30000	40.375	2004
21.01.2020 15:37:12	1	1	1	1	72.25	60.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.5625	2004
21.01.2020 15:37:13	1	1	1	1	72.25	60.5	0	30000	329.0322581	9919.821705	30000	0	0	30000	40.625	2004
21.01.2020 15:37:14	1	1	1	1	72.25	60.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.6875	2004
21.01.2020 15:37:15	1	1	1	1	72.25	60.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.875	2004
21.01.2020 15:37:16	1	1	1	1	72.25	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.8125	2004
21.01.2020 15:37:17	1	1	1	1	72.25	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004
21.01.2020 15:37:18	1	1	1	1	72.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:37:19	1	1	1	1	72.25	60.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.625	2004
21.01.2020 15:37:20	1	1	1	1	72.75	60.5	0	30000	335.483871	10064.14264	30000	0	0	30000	40.375	2004
21.01.2020 15:37:21	1	1	1	1	72.75	60.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.9375	2004
21.01.2020 15:37:22	1	1	1	1	72.75	60.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.5	2004
21.01.2020 15:37:23	1	1	1	1	72.75	60.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.875	2004
21.01.2020 15:37:24	1	1	1	1	72.75	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:37:26	1	1	1	1	72.75	60.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.875	2004
21.01.2020 15:37:27	1	1	1	1	72.75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.5625	2004
21.01.2020 15:37:28	1	1	1	1	72.75	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 15:37:29	1	1	1	1	72.75	60.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.4375	2004
21.01.2020 15:37:30	1	1	1	1	72.75	60.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	40.875	2004
21.01.2020 15:37:31	1	1	1	1	72.5	60.75	0	30000	352.688172	10515.85899	30000	0	0	30000	40.5625	2004
21.01.2020 15:37:32	1	1	1	1	72.5	60.5	0	30000	365.5913978	10740.08643	30000	0	0	30000	40.4375	2004
21.01.2020 15:37:33	1	1	1	1	72.5	60.25	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	40.25	2004
21.01.2020 15:37:34	1	1	1	1	72.5	60.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	40.4375	2004
21.01.2020 15:37:35	1	1	1	1	72.5	60.25	0	29905.213	382.7956989	11548.12057	30000	0	0	30000	40.3125	2004
21.01.2020 15:37:36	1	1	1	1	72.5	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.5625	2004
21.01.2020 15:37:37	1	1	1	1	72.5	60.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	40.4375	2004
21.01.2020 15:37:38	1	1	1	1	72.5	60.25	0	30047.393	369.8924731	11096.40421	30000	0	0	30000	40.75	2004
21.01.2020 15:37:39	1	1	1	1	72.5	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
21.01.2020 15:37:40	1	1	1	1	72.5	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:37:41	1	1	1	1	72.75	60.5	0	30000	372.0430108	11143.69581	30000	0	0	30000	40.8125	2004
21.01.2020 15:37:42	1	1	1	1	72.75	60.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.375	2004
21.01.2020 15:37:43	1	1	1	1	72.75	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.8125	2004
21.01.2020 15:37:44	1	1	1	1	72.75	60.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	40.75	2004
21.01.2020 15:37:51	1	1	1	1	72.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
21.01.2020 15:37:51	1	1	1	1	72.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
21.01.2020 15:37:51	1	1	1	1	72.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
21.01.2020 15:37:51	1	1	1	1	72.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
21.01.2020 15:37:51	1	1	1	1	72.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
21.01.2020 15:37:51	1	1	1	1	72.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
21.01.2020 15:37:51	1	1	1	1	72.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
21.01.2020 15:37:52	1	1	1	1	72.75	60.75	0	30000	402.1505376	11999.83693	30000	0	0	30000	40.5	2004
21.01.2020 15:37:53	1	1	1	1	72.75	60.5	0	29952.607	395.6989247	11916.66893	30000	0	0	30000	40.375	2004
21.01.2020 15:37:54	1	1	1	1	72.75	60.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.75	2004
21.01.2020 15:37:55	1	1	1	1	72.75	60.75	0	30000	406.4516129	12212.64915	30000	0	0	30000	40.6875	2004
21.01.2020 15:37:56	1	1	1	1	72.75	60.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.8125	2004
21.01.2020 15:37:57	1	1	1	1	72.75	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	41	2004
21.01.2020 15:37:58	1	1	1	1	72.75	61	0	30000	384.9462366	11871.00807	30000	0	0	30000	40.625	2004
21.01.2020 15:37:59	1	1	1	1	72.75	60.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40.6875	2004
21.01.2020 15:38:00	1	1	1	1	72.75	60.5	0	29905.213	389.2473118	11640.25766	30000	0	0	30000	40.8125	2004
21.01.2020 15:38:01	1	1	1	1	72.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
21.01.2020 15:38:02	1	1	1	1	72.75	60.75	0	30000	395.6989247	11594.5968	30000	0	0	30000	40.5	2004
21.01.2020 15:38:03	1	1	1	1	72.75	60.5	0	30000	412.9032258	12348.00098	30000	0	0	30000	40.3125	2004
21.01.2020 15:38:05	1	1	1	1	72.75	60.25	0	30000	400	11935.4225	30000	0	0	30000	40.75	2004
21.01.2020 15:38:06	1	1	1	1	72.75	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.6875	2004
21.01.2020 15:38:07	1	1	1	1	72.75	60.5	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	40	2004
21.01.2020 15:38:08	1	1	1	1	72.75	60	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.8125	2004
21.01.2020 15:38:09	1	1	1	1	72.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:38:10	1	1	1	1	72.75	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.25	2004
21.01.2020 15:38:11	1	1	1	1	72	60.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.6875	2004
21.01.2020 15:38:12	1	1	1	1	72	60.5	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	40.125	2004
21.01.2020 15:38:13	1	1	1	1	72	60	0	30000	406.4516129	12193.08021	30000	0	0	30000	40.75	2004
21.01.2020 15:38:14	1	1	1	1	72	60.75	0	30000	380.6451613	11437.22991	30000	0	0	30000	40.8125	2004
21.01.2020 15:38:15	1	1	1	1	72	60.75	0	29905.213	341.9354839	10451.44457	30000	0	0	30000	40.375	2004
21.01.2020 15:38:16	1	1	1	1	72	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.875	2004
21.01.2020 15:38:17	1	1	1	1	72	60.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.9375	2004
21.01.2020 15:38:18	1	1	1	1	72	60.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.6875	2004
21.01.2020 15:38:19	1	1	1	1	72	60.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.75	2004
21.01.2020 15:38:20	1	1	1	1	72	60.75	0	30000	286.0215054	8515.750279	30000	0	0	30000	40.75	2004
21.01.2020 15:38:21	1	1	1	1	72.25	60.75	0	30000	281.7204301	8322.506999	30000	0	0	30000	40.5	2004
21.01.2020 15:38:22	1	1	1	1	72.25	60.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.75	2004
21.01.2020 15:38:23	1	1	1	1	72.25	60.75	0	29905.213	264.516129	7922.974479	30000	0	0	30000	40.625	2004
21.01.2020 15:38:24	1	1	1	1	72.25	60.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.75	2004
21.01.2020 15:38:25	1	1	1	1	72.25	60.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.8125	2004
21.01.2020 15:38:26	1	1	1	1	72.25	60.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.75	2004
21.01.2020 15:38:27	1	1	1	1	72.25	60.75	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	40.5625	2004
21.01.2020 15:38:28	1	1	1	1	72.25	60.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.6875	2004
21.01.2020 15:38:29	1	1	1	1	72.25	60.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	40.5	2004
21.01.2020 15:38:30	1	1	1	1	72.25	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
21.01.2020 15:38:31	1	1	1	1	72.5	60.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.5625	2004
21.01.2020 15:38:32	1	1	1	1	72.5	60.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.75	2004
21.01.2020 15:38:33	1	1	1	1	72.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.75	2004
21.01.2020 15:38:34	1	1	1	1	72.5	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.9375	2004
21.01.2020 15:38:35	1	1	1	1	72.5	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.5625	2004
21.01.2020 15:38:36	1	1	1	1	72.5	60.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.25	2004
21.01.2020 15:38:37	1	1	1	1	72.5	61.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	41	2004
21.01.2020 15:38:38	1	1	1	1	72.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.6875	2004
21.01.2020 15:38:39	1	1	1	1	72.5	61.25	0	30000	356.9892473	10515.85899	30000	0	0	30000	40.75	2004
21.01.2020 15:38:40	1	1	1	1	72.5	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.625	2004
21.01.2020 15:38:41	1	1	1	1	72.5	60.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.8125	2004
21.01.2020 15:38:42	1	1	1	1	72.5	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.8125	2004
21.01.2020 15:38:43	1	1	1	1	72.5	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.625	2004
21.01.2020 15:38:45	1	1	1	1	72.5	60.5	0	30000	372.0430108	11178.75683	30000	0	0	30000	40.5625	2004
21.01.2020 15:38:46	1	1	1	1	72.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
21.01.2020 15:38:53	1	1	1	1	72.25	60.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.75	2004
21.01.2020 15:38:53	1	1	1	1	72.25	60.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.75	2004
21.01.2020 15:38:53	1	1	1	1	72.25	60.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.75	2004
21.01.2020 15:38:53	1	1	1	1	72.25	60.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.75	2004
21.01.2020 15:38:53	1	1	1	1	72.25	60.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.75	2004
21.01.2020 15:38:53	1	1	1	1	72.25	60.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.75	2004
21.01.2020 15:38:53	1	1	1	1	72.25	60.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:38:54	1	1	1	1	72.25	60.75	0	30000	326.8817204	9999.728209	30000	0	0	30000	40.8125	2004
21.01.2020 15:38:55	1	1	1	1	72.25	60.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.5625	2004
21.01.2020 15:38:56	1	1	1	1	72.25	60.5	0	30000	329.0322581	9676.840703	30000	0	0	30000	40.6875	2004
21.01.2020 15:38:57	1	1	1	1	72.25	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.625	2004
21.01.2020 15:38:58	1	1	1	1	72.25	60.5	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	40	2004
21.01.2020 15:38:59	1	1	1	1	72.25	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 15:39:00	1	1	1	1	72.25	60	0	30000	311.827957	9354.76857	30000	0	0	30000	40.8125	2004
21.01.2020 15:39:01	1	1	1	1	72.25	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.75	2004
21.01.2020 15:39:02	1	1	1	1	72.25	60.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.9375	2004
21.01.2020 15:39:03	1	1	1	1	72.25	60.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.75	2004
21.01.2020 15:39:04	1	1	1	1	72.25	60.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.8125	2004
21.01.2020 15:39:05	1	1	1	1	72.25	60.75	0	29952.607	326.8817204	10015.22029	30000	0	0	30000	40.875	2004
21.01.2020 15:39:06	1	1	1	1	72.25	60.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.4375	2004
21.01.2020 15:39:07	1	1	1	1	72.25	60.25	0	29952.607	303.2258065	9290.354143	30000	0	0	30000	40.625	2004
21.01.2020 15:39:08	1	1	1	1	72.25	60.5	0	30000	311.827957	9419.182997	30000	0	0	30000	40.875	2004
21.01.2020 15:39:09	1	1	1	1	72.25	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	40.8125	2004
21.01.2020 15:39:10	1	1	1	1	72.25	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	40.125	2004
21.01.2020 15:39:11	1	1	1	1	72.25	60	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:39:12	1	1	1	1	72.25	60.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	40.8125	2004
21.01.2020 15:39:13	1	1	1	1	72.25	60.75	0	29952.607	326.8817204	9999.728209	30000	0	0	30000	40.625	2004
21.01.2020 15:39:14	1	1	1	1	72.25	60.5	0	29952.607	316.1290323	9821.977006	30000	0	0	30000	40.75	2004
21.01.2020 15:39:15	1	1	1	1	72.25	60.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	39.875	2004
21.01.2020 15:39:16	1	1	1	1	72.25	59.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.8125	2004
21.01.2020 15:39:17	1	1	1	1	72.25	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.5	2004
21.01.2020 15:39:18	1	1	1	1	72.25	60.5	0	30000	316.1290323	9498.274128	30000	0	0	30000	40.3125	2004
21.01.2020 15:39:19	1	1	1	1	72.25	60.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.8125	2004
21.01.2020 15:39:20	1	1	1	1	72.25	61	0	30000	309.6774194	9160.709918	30000	0	0	30000	40.125	2004
21.01.2020 15:39:21	1	1	1	1	72.25	60	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.75	2004
21.01.2020 15:39:22	1	1	1	1	72.25	60.75	0	30000	288.172043	8580.164705	30000	0	0	30000	40.5625	2004
21.01.2020 15:39:24	1	1	1	1	72.25	60.5	0	29905.213	286.0215054	8580.164705	30000	0	0	30000	40.625	2004
21.01.2020 15:39:25	1	1	1	1	72.25	60.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	40.625	2004
21.01.2020 15:39:26	1	1	1	1	72.25	60.5	0	30000	275.2688172	8192.862773	30000	0	0	30000	40.75	2004
21.01.2020 15:39:27	1	1	1	1	72.25	60.75	0	29952.607	286.0215054	8644.579132	30000	0	0	30000	40.375	2004
21.01.2020 15:39:28	1	1	1	1	72.25	60.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40	2004
21.01.2020 15:39:29	1	1	1	1	72.25	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.8125	2004
21.01.2020 15:39:30	1	1	1	1	72.25	60.75	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	40.5625	2004
21.01.2020 15:39:31	1	1	1	1	72.25	60.5	0	30000	335.483871	9999.728209	30000	0	0	30000	40.5625	2004
21.01.2020 15:39:32	1	1	1	1	72.25	60.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.5625	2004
21.01.2020 15:39:33	1	1	1	1	72.25	60.5	0	30000	335.483871	10064.14264	30000	0	0	30000	40.125	2004
21.01.2020 15:39:34	1	1	1	1	72.25	60	0	30000	344.0860215	10192.97149	30000	0	0	30000	40.5625	2004
21.01.2020 15:39:35	1	1	1	1	72.25	60.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.6875	2004
21.01.2020 15:39:36	1	1	1	1	72.25	60.5	0	30000	348.3870968	10370.72269	30000	0	0	30000	40.5	2004
21.01.2020 15:39:37	1	1	1	1	72.25	60.5	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:39:38	1	1	1	1	72.25	60.5	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	40.75	2004
21.01.2020 15:39:39	1	1	1	1	72.25	60.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	40.125	2004
21.01.2020 15:39:40	1	1	1	1	72.25	60	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.25	2004
21.01.2020 15:39:41	1	1	1	1	72.25	60.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	40.5	2004
21.01.2020 15:39:42	1	1	1	1	72.25	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.5625	2004
21.01.2020 15:39:43	1	1	1	1	72.25	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5	2004
21.01.2020 15:39:44	1	1	1	1	72.25	60.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	40.625	2004
21.01.2020 15:39:45	1	1	1	1	72.25	60.5	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	40.5	2004
21.01.2020 15:39:46	1	1	1	1	72.25	60.5	0	29905.213	356.9892473	10644.68785	30000	0	0	30000	40.5625	2004
21.01.2020 15:39:47	1	1	1	1	72.25	60.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.625	2004
21.01.2020 15:39:55	1	1	1	1	72.25	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:39:55	1	1	1	1	72.25	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:39:55	1	1	1	1	72.25	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:39:55	1	1	1	1	72.25	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:39:55	1	1	1	1	72.25	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:39:55	1	1	1	1	72.25	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:39:55	1	1	1	1	72.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
21.01.2020 15:39:56	1	1	1	1	72.25	61	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.5625	2004
21.01.2020 15:39:57	1	1	1	1	72.25	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
21.01.2020 15:39:58	1	1	1	1	72.25	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.125	2004
21.01.2020 15:39:59	1	1	1	1	72.25	60.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.875	2004
21.01.2020 15:40:00	1	1	1	1	72.5	60.75	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	40.625	2004
21.01.2020 15:40:02	1	1	1	1	72.5	60.5	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
21.01.2020 15:40:03	1	1	1	1	72.5	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.6875	2004
21.01.2020 15:40:04	1	1	1	1	72.5	60.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.75	2004
21.01.2020 15:40:05	1	1	1	1	72.5	60.75	0	30000	404.3010753	11935.4225	30000	0	0	30000	40.4375	2004
21.01.2020 15:40:06	1	1	1	1	72.5	60.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	40	2004
21.01.2020 15:40:07	1	1	1	1	72.5	60	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.625	2004
21.01.2020 15:40:08	1	1	1	1	72.5	60.5	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	40.5625	2004
21.01.2020 15:40:09	1	1	1	1	72.5	60.5	0	30000	425.8064516	12560.8132	30000	0	0	30000	40.625	2004
21.01.2020 15:40:10	1	1	1	1	72.5	60.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.8125	2004
21.01.2020 15:40:11	1	1	1	1	72.5	59.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.75	2004
21.01.2020 15:40:12	1	1	1	1	72.5	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.75	2004
21.01.2020 15:40:13	1	1	1	1	72.5	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.8125	2004
21.01.2020 15:40:14	1	1	1	1	72.5	60.75	0	29952.607	387.0967742	11612.53499	30000	0	0	30000	40.3125	2004
21.01.2020 15:40:15	1	1	1	1	72.5	60.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.25	2004
21.01.2020 15:40:16	1	1	1	1	72.5	60.25	0	30000	352.688172	10515.85899	30000	0	0	30000	40.625	2004
21.01.2020 15:40:17	1	1	1	1	72.5	60.5	0	30000	337.6344086	10192.97149	30000	0	0	30000	40.3125	2004
21.01.2020 15:40:18	1	1	1	1	72.5	60.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.5625	2004
21.01.2020 15:40:19	1	1	1	1	72.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
21.01.2020 15:40:20	1	1	1	1	72.5	60.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	40.875	2004
21.01.2020 15:40:21	1	1	1	1	72.75	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:40:22	1	1	1	1	72.75	60.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.9375	2004
21.01.2020 15:40:23	1	1	1	1	72.75	60.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.625	2004
21.01.2020 15:40:24	1	1	1	1	72.75	60.5	0	29952.607	303.2258065	9082.434159	30000	0	0	30000	40.9375	2004
21.01.2020 15:40:25	1	1	1	1	72.75	60.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	40.75	2004
21.01.2020 15:40:26	1	1	1	1	72.75	60.75	0	29952.607	268.8172043	8051.803332	30000	0	0	30000	40.5	2004
21.01.2020 15:40:27	1	1	1	1	72.75	60.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.875	2004
21.01.2020 15:40:28	1	1	1	1	72.75	60.75	0	30000	277.4193548	8386.921425	30000	0	0	30000	40.375	2004
21.01.2020 15:40:29	1	1	1	1	72.75	60.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.8125	2004
21.01.2020 15:40:30	1	1	1	1	72.75	60.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	40.625	2004
21.01.2020 15:40:31	1	1	1	1	72.5	60.5	0	30000	266.6666667	7870.79064	30000	0	0	30000	40.4375	2004
21.01.2020 15:40:32	1	1	1	1	72.5	60.25	0	30000	264.516129	7935.205066	30000	0	0	30000	40.625	2004
21.01.2020 15:40:33	1	1	1	1	72.5	60.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	40.5625	2004
21.01.2020 15:40:34	1	1	1	1	72.5	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.6875	2004
21.01.2020 15:40:35	1	1	1	1	72.5	60.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	41.125	2004
21.01.2020 15:40:36	1	1	1	1	72.5	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.75	2004
21.01.2020 15:40:37	1	1	1	1	72.5	60.75	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	41.125	2004
21.01.2020 15:40:38	1	1	1	1	72.5	60.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.25	2004
21.01.2020 15:40:39	1	1	1	1	72.5	60.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.75	2004
21.01.2020 15:40:41	1	1	1	1	72.25	60.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	40.75	2004
21.01.2020 15:40:42	1	1	1	1	72.25	60.75	0	30000	324.7311828	9597.749572	30000	0	0	30000	40.875	2004
21.01.2020 15:40:43	1	1	1	1	72.25	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.75	2004
21.01.2020 15:40:44	1	1	1	1	72.25	60.75	0	29952.607	352.688172	10644.68785	30000	0	0	30000	40.8125	2004
21.01.2020 15:40:45	1	1	1	1	72.25	60.75	0	30000	356.9892473	10692.79483	30000	0	0	30000	40.875	2004
21.01.2020 15:40:46	1	1	1	1	72.25	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.8125	2004
21.01.2020 15:40:47	1	1	1	1	72.25	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.8125	2004
21.01.2020 15:40:48	1	1	1	1	72.25	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.3125	2004
21.01.2020 15:40:49	1	1	1	1	72.25	60.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.6875	2004
21.01.2020 15:40:56	1	1	1	1	72.25	60.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	41.0625	2004
21.01.2020 15:40:56	1	1	1	1	72.25	60.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	41.0625	2004
21.01.2020 15:40:56	1	1	1	1	72.25	60.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	41.0625	2004
21.01.2020 15:40:56	1	1	1	1	72.25	60.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	41.0625	2004
21.01.2020 15:40:56	1	1	1	1	72.25	60.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	41.0625	2004
21.01.2020 15:40:56	1	1	1	1	72.25	60.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	41.0625	2004
21.01.2020 15:40:56	1	1	1	1	72.25	60.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	41.0625	2004
21.01.2020 15:40:57	1	1	1	1	72.25	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.8125	2004
21.01.2020 15:40:58	1	1	1	1	72.25	60.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	40.875	2004
21.01.2020 15:40:59	1	1	1	1	72.25	60.75	0	29952.607	412.9032258	12193.08021	30000	0	0	30000	40.75	2004
21.01.2020 15:41:00	1	1	1	1	72.25	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:01	1	1	1	1	72	60.5	0	30000	404.3010753	12426.27674	30000	0	0	30000	40.4375	2004
21.01.2020 15:41:02	1	1	1	1	72	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
21.01.2020 15:41:03	1	1	1	1	72	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.5625	2004
21.01.2020 15:41:04	1	1	1	1	72	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:05	1	1	1	1	72	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:41:06	1	1	1	1	72	60.5	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	40.25	2004
21.01.2020 15:41:07	1	1	1	1	72	60.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:08	1	1	1	1	72	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
21.01.2020 15:41:09	1	1	1	1	72	60.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.5625	2004
21.01.2020 15:41:10	1	1	1	1	72	60.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.4375	2004
21.01.2020 15:41:11	1	1	1	1	72	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.4375	2004
21.01.2020 15:41:12	1	1	1	1	72	60.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	40.625	2004
21.01.2020 15:41:13	1	1	1	1	72	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:14	1	1	1	1	72	60.5	0	30000	356.9892473	10515.85899	30000	0	0	30000	40.5625	2004
21.01.2020 15:41:15	1	1	1	1	72	60.5	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	41	2004
21.01.2020 15:41:16	1	1	1	1	72	61	0	29952.607	352.688172	10580.27342	30000	0	0	30000	39.6875	2004
21.01.2020 15:41:17	1	1	1	1	72	61	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:18	1	1	1	1	72	60.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.75	2004
21.01.2020 15:41:20	1	1	1	1	72	60.75	0	29905.213	303.2258065	9096.295491	30000	0	0	30000	40.8125	2004
21.01.2020 15:41:21	1	1	1	1	72	60.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:22	1	1	1	1	72	60.5	0	30000	286.0215054	8451.335852	30000	0	0	30000	40.625	2004
21.01.2020 15:41:23	1	1	1	1	72	60.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	40.625	2004
21.01.2020 15:41:24	1	1	1	1	72	60.5	0	30000	288.172043	8515.750279	30000	0	0	30000	40.3125	2004
21.01.2020 15:41:25	1	1	1	1	72	60.25	0	30000	288.172043	8580.164705	30000	0	0	30000	40.5625	2004
21.01.2020 15:41:26	1	1	1	1	72	60.5	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:27	1	1	1	1	72	60.5	0	30000	294.6236559	8580.164705	30000	0	0	30000	40.75	2004
21.01.2020 15:41:28	1	1	1	1	72	60.75	0	30000	286.0215054	8644.579132	30000	0	0	30000	40.875	2004
21.01.2020 15:41:29	1	1	1	1	72	60.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	40.4375	2004
21.01.2020 15:41:30	1	1	1	1	72	60.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:31	1	1	1	1	71.75	60.5	0	30000	305.3763441	8874.514174	30000	0	0	30000	40.1875	2004
21.01.2020 15:41:32	1	1	1	1	71.75	60	0	30000	301.0752688	8824.776452	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:33	1	1	1	1	71.75	60.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.75	2004
21.01.2020 15:41:34	1	1	1	1	71.75	60.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.25	2004
21.01.2020 15:41:35	1	1	1	1	71.75	60.25	0	30000	311.827957	9354.76857	30000	0	0	30000	40.6875	2004
21.01.2020 15:41:36	1	1	1	1	71.75	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:41:37	1	1	1	1	71.75	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.75	2004
21.01.2020 15:41:38	1	1	1	1	71.75	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	40.625	2004
21.01.2020 15:41:39	1	1	1	1	71.75	60.5	0	29905.213	316.1290323	9597.749572	30000	0	0	30000	40.75	2004
21.01.2020 15:41:40	1	1	1	1	71.75	60.75	0	30047.393	339.7849462	9870.899356	30000	0	0	30000	39.6875	2004
21.01.2020 15:41:41	1	1	1	1	72	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.625	2004
21.01.2020 15:41:42	1	1	1	1	72	60.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.9375	2004
21.01.2020 15:41:43	1	1	1	1	72	60.75	0	29952.607	326.8817204	10080.45009	30000	0	0	30000	40	2004
21.01.2020 15:41:44	1	1	1	1	72	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004
21.01.2020 15:41:45	1	1	1	1	72	60.75	0	30000	331.1827957	9806.484929	30000	0	0	30000	40.875	2004
21.01.2020 15:41:46	1	1	1	1	72	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.875	2004
21.01.2020 15:41:47	1	1	1	1	72	60.75	0	29905.213	311.827957	9275.677439	30000	0	0	30000	40.8125	2004
21.01.2020 15:41:48	1	1	1	1	72	60.75	0	29952.607	303.2258065	9225.124344	30000	0	0	30000	40.625	2004
21.01.2020 15:41:49	1	1	1	1	72	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:41:50	1	1	1	1	72	60.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.625	2004
21.01.2020 15:41:58	1	1	1	1	72	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.9375	2004
21.01.2020 15:41:58	1	1	1	1	72	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.9375	2004
21.01.2020 15:41:58	1	1	1	1	72	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.9375	2004
21.01.2020 15:41:58	1	1	1	1	72	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.9375	2004
21.01.2020 15:41:58	1	1	1	1	72	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.9375	2004
21.01.2020 15:41:58	1	1	1	1	72	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.9375	2004
21.01.2020 15:41:58	1	1	1	1	72	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.9375	2004
21.01.2020 15:41:59	1	1	1	1	72	60.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.625	2004
21.01.2020 15:42:00	1	1	1	1	72	60.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.875	2004
21.01.2020 15:42:01	1	1	1	1	71.75	60.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.8125	2004
21.01.2020 15:42:02	1	1	1	1	71.75	60.75	0	30000	294.6236559	8903.052211	30000	0	0	30000	40.375	2004
21.01.2020 15:42:03	1	1	1	1	71.75	60.25	0	30000	288.172043	8580.164705	30000	0	0	30000	40.8125	2004
21.01.2020 15:42:04	1	1	1	1	71.75	60.75	0	30000	286.0215054	8708.993559	30000	0	0	30000	40.4375	2004
21.01.2020 15:42:05	1	1	1	1	71.75	60.25	0	30000	286.0215054	8515.750279	30000	0	0	30000	40.375	2004
21.01.2020 15:42:06	1	1	1	1	71.75	60.25	0	30000	311.827957	9354.76857	30000	0	0	30000	40.75	2004
21.01.2020 15:42:07	1	1	1	1	71.75	60.75	0	30000	326.8817204	9582.257495	30000	0	0	30000	40.6875	2004
21.01.2020 15:42:08	1	1	1	1	71.75	60.5	0	29952.607	329.0322581	9790.992852	30000	0	0	30000	40.75	2004
21.01.2020 15:42:09	1	1	1	1	71.75	60.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.375	2004
21.01.2020 15:42:10	1	1	1	1	71.75	60.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.5	2004
21.01.2020 15:42:11	1	1	1	1	71.5	60.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.8125	2004
21.01.2020 15:42:12	1	1	1	1	71.5	60.75	0	29905.213	337.6344086	10113.06499	30000	0	0	30000	40.9375	2004
21.01.2020 15:42:13	1	1	1	1	71.5	60.75	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	40.75	2004
21.01.2020 15:42:14	1	1	1	1	71.5	60.75	0	29952.607	316.1290323	9676.840703	30000	0	0	30000	40.6875	2004
21.01.2020 15:42:15	1	1	1	1	71.5	60.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.375	2004
21.01.2020 15:42:16	1	1	1	1	71.5	60.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.6875	2004
21.01.2020 15:42:17	1	1	1	1	71.5	60.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.75	2004
21.01.2020 15:42:21	1	1	1	1	71.5	60.5	0	30000	305.3763441	9146.848585	30000	0	0	30000	40.75	2004
21.01.2020 15:42:21	1	1	1	1	71.5	60.5	0	30000	305.3763441	9146.848585	30000	0	0	30000	40.75	2004
21.01.2020 15:42:21	1	1	1	1	71.5	60.5	0	30000	305.3763441	9146.848585	30000	0	0	30000	40.75	2004
21.01.2020 15:42:21	1	1	1	1	71.5	60.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.5625	2004
21.01.2020 15:42:22	1	1	1	1	71.5	60.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.75	2004
21.01.2020 15:42:23	1	1	1	1	71.5	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.5625	2004
21.01.2020 15:42:24	1	1	1	1	71.5	60.5	0	30000	301.0752688	8824.776452	30000	0	0	30000	40.875	2004
21.01.2020 15:42:25	1	1	1	1	71.5	60.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.75	2004
21.01.2020 15:42:26	1	1	1	1	71.5	60.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	40	2004
21.01.2020 15:42:27	1	1	1	1	71.5	60	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.9375	2004
21.01.2020 15:42:28	1	1	1	1	71.5	60.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.8125	2004
21.01.2020 15:42:29	1	1	1	1	71.5	60.75	0	30000	288.172043	8708.993559	30000	0	0	30000	40.75	2004
21.01.2020 15:42:30	1	1	1	1	71.5	60.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	40.8125	2004
21.01.2020 15:42:31	1	1	1	1	71.25	60.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.875	2004
21.01.2020 15:42:32	1	1	1	1	71.25	60.75	0	30000	277.4193548	8245.046612	30000	0	0	30000	41.375	2004
21.01.2020 15:42:33	1	1	1	1	71.25	61.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:42:34	1	1	1	1	71.25	60.25	0	30000	296.7741935	8810.099747	30000	0	0	30000	41	2004
21.01.2020 15:42:35	1	1	1	1	71.25	61	0	30000	294.6236559	8682.086266	30000	0	0	30000	41.375	2004
21.01.2020 15:42:36	1	1	1	1	71.25	60.75	0	30000	292.4731183	8760.362025	30000	0	0	30000	40.6875	2004
21.01.2020 15:42:38	1	1	1	1	71.25	60.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.75	2004
21.01.2020 15:42:39	1	1	1	1	71.25	60.75	0	29905.213	307.5268817	9225.124344	30000	0	0	30000	40.6875	2004
21.01.2020 15:42:40	1	1	1	1	71.25	60.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.5	2004
21.01.2020 15:42:41	1	1	1	1	71.25	60.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.6875	2004
21.01.2020 15:42:42	1	1	1	1	71.25	60.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.0625	2004
21.01.2020 15:42:43	1	1	1	1	71.25	60	0	30000	311.827957	9354.76857	30000	0	0	30000	40.5	2004
21.01.2020 15:42:44	1	1	1	1	71.25	60.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.5625	2004
21.01.2020 15:42:45	1	1	1	1	71.25	60.5	0	30000	277.4193548	8515.750279	30000	0	0	30000	40.625	2004
21.01.2020 15:42:46	1	1	1	1	71.25	60.5	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	40.625	2004
21.01.2020 15:42:47	1	1	1	1	71.25	60.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.8125	2004
21.01.2020 15:42:48	1	1	1	1	71.25	60.75	0	30000	303.2258065	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:42:49	1	1	1	1	71.25	60.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.375	2004
21.01.2020 15:42:50	1	1	1	1	71.25	60.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.375	2004
21.01.2020 15:42:51	1	1	1	1	71.25	60.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.875	2004
21.01.2020 15:42:52	1	1	1	1	71.25	60.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.75	2004
21.01.2020 15:42:59	1	1	1	1	71.25	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:42:59	1	1	1	1	71.25	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:42:59	1	1	1	1	71.25	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:42:59	1	1	1	1	71.25	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:42:59	1	1	1	1	71.25	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:42:59	1	1	1	1	71.25	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:42:59	1	1	1	1	71.25	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:42:59	1	1	1	1	71.25	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:43:00	1	1	1	1	71.25	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.125	2004
21.01.2020 15:43:01	1	1	1	1	71.25	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
21.01.2020 15:43:02	1	1	1	1	71.25	60.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40	2004
21.01.2020 15:43:03	1	1	1	1	71.25	60	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.8125	2004
21.01.2020 15:43:04	1	1	1	1	71.25	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.75	2004
21.01.2020 15:43:05	1	1	1	1	71.25	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.1875	2004
21.01.2020 15:43:06	1	1	1	1	71.25	60	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.1875	2004
21.01.2020 15:43:07	1	1	1	1	71.25	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.125	2004
21.01.2020 15:43:08	1	1	1	1	71.25	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
21.01.2020 15:43:09	1	1	1	1	71.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.6875	2004
21.01.2020 15:43:10	1	1	1	1	71.25	60.5	0	30000	427.9569892	12818.4709	30000	0	0	30000	41.3125	2004
21.01.2020 15:43:11	1	1	1	1	71.25	61.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.625	2004
21.01.2020 15:43:12	1	1	1	1	71.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
21.01.2020 15:43:13	1	1	1	1	71.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.625	2004
21.01.2020 15:43:14	1	1	1	1	71.25	60.25	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	40.25	2004
21.01.2020 15:43:16	1	1	1	1	71.25	60.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.75	2004
21.01.2020 15:43:17	1	1	1	1	71.25	60.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.125	2004
21.01.2020 15:43:18	1	1	1	1	71.25	60	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:43:19	1	1	1	1	71.25	60	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.6875	2004
21.01.2020 15:43:20	1	1	1	1	71.25	60.5	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	40.8125	2004
21.01.2020 15:43:21	1	1	1	1	70.75	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:43:22	1	1	1	1	70.75	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.5	2004
21.01.2020 15:43:23	1	1	1	1	70.75	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.8125	2004
21.01.2020 15:43:24	1	1	1	1	70.75	60.75	0	30047.393	335.483871	9935.313783	30000	0	0	30000	40.6875	2004
21.01.2020 15:43:25	1	1	1	1	70.75	60.5	0	30000	339.7849462	10177.47941	30000	0	0	30000	40.875	2004
21.01.2020 15:43:26	1	1	1	1	70.75	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.4375	2004
21.01.2020 15:43:27	1	1	1	1	70.75	60.25	0	30000	320.4301075	9483.597423	30000	0	0	30000	40.8125	2004
21.01.2020 15:43:28	1	1	1	1	70.75	60.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.75	2004
21.01.2020 15:43:29	1	1	1	1	70.75	60.75	0	30000	303.2258065	9225.124344	30000	0	0	30000	40.8125	2004
21.01.2020 15:43:30	1	1	1	1	70.75	60.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 15:43:31	1	1	1	1	70.25	60.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.875	2004
21.01.2020 15:43:32	1	1	1	1	70.25	60.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.875	2004
21.01.2020 15:43:33	1	1	1	1	70.25	60.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	40.8125	2004
21.01.2020 15:43:34	1	1	1	1	70.25	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.4375	2004
21.01.2020 15:43:35	1	1	1	1	70.25	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	40.625	2004
21.01.2020 15:43:36	1	1	1	1	70.25	60.5	0	30000	346.2365591	10241.89384	30000	0	0	30000	40.75	2004
21.01.2020 15:43:37	1	1	1	1	70.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.4375	2004
21.01.2020 15:43:38	1	1	1	1	70.25	60.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:43:39	1	1	1	1	70.25	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.625	2004
21.01.2020 15:43:40	1	1	1	1	70.25	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.375	2004
21.01.2020 15:43:41	1	1	1	1	69.5	60.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
21.01.2020 15:43:42	1	1	1	1	69.5	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.4375	2004
21.01.2020 15:43:43	1	1	1	1	69.5	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.6875	2004
21.01.2020 15:43:44	1	1	1	1	69.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.625	2004
21.01.2020 15:43:45	1	1	1	1	69.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
21.01.2020 15:43:46	1	1	1	1	69.5	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.375	2004
21.01.2020 15:43:47	1	1	1	1	69.5	60.25	0	30047.393	378.4946237	11031.98978	30000	0	0	30000	40.25	2004
21.01.2020 15:43:48	1	1	1	1	69.5	60.25	0	29952.607	382.7956989	11419.29171	30000	0	0	30000	40.375	2004
21.01.2020 15:43:49	1	1	1	1	69.5	60.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.625	2004
21.01.2020 15:43:50	1	1	1	1	69.5	60.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	40.625	2004
21.01.2020 15:43:51	1	1	1	1	69.5	60.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	40.3125	2004
21.01.2020 15:43:52	1	1	1	1	69.5	60.25	0	29952.607	406.4516129	12045.49778	30000	0	0	30000	40.375	2004
21.01.2020 15:43:53	1	1	1	1	69.5	61	0	30000	395.6989247	11889.76164	30000	0	0	30000	40.125	2004
21.01.2020 15:44:01	1	1	1	1	69	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:01	1	1	1	1	69	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:01	1	1	1	1	69	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:01	1	1	1	1	69	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:01	1	1	1	1	69	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:01	1	1	1	1	69	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:01	1	1	1	1	69	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:02	1	1	1	1	69	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:44:03	1	1	1	1	69	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.875	2004
21.01.2020 15:44:04	1	1	1	1	69	60.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:05	1	1	1	1	69	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.0625	2004
21.01.2020 15:44:06	1	1	1	1	69	60	0	30000	341.9354839	10403.33759	30000	0	0	30000	40.8125	2004
21.01.2020 15:44:07	1	1	1	1	69	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:08	1	1	1	1	69	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.8125	2004
21.01.2020 15:44:09	1	1	1	1	69	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:44:10	1	1	1	1	69	60.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	40.5	2004
21.01.2020 15:44:11	1	1	1	1	69.25	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:12	1	1	1	1	69.25	60.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.5625	2004
21.01.2020 15:44:13	1	1	1	1	69.25	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:44:14	1	1	1	1	69.25	60.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	40.3125	2004
21.01.2020 15:44:15	1	1	1	1	69.25	60.25	0	30000	350.5376344	10387.03014	30000	0	0	30000	40.5625	2004
21.01.2020 15:44:16	1	1	1	1	69.25	60.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:17	1	1	1	1	69.25	60.5	0	30000	367.7419355	11014.86696	30000	0	0	30000	40.5625	2004
21.01.2020 15:44:18	1	1	1	1	69.25	60.5	0	30000	350.5376344	10387.03014	30000	0	0	30000	40.125	2004
21.01.2020 15:44:19	1	1	1	1	69.25	60	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:20	1	1	1	1	69.25	60.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.4375	2004
21.01.2020 15:44:21	1	1	1	1	69.5	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5625	2004
21.01.2020 15:44:22	1	1	1	1	69.5	60.5	0	29905.213	326.8817204	10273.69337	30000	0	0	30000	40.75	2004
21.01.2020 15:44:23	1	1	1	1	69.5	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.5625	2004
21.01.2020 15:44:24	1	1	1	1	69.5	60.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41	2004
21.01.2020 15:44:25	1	1	1	1	69.5	61	0	29952.607	326.8817204	9646.671921	30000	0	0	30000	40.5	2004
21.01.2020 15:44:26	1	1	1	1	69.5	60.5	0	30000	350.5376344	10499.55155	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:27	1	1	1	1	69.5	60.5	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	40.5625	2004
21.01.2020 15:44:28	1	1	1	1	69.5	60.5	0	30047.393	326.8817204	9741.25513	30000	0	0	30000	40.875	2004
21.01.2020 15:44:29	1	1	1	1	69.5	60.75	0	29952.607	313.9784946	9548.01185	30000	0	0	30000	41.1875	2004
21.01.2020 15:44:30	1	1	1	1	69.5	61	0	29905.213	301.0752688	9160.709918	30000	0	0	30000	41.0625	2004
21.01.2020 15:44:31	1	1	1	1	69.75	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.75	2004
21.01.2020 15:44:33	1	1	1	1	69.75	60.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.8125	2004
21.01.2020 15:44:34	1	1	1	1	69.75	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.1875	2004
21.01.2020 15:44:35	1	1	1	1	69.75	60	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.5	2004
21.01.2020 15:44:36	1	1	1	1	69.75	60.5	0	30000	335.483871	10064.14264	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:37	1	1	1	1	69.75	60.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.625	2004
21.01.2020 15:44:38	1	1	1	1	69.75	60.5	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	40.75	2004
21.01.2020 15:44:39	1	1	1	1	69.75	60.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.75	2004
21.01.2020 15:44:40	1	1	1	1	69.75	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.375	2004
21.01.2020 15:44:41	1	1	1	1	70	60.25	0	30000	339.7849462	10403.33759	30000	0	0	30000	40.8125	2004
21.01.2020 15:44:42	1	1	1	1	70	60.75	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	40.75	2004
21.01.2020 15:44:43	1	1	1	1	70	60.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.25	2004
21.01.2020 15:44:44	1	1	1	1	70	60.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.75	2004
21.01.2020 15:44:45	1	1	1	1	70	60.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.5	2004
21.01.2020 15:44:46	1	1	1	1	70	60.5	0	30047.393	331.1827957	9726.578425	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:44:47	1	1	1	1	70	60.25	0	29952.607	335.483871	10257.38592	30000	0	0	30000	40.9375	2004
21.01.2020 15:44:48	1	1	1	1	70	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.3125	2004
21.01.2020 15:44:49	1	1	1	1	70	60.25	0	30000	329.0322581	9855.407279	30000	0	0	30000	40.625	2004
21.01.2020 15:44:50	1	1	1	1	70	60.5	0	30000	352.688172	10515.85899	30000	0	0	30000	40	2004
21.01.2020 15:44:51	1	1	1	1	70	60	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.75	2004
21.01.2020 15:44:52	1	1	1	1	70	60.75	0	30000	352.688172	10515.85899	30000	0	0	30000	40.8125	2004
21.01.2020 15:44:53	1	1	1	1	70	60.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.6875	2004
21.01.2020 15:44:54	1	1	1	1	70	60.5	0	30000	352.688172	10580.27342	30000	0	0	30000	40.4375	2004
21.01.2020 15:44:55	1	1	1	1	70	60.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.75	2004
21.01.2020 15:45:03	1	1	1	1	70.25	60.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.125	2004
21.01.2020 15:45:03	1	1	1	1	70.25	60.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.125	2004
21.01.2020 15:45:03	1	1	1	1	70.25	60.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.125	2004
21.01.2020 15:45:03	1	1	1	1	70.25	60.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.125	2004
21.01.2020 15:45:03	1	1	1	1	70.25	60.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.125	2004
21.01.2020 15:45:03	1	1	1	1	70.25	60.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.125	2004
21.01.2020 15:45:03	1	1	1	1	70.25	60	0	30000	367.7419355	10757.20925	30000	0	0	30000	40.75	2004
21.01.2020 15:45:04	1	1	1	1	70.25	60.75	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:45:05	1	1	1	1	70.25	60.5	0	30000	367.7419355	10903.16093	30000	0	0	30000	40.5	2004
21.01.2020 15:45:06	1	1	1	1	70.25	60.5	0	30000	359.1397849	10757.20925	30000	0	0	30000	40.1875	2004
21.01.2020 15:45:07	1	1	1	1	70.25	60	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.9375	2004
21.01.2020 15:45:08	1	1	1	1	70.25	60.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	40.4375	2004
21.01.2020 15:45:09	1	1	1	1	70.25	60.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	41	2004
21.01.2020 15:45:11	1	1	1	1	70.5	61	0	29952.607	363.4408602	10868.09991	30000	0	0	30000	40.6875	2004
21.01.2020 15:45:12	1	1	1	1	70.5	60.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	40.75	2004
21.01.2020 15:45:13	1	1	1	1	70.5	60.75	0	29905.213	363.4408602	10903.16093	30000	0	0	30000	40.875	2004
21.01.2020 15:45:14	1	1	1	1	70.5	60.75	0	30000	359.1397849	11131.46522	30000	0	0	30000	40.75	2004
21.01.2020 15:45:15	1	1	1	1	70.5	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.625	2004
21.01.2020 15:45:16	1	1	1	1	70.5	60.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.75	2004
21.01.2020 15:45:17	1	1	1	1	70.5	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.75	2004
21.01.2020 15:45:18	1	1	1	1	70.5	60.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.375	2004
21.01.2020 15:45:19	1	1	1	1	70.5	60.25	0	30000	288.172043	8580.164705	30000	0	0	30000	40.4375	2004
21.01.2020 15:45:20	1	1	1	1	70.5	60.25	0	29952.607	270.9677419	8128.448346	30000	0	0	30000	40.25	2004
21.01.2020 15:45:21	1	1	1	1	70.5	60.25	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	40.25	2004
21.01.2020 15:45:22	1	1	1	1	70.5	60.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	40.8125	2004
21.01.2020 15:45:23	1	1	1	1	70.5	60.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.625	2004
21.01.2020 15:45:24	1	1	1	1	70.5	60.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.5	2004
21.01.2020 15:45:25	1	1	1	1	70.5	60.5	0	30000	264.516129	7870.79064	30000	0	0	30000	40.75	2004
21.01.2020 15:45:26	1	1	1	1	70.5	60.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.8125	2004
21.01.2020 15:45:27	1	1	1	1	70.5	60.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	40.8125	2004
21.01.2020 15:45:28	1	1	1	1	70.5	60.75	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	40.75	2004
21.01.2020 15:45:29	1	1	1	1	70.5	60.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.75	2004
21.01.2020 15:45:30	1	1	1	1	70.5	60.75	0	30000	294.6236559	8903.052211	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:45:31	1	1	1	1	71	60.5	0	30000	288.172043	8580.164705	30000	0	0	30000	40.75	2004
21.01.2020 15:45:32	1	1	1	1	71	60.75	0	30000	288.172043	8708.993559	30000	0	0	30000	40.8125	2004
21.01.2020 15:45:33	1	1	1	1	71	60.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	40.75	2004
21.01.2020 15:45:34	1	1	1	1	71	60.75	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	40.9375	2004
21.01.2020 15:45:35	1	1	1	1	71	60.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	40.5625	2004
21.01.2020 15:45:36	1	1	1	1	71	60.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.5625	2004
21.01.2020 15:45:37	1	1	1	1	71	60.5	0	30000	303.2258065	9082.434159	30000	0	0	30000	40.875	2004
21.01.2020 15:45:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 15:45:39	1	1	1	1	71	60.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.75	2004
21.01.2020 15:45:40	1	1	1	1	71	60.75	0	30000	335.483871	9999.728209	30000	0	0	30000	40.75	2004
21.01.2020 15:45:41	1	1	1	1	71.5	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.875	2004
21.01.2020 15:45:42	1	1	1	1	71.5	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.9375	2004
21.01.2020 15:45:43	1	1	1	1	71.5	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.8125	2004
21.01.2020 15:45:44	1	1	1	1	71.5	60.75	0	30000	335.483871	9790.992852	30000	0	0	30000	40.5	2004
21.01.2020 15:45:45	1	1	1	1	71.5	60.5	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	41.0625	2004
21.01.2020 15:45:46	1	1	1	1	71.5	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.125	2004
21.01.2020 15:45:48	1	1	1	1	71.5	61	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.1875	2004
21.01.2020 15:45:49	1	1	1	1	71.5	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:45:50	1	1	1	1	71.5	60.5	0	30047.393	363.4408602	10709.10227	30000	0	0	30000	40.875	2004
21.01.2020 15:45:51	1	1	1	1	71.75	60.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.5625	2004
21.01.2020 15:45:52	1	1	1	1	71.75	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:45:53	1	1	1	1	71.75	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.6875	2004
21.01.2020 15:45:54	1	1	1	1	71.75	60.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:45:55	1	1	1	1	71.75	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.6875	2004
21.01.2020 15:45:56	1	1	1	1	71.75	60.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.1875	2004
21.01.2020 15:45:57	1	1	1	1	71.75	60	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.8125	2004
21.01.2020 15:46:04	1	1	1	1	71.25	60.25	0	30047.393	367.7419355	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:46:04	1	1	1	1	71.25	60.25	0	30047.393	367.7419355	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:46:04	1	1	1	1	71.25	60.25	0	30047.393	367.7419355	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:46:04	1	1	1	1	71.25	60.25	0	30047.393	367.7419355	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:46:04	1	1	1	1	71.25	60.25	0	30047.393	367.7419355	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:46:04	1	1	1	1	71.25	60.25	0	30047.393	367.7419355	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:46:05	1	1	1	1	71.25	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:06	1	1	1	1	71.25	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:46:07	1	1	1	1	71.25	60.5	0	30047.393	367.7419355	10903.16093	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:08	1	1	1	1	71.25	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5625	2004
21.01.2020 15:46:09	1	1	1	1	71.25	60.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:10	1	1	1	1	71.25	60.5	0	30000	346.2365591	10743.34792	30000	0	0	30000	40.625	2004
21.01.2020 15:46:11	1	1	1	1	71.5	60.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:12	1	1	1	1	71.5	60.5	0	30000	354.8387097	10580.27342	30000	0	0	30000	40.5	2004
21.01.2020 15:46:13	1	1	1	1	71.5	60.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	40.75	2004
21.01.2020 15:46:14	1	1	1	1	71.5	60.75	0	30000	352.688172	10515.85899	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:46:15	1	1	1	1	71.5	60.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.5	2004
21.01.2020 15:46:16	1	1	1	1	71.5	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 15:46:17	1	1	1	1	71.5	60.5	0	30000	352.688172	10499.55155	30000	0	0	30000	40.4375	2004
21.01.2020 15:46:18	1	1	1	1	71.5	60.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.3125	2004
21.01.2020 15:46:19	1	1	1	1	71.5	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
21.01.2020 15:46:20	1	1	1	1	71.5	59.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:21	1	1	1	1	71.5	60.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	40.625	2004
21.01.2020 15:46:22	1	1	1	1	71.5	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:23	1	1	1	1	71.5	60.5	0	30000	382.7956989	11908.51521	30000	0	0	30000	41	2004
21.01.2020 15:46:24	1	1	1	1	71.5	61	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.125	2004
21.01.2020 15:46:26	1	1	1	1	71.5	61	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.5625	2004
21.01.2020 15:46:27	1	1	1	1	71.5	60.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.75	2004
21.01.2020 15:46:28	1	1	1	1	71.5	59.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:46:29	1	1	1	1	71.5	60.5	0	29905.213	356.9892473	10628.3804	30000	0	0	30000	40.625	2004
21.01.2020 15:46:30	1	1	1	1	71.5	60.5	0	30000	352.688172	10515.85899	30000	0	0	30000	40.5625	2004
21.01.2020 15:46:31	1	1	1	1	71.75	60.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	40.5	2004
21.01.2020 15:46:32	1	1	1	1	71.75	60.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:33	1	1	1	1	71.75	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.75	2004
21.01.2020 15:46:34	1	1	1	1	71.75	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:35	1	1	1	1	71.75	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.875	2004
21.01.2020 15:46:36	1	1	1	1	71.75	60.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.5	2004
21.01.2020 15:46:37	1	1	1	1	71.75	60.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.4375	2004
21.01.2020 15:46:38	1	1	1	1	71.75	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:39	1	1	1	1	71.75	60.5	0	29952.607	318.2795699	9597.749572	30000	0	0	30000	40.75	2004
21.01.2020 15:46:40	1	1	1	1	71.75	60.75	0	30000	326.8817204	9468.920719	30000	0	0	30000	40.8125	2004
21.01.2020 15:46:41	1	1	1	1	72	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	40.4375	2004
21.01.2020 15:46:42	1	1	1	1	72	60.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.75	2004
21.01.2020 15:46:43	1	1	1	1	72	60.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	39.8125	2004
21.01.2020 15:46:44	1	1	1	1	72	59.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.8125	2004
21.01.2020 15:46:45	1	1	1	1	72	60.75	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	40.625	2004
21.01.2020 15:46:46	1	1	1	1	72	60.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:47	1	1	1	1	72	60.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.5625	2004
21.01.2020 15:46:48	1	1	1	1	72	60.5	0	29905.213	313.9784946	9404.506292	30000	0	0	30000	40.75	2004
21.01.2020 15:46:49	1	1	1	1	72	60.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.125	2004
21.01.2020 15:46:50	1	1	1	1	72	60	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.375	2004
21.01.2020 15:46:51	1	1	1	1	72	60.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	40.5625	2004
21.01.2020 15:46:52	1	1	1	1	72	60.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.6875	2004
21.01.2020 15:46:53	1	1	1	1	72	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.5625	2004
21.01.2020 15:46:54	1	1	1	1	72	60.5	0	30000	311.827957	9354.76857	30000	0	0	30000	40.75	2004
21.01.2020 15:46:55	1	1	1	1	72	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	40.25	2004
21.01.2020 15:46:56	1	1	1	1	72	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.4375	2004
21.01.2020 15:46:57	1	1	1	1	72	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.25	2004
21.01.2020 15:46:58	1	1	1	1	72	60.25	0	30000	309.6774194	9275.677439	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:47:06	1	1	1	1	71.5	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41	2004
21.01.2020 15:47:06	1	1	1	1	71.5	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41	2004
21.01.2020 15:47:06	1	1	1	1	71.5	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41	2004
21.01.2020 15:47:06	1	1	1	1	71.5	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41	2004
21.01.2020 15:47:06	1	1	1	1	71.5	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41	2004
21.01.2020 15:47:06	1	1	1	1	71.5	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41	2004
21.01.2020 15:47:06	1	1	1	1	71.5	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41	2004
21.01.2020 15:47:07	1	1	1	1	71.5	60.5	0	30000	313.9784946	9612.426277	30000	0	0	30000	40.5625	2004
21.01.2020 15:47:08	1	1	1	1	71.5	60.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.5625	2004
21.01.2020 15:47:09	1	1	1	1	71.5	60.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.5625	2004
21.01.2020 15:47:10	1	1	1	1	71.5	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.6875	2004
21.01.2020 15:47:11	1	1	1	1	71.75	60.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.4375	2004
21.01.2020 15:47:12	1	1	1	1	71.75	60.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.75	2004
21.01.2020 15:47:13	1	1	1	1	71.75	60.75	0	29952.607	296.7741935	9096.295491	30000	0	0	30000	40.6875	2004
21.01.2020 15:47:14	1	1	1	1	71.75	60.5	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	40.8125	2004
21.01.2020 15:47:15	1	1	1	1	71.75	60.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.6875	2004
21.01.2020 15:47:16	1	1	1	1	71.75	60.5	0	30000	346.2365591	10257.38592	30000	0	0	30000	40.8125	2004
21.01.2020 15:47:17	1	1	1	1	71.75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.6875	2004
21.01.2020 15:47:18	1	1	1	1	71.75	60.5	0	30047.393	348.3870968	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 15:47:19	1	1	1	1	71.75	60.5	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	40.75	2004
21.01.2020 15:47:20	1	1	1	1	71.75	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.5625	2004
21.01.2020 15:47:21	1	1	1	1	72.25	60.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.625	2004
21.01.2020 15:47:22	1	1	1	1	72.25	60.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.25	2004
21.01.2020 15:47:23	1	1	1	1	72.25	60.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	40.4375	2004
21.01.2020 15:47:24	1	1	1	1	72.25	60.25	0	30000	359.1397849	10644.68785	30000	0	0	30000	40.875	2004
21.01.2020 15:47:25	1	1	1	1	72.25	60.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.5	2004
21.01.2020 15:47:26	1	1	1	1	72.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
21.01.2020 15:47:27	1	1	1	1	72.25	60.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.1875	2004
21.01.2020 15:47:28	1	1	1	1	72.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
21.01.2020 15:47:29	1	1	1	1	72.25	60.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.5625	2004
21.01.2020 15:47:30	1	1	1	1	72.25	60.5	0	30000	369.8924731	10886.03811	30000	0	0	30000	40.5	2004
21.01.2020 15:47:31	1	1	1	1	72.75	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.1875	2004
21.01.2020 15:47:32	1	1	1	1	72.75	60	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.3125	2004
21.01.2020 15:47:33	1	1	1	1	72.75	60.25	0	30000	367.7419355	10967.57535	30000	0	0	30000	40.75	2004
21.01.2020 15:47:34	1	1	1	1	72.75	60.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	40.4375	2004
21.01.2020 15:47:35	1	1	1	1	72.75	60.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.625	2004
21.01.2020 15:47:36	1	1	1	1	72.75	60.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.75	2004
21.01.2020 15:47:37	1	1	1	1	72.75	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.375	2004
21.01.2020 15:47:38	1	1	1	1	72.75	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.6875	2004
21.01.2020 15:47:39	1	1	1	1	72.75	60.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	40.1875	2004
21.01.2020 15:47:40	1	1	1	1	72.75	60	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.8125	2004
21.01.2020 15:47:41	1	1	1	1	72.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5625	2004
21.01.2020 15:47:42	1	1	1	1	72.5	60.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:47:44	1	1	1	1	72.5	60.5	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	39.8125	2004
21.01.2020 15:47:45	1	1	1	1	72.5	59.75	0	30000	395.6989247	11676.94942	30000	0	0	30000	40.6875	2004
21.01.2020 15:47:46	1	1	1	1	72.5	60.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.0625	2004
21.01.2020 15:47:47	1	1	1	1	72.5	60.75	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	40.625	2004
21.01.2020 15:47:48	1	1	1	1	72.5	60.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.4375	2004
21.01.2020 15:47:49	1	1	1	1	72.5	60.25	0	30000	374.1935484	11096.40421	30000	0	0	30000	40.4375	2004
21.01.2020 15:47:50	1	1	1	1	72.5	60.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.375	2004
21.01.2020 15:47:51	1	1	1	1	72.25	60.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.5625	2004
21.01.2020 15:47:52	1	1	1	1	72.25	60.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.8125	2004
21.01.2020 15:47:53	1	1	1	1	72.25	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5625	2004
21.01.2020 15:47:54	1	1	1	1	72.25	60.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.4375	2004
21.01.2020 15:47:55	1	1	1	1	72.25	60.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	40.375	2004
21.01.2020 15:47:56	1	1	1	1	72.25	60.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.125	2004
21.01.2020 15:47:57	1	1	1	1	72.25	60	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.4375	2004
21.01.2020 15:47:58	1	1	1	1	72.25	60.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:47:59	1	1	1	1	72.25	60.5	0	30000	372.0430108	11143.69581	30000	0	0	30000	40.6875	2004
21.01.2020 15:48:00	1	1	1	1	72.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
21.01.2020 15:48:08	1	1	1	1	72.5	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.4375	2004
21.01.2020 15:48:08	1	1	1	1	72.5	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.4375	2004
21.01.2020 15:48:08	1	1	1	1	72.5	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.4375	2004
21.01.2020 15:48:08	1	1	1	1	72.5	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.4375	2004
21.01.2020 15:48:08	1	1	1	1	72.5	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.4375	2004
21.01.2020 15:48:08	1	1	1	1	72.5	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.4375	2004
21.01.2020 15:48:08	1	1	1	1	72.5	60.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.5625	2004
21.01.2020 15:48:09	1	1	1	1	72.5	60.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	40.125	2004
21.01.2020 15:48:10	1	1	1	1	72.5	60	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:48:11	1	1	1	1	72.75	60.5	0	30047.393	372.0430108	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:48:12	1	1	1	1	72.75	60.5	0	29905.213	363.4408602	11160.81863	30000	0	0	30000	40.25	2004
21.01.2020 15:48:13	1	1	1	1	72.75	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.375	2004
21.01.2020 15:48:14	1	1	1	1	72.75	60.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	39.875	2004
21.01.2020 15:48:15	1	1	1	1	72.75	59.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.5	2004
21.01.2020 15:48:16	1	1	1	1	72.75	60.5	0	30047.393	372.0430108	11096.40421	30000	0	0	30000	40.3125	2004
21.01.2020 15:48:17	1	1	1	1	72.75	60.25	0	30000	382.7956989	11465.76794	30000	0	0	30000	40.8125	2004
21.01.2020 15:48:18	1	1	1	1	72.75	60.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	40.4375	2004
21.01.2020 15:48:19	1	1	1	1	72.75	60.25	0	29905.213	380.6451613	11548.12057	30000	0	0	30000	40.625	2004
21.01.2020 15:48:20	1	1	1	1	72.75	60.5	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	40.75	2004
21.01.2020 15:48:21	1	1	1	1	72.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5	2004
21.01.2020 15:48:23	1	1	1	1	72.5	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41	2004
21.01.2020 15:48:24	1	1	1	1	72.5	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.25	2004
21.01.2020 15:48:25	1	1	1	1	72.5	60.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.9375	2004
21.01.2020 15:48:26	1	1	1	1	72.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.0625	2004
21.01.2020 15:48:27	1	1	1	1	72.5	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:48:28	1	1	1	1	72.5	60.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.625	2004
21.01.2020 15:48:29	1	1	1	1	72.5	60.5	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
21.01.2020 15:48:30	1	1	1	1	72.5	60	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.625	2004
21.01.2020 15:48:31	1	1	1	1	72.75	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.625	2004
21.01.2020 15:48:32	1	1	1	1	72.75	60.5	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
21.01.2020 15:48:33	1	1	1	1	72.75	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.625	2004
21.01.2020 15:48:34	1	1	1	1	72.75	60.5	0	30000	380.6451613	11483.70614	30000	0	0	30000	40.625	2004
21.01.2020 15:48:35	1	1	1	1	72.75	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5	2004
21.01.2020 15:48:36	1	1	1	1	72.75	60.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	40.5625	2004
21.01.2020 15:48:37	1	1	1	1	72.75	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5	2004
21.01.2020 15:48:38	1	1	1	1	72.75	60.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.625	2004
21.01.2020 15:48:39	1	1	1	1	72.75	60.5	0	29905.213	395.6989247	11935.4225	30000	0	0	30000	40.625	2004
21.01.2020 15:48:40	1	1	1	1	72.75	60.5	0	30000	400	11999.83693	30000	0	0	30000	40.625	2004
21.01.2020 15:48:41	1	1	1	1	72.75	60.5	0	30047.393	404.3010753	12148.23472	30000	0	0	30000	40.5	2004
21.01.2020 15:48:42	1	1	1	1	72.75	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.625	2004
21.01.2020 15:48:43	1	1	1	1	72.75	60.5	0	30000	423.655914	12709.21099	30000	0	0	30000	40.75	2004
21.01.2020 15:48:44	1	1	1	1	72.75	60.75	0	30000	400	11935.4225	30000	0	0	30000	40.5625	2004
21.01.2020 15:48:45	1	1	1	1	72.75	60.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	40.375	2004
21.01.2020 15:48:46	1	1	1	1	72.75	60.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.1875	2004
21.01.2020 15:48:47	1	1	1	1	72.75	60	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.625	2004
21.01.2020 15:48:48	1	1	1	1	72.75	60.5	0	29952.607	404.3010753	12174.32664	30000	0	0	30000	40.75	2004
21.01.2020 15:48:49	1	1	1	1	72.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.1875	2004
21.01.2020 15:48:50	1	1	1	1	72.75	60	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.75	2004
21.01.2020 15:48:51	1	1	1	1	73	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5625	2004
21.01.2020 15:48:52	1	1	1	1	73	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.625	2004
21.01.2020 15:48:53	1	1	1	1	73	60.5	0	30000	397.8494624	12128.66578	30000	0	0	30000	40.375	2004
21.01.2020 15:48:54	1	1	1	1	73	60.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.5625	2004
21.01.2020 15:48:55	1	1	1	1	73	60.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	40.6875	2004
21.01.2020 15:48:56	1	1	1	1	73	60.5	0	29952.607	389.2473118	11382.59995	30000	0	0	30000	40.625	2004
21.01.2020 15:48:57	1	1	1	1	73	60.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
21.01.2020 15:48:58	1	1	1	1	73	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
21.01.2020 15:48:59	1	1	1	1	73	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:00	1	1	1	1	73	60.5	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:01	1	1	1	1	73.25	60.5	0	30000	391.3978495	11659.01122	30000	0	0	30000	41	2004
21.01.2020 15:49:09	1	1	1	1	73.25	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:09	1	1	1	1	73.25	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:09	1	1	1	1	73.25	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:09	1	1	1	1	73.25	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:09	1	1	1	1	73.25	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:09	1	1	1	1	73.25	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:09	1	1	1	1	73.25	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:10	1	1	1	1	73.25	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.625	2004
21.01.2020 15:49:11	1	1	1	1	73.25	60.5	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:49:12	1	1	1	1	73.25	60.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.625	2004
21.01.2020 15:49:13	1	1	1	1	73.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
21.01.2020 15:49:14	1	1	1	1	73.25	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5	2004
21.01.2020 15:49:15	1	1	1	1	73.25	60.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.625	2004
21.01.2020 15:49:16	1	1	1	1	73.25	60.5	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	40.75	2004
21.01.2020 15:49:17	1	1	1	1	73.25	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.8125	2004
21.01.2020 15:49:18	1	1	1	1	73.25	60.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	40.625	2004
21.01.2020 15:49:19	1	1	1	1	73.25	60.5	0	30000	382.7956989	11354.87729	30000	0	0	30000	40.6875	2004
21.01.2020 15:49:20	1	1	1	1	73.25	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:21	1	1	1	1	73.5	60.5	0	29905.213	367.7419355	11031.98978	30000	0	0	30000	40.8125	2004
21.01.2020 15:49:22	1	1	1	1	73.5	60.75	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	40.75	2004
21.01.2020 15:49:23	1	1	1	1	73.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.625	2004
21.01.2020 15:49:24	1	1	1	1	73.5	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.6875	2004
21.01.2020 15:49:25	1	1	1	1	73.5	59.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.75	2004
21.01.2020 15:49:26	1	1	1	1	73.5	60.75	0	30000	400	11935.4225	30000	0	0	30000	40.6875	2004
21.01.2020 15:49:27	1	1	1	1	73.5	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
21.01.2020 15:49:28	1	1	1	1	73.5	60.5	0	30047.393	402.1505376	11871.00807	30000	0	0	30000	40.4375	2004
21.01.2020 15:49:29	1	1	1	1	73.5	60.25	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	40.625	2004
21.01.2020 15:49:30	1	1	1	1	73.5	60.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.1875	2004
21.01.2020 15:49:31	1	1	1	1	73.5	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.1875	2004
21.01.2020 15:49:32	1	1	1	1	73.5	60	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	40.6875	2004
21.01.2020 15:49:33	1	1	1	1	73.5	60.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.875	2004
21.01.2020 15:49:34	1	1	1	1	73.5	60.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.75	2004
21.01.2020 15:49:35	1	1	1	1	73.5	60.75	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	40.75	2004
21.01.2020 15:49:36	1	1	1	1	73.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.3125	2004
21.01.2020 15:49:37	1	1	1	1	73.5	60.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.6875	2004
21.01.2020 15:49:38	1	1	1	1	73.5	60.5	0	30000	423.655914	12709.21099	30000	0	0	30000	40.8125	2004
21.01.2020 15:49:39	1	1	1	1	73.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.25	2004
21.01.2020 15:49:40	1	1	1	1	73.5	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5	2004
21.01.2020 15:49:42	1	1	1	1	73.75	60.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.875	2004
21.01.2020 15:49:43	1	1	1	1	73.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
21.01.2020 15:49:44	1	1	1	1	73.75	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
21.01.2020 15:49:45	1	1	1	1	73.75	60.5	0	30000	397.8494624	11871.00807	30000	0	0	30000	40.8125	2004
21.01.2020 15:49:46	1	1	1	1	73.75	60.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	40.8125	2004
21.01.2020 15:49:47	1	1	1	1	73.75	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.625	2004
21.01.2020 15:49:48	1	1	1	1	73.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.8125	2004
21.01.2020 15:49:49	1	1	1	1	73.75	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.875	2004
21.01.2020 15:49:50	1	1	1	1	73.75	60.75	0	30000	402.1505376	11981.08336	30000	0	0	30000	40.8125	2004
21.01.2020 15:49:51	1	1	1	1	73.75	60.75	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	40.75	2004
21.01.2020 15:49:52	1	1	1	1	73.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
21.01.2020 15:49:53	1	1	1	1	73.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
21.01.2020 15:49:54	1	1	1	1	73.75	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.5625	2004
21.01.2020 15:49:55	1	1	1	1	73.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:49:56	1	1	1	1	73.75	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5	2004
21.01.2020 15:49:57	1	1	1	1	73.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
21.01.2020 15:49:58	1	1	1	1	73.75	60.5	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	40.4375	2004
21.01.2020 15:49:59	1	1	1	1	73.75	60.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:00	1	1	1	1	73.75	60.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:01	1	1	1	1	73.5	60.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	40.5625	2004
21.01.2020 15:50:02	1	1	1	1	73.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
21.01.2020 15:50:03	1	1	1	1	73.5	60.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:11	1	1	1	1	73.5	60.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
21.01.2020 15:50:11	1	1	1	1	73.5	60.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
21.01.2020 15:50:11	1	1	1	1	73.5	60.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
21.01.2020 15:50:11	1	1	1	1	73.5	60.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
21.01.2020 15:50:11	1	1	1	1	73.5	60.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
21.01.2020 15:50:11	1	1	1	1	73.5	60.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
21.01.2020 15:50:11	1	1	1	1	73.25	60.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	40.4375	2004
21.01.2020 15:50:12	1	1	1	1	73.25	60.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	40.625	2004
21.01.2020 15:50:13	1	1	1	1	73.25	60.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:14	1	1	1	1	73.25	60.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:15	1	1	1	1	73.25	60.5	0	30000	326.8817204	9935.313783	30000	0	0	30000	40.625	2004
21.01.2020 15:50:16	1	1	1	1	73.25	60.5	0	30000	339.7849462	10113.06499	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:17	1	1	1	1	73.25	60.5	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	40.5	2004
21.01.2020 15:50:18	1	1	1	1	73.25	60.5	0	29905.213	378.4946237	11160.81863	30000	0	0	30000	40.625	2004
21.01.2020 15:50:19	1	1	1	1	73.25	60.5	0	30000	378.4946237	11372.81548	30000	0	0	30000	40.5	2004
21.01.2020 15:50:21	1	1	1	1	73.25	60.5	0	30000	384.9462366	11419.29171	30000	0	0	30000	40.75	2004
21.01.2020 15:50:22	1	1	1	1	73.75	60.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.0625	2004
21.01.2020 15:50:23	1	1	1	1	73.75	61	0	30000	382.7956989	11483.70614	30000	0	0	30000	40.75	2004
21.01.2020 15:50:24	1	1	1	1	73.75	60.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	40.3125	2004
21.01.2020 15:50:25	1	1	1	1	73.75	60.25	0	30000	367.7419355	10903.16093	30000	0	0	30000	40.125	2004
21.01.2020 15:50:26	1	1	1	1	73.75	60	0	30000	384.9462366	11419.29171	30000	0	0	30000	40.625	2004
21.01.2020 15:50:27	1	1	1	1	73.75	60.5	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	40.625	2004
21.01.2020 15:50:28	1	1	1	1	73.75	60.5	0	30000	391.3978495	11805.77827	30000	0	0	30000	40.3125	2004
21.01.2020 15:50:29	1	1	1	1	73.75	60.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.1875	2004
21.01.2020 15:50:30	1	1	1	1	73.75	60	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.8125	2004
21.01.2020 15:50:31	1	1	1	1	73.75	60.75	0	29952.607	382.7956989	11336.93909	30000	0	0	30000	40.0625	2004
21.01.2020 15:50:32	1	1	1	1	73.75	60	0	29905.213	380.6451613	11447.01438	30000	0	0	30000	40.75	2004
21.01.2020 15:50:33	1	1	1	1	73.75	60.75	0	30000	378.4946237	11548.12057	30000	0	0	30000	40.375	2004
21.01.2020 15:50:34	1	1	1	1	73.75	60.25	0	30000	400	12064.25135	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:35	1	1	1	1	73.75	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.5625	2004
21.01.2020 15:50:36	1	1	1	1	73.75	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.4375	2004
21.01.2020 15:50:37	1	1	1	1	73.75	60.25	0	30000	369.8924731	10932.51434	30000	0	0	30000	40.5625	2004
21.01.2020 15:50:38	1	1	1	1	73.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
21.01.2020 15:50:39	1	1	1	1	73.75	60.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:50:40	1	1	1	1	73.75	60.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	40.4375	2004
21.01.2020 15:50:41	1	1	1	1	73.5	60.25	0	30000	363.4408602	11031.98978	30000	0	0	30000	40.625	2004
21.01.2020 15:50:42	1	1	1	1	73.5	60.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.75	2004
21.01.2020 15:50:43	1	1	1	1	73.5	60.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.75	2004
21.01.2020 15:50:44	1	1	1	1	73.5	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:45	1	1	1	1	73.5	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.75	2004
21.01.2020 15:50:46	1	1	1	1	73.5	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:47	1	1	1	1	73.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
21.01.2020 15:50:48	1	1	1	1	73.5	60.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	40.5	2004
21.01.2020 15:50:49	1	1	1	1	73.5	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.625	2004
21.01.2020 15:50:50	1	1	1	1	73.5	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5625	2004
21.01.2020 15:50:51	1	1	1	1	73.5	60.5	0	30000	369.8924731	10967.57535	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:52	1	1	1	1	73.5	60.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.5625	2004
21.01.2020 15:50:53	1	1	1	1	73.5	60.5	0	30000	324.7311828	9806.484929	30000	0	0	30000	40.5	2004
21.01.2020 15:50:54	1	1	1	1	73.5	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:55	1	1	1	1	73.5	60.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.6875	2004
21.01.2020 15:50:56	1	1	1	1	73.5	60.5	0	30047.393	326.8817204	9676.840703	30000	0	0	30000	40.5625	2004
21.01.2020 15:50:58	1	1	1	1	73.5	60.5	0	30000	331.1827957	9839.099829	30000	0	0	30000	40.625	2004
21.01.2020 15:50:59	1	1	1	1	73.5	60.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.5	2004
21.01.2020 15:51:00	1	1	1	1	73.5	60.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.25	2004
21.01.2020 15:51:01	1	1	1	1	73.5	61.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.125	2004
21.01.2020 15:51:02	1	1	1	1	73.5	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5625	2004
21.01.2020 15:51:03	1	1	1	1	73.5	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.625	2004
21.01.2020 15:51:04	1	1	1	1	73.5	60.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:05	1	1	1	1	73.5	60.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.75	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:12	1	1	1	1	73.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 15:51:13	1	1	1	1	73.5	60	0	30000	329.0322581	9999.728209	30000	0	0	30000	40.5625	2004
21.01.2020 15:51:14	1	1	1	1	73.5	60.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.8125	2004
21.01.2020 15:51:15	1	1	1	1	73.5	60.75	0	30000	298.9247312	8903.052211	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:16	1	1	1	1	73.5	60.5	0	30000	281.7204301	8386.921425	30000	0	0	30000	39.5625	2004
21.01.2020 15:51:17	1	1	1	1	73.5	59.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	39.75	2004
21.01.2020 15:51:18	1	1	1	1	73.5	59.75	0	30000	273.1182796	8128.448346	30000	0	0	30000	40.5	2004
21.01.2020 15:51:19	1	1	1	1	73.5	60.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	40.375	2004
21.01.2020 15:51:20	1	1	1	1	73.5	60.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.625	2004
21.01.2020 15:51:21	1	1	1	1	73.5	60.5	0	29952.607	283.8709677	8515.750279	30000	0	0	30000	40.875	2004
21.01.2020 15:51:22	1	1	1	1	73.5	60.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	40.875	2004
21.01.2020 15:51:23	1	1	1	1	73.5	60.75	0	30000	286.0215054	8295.599706	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:51:24	1	1	1	1	73.5	60.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:25	1	1	1	1	73.5	60.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	40.875	2004
21.01.2020 15:51:26	1	1	1	1	73.5	60.75	0	30000	279.5698925	8180.632185	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:27	1	1	1	1	73.5	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.625	2004
21.01.2020 15:51:28	1	1	1	1	73.5	60.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	40.5	2004
21.01.2020 15:51:29	1	1	1	1	73.5	60.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.375	2004
21.01.2020 15:51:30	1	1	1	1	73.5	60.25	0	29952.607	290.3225806	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:51:31	1	1	1	1	73.75	60.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.3125	2004
21.01.2020 15:51:32	1	1	1	1	73.75	60.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:33	1	1	1	1	73.75	60.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.3125	2004
21.01.2020 15:51:34	1	1	1	1	73.75	60.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:36	1	1	1	1	73.75	60.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	40.75	2004
21.01.2020 15:51:37	1	1	1	1	73.75	60.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	40.625	2004
21.01.2020 15:51:38	1	1	1	1	73.75	60.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.75	2004
21.01.2020 15:51:39	1	1	1	1	73.75	60.75	0	30000	268.8172043	8051.803332	30000	0	0	30000	40.3125	2004
21.01.2020 15:51:40	1	1	1	1	73.75	60.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	40.875	2004
21.01.2020 15:51:41	1	1	1	1	73.75	61.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:42	1	1	1	1	73.75	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.8125	2004
21.01.2020 15:51:43	1	1	1	1	73.75	60.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.3125	2004
21.01.2020 15:51:44	1	1	1	1	73.75	60.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	40.4375	2004
21.01.2020 15:51:45	1	1	1	1	73.75	60.25	0	30000	270.9677419	7974.342946	30000	0	0	30000	40.75	2004
21.01.2020 15:51:46	1	1	1	1	73.75	60.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	40.5	2004
21.01.2020 15:51:47	1	1	1	1	73.75	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.4375	2004
21.01.2020 15:51:48	1	1	1	1	73.75	60.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.4375	2004
21.01.2020 15:51:49	1	1	1	1	73.75	60.25	0	30000	268.8172043	8128.448346	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:50	1	1	1	1	73.75	60.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:51	1	1	1	1	73.5	60.5	0	29952.607	264.516129	8192.862773	30000	0	0	30000	40.75	2004
21.01.2020 15:51:52	1	1	1	1	73.5	60.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	40.6875	2004
21.01.2020 15:51:53	1	1	1	1	73.5	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.75	2004
21.01.2020 15:51:54	1	1	1	1	73.5	60.75	0	30000	264.516129	7999.619493	30000	0	0	30000	40.5	2004
21.01.2020 15:51:55	1	1	1	1	73.5	60.5	0	30000	264.516129	7935.205066	30000	0	0	30000	40.875	2004
21.01.2020 15:51:56	1	1	1	1	73.5	60.75	0	30000	268.8172043	7935.205066	30000	0	0	30000	40.625	2004
21.01.2020 15:51:57	1	1	1	1	73.5	60.5	0	30000	264.516129	7935.205066	30000	0	0	30000	40.3125	2004
21.01.2020 15:51:58	1	1	1	1	73.5	60.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.625	2004
21.01.2020 15:51:59	1	1	1	1	73.5	60.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:00	1	1	1	1	73.5	60.5	0	30000	268.8172043	8128.448346	30000	0	0	30000	40.5	2004
21.01.2020 15:52:01	1	1	1	1	73.75	60.5	0	29905.213	268.8172043	8051.803332	30000	0	0	30000	40.8125	2004
21.01.2020 15:52:02	1	1	1	1	73.75	60.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	39.125	2004
21.01.2020 15:52:03	1	1	1	1	73.75	59	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.125	2004
21.01.2020 15:52:04	1	1	1	1	73.75	60	0	30000	264.516129	7999.619493	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:05	1	1	1	1	73.75	60.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.6875	2004
21.01.2020 15:52:06	1	1	1	1	73.75	60.5	0	30000	268.8172043	7935.205066	30000	0	0	30000	40.5	2004
21.01.2020 15:52:14	1	1	1	1	73.5	60.75	0	30000	288.172043	8424.42856	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:52:14	1	1	1	1	73.5	60.75	0	30000	288.172043	8424.42856	30000	0	0	30000	40.9375	2004
21.01.2020 15:52:14	1	1	1	1	73.5	60.75	0	30000	288.172043	8424.42856	30000	0	0	30000	40.9375	2004
21.01.2020 15:52:14	1	1	1	1	73.5	60.75	0	30000	288.172043	8424.42856	30000	0	0	30000	40.9375	2004
21.01.2020 15:52:14	1	1	1	1	73.5	60.75	0	30000	288.172043	8424.42856	30000	0	0	30000	40.9375	2004
21.01.2020 15:52:14	1	1	1	1	73.5	60.75	0	30000	288.172043	8424.42856	30000	0	0	30000	40.9375	2004
21.01.2020 15:52:14	1	1	1	1	73.5	60.75	0	30000	288.172043	8424.42856	30000	0	0	30000	40.9375	2004
21.01.2020 15:52:15	1	1	1	1	73.5	60.75	0	30000	286.0215054	8322.506999	30000	0	0	30000	40.8125	2004
21.01.2020 15:52:16	1	1	1	1	73.5	60.75	0	29905.213	279.5698925	8424.42856	30000	0	0	30000	41.25	2004
21.01.2020 15:52:17	1	1	1	1	73.5	61.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.5	2004
21.01.2020 15:52:18	1	1	1	1	73.5	60.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.6875	2004
21.01.2020 15:52:19	1	1	1	1	73.5	60.5	0	30047.393	292.4731183	8708.993559	30000	0	0	30000	41.125	2004
21.01.2020 15:52:20	1	1	1	1	73.5	60.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	40.125	2004
21.01.2020 15:52:21	1	1	1	1	73.5	60	0	29905.213	281.7204301	8451.335852	30000	0	0	30000	40.625	2004
21.01.2020 15:52:22	1	1	1	1	73.5	60.5	0	30000	277.4193548	8232.000652	30000	0	0	30000	40.75	2004
21.01.2020 15:52:23	1	1	1	1	73.5	60.75	0	29952.607	268.8172043	8258.092572	30000	0	0	30000	40.75	2004
21.01.2020 15:52:24	1	1	1	1	73.5	60.75	0	30000	288.172043	8580.164705	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:25	1	1	1	1	73.5	60.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	39.875	2004
21.01.2020 15:52:26	1	1	1	1	73.5	59.75	0	30000	294.6236559	8774.223358	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:27	1	1	1	1	73.5	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:28	1	1	1	1	73.5	60.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.6875	2004
21.01.2020 15:52:29	1	1	1	1	73.5	60.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.4375	2004
21.01.2020 15:52:30	1	1	1	1	73.5	60.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.75	2004
21.01.2020 15:52:31	1	1	1	1	73.5	60.75	0	29905.213	307.5268817	9225.124344	30000	0	0	30000	40.25	2004
21.01.2020 15:52:32	1	1	1	1	73.5	60.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	40.6875	2004
21.01.2020 15:52:33	1	1	1	1	73.5	60.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:34	1	1	1	1	73.5	60.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.375	2004
21.01.2020 15:52:35	1	1	1	1	73.5	60.25	0	29952.607	313.9784946	9404.506292	30000	0	0	30000	40.3125	2004
21.01.2020 15:52:36	1	1	1	1	73.5	60.25	0	29952.607	316.1290323	9597.749572	30000	0	0	30000	40.4375	2004
21.01.2020 15:52:37	1	1	1	1	73.5	60.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:38	1	1	1	1	73.5	60.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	40.75	2004
21.01.2020 15:52:39	1	1	1	1	73.5	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.625	2004
21.01.2020 15:52:40	1	1	1	1	73.5	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.625	2004
21.01.2020 15:52:41	1	1	1	1	73.5	60.5	0	30000	352.688172	10515.85899	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:42	1	1	1	1	73.5	60.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.6875	2004
21.01.2020 15:52:43	1	1	1	1	73.5	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.625	2004
21.01.2020 15:52:44	1	1	1	1	73.5	60.5	0	30000	335.483871	9999.728209	30000	0	0	30000	40.4375	2004
21.01.2020 15:52:45	1	1	1	1	73.5	60.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.75	2004
21.01.2020 15:52:46	1	1	1	1	73.5	60.75	0	30000	320.4301075	9806.484929	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:47	1	1	1	1	73.5	60.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 15:52:48	1	1	1	1	73.5	60.25	0	30000	331.1827957	10015.22029	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:49	1	1	1	1	73.5	60.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.0625	2004
21.01.2020 15:52:50	1	1	1	1	73.5	60	0	30000	335.483871	10064.14264	30000	0	0	30000	40.8125	2004
21.01.2020 15:52:51	1	1	1	1	73.5	60.75	0	30000	335.483871	9999.728209	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:52:53	1	1	1	1	73.5	60.5	0	30000	335.483871	10064.14264	30000	0	0	30000	40.75	2004
21.01.2020 15:52:54	1	1	1	1	73.5	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004
21.01.2020 15:52:55	1	1	1	1	73.5	60.75	0	30000	333.3333333	10128.55706	30000	0	0	30000	40.9375	2004
21.01.2020 15:52:56	1	1	1	1	73.5	60.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	40.8125	2004
21.01.2020 15:52:57	1	1	1	1	73.5	60.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.8125	2004
21.01.2020 15:52:58	1	1	1	1	73.5	60.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	40.5625	2004
21.01.2020 15:52:59	1	1	1	1	73.5	60.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.5625	2004
21.01.2020 15:53:00	1	1	1	1	73.5	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
21.01.2020 15:53:01	1	1	1	1	73.25	60.75	0	30000	352.688172	10515.85899	30000	0	0	30000	40.625	2004
21.01.2020 15:53:02	1	1	1	1	73.25	60.5	0	30000	363.4408602	11390.75368	30000	0	0	30000	40.5625	2004
21.01.2020 15:53:03	1	1	1	1	73.25	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.625	2004
21.01.2020 15:53:04	1	1	1	1	73.25	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.5625	2004
21.01.2020 15:53:05	1	1	1	1	73.25	60.5	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	40.3125	2004
21.01.2020 15:53:06	1	1	1	1	73.25	60.25	0	30000	346.2365591	10241.89384	30000	0	0	30000	40.625	2004
21.01.2020 15:53:07	1	1	1	1	73.25	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5625	2004
21.01.2020 15:53:08	1	1	1	1	73.25	60.5	0	30000	346.2365591	10161.17196	30000	0	0	30000	40.625	2004
21.01.2020 15:53:15	1	1	1	1	72.75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.1875	2004
21.01.2020 15:53:15	1	1	1	1	72.75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.1875	2004
21.01.2020 15:53:15	1	1	1	1	72.75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.1875	2004
21.01.2020 15:53:15	1	1	1	1	72.75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.1875	2004
21.01.2020 15:53:15	1	1	1	1	72.75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.1875	2004
21.01.2020 15:53:15	1	1	1	1	72.75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.1875	2004
21.01.2020 15:53:16	1	1	1	1	72.75	60	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.75	2004
21.01.2020 15:53:17	1	1	1	1	72.75	60.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.5625	2004
21.01.2020 15:53:18	1	1	1	1	72.75	60.5	0	30000	311.827957	9354.76857	30000	0	0	30000	40.5625	2004
21.01.2020 15:53:19	1	1	1	1	72.75	60.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.5	2004
21.01.2020 15:53:20	1	1	1	1	72.75	60.5	0	29952.607	283.8709677	8502.704319	30000	0	0	30000	40.6875	2004
21.01.2020 15:53:21	1	1	1	1	72.75	60.5	0	30000	313.9784946	9225.124344	30000	0	0	30000	40.75	2004
21.01.2020 15:53:22	1	1	1	1	72.75	60.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.0625	2004
21.01.2020 15:53:23	1	1	1	1	72.75	60	0	30000	309.6774194	9419.182997	30000	0	0	30000	40.6875	2004
21.01.2020 15:53:24	1	1	1	1	72.75	60.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.5	2004
21.01.2020 15:53:25	1	1	1	1	72.75	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.625	2004
21.01.2020 15:53:26	1	1	1	1	72.75	60.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.75	2004
21.01.2020 15:53:27	1	1	1	1	72.75	60.75	0	30047.393	346.2365591	10387.03014	30000	0	0	30000	40.6875	2004
21.01.2020 15:53:28	1	1	1	1	72.75	60.5	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	40.625	2004
21.01.2020 15:53:29	1	1	1	1	72.75	60.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	40.3125	2004
21.01.2020 15:53:30	1	1	1	1	72.75	60.25	0	30000	378.4946237	11096.40421	30000	0	0	30000	40.75	2004
21.01.2020 15:53:32	1	1	1	1	72.75	60.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.5	2004
21.01.2020 15:53:33	1	1	1	1	72.75	60.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
21.01.2020 15:53:34	1	1	1	1	72.75	60.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	40.6875	2004
21.01.2020 15:53:35	1	1	1	1	72.75	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
21.01.2020 15:53:36	1	1	1	1	72.75	59.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:53:37	1	1	1	1	72.75	60	0	29905.213	369.8924731	11160.81863	30000	0	0	30000	40.8125	2004
21.01.2020 15:53:38	1	1	1	1	72.75	60.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	40.625	2004
21.01.2020 15:53:39	1	1	1	1	72.75	60.5	0	30000	378.4946237	11372.81548	30000	0	0	30000	40.6875	2004
21.01.2020 15:53:40	1	1	1	1	72.75	60.5	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	40.6875	2004
21.01.2020 15:53:41	1	1	1	1	72.75	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5625	2004
21.01.2020 15:53:42	1	1	1	1	72.75	60.5	0	29905.213	374.1935484	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 15:53:43	1	1	1	1	72.75	60.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	40.625	2004
21.01.2020 15:53:44	1	1	1	1	72.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 15:53:45	1	1	1	1	72.75	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.375	2004
21.01.2020 15:53:46	1	1	1	1	72.75	60.25	0	30000	352.688172	10597.39624	30000	0	0	30000	40.375	2004
21.01.2020 15:53:49	1	1	1	1	72.75	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5625	2004
21.01.2020 15:53:49	1	1	1	1	72.75	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5625	2004
21.01.2020 15:53:49	1	1	1	1	72.75	60.5	0	29905.213	363.4408602	11031.98978	30000	0	0	30000	40.4375	2004
21.01.2020 15:53:50	1	1	1	1	72.75	60.25	0	30000	391.3978495	11530.18237	30000	0	0	30000	40.3125	2004
21.01.2020 15:53:51	1	1	1	1	72.75	60.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	40.3125	2004
21.01.2020 15:53:52	1	1	1	1	72.75	60.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.4375	2004
21.01.2020 15:53:53	1	1	1	1	72.75	60.25	0	30000	359.1397849	10644.68785	30000	0	0	30000	40.1875	2004
21.01.2020 15:53:54	1	1	1	1	72.75	60	0	30000	384.9462366	11354.87729	30000	0	0	30000	40.125	2004
21.01.2020 15:53:55	1	1	1	1	72.75	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.375	2004
21.01.2020 15:53:56	1	1	1	1	72.75	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.4375	2004
21.01.2020 15:53:57	1	1	1	1	72.75	60.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.6875	2004
21.01.2020 15:53:58	1	1	1	1	72.75	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.3125	2004
21.01.2020 15:53:59	1	1	1	1	72.75	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.6875	2004
21.01.2020 15:54:00	1	1	1	1	72.75	60.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.6875	2004
21.01.2020 15:54:01	1	1	1	1	72	60.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	40.8125	2004
21.01.2020 15:54:02	1	1	1	1	72	60.75	0	30000	352.688172	10515.85899	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:03	1	1	1	1	72	60.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.375	2004
21.01.2020 15:54:04	1	1	1	1	72	60.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.1875	2004
21.01.2020 15:54:05	1	1	1	1	72	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:54:06	1	1	1	1	72	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 15:54:07	1	1	1	1	72	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.5625	2004
21.01.2020 15:54:08	1	1	1	1	72	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.625	2004
21.01.2020 15:54:10	1	1	1	1	72	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.75	2004
21.01.2020 15:54:17	1	1	1	1	71.5	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:17	1	1	1	1	71.5	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:17	1	1	1	1	71.5	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:17	1	1	1	1	71.5	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:17	1	1	1	1	71.5	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:17	1	1	1	1	71.5	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:17	1	1	1	1	71.5	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:18	1	1	1	1	71.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
21.01.2020 15:54:19	1	1	1	1	71.5	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.5625	2004
21.01.2020 15:54:20	1	1	1	1	71.5	60.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:54:21	1	1	1	1	71	59.5	0	29905.213	363.4408602	11096.40421	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:22	1	1	1	1	71	60.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:54:23	1	1	1	1	71	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
21.01.2020 15:54:24	1	1	1	1	71	60.25	0	29952.607	384.9462366	11401.35352	30000	0	0	30000	40.125	2004
21.01.2020 15:54:25	1	1	1	1	71	60	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.5	2004
21.01.2020 15:54:26	1	1	1	1	71	60.5	0	30047.393	365.5913978	10903.16093	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:27	1	1	1	1	71	60.25	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	40.6875	2004
21.01.2020 15:54:28	1	1	1	1	71	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5625	2004
21.01.2020 15:54:29	1	1	1	1	71	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
21.01.2020 15:54:30	1	1	1	1	71	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:54:31	1	1	1	1	70.5	60.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.625	2004
21.01.2020 15:54:32	1	1	1	1	70.5	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5	2004
21.01.2020 15:54:33	1	1	1	1	70.5	60.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:34	1	1	1	1	70.5	60.25	0	30000	372.0430108	11372.81548	30000	0	0	30000	40.625	2004
21.01.2020 15:54:35	1	1	1	1	70.5	60.5	0	30000	369.8924731	11079.28139	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:36	1	1	1	1	70.5	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.5	2004
21.01.2020 15:54:37	1	1	1	1	70.5	60.5	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	40.125	2004
21.01.2020 15:54:38	1	1	1	1	70.5	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.5625	2004
21.01.2020 15:54:39	1	1	1	1	70.5	60.5	0	30000	363.4408602	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:54:40	1	1	1	1	70.5	60.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:41	1	1	1	1	70.25	60.25	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:42	1	1	1	1	70.25	60.25	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	40.3125	2004
21.01.2020 15:54:43	1	1	1	1	70.25	60.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 15:54:44	1	1	1	1	70.25	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:45	1	1	1	1	70.25	60.25	0	30000	335.483871	10128.55706	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:47	1	1	1	1	70.25	60.25	0	29905.213	309.6774194	9483.597423	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:48	1	1	1	1	70.25	60.25	0	29952.607	313.9784946	9404.506292	30000	0	0	30000	40.375	2004
21.01.2020 15:54:49	1	1	1	1	70.25	60.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.6875	2004
21.01.2020 15:54:50	1	1	1	1	70.25	60.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.625	2004
21.01.2020 15:54:51	1	1	1	1	70.25	60.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.4375	2004
21.01.2020 15:54:52	1	1	1	1	69.75	60.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.5	2004
21.01.2020 15:54:53	1	1	1	1	69.75	60.75	0	29952.607	311.827957	9483.597423	30000	0	0	30000	40.1875	2004
21.01.2020 15:54:54	1	1	1	1	69.75	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.5625	2004
21.01.2020 15:54:55	1	1	1	1	69.75	60.5	0	30000	320.4301075	9483.597423	30000	0	0	30000	40.625	2004
21.01.2020 15:54:56	1	1	1	1	69.75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.5625	2004
21.01.2020 15:54:57	1	1	1	1	69.75	60.5	0	29952.607	335.483871	10048.65056	30000	0	0	30000	40.5625	2004
21.01.2020 15:54:58	1	1	1	1	69.75	60.5	0	30000	326.8817204	9790.992852	30000	0	0	30000	40.6875	2004
21.01.2020 15:54:59	1	1	1	1	69.75	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5625	2004
21.01.2020 15:55:00	1	1	1	1	69.75	60.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.5	2004
21.01.2020 15:55:01	1	1	1	1	69.5	60.5	0	30000	331.1827957	9919.821705	30000	0	0	30000	40.375	2004
21.01.2020 15:55:02	1	1	1	1	69.5	60.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.75	2004
21.01.2020 15:55:03	1	1	1	1	69.5	60.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	40.5625	2004
21.01.2020 15:55:04	1	1	1	1	69.5	60.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:55:05	1	1	1	1	69.5	60.5	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	40.3125	2004
21.01.2020 15:55:06	1	1	1	1	69.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 15:55:07	1	1	1	1	69.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.625	2004
21.01.2020 15:55:08	1	1	1	1	69.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 15:55:09	1	1	1	1	69.5	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.375	2004
21.01.2020 15:55:10	1	1	1	1	69.5	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.375	2004
21.01.2020 15:55:11	1	1	1	1	69.75	60.25	0	30000	427.9569892	12540.42889	30000	0	0	30000	40.5	2004
21.01.2020 15:55:19	1	1	1	1	69.75	60.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.5	2004
21.01.2020 15:55:19	1	1	1	1	69.75	60.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.5	2004
21.01.2020 15:55:19	1	1	1	1	69.75	60.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.5	2004
21.01.2020 15:55:19	1	1	1	1	69.75	60.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.5	2004
21.01.2020 15:55:19	1	1	1	1	69.75	60.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.5	2004
21.01.2020 15:55:19	1	1	1	1	69.75	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.625	2004
21.01.2020 15:55:20	1	1	1	1	69.75	60.5	0	30000	301.0752688	8838.637784	30000	0	0	30000	40.5625	2004
21.01.2020 15:55:21	1	1	1	1	70	60.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.6875	2004
21.01.2020 15:55:22	1	1	1	1	70	60.5	0	30000	311.827957	9419.182997	30000	0	0	30000	40.25	2004
21.01.2020 15:55:23	1	1	1	1	70	60.25	0	30000	298.9247312	8903.052211	30000	0	0	30000	40.0625	2004
21.01.2020 15:55:24	1	1	1	1	70	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.4375	2004
21.01.2020 15:55:26	1	1	1	1	70	60.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 15:55:27	1	1	1	1	70	60.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	40.3125	2004
21.01.2020 15:55:28	1	1	1	1	70	60.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.4375	2004
21.01.2020 15:55:29	1	1	1	1	70	60.25	0	30000	290.3225806	8838.637784	30000	0	0	30000	40.625	2004
21.01.2020 15:55:30	1	1	1	1	70	60.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	39.9375	2004
21.01.2020 15:55:31	1	1	1	1	70	59.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.9375	2004
21.01.2020 15:55:32	1	1	1	1	70	60.5	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	40.6875	2004
21.01.2020 15:55:33	1	1	1	1	70	60.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	40.375	2004
21.01.2020 15:55:34	1	1	1	1	70	60.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.5	2004
21.01.2020 15:55:35	1	1	1	1	70	60.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.5	2004
21.01.2020 15:55:36	1	1	1	1	70	60.5	0	30047.393	296.7741935	8695.947599	30000	0	0	30000	40.375	2004
21.01.2020 15:55:37	1	1	1	1	70	60.25	0	30000	294.6236559	8903.052211	30000	0	0	30000	40.5	2004
21.01.2020 15:55:38	1	1	1	1	70	60.5	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	40.625	2004
21.01.2020 15:55:39	1	1	1	1	70	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 15:55:40	1	1	1	1	70	60.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.5	2004
21.01.2020 15:55:41	1	1	1	1	69.75	60.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.4375	2004
21.01.2020 15:55:42	1	1	1	1	69.75	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.5	2004
21.01.2020 15:55:43	1	1	1	1	69.75	59.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.375	2004
21.01.2020 15:55:44	1	1	1	1	69.75	60.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.5625	2004
21.01.2020 15:55:45	1	1	1	1	69.75	60.5	0	30000	333.3333333	10128.55706	30000	0	0	30000	40.6875	2004
21.01.2020 15:55:46	1	1	1	1	69.75	60.5	0	30000	335.483871	10128.55706	30000	0	0	30000	40.3125	2004
21.01.2020 15:55:47	1	1	1	1	69.75	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	40.4375	2004
21.01.2020 15:55:48	1	1	1	1	69.75	60.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:55:49	1	1	1	1	69.75	60.25	0	29905.213	352.688172	10499.55155	30000	0	0	30000	40.5	2004
21.01.2020 15:55:50	1	1	1	1	69.75	60.5	0	30000	372.0430108	10950.45253	30000	0	0	30000	40.625	2004
21.01.2020 15:55:51	1	1	1	1	69.75	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.4375	2004
21.01.2020 15:55:52	1	1	1	1	69.75	60.25	0	30000	372.0430108	11031.98978	30000	0	0	30000	40.6875	2004
21.01.2020 15:55:53	1	1	1	1	69.75	60.5	0	30000	363.4408602	11031.98978	30000	0	0	30000	40	2004
21.01.2020 15:55:54	1	1	1	1	69.75	60	0	30000	356.9892473	10920.28375	30000	0	0	30000	40.125	2004
21.01.2020 15:55:55	1	1	1	1	69.75	60	0	30000	367.7419355	11096.40421	30000	0	0	30000	40.625	2004
21.01.2020 15:55:56	1	1	1	1	69.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.3125	2004
21.01.2020 15:55:57	1	1	1	1	69.75	60.25	0	30000	391.3978495	11659.01122	30000	0	0	30000	40.5625	2004
21.01.2020 15:55:58	1	1	1	1	69.75	60.5	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	40.5	2004
21.01.2020 15:55:59	1	1	1	1	69.75	60.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:00	1	1	1	1	69.75	60.5	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:01	1	1	1	1	69.5	60.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.875	2004
21.01.2020 15:56:02	1	1	1	1	69.5	59.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	40.5	2004
21.01.2020 15:56:04	1	1	1	1	69.5	60.5	0	30000	384.9462366	11566.05876	30000	0	0	30000	40.3125	2004
21.01.2020 15:56:05	1	1	1	1	69.5	60.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.3125	2004
21.01.2020 15:56:06	1	1	1	1	69.5	60.25	0	30000	361.2903226	10692.79483	30000	0	0	30000	40.25	2004
21.01.2020 15:56:07	1	1	1	1	69.5	60.25	0	29952.607	363.4408602	11096.40421	30000	0	0	30000	40.5	2004
21.01.2020 15:56:08	1	1	1	1	69.5	60.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.6875	2004
21.01.2020 15:56:09	1	1	1	1	69.5	60.5	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:10	1	1	1	1	69.5	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.8125	2004
21.01.2020 15:56:11	1	1	1	1	69.75	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.1875	2004
21.01.2020 15:56:12	1	1	1	1	69.75	60	0	30000	352.688172	10644.68785	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:13	1	1	1	1	69.75	60.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.625	2004
21.01.2020 15:56:20	1	1	1	1	69.75	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:56:20	1	1	1	1	69.75	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:56:20	1	1	1	1	69.75	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:56:20	1	1	1	1	69.75	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:56:20	1	1	1	1	69.75	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:56:20	1	1	1	1	69.75	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:56:20	1	1	1	1	69.75	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:56:20	1	1	1	1	69.75	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:56:21	1	1	1	1	69.75	60.5	0	30000	251.6129032	7483.488707	30000	0	0	30000	40.625	2004
21.01.2020 15:56:22	1	1	1	1	69.75	60.5	0	29952.607	234.4086022	7096.186775	30000	0	0	30000	40.625	2004
21.01.2020 15:56:23	1	1	1	1	69.75	60.5	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.625	2004
21.01.2020 15:56:24	1	1	1	1	69.75	60.5	0	30000	225.8064516	6774.114641	30000	0	0	30000	40.5	2004
21.01.2020 15:56:25	1	1	1	1	69.75	60.5	0	29952.607	230.1075269	6892.343652	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:26	1	1	1	1	69.75	60.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.5	2004
21.01.2020 15:56:27	1	1	1	1	69.75	60.5	0	30000	227.9569892	6902.943495	30000	0	0	30000	40.625	2004
21.01.2020 15:56:28	1	1	1	1	69.75	60.5	0	30000	227.9569892	6978.773136	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:29	1	1	1	1	69.75	60.5	0	30000	230.1075269	6967.357921	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:30	1	1	1	1	69.75	60.5	0	29952.607	234.4086022	7021.172506	30000	0	0	30000	40.3125	2004
21.01.2020 15:56:31	1	1	1	1	69.75	60.25	0	30000	236.5591398	7237.246215	30000	0	0	30000	40.625	2004
21.01.2020 15:56:32	1	1	1	1	69.75	60.5	0	30000	227.9569892	6838.529068	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:56:33	1	1	1	1	69.75	60.5	0	30000	227.9569892	6902.943495	30000	0	0	30000	40.5	2004
21.01.2020 15:56:34	1	1	1	1	69.75	60.5	0	29952.607	221.5053763	6699.100372	30000	0	0	30000	40.75	2004
21.01.2020 15:56:35	1	1	1	1	69.75	60.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.625	2004
21.01.2020 15:56:36	1	1	1	1	69.75	60.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.375	2004
21.01.2020 15:56:37	1	1	1	1	69.75	60.25	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.625	2004
21.01.2020 15:56:38	1	1	1	1	69.75	60.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:39	1	1	1	1	69.75	60.5	0	30000	219.3548387	6580.055989	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:40	1	1	1	1	69.75	60.5	0	30000	221.5053763	6495.25725	30000	0	0	30000	40.0625	2004
21.01.2020 15:56:42	1	1	1	1	70	60	0	30000	227.9569892	6774.114641	30000	0	0	30000	40.6875	2004
21.01.2020 15:56:43	1	1	1	1	70	60.5	0	30000	225.8064516	6774.114641	30000	0	0	30000	40.625	2004
21.01.2020 15:56:44	1	1	1	1	70	60.5	0	29952.607	227.9569892	6774.114641	30000	0	0	30000	40.6875	2004
21.01.2020 15:56:45	1	1	1	1	70	60.5	0	30000	227.9569892	6902.943495	30000	0	0	30000	40.1875	2004
21.01.2020 15:56:46	1	1	1	1	70	60	0	29952.607	223.655914	6634.685946	30000	0	0	30000	40.875	2004
21.01.2020 15:56:47	1	1	1	1	70	60.75	0	30000	221.5053763	6709.700215	30000	0	0	30000	40.4375	2004
21.01.2020 15:56:48	1	1	1	1	70	60.25	0	30000	221.5053763	6774.114641	30000	0	0	30000	40.8125	2004
21.01.2020 15:56:49	1	1	1	1	70	60.75	0	30000	221.5053763	6774.114641	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:50	1	1	1	1	70	60.75	0	30000	219.3548387	6515.641562	30000	0	0	30000	39.75	2004
21.01.2020 15:56:51	1	1	1	1	70.25	59.75	0	30000	219.3548387	6515.641562	30000	0	0	30000	40.5625	2004
21.01.2020 15:56:52	1	1	1	1	70.25	60.5	0	30000	219.3548387	6386.812709	30000	0	0	30000	40.375	2004
21.01.2020 15:56:53	1	1	1	1	70.25	60.25	0	30000	212.9032258	6451.227136	30000	0	0	30000	40.1875	2004
21.01.2020 15:56:54	1	1	1	1	70.25	60	0	30000	206.4516129	6193.569429	30000	0	0	30000	40.6875	2004
21.01.2020 15:56:55	1	1	1	1	70.25	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	40.375	2004
21.01.2020 15:56:56	1	1	1	1	70.25	60.25	0	30000	210.7526882	6322.398282	30000	0	0	30000	40.5	2004
21.01.2020 15:56:57	1	1	1	1	70.25	60.5	0	30000	212.9032258	6257.983856	30000	0	0	30000	40.125	2004
21.01.2020 15:56:58	1	1	1	1	70.25	60	0	30000	212.9032258	6386.812709	30000	0	0	30000	40.625	2004
21.01.2020 15:56:59	1	1	1	1	70.25	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	39.875	2004
21.01.2020 15:57:00	1	1	1	1	70.25	59.75	0	30000	212.9032258	6257.983856	30000	0	0	30000	40.5	2004
21.01.2020 15:57:01	1	1	1	1	70	60.5	0	30000	210.7526882	6322.398282	30000	0	0	30000	40.625	2004
21.01.2020 15:57:02	1	1	1	1	70	60.5	0	30000	208.6021505	6193.569429	30000	0	0	30000	40.625	2004
21.01.2020 15:57:03	1	1	1	1	70	60.5	0	30000	208.6021505	6386.812709	30000	0	0	30000	40.8125	2004
21.01.2020 15:57:04	1	1	1	1	70	60.75	0	30000	219.3548387	6515.641562	30000	0	0	30000	40.6875	2004
21.01.2020 15:57:05	1	1	1	1	70	60.5	0	30000	217.2043011	6580.055989	30000	0	0	30000	40.6875	2004
21.01.2020 15:57:06	1	1	1	1	70	60.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.5625	2004
21.01.2020 15:57:07	1	1	1	1	70	60.5	0	30000	227.9569892	6838.529068	30000	0	0	30000	40.5	2004
21.01.2020 15:57:08	1	1	1	1	70	60.5	0	30000	227.9569892	6624.086103	30000	0	0	30000	40.25	2004
21.01.2020 15:57:09	1	1	1	1	70	60.25	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.5	2004
21.01.2020 15:57:10	1	1	1	1	70	60.5	0	29952.607	234.4086022	7237.246215	30000	0	0	30000	40.5	2004
21.01.2020 15:57:11	1	1	1	1	70.25	60.5	0	30000	236.5591398	7021.172506	30000	0	0	30000	40.125	2004
21.01.2020 15:57:12	1	1	1	1	70.25	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
21.01.2020 15:57:13	1	1	1	1	70.25	60	0	30000	258.0645161	7754.192374	30000	0	0	30000	40.375	2004
21.01.2020 15:57:14	1	1	1	1	70.25	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.4375	2004
21.01.2020 15:57:22	1	1	1	1	70.25	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:57:22	1	1	1	1	70.25	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:57:22	1	1	1	1	70.25	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:57:22	1	1	1	1	70.25	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:57:22	1	1	1	1	70.25	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:57:22	1	1	1	1	70.25	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:57:22	1	1	1	1	70.25	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.625	2004
21.01.2020 15:57:23	1	1	1	1	70.25	60.5	0	30000	277.4193548	8258.092572	30000	0	0	30000	40.1875	2004
21.01.2020 15:57:24	1	1	1	1	70.25	60	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	40.3125	2004
21.01.2020 15:57:25	1	1	1	1	70.25	60.25	0	29952.607	286.0215054	8774.223358	30000	0	0	30000	40.5	2004
21.01.2020 15:57:26	1	1	1	1	70.25	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.875	2004
21.01.2020 15:57:27	1	1	1	1	70.25	60.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.8125	2004
21.01.2020 15:57:28	1	1	1	1	70.25	60.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
21.01.2020 15:57:29	1	1	1	1	70.25	60	0	29952.607	283.8709677	8644.579132	30000	0	0	30000	40	2004
21.01.2020 15:57:30	1	1	1	1	70.25	60	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.5625	2004
21.01.2020 15:57:31	1	1	1	1	70.75	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.6875	2004
21.01.2020 15:57:32	1	1	1	1	70.75	60.5	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	40.5625	2004
21.01.2020 15:57:33	1	1	1	1	70.75	60.5	0	30000	264.516129	7922.974479	30000	0	0	30000	40.3125	2004
21.01.2020 15:57:34	1	1	1	1	70.75	60.25	0	30000	260.2150538	7870.79064	30000	0	0	30000	40.4375	2004
21.01.2020 15:57:35	1	1	1	1	70.75	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40	2004
21.01.2020 15:57:36	1	1	1	1	70.75	60	0	29952.607	292.4731183	8695.947599	30000	0	0	30000	40.5	2004
21.01.2020 15:57:37	1	1	1	1	70.75	60.5	0	29952.607	292.4731183	8708.993559	30000	0	0	30000	40.3125	2004
21.01.2020 15:57:38	1	1	1	1	70.75	60.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	39.9375	2004
21.01.2020 15:57:39	1	1	1	1	70.75	59.75	0	30000	281.7204301	8488.842986	30000	0	0	30000	40.375	2004
21.01.2020 15:57:40	1	1	1	1	70.75	60.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.3125	2004
21.01.2020 15:57:41	1	1	1	1	70.5	60.25	0	30000	290.3225806	8916.913543	30000	0	0	30000	40.6875	2004
21.01.2020 15:57:42	1	1	1	1	70.5	60.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	40.5625	2004
21.01.2020 15:57:43	1	1	1	1	70.5	60.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.625	2004
21.01.2020 15:57:44	1	1	1	1	70.5	60.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.4375	2004
21.01.2020 15:57:45	1	1	1	1	70.5	60.25	0	30000	281.7204301	8386.921425	30000	0	0	30000	40.6875	2004
21.01.2020 15:57:46	1	1	1	1	70.5	60.5	0	30000	288.172043	8644.579132	30000	0	0	30000	40.625	2004
21.01.2020 15:57:47	1	1	1	1	70.5	60.5	0	29952.607	303.2258065	9275.677439	30000	0	0	30000	40.5	2004
21.01.2020 15:57:48	1	1	1	1	70.5	60.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	40	2004
21.01.2020 15:57:49	1	1	1	1	70.5	60	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.5	2004
21.01.2020 15:57:50	1	1	1	1	70.5	60.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.375	2004
21.01.2020 15:57:51	1	1	1	1	70.75	60.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	40.5625	2004
21.01.2020 15:57:52	1	1	1	1	70.75	60.5	0	30000	305.3763441	8967.466638	30000	0	0	30000	40.625	2004
21.01.2020 15:57:53	1	1	1	1	70.75	60.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	40.5625	2004
21.01.2020 15:57:54	1	1	1	1	70.75	60.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.3125	2004
21.01.2020 15:57:55	1	1	1	1	70.75	60.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.5	2004
21.01.2020 15:57:56	1	1	1	1	70.75	60.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.25	2004
21.01.2020 15:57:57	1	1	1	1	70.75	60.25	0	29905.213	296.7741935	9082.434159	30000	0	0	30000	40.0625	2004
21.01.2020 15:57:59	1	1	1	1	70.75	60	0	29952.607	292.4731183	8682.086266	30000	0	0	30000	40.4375	2004
21.01.2020 15:58:00	1	1	1	1	70.75	60.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.4375	2004
21.01.2020 15:58:01	1	1	1	1	70.75	60.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:58:02	1	1	1	1	70.75	60	0	30000	303.2258065	9354.76857	30000	0	0	30000	40.5625	2004
21.01.2020 15:58:03	1	1	1	1	70.75	60.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 15:58:04	1	1	1	1	70.75	60.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.6875	2004
21.01.2020 15:58:05	1	1	1	1	70.75	60.5	0	29905.213	309.6774194	9290.354143	30000	0	0	30000	40	2004
21.01.2020 15:58:06	1	1	1	1	70.75	60	0	29905.213	301.0752688	9225.124344	30000	0	0	30000	40.9375	2004
21.01.2020 15:58:07	1	1	1	1	70.75	60.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.1875	2004
21.01.2020 15:58:08	1	1	1	1	70.75	60	0	29952.607	309.6774194	9340.091865	30000	0	0	30000	40.125	2004
21.01.2020 15:58:09	1	1	1	1	70.75	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5625	2004
21.01.2020 15:58:10	1	1	1	1	70.75	60.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.25	2004
21.01.2020 15:58:11	1	1	1	1	70.5	60.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	40.5625	2004
21.01.2020 15:58:12	1	1	1	1	70.5	60.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.5	2004
21.01.2020 15:58:13	1	1	1	1	70.5	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.5	2004
21.01.2020 15:58:14	1	1	1	1	70.5	60.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.625	2004
21.01.2020 15:58:15	1	1	1	1	70.5	60.5	0	30000	311.827957	9483.597423	30000	0	0	30000	40.1875	2004
21.01.2020 15:58:16	1	1	1	1	70.5	60	0	30000	311.827957	9354.76857	30000	0	0	30000	40.5	2004
21.01.2020 15:58:23	1	1	1	1	70.5	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.5	2004
21.01.2020 15:58:24	1	1	1	1	70.5	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.5	2004
21.01.2020 15:58:24	1	1	1	1	70.5	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.5	2004
21.01.2020 15:58:24	1	1	1	1	70.5	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.5	2004
21.01.2020 15:58:24	1	1	1	1	70.5	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.5	2004
21.01.2020 15:58:24	1	1	1	1	70.5	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.5	2004
21.01.2020 15:58:24	1	1	1	1	70.5	60.5	0	30000	292.4731183	8708.993559	30000	0	0	30000	40.4375	2004
21.01.2020 15:58:25	1	1	1	1	70.5	60.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.5625	2004
21.01.2020 15:58:26	1	1	1	1	70.5	60.5	0	30000	313.9784946	9211.263012	30000	0	0	30000	40.0625	2004
21.01.2020 15:58:27	1	1	1	1	70.5	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.3125	2004
21.01.2020 15:58:28	1	1	1	1	70.5	60.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.625	2004
21.01.2020 15:58:29	1	1	1	1	70.5	60.5	0	30000	311.827957	9354.76857	30000	0	0	30000	40.25	2004
21.01.2020 15:58:30	1	1	1	1	70.5	60.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.375	2004
21.01.2020 15:58:31	1	1	1	1	70.5	60.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.375	2004
21.01.2020 15:58:32	1	1	1	1	70.5	60.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	40.5	2004
21.01.2020 15:58:33	1	1	1	1	70.5	60.5	0	30000	320.4301075	9483.597423	30000	0	0	30000	40.5625	2004
21.01.2020 15:58:34	1	1	1	1	70.5	60.5	0	30000	335.483871	9984.236132	30000	0	0	30000	40	2004
21.01.2020 15:58:35	1	1	1	1	70.5	60	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	40.6875	2004
21.01.2020 15:58:36	1	1	1	1	70.5	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.4375	2004
21.01.2020 15:58:38	1	1	1	1	70.5	60.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.25	2004
21.01.2020 15:58:39	1	1	1	1	70.5	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5625	2004
21.01.2020 15:58:40	1	1	1	1	70.5	60.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.5	2004
21.01.2020 15:58:41	1	1	1	1	70.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5	2004
21.01.2020 15:58:42	1	1	1	1	70.75	60.5	0	30000	318.2795699	9404.506292	30000	0	0	30000	40.625	2004
21.01.2020 15:58:43	1	1	1	1	70.75	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.5625	2004
21.01.2020 15:58:44	1	1	1	1	70.75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.0625	2004
21.01.2020 15:58:45	1	1	1	1	70.75	60	0	30000	346.2365591	10257.38592	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:58:46	1	1	1	1	70.75	60.25	0	29952.607	339.7849462	10128.55706	30000	0	0	30000	40.4375	2004
21.01.2020 15:58:47	1	1	1	1	70.75	60.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.5625	2004
21.01.2020 15:58:48	1	1	1	1	70.75	60.5	0	30000	341.9354839	10192.97149	30000	0	0	30000	40.5	2004
21.01.2020 15:58:49	1	1	1	1	70.75	60.5	0	29905.213	341.9354839	10257.38592	30000	0	0	30000	40.5625	2004
21.01.2020 15:58:50	1	1	1	1	70.75	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.5	2004
21.01.2020 15:58:51	1	1	1	1	70.5	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.5	2004
21.01.2020 15:58:52	1	1	1	1	70.5	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:58:53	1	1	1	1	70.5	60.5	0	30000	352.688172	10580.27342	30000	0	0	30000	40.3125	2004
21.01.2020 15:58:54	1	1	1	1	70.5	60.25	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.8125	2004
21.01.2020 15:58:55	1	1	1	1	70.5	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:58:56	1	1	1	1	70.5	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
21.01.2020 15:58:57	1	1	1	1	70.5	59.75	0	30000	369.8924731	11114.3424	30000	0	0	30000	40.5	2004
21.01.2020 15:58:58	1	1	1	1	70.5	60.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.3125	2004
21.01.2020 15:58:59	1	1	1	1	70.5	60.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.4375	2004
21.01.2020 15:59:00	1	1	1	1	70.5	60.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.4375	2004
21.01.2020 15:59:01	1	1	1	1	70.75	60.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	40.3125	2004
21.01.2020 15:59:02	1	1	1	1	70.75	60.25	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 15:59:03	1	1	1	1	70.75	60.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.375	2004
21.01.2020 15:59:04	1	1	1	1	70.75	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.4375	2004
21.01.2020 15:59:05	1	1	1	1	70.75	60.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.625	2004
21.01.2020 15:59:06	1	1	1	1	70.75	60.5	0	30000	350.5376344	10644.68785	30000	0	0	30000	40.5625	2004
21.01.2020 15:59:07	1	1	1	1	70.75	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.625	2004
21.01.2020 15:59:08	1	1	1	1	70.75	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5625	2004
21.01.2020 15:59:09	1	1	1	1	70.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 15:59:10	1	1	1	1	70.75	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.5	2004
21.01.2020 15:59:11	1	1	1	1	71	60.5	0	29952.607	389.2473118	11871.00807	30000	0	0	30000	40.5	2004
21.01.2020 15:59:12	1	1	1	1	71	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 15:59:13	1	1	1	1	71	60.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.4375	2004
21.01.2020 15:59:15	1	1	1	1	71	60.25	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
21.01.2020 15:59:16	1	1	1	1	71	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.5	2004
21.01.2020 15:59:17	1	1	1	1	71	60.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.4375	2004
21.01.2020 15:59:18	1	1	1	1	71	60.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.5	2004
21.01.2020 15:59:25	1	1	1	1	71	60	0	29905.213	348.3870968	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 15:59:25	1	1	1	1	71	60	0	29905.213	348.3870968	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 15:59:25	1	1	1	1	71	60	0	29905.213	348.3870968	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 15:59:25	1	1	1	1	71	60	0	29905.213	348.3870968	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 15:59:25	1	1	1	1	71	60	0	29905.213	348.3870968	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 15:59:25	1	1	1	1	71	60	0	29905.213	348.3870968	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 15:59:25	1	1	1	1	71	60	0	29905.213	348.3870968	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 15:59:26	1	1	1	1	71	60.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 15:59:27	1	1	1	1	71	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
21.01.2020 15:59:28	1	1	1	1	71	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 15:59:29	1	1	1	1	71	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 15:59:30	1	1	1	1	71	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.1875	2004
21.01.2020 15:59:31	1	1	1	1	71	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.625	2004
21.01.2020 15:59:32	1	1	1	1	71	60.5	0	30000	352.688172	10515.85899	30000	0	0	30000	40.5	2004
21.01.2020 15:59:33	1	1	1	1	71	60.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	40.875	2004
21.01.2020 15:59:34	1	1	1	1	71	60.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.8125	2004
21.01.2020 15:59:35	1	1	1	1	71	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.5625	2004
21.01.2020 15:59:36	1	1	1	1	71	60.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40.4375	2004
21.01.2020 15:59:37	1	1	1	1	71	60.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.6875	2004
21.01.2020 15:59:38	1	1	1	1	71	60.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	40.375	2004
21.01.2020 15:59:39	1	1	1	1	71	60.25	0	30094.787	367.7419355	10709.10227	30000	0	0	30000	40.4375	2004
21.01.2020 15:59:40	1	1	1	1	71	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5	2004
21.01.2020 15:59:41	1	1	1	1	71.25	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 15:59:42	1	1	1	1	71.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.4375	2004
21.01.2020 15:59:43	1	1	1	1	71.25	60.25	0	30000	369.8924731	10950.45253	30000	0	0	30000	40	2004
21.01.2020 15:59:44	1	1	1	1	71.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5	2004
21.01.2020 15:59:45	1	1	1	1	71.25	60.5	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	40.5625	2004
21.01.2020 15:59:46	1	1	1	1	71.25	60.5	0	30000	348.3870968	10644.68785	30000	0	0	30000	40.375	2004
21.01.2020 15:59:47	1	1	1	1	71.25	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.3125	2004
21.01.2020 15:59:48	1	1	1	1	71.25	60.25	0	29905.213	335.483871	10064.14264	30000	0	0	30000	40.375	2004
21.01.2020 15:59:49	1	1	1	1	71.25	60.25	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	40.375	2004
21.01.2020 15:59:50	1	1	1	1	71.25	60.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.3125	2004
21.01.2020 15:59:51	1	1	1	1	71.25	60.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.375	2004
21.01.2020 15:59:53	1	1	1	1	71.25	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5625	2004
21.01.2020 15:59:54	1	1	1	1	71.25	60.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.625	2004
21.01.2020 15:59:55	1	1	1	1	71.25	60.5	0	30000	341.9354839	10273.69337	30000	0	0	30000	40.5	2004
21.01.2020 15:59:56	1	1	1	1	71.25	60.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.5625	2004
21.01.2020 15:59:57	1	1	1	1	71.25	60.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.5	2004
21.01.2020 15:59:58	1	1	1	1	71.25	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.625	2004
21.01.2020 15:59:59	1	1	1	1	71.25	60.5	0	30000	333.3333333	9855.407279	30000	0	0	30000	40.75	2004
21.01.2020 16:00:00	1	1	1	1	71.25	60.75	0	29905.213	318.2795699	9612.426277	30000	0	0	30000	40.0625	2004
21.01.2020 16:00:01	1	1	1	1	71.25	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.4375	2004
21.01.2020 16:00:02	1	1	1	1	71.5	60	0	30000	311.827957	9354.76857	30000	0	0	30000	40.75	2004
21.01.2020 16:00:03	1	1	1	1	71.5	60.75	0	30000	294.6236559	8774.223358	30000	0	0	30000	40.625	2004
21.01.2020 16:00:04	1	1	1	1	71.5	60.5	0	30047.393	326.8817204	9741.25513	30000	0	0	30000	40.5	2004
21.01.2020 16:00:05	1	1	1	1	71.5	60.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.375	2004
21.01.2020 16:00:06	1	1	1	1	71.5	60.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.1875	2004
21.01.2020 16:00:07	1	1	1	1	71.5	60	0	30047.393	309.6774194	9354.76857	30000	0	0	30000	40.25	2004
21.01.2020 16:00:08	1	1	1	1	71.5	60.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.25	2004
21.01.2020 16:00:09	1	1	1	1	71.5	60.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:10	1	1	1	1	71.5	60.5	0	30000	288.172043	8644.579132	30000	0	0	30000	40.1875	2004
21.01.2020 16:00:11	1	1	1	1	71	60	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.625	2004
21.01.2020 16:00:12	1	1	1	1	71	60.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.625	2004
21.01.2020 16:00:13	1	1	1	1	71	60.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:00:14	1	1	1	1	71	60	0	30000	290.3225806	8774.223358	30000	0	0	30000	40.625	2004
21.01.2020 16:00:15	1	1	1	1	71	60.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.5	2004
21.01.2020 16:00:16	1	1	1	1	71	60.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	40.5	2004
21.01.2020 16:00:17	1	1	1	1	71	60.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:18	1	1	1	1	71	60.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:19	1	1	1	1	71	60.5	0	30000	264.516129	7935.205066	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:27	1	1	1	1	71.5	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.625	2004
21.01.2020 16:00:27	1	1	1	1	71.5	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.625	2004
21.01.2020 16:00:27	1	1	1	1	71.5	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.625	2004
21.01.2020 16:00:27	1	1	1	1	71.5	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.625	2004
21.01.2020 16:00:27	1	1	1	1	71.5	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.625	2004
21.01.2020 16:00:27	1	1	1	1	71.5	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.625	2004
21.01.2020 16:00:27	1	1	1	1	71.5	60.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.375	2004
21.01.2020 16:00:28	1	1	1	1	71.5	60.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.0625	2004
21.01.2020 16:00:29	1	1	1	1	71.5	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:31	1	1	1	1	71.5	60.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:32	1	1	1	1	71.25	60.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:00:33	1	1	1	1	71.25	60.25	0	30000	337.6344086	10192.97149	30000	0	0	30000	39.875	2004
21.01.2020 16:00:34	1	1	1	1	71.25	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.75	2004
21.01.2020 16:00:35	1	1	1	1	71.25	60.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:36	1	1	1	1	71.25	60.5	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:37	1	1	1	1	71.25	60.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.5	2004
21.01.2020 16:00:38	1	1	1	1	71.25	60.5	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.9375	2004
21.01.2020 16:00:39	1	1	1	1	71.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.1875	2004
21.01.2020 16:00:40	1	1	1	1	71.25	61	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	40.375	2004
21.01.2020 16:00:41	1	1	1	1	71.5	60	0	30000	356.9892473	10644.68785	30000	0	0	30000	40.3125	2004
21.01.2020 16:00:42	1	1	1	1	71.5	60.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.625	2004
21.01.2020 16:00:43	1	1	1	1	71.5	60.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	40.5	2004
21.01.2020 16:00:44	1	1	1	1	71.5	60.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40.5	2004
21.01.2020 16:00:45	1	1	1	1	71.5	60.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	40.3125	2004
21.01.2020 16:00:46	1	1	1	1	71.5	60.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:47	1	1	1	1	71.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
21.01.2020 16:00:48	1	1	1	1	71.5	60	0	30000	387.0967742	11483.70614	30000	0	0	30000	40.5	2004
21.01.2020 16:00:49	1	1	1	1	71.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.4375	2004
21.01.2020 16:00:50	1	1	1	1	71.5	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.5	2004
21.01.2020 16:00:51	1	1	1	1	71.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40	2004
21.01.2020 16:00:52	1	1	1	1	71.75	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
21.01.2020 16:00:53	1	1	1	1	71.75	60	0	30047.393	395.6989247	11612.53499	30000	0	0	30000	40.5625	2004
21.01.2020 16:00:54	1	1	1	1	71.75	60.5	0	29952.607	391.3978495	11723.42565	30000	0	0	30000	40.375	2004
21.01.2020 16:00:55	1	1	1	1	71.75	60.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
21.01.2020 16:00:56	1	1	1	1	71.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
21.01.2020 16:00:57	1	1	1	1	71.75	60.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:00:58	1	1	1	1	71.75	60.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.125	2004
21.01.2020 16:00:59	1	1	1	1	71.75	60	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40.4375	2004
21.01.2020 16:01:00	1	1	1	1	71.75	60.25	0	30047.393	402.1505376	11871.00807	30000	0	0	30000	40.5625	2004
21.01.2020 16:01:01	1	1	1	1	71.75	60.5	0	30000	384.9462366	11483.70614	30000	0	0	30000	40.625	2004
21.01.2020 16:01:02	1	1	1	1	71.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.5625	2004
21.01.2020 16:01:03	1	1	1	1	71.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:04	1	1	1	1	71.75	60.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	40.4375	2004
21.01.2020 16:01:05	1	1	1	1	71.75	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
21.01.2020 16:01:06	1	1	1	1	71.75	60.5	0	30000	395.6989247	11916.66893	30000	0	0	30000	40.625	2004
21.01.2020 16:01:07	1	1	1	1	71.75	60.5	0	30000	400	11999.83693	30000	0	0	30000	40.1875	2004
21.01.2020 16:01:09	1	1	1	1	71.75	60	0	30000	412.9032258	12367.56992	30000	0	0	30000	40.25	2004
21.01.2020 16:01:10	1	1	1	1	71.75	60.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	40.5625	2004
21.01.2020 16:01:11	1	1	1	1	71.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
21.01.2020 16:01:12	1	1	1	1	71.25	59.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.5	2004
21.01.2020 16:01:13	1	1	1	1	71.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.1875	2004
21.01.2020 16:01:14	1	1	1	1	71.25	60	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.1875	2004
21.01.2020 16:01:15	1	1	1	1	71.25	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.625	2004
21.01.2020 16:01:16	1	1	1	1	71.25	60.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.4375	2004
21.01.2020 16:01:17	1	1	1	1	71.25	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.8125	2004
21.01.2020 16:01:18	1	1	1	1	71.25	60.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	40.5	2004
21.01.2020 16:01:19	1	1	1	1	71.25	60.5	0	30047.393	283.8709677	8515.750279	30000	0	0	30000	40.5625	2004
21.01.2020 16:01:20	1	1	1	1	71.25	60.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	40.5	2004
21.01.2020 16:01:21	1	1	1	1	71.5	60.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.5	2004
21.01.2020 16:01:28	1	1	1	1	71.5	60.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:28	1	1	1	1	71.5	60.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:28	1	1	1	1	71.5	60.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:28	1	1	1	1	71.5	60.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:28	1	1	1	1	71.5	60.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:28	1	1	1	1	71.5	60.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:28	1	1	1	1	71.5	60.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:29	1	1	1	1	71.5	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.625	2004
21.01.2020 16:01:30	1	1	1	1	71.5	60.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:31	1	1	1	1	71.5	60.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.3125	2004
21.01.2020 16:01:32	1	1	1	1	71.5	60.25	0	29952.607	333.3333333	10128.55706	30000	0	0	30000	40.5	2004
21.01.2020 16:01:33	1	1	1	1	71.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.625	2004
21.01.2020 16:01:34	1	1	1	1	71.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.125	2004
21.01.2020 16:01:35	1	1	1	1	71.5	60	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.625	2004
21.01.2020 16:01:36	1	1	1	1	71.5	60.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:37	1	1	1	1	71.5	60.5	0	29952.607	305.3763441	9354.76857	30000	0	0	30000	40.75	2004
21.01.2020 16:01:38	1	1	1	1	71.5	60.75	0	30000	316.1290323	9837.469084	30000	0	0	30000	40.5	2004
21.01.2020 16:01:39	1	1	1	1	71.5	60.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.625	2004
21.01.2020 16:01:40	1	1	1	1	71.5	60.5	0	30000	303.2258065	9018.019732	30000	0	0	30000	40.4375	2004
21.01.2020 16:01:41	1	1	1	1	71.5	60.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:01:42	1	1	1	1	71.5	60.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.625	2004
21.01.2020 16:01:43	1	1	1	1	71.5	60.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.5	2004
21.01.2020 16:01:44	1	1	1	1	71.5	60.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.4375	2004
21.01.2020 16:01:45	1	1	1	1	71.5	60.25	0	30000	311.827957	9225.124344	30000	0	0	30000	40.5625	2004
21.01.2020 16:01:47	1	1	1	1	71.5	60.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.5	2004
21.01.2020 16:01:48	1	1	1	1	71.5	60.5	0	30000	303.2258065	9018.019732	30000	0	0	30000	40.5625	2004
21.01.2020 16:01:49	1	1	1	1	71.5	60.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.6875	2004
21.01.2020 16:01:50	1	1	1	1	71.5	60.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.875	2004
21.01.2020 16:01:51	1	1	1	1	71.5	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.4375	2004
21.01.2020 16:01:52	1	1	1	1	71.75	60.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
21.01.2020 16:01:53	1	1	1	1	71.75	60.25	0	30000	316.1290323	9354.76857	30000	0	0	30000	40.4375	2004
21.01.2020 16:01:54	1	1	1	1	71.75	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.5625	2004
21.01.2020 16:01:55	1	1	1	1	71.75	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.5625	2004
21.01.2020 16:01:56	1	1	1	1	71.75	60.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.9375	2004
21.01.2020 16:01:57	1	1	1	1	71.75	60.75	0	30000	329.0322581	9855.407279	30000	0	0	30000	40.4375	2004
21.01.2020 16:01:58	1	1	1	1	71.75	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	40.5	2004
21.01.2020 16:01:59	1	1	1	1	71.75	60.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.9375	2004
21.01.2020 16:02:00	1	1	1	1	71.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.125	2004
21.01.2020 16:02:01	1	1	1	1	71.75	60	0	29905.213	335.483871	10128.55706	30000	0	0	30000	40.0625	2004
21.01.2020 16:02:02	1	1	1	1	71.75	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	40	2004
21.01.2020 16:02:03	1	1	1	1	71.75	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.3125	2004
21.01.2020 16:02:04	1	1	1	1	71.75	60.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.625	2004
21.01.2020 16:02:05	1	1	1	1	71.75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.4375	2004
21.01.2020 16:02:06	1	1	1	1	71.75	60.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.5	2004
21.01.2020 16:02:07	1	1	1	1	71.75	60.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5	2004
21.01.2020 16:02:08	1	1	1	1	71.75	60.5	0	30000	350.5376344	10451.44457	30000	0	0	30000	40.375	2004
21.01.2020 16:02:09	1	1	1	1	71.75	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
21.01.2020 16:02:10	1	1	1	1	71.75	59.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.75	2004
21.01.2020 16:02:11	1	1	1	1	71.5	60.75	0	30047.393	335.483871	10015.22029	30000	0	0	30000	40.625	2004
21.01.2020 16:02:12	1	1	1	1	71.5	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.4375	2004
21.01.2020 16:02:13	1	1	1	1	71.5	60.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.1875	2004
21.01.2020 16:02:14	1	1	1	1	71.5	60	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:15	1	1	1	1	71.5	60.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.375	2004
21.01.2020 16:02:16	1	1	1	1	71.5	60.25	0	30000	313.9784946	9340.091865	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:17	1	1	1	1	71.5	60.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:18	1	1	1	1	71.5	60.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:19	1	1	1	1	71.5	60.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.5	2004
21.01.2020 16:02:20	1	1	1	1	71.5	60.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 16:02:21	1	1	1	1	71.25	60.25	0	29952.607	301.0752688	8953.605305	30000	0	0	30000	40.375	2004
21.01.2020 16:02:22	1	1	1	1	71.25	60.25	0	30047.393	301.0752688	8617.67184	30000	0	0	30000	40.5	2004
21.01.2020 16:02:30	1	1	1	1	71.25	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:30	1	1	1	1	71.25	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:30	1	1	1	1	71.25	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:02:30	1	1	1	1	71.25	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:30	1	1	1	1	71.25	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:30	1	1	1	1	71.25	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:30	1	1	1	1	71.25	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:31	1	1	1	1	71.25	60.5	0	30000	298.9247312	9096.295491	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:32	1	1	1	1	71.25	60.5	0	29952.607	305.3763441	9290.354143	30000	0	0	30000	40.625	2004
21.01.2020 16:02:33	1	1	1	1	71.25	60.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.25	2004
21.01.2020 16:02:34	1	1	1	1	71.25	60.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.0625	2004
21.01.2020 16:02:35	1	1	1	1	71.25	61	0	30000	311.827957	9290.354143	30000	0	0	30000	39.9375	2004
21.01.2020 16:02:36	1	1	1	1	71.25	59.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.4375	2004
21.01.2020 16:02:37	1	1	1	1	71.25	60.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.5	2004
21.01.2020 16:02:38	1	1	1	1	71.25	59.5	0	29952.607	307.5268817	9354.76857	30000	0	0	30000	40.5	2004
21.01.2020 16:02:39	1	1	1	1	71.25	60.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	39.9375	2004
21.01.2020 16:02:40	1	1	1	1	71.25	59.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.4375	2004
21.01.2020 16:02:41	1	1	1	1	71.5	60.25	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	40.625	2004
21.01.2020 16:02:42	1	1	1	1	71.5	60.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:43	1	1	1	1	71.5	60.5	0	30000	311.827957	9483.597423	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:44	1	1	1	1	71.5	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:45	1	1	1	1	71.5	60.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.25	2004
21.01.2020 16:02:46	1	1	1	1	71.5	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.5	2004
21.01.2020 16:02:47	1	1	1	1	71.5	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.625	2004
21.01.2020 16:02:48	1	1	1	1	71.5	60.5	0	30094.787	397.8494624	11805.77827	30000	0	0	30000	40.6875	2004
21.01.2020 16:02:49	1	1	1	1	71.5	60.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	40.5	2004
21.01.2020 16:02:50	1	1	1	1	71.5	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
21.01.2020 16:02:51	1	1	1	1	71.5	60.25	0	30000	387.0967742	11530.18237	30000	0	0	30000	40.4375	2004
21.01.2020 16:02:52	1	1	1	1	71.5	60.25	0	30000	412.9032258	12109.91221	30000	0	0	30000	40.4375	2004
21.01.2020 16:02:53	1	1	1	1	71.5	60.25	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.625	2004
21.01.2020 16:02:54	1	1	1	1	71.5	60.5	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 16:02:55	1	1	1	1	71.5	60.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.25	2004
21.01.2020 16:02:56	1	1	1	1	71.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
21.01.2020 16:02:57	1	1	1	1	71.5	60.5	0	30000	384.9462366	11336.93909	30000	0	0	30000	40.4375	2004
21.01.2020 16:02:58	1	1	1	1	71.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.375	2004
21.01.2020 16:02:59	1	1	1	1	71.5	60.25	0	30000	380.6451613	11319.0009	30000	0	0	30000	40.3125	2004
21.01.2020 16:03:00	1	1	1	1	71.5	60.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.625	2004
21.01.2020 16:03:01	1	1	1	1	71.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
21.01.2020 16:03:02	1	1	1	1	71.25	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 16:03:03	1	1	1	1	71.25	60.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.625	2004
21.01.2020 16:03:05	1	1	1	1	71.25	60.5	0	30000	369.8924731	10967.57535	30000	0	0	30000	40.4375	2004
21.01.2020 16:03:06	1	1	1	1	71.25	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5625	2004
21.01.2020 16:03:07	1	1	1	1	71.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
21.01.2020 16:03:08	1	1	1	1	71.25	60.5	0	30000	365.5913978	11096.40421	30000	0	0	30000	40.375	2004
21.01.2020 16:03:09	1	1	1	1	71.25	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
21.01.2020 16:03:10	1	1	1	1	71.25	60.25	0	30000	352.688172	10515.85899	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:03:11	1	1	1	1	71.25	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.6875	2004
21.01.2020 16:03:12	1	1	1	1	71.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.375	2004
21.01.2020 16:03:13	1	1	1	1	71.25	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
21.01.2020 16:03:14	1	1	1	1	71.25	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
21.01.2020 16:03:15	1	1	1	1	71.25	60.25	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	40.5	2004
21.01.2020 16:03:16	1	1	1	1	71.25	60.5	0	30000	341.9354839	10451.44457	30000	0	0	30000	40.6875	2004
21.01.2020 16:03:17	1	1	1	1	71.25	60.5	0	29952.607	320.4301075	9453.428641	30000	0	0	30000	40.5625	2004
21.01.2020 16:03:18	1	1	1	1	71.25	60.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.5	2004
21.01.2020 16:03:19	1	1	1	1	71.25	60.5	0	30000	311.827957	9354.76857	30000	0	0	30000	40.375	2004
21.01.2020 16:03:20	1	1	1	1	71.25	60.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.625	2004
21.01.2020 16:03:21	1	1	1	1	71.25	60.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.6875	2004
21.01.2020 16:03:22	1	1	1	1	71.25	60.5	0	30000	281.7204301	8373.875465	30000	0	0	30000	40.125	2004
21.01.2020 16:03:23	1	1	1	1	71.25	60	0	30000	262.3655914	7935.205066	30000	0	0	30000	40.5625	2004
21.01.2020 16:03:24	1	1	1	1	71.25	60.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	40.6875	2004
21.01.2020 16:03:32	1	1	1	1	71	60.5	0	29905.213	262.3655914	7870.79064	30000	0	0	30000	40.1875	2004
21.01.2020 16:03:32	1	1	1	1	71	60.5	0	29905.213	262.3655914	7870.79064	30000	0	0	30000	40.1875	2004
21.01.2020 16:03:32	1	1	1	1	71	60.5	0	29905.213	262.3655914	7870.79064	30000	0	0	30000	40.1875	2004
21.01.2020 16:03:32	1	1	1	1	71	60.5	0	29905.213	262.3655914	7870.79064	30000	0	0	30000	40.1875	2004
21.01.2020 16:03:32	1	1	1	1	71	60.5	0	29905.213	262.3655914	7870.79064	30000	0	0	30000	40.1875	2004
21.01.2020 16:03:32	1	1	1	1	71	60.5	0	29905.213	262.3655914	7870.79064	30000	0	0	30000	40.1875	2004
21.01.2020 16:03:32	1	1	1	1	71	60	0	30000	262.3655914	7806.376213	30000	0	0	30000	40.625	2004
21.01.2020 16:03:33	1	1	1	1	71	60.5	0	30000	260.2150538	7536.487919	30000	0	0	30000	40.5	2004
21.01.2020 16:03:34	1	1	1	1	71	60.5	0	30000	258.0645161	7547.903134	30000	0	0	30000	40.5	2004
21.01.2020 16:03:35	1	1	1	1	71	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:03:36	1	1	1	1	71	60.25	0	29952.607	245.1612903	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:03:37	1	1	1	1	71	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.4375	2004
21.01.2020 16:03:38	1	1	1	1	71	60.25	0	30000	243.0107527	7354.659854	30000	0	0	30000	40.3125	2004
21.01.2020 16:03:39	1	1	1	1	71	60.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	40.375	2004
21.01.2020 16:03:40	1	1	1	1	71	60.25	0	29952.607	230.1075269	6967.357921	30000	0	0	30000	40.5	2004
21.01.2020 16:03:41	1	1	1	1	70.75	60.5	0	30000	240.8602151	7225.831	30000	0	0	30000	40.375	2004
21.01.2020 16:03:43	1	1	1	1	70.75	60.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	40.5625	2004
21.01.2020 16:03:44	1	1	1	1	70.75	60.5	0	30000	232.2580645	7031.772348	30000	0	0	30000	40.5625	2004
21.01.2020 16:03:45	1	1	1	1	70.75	60.5	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.4375	2004
21.01.2020 16:03:46	1	1	1	1	70.75	60.25	0	30000	227.9569892	6838.529068	30000	0	0	30000	40.625	2004
21.01.2020 16:03:47	1	1	1	1	70.75	60.5	0	30000	225.8064516	6774.114641	30000	0	0	30000	40.6875	2004
21.01.2020 16:03:48	1	1	1	1	70.75	60.5	0	30047.393	230.1075269	6774.114641	30000	0	0	30000	40.4375	2004
21.01.2020 16:03:49	1	1	1	1	70.75	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.625	2004
21.01.2020 16:03:50	1	1	1	1	70.75	60.5	0	29905.213	243.0107527	7290.245427	30000	0	0	30000	41.125	2004
21.01.2020 16:03:51	1	1	1	1	70.75	61	0	30000	247.311828	7419.07428	30000	0	0	30000	40.6875	2004
21.01.2020 16:03:52	1	1	1	1	71	60.5	0	29952.607	245.1612903	7483.488707	30000	0	0	30000	40.0625	2004
21.01.2020 16:03:53	1	1	1	1	71	60	0	30000	247.311828	7419.07428	30000	0	0	30000	41.0625	2004
21.01.2020 16:03:54	1	1	1	1	71	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:03:55	1	1	1	1	71	60.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.5625	2004
21.01.2020 16:03:56	1	1	1	1	71	60.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	40.5	2004
21.01.2020 16:03:57	1	1	1	1	71	60.5	0	29905.213	253.7634409	7612.31756	30000	0	0	30000	40.3125	2004
21.01.2020 16:03:58	1	1	1	1	71	60.25	0	30000	255.9139785	7741.961786	30000	0	0	30000	40.5	2004
21.01.2020 16:03:59	1	1	1	1	71	60.5	0	30000	268.8172043	8128.448346	30000	0	0	30000	40.5	2004
21.01.2020 16:04:00	1	1	1	1	71	60.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.125	2004
21.01.2020 16:04:01	1	1	1	1	70.5	60	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.375	2004
21.01.2020 16:04:02	1	1	1	1	70.5	60.25	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:03	1	1	1	1	70.5	60.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.5	2004
21.01.2020 16:04:04	1	1	1	1	70.5	60.5	0	30000	281.7204301	8580.164705	30000	0	0	30000	40.4375	2004
21.01.2020 16:04:05	1	1	1	1	70.5	60.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.375	2004
21.01.2020 16:04:06	1	1	1	1	70.5	60.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.4375	2004
21.01.2020 16:04:07	1	1	1	1	70.5	60.25	0	30000	277.4193548	8451.335852	30000	0	0	30000	40.25	2004
21.01.2020 16:04:08	1	1	1	1	70.5	60.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.1875	2004
21.01.2020 16:04:09	1	1	1	1	70.5	60	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:10	1	1	1	1	70.5	60.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	40.625	2004
21.01.2020 16:04:11	1	1	1	1	70.75	60.5	0	30000	277.4193548	8451.335852	30000	0	0	30000	40.75	2004
21.01.2020 16:04:12	1	1	1	1	70.75	60.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 16:04:13	1	1	1	1	70.75	60.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	40.4375	2004
21.01.2020 16:04:14	1	1	1	1	70.75	60.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.4375	2004
21.01.2020 16:04:15	1	1	1	1	70.75	60.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	39.4375	2004
21.01.2020 16:04:16	1	1	1	1	70.75	59.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	40.5	2004
21.01.2020 16:04:17	1	1	1	1	70.75	60.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.6875	2004
21.01.2020 16:04:18	1	1	1	1	70.75	60.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	40.3125	2004
21.01.2020 16:04:20	1	1	1	1	70.75	60.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	40	2004
21.01.2020 16:04:21	1	1	1	1	70.75	60	0	30000	253.7634409	7676.731987	30000	0	0	30000	40.4375	2004
21.01.2020 16:04:22	1	1	1	1	70.25	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.5	2004
21.01.2020 16:04:23	1	1	1	1	70.25	60.5	0	30000	258.0645161	7612.31756	30000	0	0	30000	40.5	2004
21.01.2020 16:04:24	1	1	1	1	70.25	60.5	0	29952.607	264.516129	7935.205066	30000	0	0	30000	40.5	2004
21.01.2020 16:04:25	1	1	1	1	70.25	60.5	0	30000	262.3655914	7729.731199	30000	0	0	30000	40.4375	2004
21.01.2020 16:04:26	1	1	1	1	70.25	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	40.5	2004
21.01.2020 16:04:33	1	1	1	1	69.75	60.5	0	29905.213	251.6129032	7676.731987	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:33	1	1	1	1	69.75	60.5	0	29905.213	251.6129032	7676.731987	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:33	1	1	1	1	69.75	60.5	0	29905.213	251.6129032	7676.731987	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:33	1	1	1	1	69.75	60.5	0	29905.213	251.6129032	7676.731987	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:33	1	1	1	1	69.75	60.5	0	29905.213	251.6129032	7676.731987	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:33	1	1	1	1	69.75	60.5	0	29905.213	251.6129032	7676.731987	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:33	1	1	1	1	69.75	60.5	0	29905.213	251.6129032	7676.731987	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:34	1	1	1	1	69.75	60.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.3125	2004
21.01.2020 16:04:35	1	1	1	1	69.75	60.25	0	29905.213	260.2150538	7806.376213	30000	0	0	30000	40.6875	2004
21.01.2020 16:04:36	1	1	1	1	69.75	60.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	40.375	2004
21.01.2020 16:04:37	1	1	1	1	69.75	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.5	2004
21.01.2020 16:04:38	1	1	1	1	69.75	60.5	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:04:39	1	1	1	1	69.75	60.5	0	30000	294.6236559	8903.052211	30000	0	0	30000	39.75	2004
21.01.2020 16:04:40	1	1	1	1	69.75	59.75	0	30000	298.9247312	8953.605305	30000	0	0	30000	40.625	2004
21.01.2020 16:04:41	1	1	1	1	69.5	60.5	0	30000	290.3225806	8774.223358	30000	0	0	30000	40.625	2004
21.01.2020 16:04:42	1	1	1	1	69.5	60.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 16:04:43	1	1	1	1	69.5	60.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.3125	2004
21.01.2020 16:04:44	1	1	1	1	69.5	60.25	0	30000	311.827957	9275.677439	30000	0	0	30000	40.5	2004
21.01.2020 16:04:45	1	1	1	1	69.5	60.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.4375	2004
21.01.2020 16:04:46	1	1	1	1	69.5	60.25	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	40.5	2004
21.01.2020 16:04:47	1	1	1	1	69.5	60.5	0	29952.607	303.2258065	9082.434159	30000	0	0	30000	40.625	2004
21.01.2020 16:04:48	1	1	1	1	69.5	60.5	0	29905.213	311.827957	9354.76857	30000	0	0	30000	40.375	2004
21.01.2020 16:04:49	1	1	1	1	69.5	60.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.375	2004
21.01.2020 16:04:50	1	1	1	1	69.5	60.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.25	2004
21.01.2020 16:04:51	1	1	1	1	68.75	60.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.5625	2004
21.01.2020 16:04:52	1	1	1	1	68.75	60.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.5	2004
21.01.2020 16:04:53	1	1	1	1	68.75	60.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.25	2004
21.01.2020 16:04:54	1	1	1	1	68.75	60.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	39.9375	2004
21.01.2020 16:04:55	1	1	1	1	68.75	59.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.4375	2004
21.01.2020 16:04:56	1	1	1	1	68.75	60.25	0	30000	281.7204301	8322.506999	30000	0	0	30000	40.5	2004
21.01.2020 16:04:57	1	1	1	1	68.75	60.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	40.125	2004
21.01.2020 16:04:59	1	1	1	1	68.75	60	0	29952.607	268.8172043	7987.388905	30000	0	0	30000	40.4375	2004
21.01.2020 16:05:00	1	1	1	1	68.75	60.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	39.5625	2004
21.01.2020 16:05:01	1	1	1	1	68.75	59.5	0	29905.213	264.516129	7870.79064	30000	0	0	30000	40.4375	2004
21.01.2020 16:05:02	1	1	1	1	68.5	60.25	0	30000	260.2150538	7870.79064	30000	0	0	30000	40.375	2004
21.01.2020 16:05:03	1	1	1	1	68.5	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.625	2004
21.01.2020 16:05:04	1	1	1	1	68.5	60.5	0	30000	258.0645161	7794.145626	30000	0	0	30000	40.25	2004
21.01.2020 16:05:05	1	1	1	1	68.5	60.25	0	29952.607	260.2150538	7794.145626	30000	0	0	30000	40.5625	2004
21.01.2020 16:05:06	1	1	1	1	68.5	60.5	0	29952.607	249.4623656	7676.731987	30000	0	0	30000	40.75	2004
21.01.2020 16:05:07	1	1	1	1	68.5	60.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	40.4375	2004
21.01.2020 16:05:08	1	1	1	1	68.5	60.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.875	2004
21.01.2020 16:05:09	1	1	1	1	68.5	60.75	0	29952.607	240.8602151	7419.07428	30000	0	0	30000	40.6875	2004
21.01.2020 16:05:10	1	1	1	1	68.5	60.5	0	30000	245.1612903	7419.07428	30000	0	0	30000	40.4375	2004
21.01.2020 16:05:11	1	1	1	1	68.5	60.25	0	30000	247.311828	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:05:12	1	1	1	1	68.75	60.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.5	2004
21.01.2020 16:05:13	1	1	1	1	68.75	60.5	0	30000	275.2688172	7845.514092	30000	0	0	30000	40.375	2004
21.01.2020 16:05:14	1	1	1	1	68.75	60.25	0	29952.607	270.9677419	8128.448346	30000	0	0	30000	40.6875	2004
21.01.2020 16:05:17	1	1	1	1	68.75	59.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.5625	2004
21.01.2020 16:05:17	1	1	1	1	68.75	59.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.5625	2004
21.01.2020 16:05:17	1	1	1	1	68.75	60.5	0	30000	240.8602151	7225.831	30000	0	0	30000	39.875	2004
21.01.2020 16:05:18	1	1	1	1	68.75	59.75	0	29905.213	247.311828	7419.07428	30000	0	0	30000	40.3125	2004
21.01.2020 16:05:19	1	1	1	1	68.75	60.25	0	30000	240.8602151	7203.000571	30000	0	0	30000	40.4375	2004
21.01.2020 16:05:20	1	1	1	1	68.75	60.25	0	30000	232.2580645	7096.186775	30000	0	0	30000	40.5	2004
21.01.2020 16:05:21	1	1	1	1	68	60.5	0	30000	236.5591398	7043.187563	30000	0	0	30000	40.0625	2004
21.01.2020 16:05:22	1	1	1	1	68	60	0	30000	232.2580645	7031.772348	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:05:23	1	1	1	1	68	60.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.5	2004
21.01.2020 16:05:24	1	1	1	1	68	60.5	0	30000	225.8064516	6774.114641	30000	0	0	30000	40.4375	2004
21.01.2020 16:05:25	1	1	1	1	68	60.25	0	30000	219.3548387	6580.055989	30000	0	0	30000	40.5	2004
21.01.2020 16:05:26	1	1	1	1	68	60.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.4375	2004
21.01.2020 16:05:27	1	1	1	1	68	60.25	0	30000	230.1075269	6774.114641	30000	0	0	30000	40.1875	2004
21.01.2020 16:05:35	1	1	1	1	68.5	60.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.5	2004
21.01.2020 16:05:35	1	1	1	1	68.5	60.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.5	2004
21.01.2020 16:05:35	1	1	1	1	68.5	60.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.5	2004
21.01.2020 16:05:35	1	1	1	1	68.5	60.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.5	2004
21.01.2020 16:05:35	1	1	1	1	68.5	60.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.5	2004
21.01.2020 16:05:35	1	1	1	1	68.5	60.25	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.5	2004
21.01.2020 16:05:35	1	1	1	1	68.5	60.5	0	30000	234.4086022	7096.186775	30000	0	0	30000	40.5625	2004
21.01.2020 16:05:37	1	1	1	1	68.5	60.5	0	30000	240.8602151	7225.831	30000	0	0	30000	40.5625	2004
21.01.2020 16:05:38	1	1	1	1	68.5	60.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.4375	2004
21.01.2020 16:05:39	1	1	1	1	68.5	60.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	40.5625	2004
21.01.2020 16:05:40	1	1	1	1	68.5	60.5	0	30000	255.9139785	7830.837388	30000	0	0	30000	40.3125	2004
21.01.2020 16:05:41	1	1	1	1	68.5	60.25	0	30047.393	266.6666667	7806.376213	30000	0	0	30000	40.3125	2004
21.01.2020 16:05:42	1	1	1	1	68.75	60.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.3125	2004
21.01.2020 16:05:43	1	1	1	1	68.75	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.25	2004
21.01.2020 16:05:44	1	1	1	1	68.75	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.3125	2004
21.01.2020 16:05:45	1	1	1	1	68.75	60.25	0	30047.393	262.3655914	7806.376213	30000	0	0	30000	40.625	2004
21.01.2020 16:05:46	1	1	1	1	68.75	60.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.375	2004
21.01.2020 16:05:47	1	1	1	1	68.75	60.25	0	30000	268.8172043	7999.619493	30000	0	0	30000	40.5	2004
21.01.2020 16:05:48	1	1	1	1	68.75	60.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	41	2004
21.01.2020 16:05:49	1	1	1	1	68.75	61	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.5	2004
21.01.2020 16:05:50	1	1	1	1	68.75	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	40	2004
21.01.2020 16:05:51	1	1	1	1	68.75	60	0	30000	270.9677419	8192.862773	30000	0	0	30000	40.25	2004
21.01.2020 16:05:52	1	1	1	1	68.75	60.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.9375	2004
21.01.2020 16:05:53	1	1	1	1	68.75	59.75	0	30000	288.172043	8644.579132	30000	0	0	30000	40.3125	2004
21.01.2020 16:05:54	1	1	1	1	68.75	60.25	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	40.5	2004
21.01.2020 16:05:55	1	1	1	1	68.75	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.5625	2004
21.01.2020 16:05:56	1	1	1	1	68.75	60.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.3125	2004
21.01.2020 16:05:57	1	1	1	1	68.75	60.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 16:05:58	1	1	1	1	68.75	60.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.5	2004
21.01.2020 16:05:59	1	1	1	1	68.75	60.5	0	30047.393	305.3763441	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 16:06:00	1	1	1	1	68.75	60.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:01	1	1	1	1	69.25	60.25	0	30000	311.827957	9483.597423	30000	0	0	30000	40.3125	2004
21.01.2020 16:06:02	1	1	1	1	69.25	60.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.3125	2004
21.01.2020 16:06:03	1	1	1	1	69.25	60.25	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:04	1	1	1	1	69.25	60.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.3125	2004
21.01.2020 16:06:05	1	1	1	1	69.25	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:06	1	1	1	1	69.25	60.25	0	30000	329.0322581	9999.728209	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:06:07	1	1	1	1	69.25	60.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	40.1875	2004
21.01.2020 16:06:08	1	1	1	1	69.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:09	1	1	1	1	69.25	60.25	0	30000	356.9892473	10790.63952	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:10	1	1	1	1	69.25	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.375	2004
21.01.2020 16:06:11	1	1	1	1	69	60.25	0	29952.607	361.2903226	10886.03811	30000	0	0	30000	40.5625	2004
21.01.2020 16:06:12	1	1	1	1	69	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.3125	2004
21.01.2020 16:06:13	1	1	1	1	69	60.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.25	2004
21.01.2020 16:06:15	1	1	1	1	69	60.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.1875	2004
21.01.2020 16:06:16	1	1	1	1	69	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
21.01.2020 16:06:17	1	1	1	1	69	59.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	40.25	2004
21.01.2020 16:06:18	1	1	1	1	69	60.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.3125	2004
21.01.2020 16:06:19	1	1	1	1	69	60.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:20	1	1	1	1	69	60.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:21	1	1	1	1	69	60.25	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	39.875	2004
21.01.2020 16:06:22	1	1	1	1	69	59.75	0	29952.607	277.4193548	8245.046612	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:23	1	1	1	1	69	60.25	0	30000	283.8709677	8644.579132	30000	0	0	30000	40.375	2004
21.01.2020 16:06:24	1	1	1	1	69	60.25	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	40.5	2004
21.01.2020 16:06:25	1	1	1	1	69	60.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.3125	2004
21.01.2020 16:06:26	1	1	1	1	69	60.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
21.01.2020 16:06:27	1	1	1	1	69	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.0625	2004
21.01.2020 16:06:28	1	1	1	1	69	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40	2004
21.01.2020 16:06:29	1	1	1	1	69	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.375	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:37	1	1	1	1	69	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:06:38	1	1	1	1	69	60.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.3125	2004
21.01.2020 16:06:38	1	1	1	1	69	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.0625	2004
21.01.2020 16:06:39	1	1	1	1	69	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.1875	2004
21.01.2020 16:06:40	1	1	1	1	69	60	0	30000	341.9354839	10678.11812	30000	0	0	30000	39.9375	2004
21.01.2020 16:06:41	1	1	1	1	68.75	59.75	0	30000	333.3333333	9806.484929	30000	0	0	30000	40.5	2004
21.01.2020 16:06:42	1	1	1	1	68.75	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.1875	2004
21.01.2020 16:06:43	1	1	1	1	68.75	60	0	29952.607	348.3870968	10387.03014	30000	0	0	30000	39.9375	2004
21.01.2020 16:06:44	1	1	1	1	68.75	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:45	1	1	1	1	68.75	60.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.375	2004
21.01.2020 16:06:46	1	1	1	1	68.75	60.25	0	29952.607	331.1827957	9775.500775	30000	0	0	30000	40.0625	2004
21.01.2020 16:06:47	1	1	1	1	68.75	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5	2004
21.01.2020 16:06:48	1	1	1	1	68.75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.125	2004
21.01.2020 16:06:49	1	1	1	1	68.75	60	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	40.25	2004
21.01.2020 16:06:50	1	1	1	1	68.75	60.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:06:51	1	1	1	1	69.25	60.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.125	2004
21.01.2020 16:06:53	1	1	1	1	69.25	60	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.375	2004
21.01.2020 16:06:54	1	1	1	1	69.25	60.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.5	2004
21.01.2020 16:06:55	1	1	1	1	69.25	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 16:06:56	1	1	1	1	69.25	60	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.1875	2004
21.01.2020 16:06:57	1	1	1	1	69.25	60	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	40.375	2004
21.01.2020 16:06:58	1	1	1	1	69.25	60.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.4375	2004
21.01.2020 16:06:59	1	1	1	1	69.25	60.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.0625	2004
21.01.2020 16:07:00	1	1	1	1	69.25	60	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	39.75	2004
21.01.2020 16:07:01	1	1	1	1	69.25	59.75	0	30000	335.483871	9806.484929	30000	0	0	30000	40.4375	2004
21.01.2020 16:07:02	1	1	1	1	69.5	60.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.25	2004
21.01.2020 16:07:03	1	1	1	1	69.5	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.375	2004
21.01.2020 16:07:04	1	1	1	1	69.5	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:05	1	1	1	1	69.5	60	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.4375	2004
21.01.2020 16:07:06	1	1	1	1	69.5	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.375	2004
21.01.2020 16:07:07	1	1	1	1	69.5	60.75	0	30000	341.9354839	10419.64504	30000	0	0	30000	39.9375	2004
21.01.2020 16:07:08	1	1	1	1	69.5	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:09	1	1	1	1	69.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40	2004
21.01.2020 16:07:10	1	1	1	1	69.5	60	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.3125	2004
21.01.2020 16:07:11	1	1	1	1	69.75	60.25	0	30000	326.8817204	9646.671921	30000	0	0	30000	40.3125	2004
21.01.2020 16:07:12	1	1	1	1	69.75	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.3125	2004
21.01.2020 16:07:13	1	1	1	1	69.75	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.3125	2004
21.01.2020 16:07:14	1	1	1	1	69.75	60.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:15	1	1	1	1	69.75	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:16	1	1	1	1	69.75	60	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.3125	2004
21.01.2020 16:07:17	1	1	1	1	69.75	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.375	2004
21.01.2020 16:07:18	1	1	1	1	69.75	60.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	40	2004
21.01.2020 16:07:19	1	1	1	1	69.75	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:20	1	1	1	1	69.75	60	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.8125	2004
21.01.2020 16:07:21	1	1	1	1	69.75	59.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:22	1	1	1	1	69.75	60	0	30000	335.483871	10015.22029	30000	0	0	30000	40	2004
21.01.2020 16:07:23	1	1	1	1	69.75	60	0	30000	329.0322581	9935.313783	30000	0	0	30000	40.375	2004
21.01.2020 16:07:24	1	1	1	1	69.75	60.25	0	30000	348.3870968	10499.55155	30000	0	0	30000	40.125	2004
21.01.2020 16:07:25	1	1	1	1	69.75	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.25	2004
21.01.2020 16:07:26	1	1	1	1	69.75	60.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.3125	2004
21.01.2020 16:07:27	1	1	1	1	69.75	60.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.9375	2004
21.01.2020 16:07:28	1	1	1	1	69.75	59.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.25	2004
21.01.2020 16:07:29	1	1	1	1	69.75	60.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:30	1	1	1	1	69.75	60	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.3125	2004
21.01.2020 16:07:38	1	1	1	1	69.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:38	1	1	1	1	69.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:38	1	1	1	1	69.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:38	1	1	1	1	69.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:07:38	1	1	1	1	69.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:38	1	1	1	1	69.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:38	1	1	1	1	69.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:39	1	1	1	1	69.75	60	0	30000	236.5591398	7225.831	30000	0	0	30000	39.9375	2004
21.01.2020 16:07:40	1	1	1	1	69.75	59.75	0	30000	236.5591398	7225.831	30000	0	0	30000	40.25	2004
21.01.2020 16:07:41	1	1	1	1	69.75	60.25	0	30000	236.5591398	7031.772348	30000	0	0	30000	40.4375	2004
21.01.2020 16:07:42	1	1	1	1	70	60.25	0	30000	234.4086022	7096.186775	30000	0	0	30000	40.375	2004
21.01.2020 16:07:43	1	1	1	1	70	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:44	1	1	1	1	70	60	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.75	2004
21.01.2020 16:07:45	1	1	1	1	70	60.25	0	30000	260.2150538	7588.671758	30000	0	0	30000	40.375	2004
21.01.2020 16:07:46	1	1	1	1	70	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.25	2004
21.01.2020 16:07:47	1	1	1	1	70	60.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:48	1	1	1	1	70	60	0	30000	245.1612903	7354.659854	30000	0	0	30000	40.5625	2004
21.01.2020 16:07:49	1	1	1	1	70	60.5	0	30000	240.8602151	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:07:50	1	1	1	1	70	60.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.625	2004
21.01.2020 16:07:51	1	1	1	1	70.75	60.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	39.8125	2004
21.01.2020 16:07:52	1	1	1	1	70.75	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.4375	2004
21.01.2020 16:07:53	1	1	1	1	70.75	60.25	0	30000	234.4086022	6967.357921	30000	0	0	30000	40.375	2004
21.01.2020 16:07:54	1	1	1	1	70.75	60.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	40.375	2004
21.01.2020 16:07:55	1	1	1	1	70.75	60.25	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.375	2004
21.01.2020 16:07:56	1	1	1	1	70.75	60.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	40.5	2004
21.01.2020 16:07:57	1	1	1	1	70.75	60.5	0	30000	221.5053763	6774.114641	30000	0	0	30000	40.1875	2004
21.01.2020 16:07:58	1	1	1	1	70.75	60	0	30000	225.8064516	6774.114641	30000	0	0	30000	39.9375	2004
21.01.2020 16:07:59	1	1	1	1	70.75	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.9375	2004
21.01.2020 16:08:00	1	1	1	1	70.75	59.75	0	30000	240.8602151	7225.831	30000	0	0	30000	40.375	2004
21.01.2020 16:08:01	1	1	1	1	71	60.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.25	2004
21.01.2020 16:08:02	1	1	1	1	71	60.25	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.1875	2004
21.01.2020 16:08:03	1	1	1	1	71	60	0	30000	247.311828	7419.07428	30000	0	0	30000	39.75	2004
21.01.2020 16:08:04	1	1	1	1	71	59.75	0	29952.607	247.311828	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:08:05	1	1	1	1	71	60.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:06	1	1	1	1	71	60.25	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:08:07	1	1	1	1	71	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.125	2004
21.01.2020 16:08:08	1	1	1	1	71	60	0	29952.607	240.8602151	7214.415786	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:10	1	1	1	1	71	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:11	1	1	1	1	71	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.25	2004
21.01.2020 16:08:12	1	1	1	1	71	60.25	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:13	1	1	1	1	71	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.375	2004
21.01.2020 16:08:14	1	1	1	1	71	60.25	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:15	1	1	1	1	71	60.25	0	29952.607	240.8602151	7354.659854	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:16	1	1	1	1	71	60.25	0	29905.213	243.0107527	7290.245427	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:17	1	1	1	1	71	60.25	0	30000	247.311828	7419.07428	30000	0	0	30000	40	2004
21.01.2020 16:08:18	1	1	1	1	71	60	0	30000	268.8172043	8064.033919	30000	0	0	30000	39.375	2004
21.01.2020 16:08:19	1	1	1	1	71	59.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:08:20	1	1	1	1	71	59.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.75	2004
21.01.2020 16:08:21	1	1	1	1	71	59.75	0	30000	279.5698925	8245.046612	30000	0	0	30000	40.8125	2004
21.01.2020 16:08:22	1	1	1	1	71.25	60.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	40.25	2004
21.01.2020 16:08:23	1	1	1	1	71.25	60.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.625	2004
21.01.2020 16:08:24	1	1	1	1	71.25	60.5	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	40.1875	2004
21.01.2020 16:08:25	1	1	1	1	71.25	60.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.25	2004
21.01.2020 16:08:26	1	1	1	1	71.25	60.25	0	30000	305.3763441	9031.881064	30000	0	0	30000	40.5	2004
21.01.2020 16:08:27	1	1	1	1	71.25	60.5	0	30000	296.7741935	9096.295491	30000	0	0	30000	40.1875	2004
21.01.2020 16:08:28	1	1	1	1	71.25	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:29	1	1	1	1	71.25	60.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:30	1	1	1	1	71.25	60.25	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	40.25	2004
21.01.2020 16:08:31	1	1	1	1	71.5	60.25	0	29905.213	313.9784946	9483.597423	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:32	1	1	1	1	71.5	60.25	0	30000	311.827957	9354.76857	30000	0	0	30000	39.8125	2004
21.01.2020 16:08:40	1	1	1	1	71.5	60	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:40	1	1	1	1	71.5	60	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:40	1	1	1	1	71.5	60	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:40	1	1	1	1	71.5	60	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:40	1	1	1	1	71.5	60	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:40	1	1	1	1	71.5	60	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:40	1	1	1	1	71.5	60.25	0	30000	316.1290323	9612.426277	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:41	1	1	1	1	71.25	60.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.0625	2004
21.01.2020 16:08:42	1	1	1	1	71.25	60	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.375	2004
21.01.2020 16:08:43	1	1	1	1	71.25	60.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.25	2004
21.01.2020 16:08:44	1	1	1	1	71.25	60.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.375	2004
21.01.2020 16:08:45	1	1	1	1	71.25	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:46	1	1	1	1	71.25	60.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:48	1	1	1	1	71.25	60.25	0	30000	335.483871	9935.313783	30000	0	0	30000	39.875	2004
21.01.2020 16:08:49	1	1	1	1	71.25	59.75	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	40.375	2004
21.01.2020 16:08:50	1	1	1	1	71.25	60.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.125	2004
21.01.2020 16:08:51	1	1	1	1	71.25	60	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
21.01.2020 16:08:52	1	1	1	1	71.5	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5	2004
21.01.2020 16:08:53	1	1	1	1	71.5	60.5	0	30000	335.483871	10064.14264	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:54	1	1	1	1	71.5	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.375	2004
21.01.2020 16:08:55	1	1	1	1	71.5	60.25	0	30000	329.0322581	10064.14264	30000	0	0	30000	40.25	2004
21.01.2020 16:08:56	1	1	1	1	71.5	60.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.4375	2004
21.01.2020 16:08:57	1	1	1	1	71.5	60.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.25	2004
21.01.2020 16:08:58	1	1	1	1	71.5	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.3125	2004
21.01.2020 16:08:59	1	1	1	1	71.5	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:00	1	1	1	1	71.5	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	40.8125	2004
21.01.2020 16:09:01	1	1	1	1	71.5	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.3125	2004
21.01.2020 16:09:02	1	1	1	1	71.25	60.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.5625	2004
21.01.2020 16:09:03	1	1	1	1	71.25	60.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:09:04	1	1	1	1	71.25	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.25	2004
21.01.2020 16:09:05	1	1	1	1	71.25	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.3125	2004
21.01.2020 16:09:06	1	1	1	1	71.25	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:07	1	1	1	1	71.25	60.25	0	30047.393	333.3333333	9935.313783	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:08	1	1	1	1	71.25	60.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:09	1	1	1	1	71.25	60.25	0	29905.213	350.5376344	10644.68785	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:10	1	1	1	1	71.25	60.25	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	40.0625	2004
21.01.2020 16:09:11	1	1	1	1	71.25	60	0	29952.607	346.2365591	10515.85899	30000	0	0	30000	40.375	2004
21.01.2020 16:09:12	1	1	1	1	71.25	60.25	0	30000	354.8387097	10515.85899	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:13	1	1	1	1	71.25	60.25	0	30000	346.2365591	10515.85899	30000	0	0	30000	40.3125	2004
21.01.2020 16:09:14	1	1	1	1	71.25	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
21.01.2020 16:09:15	1	1	1	1	71.25	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.375	2004
21.01.2020 16:09:16	1	1	1	1	71.25	60.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:17	1	1	1	1	71.25	60.25	0	30047.393	296.7741935	8708.993559	30000	0	0	30000	40.1875	2004
21.01.2020 16:09:18	1	1	1	1	71.25	60	0	30000	264.516129	7935.205066	30000	0	0	30000	40.375	2004
21.01.2020 16:09:19	1	1	1	1	71.25	60.25	0	30000	264.516129	7935.205066	30000	0	0	30000	40.1875	2004
21.01.2020 16:09:20	1	1	1	1	71.25	60	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.3125	2004
21.01.2020 16:09:21	1	1	1	1	71.25	60.25	0	30000	266.6666667	7794.145626	30000	0	0	30000	40.5	2004
21.01.2020 16:09:22	1	1	1	1	71.25	60.5	0	30000	262.3655914	7794.145626	30000	0	0	30000	40.1875	2004
21.01.2020 16:09:23	1	1	1	1	71.25	60	0	30000	275.2688172	8192.862773	30000	0	0	30000	40.125	2004
21.01.2020 16:09:24	1	1	1	1	71.25	60	0	29905.213	279.5698925	8424.42856	30000	0	0	30000	40	2004
21.01.2020 16:09:25	1	1	1	1	71.25	60	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.25	2004
21.01.2020 16:09:27	1	1	1	1	71.25	60.25	0	29952.607	275.2688172	8245.046612	30000	0	0	30000	40.375	2004
21.01.2020 16:09:28	1	1	1	1	71.25	60.25	0	30000	264.516129	8064.033919	30000	0	0	30000	39.4375	2004
21.01.2020 16:09:29	1	1	1	1	71.25	59.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:30	1	1	1	1	71.25	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:31	1	1	1	1	71.25	60.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:32	1	1	1	1	71.5	60.25	0	29905.213	264.516129	7870.79064	30000	0	0	30000	40.375	2004
21.01.2020 16:09:33	1	1	1	1	71.5	60.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	40.375	2004
21.01.2020 16:09:34	1	1	1	1	71.5	60.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:41	1	1	1	1	71.5	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5	2004
21.01.2020 16:09:41	1	1	1	1	71.5	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5	2004
21.01.2020 16:09:41	1	1	1	1	71.5	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5	2004
21.01.2020 16:09:41	1	1	1	1	71.5	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5	2004
21.01.2020 16:09:41	1	1	1	1	71.5	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5	2004
21.01.2020 16:09:41	1	1	1	1	71.5	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5	2004
21.01.2020 16:09:41	1	1	1	1	71.5	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5	2004
21.01.2020 16:09:42	1	1	1	1	71.75	60.5	0	30000	245.1612903	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:09:43	1	1	1	1	71.75	60.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	39.8125	2004
21.01.2020 16:09:44	1	1	1	1	71.75	59.75	0	30000	251.6129032	7612.31756	30000	0	0	30000	40.375	2004
21.01.2020 16:09:45	1	1	1	1	71.75	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.5	2004
21.01.2020 16:09:46	1	1	1	1	71.75	60.5	0	29952.607	247.311828	7547.903134	30000	0	0	30000	40.1875	2004
21.01.2020 16:09:47	1	1	1	1	71.75	60	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:09:48	1	1	1	1	71.75	60.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.4375	2004
21.01.2020 16:09:49	1	1	1	1	71.75	60.25	0	30000	247.311828	7419.07428	30000	0	0	30000	40.3125	2004
21.01.2020 16:09:50	1	1	1	1	71.75	60.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	40.3125	2004
21.01.2020 16:09:51	1	1	1	1	71.75	60.25	0	30000	247.311828	7419.07428	30000	0	0	30000	40	2004
21.01.2020 16:09:52	1	1	1	1	71.75	60	0	30000	245.1612903	7419.07428	30000	0	0	30000	40.3125	2004
21.01.2020 16:09:53	1	1	1	1	71.75	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.375	2004
21.01.2020 16:09:54	1	1	1	1	71.75	60.25	0	29952.607	251.6129032	7612.31756	30000	0	0	30000	39.875	2004
21.01.2020 16:09:55	1	1	1	1	71.75	59.75	0	29952.607	243.0107527	7419.07428	30000	0	0	30000	40.1875	2004
21.01.2020 16:09:56	1	1	1	1	71.75	60	0	30000	245.1612903	7354.659854	30000	0	0	30000	39.8125	2004
21.01.2020 16:09:57	1	1	1	1	71.75	59.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	40.3125	2004
21.01.2020 16:09:58	1	1	1	1	71.75	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.3125	2004
21.01.2020 16:09:59	1	1	1	1	71.75	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.3125	2004
21.01.2020 16:10:00	1	1	1	1	71.75	60.25	0	29952.607	240.8602151	7096.186775	30000	0	0	30000	40.4375	2004
21.01.2020 16:10:01	1	1	1	1	71.75	60.25	0	30000	236.5591398	7031.772348	30000	0	0	30000	40.125	2004
21.01.2020 16:10:02	1	1	1	1	71.75	60	0	30000	232.2580645	6967.357921	30000	0	0	30000	40	2004
21.01.2020 16:10:04	1	1	1	1	71.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
21.01.2020 16:10:05	1	1	1	1	71.75	60	0	30000	247.311828	7343.244639	30000	0	0	30000	39.75	2004
21.01.2020 16:10:06	1	1	1	1	71.75	59.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.375	2004
21.01.2020 16:10:07	1	1	1	1	71.75	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.3125	2004
21.01.2020 16:10:08	1	1	1	1	71.75	60.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	40.25	2004
21.01.2020 16:10:09	1	1	1	1	71.75	60.25	0	30000	234.4086022	6967.357921	30000	0	0	30000	40.25	2004
21.01.2020 16:10:10	1	1	1	1	71.75	60.25	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.375	2004
21.01.2020 16:10:11	1	1	1	1	71.75	60.25	0	30000	236.5591398	7031.772348	30000	0	0	30000	40.375	2004
21.01.2020 16:10:12	1	1	1	1	71.75	60.25	0	30000	232.2580645	7031.772348	30000	0	0	30000	40.1875	2004
21.01.2020 16:10:13	1	1	1	1	71.75	60	0	30000	232.2580645	6967.357921	30000	0	0	30000	40	2004
21.01.2020 16:10:14	1	1	1	1	71.75	60	0	29952.607	232.2580645	6967.357921	30000	0	0	30000	40.5	2004
21.01.2020 16:10:15	1	1	1	1	71.75	60.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.375	2004
21.01.2020 16:10:16	1	1	1	1	71.75	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.5625	2004
21.01.2020 16:10:17	1	1	1	1	71.75	60.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	39.75	2004
21.01.2020 16:10:18	1	1	1	1	71.75	59.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.5625	2004
21.01.2020 16:10:19	1	1	1	1	71.75	60.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	40.25	2004
21.01.2020 16:10:20	1	1	1	1	71.75	60.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	40.25	2004
21.01.2020 16:10:21	1	1	1	1	71.75	60.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.0625	2004
21.01.2020 16:10:22	1	1	1	1	71.75	60	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.5625	2004
21.01.2020 16:10:23	1	1	1	1	71.75	60.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.4375	2004
21.01.2020 16:10:24	1	1	1	1	71.75	60.25	0	30000	260.2150538	7741.961786	30000	0	0	30000	40.0625	2004
21.01.2020 16:10:25	1	1	1	1	71.75	60	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.3125	2004
21.01.2020 16:10:26	1	1	1	1	71.75	60.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.25	2004
21.01.2020 16:10:27	1	1	1	1	71.75	60.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	40.25	2004
21.01.2020 16:10:28	1	1	1	1	71.75	60.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	40.4375	2004
21.01.2020 16:10:29	1	1	1	1	71.75	60.25	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	39.875	2004
21.01.2020 16:10:30	1	1	1	1	71.75	59.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	40.5625	2004
21.01.2020 16:10:31	1	1	1	1	71.75	60.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:10:32	1	1	1	1	71.75	60.75	0	29952.607	298.9247312	9096.295491	30000	0	0	30000	39.8125	2004
21.01.2020 16:10:33	1	1	1	1	71.75	59.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	40	2004
21.01.2020 16:10:34	1	1	1	1	71.75	60	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.625	2004
21.01.2020 16:10:35	1	1	1	1	71.75	60.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.3125	2004
21.01.2020 16:10:43	1	1	1	1	71.5	60	0	30000	324.7311828	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:10:43	1	1	1	1	71.5	60	0	30000	324.7311828	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:10:43	1	1	1	1	71.5	60	0	30000	324.7311828	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:10:43	1	1	1	1	71.5	60	0	30000	324.7311828	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:10:43	1	1	1	1	71.5	60	0	30000	324.7311828	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:10:43	1	1	1	1	71.5	60	0	30000	324.7311828	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:10:43	1	1	1	1	71.5	60	0	30000	324.7311828	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:10:43	1	1	1	1	71.5	60	0	30000	324.7311828	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:10:44	1	1	1	1	71.5	60.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.25	2004
21.01.2020 16:10:45	1	1	1	1	71.5	60.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.25	2004
21.01.2020 16:10:46	1	1	1	1	71.5	60.25	0	29952.607	326.8817204	9999.728209	30000	0	0	30000	40.3125	2004
21.01.2020 16:10:47	1	1	1	1	71.5	60.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.3125	2004
21.01.2020 16:10:48	1	1	1	1	71.5	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.5	2004
21.01.2020 16:10:49	1	1	1	1	71.5	60.5	0	30000	341.9354839	10128.55706	30000	0	0	30000	39.875	2004
21.01.2020 16:10:50	1	1	1	1	71.5	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.875	2004
21.01.2020 16:10:51	1	1	1	1	71.5	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.375	2004
21.01.2020 16:10:52	1	1	1	1	71.75	60.25	0	29952.607	337.6344086	10387.03014	30000	0	0	30000	40.5	2004
21.01.2020 16:10:53	1	1	1	1	71.75	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:10:54	1	1	1	1	71.75	60.5	0	30000	352.688172	10515.85899	30000	0	0	30000	40.375	2004
21.01.2020 16:10:55	1	1	1	1	71.75	60.25	0	29905.213	350.5376344	10515.85899	30000	0	0	30000	40.25	2004
21.01.2020 16:10:56	1	1	1	1	71.75	60.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.3125	2004
21.01.2020 16:10:57	1	1	1	1	71.75	60.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.5	2004
21.01.2020 16:10:58	1	1	1	1	71.75	60.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.6875	2004
21.01.2020 16:10:59	1	1	1	1	71.75	60.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.3125	2004
21.01.2020 16:11:00	1	1	1	1	71.75	60	0	30000	348.3870968	10403.33759	30000	0	0	30000	39.9375	2004
21.01.2020 16:11:01	1	1	1	1	71.75	59.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	40.3125	2004
21.01.2020 16:11:02	1	1	1	1	71.75	60.25	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	40.1875	2004
21.01.2020 16:11:03	1	1	1	1	71.75	60	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.375	2004
21.01.2020 16:11:04	1	1	1	1	71.75	60.25	0	30047.393	372.0430108	10903.16093	30000	0	0	30000	40.25	2004
21.01.2020 16:11:05	1	1	1	1	71.75	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.1875	2004
21.01.2020 16:11:06	1	1	1	1	71.75	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.4375	2004
21.01.2020 16:11:07	1	1	1	1	71.75	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.125	2004
21.01.2020 16:11:08	1	1	1	1	71.75	60	0	29952.607	339.7849462	10128.55706	30000	0	0	30000	40.0625	2004
21.01.2020 16:11:09	1	1	1	1	71.75	60	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.625	2004
21.01.2020 16:11:10	1	1	1	1	71.75	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.3125	2004
21.01.2020 16:11:11	1	1	1	1	71.5	60.25	0	29952.607	329.0322581	9855.407279	30000	0	0	30000	40.0625	2004
21.01.2020 16:11:12	1	1	1	1	71.5	60	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.3125	2004
21.01.2020 16:11:13	1	1	1	1	71.5	60.25	0	30047.393	326.8817204	9806.484929	30000	0	0	30000	40.4375	2004
21.01.2020 16:11:14	1	1	1	1	71.5	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:11:15	1	1	1	1	71.5	60.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:11:16	1	1	1	1	71.5	60.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 16:11:17	1	1	1	1	71.5	60.25	0	30000	270.9677419	8192.862773	30000	0	0	30000	40.0625	2004
21.01.2020 16:11:18	1	1	1	1	71.5	60	0	30000	266.6666667	8064.033919	30000	0	0	30000	40.375	2004
21.01.2020 16:11:19	1	1	1	1	71.5	60.25	0	30000	268.8172043	8077.079879	30000	0	0	30000	40.0625	2004
21.01.2020 16:11:20	1	1	1	1	71.5	60	0	29905.213	251.6129032	7741.961786	30000	0	0	30000	40.125	2004
21.01.2020 16:11:22	1	1	1	1	71.5	60	0	30094.787	253.7634409	7419.07428	30000	0	0	30000	40.3125	2004
21.01.2020 16:11:23	1	1	1	1	71.5	60.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	39.8125	2004
21.01.2020 16:11:24	1	1	1	1	71.5	59.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	40.375	2004
21.01.2020 16:11:25	1	1	1	1	71.5	60.25	0	30000	247.311828	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:11:26	1	1	1	1	71.5	60.25	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	40.25	2004
21.01.2020 16:11:27	1	1	1	1	71.5	60.25	0	30000	251.6129032	7612.31756	30000	0	0	30000	40.375	2004
21.01.2020 16:11:28	1	1	1	1	71.5	60.25	0	29905.213	253.7634409	7665.316772	30000	0	0	30000	40.25	2004
21.01.2020 16:11:29	1	1	1	1	71.5	60.25	0	30000	251.6129032	7419.07428	30000	0	0	30000	40.25	2004
21.01.2020 16:11:30	1	1	1	1	71.5	60.25	0	30000	251.6129032	7612.31756	30000	0	0	30000	40.375	2004
21.01.2020 16:11:31	1	1	1	1	71.5	60.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.3125	2004
21.01.2020 16:11:32	1	1	1	1	71.75	60.25	0	30000	260.2150538	7741.961786	30000	0	0	30000	39.75	2004
21.01.2020 16:11:33	1	1	1	1	71.75	59.75	0	30000	253.7634409	7895.251814	30000	0	0	30000	40.3125	2004
21.01.2020 16:11:34	1	1	1	1	71.75	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.5	2004
21.01.2020 16:11:35	1	1	1	1	71.75	60.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.375	2004
21.01.2020 16:11:36	1	1	1	1	71.75	60.25	0	29952.607	247.311828	7741.961786	30000	0	0	30000	40.4375	2004
21.01.2020 16:11:37	1	1	1	1	71.75	60.25	0	30000	247.311828	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:11:45	1	1	1	1	71.75	60.25	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.375	2004
21.01.2020 16:11:45	1	1	1	1	71.75	60.25	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.375	2004
21.01.2020 16:11:45	1	1	1	1	71.75	60.25	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.375	2004
21.01.2020 16:11:45	1	1	1	1	71.75	60.25	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.375	2004
21.01.2020 16:11:45	1	1	1	1	71.75	60.25	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.375	2004
21.01.2020 16:11:45	1	1	1	1	71.75	60.25	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.375	2004
21.01.2020 16:11:45	1	1	1	1	71.75	60.25	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	40.375	2004
21.01.2020 16:11:46	1	1	1	1	71.75	60.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	40	2004
21.01.2020 16:11:47	1	1	1	1	71.75	60	0	30000	346.2365591	10644.68785	30000	0	0	30000	40	2004
21.01.2020 16:11:48	1	1	1	1	71.75	60	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	40.4375	2004
21.01.2020 16:11:49	1	1	1	1	71.75	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.3125	2004
21.01.2020 16:11:50	1	1	1	1	71.75	60.25	0	29952.607	359.1397849	10692.79483	30000	0	0	30000	40.1875	2004
21.01.2020 16:11:51	1	1	1	1	71.75	60	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.5625	2004
21.01.2020 16:11:52	1	1	1	1	71.75	59.5	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	40.375	2004
21.01.2020 16:11:53	1	1	1	1	71.75	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
21.01.2020 16:11:54	1	1	1	1	71.75	59.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.75	2004
21.01.2020 16:11:55	1	1	1	1	71.75	59.75	0	30000	339.7849462	10403.33759	30000	0	0	30000	40.1875	2004
21.01.2020 16:11:56	1	1	1	1	71.75	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
21.01.2020 16:11:57	1	1	1	1	71.75	59.75	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	40.375	2004
21.01.2020 16:11:58	1	1	1	1	71.75	60.25	0	29952.607	329.0322581	9935.313783	30000	0	0	30000	40.4375	2004
21.01.2020 16:11:59	1	1	1	1	71.75	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:12:00	1	1	1	1	71.75	59.75	0	30000	335.483871	9870.899356	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:02	1	1	1	1	71.5	60.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:03	1	1	1	1	71.5	60.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	40.4375	2004
21.01.2020 16:12:04	1	1	1	1	71.5	60.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	39.875	2004
21.01.2020 16:12:05	1	1	1	1	71.5	59.75	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	40.0625	2004
21.01.2020 16:12:06	1	1	1	1	71.5	60	0	30000	301.0752688	9018.019732	30000	0	0	30000	40.25	2004
21.01.2020 16:12:07	1	1	1	1	71.5	60.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.375	2004
21.01.2020 16:12:08	1	1	1	1	71.5	60.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:09	1	1	1	1	71.5	60.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	39.8125	2004
21.01.2020 16:12:10	1	1	1	1	71.5	59.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:11	1	1	1	1	71.5	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.375	2004
21.01.2020 16:12:12	1	1	1	1	71.5	60.25	0	30000	243.0107527	7225.831	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:13	1	1	1	1	71.5	60.25	0	29905.213	247.311828	7419.07428	30000	0	0	30000	40.125	2004
21.01.2020 16:12:14	1	1	1	1	71.5	60	0	30000	255.9139785	7741.961786	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:15	1	1	1	1	71.5	60.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	39.625	2004
21.01.2020 16:12:16	1	1	1	1	71.5	59.5	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	40.5625	2004
21.01.2020 16:12:17	1	1	1	1	71.5	60.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.5	2004
21.01.2020 16:12:18	1	1	1	1	71.5	60.5	0	29952.607	268.8172043	8258.092572	30000	0	0	30000	40.8125	2004
21.01.2020 16:12:19	1	1	1	1	71.5	60.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:20	1	1	1	1	71.5	60.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	40.4375	2004
21.01.2020 16:12:21	1	1	1	1	71.75	60.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	40.0625	2004
21.01.2020 16:12:22	1	1	1	1	71.75	60	0	30000	264.516129	7922.974479	30000	0	0	30000	40.5	2004
21.01.2020 16:12:23	1	1	1	1	71.75	60.5	0	30047.393	270.9677419	8128.448346	30000	0	0	30000	40.375	2004
21.01.2020 16:12:24	1	1	1	1	71.75	60.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:25	1	1	1	1	71.75	60.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.4375	2004
21.01.2020 16:12:26	1	1	1	1	71.75	60.25	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	40.125	2004
21.01.2020 16:12:27	1	1	1	1	71.75	60	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.25	2004
21.01.2020 16:12:28	1	1	1	1	71.75	60.25	0	30000	311.827957	9419.182997	30000	0	0	30000	40.4375	2004
21.01.2020 16:12:29	1	1	1	1	71.75	60.25	0	30000	311.827957	9483.597423	30000	0	0	30000	40.25	2004
21.01.2020 16:12:30	1	1	1	1	71.75	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.25	2004
21.01.2020 16:12:31	1	1	1	1	71.75	60.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:32	1	1	1	1	71.75	60.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.25	2004
21.01.2020 16:12:33	1	1	1	1	71.75	60.25	0	29905.213	326.8817204	10064.14264	30000	0	0	30000	39.75	2004
21.01.2020 16:12:34	1	1	1	1	71.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	40.125	2004
21.01.2020 16:12:35	1	1	1	1	71.75	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.375	2004
21.01.2020 16:12:36	1	1	1	1	71.75	60.25	0	30000	331.1827957	9855.407279	30000	0	0	30000	40.25	2004
21.01.2020 16:12:37	1	1	1	1	71.75	60.25	0	30000	341.9354839	10241.89384	30000	0	0	30000	40.25	2004
21.01.2020 16:12:38	1	1	1	1	71.75	60.25	0	29905.213	333.3333333	10128.55706	30000	0	0	30000	40.125	2004
21.01.2020 16:12:46	1	1	1	1	71.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:12:46	1	1	1	1	71.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:12:46	1	1	1	1	71.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:12:46	1	1	1	1	71.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:12:46	1	1	1	1	71.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:12:46	1	1	1	1	71.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:12:46	1	1	1	1	71.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:12:47	1	1	1	1	71.5	60	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.5	2004
21.01.2020 16:12:48	1	1	1	1	71.5	60.5	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	40.375	2004
21.01.2020 16:12:49	1	1	1	1	71.5	60.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.3125	2004
21.01.2020 16:12:50	1	1	1	1	71.5	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:12:51	1	1	1	1	71.5	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
21.01.2020 16:12:52	1	1	1	1	71.5	60	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.1875	2004
21.01.2020 16:12:53	1	1	1	1	71.5	60	0	30000	335.483871	10064.14264	30000	0	0	30000	40.25	2004
21.01.2020 16:12:54	1	1	1	1	71.5	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	40.4375	2004
21.01.2020 16:12:55	1	1	1	1	71.5	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.8125	2004
21.01.2020 16:12:56	1	1	1	1	71.5	60.75	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	40.5	2004
21.01.2020 16:12:57	1	1	1	1	71.5	60.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.4375	2004
21.01.2020 16:12:58	1	1	1	1	71.5	60.25	0	30000	329.0322581	9935.313783	30000	0	0	30000	40.5625	2004
21.01.2020 16:12:59	1	1	1	1	71.5	59.5	0	30000	326.8817204	9676.840703	30000	0	0	30000	40.1875	2004
21.01.2020 16:13:00	1	1	1	1	71.5	60	0	29905.213	316.1290323	9483.597423	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:01	1	1	1	1	71.75	60.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.4375	2004
21.01.2020 16:13:02	1	1	1	1	71.75	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:13:03	1	1	1	1	71.75	60.25	0	30000	316.1290323	9772.239285	30000	0	0	30000	40.4375	2004
21.01.2020 16:13:04	1	1	1	1	71.75	60.25	0	30000	320.4301075	9806.484929	30000	0	0	30000	40.375	2004
21.01.2020 16:13:05	1	1	1	1	71.75	60.25	0	30047.393	318.2795699	9548.01185	30000	0	0	30000	40.5625	2004
21.01.2020 16:13:06	1	1	1	1	71.75	60.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.0625	2004
21.01.2020 16:13:07	1	1	1	1	71.75	59	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	39.75	2004
21.01.2020 16:13:08	1	1	1	1	71.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.125	2004
21.01.2020 16:13:09	1	1	1	1	71.75	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.375	2004
21.01.2020 16:13:10	1	1	1	1	71.75	60.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.125	2004
21.01.2020 16:13:11	1	1	1	1	71.25	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:12	1	1	1	1	71.25	60.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.5	2004
21.01.2020 16:13:13	1	1	1	1	71.25	60.5	0	30094.787	331.1827957	9662.163999	30000	0	0	30000	40.25	2004
21.01.2020 16:13:14	1	1	1	1	71.25	60.25	0	30000	309.6774194	9548.01185	30000	0	0	30000	39.875	2004
21.01.2020 16:13:15	1	1	1	1	71.25	59.75	0	29952.607	311.827957	9340.091865	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:16	1	1	1	1	71.25	60.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.1875	2004
21.01.2020 16:13:17	1	1	1	1	71.25	60	0	30000	292.4731183	8708.993559	30000	0	0	30000	40.4375	2004
21.01.2020 16:13:18	1	1	1	1	71.25	60.25	0	30000	277.4193548	8399.967385	30000	0	0	30000	40.375	2004
21.01.2020 16:13:20	1	1	1	1	71.25	60.25	0	30000	258.0645161	7754.192374	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:21	1	1	1	1	71.25	60.25	0	30000	258.0645161	7612.31756	30000	0	0	30000	39.9375	2004
21.01.2020 16:13:22	1	1	1	1	71.5	59.75	0	30000	251.6129032	7560.133721	30000	0	0	30000	40.5	2004
21.01.2020 16:13:23	1	1	1	1	71.5	60.5	0	29952.607	249.4623656	7547.903134	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:24	1	1	1	1	71.5	60.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	39.625	2004
21.01.2020 16:13:25	1	1	1	1	71.5	59.5	0	30000	247.311828	7419.07428	30000	0	0	30000	39	2004
21.01.2020 16:13:26	1	1	1	1	71.5	59	0	30000	247.311828	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:13:27	1	1	1	1	71.5	60.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:28	1	1	1	1	71.5	60.25	0	30000	253.7634409	7741.961786	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:13:29	1	1	1	1	71.5	60.25	0	30000	251.6129032	7536.487919	30000	0	0	30000	40.125	2004
21.01.2020 16:13:30	1	1	1	1	71.5	60	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	40.5	2004
21.01.2020 16:13:31	1	1	1	1	71.5	60.5	0	30000	266.6666667	7806.376213	30000	0	0	30000	39.875	2004
21.01.2020 16:13:32	1	1	1	1	71.25	59.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.125	2004
21.01.2020 16:13:33	1	1	1	1	71.25	60	0	30094.787	273.1182796	7999.619493	30000	0	0	30000	39.9375	2004
21.01.2020 16:13:34	1	1	1	1	71.25	59.75	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:35	1	1	1	1	71.25	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.6875	2004
21.01.2020 16:13:36	1	1	1	1	71.25	60.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.6875	2004
21.01.2020 16:13:37	1	1	1	1	71.25	60.5	0	30000	286.0215054	8502.704319	30000	0	0	30000	40.5	2004
21.01.2020 16:13:38	1	1	1	1	71.25	60.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.375	2004
21.01.2020 16:13:39	1	1	1	1	71.25	60.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.125	2004
21.01.2020 16:13:40	1	1	1	1	71.25	60	0	30000	288.172043	8580.164705	30000	0	0	30000	39.8125	2004
21.01.2020 16:13:48	1	1	1	1	71	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 16:13:48	1	1	1	1	71	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 16:13:48	1	1	1	1	71	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 16:13:48	1	1	1	1	71	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 16:13:48	1	1	1	1	71	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 16:13:48	1	1	1	1	71	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 16:13:48	1	1	1	1	71	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.25	2004
21.01.2020 16:13:48	1	1	1	1	71	60.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:49	1	1	1	1	71	60.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.375	2004
21.01.2020 16:13:50	1	1	1	1	71	60.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.0625	2004
21.01.2020 16:13:51	1	1	1	1	71	60	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:52	1	1	1	1	71	60.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:53	1	1	1	1	71	60.25	0	30000	311.827957	9419.182997	30000	0	0	30000	40.4375	2004
21.01.2020 16:13:54	1	1	1	1	71	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.875	2004
21.01.2020 16:13:56	1	1	1	1	71	59.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.375	2004
21.01.2020 16:13:57	1	1	1	1	71	60.25	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.4375	2004
21.01.2020 16:13:58	1	1	1	1	71	60.25	0	30000	311.827957	9340.091865	30000	0	0	30000	40.3125	2004
21.01.2020 16:13:59	1	1	1	1	71	60.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.875	2004
21.01.2020 16:14:00	1	1	1	1	71	59.75	0	30000	294.6236559	8903.052211	30000	0	0	30000	40	2004
21.01.2020 16:14:01	1	1	1	1	71	60	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.25	2004
21.01.2020 16:14:02	1	1	1	1	70.75	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.4375	2004
21.01.2020 16:14:03	1	1	1	1	70.75	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:04	1	1	1	1	70.75	60.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:05	1	1	1	1	70.75	60.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:06	1	1	1	1	70.75	60.25	0	29952.607	303.2258065	9160.709918	30000	0	0	30000	40.375	2004
21.01.2020 16:14:07	1	1	1	1	70.75	60.25	0	29952.607	303.2258065	9160.709918	30000	0	0	30000	40.4375	2004
21.01.2020 16:14:08	1	1	1	1	70.75	60.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.375	2004
21.01.2020 16:14:09	1	1	1	1	70.75	60.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:10	1	1	1	1	70.75	60.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.4375	2004
21.01.2020 16:14:11	1	1	1	1	70.75	60.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.125	2004
21.01.2020 16:14:12	1	1	1	1	70.75	60	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:14:13	1	1	1	1	70.75	60.25	0	30000	341.9354839	10241.89384	30000	0	0	30000	40.0625	2004
21.01.2020 16:14:14	1	1	1	1	70.75	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.6875	2004
21.01.2020 16:14:15	1	1	1	1	70.75	60.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	39.9375	2004
21.01.2020 16:14:16	1	1	1	1	70.75	59.75	0	29952.607	288.172043	8774.223358	30000	0	0	30000	40.1875	2004
21.01.2020 16:14:17	1	1	1	1	70.75	60	0	30000	294.6236559	8708.993559	30000	0	0	30000	39.75	2004
21.01.2020 16:14:18	1	1	1	1	70.75	59.75	0	30000	288.172043	8580.164705	30000	0	0	30000	40.5	2004
21.01.2020 16:14:19	1	1	1	1	70.75	60.5	0	30000	275.2688172	8192.862773	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:20	1	1	1	1	70.75	60.25	0	30047.393	281.7204301	8529.611611	30000	0	0	30000	39.875	2004
21.01.2020 16:14:21	1	1	1	1	70.25	59.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.4375	2004
21.01.2020 16:14:22	1	1	1	1	70.25	60.25	0	30000	298.9247312	8903.052211	30000	0	0	30000	40.4375	2004
21.01.2020 16:14:23	1	1	1	1	70.25	60.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.8125	2004
21.01.2020 16:14:24	1	1	1	1	70.25	59.75	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	40.25	2004
21.01.2020 16:14:25	1	1	1	1	70.25	60.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.0625	2004
21.01.2020 16:14:26	1	1	1	1	70.25	60	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.1875	2004
21.01.2020 16:14:27	1	1	1	1	70.25	60	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.375	2004
21.01.2020 16:14:28	1	1	1	1	70.25	60.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.6875	2004
21.01.2020 16:14:29	1	1	1	1	70.25	60.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:30	1	1	1	1	70.25	60.25	0	30000	270.9677419	8116.217759	30000	0	0	30000	40.125	2004
21.01.2020 16:14:31	1	1	1	1	70.5	60	0	30000	260.2150538	7870.79064	30000	0	0	30000	40.4375	2004
21.01.2020 16:14:32	1	1	1	1	70.5	60.25	0	29952.607	264.516129	7935.205066	30000	0	0	30000	40	2004
21.01.2020 16:14:33	1	1	1	1	70.5	60	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.25	2004
21.01.2020 16:14:35	1	1	1	1	70.5	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:36	1	1	1	1	70.5	60.25	0	30000	264.516129	7741.961786	30000	0	0	30000	40.375	2004
21.01.2020 16:14:37	1	1	1	1	70.5	60.25	0	30047.393	258.0645161	7754.192374	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:38	1	1	1	1	70.5	60.25	0	30000	255.9139785	7741.961786	30000	0	0	30000	40.125	2004
21.01.2020 16:14:39	1	1	1	1	70.5	60	0	30000	268.8172043	7717.500612	30000	0	0	30000	39.6875	2004
21.01.2020 16:14:40	1	1	1	1	70.5	59.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.0625	2004
21.01.2020 16:14:41	1	1	1	1	70.5	60	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.375	2004
21.01.2020 16:14:42	1	1	1	1	70.5	60.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.1875	2004
21.01.2020 16:14:49	1	1	1	1	70.5	60.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:49	1	1	1	1	70.5	60.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:49	1	1	1	1	70.5	60.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:49	1	1	1	1	70.5	60.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:49	1	1	1	1	70.5	60.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:49	1	1	1	1	70.5	60.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:49	1	1	1	1	70.5	60.25	0	30000	324.7311828	9676.840703	30000	0	0	30000	40.3125	2004
21.01.2020 16:14:50	1	1	1	1	70.5	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.125	2004
21.01.2020 16:14:51	1	1	1	1	70.5	60	0	30000	318.2795699	9468.920719	30000	0	0	30000	40.6875	2004
21.01.2020 16:14:52	1	1	1	1	70.75	60.5	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.8125	2004
21.01.2020 16:14:53	1	1	1	1	70.75	59.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.125	2004
21.01.2020 16:14:54	1	1	1	1	70.75	60.5	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	40.1875	2004
21.01.2020 16:14:55	1	1	1	1	70.75	60	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	40.25	2004
21.01.2020 16:14:56	1	1	1	1	70.75	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:14:57	1	1	1	1	70.75	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
21.01.2020 16:14:58	1	1	1	1	70.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.0625	2004
21.01.2020 16:14:59	1	1	1	1	70.75	60	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.125	2004
21.01.2020 16:15:00	1	1	1	1	70.75	60	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.125	2004
21.01.2020 16:15:01	1	1	1	1	70.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.125	2004
21.01.2020 16:15:02	1	1	1	1	70.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.25	2004
21.01.2020 16:15:03	1	1	1	1	70.5	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.375	2004
21.01.2020 16:15:04	1	1	1	1	70.5	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
21.01.2020 16:15:05	1	1	1	1	70.5	60	0	30000	335.483871	10064.14264	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:06	1	1	1	1	70.5	60	0	30000	341.9354839	10192.97149	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:07	1	1	1	1	70.5	60	0	30000	331.1827957	10015.22029	30000	0	0	30000	40.25	2004
21.01.2020 16:15:08	1	1	1	1	70.5	60.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	39.8125	2004
21.01.2020 16:15:09	1	1	1	1	70.5	59.75	0	29905.213	318.2795699	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:10	1	1	1	1	70.5	60	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.5625	2004
21.01.2020 16:15:11	1	1	1	1	70.25	60.5	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	40.25	2004
21.01.2020 16:15:13	1	1	1	1	70.25	60.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.375	2004
21.01.2020 16:15:14	1	1	1	1	70.25	60.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	39.8125	2004
21.01.2020 16:15:15	1	1	1	1	70.25	59.75	0	30000	307.5268817	9160.709918	30000	0	0	30000	39.6875	2004
21.01.2020 16:15:16	1	1	1	1	70.25	59.5	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	39.9375	2004
21.01.2020 16:15:17	1	1	1	1	70.25	59.75	0	29952.607	264.516129	7999.619493	30000	0	0	30000	40.3125	2004
21.01.2020 16:15:18	1	1	1	1	70.25	60.25	0	30000	247.311828	7354.659854	30000	0	0	30000	40.3125	2004
21.01.2020 16:15:19	1	1	1	1	70.25	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.3125	2004
21.01.2020 16:15:20	1	1	1	1	70.25	60.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.4375	2004
21.01.2020 16:15:21	1	1	1	1	70.25	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.125	2004
21.01.2020 16:15:22	1	1	1	1	69.75	60	0	30000	236.5591398	7021.172506	30000	0	0	30000	39.875	2004
21.01.2020 16:15:23	1	1	1	1	69.75	59.75	0	30000	221.5053763	6838.529068	30000	0	0	30000	40.25	2004
21.01.2020 16:15:24	1	1	1	1	69.75	60.25	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.25	2004
21.01.2020 16:15:25	1	1	1	1	69.75	60.25	0	30000	219.3548387	6644.470416	30000	0	0	30000	39.75	2004
21.01.2020 16:15:26	1	1	1	1	69.75	59.75	0	30000	215.0537634	6386.812709	30000	0	0	30000	40.3125	2004
21.01.2020 16:15:27	1	1	1	1	69.75	60.25	0	29905.213	206.4516129	6386.812709	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:28	1	1	1	1	69.75	60	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.8125	2004
21.01.2020 16:15:29	1	1	1	1	69.75	59.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	40.6875	2004
21.01.2020 16:15:30	1	1	1	1	69.75	60.5	0	30000	206.4516129	5870.681923	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:31	1	1	1	1	69.75	60	0	30000	206.4516129	6193.569429	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:32	1	1	1	1	69.25	60.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:33	1	1	1	1	69.25	60	0	30000	212.9032258	6248.199386	30000	0	0	30000	40.125	2004
21.01.2020 16:15:34	1	1	1	1	69.25	60	0	30000	225.8064516	6763.514799	30000	0	0	30000	40.0625	2004
21.01.2020 16:15:35	1	1	1	1	69.25	60	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.4375	2004
21.01.2020 16:15:36	1	1	1	1	69.25	60.25	0	30000	240.8602151	7160.601201	30000	0	0	30000	40.375	2004
21.01.2020 16:15:37	1	1	1	1	69.25	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.25	2004
21.01.2020 16:15:38	1	1	1	1	69.25	60.25	0	29905.213	255.9139785	7729.731199	30000	0	0	30000	40.25	2004
21.01.2020 16:15:39	1	1	1	1	69.25	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.9375	2004
21.01.2020 16:15:40	1	1	1	1	69.25	59.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:15:41	1	1	1	1	68.5	60	0	30000	279.5698925	8386.921425	30000	0	0	30000	40	2004
21.01.2020 16:15:42	1	1	1	1	68.5	60	0	30000	290.3225806	8708.993559	30000	0	0	30000	39.875	2004
21.01.2020 16:15:43	1	1	1	1	68.5	59.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	40	2004
21.01.2020 16:15:51	1	1	1	1	68.5	60.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:51	1	1	1	1	68.5	60.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:51	1	1	1	1	68.5	60.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:51	1	1	1	1	68.5	60.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:51	1	1	1	1	68.5	60.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:51	1	1	1	1	68.5	60.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:51	1	1	1	1	68.5	60.25	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:52	1	1	1	1	68	60	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.3125	2004
21.01.2020 16:15:53	1	1	1	1	68	60.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:54	1	1	1	1	68	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40	2004
21.01.2020 16:15:55	1	1	1	1	68	60	0	30000	322.5806452	9612.426277	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:56	1	1	1	1	68	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.375	2004
21.01.2020 16:15:57	1	1	1	1	68	60.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.9375	2004
21.01.2020 16:15:58	1	1	1	1	68	59.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.1875	2004
21.01.2020 16:15:59	1	1	1	1	68	60	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.0625	2004
21.01.2020 16:16:00	1	1	1	1	68	60	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	40.1875	2004
21.01.2020 16:16:01	1	1	1	1	68	60	0	30000	331.1827957	9726.578425	30000	0	0	30000	40.1875	2004
21.01.2020 16:16:02	1	1	1	1	67.5	60	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.25	2004
21.01.2020 16:16:03	1	1	1	1	67.5	60.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	40.375	2004
21.01.2020 16:16:04	1	1	1	1	67.5	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.375	2004
21.01.2020 16:16:05	1	1	1	1	67.5	60.25	0	30000	316.1290323	9453.428641	30000	0	0	30000	40.25	2004
21.01.2020 16:16:06	1	1	1	1	67.5	60.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	40.25	2004
21.01.2020 16:16:07	1	1	1	1	67.5	60.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.0625	2004
21.01.2020 16:16:08	1	1	1	1	67.5	60	0	30000	322.5806452	9676.840703	30000	0	0	30000	40	2004
21.01.2020 16:16:09	1	1	1	1	67.5	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.75	2004
21.01.2020 16:16:10	1	1	1	1	67.5	60.75	0	29952.607	335.483871	10128.55706	30000	0	0	30000	40.375	2004
21.01.2020 16:16:11	1	1	1	1	67.5	60.25	0	30000	333.3333333	10144.86451	30000	0	0	30000	40.625	2004
21.01.2020 16:16:12	1	1	1	1	67.5	60.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.6875	2004
21.01.2020 16:16:13	1	1	1	1	67.5	60	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.25	2004
21.01.2020 16:16:14	1	1	1	1	67.5	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
21.01.2020 16:16:15	1	1	1	1	67.5	59.75	0	29905.213	290.3225806	8838.637784	30000	0	0	30000	40.25	2004
21.01.2020 16:16:16	1	1	1	1	67.5	60.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.4375	2004
21.01.2020 16:16:17	1	1	1	1	67.5	60.25	0	30000	270.9677419	8116.217759	30000	0	0	30000	39.875	2004
21.01.2020 16:16:18	1	1	1	1	67.5	59.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	40.125	2004
21.01.2020 16:16:19	1	1	1	1	67.5	60	0	30000	258.0645161	7741.961786	30000	0	0	30000	40	2004
21.01.2020 16:16:20	1	1	1	1	67.5	60	0	30000	255.9139785	7741.961786	30000	0	0	30000	39.75	2004
21.01.2020 16:16:21	1	1	1	1	67	59.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	39.9375	2004
21.01.2020 16:16:22	1	1	1	1	67	59.75	0	30000	243.0107527	7419.07428	30000	0	0	30000	40.25	2004
21.01.2020 16:16:23	1	1	1	1	67	60.25	0	30000	243.0107527	7278.830212	30000	0	0	30000	39.75	2004
21.01.2020 16:16:24	1	1	1	1	67	59.75	0	29905.213	240.8602151	7407.659066	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:16:25	1	1	1	1	67	60.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.375	2004
21.01.2020 16:16:26	1	1	1	1	67	60.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	40.375	2004
21.01.2020 16:16:27	1	1	1	1	67	60.25	0	30000	251.6129032	7266.599625	30000	0	0	30000	39.875	2004
21.01.2020 16:16:28	1	1	1	1	67	59.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	39.9375	2004
21.01.2020 16:16:29	1	1	1	1	67	59.75	0	30000	251.6129032	7536.487919	30000	0	0	30000	39.75	2004
21.01.2020 16:16:31	1	1	1	1	67	59.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.1875	2004
21.01.2020 16:16:32	1	1	1	1	67	60	0	30000	247.311828	7419.07428	30000	0	0	30000	40.125	2004
21.01.2020 16:16:33	1	1	1	1	67	60	0	30000	247.311828	7354.659854	30000	0	0	30000	40	2004
21.01.2020 16:16:34	1	1	1	1	67	60	0	30000	249.4623656	7483.488707	30000	0	0	30000	40.3125	2004
21.01.2020 16:16:35	1	1	1	1	67	60.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.5	2004
21.01.2020 16:16:36	1	1	1	1	67	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.125	2004
21.01.2020 16:16:37	1	1	1	1	67	60	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.1875	2004
21.01.2020 16:16:38	1	1	1	1	67	60	0	30000	266.6666667	8012.665453	30000	0	0	30000	40.25	2004
21.01.2020 16:16:39	1	1	1	1	67	60.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.3125	2004
21.01.2020 16:16:40	1	1	1	1	67	60.25	0	29905.213	258.0645161	7870.79064	30000	0	0	30000	40.25	2004
21.01.2020 16:16:41	1	1	1	1	67	60.25	0	30000	260.2150538	7870.79064	30000	0	0	30000	40	2004
21.01.2020 16:16:42	1	1	1	1	66.5	60	0	29952.607	253.7634409	7600.902346	30000	0	0	30000	40.0625	2004
21.01.2020 16:16:45	1	1	1	1	66.5	60	0	30000	255.9139785	7870.79064	30000	0	0	30000	40.3125	2004
21.01.2020 16:16:45	1	1	1	1	66.5	60	0	30000	255.9139785	7870.79064	30000	0	0	30000	40.3125	2004
21.01.2020 16:16:45	1	1	1	1	66.5	60.25	0	30000	264.516129	7935.205066	30000	0	0	30000	40.25	2004
21.01.2020 16:16:52	1	1	1	1	67.25	60.25	0	30000	253.7634409	7895.251814	30000	0	0	30000	40	2004
21.01.2020 16:16:52	1	1	1	1	67.25	60.25	0	30000	253.7634409	7895.251814	30000	0	0	30000	40	2004
21.01.2020 16:16:52	1	1	1	1	67.25	60.25	0	30000	253.7634409	7895.251814	30000	0	0	30000	40	2004
21.01.2020 16:16:52	1	1	1	1	67.25	60.25	0	30000	253.7634409	7895.251814	30000	0	0	30000	40	2004
21.01.2020 16:16:53	1	1	1	1	67.25	60.25	0	30000	253.7634409	7895.251814	30000	0	0	30000	40	2004
21.01.2020 16:16:53	1	1	1	1	67.25	60.25	0	30000	253.7634409	7895.251814	30000	0	0	30000	40	2004
21.01.2020 16:16:53	1	1	1	1	67.25	60.25	0	30000	253.7634409	7895.251814	30000	0	0	30000	40	2004
21.01.2020 16:16:53	1	1	1	1	67.25	60	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.1875	2004
21.01.2020 16:16:54	1	1	1	1	67.25	60	0	30000	255.9139785	7741.961786	30000	0	0	30000	40.125	2004
21.01.2020 16:16:55	1	1	1	1	67.25	60	0	29952.607	253.7634409	7524.257332	30000	0	0	30000	40	2004
21.01.2020 16:16:56	1	1	1	1	67.25	60	0	30000	253.7634409	7547.903134	30000	0	0	30000	40.0625	2004
21.01.2020 16:16:57	1	1	1	1	67.25	60	0	30000	247.311828	7419.07428	30000	0	0	30000	40.25	2004
21.01.2020 16:16:58	1	1	1	1	67.25	60.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	40.0625	2004
21.01.2020 16:16:59	1	1	1	1	67.25	60	0	30000	243.0107527	7354.659854	30000	0	0	30000	39.75	2004
21.01.2020 16:17:00	1	1	1	1	67.25	59.75	0	30000	251.6129032	7203.000571	30000	0	0	30000	39.875	2004
21.01.2020 16:17:01	1	1	1	1	67.5	59.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	40.25	2004
21.01.2020 16:17:02	1	1	1	1	67.5	60.25	0	30000	247.311828	7483.488707	30000	0	0	30000	40.25	2004
21.01.2020 16:17:03	1	1	1	1	67.5	60.25	0	30000	245.1612903	7290.245427	30000	0	0	30000	40.125	2004
21.01.2020 16:17:04	1	1	1	1	67.5	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.25	2004
21.01.2020 16:17:05	1	1	1	1	67.5	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	39.875	2004
21.01.2020 16:17:06	1	1	1	1	67.5	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	39.9375	2004
21.01.2020 16:17:07	1	1	1	1	67.5	59.75	0	29952.607	236.5591398	7031.772348	30000	0	0	30000	40.3125	2004
21.01.2020 16:17:08	1	1	1	1	67.5	60.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:17:10	1	1	1	1	67.5	60.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	40	2004
21.01.2020 16:17:11	1	1	1	1	67.5	60	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.125	2004
21.01.2020 16:17:12	1	1	1	1	67.5	60	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.3125	2004
21.01.2020 16:17:13	1	1	1	1	67.5	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	39.8125	2004
21.01.2020 16:17:14	1	1	1	1	67.5	59.75	0	30000	236.5591398	7225.831	30000	0	0	30000	40.25	2004
21.01.2020 16:17:15	1	1	1	1	67.5	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	39.8125	2004
21.01.2020 16:17:16	1	1	1	1	67.5	59.75	0	30000	245.1612903	7225.831	30000	0	0	30000	40.125	2004
21.01.2020 16:17:17	1	1	1	1	67.5	60	0	30000	251.6129032	7483.488707	30000	0	0	30000	39.5625	2004
21.01.2020 16:17:18	1	1	1	1	67.5	59.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.1875	2004
21.01.2020 16:17:19	1	1	1	1	67.5	60	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.25	2004
21.01.2020 16:17:20	1	1	1	1	67.5	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.0625	2004
21.01.2020 16:17:21	1	1	1	1	67.5	60	0	30000	264.516129	7935.205066	30000	0	0	30000	40.125	2004
21.01.2020 16:17:22	1	1	1	1	67.5	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.3125	2004
21.01.2020 16:17:23	1	1	1	1	67.5	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.0625	2004
21.01.2020 16:17:24	1	1	1	1	67.5	60	0	29905.213	260.2150538	7870.79064	30000	0	0	30000	40.125	2004
21.01.2020 16:17:25	1	1	1	1	67.5	60	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.25	2004
21.01.2020 16:17:26	1	1	1	1	67.5	60.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.25	2004
21.01.2020 16:17:27	1	1	1	1	67.5	60.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.125	2004
21.01.2020 16:17:28	1	1	1	1	67.5	60	0	30000	253.7634409	7547.903134	30000	0	0	30000	39.8125	2004
21.01.2020 16:17:29	1	1	1	1	67.5	59.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.75	2004
21.01.2020 16:17:30	1	1	1	1	67.5	60.75	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	39.75	2004
21.01.2020 16:17:31	1	1	1	1	67.25	59.75	0	29905.213	281.7204301	8451.335852	30000	0	0	30000	40.1875	2004
21.01.2020 16:17:32	1	1	1	1	67.25	60	0	30000	283.8709677	8580.164705	30000	0	0	30000	40.1875	2004
21.01.2020 16:17:33	1	1	1	1	67.25	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.5625	2004
21.01.2020 16:17:34	1	1	1	1	67.25	59.5	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	40.125	2004
21.01.2020 16:17:35	1	1	1	1	67.25	60	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.1875	2004
21.01.2020 16:17:36	1	1	1	1	67.25	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.0625	2004
21.01.2020 16:17:37	1	1	1	1	67.25	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.125	2004
21.01.2020 16:17:38	1	1	1	1	67.25	60	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.125	2004
21.01.2020 16:17:39	1	1	1	1	67.25	60	0	29952.607	288.172043	8580.164705	30000	0	0	30000	40.3125	2004
21.01.2020 16:17:40	1	1	1	1	67.25	60.25	0	29952.607	305.3763441	9160.709918	30000	0	0	30000	39.875	2004
21.01.2020 16:17:41	1	1	1	1	67.75	59.75	0	30000	305.3763441	9110.972196	30000	0	0	30000	40.25	2004
21.01.2020 16:17:42	1	1	1	1	67.75	60.25	0	29952.607	305.3763441	9132.171881	30000	0	0	30000	39.6875	2004
21.01.2020 16:17:43	1	1	1	1	67.75	59.5	0	30000	301.0752688	8953.605305	30000	0	0	30000	39.1875	2004
21.01.2020 16:17:44	1	1	1	1	67.75	59	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.9375	2004
21.01.2020 16:17:45	1	1	1	1	67.75	59.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.125	2004
21.01.2020 16:17:46	1	1	1	1	67.75	60	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	40.0625	2004
21.01.2020 16:17:54	1	1	1	1	67.75	60	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
21.01.2020 16:17:54	1	1	1	1	67.75	60	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
21.01.2020 16:17:54	1	1	1	1	67.75	60	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
21.01.2020 16:17:54	1	1	1	1	67.75	60	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
21.01.2020 16:17:54	1	1	1	1	67.75	60	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
21.01.2020 16:17:54	1	1	1	1	67.75	60	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:17:54	1	1	1	1	67.75	60	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
21.01.2020 16:17:55	1	1	1	1	67.75	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
21.01.2020 16:17:56	1	1	1	1	67.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.1875	2004
21.01.2020 16:17:57	1	1	1	1	67.75	60	0	30047.393	331.1827957	9870.899356	30000	0	0	30000	40.125	2004
21.01.2020 16:17:58	1	1	1	1	67.75	60	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.8125	2004
21.01.2020 16:17:59	1	1	1	1	67.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40	2004
21.01.2020 16:18:00	1	1	1	1	67.75	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:18:01	1	1	1	1	67.75	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:02	1	1	1	1	68	60	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.875	2004
21.01.2020 16:18:03	1	1	1	1	68	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.25	2004
21.01.2020 16:18:04	1	1	1	1	68	60.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:05	1	1	1	1	68	60	0	30000	335.483871	10192.97149	30000	0	0	30000	40.1875	2004
21.01.2020 16:18:06	1	1	1	1	68	60	0	30000	335.483871	10032.34311	30000	0	0	30000	40.5625	2004
21.01.2020 16:18:07	1	1	1	1	68	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.25	2004
21.01.2020 16:18:08	1	1	1	1	68	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	40.1875	2004
21.01.2020 16:18:09	1	1	1	1	68	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:10	1	1	1	1	68	60.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.1875	2004
21.01.2020 16:18:11	1	1	1	1	68.5	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:12	1	1	1	1	68.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.3125	2004
21.01.2020 16:18:13	1	1	1	1	68.5	60.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.9375	2004
21.01.2020 16:18:14	1	1	1	1	68.5	59.75	0	30000	320.4301075	9597.749572	30000	0	0	30000	40.1875	2004
21.01.2020 16:18:15	1	1	1	1	68.5	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:18:16	1	1	1	1	68.5	60	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.125	2004
21.01.2020 16:18:17	1	1	1	1	68.5	60	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.75	2004
21.01.2020 16:18:18	1	1	1	1	68.5	59.75	0	30047.393	341.9354839	10064.14264	30000	0	0	30000	39.9375	2004
21.01.2020 16:18:19	1	1	1	1	68.5	59.75	0	30047.393	322.5806452	9483.597423	30000	0	0	30000	40.25	2004
21.01.2020 16:18:20	1	1	1	1	68.5	60.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	39.625	2004
21.01.2020 16:18:21	1	1	1	1	68.75	59.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	39.8125	2004
21.01.2020 16:18:22	1	1	1	1	68.75	59.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	39.8125	2004
21.01.2020 16:18:23	1	1	1	1	68.75	59.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	39.875	2004
21.01.2020 16:18:24	1	1	1	1	68.75	59.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.125	2004
21.01.2020 16:18:25	1	1	1	1	68.75	60	0	29952.607	292.4731183	8774.223358	30000	0	0	30000	40	2004
21.01.2020 16:18:26	1	1	1	1	68.75	60	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:28	1	1	1	1	68.75	60	0	30000	292.4731183	8838.637784	30000	0	0	30000	39.9375	2004
21.01.2020 16:18:29	1	1	1	1	68.75	59.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.1875	2004
21.01.2020 16:18:30	1	1	1	1	68.75	60	0	29905.213	305.3763441	9096.295491	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:31	1	1	1	1	68.75	60	0	29952.607	296.7741935	8953.605305	30000	0	0	30000	40.125	2004
21.01.2020 16:18:32	1	1	1	1	69	60	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.1875	2004
21.01.2020 16:18:33	1	1	1	1	69	60	0	30047.393	309.6774194	9031.881064	30000	0	0	30000	40	2004
21.01.2020 16:18:34	1	1	1	1	69	60	0	30000	301.0752688	9110.972196	30000	0	0	30000	40.375	2004
21.01.2020 16:18:35	1	1	1	1	69	60.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.125	2004
21.01.2020 16:18:36	1	1	1	1	69	60	0	29905.213	298.9247312	9096.295491	30000	0	0	30000	40.1875	2004
21.01.2020 16:18:37	1	1	1	1	69	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:18:38	1	1	1	1	69	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.75	2004
21.01.2020 16:18:39	1	1	1	1	69	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:40	1	1	1	1	69	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.5625	2004
21.01.2020 16:18:41	1	1	1	1	69	59.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:42	1	1	1	1	69	60	0	30000	326.8817204	9597.749572	30000	0	0	30000	39.75	2004
21.01.2020 16:18:43	1	1	1	1	69	59.75	0	29905.213	311.827957	9483.597423	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:44	1	1	1	1	69	60	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.75	2004
21.01.2020 16:18:45	1	1	1	1	69	59.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:46	1	1	1	1	69	60	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:47	1	1	1	1	69	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:48	1	1	1	1	69	60	0	30000	311.827957	9354.76857	30000	0	0	30000	40.4375	2004
21.01.2020 16:18:56	1	1	1	1	69.25	59.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.25	2004
21.01.2020 16:18:56	1	1	1	1	69.25	59.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.25	2004
21.01.2020 16:18:56	1	1	1	1	69.25	59.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.25	2004
21.01.2020 16:18:56	1	1	1	1	69.25	59.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.25	2004
21.01.2020 16:18:56	1	1	1	1	69.25	59.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.25	2004
21.01.2020 16:18:56	1	1	1	1	69.25	59.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.25	2004
21.01.2020 16:18:56	1	1	1	1	69.25	60.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:57	1	1	1	1	69.25	60	0	30000	326.8817204	9870.899356	30000	0	0	30000	40	2004
21.01.2020 16:18:58	1	1	1	1	69.25	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.0625	2004
21.01.2020 16:18:59	1	1	1	1	69.25	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40	2004
21.01.2020 16:19:00	1	1	1	1	69.25	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
21.01.2020 16:19:01	1	1	1	1	69.25	59.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.25	2004
21.01.2020 16:19:02	1	1	1	1	69.25	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.1875	2004
21.01.2020 16:19:03	1	1	1	1	69.25	60	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
21.01.2020 16:19:05	1	1	1	1	69.25	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.0625	2004
21.01.2020 16:19:06	1	1	1	1	69.25	60	0	30000	356.9892473	10482.42872	30000	0	0	30000	39.625	2004
21.01.2020 16:19:07	1	1	1	1	69.25	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
21.01.2020 16:19:08	1	1	1	1	69.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	40.125	2004
21.01.2020 16:19:09	1	1	1	1	69.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.125	2004
21.01.2020 16:19:10	1	1	1	1	69.25	60	0	30000	359.1397849	10757.20925	30000	0	0	30000	40.125	2004
21.01.2020 16:19:11	1	1	1	1	69.25	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
21.01.2020 16:19:12	1	1	1	1	69	59	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.9375	2004
21.01.2020 16:19:13	1	1	1	1	69	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
21.01.2020 16:19:14	1	1	1	1	69	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.875	2004
21.01.2020 16:19:15	1	1	1	1	69	59.75	0	30000	341.9354839	10273.69337	30000	0	0	30000	40.0625	2004
21.01.2020 16:19:16	1	1	1	1	69	60	0	30000	350.5376344	10451.44457	30000	0	0	30000	40.3125	2004
21.01.2020 16:19:17	1	1	1	1	69	60.25	0	30000	335.483871	10128.55706	30000	0	0	30000	40.125	2004
21.01.2020 16:19:18	1	1	1	1	69	60	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.125	2004
21.01.2020 16:19:19	1	1	1	1	69	60	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.6875	2004
21.01.2020 16:19:20	1	1	1	1	69	59.5	0	30000	331.1827957	9775.500775	30000	0	0	30000	39.75	2004
21.01.2020 16:19:21	1	1	1	1	69	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:19:22	1	1	1	1	69	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.1875	2004
21.01.2020 16:19:23	1	1	1	1	69	60	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.125	2004
21.01.2020 16:19:24	1	1	1	1	69	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.5	2004
21.01.2020 16:19:25	1	1	1	1	69	60.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	40.1875	2004
21.01.2020 16:19:26	1	1	1	1	69	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.5625	2004
21.01.2020 16:19:27	1	1	1	1	69	59.5	0	30000	279.5698925	8245.046612	30000	0	0	30000	40.125	2004
21.01.2020 16:19:28	1	1	1	1	69	60	0	30000	270.9677419	8192.862773	30000	0	0	30000	40	2004
21.01.2020 16:19:29	1	1	1	1	69	60	0	30000	279.5698925	8386.921425	30000	0	0	30000	39.375	2004
21.01.2020 16:19:30	1	1	1	1	69	59.25	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	39.75	2004
21.01.2020 16:19:31	1	1	1	1	69	59.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.0625	2004
21.01.2020 16:19:32	1	1	1	1	69	60	0	29905.213	311.827957	9275.677439	30000	0	0	30000	40.25	2004
21.01.2020 16:19:33	1	1	1	1	69	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40	2004
21.01.2020 16:19:34	1	1	1	1	69	60	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.125	2004
21.01.2020 16:19:35	1	1	1	1	69	60	0	30047.393	326.8817204	9741.25513	30000	0	0	30000	40.0625	2004
21.01.2020 16:19:36	1	1	1	1	69	60	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.1875	2004
21.01.2020 16:19:37	1	1	1	1	69	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.0625	2004
21.01.2020 16:19:38	1	1	1	1	69	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.0625	2004
21.01.2020 16:19:39	1	1	1	1	69	60	0	30000	344.0860215	10241.89384	30000	0	0	30000	40.125	2004
21.01.2020 16:19:40	1	1	1	1	69	60	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.125	2004
21.01.2020 16:19:41	1	1	1	1	69.25	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.9375	2004
21.01.2020 16:19:43	1	1	1	1	69.25	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.8125	2004
21.01.2020 16:19:44	1	1	1	1	69.25	59.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.125	2004
21.01.2020 16:19:45	1	1	1	1	69.25	60	0	30000	337.6344086	9984.236132	30000	0	0	30000	40.125	2004
21.01.2020 16:19:46	1	1	1	1	69.25	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004
21.01.2020 16:19:47	1	1	1	1	69.25	59.75	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	40.0625	2004
21.01.2020 16:19:48	1	1	1	1	69.25	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	40	2004
21.01.2020 16:19:49	1	1	1	1	69.25	60	0	29905.213	335.483871	10257.38592	30000	0	0	30000	40.125	2004
21.01.2020 16:19:50	1	1	1	1	69.25	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.125	2004
21.01.2020 16:19:58	1	1	1	1	69.25	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.625	2004
21.01.2020 16:19:58	1	1	1	1	69.25	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.625	2004
21.01.2020 16:19:58	1	1	1	1	69.25	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.625	2004
21.01.2020 16:19:58	1	1	1	1	69.25	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.625	2004
21.01.2020 16:19:58	1	1	1	1	69.25	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.625	2004
21.01.2020 16:19:58	1	1	1	1	69.25	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.625	2004
21.01.2020 16:19:58	1	1	1	1	69.25	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.625	2004
21.01.2020 16:19:58	1	1	1	1	69.25	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.625	2004
21.01.2020 16:19:59	1	1	1	1	69.25	59.5	0	30000	335.483871	10257.38592	30000	0	0	30000	40.25	2004
21.01.2020 16:20:00	1	1	1	1	69.25	60.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	40.0625	2004
21.01.2020 16:20:01	1	1	1	1	69.25	60	0	30000	344.0860215	10387.03014	30000	0	0	30000	39.9375	2004
21.01.2020 16:20:02	1	1	1	1	69.5	59.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	40.25	2004
21.01.2020 16:20:03	1	1	1	1	69.5	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40	2004
21.01.2020 16:20:04	1	1	1	1	69.5	60	0	29905.213	303.2258065	9096.295491	30000	0	0	30000	40.375	2004
21.01.2020 16:20:05	1	1	1	1	69.5	60.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:20:06	1	1	1	1	69.5	60	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.1875	2004
21.01.2020 16:20:07	1	1	1	1	69.5	60	0	30000	292.4731183	8708.993559	30000	0	0	30000	39.9375	2004
21.01.2020 16:20:08	1	1	1	1	69.5	59.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.25	2004
21.01.2020 16:20:09	1	1	1	1	69.5	60.25	0	30000	268.8172043	8051.803332	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:10	1	1	1	1	69.5	59.75	0	30000	266.6666667	7781.099666	30000	0	0	30000	40.25	2004
21.01.2020 16:20:11	1	1	1	1	69.5	60.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.125	2004
21.01.2020 16:20:12	1	1	1	1	69.5	60	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.125	2004
21.01.2020 16:20:13	1	1	1	1	69.5	60	0	30000	288.172043	8708.993559	30000	0	0	30000	40.125	2004
21.01.2020 16:20:14	1	1	1	1	69.5	60	0	30000	266.6666667	8128.448346	30000	0	0	30000	40	2004
21.01.2020 16:20:15	1	1	1	1	69.5	60	0	30000	268.8172043	8064.033919	30000	0	0	30000	39.875	2004
21.01.2020 16:20:16	1	1	1	1	69.5	59.75	0	30000	275.2688172	8464.381812	30000	0	0	30000	40.25	2004
21.01.2020 16:20:17	1	1	1	1	69.5	60.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:18	1	1	1	1	69.5	59.75	0	30000	279.5698925	8258.092572	30000	0	0	30000	40	2004
21.01.2020 16:20:19	1	1	1	1	69.5	60	0	30000	277.4193548	8322.506999	30000	0	0	30000	39.9375	2004
21.01.2020 16:20:21	1	1	1	1	69.5	59.75	0	30000	270.9677419	8218.954692	30000	0	0	30000	40.25	2004
21.01.2020 16:20:22	1	1	1	1	69.75	60.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.1875	2004
21.01.2020 16:20:23	1	1	1	1	69.75	60	0	30000	273.1182796	8205.908733	30000	0	0	30000	40.0625	2004
21.01.2020 16:20:24	1	1	1	1	69.75	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.1875	2004
21.01.2020 16:20:25	1	1	1	1	69.75	60	0	30000	247.311828	7419.07428	30000	0	0	30000	40	2004
21.01.2020 16:20:26	1	1	1	1	69.75	60	0	29952.607	240.8602151	7225.831	30000	0	0	30000	40	2004
21.01.2020 16:20:27	1	1	1	1	69.75	60	0	29952.607	227.9569892	6967.357921	30000	0	0	30000	39.875	2004
21.01.2020 16:20:28	1	1	1	1	69.75	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.1875	2004
21.01.2020 16:20:29	1	1	1	1	69.75	60	0	30000	219.3548387	6644.470416	30000	0	0	30000	40.0625	2004
21.01.2020 16:20:30	1	1	1	1	69.75	60	0	30000	221.5053763	6634.685946	30000	0	0	30000	39.6875	2004
21.01.2020 16:20:31	1	1	1	1	69.75	59.5	0	30000	240.8602151	7096.186775	30000	0	0	30000	39.875	2004
21.01.2020 16:20:32	1	1	1	1	70	59.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:33	1	1	1	1	70	59.75	0	30000	249.4623656	7536.487919	30000	0	0	30000	39.625	2004
21.01.2020 16:20:34	1	1	1	1	70	59.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.125	2004
21.01.2020 16:20:35	1	1	1	1	70	60	0	30000	247.311828	7547.903134	30000	0	0	30000	40	2004
21.01.2020 16:20:36	1	1	1	1	70	60	0	30000	247.311828	7419.07428	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:37	1	1	1	1	70	59.75	0	30000	240.8602151	7301.660642	30000	0	0	30000	39.9375	2004
21.01.2020 16:20:38	1	1	1	1	70	59.75	0	30000	240.8602151	7225.831	30000	0	0	30000	40.125	2004
21.01.2020 16:20:39	1	1	1	1	70	60	0	30000	249.4623656	7419.07428	30000	0	0	30000	40	2004
21.01.2020 16:20:40	1	1	1	1	70	60	0	30000	247.311828	7419.07428	30000	0	0	30000	40.5625	2004
21.01.2020 16:20:41	1	1	1	1	70	60.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	40.3125	2004
21.01.2020 16:20:42	1	1	1	1	70.25	60.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.0625	2004
21.01.2020 16:20:43	1	1	1	1	70.25	60	0	30000	270.9677419	8192.862773	30000	0	0	30000	39.9375	2004
21.01.2020 16:20:44	1	1	1	1	70.25	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.25	2004
21.01.2020 16:20:45	1	1	1	1	70.25	60.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	40.125	2004
21.01.2020 16:20:46	1	1	1	1	70.25	60	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.0625	2004
21.01.2020 16:20:47	1	1	1	1	70.25	60	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.1875	2004
21.01.2020 16:20:48	1	1	1	1	70.25	60	0	30000	275.2688172	8322.506999	30000	0	0	30000	40	2004
21.01.2020 16:20:49	1	1	1	1	70.25	60	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:20:50	1	1	1	1	70.25	59.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.125	2004
21.01.2020 16:20:51	1	1	1	1	70	60	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.125	2004
21.01.2020 16:20:59	1	1	1	1	70	60	0	29952.607	303.2258065	8810.099747	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:59	1	1	1	1	70	60	0	29952.607	303.2258065	8810.099747	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:59	1	1	1	1	70	60	0	29952.607	303.2258065	8810.099747	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:59	1	1	1	1	70	60	0	29952.607	303.2258065	8810.099747	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:59	1	1	1	1	70	60	0	29952.607	303.2258065	8810.099747	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:59	1	1	1	1	70	60	0	29952.607	303.2258065	8810.099747	30000	0	0	30000	39.8125	2004
21.01.2020 16:20:59	1	1	1	1	70	60	0	29952.607	303.2258065	8810.099747	30000	0	0	30000	39.8125	2004
21.01.2020 16:21:00	1	1	1	1	70	59.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:01	1	1	1	1	70	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:02	1	1	1	1	70.5	60	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
21.01.2020 16:21:03	1	1	1	1	70.5	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.125	2004
21.01.2020 16:21:04	1	1	1	1	70.5	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:05	1	1	1	1	70.5	60	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:06	1	1	1	1	70.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
21.01.2020 16:21:07	1	1	1	1	70.5	59.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	40	2004
21.01.2020 16:21:08	1	1	1	1	70.5	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:09	1	1	1	1	70.5	60	0	29952.607	346.2365591	10515.85899	30000	0	0	30000	39.4375	2004
21.01.2020 16:21:10	1	1	1	1	70.5	59.25	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	39.875	2004
21.01.2020 16:21:11	1	1	1	1	70.5	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.1875	2004
21.01.2020 16:21:12	1	1	1	1	70.5	60	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:13	1	1	1	1	70.5	60	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:14	1	1	1	1	70.5	60	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.625	2004
21.01.2020 16:21:15	1	1	1	1	70.5	59.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.125	2004
21.01.2020 16:21:16	1	1	1	1	70.5	60	0	29905.213	316.1290323	9483.597423	30000	0	0	30000	39.875	2004
21.01.2020 16:21:17	1	1	1	1	70.5	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:18	1	1	1	1	70.5	60	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.1875	2004
21.01.2020 16:21:19	1	1	1	1	70.5	60	0	30047.393	313.9784946	9419.182997	30000	0	0	30000	40.5	2004
21.01.2020 16:21:20	1	1	1	1	70.5	60.5	0	30000	316.1290323	9340.091865	30000	0	0	30000	40.125	2004
21.01.2020 16:21:21	1	1	1	1	70.5	60	0	30000	311.827957	9354.76857	30000	0	0	30000	40.4375	2004
21.01.2020 16:21:22	1	1	1	1	70.75	60.25	0	30000	303.2258065	9160.709918	30000	0	0	30000	39.875	2004
21.01.2020 16:21:23	1	1	1	1	70.75	59.75	0	30000	307.5268817	9160.709918	30000	0	0	30000	40	2004
21.01.2020 16:21:24	1	1	1	1	70.75	60.5	0	30000	311.827957	9354.76857	30000	0	0	30000	39.8125	2004
21.01.2020 16:21:25	1	1	1	1	70.75	59.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:26	1	1	1	1	70.75	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:27	1	1	1	1	70.75	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.125	2004
21.01.2020 16:21:28	1	1	1	1	70.75	60	0	30094.787	303.2258065	8774.223358	30000	0	0	30000	39.5	2004
21.01.2020 16:21:29	1	1	1	1	70.75	59.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	39.75	2004
21.01.2020 16:21:30	1	1	1	1	70.75	59.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	39.8125	2004
21.01.2020 16:21:31	1	1	1	1	70.5	59.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	40.0625	2004
21.01.2020 16:21:32	1	1	1	1	70.5	60	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	39.3125	2004
21.01.2020 16:21:33	1	1	1	1	70.5	59.25	0	30000	264.516129	7870.79064	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:22:19	1	1	1	1	70.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.125	2004
21.01.2020 16:22:20	1	1	1	1	70.75	60	0	30047.393	320.4301075	9548.01185	30000	0	0	30000	40.125	2004
21.01.2020 16:22:21	1	1	1	1	70.75	60	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	40.1875	2004
21.01.2020 16:22:22	1	1	1	1	70.75	60	0	29905.213	296.7741935	9018.019732	30000	0	0	30000	40.1875	2004
21.01.2020 16:22:23	1	1	1	1	70.75	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.125	2004
21.01.2020 16:22:24	1	1	1	1	70.75	60	0	29952.607	311.827957	9483.597423	30000	0	0	30000	40	2004
21.01.2020 16:22:25	1	1	1	1	70.75	60	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.125	2004
21.01.2020 16:22:26	1	1	1	1	70.75	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40	2004
21.01.2020 16:22:27	1	1	1	1	70.75	60	0	30000	322.5806452	9419.182997	30000	0	0	30000	40.1875	2004
21.01.2020 16:22:28	1	1	1	1	70.75	60	0	30000	311.827957	9354.76857	30000	0	0	30000	39.4375	2004
21.01.2020 16:22:29	1	1	1	1	70.75	59.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	40.125	2004
21.01.2020 16:22:30	1	1	1	1	70.75	60	0	30000	318.2795699	9419.182997	30000	0	0	30000	40	2004
21.01.2020 16:22:31	1	1	1	1	70.75	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.125	2004
21.01.2020 16:22:32	1	1	1	1	70.5	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.125	2004
21.01.2020 16:22:33	1	1	1	1	70.5	60	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	40.25	2004
21.01.2020 16:22:34	1	1	1	1	70.5	60.25	0	30000	316.1290323	9354.76857	30000	0	0	30000	40.0625	2004
21.01.2020 16:22:35	1	1	1	1	70.5	60	0	30000	313.9784946	9354.76857	30000	0	0	30000	40	2004
21.01.2020 16:22:36	1	1	1	1	70.5	60	0	30000	311.827957	9354.76857	30000	0	0	30000	38.6875	2004
21.01.2020 16:22:37	1	1	1	1	70.5	58.5	0	29952.607	307.5268817	9225.124344	30000	0	0	30000	40.1875	2004
21.01.2020 16:22:38	1	1	1	1	70.5	60	0	30000	320.4301075	9483.597423	30000	0	0	30000	40	2004
21.01.2020 16:22:39	1	1	1	1	70.5	60	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.1875	2004
21.01.2020 16:22:40	1	1	1	1	70.5	60	0	30000	311.827957	9146.848585	30000	0	0	30000	40	2004
21.01.2020 16:22:41	1	1	1	1	70.75	60	0	30000	337.6344086	10064.14264	30000	0	0	30000	39.8125	2004
21.01.2020 16:22:42	1	1	1	1	70.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.125	2004
21.01.2020 16:22:43	1	1	1	1	70.75	60	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.4375	2004
21.01.2020 16:22:44	1	1	1	1	70.75	59.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
21.01.2020 16:22:45	1	1	1	1	70.75	59.75	0	29905.213	320.4301075	9870.899356	30000	0	0	30000	39.9375	2004
21.01.2020 16:22:46	1	1	1	1	70.75	59.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	40	2004
21.01.2020 16:22:47	1	1	1	1	70.75	60	0	30000	307.5268817	9354.76857	30000	0	0	30000	39.9375	2004
21.01.2020 16:22:48	1	1	1	1	70.75	59.75	0	30000	290.3225806	8838.637784	30000	0	0	30000	40.125	2004
21.01.2020 16:22:49	1	1	1	1	70.75	60	0	30000	307.5268817	9290.354143	30000	0	0	30000	39.875	2004
21.01.2020 16:22:50	1	1	1	1	70.75	59.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	40.0625	2004
21.01.2020 16:22:51	1	1	1	1	70.5	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.125	2004
21.01.2020 16:22:52	1	1	1	1	70.5	60	0	29952.607	292.4731183	8774.223358	30000	0	0	30000	39.875	2004
21.01.2020 16:22:53	1	1	1	1	70.5	59.75	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	40.0625	2004
21.01.2020 16:22:54	1	1	1	1	70.5	60	0	30000	296.7741935	8824.776452	30000	0	0	30000	40.0625	2004
21.01.2020 16:23:02	1	1	1	1	70.5	60	0	30000	292.4731183	8708.993559	30000	0	0	30000	39.875	2004
21.01.2020 16:23:02	1	1	1	1	70.5	60	0	30000	292.4731183	8708.993559	30000	0	0	30000	39.875	2004
21.01.2020 16:23:02	1	1	1	1	70.5	60	0	30000	292.4731183	8708.993559	30000	0	0	30000	39.875	2004
21.01.2020 16:23:02	1	1	1	1	70.5	60	0	30000	292.4731183	8708.993559	30000	0	0	30000	39.875	2004
21.01.2020 16:23:02	1	1	1	1	70.5	60	0	30000	292.4731183	8708.993559	30000	0	0	30000	39.875	2004
21.01.2020 16:23:02	1	1	1	1	70.5	60	0	30000	292.4731183	8708.993559	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:23:03	1	1	1	1	70.5	59.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	40	2004
21.01.2020 16:23:04	1	1	1	1	70.5	60	0	29952.607	298.9247312	8953.605305	30000	0	0	30000	39.625	2004
21.01.2020 16:23:05	1	1	1	1	70.5	59.5	0	30000	298.9247312	8810.099747	30000	0	0	30000	40.0625	2004
21.01.2020 16:23:06	1	1	1	1	70.5	60	0	30000	303.2258065	8889.190879	30000	0	0	30000	40.0625	2004
21.01.2020 16:23:07	1	1	1	1	70.5	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.8125	2004
21.01.2020 16:23:08	1	1	1	1	70.5	59.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.125	2004
21.01.2020 16:23:09	1	1	1	1	70.5	60	0	30000	292.4731183	8838.637784	30000	0	0	30000	40	2004
21.01.2020 16:23:10	1	1	1	1	70.5	60	0	30000	294.6236559	8838.637784	30000	0	0	30000	39.9375	2004
21.01.2020 16:23:11	1	1	1	1	70.5	59.75	0	30000	288.172043	8708.993559	30000	0	0	30000	39.75	2004
21.01.2020 16:23:12	1	1	1	1	70.75	59.75	0	29952.607	290.3225806	8774.223358	30000	0	0	30000	40.1875	2004
21.01.2020 16:23:13	1	1	1	1	70.75	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.9375	2004
21.01.2020 16:23:14	1	1	1	1	70.75	59.75	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	39.75	2004
21.01.2020 16:23:15	1	1	1	1	70.75	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.125	2004
21.01.2020 16:23:16	1	1	1	1	70.75	60	0	30047.393	320.4301075	9419.182997	30000	0	0	30000	40.25	2004
21.01.2020 16:23:17	1	1	1	1	70.75	60.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	39.75	2004
21.01.2020 16:23:18	1	1	1	1	70.75	59.75	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	38.6875	2004
21.01.2020 16:23:19	1	1	1	1	70.75	60	0	30000	316.1290323	9483.597423	30000	0	0	30000	40	2004
21.01.2020 16:23:20	1	1	1	1	70.75	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.1875	2004
21.01.2020 16:23:21	1	1	1	1	70.75	60	0	29952.607	283.8709677	8644.579132	30000	0	0	30000	39.8125	2004
21.01.2020 16:23:22	1	1	1	1	70.75	59.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.0625	2004
21.01.2020 16:23:23	1	1	1	1	70.75	60	0	30000	298.9247312	9031.881064	30000	0	0	30000	39.0625	2004
21.01.2020 16:23:24	1	1	1	1	70.75	59	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.25	2004
21.01.2020 16:23:25	1	1	1	1	70.75	60.25	0	29905.213	290.3225806	8708.993559	30000	0	0	30000	39.8125	2004
21.01.2020 16:23:26	1	1	1	1	70.75	59.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.125	2004
21.01.2020 16:23:27	1	1	1	1	70.75	60	0	30000	294.6236559	8903.052211	30000	0	0	30000	40.125	2004
21.01.2020 16:23:28	1	1	1	1	70.75	60	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.0625	2004
21.01.2020 16:23:29	1	1	1	1	70.75	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.125	2004
21.01.2020 16:23:30	1	1	1	1	70.75	60	0	30000	296.7741935	8967.466638	30000	0	0	30000	39.9375	2004
21.01.2020 16:23:31	1	1	1	1	70.75	59.75	0	30000	286.0215054	8451.335852	30000	0	0	30000	40	2004
21.01.2020 16:23:32	1	1	1	1	70.75	60	0	30000	273.1182796	8192.862773	30000	0	0	30000	39.75	2004
21.01.2020 16:23:34	1	1	1	1	70.75	59.75	0	30000	268.8172043	7999.619493	30000	0	0	30000	40.0625	2004
21.01.2020 16:23:35	1	1	1	1	70.75	60	0	30000	251.6129032	7547.903134	30000	0	0	30000	40	2004
21.01.2020 16:23:36	1	1	1	1	70.75	60	0	30000	251.6129032	7547.903134	30000	0	0	30000	40	2004
21.01.2020 16:23:37	1	1	1	1	70.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	39.8125	2004
21.01.2020 16:23:38	1	1	1	1	70.75	59.75	0	29905.213	243.0107527	7278.830212	30000	0	0	30000	40	2004
21.01.2020 16:23:39	1	1	1	1	70.75	60	0	30000	234.4086022	7096.186775	30000	0	0	30000	40	2004
21.01.2020 16:23:40	1	1	1	1	70.75	60	0	30000	232.2580645	6902.943495	30000	0	0	30000	39.875	2004
21.01.2020 16:23:41	1	1	1	1	70.75	59.75	0	30000	234.4086022	7096.186775	30000	0	0	30000	40	2004
21.01.2020 16:23:42	1	1	1	1	71	60	0	30000	230.1075269	6902.943495	30000	0	0	30000	39.875	2004
21.01.2020 16:23:43	1	1	1	1	71	59.75	0	30000	227.9569892	6838.529068	30000	0	0	30000	40.1875	2004
21.01.2020 16:23:44	1	1	1	1	71	60	0	30000	225.8064516	6838.529068	30000	0	0	30000	40.125	2004
21.01.2020 16:23:45	1	1	1	1	71	60	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.0625	2004
21.01.2020 16:23:46	1	1	1	1	71	60	0	29952.607	225.8064516	6624.086103	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:23:47	1	1	1	1	71	60.25	0	29952.607	221.5053763	6644.470416	30000	0	0	30000	39.9375	2004
21.01.2020 16:23:48	1	1	1	1	71	59.75	0	30000	223.655914	6644.470416	30000	0	0	30000	39.625	2004
21.01.2020 16:23:49	1	1	1	1	71	59.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.9375	2004
21.01.2020 16:23:50	1	1	1	1	71	59.75	0	30000	225.8064516	6644.470416	30000	0	0	30000	39.6875	2004
21.01.2020 16:23:51	1	1	1	1	71	59.5	0	29905.213	221.5053763	6644.470416	30000	0	0	30000	39.75	2004
21.01.2020 16:23:52	1	1	1	1	70.75	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.125	2004
21.01.2020 16:23:53	1	1	1	1	70.75	60	0	30000	227.9569892	6644.470416	30000	0	0	30000	40.125	2004
21.01.2020 16:23:54	1	1	1	1	70.75	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	39.8125	2004
21.01.2020 16:23:55	1	1	1	1	70.75	59.75	0	30000	227.9569892	6838.529068	30000	0	0	30000	40.125	2004
21.01.2020 16:23:56	1	1	1	1	70.75	60	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:04	1	1	1	1	71	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:04	1	1	1	1	71	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:04	1	1	1	1	71	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:04	1	1	1	1	71	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:04	1	1	1	1	71	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:04	1	1	1	1	71	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:04	1	1	1	1	71	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:04	1	1	1	1	71	60	0	29952.607	221.5053763	6774.114641	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:05	1	1	1	1	71	60	0	30000	227.9569892	6644.470416	30000	0	0	30000	40.125	2004
21.01.2020 16:24:06	1	1	1	1	71	60	0	29952.607	232.2580645	7031.772348	30000	0	0	30000	40.125	2004
21.01.2020 16:24:07	1	1	1	1	71	60	0	30000	232.2580645	6967.357921	30000	0	0	30000	40	2004
21.01.2020 16:24:08	1	1	1	1	71	60	0	30000	232.2580645	6902.943495	30000	0	0	30000	39.9375	2004
21.01.2020 16:24:09	1	1	1	1	71	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.9375	2004
21.01.2020 16:24:10	1	1	1	1	71	59.75	0	29952.607	236.5591398	7096.186775	30000	0	0	30000	40	2004
21.01.2020 16:24:12	1	1	1	1	71	60	0	30000	234.4086022	7160.601201	30000	0	0	30000	39.875	2004
21.01.2020 16:24:13	1	1	1	1	71	59.75	0	30000	236.5591398	7096.186775	30000	0	0	30000	40	2004
21.01.2020 16:24:14	1	1	1	1	71	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40	2004
21.01.2020 16:24:15	1	1	1	1	71	60	0	30000	236.5591398	7021.172506	30000	0	0	30000	40	2004
21.01.2020 16:24:16	1	1	1	1	71	60	0	30000	240.8602151	7160.601201	30000	0	0	30000	39.75	2004
21.01.2020 16:24:17	1	1	1	1	71	59.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	40	2004
21.01.2020 16:24:18	1	1	1	1	71	60	0	30000	247.311828	7419.07428	30000	0	0	30000	40.125	2004
21.01.2020 16:24:19	1	1	1	1	71	60	0	30000	245.1612903	7354.659854	30000	0	0	30000	40.3125	2004
21.01.2020 16:24:20	1	1	1	1	71	60.25	0	30000	247.311828	7547.903134	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:21	1	1	1	1	71	60	0	30000	249.4623656	7419.07428	30000	0	0	30000	40.125	2004
21.01.2020 16:24:22	1	1	1	1	71	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:23	1	1	1	1	71	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40	2004
21.01.2020 16:24:24	1	1	1	1	71	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:25	1	1	1	1	71	60	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:26	1	1	1	1	71	60	0	30000	249.4623656	7419.07428	30000	0	0	30000	40.125	2004
21.01.2020 16:24:27	1	1	1	1	71	60	0	30000	236.5591398	7225.831	30000	0	0	30000	40	2004
21.01.2020 16:24:28	1	1	1	1	71	60	0	29952.607	232.2580645	6967.357921	30000	0	0	30000	40.125	2004
21.01.2020 16:24:29	1	1	1	1	71	60	0	30000	240.8602151	6956.758079	30000	0	0	30000	39.25	2004
21.01.2020 16:24:30	1	1	1	1	71	59.25	0	29905.213	232.2580645	7031.772348	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:24:31	1	1	1	1	71	59.75	0	30000	236.5591398	7290.245427	30000	0	0	30000	40.125	2004
21.01.2020 16:24:32	1	1	1	1	71.25	60	0	29952.607	232.2580645	7225.831	30000	0	0	30000	40.25	2004
21.01.2020 16:24:33	1	1	1	1	71.25	60.25	0	30000	236.5591398	7031.772348	30000	0	0	30000	40.4375	2004
21.01.2020 16:24:34	1	1	1	1	71.25	60.25	0	29952.607	236.5591398	7021.172506	30000	0	0	30000	40.3125	2004
21.01.2020 16:24:35	1	1	1	1	71.25	60.25	0	30000	230.1075269	7031.772348	30000	0	0	30000	40.5	2004
21.01.2020 16:24:36	1	1	1	1	71.25	59.75	0	29952.607	245.1612903	7343.244639	30000	0	0	30000	39.8125	2004
21.01.2020 16:24:37	1	1	1	1	71.25	59.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.125	2004
21.01.2020 16:24:38	1	1	1	1	71.25	60	0	30047.393	243.0107527	7290.245427	30000	0	0	30000	39.8125	2004
21.01.2020 16:24:39	1	1	1	1	71.25	59.75	0	30000	240.8602151	7442.720083	30000	0	0	30000	40.125	2004
21.01.2020 16:24:40	1	1	1	1	71.25	60	0	30000	251.6129032	7547.903134	30000	0	0	30000	39.9375	2004
21.01.2020 16:24:41	1	1	1	1	71.25	59.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	40.125	2004
21.01.2020 16:24:42	1	1	1	1	71.25	60	0	29905.213	249.4623656	7547.903134	30000	0	0	30000	40.25	2004
21.01.2020 16:24:43	1	1	1	1	71.25	60.25	0	30000	247.311828	7419.07428	30000	0	0	30000	40	2004
21.01.2020 16:24:44	1	1	1	1	71.25	60	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:45	1	1	1	1	71.25	60	0	30000	258.0645161	7806.376213	30000	0	0	30000	40	2004
21.01.2020 16:24:46	1	1	1	1	71.25	60	0	30000	262.3655914	7741.961786	30000	0	0	30000	39.8125	2004
21.01.2020 16:24:47	1	1	1	1	71.25	59.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	40	2004
21.01.2020 16:24:48	1	1	1	1	71.25	60	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.5625	2004
21.01.2020 16:24:50	1	1	1	1	71.25	59.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.9375	2004
21.01.2020 16:24:51	1	1	1	1	71.25	59.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	39.75	2004
21.01.2020 16:24:52	1	1	1	1	70.75	59.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.1875	2004
21.01.2020 16:24:53	1	1	1	1	70.75	60	0	30000	253.7634409	7676.731987	30000	0	0	30000	40.0625	2004
21.01.2020 16:24:54	1	1	1	1	70.75	60	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	40.25	2004
21.01.2020 16:24:55	1	1	1	1	70.75	60.25	0	30000	264.516129	7806.376213	30000	0	0	30000	39.625	2004
21.01.2020 16:24:56	1	1	1	1	70.75	59.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	39.875	2004
21.01.2020 16:24:57	1	1	1	1	70.75	59.75	0	29952.607	266.6666667	7922.974479	30000	0	0	30000	40	2004
21.01.2020 16:24:58	1	1	1	1	70.75	60	0	30000	262.3655914	7935.205066	30000	0	0	30000	40.125	2004
21.01.2020 16:25:05	1	1	1	1	71	60	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:05	1	1	1	1	71	60	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:05	1	1	1	1	71	60	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:05	1	1	1	1	71	60	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:05	1	1	1	1	71	60	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:05	1	1	1	1	71	60	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:06	1	1	1	1	71	59.75	0	30000	273.1182796	8128.448346	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:07	1	1	1	1	71	59.75	0	30000	264.516129	7935.205066	30000	0	0	30000	39.4375	2004
21.01.2020 16:25:08	1	1	1	1	71	59.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	40	2004
21.01.2020 16:25:09	1	1	1	1	71	60	0	30000	260.2150538	7935.205066	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:10	1	1	1	1	71	59.75	0	30000	258.0645161	7676.731987	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:11	1	1	1	1	71	60	0	30000	249.4623656	7547.903134	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:12	1	1	1	1	71	60	0	30000	260.2150538	7999.619493	30000	0	0	30000	40.5625	2004
21.01.2020 16:25:13	1	1	1	1	71	60.5	0	29952.607	264.516129	7935.205066	30000	0	0	30000	39.875	2004
21.01.2020 16:25:14	1	1	1	1	71	59.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:25:15	1	1	1	1	71	60	0	30000	279.5698925	8451.335852	30000	0	0	30000	39.8125	2004
21.01.2020 16:25:16	1	1	1	1	71	59.5	0	29905.213	281.7204301	8580.164705	30000	0	0	30000	39.75	2004
21.01.2020 16:25:17	1	1	1	1	71	59.75	0	30000	290.3225806	8722.854891	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:18	1	1	1	1	71	59.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	39.625	2004
21.01.2020 16:25:19	1	1	1	1	71	59.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.875	2004
21.01.2020 16:25:20	1	1	1	1	71	59.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:21	1	1	1	1	70.5	60	0	29952.607	303.2258065	9225.124344	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:22	1	1	1	1	70.5	59.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	39.75	2004
21.01.2020 16:25:23	1	1	1	1	70.5	59.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:24	1	1	1	1	70.5	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:25	1	1	1	1	70.5	60	0	29952.607	318.2795699	9582.257495	30000	0	0	30000	39.875	2004
21.01.2020 16:25:26	1	1	1	1	70.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.125	2004
21.01.2020 16:25:27	1	1	1	1	70.5	60	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:29	1	1	1	1	70.5	60	0	30000	290.3225806	8838.637784	30000	0	0	30000	39.875	2004
21.01.2020 16:25:30	1	1	1	1	70.5	59.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:31	1	1	1	1	70.5	60	0	30000	275.2688172	8271.138532	30000	0	0	30000	40	2004
21.01.2020 16:25:32	1	1	1	1	69.75	60	0	29952.607	258.0645161	7717.500612	30000	0	0	30000	39.875	2004
21.01.2020 16:25:33	1	1	1	1	69.75	59.75	0	30000	240.8602151	7096.186775	30000	0	0	30000	39.75	2004
21.01.2020 16:25:34	1	1	1	1	69.75	59.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	39.875	2004
21.01.2020 16:25:35	1	1	1	1	69.75	59.75	0	30000	225.8064516	6774.114641	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:36	1	1	1	1	69.75	59.75	0	29952.607	225.8064516	6774.114641	30000	0	0	30000	39.75	2004
21.01.2020 16:25:37	1	1	1	1	69.75	59.75	0	30000	240.8602151	7225.831	30000	0	0	30000	39.25	2004
21.01.2020 16:25:38	1	1	1	1	69.75	59.25	0	30000	240.8602151	7225.831	30000	0	0	30000	39.6875	2004
21.01.2020 16:25:39	1	1	1	1	69.75	59.5	0	29952.607	240.8602151	7214.415786	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:40	1	1	1	1	69.75	60	0	30000	236.5591398	7021.172506	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:41	1	1	1	1	69.75	59.75	0	30000	234.4086022	7096.186775	30000	0	0	30000	39.6875	2004
21.01.2020 16:25:42	1	1	1	1	69.25	59.5	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:43	1	1	1	1	69.25	60	0	30000	225.8064516	6774.114641	30000	0	0	30000	40.125	2004
21.01.2020 16:25:44	1	1	1	1	69.25	60	0	30000	221.5053763	6644.470416	30000	0	0	30000	40	2004
21.01.2020 16:25:45	1	1	1	1	69.25	60	0	30000	217.2043011	6451.227136	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:46	1	1	1	1	69.25	59.75	0	30000	219.3548387	6515.641562	30000	0	0	30000	39.6875	2004
21.01.2020 16:25:47	1	1	1	1	69.25	59.5	0	30000	225.8064516	6838.529068	30000	0	0	30000	39.5625	2004
21.01.2020 16:25:48	1	1	1	1	69.25	59.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.875	2004
21.01.2020 16:25:49	1	1	1	1	69.25	59.75	0	30000	219.3548387	6784.714484	30000	0	0	30000	40	2004
21.01.2020 16:25:50	1	1	1	1	69.25	60	0	30000	219.3548387	6570.271519	30000	0	0	30000	40.25	2004
21.01.2020 16:25:51	1	1	1	1	69.25	60.25	0	30000	219.3548387	6644.470416	30000	0	0	30000	40.1875	2004
21.01.2020 16:25:52	1	1	1	1	69.5	60	0	30000	221.5053763	6580.055989	30000	0	0	30000	40.5	2004
21.01.2020 16:25:53	1	1	1	1	69.5	60.5	0	30000	219.3548387	6580.055989	30000	0	0	30000	40.25	2004
21.01.2020 16:25:54	1	1	1	1	69.5	60.25	0	30000	210.7526882	6322.398282	30000	0	0	30000	40.25	2004
21.01.2020 16:25:55	1	1	1	1	69.5	60.5	0	30000	208.6021505	6193.569429	30000	0	0	30000	40.0625	2004
21.01.2020 16:25:56	1	1	1	1	69.5	60	0	30000	212.9032258	6386.812709	30000	0	0	30000	39.875	2004
21.01.2020 16:25:57	1	1	1	1	69.5	59.75	0	30000	219.3548387	6580.055989	30000	0	0	30000	39.9375	2004
21.01.2020 16:25:58	1	1	1	1	69.5	59.75	0	30000	223.655914	6644.470416	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:25:59	1	1	1	1	69.5	60	0	30000	240.8602151	7290.245427	30000	0	0	30000	39.6875	2004
21.01.2020 16:26:07	1	1	1	1	69.75	59.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:07	1	1	1	1	69.75	59.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:07	1	1	1	1	69.75	59.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:07	1	1	1	1	69.75	59.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:07	1	1	1	1	69.75	59.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:07	1	1	1	1	69.75	59.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:07	1	1	1	1	69.75	59.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:08	1	1	1	1	69.75	60	0	30000	243.0107527	7290.245427	30000	0	0	30000	39.6875	2004
21.01.2020 16:26:09	1	1	1	1	69.75	59.5	0	30000	240.8602151	7225.831	30000	0	0	30000	39.5625	2004
21.01.2020 16:26:10	1	1	1	1	69.75	59.5	0	30000	236.5591398	7225.831	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:11	1	1	1	1	69.75	59.75	0	30000	240.8602151	7225.831	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:12	1	1	1	1	69.5	60	0	30000	225.8064516	6838.529068	30000	0	0	30000	40	2004
21.01.2020 16:26:13	1	1	1	1	69.5	60	0	30000	225.8064516	6774.114641	30000	0	0	30000	40	2004
21.01.2020 16:26:14	1	1	1	1	69.5	60	0	29952.607	245.1612903	7419.07428	30000	0	0	30000	40	2004
21.01.2020 16:26:15	1	1	1	1	69.5	60	0	30000	255.9139785	7600.902346	30000	0	0	30000	40	2004
21.01.2020 16:26:16	1	1	1	1	69.5	60	0	29952.607	277.4193548	8116.217759	30000	0	0	30000	39.75	2004
21.01.2020 16:26:17	1	1	1	1	69.5	59.75	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	40.125	2004
21.01.2020 16:26:18	1	1	1	1	69.5	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:19	1	1	1	1	69.5	60	0	29905.213	288.172043	8774.223358	30000	0	0	30000	39.75	2004
21.01.2020 16:26:20	1	1	1	1	69.5	59.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:21	1	1	1	1	69.5	59.75	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	40	2004
21.01.2020 16:26:22	1	1	1	1	69.25	60	0	30000	301.0752688	9031.881064	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:23	1	1	1	1	69.25	59.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.1875	2004
21.01.2020 16:26:24	1	1	1	1	69.25	60	0	30000	305.3763441	9225.124344	30000	0	0	30000	39.375	2004
21.01.2020 16:26:25	1	1	1	1	69.25	59.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	40	2004
21.01.2020 16:26:26	1	1	1	1	69.25	60	0	30047.393	309.6774194	9031.881064	30000	0	0	30000	40	2004
21.01.2020 16:26:27	1	1	1	1	69.25	60	0	30000	296.7741935	9031.881064	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:28	1	1	1	1	69.25	59.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	39.5	2004
21.01.2020 16:26:29	1	1	1	1	69.25	59.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	39.75	2004
21.01.2020 16:26:30	1	1	1	1	69.25	59.75	0	30000	279.5698925	8373.875465	30000	0	0	30000	40.25	2004
21.01.2020 16:26:31	1	1	1	1	69.25	60.25	0	29952.607	268.8172043	7999.619493	30000	0	0	30000	39.875	2004
21.01.2020 16:26:32	1	1	1	1	69.5	59.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.3125	2004
21.01.2020 16:26:33	1	1	1	1	69.5	60.25	0	29905.213	247.311828	7290.245427	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:34	1	1	1	1	69.5	59.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:35	1	1	1	1	69.5	59.75	0	30000	245.1612903	7214.415786	30000	0	0	30000	39.5625	2004
21.01.2020 16:26:36	1	1	1	1	69.5	59.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	39.6875	2004
21.01.2020 16:26:37	1	1	1	1	69.5	59.5	0	30000	268.8172043	8192.862773	30000	0	0	30000	39.75	2004
21.01.2020 16:26:38	1	1	1	1	69.5	59.75	0	30000	264.516129	7999.619493	30000	0	0	30000	39.8125	2004
21.01.2020 16:26:39	1	1	1	1	69.5	59.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	40	2004
21.01.2020 16:26:40	1	1	1	1	69.5	60	0	30000	266.6666667	8064.033919	30000	0	0	30000	39.875	2004
21.01.2020 16:26:41	1	1	1	1	69.5	59.75	0	30047.393	266.6666667	7999.619493	30000	0	0	30000	40	2004
21.01.2020 16:26:42	1	1	1	1	69.5	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	39.75	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
21.01.2020 16:26:43	1	1	1	1	69.5	59.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	39.75	2004
21.01.2020 16:26:45	1	1	1	1	69.5	59.75	0	30000	277.4193548	8258.092572	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:46	1	1	1	1	69.5	59.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	39.625	2004
21.01.2020 16:26:47	1	1	1	1	69.5	59.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:48	1	1	1	1	69.5	59.75	0	30000	277.4193548	8386.921425	30000	0	0	30000	39.875	2004
21.01.2020 16:26:49	1	1	1	1	69.5	59.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:50	1	1	1	1	69.5	59.75	0	29952.607	277.4193548	8167.586226	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:51	1	1	1	1	69.5	60	0	29952.607	273.1182796	8180.632185	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:52	1	1	1	1	69.75	59.75	0	30000	281.7204301	8386.921425	30000	0	0	30000	39.5625	2004
21.01.2020 16:26:53	1	1	1	1	69.75	59.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	39.4375	2004
21.01.2020 16:26:54	1	1	1	1	69.75	59.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	39.9375	2004
21.01.2020 16:26:55	1	1	1	1	69.75	59.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	39.875	2004
21.01.2020 16:26:56	1	1	1	1	69.75	59.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	39.75	2004
21.01.2020 16:26:57	1	1	1	1	69.75	59.75	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	40.0625	2004
21.01.2020 16:26:58	1	1	1	1	69.75	60	0	30000	298.9247312	8838.637784	30000	0	0	30000	39.875	2004
21.01.2020 16:26:59	1	1	1	1	69.75	59.75	0	30000	298.9247312	8981.32797	30000	0	0	30000	39.875	2004
21.01.2020 16:27:00	1	1	1	1	69.75	59.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.75	2004
21.01.2020 16:27:01	1	1	1	1	69.75	59.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	39.75	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:09	1	1	1	1	69.75	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.875	2004
21.01.2020 16:27:10	1	1	1	1	69.75	60	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.25	2004
21.01.2020 16:27:11	1	1	1	1	69.75	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
21.01.2020 16:27:12	1	1	1	1	70.25	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.4375	2004
21.01.2020 16:27:13	1	1	1	1	70.25	59.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.875	2004
21.01.2020 16:27:14	1	1	1	1	70.25	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
21.01.2020 16:27:15	1	1	1	1	70.25	59.75	0	30000	335.483871	9839.099829	30000	0	0	30000	39.75	2004
21.01.2020 16:27:16	1	1	1	1	70.25	59.75	0	30000	329.0322581	9741.25513	30000	0	0	30000	39.875	2004
21.01.2020 16:27:17	1	1	1	1	70.25	59.75	0	30000	341.9354839	10241.89384	30000	0	0	30000	39.75	2004
21.01.2020 16:27:18	1	1	1	1	70.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.875	2004
21.01.2020 16:27:19	1	1	1	1	70.25	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	40	2004
21.01.2020 16:27:20	1	1	1	1	70.25	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
21.01.2020 16:27:21	1	1	1	1	70	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.0625	2004
21.01.2020 16:27:22	1	1	1	1	70	60	0	30000	329.0322581	9935.313783	30000	0	0	30000	39.875	2004
21.01.2020 16:27:24	1	1	1	1	70	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.625	2004
21.01.2020 16:27:25	1	1	1	1	70	59.5	0	30000	352.688172	10515.85899	30000	0	0	30000	39.9375	2004
21.01.2020 16:27:26	1	1	1	1	70	59.75	0	30047.393	348.3870968	10257.38592	30000	0	0	30000	39.375	2004
21.01.2020 16:27:27	1	1	1	1	70	59.25	0	29952.607	348.3870968	10451.44457	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:27:28	1	1	1	1	70	59.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	39.375	2004
21.01.2020 16:27:29	1	1	1	1	70	59.25	0	29952.607	341.9354839	10515.85899	30000	0	0	30000	39.8125	2004
21.01.2020 16:27:30	1	1	1	1	70	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
21.01.2020 16:27:31	1	1	1	1	70	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.75	2004
21.01.2020 16:27:32	1	1	1	1	70.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
21.01.2020 16:27:33	1	1	1	1	70.25	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.9375	2004
21.01.2020 16:27:34	1	1	1	1	70.25	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
21.01.2020 16:27:35	1	1	1	1	70.25	59.75	0	29905.213	365.5913978	11031.98978	30000	0	0	30000	39.8125	2004
21.01.2020 16:27:36	1	1	1	1	70.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004
21.01.2020 16:27:37	1	1	1	1	70.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
21.01.2020 16:27:38	1	1	1	1	70.25	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
21.01.2020 16:27:39	1	1	1	1	70.25	59.75	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.9375	2004
21.01.2020 16:27:40	1	1	1	1	70.25	59.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	39.8125	2004
21.01.2020 16:27:41	1	1	1	1	70.25	59.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
21.01.2020 16:27:42	1	1	1	1	70.25	59.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	39.5	2004
21.01.2020 16:27:43	1	1	1	1	70.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004
21.01.2020 16:27:44	1	1	1	1	70.25	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
21.01.2020 16:27:45	1	1	1	1	70.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
21.01.2020 16:27:46	1	1	1	1	70.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
21.01.2020 16:27:47	1	1	1	1	70.25	59.75	0	30000	346.2365591	10370.72269	30000	0	0	30000	39.5	2004
21.01.2020 16:27:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:27:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:28:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
21.01.2020 16:28:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:28:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:29:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:29:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:30:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:30:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:31:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:31:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:31:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:32:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:32:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:33:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:33:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:34:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:34:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:34:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:35:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:35:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:36:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:36:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:37:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:37:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:37:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:38:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:38:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:39:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:39:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:40:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:40:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:40:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:41:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:41:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:42:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:42:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:42:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:43:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:43:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:44:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:44:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:45:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:45:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:45:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:46:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:46:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:47:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:47:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:48:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:48:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:48:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:49:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:49:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:50:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:50:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:51:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:51:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:51:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:52:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:52:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:53:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:53:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:54:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:54:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:54:59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:55:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:55:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:56:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:56:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:57:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:57:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:57:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:58:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:58:58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 16:59:14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 16:59:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
21.01.2020 17:00:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21.01.2020 17:00:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0